

Carry Lake
Littleton Twp. Aroostook Co.
U.S.G.S. Houlton North Me. (7 1/2')

Fishes

Brook trout	Fathead minnow
Minnows	Pearl dace
Blacknose shiner	Banded killifish
Redbelly dace	

Physical Characteristics

Area - 29 acres	Temperatures
Maximum depth - 60 feet	Surface - 70°F
	60 feet - 43°F

Principal fishery: Brook trout

Suggested Management

Carry Lake was chemically reclaimed in 1963 to reduce competing species and permit intensive coldwater fish management. Banded killifish and four species of minnows have become re-established. Larger trout in the pond utilize these species as forage. Although an oxygen deficiency exists below 30 feet there is sufficient cool, well oxygenated water above this level to support the trout population during the critical summer period.

Annual stockings of brook trout are necessary to supplement natural reproduction and maintain the fishery. The trout growth rate is considered good. A no live fish as bait regulation was implemented to prevent the re-introduction of competing species. This regulation should remain in effect to discourage this introduction of additional species.

A public right of way and boat launching site provides easy access. A public picnic area is located on the south shore.

Surveyed - August, 1951


Resurveyed - 1963, 1978, 1982

Revised - 1990

Maine Department of Inland Fisheries and Wildlife

Funded in part by Federal Aid in Fish Restoration Act under Federal Project F-28-P.

L1050G



CARRY LAKE

LITTLETON TWP., AROOSTOOK CO., MAINE

29 ACRES

