RECEIVED

47608 BP 14317 - A \$ 230.50

3

JUL 1 1 2014 |

Department of Agriculture, Conservation and Forestry

LUPC - DOWNEAST

Building Permit

1. APPLICANT INFORMATION							For	All Res	idential	Develo	pment
Applicant Name(s)			Daytime Phon		FAX				aan aaraga sa aaraga jaa jayahay ka ja	The second second	
BEDINGTON, JOHN	AND JIL	207-796	-0876								
Mailing Address PoB 317					Email 71	IRR	197	s e	ADO	. ce	M
TOWN PRINCETON		State			Zip Code 04668						
2. PROJECT LOCATION AND PROPE	ERTY DETAIL	LS									
Township, Town or Plantation	(TWP 2	(7 ED BPP)	County	AND THE PARTY OF T			and the second s			Park park melakur (arana, mena separa	
GREENLAW CHUPPING	PLANTI	47100			HINGT						
Tax Information (check tax bill)	1 -4	/	Deed or Leas						u.		
Map: WAOOY Plan: 02	LOU	7.2/7.3	BOOK: 401		Page: 39			_ease a	7.		
Lot size (in acres, or in square feet if less than 1 acr		acres	trace was recommendated of the Military and the comment		erage (in squa		THE CONTRACTOR OF STREET		www.compagnation.com		
All Zoning on Property (check the LUPC map) $P - G P$		marin dan sakan sakan da kaban da kaba		Zoning	at Developn $P - G/$		oite		and applicable continues and		
Road Frontage. List the name(s) and front or private roads, or other rights-of-way adjacent			Water Fronta ponds, rivers,								es,
Road #1: PINE DRIVE	Fronta	age O ft.	Waterbody #1	: 731G	LAKE			F	rontage	20	Oft.
Road #2: Cammon access drive											
LUPC Approved Subdivision. List the LU	PC approved s	subdivision numb	oer:NA	SP		and	d SP Lo	t#:			
If your property is not part of subdivisior or contact the LUPC office that serves your area)	n previously a	pproved the Co	ommission, pl	ease contin	ue to Land [Divisio	n Histo	ry belo	W. (che	ck your	deed
Land Division History. Using your deed as a starting point, trace the ownership history and configuration changes of your property back 20 years	(example: Amy Adams to Rob Roberts 1/12/1997 10 acres) Avnold James to John & J.11 Redington 10/23/2013 1.3 acres Dennis Eshery I Wardington to Arnold James 5/31/2011 1.3 acres Arnold James to Dennis & Shery I Waddington 7/29/2007 0.4 acres										2
from today. List any division of those lots from which your property originated		imes to D.				5/6/2007 0,9 acres					, ,
(use additional sheet of paper if needed).	Gene Si	heck to Ari	Feb 1986 8 acres.								
3. EXISTING STRUCTURES OR USE	S (Fill in a line fo	or each existing st	ructure) P	reviously iss	ued Building F	Permit	number	(if appli	cable) 🧴	3914	31
			THE TAXABLE PROPERTY OF TA		na a gaine ta kalan dan ada ada da d	Н	lorizont struc		ance (in om nea	rest:	Con Open and on the Open and o
Type of structure (dwelling, garage, deck, porch, shed, driveway, parking area, etc.)	Year built	Exterior dir (in fe (LxW	et)	(full baser	oundation nent, slab, etc.)	Road	Property line	Lake or pond	River or stream	Wetland	Ocean/Tidal waters
Dwelling BA14317	2009-2010	48×28 ×	17.5	Full bas	sement			100	NA	NA	NA
EC 08-15	A 6	7 15× 16.5	addition	- 11		-	B				
	(B) 6	r entry way	16,5×7.7	entrolled on population of the second of the second							
1 1 1 1 1 1 1 1 1 1 1	OW	entry way	6.5×4.5		C	48		A.			
1			A second of the			2	8	Deck			
		Martine and the same of the same and the sam			And And Annual And And Annual	the same of the sa					
Deck BP-14317-	2009-2010	~17,5 ×	6	POST		The state of the s		100	NA	NA	NA
wy Stair access			and the second s					Table of the same			
	The state of the s			way when the second offs harden tide of a offs handle of						-	

JUL 11 2014 |

4. PROPOSED STRUCTURES OR USES (INCLUDING DRIVEWAYS AND PARKING AREAS) (Use additional sheet if needed)

	What is the present was of your		-													**
4.1	What is the proposed use of your p	orope	пу?	įX	Resi	aenti	ai only		Residentia	al with Home Occup	WIND OF TAXABLE PARTY.			onal Ca nce (in		
To appropriate to the control of the			Prop	osal	(chec	k all th		· 1		110			m near		JI	
	Type of structure lling, garage, deck, porch, shed, ay****, camper, RVs, parking lots, etc.)	New structure***	Reconstruct***	Expand	Relocate	Remove	Enclose deck/porch	Permanent foundation***	Change dimensions or setbacks	Exterior dimensions (in feet) (LxWxH)	Road	Property line	Lake or pond	River or stream	Wetland	Ocean/Tidal waters
Gar	age, 2-car wy attic	X						X		30×30×30	100	80	150	NA	NA	NA
0	age; 2-car wy attic															
													and the second second			
													The state of the s			
*** 4.4	for less than 120 days in a cale b. Will the camper(s), trailer(s), an c. Will the campsite have access to d. Will the campsite have access to RECONSTRUCTIONS OR NEW A existing structure, or adding a p a. If the structure or foundation will explain what physical limitations	to an to pe CCE erma Il not s (lot	recre on-s rman SSO anen mee size,	eation ite pr ent s RY S t fou t the slop	essuritruct TRU ndat LUP	ehicle irized ures CTU ion: C's m	(s) be now water so other the RES: It in the minimum of sep	egisteresupply (ed and road and not a southouse, fi re constru	d ready?self-contained wate ireplace, picnic table cting a new access from property line	r tank we, or lease sory stanks	vith pur an-tos? tructur s, wate	np)? e, rece	YE ONSTRUC	S C S C ting a	S,
The Probability Control of the Contr									MARKALIN AND AND AND AND AND AND AND AND AND AN		4.0			F-15.7#		7110
TA A	b. For reconstructions, has the exi	_					_									ON[
NA	If YES, was the structure in reg If YES, provide the date the structure.									le damage, destruc	uon or i	emova			-S L	
**** 4.5	DRIVEWAYS: If you are located	on a	pub	lic ro	ad:											
	 Are you constructing a new driv volume, or create a safety or dr 	eway aina	y or e	entrar incer	nce c n reg	r cha ardin	inging a g a Sta	currente or St	t driveway ate-Aid Hig	in a way that will in hway?	crease	traffic		□YE	s)	NO
	If YES, you must submit Exhibit you should check with that offic	t H: L	Prive	way/E	Entra	nce F	Permit.	Note: It	your prop	erty is located along	g a Cou	inty or	Town/l	Plantation	on Ŕo	ad,
5. SU	BSURFACE WASTEWATER D										ee instr	uctions	-)			
5.1	Mark the existing type of system se ☐ Primitive Subsurface Disposa ☐ Holding Tank ☐ Self	erving al (Pri	the vy, gr	prope aywa	erty: ter –	non-p	☐ Noi ressuriz	ne	Combi	ined Subsurface S ion Sewer (Connect	ystem	(Tank,	leach fi	eld)		ust promonen
5.2	Will any expanded, reconstructed, or pressurized water, or the ability for	or ne	w str	uctur	es in	clude	new b							_YE	s)	NO
	If YES, you may need to submit Ex	hibit	E: Si	ubsui	face	Was	tewater	Dispos	al. (see ins	structions on page i	v)					,

Question 8 continues onto the next page...

	EVELOPMEN	IT IN FLOOD PRON	E AREAS	(Note: Supplement may	be required. See	LUP(instruction	S - DOV is.)	VNEAST	
6.1	Is your propo Protection) Si	sed activity located with	hin a mappe EMA (Feder	ed P-FP (Flood Prone Are al Emergency Manageme	ea ∫P-FPS ent ≺FEMA	ubdistrict Flood Zor	ne	Flooding	YES NO
				, you must complete Suppline.gov/dacf/lupc/applica			in Flood F	Prone Areas. Co	ntact the LUPC
7. VI	EGETATIVE (CLEARING (Note: E)	xhibit may b	e required. See instruction	ons.)				
7.1				clearing not including the			XINA		> sq. ft
	•	er NA (not applicable)							
7.2	Will the total a feet of any lal	amount of existing and kes or rivers be less tha	proposed van 10,000 se	egetative clearing within 2 quare feet?	250 YES	□NO	□NA	Total:	sq. ft
	similar bound	lary of all public roadwa	ays?) feet from the right-of-wa	YES	□NO	□NA	How Close?	feet
7.4	mark of any b	ody of standing water	less than 10	5 feet from the normal hig cacres in size, any tidal w 6?	ater, or	□NO	□NA	How Close?	feet
7.5				00 feet from the normal hi		□NO	□NA	How Close?	feet
76	If you answe	or NO to any of these	augetione	please explain why your	vegetative clearing	nronosal	is necess	ary and how it w	vill not create ar
	undue advers	se impact on the resour	rces and use	es in the area:					
							Marrian and the state of the design of the state of the s		
	Water and Artist Water State Control								
7.7		?		our property located in on					_ \
		Adamstown Twp. Rangeley Plt.	Dallas Plt Richardso	. Lincoln Pl		DI DI			□YES XNC
				ontown Twp. Sandy Riv	ver Plt. Town	alloway Plt. Iships C, D	, and E.		/ \
and the same			ng table rega		ver Plt. Town getative buffers at	iships C, D the narro	, and E. west point		/ \
marks to an		uctures and the neares	ng table rega	ontown Twp. Sandy Riv arding the width of the veg road, property line, and s Width of Vegetated	ver Plt. Town getative buffers at ubdistrict setbacks Buffers	ships C, D the narrov s as applic	, and E. west point cable:	between the exi	isting and
	Standard	actures and the neares	ng table rega t applicable	ontown Twp. Sandy Riv arding the width of the veg road, property line, and s	ver Plt. Town getative buffers at ubdistrict setback	ships C, D the narrov s as applic	, and E. west point cable:		isting and
design and the second s	Standard Minimum Required:	uctures and the neares	ng table rega t applicable 12, D-GN3 52, D-RS3	ontown Twp. Sandy Riv arding the width of the veg road, property line, and s Width of Vegetated	ver Plt. Town getative buffers at ubdistrict setbacks Buffers	ships C, D the narrov s as applic	, and E. west point cable: Subdistric	between the exi	isting and
And the second s	Minimum	Road 25 feet in D-GN, D-GN 50 feet in D-RS, D-RS	ng table rega t applicable 12, D-GN3 52, D-RS3	ontown Twp. Sandy Rivarding the width of the vegroad, property line, and s Width of Vegetated Side Property Line	ver Plt. Town getative buffers at ubdistrict setbacks Buffers Rear Property 15 feet	ships C, D the narrov s as applic	, and E. west point cable: Subdistric	between the exit t Boundary (If D-E Buffer to other Sut	isting and
Appendix manufacture of the second se	Minimum Required: This property:	Road 25 feet in D-GN, D-GN 50 feet in D-RS, D-RS 75 feet in D-ES and	ng table rega t applicable 12, D-GN3 52, D-RS3 d D-CI feet	ontown Twp. Sandy Rivarding the width of the vegroad, property line, and s Width of Vegetated Side Property Line 15 feet	ver Plt. Town getative buffers at ubdistrict setbacks Buffers Rear Property 15 feet	ships C, D the narrov as as applic	, and E. west point cable: Subdistric	between the exi t Boundary (If D-E Buffer to other Sub	isting and S or D-CI) odistricts
-	Minimum Required: This property: Note: You ma	Road 25 feet in D-GN, D-GN 50 feet in D-RS, D-RS 75 feet in D-ES and	ng table regat applicable 12, D-GN3 52, D-RS3 d D-Cl feet it Exhibit F:	ontown Twp. Sandy Rivarding the width of the vegroad, property line, and s Width of Vegetated Side Property Line 15 feet feet	yer Plt. Town getative buffers at ubdistrict setbacks Buffers Rear Property 15 feet ptions to Buffering	eships C, D the narrow as as application tine eet Requiren	y, and E. west point cable: Subdistric 50 feet I	t Boundary (If D-E Buffer to other Subsections of	isting and S or D-CI) odistricts feet in page iv)
-	Minimum Required: This property: Note: You ma	Road 25 feet in D-GN, D-GN 50 feet in D-RS, D-RS 75 feet in D-ES and ay be required to subm	ng table regat t applicable 12, D-GN3 52, D-RS3 d D-CI feet sit Exhibit F:	ontown Twp. Sandy Rivarding the width of the vegroad, property line, and some Width of Vegetated Side Property Line 15 feet feet Documentation for Excel	per Plt. Town getative buffers at ubdistrict setbacks Buffers Rear Property 15 feet ptions to Buffering	ships C, D the narrow s as applic Line Requiren Exhibit ma	y and E. west point cable: Subdistrict 50 feet lenents. (See y be required)	t Boundary (If D-E Buffer to other Subsections of	isting and S or D-CI) odistricts feet n page iv)
8. S (8.1	Minimum Required: This property: Note: You ma OIL DISTURE Will your proju If YES, pleas	Road 25 feet in D-GN, D-GN 50 feet in D-RS, D-RS 75 feet in D-ES and ay be required to subm BANCE, FILLING AN ect involve disturbing see answer the following	ng table regate applicable 12, D-GN3 12, D-RS3 13 D-CI 14 feet 15 feet 16 GRADIN 16 GRADIN 16 Guestions.	ontown Twp. Sandy River and Sandy River arding the width of the veg road, property line, and some width of Vegetated Side Property Line 15 feet feet Documentation for Excelland grading?	pet Plt. Town getative buffers at ubdistrict setbacks Buffers Rear Property 15 feet ptions to Buffering ONTROL (Note: E	eet Requiren Exhibit ma	y and E. west point cable: Subdistrict 50 feet lenents. (See y be required)	between the exit Boundary (If D-E Buffer to other Subsections of the instructions of t	isting and S or D-CI) odistricts feet n page iv) ctions.)
8. S (8.1	Minimum Required: This property: Note: You ma OIL DISTURE Will your projulif YES, pleas What is the to	Road 25 feet in D-GN, D-GN 50 feet in D-RS, D-RS 75 feet in D-ES and ay be required to subm BANCE, FILLING AN ect involve disturbing s we answer the following otal area of proposed so	ng table regate applicable 12, D-GN3 12, D-RS3 12, D-RS3 13, D-CI 14 feet 15 feet 16 GRADIN 16 fooil or filling and applicable appl	ontown Twp. Sandy Rivarding the width of the vegroad, property line, and s Width of Vegetated Side Property Line 15 feet	per Plt. Town getative buffers at ubdistrict setbacks Buffers Rear Property 15 feet ptions to Buffering ONTROL (Note: E	ships C, D the narrov s as applic Line Requiren Exhibit ma	y, and E. west point cable: Subdistrict 50 feet Interest (See	t Boundary (If D-E Buffer to other Subsections of	isting and S or D-CI) odistricts feet in page iv) otions.) YES □NO
8. S (8.1	Minimum Required: This property: Note: You ma OIL DISTURE Will your projult YES, pleas What is the to	Road 25 feet in D-GN, D-GN 50 feet in D-RS, D-RS 75 feet in D-ES and ay be required to subm BANCE, FILLING AN ect involve disturbing so we answer the following otal area of proposed so of soil disturbance or fi	ng table regate applicable 12, D-GN3 12, D-GN3 12, D-RS3 13 d D-Cl 14 feet 15 feet 16 GRADIN 16 it Exhibit F: 17 are applicable app	ontown Twp. Sandy Rinarding the width of the vegroad, property line, and s Width of Vegetated Side Property Line 15 feet feet Documentation for Excelent grading? If NO, continue to Section and grading? Identify and grading? In the section of the section	per Plt. Town getative buffers at subdistrict setbacks. Buffers Rear Property 15 feet functions to Buffering PNTROL (Note: In 19). or river be less the	ships C, D the narrow as as application ine eet Requirem Exhibit ma	sq. ft.?	between the exit Boundary (If D-E Buffer to other Subsections of Fig. 1) because instructions of Fig. 2	isting and S or D-CI) odistricts feet n page iv) ctions.)
8. Se 8.1	Minimum Required: This property: Note: You ma OIL DISTURE Will your projult YES, pleas What is the to	Road 25 feet in D-GN, D-GN 50 feet in D-RS, D-RS 75 feet in D-ES and ay be required to subm BANCE, FILLING AN ect involve disturbing so we answer the following otal area of proposed so of soil disturbance or fi	ng table regate applicable 12, D-GN3 12, D-RS3 12, D-RS3 13 D-CI 14 feet 15 ID GRADIN 16 it Exhibit F: 16 id or filling a questions. 16 iding and grading and gra	ontown Twp. Sandy Rivarding the width of the vegroad, property line, and s Width of Vegetated Side Property Line 15 feet	per Plt. Town getative buffers at subdistrict setbacks. Buffers Rear Property 15 feet functions to Buffering PNTROL (Note: In 19). or river be less the	ships C, D the narrow as as application tine eet Requirent Exhibit ma	sq. ft.?	between the exit Boundary (If D-E Buffer to other Subsections of Fig. 1) because instructions of Fig. 2	isting and S or D-CI) odistricts feet n page iv) ctions.) YES □NO
8. So 8.1 8.2 8.3	Minimum Required: This property: Note: You ma OIL DISTURE Will your projulif YES, pleas What is the to Will the area a. If NO, wh	Road 25 feet in D-GN, D-GN 50 feet in D-RS, D-RS 75 feet in D-ES and ay be required to subm BANCE, FILLING AN ect involve disturbing so the answer the following otal area of proposed so of soil disturbance or file at is the total square feetsturbance or filling and	ng table regate applicable 12, D-GN3 12, D-RS3 12, D-RS3 13 D-Cl 14 feet 15 Exhibit F: 16 GRADING 17 Grading and grading and grading be	ontown Twp. Sandy Rinarding the width of the vegroad, property line, and some Width of Vegetated Side Property Line 15 feet 15 feet Documentation for Excelent Grading? If NO, continue to Section are or filling and grading? adding within 250 of a lake sturbance or filling and grading and grading within 250 of a lake sturbance or filling and grading within and grading and g	per Plt. Town getative buffers at subdistrict setbacks. Buffers Rear Property 15 feet ptions to Buffering NTROL (Note: Entering) or river be less the ading within 250 feet	eet Requiren Exhibit ma an 5,000 set?	y and E. west point cable: Subdistrict 50 feet lenents. (See y be required)	between the exit Boundary (If D-E) Buffer to other Subsections of the instructions of	isting and S or D-CI) odistricts feet in page iv) ctions.) YES NO sq. ft. YES NO sq. ft.
8. So 8.1 8.2 8.3	Minimum Required: This property: Note: You ma OIL DISTURE Will your projulif YES, pleas What is the to Will the area a. If NO, wh	Road 25 feet in D-GN, D-GN 50 feet in D-RS, D-RS 75 feet in D-ES and ay be required to subm BANCE, FILLING AN ect involve disturbing so the answer the following otal area of proposed so of soil disturbance or file at is the total square feetsturbance or filling and	ng table regate applicable 12, D-GN3 12, D-RS3 12, D-RS3 13 D-Cl 14 feet 15 Exhibit F: 16 GRADING 17 Grading and grading and grading be	ontown Twp. Sandy Rinarding the width of the vegoroad, property line, and some Width of Vegetated Side Property Line 15 feet Documentation for Excelland grading? If NO, continue to Section and grading? adding within 250 of a lake sturbance or filling and grading and grading and grading and grading sturbance or filling and grading and gr	per Plt. Town getative buffers at subdistrict setbacks. Buffers Rear Property 15 feet ptions to Buffering NTROL (Note: Entering) or river be less the ading within 250 feet	eet Requiren Exhibit ma an 5,000 set?	y and E. west point cable: Subdistrict 50 feet lenents. (See y be required)	between the exit Boundary (If D-E) Buffer to other Subsections of the instructions of	isting and S or D-CI) odistricts feet in page iv) ctions.) YES NO sq. ft. YES NO sq. ft.
8. So 8.1 8.2 8.3	Minimum Required: This property: Note: You ma OIL DISTURE Will your projulif YES, pleas What is the to Will the area a. If NO, wh Will all soil dis If NO, you wi	Road 25 feet in D-GN, D-GN 50 feet in D-RS, D-RS 75 feet in D-ES and BANCE, FILLING AN ect involve disturbing see answer the following otal area of proposed se of soil disturbance or filling and all need to submit Exhib	ng table regate applicable 12, D-GN3 12, D-RS3 12 D-RS3 13 D-CI 14 feet 15 ID GRADIN 16 Feet 16 GRADIN 16 Feet applicable applications. 16 Feet applications and grading and grading be application of the control of t	ontown Twp. Sandy Rinarding the width of the vegroad, property line, and some Width of Vegetated Side Property Line 15 feet 15 feet Documentation for Excelent Grading? If NO, continue to Section are or filling and grading? adding within 250 of a lake sturbance or filling and grading and grading within 250 of a lake sturbance or filling and grading within and grading and g	per Plt. Town getative buffers at ubdistrict setbacks Buffers Rear Property 15 feet ptions to Buffering NTROL (Note: E	ships C, D the narrow as as application as application Exhibit ma an 5,000 set?	y and E. west point cable: Subdistrict 50 feet I	between the exit Boundary (If D-E Buffer to other Subsections of Fig. 2)	isting and S or D-CI) odistricts feet in page iv) otions.) YES NO sq. ft. YES NO sq. ft.
8. Se 8.1 8.2 8.3 8.4	Minimum Required: This property: Note: You ma OIL DISTURE Will your projulif YES, pleas What is the to Will the area a. If NO, wh Will all soil dis If NO, you will What will be to	Road 25 feet in D-GN, D-GN 50 feet in D-RS, D-RS 75 feet in D-ES and ay be required to submanable and the	ng table regal tapplicable 12, D-GN3 12, D-RS3 12, D-RS3 13, D-CI 14 feet 15 feet 16 feet 17 feet 18 feet 19	ontown Twp. Sandy Rinarding the width of the vegroad, property line, and some Width of Vegetated Side Property Line 15 feet Documentation for Excelled AND EROSION CO and grading?	per Plt. Town getative buffers at ubdistrict setbacks Buffers Rear Property 15 feet potions to Buffering PNTROL (Note: Buffering) or river be less the ading within 250 fe NOT frozen or sa trol Plan arest waterbody or	ships C, D the narrow as as application and 5,000 seet?	y and E. west point cable: Subdistrict 50 feet I	between the exit Boundary (If D-E) Buffer to other Subsections of the instructions of	isting and S or D-CI) odistricts feet in page iv) otions.) YES NO sq. ft. YES NO sq. ft.


BP 14317-A

8. SOIL DISTURBANCE, FILLING AND GRADING AND EROSION CONTROL (continued from provides page) OWNEAST

8		Will all disturbed or filled area (other than driveways or walkways) be properly seeded and mulched prior to September 15 OR be heavily mulched with hay that is tacked down and a minimum of 4 inches in depth to prevent sedimentation in the spring?									
		Will existing waterbodie measures?		XYES	□NO						
8	3.10	What is the average	30') of slope (ex	ample: an							
		be disturbed and	☐ 30% (Requires minimum setback of 170	D') ⁻	40%	(Requires minimum setback of 2	10')				
		the nearest	☐ 50% (Requires minimum setback of 250)')	□ 60%	(Requires minimum setback of 2	90')				
		waterbody or wetland?	☐ 70% (Requires minimum setback of 330 (Note: Between 21% and 70% average slope average slope of 36% requires a minimum set	e, an additional 4 foot	setback is	required for each additional 1%	of slope (ex	ample: an			
8			ny of these questions, or your project of the create an undue adverse impact on the sto stabilize the site:								
	Parkers many		ALTERATION (Note: Exhibit or Supple		A Approximation of the Control of th						
Ś		-	a total of one acre or more of land area, v					⊠NO			
		Wetland Alterations.	complete Exhibit G: Erosion and Sedimen				r				
(mark of any lake, pond,	any amount of land that is mapped P-WL river, stream, or intertidal area?				YES	MNO			
		If YES, you must also o	complete Supplement S-3: Requirements	for Wetland Alteratio	ns.						
10.	. AF	PLICANT SIGNATU	RE (REQUIRED) AND AGENT AUTH	IORIZATION (<i>OP</i> 1	TONAL)						
	-	Name		Daytime Phone		FAX					
Ma	iling	Address				Email					
To	wn					State	Zip Code				
I have personally examined and am familiar with the information submitted in this application, including the accompanying exhibits and supplements, and to the best of my knowledge and belief, this application is complete with all necessary exhibits. I understand that if the application is incomplete or without any required exhibits that it will result in delays in processing my permit decision. The information in this application is a true and adequate narrative and depiction of what currently exists on and what is proposed at the property. I certify that I will give a copy of this permit and associated conditions to any contractors working on my project. I understand that I am ultimately responsible for complying with all applicable regulations and with all conditions and limitations of any permits issued to me by the LUPC. If there is an Agent listed above, I hereby authorize that individual or business to act as my legal agent in all matters relating to this permit application. I understand that while there is a required Statewide Maine Uniform Building and Energy Code (MUBEC) administered by the Maine Department of Public Safety, Bureau of Building Codes & Standards, the Commission's review is limited only to land use issues and the Commission does not make any findings related to the MUBEC, nor do the LUPC staff inspect buildings or enforce any provisions of that Code. Please check one of the boxes below: (see "Accessing the Project Site for Site Evaluation and Inspection" just prior to the application form) 1 authorize staff of the Land Use Planning Commission to access the project site as necessary at any reasonable hour for the purpose of evaluating the site to verify the application materials I have submitted, and for the purpose of inspecting for compliance with statutory and regulatory requirements, and the terms and conditions of my permit. 1 request that staff of the Land Use Planning Commission make reasonable efforts to contact me in advance to obtain my permission to fully access the proj											
	-				Date_						

RECEIVED

JUL 1 1 2014




r or office use:

600

LUPC - DOWNEAST

EXHIBIT D-1: SITE PLAN


Prepare a bird's-eye view site plan that shows your entire property and includes all the elements described for **Exhibit D** in the instructions on page iv. Do not use colors. Refer to the instructions on page v for a sample site plan.



* PINE DRIVE IS APPROX 200+ Ft NW ON FAR SIDE OF ADJACENT LOT

PROPOSED STRUCTURE IS AN ATTACHED GARAGE 30×30×30

AMENDMENT A TO BUILDING PERMIT BP-14317



Based on the information you have submitted in the attached application and supporting documents, the staff of the Land Use Planning Commission concludes that, if carried out in compliance with the conditions of approval below, your proposal will meet the criteria for approval, 12 M.R.S.A. §685-B(4) of the Commission's statutes and the provisions of the Commission's *Land Use Districts and Standards* (Chapter 10; ver. September 1, 2013). Any variation from the application or the conditions of approval is subject to prior Commission review and approval. Any variation undertaken without Commission approval constitutes a violation of Land Use Planning Commission law. In addition, any person aggrieved by this decision of the staff may, within 30 days, request that the Commission review the decision.

Koren E. Bolotrad

July 15, 2014

LUPC Authorized Signature

Effective Date

CONDITIONS OF APPROVAL

General Conditions

- 1. Construction activities authorized in this permit must be substantially started within 2 years of the effective date of this permit and substantially completed within 5 years of the effective date of this permit. If such construction activities are not started and completed within this time limitation, this permit shall lapse and no activities shall then occur unless and until a new permit has been granted by the Commission.
- 2. This permit is dependent upon and limited to the proposal as set forth in the application and supporting documents, except as modified by the Commission in granting this permit. Any variation is subject to prior review and approval of the Maine Land Use Planning Commission. Any variation from the application or the conditions of approval undertaken without approval of the Commission constitutes a violation of Land Use Planning Commission law.
- 3. Structures authorized under this permit, as well as filling/grading/soil disturbance and cleared openings created as part of construction activities authorized under this permit, must be located to meet the road, property line, water and wetland setback distances, exterior dimensions and building heights listed in Sections 4, 7 and 8 and approved by this permit.
- 4. Temporary and permanent sedimentation control measures must be implemented to effectively stabilize all areas of disturbed soil and to catch sediment from runoff water before it leaves the construction site so that sediment does not enter water bodies, drainage systems, water crossings, wetlands or adjacent properties. Clearing and construction activities, except those necessary to establish sedimentation control devices, shall not begin until all erosion and sedimentation control devices (including ditches, culverts, sediment traps, settling basins, hay bales, silt fences, etc.) have been installed and stabilized. Once in place, such devices shall be maintained to ensure proper functioning.
- 5. Effective, temporary stabilization of all disturbed and stockpiled soil must be completed at the end of each work day. All temporary sedimentation and erosion control devices shall be removed after construction activity has ceased and a cover of healthy vegetation has established itself or other appropriate permanent control measures have been effectively implemented. Permanent soil stabilization shall be completed within one week of inactivity or completion of construction.
- 6. Cleared openings created as part of construction activities authorized under this permit must be effectively stabilized and revegetated.
- 7. All imported fill material must be free of hazardous or toxic materials and must not contain debris, trash, or rubbish.
- 8. Unless otherwise proposed in Question 8.4 and by the submittal of **Exhibit G**, **Erosion and Sediment Control Plan**, and approved by this permit, soil disturbance must not occur when the ground is frozen or saturated.
- 9. Topsoil must not be removed from the site except for that necessary for construction activities authorized in this permit. Topsoil must be stockpiled at least 100 feet from any water body.
- 10. The permittee shall not advertise Land Use Planning Commission approval without first obtaining approval for such advertising. Any such advertising shall refer to this permit only if it also notes that the permit is subject to conditions of approval.
- 11. In the event the permittee should sell or lease this property, the buyer or lessee shall be provided a copy of the approved permit and conditions of approval. The new owner or lessee should then contact the Land Use Planning Commission to have the permit transferred into his/her name. If there are no additional changes the transfer can be accomplished on a Minor Change Form.
- 12. All exterior lighting must be located and installed so as to illuminate only the target area to the extent possible. Exterior lighting must not produce a strong, dazzling light or reflection beyond lot lines onto neighboring properties, water bodies, or roadway so

- as to impair driver vision or to create nuisance conditions.
- 13. The scenic character and healthful condition of the area covered under this permit must be maintained. The area must be kept free of litter, trash, junk cars and other vehicles, and any other materials that may constitute a hazardous or nuisance condition.
- 14. The permittee shall secure and comply with all applicable licenses, permits, authorizations, and requirements of all federal, state, and local agencies including but not limited to: Air and Water Pollution Control Regulations; Subsurface Wastewater Disposal System approval from the Local Plumbing Inspector and/or Maine Department of Health and Human Services, Subsurface Wastewater Program; and the Maine Department of Transportation, Driveway Entrance Permit, a physical E-911 address from your County Commissioner's Office.
- 15. Once construction is complete, the permittee shall submit a self-certification form, notifying the Commission that all conditions of approval of this permit have been met. The permittee shall submit all information requested by the Commission demonstrating compliance with the terms of this permit.

Common Conditions

- 16. All conditions of previously issued Commission permits shall remain in effect, except as specifically modified by this permit.
- 17. All structures must be set back a minimum of 100 feet from the normal high water mark of Big Lake, 50 feet from the traveled portion (edge) of all roadways and 15 feet from other property boundary lines.
- 18. The height of the structure shall be no higher than **30** feet when measured as the vertical distance between the mean original (prior to construction) grade at the downhill side of the structure and the highest point of the structure, excluding chimneys, steeples, antennas, and similar appurtenances that have no floor area.