47371 Tracking No.

1. APPLICANT INFORMATION

RECEIVED

MAINE LAND USE REGULATION COMMISSION

Department of Conservation

Fee Received

MAY 2 0 2014

LUPC - DOWNEAST

Building Permit For All Residential Development

Applicant Name(s) Timothy W. Dui	clina		Daytime Ph 813- 52	one 3-1138	FAX						
Mailing Address 31045 Parkmo) <i>f</i>	akaanna araa araa araa araa araa araa ar		Email Tim@	apli	ıslıf	odo	velo	\me	ntc
Town Wesley Chapel	FL				State	FL	12(1)(Zip Cod	de 54	3
2. PROJECT LOCATION AND PROPE	ERTY DETAIL	_S				***************************************		·····			was de la communición de la co
Township, Town or Plantation T 26 ED BPP		entra la companya de	County	lashina	aton			eraki danin danahar dan sam	***************************************	***************************************	
Tax Information (check tax bill) Map: WA 003 Plan: 02	Lot:	13.1		ase Informatio				Lease	#:		
Lot size (in acres, or in square feet if less than 1 acr	e) .54 ac	(23522	+ 59 ft) Lot Cove	rage (in squ	ıare feel	•)				
All Zoning on Property (check LURC map) D-RS				Zoning a	t Developi RS	nent S	ite	***************************************	·		
Road Frontage. List the name(s) and front or private roads, or other rights-of-way adjacents.	ent to your lot:		ponds, river	tage. List the s, streams, or	other water	rs on o	or adjac	ent to	your lo	t:	
Road #1: Local Access Road Road #2:	Fronta Fronta	ge > 100 ft. ge ft.	Waterbody Waterbody		nan l	Ponc			rontag rontag		1.3 ft. ft.
LURC Approved Subdivision. List the LUI If your property is not part of a LURC app serves your area)							d SP Lo ck deed o		et the LU	RC offic	e that
Land Division History. Using your deed as a starting point, trace the ownership history and configuration changes of your property back 20 years from today. List any division of those ots from which your property originated (use additional sheet of paper if needed).	File 1971, Un	improve		enfor		1/12/1 کا کی ا			o acre.	5)	
3. EXISTING STRUCTURES OR USES	(Fill in a line fo	r each existing st	ructure)	Previously is	sued Buildir	***************************************	orizont	al Dista	ance (ir	feet)	of
Type of structure (dwelling, garage, deck, porch, shed, driveway, parking area, etc.)	Year built	Exterior din (in fe (LxW)	et)	Type of for (full basem post, e	ent, slab,	Road	Property line	ture Lake or pond	ne River or stream	NAME OF THE OWNER, OF THE OWNER, OF THE OWNER,	Ocean/Tidal waters
Subsurface	19805		20000000000000000000000000000000000000	***	***************************************	***************************************	tive side discription of the second s		3	***************************************	
wastewater		***************************************	toder et schrive de grande and				iliainteetti nonkoonnoonnoon		*************		
Disposal		at vii koonnoonnoonnoonnoonnoonnoonnoonii yli siivelii sii	i pragonoralis en annos (proposis positivos proposis en annos				·····				
System					0004171900000000000000000000000000000000				*******************************		
System Existing driveway			-								
/	The state of the s										
									***************************************	0	

RECEIVED

BP 15217

MAY 2 0 2014 |

4. PROPOSED STRUCTURES OR US	SES	(INC	LUE	ING	DR	IVEWA	YS AN	ID PIABLE	HOG ADDINANE	3 dditio	onal she	eet if n	eeded)		
4.1 What is the proposed use of your	prope	rty?	3	Resi	denti	al only		Residenti	al with Home Occu	·			onal Ca	******	***************************************
			Prop	osal	(che	ck all th	at apply	')	полькувального	Ho			nce (in m neare		f
Type of structure (dwelling, garage, deck, porch, shed, driveway****, camper, RVs, parking lots, etc.)	New structure***	Reconstruct***	Expand	Relocate	Remove	Enclose deck/porch	Permanent foundation***	Change dimensions or setbacks	Exterior dimensions (in feet) (LxWxH)	Road	Property line	Lake or pond	River or stream	Wetland	Ocean/Tidal waters
Seasonal camp	V		П	П			V		16×16×30	54	50	ivo	***************************************		S
Bedroom addition	ŪZ/						V		16x16x30	54	50	100			
Deck/porch	V						W		16×16×30	54	50	100			
SCR/ POTON												100			

												•			

a. Will the tents, tent trailer(s), pic for less than 120 days in a cale b. Will the camper(s), trailer(s), and c. Will the campsite have access d. Will the campsite have access d. Will the campsite have access the series of the campsite have access the series of the campsite have access to the campsite have access to the campsite have access the campsite have access to the campsite have access the campsite have access to the campsite have access the campsite have access to the campsi	ndar d/or o an o per CCE erma	year recre on-s rman SSO inen mee	? eation ite pr ent s RY S t fou	al ve essu tructo TRU ndati	hicle rized ures CTUI ion: minin	(s) be rewater so ther the RES: If	egistere supply (an an o you ar	and road and not a uthouse, f e constru	d ready?self-contained wate ireplace, picnic tabl acting a new acces om property lines, r	er tank wee, or least	vith pum an-tos?	np)?	YE YE YE onstruct	S S S ting a	n
b. For reconstructions, has the ex	-					-									
If YES, was the structure in reg If YES, provide the date the structure.									ie damage, destruc	uon or i	emoval	·	Y£	3 <u>L</u>	JNU
**** 4.5 DRIVEWAYS: If you are located						,		- 4,000,000,000,000							
a. Are you constructing a new driv volume, or create a safety or dr If YES, you must submit Exhibit you should check with that office	ainag t H: L	je co <i>Drive</i>	ncen way/L	n reg	ardin <i>nce F</i>	g a Stat Permit.	te or St <i>Note: li</i>	ate-Aid Hiç f <i>your prop</i>	ghway? perty is located alon] NO ad,
5. SUBSURFACE WASTEWATER D										ee instru	uctions)				
5.1 Mark the existing type of system se Primitive Subsurface Disposa Holding Tank	rving I (Pri	the vy, gr	prope aywa	erty: ter – r	non-p	☐ Nor ressurize	ne .	✓ Comb	ined Subsurface S non Sewer (Connec	System	(Tank, le	each fie	eld)		
5.2 Will any expanded, reconstructed, or pressurized water, or the ability for If YES, you may need to submit Ex	huma	an ha	abitat	ion; c	or oth	erwise	genera	e addition	al wastewater?	•••••	fixtures	,	⊌YE	s []NO

RECEIVED MAY 2 0 2014

	·	~~~~	~~~~	************	
BP	1	5	2	IT	

6.	DE	EVELOPMEN	IT IN FLOOD PRO	NE AREAS	(Note: Supplement may be	e required. See i	instructions	s.)			
		Is your propose Protection) Se	sed activity located v ubdistrict, a mapped I zone, or an unmap	within a mapp FEMA (Fede	P-FP Si	P-FP Subdistrict					
***************************************		If you answe office serving	r YES to any of the your area or downlo	se questions and at http://w	s, you must complete Supple ww.maine.gov/doc/lurc/form	ement S-4: Deve ns.shtml.	elopment ii	n Flood F	Prone Areas.	Contact the	LURC
7.	VE	GETATIVE (CLEARING (Note:	Exhibit may b	be required. See instruction	rs.)					
7	7.1	What is the to	tal amount of propos	sed vegetative	e clearing not including the es?			MINA	tana	990	sq. ft
			er NA (not applicable						Olear	ina	Sq. It
7	7.2	Will the total a	amount of existing ar	nd proposed v	vegetative clearing within 25	0 YES	Mino □NO		e cuttin Total:	9)	sq. ft.
7	7.3	Will the propo	sed clearing be loca	ited at least 5	0 feet from the right-of-way	or	□NO	□NA	How Close	?	feet
7	7.4	Will the propo	sed clearing be loca	ited at least 7	5 feet from the normal high 0 acres in size, any tidal wat	water ter. or					пописального принципального принципал
_		-	-		s?		□NO	NA	How Close	?	feet
7	7.5				00 feet from the normal high		□NO	□NA	How Close	?	feet
7	7.6		•	•	please explain why your ve	getative clearing	proposal i	s necess	ary and how	it will not cr	eate an
		undue advers	e impact on the reso	ources and us	es in the area:			**************************************	19000100000000000000000000000000000000		www
		***************************************				COMPANIE MANAGEMENT CONTRACTOR CO		****************		Weeker commence or	***************************************
7.	.7	Buffering in P	Prospectively Zoneo	d Areas. Is y	our property located in one	of the following F	Prospective	elv Zonec	I Plantations		***************************************
7.		or Townships? If YES, please	Adamstown Twp. Rangeley Plt. e complete the follow	Dallas Pl Richards ving table rega	ontown Twp. Sandy River arding the width of the veget	Maga Plt. Townstative buffers at t	lloway Plt. ships C, D,	and E.			□NO
7.		or Townships? If YES, please	Adamstown Twp. Rangeley Plt. e complete the follow	Dallas Pl Richards ving table rega	t. Lincoln Plt. ontown Twp. Sandy River arding the width of the veget road, property line, and sub	Maga Plt. Town tative buffers at t	lloway Plt. ships C, D,	and E.			
7.		or Townships? If YES, please proposed stru	Adamstown Twp. Rangeley Plt. e complete the follow ctures and the neare	Dallas Pr Richards ving table rega est applicable	t. Lincoln Plt. ontown Twp. Sandy River arding the width of the veget	Maga Plt. Town tative buffers at t	illoway Plt. ships C, D, the narrowe as applica	and E. est point able:		existing and	
7.		or Townships? If YES, please	Adamstown Twp. Rangeley Plt. e complete the follow	Dallas Pr Richards ving table rega est applicable GN2, D-GN3 RS2, D-RS3	t. Lincoln Plt. ontown Twp. Sandy River arding the width of the veger road, property line, and sub	Maga Plt. Town tative buffers at toodistrict setbacks	illoway Plt. ships C, D, the narrowe as applica	and E. est point able:	between the	existing and	
7.		or Townships? If YES, please proposed stru Standard Minimum	Adamstown Twp. Rangeley Plt. e complete the follow ctures and the neare Road 25 feet in D-GN, D-G 50 feet in D-RS, D-F	Dallas Pr Richards ving table rega est applicable GN2, D-GN3 RS2, D-RS3	t. Lincoln Plt. ontown Twp. Sandy River arding the width of the veger road, property line, and sub Width of Vegetated Br Side Property Line	Maga Plt. Town tative buffers at toolistrict setbacks uffers Rear Property L 15 feet	illoway Plt. ships C, D, the narrowe as applica	and E. est point able:	between the	existing and	
7.		or Townships? If YES, please proposed stru Standard Minimum Required: his property:	Adamstown Twp. Rangeley Plt. complete the follow ctures and the neare Road 25 feet in D-GN, D-G 50 feet in D-RS, D-F 75 feet in D-ES a	Dallas Ph Richards ving table regal est applicable GN2, D-GN3 RS2, D-RS3 and D-CI	t. Lincoln Plt. ontown Twp. Sandy River arding the width of the veger road, property line, and sub Width of Vegetated Br Side Property Line 15 feet	Maga Plt. Town tative buffers at todistrict setbacks uffers Rear Property L 15 feet	illoway Pit. ships C, D, the narrowe as applica	and E. est point ible: Subdistrict 50 feet 8	between the t Boundary (If I	existing and D-ES or D-CI Subdistricts feet	
	The state of the s	or Townships? If YES, please proposed stru Standard Minimum Required: his property: Note: You ma	Adamstown Twp. Rangeley Plt. e complete the follow ctures and the neare Road 25 feet in D-GN, D-G 50 feet in D-RS, D-F 75 feet in D-ES a	Dallas Princhards ving table regalest applicable GN2, D-GN3 RS2, D-RS3 and D-CI feet mit Exhibit F:	t. Lincoln Plt. ontown Twp. Sandy River arding the width of the veger road, property line, and sub Width of Vegetated Br Side Property Line 15 feet feet Documentation for Excepting	Maga Plt. Town tative buffers at todistrict setbacks uffers Rear Property L 15 feet feons to Buffering	illoway Pit. ships C, D, the narrowe as applica tine S eet Requireme	and E. est point able: Subdistrict 50 feet I	between the t Boundary (If I	existing and D-ES or D-CI Subdistricts feet on page iv	
8.	SO.	or Townships? If YES, please proposed stru Standard Minimum Required: his property: Note: You ma DIL DISTURB Will your proje	Adamstown Twp. Rangeley Plt. e complete the follow ctures and the neare Road 25 feet in D-GN, D-G 50 feet in D-RS, D-F 75 feet in D-ES a y be required to subsect involve disturbing	Dallas Phrichards ving table regalest applicable GN2, D-GN3 RS2, D-RS3 and D-CI feet mit Exhibit F:	t. Lincoln Plt. ontown Twp. Sandy River arding the width of the veger road, property line, and sub Width of Vegetated Br Side Property Line 15 feet Documentation for Exception NG AND EROSION CON and grading?	Maga Plt. Town tative buffers at to district setbacks uffers Rear Property L 15 feetfe ons to Buffering TROL (Note: E	illoway Pit. ships C, D, the narrowe as applica tine S eet Requireme	and E. est point able: 50 feet E ents. (Se	between the t Boundary (If I	D-ES or D-Cl Subdistricts feet on page iv	
8.	SO.	or Townships? If YES, please proposed stru Standard Minimum Required: his property: Note: You ma DIL DISTURB Will your proje	Adamstown Twp. Rangeley Plt. e complete the follow ctures and the neare Road 25 feet in D-GN, D-G 50 feet in D-RS, D-F 75 feet in D-ES a y be required to subsect involve disturbing	Dallas Phrichards ving table regalest applicable GN2, D-GN3 RS2, D-RS3 and D-CI feet mit Exhibit F:	t. Lincoln Plt. ontown Twp. Sandy River arding the width of the veget road, property line, and sub Width of Vegetated Bt Side Property Line 15 feet feet Documentation for Exception	Maga Plt. Town tative buffers at to district setbacks uffers Rear Property L 15 feetfe ons to Buffering TROL (Note: E	illoway Pit. ships C, D, the narrowe as applica tine S eet Requireme	and E. est point able: 50 feet E ents. (Se	between the t Boundary (If I	D-ES or D-Cl Subdistricts feet on page iv	
8. 8	\$0 3.1	If YES, please proposed stru Standard Minimum Required: his property: Note: You ma DIL DISTURB Will your proje If YES, please What is the to	Adamstown Twp. Rangeley Plt. e complete the follow ctures and the neare Road 25 feet in D-GN, D-G 50 feet in D-RS, D-F 75 feet in D-ES a ANCE, FILLING A ect involve disturbing the answer the following tal area of proposed	Dallas Phrichards ving table regalest applicable GN2, D-GN3 RS2, D-RS3 and D-CI feet mit Exhibit F: ND GRADII Is soil or filling any questions. soil disturbar	t. Lincoln Plt. ontown Twp. Sandy River arding the width of the veger road, property line, and sub Width of Vegetated Br Side Property Line 15 feet Documentation for Exception and grading?	Magar Plt. Townstative buffers at todistrict setbacks uffers Rear Property L 15 feetfee ons to Buffering TROL (Note: E	illoway Pit. ships C, D, he narrowe as applica ine S Requireme	and E. est point able: 50 feet E ents. (Se	between the t Boundary (If I	existing and D-ES or D-CI Subdistricts feet on page iv ructions.)))) Sq. ft.
8. 8	\$0 3.1	If YES, please proposed stru Standard Minimum Required: his property: Note: You ma DIL DISTURB Will your proje If YES, please What is the to Will the area of	Adamstown Twp. Rangeley Plt. e complete the follow ctures and the neare Road 25 feet in D-GN, D-G 50 feet in D-ES a y be required to sub ANCE, FILLING A ect involve disturbing a answer the following tal area of proposed of soil disturbance or	Dallas Princhards ving table regalest applicable GN2, D-GN3 RS2, D-RS3 and D-CI feet mit Exhibit F: ND GRADII soil or filling and questions. soil disturbar filling and gray	t. Lincoln Plt. ontown Twp. Sandy River arding the width of the veger road, property line, and sub Width of Vegetated Br Side Property Line 15 feet Documentation for Exception AGAND EROSION CON and grading? If NO, continue to Section Side or filling and grading? ading within 250 of a lake or	Maga Plt. Town tative buffers at todistrict setbacks uffers Rear Property L 15 feet feons to Buffering TROL (Note: E	illoway Pit. ships C, D, the narrowe as applica tine S Requireme Exhibit may an 5,000 sq	and E. est point able: Subdistrict 50 feet I ents. (Se be required)	between the Boundary (If It Bo	existing and D-ES or D-CI Subdistricts feet on page iv ructions.) YES	NO sq. ft.
8. 8 8 8	SO 3.1 3.2 3.3	If YES, please proposed stru Standard Minimum Required: his property: Note: You ma DIL DISTURB Will your proje If YES, please What is the to Will the area of	Adamstown Twp. Rangeley Plt. e complete the follow octures and the neare Road 25 feet in D-GN, D-G 50 feet in D-RS, D-F 75 feet in D-ES a Experimental to substantiate the second of soil disturbance or at is the total square	Dallas Princhards wing table regalest applicable GN2, D-GN3 RS2, D-RS3 and D-CI feet mit Exhibit F: NND GRADII soil or filling and questions. soil disturbar filling and grafeet of soil dist	t. Lincoln Plt. ontown Twp. Sandy River arding the width of the veger road, property line, and sub Width of Vegetated Br Side Property Line 15 feet Documentation for Exception AND EROSION CON and grading?	Maga Plt. Town tative buffers at todistrict setbacks uffers Rear Property L 15 feet feons to Buffering TROL (Note: E	illoway Pit. ships C, D, the narrowe as applica tine Seet Requireme Exhibit may an 5,000 sq et?	and E. est point ible: 50 feet I ents. (Se be require i. ft.?	between the t Boundary (If I	existing and D-ES or D-CI Subdistricts feet on page iv	NO sq. ft.
8. 8 8 8	SO 3.1 3.2 3.3	If YES, please proposed stru Standard Minimum Required: his property: Note: You ma DIL DISTURB Will your proje If YES, please What is the to Will the area of a. If NO, wha Will all soil dis	Adamstown Twp. Rangeley Plt. e complete the follow ctures and the neare Road 25 feet in D-GN, D-G 50 feet in D-RS, D-F 75 feet in D-ES a extraction of the second of soil disturbance or at is the total square assurbance or filling an	Dallas Princhards ving table regalest applicable GN2, D-GN3 RS2, D-RS3 and D-CI feet mit Exhibit F: ND GRADII soil or filling and questions. soil disturbar filling and grafeet of soil disturbar and grading be	t. Lincoln Plt. ontown Twp. Sandy River arding the width of the veget road, property line, and sub. Width of Vegetated Brown Side Property Line 15 feet Documentation for Exception Side Property Line feet	Maga Plt. Town tative buffers at to district setbacks uffers Rear Property L 15 feet fe ons to Buffering TROL (Note: E river be less that ing within 250 fee OT frozen or satu	illoway Pit. ships C, D, the narrowe as applica tine Seet Requireme Exhibit may an 5,000 sq et?	and E. est point ible: 50 feet I ents. (Se be require i. ft.?	between the t Boundary (If I	existing and D-ES or D-CI Subdistricts feet on page iv	NO sq. ft.
8. 8 8 8	SO 3.1 3.2 3.3	If YES, please proposed stru Standard Minimum Required: his property: Note: You ma DIL DISTURB Will your proje If YES, please What is the to Will the area of a. If NO, wha Will all soil dis If NO, you will	Adamstown Twp. Rangeley Plt. e complete the follow octures and the neare Road 25 feet in D-GN, D-G 50 feet in D-RS, D-F 75 feet in D-ES a Expression of the property of the proposed of soil disturbance or at is the total square of the proposed of soil disturbance or filling and the proposed of soil disturbance or at is the total square of the proposed of the prop	Dallas Princhards wing table regalest applicable GN2, D-GN3 RS2, D-RS3 and D-CI feet mit Exhibit F: ND GRADII soil or filling ag questions. soil disturbar filling and grafeet of soil dis and grading be bibit G: Erosio	t. Lincoln Plt. ontown Twp. Sandy River arding the width of the veget road, property line, and sub Width of Vegetated Bi Side Property Line 15 feet Documentation for Exception of Exception of Filling and grading? If NO, continue to Section of Exception of Exc	Maga Plt. Town tative buffers at to district setbacks uffers Rear Property L 15 feet feons to Buffering TROL (Note: E river be less that ing within 250 feo OT frozen or satu	illoway Pit. ships C, D, the narrowe as applica tine Seet Requireme Exhibit may an 5,000 sq et?	and E. est point ible: Subdistrict 50 feet I ents. (Se be require 1. ft.?	between the t Boundary (If It	existing and D-ES or D-CI Subdistricts feet on page iv ructions.) YES	NO sq. ft. □NO sq. ft. □NO sq. ft. □NO
8. 8 8	SO 3.1 3.2 3.3 3.4	If YES, please proposed stru Standard Minimum Required: his property: Note: You ma DIL DISTURB Will your proje If YES, please What is the to Will the area of a. If NO, who will all soil dis If NO, you will What will be the	Adamstown Twp. Rangeley Plt. e complete the follow ctures and the neare Road 25 feet in D-GN, D-G 50 feet in D-RS, D-F 75 feet in D-ES a by be required to submit Exhibits and the following tal area of proposed of soil disturbance or at is the total square sturbance or filling an all need to submit Exhibits and the closest distance filling and the closest dist	Dallas Princhards ving table regalest applicable GN2, D-GN3 RS2, D-RS3 and D-CI feet mit Exhibit F: IND GRADII I soil or filling Ing questions. Soil disturbar filling and grafeet of soil disturbar ind grading be inibit G: Erosion from the area	t. Lincoln Plt. ontown Twp. Sandy River arding the width of the veget road, property line, and sub. Width of Vegetated Brown Side Property Line 15 feet Documentation for Exception Side Property Line feet	Maga Plt. Town tative buffers at to district setbacks uffers Rear Property L 15 feet 15 feet TROL (Note: E river be less that ing within 250 feed OT frozen or satulated Plan est waterbody or version and town of the set of the s	illoway Pit. ships C, D, the narrower as application in the set set set set set set set set set se	and E. est point ible: 50 feet I ents. (Se be required)	between the t Boundary (If I Buffer to other structions fred. See instructions I NA	existing and D-ES or D-CI Subdistricts feet on page iv ructions.) YES YES YES	NO sq. ft.

Question 8 continues onto the next page...

RECEIVED
MAY 2 0 2014

2m		************		 ~~
BP	15	2.1	7	


8. SOIL DISTURBANCE, FILLING AND GRADING AND EROSION CONTROL (continued from previous page) 8.8 Will all disturbed or filled area (other than driveways or walkways) be properly seeded and mulched prior to September 15 OR be heavily mulched with hay that is tacked down and a minimum of 4 inches in depth to prevent sedimentation in the 8.9 Will existing waterbodies, wetlands, and culverts in the area be protected by the use of hay bales, silt fence or other YES NO measures?..... 10% or Less (Requires minimum setback of 100') 8.10 What is the average slope of land 20-29% (Requires minimum setback of 130') between the area to be disturbed ☐ 30-39% (Requires minimum setback of 170') ☐ 40-49% (Requires minimum setback of 210') and the nearest waterbody or 50-59% (Requires minimum setback of 250') 60-69% (Requires minimum setback of 290') ☐ 70% or Greater (Requires minimum setback of 330') wetland? 8.11 If you answer NO to any of these questions, or your project will not meet the minimum setback for your slope in 8.10, please explain how your project will not create an undue adverse impact on the resources and uses in the area. Include information about erosion control devices and other plans to stabilize the site: 9. LAND AND WETLAND ALTERATION (Note: Exhibit or Supplement may be required. See instructions.) If YES, you must also complete Exhibit G: Erosion and Sedimentation Control Plan and Supplement S-3: Requirements for Wetland Alterations. 9.2 Will your proposal alter any amount of land that is mapped P-WL Subdistrict, or any ground below the normal high water If YES, you must also complete Supplement S-3: Requirements for Wetland Alterations. 10. APPLICANT SIGNATURE (REQUIRED) AND AGENT AUTHORIZATION (OPTIONAL) Daytime Phone Agent Name FAX Mailing Address Email Town State Zip Code I have personally examined and am familiar with the information submitted in this application, including the accompanying exhibits and supplements. and to the best of my knowledge and belief, this application is complete with all necessary exhibits. I understand that if the application is incomplete or without any required exhibits that it will result in delays in processing my permit decision. The information in this application is a true and adequate narrative and depiction of what currently exists on and what is proposed at the property. I certify that I will give a copy of this permit and associated conditions to any contractors working on my project. I understand that I am ultimately responsible for complying with all applicable regulations and with all conditions and limitations of any permits issued to me by LURC. If there is an Agent listed above, I hereby authorize that individual or business to act as my legal agent in all matters relating to this permit application. I understand that while there is a required Statewide Maine Uniform Building and Energy Code (MUBEC) administered by the Maine Department of Public Safety, Bureau of Building Codes & Standards, LURC's review is limited only to land use issues and LURC does not make any findings related to the MUBEC nor do LURC staff inspect buildings or enforce any provisions of that Code. Please check one of the boxes below: (see "Accessing the Project Site for Site Evaluation and Inspection" just prior to the application form) ☐ I authorize staff of the Land Use Regulation Commission to access the project site as necessary at any reasonable hour for the purpose of evaluating the site to verify the application materials I have submitted, and for the purpose of inspecting for compliance with statutory and regulatory requirements, and the terms and conditions of my permit. 📝 I request that staff of the Land Use Regulation Commission make reasonable efforts to contact me in advance to obtain my permission to fully access the project site for purposes of any necessary site evaluation and compliance inspection. All appropriate persons listed on the deed, lease or sales contract must sign below. Date 1/22/13 mothy N. Durling



EXHIBIT D-2: AFTER SITE PLAN (OPTIONAL*)

*REQUIRED ONLY IF ALL PROPOSED CHANGES CANNOT BE CLEARLY SHOWN ON EXHIBIT D-1.

Prepare a bird's-eye view site plan that shows your entire property and includes all the elements described for Exhibit D in the instructions on page iv. Do not use colors. Refer to the instructions on page v for a sample site plan.



BUILDING PERMIT BP-15217



Based on the information you have submitted in the attached application and supporting documents, the staff of the Land Use Planning Commission concludes that, if carried out in compliance with the conditions of approval below, your proposal will meet the criteria for approval, 12 M.R.S.A. §685-B(4) of the Commission's statutes and the provisions of the Commission's *Land Use Districts and Standards* (Chapter 10; ver. September 1, 2013). Any variation from the application or the conditions of approval is subject to prior Commission review and approval. Any variation undertaken without Commission approval constitutes a violation of Land Use Planning Commission law. In addition, any person aggrieved by this decision of the staff may, within 30 days, request that the Commission review the decision.

Karen E. Batatras

July 16, 2014

LUPC Authorized Signature

Effective Date

CONDITIONS OF APPROVAL

General Conditions

- 1. Construction activities authorized in this permit must be substantially started within 2 years of the effective date of this permit and substantially completed within 5 years of the effective date of this permit. If such construction activities are not started and completed within this time limitation, this permit shall lapse and no activities shall then occur unless and until a new permit has been granted by the Commission.
- 2. This permit is dependent upon and limited to the proposal as set forth in the application and supporting documents, except as modified by the Commission in granting this permit. Any variation is subject to prior review and approval of the Maine Land Use Planning Commission. Any variation from the application or the conditions of approval undertaken without approval of the Commission constitutes a violation of Land Use Planning Commission law.
- 3. Structures authorized under this permit, as well as filling/grading/soil disturbance and cleared openings created as part of construction activities authorized under this permit, must be located to meet the road, property line, water and wetland setback distances, exterior dimensions and building heights listed in Sections 4, 7 and 8 and approved by this permit.
- 4. Temporary and permanent sedimentation control measures must be implemented to effectively stabilize all areas of disturbed soil and to catch sediment from runoff water before it leaves the construction site so that sediment does not enter water bodies, drainage systems, water crossings, wetlands or adjacent properties. Clearing and construction activities, except those necessary to establish sedimentation control devices, shall not begin until all erosion and sedimentation control devices (including ditches, culverts, sediment traps, settling basins, hay bales, silt fences, etc.) have been installed and stabilized. Once in place, such devices shall be maintained to ensure proper functioning.
- 5. Effective, temporary stabilization of all disturbed and stockpiled soil must be completed at the end of each work day. All temporary sedimentation and erosion control devices shall be removed after construction activity has ceased and a cover of healthy vegetation has established itself or other appropriate permanent control measures have been effectively implemented. Permanent soil stabilization shall be completed within one week of inactivity or completion of construction.
- 6. Cleared openings created as part of construction activities authorized under this permit must be effectively stabilized and revegetated.
- All imported fill material must be free of hazardous or toxic materials and must not contain debris, trash, or rubbish.
- 8. Unless otherwise proposed in Question 8.4 and by the submittal of **Exhibit G**, **Erosion and Sediment Control Plan**, and approved by this permit, soil disturbance must not occur when the ground is frozen or saturated.
- 9. Topsoil must not be removed from the site except for that necessary for construction activities authorized in this permit. Topsoil must be stockpiled at least 100 feet from any water body.
- 10. The permittee shall not advertise Land Use Planning Commission approval without first obtaining approval for such advertising. Any such advertising shall refer to this permit only if it also notes that the permit is subject to conditions of approval.
- 11. In the event the permittee should sell or lease this property, the buyer or lessee shall be provided a copy of the approved permit and conditions of approval. The new owner or lessee should then contact the Land Use Planning Commission to have the permit transferred into his/her name. If there are no additional changes the transfer can be accomplished on a Minor Change Form.
- 12. All exterior lighting must be located and installed so as to illuminate only the target area to the extent possible. Exterior lighting must not produce a strong, dazzling light or reflection beyond lot lines onto neighboring properties, water bodies, or roadway so as to impair driver vision or to create nuisance conditions.

- 13. The scenic character and healthful condition of the area covered under this permit must be maintained. The area must be kept free of litter, trash, junk cars and other vehicles, and any other materials that may constitute a hazardous or nuisance condition.
- 14. The permittee shall secure and comply with all applicable licenses, permits, authorizations, and requirements of all federal, state, and local agencies including but not limited to: Air and Water Pollution Control Regulations; Subsurface Wastewater Disposal System approval from the Local Plumbing Inspector and/or Maine Department of Health and Human Services, Subsurface Wastewater Program; and the Maine Department of Transportation, Driveway Entrance Permit, a physical E-911 address from your County Commissioner's Office.
- 15. Once construction is complete, the permittee shall submit a self-certification form, notifying the Commission that all conditions of approval of this permit have been met. The permittee shall submit all information requested by the Commission demonstrating compliance with the terms of this permit.

Common Conditions

- 16. <u>Two weeks prior to commencing the permitted activities</u>, the permittee must contact the Commission staff and arrange a pre-construction site visit in order to review the <u>foundation location</u>, and the applicable standards and requirements of the permit.
- 17. All structures must be set back a minimum of 100 feet from the normal high water mark of Pennaman Pond (a.k.a Penniman Pond) and First Chain Lake, 50 feet from the traveled portion (edge) of the local access road and all other roadways (including the 59-35-0 Road), and 15 feet from other property boundary lines.
- 18. The height of the structure shall be no higher than **30** feet when measured as the vertical distance between the mean original (prior to construction) grade at the downhill side of the structure and the highest point of the structure, excluding chimneys, steeples, antennas, and similar appurtenances that have no floor area.
- 19. Structures authorized under this permit must not be sited on a ridge or knoll such that they are visible above the tree line from any water body. All authorized structures must be located, designed and landscaped to reasonably minimize their visual impact on the surrounding area, particularly when viewed from existing roadways or shorelines.
- 20. The driveway must be located and constructed so that (a) it will not erode or create any undue restriction or disruption of existing surface water drainage ways and (b) it will divert runoff to a vegetated buffer strip so as to prevent it from directly entering a water body, mapped P-WL1 wetland or roadway.
- 21. This permit is additionally subject to Section 10.11,E,3 of the Commission's Land Use Districts and Standards.