RECEIVED

For office use: 47908 BP 15302 \$ 66.00 OCT 2 1 2014 MAINE LAND USE PLANNING COMMISSION Department of Agriculture, Conservation and Forestry

Tracking No. Permit No.	Sugarior Sugarior	Fee Received	LU	IPC - DC	DVVNE		Bui	Iali	ոց ք	er	mit
APPLICANT INFORMATION							Fo	r All Re	sidentia	Devel	opment
Applicant Name(s) Rosecar Hou	Daytime Pho		FAX	X							
Mailing Address 110 Jones 1	,		THE PROPERTY OF THE PROPERTY O	Email 7	4	elmid	erg	6 m	2.6	m	
Town Branks			State M			9	Zip Cod	e 01	1617		
2. PROJECT LOCATION AND PROP	ERTY DETA	ILS									
Township, Town or Plantation Movite られい	County										
Tax Information (check tax bill) Map: Socker 1, Lot 20 Plan:	Deed or Lease Information (check deed or lease)										
Lot size (in acres, or in square feet if less than 1 ac	Book: Page: Lease #: Lot Coverage (in square feet)										
All Zoning on Property (check the LUPC map)) ×600' (Zoning a	at Develop		***************************************		AUGUSTO PARAMENTALISMO		
Road Frontage. List the name(s) and from or private roads, or other rights-of-way adja	tage(s) (in feet cent to your lo	t:	Water Fronta ponds, rivers	age. List the	e name(s) a	rs on	or adja	cent to	your lo	ti 🚶	90'
Road #1: None Road #2:		ageft.									
		ageft.							rontag	9	ft.
LUPC Approved Subdivision. List the LU									tar replations are acceptances		~~
If your property is not part of subdivision or contact the LUPC office that serves your area)	n previously a	approved the Co	ommission, p	ease contin	ue to Land	Divisio	n Histo	ry belo	·W. (che	ck your	deed
Land Division History. Using your deed as a starting point, trace the ownership history and configuration changes of your property back 20 years from today. List any division of those	(example: Amy Adams to Rob Roberts 1/12/1997 10 acres) BARKER FAMILY SINCE 1929										
lots from which your property originated (use additional sheet of paper if needed).	***************************************		*			***************************************	***************************************			***************************************	***************************************
3. EXISTING STRUCTURES OR USE	S (Fill in a line t	for each existing st	ructure) P	reviously issu	ed Building	Permit	number	(if appl	cable)_	***************************************	
			**************************************	***************************************		·	orizont	al Dist	ance (ir		of
Type of structure (dwelling, garage, deck, porch, shed, driveway, parking area, etc.)	Year built	Exterior din (in fe (LxW)	et)	Type of for (full basem post,	nent, slab, etc.)	Road	Property line	Lake or pond	River or stream		Ocean/Tidal waters
Cottage	1933	DOXU	D	Post.	\$				ğ		501
(Borler Estate)											
(Abbott Compand)									***************************************		
ZR-SFS-IACC-	on de	od muss	Cove								
tent platform	upput	cover b	ours								
(Two lots)										***************************************	
								-		***************************************	
with tree in a partie of a case in the cas							***********				
	1	\$	1			1		1			4 1

	p-12
DD	1 6 2 - 3
ĸР	1 5 50 /
$\mathbf{D}_{\mathbf{I}}$	10040

LUPC - DOWNEAST

4.1 What is the proposed use of your	prope	erty?	V	Resi	denti	al only		Residentia	al with Home Occup				nal Ca		
			Prop	osal	(chec	k all that	apply)		Нo	rizonta struct		nce (in m near		of
Type of structure (dwelling, garage, deck, porch, shed, driveway****, camper, RVs, parking lots, etc.)	New structure***	Reconstruct***	Expand	Relocate	Remove	Enclose 3	Permanent foundation***	Change dimensions or setbacks	Exterior dimensions (in feet) (LxWxH)	Road	Property line	Lake or pond	River or stream	Wetland	Ocean/Tidal waters
Covered Dack for Sophic Honds	V					·P			8×10'		***************************************				60
ON WOODEN BOSTS OFF															V
Ground Albring Naton of															
Proints Stariora															
												100			
									Site o	عاده	\Im				
									10150	1.4		1 - 0			
									(0)00	. 7 -	K	.ध)		
									No el	Len	loc	مملان	n.		

c. Will the campsite have access d. Will the campsite have access 4.4 RECONSTRUCTIONS OR NEW existing structure, or adding a a. If the structure or foundation we explain what physical limitation Stay Tlags 4	to pe ACCE perma ill not as (lot	rmar SSO anen mee size	RY S t fount t the	TRU ndati LUP(ures of CTUI ion: C's materior	other tha	n an o you ar setbac	uthouse, fi e constru k distance em. etc.) pi	ireplace, picnic tabl cting a new acces s from property line revent the structure	e, or leases or start of the st	an-tos? ructure s, water	e, reco	YE	eting a	s, cks:
b. For reconstructions, has the e	kistino	stru	cture	beer	n dan	naged, de	estroye	ed or remo	ved from your prop	erty?		*********	YE	S]NO
If YES, was the structure in re If YES, provide the date the st	gular	active	e use	withi	in a 2	-year pe	riod pr	eceding th]NO
** 4.5 DRIVEWAYS: If you are located	on a	pub	lic ro	ad:											
 Are you constructing a new dr volume, or create a safety or c 													□YE	S]NO
If YES, you must submit Exhib you should check with that offi							n to s	ee what is		g a Cou	nty or T	Fown/P	lantatio	on Roa	ad,
5. SUBSURFACE WASTEWATER D	ISP(SA	L (SE	PTI	C SY	(STEM)	OBD (Note	e: Exhibit n	nay be required. Se	ee instru	ıctions)				
5.1 Mark the existing type of system s Primitive Subsurface Dispos Holding Tank	erving al (Pri	the vy, gr	prope aywa	erty: ter – r	non-p	☐ None	; d); [☐ Combi	ned Subsurface S	ystem	(Tank, le	each fie	ld)		
5.2 Will any expanded, reconstructed, pressurized water, or the ability fo	or ne	w str	uctur	es in	clude	new bed	drooms	or bathro	oms; add plumbing				□YE	s "Z	NO
				face											

RECEIVED OCT 2 1 2014

Dr.	~~~~~~	~~~~~			
BP	15	3	0	2	

LUPC - DOWNEAST


6. D	EVELOPMEN	IT IN FLOOD PRONE AREA	S (Note: Supplement may	be required. See	instructions.,)	a						
6.1	Protection) S	sed activity located within a map ubdistrict, a mapped FEMA (Fed I zone, or an unmapped area pro	leral Emergency Managen	nent ≺ FEMA	P-FP Subdistrict								
	If you answer YES to any of these questions, you must complete Supplement S-4: Development in Flood Prone Areas. Contact the LUPC office serving your area or download at www.maine.gov/dacf/lupc/application_forms/index.shtml .												
7. VI	EGETATIVE (CLEARING (Note: Exhibit may	be required. See instruct	ions.)									
7.1		otal amount of proposed vegetati the footprint of proposed structu				⊠NA	0	sq. ft					
	If you answ	er NA (not applicable) for 7.1 go	to Section 8.										
7.2		amount of existing and proposed ses or rivers be less than 10,000			□NO	□NA	Total:	sq. ft.					
7.3		sed clearing be located at least ary of all public roadways?			□NO	□NA	How Close?	feet					
	mark of any b	sed clearing be located at least ody of standing water less than draining less than 50 square mi	10 acres in size, any tidal les?	water, or	□NO	□NA	How Close?	feet					
7.5		sed clearing be located at least fithe lake or river?			□NO	□NA	How Close?	feet					
7.6		r NO to any of these questions e impact on the resources and u					•	not create an					
						***************************************	***************************************						
7.7 Buffering in Prospectively Zoned Areas. Is your property located in one of the following Prospectively Zoned Plantations or Townships?													
7.7		·]YES □NO					
7.7	or Townships?	Adamstown Twp. Dallas Rangeley Plt. Richard	Plt. Lincoln F dsontown Twp. Sandy R	Plt. Maga iver Plt. Town	illoway Plt. ships C, D, a	nd E.							
7.7	or Townships?	Adamstown Twp. Dallas Rangeley Plt. Richard e complete the following table re	Plt. Lincoln F dsontown Twp. Sandy R garding the width of the ve	Plt. Maga iver Plt. Town	illoway Plt. ships C, D, and	nd E.							
7.7	or Townships?	Adamstown Twp. Dallas Rangeley Plt. Richard	Pit. Lincoln F dsontown Twp. Sandy R garding the width of the ve le road, property line, and	Pit. Maga iver Pit. Town egetative buffers at i subdistrict setbacks	illoway Plt. ships C, D, and	nd E.							
7.7	or Townships? If YES, please proposed stru	Adamstown Twp. Dallas Rangeley Plt. Richard e complete the following table re inctures and the nearest applicable	Plt. Lincoln F dsontown Twp. Sandy R garding the width of the ve	Pit. Maga iver Pit. Town egetative buffers at i subdistrict setbacks	illoway Plt. ships C, D, and the narrowes as applicab	nd E. st point lle:		ng and					
7.7	or Townships?	Adamstown Twp. Dallas Rangeley Plt. Richard e complete the following table re ictures and the nearest applicable	Plt. Lincoln F dsontown Twp. Sandy R garding the width of the ve le road, property line, and Width of Vegetated	Pit. Maga iver Pit. Town egetative buffers at i subdistrict setbacks d Buffers	illoway Plt. ships C, D, and the narrowes as applicab	nd E. st point ble:	between the existi	ng and					
	or Townships? If YES, please proposed strue Standard Minimum	Adamstown Twp. Dallas Rangeley Plt. Richard e complete the following table re inctures and the nearest applicable Road 25 feet in D-GN, D-GN2, D-GN3 50 feet in D-RS, D-RS2, D-RS3	Plt. Lincoln F dsontown Twp. Sandy R garding the width of the ve le road, property line, and Width of Vegetated Side Property Line	Pit. Maga iver Pit. Town egetative buffers at i subdistrict setbacks d Buffers Rear Property L	illoway Plt. ships C, D, and the narrowes as applicab	nd E. st point ble:	between the existi	ng and or D-CI)					
	or Townships? If YES, please proposed strue Standard Minimum Required: This property:	Adamstown Twp. Dallas Rangeley Plt. Richard e complete the following table re actures and the nearest applicable Road 25 feet in D-GN, D-GN2, D-GN3 50 feet in D-RS, D-RS2, D-RS3 75 feet in D-ES and D-CI	Plt. Lincoln F dsontown Twp. Sandy R garding the width of the ve le road, property line, and Width of Vegetated Side Property Line 15 feet feet	Pit. Maga iver Pit. Town egetative buffers at i subdistrict setbacks d Buffers Rear Property L 15 feet	alloway Plt. ships C, D, and the narrowes as applicab	nd E. st point sle: ubdistrict	between the existi Boundary (If D-ES of Buffer to other Subdiffer to o	ng and or D-CI) stricts					
T	or Townships? If YES, please proposed strue Standard Minimum Required: This property: Note: You ma	Adamstown Twp. Dallas Rangeley Plt. Richard e complete the following table re lectures and the nearest applicable Road 25 feet in D-GN, D-GN2, D-GN3 50 feet in D-RS, D-RS2, D-RS3 75 feet in D-ES and D-Cl feet by be required to submit Exhibit F	Pit. Lincoln Fidsontown Twp. Sandy Rigarding the width of the velle road, property line, and Width of Vegetated Side Property Line 15 feet feet Documentation for Excel	Pit. Maga iver Pit. Town egetative buffers at it subdistrict setbacks d Buffers Rear Property L 15 feet eptions to Buffering	illoway Plt. ships C, D, ai the narrowes as applicab tine St eet Requiremen	nd E. st point ble: ubdistrict 50 feet E	between the existi Boundary (If D-ES of Buffer to other Subdiffer to o	ng and or D-CI) stricts t age iv)					
8. SC	If YES, please proposed strue Standard Minimum Required: This property: Note: You ma	Adamstown Twp. Dallas Rangeley Plt. Richard e complete the following table restures and the nearest applicable Road 25 feet in D-GN, D-GN2, D-GN3 50 feet in D-RS, D-RS2, D-RS3 75 feet in D-ES and D-Cl feet by be required to submit Exhibit F	Pit. Lincoln Fidsontown Twp. Sandy Rigarding the width of the velle road, property line, and Width of Vegetated Side Property Line 15 feet F: Documentation for Excelling AND EROSION CO	Plt. Maga iver Plt. Town egetative buffers at it subdistrict setbacks d Buffers Rear Property L 15 feet eptions to Buffering	alloway Plt. ships C, D, and the narrowes as applicable ine Subject seet Requirement	nd E. st point ble: ubdistrict 50 feet E	between the existing Boundary (If D-ES of Buffer to other Subdisplayed by the Buffer to other Subdispl	or D-CI) estricts t age iv)					
8. SC	or Townships? If YES, please proposed strue Standard Minimum Required: This property: Note: You manual Policy of the Property of the Prope	Adamstown Twp. Dallas Rangeley Plt. Richard e complete the following table re lectures and the nearest applicable Road 25 feet in D-GN, D-GN2, D-GN3 50 feet in D-RS, D-RS2, D-RS3 75 feet in D-ES and D-Cl feet by be required to submit Exhibit F	Pit. Lincoln Fidsontown Twp. Sandy Rigarding the width of the velle road, property line, and Width of Vegetated Side Property Line 15 feet feet F: Documentation for Excelling AND EROSION Congrand grading?	Pit. Maga iver Pit. Town egetative buffers at it subdistrict setbacks d Buffers Rear Property L 15 feet eptions to Buffering DNTROL (Note: E	alloway Plt. ships C, D, and the narrowes as applicable ine Subject seet Requirement	nd E. st point ble: ubdistrict 50 feet E	between the existing Boundary (If D-ES of Buffer to other Subdisplayed by the Buffer to other Subdispl	or D-CI) estricts t age iv)					
8. SO 8.1	If YES, please proposed stru Standard Minimum Required: This property: Note: You ma DIL DISTURB Will your proje If YES, please	Adamstown Twp. Dallas Rangeley Plt. Richard e complete the following table re lectures and the nearest applicable Road 25 feet in D-GN, D-GN2, D-GN3 50 feet in D-RS, D-RS2, D-RS3 75 feet in D-ES and D-Cl feet y be required to submit Exhibit F ANCE, FILLING AND GRAD act involve disturbing soil or filling	Pit. Lincoln Fidsontown Twp. Sandy Rigarding the width of the velle road, property line, and Width of Vegetated Side Property Line 15 feet feet Foocumentation for Exceleting and grading?	Pit. Maga iver Pit. Town egetative buffers at it subdistrict setbacks d Buffers Rear Property L 15 feet poptions to Buffering ONTROL (Note: E	as applicabine Summer S	nd E. st point ble: ubdistrict 50 feet E	between the existing Boundary (If D-ES of Buffer to other Subdiffer to	ng and or D-CI) stricts t age iv)					
8. SC 8.1 8.2	If YES, please proposed structured Standard Minimum Required: This property: Note: You made the property of YES, please What is the to	Adamstown Twp. Dallas Rangeley Plt. Richard e complete the following table rectures and the nearest applicable Road 25 feet in D-GN, D-GN2, D-GN3 50 feet in D-RS, D-RS2, D-RS3 75 feet in D-ES and D-Cl feet by be required to submit Exhibit F ANCE, FILLING AND GRAD ect involve disturbing soil or filling a answer the following questions	Pit. Lincoln Fidesontown Twp. Sandy Rigarding the width of the velle road, property line, and Width of Vegetater Side Property Line 15 feet Fied Feet Foodumentation for Excelling AND EROSION Continue to Section ance or filling and grading?	Plt. Magaiver Plt. Town egetative buffers at it subdistrict setbacks d Buffers Rear Property L 15 feet eptions to Buffering DNTROL (Note: E	alloway Plt. ships C, D, and the narrowes as applicable ine Subject seet Requirement in the ship in t	nd E. st point ble: ubdistrict 50 feet E	between the existi	ng and or D-CI) stricts t age iv) ons.) /ES					
8. SC 8.1 8.2	If YES, please proposed strue Standard Minimum Required: This property: Note: You made the Your project of YES, please What is the to Will the area of the Yes of th	Adamstown Twp. Dallas Rangeley Plt. Richard e complete the following table restures and the nearest applicable Road 25 feet in D-GN, D-GN2, D-GN3 50 feet in D-RS, D-RS2, D-RS3 75 feet in D-ES and D-Cl feet y be required to submit Exhibit F ANCE, FILLING AND GRAD ect involve disturbing soil or filling answer the following questions tal area of proposed soil disturbing tal area of proposed soil disturbing stal area of proposed soil disturbing stall sta	Pit. Lincoln Fidsontown Twp. Sandy Rigarding the width of the velle road, property line, and Width of Vegetated Side Property Line 15 feet 15 feet Feet Foodumentation for Excelling AND EROSION Congranding? If NO, continue to Section ance or filling and grading? Igrading within 250 of a lake	Pit. Maga iver Pit. Town egetative buffers at it subdistrict setbacks d Buffers Rear Property L 15 feet poptions to Buffering ONTROL (Note: E	illoway Plt. ships C, D, ai the narrowes as applicab tine St seet Requiremen shibit may b	nd E. st point ble: ubdistrict 50 feet E	between the existing Boundary (If D-ES of Buffer to other Subdisplayed and the instructions on pared. See instructions	ng and or D-CI) stricts t age iv) ons.) /ESNO sq. ft. /ESNO					
8. SO 8.1 8.2 8.3	If YES, please proposed strue Standard Minimum Required: This property: Note: You man DIL DISTURB Will your project If YES, please What is the to Will the area of a. If NO, what will all soil districts.	Adamstown Twp. Dallas Rangeley Plt. Richard Road Polymer Plant Polymer Road Polymer	Pit. Lincoln Fidesontown Twp. Sandy Rigarding the width of the velle road, property line, and Width of Vegetater Side Property Line 15 feet Fied Feet For Documentation for Excelling AND EROSION Continue to Section and grading? Finding within 250 of a laked disturbance or filling and grading and grading within 250 of a laked disturbance or filling and grading edone when the ground is	Pit. Magaiver Pit. Town egetative buffers at it subdistrict setbacks d Buffers Rear Property L 15 feet pptions to Buffering ONTROL (Note: E	illoway Plt. ships C, D, ai the narrowes as applicab tine St Requiremen ixhibit may b in 5,000 sq. et?	nd E. st point ble: ubdistrict 50 feet E	between the existi	ng and or D-CI) stricts t age iv) rns.) /ESNOsq. ft. /ESNOsq. ft.					
8. SO 8.1 8.2 8.3	If YES, please proposed strue Standard Minimum Required: This property: Note: You man DIL DISTURB Will your project If YES, please What is the to Will the area of a. If NO, who will all soil dis If NO, you will	Adamstown Twp. Dallas Rangeley Pit. Richard e complete the following table relectures and the nearest applicable Road 25 feet in D-GN, D-GN2, D-GN3 50 feet in D-RS, D-RS2, D-RS3 75 feet in D-ES and D-Cl feet ANCE, FILLING AND GRAD ect involve disturbing soil or filling e answer the following questions tal area of proposed soil disturbate of soil disturbance or filling and grading b I need to submit Exhibit G: Erosil of I need to submit Exhibit G: Erosil I I I I I I I I I I	Pit. Lincoln Fidesontown Twp. Sandy Rigarding the width of the verille road, property line, and Width of Vegetated Side Property Line 15 feet 15 feet Feet Foodumentation for Exceller and grading? In MO, continue to Section and grading within 250 of a lake disturbance or filling and grading and greding and grading within 250 of a lake disturbance or filling and grading an	Pit. Maga iver Pit. Town egetative buffers at it subdistrict setbacks d Buffers Rear Property L 15 feet potions to Buffering ONTROL (Note: E	illoway Plt. ships C, D, ai the narrowes as applicab tine St seet Requiremen fixhibit may b an 5,000 sq. et?	nd E. st point ble: ubdistrict 50 feet E sts. (Se	between the existi Boundary (If D-ES of Buffer to other Subdiffer to o	ng and or D-CI) stricts t age iv) rns.) /ESNOsq. ft. /ESNOsq. ft.					
8. SO 8.1 8.2 8.3	If YES, please proposed structured Standard Minimum Required: This property: Note: You man DIL DISTURB Will your project If YES, please What is the to Will the area of a. If NO, what will all soil distribution of the Mo, you will what will be the structure of the Mo, you will what will be the structure of the Mo, you will what will be the structure of the Mo, you will what will be the structure of the Mo, you will will be the structure of the Mo, you will will be the structure of the Mo, you will will be the structure of the Mo, you will will be the structure of the Mo, you will will be the structure of the Mo, you will will be the structure of	Adamstown Twp. Dallas Rangeley Plt. Richard Rangeley Plt. Richard Recomplete the following table resolutions and the nearest applicable Road 25 feet in D-GN, D-GN2, D-GN3 50 feet in D-RS, D-RS2, D-RS3 75 feet in D-ES and D-Cl feet The set of soil of the following soil or filling and grading be answer the following and grading be at its the total square feet of soil of the submit Exhibit G: Erosing the closest distance from the area of proposed that the submit Exhibit G: Erosing the closest distance from the area of the submit Exhibit G: Erosing the closest distance from the area of the submit Exhibit G: Erosing the closest distance from the area of the submit Exhibit G: Erosing the closest distance from the area of the submit Exhibit G: Erosing the closest distance from the area of the submit Exhibit G: Erosing the closest distance from the area of the submit Exhibit G: Erosing the closest distance from the area of the submit Exhibit G: Erosing the closest distance from the area of the submit Exhibit G: Erosing the closest distance from the area of the submit Exhibit G: Erosing the closest distance from the area of the submit Exhibit G: Erosing the closest distance from the area of the submit Exhibit G: Erosing the closest distance from the area of the submit Exhibit G: Erosing the submit Exhibit G: Erosing the closest distance from the area of the submit Exhibit G: Erosing the submit Exhib	Pit. Lincoln Fidsontown Twp. Sandy Rigarding the width of the velle road, property line, and Width of Vegetated Side Property Line 15 feet Figure 15 feet Figure 15 feet Figure 15 feet Figure 16 feet Figure 17 feet Figure 18 feet Figure 19 feet F	Pit. Maga iver Pit. Town egetative buffers at it subdistrict setbacks d Buffers Rear Property L 15 feet Pont 9. Pont or river be less that rading within 250 fe s NOT frozen or satinated Plan arest waterbody or	as applicabine Summer S	nd E. st point ble: ubdistrict 50 feet E	between the existi Boundary (If D-ES of Buffer to other Subdice fee e instructions on procedure for the instructions on procedure for the instructions on procedure for the instructions of procedure for the instructions of procedure for the instructions of the instructions of procedure for the instructions of the instructions	ng and or D-Cl) stricts t age iv) rns.) rES PNO sq. ft. rES NO sq. ft. rES NO					
8. SO 8.1 8.2 8.3 8.4	If YES, please proposed structured Standard Minimum Required: This property: Note: You man DIL DISTURB Will your project If YES, please What is the to Will the area of a. If NO, who will all soil distributed in the standard will be the Will any remove the structure of the YES, please where the standard will be the will any remove the structure of the YES, please where the yes the structure of the YES, please where the yes the y	Adamstown Twp. Dallas Rangeley Pit. Richard e complete the following table relectures and the nearest applicable Road 25 feet in D-GN, D-GN2, D-GN3 50 feet in D-RS, D-RS2, D-RS3 75 feet in D-ES and D-Cl feet ANCE, FILLING AND GRAD ect involve disturbing soil or filling e answer the following questions tal area of proposed soil disturbate of soil disturbance or filling and grading b I need to submit Exhibit G: Erosil of I need to submit Exhibit G: Erosil I I I I I I I I I I	Pit. Lincoln Fidesontown Twp. Sandy Rigarding the width of the velle road, property line, and Width of Vegetater Side Property Line 15 feet Fied Feet F	Pit. Magaiver Pit. Town egetative buffers at a subdistrict setbacks d Buffers Rear Property L 15 feet Pon 9. Por river be less that a sading within 250 fees a NOT frozen or satisfactory arest waterbody or wetlands?	alloway Plt. ships C, D, and the narrowes as applicable as applicable. Requirement and the ships of the ship	nd E. st point sle: ubdistrict 50 feet E	between the existi	ng and or D-Cl) stricts t age iv) ons.) /ES/NO					


Question 8 continues onto the next page...

RECEIVED OCT 2 1 2014

BP 15302

8. SOIL DISTURBANCE, F	FILLING AND GRADING AND EROSI	ON CONTROL (continu	ied from previous page	ST					
8.8 Will all disturbed or filler OR be heavily mulched	d area (other than driveways or walkways with hay that is tacked down and a minim) be properly seeded and r um of 4 inches in depth to	prevent sedimentation in the	ENEC ENO					
8.9 Will existing waterbodie measures?	es, wetlands, and culverts in the area be p	rotected by the use of hay	bales, silt fence or other	YES NO					
8.10 What is the average slope of land between the area to be disturbed and the nearest waterbody or wetland? 8.11 If you answer NO to a	☐ 10% or Less (Requires minimum setbac (Note: Between 10% and 20% average slope average slope of 12% requires a minimum set 30% (Requires minimum setback of 170 ☐ 50% (Requires minimum setback of 250 ☐ 70% (Requires minimum setback of 330 (Note: Between 21% and 70% average slope average slope of 36% requires a minimum setback of 330 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 330 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 350 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 350 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 350 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 350 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 350 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 350 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 350 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 350 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 350 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 350 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 350 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 350 (Note: Between 21% and 70% average slope of 36% requires a minimum setback of 350 (Note: Between 21% average slope of 36% requires a minimum setback of 350 (Note: Between 21% average slope of 36% requires a minimum setback of 350 (Note: Between 21% average slope of 36% requires a minimum setback of 350 (Note: Between 21% average slope of 36% requires a minimum setback of 350 (Note: Between 21% average slope of 36% requires a minimum setback of 350 (Note: Between 21% average slope of 36% requires a minimum setback of 350 (Note: Between 21% average slope of 36% requires a minimum setback of 350 (Note: Between 21% average slope of 36% requ	 (Requires minimum setback of 130') k is required for each additional 1% of slope (example: (Requires minimum setback of 210') (Requires minimum setback of 290') k is required for each additional 1% of slope (example: m setback for your slope in 8.10, please explain 							
devices and other plans		Coolings and uses in the	area. Initiade information about						
	ALTERATION (Note: Exhibit or Supple								
 9.1 Will your proposal alter a total of one acre or more of land area, whether upland or wetland?									
10. APPLICANT SIGNATUI	RE (REQUIRED) AND AGENT AUTH	ORIZATION (<i>OPTIONA</i>	L)						
Agent Name ROBERT H	bluberg	Daytime Phone 207-326-0916	FAX						
Mailing Address Towes	Pt		Email Rose Holmber	P. C. Com					
Town (Snooksus	lle		State MZ	Zip Code 77					
I have personally examined and am familiar with the information submitted in this application, including the accompanying exhibits and supplements, and to the best of my knowledge and belief, this application is complete with all necessary exhibits. I understand that if the application is incomplete or without any required exhibits that it will result in delays in processing my permit decision. The information in this application is a true and adequate narrative and depiction of what currently exists on and what is proposed at the property. I certify that I will give a copy of this permit and associated conditions to any contractors working on my project. I understand that I am ultimately responsible for complying with all applicable regulations and with all conditions and limitations of any permits issued to me by the LUPC. If there is an Agent listed above, I hereby authorize that individual or business to act as my legal agent in all matters relating to this permit application. I understand that while there is a required Statewide Maine Uniform Building and Energy Code (MUBEC) administered by the Maine Department of Public Safety, Bureau of Building Codes & Standards, the Commission's review is limited only to land use issues and the Commission does not make any findings related to the MUBEC, nor do the LUPC staff inspect buildings or enforce any provisions of that Code.									
I authorize staff of the Land evaluating the site to verify	s below: (see "Accessing the Project Site I Use Planning Commission to access the the application materials I have submitted and the terms and conditions of my permit.	project site as necessary	at any reasonable hour for the p	urpose of					
	and Use Planning Commission make reaso purposes of any necessary site evaluation			ission to fully					
	d on the deed, lease or sales contract n	nust sign below.							
Signature(s)	John Al Ander	Date	whaton						
	0	Date	•						





BUILDING PERMIT BP-15302



Based on the information you have submitted in the attached application and supporting documents, the staff of the Land Use Planning Commission concludes that, if carried out in compliance with the conditions of approval below, your proposal will meet the criteria for approval, 12 M.R.S.A. §685-B(4) of the Commission's statutes and the provisions of the Commission's Land Use Districts and Standards (Chapter 10; ver. September 1, 2013). Any variation from the application or the conditions of approval is subject to prior Commission review and approval. Any variation undertaken without Commission approval constitutes a violation of Land Use Planning Commission law. In addition, any person aggrieved by this decision of the staff may, within 30 days, request that the Commission review the decision.

Kouen E Bolotrichge

LUPC Authorized Signature

October 27, 2014

Effective Date

CONDITIONS OF APPROVAL

General Conditions

- 1. Construction activities authorized in this permit must be substantially started within 2 years of the effective date of this permit and substantially completed within 5 years of the effective date of this permit. If such construction activities are not started and completed within this time limitation, this permit shall lapse and no activities shall then occur unless and until a new permit has been granted by the Commission.
- 2. This permit is dependent upon and limited to the proposal as set forth in the application and supporting documents, except as modified by the Commission in granting this permit. Any variation is subject to prior review and approval of the Maine Land Use Planning Commission. Any variation from the application or the conditions of approval undertaken without approval of the Commission constitutes a violation of Land Use Planning Commission law.
- 3. Structures authorized under this permit, as well as filling/grading/soil disturbance and cleared openings created as part of construction activities authorized under this permit, must be located to meet the road, property line, water and wetland setback distances, exterior dimensions and building heights listed in Sections 4, 7 and 8 and approved by this permit.
- 4. Temporary and permanent sedimentation control measures must be implemented to effectively stabilize all areas of disturbed soil and to catch sediment from runoff water before it leaves the construction site so that sediment does not enter water bodies, drainage systems, water crossings, wetlands or adjacent properties. Clearing and construction activities, except those necessary to establish sedimentation control devices, shall not begin until all erosion and sedimentation control devices (including ditches, culverts, sediment traps, settling basins, hay bales, silt fences, etc.) have been installed and stabilized. Once in place, such devices shall be maintained to ensure proper functioning.
- 5. Effective, temporary stabilization of all disturbed and stockpiled soil must be completed at the end of each work day. All temporary sedimentation and erosion control devices shall be removed after construction activity has ceased and a cover of healthy vegetation has established itself or other appropriate permanent control measures have been effectively implemented. Permanent soil stabilization shall be completed within one week of inactivity or completion of construction.
- 6. Cleared openings created as part of construction activities authorized under this permit must be effectively stabilized and revegetated.
- 7. All imported fill material must be free of hazardous or toxic materials and must not contain debris, trash, or rubbish.
- 8. Unless otherwise proposed in Question 8.4 and by the submittal of **Exhibit G, Erosion and Sediment Control Plan**, and approved by this permit, soil disturbance must not occur when the ground is frozen or saturated.
- Topsoil must not be removed from the site except for that necessary for construction activities authorized in this permit. Topsoil must be stockpiled at least 100 feet from any water body.
- 10. The permittee shall not advertise Land Use Planning Commission approval without first obtaining approval for such advertising. Any such advertising shall refer to this permit only if it also notes that the permit is subject to conditions of approval.
- 11. In the event the permittee should sell or lease this property, the buyer or lessee shall be provided a copy of the approved permit and conditions of approval. The new owner or lessee should then contact the Land Use Planning Commission to have the permit transferred into his/her name. If there are no additional changes the transfer can be accomplished on a Minor Change Form.
- 12. All exterior lighting must be located and installed so as to illuminate only the target area to the extent possible. Exterior lighting must not produce a strong, dazzling light or reflection beyond lot lines onto neighboring properties, water bodies, or roadway so

- as to impair driver vision or to create nuisance conditions.
- 13. The scenic character and healthful condition of the area covered under this permit must be maintained. The area must be kept free of litter, trash, junk cars and other vehicles, and any other materials that may constitute a hazardous or nuisance condition.
- 14. The permittee shall secure and comply with all applicable licenses, permits, authorizations, and requirements of all federal, state, and local agencies including but not limited to: Air and Water Pollution Control Regulations; Subsurface Wastewater Disposal System approval from the Local Plumbing Inspector and/or Maine Department of Health and Human Services, Subsurface Wastewater Program; and the Maine Department of Transportation, Driveway Entrance Permit, a physical E-911 address from your County Commissioner's Office.
- 15. Once construction is complete, the permittee shall submit a self-certification form, notifying the Commission that all conditions of approval of this permit have been met. The permittee shall submit all information requested by the Commission demonstrating compliance with the terms of this permit.

Common Conditions

16. The authorized covered, raised platform shall be designed and placed in the location as proposed and shall only be utilized for the support of septic treatment components.