

DEP Sample ID	AGL-RBT-C1 (1,3,5,8,10)	AGL-RBT-C2 (2,4,6,7,11)	AGL-RBT AVE	AGI-SMB-C1 (2,3,4,6,9)	AGI-SMB-C2 (1,5,7,8,10)	AGI-SMB AVE				
Lab Sample ID	L11928-19	L11928-20		L11928-7	L11928-8					
Sample Date	6/9/2008	6/9/2008		8/1/2008	8/1/2008					
Dilution Factor	1	1		1	1					
Data in red: QA status = unaccepted	pg/g									
2,3,7,8-TCDF	5.41	B	4.08	B	4.75	0.345	B	0.365	B	0.36
1,2,3,7,8-PECDF	0.798		0.438	EMPC	0.62	0.134		0.129		0.13
2,3,4,7,8-PECDF	1.07	EMPC	0.776		0.92	0.273	EMPC	0.268		0.27
1,2,3,4,7,8-HXCDF	0.168	EMPC	0.12	EMPC	0.14	0.056	EMPC	0.0499	U	0.05
1,2,3,6,7,8-HXCDF	0.072		0.061	EMPC	0.07	0.0475	U	0.0499	U	0.05
2,3,4,6,7,8-HXCDF	0.104	B/EMPC	0.088	B/EMPC	0.10	0.102		0.076		0.09
1,2,3,7,8,9-HXCDF	0.0467	U	0.0453	U	0.05	0.0475	U	0.053	EMPC	0.05
1,2,3,4,6,7,8-HPCDF	0.057	EMPC	0.0453	U	0.05	0.077	B/EMPC	0.0499	U	0.06
1,2,3,4,7,8,9-HPCDF	0.054		0.0453	U	0.05	0.06		0.0499	U	0.05
OCDF	0.144	B	0.0453	U	0.09	0.109	B/EMPC	0.0499	U	0.08
2,3,7,8-TCDD	0.176	EMPC	0.121	EMPC	0.15	0.141	EMPC	0.136	EMPC	0.14
1,2,3,7,8-PECDD	0.087	EMPC	0.058	EMPC	0.07	0.076	EMPC	0.057	EMPC	0.07
1,2,3,4,7,8-HXCDD	0.063		0.0453	U	0.05	0.0475	U	0.0499	U	0.05
1,2,3,6,7,8-HXCDD	0.088	EMPC	0.068	EMPC	0.08	0.069	EMPC	0.0499	U	0.06
1,2,3,7,8,9-HXCDD	0.085	EMPC	0.059	EMPC	0.07	0.0475	U	0.0499	U	0.05
1,2,3,4,6,7,8-HPCDD	0.08	B/EMPC	0.102	B/EMPC	0.09	0.097	B/EMPC	0.0499	U	0.07
OCDD	0.202		0.108	B/EMPC	0.16	0.17	B/EMPC	0.134	B	0.15
DTEo	0.579		0.641		0.61	0.0493		0.128		0.09
DTEd	0.711		0.766		0.74	0.196		0.26		0.23
DTEh	0.645		0.703		0.67	0.123		0.194		0.16
DTEh sd					0.041					0.050
DTEh confidence					0.057					0.070
DTEh 95 UCL					0.73					0.23
% FTAL					183					57
LENGTH										
WEIGHT										
LIPIDS	2.09		1.83			0.33		0.41		
SOLIDS										
MOISTURE	77.4		77.9			79.3		79.2		

DEP Sample ID	AGI-WHS-C1 (1,2,4,5,9)	AGI-WHS-C1 (1,2,4,5,9) (DUP)	AGI-WHS-C1	AGI-WHS-C2 (3,6,7,8,10)	AGI-WHS			
Lab Sample ID	L11928-5 (A)	WG27041-103 (DUP L11928-5)	ave	L11928-6	AVE			
Sample Date	8/1/2008	8/1/2008		8/1/2008				
Dilution Factor	1	1		1				
Data in red: QA status = unaccepted								
2,3,7,8-TCDF	4.6	B	4.92	B	4.76	5.72	B	<b>5.24</b>
1,2,3,7,8-PECDF	0.53		0.626		0.578	0.523		<b>0.55</b>
2,3,4,7,8-PECDF	0.903		0.984		0.9435	1.13		<b>1.04</b>
1,2,3,4,7,8-HXCDF	0.345		0.431	EMPC	0.388	0.319		<b>0.35</b>
1,2,3,6,7,8-HXCDF	0.068	EMPC	0.095	EMPC	0.0815	0.108		<b>0.09</b>
2,3,4,6,7,8-HXCDF	0.124		0.118	EMPC	0.121	0.065		<b>0.09</b>
1,2,3,7,8,9-HXCDF	0.0465	U	0.0497	U	0.0481	0.0452	U	<b>0.05</b>
1,2,3,4,6,7,8-HPCDF	0.171	B	0.136	B	0.1535	0.121	B/EMPC	<b>0.14</b>
1,2,3,4,7,8,9-HPCDF	0.0465	U	0.0497	U	0.0481	0.0452	U	<b>0.05</b>
OCDF	0.144	B	0.129	B	0.1365	0.111	B/EMPC	<b>0.12</b>
2,3,7,8-TCDD	0.196	EMPC	0.246	EMPC	0.221	0.211	EMPC	<b>0.22</b>
1,2,3,7,8-PECDD	0.086		0.157	*	0.1215	0.113	EMPC	<b>0.12</b>
1,2,3,4,7,8-HXCDD	0.069	EMPC	0.053	EMPC	0.061	0.096	EMPC	<b>0.08</b>
1,2,3,6,7,8-HXCDD	0.171	EMPC	0.249	EMPC	0.21	0.23	EMPC	<b>0.22</b>
1,2,3,7,8,9-HXCDD	0.047	EMPC	0.0523	U	0.04965	0.054	EMPC	<b>0.05</b>
1,2,3,4,6,7,8-HPCDD	0.266	B/EMPC	0.371	B/EMPC	0.3185	0.159	B/EMPC	<b>0.24</b>
OCDD	0.326	B/EMPC	0.559	B	0.4425	0.428	B	<b>0.44</b>
DTEo	<b>0.881</b>		<b>0.965</b>		<b>0.923</b>	<b>0.976</b>		<b>0.95</b>
DTEd	<b>0.953</b>		<b>1.05</b>		<b>1.0015</b>	<b>1.09</b>		<b>1.046</b>
DTEh	<b>0.917</b>		<b>1.01</b>		<b>0.964</b>	<b>1.03</b>		<b>1.00</b>
DTEh sd								<b>0.047</b>
DTEh confidence								<b>0.065</b>
DTEh 95 UCL								<b>1.06</b>
% FTAL								<b>265</b>
LENGTH								
WEIGHT								
LIPIDS	2.05		2.01			2.31		
SOLIDS								
MOISTURE	79.3		79.2			79		

DEP Sample ID	ALW-WHP-C1 (3,4,6,8,9)	ALW-WHP-C2 (1,2,5,7,10)	ALW-WHP	KFF-BNT-C1 (1,2,3,4)	KFF-RBT-C1 (1,2,3,4,5)				
Lab Sample ID	L11928-21	L11928-22	AVE	L11926-7 I2	L11926-8 I2				
Sample Date	7/23/2008	7/23/2008		6/3/2008	6/6/2008				
Dilution Factor	1	1		1	1				
Data in red: QA status = unaccepted									
2,3,7,8-TCDF	0.71	B	0.943	B	<b>0.83</b>	<b>0.156</b>	EMPC	<b>0.188</b>	EMPC
1,2,3,7,8-PECDF	0.157		0.194		<b>0.18</b>	<b>0.0484</b>	U	<b>0.0483</b>	U
2,3,4,7,8-PECDF	0.477		0.527	EMPC	<b>0.50</b>	<b>0.057</b>	EMPC	<b>0.066</b>	EMPC
1,2,3,4,7,8-HXCDF	0.098	EMPC	0.094	EMPC	<b>0.10</b>	<b>0.0484</b>	U	<b>0.0483</b>	U
1,2,3,6,7,8-HXCDF	0.048	EMPC	0.061	EMPC	<b>0.05</b>	<b>0.0484</b>	U	<b>0.0483</b>	U
2,3,4,6,7,8-HXCDF	0.124	B	0.112	B/EMPC	<b>0.12</b>	<b>0.0484</b>	U	<b>0.065</b>	EMPC
1,2,3,7,8,9-HXCDF	0.0468	U	0.0482	U	<b>0.05</b>	<b>0.0484</b>	U	<b>0.0483</b>	U
1,2,3,4,6,7,8-HPCDF	0.095		0.095	EMPC	<b>0.10</b>	<b>0.0484</b>	U	<b>0.0483</b>	U
1,2,3,4,7,8,9-HPCDF	0.0468	U	0.0482	U	<b>0.05</b>	<b>0.0484</b>	U	<b>0.0483</b>	U
OCDF	0.095	B	0.091	B/EMPC	<b>0.09</b>	<b>0.0484</b>	U	<b>0.0483</b>	U
2,3,7,8-TCDD	0.057		0.095	EMPC	<b>0.08</b>	<b>0.096</b>	B/EMPC	<b>0.1</b>	B/EMPC
1,2,3,7,8-PECDD	0.087	EMPC	0.049	EMPC	<b>0.07</b>	<b>0.062</b>	EMPC	<b>0.055</b>	EMPC
1,2,3,4,7,8-HXCDD	0.0468	U	0.0482	U	<b>0.05</b>	<b>0.0484</b>	U	<b>0.0483</b>	U
1,2,3,6,7,8-HXCDD	0.096	EMPC	0.064		<b>0.08</b>	<b>0.0484</b>	U	<b>0.062</b>	EMPC
1,2,3,7,8,9-HXCDD	0.047	EMPC	0.059	EMPC	<b>0.05</b>	<b>0.0484</b>	U	<b>0.0483</b>	U
1,2,3,4,6,7,8-HPCDD	0.092	B/EMPC	0.146	B	<b>0.12</b>	<b>0.086</b>	B/EMPC	<b>0.075</b>	B
OCDD	0.181	B	0.209	B	<b>0.20</b>	<b>0.134</b>	B	<b>0.13</b>	B/EMPC
DTEo	<b>0.289</b>		<b>0.108</b>		<b>0.20</b>	<b>0.000402</b>		<b>0.00075</b>	
DTEd	<b>0.365</b>		<b>0.249</b>		<b>0.31</b>	<b>0.151</b>		<b>0.149</b>	
DTEh	<b>0.327</b>		<b>0.178</b>		<b>0.253</b>	<b>0.075</b>		<b>0.075</b>	
DTEh sd					<b>0.105</b>				
DTEh confidence					<b>0.146</b>				
DTEh 95 UCL					<b>0.40</b>	<b>0.08</b>		<b>0.08</b>	
% FTAL					<b>100</b>	<b>19</b>		<b>19</b>	
LENGTH									
WEIGHT									
LIPIDS	0.74		1.09			<b>1.58</b>		<b>1.68</b>	
SOLIDS									
MOISTURE	77.5		77.2			<b>78.7</b>		<b>78.2</b>	

DEP Sample ID	KAG-SMB-C1 (3,6,7,8,10)		KAG-SMB-C2 (1,2,4,5,9)		KAG-SMB	KGD-SMB-C1 (1,4,5,7,10)		KGD-SMB-C2 (2,3,6,8,9)	
Lab Sample ID	L11926-13 R		L11926-14 I		AVE	L11926-5		L11926-6	
Sample Date	7/9/2008		7/9/2008			7/10/2008		7/10/2008	
Dilution Factor	1		1			1		1	
Data in red: QA status = unaccepted									
2,3,7,8-TCDF	0.332		0.097		<b>0.21</b>	0.064		0.116	EMPC
1,2,3,7,8-PECDF	0.0495	U	0.065		<b>0.06</b>	0.0499	U	0.0484	U
2,3,4,7,8-PECDF	0.08	EMPC	0.094	EMPC	<b>0.09</b>	0.075		0.0484	U
1,2,3,4,7,8-HXCDF	0.0495	U	0.0485	U	<b>0.05</b>	0.0499	U	0.0484	U
1,2,3,6,7,8-HXCDF	0.0495	U	0.0485	U	<b>0.05</b>	0.0499	U	0.0484	U
2,3,4,6,7,8-HXCDF	0.0495	U	0.111	EMPC	<b>0.08</b>	0.056		0.061	EMPC
1,2,3,7,8,9-HXCDF	0.0495	U	0.0485	U	<b>0.05</b>	0.0499	U	0.0484	U
1,2,3,4,6,7,8-HPCDF	0.084	EMPC	0.124	U	<b>0.10</b>	0.0499	U	0.0484	U
1,2,3,4,7,8,9-HPCDF	0.0495	U	0.162	EMPC	<b>0.11</b>	0.0499	U	0.0484	U
OCDF	0.191	B	0.0653	U	<b>0.13</b>	0.0499	U	0.0484	U
2,3,7,8-TCDD	0.089	EMPC	0.103	B/EMPC	<b>0.10</b>	0.078	B/EMPC	0.107	B/EMPC
1,2,3,7,8-PECDD	0.055	EMPC	0.065		<b>0.06</b>	0.0499	U	0.076	
1,2,3,4,7,8-HXCDD	0.0495	U	0.067	EMPC	<b>0.06</b>	0.0499	U	0.0484	U
1,2,3,6,7,8-HXCDD	0.077		0.094	EMPC	<b>0.09</b>	0.0499	U	0.0484	U
1,2,3,7,8,9-HXCDD	0.0495	U	0.052	EMPC	<b>0.05</b>	0.0499	U	0.0484	U
1,2,3,4,6,7,8-HPCDD	0.38	B	0.143	B/EMPC	<b>0.26</b>	0.058	B/EMPC	0.061	B/EMPC
OCDD	1.86	B	0.314	B	<b>1.09</b>	0.143	B/EMPC	0.095	B
DTEo	<b>0.0453</b>		<b>0.0767</b>		<b>0.06</b>	<b>0.0345</b>		<b>0.076</b>	
DTEd	<b>0.191</b>		<b>0.177</b>		<b>0.18</b>	<b>0.167</b>		<b>0.177</b>	
DTEh	<b>0.118</b>		<b>0.127</b>		<b>0.12</b>	<b>0.101</b>		<b>0.127</b>	
DTEh sd					<b>0.006</b>				
DTEh confidence					<b>0.009</b>				
DTEh 95 UCL					<b>0.13</b>				
% FTAL					<b>33</b>				
LENGTH									
WEIGHT									
LIPIDS	1.48		0.82			0.68		0.79	
SOLIDS									
MOISTURE	80.9		78.5			80		79.1	

DEP Sample ID	<b>KGD-SMB</b>	KRD-SMB-C1 (1,2,3,4,8)	KRD-SMB-C2 (5,6,7,9,10)	<b>KRD-SMB</b>	PBW-SMB-C1 (1,2,5,7,10)			
Lab Sample ID	<b>AVE</b>	L11926-16 I	L11926-17	<b>AVE</b>	L11928-15			
Sample Date		7/11/2008	7/11/2008		8/26/2008			
Dilution Factor		1	1		1			
Data in red: QA status = unaccepted								
2,3,7,8-TCDF	<b>0.09</b>	0.083	B	0.09	<b>0.09</b>	0.084	B	
1,2,3,7,8-PECDF	<b>0.05</b>	0.074		0.0483	U	<b>0.06</b>	0.0426	U
2,3,4,7,8-PECDF	<b>0.06</b>	0.117	EMPC	0.137	EMPC	<b>0.13</b>	0.055	
1,2,3,4,7,8-HXCDF	<b>0.05</b>	0.086	EMPC	0.0483	U	<b>0.07</b>	0.0426	U
1,2,3,6,7,8-HXCDF	<b>0.05</b>	0.051	EMPC	0.0483	U	<b>0.05</b>	0.0426	U
2,3,4,6,7,8-HXCDF	<b>0.06</b>	0.136	EMPC	0.05	EMPC	<b>0.09</b>	0.046	B/EMPC
1,2,3,7,8,9-HXCDF	<b>0.05</b>	0.109	EMPC	0.0483	U	<b>0.08</b>	0.0426	U
1,2,3,4,6,7,8-HPCDF	<b>0.05</b>	0.109	B/EMPC	0.0483	U	<b>0.08</b>	0.044	EMPC
1,2,3,4,7,8,9-HPCDF	<b>0.05</b>	0.057	EMPC	0.0483	U	<b>0.05</b>	0.0426	U
OCDF	<b>0.05</b>	0.254	B/EMPC	0.065	EMPC	<b>0.16</b>	0.073	B
2,3,7,8-TCDD	<b>0.09</b>	0.099		0.114	B	<b>0.11</b>	0.0426	U
1,2,3,7,8-PECDD	<b>0.06</b>	0.102		0.115		<b>0.11</b>	0.067	EMPC
1,2,3,4,7,8-HXCDD	<b>0.05</b>	0.123	EMPC	0.0483	U	<b>0.09</b>	0.05	EMPC
1,2,3,6,7,8-HXCDD	<b>0.05</b>	0.158	EMPC	0.119		<b>0.14</b>	0.061	EMPC
1,2,3,7,8,9-HXCDD	<b>0.05</b>	0.106	EMPC	0.0483	U	<b>0.08</b>	0.0426	U
1,2,3,4,6,7,8-HPCDD	<b>0.06</b>	0.137	B/EMPC	0.113	B/EMPC	<b>0.13</b>	0.077	B/EMPC
OCDD	<b>0.12</b>	0.288	B/EMPC	0.279	B	<b>0.28</b>	0.109	B/EMPC
DTEo	<b>0.06</b>	<b>0.212</b>		<b>0.25</b>		<b>0.23</b>	<b>0.0249</b>	
DTEd	<b>0.17</b>	<b>0.258</b>		<b>0.296</b>		<b>0.28</b>	<b>0.143</b>	
DTEh	<b>0.11</b>	<b>0.235</b>		<b>0.273</b>		<b>0.25</b>	<b>0.0837</b>	
DTEh sd	<b>0.018</b>					<b>0.027</b>		
DTEh confidence	<b>0.025</b>					<b>0.037</b>		
DTEh 95 UCL	<b>0.14</b>					<b>0.29</b>		
% FTAL	<b>35</b>					<b>73</b>		
LENGTH								
WEIGHT								
LIPIDS		0.24		0.49			0.63	
SOLIDS								
MOISTURE		79.2		80.1			80	

DEP Sample ID	PBW-SMB-C2 (3,4,6,8,9)		PBW-SMB	PBW-WHS-C1 (3,5,6,8,9)		PBW-WHS-C2 (1,2,4,7,10)		PBW-WHS
Lab Sample ID	L11928-16		AVE	L11928-1		L11928-2		AVE
Sample Date	8/26/2008			8/26/2008		8/26/2008		
Dilution Factor	1			1		1		
Data in red: QA status = unaccepted								
2,3,7,8-TCDF	0.12	B/EMPC	<b>0.10</b>	0.654	B	0.743	B	<b>0.70</b>
1,2,3,7,8-PECDF	0.111		<b>0.08</b>	0.076	EMPC	0.0492	U	<b>0.06</b>
2,3,4,7,8-PECDF	0.114		<b>0.08</b>	0.144		0.071		<b>0.11</b>
1,2,3,4,7,8-HXCDF	0.166	EMPC	<b>0.10</b>	0.0485	U	0.058	EMPC	<b>0.05</b>
1,2,3,6,7,8-HXCDF	0.116	EMPC	<b>0.08</b>	0.068		0.0492	U	<b>0.06</b>
2,3,4,6,7,8-HXCDF	0.259	B	<b>0.15</b>	0.115	EMPC	0.094		<b>0.10</b>
1,2,3,7,8,9-HXCDF	0.257	EMPC	<b>0.15</b>	0.0485	U	0.0492	U	<b>0.05</b>
1,2,3,4,6,7,8-HPCDF	0.276		<b>0.16</b>	0.294	B/EMPC	0.161	B/EMPC	<b>0.23</b>
1,2,3,4,7,8,9-HPCDF	0.258		<b>0.15</b>	0.0485	U	0.0492	U	<b>0.05</b>
OCDF	0.975	B	<b>0.52</b>	0.232	B/EMPC	0.205	B	<b>0.22</b>
2,3,7,8-TCDD	0.121	EMPC	<b>0.08</b>	0.127	EMPC	0.123	EMPC	<b>0.13</b>
1,2,3,7,8-PECDD	0.154	EMPC	<b>0.11</b>	0.159		0.193	EMPC	<b>0.18</b>
1,2,3,4,7,8-HXCDD	0.198	EMPC	<b>0.12</b>	0.073	EMPC	0.119	EMPC	<b>0.10</b>
1,2,3,6,7,8-HXCDD	0.232		<b>0.15</b>	0.389		0.321	EMPC	<b>0.36</b>
1,2,3,7,8,9-HXCDD	0.335		<b>0.19</b>	0.0485	U	0.063	EMPC	<b>0.06</b>
1,2,3,4,6,7,8-HPCDD	0.446	B/EMPC	<b>0.26</b>	0.511	B	0.412	B/EMPC	<b>0.46</b>
OCDD	1.17	B/EMPC	<b>0.64</b>	0.638	B	0.458	B/EMPC	<b>0.55</b>
DTEo	<b>0.126</b>		<b>0.08</b>	<b>0.319</b>		<b>0.105</b>		<b>0.21</b>
DTEd	<b>0.241</b>		<b>0.19</b>	<b>0.394</b>		<b>0.236</b>		<b>0.32</b>
DTEh	<b>0.184</b>		<b>0.13</b>	<b>0.356</b>		<b>0.171</b>		<b>0.26</b>
DTEh sd			<b>0.071</b>					<b>0.131</b>
DTEh confidence			<b>0.098</b>					<b>0.181</b>
DTEh 95 UCL			<b>0.23</b>					<b>0.44</b>
% FTAL			<b>58</b>					<b>111</b>
LENGTH								
WEIGHT								
LIPIDS	0.36			1.52		1.79		
SOLIDS								
MOISTURE	80.5			81.4		81.8		

DEP Sample ID	PBL-SMB-C1 (5,6,7,8,9)		PBL-SMB-C2 (1,2,3,4,10)		PBL-SMB AVE	PBL-WHS-C1 (2,4,5,6,7)	
Lab Sample ID	L11928-17		L11928-18			L11928-13	
Sample Date	8/26/2008		8/26/2008			8/26/2008	
Dilution Factor	1		1			1	
Data in red: QA status = unaccepted							
2,3,7,8-TCDF	0.056	EMPC	0.158	B	<b>0.11</b>	0.107	B
1,2,3,7,8-PECDF	0.115		0.047		<b>0.08</b>	0.0459	U
2,3,4,7,8-PECDF	0.0484	U	0.117		<b>0.08</b>	0.099	EMPC
1,2,3,4,7,8-HXCDF	0.0452	U	0.051	EMPC	<b>0.05</b>	0.0459	U
1,2,3,6,7,8-HXCDF	0.047	EMPC	0.0439	U	<b>0.05</b>	0.0459	U
2,3,4,6,7,8-HXCDF	0.149	B	0.195	B	<b>0.17</b>	0.047	B/EMPC
1,2,3,7,8,9-HXCDF	0.109		0.058	EMPC	<b>0.08</b>	0.049	EMPC
1,2,3,4,6,7,8-HPCDF	0.077		0.137		<b>0.11</b>	0.0459	U
1,2,3,4,7,8,9-HPCDF	0.132	EMPC	0.057		<b>0.09</b>	0.0459	U
OCDF	0.251	B/EMPC	0.235	B/EMPC	<b>0.24</b>	0.123	B
2,3,7,8-TCDD	0.081		0.062	EMPC	<b>0.07</b>	0.091	EMPC
1,2,3,7,8-PECDD	0.0494	U	0.067		<b>0.06</b>	0.075	EMPC
1,2,3,4,7,8-HXCDD	0.0471	U	0.073	EMPC	<b>0.06</b>	0.0459	U
1,2,3,6,7,8-HXCDD	0.127	EMPC	0.06	EMPC	<b>0.09</b>	0.112	
1,2,3,7,8,9-HXCDD	0.063	EMPC	0.102	EMPC	<b>0.08</b>	0.0459	U
1,2,3,4,6,7,8-HPCDD	0.262	B/EMPC	0.103	B/EMPC	<b>0.18</b>	0.073	B
OCDD	0.412	B/EMPC	0.328	B	<b>0.37</b>	0.188	B/EMPC
DTEo	<b>0.111</b>		<b>0.141</b>		<b>0.13</b>	<b>0.0227</b>	
DTEd	<b>0.204</b>		<b>0.212</b>		<b>0.21</b>	<b>0.158</b>	
DTEh	<b>0.158</b>		<b>0.176</b>		<b>0.17</b>	<b>0.0904</b>	
DTEh sd					<b>0.013</b>		
DTEh confidence					<b>0.018</b>		
DTEh 95 UCL					<b>0.18</b>		
% FTAL					<b>46</b>		
LENGTH							
WEIGHT							
LIPIDS	0.5		0.64			0.41	
SOLIDS							
MOISTURE	80.7		79.4			80	

DEP Sample ID	PBL-WHS-C2 (1,3,8,9,10)	PBL-WHS-C2	PWD-SMB-C1 (2,3,8,10,11)	PWD-SMB-C1 (2,3,8,10,11) (DUP			
Lab Sample ID	L11928-14	AVE	L11926-1 I (A)	WG27025-103 I (DUP L11926-1)			
Sample Date	8/26/2008		9/30/2008	9/30/2008			
Dilution Factor	1		1	1			
Data in red: QA status = unaccepted							
2,3,7,8-TCDF	0.427	B	0.27	0.161	0.133	EMPC	
1,2,3,7,8-PECDF	0.0432	U	0.04	0.0498	U	0.0495	U
2,3,4,7,8-PECDF	0.068	EMPC	0.08	0.118	EMPC	0.063	EMPC
1,2,3,4,7,8-HXCDF	0.0432	U	0.04	0.0498	U	0.0495	U
1,2,3,6,7,8-HXCDF	0.0432	U	0.04	0.0498	U	0.0495	U
2,3,4,6,7,8-HXCDF	0.0432	U	0.05	0.064	EMPC	0.055	EMPC
1,2,3,7,8,9-HXCDF	0.0432	U	0.05	0.0498	U	0.0495	U
1,2,3,4,6,7,8-HPCDF	0.0432	U	0.04	0.0498	U	0.0495	U
1,2,3,4,7,8,9-HPCDF	0.0432	U	0.04	0.0498	U	0.0495	U
OCDF	0.076	B/EMPC	0.10	0.0498	U	0.0598	U
2,3,7,8-TCDD	0.082	EMPC	0.09	0.069	B/EMPC	0.055	B/EMPC
1,2,3,7,8-PECDD	0.0432	U	0.06	0.087	EMPC	0.0495	U
1,2,3,4,7,8-HXCDD	0.0432	U	0.04	0.0498	U	0.0495	U
1,2,3,6,7,8-HXCDD	0.092	EMPC	0.10	0.069	EMPC	0.056	EMPC
1,2,3,7,8,9-HXCDD	0.0432	U	0.04	0.0498	U	0.0495	U
1,2,3,4,6,7,8-HPCDD	0.101	B/EMPC	0.09	0.073	B/EMPC	0.059	B/EMPC
OCDD	0.133	B	0.16	0.188	B/EMPC	0.099	B/EMPC
DTEo	0.0427		0.03	0.0161		0	
DTEd	0.175		0.17	0.169		0.153	
DTEh	0.109		0.10	0.0923		0.0765	
DTEh sd			0.013				
DTEh confidence			0.018				
DTEh 95 UCL			0.12				
% FTAL			29				
LENGTH							
WEIGHT							
LIPIDS	1.33			1.78		1.49	
SOLIDS							
MOISTURE	80.3			79.1		77.2	

DEP Sample ID	PWD-SMB-C1	PWD-SMB-C2 (1,4,5,7,9)	PWD-SMB	PWD-WHS-C1 (2,4,6,8,9)	PWD-WHS-C2 (1,3,5,7,10)		
Lab Sample ID	AVE	L11926-2 I	AVE	L11926-11 I	L11926-12		
Sample Date		9/30/2008		9/30/2008	9/30/2008		
Dilution Factor		1		1	1		
Data in red: QA status = unaccepted							
2,3,7,8-TCDF	0.147	0.149	EMPC	0.15	0.178		0.046
1,2,3,7,8-PECDF	0.04965	0.0492	U	0.05	0.05	U	0.0455
2,3,4,7,8-PECDF	0.0905	0.065	EMPC	0.08	0.092	EMPC	0.061
1,2,3,4,7,8-HXCDF	0.04965	0.0492	U	0.05	0.05	U	0.0455
1,2,3,6,7,8-HXCDF	0.04965	0.0492	U	0.05	0.05	U	0.0455
2,3,4,6,7,8-HXCDF	0.0595	0.054	EMPC	0.06	0.057		0.053
1,2,3,7,8,9-HXCDF	0.04965	0.0492	U	0.05	0.05	U	0.0455
1,2,3,4,6,7,8-HPCDF	0.04965	0.0492	U	0.05	0.05	U	0.0455
1,2,3,4,7,8,9-HPCDF	0.04965	0.0492	U	0.05	0.05	U	0.0564
OCDF	0.0548	0.0492	U	0.05	0.077	EMPC	0.121
2,3,7,8-TCDD	0.062	0.083	B/EMPC	0.07	0.061	B/EMPC	0.061
1,2,3,7,8-PECDD	0.06825	0.0492	U	0.06	0.056	EMPC	0.0455
1,2,3,4,7,8-HXCDD	0.04965	0.0492	U	0.05	0.05	U	0.051
1,2,3,6,7,8-HXCDD	0.0625	0.0492	U	0.06	0.06		0.0455
1,2,3,7,8,9-HXCDD	0.04965	0.0492	U	0.05	0.05	U	0.0455
1,2,3,4,6,7,8-HPCDD	0.066	0.058	B/EMPC	0.06	0.138	B/EMPC	0.087
OCDD	0.1435	0.118	B	0.13	0.228	B	0.407
DTEo	0.00805	0.0000354		0.00	0.0296		0.00974
DTEd	0.161	0.152		0.16	0.173		0.145
DTEh	0.0844	0.0758		0.08	0.101		0.0773
DTEh sd				0.006			
DTEh confidence				0.008			
DTEh 95 UCL				0.09			
% FTAL				22			
LENGTH							
WEIGHT							
LIPIDS		1.51			1.18		0.49
SOLIDS							
MOISTURE		76.9			82.4		78.1

DEP Sample ID	PWD-WHS	PWB-SMB-C1 (1,3,6,9,10)	PWB-SMB-C2 (2,4,5,7,8)	PWB-SMB	PWB-WHS-C1 (1,2,4,7,8)			
Lab Sample ID	AVE	L11926-3	L11926-4	AVE	L11926-9 I			
Sample Date		9/3/2008	9/3/2008		9/4/2008			
Dilution Factor		1	1		1			
Data in red: QA status = unaccepted								
2,3,7,8-TCDF	<b>0.11</b>	0.233		0.104	EMPC	<b>0.17</b>	0.402	PG/G
1,2,3,7,8-PECDF	<b>0.05</b>	0.0597	U	0.0493	U	<b>0.05</b>	0.072	EMPC
2,3,4,7,8-PECDF	<b>0.08</b>	0.0597	U	0.0493	U	<b>0.05</b>	0.117	EMPC
1,2,3,4,7,8-HXCDF	<b>0.05</b>	0.0495	U	0.0493	U	<b>0.05</b>	0.071	EMPC
1,2,3,6,7,8-HXCDF	<b>0.05</b>	0.0495	U	0.0493	U	<b>0.05</b>	0.056	EMPC
2,3,4,6,7,8-HXCDF	<b>0.06</b>	0.06		0.0493	U	<b>0.05</b>	0.096	
1,2,3,7,8,9-HXCDF	<b>0.05</b>	0.0495	U	0.0493	U	<b>0.05</b>	0.051	EMPC
1,2,3,4,6,7,8-HPCDF	<b>0.05</b>	0.0495	U	0.0493	U	<b>0.05</b>	0.093	EMPC
1,2,3,4,7,8,9-HPCDF	<b>0.05</b>	0.0495	U	0.0493	U	<b>0.05</b>	0.069	
OCDF	<b>0.10</b>	0.0495	U	0.05	EMPC	<b>0.05</b>	0.076	EMPC
2,3,7,8-TCDD	<b>0.06</b>	0.0495	U	0.0493	U	<b>0.05</b>	0.112	B/EMPC
1,2,3,7,8-PECDD	<b>0.05</b>	0.0495	U	0.0493	U	<b>0.05</b>	0.128	EMPC
1,2,3,4,7,8-HXCDD	<b>0.05</b>	0.0495	U	0.0493	U	<b>0.05</b>	0.098	EMPC
1,2,3,6,7,8-HXCDD	<b>0.05</b>	0.067	EMPC	0.0493	U	<b>0.06</b>	0.175	EMPC
1,2,3,7,8,9-HXCDD	<b>0.05</b>	0.0495	U	0.0493	U	<b>0.05</b>	0.081	EMPC
1,2,3,4,6,7,8-HPCDD	<b>0.11</b>	0.086	B/EMPC	0.052	B/EMPC	<b>0.07</b>	0.302	B
OCDD	<b>0.32</b>	0.188	B	0.115	B	<b>0.15</b>	0.541	B
DTEo	<b>0.02</b>	<b>0.0294</b>		<b>0.0000345</b>		<b>0.01</b>	<b>0.0537</b>	
DTEd	<b>0.16</b>	<b>0.179</b>		<b>0.152</b>		<b>0.17</b>	<b>0.195</b>	
DTEh	<b>0.09</b>	<b>0.104</b>		<b>0.0762</b>		<b>0.09</b>	<b>0.124</b>	
DTEh sd	<b>0.017</b>					<b>0.020</b>		
DTEh confidence	<b>0.023</b>					<b>0.027</b>		
DTEh 95 UCL	<b>0.11</b>					<b>0.12</b>		
% FTAL	<b>28</b>					<b>29</b>		
LENGTH								
WEIGHT								
LIPIDS		1.68		1.11			1.98	
SOLIDS								
MOISTURE		78.1		79.8			80	

DEP Sample ID	PWB-WHS-C2 (3,5,6,9,10)		PWB-WHS	SFS-LMB-C1 (1,10,11,12,13)		SFS-LMB-C2 (6,15,16,17,18)		SFS-LMB
Lab Sample ID	L11926-10 I		AVE	L11928-3 I		L11928-4		AVE
Sample Date	9/5/2008			7/21/2008		7/22/2008		
Dilution Factor	1			1		1		
Data in red: QA status = unaccepted								
2,3,7,8-TCDF	0.465	B	<b>0.43</b>	0.07		0.12	B/EMPC	<b>0.10</b>
1,2,3,7,8-PECDF	0.049	EMPC	<b>0.06</b>	0.069	EMPC	0.0433	U	<b>0.06</b>
2,3,4,7,8-PECDF	0.068	EMPC	<b>0.09</b>	0.0499	U	0.071	EMPC	<b>0.06</b>
1,2,3,4,7,8-HXCDF	0.047	U	<b>0.06</b>	0.065		0.0433	U	<b>0.05</b>
1,2,3,6,7,8-HXCDF	0.047	U	<b>0.05</b>	0.0499	U	0.078		<b>0.06</b>
2,3,4,6,7,8-HXCDF	0.082	EMPC	<b>0.09</b>	0.106	EMPC	0.129	B/EMPC	<b>0.12</b>
1,2,3,7,8,9-HXCDF	0.047	U	<b>0.05</b>	0.07	EMPC	0.08	EMPC	<b>0.08</b>
1,2,3,4,6,7,8-HPCDF	0.087	B	<b>0.09</b>	0.079	B	0.108	EMPC	<b>0.09</b>
1,2,3,4,7,8,9-HPCDF	0.047	U	<b>0.06</b>	0.051	EMPC	0.1	EMPC	<b>0.08</b>
OCDF	0.064	B	<b>0.07</b>	0.153	B/EMPC	0.199	B/EMPC	<b>0.18</b>
2,3,7,8-TCDD	0.114	EMPC	<b>0.11</b>	0.141	EMPC	0.184		<b>0.16</b>
1,2,3,7,8-PECDD	0.125	EMPC	<b>0.13</b>	0.11	EMPC	0.088	EMPC	<b>0.10</b>
1,2,3,4,7,8-HXCDD	0.068	EMPC	<b>0.08</b>	0.077	EMPC	0.095	EMPC	<b>0.09</b>
1,2,3,6,7,8-HXCDD	0.162		<b>0.17</b>	0.096	EMPC	0.151	EMPC	<b>0.12</b>
1,2,3,7,8,9-HXCDD	0.065	EMPC	<b>0.07</b>	0.095	EMPC	0.073	EMPC	<b>0.08</b>
1,2,3,4,6,7,8-HPCDD	0.307	B/EMPC	<b>0.30</b>	0.069	B/EMPC	0.131	B/EMPC	<b>0.10</b>
OCDD	0.409	B/EMPC	<b>0.48</b>	0.173	B/EMPC	0.319	B	<b>0.25</b>
DTEo	0.0636		<b>0.06</b>	<b>0.0143</b>		<b>0.192</b>		<b>0.10</b>
DTEd	0.202		<b>0.20</b>	<b>0.162</b>		<b>0.281</b>		<b>0.22</b>
DTEh	0.133		<b>0.13</b>	<b>0.0879</b>		<b>0.237</b>		<b>0.16</b>
DTEh sd			<b>0.006</b>					<b>0.105</b>
DTEh confidence			<b>0.009</b>					<b>0.146</b>
DTEh 95 UCL			<b>0.14</b>					<b>0.31</b>
% FTAL			<b>34</b>					<b>77</b>
LENGTH								
WEIGHT								
LIPIDS	1.78			0.18		0.31		
SOLIDS								
MOISTURE	80.4			79.7		74.9		

DEP Sample ID	SFS-WHS-C1 (2,7,9,10,11)	SFS-WHS-C1 (2,7,9,10,11) (DUPL	SFS-WHS-C1	SFS-WHS-C2 (1,3,5,6,8)	SFS-WHS			
Lab Sample ID	L11928-9 (A)	WG27073-103 (DUP L11928-9)	ave	L11928-10	AVE			
Sample Date	7/21/2008	7/21/2008		7/21/2008				
Dilution Factor	1	1		1				
Data in red: QA status = unaccepted								
2,3,7,8-TCDF	0.636	B	0.586	B	0.611	0.338	B/EMPC	<b>0.47</b>
1,2,3,7,8-PECDF	0.0482	U	0.071	EMPC	0.0596	0.0815	U	<b>0.07</b>
2,3,4,7,8-PECDF	0.186	EMPC	0.218	EMPC	0.202	0.114	EMPC	<b>0.16</b>
1,2,3,4,7,8-HXCDF	0.07		0.073	EMPC	0.0715	0.0487	U	<b>0.06</b>
1,2,3,6,7,8-HXCDF	0.064	EMPC	0.075		0.0695	0.0487	U	<b>0.06</b>
2,3,4,6,7,8-HXCDF	0.179	B/EMPC	0.21	B	0.1945	0.102	EMPC	<b>0.15</b>
1,2,3,7,8,9-HXCDF	0.062	EMPC	0.0447	U	0.05335	0.0487	U	<b>0.05</b>
1,2,3,4,6,7,8-HPCDF	0.229	EMPC	0.235	EMPC	0.232	0.149	B/EMPC	<b>0.19</b>
1,2,3,4,7,8,9-HPCDF	0.119		0.0447	U	0.08185	0.0487	U	<b>0.07</b>
OCDF	0.264	B/EMPC	0.234	B	0.249	0.129	B/EMPC	<b>0.19</b>
2,3,7,8-TCDD	0.33		0.33	EMPC	0.33	0.34		<b>0.34</b>
1,2,3,7,8-PECDD	0.299	EMPC	0.217	EMPC	0.258	0.151		<b>0.20</b>
1,2,3,4,7,8-HXCDD	0.329		0.163	*	0.246	0.103	EMPC	<b>0.17</b>
1,2,3,6,7,8-HXCDD	0.717	EMPC	0.558		0.6375	0.375		<b>0.51</b>
1,2,3,7,8,9-HXCDD	0.166	EMPC	0.116	EMPC	0.141	0.067	EMPC	<b>0.10</b>
1,2,3,4,6,7,8-HPCDD	0.792	B	0.775	B	0.7835	0.581	B/EMPC	<b>0.68</b>
OCDD	1.17	B	1	B	1.085	0.901	B/EMPC	<b>0.99</b>
DTEo	<b>0.443</b>		<b>0.167</b>		0.305	<b>0.529</b>		<b>0.42</b>
DTEd	<b>0.53</b>		<b>0.286</b>		0.408	<b>0.591</b>		<b>0.50</b>
DTEh	<b>0.486</b>		<b>0.227</b>		0.3565	<b>0.56</b>		<b>0.46</b>
DTEh sd								<b>0.144</b>
DTEh confidence								<b>0.199</b>
DTEh 95 UCL								<b>0.66</b>
% FTAL								<b>164</b>
LENGTH								
WEIGHT								
LIPIDS	1.25		1.31			0.83		
SOLIDS								
MOISTURE	75.5		79			80.7		

DEP Sample ID	SEN-LMB-C1 (3,4,7,8,9)		SEN-LMB-C2 (1,2,5,6,10)		SEN-LMB	SBN-SMB-C1 (1,2,6,7,8)	
Lab Sample ID	L11926-18		L11926-19		AVE	L11926-20 R	
Sample Date	7/16/2008		7/16/2008			7/16/2008	
Dilution Factor	1		1			1	
Data in red: QA status = unaccepted							
2,3,7,8-TCDF	0.187	EMPC	0.157	EMPC	<b>0.17</b>	0.224	B
1,2,3,7,8-PECDF	0.0475	U	0.0487	U	<b>0.05</b>	0.085	EMPC
2,3,4,7,8-PECDF	0.075	EMPC	0.0487	U	<b>0.06</b>	0.187	EMPC
1,2,3,4,7,8-HXCDF	0.0475	U	0.0487	U	<b>0.05</b>	0.112	
1,2,3,6,7,8-HXCDF	0.0475	U	0.0487	U	<b>0.05</b>	0.08	EMPC
2,3,4,6,7,8-HXCDF	0.0475	U	0.074	EMPC	<b>0.06</b>	0.159	B/EMPC
1,2,3,7,8,9-HXCDF	0.0475	U	0.0487	U	<b>0.05</b>	0.113	EMPC
1,2,3,4,6,7,8-HPCDF	0.116	EMPC	0.0487	U	<b>0.08</b>	0.149	EMPC
1,2,3,4,7,8,9-HPCDF	0.0475	U	0.0487	U	<b>0.05</b>	0.222	
OCDF	0.073	EMPC	0.069	EMPC	<b>0.07</b>	0.588	B/EMPC
2,3,7,8-TCDD	0.145	B	0.139	B/EMPC	<b>0.14</b>	0.244	
1,2,3,7,8-PECDD	0.339		0.204	EMPC	<b>0.27</b>	0.353	
1,2,3,4,7,8-HXCDD	0.052	EMPC	0.0487	U	<b>0.05</b>	0.196	EMPC
1,2,3,6,7,8-HXCDD	0.233		0.146		<b>0.19</b>	0.376	EMPC
1,2,3,7,8,9-HXCDD	0.0475	U	0.0487	U	<b>0.05</b>	0.119	
1,2,3,4,6,7,8-HPCDD	0.183	B/EMPC	0.097	B/EMPC	<b>0.14</b>	0.294	B/EMPC
OCDD	0.411	B	0.183	B	<b>0.30</b>	0.755	B/EMPC
DTEo	<b>0.507</b>		<b>0.0147</b>		<b>0.26</b>	<b>0.645</b>	
DTEd	<b>0.555</b>		<b>0.16</b>		<b>0.36</b>	<b>0.684</b>	
DTEh	<b>0.531</b>		<b>0.0875</b>		<b>0.31</b>	<b>0.664</b>	
DTEh sd					<b>0.314</b>		
DTEh confidence					<b>0.435</b>		
DTEh 95 UCL					<b>0.74</b>		
% FTAL					<b>186</b>		
LENGTH							
WEIGHT							
LIPIDS	0.44		0.47			0.45	
SOLIDS							
MOISTURE	80.2		81.7			78.9	

DEP Sample ID	SBN-SMB-C2 (3,4,5,9,10)	SBN-SMB	SBN-WHS-C1 (1,2,3,4,5)	SCW-SMB-C1 (2,6,7,9,10)	SCW-SMB-C2 (1,3)			
Lab Sample ID	L11926-21	AVE	L11926-15 I2	L11928-23	L11928-24			
Sample Date	7/16/2008		9/17/2008	8/4/2008	8/4/2008			
Dilution Factor	1		1	1	1			
Data in red: QA status = unaccepted								
2,3,7,8-TCDF	0.35	B	0.29	0.598	0.0453	U	0.0447	
1,2,3,7,8-PECDF	0.052	EMPC	0.07	0.0483	U	0.0453	U	0.0447
2,3,4,7,8-PECDF	0.161		0.17	0.11	0.083	EMPC	0.0447	
1,2,3,4,7,8-HXCDF	0.0482	U	0.08	0.0483	U	0.0453	U	0.0447
1,2,3,6,7,8-HXCDF	0.0482	U	0.06	0.0483	U	0.0453	U	0.0447
2,3,4,6,7,8-HXCDF	0.133	EMPC	0.15	0.095	EMPC	0.081	B/EMPC	0.072
1,2,3,7,8,9-HXCDF	0.0482	U	0.08	0.0483	U	0.0453	U	0.0447
1,2,3,4,6,7,8-HPCDF	0.13	B	0.14	0.12	EMPC	0.0453	U	0.047
1,2,3,4,7,8,9-HPCDF	0.0482	U	0.14	0.0483	U	0.0453	U	0.0447
OCDF	0.185	B	0.39	0.051	EMPC	0.047	B	0.0447
2,3,7,8-TCDD	0.261	EMPC	0.25	0.202	B/EMPC	0.0453	U	0.0447
1,2,3,7,8-PECDD	0.294	EMPC	0.32	0.193		0.0453	U	0.0447
1,2,3,4,7,8-HXCDD	0.166	EMPC	0.18	0.117		0.0453	U	0.0447
1,2,3,6,7,8-HXCDD	0.447	EMPC	0.41	0.382	EMPC	0.0453	U	0.0447
1,2,3,7,8,9-HXCDD	0.0482	U	0.08	0.0492	U	0.0453	U	0.0447
1,2,3,4,6,7,8-HPCDD	0.254	B	0.27	0.577	B/EMPC	0.084	B/EMPC	0.071
OCDD	0.505	B/EMPC	0.63	0.564	B/EMPC	0.137	B/EMPC	0.13
DTEo	0.0872		0.37	0.298		0.0000141		0
DTEd	0.219		0.45	0.378		0.143		0.141
DTEh	0.153		0.41	0.338		0.0716		0.0706
DTEh sd			0.361					
DTEh confidence			0.501					
DTEh 95 UCL			0.91					
% FTAL			227					
LENGTH								
WEIGHT								
LIPIDS	0.84			0.98		0.22		0.21
SOLIDS								
MOISTURE	77.5			82.1		78.8		79.3

DEP Sample ID	,4,5,8)	SCW-SMB	SCB-SMB-C1 (1,4,5,6,8)	SCB-SMB-C2 (2,3,7,9,10)	SCB-SMB		
Lab Sample ID		AVE	L11928-11 I	L11928-12 I	AVE		
Sample Date			8/4/2008	8/4/2008			
Dilution Factor			1	1			
Data in red: QA status = unaccepted							
2,3,7,8-TCDF	U	<b>0.05</b>	0.049	EMPC	0.182	B	<b>0.12</b>
1,2,3,7,8-PECDF	U	<b>0.05</b>	0.0479	U	0.045	EMPC	<b>0.05</b>
2,3,4,7,8-PECDF	U	<b>0.06</b>	0.065		0.103	EMPC	<b>0.08</b>
1,2,3,4,7,8-HXCDF	U	<b>0.05</b>	0.0479	U	0.0413	U	<b>0.04</b>
1,2,3,6,7,8-HXCDF	U	<b>0.05</b>	0.066		0.0413	U	<b>0.05</b>
2,3,4,6,7,8-HXCDF	B/EMPC	<b>0.08</b>	0.099	EMPC	0.064	B/EMPC	<b>0.08</b>
1,2,3,7,8,9-HXCDF	U	<b>0.05</b>	0.081	EMPC	0.077	EMPC	<b>0.08</b>
1,2,3,4,6,7,8-HPCDF	EMPC	<b>0.05</b>	0.087	B/EMPC	0.072		<b>0.08</b>
1,2,3,4,7,8,9-HPCDF	U	<b>0.05</b>	0.083		0.069	EMPC	<b>0.08</b>
OCDF	U	<b>0.05</b>	0.121	B/EMPC	0.155	B/EMPC	<b>0.14</b>
2,3,7,8-TCDD	U	<b>0.05</b>	0.088	EMPC	0.096	EMPC	<b>0.09</b>
1,2,3,7,8-PECDD	U	<b>0.05</b>	0.0479	U	0.061	EMPC	<b>0.05</b>
1,2,3,4,7,8-HXCDD	U	<b>0.05</b>	0.0492	U	0.0413	U	<b>0.05</b>
1,2,3,6,7,8-HXCDD	U	<b>0.05</b>	0.0518	U	0.085	EMPC	<b>0.07</b>
1,2,3,7,8,9-HXCDD	U	<b>0.05</b>	0.0504	U	0.0413	U	<b>0.05</b>
1,2,3,4,6,7,8-HPCDD	B/EMPC	<b>0.08</b>	0.1	B/EMPC	0.121	B/EMPC	<b>0.11</b>
OCDD	B/EMPC	<b>0.13</b>	0.262	B	0.257	B	<b>0.26</b>
DTEo		<b>0.00</b>	<b>0.027</b>		<b>0.019</b>		<b>0.02</b>
DTEd		<b>0.14</b>	<b>0.16</b>		<b>0.145</b>		<b>0.153</b>
DTEh		<b>0.07</b>	<b>0.0933</b>		<b>0.082</b>		<b>0.09</b>
DTEh sd		<b>0.001</b>					<b>0.008</b>
DTEh confidence		<b>0.001</b>					<b>0.011</b>
DTEh 95 UCL		<b>0.07</b>					<b>0.10</b>
% FTAL		<b>18</b>					<b>25</b>
LENGTH							
WEIGHT							
LIPIDS			0.54		0.7		
SOLIDS							
MOISTURE			79.1		82.6		