

APPENDIX 3. TCDD AND TCDF IN SLUDGE FROM WASTEWATER TREATMENT PLANTS (pg/g)

LOCATION	DATE	%MOIST	TCDD	TCDF	DTEo	DTed	
AMERICAN TISSUE AUGUSTA	880930	62.6	36.9	414.0		78.3	
	881223	61.4	37.6	326.0		70.2	
	890403	61.6	34.6	242.0		58.8	
	890628	65.5	17.7	414.0		59.1	
	971125		0.5	4.3			
AMERICAN PULP AND PAPER BERLIN NH	88		104.0	2930.0		397	
AUBURN VPS	951005		1.3	17.9		4.6	
AUBURN FIBER	970806		<0.9	9.9	1.1	3.6	
	041307		<1	3.2			
	040506		0.5	5.2			
	071207		<.2	5.8			
	083007		0.2	2.9			
AUGUSTA SANITARY DISTRICT	900409		<1.2	1.3		1.5	
	900608		<3.9	2.5		5	
	900608		E2.1	10.2		5.4	
	900914		<20.0	E20.0		<22	
	900809		<20			16.7	
	910108		<5	5.0		7.1	
	910220		<1.9	0.8		<11.1	
	910301		<1.9	4.8		5.7	
	920416		1.9	1.9		7	
	920427		<1.0	1.9		3.3	
	930223		<1.3	<1.3		4	
	940215		<1.0	<1.0		3	
			<0.02	0.0		0.04	
			<0.23	1.8		1.1	
	950227		1.9	<1		5.6	
960228		<1	<1	0.8	5.8		
970408		0.9	<0.9	0.9	5.8		
980514		<1	<1				
ANSON-MADISON SANITARY DISTRICT	910408		<1.3	2.2		<1.5	
	911001		1.7	4.6		2.2	
BANGOR	950104		<19.9	<26.4		109.6 55.5	
BERWICK SEWER DISTRICT	861111		<2.5	<4.0		<2.9	
	890301	76.4	14.0	19.9		16.1	
	890927	75.3	<12.1	<12.1		<13.4	
	891208	87.5	1152.0	872.0		1240	
	050819	67.5	<0.40	1.7		5.1	
	051221	72.6	<0.68	1.0		6.2	
	060329		<0.43	1.4	4.4	4.8	
	060629		<0.60	<0.9	4.2	6.9	
	061230	preliminary		0.21	4.3		
SOMERSWORTH, NH	050810	82.0	<0.52	2.1		6.4	

APPENDIX 3. TCDD AND TCDF IN SLUDGE FROM WASTEWATER TREATMENT PLANTS (pg/g)

LOCATION	DATE	%MOIST	TCDD	TCDF	DTEo	DTed
	950815		<.22	1.6		0.9
	970218		<0.8	<1.7	0.3	4.3
BREWER	920520		<2.1	36.0		
	920901		<6.0	110.0		<43.1
	921116		3.8	19.0		<10.7
	930202		<3.7	11.0		<18.0
	930511		1.2	9.8		7.4
	930810		4.1	24.0		9
	931118		3.8	26.0		
	940201		3.2	24.0		9.5
	940517		<0.9	14.0		
	940823		4.5	26.0		9.9
	941108		5.2	36.0		10.8
BREWER	950613		<1	18.0		5.2
	960611		2.1	17.0	6.1	8.2
	970212		3.4	22.0	5.8	9.9
	980622		<1	<1		
	990730		<1	1.3		
	000718		1.1	1.0	3.0	
	010725		<1	<1		
	010807		<1	1.8		
	020723	75.7	<1	2.0		
	030717		<1.0	2.3		
	040426		<1.0	2.0		
BOOTHBAY HARBOR SD	011228		<1	2.6		
BOWATER						
BUCKSPORT WWTF	010919		<0.5	4.1		
MILLINOCKET	850618		<0.4			
	880602		<1.9	7.3		
	940414		<7.4	<8.9		8.2
	940506		<.9	6.7		3.4
	950316		<.6	4.0		1.7
	960711		<1, <1	<1	0.1	5.4
	960914		<0.4, <0.3	4.4	1.6	2.3
	960917		<1	<1		
CORINNA SEWER DISTF	850506					10.3
	871117		<11.9	<28.8		31.7
	880301		<3.0	8.5		<3.2
	890222		<13.0			<64.1
	890510		<5.0			
	900131		2.3	127.0		40.3
	900606		<4.0	85.4		29.8
	900606		<4.9	82.2		31.2
	900919		<10.0	50.0		35.2
	901009		<1.5	<.8		
	901024		<8.0			
	910313		<5.0			34.7
	910514					13.9
	920304		<3.9	<8.4		26.1
	930405		<4.8	19.9		16.6
	930811		<9.9	68.6		51
	940308		<13.1	46.0		41.6
	940810		<5.6	7.8		35.7
	950321		<2.1	13.3		7.7
	960206		<1.8	12.7		
DOMTAR	890113	75.8	<6.2	<3.55		
BAILEYVILLE	890424	74.7	<0.63	<4.74		
	890718	66.0	<1.76	12.9		
	891217		0.9	3.2		2.4
	910630		<1	2.0		

APPENDIX 3. TCDD AND TCDF IN SLUDGE FROM WASTEWATER TREATMENT PLANTS (pg/g)

LOCATION	DATE	%MOIST	TCDD	TCDF	DTEo	DTed
	910630		<1	1.0		
	910630		<1	<1		
	910630		1.0	4.0		
	910630		<1	<1		
	910630		<1	2.0		
	911231		<1	2.0		
	911231		2.0	5.0		
	911231		<1	3.0		
	911231		<1	2.0		
	930108		<1	<1		
	940530		<5.0	<5.0		
	941222		<5.0	11.9		
	950331		<5.0	14.3		
	950630		<5.0	<5.0		
	950930		<5.0	24.5		
	951231		<1.0	3.4		
	011115		0.4	2.6		
	020315		<0.2	J0.53		
	030211		J0.3	2.3		
FRASER PAPER LTD	880903	68.3	13.9	233.0		37.2
MADAWASKA	890106	79.1	E23.4	204.0		E44
	890406	71.3	E3.83	12.9		5.2
	890930	80.1	5.0	E26.6		7.5
	940426		<.1	0.8		0.3
GARDINER WATER DIST	900918		<0.87	4.6		1.4
	910401		1.4	4.4		3.8
	911002		<0.54	5.1		4.1
	920504		<3.5	9.4		3.8
	921116		<.93	<6.4		3.4
	930407		<0.13	0.9		<0.8
	931115		<1.6	<18		5.9
	931115					1.8
	931115		<0.9			0.9
	940329		<0.2	<1.1		0.4
	941018		<1.2	<4.3		2
	950221		<2.8	5.2		3.6
	951003		<1.7			3.4
	960326		4.1	27.0	10.2	10.2
	961015		0.8	11.0	3.3	3.3
	970331		<1.1	<5.8	0.1	4.8
FORT FAIRFIELD UTII	010514		<.67	3.2		
GEORGIA PACIFIC	880801		12.0	34.0		15.4
OLD TOWN	881225	78.6	301.0	963.0		398
	890423	78.7	380.0	1197.0		499
	890718	68.8	50.6	478.0		98.4
	950103		8.8	65.0		15.3
GRAND ISLE WWTP	010710		<1	<1		
HARTLAND WASTEWATER	881007	65.0	<2.86	<1.71		<2.9
TREATMENT PLANT	881221	65.5	<7.25	E6.09		<7.8
	890312	64.3	<0.28	5.6		<0.8
	890627	63.3	<1.36	6.5		<1.9
	000127		<0.4	E1.4		
	000426		<0.5	<0.4		
	000922		<2.1	<3.1	<1.9	<2.2
	001205		<0.8	<0.9		
HAWK RIDGE COMPOST	1989-90	mean n=6	6.6	15.9		8.2
UNITY	1991	(1.6-13)		mean n=4		6.6
(compost)	900420		2.9	15.0		5.9
	900507		3.4	6.0		6.2
	900628		3.4	31.0		9.8

APPENDIX 3. TCDD AND TCDF IN SLUDGE FROM WASTEWATER TREATMENT PLANTS (pg/g)

LOCATION	DATE	%MOIST	TCDD	TCDF	DTE _o	DTed
	900712		5.0	40.0		11.7
	900817		3.4	31.0		12.8
	900820		3.0	30.0		9.2
	900820		5.0	40.0		12.6
	901010		<5	30.0		10.9
	910115		0.6	6.4		1.9
	910207		4.0	59.5		15.5
	910806		1.6	15.0		8.4
	920123		2.6	18.0		17.8
	920318		<1			16.1
	920715		<2.0	34.0		24.3
	920818		<1.0	18.0		17.3
	921007		2.2	23.0		12.4
	930111		<2.2	12.0		8.1
	930406		1.7	16.0		7.5
	930629		1.7	22.0		9.5
	931213		3.4	28.0		11.3
	940101		2.6	27.0		11.3
	940422		<1.0	12.0		5.1
	940422		<1	9.1		7.7
	940725		1.6	13.0		6
	941024		<2.4, 4.9	13.0, 33.0		8.4
HAWK RIDGE COMPOST	950724		<1	12.0		5.6
UNITY	951012		1.1	12.0		5.2
(compost)	960131		<1	8.8	1.1	5.4
	960501		<1	6.6	0.9	6.1
	960709		<1	7.6	1.3	6.3
	961007		1.4	10.0	3.2	6.8
	970110		<1	1.5	0.8	5.9
	970305		<1	3.6	1.4	6.5
	970725		<1	3.8	1.6	8.3
	971014		<1	3.8	1.2	6.4
INTERNATIONAL PAPER	850621		51.3W			
JAY	870115		190.0	760.0		266
	880218		24.0	130.0		39
	880219		23.0	121.0		34.1
	880223		14.0	75.0		21.5
	880225		57.0	250.0		82
	880226		15.0	79.0		22.9
	880227		13.0	79.0		20.9
	881231		16.6W	143W		30.9W
	890124		15W	77W		22.7W
	890126		28.0	112.0		39.2
	890323		7.7W	42.6W		12.0W
	890417		24.0	150.0		39.0
	950712		7.2	39.0		
	960125		2.6	16.0		
	960126		2.8	16.0		
	960227		<1.0	14.0		
	960228		2.3	14.0		
	961015		<1	4.0	0.5	5.6
	961016		<1	5.4	1	6.2
	961126		4.6	22.0	8.3	12.5
	961127		2.7	12.0	5.7	9.6
KENNEBEC SANITARY	870713					38.5
TREATMENT DISTRICT	871105					10.2
WATERVILLE	880118					7.2

APPENDIX 3. TCDD AND TCDF IN SLUDGE FROM WASTEWATER TREATMENT PLANTS (pg/g)

LOCATION	DATE	%MOIST	TCDD	TCDF	DTE _o	DTed
	880322					5.4
	880518					18.1
	880921					3.6
	890711					42.2
	891011					106.9
	900410		E7.9	121.0		41.6
	900824		3.3	54.0		22.7
	901101		3.6	12.0		<20.1
	901221		3.5	6.7		<21.3
	901221		3.5	19.0		18.3
	910408		<2.3	<3.3		<15.0
	910606		<2.9	<5.0		<19.4
	910808		2.3	53.0		15.6
	910911		3.1	4.1		<12.2
	920226		2.6	20.0		10.3
	920708		<1.0	11.0		
	930914		1.1	6.3		31.1
	941021		<1.0	8.2		13.4
	951113		<1	1.3		3.3
	960924		<1	<1	0.9	6
	971010		<1	12.0	2.6	7.8
	990120		<1	<1		
	990915		<1	<1		
	000927		0.4, <4.8,	<0.75, <3.1,	2.9, 3.9	
	010108		<.10	<.10		
	011017		<0.007	1.4	11	
	021017		<0.007	1.4		
	031021		0.3	1.5		
KENNEBUNK SD	011105		EMPC	1.8		
KIMBERLY-CLARK WINSLOW	871008		36.0			49.8
	871201		13.5			23.7
	880331		25.0	219.0		52.8
	880630		19.0	177.0		38.6
	880930		22.0	189.0		43.8
	881231		17.0	181.0		37.1
	890331		18.0	177.0		38.5
	890628		14.0	89.0		25
	890927		11.0	67.0		18.8
	891231		13.0	115.0		27.3
	900201		12.0	86.0		16.4
	900628		12.0	94.0		24.5
	900928		9.4	76.0		19.7
	901231		7.2	63.0		15.5
	910214		12.0	86.0		
	910411		8.3	100.0		20.5
	910630		4.6	62.0		13.4
	910930		6.5	69.0		15
	911101		6.5	63.2		
	911203		6.3	68.1		14.7
	920225		6.5	72.1		42.4
	920623		5.2	55.0		12.4
	921006		5.1	60.0		13.2
	921228		7.2	59.0		18.1
	930317		4.7	47.0		12.6
	930629		4.2	37.0		11.4
	930917		3.9	42.0		9.8
	931231		5.2	44.0		11.1
	940101		3.5	31.0		7.1
	940401		3.7	27.0		7
	940909		4.9	33.0		11.7
	941231			30.0		10.7
	950331		4.4	42.0		11.4
	950608		<1	24.0		10.3
	950930		2.2	25.0		

APPENDIX 3. TCDD AND TCDF IN SLUDGE FROM WASTEWATER TREATMENT PLANTS (pg/g)

LOCATION	DATE	%MOIST	TCDD	TCDF	DTEo	DTed
	951231		3.0	34.0		15.4
	960122	RWT	3.0	34.0	6.9	11
	960410		3.1	29.0	6.1	12.2
	960702		4.4	36.0	8.9	12.4
	960702D		1.6	17.0	3.8	7.2
	961030		2.4	18.0	5.6	9.4
	961030D		<1	17.0	1.8	7
	970318	RWT	2.4	16.0	4.1	7.2
	970616	RWT	1.4	16.0	3.1	6.6
	971104	RWT	1.3	23.0	4.1	7.9
KITTERY WWTP	990319		<0.4	5.2		
LEWISTON-AUBURN TREATMENT PLANT	871231		<1.0	an for year (n=4)		
	881031		0.0			
	900809		E10	9.0		19.1
	910306		<7.3	<7.3		25
	920610		<0.8	4.5		8
	930625		<1	4.4		
	930922		<2.7	<2.5		6.6
	950405		<2.2	0.8		5.7
	960625		<1	<1	1	6.2
	961202		<1	21.0	2.2	7.3
	990730		1.0	6.9		
	000201	limed	<0.6	8.5		
	020801	limed	<1	<0.1		
	020801	lished comp	<1	<0.1		
	030709	limed	<5	<5		
	030717	lished comp	<5	<5		
	040830	limed	<0.5	<1.2		
	040830	solids/comp	1.1	2.0		
	062508	solid	<1	1.1		
	060710		<0.4	<0.4		
	070612	solid	<2	1.4		
LINCOLN PULP & PAPER LINCOLN	881119		48W	223W		70.3W
	890123	80.9	44.0	203.0		
	890123		44.0	173.0		
	890407	85.1	49.0	298.0		
	890407		41.0	219.0		
	890831	83.5	182.0	640.0		
	890831		156.0	625.0		
	890831		41.0	220.0		
	890831		59.0	294.0		
	921231		20.4	91.6		
	931014		9.1	187.5		
	940331	PRI SL	14.9	154.0		
	940331	SEC SL	97.1	734.0		
	960302		<0.4	<0.3	0	0.8
	960419		4.2	21.7	7.1	7.5
	960431		4.2	25.1		
	970831		3.7	20.0		
	971130		<1.5	3.7		
	980930		<0.7	1.2		
	990531		0.3	1.5		
	990930		0.4	1.0		
	000130		1.3	1.5		
	012307	solid	<.2	<.16		

APPENDIX 3. TCDD AND TCDF IN SLUDGE FROM WASTEWATER TREATMENT PLANTS (pg/g)

LOCATION	DATE	%MOIST	TCDD	TCDF	DTEo	DTed
MADAWASKA WWTP	011119		<1	2.0		
NEWPAGE CORP	850621		32.0			
RUMFORD	880602		105.0	674.0		171
	890108	77.1	114.0	569.0		171
	890407	73.1	46.5	184.0		65.1
	890628	76.8	E9.91	134.0		E23.3
NORRIDGEWOCK WWTP	011116		<0.1	<0.8		
NORTH JAY WWTP	011127		0.8	<1.6		
OAKLAND TREATMENT PL	910304		<2.5	10.0		<3.5
	910329		<5	10.0		14.8
	920415		<1.0	<1.0		5.8
	920415		<1	<1		18.1
	930408		<1.0	<1.0		<6.6
	930501		<1.0	11.0		64.4
	940426		<1.0	<1.0		29.4
OGUNQUIT SD	010912		<1.4	1.4		
OLD TOWN	880525		<3.0	<3.0		2.9
	900212		<2.2	16.7		5.3
	910918		<2.9	6.6		24
	910918		<2.2			<2.2
ORONO TREATMENT PL	900316		2.1			
	900412		8.5			
	901001		3.5	9.2		8.3
	901021		3.9			
	910324		<2.1	9.5		11.7
	910918		<2.9	6.6		20
	920323		<0.6	7.6		12
	920328		9.4			
	920915		<0.5	5.4		2.2
	921015		1.1			
	930427		1.3			1.8
	930427		<0.5	3.4		2.2
	940502		<0.6	2.5		1.8
PERC	910417		<2.0	9.9		5.7
PORTLAND WATER DIST	861205					3.8
PORTLAND	870402					4.1
	871124					1.0
	880913					0.1
	891206		E1.2	11.3		5.8
	891206		1.6	14.5		7.9
	901002		<3	10.0		6.7
	901002		<3	20.0		8.6
	910826		<64	<32		33.6
	910828		<66	<140		40.1
	920715		<1.1	6.4		6.1

APPENDIX 3. TCDD AND TCDF IN SLUDGE FROM WASTEWATER TREATMENT PLANTS (pg/g)

LOCATION	DATE	%MOIST	TCDD	TCDF	DTEo	DTed
	920715		0.9	7.6		7.51
	930719		<1	2.3		9.8
	930719		<1.1	<3.2		22.7
	940718		<1.0	0.8		1.3
	950727		0.5	1.0		2.5
	960807		<0.7	<0.1	1.6	3.4
	980811		<0.4	3.4		
	980514		<1	<1		
	990602		<1	5.6		
	000913		<0.1	8.0		
	010806		<1	3.2		
	020830		<0.2	0.6		
	030830		<0.3	<0.2		
	040913		0.4	1.0		
	040830		<0.41	<2		
PORTLAND WATER DIST	861205					0.5
WESTBROOK WWTF	870402					4.9
	871119					0.2
	891205		E1.6	14.5		4.9
	901001		<3.0	9.0		<5.5
	910826		<64	<32		<67.3
	920714		<1.1	7.6		3.7
	930719		<1.0	3.2		6.6
	980811		<0.2	4.1		
	001011		<0.6	3.5		
	001121			3.6		
	001228		1.2	3.4		
	010329		0.6	4.6		
	010525		<0.7	<0.5		
	010803		1.4	2.1		
	020830		<0.3	0.9		
	030830		<0.3	<0.7		
	040830		<.1	2.4		
	040913		<1	1.0		
PRESQUE ISLE SEWER	010625		<1.1	<1.1		
REGIONAL WASTE SYST	890111	ash	5.5	28.0		8.3
PORTLAND	890112	ash	6.0	24.0		8.4
	890113	ash	10.0	50.0		15
	890114	ash	10.0	20.0		12
	890121	ash	6.0	90.0		15
	900211	ash	E20	210.0		E41
ROBINSON MANUFACTUF	870113		10.1	17.5		18.5
OXFORD	880419		<0.4	<0.2		<0.4
	881004		<7.3	<9.6		<8.2
	890119		<0.39	<1.2		2
	890119D		<2.1	<1.1		3
	910226		<3.0	<3.0		5
	910305		<3	<0.3		<8.0
	910308		<3	<3		<0.01
	910323		<5	<5		<0.01
	910323		<3	<3		<0.01
	920610		<1.2	<1.0		2.2
	960216		<1	0.1	1	3.2
	960315		<1	4.2	1	5.2
	970220		<1	<1	1.2	6.4
	980218		<1	<1	0.4	5.7
SABATTUS SANITARY I	010412		<2	<2		
SAPPI -SOMERSET	861217		<2	47.0		5
	870519		13.0	21.0		15.2
	870930					1.2

APPENDIX 3. TCDD AND TCDF IN SLUDGE FROM WASTEWATER TREATMENT PLANTS (pg/g)

LOCATION	DATE	%MOIST	TCDD	TCDF	DTEo	DTed
	871215		60.0			60.1
	880325		27.0	88.0		40
	880630	EPA	67.0	33.0		100
	881014		40.0	98.0		52.1
	881220		54.0	177.0		76.5
	890303		54.0	92.0		65.7
	890629		23.0	53.0		30.91
	890926		<.8	16.0		1.6
	891205		18.0	52.0		26.4
	900314		<18	23.0		4.9
	900620		35.0	73.0		52.1
	900916		45.0	86.0		68.6
	901215		39.5	115.0		57.8
	910324		23.1	51.0		31.8
	910626		39.4	146.0		66.5
	910910		69.9	260.0		105.9
	920624		33.0	856.0		
	920923		20.0	39.0		
	921218		15.0	45.0		
	930107		11.0	31.0		
	930616		23.0	73.0		
	930916		56.0	170.0		
	931229		42.0	110.0		
	940108		31.0	95.0		
	940627		33.0	89.0		
	940926		12.0	36.0		
	941212		11.0	20.0		
	950313		3.6	15.0		
	950510		3.3	11.0		
	950914		9.6	25.0		
	951120	comb	1.2	4.2		
	960327		2.0	9.6		
	960624		5.1	18.0		
	960910		5.2	11.0		
	961014		5.2	15.0		
	970319		5.5	26.0		
	970624		8.5,4.9	36.0		
	970917		<.71	2.0		
	971216		<.28	0.7		
	980316		<.79	<6.2		
	980527		1.0	2.5		
	980928	dredging	6.6	18.0		
	981208		<.4	0.7		
	990330		<.26	<4.2		
	990607		<.4	0.8		
	990921		<.48	<5.4		
	991215		<.4	1.2		
	000131		<.65	1.8		
	000607		<.729	2.9		
	000926	dredging	1.86	6.8		
	001213		<.207	1.4		
	010314		0.3	0.2		
	010524		0.7	0.3		
	010910		<0.561	0.2		
	011217		0.2	0.1		
	020318		0.3	0.1		
	020509		<0.319	0.1		
	020917		3.1	1.5		
	021217		0.5	0.2		
	030310		<0.181	0.1		
	030609		0.5	0.2		
	030909		<0.121	0.0		
	031217		0.2	0.1		
SAPPI - WESTBROOK	850620		17.2			
	870929		31.0			31.1
	871231		21.0	135.0		34.7
	880331		5.6	21.0		7.7

APPENDIX 3. TCDD AND TCDF IN SLUDGE FROM WASTEWATER TREATMENT PLANTS (pg/g)

LOCATION	DATE	%MOIST	TCDD	TCDF	DTE _o	DTed
	880401		8.7	3.9		14.9
	880630		13.0	55.0		18.5
	881207		19.0	127.0		34.2
			19.0	69.0		27.5
	890106		<1.8	31.0		<4.9
	890600		<1.2	13.0		22.6
	890600		5.3	35.0		10.5
	890600		<.2	0.2		0.2
	890600		<.4	8.8		14.2
	890600		69.9	60.0		105.1
	891031		5.0	30.0		12.9
	891130		3.0	30.0		15.5
	891231		7.0	50.0		15.2
	900131		6.0	20.0		14.0
	900228		2.7	24.6		7.7
	900331		5.1	33.6		17.1
	900430		5.9	34.6		14.9
	900531		5.3	25.8		10.5
	900630		19.0	26.0		29.5
	900730		5.2	20.6		11.6
	900831		2.9	12.1		9.8
	900930		2.5	10.0		7
	901231		7.7	35.7		24.8
	910917		70.0	275.0		105.1
	910331		3.4	21.5		9.1
	910630		2.9	19.6		8.4
	910930		3.8	14.2		5.2
	911231		2.4	25.1		8.2
	920331		1.2	19.4		3.8
	920505		1.6	10.8		5.4
	920821			24.5		2.8
	940131		0.9	11.6		2.9
	940324			12.3		2.0
	940728		2.1	17.3		5.1
	941213		5.3	29.2		46.9
	950329		1.2	20.0		
	950602		1.0	10.1		
	950911			18.3		
	951120		1.1	23.3		
	960327		2.0	9.6		
	990113		4.0	61.0		
	990407		2.9	36.0		
	990728		1.0	14.0		
	990830		<0.9	4.0		
	990928		<1.0	2.8		
CITY OF SOUTH PORTLAND						
S PORTLAND STP	880000		<8.65	<48		30.8
	900314		<5.3	<3.5		9.4
	900314		<2.7	<5.4		10
	910508			<10		9
	910531		<5			<11.2
	920401		<1.0	<0.8		<5.9
	920428		<0.8	1.4		4
	920714		0.9	6.4		7.5
	930324		<2.8	<2.8		16
	940315		<1.0	3.9		7.9
	941005		8.7	48.0		30.4
	950405		<1	3.3		13.6
	960610		<1	5.3	4.4	9.2
	970616		<1	15.0	6.7	11.5
	000912		<1	2.6		
	010205		<3	<2		
	010918		<1	1.8		
	040913		<0.96	1.0		
	040819		E0.41	2.0		

APPENDIX 3. TCDD AND TCDF IN SLUDGE FROM WASTEWATER TREATMENT PLANTS (pg/g)

LOCATION	DATE	%MOIST	TCDD	TCDF	DTE _o	DTE _d
WELLS SANITARY DIST	011109		<0.4	0.9		
YORK SD	010806		<1	<1		
VAN BUREN WWTP D=duplicate analysis	000918		0.6	4.0		