



D-14-1 Wohoa Bay to Indian River



LEGEND

- Harbor Boom
- Intertidal Boom
- Ocean Boom
- Permanent Moorings
- Staging Area
- Command Post
- Collection Recovery Point
- Skimmer
- Response Vessel
- Vacuum Truck



Note: Not to be used for navigational purposes



Issued by the
Maine & New Hampshire Area Committee

Printed copies are uncontrolled

Created: March 18, 2009 @ 11:01

Wohoa Bay to Indian River

Site, Strategy & Chart #

Port Region

Latitude Longitude

Water Depth Range feet

Max Current (knots) Flood Ebb Source

Nearest Boat Ramp

Response Strategy Type

Type of Boom

Total Length of Boom feet

Unless otherwise indicated, the boom length given is straight line distance as measured on the map. Actual length required will vary with conditions, and increase with current.

Strategy Implementation

Deploy 1,200' of harbor boom from the north end of Doyle Island in a northerly direction and anchor in the middle of the channel. Deploy 1,000' of harbor boom in a westerly direction from a point south of Steele Point and anchor in the middle of channel to form an overlapping apex with the first boom. Deploy 1,000' of intertidal boom in a southerly direction from a point of land north of Bickford Point. Deploy 700' of harbor boom in a westerly direction from a point of land north of Steele Point.

Site Access

Staging Areas

Collection Points

Environmental Concerns

EVI Map #

Shoreline Types

Other Comments