State of Maine – Section S
Data Submission Specifications for the MDS 3.0 (V1.14.1)

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S0120	Prior Residence ZIP Code Residence prior to admission: ZIP code	Asmt		Text	5	1931-1935

Item Subsets

Active: NC,NQ,NP,NT,ND

Item Values

Value	LOINC Code	Value Text
Text		Prior Residence ZIP Code
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Value	Warning	If S0120 is equal to [ ] or [-], zip code of prior primary residence is missing.

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S0170A	Advanced directive: Guardian Advanced Directive: Guardian	Asmt		Code	1	2511-2511

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] or [1], value is out of range.
MAINE	None of above	Warning	If S0170A through S0170H and S0170Z are all active, then the following rules apply: a) If S0170Z=[0], then at least one item from S0170A through S0170H must equal [1]. b) If S0170Z=[1], then all items from S0170A through S0170H must equal [0].

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S0170B	Advanced directive: DPOA-HC Advanced Directive: DPOA-HC	Asmt		Code	1	2512-2512

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] or [1], value is out of range.
MAINE	None of above	Warning	If S0170A through S0170H and S0170Z are all active, then the following rules apply: a) If S0170Z=[0], then at least one item from S0170A through S0170H must equal [1]. b) If S0170Z=[1], then all items from S0170A through S0170H must equal [0].

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S0170C	Advanced directive: Living will Advanced Directive: Living Will	Asmt		Code	1	2513-2513

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] or [1], value is out of range.
MAINE	None of above	Warning	If S0170A through S0170H and S0170Z are all active, then the following rules apply: a) If S0170Z=[0], then at least one item from S0170A through S0170H must equal [1]. b) If S0170Z=[1], then all items from S0170A through S0170H must equal [0].

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S0170D	Advanced directive: Do not resuscitate Advanced Directive: Do Not Resuscitate	Asmt		Code	1	2514-2514

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] or [1], value is out of range.
MAINE	None of above	Warning	If S0170A through S0170H and S0170Z are all active, then the following rules apply: a) If S0170Z=[0], then at least one item from S0170A through S0170H must equal [1]. b) If S0170Z=[1], then all items from S0170A through S0170H must equal [0].

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S0170E	Advanced directive: Do not hospitalize Advanced Directive: Do Not Hospitalize	Asmt		Code	1	2515-2515

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] or [1], value is out of range.
MAINE	None of above	Warning	If S0170A through S0170H and S0170Z are all active, then the following rules apply: a) If S0170Z=[0], then at least one item from S0170A through S0170H must equal [1]. b) If S0170Z=[1], then all items from S0170A through S0170H must equal [0].

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S0170F	Advanced directive: Do not intubate Advanced Directive: Do Not Intubate	Asmt		Code	1	2516-2516

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] or [1], value is out of range.
MAINE	None of above	Warning	If S0170A through S0170H and S0170Z are all active, then the following rules apply: a) If S0170Z=[0], then at least one item from S0170A through S0170H must equal [1]. b) If S0170Z=[1], then all items from S0170A through S0170H must equal [0].

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S0170G	Advanced directive: Feeding restrictions Advanced Directive: Feeding Restrictions	Asmt		Code	1	2517-2517

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] or [1], value is out of range.
MAINE	None of above	Warning	If S0170A through S0170H and S0170Z are all active, then the following rules apply: a) If S0170Z=[0], then at least one item from S0170A through S0170H must equal [1]. b) If S0170Z=[1], then all items from S0170A through S0170H must equal [0].

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S0170H	Advanced directive: Other treatment restrictions Advanced Directive: Other Treatment Restrictions	Asmt		Code	1	2518-2518

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] or [1], value is out of range.
MAINE	None of above	Warning	If S0170A through S0170H and S0170Z are all active, then the following rules apply: a) If S0170Z=[0], then at least one item from S0170A through S0170H must equal [1]. b) If S0170Z=[1], then all items from S0170A through S0170H must equal [0].

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S0170Z	Advanced directive: None of the above Advanced Directive: None of the Above	Asmt		Code	1	2519-2519

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] or [1], value is out of range.
MAINE	None of above	Warning	If S0170A through S0170H and S0170Z are all active, then the following rules apply: a) If S0170Z=[0], then at least one item from S0170A through S0170H must equal [1]. b) If S0170Z=[1], then all items from S0170A through S0170H must equal [0].

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S0510	PASRR Screening Complete Was a PASRR screening completed?	Asmt		Code	1	1989-1989

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		N/A PASRR not indicated

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0], [1] or [9], value is out of range.

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S0511	PASRR Date If response to Item S0510 PASRR screening is yes, enter date of last screening else skip.	Asmt		Date	8	1990-1997

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		PASRR Complete Date
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Skip pattern	Warning	If S0511 is active, then the following rules apply: a) If S0510=[0], then S0511 must equal [^]. b) If S0510=[9], then S0511 must equal [^]. c) If S0510=[1], then S0511 must not equal [^] and be a valid date.

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S0513	PASRR Screening Outcome What was the outcome of the PASRR screen?	Asmt		Code	1	2573-2573

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Screen was sent to the NF; no diagnosis, suspected diagnosis or need for specialized services
1		Screen was sent for determination of need for Levell II screen due to diagnosis, suspected diagnosis or need for specialized services related to mental illness, intellectual disability, or other related condition.
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0], [1], [-], or [^], value is out of range.
MAINE	Skip pattern	Warning	If S0513 is active, then the following rules apply: a) If S0510=[0], then S0513 must equal [^]. b) If S0510=[9], then S0513 must equal [^]. c) If S0510=[1], then S0513 must not equal [^].

Changes for Version

Type	ID	Description
Item	S0513	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S3300	Weight-based Equipment Need Did this resident require specialized equipment based on weight since last assessment?	Asmt		Code	1	2575-2575

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0], [1] or [-], value is out of range.

Changes for Version

Type	ID	Description
Item	S3300	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S3305A	Lifting device for weight Lifting device required since last assessment	Asmt		Checklist	1	2576-2576

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0], [1], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If S3300=[1], then at least one item from S3305A through S3305E and/or S3305Y must equal [1].
MAINE	Skip pattern	Warning	If S3300=[0], then S3305A through S3305E and S3305Y must equal [^].

Changes for Version

Type	ID	Description
Item	S3305A	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S3305B	Wheelchair or mobility device for weight Wheelchair or other mobility device required since last assessment	Asmt		Checklist	1	2577-2577

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0], [1], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If S3300=[1], then at least one item from S3305A through S3305E and/or S3305Y must equal [1].
MAINE	Skip pattern	Warning	If S3300=[0], then S3305A through S3305E and S3305Y must equal [^].

Changes for Version

Type	ID	Description
Item	S3305B	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S3305C	Bed for weight Bed required since last assessment	Asmt		Checklist	1	2578-2578

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0], [1], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If S3300=[1], then at least one item from S3305A through S3305E and/or S3305Y must equal [1].
MAINE	Skip pattern	Warning	If S3300=[0], then S3305A through S3305E and S3305Y must equal [^].

Changes for Version

Type	ID	Description
Item	S3305C	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S3305D	Seating for weight Seating required since last assessment	Asmt		Checklist	1	2579-2579

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0], [1], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If S3300=[1], then at least one item from S3305A through S3305E and/or S3305Y must equal [1].
MAINE	Skip pattern	Warning	If S3300=[0], then S3305A through S3305E and S3305Y must equal [^].

Changes for Version

Type	ID	Description
Item	S3305D	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S3305E	More than 2 staff for weight More than 2 staff required since last assessment	Asmt		Checklist	1	2580-2580

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0], [1], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If S3300=[1], then at least one item from S3305A through S3305E and/or S3305Y must equal [1].
MAINE	Skip pattern	Warning	If S3300=[0], then S3305A through S3305E and S3305Y must equal [^].

Changes for Version

Type	ID	Description
Item	S3305E	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S3305Y	Other for weight Other equipment required since last assessment	Asmt		Checklist	1	2581-2581

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0], [1], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If S3300=[1], then at least one item from S3305A through S3305E and/or S3305Y must equal [1].
MAINE	Skip pattern	Warning	If S3300=[0], then S3305A through S3305E and S3305Y must equal [^].

Changes for Version

Type	ID	Description
Item	S3305Y	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6020A	Vent/resp specialized RN expertise Ventilator/respirator resident needs specialized RN expertise	Asmt		Checklist	1	2582-2582

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0], [1], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If O0100F2=[1], then S6020A must not equal [^].
MAINE	None of above	Warning	If O0100F2=[1], then the following rules apply: a) If S6020Z=[1], then all items from S6020A through S6020D and S2060Y must equal [0]. b) If S6020Z=[0], then at least one item from S6020A through S6020D or S2060Y must equal [1].
MAINE	Skip pattern	Warning	If O0100F2=[0], then S6020A must equal [^].

Changes for Version

Type	ID	Description
Item	S6020A	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6020B	Vent/resp specialized CNA training needed Ventilator/respirator resident needs specialized CNA training	Asmt		Checklist	1	2583-2583

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0], [1], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If O0100F2=[1], then S6020B must not equal [^].
MAINE	None of above	Warning	If O0100F2=[1], then the following rules apply: a) If S6020Z=[1], then all items from S6020A through S6020D and S2060Y must equal [0]. b) If S6020Z=[0], then at least one item from S6020A through S6020D or S2060Y must equal [1].
MAINE	Skip pattern	Warning	If O0100F2=[0], then S6020B must equal [^].

Changes for Version

Type	ID	Description
Item	S6020B	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6020C	Vent/resp specialized therapy (PT,OT,RT) expertise Ventilator/respirator resident needs specialized therapy (PT, OT, RT) expertise	Asmt		Checklist	1	2584-2584

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0], [1], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If O0100F2=[1], then S6020C must not equal [^].
MAINE	None of above	Warning	If O0100F2=[1], then the following rules apply: a) If S6020Z=[1], then all items from S6020A through S6020D and S2060Y must equal [0]. b) If S6020Z=[0], then at least one item from S6020A through S6020D or S2060Y must equal [1].
MAINE	Skip pattern	Warning	If O0100F2=[0], then S6020C must equal [^].

Changes for Version

Type	ID	Description
Item	S6020C	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6020D	Vent/resp specialized equipment Ventilator/respirator resident needs specialized equipment	Asmt		Checklist	1	2585-2585

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0], [1], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If O0100F2=[1], then S6020D must not equal [^].
MAINE	None of above	Warning	If O0100F2=[1], then the following rules apply: a) If S6020Z=[1], then all items from S6020A through S6020D and S2060Y must equal [0]. b) If S6020Z=[0], then at least one item from S6020A through S6020D or S2060Y must equal [1].
MAINE	Skip pattern	Warning	If O0100F2=[0], then S6020D must equal [^].

Changes for Version

Type	ID	Description
Item	S6020D	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6020Y	Vent/resp Other Ventilator/respirator resident needs other	Asmt		Checklist	1	2586-2586

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0], [1], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If O0100F2=[1], then S6020Y must not equal [^].
MAINE	None of above	Warning	If O0100F2=[1], then the following rules apply: a) If S6020Z=[1], then all items from S6020A through S6020D and S2060Y must equal [0]. b) If S6020Z=[0], then at least one item from S6020A through S6020D or S2060Y must equal [1].
MAINE	Skip pattern	Warning	If O0100F2=[0], then S6020Y must equal [^].

Changes for Version

Type	ID	Description
Item	S6020Y	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6020Z	Vent/resp None of the Above Ventilator/respirator resident needs none of the above	Asmt		Checklist	1	2587-2587

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0], [1], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If O0100F2=[1], then S6020Z must not equal [^].
MAINE	None of above	Warning	If O0100F2=[1], then the following rules apply: a) If S6020Z=[1], then all items from S6020A through S6020D and S2060Y must equal [0]. b) If S6020Z=[0], then at least one item from S6020A through S6020D or S2060Y must equal [1].
MAINE	Skip pattern	Warning	If O0100F2=[0], then S6020Z must equal [^].

Changes for Version

Type	ID	Description
Item	S6020Z	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6022A	Vent/resp days licensed nurse: hourly intervals Number of days the resident required hourly intervals of direct care by a licensed nurse.	Asmt		Number	1	2588-2588

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] through [7], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If O0100F2=[1], then S6022A must not equal [^].
MAINE	Skip pattern	Warning	If O0100F2=[0], then S6022A must equal [^].

Changes for Version

Type	ID	Description
Item	S6022A	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6022B	Vent/resp days licensed nurse: 15-minute intervals Number of days the resident required 15-minute intervals of direct care by a licensed nurse.	Asmt		Number	1	2589-2589

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] through [7], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If O0100F2=[1], then S6022B must not equal [^].
MAINE	Skip pattern	Warning	If O0100F2=[0], then S6022B must equal [^].

Changes for Version

Type	ID	Description
Item	S6022B	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6022C	Vent/resp days licensed nurse: 5-minute intervals Number of days the resident required 5-minute intervals of direct care by a licensed nurse.	Asmt		Number	1	2590-2590

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] through [7], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If O0100F2=[1], then S6022C must not equal [^].
MAINE	Skip pattern	Warning	If O0100F2=[0], then S6022C must equal [^].

Changes for Version

Type	ID	Description
Item	S6022C	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6023A	Vent/resp days CNA: hourly intervals Number of days the resident required hourly intervals of direct care by a CNA.	Asmt		Number	1	2591-2591

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] through [7], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If O0100F2=[1], then S6023A must not equal [^].
MAINE	Skip pattern	Warning	If O0100F2=[0], then S6023A must equal [^].

Changes for Version

Type	ID	Description
Item	S6023A	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6023B	Vent/resp days CNA: 15-minute intervals Number of days the resident required 15-minute intervals of direct care by a CNA.	Asmt		Number	1	2592-2592

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] through [7], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If O0100F2=[1], then S6023B must not equal [^].
MAINE	Skip pattern	Warning	If O0100F2=[0], then S6023B must equal [^].

Changes for Version

Type	ID	Description
Item	S6023B	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6023C	Vent/resp days CNA: 5-minute intervals Number of days the resident required 5-minute intervals of direct care by a CNA.	Asmt		Number	1	2593-2593

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] through [7], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If O0100F2=[1], then S6023C must not equal [^].
MAINE	Skip pattern	Warning	If O0100F2=[0], then S6023C must equal [^].

Changes for Version

Type	ID	Description
Item	S6023C	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6024A	Vent/resp days RT: hourly intervals Number of days the resident required hourly intervals of direct care by a respiratory therapist.	Asmt		Number	1	2594-2594

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] through [7], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If O0100F2=[1], then S6024A must not equal [^].
MAINE	Skip pattern	Warning	If O0100F2=[0], then S6024A must equal [^].

Changes for Version

Type	ID	Description
Item	S6024A	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6024B	Vent/resp days RT: 15-minute intervals Number of days the resident required 15-minute intervals of direct care by a respiratory therapist.	Asmt		Number	1	2595-2595

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] through [7], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If O0100F2=[1], then S6024B must not equal [^].
MAINE	Skip pattern	Warning	If O0100F2=[0], then S6024B must equal [^].

Changes for Version

Type	ID	Description
Item	S6024B	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6024C	Vent/resp days RT: 5-minute intervals Number of days the resident required 5-minute intervals of direct care by a respiratory therapist.	Asmt		Number	1	2596-2596

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] through [7], [-] or [^], value is out of range.
MAINE	Consistency	Warning	If O0100F2=[1], then S6024C must not equal [^].
MAINE	Skip pattern	Warning	If O0100F2=[0], then S6024C must equal [^].

Changes for Version

Type	ID	Description
Item	S6024C	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6200	Number of Hospital Stays Hospital Stay(s): Record number of times resident was admitted to hospital with an overnight stay in the last 90 day (or since last assessment if less than 90 days). Enter 0 if no hospital admissions.	Asmt		Number	2	2221-2222

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Minimum value
90		Maximum value

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] through [90], value is out of range.

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6205	Number of Observation Stays Observation Stays: Record number of times resident had at least one overnight stay without being admitted to the hospital since the last assessment.	Asmt		Number	1	2597-2597

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] through [9], value is out of range.

Changes for Version

Type	ID	Description
Item	S6205	[V1.14.0]-New item.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S6210	Number of ER visits Emergency Room (ER) visit(s): Record number of times resident visited ER without an overnight stay in last 90 days (or since last assessment if less than 90 days). Enter 0 if no ER visits.	Asmt		Number	3	2223-2225

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
0		Minimum value
999		Maximum value

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] through [999], value is out of range.

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S8010C3	Medicaid per diem Payor Medicaid per diem	Asmt		Checklist	1	2251-2251

Item Subsets

Active: NC,NQ,NP,NT,ND

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] or [1], value is out of range.
MAINE	None of above	Warning	If S8010C3, S8010G3 and S8099 are all active, then the following rules apply: a) If S8099=[0], then at least one of the items S8010C3 or S8010G3 must equal [1]. b) If S8099=[1], then both items S8010C3 and S8010G3 must equal [0].

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S8010G3	Medicare Co-pay Payor Medicare Co-pay	Asmt		Checklist	1	2263-2263

Item Subsets

Active: NC,NQ,NP,NT,ND

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] or [1], value is out of range.
MAINE	None of above	Warning	If S8010C3, S8010G3 and S8099 are all active, then the following rules apply: a) If S8099=[0], then at least one of the items S8010C3 or S8010G3 must equal [1]. b) If S8099=[1], then both items S8010C3 and S8010G3 must equal [0].

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S8099	Payor: None of the Above None of the Above	Asmt		Checklist	1	2395-2395

Item Subsets

Active: NC,NQ,NP,NT,ND

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [0] or [1], value is out of range.
MAINE	None of above	Warning	If S8010C3, S8010G3 and S8099 are all active, then the following rules apply: a) If S8099=[0], then at least one of the items S8010C3 or S8010G3 must equal [1]. b) If S8099=[1], then both items S8010C3 and S8010G3 must equal [0].

Changes for Version

Type	ID	Description
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S8510A	Medicaid Therapeutic bed-hold days since last asmt Number of therapeutic bed-hold days paid by Medicaid since the last assessment	Asmt		Number	2	2557-2558

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [00] through [99], value is out of range.

Changes for Version

Type	ID	Description
Item	S8510A	[V1.14.0]-Expanded length of this item from 1 to 2. Expanded length of response options accordingly. Added new filler item ITEM_FILLER_022 to occupy byte 2404 of fixed-format string that was previously occupied by this item. This item now occupies 2557-2558 of fixed-format string.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S8510B	Medicaid Therapeutic bed-hold days - YTD Number of therapeutic bed-hold days paid by Medicaid year-to-date	Asmt		Number	2	2559-2560

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [00] or [99], value is out of range.

Changes for Version

Type	ID	Description
Item	S8510B	[V1.14.0]-Expanded length of this item from 1 to 2 . Expanded length of response options accordingly. Added new filler item ITEM_FILLER_023 to occupy byte 2405 of fixed-format string that was previously occupied by this item. This item now occupies 2559-2560 of fixed-format string.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S8512A	Medicaid hospital bed-hold days since last asmt Number of hospital bed-hold days paid by Medicaid since last assessment	Asmt		Number	2	2561-2562

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [00] or [99], value is out of range.

Changes for Version

Type	ID	Description
Item	S8512A	[V1.14.0]-Expanded length of this item from 1 to 2 . Expanded length of response options accordingly. Added new filler item ITEM_FILLER_024 to occupy byte 2406 of fixed-format string that was previously occupied by this item. This item now occupies 2561-2562 of fixed-format string.
Format	-3808	[V1.14.0]-Added new Section S items to item list.

Item ID	Item Label/Item Text	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
S8512B	Medicaid hospital bed-hold days - YTD Number of hospital bed-hold days paid by Medicaid year-to-date	Asmt		Number	2	2563-2564

Item Subsets

Active: NC,NQ,NP,ND,NOD,NSD,NO,NS

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.
MAINE	Format	Warning	If value is not equal to [00] or [99], value is out of range.

Changes for Version

Type	ID	Description
Item	S8512B	[V1.14.0]-Expanded length of this item from 1 to 2 . Expanded length of response options accordingly. Added new filler item ITEM_FILLER_025 to occupy byte 2407 of fixed-format string that was previously occupied by this item. This item now occupies 2563-2564 of fixed-format string.
Format	-3808	[V1.14.0]-Added new Section S items to item list.