



Maine Homes Tested For Radon Concentration Number Found With High Radon Concentration And Mitigated Registration Years 1993-2008


- Number of Houses Tested
- Number of Houses Tested Found to Have High Radon Concentrations
- Of Houses With High Concentrations, Number That Were Mitigated



**Maine Homes Found With High Radon Concentration
Proportion That Were Mitigated
Select Registration Years 1993-2008**




Proportion Of Maine's Population Living In Counties Exceeding The State Recommended Ozone Concentration Select Years 1994-2009




Unhealthy Ozone Days In Maine

Number Of Unhealthy Days Each Year

1990-2009



Survey Respondants Aware of the Maine CDC's "Safe Eating Guidelines" for Fish Intended to Reduce Exposure to Methylmercury Maine Select Years 1998-2008




Objective #8-25b
95th Percentile Mercury Blood Levels
for Women of Childbearing Age

No new data available

Proportion Of One- And Two-Year Olds' Blood Tested For Lead Medicaid Insured And All Other Maine Select Years 1998-2009

■ One-Year Old Maine Children ■ Two-Year Old Maine Children ■ Healthy Maine 2010 Target



Maine Childhood Lead Analysis 1994-2008

◆ Screening Rates ■ BLL ≥ 10 ug/dl ▲ BLL ≥ 20 ug/dl

