Aroostook Health District Burden of Injury 2004-2008

Highlights

Injury Deaths^a (2004-2008)

- Injury was the underlying cause of death for 229 Aroostook residents during this five year time period. There was an average of 46 injury deaths per year.
- The average annual injury death rate was 63.5 per 100,000 Aroostook residents.
- Injury was the underlying cause for 5.5% of all deaths among Aroostook residents.
- > 74.2% of injury deaths were due to unintentional causes; 24% were due to intentional causes; 1.7% were coded as either undetermined intent or other.
- The three leading causes of injury deaths were motor vehicle injuries, suicide, and unintentional poisoning.

Injury Hospital Discharges^b

- There were 2,665 hospital discharges of Aroostook residents for which an injury was the principal diagnosis during this 5 year period. There was an average of 533 such discharges per year. 5.2% of hospital discharges were for an injury related cause.
- The average annual injury hospital discharge rate was 739.4 per 100,000 Aroostook residents. Aroostook residents aged 65+ years were significantly more likely to have a hospital discharge than were residents in other age groups.
- The injury hospital discharge rate for females (768.2 per 100K) was higher than the rate for males (709.3 per 100K).
- > 71.3% of injury hospital discharges were known to be due to unintentional causes; 7.3% were known to be due to intentional causes; 17.5% of injury cases were not coded for intent.
- The three leading causes of injury hospital discharges were unintentional fall, motor vehicle traffic crash, and self inflicted poisoning.

Injury Outpatient Emergency Department Visits^c

- There were 55,560 outpatient emergency department visits by Aroostook residents for which an injury was the principal diagnosis during this 5 year period. There was an average of 11,112 visits per year. 23.2% of outpatient emergency department visits were for an injury related cause.
- The average annual injury outpatient emergency department visit rate was 15,415.9 per 100,000 Aroostook residents. Teens and young adults ages 15-24 were significantly more likely to have an injury outpatient visit than were people in other age groups.
- The injury outpatient emergency department visit rate for males (17,083.9 per 100K) was significantly higher than the rate for females (13,813.7 per 100K).
- ➤ 67.6% of injury outpatient emergency department visits were known to be due to unintentional causes; 1.8% were known to be due to intentional causes; 30.3% of injury cases were not coded for intent.
- The three leading causes of injury outpatient emergency department visits were unintentional fall, overexertion, and stuck by/against.

a Injury deaths defined as underlying cause of death coded as ICD-10 VO1-Y36, Y85-Y87, Y89, U01-U03, Y40-Y59, Y60-Y84, or Y88

b Hospital discharge with injury principal diagnosis defined as principal diagnosis coded as ICD-9-CM 800-909.2, 909.4, 909.9-994.9, 995.5-995.59 or 995.80-995.85

c Outpatient emergency department visit with injury principal diagnosis defined as principal diagnosis coded as ICD-9-CM 800-909.2, 909.4, 909.9-994.9, 995.5-995.59 or 995.80-995.85, and discharge status coded as "Discharged to home or self care (routine discharge) or "Discharged/transferred to home under care of organized home health service organization".

Five Leading Causes of Injury Deaths Aroostook Health District, 2004-2008

| Rank | Overall | Age <15 | Age 15-24 | Age 25-44 | Age 45-64 | Age 65+ | Male | Female |
|------|------------------------------------|-------------------------------------|-----------------------------------|--|-----------------------------------|------------------------------------|------------------------------------|------------------------------------|
| 1 | Motor Vehicle Traffic 52 | Motor Vehicle Traffic 4 | Motor Vehicle Traffic 12 | Motor Vehicle Traffic 13 | Suicide 20 | Unintentional Fall 21 | Suicide 48 | Motor Vehicle Traffic 22 |
| 2 | Suicide 51 | Unintentional Fire/Hot Object | Suicide 7 | Suicide 11 | Motor Vehicle Traffic 11 | Unintentional Unspecified 16 | Motor Vehicle Traffic 30 | Unintentional Unspecified 11 |
| 3 | Unintentional Poisoning 27 | Land Transport, Other 1 | Unintentional Poisoning 4 | Unintentional Poisoning 10 | Unintentional Poisoning 11 | Suicide 13 | Unintentional Fall 20 | Unintentional Poisoning 10 |
| 4 | Unintentional Fall 26 | Homicide 1 | Unintentional Drowning 1 | Land Transport, Other 3 | Unintentional Fall 5 | Motor Vehicle Traffic 12 | Unintentional Poisoning 17 | Unintentional Fall 6 |
| 5 | Unintentional Unspecified 21 | | Unintentional Firearm 1 | Unintentional Fire/Hot Object 2 | Land Transport Other 3 | Unintentional Suffocation 6 | Unintentional Unspecified 10 | Suicide 3 |

Five Leading Causes of Injury Hospitalizations Aroostook Health District, 2004-2008

| Rank | Overall | Age <15 | Age 15-24 | Age 25-44 | Age 45-64 | Age 65+ | Male | Female |
|------|---|----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-------------------------------------|---|-------------------------------------|
| 1 | Unintentional Fall 1,180 | Unintentional Fall 26 | Motor Vehicle Traffic 55 | Unintentional Fall 83 | Unintentional Fall 265 | Unintentional Fall 783 | Unintentional Fall 441 | Unintentional Fall 739 |
| 2 | Motor Vehicle Traffic 179 | Pedal Cyclist 9 | Self Injury 48 | Self Injury 78 | Motor Vehicle Traffic 46 | Other, Adverse Effects 42 | Motor Vehicle Traffic 113 | Self Injury 102 |
| 3 | Self Injury 172 | Unintentional Poisoning 9 | Transport, Other 28 | Motor Vehicle Traffic 41 | Self Injury 41 | Motor Vehicle Traffic 29 | Transport, Other 95 | Motor Vehicle Traffic 66 |
| 4 | Unintentional Transport, Other 125 | Transport, Other 9 | Unintentional Fall 23 | Transport, Other 37 | Transport Other 34 | Unintentional Unspecified 29 | Self Injury 74 | Unintentional Overexertion 38 |
| 5 | Unintentional Poisoning 71 | Motor Vehicle Traffic 8 | Struck By/Against 10 | Unintentional Poisoning 15 | Unintentional Poisoning 24 | Unintentional Overexertion 23 | Unintentional Struck By/Against 44 | Unintentional Poisoning 37 |

Five Leading Causes of Injury Emergency Department Visits Aroostook Health District, 2004-2008

| Rank | Overall | Age <15 | Age 15-24 | Age 25-44 | Age 45-64 | Age 65+ | Male | Female |
|------|--|--|--|--|--|--|--|--|
| 1 | Unintentional Fall 11,192 | Unintentional Fall 2,620 | Unintentional Struck By/Against 1,492 | Unintentional Fall 2,132 | Unintentional Fall 2,274 | Unintentional Fall 2,708 | Unintentional Fall 5,091 | Unintentional Fall 6,096 |
| 2 | Unintentional Overexertion 5,560 | Unintentional Struck By/Against 1,556 | Unintentional Fall 1,458 | Unintentional Overexertion 1,861 | Unintentional Overexertion 1,213 | Unintentional Overexertion 511 | Unintentional Struck By/Against 3,382 | Unintentional Overexertion 2,831 |
| 3 | Unintentional Struck By/Against 5,511 | Unintentional Overexertion 708 | Unintentional Overexertion 1,267 | Unintentional Stuck By/Against 1,263 | Unintentional Cut/Pierce 852 | Unintentional Struck By/Against 378 | Unintentional Overexertion 2,725 | Unintentional Struck By/Against 2,127 |
| 4 | Unintentional Cut/Pierce 3,730 | Unintentional Cut/Pierce 551 | Motor Vehicle Traffic 812 | Unintentional Cut/Pierce 1,225 | Unintentional Struck By/Against 822 | Unintentional Cut/Pierce 303 | Unintentional Cut/Pierce 2,464 | Unintentional Cut/Pierce 1,264 |
| 5 | Unintentional, Other 2,335 | Unintentional, Other 525 | Unintentional Cut/Pierce 799 | Unintentional Other 664 | Unintentional Other 518 | Unintentional Unspecified 272 | Unintentional Other 1,567 | Motor Vehicle Traffic 1,147 |

Maine Injury Prevention Program – Four Priority Injury Indicators Injury Deaths Aroostook Health District, 2004-2008

| Overall | Age <15 | Age 15-24 | Age 25-44 | Age 45-64 | Age 65+ | Male | Female |
|-----------------------------------|----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Motor Vehicle Traffic 52 | Motor Vehicle Traffic 4 | Motor Vehicle Traffic 12 | Motor Vehicle Traffic 13 | Suicide 20 | Unintentional Fall 21 | Suicide 48 | Motor Vehicle Traffic 22 |
| Suicide 51 | | Suicide 7 | Suicide 11 | Motor Vehicle Traffic 11 | Suicide 13 | Motor Vehicle Traffic 30 | Unintentional Poisoning 10 |
| Unintentional Poisoning 27 | | | Unintentional Poisoning 10 | Unintentional Poisoning 11 | Motor Vehicle Traffic 12 | Unintentional Fall 20 | Unintentional Fall 6 |
| Unintentional Fall 26 | | | | Unintentional Fall 5 | Unintentional Poisoning 2 | Unintentional Poisoning 17 | Suicide 3 |

Maine Injury Prevention Program – Four Priority Injury Indicators Injury Hospitalizations Aroostook Health District, 2004-2008

| Overall | Age <15 | Age 15-24 | Age 25-44 | Age 45-64 | Age 65+ | Male | Female |
|------------------------------------|----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|------------------------------------|-----------------------------------|
| Unintentional Fall 1,180 | Unintentional Fall 26 | Motor Vehicle Traffic 55 | Unintentional Fall 83 | Unintentional Fall 265 | Unintentional Fall 783 | Unintentional Fall 441 | Unintentional Fall 739 |
| Motor Vehicle Traffic 179 | Unintentional Poisoning 9 | Self Injury 48 | Self Injury 78 | Motor Vehicle Traffic 46 | Motor Vehicle Traffic 29 | Motor Vehicle Traffic 113 | Self Injury 102 |
| Self Injury 172 | Motor Vehicle Traffic 8 | Unintentional Fall 23 | Motor Vehicle Traffic 41 | Self Injury 41 | Unintentional Poisoning 21 | Self Injury 74 | Motor Vehicle Traffic 66 |
| Unintentional Poisoning 71 | Self Injury 5 | Unintentional Poisoning 2 | Unintentional Poisoning 15 | Unintentional Poisoning 24 | Self Injury 4 | Unintentional Poisoning 34 | Unintentional Poisoning 37 |

Maine Injury Prevention Program – Four Priority Injury Indicators Injury Emergency Department Visits Aroostook Health District, 2004-2008

| Overall | Age <15 | Age 15-24 | Age 25-44 | Age 45-64 | Age 65+ | | Male | Female |
|--------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|---|--------------------------------------|--------------------------------------|
| Unintentional Fall 11,192 | Unintentional Fall 2,620 | Unintentional Fall 1,458 | Unintentional Fall 2,132 | Unintentional Fall 2,274 | Unintentional Fall 2,708 | | Unintentional Fall 5,091 | Unintentional Fall 6,096 |
| Motor Vehicle Traffic 2,188 | Motor Vehicle Traffic 162 | Motor Vehicle Traffic 812 | Motor Vehicle Traffic 594 | Motor Vehicle Traffic 447 | Motor Vehicle Traffic 173 | - | Motor Vehicle Traffic 1,039 | Motor Vehicle Traffic 1,147 |
| Unintentional Poisoning 281 | Unintentional Poisoning 97 | Self Injury 86 | Self Injury 96 | Unintentional Poisoning 65 | Unintentional Poisoning 46 | | Unintentional Poisoning 145 | Unintentional Poisoning 136 |
| Self Injury 227 | Self Injury 8 | Unintentional Poisoning 34 | Unintentional Poisoning 39 | Self Injury 34 | Self Injury 3 | | Self Injury 95 | Self Injury 132 |

Data Sources

Deaths: 2004-2008 death certificate statistical datasets obtained from the Office of Data, Research and Vital Statistics, Maine analysis includes all deaths to Maine residents, regardless of the state where the death occurred.

Hospital Discharges: 2004-2008 hospital discharge (inpatient) datasets obtained from the Maine Health Data Organization. Analysis limited to discharge of Maine residents from Maine acute care hospitals (excludes psychiatric, rehabilitation and federal hospitals)

Outpatient ED Visits: 2004-2008 hospital outpatient datasets obtained from the Maine Health Data Organizations. Analysis limited to ED visits by Maine residents at Maine acute care hospitals (excludes psychiatric, rehabilitation and federal hospitals) where the person was discharged to home or self care.

Population Estimates: Annual estimates of the resident population by age, sex, race and Hispanic origin for counties: April 1, 2000 to July 1, 2008.

Injury Definitions

| Unintentional Injury | Definition |
|---------------------------------|--|
| Fall | When an individual sustains an injury after an unintentional descent from any height |
| Motor Vehicle | An incident involving a motorized vehicle and at least one injured individual, where that individual is a vehicle occupant, passenger or driver; a motorcyclist |
| Pedestrian | Injuries caused in transport and non-transport related crashes |
| Transport, Other | All transportation injuries not included in motor vehicle, pedestrian or bicycle injuries |
| Fire/Hot Substance | Severe exposure to flames, heat, chemicals or hot substance that leads to tissue damage of the skin or places deeper in the body; injury from smoke inhalation to the upper airway, lower airway or lungs |
| Firearm | Penetrating force injury resulting from a bullet or other projectile shot from a powder charged gun (handgun, shotgun, unspecified firearm) |
| Poisoning | Ingestion, inhalation, absorption through the skin, or injection of so much of a drug, toxin, or other chemical that a harmful effect results. This category does not include harmful effects from normal therapeutic drugs or bacterial illnesses |
| Suffocation | Inhalation, aspiration or ingestion of food or other object that blocks the airway or causes suffocation; intentional or accidental mechanical suffocation caused by hanging, strangulation, lack of air in a closed place, plastic bag, or falling earth. This category does not include injury resulting from a foreign body that does not block the airway. |
| Natural/Environmental Causes | Injury resulting from exposure to adverse natural and environmental conditions, i.e. severe heat, severe cold, lightning, sunstroke, tornadoes and natural disasters as well as lack of food or water. |
| Struck By/Against | Injury resulting from being struck by (i.e. hit) or crushed by a human, animal, or inanimate object or force other than a vehicle or machinery; injury caused by striking (i.e. hitting) against a human, animal or inanimate object or force other than a vehicle or machinery |
| Cutting/Piercing | Injury resulting from an incision, slash, perforation or puncture by a pointed or sharp instrument, weapon or object |
| Overexertion | Injury resulting from excessive physical exercise (i.e. lifting, pulling, pushing). Strenuous movements in recreational and other activities |
| Drowning | Suffocation resulting from submersion in water or other liquid |
| Late effects | Late effect or sequela resulting from a previous injury or poisoning |

| Unspecified | Information missing on mechanism (.i.e. motor vehicle, firearm, hanging) of the injury |
|----------------------------------|--|
| Other | Injury associated with any other specified cause that does not fit another category |
| Intentional Injury | Definition |
| Abuse and Neglect | Injury resulting from abuse or criminal neglect |
| Physical Force | Injury resulting from fight, brawl, rape, includes beating with hands, fists, feet |
| Cutting/Piercing | Injury resulting from an incision, a slash, a perforation, or a puncture by a pointed or sharp instrument, weapon or object |
| Firearm | Penetrating force injury resulting from a bullet or other projectile shot from a powder charged gun (handgun, shotgun, military firearm, unspecified firearm) |
| Homicide | All fatal injuries purposely inflicted by other persons, excluding legal intervention by law enforcement agents |
| Struck | Injury resulting from striking by blunt or thrown object |
| Other | Injury associated with any other specified cause that does not fit another category |
| Self Injury | Definition |
| Drug and Medicinal Substances | Injury resulting from poisoning by drug and medicinal substances (i.e. analgesics, barbiturates, tranquilizers, etc) |
| Cutting/Piercing | Injury resulting from cutting, piercing instrument |
| Firearm | Penetrating force injury resulting from bullet or other projectile shot from a powder charged gun |
| Jump | Injury resulting from jumping from high places |
| Hang | Mechanical suffocation caused by hanging or strangulation or physical constriction of the neck, resulting in air loss |
| Suicide | All fatal injuries which are self inflicted |
| Other | Injury associated with any other specified cause that does not fit another category |
| Undetermined Intent | Definition |
| Poisoning | Injury resulting from poisoning by solid or liquid substance, including drugs and medicinal substances but undetermined whether unintentionally or intentionally inflicted |
| Unspecified | Information missing on mechanism (i.e., motor vehicle, firearm, hanging) of the injury |