


**Maine CDC
Maternal, Fetal
and Infant
Mortality Review
Panel (MFIMR)**



July 1, 2014 - June 30, 2015

Submitted to the Joint Standing Committee
on Health and Human Services

2015 Annual
Report



Paul R. LePage, Governor

Mary C. Mayhew, Commissioner

**Maine CDC
Maternal, Fetal and Infant Mortality Review Panel (MFIMR)
2015 Annual Report to the Legislature**

TABLE OF CONTENTS

Executive Summary	3
Full Report	4
Background and Panel	4
Panel Activities in 2015	5
NFIMR Technical Assistance	7
Recommendations	8
Plans for 2016	8
Appendix A: Data Highlights	9
Appendix B: Indicators/Measures	13
Appendix C: Panel Membership	16
Appendix D: End Notes	18

EXECUTIVE SUMMARY

Background

In 2005, the 122 Legislature passed *An Act to Establish a Maternal and Infant Death Review Panel* to examine issues related to maternal and infant deaths in Maine. In 2010, the 124th Legislature amended this statute to authorize the Maternal and Infant Death Review Panel to review fetal deaths occurring after 28 weeks gestation, i.e., stillborn infants. With this change, the Panel is now referred to as the Maternal, Fetal and Infant Mortality Review Panel.

Purpose

The overall purpose of the Maine CDC Maternal, Fetal and Infant Mortality Review Panel (MFIMR), using a public health approach, is to strengthen community resources and enhance State and local systems and policies affecting women, infants and families in order to improve health outcomes in this population and prevent maternal, fetal and infant mortality and morbidity. The infant mortality rate is a sensitive public health indicator of social health and well-being and of the extent to which a society invests in children as its most precious resource. By understanding the factors associated with maternal, fetal and infant deaths, we will improve our ability as a State to most effectively direct prevention efforts and to take actions to promote healthy mothers and infants.

Highlights

This 2015 report summarizes relevant data contributing to perinatal outcomes, challenges, activities and plans for the MFIMR Panel.

The MFIMR Panel identified the following issues as needing in-depth investigation over the next five years (2013-2018):

- Factors that contribute to preterm birth, pregnancy loss, and strategies for prevention.
- Barriers to delivery of the highest risk infants (e.g. very low birth weight/premature) at Level III facilities.
- Sudden infant death and sudden unexpected infant death as emerging issues, including sleep-related deaths.

Recommendations

- Increase awareness of MFIMR Panel and related activities and resources for healthcare providers and bereaved families.
- Distribute Rules related to Screening Newborns for Critical Congenital Heart Disease to hospitals and health care providers. Rules outline screening methodology, follow up and data collection to promote consistency and quality in screening systems.
- Determine which recommendations to implement from the technical assistance provided by the National Fetal Infant Mortality Review Technical Assistance in order to improve the MFIMR system.

For more information on activities of the MFIMR Panel:

Contact Ellie Mulcahy, Panel Coordinator, Maine CDC, leanor.a.mulcahy@maine.gov, or 207-287-4623 <http://www.maine.gov/dhhs/mecdc/population-health/mch/perinatal/maternal-infant/>

FULL REPORT

Background

In 2005, the 122nd Legislature passed *An Act to Establish a Maternal and Infant Death Review Panel*. As stated in the Panel's *Procedures Manual and Guidelines* its purpose is to:

“...conduct thorough examinations of maternal and infant deaths in Maine. By understanding the factors associated with infant and maternal deaths, we will expand our capacity as a State to direct prevention efforts to the most effective and humane strategies possible and be able to take actions to promote healthy mothers and infants. The overall purpose of the program, using a public health approach, is to strengthen community resources and enhance state and local systems and policies affecting women, infants and families, in order to improve health outcomes in this population and prevent maternal and infant mortality and morbidity.”ⁱ

In 2010, the 124th Legislature amended this statute to authorize the Maternal and Infant Death Review Panel to review fetal deaths occurring after 28 weeks gestation, i.e., stillborn infants. With this change, the Panel is now referred to as the Maternal, Fetal and Infant Mortality Review (MFIMR) Panel. The Legislature also repealed the sunset on the Panel allowing the Panel to continue its work beyond the original end date of January 1, 2011.

The legislation requires that an annual report be presented to the Department of Health and Human Services and to the legislative committee having jurisdiction over health and human services. This 2015 report discusses the MFIMR Panel's activities and areas of focus for State Fiscal Year 2015 (7/1/14-6/30/15) and provides some related State and national data regarding fetal, infant and maternal mortality.

The Panel

The Maine CDC MFIMR Panel is a multidisciplinary group of health care and social service providers, public health officials, law enforcement officers, parents and other persons with professional expertise on maternal and infant health and mortality. The Panel is supported by a dedicated revenue account for a portion of the Panel coordinator's time. All Panel members are volunteers.

The Panel takes a broad, holistic approach to improving the quality of life for all of Maine's women, infants and families. The infant mortality rate is a sensitive public health indicator of social health and well-being and of the extent to which a society invests in children as its most precious resource. The Panel gathers and reviews information relevant to infant and maternal mortality, including factors contributing to mortality, considers the strengths and weaknesses of the current maternal and infant health care delivery system and makes recommendations to prevent future deaths and improve the overall health and safety of Maine's infants and mothers.

The Panel identified the following issues as needing in-depth investigation over the next five years (2013 to 2018):

- Factors that contribute to preterm birth, pregnancy loss and strategies for prevention.
- Barriers to delivery of the highest risk infants (e.g. very low birth weight/premature) at hospitals with appropriate facilities and professionals to provide the best chance of survival for the infant (i.e. Level III facilities).

- Sudden infant death and sudden unexpected infant death as an emerging issue, including sleep related deaths.

Maine CDC MFIMR Activities in State Fiscal Year 2015

The Maine CDC MFIMR Panel met three times in SFY 2014. During that year, the Panel only reviewed two cases and it also focused on improving case ascertainment. Because of the challenges to ascertain cases the MFIMR Panel requested technical assistance from the National Fetal and Infant Mortality Review (NFIMR) on proven case ascertainment practices.

Summary of Activities:

Actions to Strengthen Community Resources

- Perinatal nurse managers of Maine discussed eliminating elective deliveries and promoting inter-conception care. Sample protocols and policies were posted on a website used for nurse manager communications. <http://www.mmc.org/obstetrical-perinatalguidelines>
 - Twenty one of the 27 birth hospitals in Maine voluntarily reported data on the rate of elective deliveries before 39 weeks of pregnancy during calendar year 2014 to Leapfrog Group. Four of these hospitals met the goal of having less than 5 percent of births between 37-39 completed weeks being delivered by cesarean section or induction without a medical indication. Three of these hospitals have shown progress over the past year. Leapfrog Group is a non-profit organization that compares hospitals on national standards of safety and quality.
http://www.leapfroggroup.org/cp?frmbmd=cp_listings&find_by=state&city=&state=ME
- As safe sleep environment was identified as an issue, a series of training sessions was developed by the Perinatal Outreach Education and Consultation Program at Maine Medical Center to use with community partners including Public Health Nursing, Maine Families, Office of Child and Family Services staff, case managers and Medication Assisted Treatment Center staff. Training was provided in four locations; Portland, Augusta, Rockland and Lewiston with 190 participants. Others in Maine received training via grand rounds presentations at hospitals and at the Perinatal Nurse Leadership Collaborative. These sessions included infant mandated reporting, abusive head trauma (shaken baby) prevention and safe sleep.
- Birth hospital staff were surveyed to identify methods of educating families regarding safe sleep environments. Respondents stated that approaches included discussion: at prenatal classes, during tours of the birthing unit and during birth hospitalization. Perinatal hospital representatives from across Maine held discussions about safe sleep and educating families. Dr. Jennifer Hayman from Maine Medical Center developed a Maine Chapter of Cribs for Kids. This program is available statewide through local home visiting programs. A family or a healthcare provider that identifies a family with a need for a crib to significantly reduce the risk of an unsafe sleep situation can make a referral to the DHHS, Maine Families Home Visiting Program. Maine Families will conduct a home visit to determine eligibility and to establish a relationship with the family for support and education. Approximately 500 cribs have been distributed to families in need since July 2010. In follow up with families receiving cribs, most people answer always or almost always to questions about sleep setting: baby sleeps alone, baby sleeps on back, baby sleeps on firm mattress, the crib is free of toys, bumpers and blankets and the pack and play is used for all sleeps and naps. Funding for Cribs for Kids in Maine has been provided through

small grants by the Kohl's Cares for Kids Foundation and Maine Families/Maine Children's Trust for future distribution.ⁱⁱ

- The Maine CDC convened a multi-disciplinary workgroup to focus on high-quality obstetric and newborn care for families planning a home birth. The Continuum of Care Collaborative developed a communication tool for the transfer of care that has a potential impact for any transfer of care (home to hospital, community hospital to tertiary care center). Rates of bloodspot screening among babies born at home have trended from 84% in 2012 to 91% in 2013 and 86% in 2014. <http://www.maine.gov/dhhs/mecdc/population-health/mch/perinatal/resources.html>

Additional Actions to Enhance State and Local Systems and Policies

- A review was conducted of infant deaths that occurred in unsafe sleep environments for 2009-2012 of cases from the Chief Medical Examiner's Office. Maine continues to have ten to fifteen deaths fitting this definition per year. The data collected was analyzed and compared to a previous study for the time period 2002-2006. There continue to be multiple unsafe aspects of the sleep setting in each death (multiple items in crib plus known substance use or bed-sharing). One new risk was identified in two cases with wearable blankets that were used to swaddle the infants over two months of age. Further data collection will occur in State Fiscal Year 2016.
- Screening for Critical Congenital Heart Defects (CCHD) for all newborns offers early identification of at-risk infants with the opportunity for further evaluation and potential to reduce infant deaths to some congenital heart diseases. Legislation was enacted by the Maine Legislature Public Law 397, An Act to Protect Newborns from Critical Congenital Heart Disease. Education has been provided to birthing hospitals in Maine to promote consistent and quality screening. All Maine birth hospitals were screening babies for CCHD as of September 2013. Rules related to CCHD screening were adopted effective September 1, 2015. The rules provide consistency in procedure across birth hospitals. Maine CDC will work with birth hospitals to facilitate reporting of CCHD screening.
- Over the past several years, U.S. DHHS, Health Resource Services Administration (HRSA) brought teams from thirteen states together to facilitate collaborative learning and adoption of proven quality improvement principles and practices to reduce infant mortality and improve birth outcomes (Collaborative Improvement and Innovation Network-CoIIN). Maine, as part of the rollout of the national initiative, has convened a group of stakeholders to review data surrounding infant mortality rate (IMR) and prioritize strategies to reduce the IMR utilizing 24 months of Plan Do Check Act (PDCA) cycles of change. Two projects were selected for Maine related to safe sleep and reducing smoking by pregnant women.
- The HRSA Maternal Child Health Block Grant requires states to conduct a comprehensive strength and needs assessment every five years. The qualitative data collection process began during SFY15 and assessed the health of Maine women, pregnant women, infants and children, teens and young adults and children with special health needs. This assessment and the Collaborative Improvement and Innovation Network work align with the work of MFIMR and will facilitate activities of the MFIMR Panel, including reducing low risk cesarean births, increasing breastfeeding and the percentage of babies who sleep in a safe sleep environment.

Challenges Experienced by the MFIMR Panel

- No MFIMR Panel meetings were held during State Fiscal Year 2015 due to the very limited number of cases available for Panel review. Multiple issues contributed to the limited number of cases, they include identification of cases, reaching families to obtain consent and staff time for record review.
- Statutory requirements providing a four-month waiting period before contacting the family and requiring family consent to review records present challenges to inviting families to participate in the review process. Experience has shown that
 - some families have moved since the death,
 - many have unlisted phone numbers or only use cell phones and
 - research to ensure a valid mailing address is a time consuming process, using web and programmatic resources to avoid sending materials to the wrong family.
- All cases reviewed by the Panel since the start of the Panel were referred to the Panel coordinator by a healthcare provider or the family contacted the Panel coordinator after viewing the website. None of the referrals were attributed as the result of a letter from the Maine CDC to the family.
- Currently there are too few cases reviewed by the Panel to identify recommendations that can be generalized. The small number of cases creates a biased sample representing those families that have already accessed services and do not represent underserved and minority populations. In order to have recommendations that can be generalized, the NFIMR recommends that states with less than 100 deaths per year should review all deaths. A recommendation is for the Panel to begin with reviewing the approximately 30 fetal deaths that are over 27 weeks gestation, plus half of the infant deaths and all of the maternal deaths in a given year. That would result in the Panel reviewing a minimum of 75 cases per year.
- Preliminary infant mortality statistics for 2013 show an increase in infant deaths in Maine with 7.1 deaths per 1,000 live births. This is up from 5.40 in 2010, an increase of 31%. With the statutory restrictions requiring consent to review medical records and difficulty contacting families, it is extremely challenging to assess preventable deaths and to identify specific public health approaches to prevent future deaths.

Comprehensive Assessment and Technical Assistance from NFIMR

The Maine CDC MFIMR Panel engaged the NFIMR Program, at the American College of Obstetrics and Gynecology (ACOG), with the goal of identifying improvements that can be made to Maine's MFIMR system to increase the number of cases available to be reviewed by the Panel.

Recommendations from the National Fetal Infant Mortality Review included:

- Implement multiple overlapping processes for case identification.
- Expand partnerships with organizations and individuals (birth hospitals, advocacy groups, providers and bereavement counselors) to increase awareness by bereaved families of the work of the Panel.
- Identify a spokesperson for MFIMR with possible public service announcements on topics related to the prevention of fetal and infant mortality.
- Improve the system of accessing death certificates.
- Identify dedicated staff to coordinate panel and related activities.

Recommendations were reviewed by the Maine CDC and Division of Population Health leadership and discussed with the Panel. The Panel supports actions to implement these recommendations to more completely understand the factors surrounding maternal, fetal and infant deaths in Maine.

Recommendations of the MFIMR Panel

Panel discussions identified recommendations for the Maine CDC:

- Increase awareness of MFIMR Panel and related activities and resources for healthcare providers and bereaved families. Determine which recommendations to implement from the technical assistance provided by the National Fetal Infant Mortality Review Technical Assistance in order to improve the MFIMR system.

Plans for Maine CDC MFIMR Panel in 2016

Past Panel discussions identified several activities to be addressed in the coming year:

- Continue to monitor statistical data for trends in maternal, fetal and infant mortality. Specifically the Panel will look at the timing and adequacy of prenatal care, access to care for pregnant teens, impact of substance abuse and the appropriateness of care for infants with very low birth weight, including distance from a Level III facility.
- Complete a comprehensive analysis of data related to preterm births, including relevant risk factors such as smoking, substance abuse and chronic disease, such as diabetes.
 - A collaborative workgroup with representatives from Maine CDC, MFIMR, the DHHS Sentinel Events Program and the Childhood Death and Serious Injury Panel will review the findings and identify opportunities for reducing preterm births.
 - The Panel will review the findings when available.
- The Panel coordinator will participate in CoIIN activities to address factors contributing to infant mortality, specifically prenatal smoking and unsafe sleep environments.
- The Panel coordinator will work with the Division of Population Health leadership to follow up on recommendations and develop plans to implement system improvements.
- Explore options to allow more flexibility in the review of records related to maternal, fetal and infant deaths.


Appendix A

Data Highlights

Appendix A

Data Highlights

Summaries of indicators related to several birth trends and infant mortality are provided below.¹ The Maine Center for Disease Control and Prevention (Maine CDC) Maternal Fetal and Infant Mortality Review Panel (MFIMR) monitors statistical data for trends in maternal, fetal and infant mortality. Sources of Maine information include data compiled for the annual Maternal and Child Health (MCH) Title V Block Grant report and the MCH Strengths and Needs Assessment, which is updated every five years.ⁱⁱⁱ MFIMR will have more timely access to Maine's infant birth/death datasets in the near future. Maine has developed a list of indicators from the birth and linked infant birth/death datasets that will be calculated on a "real-time" basis when provisional vital statistics data become available. These indicators are part of the national Collaborative Improvement & Innovation Network (CoIIN) Infant Mortality Initiative.



Maine's infant mortality has increased in recent years. While the Maine CDC generally produces five-year rates to stabilize yearly fluctuations, a display of single year rates is useful in assessing overall trends. A workgroup at the Maine CDC is currently conducting an in-depth review of Maine's infant mortality rates, trends and causes.

¹ Maine birth data (preliminary) from 2013 and fetal death data and infant mortality data from 2013 were the most recent data available at the time of these analyses. Five-year averages were used for some analyses with small numbers of events. Note that numbers and statistics may differ from other reports due to factors such as data file version and the analytic methods used such as handling of missing data and case definitions.

Indicators of Fetal, Infant and Maternal Mortality

Indicator	Maine Current Period ^{iv}	U.S. Data	Maine Prior Period	Maine Prior Period
Fetal Mortality Measures				
Time Period	2009-2013	2013^v	2008-2012	2007-2011
Fetal mortality rate (per 1,000 live births and fetal deaths) 20+ weeks gestation	4.4	6.0	4.2	4.4
Number of fetal deaths per year (20+ weeks gestation)				
Range	48-62	--	48-62	48-65
Average	57	23,595	56	60
Gestational age at death				
Between 20 and 27 weeks	45.9%	51.2%	46.8%	48.0%
At 28 weeks or more	54.1%	48.8%	53.2%	52.0%
Infant Mortality Measures				
Time Period	2009-2013^{vi}	2009-2013^{vii}	2008-2012^{viii}	2007-2011
Infant mortality rate (number of deaths under 1 year of age per 1,000 live births)	6.3	6.1	6.0	5.8
Neonatal mortality rate (number of deaths to infants less than 28 days per 1,000 live births)	4.2	4.1	4.0	4.1
Number of infant deaths per year				
Five-year range	70-90	--	70-87	70-87
Five-year average	81	24,416	78	78
Distribution of timing of death (percent)				
Early neonatal (Less than 24 hours)	40.3%	41.0%	42.3%	44.7%
Early neonatal (1-6 days)	13.8%	12.6%	12.2%	13.1%
Late neonatal (7-27 days)	11.6%	13.0%	12.4%	11.9%
Post neonatal (28 days or older)	34.5%	333.4%	32.9%	30.1%
Gestational age at birth among infant deaths (percent)				
Early preterm infant (< 34 weeks gestation)	50.4%	56.7%	56.1%	61.0%
Preterm (34-36 weeks gestation)	11.0%	9.7%	9.4%	8.6%
Not preterm (37 weeks or more)	38.6%	32.7%	34.5%	30.4%
Unknown	-	<1%	-	-
Maternal Mortality Measures				
Time Period	2004-2013^{ix}	2007^x	2003-2012^{xi}	2002-2011
Number of maternal deaths due to pregnancy-related causes	4	548	4	3
Number of maternal deaths, women who died within one year of pregnancy, due to any cause	38	--	38	39
Infant Birth Measures				
Time Period	2013^{xii}	2013^{xiii}	2012^{xiv}	2011^{xv}
Number of live births to Maine residents	12,777	3,932,181	12,692	12,700

Indicator	Maine Current Period ^{iv}	U.S. Data	Maine Prior Period	Maine Prior Period
Percent of very low birthweight infants delivered at facilities for high-risk deliveries and neonates (Level III facility)	81.3%	<i>States range</i> 45.6% - 99.1% ^{xvi}	80.5%	82.6%
Percent low birthweight births, <2500 grams	7.1	8.0%	6.7%	6.7%
Low birthweight birth status				
Very low birth weight (<1500 grams)	<1%	<1%	1.1%	1.1%
Moderate low birth weight (1500-2499 grams)	6.6%	7.3%	5.6%	5.6%
Normal birth weight (2500+ grams)	92.8%	91.9%	93.2%	93.2%
Unknown	<1%	<1%	<1%	<1%
Percent of women with first trimester prenatal care	88.7%*	--	88.1%	89.4%
Percent preterm birth (less 37 weeks gestation based on clinical estimate of gestation)	8.1%	9.4% ^{xvii}	7.8%	8.3%
Infant Health				
Time Period	2012	2011	2011	2010
Sleep position (percent and 95% confidence interval)	83.0% ^{xviii}	<i>26 state/area range</i>	81.2% ^{xx}	80.9% ^{xxi}
Percent of new moms who most often placed their infants on their backs to sleep	(79.3-86.1%)	53.1.-84.5% ^{xix}	(78.1-83.9%)	(77.9-83.6%)
Drug-affected newborns - Number of “drug withdrawal syndrome in newborn” coded on Maine birth hospitalization discharge records	3.1% ^{xxii} 385	--	2.2% 279	2.2% 280

*Based on records collected in the first 8 months of 2013 using the non-revised certificate. Maine implemented the 2003 U.S. Standard Certificate of Live Birth in mid-2013. Although prenatal care measures are collected on both versions of the birth certificate, they have been substantively modified. Therefore, data for these items are not considered comparable between revisions and are not combined in tabulations or national data files.^{xxiii}

Appendix B

Indicators/Measures

Appendix B

Indicators/measures monitored by MFIMR

Critical to the work of the MFIMR Panel is maintaining an awareness of data and trends related to fetal, infant and pregnancy-related maternal deaths and birth outcomes in Maine, as well as nationally. The insights gained through case reviews coupled with population level data guide the efforts of the MFIMR Panel to improve the overall health and safety of Maine's infants and mothers.

Fetal Mortality

Although the majority of fetal deaths occur before 20 weeks gestation for unknown reasons, it is important to look at the timing and causes we have the ability to impact for better pregnancy outcomes. In Maine, fetal mortality rates are based on deaths that occur in utero beyond 19 weeks gestation. An average of 57 fetal deaths occur each year in Maine; nearly half (46 percent) of Maine's recorded fetal deaths occur between 20 and 27 weeks gestation. Four leading causes of death account for 46 percent of recorded fetal deaths in Maine.

By rank, the leading causes of fetal deaths in Maine between 2008 and 2012 were:

1. Complications of the placenta, umbilical cord and membranes
2. Congenital malformations, deformations, chromosomal abnormalities
3. Maternal complications of pregnancy
4. Disorders related to short gestation and low birth weight

Infant Mortality

The infant mortality rate includes all deaths of infants from birth to 365 days of life. An average of 81 Maine babies die before their first birthday. Five leading causes of death account for 62 percent of infant deaths in Maine.

By rank, the leading causes of infant deaths in Maine^{xxiv} between 2009 and 2013 were:

1. Congenital malformations, deformations and chromosomal abnormalities
2. Disorders related to short gestation and low birth weight, not elsewhere classified (low birth weight)
3. Sudden infant death syndrome (SIDS)
4. Newborn affected by maternal complication of pregnancy (maternal complications)
5. Unintentional injuries

Maternal Mortality

Across the country for every 100,000 births there are about 13 maternal deaths per year related to or aggravated by pregnancy or pregnancy management^{xxv}. Maternal deaths attributed to direct obstetric causes include eclampsia and pre-eclampsia, hemorrhage and placenta previa, obstetrical tetanus, obstetric embolism and other direct causes. Possible explanations for an observed national increase include a rise in the number of caesarean sections, particularly among women who have undergone several previous C-sections and the rise in obesity.

Maternal mortality can also be measured using a more inclusive definition, that is, deaths to women within one year of pregnancy from any cause. Between 2004 and 2013 there were 38 deaths to Maine women who died in Maine within one year of pregnancy; 47.4 percent of these deaths were attributed to illness or disease, 34.2 percent to unintentional injuries such as motor vehicle crashes or unintentional poisonings, 15.8 percent to assault or suicide and 2.6 percent of undetermined intent. Of the deaths directly related to pregnancy or childbirth in the last decade in Maine, one death was due to an obstetric embolism, two deaths resulted from peripartum cardiomyopathy and one death from postpartum coagulation defect.

Infant Birth and Health

Maine's MFIMR Panel examines local, State and national data on risk factors for poor birth and infant health outcomes to inform case selection and review. Many infant birth and health indicators are associated with infant health, illness, disability and death and they are among the objectives of Healthy People 2020^{xxvi}, Healthy Maine 2020 and the Maternal and Child Health Bureau's Title V Program.^{xxvii} Emerging issues and those with the potential to improve infant outcomes through public health and policy approaches are monitored on a regular basis. Three of these issues are summarized below.

Delivery Facility for High Risk Births: Research has shown that very low birth weight and very pre-term infants not born in level III hospitals are at increased risk of neonatal or pre-discharge death.^{xxviii} Increasing the number of very low birth weight babies born at Level III hospitals may improve health outcomes for these infants. In Maine, 81.3 percent of very low birth weight infants were delivered at a Level III facility in 2013. MFIMR Panel members have reviewed high-risk infant delivery patterns to determine the feasibility of system-related improvements in access to appropriate birth facilities.

Sleep position: The American Academy of Pediatrics (AAP) has recommended that infants be placed on their backs to sleep, because infants who sleep prone have an increased risk of dying from sudden infant death syndrome (SIDS).^{xxix} More than eight of ten Maine mothers most often placed their infants on their backs to sleep (83.0 percent) in 2012.^{xxx} In Maine, no statistically significant differences are observed with use of the recommended sleeping position among mothers based on educational attainment, age, income or insurance status.^{xxxi}

Drug affected babies: Another emerging issue that may impact infant and maternal health is the number of infants born who have been exposed to drugs in utero. This population is of concern because they are at increased risk for preterm birth, sudden unexpected infant death (SUID) and other causes of death. Based on Maine hospital discharge data, "drug withdrawal syndrome in newborn" (based on ICD-9-CM 779.5) was noted on 385 (3.1 percent) of the Maine birth hospitalization discharges in 2012.^{xxxii} This represents a 30-fold increase since 2000, when 13 birth hospitalization discharges were noted to involve drug withdrawal syndrome. It is difficult to determine whether this noted increase represents true change in the incidence of drug withdrawal syndrome in newborns or is due, at least in part, to required reporting resulting in better recognition and diagnostic coding of the syndrome in more recent years.

Appendix C

Panel Membership

Appendix C

Maternal, Fetal and Infant Mortality Review Panel Members SFY 2015

Shannon Bonsey, Chief Operating Officer, Penquis CAP

Jay Naliboff, Maine Chapter, American College of Obstetrics and Gynecology, Panel Co-Chair

Kelley Bowden, Perinatal Outreach Education, Maine Medical Center, Panel Co-Chair

Cheri Sarton, Instructor, University of Maine

Rick Hobbs, Maine Chapter, Academy of Family Physicians

Mary Connolly, Neonatology Section – Kelley 6, Eastern Maine Medical Center

Peg Bradstreet, Clinical Nurse Specialist

Shannon King, Women's Health, Maine CDC

Kathy O'Connor, Perinatal Nurse, Southern Maine Medical Center

Ellie Mulcahy, Director, Genetics Program/MFIMR Panel Coordinator, Maine CDC

Christopher Pezzullo, Chief Medical Officer, DHHS

Jennifer Hayman, Hospitalist, Maine Medical Center

Doug Dransfield, Retired Neonatologist

Ellen Bridge, Methodist Minister

Denise Yob, Epidemiologist, USM/Maine CDC

Ad Hoc members

Anna Love, State Police – Public Safety

Michael Pinette, OB/GYN Associates

Appendix D

End Notes

Appendix D

End Notes

ⁱ Maine Department of Health and Human Services. (2008). Maternal and Infant Mortality Review Panel Procedures Manual and Guidelines. Augusta, ME: Maine Department of Health and Human Services, p 1.

ⁱⁱ Personal communication, Jen Hayman, MD, Barbara Bush Children's Hospital, Portland, Maine

ⁱⁱⁱ Maine Department of Health and Human Services, Division of Family Health, Maternal and Child Health Services Title V Block Grant, State Narrative for Maine: Application for 2015. Available from Health Resources and Services Administration. <https://perfddata.hrsa.gov/MCHB/TVISReports/default.aspx>.

^{iv} Maine Center for Disease Control & Prevention, *Maine Vital Records Data (Fetal Death Certificates)*. 2007-2013. and Centers for Disease Control and Prevention. National Center for Health Statistics. VitalStats. <http://www.cdc.gov/nchs/vitalstats.htm> on 12/2/ 2015.

^v User Guide to the 2012 Fetal Death Public Use File, Reproductive Statistics Branch, Division of Vital Statistics, NCHS. Hyattsville, MD: Accessed 10/18/14 from ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/DVS/fetaldeath/2012FetalUserGuide.pdf. and Centers for Disease Control and Prevention. National Center for Health Statistics. VitalStats. <http://www.cdc.gov/nchs/vitalstats.htm> on 12/2/2015.

MacDorman MF, Kirmeyer SE, Wilson EC. Fetal and perinatal mortality, United States, 2006. National vital statistics reports; vol 60 no 8. Hyattsville, MD: National Center for Health Statistics. 2012. Accessed 11/22/12 from http://www.cdc.gov/nchs/data/nvsr/nvsr60/nvsr60_08.pdf.

^{vi} United States Department of Health and Human Services (US DHHS), Centers of Disease Control and Prevention (CDC), National Center for Health Statistics (NCHS), Division of Vital Statistics (DVS). Linked Birth / Infant Death Records 2007-2013, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program, on CDC WONDER On-line Database. Query for Maine based on years 2009-2013. Accessed at <http://wonder.cdc.gov/lbd-current.html> on 12/2/ 2015.

^{vii} United States Department of Health and Human Services (US DHHS), Centers of Disease Control and Prevention (CDC), National Center for Health Statistics (NCHS), Division of Vital Statistics (DVS). Linked Birth / Infant Death Records 2007-2013, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program, on CDC WONDER On-line Database. Query based on years 2009-2013. Accessed at <http://wonder.cdc.gov/lbd-current.html> on 12/2/ 2015.

^{viii} United States Department of Health and Human Services (US DHHS), Centers of Disease Control and Prevention (CDC), National Center for Health Statistics (NCHS), Division of Vital Statistics (DVS). Linked Birth / Infant Death Records 2007-2013, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program, on CDC WONDER On-line Database. Query for Maine based on years 2008-2012. Accessed at <http://wonder.cdc.gov/lbd-current.html> on 12/2/ 2015.

^{ix} Maine Center for Disease Control & Prevention, *Maine Vital Records Data (Death Certificates)*. 2000- 2013.

^x Xu JQ, Kochanek KD, Murphy SL, Tejada-Vera B. Deaths: Final data for 2007. National vital statistics reports; vol 58 no 19. Hyattsville, MD: National Center for Health Statistics. 2010. Accessed 12/05/12 from http://www.cdc.gov/nchs/data/nvsr/nvsr59/nvsr59_10.pdf.

Murphy SL, Xu JQ, Kochanek KD. Deaths: Final data for 2010. National vital statistics reports; vol 61 no 4. Hyattsville, MD: National Center for Health Statistics. 2013. Accessed 10/8/13 from http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61_04.pdf.

-
- ^{xi} Maine Center for Disease Control & Prevention, *Maine Vital Records Data (Death Certificates)*. 2000- 2012.
- ^{xii} Maine Center for Disease Control & Prevention, *Maine Vital Records Data (Birth Certificates)*. 2013 non-revised certificate files (first 8 months) and United States Department of Health and Human Services (US DHHS), Centers for Disease Control and Prevention (CDC), National Center for Health Statistics (NCHS), Division of Vital Statistics, Natality public-use data 2007-2013, on CDC WONDER Online Database, January 2015. Accessed at <http://wonder.cdc.gov/natality-current.html> on Dec 2, 2015.
- ^{xiii} Hamilton BE, Martin JA, Osterman MJK, Curtin SC. Births: Preliminary data for 2013. National vital statistics reports; vol 63 no 2. Hyattsville, MD: National Center for Health Statistics. 2014. Accessed 10/18/14 from http://www.cdc.gov/nchs/data/nvsr/nvsr63/nvsr63_02.pdf.
- ^{xiv} Maine Center for Disease Control & Prevention, *Maine Vital Records Data (Birth Certificates)*. 2012.
- ^{xv} Maine Center for Disease Control & Prevention, *Maine Vital Records Data (Birth Certificates)*. 2011.
- ^{xvi} Maternal and Child Health Bureau. Title V Information System. National Performance Measure #17: Percent of very low birth weight infants delivered at facilities for high-risk deliveries and neonates. As reported by States in the Title V Block Grant FY 2012 Annual Report and FY 2014 Application; Form 11. (most states reporting 2012 data). Accessed 10/18/14 from <https://mchdata.hrsa.gov/TVISReports/MeasurementData/StandardNationalMeasureIndicatorSearch.aspx?MeasureType=Performance&YearType=MostRecent>.
- ^{xvii} March of Dimes 2015 Premature Birth Report Card. (Note- based on U.S. 2014 final natality data). Accessed from <http://www.marchofdimes.org/materials/premature-birth-report-card-united-states.pdf>.
- ^{xviii} Maine Department of Health and Human Services , Maine Center for Disease Control and Prevention, Pregnancy Risk Assessment Monitoring System, 2010, 2011, 2012 PRAMS data. Accessed 10/22/2013, 10/02/2014 and 11/15/2015 <http://www.maine.gov/dhhs/mecdc/public-health-systems/data-research/prams/index.shtml>.
- ^{xix} Centers for Disease Control and Prevention, Division of Reproductive Health, PRAMStat System Online Data, Sleep Behaviors, 2011 All State data. Accessed 11/20/15 from http://nccd.cdc.gov/PRAMStat/rdPage.aspx?rdReport=DRH_PRAMS.ExploreByTopic&isClassId=CLA8&isTopicId=TOP23&go=GO.
- ^{xx} Maine Department of Health and Human Services , Maine Center for Disease Control and Prevention, Pregnancy Risk Assessment Monitoring System, 2011 PRAMS data. Accessed 10/22/2013 from <http://www.maine.gov/dhhs/mecdc/public-health-systems/data-research/prams/>.
- ^{xxi} Maine Department of Health and Human Services , Maine Center for Disease Control and Prevention, Pregnancy Risk Assessment Monitoring System, 2010 PRAMS data. Accessed 11/30/2012 from <http://www.maine.gov/dhhs/mecdc/public-health-systems/data-research/prams/>.
- ^{xxii} Mervis C. Neonatal Abstinence Syndrome and Maternal Antepartum Opiate Use. Maine, 2000-2012. 2015. (Under internal review). Analyzed by University of Southern Maine and prepared for Maine Center for Disease Control and Prevention.
- ^{xxiii} United States Department of Health and Human Services (US DHHS), Centers of Disease Control and Prevention (CDC), National Center for Health Statistics (NCHS). User Guide to the 2013 Natality Public Use File. Accessed at <http://wonder.cdc.gov/wonder/help/natality/NatalityPublicUseUserGuide2013.pdf>.
- ^{xxiv} United States Department of Health and Human Services (US DHHS), Centers of Disease Control and Prevention (CDC), National Center for Health Statistics (NCHS), Division of Vital Statistics (DVS). Linked Birth / Infant Death Records 2007-2013, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program, on CDC WONDER On-line Database. Query based on Maine infant deaths between 2009-2013. Accessed at <http://wonder.cdc.gov/lbd-current.html> on 12/2/ 2015.

^{xxv} Xu JQ, Kochanek KD, Murphy SL, Tejada-Vera B. Deaths: Final data for 2007. National Vital Statistics Reports 2009, vol 58 no 19. Centers for Disease Control and Prevention, National Center for Health Statistics, National Vital Statistics System: Hyattsville, MD.2010. http://www.cdc.gov/nchs/data/nvsr/nvsr58/nvsr58_19.pdf.

^{xxvi} Department of Health and Human Services. *Healthy People 2020*. 2011. Accessed 11/29/11 from <http://www.healthypeople.gov/2020/topicsobjectives2020/default.aspx>.

^{xxvii} Maternal and Child Health Bureau. Title V Information System. Performance Measure and Indicators. Accessed from <https://perfdata.hrsa.gov/MCHB/TVISReports/default.aspx>.

^{xxviii} Lasswell S. M., et al, Perinatal Regionalization for Very Low Birth Weight and Very Preterm Infants, *JAMA*. 2010; 304(9): 992-1000.

^{xxix} Moon RY; American Academy of Pediatrics, Task Force on Sudden Infant Death Syndrome. Policy statement: SIDS and other sleep-related infant deaths: expansion of recommendations for a safe infant sleeping environment. *Pediatrics*. 2011;128(5): 1030 –103. Available at <http://pediatrics.aappublications.org/content/early/2011/10/12/peds.2011-2284>. Accessed 11/ 2/2011.

^{xxx} Maine Department of Health and Human Services , Maine Center for Disease Control and Prevention, Pregnancy Risk Assessment Monitoring System, 2012 *PRAMS data*. Accessed 11/15/2015 from <http://www.maine.gov/dhhs/mecdc/public-health-systems/data-research/prams/tables2012/72%20sleepposition12.pdf>.

^{xxxi} Mervis C. Neonatal Abstinence Syndrome and Maternal Antepartum Opiate Use. Maine, 2000-2012. 2015. (Under internal review). Analyzed by University of Southern Maine and prepared for Maine Center for Disease Control and Prevention.



Paul R. LePage, Governor

Mary C. Mayhew, Commissioner

The Department of Health and Human Services (DHHS) does not discriminate on the basis of disability, race, color, creed, gender, sexual orientation, age, or national origin, in admission to, access to, or operations of its programs, services, or activities, or its hiring or employment practices. This notice is provided as required by Title II of the Americans with Disabilities Act of 1990 and in accordance with the Civil Rights Act of 1964 as amended, Section 504 of the Rehabilitation Act of 1973, as amended, the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972 and the Maine Human Rights Act and Executive Order Regarding State of Maine Contracts for Services. Questions, concerns, complaints or requests for additional information regarding the ADA may be forwarded to DHHS' ADA Compliance/EEO Coordinators, 11 State House Station – 221 State Street, Augusta, Maine 04333, 207-287-4289 (V), 207-287-3488 (V), TTY users call Maine relay 711. Individuals who need auxiliary aids for effective communication in program and services of DHHS are invited to make their needs and preferences known to the ADA Compliance/EEO Coordinators. This notice is available in alternate formats, upon request.