# Errata sheet The Maine 2020 Annual Report of Cancer July 1, 2022

All Cancers: Mortality by County of Residence, Maine 2013-2017   Male   Female   AR Rate (PS)6 (C)   County (P   AR Rate (PS	_ocation	Original V	ersion/						Revised \	Version					
All Cancers: Mortality by County of Residence, Maine 2013-2017   Male   Female   AR Rate (PS)6 (C)   County (P   AR Rate (PS	ge 48					N	Naine 2020 Annual Repo	rt of Cancer					M	laine 2020 Annual Repo	rt of Cance
AR Rate (95% C)   Count/Yr   AR Rate (95% C	_	All Cancers:		of Resider		7			All Cancers: I	Mortality by County	of Residen	ce, Maine 2013-2017	7		
Androscoggin 175.4 (165.5-186.0) 242 198.0 (182.2-215.3) 121 158.1 (145.5-172.0) 121 Androscoggin 175.4 (165.5-185.0) 242 198.0 (182.2-215.3) 121 158.1 (145.5-172.0) 121 Androscoggin 175.4 (165.5-185.0) 242 198.0 (182.2-215.0) 121 158.1 (145.5-172.0) 121 Androscoggin 175.4 (165.5-185.0) 242 198.0 (182.2-215.0) 121 158.1 (145.5-172.0) 121 Androscoggin 175.4 (165.5-185.0) 242 198.0 (182.2-215.0) 121 158.1 (145.5-175.0) 121 158.1 (145.5-										Total		Male		Female	
Arosotook 171.8 (160.6 - 183.9) 191 206.7 (188.6 - 226.8) 102 145.8 (131.7 - 161.8) 88  Cumberland 188.4 (182.7 - 164.3) 608 191.6 (181.9 - 201.8) 31 01 36.9 (129.8 - 144.4) 298  Fromilian 171.3 (154.0 - 190.9) 7.6 205.8 (178.5 - 237.9) 44 143.0 (121.1 169.7) 32  Hancock 164.1 (182.0 - 177.9) 146 197.0 (177.1 - 219.6) 78 137.0 (122.3 - 154.2) 68  Kernebec 183.7 (174.5 - 193.4) 315 226.5 (213.2 - 245.1) 174 140.5 (137.5 - 160.6) 140  Kinox 170.5 (156.2 - 186.5) 114 204.2 (181.5 - 230.5) 62 145.9 (127.5 - 167.8) 52  Lincoln 157.4 (143.3 - 173.5) 9 189.2 (166.6 - 215.9) 4 132.0 (114.3 - 153.8) 45  Perobicot 172.0 (164.8 - 181.4) 355 207.9 (194.6 - 222.2) 191 147.0 (136.9 - 158.1) 165  Piccotaquis 213.1 (185.5 - 240.8) 4 253.7 (216.1 - 300.0) 36 178.7 (149.6 - 216.2) 28  Saggoddhoc 174.4 (189.5 - 119.7) 9 203.5 (177.8 - 33.5) 47 152.9 (193.2 - 174.4) 45  Someriset 199.2 (164.6 - 215.1) 146 222.2 (199.6 - 247.7) 76 1803.1 (141.5 - 186.9) 45  Workshipton 204.6 (186.9 - 224.5) 106 257.1 (227.9 - 290.7) 61 163.1 (141.5 - 186.9) 45  Workshipton 204.6 (186.9 - 224.5) 106 257.1 (227.9 - 290.7) 61 163.1 (141.5 - 186.9) 45  Workshipton 204.6 (186.9 - 224.5) 106 257.1 (227.9 - 290.7) 61 163.1 (141.5 - 186.9) 45  Workshipton 204.6 (186.9 - 224.5) 106 257.1 (227.9 - 290.7) 61 163.1 (141.5 - 186.9) 45  Workshipton 204.6 (186.9 - 224.5) 107.2 (186.8 - 226.8) 177.0 (140.5 - 110.8) 10 140.5 (180.5 - 110.8) 11.5 (						-				AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr	AA Rafe (95% CI)	Count/Yr
Comberload   158.4 (152.7 - 164.3)   608   191.6 (181.9 - 201.8)   310   136.9 (129.8 - 144.4)   298		Androscoggin				-	,		Androscoggin	175.4 (165.5 - 185.9)	242	198.0 (182.2 - 215.2)	121	158.2 (145.5 - 171.9)	121
Franklin   171.3 (154.0 - 190.9)   76   205.8 (178.5 - 237.9)   44   143.0 (121.1 - 169.7)   32     Hancock   164.1 (152.0 - 177.5)   146   197.0 (177.1 - 219.6)   78   137.0 (122.3 - 154.2)   68     Kernebec   183.7 (174.5 - 193.4)   315   228.5 (213.2 - 245.1)   174   148.5 (137.5 - 160.6)   140     Knox   170.5 (156.2 - 186.5)   114   204.2 (181.5 - 230.5)   62   145.9 (127.5 - 167.8)   52     Lincoln   157.4 (143.3 - 173.5)   99   189.2 (166.6 - 215.9)   54   132.0 (114.3 - 153.8)   45     Oxford   181.3 (168.5 - 195.4)   156   224.8 (203.7 - 244.4)   90   147.3 (131.4 - 165.7)   67     Penobscot   172.9 (164.8 - 181.4)   355   207.9 (194.6 - 222.2)   191   147.0 (136.9 - 181.8)   165     Sagadahoc   174.0 (158.2 - 191.7)   93   203.5 (177.8 - 233.5)   47   152.9 (133.2 - 176.4)   45     Somerset   199.2 (184.6 - 215.1)   146   222.2 (199.6 - 247.7)   76   180.3 (161.4 - 201.8)   70     Wadington   204.6 (186.9 - 224.3)   106   227.1 (127.9 - 200.7)   147.0 (136.3 - 177.5)   148.8 (103.9 - 210.0)   48   149.0 (129.6 - 171.9)   46     Wadington   170.3 (163.5 - 177.5)   48   201.5 (1903.2 - 213.5)   224   471.1 (138.5 - 156.3)   234     Maine   172.0 (169.4 - 174.8)   3,295   206.0 (201.5 - 210.5)   1,750   146.9 (143.5 - 150.3)   1,545    All Cancers: Mortality by Public Health District of Residence, Maine 2013-2017    Arosatook   171.8 (160.6 - 189.9)   190.0 (188.6 - 228.8)   100   145.8 (131.7 - 161.8)   88     Central   188.3 (180.5 - 196.5)   46   226.3 (213.5 - 239.9)   20   158.1 (148.4 - 168.5)   210     Cumberlond   186.4 (152.7 - 164.3)   608   191.6 (181.9 - 201.8)   310   136.9 (128.8 - 144.4)   298     Downsent   170.0 (168.9 - 180.8)   123.1 (188.9 - 238.8)   114   145.0 (123.5 - 159.3)   114   145.0 (133.5 - 159.3)   114   145.0 (133.5 - 159.3)   114   145.0 (133.5 - 159.3)   114   145.0 (133.5 - 159.3)   114   145.0 (133.5 - 150.3)   145.8 (131.7 - 161.8)   188.8   183.3 (180.5 - 196.5)   146.0 (183.5 - 196.5)   146.0 (183.5 - 196.5)   146.0 (183.5 - 196.5)   146.0 (183.5 - 196.5)   146.0		Aroostook				_			Aroostook	171.8 (160.7 - 183.8)	191	206.8 (188.6 - 226.7)	102	145.8 (131.7 - 161.6)	88
Hencock   164.1 (152.0 - 177.5)   146   197.0 (177.1 - 219.6)   78   137.0 (122.3 - 154.2)   68     Kernebbe		Cumberland	158.4 (152.7 - 164.3)	608		310	136.9 (129.8 - 144.4)		Cumberland	158.4 (152.6 - 164.3)	608	191.6 (181.9 - 201.7)	310	136.9 (129.8 - 144.4)	298
Remebec   183.7 (174.5 - 193.4)   315   28.5 (213.2 - 245.1)   174   148.5 (137.5 - 160.6)   140		Franklin							Franklin						32
Knox   170.5 [156.2 - 186.5]   114   204.2 [181.5 - 230.5]   62   145.9 [127.5 - 167.8]   52		Hancock		_					Hancock						68
Lincoln 157.4(143.3-173.5) 99 189.2(166.6-215.9) 54 132.0(114.3-153.8) 45  Oxford 181.3(168.5-195.4) 156 224.8(203.7-248.4) 90 147.3(131.4-165.7) 67  Penobscot 172.9(164.8-181.4) 355 207.9(194.6-222.2) 191 147.0(136.9-158.1) 165  Pixcotaguis 213.1(1895195.1) 146 222.2(199.6-247.7) 76 180.3(161.4-201.8) 70  Waldo 164.4(149.3-181.3) 94 188.1(163.9-216.0) 48 149.0(129.6-171.9) 46  Washington 204.6(186.9-224.3) 106 257.1(27.9-290.7) 61 163.1(141.5-188.9) 45  York 170.3(163.5-177.5) 488 201.5(190.3-213.5) 254 147.1(138.5-156.3) 234  Maine 172.0(169.4-174.8) 3,295 206.0(201.5-210.5) 1750 146.9(143.5-150.3) 1,545  All Cancers: Mortality by Public Health District of Residence, Maine 2013-2017  Femble AR Rate (95% CI) Counl/Yr AR Rate (95% CI)		Kennebec	183.7 (174.5 - 193.4)	315		174			Kennebec						140
Oxford 181.3 (168.5 195.4) 156 224.8 (203.7 : 246.4) 90 147.3 (131.4 : 165.7) 67 Penobscot 172.9 (164.8 : 181.4) 355 207.9 (194.6 : 222.2) 191 147.0 (136.9 : 158.1) 165 Piscotoquis 213.1 (189.5 : 240.8) 64 253.7 (216.1 : 300.0) 36 178.7 (149.6 : 216.2) 28 Sagadahoc 174.0 (1582 : 191.7) 93 203.5 (177.8 : 233.5) 47 152.9 (133.2 : 176.4) 45 Somerset 199.2 (184.6 : 215.1) 146 222.2 (199.6 : 247.7) 76 180.3 (161.4 : 201.8) 70 Waldo 164.4 (149.3 : 181.3) 94 188.1 (163.9 : 216.0) 48 149.0 (129.6 : 171.9) 46 Washington 204.6 (186.9 : 224.3) 106 257.1 (227.9 : 290.7) 61 163.1 (141.5 : 188.9) 45 York 170.3 (163.5 : 177.5) 488 201.5 (190.3 : 213.5) 254 147.1 (188.5 : 156.3) 234 Maine 172.0 (169.4 : 174.8) 3,295 206.0 (201.5 : 210.5) 1,750 146.9 (143.5 : 150.3) 1,545  AII Cancers: Mortality by Public Health District of Residence, Maine 2013-2017  AR Arace (95% CI) Count/Yr AA Rate (95% CI) Count/Yr AA		Knox		114					Knox						52
Penobscot 172.9 (164.8 - 181.4) 355 207.9 (194.6 - 222.2) 191 147.0 (136.9 - 158.1) 165 Piscataquis 213.1 (189.5 - 240.8) 64 253.7 (216.1 - 300.0) 36 178.7 (149.6 - 216.2) 28 Sagaddhoc 174.0 (158.2 - 191.7) 93 20.5 (177.8 - 233.5) 47 152.9 (133.2 - 176.4) 45 Somerset 199.2 (184.6 - 215.1) 146 222.2 (199.6 - 247.7) 76 180.3 (161.4 - 201.8) 70 Woldo 164.4 (149.3 - 181.3) 94 188.1 (163.9 - 216.0) 48 149.0 (129.6 - 171.9) 46 Worshington 204.6 (186.9 - 224.3) 106 257.1 (227.9 - 290.7) 61 163.1 (141.5 - 188.9) 45 York 170.3 (163.5 - 177.5) 488 201.5 (190.3 - 213.5) 254 147.1 (138.5 - 156.3) 234 Maine 172.0 (169.4 - 174.8) 3,295 206.0 (201.5 - 210.5) 1,750 146.9 (143.5 - 150.3) 1,545  All Cancers: Mortality by Public Health District of Residence, Maine 2013-2017  Aroostook 171.8 (160.6 - 183.9) 191 206.7 (188.6 - 226.8) 102 145.8 (131.7 - 161.8) 88 Central 188.3 (180.5 - 196.5) 461 226.3 (213.5 - 239.9) 250 158.1 (148.4 - 168.5) 210 Cumbriand 158.4 (152.7 - 164.3) 608 191.6 (181.9 - 201.8) 310 136.9 (129.8 - 144.4) 298 Downward 178.7 (168.7 - 180.4) 252 2195 (200.7 - 237.8) 133.1 40.0 (133.7 - 159.8) 113				-											45
Piscatroquis 213.1 [189.5 - 240.8] 64 253.7 [216.1 - 300.0] 36 178.7 [149.6 - 216.2] 28 Sagadahoc 174.0 [158.2 - 191.7] 93 203.5 [177.8 - 233.5] 47 152.9 [133.2 - 176.4] 45 Somerset 199.2 [184.6 - 215.1] 146 222.2 [199.6 - 247.7] 76 180.3 [161.4 - 201.8] 70 Woldo 164.4 [149.3 - 181.3] 94 188.1 [163.9 - 216.0] 48 149.0 [129.6 - 171.9] 46 Washington 204.6 [186.9 - 224.3] 106 257.1 [227.9 - 290.7] 61 163.1 [141.5 - 188.9] 45 York 170.3 [163.5 - 177.5] 488 201.5 [190.3 - 213.5] 254 147.1 [138.5 - 156.3] 234 Maine 172.0 [169.4 - 174.8] 3,295 206.0 [201.5 - 210.5] 1750 146.9 [143.5 - 150.3] 1,545 ARate (95% CI) Count/Yr AA Rate (95% CI) Cou															68
Sagaddino: 174.0 [18.8.2 - 191.7] 93 [203.5 [177.8 - 233.1] 47 [183.5 - 118.3] 146 [18.8.2 - 191.7] 93 [203.5 [177.8 - 233.1] 47 [183.5 - 118.3] 146 [18.8.2 - 191.7] 146 [18.8.3 - 118.3] 146 [18.8.3 - 118.3] 147 [18.8.3 - 118.3] 148 [18.8.3 - 118.3] 148 [18.8.3 - 118.3] 148 [18.8.3 - 118.3] 148 [18.8.3 - 118.3] 148 [18.8.3 - 118.3] 148 [18.8.3 - 118.3] 148 [18.8.3 - 118.3] 148 [18.8.3 - 118.3] 148 [18.8.3 - 118.3] 148 [18.8.3 - 118.3] 149 [18.8.1 [18.3.3 - 216.0] 148 [18.8.3 - 218.3] 149 [18.8.1 [18.3.3 - 218.3] 149 [18.8.1 [18.3.3 - 218.3] 149 [18.8.1 [18.3.3 - 218.3] 149 [18.8.1 [18.3.3 - 218.3] 149 [18.8.3 - 218.3] 149 [18.3 - 218.3															165 27
Somerset 199.2 [84.6 - 215.1] 146 222.2 [199.6 - 247.4] 76 180.3 [61.4 - 201.8] 70 Waldo 164.4 [149.3 - 181.3] 94 188.1 [163.9 - 216.0] 48 149.0 [129.6 - 171.9] 46 Washington 204.6 [186.9 - 224.3] 106 257.1 [227.9 - 290.7] 61 163.1 [141.5 - 188.9] 45 York 170.3 [163.5 - 177.5] 488 201.5 [190.3 - 213.5] 254 147.1 [138.5 - 156.3] 234 Maine 172.0 [169.4 - 174.8] 3,295 206.0 [201.5 - 210.5] 1750 146.9 [143.5 - 150.3] 1,545  All Cancers: Mortality by Public Health District of Residence, Maine 2013-2017    Arostook 171.8 [160.6 - 183.9] 191 206.7 [188.6 - 226.8] 102 145.8 [131.7 - 161.8] 88 Central 188.3 [180.5 - 196.5] 461 226.3 [213.5 - 239.9] 250 158.1 [148.4 - 168.5] 210 Cumberland 156.4 [152.7 - 164.3] 608 191.6 [181.9 - 201.8] 310 136.9 [129.8 - 144.4] 298 Downeast 176.7 [168.7 - 120.7] 310 136.9 [129.8 - 144.4] 298 Downeast 176.7 [168.7 - 120.7] 310 136.9 [129.8 - 144.4] 298 Downeast 177.0 [168.9 - 189.8] 252 205.6 [20.8 - 238.8] 140 145.7 [133.5 - 159.3] 111		· ·													45
Work   170.3 (163.5 - 177.5)   488   201.5 (190.3 - 213.5)   254   147.1 (138.5 - 156.3)   234		Sagadahoc													70
Washington 2046 (186.9 - 224.3) 106 257.1 (227.9 - 290.7) 61 163.1 (141.5 - 188.9) 45 York 170.3 (163.5 - 177.5) 488 201.5 (190.3 - 213.5) 254 147.1 (138.5 - 156.3) 234 Maine 172.0 (169.4 - 174.8) 3,295 206.0 (201.5 - 210.5) 1,750 146.9 (143.5 - 150.3) 1,545  All Cancers: Mortality by Public Health District of Residence, Maine 2013-2017    Total									I -						46
Woshington   204.6 (186.9 - 224.3)   106   257.1 (227.9 - 290.7)   61   163.1 (141.5 - 188.9)   45															45
York   170.3 (163.5 - 177.5)   486   201.5 (190.3 - 213.5)   254   147.1 (138.5 - 156.3)   234     Maine   172.0 (169.4 - 174.8)   3,295   206.0 (201.5 - 210.5)   1,750   146.9 (143.5 - 150.3)   1,545     All Cancers: Mortality by Public Health District of Residence, Maine 2013-2017    Total   Male   Female     AA Rate (95% CI)   Count/Yr   AA Rate (95% CI)   Count/Yr     Aroostook   171.8 (160.6 - 183.9)   191   206.7 (188.6 - 226.8)   102   145.8 (131.7 - 161.8)   88     Central   188.3 (180.5 - 196.5)   461   226.3 (213.5 - 239.9)   250   158.1 (148.4 - 168.5)   210     Cumberlond   158.4 (152.7 - 164.3)   608   191.6 (181.9 - 201.7)   310   136.9 (129.8 - 144.4)   298     Downward   178.7 (168.7 + 189.6)   252   210.5 (200.7 - 238.8)   310   146.0 (133.7 - 159.8)   113     Downward   179.0 (168.9 - 189.8)   252   220.5 (203.8 - 238.8)   140   145.7 (133.5 - 159.3)   111     Comberlond   179.0 (168.9 - 189.8)   252   220.5 (203.8 - 238.8)   140   145.7 (133.5 - 159.3)   111     Downward   179.0 (168.9 - 189.8)   252   220.5 (203.8 - 238.8)   140   145.7 (133.5 - 159.3)   111     Aroostook   171.8 (160.6 - 183.9)   191.5 (181.9 - 201.7)   310   136.9 (129.8 - 144.4)   298     Downward   179.0 (168.9 - 189.8)   252   220.5 (203.8 - 238.8)   140   145.7 (133.5 - 159.3)   111     Downward   179.0 (168.9 - 189.8)   252   220.5 (203.8 - 238.8)   140   145.7 (133.5 - 159.3)   111     Aroostook   171.8 (160.6 - 183.9)   179.0 (168.9 - 189.8)   252   220.5 (203.8 - 238.8)   140   145.7 (133.5 - 159.3)   111     Aroostook   171.8 (160.6 - 183.9)   179.0 (168.9 - 189.8)   252   220.5 (203.8 - 238.8)   140   145.7 (133.5 - 159.3)   111     Aroostook   171.8 (160.6 - 183.9)   179.0 (168.9 - 189.8)   252   220.5 (203.8 - 238.8)   140   145.7 (133.5 - 159.3)   111     Aroostook   171.8 (160.6 - 183.9)   179.0 (168.9 - 189.8)   252   220.5 (203.8 - 238.8)   140   145.7 (133.5 - 159.3)   111     Aroostook   171.8 (160.6 - 183.9)   179.0 (168.9 - 189.8)   252   220.5 (203.8 - 238.8)   140   145.7 (133.5 - 159.3)   111     A										, ,		, ,			234
All Cancers: Mortality by Public Health District of Residence, Maine 2013-2017    Total   Male   Female		York										, ,		, ,	
Total   Male   Female		Maine	172.0 (169.4 - 174.8)	3,295	206.0 (201.5 - 210.5)	1,750	146.9 (143.5 - 150.3)	1,545	Maine	172.0 (169.4 - 174.8)	3,295	203.9 (201.5 - 210.4)	1,/30	146.9 (143.5 - 150.3)	1,545
Total   Male   Female   AA Rate (95% CI)   Count/Yr   AA Rate (9		All Composes	Managias Iso Dobia I	loulsh Dick	siat of Docision on Ma	: 2013 2	0017		All Cancers: I	Mortality by Public H	lealth Distr	rict of Residence, Mai	ne 2013-2	017	
AA Rate (95% CI) Count/Yr AA Rate (95% CI) C		All Culicers.		iedilii Disi		ine 2013-2				Total		Male		Female	. ]
Arostook 171.8 (160.6 - 183.9) 191 20.67 (188.6 - 226.8) 102 145.8 (131.7 - 161.6) 88  Central 188.3 (180.5 - 196.5) 461 226.3 (213.5 - 239.9) 250 158.1 (148.4 - 168.5) 210  Cumberland 156.4 (152.7 - 164.3) 608 191.6 (181.9 - 201.8) 310 136.9 (129.8 - 144.4) 298  Downward 176.7 (168.7 - 186.7) 89 252 20.5 (203.8 - 238.8) 140 145.7 (133.5 - 159.3) 111				Count/Yr		Count/Yr		Count/Yr		AA Rafe (95% CI)	Count/Yr				Count/Yr
Central 188.3 (180.5 - 196.5) 461 226.3 (213.5 - 239.9) 250 158.1 (148.4 - 168.5) 210 Cumberland 158.4 (152.7 - 164.3) 608 191.6 (181.9 - 201.8) 310 136.9 (129.8 - 144.4) 298 Downeast 178.7 (168.7 - 189.6) 252 210.5 (200.7 - 237.8) 130 146.0 (133.7 - 159.8) 113		Aroostook							Aroostook	, ,					88
Cumberland 158.4 (152.7 - 164.3) 608 191.6 (181.9 - 201.8) 310 136.9 (129.8 - 144.4) 298  Downeast 178.7 (168.7 - 189.6) 252 210.5 (200.7 - 237.8) 130 146.0 (133.7 - 159.8) 113				461				210		, ,					210
Downeast 178.7 (18.7 - 189.6) 252 210.5 (2027 - 237.8) 139 146.0 (13.7 - 159.8) 113						310				, ,					
Midcoast   166.1 (158.6 - 174.0)   400   193.4 (183.5 - 206.2)   212   144.4 (134.9 - 134.7)   16				252		139		113						, ,	$\overline{}$
Historia 1441 (1594 1740) 400 1054 (1925 2092) 212 1444 (1249 1549) 199															192
Penguis   1/6,/(169,0 - 184,8)   410   211.6 (199.3 - 223.1)   224   130.3 (140.7 - 160.7)   19		Penguis	178.0 (170.3 - 186.0)	419	213.8 (201.3 - 227.3)	227	150.9 (141.3 - 161.4)	193	Penquis	176.7 (169.0 - 184.8)					221
D		Western	176.4 (169.2 - 183.9)	474	207.6 (196.0 - 219.9)	254	152.0 (142.9 - 161.7)	220				. ,			234
Penquis 178.0 (170.3 - 186.0) 419 213.8 (201.3 - 227.3) 227 150.9 (141.3 - 161.4) 193  Western 177.3 (170.1 - 184.9) 474 208.7 (197.1 - 221.0) 256 152.7 (143.6 - 162.5) 22				488	201.5 (190.3 - 213.5)	254	147.1 (138.5 - 156.3)	234							
Penquis 178.0 (170.3 - 186.0) 419 213.8 (201.3 - 227.3) 227 150.9 (141.3 - 161.4) 193 Western 176.4 (169.2 - 183.9) 474 207.6 (196.0 - 219.9) 254 152.0 (142.9 - 161.7) 220  Yestern 170.3 (163.5 - 177.5) 488 201.5 (190.3 - 213.4) 254 147.1 (138.5 - 156.2) 234		York	170.3 (163.5 - 177.5)						Maine	172.0 (109.4 - 174.0)	3,293	203.9 (201.5 - 210.4)	1,730	140.9 (143.5 - 130.3)	1,545
Mid-rest 1441/1594 1740\ 400 1954/1925 209.2\ 212 1444/1240 1549\ 199		Central Cumberland Downeast	188.3 (180.5 - 196.5) 158.4 (152.7 - 164.3) 178.7 (168.7 - 189.6)	461 608 252	226.3 (213.5 - 239.9) 191.6 (181.9 - 201.8) 219.5 (202.7 - 237.8)	250 310 139	158.1 (148.4 - 168.5) 136.9 (129.8 - 144.4) 146.0 (133.7 - 159.8)	210 298 113	Central Cumberland Downeast Midcoast	188.3 (180.5 - 196.5) 158.4 (152.7 - 164.3) 179.0 (168.9 - 189.8) 166.1 (158.6 - 174.0)	461 608 252 400	226.3 (213.5 - 239.8) 191.6 (181.9 - 201.7) 220.5 (203.8 - 238.8) 195.4 (183.5 - 208.2)	250 310 140 212	158.1 (148.5 - 136.9 (129.8 - 145.7 (133.5 - 144.4 (134.9 -	· 168.4) · 144.4) · 159.3) · 154.7)
D		Western	176.4 (169.2 - 183.9)	474	207.6 (196.0 - 219.9)	254	152.0 (142.9 - 161.7)	220				. ,			
Penquis 178.0 (170.3 - 186.0) 419 213.8 (201.3 - 227.3) 227 150.9 (141.3 - 161.4) 193  Western 177.3 (170.1 - 184.9) 474 208.7 (197.1 - 221.0) 256 152.7 (143.6 - 162.5) 22				488	201.5 (190.3 - 213.5)	254	147.1 (138.5 - 156.3)	234				205.9 (201.5 - 210.4)	1.750	146.9 (143.5 - 150.3)	1,545
Penquis 178.0 (170.3 - 186.0) 419 213.8 (201.3 - 227.3) 227 150.9 (141.3 - 161.4) 193 Western 176.4 (169.2 - 183.9) 474 207.6 (196.0 - 219.9) 254 152.0 (142.9 - 161.7) 220  Yestern 170.3 (163.5 - 177.5) 488 201.5 (190.3 - 213.4) 254 147.1 (138.5 - 156.2) 234		York	170.3 (163.5 - 177.5)						ATTION NO.		-,		1,000		.,2
Penquis 178.0 (170.3 - 186.0) 419 213.8 (201.3 - 227.3) 227 150.9 (141.3 - 161.4) 193 Western 176.4 (169.2 - 183.9) 474 207.6 (196.0 - 219.9) 254 152.0 (142.9 - 161.7) 220  Yestern 170.3 (163.5 - 177.5) 488 201.5 (190.3 - 213.4) 254 147.1 (138.5 - 156.2) 234					Moine 172.0 (169.4 - 174.8) 3,295 206.0 (201.5 - 210.5) 1,750 146.9 (143.5 - 150.3) 1,545  Notes:  A shoded cell indicates that the Country/District rate is significantly higher than the Maine rate.  Rates are calculated per 100,000 population and age-adjusted to the year 2000 U.S. standard population.  Abbreviations. AA — Age-adjusted, CI = Contificence Interval, Count/Yr = Average Annual Count.  Subgroup counts might not sum to Maine total due to rounding.										

### Lung and Bronchus Cancer: Mortality by County of Residence, Maine 2013-2017

	Total		Male		Female	
	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr	AA Rate (95% (7)	Count/Yr
Androscoggin	54.3 (48.9 - 60.4)	76	62.6 (54.0 - 72.6)	40	46.7 (40.0 - 54.7)	35
Aroostook	51.8 (45.9 - 58.6)	59	61.3 (51.9 - 72.8)	32	44.4 (37.1 - 53.8)	27
Cumberland	41.3 (38.4 - 44.4)	159	51.2 (46.3 - 56.7)	84	34.7 (31.2 - 38.6)	75
Franklin	46.6 (37.9 - 57.7)	21	54.2 (40.9 - 72.9)	12	40.1 (29.2 - 56.1)	9
Hancock	47.0 (40.7 - 54.6)	42	53.6 (43.6 - 66.3)	22	41.3 (33.4 - 51.9)	20
Kennebec	49.9 (45.3 - 55.2)	87	62.9 (55.2 - 71.9)	51	39.0 (33.4 - 45.6)	37
Knox	46.3 (39.1 - 55.2)	32	53.6 (42.4 - 68.6)	17	41.3 (32.1 - 54.3)	15
Lincoln	38.7 (31.6 - 48.0)	23	43.1 (32.2 - 58.8)	12	34.6 (25.8 - 48.0)	- 11
Oxford	60.2 (53.0 - 68.5)	54	75.2 (63.6 - 89.5)	32	47.4 (38.7 - 58.5)	22
Psnobscot	53.4 (49.0 - 58.3)	110	66.0 (58.6 - 74.2)	62	44.1 (38.6 - 50.6)	49
Piscataquis	52.9 (42.1 - 68.2)	17	56.0 (40.0 - 81.9)	8	52.2 (37.6 - 76.5)	9
Sagadahoc	47.6 (39.5 - 57.6)	26	59.3 (46.0 - 77.0)	14	38.3 (28.9 - 52.0)	- 11
Somerset	60.5 (52.7 - 69.7)	45	75.0 (62.3 - 90.7)	26	48.5 (39.0 - 60.8)	19
Waldo	43.2 (35.8 - 52.4)	26	58.0 (45.1 - 75.0)	15	33.1 (24.5 - 45.6)	- 11
Washington	62.5 (53.0 - 74.2)	33	73.4 (58.5 - 93.0)	18	54.1 (42.1 - 70.7)	15
York	48.0 (44.5 - 51.9)	141	58.0 (52.2 - 64.6)	76	40.1 (35.8 - 45.1)	65
Maine	48.8 (47.4 - 50.3)	950	59.2 (56.9 - 61.6)	520	40.8 (39.0 - 42.6)	430

### Lung and Bronchus Cancer: Mortality by Public Health District of Residence, Maine 2013-2017

Total		Male		Fenale	
AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr
51.8 (45.9 - 58.6)	59	61.3 (51.9 - 72.8)	32	44.4 (37.1 - 53.8)	27
53.1 (49.1 - 57.6)	132	66.5 (59.9 - 74.1)	77	41.9 (37.0 - 47.5)	55
41.3 (38.4 - 44.4)	159	51.2 (46.3 - 56.7)	84	34.7 (31.2 - 38.6)	75
52.5 (47.2 - 58.7)	75	60.9 (52.4 - 71.1)	40	45.6 (38.9 - 53.9)	35
43.5 (39.7 - 47.7)	106	52.4 (46.3 - 59.4)	58	36.8 (32.2 - 42.4)	49
53.4 (49.3 - 58.0)	127	64.7 (57.9 - 72.3)	70	45.2 (40.0 - 51.3)	57
54.7 (50.8 - 59.0)	150	65.0 (58.8 - 72.0)	83	45.7 (40.8 - 51.2)	67
48.0 (44.5 - 51.9)	141	58.0 (52.2 - 64.6)	76	40.1 (35.8 - 45.1)	65
48.8 (47.4 - 50.3)	950	59.2 (56.9 - 61.6)	520	40.8 (39.0 - 42.6)	430
	AA Rate (95% CI) 51.8 (45.9 - 58.6) 53.1 (49.1 - 57.6) 41.3 (38.4 - 44.4) 52.5 (47.2 - 58.7) 43.5 (39.7 - 47.7) 53.4 (49.3 - 58.0) 54.7 (50.8 - 59.0) 48.0 (44.5 - 51.9)	AA Rate (95% CI) Count/Yr 51.8 (45.9 - 58.6) 59 53.1 (49.1 - 57.6) 132 41.3 (38.4 - 44.4) 159 52.5 (47.2 - 58.7) 75 43.5 (39.7 - 47.7) 106 53.4 (49.3 - 58.0) 127 54.7 (50.8 - 59.0) 150 48.0 (44.5 - 51.9) 141	AA Rate (95% CI) Count/Yr AA Rate (95% CI) 51.8 (45.9 - 58.6) 59 61.3 (51.9 - 72.8) 53.1 (49.1 - 57.6) 132 66.5 (59.9 - 74.1) 41.3 (38.4 - 44.4) 159 51.2 (46.3 - 56.7) 52.5 (47.2 - 58.7) 75 60.9 (52.4 - 71.1) 43.5 (39.7 - 47.7) 106 52.4 (46.3 - 59.4) 53.4 (49.3 - 58.0) 127 64.7 (57.9 - 72.3) 54.7 (50.8 - 59.0) 150 65.0 (58.8 - 72.0) 48.0 (44.5 - 51.9) 141 58.0 (52.2 - 64.6)	AA Rate (95% CI)         Count/Yr         AA Rate (95% CI)         Count/Yr           51.8 (45.9 - 58.6)         59         61.3 (51.9 - 72.8)         32           53.1 (49.1 - 57.6)         132         66.5 (59.9 - 74.1)         77           41.3 (38.4 - 44.4)         159         51.2 (46.3 - 56.7)         84           52.5 (47.2 - 58.7)         75         60.9 (52.4 - 71.1)         40           43.5 (39.7 - 47.7)         106         52.4 (46.3 - 59.4)         58           53.4 (49.3 - 58.0)         127         64.7 (57.9 - 72.3)         70           54.7 (50.8 - 59.0)         150         65.0 (58.8 - 72.0)         83           48.0 (44.5 - 51.9)         141         58.0 (52.2 - 64.6)         76	AA Rate (95% CI)         Count/Yr         AA Rate (95% CI)         Count/Yr         AA Rate (95% CI)         Count/Yr         AA Rate (95% CI)           51.8 (45.9 - 58.6)         59         61.3 (51.9 - 72.8)         32         44.4 (37.1 - 53.8)           53.1 (49.1 - 57.6)         132         66.5 (59.9 - 74.1)         77         41.9 (37.0 - 47.5)           41.3 (38.4 - 44.4)         159         51.2 (46.3 - 56.7)         84         34.7 (31.2 - 38.6)           52.5 (47.2 - 58.7)         75         60.9 (52.4 - 71.1)         40         45.6 (38.9 - 53.9)           43.5 (39.7 - 47.7)         106         52.4 (46.3 - 59.4)         58         36.8 (32.2 - 42.4)           53.4 (49.3 - 58.0)         127         64.7 (57.9 - 72.3)         70         45.2 (40.0 - 51.3)           54.7 (50.8 - 59.0)         150         65.0 (58.8 - 72.0)         83         45.7 (40.8 - 51.2)           48.0 (44.5 - 51.9)         141         58.0 (52.2 - 64.6)         76         40.1 (35.8 - 45.1)

#### Notes:

- A shaded cell indicates that the County/District rate is significantly higher than the Maine rate.
- Mortality case definitions are based on ICD-10 codes (See Appendix 3).
- Rates are calculated per 100,000 population and age-adjusted to the year 2000 U.S. standard population.
- Abbreviations: AA = Age-adjusted; CI = Confidence Interval; Count/Yr = Average Annual Count.
- . Subgroup counts might not sum to Maine total due to rounding.

### Data Source:

Maine Mortality: Maine CDCs Data, Research, and Vital Statistics.

### Lung and Bronchus Cancer: Mortality by County of Residence, Maine 2013-2017

	Total		Male		Female	
	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr
Androscoggin	54.3 (48.9 - 60.4)	76	62.6 (54.0 - 72.5)	40	46.7 (40.0 - 54.6)	35
Aroostook	51.8 (45.9 - 58.5)	59	61.3 (51.9 - 72.6)	32	44.4 (37.1 - 53.5)	27
Cumberland	41.3 (38.4 - 44.4)	159	51.2 (46.3 - 56.6)	84	34.7 (31.2 - 38.6)	75
Franklin	46.6 (37.9 - 57.4)	21	54.2 (40.9 - 72.3)	12	40.1 (29.2 - 55.4)	9
Hancock	47.0 (40.7 - 54.5)	42	53.6 (43.6 - 66.0)	22	41.3 (33.4 - 51.5)	20
Kennebec	49.9 (45.3 - 55.1)	87	62.9 (55.2 - 71.8)	51	39.0 (33.4 - 45.5)	37
Knox	46.3 (39.1 - 55.0)	32	53.6 (42.4 - 68.1)	17	41.3 (32.1 - 53.7)	15
Lincoln	38.7 (31.6 - 47.7)	23	43.1 (32.2 - 58.2)	12	34.6 (25.8 - 47.3)	11
Oxford	60.7 (53.5 - 69.0)	54	75.9 (64.1 - 89.9)	32	48.0 (39.4 - 58.9)	22
Penobscot	53.3 (48.8 - 58.1)	110	65.7 (58.4 - 73.9)	62	44.1 (38.5 - 50.4)	48
Piscataquis	51.3 (40.6 - 65.8)	16	54.5 (38.7 - 78.6)	8	50.2 (35.8 - 72.7)	8
Sagadahoc	47.6 (39.5 - 57.4)	26	59.3 (46.0 - 76.6)	14	38.3 (28.9 - 51.4)	11
Somerset	60.5 (52.7 - 69.6)	45	75.0 (62.3 - 90.4)	26	48.5 (39.0 - 60.5)	19
Waldo	43.2 (35.8 - 52.2)	26	58.0 (45.1 - 74.6)	15	33.1 (24.5 - 45.1)	11
Washington	63.2 (53.6 - 74.6)	34	74.3 (59.3 - 93.5)	18	54.5 (42.5 - 70.6)	15
York	48.0 (44.5 - 51.8)	141	58.0 (52.2 - 64.5)	76	40.1 (35.8 - 45.0)	65
Maine	48.8 (47.4 - 50.3)	950	59.2 (56.9 - 61.6)	520	40.8 (39.0 - 42.6)	430

### Lung and Bronchus Cancer: Mortality by Public Health District of Residence, Maine 2013-2017

	Total		Male		Female	
	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr
Aroostook	51.8 (45.9 - 58.5)	59	61.3 (51.9 - 72.6)	159	44.4 (37.1 - 53.5)	27
Contral	53.1 (49.1 - 57.5)	132	66.5 (59.9 - 74.0)	385	41.9 (37.0 - 47.5)	55
Cumberland	41.3 (38.4 - 44.4)	159	51.2 (46.3 - 56.6)	418	34.7 (31.2 - 38.6)	75
Downeast	52.8 (47.4 - 58.8)	75	61.3 (52.8 - 71.3)	202	45.7 (39.0 - 53.9)	35
Midcoast	43.5 (39.7 - 47.6)	106	52.4 (46.3 - 59.3)	288	36.8 (32.2 - 42.3)	49
Panquis	53.1 (49.0 - 57.6)	126	64.2 (57.5 - 71.7)	349	44.9 (39.7 - 50.8)	57
Western	54.9 (51.0 - 59.2)	151	65.2 (59.0 - 72.2)	418	45.9 (41.0 - 51.4)	67
York	48.0 (44.5 - 51.8)	141	58.0 (52.2 - 64.5)	382	40.1 (35.8 - 45.0)	65
Maine	48.8 (47.4 - 50.3)	950	59.2 (56.9 - 61.6)	520	40.8 (39.0 - 42.6)	430

#### Notes:

- A shaded cell indicates that the County/District rate is significantly higher than the Maine rate.
- Mortality case definitions are based on ICD-10 codes (See Appendix 3).
- Rates are calculated per 100,000 population and age-adjusted to the year 2000 U.S. standard population.
- Abbreviations: AA = Age-adjusted; CI = Confidence Interval; Count/Yr = Average Annual Count.
- Subgroup counts might not sum to Maine total due to rounding.

### Data Source:

Maine Mortality: Maine CDC's Data, Research, and Vital Statistics.

# Tobacco-related Cancers, Excluding Lung and Bronchus: Mortality by County of Residence, Maine 2013-

	Total		Male		Female	
	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr
Androscoggin	53.9 (48.5 - 60.0)	75	70.0 (60.7 - 80.7)	43	41.1 (34.8 - 48.7)	32
Aroostook	50.7 (44.9 - 57.5)	58	69.6 (59.3 - 81.9)	35	35.4 (29.0 - 43.7)	23
Cumberland	49.2 (46.0 - 52.6)	190	65.4 (59.9 - 71.5)	108	37.1 (33.4 - 41.2)	81
Franklin	46.2 (37.5 - 57.4)	21	69.9 (54.6 - 90.4)	15	25.4 (16.6 - 39.7)	6
Hancock	50.5 (43.8 - 58.4)	45	65.4 (54.1 - 79.4)	26	37.6 (30.0 - 47.9)	19
Kennebec	58.4 (53.4 - 64.1)	101	77.1 (68.3 - 87.0)	59	43.3 (37.5 - 50.3)	41
Knox	48.9 (41.4 - 58.0)	33	75.0 (61.5 - 92.3)	23	27.1 (20.0 - 38.2)	10
Lincoln	48.3 (40.8 - 57.9)	32	70.0 (57.0 - 87.4)	21	30.6 (22.4 - 43.5)	- 11
Oxford	57.3 (50.2 - 65.6)	49	81.7 (69.2 - 96.8)	33	36.4 (28.8 - 46.5)	17
Panobscot	49.0 (44.7 - 53.7)	101	67.9 (60.4 - 76.4)	62	33.4 (28.8 - 39.0)	38
Piscataquis	69.7 (56.7 - 87.1)	21	93.3 (71.8 - 124.2)	14	47.9 (33.4 - 72.1)	7
Sagadahoc	40.5 (33.1 - 50.0)	22	53.7 (40.9 - 70.9)	13	30.0 (21.8 - 42.4)	9
Somerset	57.8 (50.2 - 66.9)	43	69.0 (56.9 - 84.0)	25	47.5 (38.1 - 59.8)	19
Waldo	51.4 (43.1 - 61.6)	29	67.6 (53.5 - 85.8)	17	37.3 (28.2 - 50.2)	12
Washington	60.2 (51.0 - 71.5)	32	87.3 (70.9 - 108.3)	21	36.9 (27.5 - 51.2)	- 11
York	52.6 (48.8 - 56.7)	152	67.1 (60.8 - 74.2)	87	40.7 (36.3 - 45.8)	65
Maine	52.0 (50.6 - 53.5)	1,004	69.9 (67.3 - 72.5)	603	37.5 (35.8 - 39.2)	401

Tobacco-related Cancers, Excluding Lung and Bronchus: Mortality by Public Health District of Residence, Maine 2013-2017

	Total		Male		Female	
	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr
Aroostook	50.7 (44.9 - 57.5)	58	69.6 (59.3 - 81.9)	35	35.4 (29.0 - 43.7)	23
Contral	58.3 (54.0 - 63.0)	144	74.6 (67.4 - 82.7)	84	44.6 (39.5 - 50.3)	60
Cumberland	49.2 (46.0 - 52.6)	190	65.4 (59.9 - 71.5)	108	37.1 (33.4 - 41.2)	81
Downeast	54.0 (48.5 - 60.2)	77	73.6 (64.1 - 84.7)	47	37.3 (31.2 - 44.9)	29
Midcoast	47.5 (43.6 - 51.8)	116	67.3 (60.4 - 75.2)	74	31.0 (26.8 - 36.1)	42
Panquis	51.6 (47.5 - 56.1)	122	71.5 (64.3 - 79.5)	76	35.1 (30.6 - 40.4)	46
Wastern	53.7 (49.8 - 58.0)	145	73.5 (66.7 - 81.1)	91	37.1 (32.7 - 42.2)	54
York	52.6 (48.8 - 56.7)	152	67.1 (60.8 - 74.2)	87	40.7 (36.3 - 45.8)	65
Maine	52.0 (50.6 - 53.5)	1,004	69.9 (67.3 - 72.5)	603	37.5 (35.8 - 39.2)	401

#### Notes:

- A shaded cell indicates that the County/District rate is significantly higher than the Maine rate.
- Mortality case definitions are based on ICD-10 codes (See Appendix 3).
- Rates are calculated per 100,000 population and age-adjusted to the year 2000 U.S. standard population.
- Abbreviations: AA = Age-adjusted; CI = Confidence Interval; Count/Yr = Average Annual Count.
- Tobacco-related cancers excluding lung and branchus defined as concers of the oral cavity and pharynx, esophagus, stomach, colon and rectum, liver, pancreas, larynx, carvix uteri, urinary bladder, kidney and renal polivis, and acute myeloid laukemia.
- Subgroup counts might not sum to Maine total due to rounding.

### Data Source:

Maine Mortality: Maine CDC's Data, Research, and Vital Statistics.

#### Tobacco-related Cancers, Excluding Lung and Bronchus: Mortality by County of Residence, Maine 2013-2017

	Total		Male		Female	
	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr
Androscoggin	53.9 (48.5 - 60.0)	75	70.0 (60.7 - 80.6)	43	41.1 (34.8 - 48.5)	32
Aroostook	50.7 (44.9 - 57.4)	58	69.6 (59.3 - 81.7)	35	35.4 (29.0 - 43.5)	23
Cumberland	49.2 (46.0 - 52.6)	190	65.4 (59.9 - 71.4)	108	37.1 (33.4 - 41.1)	81
Franklin	46.1 (37.4 - 57.0)	21	69.8 (54.5 - 89.7)	15	25.4 (16.6 - 38.9)	6
Hancock	50.5 (43.8 - 58.3)	45	65.4 (54.1 - 79.1)	26	37.6 (30.0 - 47.5)	19
Kennebec	58.4 (53.4 - 64.0)	101	77.1 (68.3 - 86.9)	59	43.3 (37.5 - 50.1)	41
Knox	48.9 (41.4 - 57.8)	33	75.0 (61.5 - 91.9)	23	27.1 (20.0 - 37.6)	10
Lincoln	48.3 (40.8 - 57.6)	32	70.0 (57.0 - 86.8)	21	30.6 (22.4 - 42.8)	11
Oxford	58.6 (51.4 - 66.9)	51	83.2 (70.6 - 98.2)	33	37.4 (29.7 - 47.3)	17
Panobscot	49.4 (45.1 - 54.1)	102	68.2 (60.6 - 76.6)	63	34.0 (29.3 - 39.5)	39
Piscataquis	65.8 (53.2 - 82.2)	20	89.2 (68.0 - 118.4)	13	44.5 (30.7 - 66.5)	7
Sagadahoc	40.5 (33.1 - 49.8)	22	53.7 (40.9 - 70.4)	13	30.0 (21.8 - 41.8)	9
Somerset	57.8 (50.2 - 66.7)	43	69.0 (56.9 - 83.7)	25	47.5 (38.1 - 59.4)	19
Waldo	51.4 (43.1 - 61.4)	29	67.6 (53.5 - 85.3)	17	37.3 (28.2 - 49.7)	12
Washington	58.6 (49.5 - 69.6)	31	86.7 (70.4 - 107.2)	21	34.7 (25.6 - 48.0)	10
York	52.6 (48.8 - 56.7)	152	67.1 (60.8 - 74.1)	87	40.7 (36.3 - 45.7)	65
Maine	52.0 (50.6 - 53.5)	1,004	69.9 (67.3 - 72.5)	603	37.5 (35.8 - 39.2)	401

# Tobacco-related Cancers, Excluding Lung and Bronchus: Mortality by Public Health District of Residence, Maine 2013-2017

	Total		Male		Female	
	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr
Aroostook	50.7 (44.9 - 57.4)	58	69.6 (59.3 - 81.7)	35	35.4 (29.0 - 43.5)	23
Central	58.3 (54.0 - 62.9)	144	74.6 (67.4 - 82.6)	84	44.6 (39.5 - 50.3)	60
Cumberland	49.2 (46.0 - 52.6)	190	65.4 (59.9 - 71.4)	108	37.1 (33.4 - 41.1)	81
Downeast	53.4 (48.0 - 59.5)	76	73.4 (63.9 - 84.3)	47	36.5 (30.5 - 43.9)	29
Midcoast	47.5 (43.6 - 51.8)	116	67.3 (60.4 - 75.1)	74	31.0 (26.8 - 36.0)	42
Panquis	51.5 (47.4 - 55.9)	122	71.1 (63.9 - 79.0)	76	35.2 (30.7 - 40.4)	46
Western	54.1 (50.2 - 58.4)	146	74.0 (67.2 - 81.5)	91	37.4 (33.0 - 42.5)	55
York	52.6 (48.8 - 56.7)	152	67.1 (60.8 - 74.1)	87	40.7 (36.3 - 45.7)	65
Maine	52.0 (50.6 - 53.5)	1,004	69.9 (67.3 - 72.5)	603	37.5 (35.8 - 39.2)	401

#### Notes:

- A shaded cell indicates that the County/District rate is significantly higher than the Maine rate.
- Mortality case definitions are based on ICD-10 codes (See Appendix 3).
- . Rates are calculated per 100,000 population and age-adjusted to the year 2000 U.S. standard population.
- Abbroviations: AA = Ago-adjusted; CI = Confidence Interval; Count/Yr = Average Annual Count.
- Tobacco-related censors excluding lung and branchus defined as censors of the oral cavity and pharyxx, esophagus, stomach, colon and rectum, liver, pancreas, laryxx, carvix uteri, urinary bladder, kidney and renal polvis, and acute myeloid leukemia.
   Subgroup counts might not sum to Maine total due to rounding.

### Data Source:

Maine Mortality: Maine CDC's Data, Research, and Vital Statistics.

# Page 51

Prostate Cancer: Mortality by County of Residence, Maine 2013-2017

	Male	
	AA Rate (95% CI)	Count/Yr
Androscoggin	12.8 (8.9 - 18.2)	7
Aroostook	20.3 (14.9 - 28.0)	10
Cumberland	19.3 (16.2 - 22.9)	29
Franklin	23.4 (14.7 - 37.9)	5
Hancock	23.3 (16.7 - 32.9)	9
Kennebec	23.6 (18.7 - 29.8)	17
Knox	21.7 (14.8 - 32.6)	7
Lincoln	19.2 (12.5 - 30.8)	5
Oxford	14.7 (9.6 - 22.8)	5
Panobscot	18.0 (14.2 - 23.0)	15
Piscataquis	22.2 (12.3 - 43.4)	3
Sagadahoc	35.1 (24.7 - 50.2)	8
Somerset	18.9 (12.6 - 28.6)	6
Waldo	17.7 (10.6 - 29.3)	4
Washington	28.6 (19.3 - 43.2)	6
York	22.3 (18.6 - 26.8)	26
Maine	20.5 (19.0 - 22.0)	161

### Prostate Cancer: Mortality by Public Health District of Residence, Maine 2013-2017

	Male	
	AA Rate (95% CI)	Count/Yr
Aroostook	20.3 (14.9 - 28.0)	10
Central	22.2 (18.2 - 27.1)	23
Cumberland	19.3 (16.2 - 22.9)	29
Downeast	25.3 (19.8 - 32.7)	15
Midcoast	22.9 (18.9 - 27.8)	24
Ponquis	18.6 (14.9 - 23.2)	18
Western	15.2 (12.2 - 19.1)	17
York	22.3 (18.6 - 26.8)	26
Maine	20.5 (19.0 - 22.0)	161

- A shaded cell indicates that the County/District rate is significantly higher than the Maine rate.
- Mortality case definitions are based on ICD-10 codes (See Appendix 3).
- Rotes are calculated per 100,000 population and age-adjusted to the year 2000 U.S. standard population.
   Abbraviations: AA = Age-adjusted; CI = Confidence Interval; Count/Yr = Average Annual Count.
   Subgroup counts might not sum to Mains total due to rounding.

Data Source:

Maine Mortality: Maine CDC's Data, Research, and Vital Statistics.

Maine 2020 Annual Report of Cancer

#### Prostate Cancer: Mortality by County of Residence, Maine 2013-2017

	Male	
	AA Rate (95% CI)	Count/Yr
Androscoggin	12.8 (8.9 - 18.1)	7
Aroostook	20.3 (14.9 - 27.7)	10
Cumberland	19.3 (16.2 - 22.8)	29
Franklin	23.4 (14.7 - 37.2)	5
Hancock	23.3 (16.7 - 32.5)	9
Kennebec	23.6 (18.7 - 29.7)	17
Knox	21.7 (14.8 - 32.1)	7
Lincoln	19.2 (12.5 - 30.1)	5
Oxford	14.7 (9.6 - 22.4)	5
Panobscot	17.8 (13.9 - 22.6)	15
Piscataquis	22.2 (12.3 - 41.6)	3
Sagadahoc	35.1 (24.7 - 49.7)	8
Somerset	18.9 (12.6 - 28.3)	6
Waldo	17.7 (10.6 - 28.7)	4
Washington	29.7 (20.2 - 43.9)	6
York	22.3 (18.6 - 26.7)	26
Maine	20.5 (19.0 - 22.0)	161

### Maine 2020 Annual Report of Cancer

#### Prostate Cancer: Mortality by Public Health District of Residence, Maine 2013-2017

	Male	
	AA Rate (95% CI)	Count/Yr
Aroostook	20.3 (14.9 - 27.7)	10
Contral	22.2 (18.2 - 27.0)	23
Cumberland	19.3 (16.2 - 22.8)	29
Downeast	25.7 (20.1 - 33.0)	15
Midcoast	22.9 (18.9 - 27.7)	24
Ponquis	18.4 (14.7 - 22.9)	18
Western	15.2 (12.2 - 19.1)	17
York	22.3 (18.6 - 26.7)	26
Maine	20.5 (19.0 - 22.0)	161

#### Notes:

- A shaded cell indicates that the County/District rate is significantly higher than the Maine rate.
- Mortality case definitions are based on ICD-10 codes (See Appendix 3).
- Rates are calculated per 100,000 population and age-adjusted to the year 2000 U.S. standard population.
  Abbreviations: AA = Age-adjusted; CI = Confidence Interval; Count/Yr = Average Annual Count.
- Subgroup counts might not sum to Maine total due to rounding.

Data Source:

Maine Mortality: Maine CDC's Data, Research, and Vital Statistics.

# Page 52

Maine 2020 Annual Report of Cancer

Female Breast Cancer: Mortality by County of Residence, Maine 2013-2017

	Female	
	AA Rate (95% CI)	Count/Yr
Androscoggin	17.6 (13.5 - 23.0)	13
Aroostook	18.9 (13.8 - 26.3)	11
Cumberland	18.2 (15.7 - 21.3)	39
Franklin	22.4 (14.5 - 35.8)	5
Hancock	15.1 (10.4 - 22.7)	7
Kannabac	19.1 (15.2 - 24.1)	18
Knox	28.9 (20.4 - 41.5)	9
Lincoln	17.7 (11.3 - 29.2)	6
Oxford	15.0 (10.0 - 23.0)	6
Penobscot	19.0 (15.4 - 23.5)	21
Piscataquis	17.6 (9.5 - 36.8)	3
Sagadahoc	19.5 (12.6 - 31.0)	.5
Somerset	20.3 (14.2 - 29.4)	8
Waldo	15.2 (9.1 - 25.7)	4
Washington	17.5 (10.7 - 29.6)	5
York	19.1 (16.0 - 22.9)	30
Maine	18.6 (17.4 - 19.9)	190

Female Breast Cancer: Mortality by Public Health District of Residence, Maine 2013-2017

	Female	
	AA Rate (95% CI)	Count/Yr
Aroostook	18.9 (13.8 - 26.3)	- 11
Control	19.5 (16.2 - 23.7)	26
Cumberland	18.2 (15.7 - 21.3)	39
Downeast	15.9 (11.9 - 21.7)	12
Midcoast	20.6 (16.9 - 25.4)	24
Penquis	18.8 (15.5 - 23.0)	24
Western	17.5 (14.5 - 21.3)	25
York	19.1 (16.0 - 22.9)	30
Maine	18.6 (17.4 - 19.9)	190

- A shoded cell indicates that the County/District rate is significantly higher than the Maine rate.

  Mortality case definitions are based on ICD-10 codes [See Appendix 3].

  Rates are calculated per 100,000 population and age-adjusted to the year 2000 U.S. standard population.

  Abbreviations: AB Age-adjusted; CI = Confidence Interval; County/Tr = Average Annual Count.

  Subgroup counts might not sum to Maine total due to rounding.

Maine Mortality: Maine CDCs Data, Research, and Vital Statistics.

Female Breast Cancer: Mortality by County of Residence, Maine 2013-2017

	Female	
	AA Rate (95% CI)	Count/Yr
Androscoggin	17.6 (13.5 - 22.8)	13
Aroostook	18.9 (13.8 - 26.0)	11
Cumberland	18.2 (15.7 - 21.2)	39
Franklin	22.4 (14.5 - 35.0)	5
Hancock	15.4 (10.7 - 22.7)	7
Kennebec	19.1 (15.2 - 24.0)	18
Knox	28.9 (20.4 - 41.0)	9
Lincoln	17.7 (11.3 - 28.4)	6
Oxford	15.8 (10.6 - 23.5)	7
Penobscot	19 (15.4 - 23.4)	21
Piscataquis	15.3 (7.8 - 32.3)	2
Sagadahoc	19.5 (12.6 - 30.4)	5
Somerset	20.3 (14.2 - 29.0)	8
Waldo	14.7 (8.7 - 24.6)	4
Washington	17.5 (10.7 - 28.9)	5
York	19.1 (16.0 - 22.8)	30
Maine	18.6 (17.4 - 19.9)	190

Maine 2020 Annual Report of Cancer

Female Breast Cancer: Mortality by Public Health District of Residence, Maine 2013-2017

	Female	
	AA Rate (95% CI)	Count/Yr
Aroostook	18.9 (13.8 - 26.0)	11
Central	19.5 (16.2 - 23.6)	26
Cumberland	18.2 (15.7 - 21.2)	39
Downeast	16.1 (12.1 - 21.7)	12
Midcoast	20.5 (16.7 - 25.1)	24
Penquis	18.6 (15.2 - 22.6)	23
Western	17.7 (14.7 - 21.5)	25
York	19.1 (16.0 - 22.8)	30
Maine	18.6 (17.4 - 19.9)	190

- A shaded cell indicates that the County/District rate is significantly higher than the Maine rate.
- Mortality case definitions are based on ICC-10 codes (See Appendix 3).

   Rotes are calculated per 100,000 population and age-adjusted to the year 2000 U.S. standard population.
   Abbraviations: AA = Age-adjusted; 12 Confidence Interval; Count/Yr = Avarage Annual Count.
   Subgroup counts might not sum to Maine total due to rounding.

Data Source:
 Maino Mortality: Maino CDC's Data, Rosearch, and Vital Statistics.

Colon and Rectum Cancer: Mortality by County of Residence, Maine 2013-2017

	Total		Male		Female	
	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr
Androscoggin	11.1 (8.6 - 14.2)	15	11.8 (8.1 - 17.0)	7	10.4 (7.3 - 14.9)	8
Aroostook	12.6 (9.9 - 16.5)	15	12.4 (8.3 - 18.8)	6	12.8 (9.1 - 18.7)	8
Cumberland	11.1 (9.6 - 12.9)	41	11.6 (9.3 - 14.5)	18	10.7 (8.7 - 13.1)	23
Franklin	11.6 (7.5 - 18.5)	5	19.4 (11.7 - 33.1)	4	5.0 (1.8 - 14.9)	1
Hancock	16.8 (12.9 - 22.0)	14	19.5 (13.2 - 28.8)	7	14.0 (9.6 - 21.3)	7
Kennebec	14.0 (11.5 - 17.0)	24	16.7 (12.6 - 22.0)	12	12.2 (9.2 - 16.4)	12
Knox	9.7 (6.7 - 14.6)	7	12.5 (7.4 - 21.9)	4	7.1 (4.0 - 14.8)	3
Lincoln	14.0 (10.2 - 20.2)	9	19.6 (12.9 - 31.2)	6	10.5 (6.0 - 20.5)	4
Oxford	15.1 (11.5 - 20.0)	13	19.2 (13.2 - 28.2)	7	11.8 (7.8 - 18.6)	6
Panobscot	12.9 (10.7 - 15.6)	26	13.7 (10.4 - 18.1)	12	12.2 (9.4 - 15.9)	14
Piscataquis	17.3 (10.8 - 29.0)	5	18.5 (9.3 - 39.4)	3	15.2 (7.4 - 34.5)	2
Sagadahoc	12.1 (8.3 - 18.3)	7	14.6 (8.1 - 26.2)	3	10.1 (5.9 - 19.2)	3
Somerset	13.4 (9.7 - 18.5)	10	13.0 (8.1 - 21.4)	5	13.1 (8.3 - 21.2)	5
Waldo	13.8 (9.7 - 20.0)	8	18.0 (11.0 - 29.5)	4	11.1 (6.4 - 20.3)	3
Washington	18.7 (13.8 - 26.0)	10	24.2 (16.0 - 37.7)	6	13.3 (8.2 - 23.7)	4
York	12.4 (10.6 - 14.6)	35	14.0 (11.1 - 17.7)	17	11.0 (8.7 - 14.0)	17
Maine	12.9 (12.1 - 13.6)	243	14.7 (13.5 - 16.0)	122	11.3 (10.4 - 12.3)	121

### Colon and Rectum Cancer: Mortality by Public Health District of Residence, Maine 2013-2017

	Total		Male		Female	
	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr
Aroostook	12.6 (9.9 - 16.5)	15	12.4 (8.3 - 18.8)	6	12.8 (9.1 - 18.7)	8
Contral	13.8 (11.8 - 16.3)	34	15.7 (12.4 - 19.9)	17	12.5 (9.9 - 15.9)	17
Cumberland	11.1 (9.6 - 12.9)	41	11.6 (9.3 - 14.5)	18	10.7 (8.7 - 13.1)	23
Downwast	17.5 (14.4 - 21.4)	24	21.2 (16.1 - 28.2)	13	13.7 (10.3 - 18.9)	- 11
Midcoast	12.2 (10.3 - 14.6)	31	15.8 (12.5 - 20.0)	17	9.6 (7.4 - 12.8)	14
Panquis	13.4 (11.3 - 15.9)	31	14.4 (11.2 - 18.5)	15	12.4 (9.8 - 15.9)	16
Western	12.4 (10.6 - 14.7)	33	15.4 (12.3 - 19.3)	18	10.0 (7.8 - 13.0)	15
York	12.4 (10.6 - 14.6)	35	14.0 (11.1 - 17.7)	17	11.0 (8.7 - 14.0)	17
Maine	12.9 (12.1 - 13.6)	243	14.7 (13.5 - 16.0)	122	11.3 (10.4 - 12.3)	121

- A shaded cell indicates that the County/District rate is significantly higher than the Maine rate.
- Mortality case definitions are based on ICD-10 codes (See Appendix 3).
- Rates are calculated per 100,000 population and age-adjurated to the year 2000 U.S. standard population.
  Abbreviations: AA = Age-adjusted; CI = Confidence Interval; Count/Yr = Average Annual Count.
- Subgroup counts might not sum to Maine total due to rounding.

  Data Source:

Maine Mortality: Maine CDCs Data, Research, and Vital Statistics.

	Total		Male		Female	
	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr
Androscoggin	11.1 (8.6 - 14.1)	15	11.8 (8.1 - 16.9)	7	10.4 (7.3 - 14.8)	8
Aroostook	12.6 (9.9 - 16.3)	15	12.4 (8.3 - 18.5)	6	12.8 (9.1 - 18.4)	8
Cumberland	11.1 (9.6 - 12.9)	41	11.6 (9.3 - 14.5)	18	10.7 (8.7 - 13.1)	23
Franklin	11.6 (7.5 - 18.1)	5	19.4 (11.7 - 32.3)	4	5.0 (1.8 - 13.7)	1
Hancock	16.8 (12.9 - 21.8)	14	19.5 (13.2 - 28.5)	7	14.0 (9.6 - 20.9)	7
Kennebec	14.0 (11.5 - 16.9)	24	16.7 (12.6 - 21.9)	12	12.2 (9.2 - 16.2)	12
Knox	9.7 (6.7 - 14.3)	7	12.5 (7.4 - 21.3)	4	7.1 (4.0 - 14.0)	3
Lincoln	14.0 (10.2 - 19.9)	9	19.6 (12.9 - 30.5)	6	10.5 (6.0 - 19.6)	4
Oxford	15.6 (12.0 - 20.4)	13	19.2 (13.2 - 27.8)	7	12.8 (8.6 - 19.4)	6
Panobscot	13.0 (10.8 - 15.6)	26	13.5 (10.2 - 17.8)	12	12.5 (9.7 - 16.1)	14
Piscataquis	15.5 (9.5 - 26.1)	5	18.5 (9.3 - 37.6)	3	11.8 (5.3 - 28.2)	2
Sagadahoc	12.1 (8.3 - 18.0)	7	14.6 (8.1 - 25.6)	3	10.1 (5.9 - 18.4)	3
Somerset	13.4 (9.7 - 18.3)	10	13.0 (8.1 - 20.9)	5	13.1 (8.3 - 20.7)	5
Waldo	13.8 (9.7 - 19.7)	8	18.0 (11.0 - 29.0)	4	11.1 (6.4 - 19.7)	3
Washington	18.5 (13.6 - 25.4)	10	25.3 (16.8 - 38.3)	6	12.1 (7.2 - 21.5)	4
York	12.4 (10.6 - 14.6)	35	14.0 (11.1 - 17.6)	17	11.0 (8.7 - 13.9)	17
Maine	12.9 (12.1 - 13.6)	243	14.7 (13.5 - 16.0)	122	11.3 (10.4 - 12.3)	121

Maine 2020 Annual Report of Cancer

### Colon and Rectum Cancer: Mortality by Public Health District of Residence, Maine 2013-2017


	Total		Male		Female	
	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr	AA Rate (95% CI)	Count/Yr
Aroostook	12.6 (9.9 - 16.3)	15	12.4 (8.3 - 18.5)	6	12.8 (9.1 - 18.4)	8
Central	13.8 (11.8 - 16.3)	34	15.7 (12.4 - 19.8)	17	12.5 (9.9 - 15.8)	17
Cumberland	11.1 (9.6 - 12.9)	41	11.6 (9.3 - 14.5)	18	10.7 (8.7 - 13.1)	23
Downeast	17.4 (14.3 - 21.2)	24	21.7 (16.5 - 28.5)	13	13.3 (9.9 - 18.2)	11
Midcoast	12.2 (10.3 - 14.5)	31	15.8 (12.5 - 19.9)	17	9.6 (7.4 - 12.7)	14
Panquis	13.3 (11.2 - 15.7)	31	14.2 (11.1 - 18.2)	15	12.3 (9.7 - 15.7)	16
Western	12.6 (10.7 - 14.8)	33	15.4 (12.3 - 19.2)	18	10.3 (8.1 - 13.3)	15
York	12.4 (10.6 - 14.6)	35	14.0 (11.1 - 17.6)	17	11.0 (8.7 - 13.9)	17
Maine	12.9 (12.1 - 13.6)	243	14.7 (13.5 - 16.0)	122	11.3 (10.4 - 12.3)	121

- A shaded cell indicates that the County/District rate is significantly higher than the Maine rate.
- Mortality case definitions are based on ICD-10 codes (See Appendix 3).
- Rates are calculated per 100,000 population and age-adjusted to the year 2000 U.S. standard population.

  Abbreviations: AA = Age-adjusted; CI = Confidence Interval; Count/Yr = Average Annual Count.
- Subgroup counts might not sum to Maine total due to rounding.

#### Data Source:


Maine Mortality: Maine CDC's Data, Research, and Vital Statistics.



## All Malignant Cancer Mortality by County, Maine, 2013-2017

Maine 2020 Annual Report of Cancer

Age-Adjusted Rate per 100,000 Population per Year



Data Source: Maine Mortality: Maine CDC's Data, Research, and Vital Statistics.
Rates are calculated per 100,000 population and age-adjusted to the year 2000 U.S. standard population.

poporument.

Map was created using Tableau and rates were mapped using quantiles method with 4 categories. Error bars on bar chart depict 95% confidence intervals. See Appendix for definition of All Malignant Cancer Mortality.