

Winslow Connector Trail
MDOT PIN 16132.00
Addendum No. 1
August 24, 2009

General

1. The bid date for this project has been amended to September 3, 2009 at 3 pm at the Town Office in Winslow, Maine.
2. Contractors will have until August 31, 2009 at 3 pm to submit written requests for clarification regarding the project. Calls or questions submitted after August 31, 2009 will not be addressed.
3. Included with this Addendum is the revised Notice to Contractors that was issued on August 17, 2009.
4. All Bonding for the Project should be issued with the Town of Winslow as the Owner of the Project. The bonding forms included in the Bid Book are standardized formats required by the Department of Transportation, who are acting as a funding agency only.

Bid Book

1. Special Provision Section 107 – Contract Time

The project startup for this contract is scheduled for September 15, 2009. The Town of Winslow Board of Selectmen will vote on the award of the bid on September 14, 2009 at their regularly scheduled meeting.

2. Special Provision, Section 636.61 – Segmental Retaining Wall

This specification shall be amended to require the submission of a licensed professional engineer's stamp on the design submission of the proposed retaining walls on the property. The stamped submission shall include drainage behind the wall required, geotextile required for wall stabilization, retaining wall base material, and any other work or items necessary to ensure a complete, stable wall installation. The professional engineer performing the review of the design submission shall be registered within the State of Maine.

3. Special Provision, Section 636.61 Segmental Retaining Wall

The retaining walls for the project shall be colored a "consistent shade of brown" as indicated in the specification. Standard concrete gray coloring will not be accepted.

4. Bid Item 636.61 – Segmental Retaining Wall

Retaining walls that meet MDOT Specification 636 shall be considered by the Town of Winslow for this project. The Town of Winslow would accept such as manufactured material as Redi-Rock, or approved equal. The Town reserves the right to either accept or deny the retaining wall materials being submitted as an equal to the Item 636.61, if they feel that it is not in accordance with the aesthetic appearance of the specified wall. If the Town elects to not approve the submitted wall, the Contractor shall install the specified wall without claim in accordance with the specifications.

End of Addendum No. 1