



STATE OF MAINE
DEPARTMENT OF TRANSPORTATION
16 STATE HOUSE STATION
AUGUSTA, MAINE 04333-0016

Paul R. LePage
GOVERNOR

David Bernhardt
COMMISSIONER

April 28, 2016
Subject: Highway Reconstruction
State WIN: 019196.00
Location: Ellsworth
Amendment No. 1

Dear Sir/Ms:

Make the following changes to the bid book:

REMOVE pages 17 thru 32, "Proposal Schedule of Items" dated 04/01/2016 and **REPLACE** with the attached revised "Proposal Schedule of Items", 16 pages, dated 04/28/2016.

INSERT attached "SPECIAL PROVISION, SECTION 609, CURB", 3 pages, dated 04/03/2016 after page 106.

INSERT attached "SPECIAL PROVISION SECTION 104, GENERAL RIGHTS AND RESPONSIBILITIES, Utilities", 4 pages, after page 190.

The following questions have been received:

Question: Would Slipform Curb be an acceptable alternative to Curb Type 3?

Response: Yes.

Question: Are there inlet stones at the catch basins?

Response: All type A catch basins require inlet stone.

Question: Bid Item 832.07 is an Owner's testing allowance yet the amount of the allowance is not mentioned.

Response: Read the 832.07 Owner's testing allowance under the City of Ellsworth specifications which is included in the project book. Actual page number in the bid book is page 131. See new Schedule of Items above.

Question: Please provide a dollar value for the allowance for bid item 832.07 – Owners Testing Allowance, so all bidders are carrying the same amount of money for the bid.



PRINTED ON RECYCLED PAPER

Response: See new Schedule of Items above.

Consider this change and information prior to submitting your bid on **May 4, 2016**.

Sincerely,



George M. A. Macdougall P.E.
Contracts & Specifications Engineer

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0010	201.11 CLEARING	0.800 AC	_____	_____	_____	_____
0020	201.23 REMOVING SINGLE TREE TOP ONLY	32.000 EA	_____	_____	_____	_____
0030	201.24 REMOVING STUMP	41.000 EA	_____	_____	_____	_____
0040	202.15 REMOVING MANHOLE OR CATCH BASIN	39.000 EA	_____	_____	_____	_____
0050	202.202 REMOVING PAVEMENT SURFACE	3,050.000 SY	_____	_____	_____	_____
0060	202.203 PAVEMENT BUTT JOINTS	330.000 SY	_____	_____	_____	_____
0070	203.20 COMMON EXCAVATION	17,705.000 CY	_____	_____	_____	_____
0080	203.21 ROCK EXCAVATION	520.000 CY	_____	_____	_____	_____
0090	203.2312 HEALTH AND SAFETY PLAN	LUMP SUM		LUMP SUM	_____	_____
0100	203.2333 DISPOSAL OF SPECIAL EXCAVATION	21.000 T	_____	_____	_____	_____
0110	203.25 GRANULAR BORROW	475.000 CY	_____	_____	_____	_____
0120	203.33 SPECIAL FILL	34.000 CY	_____	_____	_____	_____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0130	206.061 STRUCTURAL EARTH EXCAVATION - DRAINAGE AND MINOR STRUCTURES, BELOW GRADE	200.000 CY	_____	 _____	_____	 _____
0140	206.07 STRUCTURAL ROCK EXCAVATION - DRAINAGE AND MINOR STRUCTURES	50.000 CY	_____	 _____	_____	 _____
0150	304.15 AGGREGATE BASE COURSE - TYPE B	19,075.000 CY	_____	 _____	_____	 _____
0160	310.24 PLANT MIX RECYCLED ASPHALT PAVEMENT - 4 INCH DEPTH	24,800.000 SY	_____	 _____	_____	 _____
0170	403.2081 12.5 MM POLYMER MODIFIED HOT MIX ASPHALT	3,365.000 T	_____	 _____	_____	 _____
0180	403.209 HOT MIX ASPHALT 9.5 MM (SIDEWALKS, DRIVES, INCIDENTALS)	750.000 T	_____	 _____	_____	 _____
0190	403.211 HOT MIX ASPHALT (SHIMMING)	26.000 T	_____	 _____	_____	 _____
0200	403.213 HOT MIX ASPHALT 12.5 MM BASE	6,860.000 T	_____	 _____	_____	 _____
0210	409.15 BITUMINOUS TACK COAT - APPLIED	1,550.000 G	_____	 _____	_____	 _____
0220	508.13 SHEET WATERPROOFING MEMBRANE	LUMP SUM	_____	 LUMP SUM	_____	 _____
0230	511.07 COFFERDAM: UPSTREAM	LUMP SUM	_____	 LUMP SUM	_____	 _____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0240	511.07 COFFERDAM: DOWNSTREAM	LUMP SUM		LUMP SUM	_____	_____
0250	524.30 TEMPORARY STRUCTURAL SUPPORT	1.000 EA	_____	_____	_____	_____
0260	534.71 PRECAST CONCRETE BOX CULVERT DAVIS BROOK	LUMP SUM		LUMP SUM	_____	_____
0270	534.71 PRECAST CONCRETE BOX CULVERT @ 1352+00 RT.	LUMP SUM		LUMP SUM	_____	_____
0280	603.132 8" CULV PIPE OPTION III	16.000 LF	_____	_____	_____	_____
0290	603.155 12 INCH REINFORCED CONCRETE PIPE CLASS III	39.000 LF	_____	_____	_____	_____
0300	603.159 12 INCH CULVERT PIPE OPTION III	490.000 LF	_____	_____	_____	_____
0310	603.16 15 INCH CULVERT PIPE OPTION I	220.000 LF	_____	_____	_____	_____
0320	603.165 15 INCH REINFORCED CONCRETE PIPE CLASS III	260.000 LF	_____	_____	_____	_____
0330	603.169 15 INCH CULVERT PIPE OPTION III	215.000 LF	_____	_____	_____	_____
0340	603.175 18 INCH REINFORCED CONCRETE PIPE CLASS III	320.000 LF	_____	_____	_____	_____
0350	603.179 18 INCH CULVERT PIPE OPTION III	21.000 LF	_____	_____	_____	_____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0360	603.195 24 INCH REINFORCED CONCRETE PIPE CLASS III	580.000 LF	_____	 _____	_____	 _____
0370	603.1952 24 INCH REINFORCED CONCRETE PIPE CLASS V	780.000 LF	_____	 _____	_____	 _____
0380	603.199 24 INCH CULVERT PIPE OPTION III	100.000 LF	_____	 _____	_____	 _____
0390	603.205 30 INCH REINFORCED CONCRETE PIPE CLASS III	130.000 LF	_____	 _____	_____	 _____
0400	603.215 36 INCH REINFORCED CONCRETE PIPE CLASS III	100.000 LF	_____	 _____	_____	 _____
0410	603.4105 CONCRETE PIPE COLLAR	1.000 EA	_____	 _____	_____	 _____
0420	603.55 CONCRETE PIPE TIES	12.000 GP	_____	 _____	_____	 _____
0430	604.072 CATCH BASIN TYPE A1-C	28.500 EA	_____	 _____	_____	 _____
0440	604.0752 96" CATCHBASIN TYPE A1-C	4.000 EA	_____	 _____	_____	 _____
0450	604.076 60 INCH CATCH BASIN TYPE A1-C	10.000 EA	_____	 _____	_____	 _____
0460	604.09 CATCH BASIN TYPE B1	7.500 EA	_____	 _____	_____	 _____
0470	604.092 CATCH BASIN TYPE B1-C	4.000 EA	_____	 _____	_____	 _____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0480	604.093 60 INCH CATCH BASIN TYPE B1	2.500 EA	_____	 _____	_____	 _____
0490	604.0956 96 INCH CATCH BASIN TYPE B1	2.500 EA	_____	 _____	_____	 _____
0500	604.0957 96" CATCH BASIN TYPE B1-C	1.200 EA	_____	 _____	_____	 _____
0510	604.096 60 INCH CATCH BASIN TYPE B1-C	2.500 EA	_____	 _____	_____	 _____
0520	604.097 72 INCH CATCH BASIN TYPE B1-C	1.000 EA	_____	 _____	_____	 _____
0530	604.161 ALTERING CATCH BASIN	1.000 EA	_____	 _____	_____	 _____
0540	604.166 REBUILDING MANHOLE	4.000 EA	_____	 _____	_____	 _____
0550	604.18 ADJUSTING MANHOLE OR CATCH BASIN TO GRADE	21.000 EA	_____	 _____	_____	 _____
0560	604.243 CATCH BASIN TYPE F3-C	1.000 EA	_____	 _____	_____	 _____
0570	604.244 CATCH BASIN TYPE F4	5.000 EA	_____	 _____	_____	 _____
0580	604.245 CATCH BASIN TYPE F4-C	3.000 EA	_____	 _____	_____	 _____
0590	604.246 CATCH BASIN TYPE F5	3.000 EA	_____	 _____	_____	 _____
0600	604.247 CATCH BASIN TYPE F5-C	6.000 EA	_____	 _____	_____	 _____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0610	604.248 CATCH BASIN TYPE F6	3.000 EA	_____	 _____	_____	 _____
0620	604.249 CATCH BASIN TYPE F6-C	2.000 EA	_____	 _____	_____	 _____
0630	604.252 CATCH BASIN TYPE A5-C	3.000 EA	_____	 _____	_____	 _____
0640	604.26 CATCH BASIN TYPE B5	1.000 EA	_____	 _____	_____	 _____
0650	605.09 6 INCH UNDERDRAIN TYPE B	5,650.000 LF	_____	 _____	_____	 _____
0660	605.11 12 INCH UNDERDRAIN TYPE C	900.000 LF	_____	 _____	_____	 _____
0670	605.12 15 INCH UNDERDRAIN TYPE C	2,000.000 LF	_____	 _____	_____	 _____
0680	605.13 18 INCH UNDERDRAIN TYPE C	2,150.000 LF	_____	 _____	_____	 _____
0690	605.15 24 INCH UNDERDRAIN TYPE C	940.000 LF	_____	 _____	_____	 _____
0700	606.1721 BRIDGE TRANSITION - TYPE 1	2.000 EA	_____	 _____	_____	 _____
0710	606.23 GUARDRAIL TYPE 3C - SINGLE RAIL	637.500 LF	_____	 _____	_____	 _____
0720	606.232 GUARDRAIL TYPE 3C - OVER 15 FOOT RADIUS	25.000 LF	_____	 _____	_____	 _____
0730	606.265 TERMINAL END - SINGLE RAIL - GALVANIZED STEEL	1.000 EA	_____	 _____	_____	 _____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID:

Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0740	606.353 REFLECTORIZED FLEXIBLE GUARDRAIL MARKER	12.000 EA	_____	 _____	_____	 _____
0750	606.356 UNDERDRAIN DELINEATOR POST	28.000 EA	_____	 _____	_____	 _____
0760	606.47 SINGLE WOOD POST	28.000 EA	_____	 _____	_____	 _____
0770	606.51 MULTIPLE MAILBOX SUPPORT	3.000 EA	_____	 _____	_____	 _____
0780	606.79 GUARDRAIL 350 FLARED TERMINAL	5.000 EA	_____	 _____	_____	 _____
0790	607.25 REMOVE AND RESET CHAIN LINK FENCE	40.000 LF	_____	 _____	_____	 _____
0800	608.07 PLAIN CONCRETE SIDEWALK	110.000 SY	_____	 _____	_____	 _____
0810	608.10 BRICK SIDEWALK, REMOVE AND REBUILD	17.000 SY	_____	 _____	_____	 _____
0820	608.26 CURB RAMP DETECTABLE WARNING FIELD	96.000 SF	_____	 _____	_____	 _____
0830	609.11 VERTICAL CURB TYPE 1	8,800.000 LF	_____	 _____	_____	 _____
0840	609.111 SPECIAL GRANITE CURB - 24"	82.000 LF	_____	 _____	_____	 _____
0850	609.1111 SPECIAL GRANITE CURB - 39"	170.000 LF	_____	 _____	_____	 _____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0860	609.12 VERTICAL CURB TYPE 1 - CIRCULAR	560.000 LF	_____	 _____	_____	 _____
0870	609.19 VERTICAL CURB TYPE 2	7.000 LF	_____	 _____	_____	 _____
0880	609.234 TERMINAL CURB TYPE 1 - 4 FOOT	41.000 EA	_____	 _____	_____	 _____
0890	609.2341 TERMINAL CURB TYPE 1 - 4 FOOT - CIRCULAR	5.000 EA	_____	 _____	_____	 _____
0900	609.238 TERMINAL CURB TYPE 1 - 8 FOOT	61.000 EA	_____	 _____	_____	 _____
0910	609.2381 TERMINAL CURB TYPE 1 - 8' CIRCULAR	8.000 EA	_____	 _____	_____	 _____
0920	609.26 CURB TRANSITION SECTION B TYPE 1	2.000 EA	_____	 _____	_____	 _____
0930	609.31 CURB TYPE 3	1,420.000 LF	_____	 _____	_____	 _____
0940	609.34 CURB TYPE 5	36.000 LF	_____	 _____	_____	 _____
0950	609.35 CURB TYPE 5 - CIRCULAR	78.000 LF	_____	 _____	_____	 _____
0960	610.08 PLAIN RIPRAP	110.000 CY	_____	 _____	_____	 _____
0970	610.16 HEAVY RIPRAP	78.000 CY	_____	 _____	_____	 _____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0980	610.210 STREAM CHANNEL ROCK	20.000 CY	_____	 _____	_____	 _____
0990	613.319 EROSION CONTROL BLANKET	490.000 SY	_____	 _____	_____	 _____
1000	615.07 LOAM	1,500.000 CY	_____	 _____	_____	 _____
1010	618.13 SEEDING METHOD NUMBER 1	78.000 UN	_____	 _____	_____	 _____
1020	618.14 SEEDING METHOD NUMBER 2	59.000 UN	_____	 _____	_____	 _____
1030	618.141 SEEDING METHOD NUMBER 3	25.000 UN	_____	 _____	_____	 _____
1040	619.1201 MULCH - PLAN QUANTITY	161.000 UN	_____	 _____	_____	 _____
1050	620.58 EROSION CONTROL GEOTEXTILE	300.000 SY	_____	 _____	_____	 _____
1060	626.11 PRECAST CONCRETE JUNCTION BOX	1.000 EA	_____	 _____	_____	 _____
1070	626.21 METALLIC CONDUIT	10.000 LF	_____	 _____	_____	 _____
1080	626.22 NON-METALLIC CONDUIT	525.000 LF	_____	 _____	_____	 _____
1090	626.31 18 INCH FOUNDATION	2.000 EA	_____	 _____	_____	 _____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
1100	626.332 30 INCH DIAMATER GREATER THAN 8 FEET LONG & 36 INCH DIAMETER, 42 INCH DIAMETER FOUNDATION	11.000 CY	_____	 _____	_____	 _____
1110	626.35 CONTROLLER CABINET FOUNDATION	1.000 EA	_____	 _____	_____	 _____
1120	627.407 REFLECTORIZED PLASTIC WHITE OR YELLOW PAVEMENT MARKING	2,160.000 SF	_____	 _____	_____	 _____
1130	627.733 4" WHITE OR YELLOW PAINTED PAVEMENT MARKING LINE	28,200.000 LF	_____	 _____	_____	 _____
1140	627.75 WHITE OR YELLOW PAVEMENT & CURB MARKING	105.000 SF	_____	 _____	_____	 _____
1150	627.78 TEMPORARY 4 INCH PAINTED PAVEMENT MARKING LINE, WHITE OR YELLOW	28,200.000 LF	_____	 _____	_____	 _____
1160	629.05 HAND LABOR, STRAIGHT TIME	40.000 HR	_____	 _____	_____	 _____
1170	631.10 AIR COMPRESSOR (INCLUDING OPERATOR)	20.000 HR	_____	 _____	_____	 _____
1180	631.11 AIR TOOL (INCLUDING OPERATOR)	20.000 HR	_____	 _____	_____	 _____
1190	631.12 ALL PURPOSE EXCAVATOR (INCLUDING OPERATOR)	25.000 HR	_____	 _____	_____	 _____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
1200	631.132 SMALL BULLDOZER (INCLUDING OPERATOR)	20.000 HR	_____	 _____	_____	 _____
1210	631.14 GRADER (INCLUDING OPERATOR)	20.000 HR	_____	 _____	_____	 _____
1220	631.15 ROLLER, EARTH AND BASE COURSE (INCLUDING OPERATOR)	20.000 HR	_____	 _____	_____	 _____
1230	631.16 ROLLER, PAVEMENT (INCLUDING OPERATOR)	20.000 HR	_____	 _____	_____	 _____
1240	631.172 TRUCK - LARGE (INCLUDING OPERATOR)	20.000 HR	_____	 _____	_____	 _____
1250	631.18 CHAIN SAW RENTAL (INCLUDING OPERATOR)	20.000 HR	_____	 _____	_____	 _____
1260	631.20 STUMP CHIPPER (INCLUDING OPERATOR)	40.000 HR	_____	 _____	_____	 _____
1270	631.22 FRONT END LOADER (INCLUDING OPERATOR)	20.000 HR	_____	 _____	_____	 _____
1280	631.32 CULVERT CLEANER (INCLUDING OPERATOR)	10.000 HR	_____	 _____	_____	 _____
1290	639.18 FIELD OFFICE TYPE A	1.000 EA	_____	 _____	_____	 _____
1300	642.15 PRECAST CONCRETE STEPS	3.000 EA	_____	 _____	_____	 _____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID:

Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
1310	643.71 TRAFFIC SIGNAL MODIFICATION RTE.1A/ FOREST AVE.	LUMP SUM				
1320	643.83 VIDEO DETECTION SYSTEM	LUMP SUM				
1330	643.91 MAST ARM POLE	4.000 EA				
1340	643.92 PEDESTAL POLE	2.000 EA				
1350	645.103 DEMOUNT GUIDE SIGN	24.000 EA				
1360	645.106 DEMOUNT REGULATORY, WARNING, CONFIRMATION AND ROUTE MARKER ASSEMBLY SIGN	96.000 EA				
1370	645.113 REINSTALL GUIDE SIGN	12.000 EA				
1380	645.116 REINSTALL REGULATORY, WARNING, CONFIRMATION AND ROUTE MARKER ASSEMBLY SIGN	11.000 EA				
1390	645.251 ROADSIDE GUIDE SIGNS, TYPE I	49.500 SF				
1400	645.271 REGULATORY, WARNING, CONFIRMATION AND ROUTE MARKER ASSEMBLY SIGNS, TYPE I	409.000 SF				
1410	648.312 BALLAST	150.000 T				

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
1420	652.312 TYPE III BARRICADE	17.000 EA	_____	 _____	_____	 _____
1430	652.33 DRUM	22.000 EA	_____	 _____	_____	 _____
1440	652.34 CONE	72.000 EA	_____	 _____	_____	 _____
1450	652.35 CONSTRUCTION SIGNS	470.000 SF	_____	 _____	_____	 _____
1460	652.36 MAINTENANCE OF TRAFFIC CONTROL DEVICES	379.000 CD	_____	 _____	_____	 _____
1470	652.38 FLAGGER	16,000.000 HR	_____	 _____	_____	 _____
1480	652.41 PORTABLE CHANGEABLE MESSAGE SIGN	2.000 EA	_____	 _____	_____	 _____
1490	656.75 TEMPORARY SOIL EROSION AND WATER POLLUTION CONTROL	LUMP SUM		 LUMP SUM	_____	 _____
1500	659.10 MOBILIZATION	LUMP SUM		 LUMP SUM	_____	 _____
1510	674.10 PREFABRICATED CONCRETE MODULAR GRAVITY WALL	220.000 SF	_____	 _____	_____	 _____
1520	801.03 TEST PITS	5.000 EA	_____	 _____	_____	 _____
1530	801.07 TEMPORARY SEWER BYPASS	340.000 LF	_____	 _____	_____	 _____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID:

Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
1540	801.131 10" FORCE MAIN	275.000 LF	_____	 _____	_____	 _____
1550	801.18 12 INCH PVC SANITARY SEWER (SDR-35)	125.000 LF	_____	 _____	_____	 _____
1560	802.16 4 FOOT DIAMETER PRECAST SEWER MANHOLES	1.000 EA	_____	 _____	_____	 _____
1570	812.162 ADJUSTING SEWER MANHOLE TO GRADE	19.000 EA	_____	 _____	_____	 _____
1580	812.164 REBUILDING SEWER MANHOLE	4.000 EA	_____	 _____	_____	 _____
1590	812.17 SEWER DROP MANHOLE	1.000 EA	_____	 _____	_____	 _____
1600	822.3152 TAPPING SLEEVE AND VALVE 2"	3.000 EA	_____	 _____	_____	 _____
1610	822.3152 TAPPING SLEEVE AND VALVE 6"	2.000 EA	_____	 _____	_____	 _____
1620	822.3152 TAPPING SLEEVE AND VALVE 8"	1.000 EA	_____	 _____	_____	 _____
1630	822.3254 8"INSERTION VALVE	1.000 EA	_____	 _____	_____	 _____
1640	822.33 6 INCH CLASS 52 DUCTILE IRON PIPE	920.000 LF	_____	 _____	_____	 _____
1650	822.34 8 INCH CLASS 52 DUCTILE IRON PIPE	1,180.000 LF	_____	 _____	_____	 _____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID:

Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
1660	822.354 10" INSERTION VALVE	3.000 EA	_____	 _____	_____	 _____
1670	822.36 12 INCH DUCTILE IRON PIPE	2,630.000 LF	_____	 _____	_____	 _____
1680	823.311 12 INCH GATE VALVE WITH BOX	3.000 EA	_____	 _____	_____	 _____
1690	823.3251 8 INCH GATE VALVE WITH BOX	3.000 EA	_____	 _____	_____	 _____
1700	823.33 6 INCH GATE VALVE WITH BOX	2.000 EA	_____	 _____	_____	 _____
1710	824.30 FIRE HYDRANT	7.000 EA	_____	 _____	_____	 _____
1720	824.32 REMOVE/RESET HYDRANT	5.000 EA	_____	 _____	_____	 _____
1730	825.312 3/4 INCH CURB STOP	34.000 EA	_____	 _____	_____	 _____
1740	825.323 2" BALL VALVE	1.000 EA	_____	 _____	_____	 _____
1750	825.331 1" CURB STOP	1.000 EA	_____	 _____	_____	 _____
1760	825.41 3/4 COPPER SERVICE	900.000 LF	_____	 _____	_____	 _____
1770	825.422 2" PLASTIC SERVICE	135.000 LF	_____	 _____	_____	 _____
1780	825.43 1" COPPER SERVICE	50.000 LF	_____	 _____	_____	 _____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 019196.00

Project(s): 019196.00

SECTION: 1 PROJECT ITEMS

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
1790	825.53 6 " WATER SERVICE - RECONNECT	1.000 EA	_____	 _____	_____	 _____
1800	825.541 TEMPORARY WATER MAIN	3,980.000 LF	_____	 _____	_____	 _____
1810	827.301 ROCK EXCAVATION WATER MAIN	20.000 CY	_____	 _____	_____	 _____
1820	827.302 UNSUITABLE SOIL EXCAVATION - BELOW GRADE	100.000 CY	_____	 _____	_____	 _____
1830	827.312 SELECT BACKFILL	100.000 CY	_____	 _____	_____	 _____
1840	827.33 TRENCH INSULATION	975.000 LF	_____	 _____	_____	 _____
1850	832.07 OWNERS TESTING ALLOWANCE	LUMP SUM	\$ 2,500.00		\$ 2,500.00	
1860	841.481 REMOVABLE BOLLARD	3.000 EA	_____	 _____	_____	 _____
Section: 1			Total:		_____	 _____
			Total Bid:		_____	 _____

SPECIAL PROVISION
SECTION 609 – CURB

609.01-Description

This work shall consist of furnishing and placing Slipform Concrete Curb as a replacement or substitute for bituminous curb in close conformity with the plans, or as authorized by the Resident.

609.02 Materials

Except as provided below, the materials used shall meet the requirements specified in Section 700 – Materials:

Portland Cement and Portland Pozzolan Cement	701.01
Water	701.02
Fine Aggregate for Concrete	703.01
Coarse Aggregate for Concrete	703.02

The aggregate shall conform to the requirements of Subsections 703.01 and 703.02, with the exception that the aggregate gradation of the Portland Cement Concrete may be sized, graded, and combined in a composite blend that will produce a stable durable curb with an acceptable texture.

A mix design for the Portland Cement Concrete shall be submitted to the Resident, with a minimum designed compressive strength of 4000 psi for the concrete used for the Slipform curb.

609.03-General

a. Preparation of Base

Before placing the curb, the foundation course shall be thoroughly cleaned of all foreign and objectionable material. The Contractor shall not place Slipform Concrete Curb on a wet or frozen base. String or chalk lines shall be positioned on the prepared base to provide guide lines. For HMA or PCC base the foundation shall be uniformly painted with an epoxy resin adhesive that meets AASHTO 235, Type II

b. Placing:

Concrete shall be placed with an approved Slipform machine that will produce a finished product according to the design specified in the plans, and will meet the same standards set for cast-in-place curb. For cold weather Slipforming, the outside temperature must be at least 36°F (2.2°C) and rising. The curb shall be placed on a firm, uniform bearing surface, shall conform to the section profile specified in the plans, and shall match the appropriate grade. Expansion joints will be provided at ends of curve radii, or wherever the curb meets rigid structures such as building foundations or fire hydrants. Contraction joints will be placed at 10 foot (3 m) intervals using sawing methods, which shall cut 1-3" into the concrete. Joints shall be constructed perpendicular to the subgrade and match other joints in roadways, sidewalks or other structures when applicable.

c. Curing and Sealing

Proper curing shall be insured through the use of either a combination curing/sealing compound spray that meets ASTM 1315 Type 1-Class A, or a curing compound spray that meets ASTM 309 type 1-D – Class A. Curing may also be accomplished by the methods specified in Section 502.15 of the Specifications.

If a combination curing/sealing compound spray is not used, a separate sealing compound from the MDOT Approved Products List for a Type 2 sealer shall be applied after the concrete has cured.

d. Protection:

Slipform curb must be adequately protected after placement. The concrete shall be allowed to cure for at least 72 hours. During cold weather conditions, when temperatures drop below the required temperature of 36°F (2.2°C) after placement, curbing shall be protected by concrete blankets or a combination of plastic sheeting and straw. After any placement of Slipform curb, regardless of weather conditions, the placed curb shall be adequately protected by traffic control devices as necessary.

e. Marking

When required, the curb shall be painted and coated with glass beads in accordance with Section 627 - Pavement Marking. Curb designated to be painted shall not be sealed unless a combination curing/sealing compound is used.

f. Acceptance

Curb shall be accepted or rejected based on appearance concerning texture, alignment, or both. All damaged curb shall be removed and replaced at the Contractor's expense.

609.04-Method of Measurement

Concrete Slipform curb will be measured by the linear foot along the front face of the curb at the elevation of the finished pavement, complete in place and accepted.

609.05 Basis of Payment

The accepted quantities of curb will be paid for at the contract unit price per linear foot as specified.

There will be no separate payment for concrete, sealing, incidental materials, or labor needed to install the curb, but these will be considered included in the work of the related curb.

Removal of existing curb and necessary excavation for installing curb will not be paid for directly, but shall be considered to be included in the curb pay item. Base and Subbase material will be paid for under Section 304 - Aggregate Base and Subbase Course. Backing up machine laid curb is incidental to the curb items. Loam, as directed, will be paid under 615 – Loam.

April 3, 2013

Section 609.06-Basis of Payment

Pay Item

Pay Unit

609.19 Vertical Curb - Type 2 – Slipform Concrete

Linear Foot

SPECIAL PROVISION
SECTION 104
GENERAL RIGHTS AND RESPONSIBILITIES
Utilities

This Specification shall apply only to the Water District work for the above – referenced project, as shown on the plan sheets numbered 1 w through 9 w inclusive.

The ‘Nondiscrimination in Employment’ form must be filled out by the low bidder and submitted as a condition of Award with the Contractor’s other forms and certificates as specified in the contract documents.

STATE REVOLVING FUND ADDITIONAL REQUIREMENTS

The Water District work of this Project is subject to the Environmental Protection Agency’s (EPA) Drinking Water State Revolving Fund (SRF) program requirements, other Project specific regulations and requirements, and Federal Law.

1. This project is expected to be funded in part by a State Revolving Loan.
2. The bidder must comply with the Department of Labor Regulations relating to the Copeland “Anti-Kickback” Act and the Contract Work Hours and Safety Standards Act. The bidder must also comply with the Safe Drinking Water Act, Clean Air Act, Clean Water Act, Executive Order 11738, and the Environmental Protection Agency regulations (40 CFR Part 15).
3. If an equipment manufacturer does not meet the specified period or experience with a product, that equipment can still be considered if the equipment supplier or manufacturer is willing to provide a bond or cash deposit for the duration of specified time period which will guarantee equipment replacement.
4. This project is subject to all of the Safety and Health Regulations (CFR 29 Part 1926 and all subsequent amendments) as promulgated by the U.S. Department of Labor June 24, 1974. Contractors are urged to become familiar with all requirements of these regulations.
5. Bidders shall submit a completed Nondiscrimination in Employment Compliance Statement as a condition of Award (See attached).
6. All protests arising from the procurement practices must be submitted to the MaineDOT as soon as practical. The MaineDOT will investigate the basis for the protest, seek the advice of legal counsel, document all meetings and actions, and attempt to resolve the protest promptly and equitably. In the event that the protest is not settled, an appeal may be filed with the Department of Health and Human Services (DHHS).

7. Representatives of the MaineDOT and of the Department of Health and Human Services (DHHS) shall have access to the work wherever it is in preparation or progress and the Contractor shall provide proper facilities for such access and inspection.

8. All claims or disputes between the MaineDOT and the Contractor must be settled informally using the DHHS as a mediator or formally in a court of law. All resolved disputes and claims must be submitted to the DHHS by change order for approval before payment. Claims, disputes, and other matters in question arising out of or relating to the Contract Documents, or a breach thereof, that were unable to be settled informally through mediation, shall be settled by litigation in a court of competent jurisdiction.

9. The following documents must be posted and maintained by the Contractor at such place or places on the Project site where employees can easily see them. The posters may be obtained, free of charge, from "Business Answers" 1-800-872-3838.

- A. Notice to Labor Union or Other Organizations of Workers (Exhibit 2)
- B. Equal Employment Opportunity is the Law poster
- C. Job Safety and Health Protection poster
- D. Fair Labor Standards Act poster
- E. Employee Polygraph Protection Act poster
- F. Family and Medical Leave Act poster (applicable to employers of 50 or more employees)
- G. Notice Relative to the Regulation of Employment (State Poster)
- H. Minimum Wage (State Poster)
- I. Whistleblowers' Protection Act (State Poster)
- J. Sexual Harassment Law (State Poster)
- K. Workers Compensation (State Poster)
- L. Maine Employment Security Law (applicable to employers who must pay unemployment tax)
- M. Notice to All Employees
(<http://www.dol.gov/whd/regs/compliance/posters/fedprojc.pdf>)
- N. Davis-Bacon wage rates

10. The Contractor and each Subcontractor shall keep an accurate record showing the names, social security number, and occupation of each and all laborers, workmen, and mechanics employed by them in connection with this Project showing the hours worked, the title of the job, the hourly rate and the actual wages paid to each of them. A copy of such record shall be kept at the job site and shall be open at all reasonable hours to the inspection of the Bureau of Labor Standards, the Maine DOT, and the Department of Health and Human Services.

11. DHHS, MMBB, and U.S. Comptroller General or any of their authorized representatives shall have right to access of records pertinent to the project. The expiration of right of access shall be stated to last as long as records are kept, no less than three years.


Town: **Ellsworth, Route 1A**

Project: **19196.00**

Date: **April 25, 2016**

12. The Contractor shall provide and erect a Project sign as detailed and specified (See attached). The location of the sign shall be as directed by the Engineer. The Contractor shall maintain and keep the Project sign in good condition until the work is completed when the sign will be removed. All other signs to be erected on the site shall be approved by the Engineer. Provide adequate supports for sign as site conditions may require and keep sign a proper distance above prevailing grade to permit.

temporary construction sign for DWSRF projects



MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4") EXTERIOR
PLYWOOD (A-B GRADE)
MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Town: **Ellsworth, Route 1A**

Project: **19196.00**

Date: **April 25, 2016**

Notice to Labor Union or Other Organization of Workers

Nondiscrimination in Employment

To: _____
(Name of Union or organization of workers)

The undersigned currently holds contract(s) with _____
(Name of Applicant)

involving funds or credit of the U.S. Government of (a) subcontract(s) with a prime CONTRACTOR holding such contract(s).

You are advised that under the provisions of the above contact(s) or subcontract(s) and in accordance with Executive Order 11246, dates September 24, 1965, the undersigned is obliged not to discriminate against any employee or applicant for employment because of race, color, creed, or national origin. This obligation not to discriminate in employment includes, but is not limited to the following:

- HIRING, PLACEMENT, UPGRADING, TRANSFER, OR DEMOTION
- RECRUITMENT, ADVERTISING, OR SOLICITATION FOR
- EMPLOYMENT TRAINING DURING EMPLOYMENT, RATES OF
- PAY OR OTHER FORMS OF COMPENSATION, SELECTION FOR TRAINING
- INCLUDING APPRENTICESHIP, LAYOFF, OR TERMINATION.

This notice is furnished to you pursuant to the provisions of the above contract(s) or subcontract(s) and Executive Order 11246.

COPIES OF THIS NOTICE WILL BE POSTED BY THE UNDERSIGNED IN CONSPICUOUS PLACES AVAILABLE TO EMPLOYEES OR APPLICANT FOR EMPLOYMENT.

/s/ _____
(Contractor or Subcontractor)

(Date)