



STATE OF MAINE
DEPARTMENT OF TRANSPORTATION
16 STATE HOUSE STATION
AUGUSTA, MAINE 04333-0016

Paul R. LePage
GOVERNOR

David Bernhardt
COMMISSIONER

July 1, 2016
Subject: Culvert Replacement
State WIN: 022361.00
Location: Saint Francis
Amendment No. 1

Dear Sir/Ms:

Please make the following changes to the Bid Documents:

In the Bid Book:

On page 41, "SPECIAL PROVISION, SECTION 603, PIPE CULVERTS, (Lump Sum Culvert Pipes)", CHANGE the fifth paragraph which begins with, "The lower lifts of backfill shall be suitable excavation..." to read as follows:

"The lower lifts of backfill shall be suitable excavation salvaged from the removal of the existing culvert pipes. The top 18" of backfill shall be excavated roadway material, reserved and replaced to best match the adjacent material. If insufficient suitable excavation is available, or additional material is required to complete the backfill, the top lift shall be of gravel meeting the gradation of Aggregate for Base, Type D as per section 703.06 of the Department of Transportation Standard Specifications."

Consider this change and information prior to submitting your bid on **July 6, 2016**

Sincerely,

George M. A. Macdougall P.E.
Contracts & Specifications Engineer



PRINTED ON RECYCLED PAPER