

STATE OF MAINE DEPARTMENT OF TRANSPORTATION 16 STATE HOUSE STATION AUGUSTA, MAINE 04333-0016

Bruce A. Van Note

March 15, 2019

Subject: Pavement Milling, Ultra-Thin Bonded Wearing Course Overlay with Drainage & Safety Improvements

State WIN: 023927.00

Location: North Berwick & Wells

Amendment No. 2

Dear Sir/Ms.:

Please make the following changes to the Bid Documents:

In the Bid Book:

REMOVE page 14 "NOTICE TO CONTRACTORS", 1 page, dated February 20, and **REPLACE** with the attached, revised "NOTICE TO CONTRACTORS", 1 page, dated March 13, 2019.

REMOVE pages 17 - 19, Proposal Schedule of Items, 3 pages, dated 2/12/2019, and **REPLACE** with the attached, revised Proposal Schedule of Items, 7 pages, dated 3/13/2019.

REMOVE pages 20 - 27, CONTRACT AGREEMENT, OFFER & AWARD, 2 copies, 4 pages each, and **REPLACE** with the attached, revised CONTRACT AGREEMENT, OFFER & AWARD, 2 copies, 4 pages each.

REMOVE pages 93 – 94, SPECIAL PROVISION – SECTION 403 – HOT MIX ASPHALT, 2 pages, dated February 1, 2019 and **REPLACE** with the attached, revised SPECIAL PROVISION – SECTION 403 – HOT MIX ASPHALT, 2 pages, dated March 13, 2019.

ADD the attached MAINE TURNPIKE AUTHORITY Plan Set, 14 pages, dated 3/6/2019.

Consider these changes and information prior to submitting your bid on March 20, 2019.

Sincerely,

George M. A. Macdougall P.E.

Contracts & Specifications Engineer

STATE OF MAINE DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS

Sealed Bids addressed to the Maine Department of Transportation, Augusta, Maine 04333 and endorsed on the wrapper "Bids for Pavement Milling, Ultra-Thin Bonded Wearing Course Overlay, with Drainage and Safety Improvements in the Towns of North Berwick and Wells" will be received from contractors at the Reception Desk, MaineDOT Building, Capitol Street, Augusta, Maine, until 11:00 o'clock A.M. (prevailing time) on March 20, 2019 and at that time and place, publicly opened and read. Bids will be accepted from all bidders. The lowest responsive bidder must have completed, or successfully complete, a Highway Construction, Paving, or project specific prequalification to be considered for the award of this contract. We now accept electronic bids for bid packages posted on the bidx.com website. Electronic bids do not have to be accompanied by paper bids. Please note: The Department will accept a facsimile of the bid bond; however, the original bid bond must then be received at the MDOT Contract Section within 72 hours of the bid opening. Until further notice, dual bids (one paper, one electronic) will be accepted, with the paper copy taking precedence.

Description: Maine Federal Aid Project No. 2392700, WIN 23927.00.

Location: In York County, project is located on Route 9. Segment 1 begins in North Berwick 0.01 mile west of Portland Street and extends easterly 6.03 miles to 0.07 miles west of Sanford Road in Wells. Segment 2 is located in Wells beginning 0.16 mile west of MTA Exit and extends easterly 0.71 mile to Chapel Road.

Outline of Work: Pavement Milling, Ultra-Thin Bonded Wearing Course Overlay, with Drainage and Safety Improvements in the Towns of North Berwick and Wells and other incidental work.

The basis of award will be Section 1 Only. Sections 1 and 2 must be bid.

For general information regarding Bidding and Contracting procedures, contact George Macdougall at (207) 624-3410. Our webpage at http://www.maine.gov/mdot/contractors/ contains a copy of the Schedule of Items, Plan Holders List, written portions of bid amendments, drawings, bid results and an electronic form for RFI submittal. For Project-specific information fax all questions to LaRay Hamilton at (207) 624-3431, use electronic RFI form or email questions to RFI-Contracts.MDOT@maine.gov, project name and identification number should be in the subject line. Questions received after 12:00 noon of Monday (or if that Monday is a state holiday, Friday) prior to bid date will not be answered. Bidders shall not contact any other Departmental staff for clarification of Contract provisions, and the Department will not be responsible for any interpretations so obtained. TTY users call Maine Relay 711.

Plan, specifications and bid forms may be seen at the MaineDOT Building in Augusta, Maine, and at the Department of Transportation's Regional Office in Scarborough. They may be purchased from the Department between the hours of 8:00 a.m. to 4:30 p.m. by cash, credit card (Visa/Mastercard) or check payable to Treasurer, State of Maine sent to Maine Department of Transportation, Attn.: Mailroom, 16 State House Station, Augusta, Maine 04333-0016. They also may be purchased by telephone at (207) 624-3536 between the hours of 8:00 a.m. to 4:30 p.m. Full size plans \$14.00 (\$17.50 by mail). Half size plans \$7.00 (\$9.25 by mail), Bid Book \$10 (\$13 by mail), Single Sheets \$2, payment in advance, all non-refundable.

Each Bid must be made upon blank forms provided by the Department and must be accompanied by a bid bond at 5% of the bid amount or an official bank check, cashier's check, certified check, certificate of deposit, or United States postal money order in the amount of \$40,000 payable to Treasurer, State of Maine as a Bid guarantee. A Contract Performance Surety Bond and a Contract Payment Surety Bond, each in the amount of 100 percent of the Contract price, will be required of the successful Bidder.

This Contract is subject to all applicable Federal Laws. This contract is subject to compliance with the Disadvantaged Business Enterprise program requirements as set forth by the Maine Department of Transportation.

All work shall be governed by State of Maine, Department of Transportation, Standard Specifications, November 2014 Edition, price \$10 [\$15 by mail], and Standard Details, November 2014 Edition, price \$10 [\$15 by mail]. They are may be purchased by telephone at (207) 624-3536 between the hours of 8:00 a.m. to 4:30 p.m. Standard Details and before at http://www.maine.gov/mdot/contractors/publications/

The right is hereby reserved to the MaineDOT to reject any or all bids.

Augusta, Maine March 13, 2019

RICHARD J. CRAWFORD P. E. DEPUTY CHIEF ENGINEER

Proposal Schedule of Items

Page 1 of 7

Proposal ID: 023927.00 **Project(s):** 023927.00

SECTION: 1 HIGHWAY ITEMS

Alt Set ID: Alt Mbr ID:

Proposal	Proposal Line Item ID		Unit Price	Bid Amount	
Number	Description	Quantity and Units	Dollars Cents	Dollars Cents	
0020	202.2023 REMOVING PAVEMENT SURFACE - MEDIUM CUT DRUM	107,360.000 SY		!	
0070	403.209 HOT MIX ASPHALT 9.5 MM (SIDEWALKS, DRIVES, INCIDENTALS)	5.000 T	<u></u> !		
0800	403.211 HOT MIX ASPHALT (SHIMMING)	200.000 T	!		
0090	403.213 HOT MIX ASPHALT 12.5 MM BASE	40.000 T	!	!	
0110	409.15 BITUMINOUS TACK COAT - APPLIED	100.000 G		!	
0130	410.151 EMULSIFIED ASPHALT SEALCOAT, APPLIED	70,240.000 SY	<u>!</u>		
0140	410.161 COVER COAT MATERIAL, SAND	35,120.000 LB	!		
0150	424.22 ASPHALT RUBBER CRACK SEALER TYPE 2, APPLIED	20,000.000 LB	!	!	
0170	424.37 CRACK REPAIR	910.000 LF	!		
0180	462.301 POLYMER MODIFIED ULTRATHIN BONDED WEARING COURSE	107,360.000 SY	<u></u> !	!	
0250	604.18 ADJUSTING MANHOLE OR CATCH BASIN TO GRADE	6.000 EA	<u> </u>		

Proposal Schedule of Items

Page 2 of 7

Proposal ID: 023927.00 **Project(s):** 023927.00

SECTION: 1 HIGHWAY ITEMS

Alt Set ID: Alt Mbr ID:

Proposal Line	Item ID Approximate		Unit Price	Bid Amount
Number	Description	Quantity and Units	Dollars Cents	Dollars Cents
0260	604.182 CLEAN EXISTING CATCH BASIN AND MANHOLE	10.000 EA	!	!
0290	606.367 REPLACE UNUSABLE EXISTING GUARDRAIL POSTS	1.000 EA	<u>!</u>	!
0300	606.81 TANGENT GUARDRAIL TERMINAL - ENERGY ABSORBING	1.000 EA	<u>!</u>	
0310	608.26 CURB RAMP DETECTABLE WARNING FIELD	40.000 SF	!	
0320	608.461 RECONSTRUCT PEDESTRIAN RAMP	1.000 EA	!	!
0410	627.733 4" WHITE OR YELLOW PAINTED PAVEMENT MARKING LINE	107,130.000 LF	<u>!</u>	!
0430	627.75 WHITE OR YELLOW PAVEMENT & CURB MARKING	1,020.000 SF	<u>!</u>	
0440	627.752 TEMPORARY WHITE OR YELLOW PAVEMENT & CURB MARKING	340.000 SF	<u>!</u>	!
0460	627.78 TEMPORARY 4 INCH PAINTED PAVEMENT MARKING LINE, WHITE OR YELLOW	117,830.000 LF	!	!
0480	629.05 HAND LABOR, STRAIGHT TIME	15.000 HR		!
0500	631.12 ALL PURPOSE EXCAVATOR (INCLUDING OPERATOR)	15.000 HR	!	!

Proposal Schedule of Items

Page 3 of 7

Proposal ID:	023927.00	Project(s):	023927.00
--------------	-----------	-------------	-----------

SECTION: 1 HIGHWAY ITEMS

Alt Set ID: Alt Mbr ID:

Proposal Line	Item ID	Approximate	Unit Price	Bid Amount
Number	Description	Quantity and Units	Dollars Cents	Dollars Cents
0520	631.172 TRUCK - LARGE (INCLUDING OPERATOR)	15.000 HR	<u> </u>	!
0550	639.19 FIELD OFFICE TYPE B	1.000 EA	!	!
0560	643.86 TRAFFIC SIGNAL LOOP DETECTORS	12.000 EA	!	!
0600	652.33 DRUM	20.000 EA	!	!
0620	652.34 CONE	180.000 EA	!	!
0640	652.35 CONSTRUCTION SIGNS	1,730.000 SF	<u> </u>	!
0660	652.36 MAINTENANCE OF TRAFFIC CONTROL DEVICES	49.000 CD	<u> </u>	!
0680	652.38 FLAGGER	1,300.000 HR	<u> </u>	!
0690	652.41 PORTABLE CHANGEABLE MESSAGE SIGN	3.000 EA	<u></u> j	!
0700	656.75 TEMPORARY SOIL EROSION AND WATER POLLUTION CONTROL	LUMP SUM	LUMP	!
0720	659.10 MOBILIZATION	LUMP SUM	LUMP SUM	<u>!</u>
	Section: 1		Total:	<u> </u>

Proposal Schedule of Items

Page 4 of 7

Proposal ID: 023927.00 **Project(s):** 023927.00

SECTION: 2 MTA ITEMS

Alt Set ID: Alt Mbr ID:

Proposal Line	Item ID	Approximate	Unit Price	Bid Amount
Number	Description	Quantity and Units	Dollars Cents	Dollars Cents
0010	202.202 REMOVING PAVEMENT SURFACE	520.000 SY	!	!
0030	203.20 COMMON EXCAVATION	450.000 CY	!	
0040	203.25 GRANULAR BORROW	10.000 CY	!	!
0050	304.10 AGGREGATE SUBBASE COURSE - GRAVEL	300.000 CY	!	!
0060	403.2081 12.5 MM POLYMER MODIFIED HOT MIX ASPHALT	80.000 T	!	<u></u> !
0100	403.2131 12.5 MM POLYMER MODIFIED HMA BASE	200.000 T	!	
0120	409.15 BITUMINOUS TACK COAT - APPLIED	60.000 G	<u> </u>	!
0160	424.22 ASPHALT RUBBER CRACK SEALER TYPE 2, APPLIED	115.000 LB	!	!
0190	603.159 12 INCH CULVERT PIPE OPTION III	14.000 LF	!	
0200	603.179 18 INCH CULVERT PIPE OPTION III	8.000 LF	!	!
0210	603.199 24 INCH CULVERT PIPE OPTION III	32.000 LF		!
0220	604.092 CATCH BASIN TYPE B1-C	2.000 EA		

Proposal Schedule of Items

Page 5 of 7

Proposal ID: 023927.00 **Project(s):** 023927.00

SECTION: 2 MTA ITEMS

Alt Set ID: Alt Mbr ID:

Proposal Line	Item ID	Approximate	Unit Price	Bid Amount
Number	Description	Quantity and Units	Dollars Cents	Dollars Cents
0230	604.16 ALTERING CATCH BASIN TO MANHOLES	1.000 EA	!	!
0240	604.161 ALTERING CATCH BASIN	1.000 EA	!	
0270	604.242 CATCH BASIN TYPE F3	2.000 EA	!	
0280	605.15 24 INCH UNDERDRAIN TYPE C	65.000 LF	!	
0330	609.21 CONCRETE SLIPFORM CURB (Mold 1)	430.000 LF	!	
0340	610.08 PLAIN RIPRAP	5.000 CY	!	!
0350	613.319 EROSION CONTROL BLANKET	25.000 SY	!	
0360	615.07 LOAM	20.000 CY	!	!
0370	618.13 SEEDING METHOD NUMBER 1	5.000 UN	!	
0380	619.12 MULCH	5.000 UN	!	!
0390	619.13 BARK MULCH	5.000 CY	!	
0400	620.58 EROSION CONTROL GEOTEXTILE	10.000 SY		
0420	627.733 4" WHITE OR YELLOW PAINTED PAVEMENT MARKING LINE	2,440.000 LF	!	

Proposal Schedule of Items

Page 6 of 7

Proposal ID: 023927.00 **Project(s):** 023927.00

SECTION: 2 MTA ITEMS

Alt Set ID: Alt Mbr ID:

Proposal Line	Item ID	Approximate	Unit Price	Bid Amount
Number	Description	Quantity and Units	Dollars Cents	Dollars Cents
0450	627.77 REMOVING PAVEMENT MARKINGS	95.000 SF	!	<u></u> !
0470	627.944 RETROREFLECTIVE THERMOPLASTIC PAVEMENT MARKING	92.000 LF	<u></u> !	<u> </u>
0490	629.05 HAND LABOR, STRAIGHT TIME	20.000 HR		!
0510	631.12 ALL PURPOSE EXCAVATOR (INCLUDING OPERATOR)	20.000 HR	<u>!</u>	
0530	631.172 TRUCK - LARGE (INCLUDING OPERATOR)	20.000 HR	<u>!</u>	!
0540	631.32 CULVERT CLEANER (INCLUDING OPERATOR)	4.000 HR	<u> </u>	!
0570	645.1061 RELOCATE EXISTING SIGN ASSEMBLY AND POST	3.000 EA	<u> </u>	!
0580	645.109 REMOVE AND SALVAGE HIGHWAY SIGNS	4.000 EA	<u> </u>	!
0590	645.292 REGULATORY, WARNING, CONFIRMATION AND ROUTE MARKER ASSEMBLY SIGNS TYPE II	50.000 SF	<u></u> !	!
0610	652.33 DRUM	90.000 EA	<u> </u>	!
0630	652.34 CONE	30.000 EA	<u> </u>	

Proposal Schedule of Items

Page 7 of 7

Proposal ID:	023927.00	Project(s):	023927.00
--------------	-----------	-------------	-----------

SECTION: 2 MTA ITEMS

Alt Set ID: Alt Mbr ID:

Contractor:

Proposal Line	Item ID	Approximate	Unit Price	Bid Amount
Number	Description	Quantity and Units	Dollars Cents	Dollars Cents
0650	652.35 CONSTRUCTION SIGNS	275.000 SF	<u> </u>	<u> </u>
0670	652.36 MAINTENANCE OF TRAFFIC CONTROL DEVICES	10.000 CD	<u>!</u>	!
0710	656.75 TEMPORARY SOIL EROSION AND WATER POLLUTION CONTROL	LUMP SUM	LUMP SUM	!
0730	659.10 MOBILIZATION	LUMP SUM	LUMP SUM	

Section: 2 Total: ______

Total Bid:

CONTRACT AGREEMENT, OFFER & AWARD

AGREEMENT made on the date last signed below, by and between the State of Maine, acting through and by its Department of Transportation (Department), an agency of state government with its principal administrative offices located at Child Street Augusta, Maine, with a mailing address at 16 State House Station, Augusta, Maine 04333-0016, and

a corporation or other legal entity organized under the laws of the State of ______, with its principal place of business located at ______

The Department and the Contractor, in consideration of the mutual promises set forth in this Agreement (the "Contract"), hereby agree as follows:

A. The Work.

The Contractor agrees to complete all Work as specified or indicated in the Contract including Extra Work in conformity with the Contract, 2392700 Pavement Milling Ultra-Thin Bonded Wearing Course Overlay with Drainage and Safety Improvements in the Towns of North Berwick and Wells, County of York, Maine. The Work includes construction, maintenance during construction, warranty as provided in the Contract, and other incidental work.

The Contractor shall be responsible for furnishing all supervision, labor, equipment, tools supplies, permanent materials and temporary materials required to perform the Work including construction quality control including inspection, testing and documentation, all required documentation at the conclusion of the project, warranting its work and performing all other work indicated in the Contract.

The Department shall have the right to alter the nature and extent of the Work as provided in the Contract; payment to be made as provided in the same.

B. Time.

The Contractor agrees to complete all Work, except warranty work, on or before **August 24, 2019.** Further, the Department may deduct from moneys otherwise due the Contractor, not as a penalty, but as Liquidated Damages in accordance with Sections 107.7 and 107.8 of the *State of Maine Department of Transportation Standard Specifications, November 2014 Edition* and related Special Provisions.

C. Price.

The quantities given in the Schedule of Items of the Bid Package will be used as the basis for determining the original Contract amount and for determining the amounts of the required Performance Surety Bond and Payment Surety Bond, and that the amount of this offer is

Section 1 \$		
Section 2 \$		

Performance Bond and Payment Bond each being 100% of the amount awarded under this Contract (see award amount in Section G below).

D. Contract.

This Contract, which may be amended, modified, or supplemented in writing only, consists of the Contract documents as defined in the Plans, *Standard Specifications*, *November 2014 Edition*, *Standard Details November 2014 Edition* as updated through advertisement, Supplemental Specifications, Special Provisions, Contract Agreement; and Contract Bonds. It is agreed and understood that this Contract will be governed by the documents listed above.

E. Certifications.

By signing below, the Contractor hereby certifies that to the best of the Contractor's knowledge and belief:

- 1. All of the statements, representations, covenants, and/or certifications required or set forth in the Bid and the Bid Documents, including those in Appendix A to Division 100 of the *Standard Specifications November 2014 Edition* (Federal Contract Provisions Supplement), and the Contract are still complete and accurate as of the date of this Agreement.
- 2. The Contractor knows of no legal, contractual, or financial impediment to entering into this Contract.
- 3. The person signing below is legally authorized by the Contractor to sign this Contract on behalf of the Contractor and to legally bind the Contractor to the terms of the Contract.

F. Offer.

The undersigned, having carefully examined the site of work, the Plans, Standard Specifications November 2014 Edition, Standard Details November 2014 Edition as updated through advertisement, Supplemental Specifications, Special Provisions, Contract Agreement; and Contract Bonds contained herein for construction of: 2392700 Pavement Milling Ultra-Thin Bonded Wearing Course Overlay with Drainage and Safety Improvements in the Towns of North Berwick and Wells, County of York, State of Maine, on which bids will be received until the time specified in the "Notice to Contractors" do(es) hereby bid and offer to enter into this contract to supply all the materials, tools, equipment and labor to construct the whole of the Work in strict accordance with the terms and conditions of this Contract at the unit prices in the attached "Schedule of Items."

The Offeror agrees to perform the work required at the price specified above and in accordance with the bids provided in the attached "Schedule of Items" in strict accordance with the terms of this solicitation, and to provide the appropriate insurance and bonds if this offer is accepted by the Government in writing.

As Offeror also agrees:

First: To do any extra work, not covered by the attached "Schedule of Items," which may be ordered by the Resident, and to accept as full compensation the amount determined upon a "Force Account" basis as provided in the *Standard Specifications*, *November 2014 Edition*, and as addressed in the contract documents.

Second: That the bid bond at 5% of the bid amount or the official bank check, cashier's check, certificate of deposit or U. S. Postal Money Order in the amount given in the "Notice to Contractors", payable to the Treasurer of the State of Maine and accompanying this bid, shall be forfeited, as liquidated damages, if in case this bid is accepted, and the undersigned shall fail to abide by the terms and conditions of the offer and fail to furnish satisfactory insurance and Contract bonds under the conditions stipulated in the Specifications within 15 days of notice of intent to award the contract.

Third: To begin the Work as stated in Section 107.2 of the *Standard Specifications November 2014 Edition* and complete the Work within the time limits given in the Special Provisions of this Contract.

Fourth: The Contractor will be bound to the Disadvantaged Business Enterprise (DBE) Requirements contained in the attached Notice (Additional Instructions to Bidders) and submit a completed Contractor's Disadvantaged Business Enterprise Utilization Plan with their bid.

Fifth: That this offer shall remain open for 30 calendar days after the date of opening of bids.

Sixth: The Bidder hereby certifies, to the best of its knowledge and belief that: the Bidder has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of competitive bidding in connection with its bid, and its subsequent contract with the Department.

IN WITNESS WHEREOF, the Contractor, for itself, its successors and assigns, hereby execute two duplicate originals of this Agreement and thereby binds itself to all covenants, terms, and obligations contained in the Contract Documents.

		CONTRACTOR
	Date	(Signature of Legally Authorized Representative of the Contractor)
	Witness	(Name and Title Printed)
G.	Award.	
	Your offer is hereby accepted	for (see checked boxes):
	Section 1 □ Section 2 □	
	Contract Amount:	
	This award consummates the	Contract, and the documents referenced herein.
		MAINE DEPARTMENT OF TRANSPORTATION
	Date	By: Bruce A. Van Note, Commissioner
	Witness	_

CONTRACT AGREEMENT, OFFER & AWARD

AGREEMENT made on the date last signed below, by and between the State of Maine, acting through and by its Department of Transportation (Department), an agency of state government with its principal administrative offices located at Child Street Augusta, Maine, with a mailing address at 16 State House Station, Augusta, Maine 04333-0016, and

a corporation or other legal entity organized under the laws of the State of ______, with its principal place of business located at ______

The Department and the Contractor, in consideration of the mutual promises set forth in this Agreement (the "Contract"), hereby agree as follows:

A. The Work.

The Contractor agrees to complete all Work as specified or indicated in the Contract including Extra Work in conformity with the Contract, 2392700 Pavement Milling Ultra-Thin Bonded Wearing Course Overlay with Drainage and Safety Improvements in the Towns of North Berwick and Wells, County of York, Maine. The Work includes construction, maintenance during construction, warranty as provided in the Contract, and other incidental work.

The Contractor shall be responsible for furnishing all supervision, labor, equipment, tools supplies, permanent materials and temporary materials required to perform the Work including construction quality control including inspection, testing and documentation, all required documentation at the conclusion of the project, warranting its work and performing all other work indicated in the Contract.

The Department shall have the right to alter the nature and extent of the Work as provided in the Contract; payment to be made as provided in the same.

B. Time.

The Contractor agrees to complete all Work, except warranty work, on or before **August 24, 2019.** Further, the Department may deduct from moneys otherwise due the Contractor, not as a penalty, but as Liquidated Damages in accordance with Sections 107.7 and 107.8 of the *State of Maine Department of Transportation Standard Specifications, November 2014 Edition* and related Special Provisions.

C. Price.

The quantities given in the Schedule of Items of the Bid Package will be used as the basis for determining the original Contract amount and for determining the amounts of the required Performance Surety Bond and Payment Surety Bond, and that the amount of this offer is

Section 1 \$		
Section 2 \$		

Performance Bond and Payment Bond each being 100% of the amount awarded under this Contract (see award amount in Section G below).

D. Contract.

This Contract, which may be amended, modified, or supplemented in writing only, consists of the Contract documents as defined in the Plans, *Standard Specifications*, *November 2014 Edition*, *Standard Details November 2014 Edition* as updated through advertisement, Supplemental Specifications, Special Provisions, Contract Agreement; and Contract Bonds. It is agreed and understood that this Contract will be governed by the documents listed above.

E. Certifications.

By signing below, the Contractor hereby certifies that to the best of the Contractor's knowledge and belief:

- 1. All of the statements, representations, covenants, and/or certifications required or set forth in the Bid and the Bid Documents, including those in Appendix A to Division 100 of the *Standard Specifications November 2014 Edition* (Federal Contract Provisions Supplement), and the Contract are still complete and accurate as of the date of this Agreement.
- 2. The Contractor knows of no legal, contractual, or financial impediment to entering into this Contract.
- 3. The person signing below is legally authorized by the Contractor to sign this Contract on behalf of the Contractor and to legally bind the Contractor to the terms of the Contract.

F. Offer.

The undersigned, having carefully examined the site of work, the Plans, Standard Specifications November 2014 Edition, Standard Details November 2014 Edition as updated through advertisement, Supplemental Specifications, Special Provisions, Contract Agreement; and Contract Bonds contained herein for construction of: 2392700 Pavement Milling Ultra-Thin Bonded Wearing Course Overlay with Drainage and Safety Improvements in the Towns of North Berwick and Wells, County of York, State of Maine, on which bids will be received until the time specified in the "Notice to Contractors" do(es) hereby bid and offer to enter into this contract to supply all the materials, tools, equipment and labor to construct the whole of the Work in strict accordance with the terms and conditions of this Contract at the unit prices in the attached "Schedule of Items."

The Offeror agrees to perform the work required at the price specified above and in accordance with the bids provided in the attached "Schedule of Items" in strict accordance with the terms of this solicitation, and to provide the appropriate insurance and bonds if this offer is accepted by the Government in writing.

As Offeror also agrees:

First: To do any extra work, not covered by the attached "Schedule of Items," which may be ordered by the Resident, and to accept as full compensation the amount determined upon a "Force Account" basis as provided in the *Standard Specifications*, *November 2014 Edition*, and as addressed in the contract documents.

Second: That the bid bond at 5% of the bid amount or the official bank check, cashier's check, certificate of deposit or U. S. Postal Money Order in the amount given in the "Notice to Contractors", payable to the Treasurer of the State of Maine and accompanying this bid, shall be forfeited, as liquidated damages, if in case this bid is accepted, and the undersigned shall fail to abide by the terms and conditions of the offer and fail to furnish satisfactory insurance and Contract bonds under the conditions stipulated in the Specifications within 15 days of notice of intent to award the contract.

Third: To begin the Work as stated in Section 107.2 of the *Standard Specifications November 2014 Edition* and complete the Work within the time limits given in the Special Provisions of this Contract.

Fourth: The Contractor will be bound to the Disadvantaged Business Enterprise (DBE) Requirements contained in the attached Notice (Additional Instructions to Bidders) and submit a completed Contractor's Disadvantaged Business Enterprise Utilization Plan with their bid.

Fifth: That this offer shall remain open for 30 calendar days after the date of opening of bids.

Sixth: The Bidder hereby certifies, to the best of its knowledge and belief that: the Bidder has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of competitive bidding in connection with its bid, and its subsequent contract with the Department.

IN WITNESS WHEREOF, the Contractor, for itself, its successors and assigns, hereby execute two duplicate originals of this Agreement and thereby binds itself to all covenants, terms, and obligations contained in the Contract Documents.

		CONTRACTOR
	Date	(Signature of Legally Authorized Representative of the Contractor)
	Witness	(Name and Title Printed)
G.	Award.	
	Your offer is hereby accepted	for (see checked boxes):
	Section 1 □ Section 2 □	
	Contract Amount:	
	This award consummates the	Contract, and the documents referenced herein.
		MAINE DEPARTMENT OF TRANSPORTATION
	Date	By: Bruce A. Van Note, Commissioner
	Witness	_

Wells - North Berwick, Wells
23927.00
Route 9
UTBWC
Pavement Preservation
March 13, 2019

SPECIAL PROVISION SECTION 403 HOT MIX ASPHALT

Desc. Of	Grad	Item	Total	No. Of	Comp. Notes							
Course	Design.	Number	Thick	Layers								
<u>Ultra-Thin Bonded Wearing Course</u>												
Mainline Travelway, Truck Lanes & Shoulder (As Indicated in Typicals)												
Wearing	Type C	462.301	3/4"	1	27,30							
Spot Sl	Spot Shims/Delaminated Areas (As Indicated or As Directed by Resident)											
Shim	9.5 mm	403.211	variable	1/more	1,2,4,10,11,14							
Shoulder Rehabilitation Areas (As Indicated in Typicals)												
Shim	9.5 mm	403.211	Variable	1/more	1,2,4,10,11,14							
Base	12.5 mm	403.213	2 1/2"	1/more	1,2,4,10,16							
	Ex	it 19 Improv	rements – W	idening Sectio	<u>on</u>							
Wearing	12.5 mm	403.2081	1 1/2"	1	4,8,30							
Intermediate	12.5 mm	403.2131	2 1/2"	1	4,8,30							
Base	12.5 mm	403.2131	2 1/2"	1	4,8,30							
	Exit 19 In	provements	- 1 ½" Mill	& 1 1/2" HMA	<u>Overlay</u>							
Wearing	12.5 mm	403.2081	1 1/2"	1	4,8,30							
	<u>D</u>	rives, Misc.	(As Directed	l by Resident)								
Wearing	9.5 mm	403.209	2"	1/more	1,2,3,11,14,18							

COMPLEMENTARY NOTES


- 1. The required PGAB for this mixture will meet a **PG 64-28** grading.
- 2. The incentive/disincentive provisions for density shall not apply. Rollers shall meet the requirements of this special provision. The use of an oscillating steel roller shall be required to compact all mixtures pavements placed on bridge decks.
- 3. The design traffic level for mix placed shall be <0.3 million ESALS. The design, verification, Quality Control, and Acceptance tests for this mix will be performed at **65 gyrations**.
- 4. The design traffic level for mix placed shall be 0.3 to <3 million ESALS. The design, verification, Quality Control, and Acceptance tests for this mix will be performed at <u>65 gyrations</u>.
- 8. Section 106.6 Acceptance, (2) Method B. The Contractor may request a contract modification to change to testing method "A" prior to work starting on this item.
- 10. Section 106.6 Acceptance, (2) Method D.
- 11. The combined aggregate gradation required for this item shall be classified as a 9.5mm "**fine graded**" mixture, (using the Primary Control Sieve control point) as defined in 703.09.
- 14. The combined aggregate gradation required for this item shall be classified as a 9.5mm Thin Lift Mixture (TLM) mixture, using the Aggregate Gradation Control Points as defined in 703.09.
- 16. In areas inaccessible to a **10 ton** roller, compaction of the new Hot Mix Asphalt Pavement will be obtained using a minimal roller train consisting of a **3-5 ton** vibratory roller. Areas less than 2 feet wide shall be compacted with a minimum of a **150 pound** plate compactor. An approved release agent is required to ensure the mixture does not adhere to hand tools, rollers, pavers, and truck bodies. The use of petroleum based fuel oils, or asphalt stripping solvents will not be permitted.

Wells - North Berwick, Wells
23927.00
Route 9
UTBWC
Pavement Preservation
March 13, 2019

- 18. The Department will accept or reject any HMA based on a visual basis, either prior to its use, during placement, or in its final disposition.
- 27. See Special Provision 462 Ultra Thin Bonded Wearing Course for project specifics.
- 30. The required PGAB shall be a storage-stable, homogeneous, polymer modified asphalt binder that meets **PG 64E-28** grading requirements in AASHTO M 332. All polymer modified asphalt grades utilized on the Project shall be treated with an approved liquid anti-strip. PG binders shall be treated either at the asphalt source terminal with the required dose rate on the delivery documentation, or at the hot mix asphalt plant utilizing a system integrated with the plants controls that will introduce a minimum 0.50 percent anti-strip by weight of asphalt binder used unless a rate is otherwise recommended by the anti-strip manufacturer. The PGAB and anti-strip blend shall meet the **PG 64E-28** requirements. The Contractor shall provide supporting test data showing the PGAB and anti-strip blend meet the required criteria.

Tack Coat

A tack coat of emulsified asphalt, RS-1, RS-1h, CRS-1 or CRS-1h, Item 409.15 shall be applied to any existing pavement at a rate of approximately 0.030 gal/yd², and on milled pavement approximately 0.05 gal/yd² prior to placing a new course. A fog coat of emulsified asphalt shall be applied between shim /base courses and surface course as well as to any bridge membrane prior to the placement of HMA layers at a rate not to exceed 0.030 gal/yd². Tack used will be paid for at the contract unit price for Item 409.15 Bituminous Tack Coat.



LOCATION MAP



MAINE TURNPIKE AUTHORITY

DANIEL E. WATHEN, CHAIR ROBERT D. STONE, VICE CHAIR MICHAEL J.CIANCHETTE, MEMBER JOHN E. DORITY, MEMBER ANN R. ROBINSON, MEMBER THOMAS J. ZUKE, MEMBER BRUCE A. VAN NOTE, MEMBER EX-OFFICIO

S. PETER MILLS, EXECUTIVE DIRECTOR

CONTRACT 2019.07 ROUTE 109 / EXIT 19 IMPROVEMENTS

CONTRACT 2019.07 ROUTE 109 / EXIT 19 IMPROVEMENTS VOLUME I

TO BE COMPLETED AS PART OF MAINEDOT W.I.N. 023927.00 **NORTH BERWICK - WELLS**

INDEX OF SHEETS

SHEET NO. DESCRIPTION TITLE SHEET

ESTIMATED QUANTITIES AND GENERAL NOTES

TYPICAL SECTIONS 3

TEMPORARY TRAFFIC CONTROL DETAILS

5-6

SIGN DETAILS / SIGN SUMMARY

8-14 CROSS SECTIONS

TYLININTERNATIONAL



3/6/2019

CONTRACT 2019.07

KEVIN S. DUCHARME, P.E. PROJECT MANAGER

DATE

PETER S. MERFELD, P.E.

MAINE TURNPIKE AUTHORITY

STEPHEN N. TARTRE, P.E.

APPROVED:

DIRECTOR OF ENGINEERING AND BUILDING MAINTENANCE

ITEM NO.	ITEM DESCRIPTION	UNIT	QUANTITY
202.202	REMOVE PAVEMENT SURACE	SY	520
203.20	COMMON EXCAVATION	CY	450
203.25	GRANULAR BORROW	CY	10
304.10	AGGREGATE SUBBASE COURSE - GRAVEL TYPE D	CY	300
403.2081	POLYMER MODIFIED HOT MIX ASPHALT,12.5 mm NOMINAL MAXIMUM SIZE	TON	80
403.2131	POLYMER MODIFIED HOT MIX ASPHALT,12.5 mm NOMINAL MAX SIZE (BASE AND INTERMEDIATE COURSE)	TON	200
409.15	BITUMINOUS TACK COAT, APPLIED	GAL	60
424.22	ASPHALT RUBBER CRACK SEALER TYPE 2, APPLIED	LB	115
603.159	12 INCH CULVERT PIPE OPTION III	LF	14
603.179	18 INCH CULVERT PIPE OPTION III	LF	8
603.199	24 INCH CULVERT PIPE OPTION III	LF	32
604.092	CATCH BASIN TYPE BI-C	EΑ	2
604.16	ALTERING CATCH BASIN	EΑ	/
604.161	ALTERING CATCH BASIN TO MANHOLE	EΑ	1
604.242	CATCH BASIN TYPE F3	EΑ	2
605.15	24" UNDERDRAIN TYPE C	LF	65
609.21	CONCRETE SLIPFORM CURB (MOLD I)	LF	430
610.08	PLAIN RIPRAP	CY	5
613.319	EROSION CONTROL BLANKET	SY	25
615.07	LOAM	CY	20
618.13	SEEDING METHOD NUMBER I	UNIT	5
619.12	MULCH	UNIT	5
619.13	BARK MULCH	CY	15
620.58	EROSION CONTROL GEOTEXTILE	SY	10
627.733	4" WHITE OR YELLOW PAINTED PAVEMENT MARKING LINE	LF	2440
627,77	REMOVING EXISTING PAVEMENT MARKING	SF	95
627,944	RETROREFLECTIVE THERMOPLASTIC PAVEMENT MARKING	SF	92
629.05	HAND LABOR - STRAIGHT TIME	HR	20
631.12	ALL PURPOSE EXCAVATOR (INCLUDING OPERATOR)	HR	20
631.172	TRUCK, LARGE (INCLUDING OPERATOR)	HR	20
631.32	CULVERT CLEANER (INC. OPERATOR)	HR	4
645.109	REMOVE AND SALVAGE HIGHWAY SIGNS	EΑ	4
645.1061	RELOCATE EXISTING SIGN ASSEMBLY AND POST	EΑ	3
645.292	REGULATORY, WARNING, CONFIRMATION AND ROUTE	SF	50
	MARKER ASSEMBLY SIGNS TYPE II		
652.33	DRUM	EΑ	90
652.34	CONE	EΑ	30
652.35	CONSTRUCTION SIGNS	SF	275
652.36	MAINTENANCE OF TRAFFIC CONTROL DEVICES	CD	10
656.75	TEMP. SOIL EROSION AND WATER POLLUTION CONTROL	LS	/
659.10	MOBILIZATION	LS	/

COMMON EXCAVATION FOR ESTIMATE	
COMMON EXCAVATION (FROM CROSS SECTIONS) TOTAL COMMON EXCAVATION	<u>442</u> 442
FILL FOR BORROW CALCULATIONS	
COMMON FILL (FROM CROSS SECTIONS) TOTAL FILL	<u>43</u> 43
ROCK EXCAVATION FOR ESTIMATE	
ROCK EXCAVATION (FROM CROSS SECTIONS) TOTAL ROCK EXCAVATION	0
AVAILABLE COMMON EXCAVATION FOR BORROW CALCULATIONS	5
(I) TOTAL COMMON EXCAVATION	<u>442</u>
DEDUCTIONS: GRUBBING IN CUT PAVEMENT SALVAGE IN FILL PAVEMENT SALVAGE IN CUT	<u>26</u> 0 25
(2) TOTAL DEDUCTIONS	5/
TOTAL AVAILABLE COMMON EXCAVATION (1) MINUS (2) TOTAL AVAILABLE STRUCT. EXCAVATION	<u>391</u>
(UNDERDRAIN ONLY) TOTAL AVAILABLE NON-ROCK EXCAVATION	<u>5</u> <u>396</u>
COMPUTATION OF WASTE STORAGE AND WASTE MATERIAL	
TOTAL AVAILABLE WASTE STORAGE AREA (FROM CROSS SECTIONS) GRUBBING IN CUT	<u>0</u> 26
TOTAL WASTE MATERIAL TO BE UTILIZED = SMALLER OF TOTAL AVAILABLE WASTE STORAGE AREA OR TOTAL WASTE MATERIAL	0
TOTAL WASTE MATERIAL TO BE WASTED = TOTAL WASTE MATERIAL MINUS TOTAL WASTE MATERIAL TO BE UTILIZED	<u>26</u>
COMPUTATION OF GRANULAR BORROW FOR ESTIMATE	
GRANULAR BORROW TO REPLACE MUCK GRANULAR BORROW IN LOW WET AREAS GRANULAR BORROW TO UPGRADE EXCAVATION GRANULAR BORROW TO MAINTAIN TRAFFIC	<u>0</u> 0
TOTAL GRANULAR BORROW	
COMPUTATION OF COMMON BORROW FOR ESTIMATE (3)TOTAL FILL	8
TOTAL AVAIL NON-ROCK EXCAVATION 396 x0.85 TOTAL AVAIL ROCK EXCAVATION 0 x1.33 TOTAL AVAIL STR. EARTH EXCAVATION 0 x0.85 TOTAL AVAIL STR. ROCK EXCAVATION 0 x1.33 TOTAL WASTE MATL TO BE UTILIZED 0 x1.00	i= 0 i= 0
(4) TOTAL AVAILABLE EXCAVATION	337
TOTAL SURPLUS MATERIAL =AVAILABLE EXCAVATION MINUS TOTAL FILL PLUS WASTE MATERIAL TO BE WASTED	<u>294</u>

<u>GENERAL</u>

- I. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE MAINE DEPARTMENT OF TRANSPORTATION'S STANDARD SPECIFICATIONS LATEST REVISION AND THE MAINE DEPARTMENT OF TRANSPORTATION'S STANDARD DETAILS HIGHWAYS & BRIDGES LATEST REVISION UNLESS OTHERWISE NOTED OR INCLUDED IN THESE PLANS.
- 2. NO SEPARATE PAYMENT FOR SUPERINTENDENT OR FOREMAN WILL BE MADE FOR THE SUPERVISION OF EQUIPMENT BEING PAID FOR UNDER THE EQUIPMENT RENTAL ITEMS.
- 3. "UNDETERMINED LOCATIONS" SHALL BE DETERMINED BY THE RESIDENT.
- 4. THE CONTRACTOR IS REQUIRED TO MAINTAIN ACCESS TO ALL DRIVEWAYS AND SIDE ROADS DURING CONSTRUCTION UNLESS OTHERWISE NOTED ON THE PLANS.
- 5. THE CONTRACTOR SHALL SUBMIT THEIR PROPOSED STAGING AREA(S) TO THE RESIDENT FOR APPROVAL PRIOR TO STARTING WORK.
- 6. RIGHT OF WAY AND PROPERTY LINES ARE SHOWN FOR INFORMATIONAL PURPOSES ONLY.
- 7. GEOTECHNICAL INFORMATION FURNISHED OR REFERRED TO IN THE PLAN SET IS FOR BIDDER'S AND CONTRACTOR'S USE. NO ASSURANCE IS GIVEN THAT THE INFORMATION OR INTERPRETATIONS WILL BE REPRESENTATIVE OF ACTUAL SUBSURFACE CONDITIONS AT THE TIME OF CONSTRUCTION. THE AUTHORITY SHALL NOT BE RESPONSIBLE FOR THE BIDDER'S AND CONTRACTOR'S INTERPRETATIONS OF, OR CONCLUSIONS DRAWN FROM THE GEOTECHNICAL INFORMATION. THE BORING LOGS CONTAINED IN THE PLAN SET PRESENT FACTUAL AND INTERPRETIVE SUBSURFACE INFORMATION COLLECTED AT DISCRETE LOCATIONS. DATA PROVIDED MAY NOT BE REPRESENTATIVE OF THE SUBSURFACE CONDITIONS BETWEEN BORING LOCATIONS.

<u>SIGNING</u>

I. STANDARD GROUND MOUNT SIGNS SHALL BE COMPLETED IN ACCORDANCE WITH THE MAINE DEPARTMENT OF TRANSPORTATION'S 2014 STANDARD DETAILS HIGHWAYS & BRIDGES.

UTILITY

- I. THE UTILITIES INVOLVED IN THIS CONTRACT ARE AS FOLLOWS:

 CENTRAL MAINE POWER CO.

 CONSOLIDATED COMMUNICATIONS
 - CHARTER COMMUNICATIONS (SPECTRUM)
 UNITIL
 WELLS SANITARY DISTRICT
 MAINE TURNPINE AUTHORITY
- 2. ALL UTILITY FACILITIES SHALL BE ADJUSTED BY THE RESPECTIVE UTILITIES UNLESS OTHERWISE NOTED.
- 3. EXISTING UTILITIES ON THESE PLANS WERE COMPILED FROM FIELD SURVEY AND VARIOUS OTHER SOURCES. LOCATIONS ARE NOT GUARANTEED TO BE ACCURATE NOR IS IT GUARANTEED THAT ALL UTILITIES ARE SHOWN. NO SEPARATE OR ADDITIONAL COMPENSATION WILL BE ALLOWED TO THE CONTRACTOR DUE TO ANY VARIANCE BETWEEN THE DATA SHOWN ON THE PLANS AND THE ACTUAL FIELD CONDITIONS ENCOUNTERED. NO WORK SHALL BE STARTED UNTIL THE OWNERS OF THE VARIOUS UTILITIES ARE NOTIFIED BY THE CONTRACTOR OF THE PROPOSED CONSTRUCTION. THE CONTRACTOR IS ALSO REQUIRED TO CALL DIG SAFE AT 1-888-344-7233 AT LEAST 72 HOURS PRIOR TO THE START OF THE WORK.

EARTHWORK

- I. ALL WASTE MATERIAL SHALL BE DISPOSED OF OFF THE PROJECT IN ACCORDANCE WITH CHAPTER 404, DEPARTMENT OF ENVIRONMENTAL PROTECTION SOLID WASTE MANAGEMENT RULES.
- 2. EXCAVATIONS ACCOMPLISHED AS PART OF THIS PROJECT SHALL BE CONSTRUCTED IN ACCORDANCE WITH OSHA SUBPART P OF 29 CFR PART 1926.650-652 (CONSTRUCTION STANDARDS FOR EXCAVATION).

PAVING

- I. ANY NECESSARY CLEANING OF EXISTING PAVEMENT PRIOR TO PAVING SHALL BE INCIDENTAL TO THE RELATED PAVING ITEMS.
- 2. ALL JOINTS BETWEEN EXISTING AND PROPOSED HOT BITUMINOUS PAVEMENT SHALL BE BUTTED. PAYMENT SHALL BE INCIDENTAL TO THE RELATED PAVING ITEMS.
- 3. HOT MIX ASPHALT FOR TEMPORARY RAMPS WILL NOT BE MEASURED FOR PAYMENT, BUT SHALL BE INCIDENTAL TO THE PAYEMENT ITEMS.
- 4. ITEM 424.22 HOT RUBBERIZED JOINT SEALER SHALL BE PLACED ALONG THE VERTICAL EDGE WHERE PROPOSED INTERMEDIATE AND SURFACE PAVEMENT WILL ABUT EXISTING AND PAID FOR AT UNIT PRICE.

EROSION CONTROL

- I. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE MAINE DEPARTMENT OF TRANSPORTATION'S BEST MANAGEMENT PRACTICES FOR EROSION CONTROL & SEDIMENT CONTROL LATEST EDITION UNLESS OTHERWISE NOTED OR INCLUDED IN THESE PLANS.
- 2. THE ANTICIPATED EROSION CONTROL DEVICES ARE SHOWN ON THE PLANS. THE CONTRACTOR SHALL PROPOSE ACTUAL TYPE AND LOCATION OF DEVICES FOR APPROVAL BY THE RESIDENT. ADDITIONAL MEASURES MAY BE PROPOSED BY THE CONTRACTOR DUE TO SITE OR WEATHER CONDITIONS. THE RESIDENT MAY DIRECT THE CONTRACTOR TO IMPLEMENT ADDITIONAL MEASURES. ANY ADDITIONAL MEASURES APPROVED BY THE RESIDENT WILL BE MEASURED FOR PAYMENT.
- 3. FOUR (4) INCHES OF LOAM HAS BEEN ESTIMATED FOR ALL DISTURBED SLOPE AREAS UNLESS OTHERWISE SPECIFIED ON THE PLANS. ACTUAL PLACEMENT OF THE LOAM SHALL BE AS DESIGNATED BY THE RESIDENT.
- 4. ALL SLOPES SHALL BE SEEDED WITH SEEDING METHOD NUMBER 2.
- 5. MULCH SHALL BE APPLIED IN AREAS SEEDED EXCEPT WHERE EROSION CONTROL BLANKET IS SPECIFIED.

<u>DRAINAGE</u>

- I. ANY EXISTING CULVERTS THAT REMAIN SHALL BE CLEANED AS DIRECTED BY THE RESIDENT. PAYMENT WILL BE MADE UNDER ITEM 631.32 CULVERT CLEANER (INCLUDING OPERATOR).
- 2. ANY NECESSARY CUTTING OF EXISTING PIPES TO FIT IN AREAS OF PROPOSED CATCH BASINS WILL NOT BE PAID FOR SEPARATELY AND WILL BE CONSIDERED INCIDENTAL TO THE 604 ITEMS.
- 3. ALL TIES TO EXISTING BASINS SHALL BE CORED AND RUBBER BOOTED.

Sc	cale	; :			Designed by	:				
No.		NOT TO SCALE			TY-LININTERNATIONAL					
No	ο.	Revision	Ву	Date	1					
					CONSULTANT	PROJEC	CT MANAGER:	Kevin Ducharm	e	
						Ву	Date		Ву	Date
					Designed			Checked		
					Drawn			In Charge of		

T.Y. Lin International 12 Northbrook Drive Building A, Suite One Falmouth, Maine 04105 TEL: (207) 781-4721 FAX: (207) 781-4753



THE GOLD STAR MEMORIAL HIGHWAY ROUTE 109 IMPROVEMENTS


ESTIMATED QUANTITIES & GENERAL NOTES


SHEET NUMBER:


MTA PROJECT MANAGER: Ralph C. Norwood, IV

CONTRACT:2019.07

2 OF 14








WIDENING SECTION - IN CUT STATION 18+00 - 21+50





NOTES:

- I. THE PAVEMENT, BASE, AND SUBBASE DEPTHS AS SHOWN ON THE PLANS ARE INTENDED TO BE NOMINAL.
- 2. CROWNS FOR BOTH NORMAL AND SUPERELEVATED SECTIONS FOR ALL COURSES OF SUBBASE AND PAVEMENT SHALL BE STRAIGHT.
- 3. THE ALGEBRAIC DIFFERENCE BETWEEN THE SHOULDER AND TRAVEL LANE CROSS SLOPES "ROLLOVER" SHALL NOT EXCEED 8%.
- 4. THE STATIONING SHOWN UNDER EACH TYPICAL IS APPROXIMATE.
- 5. UNDER THE MAINE TURNPIKE BRIDGE, ITEM 619.1301 BARK MULCH SHALL BE USED IN PLACE OF LOAM AND SEED.

Scale:				Designed by:					
	NOT TO SCALE			T-Y	'LII	NINT	ERNATI	ON	AL
No.	Revision	Ву	Date	1					
				CONSULTANT	PROJE(CT MANAGER	: Kevin Ducharm	e	
					Ву	Date		Ву	Date
				Designed			Checked		
				Drawn			In Charge of		

T.Y. Lin International 12 Northbrook Drive Building A, Suite One Falmouth, Maine 04105 TEL: (207) 781-4721 FAX: (207) 781-4753



THE GOLD STAR MEMORIAL HIGHWAY


TYPICAL SECTIONS


ROUTE 109 IMPROVEMENTS


SHEET NUMBER:

CONTRACT:2019.07

2019.07 3 OF 14







IDENTIFI CATION NUMBER	SI	OF GN HEIGHT	TEXT		MENSIONS VERTICAL SPACING		NUMBER OF SIGNS REQUIRED	COL BACK- GROUND	OR LEGEND BORDER	BORDER RADIUS	AREA IN SQUARE FEET	NOTES
W4-2 (MOD)	36"	36"		CONFOR	DIMENSIONS RM TO "STA XY SIGNS" -	NDARD	/	YELLOW	BLACK		9.00 (9)	

NOTES:

- I. ALL PAVEMENT STRIPING & SIGNING SHALL BE IN ACCORDANCE WITH THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES", U.S.D.O.T., F.H.W.A., LATEST EDITION. NOTE THERE IS A 2009 EDITION OF MUTCD.
- 2. THE CONTRACTOR SHALL REMOVE ALL PAVEMENT MARKINGS THAT CONFLICT WITH PROPOSED PAVEMENT MARKINGS IN ACCORDANCE WITH THE SPECIFICATIONS AND MUTCD. PAYMENT SHALL BE MADE UNDER ITEM 627.77 - REMOVING PAVEMENT MARKINGS.

ABBREVIATIONS FOR ALL PLANS:

BWLL = BROKEN WHITE LANE LINE SWEL = SOLID WHITE EDGE LINE

SYEL = SOLID YELLOW EDGE LINE DYCL = DOUBLE YELLOW CENTER LINE

TBWLL = TEMPORARY BROKEN WHITE LANE LINE

TSWEL = TEMORARY SOLID WHITE EDGE LINE TSYEL = TEMPORARY SOLID YELLOW EDGE LINE

Designed by: Scale: NOT TO SCALE **TY-LIN**INTERNATIONAL By Date Revision CONSULTANT PROJECT MANAGER: Kevin Ducharme Date Date Designed Checked

T.Y. Lin International 12 Northbrook Drive Building A, Suite One Falmouth, Maine 04105 TEL: (207) 781-4721 FAX: (207) 781-4753



THE GOLD STAR **MEMORIAL HIGHWAY**


SIGN DETAILS / SIGN SUMMARY

ROUTE 109 IMPROVEMENTS


SHEET NUMBER:


CONTRACT:2019.07


7 OF 14





Sta. 16+50.00 to Sta. 17+50.00













Sta. 21+25.00 to Sta. 22+00.00





T.Y. Lin International 12 Northbrook Drive Building A, Suite One Falmouth, Maine 04105 TEL: (207) 781-4721 FAX: (207) 781-4753



ROUTE 109 IMPROVEMENTS

CROSS SECTIONS

SHEET NUMBER: CONTRACT:2019.07

Sta. 22+50.00 to Sta. 23+00.00

14 OF 14