

## Structures in the Municipality of Canaan

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Canaan"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>BRIDGE NO.:</b> <input type="text" value="6116"/>	<b>BRIDGE REGION:</b> <input type="text" value="Western"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>LOCATION:</b> <input type="text" value=".6 MI W RTE #23"/>	<b>YEAR BUILT:</b> <input type="text" value="1930"/>	<b>DECK CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>BRDGNAME:</b> <input type="text" value="MOORE BRIDGE"/>	<b>SPAN MATERIAL:</b> <input type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>OWNER:</b> <input type="text" value="4 Municipal"/>	<b>SPAN TYPE:</b> <input type="text" value="1 Girder"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="4 Municipal"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="2"/>	<b>APPROACH CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>FEATURE ON:</b> <input type="text" value="MOORES MILLS ROAD"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="42"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="9/29/2011"/>
<b>FEATURE UNDER:</b> <input type="text" value="CARRABASSETT STREA"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="57.1"/>
<b>ROAD INV NO:</b> <input type="text" value="0002500401"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input type="text" value="18"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="LOW USE/REDUNDANT BRIDGE"/>		

## Structures in the Municipality of Canaan

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Canaan"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>BRIDGE NO.:</b> <input type="text" value="5551"/>	<b>BRIDGE REGION:</b> <input type="text" value="Western"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>LOCATION:</b> <input type="text" value=".2 MI N JCT US2"/>	<b>YEAR BUILT:</b> <input type="text" value="1954"/>	<b>DECK CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>BRDGNAME:</b> <input type="text" value="NICKERSON"/>	<b>SPAN MATERIAL:</b> <input type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="1 Girder"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>FEATURE ON:</b> <input type="text" value="RTE 23"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="81"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="5/7/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="CARRABASSET STREAM"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="68.8"/>
<b>ROAD INV NO:</b> <input type="text" value="000000023X"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00023"/>		
<b>ROAD WIDTH:</b> <input type="text" value="26"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

## Structures in the Municipality of Canaan

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Canaan"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRIDGE NO.:</b> <input type="text" value="3496"/>	<b>BRIDGE REGION:</b> <input type="text" value="Western"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>LOCATION:</b> <input type="text" value=".6 MI N CLINTON TIL"/>	<b>YEAR BUILT:</b> <input type="text" value="2011"/>	<b>DECK CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRDGNAME:</b> <input type="text" value="HASKELL"/>	<b>SPAN MATERIAL:</b> <input type="text" value="7 Precast Concrete"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="4 Culvert"/>	<b>CULVERT CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>FEATURE ON:</b> <input type="text" value="ROUTE 23"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="22"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="1/26/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="HASKELL BROOK"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="98.5"/>
<b>ROAD INV NO:</b> <input type="text" value="000000023X"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00023"/>		
<b>ROAD WIDTH:</b> <input type="text" value="0"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

## Structures in the Municipality of Canaan

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Canaan"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>BRIDGE NO.:</b> <input type="text" value="3159"/>	<b>BRIDGE REGION:</b> <input type="text" value="Western"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>LOCATION:</b> <input type="text" value="2.3 MI N JCT US 2"/>	<b>YEAR BUILT:</b> <input type="text" value="1935"/>	<b>DECK CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>BRDGNAME:</b> <input type="text" value="HALL"/>	<b>SPAN MATERIAL:</b> <input type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="1 Girder"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="3"/>	<b>APPROACH CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>FEATURE ON:</b> <input type="text" value="RTE 23"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="104"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="5/7/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="BLACK STREAM"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="67.8"/>
<b>ROAD INV NO:</b> <input type="text" value="00000023X"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00023"/>		
<b>ROAD WIDTH:</b> <input type="text" value="22"/> <b>FEET</b>	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

## Structures in the Municipality of Canaan

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Canaan"/>	<b>TOWN2:</b> <input type="text" value="Pittsfield"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="9"/> <input type="text" value="Excellent"/>
<b>BRIDGE NO.:</b> <input type="text" value="2767"/>	<b>BRIDGE REGION:</b> <input type="text" value="Eastern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="9"/> <input type="text" value="Excellent"/>
<b>LOCATION:</b> <input type="text" value="CANAAN - PITTSFIELD TL"/>	<b>YEAR BUILT:</b> <input type="text" value="2011"/>	<b>DECK CONDITION:</b> <input type="text" value="9"/> <input type="text" value="Excellent"/>
<b>BRDGNAME:</b> <input type="text" value="SIBLEY POND"/>	<b>SPAN MATERIAL:</b> <input type="text" value="7 Precast Concrete"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="1 Girder"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="10"/>	<b>APPROACH CONDITION:</b> <input type="text" value="9"/> <input type="text" value="Excellent"/>
<b>FEATURE ON:</b> <input type="text" value="ROUTE US 2"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="794"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="3/16/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="SIBLEY POND"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="78.7"/>
<b>ROAD INV NO:</b> <input type="text" value="000000002X"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00002"/>		
<b>ROAD WIDTH:</b> <input type="text" value="26"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

## Structures in the Municipality of Canaan

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Canaan"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>BRIDGE NO.:</b> <input type="text" value="2602"/>	<b>BRIDGE REGION:</b> <input type="text" value="Western"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>LOCATION:</b> <input type="text" value="0.3 MI SW OF JCT US RTE 2"/>	<b>YEAR BUILT:</b> <input type="text" value="2003"/>	<b>DECK CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>BRDGNAME:</b> NEW	<b>SPAN MATERIAL:</b> <input type="text" value="7 Precast Concrete"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="1 Girder"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>FEATURE ON:</b> <input type="text" value="ROUTE 23"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="84"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="5/26/2011"/>
<b>FEATURE UNDER:</b> <input type="text" value="CARABASSETT STREAM"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="93.7"/>
<b>ROAD INV NO:</b> <input type="text" value="000000023X"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00023"/>		
<b>ROAD WIDTH:</b> <input type="text" value="30"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

## Structures in the Municipality of Canaan

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Canaan"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>BRIDGE NO.:</b> <input type="text" value="2120"/>	<b>BRIDGE REGION:</b> <input type="text" value="Western"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>LOCATION:</b> <input type="text" value="0.1 MIE OF W'LY JCT 23"/>	<b>YEAR BUILT:</b> <input type="text" value="1941"/>	<b>DECK CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>BRDGNAME:</b> <input type="text" value="CANAAN"/>	<b>SPAN MATERIAL:</b> <input type="text" value="2 Concrete"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="7 Rigid Frame"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>FEATURE ON:</b> <input type="text" value="ROUTE US2 &amp; 23"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="33"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="5/7/2012"/>
<b>FEATURE UNDER:</b> <input type="text" value="CARABASSET STREAM"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="52.9"/>
<b>ROAD INV NO:</b> <input type="text" value="000000002X"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00002"/>		
<b>ROAD WIDTH:</b> <input type="text" value="30"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

## Structures in the Municipality of Canaan

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Canaan"/>	<b>TOWN2:</b> <input type="text" value="No town 2"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRIDGE NO.:</b> <input type="text" value="1032"/>	<b>BRIDGE REGION:</b> <input type="text" value="Western"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>LOCATION:</b> <input type="text" value="1.5 MI W RTE #23"/>	<b>YEAR BUILT:</b> <input type="text" value="2008"/>	<b>DECK CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRDGNAME:</b> CRUMETT	<b>SPAN MATERIAL:</b> <input type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>OWNER:</b> <input type="text" value="4 Municipal"/>	<b>SPAN TYPE:</b> <input type="text" value="4 Culvert"/>	<b>CULVERT CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>MAINTAINER:</b> <input type="text" value="4 Municipal"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="2"/>	<b>APPROACH CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>FEATURE ON:</b> <input type="text" value="LANCASTER RD"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="16"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="9/29/2011"/>
<b>FEATURE UNDER:</b> <input type="text" value="E BR BLACK STR"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="71.3"/>
<b>ROAD INV NO:</b> <input type="text" value="0002500412"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input type="text" value="0"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="N"/>	
<b>CLASS:</b> <input type="text" value="LOW USE/REDUNDANT BRIDGE"/>		

## Structures in the Municipality of Skowhegan

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Skowhegan"/>	<b>TOWN2:</b> <input type="text" value="Canaan"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>BRIDGE NO.:</b> <input type="text" value="6138"/>	<b>BRIDGE REGION:</b> <input type="text" value="Western"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>LOCATION:</b> <input type="text" value=".2 MI W RTE #23"/>	<b>YEAR BUILT:</b> <input type="text" value="1936"/>	<b>DECK CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>BRDGNAME:</b> <b>HILTON BRIDGE</b>	<b>SPAN MATERIAL:</b> <input type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>OWNER:</b> <input type="text" value="4 Municipal"/>	<b>SPAN TYPE:</b> <input type="text" value="5 Truss"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="4 Municipal"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>FEATURE ON:</b> <input type="text" value="RED BRIDGE RD"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="65"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="1/9/2013"/>
<b>FEATURE UNDER:</b> <input type="text" value="CARRABASSET STR"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="58.3"/>
<b>ROAD INV NO:</b> <input type="text" value="0002500402"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input type="text" value="18"/> <b>FEET</b>	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="LOW USE/REDUNDANT BRIDGE"/>		