

Maine Department of Transportation's
Qualified Products List of
Concrete Admixtures

MANUFACTURER	PRODUCT	TYPE
BASF Construction Chemicals, LLC 23700 Chagrin Blvd. Cleveland, OH 44122 c/o Mark Piechuta 216-839-7072	MasterAir AE 90	AASHTO M 154 (air-entraining)
	MasterAir AE 200	AASHTO M 154 (air-entraining)
	MasterAir AE 400	AASHTO M 154 (air-entraining)
	MasterCell 30	ASTM C869 (foaming agent)
	MasterGlenium 3030	A, F
	MasterGlenium 3400	A, F
	MasterGlenium 7500	A, F
	MasterGlenium 7620	A, F
	MasterGlenium 7700	A, F
	MasterGlenium 7710	A, F
	MasterLife ASR 30	S (ASR inhibiting)
	MasterLife CI 30	C
	MasterLife SF 100	AASHTO M 307 (silica fume)
	MasterLife SRA 20	S (shrinkage reducing)
	MasterMatrix 33	S (rheology control)
	MasterMatrix UW 450	anti-washout admixture
	MasterMatrix VMA 358	S (viscosity modifier)
	MasterMatrix VMA 362	S (viscosity modifier)
	MasterPolyheed 1020	A, F
	MasterPolyheed 1025	A, F
	MasterPolyheed 1725	A, F
	MasterPolyheed 900	A
	MasterPolyheed 997	A, F
	MasterPozzolith 200	A, B, D
	MasterRheobuild 1000	A, F
	MasterSet AC 534	C
	MasterSet DELVO	B, D
	MasterSet FP 20	C, E
	MasterSet R 100	B, D
	MasterSet R 961	B, D
MasterSure 1390	S (air-detraining)	
MasterSure Z 60	S (rheology control)	
MasterGlenium 1466	A, F	
Cementec Industries, Inc. Calgary, Alberta, Canada 403-720-6699	CON-Fume	Silica Fume
The Euclid Chemical Company 19218 Redwood Road Cleveland, Ohio 44110 216-692-8305	Accelguard G3	C, E
	Plastol Ultra 209	F
Richway Industries, LTD. Janesville, IA 50647 800-553-2404	CreteFoam CMX	ASTM C869 (foaming agent)
Sika Corporation c/o Nate Artman 2874 Clark Pkwy Westlake, OH 44145 330-495-0109	Intraplast-N	Grouting Aid
	Plastiment	B, D
	Plastiment ES	B, D
	Plastocrete 161FL	C, E
	Sika AEA-14	AASHTO M 154 (air-entraining)
	Sika AER	AASHTO M 154 (air-entraining)

Maine Department of Transportation's
Qualified Products List of
Concrete Admixtures

MANUFACTURER	PRODUCT	TYPE	
Sika Corporation c/o Nate Artman 2874 Clark Pkwy Westlake, OH 44145 330-495-0109	Sika Air	AASHTO M 154 (air-entraining)	
	Sika CNI	C	
	Sika Rapid-1	C	
	Sika Stabilizer 4R	S (viscosity modifier)	
	Sika ViscoCrete 1000	A, F	
	Sika ViscoCrete 2100	A, F	
	Sika ViscoCrete 4100	A, F	
	Sika ViscoCrete 6100	A, F	
	Sika ViscoFlow-2020	S (workability retaining)	
	Sikacrete 950DP Microsilica	AASHTO M 307 (silica fume)	
	Sikament-475	A, F	
	Sikament 610	A, F	
	Sikament AFM	A, F	
	SikaTard 440	B, D	
	Sika Control-75	S (shrinkage reducing)	
	Sika Control-220	S (shrinkage reducing)	
	Sika Control ASR	S (ASR control)	
	SikaSet NC	C, E	
	Sika Stabilizer 300 SCC	S (viscosity modifier)	
	GCP Applied Technologies 62 Whittemore Ave. Cambridge, MA 02140-1692 c/o Robert J. Hoopes 617-498-4816	ADVA 140M	A, F
ADVA 190		F	
ADVA 405		F	
ADVA Cast 575		F	
ADVA Cast 600		F	
ADVA Flex		F	
AIRALON 3000		AASHTO M 154 (air-entraining)	
DARASET 400		C	
DARATARD 17		B, D	
DARAVAIR 1000		AASHTO M 154 (air-entraining)	
DARAVAIR 1400		AASHTO M 154 (air-entraining)	
DARAVAIR AT60		AASHTO M 154 (air-entraining)	
DARAVAIR M		AASHTO M 154 (air-entraining)	
DAREX II AEA		AASHTO M 154 (air-entraining)	
DCI		C / ASTM C1582	
DCI-S		ASTM C1582	
ECLIPSE 4500		S (shrinkage reducing)	
EXP 950		F	
Force 10,000 D		AASHTO M 307 (silica fume)	
MIRA 62		A, F	
MIRA 110		A, F	
POLARSET [1]		C	
RECOVER [2]		D	
TERAPAVE AEA		AASHTO M 154 (air-entraining)	
V-MAR 3		S (rheology control)	
ZYLA 630		A, D	

Maine Department of Transportation's
Qualified Products List of
Concrete Admixtures

MANUFACTURER	PRODUCT	TYPE
Premier CPG 300 Barr Harbor Drive, Suite 250 W. Conshohocken, PA 19428 800-227-4287	PREVent-C	S (shrinkage reducing)

MaineDOT requires re-certification by all manufacturers every five years in order to ensure that product names and formulations have remained the same since the product was originally placed on this list and that products are still relevant and in production.

Concrete admixtures that have not been tested by NTPEP will not be evaluated by MaineDOT. NTPEP provides for retesting of concrete admixtures on a 5-year basis. A lapse of NTPEP test results may result in disqualification of the

[1] pH measured in a 1:20 dilution using ASTM E70 test procedures

[2] The use of Recover is conditional. Recover can only be used on projects with prior approval from the Bridge Program.

AASHTO M 194, ASTM C494 Types:

Type A – Water-reducing admixtures

Type B – Retarding admixtures

Type C – Accelerating admixtures

Type D – Water-reducing and retarding admixtures

Type E – Water-reducing and accelerating admixtures

Type F – Water-reducing, high range admixtures

Type G – Water-reducing, high range, and retarding admixtures

Type S – Specific performance admixtures

NOTE: Re-certification of these products is required five years from the date of initial prequalification, and every five years thereafter in order to remain on the QPL.

Sales Representatives seeking approval of a new product should submit their product's Materials Technical Data Sheet, Instructions for Installation, Safety Data Sheet, and a completed copy of MaineDOT's [New Product Submittal Form \(PDF\)](#).

If you are experiencing difficulties reading or printing this page, or any page on the Qualified Products List website, please contact us at 207-624-3268.

Last updated: November 30, 2016