MARTEN MANAGEMENT SYSTEM AND DATABASE

SEPTEMBER 1990

Maine Department of Inland Fisheries & Wildlife Wildlife Resource Assessment Section Mammal Group

TABLE OF CONTENTS

PARTIMARIEN MANAGEMENT SYSTEM	3
INTRODUCTION	4
MANAGEMENT GOALS AND OBJECTIVESMANAGEMENT GOALSASSUMPTIONS	5
MANAGEMENT DECISION PROCESSINPUT CRITERIA FOR MARTEN MANAGEMENTMANAGEMENT OPTIONS AND RECOMMENDATIONS	9
CHRONOLOGY OF MARTEN MANAGEMENT ACTIVITIES	15
PART II MARTEN MANAGEMENT DATA BASE	16
MARTEN DATA COLLECTION SUMMARY MARTEN HARVEST DATA HARVEST VERSUS ALLOWABLE HARVEST EFFORT REGIONAL AND TRAPPER OBSERVATIONS	17 17 18
LITERATURE CITED	19
LIST OF APPENDICES	20

PART I. - MARTEN MANAGEMENT SYSTEM

INTRODUCTION

This document describes the current system by which biologists of the Maine

Department of Inland Fisheries and Wildlife (MDIFW) make marten (Martes americana)

management decisions on an annual basis. Part I outlines the decision-making process

by which biological information drives management options. Part II details techniques

for estimating biological parameters used as inputs in the decision-making scheme

presented in Part I. Goals, population and allowable harvest estimates, and habitat

information were detailed in the 1985 marten assessment.

This document addresses biological factors of current marten management only.

Social, political, and economic factors and goals are addressed in the 1985 marten assessment.

MANAGEMENT GOALS AND OBJECTIVES

Goals and objectives for marten management were established in the 1985 marten species plan to guide management through 1990. Goals and objectives were based on recommendations made to MDIFW by a working group composed of individuals representing public groups interested in marten management.

Management Goals

Expand the range of marten into the western part of WMU 3 and maintain marten populations at no lower than 1985 levels throughout current occupied range.

Abundance objective

Maintain spring (pre-birth) marten populations at not lower than 1985 levels throughout current occupied range, estimated at 0.45 marten/mi² habitat in WMU 1.0/Mi² habitat in WMU 2, 0.5/mi² habitat in WMU 3, 0.35/mi² habitat in WMU 4, and 0.25/mi² habitat in WMU 5. Expand range of marten into unoccupied range in WMU 3 by 1990.

Harvest objective

Maintain harvest at levels needed to maintain abundance objective.

Assumptions

Marten management goals and objectives are based on the following three assumptions from the 1985 marten assessment:

- a 3% decline in habitat quality statewide is projected for 1990, but habitat quantity should remain stable. Carrying capacity will, therefore, drop about 3% during the same period.
- statewide populations are well below carrying capacity (estimated 49%).
 Wildlife Management Unit (WMU) 2 is the only unit near carrying capacity.
- demand for marten will remain high, although the number of trappers
 harvesting marten is not expected to increase.

MANAGEMENT DECISION PROCESS

Management decisions primarily address the goal of maintaining a stable or increasing marten population while providing opportunity for use of the resource.

Decision-making is a series of yes or no answers to questions related to marten population status (Figure 1). Responses to questions are based on evaluation of all input criteria and the flow chart guides the manager to the appropriate and/or current management option.


For the purposes of this process, marten carrying capacity is considered constant between 5-year assessments of habitat quality and quantity.

Input Criteria for Marten Management

The decision process for marten management uses two sets of input criteria. criteria A are harvest and long-term trend data to compare the present marten population with the target (1985) population. Criteria B are short-term trends used to assess population stability. These criteria are assessed for WMU 2, under the assumption that this represents most accurately the status of the marten population statewide.

Criteria A:

This input consists of a 2-step process. Step 1 compares the current harvest with an estimate of the maximum allowable harvest. If harvest exceeds the estimated allowable limit, the population is assumed to be below the target (1985 population).



Step 2 compares the present population with the target. This step uses trends in harvest, trapper success rate, and effort for all years beginning with 1985 and ending with the current year. If the trends suggest a population decline since 1985, then the population is assumed to be below target.

Step 1: The maximum allowable harvest is assumed to be 1 marten per Mi² of marten habitat. If the harvest is >1/mi² of habitat during any year, then the population is assumed to be below the target and management action is indicated. If management action is taken because of presumed over-harvest, then the allowable harvest will be reduced to 0.8/Mi² of habitat. If the harvest density is <0.8/mi² for five consecutive years, then the population will be assumed to be on target, unless trends described in Step 2 suggest otherwise.

Step 2: Long-term trends are evaluated by calculating regressions of annual harvest and trapper success rate for all years beginning with 1985, or for the most recent 5year period, whichever is longer. Trends in harvest and success will then be compared with changes in trapper effort during the same period. A trend index will be judged to have changed if the slope of the regression is significantly different from 0, with $P \le 0.2$ during any one year, or $P \le 0.4$ during three consecutive years. These probability levels are necessary because of the large variance in marten harvests between years.

Harvest trend = the number of marten registered by trappers during each year.

Success Rate =

(no trapping limit in effect) the number of trappers that catch at least one marten divided by the number that catch at least one fisher, -marten, bobcat, fox, or coyote (i.e., successful land trappers). If a limit is put into effect (see management option II), then the denominator in this calculation will be the number of trappers requesting tags for marten trapping.

Effort =

the percent change from the previous year in prices paid for marten, fisher, mink, coyote, and red fox pelts. Changes in effort will be assessed as follows:

Average prices reported by Maine furbuyers during each season will be determined for marten, fisher, mink, coyote, and red fox.

Changes in these prices between 2 consecutive years will be determined according to the formula:

Percent change = $\underline{\text{Year 2 price - Year 1 price x 100}}$ Year 1 price


The mean percent change (MPC) will be determined over all years since 1985, or the most recent 5 years, whichever is longer.

If MPC of marten pelts increases by >10%; **or** if the MPC of marten pelts is unchanged (<10% increase or decrease) and MPC for the other furbearers (averaged together) decreases by >10%; then effort will be assumed to have increased.

If MPC of marten pelts decreases by >10%; **or** if MPC of marten pelts is unchanged and MPC of other furbearers increases by >10%; then effort will be assumed to have declined.

Otherwise, effort will be assumed to be constant.

The status of the marten population will be determined according to the following chart (assuming that harvests are below the allowable limit):



Criteria B:

Population stability is examined using the trends described under Step 2, assessed over the most recent 5year period only. Decisions regarding population stability will be made using the rules described above.

Management Options and Recommendations

Management Option I

Maintain current harvest levels through season length, timing, and trapper effort.

Management Option II

Reduce harvest to <0.8/.i2 for a period of 5 years by limiting the number of martens each trapper can take. When first put into effect, this limit will be set to 25. if additional reductions are required, the limit will be reduced to 15. To achieve further reductions, limits will be reduced by increments of 5, or the season will be closed.

Management Option III

Increase harvest by increasing or removing limits, if in effect.

CHRONOLOGY OF MARTEN MANAGEMENT ACTIVITIES

Marten pelts tagged November-December

Harvest data entered December-January

Pelt price survey November-April

Meeting with MTA and furbuyers March

Harvest, license, and other data analyzed May

Recommendations for rule changes May-June

Public hearings June-July

Regulation changes adopted July-August

PART II. - MARTEN MANAGEMENT DATABASE

MARTEN DATA COLLECTION SUMMARY

Marten Harvest Data

Law requires that each harvested marten be tagged by an agent or personnel of MDIFW (Appendix 1). Data recorded at the time of tagging include trapper name and license number, month of capture, and township of capture. These data are recorded in registration booklets (Appendix II). Books are inspected by the Warden Service and submitted to the Data Entry Section of the Bureau of Resource Management. There, data are entered on the IBM mainframe computer of the Bureau of Data Processing. Harvest data are analyzed and summarized by a series of computer programs (Appendix III) that provide information on total catch by township, number of trappers catching marten, harvest by trapper, and historical harvest summary.

Harvest versus Allowable Harvest

WMU 2 contains most of Maine's best marten habitat and sustains the majority of the harvest each year. Harvest figures are obtained through pelt tagging data. Estimates of adult marten densities were derived from marten research information and 1980 forest survey data. After estimating trapping removal rates for different sex and age classes of tagged marten, Soukkala (1983) concluded that a harvest of 1.5 marten/mile² was causing a decline in local marten numbers. Some townships in WMU 2 have sustained marten harvests in excess of 1.5/mile 2, although not for more than 2 years in a row. In 1985, trappers in WHU 2 harvested 0.8 marten/mile 2 with no apparent ill effects. Because the importance of marten refugia (little or no timber

harvest or trapper access) in supplying marten for roadside harvest is not known, a harvest in excess of 1 marten/m ile2 in WMU 2 should be considered a maximum.

Effort

Trapping effort is assumed to be directly related to the average price paid for marten pelts, and inversely related to prices paid for pelts of fisher, fox, coyote, and mink. This information is determined from a monthly mail survey of furbuyers, conducted from November to April each year (Appendix IV).

Regional and Trapper Observations

Meetings are held with regional biologists and Maine Trappers Association (MTA) members to discuss regional and trapper observations in conjunction with harvest analysis information.

LITERATURE CITED

- Soukkala, A. M. 1983. The effects of trapping on marten harvests in Maine. M.S. Thesis. Univ. of Maine, Orono. 41pp.
- Soutiere, E. C. 1978. The effects of timber harvesting on the marten. Ph.D. Thesis. Univ. of Maine, Orono. 62pp.
- Wynne, K. M. 1981. Summer home range use by adult marten in northwestern Maine. M.S. Thesis. Univ. of Maine, Orono. 19pp.

LIST OF APPENDICES

- I. Rules governing the tagging of marten pelts.
- II. Sample page from pelt tagging registration book.
- III. Summary of computer programs and analyses applied to marten pelt tagging and trapper data.
- IV. Monthly pelt value mail survey form.

APPENDIX I. Rules governing the tagging of marten pelts.

H. Tagging Procedure

It shall be unlawful for any person to possess, sell, give away, buy, accept as a gift, offer for transportation or transport any raw fox, bobcat, marten, fisher, coyote, raccoon, beaver, mink, or otter skins unless each skin is tagged.

All raw skins of these species must be presented to a warden, or other agent designated by the Commissioner, and each raw skin legally presented shall be tagged. All information requested relating to the taking of each skin shall be accurately and truthfully reported. A fee of 25¢ shall be paid for each skin tagged.

All raw fox, marten, fisher, coyote, raccoon, bobcat, beaver, mink, and otter skins shall be presented for tagging within 10 days after the closing of the open season thereon, except the raw skins of all bobcat taken during the open bobcat hunting season shall be presented, by the person who killed said bobcat, for tagging within 72 hours of killing said animal.

Any raw skins of these species that come into this State in any manner from any other state, country, or province shall bear the official stamp, tag, or seal of such other state, country, or province. Any suck skins that does not require an official stamp, tag, or seal, shall be tagged in accordance with this section by the person possessing such raw skins. The fee for tagging such imported raw skins shall be 25¢ for each tag so issued. Licensed taxidermists who import raw skins for the purpose of taxidermy are exempt from the provisions of this paragraph.

Raccoons

Raccoons may be hunted at night during the open season only when the hunter (i) is accompanied by a dog, (ii), uses an electric flashlight to locate raccoons that are treed, or held at bay, by a dog or dogs, and (iii) is in possession of, an uses a rifle, pistol, or revolver of no greater power or caliber than one which uses.22 caliber long rifle ammunition; said rifle to be loaded only when being used to dispatch a raccoon that is treed or held at bay by a dog or dogs.

J. Size of Traps

Animals may be trapped with any common ordinary steel trap.

I\/I	ARTEN	MANA	GEMEN	T Syste	· N/

APPENDIX II. Sample page from pelt tagging registration book.

FUR TAGGING SHEET

(see instructions outside and inside front cover)

License Type ¹	License Number ³	Seal Number ³	Species ⁴	Month ^s Year ^s	Town Caught (use complete Township	ID) ⁷ County S
41	t-1673	71976	Red Fox	1186	Moroso Rive	Squeeter
41	F-1673	7 1 9 7 7	Martan	1186	+ 12 100	//
41	た - // ク 2					
				1186		
41	+-1673	71979		1186		11
41	4-1673	71980	11	1186	11	11
41	t-1673	71981	/)	1186		//
11/	4 - 1 (7 2	7 9 7 7	market respectively	1/6/	entral de la constitución de la	//
. *====================================	THE THE PARTY AND ADDRESS OF THE PARTY OF TH	in all through which a light and a second	and the state of t	X 6	Marie Const. And Marie September September 1995	Control of the state of the sta
9 / Sept. 69	1-1673	11983	-6000	1 (8 6	C I	//
4/	t - 1673	71784	(1	1186	/ \	1/1
41	t-1673	71985	Marten	1086	/ /	11

APPENDIX III. Summary of computer programs and analyses applied to marten harvest and trapper data.

Description of furbearer data analysis and information system.

Program	Input Data	Outputs	Users
TRAPLIST SAS	License data (tape)	Alphabetical listing by county of trapping license holders.	Requests from outside sources.
LISTTRAP SAS	License data (tape)	Numerical listing by license and alphabetical listing by name of trapping license holders.	1) Furbearer Project 2) Warden Service
LICSUM SAS	License data (tape) Township data (disk)	Summary of licenses by type by by region and WMU.	1) Furbearer Project 2) Regions 3) Administration
PRELIMITY SAS	Harvest data (tape)	Summary of harvest by WMU for each species.	1) Furbearer Project 2) Regions 3) Administration 4) Public
COUNTYHV SAS	Harvest data (tape)	Summary of harvest by county for each species.	Requests from outside sources.
TAPEFIX1 SAS	Harvest data (tape) License data (tape)	Correct license type in harvest file and create disk file.	
TAPEFIX2 SAS	Harvest data (tape)	Write corrected harvest file back onto tape.	
LANDSUC SAS	Harvest data (tape)	Number of successful marten trappers, marten harvest, number of trappers taking \leq 10 marten, and number of marten caught by those taking \leq 10 marten.	Marten Management System

Program	Input Data	Outputs	Users
FURTAG SAS	Harvest data (tape) Township data (disk)	Harvest data are summarized by township in data set on disk (FURBEAR. TWNHRVnn). Harvest and harvest/mi² listing is produced by township, MMU, region, MMU within region, and statewide.	1) Furbearer Project 2) Regions 3) Public
TOWNSUM SAS	FURBEAR. TWMHRVnn data sets (disk) Township data (disk)	Harvest and harvest/mi ² listing is produced for all years since 1976. Long term and short term averages are computed for all groupings. Summmary data set is produced (FURBEAR. TOWNSUM).	1) Project 2) Regions 3) Administration
Townsum2 Sas	FURBEAR. TWM:RVnn data sets (disk)	Harvest listing is produced for last 2 years by township within region.	Lists are used by regional biologists and public in pro- viding information to Wardens.
LICTAG SASNEW	Harvest data (tape) License data (tape) Township (disk)	Harvest by WMU by harvester (trapper, hunter and combined) data set is created (FURBEAR. TRPHRVnn). Trapper listing by WMU is produced. Summary of harvest is WMU by region of residence (carpet bagger) is produced to monitor trapper movement.	ln

Program	Input Data	Outputs	Users
TYPETAG SASNEW	FURBEAR. TRPHRVnn data set (disk)	Listing of harvest, catch/success- ful harvester, and successful har- vesters by license type and gen- eral category by WMU and statewide is produced. Summary data set is created (FURBEAR. TYPHRVnn).	
HARUSUM SAS	FURBEAR. TRPHRVnn data sets (disk)	Tables of historical harvest and success rate by general category and produced by WMU and statewide and plots of harvest, successful users, and success rate statewide.	1) Region 2) Project 3) Administration
WARDNTAG SAS	Harvest data (tape) License data (tape) Township data (disk)	Summary of harvest by individual within each warden district is produced. A summary of pelts tagged by warden district and division is produced.	Warden Service
TGSEARCH SAS	Harvest data (tape)	Search for all information on specific tag number.	Warden Service
TRSEARCH SAS	Harvest data (tape)	Search for all information on specific trapper.	Warden Service
BIOLIST SAS	Biological data (tape) Township data (disk)	Biological data file for all years is created on tape (FURBEAR. BIODATA). A listing by ID number within township is produced.	2) Regions

Program	Input Data	Outputs	Users
BIODATA SAS	FURBEAR, BIODATA (disk)	Complete tables of sex and age data are produced. Reproductive data are summarized.	Project
HRVWEEK SAS	FURBEAR, BIODATA (disk)	Tables of frequency of juvenile harvest by sex by date are produced. Tables of sex and age breakdown by week of fall season are produced.	Project
HRVCHRON SAS	FURBEAR.BIODATA (disk)	Bar graphs of chronology of harvest and produced by WMU and statewide.	1) Project 2) Regions
MCIRHOD SAS FCIRHOD SAS MCIRJUV SAS FCIRJUV SAS	Biological data output Warden data output License data output (data form)	Change-in-ratio model to estimate exploitation rate for males and females of juvenile and older age classes	Project
POPMODEL SAS	Biological data output Harvest data output Exploitation rate output (data form).	Life equation type population model used to evaluate management options.	Project
TRAPLONG SAS	Trapper Longevity File	Updates longevity file with current year's license sales.	Project

Program	Input Data	Outputs	Users
TRAPLONG PRINT	Trapper Longevity File Trapper Listings	Update longevity file when license number is unknown.	Project
TRAPLONG MODEL	Trapper Longevity File	Life equation type population model of trappers.	Project
QUESTnn SAS	Trapper Questionnaire File	Analysis of trapper questionnaire data.	1) Project 2) Administration

APPENDIX IV. Monthly pelt value mail survey form.



John R. McKernan, Jr.

William J. Vail

DEPARTMENT OF INLAND FISHERIES AND WILDLIFE

Telephone (207) 289-3371

Wildlife Resource Assessment Section
P. O. Box 1298
Bangor, ME 04401-1298
Telephone (207) 941-4472

November 23, 1987

Dear Maine Furbuyer:

We need your help again this year to keep our fur value information up-to-date. As in previous years, we will mail monthly Furbuyers Report Forms to you throughout the 1987-88 furtaking seasons.

Please report the average pelt price you pay to trappers and hunters each month. We do not need to know about the prices of fur you buy from other sources. The enclosed forms are for the month of October and November; each has a self-addressed, stamped return envelope attached. You will receive a Furbuyer Report form at the end of each of the coming winter and early spring months.

Each completed Furbuyers Report Form is destroyed as soon as the price information is transcribed. Only price information is retained in our files; no names are recorded to ensure your confidentiality.

We appreciate your cooperation in our efforts to monitor prices paid for Maine fur. Please feel free to contact us in writing or by telephone (941-4471) if we can be of assistance.

Sincerely,

Ken Elowe, Leader Furbearer/Bear Project

MONTHLY FURBUYERS REPORT (VOLUNTARY)

Please record the average price you paid for the pelts of each of these species bought in Maine from trappers and hunters during the month indicated. This price information will be combined with information from other buyers to develop an average statewide price. To protect your confidentiality, this report will be destroyed after recording the prices given. If you did not purchase any pelts during the month, check "NO" and return the form anyway. If you have any questions, please contact us by mail or phone. A stamped, addressed envelope is enclosed for this report. This form will be mailed to you monthly through April, 1988.

Thank you for your assistance.

Wildlife Division
Maine Dept. Inland Fisheries & Wildlife
P.O. Box 1298
Bangor, ME 04401-1298

(941-4471)

Name of Furbuyer	:		
Month: December			
Did you buy pelt	s during this	month: YES	NO
Species	Average Price	Species	Average Price
Beaver		Bobcat	
Coyote		Grey Fox	
Red Fox		Pine Marten	
Fisher: Male		Mink: Male	
Female		Female	
Muskrat		Otter	
Raccoon		Skunk	
Weasel			