STATE OF MAINE DEPARTMENT OF ENVIRONMENTAL PROTECTION

and STATE OF MAINE LAND USE PLANNING COMMISSION

IN THE MATTER OF

CENTRAL MAINE POWER COMPANY Application for Site Location of Development Act permit and Natural Resources Protection Act permit for the New England Clean Energy Connect ("NECEC")	SUPPLEMENTAL TESTIMONY OF GROUP 4 WITNESS DR. DAVID PUBLICOVER
L-27625-26- A-N L-27625-TB-B-N L-27625-2C-C-N L-27625-VP-D-N	April 26, 2019

SITE LAW CERTIFICATION SLC-9

This supplemental testimony is offered in response to questions posed in DEP's 10th

Procedural Order.

L-27625-IW-E-N

The Department is requesting supplemental testimony as to "whether any of these techniques [i.e., undergrounding, tapering, or taller pole structures in areas identified during the hearing as environmentally sensitive or of special concern] would satisfy concerns raised at the hearing or be a preferred alternative."

While these techniques have been proposed by the Applicant in a small number of places¹, none have been proposed by the Applicant for any of the environmentally sensitive areas identified during the hearing. Instead, discussion of the potential use of these techniques has

¹ e.g., undergrounding at the Kennebec Gorge, taller structures at Gold Brook and Mountain Brook, and tapered vegetation at Coburn Mountain and Gold Brook.

arisen in the course of intervenor testimony, cross-examination, or questioning by the Department. The information in the record primarily consists of suggestions as to potential expanded use of these techniques that might reduce the environmental impacts of the project. There is no specific information in the record as to where or how these techniques would be used (other than TNC's proposal for burial in specific locations), and limited information or analysis as to their effectiveness.

As a witness for an intervenor group, my responsibility is to evaluate and render an opinion on information in the record within my area of expertise. Because CMP has not amended its application to include these alternative techniques, with the requisite locationspecific information, I am not willing to hypothesize on the potential impacts of a not-yetproposed alternative mitigation strategy or alternative route. If the Applicant amends its application to include alternate techniques I would welcome the opportunity to evaluate and respond to these modifications. In the absence of a site-specific application from CMP, the remainder of my testimony is confined to a general discussion of the likely impacts of the proposed mitigation strategies on fragmentation.

As a general opinion I do not believe that any of the proposed techniques would adequately correct the fatal flaws in the application. Direct burial (trenching) within the proposed corridor (either in short sections or for long distances) is an inadequate solution to the issue of fragmentation, as it would still require the clearing of a new corridor through this undeveloped forest region. Horizontal direct drilling (HDD) would allow short portions of the line to remain forested but would still result in significant disturbance in the areas near the injection point and there would still be extensive sections of aboveground line with the rather the permanently deforested corridor. In addition, the new impacts created by the use of either of these burial techniques would have to be thoroughly described and analyzed in an amended application.

While a narrower corridor is better than a wider one, we maintain that the appropriate technique is burial along existing disturbed corridors (as has been done in other projects), which would eliminate the need for a major new fragmenting corridor. Importantly, it is highly unlikely that a properly designed alternative underground route would be proposed in a remote undeveloped location due to the numerous environmental and logistical challenges identified by both CMP and Group 3 witness Gil Paquette. It should not be surprising that the evaluation of undergrounding along a route not selected with this technique in mind indicates that is not well-suited for this location. This post-hoc rationalization is a poor substitute for properly selecting an appropriate underground route and related technology in the first place.

As for tapering or taller vegetation, they are merely band aids on a very serious wound, and would have limited value for reasons described below.

<u>The value of tapered vegetation</u>. Tapering was proposed as a way to mitigate the scenic impact of the corridor in certain locations, not as mitigation for fragmentation impacts, and it would have limited benefit for the latter purpose. Tapering would maintain a 20-foot wide band of trees that would grow up to 35 feet high along the edge of the corridor.² Twenty feet is barely one tree crown wide. In addition, trees capable of exceeding this height between maintenance cycles would be cut every four years. Because trees of this size can easily grow a foot or more per year the actual height of vegetation would have to be less than 35 feet.

Taller vegetation adjacent to the forest edge would have some limited benefit in reducing edge effects by reducing (though not eliminating) the penetration of light and wind into the

² Applicant Exhibit 10-2, Post-Construction Vegetation Management Plan (revised 1/30/19).

adjacent forest. However, given the height and density of the tapered vegetation (which would be only about half the height of adjacent mature forest), there would still be a change in the environment in the adjacent forest, and the vegetation would have limited benefit in preventing blowdown along the forest edge.

Tapered vegetation would also have little benefit for maintaining connectivity across the corridor for species requiring mature forest habitat such as marten. The habitat requirements of marten have been thoroughly studied by researchers at the University of Maine (Payer and Harrison 2000, 2003, 2004; Fuller and Harrison 2005). Minimum requirements for marten use are at least 80 ft²/acre of basal in trees at least 30 feet tall with minimum 30% crown closure in all seasons and structure provided by standing and downed dead wood. These conditions would not be maintained within the area of tapered vegetation, and tapering as described in CMP's application would provide little to no habitat connectivity for marten or other mature forest species.

<u>The value of taller vegetation</u>. Utilizing taller poles has been proposed as a way to maintain taller vegetation in some areas as wildlife travel corridors across the larger corridor. It is difficult to comment on this technique as there is no specific proposal to analyze, just a general potential concept. The value of this technique would depend on specific factors including the height of the vegetation, the width of the wildlife travel corridors, and the species composition of the maintained forest vegetation.

Height. Wildlife travel corridors maintained with full-height mature vegetation (60-70 feet) would be most effective, as it would allow for the presence of larger trees as well as natural mortality and recruitment of woody debris, which would increase the effectiveness of these corridors. Shorter vegetation (30-40 feet) would meet the minimum height and density

requirements for marten, but would require the removal of trees taller than this, thus eliminating the presence of larger trees and the recruitment of woody debris. Without these structures the value of taller vegetation as a wildlife travel corridor would be greatly reduced. This approach would be much less effective. Anything shorter than this would have very little benefit.

Width. Wildlife corridors of only a few hundred feet wide (such as the proposed riparian buffers) would consist entirely of edge habitat and would have limited effectiveness for species requiring interior forest. Edge effects can extend several hundred feet into forest adjacent to edges (300 feet is often used as a standard estimate of edge effects), thus corridors would need to be a minimum of 600-1000 feet wide to provide some interior forest in the middle. The proposed riparian buffers are all narrower than this so would provide little benefit as travel corridors for species requiring interior forest

Species composition. Published habitat requirements for marten specify at least 30% crown closure in all seasons, which in winter would be provided by softwood species. Corridors consisting of dominantly deciduous vegetation would not meet the minimum requirements for marten in winter.

In addition, it is not clear whether the taller vegetation would be maintained during construction. It is likely that a corridor of some width would need to be cleared to allow access for construction, thus the full value of taller vegetation (which would need to regrow following clearing) would not be realized for many decades.

Finally, there is a serious additional consideration with utilizing taller vegetation as a mitigation technique. In the current proposal the 100' towers extend 90' above the 10' high vegetation that would be maintained in the wire zone. Maintaining taller vegetation would require towers of 120-150' high – about twice the height of the surrounding forest vegetation.

This would significantly increase the visibility of the towers and require an amendment to the Visual Impact Analysis. Allowing this technique to be implemented without an amended VIA and full opportunity for parties to assess this increased visual impact should not be considered.

To summarize, in my opinion none of the proposed techniques (undergrounding, tapering or taller vegetation) would adequately address the fragmenting impacts of the project. They are inadequate fixes proposed to salvage a project that was improperly located in the first place, and are a poor substitute for burying the project along existing and already disturbed corridors.

REFERENCES

- Fuller, A.K. and D.J. Harrison. 2005. Influence of partial timber harvesting on American martens in north-central Maine. Journal of Wildlife Management 69:710-722.
- Payer, D. and D.J. Harrison. 2000. Structural differences between forests regenerating following spruce budworm defoliation and clear-cut harvesting: Implications for marten. Canadian Journal of Forest Research 30:1965-1972.
- Payer, D. and D.J. Harrison. 2003. Influence of forest structure on habitat use by American marten in an industrial forest. Forest Ecology and Management 179:145-156.
- Payer, D. and D.J. Harrison. 2004. Relationships between Forest Structure and Habitat Use by American Martens in Maine, USA. Pp. 173-186 in: Harrison, D.J., A.K. Fuller and G. Proulx (eds), Martens and Fishers (*Martes*) in Human-Altered Environments. Springer, Boston, MA.

Notarization

I, <u>David Publicover</u>, being first duly sworn, affirm that the above testimony is true and accurate to the best of my knowledge.

Date: 4/26/19

LI

David Publicover Senior Staff Scientist

The above-named David Publicover made affirmation that the above testimony is true and accurate to the best of his knowledge.

Date: Q/26/i7

Notary Catherine B. Johnson

Attorney - at - law

STATE OF MAINE DEPARTMENT OF ENVIRONMENTAL PROTECTION

and

STATE OF MAINE LAND USE PLANNING COMMISSION

IN THE MATTER OF

CENTRAL MAINE POWER COMPANY Application for Site Location of Development Act permit and Natural Resources Protection Act permit for the New England Clean Energy Connect ("NECEC")

SUPPLEMENTAL TESTIMONY OF GROUP 4 WITNESS JEFF REARDON

L-27625-26- A-N L-27625-TB-B-N L-27625-2C-C-N L-27625-VP-D-N L-27625-IW-E-N

April 30, 2019

SITE LAW CERTIFICATION SLC-9

This supplemental testimony is offered in response to questions posed in DEP's 10th Procedural Order. The Department has requested supplemental testimony on the following topics:

Whether undergrounding, tapering, or taller pole structures in areas identified during the hearing as environmentally sensitive or of special concern (for example, The Nature Conservancy's nine identified areas, Trout Unlimited's mention of Tomhegan Stream, and other specific wildlife corridors identified by parties) are technically feasible and economically viable minimization or mitigation measures. Also, whether any of these techniques would satisfy concerns raised at the hearing or be a preferred alternative. Information and evidence on these environmentally sensitive or special concern areas must include specific locations, such as GPS coordinates, latitude/longitude, or locations between existing pole structures to allow all parties and the Department to pinpoint the locations.

The Department goes on to request that "The applicant and the parties should be prepared to discuss the following more specific topics at the May 9 hearing, and identifies 12 questions regarding construction details, five questions regarding environmental issues, seven questions regarding costs, and two questions about routing. The volume of this request by itself indicates that the application was insufficient to answer these questions.

My testimony is limited to those issues identified in the 10th Procedural Order where we have been asked to provide evidence on the NECEC proposal as described in the Application, and on whether some modifications identified in the 10th Procedural Order would minimize or mitigate the impacts of the NECEC on coldwater fisheries resources and riparian buffers. This encompasses the following specific requests in the 10th Procedural Order:

- Specific locations, such as GPS coordinates, latitude/longitude, or locations between existing pole structures to allow all parties and the Department to pinpoint the locations where undergrounding, tapering or taller pole structures would be beneficial.¹
- 2. Whether undergrounding, tapering, or taller pole structures in areas identified during the hearing as environmentally sensitive or of special concern (for example, The Nature Conservancy's nine identified areas, Trout Unlimited's mention of Tomhegan Stream, and other specific wildlife corridors identified by parties) are technically feasible and economically viable minimization or mitigation measures.²

¹ 10th Procedural Order, Page 1.

² 10th Procedural Order, Page 1.

 Whether tapering within the 100-foot buffers around streams would provide adequate large woody vegetation for streams in segment 1 which are typically less than 10 feet wide.

Specific Locations Where Undergrounding, Tapering, or Taller Pole Structures Would

Minimize Impacts on Brook Trout Habitat. As discussed in more detail below, I do not have enough information to assess any potential benefits of undergrounding, and I do not believe that tapering will provide much benefit to brook trout or replace the buffer functions provided by an intact canopy of trees. My response here therefore identifies those places where I believe taller pole structures, which would maintain an intact canopy, would have benefits for brook trout and other coldwater fish. In my prefiled testimony and Exhibits, I identified four sets of crossings typically a crossing of a perennial stream and several associated intermittent streams—where I believed there was both a high level of impact due to multiple crossings in a small area, and, based on my knowledge of these resources, particularly high value habitat for brook trout. The sites I identified were:

• In Skinner TWP, the route includes 18 separate crossings (3 on permanent streams, 12 on intermittent streams, and 3 on ephemeral streams) that impact the West Branch and South Branch of the Moose River near their confluence just east of Moose Mountain. The combination of multiple crossings, each of which will be maintained without a closed canopy cover, in a relatively small area risks cumulative impacts on the headwaters of one of Maine's most remote wilderness trout rivers. (Exhibit 3A)

• On Piel Brook near the four corners of Bradstreet, Parlin Pond, Upper Enchanted and Johnson Mountain TWPs, a total of 10 crossings (3 on permanent streams, 5 on intermittent streams, and 2 on ephemeral streams) impact the headwaters. (Exhibit 3B) • The Cold Stream crossing in Johnson Mountain TWP is an especially important site for brook trout. (See additional discussion about the special value of Cold Stream for brook trout below.) It's also a particularly impactful crossing. In this case, the issue is not so much the number of crossings in close proximity to each other within a single watershed, but the fact that in addition to a crossing of Cold Stream, the NECEC ROW parallels two small perennial tributaries that have their confluence essentially at the NECEC crossing of Cold Stream. This results in an extended reach—about 1400 feet of stream—that closely parallels the cleared ROW. These impacts are increased because the NECEC ROW abuts an existing cleared ROW at the Capital Road. The ROW also has direct impacts on BPL's Cold Stream Forest Unit, which abuts the ROW to both the north and south. Lack of shade and warming are likely exacerbated by this long parallel impact of road and utility ROW. (Exhibit 3C)

• The Tomhegan Stream crossing in West Forks Plantation is another example where there are multiple crossings of permanent streams, all of which are either tributaries to or braided channels of Tomhegan Stream, in a very short section. In this case, there are 9 crossings—8 of permanent streams and 1 of an intermittent stream—within about 1200 feet. Like Cold Stream, Tomhegan Stream and its importance to brook trout conservation is discussed in more detail below. (Exhibit 3D)³

Group 4 Exhibit 3-JR, attached to my pre-filed testimony, identifies the specific crossings involved. Considering impacts on fish habitat <u>only</u>, I continue to believe these are particularly problematic crossings, but they were intended only as examples of areas where an alternative

³ Reardon Prefiled Testimony, Page 10-12. Exhibits 3A, 3B, 3C and 3D are on pages 33-42, labeled collectively as "Group 4 Exhibit 3-JR".

that would leave an intact forest canopy should have been considered but was not. I did not intend to provide a comprehensive list of all such crossings.

If a comprehensive list of crossings where intact canopy would be important were to be developed, I'd suggest that the initial screening to select them would begin with the Maine Department of Inland Fisheries and Wildlife's comments and edited Waterbody Crossing Tables, provided to the DEP as a series of emails in January. On January 22, 2019, MDIFW's Bob Stratton sent a message to DEP's Jim Beyer stating that: *"Region E Fisheries indicates, "I'm quite certain that all the perennial streams in Region E contain wild BKT. All those brooks in Beattie, Appleton, Johnson Mtn, and Bradstreet Twps. are full of BKT. I'm not sure about the intermittent streams, but anything connected to the Moose River, Gold Bk, Barrett Bk, Cold Stream, Baker Bk, Tomhegan Stream, Bog Bk, Smart Bk, Number One Bk, Mill Bk, and Piel Bk would have potential. I really think we are safe ground by assuming all the Region E streams (all headwaters) have BKT. "⁴*

Bob Stratton also forwarded updated Water Body Crossing Tables indicating which streams should be considered as "Likely Brook Trout Habitat."⁵ For Segment 1 of the NECEC Corridor, the "greenfield" section, this would include 232 brook trout habitat crossings; 45 brook trout habitat crossings for Segment 2; 71 crossings for Segment 3; 2 brook trout habitat crossings for Segment 4; and 19 brook trout habitat crossings for Segment 5. Those identified crossings could then be screened based on available data to determine which would be the highest priorities to maintain intact riparian buffers.⁶

⁴ Email from Bob Stratton, ME DIFW, to Jim Beyer, ME DEP, dated January 22, 2019. Attached as Attachment 1 to this testimony.

⁵ These were attachments to two emails sent by Bob Stratton, ME DIFW, to Jim Beyer, ME DEP, on January 24, 2019. They are attached as Attachment 2 to this testimony.

⁶ The crossings of Gold Stream and Mountain Brook do have full canopy buffers, provided by taller poles, to protect other resources.

<u>Whether undergrounding, tapering, or taller pole structures in areas identified during the</u> <u>hearing as environmentally sensitive or of special concern (for example, The Nature</u> <u>Conservancy's nine identified areas, Trout Unlimited's mention of Tomhegan Stream, and</u> <u>other specific wildlife corridors identified by parties) are technically feasible and</u> economically viable minimization or mitigation measures.

Based on the fact that they have been proposed for several sites to avoid impacts to Roaring Brook Mayfly and Northern Spotted Salamander, taller pole structures are clearly feasible and would reduce impacts on stream habitat by maintaining intact canopy cover. This would have substantial benefits for brook trout and other aquatic life in the affected streams. However, these measures might have unacceptable visual or other impacts that would need to be assessed. Visual impacts might be reduced if taller structures were located adjacent to stream crossings because the structures would installed adjacent to streams and therefore be screened by higher topography on either side of the stream. Careful location of structures could maximize this. Additional analysis of visual impacts at these sites would be required.

I have no way to assess to the potential environmental benefits and impacts of undergrounding. The details would matter. I would have substantial concerns about the impacts on stream habitat of trenching at or near the stream crossings, particularly on the proposed greenfield ROW. Directionally-drilled stream crossings, especially if they allowed full canopy vegetation on both stream crossings as the proposed Kennebec River crossing does, could have little or no impact on streams. But if an underground line required a 75-foot-width cleared corridor, the impacts of the cleared corridor would be similar to what is currently proposed, although with less linear impact on each affected stream. Undergrounding along an existing corridor—for example, the Spencer Road or Route 201—could substantially reduce the impacts of a new cleared corridor.

I do not believe that tapering, as proposed in CMP's Exhibit 10-2, would have much benefit for streams. With respect to clearing and shading, there would be a bit more shade provided at the edges of the corridor by vegetation allowed to grow to 35 feet rather than 15-25 feet. But this would only occur at the two edges of the 150' wide corridor; the trees would be cut and removed as soon as they reached 35 feet in height; and in any case most of the corridor would be maintained as currently proposed with vegetation of 5-10' height in the wire zone and 15-25' in the rest of the corridor. Large woody debris inputs are discussed below.

Whether tapering within the 100-foot buffers around streams would provide adequate

large woody vegetation for streams in segment 1 which are typically less than 10 feet wide. I do not believe tapering would provide much additional large woody vegetation recruitment to streams. First, the 35' high vegetation would likely not grow large enough to provide the most important functions of large wood in streams. Trees that reached this height would be cut and removed every four years, limiting the maximum height and—more importantly—the maximum diameter of the trees that would grow in the tapered section. The Maine Forest Services Chapter 25 <u>Standards for Placing Wood Into Stream Channels to Enhance Cold Water Fisheries Habitat⁷</u> calls for "key pieces" of wood to be a minimum diameter of 10" on streams of 0-10' bankfull width. For slightly larger streams of 10-20' bankfull width, the minimum diameter of key pieces would be 16". Even for the smallest channels, the Chapter 25 standards require that 40-60% of

⁷ Maine Forest Service (MFS) Rule Chapter 25 Standards for Placing Wood Into Stream Channels to Enhance Cold Water Fisheries Habitat Effective Date: December 25, 2012. Available at: https://www.maine.gov/dacf/mfs/publications/rules and regs/chap 25 rules.pdf the added wood—key pieces and other pieces—have diameters larger than 12", which would be even rarer.

Very few of the fast-growing trees that can be expected to colonize the continuously disturbed habitat at the edge of the cleared corridor would reach these diameters. For example, at study sites in central Indiana, Kershaw et al. found that white oaks of 10 meters (32.8 feet) in height had diameters ranging from about 5-15 cm (1.9 to 5.9 inches). Aspen were slightly smaller.⁸ Because trees will be cut, rather allowed to grow and be recruited into the stream by windthrow, ice storms, and other natural processes, even if the cut trees are left in the riparian zone, they will not have attached root wads, reducing the likelihood they will remain in place in stream channels. Finally, because trees will only be allowed to grow to 35' in height at the two edges of the corridor, the amount of wood available to be recruited, even if these trees do grow to sufficient sizes, will be very small. The 20 feet of tapered taller vegetation is essentially one tree width at each edge of the 150' corridor. Even if 100% of these trees grew to 10'' or more in diameter, and even if they all get recruited into the stream, the maximum recruitment of wood from the 150' wide corridor would be very limited.

Similarly, the presence of a few streamside trees of 35' in height will provide little additional shade, bank stabilization, leaf litter and insect fall inputs or other important buffer functions. At best the tapering, will result in a slight improvement at the two edges, with slightly taller trees casting slightly more shade and supporting slightly larger canopies to provide organic inputs.

⁸ Kershaw, John A Jr, Robert C. Morrisey, Douglass F. Jacobs, John R. Seifer and James B. McCarter, undated. <u>DOMINANT HEIGHT-BASED HEIGHT-DIAMETER EQUATIONS FOR TREES IN SOUTHERN INDIANA</u>. Proceedings of the 16th Central Hardwoods Forest Conference. See Figure 1. Accessed at: <u>https://www.nrs.fs.fed.us/pubs/gtr/gtr-p-</u> 24%20papers/39kershaw-p-24.pdf

Notarization

I, Jeffrey Reardon, being first duly sworn, affirm that the above testimony is true and accurate to the best of my knowledge.

ame

2019 5 0

Date

Maine Brook Trout Project Director

Title

Personally appeared the above-named Jeffrey Reardon and made affirmation that the above testimony is true and accurate to the best of his knowledge.

7

Date: <u>5-01-2019</u>

boa Southiere Notary;

DEBORA SOUTHIERE NOTARY PUBLIC KENNEBEC COUNTY MAINE MY COMMISSION EXPIRES APRIL 2, 2022

Attachments

- Email from Bob Stratton, ME DIFW, to Jim Beyer, ME DEP, dated January 22, 2019
- 2. Water Body Crossing Table, ME DIFW Mark Up

Exhibit 22-JR

Beyer, Jim R

From: Sent: To: Cc: Subject: Stratton, Robert D Tuesday, January 22, 2019 4:23 PM Beyer, Jim R Connolly, James; Overlock, Joe; Perry, John Region E brook trout streams

Jim,

Region E Fisheries indicates, "I'm quite certain that <u>all</u> the perennial streams in Region E contain wild BKT. All those brooks in Beattie, Appleton, Johnson Mtn, and Bradstreet Twps are full of BKT. I'm not sure about the intermittent streams, but anything connected to the Moose River, Gold Bk, Barrett Bk, Cold Stream, Baker Bk, Tomhegan Stream, Bog Bk, Smart Bk, Number One Bk, Mill Bk, and Piel Bk would have potential. I really think we are safe ground by assuming all the Region E streams (all headwaters) have BKT. South of The Forks might be a different story..."

By my review of CMP's table, this adds brook trout information for 154 streams, forty-six of them are perennial streams within the "greenfield" section which would not be affected by increased buffer impact calculations. The remaining 108 streams would be affected however.

Thank you,

Bob Stratton Environmental Program Manager Fisheries and Wildlife Program Support Section Supervisor Maine Department of Inland Fisheries & Wildlife 284 State Street; 41 State House Station Augusta, Maine 04333-0041 Tel: (207) 287-5659; Cell: (207) 592-5446 mefishwildlife.com

Correspondence to and from this office is considered a public record and may be subject to a request under the Maine Freedom of Access Act. Information that you wish to keep confidential should not be included in email correspondence.

Group 4 Exhibit 23-JR

Footnotes for the NECEC Waterbody Crossing Table (Exhibit 7-7)

National Hydrography dataset and ESRI ArcGIS mapping services General Notes: The waterbody crossing table is based on data collected in the field, input from agency representatives during consultation, USGS

- Stream names are based on the USGS National Hydrography dataset. Tributary names were assigned based on review of watershed areas and drainage patterns.
- Waterbody crossings widths were based on field data collected in 2015, 2016 and 2017
- ωN Stream types: Perennial (PER) or Intermittent (INT). Open Water (Open Water). Stream types were based on field data collected in 2015, 2016 and 2017.
- 4 State of Maine Water Quality Classifications Source: The Bureaus of Land Resources and Water Quality- Waterbody Statutory Classification datase http://www.maine.gov/dep/gis/datamaps/

other aquatic life. The habitat shall be characterized as free flowing and natural. preserved because of their ecological, social, scenic, or recreational importance. Class AA waters shall be of such quality that they are suitable AA Class AA shall be the highest classification and shall be applied to waters which are outstanding natural resources and which should be for the designated uses of drinking water after disinfection, fishing, recreation in and on the water and navigation and as habitat for fish and

A Class A waters shall be of such quality that they are suitable for the designated uses of drinking water after disinfection; fishing; recreation in or on the water; industrial power generation, except as prohibited under Title 12, section 403; and navigation; and as habitat for fish and other aquatic life. The habitat shall be characterized as natural

The habitat shall be characterized as unimpaired. recreation in and on the water; industrial processes and cooling water supply; 403; and navigation; and as habitat for fish and other aquatic life. B Class B waters shall be of such quality that they are suitable for the designated uses of drinking water supply after treatment; fishing;

section 403; and navigation; and as a habitat for fish and other aquatic life. recreation in and on the water; industrial process and cooling water supply; hydroelectric power generation, except as prohibited under Title 12. C Class C waters shall be of such quality that they are suitable for the designated uses of drinking water supply after treatment; fishing

of such quality that they are suitable for the designated uses of drinking water after disinfection, recreation in and on the water, fishing, GPA Class GPA shall be the sole classification of great ponds and natural ponds and lakes less than 10 acres in size. Class GPA waters shall be habitat shall be characterized as natural industrial process and cooling water supply, hydroelectric power generation and navigation, and as habitat for fish and other aquatic life. The

Keulisions to broat traut preserve bared on MDIFW regional Asherica start input 1/22/19

N/A or "Not Available" indicates that a classification for this waterbody was not available from the referenced source

- S Source: Cushing, E. Atlantic Salmon: Critical Habitat dataset. 1994. National Oceanic Atmospheric Administration (NOAA) National Marine Fisheries Service (NMFS). http://www.nmfs.noaa.gov/gis/data/critical.htm#ne. Accessed May 16, 2017.
- This dataset represents critical habitat for the Gulf of Maine distinct population segment of Atlantic salmon as designated by Federal Register Vol. 74, page 29300, June 19, 2009.
- 6 Source: Bruchs, C. Atlantic salmon habitat. GISVIEW.MEGIS.Ashab3_new. 2016. Maine Office of GIS Data Catalog. Edition 2016-03-31. http://www.maine.gov/megis/catalog/. Accessed May 16, 2017.
- protection efforts. management and conservation. This dataset is designed to be used in a variety of management and planning activities including habitat Maine Dept. of Marine Resources - Division of Sea Run Fisheries and Habitat as well as others involved in Atlantic Salmon research, This dataset is meant to be used in tracking general Atlantic salmon habitat survey work on selected Maine streams by staff of the
- 1 The Brook Trout classifications were provided as a GIS shapefile by MDIFW. "Y" or "YES" = "Likely Brook Trout Habitat" which identifies waterbodies which have been surveyed and mapped by the MDIFW. "N/A" or "Not Available" identifies waterbodies that have not been surveyed or mapped by the resource agency.
- 000 The width of the additional corridor clearing required is the average width of tree clearing required for that associated Segment. Where temporary equipment crossings are proposed, no in-stream work will take place. The bridges will be designed to span the entire width to avoid in-stream work.

-	_			_	-			-	-	-	-	-	Segment
Moxie Gore	Moxie Gore	Moxie Gore	West Forks Plt	West Forks Plt	West Forks Plt	Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Bradstreet Twp	Appleton Twp	Skinner Twp	Beattie Twp	Томп
D	D	D	D	D	D	ы	ជ	т	Е	m .	ы	m	MDIFW Region
ISTR-51-15	ISTR-51-07	ISTR-49-01	ISTR-48-02	ISTR-46-05	ISTR-45-02- 02	ISTR-42-09	ISTR-39-03	ISTR-39-01	ISTR-24-01	WB-16-101	ISTR-08-01	ISTR-01-02	Feature ID
Trib. to Moxie Stream	Trib. to Moxie Stream	Trib. to Moxie Stream	Trib. To Kennebec River	Trib. to Cold Stream	Trib. to Tomhegan Stream	Trib. to Tomhegan Stream	Trib. to East Branch Salmon Stream	Trib. to Cold Stream	Trib. to Bitter Brook	Water body assoc. with trib. to Gold Brook	Trib. to West Branch Moose River	Trib. to West Branch Mill Brook	Stream Name ¹
1.5	2	s	υ	4	ω	s	4	4	2	30	4	2	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	Open Water	INT	INT	Stream Type (PER/ INT) ³
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	A	N/A	Α	N/A	State Water Quality Classification ⁴
Y	×	¥	Y	×	×	Y	×	Y	z	N	z	z	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	z	z	z	Z	z	z	z	z	z	z	z	Z	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	ANN	N/A	NJA	WY2A	NAY.	N/A	y Ari	N/A	NAY	N. YN	h yhu	Brook Trout ⁷ (Y/N)
353	269	375	68	43	317	133	274	220	435	131	382	439	Nearest New Structure Location (ft)
150	150	150	150	150	150	150	150	150	150	150	150	150	Width of Additional Corridor Clearing ⁸ (ft)
z	z	z	z	z	z	z	z	z	Y	z	Y	Y	Temp. Equip. Crossing ⁹ (Y/N)
115	114	Ξ	108, 109	103	100	94	88	89	56	37	20, 21	ω	Natural Resource Map/Sheet Number

)

-	-	-	_	-	-		-	-	-	-		-	-	-	-	Segment
Bradstreet Twp	T5 R7 BKP WKR	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Skinner Twp	Beattie Twp	Appleton Twp	Appleton Twp/Skinner Twp	Appleton Twp/Skinner Twp	Appleton Twp	The Forks Plt	Moxie Gore/The Forks Plt	The Forks Plt	Moxie Gore	Town
H	m	т	т	т	т	Π	п	ш	ы	ы	н	D	D	D	D	MDIFW Region
PSTR-24-03	PSTR-23-02	PSTR-17R- 03	PSTR-15-06	PSTR-11-08- RR1	PSTR-11-07- RR1	PSTR-09-11	PSTR-00-10	ISTR-RR1-2	ISTR-RR1-1	ISTR-RR-11- 3-RR1	ISTR-RR-11- 01	ISTR-52-12	ISTR-52-08	ISTR-52-07	ISTR-51-16	Feature ID
Bitter Brook	Whipple Brook	Baker Stream	Gold Brook	Trib. to Bog Brook	Trib. to Bog Brook	South Branch Moose River	Trib. to West Branch Mill Brook	Trib. to Bog Brook	Trib. to Bog Brook	Trib. to Bog Brook	Trib. to Bog Brook	Trib. to Moxie Stream	Trib. to Moxie Stream	Trib. to Moxie Stream	Trib. to Moxie Stream	Stream Name ¹
45	60	12	25	4	6	46	دى	2	S	ω	5	2	-	ω	υ	Ave. Stream Width (ft) ²
PER	PER	PER	PER	PER	PER	PER	PER	INT	INT	INT	INT	INT	INT	INT	INT	Stream Type (PER/ INT) ³
A	A	A	A	A	A	A	>	N/A	N/A	N/A	A	N/A	N/A	N/A	N/A	State Water Quality Classification ⁴
Z	Y	Y	Y	z	z	z	z	z	z	z	z	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	z	Z	z	Z	N	z	z	z	z	z	z	z	z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
NA Y	Y	Y	Y	NA V	,N/A Y	N/A Y	WAY	NACY	NAY	NA 4	NAV Y	N/A	N/A	N/A	N/A	Brook Trout ⁷ (Y/N)
462	128	159	187	353	378	524	21	230	348	328	517	258	227	394	320	Nearest New Structure Location (ft)
150	150	150	150	150	150	150	150	150	150	150	150 .	150	150	150	150	Nearest New Structure Location (ft)
z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	Z	Temp. Equip. Crossing ⁹ (Y/N)
55	52	39	36	27	27	21	υ	27	27	27	27	116, 117	116	116	115	Natural Resource Map/Sheet Number

,

														1995 Second Science of P
-	-	-	-	-	-	-			-	-		1	-	Segment
Moxie Gore	Moxie Gore	Moxie Gore	Moxie Gore	Moxie Gore	Moxie Gore	Moxie Gore	West Forks Plt/Moxie Gore	Appleton Twp	Johnson Mountain Twp	Тоwn				
D	D	D	D	D	D	D	D	D	D	D	D	E	ш	MDIFW Region
ISTR-51-10	ISTR-51-09	ISTR-51-08	ISTR-51-06	ISTR-51-05	ISTR-51-04	ISTR-51-03	ISTR-51-02	ISTR-51-01	ISTR-50-02	STRM-50-01	PSTR-48-03	PSTR-RRI-3	PSTR-39-02	Feature ID
Trib. to Moxie Stream	Trib. to Moxie Stream	Trib. to Moxie Stream	Trib. to Moxie Stream	Trib. to Moxie Stream	Trib. to Moxie Stream	Moxie Stream	Kennebec River	Trib. to Bog Brook	Trib. to Cold Stream	Stream Name ¹				
6	3	1.5	w	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	2	4	5	80	1.5	80	300	4	2	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	PER	PER	PER	PER	Stream Type (PER/ INT) ³
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	AA	АА	A	N/A	State Water Quality Classification ⁴
Y	Y	Ϋ́	Y	Y	Y	Y	Y	Y	Ý	Y	Y	z	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	z	z	z	z	z	z	z	z	z	z	z	z	Z	Atlantic Salmon Habitat (Y/N) ⁶
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	NA Y	Y	Brook Trout ⁷ (Y/N)
312	267	244	383	361	325	292	279	331	37	401	399	389	128	Nearest New Structure Location (ft)
150	150	150	150	150	150	150	150	150	150	150	150	150	150	Width of Additional Corridor Clearing ⁸ (ft)
Z	N	N	Z	N	z	z	z	z	z	z	z	Y	z	Temp. Equip. Crossing ⁹ (Y/N)
114, 115	114, 115	114, 115	113, 114	113	113	113	113	113	113	113	109	27	88, 89	Natural Resource Map/Sheet Number

	1		ī		r	T			r	T				
-		-				-	. –							Segment
Moxie Gore	Moxie Gore	Moxie Gore	Moxie Gore	Moxic Gore	Moxie Gore	Town								
٩	ס	٦	٦	ם	ם	ם	ם	ם	ם	ם	ס	ם	ם	MDIFW Region
ISTR-52-05	ISTR-52-04	ISTR-52-03	ISTR-52-02	ISTR-52-01	ISTR-51-21	ISTR-51-20	ISTR-51-19	ISTR-51-18	ISTR-51-17	ISTR-51-14	ISTR-51-13	ISTR-51-12	ISTR-51-11	Feature ID
Trib. to Moxie Stream	Stream Name ¹													
5	s	ω	3	5	دي	1.5	2	2	IJ	5	6	ω	4	Ave. Stream Width (ft) ²
INT	Stream Type (PER/ INT) ³													
N/A	State Water Quality Classification ⁴													
×	Y	Y	4	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat Habitat
z	z	z	z	z	z	z	z	z	z	z	z	z	z	Atlantic Salmon Habitat (Y/N) ⁵
~	Y	Y	Y	4	Y	Y	Y	Y	Y	Y	×	Y	Y	Brook Trout ⁷ (Y/N)
299	304	295	317	337	416	215	251	226	235	ω	333	522	307	Nearest New Structure Location (ft)
150	150	150	150	150	150	150	150	150	150	150	150	150	150	Width of Additional Corridor Clearing ⁸ (ft)
z	z	z	z	z	z	z	z	z	z	z	z	z	z	Temp. Equip. Crossing ⁹ (Y/N)
116	116	115, 116	115, 116	115, 116	115	115	115	115	115	115	115	114, 115	114, 115	Natural Resource Map/Sheet Number

-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	Segment
Appleton Twp	Appleton Twp	Skinner Twp	Skinner Twp	Beattie Twp	Beattie Twp	The Forks Plt	Moxie Gore	Town							
в	E	Е	н	н	Π	D	D	ם	D	D	D	D	מ	D	MDIFW Region
ISTR-12-12	ISTR-12-02	ISTR-10-04	ISTR-05-05	ISTR-01-11	ISTR-00-07	ISTR-52-17	ISTR-52-16	ISTR-52-15	ISTR-52-14	ISTR-52-13	ISTR-52-11	ISTR-52-10	ISTR-52-09	ISTR-52-06	Feature ID
Trib. to Bog Brook	Trib. to Bog Brook	Trib. to Bog Brook	Trib. to Smart Brook	Trib. to Mill Brook	Trib. to West Branch Mill Brook	Trib. to Moxie Stream	Stream Name ¹								
-	-	-	1	-	-	2	2	s	6	80	4	u	2	2	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	INT	INT	INT	INT	INT 40	INT	INT	INT	INT	INT	Stream Type (PER/ INT) ³
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	State Water Quality Classification ⁴
N	z	N	N	N	z	Y	Y	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
N	Z	N	N	z	z	z	z	z	z	z	Z	z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
WAY	NA Y	NYA: Y	N/A Y	NA Y	MAY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Brook Trout ⁷ (Y/N)
348	510	108	103	644	408	399	288	486	419	518	195	62	192	, 379	Nearest New Structure Location (ft)
150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	Width of Additional Corridor Clearing ⁸ (ft)
N	z	Z	z	Z	Z	z	Z	z	z	z	z	z	z	z	Temp. Equip. Crossing ⁹ (Y/N)
30	29	25	13	5	1	117	117	117	117	117	116, 117	116, 117	116	116	Natural Resource Map/Sheet Number

Exhibit 7-7:	
NECEC	
ECEC Waterbody	
Crossing	
Table	

1	-	_	-	-	_	_	_	_	_	_	_	-	-	_	Segment
Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Appleton Twp	Appleton Twp	Appleton Twp	Skinner Twp	Skinner Twp	Beattic Twp	Beattie Twp	Johnson Mountain Twp	Johnson Mountain Twp	Appleton Twp	Town
E	е п	E	в	н	п	т	m	ы	т	Π	Π	т	т	ш	MDIFW Region
ISTR-38-14	ISTR-38-13	ISTR-38-11	ISTR-36-05	ISTR-33-02	ISTR-14-37	ISTR-12-11	ISTR-12-09	ISTR-06-04	ISTR-05-09	ISTR-02-09	ISTR-01-12	ISTR-41-04	ISTR-41-02	ISTR-14-11	Feature ID
Trib. to East Branch Salmon Stream	Trib. to East Branch Salmon Stream	Trib. to East Branch Salmon Stream	Trib. to Salmon Stream	Trib. to MountainBr ook	Trib. to Barrett Brook	Trib. to Bog Brook	Trib. to Bog Brook	7 Trib. to Smart Brook	Trib. to Smart Brook	Trib. to Number One Brook	Trib. to Mill Brook	Trib. to Cold Stream	Trib. to Tomhegan Stream	Trib. to Gold Brook	Stream Name ¹
1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	2	-		Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	PER	INT	INT	Stream Type (PER/ INT) ³
А	A N/A		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	State Water Quality Classification ⁴
Y	Y	¥	Y	Y	z	z	z	z	z	z	z	Y	Y	z	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	z	z	z	z	z	z	z	z	z	z	z	z	z	Z	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	N/A	N/A ·	N/A	N/A Y	N/Á Y	N/X Y	N y/N	h yn	N/A Y	N/A Y	×	N/A Y	NAY Y	Brook Trout ⁷ (Y/N)
82	206	144	393	214	416	321	368	52	66	464	899	342	484	293	Nearest New Structure Location (ft)
150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	Width of Additional Corridor Clearing ⁸ (ft)
z	z	z	z	z	z	z	z	z	z	z	z	z	Y	z	Temp. Equip. Crossing ⁹ (Y/N)
85, 86	85, 86	85, 86	83	76	33	30	28	16	12	7	5	92, 93	94	34	Natural Resource Map/Sheet Number

1		1	-	-	-	I	-	-	-	-	1	1	Segment
	Skinner Twp	Skinner Twp	Skinner Twp	Skinner Twp	Skinner Twp	Skinner Twp	Skinner Twp	Skinner Twp	Skinner Twp	Skinner Twp	Skinner Twp	Beattie Twp	Town
n	ы	в	Π	ជា	н	Е	ш	ы	н	н	ы	ы	MDIFW Region
ISTR-09-04	ISTR-09-03	ISTR-07-08	ISTR-07-04	ISTR-07-03	ISTR-06-07	ISTR-06-03	ISTR-06-02	ISTR-06-01	ISTR-05-10	ISTR-05-04	ISTR-05-03	ISTR-02-13	Feature ID
Trib. to South	Trib. to South Branch Moose River	Trib. to Hay Bog Brook	Trib. to West Branch Moose River	Trib. to West Branch Moose River	Trib. to Smart Brook	Trib. to Number One Brook	Stream Name ¹						
2	2	2	2	2	2	2	2	2	2	2	2	2	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	Stream Type (PER/ INT) ³
A	N/A	N/A	N/A	A	N/A	А	N/A	A	N/A	N/A	N/A	N/A	State Water Quality Classification ⁴
N	z	N	Z	z	N	N	N	N	N	N	N	N	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	z	N	z	z	N	N	N	N	N	N	Z	Z	Atlantic Salmon Habitat (Y/N) ⁶
NA Y	NAY	N/A	NJAY	N/A Y	N/A V	NHA Y	N/A Y	NAY	NAY	NACY	NARY	NAY	Brook Trout ⁷ (Y/N)
267	549	169	365	133	277	249	361	331	336	58	40	115	
150	150	150	150	150	150	150	150	150	150	150	150	150	Nearest New Structure Location (ft)
Z	z	Z	Z	z	Y	N	N	N	N	N	Y	Z	Temp. Equip. Crossing ⁹ (Y/N)
22	22	17	18	18	15, 16	16	16	16	12	13	13	7	Natural Resource Map/Sheet Number

_	-	_		-	_	-	-	-	-	-	-	-	-	Segment
Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Skinner Twp	Skinner Twp	Skinner Twp	Skinner Twp	Town
E	E	E	E	E	т	m	т	m	т	ы	п	т	n	MDIFW Region
ISTR-14-04	ISTR-14-03	ISTR-13-16	ISTR-13-15	ISTR-13-10	ISTR-13-08	ISTR-13-02	ISTR-13-01	ISTR-12-05	ISTR-12-01	ISTR-10-09	ISTR-09-09	ISTR-09-08	ISTR-09-07	Feature ID
Trib. to Gold Brook	Trib. to Gold Brook	Trib. to Bog Brook	Trib. to Bog Brook	Trib. to Barrett Brook	Trib. to Barrett Brook	Trib. to Barrett Brook	Trib. to Barrett Brook	Trib. to Bog Brook	Trib. to Bog Brook	Trib. to Bog Brook	Trib. to South Branch Moose River	Trib. to South Branch Moose River	Trib. to South Branch Moose River	Stream Name ¹
2	2	2	2	2	2	2	22	2	2	2	2	22	13	Ave. Stream Width (ft) ²
INT (bo	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	NT	Stream Type (PER/ INT) ³
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	State Water Quality Classification ⁴
z	z	z	z	z	z	z	z	z	z	z	z	z	z	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
v	N	z	z	z	z	z	z	z	z	z	z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
WAY	NAY	N/A Y	NYA Y	NAY	NYA Y	NYA Y	N ANN	NAY	NACY	NYA Y	y A A	y AVI	NyA Y	Brook Trout ⁷ (Y/N)
170	205	257	242	90	485	149	166	380	451	60	183	235	271	
150	150	150	150	150	150	150	150	150	150	150	150	150	150	Nearest New Structure Location (ft) New Additional Corridor Clearing ⁸ (ft)
z	z	z	×	z	z	z	z	z	z	z	z	z	z	Temp. Equip. Crossing ⁹ (Y/N)
34	34	30, 31	30, 31	31	31	32	32	29, 30	29	25	22	22, 23 23		Natural Resource Map/Sheet Number

-	-	-	-	-	-	-		_	-	-	-	-	- 1	-	-	-	Segment
Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Town						
н	н	ш	E	ш	т	н	ш	ы	Π	ы	т	щ	н	ы	н	т	MDIFW Region
ISTR-16-16	ISTR-15-18	ISTR-15-12	ISTR-15-09	ISTR-15-05	ISTR-15-02	ISTR-14-66	ISTR-14-62	ISTR-14-51	ISTR-14-46	ISTR-14-45	ISTR-14-27	ISTR-14-23	ISTR-14-10	ISTR-14-09	ISTR-14-08	ISTR-14-05	Feature ID
Trib. to Gold Brook	Trib. to Barrett Brook	Trib. to Gold Brook	Trib. to Gold Brook	Trib. to Gold Brook	Trib. to Gold Brook	Stream Name ¹											
2	2	2	2	2	2	2	2	2	· 2	2	2	2	2	2	2	2	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	Stream Type (PER/ INT) ³						
A	N/A	N/A	А	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	State Water Quality Classification ⁴
Y	N	ү	ү	Y	Y	N	N	N	Z	N	N	N	z	Z	N	Z	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
N	N	N	N	N	N	N	N	N	z	N	N	N	Z	z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
Y	N/A Y	WAW	ү	Y AV	NYA Y	WA Y	WA 4	NAA Y	N/A	h yón	N/A Y	N/A Y	WAY	N/A &	WA U	NAY Y	Brook Trout ⁷ (Y/N)
52	382	297	223	12	178	512	206	114	639	512	339	443	120	173	194	284	Nearest New Structure Location (ft)
150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	Width of Additional Corridor Clearing ⁸ (ft)
Z	Z	N	N	z	γ	z	Y	z	Z	Z	N	Z	N	N	N	N	Temp. Equip. Crossing ⁹ (Y/N)
37	34	36	36	35	35	32	32	33	33	33	33	33	34	34	34	34	Natural Resource Map/Sheet Number

_	-	-	_		-		-	1	-	-	-	-	-	Segment
Bradstreet Twp	Appleton Twp	Appleton Twp	Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Parlin Pond Twp	Appleton Twp	Appleton Twp	Town
m	E	E	E	т т	m	m	ц	υ	ы	m	ш	ш	n	MDIFW Region
ISTR-SR-29- 03	ISTR-RR-12- 01	ISTR-RR-11- 03	ISTR-42-10	ISTR-41-04	ISTR-38-12	ISTR-38-08	ISTR-38-01	ISTR-36-04	ISTR-36-01	ISTR-35-02	ISTR-30-02	ISTR-17R-05	ISTR-17-04	Feature ID
- Trib. To Fourmile Brook	H			T	Trib. to East Branch Salmon Stream	Branch Salmon Stream	Branch Salmon Stream	Salmon Stream	Salmon Stream	Salmon Stream	Brook	Rock Pond	Trib. To Rock Pond	Stream Name ¹
12	2	2	1 2	2	2	2	2	2	2	2	2	2	2	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	Stream Type (PER/ INT) ³
N/A	A	N/A	N/A	N/A	A	N/A	N/A	N/A	N/A	>	N/A	N/A	N/A	State Water Quality Classification ⁴
z	2	2 2		×	×	×	Y	~	Y	×	z	: -	< <	Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	;	z z	z z	z	z	z	z	z	z	z	2	2 :	z z	Atlantic Salmon Habitat (Y/N) ⁶
N/A		N/A U	NAN Y	N/A Y	N/A	N/A	N/A	N/A	NA	N/A		NA U	N/A	Brook Trout ⁷ (Y/N)
			Y 127 1 343		99	131	213	440		270		227	554	Nearest New Structure Location (ft)
174 150				150		1 150	150			150	150	150	150	Additional Corridor Clearing [®] (ft)
	z	z	z	z z	z z	z	z		z	z :	z	z	z	Crossing ⁹ (Y/N)
	66	27, 28	92, 93 94 27		86	87		83	83	80	69	40	Resource Map/Sheet Number	

-	-	-	-	-	-		-	-	-	-	-	-	-	Segment
Beattie Twp	Beattie Twp	Beattie Twp	Beattie Twp	Beattie Twp	Beattie Twp	Johnson Mountain Twp	Johnson Mountain Twp	Skinner Twp	Beattie Twp	Johnson Mountain Twp	Johnson Mountain Twp	Appleton Twp	Appleton Twp	Town
т	ы	т	ы	н	щ	т	л	ы	н	m	н	ы	ы	MDIFW Region
ISTR-02-08	ISTR-02-04	ISTR-00-08	ISTR-00-01	PSTR-01-09	ISTR-MS-02- 10	ISTR-37-01	ISTR-36-02	ISTR-05-08	ISTR-01-10	PSTR-40-09	PSTR-40-08	PSTR-14-34	PSTR-14-28	Feature ID
Trib. to Number One Brook	Trib. to Number One Brook	Trib. to West Branch Mill Brook	Trib. to West Branch Mill Brook	Trib. To Mill Brook	Trib. to Number One Brook	Trib. to East Branch Salmon Stream	Trib. to Salmon Stream	Trib. to Smart Brook	Trib. to Mill Brook	Trib. to Cold Stream	Trib. to Cold Stream	Trib. to Barrett Brook	Trib. to Barrett Brook	Stream Name ¹
ω	υ	ىن	ω	2.5	2.5	2.5	2.5	2.5	2.5	2	2	2	2	Ave. Stream Width (ft) ²
INT	INT	INT	INT	PER	INT	INT	INT	INT	INT	PER	PER	PER	PER	Stream Type (PER/ INT) ³
N/A	N/A	N/A	N/A	A	N/A	N/A	>	N/A	A	N/A	N/A	N/A	N/A	State Water Quality Classification ⁴
z	z	z	z	z	z	Y	Y	z	z	Y	Y	z	z	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	z	z	z	Z	z	z	z	z	z	N	z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
NA Y	NA 4	N/A Y	h.yn	N'A'Y	NAY	N/A	N/A	WA Y	NAY	Y	Y	NYAY	N.Y.Y	Brook Trout ⁷ (Y/N)
429	310	176	402	726	272	223	254	163	663	300	353	257	142	Nearest New Structure Location (ft)
150	150	150	150	150	150	150	150	150	150	150	150	150	150	Width of Additional Corridor Clearing ⁸ (ft)
z	z	z	z	Z	z	z	Y	z	Z	z	z	z	Y	Temp. Equip. Crossing ⁹ (Y/N)
7	7	-	1	5	7	84	82, 83	12	5	16	91	33	33	Natural Resource Map/Sheet Number

-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	Segment
T5 R7 BKP WKR/Hobbsto wn Twp	T5 R7 BKP WKR	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Skinner Twp	Skinner Twp	Skinner Twp	Skinner Twp	Skinner Twp	Skinner Twp	Skinner Twp	Skinner Twp	Тоwп
 E	щ	т	в	m	л	т	т	ы	т	E	т	Е	E	ш	m	MDIFW Region
ISTR-18-11	ISTR-18-08	ISTR-17-02	PSTR-16-01	ISTR-15-10	ISTR-14-67	ISTR-14-06	ISTR-12-04	ISTR-10-10	ISTR-09-10	ISTR-07-07	ISTR-07-01	ISTR-06-08	ISTR-06-05	ISTR-05-07	ISTR-05-06	Feature ID
Trib. to Fish Pond	Trib. to Fish Pond	Trib. to Baker Stream	-	Trib. to Gold Brook	Trib. to Barrett Brook	Trib. to Gold Brook	Trib. to Bog Brook	Trib. to Bog Brook	Trib. to South Branch Moose River	Trib. to Hay Bog Brook	Trib. to West Branch Moose River	Trib. to Smart Brook	Trib. to Smart Brook	Trib. to Smart Brook	Trib. to Smart Brook	Stream Name ¹
ω	ω	دى	25	ω	ω	ω	ω	ω	ω	w	ι.	w	ω.	3	ω	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	INT	INT 150	INT	INT	INT	INT	INT	INT	INT	INT	INT	Stream Type (PER/ INT) ³
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	z	z	z	z	z	z	z	z	N	Z	z	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	z	z	z	z	z	z	z	z	z	z	z	z	N	z	N	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	N/A	NA.Y	NA Y	h yru	N'A'V	N/A (N/A Y	NA	N/A	N yrvi	NA 4	NA 4	WA Y	WA U	Brook Trout ⁷ (Y/N)
405	429	20	285	257	. 361	287	408	190	376	417	73	65	152	454	328	Nearest New Structure Location (ft)
150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	Width of Additional Corridor Clearing ⁸ (ft)
z	z	Y	z	z	Y	z	z	z	z	N	z	z	Y	z	z	Temp. Equip. Crossing ⁹ (Y/N)
42	41,42	39	37	36	32	34	29, 30	25	21, 22	17	18, 19	15	16	12, 13	12, 13	Natural Resource Map/Sheet Number

130

-	-	1	-	-	-	-	-	-	-	-	Segment
	Skinner Twp	Beattie Twp	Beattie Twp	West Forks Plt	West Forks Plt	Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Bradstreet Twp	Bradstreet Twp	Town
	в	ភ កា		D	ם	ы	ы	τ	т	п	MDIFW Region
	ISTR-RR-11- Trib. to Bog 04 Brook	ISTR-MS-02- 09	ISTR-MS-02- 08	ISTR-45-04	ISTR-44-08	ISTR-42-08	ISTR-38-07	ISTR-38-03	ISTR-26-04	ISTR-26-03	Feature ID
3	Trib. to Bog Brook	Trib. to Number One Brook	Trib. to Number One Brook	Trib. to Tomhegan Stream	Tomhegan Stream	Trib. to Tomhegan Stream	East Branch Salmon Stream	Trib. to East Branch Salmon Stream	Trib. to Horse Brook	Trib. to Horse Brook	Stream Name ¹
	3	ω	ω	ω	ω	ω	w	3	3	3	Ave. Stream Width (ft) ²
	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	Stream Type (PER/ INT) ³
	А	N/A N/A		N/A	A N/A		A	N/A	N/A	N/A	State Water Quality Classification ⁴
	N	N	N	Y	Y	Y	Y	Y	N	N	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
	N	N	Z	Z	N	N	N	N	N	N	Atlantic Salmon Habitat (Y/N) ⁶
	N/A y	h. yru	NACY	N/A 4	h yru	WAY	N/A	N/A	N/A	N/A	Brook Trout ⁷ (Y/N)
	8	359	359	311	231	221	115	528	45	60	Nearest New Structure Location (ft)
	150	150	150		150	150	150	150	150	150	Nearest Width of New Additional Structure Corridor Location (ft) Clearing ⁸ (ft)
	Z	Z	z z		Z	Z	z	N	Z	Z	Temp. Equip. Crossing ⁹ (Y/N)
	26	7	7	100, 101	100	94	86, 87	87	60	60	Natural Resource Map/Sheet Number

-

-

T5 R7 BKP WKR

ш Ξ Ξ

w w ω

PER PER

A

 \prec \prec ×

z Z z

~ × ~

198

150 150 150

Z Z Z

41 37 37

226 313

A A

Appleton Twp Appleton Twp

PSTR-16-10 Trib. to Gold Brook PSTR-16-Trib. to Gold 101 PSTR-18-15 Pond

-

Beattie Twp

Ē

PSTR-00-06 West Branch Mill Brook

S

PER

A

Z

Z

MAY

398

150

z

-

PER

_	-	-	-	-	-	-	-		-	-	-		-	Segment
Johnson Mountain Twp	T5 R7 BKP WKR	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Skinner Twp	Skinner Twp	Beattie Twp	Beattie Twp	West Forks Plt	Bradstreet Twp	T5 R7 BKP WKR	Hobbstown Twp	Томц
т	m	μ	m	т	ы	τī	tt	ET .	ы	ם	ы	ы	Ξ	MDIFW Region
PSTR-31-02	ISTR-18-16	ISTR-16-05	ISTR-16-04	ISTR-14-01	ISTR-12-06	ISTR-09-05	ISTR-08-02	ISTR-02-01	ISTR-MS-02-	PSTR-44-07	PSTR-26-05	PSTR-23-01	PSTR-20-01	Feature ID
Trib. to Piel Brook	Trib. to Fish Pond	Trib. to Gold Brook	Trib. to Gold Brook	Trib. to Gold Brook	Trib. to Bog Brook	Trib. to South Branch Moose River	Trib. to West Branch Moose River	Trib. to Number One Brook	Trib. to Number One Brook	Tomhegan Stream	Trib. to Horse Brook	Trib. to Whipple Brook	Trib. to Little Spencer Stream	Stream Name ¹
ω	4	4	4	4	4	4	4	4	3.5	ω	ω	ω	з	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	PER	PER	PER	PER	Stream Type (PER/ INT) ³
N/A	A	A	A	N/A	N/A	⊳	⊳	N/A	N/A	N/A		N/A	A	State Water Quality Classification⁴
z	Y	Y	Y	z	z	z	z	z	z	Y	z	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	z	z	z	N	z	z	z	z	z	z	z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
NA V	Y	Y	Y.	NA Y	N/A YN	h y/N	N/A il	N/Á iy	y Ali	MAN	MAY	Y	Y	Brook Trout ⁷ (Y/N)
214	48	182	465	328	409	199	421	505	512	37	298	258	443	and a subsected with the second state of the
150	150	150	150	150	150	150	150	150	150	150	150	150	150	Nearest New Structure Location (ft) Clearing [®] (ft)
z	z	z	z	z	z	z	z	z	z	z	z	z	z	Temp. Equip. Crossing ⁹ (Y/N)
68,69	41	37	37	34	29, 30	22, 23	20, 21	7	7	100	60	52	46	Natural Resource Map/Sheet Number

-	1		1	-	-	-	-	-	-	-	-	-	-	Segment
T5 R7 BKP WKR/Hobbsto wn Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Appleton Twp	Skinner Twp	Skinner Twp	Bradstreet Twp	West Forks Plt	Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Town
ш	н	ы	ш	ш	н	ы	н	щ	ם	n	Е	щ	μ	MDIFW Region
PSTR-18-06	PSTR-16-14	PSTR-15-04	PSTR-14-68	PSTR-14-36	PSTR-14-30	PSTR-09-06	22	ISTR-SRD1- 28-03	ISTR-45-02	ISTR-42-13	ISTR-42-02	ISTR-41-05	ISTR-38-05	Feature ID
Trib. to Fish Pond	Trib. to Gold Brook	Trib. to Gold Brook	Trib. to Barrett Brook	Trib. to Barrett Brook	Trib. to Barrett Brook	Trib. to South Branch Moose River	Smart Brook	Fourmile Brook	Trib. to Tomhegan Stream	Trib. To Little Wilson Hill Pond	Trib. to Tomhegan Stream	Trib. to Cold Stream	Trib. to East Branch Salmon Stream	
4	4	4	4	4	4	4	4	4	4	4	4	4	4	Ave. Stream Width (ft) ²
PER	PER	PER	PER	PER	PER	PER	PER	INT	INT	INT	INT	INT	INT	Stream Type (PER/ INT) ³
A	Α	N/A	N/A	N/A	N/A	А	A	A	N/A	N/A	N/A	N/A	A	State Water Quality Classification ⁴
Y	ү	Y	z	z	N	z	N	z	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
N	N	z	z	z	N	z	Z	z	z	z	z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
Y	Y	Y '	NVÁ: Y	N/A Y	WAY	NAY	WA Y	N/A	NJ.	N/A	h y/n	N/A Y	N/A	Brook Trout ⁷ (Y/N)
527	176	93	109	329	185	100	8	5	281	329	279	466	72	Nearest New Structure Location (ft)
150	150	150	150	150	150	150	150	150	150	150	150	150	150	Width of Additional Corridor Clearing ⁸ (ft)
Z	N	N	Y	N	N	z	Z	Y	Z	Y	Z	z	¥	Temp. Equip. Crossing ⁹ (Y/N)
42	37	35, 36	32	33	33	22, 23	13	63	100	94	96	93	86, 87	Natural Resource Map/Sheet Number

Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Johnson Mountain Twp	Bradstreet Twp	West Forks Plt	Johnson Mountain Twp	Johnson Mountain Twp	Town
щ	т	т	m	ы	н	D	н	н	MDIFW Region
ISTR-EM-33- 01	ISTR-42-07	ISTR-32-02	ISTR-32-01	ISTR-31-01	PSTR-SR-29- 05	PSTR-44-09	PSTR-38-15	PSTR-38-02	Feature ID
Trib. To Twomile Brook	Trib. to Tomhegan Stream	Trib. to Piel Brook	Trib. to Piel Brook	Trib. to Piel Brook	Trib. to Piel Brook	Tomhegan Stream	Trib. to East Branch Salmon Stream	Trib. to East Branch Salmon Stream	Stream Name ¹
5	5	s	S	s	4	4	4	4	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	PER	PER	PER	PER	Stream Type (PER/ INT) ³
N/A	A N/A		A	N/A	N/A	A	A	>	State Water Quality Classification ⁴
Y	Y	z	z	Z	z	Y	Ŷ	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	z	z	z	z	z	z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
. N/A ^{`1}	NXY	MÁY	NYA.Y	hydi	N/X Y	MAN Y	N/A Y	Y. AN	Brook Trout ⁷ (Y/N)
170	177	163	198	388	213	440	146	441	Nearest New Structure Location (ft)
150			150	150	150	150	150	150	Nearest Width of New Additional Structure Corridor Location (ft) Clearing ⁸ (ft)
z	z	z	z	Z	z	z	z	z	Temp. Equip. Crossing ⁹ (Y/N)
75	94	74	74	68	66, 67	100	85	87	Natural Resource Map/Sheet Number
	Wp E ISTR-EM-33- 01 Trib. To Twomile 5 INT N/A Y N .N/A ¹ 170 150 N	E ISTR-42-07 Trib. to Tomhegan 5 INT N/A Y N NÁ IT7 ISO N E ISTR-EM-33 Trib. To 01 Stream 5 INT N/A Y N N/A ¹ IT0 ISO N	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	EISTR-31-01Trib. to PielSINTN/ANN NA_Y 388150NEISTR-32-01Trib. to PielSINTANN NA_Y 198150NEISTR-32-02Trib. to PielSINTANN NA_Y 198150NEISTR-42-07Trib. to StreamSINTN/AYN NA_Y 163150NEISTR-EM-33Trib. To StreamSINTN/AYN NA_Y 170150NEISTR-2013Trib. To StreamSINTN/AYN NA_Y 170150N	EPSTR-SR-29Trib. to Piel4PERN/ANNN MVV 213150NEISTR-31-01Trib. to Piel5INTN/ANNN MVV 388150NEISTR-32-02Trib. to Piel5INTANNN MVV 388150NEISTR-32-02Trib. to Piel5INTANN $MVVV$ 198150NEISTR-32-02Trib. to Piel5INTANN $MVVVV$ 198150NEISTR-32-02Trib. to Piel5INTANN $MVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVV$	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	EPSTR-38-15Partic to East StreamPERAYEYN MAY 146150NDPSTR-4499Tombegan4PERAYN MAY 146150NEPSTR-SR-23Trib. to Piel4PERN/ANN MAY 213150NEPSTR-SR-23Trib. to Piel4PERN/ANN MAY 213150NEPSTR-SR-23Trib. to Piel5INTN/ANN MAY 388150NEPSTR-32-07Trib. to Piel5INTANN MAY 163150NEPSTR-32-07Trib. to Piel5INTANN MAY 163150NEPSTR-42-07Trib. to Piel5INTN/AYN MAY 170150NEPSTR-42-07Trib. to Piel5INTN/AYN MAY 170150NEPSTR-42-07Trib. to Piel5INTN/AYN MAY 170150NEPSTR-42-07Trib. to Piel5INTN/AYN MAY 170150NEPSTR-42-07Trib. to Piel5INTN/AYN MAY 170150N	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $

-

-

Johnson Mountain Twp

[T]

ISTR-EM-34-03

Trib. To Mountain

S

INT

N/A

~

Z

N/A

58

150

Z

T

T5 R7 BKP WKR/Hobbsto wn Twp

m

PSTR-18-05

Trib. to Fish Pond

S

PER

A

 \prec

Z

 \prec

421

150

×

42

Appleton Twp

T

PSTR-14-47

Trib. to Barrett Brook

S

PER

N/A

Z

Z

NA

<

509

150

Z

33

-

Appleton Twp

PSTR-14-24

Barrett Brook Trib. to

S

PER

N/A

Z

Z

NA

~

255

150

×

33

-

Johnson Mountain Twp

T

ISTR-EM-34-05

Trib. To Mountain

S

INT

N/A

~

Z

N/A

142

150

Z

TT

-

-

-

-- -

-

Exhibit 7-7: NECEC Waterbody Crossing Table

Segment

-	-	-	-	-	-	-	-	-	1	-	-	-		Segment
Johnson Mountain Twp	Appleton Twp	Appleton Twp	Skinner Twp	Skinner Twp	Skinner Twp	West Forks Plt	Bradstreet Twp	West Forks Plt	West Forks Plt	West Forks Plt	Johnson Mountain Twp	T5 R7 BKP WKR	T5 R7 BKP WKR	Town
щ	Е	Е	E	т	н	D	ш	ם	D	D	п	n	щ	MDIFW Region
PSTR-38-06	PSTR-14-49	PSTR-11-07	PSTR-08-04	PSTR-07-02	PSTR-05-01	PSTR-45-3	PSTR-SRD1- 02	PSTR-45-03	PSTR-44-06	PSTR-44-05/	PSTR-40-07	PSTR-21-2A	PSTR-21-02	Feature ID
Trib. to East Branch Salmon Stream	Trib. to Barrett Brook	Trib. to Bog Brook	Trib. to West Branch Moose River	Trib. to West Branch Moose River	Smart Brook	Tomhegan Stream	Trib. to Piel Brook	Trib. to Tomhegan Stream	Tomhegan Stream	Tomhegan Stream	Trib. to Cold Stream	Trib. to Little Spencer Stream	Trib. to Little Spencer Stream	Stream Name ¹
6	6	6	6	6	. 6	6	s	5	s	s	5	S.	S	Ave. Stream Width (ft) ²
PER	PER	PER	PER	PER	PER	PER 50	PER	PER	PER	PER	PER	PER	PER	Stream Type (PER/ INT) ³
A	N/A	A	Α	>	A	A	N/A	N/A	A	Α	N/A	>	>	State Water Quality Classification ⁴
Y	N	N	Z	z	N	Y	Z	Ŷ	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	N	N	N	z	N	z	z	z	z	N	Z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
Nyly	NYA Y	WA Y	NAY	hyn	N/A	MAY	NAY.	MAN .	WAT	NA Y	Y	¥	¥	Brook Trout ⁷ (Y/N)
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	458	583	27	54	80	249	274	7	167	278	268	544	454	Nearest New Structure Location (ft)
150	150	150	150	150	150	150	150	150	150	150	150	150	150	Width of Additional Corridor Clearing ⁸ (ft)
Y	N	N	Y	z	N	z	z	Y	z	z	z	z	z	Temp. Equip. Crossing ⁹ (Y/N)
86, 87	33	27	20	18	13	100	66	100	100	100	91,92	48, 49	48,49	Natural Resource Map/Sheet Number

Exhibit 7
-7: NECEC V
: NECEC Waterbody Cros
ssing
Table

	1		1	-			-	-	_	-	-	-		-	Segment
Appleton Twp	West Forks Plt	West Forks Plt	Johnson Mountain Twp	Bradstreet Twp	Appleton Twp	Appleton Twp	Johnson Mountain Twp	Bradstreet Twp	Johnson Mountain Twp	T5 R7 BKP WKR	Bradstreet Twp	Appleton Twp	Merrill Strip Twp/Beattie Twp	Johnson Mountain Twp	Town
п	D	D	н	т	Е	н	н	Е	ы	E	н	Е	н	п	MDIFW Region
PSTR-11-07- RR1	PSTR-46-04	PSTR-45-01	PSTR-31- SRD2-01	PSTR-26-01	PSTR-16-07	PSTR-12-07	PSTR-EM- 34-01	PSTR-SRD1- 28-04	PSTR-31-06	PSTR-18-14	ISTR-27-02	PSTR-14-33	PSTR-LT-1	PSTR-38-10	Feature ID
T	Trib. To Kennebec River	Trib. to Cold stream	Piel Brook	Trib. to Moose River	Trib. to Gold Brook	Trib. to Bog Brook	Mountain Brook	<ul> <li>Fourmile</li> <li>Brook</li> </ul>	Trib. to Piel Brook	Trib. to Fish Pond	Trib. To Fourmile Brook	Trib. to Barrett Brook	Trib. to Number One Brook	Trib. to East Branch Salmon Stream	Stream Name ¹
6	10	10	0	10	10	10	9	8	.00	80	00	7	6	6	Ave. Stream Width (ft) ²
PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	INT	PER	PER	PER	Stream Type (PER/ INT) ³
A	N/A	N/A	А	A	A	A	А	A	A	A	N/A	N/A	A	A	State Water Quality Classification ⁴
z	ү	ү	z	z	Y	Z	Y	N	z	Y	z	z	z	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Z	z	N	z	z	Z	N	Z	N	Z	Z	Z	2	z	z	Atlantic Salmon Habitat (Y/N) ⁶
N/A Y	Y	А	hi yin	NAY	Y	N/A Y	N X/N	NA Y	NyA Y	Y	N/A	N/X/	N y/N	NAY	Brook Trout ⁷ (Y/N)
583	201	150	239	326	178	264	31	17	100	123	233	298	061	41	Nearest New Structure Location (ff)
150 *	150	150	150	150	150	150	150	150	150	150	150	150	150	150	Width of Additional Corridor Clearing ⁸ (ft)
z	N	N	z	z	z	z	z	Z	Y	z	z	z	Y	z	Temp. Equip. Crossing ⁹ (Y/N)
27	104	102	70	59	37	28	76	63	71	41	61, 62	33	10	86	Natural Resource Map/Sheet Number

	-	1	1	-		-					-						1	
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	Segment
T5 R7 BKP WKR/Hobbsto wn Twp	Appleton Twp	Appleton Twp	Johnson Mountain Twp	West Forks Plt	Appleton Twp	Skinner Twp	Beattie Twp	Appleton Twp	Johnson Mountain Twp	Bradstreet Twp	T5 R7 BKP WKR/Hobbsto wn Twp	Bradstreet Twp	Johnson Mountain Twp	Тоwп				
т	щ	ы	m	D	D	D	D	D	т	ш	н	ы	ы	в	Π	Е	μ	MDIFW Region
PSTR-21-04	PSTR-16-01	PSTR-17-07	PSTR-33-01	PSTR-44-04	PSTR-44-02	PSTR-44-01 WEST	PSTR-44-01 EAST	PSTR-44-01 (TOB)	PSTR-17R- 04	PSTR-11-01	PSTR-01-05	ISTR-15-07	ISTR-35-02	ISTR-30-01	PSTR-21-03	PSTR-SRD1- 28-01	PSTR-SR-31- 01	Feature ID
Little Spencer Stream	Gold Brook	Baker Stream	Mountain Brook	Tomhegan Stream	Tomhegan Stream	Tomhegan Stream	Tomhegan Stream	Tomhegan Stream	Baker Stream	Trib. to Bog Brook	Mill Brook	Gold Brook	Trib. to Salmon Stream	Piel Brook	Trib. to Little Spencer Stream	Fourmile Brook	Piel Brook	Stream Name ¹
25	25	20	18	15	15	15	15	15	15	15	15	15	2	× 1	12	10	10	Ave. Stream Width (ft) ²
PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	INT	PER	PER	PER	PER	PER	Stream Type (PER/ INT) ³
AA	А	Α	А	Α	N/A	A	A	А	A	А	A	A	А	A	AA	Α	А	State Water Quality Classification ⁴
Y	Y	Y	Ŷ	Y	Y	ү	ү	ү	ү	z	z	Y	Y	N	Y	N	z	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	N	z	z	N	N	N	N	N	N	N	N	N	Z	N	Z	N	Z	Atlantic Salmon Habitat (Y/N) ⁶
Y	Y	Y	NAY Y	Nyk	NAN	NAY /	MAY	WAY	Y	NAY	NHA Y	Y	N/A	WA Y	Y	NAY	Y'AV	Brook Trout ⁷ (Y/N)
358	32	354	33	228	355	301	290	414	390	125	612	248	524	261	221	6	219	Nearest New Structure Location (ft)
150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	Width of Additional Corridor Clearing [®] (ft)
Z	Z	N	z	z	z	z	z	Z	z	N	z	Z	z	Z	z	z	z	Temp. Equip. Crossing ⁹ (Y/N)
48	37	39	76	100	100	99, 100	100	100	39	26	4	36	80		48	63	70	Natural Resource Map/Sheet Number

		2		. 5		F		-	Co-1	ocate	d 5e	ctio	h	"Gree	nfie	Id"Se	otion ->>
2	2	2	2	2	2	2	2	2	2	2	2	2	2	-	-	-	Segment
The Forks Plt	Bald Mountain Twp T2 R3	Bald Mountain Twp T2 R3	Moscow	Moscow	Moscow	Moscow	Moscow	Moscow	Moscow	Moscow	Moscow	Moscow	Bald Mountain Twp T2 R3	Johnson Mountain Twp	Bradstreet Twp	Johnson Mountain Twp	Town
D	D	D	D	D	D	D	D	D	D	D	D	D	D	т	ы	т	MDIFW Region
ISTR-54-01	POND-60-01	POND-59-05	ISTR-73-08	ISTR-73-07	ISTR-73-06	ISTR-73-05	ISTR-73-03	ISTR-73-02	ISTR-72-106	ISTR-72-102	ISTR-72-101	ISTR-71-101	ISTR-60-08	PSTR-42-03 (TOB)	PSTR-25-01	PSTR-40-06	Feature ID
Trib. to Moxie Pond	Joes Hole	Joes Hole	Trib. to Austin Stream	Mink Brook	Trib. to Mink Brook	Trib. to Mink Brook	Mink Brook	Mink Brook	Trib. to Chase Stream	Trib. to Chase Stream	Trib. to Chase Stream	Trib. to Austin Stream	Trib. to Joes Hole	Trib. to Tomhegan Stream	Horse Brook	Cold Stream	Stream Name ¹
9	180	100	12	w	ω	2	2	1.5	2	3	ω	-	2	40	30	25	Ave. Stream Width (ft) ²
PER	Open Water	Open Water	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	PER 10	PER	PER	Stream Type (PER/ INT) ³
A	A	N/A	N/A	A	N/A	Α	A	A	N/A	N/A	N/A	N/A	N/A	>	Α	AA	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Z.	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Z	z	z	z	N	N	Z	N	Z	z	z	z	z	Z	z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
Y	Y	WAY	N/A	Y	N/A	Y	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A 4	N/A Y	Y	Brook Trout ⁷ (Y/N)
397	109	118	461	341	20	15	574	416	209	405	. 228	120	212	121	119	391	Nearest New Structure Location (ft)
75	75	75	75	75	75	75	75	75	75	75	75	75	75	150	150	150	Width of Additional Corridor Clearing ⁸ (ft)
Z	z	z	z	z	Y	Y	N	N	N	z	z	z	z	z	Y	z	Temp. Equip. Crossing ⁹ (Y/N)
120	133, 134	131, 132	163		162	161, 162		161	160	159	159, 160	158	133	95	58	16	Natural Resource Map/Sheet Number

m
×
-
1
5
-
-
1
~
Z
-
EC
ìπ
EC
• •
$\leq$
5
Ω,
5
1
r
bod
×
4
-
0
Crossi
0
ŝ
S.
3
m
-
ab
0
6

2	2	2	2	2	2	2	2	2	2	2	2	2	N	2	2	Segment
Bald Mountain Twp T2 R3	Bald Mountain Twp T2 R3	Bald Mountain Twp T2 R3	The Forks Plt	The Forks Plt	The Forks Plt	Moscow	The Forks Plt	Bald Mountain Twp T2 R3	Moscow	Moscow	Moscow	Moscow	Moscow	Moscow	Moscow	Town
D	D	۵	D	D	D	D	D	D	D	D	D	D	ם	D	D	MDIFW Region
ISTR-60-05	PSTR-60-02	ISTR-63-07	ISTR-56-03	ISTR-55-02	ISTR-53-01	ESTR-66-12	ISTR-55-03	ISTR-61-05	PSTR-74-01	ISTR-73-04	ISTR-73-01	PSTR-72- 105	PSTR-72- 104	PSTR-72- 103	PSTR-71- 102	Feature ID
Trib. to Joes Hole	Trib. to Baker Stream	Trib. to Wild Brook	Trib. to Moxie Pond	Trib. to Moxie Pond	Trib. to Moxie Pond	Trib. to Heald Stream	Trib. to Moxie Pond	Trib. to Wild Brook	Trib. to Kennebec River	Trib. to Mink Brook	Mink Brook	Trib. to Chase Stream	Trib. to Chase Stream	Chase Stream	Trib. to Austin Stream	Stream Name ¹
2.5	2	2	2	2	2	2	1.5	-	2	2	2	2	3.5	30	4	Ave. Stream Width (ft) ²
INT	PER	INT	INT	INT	INT	INT	INT	INT	PER	PER	PER	PER	PER	PER	PER	Stream Type (PER/ INT) ³
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	в	A	A	А	A	A	N/A	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Ŷ	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
N	N	N	N	N	N	Z	N	z	Z	N	N	z	z	N	Z	Atlantic Salmon Habitat (Y/N) ⁶
N/A	NAY	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Y	Y	Y	Ŷ	Y	Y	N inni	Brook Trout ⁷ (Y/N)
119	124	467	442	274	59	520	297	295	172	21	139	124	40	1	378	
75	75	75	75	75	75	. 75	75	75	75	75	75	75	75	75	75	Nearest Width of New Additional Structure Corridor Location (ft) Clearing ⁸ (ft)
z	Y	z	N	N	N	N	N	Z	N	Z	N	N	Z	Y	N	Temp. Equip. Crossing ⁹ (Y/N)
134	135	141	125	123	119	148, 149	123	136	164, 165			159, 160	159, 160	159, 160	157	Natural Resource Map/Sheet Number

		-									-				
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	Segment
Bald Mountain Twp T2 R3	Moscow	Moscow	Bald Mountain Twp T2 R3	The Forks Plt	Moscow	Bald Mountain Twp T2 R3	Moscow	Bald Mountain Twp T2 R3	Bald Mountain Twp T2 R3	Town					
D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	MDIFW Region
PSTR-61-08	PSTR-65-01	ISTR-66-05	ISTR-64-05	ISTR-63-09	ISTR-63-08	ISTR-62-03	ISTR-62-02	ISTR-62-01	ISTR-54-02	PSTR-65-03	PSTR-60-07	ISTR-65-04	ISTR-64-03	ISTR-63-05	Feature ID
Trib. to Baker Stream	Trib. to Little Heald Brook	Heald Stream	Trib. to Wild Brook	Trib. to Moxie Pond	Little Heald Stream	Trib. to Joes Hole	Trib. to Little Heald Brook	Trib. to Wild Brook	Trib. to Wild Brook	Stream Name ¹					
3.5	υ	ω	دى	دى	دى	ω	ω	ω	, ω	2.5	2.5	2.5	2.5	2.5	Ave. Stream Width (ft) ²
PER	PER	INT	INT	INT	INT	INT	INT	INT	INT	PER	PER	INT	INT	INT	Stream Type (PER/ INT) ³
N/A	N/A	A	N/A	N/A	N/A	N/A	N/A	N/A	A	A	A	A	N/A	N/A	State Water Quality Classification ⁴
Y	Y	Y	Y	¥	Y	Y	Y	¥	Y	Y	¥	Ŷ	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Z	z	z	z	z	z	z	z	z	Z	z	z	z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
Vinter	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A	Y	Y	Y ·	Y	N/A	N/A	Brook Trout ⁷ (Y/N)
191	119	454	. 288	322	438	330	342	267	322	136	• 314	217	368	446	Nearest New Structure Location (ff)
75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	Width of Additional Corridor Clearing ⁸ (ft)
Z	Y	z	z	·Z	z	z	z	z	z	z	z	z	z	z	Temp. Equip. Crossing ⁹ (Y/N)
136	145	147	142	141	141	140	139	139	120	146	133	146	142, 143	140	Natural Resource Map/Sheet Number

2	2	2	2	2	2	2	2	2	2	N	2	N	2	Segment
Bald Mountain Twp T2 R3	The Forks Plt	Bald Mountain Twp T2 R3	Bald Mountain Twp T2 R3	Bald Mountain Twp T2 R3	Moscow	Moscow	Moscow	The Forks Plt	Bald Mountain Twp T2 R3	Bald Mountain Twp T2 R3	Bald Mountain Twp T2 R3	Bald Mountain Twp T2 R3	Moscow	Town
ם	D	D	ס	D	D	D	D	D	ם	D	D	D	D	MDIFW Region
ISTR-59-02	ISTR-55-01	PSTR-64-02	PSTR-61-01	PSTR-60-06	ISTR-66-10	ISTR-66-09	ISTR-66-08	ISTR-57-02	PSTR-64-06	PSTR-63-11	PSTR-63-06	PSTR-60-01	ISTR-66-07	Feature ID
Trib. to Little Sandy Stream	Trib. to Moxie Pond	Trib. to Wild Brook	Wild Brook	Trib. to Joes Hole	Trib. to Heald Stream	Trib. to Heald Stream	Trib. to Heald Stream	Trib. to Mosquito Stream	Trib. to Wild Brook	Trib. to Wild Brook	Trib. to Wild Brook	Trib. to Baker Stream	Trib. to Heald Stream	Stream Name ¹
6	6	5	5	5	5	s	5	s	4	4	4	4	4	Ave. Stream Width (ft) ²
INT	INT	PER	PER	PER	INT	INT	INT	INT	PER	PER	PER	PER	INT	Stream Type (PER/ INT) ³
Α	N/A	N/A	A	A	N/A	N/A	N/A	A	N/A	N/A	N/A	N/A	N/A	State Water Quality Classification ⁴
Y	ү	Υ	Y	Y	Y	Y	Y	Ŷ	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	N	z	Z	z	Z	z	Z	N	Z	z	N	N	Z	Atlantic Salmon Habitat (Y/N) ⁶
Y	VAN	Y	Y	Y.	NAC Y	NA .	WAY	Y	Y	Y	Y	NHA Y	N/A	Brook Trout ⁷ (Y/N)
16	212	413	511	316	5	ы	416	532	118	283	333	161	238	Nearest New Structure Location (ft)
75	75	75	75	75	75	75	75	75	75	75	75	75	75	Width of Additional Corridor Clearing ⁸ (ft)
Y	Z	z	Y	Z	Y	Y	z	z	Y	z	z	z	Y	Temp. Equip. Crossing ⁹ (Y/N)
131	123	142, 143	137	133	148, 149	148	148	127	143	142	141	135	147	Natural Resource Map/Sheet Number

٢

¢

ω	ω	ω	ப்	2	2	2	2	2	2	N	2	2	2	2	Segment
				2	2			2			2		2	2	Segment
Industry	Industry	Industry	Industry	Moscow	Moscow	Bald Mountain Twp T2 R3	The Forks Plt	Moscow	Bald Mountain Twp T2 R3	Bald Mountain Twp T2 R3	Moscow	Bald Mountain Twp T2 R3	Moscow	Moscow	Town
D	D	D	D	D	D	D	ם	D	D	D	D	D	D	D	MDIFW Region
ISTR-103-01	ISTR-102-01	ISTR-101-02	ISTR-101-01	PSTR-65-02	PSTR-66-02	PSTR-59-01	PSTR-57-01	ISTR-72-107	PSTR-63-04	PSTR-63-03	ISTR-69-01	PSTR-63-10	ISTR-67-01	ISTR-66-06	Feature ID
Trib. to Goodrich Brook	Trib. to Josiah Brook	Trib. to Josiah Brook	Trib. to Josiah Brook	Little Heald Brook	Heald Stream	Little Sandy Stream	Mosquito Stream	Trib. to Chase Stream	Wild Brook	Wild Brook	Trib. to Austin Stream	Trib. to Wild Brook	Trib. to Austin Stream	Trib. to Heald Stream	Stream Name ¹
5	80	2	S	25	15	15	10	8	7	7	7	. 6	6	6	Ave. Stream Width (ft) ²
INT	INT	INT	INT	PER	PER	PER	PER	INT	PER	PER	INT	PER	INT	INT	Stream Type (PER/ INT) ³
N/A	В	N/A	N/A	A	A	A	A	Α	Α	A	N/A	N/A	N/A	N/A	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Y	Y	Y	Y	N	z	z	N	z	z	z	z	z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
Y XVI	XXV	N/A	Y AN	Y	Y	Y	Y	Y	Y	Y	y ANG	Y	N yer	Nixy	Brook Trout ⁷ (Y/N)
349	294	219	272	82	459	107	470	66	284	380	- 155	215	120	258	Nearest New Structure Location (ft)
75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	Width of Additional Corridor Clearing ⁸ (ft)
z	z	z	z	z	N	Y	z	Y	z	z	z	z	Y	×	Temp. Equip. Crossing ⁹ (Y/N)
229	225	223	223	146	146, 147	131	127	160	140	140	156, 157	142	149	147	Natural Resource Map/Sheet Number

w	ω	w	ω	υ	ω	ω	ω	ω	ω	ω	ىں	СЭ	ω	Segment
Farmington	Farmington	Farmington	Farmington	Farmington	Farmington	Industry	Town							
Ū	D	ם	D	D	ס	D	D	D	D	D	D	מ	D	MDIFW Region
ISTR-111-01	ISTR-108-04	ISTR-108-03	ISTR-108-02	ISTR-108-01	ISTR-107-01	ISTR-103-09	ISTR-103-08	ISTR-103-07	ISTR-103-06	ISTR-103-05	ISTR-103-04	ISTR-103-03	ISTR-103-02	Feature ID
Trib. to Wilson Stream	Trib. to Cascade Brook	Trib. to Cascade Brook	Trib. to Cascade Brook	Trib. to Cascade Brook	Trib. to Beales Brook	Trib. to Goodrich Brook	Stream Name ¹							
2	-	1.5	2.5	ω	1.5	S	4	s	1.5	υ	JJ	ω	1.5	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	INT	INT	INT	INT	INT CO	INT	INT	INT	INT	Stream Type (PER/ INT) ³
N/A	В	в	в	N/A	B	N/A	N/A	B	N/A	N/A	N/A	N/A	N/A	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Υ	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Ŷ	Y	Y	¥	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	N/A	N/A	N/A	N/A	Nry Y	N/A	way	N/A	N/A	N/A	N/A '	N/A	Brook Trout ⁷ (Y/N)
162	196	275	246	200	299	274	209	330	375	195	102	72	302	
75	75	75	75	75	75	75	75	75	75	75	75	75	75	Nearest Width of New Additional Structure Corridor Location (ft) Clearing ⁸ (ft)
z	N	N	N	N	z	z	z	z	N	z	z	z	z	Temp. Equip. Crossing ⁹ (Y/N)
246	239	240	240	240	238	227, 228	227, 228	228	228	228	228, 229	228, 229	229	Natural Resource Map/Sheet Number

ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω `	ω	Segment
Concord Twp	Concord Twp	Concord Twp	Concord Twp	Concord Twp	Concord Twp	Concord Twp	Concord Twp	Leeds	Leeds	Livermore Falls	Jay	Jay	Chesterville	Jay	Тоwп
D	D	D	D	D	D	D	D	B	в	В	D	ם	D	D	MDIFW Region
ISTR-78-01	ISTR-77-03	ISTR-76-06	ISTR-76-05	ISTR-76-04	ISTR-76-03	ISTR-76-02	ISTR-75-03	ISTR-135-04	ISTR-132-02	ISTR-127-01	ISTR-117-01	ISTR-116-02	ISTR-114-03	ISTR-114-02	Feature ID
Trib. To Mill Stream	Trib. to Kennebec River	Trib. to Kennebec River	Trib. to Kennebec River	Trib. to Kennebec , River	Trib. to Kennebec River	Trib. to Kennebec River	Trib. to Kennebec River	Trib. to Allen Stream	Trib. To Dead River	Trib. to Androscoggi n River	Trib. to Fuller Brook	<ul> <li>Trib. To</li> <li>Sugar Brook</li> </ul>	Trib. to Wilson Stream	Trib. to Wilson Stream	Stream Name ¹
3	2.5	20	15	2	20	-	4	4	ω	10	2	80	6	c,	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	Stream Type (PER/ INT) ³
N/A	N/A	N/A	·N/A	в	в	N/A	N/A	B	в	N/A	N/A	N/A	N/A	N/A	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	z	z	z	z	Z	z	z	Z .	z	z	Y	Y	Y	Y	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	NAY	Nyer	N/A	y xr	N/A	N/A	N/A	N/A	N/A	N/A	WAY.	NAK Y	N/A	Brook Trout ⁷ (Y/N)
204	228	238	247	366	536	251	287	201	277	411	86	140	3,49	. 107	Nearest New Structure Location (ft)
75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	Width of Additional Corridor Clearing ⁸ (ft)
Y	Z	z	z	z	z	z	Y	z	z	Y	Y	Y	Y	z	Temp. Equip. Crossing ⁹ (Y/N)
173	171						167	299	292	280, 281	259	256	253	253	Natural Resource Map/Sheet Number

۲. ۵. ۵.

bufler to 100 (Ismal	+= bruck trout present,
( wit, Trib)	but NO weed to winease

ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	Segment
Starks	Starks	Embden	Embden	Embden	Embden	Embden	Embden	Concord Twp	Concord Twp	Town						
D	D	D	D	D	D	D	D	D	D	D	D	D	D	ם	ס	MDIFW Region
ISTR-96-08	ISTR-96-07	ISTR-85-01	ISTR-84-01	ISTR-83-06	ISTR-83-05	ISTR-83-02	ISTR-82-01	ISTR-81-02	ISTR-81-01	ISTR-80-05	ISTR-80-04	ISTR-80-03	ISTR-80-02	ISTR-80-01	ISTR-78-02	Feature ID
Trib. to Pelton Brook	Trib. to Pelton Brook	Jackin Brook	Trib. to Alder Brook	Trib. to Kennebec River	Trib. To Mill Stream	Stream Name ¹										
4	ω	2	4	2	ω	4	s	4	4	33	1.5	2	ω	2	ω	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	Stream Type (PER/ INT) ³
N/A	N/A	В	N/A	в	в	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Y	Y	Y	Ŷ	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
ү	Y	z	N	N	N	z	N	Z	z	N	N	N	Z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
+ AIN	N/A +	Y	N/A	Y	Y	N/A	ANN	N/A	N/A	Brook Trout ⁷ (Y/N)						
245	374	232	312	281	327	429	330	243	256	247	468	56	267	480	254	Nearest New Structure Location (ft)
75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	Width of Additional Corridor Clearing ⁸ (ft)
Z	N	N	N	Y	N	N	N	N	N	N	N	N	Z	N	z	Temp. Equip. Crossing ⁹ (Y/N)
213	213	187	185	183, 184	184	184	182, 183	178, 179	178, 179	177	177	176	176	177	173	Natural Resource Map/Sheet Number

..

w	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	Segment
Farmington	Lewiston	Starks	Starks	Starks	Starks	Starks	Starks	Starks	Starks	Starks	Starks	Starks	Town
D	A	D	ס	D	D	D	D	D	D	D	D	D	MDIFW Region
PSTR-112- 01	ISTR- PERRON-1	ISTR-99-01	ISTR-98-01	ISTR-97-07	ISTR-97-06	ISTR-97-04	ISTR-97-03	ISTR-97-02	ISTR-96-12	ISTR-96-11	ISTR-96-10	ISTR-96-09	Feature ID
Trib. to Wilson Stream	Trib. to Stetson Brook	Trib. to Lemon Stream	Trib. to Lemon Stream	Trib. to Cold Pond/Hilton Brook	Trib. to Cold Pond/Hilton Brook	Trib. to Pelton Brook	Stream Name ¹						
2	0	2	2	2	4	UJ	2.5	100	2	2	5	2	Ave. Stream Width (ft) ²
PER	INT	INT	INT 15 ⁵	INT	INT	INT	INT	INT	INT	INT	INT	INT	Stream Type (PER/ INT) ³
в	N/A	в	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A .	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Y	z	Y	Y	Y	Y	Y	Y	Y	Y	¥	Y	Y	Atlantic Salmon Habitat (Y/N) ⁶
Y	N/A	Y	4 A/N	N/A ł	N/A +	N/A +	N/A +	4 yrs	N/A +	N/A +	W. W.W.	N/A +	Brook Trout ⁷ (Y/N)
290	353	193	110	562	533	341	494	460	260	335	319	. 251	
75	75	75	75	75	75	75	75	75	75	75	75	75	Nearest Width of New Additional Structure Corridor Location (ft) Clearing ⁸ (ft)
z	N	N	z	z	z	z	N	z	z	z	z	z	Temp. Equip. Crossing ⁹ (Y/N)
249	320	219	217,218	216	216	214, 215	214, 215	214, 215	213	213	213	213	Natural Resource Map/Sheet Number

ω	ω	з	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	3	ω	ω	ω	Segment
Starks	Starks	Anson	Anson	Anson	Embden	Embden	Embden	Embden	Embden	Concord Twp	Concord Twp	Concord Twp	Concord Twp	Moscow/ Concord Twp	Greene	Chesterville	Chesterville	Town
۵	ם	D	D	٦	D	ס	Ð	D	D	٦	D	D	D	ס	A	D	D	MDIFW Region
PSTR-96-05	PSTR-96-01	PSTR-91-01	PSTR-90-02	PSTR-89-01	PSTR-83-08	PSTR-83-07	PSTR-83-04	PSTR-83-03	PSTR-83-01	PSTR-77-02	PSTR-77-01	ISTR-76-01	ISTR-75-02	ISTR-75-01	PSTR-141- 01	PSTR-114- 04	PSTR-114- 01	Feature ID
Pelton Brook	Trib. to Pelton Brook	Gilbert Brook	Carrabassett River	Jackin Brook	Trib. to Alder Brook	Trib. to Alder Brook	Alder Brook	Alder Brook	Trib. to Alder Brook	Trib. to Kennebec River	Trib. to Kennebec River	Trib. to Kennebec River	Trib. to Kennebec River	Kenriebec River	Trib. to Daggett Bog	Trib. to Wilson Stream	Trib. to Wilson Stream	Stream Name ¹
30	20	190	400	4.5	6	2.5	8	35	6	2	30	0	2	3	ω		8	Ave. Stream Width (ft) ²
PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	Stream Type (PER/ INT) ³
в	в	В	В	N/A	N/A	В	В	в	N/A	В	N/A	В	В	A	ß	N/A	N/A	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	ү	Y	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
~	¥	Y	z	z	N	z	z	z	v	z	N	z	v	z	z	Y	Y	Atlantic Salmon Habitat (Y/N) ⁶
×	×	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N/A	Y	Y	Brook Trout ⁷ (Y/N)
300	340	242	193	348	107	56	615	81	364	293	209	192	206	218	26	354	352	Nearest New Structure Location (ft)
75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	Width of Additional Corridor Clearing [®] (ff)
z	Y	z	z	Z	z	N	z	Y	Y	z	z	z	z	z	z	z	z	Temp. Equip. Crossing ⁹ (Y/N)
213	212	201	199, 200	196	182, 183	183	184	183	184	171	171				312	252	253	Natural Resource Map/Sheet Number

ω	3	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	Segment
Industry	Industry	Industry	Industry	Industry	Industry	Industry	Industry	Industry	Starks	Starks	Starks	Starks	Starks	Town
D	D	D	ם	D	ם	D	D	ם	D	D	D	. D	D	MDIFW Region
PSTR-103- 14	ISTR-103-10	ISTR-102-03	ISTR-102-02	ISTR-102-01	ISTR-101-06	-101- 05	ISTR-101-04	PSTR-101- 03	ISTR-100-03	ISTR-100-02	ISTR-100-01	PSTR-97-05	PSTR-97-01	Feature ID
Goodrich Brook		Trib. to Goodrich Brook	Trib. to Josiah Brook	Trib. to Josiah Brook	Trib. to Josiah Brook	Josiah Brook	Trib. to Josiah Brook	Trib. to Josiah Brook	Trib. To Meadow Brook	Trib. To Meadow Brook	Trib. To Meadow Brook	Trib. to Cold Pond/Hilton Brook	Trib. to Pelton Brook	Stream Name ¹
7	4	υ	s	80	υ	ω	4	6	1	2	2	20	85	Ave. Stream Width (ft) ²
UNK	UNK	. UNK	INT	PER	INT	PER	PER	PER	INT	INT	PER	PER 50	PER	Stream Type (PER/ INT) ³
в	N/A	N/A	В	В	N/A	в	N/A	N/A	в	N/A	в	N/A	в	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Y	Y	Y	Υ	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon Habitat (Y/N) ⁶
N N/N	N/A	N/A	Y MA	1 zyli	N/A	K WR	A well	NyK.	N/A	N/A	N/A	MAY /	Y	Brook Trout ⁷ (Y/N)
349	321	367	270	216	469	208	334	312	310	454	499	424	125	Nearest New Structure Location (ft)
75	75	75	75	75	75	75	75	75	75	75	75	75	75	Width of Additional Corridor Clearing ⁸ (ft)
z	z	z	Y	z	Y	Y	z	z	z	z	z	z	Y	Temp. Equip. Crossing ⁹ (Y/N)
228	227	227	225	225	224	224	223	223	221	221	220	216	214	Natural Resource Map/Sheet Number

ω	ω	ω	ω	ω	ω	ω	ω	ω	ω	ω.	ω	ω	ω	ω	Segment
Farmington	Farmington	Farmington	Farmington	Farmington	Farmington	Farmington	New Sharon	Industry	Industry	Industry	Industry	Industry	Industry	Industry	Town
D	D	D	D	D	D	D	D	ם	ס	ס	D	D	ם	۵	MDIFW Region
ISTR-108-07	ISTR-108-06	ISTR-108-05	PSTR-107- 04	ISTR-107-03	PSTR-107- 02	ISTR-107-01	PSTR-105- 01	PSTR-104- 04	ISTR-104-02	ISTR-103-16	ISTR-103-15	PSTR-103- 14	PSTR-103- 13	PSTR-103- 12	Feature ID
Trib. to Cascade Brook	Trib. to Cascade Brook	Trib. to Cascade Brook	Beales Brook	Trib. to Beales Brook	Trib. to Beales Brook	Trib. to Beales Brook	Muddy Brook	Trib. to Goodrich Brook	Goodrich Brook	Stream Name ¹					
4	1.5	1.5	S	1	3.5	1.5	40	6	4	SI	3	8	7	15	Ave. Stream Width (tt) ²
UNK	UNK	UNK	PER	UNK	UNK	UNK	PER	UNK	UNK	UNK	UNK	UNK	UNK	PER	Stream Type (PER/ INT) ³
В	В	N/A	В	N/A	В	N/A	В	В	в	N/A	N/A	в	ß	Β	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Y	Ϋ́	Y	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	ү	Y	Y	Y	Y	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	/ N/A	1 yrs	N/A	N/A	N/A	N YAN	N YAN	N/A	NAX Y	N/A	N MA	K pris	N ANI	Brook Trout ⁷ (Y/N)
16	317	29	335	275	116	280	521	135	146	362	38	131	104	245	Nearest New Structure Location (ft)
75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	Width of Additional Corridor Clearing ⁸ (ft)
N	N	N	z	Z	Y	Z	Z	Y	Z	. N	Z	N	N	z	Temp. Equip. Crossing ⁹ (Y/N)
239, 240	239	239	236	236, 237	237	238	232	230	230	227	227	229	229	229	Natural Resource Map/Sheet Number

ω	ω	з	ω	ω	3	ω	w	ω	З	3	ω	3	ω	S S	Segment
Jay	Chesterville	Chesterville	Chesterville	Jay	Farmington	Farmington	Farmington	Farmington	Farmington	Farmington	Farmington	Farmington	Farmington	Farmington	Town
D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	MDIFW Region
ISTR-116-03	PSTR-114- 07	ISTR-114-06	PSTR-114- 05	PSTR-114- 01	PSTR-112- 03	PSTR-112- 02	ISTR-111-03	ISTR-111-02	PSTR-110-	ISTR-109-03	PSTR-109- 02	ISTR-109-01	ISTR-108-09	ISTR-108-08	Feature ID
Trib. to Sugar Brook	Trib. to Wilson Stream	Trib. to Wilson Stream	Trib. to Wilson Stream	Trib. to Wilson Stream	Wilson Stream	Trib. to Wilson Stream	Trib. to Wilson Stream	Trib. to Wilson Stream	Sandy River	Trib. to Cascade Brook	Cascade Brook	Trib. to Cascade Brook	Trib. to Cascade Brook	Trib. to Cascade Brook	Stream Name ¹
2	S	S	25	00	40	6	4	3.5	70	ω	~	ω	1	. 1.5	Ave. Stream Width (ft) ²
UNK	PER	UNK	UNK	UNK	UNK	UNK	UNK	UNK	PER	UNK	PER	UNK	UNK	UNK	Stream Type (PER/ INT) ³
N/A	æ	в	œ	œ	G	N/A	N/A	N/A	В	N/A	в	в	в	в	State Water Quality Classification ⁴
Y	Y	Y	×	×	Y	×	Y	Y	Y	×	Y	Y	Y	¥	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Y	Y	Y	Y	Y	Y	¥	×	Y	Y	Y	Y	Y	Y	×	Atlantic Salmon Habitat (Y/N) ⁶
N/A	Y	¥	Y	Y	Y	Y	¥	Υ.	NAV	N/A	N/A	N/A	N/A	N/A	Brook Trout ⁷ (Y/N)
35	85	391	243	· 169	61	77	51	240	136	386	113	162	404	62	Nearest New Structure Location (ft)
75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	Width of Additional Corridor Clearing ⁸ (ft)
Y	Y	z	Y	Y	z	z	z	z	z	Y	z	z	z	z	Temp. Equip. Crossing ⁹ (Y/N)
256	252, 253	252	252	253	247	247, 248	246	246, 247	242, 243	241	242	241	239	239	Natural Resource Map/Sheet Number

									_				-				A STATE OF A STATE OF A STATE OF A
ω	ω	ω	ω	ω	ω	ω	ω	ω	3	ω	ω	ω	ω	ω	3	3	Segment
Anson	Anson	Anson	Anson	Anson	Anson	Anson	Anson	Anson	Anson	Embden	Jay	Jay	Jay	Jay	Jay	Jay	Town
D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	MDIFW Region
PSTR-93-03	ISTR-93-02	PSTR-93-01	ISTR-92-05	PSTR-92-03	ISTR-92-02	ISTR-92-01	ISTR-90-04	PSTR-90-01	ISTR-89-03	ISTR-85-01	PSTR-119- - 01	PSTR-118-	PSTR-117-	ISTR-117-03	PSTR-117- 02	PSTR-116- 04	Feature ID
Trib. to Getchell Brook	Trib. to Getchell Brook	Getchell Brook	Trib. to Gilman Brook	Gilman Brook	Trib. to Carrabassett River	Trib. to Carrabassett River	Trib. to Carrabassett River	Trib. to Carrabassett River	Trib. to Fahi Brook	Trib. to Jackin Brook	James Brook	Fuller Brook	Fuller Brook	Trib. To Fuller Brook	Trib. To Fuller Brook	Sugar Brook	Stream Name ¹
2	4	15	4.5	20	1.5	2	1.5	5.5	3.5	2	15	15	ω	4	5	3.5	Ave. Stream Width (ft) ²
UNK	INT	INT	UNK	UNK	INT	INT	UNK	UNK	INT	UNK	PER	PER	PER	UNK	UNK	PER	Stream Type (PER/ INT) ³
в	В	в	N/A	в	N/A	N/A	N/A	в	в	в	в	в	в	N/A	N/A	в	State Water Quality Classification ⁴
Ŷ	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	ү	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Ŷ	Y	Y	Y	Y	Y	Y	Y	z	z	z	Y	Y	Y	Y	Y	Y	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	N/A	N/A	N yes	N/A	N/A	N/A	Ny Y	N/A	Y	N/A	N/A	N/A	N/A	N/A	N/A	Brook Trout ⁷ (Y/N)
413	162	59	365	305	307	332	165	373	328	175	130	492	37	53	86	302	Nearest New Structure Location (ft)
75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	Nearest New Structure Location (ft) Clearing ⁸ (ft)
z	N	N	Z	z	N	z	z	z	z	z	Y	N	N	z	z	Y	Temp. Equip. Crossing ⁹ (Y/N)
208	208	207, 208	205	205	204	204	200	198	196	187	263	262	260	259	258, 259	257	Natural Resource Map/Sheet Number

					1										Contractory of the second second second second
3	ω	ω	ω	3	ω	ω	ω	ω	ω	ω	ω	ω	ω	3	Segment
Livermore Falls	Industry	Anson	Anson	Starks	Starks	Starks	Starks	Starks	Starks	Starks	Anson	Anson	Anson	Anson	Town
в	D	D	D	D	D	D	D	D	D	D	D	D	D	ם	MDIFW Region
ISTR-123-03	ISTR-104-01	ISTR-88-01	WB-94-01	ISTR-99-07	PSTR-99-06	PSTR-99-05	ISTR-99-04	ISTR-99-03	PSTR-99-02	PSTR-95-05	ISTR-95-04	ISTR-95-03	ISTIR-95-02-	ISTR-95-01	Feature ID
Trib. to Clay Brook	Trib. to Goodrich Brook	Trib. to Fahi Brook	Trib. to Getchell Brook	Lemon Stream	Trib. to Lemon Stream	Lemon Stream	Trib. to Lemon Stream	Trib. to Lemon Stream	Trib. to Lemon Stream	Trib. to Kennebec River	Stream Name ¹				
4	2	1	85	-	6	55	ы	1	6	2	1	-	6	2.5	Ave. Stream Width (ft) ²
INT	INT	INT	Open Water	UNK	UNK	PER	UNK	UNK	UNK	UNK	UNK	UNK	INT	INT	Stream Type (PER/ INT) ³
B	N/A	в	в	N/A	в	в	в	в	Β	в	в	N/A	N/A	в	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
N	Y	Z	Y	Y	Y	ү	Y	Y	Y	Y	Ŷ	Y	Y	Y	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	N/A	N/A	Y	Y	Y	Y	Y Y	Y	N/A	N/A	N/A	yra y	N/A	Brook Trout ⁷ (Y/N)
150	426	444	299	206	406	116	125	128	43	611	412	504	416	123	Nearest New Structure Location (ft)
75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	Width of Additional Corridor Clearing ⁸ (ft)
N	z	z	z	z	z	z	z	Y	Y	z	z	z	z	z	Temp. Equip. Crossing ⁹ (Y/N)
272	229	196	208	220	219	219, 220	219	219	219	210	210	210	209, 210	209,210	Natural Resource Map/Sheet Number

ω	ω	ω	ω	ω	ω	ω	w	ω	ω	ω	ω	ω	ω	ω	ω	Segment
Livermore Falls	Livermore Falls	Livermore Falls	Livermore Falls	Livermore Falls	Starks	Lewiston	Lewiston	Lewiston	Greene	Greene	Greene	Leeds	Leeds	Livermore Falls	Livermore Falls	Town
æ	в	B	в	в	D	A	A	Α.	A	А	A	в	B	B	ω	MDIFW
PSTR-125- 01	PSTR-122- 06	PSTR-122- 05	PSTR-122- 04	PSTR-121- 03	ISTR-96-03	ISTR-146-04	ISTR-145-03	ISTR-145-02	ISTR-140-07	ISTR-140-02	ISTR-139-03	ISTR-135-03	ISTR-135-02	ISTR-128-03	ISTR-128-02	Feature ID
Trib. to Androscoggi n River	Trib. to Clay Brook	Trib. to Clay Brook	Trib. to Clay Brook	Trib. to Clay Brook	Trib. to Pelton Brook	Trib. to Stetson Brook	Trib. to Stetson Brook	Trib. to Stetson Brook	Trib. to Allen Pond	Trib, to Allen Pond	Trib. to Allen Pond	Trib. to Allen Stream	Trib. to Allen Stream	Trib. to Androscoggi n River	Trib. to Androscoggi n River	Stream Name ¹
2	2	6	2	2	ы	2	8	S	2	1.5	2	2	2	2	2	Ave. Stream Width (ft) ²
PER	PER	PER	PER	PER	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	Stream Type (PER/ INT) ³
C	в	в	В	В	N/A	C	с	c	в	ច	В	в	æ	Q	Q	State Water Quality Classification ⁴
Y	¥	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Ŷ	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	Z	N	z	z	Y	z	Z	z	Z	N	z	N	z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	N/A	N/A	N/A	N/A +	Ŷ	N/A	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Brook Trout ⁷ (Y/N)
303	250	295	271	318	186	482	170	157	153	228	366	153	54	157	196	Nearest New Structure Location (ff)
75	0	0	75	0	75	75	75	75	75	75	75	75	75	75	75	Width of Additional Corridor Clearing ⁸ (ft)
z	z	z	z	z	z	z	z	z	z	z	N	Z	z	z	N	Temp, Equip, Crossing ⁹ (Y/N)
276	269	269	269, 270	269	212	323	321	322	310, 311	309	309	299, 300	299	283	283	Natural Resource Map/Sheet Number

ω	ω	3	з	з	<u></u> .ω	ω	ω	ω	ω	υ υ	ω	ω	ω	Segment
Leeds	Livermore Falls	Livermore Falls	Livermore Falls	Livermore Falls	Livermore Falls	Jay	Leeds	Lecds	Leeds	Livermore Falls	Livermore Falts	Greene	Leeds	Town
в	в	B	в	в	В	D	в	в	æ	в	a	А	ω	MDIFW Region
ISTR-130-02	ISTR-127-03	ISTR-126-01	ISTR-124-02	ISTR-124-01	ISTR-123-02	ISTR-121-01	ISTR-134-03	ISTR-134-02	ISTR-134-01	ISTR-126-06	ISTR-125-06	PSTR-144- 02	PSTR-135- 01	Feature D
Ą	Trib. to Hunton Brook	Trib. to Androscoggi n River	Trib. to Androscoggi n River	Trib. to ISTR-124-01 Androscoggi n River	Trib. to Clay Brook	Trib. to Clay Brook	Trib. to Allen Stream	Trib. to Allen Stream	Trib. to Allen Stream	⊳	Trib. to Androscoggi n River	Trib. to Daggett Bog	Trib. to Allen Stream	Stream. Name ¹
3	30	3	دى	υ	3	3	2.5	2.5	2	сı	2	2	2	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	INT	INT	INT	TNI	UNK	UNK	UNK	PER	PER	Stream Type (PER/ INT) ³
с	œ	C	Ċ	C	в	в	В	в	ω	° O	C	B	æ	State Water Quality Classification ⁴
Y	Ŷ	~	×	¥	Y	Y	Y	×	Y	4	Y	Ŷ	×	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	z	z	z	z	z	z	z	z	z	z	z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Brook Trout ⁷ (Y/N)
58	539	297	459	279	146	227	51	116	131	422	244	76	333	Nearest New Structure Location (ft)
75	75	75	75	75	75	0	75	75	75	75	75	75	75	Width of Additional Corridor Clearing ⁸ (ft)
z	z	z	z	z	z	z	z	z	z	z	z	z	z	Temp. Equip. Crossing ⁹ (Y/N)
287	282	279	274	274	272	268	297	297	298	279	277	319	299	Natural Resource Map/Sheet Number

ω	ε	з	ω	υ,	ω	س	ω	ω	ы	ω	ω	ω	ω	ω	ω	ω	Segment
Greene	Leeds	Livermore Falls	Livermore Falls	Livermore Falls	Starks	Leeds	Livermore Falls	Jay	Jay/Livermore Falls	Starks	Greene	Greene	Greene	Leeds	Leeds	Leeds	Town
A	В	В	в	в	ס	ម	в	ם	ם	D	A	A	A	в	в	Β	MDIFW Region
ISTR-138-01	ISTR-131-01	ISTR-125-05	PSTR-125- 02	ISTR-123-01	PSTR-96-02	PSTR-133- 01	PSTR-128- 01	PSTR-121- 04	PSTR-121- 02	ISTR-96-04	ISTR-140-05	ISTR-140-04	ISTR-138-03	ISTR-132-01	ISTR-131-02	ISTR-130-03	Feature ID
Trib. to Allen Pond	Trib. to Dead River	Trib. to Androscoggi n River	Trib. to Androscoggi n River	Trib. to Clay Brook	Trib. to Pelton Brook	Trib. to Allen Stream	Trib. to Androscoggi n River	Trib. to Clay Brook	Trib. to Clay Brook	Trib. to Pelton Broak	Trib. to Allen Pond	Trib. to Allen Pond	Trib. to Allen Stream	Trib. To Dead River	Trib. To Dead River	Trib. to Androscoggi n River	Stream Name ¹
4	4	4	2	4	3	دیا	υ	з	3	3	3	3	3	з	3	ω	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	PER	PER	PER	PER	PER	INT	INT	INT	INT	INT	INT	INT	Stream Type (PER/ INT) ³
В	В	с	с	В	В	в	C	В	В	N/A	В	В	Β	Β	B	c	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
N	N	z	z	z	Y	z	z	z	N	Y	N	z	z	z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A +	N/A	N/A	N/A	N/A	N/A	N/A	Brook Trout ⁷ (Y/N)
24	15	618	295	110	334	113	108	92	138	524	661	215	295	190	142	330	Nearest New Structure Location (ft)
75	75	75	75	75	75	75	75	0	0	75	75	75	75	75	75	75	Width of Additional Corridor Clearing ⁸ (ft)
z	Y	z	Y	z	z	Y	Y	z	N	Z	Z	z	z	z	z	Y	Temp. Equip. Crossing ⁹ (Y/N)
307	289	277	277	272	212	295	282, 283	267, 268, 269	268, 269	212	309	309	306	292	291	287, 288	Natural Resource Map/Sheet Number

з	ω	з	3	з	ω	з	ω	د ب	ω	з	з	ω	ω	ω	ω	Segment
Livermore Falls	Livermore Falls	Livermore Falls	Anson	Lewiston	Greene	Greene	Greene	Greene	Greene	Livermore Falls	Livermore Falls	Livermore Falls	Greene	Greene	Greene	Town
в	B	в	D	A	A	A	A	A	A	в	в	В	А	A	A	MDIFW Region
PSTR-126- 03	PSTR-122- 03	PSTR-122- 02	PSTR-89-02	PSTR-145- 01	PSTR-140- 09	PSTR-140- 08	PSTR-140- 06	PSTR-139- 02	PSTR-139- 01	PSTR-127- 02	PSTR-126- 05	PSTR-126- 02	ISTR-141-02	ISTR-140-03	ISTR-138-02	Feature ID
Trib. to Androscoggi n River	Clay Brook/Redw ater Brook	Trib. to Clay Brook	Trib. to Fahi Brook	Trib. to Stetson Brook	Trib. to Allen Pond	Trib. to Allen Pond	Trib to Allen Pond	Trib. to Allen Stream	Trib. to Allen Stream	Trib. to Hunton Brook	Trib. to Androscoggi n River	Trib. to Androscoggi n River	Trib. to Daggett Bog	Trib. to Allen Pond	Trib. to Allen Pond	Stream Name ¹
5	ა	S.	ъ	4	4	4	4	4	4	30	4	4	4	6	4	Ave. Stream Width (ft) ²
PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	INT	INT 🙀	INT	Stream Type (PER/ INT) ³
c	æ	в	в	C	в	в	в	ß	B	в	c	C	в	В	в	State Water Quality Classification ⁴
¥	~	×	Y	¥	Y	Y	¥	Y	Y	~	~	×	×	¥	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	N/A	N/A	×	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Brook Trout ⁷ (Y/N)
141	60	208	503	∞	142	139	354	373	351	426	346	333	200	174	194	Nearest New Structure Location (ft)
75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	Width of Additional Corridor Clearing ^s (ft)
z	z	z	z	Y	z	Y	z	z	Y	z	z	z	z	~	z	Temp. Equip. Crossing ^s (Y/N)
280	270, 271	270	196	321, 322	309	309	310	307	307	281	279	279	312	310	307	Natural Resource Map/Sheet Number

- cleaning weeded - NO cleaning needed

>

ω	ω	3	ω	ω	ω	ω	ω	ω	ω	u،	ω	w	ىں	ω	ω	ω	Segment
Livermore Falls	Livermore Falls	Livermore Falls	Livermore Falls	Greene	Livermore Falls	Livermore Falls	Leeds	Leeds	Livermore Falls	Greene	Greene	Greene	Leeds	Starks	Lewiston	Lewiston	Тоwп
в	в	ង	в	A	в	в	в	œ	в	A	A	A	в	ס	A	A	MDIFW Region
PSTR-127- 04	PSTR-129- 01	PSTR-125- 04	PSTR-125- 03	PSTR-143- 02	PSTR-122- 07	PSTR-122- 01	PSTR-130-	ISTR-130-01	ISTR-126-04	PSTR-144- 01	PSTR-143- 01	PSTR-140- 01	PSTR-136- 01	PSTR-96-06	PSTR-146- 05	PSTR-146- 03	Feature ID
Hunton Brook	Scott Brook	Trib. to Androscoggi n River	Trib. to Androscoggi n River	Stetson Brook	Trib. to Clay Brook	Trib. to Clay Brook	Dead River	Trib. to Dead River	Trib. to Androscoggi n River	Trib. to Stetson Brook	Stetson Brook	Allen Stream	Trib. to Androscoggi n River	Pelton Brook	Trib. to Androscoggi n River	Trib. to Androscoggi n River	Stream Name ¹
4	20	4	2	10	5	5	60	~	ω	6	6	6	6	s	1	2	Ave. Stream Width (ft) ²
PER	PER	PER	PER	PER	PER	PER من	INT	INT	INT	PER	PER	PER	PER	PER	PER	PER	Stream Type (PER/ INT) ³
в	в	C	C	в	в	в	В	в	C	B	в	в	B	в	C	c	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
N	z	z	z	z	z	z	z	z	z	z	z	z	z	Y	Z	z	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A	N/A	N/A	Y	N/A	N/A	Brook Trout ⁷ (Y/N)
106	166	191	42	210	311	466	91	296	132	32	26	323	194	336	35	419	Nearest New Structure Location (ft)
75	75	75	75	75	0	0	75	75	75	75	75	75	75	75	75	75	Width of Additional Corridor Clearing ⁸ (ft)
z	N	z	z	z	Z	V	N	z	Y	Ý	Y	z	Y	z	Z	z	Temp. Equip. Crossing ⁹ (Y/N)
281	285, 286	277, 278	277, 278	318	270	269,270	289	289	280	318	318	310	302	213	323	323	Natural Resource Map/Sheet Number

4	4	4	4	4	4	4	4	4	4	4	4	4	4	Segment
Durham	Auburn	Auburn	Auburn	Auburn	Auburn	Auburn	Pownal	Durham	Lewiston	Durham	Durham	Durham	Lewiston	Town
A	A	A	A	A	A	A	А	A	A	A	А	A	A	MDIFW Region
PSTR-157- 02	PSTR-156- 07	PSTR-156- 06	PSTR-156- 05	PSTR-156- 04	PSTR-156- 03	PSTR-156- 01	ISTR-161-04	ISTR-157-01	ISTR-155-01	ISTR-158-02	ISTR-158-01	ISTR-156-02	Trib. to ISTR-153-01 Androscoggi n River	Feature ID
House Brook	Trib. to Androscoggi n River	Trib. to Runaround Brook	Trib. to House Brook	Trib. to Androscoggi n River	Trib. to Libby Brook	Trib. to Libby Brook	Trib. to Androscoggi n River	Trib. to Androscoggi n River	Stream Name ¹					
2	2	2	2	2	1	2	6	1.5	2	2	15		ω	Ave. Stream Width (tt) ²
PER	PER	PER	PER	PER	PER	PER	INT	INT	INT	INT	INT	INT	UNK	Stream Type (PER/ INT) ³
В	с	C	с	C	G	O	ω	ω	n	B	ω	n	n	State Water Quality Classification ⁴
Y	Ŷ	Y	Y	Y	Y	Y	z	Y	Y	z	z	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Y	Ŷ	×	Y	¥	×	×	z	×	۲	z	z	Y	×	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Brook Trout ⁷ (YNN)
105	85	178	96	165	16	211	66	116	127	134	143	103	120	Nearest New Structure Location (ft)
0	0	0	0	0	0	0	0	0	0	0	0	0	o	Width of Additional Corridor Clearing ⁸ (ft)
Y	z	z	z	×	z	z	z	~	z	z	z	z	z	Temp. Equip. Crossing ⁹ (Y/N)
348	346	345	346	345	346	345		348	343	351	351	346	340	Natural Resource Map/Sheet Number

				_	-	-	1	-		1			-	-				-	
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	Segment
Auburn/ Lewiston	Lewiston	Lewiston	Lewiston	Durham	Durham	Durham	Auburn	Pownal	Pownal	Lewiston	Lewiston	Lewiston	Lewiston	Lewiston	Lewiston	Lewiston	Pownal	Lewiston	Town
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	MDIFW Region
PSTR-155- 03	PSTR-149- 01	PSTR-147- 02	PSTR-151- 01	PSTR-158- 03	PSTR-160- 03	PSTR-160- 01	PSTR-155- 02	PSTR-161- 03	PSTR-161- 01	PSTR-148- 02	ISTR-150-01	PSTR-148- 01	PSTR-147- 01	PSTR-152- 01	PSTR-146- 02	PSTR-146- 01	ISTR-161-02	ISTR-150-02	Feature ID
Androscoggi n River	No Name Brook	Stetson Brook	No Name Brook	Libby Brook	Trib. to Runaround Brook	Runaround Brook	House Brook	Runaround Brook	Runaround Brook	Trib. to No Name Pond	Trib. to No Name Brook	Trib. to No Name Pond	Trib. to No Name Brook	Trib. to No Name Brook	Trib. to Stetson Brook	Trib. to Stetson Brook	Trib. to Runaround Brook	Trib. to No Name Brook	Stream Name ¹
645	50	50	25	15	12	6	∞	S	S.	4.5	4	3.5	3.5	ω	4	4	ω	ω	Ave. Stream Width (ft) ²
PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	PER	INT	PER	PER	PER	PER	PER	INT	INT	Stream Type (PER/ INT) ³
с	В	В	В	в	Β	в	в	в	в	в	в	В	c	в	В	в	в	в	State Water Quality Classification ⁴
Y	Y	Y	Y	Z	z	Z	Y	z	z	Y	Y	Y	Y	Y	Y	Y	Z	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Y	Y	N	Y	z	z	z	Y	N	z	Y	Y	Y	Y	Y	Z	z	Z	Y	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Y	Y	N/A	N/A	Brook Trout ⁷ (Y/N)
104	06	86	83	47	105	108	. 160	472	15	81	106	87	80	85	144	87	117	197	Nearest New Structure Location (ft)
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Width of Additional Corridor Clearing ⁸ (ft)
N	N	z	Z	Y	z	Y	z	z	z	Y	Y	Y	Y	z	z	z	Y	Y	Temp. Equip. Crossing ⁹ (Y/N)
344	330	325	334, 335	351, 352	355	355	345	358	358	329	332	329	326, 327	337	324	324	356	333	Natural Resource Map/Sheet Number

s	ъ	v	ъ	S	s	s	ν	s	s	υ	s	s	Segment
Whitefield	Whitefield	Whitefield	Whitefield	Whitefield	Whitefield	Whitefield	Whitefield	Whitefield	Whitefield	Whitefield	Wiscasset	Wiscasset	Town
в	B	в	B	в	ម	в	в	В	в	в	в	B	MDIFW Region
PSTR-170- 01	ISTR-169-04	ISTR-169-03	ISTR-169-02	PSTR-169- 01	PSTR-168- 02	PSTR-168- 01	PSTR-166-	ISTR-166-01	PSTR-172- 02	PSTR-171- 01	ISTR-188-09	ISTR-183-01	Feature ID
East Branch Eastern River	Trib. to East Branch Eastern River	Trib. to East Branch Eastern River	Trib. to East Branch Eastern River	East Branch Eastern River	East Branch Eastern River	East Branch Eastern River	Finn Brook	Trib. To Finn Brook	Trib. to Sheespcot River	Trib. to Sheespcot River	Trib. to Back River/Monst weag Bay	Trib. to Montsweag Brook	Stream Name ¹
9	-	2	22	ഗ	ω	11	5	2	20	40	ω	2	Ave. Stream Width (ft) ²
PER	UNK	UNK	UNK	PER	PER	PER	PER	UNK	PER	PER	INT	INT	Stream Type (PER/ INT) ³
œ	N/A	N/A	ω	æ	в	₿	A	N/A	₩	B	œ	B	State Water Quality Classification ⁴
Y	4	Y	Y	~	~	Y	Y	Y	Y	~	~	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Y	×	×	Y	×	×	Y	Y	Y	Y	×	Y	Y	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	N/A	N/A	N/A	N/A	N/A	۲	N/A	Y	Y	N/A	N/A	Brook Trout ⁷ (Y/N)
189	136	178	296	149	85	206	395	140	101	355	15,281	140	Nearest New Structure Location (ft)
0	0	0	o	0	0	0	0	0	0	0	0	0	Width of Additional Corridor Clearing ⁸ (ff)
Y	z	~	z	Y	Y	z	Y	z	N	Y	z	z	Temp. Equip, Crossing [®] (Y/N)
399, 400	402	402	402	402	403	403	408	408	395	397	359	370	Natural Resource Map/Sheet Number

s	s	s	s	s	s	s	S	S	S	S	s	S	S	S	S	Segment
Alna	Alna	Alna	Alna .	Alna	Alna	Whitefield	Томп									
в	в	в	В	B	в	в	в	в	B	в	в	в	в	в	в	MDIFW Region
PSTR-179- 03	PSTR-179- 02	PSTR-178-	PSTR-178-	PSTR-177- 01	PSTR-176- 01	PSTR-175- 02	ISTR-175-01	ISTR-174-04	PSTR-174- 03	ISTR-174-02	PSTR-174- 01	ISTR-173-01	PSTR-172- 03	PSTR-172- 01	ISTR-170-02	Feature ID
Trib. to Trout Brook	Trib. to Trout Brook	Trout Brook	Trout Brook	Trib. to Trout Brook	Trib. to Sheepscot River	Trib. to East Branch Eastern River	Stream Name ¹									
6	6	15	8	25	s	w	I	П	7	33	6	دى	. 2	6	2	Ave. Stream Width (ft) ²
PER	INT	PER	PER	PER	INT	UNK	UNK	UNK	PER	UNK	PER	UNK	UNK	PER	INT	Stream Type (PER/ INT) ³
в	в	A	A	В	в	в	N/A	в	в	ω	В	N/A	N/A	в	N/A	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon Habitat (Y/N) ⁶
Y	N/A	Y	Y	Y	Y	Y	N/A	Y	Y	Y	Y	N/A	N/A	Y	N/A	Brook Trout ⁷ (Y/N)
861	611	133	264	107	209	201	218	366	366	385	333	285	320	226	129	Nearest New Structure Location (ft)
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Width of Additional Corridor Clearing ⁸ (ft)
N	Y	N	N	N	Y	Y	Y	N	Y	Y	Y	Y	z	z	v	Temp. Equip. Crossing ⁹ (Y/N)
379	379, 380	381, 382	381, 382	383	387	388	388	389	389	391	391	392	396	394	400	Natural Resource Map/Sheet Number

		۸ א	s W	S W	5 W	s W	s W	5 W	s W	5 W	5 W		s W	s W	S	Segment
	Wiscasset	Wiscasset	Wiscasset	Wiscasset	Wiscasset	Woolwich	Woolwich	Woolwich	Wiscasset	Wiscasset	Wiscasset	Wiscasset	Wiscasset	Wiscasset	Alna	Town
	в	в	в	ω	œ	ω	œ	œ	œ	B	₩		в	BI	B	MDIFW Region
	ISTR-184-10	ISTR-184-09	ISTR-184-08	ISTR-184-06	ISTR-184-05	ISTR-184-04	ISTR-184-03	ISTR-184-02	ISTR-184-01	ISTR-183-03	PSTR-183- 02		ISTR-181-02	ISTR-181-01	ISTR-180-01	Feature ID
Trib. to	Montsweag Brook	Montsweag Brook	Montsweag Brook	Trib. to Montsweag Brook	Trib. Ward Brook	Ward Brook	Trib. to Ward Brook	Trib. to Trout Brook	Stream Name ¹							
	2.5	30	25	2	w	2.5	150	2.5	1.5	2	0.5	4	2	ω	-	Ave. Stream Width (ft) ²
	PER	PER	UNK	UNK	UNK	UNK	UNK	UNK	INT	UNK	UNK	UNK	UNK	UNK	INT	Stream Type (PER/ INT) ³
J	в	В	в	в	в	B	Β	N/A	в	Β	ω	N/A	в	N/A	в	State Water Quality Classification ⁴
<	Y	Y	Y	~	~	¥	Y	×	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Crítical Habitat (Y/N) ⁵
×	Y	Y	¥	Y	Y	Y	Y	×	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon Habitat (Y/N) ⁵
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Brook Trout ² (Y/N)
28	99	45	55	195	253	209	113	318	140	94	39	247	114	82	112	Nearest New Structure Location (ft)
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Width of Additional Corridor Clearing ⁸ (ft)
z	z	z	×	z	z	~	z	Y	z	z	Y	z	×	Υ	z	Temp. Equip. Crossing ⁶ (Y/N)
366	368	368, 369	369	369	369	367, 368	367, 368	367	369	370	370	373	3/4, 3/2	374	377	Natural Resource Map/Sheet Number

	T	T	Y	T	1				<u> </u>				
S	<u>ь</u>	ა	ഗ	5	5	5	5	S	s	5	5	s	Segment
Wiscasset	Wiscasset	Wiscasset	Wiscasset	Wiscasset	Wiscasset	Wiscasset	Wiscasset	Wiscasset	Woolwich	Woolwich	Woolwich	Woolwich	Town
œ	B	œ	в	в	ω	Β	в	œ	យ	в	B	в	MDIFW Region
ISTR-187-17	ISTR-187-16	ISTR-187-15	ISTR-187-07	ISTR-187-05	ISTR-187-03	ISTR-187-02	ISTR-187-01	ISTR-186-02	ISTR-185-06	ISTR-185-05	ISTR-185-04	ISTR-185-03	Feature ID
Trib. to Back River/ Monstsweag Bay	Trib. to Back River/ Monstsweag Bay	Trib. to Back River/ Monstsweag Bay	Trib. to Chewonkí Creek	Trib. to Chewonki Creek	Trib. to Montsweag Brook	Trib. to Montsweag Brook	Trib. to Montsweag Brook	Trib. to Montsweag Brook	Stream Name ¹				
	-		-		1.5	1.5	2.5	1	3	1	1	1	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	INT	INT	INT	INT	UNK	UNK	UNK	UNK	Stream Type (PER/ INT) ³
B	œ	œ	ω	ω	ω	в	В	в	В	В	в	B	State Water Quality Classification ⁴
Y	Y	Y	Y	·	Y	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Y .	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Brook Nearest Trout ⁷ (Y/N) Structure Location (ff
10,265	10,248	10,413	7,099	6,728	6,300	6,262	6,250	4,335	312	62	37	23	Nearest New Structure Location (ft)
0	0	0	0	0	0	0	0	0	0	0	0	ο	Width of Additional Corridor Clearing ⁸ (ft)
z	z	z	z	z	z	z	z	Z	z	Y	Z	Z	Temp. Equip. Crossing ⁹ (Y/N)
361	361	361	362	362, 363	363	363	363	364		366	366	366	Natural Resource Map/Sheet Number

S	5	s	<u>и</u>	s	ъ	s	ч	ა	ы	s	Segment
Wiscasset	Wiscasset	Wiscasset	Wiscasset	Wiscasset	Wiscasset	Windsor	Windsor	Windsor	Windsor	Wiscasset	Town
et B	et B	α α	B	et B	B	9 100	B	9 	9 	B	n Region
ISTR-187-12	ISTR-187-11	ISTR-187-10	ISTR-187-09	ISTR-187-08	ISTR-187-06	ISTR-162-08	ISTR-162-05	ISTR-162-04	ISTR-162-03	PSTR-187- 24	on Feature ID
0		-10 Chewonki Creek	0.	0	1-06 Trib. to Chewonki Creek	-08 West Branch Sheepscot River	-05 West Branch Sheepscot River	-04 West Branch Sheepscot River	s	87- Chewonki Creek	ID Name ¹
2	ci 2	2	a 2	2	ci 2	ot 2	ot 2	ot 2	ot 2	ki 1.5	Ave. Stream Width (ft) ²
INT	INT	INT	INT	INT	INT	INT	INT	INT	INT	PER	Stream Type (PER/ 2 INT) ³
œ	ω	œ	B	B	в	œ	B	œ	B	₩.	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Y	Ŷ	Ŷ	Ŷ	Y	~	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Y	Y	Y	Y	Ŷ	Y	Y	Ŷ	Y	Y	~	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Brook Trout ⁷ (Y/N)
7,409	7,490	7,607	7,709	7,599	8,231	1,664	628	566	339	8,911	
0	0	0	0	0	0	0	0	0	0	o	Nearest New Structure Location (ft) Clearing ⁸ (ft)
z	z	z	z	z	z	z	z	Z	z	Z	Temp. Equip. Crossing ⁹ (Y/N)
362	362	362	362	362	362		417	417	417	361, 362	Natural Resource Map/Sheet Number

5	S.	5	s	s	5	5	s	S	S	s	Segment
Wiscasset	Wiscasset	Wiscasset	Wiscasset	Wiscasset	Windsor	Windsor	Wiscasset	Wiscasset	Wiscasset	Wiscasset	Town
œ	B	B	в	в	₿	ω	в	в	в	в	MDIFW Region
ISTR-186-01	ISTR-188-08	ISTR-188-01	ISTR-186-07	ISTR-186-05	PSTR-162- 06	PSTR-162- 02	ISTR-188-07	ISTR-188-03	ISTR-188-02	ISTR-187-14	Feature ID
Trib. to Chewonki Creek	T Bac Moi	Trib. to Back River/ Monstweag Bay	Trib. to Montsweag Brook	Trib. to Montsweag Brook	Trib. to West Branch of Sheepscot River	Trib. to West Branch Sheepscot River	Trib. to Back River/ Monstsweag Bay	Trib. to Back River/ Monstsweag Bay	Trib. to Back River/ Monstsweag Bay		Stream Name ^T
4	3	3	ω	1.5	1.5	2	Ę	2	2	2	Ave, Stream Width (ft) ²
INT	INT	INT	INT	INT	PER	PER	INT	INT	INT	INT	Stream Type (PER/ INT) ³
в	В	B	в	в	в	ω	B	в	в	в	State Water Quality Classification ⁴
Y	Y	Ŷ	Y	Y	Y	¥	×	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Y	Y	Y	Y	Y	Y	Y	Y	Y	¥	Y	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	N/A	N/A	N/A	Y	Y	N/A	N/A	N/A	N/A	Brook Trout ⁷ (Y/N)
5,614	12,829	15,388	2,193	2,386	1,595	291	14,547	13,444	14,492	7,906	Nearest Brook Trout ⁷ (Y/N) Location (ft)
0	0	0	0	ο	o	o	0	0	0	0	Width of Additional Corridor Clearing ^e (ft)
z	z	N	z	z	Z	z	z	z	z	z	Temp, Equip. Crossing ⁹ (Y/N)
363	360	359	365	364, 365		417	359	359, 360	359	362	Natural Resource Map/Sheet Number

S	s	Ś	v	ა	ഗ	s	v	v.	S	Segment
Wiscasset/Wo olwich	Woolwich	Windsor	Windsor	Windsor	Windsor	Windsor	Windsor	Wiscasset	Wiscasset	Town
в	в	B	Β	œ	B	œ	ω	ω	ω	MDIFW Region
PSTR-186- 08	PSTR-185- 01	PSTR-163- 01	ISTR-162-14	ISTR-162-07	PSTR-162- 13	PSTR-162- 09	PSTR-162- 01	ISTR-187-04	PSTR-188- 04	Feature ID
Montsweag Brook	Trib. to Montsweag Brook	Trib. to West Branch Sheepscot River	Trib. to Chewonki Creek	Trib. to Back River/ Monstsweag Bay	Stream Name ¹					
17.5	9.5	40	8	8	1.S	3	∞	5	prog	Ave. Stream Width (ft) ²
PER	PER	PER	INT	INT	PER	PER	PER	INT	PER	Stream Type (PER/ INT) ³
в	в	AA	B	B	в	B	B	B	в	State Water Quality Classification ⁴
Y	Y	Y	Y	Y	Ŷ	Ŷ	Y	Y	Y	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Y	Y	Ą	А	ү	Y	Ŷ	Ŷ	Y	Y	Atlantic Salmon Habitat (Y/N) ⁶
N/A	N/A	Y	N/A	N/A	Y	Y	Y	N/A	N/A	Brook Trout ⁷ (Y/N)
1,219	559	319	53	268	778	158	265	6,112	12,450	Nearest New Structure Location (ft)
0	0	0	0	0	0	0	0	0	0	Width of Additional Corridor Clearing ⁸ (ff)
z	z	z	z	z	z	z	z	z	Y	Temp. Equip. Crossing ⁹ (Y/N)
365	365	415	416	417	417	416, 417	417	363	360	Natural Resource Map/Sheet Number

.

ъ	ა	Segment
Windsor	Windsor	Town
в	B	MDIFW Region
PSTR-163- 02	PSTR-162- 12	Feature ID
West Branch Sheepscot River	PSTR-162- West Branch 12 Sheepscot River	Stream Name ¹
40	40	Ave. Stream Width (ft) ²
PER	PER	Ave. Stream Stream Type (PER/ Nidth (ft) ² INT) ³
AA	ω	State Water Quality Classification ⁴
Y	¥	Atlantic Salmon GOM DPS Critical Habitat (Y/N) ⁵
Y	Y	Atlantic Salmon Habitat (Y/N) ⁶
Y	¥	Brook Trout ⁷ (Y/N)
51	362	Nearest Width of New Additional Trout ⁷ (Y/N) Structure Corridor Location (ft) Clearing ⁸ (ft
0	0	Nearest Width of New Additional Structure Corridor ocation (ft) Clearing ^s (ft)
Z	z	Nearest NewWidth of AdditionalTemp. Equip.StructureCorridor Crossing*Location (ft)Clearing* (ft) Clearing*
414, 415, 416	416	Natural Resource Map/Sheet Number