

**Maine Natural Areas Program
Rare, Threatened, and Endangered Plant Taxa**

| Scientific Name | Common Name | State Rank | Global Rank | State Status | Federal Status |
|--|-----------------------------|------------|-------------|--------------|----------------|
| <i>Acalypha virginica</i> * | Three-seeded Mercury | SH | G5 | PE | |
| <i>Adiantum aleuticum</i> | Aleutian Maidenhair Fern | S1 | G5? | E | |
| <i>Adlumia fungosa</i> | Allegheny Vine | S1 | G4 | E | |
| <i>Agalinis maritima</i> | Saltmarsh False-foxglove | S3 | G5 | SC | |
| <i>Agalinis neoscotica</i> | Nova Scotia False-foxglove | S1 | G4 | T | |
| <i>Agalinis purpurea</i> | Large-purple False Foxglove | S1 | G5 | E | |
| <i>Agrostis mertensii</i> | Boreal Bentgrass | S2 | G5 | T | |
| <i>Alettris farinosa</i> * | Unicorn Root | SX | G5 | PE | |
| <i>Allium canadense</i> | Wild Garlic | S2 | G5 | SC | |
| <i>Allium tricoccum</i> | Wild Leek | S3 | G5 | SC | |
| <i>Amelanchier gaspensis</i> † | Gaspé Shadbush | S2 | G5T4? | SC | |
| <i>Amelanchier nantucketensis</i> | Nantucket Shadbush | S2 | G3Q | T | |
| <i>Amerorchis rotundifolia</i> | Small Round-leaved Orchis | S2 | G5 | T | |
| <i>Anemone acutiloba</i> * † | Sharp-lobed Hepatica | SX | G5T5 | PE | |
| <i>Anemone multifida</i> | Cut-leaved Anemone | S1 | G5 | T | |
| <i>Anthoxanthum monticola</i> † | Alpine Sweet Grass | S1 | G5 | T | |
| <i>Arctous alpina</i> † | Alpine Bearberry | S1 | G5 | T | |
| <i>Arnica lanceolata</i> | Hairy Arnica | S2 | G3 | T | |
| <i>Artemisia campestris</i> ssp. <i>canadensis</i> * † | Canadian Wormwood | SH | G5T5 | PE | |
| <i>Artemisia campestris</i> ssp. <i>caudata</i> | Beach wormwood | S1S2 | G5T5 | SC | |
| <i>Asarum canadense</i> | Wild Ginger | S1S2 | G5 | T | |
| <i>Asclepias tuberosa</i> * | Butterfly Weed | SX | G5? | PE | |
| <i>Asplenium platyneuron</i> | Ebony Spleenwort | S2 | G5 | SC | |
| <i>Asplenium rhizophyllum</i> * | Walking Fern | SX | G5 | PE | |
| <i>Asplenium viride</i> † | Green Spleenwort | S1 | G4 | E | |
| <i>Astragalus alpinus</i> var. <i>brunetianus</i> | Alpine Milk-vetch | S3 | G5T3 | SC | |
| <i>Astragalus eucosmus</i> * | Elegant Milk-vetch | SX | G5 | PE | |
| <i>Astragalus robbinsii</i> var. <i>minor</i> | Robbins' Milk-vetch | S1 | G5T5 | E | |
| <i>Aureolaria pedicularia</i> | Fern-leaved False Foxglove | S3 | G5 | SC | |
| <i>Baptisia tinctoria</i> * | Yellow Wild Indigo | SH | G5 | PE | |
| <i>Barbarea orthoceras</i> * | American Winter-ress | SH | G5 | PE | |
| <i>Bartonia paniculata</i> | Screwstem | S1 | G5 | T | |
| <i>Benthamidia florida</i> † | Flowering Dogwood | S1 | G5 | E | |
| <i>Betula glandulosa</i> | Tundra Dwarf Birch | S1 | G5 | E | |
| <i>Betula minor</i> | Dwarf White Birch | S1 | G4Q | E | |
| <i>Betula pumila</i> | Swamp Birch | S2S3 | G5 | SC | |
| <i>Bidens eatonii</i> | Eaton's Bur-marigold | S2 | G2G3 | SC | |
| <i>Bidens hyperborea</i> | Estuary Bur-marigold | S3 | G4 | SC | |
| <i>Bistorta vivipara</i> † | Alpine Bistort | S1 | G5 | E | |
| <i>Boechera laevigata</i> † | Smooth Rockcress | S1 | G5 | T | |
| <i>Boechera missouriensis</i> † | Missouri Rockcress | S1 | G5?Q | T | |
| <i>Bolboschoenus novae-angliae</i> | Marsh Bulrush | S1 | G5 | E | |
| <i>Bolboschoenus robustus</i> | Saltmarsh Bulrush | S2 | G5 | SC | |

Nomenclature follows *Flora Novae Angliae* (Haines 2011)

* taxon not currently known to be extant in Maine

† taxon with recent name change

**Maine Natural Areas Program
Rare, Threatened, and Endangered Plant Taxa**

| Scientific Name | Common Name | State Rank | Global Rank | State Status | Federal Status |
|--|----------------------------|------------|-------------|--------------|----------------|
| <i>Botrychium lunaria</i> | Moonwort | S1 | G5 | E | |
| <i>Botrychium oneidense</i> | Blunt-lobed grapefern | SU | G4Q | T | |
| <i>Botrychium pallidum</i> | Pale Moonwort | S1 | G3 | E | |
| <i>Bromus kalmii</i> | Wild Chess | S1 | G5 | E | |
| <i>Bromus pubescens</i> | Hairy Wood Brome-grass | S2 | G5 | SC | |
| <i>Calamagrostis cinnoides</i> | Small Reed Grass | S3 | G5 | SC | |
| <i>Calamagrostis pickeringii</i> | Pickering's Reed Grass | S1 | G4 | T | |
| <i>Calamagrostis stricta</i> ssp. <i>inexpansa</i> | Northern Reed Grass | S1 | G5T5 | E | |
| <i>Calamagrostis stricta</i> ssp. <i>stricta</i> | Neglected Reed Grass | S2 | G5T5 | T | |
| <i>Callitriche terrestris</i> | Terrestrial Water-starwort | SU | G5 | SC | |
| <i>Calystegia spithamea</i> | Upright Bindweed | S2 | G4G5 | T | |
| <i>Cardamine bellidifolia</i> | Alpine Bitter-cress | S1 | G5 | E | |
| <i>Cardamine concatenata</i> | Cut-leaved Toothwort | S1 | G5 | E | |
| <i>Cardamine longii</i> | Long's Bitter-cress | S2 | G3 | T | |
| <i>Cardamine maxima</i> | Large toothwort | S3 | G5 | SC | |
| <i>Carex adusta</i> | Swarthy Sedge | S2 | G5 | E | |
| <i>Carex alopecoidea</i> * | Foxtail Sedge | SH | G5 | PE | |
| <i>Carex atherodes</i> | Awned Sedge | S1 | G5 | T | |
| <i>Carex atratiformis</i> | Black Sedge | S2S3 | G5 | SC | |
| <i>Carex baileyi</i> * | Bailey's Sedge | SH | G4 | PE | |
| <i>Carex bicknellii</i> | Bicknell's Sedge | S1 | G5 | E | |
| <i>Carex bigelowii</i> | Bigelow's Sedge | S2 | G5 | SC | |
| <i>Carex bullata</i> | Button Sedge | S2 | G5 | SC | |
| <i>Carex bushii</i> * | Bush's Sedge | SX | G4 | PE | |
| <i>Carex capillaris</i> | Capillary Sedge | S2 | G5 | SC | |
| <i>Carex crawei</i> * | Crawe's Sedge | SX | G5 | PE | |
| <i>Carex eburnea</i> | Ebony Sedge | S1 | G5 | E | |
| <i>Carex garberi</i> | Garber's Sedge | S2 | G5 | SC | |
| <i>Carex granularis</i> | Meadow Sedge | S1 | G5 | T | |
| <i>Carex gynocrates</i> | Northern Bog Sedge | S2 | G5 | SC | |
| <i>Carex hirtifolia</i> | Pubescent sedge | S2 | G5 | SC | |
| <i>Carex laevivaginata</i> | Smooth-sheathed Sedge | S1 | G5 | SC | |
| <i>Carex laxiculmis</i> | Spreading Sedge | S2 | G5 | E | |
| <i>Carex livida</i> † | Livid Sedge | S2 | G5T5 | SC | |
| <i>Carex media</i> † | Intermediate Sedge | S1 | G5T5? | E | |
| <i>Carex muehlenbergii</i> var. <i>meuhlenbergii</i> | Muhlenberg Sedge | S1 | G5 | E | |
| <i>Carex oronensis</i> | Orono Sedge | S3 | G3 | T | |
| <i>Carex polymorpha</i> | Variable Sedge | S1 | G3 | E | |
| <i>Carex prairea</i> | Prairie Sedge | S1 | G5? | T | |
| <i>Carex praticola</i> * | Northern Meadow Sedge | SX | G5 | PE | |
| <i>Carex rariflora</i> * | Loose-flowered Sedge | SH | G5 | PE | |
| <i>Carex recta</i> * | Saltmarsh Sedge | SH | G4 | PE | |
| <i>Carex rostrata</i> | Beaked Sedge | S2 | G5 | SC | |

Nomenclature follows *Flora Novae Angliae* (Haines 2011)

* taxon not currently known to be extant in Maine

† taxon with recent name change

**Maine Natural Areas Program
Rare, Threatened, and Endangered Plant Taxa**

| Scientific Name | Common Name | State Rank | Global Rank | State Status | Federal Status |
|---|----------------------------|------------|-------------|--------------|----------------|
| <i>Carex saxatilis</i> | Russett Sedge | S1 | G5 | E | |
| <i>Carex scirpoidea</i> | Bulrush Sedge | S2 | G5 | SC | |
| <i>Carex siccata</i> | Dry Land Sedge | S2 | G5 | SC | |
| <i>Carex sparganioides</i> | Bur-reed Sedge | S1 | G5 | E | |
| <i>Carex sterilis</i> | Dioecious Sedge | S3 | G4 | SC | |
| <i>Carex tenuiflora</i> | Sparse-flowered Sedge | S3 | G5 | SC | |
| <i>Carex typhina</i> | Cattail Sedge | S1 | G5 | E | |
| <i>Carex vacillans</i> | Brackish Sedge | S2 | GNR | E | |
| <i>Carex vestita</i> | Clothed Sedge | S1 | G5 | E | |
| <i>Carex waponahkikensis</i> | Dawn-land sedge | SNR | GNR | SC | |
| <i>Carya cordiformis</i> | Bitternut Hickory | S1 | G5 | E | |
| <i>Castanea dentata</i> | American Chestnut | S4 | G4 | SC | |
| <i>Castilleja septentrionalis</i> | Northern Painted Cup | S3 | G5 | SC | |
| <i>Ceanothus americanus</i> | New Jersey Tea | S1S2 | G5 | T | |
| <i>Cenchrus longispinus</i> * | Long-spined Sandbur | SH | G5 | PE | |
| <i>Chamaecyparis thyoides</i> | Atlantic White Cedar | S2 | G4 | SC | |
| <i>Chenopodium foggii</i> | Fogg's Goosefoot | S1 | G3Q | T | |
| <i>Chenopodium rubrum</i> var. <i>rubrum</i> * | Coast-blite Goosefoot | SH | G5 | PE | |
| <i>Chimaphila maculata</i> | Spotted Wintergreen | S2 | G5 | T | |
| <i>Cirsium horridulum</i> * | Yellow Thistle | SH | G5 | PE | |
| <i>Clematis occidentalis</i> ssp. <i>occidentalis</i> | Purple Clematis | S3 | G5T5 | SC | |
| <i>Clethra alnifolia</i> | Sweet Pepper-bush | S2 | G5 | SC | |
| <i>Coptidium lapponicum</i> † | Lapland Buttercup | S2 | G5 | T | |
| <i>Corallorhiza odororhiza</i> | Autumn Coral-root | S1 | G5 | E | |
| <i>Crassula aquatica</i> | Pygmyweed | S2S3 | G5 | SC | |
| <i>Cryptogramma stelleri</i> | Slender Cliffbrake | S1 | G5 | T | |
| <i>Cryptotaenia canadensis</i> * | Wild Chervil | SH | G5 | PE | |
| <i>Cynoglossum virginianum</i> ssp. <i>boreale</i> | Northern Wild Comfrey | S1 | G5T4T5 | E | |
| <i>Cyperus erythrorhizos</i> | Red-root Flatsedge | S1 | G5 | E | |
| <i>Cyperus houghtonii</i> * | Houghton's Flatsedge | SH | G4? | PE | |
| <i>Cyperus squarrosus</i> | Awned Flatsedge | S2 | G5 | SC | |
| <i>Cypripedium arietinum</i> | Ram's-head Lady's-slipper | S1 | G3 | E | |
| <i>Cypripedium reginae</i> | Showy Lady's-slipper | S3 | G4 | SC | |
| <i>Descurainia incana</i> * | Richardson's Tansy-mustard | SH | G5T5? | PE | |
| <i>Diapensia lapponica</i> | Lapland Diapensia | S2 | G5 | SC | |
| <i>Dicentra canadensis</i> | Squirrel-corn | S1 | G5 | T | |
| <i>Diphasiastrum sitchense</i> | Alaskan Clubmoss | S1 | G5 | T | |
| <i>Draba arabisans</i> | Rock Whitlow-grass | S1 | G4 | T | |
| <i>Draba cana</i> | Lance-leaved Draba | S1 | G5 | E | |
| <i>Draba glabella</i> | Smooth draba | S1 | G4G5 | E | |
| <i>Drosera anglica</i> | English Sundew | S1 | G5 | E | |
| <i>Drosera linearis</i> | Slender-leaved Sundew | S1 | G4 | E | |
| <i>Dryopteris filix-mas</i> ssp. <i>brittonii</i> † | Male Wood Fern | S1 | G5 | E | |

Nomenclature follows Flora Novae Angliae (Haines 2011)

* taxon not currently known to be extant in Maine

† taxon with recent name change

Maine Natural Areas Program
Rare, Threatened, and Endangered Plant Taxa

| Scientific Name | Common Name | State Rank | Global Rank | State Status | Federal Status |
|--|----------------------------|------------|-------------|--------------|----------------|
| <i>Dryopteris fragrans</i> | Fragrant Wood Fern | S3 | G5 | SC | |
| <i>Dryopteris goldiana</i> | Goldie's Wood Fern | S2 | G4 | SC | |
| <i>Eleocharis aestuum</i> | Tidal Spikerush | S2 | G3 | SC | |
| <i>Eleocharis engelmannii</i> * | Engelmann's Spikerush | SH | G4G5Q | PE | |
| <i>Eleocharis nitida</i> | Slender Spikerush | SU | G4 | SC | |
| <i>Eleocharis quinqueflora</i> ssp. <i>fernaldii</i> † | Few-flowered Spikerush | S2 | G5 | SC | |
| <i>Eleocharis rostellata</i> | Beaked Spikerush | S1 | G5 | T | |
| <i>Eleocharis tuberculosa</i> | Long-tubercled Spikerush | S1 | G5 | E | |
| <i>Elymus hystrix</i> | Bottlebrush Grass | S3 | G5 | SC | |
| <i>Elymus macgregorii</i> | MacGregor's Rye | S2 | GNR | SC | |
| <i>Epilobium anagallidifolium</i> | Alpine Willow-herb | S1 | G5 | E | |
| <i>Epilobium hornemannii</i> | Hornemann's Willow-herb | S1 | G5 | T | |
| <i>Epilobium lactiflorum</i> * | White-flower Willow-herb | SH | G5 | PE | |
| <i>Eragrostis capillaris</i> * | Tiny Lovegrass | SH | G5 | PE | |
| <i>Eragrostis hypnoides</i> * | Teal Lovegrass | SH | G5 | PE | |
| <i>Erigeron acris</i> ssp. <i>kamtschaticus</i> * † | Bitter Fleabane | SH | G5T5 | PE | |
| <i>Erigeron hyssopifolius</i> | Hyssop-leaved Fleabane | S2 | G5 | SC | |
| <i>Eriocaulon parkeri</i> | Parker's Pipewort | S3 | G3 | SC | |
| <i>Eupatorium pubescens</i> † | Hairy Boneset | S1 | G5T5 | E | |
| <i>Eupatorium sessilifolium</i> | Upland Boneset | S1 | G5 | E | |
| <i>Euphrasia oakesii</i> * | Oakes' Eyebright | SH | G4 | PE | |
| <i>Eurybia schreberi</i> * † | Schreber's Wood-aster | SX | G4 | PE | |
| <i>Euthamia caroliniana</i> † | Narrow-leaved Goldenrod | S2 | G5 | T | |
| <i>Eutrochium fistulosum</i> † | Hollow Joe-pye Weed | S2 | G5? | SC | |
| <i>Festuca prolifera</i> | Arctic Red Fescue | S1 | GU | E | |
| <i>Fimbristylis autumnalis</i> | Fall Fimbry | S2S3 | G5 | SC | |
| <i>Galearis spectabilis</i> | Showy Orchis | S1 | G5 | E | |
| <i>Galium brevipes</i> | Limestone Swamp Bedstraw | SH | G4? | PE | |
| <i>Galium kamtschaticum</i> | Boreal Bedstraw | S2 | G5 | SC | |
| <i>Galium labradoricum</i> | Bog Bedstraw | S2 | G5 | SC | |
| <i>Galium obtusum</i> * | Blunt-leaved Bedstraw | SX | G5 | PE | |
| <i>Gamochaeta purpurea</i> * | Purple Cudweed | SX | G5 | PE | |
| <i>Gentiana rubricaulis</i> | Red-stemmed Gentian | S1 | G4? | T | |
| <i>Gentianella amarella</i> ssp. <i>acuta</i> | Northern Gentian | S1 | G5T5 | E | |
| <i>Gentianella quinquefolia</i> * | Stiff Gentian | SH | G5 | PE | |
| <i>Geocaulon lividum</i> | Northern Comandra | S3 | G5 | SC | |
| <i>Geum fragarioides</i> † | Barren-strawberry | S1 | G5 | E | |
| <i>Glyceria acutiflora</i> | Sharp-scaled Manna-grass | S1 | G5 | E | |
| <i>Goodyera oblongifolia</i> | Giant Rattlesnake-plantain | S1 | G5? | E | |
| <i>Hackelia deflexa</i> ssp. <i>americana</i> † | Northern Stickseed | S1 | G5T5 | E | |
| <i>Harrimanella hypnoides</i> | Moss Bell-heather | S1 | G5 | T | |
| <i>Hedysarum alpinum</i> ssp. <i>americanum</i> † | Alpine Sweet-broom | S3 | G5T5? | SC | |
| <i>Heteranthera dubia</i> † | Water Stargrass | S3 | G5 | SC | |

Nomenclature follows *Flora Novae Angliae* (Haines 2011)

* taxon not currently known to be extant in Maine

† taxon with recent name change

**Maine Natural Areas Program
Rare, Threatened, and Endangered Plant Taxa**

| Scientific Name | Common Name | State Rank | Global Rank | State Status | Federal Status |
|--|--------------------------|------------|-------------|--------------|----------------|
| <i>Hieracium gronovii</i> * | Hairy Hawkweed | SX | G5 | PE | |
| <i>Hieracium robinsonii</i> | Robinson's Hawkweed | S1 | G2G3 | E | |
| <i>Hieracium venosum</i> † | Rattlesnake Hawkweed | S1 | G5T4Q | E | |
| <i>Hottonia inflata</i> | Featherfoil | S1 | G4 | T | |
| <i>Houstonia longifolia</i> † | Long-leaved Bluet | S2S3 | G4G5TNR | SC | |
| <i>Huperzia appressa</i> † | Appalachian Fir-clubmoss | S2 | G4G5 | SC | |
| <i>Huperzia selago</i> | Northern Firmoss | S2 | G5 | T | |
| <i>Hypericum ascyron</i> | Great St John's-wort | S1 | G4 | E | |
| <i>Hypoxis hirsuta</i> * | Yellow Star-grass | SX | G5 | PE | |
| <i>Ilex glabra</i> | Ink-berry | S1 | G5 | E | |
| <i>Ilex laevigata</i> | Smooth Winterberry Holly | S3 | G5 | SC | |
| <i>Impatiens pallida</i> | Pale Jewel-weed | S2 | G5 | SC | |
| <i>Iris prismatica</i> | Slender Blue Flag | S2 | G4G5 | T | |
| <i>Isoetes acadensis</i> | Acadian Quillwort | S2 | G3Q | SC | |
| <i>Isoetes prototypus</i> | Prototype Quillwort | S1 | G2G3 | T | |
| <i>Isoetes riparia</i> var. <i>canadensis</i> * † | Shore Quillwort | SH | G5? | PE | |
| <i>Isotria medeoloides</i> | Small Whorled Pogonia | S2 | G2 | E | LT |
| <i>Isotria verticillata</i> * | Large Whorled Pogonia | SX | G5 | PE | |
| <i>Iva frutescens</i> ssp. <i>oraria</i> | Marsh-elder | S1 | G5T5 | E | |
| <i>Juncus alpinoarticulatus</i> ssp. <i>americanus</i> † | Alpine Rush | S3 | G5T5? | SC | |
| <i>Juncus secundus</i> | Secund Rush | S1 | G5? | T | |
| <i>Juncus stygius</i> ssp. <i>americanus</i> | Moor Rush | S2 | G5T5 | SC | |
| <i>Juncus subtilis</i> | Slender Rush | S1 | G4 | E | |
| <i>Juncus torreyi</i> * | Torrey's Rush | SH | G5 | PE | |
| <i>Juncus vaseyi</i> | Vasey's Rush | S1 | G5? | E | |
| <i>Kalmia latifolia</i> | Mountain-laurel | S2 | G5 | SC | |
| <i>Kalmia procumbens</i> † | Alpine-azalea | S1 | G5 | T | |
| <i>Krigia virginica</i> | Dwarf Dandelion | S1 | G5 | E | |
| <i>Lechea tenuifolia</i> * | Slender Pinweed | SX | G5 | PE | |
| <i>Lespedeza hirta</i> ssp. <i>hirta</i> | Hairy Bush-clover | S1 | G5T5? | E | |
| <i>Liatris novae-angliae</i> † | Northern Blazing Star | S1 | G5?T3 | T | |
| <i>Lilaeopsis chinensis</i> | Lilaeopsis | S2 | G5 | SC | |
| <i>Limosella australis</i> | Mudwort | S3 | G4G5 | SC | |
| <i>Lindera benzoin</i> | Spicebush | S3 | G5 | SC | |
| <i>Lindernia dubia</i> var. <i>anagallidea</i> * | Slender False Pimpernel | SH | G5T4 | PE | |
| <i>Lipocarpha micrantha</i> | Dwarf Bulrush | S1 | G5 | T | |
| <i>Lobelia siphilitica</i> * | Great Blue Lobelia | SX | G5 | PE | |
| <i>Lomatogonium rotatum</i> | Marsh Felwort | S1 | G5 | T | |
| <i>Lonicera dioica</i> | Mountain Honeysuckle | S2 | G5 | E | |
| <i>Lonicera oblongifolia</i> | Swamp Honeysuckle | S3 | G4 | SC | |
| <i>Lupinus perennis</i> * † | Wild Lupine | SX | G5T4? | PE | |
| <i>Luzula confusa</i> | Northern Wood Rush | S1 | G5 | E | |
| <i>Luzula spicata</i> | Spiked Wood Rush | S1 | G5 | T | |

Nomenclature follows Flora Novae Angliae (Haines 2011)

* taxon not currently known to be extant in Maine

† taxon with recent name change

Maine Natural Areas Program
Rare, Threatened, and Endangered Plant Taxa

| Scientific Name | Common Name | State Rank | Global Rank | State Status | Federal Status |
|---|------------------------------|------------|-------------|--------------|----------------|
| <i>Lycopodiella alopecuroides</i> | Foxtail Bog-clubmoss | S1 | G5 | E | |
| <i>Malaxis monophyllos</i> ssp. <i>brachypoda</i> † | White Adder's-mouth | S1 | G5 | E | |
| <i>Micranthes foliolosa</i> † | Star Saxifrage | S1 | G4 | E | |
| <i>Mikania scandens</i> * | Climbing Hempweed | SH | G5 | PE | |
| <i>Minuartia glabra</i> | Smooth Sandwort | S3 | G4 | SC | |
| <i>Minuartia groenlandica</i> | Mountain Sandwort | S3 | G5 | SC | |
| <i>Minuartia michauxii</i> | Michaux's Sandwort | S1 | G5 | E | |
| <i>Minuartia rubella</i> | Arctic Sandwort | S1 | G5 | E | |
| <i>Montia fontana</i> | Blinks | S2 | G5 | SC | |
| <i>Muhlenbergia richardsonis</i> | Soft-leaf Muhly | S3 | G5 | SC | |
| <i>Muhlenbergia sobolifera</i> | Cliff Muhly | S1 | G5 | E | |
| <i>Nabalus boottii</i> † | Boott's Rattlesnake Root | S1 | G2 | E | |
| <i>Nabalus racemosus</i> † | Glaucous Rattlesnake Root | S3 | G5 | SC | |
| <i>Neottia auriculata</i> † | Auricled Twayblade | S2 | G3G4 | T | |
| <i>Nuphar advena</i> | Yellow Pond-lily | S2 | G5T5 | SC | |
| <i>Nymphaea leibergii</i> | Pygmy Water-lily | S1S2 | G5 | T | |
| <i>Oenothera nutans</i> * | Riverbank Evening Primrose | SH | G4 | PE | |
| <i>Omalotheca supina</i> | Alpine Cudweed | S1 | G5 | E | |
| <i>Ophioglossum pusillum</i> | Adder's Tongue Fern | S1 | G5 | SC | |
| <i>Osmorhiza depauperata</i> * | Blunt-fruited Sweet-cicely | SH | G5 | PE | |
| <i>Oxytropis campestris</i> var. <i>johannensis</i> | St John Oxytrope | S1 | G5T4 | T | |
| <i>Panax quinquefolius</i> | American Ginseng | S3 | G3G4 | E | |
| <i>Parietaria pensylvanica</i> * | Pennsylvania Pellitory | SX | G5 | PE | |
| <i>Paronychia argyrocoma</i> | Silverling | S1 | G4 | T | |
| <i>Pedicularis furbishiae</i> | Furbish's Lousewort | S2 | G2 | E | LE |
| <i>Persicaria robustior</i> * | Stout Smartweed | SH | G4G5 | PE | |
| <i>Phegopteris hexagonoptera</i> | Broad Beech Fern | S2 | G5 | SC | |
| <i>Phleum alpinum</i> | Mountain Timothy | S2 | G5 | T | |
| <i>Phryma leptostachya</i> * | American Lopseed | SH | G5 | PE | |
| <i>Phyllodoce caerulea</i> | Mountain Heath | S1 | G5 | T | |
| <i>Pinguicula vulgaris</i> | Common Butterwort | S1 | G5 | E | |
| <i>Piptatherum canadense</i> † | Canada Mountain-ricegrass | S2 | G5 | SC | |
| <i>Platanthera flava</i> var. <i>herbiola</i> | Pale Green Orchis | S2 | G4T4Q | SC | |
| <i>Platanthera leucophaea</i> | Prairie White-fringed Orchid | S1 | G3 | E | LT |
| <i>Platanus occidentalis</i> * | Sycamore | SX | G5 | PE | |
| <i>Poa glauca</i> | White Bluegrass | S1 | G5 | T | |
| <i>Poa laxa</i> ssp. <i>fernaldiana</i> † | Wavy Bluegrass | S1 | G3 | E | |
| <i>Polemonium vanbruntiae</i> | Bog Jacob's-ladder | S1 | G3G4 | E | |
| <i>Polygala cruciata</i> ssp. <i>aquilonia</i> * † | Marsh Milkwort | SH | G5T4 | PE | |
| <i>Polygala senega</i> | Seneca Snakeroot | S1 | G4G5 | E | |
| <i>Polygonum douglasii</i> | Douglas' Knotweed | S2 | G5 | SC | |
| <i>Polygonum tenue</i> * | Slender Knotweed | SH | G5 | PE | |
| <i>Potamogeton friesii</i> | Fries' Pondweed | S1 | G4 | E | |

Nomenclature follows Flora Novae Angliae (Haines 2011)

* taxon not currently known to be extant in Maine

† taxon with recent name change

**Maine Natural Areas Program
Rare, Threatened, and Endangered Plant Taxa**

| Scientific Name | Common Name | State Rank | Global Rank | State Status | Federal Status |
|---|-----------------------------|------------|-------------|--------------|----------------|
| <i>Potamogeton pulcher</i> | Spotted Pondweed | S1 | G5 | T | |
| <i>Potamogeton strictifolius</i> | Straight-leaved Pondweed | S1 | G5 | T | |
| <i>Potamogeton vaseyi</i> | Vasey's Pondweed | S2 | G4 | SC | |
| <i>Primula laurentiana</i> | Bird's-eye Primrose | S2 | G5 | SC | |
| <i>Primula mistassinica</i> | Mistassini Primrose | S3 | G5 | SC | |
| <i>Proserpinaca pectinata</i> | Comb-leaved Mermaid-weed | S1 | G5 | E | |
| <i>Prunus maritima</i> | Beach Plum | S1 | G4 | E | |
| <i>Pseudognaphalium micradenium</i> * † | Small Rabbit Tobacco | SH | G4G5T3? | PE | |
| <i>Pycnanthemum muticum</i> * | Blunt Mountain-mint | SH | G5 | PE | |
| <i>Pyrola minor</i> | Lesser Wintergreen | S2 | G5 | SC | |
| <i>Quercus bicolor</i> | Swamp White Oak | S1 | G5 | T | |
| <i>Quercus coccinea</i> | Scarlet Oak | S1 | G5 | E | |
| <i>Quercus montana</i> | Chestnut Oak | S1 | G5 | T | |
| <i>Ranunculus ambigens</i> * | Water-plantain Spearwort | SH | G4 | PE | |
| <i>Ranunculus fascicularis</i> | Early Crowfoot | S1 | G5 | T | |
| <i>Ranunculus gmelinii</i> † | Small Yellow Water Crowfoot | S2 | G5T5 | SC | |
| <i>Rhododendron lapponicum</i> | Lapland Rosebay | S1 | G5 | T | |
| <i>Rhododendron maximum</i> | Great Rhododendron | S1 | G5 | T | |
| <i>Rhododendron viscosum</i> | Clammy Azalea | S1 | G5 | E | |
| <i>Rhynchospora capillacea</i> | Horned Beak-rush | S1 | G4 | T | |
| <i>Rhynchospora macrostachya</i> | Tall Beak-rush | S1 | G4 | E | |
| <i>Rosa acicularis</i> ssp. <i>sayi</i> * | Prickly Rose | SH | G5T5 | PE | |
| <i>Sagittaria filiformis</i> | Narrow-leaf Arrowhead | S2 | G4G5 | SC | |
| <i>Sagittaria montevidensis</i> ssp. <i>spongiosa</i> † | Spongy-leaved Arrowhead | S3 | G5T4 | SC | |
| <i>Sagittaria rigida</i> | Stiff Arrowhead | S2 | G5 | SC | |
| <i>Salicornia bigelovii</i> | Dwarf Glasswort | S1 | G5 | SC | |
| <i>Salicornia maritima</i> * | Samphire | SH | G5 | PE | |
| <i>Salix arctophila</i> | Arctic Willow | S1 | G5 | E | |
| <i>Salix argyrocarpa</i> * | Silverleaf Willow | SH | G4 | PE | |
| <i>Salix candida</i> | Hoary Willow | S1 | G5 | E | |
| <i>Salix exigua</i> ssp. <i>interior</i> † | Sandbar Willow | S1 | G5 | E | |
| <i>Salix herbacea</i> | Dwarf Willow | S1 | G5 | T | |
| <i>Salix myricoides</i> | Blue-leaf Willow | S2 | G4 | T | |
| <i>Salix occidentalis</i> † | Dwarf Prairie Willow | SU | G5T4T5 | SC | |
| <i>Salix planifolia</i> | Tea-leaved Willow | S1 | G5 | T | |
| <i>Salix uva-ursi</i> | Bearberry Willow | S1 | G5 | T | |
| <i>Samolus valerandi</i> ssp. <i>parviflorus</i> | Water Pimpernel | S3 | G5T5 | SC | |
| <i>Sanguisorba canadensis</i> | Canada Burnet | S1 | G5 | T | |
| <i>Sassafras albidum</i> | Sassafras | S2 | G5 | SC | |
| <i>Saxifraga paniculata</i> ssp. <i>neogaea</i> † | Livelong Saxifrage | S1 | G5 | E | |
| <i>Scirpus georgianus</i> | Georgia bulrush | SU | G5 | SC | |
| <i>Scirpus longii</i> | Long's Bulrush | S2 | G2G3 | T | |
| <i>Scirpus pendulus</i> | Pendulous Bulrush | S2 | G5 | SC | |

Nomenclature follows *Flora Novae Angliae* (Haines 2011)

* taxon not currently known to be extant in Maine

† taxon with recent name change

**Maine Natural Areas Program
Rare, Threatened, and Endangered Plant Taxa**

| Scientific Name | Common Name | State Rank | Global Rank | State Status | Federal Status |
|--|----------------------------------|------------|-------------|--------------|----------------|
| <i>Scrophularia marilandica</i> * | Carpenter's Square | SX | G5 | PE | |
| <i>Scutellaria parvula</i> var. <i>missouriensis</i> * | Leonard's Skullcap | SH | G4T4 | PE | |
| <i>Selaginella apoda</i> | Creeping Spike-moss | S2 | G5 | E | |
| <i>Selaginella selaginoides</i> | Low Spike-moss | S1 | G5 | T | |
| <i>Sericocarpus asteroides</i> | White-topped Aster | S1 | G5 | E | |
| <i>Shepherdia canadensis</i> | Canada Buffaloberry | S1 | G5 | E | |
| <i>Silene acaulis</i> var. <i>exscapa</i> * | Moss Campion | SX | G5T5 | PE | |
| <i>Solidago leiocarpa</i> † | Cutler's Goldenrod | S1 | G5T4 | T | |
| <i>Solidago speciosa</i> | Showy Goldenrod | S1 | G5 | T | |
| <i>Sorghastrum nutans</i> | Indian Grass | S1 | G5 | E | |
| <i>Sphenopholis obtusata</i> * | Prairie Wedge-grass | SH | G5 | PE | |
| <i>Spiranthes lacera</i> var. <i>gracilis</i> * † | Southern Slender Ladies'-tresses | SH | G5T4T5 | PE | |
| <i>Spiranthes lucida</i> | Shining Ladies'-tresses | S1 | G5 | T | |
| <i>Sporobolus compositus</i> var. <i>drummondii</i> † | Longleaf Dropseed | S1 | G5 | E | |
| <i>Stuckenia filiformis</i> † | Northern Slender Pondweed | S2 | G5T5 | SC | |
| <i>Suaeda calceoliformis</i> | American Sea-blite | S2 | G5 | T | |
| <i>Symphyotrichum anticostense</i> | Anticosti Aster | S1 | G3 | E | |
| <i>Symphyotrichum dumosum</i> * | Bushy Aster | SH | G5 | PE | |
| <i>Symphyotrichum patens</i> * | Late Purple Aster | SX | G5 | PE | |
| <i>Symphyotrichum subulatum</i> | Small Salt-marsh Aster | S1 | G5 | T | |
| <i>Tanacetum bipinnatum</i> ssp. <i>huronense</i> | Huron Tansy | S2S3 | G5T4T5 | SC | |
| <i>Thalictrum thalictroides</i> | Rue-anemone | S1 | G5 | E | |
| <i>Thalictrum venulosum</i> var. <i>confine</i> † | Boundary Meadow-rue | S1 | G5 | T | |
| <i>Trichophorum clintonii</i> | Clinton's Bulrush | S3 | G4 | SC | |
| <i>Triglochin gaspensis</i> | Gaspe Arrow-grass | S2 | G3G4 | SC | |
| <i>Trillium grandiflorum</i> * | Large White Trillium | SH | G5 | PE | |
| <i>Triosteum aurantiacum</i> | Wild Coffee | S1 | G5 | E | |
| <i>Triphora trianthophora</i> | Nodding Pogonia | S2 | G3G4 | T | |
| <i>Ulmus rubra</i> * | Slippery Elm | SH | G5 | PE | |
| <i>Vaccinium boreale</i> | Alpine Blueberry | S2 | G4 | SC | |
| <i>Vahlodea atropurpurea</i> | Mountain Hairgrass | S1 | G5 | E | |
| <i>Valeriana uliginosa</i> | Marsh Valerian | S2 | G4Q | SC | |
| <i>Verbena urticifolia</i> | White Vervain | S1? | G5 | SC | |
| <i>Veronica wormskjoldii</i> | Alpine Speedwell | S1 | G4G5 | E | |
| <i>Viola canadensis</i> * | Tall White Violet | SH | G5 | PE | |
| <i>Viola novae-angliae</i> | New England Violet | S2 | G4Q | SC | |
| <i>Viola palmata</i> * | Palmate-leaved Violet | SH | G5 | PE | |
| <i>Vitis aestivalis</i> var. <i>bicolor</i> | Summer Grape | S2 | G5T5 | T | |
| <i>Wolffia brasiliensis</i> | Pointed watermeal | SU | G5 | SC | |
| <i>Wolffia columbiana</i> | Columbia Water-meal | S2 | G5 | SC | |
| <i>Woodsia alpina</i> | Northern Woodsia | S1 | G4 | T | |
| <i>Woodsia glabella</i> | Smooth Woodsia | S1 | G5 | T | |
| <i>Woodsia obtusa</i> | Blunt-lobed Woodsia | S1 | G5 | T | |

Nomenclature follows Flora Novae Angliae (Haines 2011)

* taxon not currently known to be extant in Maine

† taxon with recent name change

**Maine Natural Areas Program
Rare, Threatened, and Endangered Plant Taxa**

| Scientific Name | Common Name | State Rank | Global Rank | State Status | Federal Status |
|-------------------------------|-------------------|------------|-------------|--------------|----------------|
| <i>Woodwardia areolata</i> * | Netted Chain Fern | SH | G5 | PE | |
| <i>Xyris smalliana</i> | Yellow-eyed Grass | S1 | G5 | E | |
| <i>Zannichellia palustris</i> | Horned Pondweed | S2 | G5 | SC | |