

BEHIND THE EAR TYPES - The total price shall be for a single hearing aid or two hearing aids and appropriate case. List model numbers/name and full range of the instrument has a T-coil or T-coil capability. For digital aids, indicate whether a remote control is required. For conventional aids, indicate whether it is a linear or compression circuit L = Linear, C = Compression.										
DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURE R	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LINX3D 5 RIE BTE Digital, wireless RIE. Dual microphones. Size 13 battery. Push button. Multi-function switch. Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). ReSound Smart Range C platform enables Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)	Mild Moderate Severe Profound	ReSound	LT562-DRW	V5257	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5261)	Mild Moderate Severe Profound	ReSound	LT562-DRW	V5261	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 Mini RIE BTE Digital, wireless RIE. Dual microphones. Size 312 battery. Push button. Made for Apple (MFi) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). ReSound Smart Range C platform enables Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control through Multi-function switch, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5257)	Mild Moderate Severe Profound	ReSound	LT561-DRW	V5257	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5261)	Mild Moderate Severe Profound	ReSound	LT561-DRW	V5261	\$2,250.00	64.711%	\$794.00	\$190.00	12	36

Price Schedule

<p>LiNX3D 5 Mini BTE Digital, wireless Mini BTE. Dual microphones. Size 312 battery. Thin Tube Adaptor. Push button. Telecoil. Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Smart 3D app.ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	Mild Moderate Severe	ReSound	LT567-DW	V5257	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild Moderate Severe	ReSound	LT567-DW	V5261	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
<p>LiNX3D 5 Standard BTE Digital, wireless Standard BTE. Dual microphones. Size 13 battery. Thin Tube Adaptor or Earhook. Push button, volume control, Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Smart 3D app.ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	Mild Moderate Severe Profound	ReSound	LT577-DW	V5257	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild Moderate Severe Profound	ReSound	LT577-DW	V5261	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
<p>LiNX3D 5 Power BTE Digital, wireless Power BTE. Dual microphones. Size 13 battery. Earhook. Push button, volume control, Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Smart 3D app.ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	Mild Moderate Severe Profound	ReSound	LT588-DW	V5257	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild Moderate Severe Profound	ReSound	LT588-DW	V5261	\$2,250.00	64.711%	\$794.00	\$190.00	12	36

Price Schedule

<p>LINX3D 7 RIE BTE Digital, wireless RIE. Dual microphones. Size 13 battery. Push button. Multi-function switch. Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)</p>	Mild Moderate Severe Profound	ReSound	LT762-DRW	V5257	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild Moderate Severe Profound	ReSound	LT762-DRW	V5261	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
<p>LINX3D 7 Mini RIE BTE Digital, wireless RIE. Dual microphones. Size 312 battery. Push button. Made for Apple (MFi) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)</p>	Mild Moderate Severe Profound	ReSound	LT761-DRW	V5257	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild Moderate Severe Profound	ReSound	LT761-DRW	V5261	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
<p>LINX3D 7 Mini BTE Digital, wireless Mini BTE. Dual microphones. Size 312 battery. Thin Tube Adaptor. Push button. Telecoil. Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)</p>	Mild Moderate Severe	ReSound	LT767-DW	V5257	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild Moderate Severe	ReSound	LT767-DW	V5261	\$3,390.00	73.569%	\$896.00	\$190.00	12	36

Price Schedule

<p>LiNX3D 7 Standard BTE Digital, wireless Standard BTE. Dual microphones. Size 13 battery. Thin Tube Adaptor or Earhook. Push button, volume control, Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality, Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app MONAURAL (V5257)</p>	Mild Moderate Severe Profound	ReSound	LT777-DW	V5257	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild Moderate Severe Profound	ReSound	LT777-DW	V5261	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
<p>LiNX3D 7 Power BTE Digital, wireless Power BTE. Dual microphones. Size 13 battery. Earhook. Push button, volume control, Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality, Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)</p>	Mild Moderate Severe Profound	ReSound	LT788-DW	V5257	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild Moderate Severe Profound	ReSound	LT788-DW	V5261	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
<p>LiNX2 5 RIE BTE Digital, wireless RIE. Dual microphones. Size 13 battery. Push button. Made for Apple (MFi) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)</p>	Mild Moderate Severe Profound	ReSound	LS562-DRW	V5257	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild Moderate Severe Profound	ReSound	LS562-DRW	V5261	\$2,150.00	63.070%	\$794.00	\$190.00	12	36

Price Schedule

<p>LINX2 5 Mini RIE BTE Digital, wireless mini RIE. Dual microphones. Size 312 battery. Push button. Made for Apple (MFi) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality. Fixed Directionality.DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone.. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)</p>	Mild Moderate Severe Profound	ReSound	LS561-DRW	V5257	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild Moderate Severe Profound	ReSound	LS561-DRW	V5261	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LINX2 5 Mini BTE Digital, wireless Mini BTE. Dual microphones. Size 312 battery. Thin Tube Adaptor. Push button. Telecoil. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality, Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app MONAURAL (V5257)</p>	Mild Moderate Severe Profound	ReSound	LS567-DW	V5257	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild Moderate Severe Profound	ReSound	LS567-DW	V5261	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LINX2 5 Standard BTE Digital, wireless standard BTE. Dual microphones. Size 13 battery. Thin Tube Adaptor. 3 earhook sizes, Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, indGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone.. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)</p>	Mild, Moderate, Severe, Profound	ReSound	LS577-DW	V5257	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild, Moderate, Severe, Profound	ReSound	LS577-DW	V5261	\$2,150.00	63.070%	\$794.00	\$190.00	12	36

Price Schedule

<p>LiNX2 5 Power BTE Digital, wireless power BTE. Dual microphones. Size 13 battery. 3 earhook sizes. Supports earmolds. Push button, volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, indGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality, Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone.. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)</p>	Mild, Moderate, Severe, Profound	ReSound	LS588-DW	V5257	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild, Moderate, Severe, Profound	ReSound	LS588-DW	V5261	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LiNX2 7 Mini RIE BTE Digital, wireless mini RIE. Dual microphones. Size 312 battery. Push button. Made for Apple (MFi) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic., ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	Mild, Moderate, Severe, Profound	ReSound	LS761-DRW	V5257	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild, Moderate, Severe, Profound	ReSound	LS761-DRW	V5261	\$3,290.00	72.766%	\$896.00	\$190.00	12	36
<p>LiNX2 7 Standard RIE BTE Digital, wireless RIE. Dual microphones. Size 13 battery. Multi-function switch. DAI/FM boot optional. Made for Apple (MFi) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic., ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	Mild, Moderate, Severe, Profound	ReSound	LS762-DRW	V5257	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild, Moderate, Severe, Profound	ReSound	LS762-DRW	V5261	\$3,290.00	72.766%	\$896.00	\$190.00	12	36

Price Schedule

<p>LiNX2 7 Power BTE Digital, wireless power BTE. Dual microphones. Size 13 battery. 3 earhook sizes. Supports earmolds. Push button, Volume Control. DAI/FM boot optional. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality.DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	Moderate, Severe, Profound	ReSound	LS788-DW	V5257	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Moderate, Severe, Profound	ReSound	LS788-DW	V5261	\$3,290.00	72.766%	\$896.00	\$190.00	12	36
<p>LiNX2 7 Mini BTE Digital, wireless Mini BTE. Dual microphones. Size 312 battery. Thin Tube Adaptor. Push button. Made for Apple (MFi) technology. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. Environmental Optimizer, DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)</p>	Mild Moderate Severe	ReSound	LS767-DW	V5257	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild Moderate Severe	ReSound	LS767-DW	V5261	\$3,290.00	72.766%	\$896.00	\$190.00	12	36
<p>LiNX2 7 Standard BTE Digital, wireless standard BTE. Dual microphones. Size 13 battery. 3 earhook sizes, Supports earmolds. Push button, Volume Control. DAI/FM boot optional. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	Mild, Moderate, Severe	ReSound	LS777-DW	V5257	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild, Moderate, Severe	ReSound	LS777-DW	V5261	\$3,290.00	72.766%	\$896.00	\$190.00	12	36

Price Schedule

<p>ENZO 3D 5 High Power BTE Digital, Wireless High Power BTE. Dual microphones. Size 13 battery. Metal earhook. Push button, volume control, Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Smart 3D app.ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	Moderate Severe Profound	ReSound	ET588-DW V5257	\$895.00	55.642%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Moderate Severe Profound	ReSound	ET588-DW V5261	\$1,790.00	55.642%	\$794.00	\$190.00	12	36
<p>ENZO 3D 5 Super Power BTE Digital, Wireless Super Power BTE. Dual microphones. Size 675 battery. Earhook. Push button, volume control, Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Smart 3D app.ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	Severe Profound	ReSound	ET598-DW V5257	\$895.00	55.642%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Severe Profound	ReSound	ET598-DW V5261	\$1,790.00	55.642%	\$794.00	\$190.00	12	36
<p>ENZO 3D 7 High Power BTE Digital, Wireless High Power BTE. Dual microphones. Size 13 battery. Metal earhook. Push button, volume control, Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)</p>	Moderate Severe Profound	ReSound	ET788-DW V5257	\$1,575.00	71.556%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Moderate Severe Profound	ReSound	ET788-DW V5261	\$3,150.00	71.556%	\$896.00	\$190.00	12	36

Price Schedule

<p>ENZO 3D 7 Super Power BTE Digital, Wireless Super Power BTE. Dual microphones. Size 675 battery. Earhook. Push button, volume control, Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)</p>	Severe Profound	ReSound	ET798-DW V5257	\$1,575.00	71.556%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5261) Enzo2 5 Super Power BTE Digital, wireless super power BTE. Dual microphones. Size 675 battery. Push button. Volume Control. DAI/FM battery door. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	Severe, Profound	ReSound	ET798-DW EN598-DW V5257	\$3,150.00 \$895.00	71.556% 55.642%	\$896.00 \$397.00	\$190.00 \$95.00	12 12	36 36
<p>BINAURAL (V5261) Enzo2 7 Super Power BTE Digital, wireless super power BTE. Dual microphones. Size 675 battery. Push button. Volume Control. DAI/FM battery door. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic,, ReSound Control app. ReSound Relief app MONAURAL (V5257)</p>	Severe, Profound	ReSound	EN798-DW EN798-DW V5257	\$1,790.00 \$1,495.00	55.642% 70.033%	\$794.00 \$448.00	\$190.00 \$95.00	12 12	36 36
<p>BINAURAL (V5261) Enzo2 5 High Power BTE Digital, wireless high power BTE. Dual microphones. Size 13 battery. Push button. Volume Control. DAI/FM boot optional. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic,, ReSound Control app. ReSound Relief app MONAURAL (V5257)</p>	Moderate, Severe, Profound	ReSound	EN798-DW EN588-DW V5257	\$2,990.00 \$895.00	70.033% 55.642%	\$896.00 \$397.00	\$190.00 \$95.00	12 12	36 36

Price Schedule

<p>BINAURAL (V5261) Enzo2 7 High Power BTE Digital, wireless high power BTE. Dual microphones. Size 13 battery. Push button. Volume Control. DAI/FM boot optional. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality, Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic., ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>EN588-DW</p>	<p>V5261</p>	<p>\$1,790.00</p>	<p>55.642%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5261) Enya 3 Standard BTE Digital, wireless standard BTE. Dual microphones. Size 13 battery. 3 earhook sizes, Supports earmolds. Push button, Volume Control. DAI/FM boot optional. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>EN788-DW</p>	<p>V5257</p>	<p>\$1,495.00</p>	<p>70.033%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5261) Enya 3 Power BTE Digital, wireless high power BTE. Dual microphones. Size 13 battery. Push button. Volume Control. DAI/FM boot optional. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>EY377-DW</p>	<p>V5257</p>	<p>\$580.00</p>	<p>48.276%</p>	<p>\$300.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5261) Enya 3 Mini BTE Digital Mini BTE. Dual microphones. Size 312 battery. Push button. DAI/FM boot optional. Supports standard hook, mini hook, supports earmold ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	<p>Mild, Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>EY388-DW</p>	<p>V5261</p>	<p>\$1,160.00</p>	<p>48.276%</p>	<p>\$600.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5261) Enya 3 Power BTE Digital, wireless high power BTE. Dual microphones. Size 13 battery. Push button. Volume Control. DAI/FM boot optional. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	<p>Mild, Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>EY388-DW</p>	<p>V5257</p>	<p>\$580.00</p>	<p>48.276%</p>	<p>\$300.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5261) Enya 3 Mini BTE Digital Mini BTE. Dual microphones. Size 312 battery. Push button. DAI/FM boot optional. Supports standard hook, mini hook, supports earmold ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>EY367-DW</p>	<p>V5257</p>	<p>\$580.00</p>	<p>48.276%</p>	<p>\$300.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5261) Enya 3 Mini BTE Digital Mini BTE. Dual microphones. Size 312 battery. Push button. DAI/FM boot optional. Supports standard hook, mini hook, supports earmold ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5257)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>EY367-DW</p>	<p>V5261</p>	<p>\$1,160.00</p>	<p>48.276%</p>	<p>\$600.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>Enya 3 Standard RIC BTE Digital, wireless RIC. Dual microphones. Size 13 battery. Multi-function switch. DAI/FM boot optional. Made for Apple (MFI) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app MONAURAL (V5257)</p>	Mild, Moderate, Severe, Profound	ReSound	EY362-DRW	V5257	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild, Moderate, Severe, Profound	ReSound	EY362-DRW	V5261	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>Enya 2 Standard BTE Digital, wireless standard BTE. Dual microphones. Size 13 battery. 3 earhook sizes, Supports earmolds. Push button, Volume Control. DAI/FM boot optional. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II Directional Options: Adaptive Directionality. Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound Remote Control 2 MONAURAL (V5257)</p>	Mild, Moderate, Severe	ReSound	EY277-DW	V5257	\$520.00	47.115%	\$275.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild, Moderate, Severe	ReSound	EY277-DW	V5261	\$1,040.00	47.115%	\$550.00	\$190.00	12	36
<p>Enya 2 Power BTE Digital, wireless high power BTE. Dual microphones. Size 13 battery. Push button. Volume Control. DAI/FM boot optional. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II Directional Options: Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound Remote Control 2 MONAURAL (V5257)</p>	Mild, Moderate, Severe, Profound	ReSound	EY288-DW	V5257	\$520.00	47.115%	\$275.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild, Moderate, Severe, Profound	ReSound	EY288-DW	V5261	\$1,040.00	47.115%	\$550.00	\$190.00	12	36
<p>Enya 2 Mini BTE Digital Mini BTE. Dual microphones. Size 312 battery. Push button. DAI/FM boot optional. Supports standard hook, mini hook, thin tube adaptor. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II Directional Options: Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound Remote Control 2 MONAURAL (V5257)</p>	Mild, Moderate, Severe	ReSound	EY267-DW	V5257	\$520.00	47.115%	\$275.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild, Moderate, Severe	ReSound	EY267-DW	V5261	\$1,040.00	47.115%	\$550.00	\$190.00	12	36
<p>Up 7 Mini BTE Digital, Mini BTE with dual microphones. Size 312 battery. 3 Earhook sizes, Thin Tube Adaptor, Open Fitting capabilities, Surround Sound, 17-band Warp compression, DFS Ultra II with built-in Whistle Control. Environmental Optimizer, Natural Directionality, NoiseTracker II, WindGuard, Split-band directional choices including: Multiscope Adaptive, Synchronized SoftSwitching & Fixed, iSolate nanotech moisture protection, Onboard Analyzer II datalogging, 4 Customizable programs, In-situ audiometry, SmartStart delayed activation, PhoneNow with auto-phone, Expansion Programmable volume control, 2.4 GHz Wireless technology with optional ReSound Remote control, ReSound TV streamer, & ReSound Phone Clip and optional Wireless programming with Noahlink Wireless Extra accessories: Clip'n'Go + Bend'n'Go + Stick'n'Go Retention Kit For children ages 0-18 MONAURAL (V5257)</p>	Mild, Moderate, Severe	ReSound	UP767-DW	V5257	\$1,645.00	75.866%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild, Moderate, Severe	ReSound	UP767-DW	V5261	\$3,290.00	75.866%	\$794.00	\$190.00	12	36

Price Schedule

<p>Up Smart 7 Standard BTE Digital, wireless standard BTE. Dual microphones. Size 13 battery. Thin Tube Adaptor. 3 earhook sizes, Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II. Synchronized SoftSwitching, SoftSwitching, MultiScope Adaptive Directionality, Fixed Directionality. Environmental Optimizer. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 3 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone., ReSound Control app. ReSound Smart app. ReSound Relief app. LED indicator, tamper-proof battery door Extra accessories: Clip'n'Go + Bend'n'Go + Stick'n'Go Retention Kit For children ages 0-18 MONAURAL (V5257)</p>	Mild, Moderate, Severe	ReSound	UPS777-DLW	V5257	\$1,645.00	75.866%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild, Moderate, Severe	ReSound	UPS777-DLW	V5261	\$3,290.00	75.866%	\$794.00	\$190.00	12	36
<p>Up Smart 7 Power BTE Digital, wireless power BTE. Dual microphones. Size 13 battery. 3 earhook sizes. Supports earmolds. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II. Synchronized SoftSwitching, SoftSwitching, MultiScope Adaptive Directionality, Fixed Directionality. Environmental Optimizer. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 3 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone., ReSound Control app. ReSound Smart app. ReSound Relief app. LED indicator, tamper-proof battery door Extra accessories: Clip'n'Go + Bend'n'Go + Stick'n'Go Retention Kit For children ages 0-18 MONAURAL (V5257)</p>	Moderate, Severe, Profound	ReSound	UPS788-DLW	V5257	\$1,645.00	75.866%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Moderate, Severe, Profound	ReSound	UPS788-DLW	V5261	\$3,290.00	75.866%	\$794.00	\$190.00	12	36
<p>Up Smart 7 Super Power BTE Digital, wireless super power BTE. Dual microphones. Size 675 battery. Push button. Volume Control. DAI/FM battery door. Made for Apple (MFi) technology. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II. Synchronized SoftSwitching, SoftSwitching, MultiScope Adaptive Directionality, Fixed Directionality. Environmental Optimizer. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 9-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone., ReSound Control app. ReSound Smart app. ReSound Relief app. LED indicator, tamper-proof battery door Extra accessories: Clip'n'Go + Bend'n'Go + Stick'n'Go Retention Kit For children ages 0-18 MONAURAL (V5257)</p>	Moderate, Severe, Profound	ReSound	UPS798-DLW	V5257	\$1,645.00	75.866%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Moderate, Severe, Profound	ReSound	UPS798-DLW	V5261	\$3,290.00	75.866%	\$794.00	\$190.00	12	36

Price Schedule

<p>Up Smart 5 Standard BTE Digital, wireless standard BTE. Dual microphones. Size 13 battery. Thin Tube Adaptor. 3 earhook sizes, Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality, Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 3 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone., ReSound Smart app., ReSound Control app. ReSound Relief app. LED indicator, tamper-proof battery door Extra accessories: Clip'n'Go + Bend'n'Go + Stick'n'Go Retention Kit For children ages 0-18 MONAURAL (V5257)</p>	Mild, Moderate, Severe	ReSound	UPS577-DLW V5257	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild, Moderate, Severe	ReSound	UPS577-DLW V5261	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>Up Smart 5 Power BTE Digital, wireless power BTE. Dual microphones. Size 13 battery. 3 earhook sizes. Supports earmolds. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality, Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 3 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone., ReSound Smart App., ReSound Control app. , ReSound Relief App. LED indicator, tamper-proof battery door Extra accessories: Clip'n'Go + Bend'n'Go + Stick'n'Go Retention Kit For children ages 0-18 MONAURAL (V5257)</p>	Moderate, Severe, Profound	ReSound	UPS588-DLW V5257	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Moderate, Severe, Profound	ReSound	UPS588-DLW V5261	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>Up Smart 5 Super Power BTE Digital, wireless super power BTE. Dual microphones. Size 675 battery. Push button. Volume Control. DAI/FM battery door. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality, Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 9-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone., ReSound Smart app., ReSound Control app. ReSound Relief app. LED indicator, tamper-proof battery door Extra accessories: Clip'n'Go + Bend'n'Go + Stick'n'Go Retention Kit For children ages 0-18 MONAURAL (V5257)</p>	Moderate, Severe, Profound	ReSound	UPS598-DLW V5257	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Moderate, Severe, Profound	ReSound	UPS598-DLW V5261	\$2,150.00	63.070%	\$794.00	\$190.00	12	36

FEATURES = Digital (full digital signal processing with two or three channels, etc.), List CROS and BiCros on separate price lines.

IN THE EAR TYPES – Prices shall be for a single hearing aid or two hearing aids and case. List model number for the full range of instruments. Include all features. Indicate Class D power or Class B power.										
FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LiNX3D 5 Ultra Power Full Shell Non-Wireless Ultra Power Full Shell Digital, non-wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-UP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-UP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LiNX3D 5 High Power Full Shell Non-Wireless High Power Full Shell Digital, non-wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-HP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-HP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LiNX3D 5 Medium Power Full Shell Non-Wireless Medium Power Full Shell Digital, non-wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT5ITE-MP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	LT5ITE-MP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LiNX3D 5 Directional Ultra Power Full Shell Non-Wireless Ultra Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-D-UP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-D-UP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36

Price Schedule

<p>LiNX3D 5 Directional High Power Full Shell Non-Wireless High Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LT5ITE-D-HP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LT5ITE-D-HP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
<p>LiNX3D 5 Directional Medium Power Full Shell Non-Wireless Medium Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LT5ITE-D-MP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LT5ITE-D-MP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
<p>LiNX3D 5 Wireless Ultra Power Full Shell Wireless Ultra Power Full Shell Digital, wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LT5ITE-W-UP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LT5ITE-W-UP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36

Price Schedule

<p>LiNX3D 5 Wireless High Power Full Shell Wireless High Power Full Shell Digital, wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-W-HP FS</p>	<p>V5256</p>	<p>\$1,125.00</p>	<p>64.711%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-W-HP FS</p>	<p>V5260</p>	<p>\$2,250.00</p>	<p>64.711%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX3D 5 Wireless Medium Power Full Shell Wireless Medium Power Full Shell Digital, wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT5ITE-W-MP FS</p>	<p>V5256</p>	<p>\$1,125.00</p>	<p>64.711%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT5ITE-W-MP FS</p>	<p>V5260</p>	<p>\$2,250.00</p>	<p>64.711%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX3D 5 Directional Wireless Ultra Power Full Shell Wireless Ultra Power Full Shell Digital, wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-DW-UP FS</p>	<p>V5256</p>	<p>\$1,125.00</p>	<p>64.711%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-DW-UP FS</p>	<p>V5260</p>	<p>\$2,250.00</p>	<p>64.711%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>LiNX3D 5 Directional Wireless High Power Full Shell Wireless High Power Full Shell Digital, wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LT5ITE-DW-HP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LT5ITE-DW-HP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
<p>LiNX3D 5 Directional Wireless Medium Power Full Shell Wireless Medium Power Full Shell Digital, wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LT5ITE-DW-MP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LT5ITE-DW-MP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
<p>LiNX3D 7 Ultra Power Full Shell Non-Wireless Ultra Power Full Shell Digital, non-wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-UP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-UP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36

Price Schedule

<p>LiNX3D 7 High Power Full Shell Non-Wireless High Power Full Shell Digital, non-wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-HP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-HP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
<p>LiNX3D 7 Medium Power Full Shell Non-Wireless Medium Power Full Shell Digital, non-wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LT7ITE-MP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LT7ITE-MP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
<p>LiNX3D 7 Directional Ultra Power Full Shell Non-Wireless Ultra Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-D-UP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-D-UP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
<p>LiNX3D 7 Directional High Power Full Shell Non-Wireless High Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-D-HP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-D-HP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36

Price Schedule

<p>LiNX3D 7 Directional Medium Power Full Shell Non-Wireless Medium Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LT7ITE-D-MP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LT7ITE-D-MP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
<p>LiNX3D 7 Wireless Ultra Power Full Shell Wireless Ultra Power Full Shell Digital, wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-W-UP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-W-UP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
<p>LiNX3D 7 Wireless High Power Full Shell Wireless High Power Full Shell Digital, wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-W-HP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-W-HP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36

Price Schedule

<p>LiNX3D 7 Wireless Medium Power Full Shell Wireless Medium Power Full Shell Digital, wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LT7ITE-W-MP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LT7ITE-W-MP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
<p>LiNX3D 7 Directional Wireless Ultra Power Full Shell Wireless Ultra Power Full Shell Digital, wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-DW-UP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-DW-UP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
<p>LiNX3D 7 Directional Wireless High Power Full Shell Wireless High Power Full Shell Digital, wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-DW-HP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-DW-HP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36

Price Schedule

<p>LiNX3D 7 Directional Wireless Medium Power Full Shell Wireless Medium Power Full Shell Digital, wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LT7ITE-DW-MP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LT7ITE-DW-MP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
<p>LiNX2 5 Ultra Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS5ITE UP FS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS5ITE UP FS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LiNX2 5 High Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS5ITE HP FS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS5ITE HP FS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LiNX2 5 Medium Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LS5ITE MP FS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LS5ITE MP FS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36

Price Schedule

<p>LiNX2 5 Directional Ultra Power Full Shell Digital full shell. Dual microphones. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS5ITE-D UP FS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS5ITE-D UP FS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LiNX2 5 Directional High Power Full Shell Digital full shell. Dual microphones. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS5ITE-D HP FS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS5ITE-D HP FS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LiNX2 5 Directional Medium Power Full Shell Digital full shell. Dual microphones. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LS5ITE-D MP FS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LS5ITE-D MP FS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LiNX2 5 Wireless Ultra Power Full Shell Digital, wireless full shell. Single microphone. Size 13 battery. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS5ITE-W UP FS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS5ITE-W UP FS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36

Price Schedule

<p>LiNX2 5 Wireless High Power Full Shell Digital, wireless full shell. Single microphone. Size 13 battery. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS5ITE-W HP FS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS5ITE-W HP FS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LiNX2 5 Wireless Medium Power Full Shell Digital, wireless full shell. Single microphone. Size 13 battery. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LS5ITE-W MP FS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LS5ITE-W MP FS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LiNX2 5 Directional Wireless Ultra Power Full Shell Digital, wireless full shell. Dual microphones. Size 13 battery. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS5ITE-DW UP FS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS5ITE-DW UP FS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36

Price Schedule

<p>LiNX2 5 Directional Wireless High Power Full Shell Digital, wireless full shell. Dual microphones. Size 13 battery. Volume control, push button. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). War-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS5ITE-DW HP FS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS5ITE-DW HP FS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LiNX2 5 Directional Wireless Medium Power Full Shell Digital, wireless full shell. Dual microphones. Size 13 battery. Volume control, push button. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LS5ITE-DW MP FS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LS5ITE-DW MP FS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LiNX2 7 Ultra Power Full Shell Digital full shell. Single microphone. Size 13 battery. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS7ITE UP FS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS7ITE UP FS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36

Price Schedule

<p>LiNX2 7 High Power Full Shell Digital full shell. Single microphone. Size 13 battery. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression amplification strategy. In-situ audiometry. Tinnitus Sound Generator. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS7ITE HP FS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS7ITE HP FS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36
<p>LiNX2 7 Medium Power Full Shell Digital full shell. Single microphone. Size 13 battery. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. SoftSwitching, Multiscope Adaptive Directionality, DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LS7ITE MP FS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LS7ITE MP FS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36
<p>LiNX2 7 Directional Ultra Power Full Shell Digital full shell. Dual microphone. Size 13 battery. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, SoftSwitching, Multiscope Adaptive Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-D UP FS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-D UP FS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36
<p>LiNX2 7 Directional High Power Full Shell Digital full shell. Dual microphone. Size 13 battery. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, SoftSwitching, Multiscope Adaptive Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression amplification strategy In-situ audiometry. Tinnitus Sound Generator. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-D HP FS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-D HP FS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36

Price Schedule

<p>LiNX2 7 Directional Medium Power Full Shell Digital full shell. Dual microphone. Size 13 battery. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, SoftSwitching, Multiscope Adaptive Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression amplification strategy In-situ audiometry. Tinnitus Sound Generator. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LS7ITE-D MP FS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LS7ITE-D MP FS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36
<p>LiNX2 7 Wireless Ultra Power Full Shell Digital, wireless full shell. Single microphone. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-W UP FS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-W UP FS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36
<p>LiNX2 7 Wireless High Power Full Shell Digital, wireless full shell. Single microphone. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-W HP FS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-W HP FS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36

Price Schedule

<p>LiNX2 7 Wireless Medium Power Full Shell Digital, wireless full shell. Single microphone. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LS7ITE-W MP FS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LS7ITE-W MP FS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36
<p>LiNX2 7 Directional Wireless Ultra Power Full Shell Digital, wireless full shell. Dual microphone. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-DW UP FS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-DW UP FS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36
<p>LiNX2 7 Directional Wireless High Power Full Shell Digital, wireless full shell. Dual microphone. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-DW HP FS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-DW HP FS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36

Price Schedule

<p>LiNX2 7 Directional Wireless Medium Power Full Shell Digital, wireless full shell. Dual microphone. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binoual Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive DIRECTIONALITY. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noalink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LS7ITE-DW MP FS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LS7ITE-DW MP FS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36
<p>Enya 3 Ultra Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS. NoiseTracker II, WindGuard. Tinnitus Sound Generator MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE UP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	EY3ITE UP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>Enya 3 High Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS. NoiseTracker II, WindGuard. Tinnitus Sound Generator MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE HP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	EY3ITE HP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>Enya 3 Medium Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS. NoiseTracker II, WindGuard. Tinnitus Sound Generator MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	EY3ITE MP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	EY3ITE MP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>Enya 3 Directional Ultra Power Full Shell Digital full shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS. NoiseTracker II, WindGuard. Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-D UP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36

Price Schedule

<p>BINAURAL (V5260) Enya 3 Directional High Power Full Shell Digital full shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-D UP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>BINAURAL (V5260) Enya 3 Directional Medium Power Full Shell Digital full shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-D HP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260) Enya 3 Wireless Ultra Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	EY3ITE-D MP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260) Enya 3 Wireless High Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	EY3ITE-D MP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>BINAURAL (V5260) Enya 3 Wireless Ultra Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-W UP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260) Enya 3 Wireless High Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-W UP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>BINAURAL (V5260) Enya 3 Wireless Ultra Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-W HP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260) Enya 3 Wireless High Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-W HP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36

Price Schedule

<p>Enya 3 Wireless Medium Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	EY3ITE-W MP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	EY3ITE-W MP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>Enya 3 Directional Wireless Ultra Power Full Shell Digital full shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-DW UP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-DW UP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>Enya 3 Directional Wireless High Power Full Shell Digital full shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-DW HP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-DW HP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>Enya 3 Directional Wireless Medium Power Full Shell Digital full shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	EY3ITE-DW MP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36

Price Schedule

BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	EY3ITE-DW MP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
-------------------------	------------------------------	---------	-----------------	-------	------------	---------	----------	----------	----	----

FEATURES = Digital (full digital signal processing with two or three channels, etc.), List CROS and BiCros on separate price lines.

Price Schedule

IN THE EAR TYPES – Prices shall be for a single hearing aid, or two hearing aids and case. List model number for the full range of instruments. Include all features. Indicate Class D power or Class B power.										
HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LiNX3D 5 Ultra Power Half Shell Non-Wireless Ultra Power Half Shell Digital, non-wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-UP HS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-UP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LiNX3D 5 High Power Half Shell Non-Wireless High Power Half Shell Digital, non-wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-HP HS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-HP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LiNX3D 5 Medium Power Half Shell Non-Wireless Medium Power Half Shell Digital, non-wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT5ITE-MP HS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	LT5ITE-MP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36

Price Schedule

<p>LiNX3D 5 Directional Ultra Power Half Shell Non-Wireless Ultra Power Half Shell Digital, non-wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-D-UP HS</p>	<p>V5256</p>	<p>\$1,125.00</p>	<p>64.711%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-D-UP HS</p>	<p>V5260</p>	<p>\$2,250.00</p>	<p>64.711%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX3D 5 Directional High Power Half Shell Non-Wireless High Power Half Shell Digital, non-wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-D-HP HS</p>	<p>V5256</p>	<p>\$1,125.00</p>	<p>64.711%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-D-HP HS</p>	<p>V5260</p>	<p>\$2,250.00</p>	<p>64.711%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX3D 5 Directional Medium Power Half Shell Non-Wireless Medium Power Half Shell Digital, non-wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT5ITE-D-MP HS</p>	<p>V5256</p>	<p>\$1,125.00</p>	<p>64.711%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT5ITE-D-MP HS</p>	<p>V5260</p>	<p>\$2,250.00</p>	<p>64.711%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>LiNX3D 5 Wireless Ultra Power Half Shell Wireless Ultra Power Half Shell Digital, wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-W-UP HS</p>	<p>V5256</p>	<p>\$1,125.00</p>	<p>64.711%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-W-UP HS</p>	<p>V5260</p>	<p>\$2,250.00</p>	<p>64.711%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX3D 5 Wireless High Power Half Shell Wireless High Power Half Shell Digital, wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-W-HP HS</p>	<p>V5256</p>	<p>\$1,125.00</p>	<p>64.711%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-W-HP HS</p>	<p>V5260</p>	<p>\$2,250.00</p>	<p>64.711%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>LiNX3D 5 Wireless Medium Power Half Shell Wireless Medium Power Half Shell Digital, wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT5ITE-W-MP HS</p>	<p>V5256</p>	<p>\$1,125.00</p>	<p>64.711%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT5ITE-W-MP HS</p>	<p>V5260</p>	<p>\$2,250.00</p>	<p>64.711%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX3D 5 Directional Wireless Ultra Power Half Shell Wireless Ultra Power Half Shell Digital, wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-DW-UP HS</p>	<p>V5256</p>	<p>\$1,125.00</p>	<p>64.711%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-DW-UP HS</p>	<p>V5260</p>	<p>\$2,250.00</p>	<p>64.711%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>LiNX3D 5 Directional Wireless High Power Half Shell Wireless High Power Half Shell Digital, wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-DW-HP HS</p>	<p>V5256</p>	<p>\$1,125.00</p>	<p>64.711%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT5ITE-DW-HP HS</p>	<p>V5260</p>	<p>\$2,250.00</p>	<p>64.711%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX3D 5 Directional Wireless Medium Power Half Shell Wireless Medium Power Half Shell Digital, wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT5ITE-DW-MP HS</p>	<p>V5256</p>	<p>\$1,125.00</p>	<p>64.711%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT5ITE-DW-MP HS</p>	<p>V5260</p>	<p>\$2,250.00</p>	<p>64.711%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>LiNX3D 7 Ultra Power Half Shell Non-Wireless Ultra Power Half Shell Digital, non-wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-UP HS</p>	<p>V5256</p>	<p>\$1,695.00</p>	<p>73.569%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-UP HS</p>	<p>V5260</p>	<p>\$3,390.00</p>	<p>73.569%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX3D 7 High Power Half Shell Non-Wireless High Power Half Shell Digital, non-wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-HP HS</p>	<p>V5256</p>	<p>\$1,695.00</p>	<p>73.569%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-HP HS</p>	<p>V5260</p>	<p>\$3,390.00</p>	<p>73.569%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX3D 7 Medium Power Half Shell Non-Wireless Medium Power Half Shell Digital, non-wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT7ITE-MP HS</p>	<p>V5256</p>	<p>\$1,695.00</p>	<p>73.569%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT7ITE-MP HS</p>	<p>V5260</p>	<p>\$3,390.00</p>	<p>73.569%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>LiNX3D 7 Directional Ultra Power Half Shell Non-Wireless Ultra Power Half Shell Digital, non-wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-D-UP HS</p>	<p>V5256</p>	<p>\$1,695.00</p>	<p>73.569%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-D-UP HS</p>	<p>V5260</p>	<p>\$3,390.00</p>	<p>73.569%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX3D 7 Directional High Power Half Shell Non-Wireless High Power Half Shell Digital, non-wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-D-HP HS</p>	<p>V5256</p>	<p>\$1,695.00</p>	<p>73.569%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-D-HP HS</p>	<p>V5260</p>	<p>\$3,390.00</p>	<p>73.569%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX3D 7 Directional Medium Power Half Shell Non-Wireless Medium Power Half Shell Digital, non-wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT7ITE-D-MP HS</p>	<p>V5256</p>	<p>\$1,695.00</p>	<p>73.569%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT7ITE-D-MP HS</p>	<p>V5260</p>	<p>\$3,390.00</p>	<p>73.569%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>LiNX3D 7 Wireless Ultra Power Half Shell Wireless Ultra Power Half Shell Digital, wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-W-UP HS</p>	<p>V5256</p>	<p>\$1,695.00</p>	<p>73.569%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-W-UP HS</p>	<p>V5260</p>	<p>\$3,390.00</p>	<p>73.569%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX3D 7 Wireless High Power Half Shell Wireless High Power Half Shell Digital, wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-W-HP HS</p>	<p>V5256</p>	<p>\$1,695.00</p>	<p>73.569%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-W-HP HS</p>	<p>V5260</p>	<p>\$3,390.00</p>	<p>73.569%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>LiNX3D 7 Wireless Medium Power Half Shell Wireless Medium Power Half Shell Digital, wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT7ITE-W-MP HS</p>	<p>V5256</p>	<p>\$1,695.00</p>	<p>73.569%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT7ITE-W-MP HS</p>	<p>V5260</p>	<p>\$3,390.00</p>	<p>73.569%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX3D 7 Directional Wireless Ultra Power Half Shell Wireless Ultra Power Half Shell Digital, wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-DW-UP HS</p>	<p>V5256</p>	<p>\$1,695.00</p>	<p>73.569%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-DW-UP HS</p>	<p>V5260</p>	<p>\$3,390.00</p>	<p>73.569%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>LiNX3D 7 Directional Wireless High Power Half Shell Wireless High Power Half Shell Digital, wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-DW-HP HS</p>	<p>V5256</p>	<p>\$1,695.00</p>	<p>73.569%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LT7ITE-DW-HP HS</p>	<p>V5260</p>	<p>\$3,390.00</p>	<p>73.569%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX3D 7 Directional Wireless Medium Power Half Shell Wireless Medium Power Half Shell Digital, wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT7ITE-DW-MP HS</p>	<p>V5256</p>	<p>\$1,695.00</p>	<p>73.569%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LT7ITE-DW-MP HS</p>	<p>V5260</p>	<p>\$3,390.00</p>	<p>73.569%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>LiNX2 5 Ultra Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS5ITE UP HS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS5ITE UP HS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LiNX2 5 High Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS5ITE HP HS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS5ITE HP HS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LiNX2 5 Medium Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LS5ITE MP HS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LS5ITE MP HS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LiNX2 5 Directional Ultra Power Half Shell Digital Half Shell. Dual microphones. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS5ITE-D UP HS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36

Price Schedule

BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LS5ITE-D UP HS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
LiNX2 5 Directional High Power Half Shell Digital Half Shell. Dual microphones. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry.	Moderate, Severe, Profound	ReSound	LS5ITE-D HP HS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LS5ITE-D HP HS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
LiNX2 5 Directional Medium Power Half Shell Digital Half Shell. Dual microphones. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry.	Mild, Moderate, Severe	ReSound	LS5ITE-D MP HS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	LS5ITE-D MP HS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
LiNX2 5 Wireless Ultra Power Half Shell Digital, wireless Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app.	Moderate, Severe, Profound	ReSound	LS5ITE-W UP HS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LS5ITE-W UP HS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36

Price Schedule

<p>LiNX2 5 Wireless High Power Half Shell Digital, wireless Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LS5ITE-W HP HS</p>	<p>V5256</p>	<p>\$1,075.00</p>	<p>63.070%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LS5ITE-W HP HS</p>	<p>V5260</p>	<p>\$2,150.00</p>	<p>63.070%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX2 5 Wireless Medium Power Half Shell Digital, wireless Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LS5ITE-W MP HS</p>	<p>V5256</p>	<p>\$1,075.00</p>	<p>63.070%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LS5ITE-W MP HS</p>	<p>V5260</p>	<p>\$2,150.00</p>	<p>63.070%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>LiNX2 5 Directional Wireless Ultra Power Half Shell Digital, wireless Half Shell. Dual microphones. Size 13 battery. Push button, Volume Control. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LS5ITE-DW UP HS</p>	<p>V5256</p>	<p>\$1,075.00</p>	<p>63.070%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LS5ITE-DW UP HS</p>	<p>V5260</p>	<p>\$2,150.00</p>	<p>63.070%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX2 5 Directional Wireless High Power Half Shell Digital, wireless Half Shell. Dual microphones. Size 13 battery. Volume control, push button. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). War-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LS5ITE-DW HP HS</p>	<p>V5256</p>	<p>\$1,075.00</p>	<p>63.070%</p>	<p>\$397.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LS5ITE-DW HP HS</p>	<p>V5260</p>	<p>\$2,150.00</p>	<p>63.070%</p>	<p>\$794.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>LiNX2 5 Directional Wireless Medium Power Half Shell Digital, wireless Half Shell. Dual microphones. Size 13 battery. Volume control, push button. Made for Apple (MFi) technology. Surround Sound by ReSound, 9-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for Apple (MFi). Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LS5ITE-DW MP HS	V5256	\$1,075.00	63.070%	\$397.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LS5ITE-DW MP HS	V5260	\$2,150.00	63.070%	\$794.00	\$190.00	12	36
<p>LiNX2 7 Ultra Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS7ITE UP HS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS7ITE UP HS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36
<p>LiNX2 7 High Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression amplification strategy. In-situ audiometry. Tinnitus Sound Generator. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS7ITE HP HS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS7ITE HP HS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36

Price Schedule

<p>LiNX2 7 Medium Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. SoftSwitching, Multiscope Adaptive Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LS7ITE MP HS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LS7ITE MP HS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36
<p>LiNX2 7 Directional Ultra Power Half Shell Digital Half Shell. Dual microphone. Size 13 battery. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, SoftSwitching, Multiscope Adaptive Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-D UP HS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-D UP HS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36
<p>LiNX2 7 Directional High Power Half Shell Digital Half Shell. Dual microphone. Size 13 battery. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, SoftSwitching, Multiscope Adaptive Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression amplification strategy In-situ audiometry. Tinnitus Sound Generator. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-D HP HS	V5256	\$1,645.00	72.766%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LS7ITE-D HP HS	V5260	\$3,290.00	72.766%	\$896.00	\$190.00	12	36

Price Schedule

<p>LiNX2 7 Directional Medium Power Half Shell Digital Half Shell. Dual microphone. Size 13 battery. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, SoftSwitching, Multiscope Adaptive Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression amplification strategy In-situ audiometry. Tinnitus Sound Generator. MONAURAL (V5256)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LS7ITE-D MP HS</p>	<p>V5256</p>	<p>\$1,645.00</p>	<p>72.766%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LS7ITE-D MP HS</p>	<p>V5260</p>	<p>\$3,290.00</p>	<p>72.766%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX2 7 Wireless Ultra Power Half Shell Digital, wireless Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LS7ITE-W UP HS</p>	<p>V5256</p>	<p>\$1,645.00</p>	<p>72.766%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LS7ITE-W UP HS</p>	<p>V5260</p>	<p>\$3,290.00</p>	<p>72.766%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX2 7 Wireless High Power Half Shell Digital, wireless Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LS7ITE-W HP HS</p>	<p>V5256</p>	<p>\$1,645.00</p>	<p>72.766%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LS7ITE-W HP HS</p>	<p>V5260</p>	<p>\$3,290.00</p>	<p>72.766%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>LiNX2 7 Wireless Medium Power Half Shell Digital, wireless Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LS7ITE-W MP HS</p>	<p>V5256</p>	<p>\$1,645.00</p>	<p>72.766%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LS7ITE-W MP HS</p>	<p>V5260</p>	<p>\$3,290.00</p>	<p>72.766%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX2 7 Directional Wireless Ultra Power Half Shell Digital, wireless Half Shell. Dual microphone. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LS7ITE-DW UP HS</p>	<p>V5256</p>	<p>\$1,645.00</p>	<p>72.766%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LS7ITE-DW UP HS</p>	<p>V5260</p>	<p>\$3,290.00</p>	<p>72.766%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>LiNX2 7 Directional Wireless High Power Half Shell Digital, wireless Half Shell. Dual microphone. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LS7ITE-DW HP HS</p>	<p>V5256</p>	<p>\$1,645.00</p>	<p>72.766%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>LS7ITE-DW HP HS</p>	<p>V5260</p>	<p>\$3,290.00</p>	<p>72.766%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>LiNX2 7 Directional Wireless Medium Power Half Shell Digital, wireless Half Shell. Dual microphone. Size 13 battery. Push button, Volume Control. Surround Sound by ReSound, 17-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Environmental Optimizer. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. In-situ audiometry. Tinnitus Sound Generator. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LS7ITE-DW MP HS</p>	<p>V5256</p>	<p>\$1,645.00</p>	<p>72.766%</p>	<p>\$448.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>LS7ITE-DW MP HS</p>	<p>V5260</p>	<p>\$3,290.00</p>	<p>72.766%</p>	<p>\$896.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>Enya 3 Ultra Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS. NoiseTracker II, WindGuard. Tinnitus Sound Generator. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>EY3ITE UP HS</p>	<p>V5256</p>	<p>\$580.00</p>	<p>48.276%</p>	<p>\$300.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>EY3ITE UP HS</p>	<p>V5260</p>	<p>\$1,160.00</p>	<p>48.276%</p>	<p>\$600.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>Enya 3 High Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE HP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	EY3ITE HP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>Enya 3 Medium Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	EY3ITE MP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	EY3ITE MP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>Enya 3 Directional Ultra Power Half Shell Digital Half Shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-D UP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-D UP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>Enya 3 Directional High Power Half Shell Digital Half Shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-D HP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-D HP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>Enya 3 Directional Medium Power Half Shell Digital Half Shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	EY3ITE-D MP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	EY3ITE-D MP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36

Price Schedule

<p>Enya 3 Wireless Ultra Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>EY3ITE-W UP HS</p>	<p>V5256</p>	<p>\$580.00</p>	<p>48.276%</p>	<p>\$300.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>EY3ITE-W UP HS</p>	<p>V5260</p>	<p>\$1,160.00</p>	<p>48.276%</p>	<p>\$600.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>Enya 3 Wireless High Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>EY3ITE-W HP HS</p>	<p>V5256</p>	<p>\$580.00</p>	<p>48.276%</p>	<p>\$300.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>EY3ITE-W HP HS</p>	<p>V5260</p>	<p>\$1,160.00</p>	<p>48.276%</p>	<p>\$600.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>Enya 3 Wireless Medium Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>EY3ITE-W MP HS</p>	<p>V5256</p>	<p>\$580.00</p>	<p>48.276%</p>	<p>\$300.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>EY3ITE-W MP HS</p>	<p>V5260</p>	<p>\$1,160.00</p>	<p>48.276%</p>	<p>\$600.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

Price Schedule

<p>Enya 3 Directional Wireless Ultra Power Half Shell Digital Half Shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>EY3ITE-DW UP HS</p>	<p>V5256</p>	<p>\$580.00</p>	<p>48.276%</p>	<p>\$300.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>EY3ITE-DW UP HS</p>	<p>V5260</p>	<p>\$1,160.00</p>	<p>48.276%</p>	<p>\$600.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>Enya 3 Directional Wireless High Power Half Shell Digital Half Shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>EY3ITE-DW HP HS</p>	<p>V5256</p>	<p>\$580.00</p>	<p>48.276%</p>	<p>\$300.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Moderate, Severe, Profound</p>	<p>ReSound</p>	<p>EY3ITE-DW HP HS</p>	<p>V5260</p>	<p>\$1,160.00</p>	<p>48.276%</p>	<p>\$600.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>
<p>Enya 3 Directional Wireless Medium Power Half Shell Digital Half Shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>EY3ITE-DW MP HS</p>	<p>V5256</p>	<p>\$580.00</p>	<p>48.276%</p>	<p>\$300.00</p>	<p>\$95.00</p>	<p>12</p>	<p>36</p>
<p>BINAURAL (V5260)</p>	<p>Mild, Moderate, Severe</p>	<p>ReSound</p>	<p>EY3ITE-DW MP HS</p>	<p>V5260</p>	<p>\$1,160.00</p>	<p>48.276%</p>	<p>\$600.00</p>	<p>\$190.00</p>	<p>12</p>	<p>36</p>

FEATURES = Digital (full digital signal processing with two or three channels, etc.)