MA 18P 20013000000000000103

NEW

#### State of Maine



#### Master Agreement

Effective Date: 02/27/20 Expiration Date: 02/28/21

Master Agreement Description: Above Ground Storage Tank, Single, Dual/Split Compartm

**Buyer Information** 

William Allen 207-624-7871 ext. NULL WJE.Allen@maine.gov

**Issuer Information** 

Jessica Norton 207-624-8226 ext. Jessica.h.norton@MAINE.GOV

**Requestor Information** 

Jessica Norton 207-624-8226 ext. Jessica.h.norton@MAINE.GOV

#### **Agreement Reporting Categories**

#### **Authorized Departments**

17D MOTOR TRANSPORT

#### **Vendor Information**

Vendor Line #: 1

Vendor ID Vendor Name

VS0000023251 David Lee Blanchette

Alias/DBA

John W. Kennedy Co.

**Vendor Address Information** 

51 Carey Circle

Hampden, ME 04444

US

#### **Vendor Contact Information**

David Blanchette 888-667-0667 **ext.** dlb@jwkemail.com

#### **Commodity Information**

Vendor Line #: 1

Vendor Name: David Lee Blanchette

Commodity Line #: 1

Commodity Code: 83069

Commodity Description: Above Ground Storage Tank, Single, Dual/Split Compartments

**Commodity Specifications:** 

Commodity Extended Description: Above Ground Storage Tank, Single, Dual/Split Compartments

 Quantity
 UOM
 Unit Price

 0.00000
 0.000000

Delivery Days Free On Board

30

Contract Amount Service Start Date Service End Date

0.00

Catalog Name Discount

AST 0.0000 %

Discount Start Date Discount End Date

02/27/20 02/28/21

Please see authorized signatures displayed on the next page

Each signatory below represents that the person has the requisite authority to enter into this Contract. The parties sign and cause this Contract to be executed.

State of Maine - Department of Administrative and Financial Services

Jaime C. Schorr, Chief Procurement Officer

and

David Lee Blanchette dba John W. Kennedy Co.

Coursigned by:

Kelly Coston

3CE4854A0612469

Signature

Date

Kelly Coston, Branch Manager

#### **RIDERS**

V	The following riders are hereby incorporated into this Contract and made part of it by reference: (check all that apply)
$\boxtimes$	Rider A – Scope of Work and/or Specifications
	Rider B – Terms and Conditions
	Rider C - Exceptions
	Bid Cover Page and Debarment Form – Appendix A from RFQ
	Municipality Political Subdivision and School District Participation Certification – Appendix D from RFQ
	Price sheet (attach excel spreadsheet to post on website)
	MaineDOT Certifications and Terms and Conditions

# RIDER A Scope of Work and/or Specifications MA 200130-103

**Commodity:** Above Ground Storage Tank, Single, Dual/Split Compartments

Master Agreement Competitive Bid RFQ: 17D 200108-200 and 17D 200108-201

**Contract Period:** Through February 28, 2021. The State of Maine with vendor approval can opt to issue up to two (2) one (1) year extensions.

**Vendor Contact Person:** The vendor contact person will help consumers place orders, inquire about orders that have not been delivered, all shipping issues, quality issues and any issues pertaining to the Master Agreement (MA) contract. All orders not submitted through a Delivery Order will be sent through the vendor contact person. The vendor contact person for this MA is:

Name: Kelly Coston Tel: 207-942-0767 Email: kellyc@jwkemail.com

**Prices:** Prices are with shipping terms of "Free on Board (FOB) – Destination". The State intends for this to mean that all goods shall be priced to include shipping charges, if any, to the State's desired location. The "FOB – Destination" shipping term is also intended to mean that the State shall not bear any responsibility for the goods in question until the State takes possession of them at the destination point of delivery.

**Quantities:** It is understood and agreed that the MA will cover the actual quantities required by the State over the length of the contract.

**Ordering Procedures:** Delivery Orders (DO) will be created in AdvantageME for all orders over \$5000.00. If a DO is used, the DO will be emailed to the email address referenced on the MA as a .pdf file. Orders less than \$5000.00 can be placed using a State of Maine issued P-Card (credit card).

**Using Departments:** The primary using department of this Master Agreement is The Department of Transportation. Other State of Maine departments and agencies may utilize this contract.

**Delivery:** The vendor is responsible for the delivery of material in first class condition at the point of delivery, and in accordance with good commercial practice.

#### Appendix B

# STATE OF MAINE DEPARTMENT OF ADMINISTRATIVE AND FINANCIAL SERVICES DIVISION OF PROCUREMENT SERVICES

#### **DETAILED SPECIFICATIONS**

### RFQ # 17D 200108-201

### Above Ground Storage Tank with Dispensers, Single Compartment

**Required Documents**: All bids must include the following documents. Bids received without them may be rejected.

- Appendix A: Bid Cover Page and Debarment Form
- Appendix B: Completed Specifications Responses
- Appendix E: Certifications
- Appendix F: MaineDOT Terms and Conditions
- PDF Detailed Itemized Quote on company letterhead
- Tank Information Sheets: PDF pamphlets, technical drawings
- Warranty Information

The following document is are not required however submitting it may benefit your business if you are awarded a Master Agreement contract:

• Appendix D: Municipality Political Subdivision and School District Participation Certification

#### INTENT

The purpose and intent of this specification is to describe a single compartment, double wall, steel self-contained above ground storage tank (AST) with dispensers.

#### **COMPLETENESS**

The price quoted in any proposal submitted shall include all items of labor, materials, and other costs necessary to fully complete the manufacture and delivery of a single compartment, double wall, steel self-contained above ground storage tank (AST) with dispensers pursuant to these specifications.

Any part or detail which makes the complete and ready for service shall not be omitted, even though such part or detail is not mentioned in these specifications.

#### **CONFORMITY**

All parts not specified shall be manufacturer's best quality and shall conform in materials, design, or workmanship to the best practice known in the fuel storage tank industry. All parts shall be new and in no case, will used, reconditioned or obsolete parts be accepted.

### INSTRUCTIONS FOR COMPLETING TECHNICAL SPECIFICATION SHEET

Please complete the checklist for technical specifications set forth below. Electronically enter responses directly into the text-enabled fields next to each specification, including actual dimensions when applicable. Each Bidder must indicate whether it can meet the technical specifications by inserting an "X" next to each specification. The "X" will demonstrate that the Bidder's offering meets the technical specification. If a Bidder cannot meet a technical specification, then the Bidder must give an explanation for each exception and for equipment that is not available or that will be dealer installed. All explanations must be provided in detail on separate pages along with the justification as to why the alternative equipment or deliverables will be as good as the equipment or deliverables described in the detailed specifications for desired items. A copy of the vendor specification proposal must be provided. Following these instructions is essential for proper bid evaluation.

If a Bidder fails to provide requested information or if information on a quote is found to be false or misleading, the quote will be rejected as unresponsive.

If a Bidder fails to provide requested information or if information on a quote is found to be false or misleading, the quote will be rejected as unresponsive.

The award will be made on a best value basis to the vendor that either meets or most closely meets the specifications, while taking price and delivery into consideration.

The following abbreviations must be used:

X	Standard or as specified	
N/A	Not Available	
DI	<b>Dealer Installed</b>	
AE	<b>Approved Equal</b>	

	1.0 STANDARDS	Abbreviation	Actual Dimension	Notes
1.1	Acceptable Manufacturer: Modern Welding Company of Ohio, Inc or approved equivalent. The State of Maine reserves the right to evaluate alternates and determine equivalency, in accordance with 5 MRSA §1825(B), "Alternate Bids".	X		
1.2	U.L. 142, Underwriters Laboratories, Inc., Steel Aboveground Tanks for Flammable and Combustible Liquids.	X		
1.3	U.L. 2085, Underwriters Laboratories 2 Hour Fire Rating Standard for Insulated Aboveground Storage Tanks for Flammable and Combustible Liquids.	X		

		*7		
.4	NFPA 30, National Fire Protection Association Flammable and Combustible Code.	X		
1.5	NFPA 30A, National Fire Protection Association Automotive and Marine Service Station Code.	X		
1.6	Uniform Fire Code International Fire Code Institute.	X		
1.7	B.O.C.A. National Fire Prevention Code.	X		
1.8	NFPA 31, Standard for Installation of Oil Burning Equipment.	X		
1.9	PEI/RP200- Petroleum Equipment Institute, Recommended Practices for Installation of Aboveground Storage Systems for Motor Vehicle Fueling.	X		
	2.0 SUBMITTALS	Abbreviation	Actual Dimension	Notes
2.1	Shop Drawings: Contractor shall submit one (1) copy of shop drawings for each tank,	X		
	location of fittings, and accessories with specific dimensions shall be shown on all drawings.			
2.2	location of fittings, and accessories with specific dimensions shall be shown on all	X		
2.2	location of fittings, and accessories with specific dimensions shall be shown on all drawings.  Drawing Approval: Contractor shall receive drawing approval prior to product	X		

	3.0 PRODUCT DESCRIPTION	Abbreviation	Actual Dimension	Notes
3.1	Only new material shall be used in the manufacturing process, and the manufacturer shall ensure that the material used meets all appropriate specifications and quality assurance requirements.	X		
3.2	Nominal capacity of the Single Bulkhead tanks are listed below	X		
3.3	Two-hour fire rated, ballistics, impact and steam hose certified.	X		
3.4	Minimal material thickness of the tank(s) shall be per UL-142 requirements.	X		
3.5	Minimum annular space insulation thickness material shall be 3" with only UL-2085 listed insulation material.	X		
3.6	Tank shall be designed to support accessory equipment such as ladders, pumps, floating suction, etc. when installed according to manufacturer's instructions and limitations.	X		
3.7	Tank shall be provided with suitably designed and located lifting lugs which have a 2:1 safety factor.	X		
3.8	NO Catwalk installed but shall be available at a future time.	X		
3.9	Tank shall be capable of storing liquids with a specific gravity up to 1.0.	X		
3.10	Tank is designed for operation at atmospheric pressure only. Both inner and outer tanks shall have openings of sufficient size to meet normal and emergency venting requirements stated in U.L. 142, UFC and NFPA.	X		

3.11	Tank shall be capable of storing gasoline, diesel or airplane fuel at ambient temperatures.	X	
3.12	Tank shall be constructed with butt welded or offset joint construction. Lap welded seams will not be accepted.	X	
3.13	Certification Plate: Underwriters Laboratories label "Insulated Secondary Containment Aboveground Tank for Flammable Liquids." shall be affixed to each tank.	X	
3.14	Approved flexible connectors at all flanged connections.	X	
3.15	All threaded fittings shall be of a material of construction consistent with the requirements of the Underwriters Laboratories. All fittings shall be protected using threaded plugs or suitable closure caps.	X	
3.16	All flanged nozzles shall be of a material of construction consistent with the requirements of the Underwriters Laboratories. All nozzles shall be protected using suitable closure caps.	X	
3.17	Manways shall conform to Underwriters Laboratories 142 standard with regard to construction, bolting and gaskets.	X	
3.18	Design of the steel supports shall be per approved UL listing and be able to support the weight of the tank filled to capacity.	X	
3.19	Single Gasboy Hi-Flow Model 9853KX with options Pulse Output, LED lighted console and Stainless Steel doors or approved equivalent, single hose, single product 18-22 GPM dispensers will be installed on one end under rain hood (Gas/Diesel). Dispenser shall be equipped with totalizer.	3	

3.20	One (1) <sup>3</sup> / <sub>4</sub> HP FE Petro or approved equivalent submersible pumps.	X		
3.21	Simplex product remote fill.	X		
3.22	Morrison Brothers or approved equivalent overfill valves for each compartment.	X		
3.23	Morrison Brothers or approved equivalent clock gauges for each compartment.	X		
3.24	Three (3) 8" Morrison Brothers or approved equivalent emergency vents.	X		
3.25	One (1) 5' rain hood.	X		
3.26	One (1) 5' x 5' Dispenser Pan.	X		
3.27	All welded or flanged steel pipe shall have full face gaskets.	X		
3.28	Proper valves and fittings for above listed equipment for a complete system.	X		
3.29	Product identification and warning labels.	X		
3.30	Color – off white or almond.	X		
3.31	One end of Tank shall have accessibility for stick measuring	X		
	4.0 DELIVERY	Abbreviation	Actual Dimension	Notes
4.1	Shall be delivered. Delivery locations vary from Kittery, Maine to Madawaska Maine. MaineDOT will be responsible for providing equipment to remove tanks for trailers.	X		
4.2	Vendor shall notify MaineDOT of delivery date two weeks prior to delivery.	X		

5.0 AIR TEST	Abbreviation		Notes
The primary and secondary tanks shall successfully complete an air pressure test prior to installation. While maintaining pressure of 3-5 psig on the primary tank, the annular space bounded by the primary and secondary containment tank shall be pressurized to 1½ to 3 psig. The secondary tank shall then be checked for tightness. <b>Tested on delivery.</b>	X		
6.0 TANK OPTIONS (priced separately)	Price		Notes
Veeder-Root TLS-350 Automatic Tank Gauge system and compatible remote fuel management software required to operate offsite or approved equivalent to be installed.	\$ 12787.37		
Veeder-Root TLS4C Automatic Tank Gauge system and compatible remote fuel management software required to operate offsite or approved equivalent to be installed.	\$ 6659.27		
A Catwalk that is capable of being installed later.	\$ 16456.47		alk is determined by attached quotes.
separate document list any optional equipme specif	ent and their cor	responding pri	ces not listed in these
7.0 SINGLE COMPARTMENT AST (priced separately)	Price		Notes
4,000 Gallons	\$ 53551.99		
6 000 Callana	A 7771 10		
6,000 Gallons	\$ 57616.19		
8,000 Gallons	\$ 61099.72		
10,000 Gallons	\$ 63115.01		
12,000 Gallons	\$ 69778.54		
	The primary and secondary tanks shall successfully complete an air pressure test prior to installation. While maintaining pressure of 3-5 psig on the primary tank, the annular space bounded by the primary and secondary containment tank shall be pressurized to 1½ to 3 psig. The secondary tank shall then be checked for tightness.  Tested on delivery.  6.0 TANK OPTIONS (priced separately)  Veeder-Root TLS-350 Automatic Tank Gauge system and compatible remote fuel management software required to operate offsite or approved equivalent to be installed.  Veeder-Root TLS4C Automatic Tank Gauge system and compatible remote fuel management software required to operate offsite or approved equivalent to be installed.  A Catwalk that is capable of being installed later.  A separate document list any optional equipment specification.  To SINGLE COMPARTMENT AST (priced separately)  4,000 Gallons  6,000 Gallons  10,000 Gallons	The primary and secondary tanks shall successfully complete an air pressure test prior to installation. While maintaining pressure of 3-5 psig on the primary tank, the annular space bounded by the primary and secondary containment tank shall be pressurized to 1½ to 3 psig. The secondary tank shall then be checked for tightness.  Tested on delivery.  6.0 TANK OPTIONS (priced separately)  Veeder-Root TLS-350 Automatic Tank Gauge system and compatible remote fuel management software required to operate offsite or approved equivalent to be installed.  Veeder-Root TLS4C Automatic Tank Gauge system and compatible remote fuel management software required to operate offsite or approved equivalent to be installed.  A Catwalk that is capable of being installed alter.  A Catwalk that is capable of being installed later.  To SINGLE COMPARTMENT AST (priced separately)  4,000 Gallons  \$ 53551.99  6,000 Gallons  \$ 61099.72  10,000 Gallons  \$ 63115.01	The primary and secondary tanks shall successfully complete an air pressure test prior to installation. While maintaining pressure of 3-5 psig on the primary tank, the annular space bounded by the primary tank secondary containment tank shall be pressurized to 1½ to 3 psig. The secondary tank shall then be checked for tightness.  Tested on delivery.    6.0 TANK OPTIONS (priced separately)

	8.0 FUEL PUMP BASE (priced separately)	Price	Control of the Contro	Notes	
8.1	Stainless Steel Tank Platform Fuel Pump Base – The platform the pumps sit on.	\$	Price of platform and pump base included in price of tanks.		
	9.0 WARRANTY	Abbreviation	Actual Dimension	Notes	
9.1	Terms and conditions of warranty shall be provided with bid proposal.	X			
9.2	Terms and conditions of warranty shall be provided with bid proposal (Warranty shall be clearly defined, and all components covered shall be clearly listed and identified).	X			
9.3	Vendor shall be 100% responsible for all repair costs to include parts, labor during the warranty period.	X			

#### Appendix B

# STATE OF MAINE DEPARTMENT OF ADMINISTRATIVE AND FINANCIAL SERVICES DIVISION OF PROCUREMENT SERVICES

#### **DETAILED SPECIFICATIONS**

#### RFQ # 17D 200107-200

### Above Ground Storage Tank with Dispensers, Dual/Split Compartment

**Required Documents**: All bids must include the following documents. Bids received without them may be rejected.

- Appendix A: Bid Cover Page and Debarment Form
- Appendix B: Completed Specifications Responses
- Appendix E: Certifications
- Appendix F: MaineDOT Terms and Conditions
- PDF Detailed Itemized Quote on company letterhead
- Tank Information Sheets: PDF pamphlets, technical drawings
- Warranty Information

The following document is are not required however submitting it may benefit your business if you are awarded a Master Agreement contract:

• Appendix D: Municipality Political Subdivision and School District Participation Certification

#### INTENT

The purpose and intent of this specification is to describe a dual/split compartment, double wall, steel self-contained above ground storage tank (AST) with dispensers.

#### **COMPLETENESS**

The price quoted in any proposal submitted shall include all items of labor, materials, and other costs necessary to fully complete the manufacture and delivery of a dual/split compartment, double wall, steel self-contained above ground storage tank (AST) with dispensers pursuant to these specifications.

Any part or detail which makes the complete and ready for service shall not be omitted, even though such part or detail is not mentioned in these specifications.

#### **CONFORMITY**

All parts not specified shall be manufacturer's best quality and shall conform in materials, design, or workmanship to the best practice known in the fuel storage tank industry. All parts shall be new and in no case, will used, reconditioned or obsolete parts be accepted.

#### INSTRUCTIONS FOR COMPLETING TECHNICAL SPECIFICATION SHEET

Please complete the checklist for technical specifications set forth below. Electronically enter responses directly into the text-enabled fields next to each specification, including actual dimensions when applicable. Each Bidder must indicate whether it can meet the technical specifications by inserting an "X" next to each specification. The "X" will demonstrate that the Bidder's offering meets the technical specification. If a Bidder cannot meet a technical specification, then the Bidder must give an explanation for each exception and for equipment that is not available or that will be dealer installed. All explanations must be provided in detail on separate pages along with the justification as to why the alternative equipment or deliverables will be as good as the equipment or deliverables described in the detailed specifications for desired items. A copy of the vendor specification proposal must be provided. Following these instructions is essential for proper bid evaluation.

If a Bidder fails to provide requested information or if information on a quote is found

If a Bidder fails to provide requested information or if information on a quote is found to be false or misleading, the quote will be rejected as unresponsive.

The award will be made on a best value basis to the vendor that either meets or most closely meets the specifications, while taking price and delivery into consideration.

The following abbreviations must be used:

X	Standard or as specified	
N/A	Not Available	
DI	<b>Dealer Installed</b>	
AE	<b>Approved Equal</b>	

	1.0 STANDARDS	Abbreviation	Actual Dimension	Notes
1.1	Acceptable Manufacturer: Modern Welding Company of Ohio, Inc or approved equivalent. The State of Maine reserves the right to evaluate alternates and determine equivalency, in accordance with 5 MRSA §1825(B), "Alternate Bids".	X		
1.2	U.L. 142, Underwriters Laboratories, Inc., Steel Aboveground Tanks for Flammable and Combustible Liquids.	X	Total Control	
1.3	U.L. 2085, Underwriters Laboratories 2 Hour Fire Rating Standard for Insulated Aboveground Storage Tanks for Flammable and Combustible Liquids.	X	The state of the s	The state of the s

	3.0 PRODUCT DESCRIPTION	Abbreviation	Actual Dimension	Notes
	Flammable Liquids."			
2.4	Certification: Each tank shall bear the U.L. 2085 label for "Insulated Secondary Containment Aboveground Tank for	X		
2.3	Catalog Data: Contractor shall submit one (1) current copy of manufacturer's literature.	X		
2.2	Drawing Approval: Contractor shall receive drawing approval prior to product fabrication.	X		
2.1	Shop Drawings: Contractor shall submit one (1) copy of shop drawings for each tank, location of fittings, and accessories with specific dimensions shall be shown on all drawings.	X		
	2.0 SUBMITTALS	Abbreviation	Actual Dimension	Notes
1.9	PEI/RP200- Petroleum Equipment Institute, Recommended Practices for Installation of Aboveground Storage Systems for Motor Vehicle Fueling.	X		
1.8	NFPA 31, Standard for Installation of Oil Burning Equipment.	X	***************************************	
1.7	B.O.C.A. National Fire Prevention Code.	X		
1.6	Uniform Fire Code International Fire Code Institute.	X	***************************************	
1.5	NFPA 30A, National Fire Protection Association Automotive and Marine Service Station Code.	X		
1.4	NFPA 30, National Fire Protection Association Flammable and Combustible Code.	X		Total Control of the

2.1				
3.1	Only new material shall be used in the manufacturing process, and the manufacturer shall ensure that the material used meets all appropriate specifications and quality assurance requirements.	<b>X</b>	THE	
3.2	Nominal capacity of the Double Bulkhead tanks is listed below.	X		
3.3	Two-hour fire rated, ballistics, impact and steam hose certified.	X		
3.4	Minimal material thickness of the tank(s) shall be per UL-142 requirements.	X		
3.5	Minimum annular space insulation thickness material shall be 3" with only UL-2085 listed insulation material.	X		
3.6	Internal Load: Tank shall be able to withstand an air pressure test of 3 to 5 psi.	X		
3.7	Tank shall be designed to support accessory equipment such as ladders, pumps, floating suction, etc. when installed according to manufacturer's instructions and limitations.	X		
3.8	Tank(s) shall be provided with suitably designed and located lifting lugs which have a 2:1 safety factor.	X		
3.9	NO Catwalk installed but shall be available at a future time.	X	-	
3.10	Tank(s) shall be capable of storing liquids with a specific gravity up to 1.0.	X		
3.11	Tank(s) is designed for operation at atmospheric pressure only. Both inner and outer tanks shall have openings of sufficient size to meet normal and emergency venting requirements stated in U.L. 142, UFC and NFPA.	X	The second secon	
3.12	Tank(s) shall be capable of storing gasoline and diesel fuel at ambient temperatures.	X		

Tank shall be constructed with butt welded or offset joint construction. Lap welded seams will not be accepted.	X	The state of the s		
Certification Plate: Underwriters Laboratories label "Insulated Secondary Containment Aboveground Tank for Flammable Liquids." shall be affixed to each tank.	X			
Approved flexible connectors at all flanged connections.	X			
All threaded fittings shall be of a material of construction consistent with the requirements of the Underwriters Laboratories. All fittings shall be protected using threaded plugs or suitable closure caps.	X			
All flanged nozzles shall be of a material of construction consistent with the requirements of the Underwriters Laboratories. All nozzles shall be protected using suitable closure caps.	X		***************************************	
Manways shall conform to Underwriters Laboratories 142 standard with regard to construction, bolting and gaskets.	X	1		
Design of the steel supports shall be per approved UL listing and be able to support the weight of the tank filled to capacity.	X	Tonomore, Company, Co		
Dual Gasboy Hi-Flow Model 9853KX with options Pulse Output, LED lighted console and Stainless-Steel doors or approved equivalent, single hose, single product 18-22 GPM dispensers will be installed on one end under rain hood (Gas/Diesel). Dispenser shall be equipped with totalizers.	X			
Two ¾ HP FE Petro or approved equivalent	X			
	or offset joint construction. Lap welded seams will not be accepted.  Certification Plate: Underwriters Laboratories label "Insulated Secondary Containment Aboveground Tank for Flammable Liquids." shall be affixed to each tank.  Approved flexible connectors at all flanged connections.  All threaded fittings shall be of a material of construction consistent with the requirements of the Underwriters Laboratories. All fittings shall be protected using threaded plugs or suitable closure caps.  All flanged nozzles shall be of a material of construction consistent with the requirements of the Underwriters Laboratories. All nozzles shall be protected using suitable closure caps.  Manways shall conform to Underwriters Laboratories 142 standard with regard to construction, bolting and gaskets.  Design of the steel supports shall be per approved UL listing and be able to support the weight of the tank filled to capacity.  Dual Gasboy Hi-Flow Model 9853KX with options Pulse Output, LED lighted console and Stainless-Steel doors or approved equivalent, single hose, single product 18-22 GPM dispensers will be installed on one end under rain hood (Gas/Diesel). Dispenser shall be equipped with totalizers.	Certification Plate: Underwriters Laboratories label "Insulated Secondary Containment Aboveground Tank for Flammable Liquids." shall be affixed to each tank.  Approved flexible connectors at all flanged connections.  All threaded fittings shall be of a material of construction consistent with the requirements of the Underwriters Laboratories. All fittings shall be protected using threaded plugs or suitable closure caps.  All flanged nozzles shall be of a material of construction consistent with the requirements of the Underwriters Laboratories. All nozzles shall be protected using suitable closure caps.  Manways shall conform to Underwriters Laboratories 142 standard with regard to construction, bolting and gaskets.  Design of the steel supports shall be per approved UL listing and be able to support the weight of the tank filled to capacity.  Dual Gasboy Hi-Flow Model 9853KX with options Pulse Output, LED lighted console and Stainless-Steel doors or approved equivalent, single hose, single product 18-22 GPM dispensers will be installed on one end under rain hood (Gas/Diesel). Dispenser shall be equipped with totalizers.	or offset joint construction. Lap welded seams will not be accepted.  Certification Plate: Underwriters Laboratories label "Insulated Secondary Containment Aboveground Tank for Flammable Liquids." shall be affixed to each tank.  Approved flexible connectors at all flanged connections.  All threaded fittings shall be of a material of construction consistent with the requirements of the Underwriters Laboratories. All fittings shall be protected using threaded plugs or suitable closure caps.  All flanged nozzles shall be of a material of construction consistent with the requirements of the Underwriters Laboratories. All nozzles shall be protected using suitable closure caps.  Manways shall conform to Underwriters Laboratories 142 standard with regard to construction, bolting and gaskets.  Design of the steel supports shall be per approved UL listing and be able to support the weight of the tank filled to capacity.  Dual Gasboy Hi-Flow Model 9853KX with options Pulse Output, LED lighted console and Stainless-Steel doors or approved equivalent, single hose, single product 18-22 GPM dispensers will be installed on one end under rain hood (Gas/Diesel). Dispenser shall be equipped with totalizers.	or offset joint construction. Lap welded seams will not be accepted.  Certification Plate: Underwriters Laboratories label "Insulated Secondary Containment Aboveground Tank for Flammable Liquids." shall be affixed to each tank.  Approved flexible connectors at all flanged connections.  All threaded fittings shall be of a material of construction consistent with the requirements of the Underwriters Laboratories. All fittings shall be protected using threaded plugs or suitable closure caps.  All flanged nozzles shall be of a material of construction consistent with the requirements of the Underwriters Laboratories. All nozzles shall be protected using suitable closure caps.  Manways shall conform to Underwriters Laboratories 142 standard with regard to construction, bolting and gaskets.  Design of the steel supports shall be per approved UL listing and be able to support the weight of the tank filled to capacity.  Dual Gasboy Hi-Flow Model 9853KX with options Pulse Output, LED lighted console and Stainless-Steel doors or approved equivalent, single hose, single product 18-22 GPM dispensers will be installed on one end under rain hood (Gas/Diesel). Dispenser shall be equipped with totalizers.

2.22	Simpley product remote fill (Cas/Diasal)	X		
3.22	Simplex product remote fill. (Gas/Diesel)	Λ		
3.23	Morrison Brothers or approved equivalent overfill valves for each compartment.	X		-
3.24	Morrison Brothers or approved equivalent clock gauges for each compartment.	X		
3.25	Three (3) 8" Morrison Brothers or approved equivalent emergency vents.	X		
3.26	One (1) 5' rain hood.	X		
3.27	One (1) 5' x 5' Dispenser Pan.	X		
3.28	All welded or flanged steel pipe shall have full face gaskets.	X		
3.29	Proper valves and fittings for above listed equipment for a complete system.	X		
3.30	Product identification and warning labels.	X		
3.31	Color – off white or almond.	X		
3.32	One end of Tank shall have accessibility for stick measuring	X		
	4.0 DELIVERY	Abbreviation	Actual Dimension	Notes
4.1	Shall be delivered. Delivery locations vary from Kittery, Maine to Madawaska Maine. MaineDOT will be responsible for providing equipment to remove tanks for trailers.	X		
4.2	Vendor shall notify MaineDOT of delivery date two weeks prior to delivery.	X		
	5.0 AIR TEST	Abbreviation	Actual Dimension	Notes
5.1	The primary and secondary tanks shall successfully complete an air pressure test prior to installation. While maintaining pressure of 3-5 psig on the primary tank, the annular space bounded by the primary and	X		

	secondary containment tank shall be pressurized to 1½ to 3 psig. The secondary tank shall then be checked for tightness.  Tested on delivery.			
	6.0 TANK OPTIONS (priced separately)	Price		Notes
6.1	Veeder-Root TLS-350 Automatic Tank Gauge system and compatible remote fuel management software required to operate offsite or approved equivalent to be installed.	\$ 15,666.80		
6.2	Veeder-Root TLS4C Automatic Tank Gauge system and compatible remote fuel management software required to operate offsite or approved equivalent to be installed.	\$ 9538.70		
		h   1 < 15 < 15	Dwine of Cat	walk is determined by
6.3	A Catwalk that is capable of being installed later.	\$ 16456.47	1	e attached quotes.
	later.  a separate document list any optional equipm	2 3	tank size. Se	e attached quotes.
	a separate document list any optional equipm speci	nent and their cor	tank size. Se	e attached quotes.
	a separate document list any optional equipm speci	nent and their cor	responding p	e attached quotes.
On	a separate document list any optional equipm speci  7.0 DUAL COMPARTMENT AST (priced separately)	nent and their corifications.  Price	responding p	e attached quotes.
On 7.1	a separate document list any optional equipmes specion 7.0 DUAL COMPARTMENT AST (priced separately) 4,000 Gallons/4,000 Gallons	Price	responding pr	e attached quotes.
7.1 7.2	a separate document list any optional equipmes special comparate document list and compa	Price \$89,632.09	responding pr	e attached quotes.
7.1 7.2 7.3	a separate document list any optional equipmes special comparate document list and comparate	Price \$87,632.09 \$97,881.50	responding pr	e attached quotes. rices not listed in these Notes
7.1 7.2 7.3	a separate document list any optional equipm speci  7.0 DUAL COMPARTMENT AST	Price \$87,632.09 \$97,881.50 Price	responding pr	Notes  Notes  Notes  Notes

9.2	Terms and conditions of warranty shall be provided with bid proposal (Warranty shall be clearly defined, and all components covered shall be clearly listed and identified).	X	
9.3	Vendor shall be 100% responsible for all repair costs to include parts, labor during the warranty period.	X	 ***************************************

### RIDER B TERMS AND CONDITIONS

- **1. DEFINITIONS**: The following definitions are applicable to these standard terms and conditions:
  - a. The term "Buyer" or "State" shall refer to the Government of the State of Maine or a person representing the Government of the State of Maine.
  - b. The term "Department" or "DAFS" shall refer to the State of Maine Department of Administrative and Financial Services.
  - c. The term "Bureau" or "BGS" shall refer to the State of Maine Bureau of General Services.
  - d. The term "Division" shall refer to the State of Maine Division of Purchases.
  - e. The term "Contractor", "Vendor", or "Provider" shall refer to the organization that is providing goods and/or services through the contract to which these standard terms and conditions have been attached and incorporated.
  - f. The term "Contract" or "Agreement" shall refer to the contract document to which these standard terms and conditions apply, taking the format of a Buyer Purchase Order (BPO) or Master Agreement (MA) or other contractual document that is mutually agreed upon between the State and the Contractor.
- **2. WARRANTY**: The Contractor warrants the following:
  - a. That all goods and services to be supplied by it under this Contract are fit and sufficient for the purpose intended, and
  - b. That all goods and services covered by this Contract will conform to the specifications, drawing samples, symbols or other description specified by the Division, and
  - c. That such articles are merchantable, good quality, and free from defects whether patent or latent in material and workmanship, and
  - d. That all workmanship, materials, and articles to be provided are of the best grade and quality, and
  - e. That it has good and clear title to all articles to be supplied by it and the same are free and clear from all liens, encumbrances and security interest.

Neither the final certificate of payment nor any provision herein, nor partial nor entire use of the articles provided shall constitute an acceptance of work not done in accordance with this agreement or relieve the Contractor liability in respect of any warranties or responsibility for faulty material or workmanship. The Contractor shall remedy any defects in the work and pay any damage to other work resulting therefrom, which shall appear within one year from the date of final acceptance of the work provided hereunder. The Division of Purchases shall give written notice of observed defects with reasonable promptness.

- **3. TAXES**: Contractor agrees that, unless otherwise indicated in the order, the prices herein do not include federal, state, or local sales or use tax from which an exemption is available for purposes of this order. Contractor agrees to accept and use tax exemption certificates when supplied by the Division as applicable. In case it shall ever be determined that any tax included in the prices herein was not required to be paid by Contractor, Contractor agrees to notify the Division and to make prompt application for the refund thereof, to take all proper steps to procure the same and when received to pay the same to the Division.
- **4. PACKING AND SHIPMENT**: Deliveries shall be made as specified without charge for boxing, carting, or storage, unless otherwise specified. Articles shall be suitably packed to secure lowest transportation cost and to conform to the requirements of common carriers and any

applicable specifications. Order numbers and symbols must be plainly marked on all invoices, packages, bills of lading, and shipping orders. Bill of lading should accompany each invoice. Count or weight shall be final and conclusive on shipments not accompanied by packing lists.

- **5. DELIVERY**: Delivery should be strictly in accordance with delivery schedule. If Contractor's deliveries fail to meet such schedule, the Division, without limiting its other remedies, may direct expedited routing and the difference between the expedited routing and the order routing costs shall be paid by the Contractor. Articles fabricated beyond the Division's releases are at Contractor's risk. Contractor shall not make material commitments or production arrangements in excess of the amount or in advance of the time necessary to meet delivery schedule, and, unless otherwise specified herein, no deliveries shall be made in advance of the Division's delivery schedule. Neither party shall be liable for excess costs of deliveries or defaults due to the causes beyond its control and without its fault or negligence, provided, however, that when the Contractor has reason to believe that the deliveries will not be made as scheduled, written notice setting forth the cause of the anticipated delay will be given immediately to the Division. If the Contractor's delay or default is caused by the delay or default of a subcontractor, such delay or default shall be excusable only if it arose out of causes beyond the control of both Contractor and subcontractor and without fault of negligence or either of them and the articles or services to be furnished were not obtainable from other sources in sufficient time to permit Contractor to meet the required delivery schedule.
- **6. FORCE MAJEURE**: The State may, at its discretion, excuse the performance of an obligation by a party under this Agreement in the event that performance of that obligation by that party is prevented by an act of God, act of war, riot, fire, explosion, flood or other catastrophe, sabotage, severe shortage of fuel, power or raw materials, change in law, court order, national defense requirement, or strike or labor dispute, provided that any such event and the delay caused thereby is beyond the control of, and could not reasonably be avoided by, that party. The State may, at its discretion, extend the time period for performance of the obligation excused under this section by the period of the excused delay together with a reasonable period to reinstate compliance with the terms of this Agreement.
- 7. INSPECTION: All articles and work will be subject to final inspection and approval after delivery, notwithstanding prior payment, it being expressly agreed that payment will not constitute final acceptance. The Division of Purchases, at its option, may either reject any article or work not in conformity with the requirements and terms of this order, or re-work the same at Contractor's expense. The Division may reject the entire shipment where it consists of a quantity of similar articles and sample inspection discloses that ten (10%) percent of the articles inspected are defective, unless Contractor agrees to reimburse the Division for the cost of a complete inspection of the articles included in such shipment. Rejected material may be returned at Contractor's risk and expense at the full invoice price plus applicable incoming transportation charges, if any. No replacement of defective articles of work shall be made unless specified by the Division.
- **8. INVOICE**: The original and duplicate invoices covering each and every shipment made against this order showing Contract number, Vendor number, and other essential particulars, must be forwarded promptly to the ordering agency concerned by the Vendor to whom the order is issued. Delays in receiving invoice and also errors and omissions on statements will be considered just cause for withholding settlement without losing discount privileges. All accounts are to be carried in the name of the agency or institution receiving the goods, and not in the name of the Division of Purchases.

- **9. ALTERATIONS**: The Division reserves the right to increase or decrease all or any portion of the work and the articles required by the bidding documents or this agreement, or to eliminate all or any portion of such work or articles or to change delivery date hereon without invalidating this Agreement. All such alterations shall be in writing. If any such alterations are made, the contract amount or amounts shall be adjusted accordingly. In no event shall Contractor fail or refuse to continue the performance of the work in providing of articles under this Agreement because of the inability of the parties to agree on an adjustment or adjustments.
- **10. TERMINATION**: The Division may terminate the whole or any part of this Agreement in any one of the following circumstances:
  - a. The Contractor fails to make delivery of articles, or to perform services within the time or times specified herein, or
  - b. If Contractor fails to deliver specified materials or services, or
  - c. If Contractor fails to perform any of the provisions of this Agreement, or
  - d. If Contractor so fails to make progress as to endanger the performance of this Agreement in accordance with its terms, or
  - e. If Contractor is adjudged bankrupt, or if it makes a general assignment for the benefit of its creditors or if a receiver is appointed because of its insolvency, or
  - f. Whenever for any reason the State shall determine that such termination is in the best interest of the State to do so.

In the event that the Division terminates this Agreement in whole or in part, pursuant to this paragraph with the exception of 8(f), the Division may procure (articles and services similar to those so terminated) upon such terms and in such manner as the Division deems appropriate, and Contractor shall be liable to the Division for any excess cost of such similar articles or services.

- 11. NON-APPROPRIATION: Notwithstanding any other provision of this Agreement, if the State does not receive sufficient funds to fund this Agreement and other obligations of the State, if funds are de-appropriated, or if the State does not receive legal authority to expend funds from the Maine State Legislature or Maine courts, then the State is not obligated to make payment under this Agreement.
- 12. COMPLIANCE WITH APPLICABLE LAWS: Contractor agrees that, in the performance hereof, it will comply with applicable laws, including, but not limited to statutes, rules, regulations or orders of the United States Government or of any state or political subdivision(s) thereof, and the same shall be deemed incorporated herein by reference. Awarding agency requirements and regulations pertaining to copyrights and rights in data. Access by the grantee, the subgrantee, the Federal grantor agency, the Comptroller General of the United States, or any of their duly authorized representatives to any books, documents, papers and records of the Contractor which are directly pertinent to that specific contract for the purpose of making audit, examination, excerpts, and transcriptions. Retention of all required records for three years after grantees or subgrantees make final payments and all other pending matters are closed. Compliance with all applicable standards, orders, or requirements issued under section 306 of the Clean Air Act (42 U.S.C. 1857(h), section 508 of the Clean Water Act, (33 U.S.C. 1368), Executive Order 11738, and Environmental Protection Agency regulations (40 CFR part 15). (Contracts, subcontracts, and subgrants of amounts in excess of \$100,000). Mandatory standards and policies relating to energy efficiency which are contained in the state energy conservation plan issued in compliance with Energy Policy and Conservation Act (Pub. L. 94-163, 89 Stat. 871).

- **13. INTERPRETATION**: This Agreement shall be governed by the laws of the State of Maine as to interpretation and performance.
- **14. DISPUTES**: The Division will decide any and all questions which may arise as to the quality and acceptability of articles provided and installation of such articles, and as to the manner of performance and rate of progress under this Contract. The Division will decide all questions, which may arise as to the interpretation of the terms of this Agreement and the fulfillment of this Agreement on the part of the Contractor.
- **15. ASSIGNMENT**: None of the sums due or to become due nor any of the work to be performed under this order shall be assigned nor shall Contractor subcontract for completed or substantially completed articles called for by this order without the Division's prior written consent. No subcontract or transfer of agreement shall in any case release the Contractor of its obligations and liabilities under this Agreement.
- 16. STATE HELD HARMLESS: The Contractor agrees to indemnify, defend, and save harmless the State, its officers, agents, and employees from any and all claims and losses accruing or resulting to any and all contractors, subcontractors, material men, laborers and other persons, firm or corporation furnishing or supplying work, services, articles, or supplies in connection with the performance of this Agreement, and from any and all claims and losses accruing or resulting to any person, firm or corporation who may be injured or damaged by the Contractor in the performance of this Agreement.
- 17. SOLICITATION: The Contractor warrants that it has not employed or written any company or person, other than a bona fide employee working solely for the Contractor to solicit or secure this Agreement, and it has not paid, or agreed to pay any company, or person, other than a bona fide employee working solely for the Contractor any fee, commission, percentage, brokerage fee, gifts, or any other consideration, contingent upon, or resulting from the award for making this Agreement. For breach or violation or this warranty, the Division shall have the absolute right to annul this agreement or, in its discretion, to deduct from the Agreement price or consideration, or otherwise recover the full amount of such fee, commission, percentage, brokerage fee, gifts, or contingent fee.
- **18. WAIVER**: The failure of the Division to insist, in any one or more instances, upon the performance of any of the terms, covenants, or conditions of this order or to exercise any right hereunder, shall not be construed as a waiver or relinquishment of the future performance of any such term, covenant, or condition or the future exercise of such right, but the obligation of Contractor with respect to such future performance shall continue in full force and effect.
- **19. MATERIAL SAFETY**: All manufacturers, importers, suppliers, or distributors of hazardous chemicals doing business in this State must provide a copy of the current Material Safety Data Sheet (MSDS) for any hazardous chemical to their direct purchasers of that chemical.
- **20. COMPETITION**: By accepting this Contract, Contractor agrees that no collusion or other restraint of free competitive bidding, either directly or indirectly, has occurred in connection with this award by the Division of Purchases.

**21. INTEGRATION**: All terms of this Contract are to be interpreted in such a way as to be consistent at all times with this Standard Terms and Conditions document, and this document shall take precedence over any other terms, conditions, or provisions incorporated into the Contract.

#### Appendix A

# STATE OF MAINE DEPARTMENT OF ADMINISTRATIVE AND FINANCIAL SERVICES DIVISION OF PROCUREMENT SERVICES

#### **BID COVER PAGE and DEBARMENT FORM**

Bidder's Organization Name: John W Kennedy Company								
Chief Executive - Name/Title:	Kelly Coston / Branch Manager							
Tel: 207.942.0767	Fax: 207.942.3197	E-mail:	kellyc@jwkemail.com					
Headquarters Street Address:	990 Waterman Ave							
Headquarters City/State/Zip:	East Providence, RI 02914							
	d below if different from above)							
Lead Point of Contact for Bid	- Name/Title: Kelly Coston/Branch M	<b>Janager</b>						
Tel: 257.942.0767	Fax: 207.942.3197	E-mail:	kellyc@jwkemail.com					
Street Address: 51 Carey Cir	Street Address: 51 Carey Circle							
City/State/Zip: Hampden, M	E 04444							

#### By signing below Bidder affirms:

- Their bid complies with all requirements of this RFQ;
- This bid and the pricing structure contained herein will remain firm for a period of 180 days from the date and time of the bid opening;
- That no personnel currently employed by the Department or any other State agency participated, either directly or indirectly, in any activities relating to the preparation of the Bidder's proposal;
- That no attempt has been made or will be made by the Bidder to induce any other person or firm to submit or not to submit a proposal; and
- The undersigned is authorized to enter into contractual obligations on behalf of the above-named organization.

Name: Kelly Coston	Title: Branch Manager
To have your bid accepted, this Appendix MUST hor Adohe Sign forms of electronic signature.	nave an actual wet signature or utilize DocuSign
Authorized Signature: OSton	Date: 1,14,20

#### Debarment, Performance, and Non-Collusion Certification

By signing this document, I certify to the best of my knowledge and belief that the aforementioned organization, its principals, and any subcontractors named in this proposal:

- a. Are not presently debarred, suspended, proposed for debarment, and declared ineligible or voluntarily excluded from bidding or working on contracts issued by any governmental agency.
- b. Have not within three years of submitting the proposal for this contract been convicted of or had a civil judgment rendered against them for:
  - i. fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a federal, state or local government transaction or contract.
  - ii. violating Federal or State antitrust statutes or committing embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
  - iii. are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or Local) with commission of any of the offenses enumerated in paragraph (b) of this certification; and
  - iv. have not within a three (3) year period preceding this proposal had one or more federal, state or local government transactions terminated for cause or default.
- c. Have not entered into a prior understanding, agreement, or connection with any corporation, firm, or person submitting a response for the same materials, supplies, equipment, or services and this proposal is in all respects fair and without collusion or fraud. The abovementioned entities understand and agree that collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards.
- Failure to provide this certification may result in the disqualification of the Bidder's proposal, at the discretion of the Department.

To the best of my knowledge all information provided in the enclosed proposal, both programmatic and financial, is complete and accurate at the time of submission.

Name: Kelly Coston	Title: Branch Manager
To have your bid accepted, this Appendix MUST or Adobe Sign forms of electronic signature.	Γ have an actual wet signature or utilize DocuSign
Authorized Signature: 05ton	Date: 1. 16.20
P	, 4 7/0

#### Appendix D

# STATE OF MAINE DEPARTMENT OF ADMINISTRATIVE AND FINANCIAL SERVICES DIVISION OF PROCUREMENT SERVICES

## MUNICIPALITY POLITICAL SUBDIVISION and SCHOOL DISTRICT PARTICIPATION CERTIFICATION

#### RFQ # 17D 200107-200

#### Above Ground Storage Tank with Dispensers, Dual/Split Compartment

The Division of Procurement Services is committed to providing purchasing opportunities for **municipalities, political subdivisions and school districts** in Maine by allowing them access, through our vendors, to our contract pricing. A bidder's willingness to extend contract pricing to these entities will be taken into consideration in making awards.

Will you accept orders from political subdivisions and school districts in Maine at the prices quoted?

X Yes
Yes, with conditions as follows:
No
Name of Company: John W Kennedy Company
Address: 51 Carey Circle Hampden, ME 04444
Signature: Delly (05ton)
Date: 01.16.20

SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER NAME	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAYS
4/4 Complete AST-NO CAT	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-AST Complete, NO Cat 8000 Gal Split w/Dispen, 4000/4000	NO CATWALK, Includes MW-8K8-DW tank, MW- MOD Stainless steel Pump Deck, 2 Submersable Pumps, 1 Gas Dispenser, 1 Diesel Dispenser, Freicht	EA	\$89,632.09	90
6/6 Complete AST-NO CAT	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-AST Complete, NO Cat 12000 Gal Split w/Dispen,6000/6000	NO CATWALK, Includes MW-12K8-DW tank, MW-MOD Stainless steel Pump Deck, 2 Submersable Pumps, 1 Gas Dispenser, 1 Diesel Dispenser, Freight	EA	\$97,881.50	90
8/4 Complete AST-NO-CAT	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-AST Complete, NO Cat 12000 Gal Split w/Dispen,8000/4000	NO CATWALK, Includes MW-12K8-DW tank, MW-MOD, 2 Submersable Pumps, 1 Gas Dispenser, 1 Diesel Dispenser, Freight	EA	\$97,881.50	90
4000 Complete AST-NO-CAT	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-AST Complete, NO Catwalk 4000 Gal Single w/Dispenser	NO CATWALK, Includes MW-4K54-DW Tank, MW-MOD, 1 Submersable Pump, 1 Diesel Dispenser, Freight	EA	\$53,551.99	90
6000 Complete AST-NO-CAT	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-AST Complete, NO Catwalk 6000 Gal Single w/Dispenser	NO CATWALK, Includes MW-6K8-DW, MW- MOD, 1 Submersable Pump, 1 Diesel Dispenser, Freight	EA	\$57,616.19	90
8000 Complete AST-NO-CAT	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-AST Complete, NO Catwalk 8000 Gal Single w/Dispenser	NO CATWALK, Includes MK8K8-DW, MW-MOD, 1 Submersable Pump, 1 Diesel Dispenser, Freight		\$61,099.72	90
10000 Complete AST-NO-CAT	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-AST Complete, NO Catwalk 10000 Gal Single w/Dispenser	NO CATWALK, Includes MK8K8-DW, MW-MOD, 1 Submersable Pump, 1 Diesel Dispenser, Freight		\$63,115.01	90
12000 Complete AST-NO-CAT	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-AST Complete, NO Catwalk 12000 Gal Single w/Dispenser	NO CATWALK, Includes MW-12K8-DW tank, MW-MOD, 1 Submersable Pump, 1 Diesel Dispenser, Freight	EA	\$69,778.54	90
TLS4CKIT-DUAL	David Lee Blanchette dba John W. Kennedy Co.	Veeder Root	Veeder-Root TLS4C Kit, Automatic Tank Gauge, Dual Tank	For Use With Dual/Split Tanks: Kit Contains: 1 ea 860199-020, 1 ea 333577-001, 2 ea 846396-107, 1 ea 846400-001, 1 ea 886100-000, 2 ea 794380-208, 1 ea 794390-420, 1 ea 790091-001, 1 ea 790095-001, 2 ea 305XPA1200, 3 ea 305XPA2400	EA	\$9,538.70	30
TLS4CKIT-54	David Lee Blanchette dba John W. Kennedy Co.	Veeder Root	Veeder-Root TLS4C Kit, Automatic Tank Gauge, 5'4"Tank	For Use with 4000 Single Tanks: Kit Contains: 1 ea 860199-020, 1 ea 333577-001, 1 ea 846396-103, 1 ea 846400-001, 1 ea 794380-208, 1 ea 794390-420, 1 ea 790091-001, 1 ea 790095-001, 1 ea 305XPA1200, 2 ea 305XPA2400	EA	\$6,659.27	30
TLS4CKIT-8FT	David Lee Blanchette dba John W. Kennedy Co.	Veeder Root	Veeder-Root TLS4C Kit, Automatic Tank Gauge, 8' Dia Tank	For Use with 6000, 8000, 10,000 & 12000 Single Tanks: Kit Contains: 1 ea 860199-020, 1 ea 333577-001, 1 ea 846396-103, 1 ea 846400- 001, 1 ea 794380-208, 1 ea 794390-420, 1 ea 790091-001, 1 ea 790095-001, 1 ea 305XPA1200, 2 ea 305XPA2400	EA	\$6,659.27	30
TLS350KIT-DUAL	David Lee Blanchette dba John W. Kennedy Co.	Veeder Root	Veeder Root TLS-350 PLUS Kit, Automatic Tank Gauge, Dual	For Use With Dual/Split Tanks: Kit Contains: 1ea 848290-022 Console, 1ea 329356-002, 1 ea 329358-001, 2 ea 846396-107, 1 ea 886400-001, 1 ea 886100-000, 2 ea 305XPA1200AKEVR, 2ea 794380-208, 1ea 794390-420, 3 ea 305XPA2400AKEVR, 1 ea 330020-425, 1 ea 790095-001, 1 ea 790091-001	EA	\$15,666.80	30
TLS350KIT-54DIA	David Lee Blanchette dba John W. Kennedy Co.	Veeder Root	Veeder Root TLS-350 PLUS Kit,Automatic Tank Gaug,5'4" Single		EA	\$15,666.80	30

SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER NAME	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAYS
TLS350KIT-8DIA	David Lee Blanchette dba John W. Kennedy Co.	Veeder Root	Veeder Root TLS-350 PLUS Kit,Automatic Tank Gaug,8' Dia Sing	For Use with 6000, 8000, 10,000 & 12000 Single Tanks: Kit Contains: 1ea 848290-022 Console, 1ea 329356-002, 1 ea 329358-001, 1 ea 846396-107, 1 ea 846400-001, 1 ea 305XPA1200AKEVR, 1ea 794380-208, 1ea 794390-420, 2 ea 305XPA2400AKEVR, 1 ea 330020-425, 1 ea 790095-001, 1 ea 790091-001	EA	\$12,787.37	30
MW-8K8-DW-44	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-ONLY Above Ground 8000 Gal Split w/Dispens, 4000/4000	Modern Welding 8000 gal 8' Dia. X 21' 4" long horizontal split tank 4000/4000 with double bulkhead	EA	\$68,256.47	90
MW-12K8-DW-66	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-ONLY Above Ground 12000 Gal Split w/Dispens, 6000/6000	Modern Welding 12000 gal 8' Dia. X 32' 5" long horizontal split tank 6000/6000 with double bulkhead	EA	\$76,505.88	90
MW-12K8-DW-84	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-ONLY Above Ground 12000 Gal Split w/Dispens, 8000/4000	Modern Welding 12000 gal 8' Dia. X 32' 5" long horizontal split tank 8000/4000 with double bulkhead	EA	\$76,505.88	90
MW-4K54-DW	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-ONLY Above Ground 4000 Gal Single w/Dispenser	Modern Welding 4000 Gal, 5' 4" Dia x 24' long, Double Wall Horizontal Tank	EA	\$38,977.65	90
MK-6K8-DW	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-ONLY Above Ground 6000 Gal Single w/Dispenser	Modern Welding 6000 Gal, 8' Dia x 16' 4" long, Double Wall Horizontal Tank	EA	\$43,094.12	90
MK-8K8-DW	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-ONLY Above Ground 8000 Gal Single w/Dispenser	Modern Welding 8000 gal 8' Dia. X 21' 4" long horizontal tank	EA	\$46,577.65	90
MW-10K8-DWAST	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-ONLY Above Ground 10000 Gal Single w/Dispenser	Modern Welding 8000 gal 8' Dia. X 26' 8" long horizontal tank	EA	\$48,592.94	90
MW-12K8-DWAST	David Lee Blanchette dba John W. Kennedy Co.	Modern Welding	Tank-ONLY Above Ground 12000 Gal Single w/Dispenser	Modern Welding 12000 gal 8' Dia. X 32' 5" long horizontal split tank 8000/4000 with double bulkhead	EA	\$55,256.47	90
MW-MOD	David Lee Blanchette dba John W. Kennedy Co.		Pump Deck - Stainless Steel	NA	EA	\$2,823.53	30
MOD-CATWALK-4	David Lee Blanchette dba John W. Kennedy Co.		Catwalk and Stairs 4000 Gal AST	Full Length, No Ladder	EA	\$13,605.88	30
MOD-CATWALK-6	David Lee Blanchette dba John W. Kennedy Co.		Catwalk and Stairs 6000 Gal AST	Full Length, No Ladder	EA	\$11,007.06	30
MOD-CATWALK-8	David Lee Blanchette dba John W. Kennedy Co.		Catwalk and Stairs 8000 Gal AST	Full Length, No Ladder	EA	\$12,850.59	
MOD-CATWALK-10	David Lee Blanchette dba John W. Kennedy Co.		Catwalk and Stairs 10000 Gal AST	Full Length, No Ladder	EA	\$14,929.41	
MOD-CATWALK-12	David Lee Blanchette dba John W. Kennedy Co.		Catwalk and Stairs 12000 Gal AST	Full Length, No Ladder	EA	\$16,456.47	
GB-HIHOSE-FRT	David Lee Blanchette dba John W. Kennedy Co.		Freight Charges - MA 200130-103 Tanks	NA	EA	\$4,725.00	
848290-022	David Lee Blanchette dba John W. Kennedy Co.		Console w/Itegral Printer, Veeder Root TLS350 Plus	NA	EA	\$5,216.94	
329356-002	David Lee Blanchette dba John W. Kennedy Co.		Interface Module, 4 Input Probe, Veeder Root TLS350 Plus	NA	EA	\$915.77	
329358-001 846396-107	David Lee Blanchette dba John W. Kennedy Co. David Lee Blanchette dba John W. Kennedy Co.		Interface Module, 8 Input Inter Liquid Sensor,VR TLS350 Plus Probe, In tank, 8' Mag plus 0.1 GPH Veeder Root	8 Input Interstitial Liquid Sensor Interface Module Fits TLS350 Plus and TLS4C, 8' Mag Plus 0.1 GPH In-Tank High Probe w/In-tank leak and water detection, high grade polymer (HGP) canister, accomodates 2", 3" and 4" float kits	EA	\$1,368.47 \$2,033.88	
846400-001	David Lee Blanchette dba John W. Kennedy Co.	Veeder Root	Kit-Install, Diesel Mag Plus In-tank Probe, Veeder Root	Fits TLS350 Plus and TLS4C, 4" Float, 5' L Cable	EA	\$293.65	30
886100-000	David Lee Blanchette dba John W. Kennedy Co.	Veeder Root	Kit-Install, WTR Detect Mag Plus In-tank Prob,Veeder Root	Fits TLS350 Plus and TLS4C, 4" Float, 5' L Cable	EA	\$449.88	30
305XPA1200AKEVR	David Lee Blanchette dba John W. Kennedy Co.		Cap, Tank Monitor 4" and Adapter w/1/2" Conduit Hole	Morrison Brothers, Fits TLS350 Plus and TLS4C	EA	\$69.88	
794380-208	David Lee Blanchette dba John W. Kennedy Co.		Sensor, Piping Sump w/12' Cable, Non Discriminating	Fits TLS350 Plus and TLS4C	EA	\$261.65	
794390-420	David Lee Blanchette dba John W. Kennedy Co.	Veeder Root	Sensor, Interstitial w/16' cable for steel tank	Fits TLS350 Plus and TLS4C	EA	\$463.06	
305XPA2400AKEVR	David Lee Blanchette dba John W. Kennedy Co.		Cap, Tank Monitor 2" and Adapter w/1/2" Conduit Hole		EA	\$64.16	
330020-425	David Lee Blanchette dba John W. Kennedy Co.		Module, Ethernet TCP/IP Comm Interface TLS350	Will not work with ModBus	EA	\$957.18	
790095-001	David Lee Blanchette dba John W. Kennedy Co.		Switch, Overfill Alarm Acknowledgement	Fits TLS350 Plus and TLS4C	EA	\$419.77	
790091-001	David Lee Blanchette dba John W. Kennedy Co.		Alarm, Overfill Audible/Visual	Fits TLS350 Plus and TLS4C	EA	\$658.82	
846396-103	David Lee Blanchette dba John W. Kennedy Co.	Veeder Root	Probe, In tank, 5' 4" Mag plus 0.1 GPH Veeder Root	In tank High Probe w/water and leak detection, high grade polymer (HGP) Canister, Accomodates 2", 3" and 4" Float kits	EA	\$2,033.88	30
860199-020	David Lee Blanchette dba John W. Kennedy Co.	Veeder Root	Console, 7" Color Screen, Non-Expandable, Max 2 Probe, TLS4C	Non-expandable console, 6 Inputs. Ethernet, 7" color LCD Touch Screen, RS232 Port, Max Number of Probes is 2	EA	\$997.75	30
333577-001	David Lee Blanchette dba John W. Kennedy Co.	Veeder Root	Software, Veeder Root TLS4C Application	NA	EA	\$1,332.50	30
KIT-AST-SUB-PUMP-4SING	David Lee Blanchette dba John W. Kennedy Co.		Pump-Submersible Kit, 4000 Gal Single Above Ground Tank	Kit Contains, 1 ea 402006901, 1 ea 400818921	EA	\$1,571.06	30
KIT-AST-SUB-PUMP-DUAL	David Lee Blanchette dba John W. Kennedy Co.		Pump-Submersible Kit, Dual - Above Ground Tank	Kit Contains, 2 ea 402066901, 2 ea 400818921	EA	\$3,037.59	30
KIT-AST-SUB-PUMP-6SING	David Lee Blanchette dba John W. Kennedy Co.		Pump-Submersible Kit, 6000 Single - Above Ground Tank	Kit Contains, 1 ea 402066901, 1 ea 400818921	EA	\$1,518.79	
402066901	David Lee Blanchette dba John W. Kennedy Co.		Pump, Submerged Turbine,FE Petro STP75VL2R 3/4HP Vari Length	Range 86" - 149"	EA	\$1,393.74	30

SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER NAME	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAYS
402006901	David Lee Blanchette dba John W. Kennedy Co.		Pump, Submerged Turbine,FE Petro STP75VL1 3/4HP Vari Length	Without Riser Range 57" - 86"	EA	\$1,446.00	30
400818921	David Lee Blanchette dba John W. Kennedy Co.		Control Box W/Switch, FE Petro STP-CBS,Lock-out, 120vAC Coil	NA	EA	\$125.06	30
GASBOY-PUMP-DUAL-KIT	David Lee Blanchette dba John W. Kennedy Co.		Gasboy Pump, Complete Dual Tank, Gas and Diesel Pumps	Contains: 2 ea 9853KX, 1 ea PK-RB7HB01, 1 ea PK-REC0400	EA	\$10,789.50	30
GASBOY-PUMP-DIESEL	David Lee Blanchette dba John W. Kennedy Co.		Gasboy Pump, Complete Single Tank, Diesel Pump	Contains: 1 ea 9853KX, 1 ea PK-RB7HB01	EA	\$5,454.75	30
9853KX	David Lee Blanchette dba John W. Kennedy Co.		Gasboy Pump, 1 Product, 1 Hose, Gas/Diesel	Stainless Steel Panels, Pulse Output, Totalizers	EA	\$5,167.26	30
PK-RB7HB01	David Lee Blanchette dba John W. Kennedy Co.		Hose Kit, Gasboy Diesel	66EZR 1" Reconnectable Breakaway, 241TPS- 1000 1" Swivel, 66H1300 1" x 12" Whip Hose, 66H10010 1" x 10' Hose, 7HB-0100 Green Diesel Nozzle, 8HG-0100 Green Splash Guard	EA	\$287.49	
PK-REC0400	David Lee Blanchette dba John W. Kennedy Co.		Hose Kit, Gasboy Gas	66REC-100 3/4" reconnectable Breakaway, 45- 5060 3/4" swivel, 66H0975 3/4" x 9" whip hose, 66H009075 3/4" x 9' Hose, 11BP-0400 Black Gas Nozzle, 8BL-0100 Black Splash Guard	EA	\$167.49	30
S&H	David Lee Blanchette dba John W. Kennedy Co.		MA 200130-103 Shipping and Handling	NA	EA	\$35.00	30

#### Appendix E

#### RFQ # 17D 200107-200

### Above Ground Storage Tank with Dispensers, Dual/Split Compartment

#### **CERTIFICATIONS**

#### 1.0 NONCOLLUSION BIDDING CERTIFICATION

By submission of this Bid, each Bidder and each person signing on behalf of any Bidder certifies, and in the case of a joint bid, each party certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief:

- 1. The prices in this Bid have been arrived at independently without collusion, consultation, communication or agreement, for the purpose of restricting competition as to any other matter relating to such prices with any other Bidder or with any other competitor;
- 2. Unless otherwise required by law, the prices which have been quoted in this Bid have not been knowingly disclosed by the Bidder and will not knowingly be disclosed by the Bidder prior to opening, directly or indirectly, to any other Bidder or to any competitor; and,
- 3. No attempt has been made or will be made by the Bidder to induce any other person, partnership or corporation to submit or not to submit a Bid for the purpose of restricting competition.

01.16.20 Dated

Kelly Coston

Printed name of Person Bidding

Authorized Signature

Branch Manager

Title

#### 2.0 EQUIPMENT PERFORMANCE AND WARRANTY DATA

The information provided on this form will be used in determining operating costs of the equipment. Bidder must complete this form and submitted with bid. Bids received without this information will be considered non-responsive to the bid.

1. **EQUIPMENT**: All Equipment

# 2. <u>DESCRIBE THE PROCESS FOR THE SUBMISSION OF WARRANTY CLAIMS FOR</u> REIMBURSEMENT OUTLINED AND SUBMITTED WITH THE BID. (written process to follow for reimbursement of warranty claims)

Contact John W. Kennedy Company 888.667.0667

#### 3. EQUIPMENT INFORMATION:

YEAR: 2020

EQUIPMENT MODEL: All Equipment

### 4. MANUFACTURER'S RECOMMENDED PREVENTATIVE MAINTENANCE SCHEDULE MUST BE PROVIDED None

#### 5. BASIC EQUIPMENT WARRANTY DESCRIPTION

Modern Tank Warranty – 30 Years
Gasboy Atlas Warranty – 12 Months from date of install
Veeder-Root Warranty – 12 Months from date of install

**6.** NAME/LOCATION OF REPAIR FACILITY(S) (BOTH AUTHORIZED WARRANTY, PARTS & SERVICE PER REQUESTED LOCATION). It is desired that at least one facility is located within 75-mile radius each region headquarters: Scarborough, Augusta, Dixfield, Bangor and Presque Isle.

#### WARRANTY AND SERVICE FACILITIES

ADDRESS 1: John W Kennedy Company Hampden, ME

ADDRESS 2: ADDRESS 3: ADDRESS 4: ADDRESS 5:

CONTACT NAME: Kelly Coston TELEPHONE: 207.942.0767

EQUIPMENT PARTS PROVIDER: John W Kennedy Company

ADDRESS: 51 Carey Circle Hampden, ME 04444

CONTACT NAME: Kelly Coston TELEPHONE: 207.942.0767

Attach written explanation describing the locations of the facilities, the contact name and number at each facility, the times the facilities will be available for use, the qualifications of the staff at the facilities and how the vendor will provide warranty and service at these service facilities.

Bidder certifies that they have service facilities in Maine, staffed with trained service technicians and stocked with repair parts for the equipment which is bid.

This form must be reproduced and completed for any additional equipment warranty/facility information.

01.16.20 Dated

Signature

Kelly Coston Print Name

John W Kennedy Company Company Name

#### 3.0 SPECIFICATION COMPLIANCE

The bidder hereby certifies that the equipment(s) being bid in response to this invitation meet or exceed these specifications and that where a deviation from the specifications exists, the bidder has obtained written approval of those exceptions prior to submitting this bid.

If a conflict exists between these specifications and Federal and/or State laws, the Federal and/or State laws shall prevail and the bidder must alert the purchaser to any such conflicts.

01.16.20 Dated

Kelly Coston

Printed name of Person Bidding

Authorized Signature

Branch Manager

Title

#### Appendix F

#### RFQ # 17D 200107-200

# Above Ground Storage Tank with Dispensers, Dual/Split Compartment <u>MaineDOT TERMS AND CONDITIONS</u>

#### A. AGREEMENT

The Vendor shall deliver the equipment ordered in accordance with this Agreement and governed by these Terms and Conditions.

#### B. INDEPENDENT CAPACITY

In providing the equipment under the Agreement, the Vendor shall act independently and not as an agent of the State of Maine.

#### C. STATUS REPORTS

Prior to the start of work, the Vendor shall furnish MaineDOT with a proposed progress schedule in MaineDOT's standard format. The Vendor will outline the various phases of work that will need to be completed in order to meet the schedule set forth by MaineDOT.

During equipment assembly, the successful bidder shall submit to MaineDOT's Fleet Representative, a Monthly Status Report of accomplishments from the preceding month. The progress report shall be used to keep team members and MaineDOT's Fleet Representative informed about project status and issues. Information will include:

- a. A written statement describing the work accomplished during the period and to date.
- b. An estimate of the percentage of work completed within the specified services.
- c. Any information needed from MaineDOT to complete the project and avoid delays.
- d. The successful bidder's action plan to remedy and address any non-conforming or unacceptable work submitted to Department.
- e. Document anticipated problems and possible solutions.

These progress reports shall be submitted to MaineDOT on a **monthly basis**. Failure to submit could result in non-payment of the invoice, or be considered as a default, and shall be recorded in the Vendor's Performance Evaluation. If work is temporarily delayed, the Vendor may suspend submittal of the monthly progress reports with written approval from MaineDOT. The Vendor shall be responsible for addressing any action that may be required to keep the project on schedule.

MaineDOT shall have a period of 15 business days after receipt of the submissions to complete the review and make any necessary comments. Following the review, the Vendor will make any revisions and corrections requested by MaineDOT.

#### D. PAYMENT AND OTHER PROVISIONS

MaineDOT anticipates paying the selected Vendor for goods and services received, on the basis of net 30 payment terms following acceptance of the equipment, the receipt of an acceptable title and required documents, and an accurate and acceptable invoice. An invoice will be considered accurate and acceptable if it contains the State of Maine Agreement number, correct pricing information relative to the Agreement, and provides any required supporting documents, as applicable, and any other specific and agreed-upon requirements listed within the Agreement.

MaineDOT reserves the right to pay for the equipment purchased by any of several available means, which include but may not be limited to check, EFT, and/or procurement card. Vendors are advised that state statute precludes sellers from imposing a surcharge on credit or debit card purchases (text follows):

"9-A MRSA §8-303 (2): A seller in a sales transaction may not impose a surcharge on a cardholder who elects to use a credit card or debit card in lieu of payment by cash, check or similar means."

#### E. WARRANTY

For a period of one (1) year following equipment delivery and acceptance (the "Warranty period"), Vendor unconditionally warrants and guarantees that the equipment shall be free from defects in parts and workmanship. If MaineDOT discovers any defects during the Warranty period, the Vendor's obligation will be to repair or replace the equipment or refund the purchase price, at MaineDOT's sole option subject to the following requirements as applicable:

- Replacement will be with new equipment matching the specifications within this Agreement.
- Reimbursement will be for the total purchase price of the equipment including the cost of returning the equipment.
- All Repairs including the cost of transporting the equipment will be borne by the Vendor.
   All repairs will be warranted free from defects in parts and workmanship for a one year period following the repair.

The Vendor hereby assigns to MaineDOT the right to enforce all manufacturer's warranties or guarantees on the equipment.

The Vendor agrees that the warranty obligations provided by this Agreement shall be reported as an outstanding obligation in the event of bankruptcy, dissolution, or the sale, merger, or cessations of operations of the Vendor.

In the event of a breach of Vendor's warranty obligations, MaineDOT shall notify Vendor in writing of the breach and grant Vendor 30 days to cure the breach. Should Vendor fail to cure the breach, MaineDOT may pursue whatever remedies may be available.

#### F. DAMAGES

Time is of the essence in the delivery of the equipment specified herein, and in event of delay(s) in the delivery of the equipment beyond the date set forth in the Agreement, or beyond authorized extensions thereof MaineDOT may impose liquidated damages. Because it is difficult to determine the actual amount of the damage by reason of such delay it is therefore agreed that the Vendor will pay the sum of one hundred dollars (\$100.00) per unit for each calendar day(s) delay in delivery as liquidated damages and not as a penalty.

These damages shall be deducted from any monies due, or which may thereafter become due to the Vendor or may be recovered by through any lawful means.

#### G. <u>SET-OFF RIGHTS</u>

MaineDOT shall have all of its common law, equitable and statutory rights of set-off.

#### H. FORCE MAJEURE

Either party may be excused from performance under this Agreement to the extent the failure to perform is caused by acts of God or of the public enemy, fire, floods, epidemics, quarantine, restrictions, strikes, labor disputes, and freight embargos, or other causes beyond the party's reasonable control. In the event of such event of force majeure, the affected party shall provide the other party written notice of the cause of delay within fifteen (15) days from the beginning of any such delay. The time of performance shall be excused to extent of the duration of any such event of force majeure, or such period of time as may be mutually agreed upon by the parties.

#### I. INDEMNIFICATION

The Vendor shall indemnify and hold harmless MaineDOT and its officers, agents, and employees from and against any and all claims, liabilities, and costs, including reasonable attorney fees, for any or all injuries to persons or property or claims for money damages, including claims for violation of intellectual property rights, arising from the negligent acts or omissions of the Vendor, its employees or agents, officers or Subcontractors in the performance of work under this Agreement; provided, however, the Vendor shall not be liable for claims arising out of the negligent acts or omissions of MaineDOT, or for actions taken in reasonable reliance on written instructions of MaineDOT.

This indemnification provision shall survive any termination or expiration of the Agreement.

#### J. DEFAULT, TERMINATION

i. MaineDOT reserves the right to terminate this Agreement or any part hereof, for its sole convenience. Thirty (30) days advance written notice shall be provided in the case of a termination for convenience. In the event of such termination, Vendor shall immediately stop all work hereunder and shall immediately cause any and all of its suppliers and subcontractors to cease work. Vendor shall be paid for all work on a percentage completed basis, as mutually agreed upon by the parties, up to the date of termination under this Paragraph 14.A.

- ii. MaineDOT shall have the right to terminate this Agreement in the event of a material breach or default by Vendor of its obligations hereunder that is not cured within thirty (30) days from the date of receipt by Vendor of written notice of such breach from MaineDOT. If the breach or default, by its nature, cannot be cured within such thirty (30) day period, then Vendor shall have such additional time (not to exceed thirty (30) additional days) as may be necessary to cure the breach or default, provided Vendor has exercised reasonable commercial efforts and taken appropriate action to begin cure of the breach or default within the initial thirty (30) day cure period.
- iii. MaineDOT shall have the right to terminate this Agreement immediately upon written notice to Vendor in the event (i) Vendor, or any director, officer or employee of Vendor assigned to this Project is convicted of a criminal offense directly related to information technology services; or (ii) proceedings in bankruptcy are commenced against Vendor or if a receiver is appointed and such case or proceeding shall continue undismissed, or unstayed and in effect, for a period of one hundred twenty (120) days. Notwithstanding the foregoing, if a conviction of an employee assigned to this Project, officer or director, relates to individual and/or personal actions of such employee, officer or director and not the policy or directive of Vendor and, upon such conviction, Vendor shall terminate or otherwise remove such employee, officer or director and take such other steps to reasonably ensure the propriety of Vendor' delivery of information technology services, then MaineDOT shall not have a right to terminate this Agreement pursuant to the foregoing clause (i) of this Section 14 (C).
- iv. Vendor shall have the right to terminate this Agreement in the event of a material breach or default by MaineDOT of its obligations hereunder that is not cured within thirty (30) days from the date of receipt by MaineDOT of written notice of such breach from Vendor. If the breach or default, by its nature, cannot be cured within such thirty (30) day period, then MaineDOT shall have such additional time (not to exceed thirty (30) additional days) as may be necessary to cure the breach or default, provided MaineDOT has exercised reasonable commercial efforts and taken appropriate actions to begin cure of the breach or default within the initial thirty (30) day cure period.
- v. Vendor shall cause the foregoing provisions to be inserted in any subcontract for any work covered by this Agreement so that such provisions shall be binding upon each subcontractor, provided that the foregoing provisions shall not apply to contracts or subcontracts for standard commercial supplies or raw materials.

#### K. <u>DELIVERY AND ACCEPTANCE</u>

Time is of the essence in the delivery of the equipment. The Vendor shall execute the work continuously and diligently. Delivery of the units shall occur in accordance with the terms and conditions outlined in the resulting Agreement.

- i. Production of the units shall be conducted as a continuous production with no breaks or inserts of other orders or types of equipment.
- ii. Delivery shall be restricted to Monday through Friday, between the hours of 8 AM and 4 PM.
- iii. The Vendor will contact MaineDOT Fleet Services 24 hrs. prior to delivery with an estimated time of arrival.
- iv. Units furnished under this Agreement shall be delivered in first class condition, complete and ready for operation, and the Vendor shall assume all costs, responsibilities, and risk of loss related to damage that may have occurred in the delivery of the units.
- v. When units are delivered, certificates or releases signed by representatives of MaineDOT Fleet Services are understood to be a simple acknowledgment of receipt of the units only, and will NOT constitute an acceptance of the condition of the units or their conformance with the terms and conditions of the Agreement specifications.
- vi. Upon delivery, MaineDOT may conduct such tests as may be required to determine to its own satisfaction that the units appear to be in conformance with the terms, conditions, and requirements of the Agreement specifications.

Acceptance shall occur following final inspection by authorized employees of MaineDOT Fleet Service, receipt of the titles and all requested documentation. The Vendor will be notified, in writing, of acceptance/non-acceptance within fifteen calendar (15) days of delivery to the location specified in this Agreement.

#### L. RIGHT TO SUSPEND WORK

MaineDOT has the right to suspend any or all work at any time for any reason as it deems necessary. Consultant may receive payment for the portion of services completed through the date of suspension.

#### M. <u>COPYRIGHT AND LICENSES - PATENTS AND COPYRIGHTS</u>

Data and publication rights to any documents, produced under the terms of Agreement are the property of MaineDOT. The Vendor shall not copyright the material produced under the terms of the Agreement without written approval of MaineDOT, except to the extent necessary to protect its rights pursuant to the following paragraph.

The Parties to this Agreement mutually agree that, if patentable discoveries, intellectual property and software, or inventions should result from work described therein, all rights accruing from such discoveries or inventions shall be the sole property of MaineDOT.

#### N. CLAIMS AND DISPUTES

#### General

To preserve any claim arising out of the Agreement, the Parties shall comply with and exhaust all provisions of this Section. Unless otherwise agreed to in writing, the Vendor shall continue to perform its services during any dispute resolution process. If the Vendor continues to perform, MaineDOT shall continue to make payments in accordance with the Agreement of amounts not in dispute.

#### Negotiation with MaineDOT's Fleet Representative

The Vendor shall promptly notify MaineDOT's Fleet Representative, or their designee, in writing, of disputes that could significantly affect scope, schedule or compensation. After such notice, the Vendor and MaineDOT's Fleet Representative shall promptly negotiate in good faith to resolve the dispute. MaineDOT's Fleet Representative will promptly issue a decision.

#### **Review by Director**

If the Vendor desires a review of MaineDOT's Fleet Representative's decision, then the Vendor shall promptly request in writing that MaineDOT's Director of the applicable Bureau or Office review the Fleet Representative's decision. The Director or its designee(s) shall promptly notify the Vendor in writing of the result of the review.

#### **Dispute Resolution**

If the dispute remains unresolved after negotiation and review as set forth above, the Parties may proceed to mediation by selecting a mediator acceptable to both.

If the Parties are unable to resolve the dispute through mediation, either party may seek judicial review through a civil action commenced in the Superior Court of Maine, Kennebec County.

#### O. CONTROLLING LAWS

The Agreement referred to in these Terms and Conditions is governed by the applicable laws of the Federal Government and the State of Maine.

#### Laws to Be Observed

The Vendor shall comply with all applicable Federal. State and local laws, rules, regulations, orders, and ordinances affecting the work including, without limitation all environmental, wage, labor, equal opportunity, safety, patent, copyright, or trademark laws. The Vendor shall indemnify MaineDOT and hold MaineDOT harmless against any and all claims or liabilities arising from or based upon the violation or alleged violation of any such Law caused directly or indirectly by or through the Vendor.

#### P. ENTIRE AGREEMENT/BINDING EFFECT/MODIFICATION/ASSIGNMENT

This Agreement sets forth the entire agreement of the parties with regard to the subject herein. This Agreement may not be modified except by a written amendment executed by both parties.

Neither MaineDOT nor the Vendor may assign, sublet, or transfer any rights under or interest (including, but without limitation, monies that are due or may become due) in the Agreement without the written consent of the other, except to the extent that any assignment, subletting, or transfer is mandated or restricted by law. Unless specifically stated to the contrary in any written Consent To Assignment, no assignment shall release or discharge the assignor from any duty or responsibility under the Agreement.

#### Q. SEVERABILITY

The invalidity or unenforceability of any particular provision or part thereof of this Agreement shall not affect the remainder of said provision or any other provisions, and this Agreement shall be construed in all respects as if such invalid or unenforceable provision or part thereof had been omitted.

#### R. NON-WAIVER

If MaineDOT fails or refuses to enforce any provision in the Agreement that shall not constitute a waiver of that provision, nor shall it affect the enforceability of that provision or of the remainder of the Agreement.

Name of Company: John W Kennedy Company

Address: 51 Carey Circle Hampden, ME 04444

Signature:

Date: 01.16.20