MA 18P 23062200000000000184

NEW

State of Maine



Master Agreement

Effective Date: 06/26/23 Expiration Date: 06/30/24

Master Agreement Description: Select 2024 GM Vehicles

Buyer Information

William Allen 207-624-7871 **ext.** NULL WJE.Allen@maine.gov

Issuer Information

Joey O'Neal 207-287-6524 ext. Joey.ONeal@maine.gov

Requestor Information

Mark Bailey 207-287-6240 ext. mark.r.bailey@maine.gov

Agreement Reporting Categories

Authorized Departments

ALL

Vendor Information

Vendor Line #: 1

Vendor ID Vendor Name

VC1000069483 O'CONNOR GMC INC

Alias/DBA

Vendor Address Information

187 RIVERSIDE DR

AUGUSTA, ME 04330

US

Vendor Contact Information

John Mynahan

622-3191 **ext.**

john.mynahan@oconnorwheels.com

Commodity Information

Vendor Line #: 1

Vendor Name: O'CONNOR GMC INC

Commodity Line #: 1

Commodity Code: 07000

Commodity Description: 2023 vehicle bids for model years 2023 or 2024

Commodity Specifications:

Commodity Extended Description: Select 2024 GM Vehicles

 Quantity
 UOM
 Unit Price

 0.00000
 0.000000

Delivery Days Free On Board

180 FOB Dest, Freight Prepaid

Contract Amount Service Start Date Service End Date

0.00

Catalog NameDiscount2024 GM0.0000%

Discount Start Date Discount End Date

06/26/23 06/30/24

Please see authorized signatures displayed on the next page

Each signatory below represents that the person has the requisite authority to enter into this Contract. The parties sign and cause this Contract to be executed.

State of Maine - Department of Administrative and Financial Services

DocuSigned by:	
David Morris	6/23/2023
Signature	Date
David Morris, Acting Chief Procure	ement Officer
and	
O'CONNOR GMC INC	
DocuSigned by:	
John Mynahan 970DF8E9CA924E5	6/23/2023
Signature	Date

John Mynahan, Fleet & Commercial Sales Manager

RIDERS

Image: section of the content of the	The following riders are hereby incorporated into this Contract and made part of it by reference: (check all that apply)
×	Rider A – MA User Information and/or Specifications
\boxtimes	Rider B – Terms and Conditions
	Rider C - Exceptions
\boxtimes	Bid Cover Page and Debarment Form – Appendix A from RFQ
	Municipality Political Subdivision and School District Participation Certification – Appendix D from RFQ
\boxtimes	Vehicle Specification Sheets
	Other – Included at Department's Discretion

RIDER A Master Agreement User Information and/or Specifications MA 230622-184

Commodity: Select 2024 GM Vehicles

Master Agreement Competitive Bid RFQ: 18P 230526-298

Contract Period: Through June 30, 2024.

Vendor Contact Person: The vendor contact person will help consumers place orders, inquire about orders that have not been delivered, all shipping issues, quality issues and any issues pertaining to the Master Agreement (MA) contract. All orders not submitted through a Delivery Order will be sent through the vendor contact person. The vendor contact person for this MA is:

Name: John Mynahan Tel: 207-622-3191 Email: john.mynahan@oconnorwheels.com

Prices: Prices are with shipping terms of "Free on Board (FOB) – Destination". The State intends for this to mean that all goods shall be priced to include shipping charges, if any, to the State's desired location. The "FOB – Destination" shipping term is also intended to mean that the State shall not bear any responsibility for the goods in question until the State takes possession of them at the destination point of delivery.

Delivery: The vendor is responsible for the delivery of material in first class condition at the point of delivery, and in accordance with good commercial practice.

Vehicle Orders: Quantities are unknown at this time and not all awarded items may be ordered. Vehicle orders will be based on agency needs and resources available to purchase vehicles. State of Maine Buyer Purchase Orders (BPO) will be issued for dealer stock purchases. Delivery Orders (DO) will be issued against the any resulting master agreements as vehicles are required until the end of the model year cutoff date.

Vendor will accept orders with additional options and adjust pricing based on current Chromes invoice pricing at the time of the delivery order being issued.

Delivery Instructions

- 1. Contact Mark Bailey at 287-6240 or email mark.r.bailey@maine.gov to set up a delivery time. Information needed at this time is; item number(s), number of vehicles, exterior and interior color of each vehicle.
- 2. Delivery address is 66 Industrial Drive, Augusta, Maine 04330
- 3. All paperwork should be completed and brought inside at the time of delivery, including the factory window sticker.
- 4. Vehicles must be delivered with two set of keys, unless otherwise noted.
- 5. Key tags should be marked with the last 6 digits of the vin number.
- 6. Leave vehicle doors unlocked, with owners manual and keys left in the vehicles.
- 7. Key numbers must be on the invoice.

- 8. All State of Maine registration documents must be completed and furnished upon delivery. (Questions regarding registration documentation should be directed to State of Maine, Bureau of Motor Vehicles, Phone # 624-9000 Ext 52149)
- 9. Copy of the Certificate of Origin is mandatory & required upon delivery.

Delivery of Vehicles

- Vehicles should be delivered with minimum mileage coinciding with location of dealer and delivery point to the State. Any exceptions should be noted prior to delivery.
- Awarded vendors must contact State of Maine Motor Vehicle Division and complete all required Motor Vehicle forms in order for us to register vehicle(s). These forms need to be completed and submitted with the vehicle(s) upon delivery.
- All vehicles delivered must have a current valid Maine State Inspection Sticker issued in the month of delivery.

Roadside Assistance

• Other delivery and title information will be supplied with orders to awarded vendors.

Roadside Assistance
Is roadside assistance part of fleet warranty? VES NO
Is there an additional charge for roadside assistance warranty?
YESNO If YES, Please state here:
To have your bid accepted, this section MUST have an actual wet signature or utilize DocuSign or Adobe Sign forms of electronic signature.
BIDDER: O'COWNOR moters A DATE: 6-8-2023
AUTHORIZED SIGNATURE: Responsible person submitting this bid
TEL: 207-622-319 FAX:

RIDER B TERMS AND CONDITIONS

- **1. DEFINITIONS**: The following definitions are applicable to these standard terms and conditions:
 - a. The term "Buyer" or "State" shall refer to the Government of the State of Maine or a person representing the Government of the State of Maine.
 - b. The term "Department" or "DAFS" shall refer to the State of Maine Department of Administrative and Financial Services.
 - c. The term "Bureau" or "BGS" shall refer to the State of Maine Bureau of General Services.
 - d. The term "Division" shall refer to the State of Maine Division of Purchases.
 - e. The term "Contractor", "Vendor", or "Provider" shall refer to the organization that is providing goods and/or services through the contract to which these standard terms and conditions have been attached and incorporated.
 - f. The term "Contract" or "Agreement" shall refer to the contract document to which these standard terms and conditions apply, taking the format of a Buyer Purchase Order (BPO) or Master Agreement (MA) or other contractual document that is mutually agreed upon between the State and the Contractor.
- 2. WARRANTY: The Contractor warrants the following:
 - a. That all goods and services to be supplied by it under this Contract are fit and sufficient for the purpose intended, and
 - That all goods and services covered by this Contract will conform to the specifications, drawing samples, symbols or other description specified by the Division, and
 - c. That such articles are merchantable, good quality, and free from defects whether patent or latent in material and workmanship, and
 - d. That all workmanship, materials, and articles to be provided are of the best grade and quality, and
 - e. That it has good and clear title to all articles to be supplied by it and the same are free and clear from all liens, encumbrances and security interest.

Neither the final certificate of payment nor any provision herein, nor partial nor entire use of the articles provided shall constitute an acceptance of work not done in accordance with this agreement or relieve the Contractor liability in respect of any warranties or responsibility for faulty material or workmanship. The Contractor shall remedy any defects in the work and pay any damage to other work resulting therefrom, which shall appear within one year from the date of final acceptance of the work provided hereunder. The Division of Purchases shall give written notice of observed defects with reasonable promptness.

3. TAXES: Contractor agrees that, unless otherwise indicated in the order, the prices herein do not include federal, state, or local sales or use tax from which an exemption is available for purposes of this order. Contractor agrees to accept and use tax exemption certificates when supplied by the Division as applicable. In case it shall ever be determined that any tax included in the prices herein was not required to be paid by Contractor, Contractor agrees to notify the Division and to make prompt application for the refund thereof, to take all proper steps to procure the same and when received to pay the same to the Division.

- **4. PACKING AND SHIPMENT**: Deliveries shall be made as specified without charge for boxing, carting, or storage, unless otherwise specified. Articles shall be suitably packed to secure lowest transportation cost and to conform to the requirements of common carriers and any applicable specifications. Order numbers and symbols must be plainly marked on all invoices, packages, bills of lading, and shipping orders. Bill of lading should accompany each invoice. Count or weight shall be final and conclusive on shipments not accompanied by packing lists.
- 5. **DELIVERY**: Delivery should be strictly in accordance with delivery schedule. If Contractor's deliveries fail to meet such schedule, the Division, without limiting its other remedies, may direct expedited routing and the difference between the expedited routing and the order routing costs shall be paid by the Contractor. Articles fabricated beyond the Division's releases are at Contractor's risk. Contractor shall not make material commitments or production arrangements in excess of the amount or in advance of the time necessary to meet delivery schedule, and, unless otherwise specified herein, no deliveries shall be made in advance of the Division's delivery schedule. Neither party shall be liable for excess costs of deliveries or defaults due to the causes beyond its control and without its fault or negligence, provided, however, that when the Contractor has reason to believe that the deliveries will not be made as scheduled, written notice setting forth the cause of the anticipated delay will be given immediately to the Division. If the Contractor's delay or default is caused by the delay or default of a subcontractor, such delay or default shall be excusable only if it arose out of causes beyond the control of both Contractor and subcontractor and without fault of negligence or either of them and the articles or services to be furnished were not obtainable from other sources in sufficient time to permit Contractor to meet the required delivery schedule.
- **6. FORCE MAJEURE**: The State may, at its discretion, excuse the performance of an obligation by a party under this Agreement in the event that performance of that obligation by that party is prevented by an act of God, act of war, riot, fire, explosion, flood or other catastrophe, sabotage, severe shortage of fuel, power or raw materials, change in law, court order, national defense requirement, or strike or labor dispute, provided that any such event and the delay caused thereby is beyond the control of, and could not reasonably be avoided by, that party. The State may, at its discretion, extend the time period for performance of the obligation excused under this section by the period of the excused delay together with a reasonable period to reinstate compliance with the terms of this Agreement.
- 7. **INSPECTION**: All articles and work will be subject to final inspection and approval after delivery, notwithstanding prior payment, it being expressly agreed that payment will not constitute final acceptance. The Division of Purchases, at its option, may either reject any article or work not in conformity with the requirements and terms of this order, or re-work the same at Contractor's expense. The Division may reject the entire shipment where it consists of a quantity of similar articles and sample inspection discloses that ten (10%) percent of the articles inspected are defective, unless Contractor agrees to reimburse the Division for the cost of a complete inspection of the articles included in such shipment. Rejected material may be returned at Contractor's risk and expense at the full invoice price plus applicable incoming transportation charges, if any. No replacement of defective articles of work shall be made unless specified by the Division.

- **8. INVOICE**: The original and duplicate invoices covering each and every shipment made against this order showing Contract number, Vendor number, and other essential particulars, must be forwarded promptly to the ordering agency concerned by the Vendor to whom the order is issued. Delays in receiving invoice and also errors and omissions on statements will be considered just cause for withholding settlement without losing discount privileges. All accounts are to be carried in the name of the agency or institution receiving the goods, and not in the name of the Division of Purchases.
- **9. ALTERATIONS**: The Division reserves the right to increase or decrease all or any portion of the work and the articles required by the bidding documents or this agreements, or to eliminate all or any portion of such work or articles or to change delivery date hereon without invalidating this Agreement. All such alterations shall be in writing. If any such alterations are made, the contract amount or amounts shall be adjusted accordingly. In no event shall Contractor fail or refuse to continue the performance of the work in providing of articles under this Agreement because of the inability of the parties to agree on an adjustment or adjustments.
- **10. TERMINATION**: The Division may terminate the whole or any part of this Agreement in any one of the following circumstances:
 - a. The Contractor fails to make delivery of articles, or to perform services within the time or times specified herein, or
 - b. If Contractor fails to deliver specified materials or services, or
 - c. If Contractor fails to perform any of the provisions of this Agreement, or
 - d. If Contractor so fails to make progress as to endanger the performance of this Agreement in accordance with its terms, or
 - e. If Contractor is adjudged bankrupt, or if it makes a general assignment for the benefit of its creditors or if a receiver is appointed on account of its insolvency, or
 - f. Whenever for any reason the State shall determine that such termination is in the best interest of the State to do so.

In the event that the Division terminates this Agreement in whole or in part, pursuant to this paragraph with the exception of 8(f), the Division may procure (articles and services similar to those so terminated) upon such terms and in such manner as the Division deems appropriate, and Contractor shall be liable to the Division for any excess cost of such similar articles or services.

- **11. NON-APPROPRIATION**: Notwithstanding any other provision of this Agreement, if the State does not receive sufficient funds to fund this Agreement and other obligations of the State, if funds are de-appropriated, or if the State does not receive legal authority to expend funds from the Maine State Legislature or Maine courts, then the State is not obligated to make payment under this Agreement.
- 12. COMPLIANCE WITH APPLICABLE LAWS: Contractor agrees that, in the performance hereof, it will comply with applicable laws, including, but not limited to statutes, rules, regulations or orders of the United States Government or of any state or political subdivision(s) thereof, and the same shall be deemed incorporated herein by reference. Awarding agency requirements and regulations pertaining to copyrights and rights in data. Access by the grantee, the subgrantee, the Federal grantor agency, the Comptroller General of the United States, or any of their duly authorized representatives to any books, documents, papers and records of the Contractor which are directly pertinent to that specific contract for the purpose of making audit, examination,

excerpts, and transcriptions. Retention of all required records for three years after grantees or subgrantees make final payments and all other pending matters are closed. Compliance with all applicable standards, orders, or requirements issued under section 306 of the Clean Air Act (42 U.S.C. 1857(h), section 508 of the Clean Water Act, (33 U.S.C. 1368), Executive Order 11738, and Environmental Protection Agency regulations (40 CFR part 15). (Contracts, subcontracts, and subgrants of amounts in excess of \$100,000). Mandatory standards and policies relating to energy efficiency which are contained in the state energy conservation plan issued in compliance with Energy Policy and Conservation Act (Pub. L. 94-163, 89 Stat. 871).

- **13. INTERPRETATION**: This Agreement shall be governed by the laws of the State of Maine as to interpretation and performance.
- **14. DISPUTES**: The Division will decide any and all questions which may arise as to the quality and acceptability of articles provided and installation of such articles, and as to the manner of performance and rate of progress under this Contract. The Division will decide all questions, which may arise as to the interpretation of the terms of this Agreement and the fulfillment of this Agreement on the part of the Contractor.
- **15. ASSIGNMENT**: None of the sums due or to become due nor any of the work to be performed under this order shall be assigned nor shall Contractor subcontract for completed or substantially completed articles called for by this order without the Division's prior written consent. No subcontract or transfer of agreement shall in any case release the Contractor of its obligations and liabilities under this Agreement.
- **16. STATE HELD HARMLESS**: The Contractor agrees to indemnify, defend, and save harmless the State, its officers, agents, and employees from any and all claims and losses accruing or resulting to any and all contractors, subcontractors, material men, laborers and other persons, firm or corporation furnishing or supplying work, services, articles, or supplies in connection with the performance of this Agreement, and from any and all claims and losses accruing or resulting to any person, firm or corporation who may be injured or damaged by the Contractor in the performance of this Agreement.
- 17. SOLICITATION: The Contractor warrants that it has not employed or written any company or person, other than a bona fide employee working solely for the Contractor to solicit or secure this Agreement, and it has not paid, or agreed to pay any company, or person, other than a bona fide employee working solely for the Contractor any fee, commission, percentage, brokerage fee, gifts, or any other consideration, contingent upon, or resulting from the award for making this Agreement. For breach or violation or this warranty, the Division shall have the absolute right to annul this agreement or, in its discretion, to deduct from the Agreement price or consideration, or otherwise recover the full amount of such fee, commission, percentage, brokerage fee, gifts, or contingent fee.
- **18. WAIVER**: The failure of the Division to insist, in any one or more instances, upon the performance of any of the terms, covenants, or conditions of this order or to exercise any right hereunder, shall not be construed as a waiver or relinquishment of the future performance of any such term, covenant, or condition or the future exercise of such right, but the obligation of Contractor with respect to such future performance shall continue in full force and effect.

- **19. MATERIAL SAFETY**: All manufacturers, importers, suppliers, or distributors of hazardous chemicals doing business in this State must provide a copy of the current Material Safety Data Sheet (MSDS) for any hazardous chemical to their direct purchasers of that chemical.
- **20. COMPETITION**: By accepting this Contract, Contractor agrees that no collusion or other restraint of free competitive bidding, either directly or indirectly, has occurred in connection with this award by the Division of Purchases.
- **21. INTEGRATION**: All terms of this Contract are to be interpreted in such a way as to be consistent at all times with this Standard Terms and Conditions document, and this document shall take precedence over any other terms, conditions, or provisions incorporated into the Contract.
- **22. ORDER OF PRECEDENCE.** In the event of a conflict between the documents comprising this Agreement, the Order of Precedence shall be:
 - a. Exceptions If applicable
 - b. General Terms & Conditions for Goods and/or Services under Buyer Purchase Orders
 - and Master Agreements
 - c. Scope of Work If applicable
 - d. Vender Agreement Included at Department's Discretion
 - e. Other Included at Department's Discretion

Appendix A

STATE OF MAINE DEPARTMENT OF ADMINISTRATIVE AND FINANCIAL SERVICES DIVISION OF PROCUREMENT SERVICES

BID COVER PAGE and DEBARMENT FORM

Bidder's Organization Name: O'CONNOT MOTORS	
Chief Executive - Name/Title: TROY KNOWLAW	
Tel: 2076223191 Fax: E-mail: TROY Working o Connorm Legls co	٠,
Headquarters Street Address: 157 RIVERSIDE DR	
Headquarters City/State/Zip: Augustp, Me 04730	
(provide information requested below if different from above)	
Lead Point of Contact for Bid - Name/Title: John Mynatton	
Tel: 207 592-0105 Fax: E-mail: John myna Howse oconnorcaled	s con
Street Address: 187 Ruurside Dr.	
City/State/Zip: Augusta, ne 04336	

By signing below Bidder affirms:

- Their bid complies with all requirements of this RFQ;
- This bid and the pricing structure contained herein will remain firm for a period of 180 days from the date and time of the bid opening;
- That no personnel currently employed by the Department or any other State agency participated, either directly or indirectly, in any activities relating to the preparation of the Bidder's proposal;
- That no attempt has been made or will be made by the Bidder to induce any other person or firm to submit or not to submit a proposal; and
- The undersigned is authorized to enter into contractual obligations on behalf of the above-named organization.

Title: fleet sales max
ve an actual wet signature or utilize DocuSign or
Date:
6-8-2027

Debarment, Performance, and Non-Collusion Certification

By signing this document, I certify to the best of my knowledge and belief that the aforementioned organization, its principals, and any subcontractors named in this proposal:

- a. Are not presently debarred, suspended, proposed for debarment, and declared ineligible or voluntarily excluded from bidding or working on contracts issued by any governmental agency.
- b. Have not within three years of submitting the proposal for this contract been convicted of or had a civil judgment rendered against them for:
 - i. fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a federal, state or local government transaction or contract.
 - ii. violating Federal or State antitrust statutes or committing embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
 - iii. are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or Local) with commission of any of the offenses enumerated in paragraph (b) of this certification; and
 - iv. have not within a three (3) year period preceding this proposal had one or more federal, state or local government transactions terminated for cause or default.
- c. Have not entered into a prior understanding, agreement, or connection with any corporation, firm, or person submitting a response for the same materials, supplies, equipment, or services and this proposal is in all respects fair and without collusion or fraud. The above mentioned entities understand and agree that collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards.
- Failure to provide this certification may result in the disqualification of the Bidder's proposal, at the discretion of the Department.

To the best of my knowledge all information provided in the enclosed proposal, both programmatic and financial, is complete and accurate at the time of submission.

Name: John Myrstfon	Title: Fleet SAles MGA
To have your bid accepted, this Appendix MUST hav Adobe Sign forms of electronic signature.	ve an actual wet signature or utilize Docu Sign or
Authorized Signature:	Date: 6-8-2013

STATE OF MAINE

DEPARTMENT OF ADMINISTRATIVE AND FINANCIAL SERVICES DIVISION OF PROCUREMENT SERVICES

MUNICIPALITY POLITICAL SUBDIVISION and SCHOOL DISTRICT PARTICIPATION CERTIFICATION

Orders from Municipality, Political Subdivisions and School Districts: If the vendor elects to permit Municipality, Political Subdivisions and School Districts to utilize the resulting Master Agreement Contract, The State of Maine will not be responsible for any order placed by these groups. All orders will originate from these groups and they will be liable for all payments.

Will you accept orders from political subdivisions and school districts in Maine at the prices quoted?

yes

Name of Company: O'CONNOR MOTORS

Address: 187 RIVERSIDE DRIVE

Signor Printed Name: JOHN MYNAHAN

Signature: DocuSigned by: Date: 6/23/2023

John Mynahan

970DF8E9CA924E5...

В	Bidder (Vendor)	Contact Person	1	Contact's Telephone		Iter	n #	7A	
OCO	NNOR MOTORS	JOHN MYNAH	AN	207-592-01	105				
	Estimated Quantity:	UNKNOW	1	С	lass-Spec#:		117		
GENE	RAL DESCRIPTION	Mid Size, Four Door S	Sedan, Five	e Passenger, Air Cond	itioning, Cruise	e Control, ⁻	Tilt Steering	, Wheel	
Option			SPF	CIFICATIONS					
Code	A ID COMPUTION IN (<u> </u>						
X	AIR CONDITIONING AUXILIARY POWER								
X			PEE CELL E	PHONE CALLING					
X	BRAKES: Power, 4 \		DR HANDS FREE CELL PHONE CALLING						
X		imum 13.5 Cubic Feet of Tr	արև		Provide Ca	rgo Argo:			
X	CRUISE CONTROL:		ulik		110viue Ca	iigo Aica.			
X	DRIVE: Front Wheel	ractory instance							
	BIGVE. From Wheel				Turbo-V	Yes or No:	YI		
	ENGINE:							4	
	ENGINE.			Provide Number of Cylinders: Provide Number of Liters:				<u>.</u> .5	
X	FLOOR MATS: Carr	peted, Front and Rear, (OEM	if available		Ovide i validei	or Energ.			
X	FUEL CAPACITY:		11 4 14 14 14 14 15	,	Provide Fuel	Canacity:	15	5.7	
X		side power mirrors,Inside D	ay/Night						
X	+	KS and POWER WINDOW							
Х	RADIO: AM/FM ster	reo, factory installed							
Х	REAR WINDOW DE	FROSTER: Electrical, factor	ory installed						
Х	SEATS: Cloth								
Х	STEERING: Power w	vith Tilt Wheel							
X	TRANSMISSION: A	utomatic or CVT		Provide Number	of Transmissio	on Speeds:	ds: CVT		
X	WHEEL BASE: Mini	mum 110"			Provide W	heel Base:	11	1"	
		Vehic	cle Descri	otion and Pricing					
	Year	Make		Model			Unit	Cost	
2	2024	CHEVROLET		MALIBU	LS		\$24,0	95.00	
Stand	lard Colors Available at	No Additional Charge		Colors	Available for ar	n Additiona	I Charge		
				Color	Additional	Charge	Unit Cost	By Colo	
/INEF	RAL GRAY.SUMM	IT WHITE,MOSAIC					\$0.	.00	
	K,STERLING GR	AY, LAKE SHORE					\$0.	.00	
	BLUE						\$0.	.00	
							\$0.	.00	
				Additiona	I Cost for Pov	wer Seat:	\$0.	00	
		Add:4:amal \ \	obiolo lut-	ormation (Vendor No	tos)	I			

2024 WILL BE A CONTROLLED ALLOCATION- QAUNTITIES AND AVAILABILY ARE TBD

Delivery Time After Receipt of Order Weeks TBD Days TBD

В	idder (Vendor)	Contact Person	Contact's Telephone		Item #		
OCON	INOR MOTORS	JOHN MYNAHAN	207-592-0105		,		
	Estimated Quantity:	UNKNOWN	Class-Spec#	<i>‡</i> : 1	117-PS		
GENEE	RAL DESCRIPTION		Five Passenger, Air Conditioning, Cr	Luise Control T	ilt Steering	. Wheel	
	THE BESOKII TION				in Oteering	vviicei	
Option Code		SP	PECIFICATIONS				
X	AIR CONDITIONING	ł					
X	AUXILIARY POWER	SOURCE					
X	BLUETOOTH TECH	NOLOGY FOR HANDS FREE CEI	LL PHONE CALLING				
X	BRAKES: Power, 4 W	/heel Anti-Lock					
X	CARGO AREA: Mini	mum 13.5 Cubic Feet of Trunk	Provide	Cargo Area:			
X	CRUISE CONTROL:	Factory installed					
X	DRIVE: Front Wheel						
			Turk	oo-Yes or No:	YE	'S	
	ENGINE: Provide Number of Cylinders:					ļ	
			Provide Num	ber of Liters:	1.	5	
X	FLOOR MATS: Carpe	eted, Front and Rear, (OEM if available)	able)				
X	FUEL CAPACITY:		Provide F	uel Capacity:	15	.7	
X	MIRRORS: Dual Outs	side power mirrors,Inside Day/Nigh	t				
X	POWER DOOR LOCK	KS and POWER WINDOWS					
X	RADIO: AM/FM stere	eo, factory installed					
X	REAR WINDOW DEI	FROSTER: Electrical, factory insta	lled				
X	SEATS: Cloth	AE8 POWER SEAT ADDS \$352	2.00				
Х	STEERING: Power w	ith Tilt Wheel					
X	TRANSMISSION: Au	utomatic or CVT	Provide Number of Transmi	ssion Speeds:	s: CVT		
X	WHEEL BASE: Mini	mum 110"	Provide	Wheel Base:	11	1''	
		Vehicle Des	cription and Pricing				
١	/ear	Make	Model		Unit	Cost	
2	024	HEVROLET	MALIBU LS		\$24,4	47.00	
Standa	ard Colors Available at	No Additional Charge	Colors Available fo	r an Additional	Charge		
			Color Addition	nal Charge	Unit Cost	By Colo	
IINFR	AL GRAY SUMM	T WHITE, MOSAIC			\$0.	00	
	*	AY, LAKE SHORE			\$0.	00	
	BLUE	· ·			\$0.	00	
					\$0.	00	
			Additional Cost for	Power Seat:	\$0.0	 00	
			Information (Vendor Notes)				

2024 WILL BE A CONTROLLED ALLOCATION- QAUNTITIES AND AVAILABILY ARE TBD

Delivery Time After Receipt of Order	TBD	Days	or	TBD	Weeks
--------------------------------------	-----	------	----	-----	-------

Bio	dder (Vendor)	Contac	t Person	Contact's Telep	hone Ite	m # 17A			
	NOR MOTORS	JOHN M	YNAHAN	207-592-01					
E	stimated Quantity	UNK	NOWN	Cla	ss-Spec#:	240			
GENER	AL DESCRIPTION	Full Size		y, 4 x 4, Standard Cal ditioning, Cruise Cont		ransmission, Air			
Option Code			SPE	CIFICATIONS					
X	AIR CONDITIONIN	/IG							
X	AUXILIARY POWI	ER SOURCE							
G80	AXLE REAR: Trac	tion Lock			Provide Axle Ratio	3.42			
X	BATTERY: Heavy of	luty, highest CCA	and reserve time a	vailable	Provide CCA	730			
X	BLUETOOTH TEC	HNOLOGY FOR I	HANDS FREE CE	LL PHONE CALLING					
X	BUMPER, FRONT: factory installed								
XX	BUMPER, REAR:	Step and Tow, fact	ory installed						
X	CARGO BOX: 8' B	ed, Style Side							
X	CRUISE CONTROI	: Factory installed	ı						
K05	ENGINE BLOCK H	EATER, factory in	stalled if available	÷					
X	ENGINE COOLER:	Heavy Duty, factor	ory installed						
	ENGINE: Gasoline				Turbo-Yes or No	YES			
	Provide Number o	f Cylinders:	4		Provide Horse Power	310			
	Provide Numb	er of Liters:	2.7	Provide F	oot Pounds of Torque	430			
X	FLOOR: Rubber, If	Available, factory	installed						
X	FUEL CAPACITY:			F	Provide Fuel Capacity	28G			
X	GLASS: Tinted								
	GVWR: 6700-7300	lbs.		Provide	Provide GVWR COMBINED GVWR				
ZLQ	LUMBAR ADJUST	MENT: Driver's S	eat FORCES	FLEET CONV GROU	P AND POWER SEA	Ţ			
X	MIRRORS: Dual O	utside, Swing Awa	y Style, Low Mou	nted, 8" x 5" Minimum,	Inside Day/Night				
	PAYLOAD:				Provide Payload	2299			
X	POWER LOCKS &	WINDOWS							
X	RADIO: AM/FM, v	ith Clock, factory	installed						
X	SEATS, FRONT: cl	oth, split bench 60	/40 or 40/20/40 w	ith flip down console					
NZZ	SKID PLATES: fac	tory installed if ava	nilable						
X	STABILIZER BARS	S: Front							
X	STEERING: Power	with Tilt Wheel							
X	TIRE, SPARE: Full	Size, Mounted Un	der Vehicle, OEM	1					
X	TIRES: Minimum I from factory, All Te	,	or D if available	Provide Size and Lo	oad Range: L	T26570R17C			
X	TOW HOOKS: from	nt, factory installed							
Z82	TOWING PACKAC hitch & 7 pin wiring		ed to include drop	receiver Prov	vide Towing Capacity	9200			
X	TRANSMISSION:	Automatic		Provide Number of	Transmission Speeds	. 8			
X	TRANSMISSION C		y or external facto		<u> </u>	1			
X	WHEEL BASE: 13:				Provide Wheel Base	140"			
			Vehicle Descri	ption and Pricing					
Ye	ear	Make		Mode l		Unit Cost			
20)24	GMC		TK10903	}	\$45,450.00			
Ctondo	Colore Available -4	No Additional Ct	arao l	Color- A:	railable for an Additi-	aal Chargo			
Standard	l Colors Available at	NO AUGILIONAL Ch	a. 9e		/ailable for an Addition Additional Charge	1			
				Color	-	Unit Cost By Color			
	CLIMBALT VA	UITE		SEO/TGK	\$396.00 \$435.00	\$45,846.00			
	SUMMIT W	THE		RED OR BLACK STERLING	\$435.00 \$435.00	\$45,885.00			
				DOWNPOUR OR	\$435.00 \$435.00	\$45,885.00 \$45,885.00			
				THUNDERSTORM	φ435.00	ψ 4 0,000.00			
	Additional Vehicle Information (Vendor Notes)								

Delivery Time After Receipt of Order	l L	Da Da	ıys	or	Weeks

Bidder (Vendor) Contact Person Contact's Telephone Item # 17B						47D			
	NOR MOTORS		Contact Person Contact's Telephone Ite JOHN MYNAHAN 207-592-0105		iten	11 #	17B		
550N		3011	A STEED AND LAND	201-002-01					
Е	stimated Quantity:	UN	IKNOWN	Cla	ss-Spec#:		240		
GENER	AL DESCRIPTION	Full S		y, 4 x 4, Standard Cat ditioning, Cruise Cont			ansmissio	ı, Air	
Option Code			SPE	CIFICATIONS					
X	AIR CONDITIONIN	G							
X	AUXILIARY POWE	R SOURCE							
G80	AXLE REAR: Tracti	on Lock			Provide A	xle Ratio:	3.	42	
X	BATTERY: Heavy du	ıty, highest (CCA and reserve time a	vailable	Pro	vide CCA:	7.	30	
X	BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING								
X	BUMPER, FRONT: factory installed								
XX	BUMPER, REAR: Step and Tow, factory installed								
X	CARGO BOX: 8' Be	d, Style Side							
X	CRUISE CONTROL:	Factory ins	talled						
K05	ENGINE BLOCK HE	EATER, facto	ory installed if available	;					
X	ENGINE COOLER:	Heavy Duty,	factory installed						
	ENGINE: Gasoline				Turbo-	Yes or No:	Y	ES	
	Provide Number of	Cylinders:	4		Provide Ho	rse Power:	3	10	
	Provide Number	r of Liters:	2.7	Provide Fo	oot Pounds	of Torque:	4	30	
X	FLOOR: Rubber, If	Available, fa	ctory installed						
X	FUEL CAPACITY:			F	Provide Fuel	Capacity:	28	3G	
X	GLASS: Tinted								
	GVWR: 6700-73001	bs.		Provide	Provid	le GVWR: D GVWR:		000 500	
ZLQ	LUMBAR ADJUSTN	/IENT: Driv	er's Seat FORCES	FLEET CONV GROU	P AND POV	VER SEAT			
X	MIRRORS: Dual Ou	tside, Swing	Away Style, Low Mou	nted, 8" x 5" Minimum,	Inside Day/	Night			
	PAYLOAD:				Provide	e Payload:	22	99	
X	POWER LOCKS & V	VINDOWS							
X	RADIO: AM/FM, wi	th Clock, fac	tory installed						
X	SEATS, FRONT: clo	th, split bene	ch 60/40 or 40/20/40 w	ith flip down console					
NZZ	SKID PLATES: factor	ory installed	if available						
X	STABILIZER BARS:	Front							
X	STEERING: Power v	with Tilt Wh	eel						
X	TIRE, SPARE: Full S	Size, Mounte	d Under Vehicle, OEM	[
X	TIRES: Minimum LT from factory, All Terr			Provide Size and Lo	oad Range:	LT	26570R1	7C	
X	TOW HOOKS: front	, factory inst	alled						
Z82	TOWING PACKAGE		stalled to include drop	receiver Prov	vide Towing	Capacity:	92	00	
X	TRANSMISSION: A	utomatic		Provide Number of	Transmissio	on Speeds:		8	
X			xiliary or external facto						
X	WHEEL BASE: 133			•	Provide W	heel Base:	14	0"	
			Vehicle Descri	ption and Pricing		•			
٧	ear	Make	veinde besch	Model		1	Unit	Cost	
	124	GMC		TK10903	}			50.00	
							V . • , ·	-	
Standard	Colors Available at f	No Additiona	I Charge		/ailable for a				
				Color	Additiona			By Color	
				SEO/TGK	\$396			46.00	
	SUMMIT WI	HITE		RED OR BLACK	\$438			85.00	
				STERLING DOWNPOUR OR	\$43			85.00	
				THUNDERSTORM	\$43	5.00	\$45,8	85.00	
Additional Vehicle Information (Vendor Notes)									

		_	
Delivery Time After Receipt of Order	Davs	or	Weeks

Bio	dder (Vendor)	Contact Pers	on	Contact's Teleph	ione	Iten	n #	17C		
	NOR MOTORS	JOHN MYNA	HAN	207-592-010						
E	stimated Quantity	UNKNOV	VN	Clas	s-Spec#:		240			
GENER	AL DESCRIPTION	Full Size Picku		y, 4 x 4, Standard Cab, ditioning, Cruise Contro			ansmissio	n, Air		
Option Code			SPE	CIFICATIONS						
X	AIR CONDITIONI	NG								
X	AUXILIARY POW	ER SOURCE								
G80	AXLE REAR: Trac	tion Lock			Provide Ax	le Ratio:	3	.42		
X	BATTERY: Heavy	duty, highest CCA and re	serve time a	vailable	Provi	de CCA:	7	30		
X	BLUETOOTH TEC	HNOLOGY FOR HAND	OS FREE CE	ELL PHONE CALLING		-				
x	BUMPER, FRONT:	factory installed								
XX	BUMPER, REAR:	Step and Tow, factory in:	stalled							
X	CARGO BOX: 8' B	ed, Style Side								
X	CRUISE CONTRO	L: Factory installed								
K05	ENGINE BLOCK I	IEATER, factory installe	d if available	•						
X	ENGINE COOLER	Heavy Duty, factory ins	stalled							
	ENGINE: Gasoline				Turbo-Y	es or No:	Y	ES		
	Provide Number o									
	Provide Numb	er of Liters: 2	.7	Provide Fo	ot Pounds of	Torque:	4	30		
X	FLOOR: Rubber, If	Available, factory instal	led							
X	FUEL CAPACITY:			Pr	ovide Fuel C	Capacity:	2	8G		
X	GLASS: Tinted									
	GVWR: 6700-7300	lbs.		Provide (Provide COMBINED	GVWR:		900		
ZLQ	LUMBAR ADIUST	MENT: Driver's Seat	FORCES	FLEET CONV GROUP						
X				nted, 8" x 5" Minimum, I						
	PAYLOAD:	awae, smig rriay siyi	e, 2011 11100		Provide		2	299		
X	POWER LOCKS &	WINDOWS			1101100	,				
X		vith Clock, factory install	ed							
X		loth, split bench 60/40 or		ith flip down console						
NZZ		tory installed if available								
X	STABILIZER BAR	-								
X	STEERING: Power	with Tilt Wheel								
X	TIRE, SPARE: Full	Size, Mounted Under V	ehicle, OEM	[
X	TIRES: Minimum I from factory, All Te	T, Load Range C or D is	f available	Provide Size and Loa	ad Range:	LT	26570R1	1 7C		
X	TOW HOOKS: from	nt, factory installed								
Z82	TOWING PACKAC	GE: Factory installed to i	nclude drop	receiver Provi	ide Towing C	Capacity:	92	200		
X	TRANSMISSION:	Automatic		Provide Number of T	Fransmission	Speeds:		8		
X		OOLER: Auxiliary or e	xternal facto			· F - 2400				
X	WHEEL BASE: 13			-	Provide Wh	eel Base:	14	40''		
		Vahi	iala Danari	ntion and Drining		-				
V.	ear	Make	POLE DESCU	ption and Pricing Model		T	Hei	Cost		
)24	GMC		TK10903				450.00		
20		OIN O		11(10303			ψ40,	.55.55		
Standard	l Colors Available at	No Additional Charge	1	Colors Ava	ailable for an	Additiona	l Charge			
				Color	Additional	Charge	Unit Cos	t By Color		
				SEO/TGK	\$396.	00	\$45,8	346.00		
	SUMMIT W	/HITE		RED OR BLACK	\$435.	00		385.00		
				STERLING	\$435.	00	\$45,8	385.00		
				DOWNPOUR OR THUNDERSTORM	\$435.	00	\$45,8	385.00		
·		Additional	/ahiala Infe	ormation (Vendor Note						

Delivery Time After Receipt of Order	1	Davs	or	Weeks

Bio	ider (Vendor)	Contact	Person	Contact's Telep	m #	17D	
	NOR MOTORS	JOHN M	/NAHAN	207-592-01			
E	stimated Quantity:	UNKN	OWN	Cla	ss-Spec#:	240	
GENER	AL DESCRIPTION	Full Size P		ty, 4 x 4, Standard Cat ditioning, Cruise Cont		ransmission, /	Air
Option Code			SPE	CIFICATIONS			
X	AIR CONDITIONIN	IG					
X	AUXILIARY POWI	ER SOURCE					
G80	AXLE REAR: Tract	ion Lock			Provide Axle Ratio	3.23	;
X	BATTERY: Heavy d	uty, highest CCA a	nd reserve time a	vailable	Provide CCA	: 730	
X	BLUETOOTH TEC	HNOLOGY FOR H	IANDS FREE CE	ELL PHONE CALLING		•	
x	BUMPER, FRONT:	factory installed					
XX	BUMPER, REAR: S	Step and Tow, facto	ry installed				
X	CARGO BOX: 8' B	ed, Style Side					
X	CRUISE CONTROL	: Factory installed					
K05	ENGINE BLOCK H	EATER, factory ins	stalled if available	е			
X	ENGINE COOLER:	Heavy Duty, facto	ry installed				
	ENGINE: Gasoline			_	Turbo-Yes or No	: YES	;
	Provide Number of	f Cylinders:	8		Provide Horse Power	: 355	
	Provide Numbe	er of Liters:	5,3	Provide Fo	oot Pounds of Torque	: 383	
X	FLOOR: Rubber, If	Available, factory i	nstalled				
X	FUEL CAPACITY:			F	Provide Fuel Capacity	: 28G	ř
X	GLASS: Tinted						
	GVWR: 6700-7300	lbs.		Provide	Provide GVWR COMBINED GVWR		
ZLQ	LUMBAR ADJUST	MENT: Driver's Se	at FORCES	FLEET CONV GROU	P AND POWER SEA	T.	
X	MIRRORS: Dual O	utside, Swing Away	Style, Low Mou	inted, 8" x 5" Minimum,	Inside Day/Night		
	PAYLOAD:				Provide Payload	: 2299)
X	POWER LOCKS &	WINDOWS					
X	RADIO: AM/FM, w	ith Clock, factory i	nstalled				
X	SEATS, FRONT: cl	oth, split bench 60/	40 or 40/20/40 w	rith flip down console			
NZZ	SKID PLATES: fac	tory installed if ava	lable				
X	STABILIZER BARS	: Front					
X	STEERING: Power	with Tilt Wheel					
X	TIRE, SPARE: Full	Size, Mounted Und	ler Vehicle, OEM	ſ			
X	TIRES: Minimum L from factory, All Ter	,	r D if available	Provide Size and Lo	oad Range: L	T26570R170	(7
X	TOW HOOKS: from	t, factory installed					
Z82	TOWING PACKAG hitch & 7 pin wiring		d to include drop	receiver Prov	vide Towing Capacity	9500)
X	TRANSMISSION: A	Automatic		Provide Number of	Transmission Speeds	: 10	
X	TRANSMISSION C		or external facto		<u>*</u>	1	
X	WHEEL BASE: 133	3" - 145"			Provide Wheel Base	: 140'	•
			Vehicle Descri	ption and Pricing			
Ye	ear	Make		Mode l		Unit Co	ost
20	24	GMC		TK10903	}	\$48,250	0.00
Standara	Colors Available at	No Additional Cha	rne	Colore A	/ailable for an Additio	nal Chargo	
Januar	OJOIS AVAIIADIE AL	No Additional Cha	195	Color	Additional Charge	Unit Cost B	v Color
				SEO/TGK	\$396.00	\$48,646	
	SUMMIT W	HITE		RED OR BLACK	\$435.00	\$48,685	
	CONNITT			STERLING	\$435.00	\$48,685	
				DOWNPOUR OR	\$435.00	\$48,685	
				THUNDERSTORM	*	Ψ 10,000	
		Additio	nal Vehicle Info	ormation (Vendor No	tes)		

Delivery Time After Receipt of Order	1	Davs	or	Weeks

Bio	dder (Vendor)	Co	entact Person	Contact's Telephon	e Iter	n# 17E
	NOR MOTOR	S JOH	N MYNAHAN	207-592-0105	110.	
E	stimated Quant	ity: UI	NKNOWN	Class-	Spec#:	240
GENER	AL DESCRIPTIC	ON Full S		ity, 4 x 4, Standard Cab, 8' nditioning, Cruise Control,		ansmission, Air
Option Code			SPE	CIFICATIONS		
X	AIR CONDITIO	NING				
X	AUXILIARY PO	WER SOURCE				
G80	AXLE REAR: T	raction Lock		P	rovide Axle Ratio:	3.23
X	BATTERY: Heav	vy duty, highest (CCA and reserve time	available	Provide CCA:	730
X	BLUETOOTH T	ECHNOLOGY I	FOR HANDS FREE C	ELL PHONE CALLING		
х	BUMPER, FRON	NT: factory insta	lled			
XX	BUMPER, REAF	R: Step and Tow	, factory installed			
X	CARGO BOX: 8	Bed, Style Side	,			
X	CRUISE CONTR	ROL: Factory ins	stalled			
K05	ENGINE BLOCK	K HEATER, fact	ory installed if availab	le		
X	ENGINE COOLI	ER: Heavy Duty	, factory installed			
	ENGINE: Gasol:	ine			Turbo-Yes or No:	YES
	Provide Numbe	r of Cylinders:	8	Pro	vide Horse Power:	355
	Provide Nu	mber of Liters:	5.3	Provide Foot	Pounds of Torque:	383
X	FLOOR: Rubber	, If Available, fa	ctory installed			
X	FUEL CAPACIT	Y:		Prov	ide Fuel Capacity:	28G
X	GLASS: Tinted					
	GVWR: 6700-73	300 lbs.		Provide CO	Provide GVWR:	6900 15000
ZLQ	LUMBAR ADJU	STMENT: Driv	ar's Saat FODCES	FLEET CONV GROUP A		
X				unted, 8" x 5" Minimum, Ins		
A	PAYLOAD:	r Outside, Swillig	, Away Btyle, Low Mo	uned, 6 x 5 ivinimum, ms	Provide Payload:	2299
X	POWER LOCKS	& WINDOWS			Trovide Layload.	2200
X	RADIO: AM/FM		etory installed			
X			-	vith flip down console		
NZZ	SKID PLATES:			viai inp do viii console		
X	STABILIZER BA	-	n available			
X	STEERING: Pov		eel			
X			ed Under Vehicle, OEN	м		
X	TIRES: Minimus from factory, All		ge C or D if available Road	Provide Size and Load	Range: LT	C26570R17C
X	TOW HOOKS: 1	front, factory inst	alled			
Z82	TOWING PACK		nstalled to include drop	receiver Provide	Towing Capacity:	9500
X	TRANSMISSION	N: Automatic		Provide Number of Tra	nsmission Speeds	10
X			xiliary or external fact		opecasi	
X	WHEEL BASE:			-	ovide Wheel Base:	140"
			Vehicle Descr	iption and Pricing		
Ye	ear	Make		Model		Unit Cost
)24	GMC		TK10903		\$48,250.00
Standard	d Colors Available	at No Additiona	al Charge		able for an Addition	-
					dditional Charge	Unit Cost By Color
	CURRENT	WHITE		SEO/TGK	\$396.00	\$48,646.00
		service and it is	ı	RED OR BLACK	\$435.00	\$48,685.00
	SUMMIT	WINIE		STEDI NIC	£425.00	040 COE OO
	SOMMIT	WHILE		STERLING DOWNPOUR OR	\$435.00 \$435.00	\$48,685.00 \$48,685.00

		_	
Delivery Time After Receipt of Order	Davs	or	Weeks

Bid	der (Vendor)	Cor	tact Person	Contact's Teleph	one	Item		17F
OCON	NOR MOTORS	JOHN	I MYNAHAN	207-592-010)5			1
Es	stimated Quantity:	UN	KNOWN	Clas	s-Spec#:		240	
GENERA	AL DESCRIPTION	Full S		ity, 4 x 4, Standard Cab, nditioning, Cruise Contro			nsmissio	n, Air
Option Code			SPE	CIFICATIONS				
X	AIR CONDITIONIN	IG						
X	AUXILIARY POWE	ER SOURCE						
G80	AXLE REAR: Tract	ion Lock			Provide Ax	le Ratio:	3.	.23
X	BATTERY: Heavy d	uty, highest C	CA and reserve time	available	Provid	de CCA:	7	30
X	BLUETOOTH TECH	HNOLOGY F	OR HANDS FREE C	ELL PHONE CALLING		'		
	BUMPER, FRONT:	factory install	ed					
XX	BUMPER, REAR: S	Step and Tow,	factory installed					
X	CARGO BOX: 8' Be	ed, Style Side						
X	CRUISE CONTROL	: Factory inst	alled					
K05	ENGINE BLOCK H	EATER, facto	ry installed if availabl	e				
X	ENGINE COOLER:	Heavy Duty,	factory installed					
	ENGINE: Gasoline				Turbo-Ye	es or No:	Y	ES
	Provide Number of	Cylinders:	8	P	rovide Horse	Power:	3	55
	Provide Numbe	er of Liters:	5.3	Provide Foo	ot Pounds of	Torque:	3	83
X	FLOOR: Rubber, If	Available, fac	tory installed					
X	FUEL CAPACITY:			Pr	ovide Fuel C	apacity:	2	8G
X	GLASS: Tinted					•		
	GVWR: 6700-7300	lbs.		Provide C	Provide COMBINED	⊢		900 000
ZLQ	LUMBAR ADJUSTN	MENT: Drive	r's Seat FORCES	FLEET CONV GROUP	AND POWE	ER SEAT		
	MIRRORS: Dual Ou	itside, Swing	Away Style, Low Mo	unted, 8" x 5" Minimum, I	nside Day/Ni	ght		
	PAYLOAD:				Provide l	Payload:	22	299
X	POWER LOCKS &	WINDOWS						
X	RADIO: AM/FM, w	ith Clock, fact	ory installed					
X	SEATS, FRONT: clo	oth, split benc	h 60/40 or 40/20/40 v	vith flip down console				
NZZ	SKID PLATES: fact	ory installed i	favailable					
X	STABILIZER BARS	Front						
X	STEERING: Power	with Tilt Whe	el					
X	TIRE, SPARE: Full	Size, Mounted	l Under Vehicle, OEN	М				
	TIRES: Minimum L' from factory, All Terr			Provide Size and Loa	ad Range:	LT2	26570R1	.7C
X	TOW HOOKS: from	t, factory insta	lled					
	TOWING PACKAG		talled to include drop	receiver Provi	de Towing C	apacity:	95	500
	TRANSMISSION: A			Provide Number of T	Francmission	Speeds	1	10
	TRANSMISSION CO		iliary or external facto			~pecus.		
	WHEEL BASE: 133		, or external factor	-	Provide Who	eel Base:	14	40"
			Vohiola Danii	iption and Pricing				
Ye	ar I	Make	Venicle Descr	Model			Linit	Cost
20		GMC		TK10903				250.00
	Colors Available at		Charge		ailable for an	Additional		.50.00
				Color	Additional (Charge	Unit Cos	t By Color
				SEO/TGK	\$396.0			646.00
	SUMMIT W	HITE		RED OR BLACK	\$435.0			85.00
						_		
				STERLING	\$435.0	00	\$48,6	85.00
				STERLING DOWNPOUR OR THUNDERSTORM	\$435.0 \$435.0			685.00 685.00

Delivery Time After Receipt of Order	L	Days	or	Weeks

Estimated Quantity: GENERAL DESCRIPTION Full Size Pickup, Light Duty, 4 v4, Quad Cab, 6-7 Box, Automatic Transmission, Air Conditioning Croise Control, Till Steering Option SPECIFICATIONS X AIR CONDITIONING XX AUXILIARY POWER SOURCE G80 AXLE REAR Traction Lock Provide Axle Ratio AXLE REAR Traction Transmission, Air Conditioning Croise Control, Till Steering X BATTERY: Heavy duty, highest CCA and reserve time available Provide CCA; 730 X BLUETOOTH TECHNOLOGY FOR HANDS PREE CELL PHONE CALLING X BUMPER, REAR Step and Two, Factory installed X GARGO BOX, 6-7 Bed, Syle Side Provide Bed Length: 6.5 X CRUSE CONTROL. Factory installed Croise Control of Control	В	Bidder (Vendor) Contact Person Contact's Telephone Item # 18A								
GENERAL DESCRIPTION Full Size Pickup, Light Duty, 4 x 4, Quad Cab, 6-7 Box, Automatic Transmission, Air Conditioning Cruise Control. Till Steering SPECIFICATIONS X AIR CONDITIONING XX AUXILIARY POWER SOURCE G80 AXLE REAR: Traction Lock Provide Atle Ratio: 3.42 X BATTERY, Heavy duty, highest CCA and reserve time available Provide CCA: 730 X BLUETOOTH TECHNOLOGY FOR RANDS FREE CELL PHONE CALLING BUMPER, REAR. Sign and Tow, Factory installed X CARGO BOX: 6-7 Bed, Syle Side Provide Bed Length: 6.5 X CRUISE CONTROL. Factory installed X DOORS: Four K05 ENGINE BLOCK HEATER, Factory Installed (if available) X ENGINE COLER: Heavy Duty, Factory Installed ENGINE Gasoline Turbe-Yes or Not Provide Number of Cylinders: 4 Provide Foot Founds of Torque: 430 X FLOOR. Rabber, If Available, Factory Installed X FUEL CAPACITY: Provide Foot Founds of Torque: 430 X FLOOR Rabber, If Available, Factory Installed X GUNR: 6900 - 7330 lbs. Provide GVMR: 7000 X GUNR: 6900 - 7330 lbs. Provide GVMR: 14500 X GUNR: 6900 - 7330 lbs. Provide GVMR: 14500 X GUNR: 6900 - 7350 lbs. Provide GVMR: 14500 X MIRRORS Dual Outside, Swing Away Style, Low Mounted, 8* x 5* Minimum, Inside Day/Night X PAYLOAD Provide Swing Away Style, Low Mounted, 8* x 5* Minimum, Inside Day/Night X PAYLOAD Provide Minimum LT, Load Range E, All Terrain/On-Off Road X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 69040 or 40/20/40 with flip down console X SEATS, FRONT: cloth, split bench 69040 or 40/20/40 with flip down console X TIRES Minimum LT, Load Range E, All Terrain/On-Off Road X TRANSMISSION Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION COOLER: Auxcliary or external factory installed X WHEEL BASE: 140°-148° Provide Wheel Base: 1417	OCON	NOR MOT	ORS	JOHN MYNA	HAN	207*592-01	05			
Option Option SPECIFICATIONS XX AIR CONDITIONING XX AUXILIARY POWER SOURCE (580 AXLE REAR. Traction Lock Provide Asle Ratio: 3.42 X BATTERY. Heavy duty, highest CCA and reserve time available Provide CCA: 730 X BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X BUMPER, FRONT. Factory installed X CARGO BOX. 6:-7 Bed, Style Side Provide Bed Length: 6.5 X CRUISE CONTROL. Factory installed X DOORS: Four College Control. Four Style Side Provide Bed Length: 6.5 X CRUISE CONTROL. Factory installed X DOORS: Four Body Style Side Provide Bed Length: 6.5 X CRUISE CONTROL. Factory installed X DOORS: Four Body Four Style Style Provide Foot Pounds of Torque: 1.5 X ENGINE BLOCK HEATER, Factory Installed ENGINE Gasoline Turbo-Yes or No: 1.5 X Provide Number of Liters: 2.7 Provide Foot Pounds of Torque: 1.30 X FLOOR Rubber, If Available, Factory Installed X FUEL CAPACITY: Provide Foot Pounds of Torque: 1.30 X FLOOR Rubber, If Available, Factory Installed X GLASS Touted X MIRRORS Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD Provide Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD X POWER LOCKS & WINDOWS X RADIO AMFRA, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, spit bench 6040 or 40/20/40 with flip down console X SEATS, FRONT: cloth, spit bench 6040 or 40/20/40 with flip down console X TIRE, SPARE Full Size Mounted Under Vehicle, OEM X TIRE, SPARE Full Size Mounted Under Vehicle, OEM X TIRE, SPARE Full Size Mounted Under Vehicle, OEM X TRANSMISSION: Automatic Provide Number of Transmission Speeds; 8 X TRANSMISSION: Automatic Provide Number of Transmission Speeds; 8 X TRANSMISSION: Automatic Provide Number of Transmission Speeds; 8 X TRANSMISSION: COLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Number of Transmission Speeds; 8		Estimated Q	uantity:	UNKNOV	VN	Cla	ss-Spec#:		241	
XX ALICONDITIONING XXX AUXILLARY POWER SOURCE G80 AXLE REAR. Traction Lock Provide Asle Ratio: XX BATTERY. Heavy duty, highest CCA and reserve time available Provide CCA: XX BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING XX BUMPER, REAR: Step and Tow, Factory Installed XX GARGO BOX: 6-7 Bed, Style Side Provide Bed Length: XX CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: XX CRUSE CONTROL. Factory installed XX DOORS: Four XX DOORS: Four XX ENGINE BLOCK HEATER, Factory Installed (if available) XX ENGINE COCK HEATER, Factory Installed XX Provide Number of Cylinders: XX ENGINE Gasoline Turbo-Yes or Not. XX ELOOR. Rubber, if Available, Factory Installed XX FUEL CAPACITY: XX ELOOR Rubber, if Available, Factory Installed XX FUEL CAPACITY: XX GLASS. Tinted XX GVWR: 6900 - 7350 lbs. XX GVWR: 6900 - 7350 lbs. XX Provide COMBINED GWWR: XX PAYLOAD. XX SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console XX SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console XX STEERING: Power with Till Wheel XX TIRES Minimum LT, Load Range E, All Terrain/On-Off Provide Size and Load Range: XX TRANSMISSION: Automatic Provide Number of Transmission Speeds: XX WHEEL BASE: 140°-148° Provide Number of Trans	GENER	RAL DESCRIF	TION	Full Size Pickup, Ligh	nt Duty, 4 x			c Transmiss	sion, Air Co	onditioning,
AXX AUXILIARY POWER SOURCE G80 AXLE REAR Traction Lock BATTERY: Heavy duty, highest CCA and reserve time available Rock BATTERY: Heavy duty, highest CCA and reserve time available X BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X BUMPER, FRONT: Factory installed X BUMPER, REAR: Step and Tow, Factory Installed X CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: CARGO BOX: 6-7 Bed, Style Side Provide Foot Pounds of Torque: AND Provide Foot Pounds of Torque: AND Provide Foot Pounds of Torque: AND Floor Rubber, If Available, Factory Installed X FUEL CAPACITY: Provide Foot Pounds of Torque: AND GLASS Timed CARGO BOX: 6-7 Bed, Style Side Provide COMBINED GWR: AND GLASS Timed CARGO BOX: 6-7 Bed, Style Side Provide COMBINED GWR: AND CARGO BOX: 6-7 Bed, Style Side AND Floor Rubber, If Available, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench fold One 40/20/40 with flip down censole XZZ SKID PLATES: Factory Installed X SEATS, FRONT: cloth, split bench fold One 40/20/40 with flip down censole X SEATS, FRONT: cloth, split bench fold One 40/20/40 with flip down censole X SEATS, FRONT: cloth, split bench fold One 40/20/40 with flip down censole X SEATS, FRONT: cloth, split bench fold Down X SEATS, FRONT: cloth, split bench fold One 40/20/40 with flip down censol					SPEC	CIFICATIONS				
AXLE REAR: Traction Lock AXLE REAR: Tractio	X	AIR CONDIT	IONING							
X BATTERY: Heavy duty, highest CCA and reserve time available Provide CCA: 730 X BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X BUMPER, REARS Step and Tow, Factory installed X BUMPER, REARS Step and Tow, Factory installed X CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: 6.5 X CRUISE CONTROL: Factory installed X DOORS: Four K05 ENGINE BLOCK HEATER, Factory Installed (if available) X ENGINE COOLER: Heavy Duty, Factory Installed ENGINE: Gasoline Turbo-Yes or No: YES Provide Number of Cylinders: 4 Provide Horse Power: 310 Provide Number of Cylinders: 4 Provide Foot Pounds of Torque: 430 X FLOOR, Rubber, if Available, Factory Installed X FUEL CAPACITY: Provide Foot Pounds of Torque: 430 X GLASS: Timed X GLASS: Timed X GWR: 6900 - 7350 lbs. Provide GVWR: 7000 GWR: 6900 - 7350 lbs. Provide COMBINED GWR: 14500 ZLQ LUMBAR ADJUSTMENT: Driver's Seat X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8° x 5° Minimum, Inside Day/Night X PAYLOAD: Provide Payload: 2181 X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Provide Size and Load Range: LT26570R17C Road X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION: OOLER: Auxeliary or external factory installed X WHEEL BASE: 140°-148" Provide Wheel Base: 147	XX	AUXILIARY	POWER	SOURCE						
X BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X BUMPER, FRONT: Factory installed X BUMPER, FRONT: Factory installed X CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: 6.5 X CRUISE CONTROL. Factory installed X DOORS: Four K05 ENGINE BLOCK HEATER, Factory Installed (if available) X ENGINE COLER: Heavy Duty, Factory Installed ENGINE: Gasoline Turbo-Yes or No: YES Provide Number of Cylinders: 4 Provide Foot Pounds of Torque: 430 Y FLOOR Rubber; If Available, Factory Installed X FUEL CAPACITY: Provide Foot Pounds of Torque: 430 X GLASS: Timed X GVWR: 6900 - 7350 lbs. Provide GVWR: 7000 ZLQ LUMBAR ADJUSTMENT: Driver's Seat X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8* x 5* Minimum, Inside Day/Night X PAYLOAD: Provide SwinDOWS X RADIO: AM/FM, with Clock, Factory Installed X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console XID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM X TOW HOOKS: Front, Factory Installed X TIRES, SMinimum LT, Load Range E, All Terrain/On-Off Provide Number of Transmission Speeds: 8 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148* Provide Wheel Base: 147	G80	AXLE REAR:	Traction	ı Lock			Provide A	Axle Ratio:	3.	42
X BUMPER, FRONT: Factory installed X BUMPER, REAR: Step and Tow, Factory Installed X CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: 6.5 X CRUISE CONTROL: Factory installed X DOORS: Four K05 ENGINE BLOCK HEATER, Factory Installed (if available) X ENGINE COOLER: Heavy Duty, Factory Installed ENGINE: Gasoline Turbo-Yes or No: YES Provide Mumber of Cylinders: 4 Provide Horse Power: 310 Provide Number of Liters: 2.7 Provide Foot Pounds of Torque: 430 X FLOOR Rubber, if Available, Factory Installed X FUELC CAPACITY: Provide Foot Pounds of Torque: 430 X GLASS: Tinted X GLASS: Tinted X GVWR: 6900 - 7350 lbs. Provide COMBINED GVWR: 7000 X GWR: 6900 - 7350 lbs. Provide COMBINED GVWR: 14500 X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Night End Cover Seatory Installed X FAILOR AND AMPM, with Clock, Factory Installed X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console XID PLATES: Factory Installed X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console XID PLATES: Factory Installed X TIRES, Minimum LT, Load Range E, All Terrain/On-Off Provide Size and Load Range: LT26570R17C Road X TOW HOOKS: Front, Factory installed X TIRES, Minimum LT, Load Range E, All Terrain/On-Off Provide Number of Transmission Speeds: 8 X TRANSMISSION Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	BATTERY: H	leavy duty	, highest CCA and rese	rve time ava	ilable	Pro	vide CCA:	7.	30
X BUMPER, REAR. Step and Tow, Factory Installed X CARGO BOX. 6-7 Bed, Style Side Provide Bed Length: 6.5 X CRUISE CONTROL: Factory installed X DOORS: Four K05 ENGINE BLOCK HEATER, Factory Installed ENGINE: Gasoline Provide Number of Cylinders: Provide Number of Liters: 2.7 Provide Foot Pounds of Torque: 430 X FLOOR: Rubber, If Available, Factory Installed X FUEL CAPACITY: Provide Foot Pounds of Torque: 430 X GLASS: Tinted X GVWR: 6900 - 7350 lbs. Provide GVWR: 7000 AVR: 6900 - 7350 lbs. Provide COMBINED GVWR: 7000 CLQ LUMBAR ADJUSTMENT: Driver's Seat X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD Provide Payload: 2181 X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console XZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM X TRES, Minimum LT, Load Range E, All Terrain/On-Off Provide Size and Load Range: LT26570R17C Road X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	BLUETOOTH	I TECHN	OLOGY FOR HANDS	FREE CELI	. PHONE CALLING				
X CARGO BOX: 6-7 Bed, Style Side Provide Bed Length: 6.5 X CRUISE CONTROL: Factory installed X DOORS: Four K05 ENGINE BLOCK HEATER, Factory Installed (if available) X ENGINE BLOCK HEATER, Factory Installed (if available) X ENGINE GLOCK HEATER, Factory Installed ENGINE: Gasoline Turbo-Yes or No: YES Provide Number of Cylinders: 4 Provide Horse Power: 430 X FLOOR: Rubber, If Available, Factory Installed X FLOOR: Rubber, If Available, Factory Installed X FUEL CAPACITY: Provide Foot Pounds of Torque: 430 X GLASS: Tinted X GLASS: Tinted X GVWR: 6900 - 7350 lbs. Provide COMBINED GVWR: 7000 X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console XZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRES, SPARE: Full Size Mounted Under Vehicle, OEM X TIRES, Minimum LT, Load Range E, All Terrain/On-Off Road X TOW HOOKS: Front, Factory Installed X TOW HOOKS: Front, Factory installed to include drop receiver hitch Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION: COLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	BUMPER, FR	ONT: Fa	ctory installed						
X CRUISE CONTROL: Factory installed X DOORS: Four K05 ENGINE BLOCK HEATER, Factory Installed (if available) X ENGINE COOLER: Heavy Duty, Factory Installed ENGINE: Gasoline Provide Number of Cylinders: Provide Number of Cylinders: Provide Number of Liters: Provide Foot Pounds of Torquet 430 X FLOOR: Rubber, If Available, Factory Installed X FUEL CAPACITY: Provide Fuel Capacity: Provide GVWR: GLASS: Timted X GLASS: Timted X GLASS: Timted X GLASS: Timted X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8* x 5* Minimum, Inside Day/Night X PAVLOAD Provide COMBINED GVWR: Provide Payload: Provide Payload: Provide Payload: Provide Payload: Provide Payload: Provide Payload: TRES: Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road X TOW HOOKS: Front, Factory Installed X TRANSMISSION: Automatic Provide Number of Transmission Speeds: X TRANSMISSION: Automatic Provide Number of Transmission Speeds: X TRANSMISSION: Automatic Provide Number of Transmission Speeds: X TRANSMISSION: Automatic Provide Wheel Base: 147	X	BUMPER, RE	EAR: Step	and Tow, Factory Inst	alled					
X DOORS: Four K05 ENGINE BLOCK HEATER, Factory Installed (if available) X ENGINE COOLER: Heavy Duty, Factory Installed ENGINE: Gasoline Provide Number of Cylinders: Provide Number of Cylinders: Provide Number of Liters: 2.7 Provide Foot Pounds of Torque: 430 X FLOOR: Rubber, if Available, Factory Installed X FUEL CAPACITY: Provide Foot Pounds of Torque: 430 X GLASS: Tinted X GLASS: Tinted X GLASS: Tinted X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide COMBINED GVWR: Provide Payload: X PAYLOAD: Provide Payload: Provide Payload: X PAYLOAD: Provide Payload: X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed X TRANSMISSION: Automatic Provide Number of Transmission Speeds: X TRANSMISSION: Automatic Provide Number of Transmission Speeds: X TRANSMISSION: Automatic Provide Number of Transmission Speeds: X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	CARGO BOX	: 6'-7' Be	d, Style Side			Provide B	ed Length:	6	.5
KOS ENGINE BLOCK HEATER, Factory Installed (if available) X ENGINE COOLER: Heavy Duty, Factory Installed ENGINE: Gasoline Provide Number of Cylinders: Provide Number of Liters: A Provide Foot Pounds of Torque: 430 X FLOOR: Rubber, if Available, Factory Installed X FUEL CAPACITY: Provide Fuel Capacity: X GLASS: Timed X GVWR: 6900 - 7350 lbs. Provide COMBINED GVWR: Yervide COMBINED GVWR: TOUBLE Provide Payload: X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Payload: X PAYLOAD: Provide Payload: X PAYLOAD: Provide Payload: X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SKID PLATES: Factory Installed X TIRE, SPARE: Fall Size Mounted Under Vehicle, OEM X TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road TOW HOOKS: Front, Factory Installed TOW HOOKS: Front, Factory Installed TOWNG PACKAGE: Fa	X	BUMPER, FRONT: Factory installed BUMPER, REAR: Step and Tow, Factory Installed CARGO BOX: 6-7' Bed, Style Side Provide Bed Leng CRUISE CONTROL: Factory installed DOORS: Four ENGINE BLOCK HEATER, Factory Installed (if available) ENGINE COOLER: Heavy Duty, Factory Installed ENGINE: Gasoline Turbo-Yes or Provide Number of Cylinders: 4 Provide Horse Pow Provide Number of Liters: 2.7 Provide Foot Pounds of Torce FLOOR: Rubber, If Available, Factory Installed FUEL CAPACITY: Provide Fuel Capace GLASS: Tinted GVWR: 6900 - 7350 lbs. Provide COMBINED GVV LUMBAR ADJUSTMENT: Driver's Seat MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night PAYLOAD: Provide Paylo								
X ENGINE COOLER: Heavy Duty, Factory Installed ENGINE: Gasoline Provide Number of Cylinders: Provide Number of Liters: 2.7 Provide Foot Pounds of Torque: 430 X FLOOR: Rubber, If Available, Factory Installed X FUEL CAPACITY: Provide Fuel Capacity: 24G X GLASS: Tinted X GVWR: 6900 - 7350 lbs. Provide COMBINED GVWR: A MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: X PAYLOAD: X RADIO: AMFM, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console NZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory Installed TOWING PACKAGE: Factory Installed TOWING PACKAGE: Factory Installed TOWING PACKAGE: Factory Installed TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 TRANSMISSION: COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	DOORS: Fou	r							
ENGINE: Gasoline Provide Number of Cylinders: Provide Number of Liters: Provide Number of Liters: Provide Number of Liters: Provide Number of Liters: Provide Foot Pounds of Torque: 430 X FLOOR: Rubber, If Available, Factory Installed X FUEL CAPACITY: Provide Fuel Capacity: Provide GVWR: GLASS: Tinted X GLASS: Tinted X GVWR: 6900 - 7350 lbs. Provide COMBINED GVWR: Provide COMBINED GVWR: Provide COMBINED GVWR: AMBRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Payload: Provide Payload: Provide Payload: Provide Payload: Provide Payload: Provide Payload: X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console NZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road TOW HOOKS: Front, Factory Installed TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed TOWING PACKAGE: Factory installed TOWING PACKAGE: Factory installed TOWING PACKAGE: Factory installed TRANSMISSION: Automatic Provide Number of Transmission Speeds: X TRANSMISSION: Automatic Provide Number of Transmission Speeds: X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	K05	ENGINE BLO	OCK HEA	TER, Factory Installed	(if available))				
Provide Number of Cylinders: Provide Number of Liters: 2.7 Provide Foot Pounds of Torque: 430 X FLOOR: Rubber, If Available, Factory Installed X FUEL CAPACITY: Provide Fuel Capacity: 24G X GLASS: Tinted X GVWR: 6900 - 7350 lbs. Provide COMBINED GVWR: Provide COMBINED GVWR: A MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Payload: Provide Payload: 2181 X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console NZZ SKID PLATES: Factory Installed X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Provide Size and Load Range: TOW HOOKS: Front, Factory Installed to include drop receiver hitch Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: X TRANSMISSION: COOLER: Auxiliary or external factory installed WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	ENGINE COO	OLER: H	eavy Duty, Factory Insta	alled					
Provide Number of Liters: 2.7 Provide Foot Pounds of Torque: X FLOOR: Rubber, If Available, Factory Installed X FUEL CAPACITY: Provide Fuel Capacity: 24G X GLASS: Tinted X GUWR: 6900 - 7350 lbs. Provide COMBINED GVWR: 7000 X GUWR: 6900 - 7350 lbs. Provide COMBINED GVWR: 14500 ZLQ LUMBAR ADJUSTMENT: Driver's Seat X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Payload: 2181 X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console NZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Provide Size and Load Range: LT26570R17C Road X TOW HOOKS: Front, Factory Installed to include drop receiver hitch Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION: Automatic Provide Number of Transmission Speeds: 147		ENGINE: Ga	soline				Turbo-	Yes or No:	Y.	ES
X FLOOR: Rubber, If Available, Factory Installed X FUEL CAPACITY: Provide Fuel Capacity: 24G X GLASS: Tinted X GLASS: Tinted Y GVWR: 6900 - 7350 lbs. Provide COMBINED GVWR: 14500 ZLQ LUMBAR ADJUSTMENT: Driver's Seat X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD. Provide Payload: 2181 X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console NZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Provide Size and Load Range: LT26570R17C Road X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147		Provide N	umber of	Cylinders:	4		Provide Ho	rse Power:	3	10
X FUEL CAPACITY: Provide Fuel Capacity: 24G X GLASS: Tinted X GLASS: Tinted X GVWR: 6900 - 7350 lbs. Provide GVWR: 7000 ZLQ LUMBAR ADJUSTMENT: Driver's Seat X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Payload: 2181 X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console NZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Provide Size and Load Range: LT26570R17C Road X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch Provide Towing Capacity: 8900 & 7 pin wiring harness X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147		Provid	e Numbe	r of Liters: 2	.7	Provide F	oot Pounds	of Torque:	4.	30
X GLASS: Tinted X GVWR: 6900 - 7350 lbs. Provide GVWR: 7000 Provide COMBINED GVWR: 14500 ZLQ LUMBAR ADJUSTMENT: Driver's Seat X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Payload: 2181 X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console NZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch Provide Towing Capacity: 8900 & 7 pin wiring harness X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	FLOOR: Rub	ber, If Av	ailable, Factory Installe	d					
A GVWR: 6900 - 7350 lbs. Provide COMBINED GVWR: 7000 ZLQ LUMBAR ADJUSTMENT: Driver's Seat X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Payload: 2181 X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console NZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off' Road X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch 8.7 pin wiring harness X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	FUEL CAPAC	CITY:			P	rovide Fuel	Capacity:	24	IG
ZLQ LUMBAR ADJUSTMENT: Driver's Seat X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Payload: 2181 X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console NZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road X TOW HOOKS: Front, Factory Installed TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch & 7 pin wiring harness X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	GLASS: Tint	ed					•		
X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Payload: 2181 X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console NZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road X TOW HOOKS: Front, Factory Installed TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	GVWR: 6900) - 7350 lt	os.		Provide		ŀ		
X MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Payload: 2181 X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console NZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	ZLQ	LUMBAR AL	JUSTME	ENT: Driver's Seat						
X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console NZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147		MIRRORS: I	Oual Outsi	ide, Swing Away Style,	Low Mounte	ed, 8" x 5" Minimum, Ins	side Day/Nig	ght		
X RADIO: AM/FM, with Clock, Factory Installed X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console NZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	PAYLOAD:					Provid	e Payload:	21	81
X SEAT, REAR: Full Width Bench, Fold Down X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console NZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	POWER LOC	KS & WI	NDOWS						
X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console NZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	RADIO: AM/	FM, with	Clock, Factory Installe	d					
NZZ SKID PLATES: Factory Installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	SEAT, REAR	: Full Wi	dth Bench, Fold Down						-
X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	SEATS, FROI	NT: cloth	, split bench 60/40 or 4	0/20/40 with	ı flip down console				
X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM X TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	NZZ	SKID PLATE	S: Factor	y Installed						
TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch Provide Towing Capacity: 8900 TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 TRANSMISSION COOLER: Auxiliary or external factory installed WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	STEERING:	Power wi	th Tilt Wheel						
X TOW HOOKS: Front, Factory Installed TOWING PACKAGE: Factory installed to include drop receiver hitch Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	TIRE, SPARE	: Full Siz	ze Mounted Under Vehi	cle, OEM					
TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X		num LT,	Load Range E, All Terr	ain/On-Off	Provide Size and Lo	oad Range:	LT	26570R1	7C
282 & 7 pin wiring harness X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	тоw ноок	S: Front,	Factory Installed						
XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	Z82			Factory installed to inc	lude drop re	ceiver hitch Prov	vide Towing	Capacity:	89	00
XX TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 140" - 148" Provide Wheel Base: 147	X	TRANSMISS	ION: Auf	omatic		Provide Number of	Transmissi	on Speeds:		8
X WHEEL BASE: 140" - 148" Provide Wheel Base: 147					ernal factory				<u> </u>	
Vehicle Description and Pricing							Provide W	heel Base:	1	47
venicle Description and Fricing				Vohio	la Descrio	tion and Dricing				
Year Make Model Unit Cost	v	par			не пеясыр			I	l Init	Cost
2024 GMC TK10753 \$45,240.00					-		<u> </u>			
2021 01100 11(10700 1040,240:00									ψ+0,2	.0100
Standard Colors Available at No Additional Charge Colors Available for an Additional Charge	Standar	d Colors Avail	able at N	o Additional Charge		Colors A	vailable for	an Addition	al Charge	
Color Additional Charge Unit Cost By Color						Color	Additiona	al Charge	Unit Cost	By Color
						BLACK OR RED	\$43	5.00	\$45,6	75.00
		SUMI	NIT WH	ITE		DOWNPOUR OR THUNDERSTORM	\$43	5.00	\$45,6	75.00
DOWNPOUR OR \$435.00 \$45.675.00						STERLING	\$43	5.00	\$45,6	75.00
SUMMIT WHITE DOWNPOUR OR THUNDERSTORM \$435.00 \$45,675.00 STERLING \$435.00 \$45,675.00						SEO/TGK	\$39	6.00	\$45,6	36.00

Delivery Time After Receipt of Order	Davs	or	Weeks

	Bidder (Vendor) NNOR MOTORS	Contact Pers		Contact's Telephor		Iten	#	18B
	Estimated Quantity:	UNKNOV	VN	Class-	Spec#:		241	
GENE	RAL DESCRIPTION	Full Size Pickup, Ligh	nt Duty, 4 x 4	, Quad Cab, 6'-7' Box, A Cruise Control, Tilt Ste		Transmiss	sion, Air C	Conditionir
Option Code			SPEC	IFICATIONS				
X	AIR CONDITIONING							
XX	AUXILIARY POWER	SOURCE						
G80	AXLE REAR: Traction	ı Lock]	Provide A	xle Ratio:	3	3.42
X	BATTERY: Heavy duty	y, highest CCA and rese	rve time avai	lable	Prov	ide CCA:	,	730
X	BLUETOOTH TECHN	OLOGY FOR HANDS	FREE CELL	PHONE CALLING				
X	BUMPER, FRONT: Fa	actory installed						
X	BUMPER, REAR: Step	p and Tow, Factory Inst	alled					
X	CARGO BOX: 6'-7' Be	ed, Style Side		P	rovide Be	d Length:		6.5
X	CRUISE CONTROL: 1	Factory installed				•		
X	DOORS: Four							
K05	ENGINE BLOCK HEA	TER, Factory Installed	(if available)					
X	ENGINE COOLER: H	eavy Duty, Factory Insta	alled					
	ENGINE: Gasoline				Turbo-	es or No:	3	ÆS
	Provide Number of	Cylinders:	4	Pro	vide Hor	se Power:		310
	Provide Numbe	r of Liters: 2	2.7	Provide Foot	Pounds of	of Torque:		430
X	FLOOR: Rubber, If Av	ailable, Factory Installe	ed					
X	FUEL CAPACITY:			Prov	ide Fuel	Capacity:	2	4G
X	GLASS: Tinted					•		
X	GVWR: 6900 - 7350 lbs. Provide GVWR: 7000 Provide COMBINED GVWR: 14500							
ZLQ	LUMBAR ADJUSTME	ENT: Driver's Seat						
X	+		Low Mounte	d, 8" x 5" Minimum, Inside	Dav/Nig	ht		
X	PAYLOAD:	, - · ·, - · · · · · · · · · · ·		-,		Payload:	2	181
X	POWER LOCKS & WI	INDOWS						
X	RADIO: AM/FM, with	Clock, Factory Installe	d					
X	SEAT, REAR: Full Wi							
X	SEATS, FRONT: cloth	, split bench 60/40 or 4	0/20/40 with	flip down console				
NZZ	SKID PLATES: Factor			r				
X	STEERING: Power wi	-						
X	+	ze Mounted Under Vehi	cle. OEM					
		Load Range E, All Terr		Provide Size and Load	Range:	LT	26570R	17C
X								
X	TOW HOOKS: Front,	Factory Installed						
	-	Factory Installed Factory installed to inc	lude drop rec	eiver hitch Provide	e Towing	Capacity:	8	900
X	TOWING PACKAGE:	Factory installed to inc	lude drop rec	reiver hitch Provide			8	900
X Z82	TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Aut	Factory installed to inc		Provide Number of Tr			8	
X Z82 X	TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Aut	Factory installed to incommunication		Provide Number of Tr	ansmissio			
X Z82 X XX	TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Aut TRANSMISSION COO	Factory installed to incommunication. DLER: Auxiliary or external to the state of	ernal factory	Provide Number of Tr nstalled Pr	ansmissio	on Speeds:		8
X Z82 X XX	TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Aut TRANSMISSION COO	Factory installed to incommunication. DLER: Auxiliary or external to the state of	ernal factory	Provide Number of Tr nstalled Pr ion and Pricing	ansmissio	on Speeds:		8
X Z82 X XX X	TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Aut TRANSMISSION COC WHEEL BASE: 140" -	Factory installed to incommunication of the communication of the communi	ernal factory	Provide Number of Tr nstalled Pricing Model	ansmissio	on Speeds:	Un	8 147 it Cost
X Z82 X XX X	TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Aut TRANSMISSION COC WHEEL BASE: 140" -	Factory installed to incommunication of the communication of the communi	ernal factory	Provide Number of Tr nstalled Pr ion and Pricing	ansmissio	on Speeds:	Un	8
X Z82 X XX X	TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Aut TRANSMISSION COC WHEEL BASE: 140" -	Factory installed to incommunication of the communication of the communi	ernal factory	Provide Number of Tr nstalled Pricing Model	ansmissio	on Speeds:	Un \$45,	8 147 at Cost
X Z82 X XX X	TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Aut TRANSMISSION COO WHEEL BASE: 140" -	Factory installed to incommunication of the communication of the communi	ernal factory	Provide Number of Tr nstalled Provide Number of Tr	ansmissio	n Speeds:	Un \$45, al Charge	8 147 it Cost 240.00
X Z82 X XX X	TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Aut TRANSMISSION COO WHEEL BASE: 140" -	Factory installed to incommunication of the communication of the communi	ernal factory	Provide Number of Tr nstalled Provide Number of Tr	ansmissic rovide W	n Additional	Un \$45, al Charge Unit Co	8 147 it Cost 240.00
X Z82 X XX X	TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Aut TRANSMISSION COC WHEEL BASE: 140" - "Cear 024 ard Colors Available at N	Factory installed to incommunication DLER: Auxiliary or external to the state of t	ernal factory	Provide Number of Tr nstalled Provide Number of Tr nstalled Provide Number of Tr nstalled Provide Number of Tr Model TK10753 Colors Avail Color Avail BLACK OR RED DOWNPOUR OR	ansmissic rovide W able for a Additiona \$435	n Additional Charge	Un \$45, al Charge Unit Co \$45,	8 147 240.00 st By Cold
X Z82 X XX X	TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Aut TRANSMISSION COO WHEEL BASE: 140" -	Factory installed to incommunication DLER: Auxiliary or external to the state of t	ernal factory	Provide Number of Trenstalled Prion and Pricing Model TK10753 Colors Avail BLACK OR RED	ansmissic rovide W	n Additional Charge	Uni \$45, al Charge Unit Co \$45,	8 147 it Cost 240.00

Delivery Time After Receipt of Order	Davs	or	Weeks

Bi	idder (Vendo		Contact Pers	on	Contact's Telep	hone	Iter	n #	18C
OCON	INOR MO	TORS	JOHN MYNA	HAN	207*592-01	05			•
	Estimated (Quantity:	UNKNOW	/N	Cla	ss-Spec#:		241	
GENER	AL DESCRI	IPTION	Full Size Pickup, Ligh	t Duty, 4 x	4, Quad Cab, 6'-7' Bo Cruise Control, Tilt		Transmiss	sion, Air Co	onditioning,
Option Code				SPEC	CIFICATIONS				
X	AIR CONDITIONING								
XX	AUXILIARY	Y POWER	SOURCE						
G80	AXLE REAF	R: Traction	ı Lock			Provide A	Xle Ratio:	3.	42
X	BATTERY:	Heavy duty	, highest CCA and rese	rve time ava	ilable	Pro	vide CCA:	7.	30
X	BLUETOOT	TH TECHN	OLOGY FOR HANDS	FREE CELI	PHONE CALLING				
X	BUMPER, F	RONT: Fa	ectory installed						
X	BUMPER, R	EAR: Step	and Tow, Factory Insta	alled					
X	CARGO BO	X: 6'-7' Be	d, Style Side			Provide B	ed Length:	6	.5
X	CRUISE CO	NTROL: I	Factory installed				!		
X	DOORS: Fo	ur							
K05	ENGINE BL	OCK HEA	TER, Factory Installed ((if available))				
X	ENGINE CO	OOLER: H	eavy Duty, Factory Insta	ılled					
	ENGINE: G	asoline				Turbo-	Yes or No:	Y]	ES
	Provide N	Number of	Cylinders:	4		Provide Ho	rse Power:	3:	10
	Provi	de Numbe	r of Liters: 2	.7	Provide F	oot Pounds	of Torque:	43	30
X	FLOOR: Ru	ibber, If Av	ailable, Factory Installe	d					
X	FUEL CAPA	ACITY:			F	Provide Fuel	Capacity:	24	IG
X	GLASS: Tin	nted							
X	GVWR: 6900 - 7350 lbs. Provide GVWR: 7000 Provide COMBINED GVWR: 14500								
ZLQ	LUMBAR A	DILISTME	ENT: Driver's Seat		Tioriac	COMBINE	D G V VI R.		
X				Low Mounte	ed, 8" x 5" Minimum, In	side Dav/Nig	zht		
X	PAYLOAD:	2 444 5 445	ae, smilginnay style, i		, , , , , , , , , , , , , , , , , , , ,		e Payload:	21	81
X	POWER LO	CKS & WI	NDOWS			110110	e i uyioudi		
X			Clock, Factory Installed	1					
X			dth Bench, Fold Down						
X			, split bench 60/40 or 40	0/20/40 with	flin down console				
NZZ	SKID PLAT								
X			th Tilt Wheel						
X			e Mounted Under Vehi	cle. OEM					
X			Load Range E, All Terra		Provide Size and Lo	oad Range:	LT	26570R1	7C
X		S: Front.	Factory Installed						
Z82	TOWING PA	ACKAGE:	Factory installed to incl	lude drop re	ceiver hitch Pro	vide Towing	Capacity:	89	000
X	& 7 pin wirii TRANSMIS		omatic		Provide Number of	Transmissi	on Speeds.	•	8
XX			DLER: Auxiliary or exte	rnal factory		1 41131111331	on opecus.	•	-
X	WHEEL BA					Provide W	heel Base:	14	4 7
	l		Vehic	la Dascrin	tion and Pricing				
V.	ear		Make	neacup	Model			Unit	Cost
	124		GMC		TK10753				40.00
20					1110753			ψ+0,2	70100
Standar	d Colors Ava	ilable at N	o Additional Charge		Colors A	vailable for a	an Addition	al Charge	
					Color	Additiona	_		By Color
					BLACK OR RED	\$43			75.00
	SUM	IMIT WH	ITE		DOWNPOUR OR THUNDERSTORM	\$43		\$45,6	75.00
					STERLING	\$43			75.00
					SEO/TGK	\$390	6.00	\$45,6	36.00

Delivery Time After Receipt of Order	Davs	or	Weeks

WETOOTH TECHN MPER, FRONT: Fe MPER, REAR: Ste RGO BOX: 6'-7' Be UISE CONTROL: 1 ORS: Four GINE BLOCK HEA GINE COOLER: H GINE: Gasoline Provide Number of Provide Number OOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 II	Full Size Pickup, I SOURCE In Lock IN	SPEC SPEC reserve time ava IDS FREE CELI Installed Illed (if available Installed 8 5.3 talled	4, Quad Cab, 6'-7' Box, A Cruise Control, Tilt Ste CIFICATIONS tillable L PHONE CALLING Provide Foot	Provide Axle Provide Bed I Turbo-Yes rovide Horse I t Pounds of T rovide Fuel Ca Provide G OMBINED G	e Ratio: e CCA: Length: or No: Power: Forque: pacity:	
R CONDITIONING R CONDITIONING XILIARY POWER LE REAR: Traction TTERY: Heavy dut, UETOOTH TECHN MPER, FRONT: Fa MPER, REAR: Ste RGO BOX: 6'-7' Ba UISE CONTROL: 1 ORS: Four GINE BLOCK HEA GINE COOLER: H GINE: Gasoline Provide Number of Provide Number of Provide Number OOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 II MBAR ADJUSTMI	Full Size Pickup, I SOURCE In Lock y, highest CCA and it NOLOGY FOR HAN actory installed p and Tow, Factory ed, Style Side Factory installed ATER, Factory Installed TER, Factory Installed avy Duty, Factory I Cylinders: er of Liters: vailable, Factory Installed bs.	reserve time available linstalled 8 5.3 talled	4, Quad Cab, 6'-7' Box, A Cruise Control, Tilt Ste CIFICATIONS tillable L PHONE CALLING Provide Foot	Provide Axle Provide Axle Provide Bed I Turbo-Yes rovide Horse I t Pounds of T	ansmission, A Ratio: e CCA: c CCA: c Power: c Orque: pacity:	3.23 730 6.5 VES 355 383 24G
R CONDITIONING XILIARY POWER LE REAR: Traction TTERY: Heavy duty UETOOTH TECHN MPER, FRONT: F. MPER, REAR: Ste RGO BOX: 6'-7' Be UISE CONTROL: 1 ORS: Four GINE BLOCK HEA GINE COOLER: H GINE: Gasoline Provide Number of Provide Number of Provide Number L CAPACITY: ASS: Tinted WR: 6900 - 7350 II MBAR ADJUSTMI	SOURCE In Lock y, highest CCA and it SOLOGY FOR HAN actory installed p and Tow, Factory ed, Style Side Factory installed ATER, Factory Instal eavy Duty, Factory I Cylinders: er of Liters: vailable, Factory Instal bs.	reserve time available linstalled 8 5.3 talled	Cruise Control, Tilt Str CIFICATIONS milable L PHONE CALLING Pr Provide Foot	Provide Axle Provide Axle Provide Bed L Turbo-Yes rovide Horse I t Pounds of T ovide Fuel Ca Provide G OMBINED G	e Ratio: e CCA: Length: or No: Power: Forque: pacity:	3.23 730 6.5 YES 355 383 24G
XILIARY POWER LE REAR: Traction TTERY: Heavy duty UETOOTH TECHN MPER, FRONT: Fix MPER, REAR: Ste RGO BOX: 6'-7' Bix UISE CONTROL: 1 ORS: Four GINE BLOCK HEA GINE COOLER: H GINE: Gasoline Provide Number of Provide Number OOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 II MBAR ADJUSTMI	n Lock y, highest CCA and it SOLOGY FOR HAN actory installed p and Tow, Factory ed, Style Side Factory installed ATER, Factory Instal eavy Duty, Factory I Cylinders: er of Liters: vailable, Factory Instal bs.	reserve time ava JDS FREE CELI Installed Illed (if available Installed 8 5.3 talled	Provide Co	Provide Provide Bed I Turbo-Yes rovide Horse I t Pounds of T wide Fuel Ca Provide G	e CCA: Length: or No: Power: orque: pacity:	730 6,5 YES 355 383 24G
XILIARY POWER LE REAR: Traction TTERY: Heavy duty UETOOTH TECHN MPER, FRONT: Fix MPER, REAR: Ste RGO BOX: 6'-7' Bix UISE CONTROL: 1 ORS: Four GINE BLOCK HEA GINE COOLER: H GINE: Gasoline Provide Number of Provide Number OOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 II MBAR ADJUSTMI	n Lock y, highest CCA and it SOLOGY FOR HAN actory installed p and Tow, Factory ed, Style Side Factory installed ATER, Factory Instal eavy Duty, Factory I Cylinders: er of Liters: vailable, Factory Instal bs.	Installed Installed Illed (if available Installed 8 5.3 talled	Provide Co	Provide Provide Bed I Turbo-Yes rovide Horse I t Pounds of T wide Fuel Ca Provide G	e CCA: Length: or No: Power: orque: pacity:	730 6,5 YES 355 383 24G
LE REAR: Traction TTERY: Heavy duty UETOOTH TECHN MPER, FRONT: Fa MPER, REAR: Ste RGO BOX: 6'-7' Be UISE CONTROL: 1 ORS: Four GINE BLOCK HEA GINE COOLER: H GINE: Gasoline Provide Number of Provide Number OOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 II MBAR ADJUSTMI	n Lock y, highest CCA and it SOLOGY FOR HAN actory installed p and Tow, Factory ed, Style Side Factory installed ATER, Factory Instal eavy Duty, Factory I Cylinders: er of Liters: vailable, Factory Instal bs.	Installed Installed Illed (if available Installed 8 5.3 talled	Provide Co	Provide Provide Bed I Turbo-Yes rovide Horse I t Pounds of T wide Fuel Ca Provide G	e CCA: Length: or No: Power: orque: pacity:	730 6,5 YES 355 383 24G
TTERY: Heavy duty UETOOTH TECHN MPER, FRONT: Fa MPER, REAR: Ste RGO BOX: 6'-7' Bu UISE CONTROL: 1 ORS: Four GINE BLOCK HEA GINE COOLER: H GINE: Gasoline Provide Number of Provide Number DOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 11	y, highest CCA and of OLOGY FOR HAN actory installed p and Tow, Factory ed, Style Side Factory installed ATER, Factory Installed eavy Duty, Factory I Cylinders: vailable, Factory Installed eavy Duty.	Installed Installed Illed (if available Installed 8 5.3 talled	Provide Co	Provide Provide Bed I Turbo-Yes rovide Horse I t Pounds of T wide Fuel Ca Provide G	e CCA: Length: or No: Power: orque: pacity:	730 6.5 YES 355 383 24G
WETOOTH TECHN MPER, FRONT: Fe MPER, REAR: Ste RGO BOX: 6'-7' Be UISE CONTROL: 1 ORS: Four GINE BLOCK HEA GINE COOLER: H GINE: Gasoline Provide Number of Provide Number OOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 II	p and Tow, Factory installed p and Tow, Factory installed p and Tow, Factory installed ATER, Factory Installed avy Duty, Factory I Cylinders: prof Liters: vailable, Factory Installed bs.	Installed Installed Illed (if available Installed 8 5.3 talled	PHONE CALLING P Provide Foot	Turbo-Yes rovide Horse l t Pounds of T wide Fuel Ca Provide G OMBINED G	or No: Power: Orque:	7000
MPER, FRONT: Fa MPER, REAR: Ste RGO BOX: 6-7' Be UISE CONTROL: 1 ORS: Four GINE BLOCK HEA GINE COOLER: H GINE: Gasoline Provide Number of Provide Number OOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 II	actory installed p and Tow, Factory ed, Style Side Factory installed ATER, Factory Installed Cylinders: er of Liters: vailable, Factory Installeble, Factory Installeble, Factory Installeble.	Installed Illed (if available Installed 8 5.3 talled	Provide Fool	Turbo-Yes rovide Horse l t Pounds of T wide Fuel Ca Provide G OMBINED G	or No: Power: orque: pacity:	YES 355 383 24G 7000
MPER, REAR: Ste RGO BOX: 6'-7' Bo UISE CONTROL: 1 ORS: Four GINE BLOCK HEA GINE COOLER: H GINE: Gasoline Provide Number of Provide Number OOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 ll	p and Tow, Factory ed, Style Side Factory installed ATER, Factory Instal eavy Duty, Factory I Cylinders: er of Liters: vailable, Factory Inst bs.	lled (if available Installed 8 5.3 talled	Provide Foo	Turbo-Yes rovide Horse l t Pounds of T wide Fuel Ca Provide G OMBINED G	or No: Power: orque: pacity:	YES 355 383 24G 7000
RGO BOX: 6'-7' Be UISE CONTROL: ORS: Four GINE BLOCK HEA GINE COOLER: H GINE: Gasoline Provide Number of Provide Number OOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 II	ed, Style Side Factory installed VTER, Factory Install eavy Duty, Factory I Cylinders: er of Liters: vailable, Factory Instal bs.	lled (if available Installed 8 5.3 talled	Provide Foo	Turbo-Yes rovide Horse l t Pounds of T wide Fuel Ca Provide G OMBINED G	or No: Power: orque: pacity:	YES 355 383 24G 7000
UISE CONTROL: 1 ORS: Four GINE BLOCK HEA GINE COOLER: H GINE: Gasoline Provide Number of Provide Number of Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 ll	Factory installed ATER, Factory Installed Cylinders: Prof Liters: vailable, Factory Installed bs. ENT: Driver's Seat	8 5.3 talled	Provide Foo	Turbo-Yes rovide Horse l t Pounds of T wide Fuel Ca Provide G OMBINED G	or No: Power: orque: pacity:	YES 355 383 24G 7000
ORS: Four GINE BLOCK HEA GINE COOLER: H GINE: Gasoline Provide Number of Provide Number OOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 II	ATER, Factory Instal eavy Duty, Factory I Cylinders: or of Liters: vailable, Factory Inst bs. ENT: Driver's Seat	8 5.3 talled	Pr Provide Food Pro Provide Co	t Pounds of T wide Fuel Ca Provide G	Power: Forque: pacity:	355 383 24G 7000
GINE BLOCK HEAGINE COOLER: H GINE: Gasoline Provide Number of Provide Number OOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 II	eavy Duty, Factory I Cylinders: er of Liters: vailable, Factory Inst	8 5.3 talled	Pr Provide Food Pro Provide Co	t Pounds of T wide Fuel Ca Provide G	Power: Forque: pacity:	355 383 24G 7000
GINE COOLER: H GINE: Gasoline Provide Number of Provide Number of Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 ll	eavy Duty, Factory I Cylinders: er of Liters: vailable, Factory Inst	8 5.3 talled	Pr Provide Food Pro Provide Co	t Pounds of T wide Fuel Ca Provide G	Power: Forque: pacity:	355 383 24G 7000
GINE: Gasoline Provide Number of Provide Number OOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 ll MBAR ADJUSTMI	or of Liters: vailable, Factory Inst bs. ENT: Driver's Seat	8 5.3 talled	Provide Foo	t Pounds of T wide Fuel Ca Provide G	Power: Forque: pacity:	355 383 24G 7000
Provide Number of Provide Number OOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 II	or of Liters: vailable, Factory Inst	5.3 talled	Provide Foo	t Pounds of T wide Fuel Ca Provide G	Power: Forque: pacity:	355 383 24G 7000
Provide Number DOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 II	or of Liters: vailable, Factory Inst	5.3 talled	Provide Foo	t Pounds of T ovide Fuel Ca Provide G OMBINED G	pacity:	383 24G 7000
OOR: Rubber, If Av EL CAPACITY: ASS: Tinted WR: 6900 - 7350 II	vailable, Factory Inst	talled	Pro Provide CO	ovide Fuel Ca Provide G OMBINED G	pacity:	24G 7000
EL CAPACITY: ASS: Tinted WR: 6900 - 7350 II	bs. ENT: Driver's Seat		Provide CO	Provide G	GVWR:	7000
ASS: Tinted WR: 6900 - 7350 II MBAR ADJUSTMI	ENT: Driver's Seat	vle Low Mount	Provide CO	Provide G	GVWR:	7000
WR: 6900 - 7350 ll	ENT: Driver's Seat	yle Low Mount		OMBINED G		
MBAR ADJUSTMI	ENT: Driver's Seat	yle Low Mount		OMBINED G		
		vle Low Mount				10000
		vle Low Mount	1.00 50125			
dions. Dual outs	ide, sing man se,		ed X" x 5" Minimiim Insid	le Day/Night		
YLOAD:		,, 1110uiii	ed, o x o minimum, mora	Provide Pa	avload:	2181
WER LOCKS & W	INDOWS			110114011	.,	
	Clock, Factory Inst	alled				
	idth Bench, Fold Do					
	n, split bench 60/40 o		a flin down console			
ID PLATES: Factor	*	01 40/20/40 WIII	i inp down console			
EERING: Power wi	-					
	ze Mounted Under V	Vahiala OEM				
	Load Range E, All T		Provide Size and Load	d Range:	LT2657	0R17C
W HOOKS: Front,	Factory Installed					
WING PACKAGE: pin wiring harness	Factory installed to	include drop re	ceiver hitch Provid	le Towing Ca	pacity:	9300
ANSMISSION: Au	tomatic		Provide Number of To	ransmission S	Speeds:	10
		external factory			<u>- </u>	
				Provide Whee	el Base:	147
1		enicie Descrip	-		ı	Unit Co-t
						Unit Cost
	GIVIC		1K1U/53		\$	48,490.00
olors Available at N	o Additional Charge	е	Colors Avai	lable for an A	dditional Cha	rge
			Color	Additional Ch	harge Unit	Cost By Col
			BLACK OR RED	\$435.00	0 \$-	48,925.00
			DOWNPOUR OR	•		48,925.00
	IITE			•		48,925.00
	IITE		STERLING	,		48,886.00
A	NSMISSION: Au NSMISSION COC EEL BASE: 140"	INSMISSION: Automatic INSMISSION COOLER: Auxiliary or EEL BASE: 140" - 148" V Make GMC	INSMISSION: Automatic INSMISSION COOLER: Auxiliary or external factory EEL BASE: 140" - 148" Vehicle Descrip Make	Vehicle Description and Pricing Make GMC TK10753 Colors Available at No Additional Charge Colors Available at No Additional Charge Colors Available at No Additional Charge	NSMISSION: Automatic Provide Number of Transmission S NSMISSION COOLER: Auxiliary or external factory installed EEL BASE: 140" - 148" Provide Whee Vehicle Description and Pricing Make Model GMC TK10753 Iors Available at No Additional Charge Color Additional Ciarge SUMMIT WHITE BLACK OR RED \$435.0 DOWNPOUR OR THUNDERSTORM \$435.0 STERLING \$435.0	ANSMISSION: Automatic Provide Number of Transmission Speeds: ANSMISSION COOLER: Auxiliary or external factory installed EEL BASE: 140" - 148" Provide Wheel Base: Vehicle Description and Pricing Make Model GMC TK10753 \$ Jors Available at No Additional Charge Colors Available for an Additional Charge Unit BLACK OR RED \$435.00 \$ DOWNPOUR OR THUNDERSTORM \$435.00 \$ STERLING \$435.00 \$

	_			
Delivery Time After Receipt of Order		Days	or	Weeks

	Bidder (Vendor) NNOR MOTORS	JOHN M	IYNAHAN	Contact's Telephore 207*592-0105		ltem	. #	18E
000	WWW.WOTONO			207 032-0100				
	Estimated Quantity:	UNKI	NOWN	Class	-Spec#:		241	
GENEI	RAL DESCRIPTION	Full Size Pickup	o, Light Duty, 4 x	4, Quad Cab, 6'-7' Box, A Cruise Control, Tilt St		Transmissi	on, Air C	onditionir
Option Code		•	SPE	CIFICATIONS				
X	AIR CONDITIONING							
XX	AUXILIARY POWER	SOURCE						
G80	AXLE REAR: Traction	n Lock			Provide A	xle Ratio:	3	.23
X	BATTERY: Heavy duty	y, highest CCA ar	nd reserve time ava	ilable	Prov	ide CCA:	7	730
X	BLUETOOTH TECHN	NOLOGY FOR HA	ANDS FREE CELI	L PHONE CALLING		•		
X	BUMPER, FRONT: Fa	actory installed						
X	BUMPER, REAR: Ste	p and Tow, Factor	ry Installed					
X	CARGO BOX: 6'-7' Bo	ed, Style Side		P	rovide Be	d Length:	(6.5
X	CRUISE CONTROL:	Factory installed				•		
X	DOORS: Four							
K05	ENGINE BLOCK HEA	ATER, Factory Ins	stalled (if available)				
X	ENGINE COOLER: H	eavy Duty, Factor	ry Installed					
	ENGINE: Gasoline				Turbo-Y	es or No:	Y	ES
	Provide Number of	Cylinders:	8	Pr	ovide Hor	se Power:	3	555
	Provide Numbe	er of Liters:	5.3	Provide Foot	t Pounds o	f Torque:	3	883
X	FLOOR: Rubber, If Av	vailable, Factory I	nstalled			'		
X	FUEL CAPACITY:			Pro	vide Fuel	Capacity:	2	4G
X	GLASS: Tinted					•		
X	GVWR: 6900 - 7350 lbs. Provide GVWR: Provide COMBINED GVWR:							000 5000
ZLQ	LUMBAR ADJUSTMI	ENT: Driver's Sea	at					
X	MIRRORS: Dual Outs	ide, Swing Away	Style, Low Mount	ed, 8" x 5" Minimum, Insid	e Day/Nigl	nt		
X	DAVE OAD				Provide	n		
	PAYLOAD:					Payload:	2	181
X	PAYLOAD: POWER LOCKS & W.	INDOWS			Trovide	Payload:	2	181
X X	-		nstalled		Trovide	Payload:	2	181
	POWER LOCKS & W	ı Clock, Factory Ir			Trovide	Payload:	2	181
X	POWER LOCKS & W. RADIO: AM/FM, with	n Clock, Factory In	Down	n flip down console	Trovide	Payload:	2	181
X X X	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi	n Clock, Factory In idth Bench, Fold I n, split bench 60/4	Down	n flip down console	1107100	Payload:	2	181
X X X	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: cloth	n Clock, Factory In idth Bench, Fold I n, split bench 60/4 ry Installed	Down	n flip down console	1107100	Payload:	2	181
X X X NZZ	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: cloth SKID PLATES: Factor	n Clock, Factory Ir idth Bench, Fold I n, split bench 60/4 ry Installed ith Tilt Wheel	Down 10 or 40/20/40 with	n flip down console	710000	Payload:	2	181
X X X NZZ X	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: cloth SKID PLATES: Factor STEERING: Power wi	n Clock, Factory In idth Bench, Fold I n, split bench 60/4 ry Installed ith Tilt Wheel ze Mounted Unde	Down 10 or 40/20/40 with or Vehicle, OEM	n flip down console Provide Size and Load			2 26570R	
X X X NZZ X	POWER LOCKS & W: RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: cloth SKID PLATES: Factor STEERING: Power wi TIRE, SPARE: Full Siz TIRES: Minimum LT,	n Clock, Factory In idth Bench, Fold I n, split bench 60/4 ry Installed ith Tilt Wheel ze Mounted Unde Load Range E, A	Down 10 or 40/20/40 with or Vehicle, OEM					
X X X NZZ X X	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: clott SKID PLATES: Factor STEERING: Power wi TIRE, SPARE: Full Siz TIRES: Minimum LT, Road	n Clock, Factory In idth Bench, Fold I n, split bench 60/4 ry Installed ith Tilt Wheel ze Mounted Unde Load Range E, A Factory Installed	Down 10 or 40/20/40 with 11 rerrain/On-Off	Provide Size and Load		LT2	26570R	
X X X X NZZ X X X Z	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: clott SKID PLATES: Factor STEERING: Power wi TIRE, SPARE: Full Siz TIRES: Minimum LT, Road TOW HOOKS: Front, TOWING PACKAGE:	n Clock, Factory In idth Bench, Fold I n, split bench 60/4 ry Installed ith Tilt Wheel ze Mounted Unde Load Range E, A Factory Installed Factory installed	Down 10 or 40/20/40 with 11 rerrain/On-Off	Provide Size and Load ceiver hitch Provid	I Range:	LT2	26570R	17C
X X X NZZ X X X	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: cloth SKID PLATES: Factor STEERING: Power wi TIRE, SPARE: Full Siz TIRES: Minimum LT, Road TOW HOOKS: Front, TOWING PACKAGE: & 7 pin wiring harness	n Clock, Factory In idth Bench, Fold I n, split bench 60/4 ry Installed th Tilt Wheel ze Mounted Unde Load Range E, A Factory Installed Factory installed	Down 10 or 40/20/40 with 11 Terrain/On-Off 11 to include drop re	Provide Size and Load ceiver hitch Provid Provide Number of To	I Range:	LT2	26570R	17C
X X X X NZZ X X X X X X	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: clott SKID PLATES: Factor STEERING: Power wi TIRE, SPARE: Full Siz TIRES: Minimum LT, Road TOW HOOKS: Front, TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Aur	idth Bench, Fold I in, split bench 60/4 ry Installed ith Tilt Wheel ze Mounted Unde Load Range E, A Factory Installed Factory installed tomatic DLER: Auxiliary	Down 10 or 40/20/40 with 11 Terrain/On-Off 11 to include drop re	Provide Size and Load ceiver hitch Provid Provide Number of To installed	I Range:	LT2 Capacity: n Speeds:	26570R	17C
X X X X NZZ X X X X X X X X X X X X X	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: clott SKID PLATES: Factor STEERING: Power wi TIRE, SPARE: Full Siz TIRES: Minimum LT, Road TOW HOOKS: Front, TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Au TRANSMISSION COC	idth Bench, Fold I in, split bench 60/4 ry Installed ith Tilt Wheel ze Mounted Unde Load Range E, A Factory Installed Factory installed tomatic DLER: Auxiliary	Down 10 or 40/20/40 with 11 Terrain/On-Off 11 to include drop re	Provide Size and Load ceiver hitch Provid Provide Number of To installed	l Range:	LT2 Capacity: n Speeds:	26570R	17C 300
X X X X NZZ X X X X X X X X X X X X X X	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: clott SKID PLATES: Factor STEERING: Power wi TIRE, SPARE: Full Siz TIRES: Minimum LT, Road TOW HOOKS: Front, TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Au TRANSMISSION COC WHEEL BASE: 140°	n Clock, Factory In idth Bench, Fold In, split bench 60/4 ry Installed ith Tilt Wheel ze Mounted Under Load Range E, A Factory Installed Factory installed tomatic DLER: Auxiliary 1-148"	Down 10 or 40/20/40 with 11 Terrain/On-Off 11 to include drop re	Provide Size and Load ceiver hitch Provid Provide Number of To installed P	l Range:	LT2 Capacity: n Speeds:	26570R 9	17C 300 10
X X X X NZZ X X X X X X Y	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: cloth SKID PLATES: Factor STEERING: Power wi TIRE, SPARE: Full Siz TIRES: Minimum LT, Road TOW HOOKS: Front, TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Au TRANSMISSION: Au TRANSMISSION: COC WHEEL BASE: 140"-	n Clock, Factory In dith Bench, Fold In, split bench 60/4 ry Installed the Tilt Wheel ze Mounted Unde Load Range E, A Factory Installed Factory installed tomatic DLER: Auxiliary 1-148"	Down 10 or 40/20/40 with 11 Terrain/On-Off 11 to include drop re	Provide Size and Load ceiver hitch Provid Provide Number of To installed P tion and Pricing Model	l Range:	LT2 Capacity: n Speeds:	26570R 9	17C 300 10 147
X X X X NZZ X X X X X X Y	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: clott SKID PLATES: Factor STEERING: Power wi TIRE, SPARE: Full Siz TIRES: Minimum LT, Road TOW HOOKS: Front, TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Au TRANSMISSION COC WHEEL BASE: 140°	n Clock, Factory In idth Bench, Fold In, split bench 60/4 ry Installed ith Tilt Wheel ze Mounted Under Load Range E, A Factory Installed Factory installed tomatic DLER: Auxiliary 1-148"	Down 10 or 40/20/40 with 11 Terrain/On-Off 11 to include drop re	Provide Size and Load ceiver hitch Provid Provide Number of To installed P	l Range:	LT2 Capacity: n Speeds:	26570R 9	17C 300 10
X X X X NZZ X X X X Z82 X XX X	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: cloth SKID PLATES: Factor STEERING: Power wi TIRE, SPARE: Full Siz TIRES: Minimum LT, Road TOW HOOKS: Front, TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Au TRANSMISSION: Au TRANSMISSION: COC WHEEL BASE: 140"-	n Clock, Factory In idth Bench, Fold In, split bench 60/4 ry Installed ith Tilt Wheel ze Mounted Unde Load Range E, A Factory Installed Factory installed tomatic DLER: Auxiliary 1-148"	Down 10 or 40/20/40 with 11 Terrain/On-Off 1 to include drop re or external factory Vehicle Descrip	Provide Size and Load ceiver hitch Provid Provide Number of To installed	d Range:	LT2 Capacity: n Speeds:	9 Uni \$48,	17C 300 10 147
X X X X NZZ X X X X Z82 X XX X	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: clott SKID PLATES: Factor STEERING: Power wi TIRE, SPARE: Full Siz TIRES: Minimum LT, Road TOW HOOKS: Front, TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Au TRANSMISSION COC WHEEL BASE: 140" (fear 024	n Clock, Factory In idth Bench, Fold In, split bench 60/4 ry Installed ith Tilt Wheel ze Mounted Unde Load Range E, A Factory Installed Factory installed tomatic DLER: Auxiliary 1-148"	Down 10 or 40/20/40 with 11 Terrain/On-Off 1 to include drop re or external factory Vehicle Descrip	Provide Size and Load ceiver hitch Provid Provide Number of To installed	d Range:	LT2 Capacity: n Speeds: neel Base:	9 Uni \$48,	17C 300 10 147 t Cost 490.00
X X X X NZZ X X X X Z82 X XX X X	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: clott SKID PLATES: Factor STEERING: Power wi TIRE, SPARE: Full Siz TIRES: Minimum LT, Road TOW HOOKS: Front, TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Au TRANSMISSION COC WHEEL BASE: 140" (fear 024	n Clock, Factory In idth Bench, Fold In, split bench 60/4 ry Installed ith Tilt Wheel ze Mounted Unde Load Range E, A Factory Installed Factory installed tomatic DLER: Auxiliary 1-148"	Down 10 or 40/20/40 with 11 Terrain/On-Off 1 to include drop re or external factory Vehicle Descrip	Provide Size and Load ceiver hitch Provid Provide Number of To installed	d Range:	LT2 Capacity: n Speeds: neel Base:	26570R 9 Uni \$48,	17C 300 10 147 t Cost 490.00
X X X NZZ X X X X Z82 X XX X X	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: cloth SKID PLATES: Factor STEERING: Power wi TIRE, SPARE: Full Siz TIRES: Minimum LT, Road TOW HOOKS: Front, TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Au TRANSMISSION COC WHEEL BASE: 140" Tear O24 Ind Colors Available at N	in Clock, Factory In idth Bench, Fold In, split bench 60/4 ry Installed ith Tilt Wheel ze Mounted Unde Load Range E, A Factory Installed Factory installed tomatic DLER: Auxiliary 1-148" Make GMC	Down 10 or 40/20/40 with 11 Terrain/On-Off 1 to include drop re or external factory Vehicle Descrip	Provide Size and Load ceiver hitch Provid Provide Number of To installed Provide Number of T	I Range: e Towing ransmissio rovide WI lable for al	Capacity: In Speeds: In Additional Charge	26570R 9 Uni \$48, Charge Unit Cos \$48,	17C 300 10 47 t Cost 490.00 st By Cole 925.00
X X X X NZZ X X X X Z82 X XX X X	POWER LOCKS & W. RADIO: AM/FM, with SEAT, REAR: Full Wi SEATS, FRONT: clott SKID PLATES: Factor STEERING: Power wi TIRE, SPARE: Full Siz TIRES: Minimum LT, Road TOW HOOKS: Front, TOWING PACKAGE: & 7 pin wiring harness TRANSMISSION: Au TRANSMISSION COC WHEEL BASE: 140" (fear 024	in Clock, Factory In idth Bench, Fold In, split bench 60/4 ry Installed ith Tilt Wheel ze Mounted Unde Load Range E, A Factory Installed Factory installed tomatic DLER: Auxiliary 1-148" Make GMC	Down 10 or 40/20/40 with 11 Terrain/On-Off 1 to include drop re or external factory Vehicle Descrip	Provide Size and Load ceiver hitch Provid Provide Number of To installed Potion and Pricing Model TK10753 Colors Avai Color BLACK OR RED	I Range:	LT2 Capacity: In Speeds: In Additional Charge .00	Unit Cos \$48, \$48, \$48,	17C 300 10 147 t Cost 490.00

Delivery Time After Receipt of Order	Davs	or	Weeks

	idder (Vendor)	Contact		Contact's Telepi		Iten	n #	18F
OCON	INOR MOTORS	JOHN MY	NAHAN	207*592-01	05			
	Estimated Quantity:	UNKN	OWN	Cla	ss-Spec#:		241	
GENER	AL DESCRIPTION	Full Size Pickup,	Light Duty, 4 x	4, Quad Cab, 6'-7' Box Cruise Control, Tilt		Transmiss	sion, Air C	onditionin
Option Code		<u> </u>	SPE	CIFICATIONS				
X	AIR CONDITIONING							
XX	AUXILIARY POWER	SOURCE						
G80	AXLE REAR: Traction	n Lock			Provide A	xle Ratio:	3	3.23
X	BATTERY: Heavy dut	y, highest CCA and	reserve time ava	ilable	Prov	vide CCA:		730
X	BLUETOOTH TECHN	OLOGY FOR HA	NDS FREE CELI	L PHONE CALLING				
X	BUMPER, FRONT: F	actory installed						
X	BUMPER, REAR: Ste	p and Tow, Factory	Installed					
X	CARGO BOX: 6'-7' Bo	ed, Style Side			Provide Bo	ed Length:		6.5
X	CRUISE CONTROL:	Factory installed						
X	DOORS: Four							
K05	ENGINE BLOCK HEA	TER, Factory Insta	illed (if available)				
X	ENGINE COOLER: H	eavy Duty, Factory	Installed					
	ENGINE: Gasoline				Turbo-	Yes or No:	1	ES
	Provide Number of	Cylinders:	8]	Provide Hor	se Power:		355
	Provide Numbe	r of Liters:	5.3	Provide F	oot Pounds	of Torque:	3	383
X	FLOOR: Rubber, If Av	vailable, Factory Ins	stalled					
X	FUEL CAPACITY:			P	rovide Fuel	Capacity:	2	4G
X	GLASS: Tinted							
X	GVWR: 6900 - 7350 I	GVWR: 6900 - 7350 lbs. Provide GVWR: Provide COMBINED GVWR:						000 5000
ZLQ	LUMBAR ADJUSTMI	ENT: Driver's Seat						
X	MIRRORS: Dual Outs	ide, Swing Away S	tyle, Low Mount	ed, 8" x 5" Minimum, Ins	side Day/Nig	ht		
X	PAYLOAD:				Provide	e Payload:	2	181
X	POWER LOCKS & W	INDOWS				•		
X	RADIO: AM/FM, with	Clock, Factory Ins	talled					
X	SEAT, REAR: Full Wi	idth Bench, Fold Do	own					
X	SEATS, FRONT: cloth	n, split bench 60/40	or 40/20/40 with	flip down console				
NZZ	SKID PLATES: Factor	ry Installed						
X	STEERING: Power wi	th Tilt Wheel						
X	TIRE, SPARE: Full Siz	ze Mounted Under	Vehicle, OEM					
X	TIRES: Minimum LT, Road	Load Range E, All	Terrain/On-Off	Provide Size and Lo	oad Range:	LT	26570R	17C
X	TOW HOOKS: Front,	Factory Installed						
Z82	TOWING PACKAGE: & 7 pin wiring harness		o include drop re	ceiver hitch Prov	vide Towing	Capacity:	9	300
X	TRANSMISSION: Au	tomatic		Provide Number of	Transmissio	on Speeds:		10
XX	TRANSMISSION COO	DLER: Auxiliary or	external factory	installed				
X	WHEEL BASE: 140" -	- 148"	<u> </u>		Provide W	heel Base:		147
	-	1	Ahiolo Deseria	tion and Brising				
v.	ear		emole Descrip	tion and Pricing Model		1	l les	t Cost
	ear 124	Make GMC		TK10753				490.00
	· 	GIVIC		11/10/53			Ψ40,	-20.00
Standar	d Colors Available at N	o Additional Charg	је	Colors Av	vailable for a	n Additiona	al Charge	
				Color	Additiona	I Charge	Unit Co	st By Colo
				BLACK OR RED	\$435	5.00	\$48,	925.00
			1	DOWNPOUR OR	\$425	. 00	0.40	005.00
	SUMMIT WH	HTE	SUMMIT WHITE THUNDERSTORM \$435.00 \$4					
	SUMMIT WE	IITE		THUNDERSTORM STERLING	\$435			925.00 925.00

— в	Bidder (Vendor)	Contact Pers	on	Contact's Telep	hone	Iten	n #	22A
	NOR MOTORS	S JOHN MYNA	HAN	207-592-01	05			1
-	Estimated Quanti	ty: UNKNOW	VN	Cla	ss-Spec#:		244	
GENER	RAL DESCRIPTION	Full Size Truck, 4 x	4, Crew Ca	b, Automatic Transmi Steering	ssion, Air Co	nditioning,	Cruise C	ontrol, Tili
Option Code			SPE	CIFICATIONS				
X	AIR CONDITION	ING						
X	AUXILIARY POV	VER SOURCE						
G80	AXLE REAR: Tr	action Lock			Provide A	xle Ratio:	3	.42
X	Х				Prov	ide CCA:	7	730
X	BLUETOOTH TE	CHNOLOGY FOR HAND	S FREE CEI	L PHONE CALLING		Į.		
X	BUMPER, FRON	Г: ОЕМ						
Х	BUMPER, REAR	Step and Tow, OEM						
X	CARGO BOX: 5'	5 - 7' Bed, Style Side			Provide Be	d Length:		5.8
X	CRUISE CONTRO	OL: Factory installed						
X	DOORS: 4 Full Si	ze						
	ENGINE: Gasolir	ie			Turbo-Y	res or No:	Y	ES
	Provide Number	of Cylinders:	4		Provide Hor	se Power:	3	310
	Provide Nun	nber of Liters: 2	7	Provide F	oot Pounds o	f Torque:	4	130
K05	ENGINE BLOCK	HEATER, factory installed	if available					
X	ENGINE COOLE	R: Heavy Duty, factory inst	talled					
X	FLOOR: Rubber,	If Available, factory installe	·d					
X	FUEL CAPACITY	· :		1	Provide Fuel	Capacity:	2	4G
x	GLASS: Tinted							
	GVWR: 7000 - 73	350 lbs.		Provide	Provid	e GVWR:		000 1500
ZLQ	LUMBAR ADJUS	TMENT: Driver's Seat	FORCES F	LEET CONV. GROU				
X	+	Outside, Swing-Away Style				nt		
:	PAYLOAD:		,	,,		Payload:	2	172
X	POWER LOCKS	& WINDOWS						
X	+	with Clock, factory installe	·d					
X		cloth, split bench 60/40 or		ı flip down console				
X	SEATS, REAR: c							
NZZ	SKID PLATES: f							
X	STEERING: Pow	<u> </u>						
X		ıll Size Mounted Under Veh	nicle. OEM					
RC5	TIRES: Minimum	LT, Load Range C, D, or E Ferrain/On-Off Road		Provide Size and L	oad Range:	LT	26570R	17C
X	TOW HOOKS: fr	ont, factory installed						
Z82	TOWING PACKA	AGE: Factory installed to incress	clude drop re	eceiver hitch Pro	vide Towing	Capacity:	8	900
X	TRANSMISSION	: Automatic		Provide Number of	f Transmissio	n Speeds:		8
X	_	COOLER: Auxiliary or ex	ternal factors			- F - c east		
X	WHEEL BASE: 1				Provide W	heel Base:	1	47''
			icle Descri	ption and Pricing		1		
		Make		Model				t Cost
	Year						\$47.	715.00
2	2024	GMC	<u> </u>	TK10543				
2	2024	GMC at No Additional Charge		Colors A	vailable for a		I Charge	
2	2024			Colors A Color	vailable for a	Charge	l Charge Unit Cos	st By Colo
2	2024 rd Colors Available	at No Additional Charge		Colors A Color SEO/TGK	vailable for a Additional \$396	Charge	I Charge Unit Cos \$48,	111.00
2	2024	at No Additional Charge		Colors A Color SEO/TGK RED OR BLACK	vailable for a Additional \$396	.00 .00	I Charge Unit Cos \$48, \$48,	111.00 150.00
2	2024 rd Colors Available	at No Additional Charge		Colors A Color SEO/TGK	vailable for a Additional \$396	.00 .00 .00	Unit Cos \$48, \$48,	111.00

Delivery Time After Receipt of Order	Days	or	Weeks

Bi	dder (Vendor)	Contact Person	on	Contact's Telep	hone	Iten	n #	22B		
	NOR MOTORS	JOHN MYNA	HAN	207-592-01		1101	"			
E	stimated Quantity:	UNKNOW	/N	Cla	ss-Spec#:		244			
GENER	AL DESCRIPTION	Full Size Truck, 4 x	4, Crew Ca	b, Automatic Transmi Steering	ssion, Air C	onditioning,	Cruise Co	ontrol, Tilt		
Option Code			SPE	CIFICATIONS						
X	AIR CONDITIONIN	IG								
X	AUXILIARY POWE	ER SOURCE								
G80	AXLE REAR: Tract	ion Lock			Provide A	Axle Ratio:	3.	.42		
X	X				Pro	vide CCA:	7.	30		
X	BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING									
X	X BUMPER, FRONT: OEM									
Х	X BUMPER, REAR: Step and Tow, OEM									
X	CARGO BOX: 5'5-	- 7' Bed, Style Side			Provide B	ed Length:	5	.8		
X	CRUISE CONTROL: Factory installed									
X	DOORS: 4 Full Size									
	ENGINE: Gasoline				Turbo-	Yes or No:	Y	ES		
	Provide Number o	f Cylinders:	4		Provide Ho	rse Power:	3	10		
	Provide Numb	er of Liters: 2	.7	Provide F	oot Pounds	of Torque:	4	30		
K05	ENGINE BLOCK H	EATER, factory installed	if available							
X	ENGINE COOLER:	Heavy Duty, factory inst	alled							
X	FLOOR: Rubber, If	Available, factory installed	1							
X	FUEL CAPACITY:			1	Provide Fuel	Capacity:	24	4G		
x	GLASS: Tinted									
	GVWR: 7000 - 7350 lbs. Provide GVWR: Provide COMBINED GVWR:							000 500		
ZLQ	LUMBAR ADJUSTI	MENT: Driver's Seat	FORCES I	FLEET CONV. GROUI		L				
X		ıtside, Swing-Away Style,				ght				
X	PAYLOAD:				Provid	e Payload:	21	172		
X	POWER LOCKS &	WINDOWS								
X	RADIO: AM/FM, w	ith Clock, factory installed	d							
X	SEATS, FRONT: cl	oth, split bench 60/40 or 4	10/20/40 wit	h flip down console						
X	SEATS, REAR: clot	h, bench								
NZZ	SKID PLATES: fact	ory installed								
X	STEERING: Power	with Tilt Wheel								
X	TIRE, SPARE: Full	Size Mounted Under Veh	icle, OEM							
RC5	TIRES: Minimum L' from factory , All Tel	Γ, Load Range C, D, or E	if available	Provide Size and L	oad Range:	LT	26570R1	7C		
X	TOW HOOKS: fron	t, factory installed								
Z82	TOWING PACKAG & 7 pin wiring harnes	E: Factory installed to inc	clude drop re	eceiver hitch Pro	vide Towing	Capacity:	89	900		
X	TRANSMISSION: A			Provide Number of	f Transmissi	on Speeds:		8		
X		OOLER: Auxiliary or ext	ernal factory							
X	WHEEL BASE: 145				Provide W	heel Base:	14	17''		
		Vehi	cle Descri	ption and Pricing						
Y	ear	Make		Model			Unit	Cost		
20	024	GMC		TK10543			\$47,7	15.00		
Standar	d Colors Available at	No Additional Charge		Colors A	vailable for a	an Additiona	I Charge			
				Color	Additiona	l Charge	Unit Cos	t By Color		
				SEO/TGK	\$390	6.00	\$48,1	111.00		
	SUMMIT W	HITE		RED OR BLACK	\$43	5.00	\$48,1	150.00		
				DOWNPOUR OR THUNDERSTORM	\$43	5.00	\$48,1	150.00		
				STERLING	\$43	5.00	\$48,1	150.00		
		Add:::aa-11	/ahiala las	ormation (Vendor No	toe)					
		Auditional	eincid IIII	ormanon (venuul NO	.001					

Delivery Time After Receipt of Order	Days	or	Weeks

CONNOR MOTORS JOHN MYNAHAN 207-592-0105	Bio	dder (Vendor)	Contact Perso	on	Contact's Telep	hone	Iter	Item #	
GENERAL DESCRIPTION Full Size Truck, 4 x 4, Crew Cab, Automatic Transmission, Air Conditioning, Cruise Control, Tilt Specing Option Option X AIR CONDITIONING X ALVERLARY POWER SOURCE (S8N AXEE REAR. Traction Lock Provide Ask Ration 3.42 X X Provide CAX X S Provide CAX X BLUETOOTH TECHNOLOGY FOR HANDS PREE CELL PHONE CALLING X BLUMER, REAR. Step and Tow, OIM X CARGO BOX. 5' 5-7' Bed. Style Side Provide Bed Leugths 5.8 X CRUBIN CONTROL. Paccory installed X DOOMS. 4' Rell Size Provide Number of Cytinders: Provide Number of Cytinders: Provide Number of Cytinders: Provide Number of Cytinders: Provide Number of Liters; Provide Number of Li	OCON	NOR MOTORS	JOHN MYNAI	HAN	207-592-01	05			
GENERAL DESCRIPTION Full Size Truck, 4 x 4, Crew Cab, Automatic Transmission, Air Conditioning, Cruise Control, Tilt Specing Option Option X AIR CONDITIONING X ALVERLARY POWER SOURCE (S8N AXEE REAR. Traction Lock Provide Ask Ration 3.42 X X Provide CAX X S Provide CAX X BLUETOOTH TECHNOLOGY FOR HANDS PREE CELL PHONE CALLING X BLUMER, REAR. Step and Tow, OIM X CARGO BOX. 5' 5-7' Bed. Style Side Provide Bed Leugths 5.8 X CRUBIN CONTROL. Paccory installed X DOOMS. 4' Rell Size Provide Number of Cytinders: Provide Number of Cytinders: Provide Number of Cytinders: Provide Number of Cytinders: Provide Number of Liters; Provide Number of Li	Е	stimated Quantity:	UNKNOW	/N	Cla	ss-Spec#:		244	
Specing SPECIFICATIONS X AICH CONDITIONING X ALIXILIARY POWER SOURCE G80 ALLE REAR: Traction Lock Provide Asia Ratio: 3.42 X X Provide CALLING X BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X BLUMPER, REAR: Step and Tow, OTM X BLUMPER, REAR: Step and Tow, OTM X CARGO BOX. 95 -7 Bed. Style Side Y CARGO BOX. 95 -7 Bed. Style Side X CARGO BOX. 95 -7 Bed. Style Side Provide Number of Cytinders: 4 Provide Food Pounds of Torque: 430 Y DOORS 4 Full Size Provide Number of Liters: 2.7 Provide Food Pounds of Torque: 430 X ENGINE BLOCK HEATER, factory installed X FLOOR. Rieber, if Available, factory installed X FLOOR. Rieber, inclusive installed X FLOOR. Rieber, inc						-	onditioning		ontrol, Tilt
X ALUXILLARY POWER SOURCE (S80 AXLERILARY Traction Lock Provide Axle Ratio: 3.42 X BULETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X BULETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X BULETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X BULMFER, FRONT: OEM X SUMPER, FRONT: OEM X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Provide Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Red Length: 5.8 X CARGO BOX. 95-7 Bed, Style Side Red Length: 5.8 X CARGO BOX. 9	GENER.	AL DESCRIPTION	,			,		,	,
X AIXILLARY POWER SOURCE (500 AXLE REAR. Traction Lock			•	SPE	CIFICATIONS				
ANLE REAR Traction Lock Provide Ask Ratio; 3.42 X X X Provide CCA: 730 X BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X BLUMPER, REAR Skep and Tow, OEM X CARGO BOX: 5' 5-7' Bed. Style Side Provide Bed Length: 5.8 X CRUISE CONTROL: Factory installed X DOORS: 4 Full Size ENGINE: Cascoline Provide Number of Cliers: 2.7 Provide Foot Pounds of Torque: 310 Provide Foot Pounds of Torque: 430 ENGINE: COOLER Heavy Duty, factory installed X FLOOR Rubber, If Available, factory installed X REATS, FROOR: Observable Rubber, for Available for Rubber, for Available Rubber, for Availa		AIR CONDITIONIN	G						
X X X BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X BLUMPER, FRONT. OEM X BLUMPER, FRONT. OEM X CARGO BOX. 5' 5 - 7 Bed, Style Side Y CARGO BOX. 5' 5 - 7 Bed, Style Side Y CRUISE CONTROL. Factory installed X DOORS. 4 Full Size ENGINE: Gaseline Provide Number of Cytinders: 4 Provide Number of Cytinders: 4 Provide Foot Pounds of Torque: 430 KOS ENGINE GOVER. Heavy Daty, factory installed X FLOOR, Rubber, If Available, factory installed X PAYLOAD: Y MIRRORS: Dual Outside, Swing-Avay Style, Low Mounted, 8" x 5" Minimum, Inside Day, Night X PAYLOAD: Y POWER LOCKS & WINDOWS X RADIO, AMFIM, with Clock, factory installed X SEATS, REAR, etcht, bench X SEATS, REAR, etcht, bench X SEATS, REAR, etcht, bench X STERRING: Power with Tilt Wheel X TIRE, SMInimum, I. Load Range, C. D. or E if available for fon factory, All Ternativo-Ord Road X TOW HOOKS: front, factory installed X WHEEL BASE: 145'-157' Provide Number of Transmission Speeds: 8 TRANSMISSION Automatic Provide Number of Transmission Speeds: 8 SUMMIT WHITE Vehicle Description and Pricing Year Make Color Additional Charge Color Additional Charge Color Additional Charge Color Additional C	X	AUXILIARY POWE	R SOURCE						
SUMPER, READS TO SEM	G80	AXLE REAR: Tracti	on Lock			Provide .	Axle Ratio:	3,	42
X	X	X				Pro	vide CCA:	7.	30
X CARGO BOX: 57 -7 Bed, Style Side Provide Bed Length: 5.8 X CRUISE CONTROL: Factory installed X CARGO BOX: 57 -7 Bed, Style Side Provide Bed Length: 5.8 X CRUISE CONTROL: Factory installed X DOORS: 4 Full Size ENGINE: Gasoline Turbo-Yes or No: YES Provide Number of Cylinders: 4 Provide Horse Power: 1310 Provide Number of Cylinders: 4 Provide Foot Pounds of Torque: 430 K05 ENGINE BLOCK HEARTR, factory installed X FLOOR: Rubber, if Available, factory installed X FLOOR: Rubber, in Available, factory installed X FLOOR: Rubber, in Available, factory installed X FLOOR: Rubber, in Available, factory installed X FLOOR: Rubber, with Clock, factory installed X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down c	X	BLUETOOTH TECH	INOLOGY FOR HANDS	FREE CEL	L PHONE CALLING		•		
X CARGO BOX: 5'5-7' Bed, Style Side Provide Bed Length: 5.8 X CRUISE CONTROL: Factory installed X DOORS: 4 Full Size ENGINE: Gascline	X	BUMPER, FRONT:	ОЕМ						
X CRUISE CONTROL: Factory installed X DOORS: 4 Full Size ENGINE: Gasoline Provide Number of Cylinders: Provide Number of Cylinders: Provide Number of Cylinders: Provide Number of Liters: 2.7 Provide Foot Pounds of Torque: 430 K05 ENGINE BLOCK HEATER, factory installed X ENGINE COOLER: Heavy Duty, factory installed X FUEL CAPACITY: X GLASS: Tinted GVWR: 7000 - 7350 lbs. Provide COMBINED GVWR: GVWR: 7000 - 7350 lbs. Provide COMBINED GVWR: X PAYLOAD: X MIRRORS: Dual Outside, Swing-Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: X POWER LOCKS & WINDOWS X RADIO: AMFAI, with Clock, factory installed X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, REAR: cloth, bench X STEERING Power with Tit Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES Minimum LT, Load Bange C, D, or E if available from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed X TRANSMISSION: Automatic X TRANSMISSION Automatic X TRANSMISSION Automatic X TRANSMISSION Automatic X WHEEL BASE: 145" - 157" Provide Vehicle Description and Pricing Year Make Model Dunit Cost SUMMIT WHITE Colors Available at No Additional Charge Colors Available for Additional Charge Unit Cost \$950.00 S48, 150.00 DOW/WPO/DR RR \$435.00 S48, 150.00 DOW/	Х	BUMPER, REAR: S	tep and Tow, OEM						
Note	X	CARGO BOX: 5'5-	7' Bed, Style Side			Provide B	ed Length:	5	.8
ENGINE: Gasoline	X	CRUISE CONTROL	Factory installed						
Provide Number of Cytinders: Provide Number of Liters: Provide Number of Liters: Provide Number of Liters: Provide Number of Liters: Provide Foot Pounds of Torque: 430 K05 ENGINE BLOCK HEATER, factory installed X ENGINE COOLER: Heavy Duty, factory installed X FLOOR Rubber, If Available, factory installed X FUEL CAPACITY: Provide Foot Pounds of Torque: 24G X FUEL CAPACITY: Provide Foot Pounds of Torque: 24G X GLASS: Timed Provide COMBINED GVWR: QVWR: 7000 - 7350 lbs. Provide COMBINED GVWR: QVWR: 7000 - 7350 lbs. Provide COMBINED GVWR: A MIRRORS: Dual Outside, Swing-Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD. Provide Payload: X PAYLOAD. Provide Payload: X SEATS, REAR: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, REAR: cloth, bench NZZ SKID PLATES: factory installed X SEATS, REAR: cloth, bench NZZ X STEERING: Power with Till Wheel X TRE, SPARE: Full Size Mounted Under Vehicle, OEM RC5 TRES: Minimum LT. Load Range C, D, or E if available from factory. All Terrain/On-Off Road X TOW HOOKS: front, factory installed X TRANSMISSION: Automatic Provide Number of Transmission Speeds: X TRANSMISSION: Automatic X WHEEL BASE: 145" - 157" Provide Number of Transmission Speeds: X TRANSMISSION: Automatic X WHEEL	X	DOORS: 4 Full Size							
Provide Number of Liters: 2.7 Provide Foot Pounds of Torque: 430		ENGINE: Gasoline				Turbo-	Yes or No:	Y.	ES
KOS ENGINE BLOCK HEATER, factory installed if available X ENGINE COOLER. Heavy Duty, factory installed X FLOOR. Rubber, if Available, factory installed X FUEL CAPACITY: R GLASS. Tinted GVWR: 7000 - 7350 lbs. Provide COWBINED GVWR: GVWR: 7000 - 7350 lbs. Provide COMBINED GVWR: TOWN GROUP X MIRRORS: Dual Outside, Swing-Away Style, Low Mounted, 8" x 5" Minimum, Inside DayNight X PAYLOAD: Provide Payload: Z POWER LOCKS & WINDOWS X RADIO. AM/FM, with Clock, factory installed X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, REAR: cloth, bench NZZ. SKID PLATES: factory installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM RCS TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Tertain/On-Off Road X TOW HOOKS: front, factory installed X TRANSMISSION: Automatic Provide Number of Transmission Speeds: X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Number of Transmission Speeds: 8 TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost SEATS AND SHANDON SHA		Provide Number of	Cylinders: 4	1		Provide Ho	rse Power:	3	10
X		Provide Numbe	er of Liters: 2.	.7	Provide F	oot Pounds	of Torque:	4:	30
X	-								
Tube Provide Fuel Capacity: 24G	X	ENGINE COOLER:	Heavy Duty, factory insta	alled					
STEERING Power with Tilt Wheel STEERING Provide Size and Load Range: LT26570R17C			Available, factory installed	l					
A	X					Provide Fue	l Capacity:	24	łG
GVWR: 7000 - 7350 lbs. Provide COMBINED GVWR: ZLQ LUMBAR ADJUSTMENT: Driver's Seat FORCES FLEET CONV. GROUP X MIRRORS: Dual Outside, Swing-Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Payload: 2172 X POWER LOCKS & WINDOWS X RADIO: AMFM, with Clock, factory installed X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, REAR: cloth, bench NZZ SKIID PLATES: factory installed X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM RCS TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed TOWING PACKAGE: Factory installed to include drop receiver hitch A TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 147" Vehicle Description and Pricing Year Make Model Unit Cost Z024 GMC TK10543 \$47,715.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color Seconds \$435.00 \$48,150.00 DOWNPOUR OR \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00	X	GLASS: Tinted							
LUMBAR ADJUSTMENT: Driver's Seat FORCES FLEET CONV. GROUP		GVWR: 7000 - 7350	lbs.				-		
MIRRORS: Dual Outside, Swing-Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Payload: 2172 X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, factory installed X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, REAR: cloth, bench NZZ SKID PLATES: factory installed X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM RCS TIRES: Minimum LT, Load Range C, D, or E if available from factory, all Terrain/On-Off Road X TOW HOOKS: front, factory installed X TRANSMISSION: Automatic Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$47,715.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SEO/TEAK \$396.00 \$48,115.00 DOWNPOUR OR \$435.00 \$48,150.00 SHRINGER TOWN \$435.00 \$48,150.00 SHRINGER TOWN \$435.00 \$48,150.00 SHRINGER TOWN \$435.00 \$48,150.00							D GVWR:	14:	500
Name							1.		
X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, factory installed X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, REAR: cloth, bench NZZ SKID PLATES: factory installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM RCS TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed Z82 TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: 8900 & 7 pin wiring harness X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$47,715.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color Seconds \$396.00 \$48,150.00 DOWNPOUR OR \$435.00 \$48,150.00 THUNDERSTORM \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00			tside, Swing-Away Style,	Low Moun	ied, 8" x 5" Minimum, Ir			21	72
X RADIO: AM/FM, with Clock, factory installed X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, REAR: cloth, bench NZZ SKID PLATES: factory installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM RCS TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: 8900 & 7 pin wiring harness X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$47,715.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color Seconds \$396.00 \$48,110.00 RED OR BLACK \$435.00 \$48,150.00 THUNDERSTORM \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00			VINIDOWS			Provid	ie rayioad:	21	. 12
X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, REAR: cloth, bench NZZ SKID PLATES: factory installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM RC5 TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed Z82 TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$47,715.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SeDITEM \$396.00 \$48,150.00 DOWNPOUR OR \$435.00 \$48,150.00 THUNDERSTORM \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00				1					
X SEATS, REAR: cloth, bench NZZ SKID PLATES: factory installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM RC5 TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Orlf Road X TOW HOOKS: front, factory installed TOWING PACKAGE: Factory installed to include drop receiver hitch			· · · · · · · · · · · · · · · · · · ·		n flin down console				
NZZ SKID PLATES: factory installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed TOWING PACKAGE: Factory installed to include drop receiver hitch Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$47,715.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SEO/TGK \$396.00 \$48,111.00 RED OR BLACK \$435.00 \$48,150.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$48,150.00 DOWNPOUR OR \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00	-			0,20,10 1111	imp down console				
X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: 8900 & 7 pin wirring harness X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$47,715.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SEO/TEK \$396.00 \$48,111.00 RED OR BLACK \$435.00 \$48,150.00 DOWN/POUR OR THUNDERSTORM \$435.00 \$48,150.00 DOWN/POUR OR THUNDERSTORM \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00	<u> </u>								
TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road TOW HOOKS: front, factory installed to include drop receiver hitch & Provide Towing Capacity: 8900 TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: 8900 TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 TRANSMISSION COOLER: Auxiliary or external factory installed WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$47,715.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SEO/TGK \$396.00 \$48,111.00 RED OR BLACK \$435.00 \$48,150.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$48,150.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00									
TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed 782 TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: 8900 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$47,715.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SEO/TGK \$396.00 \$48,111.00 RED OR BLACK \$435.00 \$48,150.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00				icle, OEM					
TOWING PACKAGE: Factory installed to include drop receiver hitch & 7 pin wiring harness X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$47,715.00 Standard Colors Available at No Additional Charge Colors Available for an Additional Charge Color Additional Charge Unit Cost By Color SEO/TGK \$396.00 \$48,111.00 RED OR BLACK \$435.00 \$48,150.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00	RC5			if available	Provide Size and L	oad Range:	LT	26570R1	7C
TOWING PACKAGE: Factory installed to include drop receiver hitch & 7 pin wiring harness X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 8 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$47,715.00 Standard Colors Available at No Additional Charge Colors Available for an Additional Charge Unit Cost By Color Seo/TGK \$396.00 \$48,111.00 SEO/TGK \$396.00 \$48,111.00 RED OR BLACK \$435.00 \$48,150.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00	X	TOW HOOKS: front	, factory installed						
X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147"	Z82			lude drop re	ceiver hitch Pro	vide Towing	g Capacity:	89	000
X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147"	X	TRANSMISSION: A	utomatic		Provide Number of	f Transmissi	on Speeds:		8
X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$47,715.00 Standard Colors Available at No Additional Charge Colors Available for an Additional Charge Color Additional Charge Unit Cost By Color SEO/TGK \$396.00 \$48,111.00 RED OR BLACK \$435.00 \$48,150.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00				ernal factory			- 1		
Year Make Model Unit Cost 2024 GMC TK10543 \$47,715.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SEO/TGK \$396.00 \$48,111.00 SUMMIT WHITE RED OR BLACK \$435.00 \$48,150.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00			<u>-</u>			Provide V	heel Base:	14	7"
Year Make Model Unit Cost 2024 GMC TK10543 \$47,715.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SEO/TGK \$396.00 \$48,111.00 SUMMIT WHITE RED OR BLACK \$435.00 \$48,150.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00			Me to	olo Dossei	otion and Brisins				
Standard Colors Available at No Additional Charge		ear		cie Descri			I	l lni4	Cost
Colors Available at No Additional Charge									
SUMMIT WHITE SEO/TGK \$396.00 \$48,111.00 RED OR BLACK \$435.00 \$48,150.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00		I					an Additiona		10.00
SUMMIT WHITE RED OR BLACK \$435.00 \$48,150.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00					Color	Addition	al Charge	Unit Cost	By Color
DOWNPOUR OR THUNDERSTORM \$435.00 \$48,150.00 STERLING \$435.00 \$48,150.00					SEO/TGK	\$39	6.00	\$48,1	11.00
THUNDERSTORM \$435.00 \$46,150.00 STERLING \$435.00 \$48,150.00		SUMMIT W	HITE		RED OR BLACK	\$43	5.00	\$48,1	50.00
STERLING \$435.00 \$48,150.00						\$43	5.00	\$48,1	50.00
Additional Vehicle Information (Vendor Notes)						\$43	5.00	\$48,1	50.00
Additional Follows Intelligible (Follow)			Additional \	/ehicle Infe	ormation (Vendor No	tes)			

Delivery Time After Receipt of Order	Days	or	Weeks

В	idder (Vendor)	Contact Perso	on	Contact's Teleph	none	Iten	n #	22D
	NOR MOTORS	JOHN MYNA	HAN	207-592-01		1.01.		
	Estimated Quantity:	UNKNOW	'N	Clas	ss-Spec#:		244	
GENER	RAL DESCRIPTION	Full Size Truck, 4 x 4	I, Crew Cal	o, Automatic Transmis Steering	ssion, Air C	onditioning,	Cruise C	ontrol, Tili
Option Code			SPE	CIFICATIONS				
X	AIR CONDITIONIN	G						
X	AUXILIARY POWE	R SOURCE						
G80	AXLE REAR: Tracti	on Lock			Provide A	Axle Ratio:	3	.23
X	X				Pro	vide CCA:	7	'30
X	BLUETOOTH TECH	NOLOGY FOR HANDS	FREE CEL	L PHONE CALLING				
X	BUMPER, FRONT:	OEM						
Х	BUMPER, REAR: S	tep and Tow, OEM						
X	CARGO BOX: 5'5 -	7' Bed, Style Side			Provide B	ed Length:		5.8
X	CRUISE CONTROL	Factory installed				•		
X	DOORS: 4 Full Size							
	ENGINE: Gasoline				Turbo-	Yes or No:	ľ	10
	Provide Number of	Cylinders: 8			Provide Ho	rse Power:	3	55
	Provide Numbe	er of Liters: 5.	3	Provide F	oot Pounds	of Torque:	3	83
K05	ENGINE BLOCK HE	EATER, factory installed i	f available					
X	ENGINE COOLER:	Heavy Duty, factory insta	illed					
X	FLOOR: Rubber, If	Available, factory installed	Į.					
X	FUEL CAPACITY:			I	rovide Fuel	Capacity:	2	4G
X	GLASS: Tinted							
	GVWR: 7000 - 7350	lbs.		Provida	le GVWR: D GVWR:		100	
ZLQ	LUMBAR ADJUSTN	MENT: Driver's Seet	EORCES E	LEET CONV. GROUP		D G T WIK.	- 10	.000
X	+	tside, Swing-Away Style,				rht		
<u>A</u>	PAYLOAD:	iside, Swing-Away Style,	Low Mount	ca, o x 5 ivinimani, m		e Payload:	2	272
X	POWER LOCKS & V	VINDOWS			110110	c 1 ayıbad.		
X		th Clock, factory installed	1					
X	<u> </u>	oth, split bench 60/40 or 4		flin down console				
X	SEATS, REAR: cloth		0,20, 10 WILI	inp down console				
NZZ	SKID PLATES: factor							
X	STEERING: Power							
X		Size Mounted Under Vehi	icle OFM					
RC5	<u> </u>	, Load Range C, D, or E		Provide Size and Lo	ad Range:	LT	26570R1	1 7C
X	TOW HOOKS: front	, factory installed						
			hida dean ea			Capacity:	0	200
Z82	TOWING PACKAGE & 7 pin wiring harnes		iude drop re	ceiver hitch Prov	ide Towing			
	& 7 pin wiring harnes	s	nude drop re	cerver inten		on Speeds:		10
X	& 7 pin wiring harnes TRANSMISSION: A	s		Provide Number of		on Speeds:		10
	& 7 pin wiring harnes TRANSMISSION: A	s automatic OOLER: Auxiliary or exte		Provide Number of				10 47''
X X X	& 7 pin wiring harnes TRANSMISSION: A TRANSMISSION CO WHEEL BASE: 145	s automatic DOLER: Auxiliary or external view of the control of th	ernal factory	Provide Number of installed	Transmissi		1	47''
X X X	& 7 pin wiring harnes TRANSMISSION: A TRANSMISSION CO WHEEL BASE: 145	suutomatic DOLER: Auxiliary or exte " - 157" Vehi Make	ernal factory	Provide Number of installed otion and Pricing Model	Transmissi		1. Uni	47''
X X X	& 7 pin wiring harnes TRANSMISSION: A TRANSMISSION CO WHEEL BASE: 145	Soutomatic DOLER: Auxiliary or external visual visu	ernal factory	Provide Number of installed option and Pricing Model TK10543	Transmissi	/heel Base:	1. Uni \$50,	47''
X X X	& 7 pin wiring harnes TRANSMISSION: A TRANSMISSION CO WHEEL BASE: 145	Soutomatic DOLER: Auxiliary or external visual visu	ernal factory	Provide Number of installed option and Pricing Model TK10543	Transmissi Provide W	heel Base:	1. Uni \$50,1	47'' t Cost
X X X	& 7 pin wiring harnes TRANSMISSION: A TRANSMISSION CO WHEEL BASE: 145	Soutomatic DOLER: Auxiliary or external visual visu	ernal factory	Provide Number of installed otion and Pricing Model TK10543 Colors Av	Transmissi Provide W vailable for a	n Additiona	Uni \$50,4 I Charge Unit Cos	47'' t Cost 910.00 t By Colo
X X X	& 7 pin wiring harnes TRANSMISSION: A TRANSMISSION CO WHEEL BASE: 145	Soutomatic DOLER: Auxiliary or external visual visu	ernal factory	Provide Number of installed option and Pricing Model TK10543	Provide W	nn Additiona	Unit Cos \$51,:	47" t Cost 910.00 t By Cold
X X X	& 7 pin wiring harnes TRANSMISSION: A TRANSMISSION CO WHEEL BASE: 145	Soutomatic DOLER: Auxiliary or exter 7 - 157" Vehi Make GMC No Additional Charge	ernal factory	Provide Number of installed otion and Pricing Model TK10543 Colors Av Color SEO/TGK RED OR BLACK	Transmission Provide W vailable for a Additiona \$396	an Additional Charge	Uni \$50,3 I Charge Unit Cos \$51,3	47" t Cost 910.00 t By Colo 306.00
X X X	& 7 pin wiring harnes TRANSMISSION: A TRANSMISSION CO WHEEL BASE: 145 Year 1024 rd Colors Available at	Soutomatic DOLER: Auxiliary or exter 7 - 157" Vehi Make GMC No Additional Charge	ernal factory	Provide Number of installed otion and Pricing Model TK10543 Colors At Color SEO/TGK	Provide W	an Additional Charge	Uni \$50,3 I Charge Unit Cos \$51,3	47" t Cost 910.00 t By Colo

Delivery Time After Receipt of Order	Days	or	Weeks

Bi	dder (Vendor)	Contact Person	on	Contact's Telep	hone	Iten	n #	22E
	NOR MOTORS	JOHN MYNA	HAN	207-592-01		1101	"	
Е	stimated Quantity	UNKNOW	/N	Cla	ss-Spec#:		244	
GENER	AL DESCRIPTION	Full Size Truck, 4 x	4, Crew Ca	b, Automatic Transmi Steering	ssion, Air C	onditioning,	Cruise Co	ontrol, Tilt
Option Code		1	SPE	CIFICATIONS				
X	AIR CONDITIONIN	lG						
X	AUXILIARY POWI	ER SOURCE						
G80	AXLE REAR: Trac	tion Lock			Provide A	Axle Ratio:	3.	23
X	X				Pro	vide CCA:	7.	30
X	BLUETOOTH TEC	HNOLOGY FOR HANDS	S FREE CEI	L PHONE CALLING				
X	BUMPER, FRONT:	OEM						
Х	BUMPER, REAR:	Step and Tow, OEM						
X	CARGO BOX: 5' 5	- 7' Bed, Style Side			Provide B	ed Length:	5	.8
X	CRUISE CONTROI	: Factory installed						
X	DOORS: 4 Full Size	,						
	ENGINE: Gasoline				Turbo-	Yes or No:	N	10
	Provide Number of	of Cylinders:	3		Provide Ho	rse Power:	3	55
	Provide Numb	er of Liters: 5	.3	Provide F	oot Pounds	of Torque:	3	83
K05	ENGINE BLOCK H	EATER, factory installed	if available					
X	ENGINE COOLER:	Heavy Duty, factory inst	alled					
x	FLOOR: Rubber, If	Available, factory installed	i					
X	FUEL CAPACITY:			1	Provide Fuel	Capacity:	24	4G
x	GLASS: Tinted							
	GVWR: 7000 - 7350 lbs. Provide GVWR: Provide COMBINED GVWR:							00
						D GVWR:	15	000
ZLQ				LEET CONV. GROUI				
X		utside, Swing-Away Style,	, Low Moun	ted, 8" x 5" Minimum, Ir				
X	PAYLOAD:				Provid	e Payload:	22	272
X	POWER LOCKS &							
X	· · · · · · · · · · · · · · · · · · ·	vith Clock, factory installed						
X		oth, split bench 60/40 or 4	10/20/40 wit	1 flip down console				
X	SEATS, REAR: clo							
NZZ	SKID PLATES: fac							
X	STEERING: Power							
X	TIRE, SPARE: Full	Size Mounted Under Veh	icle, OEM					
RC5	TIRES: Minimum L from factory , All Te	T, Load Range C, D, or E rrain/On-Off Road	if available	Provide Size and L	oad Range:	Lī	26570R1	7 C
X	TOW HOOKS: from	t, factory installed						
Z82	TOWING PACKAG & 7 pin wiring harne	E: Factory installed to inc	clude drop re	eceiver hitch Pro	vide Towing	Capacity:	92	200
X	TRANSMISSION:	Automatic		Provide Number of	f Transmissi	on Speeds.	1	10
X		OOLER: Auxiliary or ext	ernal factors			pecus.	,	
X	WHEEL BASE: 14:	•			Provide W	heel Base:	14	17''
		Vehi	cle Descri	ption and Pricing				
Y	ear	Make		Model		I	Unit	Cost
)24	GMC		TK10543	<u> </u>			10.00
	l	No Additional Charge			vailable for a	ın Additiona		-
				Color	Additiona	l Charge	Unit Cos	t By Color
				SEO/TGK	\$396	6.00	\$51,3	306.00
	SUMMIT W	/HITE		RED OR BLACK	\$43			345.00
				DOWNPOUR OR	\$43			345.00
				THUNDERSTORM STERLING	\$43			345.00
					l		+,,	
		Additional \	/ehicle Inf	ormation (Vendor No	tes)			

Delivery Time After Receipt of Order	Days	or	Weeks

CONNOR MOTORS JOHN MYNAHAN 207-592-0105	Bi	dder (Vendor)	Contact Pers	on	Contact's Telephone Item			#	22F
General Description Full Size Truck, 4 x 4, Crew Cab., Automatic Transmission, Air Conditioning, Cruise Control, Tilt Seeding SPECIFICATIONS X AIR CONDITIONING X ALURLLARY POWER SOURCE G800 AALE REAR. Traction Lock Provide Ask Ratio X BLUPTOOTH TECHNOLOGY FOR HANDS PREE CELL PHONE CALLING X BLUPTER REAR. Step and Tow, OEM X CARGO BOX, 25 - 77 Bed, Style Side Provide Bed Length: S BUMPER, REAR. Step and Tow, OEM X CARGO BOX, 25 - 77 Bed, Style Side Provide CONTROL. Festory installed X DOORS 4 Full Size ENGINE: Gesoline Provide Number of Clystelers: Provide Number of Clystelers: Provide Number of Clystelers: Provide Number of Clystelers: Provide Number of Livers Provide Number of Livers Provide Number of Livers Provide Number of Livers S Provide Foot Pounds of Torque: 383 K05 ENGINE: Gesoline Provide Number of Livers Provide Number of Livers Provide Number of Livers Provide Number of Livers S Provide Foot Pounds of Torque: 383 K05 ENGINE BLOCK HEATER, factory installed if available X PLEL CAPACITY: Provide Poot Pounds of Torque: X PUEL CAPACITY: Provide COLER: Heavy Duy, factory installed X PUEL CAPACITY: Provide COLER: Provide Pounds of Torque: X PUEL CAPACITY: Provide COLER: Provide Pounds of Torque: X PUEL CAPACITY: Provide COLER: Provide Pounds of Torque: X POWER LOOK S, EMPONE Seet FORCES FLEET CONV, GROUP X MIRRORS Daul Outside, Noving-Away Style, Low Mounted, 8' x 5' Minimum, Inside Day-Night X RADIO, AMFM, with Clock, Encory installed X SEATS, REAR: cloth, bench X RADIO, AMFM, with Clock, Encory installed X SEATS, REAR cloth, bench X RADIO, AMFM, with Clock, Encory installed X SEATS, REAR cloth, bench X TRANSMISSION Automatic Provide Number of Transmission Speech: 10 WINGE PACKAGE: Factory installed to include drop receiver brick Provide Towing Capacity: Very Make Make Model Model LT26570R17C Color Additional Charge Color Additional Charge Unit Cost Munder Colors Available for an Additional Charge Color Additional Charge LT26570R17C SECON	OCON	NOR MOTORS	JOHN MYNA	HAN	207-592-0105				
Specific	E	stimated Quantity	: UNKNOW	/N	Cla	ss-Spec#:		244	
A LICENDATION ALIXILARY POWER SOURCE	GENER	AL DESCRIPTION				ssion, Air Cond	ditioning, (Cruise Co	ontrol, Tilt
X				SPE	CIFICATIONS				
AXIE REAR_Traction Lock		AIR CONDITIONI	NG						
N SUMPER FRONT: OEM SUMMIT WHITE SUMMIT WHIT	X	AUXILIARY POW	ER SOURCE						
N BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING N BUMPER, RRONT, OEM X CARGO BOX, 5's -7 Bed, Style Side Provide Road For Stylinders: ENGINE: Gasoline Provide Number of Cylinders: Provide Number of Liters: S,3 ROS ENGINE COLER Havey Duty, factory installed X ENGINE COLER Havey Duty, factory installed X FUEL CAPACITY: Provide Foot Pounds of Torque: 3833 ROS ENGINE COOLER Havey Duty, factory installed X FUEL CAPACITY: Provide Foot Pounds of Torque: 3833 ROS ENGINE COOLER Havey Duty, factory installed X FUEL CAPACITY: Provide Foot Pounds of Torque: 3836 X GLASS Titted WIRRORS Dual Outside, Swing-Away Style, Low Mounted, 8''x 5'' Minimum, Inside Day/Night X PAYLOAD X POWER LOCKS & WINDOWS X RADIO AMFM, with Clock, factory installed X SEATS, FRONT: cloth, split bench 60'40 or 40'20'40 with flip down console X SEATS, REAR. cloth, bench X SEATS, REAR. cloth, bench X STEERING: Power with Till Wheel X TIRES, Minimum LT, Loud Range C, D, or E if available from factory, automatic Harms in the Compactive of the	G80	AXLE REAR: Trac	ction Lock			Provide Axle	e Ratio:	3.	.23
X	X	X				Provid	e CCA:	7.	30
X	X	BLUETOOTH TEC	HNOLOGY FOR HAND	S FREE CEI	L PHONE CALLING				-
X	X	BUMPER, FRONT	OEM						
X CRUISE CONTROL: Factory installed X DOORS: 4 Full Size ENGINE: Gasoline Provide Number of Cylinders: 8 Provide Horse Power: 355 Provide Number of Liters: 5.3 Provide Foot Pounds of Torque: 383 K05 ENGINE BLOCK HEATER, factory installed X FLOOR: Rubber, if Available, factory installed X GLASS: Tinted GVWR: 7000 - 7350 lbs. Provide COMBINED GVWR: 7100 GVWR: 7000 - 7350 lbs. Provide COMBINED GVWR: 7100 I S000 I LUMBAR ADJUSTMENT: Driver's Seat FORCES FLEET CONV. GROUP X MIRRORS: Dual Outside, Swing-Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Fayload: 2272 X POWER LOCKS & WINDOWS X RADIO: AMFM, with Clock, factory installed X SEATS, FRONT: cloth, split bench 6040 or 40/2040 with flip down console SEATS, REAR: cloth, bench X STEERING: Power with Tift Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM RCS TOWN HOOKS: from, factory installed X TOWN HOOKS: from, factory installed X TRANSMISSION: Automatic X TRANSMISSION: Automatic Provide Noted Base: 145" - 157" Provide Veheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost TK10543 \$50,910.00 SUMMIT WHITE Colors Available at No Additional Charge Colors Available for an Additional Charge Color Additional Charge Unit Cost Stone, Stane, Stan	Х	BUMPER, REAR:	Step and Tow, OEM						
No DOORS 4 Full Size ENGINE Gasoline Furtho-Yes or No Provide Number of Cylinders: 8 Provide Number of Liters: 5.3 Provide Foot Pounds of Torque: 383	X	CARGO BOX: 5' 5	- 7' Bed, Style Side			Provide Bed I	Length:	5	.8
ENGINE: Gasoline	X	CRUISE CONTRO	L: Factory installed						
Provide Number of Cylinders: 8	X	DOORS: 4 Full Siz	e						
Provide Number of Liters: 5.3		ENGINE: Gasoline	:			Turbo-Yes	or No:	N	10
ENGINE BLOCK HEATER, factory installed		Provide Number	of Cylinders:	8		Provide Horse	Power:	3	55
X		Provide Num	ber of Liters: 5	.3	Provide F	oot Pounds of T	Forque:	3	83
X FLOOR. Rubber, If Available, factory installed X FUEL CAPACITY: Provide Fuel Capacity: 24G	K05	ENGINE BLOCK I	HEATER, factory installed	if available					
X FLOOR. Rubber, If Available, factory installed X FUEL CAPACITY: Provide Fuel Capacity: 24G	X	ENGINE COOLER	: Heavy Duty, factory inst	alled					
Transmission Special Capacity: Provide Fuel Capacity: 24G									
A GLASS: Tinted GVWR: 7000 - 7350 lbs. Provide GVWR: 7100 ZLQ LUMBAR ADJUSTMENT: Driver's Seat FORCES FLEET CONV, GROUP X MIRRORS: Dual Outside, Swing-Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Payload: 2272 X POWER LOCKS & WINDOWS X RADIO: AM/FAI, with Clock, factory installed X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, REAR: cloth, bench NZZ, SKID PLATES: factory installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed to include drop receiver hitch from factory, All Terrain/On-Off Road X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 10 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 147" Vehicle Description and Pricing Year Make Model Unit Cost ZO24 GMC TK10543 \$50,910.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SUMMIT WHITE SUMMIT WHITE Color Additional Charge Unit Cost By Color SUMMIT WHITE SUMMIT WHITE Color Additional Charge Unit Cost By Color SEOTOK \$396.00 \$51,306.00 RED OR PLANSON \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00					:	Provide Fuel Ca	pacity:	24	4G
A									
Provide COMBINED GVWR: 15000		GVWR: 7000 - 7350 lbs Provide GVWR: 7100							100
MIRRORS: Dual Outside, Swing-Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night X PAYLOAD: Provide Payload: 2272 X POWER LOCKS & WINDOWS X RADIO: AM/FM, with Clock, factory installed X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, REAR: cloth, bench NZZ SKID PLATES: factory installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM RC5 from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed X TOW HOOKS: front, factory installed X TRANSMISSION: Automatic Y TOWING PACKAGE: Factory installed to include drop receiver hitch X TRANSMISSION: Automatic Y Provide Number of Transmission Speeds: 10 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 S50,910.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SEO/TOK \$396.00 \$51,306.00 RED OR BLACK \$435.00 \$51,306.00 RED OR BLACK \$435.00 \$51,345.00 DOWNPOUR OR \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00									000
Name	ZLQ	LUMBAR ADJUST	MENT: Driver's Seat	FORCES I	LEET CONV. GROU	Р			
X RADIO: AM/FM, with Clock, factory installed X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, REAR: cloth, bench NZZ SKID PLATES: factory installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM RCS TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed X TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: 9200 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 10 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$50,910.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color Secords \$396.00 \$51,345.00 RED OR BLACK \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00	X	MIRRORS: Dual C	outside, Swing-Away Style	, Low Moun	ted, 8" x 5" Minimum, Ir	nside Day/Night			
X RADIO: AM/FM, with Clock, factory installed X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, REAR: cloth, bench NZZ SKID PLATES: factory installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM RCS TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: 9200 TRANSMISSION: Automatic Provide Number of Transmission Speeds: 10 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 147" Vehicle Description and Pricing Year Make Model Unit Cost Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$50,910.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color Secorted \$435.00 \$51,345.00 DOWNFOUR OR THUNDERSTORM \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00	X	PAYLOAD:				Provide P	ayload:	22	272
X SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console X SEATS, REAR: cloth, bench NZZ SKID PLATES: factory installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM RC5 TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: 9200 & 7 pin wiring harness X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 10 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$50,910.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SEOTGK \$396.00 \$51,345.00 DOWNPOUR OR \$435.00 \$51,345.00 SEOTGK \$435.00 \$51,345.00 SEOTGK \$435.00 \$51,345.00 SECOND SETENING \$435.00 \$51,345.00 SECOND SECOND SETENING \$435.00 \$51,345.00 SECOND SECOND SECOND SECOND SETENING \$435.00 \$51,345.00 SECOND SECON	X	POWER LOCKS &	WINDOWS						
X SEATS, REAR: cloth, bench NZZ SKID PLATES: factory installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM RC5 TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed Z82 TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: & 9200 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 10 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$50,910.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color Seonge \$396.00 \$51,306.00 RED OR BLACK \$435.00 \$51,345.00 DOWNPOUR OR \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00	X	RADIO: AM/FM,	with Clock, factory installe	d					
NZZ SKID PLATES: factory installed X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed TOWING PACKAGE: Factory installed to include drop receiver hitch	X	SEATS, FRONT: o	loth, split bench 60/40 or 4	10/20/40 witl	n flip down console				
X STEERING: Power with Tilt Wheel X TIRE, SPARE: Full Size Mounted Under Vehicle, OEM TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road X TOW HOOKS: front, factory installed TOWING PACKAGE: Factory installed to include drop receiver hitch X TRANSMISSION: Automatic X TRANSMISSION: Automatic X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC Standard Colors Available at No Additional Charge Color Additional Charge Color Additional Charge Unit Cost By Color SEO/TGK \$396.00 \$51,306.00 RED OR BLACK \$435.00 \$51,345.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$51,345.00 \$51,345.00 \$51,345.00 \$51,345.00 \$51,345.00 \$51,345.00 \$51,345.00 \$51,345.00 \$51,345.00 \$51,345.00	X	SEATS, REAR: clo	oth, bench						
TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road TOW HOOKS: front, factory installed TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: 9200 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 10 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$50,910.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SEO/TOK \$396.00 \$51,306.00 RED OR BLACK \$435.00 \$51,345.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$51,345.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$51,345.00	NZZ	SKID PLATES: fa	ctory installed						
TIRES: Minimum LT, Load Range C, D, or E if available from factory , All Terrain/On-Off Road X TOW HOOKS: front, factory installed TOWING PACKAGE: Factory installed to include drop receiver hitch & Provide Towing Capacity: 9200 X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 10 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$50,910.00 Standard Colors Available at No Additional Charge Colors Available for an Additional Charge Color Additional Charge Unit Cost By Color SEO/TGK \$396.00 \$51,306.00 RED OR BLACK \$435.00 \$51,345.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00	X	STEERING: Powe	r with Tilt Wheel						
### Town Factory All Terrain/On-Off Road Town Hooks: front, factory installed	X	TIRE, SPARE: Ful	l Size Mounted Under Veh	icle, OEM					
TOWING PACKAGE: Factory installed to include drop receiver hitch & 7 pin wiring harness X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 10 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$50,910.00 Standard Colors Available at No Additional Charge Colors Available for an Additional Charge Color Additional Charge Unit Cost By Color Security \$396.00 \$51,306.00 SEO/TEK \$396.00 \$51,306.00 RED OR BLACK \$435.00 \$51,345.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00	RC5			if available	Provide Size and L	oad Range:	LT2	6570R1	.7C
X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 10 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$50,910.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color Seo/TGK \$396.00 \$51,306.00 SEO/TGK \$396.00 \$51,345.00 DOWNPOUR OR HADSON \$51,345.00 STERLING \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00	X	TOW HOOKS: fro	nt, factory installed						
X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 10 X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147" Vehicle Description and Pricing Year Make Model Unit Cost 2024 GMC TK10543 \$50,910.00 Standard Colors Available at No Additional Charge Colors Available for an Additional Charge Unit Cost By Color Seo/TGK \$396.00 \$51,306.00 SEO/TGK \$396.00 \$51,306.00 RED OR BLACK \$435.00 \$51,345.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00	Z82	I .	•	clude drop re	eceiver hitch Pro	vide Towing Ca	npacity:	92	200
X TRANSMISSION COOLER: Auxiliary or external factory installed X WHEEL BASE: 145" - 157" Provide Wheel Base: 147"	v				Provide Number o	f Transmission (Sneeds.	1	10
Vehicle Description and Pricing Year Make Model Unit Cost				ernal factors			-ресия.		-
Vehicle Description and Pricing			-	10001)		Provide Whee	el Base.	14	<u> </u>
Year Make Model Unit Cost 2024 GMC TK10543 \$50,910.00 Standard Colors Available at No Additional Charge Colors Available for an Additional Charge Color Additional Charge Unit Cost By Color SEO/TGK \$396.00 \$51,306.00 RED OR BLACK \$435.00 \$51,345.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00	Α	ILLE DAGE. 19	. 107			2101Ide Wilee	c. Dast.	17	-
Colors Available at No Additional Charge			Veh	icle Descri	ption and Pricing				
Colors Available at No Additional Charge									
Color Additional Charge Unit Cost By Color	20	024	GMC		TK10543	}		\$50,9	10.00
SUMMIT WHITE SEO/TGK	Standar	d Colors Available a	t No Additional Charge		Colors A	vailable for an A	Additional	Charge	
SUMMIT WHITE RED OR BLACK \$435.00 \$51,345.00 DOWNPOUR OR THUNDERSTORM \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00					Color	Additional Cl	harge	Unit Cos	t By Color
DOWNPOUR OR THUNDERSTORM \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00					SEO/TGK	\$396.0	0	\$51,3	306.00
THUNDERSTORM \$435.00 \$51,345.00 STERLING \$435.00 \$51,345.00		SUMMIT V	VHITE			\$435.0	0	\$51,3	345.00
STERLING \$435.00 \$51,345.00						\$435.0	0	\$51,3	345.00
Additional Vehicle Information (Vendor Notes)						\$435.0	0	\$51,3	345.00
Additional Actions Information (Action) (Actes)			Additional \	/ehicle Inf	ormation (Vendor No	tes)			

Delivery Time After Receipt of Order	Days	or	Weeks

Dia	dalam (Manadam)	Courts at Davis		Comtontio Toloni	h	14	- 44	244
	Ider (Vendor) NOR MOTORS	Contact Perso		207-592-01		Iten	n #	24A
OCOM	NOR MOTORS	JOHN WITNAH	1AN	207-592-01	05			
Es	stimated Quantity:	UNKNOW	N	Cla	ss-Spec#:		270	
GENERA	AL DESCRIPTION	Full Size Pickup,	Heavy Du	uty, 4 x 2, Regular Cab Conditioning		utomatic Tr	ansmissio	on, Air
Option Code			SPE	CIFICATIONS				
X	AIR CONDITIONIN	G						
X	AUXILIARY POWE	R SOURCE						
NA	AXLE REAR: Tracti	on Lock, Minimum 4.3(WILL HAV	/E G80 LOCKING REA	RProvide A	xle Ratio:	3	.73
X	BATTERY: Heavy d	uty, highest CCA and res	serve time a	available	Prov	ide CCA:	7	20
X	BLUETOOTH TECH	HNOLOGY FOR HANDS	S FREE CE	ELL PHONE CALLING				
X	BUMPER, FRONT:	Factory Installed						
X	BUMPER, REAR: S	tep and Tow, factory ins	talled					
X	CARGO BOX: 8' Be	ed, Style Side	-					
X	CRUISE CONTROL	: Factory Installed	-					
K05	ENGINE BLOCK HI	EATER, Factory Installed						
X	ENGINE COOLER:	Heavy Duty, Factory Ins	talled if Av	vailable				
	ENGINE: Gasoline				Turbo-	Yes or No:	N	NO
	Provide Number of	Cylinders: 8]	Provide Hor	se Power:	4	01
	Provide Numbe	r of Liters: 6.0	6	Provide Fo	oot Pounds	of Torque:	4	64
X	FLOOR: Rubber, If	Available, factory installe	ed					
X	FUEL CAPACITY:			P	rovide Fuel	Capacity:	3	6G
X	GLASS: Tinted							
X	GVWR: 9500-10000 lbs. Provide GVWR: 10000 Provide COMBINED GVWR: 24500							
ZLQ	LUMBAR ADJUST!	MENT: Driver's Seat	FORCES F	LEET CONV GROUP				
X	MIRRORS: Dual Ou	tside, Swing Away Style	, Low Mou	inted, 8" x 5" Minimum,	Inside Day/	Night		
NA	PAYLOAD:				Provide	Payload:	ľ	ĪΑ
X	POWER LOCKS &	WINDOWS						
X	RADIO: AM/FM, w	ith Clock, factory installe	ed					
X	SEATS, FRONT: clo	oth, split bench 60/40 or	40/20/40 w	vith flip down console				
X	STEERING: Power	with Tilt Wheel						
X	TIRE, SPARE: Full	Size on Matching Rim, M	Mounted Ur	nder Vehicle				
QXT	TIRES: All Terrain/0	On-Off Road		Provide Size and Lo	oad Range:	LT	26570R	17E
X	TOWING PACKAG hitch & 7 pin wiring	E: Factory installed to in harness	clude drop	receiver Prov	ide Towing	Capacity:	1450	OLBS
X	TRANSMISSION CO	OOLER: Auxiliary or ext	ernal facto	ry installed				
X	TRANSMISSION: A							
X	WHEEL BASE: 133	" - 142"			Provide W	heel Base:	14	12"
9L7	UP FITTER SWITC	HS:	ADD\$350	TO WIRE AND ENER	RGIZE	1		
		Vehic	la Descri	ption and Pricing				
٧ı	ear	Make	le Descri	Model			Unit	Cost
)24	GMC		TC20903	<u> </u>			555,00
						us. A aladist -		20.00
Standard	COIORS AVAIIABLE AT I	No Additional Charge			vailable for a			t Du Cala
				Color	Additiona			t By Color
				SEO /TGK	\$396			951.00
					\$435	· oo		990.00
	SUMMIT W	HITE		BLACK OR RED DOWNPOUR OR				
	SUMMIT W	HITE		DOWNPOUR OR THUNDERSTORM STERLING	\$435 \$435	5.00	\$46,	990.00

Delivery Time After Receipt of Order		Days	or	Weeks	l

Bio	dder (Vendor)	Contact Person		Contact's Telephone Item #						
OCON	NOR MOTORS	JOHN MYNAH	AN	207-592-01	05			1		
		LINUCALONA					270			
E	stimated Quantity:				ss-Spec#:					
GENER	AL DESCRIPTION	Full Size Pickup, I	Heavy Du	uty, 4 x 2, Regular Cal Conditionin		utomatic Tr	ansmissio	on, Air		
Option Code			SPE	CIFICATIONS						
X	AIR CONDITIONIN	IG								
X	AUXILIARY POWI	ER SOURCE								
NA	AXLE REAR: Tract	ion Lock, Minimum 4.3(W	√ILL HAV	VE G80 LOCKING REA	RProvide A	xle Ratio:	3	.73		
X	BATTERY: Heavy of	luty, highest CCA and rese	erve time a	available	Prov	ide CCA:	7	20		
X	BLUETOOTH TEC	HNOLOGY FOR HANDS	FREE CE	ELL PHONE CALLING						
X	BUMPER, FRONT:	Factory Installed								
X	BUMPER, REAR: 5	Step and Tow, factory insta	alled							
X	CARGO BOX: 8' B									
X	CRUISE CONTROL									
K05		EATER, Factory Installed								
X		Heavy Duty, Factory Insta	alled if Av	vailable						
	ENGINE: Gasoline	3 32 3			Turbo-	Yes or No:	ľ	NO		
	Provide Number of	Cylinders: 8]	Provide Hor	-	4	l01		
	Provide Number	,		ł	oot Pounds o	-		164		
X		Available, factory installed				4				
X	FUEL CAPACITY:			P	rovide Fuel	Capacity:	3	6G		
X	GLASS: Tinted					. ,				
X	GVWR: 9500-1000	WR: 9500-10000 lbs. Provide GVWR: 10000 Provide COMBINED GVWR: 24500								
ZLQ	LUMBAR ADJUST	MENT: Driver's Seat F	ORCES F	LEET CONV GROUP						
X	MIRRORS: Dual O	utside, Swing Away Style,	Low Mou	inted, 8" x 5" Minimum.	Inside Day/	Night				
NA	PAYLOAD:				Provide	Payload:	ľ	NA NA		
X	POWER LOCKS &	WINDOWS								
X	RADIO: AM/FM, w	vith Clock, factory installed	i							
X	SEATS, FRONT: cl	oth, split bench 60/40 or 4	0/20/40 v	vith flip down console						
X	STEERING: Power	with Tilt Wheel								
X	TIRE, SPARE: Full	Size on Matching Rim, Mo	ounted Ur	nder Vehicle						
QXT	TIRES: All Terrain/	On-Off Road		Provide Size and Lo	oad Range:	LT	26570R	17E		
X	TOWING PACKAG	E: Factory installed to inc	lude drop	receiver Prov	vide Towing	Capacity:	1450	00LBS		
X	TRANSMISSION C	OOLER: Auxiliary or exte	rnal facto	ry installed						
X	TRANSMISSION:			•						
X	WHEEL BASE: 133				Provide W	heel Base:	1-	42"		
9L7	UP FITTER SWITC		DD\$350	TO WIRE AND ENER						
	1									
			e Descri	ption and Pricing		1				
	ear	Make		Model	•			t Cost		
20)24	GMC		TC20903			 \$40,	555.00		
Standard	d Colors Available at	No Additional Charge		Colors A	vailable for a					
				Color	Additiona	I Charge	Unit Cos	t By Color		
				SEO /TGK	\$396	6.00	\$46,	951.00		
		I								
	SUMMIT W	HITE		BLACK OR RED \$435.00 \$46,990.						
	SUMMIT W	HITE		BLACK OR RED DOWNPOUR OR THUNDERSTORM	\$435 \$435			990.00		

SEO PAINTS ARE WOODLAND GREEN, TANGIER ORANGE AND WEATLAND YELLOW- TGK SPECIAL PAINTS ARE OUT OF PRODUCTION COLORS AND REQUIRE A MINIMUM OF 5 UNITS SOME 2024 MODEL YEAR TECH SPECS ARE STILL BEING PROCESSED AND CALCULATED

	_		_	
Delivery Time After Receipt of Order	1 [Days	or	Weeks

Ric	lder (Vendor)	Contact Perso	on .	Contact's Telep	hone	Iter	n #	24C	
	NOR MOTORS	JOHN MYNA		207-592-01		itei	11 #	240	
E	stimated Quantity:	UNKNOW	<u>'N</u>	Cla	ss-Spec#:		270		
GENERA	AL DESCRIPTION	Full Size Pickup	, Heavy Dı	uty, 4 x 2, Regular Cal Conditionin	,	utomatic Tr	ansmissio	on, Air	
Option Code			SPE	CIFICATIONS					
X	AIR CONDITIONIN	G							
X	AUXILIARY POWE	R SOURCE							
NA	AXLE REAR: Tracti	on Lock, Minimum 4.30	WILL HAV	VE G80 LOCKING REA	RProvide A	xle Ratio:	3	.73	
X	BATTERY: Heavy d	uty, highest CCA and re	serve time a	available	Pro	vide CCA:	7	20	
X	BLUETOOTH TECH	HNOLOGY FOR HAND	S FREE CF	ELL PHONE CALLING					
X	BUMPER, FRONT:	Factory Installed							
X	BUMPER, REAR: S	step and Tow, factory ins	stalled						
X	CARGO BOX: 8' Be	ed, Style Side							
X	CRUISE CONTROL	: Factory Installed							
K05	ENGINE BLOCK HI	EATER, Factory Installe	d						
X	ENGINE COOLER:	Heavy Duty, Factory Ins	stalled if A	vailable					
	ENGINE: Gasoline				Turbo-	Yes or No:	ľ	NO ON	
	Provide Number of	Cylinders: 8	3]	Provide Horse Power:				
	Provide Numbe	r of Liters: 6.	6	Provide F	oot Pounds	of Torque:	4	64	
X	FLOOR: Rubber, If	Available, factory install	ed	!		Į.			
X	FUEL CAPACITY:			P	rovide Fuel	Capacity:	3	6G	
X	GLASS: Tinted								
X	GVWR: 9500-10000 lbs. Provide GVWR: 10000 Provide COMBINED GVWR: 24500								
ZLQ	LUMBAR ADJUST!	MENT: Driver's Seat	FORCES F	LEET CONV GROUP					
X	MIRRORS: Dual Ou	itside, Swing Away Style	e, Low Mou	ınted, 8" x 5" Minimum,	Inside Day/	Night			
NA	PAYLOAD:				Provid	e Payload:	ľ	NA	
X	POWER LOCKS &	WINDOWS				'			
X	RADIO: AM/FM, w	ith Clock, factory install	ed						
X	SEATS, FRONT: clo	oth, split bench 60/40 or	40/20/40 w	vith flip down console					
X	STEERING: Power	with Tilt Wheel							
X	TIRE, SPARE: Full	Size on Matching Rim, N	Mounted U	nder Vehicle					
QXT	TIRES: All Terrain/0	On-Off Road		Provide Size and Lo	oad Range:	LT	26570R	17E	
X	TOWING PACKAG hitch & 7 pin wiring	E: Factory installed to in	nclude drop	p receiver Prov	ide Towing	Capacity:	1450	00LBS	
X	TRANSMISSION CO	OOLER: Auxiliary or ex	ternal facto	ry installed					
X	TRANSMISSION: A	Automatic							
X	WHEEL BASE: 133	" - 142"			Provide W	heel Base:	14	12"	
9L7	UP FITTER SWITCH	HS:	ADD\$350	TO WIRE AND ENER	RGIZE				
	-	\/- L:-	olo Doss	ption and Pricing					
v	ear	Make	ne Descri	Model			Hei	Cost	
)24	GMC		TC20903)			555.00	
				I				202.00	
Standard	Colors Available at I	No Additional Charge			vailable for a	1		4 D. O.	
				Color	Additiona			t By Color	
				SEO /TGK	\$390			951.00	
				BLACK OR RED	\$43	5.00	\$46.9	990.00	
	SUMMIT W	HITE							
	SUMMIT W	HITE		DOWNPOUR OR THUNDERSTORM STERLING	\$43 \$43	5.00	\$46,9	990.00	

SEO PAINTS ARE WOODLAND GREEN, TANGIER ORANGE AND WEATLAND YELLOW- TGK SPECIAL PAINTS ARE OUT OF PRODUCTION COLORS AND REQUIRE A MINIMUM OF 5 UNITS SOME 2024 MODEL YEAR TECH SPECS ARE STILL BEING PROCESSED AND CALCULATED

Delivery Time After Receipt of Order	Days	or	Weeks

Bid	dder (Vendor)	Cont	act Person	Contact's Telep	hone	Iten	n #	27A
OCON	NOR MOTORS	JOHN	MYNAHAN	207-592-01	05			
	stimated Quantity:	LINIL	NOWN	Clar	ss-Spec#:		280	
	AL DESCRIPTION		kup, Heavy Duty 3/	4 Ton, 4 x 4, Standard	d Cab, 8' Bo			ission, Air
Option				CIFICATIONS	,			
Code	AIR CONDITIONIN	IG.						
X	AUXILIARY POWE							
X	AXLE REAR: Tract				Provide A	Axle Ratio:	3.	73
X			A and reserve time as	vailable / Dual if available		vide CCA:		/700
X				LL PHONE CALLING			, 20,	
X	BUMPER, FRONT:							
X	BUMPER, REAR: S							
X	CARGO BOX: 8' Bo							
X	CRUISE CONTROL		led					
K05	ENGINE BLOCK H	-						
X	ENGINE COOLER:	-						
	ENGINE: Gasoline				Turbo-	Yes or No:	N	0
	Provide Number of	Cylinders:	8		Provide Ho	rse Power:	40	01
	Provide Numbe	· —	6.6	Provide Fo	ot Pounds	of Torque:	40	64
X	FLOOR: Rubber, If	Available, factor	ry installed					
X	FUEL CAPACITY:			P	rovide Fuel	Capacity:	36	6G
X	GLASS: Tinted							
	Provide GVWR: 10250							250
	GVWR: 9,500-10,00	JU IDS.		Provide	COMBINE	D GVWR:	245	500
ZLQ	LUMBAR ADJUSTI	MENT: Driver's	Seat FORCES	ZLQ FLEET COV. GR	OUP			
X	MIRRORS: Dual Ou	ıtside Power, Tı	ailer Towing, Heated	l, Inside Day/Night				
NA	PAYLOAD:				Provid	e Payload:	TI	BD .
X	POWER LOCKS &	WINDOWS				·		
X	RADIO: AM/FM, w	ith Clock, factor	ry installed					
X	SEATS, FRONT: cl	oth, split bench	60/40 or 40/20/40 wi	th flip down console				
NZZ	SKID PLATES: fact	ory installed						
VYU	SNOW PLOW AND	OR HEAVY D	UTY FRONT SUSP	ENSION PACKAGE				
X	STEERING: Power	with Tilt Wheel						
VQO	STEPS: OEM, factor	y installed, cab	length, full drivers &	passenger door width				
X	TIRE, SPARE: Full	Size, Mounted I	Under Vehicle, OEM					
QXT	TIRES: Minimum L' Off Road	Γ, Load Range l	E, All Terrain/On-	Provide Size and Lo	ad Range:	LT	26570R1	7E
X	TOW HOOKS: fron	t, factory installe	ed					
X	TOWING PACKAG hitch & 7 pin wiring l				ide Towing	Capacity:	14500	0LBS
X	TRANSMISSION: A	Automatic		Provide Number of	Transmissio	on Speeds:	1	0
X	TRANSMISSION C	OOLER: Auxili	ary or external factor	y installed				
X	WHEEL BASE: 133	" - 142"			Provide W	heel Base:	14	42
			Vehicle Descri	ption and Pricing				
	ear	Make	VOLINOIS DESCRI	Model		T	Unit	Cost
)24	GMC		TK20903				45.00
	Colors Available at		Charge			an Additiona		70100
Januaru				Color	Additiona		Unit Cost	By Colo
				SEO/TGK	\$396			41.00
	SUMMIT W	HITE		BLACK OR RED	\$43			80.00
	COMMIT W			THUNDERSTORM OR		5.00	\$49,7	
				DOWNPOUR STERLING	\$43			80.00

Delivery Time After Receipt of Order	Days	or	Weeks

Contact's Telephone			
2-0105	item	ι π	27B
		200	
Class-Spec#:		280	
andard Cab, 8' Bo Control, Tilt Stee		c Transm	ission, Air
NS			
Provide A	Axle Ratio:	3.	73
ailable Pro	vide CCA:	720	700
LING			
Turbo-	Yes or No:	N	0
Provide Ho	rse Power:	40)1
ride Foot Pounds	of Torque:	40	54
Provide Fuel	l Capacity:	36	G
Provid	de GVWR:	102	250
Provide COMBINED GVWR:			
/. GROUP			
t			
Provid	le Payload:	TI	BD .
	Į.		
ole			
GE			
idth			
nd Load Range:	LT2	26570R1	7E
Provide Towing	g Capacity:	1450	OLBS
ber of Transmissi	on Speeds:	1	0
	·		
Provide W	heel Base:	14	12
ıg			
del		Unit	Cost
0903		\$49,3	45.00
ors Available for	an Additional	Charge	
			By Color
10R \$43			
'			
4-2		ψ-τυ, Ι	
D I C	\$39 \$43 PR \$43 \$43	Additional Charge \$396.00 \$435.00 \$435.00 \$435.00	\$396.00 \$49,7 \$435.00 \$49,7 \$435.00 \$49,7

Delivery Time After Receipt of Order	Days	or	Weeks

Bi	dder (Vendor)	Conta	act Person	Contact's Telephone			Item #	
OCON	NOR MOTORS	JOHN I	MYNAHAN	207-592-01	05			
E	stimated Quantity:	UNK	NOWN	Cla	ss-Spec#:		280	
GENER	AL DESCRIPTION	Full Size Pick		4 Ton, 4 x 4, Standard ditioning, Cruise Contr			tic Transm	ission, Air
Option Code			SPE	CIFICATIONS				
X	AIR CONDITIONIN	G						
X	AUXILIARY POWE	R SOURCE						
X	AXLE REAR: Tract	ion Lock			Provide A	Axle Ratio:	3.	73
X	BATTERY: Heavy d	uty, highest CC/	A and reserve time av	ailable / Dual if availabl	e Pro	vide CCA:	720	/700
X	BLUETOOTH TECH	INOLOGY FOR	R HANDS FREE CE	LL PHONE CALLING				
X	BUMPER, FRONT:	factory installed	l					
X	BUMPER, REAR: S	tep and Tow, fa	ctory installed					
X	CARGO BOX: 8' Bo	ed, Style Side						
X	CRUISE CONTROL	: Factory install	led					
K05	ENGINE BLOCK H	EATER, factory	installed if available					
X	ENGINE COOLER:	Heavy Duty, fa	ctory installed					
	ENGINE: Gasoline				Turbo-	Yes or No:	N	0
	Provide Number of	Cylinders:	8		Provide Ho	rse Power:	40	01
	Provide Numbe	r of Liters:	6.6	Provide F	oot Pounds	of Torque:	40	64
X	FLOOR: Rubber, If	Available, factor	y installed					
X	FUEL CAPACITY:			I	Provide Fue	Capacity:	36	5 G
X	GLASS: Tinted					- 1		
	GVWR: 9,500-10,000 lbs. Provide GVWR: Provide COMBINED GVWR:							250 500
71.0	LUMBAR ADDITET	AENIT: Deixoelo	Soot FORCES			D GVWK:	24:	500
ZLQ	LUMBAR ADJUSTI			ZLQ FLEET COV. GR	OUP			
X NA	MIRRORS: Dual Ou PAYLOAD:	itside Power, 11	aner Towing, rieated	i, inside Day/Night	D	. Dl d.	T	BD
NA V	POWER LOCKS & 1	WINDOWS			Provid	le Payload:	1.1	ענ
X	RADIO: AM/FM, w		av installed					
X	SEATS, FRONT: cle		-	th flin down console				
NZZ	SKID PLATES: fact		50/40 G1 40/20/40 W1	ur inp down console				
VYU	SNOW PLOW AND		UTY FRONT SUSP	ENSION PACKAGE				
X	STEERING: Power			51.01011111011102				
VQO			ength full drivers &	passenger door width				
X	TIRE, SPARE: Full	•	-	F8				
QXT	TIRES: Minimum L'			Provide Size and Lo	oad Range:	LT	26570R1	7E
X	TOW HOOKS: from	t, factory installe	ed					
X	TOWING PACKAGE hitch & 7 pin wiring I			ceiver Prov	vide Towing	Capacity:	1450	0LBS
X	TRANSMISSION: A	Automatic		Provide Number of	Transmissi	on Speeds:	1	.0
X	TRANSMISSION CO		ary or external factor					
X	WHEEL BASE: 133				Provide W	heel Base:	14	42
	, 1		Vehicle Descri	otion and Pricing		-		<u> </u>
	ear .	Make		Model				Cost
20	024	GMC		TK20903			\$49,3	45.00
Standar	d Colors Available at	No Additional C	Charge		ı	an Addition		
				Color		al Charge		By Color
				SEO/TGK		6.00		41.00
	SUMMIT W	HITE		BLACK OR RED THUNDERSTORM OR		5.00		80.00
				DOWNPOUR		5.00		80.00
				STERLING	\$43	5.00	\$49,7	'80.00
				ormation (Vendor No				

Delivery Time After Receipt of Order	Days	or	Weeks

Bio	ider (Vendor)	Contact Perso	on	Contact's Telephone Item #			28A	
OCON	NOR MOTORS	JOHN MYNA	HAN	207592010)5			•
E	stimated Quantity:	UNKNOW	/N	Cla	ss-Spec#:		281	
GENER	AL DESCRIPTION	Full Size Pickup, He					c Transmis	ssion, Air
	AL DESCRIPTION		Con	ditioning, Cruise Cont	rol, Tilt Stee	ering		
Option Code			SPE	CIFICATIONS				
X	AIR CONDITIONIN	G						
X	AUXILIARY POWE	R SOURCE						
X	AXLE REAR: Tracti	on Lock			Provide A	Axle Ratio:	3.	.73
X	BATTERY: Heavy du	uty, highest CCA and res	erve time av	ailable / Dual if available	Pro	vide CCA:	720	/700
X	BLUETOOTH TECH	INOLOGY FOR HAND	S FREE CE	LL PHONE CALLING				
X	BUMPER, FRONT:	Factory Installed						
X	BUMPER, REAR: S	tep and Tow, Factory Ins	talled					
X	CARGO BOX: 6.5' I	Bed, Style Side						
X	CRUISE CONTROL	: Factory installed						
K05	ENGINE BLOCK HI	EATER, factory installed	if available					
X	ENGINE COOLER:	Heavy Duty, factory inst	alled					
	ENGINE: Gasoline				Turbo-	Yes or No:	N	Ю
	Provide Number of	Cylinders:	3		Provide Ho	rse Power:	4	01
	Provide Numbe	r of Liters: 6.	.6	Provide F	oot Pounds	of Torque:	4	64
X	FLOOR: Rubber, If	Available, factory installe	d					
X	FUEL CAPACITY:				Provide Fuel	Capacity:	30	5G
X	GLASS: Tinted							
	GVWR: 9500-10000	lbs.				de GVWR:		350 500
ZLQ	LUMBAR ADJUSTN	MENT: Driver's Seat	Provide COMBINED GVWR: 24500 Seat FORCES FLEET CONV. GROUP					500
	MIRRORS: Dual Ou	tside Power, Trailer Tow	ing, Heated	Inside Day/Night				
NA	PAYLOAD:				Provid	le Payload:	T	BD
X	POWER LOCKS & V	WINDOWS						
X	RADIO: AM/FM, wi	ith Clock, factory installe	d					
X	SEAT, REAR: Full V	Width Bench, Fold Down						
X	SEATS, FRONT: clo	oth, split bench 60/40 or 4	10/20/40 wit	h flip down console				
VYU	SNOW PLOW AND	OR HEAVY DUTY FR	ONT SUSP	ENSION PACKAGE				
NZZ	SKID PLATES: factor	ory installed						
X	STEERING: Power v	with Tilt Wheel						
VQO	STEPS: OEM, factory	y installed, cab length, ful	l drivers & p	oassenger door width				
X	TIRE, SPARE: Full S	Size, Mounted Under Vel	hicle, OEM					
QXT	TIRES: Minimum LT	Γ, Load Range E, All Ter	rain/On-Off	Provide Size and L	oad Range:	LT	26570R1	7E
X	TOW HOOKS: front	, factory installed						
X		E: factory installed to incl s & Intergated brake con		ceiver hitch Pro	vide Towing	Capacity:	1450	0LBS
X	TRANSMISSION: A	Automatic		Provide Number of	Transmissi	on Speeds:	1	10
X	-	OOLER: Auxiliary or ex	ternal factor					
	WHEEL BASE: 140	•			Provide W	heel Base:	14	19"
X	WIPERS: Intermitten							
			cle Descri	ption and Pricing		-		
	ear	Make		Model				Cost
)24	GMC		TK20753				570.00
Standard	l Colors Available at I	No Additional Charge			vailable for a			
				Color	Additiona			t By Color
				SEO/TGK	\$39			966.00
	SUMMIT W	HITE		BLACK	\$43			05.00
				CARDINAL RED	\$43			005.00
				STERLING	\$43	5.00	\$51,C	005.00
		Additional V	ehicle Inf	ormation (Vendor No	tes)			
SEO I	PAINTS ARE WOOD	AND GREEN, TANGIER	ORANGE A	AND WEATI AND YELL	OW-TGK SE	PECIAL PAIN	ITS ARE O	UT OF

Delivery Time After Receipt of Order	Davs	or	Weeks

Bid	lder (Vendor)	Contact P	erson	Contact's Telep	hone	Iten	n #	28B
	NOR MOTORS	JOHN MY		207592010	10		200	
							204	
Es	stimated Quantity	+		ļ	ss-Spec#:		281	
GENERA	AL DESCRIPTION	Full Size Pickup		3/4 Ton, 4 x 4, Quad C ditioning, Cruise Cont			c Transmis	sion, Air
Option Code			SPE	CIFICATIONS				
X	AIR CONDITIONIN	NG						
X	AUXILIARY POW	ER SOURCE						
X	AXLE REAR: Trac	tion Lock			Provide Ax	le Ratio:	3.	73
X	BATTERY: Heavy of	duty, highest CCA and	reserve time av	ailable / Dual if available	Provid	le CCA:	720	700
X	BLUETOOTH TEC	HNOLOGY FOR HA	NDS FREE CE	LL PHONE CALLING		•		
X	BUMPER, FRONT:	Factory Installed						
X	BUMPER, REAR:	Step and Tow, Factory	Installed					
X	CARGO BOX: 6.5'	Bed, Style Side						
X	CRUISE CONTROI	L: Factory installed						
K05	ENGINE BLOCK H	IEATER, factory insta	lled if available					
X	ENGINE COOLER:	Heavy Duty, factory	installed					
	ENGINE: Gasoline				Turbo-Ye	s or No:	N	O
	Provide Number o	f Cylinders:	8		Provide Horse	Power:	40)1
	Provide Numb	er of Liters:	6.6	Provide F	oot Pounds of	Torque:	40	54
X	FLOOR: Rubber, If	Available, factory inst	alled					
X	FUEL CAPACITY:			J	Provide Fuel C	apacity:	36	G
X	GLASS: Tinted							
	GVWR: 9500-1000	0 lbs			Provide	GVWR:	103	350
	G V W R. 9300-1000	0 103.		Provide	COMBINED	GVWR:	245	500
ZLQ	LUMBAR ADJUST	MENT: Driver's Seat		FORCES FLEET CO	NV. GROUP			
	MIRRORS: Dual O	utside Power, Trailer	Fowing, Heated	, Inside Day/Night				
NA	PAYLOAD:				Provide l	Payload:	TI	3D
X	POWER LOCKS &	WINDOWS						
X	RADIO: AM/FM, v	vith Clock, factory inst	alled					
X	SEAT, REAR: Full	Width Bench, Fold Do	own					
X	SEATS, FRONT: cl	loth, split bench 60/40	or 40/20/40 wit	h flip down console				
VYU	SNOW PLOW AND	O/OR HEAVY DUTY	FRONT SUSP	ENSION PACKAGE				
NZZ	SKID PLATES: fac	tory installed						
X	STEERING: Power	with Tilt Wheel						
VQO	STEPS: OEM, factor	ry installed, cab length	, full drivers &	passenger door width				
X	TIRE, SPARE: Full	Size, Mounted Under	Vehicle, OEM					
	TIRES: Minimum L Road	T, Load Range E, All	Terrain/On-Off	Provide Size and Lo	oad Range:	LT	26570R1	7E
X	TOW HOOKS: from	nt, factory installed						
v		GE: factory installed to		ceiver hitch Pro	vide Towing C	apacity:	14500	OLBS
	TRANSMISSION:			Provide Number of	Transmission	Speeder	1	0
		COOLER: Auxiliary of	r external factor		. 1 ant 5 mit 8 8 10 M	Specus:	1	
Λ	WHEEL BASE: 14		CALCINAL IACIOI	y motanica	Provide Who	el Baca.	1/4	9"
X	WIPERS: Intermitte				2101146 17116	LI DASC.		
2%	morning							
	1		ehicle Descri	ption and Pricing				
	ear	Make		Model				Cost
20	24	GMC		TK20753			\$50,5	70.00
20				1	vailable for an	Additiona	l Charge	
	Colors Available at	No Additional Charg	je	Colors A	vallable for all	/ dailioni		
	Colors Available at	No Additional Charg	je	Colors A	Additional (Unit Cost	By Color
	Colors Available at	No Additional Charg	ie			Charge		
	Colors Available at		le	Color	Additional (Charge	Unit Cost	66.00
			le	Color SEO/TGK	Additional (Charge 00	Unit Cost \$50,9	<mark>66.00</mark> 05.00
			le	Color SEO/TGK BLACK	\$396.0 \$435.0	00 00 00 00	\$50,9 \$51,0 \$51,0	<mark>66.00</mark> 05.00

Delivery Time After Receipt of Order	Davs	or	We	eks

Bid	lder (Vendor)	С	ontact Pers	on	Contact's Telep	Iter	n #	28C	
OCONI	NOR MOTOR	RS JOH	N MYNA	HAN	207592010)5			
E	stimated Quan	tity: U	NKNOW	/N	Cla	ss-Spec#:		281	
GENERA	AL DESCRIPTION	ON Full Size	Pickup, H		3/4 Ton, 4 x 4, Quad C ditioning, Cruise Cont			c Transm	ission, Air
Option Code				SPE	CIFICATIONS				
X	AIR CONDITIO	ONING							
X	AUXILIARY P	OWER SOURCE							
X	AXLE REAR:	Traction Lock				Provide A	xle Ratio:	:	3.73
X	BATTERY: Hea	avy duty, highest (CCA and res	erve time av	ailable / Dual if available	Prov	vide CCA:	72	0/700
X	BLUETOOTH T	TECHNOLOGY	FOR HAND	S FREE CE	LL PHONE CALLING		'		
X	BUMPER, FRO	NT: Factory Inst	alled						
X	BUMPER, REA	R: Step and Tow	, Factory Ins	stalled					
X	CARGO BOX:	6.5' Bed, Style Si	de						
X	CRUISE CONT	ROL: Factory in	stalled						
K05	ENGINE BLOC	K HEATER, fact	ory installed	if available					
X	ENGINE COOL	.ER: Heavy Duty	, factory inst	alled					
	ENGINE: Gaso	line				Turbo-	Yes or No:		NO
	Provide Numb	er of Cylinders:	÷	8		Provide Ho	rse Power:		401
	Provide Nu	umber of Liters:	6	.6	Provide F	oot Pounds o	of Torque:		464
X	FLOOR: Rubbe	er, If Available, fa	ctory installe	d					
X	FUEL CAPACI	TY:			1	Provide Fuel	Capacity:	3	36G
X	GLASS: Tinted								
	GVWR: 9500-1	R: 9500-10000 lbs. Provide COMBINED GVWR: 24500							
ZLQ	LUMBAR ADJ	USTMENT: Driv	er's Seat		FORCES FLEET CO				
	MIRRORS: Du	al Outside Power	Trailer Tow	ving, Heated	, Inside Day/Night				
NA	PAYLOAD:		<u> </u>		, , , ,	Provide	e Payload:	7	ГBD
X	POWER LOCK	S & WINDOWS							
X	RADIO: AM/FI	M, with Clock, fa	ctory installe	d					
X	SEAT, REAR:	Full Width Bench	, Fold Down	ı					
X	SEATS, FRONT	Γ: cloth, split ben	ch 60/40 or 4	40/20/40 wit	h flip down console				-
VYU	SNOW PLOW	AND/OR HEAV	Y DUTY FR	ONT SUSP	ENSION PACKAGE				
NZZ	SKID PLATES:	factory installed							
X	STEERING: Po	ower with Tilt Wh	eel						
VQO	STEPS: OEM, f	actory installed, c	ab length, fu	ll drivers &	passenger door width				
X	TIRE, SPARE:	Full Size, Mounte	ed Under Ve	hicle, OEM					
QXT	TIRES: Minimu Road	ım LT, Load Ranş	ge E, All Ter	rain/On-Off	Provide Size and Lo	oad Range:	LT	26570R	.17E
X	TOW HOOKS:	front, factory inst	alled						
X	TOWING PACE	KAGE: factory instarness & Intergat	stalled to incl		ceiver hitch Pro	vide Towing	Capacity:	145	00LBS
X	TRANSMISSIO				Provide Number of	Transmissio	on Speeds:		10
X		ON COOLER: At	xiliary or ex	ternal factor			* ****		
	WHEEL BASE:				=	Provide W	heel Base:	1	.49"
X	WIPERS: Interr	mittent							
	1		Vehi	cle Descri	ption and Pricing				
	ear	Make			Model	•			it Cost
20	24	GMC			TK20753	•		\$50	,570.00
Standard	Colors Availabl	le at No Addition	al Charge		Colors A	vailable for a	n Additiona	l Charge	
					Color	Additiona	I Charge	Unit Co	st By Color
					SEO/TGK	\$396	5.00	\$50	966.00
	SUMMI	T WHITE			BLACK	\$435	5.00	\$51	005.00
					CARDINAL RED	\$435	5.00	\$51	005.00
					STERLING	\$435	5.00	\$51	005.00
			. Ienoitibb	/ehicle Inf	ormation (Vendor No	tes)			

Delivery Time After Receipt of Order	Days	or	Weeks	

		1	-					
	dder (Vendor)	Contact Person		Contact's Telepi		Item	#	29A
OCON	NOR MOTORS	JOHN MYNAF	IAN	207592010	15			
E	stimated Quantity:	UNKNOW	N	Clas	ss-Spec#:		284	
GENER	AL DESCRIPTION	Full Size Truck,		ty 3/4 Ton, 4 x 4, Cre itioning, Cruise Contr			smission	, Air
Option Code			SPEC	CIFICATIONS				
X	AIR CONDITIONIN	IG						
X	AUXILIARY POWE	ER SOURCE						
G80	AXLE REAR: Tract	ion Lock			Provide A	de Ratio:	3.	73
K47	BATTERY: Heavy d	uty, highest CCA and rese	rve time av	ailable / Dual if available	Prov	ide CCA:	720	/700
X	BLUETOOTH TECH	HNOLOGY FOR HANDS	FREE CEI	LL PHONE CALLING				
X	BUMPER, FRONT:	factory installed						
X	CARGO BOX: 6'-7'	Bed, Style Side			Provide Bed	l Length:	82.	.2"
X	CRUISE CONTROL	: Factory installed						
X	AUXILIARY POWE	ER SOURCE						
X	DOORS: 4 Full Size							
	ENGINE: Gasoline				Turbo-Y	es or No:	ľ	Ŋ
	Provide Number of	Cylinders: 8			Provide Hors	se Power:	40)1
	Provide Numbe	er of Liters: 6.6	5	Provide Fo	ot Pounds of	f Torque:	40	54
K05	ENGINE BLOCK H	EATER, factory installed i	f available					
X	ENGINE COOLER:	Heavy Duty, factory insta	ılled					
X	FLOOR: Rubber, If	Available, factory installed	1					
X	FUEL CAPACITY:			P	rovide Fuel (Capacity:	3	6
v	CVIVID. 0500 10 00	0.11-			Provide	GVWR:	104	450
X	GVWR: 9500-10,00	O IDS.		Provide	COMBINED	GVWR:	245	500
X	MIRRORS: Dual Ou	ıtside, Swing-Away Style,	Low Moun	ted, 8" x 5" Minimum,	Inside Day/Ni	ght		
NA	PAYLOAD:				Provide	Payload:	TI	3D
X	POWER LOCKS &	WINDOWS						
X	RADIO: AM/FM, w	ith Clock, factory installed	I					
X	SEATS, FRONT: cle	oth, split bench 60/40 or 4	0/20/40 wit	h flip down console				
X	SEATS, REAR: clot	h, bench						
NZZ	SKID PLATES: fact	ory installed						
VQO	STEPS: OEM, factor	y installed, cab length, full	drivers & p	passenger door width				
X	TILT STEERING W	HEEL:						
X	TIRE, SPARE: Full	Size, mounted under vehic	ele, OEM					
QXT	mmra ve i			Duovido Sino and La	ad Range	LT2	6570R1	7E
-	TIRES: Minimum L	Γ, All Terrain/On-Off Roa	d	Provide Size and Lo	ad Range.		.0370K1	
		T, All Terrain/On-Off Roa UST STATE SIZE AND I					.037 0K 1	
П 1	TIRES: BIDDER MU	UST STATE SIZE AND I	LOAD RAN le of 12,500	IGE, All Terrain/On-Of			16000	OLBS
JL1	TIRES: BIDDER MU	UST STATE SIZE AND I	LOAD RAN le of 12,500	IGE, All Terrain/On-Of	f Road			OLBS
JL1 X	TIRES: BIDDER MU TOWING PACKAG carrying, factory insta	UST STATE SIZE AND I E: Towing package capabl alled with reciever, to inclu	LOAD RAN le of 12,500	IGE, All Terrain/On-Of	f Road	Capacity:	16000	OLBS 0
	TIRES: BIDDER MI TOWING PACKAGE carrying, factory insta controller TRANSMISSION: 2	UST STATE SIZE AND I E: Towing package capabl alled with reciever, to inclu	LOAD RAN le of 12,500 ade integrato	iGE, All Terrain/On-Off weight Prov ed brake Provide Number of	f Road	Capacity:	16000	
X	TIRES: BIDDER MI TOWING PACKAGE carrying, factory insta controller TRANSMISSION: 2	UST STATE SIZE AND I E: Towing package capabi alled with reciever, to inclu- Automatic OOLER: Auxiliary or extra	LOAD RAN le of 12,500 ade integrato	iGE, All Terrain/On-Off weight Prov ed brake Provide Number of	f Road	Capacity:	16000	
X	TIRES: BIDDER MU TOWING PACKAGE carrying, factory insta controller TRANSMISSION: A TRANSMISSION CO	UST STATE SIZE AND I E: Towing package capabl alled with reciever, to inclu- Automatic OOLER: Auxiliary or external control of the principle of the control	LOAD RAN le of 12,500 ade integrato	iGE, All Terrain/On-Off weight Prov ed brake Provide Number of	FRoad ide Towing (Capacity:	16000	0
X	TIRES: BIDDER MU TOWING PACKAGE carrying, factory insta controller TRANSMISSION: A TRANSMISSION CO WHEEL BASE: 149	UST STATE SIZE AND I E: Towing package capabi illed with reciever, to inclu- Automatic OOLER: Auxiliary or exterior of the control of the con	LOAD RAN le of 12,500 ade integrate	iGE, All Terrain/On-Off weight Prov ed brake Provide Number of	FRoad ide Towing (Capacity:	16000	0
X X 9L7	TIRES: BIDDER MU TOWING PACKAGE carrying, factory insta controller TRANSMISSION: A TRANSMISSION CO WHEEL BASE: 149	UST STATE SIZE AND I E: Towing package capabi illed with reciever, to inclu- Automatic OOLER: Auxiliary or exterior of the control of the con	LOAD RAN le of 12,500 ade integrate	GGE, All Terrain/On-Off weight Proved brake Provide Number of y installed	FRoad ide Towing (Capacity:	16000	0
X X 9L7	TIRES: BIDDER MU TOWING PACKAGE carrying, factory insta controller TRANSMISSION: A TRANSMISSION CO WHEEL BASE: 149 UP FITTER SWITCH	UST STATE SIZE AND I E: Towing package capabl alled with reciever, to include Automatic OOLER: Auxiliary or exter " - 160" HS Vehic	LOAD RAN le of 12,500 ade integrate	GGE, All Terrain/On-Off weight Proved brake Provide Number of y installed	FRoad ide Towing (Transmission Provide Wh	Capacity:	16000 1 15	9"
X X 9L7	TIRES: BIDDER MU TOWING PACKAGE carrying, factory insta controller TRANSMISSION: A TRANSMISSION OF WHEEL BASE: 149 UP FITTER SWITCH	UST STATE SIZE AND I E: Towing package capabi alled with reciever, to include the control of the	LOAD RAN le of 12,500 ade integrate	GGE, All Terrain/On-Off weight Proved brake Provide Number of y installed ption and Pricing Model TK20743	FRoad ide Towing (Transmission Provide Wh	Capacity: In Speeds: In Speeds:	16000 1 15 Unit \$51,4	0 9" Cost
X X 9L7	TIRES: BIDDER MU TOWING PACKAGE carrying, factory insta controller TRANSMISSION: A TRANSMISSION OF WHEEL BASE: 149 UP FITTER SWITCH	UST STATE SIZE AND I E: Towing package capabi alled with reciever, to include the control of the	LOAD RAN le of 12,500 ade integrate	GGE, All Terrain/On-Off weight Proved brake Provide Number of y installed ption and Pricing Model TK20743 Colors Av	FRoad ide Towing (Transmission Provide Wh	Capacity: n Speeds: neel Base:	16000 1 15 Unit \$51,4	0 9" Cost
X X 9L7	TIRES: BIDDER MU TOWING PACKAGE carrying, factory insta controller TRANSMISSION: A TRANSMISSION OF WHEEL BASE: 149 UP FITTER SWITCH	UST STATE SIZE AND I E: Towing package capabi alled with reciever, to include the control of the	LOAD RAN le of 12,500 ade integrate	GGE, All Terrain/On-Off weight Proved brake Provide Number of y installed ption and Pricing Model TK20743 Colors Av	FRoad ide Towing (Transmission Provide Wh	Capacity: In Speeds: In Speeds: In Additional Charge	16000 1 15 Unit \$51,4 Charge Unit Cost	0 9" Cost 50.00 By Colo
X X 9L7	TIRES: BIDDER MU TOWING PACKAGE carrying, factory insta controller TRANSMISSION: A TRANSMISSION CO WHEEL BASE: 145 UP FITTER SWITCE Page 124 UP GOOD COMMENT OF THE SWITCE COMMENT OF	UST STATE SIZE AND I E: Towing package capabl alled with reciever, to include Automatic OOLER: Auxiliary or exterior 160° HS Vehic Make GMC No Additional Charge	LOAD RAN le of 12,500 ade integrate	Provide Number of y installed total and Pricing Model TK20743 Colors Av Colors Av SEO/TGK	FRoad ide Towing (Transmission Provide Wh	Capacity: In Speeds: In Speeds: In Additional Charge	16000 1 15 Unit \$51,4 Charge Unit Cost	0 9" Cost 50.00 By Colod
X X 9L7	TIRES: BIDDER MU TOWING PACKAGE carrying, factory insta controller TRANSMISSION: A TRANSMISSION OF WHEEL BASE: 149 UP FITTER SWITCH	UST STATE SIZE AND I E: Towing package capabl alled with reciever, to include Automatic OOLER: Auxiliary or exterior 160° HS Vehic Make GMC No Additional Charge	LOAD RAN le of 12,500 ade integrate	rege, All Terrain/On-Off weight Proved brake Provide Number of y installed TK20743 Colors Av Color SEO/TGK BLACK OR RED	FRoad ide Towing (Transmission Provide Wh railable for an Additional \$396.	Capacity: In Speeds: In Additional Charge OO OO	16000 1 15 Unit \$51,4 Charge Unit Cost \$51,8 \$51,8	0 9" Cost 50.00 By Colo 46.00 85.00
X X 9L7	TIRES: BIDDER MU TOWING PACKAGE carrying, factory insta controller TRANSMISSION: A TRANSMISSION CO WHEEL BASE: 145 UP FITTER SWITCE Page 124 UP GOOD COMMENT OF THE SWITCE COMMENT OF	UST STATE SIZE AND I E: Towing package capabl alled with reciever, to include Automatic OOLER: Auxiliary or exterior 160° HS Vehic Make GMC No Additional Charge	LOAD RAN le of 12,500 ade integrate	Provide Number of y installed total and Pricing Model TK20743 Colors Av Colors Av SEO/TGK	FRoad ide Towing (Transmission Provide Wh	Capacity: In Speeds: In Additional Charge OO OO OO OO OO OO OO OO OO	16000 1 15 15 Unit \$51,4 Charge Unit Cost \$51,8 \$51,8	0 9" Cost 50.00 By Colo 46.00

Delivery Time After Receipt of Order	Days	or	Weeks

Bio	dder (Vendor)	Contact Pers	on	Contact's Telep	hone	Iter	n #	29B	
OCON	NOR MOTORS	JOHN MYNA	HAN	207592010)5				
E:	stimated Quantity	UNKNOW	/N	Cla	ss-Spec#:		284		
GENER/	AL DESCRIPTION	Full Size Truck		uty 3/4 Ton, 4 x 4, Cre			ınsmission	, Air	
Option				CIFICATIONS	Tol, Till Old	ering			
Code	AIR CONDITIONI	NG.	01 L						
X	AUXILIARY POW								
G80	AXLE REAR: Trac				Duovido	Axle Ratio:	3	73	
K47		duty, highest CCA and re	norza tima a	vailable / Dual if availabl		vide CCA:		/ 700	
X X		HNOLOGY FOR HAND				viue CCA.	720.	7700	
X	BUMPER, FRONT:		3 FREE CI	ELL THONE CALLING					
X	CARGO BOX: 6'-7	-			Provide R	ed Length:	82	.2"	
X	CRUISE CONTROL	•			110vide B	eu Length.	02		
X	AUXILIARY POW	-							
X	DOORS: 4 Full Size								
A	ENGINE: Gasoline	-			Turbo	Yes or No:		v	
	Provide Number o	f Cylinders:	8		Provide Ho		40		
	Provide Numb	·	.6	Provide Foot Pounds of Torque: 464					
K05		EATER, factory installed			oot rounus	or rorque.		J- 4	
X		Heavy Duty, factory ins							
X		Available, factory installe							
X	FUEL CAPACITY:	Available, factory installe		ī	Provide Fue	I Canacity	3	6	
A	FOEL CAFACITT.					de GVWR:		450	
X	GVWR: 9500-10,00	00 lbs.		Duovido	COMBINE	-		500	
X	MIPPOPS: Dual O	utside, Swing-Away Style	a Low Mou				24.	300	
NA	PAYLOAD:	utside, Swilig-Away Styli	e, Low Mou	nted, 8 x 3 Minimum,		le Payload:	TI	3D	
X	POWER LOCKS &	WINDOWS			110010	ie i ayload.	- 11	, D	
X		with Clock, factory installe	ad						
X	· ·	loth, split bench 60/40 or		ith flip down console					
X	SEATS, REAR: clo	•	40/20/40 W.	tti nip down console					
NZZ	SKID PLATES: fac	-							
		rv installed, cab length, fu	all deixoen Pr	nassangar daar width					
VQO X	TILT STEERING V	, , ,	in unvers &	passenger door width					
X		Size, mounted under veh	iolo OEM						
<u> </u>	TIKE, SPAKE. Pull	Size, mounted under ver	licie, OEW	Provide Size and Lo	ad Dangar	1.1	26570R1	7E	
QXT	TIRES: Minimum I	T, All Terrain/On-Off Ro	oad	110vide Size and La	Jau Kange.	Li	20370K1	7.15	
	TIRES: BIDDER M	UST STATE SIZE AND	LOAD RA	NGE, All Terrain/On-Of	f Road				
П 1		iE: Towing package capa alled with reciever, to inc			vide Towing	g Capacity:	1600	0LBS	
JL1	controller	alled with reciever, to inc	iude integra	ted brake		•			
X	TRANSMISSION:	Automatic		Provide Number of	Transmissi	on Speeds:	1	0	
X	TRANSMISSION O	OOLER: Auxiliary or ex	ternal facto	ry installed					
	WHEEL BASE: 14	9" - 160"			Provide W	heel Base:	15	9''	
9L7	UP FITTER SWITC	THS							
		Vehi	cle Descri	ption and Pricing					
Y(ear	Make		Model			Unit	Cost	
)24	GMC		TK20743	}			50.00	
				I					
Standard	I Colors Available at	No Additional Charge				an Addition			
				Color		al Charge	Unit Cost		
<u> </u>								46.00	
	CLIMARAIT VA	/HITE		BLACK OR RED		5.00		85.00	
	SUMMER								
	SUMMIT			DOWNPOUR OR THUNDERSTORM STERLING		5.00 5.00		85.00 85.00	

	_				_
Delivery Time After Receipt of Order		Days	or	Weeks]

Bio	dder (Vendor)	Contact Pers	son	Contact's Telep	hone	lter	n #	29C	
OCON	NOR MOTORS	JOHN MYNA	HAN	207592010)5				
E	stimated Quantity	UNKNOV	VN	Cla	ss-Spec#:		284		
GENERA	AL DESCRIPTION	Full Size Truc		uty 3/4 Ton, 4 x 4, Creditioning, Cruise Cont			nsmission	, Air	
Option Code			SPE	CIFICATIONS					
X	AIR CONDITIONI	NG							
X	AUXILIARY POW	ER SOURCE							
G80	AXLE REAR: Trac	ction Lock			Provide A	Axle Ratio:	3.	73	
K47	BATTERY: Heavy	duty, highest CCA and re	eserve time a	vailable / Dual if availabl	e Pro	vide CCA:	720	/700	
X	BLUETOOTH TEC	HNOLOGY FOR HAN	DS FREE CE	ELL PHONE CALLING					
X	BUMPER, FRONT	factory installed							
X	CARGO BOX: 6'-7	" Bed, Style Side			Provide B	ed Length:	82	.2"	
X	CRUISE CONTRO	L: Factory installed	·						
X	AUXILIARY POW	ER SOURCE							
X	DOORS: 4 Full Siz	e							
	ENGINE: Gasoline				Turbo-	Yes or No:	1	V	
	Provide Number o	of Cylinders:	8		Provide Ho	rse Power:	40	01	
	Provide Numb	er of Liters:	6.6 Provide Foot Pounds of Torque: 464						
K05	ENGINE BLOCK I	HEATER, factory installe	d if available	1					
X	ENGINE COOLER	: Heavy Duty, factory in	stalled						
X	FLOOR: Rubber, I	f Available, factory install	led						
X	FUEL CAPACITY:			I	rovide Fuel	l Capacity:	3	6	
***	G	00.11			Provid	de GVWR:	104	450	
X	GVWR: 9500-10,0	00 lbs.		Provide	COMBINE	D GVWR:	24	500	
X	MIRRORS: Dual C	Outside, Swing-Away Sty	le, Low Mou	nted, 8" x 5" Minimum,	Inside Day/N	Night			
NA	PAYLOAD:				Provid	le Payload:	TI	3D	
X	POWER LOCKS &	WINDOWS							
X	RADIO: AM/FM,	with Clock, factory instal	led						
X	SEATS, FRONT: o	loth, split bench 60/40 or	40/20/40 w	th flip down console					
X	SEATS, REAR: clo	oth, bench							
NZZ	SKID PLATES: fa	ctory installed							
VQO	STEPS: OEM, facto	ory installed, cab length, f	ull drivers &	passenger door width					
X	TILT STEERING V	VHEEL:							
X	TIRE, SPARE: Ful	l Size, mounted under ve	hicle, OEM						
QXT	TIRES: Minimum I	T, All Terrain/On-Off R	oad	Provide Size and Lo	oad Range:	LT	26570R1	7E	
	TIRES: BIDDER M	IUST STATE SIZE ANI	D LOAD RA	NGE, All Terrain/On-Of	f Road				
JL1		GE: Towing package capatalled with reciever, to in			ide Towing	g Capacity:	1600	0LBS	
X	TRANSMISSION:	Automatic		Provide Number of	Transmissi	on Speeds:	1	0	
X	TRANSMISSION (COOLER: Auxiliary or e	xternal facto	ry installed					
	WHEEL BASE: 14	9" - 160"			Provide W	heel Base:	15	9"	
9L7	UP FITTER SWIT	CHS							
	•	V-1.	iolo Do	ntion and Driving					
v.	ear	Make	icie Descri	ption and Pricing Model		ı	I Init	Cost	
)24	GMC		TK20743	!			50.00	
								50.00	
Standard	l Colors Available a	No Additional Charge	4			an Addition			
				Color		al Charge	Unit Cost		
				SEO/TGK	\$39			46.00	
	SUMMIT V	VHITE		BLACK OR RED	\$43			85.00	
			1	DOWNPOUR OR	¢/12	5.00	\$51.8	OF OO	
				THUNDERSTORM STERLING		5.00		85.00 85.00	

Delivery Time After Receipt of Order	Days	or	Weeks

Bio	dder (Vendor)	Contact Person	on	Contact's Telephone			n #	31A
OCON	NOR MOTORS	JOHN MYNA	HAN	207-592-01	05			
E	stimated Quantity:	UNKNOW	/N	Clas	ss-Spec#:		284 - 8B	
GENER	AL DESCRIPTION	Full Size Truck		uty 3/4 Ton, 4 x 4, Cre			nsmission	, Air
Option				CIFICATIONS	THE Steening	у, о веч		
Code	LID CONTRACTOR		SPE	CIFICATIONS				
X	AIR CONDITIONIN							
X	AUXILIARY POWE					1	2	72
X K4Z	AXLE REAR: Tract	uty, highest CCA and res	arva tima a	railable / Dwal if available		Axle Ratio:		73 /700
X X	-	HNOLOGY FOR HAND			- 110	wide CCA.	720.	700
X	BUMPER, FRONT:		3 FREE CE	ELETHONE CALLING				
X	CARGO BOX: 8' Bo							
K34	CRUISE CONTROL							
X	AUXILIARY POWE	-						
X	DOORS: 4 Full Size							
	ENGINE: Gasoline				Turbo-	Yes or No:	N	0
	Provide Number of	Cylinders:	3		Provide Ho	ŀ		01
	Provide Numbe	· —	.6	Provide Fo	oot Pounds	of Torque:	40	64
K05		EATER, factory installed	if available					
X	ENGINE COOLER:	Heavy Duty, factory inst	talled					
X	FLOOR: Rubber, If	Available, factory installe	d					
X	FUEL CAPACITY:			P	rovide Fue	l Capacity:	36	6G
	CLINIB OSOO LOOO) II			Provi	de GVWR:	100	650
	GVWR: 9500-10000) IDS.		Provide	COMBINE	D GVWR:	245	500
X	MIRRORS: Dual O	ıtside, Swing-Away Style	, Low Mou	nted, 8" x 5" Minimum, l	Inside Day/N	Night		
NA	PAYLOAD:				Provid	le Payload:	TI	BD
X	POWER LOCKS &	WINDOWS						
X	RADIO: AM/FM, w	ith Clock, factory installe	d					
X	SEATS, FRONT: cl	oth, split bench 60/40 or	40/20/40 wi	th flip down console				
X	SEATS, REAR: clos	h, bench						
NZZ	SKID PLATES: fact	ory installed						
VQO	STEPS: OEM, factor	y installed, cab length, fu	ll drivers &	passenger door width				
N33	TILT STEERING W	HEEL:						
X	TIRE, SPARE: Full	Size, mounted under veh	icle, OEM					
QXT	TIRES: Minimum L	Г, All Terrain/On-Off Ro	ad	Provide Size and Lo	oad Range:	LT265/70I	R17E ALL	TERRAIN
		UST STATE SIZE AND			f Road			
JL1		 E: Towing package capal alled with reciever, to inc 		- 1100	ide Towing	g Capacity:	1600	0LBS
721	controller							
X	TRANSMISSION:	Automatic		Provide Number of	Transmissi	on Speeds:	1	.0
X	TRANSMISSION C	OOLER: Auxiliary or ex	ternal factor	ry installed				
X	WHEEL BASE: 169				Provide V	heel Base:	1'	72
9L7	UP FITTER SWITC	HS						
		Vehi	cle Descri	ption and Pricing				
Y	ear	Make		Model			Unit	Cost
20)24	GMC		TK20943	}		\$51,6	50.00
Standar	1 Colors Available of	No Additional Charge		Colore A	vailable for	an Addition	al Chargo	
Gianuaro	. Joiota Available at	Additional Onlarge		Colors A	1	al Charge		By Color
				SEO/TGK		6.00		146.00
	SUMMIT W	HITE		BLACK OR RED		5.00		185.00
	SCHAIMILL AN			THUNDERSTORM OR		5.00		85.00
				DOWNPOUR STERLING		5.00		85.00
				- TENERIUS	ψ+3	0.00	ΨυΖ,0	
SEO F	PAINTS ARE WOODL			ormation (Vendor No		PECIAL PAI	NTS ARE O	UT OF

Delivery Time After Receipt of Order	TBD	Days	or	Weeks

Bio	dder (Vendor)	Contact Pers	rson Contact's Telephone Item # 31B						
OCON	NOR MOT	ORS	JOHN MYNA	HAN	207-592-01	05				
E	stimated Q	uantity:	UNKNOW	/N	Cla	ss-Spec#:		284-8B		
GENER	AL DESCRI	PTION	Full Size Truck		uty 3/4 Ton, 4 x 4, Cre			ansmission	, Air	
Option Code				SPE	CIFICATIONS					
X	AIR CONDI	TIONIN	G							
X	AUXILIAR									
X	AXLE REAL					Provide A	Axle Ratio:	3.	73	
K4Z	BATTERY:	Heavy du	uty, highest CCA and res	erve time av	/ailable / Dual if available	e Pro	vide CCA:	720.	/700	
X	BLUETOOT	ГН ТЕСЬ	INOLOGY FOR HAND	S FREE CE	LL PHONE CALLING					
X	BUMPER, F	RONT:	factory installed							
X	CARGO BO	X: 8' Be	d, Style Side							
K34	CRUISE CC	NTROL	: Factory installed							
X	AUXILIAR	Y POWE	R SOURCE							
X	DOORS: 4	Full Size								
	ENGINE: C	Sasoline				Turbo-	Yes or No:	N	O	
	Provide Nu	ımber of	Cylinders:	3		Provide Ho	rse Power:	40	01	
	Provide	e Numbe	r of Liters: 6	.6	Provide F	40	64			
K05	ENGINE BI	OCK H	EATER, factory installed	if available						
X	ENGINE CO	OOLER:	Heavy Duty, factory ins	talled						
X	FLOOR: Ru	ıbber, If A	Available, factory installe	d						
X	FUEL CAPA	ACITY:			I	Provide Fuel	l Capacity:	36	6G	
	GVWR: 9500-10000 lbs. Provide GVWR: 10650								550	
	Provide COMBINED GVWR: 24500									
X	MIRRORS: Dual Outside, Swing-Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night									
NA	PAYLOAD:					Provid	le Payload:	TI	BD	
X	POWER LOCKS & WINDOWS									
X	RADIO: AN	M/FM, wi	th Clock, factory installe	d						
X	SEATS, FRO	ONT: clo	oth, split bench 60/40 or	40/20/40 wi	th flip down console					
X	SEATS, RE.	AR: clot	h, bench							
NZZ	SKID PLAT	ES: facto	ory installed							
vqo	STEPS: OE	M, factor	y installed, cab length, fu	ll drivers &	passenger door width					
N33	TILT STEE	RING W	HEEL:							
X QXT			Size, mounted under veh		Provide Size and Lo	oad Range:	LT265/701	R17E ALL	TERRAI	
			JST STATE SIZE AND E: Towing package capal		2 : 1:				OX == C	
JL1	1		E. Towing package capa lled with reciever, to inc		- 1101	vide Towing	g Capacity:	1600	0LBS	
X	TRANSMIS	SION: A	Automatic		Provide Number of	Transmissi	on Speeds:	1	.0	
X			OOLER: Auxiliary or ex	ternal factor	ry installed					
X	WHEEL BA					Provide W	heel Base:	1'	72	
9L7	UP FITTER	SWITCH	-IS							
			Vehi	cle Descri	ption and Pricing					
Ye	ear		Make		Model			Unit	Cost	
20)24		GMC		TK20943	}		\$51,6	50.00	
Standor	1 Colore Ave	ilablo ot '	No Additional Charge		Colore A	vailable for	an Addition	al Charca		
Stanuard	A COLOIS AVAI	ianie at i	TO Additional Charge		Colors A	1	an Addition	Unit Cost	By Colo	
					SEO/TGK		6.00		46.00	
	CLIMA	MIT W	uite		BLACK OR RED		5.00		85.00	
	30101	1411 1 441	III L		THUNDERSTORM OR		5.00		85.00	
				DOWNPO!						
					STERLING	\$42	5.00	\$52.0	85.00	

Delivery Time After Receipt of Order	TBD Days	or	Weeks

Bio	dder (Vendor)	Contact Perso	on	Contact's Telep	hone	Iter	n #	31C					
OCON	NOR MOTORS	JOHN MYNA	HAN	207-592-01									
E	stimated Quantity:	UNKNOW	'N	Clas	ss-Spec#:		284-8B						
GENER	AL DESCRIPTION		, Heavy Di	L uty 3/4 Ton, 4 x 4, Cre ning, Cruise Control, ⁻		tomatic Tra							
Option Code			SPE	CIFICATIONS									
X	AIR CONDITIONIN	IG											
X	AUXILIARY POWE	ER SOURCE											
X	AXLE REAR: Tract	tion Lock			Provide A	Axle Ratio:	3,	.73					
K4Z	BATTERY: Heavy d	luty, highest CCA and reso	erve time av	/ailable / Dual if available	e Pro	vide CCA:	720	/700					
X	BLUETOOTH TEC	HNOLOGY FOR HANDS	S FREE CE	LL PHONE CALLING									
X	BUMPER, FRONT:	factory installed											
X	CARGO BOX: 8' B	-											
K34	CRUISE CONTROL												
X	AUXILIARY POWE	-											
X	DOORS: 4 Full Size												
	ENGINE: Gasoline				Turbo-	Yes or No:	N	IO					
	Provide Number of	f Cylinders: 8	<u> </u>		Provide Ho	ŀ	4	01					
	Provide Numb	• —			oot Pounds	}		64					
K05		EATER, factory installed					-						
X		Heavy Duty, factory inst											
X		Available, factory installed											
X	FUEL CAPACITY:			P	rovide Fuel	Capacity:	3(6 G					
						ie GVWR:	10	650					
	GVWR: 9500-10000	Olbs.		Provide	COMBINE	}		500					
X	MIRRORS: Dual O	ıtside, Swing-Away Style,	. Low Mou										
NA	PAYLOAD:	,	,	,		e Payload:	Т	BD					
X	POWER LOCKS &	WINDOWS				,							
X		rith Clock, factory installed	d										
X		oth, split bench 60/40 or 4		th flip down console									
X	SEATS, REAR: clot	th, bench											
NZZ	SKID PLATES: fact	tory installed											
VQO		ry installed, cab length, ful	Il drivers &	passenger door width									
N33	TILT STEERING W												
X		Size, mounted under vehi	cle, OEM										
QXT		T, All Terrain/On-Off Roa		Provide Size and Lo	oad Range:	LT265/70F	R17E ALL	TERRAIN					
		UST STATE SIZE AND		0 : 1:		Г							
JL1		E: Towing package capab alled with reciever, to incl			vide Towing	Capacity:	1600	0LBS					
X	TRANSMISSION:	Automatic		Provide Number of	Transmissi	on Speeds:		10					
X		OOLER: Auxiliary or ext	ernal factor										
X	WHEEL BASE: 169			-	Provide W	heel Base:	1	72					
9L7	UP FITTER SWITC												
	1												
			le Descri	ption and Pricing									
	ear	Make		Model				Cost					
20)24	GMC		TK20943			\$51,6	550.00					
Standard	d Colors Available at	No Additional Charge		Colors Av	vailable for	an Addition	al Charge						
				Color	Additiona	al Charge	Unit Cos	t By Color					
				050504	\$39	6.00	\$52.0	046.00					
				SEO/TGK	+ -								
	SUMMIT W	HITE		BLACK OR RED									
	SUMMIT W	HITE		BLACK OR RED THUNDERSTORM OR		5.00	\$52,0						
	SUMMIT W	HITE		BLACK OR RED	\$43	5.00 5.00	\$52,0 \$52,0	085.00					

			_	
Delivery Time After Receipt of Order	TBD	Days	or	Weeks

Bi	dder (Vendor)	Co	ntact Person	1	Contact's Teler	hone	Iter	n #	42	
OCON	NOR MOT	ORS	JOH	N MYNAH	AN	207-592-01	105				
E	stimated Q	uantity:	UI	NKNOWN	1	Cla	ss-Spec#:		400		
						nger, Front Wheel Dr	<u> </u>	Automatic ⁻		on. Air	
GENER	AL DESCRI	PHON	,	, , , , , , , , , , , , , , , , , , ,		oning, Cruise Control,				,	
Option Code					SPE	CIFICATIONS					
X	AIR CONDI	TIONING	Ĵ								
X	AUXILIAR	Y POWE	R SOURCE								
X	AXLE: TRA	CTION (CONTROL								
X	BLUETOOT	Н ТЕСН	NOLOGY F	OR HANDS	FREE CE	LL PHONE CALLING					
X	CRUISE CC	NTROL:	factory inst	talled							
FWD	DRIVE: Fro	nt Wheel	Drive (FWD))							
	ENGINE: G	asoline	_					_			
	Provide Nu	mber of	Cylinders:	4			Turbo-	Yes or No:	: YES		
	Provide	Number	r of Liters:	1.5			Provide Ho	rse Power:	er: 175		
X	FLOOR MA	TS: fron	t and rear, O	EM							
X	FUEL CAPA	ACITY:				Provide Fuel Capacity:			y: 15.6		
X	GVWR: Mi	nimum 4	500 lbs.				Provid	de GVWR:	44	64	
X	MIRRORS: Dual Outside, Power										
Х	POWER DO	OR LOC	KS and POV	WER WINDO	WS						
X	RADIO: AN	A/FM, fac	ctory installe	d							
X	REAR WIN	DOW DE	FROSTER:	Electric, fact	ory install	ed					
X	SEATS: Fro	nt Bucket	ts with Cente	er Console & l	Rear Benc	h, Cloth or Cloth/Viny	[
X	TILT STEEF	RING WE	HEEL								
X	TIRE, SPAR	E: Full si	ize spare if a	vailable							
NA	TIRES: Mir	nimum P2	235/70R16 A	All Season		Provide Size and L	oad Range:	P22	2565R17A	ASB	
X	TRANSMIS	SION: A	utomatic			Provide Number of	f Transmissi	on Speeds:		6	
X	WHEEL BA	SE: Min	imum 105.0				Provide W	heel Base:	10	07	
X	WIPERS: Fr	ont and F	Rear-Intermit	tent with Was	sher						
				Vehicle	e Descri	otion and Pricing					
Y	'ear		Make			Model			Unit	Cost	
20	024	С	HEVROL	ET		EQUINOX 1	XP26		\$25,8	45.00	
Standard	d Colors Avai	lable at N	No Addition	al Charge		Colors A	vailable for a	an Addition	al Charge		
						Color	Additiona	al Charge	Unit Cost	By Color	
SUN	MIT WHIT	E, MO	SAIC BL	ACK,					\$0	.00	
	TIDE BLU	E, STEI	RLING G						\$0	.00	
	LAKES	HORE	BLUE						\$0	.00	
									\$0	.00	
			Λ.	Iditional Vo	hiclo Infe	ormation (Vendor No	otos)				

Delivery Time After Receipt of Order	Days	or	Weeks	

Bi	dder (Vendor	.)	Contact Pers	on	Contact's Telep	hone	Iten	n #	42B
OCON	NOR MOT	ORS	JOHN MYNA	HAN	207-592-01	05			
F	stimated Q	uantity:	UNKNOV	VNI	Cla	ss-Spec#:		400-PS	
	-Stimated Q	daritity.							
GENER	AL DESCRI	PTION	Compact Office,		nger, Front Wheel Dri oning, Cruise Control,			ransmissi	OII, AII
Option Code				SPE	CIFICATIONS				
X	AIR CONDI	TIONING	G						
X	AUXILIARY	Y POWE	R SOURCE						
X	AXLE: TRA	CTION (CONTROL						
X	BLUETOOT	Н ТЕСН	NOLOGY FOR HAND	S FREE CE	LL PHONE CALLING				
X	CRUISE CC	NTROL:	factory installed						
FWD	DRIVE: From	nt Wheel	Drive (FWD)						
	ENGINE: G	asoline					_		
	Provide Nu	mber of	Cylinders:	4		Turbo-	Yes or No:	YES	
	Provide	e Numbe	r of Liters:	1.5	Provide Horse Power:			1'	75
X	FLOOR MA	TS: fron	t and rear, OEM						
X	FUEL CAPA	ACITY:			P	rovide Fuel	Capacity:	15	5.6
X	GVWR: Mi	nimum 4	500 lbs.			Provid	le GVWR:	44	64
X	MIRRORS: Dual Outside, Power								
Х	POWER DO	OR LOC	KS and POWER WINI	OOWS					
X	RADIO: AN	A/FM, fa	ctory installed						
X	REAR WIN	DOW DE	FROSTER: Electric, fa	actory install	ed				
X	SEATS: From	nt Bucket	ts with Center Console	& Rear Benc	h, Cloth or Cloth/Vinyl	AG1 POW	ER SEAT	ADDS \$352	2.00
X	TILT STEEF	RING WE	HEEL						
X	TIRE, SPAR	E: Full s	ize spare if available						
NA	TIRES: Mir	nimum P2	235/70R16 All Season		Provide Size and Lo	oad Range:	P22	565R17A	SB
X	TRANSMIS	SION: A	utomatic		Provide Number of	Transmissi	on Speeds:	(6
X	WHEEL BA	SE: Min	imum 105.0			Provide W	heel Base:	10	07
X	WIPERS: Fr	ont and F	Rear-Intermittent with V	Vasher					
			Vehi	icle Descri	ption and Pricing				
Y	'ear		Make		Model			Unit	Cost
20	024	С	HEVROLET		EQUINOX 1X	(P26		\$26,1	97.00
Standard	d Colors Avai	lable at N	No Additional Charge		Colors Av	ailable for a	ın Additiona	al Charge	
				1	Color	Additiona	I Charge	Unit Cost	By Color
SUN	IMIT WHIT	E. MO	SAIC BLACK,					\$0.	.00
l	TIDE BLU	E, STE	RLING GRAY,					\$0.	.00
	LAKES	HORE	BLUE					\$0.	.00
								\$0.	.00
			Additional	- Vobiolo Infe	ormation (Vendor No	tos)	<u>'</u>		

Delivery Time After Receipt of Order	Days or W	Veeks
, ,	1	

Bio	dder (Vendor	·)	Co	ntact Perso	n	Contact's 1	elephone	Iter	n #	46A
OCON	NOR MOT	ORS	JOH	N MYNAF	IAN	207-592	2-0105			•
E	stimated Q	uantity:	UI	NKNOW	N		Class-Spec#:		404	
						l senger, 4 Door, 4	•	ıtomatic Tr		n Air
GENER	AL DESCRI	PTION	Com	paor Othicy,	Conditio	oning, Cruise Con	trol, Tilt Steering	g Wheel	211011110010	, 7
Option Code					SPE	CIFICATION	IS			
X	AIR CONDI	TIONING	3							
X	AUXILIAR	Y POWEI	R SOURCE							
X	AXLE: TRA	CTION (CONTROL							
X	BLUETOOT	ГН ТЕСН	NOLOGY F	OR HANDS	FREE CE	LL PHONE CALL	ING			
X	CRUISE CC	NTROL:	factory ins	talled						
AWD	DRIVE: 4W	D OR AI	L WHEEL	DRIVE						
	ENGINE: 6	asoline						_		
l	Provide Nu	mber of	Cylinders:	4			Turbo-	Yes or No:	YES	
<u> </u>	Provide	Number	r of Liters:	1.5	5		Provide Ho	rse Power:	1	.75
XX	FLOOR MA	TS: fron	t and rear, C	EM						
X	FUEL CAPA	ACITY:					Provide Fuel	Capacity:	15	5.6G
X	GVWR: Mi	nimum 4	500 lbs.				Provid	de GVWR:	40	630
X	MIRRORS:	MIRRORS: Dual Outside, Power								
Χ	POWER DO	OR LOC	KS and PO	WER WINDO	OWS					
X	RADIO: AN	M/FM, fac	ctory installe	d						
X	REAR WIN	DOW DE	FROSTER:	Electric, fac	tory instal	ed				
X	SEATS: From	nt Bucket	ts with Cente	er Console &	Rear Bend	ch, Cloth or Cloth/	Vinyl			
X	TILT STEEF	RING WI	HEEL							
X	TIRE, SPAR	E: Full si	ize spare if a	vailable						
NA	TIRES: Mir	nimum P2	235/70R16 A	All Season		Provide Size a	nd Load Range:	P225/6	5R17 all	-season
X	TRANSMIS	SION: A	utomatic			Provide Numb	er of Transmissi	on Speeds:		6
X	WHEEL BA	SE: Min	imum 105.0				Provide W	heel Base:	1	.07
X	WIPERS: Fr	ont and F	Rear-Intermit	tent with Wa	sher					
				Vehic	le Descri	ption and Pricin	g			
Y	ear		Make			Мос	del		Unit	t Cost
20	024	С	HEVROL	ET		EQUINO	X 1XX26		\$27,4	445.00
Standard	d Colors Avai	lable at N	No Addition	al Charge		Colo	rs Available for a	an Addition	al Charge	
						Color	Additiona	al Charge	Unit Cos	t By Color
SUN	IMIT WHIT	E, MO	SAIC BL	ACK,					\$0	0.00
	TIDE BLU	E, STEI	RLING G						\$0	0.00
	LAKES	HORE	BLUE						\$0	0.00
									\$0	0.00
			Δ.	ditional Va	hicle Info	ormation (Vendo	or Notes)			

Delivery Time After Receipt of Order	Days	or	Weeks
--------------------------------------	------	----	-------

DOCONNOR MOTORS Document Statement	Bio	dder (Vendo	r)	Co	ntact Pers	on	Contact's Telep	hone	Iten	n #	46B
GENERAL DESCRIPTION Compact Utility, Five Passenger, 4 Door, 4 x 4 or AWD, Automatic Transmission, Air Conditioning, Cruise Control, Tilt Steering Wheel SPECIFICATIONS X	OCON	NOR MO	TORS	JOH	N MYNA	HAN	207-592-01	05			1
GENERAL DESCRIPTION Compact Utility, Five Passenger, 4 Door, 4 x 4 or AWD, Automatic Transmission, Air Conditioning, Cruise Control, Tilt Steering Wheel SPECIFICATIONS X AIR CONDITIONING X AUXILIARY POWER SOURCE X AUXILARY POWER SOURCE X BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X CRUISE CONTROL: factory installed AWD DRIVE: 4WD OR ALL WHEEL DRIVE ENGINE: Gissoline Provide Number of Cylinders: Provide Number of Cylinders: Provide Number of Liters: 1.5 Provide Horse Power: 175 XX FLOOR MATS: front and rear, OEM X FUEL CAPACITY: Provide Fuel Capacity: X GWR: Minimum 4500 lbs. Provide Fuel Capacity: X RADIO: AMFW, factory installed X REAR WINDOW DEFROSTER: Electric, factory installed X REAR WINDOW DEFROSTER: Electric, factory installed X SEATS: Front Bluckets with Center Console & Rear Bench, Cloth or Cloth/Vinyl AG1 POWER SEAT ADDS \$352.00 X TILT STEERING WHEEL X TIRE, SPARE: Full see paper if available NA TIRES: Minimum 1235/70k16 All Season Provide Number of Transmission Speeds: 6 X WIEEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WIEEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE Colors Available for an Additional Charge Colors Available for an Additional Charge Color Additional Charge Unit Cost By Color RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE Colors Available for an Additional Charge Col	E	stimated Q	uantity:	UI	NKNOW	/N	Cla	ss-Spec#:		404-PS	
SPECIFICATIONS SPECIFICATIONS SPECIFICATIONS X AIR CONDITIONING X AUXILIARY POWER SOURCE X AXLE: TRACTION CONTROL X BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X CRUISE CONTROL: factory installed AWD DRIVE: 4WD OR ALL WHEEL DRIVE Provide Number of Cylinders:											
A	GENER	AL DESCRI	IPTION		,,						,
X	_					SPE	CIFICATIONS				
X AXLE: TRACTION CONTROL X BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X CRUISE CONTROL: factory installed AWD DRIVE: 4WD OR ALL WHEEL DRIVE ENGINE: Gasoline Provide Number of Cylinders: Provide Number of Liters: Provide Number of Liters: Provide Number of Liters: Provide Ford I Liters: Provide Ford I Liters: Provide Ford Capacity: 1.5 Provide Ford Capacity: 15.6G X GVWR: Minimum 4500 lbs Provide GVWR: 4630 X MIRRORS: Dual Outside, Power X POWER DOOR LOCKS and POWER WINDOWS X RADIO: AMAFM, factory installed X REAR WINDOW DEFROSTER: Electric, factory installed X SEATS: Front Buckets with Center Console & Rear Bench, Cloth or Cloth/Vinyl AG1 POWER SEAT ADDS \$352.00 X ITLT STEERING WHEEL X TIRE, SPARE: Full size spare if available NA TIRES: Minimum 1923/70R16 All Scason Provide Number of Transmission Speeds: X WHEEL BASE: Minimum 105.0 Provide Wheel Base: Vehicle Description and Pricing Year Make Model Unit Cost Vehicle Description and Pricing Year Make Model Unit Cost SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, SO.00 A Color Additional Charge Unit Cost By Color	X	AIR COND	ITIONIN	3							
X BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING X CRUISE CONTROL: factory installed AWD DRIVE: 4WD OR ALL WHEEL DRIVE ENGINE: Gasoline Provide Number of Cylinders: Provide Number of Liters: 1.5 Provide Horse Power: 175 XX FLOOR MATS: front and rear, OEM X FUEL CAPACITY: Provide Fuel Capacity: 15.6G X GVWR: Minimum 4500 lbs. Provide Fuel Capacity: 15.6G X MIRRORS: Dual Outside, Power X POWER DOOR LOCKS and POWER WINDOWS X RADIO: AM/FM, factory installed X REAR WINDOW DEFROSTER: Electric, factory installed X SEATS: Front Buckets with Center Console & Rear Bench, Cloth or Cloth/Vinyl AG1 POWER SEAT ADDS \$352.00 X TILT STEERING WHEEL. X TIRE, SPARE: Full size spare if available NA TIRES: Minimum P235/70R16 All Season X TRANSMISSION: Automatic Provide Number of Transmission Speeds: A WHEEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: A WHEEL BASE: Minimum 105.0 Provide Wheel Base: 107 X WIPERS: Front and Rear-Intermittent with Washer Vehicle Description and Pricing Year Make Model Unit Cost 2024 CHEVROLET EQUINOX 1XX26 SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE STERLING GRAY, LAKESHORE BLUE STERLING GRAY, LAKESHORE BLUE STERLING GRAY, LAKESHORE BLUE STERLING GRAY, SO.00	X	AUXILIAR	Y POWE	R SOURCE							
X	X	AXLE: TRA	ACTION (CONTROL							
AWD DRIVE: 4WD OR ALL WHEEL DRIVE ENGINE: Gasoline Provide Number of Cylinders: 4 Turbo-Yes or No: YES Provide Number of Liters: 1.5 Provide Horse Power: 175 XX FLOOR MATS: front and rear, OEM X FUEL CAPACITY: Provide Fuel Capacity: 15.6G X GVWR: Minimum 4500 lbs. Provide GVWR: 46.30 X MIRRORS: Dual Outside, Power X POWER DOOR LOCKS and POWER WINDOWS X RADIO: AM/FM, factory installed X REAR WINDOW DEFROSTER: Electric, factory installed X SEATS: Front Buckets with Center Console & Rear Bench, Cloth or Cloth/Vinyl AG1 POWER SEAT ADDS \$352.00 X TILT STEERING WHEEL. X TIRE, SPARE: Full size spare if available NA TIRES: Minimum P235/70R16 All Scason Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum P235/70R16 All Scason Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHIEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHIEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHIEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHIEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHIEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHIEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHIEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHIEL BASE: Minimum 105.0 Provide Number of Transmission Sp	X	BLUETOO	ГН ТЕСН	NOLOGY F	OR HAND	S FREE CE	LL PHONE CALLING				
ENGINE: Gasoline Provide Number of Cylinders: Provide Number of Liters: 1.5 Turbo-Yes or No: Provide Horse Power: 1.5 XX FLOOR MATS: front and rear, OEM X FUEL CAPACITY: Provide Fuel Capacity: 15.6G X GVWR: Minimum 4500 lbs. Provide GVWR: Provide G	X	CRUISE CO	ONTROL:	factory ins	alled						
Provide Number of Cylinders: Provide Number of Liters: 1.5	AWD	DRIVE: 4W	D OR AI	L WHEEL	DRIVE						
Provide Number of Liters: 1.5 Provide Horse Power: 175		ENGINE: 0	Gasoline	_					_		
XX FLOOR MATS: front and rear, OEM X FUEL CAPACITY: Provide Fuel Capacity: 15.6G X GVWR: Minimum 4500 lbs. Provide GVWR: 4630 X MIRRORS: Dual Outside, Power X POWER DOOR LOCKS and POWER WINDOWS X RADIO: AM/FM, factory installed X REAR WINDOW DEFROSTER: Electric, factory installed X SEATS: Front Buckets with Center Console & Rear Bench, Cloth or Cloth/Vinyl AG1 POWER SEAT ADDS \$352,00 X TILT STEERING WHEEL X TIRE, SPARE: Full size spare if available NA TIRES: Minimum P235/70R16 All Season Provide Size and Load Range: P225/65R17 all-season X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Wheel Base: 107 X WIPERS: Front and Rear-Intermittent with Washer Vehicle Description and Pricing Year Make Model Unit Cost 2024 CHEVROLET EQUINOX 1XX26 \$27,797.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE SUMMIT WHITE, MOSAIC BLACK, SO.00 \$0.00 \$0.00		Provide No	umber of	Cylinders:	4	4		Turbo-	Yes or No:	Y	ES
X FUEL CAPACITY: Provide Fuel Capacity: 15.6G X GVWR: Minimum 4500 lbs. Provide GVWR: 4630 X MIRRORS: Dual Outside, Power X POWER DOOR LOCKS and POWER WINDOWS X RADIO: AM/FM, factory installed X REAR WINDOW DEFROSTER: Electric, factory installed X SEATS: Front Buckets with Center Console & Rear Bench, Cloth or Cloth/Vinyl AG1 POWER SEAT ADDS \$352.00 X TILT STEERING WHEEL X TIRE, SPARE: Full size spare if available NA TIRES: Minimum P235/70R16 All Season Provide Size and Load Range: P225/65R17 all-season X WHEEL BASE: Minimum 105.0 Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Wheel Base: 107 X WIPERS: Front and Rear-Intermittent with Washer		Provid	e Numbe	r of Liters:	1.	.5		Provide Hor	rse Power:	1	75
X GVWR: Minimum 4500 lbs. Provide GVWR: 4630 X MIRRORS: Dual Outside, Power X POWER DOOR LOCKS and POWER WINDOWS X RADIO: AM/FM, factory installed X REAR WINDOW DEFROSTER: Electric, factory installed X SEATS: Front Buckets with Center Console & Rear Bench, Cloth or Cloth/Vinyl AG1 POWER SEAT ADDS \$352.00 X TILT STEERING WHEEL X TIRE, SPARE: Full size spare if available NA TIRES: Minimum P235/70R16 All Season Provide Size and Load Range: P225/65R17 all-season X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Wheel Base: 107 X WIPERS: Front and Rear-Intermittent with Washer Vehicle Description and Pricing Year Make Model Unit Cost 2024 CHEVROLET EQUINOX 1XX26 \$27,797.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE \$0.00 \$0.00 \$0.00 \$0.00	XX	FLOOR MA	ATS: fron	t and rear, O	EM						
X MIRRORS: Dual Outside, Power X POWER DOOR LOCKS and POWER WINDOWS X RADIO: AM/FM, factory installed X REAR WINDOW DEFROSTER: Electric, factory installed X SEATS: Front Buckets with Center Console & Rear Bench, Cloth or Cloth/Vinyl AG1 POWER SEAT ADDS \$352.00 X TILT STEERING WHEEL X TIRE, SPARE: Full size spare if available NA TIRES: Minimum P235/70R16 All Season Provide Size and Load Range: P225/65R17 all-season X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Wheel Base: 107 X WIPERS: Front and Rear-Intermittent with Washer Vehicle Description and Pricing Year Make Model Unit Cost 2024 CHEVROLET EQUINOX 1XX26 \$27,797.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE \$0.00 Stondard Standard Sta	X	FUEL CAP	ACITY:				I	Provide Fuel	Capacity:	15.	.6G
X POWER DOOR LOCKS and POWER WINDOWS X RADIO: AM/FM, factory installed X REAR WINDOW DEFROSTER: Electric, factory installed X SEATS: Front Buckets with Center Console & Rear Bench, Cloth or Cloth/Vinyl AG1 POWER SEAT ADDS \$352.00 X TILT STEERING WHEEL X TIRE, SPARE: Full size spare if available NA TIRES: Minimum P235/70R16 All Season Provide Size and Load Range: P225/65R17 all-season X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Wheel Base: 107 X WIPERS: Front and Rear-Intermittent with Washer Vehicle Description and Pricing Year Make Model Unit Cost 2024 CHEVROLET EQUINOX 1XX26 \$27,797.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE \$0.00 \$0.00 \$0.00 \$0.00	X	GVWR: M	inimum 4	500 lbs.				Provid	le GVWR:	46	530
X RADIO: AM/FM, factory installed X REAR WINDOW DEFROSTER: Electric, factory installed X SEATS: Front Buckets with Center Console & Rear Bench, Cloth or Cloth/Vinyl AG1 POWER SEAT ADDS \$352.00 X TILT STEERING WHEEL X TIRE, SPARE: Full size spare if available NA TIRES: Minimum P235/70R16 All Season Provide Size and Load Range: P225/65R17 all-season X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Wheel Base: 107 X WIPERS: Front and Rear-Intermittent with Washer Vehicle Description and Pricing Year Make Model Unit Cost 2024 CHEVROLET EQUINOX 1XX26 \$27,797.00 Standard Colors Available at No Additional Charge Colors Available for an Additional Charge SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE \$0.00 SOURCE STANDARD STERLING GRAY, SOURCE STANDARD STANDARD SOURCE STANDARD SOURCE	X	MIRRORS:	Dual Ou	tside, Power							
X REAR WINDOW DEFROSTER: Electric, factory installed X SEATS: Front Buckets with Center Console & Rear Bench, Cloth or Cloth/Vinyl AG1 POWER SEAT ADDS \$352.00 X TILT STEERING WHEEL X TIRE, SPARE: Full size spare if available NA TIRES: Minimum P235/70R16 All Season Provide Size and Load Range: P225/65R17 all-season X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Wheel Base: 107 X WIPERS: Front and Rear-Intermittent with Washer Vehicle Description and Pricing Year Make Model Unit Cost 2024 CHEVROLET EQUINOX 1XX26 \$27,797.00 Standard Colors Available at No Additional Charge Colors Available for an Additional Charge Unit Cost By Color SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE \$0.00 \$0.00	Х	X POWER DOOR LOCKS and POWER WINDOWS									
X SEATS: Front Buckets with Center Console & Rear Bench, Cloth or Cloth/Vinyl AG1 POWER SEAT ADDS \$352.00 X TILT STEERING WHEEL X TIRE, SPARE: Full size spare if available NA TIRES: Minimum P235/70R16 All Season Provide Size and Load Range: P225/65R17 all-season X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Wheel Base: 107 X WIPERS: Front and Rear-Intermittent with Washer Vehicle Description and Pricing Year Make Model Unit Cost 2024 CHEVROLET EQUINOX 1XX26 \$27,797.00 Standard Colors Available at No Additional Charge Colors Available for an Additional Charge Color Additional Charge Unit Cost By Color SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE \$0.00 \$0.00	X	RADIO: Al	M/FM, fa	ctory installe	d						
X TILT STEERING WHEEL X TIRE, SPARE: Full size spare if available NA TIRES: Minimum P235/70R16 All Season Provide Size and Load Range: P225/65R17 all-season X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Wheel Base: 107 X WIPERS: Front and Rear-Intermittent with Washer Vehicle Description and Pricing Year Make Model Unit Cost 2024 CHEVROLET EQUINOX 1XX26 \$27,797.00 Standard Colors Available at No Additional Charge Colors Available for an Additional Charge Color Additional Charge Unit Cost By Color SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE \$0.00 \$0.00	X	REAR WIN	DOW DE	FROSTER:	Electric, fa	ctory install	ed				
X TIRE, SPARE: Full size spare if available NA TIRES: Minimum P235/70R16 All Season	X	SEATS: Fro	nt Bucke	ts with Cente	er Console &	& Rear Bend	h, Cloth or Cloth/Vinyl	AG1 POW	ER SEAT A	ADDS \$35	2.00
NA TIRES: Minimum P235/70R16 All Season Provide Size and Load Range: P225/65R17 all-season X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Wheel Base: 107 X WIPERS: Front and Rear-Intermittent with Washer Vehicle Description and Pricing Year Make Model Unit Cost 2024 CHEVROLET EQUINOX 1XX26 \$27,797.00 Standard Colors Available at No Additional Charge Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE \$0.00 \$0.00	X	TILT STEE	RING WI	HEEL							
X TRANSMISSION: Automatic Provide Number of Transmission Speeds: 6 X WHEEL BASE: Minimum 105.0 Provide Wheel Base: 107 X WIPERS: Front and Rear-Intermittent with Washer Vehicle Description and Pricing Year Make Model Unit Cost 2024 CHEVROLET EQUINOX 1XX26 \$27,797.00 Standard Colors Available at No Additional Charge Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color Additional Charge Unit Cost By Color SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE \$0.00 \$0.00	X	TIRE, SPAI	RE: Full s	ize spare if a	vailable						
X WHEEL BASE: Minimum 105.0 Provide Wheel Base: 107 X WIPERS: Front and Rear-Intermittent with Washer Vehicle Description and Pricing Year Make Model Unit Cost 2024 CHEVROLET EQUINOX 1XX26 \$27,797.00 Standard Colors Available at No Additional Charge Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE \$0.00 \$0.00	NA	TIRES: Mi	nimum P2	235/70R16 A	Il Season		Provide Size and L	oad Range:	P225/6	5R17 all-	season
Vehicle Description and Pricing Year Make Model Unit Cost	X	TRANSMIS	SSION: A	utomatic			Provide Number of	Transmissio	on Speeds:		6
Vehicle Description and Pricing Year Make Model Unit Cost 2024 CHEVROLET EQUINOX 1XX26 \$27,797.00 Standard Colors Available at No Additional Charge Color Additional Charge Unit Cost By Color SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE \$0.00	X	WHEEL BA	ASE: Min	imum 105.0				Provide W	heel Base:	1	07
Year Make Model Unit Cost 2024 CHEVROLET EQUINOX 1XX26 \$27,797.00 Standard Colors Available at No Additional Charge Colors Available for an Additional Charge Color Additional Charge Unit Cost By Color SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE \$0.00	X	WIPERS: F	ront and F	Rear-Intermit	tent with W	asher					
Standard Colors Available at No Additional Charge Colors Available for an Additional Charge Color Additional Charge Unit Cost By Color SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE RUNNOX 1XX26 SOLOR Additional Charge Unit Cost By Color \$0.00 \$0.00					Vehi	cle Descri	ption and Pricing				
Standard Colors Available at No Additional Charge Color Available for an Additional Charge Color Additional Charge Unit Cost By Color SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE \$0.00 \$0.00	Υ	ear		Make			Model			Unit	Cost
SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE Color Additional Charge Unit Cost By Color \$0.00 \$0.00 \$0.00	20	024	С	HEVROL	ET		EQUINOX 1)	(X26		\$27,7	'97.00
SUMMIT WHITE, MOSAIC BLACK, RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE Color Additional Charge Unit Cost By Color \$0.00 \$0.00 \$0.00	Standard	d Colors Ava	ilable at I	No Addition	al Charge		Colors A	vailable for a	ın Additiona	al Charge	
RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE \$0.00								T	1		t By Color
RIPTIDE BLUE, STERLING GRAY, LAKESHORE BLUE \$0.00 \$0.00	SUM	IMIT WHI	TE MO	SAIC BL	4CK					\$0	.00
φυ.υυ										\$0	.00
\$0.00		LAKES	SHORE	BLUE						\$0	.00
, I I I I I I I I I I I I I I I I I I I										\$0	.00
Additional Vehicle Information (Vendor Notes)				Λ.	Iditional V	lahiola Infe	ormation (Vandor Na	toe)			

Additional	Vehicle	Information	(Vendor	Notes)	Į

	Delivery Time After Receipt of Order			Days	or		Weeks
--	--------------------------------------	--	--	------	----	--	-------