MA 18P 23112700000000000059

NEW

#### State of Maine



### **Master Agreement**

Effective Date: 12/18/23 Expiration Date: 11/30/25

Master Agreement Description: Platform (Rack) Body, 9ft 3in & 12ft

**Buyer Information** 

William Allen 207-624-7871 ext. NULL WJE.Allen@maine.gov

**Issuer Information** 

Darlyne Perry 207-624-8263 **ext.** DARLYNE.PERRY@MAINE.GOV

**Requestor Information** 

Jessica Norton 207-624-8226 **ext.** Jessica.h.norton@MAINE.GOV

#### **Agreement Reporting Categories**

#### **Authorized Departments**

ALL

## **Vendor Information**

Vendor Line #: 1

Vendor ID Vendor Name

VS0000000040 Hews Company, LLC

Alias/DBA

**Vendor Address Information** 

190 Rumery Street

South Portland, ME 04106

US

#### **Vendor Contact Information**

Katy Hews

207-767-2136 **ext**. 121 khews@hewsco.com

**Payment Discount Terms** 

**Discount 1:** 1.0000% 30 **Days** 

0 Days0 Days

0 Days

**Commodity Information** 

Vendor Line #: 1

Vendor Name: Hews Company, LLC

Commodity Line #: 1

Commodity Code: 06586

Commodity Description: Platform Body, 9ft 3in & 12ft

**Commodity Specifications:** 

Commodity Extended Description: Platform Body, 9ft 3in, 12ft and optional accessories

Quantity UOM Unit Price

0.00000

Delivery Days Free On Board

60

Contract Amount Service Start Date Service End Date

0.00

Catalog NameDiscountPlatform Body, 9ft 3in & 12ft0.0000%

Discount Start Date Discount End Date

12/18/23 11/30/25

### **Commodity Information**

Vendor Line #: 1

Vendor Name: Hews Company, LLC

Commodity Line #: 2

Commodity Code: 06586

**Commodity Description:** Null **Commodity Specifications:** 

**Commodity Extended Description:** 

 Quantity
 UOM
 Unit Price

 0.00000
 EA
 0.000000

Delivery Days Free On Board

Each signatory below represents that the person has the requisite authority to enter into this Contract. The parties sign and cause this Contract to be executed.

State of Maine - Department of Administrative and Financial Services

David Morris, Acting Chief Procurement Officer

Hews Company, LLC

—Docusigned by:

James Hews

amus Huws 12/18/2023 -c0657B1C1DDE4F6...

Signature Date

James hews, Chief Operating Officer

## **RIDERS**

V	The following riders are hereby incorporated into this Contract and made part of it by reference: (check all that apply)
$\boxtimes$	Rider A – MA User Information and/or Specifications
$\boxtimes$	Rider B – Terms and Conditions
	Rider C - Exceptions
$\boxtimes$	Bid Cover Page and Debarment Form – Appendix A from RFQ 17D 231018-100
×	Municipality Political Subdivision and School District Participation Certification – Appendix D from RFQ
$\boxtimes$	MaineDOT Terms and Conditions, Appendix F from RFQ 17D 231018-100
	Other – Included at Department's Discretion

# RIDER A Master Agreement User Information and/or Specifications MA 231127-059

Commodity: Platform (Rack) Body, 9ft 3in & 12ft

The State reserves the right to add similar items or commodities to the Master Agreement (MA) contract if it's in the State's best interest but does not obligate the State to purchase similar noncontracted items or commodities from the selected bidder.

Master Agreement Competitive Bid RFQ: 17D 231018-100

**Contract Period:** Through November 30, 2025. The State of Maine with vendor approval can opt to issue up to one (1) two (2) two year and one (1) one (1) year extensions.

**Vendor Contact Person:** The vendor contact person will help consumers place orders, inquire about orders that have not been delivered, all shipping issues, quality issues and any issues pertaining to the MA. All orders not submitted through a Delivery Order will be sent through the vendor contact person. The vendor contact person for this MA is:

Name: Dave Gain Tel: 207-767-2136 Email: dgain@hewsco.com

**Prices:** Prices are with shipping terms of "Free on Board (FOB) – Destination". The State intends for this to mean that all goods shall be priced to include shipping charges, if any, to the State's desired location. The "FOB – Destination" shipping term is also intended to mean that the State shall not bear any responsibility for the goods in question until the State takes possession of them at the destination point of delivery.

Price and Rate Guarantee Period: All quoted prices and rates must be guaranteed for and must remain firm for minimally one year of the initial contract period. Any approved price or rate adjustments must be held firm for minimally one year or the remainder of the contract period if there is less than one year remaining. Price adjustment requests must be made by the vendor(s) at least sixty (60) days prior to the effective date. Requests for price adjustments must include sufficient documentation from the manufacture documenting the request is based on the vendor's actual cost increases. The price adjustment will not go into effect until the contract amendment has been fully approved by the State of Maine.

**Completeness:** The contracted prices includes all items of labor, materials, and other costs necessary to fully complete the manufacture and delivery of the 9ft 3in & 12ft Platform/Rack Bodies.

**Conformity:** All parts not specified shall be manufacturer's best quality and shall conform in materials, design, or workmanship to the best practice known in the platform/rack body industry. All parts shall be new and in no case will used,

reconditioned or obsolete parts be accepted. The parts on all platform/rack body provided by the manufacturer should be interchangeable.

**Quantities:** It is understood and agreed that the MA will cover the actual quantities required by the State over the length of the contract.

**Ordering Procedures:** Delivery Orders (DO) will be created in AdvantageME for all orders over \$5000.00. If a DO is used, the DO will be emailed to the email address referenced on the MA as a .pdf file. Orders less than \$5000.00 can be placed using a State of Maine issued P-Card (credit card).

**Using Departments:** The primary using departments of this MA is MaineDOT however all State agencies are permitted to use the MA.

**Shipping Points:** Most units ordered by MaineDOT will be delivered to Augusta Maine, exact address will be provided when an order is placed. Orders from other State of Maine Agencies may require delivery be required to be made statewide.

**Delivery:** The vendor is responsible for the delivery of material in first class condition at the point of delivery, and in accordance with good commercial practice.

**Delivery and Inspection:** The requested items will be inspected after delivery. If shipment is deemed unacceptable the delivery will be refused and will be returned at the risk and expense of the selling vendor.

## Specifications: Foot Platform Body, 9 ft, 3 inch

**Intent:** The purpose and intent of this specification is to describe a minimum 9'3" Platform Body with fixed bulkhead and removable stake sides. Specifications include four options to be priced separately.

- Option 1 lift gate with a minimum of 1,600 lbs. capacity
- Option 2 pull-down step that can be stored in place when not in use
- Option 3 Hinged Swing Gate Kit
- Option 4 Swing Gate With Stationary Corner Post
- Option 5 Hydraulic body hoist with a minimum 6-ton capacity
- Option 6 Body side and rear racks priced individually.
- Option 7 Installation cost

Bodies will be mounted on a latest model year Ford F-350 with 60" CA dimension, 14,000 lb. GVW rating, dual rear wheels, gas or diesel engine and automatic transmission. Individual stake bodies may be purchased separately or with any combination of listed options. Individual options may be ordered to be installed on platform bodies already in service.

#### INSTRUCTIONS FOR COMPLETING TECHNICAL SPECIFICATION SHEET

Please complete the checklist for technical specifications set forth below. Electronically enter responses directly into the text-enabled fields next to each specification, including actual dimensions when applicable. Each Bidder must indicate whether it can meet the technical specifications by inserting an "X" next to each specification. The "X" will demonstrate that the Bidder's offering meets the technical specification. If a Bidder cannot meet a technical specification, then the Bidder must give an explanation for each exception and for equipment that is not available or that will be dealer installed. All explanations must be provided in detail on separate pages along with the justification as to why the alternative equipment or deliverables will be as good as the equipment or deliverables described in the detailed specifications for desired items. A copy of the vendor specification proposal must be provided. Following these instructions is essential for proper bid evaluation.

If a Bidder fails to provide requested information or if information on a quote is found to be false or misleading, the quote will be rejected as unresponsive.


The award will be made on a best value basis to the vendor that either meets or most closely meets the specifications, while taking price and delivery into consideration.

The following abbreviations must be used:

X	Standard or as specified
N/A	Not Available
DI	Dealer Installed
EQ	<b>Equivalent Bid Specification</b>

	1.0 CONSTRUCTION	Abbreviation	Actual Dimension	Notes
1.1	End rails and side rails shall be a minimum 5 %" 11 ga. Roll formed high strength steel or channel.	N/A	5.75" / 12 ga	
1.2	Crossmembers shall be a minimum of 4-inch 10ga. Formed high strength "C" channel.	Х		
1.3	Crossmember spacing shall be a maximum of every twenty-four 24 inches.	Х	12" O/C	Exceeds
1.4	Gussets shall be front and rear rails along with every other crossmember.	N/A		(1) Every other crossmember
1.5	Long sills shall be a minimum of 5-inch 10ga. formed channel and installed with a	×		Exceeds - Structural Channel

	minimum of 34-inch spacing, minimum length shall be 112".			
1.6	Flooring shall be 2-inch x 6-inch ship lap or tongue and groove treated dense pine.	EQ	1.5" x 4.75"	#1 Douglas Fir
1.7	Lights shall be LED and recessed mounted in shock-resistant rubber grommets and loom protected wires.	Х		
1.8	Stake pockets shall be a minimum of 1.5-inch x 3.50 inch reinforced on 24-inch centers.	Х	2" x 4"	Exceeds
1.9	Stake racks shall be a minimum of 42 inches high.	X		
1.10	Stakes shall be made from a minimum of 11ga. galvanneal steel.	N/A	14 ga	
1.11	Slats shall be made from a minimum of 14ga. steel and roll formed.	N/A	16 ga	
1.12	Attaching hardware shall be spring loaded, anti-rattle, heavy duty hardware.	X		
1.13	Bulkhead shall be rectangular drop in 42 inches high and 96 inches wide with Hole Punched or Mesh center window.	X		
1.14	Bulkhead shall have minimum 12" reinforced Cab Plate to support accessories such as Ladders and Emergency Lights - 12" footprint, flat on top.	X		
1.15	Bulkhead shall be welded or bolted in place to the front rub rail. (Bolt heads shall be facing in the body.)	Х		
1.16	Hitch shall be a class V, rated up to 17,000 lbs. gross trailer weight, (Buyers # 1809055) with 7-prong Round pin trailer plug-in (See Wire Diagram). RV plugs will not be accepted.	X		



1.17	Taillight mounting brackets shall be bolted on, not welded.	х	
1.18	All components shall be E-Coat priming and corrosion protection.	х	
1.19	All terminals, ground and power shall have anti corrosion spray.	х	
1.20	Fuel and DEF fill hose shall be fully supported to prevent sagging or crimping of the hoses. Hose camp required to hold hoses in place on both ends. (Wire ties are not acceptable)	x	
1.21	No wiring shall run through the stake pockets or an area where it can be pinched.	х	
1.22	All exterior trailer wiring shall be professionally installed and run in suitable weather resistant loom or conduit (professionally secured).	х	
1.23	All wire splices/connectors (if applicable) shall be shrink tube barrel type or soldered and shall be sealed with weather-proof automotive type shrink tubing, Scotch	х	

	lock type (wire piercing) connectors are not acceptable in any application.			
1.24	Hitch shall use a 2" square receiving opening.	Х		
1.25	Hitch shall attach to the vehicle frame only. Need to follow Buyers hitch installation guidelines.	Х		
	2.0 WARRANTY	Abbreviation	Actual Dimension	Notes
2.1	Manufacturer's standard warranty will apply.	X		
2.2	Terms and conditions of warranty must be provided with bid proposal.	Х		
2.3	Manufacturer's warranty will start with the in-service date.	X		
	3.0 GENERAL	Abbreviation	Actual Dimension	Notes
3.1	Bid price of body shall include mounting and all hardware to install on latest model Ford F350 with a 60-inch CA with dual wheels and delivery to MaineDOT Fleet Services at 66 Industrial Drive, Augusta, ME.	X		
3.2	Body and all components shall be black in color.	X		
3.3	Be it known that these specifications are a minimum and that bids will be evaluated based on price, warranty, manufacturer's performance data, delivery schedule, parts availability and other items deemed appropriate.	X		
3.4	Bidders are required to provide sufficient information with their bid such as manufacturer's brochures, specification sheet, etc. and to certify that they have service facilities in Maine, staffed with	Х		

	trained service technicians and stocked with repair parts for the equipment which is bid. Failure to provide this information may cause the bid to be rejected. MaineDOT reserves the right to reject any and all bids.		
3.5	Body must comply with the Department of Transportation Federal Motor Vehicle Safety Standards and Department of Labor Occupational Safety and Health Standards. Lighting equipment shall meet FMVSS # 108.	х	
3.6	Exceptions to specifications shall be listed on a separate paper and noted as exceptions and submitted with bid proposal. If exceptions are not listed as such, it shall be considered that the vendor will comply with all specifications as listed.	x	
3.7	Backup alarm conforming to SAEJ 994 and OHSA requirements.	Х	

## **OPTIONS**

normal consequence of the conseq				
	4.0 OPTION 1 – ALUMINUM LIFT GATE	Abbreviation	Actual Dimension	Notes
4.1	Lift gate shall have a minimum capacity of 1,600 Lbs.	х		
4.2	Lift gate shall be a minimum of 87 inches wide and 35 inches in height.	x		
4.3	Lift gate shall have toque assist system in tailgate to assist in manually closing.	x		
4.4	Lift gate shall include safety latch for transit.	X		
4.5	Lift gate shall have dual lifting cylinders, chrome rods and adjustable clevis.	Х		
4.6	Lift gate shall meet TMC electrical requirements.	X		
4.7	Power source for controlling the movement of the lift gate shall be a 12-volt self-	Х		

	contained hydraulic pump with resettable breakers neatly installed.			
4.8	Lift gate shall conform to fit rack body specifications above (both dumping & non-dumping).	Х		
	5.0 STEP	Abbreviation	Actual Dimension	Notes
5.1	Step shall be a pull-out and flip-down type with a minimum weight capacity of 350 Lbs.	Х		
5.2	Step shall have a minimum of two (2) rungs spaced no more than 12 inches apart.	Х		
5.3	Step shall be a minimum of 11 inches in width.	Х		
5.4	Step shall be stored within or under the body frame and have a mechanism to prevent losses of step while the vehicle is in motion.	Х		
5.5	Step shall have a grip surface to provide for maximum traction.	Х		
5.6	Ladder will be located at the right rear corner of the body facing the rear. Ladder to be secured when not in uses.	х		
	6.0 SWING GATE	Abbreviation	Actual Dimension	Notes
6.1	Swing Gate shall attached be galvanized solid steel corner posts; rear swing gates with a heavy-duty bolt-on greaseable hinge assemblies.	N/A		Rear corner post steel tube, not galvanized
6.2	Swing Gate rear swing gates with a heavy-duty bolt-on hinge assembly.	X	80-47-14-14-1	Hews custom fabricated 4 x 2 x 1/4 square steel tube
	7.0 BODY HYDRAULIC HOIST	Abbreviation	Actual Dimension	Notes
7.1	Hydraulic hoist shall have a minimum 6-ton capacity with integral safety prop.	X		

7.2	Power source for controlling the movement of the hydraulic hoist dump shall be a 12-volt self-contained hydraulic pump with resettable breakers neatly installed.	x	
7.3	Dump/Hoist assembly shall be of lowest type mounting available but should not preclude a sub frame if necessary.	Х	
7.4	Body support, permanently attached, capable of being locked in place or a stop to hold body support in the up position.	Х	
7.5	Power up and down.	Х	
7.6	Body longitudinal must <b>not</b> be cut to accommodate the hoist assembly.	Х	

### **BODY PRICE (information required)**

**INSTALLED OPTIONS (additional costs)** 

Body Make & Model Number: Reading H9W Platform Wood Floor

Body Side Racks and Rear Racks Priced Individually

Labor to install complete body, bumper, hitch and delivery

### \$7x60x.xxxxxxxxxxx

8.6

**8.7** 

#### **Installed Option** Model Price Notes 8.1 Lift Gate System Maxon C2-92-1650 8.2 Step System Unique Pull Out Step 8.3 Swing Gate Swing-Out Rear Rack Kit Hews Swing Gate 8.4 Swing Gate With Stationary Corner Post Conversion RTB-4016-09 8.5 Hydraulic Hoist

## **Specifications: 12 FOOT PLATFORM BODY**

**Intent:** The purpose and intent of this specification is to describe an approximately 12' Platform Body with fixed bulkhead and removable stake sides. Specifications include four options to be priced separately.

- Option 1 lift gate with a minimum of 1,600 lbs. capacity
- Option 2 pull-down step that can be stored in place when not in use
- Option 3 Hinged Swing Gate Kit
- Option 4 Swing Gate With Stationary Corner Post
- Option 5 Hydraulic body hoist with a minimum 6-ton capacity
- Option 6 Body side and rear racks priced individually.
- Option 7 Installation cost

Bodies will be mounted on a latest model year Ford F-350,14,000 lb. GVW or F550, 19,500 GVW rating with an 84" CA dimension, dual rear wheels, gas or diesel engine and automatic transmission. Individual stake bodies may be purchased separately or with any combination of listed options. Individual options may be ordered to be installed on platform bodies already in service.

The following ab	breviations must	be used:
------------------	------------------	----------

United by the fact of the control of the state of the sta

CHARLEST THE CHARLEST AND THE PARTY IN THE PARTY DESCRIPTION.

X	Standard or as specified
N/A	Not Available
DI	Dealer Installed
EQ	<b>Equivalent Bid Specification</b>

	2.0 CONSTRUCTION	Abbreviation	Actual Dimension	Notes
1.1	End rails and side rails shall be a minimum 5 %" 11 ga. Roll formed high strength steel or channel.	N/A	5.75" 12 ga	
1.2	Crossmembers shall be a minimum of 4-inch 10ga. Formed high strength "C" channel.	X		
1.3	Crossmember spacing shall be a maximum of every twenty-four 24 inches.	X	12" O/C	Exceeds
1.4	Gussets shall be front and rear rails along with every other crossmember.	N/A		(1) Every other crossmember
1.5	Long sills shall be a minimum of 5-inch 10ga. formed channel and install with a minimum of 34-inch spacing, minimum length shall be 147".	X		Exceeds - Structural Channel
1.6	Flooring shall be 2-inch x 6-inch tongue and groove treated dense yellow pine.	EQ	1.5" x 4.75"	#1 Douglas Fir
1.7	Lights shall be LED and recessed mounted in shock resistant rubber grommets and loom protected wires.	х		
1.8	Stake pockets shall be minimum 1.5-inch x 3.50 inch reinforced on 24-inch centers.	Х	2" x 4"	Exceeds

1.9	Stake racks shall be a minimum of 42 inches high.	Х		
1.10	Stakes shall be made from a minimum of 11ga. galvanneal steel or hot rolled.	N/A	14 ga	
1.11	Slats shall be made from a minimum of 14ga. Steel roll formed or hot rolled.	N/A	16 ga	
1.12	Attaching hardware shall be anti-rattle, heavy-duty latching hardware.	X		
1.13	Bulkhead shall be rectangular drop in 42 inches high and 96 inches wide with Hole Punched or Mesh center window.	X		
1.14	Bulkhead shall have minimum 12" reinforced Cab Plate to support accessories such as ladders and Emergency Lights – 12" footprint, flat on top.	Х		
1.15	Bulkhead shall be bolted in place to the front rub rail. (Bolt heads shall be facing in the body.)	Х		
1.16	Hitch shall be a class V, rated up to 17,000 lbs. gross trailer weight, (Buyers # 1809055) with 7-prong Round pin trailer plug-in (See Wire Diagram). RV plugs will not be accepted.	Х		

	Outside 7 Way Round P  Brown Tail and Running Lights  Orange Battery Charge Blue Auxiliary	Orange Battery Charge	Connector Inside  White  Ground  Brown  Tail and Running Lights  Blue  Auxiliary Circuit
1.17	Green Right Turn & Hazard Stop Lamps  Taillight mounting brackets shall be bolted on, not welded.	Yellow Left Turn & Hazard	Green Right Turn Red & Hazard Stop Lamps
1.18	All components shall be E-Coat priming and corrosion protection.	x	
1.19	All terminals, ground and power shall have anti corrosion spray.	x	
1.20	Fuel and DEF fill hose shall be fully supported to prevent sagging or crimping of the hoses. Hose camp required to hold hoses in place on both ends. (Wire ties are not acceptable)	x	
1.21	No wiring shall run through the stake pockets or an area where it can be pinched.	х	
1.22	All exterior trailer wiring shall be professionally installed and run in suitable weather resistant loom or conduit (professionally secured).	х	
1.23	All wire splices/connectors (if applicable) shall be shrink tube barrel type or soldered and shall be sealed with weather-proof automotive type shrink tubing, Scotch	Х	

	lock type (wire piercing) connectors are not acceptable in any application.			
1.24	Hitch shall use a 2" square receiving opening.	Х		
1.25	Hitch shall attach to the vehicle frame only. Need to follow Buyers hitch installation guidelines.	X		
	3.0 WARRANTY	Abbreviation	Actual Dimension	Notes
2.1	Manufacturer's standard warranty will apply.	Х		
2.2	Terms and conditions of warranty must be provided with bid proposal.	Х		
2.3	Manufacturer's warranty will start with the in-service date	X		
	4.0 GENERAL	Abbreviation	Actual Dimension	Notes
3.1	Bid price of body shall include mounting and all hardware to install on latest model Ford F350 or F550 with a 84-inch CA with dual wheels and delivery to MaineDOT Fleet Services in 66 Industrial Drive Augusta, ME 04330.	Х		
3.2	Body and all components shall be black in color.	X		
3.3	Be it known that these specifications are a minimum and that bids will be evaluated based on price, warranty, manufacturer's performance data, delivery schedule, parts availability and other items deemed appropriate.	X		
3.4	Bidders are required to provide sufficient information with their bid such as manufacturer's brochures, specification sheet, etc. and to certify that they have service facilities in Maine, staffed with	Х		

	trained service technicians and stocked with repair parts for the equipment which is bid. Failure to provide this information may cause the bid to be rejected. Maine DOT			
	reserves the right to reject any and all bids.			
3.5	Body must comply with the Department of Transportation Federal Motor Vehicle Safety Standards and Department of Labor Occupational Safety and Health Standards. Lighting equipment shall meet FMVSS # 108.	X		
3.6	Exceptions to specifications shall be listed on a separate paper and noted as exceptions and submitted with bid proposal. If exceptions are not listed as such it shall be considered that the vendor will comply with all specifications as listed.	X		
3.7	Backup alarm conforming to SAEJ 994 and OHSA requirements.	Х		
	5.0 OPTION 1 - LIFT GATE	Abbreviation	Actual Dimension	Notes
4.1	Lift gate shall have a minimum capacity of 1,600 lbs.	Х		
4.2	Lift gate shall be a minimum of 87 inches wide and 35 inches in height.	Х		
4.3	Lift gate shall have toque assist system in tailgate to assist in manually closing.	Х		
4.4	Lift gate shall include safety latch for transit.	X		
4.5	Lift gate shall have dual lifting cylinders, chrome rods and adjustable clevis.	Х		
4.6	Lift gate shall meet TMC electrical requirements.	Х		
4.7	Power source for controlling the movement	X		

	contained hydraulic pump with resettable breakers neatly installed.			
4.8	Lift gate shall conform to fit rack body specifications above (both dumping & non-dumping).	Х		
	6.0 OPTION 2 - STEP	Abbreviation	Actual Dimension	Notes
5.1	Step shall be a pull out and flip down type with a minimum weight capacity of 350 lbs.	x		
5.2	Step shall have a minimum of two (2) rungs spaced no more than 12 inches apart.	Х		
5.3	Step shall be a minimum of 11 inches in width.	Х		
5.4	Step shall be stored within or under the body frame and have a mechanism to prevent losses of step while the vehicle is in motion.	Х		
5.5	Step shall have a grip surface to provide for maximum traction.	Х		
5.6	Ladder will be located at the right rear corner of the body facing the rear. Ladder to be secured when not in uses.	X		
	7.0 OPTION 3 – SWING GATE	Abbreviation	Actual Dimension	Notes
6.1	Swing Gate shall attached be galvanized solid steel corner posts; rear swing gates with a heavy-duty bolt-on greaseable hinge assemblies.	N/A		Rear corner post steel tube, not galvanized
6.2	Swing Gate rear swing gates with a heavy-duty bolt-on hinge assembly.	X		Hews custom fabricated 4 x 2 x 1/4 square steel tube
	8.0 OPTION 4 – BODY HYDRAULIC HOIST	Abbreviation	Actual Dimension	Notes
7.1	Hydraulic hoist shall have a minimum 6-ton capacity with integral safety prop.	X		

of the hydraulic hoist dump shall be a 12-volt self-contained hydraulic pump with resettable breakers neatly installed.	х	
Dump/Hoist assembly shall be of lowest type mounting available but should not preclude a sub frame if necessary.	Х	
Body support, permanently attached, capable of being locked in place or a stop to hold body support in the up position.	x	
Power up and down.	X	
Body longitudinal must not be cut to accommodate the hoist assembly.	Х	
	volt self-contained hydraulic pump with resettable breakers neatly installed.  Dump/Hoist assembly shall be of lowest type mounting available but should not preclude a sub frame if necessary.  Body support, permanently attached, capable of being locked in place or a stop to hold body support in the up position.  Power up and down.  Body longitudinal must not be cut to	volt self-contained hydraulic pump with resettable breakers neatly installed.  Dump/Hoist assembly shall be of lowest type mounting available but should not preclude a sub frame if necessary.  Body support, permanently attached, capable of being locked in place or a stop to hold body support in the up position.  Power up and down.  X  Body longitudinal must not be cut to

## **BODY PRICE (information required)**

Body Make & Model Number: Reading H12W Platform Wood Floor

#### 

	Installed Option	Model	Price	Notes
8.1	Lift Gate System	Maxon C2-02-1650	SCYZON XON X NZ	rotx
8.2	Step System	Unique Pull Out Step	\$	
8.3	Swing Gate	Swing-Out Rear Rack Kit		
8.4	Swing Gate With Stationary Corner Post	Hews Swing Gate Conversion		
8.5	Hydraulic Hoist	RTB-11' 4016B		
8.6	Body Side Racks and Rear Racks Priced Inc	dividually	***************************************	
8.7	Labor to install complete body, bumper, hite	ch and delivered		

## RIDER B TERMS AND CONDITIONS

- **1. DEFINITIONS**: The following definitions are applicable to these standard terms and conditions:
  - a. The term "Buyer" or "State" shall refer to the Government of the State of Maine or a person representing the Government of the State of Maine.
  - b. The term "Department" or "DAFS" shall refer to the State of Maine Department of Administrative and Financial Services.
  - c. The term "Bureau" or "BGS" shall refer to the State of Maine Bureau of General Services.
  - d. The term "Division" shall refer to the State of Maine Division of Purchases.
  - e. The term "Contractor", "Vendor", or "Provider" shall refer to the organization that is providing goods and/or services through the contract to which these standard terms and conditions have been attached and incorporated.
  - f. The term "Contract" or "Agreement" shall refer to the contract document to which these standard terms and conditions apply, taking the format of a Buyer Purchase Order (BPO) or Master Agreement (MA) or other contractual document that is mutually agreed upon between the State and the Contractor.
- 2. WARRANTY: The Contractor warrants the following:
  - a. That all goods and services to be supplied by it under this Contract are fit and sufficient for the purpose intended, and
  - That all goods and services covered by this Contract will conform to the specifications, drawing samples, symbols or other description specified by the Division, and
  - c. That such articles are merchantable, good quality, and free from defects whether patent or latent in material and workmanship, and
  - d. That all workmanship, materials, and articles to be provided are of the best grade and quality, and
  - e. That it has good and clear title to all articles to be supplied by it and the same are free and clear from all liens, encumbrances and security interest.

Neither the final certificate of payment nor any provision herein, nor partial nor entire use of the articles provided shall constitute an acceptance of work not done in accordance with this agreement or relieve the Contractor liability in respect of any warranties or responsibility for faulty material or workmanship. The Contractor shall remedy any defects in the work and pay any damage to other work resulting therefrom, which shall appear within one year from the date of final acceptance of the work provided hereunder. The Division of Purchases shall give written notice of observed defects with reasonable promptness.

**3. TAXES**: Contractor agrees that, unless otherwise indicated in the order, the prices herein do not include federal, state, or local sales or use tax from which an exemption is available for purposes of this order. Contractor agrees to accept and use tax exemption certificates when supplied by the Division as applicable. In case it shall ever be determined that any tax included in the prices herein was not required to be paid by Contractor, Contractor agrees to notify the Division and to make prompt application for the refund thereof, to take all proper steps to procure the same and when received to pay the same to the Division.

- **4. PACKING AND SHIPMENT**: Deliveries shall be made as specified without charge for boxing, carting, or storage, unless otherwise specified. Articles shall be suitably packed to secure lowest transportation cost and to conform to the requirements of common carriers and any applicable specifications. Order numbers and symbols must be plainly marked on all invoices, packages, bills of lading, and shipping orders. Bill of lading should accompany each invoice. Count or weight shall be final and conclusive on shipments not accompanied by packing lists.
- 5. **DELIVERY**: Delivery should be strictly in accordance with delivery schedule. If Contractor's deliveries fail to meet such schedule, the Division, without limiting its other remedies, may direct expedited routing and the difference between the expedited routing and the order routing costs shall be paid by the Contractor. Articles fabricated beyond the Division's releases are at Contractor's risk. Contractor shall not make material commitments or production arrangements in excess of the amount or in advance of the time necessary to meet delivery schedule, and, unless otherwise specified herein, no deliveries shall be made in advance of the Division's delivery schedule. Neither party shall be liable for excess costs of deliveries or defaults due to the causes beyond its control and without its fault or negligence, provided, however, that when the Contractor has reason to believe that the deliveries will not be made as scheduled, written notice setting forth the cause of the anticipated delay will be given immediately to the Division. If the Contractor's delay or default is caused by the delay or default of a subcontractor, such delay or default shall be excusable only if it arose out of causes beyond the control of both Contractor and subcontractor and without fault of negligence or either of them and the articles or services to be furnished were not obtainable from other sources in sufficient time to permit Contractor to meet the required delivery schedule.
- **6. FORCE MAJEURE**: The State may, at its discretion, excuse the performance of an obligation by a party under this Agreement in the event that performance of that obligation by that party is prevented by an act of God, act of war, riot, fire, explosion, flood or other catastrophe, sabotage, severe shortage of fuel, power or raw materials, change in law, court order, national defense requirement, or strike or labor dispute, provided that any such event and the delay caused thereby is beyond the control of, and could not reasonably be avoided by, that party. The State may, at its discretion, extend the time period for performance of the obligation excused under this section by the period of the excused delay together with a reasonable period to reinstate compliance with the terms of this Agreement.
- **7. INSPECTION**: All articles and work will be subject to final inspection and approval after delivery, notwithstanding prior payment, it being expressly agreed that payment will not constitute final acceptance. The Division of Purchases, at its option, may either reject any article or work not in conformity with the requirements and terms of this order, or re-work the same at Contractor's expense. The Division may reject the entire shipment where it consists of a quantity of similar articles and sample inspection discloses that ten (10%) percent of the articles inspected are defective, unless Contractor agrees to reimburse the Division for the cost of a complete inspection of the articles included in such shipment. Rejected material may be returned at Contractor's risk and expense at the full invoice price plus applicable incoming transportation charges, if any. No replacement of defective articles of work shall be made unless specified by the Division.

- **8. INVOICE**: The original and duplicate invoices covering each and every shipment made against this order showing Contract number, Vendor number, and other essential particulars, must be forwarded promptly to the ordering agency concerned by the Vendor to whom the order is issued. Delays in receiving invoice and also errors and omissions on statements will be considered just cause for withholding settlement without losing discount privileges. All accounts are to be carried in the name of the agency or institution receiving the goods, and not in the name of the Division of Purchases.
- **9. ALTERATIONS**: The Division reserves the right to increase or decrease all or any portion of the work and the articles required by the bidding documents or this agreements, or to eliminate all or any portion of such work or articles or to change delivery date hereon without invalidating this Agreement. All such alterations shall be in writing. If any such alterations are made, the contract amount or amounts shall be adjusted accordingly. In no event shall Contractor fail or refuse to continue the performance of the work in providing of articles under this Agreement because of the inability of the parties to agree on an adjustment or adjustments.
- **10. TERMINATION**: The Division may terminate the whole or any part of this Agreement in any one of the following circumstances:
  - a. The Contractor fails to make delivery of articles, or to perform services within the time or times specified herein, or
  - b. If Contractor fails to deliver specified materials or services, or
  - c. If Contractor fails to perform any of the provisions of this Agreement, or
  - d. If Contractor so fails to make progress as to endanger the performance of this Agreement in accordance with its terms, or
  - e. If Contractor is adjudged bankrupt, or if it makes a general assignment for the benefit of its creditors or if a receiver is appointed on account of its insolvency, or
  - f. Whenever for any reason the State shall determine that such termination is in the best interest of the State to do so.

In the event that the Division terminates this Agreement in whole or in part, pursuant to this paragraph with the exception of 8(f), the Division may procure (articles and services similar to those so terminated) upon such terms and in such manner as the Division deems appropriate, and Contractor shall be liable to the Division for any excess cost of such similar articles or services.

- **11. NON-APPROPRIATION**: Notwithstanding any other provision of this Agreement, if the State does not receive sufficient funds to fund this Agreement and other obligations of the State, if funds are de-appropriated, or if the State does not receive legal authority to expend funds from the Maine State Legislature or Maine courts, then the State is not obligated to make payment under this Agreement.
- 12. COMPLIANCE WITH APPLICABLE LAWS: Contractor agrees that, in the performance hereof, it will comply with applicable laws, including, but not limited to statutes, rules, regulations or orders of the United States Government or of any state or political subdivision(s) thereof, and the same shall be deemed incorporated herein by reference. Awarding agency requirements and regulations pertaining to copyrights and rights in data. Access by the grantee, the subgrantee, the Federal grantor agency, the Comptroller General of the United States, or any of their duly authorized representatives to any books, documents, papers and records of the Contractor which are directly pertinent to that specific contract for the purpose of making audit, examination,

excerpts, and transcriptions. Retention of all required records for three years after grantees or subgrantees make final payments and all other pending matters are closed. Compliance with all applicable standards, orders, or requirements issued under section 306 of the Clean Air Act (42 U.S.C. 1857(h), section 508 of the Clean Water Act, (33 U.S.C. 1368), Executive Order 11738, and Environmental Protection Agency regulations (40 CFR part 15). (Contracts, subcontracts, and subgrants of amounts in excess of \$100,000). Mandatory standards and policies relating to energy efficiency which are contained in the state energy conservation plan issued in compliance with Energy Policy and Conservation Act (Pub. L. 94-163, 89 Stat. 871).

- **13. INTERPRETATION**: This Agreement shall be governed by the laws of the State of Maine as to interpretation and performance.
- **14. DISPUTES**: The Division will decide any and all questions which may arise as to the quality and acceptability of articles provided and installation of such articles, and as to the manner of performance and rate of progress under this Contract. The Division will decide all questions, which may arise as to the interpretation of the terms of this Agreement and the fulfillment of this Agreement on the part of the Contractor.
- **15. ASSIGNMENT**: None of the sums due or to become due nor any of the work to be performed under this order shall be assigned nor shall Contractor subcontract for completed or substantially completed articles called for by this order without the Division's prior written consent. No subcontract or transfer of agreement shall in any case release the Contractor of its obligations and liabilities under this Agreement.
- **16. STATE HELD HARMLESS**: The Contractor agrees to indemnify, defend, and save harmless the State, its officers, agents, and employees from any and all claims and losses accruing or resulting to any and all contractors, subcontractors, material men, laborers and other persons, firm or corporation furnishing or supplying work, services, articles, or supplies in connection with the performance of this Agreement, and from any and all claims and losses accruing or resulting to any person, firm or corporation who may be injured or damaged by the Contractor in the performance of this Agreement.
- 17. **SOLICITATION**: The Contractor warrants that it has not employed or written any company or person, other than a bona fide employee working solely for the Contractor to solicit or secure this Agreement, and it has not paid, or agreed to pay any company, or person, other than a bona fide employee working solely for the Contractor any fee, commission, percentage, brokerage fee, gifts, or any other consideration, contingent upon, or resulting from the award for making this Agreement. For breach or violation or this warranty, the Division shall have the absolute right to annul this agreement or, in its discretion, to deduct from the Agreement price or consideration, or otherwise recover the full amount of such fee, commission, percentage, brokerage fee, gifts, or contingent fee.
- **18. WAIVER**: The failure of the Division to insist, in any one or more instances, upon the performance of any of the terms, covenants, or conditions of this order or to exercise any right hereunder, shall not be construed as a waiver or relinquishment of the future performance of any such term, covenant, or condition or the future exercise of such right, but the obligation of Contractor with respect to such future performance shall continue in full force and effect.

- **19. MATERIAL SAFETY**: All manufacturers, importers, suppliers, or distributors of hazardous chemicals doing business in this State must provide a copy of the current Material Safety Data Sheet (MSDS) for any hazardous chemical to their direct purchasers of that chemical.
- **20. COMPETITION**: By accepting this Contract, Contractor agrees that no collusion or other restraint of free competitive bidding, either directly or indirectly, has occurred in connection with this award by the Division of Purchases.
- **21. INTEGRATION**: All terms of this Contract are to be interpreted in such a way as to be consistent at all times with this Standard Terms and Conditions document, and this document shall take precedence over any other terms, conditions, or provisions incorporated into the Contract.
- **22. ORDER OF PRECEDENCE.** In the event of a conflict between the documents comprising this Agreement, the Order of Precedence shall be:
  - a. Exceptions If applicable
  - b. General Terms & Conditions for Goods and/or Services under Buyer Purchase Orders
    - and Master Agreements
  - c. Scope of Work If applicable
  - d. Vender Agreement Included at Department's Discretion
  - e. Other Included at Department's Discretion

#### Appendix A

## STATE OF MAINE DEPARTMENT OF ADMINISTRATIVE AND FINANCIAL SERVICES DIVISION OF PROCUREMENT SERVICES

#### BID COVER PAGE and DEBARMENT FORM

Bidder's Organization Name: Hews Company, LLC				
Chief Executive - Name/Title: James Hews / Chief Operating Officer				
Tel: 207-767-2136	Fax: 207-767-5381	E-mail: jhews@hewsco.com		
Headquarters Street Add	lress: 190 Rumery Street			
Headquarters City/State	/Zip: South Portland, ME	041076		
(provide information requested below if different from above)				
Lead Point of Contact for Bid - Name/Title: Dave Gain / Account Manager				
Tel: 207-767-2136 Fax: 207-767-5381 E-mail: dgain@hewsco.com				
Street Address: 190 Rumery Street				
City/State/Zip: South Portland, ME 04106				

#### By signing below Bidder affirms:

- Their bid complies with all requirements of this RFQ;
- This bid and the pricing structure contained herein will remain firm for a period of 180 days from the date and time of the bid opening;
- That no personnel currently employed by the Department or any other State agency participated, either directly or indirectly, in any activities relating to the preparation of the Bidder's proposal;
- That no attempt has been made or will be made by the Bidder to induce any other person or firm to submit or not to submit a proposal; and
- The undersigned is authorized to enter into contractual obligations on behalf of the above-named organization.

Name: James Hews	Title: Chief Operating Officer
To have your bid accepted, this Appendix MUST have a Adobe Sign forms of electronic signature.	n actual wet signature or utilize DocuSign or
Authorized Signature:	Date:
Jan E M	11/8/2023

#### Debarment, Performance, and Non-Collusion Certification

By signing this document, I certify to the best of my knowledge and belief that the aforementioned organization, its principals, and any subcontractors named in this proposal:

- a. Are not presently debarred, suspended, proposed for debarment, and declared ineligible or voluntarily excluded from bidding or working on contracts issued by any governmental agency.
- b. Have not within three years of submitting the proposal for this contract been convicted of or had a civil judgment rendered against them for:
  - fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a federal, state or local government transaction or contract.
  - ii. violating Federal or State antitrust statutes or committing embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen
  - iii. are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or Local) with commission of any of the offenses enumerated in paragraph (b) of this certification; and
  - have not within a three (3) year period preceding this proposal had one or more federal, state iv. or local government transactions terminated for cause or default.
- c. Have not entered into a prior understanding, agreement, or connection with any corporation, firm, or person submitting a response for the same materials, supplies, equipment, or services and this proposal is in all respects fair and without collusion or fraud. The above mentioned entities understand and agree that collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards.
- Failure to provide this certification may result in the disqualification of the Bidder's proposal, at the discretion of the Department.

To the best of my knowledge all information provided in the enclosed proposal, both programmatic and financial, is complete and accurate at the time of submission.

Name: James Hews	Title: Chief Operating Officer
To have your bid accepted, this Appendix MUST have an Adobe Sign forms of electronic signature.	actual wet signature or utilize Docu Sign or
Authorized Signature:	Date:
Jam & Ar	11/8/2023

#### Appendix D

## STATE OF MAINE DEPARTMENT OF ADMINISTRATIVE AND FINANCIAL SERVICES DIVISION OF PROCUREMENT SERVICES

#### MUNICIPALITY POLITICAL SUBDIVISION and SCHOOL DISTRICT PARTICIPATION CERTIFICATION

## RFQ # 17D 231018-100 Platform Body, 9ft 3in & 12ft to create a Master Agreement

The Division of Procurement Services is committed to providing purchasing opportunities for **municipalities**, **political subdivisions and school districts** in Maine by allowing them access, through our vendors, to our contract pricing. A bidder's willingness to extend contract pricing to these entities will be taken into consideration in making awards.

Orders from Municipality, Political Subdivisions and School Districts (Appendix D): If the bidder elects to permit Municipality, Political Subdivisions and School Districts to utilize the resulting Master Agreement Contract, The State of Maine will not be responsible for any order placed by these groups. All orders will originate from these groups and they will be liable for all payments.

Will you accept orders from political subdivisions and school districts in Maine at the prices quoted?

• • •	
X Yes	·
Yes, with conditions as follows:	
No	
Name of Company:	
Hews Company, LLC	
Address:	
190 Rumery Street, South Portland, ME 04106	
Signature: Jam & M	
November 7, 2023	
Date:	

#### Appendix F

## STATE OF MAINE DEPARTMENT OF ADMINISTRATIVE AND FINANCIAL SERVICES DIVISION OF PROCUREMENT SERVICES

#### **MaineDOT TERMS AND CONDITIONS**

## RFQ # 17D 231018-100 Platform Body, 9ft 3in & 12ft to create a Master Agreement

#### A. AGREEMENT

The Vendor shall deliver the equipment ordered in accordance with this Agreement and governed by these Terms and Conditions.

#### **B. INDEPENDENT CAPACITY**

In providing the equipment under the Agreement, the Vendor shall act independently and not as an agent of the State of Maine.

#### C. STATUS REPORTS

Prior to the start of work, the Vendor shall furnish MaineDOT with a proposed progress schedule in MaineDOT's standard format. The Vendor will outline the various phases of work that will need to be completed in order to meet the schedule set forth by MaineDOT.

During equipment assembly, the successful bidder shall submit to MaineDOT's Fleet Representative, a Monthly Status Report of accomplishments from the preceding month. The progress report shall be used to keep team members and MaineDOT's Fleet Representative informed about project status and issues. Information will include:

- a. A written statement describing the work accomplished during the period and to date.
- b. An estimate of the percentage of work completed within the specified services.
- c. Any information needed from MaineDOT to complete the project and avoid delays.
- d. The successful bidder's action plan to remedy and address any non-conforming or unacceptable work submitted to Department.
- e. Document anticipated problems and possible solutions.

These progress reports shall be submitted to MaineDOT on a **monthly basis**. Failure to submit could result in non-payment of the invoice, or be considered as a default, and shall be recorded in the Vendor's Performance Evaluation. If work is temporarily delayed, the Vendor may suspend

submittal of the monthly progress reports with written approval from MaineDOT. The Vendor shall be responsible for addressing any action that may be required to keep the project on schedule.

MaineDOT shall have a period of 15 business days after receipt of the submissions to complete the review and make any necessary comments. Following the review, the Vendor will make any revisions and corrections requested by MaineDOT.

#### D. PAYMENT AND OTHER PROVISIONS

MaineDOT anticipates paying the selected Vendor for goods and services received, on the basis of net 30 payment terms following acceptance of the equipment, the receipt of an acceptable title and required documents, and an accurate and acceptable invoice. An invoice will be considered accurate and acceptable if it contains the State of Maine Agreement number, correct pricing information relative to the Agreement, and provides any required supporting documents, as applicable, and any other specific and agreed-upon requirements listed within the Agreement.

MaineDOT reserves the right to pay for the equipment purchased by any of several available means, which include but may not be limited to check, EFT, and/or procurement card. Vendors are advised that state statute precludes sellers from imposing a surcharge on credit or debit card purchases (text follows):

"9-A MRSA §8-303 (2): A seller in a sales transaction may not impose a surcharge on a cardholder who elects to use a credit card or debit card in lieu of payment by cash, check or similar means."

#### E. WARRANTY

For a period of one (1) year following equipment delivery and acceptance (the "Warranty period"), Vendor unconditionally warrants and guarantees that the equipment shall be free from defects in parts and workmanship. If MaineDOT discovers any defects during the Warranty period, the Vendor's obligation will be to repair or replace the equipment or refund the purchase price, at MaineDOT's sole option subject to the following requirements as applicable:

- Replacement will be with new equipment matching the specifications within this Agreement.
- Reimbursement will be for the total purchase price of the equipment including the cost of returning the equipment.
- All Repairs including the cost of transporting the equipment will be borne by the Vendor.
   All repairs will be warranted free from defects in parts and workmanship for a one year period following the repair.

The Vendor hereby assigns to MaineDOT the right to enforce all manufacturer's warranties or guarantees on the equipment.

The Vendor agrees that the warranty obligations provided by this Agreement shall be reported as an outstanding obligation in the event of bankruptcy, dissolution, or the sale, merger, or cessations of operations of the Vendor.

In the event of a breach of Vendor's warranty obligations, MaineDOT shall notify Vendor in writing of the breach and grant Vendor 30 days to cure the breach. Should Vendor fail to cure the

breach, MaineDOT may pursue whatever remedies may be available.

#### F. DAMAGES

Time is of the essence in the delivery of the equipment specified herein, and in event of delay(s) in the delivery of the equipment beyond the date set forth in the Agreement, or beyond authorized extensions thereof MaineDOT may impose liquidated damages. Because it is difficult to determine the actual amount of the damage by reason of such delay it is therefore agreed that the Vendor will pay the sum of one hundred dollars (\$100.00) per unit for each calendar day(s) delay in delivery as liquidated damages and not as a penalty.

These damages shall be deducted from any monies due, or which may thereafter become due to the Vendor or may be recovered by through any lawful means.

#### G. SET-OFF RIGHTS

MaineDOT shall have all of its common law, equitable and statutory rights of set-off.

#### H. FORCE MAJEURE

Either party may be excused from performance under this Agreement to the extent the failure to perform is caused by acts of God or of the public enemy, fire, floods, epidemics, quarantine, restrictions, strikes, labor disputes, and freight embargos, or other causes beyond the party's reasonable control. In the event of such event of force majeure, the affected party shall provide the other party written notice of the cause of delay within fifteen (15) days from the beginning of any such delay. The time of performance shall be excused to extent of the duration of any such event of force majeure, or such period of time as may be mutually agreed upon by the parties.

#### I. <u>INDEMNIFICATION</u>

The Vendor shall indemnify and hold harmless MaineDOT and its officers, agents, and employees from and against any and all claims, liabilities, and costs, including reasonable attorney fees, for any or all injuries to persons or property or claims for money damages, including claims for violation of intellectual property rights, arising from the negligent acts or omissions of the Vendor, its employees or agents, officers or Subcontractors in the performance of work under this Agreement; provided, however, the Vendor shall not be liable for claims arising out of the negligent acts or omissions of MaineDOT, or for actions taken in reasonable reliance on written instructions of MaineDOT.

This indemnification provision shall survive any termination or expiration of the Agreement.

#### J. DEFAULT, TERMINATION

i. MaineDOT reserves the right to terminate this Agreement or any part hereof, for its sole convenience. Thirty (30) days advance written notice shall be provided in the case of a termination for convenience. In the event of such termination, Vendor shall immediately stop all work hereunder and shall immediately cause any and all of its suppliers and subcontractors to cease work. Vendor shall be paid for all work on a percentage completed

- basis, as mutually agreed upon by the parties, up to the date of termination under this Paragraph 14.A.
- ii. MaineDOT shall have the right to terminate this Agreement in the event of a material breach or default by Vendor of its obligations hereunder that is not cured within thirty (30) days from the date of receipt by Vendor of written notice of such breach from MaineDOT. If the breach or default, by its nature, cannot be cured within such thirty (30) day period, then Vendor shall have such additional time (not to exceed thirty (30) additional days) as may be necessary to cure the breach or default, provided Vendor has exercised reasonable commercial efforts and taken appropriate action to begin cure of the breach or default within the initial thirty (30) day cure period.
- iii. MaineDOT shall have the right to terminate this Agreement immediately upon written notice to Vendor in the event (i) Vendor, or any director, officer or employee of Vendor assigned to this Project is convicted of a criminal offense directly related to information technology services; or (ii) proceedings in bankruptcy are commenced against Vendor or if a receiver is appointed and such case or proceeding shall continue undismissed, or unstayed and in effect, for a period of one hundred twenty (120) days. Notwithstanding the foregoing, if a conviction of an employee assigned to this Project, officer or director, relates to individual and/or personal actions of such employee, officer or director and not the policy or directive of Vendor and, upon such conviction, Vendor shall terminate or otherwise remove such employee, officer or director and take such other steps to reasonably ensure the propriety of Vendor' delivery of information technology services, then MaineDOT shall not have a right to terminate this Agreement pursuant to the foregoing clause (i) of this Section 14 (C).
- iv. Vendor shall have the right to terminate this Agreement in the event of a material breach or default by MaineDOT of its obligations hereunder that is not cured within thirty (30) days from the date of receipt by MaineDOT of written notice of such breach from Vendor. If the breach or default, by its nature, cannot be cured within such thirty (30) day period, then MaineDOT shall have such additional time (not to exceed thirty (30) additional days) as may be necessary to cure the breach or default, provided MaineDOT has exercised reasonable commercial efforts and taken appropriate actions to begin cure of the breach or default within the initial thirty (30) day cure period.
- v. Vendor shall cause the foregoing provisions to be inserted in any subcontract for any work covered by this Agreement so that such provisions shall be binding upon each subcontractor, provided that the foregoing provisions shall not apply to contracts or subcontracts for standard commercial supplies or raw materials.

#### K. <u>DELIVERY AND ACCEPTANCE</u>

Time is of the essence in the delivery of the equipment. The Vendor shall execute the work continuously and diligently. Delivery of the units shall occur in accordance with the terms and conditions outlined in the resulting Agreement.

- i. Production of the units shall be conducted as a continuous production with no breaks or inserts of other orders or types of equipment.
- ii. Delivery shall be restricted to Monday through Friday, between the hours of 8 AM and 4 PM.
- iii. The Vendor will contact MaineDOT Fleet Services 24 hrs. prior to delivery with an estimated time of arrival.
- iv. Units furnished under this Agreement shall be delivered in first class condition, complete and ready for operation, and the Vendor shall assume all costs, responsibilities, and risk of loss related to damage that may have occurred in the delivery of the units.
- v. When units are delivered, certificates or releases signed by representatives of MaineDOT Fleet Services are understood to be a simple acknowledgment of receipt of the units only, and will <u>NOT</u> constitute an acceptance of the condition of the units or their conformance with the terms and conditions of the Agreement specifications.
- vi. Upon delivery, Maine DOT may conduct such tests as may be required to determine to its own satisfaction that the units appear to be in conformance with the terms, conditions, and requirements of the Agreement specifications.

Acceptance shall occur following final inspection by authorized employees of MaineDOT Fleet Service, receipt of the titles and all requested documentation. The Vendor will be notified, in writing, of acceptance/non-acceptance within fifteen calendar (15) days of delivery to the location specified in this Agreement.

#### L. RIGHT TO SUSPEND WORK

MaineDOT has the right to suspend any or all work at any time for any reason as it deems necessary. Consultant may receive payment for the portion of services completed through the date of suspension.

### M. COPYRIGHT AND LICENSES - PATENTS AND COPYRIGHTS

Data and publication rights to any documents, produced under the terms of Agreement are the property of MaineDOT. The Vendor shall not copyright the material produced under the terms of the Agreement without written approval of MaineDOT, except to the extent necessary to protect its rights pursuant to the following paragraph.

The Parties to this Agreement mutually agree that, if patentable discoveries, intellectual property and software, or inventions should result from work described therein, all rights accruing from such discoveries or inventions shall be the sole property of MaineDOT.

#### N. CLAIMS AND DISPUTES

#### General

To preserve any claim arising out of the Agreement, the Parties shall comply with and exhaust all provisions of this Section. Unless otherwise agreed to in writing, the Vendor shall continue to perform its services during any dispute resolution process. If the Vendor continues to perform, MaineDOT shall continue to make payments in accordance with the Agreement of amounts not in dispute.

#### Negotiation with MaineDOT's Fleet Representative

The Vendor shall promptly notify MaineDOT's Fleet Representative, or their designee, in writing, of disputes that could significantly affect scope, schedule or compensation. After such notice, the Vendor and MaineDOT's Fleet Representative shall promptly negotiate in good faith to resolve the dispute. MaineDOT's Fleet Representative will promptly issue a decision.

#### **Review by Director**

If the Vendor desires a review of MaineDOT's Fleet Representative's decision, then the Vendor shall promptly request in writing that MaineDOT's Director of the applicable Bureau or Office review the Fleet Representative's decision. The Director or its designee(s) shall promptly notify the Vendor in writing of the result of the review.

#### **Dispute Resolution**

If the dispute remains unresolved after negotiation and review as set forth above, the Parties may proceed to mediation by selecting a mediator acceptable to both.

If the Parties are unable to resolve the dispute through mediation, either party may seek judicial review through a civil action commenced in the Superior Court of Maine, Kennebec County.

#### O. CONTROLLING LAWS

The Agreement referred to in these Terms and Conditions is governed by the applicable laws of the Federal Government and the State of Maine.

#### Laws to Be Observed

The Vendor shall comply with all applicable Federal. State and local laws, rules, regulations, orders, and ordinances affecting the work including, without limitation all environmental, wage, labor, equal opportunity, safety, patent, copyright, or trademark laws. The Vendor shall indemnify MaineDOT and hold MaineDOT harmless against any and all claims or liabilities arising from or based upon the violation or alleged violation of any such Law caused directly or indirectly by or through the Vendor.

#### P. ENTIRE AGREEMENT/BINDING EFFECT/MODIFICATION/ASSIGNMENT

This Agreement sets forth the entire agreement of the parties with regard to the subject herein. This Agreement may not be modified except by a written amendment executed by both parties.

Neither MaineDOT nor the Vendor may assign, sublet, or transfer any rights under or interest (including, but without limitation, monies that are due or may become due) in the Agreement without the written consent of the other, except to the extent that any assignment, subletting, or transfer is mandated or restricted by law. Unless specifically stated to the contrary in any written Consent To Assignment, no assignment shall release or discharge the assignor from any duty or responsibility under the Agreement.

#### Q. SEVERABILITY

The invalidity or unenforceability of any particular provision or part thereof of this Agreement shall not affect the remainder of said provision or any other provisions, and this Agreement shall be construed in all respects as if such invalid or unenforceable provision or part thereof had been omitted.

#### R. NON-WAIVER

If MaineDOT fails or refuses to enforce any provision in the Agreement that shall not constitute a waiver of that provision, nor shall it affect the enforceability of that provision or of the remainder of the Agreement.

Name of Company:	Hews Company, LLC
Address: 190 Rumery	Street, South Portland, ME 04106
	ann E Ar
Date: November 7, 20	