STATE OF MAINE | MASTER AGREEMENT



MASTER AGREEMENT

ADVANTAGE CONTRACT #: 18P 25021900000000000076

COMMODITY/SERVICE DESCRIPTION: Truck - Serria 3500HD TK30743, 4WD, Crew Cab

START DATE: 3/8/2024 END DATE: 2/28/2026

This Contract is between the following State of Maine Department and Provider:

STATE OF MAINE DEPARTMENT			
DEPARTMENT NAME: Office of	DEPARTMENT NAME: Office of State Procurement Services		
ADDRESS: 111 Sewall St., 4th F	ADDRESS: 111 Sewall St., 4 th Floor Burton Cross Office Building, SHS# 9		
CITY: Augusta	STATE: ME	ZIP CODE: 04333-009	
PROVIDER			
PROVIDER NAME: O'Connor GMC Inc			
ADDRESS: 187 Riverside Dr.			
CITY: Augusta STATE: ME ZIP CODE: 04330		ZIP CODE: 04330	
PROVIDER'S VENDOR CUSTOMER #: VC1000069483			

Each signatory below represents that the person has the requisite authority to enter into this Contract.

Department Representative: Provider Representative:

Docusigned by:
Midulle Fournier

Michelle Fournier, Procurement Planning Manager

Date 3/10/2025

DocuSigned by:

John Mynahan
970DF8E9CA924E5...

John Mynahan, Fleet Sales Manager Date 3/6/2025

The contract is fully executed when all parties sign and funds have been encumbered. Upon final approval by the Office of State Procurement Services, a case details page will be made part of this contract.

DEPARTMENT AND PROVIDER POINT OF CONTACT and PROCUREMENT METHOD

PROCUREMENT SERVICES MA MANGER: The Procurement Services MA Manager manages the MA contract documents. All other communication is to be with the agency the services were provided to.

NAME: Bill Allen	
EMAIL: wje.allen@maine.gov	TELEPHONE: 207-624-7871

VENDOR CONTACT: The vendor contact person will help consumers place orders, inquire about orders that have not been delivered, all shipping issues, quality issues and any issues pertaining to the Master Agreement (MA) contract. All orders not submitted through a Delivery Order will be sent through the vendor contact person. The vendor contact person for this MA is:

NAME: John Mynahan	
EMAIL: john.mynahan@oconnorwheels.com	TELEPHONE: 207-592-0105

Any changes to the individuals identified above may be changed at any time through written notice by either party.

Master Agreement (MA) procurement method: RFQ 16A 250123-156

TABLE OF RIDERS

The following riders are hereby incorporated into this Contract and made part of it by		
reference.		
\boxtimes	RIDER A – Specifications and User Information	
\boxtimes	RIDER B – Terms and Conditions	
	RIDER C – Exceptions	
\boxtimes	RIDER D – Responsible Bidder Certification	

RIDER A: SPECIFICATIONS AND USER INFORMATION

TABLE OF CONTENTS

- CONTRACT PERIOD
- II. COMMODITY
- III. AMENDMENTS TO SPECIFICATIONS
- IV. SPECIFICATIONS
- V. AMENDMENT/EXTENSION PRICING/RATE CHANGES
- VI. CONTRACTED PRICING/RATES
- VII. AUTHORIZED USERS
- VIII. ORDERING PROCEDURE/DELIVERY INFORMATION

I. CONTRACT PERIOD:

Start [insert start date] through [insert end date]

Following the initial term of the contract, the Department, at their discretion, may opt to extend / renew the contract for up to four (4) one (1) year extension periods.

\boxtimes	Initial Term
	First Renewal
	Second Renewal
	Third Renewal
	Fourth Renewal

II. COMMODITY: Truck - Serria 3500HD TK30743, 4WD, Crew Cab

The State reserves the right to add other similar items or commodities to the Master Agreement (MA) if it's in the State's best interest but does not obligate the State to purchase similar noncontracted items or commodities from the selected bidder.

III. AMENDMENTS TO SPECIFICATIONS

None

IV. SPECIFICATIONS

Bidder spec sheet and Roadside Assistance information can be located after ORDERING PROCEDURES/DELIVERY INFORMATION.

V. AMENDMENT/EXTENSION PRICING/RATE CHANGES

Not Applicable

VI. CONTRACTED PRICING/RATES

Prices: Prices are with shipping terms of "Free on Board (FOB) – Destination". The State intends for this to mean that all goods shall be priced to include shipping charges, if any, to the State's desired location. The "FOB – Destination" shipping term is also intended to mean that the State shall not bear any responsibility for the goods in question until the State takes possession of them at the destination point of delivery.

Price and Rate Guarantee Period: All quoted prices and rates must be guaranteed for and must remain firm for the model year of vehicle bid. Vehicle pricing can be negotiated if a new model year is available during the contract period. Requests for price increases must include sufficient documentation from the manufacture documenting the request is based on the vendor's actual cost increases. Any approved price or rate adjustments must be held firm for the model year or the remainder of the contract period if there is less than one year remaining. The price adjustment will not go into effect until the contract amendment has been fully approved by the State of Maine.

VII. AUTHORIZED USERS:

State of Maine Departments authorized to utilize this MA contract:

All State of Maine Departments, Agencies

Municipalities, political subdivisions, and school districts in Maine:

Are permitted to utilize this MA with the following conditions: May deduct \$4,500 if 5 Year/100K mile extended warranty is not needed.

VIII. ORDERING PROCEDURES/DELIVERY INFORMATION:

Delivery Orders (DO) will be created in AdvantageME for all orders over \$5000.00. DO's will be emailed as a .pdf file to the vendor's email address submitted in AdvantageME by the vendor.

Municipalities, political subdivisions, and school districts in Maine will handle their own orders and will be responsible for all payments.

Quantities: It is understood and agreed that the MA will cover the actual quantities required by the State over the length of the contract.

Delivery Locations: The vendor must deliver to any State of Maine facility.

Delivery and Inspection: The vendor is responsible for the delivery of material in first class condition at the point of delivery, and in accordance with good commercial practice. The sign blanks ordered from the resulting MA will be inspected after delivery. If shipments are deemed unacceptable the delivery will be refused and will be returned at the risk and expense of the selling vendor.

Delivery of Vehicles

- Vehicles should be delivered with minimum mileage coinciding with location of dealer and delivery point to the State. Any exceptions should be noted prior to delivery.
- Awarded vendors must contact State of Maine Motor Vehicle Division and complete all required Motor Vehicle forms in order for us to register vehicle(s). These forms need to be completed and submitted with the vehicle(s) upon delivery.
- All vehicles delivered must have a current valid Maine State Inspection Sticker issued in the month of delivery.
- All vehicles must have a minimum of two (2) keys.
- Other delivery and title information will be supplied with orders to awarded vendors

RFQ # 16A 250123-156 Serria 3500HD TK30743 for Master Agreement

Roadside Assistance

Specifications

2025 SERRIA 3500HD 4WD Crew Cab Standard Box TK30743 3SA- SLE

AIR CONDITIONING ALTERNATOR: KW5 220-amp alternator BATTERY: K4Z: Battery, Auxiliary, 700 CCA BUMPER: VJH: Bumper, Rear, Chrome Step V46: Bumper, Front CARGO BOX: E63: Body: Pick-Up Bed **COLOR:** Black or Red CRUISE: 134: Cruise Control **DOORS:** four full doors ENGINE: L8T 6.6L Gasoline V-8 GLASS: AKO Deep tinted glass. GVWR: JGN: GVW Rating 11,550 Lbs. **LOCKING SYSTEM:** AU3 Power Door Locks MIRRORS: DBG Manual Extended Folding Mirrors RADIO: IOK: GMC Infotainment system REAR AXLE: GT4 3.73 Ratio G80: Auto Locking Differential, Rear SEATS: AZ3: front 40/20/40 split bench A2X: Power Seat Adjuster (Driver's Side) TAILGATE: QKI: Standard Tailgate QTS: Tailgate Function-Manual w/ Assist, Pwr Rélease TIRES: QAE: 275/70R18 all terrain, black wall PXD: Wheels: Machined Aluminum w/ **Black Accents** TOWING PACKAGE: JLI: Integrated Trailer Brake Controller Z82: Trailering Package TRANSMISSION: MKM •10-Speed Automatic WARRANTEE: Extended Manufactures Warrantee (5 years/100K miles). - Will 13e A S/100K mile Bumper to Bumper & DebuctABLO SPECIAL EQUIPMENT:

9L7: Upfitter / Accessory Electrical Switches

BTV: Remote Vehicle Starter System B59: Remote Start Package

BG9: Floor Covering: Rubberized Vinyl, Black

C49: Defogger, Rear Window Electric

CGN: Bed Liner, Spray-on, Black Textured Polyurea

CJ2: Climate Control, Electronic


DBG: Mirrors, Man. Ext & Folding, Heat, Turn Indicator HOU: 3SN3SB/3VL/I SA-Cloth, Jet Black, Interior Trim

K47: Heavy Duty Air Filter
T3U: LED Fog Lamps

TQ5: Headlamps, Intellibeam
UOI: Roof Marker Lamps LED

KI4: 120 Volt Electrical Receptacle, In Cab

UBI: 2-USBs, Second Row Charge/Data Ports



12



UE4: Following Distance Indicator

N37: Steering Column, Manual Tilt & Telescoping

UEU: Sensor, Forward Collision Alert UHY: Automatic Emergency Braking

NQF: Transfer Case: w/ Rotary Dial Control, Electronic Shift

UVB: Rear Vision Camera

PCQ: SLE Convenience Package

POI: GMC Pro Safety V76: Recovery Hooks

VK3: Front license Plate Mounting Provisions

Snow Plow Prep Package



John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

2-5-25 TK30743 BID 16A 250123-156





John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

2-5-25 TK30743 BID 16A 250123-156 (Complete)

Selected Model and Options

MODEL

CODE MODEL

TK30743 2025 GMC Sierra 3500HD 4WD Crew Cab 159" SLE

COLORS

CODE DESCRIPTION

GBA Onyx Black (Available at extra charge.)

EMISSIONS

CODE DESCRIPTION

NE1 Emissions, Colorado, Connecticut, Delaware, Maine, Maryland, Massachusetts, Minnesota, Nevada, New Jersey,

New York, Oregon, Pennsylvania, Rhode Island, Vermont, Virginia and Washington state requirements

ENGINE

CODE DESCRIPTION

L8T Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft

of torque [629 N-m] @ 4000 rpm) (STD)

TRANSMISSION

CODE DESCRIPTION

MKM Transmission, Allison 10-Speed automatic (STD)

GVWR

CODE DESCRIPTION

JGN GVWR, 11,550 lbs. (5239 kg) with single rear wheels (STD) (Included and only available with TK30743 model and

(L8T) 6.6L V8 gas engine. Requires single rear wheels.)

AXLE

CODE DESCRIPTION

GT4 Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine.)

PREFERRED EQUIPMENT GROUP

CODE DESCRIPTION

3SA SLE Preferred Equipment Group includes standard equipment

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24638. Data Updated: Feb 4, 2025 6:45:00 PM PST.



John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

2-5-25 TK30743 BID 16A 250123-156 (Complete)

WHEELS

CODE **DESCRIPTION**

PXD Wheels, 18" (45.7 cm) machined aluminum wheel with Dark Grey metallic accents (STD) (Requires single rear

wheels. Included with (RFX) X31 Off-Road and Protection Package.)

TIRES

CODE DESCRIPTION

Tires, LT275/70R18E all-terrain, blackwall (STD) (Requires single rear wheels. Included with (RFX) X31 Off-Road QF6

and Protection Package.)

PAINT

CODE **DESCRIPTION**

GBA Onyx Black (Available at extra charge.)

SEAT TYPE

CODE **DESCRIPTION**

AZ3 Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

SEAT TRIM

CODE **DESCRIPTION**

HOU Jet Black, Cloth seat trim

RADIO

CODE **DESCRIPTION**

IOK

Audio System, 13.4" diagonal Premium GMC Infotainment System with Google built in apps such as navigation and voice assistance, includes color touch-screen, multi-touch display, AM/FM stereo, Bluetooth streaming audio for music and most phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones. (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24638. Data Updated: Feb 4, 2025 6:45:00 PM PST.



John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

2-5-25 TK30743 BID 16A 250123-156 (Complete)

ADDITION	ADDITIONAL EQUIPMENT - PACKAGE		
CODE	DESCRIPTION		
B59	Remote Start Package includes (BTV) Remote Start, (UTJ) content theft alarm and (C49) rear-window defogger (Included in (PDU) SLE Value Package.)		
PCQ	SLE Convenience Package includes (CJ2) dual climate control, (A2X) 10-way power driver seat including power lumbar, (N37) manual tilt/telescoping steering column and (T3U) LED fog lights; Single rear wheel models also include (U01) Roof Marker Lamps (Included with (PDU) SLE Value Package. Requires (B59) Remote Start Package. Note (U01) Roof Marker Lamps are not available with (YF5) California state emissions requirements on single rear wheels.)		
VYU	Snow Plow Prep/Camper Package includes (KW5) 220-amp alternator, includes increased front GAWR on Heavy Duty models, (NZZ) skid plates (transfer case and oil pan), pass through dash grommet hole and roof emergency light provisions. Contact GM Upfitter Integration at www.gmupfitter.com for plow installation details and assistance. Note: if ordered for Camper usage, recommend ordering (UY2) Trailering wiring provisions (Requires 4WD model and includes (KW5) 220-amp alternator and is upgradeable to (KHF) Dual alternators (220-amp primary, 170-amp auxiliary). Not available with (F60) Heavy Duty Front Spring/Camper Package.)		

ADDITIONAL EQUIPMENT - MECHANICAL		
CODE	DESCRIPTION	
K4Z	Battery, auxiliary, 700 cold-cranking amps/70 Amp-hr (Requires (L8T) 6.6L V8 gas engine and either (KW5) 220-amp alternator or (KHF) dual alternators. Not available with (KW7) 170-amp alternator.)	
KW5	Alternator, 220 amps (Included with (L5P) Duramax 6.6L Turbo-Diesel V8 engine or (VYU) Snow Plow Prep/Camper Package. Free flow on (L8T) 6.6L V8 gas engine.)	
NQH	Transfer case, two-speed active electronic Autotrac with push button control (Requires 4WD models.)	
NZZ	Skid Plates protect the oil pan, front axle and transfer case (Included with (X31) X31 Off-Road Package or (VYU) Snow Plow Prep/Camper Package.)	

ADDITION	ADDITIONAL EQUIPMENT - EXTERIOR		
CODE	DESCRIPTION		
CGN	Bed Liner, Spray-on Pickup bedliner with GMC logo (does not include spray-on liner on tailgate due to Black composite inner panel) (Included with (RFX) X31 Off-Road and Protection Package, (Z6A) Gooseneck / 5th Wheel Prep Package or (PDU) SLE Value Package. Not available with (ZW9) pickup bed delete. Available with Ship Thru code (SQE), not available with any other Ship Thru code.)		
T3U	Fog lamps, LED (Included and only available with (PCQ) SLE Convenience Package.)		
U01	Lamps, Smoked Amber roof marker, (LED) (Standard with dual rear wheels. Not available with (YF5) California state emissions requirements on single rear wheels. Included and only available with (PCQ) SLE Convenience Package.)		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24638. Data Updated: Feb 4, 2025 6:45:00 PM PST.



John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

2-5-25 TK30743 BID 16A 250123-156 (Complete)

ADDITIONAL EQUIPMENT - INTERIOR	
CODE	DESCRIPTION
9L7	Upfitter switch kit, (5) Provides 3-30 amp and 2-20 amp configurable circuits to facilitate installation of aftermarket electrical accessories. Kit with all required parts will be shipped loose with the truck for installation by the dealer or upfitter at customer expense. Installation instructions and technical assistance available at www.gmupfitter.com.
A2X	Seat adjuster, driver 10-way power including lumbar (Included and only available with (PCQ) SLE Convenience Package.)
BG9	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
BTV	Remote vehicle starter system (Included and only available with (B59) Remote Start Package.)
C49	Defogger, rear-window electric (Included with (B59) Remote Start Package or (PDU) SLE Value Package.)
CJ2	Air conditioning, dual-zone automatic climate control (Included and only available with (PCQ) SLE Convenience Package.)
N37	Steering column, manual Tilt-Wheel and telescoping (Included and only available with (PCQ) SLE Convenience Package.)
UTJ	Theft-deterrent system, unauthorized entry (Included and only available with (B59) Remote Start Package.)

Options Total

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24638. Data Updated: Feb 4, 2025 6:45:00 PM PST.



John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

2-5-25 TK30743 BID 16A 250123-156 (Complete)

Standard Equipment

Package	
	Sierra HD Pro Safety includes (UEU) Forward Collision Alert, (UE4) Following Distance Indicator, (UKJ) Front Pedestrian Braking, (TQ5) IntelliBeam, (UFL) Lane Departure Warning, (T8Z) Buckle to Drive and (UHY) Automatic Emergency Braking
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Pickup bed includes bed assist step (Deleted when (ZW9) pickup bed delete is ordered.)
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, Allison 10-Speed automatic (STD)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine.)
	GVWR, 11,550 lbs. (5239 kg) with single rear wheels (STD) (Included and only available with TK30743 model and (L8T) 6.6L V8 gas engine. Requires single rear wheels.)
	Push Button Start
	Air filter, heavy-duty
	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Recovery hooks, front, frame-mounted, Black
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Suspension Package (Not available with (X31) Off-Road Package.)
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L gas V8 engine. Not included with (ZW9) pickup bed delete.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24638. Data Updated: Feb 4, 2025 6:45:00 PM PST.



John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

2-5-25 TK30743 BID 16A 250123-156 (Complete)

Exterior	
	Single Rear Wheels
	Wheels, 18" (45.7 cm) machined aluminum wheel with Dark Grey metallic accents (STD) (Requires single rear wheels. Included with (RFX) X31 Off-Road and Protection Package.)
	Tires, LT275/70R18E all-terrain, blackwall (STD) (Requires single rear wheels. Included with (RFX) X31 Off-Road and Protection Package.)
	Tire, spare LT275/70R18 all-terrain, blackwall (Included and only available with (QF6) LT275/70R18E all-terrain, blackwall tires or (QF9) LT275/65R20 all-terrain, blackwall tires with (E63) pickup bed models. Available to order when (ZW9) pickup bed delete and (QF6) LT275/70R18E all-terrain, blackwall tires are ordered.)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front chrome lower
	Bumper, rear chrome with bumper CornerSteps
	CornerStep, rear bumper
	Bed Step, Black integrated on forward portion of bed on driver and passenger side (Not available with (ZW9) pickup bed delete.)
	Moldings, beltline, stainless steel
	Cargo tie downs (12), fixed, rated at 500 lbs per corner
	Grille, Chrome surround with chrome insert bars
	Headlamps, Animated LED projectors, LED turn signals and Daytime Running Lamps
	IntelliBeam, automatic high beam on/off (Included and only available with (PDI) Sierra HD Pro Safety.)
	Taillamps, LED Signature Tail, Incandescent Brake, Turn & Reverse Lamps
	Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel
	Mirrors, outside power-adjustable vertical trailering with heated upper glass lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm]), Black
	Glass, deep-tinted
	Door handles, body-color
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
	Tailgate and bed rail protection caps, top (Deleted with (ZW9) pickup bed delete.)
	Tailgate, gate function manual with EZ Lift includes power lock and release, includes hitch area light (Deleted with (ZW9) pickup bed delete.)
Entertainment	

Entertainment

Audio System, 13.4" diagonal Premium GMC Infotainment System with Google built in apps such as navigation and voice assistance, includes color touch-screen, multi-touch display, AM/FM stereo, Bluetooth streaming audio for music and most phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones. (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24638. Data Updated: Feb 4, 2025 6:45:00 PM PST.



John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

2-5-25 TK30743 BID 16A 250123-156 (Complete)

Entertainment	
	SiriusXM
	SiriusXM with 360L Trial Subscription. SiriusXM with 360L transforms your customers' ride with our most extensive and personalized radio experience on the road. (IMPORTANT: The SiriusXM trial subscription is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. Trial subscription is subject to the SiriusXM Customer Agreement and privacy policy, visit www.siriusxm.com which includes full terms and how to cancel. All fees, content, features, and availability are subject to change. Some features require GM connected vehicle services.)
	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
	Bluetooth for phone connectivity to vehicle infotainment system
	Wireless Phone Projection for Apple CarPlay and Android Auto
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat trim, Cloth
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Not available with Regular Cab model.)
	Floor covering, color-keyed carpeting
	Floor mats, rubberized-vinyl front (Included and only available with (B30) color-keyed carpeting. Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized-vinyl rear (Requires Crew Cab or Double Cab model. Included and only available with (B30) color-keyed carpeting. Deleted when LPO floor liners are ordered.)
	Steering wheel, wrapped
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Steering wheel audio controls
	Driver Information Center, enhanced, 12.3" diagonal reconfigurable multicolor digital display
	GMC Premium information Display- 13.4" diagonal Multicolor touch screen
	Exterior Temperature Display located in radio display
	Compass, located in instrument cluster
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down (Not available on Regular Cab models.)
	Door locks, power

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24638. Data Updated: Feb 4, 2025 6:45:00 PM PST.



John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

2-5-25 TK30743 BID 16A 250123-156 (Complete)

Interior	
	Keyless Open and Start includes remote keyless entry
	Cruise control, steering wheel-mounted
	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet)
	USB Ports, 2, Charge/Data ports located on instrument panel
	USB ports, (2) charge-only, rear
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet) (Deleted with (ZW9) pickup bed delete.)
	Air conditioning, single-zone
	Air vents, rear (Not available with Regular Cab model.)
	Mirror, inside rearview, manual tilt
	Assist handles, front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	Automatic Emergency Braking (Included and only available with (PDI) Sierra HD Pro Safety.)
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps LED signature lighting
	LED Signature DRL's
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar Services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)
	HD Rear Vision Camera (Not available with (ZW9) pickup bed delete. Removed with (UV2) HD Surround Vision or (ZW9) pickup bed delete. Not available with (Z6A) Gooseneck / 5th Wheel Prep Package.)
	Hitch Guidance dynamic single line to aid in truck trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)
	Lane Departure Warning (Included and only available with (PDI) Sierra HD Pro Safety.)
	Following Distance Indicator (Included and only available with (PDI) Sierra HD Pro Safety.)
	Forward Collision Alert (Included and only available with (PDI) Sierra HD Pro Safety.)
	Front Pedestrian Braking (Included and only available with (PDI) Sierra HD Pro Safety.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24638. Data Updated: Feb 4, 2025 6:45:00 PM PST.



John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

2-5-25 TK30743 BID 16A 250123-156 (Complete)



Safety-Interior	
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps

you to continue to coach your new driver Seat Belt Adjustable Guide Loops, front row only (Included and only available on Crew Cab and Double Cab models. Not available with (ZW9) pickup bed delete.)

Indicator-Seat Belt WARNING, Rear Seat (Requires Crew Cab or Double Cab model.)

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use (Included and only available with (PDI) Sierra HD Pro Safety)

Tire Pressure Monitoring System auto learn, includes Tire Fill Alert (does not apply to spare tire)

OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. For MY25 vehicles, OnStar Basics is standard for 8 years: OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)

Processing-Other

Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)

WARRANTY

Warranty Note: <<< Preliminary 2025 Warranty >>>

Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5

Drivetrain Miles/km: 60,000

Drivetrain Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and

qualified fleet vehicles: 5 years/100,000 miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government,

and qualified fleet vehicles: 5 years/100,000 miles Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24638. Data Updated: Feb 4, 2025 6:45:00 PM PST.



John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

2-5-25 TK30743 BID 16A 250123-156 (Complete)

Technical Specifications

Powertrain

Powertrain			
Transmission			
Drivetrain	Four Wheel Drive	Trans Order Code	MKM
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A
Eighth Gear Ratio (:1)	N/A	Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A		
Mileage			
EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A
EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A
Cruising Range - Hwy	N/A	Estimated Battery Range	N/A
Engine			
Engine Order Code	L8T	Engine Type	Gas V8
Displacement	6.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	401 @ 5200	SAE Net Torque @ RPM	464 @ 4000
Engine Oil Cooler	Yes		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	700
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	220
Cooling System			
Total Cooling System Capacity	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24638. Data Updated: Feb 4, 2025 6:45:00 PM PST.



John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

2-5-25 TK30743 BID 16A 250123-156 (Complete)

ehicle			
Emissions			
Tons/yr of CO2 Emissions @ 15K mi/y	ear N/A		EPA Greenhouse Gas Score
hassis			
Weight Information			
Standard Weight - Front	0.00 lbs		Standard Weight - Rear
Base Curb Weight	N/A		Gross Axle Wt Rating - Front
Gross Axle Wt Rating - Rear	7250 lbs		rb Weight - Front
Curb Weight - Rear	2938 lbs	Option W	eight - Front
Option Weight - Rear	0.00 lbs	Reserve Axle C	Capacity - Front
Reserve Axle Capacity - Rear	4312.00 lbs	As Spec'd Curb W	eight
As Spec'd Payload	4571.00 lbs	Maximum Payload C	apacity
Gross Combined Wt Rating	24000 lbs	Gross Axle Weight Ra	iting
Curb Weight	6979.00 lbs	Reserve Axle Capacity	,
Total Option Weight	0.00 lbs	Payload Weight Front	
Payload Weight Rear	0 lbs	Gross Vehicle Weight R	Rating
Trailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max	Tongue Wt.
Wt Distributing Hitch - Max Trailer Wt.	16000 lbs	Wt Distributing Hitch - Max	-
Fifth Wheel Hitch - Max Trailer Wt.	18300 lbs	Fifth Wheel Hitch - Max Tor	-
Maximum Trailering Capacity	20000 lbs		9
Frame			
Frame Type	Hydroformed	Sect Modulus Rails Only	
Frame RBM	N/A	Frame Strength	
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	
	w/Torsion Bars	. 21	
Spring Capacity - Front	N/A	Spring Capacity - Rear	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24638. Data Updated: Feb 4, 2025 6:45:00 PM PST.



John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

2-5-25 TK30743 BID 16A 250123-156 (Complete)

nassis			
Suspension			
Axle Type - Front	Independent	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51 mm	Shock Absorber Diameter - Rear	51 mm
Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QF6	Rear Tire Order Code	QF6
Spare Tire Order Code	ZYG	Front Tire Size	LT275/70R18
Rear Tire Size	LT275/70R18	Spare Tire Size	LT275/70R18
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	18 x 8 in	Rear Wheel Size	18 x 8 in
Spare Wheel Size	18 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr Recirculating Ball	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	52.7 ft	Turning Diameter - Wall to Wall	N/A
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	14 x 1.6 in
Rear Brake Rotor Diam x Thickness	14.1 x 1.3 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24638. Data Updated: Feb 4, 2025 6:45:00 PM PST.



John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

2-5-25 TK30743 BID 16A 250123-156 (Complete)

Chassis			
Fuel Tank			
Fuel Tank Capacity, Approx	36 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	40.12 in
Second Leg Room	43.4 in	Second Shoulder Room	65.3 in
Second Hip Room	60.24 in		
Exterior Dimensions			
Wheelbase	158.94 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	NI/A	Lawrette Organia	250.75 in
Lengin, Overall wirear bumper	N/A	Length, Overall	230.73 111
Width, Max w/o mirrors	81.85 in	Height, Overall	80.87 in
Width, Max w/o mirrors	81.85 in	Height, Overall	80.87 in
Width, Max w/o mirrors Overhang, Front	81.85 in N/A	Height, Overall Overhang, Rear w/o bumper	80.87 in N/A
Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab	81.85 in N/A N/A	Height, Overall Overhang, Rear w/o bumper Cab to Axle	80.87 in N/A 42.1 in
Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame	81.85 in N/A N/A N/A	Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor	80.87 in N/A 42.1 in N/A
Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame	81.85 in N/A N/A N/A N/A	Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear	80.87 in N/A 42.1 in N/A N/A
Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front	81.85 in N/A N/A N/A N/A 11.18 in	Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear	80.87 in N/A 42.1 in N/A N/A 11.18 in
Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front Body Length	81.85 in N/A N/A N/A N/A 11.18 in	Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear	80.87 in N/A 42.1 in N/A N/A 11.18 in
Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front Body Length Cargo Area Dimensions	81.85 in N/A N/A N/A N/A 11.18 in 0.00 ft	Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear Cab to Body	80.87 in N/A 42.1 in N/A N/A 11.18 in N/A
Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front Body Length Cargo Area Dimensions Cargo Box Length @ Floor	81.85 in N/A N/A N/A N/A 11.18 in 0.00 ft	Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear Cab to Body Cargo Box Width @ Top, Rear	80.87 in N/A 42.1 in N/A N/A 11.18 in N/A

Data Version: 24638. Data Updated: Feb 4, 2025 6:45:00 PM PST.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

RIDER B: TERMS and CONDITIONS

- 1. **<u>DEFINITIONS</u>**. The following definitions are applicable to these standard terms and conditions:
 - a. The term "Buyer" or "State" shall refer to the Government of the State of Maine or a person representing the Government of the State of Maine.
 - b. The term "Department" or "DAFS" shall refer to the State of Maine Department of Administrative and Financial Services.
 - c. The term "Bureau" or "BGS" shall refer to the State of Maine Bureau of General Services.
 - d. The term "OSPS" shall refer to the State of Maine Office of State Procurement Services.
 - e. The term "Provider" shall refer to the organization that is providing goods and/or services through the contract to which these standard terms and conditions have been attached and incorporated.
 - f. The term "Contract" shall refer to the contract document to which these standard terms and conditions apply, taking the format of a Buyer Purchase Order (BPO) or Master Agreement (MA) or other contractual document that is mutually agreed upon between the State and the Provider.

2. <u>WARRANTY</u>. The Provider warrants the following:

- a. That all goods and services to be supplied by it under this Contract are fit and sufficient for the purpose intended, and
- b. That all goods and services covered by this Contract will conform to the specifications, drawing samples, symbols or other description specified by OSPS, and
- c. That such articles are merchantable, good quality, and free from defects whether patent or latent in material and workmanship, and
- d. That all workmanship, materials, and articles to be provided are of the best grade and quality, and
- e. That it has good and clear title to all articles to be supplied by it and the same are free and clear from all liens, encumbrances and security interest.

Neither the final certificate of payment nor any provision herein, nor partial nor entire use of the articles provided shall constitute an acceptance of work not done in accordance with this agreement or relieve the Provider liability in respect of any warranties or responsibility for faulty material or workmanship. The Provider shall remedy any defects in the work and pay any damage to other work resulting therefrom, which shall appear within one year from the date of final acceptance of the work provided hereunder. OSPS shall give written notice of observed defects with reasonable promptness.

- 3. <u>TAXES.</u> Provider agrees that, unless otherwise indicated in the order, the prices herein do not include federal, state, or local sales or use tax from which an exemption is available for purposes of this order. Provider agrees to accept and use tax exemption certificates when supplied by OSPS as applicable. In case it shall ever be determined that any tax included in the prices herein was not required to be paid by Provider, Provider agrees to notify OSPS and to make prompt application for the refund thereof, to take all proper steps to procure the same and when received to pay the same to OSPS.
- 4. PACKING AND SHIPMENT. Deliveries shall be made as specified without charge for boxing, carting, or storage, unless otherwise specified. Articles shall be suitably packed to secure lowest transportation cost and to conform to the requirements of common carriers and any applicable specifications. Order numbers and symbols must be plainly marked on all invoices, packages, bills

of lading, and shipping orders. Bill of lading should accompany each invoice. Count or weight shall be final and conclusive on shipments not accompanied by packing lists.

- 5. <u>DELIVERY.</u> Delivery should be strictly in accordance with delivery schedule. If Provider's deliveries fail to meet such schedule, OSPS, without limiting its other remedies, may direct expedited routing and the difference between the expedited routing and the order routing costs shall be paid by the Provider. Articles fabricated beyond OSPS's releases are at Provider's risk. Provider shall not make material commitments or production arrangements in excess of the amount or in advance of the time necessary to meet delivery schedule, and, unless otherwise specified herein, no deliveries shall be made in advance of OSPSO's delivery schedule. Neither party shall be liable for excess costs of deliveries or defaults due to the causes beyond its control and without its fault or negligence, provided, however, that when the Provider has reason to believe that the deliveries will not be made as scheduled, written notice setting forth the cause of the anticipated delay will be given immediately to OSPS. If the Provider's delay or default is caused by the delay or default of a subcontractor, such delay or default shall be excusable only if it arose out of causes beyond the control of both Provider and subcontractor and without fault of negligence or either of them and the articles or services to be furnished were not obtainable from other sources in sufficient time to permit Provider to meet the required delivery schedule.
- **FORCE MAJEURE.** The performance of an obligation by either party shall be excused in the event that performance of that obligation is prevented by an act of God, act of war, riot, fire, explosion, flood or other catastrophe, sabotage, severe shortage of fuel, power or raw materials, change in law, court order, national defense requirement, or strike or labor dispute, provided that any such event and the delay caused thereby is beyond the control of, and could not reasonably be avoided by, that party.
- 7. <u>INSPECTION.</u> All articles and work will be subject to final inspection and approval after delivery, notwithstanding prior payment, it being expressly agreed that payment will not constitute final acceptance. OSPS, at its option, may either reject any article or work not in conformity with the requirements and terms of this order, or re-work the same at Provider's expense. OSPS may reject the entire shipment where it consists of a quantity of similar articles and sample inspection discloses that ten (10%) percent of the articles inspected are defective, unless Provider agrees to reimburse OSPS for the cost of a complete inspection of the articles included in such shipment. Rejected material may be returned at Provider's risk and expense at the full invoice price plus applicable incoming transportation charges, if any. No replacement of defective articles of work shall be made unless specified by OSPS.
- 8. <u>INVOICE.</u> The original and duplicate invoices covering each and every shipment made against this order showing Contract number, Vendor number, and other essential particulars, must be forwarded promptly to the ordering agency concerned by the Vendor to whom the order is issued. Delays in receiving invoice, and any errors or omissions on statements, will be considered just cause for withholding settlement without losing discount privileges. All accounts are to be carried in the name of the agency or institution receiving the goods, and not in the name of OSPS.
- 9. MODIFICATIONS. OSPS reserves the right to increase or decrease all or any portion of the work and the articles required by the bidding documents or this agreements, or to eliminate all or any portion of such work or articles or to change delivery date hereon without invalidating this Contract. All such modification shall be in writing. If any such modification are made, the Contract amount or amounts shall be adjusted accordingly. In no event shall Provider fail or refuse to continue the

performance of the work in providing of articles under this Agreement because of the inability of the parties to agree on an adjustment or adjustments.

- **10.** <u>**TERMINATION.**</u> OSPS may terminate the whole or any part of this Agreement in any one of the following circumstances:
 - a. The Provider fails to make delivery of articles, or to perform services within the time or times specified herein, or
 - b. If Provider fails to deliver specified materials or services, or
 - c. If Provider fails to perform any of the provisions of this Agreement, or
 - d. If Provider so fails to make progress as to endanger the performance of this Agreement in accordance with its terms, or
 - e. If Provider is adjudged bankrupt, or if it makes a general assignment for the benefit of its creditors or if a receiver is appointed on account of its insolvency, or
 - f. Whenever for any reason the State shall determine that such termination is in the best interest of the State to do so.

In the event that OSPS terminates this Agreement in whole or in part, pursuant to this paragraph with the exception of (f), OSPS may procure (articles and services similar to those so terminated) upon such terms and in such manner as OSPS deems appropriate, and Provider shall be liable to OSPS for any excess cost of such similar articles or services.

- 11. NON-APPROPRIATION. Notwithstanding any other provision of this Contract, if the State does not receive sufficient funds to fund this Contract and other obligations of the State, if funds are deappropriated, or if the State does not receive legal authority to expend funds from the Maine State Legislature or Maine courts, then the State is not obligated to make payment under this Contract.
- **12. GOVERNMENTAL REQUIREMENTS**. The Provider warrants and represents that it will comply with all applicable governmental ordinances, laws and regulations.
- **13.** GOVERNING LAW. This Contract shall be governed in all respects by the laws, statutes, and regulations of the United States of America and of the State of Maine. Any legal proceeding against the State regarding this Contract shall be brought in the State of Maine administrative or judicial forums. The Provider consents to personal jurisdiction in the State of Maine.
- **14. <u>DISPUTES.</u>** OSPS will decide any and all questions which may arise as to the quality and acceptability of articles provided and installation of such articles, and as to the manner of performance and rate of progress under this Contract. OSPS will decide all questions, which may arise as to the interpretation of the terms of this Agreement and the fulfillment of this Agreement on the part of the Provider.
- 15. <u>SUBLETTING</u>, <u>ASSIGNMENT OR TRANSFER</u>. The Provider shall not sublet, sell, transfer, assign or otherwise dispose of this Contract or any portion thereof, or of its right, title or interest therein, without the written request and written approval from the Department. Such approval shall not in any case relieve the Provider of its responsibility for performance of work or liability under this Contract.
- **16.** STATE HELD HARMLESS. The Provider shall indemnify and hold harmless the Department and its officers, agents, and employees from and against any and all third party claims, liabilities, and costs, including reasonable attorney fees, for any or all injuries to persons or property or claims for

money damages, including claims for violation of intellectual property rights, arising from the negligent acts or omissions of the Provider, its employees or agents, officers or Subcontractors in the performance of work under this Agreement; provided, however, the Provider shall not be liable for claims arising out of the negligent acts or omissions of the Department, or for actions taken in reasonable reliance on written instructions of the Department.

17. NON-COLLUSION. The Provider warrants that it has not employed or contracted with any company or person, other than for assistance with the normal study and preparation of a proposal, to solicit or secure this Contract, and that it has not paid, or agreed to pay, any company or person, other than a bona fide employee working solely for the Provider, any fee, commission, percentage, brokerage fee, gifts, or any other consideration, contingent upon, or resulting from, the award of this Contract.

And, the Provider has not entered into a prior understanding, agreement, or connection with any corporation, firm, or person submitting a response for the same materials, supplies, equipment, or services, and this proposal is in all respects fair and without collusion or fraud. The abovementioned entities understand and agree that collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards.

For breach or violation of this provision, the Department shall have the right to terminate this Contract without liability or, at its discretion, to otherwise recover the full amount of such fee, commission, percentage, brokerage fee, gift, or contingent fee.

- 18. <u>MATERIAL SAFETY:</u> All manufacturers, importers, suppliers, or distributors of hazardous chemicals doing business in this State must provide a copy of the current Material Safety Data Sheet (MSDS) for any hazardous chemical to their direct purchasers of that chemical.
- **19. ORDER OF PRECEDENCE**. In the event of a conflict between the documents comprising this Agreement, the Order of Precedence shall be:
 - a. Exceptions If applicable
 - b. General Terms & Conditions for Goods and/or Services under Buyer Purchase Orders and Master Agreements
 - c. Scope of Work If applicable
 - d. Vender Agreement Included at Department's Discretion
 - e. Other Included at Department's Discretion
- 20. <u>CYBERSECURITY AND PROHIBITED TECHNOLOGIES.</u> The Provider certifies to the best of Provider's knowledge and belief that the aforementioned organization, its principals and any subcontractors named in this Contract:
 - a. is not a foreign adversary business entity, https://www.maine.gov/oit/prohibited-technologies, Title 5 MRSA §2021 (3); and
 - is not on the list of prohibited companies or does not obtain or purchase any information or communications technology or services included on the list of prohibited information and communications technology and services https://www.maine.gov/oit/prohibited-technologies, Title 5 MRSA §2030-B.

Contracts entered into by a state agency in violation of <u>Title 5 M.R.S. §2030-B</u> are void. A person who knowingly signs this contract, in violation of this section, commits a civil violation for which a

MA 18P 250219-076

fine may be adjudged in an amount that is twice the amount of this contract or \$250,000, whichever is greater, <u>Title 5 MRSA §2030-A</u>.

RIDER C: EXCEPTIONS TO RIDER B

Enter the exceptions here, if applicable. If not applicable, delete this page or enter "N/A" <u>and</u> make sure Rider C is not checked in the Table of Riders section.

RIDER D: RESPONSIBLE BIDDER CERTIFICATION

By signing this document, I certify to the best of my knowledge and belief that the aforementioned organization, its principals, and any subcontractors named in this proposal:

- a. Are not presently debarred, suspended, proposed for debarment, and declared ineligible or voluntarily excluded from bidding or working on contracts issued by any governmental agency.
- b. Have not within three years of submitting the proposal for this contract been convicted of or had a civil judgment rendered against them for:
 - i. fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a federal, state or local government transaction or contract.
 - ii. violating Federal or State antitrust statutes or committing embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
 - iii. are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or Local) with commission of any of the offenses enumerated in paragraph (b) of this certification; and
 - iv. have not within a three (3) year period preceding this proposal had one or more federal, state or local government transactions terminated for cause or default.
- c. Have not entered into a prior understanding, agreement, or connection with any corporation, firm, or person submitting a response for the same materials, supplies, equipment, or services and this proposal is in all respects fair and without collusion or fraud. The above-mentioned entities understand and agree that collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards.
- Failure to provide this certification may result in the disqualification of the Bidder's proposal, at the discretion of the Department.

To the best of my knowledge all information provided in the enclosed proposal, both programmatic and financial, is complete and accurate at the time of submission.

Name: John Mynahan	Title: FLEET SALES MANAGER
Authorized Signature:	Date:
John Mynalian 970DF8E9CA924E5	3/6/2025