



MASTER AGREEMENT

ADVANTAGE CONTRACT #: 18P 2506180000000000157

COMMODITY/SERVICE DESCRIPTION: School Buses - Select Gasoline A-1 and A-2

START DATE: 7/10/2025 END DATE: 6/30/2026

This Contract is between the following State of Maine Department and Provider:

5	STATE OF MAINE DEPARTMEN	Т
DEPARTMENT NAME: Office of	State Procurement Services	
ADDRESS: 111 Sewall St., 4 th F	loor Burton Cross Office Building,	SHS# 9
CITY: Augusta	STATE: ME	ZIP CODE: 04333-009
	PROVIDER	
PROVIDER NAME: Model 1 Con	nmercial Vehicles Inc	
ADDRESS: PO Box 713176		
CITY: Chicago	STATE: IL	ZIP CODE: 60677
PROVIDER'S VENDOR CUSTO	MER #: VS0000023471	

Each signatory below represents that the person has the requisite authority to enter into this Contract.

Department Representative: Provider Representative:

Docusigned by:

Midulle Fournier

0668BBD06EE5347E

Michelle Fournier, Procurement Planning Manager

Date 7/14/2025

Signed by:

JASON Sport
9281F5621A8C432...

Jason Spore, Transit Bid Manager Date 7/14/2025

The contract is fully executed when all parties sign and funds have been encumbered. Upon final approval by the Office of State Procurement Services, a case details page will be made part of this contract.

DEPARTMENT AND PROVIDER POINT OF CONTACT and PROCUREMENT METHOD

PROCUREMENT SERVICES MA MANGER: The Procurement Services MA Manager manages the MA contract documents. All other communication is to be with the agency the services were provided to.

NAME: Bill Allen	
EMAIL: wje.allen@maine.gov	TELEPHONE: 207-624-7871

VENDOR CONTACT: The vendor contact person will help consumers place orders, inquire about orders that have not been delivered, all shipping issues, quality issues and any issues pertaining to the Master Agreement (MA) contract. All orders not submitted through a Delivery Order will be sent through the vendor contact person. The vendor contact person for this MA is:

NAME: Miguel Ortiz	
EMAIL: mortiz@model1.com	TELEPHONE: 201-507-8500

Any changes to the individuals identified above may be changed at any time through written notice by either party.

Master Agreement (MA) procurement method: RFQ 05A 250515-256

TABLE OF RIDERS

The follo	wing riders are hereby incorporated into this Contract and made part of it by
reference	e.
\boxtimes	RIDER A – Specifications and User Information
\boxtimes	RIDER B – Terms and Conditions
	RIDER C – Exceptions
\boxtimes	RIDER D – Responsible Bidder Certification
\boxtimes	School Bus Bid Specification Sheets

RIDER A: SPECIFICATIONS AND USER INFORMATION

TABLE OF CONTENTS

- CONTRACT PERIOD
- II. COMMODITY
- III. AMENDMENTS TO SPECIFICATIONS
- IV. SPECIFICATIONS
- V. AMENDMENT/EXTENSION PRICING/RATE CHANGES
- VI. CONTRACTED PRICING/RATES
- VII. AUTHORIZED USERS
- VIII. ORDERING PROCEDURE/DELIVERY INFORMATION

I. CONTRACT PERIOD:

Following the initial term of the contract, the Department, at their discretion, may opt to extend / renew the contract for up to four (4) one (1) year extension periods.

\boxtimes	Initial Term
	First Renewal
	Second Renewal
	Third Renewal
	Fourth Renewal

II. COMMODITY: School Buses – Select Gasoline A-1 and A-2

The State reserves the right to add other similar items or commodities to the Master Agreement (MA) if it's in the State's best interest but does not obligate the State to purchase similar noncontracted items or commodities from the selected bidder.

III. AMENDMENTS TO SPECIFICATIONS

Not Applicable

IV. SPECIFICATIONS

Specification sheets are attached after Rider D

V. AMENDMENT/EXTENSION PRICING/RATE CHANGES

Not Applicable

VI. CONTRACTED PRICING/RATES

Prices: Prices are with shipping terms of "Free on Board (FOB) – Destination". The State intends for this to mean that all goods shall be priced to include shipping charges, if any, to the State's desired location. The "FOB – Destination" shipping term is also intended to mean that the State shall not bear any responsibility for the goods in question until the State takes possession of them at the destination point of delivery.

Price and Rate Guarantee Period: All quoted prices and rates must be guaranteed for and must remain firm for minimally one year. Any approved price or rate adjustments must be held firm for minimally one year or the remainder of the contract period. Price adjustment requests must be made by the vendor at least sixty (60) days prior to the effective date. Requests for price adjustments must include sufficient documentation from the manufacture supporting the request. The price adjustment will not go into effect until the contract amendment has been fully approved by the State of Maine.

Bus Type	Fuel Type	Bus	BASE	BUS BID
		Capacity	PRICE	
A-1 and A-2	Gasoline GM Chassis			
	Dual Rear Wheel	24	\$	98,352.00
A-1 and A-2	Gasoline Ford Dual Rear	16		
	Wheel	10	\$	99,800.00
A-1 and A-2	Gasoline GM Dual Rear	16		
	Wheel	10	\$	96,540.00
A-1 and A-2	Gasoline - Ford Transit	16		
	DRW	16	\$	106,269.00
A-1 and A-2	Gasoline GM Chassis	16+0/1		
	Dual Rear Wheel	1070/1	\$	105,872.00

VII. AUTHORIZED USERS:

State of Maine Departments authorized to utilize this MA contract:

All State of Maine Departments, Agencies

		1:4: 1				
N/I i	Inicipalities	nalitical	subdivisions.	and echani	dictricte	in Maino:
IVIL	unicivantics.	DUILLIGAL	auvuiviaiulia.	anu school	นเอนเนเอ	III IVIAIIIC.

	Are NOT permitted to utilize this MA.
\boxtimes	Are permitted to utilize this MA as written.
П	Are permitted to utilize this MA with the following conditions:

VIII. ORDERING PROCEDURES/DELIVERY INFORMATION:

Municipalities, political subdivisions, and school districts in Maine will handle their own orders and will be responsible for all payments.

Quantities: It is understood and agreed that the MA will cover the actual quantities required by the State over the length of the contract.

Delivery Locations: The vendor must deliver to any State of Maine facility. Most MaineDOT orders will be delivered to Scarborough, Augusta, Dixfield, Bangor and Oakfield. The exact addresses will be provided to the vendor at the time the order is placed.

Delivery and Inspection: The vendor is responsible for the delivery of material in first class condition at the point of delivery, and in accordance with good commercial practice. The sign blanks ordered from the resulting MA will be inspected after delivery. If shipments are deemed unacceptable the delivery will be refused and will be returned at the risk and expense of the selling vendor.

RIDER B: TERMS and CONDITIONS

- 1. **DEFINITIONS**. The following definitions are applicable to these standard terms and conditions:
 - a. The term "Buyer" or "State" shall refer to the Government of the State of Maine or a person representing the Government of the State of Maine.
 - b. The term "Department" or "DAFS" shall refer to the State of Maine Department of Administrative and Financial Services.
 - c. The term "Bureau" or "BGS" shall refer to the State of Maine Bureau of General Services.
 - d. The term "OSPS" shall refer to the State of Maine Office of State Procurement Services.
 - e. The term "Provider" shall refer to the organization that is providing goods and/or services through the contract to which these standard terms and conditions have been attached and incorporated.
 - f. The term "Contract" shall refer to the contract document to which these standard terms and conditions apply, taking the format of a Buyer Purchase Order (BPO) or Master Agreement (MA) or other contractual document that is mutually agreed upon between the State and the Provider.

2. <u>WARRANTY</u>. The Provider warrants the following:

- a. That all goods and services to be supplied by it under this Contract are fit and sufficient for the purpose intended, and
- b. That all goods and services covered by this Contract will conform to the specifications, drawing samples, symbols or other description specified by OSPS, and
- c. That such articles are merchantable, good quality, and free from defects whether patent or latent in material and workmanship, and
- d. That all workmanship, materials, and articles to be provided are of the best grade and quality, and
- e. That it has good and clear title to all articles to be supplied by it and the same are free and clear from all liens, encumbrances and security interest.

Neither the final certificate of payment nor any provision herein, nor partial nor entire use of the articles provided shall constitute an acceptance of work not done in accordance with this agreement or relieve the Provider liability in respect of any warranties or responsibility for faulty material or workmanship. The Provider shall remedy any defects in the work and pay any damage to other work resulting therefrom, which shall appear within one year from the date of final acceptance of the work provided hereunder. OSPS shall give written notice of observed defects with reasonable promptness.

3. <u>TAXES.</u> Provider agrees that, unless otherwise indicated in the order, the prices herein do not include federal, state, or local sales or use tax from which an exemption is available for purposes of this order. Provider agrees to accept and use tax exemption certificates when supplied by OSPS as applicable. In case it shall ever be determined that any tax included in the prices herein was not required to be paid by Provider, Provider agrees to notify OSPS and to make prompt application for the refund thereof, to take all proper steps to procure the same and when received to pay the same to OSPS.

- 4. PACKING AND SHIPMENT. Deliveries shall be made as specified without charge for boxing, carting, or storage, unless otherwise specified. Articles shall be suitably packed to secure lowest transportation cost and to conform to the requirements of common carriers and any applicable specifications. Order numbers and symbols must be plainly marked on all invoices, packages, bills of lading, and shipping orders. Bill of lading should accompany each invoice. Count or weight shall be final and conclusive on shipments not accompanied by packing lists.
- 5. <u>DELIVERY.</u> Delivery should be strictly in accordance with delivery schedule. If Provider's deliveries fail to meet such schedule, OSPS, without limiting its other remedies, may direct expedited routing and the difference between the expedited routing and the order routing costs shall be paid by the Provider. Articles fabricated beyond OSPS's releases are at Provider's risk. Provider shall not make material commitments or production arrangements in excess of the amount or in advance of the time necessary to meet delivery schedule, and, unless otherwise specified herein, no deliveries shall be made in advance of OSPSO's delivery schedule. Neither party shall be liable for excess costs of deliveries or defaults due to the causes beyond its control and without its fault or negligence, provided, however, that when the Provider has reason to believe that the deliveries will not be made as scheduled, written notice setting forth the cause of the anticipated delay will be given immediately to OSPS. If the Provider's delay or default is caused by the delay or default of a subcontractor, such delay or default shall be excusable only if it arose out of causes beyond the control of both Provider and subcontractor and without fault of negligence or either of them and the articles or services to be furnished were not obtainable from other sources in sufficient time to permit Provider to meet the required delivery schedule.
- **FORCE MAJEURE.** The performance of an obligation by either party shall be excused in the event that performance of that obligation is prevented by an act of God, act of war, riot, fire, explosion, flood or other catastrophe, sabotage, severe shortage of fuel, power or raw materials, change in law, court order, national defense requirement, or strike or labor dispute, provided that any such event and the delay caused thereby is beyond the control of, and could not reasonably be avoided by, that party.
- 7. <u>INSPECTION.</u> All articles and work will be subject to final inspection and approval after delivery, notwithstanding prior payment, it being expressly agreed that payment will not constitute final acceptance. OSPS, at its option, may either reject any article or work not in conformity with the requirements and terms of this order, or re-work the same at Provider's expense. OSPS may reject the entire shipment where it consists of a quantity of similar articles and sample inspection discloses that ten (10%) percent of the articles inspected are defective, unless Provider agrees to reimburse OSPS for the cost of a complete inspection of the articles included in such shipment. Rejected material may be returned at Provider's risk and expense at the full invoice price plus applicable incoming transportation charges, if any. No replacement of defective articles of work shall be made unless specified by OSPS.
- 8. INVOICE. The original and duplicate invoices covering each and every shipment made against this order showing Contract number, Vendor number, and other essential particulars, must be forwarded promptly to the ordering agency concerned by the Vendor to whom the order is issued. Delays in receiving invoice, and any errors or omissions on statements, will be considered just cause for withholding settlement without losing discount privileges. All accounts are to be carried in the name of the agency or institution receiving the goods, and not in the name of OSPS.

- 9. MODIFICATIONS. OSPS reserves the right to increase or decrease all or any portion of the work and the articles required by the bidding documents or this agreements, or to eliminate all or any portion of such work or articles or to change delivery date hereon without invalidating this Contract. All such modification shall be in writing. If any such modification are made, the Contract amount or amounts shall be adjusted accordingly. In no event shall Provider fail or refuse to continue the performance of the work in providing of articles under this Agreement because of the inability of the parties to agree on an adjustment or adjustments.
- **10.** <u>**TERMINATION.**</u> OSPS may terminate the whole or any part of this Agreement in any one of the following circumstances:
 - a. The Provider fails to make delivery of articles, or to perform services within the time or times specified herein, or
 - b. If Provider fails to deliver specified materials or services, or
 - c. If Provider fails to perform any of the provisions of this Agreement, or
 - d. If Provider so fails to make progress as to endanger the performance of this Agreement in accordance with its terms, or
 - e. If Provider is adjudged bankrupt, or if it makes a general assignment for the benefit of its creditors or if a receiver is appointed on account of its insolvency, or
 - f. Whenever for any reason the State shall determine that such termination is in the best interest of the State to do so.

In the event that OSPS terminates this Agreement in whole or in part, pursuant to this paragraph with the exception of (f), OSPS may procure (articles and services similar to those so terminated) upon such terms and in such manner as OSPS deems appropriate, and Provider shall be liable to OSPS for any excess cost of such similar articles or services.

- 11. <u>NON-APPROPRIATION.</u> Notwithstanding any other provision of this Contract, if the State does not receive sufficient State, Federal, or other sources of funds to fund this Contract and other obligations of the State, if funds are de-appropriated, or if the State does not receive legal authority to expend funds from State or Federal legislative, executive or judicial bodies, then the State is not obligated to make payment under this Contract.
- **12. GOVERNMENTAL REQUIREMENTS**. The Provider warrants and represents that it will comply with all applicable governmental ordinances, laws and regulations.
- **13. GOVERNING LAW**. This Contract shall be governed in all respects by the laws, statutes, and regulations of the United States of America and of the State of Maine. Any legal proceeding against the State regarding this Contract shall be brought in the State of Maine administrative or judicial forums. The Provider consents to personal jurisdiction in the State of Maine.
- **14.** <u>DISPUTES.</u> OSPS will decide any and all questions which may arise as to the quality and acceptability of articles provided and installation of such articles, and as to the manner of performance and rate of progress under this Contract. OSPS will decide all questions, which may arise as to the interpretation of the terms of this Agreement and the fulfillment of this Agreement on the part of the Provider.
- **15.** <u>SUBLETTING, ASSIGNMENT OR TRANSFER.</u> The Provider shall not sublet, sell, transfer, assign or otherwise dispose of this Contract or any portion thereof, or of its right, title or interest therein, without the written request and written approval from the Department. Such approval shall not in

any case relieve the Provider of its responsibility for performance of work or liability under this Contract.

- 16. <u>STATE HELD HARMLESS.</u> The Provider shall indemnify and hold harmless the Department and its officers, agents, and employees from and against any and all third party claims, liabilities, and costs, including reasonable attorney fees, for any or all injuries to persons or property or claims for money damages, including claims for violation of intellectual property rights, arising from the negligent acts or omissions of the Provider, its employees or agents, officers or Subcontractors in the performance of work under this Agreement; provided, however, the Provider shall not be liable for claims arising out of the negligent acts or omissions of the Department, or for actions taken in reasonable reliance on written instructions of the Department.
- 17. NON-COLLUSION. The Provider warrants that it has not employed or contracted with any company or person, other than for assistance with the normal study and preparation of a proposal, to solicit or secure this Contract, and that it has not paid, or agreed to pay, any company or person, other than a bona fide employee working solely for the Provider, any fee, commission, percentage, brokerage fee, gifts, or any other consideration, contingent upon, or resulting from, the award of this Contract.

And, the Provider has not entered into a prior understanding, agreement, or connection with any corporation, firm, or person submitting a response for the same materials, supplies, equipment, or services, and this proposal is in all respects fair and without collusion or fraud. The abovementioned entities understand and agree that collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards.

For breach or violation of this provision, the Department shall have the right to terminate this Contract without liability or, at its discretion, to otherwise recover the full amount of such fee, commission, percentage, brokerage fee, gift, or contingent fee.

- **18.** MATERIAL SAFETY: All manufacturers, importers, suppliers, or distributors of hazardous chemicals doing business in this State must provide a copy of the current Material Safety Data Sheet (MSDS) for any hazardous chemical to their direct purchasers of that chemical.
- **19. ORDER OF PRECEDENCE**. In the event of a conflict between the documents comprising this Agreement, the Order of Precedence shall be:
 - a. Exceptions If applicable
 - b. General Terms & Conditions for Goods and/or Services under Buyer Purchase Orders and Master Agreements
 - c. Scope of Work If applicable
 - d. Vender Agreement Included at Department's Discretion
 - e. Other Included at Department's Discretion
- 20. <u>CYBERSECURITY AND PROHIBITED TECHNOLOGIES.</u> The Provider certifies to the best of Provider's knowledge and belief that the aforementioned organization, its principals and any subcontractors named in this Contract:
 - a. is not a foreign adversary business entity, https://www.maine.gov/oit/prohibited-technologies, Title 5 MRSA §2021 (3); and
 - is not on the list of prohibited companies or does not obtain or purchase any information or communications technology or services included on the list of prohibited information and communications technology and services https://www.maine.gov/oit/prohibited-technologies, Title 5 MRSA §2030-B.

MA 18P 250618-157

Contracts entered into by a state agency in violation of <u>Title 5 M.R.S. §2030-B</u> are void. A person who knowingly signs this contract, in violation of this section, commits a civil violation for which a fine may be adjudged in an amount that is twice the amount of this contract or \$250,000, whichever is greater, <u>Title 5 MRSA §2030-A</u>.

21. <u>TARIFFS</u>. Any price increases implemented by the provider due to the imposition of tariffs shall remain in effect only for the duration that such tariffs are in place. In the event of the repeal or reduction of any applicable tariff(s), the provider shall immediately return to the original price list or make a proportional reduction in the price to reflect the decrease in tariff(s). Price adjustments under this clause shall be made in good faith and without undue delay upon confirmation via documents reflecting tariff changes.

MA 18P 250618-157

RIDER C: EXCEPTIONS TO RIDER B

Not Applicable

RIDER D: RESPONSIBLE BIDDER CERTIFICATION

By signing this document, I certify to the best of my knowledge and belief that the aforementioned organization, its principals, and any subcontractors named in this proposal:

- a. Are not presently debarred, suspended, proposed for debarment, and declared ineligible or voluntarily excluded from bidding or working on contracts issued by any governmental agency.
- b. Have not within three years of submitting the proposal for this contract been convicted of or had a civil judgment rendered against them for:
 - fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a federal, state or local government transaction or contract.
 - ii. violating Federal or State antitrust statutes or committing embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
 - iii. are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or Local) with commission of any of the offenses enumerated in paragraph (b) of this certification; and
 - iv. have not within a three (3) year period preceding this proposal had one or more federal, state or local government transactions terminated for cause or default.
- c. Have not entered into a prior understanding, agreement, or connection with any corporation, firm, or person submitting a response for the same materials, supplies, equipment, or services and this proposal is in all respects fair and without collusion or fraud. The above-mentioned entities understand and agree that collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards.
- Failure to provide this certification may result in the disqualification of the Bidder's proposal, at the discretion of the Department.

To the best of my knowledge all information provided in the enclosed proposal, both programmatic and financial, is complete and accurate at the time of submission.

Name: Jason Spore	Title: Transit Bid Manager
Authorized Signature: Jason Sport 9281F5621A8C432	Date: 7/14/2025



Trans Tech Bus

SST Model Series - School Bus 24-Passenger GM DRW - 139" WB, 12300 lbs. GVWR, 6.6L Gas Engine

PRICE SPEC SHEETS

Prepared for


State of Maine RFQ 05A 250515-256 Item 3

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

Date: 05/29/25

IMAGES & FLOORPLAN



Floor Layout: SST 24C/17A





Photos Are Representative, Not Exact to Specific Unit

Whether you need to fill a spot in your fleet or create an entirely new vehicle, your Model 1 experts have a single top priority: you. With a clear understanding of your needs, we find ways to deliver — starting with deep relationships all the way back at the manufacturer level. And with the nation's largest inventory of commercial vehicles, you'll never be short on the best choices to make for your business.

SALES EXPERIENCE

550+ Years of Collective Bus Sales Experience Servicing Over 1,500 Customers Annually

COMPETITIVE PRICING

Volume Discounts Fixed Contract Pricing

IN-HOUSE FINANCING

Seamless Transactions Flexible Solutions

NATIONWIDE NETWORK

21 Full-Service Locations Nationwide Partners with 25+ Top Manufacturers



Trans Tech Bus

SST Model Series - School Bus 24-Passenger GM DRW - 139" WB. 12300 lbs. GVWR. 6.6L Gas Engine

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 3

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

Data- 0E/20/2E

SPECIFICATIONS

10DEL SERIES		
C139DSSA409	2026MY - SST, CHEVROLET, 139", DRW, SCHOOL BUS, STANDARD FLOOR, AMBULATORY, 500	1
HASSIS MODEL		
CEG139D123	2025MY - CHEVROLET EXPRESS, CUT AWAY, 6.6L V-8 L8T, GASOLINE, 139", DRW, 12300 GVWR CG33503	1
1 - CHASSIS EQUII	PMENT	
	CHEVY - YELLOW CAB	
KW5	ALTERNATOR, 220 AMP	
rP3	BATTERY, DUAL, 770 CCA	
STD	MID-FRAME FUEL TANK , 32 GAL.	
9J6	STEERING COLUMN, TILT	
J0F	OEM RADIO, AM/FM WITH MP3 PLAYER, CLOCK, AUX JACK	
STD	OEM GREY WHEELS	
2 - CHASSIS MODI		
2-0005	DRIVER'S STEP, DIAMOND PLATE WITH INTEGRATED MUD FLAP - INCLUDES WHITE REFLECTIVE TAPE	1 EA
2-0010	EXHAUST, ROUTE TO UNDER REAR BUMPER	1 STD
02-0020	TOW HOOK, MOUNTED ON REAR OF CHASSIS FRAME, SET OF 2	1 SET
02-1004	DRIVE SHAFT GUARDS INSTALLED ON EACH SECTION OF DRIVE SHAFT	1 STD
03 - BODY STRUCTI		
03-1000	FIBERGLASS CAP, EXTERIOR REAR WALL	1 STD
03-1001	FIBERGLASS CAP, FRONT ABOVE WINDSHIELD AND BOTH WINGS BEHIND DRIVER AND IN FRONT OF ENTRY DOOR	1 STD
03-0017	14 GAUGE G90 GALVANIZED STEEL PAN-FORMED FLOOR PANELS	1 STD
	14 GAUGE G90 GALVANIZED STEEL HAT SECTION WALL / ROOF BOWS (ONE-PIECE) WITH LONGITUDINAL WALL / ROOF STRINGERS	
03-1004	BETWEEN WALL / ROOF BOWS	1 STD
03-1005	14 GAUGE G90 GALVANIZED STEEL FRAME CAB OVERHEAD	1 STD
03-1006	16 GAUAGE G90 GALVANIZED STEEL REAR WALL	1 STD
03-1007	14 GUAGE G90 GALVANIZED STEEL STEPWELL	1 STD
03-0007	INSULATION, 1.5" FIBERGLASS, INSIDE ROOF, WALLS, & BOWS	1 STD
03-0001	BUMPER, 3/16" THK, STEEL, POWDER COATED BLACK, TO EXTEND 1" BEYOND REAR-MOST PART OF BODY SURFACE - WIDE BODY	1 STD
03-0008	PLYWOOD, FLOORING, 1/2" THICK, EXTERIOR GRADE	1 STD
04 - GLASS & WIND		4 070
01-0060	OBSERVATION WINDOW, TEMPERED, FLAT PANEL, LOCATED FORWARD OF ENTRANCE DOOR, GM	1 STD
04-0035	WINDOW, REAR VISION, TEMPERED, 31% DARK TINTED - SST/CST, SET OF 2	1 STD
04-0023	WINDOW, SPLIT-SASH, TEMPERED, 31% DARK TINTED -SST/CST	8 STD
NOTE	NO SIDE EMERGENCY EXIT WINDOWS REQUIRED	
05 - DOORS & MIRR		
JOURS & MIKE	DOOR, REAR EMERGENCY, ANODIZED BLACK EXTRUDED ALUM, WITH YELLOW REFLECTIVE TAPE & (1) ONE FULL TEMPERED GLASS,	
05-0001	31% DARK TINTED (SCHOOL BUS)	1 STD
)5-0001)5-0016	DOOR LOCK, 3 POINT LATCH, FOR REAR EMERGENCY DOOR (REQUIRED ON SCHOOL BUSES & MFSAB)	1 STD
05-0016 05-0114	DOOR HOLDER, TELESCOPING, FOR REAR EMERGENCY DOOR, REINFORCED WITH STEEL GUSSET	1 STD
)5-0114)5-0017	DOOR HANDLE, BLACK, EXTERIOR, FOR REAR EMERGENCY DOOR	1 STD
JO-001/	DOOR, ENTRANCE DOOR, SPLIT-TYPE, ANODIZED BLACK EXTRUDED ALUM, WITH TEMPERED CLEAR GLASS AND LOWER DOOR	חופוד
05-0005	SWEEPS	1 STD
)5-0005)5-0011	DOOR CONTROL, MANUALLY OPERATED WITH T-BAR - NOT AVAILABLE ON FORD TRANSIT MODEL	1 STD
05-0011	MIRROR, INTERIOR REARVIEW, 6" X 16"	1 EA
05-0024 05-0082		1 EA
13-0082	MIRRORS, ROSCO, EXTERIOR REARVIEW ACCUSTYLE & CROSSOVER EYE-MAX, HEATED, WITH BLACK BRACKETS - (DRW GM)	I EA



Trans Tech Bus

SST Model Series - School Bus 24-Passenger

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 3

CONTACT

אוסח אי	- 139" WR, 12300 lbs. GVWR, 6.61. Gas Engine Email: mortiz@mode	l1.com
IM I I K VV 6 - INTERIOR	TION WD. I/JUU IIS, ITWWK, D.DI ITAS FIIIIIIH	
6-0014	FLOORING, VINYL, SMOOTH BLACK, WITH RIBBED AISLE	1 STD
-0014	STEP TREAD, BLACK, RIBBED TYPE - 2 STEPS	1 STD
-0038	STEP NOSING, WHITE, RIBBED TYPE	1 STD
-0036	INTERIOR CEILING PANELS, ALUM, PRE-PAINTED WHITE	1 STD
-0020	99 PADDED SHOULDER RAIL, FIREBLOCK, FULL LENGTH - BOTH SIDE, VINYL UPHOLSTERY TO MATCH IMPACT PADS	1 SET
i-0054	HEAD IMPACT PADDING, FIREBLOCK, INT. DRIVER'S TRANSITION, DRIVER'S DOOR, PASS, ENTRY DOOR AND RR EMERG, EXIT DOOR, 1	1 ILOS
-1005	TRACK COVER, SMOOTH BLACK, TO PREVENT DEBRIS OUT OF VERSA TRACK	1 STD
-1003	Milotocetti, or norm belon, normetern bebrio cor veron mon	1010
7 - EXTERIOR		
'-0009	EXTERIOR WALL PANELS, 22GA, G90 GALVANIZED STEEL	1 STD
-1001	EXTERIOR, ROOF PANELS, .05 ALUMINUM, PRE-PAINTED WHITE	1 STD
7-0010	FENDERETTE, BLACK TEXTURED TPO PLASTIC, FOR REAR WHEELS	1 STD
'-0014	MUD FLAP, FRONT & REAR WHEELS - STANDARD FLOOR MODELS	1 STD
'-0012	RUB RAILS, WINDOW LEVEL, SEAT LEVEL, & FLOOR LEVEL (WINDOW & SEAT LEVEL WRAP AROUND REAR)	1 STD
		10.5
B - DECALS		
-0044	DECAL, "SCHOOL BUS", 8" TALL BLACK LETTERING, ON REFLECTIVE YELLOW BACKGROUND, INSTALL ON EXT. FRONT & REAR CAPS	1 SET
3-0020	DECAL, "EMERGENCY DOOR", BLACK LETTERING, INSTALL ON EXTERIOR OF TOP REAR EMERGENCY DOOR (SCHOOL BUS)	1 STD
	DECAL, "TO OPEN", BLACK LETTERING WITH BLACK ARROW, INSTALL ON EXTERIOR EMERGENCY DOOR NEAR DOOR HANDLE	-
3-0053	(YELLOW SCHOOLS BUS)	1 STD
-0065	DECAL, VEHICLE IDENTIFICATION #, 24" BLACK LETTERING, 8" MIN. STROKE, INSTALL ON ROOF, LEFT TO RIGHT (PER DIGIT)	5 EA
OTE	LAST 5 OF VIN #	1 NOTE
-0079	DECAL, SEATING CAPACITY, 2" BLACK LETTERING, INSTALL ON EXTERIOR CURBSIDE OF BUS, REARWARD OF MAIN ENTRANCE DOOR.	1 EA
-0136	DECAL, "GASOLINE", 2" BLACK LETTERING, INSTALL ADJACENT TO THE FUEL FILLER	1 STD
-0120	DECAL, "DO NOT BLOCK", RED LETTERING, INSTALL ON INTERIOR REAR EMERGECNY DOOR	1 STD
-0119	DECAL, "EMERGENCY EXIT", 2" BLACK LETTERING, INSTALL ON INTERIOR REAR BULKHEAD ABOVE THE REAR EMERGENCY DOOR.	
3-0121	DECAL, "LIFT HANDLE AND PUSH TO OPEN", RED LETTERING WITH RED ARROW, INSTALL ON INTERIOR REAR	1 STD
3-1012	DECALS, "EMERGENCY EXIT", BLACK LETTERING WITH RED ARROW, INSTALL ON INTERIOR OF REAR EMERG. DOOR	1 STD
3-0093	TRANS TECH BODY ID DATA LABEL, ADHESIVE FOIL, LOCATED ABOVE DRIVER'S SEAT AREA.	1 STD
3-0100	TRANS TECH FMVSS COMPLIANCE LABEL, LOCATED ON DRIVER'S DOOR JAMB	1 STD
3-0101	TRANS TECH WARRANTY, WARNING LABEL, LOCATED NEAR BODY ID LABEL	1 STD
3-0102	DECAL, BACK UP ALARM "ATTENTION" LABEL, LOCATED NEAR BODY ID LABEL	1 STD
3-0103	DECAL, CROSS OVER MIRRORS "WARNING LABEL" LOCATED IN DIRECT VIEW OF DRIVER	1 STD
3-1018	DECAL, PAINT CODE LABEL	1 STD
	DECAL, TRANS TECH "TRACK SEATING " INSTRUCTION LABEL. LOCATED ON PASSENGER COMPARTMENT, ABOVE WINDOWS ON	-
3-0107	EACH SIDE	1 STD
3-0109	DECAL, "STEP UP", INSTALLED CENTERED ON SECOND STEP RISER	1 STD
-0098	DECAL, "TRANS TECH" LOGO ON EACH FRONT FENDER	1 STD
-0059	DECAL, "TRANS TECH" LOGO ON EACH SIDE OF BUS AT ROOFLINE	1 STD
-0060	DECAL, "TRANSTECH" LOGO ON REAR OF BUS	1 STD
		1
- REFLECTIVE	S	
-1000	REFLECTIVE TAPE, 1" STRIP, YELLOW, INSTALL SURROUNDING EXTERIOR REAR EMERGENCY DOOR	1 STD
-0012	REFLECTIVE TAPE, 2" STRIP, YELLOW, INSTALL AROUND REAR PERIMETER OF BUS	1 SET
-0015	REFLECTIVE TAPE, 2" STRIP, YELLOW, INSTALL ON SIDES OF BUS BODY	1 SET
	REFLECTORS (4 TOTAL), RED, STICK-ON 2" X 3.5", INSTALLED ON REAR OF BUS CORNERS NEAR BUMPER LEVEL AND AT EACH SIDE OF	
-1002	BUS BELOW SEAT LEVEL ON REAR BODY CAP	1 STD
-0032	REFLECTOR, AMBER, 3" DIAMETER, INSTALL ON EACH SIDE, FRONT OF THE BUS BODY, NO MORE THAN 12" FROM THE FRONT AND NO	1 ILOS
	99 REFLECTOR, AMBER, ONE REARWARD OF ENTRANCE DOOR AND ONE OPPOSITE SIDE AT BELOW SEAT LEVEL RUB RAILS MIDSHIP	1 SET
- PAINT		
	PAINT, EXTERIOR BODY, NATIONAL SCHOOL BUS YELLOW	1 EA
-0022		
-0022 - 0021	PAINT, FRONT & REAR WARNING LAMPS BACKGROUND, BLACK	1 SET



Trans Tech Bus

SST Model Series - School Bus 24-Passenger

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 3

CONTACT

	139" WR. 12300 lbs. GVWR. 6.6L Gas Engine	
1 - LAMP & SIGNAL		
1-0001	AUXILIARY POWER BOARD, TO CONNECT GPS SYSTEMS, CAMERAS, 2-WAY RADIOS, MOUNTED IN FRONT BULKHEAD	1 EA
1-0006	FRONT MARKER & CLEARANCE LIGHTS, 3/4" ROUND, AMBER LED	1 STD
I-0132	REAR MARKER & CLEARANCE LIGHTS, 3/4" ROUND, RED LED	1 STD
l-1013	LAMP, MARKER LIGHTS, LED, RECESSED, INSTALL AMBER LIGHTS AT FRONT & RED AT REAR	4 STD
1-0083	SCHOOL BUS, 8-WAY WARNING LIGHT SYSTEM, (4) RED LED & (4) AMBER LED - (WIRED TO STROBING)	1 SET
1-0085	WIRING, 8-WAY WARNING LAMP SYSTEM, NON-SEQUENTIAL	1 SET
1-0007	FLASHER, INPOWER (SCHOOL BUS)	1 SET
1-0134	LAMP, BACK-UP LIGHTS, 4" CLEAR LED - SST/ CST, SET OF 2	1 STD
1-0135	LAMP, BRAKE / TAIL LIGHTS, 4" RED LED - SST/CST, BELOW SEAT RUB RAILS, SET OF 2	1 STD
1-0019	LAMP, BRAKE / TAIL LIGHTS, 7" RED LED - SST/CST, SET OF 2	1 STD
1-0034	LAMP, TURN SIGNALS, 7" AMBER LED - SST/CST - SET OF 2	1 STD
4 0000	LAMP, (2)TURN SIGNALS, LED, SIDE MOUNTED BETWEEN WINDOW & SEAT LEVEL RUB RAILS, INSTALL REARWARD OF ENTRANCE DOOR AND DRIVER'S DOOR	4 070
11-0039	DOOR AND DRIVER'S DOOR	1 STD
11-0142	LAMP, LICENSE PLATE, 3/4" CLEAR LED, MOUNTED WITH GLARE SHIELD ON TOP SIDE OF LICENSE PLATE DESIGNATED AREA	1 STD
11-0025	LAMP, (4) INTERIOR DOME LIGHT, RECTANGULAR, CLEAR LED	1 STD
11-9999	LAMP, STEPWELL LIGHT LED	1 STD
11-0010	LAMP, ARMORED, EXTERIOR, ENTRANCE DOOR LIGHT, LED, MOUNTED ON SKIRT LEFT OF ENTRANCE (SOUNDOFF-ECVCBLTST)	1 EA
1-0043	NOISE SUPPRESSION SWITCH, TURNS OFF ALL NOISE PRODUCING ITEMS IN BUS BODY	1 EA
NOTE	CHASSIS INCLUDES OEM AM/FM/BT RADIO	I LA
11-0059	INSTALL SPEAKER, SET OF 2 CONNECTED TO 0EM RADIO	1 SET
	INSTALL STEAKER, SET OF 2 CONNECTED TO CEM RADIO	
OF SPEAKERS	A NO INTERIOR OF MEDICAL PRINCIPLE AND A STATE OF THE PRINCIPLE AND A STAT	1 NOTE
NOTE	NO INTERIOR SPEAKERS SHALL BE INSTALL WITHIN 4 FEET BEHIND THE REARMOST UPRIGHT POSITION OF THE DRIVER'S SEAT	NOTE
NOTE	DISCONNECT OEM DOOR'S SPEAKER	NOTE
99	STROBE LIGHT, LED, SPECIALTY 845-4020, 4" HIGH, CLEAR, DOUBLE FLASH, 12V, TO INCLUDE ON/OFF SWITCH AND GREEN PILOT LIG	1 EA
11-0070	METAL GUARD, FOR STROBE LIGHT	1 EA
1-0184	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF	1 STD
1-0105	WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM	1 ILOS
		1 54
12-0001	BACK-UP ALARM, 112 DECIBEL	1 EA
12-0001 12-0243	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD	1 EA
12-0001 12-0243 12-0414	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET	1 EA 1 EA
12-0001 12-0243 12-0414 12-0043	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA	1 EA 1 EA 1 EA
12-0001 12-0243 12-0414 12-0043	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET	1 EA 1 EA
12-0001 12-0243 12-0414 12-0043 12-0294	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA	1 EA 1 EA 1 EA
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD	1 EA 1 EA 1 EA 1 EA
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0417	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL	1 EA 1 EA 1 EA 1 EA 1 STD
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0417 12-0123	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX,, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA	1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0417 12-0123 NOTE	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590	1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 NOTE
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0417 12-0123 NOTE	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA	1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 NOTE
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0417 12-0123 NOTE 12-0127 12-0134	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA	1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 NOTE 1 EA 1 EA
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0417 12-0123 NOTE 12-0127 12-0134	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA	1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 NOTE
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0123 NOTE 12-0127 12-0134 12-0158	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT	1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 NOTE 1 EA 1 NOTE
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0123 NOTE 12-0127 12-0134 12-0158	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA	1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 NOTE 1 EA 1 EA
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0417 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT	1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 NOTE 1 EA 1 NOTE
12-0001 12-0243 12-0414 12-043 12-0494 12-0108 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500 NOTE	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES	1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 NOTE 1 EA 1 EA 1 EA 1 EA
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500 NOTE	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED	1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 NOTE 1 EA 1 SET 1 NOTE
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-017 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500 NOTE	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE	1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 NOTE 1 EA 1 EA 1 EA 1 NOTE 1 EA 1 EA 1 EA 1 EA
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-017 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500 NOTE	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL	1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 NOTE 1 EA 1 EA 1 NOTE 1 EA 1 EA 1 EA 1 EA 1 EA
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0417 12-0123 10TE 12-0127 12-0134 12-0158 14-HVAC 14-0500 14-0051 14-0053 14-0061	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING	1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 NOTE 1 EA 1 EA 1 NOTE 1 EA 1 EA 1 EA 1 EA 1 EA
2-0001 2-0243 2-0414 2-0043 2-0294 2-0108 2-0417 2-0123 00TE 2-0127 2-0134 2-0158 4-HVAC 4-0500 40TE 4-0051 4-0053 4-0061 5- SEATS & BARRIE	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING RS HSM / C.E. WHITE BARRIERS	1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 NOTE 1 EA 1 E
2-0001 2-0243 2-0414 2-0043 2-0294 2-0108 2-0417 2-0123 00TE 2-0127 2-0134 2-0158 4-HVAC 4-0500 40TE 4-0051 4-0053 4-0061 5- SEATS & BARRIE	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING	1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 NOTE 1 EA 1 EA 1 NOTE 1 EA 1 EA 1 EA 1 EA 1 EA
12-0001 12-0243 12-0414 12-0043 12-0494 12-0108 12-01108 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500 NOTE 14-0051 14-0051 14-0061 15- SEATS & BARRIE	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING RS HSM / C.E. WHITE BARRIERS	1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 NOTE 1 EA 1 E
12-0001 12-0243 12-0414 12-0043 12-0494 12-0108 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500 NOTE 14-0051 14-0061 15- SEATS & BARRIE	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX,, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING RS HSM / C.E. WHITE BARRIERS 39" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST)	1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 NOTE 1 EA 1 E
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0217 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500 NOTE 14-051 14-053 14-0061 15-SEATS & BARRIE 15-0013 BARRIER COLOR	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2.1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING RS HSM / C.E. WHITE BARRIERS 39° BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS	1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 NOTE 1 EA 1 EA 1 EA 1 EA 1 EA 2 EA 2 EA
12-0001 12-0243 12-0414 12-0043 12-0494 12-0108 12-0417 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500 NOTE 14-0501 14-053 14-0061 15-SEATS & BARRIE 15-0013 BARRIER COLOR	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINOUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX., MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING RS HSM / C.E. WHITE BARRIERS 39" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREV VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS 39" SEAT, CE WHITE, FIRE BLOCK, HB - NO 3 LAP BELTS, (MOUNTED ON VERSA TRACK)	1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 NOTE 1 EA 1 E
12 - SAFETY EQUIPN 12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-01123 NOTE 12-0127 12-0134 12-0158 14 - HVAC 14-0500 NOTE 14-0051 14-0051 15 - SEATS & BARRIE 15-0013 BBARRIER COLOR	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2.1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING RS HSM / C.E. WHITE BARRIERS 39° BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS	1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 NOTE 1 EA 1 EA 1 EA 1 EA 1 EA 2 EA 2 EA
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0117 12-0123 10TE 12-0127 12-0134 12-0158 14-HVAC 14-0500 10TE 14-0051 14-0053 14-0061 15-SEATS & BARRIE 15-0013 15-O013 15-O013 15-O013 15-O013 15-O017	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINOUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX., MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING RS HSM / C.E. WHITE BARRIERS 39" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREV VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS 39" SEAT, CE WHITE, FIRE BLOCK, HB - NO 3 LAP BELTS, (MOUNTED ON VERSA TRACK)	1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 NOTE 1 EA 1 EA 1 EA 1 EA 1 EA 2 EA 2 EA
12-0001 12-0243 12-0243 12-0414 12-0043 12-0294 12-0108 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500 NOTE 14-0051 14-0051 14-0061 15-SEATS & BARRIE 15-0013 3BARRIER COLOR	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 172 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING RS HISM / C.E. WHITE BARRIERS 39° BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS 39° SEAT, CE WHITE, FIRE BLOCK, HB - NO 3 LAP BELTS, (MOUNTED ON VERSA TRACK) GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST)	1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 NOTE 1 EA 1 EA 1 EA 2 EA 2 EA 2 EA 8 EA
12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0217 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500 NOTE 14-0501 14-053 14-0061 15-SEATS & BARRIE 15-0013 BARRIER COLOR	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINOUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX., MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING RS HSM / C.E. WHITE BARRIERS 39" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREV VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS 39" SEAT, CE WHITE, FIRE BLOCK, HB - NO 3 LAP BELTS, (MOUNTED ON VERSA TRACK)	1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 NOTE 1 EA 1 EA 1 EA 1 EA 1 EA 2 EA 2 EA



Trans Tech Bus

SST Model Series - School Bus 24-Passenger
GM DRW - 139" WR. 12300 lbs. GVWR. 6.61. Gas Engine

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 3

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

WARRANTY

Manufacturer Warranty	Trans Tech Warranty:	
	Limited Warranty Body 5-2-1 - Refer To Warranty Statement for Details	
Chassis Warranty	GM Standard Warranty: 3 Year / 36 000 Miles	

All vehicles come with warranty, but Model 1 offers more value without the added cost.

Our coverage and support come with each of our new vehicles - standard.

WE PROCESS ALL THE WARRANTY REGISTRATIONS

We register all of your bus parts for you, no more pesky warranty cards to fill out. This includes all parts, wheelchair lift, electronics, HVAC, etc.

WE HANDLE ALL THE PAPERWORK

We administer and coordinate any warranty work. You make one call to our warranty department, and they take it from there.

REPAIR FACILITIES NEAR YOU

When warranty work is needed, we use service repair facilities near the bus location. We have over 3200 authorized centers and growing. You will never have to drive far to get repairs completed.

NO MORE CLAIM FORMS

Model 1 handles all parts of the claim process, you will have no out of pocket expenses, no reimbursements, and the service facility will be paid directly by us.

LONGER WARRANTY PERIOD

We have negotiated extended periods for the units we sell. Unprecedented 60 month/100,000 mile bumper-to-bumper warranty on the bus upfit.

PRICING

DESCRIPTION		AMOUNT	
Base Body Price	Item 3_Type A-1_GM DRW 24p	\$ 98,351.00	
-			
-		-	
Total		\$98,351.00	*Before Taxes



Trans Tech Bus

SST Model Series - School Bus 16-Passenger Ford E-Series - 138" DRW , 11500 lbs. GVWR, 7.3L Gas Engine

PRICE SPEC SHEETS

Prepared for


State of Maine RFQ 05A 250515-256 Item 9

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

Date: 05/29/25

IMAGES & FLOORPLAN



Floor Layout: SST 16C/17A



Photos Are Representative, Not Exact to Specific Unit

Whether you need to fill a spot in your fleet or create an entirely new vehicle, your Model 1 experts have a single top priority: you. With a clear understanding of your needs, we find ways to deliver — starting with deep relationships all the way back at the manufacturer level. And with the nation's largest inventory of commercial vehicles, you'll never be short on the best choices to make for your business.

SALES EXPERIENCE

550+ Years of Collective Bus Sales Experience Servicing Over 1,500 Customers Annually

COMPETITIVE PRICING

Volume Discounts Fixed Contract Pricing

IN-HOUSE FINANCING

Seamless Transactions Flexible Solutions

NATIONWIDE NETWORK

21 Full-Service Locations Nationwide Partners with 25+ Top Manufacturers



Trans Tech Bus

SST Model Series - School Bus 16-Passenger Ford E-Series - 138" DRW , 11500 lbs. GVWR, 7.3L Gas Engine

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 9

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

Date: 05/29/25

SPECIFICATIONS

10DEL SERIES		
E138DSSA500	2026MY - SST, FORD, 138", DRW, SCHOOL BUS, STANDARD FLOOR, AMBULATORY, 500	1
HASSIS MODEL		
CCG138D115	2026MY - FORD ECONOLINE , CUT AWAY, 7.3L V8, GASOLINE, 138", DRW, 11500 GVWR E350	1
1 - CHASSIS EQUIF		
	CHEVY - YELLOW CAB	
STD	ALTERNATOR, 210 AMP	
34	BATTERY, 650 CCA, DUAL	
STD	FUEL TANK , 40 GAL. STEERING COLUMN , TILT COLUMN , TILT	
STD	7 OEM RADIO, AM/FM WITH CLOCK	
STD 587	OEM RADIO, AM/PM WITH CLOCK OEM WHITE WHEELS - DRW	
סוט	OEM WHITE WHEELS - DRW	
2 - CHASSIS MODI	EICATION	
2-0010	EXHAUST, ROUTE TO UNDER REAR BUMPER	1 STD
2-0005	DRIVER'S STEP, DIAMOND PLATE WITH INTEGRATED MUD FLAP - INCLUDES WHITE REFLECTIVE TAPE	1 EA
2-0020	TOW HOOK, MOUNTED ON REAR OF CHASSIS FRAME, SET OF 2	1 SET
02-1004	DRIVE SHAFT GUARDS INSTALLED ON EACH SECTION OF DRIVE SHAFT	1 STD
3 - BODY STRUCTU	JRE	
03-1000	FIBERGLASS CAP, EXTERIOR REAR WALL	1 STD
3-1001	FIBERGLASS CAP, FRONT ABOVE WINDSHIELD AND BOTH WINGS BEHIND DRIVER AND IN FRONT OF ENTRY DOOR	1 STD
3-0017	14 GAUGE G90 GALVANIZED STEEL PAN-FORMED FLOOR PANELS	1 STD
	14 GAUGE G90 GALVANIZED STEEL HAT SECTION WALL / ROOF BOWS (ONE-PIECE) WITH LONGITUDINAL WALL / ROOF STRINGERS	
3-1004	BETWEEN WALL / ROOF BOWS	1 STD
3-1005	14 GAUGE G90 GALVANIZED STEEL FRAME CAB OVERHEAD	1 STD
3-1006	16 GAUAGE G90 GALVANIZED STEEL REAR WALL	1 STD
03-1007	14 GUAGE G90 GALVANIZED STEEL STEPWELL	1 STD
3-0007	INSULATION, 1.5" FIBERGLASS, INSIDE ROOF, WALLS, & BOWS	1 STD
03-0001	BUMPER, 3/16" THK, STEEL, POWDER COATED BLACK, TO EXTEND 1" BEYOND REAR-MOST PART OF BODY SURFACE - WIDE BODY	1 STD
03-0008	PLYWOOD, FLOORING, 1/2" THICK, EXTERIOR GRADE	1 STD
04 - GLASS & WIND		
04-0054	OBSERVATION WINDOW, TEMPERED, LOCATED FORWARD OF ENTRANCE DOOR, FORD E SERIES	1 STD
14-0034 14-0035	WINDOW, REAR VISION, TEMPERED, 31% DARK TINTED - SST/CST, SET OF 2	1 STD
04-0033	WINDOW, SPLIT-SASH, TEMPERED, 31% DARK TINTED -SST/CST	10 STD
NOTE	NO SIDE EMERGENCY EXIT WINDOWS REQUIRED	10 015
5 - DOORS & MIRR	ORS	
	DOOR, REAR EMERGENCY, ANODIZED BLACK EXTRUDED ALUM, WITH YELLOW REFLECTIVE TAPE & (1) ONE FULL TEMPERED GLASS,	
5-0001	31% DARK TINTED (SCHOOL BUS)	1 STD
5-0016	DOOR LOCK, 3 POINT LATCH, FOR REAR EMERGENCY DOOR (REQUIRED ON SCHOOL BUSES & MFSAB)	1 STD
5-0114	DOOR HOLDER, TELESCOPING, FOR REAR EMERGENCY DOOR, REINFORCED WITH STEEL GUSSET	1 STD
5-0017	DOOR HANDLE, BLACK, EXTERIOR, FOR REAR EMERGENCY DOOR	1 STD
	DOOR, ENTRANCE DOOR, SPLIT-TYPE, ANODIZED BLACK EXTRUDED ALUM, WITH TEMPERED CLEAR GLASS AND LOWER DOOR	
5-0005	SWEEPS	1 STD
5-0011	DOOR CONTROL, MANUALLY OPERATED WITH T-BAR - NOT AVAILABLE ON FORD TRANSIT MODEL	1 STD
05-0024	MIRROR, INTERIOR REARVIEW, 6" X 16"	1 EA
	MIRRORS, ROSCO, EXTERIOR REARVIEW ACCUSTYLE & CROSSOVER EYE-MAX, HEATED, WITH BLACK BRACKETS - (DRW FORD E-	
QC	SERIES)	1 EA



Trans Tech Bus

SST Model Series - School Bus 16-Passenger

Ford E-Series - 138" DRW, 11500 lbs. GVWR, 7.3L Gas Engine

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 9

CONTACT

Data: 05/20/25

	IES - 138 DRW , 11300 IDS. GVWR, 7.3L GdS E11Q111E Date: 05/2	9/25
6 - INTERIOR	FLOORING, VINYL, SMOOTH BLACK, WITH RIBBED AISLE	1 STD
	STEP TREAD, BLACK, RIBBED TYPE - 2 STEPS	
6-0033	STEP NOSING, WHITE, RIBBED TYPE	1 STD
6-0038		1 STD
6-0020	INTERIOR CEILING PANELS, ALUM, PRE-PAINTED WHITE	1 STD
99	PADDED SHOULDER RAIL, FIREBLOCK, FULL LENGTH - BOTH SIDE, VINYL UPHOLSTERY TO MATCH IMPACT PADS	1 SET
	HEAD IMPACT PADDING, FIREBLOCK, INT. DRIVER'S TRANSITION, DRIVER'S DOOR, PASS. ENTRY DOOR AND RR EMERG. EXIT DOOF	
6-0054	TO MATCH UPHOLSTERY	1 ILOS
6-1005	TRACK COVER, SMOOTH BLACK, TO PREVENT DEBRIS OUT OF VERSA TRACK	1 STD
7 - EXTERIOR		
7-0009	EXTERIOR WALL PANELS, 22GA, G90 GALVANIZED STEEL	1 STD
1-1001	EXTERIOR, ROOF PANELS, .05 ALUMINUM, PRE-PAINTED WHITE	1 STD
7-0010	FENDERETTE, BLACK TEXTURED TPO PLASTIC, FOR REAR WHEELS	1 STD
7-0014	MUD FLAP, FRONT & REAR WHEELS - STANDARD FLOOR MODELS	1 STD
7-0012	RUB RAILS, WINDOW LEVEL, SEAT LEVEL, & FLOOR LEVEL (WINDOW & SEAT LEVEL WRAP AROUND REAR)	1 STD
8 - DECALS		
8-0044	DECAL, "SCHOOL BUS", 8" TALL BLACK LETTERING, ON REFLECTIVE YELLOW BACKGROUND, INSTALL ON EXT. FRONT & REAR CAPS	1 SET
8-0020	DECAL, "EMERGENCY DOOR", BLACK LETTERING, INSTALL ON EXTERIOR OF TOP REAR EMERGENCY DOOR (SCHOOL BUS)	1 STD
	DECAL, "TO OPEN", BLACK LETTERING WITH BLACK ARROW, INSTALL ON EXTERIOR EMERGENCY DOOR NEAR DOOR HANDLE	
8-0053	(YELLOW SCHOOLS BUS)	1 STD
8-0065	DECAL, VEHICLE IDENTIFICATION #, 24" BLACK LETTERING, 8" MIN. STROKE, INSTALL ON ROOF, LEFT TO RIGHT (PER DIGIT)	5 EA
OTE	LAST 5 OF VIN#	1 NOTE
0.12	DECAL, SEATING CAPACITY, 2" BLACK LETTERING, INSTALL ON EXTERIOR CURBSIDE OF BUS, REARWARD OF MAIN ENTRANCE	
8-0079	DOOR, BELOW WINDOW LEVEL	1 EA
8-0136	DECAL, "GASOLINE", 2" BLACK LETTERING, INSTALL ADJACENT TO THE FUEL FILLER	1 STD
		1 STD
8-0120	DECAL, "DO NOT BLOCK", RED LETTERING, INSTALL ON INTERIOR REAR EMERGECNY DOOR	1 210
0.0440	PEGAL HENEROFNIOVENITH OUR LACK ETTERNO INICIAL ON INTERIOR PEAR BUILDING AROUS THE REAL PROPERTY OF THE	
08-0119	DECAL, "EMERGENCY EXIT", 2" BLACK LETTERING, INSTALL ON INTERIOR REAR BULKHEAD ABOVE THE REAR EMERGENCY DOOR.	1075
8-0121	DECAL, "LIFT HANDLE AND PUSH TO OPEN", RED LETTERING WITH RED ARROW, INSTALL ON INTERIOR REAR	1 STD
8-1012	DECALS, "EMERGENCY EXIT", BLACK LETTERING WITH RED ARROW, INSTALL ON INTERIOR OF REAR EMERG. DOOR	1 STD
8-0093	TRANS TECH BODY ID DATA LABEL, ADHESIVE FOIL, LOCATED ABOVE DRIVER'S SEAT AREA.	1 STD
8-0100	TRANS TECH FMVSS COMPLIANCE LABEL, LOCATED ON DRIVER'S DOOR JAMB	1 STD
8-0101	TRANS TECH WARRANTY, WARNING LABEL, LOCATED NEAR BODY ID LABEL	1 STD
8-0102	DECAL, BACK UP ALARM "ATTENTION" LABEL, LOCATED NEAR BODY ID LABEL	1 STD
8-0103	DECAL, CROSS OVER MIRRORS "WARNING LABEL" LOCATED IN DIRECT VIEW OF DRIVER	1 STD
8-1018	DECAL, PAINT CODE LABEL	1 STD
	DECAL, TRANS TECH "TRACK SEATING" INSTRUCTION LABEL. LOCATED ON PASSENGER COMPARTMENT, ABOVE WINDOWS ON	
8-0107	EACH SIDE	1 STD
8-0109	DECAL, "STEP UP", INSTALLED CENTERED ON SECOND STEP RISER	1 STD
8-0098	DECAL, "TRANS TECH" LOGO ON EACH FRONT FENDER	1 STD
8-0059	DECAL, "TRANS TECH" LOGO ON EACH SIDE OF BUS AT ROOFLINE	1 STD
8-0060	DECAL, "TRANS TECH" LOGO ON REAR OF BUS	1 STD
9 - REFLECTIVES		
	REFLECTIVE TAPE, 1" STRIP, YELLOW, INSTALL SURROUNDING EXTERIOR REAR EMERGENCY DOOR	1 STD
9-0012	REFLECTIVE TAPE, 2" STRIP, YELLOW, INSTALL AROUND REAR PERIMETER OF BUS	1 SET
9-0015	REFLECTIVE TAPE, 2" STRIP, YELLOW, INSTALL ON SIDES OF BUS BODY	1 SET
	REFLECTORS (4 TOTAL), RED, STICK-ON 2" X 3.5", INSTALLED ON REAR OF BUS CORNERS NEAR BUMPER LEVEL AND AT EACH SIDE O	
9-1002	BUS BELOW SEAT LEVEL ON REAR BODY CAP	1 STD
- 1002	REFLECTOR, AMBER, 3" DIAMETER, INSTALL ON EACH SIDE, FRONT OF THE BUS BODY, NO MORE THAN 12" FROM THE FRONT AND	1 310
9-0032	NO MORE THAN 60" ABOVE THE ROAD SURFACE	1 ILOS
3-003Z	INC PIONE THAIR OF ADOVE THE NOAD SUNFACE	1 1103
	REFLECTOR AMBER ONE READWARD OF FUTBANOE ROOM AND ONE ORDER AND	
99	REFLECTOR, AMBER, ONE REARWARD OF ENTRANCE DOOR AND ONE OPPOSITE SIDE AT BELOW SEAT LEVEL RUB RAILS MIDSHIP	1 SET
0 - PAINT		
0-0022	PAINT, EXTERIOR BODY, NATIONAL SCHOOL BUS YELLOW	1 EA
0-0021	PAINT, FRONT & REAR WARNING LAMPS BACKGROUND, BLACK	1 SET



Trans Tech Bus

SST Model Series - School Bus 16-Passenger

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 9

CONTACT

	ries - 138" DRW , 11500 lbs. GVWR, 7.3L Gas Engine	29/25
L - LAMP & SIGNA	L Committee of the comm	
1-0001	AUXILIARY POWER BOARD, TO CONNECT GPS SYSTEMS, CAMERAS, 2-WAY RADIOS, MOUNTED IN FRONT BULKHEAD	1 EA
1-0006	FRONT MARKER & CLEARANCE LIGHTS, 3/4" ROUND, AMBER LED	1 STD
1-0132	REAR MARKER & CLEARANCE LIGHTS, 3/4" ROUND, RED LED	1 STD
1-1013	LAMP, MARKER LIGHTS, LED, RECESSED, INSTALL AMBER LIGHTS AT FRONT & RED AT REAR	4 STD
1-0083	SCHOOL BUS, 8-WAY WARNING LIGHT SYSTEM, (4) RED LED & (4) AMBER LED - (WIRED TO STROBING)	1 SET
1-0085	WIRING, 8-WAY WARNING LAMP SYSTEM, NON-SEQUENTIAL	1 SET
1-0007	FLASHER, INPOWER (SCHOOL BUS)	1 SET
1-0134	LAMP, BACK-UP LIGHTS, 4" CLEAR LED - SST/ CST, SET OF 2	1 STD
1-0135	LAMP, BRAKE / TAIL LIGHTS, 4" RED LED - SST/CST, BELOW SEAT RUB RAILS, SET OF 2	1 STD
1-0019	LAMP, BRAKE / TAIL LIGHTS, 7" RED LED - SST/CST, SET OF 2	1 STD
1-0034	LAMP, TURN SIGNALS, 7" AMBER LED - SST/CST - SET OF 2	1 STD
	LAMP, (2)TURN SIGNALS, LED, SIDE MOUNTED BETWEEN WINDOW & SEAT LEVEL RUB RAILS, INSTALL REARWARD OF ENTRANCE	
1-0039	DOOR AND DRIVER'S DOOR	1 STD
1-0142	LAMP, LICENSE PLATE, 3/4" CLEAR LED, MOUNTED WITH GLARE SHIELD ON TOP SIDE OF LICENSE PLATE DESIGNATED AREA	1 STD
1-0025	LAMP, (4) INTERIOR DOME LIGHT, RECTANGULAR, CLEAR LED	1 STD
1-9999	LAMP, STEPWELL LIGHT LED	1 STD
1-0010	LAMP, ARMORED, EXTERIOR, ENTRANCE DOOR LIGHT, LED, MOUNTED ON SKIRT LEFT OF ENTRANCE (SOUNDOFF-ECVCBLTST)	1 EA
1-0043	NOISE SUPPRESSION SWITCH, TURNS OFF ALL NOISE PRODUCING ITEMS IN BUS BODY	1 EA
IOTE	CHASSIS INCLUDES OEM AM/FM/BT RADIO	
1-0059	INSTALL SPEAKER, SET OF 2 CONNECTED TO OEM RADIO	1 SET
OF SPEAKERS	2	1 NOTE
IOTE	NO INTERIOR SPEAKERS SHALL BE INSTALL WITHIN 4 FEET BEHIND THE REARMOST UPRIGHT POSITION OF THE DRIVER'S SEAT	NOTE
IOTE	DISCONNECT OEM DOOR'S SPEAKER	NOTE
	STROBE LIGHT, LED, SPECIALTY 845-4020, 4" HIGH, CLEAR, DOUBLE FLASH, 12V, TO INCLUDE ON/OFF SWITCH AND GREEN PILOT	
9	9 ЦСНТ	1 EA
1-0070	METAL GUARD, FOR STROBE LIGHT	1 EA
1-0184	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF	1 STD
11-0105	WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM	1 ILOS
2 - SAFETY EQUIP	MENT	
2-0001	BACK-UP ALARM, 112 DECIBEL	1 EA
2-0243	BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD	1 EA
2-0414	CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET	1 EA
2-0043	FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA	1 EA
2-0294	FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD	1 EA
.2-0108	GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL	1 STD
2-0417	ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE	1 EA
2-0123	SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA	1 EA
IOTE	MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590	1 NOTE
2-0127	CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA	1 EA
2-0127	WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA	1 EA
2-0158	STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT	1 EA
2 7100	OTO THE STATE OF LIBERT OWN CONTENTS OF THE PROPERTY OF THE PR	ILM
4 - HVAC		
	HEATER 65K FLOOR MOUNTED HEATER W/(2) 1/4 TURN BALL COCK SHUTGER VALVES & BLEEDER VALVES	1 957
4-0500	HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED.	1 SET
4-0500 OTE	NO REAR PASSENGER AREA A/C TO BE INSTALLED	1 NOTE
4-0500 OTE 4-0051	NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL	1 NOTE 1 EA
4-0500 IOTE 4-0051 4-0053	NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE	1 NOTE 1 EA 1 EA
4-0500 IOTE 4-0051 4-0053	NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL	1 NOTE 1 EA
4-0500 IOTE 4-0051 4-0053 4-0061	NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING	1 NOTE 1 EA 1 EA
4-0500 IOTE 4-0051 4-0053 4-0061	NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING IERS	1 NOTE 1 EA 1 EA
4-0500 OTE 4-0051 4-0053 4-0061 5 - SEATS & BARRI	NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING IERS HSM / C.E. WHITE BARRIERS	1 NOTE 1 EA 1 EA 1 EA
4-0500 IOTE 4-0051 4-0053 4-0061 5 - SEATS & BARRI 5-0010	NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING IERS HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB	1 NOTE 1 EA 1 EA
4-0500 IOTE 4-0051 4-0053 4-0061 5 - SEATS & BARRI	NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING IERS HSM / C.E. WHITE BARRIERS	1 NOTE 1 EA 1 EA 1 EA
4-0500 IOTE 4-0051 4-0053 4-0061 5 - SEATS & BARRI	NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING IERS HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST)	1 NOTE 1 EA 1 EA 1 EA
4-0500 NOTE 4-0051 4-0053 4-0061 5-SEATS & BARRI 5-0010 BARRIER COLOR	NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING IERS HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS	1 NOTE 1 EA 1 EA 1 EA 2 EA
4-0500 IOTE 4-0051 4-0053 4-0061 5 - SEATS & BARRI 5-0010 ARRIER COLOR	NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING IERS HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS 9 36" SEAT, CE WHITE, FIRE BLOCK, HB - NO LAP BELTS, (MOUNTED ON VERSA TRACK)	1 NOTE 1 EA 1 EA 1 EA
4-0500 IOTE 4-0051 4-0053 4-0061 5 - SEATS & BARRI 5-0010 ARRIER COLOR	NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING IERS HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS	1 NOTE 1 EA 1 EA 1 EA 2 EA
4-0500 OTE 4-0051 4-0053 4-0061 5 - SEATS & BARRI 5-0010 ARRIER COLOR 9 EAT COLOR	NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING IERS HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS 9 36" SEAT, CE WHITE, FIRE BLOCK, HB - NO LAP BELTS, (MOUNTED ON VERSA TRACK)	1 NOTE 1 EA 1 EA 1 EA 2 EA
EAT COLOR .6 - MISC	NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING IERS HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS 9 36" SEAT, CE WHITE, FIRE BLOCK, HB - NO LAP BELTS, (MOUNTED ON VERSA TRACK) GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST)	1 NOTE 1 EA 1 EA 1 EA 2 EA 8 EA
4-0500 OTE 4-0051 4-0053 4-0061 5- SEATS & BARRI 5-0010 ARRIER COLOR 9 EAT COLOR	NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING IERS HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS 9 36" SEAT, CE WHITE, FIRE BLOCK, HB - NO LAP BELTS, (MOUNTED ON VERSA TRACK)	1 NOTE 1 EA 1 EA 1 EA 2 EA



Trans Tech Bus

SST Model Series - School Bus 16-Passenger

Ford E-Series - 138" DRW , 11500 lbs. GVWR, 7.3L Gas Engine

ILIMITED WARRANTY BODY 5-2-1 - REFER TO WARRANTY STATEMENT FOR DETAILS

99 4 CAMERA SURVEILLANCE SYSTEM - SELECTED BY SD

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 9

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

Date: 05/29/25

1 SET



Trans Tech Bus

SST Model Series - School Bus 16-Passenger Ford E-Series - 138" DRW , 11500 lbs. GVWR, 7.3L Gas Engine

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 9

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

WARRANTY

Manufacturer Warranty	Trans Tech Warranty:	
	Limited Warranty Body 5-2-1 - Refer To Warranty Statement for Details	
Chassis Warranty	Ford Standard Warranty: 3 Year / 36 000 Miles	

All vehicles come with warranty, but Model 1 offers more value without the added cost.

Our coverage and support come with each of our new vehicles - standard.

WE PROCESS ALL THE WARRANTY REGISTRATIONS

We register all of your bus parts for you, no more pesky warranty cards to fill out. This includes all parts, wheelchair lift, electronics, HVAC, etc.

WE HANDLE ALL THE PAPERWORK

We administer and coordinate any warranty work. You make one call to our warranty department, and they take it from there.

REPAIR FACILITIES NEAR YOU

When warranty work is needed, we use service repair facilities near the bus location. We have over 3200 authorized centers and growing. You will never have to drive far to get repairs completed.

NO MORE CLAIM FORMS

Model 1 handles all parts of the claim process, you will have no out of pocket expenses, no reimbursements, and the service facility will be paid directly by us.

LONGER WARRANTY PERIOD

We have negotiated extended periods for the units we sell. Unprecedented 60 month/100,000 mile bumper-to-bumper warranty on the bus upfit.

PRICING

DESCRIPTION	AMOUNT		
Base Body Price It	tem #1 - 26MY TT SST 16p - 25MY GM 139 DRW 12300 GVWR 6.6L Gas	9,800.00	
-			
-	-		
Total	\$99,	800.00	*Before Taxes



Trans Tech Bus

SST Model Series - School Bus 16-Passenger GM DRW - 139" WB, 12300 lbs. GVWR, 6.6L Gas Engine

PRICE SPEC SHEETS

Prepared for


State of Maine RFQ 05A 250515-256 Item 2

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

Date: 05/29/25

IMAGES & FLOORPLAN



Floor Layout: SST 16C/17A





Photos Are Representative, Not Exact to Specific Unit

Whether you need to fill a spot in your fleet or create an entirely new vehicle, your Model 1 experts have a single top priority: you. With a clear understanding of your needs, we find ways to deliver — starting with deep relationships all the way back at the manufacturer level. And with the nation's largest inventory of commercial vehicles, you'll never be short on the best choices to make for your business.

SALES EXPERIENCE

550+ Years of Collective Bus Sales Experience Servicing Over 1,500 Customers Annually

COMPETITIVE PRICING

Volume Discounts Fixed Contract Pricing

IN-HOUSE FINANCING

Seamless Transactions Flexible Solutions

NATIONWIDE NETWORK

21 Full-Service Locations Nationwide Partners with 25+ Top Manufacturers



Trans Tech Bus

SST Model Series - School Bus 16-Passenger GM DRW - 139" WB. 12300 lbs. GVWR. 6.6L Gas Engine

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 2

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

Data : 0E /20/2E

SPECIFICATIONS

10DEL SERIES		
C139DSSA409	2026MY - SST, CHEVROLET, 139", DRW, SCHOOL BUS, STANDARD FLOOR, AMBULATORY, 409	1
HASSIS MODEL		
CEG139D123	2025MY - CHEVROLET EXPRESS, CUT AWAY, 6.6L V-8 L8T, GASOLINE, 139", DRW, 12300 GVWR CG33503	1
1 - CHASSIS EQUII	PMENT	
	CHEVY - YELLOW CAB	
KW5	ALTERNATOR, 220 AMP	
TP3	BATTERY, DUAL, 770 CCA	
STD	MID-FRAME FUEL TANK , 32 GAL.	
9J6	STEERING COLUMN, TILT	
J0F	OEM RADIO, AM/FM WITH MP3 PLAYER, CLOCK, AUX JACK	
STD	OEM GREY WHEELS	
2 - CHASSIS MODI		
2-0005	DRIVER'S STEP, DIAMOND PLATE WITH INTEGRATED MUD FLAP - INCLUDES WHITE REFLECTIVE TAPE	1 EA
2-0010	EXHAUST, ROUTE TO UNDER REAR BUMPER	1 STD
02-0020	TOW HOOK, MOUNTED ON REAR OF CHASSIS FRAME, SET OF 2	1 SET
02-1004	DRIVE SHAFT GUARDS INSTALLED ON EACH SECTION OF DRIVE SHAFT	1 STD
03 - BODY STRUCTI		
03-1000	FIBERGLASS CAP, EXTERIOR REAR WALL	1 STD
03-1001	FIBERGLASS CAP, FRONT ABOVE WINDSHIELD AND BOTH WINGS BEHIND DRIVER AND IN FRONT OF ENTRY DOOR	1 STD
03-0017	14 GAUGE G90 GALVANIZED STEEL PAN-FORMED FLOOR PANELS	1 STD
	14 GAUGE G90 GALVANIZED STEEL HAT SECTION WALL / ROOF BOWS (ONE-PIECE) WITH LONGITUDINAL WALL / ROOF STRINGERS	
03-1004	BETWEEN WALL / ROOF BOWS	1 STD
03-1005	14 GAUGE G90 GALVANIZED STEEL FRAME CAB OVERHEAD	1 STD
03-1006	16 GAUAGE G90 GALVANIZED STEEL REAR WALL	1 STD
03-1007	14 GUAGE G90 GALVANIZED STEEL STEPWELL	1 STD
03-0007	INSULATION, 1.5" FIBERGLASS, INSIDE ROOF, WALLS, & BOWS	1 STD
03-0001	BUMPER, 3/16" THK, STEEL, POWDER COATED BLACK, TO EXTEND 1" BEYOND REAR-MOST PART OF BODY SURFACE - WIDE BODY	1 STD
03-0008	PLYWOOD, FLOORING, 1/2" THICK, EXTERIOR GRADE	1 STD
04 - GLASS & WIND		4 070
01-0060	OBSERVATION WINDOW, TEMPERED, FLAT PANEL, LOCATED FORWARD OF ENTRANCE DOOR, GM	1 STD
04-0035	WINDOW, REAR VISION, TEMPERED, 31% DARK TINTED - SST/CST, SET OF 2	1 STD
04-0023	WINDOW, SPLIT-SASH, TEMPERED, 31% DARK TINTED -SST/CST	8 STD
NOTE	NO SIDE EMERGENCY EXIT WINDOWS REQUIRED	
05 - DOORS & MIRR	ORS -	
O DOONS & MINN	DOOR, REAR EMERGENCY, ANODIZED BLACK EXTRUDED ALUM, WITH YELLOW REFLECTIVE TAPE & (1) ONE FULL TEMPERED GLASS,	
05-0001	31% DARK TINTED (SCHOOL BUS)	1 STD
)5-0001)5-0016	DOOR LOCK, 3 POINT LATCH, FOR REAR EMERGENCY DOOR (REQUIRED ON SCHOOL BUSES & MFSAB)	1 STD
05-0016 05-0114	DOOR HOLDER, TELESCOPING, FOR REAR EMERGENCY DOOR, REINFORCED WITH STEEL GUSSET	1 STD
)5-0114)5-0017	DOOR HANDLE, BLACK, EXTERIOR, FOR REAR EMERGENCY DOOR	1 STD
JO-001/	DOOR, ENTRANCE DOOR, SPLIT-TYPE, ANODIZED BLACK EXTRUDED ALUM, WITH TEMPERED CLEAR GLASS AND LOWER DOOR	חופו
05-0005	SWEEPS	1 STD
)5-0005)5-0011	DOOR CONTROL, MANUALLY OPERATED WITH T-BAR - NOT AVAILABLE ON FORD TRANSIT MODEL	1 STD
05-0011	MIRROR, INTERIOR REARVIEW, 6" X 16"	1 EA
05-0024 05-0082		1 EA
13-0082	MIRRORS, ROSCO, EXTERIOR REARVIEW ACCUSTYLE & CROSSOVER EYE-MAX, HEATED, WITH BLACK BRACKETS - (DRW GM)	IEA



Trans Tech Bus

SST Model Series - School Bus 16-Passenger
GM DRW - 139" WR 12300 lbs GVWR 6.6L Gas Engine

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 2

CONTACT

	- 139" WR. 123111 lhs. GVWR. 6.61 Gas Engine	
06 - INTERIOR 06-0014	FLOORING, VINYL, SMOOTH BLACK, WITH RIBBED AISLE	1 STD
6-0033	STEP TREAD, BLACK, RIBBED TYPE - 2 STEPS	1 STD
06-0038	STEP NOSING, WHITE, RIBBED TYPE	1 STD
6-0020	INTERIOR CEILING PANELS, ALUM, PRE-PAINTED WHITE	1 STD
	99 PADDED SHOULDER RAIL, FIREBLOCK, FULL LENGTH - BOTH SIDE, VINYL UPHOLSTERY TO MATCH IMPACT PADS	1 SET
06-0054	HEAD IMPACT PADDING, FIREBLOCK, INT. DRIVER'S TRANSITION, DRIVER'S DOOR, PASS. ENTRY DOOR AND RR EMERG. EXIT DOOR, 1	1 ILOS
06-1005	TRACK COVER, SMOOTH BLACK, TO PREVENT DEBRIS OUT OF VERSA TRACK	1 STD
70-1003	INTOR COVER, OF CONTINUE CONTI	1010
7 - EXTERIOR		
07-0009	EXTERIOR WALL PANELS, 22GA, G90 GALVANIZED STEEL	1 STD
01-1001	EXTERIOR, ROOF PANELS, .05 ALUMINUM, PRE-PAINTED WHITE	1 STD
07-0010	FENDERETTE, BLACK TEXTURED TPO PLASTIC, FOR REAR WHEELS	1 STD
07-0014	MUD FLAP, FRONT & REAR WHEELS - STANDARD FLOOR MODELS	1 STD
07-0012	RUB RAILS, WINDOW LEVEL, SEAT LEVEL, & FLOOR LEVEL (WINDOW & SEAT LEVEL WRAP AROUND REAR)	1 STD
08 - DECALS		
08-0044	DECAL, "SCHOOL BUS", 8" TALL BLACK LETTERING, ON REFLECTIVE YELLOW BACKGROUND, INSTALL ON EXT. FRONT & REAR CAPS	1 SET
20.0000	DECAL, "EMERGENCY DOOR", BLACK LETTERING, INSTALL ON EXTERIOR OF TOP REAR EMERGENCY DOOR (SCHOOL BUS)	1 STD
08-0020	DECAL, "TO OPEN", BLACK LETTERING WITH BLACK ARROW, INSTALL ON EXTERIOR EMERGENCY DOOR NEAR DOOR HANDLE	חופוד
10 00E3	(YELLOW SCHOOLS BUS)	1 STD
08-0053 08-0065		5 EA
NOTE	DECAL, VEHICLE IDENTIFICATION #, 24" BLACK LETTERING, 8" MIN. STROKE, INSTALL ON ROOF, LEFT TO RIGHT (PER DIGIT) LAST 5 OF VIN #	1 NOTE
08-0079	DECAL, SEATING CAPACITY, 2" BLACK LETTERING, INSTALL ON EXTERIOR CURBSIDE OF BUS, REARWARD OF MAIN ENTRANCE DOOR.	1 EA
)8-0 136	DECAL, "GASOLINE", 2" BLACK LETTERING, INSTALL ON EXTERIOR CORBSIDE OF BUS, REARWARD OF MAIN ENTRANCE DOOR.	1 STD
	DECAL, "GASOLINE", 2 BLACK LETTERING, INSTALL ADJACENT TO THE FOLL FILLER DECAL, "DO NOT BLOCK", RED LETTERING, INSTALL ON INTERIOR REAR EMERGECNY DOOR	1 STD
08-0120		מופוד
08-0119	DECAL, "EMERGENCY EXIT", 2" BLACK LETTERING, INSTALL ON INTERIOR REAR BULKHEAD ABOVE THE REAR EMERGENCY DOOR.	4 070
08-0121	DECAL, "LIFT HANDLE AND PUSH TO OPEN", RED LETTERING WITH RED ARROW, INSTALL ON INTERIOR REAR	1 STD
08-1012	DECALS, "EMERGENCY EXIT", BLACK LETTERING WITH RED ARROW, INSTALL ON INTERIOR OF REAR EMERG. DOOR	1 STD
08-0093	TRANS TECH BODY ID DATA LABEL, ADHESIVE FOIL, LOCATED ABOVE DRIVER'S SEAT AREA.	1 STD
08-0100	TRANS TECH FMVSS COMPLIANCE LABEL, LOCATED ON DRIVER'S DOOR JAMB	1 STD
08-0101	TRANS TECH WARRANTY, WARNING LABEL, LOCATED NEAR BODY ID LABEL	1 STD
08-0102	DECAL, BACK UP ALARM "ATTENTION" LABEL, LOCATED NEAR BODY ID LABEL	1 STD
08-0103	DECAL, CROSS OVER MIRRORS "WARNING LABEL" LOCATED IN DIRECT VIEW OF DRIVER	1 STD
08-1018	DECAL, PAINT CODE LABEL	1 STD
08-0107	DECAL, TRANS TECH "TRACK SEATING" INSTRUCTION LABEL. LOCATED ON PASSENGER COMPARTMENT, ABOVE WINDOWS ON EACH SIDE	1 STD
08-0109	DECAL, "STEP UP", INSTALLED CENTERED ON SECOND STEP RISER	1 STD
08-0098	DECAL, "TRANS TECH" LOGO ON EACH FRONT FENDER	1 STD
08-0059	DECAL, "TRANS TECH" LOGO ON EACH SIDE OF BUS AT ROOFLINE	1 STD
08-0060	DECAL, "TRANS TECH" LOGO ON REAR OF BUS	1 STD
DO DEFLECTIVES		
09 - REFLECTIVES 09-1000	REFLECTIVE TAPE, 1" STRIP, YELLOW, INSTALL SURROUNDING EXTERIOR REAR EMERGENCY DOOR	1 STD
09-0012	REFLECTIVE TAPE, 2" STRIP, YELLOW, INSTALL AROUND REAR PERIMETER OF BUS	1 SET
09-0015	REFLECTIVE TAPE, 2" STRIP, YELLOW, INSTALL ON SIDES OF BUS BODY	1 SET
	REFLECTORS (4 TOTAL), RED, STICK-ON 2" X 3.5", INSTALLED ON REAR OF BUS CORNERS NEAR BUMPER LEVEL AND AT EACH SIDE OF	
9-1002	BUS BELOW SEAT LEVEL ON REAR BODY CAP	1 STD
9-0032	REFLECTOR, AMBER, 3" DIAMETER, INSTALL ON EACH SIDE, FRONT OF THE BUS BODY, NO MORE THAN 12" FROM THE FRONT AND NO	1 ILOS
	99 REFLECTOR, AMBER, ONE REARWARD OF ENTRANCE DOOR AND ONE OPPOSITE SIDE AT BELOW SEAT LEVEL RUB RAILS MIDSHIP	1 SET
10 - PAINT	DUNT FUTTPION DODY, MITIONIA OR LOCAL PROVELLOW	.1
	PAINT, EXTERIOR BODY, NATIONAL SCHOOL BUS YELLOW	1 EA
10-0022 10-0021	PAINT, FRONT & REAR WARNING LAMPS BACKGROUND, BLACK	1 SET



Trans Tech Bus

SST Model Series - School Bus 16-Passenger

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 2

CONTACT

<u>IM IIRW</u>	- 139" WR. 12300 lhs. GVWR. 6.61 Gas Engine Email: mortiz@mode	
1 - LAMP & SIGN		
1-0001	AUXILIARY POWER BOARD, TO CONNECT GPS SYSTEMS, CAMERAS, 2-WAY RADIOS, MOUNTED IN FRONT BULKHEAD	1 EA
1-0006	FRONT MARKER & CLEARANCE LIGHTS, 3/4" ROUND, AMBER LED	1 STD
1-0132	REAR MARKER & CLEARANCE LIGHTS, 3/4" ROUND, RED LED	1 STD
1-1013	LAMP, MARKER LIGHTS, LED, RECESSED, INSTALL AMBER LIGHTS AT FRONT & RED AT REAR	4 STD
1-0083	SCHOOL BUS, 8-WAY WARNING LIGHT SYSTEM, (4) RED LED & (4) AMBER LED - (WIRED TO STROBING)	1 SET
11-0085	WIRING, 8-WAY WARNING LAMP SYSTEM, NON-SEQUENTIAL	1 SET
1-0007	FLASHER, INPOWER (SCHOOL BUS)	1 SET
11-0134	LAMP, BACK-UP LIGHTS, 4" CLEAR LED - SST/ CST, SET OF 2	1 STD
11-0135	LAMP, BRAKE / TAIL LIGHTS, 4" RED LED - SST/CST, BELOW SEAT RUB RAILS, SET OF 2	1 STD
11-0019	LAMP, BRAKE / TAIL LIGHTS, 7" RED LED - SST/CST, SET OF 2	1 STD
11-0034	LAMP, TURN SIGNALS, 7" AMBER LED - SST/CST - SET OF 2	1 STD
	LAMP, (2)TURN SIGNALS, LED, SIDE MOUNTED BETWEEN WINDOW & SEAT LEVEL RUB RAILS, INSTALL REARWARD OF ENTRANCE	
11-0039	DOOR AND DRIVER'S DOOR	1 STD
11-0142	LAMP, LICENSE PLATE, 3/4" CLEAR LED, MOUNTED WITH GLARE SHIELD ON TOP SIDE OF LICENSE PLATE DESIGNATED AREA	1 STD
11-0025	LAMP, (4) INTERIOR DOME LIGHT, RECTANGULAR, CLEAR LED	1 STD
1-9999	LAMP, STEPWELL LIGHT LED	1 STD
1-0010	LAMP, ARMORED, EXTERIOR, ENTRANCE DOOR LIGHT, LED, MOUNTED ON SKIRT LEFT OF ENTRANCE (SOUNDOFF-ECVCBLTST)	1 EA
1-0043	NOISE SUPPRESSION SWITCH, TURNS OFF ALL NOISE PRODUCING ITEMS IN BUS BODY	1 EA
NOTE	CHASSIS INCLUDES OEM AM/FM/BT RADIO	
11-0059	INSTALL SPEAKER, SET OF 2 CONNECTED TO OEM RADIO	1 SET
OF SPEAKERS	2	1 NOTE
NOTE	NO INTERIOR SPEAKERS SHALL BE INSTALL WITHIN 4 FEET BEHIND THE REARMOST UPRIGHT POSITION OF THE DRIVER'S SEAT	NOTE
NOTE	DISCONNECT OEM DOOR'S SPEAKER	NOTE
TOTE	99 STROBE LIGHT, LED, SPECIALTY 845-4020, 4" HIGH, CLEAR, DOUBLE FLASH, 12V, TO INCLUDE ON/OFF SWITCH AND GREEN PILOT LIC	1 EA
11-0070	METAL GUARD, FOR STROBE LIGHT	1 EA
11-0070	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF	1 STD
1-0105	WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE. INSTALL REARWARD OF STOP ARM	1 ILOS
1 0100	Winner, John Clonic Date (1992) 1997 1997 1997 1997 1997 1997 1997 199	1 1200
12 - SAFETY EQU	PMENT	
12-9AILITEQU 12-0001	BACK-UP ALARM, 112 DECIBEL	1 EA
	BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD	1 EA
12-0243 12-0414	CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET	1 EA
		1 EA
12-0043	FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA	
12-0294	FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD	1 EA
12-0108	GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL	1 STD
12-0417	ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE	1 EA
12-0123	SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA	1 EA
NOTE	MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590	1 NOTE
12-0127	CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA	1 EA
12-0134	WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA	1 EA
12-0158	STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT	1 EA
l4 - HVAC		
14-0500	HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES	1 SET
NOTE	NO REAR PASSENGER AREA A/C TO BE INSTALLED	1 NOTE
4-0051	DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL	1 EA
14-0053	FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE	1 EA
14-0061	VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING	1 EA
	RIERS	
5 - SEATS & BAF	nicho —	
5 - SEATS & BAF	HSM / C.E. WHITE BARRIERS	
		2 EA
5-0010	HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB	2 EA
5-0010	HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB	2 EA
5-0010	HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB	2 EA
15-0010	HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS	2 EA
L5 - SEATS & BAR L5-0010 BARRIER COLOR	HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS 99 36" SEAT, CE WHITE, FIRE BLOCK, HB - NO LAP BELTS, (MOUNTED ON VERSA TRACK)	
15-0010	HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS	
SARRIER COLOR	HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS 99 36" SEAT, CE WHITE, FIRE BLOCK, HB - NO LAP BELTS, (MOUNTED ON VERSA TRACK)	
BARRIER COLOR SEAT COLOR 16 - MISC	HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS 99 36" SEAT, CE WHITE, FIRE BLOCK, HB - NO LAP BELTS, (MOUNTED ON VERSA TRACK) GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST)	8 EA
SEAT COLOR	HSM / C.E. WHITE BARRIERS 36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS 99 36" SEAT, CE WHITE, FIRE BLOCK, HB - NO LAP BELTS, (MOUNTED ON VERSA TRACK)	



Trans Tech Bus

SST Model Series - School Bus 16-Passenger

GM DRW - 139" WR. 12300 lbs. GVWR. 6.61. Gas Engine

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 2

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

WARRANTY

Manufacturer Warranty	Trans Tech Warranty: Limited Warranty Body 5-2-1 - Refer To Warranty Statement for Details	
Chassis Warranty	CM Standard Warranty: 2 Year / 26 000 Miles	

All vehicles come with warranty, but Model 1 offers more value without the added cost.

Our coverage and support come with each of our new vehicles - standard.

WE PROCESS ALL THE WARRANTY REGISTRATIONS

We register all of your bus parts for you, no more pesky warranty cards to fill out. This includes all parts, wheelchair lift, electronics, HVAC, etc.

WE HANDLE ALL THE PAPERWORK

We administer and coordinate any warranty work. You make one call to our warranty department, and they take it from there.

REPAIR FACILITIES NEAR YOU

When warranty work is needed, we use service repair facilities near the bus location. We have over 3200 authorized centers and growing. You will never have to drive far to get repairs completed.

NO MORE CLAIM FORMS

Model 1 handles all parts of the claim process, you will have no out of pocket expenses, no reimbursements, and the service facility will be paid directly by us.

LONGER WARRANTY PERIOD

We have negotiated extended periods for the units we sell. Unprecedented 60 month/100,000 mile bumper-to-bumper warranty on the bus upfit.

PRICING

DESCRIPTION		AMOUNT	
Base Body Price	Item 2_Type A-1_GM DRW 16p	\$ 96,540.00	
-			
-		-	
Total		\$96,540.00	*Before Taxes



Trans Tech Bus

Trans Star Model Series - School Bus 16-Passenger Ford Transit - 156" DRW , 11000 lbs. GVWR, 3.5L Gas Engine

PRICE SPEC SHEETS


Prepared for State of Maine RFQ 05A 250515-256 Item 14

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

Date: 05/29/25

IMAGES & FLOORPLAN



Floor Layout: Trans Star 16C/17A





Photos Are Representative, Not Exact to Specific Unit

Whether you need to fill a spot in your fleet or create an entirely new vehicle, your Model 1 experts have a single top priority: you. With a clear understanding of your needs, we find ways to deliver — starting with deep relationships all the way back at the manufacturer level. And with the nation's largest inventory of commercial vehicles, you'll never be short on the best choices to make for your business.

SALES EXPERIENCE

550+ Years of Collective Bus Sales Experience Servicing Over 1,500 Customers Annually

COMPETITIVE PRICING

Volume Discounts Fixed Contract Pricing

IN-HOUSE FINANCING

Seamless Transactions Flexible Solutions

NATIONWIDE NETWORK

21 Full-Service Locations Nationwide Partners with 25+ Top Manufacturers



Trans Tech Bus

Trans Star Model Series - School Bus 16-Passenger Ford Transit - 156" DRW , 11000 lbs. GVWR, 3.5L Gas Engine

PRICE SPEC SHEETS

Prepared for State of Maine RFQ 05A 250515-256 Item 14

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

Date: 05/29/25

SPECIFICATIONS

IODEL SERIES	TRANSCENE TORS TRANSCENE TO A TOWN OF A TOWN OF A TOWN OF A TOWN AT TOWN AT TOWN AT TOWN	
T156SSSA409	26MY - TRANS STAR, FORD_TRANSIT, 156", SRW, SCHOOL BUS, STANDARD FLOOR, AMBULATORY, 409	1
CHASSIS MODEL		
CBG156D110	26MY - FORD TRANSIT, CUT AWAY, 3.5L ECOBOOST® V6, GASOLINE, 156", DRW, 11000 GVWR TRANSIT	1
10001300110	2011 - TOTAL HARMAN, GOT AWAY, G.G. EGODOGOT VO, GAGCHILE, 190 , JULIU, 1100 GYWN HARMAN	-
)1 - CHASSIS EQU	PMENT	
STD	FORD TRANSIT - YELLOW CAB	
STD	ALTERNATOR, 250 AMP	
63E	DUAL AGM BATTERIES	
STD	FUEL TANK , 25 GAL.	
STD	STEERING COLUMN, TILT & TELESCOPING	
STD	OEM AM/FM / BT RADIO	
STD	OEM SILVER WHEELS	
30D	ADAPTIVE CRUISE CONTROL	
02 - CHASSIS MOD	ļ.	
02-0035	DRIVER'S STEP, DIAMOND PLATE - INCLUDES WHITE REFLECTIVE TAPE (NO MUD FLAP) - FORD T SERIES	1 EA
02-0010	EXHAUST, ROUTE TO UNDER REAR BUMPER	1 STD
02-0020	TOW HOOK, MOUNTED ON REAR OF CHASSIS FRAME, SET OF 2	1 SET
02-1004	DRIVE SHAFT GUARDS INSTALLED ON EACH SECTION OF DRIVE SHAFT	1 STD
3 - BODY STRUCT	URE	
03-1000	FIBERGLASS CAP, EXTERIOR REAR WALL	1 STD
03-1001	FIBERGLASS CAP, FRONT ABOVE WINDSHIELD AND BOTH WINGS BEHIND DRIVER AND IN FRONT OF ENTRY DOOR	1 STD
03-0017	14 GAUGE G90 GALVANIZED STEEL PAN-FORMED FLOOR PANELS	1 STD
	14 GAUGE G90 GALVANIZED STEEL HAT SECTION WALL / ROOF BOWS (ONE-PIECE) WITH LONGITUDINAL WALL / ROOF STRINGERS	
03-1004	BETWEEN WALL / ROOF BOWS	1 STD
03-1005	14 GAUGE G90 GALVANIZED STEEL FRAME CAB OVERHEAD	1 STD
03-1006	16 GAUAGE G90 GALVANIZED STEEL REAR WALL	1 STD
03-1007	14 GUAGE G90 GALVANIZED STEEL STEPWELL	1 STD
03-0007	INSULATION, 1.5" FIBERGLASS, INSIDE ROOF, WALLS, & BOWS	1 STD
03-0000	BUMPER, 3/16" THK, ALUM, POWDER COATED BLACK, TO EXTEND 1" BEYOND REAR-MOST PART OF BODY SURFACE - NARROW BODY	1 STD
03-0008	PLYWOOD, FLOORING, 1/2" THICK, EXTERIOR GRADE	1 STD
04 - GLASS & WINE		
04-0055	OBSERVATION WINDOW, TEMPERED, FLAT PANEL. LOCATED FORWARD OF ENTRANCE DOOR, FORD T SERIES	1 STD
04-0020	WINDOW, REAR VISION, TEMPERED, 31% DARK TINTED - NARROW BODY, SET OF 2	1 STD
04-0042	WINDOW, SPLIT-SASH, TEMPERED, 31% DARK TINTED - NARROW BODY	8 STD
NOTE	NO SIDE EMERGENCY EXIT WINDOWS REQUIRED	1 NOTE
DO DO A MID		
05 - DOORS & MIRI		
0F 0001	DOOR, REAR EMERGENCY, ANODIZED BLACK EXTRUDED ALUM, WITH YELLOW REFLECTIVE TAPE & (1) ONE FULL TEMPERED GLASS,	1 010
05-0001	31% DARK TINTED (SCHOOL BUS)	1 STD
)5-0016)5-0114	DOOR LOCK, 3 POINT LATCH, FOR REAR EMERGENCY DOOR (REQUIRED ON SCHOOL BUSES & MFSAB) DOOR HOLDER, TELESCOPING, FOR REAR EMERGENCY DOOR, REINFORCED WITH STEEL GUSSET	1 STD 1 STD
)5-0114)5-0017	DOOR HOLDER, TELESCOPING, FOR REAR EMERGENCY DOOR, KEINFORCED WITH STEEL GUSSET DOOR HANDLE, BLACK, EXTERIOR, FOR REAR EMERGENCY DOOR	1 STD
JJ-001/	DOOR HANDLE, BLACK, EXTERIOR, FOR REAK EMERGENCY DOOR DOOR, ENTRANCE DOOR, SPLIT-TYPE, ANODIZED BLACK EXTRUDED ALUM, WITH TEMPERED CLEAR GLASS AND LOWER DOOR	חופוד
05-0005	SWEEPS	1 STD
05-0005	DOOR CONTROL, ELECTRICALLY OPERATED, INCLUDES EXTENDED EMERGENCY DOOR RELEASE HANDLE - FORD T SERIES	1 STD
05-0079	MIRROR, INTERIOR REARVIEW, 6" X 16" - FORD T SERIES	1 EA
,0 0000	I minor, interior inchiterty of A 20 - Ford Fording of	1 LA
05-0106	MIRRORS, ROSCO, EXTERIOR REARVIEW ACCUSTYLE & CROSSOVER EYE-MAX, HEATED, WITH BLACK BRACKETS, FORD TRANSIT	1 ILOS
00 0100	PHILITORIA, 100000, EXTERIOR ENTERIOR ADDOUGHER & OROGODOVERETE-FINA, HEATED, WITH DENOUGHAORETO, FORD TRANSIT	1 1203



Trans Tech Bus

Trans Star Model Series - School Bus 16-Passenger

PRICE SPEC SHEETS

Prepared for State of Maine RFO 05A 250515-256 Item 14

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

Ford Transit - 156" DRW, 11000 lbs. GVWR, 3.5L Gas Engine Date: 05/29/25 06-0014 FLOORING, VINYL, SMOOTH BLACK, WITH RIBBED AISLE 1 STD STEP TREAD, BLACK, RIBBED TYPE - 2 STEPS 06-0033 1 STD STEP NOSING, WHITE, RIBBED TYPE 06-0038 STD 06-0020 INTERIOR CEILING PANELS, ALUM, PRE-PAINTED WHITE STD 99 PADDED SHOULDER RAIL, FIREBLOCK, FULL LENGTH - BOTH SIDE, VINYL UPHOLSTERY TO MATCH IMPACT PAD SET HEAD IMPACT PADDING, FIREBLOCK, INT. DRIVER'S TRANSITION, DRIVER'S DOOR, PASS. ENTRY DOOR AND RR EMERG. EXIT DOOR, 06-0054 TO MATCH UPHOLSTERY ILOS TRACK COVER, SMOOTH BLACK, TO PREVENT DEBRIS OUT OF VERSA TRACK 06-1005 STD 07 - EXTERIOR STD 07-0009 EXTERIOR WALL PANELS, 22GA, G90 GALVANIZED STEEL 01-1001 EXTERIOR, ROOF PANELS, .05 ALUMINUM, PRE-PAINTED WHITE 1 STD 07-0010 FENDERETTE, BLACK TEXTURED TPO PLASTIC, FOR REAR WHEELS STD MUD FLAP, FRONT & REAR WHEELS - STANDARD FLOOR MODELS 07-0014 STD 07-0012 RUB RAILS, WINDOW LEVEL, SEAT LEVEL, & FLOOR LEVEL (WINDOW & SEAT LEVEL WRAP AROUND REAR) STD 08 - DECALS DECAL, "SCHOOL BUS", 8" TALL BLACK LETTERING, ON REFLECTIVE YELLOW BACKGROUND, INSTALL ON EXT. FRONT & REAR CAPS 08-0044 SFT DECAL, "EMERGENCY DOOR", BLACK LETTERING, INSTALL ON EXTERIOR OF TOP REAR EMERGENCY DOOR (SCHOOL BUS) 08-0020 STD DECAL, "TO OPEN", BLACK LETTERING WITH BLACK ARROW, INSTALL ON EXTERIOR EMERGENCY DOOR NEAR DOOR HANDLE (YELLOW SCHOOLS BUS) STD 08-0053 DECAL, VEHICLE IDENTIFICATION #, 24" BLACK LETTERING, 8" MIN. STROKE, INSTALL ON ROOF, LEFT TO RIGHT (PER DIGIT) 08-0065 NOTE LAST 5 OF VIN # 1 NOTE DECAL, SEATING CAPACITY, 2" BLACK LETTERING, INSTALL ON EXTERIOR CURBSIDE OF BUS, REARWARD OF MAIN ENTRANCE 08-0079 DOOR, BELOW WINDOW LEVEL 08-0136 DECAL, "GASOLINE", 2" BLACK LETTERING, INSTALL ADJACENT TO THE FUEL FILLER 1 STD 08-0120 DECAL, "DO NOT BLOCK", RED LETTERING, INSTALL ON INTERIOR REAR EMERGECNY DOOR STD 08-0119 DECAL, "EMERGENCY EXIT", 2" BLACK LETTERING, INSTALL ON INTERIOR REAR BULKHEAD ABOVE THE REAR EMERGENCY DOOR 08-0121 DECAL, "LIFT HANDLE AND PUSH TO OPEN", RED LETTERING WITH RED ARROW, INSTALL ON INTERIOR REAR STD 08-1012 DECALS, "EMERGENCY EXIT", BLACK LETTERING WITH RED ARROW, INSTALL ON INTERIOR OF REAR EMERG. DOOR 1 STD 08-0093 TRANS TECH BODY ID DATA LABEL, ADHESIVE FOIL, LOCATED ABOVE DRIVER'S SEAT AREA STD 08-0100 TRANS TECH FMVSS COMPLIANCE LABEL, LOCATED ON DRIVER'S DOOR JAMB STD TRANS TECH WARRANTY, WARNING LABEL, LOCATED NEAR BODY ID LABEL 08-0101 STD DECAL, BACK UP ALARM "ATTENTION" LABEL, LOCATED NEAR BODY ID LABEL STD 08-0102 08-0103 DECAL, CROSS OVER MIRRORS "WARNING LABEL" LOCATED IN DIRECT VIEW OF DRIVER STD 08-1018 DECAL, PAINT CODE LABEL STD DECAL, TRANS TECH "TRACK SEATING "INSTRUCTION LABEL. LOCATED ON PASSENGER COMPARTMENT, ABOVE WINDOWS ON 08-0107 **EACH SIDE** STD DECAL, "STEP UP", INSTALLED CENTERED ON SECOND STEP RISER STD 08-0109 08-0098 DECAL, "TRANS TECH" LOGO ON EACH FRONT FENDER STD 08-0059 DECAL, "TRANS TECH" LOGO ON EACH SIDE OF BUS AT ROOFLINE STD 08-0060 DECAL, "TRANS TECH" LOGO ON REAR OF BUS STD 09 - REFLECTIVES REFLECTIVE TAPE, 1" STRIP, YELLOW, INSTALL SURROUNDING EXTERIOR REAR EMERGENCY DOOR 09-1000 REFLECTIVE TAPE, 2" STRIP, YELLOW, INSTALL AROUND REAR PERIMETER OF BUS 09-0012 SET 09-0015 REFLECTIVE TAPE, 2" STRIP, YELLOW, INSTALL ON SIDES OF BUS BODY SET REFLECTORS (4 TOTAL), RED, STICK-ON 2" X 3.5", INSTALLED ON REAR OF BUS CORNERS NEAR BUMPER LEVEL AND AT EACH SIDE OF STD 09-1002 BUS BELOW SEAT LEVEL ON REAR BODY CAP REFLECTOR, AMBER, 3" DIAMETER, INSTALL ON EACH SIDE, FRONT OF THE BUS BODY, NO MORE THAN 12" FROM THE FRONT AND NO MORE THAN 60" ABOVE THE ROAD SURFACE 99 REFLECTOR, AMBER, ONE REARWARD OF ENTRANCE DOOR AND ONE OPPOSITE SIDE AT BELOW SEAT LEVEL RUB RAILS MIDSHIP SET 10 - PAINT 10-0022 PAINT, EXTERIOR BODY, NATIONAL SCHOOL BUS YELLOW 1 EA 10-0021 PAINT, FRONT & REAR WARNING LAMPS BACKGROUND, BLACK



Trans Tech Bus

Trans Star Model Series - School Bus 16-Passenger Ford Transit - 156" DRW , 11000 lbs. GVWR, 3.5L Gas Engine **PRICE SPEC SHEETS**

Prepared for State of Maine RFQ 05A 250515-256 Item 14

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

Date: 05/29/25

1-0001	AUXILIARY POWER BOARD, TO CONNECT GPS SYSTEMS, CAMERAS, 2-WAY RADIOS, MOUNTED IN FRONT BULKHEAD	1 EA
1-0001	FRONT MARKER & CLEARANCE LIGHTS, 3/4" ROUND, AMBER LED	1 STD
1-0132	REAR MARKER & CLEARANCE LIGHTS, 3/4" ROUND, RED LED	1 STD
1-1013	LAMP, MARKER LIGHTS, LED, RECESSED, INSTALL AMBER LIGHTS AT FRONT & RED AT REAR	4 STD
1-0083	SCHOOL BUS, 8-WAY WARNING LIGHT SYSTEM, (4) RED LED & (4) AMBER LED - (WIRED TO STROBING)	1 SET
11-0085	WIRING, 8-WAY WARNING LAMP SYSTEM, NON-SEQUENTIAL	1 SET
11-0007	FLASHER, INPOWER (SCHOOL BUS)	1 SET
11-0007	LAMP, BACK-UP LIGHTS, 4" CLEAR LED W/ REFLECTOR - NARROW BODY, SET OF 2	1 STD
11-0014 11-0163	LAMP, BRAKE / TAIL LIGHTS, 4" RED LED, BELOW SEAT RUB RAILS, SET OF 2, FOR NARROW BODY	1 ILOS
11-0163	LAMP, BRAKE / TAIL LIGHTS, 7" RED LED, SET OF 2, FOR NARROW BODY	1 ILOS
	LAMP, TURN SIGNALS, 7" AMBER LED, SET OF 2, FOR NARROW BODY	1 ILOS
11-0165	LAMP, (2)TURN SIGNALS, LED, SIDE MOUNTED BETWEEN WINDOW & SEAT LEVEL RUB RAILS, INSTALL REARWARD OF ENTRANCE	1 1103
11 0020	DOOR AND DRIVER'S DOOR	1 070
11-0039	DOOR AND DRIVER 3 DOOR	1 STD
	LAND LIGHTED BY ATE OVALUE FOR MOUNTED WITH OLARS CHIEF OR MOTOR OF LIGHT OF A TENER OF	4 070
11-0142	LAMP, LICENSE PLATE, 3/4" CLEAR LED, MOUNTED WITH GLARE SHIELD ON TOP SIDE OF LICENSE PLATE DESIGNATED AREA	1 STD
11-0025	LAMP, (4) INTERIOR DOME LIGHT, RECTANGULAR, CLEAR LED	1 STD
11-9999	LAMP, STEPWELL LIGHT LED	1 STD
11-0010	LAMP, ARMORED, EXTERIOR, ENTRANCE DOOR LIGHT, LED, MOUNTED ON SKIRT LEFT OF ENTRANCE (SOUNDOFF-ECVCBLTST)	1 EA
11-0043	NOISE SUPPRESSION SWITCH, TURNS OFF ALL NOISE PRODUCING ITEMS IN BUS BODY	1 EA
NOTE	CHASSIS INCLUDES OEM AM/FM/BT RADIO	
11-0059	INSTALL SPEAKER, SET OF 2 CONNECTED TO OEM RADIO	1 SET
OF SPEAKERS	2	1 NOTE
NOTE	NO INTERIOR SPEAKERS SHALL BE INSTALL WITHIN 4 FEET BEHIND THE REARMOST UPRIGHT POSITION OF THE DRIVER'S SEAT	NOTE
NOTE	DISCONNECT OEM DOOR'S SPEAKER	NOTE
	STROBE LIGHT, LED, SPECIALTY 845-4020, 4" HIGH, CLEAR, DOUBLE FLASH, 12V, TO INCLUDE ON/OFF SWITCH AND GREEN PILOT	
	99 LIGHT	1 EA
L1-0070	METAL GUARD, FOR STROBE LIGHT	1 EA
11-0184	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF	1 STD
		1 STD 1 ILOS
	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF	
	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF	
11-0184 11-0105 12 - SAFETY EQUI	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM	
11-0105 12 - SAFETY EQUI	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM	
11-0105 12 - SAFETY EQUI 12-0001	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT	1 ILOS
11-0105	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL	1 ILOS
11-0105 12 - SAFETY EQUI 12-0001 12-0243 12-0414	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD	1 ILOS 1 EA 1 EA
11-0105 12 - SAFETY EQUI 12-0001 12-0243 12-0414 12-0043	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET	1 ILOS 1 EA 1 EA 1 EA
12 - SAFETY EQUI 12-0001 12-0243 12-0414 12-0043 12-0294	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD	1 ILOS 1 EA 1 EA 1 EA 1 EA
11-0105 12- SAFETY EQUI 12-0001 12-0243 12-0414 12-0043 12-0294 12-0108	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA	1 ILOS 1 EA 1 EA 1 EA 1 EA 1 EA
11-0105 12-SAFETY EQUI 12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0417	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWILL	1 ILOS 1 EA
11-0105 12-SAFETY EQUI 12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0417 12-0417	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA	1 ILOS 1 EA
11-0105 12-SAFETY EQUI 12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0417 12-0123 NOTE	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590	1 ILOS 1 EA 1 STD 1 EA 1 NOTE
11-0105 12 - SAFETY EQUI 12-0001 12-0243 12-0414 12-0043 12-0108 12-0108 12-0123 NOTE 12-0127	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA	1 ILOS 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 NOTE 1 EA
12 - SAFETY EQUI 12-0001 12-0243 12-0414 12-0043 12-0108 12-0108 12-0123 NOTE 12-0127 12-0134	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA	1 ILOS 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 NOTE 1 EA
12 - SAFETY EQUI 12-0001 12-0243 12-0414 12-0043 12-0108 12-0108 12-0123 NOTE 12-0127 12-0134	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA	1 ILOS 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 NOTE 1 EA
12- SAFETY EQUI 12-0001 12-0243 12-0414 12-0294 12-0108 12-0123 NOTE 12-0127 12-0134 12-0158	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA	1 ILOS 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 NOTE 1 EA
12- SAFETY EQUI 12-0001 12-0243 12-0444 12-0043 12-0294 12-0108 12-0417 12-0123 NOTE 12-0127 12-0134 12-0158	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-OF, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT	1 ILOS 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 EA 1 EA 1 EA 1 NOTE 1 EA 1 EA
11-0105 12- SAFETY EQUI 12-0001 12-0243 12-0244 12-0108 12-0294 12-0123 NOTE 12-0127 12-0134 12-0158 14- HVAC 14-0500	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES	1 ILOS 1 EA 1 STD 1 EA 1 EA 1 NOTE 1 EA 1 EA
11-0105 12-SAFETY EQUI 12-0001 12-0243 12-0414 12-0108 12-0127 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500 NOTE	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED	1 ILOS 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 NOTE 1 EA 1 NOTE 1 EA 1 NOTE
12-SAFETY EQUI 12-0001 12-0243 12-0243 12-0043 12-0108 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500 NOTE 14-0051	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL	1 ILOS 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 NOTE 1 EA 1 EA 1 NOTE 1 EA 1 EA
12- SAFETY EQUI 12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0123 NOTE 12-0127 12-0134 12-0158 14- HVAC 14-0500 NOTE 14-0051 14-0053	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE	1 ILOS 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 IEA 1 IEA
2- SAFETY EQUI 2-0001 2-0243 2-0414 2-0043 2-0417 2-0123 NOTE 2-0127 2-0134 2-0158 4- HVAC 4-0500 NOTE 4-0051 4-0053	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL	1 ILOS 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 NOTE 1 EA 1 EA 1 NOTE 1 EA 1 EA 1 EA
22 - SAFETY EQUI 12-0001 12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0123 10TE 12-0127 12-0134 12-0158 14-HVAC 14-0050 10TE 14-0051 14-0053 14-0061	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX,, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING	1 ILOS 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 IEA 1 IEA
12- SAFETY EQUI 12-0001 12-0001 12-0243 12-0243 12-0294 12-0108 12-0123 NOTE 12-0127 12-0127 12-0134 12-0158 14- HVAC 14-0050 14-0051 14-0051 14-0061	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING	1 ILOS 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 IEA 1 IEA
11-0105 12- SAFETY EQUI 12-0001 12-0243 12-0414 12-0108 12-0294 12-0123 NOTE 12-0127 12-0127 12-0158 14- HVAC 14-0500 NOTE 14-0500 NOTE 14-0501 14-0051 14-0051 14-0061	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWILL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING HERS HSM / C.E. WHITE BARRIERS	1 ILOS 1 EA 1 NOTE 1 EA
11-0105 12- SAFETY EQUI 12-0001 12-0243 12-0244 12-0108 12-0294 12-0123 NOTE 12-0127 12-0158 14- HVAC 14-0500 NOTE 14-0501 14-0051 14-0053 14-0061 15- SEATS & BARI	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING	1 ILOS 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 IEA 1 IEA
11-0105 12-SAFETY EQUI 12-0001 12-0243 12-0244 12-0108 12-0294 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500 NOTE 14-0051 14-0053 14-0061 15-SEATS & BARI	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWILL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING HERS HSM / C.E. WHITE BARRIERS	1 ILOS 1 EA 1 NOTE 1 EA
11-0105 12 - SAFETY EQUI 12-0001 12-0243	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWIL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/(2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING **RERS** HSM / C.E. WHITE BARRIERS 34" BARRIER, CE WHITE, FIRE BLOCK WIDE HB	1 ILOS 1 EA 1 NOTE 1 EA
11-0105 12-SAFETY EQUI 12-0001 12-0243 12-0244 12-0108 12-0294 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500 NOTE 14-0051 14-0053 14-0061 15-SEATS & BARI	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWIL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/(2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING **RERS** HSM / C.E. WHITE BARRIERS 34" BARRIER, CE WHITE, FIRE BLOCK WIDE HB	1 ILOS 1 EA 1 NOTE 1 EA
11-0105 12-SAFETY EQUI 12-0001 12-0243 12-0414 12-0043 12-0294 12-0108 12-0417 12-0123 NOTE 12-0127 12-0134 12-0158 14-HVAC 14-0500 NOTE 14-0501 14-0051 14-0051 14-0053 14-0061 15-SEATS & BARI 15-0007 BARRIER COLOR	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM PMENT BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWILL ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING NERS HSM/ C.E. WHITE BARRIERS 34" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST)	1 ILOS 1 EA 1 NOTE 1 EA
12- SAFETY EQUI 12-0001 12-0001 12-0024 12-0243 12-0294 12-0108 12-0123 NOTE 12-0123 NOTE 12-0158 14- HVAC 14-0500 NOTE 14-0501 14-053 14-0061 15- SEATS & BARI 15-0007	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX,, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX,, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX,, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA FIRST AID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA MOST BE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590 CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVER'S AREA WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES NO REAR PASSENGER AREA A/C TO BE INSTALLED DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING WERN HEMM / C.E. WHITE BARRIERS 34" BARRIER, CE WHITE, FIRE BLOCK WIDE HB GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST) HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS	1 ILOS 1 EA 1 EA 1 EA 1 EA 1 EA 1 STD 1 EA 1 NOTE 1 EA 1 EA 1 FA 1 EA 1 E



Trans Tech Bus

Trans Star Model Series - School Bus 16-Passenger Ford Transit - 156" DRW , 11000 lbs. GVWR, 3.5L Gas Engine

PRICE SPEC SHEETS

Prepared for State of Maine RFQ 05A 250515-256 Item 14

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

Date: 05/29/25

STD INTERIOR HEIGHT 74"	1 STD
STD LIMITED WARRANTY BODY 5-2-1 - REFER TO WARRANTY STATEMENT FOR DETAILS	1 STD
99 4 CAMERA SURVEILLANCE SYSTEM - SELECTED BY SD	1 SET



Trans Tech Bus

Trans Star Model Series - School Bus 16-Passenger Ford Transit - 156" DRW , 11000 lbs. GVWR, 3.5L Gas Engine

PRICE SPEC SHEETS

Prepared for State of Maine RFQ 05A 250515-256 Item 14

CONTACT

Date: 05/29/25

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

WARRANTY

Manufacturer Warranty	Trans Tech Warranty:	
	Limited Warranty Body 5-2-1 - Refer To Warranty Statement for Details	
Chassis Warranty	CM Observated Warrantin 2 Vaca / 2C 000 Miles	

All vehicles come with warranty, but Model 1 offers more value without the added cost.

Our coverage and support come with each of our new vehicles - standard.

WE PROCESS ALL THE WARRANTY REGISTRATIONS

We register all of your bus parts for you, no more pesky warranty cards to fill out. This includes all parts, wheelchair lift, electronics, HVAC, etc.

WE HANDLE ALL THE PAPERWORK

We administer and coordinate any warranty work. You make one call to our warranty department, and they take it from there.

REPAIR FACILITIES NEAR YOU

When warranty work is needed, we use service repair facilities near the bus location. We have over 3200 authorized centers and growing. You will never have to drive far to get repairs completed.

NO MORE CLAIM FORMS

Model 1 handles all parts of the claim process, you will have no out of pocket expenses, no reimbursements, and the service facility will be paid directly by us.

LONGER WARRANTY PERIOD

We have negotiated extended periods for the units we sell. Unprecedented 60 month/100,000 mile bumper-to-bumper warranty on the bus upfit.

PRICING

DESCRIPTION	AMOUNT	
Base Body Price	Item #1 - 26MY TT SST 16p - 25MY GM 139 DRW 12300 GVWR 6.6L Gas \$ 106,269.1	10
-		
-		
Total	\$106,269.	00 *Before Taxes



Trans Tech Bus

SST Model Series - School Bus 16+0/1WC GM DRW - 139" WB, 12300 lbs. GVWR, 6.6L Gas Engine

PRICE SPEC SHEETS

Prepared for


State of Maine RFQ 05A 250515-256 Item 6

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

Date: 05/29/25

IMAGES & FLOORPLAN



Floor Layout: SST 16C/15A + 00WC - Up to 1 WC





Photos Are Representative, Not Exact to Specific Unit

Whether you need to fill a spot in your fleet or create an entirely new vehicle, your Model 1 experts have a single top priority: you. With a clear understanding of your needs, we find ways to deliver – starting with deep relationships all the way back at the manufacturer level. And with the nation's largest inventory of commercial vehicles, you'll never be short on the best choices to make for your business.

SALES EXPERIENCE

550+ Years of Collective Bus Sales Experience Servicing Over 1,500 Customers Annually

COMPETITIVE PRICING

Volume Discounts Fixed Contract Pricing

IN-HOUSE FINANCING

Seamless Transactions Flexible Solutions

NATIONWIDE NETWORK

21 Full-Service Locations Nationwide Partners with 25+ Top Manufacturers



Trans Tech Bus

SST Model Series - School Bus 16+0/1WC GM DRW - 139" WB. 12300 lbs. GVWR. 6.6L Gas Engine

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 6

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

Data- 0E/20/2E

SPECIFICATIONS

C139DSSP500	2026MY - SST, CHEVROLET, 139", DRW, SCHOOL BUS, STANDARD FLOOR, PARATRANSIT, 500	1
		-
HASSIS MODEL		
CEG139D123	2025MY - CHEVROLET EXPRESS, CUT AWAY, 6.6L V-8 L8T, GASOLINE, 139", DRW, 12300 GVWR CG33503	1
1 - CHASSIS EQUI	I PMENT	
01 01 11 100 10 EQ 01	CHEVY - YELLOW CAB	
KW5	ALTERNATOR, 220 AMP	
ГР3	BATTERY, DUAL, 770 CCA	
STD	MID-FRAME FUEL TANK , 32 GAL.	
9J6	STEERING COLUMN, TILT	
J0F	OEM RADIO, AM/FM WITH MP3 PLAYER, CLOCK, AUX JACK	
STD	OEM GREY WHEELS	
02 - CHASSIS MOD		
02-0005	DRIVER'S STEP, DIAMOND PLATE WITH INTEGRATED MUD FLAP - INCLUDES WHITE REFLECTIVE TAPE	1 EA
02-0010	EXHAUST, ROUTE TO UNDER REAR BUMPER	1 STD
02-0020	TOW HOOK, MOUNTED ON REAR OF CHASSIS FRAME, SET OF 2	1 SET
02-1004	DRIVE SHAFT GUARDS INSTALLED ON EACH SECTION OF DRIVE SHAFT	1 STD
03 - BODY STRUCT	IRF	
03-1000 03-1000	FIBERGLASS CAP, EXTERIOR REAR WALL	1 STD
03-1001	FIBERGLASS CAP, FRONT ABOVE WINDSHIELD AND BOTH WINGS BEHIND DRIVER AND IN FRONT OF ENTRY DOOR	1 STD
03-0017	14 GAUGE G90 GALVANIZED STEEL PAN-FORMED FLOOR PANELS	1 STD
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	14 GAUGE G90 GALVANIZED STEEL HAT SECTION WALL / ROOF BOWS (ONE-PIECE) WITH LONGITUDINAL WALL / ROOF STRINGERS	10.5
03-1004	BETWEEN WALL / ROOF BOWS	1 STD
03-1005	14 GAUGE G90 GALVANIZED STEEL FRAME CAB OVERHEAD	1 STD
03-1006	16 GAUAGE G90 GALVANIZED STEEL REAR WALL	1 STD
03-1007	14 GUAGE G90 GALVANIZED STEEL STEPWELL	1 STD
03-0007	INSULATION, 1.5" FIBERGLASS, INSIDE ROOF, WALLS, & BOWS	1 STD
03-0001	BUMPER, 3/16" THK, STEEL, POWDER COATED BLACK, TO EXTEND 1" BEYOND REAR-MOST PART OF BODY SURFACE - WIDE BODY	1 STD
03-0008	PLYWOOD, FLOORING, 1/2" THICK, EXTERIOR GRADE	1 STD
04 - GLASS & WIND		
01-0060	OBSERVATION WINDOW, TEMPERED, FLAT PANEL, LOCATED FORWARD OF ENTRANCE DOOR, GM	1 STD
04-0035	WINDOW, REAR VISION, TEMPERED, 31% DARK TINTED - SST/CST, SET OF 2	1 STD
04-0023 NOTE	WINDOW, SPLIT-SASH, TEMPERED, 31% DARK TINTED -SST/CST NO SIDE EMERGENCY EXIT WINDOWS REQUIRED	8 STD
NOTE	NO SIDE EMERGENCI EXII WINDOWS REQUIRED	
05 - DOORS & MIRF	OORS	
	DOOR, REAR EMERGENCY, ANODIZED BLACK EXTRUDED ALUM, WITH YELLOW REFLECTIVE TAPE & (1) ONE FULL TEMPERED GLASS,	
05-0001	31% DARK TINTED (SCHOOL BUS)	1 STD
05-0016	DOOR LOCK, 3 POINT LATCH, FOR REAR EMERGENCY DOOR (REQUIRED ON SCHOOL BUSES & MFSAB)	1 STD
05-0114	DOOR HOLDER, TELESCOPING, FOR REAR EMERGENCY DOOR, REINFORCED WITH STEEL GUSSET	1 STD
5-0017	DOOR HANDLE, BLACK, EXTERIOR, FOR REAR EMERGENCY DOOR	1 STD
	DOOR, ENTRANCE DOOR, SPLIT-TYPE, ANODIZED BLACK EXTRUDED ALUM, WITH TEMPERED CLEAR GLASS AND LOWER DOOR	
05-0005	SWEEPS	1 STD
05-0011	DOOR CONTROL, MANUALLY OPERATED WITH T-BAR - NOT AVAILABLE ON FORD TRANSIT MODEL	1 STD
05-0024	MIRROR, INTERIOR REARVIEW, 6" X 16"	1 EA
05-0082	MIRRORS, ROSCO, EXTERIOR REARVIEW ACCUSTYLE & CROSSOVER EYE-MAX, HEATED, WITH BLACK BRACKETS - (DRW GM)	1 EA



Trans Tech Bus

SST Model Series - School Bus 16+0/1WC

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 6

CONTACT

м прии	- 139" WB. 12300 lbs. GVWR. 6.6L Gas Engine	z@model1.com
S-INTERIOR	- IDM WB. IZDIII IIIS. ITV WR. D.DI ITAS FIIIIIIE	
6-0014	FLOORING, VINYL, SMOOTH BLACK, WITH RIBBED AISLE	1 STD
6-0033	STEP TREAD, BLACK, RIBBED TYPE - 2 STEPS	1 STD
6-0038	STEP NOSING, WHITE, RIBBED TYPE	1 STD
06-0020	INTERIOR CEILING PANELS, ALUM, PRE-PAINTED WHITE	1 STD
	99 PADDED SHOULDER RAIL, FIREBLOCK, FULL LENGTH - BOTH SIDE, VINYL UPHOLSTERY TO MATCH IMPACT PADS	1 SET
	HEAD IMPACT PADDING, FIREBLOCK, INT. DRIVER'S TRANSITION, DRIVER'S DOOR, PASS. ENTRY DOOR AND RR EMERG. EXIT DOOR,	
06-0054	TO MATCH UPHOLSTERY	1 ILOS
06-1005	TRACK COVER, SMOOTH BLACK, TO PREVENT DEBRIS OUT OF VERSA TRACK	1 STD
07 - EXTERIOR		
7-0009	EXTERIOR WALL PANELS, 22GA , G90 GALVANIZED STEEL	1 STD
01-1001	EXTERIOR, ROOF PANELS, .05 ALUMINUM, PRE-PAINTED WHITE	1 STD
07-0010	FENDERETTE, BLACK TEXTURED TPO PLASTIC, FOR REAR WHEELS	1 STD
07-0014	MUD FLAP, FRONT & REAR WHEELS - STANDARD FLOOR MODELS	1 STD
07-0012	RUB RAILS, WINDOW LEVEL, SEAT LEVEL, & FLOOR LEVEL (WINDOW & SEAT LEVEL WRAP AROUND REAR)	1 STD
08 - DECALS		
16 - DECALS		
08-0044	DECAL, "SCHOOL BUS", 8" TALL BLACK LETTERING, ON REFLECTIVE YELLOW BACKGROUND, INSTALL ON EXT. FRONT & REAR CAPS	1 SET
8-0020	DECAL, "EMERGENCY DOOR", BLACK LETTERING, INSTALL ON EXTERIOR OF TOP REAR EMERGENCY DOOR (SCHOOL BUS)	1 STD
	DECAL, "TO OPEN", BLACK LETTERING WITH BLACK ARROW, INSTALL ON EXTERIOR EMERGENCY DOOR NEAR DOOR HANDLE	
08-0053	(YELLOW SCHOOLS BUS)	1 STD
08-0065	DECAL, VEHICLE IDENTIFICATION #, 24" BLACK LETTERING, 8" MIN. STROKE, INSTALL ON ROOF, LEFT TO RIGHT (PER DIGIT)	5 EA
NOTE	LAST 5 OF VIN#	1 NOTE
	DECAL, SEATING CAPACITY, 2" BLACK LETTERING, INSTALL ON EXTERIOR CURBSIDE OF BUS, REARWARD OF MAIN ENTRANCE	
8-0079	DOOR, BELOW WINDOW LEVEL	1 EA
08-0136	DECAL, "GASOLINE", 2" BLACK LETTERING, INSTALL ADJACENT TO THE FUEL FILLER	1 STD
08-0120	DECAL, "DO NOT BLOCK", RED LETTERING, INSTALL ON INTERIOR REAR EMERGECNY DOOR	1 STD
08-0119	DECAL, "EMERGENCY EXIT", 2" BLACK LETTERING, INSTALL ON INTERIOR REAR BULKHEAD ABOVE THE REAR EMERGENCY DOOR.	
08-0121	DECAL, "LIFT HANDLE AND PUSH TO OPEN", RED LETTERING WITH RED ARROW, INSTALL ON INTERIOR REAR	1 STD
08-1012	DECALS, "EMERGENCY EXIT", BLACK LETTERING WITH RED ARROW, INSTALL ON INTERIOR OF REAR EMERG. DOOR	1 STD
08-0093	TRANS TECH BODY ID DATA LABEL, ADHESIVE FOIL, LOCATED ABOVE DRIVER'S SEAT AREA.	1 STD
08-0100	TRANS TECH FMVSS COMPLIANCE LABEL, LOCATED ON DRIVER'S DOOR JAMB	1 STD
08-0101	TRANS TECH WARRANTY, WARNING LABEL, LOCATED NEAR BODY ID LABEL	1 STD
08-0102	DECAL, BACK UP ALARM "ATTENTION" LABEL, LOCATED NEAR BODY ID LABEL	1 STD
08-0103	DECAL, CROSS OVER MIRRORS "WARNING LABEL" LOCATED IN DIRECT VIEW OF DRIVER	1 STD
08-1018	DECAL, PAINT CODE LABEL	1 STD
	DECAL, TRANS TECH "TRACK SEATING" INSTRUCTION LABEL. LOCATED ON PASSENGER COMPARTMENT, ABOVE WINDOWS ON	
08-0107	EACH SIDE	1 STD
18-0109	DECAL, "STEP UP", INSTALLED CENTERED ON SECOND STEP RISER	1 STD
18-0098	DECAL, "TRANS TECH" LOGO ON EACH FRONT FENDER	1 STD
08-0059	DECAL, "TRANS TECH" LOGO ON EACH SIDE OF BUS AT ROOFLINE	1 STD
08-0060	DECAL, "TRANS TECH" LOGO ON REAR OF BUS	1 STD
9 - REFLECTIVE	9	
19 - REFLECTIVE 19-1000	REFLECTIVE TAPE, 1" STRIP, YELLOW, INSTALL SURROUNDING EXTERIOR REAR EMERGENCY DOOR	1 STD
9-0012	REFLECTIVE TAPE, 2" STRIP, YELLOW, INSTALL AROUND REAR PERIMETER OF BUS	1 SET
9-0015	REFLECTIVE TAPE, 2" STRIP, YELLOW, INSTALL ON SIDES OF BUS BODY	1 SET
	REFLECTORS (4 TOTAL), RED, STICK-ON 2" X 3.5", INSTALLED ON REAR OF BUS CORNERS NEAR BUMPER LEVEL AND AT EACH SIDE OF	
9-1002	BUS BELOW SEAT LEVEL ON REAR BODY CAP	1 STD
	REFLECTOR, AMBER, 3" DIAMETER, INSTALL ON EACH SIDE, FRONT OF THE BUS BODY, NO MORE THAN 12" FROM THE FRONT AND	
9-0032	NO MORE THAN 60" ABOVE THE ROAD SURFACE	1 ILOS
	99 REFLECTOR, AMBER, ONE REARWARD OF ENTRANCE DOOR AND ONE OPPOSITE SIDE AT BELOW SEAT LEVEL RUB RAILS MIDSHIP	1 SET
LO - PAINT		
.0-0022	PAINT, EXTERIOR BODY, NATIONAL SCHOOL BUS YELLOW	1 EA
10-0021	PAINT, FRONT & REAR WARNING LAMPS BACKGROUND, BLACK	1 SET
		1



Trans Tech Bus

SST Model Series - School Bus 16+0/1WC

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 6

CONTACT

M DDW	- 139" WR. 12300 lbs. GVWR. 6.61. Gas Engine Email: mortiz@m	odel1.com
1 - LAMP & SIGN		
L-0001	AUXILIARY POWER BOARD, TO CONNECT GPS SYSTEMS, CAMERAS, 2-WAY RADIOS, MOUNTED IN FRONT BULKHEAD	1 EA
1-0006 1-0132	FRONT MARKER & CLEARANCE LIGHTS, 3/4" ROUND, AMBER LED REAR MARKER & CLEARANCE LIGHTS, 3/4" ROUND, RED LED	1 STD 1 STD
1-0132	LAMP, MARKER LIGHTS, LED, RECESSED, INSTALL AMBER LIGHTS AT FRONT & RED AT REAR	4 STD
1-1013 1-0083	SCHOOL BUS, 8-WAY WARNING LIGHT SYSTEM, (4) RED LED & (4) AMBER LED - (WIRED TO STROBING)	1 SET
1-0085	WIRING, 8-WAY WARNING LAMP SYSTEM, NON-SEQUENTIAL	1 SET
1-0007	FLASHER, INPOWER (SCHOOL BUS)	1 SET
1-0134	LAMP, BACK-UP LIGHTS, 4" CLEAR LED - SST/ CST, SET OF 2	1 STD
1-0135	LAMP, BRAKE / TAIL LIGHTS, 4" RED LED - SST/CST, BELOW SEAT RUB RAILS, SET OF 2	1 STD
1-0019	LAMP, BRAKE / TAIL LIGHTS, 7" RED LED - SST/CST, SET OF 2	1 STD
11-0034	LAMP, TURN SIGNALS, 7" AMBER LED - SST/CST - SET OF 2	1 STD
	LAMP, (2)TURN SIGNALS, LED, SIDE MOUNTED BETWEEN WINDOW & SEAT LEVEL RUB RAILS, INSTALL REARWARD OF ENTRANCE	
11-0039	DOOR AND DRIVER'S DOOR	1 STD
	LAND LIGHTING DI ATE ANNUAL ENDIED MANINTED MITTING ARE SUITED ON TOR SIDE OF LIGHTING DI ATE DESIGNATED ARE	
11-0142	LAMP, LICENSE PLATE, 3/4" CLEAR LED, MOUNTED WITH GLARE SHIELD ON TOP SIDE OF LICENSE PLATE DESIGNATED AREA	1 STD
11-0025	LAMP, (4) INTERIOR DOME LIGHT, RECTANGULAR, CLEAR LED	1 STD
11-9999	LAMP, STEPWELL LIGHT LED	1 STD
11-0010	LAMP, ARMORED, EXTERIOR, ENTRANCE DOOR LIGHT, LED, MOUNTED ON SKIRT LEFT OF ENTRANCE (SOUNDOFF-ECVCBLTST)	1 EA
11-0043	NOISE SUPPRESSION SWITCH, TURNS OFF ALL NOISE PRODUCING ITEMS IN BUS BODY	1 EA
NOTE	CHASSIS INCLUDES OEM AM/FM/BT RADIO	I LA
11-0059	INSTALL SPEAKER, SET OF 2 CONNECTED TO 0EM RADIO	1 SET
OF SPEAKERS	2	1 NOTE
NOTE	NO INTERIOR SPEAKERS SHALL BE INSTALL WITHIN 4 FEET BEHIND THE REARMOST UPRIGHT POSITION OF THE DRIVER'S SEAT	NOTE
NOTE	DISCONNECT OEM DOOR'S SPEAKER	NOTE
	STROBE LIGHT, LED, SPECIALTY 845-4020, 4" HIGH, CLEAR, DOUBLE FLASH, 12V, TO INCLUDE ON/OFF SWITCH AND GREEN PILOT	
	99 LIGHT	1 EA
11-0070	METAL GUARD, FOR STROBE LIGHT	1 EA
11-0184	SWITCH, MASTER 8-WAY LAMPS, RED WITH ON/OFF	1 STD
11-0105	WIRING, TURN SIGNAL LAMP, SIDE MOUNTED ON DRIVER'S SIDE, INSTALL REARWARD OF STOP ARM	1 ILOS
40. CAFETY FOLL		
12 - SAFETY EQU		1 EA
12-0001 12-0243	BACK-UP ALARM, 112 DECIBEL BODY FLUID KIT, POLY BOX, MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD	1 EA
12-0243	CROSSING GATE, SAFE FLEET, DEFENDER ELECTRIC SERIES, GM, WITH YELLOW POLY ROD AND STOW BRACKET	1 EA
12-0414	FIRE EXTINGUISHER, 2 1/2 LB 10 BC, MOUNTED NEAR DRIVER'S AREA	1 EA
12-0294	FIRST AID KIT, POLY BOX, , MOUNTED NEAR DRIVER'S AREA, NATIONAL STANDARD	1 EA
12-0108	GRAB RAIL, STAINLESS STEEL, ENTRANCE DOOR, INSTALL LEFT SIDE, MOUNTED ONTO BARRIER & STEPWLL	1 STD
12-0417	ROOF HATCH, SAFE FLEET ADVANTAGE, H1975-025-111-0F, WHITE, LOW PROFILE, INCLUDES REFLECTIVE TAPE	1 EA
12-0122	SEAT BELT CUTTER, SHIPPED LOOSE IN ADDITION TO DRIVER'S AREA (REQUIRED ON PARA-TRANSIT UNIT)	1 EA
12-0123	SEAT BELT CUTTER, MOUNTED IN DRIVER'S AREA	1 EA
NOTE	MUST BE FULL HAND GRIP TYPE - Q'STRAINT P/N Q5-7590	1 NOTE
12-0127	CHILD-CHECK MATE SYSTEM, EP-1 PLUS, INCLUDES SPECIFIC OPERATION DECAL IN DRIVERS AREA	1 EA
12-0134	WARNING DEVICE, TRIANGULAR FLARE KIT, MOUNTED NEAR DRIVER'S AREA	1 EA
12-0158	STOP ARM, SAFE FLEET, DEFENDER COMPOSITE, SC2-610-100, LED LIGHTS, STROBING, HI-INT	1 EA
13 - PARATRANSI	TEQUIPMENT	
13-0000	DOOR, WHEELCHAIR, 58-1/2"X46" ALUM. FRAME, WITH TEMPERED GLASS, 31% DARK TINTED, INCLUDES RUB RAIL & 3PT LOCK	1 STD
13-0001	DOOR HOLDER, TELESCOPING, FOR WHEELCHAIR SIDE DOOR	1 STD
12 0002	LAND INTERIOR CELLING MOUNTED TO ILLUMINATE LIET DI ATTORMADEA (ACTIVATES MUEDIMINES CHAIRIS DOOD ORENE)	1 CTD
13-0002	LAMP, INTERIOR CEILING MOUNTED, TO ILLUMINATE LIFT PLATFORM AREA, (ACTIVATES WHEN WHEELCHAIR'S DOOR OPENS)	1 STD 1 STD
13-0018 1 3-0132	DOOR HANDLE, BLACK, EXTERIOR, FOR REAR WHEELCHAIR DOOR PILOT LIGHT, FLASHING GREEN, INSTALL IN DRIVER'S AREA, WARNS OF LIFT DOOR OPEN	1 51D
10-0102	TIEGT LIGHT, TEAGHING ONLER, INGIALLIN DRIVER SAREA, WARROUT LIFT DOOR OPEN	IEA
13-0005	INTERLOCK, CHASSIS REQUIRES EMERG BRAKE TO BE DEPRESSED & VEHICLE TO BE IN PARK BEFORE LIFT WILL OPERATE.	1 SET
13-0003	DECAL, WHEELCHAIR SYMBOL, WHITE SYMBOL ON BLUE BACKGROUND, INSTALL ON FOUR LOCATION	1 SET
13-0148	EVAC AIDE, #1003, WITH STORAGE POUCH	1 EA
L3-0007 L3-0047	LIFT, BRAUN, CENTURY-2, NCL919FIB-2, FRONT PUMP, 800 LBS, 34" X 51" PLATFORM, 48" FLOOR TO GROUND	1 EA
	TIE DOWN KIT, Q-STRAINT, QRT MAX #Q-8306-SC, (4) RETRACTOR FOR SLIDE & CLICK, W/ RETRACTABLE SHOULDER & LAP BELT,	
13-0094	TIE DOWN KIT, Q-STRAINT, QRT MAX #Q-8306-SC, (4) RETRACTOR FOR SLIDE & CLICK, W/ RETRACTABLE SHOULDER & LAP BELT, RETRACTABLE HEIGHT ADJUSTER, & L-TRACK TOP FITTING, 14" L-TRACK MOUNTED ON WALL, MOUNTED ON SLIDE & CLICK	1 EA



Trans Tech Bus

SST Model Series - School Bus 16+0/1WC

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 6

CONTACT

<u>iM IIRW </u>	- 139" WB. 12300 lbs. GVWR. 6.6L Gas Engine	Email: mortiz@model1.com	
3-0120	STORAGE BAG, Q'STRAINT #Q5-8522, NYLON, SHIPPED LOOSE	1	EA
14 - HVAC			
14-0500	HEATER, 65K FLOOR MOUNTED HEATER W/ (2) 1/4 TURN BALL COCK SHUTOFF VALVES & BLEEDER VALVES	1	SET
NOTE	NO REAR PASSENGER AREA A/C TO BE INSTALLED	1	NOTE
14-0051	DRIVER CONTROLLED HEATER SHUT-OFF VALVE - INCLUDES OPERATION DECAL	1	EA
14-0053	FAN, AUXILIARY, INSTALL ON FRONT CURBSIDE	1	EA
14-0061	VENT, NON-CLOSABLE STATIC TYPE, MOUNTED IN DRIVER'S AREA CEILING	1	EA
15 - SEATS & BARRIE	ERS	<u> </u>	
	HSM / C.E. WHITE BARRIERS		
15-0010	36" BARRIER, CE WHITE, FIRE BLOCK WIDE HB	1	EA
15-0013	39" BARRIER, CE WHITE, FIRE BLOCK WIDE HB	1	EA
BARRIER COLOR	GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST)		
	HSM / C.E. WHITE SEATS LIGHT WEIGHT SCHOOL BUS SEATS - LAP BELTS		
	36" SEAT, CE WHITE, FIRE BLOCK, HB - NO LAP BELTS, (MOUNTED ON VERSA TRACK)	5	EA
99	39" SEAT, CE WHITE, FIRE BLOCK, HB - NO LAP BELTS, (MOUNTED ON VERSA TRACK)	2	EA
SEAT COLOR	GREY VINYL (ADDITONAL COLOR AVAILABLE UPON REQUEST)		
16 - MISC			
STD	INTERIOR HEIGHT 75"	1	STD
STD	LIMITED WARRANTY BODY 5-2-1 - REFER TO WARRANTY STATEMENT FOR DETAILS	1	STD
99	4 CAMERA SURVEILLANCE SYSTEM - SELECTED BY SD	1	SET



Trans Tech Bus

SST Model Series - School Bus 16+0/1WC GM DRW - 139" WR. 12300 lbs GVWR, 6.6L Gas Engine

PRICE SPEC SHEETS

Prepared for

State of Maine RFQ 05A 250515-256 Item 6

CONTACT

Name: Miguel Ortiz Phone: (201) 814-7961 Email: mortiz@model1.com

WARRANTY

Manufacturer Warranty	Trans Tech Warranty: Limited Warranty Body 5-2-1 - Refer To Warranty Statement for Details	
Chassis Warranty	CM Standard Warranty: 2 Veer / 26 000 Miles	

All vehicles come with warranty, but Model 1 offers more value without the added cost.

Our coverage and support come with each of our new vehicles - standard.

WE PROCESS ALL THE WARRANTY REGISTRATIONS

We register all of your bus parts for you, no more pesky warranty cards to fill out. This includes all parts, wheelchair lift, electronics, HVAC, etc.

WE HANDLE ALL THE PAPERWORK

We administer and coordinate any warranty work. You make one call to our warranty department, and they take it from there.

REPAIR FACILITIES NEAR YOU

When warranty work is needed, we use service repair facilities near the bus location. We have over 3200 authorized centers and growing. You will never have to drive far to get repairs completed.

NO MORE CLAIM FORMS

Model 1 handles all parts of the claim process, you will have no out of pocket expenses, no reimbursements, and the service facility will be paid directly by us.

LONGER WARRANTY PERIOD

We have negotiated extended periods for the units we sell. Unprecedented 60 month/100,000 mile bumper-to-bumper warranty on the bus upfit.

PRICING

DESCRIPTION		AMOUNT	
Base Body Price	Item 6_Type A-1_GM DRW 16+0_1 WC	\$ 105,872.00	
-			
-		-	
Total		\$105,872.00	*Before Taxes