

**MASTER AGREEMENT**

ADVANTAGE CONTRACT #: 18P 25070700000000000013

COMMODITY/SERVICE DESCRIPTION: Light Trucks

START DATE: 8/06/2025

END DATE: 6/30/2026

This Contract is between the following State of Maine Department and Provider:

STATE OF MAINE DEPARTMENT

DEPARTMENT NAME: Office of State Procurement Services

ADDRESS: 111 Sewall St., 4th Floor Burton Cross Office Building, SHS# 9

CITY: Augusta

STATE: ME

ZIP CODE: 04333-009

PROVIDER

PROVIDER NAME: O'Connor GMC Inc

ADDRESS: 187 Riverside Dr

CITY: Augusta

STATE: ME

ZIP CODE: 04330

PROVIDER'S VENDOR CUSTOMER #: VC1000069483

Each signatory below represents that the person has the requisite authority to enter into this Contract.

Department Representative:

Provider Representative:

DocuSigned by:

David Morris

2A644AF5681F482...

David Morris, Acting CPO

Date 8/6/2025

DocuSigned by:

John Mynahan

970DF8E9CA924E5...

John Mynahan, Fleet Sales Manager

Date 8/5/2025

The contract is fully executed when all parties sign and funds have been encumbered. Upon final approval by the Office of State Procurement Services, a case details page will be made part of this contract.

DEPARTMENT AND PROVIDER POINT OF CONTACT and PROCUREMENT METHOD

PROCUREMENT SERVICES MA MANGER: The Procurement Services MA Manager manages the MA contract documents. All other communication is to be with the agency the services were provided to.

NAME: Bill Allen	
EMAIL: wje.allen@maine.gov	TELEPHONE: 207-624-7871

VENDOR CONTACT: The vendor contact person will help consumers place orders, inquire about orders that have not been delivered, all shipping issues, quality issues and any issues pertaining to the Master Agreement (MA) contract. All orders not submitted through a Delivery Order will be sent through the vendor contact person. The vendor contact person for this MA is:

NAME: John Mynahan	
EMAIL: john.mynahan@oconnorwheels.com	TELEPHONE: 207-592-0105

Any changes to the individuals identified above may be changed at any time through written notice by either party.

Master Agreement (MA) procurement method: RFQ 18P 250613-273

TABLE OF RIDERS

The following riders are hereby incorporated into this Contract and made part of it by reference.	
<input checked="" type="checkbox"/>	RIDER A – Specifications and User Information
<input checked="" type="checkbox"/>	RIDER B – Terms and Conditions
<input type="checkbox"/>	RIDER C – Exceptions
<input checked="" type="checkbox"/>	RIDER D – Responsible Bidder Certification
<input checked="" type="checkbox"/>	Roadside Assistance

RIDER A: SPECIFICATIONS AND USER INFORMATION**TABLE OF CONTENTS**

- I. CONTRACT PERIOD
- II. COMMODITY
- III. AMENDMENTS TO SPECIFICATIONS
- IV. SPECIFICATIONS
- V. AMENDMENT/EXTENSION PRICING/RATE CHANGES
- VI. CONTRACTED PRICING/RATES
- VII. AUTHORIZED USERS
- VIII. ORDERING PROCEDURE/DELIVERY INFORMATION

I. CONTRACT PERIOD:

Following the initial term of the contract, the Department, at their discretion, may opt to extend / renew the contract for up to one (1) two (2) year and one (1) one (1) year extension periods.

- ☒ Initial Term
- ☐ First Renewal
- ☐ Second Renewal
- ☐ Third Renewal
- ☐ Fourth Renewal

II. COMMODITY: Light Trucks

The State reserves the right to add other similar items or commodities to the Master Agreement (MA) if it's in the State's best interest but does not obligate the State to purchase similar noncontracted items or commodities from the selected bidder.

III. AMENDMENTS TO SPECIFICATIONS

Not Applicable

IV. SPECIFICATIONS

Individual Vehicle specifications sheets are located after VIII, Ordering Procedures/Delivery Information.

All vehicles must be new, of lowest trim line available that meets requested specification.

MERCURY CONTENT: Because of hazards posed to the environment, the State of Maine continues its efforts to phase out the purchase of all products manufactured with any components containing mercury. The State of Maine intends to purchase vehicles free of

mercury such as, headlamps, convenience lighting switches and any other component. Best value consideration to be applied.

Radios

Vehicles and/or equipment will have land mobile radio transmitters installed after delivery. Antennas may be mounted on the roof, trunk lid, fenders or glass. Transceivers will operate in the following bands 30 to 50 MHz, 150-162 MHz and 450-470 MHz. All vehicle electronic circuits including but not limited to ignition, clocks, AM/FM radio receivers, computers, emission controls, electronic fuel systems and components, ABS brakes, air bags, plow and sander controls, alternators and regulators shall be designed or modified to suppress, bypass or otherwise prevent interference from affecting the mobile two-way radio transceiver. Also, the vehicle's electronic equipment shall be unaffected by the radio frequency energy generated and radiated by the transmitter portion of installed transceivers. No vehicle system and/or accessory shall operate and/or fail to operate as a result of the activation of the radio transmitter in any manner which may constitute a safety hazard. Either before or after final acceptance any vehicle or equipment which does not meet these requirements may be rejected in whole or returned for correction at no cost. Radio receiver sensitivity is 0.30 micro volts for 12db of SINAD. The radio transmitter power output will be 60 watts RMS into a 50 Ohm antenna mounted on the vehicle. Testing of radio performance will be done per Motorola communication specification "Measuring Effective Sensitivity" method. MaineDOT Radio Communication Maintenance group will perform the testing and acceptance.

V. AMENDMENT/EXTENSION PRICING/RATE CHANGES

Not applicable

VI. CONTRACTED PRICING/RATES

Prices: Prices are with shipping terms of "Free on Board (FOB) – Destination". The State intends for this to mean that all goods shall be priced to include shipping charges, if any, to the State's desired location. The "FOB – Destination" shipping term is also intended to mean that the State shall not bear any responsibility for the goods in question until the State takes possession of them at the destination point of delivery.

Price and Rate Guarantee Period: All quoted prices and rates must be guaranteed for and must remain firm for the model year of vehicle bid. Vehicle pricing can be negotiated if a new model year is available during the contract period. Requests for price increases must include sufficient documentation from the manufacture documenting the request is based on the vendor's actual cost increases. Any approved price or rate adjustments must be held firm for the model year or the remainder of the contract period if there is less than one year remaining. The price adjustment will not go into effect until the contract amendment has been fully approved by the State of Maine.

VII. AUTHORIZED USERS:

State of Maine Departments authorized to utilize this MA contract:

Central Fleet Management, Public Safety

Municipalities, political subdivisions, and school districts in Maine:

- ☐ Are NOT permitted to utilize this MA.
- ☐ Are permitted to utilize this MA as written.
- ☒ Are permitted to utilize this MA with the following conditions: No deviation of specifications

VIII. ORDERING PROCEDURES/DELIVERY INFORMATION:

Vehicle orders will be based on agency needs and resources available to purchase vehicles. Delivery Orders (DO) will be issued against any resulting master agreements as vehicles are required until the end of the model year cutoff date.

Delivery of Vehicles

- Vehicles should be delivered with minimum mileage coinciding with location of dealer and delivery point to the State. Any exceptions should be noted prior to delivery.
- Information needed at time of delivery request:
 - item number(s)
 - number of vehicles for each item number
 - exterior color of each vehicle by item number
 - bid price for each item number
- Dealers/Transport companies must supply at least 24 hours notice before delivering vehicles.
- Deliveries should be scheduled between the hours of 8:00 a.m. and 3:00 p.m. unless prior arrangements are made.
- Delivery address is 66 Industrial Drive, Augusta, Maine 04330
- Mailing address is 106 State House Station, Augusta, Maine 04333-0106.
- Documentation required to be delivered to Central Fleet Management office prior to, or at the time of delivery.
 - Original vehicle window sticker or duplicate copy.
 - Completed State of Maine, Bureau of Motor Vehicles, Title Application Form (Questions regarding title/registration documentation should be directed to State of Maine, Bureau of Motor Vehicles, Phone # 624-9000 Ext 52149)
 - Copy of completed Certificate of Origin (both sides)
 - Completed Invoice including VIN, Vehicle Description, Owner Information, Lien Holder Information, Key Number(s), and Total Price (Bid Price)
- Vehicles must be delivered with two set of keys, unless otherwise noted.
- Vehicles must be delivered with valid State inspection stickers, not more than one month old.
- Other delivery and title information will be supplied with orders to awarded vendors.

Municipalities, political subdivisions, and school districts in Maine will handle their own orders and will be responsible for all payments.

Quantities: It is understood and agreed that the MA will cover the actual quantities required by the State over the length of the contract.

Delivery and Inspection: The vendor is responsible for the delivery of material in first class condition at the point of delivery, and in accordance with good commercial practice. The sign blanks ordered from the resulting MA will be inspected after delivery. If shipments are deemed unacceptable the delivery will be refused and will be returned at the risk and expense of the selling vendor.

Bidder (Vendor)		Contact Person		Contact's Telephone		Item #		23	
OCONNOR MOTORS		JOHN MYNAHAN		2075920105					
Estimated Quantity:			UNKNOWN		Class-Spec#:		231		
GENERAL DESCRIPTION			Full Size Pickup, Light Duty, 4 x 2, Extended/Quad Cab, 6'-7' Box, Automatic Transmission, Air Conditioning, Cruise Control, Tilt Steering						
Option Code	SPECIFICATIONS								
X	AIR CONDITIONING								
X	AUXILIARY POWER SOURCE								
G80	AXLE REAR: Traction Lock				Provide Axle Ratio:		3.42		
X	BATTERY: Heavy duty, highest CCA and reserve time available				Provide CCA:		730		
X	BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING								
X	BUMPER, FRONT: OEM								
X	BUMPER, REAR: Step and Tow, OEM								
X	CARGO BOX: 6'-7' Bed, Style Side				Provide Bed Length:		79.44"		
X	CRUISE CONTROL: Factory installed								
X	DOORS: Four								
K05	ENGINE BLOCK HEATER, factory installed if available								
	ENGINE: Gasoline				Turbo-Yes or No:		YES		
	Provide Number of Cylinders:		4		Provide Horse Power:		310		
	Provide Number of Liters:		2.7		Provide Foot Pounds of Torque:		430		
X	FLOOR: Rubber, If Available, factory installed								
X	FUEL CAPACITY:				Provide Fuel Capacity:		24G		
X	GLASS: Tinted								
X	GVWR: Minimum 6700 lbs.				Provide GVWR:		6800		
					Provide COMBINED GVWR:		14500		
A2X	LUMBAR ADJUSTMENT: Driver Seat FORCES FLEET CONV. PACKAGE AND POWER SEAT								
X	MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night								
X	PAYLOAD:				Provide Payload:		2204		
X	POWER LOCKS & WINDOWS								
X	RADIO: AM/FM, with Clock, factory installed								
X	SEAT, REAR: Cloth, Full Width Bench, Fold Down								
X	SEATS, FRONT: Cloth, Split Bench 60/40 or 40/20/40 with flip down console								
X	STABILIZER BAR: Front								
x	STEERING: Power with Tilt Wheel								
X	TIRE, SPARE: Full Size, Mounted Under Vehicle, OEM								
NA	TIRES: Minimum P245/70R17, (must have availability of replacement studable snow tires)				Provide Size and Load Range:		P25570R17		
	CANNOT GAURANTTEE STUDDED SNOW TIRE MATCH								
Z82	TOWING PACKAGE: Factory installed to include drop receiver hitch & 7 pin wiring harness				Provide Towing Capacity:		9500		
X	TRANSMISSION: Automatic				Provide Number of Transmission Speeds:		8		
X	WHEEL BASE: Minimum 143.5"				Provide Wheel Base:		147		
Vehicle Description									
Year		Make		Model					
2026		GMC		TC10753 4CYL					



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 4CYL 2026





O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 4CYL 2026 (✔ Complete)

Selected Model and Options

MODEL	
CODE	MODEL
TC10753	2026 GMC Sierra 1500 2WD Double Cab 147" Pro
COLORS	
CODE	DESCRIPTION
GAZ	Summit White
EMISSIONS	
CODE	DESCRIPTION
NE1	Emissions, Colorado, Connecticut, Delaware, Maine, Maryland, Massachusetts, Minnesota, Nevada, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements
ENGINE	
CODE	DESCRIPTION
L3B	Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (Not available with (VYU) Snow Plow Prep Package, (X31) X31 Off-Road Package, (ZW9) pickup bed delete or (KC4) external engine oil cooler. Includes (KW5) 220-amp alternator.) (STD) *GROSS*
TRANSMISSION	
CODE	DESCRIPTION
MFC	Transmission, 8-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Standard and only available with (L3B) TurboMax engine.) (STD)
AXLE	
CODE	DESCRIPTION
GU6	Rear axle, 3.42 ratio (Included and only available with (L3B) TurboMax engine.)
PREFERRED EQUIPMENT GROUP	
CODE	DESCRIPTION
1SA	Pro Preferred Equipment Group includes standard equipment
WHEELS	
CODE	DESCRIPTION
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 4CYL 2026 (✔ Complete)

TIRES

CODE	DESCRIPTION
QBN	Tires, 255/70R17 all-season, blackwall (STD)

SPARE TIRE

CODE	DESCRIPTION
QBR	Tire, spare 255/70R17 all-season, blackwall (Included with (QBN) 255/70R17 all-season, blackwall tires.) (STD)

PAINT

CODE	DESCRIPTION
GAZ	Summit White

SEAT TYPE

CODE	DESCRIPTION
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

SEAT TRIM

CODE	DESCRIPTION
H0U	Jet Black, Cloth seat trim (Requires (A2X) 10-way power driver seat including power lumbar. Not available with (ZW9) pickup bed delete.)

RADIO

CODE	DESCRIPTION
IOR	Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)

OPTION DISCOUNT

CODE	DESCRIPTION
—	Option/package discount (Requires (L3B) TurboMax Engine or (PEB) Pro Value Package or (WBP) Graphite Edition with (L3B) TurboMax engine.) *DISCOUNT*

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 4CYL 2026 (✔ Complete)

ADDITIONAL EQUIPMENT - PACKAGE

CODE	DESCRIPTION
Z82	Trailer Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (Requires (G80) auto-locking rear differential with (L84) 5.3L EcoTec3 V8 engine. Not available with (ZW9) pickup bed delete. Included with (PEB) Pro Value Package.)
ZLQ	Fleet Convenience Package includes (DLF) outside power mirrors (Requires a Fleet or Government Sales order. Not available with (PCI) Convenience Package, (WBP) Graphite Edition or (PEB) Pro Value Package. Available to upgrade to (DPO) outside power-adjustable vertical trailering mirrors. Includes (QT5) Lift power lock and release tailgate when (H0U) Jet Black interior trim is ordered. and is not available with (H0U) Jet Black interior trim.)

ADDITIONAL EQUIPMENT - MECHANICAL

CODE	DESCRIPTION
G80	Auto-locking rear differential (Retail orders required with (L84) 5.3L EcoTec3 V8 engine or included with (X31) X31 Off-Road Package. Fleet or Government orders are included with (X31) X31 Off-Road Package.)
K05	Engine block heater
KW5	Alternator, 220 amps (Standard on (L3B) TurboMax engine. Included with (VYU) Snow Plow Prep Package and available with (L84) 5.3L EcoTec3 V8 engine. Not available as free flow on Regular Cab models with (L84) 5.3L EcoTec3 V8 engine.)

ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION
DLF	Mirrors, outside heated power-adjustable (Included and only available with (PCI) Convenience Package or (ZLQ) Fleet Convenience Package on Crew Cab and Double Cab models. Standard on Regular Cab models.)
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release, includes hitch area light (Retail orders are included and only available with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Fleet or Government orders are included with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Included with (ZLQ) Fleet Convenience Package when (H0U) Jet Black interior trim is ordered.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 4CYL 2026 (Complete)

ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION
A2X	Seat adjuster, driver 10-way power including lumbar (Requires and only available with (H0U) Jet Black interior trim and (PCI) Convenience Package or (ZLQ) Fleet Convenience Package. Requires (KI4) 120-volt power outlet and (KC9) 120-volt bed-mounted power outlet. Not available with (ZW9) pickup bed delete.)
KC9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet) (Included and only available with (KI4) 120-volt AC power outlet. Not available with (ZW9) pickup bed delete.)
KI4	Power outlet, interior power outlet, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Includes (UBI) 2-USB charge ports on Crew Cab and Double Cab models. Requires (PCI) Convenience Package, (PEB) Pro Value Package or (ZLQ) Fleet Convenience Package and (H0U) Jet Black interior trim to be ordered. Not available with (ZW9) pickup bed delete.)
UBI	USB ports, (2) charge-only, rear (Not available on Regular Cab model. Included and only available with (KI4) 120-volt power outlet.)

ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

CODE	DESCRIPTION
CTT	Hitch Guidance (Included and only available with (Z82) Trailering Package.)

Options Total

Price Summary

PRICE SUMMARY

Base Price
Total Options
Vehicle Subtotal
Destination Charge
Grand Total

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 4CYL 2026 (✔ Complete)

Standard Equipment

Package

GMC Pro Safety includes (UEU) Forward Collision Alert, (UE4) Following Distance Indicator, (UKJ) Front Pedestrian Braking, (TQ5) IntelliBeam, (UHX) Lane Keep Assist with Lane Departure Warning, and (UHY) Automatic Emergency Braking (Includes (T8Z) Buckle to Drive.)

Mechanical

- Pickup bed (Deleted when (ZW9) pickup bed delete is ordered on Regular Cab models.)
- Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (Not available with (VYU) Snow Plow Prep Package, (X31) X31 Off-Road Package, (ZW9) pickup bed delete or (KC4) external engine oil cooler. Includes (KW5) 220-amp alternator.) (STD)
- Transmission, 8-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Standard and only available with (L3B) TurboMax engine.) (STD)
- GVWR, 6800 lbs. (3084 kg) (Requires Crew Cab 2WD and (L3B) TurboMax engine. Requires Double Cab 2WD model with (L3B) TurboMax engine or with (L84) 5.3L EcoTec3 V8 engine. Requires Regular Cab 4WD TK10703 with (L3B) TurboMax engine or 2WD TC10903 model with (L3B) TurboMax engine or (L84) 5.3L EcoTec3 V8.)
- Rear axle, 3.42 ratio (Included and only available with (L3B) TurboMax engine.)
- Push Button Start
- Automatic Stop/Start (Not available with (FHS) E85 FlexFuel capability.)
- Suspension Package, Standard
- Rear wheel drive
- Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L3B) TurboMax engine.)
- Frame, fully-boxed, hydroformed front section
- Cargo tie downs (12), fixed
- Steering, Electric Power Steering (EPS) assist, rack-and-pinion
- Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
- Brake lining wear indicator
- Capless Fuel Fill
- Exhaust, single outlet
- Exhaust, aluminized stainless-steel muffler and tailpipe

Exterior

- Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)
- Tires, 255/70R17 all-season, blackwall (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 4CYL 2026 (✔ Complete)

Exterior

- Tire, spare 255/70R17 all-season, blackwall (Included with (QBN) 255/70R17 all-season, blackwall tires.) (STD)
- Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
- Bumper, front chrome lower (Requires (VJH) rear chrome bumper and (E63) pickup bed. Required with (PQA) 1SA Safety Plus Package on 1SA unless ordered with (WBP) Graphite Edition.)
- Bumper, rear chrome with bumper CornerSteps (Requires (V46) front chrome bumper and (E63) pickup bed.)
- CornerStep, rear bumper
- Grille (Chrome header with flat black grille insert bars)
- Headlamps, LED projectors with Fade-on/Fade-off animation, LED turn signals and Daytime Running Lamps
- IntelliBeam, automatic high beam on/off (Included and only available with (PDI) GMC Pro Safety.)
- Taillamps, LED LED signature taillight and Fade-on/Fade-off animation, incandescent stop, turn and reverse light
- Mirrors, outside manual, Black (Not available on Regular Cab models.)
- Glass, solar absorbing, tinted
- Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel
- Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
- Tailgate, gate function manual, no lift assist (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)
- Tailgate and bed rail protection caps, top
- Tailgate, locking utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)
- Door handles, Black grained

Entertainment

- Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)
- Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
- Bluetooth for phone, connectivity to vehicle infotainment system
- Wireless, Apple CarPlay / Wireless Android Auto
- Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)

Interior

- Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 4CYL 2026 (✔ Complete)

Interior

- Seat trim, Vinyl
- Seat adjuster, driver 4-way manual
- Seat adjuster, passenger 4-way manual
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Not available with Regular Cab model.)
- Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
- Steering column, Tilt-Wheel, manual with wheel locking security feature
- Steering wheel, urethane
- Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5" diagonal monochromatic display
- Compass, located in instrument cluster
- Exterior Temperature Display, located in radio display
- Windows, power front, drivers express up/down
- Window, power front, passenger express down
- Windows, power rear, express down (Not available on Regular Cab models.)
- Door locks, power
- Remote Keyless Entry
- Cruise control, steering wheel-mounted
- Steering column lock, electrical
- USB Ports, 2, Charge/Data ports located on instrument panel
- Power outlet, front auxiliary, 12-volt
- Air conditioning, single-zone manual
- Air vents, rear (Not available with Regular Cab model.)
- Mirror, inside rearview, manual tilt
- Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Interior

- Automatic Emergency Braking (Included and only available with (PDI) GMC Pro Safety.)
- Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 4CYL 2026 (✔ Complete)

Safety-Interior

OnStar services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)

OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (Requires (UE1) OnStar. OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)

HD Rear Vision Camera (Not available with (ZW9) pickup bed delete.)

Following Distance Indicator (Included and only available with (PDI) GMC Pro Safety.)

Forward Collision Alert (Included and only available with (PDI) GMC Pro Safety.)

Lane Keep Assist with Lane Departure Warning (Included and only available with (PDI) GMC Pro Safety.)

Seat Belt Adjustable Guide Loops, front row only (Included and only available with Crew Cab or Double Cab models.)

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use (Included and only available with (PDI) GMC Pro Safety.)

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

Rear Seat Reminder (Requires a Crew Cab or Double Cab model.)

Rear Seat Belt Indicator (Requires Crew Cab or Double Cab model.)

Safety-Mechanical

Front Pedestrian Braking (Included and only available with (PDI) GMC Pro Safety.)

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps, LED signature lighting



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 4CYL 2026 (✔ Complete)

WARRANTY

Warranty Note: <<< Preliminary 2026 Warranty >>>
Basic Years: 3
Basic Miles/km: 36,000
Drivetrain Years: 5
Drivetrain Miles/km: 60,000
Drivetrain Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Corrosion Years (Rust-Through): 6
Corrosion Years: 3
Corrosion Miles/km (Rust-Through): 100,000
Corrosion Miles/km: 36,000
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 60,000
Roadside Assistance Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 4CYL 2026 (✔ Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	MFC
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		

Mileage

EPA Fuel Economy Est - Hwy	21 (2025) MPG	Cruising Range - City	432.00 mi
EPA Fuel Economy Est - City	18 (2025) MPG	Fuel Economy Est-Combined	19 (2025) MPG
Cruising Range - Hwy	504.00 mi	Estimated Battery Range	N/A

Engine

Engine Order Code	L3B	Engine Type	Turbocharged Gas I4
Displacement	2.7L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	310 @ 5600	SAE Net Torque @ RPM	430 @ 3000
Engine Oil Cooler	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	220

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 4CYL 2026 (✔ Complete)

Vehicle

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	9.2 (2025)	EPA Greenhouse Gas Score	4 (2025)
--	------------	--------------------------	----------

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3700 lbs
Gross Axle Wt Rating - Rear	3800 lbs	Curb Weight - Front	2683 lbs
Curb Weight - Rear	1913 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	1017.00 lbs
Reserve Axle Capacity - Rear	1887.00 lbs	As Spec'd Curb Weight	4596.00 lbs
As Spec'd Payload	2204.00 lbs	Maximum Payload Capacity	2204.00 lbs
Gross Combined Wt Rating	14500 lbs	Gross Axle Weight Rating	7500.00 lbs
Curb Weight	4596.00 lbs	Reserve Axle Capacity	2904.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	6800.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9100 lbs	Wt Distributing Hitch - Max Tongue Wt.	910 lbs
Fifth Wheel Hitch - Max Trailer Wt.	8800 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2200 lbs
Maximum Trailering Capacity	9500 lbs		

Frame

Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	3700 lbs	Spring Capacity - Rear	3850 lbs
Axle Type - Front	N/A	Axle Type - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 4CYL 2026 (Complete)

Chassis

Suspension

Axle Capacity - Front	3700 lbs	Axle Capacity - Rear	3800 lbs
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QBN	Rear Tire Order Code	QBN
Spare Tire Order Code	QBR	Front Tire Size	255/70R17
Rear Tire Size	255/70R17	Spare Tire Size	255/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.3 ft	Turning Diameter - Wall to Wall	N/A

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	13 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 4CYL 2026 (✔ Complete)

Chassis

Fuel Tank

Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	39.88 in
Second Leg Room	35.24 in	Second Shoulder Room	64.88 in
Second Hip Room	60.24 in		

Exterior Dimensions

Wheelbase	147.44 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	231.94 in
Width, Max w/o mirrors	81.24 in	Height, Overall	75.6 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	7.87 in	Ground Clearance, Rear	7.87 in
Body Length	0.00 ft	Cab to Body	N/A

Cargo Area Dimensions

Cargo Box Length @ Floor	79.44 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.63 in
Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A
Cargo Volume	71.7 ft³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.

Bidder (Vendor)	Contact Person	Contact's Telephone	Item #	23
OCONNOR MOTORS	JOHN MYNAHAN	2075920105		
Estimated Quantity:	UNKNOWN	Class-Spec#:	231	
GENERAL DESCRIPTION	Full Size Pickup, Light Duty, 4 x 2, Extended/Quad Cab, 6'-7' Box, Automatic Transmission, Air Conditioning, Cruise Control, Tilt Steering			
Option Code	SPECIFICATIONS			
X	AIR CONDITIONING			
X	AUXILIARY POWER SOURCE			
G80	AXLE REAR: Traction Lock	Provide Axle Ratio:	3.23	
X	BATTERY: Heavy duty, highest CCA and reserve time available	Provide CCA:	730	
X	BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING			
X	BUMPER, FRONT: OEM			
X	BUMPER, REAR: Step and Tow, OEM			
X	CARGO BOX: 6'-7' Bed, Style Side	Provide Bed Length:	79.44"	
X	CRUISE CONTROL: Factory installed			
X	DOORS: Four			
K05	ENGINE BLOCK HEATER, factory installed if available			
	ENGINE: Gasoline	Turbo-Yes or No:	NO	
	Provide Number of Cylinders:	8	Provide Horse Power:	355
	Provide Number of Liters:	5.3	Provide Foot Pounds of Torque:	383
X	FLOOR: Rubber, If Available, factory installed			
X	FUEL CAPACITY:	Provide Fuel Capacity:	24G	
X	GLASS: Tinted			
X	GVWR: Minimum 6700 lbs.	Provide GVWR:	6800	
		Provide COMBINED GVWR:	15000	
A2X	LUMBAR ADJUSTMENT: Driver Seat FORCES FLEET CONV. PACKAGE AND POWER SEAT			
X	MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night			
X	PAYLOAD:	Provide Payload:	2204	
X	POWER LOCKS & WINDOWS			
X	RADIO: AM/FM, with Clock, factory installed			
X	SEAT, REAR: Cloth, Full Width Bench, Fold Down			
X	SEATS, FRONT: Cloth, Split Bench 60/40 or 40/20/40 with flip down console			
X	STABILIZER BAR: Front			
	STEERING: Power with Tilt Wheel			
X	TIRE, SPARE: Full Size, Mounted Under Vehicle, OEM			
NA	TIRES: Minimum P245/70R17, (must have availability of replacement studable snow tires)	Provide Size and Load Range:	P25570R17	
	CANNOT GAURANTEE STUDED SNOW TIRE MATCH			
Z82	TOWING PACKAGE: Factory installed to include drop receiver hitch & 7 pin wiring harness	Provide Towing Capacity:	9500	
X	TRANSMISSION: Automatic	Provide Number of Transmission Speeds:	8	
X	WHEEL BASE: Minimum 143.5"	Provide Wheel Base:	147	
Vehicle Description				
Year	Make	Model		
2026	GMC	TC10753 V8		



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 V8 2026





O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 V8 2026 (✔ Complete)

Selected Model and Options

MODEL	
CODE	MODEL
TC10753	2026 GMC Sierra 1500 2WD Double Cab 147" Pro
COLORS	
CODE	DESCRIPTION
GAZ	Summit White
EMISSIONS	
CODE	DESCRIPTION
NE1	Emissions, Colorado, Connecticut, Delaware, Maine, Maryland, Massachusetts, Minnesota, Nevada, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements
ENGINE	
CODE	DESCRIPTION
L84	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm); featuring Dynamic Fuel Management (Includes (KW7) 170-amp alternator and (MHT) 10-speed automatic transmission. Not available with T*10703 models. Retail orders require (G80) autolocking rear differential.)
TRANSMISSION	
CODE	DESCRIPTION
MHT	Transmission, 10-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)
AXLE	
CODE	DESCRIPTION
GU5	Rear axle, 3.23 ratio (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)
PREFERRED EQUIPMENT GROUP	
CODE	DESCRIPTION
1SA	Pro Preferred Equipment Group includes standard equipment
WHEELS	
CODE	DESCRIPTION
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 V8 2026 (✔ Complete)

TIRES

CODE	DESCRIPTION
QBN	Tires, 255/70R17 all-season, blackwall (STD)

SPARE TIRE

CODE	DESCRIPTION
QBR	Tire, spare 255/70R17 all-season, blackwall (Included with (QBN) 255/70R17 all-season, blackwall tires.) (STD)

PAINT

CODE	DESCRIPTION
GAZ	Summit White

SEAT TYPE

CODE	DESCRIPTION
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

SEAT TRIM

CODE	DESCRIPTION
H0U	Jet Black, Cloth seat trim (Requires (A2X) 10-way power driver seat including power lumbar. Not available with (ZW9) pickup bed delete.)

RADIO

CODE	DESCRIPTION
IOR	Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)

ADDITIONAL EQUIPMENT - PACKAGE

CODE	DESCRIPTION
Z82	Trailer Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (Requires (G80) auto-locking rear differential with (L84) 5.3L EcoTec3 V8 engine. Not available with (ZW9) pickup bed delete. Included with (PEB) Pro Value Package.)
ZLQ	Fleet Convenience Package includes (DLF) outside power mirrors (Requires a Fleet or Government Sales order. Not available with (PCI) Convenience Package, (WBP) Graphite Edition or (PEB) Pro Value Package. Available to upgrade to (DPO) outside power-adjustable vertical trailering mirrors. Includes (QT5) Lift power lock and release tailgate when (H0U) Jet Black interior trim is ordered. and is not available with (H0U) Jet Black interior trim.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 V8 2026 (Complete)

ADDITIONAL EQUIPMENT - MECHANICAL

CODE	DESCRIPTION
G80	Auto-locking rear differential (Retail orders required with (L84) 5.3L EcoTec3 V8 engine or included with (X31) X31 Off-Road Package. Fleet or Government orders are included with (X31) X31 Off-Road Package.)
K05	Engine block heater
KC4	Cooling, external engine oil cooler (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)
KNP	Cooling, auxiliary external transmission oil cooler (Included and only available with V8 engines.)
KW7	Alternator, 170 amps (Included and only available with (L84) 5.3L EcoTec3 V8 engine. Not available with (VYU) Snow Plow Prep Package or (L3B) TurboMax engine.)

ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION
DLF	Mirrors, outside heated power-adjustable (Included and only available with (PCI) Convenience Package or (ZLQ) Fleet Convenience Package on Crew Cab and Double Cab models. Standard on Regular Cab models.)
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release, includes hitch area light (Retail orders are included and only available with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Fleet or Government orders are included with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Included with (ZLQ) Fleet Convenience Package when (H0U) Jet Black interior trim is ordered.)

ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION
A2X	Seat adjuster, driver 10-way power including lumbar (Requires and only available with (H0U) Jet Black interior trim and (PCI) Convenience Package or (ZLQ) Fleet Convenience Package. Requires (KI4) 120-volt power outlet and (KC9) 120-volt bed-mounted power outlet. Not available with (ZW9) pickup bed delete.)
KC9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet) (Included and only available with (KI4) 120-volt AC power outlet. Not available with (ZW9) pickup bed delete.)
KI4	Power outlet, interior power outlet, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Includes (UBI) 2-USB charge ports on Crew Cab and Double Cab models. Requires (PCI) Convenience Package, (PEB) Pro Value Package or (ZLQ) Fleet Convenience Package and (H0U) Jet Black interior trim to be ordered. Not available with (ZW9) pickup bed delete.)
UBI	USB ports, (2) charge-only, rear (Not available on Regular Cab model. Included and only available with (KI4) 120-volt power outlet.)

ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

CODE	DESCRIPTION
CTT	Hitch Guidance (Included and only available with (Z82) Trailering Package.)

Options Total

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 V8 2026 (✔ Complete)

Standard Equipment

Package

GMC Pro Safety includes (UEU) Forward Collision Alert, (UE4) Following Distance Indicator, (UKJ) Front Pedestrian Braking, (TQ5) IntelliBeam, (UHX) Lane Keep Assist with Lane Departure Warning, and (UHY) Automatic Emergency Braking (Includes (T8Z) Buckle to Drive.)

Mechanical

- Pickup bed (Deleted when (ZW9) pickup bed delete is ordered on Regular Cab models.)
- Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (Not available with (VYU) Snow Plow Prep Package, (X31) X31 Off-Road Package, (ZW9) pickup bed delete or (KC4) external engine oil cooler. Includes (KW5) 220-amp alternator.) (STD)
- Transmission, 8-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Standard and only available with (L3B) TurboMax engine.) (STD)
- GVWR, 6800 lbs. (3084 kg) (Requires Crew Cab 2WD and (L3B) TurboMax engine. Requires Double Cab 2WD model with (L3B) TurboMax engine or with (L84) 5.3L EcoTec3 V8 engine. Requires Regular Cab 4WD TK10703 with (L3B) TurboMax engine or 2WD TC10903 model with (L3B) TurboMax engine or (L84) 5.3L EcoTec3 V8.)
- Rear axle, 3.42 ratio (Included and only available with (L3B) TurboMax engine.)
- Push Button Start
- Automatic Stop/Start (Not available with (FHS) E85 FlexFuel capability.)
- Suspension Package, Standard
- Rear wheel drive
- Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L3B) TurboMax engine.)
- Frame, fully-boxed, hydroformed front section
- Cargo tie downs (12), fixed
- Steering, Electric Power Steering (EPS) assist, rack-and-pinion
- Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
- Brake lining wear indicator
- Capless Fuel Fill
- Exhaust, single outlet
- Exhaust, aluminized stainless-steel muffler and tailpipe

Exterior

- Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)
- Tires, 255/70R17 all-season, blackwall (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 V8 2026 (✔ Complete)

Exterior

- Tire, spare 255/70R17 all-season, blackwall (Included with (QBN) 255/70R17 all-season, blackwall tires.) (STD)
- Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
- Bumper, front chrome lower (Requires (VJH) rear chrome bumper and (E63) pickup bed. Required with (PQA) 1SA Safety Plus Package on 1SA unless ordered with (WBP) Graphite Edition.)
- Bumper, rear chrome with bumper CornerSteps (Requires (V46) front chrome bumper and (E63) pickup bed.)
- CornerStep, rear bumper
- Grille (Chrome header with flat black grille insert bars)
- Headlamps, LED projectors with Fade-on/Fade-off animation, LED turn signals and Daytime Running Lamps
- IntelliBeam, automatic high beam on/off (Included and only available with (PDI) GMC Pro Safety.)
- Taillamps, LED LED signature taillight and Fade-on/Fade-off animation, incandescent stop, turn and reverse light
- Mirrors, outside manual, Black (Not available on Regular Cab models.)
- Glass, solar absorbing, tinted
- Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel
- Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
- Tailgate, gate function manual, no lift assist (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)
- Tailgate and bed rail protection caps, top
- Tailgate, locking utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)
- Door handles, Black grained

Entertainment

- Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)
- Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
- Bluetooth for phone, connectivity to vehicle infotainment system
- Wireless, Apple CarPlay / Wireless Android Auto
- Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)

Interior

- Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 V8 2026 (✔ Complete)

Interior

- Seat trim, Vinyl
- Seat adjuster, driver 4-way manual
- Seat adjuster, passenger 4-way manual
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Not available with Regular Cab model.)
- Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
- Steering column, Tilt-Wheel, manual with wheel locking security feature
- Steering wheel, urethane
- Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5" diagonal monochromatic display
- Compass, located in instrument cluster
- Exterior Temperature Display, located in radio display
- Windows, power front, drivers express up/down
- Window, power front, passenger express down
- Windows, power rear, express down (Not available on Regular Cab models.)
- Door locks, power
- Remote Keyless Entry
- Cruise control, steering wheel-mounted
- Steering column lock, electrical
- USB Ports, 2, Charge/Data ports located on instrument panel
- Power outlet, front auxiliary, 12-volt
- Air conditioning, single-zone manual
- Air vents, rear (Not available with Regular Cab model.)
- Mirror, inside rearview, manual tilt
- Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Interior

- Automatic Emergency Braking (Included and only available with (PDI) GMC Pro Safety.)
- Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 V8 2026 (✔ Complete)

Safety-Interior

OnStar services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)

OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (Requires (UE1) OnStar. OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)

HD Rear Vision Camera (Not available with (ZW9) pickup bed delete.)

Following Distance Indicator (Included and only available with (PDI) GMC Pro Safety.)

Forward Collision Alert (Included and only available with (PDI) GMC Pro Safety.)

Lane Keep Assist with Lane Departure Warning (Included and only available with (PDI) GMC Pro Safety.)

Seat Belt Adjustable Guide Loops, front row only (Included and only available with Crew Cab or Double Cab models.)

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use (Included and only available with (PDI) GMC Pro Safety.)

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

Rear Seat Reminder (Requires a Crew Cab or Double Cab model.)

Rear Seat Belt Indicator (Requires Crew Cab or Double Cab model.)

Safety-Mechanical

Front Pedestrian Braking (Included and only available with (PDI) GMC Pro Safety.)

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps, LED signature lighting



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 V8 2026 (Complete)

WARRANTY

Warranty Note: <<< Preliminary 2026 Warranty >>>
Basic Years: 3
Basic Miles/km: 36,000
Drivetrain Years: 5
Drivetrain Miles/km: 60,000
Drivetrain Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Corrosion Years (Rust-Through): 6
Corrosion Years: 3
Corrosion Miles/km (Rust-Through): 100,000
Corrosion Miles/km: 36,000
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 60,000
Roadside Assistance Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 V8 2026 (✔ Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	MHT
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.70
Second Gear Ratio (:1)	2.99	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.77	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.87
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.64		

Mileage

EPA Fuel Economy Est - Hwy	20 (2025) MPG	Cruising Range - City	384.00 mi
EPA Fuel Economy Est - City	16 (2025) MPG	Fuel Economy Est-Combined	17 (2025) MPG
Cruising Range - Hwy	480.00 mi	Estimated Battery Range	N/A

Engine

Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	Yes		

Electrical

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 V8 2026 (Complete)

Vehicle

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	8.4 (2025)	EPA Greenhouse Gas Score	3 (2025)
--	------------	--------------------------	----------

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3700 lbs
Gross Axle Wt Rating - Rear	3800 lbs	Curb Weight - Front	2683 lbs
Curb Weight - Rear	1913 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	1017.00 lbs
Reserve Axle Capacity - Rear	1887.00 lbs	As Spec'd Curb Weight	4596.00 lbs
As Spec'd Payload	2204.00 lbs	Maximum Payload Capacity	2204.00 lbs
Gross Combined Wt Rating	15000 lbs	Gross Axle Weight Rating	7500.00 lbs
Curb Weight	4596.00 lbs	Reserve Axle Capacity	2904.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	6800.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9500 lbs	Wt Distributing Hitch - Max Tongue Wt.	950 lbs
Fifth Wheel Hitch - Max Trailer Wt.	8400 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2100 lbs
Maximum Trailering Capacity	9500 lbs		

Frame

Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	3700 lbs	Spring Capacity - Rear	3850 lbs
Axle Type - Front	N/A	Axle Type - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 V8 2026 (Complete)

Chassis

Suspension

Axle Capacity - Front	3700 lbs	Axle Capacity - Rear	3800 lbs
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QBN	Rear Tire Order Code	QBN
Spare Tire Order Code	QBR	Front Tire Size	255/70R17
Rear Tire Size	255/70R17	Spare Tire Size	255/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.3 ft	Turning Diameter - Wall to Wall	N/A

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	13 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 23-231 V8 2026 (Complete)

Chassis

Fuel Tank

Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	39.88 in
Second Leg Room	35.24 in	Second Shoulder Room	64.88 in
Second Hip Room	60.24 in		

Exterior Dimensions

Wheelbase	147.44 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	231.94 in
Width, Max w/o mirrors	81.24 in	Height, Overall	75.6 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	7.87 in	Ground Clearance, Rear	7.87 in
Body Length	0.00 ft	Cab to Body	N/A

Cargo Area Dimensions

Cargo Box Length @ Floor	79.44 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.63 in
Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A
Cargo Volume	71.7 ft³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.

Bidder (Vendor)	Contact Person	Contact's Telephone	Item #	25
OCONNOR MOTORS	JOHN MYNAHAN	2075920105		
Estimated Quantity:	UNKNOWN	Class-Spec#:	240	
GENERAL DESCRIPTION	Full Size Pickup, Light Duty, 4 x 4, Standard Cab, 8' Box, Automatic Transmission, Air Conditioning, Cruise Control, Tilt Steering			
Option Code	SPECIFICATIONS			
X	AIR CONDITIONING			
X	AUXILIARY POWER SOURCE			
X	AXLE REAR: Traction Lock	Provide Axle Ratio:	3.42	
X	BATTERY: Heavy duty, highest CCA and reserve time available	Provide CCA:	730	
X	BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING			
X	BUMPER, FRONT: factory installed			
X	BUMPER, REAR: Step and Tow, factory installed			
X	CARGO BOX: 8' Bed, Style Side			
X	CRUISE CONTROL: Factory installed			
K05	ENGINE BLOCK HEATER, factory installed if available			
X	ENGINE COOLER: Heavy Duty, factory installed			
X	ENGINE: Gasoline	Turbo-Yes or No:	YES	
	Provide Number of Cylinders:	4	Provide Horse Power:	310
	Provide Number of Liters:	2.7	Provide Foot Pounds of Torque:	430
X	FLOOR: Rubber, If Available, factory installed			
X	FUEL CAPACITY:	Provide Fuel Capacity:	28	
X	GLASS: Tinted			
X	GVWR: 6700-7300 lbs.	Provide GVWR:	6900	
		Provide COMBINED GVWR:	14500	
A2X	LUMBAR ADJUSTMENT: Driver's Seat FORCES POWER SEAT AND FLEET CONV. GROUP			
X	MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night			
X	PAYLOAD:	Provide Payload:	2299	
X	POWER LOCKS & WINDOWS			
X	RADIO: AM/FM, with Clock, factory installed			
X	SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console			
NZZ	SKID PLATES: factory installed if available			
X	STABILIZER BARS: Front			
X	STEERING: Power with Tilt Wheel			
X	TIRE, SPARE: Full Size, Mounted Under Vehicle, OEM			
RC5	TIRES: Minimum LT, Load Range C or D if available from factory, All Terrain/On-Off Road	Provide Size and Load Range:	LT26570R17C	
X	TOW HOOKS: front, factory installed			
Z82	TOWING PACKAGE: Factory installed to include drop receiver hitch & 7 pin wiring harness	Provide Towing Capacity:	9200	
X	TRANSMISSION: Automatic	Provide Number of Transmission Speeds:	8	
X	TRANSMISSION COOLER: Auxiliary or external factory installed			
X	WHEEL BASE: 133" - 145"	Provide Wheel Base:	140	
Vehicle Description				
Year	Make	Model		
2026	GMC	TK10903 4CYL		



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 4CYL 2026





O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 4CYL 2026 (✔ Complete)

Selected Model and Options

MODEL	
CODE	MODEL
TK10903	2026 GMC Sierra 1500 4WD Reg Cab 140" Pro
COLORS	
CODE	DESCRIPTION
GAZ	Summit White
BODY CODE	
CODE	DESCRIPTION
E63	Pickup bed (STD)
EMISSIONS	
CODE	DESCRIPTION
NE1	Emissions, Colorado, Connecticut, Delaware, Maine, Maryland, Massachusetts, Minnesota, Nevada, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements
ENGINE	
CODE	DESCRIPTION
L3B	Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (Not available with (VYU) Snow Plow Prep Package, (X31) X31 Off-Road Package, (ZW9) pickup bed delete or (KC4) external engine oil cooler.) (STD) *GROSS*
TRANSMISSION	
CODE	DESCRIPTION
MFC	Transmission, 8-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Standard and only available with (L3B) TurboMax engine.) (STD)
AXLE	
CODE	DESCRIPTION
GU6	Rear axle, 3.42 ratio (Included and only available with (L3B) TurboMax engine.)
PREFERRED EQUIPMENT GROUP	
CODE	DESCRIPTION
1SA	Pro Preferred Equipment Group includes standard equipment

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 4CYL 2026 (✔ Complete)

WHEELS

CODE	DESCRIPTION
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)

TIRES

CODE	DESCRIPTION
RC5	Tires, LT265/70R17C all-terrain, blackwall

SPARE TIRE

CODE	DESCRIPTION
RHM	Tire, spare LT265/70R17 all-terrain, blackwall (Included with (RC5) LT265/70R17C all-terrain, blackwall tires. Available with (ZW9) pickup bed delete.)

PAINT

CODE	DESCRIPTION
GAZ	Summit White

SEAT TYPE

CODE	DESCRIPTION
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

SEAT TRIM

CODE	DESCRIPTION
H0U	Jet Black, Cloth seat trim (Requires (A2X) 10-way power driver seat including power lumbar. Not available with (ZW9) pickup bed delete.)

RADIO

CODE	DESCRIPTION
IOR	Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)

OPTION DISCOUNT

CODE	DESCRIPTION
—	Option/package discount (Requires (L3B) TurboMax Engine or (PEB) Pro Value Package.) *DISCOUNT*

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 4CYL 2026 (✔ Complete)

ADDITIONAL EQUIPMENT - PACKAGE

CODE	DESCRIPTION
Z82	Trailer Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (Requires (G80) auto-locking rear differential with (L84) 5.3L EcoTec3 V8 engine. Not available with (ZW9) pickup bed delete. Included with (PEB) Pro Value Package.)
ZLQ	Fleet Convenience Package (Requires a Fleet or Government Sales order. Not available with (PCI) Convenience Package, (WBP) Graphite Edition or (PEB) Pro Value Package. Available to upgrade to (DPO) outside power-adjustable vertical trailering mirrors. Includes (QT5) Lift power lock and release tailgate when (H0U) Jet Black interior trim is ordered. and is not available with (H0U) Jet Black interior trim.)

ADDITIONAL EQUIPMENT - MECHANICAL

CODE	DESCRIPTION
G80	Auto-locking rear differential (Retail orders required with (L84) 5.3L EcoTec3 V8 engine or included with (X31) X31 Off-Road Package. Fleet or Government orders are included with (X31) X31 Off-Road Package.)
K05	Engine block heater
NZZ	Skid Plates (Retail orders are included and only available with (X31) X31 Off-Road Package or (VYU) Snow Plow Prep Package. Fleet or Government orders are included with (BAQ) Enhanced Capability Package, (X31) X31 Off-Road Package or (VYU) Snow Plow Prep Package. Not available on Double Cab models when ordered with (Z60) High Capacity Suspension Package or 20 " tires and wheels)

ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release, includes hitch area light (Retail orders are included and only available with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Fleet or Government orders are included with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Included with (ZLQ) Fleet Convenience Package when (H0U) Jet Black interior trim is ordered.)

ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION
A2X	Seat adjuster, driver 10-way power including lumbar (Requires and only available with (H0U) Jet Black interior trim and (PCI) Convenience Package or (ZLQ) Fleet Convenience Package. Requires (KI4) 120-volt power outlet and (KC9) 120-volt bed-mounted power outlet. Not available with (ZW9) pickup bed delete.)
KC9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet) (Included and only available with (KI4) 120-volt AC power outlet. Not available with (ZW9) pickup bed delete.)
KI4	Power outlet, interior power outlet, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Requires (PCI) Convenience Package, (PEB) Pro Value Package or (ZLQ) Fleet Convenience Package and (H0U) Jet Black interior trim to be ordered. Not available with (ZW9) pickup bed delete.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 4CYL 2026 (✔ Complete)

ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

CODE	DESCRIPTION
CTT	Hitch Guidance (Included and only available with (Z82) Trailering Package.)
Options Total	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 4CYL 2026 (✔ Complete)

Standard Equipment

Package	GMC Pro Safety includes (UEU) Forward Collision Alert, (UE4) Following Distance Indicator, (UKJ) Front Pedestrian Braking, (TQ5) IntelliBeam, (UHX) Lane Keep Assist with Lane Departure Warning, and (UHY) Automatic Emergency Braking (Includes (T8Z) Buckle to Drive.)
Mechanical	Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (Not available with (VYU) Snow Plow Prep Package, (X31) X31 Off-Road Package, (ZW9) pickup bed delete or (KC4) external engine oil cooler.) (STD)
	Transmission, 8-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Standard and only available with (L3B) TurboMax engine.) (STD)
	Pickup bed (Deleted when (ZW9) pickup bed delete is ordered on Regular Cab models.) (STD)
	GVWR, 6900 lbs. (3130 kg) (Regular Cab Long Bed model requires 4WD. Crew Cab 2WD models require (L84) 5.3L EcoTec3 V8 engine.)
	Rear axle, 3.42 ratio (Included and only available with (L3B) TurboMax engine.)
	Push Button Start
	Automatic Stop/Start (Not available with (FHS) E85 FlexFuel capability.)
	Transfer case, single speed, electronic Autotrac with push button control (4WD models only)
	Suspension Package, Standard
	Four wheel drive
	Alternator, 220 amps (Standard on (L3B) TurboMax engine. Included with (VYU) Snow Plow Prep Package and available with (L84) 5.3L EcoTec3 V8 engine. Not available as free flow on Regular Cab models with (L84) 5.3L EcoTec3 V8 engine.)
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L3B) TurboMax engine.)
	Frame, fully-boxed, hydroformed front section
	Recovery hooks, front, frame-mounted, Black (Included with 4WD models or included and only available on 2WD models with (PQA) 1SA Safety Plus Package or (WBP) Graphite Edition. Available on 2WD models with Fleet or Government Order types as a free flow option or Retail order types as a SEO option.)
	Cargo tie downs (12), fixed
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 4CYL 2026 (✔ Complete)

Mechanical

Exhaust, aluminized stainless-steel muffler and tailpipe

Exterior

Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)

Tires, 255/70R17 all-season, blackwall (STD)

Tire, spare 255/70R17 all-season, blackwall (Included with (QBN) 255/70R17 all-season, blackwall tires.) (STD)

Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare

Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)

Bumper, front chrome lower (Requires (VJH) rear chrome bumper and (E63) pickup bed. Required with (PQA) 1SA Safety Plus Package on 1SA unless ordered with (WBP) Graphite Edition.)

Bumper, rear chrome with bumper CornerSteps (Requires (V46) front chrome bumper and (E63) pickup bed.)

CornerStep, rear bumper

Grille (Chrome header with flat black grille insert bars)

Headlamps, LED projectors with Fade-on/Fade-off animation, LED turn signals and Daytime Running Lamps

IntelliBeam, automatic high beam on/off (Included and only available with (PDI) GMC Pro Safety.)

Taillamps, LED LED signature taillight and Fade-on/Fade-off animation, incandescent stop, turn and reverse light

Mirrors, outside heated power-adjustable (Included and only available with (PCI) Convenience Package or (ZLQ) Fleet Convenience Package on Crew Cab and Double Cab models. Standard on Regular Cab models.)

Glass, solar absorbing, tinted

Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel

Tailgate, standard (Deleted with (ZW9) pickup bed delete.)

Tailgate, gate function manual, no lift assist (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)

Tailgate and bed rail protection caps, top

Tailgate, locking utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)

Door handles, Black grained

Entertainment

Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)

Audio system feature, 2-speakers in front doors (Requires Regular Cab model.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 4CYL 2026 (✔ Complete)

Entertainment

- Bluetooth for phone, connectivity to vehicle infotainment system
- Wireless, Apple CarPlay / Wireless Android Auto
- Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)

Interior

- Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
- Seat trim, Vinyl
- Seat adjuster, driver 4-way manual
- Seat adjuster, passenger 4-way manual
- Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
- Steering column, Tilt-Wheel, manual with wheel locking security feature
- Steering wheel, urethane
- Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5" diagonal monochromatic display
- Compass, located in instrument cluster
- Exterior Temperature Display, located in radio display
- Windows, power front, drivers express up/down
- Window, power front, passenger express down
- Door locks, power
- Remote Keyless Entry
- Cruise control, steering wheel-mounted
- Steering column lock, electrical
- USB Ports, 2, Charge/Data ports located on instrument panel
- Power outlet, front auxiliary, 12-volt
- Air conditioning, single-zone manual
- Mirror, inside rearview, manual tilt
- Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Interior

- Automatic Emergency Braking (Included and only available with (PDI) GMC Pro Safety.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 4CYL 2026 (✔ Complete)

Safety-Interior

- Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)
- OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (Requires (UE1) OnStar. OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)
- HD Rear Vision Camera (Not available with (ZW9) pickup bed delete.)
- Following Distance Indicator (Included and only available with (PDI) GMC Pro Safety.)
- Forward Collision Alert (Included and only available with (PDI) GMC Pro Safety.)
- Lane Keep Assist with Lane Departure Warning (Included and only available with (PDI) GMC Pro Safety.)
- Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use (Included and only available with (PDI) GMC Pro Safety.)
- Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

Safety-Mechanical

- Front Pedestrian Braking (Included and only available with (PDI) GMC Pro Safety.)
- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

- Daytime Running Lamps, LED signature lighting

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 4CYL 2026 (✔ Complete)

WARRANTY

Warranty Note: <<< Preliminary 2026 Warranty >>>
Basic Years: 3
Basic Miles/km: 36,000
Drivetrain Years: 5
Drivetrain Miles/km: 60,000
Drivetrain Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Corrosion Years (Rust-Through): 6
Corrosion Years: 3
Corrosion Miles/km (Rust-Through): 100,000
Corrosion Miles/km: 36,000
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 60,000
Roadside Assistance Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 4CYL 2026 (✔ Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MFC
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		

Mileage

EPA Fuel Economy Est - Hwy	19 (2025) MPG	Cruising Range - City	476.00 mi
EPA Fuel Economy Est - City	17 (2025) MPG	Fuel Economy Est-Combined	18 (2025) MPG
Cruising Range - Hwy	532.00 mi	Estimated Battery Range	N/A

Engine

Engine Order Code	L3B	Engine Type	Turbocharged Gas I4
Displacement	2.7L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	310 @ 5600	SAE Net Torque @ RPM	430 @ 3000
Engine Oil Cooler	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	220

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 4CYL 2026 (Complete)

Vehicle

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	8.2 (2025)	EPA Greenhouse Gas Score	4 (2025)
--	------------	--------------------------	----------

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3800 lbs
Gross Axle Wt Rating - Rear	3800 lbs	Curb Weight - Front	2760 lbs
Curb Weight - Rear	1841 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	1040.00 lbs
Reserve Axle Capacity - Rear	1959.00 lbs	As Spec'd Curb Weight	4601.00 lbs
As Spec'd Payload	2299.00 lbs	Maximum Payload Capacity	2299.00 lbs
Gross Combined Wt Rating	14500 lbs	Gross Axle Weight Rating	7600.00 lbs
Curb Weight	4601.00 lbs	Reserve Axle Capacity	2999.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	6900.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9200 lbs	Wt Distributing Hitch - Max Tongue Wt.	920 lbs
Fifth Wheel Hitch - Max Trailer Wt.	9100 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2275 lbs
Maximum Trailering Capacity	9600 lbs		

Frame

Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	3800 lbs	Spring Capacity - Rear	3850 lbs
Axle Type - Front	N/A	Axle Type - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 4CYL 2026 (Complete)

Chassis

Suspension

Axle Capacity - Front	3800 lbs	Axle Capacity - Rear	3800 lbs
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	RC5	Rear Tire Order Code	RC5
Spare Tire Order Code	RHM	Front Tire Size	LT265/70R17C
Rear Tire Size	LT265/70R17C	Spare Tire Size	LT265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	44 ft	Turning Diameter - Wall to Wall	N/A

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	13 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 4CYL 2026 (Complete)

Chassis

Fuel Tank

Fuel Tank Capacity, Approx	28 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	3	Front Head Room	43.11 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	60.9 in	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		

Exterior Dimensions

Wheelbase	139.56 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	229.73 in
Width, Max w/o mirrors	81.15 in	Height, Overall	75.6 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	8.1 in	Ground Clearance, Rear	8.1 in
Body Length	0.00 ft	Cab to Body	N/A

Cargo Area Dimensions

Cargo Box Length @ Floor	98.2 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.62 in
Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A
Cargo Volume	89.1 ft³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.

Bidder (Vendor)	Contact Person	Contact's Telephone	Item #	25
OCONNOR MOTORS	JOHN MYNAHAN	2075920105		
Estimated Quantity:	UNKNOWN	Class-Spec#:	240	
GENERAL DESCRIPTION	Full Size Pickup, Light Duty, 4 x 4, Standard Cab, 8' Box, Automatic Transmission, Air Conditioning, Cruise Control, Tilt Steering			
Option Code	SPECIFICATIONS			
X	AIR CONDITIONING			
X	AUXILIARY POWER SOURCE			
X	AXLE REAR: Traction Lock	Provide Axle Ratio:	3.23	
X	BATTERY: Heavy duty, highest CCA and reserve time available	Provide CCA:		
X	BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING			
X	BUMPER, FRONT: factory installed			
X	BUMPER, REAR: Step and Tow, factory installed			
X	CARGO BOX: 8' Bed, Style Side			
X	CRUISE CONTROL: Factory installed			
K05	ENGINE BLOCK HEATER, factory installed if available			
X	ENGINE COOLER: Heavy Duty, factory installed			
X	ENGINE: Gasoline	Turbo-Yes or No:	NO	
	Provide Number of Cylinders:	8	Provide Horse Power:	355
	Provide Number of Liters:	5.3	Provide Foot Pounds of Torque:	383
X	FLOOR: Rubber, If Available, factory installed			
X	FUEL CAPACITY:	Provide Fuel Capacity:	28	
X	GLASS: Tinted			
X	GVWR: 6700-7300 lbs.	Provide GVWR:	6900	
		Provide COMBINED GVWR:	15000	
A2X	LUMBAR ADJUSTMENT: Driver's Seat FORCES POWER SEAT AND FLEET CONV. GROUP			
X	MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night			
X	PAYLOAD:	Provide Payload:	2299	
X	POWER LOCKS & WINDOWS			
X	RADIO: AM/FM, with Clock, factory installed			
X	SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console			
NZZ	SKID PLATES: factory installed if available			
X	STABILIZER BARS: Front			
X	STEERING: Power with Tilt Wheel			
X	TIRE, SPARE: Full Size, Mounted Under Vehicle, OEM			
RC5	TIRES: Minimum LT, Load Range C or D if available from factory, All Terrain/On-Off Road	Provide Size and Load Range:	LT26570R17C	
X	TOW HOOKS: front, factory installed			
Z82	TOWING PACKAGE: Factory installed to include drop receiver hitch & 7 pin wiring harness	Provide Towing Capacity:	9600	
X	TRANSMISSION: Automatic	Provide Number of Transmission Speeds:	10	
X	TRANSMISSION COOLER: Auxiliary or external factory installed			
X	WHEEL BASE: 133" - 145"	Provide Wheel Base:	140	
Vehicle Description				
Year	Make	Model		
2026	GMC	TK10903 V8		



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 V8 2026





O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 V8 2026 (✔ Complete)

Selected Model and Options

MODEL

CODE	MODEL
TK10903	2026 GMC Sierra 1500 4WD Reg Cab 140" Pro

COLORS

CODE	DESCRIPTION
GAZ	Summit White

BODY CODE

CODE	DESCRIPTION
E63	Pickup bed (STD)

EMISSIONS

CODE	DESCRIPTION
NE1	Emissions, Colorado, Connecticut, Delaware, Maine, Maryland, Massachusetts, Minnesota, Nevada, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements

ENGINE

CODE	DESCRIPTION
L84	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm); featuring Dynamic Fuel Management (Includes (KW7) 170-amp alternator and (MHT) 10-speed automatic transmission. Not available with T*10703 models. Retail orders require (G80) autolocking rear differential.)

TRANSMISSION

CODE	DESCRIPTION
MHT	Transmission, 10-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)

AXLE

CODE	DESCRIPTION
GU5	Rear axle, 3.23 ratio (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)

PREFERRED EQUIPMENT GROUP

CODE	DESCRIPTION
1SA	Pro Preferred Equipment Group includes standard equipment

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 V8 2026 (Complete)

WHEELS

CODE	DESCRIPTION
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)

TIRES

CODE	DESCRIPTION
RC5	Tires, LT265/70R17C all-terrain, blackwall

SPARE TIRE

CODE	DESCRIPTION
RHM	Tire, spare LT265/70R17 all-terrain, blackwall (Included with (RC5) LT265/70R17C all-terrain, blackwall tires. Available with (ZW9) pickup bed delete.)

PAINT

CODE	DESCRIPTION
GAZ	Summit White

SEAT TYPE

CODE	DESCRIPTION
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

SEAT TRIM

CODE	DESCRIPTION
H0U	Jet Black, Cloth seat trim (Requires (A2X) 10-way power driver seat including power lumbar. Not available with (ZW9) pickup bed delete.)

RADIO

CODE	DESCRIPTION
IOR	Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 V8 2026 (✔ Complete)

ADDITIONAL EQUIPMENT - PACKAGE

CODE	DESCRIPTION
Z82	Trailer Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (Requires (G80) auto-locking rear differential with (L84) 5.3L EcoTec3 V8 engine. Not available with (ZW9) pickup bed delete. Included with (PEB) Pro Value Package.)
ZLQ	Fleet Convenience Package (Requires a Fleet or Government Sales order. Not available with (PCI) Convenience Package, (WBP) Graphite Edition or (PEB) Pro Value Package. Available to upgrade to (DPO) outside power-adjustable vertical trailering mirrors. Includes (QT5) Lift power lock and release tailgate when (H0U) Jet Black interior trim is ordered. and is not available with (H0U) Jet Black interior trim.)

ADDITIONAL EQUIPMENT - MECHANICAL

CODE	DESCRIPTION
G80	Auto-locking rear differential (Retail orders required with (L84) 5.3L EcoTec3 V8 engine or included with (X31) X31 Off-Road Package. Fleet or Government orders are included with (X31) X31 Off-Road Package.)
K05	Engine block heater
KC4	Cooling, external engine oil cooler (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)
KNP	Cooling, auxiliary external transmission oil cooler (Included and only available with V8 engines.)
KW7	Alternator, 170 amps (Included and only available with (L84) 5.3L EcoTec3 V8 engine. Not available with (VYU) Snow Plow Prep Package or (L3B) TurboMax engine.)
NZZ	Skid Plates (Retail orders are included and only available with (X31) X31 Off-Road Package or (VYU) Snow Plow Prep Package. Fleet or Government orders are included with (BAQ) Enhanced Capability Package, (X31) X31 Off-Road Package or (VYU) Snow Plow Prep Package. Not available on Double Cab models when ordered with (Z60) High Capacity Suspension Package or 20 " tires and wheels)

ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release, includes hitch area light (Retail orders are included and only available with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Fleet or Government orders are included with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Included with (ZLQ) Fleet Convenience Package when (H0U) Jet Black interior trim is ordered.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 V8 2026 (Complete)

ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION
A2X	Seat adjuster, driver 10-way power including lumbar (Requires and only available with (H0U) Jet Black interior trim and (PCI) Convenience Package or (ZLQ) Fleet Convenience Package. Requires (KI4) 120-volt power outlet and (KC9) 120-volt bed-mounted power outlet. Not available with (ZW9) pickup bed delete.)
KC9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet) (Included and only available with (KI4) 120-volt AC power outlet. Not available with (ZW9) pickup bed delete.)
KI4	Power outlet, interior power outlet, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Requires (PCI) Convenience Package, (PEB) Pro Value Package or (ZLQ) Fleet Convenience Package and (H0U) Jet Black interior trim to be ordered. Not available with (ZW9) pickup bed delete.)

ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

CODE	DESCRIPTION
CTT	Hitch Guidance (Included and only available with (Z82) Trailering Package.)

ADDITIONAL EQUIPMENT - OTHER

CODE	DESCRIPTION
VQ2	Fleet processing option
Options Total	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 V8 2026 (✔ Complete)

Standard Equipment

Package	GMC Pro Safety includes (UEU) Forward Collision Alert, (UE4) Following Distance Indicator, (UKJ) Front Pedestrian Braking, (TQ5) IntelliBeam, (UHX) Lane Keep Assist with Lane Departure Warning, and (UHY) Automatic Emergency Braking (Includes (T8Z) Buckle to Drive.)
Mechanical	Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (Not available with (VYU) Snow Plow Prep Package, (X31) X31 Off-Road Package, (ZW9) pickup bed delete or (KC4) external engine oil cooler.) (STD)
	Transmission, 8-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Standard and only available with (L3B) TurboMax engine.) (STD)
	Pickup bed (Deleted when (ZW9) pickup bed delete is ordered on Regular Cab models.) (STD)
	GVWR, 6900 lbs. (3130 kg) (Regular Cab Long Bed model requires 4WD. Crew Cab 2WD models require (L84) 5.3L EcoTec3 V8 engine.)
	Rear axle, 3.42 ratio (Included and only available with (L3B) TurboMax engine.)
	Push Button Start
	Automatic Stop/Start (Not available with (FHS) E85 FlexFuel capability.)
	Transfer case, single speed, electronic Autotrac with push button control (4WD models only)
	Suspension Package, Standard
	Four wheel drive
	Alternator, 220 amps (Standard on (L3B) TurboMax engine. Included with (VYU) Snow Plow Prep Package and available with (L84) 5.3L EcoTec3 V8 engine. Not available as free flow on Regular Cab models with (L84) 5.3L EcoTec3 V8 engine.)
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L3B) TurboMax engine.)
	Frame, fully-boxed, hydroformed front section
	Recovery hooks, front, frame-mounted, Black (Included with 4WD models or included and only available on 2WD models with (PQA) 1SA Safety Plus Package or (WBP) Graphite Edition. Available on 2WD models with Fleet or Government Order types as a free flow option or Retail order types as a SEO option.)
	Cargo tie downs (12), fixed
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 V8 2026 (✔ Complete)

Mechanical

Exhaust, aluminized stainless-steel muffler and tailpipe

Exterior

Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)

Tires, 255/70R17 all-season, blackwall (STD)

Tire, spare 255/70R17 all-season, blackwall (Included with (QBN) 255/70R17 all-season, blackwall tires.) (STD)

Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare

Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)

Bumper, front chrome lower (Requires (VJH) rear chrome bumper and (E63) pickup bed. Required with (PQA) 1SA Safety Plus Package on 1SA unless ordered with (WBP) Graphite Edition.)

Bumper, rear chrome with bumper CornerSteps (Requires (V46) front chrome bumper and (E63) pickup bed.)

CornerStep, rear bumper

Grille (Chrome header with flat black grille insert bars)

Headlamps, LED projectors with Fade-on/Fade-off animation, LED turn signals and Daytime Running Lamps

IntelliBeam, automatic high beam on/off (Included and only available with (PDI) GMC Pro Safety.)

Taillamps, LED LED signature taillight and Fade-on/Fade-off animation, incandescent stop, turn and reverse light

Mirrors, outside heated power-adjustable (Included and only available with (PCI) Convenience Package or (ZLQ) Fleet Convenience Package on Crew Cab and Double Cab models. Standard on Regular Cab models.)

Glass, solar absorbing, tinted

Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel

Tailgate, standard (Deleted with (ZW9) pickup bed delete.)

Tailgate, gate function manual, no lift assist (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)

Tailgate and bed rail protection caps, top

Tailgate, locking utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)

Door handles, Black grained

Entertainment

Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)

Audio system feature, 2-speakers in front doors (Requires Regular Cab model.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 V8 2026 (✔ Complete)

Entertainment

- Bluetooth for phone, connectivity to vehicle infotainment system
- Wireless, Apple CarPlay / Wireless Android Auto
- Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)

Interior

- Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
- Seat trim, Vinyl
- Seat adjuster, driver 4-way manual
- Seat adjuster, passenger 4-way manual
- Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
- Steering column, Tilt-Wheel, manual with wheel locking security feature
- Steering wheel, urethane
- Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5" diagonal monochromatic display
- Compass, located in instrument cluster
- Exterior Temperature Display, located in radio display
- Windows, power front, drivers express up/down
- Window, power front, passenger express down
- Door locks, power
- Remote Keyless Entry
- Cruise control, steering wheel-mounted
- Steering column lock, electrical
- USB Ports, 2, Charge/Data ports located on instrument panel
- Power outlet, front auxiliary, 12-volt
- Air conditioning, single-zone manual
- Mirror, inside rearview, manual tilt
- Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Interior

- Automatic Emergency Braking (Included and only available with (PDI) GMC Pro Safety.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 V8 2026 (✔ Complete)

Safety-Interior

- Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)
- OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (Requires (UE1) OnStar. OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)
- HD Rear Vision Camera (Not available with (ZW9) pickup bed delete.)
- Following Distance Indicator (Included and only available with (PDI) GMC Pro Safety.)
- Forward Collision Alert (Included and only available with (PDI) GMC Pro Safety.)
- Lane Keep Assist with Lane Departure Warning (Included and only available with (PDI) GMC Pro Safety.)
- Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use (Included and only available with (PDI) GMC Pro Safety.)
- Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

Safety-Mechanical

- Front Pedestrian Braking (Included and only available with (PDI) GMC Pro Safety.)
- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

- Daytime Running Lamps, LED signature lighting

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 V8 2026 (✔ Complete)

WARRANTY

Warranty Note: <<< Preliminary 2026 Warranty >>>
Basic Years: 3
Basic Miles/km: 36,000
Drivetrain Years: 5
Drivetrain Miles/km: 60,000
Drivetrain Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Corrosion Years (Rust-Through): 6
Corrosion Years: 3
Corrosion Miles/km (Rust-Through): 100,000
Corrosion Miles/km: 36,000
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 60,000
Roadside Assistance Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 V8 2026 (Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MHT
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.70
Second Gear Ratio (:1)	2.99	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.77	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.87
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.64		

Mileage

EPA Fuel Economy Est - Hwy	19 (2025) MPG	Cruising Range - City	420.00 mi
EPA Fuel Economy Est - City	15 (2025) MPG	Fuel Economy Est-Combined	17 (2025) MPG
Cruising Range - Hwy	532.00 mi	Estimated Battery Range	N/A

Engine

Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	Yes		

Electrical

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 V8 2026 (✔ Complete)

Vehicle

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	8.8 (2025)	EPA Greenhouse Gas Score	3 (2025)
--	------------	--------------------------	----------

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3800 lbs
Gross Axle Wt Rating - Rear	3800 lbs	Curb Weight - Front	2760 lbs
Curb Weight - Rear	1841 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	1040.00 lbs
Reserve Axle Capacity - Rear	1959.00 lbs	As Spec'd Curb Weight	4601.00 lbs
As Spec'd Payload	2299.00 lbs	Maximum Payload Capacity	2299.00 lbs
Gross Combined Wt Rating	15000 lbs	Gross Axle Weight Rating	7600.00 lbs
Curb Weight	4601.00 lbs	Reserve Axle Capacity	2999.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	6900.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9600 lbs	Wt Distributing Hitch - Max Tongue Wt.	960 lbs
Fifth Wheel Hitch - Max Trailer Wt.	9400 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2350 lbs
Maximum Trailering Capacity	9600 lbs		

Frame

Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	3800 lbs	Spring Capacity - Rear	3850 lbs
Axle Type - Front	N/A	Axle Type - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 V8 2026 (Complete)

Chassis

Suspension

Axle Capacity - Front	3800 lbs	Axle Capacity - Rear	3800 lbs
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	RC5	Rear Tire Order Code	RC5
Spare Tire Order Code	RHM	Front Tire Size	LT265/70R17C
Rear Tire Size	LT265/70R17C	Spare Tire Size	LT265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	44 ft	Turning Diameter - Wall to Wall	N/A

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	13 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 25-240 V8 2026 (Complete)

Chassis

Fuel Tank

Fuel Tank Capacity, Approx	28 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	3	Front Head Room	43.11 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	60.9 in	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		

Exterior Dimensions

Wheelbase	139.56 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	229.73 in
Width, Max w/o mirrors	81.15 in	Height, Overall	75.6 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	8.1 in	Ground Clearance, Rear	8.1 in
Body Length	0.00 ft	Cab to Body	N/A

Cargo Area Dimensions

Cargo Box Length @ Floor	98.2 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.62 in
Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A
Cargo Volume	89.1 ft³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.

Bidder (Vendor)	Contact Person	Contact's Telephone	Item #	26
OCONNOR MOTORS	JOHN MYNAHAN	2075920105		
Estimated Quantity:	UNKNOWN	Class-Spec#:	241	
GENERAL DESCRIPTION	Full Size Pickup, Light Duty, 4 x 4, Extended/Quad Cab, 6'-7' Box, Automatic Transmission, Air Conditioning, Cruise Control, Tilt Steering			
Option Code	SPECIFICATIONS			
X	AIR CONDITIONING			
X	AUXILIARY POWER SOURCE			
G80	AXLE REAR: Traction Lock	Provide Axle Ratio:	3.42	
X	BATTERY: Heavy duty, highest CCA and reserve time available	Provide CCA:	730	
X	BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING			
X	BUMPER, FRONT: Factory installed			
X	BUMPER, REAR: Step and Tow, Factory Installed			
X	CARGO BOX: 6'-7' Bed, Style Side	Provide Bed Length:	79.44	
X	CRUISE CONTROL: Factory installed			
X	DOORS: Four			
K05	ENGINE BLOCK HEATER, Factory Installed (if available)			
X	ENGINE COOLER: Heavy Duty, Factory Installed			
	ENGINE: Gasoline	Turbo-Yes or No:	YES	
	Provide Number of Cylinders:	4	Provide Horse Power:	310
	Provide Number of Liters:	2.7	Provide Foot Pounds of Torque:	430
X	FLOOR: Rubber, If Available, Factory Installed			
X	FUEL CAPACITY:	Provide Fuel Capacity:	24G	
X	GLASS: Tinted			
X	GVWR: 6900 - 7350 lbs.	Provide GVWR:	7000	
		Provide COMBINED GVWR:	14500	
A2X	LUMBAR ADJUSTMENT: Driver's Seat FORCES P FORCES POWER SEAT AND FLEET CONV GROUP			
X	MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night			
X	PAYLOAD:	Provide Payload:	2181	
X	POWER LOCKS & WINDOWS			
X	RADIO: AM/FM, with Clock, Factory Installed			
X	SEAT, REAR: Full Width Bench, Fold Down			
X	SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console			
NZZ	SKID PLATES: Factory Installed			
X	STEERING: Power with Tilt Wheel			
X	TIRE, SPARE: Full Size Mounted Under Vehicle, OEM			
NA	TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road	Provide Size and Load Range:	LT26570R17C	
	LOADE R LOADE RANGE E IS NOT AVAILABLE ON 1500 MODEL			
X	TOW HOOKS: Front, Factory Installed			
Z82	TOWING PACKAGE: Factory installed to include drop receiver hitch & 7 pin wiring harness	Provide Towing Capacity:	9300	
X	TRANSMISSION: Automatic	Provide Number of Transmission Speeds:	8	
X	TRANSMISSION COOLER: Auxiliary or external factory installed			
X	WHEEL BASE: 140" - 148"	Provide Wheel Base:	147	
Vehicle Description				
Year	Make	Model		
2026	GMC	TK10753 4CYL		



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 4CYL 2026





O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 4CYL 2026 (✔ Complete)

Selected Model and Options

MODEL	
CODE	MODEL
TK10753	2026 GMC Sierra 1500 4WD Double Cab 147" Pro
COLORS	
CODE	DESCRIPTION
GAZ	Summit White
EMISSIONS	
CODE	DESCRIPTION
NE1	Emissions, Colorado, Connecticut, Delaware, Maine, Maryland, Massachusetts, Minnesota, Nevada, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements
ENGINE	
CODE	DESCRIPTION
L3B	Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (Not available with (VYU) Snow Plow Prep Package, (X31) X31 Off-Road Package, (ZW9) pickup bed delete or (KC4) external engine oil cooler. Includes (KW5) 220-amp alternator.) (STD) *GROSS*
TRANSMISSION	
CODE	DESCRIPTION
MFC	Transmission, 8-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Standard and only available with (L3B) TurboMax engine.) (STD)
AXLE	
CODE	DESCRIPTION
GU6	Rear axle, 3.42 ratio (Included and only available with (L3B) TurboMax engine.)
PREFERRED EQUIPMENT GROUP	
CODE	DESCRIPTION
1SA	Pro Preferred Equipment Group includes standard equipment
WHEELS	
CODE	DESCRIPTION
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 4CYL 2026 (✔ Complete)

TIRES

CODE	DESCRIPTION
RC5	Tires, LT265/70R17C all-terrain, blackwall

SPARE TIRE

CODE	DESCRIPTION
RHM	Tire, spare LT265/70R17 all-terrain, blackwall (Included with (RC5) LT265/70R17C all-terrain, blackwall tires. Available with (ZW9) pickup bed delete.)

PAINT

CODE	DESCRIPTION
GAZ	Summit White

SEAT TYPE

CODE	DESCRIPTION
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

SEAT TRIM

CODE	DESCRIPTION
H0U	Jet Black, Cloth seat trim (Requires (A2X) 10-way power driver seat including power lumbar. Not available with (ZW9) pickup bed delete.)

RADIO

CODE	DESCRIPTION
IOR	Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)

OPTION DISCOUNT

CODE	DESCRIPTION
—	Option/package discount (Requires (L3B) TurboMax Engine or (PEB) Pro Value Package or (WBP) Graphite Edition with (L3B) TurboMax engine.) *DISCOUNT*

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 4CYL 2026 (✔ Complete)

ADDITIONAL EQUIPMENT - PACKAGE

CODE	DESCRIPTION
Z82	Trailer Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (Requires (G80) auto-locking rear differential with (L84) 5.3L EcoTec3 V8 engine. Not available with (ZW9) pickup bed delete. Included with (PEB) Pro Value Package.)
ZLQ	Fleet Convenience Package includes (DLF) outside power mirrors (Requires a Fleet or Government Sales order. Not available with (PCI) Convenience Package, (WBP) Graphite Edition or (PEB) Pro Value Package. Available to upgrade to (DPO) outside power-adjustable vertical trailering mirrors. Includes (QT5) Lift power lock and release tailgate when (H0U) Jet Black interior trim is ordered. and is not available with (H0U) Jet Black interior trim.)

ADDITIONAL EQUIPMENT - MECHANICAL

CODE	DESCRIPTION
G80	Auto-locking rear differential (Retail orders required with (L84) 5.3L EcoTec3 V8 engine or included with (X31) X31 Off-Road Package. Fleet or Government orders are included with (X31) X31 Off-Road Package.)
K05	Engine block heater
KW5	Alternator, 220 amps (Standard on (L3B) TurboMax engine. Included with (VYU) Snow Plow Prep Package and available with (L84) 5.3L EcoTec3 V8 engine. Not available as free flow on Regular Cab models with (L84) 5.3L EcoTec3 V8 engine.)
NZZ	Skid Plates (Retail orders are included and only available with (X31) X31 Off-Road Package or (VYU) Snow Plow Prep Package. Fleet or Government orders are included with (BAQ) Enhanced Capability Package, (X31) X31 Off-Road Package or (VYU) Snow Plow Prep Package. Not available on Double Cab models when ordered with (Z60) High Capacity Suspension Package or 20 " tires and wheels)

ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION
DLF	Mirrors, outside heated power-adjustable (Included and only available with (PCI) Convenience Package or (ZLQ) Fleet Convenience Package on Crew Cab and Double Cab models. Standard on Regular Cab models.)
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release, includes hitch area light (Retail orders are included and only available with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Fleet or Government orders are included with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Included with (ZLQ) Fleet Convenience Package when (H0U) Jet Black interior trim is ordered.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 4CYL 2026 (✔ Complete)

ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION
A2X	Seat adjuster, driver 10-way power including lumbar (Requires and only available with (H0U) Jet Black interior trim and (PCI) Convenience Package or (ZLQ) Fleet Convenience Package. Requires (KI4) 120-volt power outlet and (KC9) 120-volt bed-mounted power outlet. Not available with (ZW9) pickup bed delete.)
KC9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet) (Included and only available with (KI4) 120-volt AC power outlet. Not available with (ZW9) pickup bed delete.)
KI4	Power outlet, interior power outlet, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Includes (UBI) 2-USB charge ports on Crew Cab and Double Cab models. Requires (PCI) Convenience Package, (PEB) Pro Value Package or (ZLQ) Fleet Convenience Package and (H0U) Jet Black interior trim to be ordered. Not available with (ZW9) pickup bed delete.)
UBI	USB ports, (2) charge-only, rear (Not available on Regular Cab model. Included and only available with (KI4) 120-volt power outlet.)

ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

CODE	DESCRIPTION
CTT	Hitch Guidance (Included and only available with (Z82) Trailering Package.)

Options Total

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 4CYL 2026 (✔ Complete)

Standard Equipment

Package	GMC Pro Safety includes (UEU) Forward Collision Alert, (UE4) Following Distance Indicator, (UKJ) Front Pedestrian Braking, (TQ5) IntelliBeam, (UHX) Lane Keep Assist with Lane Departure Warning, and (UHY) Automatic Emergency Braking (Includes (T8Z) Buckle to Drive.)
Mechanical	Pickup bed (Deleted when (ZW9) pickup bed delete is ordered on Regular Cab models.)
	Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (Not available with (VYU) Snow Plow Prep Package, (X31) X31 Off-Road Package, (ZW9) pickup bed delete or (KC4) external engine oil cooler. Includes (KW5) 220-amp alternator.) (STD)
	Transmission, 8-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Standard and only available with (L3B) TurboMax engine.) (STD)
	GVWR, 7000 lbs. (3175 kg) (Requires Crew Cab 4WD or Double Cab 4WD model and (L3B) TurboMax engine. Requires Double Cab 4WD model and (L84) 5.3L EcoTec3 V8 engine.)
	Rear axle, 3.42 ratio (Included and only available with (L3B) TurboMax engine.)
	Push Button Start
	Automatic Stop/Start (Not available with (FHS) E85 FlexFuel capability.)
	Transfer case, single speed, electronic Autotrac with push button control (4WD models only)
	Suspension Package, Standard
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L3B) TurboMax engine.)
	Frame, fully-boxed, hydroformed front section
	Recovery hooks, front, frame-mounted, Black (Included with 4WD models or included and only available on 2WD models with (PQA) 1SA Safety Plus Package or (WBP) Graphite Edition. Available on 2WD models with Fleet or Government Order types as a free flow option or Retail order types as a SEO option.)
	Cargo tie downs (12), fixed
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
	Exhaust, aluminized stainless-steel muffler and tailpipe

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 4CYL 2026 (✔ Complete)

Exterior

- Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)
- Tires, 255/70R17 all-season, blackwall (STD)
- Tire, spare 255/70R17 all-season, blackwall (Included with (QBN) 255/70R17 all-season, blackwall tires.) (STD)
- Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
- Bumper, front chrome lower (Requires (VJH) rear chrome bumper and (E63) pickup bed. Required with (PQA) 1SA Safety Plus Package on 1SA unless ordered with (WBP) Graphite Edition.)
- Bumper, rear chrome with bumper CornerSteps (Requires (V46) front chrome bumper and (E63) pickup bed.)
- CornerStep, rear bumper
- Grille (Chrome header with flat black grille insert bars)
- Headlamps, LED projectors with Fade-on/Fade-off animation, LED turn signals and Daytime Running Lamps
- IntelliBeam, automatic high beam on/off (Included and only available with (PDI) GMC Pro Safety.)
- Taillamps, LED LED signature taillight and Fade-on/Fade-off animation, incandescent stop, turn and reverse light
- Mirrors, outside manual, Black (Not available on Regular Cab models.)
- Glass, solar absorbing, tinted
- Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel
- Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
- Tailgate, gate function manual, no lift assist (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)
- Tailgate and bed rail protection caps, top
- Tailgate, locking utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)
- Door handles, Black grained

Entertainment

- Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)
- Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
- Bluetooth for phone, connectivity to vehicle infotainment system
- Wireless, Apple CarPlay / Wireless Android Auto
- Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 4CYL 2026 (✔ Complete)

Interior

- Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
- Seat trim, Vinyl
- Seat adjuster, driver 4-way manual
- Seat adjuster, passenger 4-way manual
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Not available with Regular Cab model.)
- Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
- Steering column, Tilt-Wheel, manual with wheel locking security feature
- Steering wheel, urethane
- Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5" diagonal monochromatic display
- Compass, located in instrument cluster
- Exterior Temperature Display, located in radio display
- Windows, power front, drivers express up/down
- Window, power front, passenger express down
- Windows, power rear, express down (Not available on Regular Cab models.)
- Door locks, power
- Remote Keyless Entry
- Cruise control, steering wheel-mounted
- Steering column lock, electrical
- USB Ports, 2, Charge/Data ports located on instrument panel
- Power outlet, front auxiliary, 12-volt
- Air conditioning, single-zone manual
- Air vents, rear (Not available with Regular Cab model.)
- Mirror, inside rearview, manual tilt
- Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Interior

- Automatic Emergency Braking (Included and only available with (PDI) GMC Pro Safety.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 4CYL 2026 (✔ Complete)

Safety-Interior

- Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)
- OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (Requires (UE1) OnStar. OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)
- HD Rear Vision Camera (Not available with (ZW9) pickup bed delete.)
- Following Distance Indicator (Included and only available with (PDI) GMC Pro Safety.)
- Forward Collision Alert (Included and only available with (PDI) GMC Pro Safety.)
- Lane Keep Assist with Lane Departure Warning (Included and only available with (PDI) GMC Pro Safety.)
- Seat Belt Adjustable Guide Loops, front row only (Included and only available with Crew Cab or Double Cab models.)
- Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use (Included and only available with (PDI) GMC Pro Safety.)
- Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)
- Rear Seat Reminder (Requires a Crew Cab or Double Cab model.)
- Rear Seat Belt Indicator (Requires Crew Cab or Double Cab model.)

Safety-Mechanical

- Front Pedestrian Braking (Included and only available with (PDI) GMC Pro Safety.)
- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

- Daytime Running Lamps, LED signature lighting

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 4CYL 2026 (✔ Complete)

WARRANTY

Warranty Note: <<< Preliminary 2026 Warranty >>>
Basic Years: 3
Basic Miles/km: 36,000
Drivetrain Years: 5
Drivetrain Miles/km: 60,000
Drivetrain Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Corrosion Years (Rust-Through): 6
Corrosion Years: 3
Corrosion Miles/km (Rust-Through): 100,000
Corrosion Miles/km: 36,000
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 60,000
Roadside Assistance Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 4CYL 2026 (✔ Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MFC
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		

Mileage

EPA Fuel Economy Est - Hwy	19 (2025) MPG	Cruising Range - City	408.00 mi
EPA Fuel Economy Est - City	17 (2025) MPG	Fuel Economy Est-Combined	18 (2025) MPG
Cruising Range - Hwy	456.00 mi	Estimated Battery Range	N/A

Engine

Engine Order Code	L3B	Engine Type	Turbocharged Gas I4
Displacement	2.7L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	310 @ 5600	SAE Net Torque @ RPM	430 @ 3000
Engine Oil Cooler	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	220

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 4CYL 2026 (✔ Complete)

Vehicle

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	8.2 (2025)	EPA Greenhouse Gas Score	4 (2025)
--	------------	--------------------------	----------

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3800 lbs
Gross Axle Wt Rating - Rear	3800 lbs	Curb Weight - Front	2879 lbs
Curb Weight - Rear	1940 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	921.00 lbs
Reserve Axle Capacity - Rear	1860.00 lbs	As Spec'd Curb Weight	4819.00 lbs
As Spec'd Payload	2181.00 lbs	Maximum Payload Capacity	2181.00 lbs
Gross Combined Wt Rating	14500 lbs	Gross Axle Weight Rating	7600.00 lbs
Curb Weight	4819.00 lbs	Reserve Axle Capacity	2781.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	7000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	8900 lbs	Wt Distributing Hitch - Max Tongue Wt.	890 lbs
Fifth Wheel Hitch - Max Trailer Wt.	8900 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2225 lbs
Maximum Trailering Capacity	9300 lbs		

Frame

Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	3800 lbs	Spring Capacity - Rear	3850 lbs
Axle Type - Front	N/A	Axle Type - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 4CYL 2026 (Complete)

Chassis

Suspension

Axle Capacity - Front	3800 lbs	Axle Capacity - Rear	3800 lbs
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	RC5	Rear Tire Order Code	RC5
Spare Tire Order Code	RHM	Front Tire Size	LT265/70R17C
Rear Tire Size	LT265/70R17C	Spare Tire Size	LT265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.3 ft	Turning Diameter - Wall to Wall	N/A

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	13 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 4CYL 2026 (✔ Complete)

Chassis

Fuel Tank

Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	39.88 in
Second Leg Room	35.24 in	Second Shoulder Room	64.88 in
Second Hip Room	60.24 in		

Exterior Dimensions

Wheelbase	147.44 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	231.94 in
Width, Max w/o mirrors	81.24 in	Height, Overall	75.63 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	8.09 in	Ground Clearance, Rear	8.09 in
Body Length	0.00 ft	Cab to Body	N/A

Cargo Area Dimensions

Cargo Box Length @ Floor	79.44 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.63 in
Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A
Cargo Volume	71.7 ft³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.

Bidder (Vendor)		Contact Person		Contact's Telephone		Item #		26	
OCONNOR MOTORS		JOHN MYNAHAN		2075920105					
Estimated Quantity:		UNKNOWN		Class-Spec#:		241			
GENERAL DESCRIPTION		Full Size Pickup, Light Duty, 4 x 4, Extended/Quad Cab, 6'-7' Box, Automatic Transmission, Air Conditioning, Cruise Control, Tilt Steering							
Option Code	SPECIFICATIONS								
X	AIR CONDITIONING								
X	AUXILIARY POWER SOURCE								
G80	AXLE REAR: Traction Lock				Provide Axle Ratio:		3.23		
X	BATTERY: Heavy duty, highest CCA and reserve time available				Provide CCA:		730		
X	BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING								
X	BUMPER, FRONT: Factory installed								
X	BUMPER, REAR: Step and Tow, Factory Installed								
X	CARGO BOX: 6'-7' Bed, Style Side				Provide Bed Length:		79.44		
X	CRUISE CONTROL: Factory installed								
X	DOORS: Four								
K05	ENGINE BLOCK HEATER, Factory Installed (if available)								
X	ENGINE COOLER: Heavy Duty, Factory Installed								
	ENGINE: Gasoline				Turbo-Yes or No:		NO		
	Provide Number of Cylinders:		8		Provide Horse Power:		355		
	Provide Number of Liters:		5.3		Provide Foot Pounds of Torque:		383		
X	FLOOR: Rubber, If Available, Factory Installed								
X	FUEL CAPACITY:				Provide Fuel Capacity:		24G		
X	GLASS: Tinted								
	GVWR: 6900 - 7350 lbs.				Provide GVWR:		7000		
					Provide COMBINED GVWR:		15000		
A2X	LUMBAR ADJUSTMENT: Driver's Seat				FORCES POWER SEAT AND FLEET CONV GROUP				
X	MIRRORS: Dual Outside, Swing Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night								
X	PAYLOAD:				Provide Payload:		2181		
X	POWER LOCKS & WINDOWS								
X	RADIO: AM/FM, with Clock, Factory Installed								
X	SEAT, REAR: Full Width Bench, Fold Down								
X	SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console								
NZZ	SKID PLATES: Factory Installed								
X	STEERING: Power with Tilt Wheel								
X	TIRE, SPARE: Full Size Mounted Under Vehicle, OEM								
RC5	TIRES: Minimum LT, Load Range E, All Terrain/On-Off Road				Provide Size and Load Range:		LT26570R17		
X	TOW HOOKS: Front, Factory Installed								
Z82	TOWING PACKAGE: Factory installed to include drop receiver hitch & 7 pin wiring harness				Provide Towing Capacity:		9300		
X	TRANSMISSION: Automatic				Provide Number of Transmission Speeds:		10		
X	TRANSMISSION COOLER: Auxiliary or external factory installed								
	WHEEL BASE: 140" - 148"				Provide Wheel Base:		14		
X									
Vehicle Description									
Year		Make		Model					
2026		GMC		TK10753 V8					



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 V8 2026





O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 V8 2026 (Complete)

Selected Model and Options

MODEL	
CODE	MODEL
TK10753	2026 GMC Sierra 1500 4WD Double Cab 147" Pro
COLORS	
CODE	DESCRIPTION
GAZ	Summit White
EMISSIONS	
CODE	DESCRIPTION
NE1	Emissions, Colorado, Connecticut, Delaware, Maine, Maryland, Massachusetts, Minnesota, Nevada, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements
ENGINE	
CODE	DESCRIPTION
L84	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm); featuring Dynamic Fuel Management (Includes (KW7) 170-amp alternator and (MHT) 10-speed automatic transmission. Not available with T*10703 models. Retail orders require (G80) autolocking rear differential.)
TRANSMISSION	
CODE	DESCRIPTION
MHT	Transmission, 10-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)
AXLE	
CODE	DESCRIPTION
GU5	Rear axle, 3.23 ratio (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)
PREFERRED EQUIPMENT GROUP	
CODE	DESCRIPTION
1SA	Pro Preferred Equipment Group includes standard equipment
WHEELS	
CODE	DESCRIPTION
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 V8 2026 (Complete)

TIRES

CODE	DESCRIPTION
RC5	Tires, LT265/70R17C all-terrain, blackwall

SPARE TIRE

CODE	DESCRIPTION
RHM	Tire, spare LT265/70R17 all-terrain, blackwall (Included with (RC5) LT265/70R17C all-terrain, blackwall tires. Available with (ZW9) pickup bed delete.)

PAINT

CODE	DESCRIPTION
GAZ	Summit White

SEAT TYPE

CODE	DESCRIPTION
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

SEAT TRIM

CODE	DESCRIPTION
H0U	Jet Black, Cloth seat trim (Requires (A2X) 10-way power driver seat including power lumbar. Not available with (ZW9) pickup bed delete.)

RADIO

CODE	DESCRIPTION
IOR	Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)

ADDITIONAL EQUIPMENT - PACKAGE

CODE	DESCRIPTION
Z82	Trailer Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (Requires (G80) auto-locking rear differential with (L84) 5.3L EcoTec3 V8 engine. Not available with (ZW9) pickup bed delete. Included with (PEB) Pro Value Package.)
ZLQ	Fleet Convenience Package includes (DLF) outside power mirrors (Requires a Fleet or Government Sales order. Not available with (PCI) Convenience Package, (WBP) Graphite Edition or (PEB) Pro Value Package. Available to upgrade to (DPO) outside power-adjustable vertical trailering mirrors. Includes (QT5) Lift power lock and release tailgate when (H0U) Jet Black interior trim is ordered. and is not available with (H0U) Jet Black interior trim.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 V8 2026 (Complete)

ADDITIONAL EQUIPMENT - MECHANICAL

CODE	DESCRIPTION
G80	Auto-locking rear differential (Retail orders required with (L84) 5.3L EcoTec3 V8 engine or included with (X31) X31 Off-Road Package. Fleet or Government orders are included with (X31) X31 Off-Road Package.)
K05	Engine block heater
KC4	Cooling, external engine oil cooler (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)
KNP	Cooling, auxiliary external transmission oil cooler (Included and only available with V8 engines.)
KW7	Alternator, 170 amps (Included and only available with (L84) 5.3L EcoTec3 V8 engine. Not available with (VYU) Snow Plow Prep Package or (L3B) TurboMax engine.)
NZZ	Skid Plates (Retail orders are included and only available with (X31) X31 Off-Road Package or (VYU) Snow Plow Prep Package. Fleet or Government orders are included with (BAQ) Enhanced Capability Package, (X31) X31 Off-Road Package or (VYU) Snow Plow Prep Package. Not available on Double Cab models when ordered with (Z60) High Capacity Suspension Package or 20 " tires and wheels)

ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION
DLF	Mirrors, outside heated power-adjustable (Included and only available with (PCI) Convenience Package or (ZLQ) Fleet Convenience Package on Crew Cab and Double Cab models. Standard on Regular Cab models.)
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release, includes hitch area light (Retail orders are included and only available with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Fleet or Government orders are included with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Included with (ZLQ) Fleet Convenience Package when (H0U) Jet Black interior trim is ordered.)

ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION
A2X	Seat adjuster, driver 10-way power including lumbar (Requires and only available with (H0U) Jet Black interior trim and (PCI) Convenience Package or (ZLQ) Fleet Convenience Package. Requires (KI4) 120-volt power outlet and (KC9) 120-volt bed-mounted power outlet. Not available with (ZW9) pickup bed delete.)
KC9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet) (Included and only available with (KI4) 120-volt AC power outlet. Not available with (ZW9) pickup bed delete.)
KI4	Power outlet, interior power outlet, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Includes (UBI) 2-USB charge ports on Crew Cab and Double Cab models. Requires (PCI) Convenience Package, (PEB) Pro Value Package or (ZLQ) Fleet Convenience Package and (H0U) Jet Black interior trim to be ordered. Not available with (ZW9) pickup bed delete.)
UBI	USB ports, (2) charge-only, rear (Not available on Regular Cab model. Included and only available with (KI4) 120-volt power outlet.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 V8 2026 (Complete)

ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

CODE	DESCRIPTION
CTT	Hitch Guidance (Included and only available with (Z82) Trailering Package.)

ADDITIONAL EQUIPMENT - OTHER

CODE	DESCRIPTION
VQ2	Fleet processing option

Options Total

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 V8 2026 (✔ Complete)

Standard Equipment

Package

GMC Pro Safety includes (UEU) Forward Collision Alert, (UE4) Following Distance Indicator, (UKJ) Front Pedestrian Braking, (TQ5) IntelliBeam, (UHX) Lane Keep Assist with Lane Departure Warning, and (UHY) Automatic Emergency Braking (Includes (T8Z) Buckle to Drive.)

Mechanical

- Pickup bed (Deleted when (ZW9) pickup bed delete is ordered on Regular Cab models.)
- Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (Not available with (VYU) Snow Plow Prep Package, (X31) X31 Off-Road Package, (ZW9) pickup bed delete or (KC4) external engine oil cooler. Includes (KW5) 220-amp alternator.) (STD)
- Transmission, 8-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Standard and only available with (L3B) TurboMax engine.) (STD)
- GVWR, 7000 lbs. (3175 kg) (Requires Crew Cab 4WD or Double Cab 4WD model and (L3B) TurboMax engine. Requires Double Cab 4WD model and (L84) 5.3L EcoTec3 V8 engine.)
- Rear axle, 3.42 ratio (Included and only available with (L3B) TurboMax engine.)
- Push Button Start
- Automatic Stop/Start (Not available with (FHS) E85 FlexFuel capability.)
- Transfer case, single speed, electronic Autotrac with push button control (4WD models only)
- Suspension Package, Standard
- Four wheel drive
- Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L3B) TurboMax engine.)
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, Black (Included with 4WD models or included and only available on 2WD models with (PQA) 1SA Safety Plus Package or (WBP) Graphite Edition. Available on 2WD models with Fleet or Government Order types as a free flow option or Retail order types as a SEO option.)
- Cargo tie downs (12), fixed
- Steering, Electric Power Steering (EPS) assist, rack-and-pinion
- Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
- Brake lining wear indicator
- Capless Fuel Fill
- Exhaust, single outlet
- Exhaust, aluminized stainless-steel muffler and tailpipe

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 V8 2026 (✔ Complete)

Exterior

- Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)
- Tires, 255/70R17 all-season, blackwall (STD)
- Tire, spare 255/70R17 all-season, blackwall (Included with (QBN) 255/70R17 all-season, blackwall tires.) (STD)
- Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
- Bumper, front chrome lower (Requires (VJH) rear chrome bumper and (E63) pickup bed. Required with (PQA) 1SA Safety Plus Package on 1SA unless ordered with (WBP) Graphite Edition.)
- Bumper, rear chrome with bumper CornerSteps (Requires (V46) front chrome bumper and (E63) pickup bed.)
- CornerStep, rear bumper
- Grille (Chrome header with flat black grille insert bars)
- Headlamps, LED projectors with Fade-on/Fade-off animation, LED turn signals and Daytime Running Lamps
- IntelliBeam, automatic high beam on/off (Included and only available with (PDI) GMC Pro Safety.)
- Taillamps, LED LED signature taillight and Fade-on/Fade-off animation, incandescent stop, turn and reverse light
- Mirrors, outside manual, Black (Not available on Regular Cab models.)
- Glass, solar absorbing, tinted
- Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel
- Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
- Tailgate, gate function manual, no lift assist (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)
- Tailgate and bed rail protection caps, top
- Tailgate, locking utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)
- Door handles, Black grained

Entertainment

- Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)
- Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
- Bluetooth for phone, connectivity to vehicle infotainment system
- Wireless, Apple CarPlay / Wireless Android Auto
- Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 V8 2026 (✔ Complete)

Interior

Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
Seat trim, Vinyl
Seat adjuster, driver 4-way manual
Seat adjuster, passenger 4-way manual
Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Not available with Regular Cab model.)
Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
Steering column, Tilt-Wheel, manual with wheel locking security feature
Steering wheel, urethane
Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
Driver Information Center, 3.5" diagonal monochromatic display
Compass, located in instrument cluster
Exterior Temperature Display, located in radio display
Windows, power front, drivers express up/down
Window, power front, passenger express down
Windows, power rear, express down (Not available on Regular Cab models.)
Door locks, power
Remote Keyless Entry
Cruise control, steering wheel-mounted
Steering column lock, electrical
USB Ports, 2, Charge/Data ports located on instrument panel
Power outlet, front auxiliary, 12-volt
Air conditioning, single-zone manual
Air vents, rear (Not available with Regular Cab model.)
Mirror, inside rearview, manual tilt
Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Interior

Automatic Emergency Braking (Included and only available with (PDI) GMC Pro Safety.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 V8 2026 (✔ Complete)

Safety-Interior

- Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)
- OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (Requires (UE1) OnStar. OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)
- HD Rear Vision Camera (Not available with (ZW9) pickup bed delete.)
- Following Distance Indicator (Included and only available with (PDI) GMC Pro Safety.)
- Forward Collision Alert (Included and only available with (PDI) GMC Pro Safety.)
- Lane Keep Assist with Lane Departure Warning (Included and only available with (PDI) GMC Pro Safety.)
- Seat Belt Adjustable Guide Loops, front row only (Included and only available with Crew Cab or Double Cab models.)
- Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use (Included and only available with (PDI) GMC Pro Safety.)
- Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)
- Rear Seat Reminder (Requires a Crew Cab or Double Cab model.)
- Rear Seat Belt Indicator (Requires Crew Cab or Double Cab model.)

Safety-Mechanical

- Front Pedestrian Braking (Included and only available with (PDI) GMC Pro Safety.)
- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

- Daytime Running Lamps, LED signature lighting

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 V8 2026 (Complete)

WARRANTY

Warranty Note: <<< Preliminary 2026 Warranty >>>
Basic Years: 3
Basic Miles/km: 36,000
Drivetrain Years: 5
Drivetrain Miles/km: 60,000
Drivetrain Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Corrosion Years (Rust-Through): 6
Corrosion Years: 3
Corrosion Miles/km (Rust-Through): 100,000
Corrosion Miles/km: 36,000
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 60,000
Roadside Assistance Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 V8 2026 (✔ Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MHT
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.70
Second Gear Ratio (:1)	2.99	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.77	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.87
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.64		

Mileage

EPA Fuel Economy Est - Hwy	19 (2025) MPG	Cruising Range - City	360.00 mi
EPA Fuel Economy Est - City	15 (2025) MPG	Fuel Economy Est-Combined	17 (2025) MPG
Cruising Range - Hwy	456.00 mi	Estimated Battery Range	N/A

Engine

Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	Yes		

Electrical

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 V8 2026 (Complete)

Vehicle

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	8.8 (2025)	EPA Greenhouse Gas Score	3 (2025)
--	------------	--------------------------	----------

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3800 lbs
Gross Axle Wt Rating - Rear	3800 lbs	Curb Weight - Front	2879 lbs
Curb Weight - Rear	1940 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	921.00 lbs
Reserve Axle Capacity - Rear	1860.00 lbs	As Spec'd Curb Weight	4819.00 lbs
As Spec'd Payload	2181.00 lbs	Maximum Payload Capacity	2181.00 lbs
Gross Combined Wt Rating	15000 lbs	Gross Axle Weight Rating	7600.00 lbs
Curb Weight	4819.00 lbs	Reserve Axle Capacity	2781.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	7000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9300 lbs	Wt Distributing Hitch - Max Tongue Wt.	930 lbs
Fifth Wheel Hitch - Max Trailer Wt.	8600 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2150 lbs
Maximum Trailering Capacity	9300 lbs		

Frame

Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	3800 lbs	Spring Capacity - Rear	3850 lbs
Axle Type - Front	N/A	Axle Type - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 V8 2026 (Complete)

Chassis

Suspension

Axle Capacity - Front	3800 lbs	Axle Capacity - Rear	3800 lbs
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	RC5	Rear Tire Order Code	RC5
Spare Tire Order Code	RHM	Front Tire Size	LT265/70R17C
Rear Tire Size	LT265/70R17C	Spare Tire Size	LT265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.3 ft	Turning Diameter - Wall to Wall	N/A

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	13 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 26-241 V8 2026 (Complete)

Chassis

Fuel Tank

Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	39.88 in
Second Leg Room	35.24 in	Second Shoulder Room	64.88 in
Second Hip Room	60.24 in		

Exterior Dimensions

Wheelbase	147.44 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	231.94 in
Width, Max w/o mirrors	81.24 in	Height, Overall	75.63 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	8.09 in	Ground Clearance, Rear	8.09 in
Body Length	0.00 ft	Cab to Body	N/A

Cargo Area Dimensions

Cargo Box Length @ Floor	79.44 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.63 in
Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A
Cargo Volume	71.7 ft³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.

Bidder (Vendor)	Contact Person	Contact's Telephone	Item #	30
OCONNOR MOTORS	JOHN MYNAHAN	2075920105		
Estimated Quantity:	UNKNOWN	Class-Spec#:	244	
GENERAL DESCRIPTION	Full Size Truck, 4 x 4, Crew Cab, Automatic Transmission, Air Conditioning, Cruise Control, Tilt Steering			
Option Code	SPECIFICATIONS			
X	AIR CONDITIONING			
X	AUXILIARY POWER SOURCE			
G80	AXLE REAR: Traction Lock	Provide Axle Ratio:	3.42	
X	BATTERY: Heavy duty, highest CCA and reserve time available	Provide CCA:	730	
X	BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING			
X	BUMPER, FRONT: OEM			
X	BUMPER, REAR: Step and Tow, OEM			
X	CARGO BOX: 5' 5 - 7' Bed, Style Side	Provide Bed Length:	69.92	
X	CRUISE CONTROL: Factory installed			
X	DOORS: 4 Full Size			
	ENGINE: Gasoline	Turbo-Yes or No:	YES	
	Provide Number of Cylinders:	4	Provide Horse Power:	310
	Provide Number of Liters:	2.7	Provide Foot Pounds of Torque:	430
K05	ENGINE BLOCK HEATER, factory installed if available			
X	ENGINE COOLER: Heavy Duty, factory installed			
X	FLOOR: Rubber, If Available, factory installed			
X	FUEL CAPACITY:	Provide Fuel Capacity:	24G	
X	GLASS: Tinted			
X	GVWR: 7000 - 7350 lbs.	Provide GVWR:	7000	
		Provide COMBINED GVWR:	14500	
A2X	LUMBAR ADJUSTMENT: Driver's Seat	FORCES POWER SEAT AND FLEET CONV GROUP		
X	MIRRORS: Dual Outside, Swing-Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night			
X	PAYLOAD:	Provide Payload:	2172	
X	POWER LOCKS & WINDOWS			
X	RADIO: AM/FM, with Clock, factory installed			
X	SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console			
X	SEATS, REAR: cloth, bench			
NZZ	SKID PLATES: factory installed			
X	STEERING: Power with Tilt Wheel			
X	TIRE, SPARE: Full Size Mounted Under Vehicle, OEM			
RC5	TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road	Provide Size and Load Range:	LT26570R17C	
	TOW HOOKS: front, factory installed			
Z82	TOWING PACKAGE: Factory installed to include drop receiver hitch & 7 pin wiring harness	Provide Towing Capacity:	8900	
X	TRANSMISSION: Automatic	Provide Number of Transmission Speeds:	8	
X	TRANSMISSION COOLER: Auxiliary or external factory installed			
X	WHEEL BASE: 145" - 157"	Provide Wheel Base:	147	
Vehicle Description				
Year	Make	Model		
2026	GMC	TK10543 4CYL		



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30 - 244 4CYL 2026





O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30 - 244 4CYL 2026 (Complete)

Selected Model and Options

MODEL	
CODE	MODEL
TK10543	2026 GMC Sierra 1500 4WD Crew Cab 147" Pro
COLORS	
CODE	DESCRIPTION
GAZ	Summit White
EMISSIONS	
CODE	DESCRIPTION
NE1	Emissions, Colorado, Connecticut, Delaware, Maine, Maryland, Massachusetts, Minnesota, Nevada, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements
ENGINE	
CODE	DESCRIPTION
L3B	Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (Not available with (VYU) Snow Plow Prep Package, (X31) X31 Off-Road Package, (ZW9) pickup bed delete or (KC4) external engine oil cooler. Includes (KW5) 220-amp alternator.) (STD) *GROSS*
TRANSMISSION	
CODE	DESCRIPTION
MFC	Transmission, 8-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Standard and only available with (L3B) TurboMax engine.) (STD)
GVWR	
CODE	DESCRIPTION
C5W	GVWR, 7000 lbs. (3175 kg) (Requires Crew Cab 4WD or Double Cab 4WD model and (L3B) TurboMax engine. Requires Double Cab 4WD model and (L84) 5.3L EcoTec3 V8 engine.) (STD)
AXLE	
CODE	DESCRIPTION
GU6	Rear axle, 3.42 ratio (Included and only available with (L3B) TurboMax engine.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30 - 244 4CYL 2026 (Complete)

PREFERRED EQUIPMENT GROUP

CODE	DESCRIPTION
1SA	Pro Preferred Equipment Group includes standard equipment

WHEELS

CODE	DESCRIPTION
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)

TIRES

CODE	DESCRIPTION
RC5	Tires, LT265/70R17C all-terrain, blackwall

SPARE TIRE

CODE	DESCRIPTION
RHM	Tire, spare LT265/70R17 all-terrain, blackwall (Included with (RC5) LT265/70R17C all-terrain, blackwall tires. Available with (ZW9) pickup bed delete.)

PAINT

CODE	DESCRIPTION
GAZ	Summit White

SEAT TYPE

CODE	DESCRIPTION
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

SEAT TRIM

CODE	DESCRIPTION
H0U	Jet Black, Cloth seat trim (Requires (A2X) 10-way power driver seat including power lumbar. Not available with (ZW9) pickup bed delete.)

RADIO

CODE	DESCRIPTION
IOR	Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30 - 244 4CYL 2026 (Complete)

OPTION DISCOUNT

CODE	DESCRIPTION
—	Option/package discount (Requires (L3B) TurboMax Engine or (PEB) Pro Value Package or (WBP) Graphite Edition with (L3B) TurboMax engine.) *DISCOUNT*

ADDITIONAL EQUIPMENT - PACKAGE

CODE	DESCRIPTION
Z82	Trailer Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (Requires (G80) auto-locking rear differential with (L84) 5.3L EcoTec3 V8 engine. Not available with (ZW9) pickup bed delete. Included with (PEB) Pro Value Package.)
ZLQ	Fleet Convenience Package includes (DLF) outside power mirrors (Requires a Fleet or Government Sales order. Not available with (PCI) Convenience Package, (WBP) Graphite Edition or (PEB) Pro Value Package. Available to upgrade to (DPO) outside power-adjustable vertical trailering mirrors. Includes (QT5) Lift power lock and release tailgate when (H0U) Jet Black interior trim is ordered. and is not available with (H0U) Jet Black interior trim.)

ADDITIONAL EQUIPMENT - MECHANICAL

CODE	DESCRIPTION
G80	Auto-locking rear differential (Retail orders required with (L84) 5.3L EcoTec3 V8 engine or included with (X31) X31 Off-Road Package. Fleet or Government orders are included with (X31) X31 Off-Road Package.)
K05	Engine block heater
KW5	Alternator, 220 amps (Standard on (L3B) TurboMax engine. Included with (VYU) Snow Plow Prep Package and available with (L84) 5.3L EcoTec3 V8 engine. Not available as free flow on Regular Cab models with (L84) 5.3L EcoTec3 V8 engine.)
NZZ	Skid Plates (Retail orders are included and only available with (X31) X31 Off-Road Package or (VYU) Snow Plow Prep Package. Fleet or Government orders are included with (BAQ) Enhanced Capability Package, (X31) X31 Off-Road Package or (VYU) Snow Plow Prep Package. Not available on Double Cab models when ordered with (Z60) High Capacity Suspension Package or 20 " tires and wheels)

ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION
DLF	Mirrors, outside heated power-adjustable (Included and only available with (PCI) Convenience Package or (ZLQ) Fleet Convenience Package on Crew Cab and Double Cab models. Standard on Regular Cab models.)
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release, includes hitch area light (Retail orders are included and only available with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Fleet or Government orders are included with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Included with (ZLQ) Fleet Convenience Package when (H0U) Jet Black interior trim is ordered.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30 - 244 4CYL 2026 (Complete)

ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION
A2X	Seat adjuster, driver 10-way power including lumbar (Requires and only available with (H0U) Jet Black interior trim and (PCI) Convenience Package or (ZLQ) Fleet Convenience Package. Requires (KI4) 120-volt power outlet and (KC9) 120-volt bed-mounted power outlet. Not available with (ZW9) pickup bed delete.)
KC9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet) (Included and only available with (KI4) 120-volt AC power outlet. Not available with (ZW9) pickup bed delete.)
KI4	Power outlet, interior power outlet, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Includes (UBI) 2-USB charge ports on Crew Cab and Double Cab models. Requires (PCI) Convenience Package, (PEB) Pro Value Package or (ZLQ) Fleet Convenience Package and (H0U) Jet Black interior trim to be ordered. Not available with (ZW9) pickup bed delete.)
UBI	USB ports, (2) charge-only, rear (Not available on Regular Cab model. Included and only available with (KI4) 120-volt power outlet.)

ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

CODE	DESCRIPTION
CTT	Hitch Guidance (Included and only available with (Z82) Trailering Package.)

Options Total

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30 - 244 4CYL 2026 (Complete)

Standard Equipment

Package

GMC Pro Safety includes (UEU) Forward Collision Alert, (UE4) Following Distance Indicator, (UKJ) Front Pedestrian Braking, (TQ5) IntelliBeam, (UHX) Lane Keep Assist with Lane Departure Warning, and (UHY) Automatic Emergency Braking (Includes (T8Z) Buckle to Drive.)

Mechanical

Pickup bed (Deleted when (ZW9) pickup bed delete is ordered on Regular Cab models.)

Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (Not available with (VYU) Snow Plow Prep Package, (X31) X31 Off-Road Package, (ZW9) pickup bed delete or (KC4) external engine oil cooler. Includes (KW5) 220-amp alternator.) (STD)

Transmission, 8-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Standard and only available with (L3B) TurboMax engine.) (STD)

Rear axle, 3.42 ratio (Included and only available with (L3B) TurboMax engine.)

GVWR, 7000 lbs. (3175 kg) (Requires Crew Cab 4WD or Double Cab 4WD model and (L3B) TurboMax engine. Requires Double Cab 4WD model and (L84) 5.3L EcoTec3 V8 engine.) (STD)

Push Button Start

Automatic Stop/Start (Not available with (FHS) E85 FlexFuel capability.)

Transfer case, single speed, electronic Autotrac with push button control (4WD models only)

Suspension Package, Standard

Four wheel drive

Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L3B) TurboMax engine.)

Frame, fully-boxed, hydroformed front section

Recovery hooks, front, frame-mounted, Black (Included with 4WD models or included and only available on 2WD models with (PQA) 1SA Safety Plus Package or (WBP) Graphite Edition. Available on 2WD models with Fleet or Government Order types as a free flow option or Retail order types as a SEO option.)

Cargo tie downs (12), fixed

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill

Exhaust, single outlet

Exhaust, aluminized stainless-steel muffler and tailpipe

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30 - 244 4CYL 2026 (✔ Complete)

Exterior

- Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)
- Tires, 255/70R17 all-season, blackwall (STD)
- Tire, spare 255/70R17 all-season, blackwall (Included with (QBN) 255/70R17 all-season, blackwall tires.) (STD)
- Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
- Bumper, front chrome lower (Requires (VJH) rear chrome bumper and (E63) pickup bed. Required with (PQA) 1SA Safety Plus Package on 1SA unless ordered with (WBP) Graphite Edition.)
- Bumper, rear chrome with bumper CornerSteps (Requires (V46) front chrome bumper and (E63) pickup bed.)
- CornerStep, rear bumper
- Grille (Chrome header with flat black grille insert bars)
- Headlamps, LED projectors with Fade-on/Fade-off animation, LED turn signals and Daytime Running Lamps
- IntelliBeam, automatic high beam on/off (Included and only available with (PDI) GMC Pro Safety.)
- Taillamps, LED LED signature taillight and Fade-on/Fade-off animation, incandescent stop, turn and reverse light
- Mirrors, outside manual, Black (Not available on Regular Cab models.)
- Glass, solar absorbing, tinted
- Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel
- Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
- Tailgate, gate function manual, no lift assist (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)
- Tailgate and bed rail protection caps, top
- Tailgate, locking utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)
- Door handles, Black grained

Entertainment

- Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)
- Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
- Bluetooth for phone, connectivity to vehicle infotainment system
- Wireless, Apple CarPlay / Wireless Android Auto
- Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30 - 244 4CYL 2026 (Complete)

Interior

- Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
- Seat trim, Vinyl
- Seat adjuster, driver 4-way manual
- Seat adjuster, passenger 4-way manual
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Not available with Regular Cab model.)
- Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
- Steering column, Tilt-Wheel, manual with wheel locking security feature
- Steering wheel, urethane
- Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5" diagonal monochromatic display
- Compass, located in instrument cluster
- Exterior Temperature Display, located in radio display
- Windows, power front, drivers express up/down
- Window, power front, passenger express down
- Windows, power rear, express down (Not available on Regular Cab models.)
- Door locks, power
- Remote Keyless Entry
- Cruise control, steering wheel-mounted
- Steering column lock, electrical
- USB Ports, 2, Charge/Data ports located on instrument panel
- Power outlet, front auxiliary, 12-volt
- Air conditioning, single-zone manual
- Air vents, rear (Not available with Regular Cab model.)
- Mirror, inside rearview, manual tilt
- Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Interior

- Automatic Emergency Braking (Included and only available with (PDI) GMC Pro Safety.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30 - 244 4CYL 2026 (Complete)

Safety-Interior

- Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)
- OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (Requires (UE1) OnStar. OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)
- HD Rear Vision Camera (Not available with (ZW9) pickup bed delete.)
- Following Distance Indicator (Included and only available with (PDI) GMC Pro Safety.)
- Forward Collision Alert (Included and only available with (PDI) GMC Pro Safety.)
- Lane Keep Assist with Lane Departure Warning (Included and only available with (PDI) GMC Pro Safety.)
- Seat Belt Adjustable Guide Loops, front row only (Included and only available with Crew Cab or Double Cab models.)
- Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use (Included and only available with (PDI) GMC Pro Safety.)
- Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)
- Rear Seat Reminder (Requires a Crew Cab or Double Cab model.)
- Rear Seat Belt Indicator (Requires Crew Cab or Double Cab model.)

Safety-Mechanical

- Front Pedestrian Braking (Included and only available with (PDI) GMC Pro Safety.)
- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

- Daytime Running Lamps, LED signature lighting

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30 - 244 4CYL 2026 (Complete)

WARRANTY

Warranty Note: <<< Preliminary 2026 Warranty >>>
Basic Years: 3
Basic Miles/km: 36,000
Drivetrain Years: 5
Drivetrain Miles/km: 60,000
Drivetrain Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Corrosion Years (Rust-Through): 6
Corrosion Years: 3
Corrosion Miles/km (Rust-Through): 100,000
Corrosion Miles/km: 36,000
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 60,000
Roadside Assistance Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30 - 244 4CYL 2026 (Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MFC
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		

Mileage

EPA Fuel Economy Est - Hwy	19 (2025) MPG	Cruising Range - City	408.00 mi
EPA Fuel Economy Est - City	17 (2025) MPG	Fuel Economy Est-Combined	18 (2025) MPG
Cruising Range - Hwy	456.00 mi	Estimated Battery Range	N/A

Engine

Engine Order Code	L3B	Engine Type	Turbocharged Gas I4
Displacement	2.7L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	310 @ 5600	SAE Net Torque @ RPM	430 @ 3000
Engine Oil Cooler	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	220

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30 - 244 4CYL 2026 (Complete)

Vehicle

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	8.2 (2025)	EPA Greenhouse Gas Score	4 (2025)
--	------------	--------------------------	----------

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3800 lbs
Gross Axle Wt Rating - Rear	3800 lbs	Curb Weight - Front	2846 lbs
Curb Weight - Rear	1982 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	954.00 lbs
Reserve Axle Capacity - Rear	1818.00 lbs	As Spec'd Curb Weight	4828.00 lbs
As Spec'd Payload	2172.00 lbs	Maximum Payload Capacity	2172.00 lbs
Gross Combined Wt Rating	14500 lbs	Gross Axle Weight Rating	7600.00 lbs
Curb Weight	4828.00 lbs	Reserve Axle Capacity	2772.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	7000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	8800 lbs	Wt Distributing Hitch - Max Tongue Wt.	880 lbs
Fifth Wheel Hitch - Max Trailer Wt.	8200 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2050 lbs
Maximum Trailering Capacity	N/A		

Frame

Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	3800 lbs	Spring Capacity - Rear	3850 lbs
Axle Type - Front	N/A	Axle Type - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30 - 244 4CYL 2026 (Complete)

Chassis

Suspension

Axle Capacity - Front	3800 lbs	Axle Capacity - Rear	3800 lbs
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	RC5	Rear Tire Order Code	RC5
Spare Tire Order Code	RHM	Front Tire Size	LT265/70R17C
Rear Tire Size	LT265/70R17C	Spare Tire Size	LT265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.3 ft	Turning Diameter - Wall to Wall	N/A

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	13 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30 - 244 4CYL 2026 (Complete)

Chassis

Fuel Tank

Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	40.12 in
Second Leg Room	43.4 in	Second Shoulder Room	65.16 in
Second Hip Room	60.24 in		

Exterior Dimensions

Wheelbase	147.44 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	231.92 in
Width, Max w/o mirrors	81.24 in	Height, Overall	75.51 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	8.08 in	Ground Clearance, Rear	8.08 in
Body Length	0.00 ft	Cab to Body	N/A

Cargo Area Dimensions

Cargo Box Length @ Floor	69.92 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.63 in
Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A
Cargo Volume	62.9 ft³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.

Bidder (Vendor)	Contact Person	Contact's Telephone	Item #	30
OCONNOR MOTORS	JOHN MYNAHAN	2075920105		
Estimated Quantity:	UNKNOWN	Class-Spec#:	244	
GENERAL DESCRIPTION	Full Size Truck, 4 x 4, Crew Cab, Automatic Transmission, Air Conditioning, Cruise Control, Tilt Steering			
Option Code	SPECIFICATIONS			
X	AIR CONDITIONING			
X	AUXILIARY POWER SOURCE			
G80	AXLE REAR: Traction Lock	Provide Axle Ratio:	3.23	
X	BATTERY: Heavy duty, highest CCA and reserve time available	Provide CCA:	730	
X	BLUETOOTH TECHNOLOGY FOR HANDS FREE CELL PHONE CALLING			
X	BUMPER, FRONT: OEM			
X	BUMPER, REAR: Step and Tow, OEM			
X	CARGO BOX: 5' 5 - 7' Bed, Style Side	Provide Bed Length:	69.92	
X	CRUISE CONTROL: Factory installed			
X	DOORS: 4 Full Size			
	ENGINE: Gasoline	Turbo-Yes or No:	NO	
	Provide Number of Cylinders:	8	Provide Horse Power:	355
	Provide Number of Liters:	5.3	Provide Foot Pounds of Torque:	383
K05	ENGINE BLOCK HEATER, factory installed if available			
X	ENGINE COOLER: Heavy Duty, factory installed			
X	FLOOR: Rubber, If Available, factory installed			
X	FUEL CAPACITY:	Provide Fuel Capacity:	24G	
X	GLASS: Tinted			
X	GVWR: 7000 - 7350 lbs.	Provide GVWR:	7000	
		Provide COMBINED GVWR:	15000	
A2X	LUMBAR ADJUSTMENT: Driver's Seat FORCES POWER SEAT AND FLEET CONV GROUP			
X	MIRRORS: Dual Outside, Swing-Away Style, Low Mounted, 8" x 5" Minimum, Inside Day/Night			
X	PAYLOAD:	Provide Payload:	2272	
X	POWER LOCKS & WINDOWS			
X	RADIO: AM/FM, with Clock, factory installed			
X	SEATS, FRONT: cloth, split bench 60/40 or 40/20/40 with flip down console			
X	SEATS, REAR: cloth, bench			
NZZ	SKID PLATES: factory installed			
X	STEERING: Power with Tilt Wheel			
X	TIRE, SPARE: Full Size Mounted Under Vehicle, OEM			
X	TIRES: Minimum LT, Load Range C, D, or E if available from factory, All Terrain/On-Off Road	Provide Size and Load Range:	LT26570R17C	
X	TOW HOOKS: front, factory installed			
Z82	TOWING PACKAGE: Factory installed to include drop receiver hitch & 7 pin wiring harness	Provide Towing Capacity:	9200	
X	TRANSMISSION: Automatic	Provide Number of Transmission Speeds:	10	
X	TRANSMISSION COOLER: Auxiliary or external factory installed			
X	WHEEL BASE: 145" - 157"	Provide Wheel Base:	147	
Vehicle Description				
Year	Make	Model		
2026	GMC	TK10543 V8		



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30-244 V8 2026





O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30-244 V8 2026 (Complete)

Selected Model and Options

MODEL	
CODE	MODEL
TK10543	2026 GMC Sierra 1500 4WD Crew Cab 147" Pro
COLORS	
CODE	DESCRIPTION
GAZ	Summit White
EMISSIONS	
CODE	DESCRIPTION
NE1	Emissions, Colorado, Connecticut, Delaware, Maine, Maryland, Massachusetts, Minnesota, Nevada, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements
ENGINE	
CODE	DESCRIPTION
L84	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm); featuring Dynamic Fuel Management (Includes (KW7) 170-amp alternator and (MHT) 10-speed automatic transmission. Not available with T*10703 models. Retail orders require (G80) autolocking rear differential.)
TRANSMISSION	
CODE	DESCRIPTION
MHT	Transmission, 10-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)
GVWR	
CODE	DESCRIPTION
C5Y	GVWR, 7100 lbs. (3221 kg) (Requires Crew Cab 4WD model and (L84) 5.3L EcoTec3 V8 engine.)
AXLE	
CODE	DESCRIPTION
GU5	Rear axle, 3.23 ratio (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)
PREFERRED EQUIPMENT GROUP	
CODE	DESCRIPTION
1SA	Pro Preferred Equipment Group includes standard equipment

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30-244 V8 2026 (Complete)

WHEELS

CODE	DESCRIPTION
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)

TIRES

CODE	DESCRIPTION
RC5	Tires, LT265/70R17C all-terrain, blackwall

SPARE TIRE

CODE	DESCRIPTION
RHM	Tire, spare LT265/70R17 all-terrain, blackwall (Included with (RC5) LT265/70R17C all-terrain, blackwall tires. Available with (ZW9) pickup bed delete.)

PAINT

CODE	DESCRIPTION
GAZ	Summit White

SEAT TYPE

CODE	DESCRIPTION
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

SEAT TRIM

CODE	DESCRIPTION
H0U	Jet Black, Cloth seat trim (Requires (A2X) 10-way power driver seat including power lumbar. Not available with (ZW9) pickup bed delete.)

RADIO

CODE	DESCRIPTION
IOR	Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30-244 V8 2026 (Complete)

ADDITIONAL EQUIPMENT - PACKAGE

CODE	DESCRIPTION
Z82	Trailer Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (Requires (G80) auto-locking rear differential with (L84) 5.3L EcoTec3 V8 engine. Not available with (ZW9) pickup bed delete. Included with (PEB) Pro Value Package.)
ZLQ	Fleet Convenience Package includes (DLF) outside power mirrors (Requires a Fleet or Government Sales order. Not available with (PCI) Convenience Package, (WBP) Graphite Edition or (PEB) Pro Value Package. Available to upgrade to (DPO) outside power-adjustable vertical trailering mirrors. Includes (QT5) Lift power lock and release tailgate when (H0U) Jet Black interior trim is ordered. and is not available with (H0U) Jet Black interior trim.)

ADDITIONAL EQUIPMENT - MECHANICAL

CODE	DESCRIPTION
G80	Auto-locking rear differential (Retail orders required with (L84) 5.3L EcoTec3 V8 engine or included with (X31) X31 Off-Road Package. Fleet or Government orders are included with (X31) X31 Off-Road Package.)
K05	Engine block heater
KC4	Cooling, external engine oil cooler (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)
KNP	Cooling, auxiliary external transmission oil cooler (Included and only available with V8 engines.)
KW7	Alternator, 170 amps (Included and only available with (L84) 5.3L EcoTec3 V8 engine. Not available with (VYU) Snow Plow Prep Package or (L3B) TurboMax engine.)
NZZ	Skid Plates (Retail orders are included and only available with (X31) X31 Off-Road Package or (VYU) Snow Plow Prep Package. Fleet or Government orders are included with (BAQ) Enhanced Capability Package, (X31) X31 Off-Road Package or (VYU) Snow Plow Prep Package. Not available on Double Cab models when ordered with (Z60) High Capacity Suspension Package or 20 " tires and wheels)

ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION
DLF	Mirrors, outside heated power-adjustable (Included and only available with (PCI) Convenience Package or (ZLQ) Fleet Convenience Package on Crew Cab and Double Cab models. Standard on Regular Cab models.)
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release, includes hitch area light (Retail orders are included and only available with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Fleet or Government orders are included with (PCI) Convenience Package or (QK2) GMC MultiPro Tailgate. Included with (ZLQ) Fleet Convenience Package when (H0U) Jet Black interior trim is ordered.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30-244 V8 2026 (Complete)

ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION
A2X	Seat adjuster, driver 10-way power including lumbar (Requires and only available with (H0U) Jet Black interior trim and (PCI) Convenience Package or (ZLQ) Fleet Convenience Package. Requires (KI4) 120-volt power outlet and (KC9) 120-volt bed-mounted power outlet. Not available with (ZW9) pickup bed delete.)
KC9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet) (Included and only available with (KI4) 120-volt AC power outlet. Not available with (ZW9) pickup bed delete.)
KI4	Power outlet, interior power outlet, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Includes (UBI) 2-USB charge ports on Crew Cab and Double Cab models. Requires (PCI) Convenience Package, (PEB) Pro Value Package or (ZLQ) Fleet Convenience Package and (H0U) Jet Black interior trim to be ordered. Not available with (ZW9) pickup bed delete.)
UBI	USB ports, (2) charge-only, rear (Not available on Regular Cab model. Included and only available with (KI4) 120-volt power outlet.)

ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

CODE	DESCRIPTION
CTT	Hitch Guidance (Included and only available with (Z82) Trailering Package.)

ADDITIONAL EQUIPMENT - OTHER

CODE	DESCRIPTION
VQ2	Fleet processing option
Options Total	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30-244 V8 2026 (✔ Complete)

Standard Equipment

Package

GMC Pro Safety includes (UEU) Forward Collision Alert, (UE4) Following Distance Indicator, (UKJ) Front Pedestrian Braking, (TQ5) IntelliBeam, (UHX) Lane Keep Assist with Lane Departure Warning, and (UHY) Automatic Emergency Braking (Includes (T8Z) Buckle to Drive.)

Mechanical

- Pickup bed (Deleted when (ZW9) pickup bed delete is ordered on Regular Cab models.)
- Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (Not available with (VYU) Snow Plow Prep Package, (X31) X31 Off-Road Package, (ZW9) pickup bed delete or (KC4) external engine oil cooler. Includes (KW5) 220-amp alternator.) (STD)
- Transmission, 8-speed automatic, (Column shifter) electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Standard and only available with (L3B) TurboMax engine.) (STD)
- Rear axle, 3.42 ratio (Included and only available with (L3B) TurboMax engine.)
- GVWR, 7000 lbs. (3175 kg) (Requires Crew Cab 4WD or Double Cab 4WD model and (L3B) TurboMax engine. Requires Double Cab 4WD model and (L84) 5.3L EcoTec3 V8 engine.) (STD)
- Push Button Start
- Automatic Stop/Start (Not available with (FHS) E85 FlexFuel capability.)
- Transfer case, single speed, electronic Autotrac with push button control (4WD models only)
- Suspension Package, Standard
- Four wheel drive
- Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L3B) TurboMax engine.)
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, Black (Included with 4WD models or included and only available on 2WD models with (PQA) 1SA Safety Plus Package or (WBP) Graphite Edition. Available on 2WD models with Fleet or Government Order types as a free flow option or Retail order types as a SEO option.)
- Cargo tie downs (12), fixed
- Steering, Electric Power Steering (EPS) assist, rack-and-pinion
- Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
- Brake lining wear indicator
- Capless Fuel Fill
- Exhaust, single outlet
- Exhaust, aluminized stainless-steel muffler and tailpipe

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30-244 V8 2026 (✔ Complete)

Exterior

- Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel, Silver (STD)
- Tires, 255/70R17 all-season, blackwall (STD)
- Tire, spare 255/70R17 all-season, blackwall (Included with (QBN) 255/70R17 all-season, blackwall tires.) (STD)
- Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
- Bumper, front chrome lower (Requires (VJH) rear chrome bumper and (E63) pickup bed. Required with (PQA) 1SA Safety Plus Package on 1SA unless ordered with (WBP) Graphite Edition.)
- Bumper, rear chrome with bumper CornerSteps (Requires (V46) front chrome bumper and (E63) pickup bed.)
- CornerStep, rear bumper
- Grille (Chrome header with flat black grille insert bars)
- Headlamps, LED projectors with Fade-on/Fade-off animation, LED turn signals and Daytime Running Lamps
- IntelliBeam, automatic high beam on/off (Included and only available with (PDI) GMC Pro Safety.)
- Taillamps, LED LED signature taillight and Fade-on/Fade-off animation, incandescent stop, turn and reverse light
- Mirrors, outside manual, Black (Not available on Regular Cab models.)
- Glass, solar absorbing, tinted
- Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel
- Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
- Tailgate, gate function manual, no lift assist (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)
- Tailgate and bed rail protection caps, top
- Tailgate, locking utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete or (QK2) GMC MultiPro Tailgate.)
- Door handles, Black grained

Entertainment

- Audio system, GMC Infotainment System with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones (STD)
- Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
- Bluetooth for phone, connectivity to vehicle infotainment system
- Wireless, Apple CarPlay / Wireless Android Auto
- Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30-244 V8 2026 (✔ Complete)

Interior

- Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
- Seat trim, Vinyl
- Seat adjuster, driver 4-way manual
- Seat adjuster, passenger 4-way manual
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Not available with Regular Cab model.)
- Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
- Steering column, Tilt-Wheel, manual with wheel locking security feature
- Steering wheel, urethane
- Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5" diagonal monochromatic display
- Compass, located in instrument cluster
- Exterior Temperature Display, located in radio display
- Windows, power front, drivers express up/down
- Window, power front, passenger express down
- Windows, power rear, express down (Not available on Regular Cab models.)
- Door locks, power
- Remote Keyless Entry
- Cruise control, steering wheel-mounted
- Steering column lock, electrical
- USB Ports, 2, Charge/Data ports located on instrument panel
- Power outlet, front auxiliary, 12-volt
- Air conditioning, single-zone manual
- Air vents, rear (Not available with Regular Cab model.)
- Mirror, inside rearview, manual tilt
- Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Interior

- Automatic Emergency Braking (Included and only available with (PDI) GMC Pro Safety.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30-244 V8 2026 (✔ Complete)

Safety-Interior

- Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)
- OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (Requires (UE1) OnStar. OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)
- HD Rear Vision Camera (Not available with (ZW9) pickup bed delete.)
- Following Distance Indicator (Included and only available with (PDI) GMC Pro Safety.)
- Forward Collision Alert (Included and only available with (PDI) GMC Pro Safety.)
- Lane Keep Assist with Lane Departure Warning (Included and only available with (PDI) GMC Pro Safety.)
- Seat Belt Adjustable Guide Loops, front row only (Included and only available with Crew Cab or Double Cab models.)
- Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use (Included and only available with (PDI) GMC Pro Safety.)
- Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)
- Rear Seat Reminder (Requires a Crew Cab or Double Cab model.)
- Rear Seat Belt Indicator (Requires Crew Cab or Double Cab model.)

Safety-Mechanical

- Front Pedestrian Braking (Included and only available with (PDI) GMC Pro Safety.)
- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

- Daytime Running Lamps, LED signature lighting

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30-244 V8 2026 (✔ Complete)

WARRANTY

Warranty Note: <<< Preliminary 2026 Warranty >>>
Basic Years: 3
Basic Miles/km: 36,000
Drivetrain Years: 5
Drivetrain Miles/km: 60,000
Drivetrain Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Corrosion Years (Rust-Through): 6
Corrosion Years: 3
Corrosion Miles/km (Rust-Through): 100,000
Corrosion Miles/km: 36,000
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 60,000
Roadside Assistance Note: Sierra TurboMaxTM engines, 3.0L & 6.0L Duramax®; Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30-244 V8 2026 (✔ Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MHT
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.70
Second Gear Ratio (:1)	2.99	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.77	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.87
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.64		

Mileage

EPA Fuel Economy Est - Hwy	19 (2025) MPG	Cruising Range - City	360.00 mi
EPA Fuel Economy Est - City	15 (2025) MPG	Fuel Economy Est-Combined	17 (2025) MPG
Cruising Range - Hwy	456.00 mi	Estimated Battery Range	N/A

Engine

Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	Yes		

Electrical

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30-244 V8 2026 (Complete)

Vehicle

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	8.8 (2025)	EPA Greenhouse Gas Score	3 (2025)
--	------------	--------------------------	----------

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3800 lbs
Gross Axle Wt Rating - Rear	3800 lbs	Curb Weight - Front	2846 lbs
Curb Weight - Rear	1982 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	954.00 lbs
Reserve Axle Capacity - Rear	1818.00 lbs	As Spec'd Curb Weight	4828.00 lbs
As Spec'd Payload	2272.00 lbs	Maximum Payload Capacity	2272.00 lbs
Gross Combined Wt Rating	15000 lbs	Gross Axle Weight Rating	7600.00 lbs
Curb Weight	4828.00 lbs	Reserve Axle Capacity	2772.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	7100.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9200 lbs	Wt Distributing Hitch - Max Tongue Wt.	920 lbs
Fifth Wheel Hitch - Max Trailer Wt.	8400 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2100 lbs
Maximum Trailering Capacity	N/A		

Frame

Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	3800 lbs	Spring Capacity - Rear	3850 lbs
Axle Type - Front	N/A	Axle Type - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30-244 V8 2026 (Complete)

Chassis

Suspension

Axle Capacity - Front	3800 lbs	Axle Capacity - Rear	3800 lbs
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	RC5	Rear Tire Order Code	RC5
Spare Tire Order Code	RHM	Front Tire Size	LT265/70R17C
Rear Tire Size	LT265/70R17C	Spare Tire Size	LT265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.3 ft	Turning Diameter - Wall to Wall	N/A

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	13 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.



O'Connor Motors

John Mynahan | 207-592-0105 | john.mynahan@oconnorwheels.com

ITEM 30-244 V8 2026 (Complete)

Chassis

Fuel Tank

Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	40.12 in
Second Leg Room	43.4 in	Second Shoulder Room	65.16 in
Second Hip Room	60.24 in		

Exterior Dimensions

Wheelbase	147.44 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	231.92 in
Width, Max w/o mirrors	81.24 in	Height, Overall	75.51 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	8.08 in	Ground Clearance, Rear	8.08 in
Body Length	0.00 ft	Cab to Body	N/A

Cargo Area Dimensions

Cargo Box Length @ Floor	69.92 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.63 in
Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A
Cargo Volume	62.9 ft³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25813. Data Updated: Jun 25, 2025 6:46:00 PM PDT.

RIDER B: TERMS and CONDITIONS**1. DEFINITIONS.** The following definitions are applicable to these standard terms and conditions:

- a. The term "Buyer" or "State" shall refer to the Government of the State of Maine or a person representing the Government of the State of Maine.
- b. The term "Department" or "DAFS" shall refer to the State of Maine Department of Administrative and Financial Services.
- c. The term "Bureau" or "BGS" shall refer to the State of Maine Bureau of General Services.
- d. The term "OSPS" shall refer to the State of Maine Office of State Procurement Services.
- e. The term "Provider" shall refer to the organization that is providing goods and/or services through the contract to which these standard terms and conditions have been attached and incorporated.
- f. The term "Contract" shall refer to the contract document to which these standard terms and conditions apply, taking the format of a Buyer Purchase Order (BPO) or Master Agreement (MA) or other contractual document that is mutually agreed upon between the State and the Provider.

2. WARRANTY. The Provider warrants the following:

- a. That all goods and services to be supplied by it under this Contract are fit and sufficient for the purpose intended, and
- b. That all goods and services covered by this Contract will conform to the specifications, drawing samples, symbols or other description specified by OSPS, and
- c. That such articles are merchantable, good quality, and free from defects whether patent or latent in material and workmanship, and
- d. That all workmanship, materials, and articles to be provided are of the best grade and quality, and
- e. That it has good and clear title to all articles to be supplied by it and the same are free and clear from all liens, encumbrances and security interest.

Neither the final certificate of payment nor any provision herein, nor partial nor entire use of the articles provided shall constitute an acceptance of work not done in accordance with this agreement or relieve the Provider liability in respect of any warranties or responsibility for faulty material or workmanship. The Provider shall remedy any defects in the work and pay any damage to other work resulting therefrom, which shall appear within one year from the date of final acceptance of the work provided hereunder. OSPS shall give written notice of observed defects with reasonable promptness.

3. TAXES. Provider agrees that, unless otherwise indicated in the order, the prices herein do not include federal, state, or local sales or use tax from which an exemption is available for purposes of this order. Provider agrees to accept and use tax exemption certificates when supplied by OSPS as applicable. In case it shall ever be determined that any tax included in the prices herein was not required to be paid by Provider, Provider agrees to notify OSPS and to make prompt application for the refund thereof, to take all proper steps to procure the same and when received to pay the same to OSPS.

4. **PACKING AND SHIPMENT.** Deliveries shall be made as specified without charge for boxing, carting, or storage, unless otherwise specified. Articles shall be suitably packed to secure lowest transportation cost and to conform to the requirements of common carriers and any applicable specifications. Order numbers and symbols must be plainly marked on all invoices, packages, bills of lading, and shipping orders. Bill of lading should accompany each invoice. Count or weight shall be final and conclusive on shipments not accompanied by packing lists.
5. **DELIVERY.** Delivery should be strictly in accordance with delivery schedule. If Provider's deliveries fail to meet such schedule, OSPS, without limiting its other remedies, may direct expedited routing and the difference between the expedited routing and the order routing costs shall be paid by the Provider. Articles fabricated beyond OSPS's releases are at Provider's risk. Provider shall not make material commitments or production arrangements in excess of the amount or in advance of the time necessary to meet delivery schedule, and, unless otherwise specified herein, no deliveries shall be made in advance of OSPSO's delivery schedule. Neither party shall be liable for excess costs of deliveries or defaults due to the causes beyond its control and without its fault or negligence, provided, however, that when the Provider has reason to believe that the deliveries will not be made as scheduled, written notice setting forth the cause of the anticipated delay will be given immediately to OSPS. If the Provider's delay or default is caused by the delay or default of a subcontractor, such delay or default shall be excusable only if it arose out of causes beyond the control of both Provider and subcontractor and without fault of negligence or either of them and the articles or services to be furnished were not obtainable from other sources in sufficient time to permit Provider to meet the required delivery schedule.
6. **FORCE MAJEURE.** The performance of an obligation by either party shall be excused in the event that performance of that obligation is prevented by an act of God, act of war, riot, fire, explosion, flood or other catastrophe, sabotage, severe shortage of fuel, power or raw materials, change in law, court order, national defense requirement, or strike or labor dispute, provided that any such event and the delay caused thereby is beyond the control of, and could not reasonably be avoided by, that party.
7. **INSPECTION.** All articles and work will be subject to final inspection and approval after delivery, notwithstanding prior payment, it being expressly agreed that payment will not constitute final acceptance. OSPS, at its option, may either reject any article or work not in conformity with the requirements and terms of this order, or re-work the same at Provider's expense. OSPS may reject the entire shipment where it consists of a quantity of similar articles and sample inspection discloses that ten (10%) percent of the articles inspected are defective, unless Provider agrees to reimburse OSPS for the cost of a complete inspection of the articles included in such shipment. Rejected material may be returned at Provider's risk and expense at the full invoice price plus applicable incoming transportation charges, if any. No replacement of defective articles of work shall be made unless specified by OSPS.
8. **INVOICE.** The original and duplicate invoices covering each and every shipment made against this order showing Contract number, Vendor number, and other essential particulars, must be forwarded promptly to the ordering agency concerned by the Vendor to whom the order is issued. Delays in receiving invoice, and any errors or omissions on statements, will be considered just cause for withholding settlement without losing discount privileges. All accounts are to be carried in the name of the agency or institution receiving the goods, and not in the name of OSPS.

9. **MODIFICATIONS.** OSPS reserves the right to increase or decrease all or any portion of the work and the articles required by the bidding documents or this agreements, or to eliminate all or any portion of such work or articles or to change delivery date hereon without invalidating this Contract. All such modification shall be in writing. If any such modification are made, the Contract amount or amounts shall be adjusted accordingly. In no event shall Provider fail or refuse to continue the performance of the work in providing of articles under this Agreement because of the inability of the parties to agree on an adjustment or adjustments.
10. **TERMINATION.** OSPS may terminate the whole or any part of this Agreement in any one of the following circumstances:
- a. The Provider fails to make delivery of articles, or to perform services within the time or times specified herein, or
 - b. If Provider fails to deliver specified materials or services, or
 - c. If Provider fails to perform any of the provisions of this Agreement, or
 - d. If Provider so fails to make progress as to endanger the performance of this Agreement in accordance with its terms, or
 - e. If Provider is adjudged bankrupt, or if it makes a general assignment for the benefit of its creditors or if a receiver is appointed on account of its insolvency, or
 - f. Whenever for any reason the State shall determine that such termination is in the best interest of the State to do so.

In the event that OSPS terminates this Agreement in whole or in part, pursuant to this paragraph with the exception of (f), OSPS may procure (articles and services similar to those so terminated) upon such terms and in such manner as OSPS deems appropriate, and Provider shall be liable to OSPS for any excess cost of such similar articles or services.

11. **NON-APPROPRIATION.** Notwithstanding any other provision of this Contract, if the State does not receive sufficient State, Federal, or other sources of funds to fund this Contract and other obligations of the State, if funds are de-appropriated, or if the State does not receive legal authority to expend funds from State or Federal legislative, executive or judicial bodies, then the State is not obligated to make payment under this Contract.
12. **GOVERNMENTAL REQUIREMENTS.** The Provider warrants and represents that it will comply with all applicable governmental ordinances, laws and regulations.
13. **GOVERNING LAW.** This Contract shall be governed in all respects by the laws, statutes, and regulations of the United States of America and of the State of Maine. Any legal proceeding against the State regarding this Contract shall be brought in the State of Maine administrative or judicial forums. The Provider consents to personal jurisdiction in the State of Maine.
14. **DISPUTES.** OSPS will decide any and all questions which may arise as to the quality and acceptability of articles provided and installation of such articles, and as to the manner of performance and rate of progress under this Contract. OSPS will decide all questions, which may arise as to the interpretation of the terms of this Agreement and the fulfillment of this Agreement on the part of the Provider.
15. **SUBLETTING, ASSIGNMENT OR TRANSFER.** The Provider shall not sublet, sell, transfer, assign or otherwise dispose of this Contract or any portion thereof, or of its right, title or interest therein, without the written request and written approval from the Department. Such approval shall not in

any case relieve the Provider of its responsibility for performance of work or liability under this Contract.

16. STATE HELD HARMLESS. The Provider shall indemnify and hold harmless the Department and its officers, agents, and employees from and against any and all third party claims, liabilities, and costs, including reasonable attorney fees, for any or all injuries to persons or property or claims for money damages, including claims for violation of intellectual property rights, arising from the negligent acts or omissions of the Provider, its employees or agents, officers or Subcontractors in the performance of work under this Agreement; provided, however, the Provider shall not be liable for claims arising out of the negligent acts or omissions of the Department, or for actions taken in reasonable reliance on written instructions of the Department.

17. NON-COLLUSION. The Provider warrants that it has not employed or contracted with any company or person, other than for assistance with the normal study and preparation of a proposal, to solicit or secure this Contract, and that it has not paid, or agreed to pay, any company or person, other than a bona fide employee working solely for the Provider, any fee, commission, percentage, brokerage fee, gifts, or any other consideration, contingent upon, or resulting from, the award of this Contract.

And, the Provider has not entered into a prior understanding, agreement, or connection with any corporation, firm, or person submitting a response for the same materials, supplies, equipment, or services, and this proposal is in all respects fair and without collusion or fraud. The above-mentioned entities understand and agree that collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards.

For breach or violation of this provision, the Department shall have the right to terminate this Contract without liability or, at its discretion, to otherwise recover the full amount of such fee, commission, percentage, brokerage fee, gift, or contingent fee.

18. MATERIAL SAFETY: All manufacturers, importers, suppliers, or distributors of hazardous chemicals doing business in this State must provide a copy of the current Material Safety Data Sheet (MSDS) for any hazardous chemical to their direct purchasers of that chemical.

19. ORDER OF PRECEDENCE. In the event of a conflict between the documents comprising this Agreement, the Order of Precedence shall be:

- a. Exceptions - If applicable
- b. General Terms & Conditions for Goods and/or Services under Buyer Purchase Orders and Master Agreements
- c. Scope of Work - If applicable
- d. Vender Agreement - Included at Department's Discretion
- e. Other - Included at Department's Discretion

20. CYBERSECURITY AND PROHIBITED TECHNOLOGIES. The Provider certifies to the best of Provider's knowledge and belief that the aforementioned organization, its principals and any subcontractors named in this Contract:

- a. is not a foreign adversary business entity, <https://www.maine.gov/oit/prohibited-technologies>, [Title 5 MRSA §2021 \(3\)](#); and
- b. is not on the list of prohibited companies or does not obtain or purchase any information or communications technology or services included on the list of prohibited information and communications technology and services <https://www.maine.gov/oit/prohibited-technologies>, [Title 5 MRSA §2030-B](#).

Contracts entered into by a state agency in violation of [Title 5 M.R.S. §2030-B](#) are void. A person who knowingly signs this contract, in violation of this section, commits a civil violation for which a fine may be adjudged in an amount that is twice the amount of this contract or \$250,000, whichever is greater, [Title 5 MRSA §2030-A](#).

- 21. TARIFFS.** Any price increases implemented by the provider due to the imposition of tariffs shall remain in effect only for the duration that such tariffs are in place. In the event of the repeal or reduction of any applicable tariff(s), the provider shall immediately return to the original price list or make a proportional reduction in the price to reflect the decrease in tariff(s). Price adjustments under this clause shall be made in good faith and without undue delay upon confirmation via documents reflecting tariff changes.

RIDER C: EXCEPTIONS TO RIDER B

Not Applicable


RIDER D: RESPONSIBLE BIDDER CERTIFICATION

By signing this document, I certify to the best of my knowledge and belief that the aforementioned organization, its principals, and any subcontractors named in this proposal:

- a. Are not presently debarred, suspended, proposed for debarment, and declared ineligible or voluntarily excluded from bidding or working on contracts issued by any governmental agency.*
- b. Have not within three years of submitting the proposal for this contract been convicted of or had a civil judgment rendered against them for:*
 - i. fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a federal, state or local government transaction or contract.*
 - ii. violating Federal or State antitrust statutes or committing embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;*
 - iii. are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or Local) with commission of any of the offenses enumerated in paragraph (b) of this certification; and*
 - iv. have not within a three (3) year period preceding this proposal had one or more federal, state or local government transactions terminated for cause or default.*
- c. Have not entered into a prior understanding, agreement, or connection with any corporation, firm, or person submitting a response for the same materials, supplies, equipment, or services and this proposal is in all respects fair and without collusion or fraud. The above-mentioned entities understand and agree that collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards.*

- Failure to provide this certification may result in the disqualification of the Bidder's proposal, at the discretion of the Department.**

To the best of my knowledge all information provided in the enclosed proposal, both programmatic and financial, is complete and accurate at the time of submission.

Name: John Mynahan	Title: FLEET SALES MANAGER
Authorized Signature:  970DF8E9CA924E5...	Date: 8/5/2025

Appendix F

**STATE OF MAINE
DEPARTMENT OF ADMINISTRATIVE AND FINANCIAL SERVICES
OFFICE OF STATE PROCUREMENT SERVICES**

ROADSIDE ASSISTANCE WARRANTY

**RFQ # 18P 250613-273
Vehicles to create Master Agreements**

Roadside Assistance

Is roadside assistance part of fleet warranty? ☒ YES ☐ NO

Is there an additional charge for roadside assistance warranty?

☐ YES ☐ NO If YES, Please state here: _____

To have your bid accepted, this section MUST have an actual wet signature or utilize DocuSign or Adobe Sign forms of electronic signature.

BIDDER: O'Connor Motors DATE: 6-27-2026

AUTHORIZED SIGNATURE: [Signature]
Responsible person submitting this bid

TEL: 207 592 0105 EMAIL: JOHN.MYNAHAN@OCONNORWHEELS.COM