

MODIFICATION

State of Maine**Master Agreement****Effective Date:** 09/01/17**Expiration Date:** 08/31/20**Master Agreement Description:** Hearing Aid Participating Addendum, GN RESOUND**Buyer Information**

Justin Franzose 207-624-7337 ext. justin.franzose@maine.gov

Issuer Information

Nancy Winter 207-623-7958 ext. nancy.a.winter@maine.gov

Requestor Information

Nancy Winter 207-623-7958 ext. nancy.a.winter@maine.gov

Authorized Departments

ALL

Vendor Information**Vendor Line #: 1****Vendor ID**

VC0000160167

Vendor Name

GN HEARING CARE CORPORATION

Alias/DBA

GN RESOUND

Vendor Address Information

8001 BLOOMINGTON FREEWAY

BLOOMINGTON, MN 55420

US

Vendor Contact Information

Rachel Severson

800-392-9932 ext. 1955

RSeverson@GNRESOUND.COM

Commodity Information

Vendor Line #: 1

Vendor Name: GN HEARING CARE CORPORATION

Commodity Line #: 1

Commodity Code: 71072

Commodity Description: Hearing Aids-GN Resound

Commodity Specifications: Hearing Aid Participating Addendum, GN-Resound. Please see attached files for available hearing aids and pricing.

Quantity	UOM	Unit Price
0.00000		\$0.00
Delivery Days	Free on Board	
	FOB Dest, Freight Prepaid	
Contract Amount	Service Start Date	Service End Date
\$0.00	09/01/17	08/31/20
Catalog Name	Discount	
	0.0000 %	
	Discount Start Date	Discount End Date

Admin Minnesota

Office of State Procurement

Room 112 Administration Bldg., 50 Sherburne Ave., St. Paul, MN 55155; Phone: 651.296.2600, Fax: 651.297.3996
Persons with a hearing or speech disability can contact us through the Minnesota Relay Service by dialing 711 or 1.800.627.3529.

CONTRACT RELEASE: H-59(5)

DATE: SEPTEMBER 1, 2019

PRODUCT/SERVICE: HEARING AIDS: VOLUME PURCHASE HEARING AID PROGRAM

CONTRACT PERIOD: SEPTEMBER 1, 2017, THROUGH AUGUST 31, 2020

EXTENSION OPTIONS: UP TO 24 MONTHS

ACQUISITION MANAGEMENT SPECIALIST (AMS): ROBB MIMBACH

PHONE: 651.201.2432 **E-MAIL:** robb.mimbach@state.mn.us **WEB SITE:** www.mmd.admin.state.mn.us

<u>CONTRACT VENDOR</u>	<u>CONTRACT NO.</u>	<u>TERMS</u>	<u>DELIVERY</u>
GN RESOUND 8001 BLOOMINGTON FWY BLOOMINGTON, MN 55420	129968	NET 30	7 WORKING DAYS ARO

VENDOR NO: 0000271144-001

PAUL ROZENDAAL
OFFICE: 800.248.4357 X8259 | **FAX:** 952.769.8259 | **EMAIL:** PROZENDAAL@GNRESOUND.COM

<u>CONTRACT VENDOR</u>	<u>CONTRACT NO.</u>	<u>TERMS</u>	<u>DELIVERY</u>
BELTONE 2601 PATRIOT BLVD GLENVIEW, IL 60026	129969	NET 30	1 TO 5 CALENDER DAYS ARO

VENDOR NO: 0000271144-002

BELTONE CUSTOMER SERVICE
OFFICE: 800.621.1275 | **FAX:** 847.832.3667

COURTNEY MASSIE
OFFICE: 847.832.3821 | **FAX:** 847.832.3667 | **EMAIL:** CMASSIE@BELTONE.COM

<u>CONTRACT VENDOR</u>	<u>CONTRACT NO.</u>	<u>TERMS</u>	<u>DELIVERY</u>
OTICON, INC. 580 HOWARD AVE. SOMERSET, NJ 08873	129970	NET 30	5 DAYS ARO

VENDOR NO: 0000205171-001

CUSTOMER SERVICE
OFFICE: 800.526.3921 | **FAX:** 732.560.0029 | **EMAIL:** BOX@OTICONUSA.COM

<u>CONTRACT VENDOR</u>	<u>CONTRACT NO.</u>	<u>TERMS</u>	<u>DELIVERY</u>
SIVANTOS, INC. 10 CONSTITUTION AVE. PISCATAWAY, NJ 08855	129972	NET 30	1 TO 3 DAYS ARO

VENDOR NO: 0000203977-001 **PRODUCT LINE:** SIGNIA

RICH HILLWIG
DIRECTOR OF FINANCE - CRM
OFFICE: 732.529.3651 | **MOBILE:** 908.528.3794 | **EMAIL:** RICHARD.HILLWIG@SIVANTOS.COM
EMAIL: MIDWEST-SHI@SIVANTOS.COM

<u>CONTRACT VENDOR</u>	<u>CONTRACT NO.</u>	<u>TERMS</u>	<u>DELIVERY</u>
SIVANTOS, INC. 3033 CAMPUS DR., W125 PLYMOUTH, MN 55441	129973	NET 30	1 TO 3 DAYS ARO

VENDOR NO: 0000203977-002 **PRODUCT LINE:** REXTON

RICH HILLWIG
DIRECTOR OF FINANCE - CRM
OFFICE: 732.529.3651 | **MOBILE:** 908.528.3794 | **EMAIL:** RICHARD.HILLWIG@SIVANTOS.COM
EMAIL: ORDERS@SIVANTOS.COM

<u>CONTRACT VENDOR</u>	<u>CONTRACT NO.</u>	<u>TERMS</u>	<u>DELIVERY</u>
STARKEY LAB, INC. 6700 WASHINGTON AVE. S. EDEN PRAIRIE, MN 55344	129974	NET 30	2 TO 5 DAYS ARO

VENDOR NO: 0000197443-001

SUPPORT
OFFICE: 952.941.6401 | **FAX:** 952.828.6904 | **EMAIL:** STARKEYSUPPORT@STARKEY.COM

Contract Release: H-59(5)

<u>CONTRACT VENDOR</u>	<u>CONTRACT NO.</u>	<u>TERMS</u>	<u>DELIVERY</u>
SONOVA USA, INC. 14755 27 TH AVE N Plymouth, MN 55441	129975	NET 30	2 TO 4 DAYS ARO

VENDOR NO: 0000209807-001

PRODUCT LINES: PHONAK & UNITRON

PHONAK
SUSAN TORNBLOM
OFFICE: 763.331.3784 | **EMAIL:** SUSAN.TORNBLOM@SONOVA.COM

UNITRON
JESSICA DANCIS
OFFICE: 612.816.3358 | **EMAIL:** JESSICA.DANCIS@UNITRON.COM

<u>CONTRACT VENDOR</u>	<u>CONTRACT NO.</u>	<u>TERMS</u>	<u>DELIVERY</u>
WIDEX USA, LLC 185 COMMERCE DR. HAUPPAUGE, NY 11788	129976	NET 30	2 TO 5 DAYS ARO

VENDOR NO: 0000983195-001

MARIA BALCERAK
OFFICE: 800.221.0639 OPTION 2 | **FAX:** 631.273.0639 | **EMAIL:** CUSTOMERSERVICE@WIDEXUSA.COM

CONTRACT USERS. This Contract is available to the following entities as indicated by the checked boxes below

- State agencies
- Cooperative Purchasing Venture (CPV) members
- Participating States:

STATE AGENCY CONTRACT USE. State agencies should make every effort to use the Contract Vendor(s) listed. However, this Contract does not prohibit State agencies from using their delegated local purchasing authority to procure similar products and services from other vendors.

STATE AGENCY ORDERING INSTRUCTIONS. Orders are to be placed directly with the Contract Vendor. State agencies should use a Contract release order (CRO) or a blanket purchase order (BPC), although most purchases will be done outside the SWIFT system. The person ordering should include his or her name and phone number. Orders may be submitted via fax.

CONTRACT FEEDBACK. If these commodities or service can be better structured to help you with your business needs, let us know. We solicit your comments and suggestions to improve all of our contracts so that they may better serve your business needs. If you have a need for which no contract currently exists, or you would like to be able to use an existing state contract that is not available to your entity, whether a state agency or CPV, please contact us. If you have specific comments or suggestions about an individual contract you can submit those via the [Contract Feedback Form](#).

SERVICE CERTIFICATION FORM REQUIREMENTS.

Pursuant to Minn. Stat. § 16C.09, agencies must complete a "Service Contract Certification Form" prior to issuing an order for services offered from this Contract.

SPECIAL TERMS AND CONDITIONS

SCOPE. The purpose of this contract is to provide hearing aids to the State of Minnesota (lead State), other state agencies and participants in the State of Minnesota's Cooperative Purchasing Venture (CPV) program and the states of Wisconsin, Michigan, Maine and Colorado, on an as needed basis. Hearing aids are dispensed by qualified audiologists and hearing instrument dispensers participating with the Minnesota Health Care Program (MHCP) in participation with the State of Wisconsin's Department of Health Services (DHS), the Michigan Health Care Programs, the State of Maine's Department of Vocational Rehabilitation (DVR), and the State of Colorado's Division of Vocational Rehabilitation (DVR).

PARTICIPATING STATES CONTRACT PERIOD. Any current participating state that chooses to participate in the upcoming program, reserves the right to establish the starting date for its program based on the time the state will require to execute the program with its authorized hearing aid dispensers. The end date of the program must not exceed the contract term established by the Lead State.

If other new states choose to participate in the volume hearing aid purchase program, they reserve the right to establish the starting date of the Volume Hearing Aid Purchasing Program Contract with the Contract Vendor, based on the time the state will require to execute the program state-wide with the state's authorized audiologists or hearing instrument dispensers. The end date of the program must not exceed the contract term established by the Lead State of Minnesota.

If a Contract is cancelled or allowed to expire, any hearing aid order that has been submitted, or any repair request that has been initiated prior to the end of the Contract term, must be processed under the terms and conditions of the Contract.

PARTICIPATING STATES CONTRACT EXECUTION. The state of Minnesota is the lead State for the Volume Hearing Aid Purchase Program. Any issues relating to any contracts awarded from this Solicitation must be referred to the state of Minnesota's Acquisition Management Specialist (AMS).

Any Contract issued to a vendor does not guarantee its selection, in whole or in part, for use by a participating state in its Volume Hearing Aid Purchase Plan. A participating state may select the contracted vendor and hearing aids that meet the specific state's requirements, but is under no obligation to make all contracted hearing aids available.

VENDOR CAPABILITIES. The Contract Vendor must distribute their products on the open market through authorized, qualified hearing aid dispensers. In order to ensure Medicaid payments are consistent with efficiency, economy, and quality of care pursuant to Title XIX § 1902(a)(30) of the Social Security Act and the Federal requirement for free choice of providers under 42 CFR § 431.51, contracted vendors must make their products available to all Medicaid enrolled audiologists and hearing instrument dispensers. Enrolled audiologists and dispensers must be allowed to offer all contracted products available to Medicaid recipients.

DEFINITIONS. As used in the Solicitation, the following definitions are applicable:

Acquisition Management Specialist (AMS) – Refers to the Department of Administration, Office of State Procurement OSP, Contract Specialist and primary contact for the Solicitation and any subsequent contracts awarded.

State - This refers to the State of Minnesota, Office of State Procurement or other participating states – current or future.

State's Authorized Representative (SAR) – Refers to the AMS or the employee of a State agency who is designated to act under a contract – Minnesota, Maine, Michigan, Wisconsin, Colorado, or other participating states.

Volume Hearing Aid Purchasing Program – any equipment and services contracted with a Contract Vendor as a result of the solicitation.

Contract Vendor – the manufacturer or authorized distributor, who is awarded a Contract as a result of the solicitation.

Hearing Aid – a monaural hearing aid, a set of binaural hearing aids, or other device worn by the recipient to improve his/her access to and use of auditory information.

Recipient – the end user who has been approved to receive the hearing aid.

Audiologist – a qualified health care professional who engages in the practice of audiology.

Hearing Instrument Dispenser – a qualified, hearing aid dispenser who is not also an audiologist, engaged in the business of selling and dispensing hearing aids.

Minnesota Health Care Programs Liaison – the Minnesota DHS staff person assigned to management of the Volume Hearing Aid Purchasing Program on behalf of the Department of Human Services.

BACKGROUND.

Minnesota. The State of Minnesota enrolls qualified audiologists and hearing instrument dispensers through MHCP. There are approximately 320 enrolled audiologists and hearing instrument dispensers serving fee-for-service recipients. The hearing aid program is managed and supervised by the State's Department of Human Services (DHS) Health Care Programs' Purchasing and Service Delivery Division. Hearing aids will be ordered by the dispensing audiologist and/or hearing instrument dispensers unless otherwise directed by DHS. The Contract Vendor will be required to ship and invoice directly to the enrolled audiologist or hearing instrument dispenser unless otherwise directed by DHS. The

Contract Vendor may not charge handling or invoice fees to the audiologist or hearing instrument dispenser. Invoices are paid directly to the Contract Vendor by the audiologist or hearing instrument dispenser unless otherwise authorized by DHS.

Minnesota estimates that approximately 1,200 hearing aids will be purchased annually for fee-for-service recipients. However, this shall not be construed as either the minimum or maximum amount. It shall also be understood and accepted by the Contract Vendor that any quantities shown are estimated quantities only and impose no obligation upon the State either minimum or maximum.

Wisconsin. The State of Wisconsin estimates that approximately 5000 hearing aids will be used annually.

Michigan. The State of Michigan estimates that approximately 200 hearing aids will be used annually.

Maine. The State of Maine estimates that approximately 1000 hearing aids will be used annually.

Colorado. The State of Colorado estimates that approximately 711 hearing aids will be used annually.

Other States. The usage and program details for future states that may join the program is unknown. Participation in the volume hearing aid purchase program must be mutually agreed to by the Contract Vendor and the participating state.

TIMELY PROCESSING OF ORDERS. The Contract Vendor shall be responsible for the timely processing and fulfillment of all orders for purchase and repair of hearing aids and associated items.

Purchase Orders. The Contract Vendor shall be required to process to completion and transmit for delivery 97 percent of all properly submitted orders for purchase within seven (7) working days of receipt of the orders by the Audiologist and hearing instrument dispensers. The first day for counting working days will be the working day immediately following the date the order was received by the Contract Vendor. All orders shall be date-stamped by the Contract Vendor on the date the order is received by any method.

In those instances where a purchase order will require more than seven (7) working days for completion, the Contract Vendor shall be required to notify the submitting Audiologist and hearing instrument dispensers within three (3) working days of receipt of an order or upon discovery of a problem which will delay timely completion of the order.

Failure to meet the order processing requirements as outlined may result in cancellation of the contract as outlined in the General Terms and Conditions.

CONTRACT EQUIPMENT.

The types of hearing aids that will be used are:

- Behind-the Ear (BTE)
- In-the-Ear (ITE)
- Personal Frequency Modulation (FM) Systems using wireless connectivity

The types of circuitry that will be used are:

- Digital

The hearing aid ranges shall be:

- Mild hearing loss -- 26-45 dB
- Moderate hearing loss -- 46-65 dB
- Severe hearing loss -- 66-85 dB
- Profound hearing loss -- 86 dB and greater

All hearing aids supplied under the Contract must be the current production models and must meet all standards and specifications of ANSI S3.22, 2003, or the latest revision. All hearing aids must be new. Reconditioned models will not be accepted. Each hearing aid ordered from the Contract must be accompanied by a performance graph, at no extra charge. Preprinted performance graphs are not acceptable.

Hearing aid models must utilize standard commercial batteries and battery sizes.

For those hearing aid models that are normally used with a conventional type ear mold, all external hearing aid receivers and adapter nubs for plastic tubing should fit the standard bushing in the ear mold. Where the receiver nubs fail to meet this requirement, suitable adapters must be furnished and firmly attached to the receiver by the manufacturer, at no additional cost.

Personal frequency modulation (FM) systems must be compatible for use with hearing aids offered using wireless connectivity.

HEARING AID MODELS – CONTRACT ADDITIONS AND DELETIONS. Due to the complexity of managing the Volume Hearing Aid Program by each state, the Contract Vendor must comply with the following requirements for adding or deleting equipment to its Contract.

Additions – If a contract extension is requested by the lead state (Minnesota) prior to September 1 of the Contract year, the Contract Vendor may add or delete equipment at that time. Any Contract extension or equipment changes accepted will be included in a Contract amendment.

Contract extensions may be for a term of up to 12 months and equipment must remain available for the full term of the Contract extension. No equipment changes will be allowed during the extended Contract term.

If equipment additions, deletions or other changes are approved and made to the Contract, a Contract Amendment will be issued and executed by the state of Minnesota on behalf of the participating states, prior to any changes by the Contract Vendor. The Contract Vendor may only sell the equipment that is selected and adopted by **each** participating state's program.

Deletions – Any equipment offered must be available during the initial term of the Contract, unless otherwise approved by the State. Equipment deletions may only occur at the time a Contract extension is offered. If a model is discontinued and there is a replacement model available and approved, it will be added at that time. The replacement equipment that is offered must be equal or better in quality and equal or less in cost than the model being replaced.

NEW EQUIPMENT TRIAL PERIOD. For the purposes of the Contract, the trial period for a new hearing aid is 90 days. New hearing aids that are not satisfactory to the recipient must be returned to the Contract Vendor, dispenser or audiologist, within 90 days of the dispensing date, but no sooner than 30 days, unless there is apparent damage. There will be no cost to the recipient or the authorized audiologist or hearing instrument dispenser if new equipment is returned within the 90 day trial period. The Contract Vendor may not charge any restocking fees for hearing aids returned during the 90 day trial period.

EQUIPMENT WARRANTY. The Contract Vendor must provide a minimum 24-month warranty on equipment covered by the Contract that includes parts and labor. Parts excluded from the warranty are the ear piece, the cord, tubing, and batteries.

Each hearing aid sold under the Contract must have a one year loss and damage warranty. The recipient, and/or the audiologist or hearing instrument dispenser, may only file one loss claim during the one year loss and damage warranty term. No deductibles may be applied or penalties incurred due to replacement under the loss and damage warranty.

The Contract Vendor shall not charge for packaging, shipping, invoicing, postage, insurance or handling while the hearing aid is under warranty and as long as the Contract Vendor is participating under the terms of the Contract.

WARRANTY EQUIPMENT REPAIRS. The Contract Vendor must process to completion and transmit for delivery not less than 97 percent of all properly submitted repair orders within ten (10) working days from receipt of the hearing aids. The first day for counting work days will be the working day immediately following the day the hearing aid repair was received. All orders shall be date-stamped by the Contract Vendor on the date the repair order is received by the Contract Vendor.

In those instances where a warranty repair order will require more than ten (10) working days for completion, the Contract Vendor shall be required to notify the submitting provider within three (3) working days of receipt of an order or upon discovery of a problem which will delay timely completion of the order.

The Contract Vendor will be responsible for all shipping costs on warranty equipment repairs.

NON-WARRANTY REPAIRS. The Contract Vendor must continue to honor the repair pricing of the Contract under which the hearing aid was sold for the life of the hearing aid, whether the hearing aid has been discontinued from the contract, the contract vendor has terminated their participation in the contract, or the contract has been cancelled or expired. An invoice must accompany the repaired hearing aid when returned to an enrolled audiologist or hearing instrument dispenser from the Contract Vendor unless otherwise directed by the participating state. The invoice repair price must be the same as the Contract repair price.

Contract Release: H-59(5)

If persistent repairs are required due to equipment failure or required parts become unavailable to operate the hearing aid, the Contract Vendor will replace the hearing aid with a new model equal to or better than the failed unit. The replacement equipment must include a full warranty from the date of receipt by the audiologist or hearing instrument dispenser.

The Contract Vendor will be responsible for all shipping costs on non-warranty equipment repairs.

The Contract Vendor must provide a minimum warranty period of six months on all non-warranty hearing aid repairs.

INVOICES. The Contract price must be the invoiced price. The invoice must accompany each shipment unless otherwise directed by the participating state.

PAYMENTS. Invoice payment shall constitute payment in full to the Contract Vendor. The participating state will direct the Contract Vendor if the invoice is to be paid by the audiologist or hearing instrument dispenser or directly by the participating state.

PRICES. Prices are firm through the initial period of the contract. After that period, prices may increase once a year. Price increases are not effective until they are approved by the AMS. **NOTE:** At no time should the ordering entity pay more than the Contract price. Agencies must contact the AMS immediately and fill out a [Vendor Performance Report](#) if there is a discrepancy between the price on the invoice and the Contract price.

FIXED PRICE CONTRACT. All prices offered and accepted are firm for the initial term of the Contract. Contract Vendors may not change or negotiate Contract prices – higher or lower – with other state participants or any audiologist that is authorized to use the Contract.

ITEMS OFFERED AS NEW. All products, material, supplies and equipment offered and furnished must be new, of current manufacturer production, and must have been formally announced by the manufacturer as being commercially available as of the date of the solicitation opening, unless otherwise stated in this solicitation.

FREIGHT (FOB). Orders shall be shipped FOB Destination, prepaid and allowed. Freight costs shall be included in the bid unit price.

<u>PRODUCT OR SERVICE</u>	<u>UNIT OF MEASURE</u>	<u>UNSPSC CODE</u>
1. Hearing Aid Equipment, Accessories, & Supplies	EA = Each	42210000
2. Fixed Non-Warranty Repair	UN = Unit	85160000

THE MINNESOTA HEALTHCARE PROGRAM WITH PRICING CAN BE ACCESSED THROUGH THE DEPARTMENT OF HUMAN SERVICES WEBSITE AT:

<https://mn.gov/dhs/partners-and-providers/policies-procedures/minnesota-health-care-programs/provider/types/hearing-aid-contract-and-vendors/>

(Copy to your browser)

MINNESOTA HEALTH CARE PROGRAM HEARING AID SPECIALIST

Cheryl Newgren
MN Department of Human Services
Health Care Benefits Policy Consultant
651.431.2497
Cheryl.a.newgren@state.mn.us

PRICE SCHEDULE COLUMNS.

Descriptions and Features should include: Digital (full digital signal processing with two or three channels), remote, tele-coil, DAI, etc.

- For “Behind the Ear” and “In the Ear” models, indicate if the equipment is CROS or BiCROS.

db Range – The db ranges listed in Contract Equipment section.

Manufacturer – The manufacturer of the equipment.

Model Number – Must not exceed 19 alpha/numeric characters, including spaces. Must not contain an asterisk (*) or plus sign (+) symbols.

HPCPS Codes – Provided for each item offered.

Equipment Published List Price – The manufacturer’s list price.

- Monaural Hearing Aid Prices – Prices offered will be for one (1) hearing aid. *(Separate price line required.)*
- Binaural Hearing Aid Prices – Prices offered will be for two (2) hearing aids. *(Separate price line required.)*
- CROS – Prices offered shall include the price of all components of the CROS system, including a hearing aid. Bids shall indicate transmission used with system, whether wired or wireless *(Separate price line for CROS system required.)*
- BiCROS – Prices offered shall include the price of all components of the BiCROS system, including a hearing aid. Bids shall indicate transmission used with system, whether wired or wireless. *(Separate price line for BiCROS system required.)*

Equipment Percent (%) Discount off List Price – The percent discount offered to be deducted from the list price. Up to three decimals (.000) is acceptable.

Equipment Total Price – Equipment Published List Price minus Equipment Percent Discount Off List Price equals the total price that should be paid. Customers should pay the Equipment Total Price.

Fixed Non-Warranty Repair Price – Fixed price for non-warranty repairs.

Non-Warranty Repair Period (Months) – Must be a minimum of six months.

Warranty Repair Period (Months) – Must be a minimum of 24 months.

REVISIONS.

- | | |
|----------|--|
| 09/01/19 | All contracts extended through August 31, 2020, at the same terms and conditions, with some price changes. Sonova USA, Inc. discontinued the Hansation product line. |
| 12/21/18 | Price Schedules were updated for the following contract vendors and product lines: Sivantos, Inc. NJ, Signia; Sivantos, Inc. MN, Rexton; and Sonova USA, Inc., Hansaton & Unitron. |
| 11/26/18 | Amendment to all contracts including updates to Medicare and Medicaid Healthcare Common Procedure Coding System (HCPCS). |
| 09/01/18 | All contracts extended through August 31, 2019, at the same terms and conditions, with price changes. |
| 01/01/18 | Unitron Hearing name change to Sonova USA, Inc. Assignment agreement from Phonak, LLC to Sonova USA, Inc. |
| 10/04/17 | Unitron Hearing contract address changed to 14755 27 th Ave. N., Plymouth, MN 55447. |
| 09/26/17 | Sivantos, Inc. MN contract address changed to 3033 Campus Drive, W125, Plymouth, MN 55441. |

AMENDMENT NO. 3 TO CONTRACT NO. 129968 RELEASE NO. H-59(5)

THIS AMENDMENT is by and between the State of Minnesota, acting through its commissioner of Administration ("State"), and GN Resound, 8001 Bloomington Fwy, Bloomington, MN 55420 ("Contract Vendor").

WHEREAS, the State has a Contract with the Contract Vendor identified as Contract No. 129968, September 1, 2017, through August 31, 2019 ("Contract"), to provide Hearing Aids: Volume Purchase Hearing Aid Program; and

WHEREAS, Minn. Stat. § 16C.03, subd. 5, affords the commissioner of Administration, or delegate pursuant to Minn. Stat. § 16C.03, subd. 16, the authority to amend contracts; and

WHEREAS, the terms of the Contract allow the State to amend the Contract as specified herein, upon the mutual agreement of the Office of State Procurement and the Contract Vendor in a fully executed amendment to the Contract.

NOW, THEREFORE, it is agreed by the parties to amend the Contract as follows:

1. That Contract No. 129968 is extended through August 31, 2020.
2. The prior version of the Price Schedule is DELETED and REPLACED with the attached new version of the Price Schedule labeled Exhibit A – GN Resound - Contract No. 129968 – Amendment No. 3.
3. All other prices, terms, conditions, and specifications remain unchanged.

This Amendment is effective beginning September 1, 2019, or upon the date that the final required signatures are obtained, whichever occurs later, and shall remain in effect through contract expiration, or until the Contract is canceled, whichever occurs first.

Except as herein amended, the provisions of the Contract between the parties hereto are expressly reaffirmed and remain in full force and effect.

IN WITNESS WHEREOF, the parties have caused this Amendment to be duly executed intending to be bound thereby.

<p>1. GN RESOUND The Contractor certifies that the appropriate person(s) have executed this Amendment on behalf of the Contractor as required by applicable articles, bylaws, resolutions, or ordinances.</p> <p>By: <u>[Signature]</u> Signature <u>Mikkel Knudsen</u> Printed Name Title: <u>VP of Sales, ReSound</u> Date: <u>8/1/19</u></p> <p>By: _____ Signature Printed Name Title: _____ Date: _____</p>	<p>2. OFFICE OF STATE PROCUREMENT In accordance with Minn. Stat. § 16C.03, subd. 3.</p> <p>By: <u>[Signature]</u> Title: <u>Acquisition Management Specialist / Buyer</u> Date: <u>8-1-19</u></p> <p>3. COMMISSIONER OF ADMINISTRATION Or delegated representative.</p> <p>By: <u>[Signature]</u> Date: <u>8/15/2019</u></p>
---	--

STATE OF MINNESOTA – WORKFORCE CERTIFICATE INFORMATION

Required by state law for ALL bids or proposals that could exceed \$100,000

Complete this form and return it with your bid or proposal. The State of Minnesota is under no obligation to delay proceeding with a contract until a company becomes compliant with the Workforce Certification requirements in Minn. Stat. §363A.36.

BOX A – COMPANIES that have employed more than 40 full-time employees WITHIN MINNESOTA on any single working day during the previous 12 months, check one option below:

- Attached is our current Workforce Certificate issued by the Minnesota Department of Human Rights (MDHR).
- Attached is confirmation that MDHR received our application for a Minnesota Workforce Certificate on 7/25/19 (date).

BOX B – NON-MINNESOTA COMPANIES that have employed more than 40 full-time employees on a single working day during the previous 12 months in the state where it has its primary place of business, check one option below:

- Attached is our current Workforce Certificate issued by MDHR.
- We certify we are in compliance with federal affirmative action requirements.

BOX C – EXEMPT COMPANIES that have not employed more than 40 full-time employees on a single working day in any state during the previous 12 months, check option below if applicable:

- We attest we are exempt. If our company is awarded a contract, upon request, we will submit to MDHR within 5 business days after the contract is fully signed, the names of our employees during the previous 12 months, the date of separation, if applicable, and the state in which the persons were employed. Send to compliance.MDHR@state.mn.us.

By signing this statement, I certify that the information provided is accurate and that I am authorized to sign on behalf of the company.

Name of Company: GN Hearing Care Corporation DBA ReSound Date 8/1/19

Authorized Signature:  Telephone number: 800-248-4327, x1955

Printed Name and Title: Rachel Severson, Contract Manager Email: RSeverson@GNReSound.com

For assistance with this form, contact:

Minnesota Department of Human Rights, Compliance Services

Web: <http://mn.gov/mdhr/>

Email: compliance.mdhr@state.mn.us

TC Metro: 651-539-1095

Toll Free: 800-657-3704

TTY: 651-296-1283

WORKFORCE
CERTIFICATE OF COMPLIANCE

The Commissioner of the Minnesota Department of Human Rights by the signature below attests that **GN HEARING CARE CORPORATION DBA RESOUND/BELTONE** is hereby certified as a contractor under the Minnesota Human Rights Act, §363A.

Certificate start date: **8/2/2019**

Certificate expiration date: **8/1/2023**

Minnesota Department of Human Rights

FOR THE DEPARTMENT BY:



Rebecca Lucero, Commissioner

AN EQUAL OPPORTUNITY EMPLOYER

540 Fairview Ave N, Suite 201 • St. Paul, MN 55104 • Tel 651.539.1100

MN Relay 711 or 1.800.627.3529 • Toll Free 1.800.657.3704 • Fax 651.296.9042 • mn.gov/mdhr

Price Schedule

BEHIND THE EAR TYPES - The total price shall be for a single hearing aid or two hearing aids and appropriate case. List model numbers/name and full range of the instrument has a T-coil or T-coil capability. For digital aids, indicate whether a remote control is required. For conventional aids, indicate whether it is a linear or compression circuit L = Linear, C = Compression.										
DESCRIPTION & FEATURES (See below)	db RANGE	MANUFAC TURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LINX3D 5 RIE BTE Digital, wireless RIE. Dual microphones. Size 13 battery. Push button. Multi-function switch. Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). ReSound Smart Range C platform enables Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)	Mild Moderate Severe Profound	ReSound	LT562-DRW	V5257	\$1,125.00	64.7111%	\$397.00	\$95.00	12	36
BINAURAL (V5261)	Mild Moderate Severe Profound	ReSound	LT562-DRW	V5261	\$2,250.00	64.7111%	\$794.00	\$190.00	12	36
LINX3D 5 Mini RIE BTE Digital, wireless RIE. Dual microphones. Size 312 battery. Push button. Made for Apple (MFi) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). ReSound Smart Range C platform enables Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control through Multi-function switch, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Smart 3D app.ReSound Control app. ReSound Relief app. MONAURAL (V5257)	Mild Moderate Severe Profound	ReSound	LT561-DRW	V5257	\$1,125.00	64.7111%	\$397.00	\$95.00	12	36
BINAURAL (V5261)	Mild Moderate Severe Profound	ReSound	LT561-DRW	V5261	\$2,250.00	64.7111%	\$794.00	\$190.00	12	36
LINX3D 5 Mini BTE Digital, wireless Mini BTE. Dual microphones. Size 312 battery. Thin Tube Adaptor. Push button. Telecoil. Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Smart 3D app.ReSound Control app. ReSound Relief app. MONAURAL (V5257)	Mild Moderate Severe	ReSound	LT567-DW	V5257	\$1,125.00	64.7111%	\$397.00	\$95.00	12	36
BINAURAL (V5261)	Mild Moderate Severe	ReSound	LT567-DW	V5261	\$2,250.00	64.7111%	\$794.00	\$190.00	12	36

Price Schedule

DESCRIPTION & FEATURES (See below)	db RANGE	MANUFAC TURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LINX3D 5 Standard BTE Digital, wireless Standard BTE. Dual microphones. Size 13 battery. Thin Tube Adaptor or Earhook. Push button, volume control, Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Smart 3D app.ReSound Control app. ReSound Relief app. MONAURAL (V5257)	Mild Moderate Severe Profound	ReSound	LT577-DW	V5257	\$1,125.00	64.7111%	\$397.00	\$95.00	12	36
BINAURAL (V5261) LINX3D 5 Power BTE Digital, wireless Power BTE. Dual microphones. Size 13 battery. Earhook. Push button, volume control, Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Smart 3D app.ReSound Control app. ReSound Relief app. MONAURAL (V5257)	Mild Moderate Severe Profound	ReSound	LT577-DW	V5261	\$2,250.00	64.7111%	\$794.00	\$190.00	12	36
BINAURAL (V5261) LINX3D 7 RIE BTE Digital, wireless RIE. Dual microphones. Size 13 battery. Push button. Multi-function switch. Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)	Mild Moderate Severe Profound	ReSound	LT588-DW	V5261	\$2,250.00	64.7111%	\$794.00	\$190.00	12	36
BINAURAL (V5261) LINX3D 7 RIE BTE Digital, wireless RIE. Dual microphones. Size 13 battery. Push button. Multi-function switch. Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)	Mild Moderate Severe Profound	ReSound	LT762-DRW	V5257	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5261) LINX3D 7 RIE BTE Digital, wireless RIE. Dual microphones. Size 13 battery. Push button. Multi-function switch. Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)	Mild Moderate Severe Profound	ReSound	LT762-DRW	V5261	\$3,390.00	73.569%	\$896.00	\$190.00	12	36

Price Schedule

DESCRIPTION & FEATURES (See below)	db RANGE	MANUFAC Turer	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LINX3D 7 Mini RIE BTE Digital, wireless RIE. Dual microphones. Size 312 battery. Push button. Made for Apple (MF) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)	Mild Moderate Severe Profound	ReSound	LT761-DRW	V5257	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5261)	Mild Moderate Severe Profound	ReSound	LT761-DRW	V5261	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
LINX3D 7 Mini BTE Digital, wireless Mini BTE. Dual microphones. Size 312 battery. Thin Tube Adaptor. Push button. Telecoil. Made for Apple (MF) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)	Mild Moderate Severe Profound	ReSound	LT767-DW	V5257	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5261)	Mild Moderate Severe Profound	ReSound	LT767-DW	V5261	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
LINX3D 7 Standard BTE Digital, wireless Standard BTE. Dual microphones. Size 13 battery. Thin Tube Adaptor or Earhook. Push button, volume control, Telecoil. Direct Audio Input (DAI). Made for Apple (MF) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app MONAURAL (V5257)	Mild Moderate Severe Profound	ReSound	LT777-DW	V5257	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5261)	Mild Moderate Severe Profound	ReSound	LT777-DW	V5261	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
LINX3D 7 Power BTE Digital, wireless Power BTE. Dual microphones. Size 13 battery. Earhook. Push button, volume control, Telecoil. Direct Audio Input (DAI). Made for Apple (MF) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)	Mild Moderate Severe Profound	ReSound	LT788-DW	V5257	\$1,695.00	73.569%	\$448.00	\$95.00	12	36

Price Schedule

DESCRIPTION & FEATURES (See below)	db RANGE	MANUFAC Turer	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
BINAURAL (V5261)	Mild Moderate Severe Profound	ReSound	LT788-DW	V5261	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
BINAURAL (V5261)	Mild, Moderate, Severe	ReSound	LS777-DW	V5261	\$3,290.00	72.766%	\$896.00	\$190.00	12	36
ENZO 3D 5 High Power BTE Digital, Wireless High Power BTE. Dual microphones. Size 13 battery. Metal earhook. Push button, volume control, Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Smart 3D app.ReSound Control app. ReSound Relief app. MONAURAL (V5257)	Moderate Severe Profound	ReSound	ET588-DW	V5257	\$895.00	55.642%	\$397.00	\$95.00	12	36
BINAURAL (V5261)	Moderate Severe Profound	ReSound	ET588-DW	V5261	\$1,790.00	55.642%	\$794.00	\$190.00	12	36
ENZO 3D 5 Super Power BTE Digital, Wireless Super Power BTE. Dual microphones. Size 675 battery. Earhook. Push button, volume control, Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Smart 3D app.ReSound Control app. ReSound Relief app. MONAURAL (V5257)	Severe Profound	ReSound	ET598-DW	V5257	\$895.00	55.642%	\$397.00	\$95.00	12	36
BINAURAL (V5261)	Severe Profound	ReSound	ET598-DW	V5261	\$1,790.00	55.642%	\$794.00	\$190.00	12	36
ENZO 3D 7 High Power BTE Digital, Wireless High Power BTE. Dual microphones. Size 13 battery. Metal earhook. Push button, volume control, Telecoil. Direct Audio Input (DAI). Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression. Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)	Moderate Severe Profound	ReSound	ET788-DW	V5257	\$1,575.00	71.556%	\$448.00	\$95.00	12	36
BINAURAL (V5261)	Moderate Severe Profound	ReSound	ET788-DW	V5261	\$3,150.00	71.556%	\$896.00	\$190.00	12	36

Price Schedule

DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
ENZO 3D 7 Super Power BTE Digital, Wireless Super Power BTE. Dual microphones. Size 675 battery. Earhook. Push button, volume control, Telecoil, Direct Audio Input (DAI), Made for Apple (MFi) technology. ReSound Smart Range C platform enables Surround Sound by ReSound, 14-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost, Noise Tracker II noise reduction, WindGuard, Expansion, Directional Mix Processor. Directionality: Binaural Directionality, Natural Directionality II, Synchronized SoftSwitching, Multiscope Adaptive Directionality, Fixed Directionality, DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 7-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart app. ReSound Relief app. MONAURAL (V5257)	Severe Profound	ReSound	ET798-DW	V5257	\$1,575.00	71.556%	\$448.00	\$95.00	12	36
BINAURAL (V5261) Enya 3 Standard BTE Digital, wireless standard BTE. Dual microphones. Size 13 battery. 3 earhook sizes, Supports earmolds. Push button, Volume Control. DAI/FM boot optional. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5257)	Mild, Moderate, Severe	ReSound	EY377-DW	V5257	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5261) Enya 3 Power BTE Digital, wireless high power BTE. Dual microphones. Size 13 battery. Push button. Volume Control. DAI/FM boot optional. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5257)	Mild, Moderate, Severe	ReSound	EY377-DW	V5261	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
BINAURAL (V5261) Enya 3 Mini BTE Digital Mini BTE. Dual microphones. Size 312 battery. Push button. DAI/FM boot optional. Supports standard hook, mini hook, supports earmold ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5257)	Mild, Moderate, Severe, Profound	ReSound	EY388-DW	V5257	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5261) Enya 3 Mini BTE Digital Mini BTE. Dual microphones. Size 312 battery. Push button. DAI/FM boot optional. Supports standard hook, mini hook, supports earmold ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5257)	Mild, Moderate, Severe	ReSound	EY388-DW	V5261	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
BINAURAL (V5261) Enya 3 Mini BTE Digital Mini BTE. Dual microphones. Size 312 battery. Push button. DAI/FM boot optional. Supports standard hook, mini hook, supports earmold ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5257)	Mild, Moderate, Severe	ReSound	EY367-DW	V5257	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5261) Enya 3 Mini BTE Digital Mini BTE. Dual microphones. Size 312 battery. Push button. DAI/FM boot optional. Supports standard hook, mini hook, supports earmold ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5257)	Mild, Moderate, Severe	ReSound	EY367-DW	V5261	\$1,160.00	48.276%	\$600.00	\$190.00	12	36

Price Schedule

DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<p>Enya 3 Standard RIC BTE Digital, wireless RIE. Dual microphones. Size 13 battery. Multi-function switch. DAI/FM boot optional. Made for Apple (MFi) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app MONAURAL (V5257)</p>	Mild, Moderate, Severe, Profound	ReSound	EY362-DRW	V5257	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild, Moderate, Severe, Profound	ReSound	EY362-DRW	V5261	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>Enya 2 Standard BTE Digital, wireless standard BTE. Dual microphones. Size 13 battery. 3 earhook sizes, Supports earmolds. Push button, Volume Control. DAI/FM boot optional. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II Directional Options: Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound Remote Control 2 MONAURAL (V5257)</p>	Mild, Moderate, Severe	ReSound	EY277-DW	V5257	\$520.00	47.115%	\$275.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild, Moderate, Severe	ReSound	EY277-DW	V5261	\$1,040.00	47.115%	\$550.00	\$190.00	12	36
<p>Enya 2 Power BTE Digital, wireless high power BTE. Dual microphones. Size 13 battery. Push button. Volume Control. DAI/FM boot optional. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II Directional Options: Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound Remote Control 2 MONAURAL (V5257)</p>	Mild, Moderate, Severe, Profound	ReSound	EY288-DW	V5257	\$520.00	47.115%	\$275.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Mild, Moderate, Severe, Profound	ReSound	EY288-DW	V5261	\$1,040.00	47.115%	\$550.00	\$190.00	12	36
<p>Enya 2 Mini BTE Digital Mini BTE. Dual microphones. Size 312 battery. Push button. DAI/FM boot optional. Supports standard hook, mini hook, thin tube adaptor. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II Directional Options: Adaptive Directionality, Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound Remote Control 2 MONAURAL (V5257)</p>	Mild, Moderate, Severe	ReSound	EY267-DW	V5257	\$520.00	47.115%	\$275.00	\$95.00	12	36

Price Schedule

DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<p>LINK Quattro 5 RIE BTE Digital, wireless RIE. Dual microphones. Size 13 battery. Push button. Multi-function switch. Made for Apple (MFI) technology. 4 receiver options: Low Power, Medium Power, High Power, Ultra Power (Encased). A new platform enables an extended bandwidth of up to 9.5 KHz and a higher input dynamic range of up to 116 dB SPL. 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Low frequency bass boost. Noise Tracker II noise reduction, WindGuard, Expansion. Directional Mix Processor. Directionality: Natural Directionality II, SoftSwitching, Adaptive Directionality. Fixed Directionality. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression, Semi-linear, Linear amplification strategies. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Ear-to-ear communication. Wireless fitting with Noahlink Wireless Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone Apps: ReSound Control app. ReSound Smart 3D app. ReSound Relief app MONAURAL (V5257)</p>	Mild, Moderate, Severe, Profound	ReSound	RE562-DRW	V5257	\$1,175.00	61.872%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5261)</p>	Moderate, Severe, Profound	ReSound	RE562-DRW	V5261	\$2,350.00	61.872%	\$896.00	\$190.00	12	36

Price Schedule

IN THE EAR TYPES – Prices shall be for a single hearing aid or two hearing aids and case. List model number for the full range of instruments. Include all features. Indicate Class D power or Class B power.										
FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LINX3D 5 Ultra Power Full Shell Non-Wireless Ultra Power Full Shell Digital, non-wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-UP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-UP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 High Power Full Shell Non-Wireless High Power Full Shell Digital, non-wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-HP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-HP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 Medium Power Full Shell Non-Wireless Medium Power Full Shell Digital, non-wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT5ITE-MP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	LT5ITE-MP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 Directional Ultra Power Full Shell Non-Wireless Ultra Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-D-UP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-D-UP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36

Price Schedule

FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LINX3D 5 Directional High Power Full Shell Non-Wireless High Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-D-HP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-D-HP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 Directional Medium Power Full Shell Non-Wireless Medium Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT5ITE-D-MP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	LT5ITE-D-MP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 Wireless Ultra Power Full Shell Wireless Ultra Power Full Shell Digital, wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-W-UP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-W-UP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36

Price Schedule

FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LINX3D 5 Wireless High Power Full Shell Wireless High Power Full Shell Digital, wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-W-HP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-W-HP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 Wireless Medium Power Full Shell Wireless Medium Power Full Shell Digital, wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT5ITE-W-MP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	LT5ITE-W-MP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 Directional Wireless Ultra Power Full Shell Wireless Ultra Power Full Shell Digital, wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. e Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-DW-UP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-DW-UP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36

Price Schedule

FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LINX3D 5 Directional Wireless High Power Full Shell Wireless High Power Full Shell Digital, wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-DW-HP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-DW-HP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 Directional Wireless Medium Power Full Shell Wireless Medium Power Full Shell Digital, wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT5ITE-DW-MP FS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	LT5ITE-DW-MP FS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 7 Ultra Power Full Shell Non-Wireless Ultra Power Full Shell Digital, non-wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-UP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT7ITE-UP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
LINX3D 7 High Power Full Shell Non-Wireless High Power Full Shell Digital, non-wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-HP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36

Price Schedule

FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON-WARRANTY REPAIR PRICE	NON-WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
BINAURAL (V5260) LINX3D 7 Medium Power Full Shell Non-Wireless Medium Power Full Shell Digital, non-wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-HP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
BINAURAL (V5260) LINX3D 7 Directional Ultra Power Full Shell Non-Wireless Ultra Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT7ITE-MP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260) LINX3D 7 Directional Ultra Power Full Shell Non-Wireless Ultra Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT7ITE-MP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
BINAURAL (V5260) LINX3D 7 Directional High Power Full Shell Non-Wireless High Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-D-UP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260) LINX3D 7 Directional High Power Full Shell Non-Wireless High Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-D-UP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
BINAURAL (V5260) LINX3D 7 Directional Medium Power Full Shell Non-Wireless Medium Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-D-HP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260) LINX3D 7 Directional Medium Power Full Shell Non-Wireless Medium Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT7ITE-D-MP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260) LINX3D 7 Directional Medium Power Full Shell Non-Wireless Medium Power Full Shell Digital, non-wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT7ITE-D-MP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36

Price Schedule

FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LINX3D 7 Wireless Ultra Power Full Shell Wireless Ultra Power Full Shell Digital, wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-W-UP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT7ITE-W-UP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
LINX3D 7 Wireless High Power Full Shell Wireless High Power Full Shell Digital, wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-W-HP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT7ITE-W-HP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
LINX3D 7 Wireless Medium Power Full Shell Wireless Medium Power Full Shell Digital, wireless full shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT7ITE-W-MP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	LT7ITE-W-MP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36

Price Schedule

FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LINX3D 7 Directional Wireless Ultra Power Full Shell Wireless Ultra Power Full Shell Digital, wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-DW-UP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT7ITE-DW-UP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
LINX3D 7 Directional Wireless High Power Full Shell Wireless High Power Full Shell Digital, wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-DW-HP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT7ITE-DW-HP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
LINX3D 7 Directional Wireless Medium Power Full Shell Wireless Medium Power Full Shell Digital, wireless full shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT7ITE-DW-MP FS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	LT7ITE-DW-MP FS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36

Price Schedule

FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON-WARRANTY REPAIR PRICE	NON-WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
Enya 3 Ultra Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	EY3ITE UP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	EY3ITE UP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
Enya 3 High Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	EY3ITE HP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	EY3ITE HP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
Enya 3 Medium Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	EY3ITE MP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	EY3ITE MP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
Enya 3 Directional Ultra Power Full Shell Digital full shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	EY3ITE-D UP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	EY3ITE-D UP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
Enya 3 Directional High Power Full Shell Digital full shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	EY3ITE-D HP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	EY3ITE-D HP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36

Price Schedule

FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON-WARRANTY REPAIR PRICE	NON-WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<p>Enya 3 Directional Medium Power Full Shell Digital full shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	EY3ITE-D MP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	EY3ITE-D MP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>Enya 3 Wireless Ultra Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-W UP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-W UP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>Enya 3 Wireless High Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-W HP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	EY3ITE-W HP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
<p>Enya 3 Wireless Medium Power Full Shell Digital full shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	EY3ITE-W MP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	EY3ITE-W MP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36

Price Schedule

FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
Enya 3 Directional Wireless Ultra Power Full Shell Digital full shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	EY3ITE-DW UP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	EY3ITE-DW UP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
Enya 3 Directional Wireless High Power Full Shell Digital full shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	EY3ITE-DW HP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	EY3ITE-DW HP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
Enya 3 Directional Wireless Medium Power Full Shell Digital full shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	EY3ITE-DW MP FS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	EY3ITE-DW MP FS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36

Price Schedule

IN THE EAR TYPES – Prices shall be for a single hearing aid, or two hearing aids and case. List model number for the full range of instruments. Include all features. Indicate Class D power or Class B power.										
HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LINX3D 5 Ultra Power Half Shell Non-Wireless Ultra Power Half Shell Digital, non-wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-UP HS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-UP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 High Power Half Shell Non-Wireless High Power Half Shell Digital, non-wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-HP HS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-HP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 Medium Power Half Shell Non-Wireless Medium Power Half Shell Digital, non-wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT5ITE-MP HS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	LT5ITE-MP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 Directional Ultra Power Half Shell Non-Wireless Ultra Power Half Shell Digital, non-wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-D-UP HS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
BINAURAL (V5260) LINX3D 5 Directional High Power Half Shell Non-Wireless High Power Half Shell Digital, non-wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control, Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry.	Moderate, Severe, Profound	ReSound	LT5ITE-D-UP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
BINAURAL (V5256) LINX3D 5 Directional Medium Power Half Shell Non-Wireless Medium Power Half Shell Digital, non-wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control, Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry.	Moderate, Severe, Profound	ReSound	LT5ITE-D-HP HS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260) LINX3D 5 Directional Medium Power Half Shell Non-Wireless Medium Power Half Shell Digital, non-wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control, Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry.	Moderate, Severe, Profound	ReSound	LT5ITE-D-HP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
MONAURAL (V5256) LINX3D 5 Wireless Ultra Power Half Shell Wireless Ultra Power Half Shell Digital, wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app, ReSound Control app, ReSound Relief app.	Mild, Moderate, Severe	ReSound	LT5ITE-D-MP HS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260) LINX3D 5 Wireless Ultra Power Half Shell Wireless Ultra Power Half Shell Digital, wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app, ReSound Control app, ReSound Relief app.	Mild, Moderate, Severe	ReSound	LT5ITE-D-MP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
MONAURAL (V5256) LINX3D 5 Wireless Ultra Power Half Shell Wireless Ultra Power Half Shell Digital, wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app, ReSound Control app, ReSound Relief app.	Moderate, Severe, Profound	ReSound	LT5ITE-W-UP HS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260) LINX3D 5 Wireless Ultra Power Half Shell Wireless Ultra Power Half Shell Digital, wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app, ReSound Control app, ReSound Relief app.	Moderate, Severe, Profound	ReSound	LT5ITE-W-UP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LINX3D 5 Wireless High Power Half Shell Wireless High Power Half Shell Digital, wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-W-HP HS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-W-HP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 Wireless Medium Power Half Shell Wireless Medium Power Half Shell Digital, wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT5ITE-W-MP HS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate	ReSound	LT5ITE-W-MP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 Directional Wireless Ultra Power Half Shell Wireless Ultra Power Half Shell Digital, wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. e Clip+, Multi Mic, Micro Mic, ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-DW-UP HS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-DW-UP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 Directional Wireless High Power Half Shell Wireless High Power Half Shell Digital, wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app.	Moderate, Severe, Profound	ReSound	LT5ITE-DW-HP HS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT5ITE-DW-HP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT5ITE-DW-HP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 5 Directional Wireless Medium Power Half Shell Wireless Medium Power Half Shell Digital, wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app.	Mild, Moderate, Severe	ReSound	LT5ITE-DW-MP HS	V5256	\$1,125.00	64.711%	\$397.00	\$95.00	12	36
MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT5ITE-DW-MP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	LT5ITE-DW-MP HS	V5260	\$2,250.00	64.711%	\$794.00	\$190.00	12	36
LINX3D 7 Ultra Power Half Shell Non-Wireless Ultra Power Half Shell Digital, non-wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry.	Moderate, Severe, Profound	ReSound	LT7ITE-UP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-UP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT7ITE-UP HS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
LINX3D 7 High Power Half Shell Non-Wireless High Power Half Shell Digital, non-wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry.	Moderate, Severe, Profound	ReSound	LT7ITE-HP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-HP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT7ITE-HP HS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
LINX3D 7 Medium Power Half Shell Non-Wireless Medium Power Half Shell Digital, non-wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry.	Mild, Moderate, Severe	ReSound	LT7ITE-MP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT7ITE-MP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	LT7ITE-MP HS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
LINX3D 7 Directional Ultra Power Half Shell Non-Wireless Ultra Power Half Shell Digital, non-wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry.	Moderate, Severe, Profound	ReSound	LT7ITE-D-UP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-D-UP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT7ITE-D-UP HS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LINX3D 7 Directional High Power Half Shell Non-Wireless High Power Half Shell Digital, non-wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-D-HP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT7ITE-D-HP HS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
LINX3D 7 Directional Medium Power Half Shell Non-Wireless Medium Power Half Shell Digital, non-wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT7ITE-D-MP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	LT7ITE-D-MP HS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
LINX3D 7 Wireless Ultra Power Half Shell Wireless Ultra Power Half Shell Digital, wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app, ReSound Control app, ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-W-UP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT7ITE-W-UP HS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<p>LINX3D 7 Wireless High Power Half Shell Wireless High Power Half Shell Digital, wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-W-HP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Moderate, Severe, Profound	ReSound	LT7ITE-W-HP HS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
<p>LINX3D 7 Wireless Medium Power Half Shell Wireless Medium Power Half Shell Digital, wireless Half Shell. Single microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app. ReSound Control app. ReSound Relief app. MONAURAL (V5256)</p>	Mild, Moderate, Severe	ReSound	LT7ITE-W-MP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
<p>BINAURAL (V5260)</p>	Mild, Moderate, Severe	ReSound	LT7ITE-W-MP HS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LINX3D 7 Directional Wireless Ultra Power Half Shell Wireless Ultra Power Half Shell Digital, wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app, ReSound Control app, ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-DW-UP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT7ITE-DW-UP HS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
LINX3D 7 Directional Wireless High Power Half Shell Wireless High Power Half Shell Digital, wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app, ReSound Control app, ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	LT7ITE-DW-HP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	LT7ITE-DW-HP HS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
LINX3D 7 Directional Wireless Medium Power Half Shell Wireless Medium Power Half Shell Digital, wireless Half Shell. Dual microphone. Size 312 or 13 battery. Push button, Volume Control. Made for iPhone technology. Surround Sound by ReSound, 12-warp compression bands, Environmental Classifier, Sound Shaper frequency compression, Environmental Optimizer, Noise Tracker II noise reduction, WindGuard, Expansion. DFS Ultra II feedback management, Music Mode, Auto DFS. Directional Mix Processor. Directionality: Soft Switching, Adaptive Directionality, Fixed Directionality. Synchronized push button, Synchronized volume control, Smart Start, PhoneNow, Comfort Phone. iSolate nanotech moisture protection. 6-gain handles, 4 fully flexible programs, Synchronized Acceptance Manager, Onboard Analyzer II. Wide Dynamic Range Compression. Tinnitus Sound Generator. In-situ audiometry. Wireless: 2.4 GHz wireless technology. Made for iPhone. Ear-to-ear communication. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Multi Microphone, Micro Microphone. Apps: ReSound Smart 3D app, ReSound Control app, ReSound Relief app. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	LT7ITE-DW-MP HS	V5256	\$1,695.00	73.569%	\$448.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	LT7ITE-DW-MP HS	V5260	\$3,390.00	73.569%	\$896.00	\$190.00	12	36
Enya 3 Ultra Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	EY3ITE UP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	EY3ITE UP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
Enya 3 High Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	EY3ITE HP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	EY3ITE HP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
Enya 3 Medium Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	EY3ITE MP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	EY3ITE MP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
Enya 3 Directional Ultra Power Half Shell Digital Half Shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	EY3ITE-D UP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	EY3ITE-D UP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
Enya 3 Directional High Power Half Shell Digital Half Shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	EY3ITE-D HP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	EY3ITE-D HP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
Enya 3 Directional Medium Power Half Shell Digital Half Shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	EY3ITE-D MP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	EY3ITE-D MP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
Enya 3 Wireless Ultra Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	EY3ITE-W UP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	EY3ITE-W UP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
Enya 3 Wireless High Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	EY3ITE-W HP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	EY3ITE-W HP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
Enya 3 Wireless Medium Power Half Shell Digital Half Shell. Single microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	EY3ITE-W MP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	EY3ITE-W MP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
Enya 3 Directional Wireless Ultra Power Half Shell Digital Half Shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	EY3ITE-DW UP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	EY3ITE-DW UP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
Enya 3 Directional Wireless High Power Half Shell Digital Half Shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Moderate, Severe, Profound	ReSound	EY3ITE-DW HP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Moderate, Severe, Profound	ReSound	EY3ITE-DW HP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36
Enya 3 Directional Wireless Medium Power Half Shell Digital Half Shell. Dual microphone. Size 13 battery. Push button, Volume Control. ReSound Range II Chip, 8-Warp compression bands. DFS Ultra II, Auto DFS NoiseTracker II, WindGuard Directional Options: Softswitching, Adaptive Directionality. Tinnitus Sound Generator Wireless: 2.4 GHz wireless technology. Wireless fitting with Noahlink Wireless. Compatible with ReSound wireless accessories: Remote Control 2, TV Streamer 2, Phone Clip+, Micro Microphone, Multi Microphone. Apps: ReSound Control app. ReSound Relief app. MONAURAL (V5256)	Mild, Moderate, Severe	ReSound	EY3ITE-DW MP HS	V5256	\$580.00	48.276%	\$300.00	\$95.00	12	36
BINAURAL (V5260)	Mild, Moderate, Severe	ReSound	EY3ITE-DW MP HS	V5260	\$1,160.00	48.276%	\$600.00	\$190.00	12	36