

NEW



**Master Agreement**

**Effective Date:** 11/25/19

**Expiration Date:** 11/24/22

**Master Agreement Description:** 36 Month Rental of Color Copiers (5)

**Buyer Information**

Justin Franzose 207-624-7337 ext. justin.franzose@maine.gov

**Issuer Information**

Timothy Firnkes 207-624-9940 ext. timothy.firnkes@MAINE.GOV

**Requestor Information**

Heidi Makowski 207-287-6371 ext. Heidi.Makowski@maine.gov

**Agreement Reporting Categories**

**Authorized Departments**

18B BUREAU OF INFORMATION SERVICES

**Vendor Information**

**Vendor Line #:** 1

**Vendor ID**

VC0000219889

**Vendor Name**

Kyocera Document Solutions Maine, LLC

**Alias/DBA**

Portland Computer Copy

**Vendor Address Information**

1024 Forest Ave

Portland, ME 04103

US

**Vendor Contact Information**

Michelle Cousins

207-797-7224 ext. 110

ar@portlandcomputercopy.com

**Commodity Information**

**Vendor Line #:** 1

**Vendor Name:** Kyocera Document Solutions Maine, LLC

**Commodity Line #:** 1

**Commodity Code:** 60072

**Commodity Description:** 36 Month Rental of Color Copiers (5)

**Commodity Specifications:**

**Commodity Extended Description:** AS PER THE SPECIFICATIONS ATTACHED AND MADE PART OF THIS MA.

<b>Quantity</b>	<b>UOM</b>	<b>Unit Price</b>
0.00000		0.000000
<b>Delivery Days</b>	<b>Free On Board</b>	
0		
<b>Contract Amount</b>	<b>Service Start Date</b>	<b>Service End Date</b>
0.00	11/25/19	11/24/22
<b>Catalog Name</b>	<b>Discount</b>	
	0.0000 %	
	<b>Discount Start Date</b>	<b>Discount End Date</b>

Location #	Vendor	Copier Brand	Copier Model	CPM/PP M Color	CPM/PP M B/W	Copier Base Cost	Cost per Copy Color	Est. Mthly Vol. Color	Mthly Cost for Color	Cost per Copy B/W	Est. Mthly Vol. B/W	Mthly Cost B/W	TOTAL MTHLY COST
1	Kyocera	Kyocera	TA7052ci	60	60	\$245.00	\$0.0298	15,981	\$476.23	\$0.00350	3,853	\$13.49	\$734.72

Location #	Vendor	Copier Brand	Copier Model	CPM/PP M Color	CPM/PP M B/W	Copier Base Cost	Cost per Copy Color	Est. Mthly Vol. Color	Mthly Cost for Color	Cost per Copy B/W	Est. Mthly Vol. B/W	Mthly Cost B/W	TOTAL MTHLY COST
2	Kyocera	Kyocera	TA6052ci	55	55	\$175.00	\$0.0298	4,529	\$134.96	\$0.00350	4,987	\$17.45	\$327.42

Location #	Vendor	Copier Brand	Copier Model	CPM/PP M Color	CPM/PP M B/W	Copier Base Cost	Cost per Copy Color	Est. Mthly Vol. Color	Mthly Cost for Color	Cost per Copy B/W	Est. Mthly Vol. B/W	Mthly Cost B/W	TOTAL MTHLY COST
3	Kyocera	Kyocera	TA3553	35	35	\$90.00	\$0.0300	5,368	\$161.04	\$0.00350	1,764	\$6.17	\$257.21

Location #	Vendor	Copier Brand	Copier Model	CPM/PP M Color	CPM/PP M B/W	Copier Base Cost	Cost per Copy Color	Est. Mthly Vol. Color	Mthly Cost for Color	Cost per Copy B/W	Est. Mthly Vol. B/W	Mthly Cost B/W	TOTAL MTHLY COST
4	Kyocera	Kyocera	TA3553ci	35	35	\$90.00	\$0.0300	3,223	\$96.69	\$0.00350	841	\$2.94	\$189.63

Location #	Vendor	Copier Brand	Copier Model	CPM/PP M Color	CPM/PP M B/W	Copier Base Cost	Cost per Copy Color	Est. Mthly Vol. Color	Mthly Cost for Color	Cost per Copy B/W	Est. Mthly Vol. B/W	Mthly Cost B/W	TOTAL MTHLY COST
5	Kyocera	Kyocera	TA3553ci	35	35	\$90.00	\$0.0300	2,417	\$72.51	\$0.00350	5,479	\$19.18	\$181.69

Total Monthly Cost for All Locations	\$1,690.67
--------------------------------------	------------

Appendix A

STATE OF MAINE  
DEPARTMENT OF ADMINISTRATIVE AND FINANCIAL SERVICES  
DIVISION OF PROCUREMENT SERVICES

BID COVER PAGE and DEBARMENT FORM

Bidder's Organization Name: <i>Kyocera Document Solutions New England, Inc</i>		
Chief Executive - Name/Title: <i>Brian McLaughlin - President</i>		
Tel: <i>781-404-5305</i>	Fax: <i>207-878-5453</i>	E-mail: <i>brian@kda.com</i>
Headquarters Street Address: <i>1024 Forest Ave.</i>		
Headquarters City/State/Zip: <i>Portland, ME 04103</i>		
<i>(provide information requested below if different from above)</i>		
Lead Point of Contact for Bid - Name/Title: <i>Bill Schoenthalen - Sales Manager</i>		
Tel: <i>207-712-4319</i>	Fax: <i>207-878-5457</i>	E-mail: <i>bill@portlandcomputercopy.com</i>
Street Address: <i>418 Western Ave.</i>		
City/State/Zip: <i>Augusta, ME 04330</i>		

By signing below Bidder affirms:

- Their bid complies with all requirements of this RFQ;
- This bid and the pricing structure contained herein will remain firm for a period of 180 days from the date and time of the bid opening;
- That no personnel currently employed by the Department or any other State agency participated, either directly or indirectly, in any activities relating to the preparation of the Bidder's proposal;
- That no attempt has been made or will be made by the Bidder to induce any other person or firm to submit or not to submit a proposal; and
- The undersigned is authorized to enter into contractual obligations on behalf of the above-named organization.

Name: <i>Bill Schoenthalen</i>	Title: <i>Sales Manager</i>
Authorized Signature: <i>Bill Schoenthalen</i>	Date: <i>8/26/19</i>

## Debarment, Performance, and Non-Collusion Certification

By signing this document, I certify to the best of my knowledge and belief that the aforementioned organization, its principals, and any subcontractors named in this proposal:

- a. Are not presently debarred, suspended, proposed for debarment, and declared ineligible or voluntarily excluded from bidding or working on contracts issued by any governmental agency.
- b. Have not within three years of submitting the proposal for this contract been convicted of or had a civil judgment rendered against them for:
  - i. fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a federal, state or local government transaction or contract.
  - ii. violating Federal or State antitrust statutes or committing embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
  - iii. are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or Local) with commission of any of the offenses enumerated in paragraph (b) of this certification; and
  - iv. have not within a three (3) year period preceding this proposal had one or more federal, state or local government transactions terminated for cause or default.
- c. Have not entered into a prior understanding, agreement, or connection with any corporation, firm, or person submitting a response for the same materials, supplies, equipment, or services and this proposal is in all respects fair and without collusion or fraud. The above-mentioned entities understand and agree that collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards.

- **Failure to provide this certification may result in the disqualification of the Bidder's proposal, at the discretion of the Department.**

To the best of my knowledge all information provided in the enclosed proposal, both programmatic and financial, is complete and accurate at the time of submission.

Name: <i>Bill Schoenbeck</i>	Title: <i>Sales Manager</i>
Authorized Signature: <i>Bill Schoenbeck</i>	
Date: <i>8/26/15</i>	

**The Digital Full Color Copier needs to have the following features:**

**Location One (1) Dept of Labor 45 Commerce Dr Augusta**

60 copies per minute in color *7052c*

60 copies black/white.

Must be a connected machine with a print/scan (scan both in b/w & color) – scanner must be OCR capable

**\*Must have Data Overwrite Software** *Johnson S*

Auto duplex

Stapler/finisher (must offset copies on finisher with unstapled sets) *DF-710*

Able to copy on 20lb bond to 90lb index

Paper cassettes 3 minimum *RF-700*

Paper Capacity of 1500 sheets minimum *DF-710*

RADF *DF-700*

Able to handle a maximum original size of 11x17

Paper cassette must handle paper sizes of 8 ½ x 11, 8 ½ x 14 and 11 x 17 plus bypass

Copier must be user friendly and easy to operate

Copier must produce high image quality consistently without special adjustments

Copier must handle heavy workloads efficiently

**Estimated average monthly volumes at this Location:**

**Color – 15,981**

**B&W – 3,853**

\*The multifunctional unit's hard drive for components, i.e. copier, printers, faxes, scanners, etc. must have a security feature (data overwrite mechanism). This security feature **MUST** meet the ISO 15408 Data security standards established by the Common Criteria for Information Technology Security Evaluation at a minimum of EAL Level 3 (THIS MUST BE IN WRITING AN ATTACHED TO YOUR BID). The State expects that **ALL** of the customer's data will be protected at all times.

**The rental will be broken down with a base rental charge, accessory (print/scan, Data Overwrite, etc.) and per copy charge (for color copies and black & white copies – NO copies included). – PLEASE SUBMIT IN FORMAT BELOW:**

Mfg. & Model Bidding: *Kyocera TA 7052c*

Base monthly rental charge \$ *245.00* Cost per copy color \$ *.0298*

Cost per copy B/W \$ *.0035*

The State will pay this cost per copy from 1st copy-no copies to be included. Base monthly rental charge must cover all base equipment costs and any other operational, maintenance or supply costs not covered in the cost per copy allowance by bracket.

Accessories (these are accessories that need to be added to meet specifications):

Print/Scan board \_\_\_\_\_ \$ 100 /month.  
Data Overwrite \_\_\_\_\_ \$ 100 /month.  
RADF \_\_\_\_\_ \$ 100 /month.  
Stapler/Finisher \_\_\_\_\_ \$ 100 /month.

TOTAL MONTHLY CHARGES: \$ 245.00.

**Additional Accessories Available** (these are accessories that are available and can be added to the unit – **Do Not** add this to the TOTAL MONTHLY CHARGES):

Fax \_\_\_\_\_ \$ 10.00 /month  
Additional Paper Tray/s \_\_\_\_\_ \$ 10.00 /month.  
\_\_\_\_\_ \$ \_\_\_\_\_ /month.

DOES YOUR EQUIPMENT MEET THE MINIMUM SPECIFICATIONS: YES  NO .

**IF UNIT QUOTING DOES NOT MEET THE SPECIFICATIONS OR REQUIREMENTS – YOU MUST CLEARLY STATE WHAT THEY ARE.**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**TAKE NOTE:** If you **DO NOT** state clearly anything about the unit that does not meet specifications and the requirements in this quote, the State will assume it does. If you are the successful vendor with the quote, you will be responsible to hold the costs that you quoted for any accessories, requirements, etc. that will need to be added or required in order to meet the

Terms, Conditions, and Specifications within this quote. Descriptive literature must accompany your quote. Please quote electronically with literature attached or to follow.

**The Digital Full Color Copier needs to have the following features:**

**Location Two (2) DEP 104 Main St Bangor**

55 copies per minute in color  
55 copies black/white.

Must be a connected machine with a print/scan (scan both in b/w & color) – scanner must be OCR capable

**\*Must have Data Overwrite Software** *data range*

Auto duplex

Stapler/finisher (must offset copies on finisher with unstapled sets) *DF-700*

Able to copy on 20lb bond to 90lb index

Paper cassettes 3 minimum

Paper Capacity of 1500 sheets minimum *PF-7100*

RADF *DF-700*

Able to handle a maximum original size of 11x17

Paper cassette must handle paper sizes of 8 ½ x 11, 8 ½ x 14 and 11 x 17 plus bypass

Copier must be user friendly and easy to operate

Copier must produce high image quality consistently without special adjustments

Copier must handle heavy workloads efficiently

**Estimated average monthly volumes at this Location:**

**Color – 4529**

**B&W – 4987**

\*The multifunctional unit's hard drive for components, i.e. copier, printers, faxes, scanners, etc. must have a security feature (data overwrite mechanism). This security feature **MUST** meet the ISO 15408 Data security standards established by the Common Criteria for Information Technology Security Evaluation at a minimum of EAL Level 3 (THIS MUST BE IN WRITING AN ATTACHED TO YOUR BID). The State expects that **ALL** of the customer's data will be protected at all times.

**The rental will be broken down with a base rental charge, accessory (print/scan, Data Overwrite, etc.) and per copy charge (for color copies and black & white copies – NO copies included). – PLEASE SUBMIT IN FORMAT BELOW:**

Mfg. & Model Bidding: *Kyocera TA 6052ci*



Base monthly rental charge \$ 175.00 Cost per copy color \$ .0298

Cost per copy BW \$ .0035.

The State will pay this cost per copy from 1st copy-no copies to be included. Base monthly rental charge must cover all base equipment costs and any other operational, maintenance or supply costs not covered in the cost per copy allowance by bracket.

Accessories (these are accessories that need to be added to meet specifications):

Print/Scan board \_\_\_\_\_ \$ none /month.

Data Overwrite \_\_\_\_\_ \$ none /month.

RADF \_\_\_\_\_ \$ none /month.

Stapler/Finisher \_\_\_\_\_ \$ none /month.

TOTAL MONTHLY CHARGES: \$ 175.00.

**Additional Accessories Available** (these are accessories that are available and can be added to the unit – **Do Not** add this to the TOTAL MONTHLY CHARGES):

Fax \_\_\_\_\_ \$ 10.00 /month

Additional Paper Tray/s \_\_\_\_\_ \$ 10.00 /month.

\_\_\_\_\_ \$ \_\_\_\_\_ /month.

DOES YOUR EQUIPMENT MEET THE MINIMUM SPECIFICATIONS: YES  NO .

IF UNIT QUOTING DOES NOT MEET THE SPECIFICATIONS OR REQUIREMENTS – YOU MUST CLEARLY STATE WHAT THEY ARE.

\_\_\_\_\_  
\_\_\_\_\_

---

**TAKE NOTE:** If you DO NOT state clearly anything about the unit that does not meet specifications and the requirements in this quote, the State will assume it does. If you are the successful vendor with the quote, you will be responsible to hold the costs that you quoted for any accessories, requirements, etc. that will need to be added or required in order to meet the Terms, Conditions, and Specifications within this quote. Descriptive literature must accompany your quote. Please quote electronically with literature attached or to follow.

**The Digital Full Color Copier needs to have the following features:**

**Location Three (3) Human Services 286 Water St Augusta**

35 copies per minute in color

35 copies black/white.

Must be a connected machine with a print/scan (scan both in b/w & color) – scanner must be OCR capable

**\*Must have Data Overwrite Software**

Auto duplex

Stapler/finisher (must offset copies on finisher with unstapled sets)

Able to copy on 20lb bond to 90lb index

Paper cassettes 3 minimum

Paper Capacity of 1500 sheets minimum

RADF

Able to handle a maximum original size of 11x17

Paper cassette must handle paper sizes of 8 ½ x 11, 8 ½ x 14 and 11 x 17 plus bypass

Copier must be user friendly and easy to operate

Copier must produce high image quality consistently without special adjustments

Copier must handle heavy workloads efficiently

**Estimated average monthly volumes at this Location:**

**Color – 5368**

**B&W – 1764**

\*The multifunctional unit's hard drive for components, i.e. copier, printers, faxes, scanners, etc. must have a security feature (data overwrite mechanism). This security feature **MUST** meet the ISO 15408 Data security standards established by the Common Criteria for Information Technology Security Evaluation at a minimum of EAL Level 3 (THIS MUST BE IN WRITING AN ATTACHED TO YOUR BID). The State expects that ALL of the customer's data will be protected at all times.

The rental will be broken down with a base rental charge, accessory (print/scan, Data Overwrite, etc.) and per copy charge (for color copies and black & white copies – NO copies included). – PLEASE SUBMIT IN FORMAT BELOW:

Mfg. & Model Bidding: Kyocera TA 3553ci

Base monthly rental charge \$ 90.00 Cost per copy color \$ .03

Cost per copy B/W \$ .0035

The State will pay this cost per copy from 1st copy-no copies to be included. Base monthly rental charge must cover all base equipment costs and any other operational, maintenance or supply costs not covered in the cost per copy allowance by bracket.

Accessories (these are accessories that need to be added to meet specifications):

Print/Scan board \_\_\_\_\_ \$ none /month.

Data Overwrite \_\_\_\_\_ \$ none /month.

RADF \_\_\_\_\_ \$ none /month.

Stapler/Finisher \_\_\_\_\_ \$ none /month.

TOTAL MONTHLY CHARGES: \$ 90.00

**Additional Accessories Available** (these are accessories that are available and can be added to the unit – Do Not add this to the TOTAL MONTHLY CHARGES):

Fax \_\_\_\_\_ \$ 10.00 /month

Additional Paper Tray/s \_\_\_\_\_ \$ 15.00 /month.

\_\_\_\_\_ \$ \_\_\_\_\_ /month.

DOES YOUR EQUIPMENT MEET THE MINIMUM SPECIFICATIONS: YES  NO

IF UNIT QUOTING DOES NOT MEET THE SPECIFICATIONS OR REQUIREMENTS – YOU MUST CLEARLY STATE WHAT THEY ARE.

---

---

---

**TAKE NOTE:** If you DO NOT state clearly anything about the unit that does not meet specifications and the requirements in this quote, the State will assume it does. If you are the successful vendor with the quote, you will be responsible to hold the costs that you quoted for any accessories, requirements, etc. that will need to be added or required in order to meet the Terms, Conditions, and Specifications within this quote. Descriptive literature must accompany your quote. Please quote electronically with literature attached or to follow.

**The Digital Full Color Copier needs to have the following features:**

**Location Four (4) Conservation 106 Hogan Rd Bangor**

35 copies per minute in color

35 copies black/white.

Must be a connected machine with a print/scan (scan both in b/w & color) – scanner must be OCR capable

**\*Must have Data Overwrite Software**

Auto duplex

Stapler/finisher (must offset copies on finisher with unstapled sets)

Able to copy on 20lb bond to 90lb index

Paper cassettes 3 minimum

Paper Capacity of 1500 sheets minimum

RADF

Able to handle a maximum original size of 11x17

Paper cassette must handle paper sizes of 8 ½ x 11, 8 ½ x 14 and 11 x 17 plus bypass

Copier must be user friendly and easy to operate

Copier must produce high image quality consistently without special adjustments

Copier must handle heavy workloads efficiently

**Estimated average monthly volumes at this Location:**

**Color – 3223**

**B&W – 841**

\*The multifunctional unit's hard drive for components, i.e. copier, printers, faxes, scanners, etc. must have a security feature (data overwrite mechanism). This security feature **MUST** meet the ISO 15408 Data security standards established by the Common Criteria for Information Technology Security Evaluation at a minimum of EAL Level 3 (THIS MUST BE IN WRITING AN ATTACHED TO YOUR BID). The State expects that **ALL** of the customer's data will be protected at all times.

The rental will be broken down with a base rental charge, accessory (print/scan, Data Overwrite, etc.) and per copy charge (for color copies and black & white copies – **NO** copies included). – PLEASE SUBMIT IN FORMAT BELOW:

Mfg. & Model Bidding: Kyocera TA 3553 ci

Base monthly rental charge \$ 901.00 Cost per copy color \$ .03

Cost per copy B/W \$ .0035

The State will pay this cost per copy from 1st copy-no copies to be included. Base monthly rental charge must cover all base equipment costs and any other operational, maintenance or supply costs not covered in the cost per copy allowance by bracket.

Accessories (these are accessories that need to be added to meet specifications):

Print/Scan board \_\_\_\_\_ \$ none /month.

Data Overwrite \_\_\_\_\_ \$ none /month.

RADF \_\_\_\_\_ \$ none /month.

Stapler/Finisher \_\_\_\_\_ \$ none /month.

TOTAL MONTHLY CHARGES: \$ 901.00

**Additional Accessories Available** (these are accessories that are available and can be added to the unit – **Do Not** add this to the TOTAL MONTHLY CHARGES):

Fax \_\_\_\_\_ \$ 10.00 /month

Additional Paper Tray/s \_\_\_\_\_ \$ 10.00 /month.

\_\_\_\_\_ \$ \_\_\_\_\_ /month.

DOES YOUR EQUIPMENT MEET THE MINIMUM SPECIFICATIONS: YES  NO .

IF UNIT QUOTING DOES NOT MEET THE SPECIFICATIONS OR REQUIREMENTS – YOU MUST CLEARLY STATE WHAT THEY ARE.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**TAKE NOTE:** If you DO NOT state clearly anything about the unit that does not meet specifications and the requirements in this quote, the State will assume it does. If you are the successful vendor with the quote, you will be responsible to hold the costs that you quoted for any accessories, requirements, etc. that will need to be added or required in order to meet the Terms, Conditions, and Specifications within this quote. Descriptive literature must accompany your quote. Please quote electronically with literature attached or to follow.

**The Digital Full Color Copier needs to have the following features:**

Location Five (5) - Corrections 807 Cushing Rd Warren

- 35 copies per minute in color
- 35 copies black/white.
- Must be a connected machine with a print/scan (scan both in b/w & color) – scanner must be OCR capable

**\*Must have Data Overwrite Software**

- Auto duplex
- Stapler/finisher (must offset copies on finisher with unstapled sets)
- Able to copy on 20lb bond to 90lb index
- Paper cassettes 3 minimum
- Paper Capacity of 1500 sheets minimum
- RADF
- Able to handle a maximum original size of 11x17
- Paper cassette must handle paper sizes of 8 ½ x 11, 8 ½ x 14 and 11 x 17 plus bypass
- Copier must be user friendly and easy to operate

Copier must produce high image quality consistently without special adjustments  
Copier must handle heavy workloads efficiently

Estimated average monthly volumes at this Location:

Color – 2,417

B&W – 5,479

\*The multifunctional unit's hard drive for components, i.e. copier, printers, faxes, scanners, etc. must have a security feature (data overwrite mechanism). This security feature **MUST** meet the ISO 15408 Data security standards established by the Common Criteria for Information Technology Security Evaluation at a minimum of EAL Level 3 (THIS MUST BE IN WRITING AN ATTACHED TO YOUR BID). The State expects that **ALL** of the customer's data will be protected at all times.

The rental will be broken down with a base rental charge, accessory (print/scan, Data Overwrite, etc.) and per copy charge (for color copies and black & white copies – NO copies included). – PLEASE SUBMIT IN FORMAT BELOW:

Mfg. & Model Bidding: Kyocera TA 3553ci

Base monthly rental charge \$ 90.00 Cost per copy color \$ .03

Cost per copy BW \$ .0035.

The State will pay this cost per copy from 1st copy-no copies to be included. Base monthly rental charge must cover all base equipment costs and any other operational, maintenance or supply costs not covered in the cost per copy allowance by bracket.

Accessories (these are accessories that need to be added to meet specifications):

Print/Scan board \_\_\_\_\_ \$ one /month.

Data Overwrite \_\_\_\_\_ \$ one /month.

RADF \_\_\_\_\_ \$ one /month.

Stapler/Finisher \_\_\_\_\_ \$ one /month.

TOTAL MONTHLY CHARGES: \$ 90.00.

**Additional Accessories Available** (these are accessories that are available and can be added to the unit – **Do Not** add this to the TOTAL MONTHLY CHARGES):

Fax \_\_\_\_\_ \$ 10.00 /month

Additional Paper Tray/s \_\_\_\_\_ \$ 10.00 /month.

\_\_\_\_\_ \$ \_\_\_\_\_ /month.

DOES YOUR EQUIPMENT MEET THE MINIMUM SPECIFICATIONS: YES  NO .

**IF UNIT QUOTING DOES NOT MEET THE SPECIFICATIONS OR REQUIREMENTS – YOU MUST CLEARLY STATE WHAT THEY ARE.**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**TAKE NOTE:** If you **DO NOT** state clearly anything about the unit that does not meet specifications and the requirements in this quote, the State will assume it does. If you are the successful vendor with the quote, you will be responsible to hold the costs that you quoted for any accessories, requirements, etc. that will need to be added or required in order to meet the Terms, Conditions, and Specifications within this quote. Descriptive literature must accompany your quote. Please quote electronically with literature attached or to follow.

**STATE HELD HARMLESS**

The vendor agrees to indemnify, defend and save harmless, the State of Maine, its officers, agents and employees from all claims and losses occurring or resulting to any and all contractors, subcontractors, materialmen, laborers, and any other person, firm or corporation furnishing or supplying work, services, materials or supplies in connection with the performance of this contract, and from any and all claims and losses occurring or resulting to any person, firm or corporation who may be injured or damaged by the contractor in the performance of the contract.

The vendor and agents and employees of the vendor in the performance of the contract, shall act in an independent capacity and not as officers or employees or agents of the State of Maine.



# TASKalfa 6052ci

## BASIC SPECIFICATIONS

Configuration: Color Multifunctional System – Print/Scan/Copy/Optional Fax  
Pages Per Minute:  
Black – Letter: 60 ppm, Legal: 36 ppm, Ledger: 30 ppm, 12" x 18": 30 ppm (print only)  
Color – Letter: 55 ppm, Legal: 33 ppm, Ledger: 27 ppm, 12" x 18": 27 ppm (print only)  
Warm Up Time: 17 Seconds or Less (Power On)  
First Page Out:  
Copy: 3.4 Seconds or Less Black, 4.4 Seconds or Less Color  
Print: 3.8 Seconds or Less Black, 5.1 Seconds or Less Color  
Display: 9" Color Touch Screen Control Panel  
Resolution: 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi  
Memory / Hard Disk Drive: 4GB RAM / 8GB SSD / 320GB HDD Standard  
Duplex: Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)  
Standard Output Tray: Statement – 12" x 18" / 500 sheets; up to 12" x 48" Banner (Single Sheet)  
Electrical Requirements: 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A  
Typical Electricity Consumption (TEC): 120V: 3.2 kWh/week; 220V: 3.1 kWh/week  
Dimensions: 23.70" W x 26.18" D x 31.10" H  
Weight: 202.83 lbs  
Maximum Monthly Duty Cycle: 250,000 Pages per Month

## PAPER SUPPLY

Standard Paper Sources: Dual 500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching  
Optional Paper Sources: Dual 500 Sheet Trays (PF-7100), Dual 1,500-sheet Trays (PF-7110); Side LCT: 3,000 Sheet Capacity Tray (PF-7120)  
Paper Capacity: Standard: 1,150 Sheets; Maximum: 7,150 Sheets  
Paper Size:  
Tray 1 – 5.5" x 8.5" – 8.5" x 14" (Statement to Legal); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; PF-7100: 5.5" x 8.5" – 12" x 18"; PF-7110, PF-7120: 8.5" x 11"; MPT: 5.5" x 8.5" – 12" x 18" (Multiple Sheets); Up to 12" x 48" Banner (Single Sheet)  
Paper Weight: Trays / MPT: 14 lb Bond – 166 lb Index (52 – 300gsm)  
Input Materials: Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

## SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL  
Optional: Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

## PRINT SPECIFICATION

Standard Controller: Freescale QorIQ T1024 (Dual Core) / 1.2GHz PDLs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL5c), KPDL3 (PS3), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850  
Print Resolution: Up to 1200 x 1200 dpi  
Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap  
OS Compatibility: Windows: XP/Vista/7/8/8.1/10/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)  
Mobile Printing: Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots  
Optional: 10/100/1000BaseTX (IB-50 for Dual NIC), IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)

Network Print and Supported Protocols: TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLTD, SNTP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

Drivers: KX Driver, PCL Mini Driver, KPDL Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux

Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Command Center RX

## SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner  
Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi  
File Formats: TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG  
PDF Extension: Searchable PDF (OCR) Option  
Scan Speeds (mono/color, @300 dpi):  
DP-7100: Simplex: 80 ipm B&W / 80 ipm Color;  
Duplex: 48 ipm B&W / 48 ipm Color  
DP-7110: Simplex: 100 ipm BW / 100 ipm Color;  
Duplex: 180 ipm B&W / 180 ipm Color  
Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan  
Original Size: Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"  
Drivers: TWAIN/WIA Driver

## COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi  
Image Mode: Text, Photo, Text/Photo, Graphic/Map  
Continuous Copy: 1 – 999 / Auto Reset to 1  
Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip  
Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy  
Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 – 400% in 1% Step Increments  
Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

OPTIONAL DOCUMENT PROCESSORS<sup>2</sup>  
Type / Capacity:  
DP-7100: Reversing Automatic Document Processor / 140 Sheets  
DP-7110: Dual Scan Document Processor / 270 Sheets  
Acceptable Originals: 5.5" x 8.5" – 11" x 17"  
Acceptable Weights:  
DP-7100: Simplex: 13 lb Bond – 90 lb Index (45 – 160gsm);  
Duplex: 16 lb – 32 lb Bond (50 – 120gsm)  
DP-7110: Simplex: 13 lb Bond – 120 lb Index (35 – 220gsm);  
Duplex: 16 lb – 120 lb Index (50 – 220gsm)

OPTIONAL FAX SPECIFICATIONS  
Fax Type: Fax System 12  
Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG  
Transmission Speed / Modem Speed: Less than 3 seconds / 33.6 Kbps

Fax Memory: Standard 170 MB

Driver: Network Fax Driver

Fax Functions: Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast

## OUTPUT & FINISHING OPTIONS

OPTIONAL 500 SHEET INTERNAL FINISHER DF-7100<sup>3</sup>

Stack / Staple Capacity: 500 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" – 12" x 18"

Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)

Edge Staple Position: 3 Positions: Front 1 Staple, Edge 1 Staple, Face 2 Staples

Optional Punch: PH-7100 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)  
Dimensions: 19.60" W x 20.98" D x 6.73" H

OPTIONAL 1,000 SHEET FINISHER DF-7120<sup>3A</sup>

Stack / Staple Capacity: Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" – 12" x 18"

Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)

Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)  
Dimensions: 21.57" W x 24.35" D x 41.34" H

OPTIONAL 4,000 SHEET FINISHER DF-7100<sup>4</sup>

Stack / Staple Capacity: Main Tray (A): 4,000 Sheets; Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" – 12" x 18"

Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)

Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)  
Dimensions: 23.91" W x 26.32" D x 41.78" H

Optional Booklet Folder / Tri-fold Unit<sup>5</sup>: BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Trifold supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet

Optional Multi-Bin Mailbox<sup>5</sup>: MT-730(B) includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

## ADDITIONAL OPTIONS

Bridge Unit Attachment Kit (AK-7100), Banner Guide 10, Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (IB-50), Wireless LAN IEEE802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Document Tray (DT-7100), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, Data Security Kit (E), EFI Fiery Printing System, Numeric Keypad (NK-7110), Job Separator (JS-7100)

<sup>1</sup> Requires PF-7100 or PF-7110

<sup>2</sup> Only 1 Document Processor can be installed

<sup>3</sup> Only 1 Output Option can be installed

<sup>4</sup> Requires Bridge Unit Attachment Kit (AK-7100)

<sup>5</sup> Requires DF-7110

## ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? KYOCERA offers a robust portfolio of Business Applications that seamlessly and securely integrate with our MFPs. To learn more about which Business Applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice.  
For the latest on connectivity visit [www.kyoceradocumentsolutions.com/us](http://www.kyoceradocumentsolutions.com/us)  
MAC and AirPrint are trademarks of Apple, Inc.  
Google Cloud Print is a trademark of Google, Inc.  
TASKalfa, PRESCRIBE, KX Driver, and Command Center RX are the trademarks of The Kyocera Companies.  
All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.  
Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA  
©2016 KYOCERA Document Solutions America, Inc.  
IC# 855D400447



# KYOCERA

## Document Solutions



The TASKalfa 7052ci incorporates extremely durable components that guarantee efficient and reliable operation, to meet the demanding requirements of busy office environments. The TASKalfa 7052ci provides effective productivity and maximum flexibility whilst ensuring minimum impact on the environment.

### TASKalfa 7052ci GENERAL

#### Technology

KYOCERA Laser Colour, HyPAS™ solution platform  
**Engine speed (pages per minute):** Up to 65/32 A4/A3 in colour, up to 70/35 A4/A3 in black and white  
**Resolution:** 1,200 x 1,200 dpi, 2-bit depth for print quality of 4,800 dpi equivalent x 1,200 dpi  
**Warm-up time from power on**  
 Approx. 44 seconds or less  
**Time to first page:** Approx. 5.4 sec. or less in black and white; 6.2 sec. or less in colour  
**CPU:** Freescale QorIQ T1042 Quad Core 1.2 GHz  
**Memory:** 4.5 GB RAM + 8 GB SSD + 320 GB HDD  
**Standard interfaces:** USB 2.0 (Hi-speed) x4, USB Host 2.0, Fast Ethernet 10BaseT/100BaseTX/1000BaseT, slot for optional print server, slot for optional SD, SDHC card, slot for optional fax system  
**Dimensions (W x D x H) – main unit**  
 750 x 822 x 1234 mm (Include DP and Operation Panel)  
**Weight:** Main unit approx. 182 kg  
**Power source:** AC 220 V – 240 V, 50/60 Hz  
**Power consumption**  
 Printing: 1,360 W (in colour), 1,310 W (in black and white)  
 Ready mode: 120 W  
 Sleep mode: 1 W or less  
**Noise (sound pressure level ISO 7779/ISO 9296)**  
 Printing: 53.5 dB(A) LpA (in colour), 53.6 dB(A) LpA (in black and white)  
 Ready mode: 35.9 dB(A) LpA  
**Safety standards:** GS, TÜV, CE; This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard. RoHS compatibility

#### PAPER HANDLING

All paper capacities quoted are based on paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.  
**Input capacity:** 150-sheet multi-purpose tray, 60 – 300 g/m<sup>2</sup> (banner 135 – 165 g/m<sup>2</sup>), A6R – 305 x 457 mm, banner max. 305 x 1,220 mm; 2x 1,500-sheet high-capacity paper deck, 60 – 256 g/m<sup>2</sup>, A4, B5; 2x 500-sheet universal paper cassette, 60 – 256 g/m<sup>2</sup>, A5R – 305 x 457 mm incl. custom paper sizes  
 Max. input capacity with options: 7,650 sheets A4  
**Document processor:** (one-path duplex scanning) 270 sheets; 35 – 220 g/m<sup>2</sup> (simplex), 50 – 220 g/m<sup>2</sup> (duplex); A6R – Banner up to 2,200 mm  
**Duplex unit:** Duplex as standard supports A5R – 305 x 457 mm, 60 – 256 g/m<sup>2</sup>  
**Output capacity:** Standard job separator tray 70 sheets, optional copy tray (D): upper 100 sheets, lower 250 sheets  
 Max. optional output capacity 4,300 sheets

#### PRINT FUNCTIONS

**Controller language:** PRESCRIBE  
**Emulations:** PCL6 (PCL5c/PCL-XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print and OpenXPS

**Operating systems:** All current Windows operating systems, Mac OS X Version 10.8 or higher, UNIX, LINUX, as well as other operating systems on request.

**Fonts/barcodes:** 93 outline fonts (PCL), 136 fonts (KPDL3), 8 fonts (Windows Vista), 1 Bitmap font, 45 types of one-dimensional barcodes plus two-dimensional barcode (PDF-417)

**Print features:** Encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3, quick copy, proof and hold, Private Print, job storage and job management functionality  
**Mobile printing support:** KYOCERA Mobile Print app for iOS and Android, AirPrint, Mopria, NFC, Direct Wi-Fi, Google Cloud Print

#### COPY FUNCTIONS

**Max. original size:** A3  
**Continuous copying:** 1 – 9999  
**Zoom range:** 25 – 400% in 1% steps  
**Preset magnification ratios:** 5R/5E  
**Digital features:** Scan once copy many, electronic sort, 2-in-1 and 4-in-1 function, image repeat copy, page numbering, cover mode, booklet copy, interrupt copy, form overlay, stamp function and skip-blank-page function.  
**Exposure mode:** Auto, manual: 16 steps  
**Image adjustments:** Text + photo, text, photo, map

#### SCAN FUNCTIONS

**Functionality:** Scan-to-email, Scan-to-FTP, Scan-to-SMB, Scan-to-USB Host, Scan-to-box, Network TWAIN, WSD scan  
**Scan speed:** (A4, 300 dpi, Dual Scan) 220 images per minute  
**Scan resolution:** 600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi, 200 x 400 dpi, 200 x 200 dpi, 200 x 100 dpi (24 bit)  
**Max. scan size:** A3, Banner up to 2,200 mm  
**Original recognition:** Text, photo, text + photo, optimised for OCR  
**File types:** PDF (high compression, encrypted, PDF/A), Searchable PDF (OCR), JPEG, TIFF, XPS, OpenXPS

#### FAX FUNCTIONS (OPTIONAL)

**Compatibility:** ITU-T Super G3  
**Modem speed:** Max. 33.6 kbps  
**Transmission speed:** Max. 3 seconds (JBIG)  
**Fax resolution:**  
 Normal: 200 x 100 dpi  
 Fine: 200 x 200 dpi  
 Superfine: 200 x 400 dpi  
 Ultrafine: 400 x 400 dpi  
 600 x 600 dpi  
**Maximum original size:** A3, Banner up to 1,600 mm  
**Compression method:** JBIG, MMR, MR, MH  
**Features:** Opt. Internet-fax, network faxing, rotate transmission, rotate reception, duplex fax reception, memory reception, mailbox, remote diagnostics, dual fax with second fax system 12

#### CONSUMABLES

**TK-8725K Toner-Kit:** Toner Black for 70,000 pages  
**TK-8725C, TK-8725M, TK-8725Y Toner-Kits:** Toner cyan, magenta, yellow for 30,000 pages Average continuous toner yield in accordance with 5% coverage A4.  
**WT-861 Waste Toner Bottle:** 150,000 sheets (in accordance with 5% coverage. Colour: black and white = 6:4)  
**Staple cartridge:** SH-10 for BF-730, SH-12 for DF-7110

#### OPTIONS

**Fax System 12**  
**Internet Fax Kit (A)**  
**Printing System 16:** Fiery Controller  
**Printing System Interface Kit 15:** Interface board for Fiery  
**Paper handling**  
**PF-730(B) Paper feeder**  
 2x 500 sheets, 60 – 256 g/m<sup>2</sup>, A5R – 305 x 457 mm, folio  
**PF-740(B) Paper feeder**  
 2x 1,500 sheets, 60 – 256 g/m<sup>2</sup>, A4, B5, letter  
**PF-7130 Paper feeder**  
 500 sheets, 60 – 256 g/m<sup>2</sup>, A5R – 305 x 457 mm  
**PF-7120 A4 side deck:** 3,000 sheets, 60 – 256 g/m<sup>2</sup>, A4, B5  
**DF-7110 Document finisher**  
 Main tray: max. 4,000 sheets A4 (3,000 sheets with BF-730 attachment); max. 60 – 300 g/m<sup>2</sup>; max. B5R – 305 x 457 mm  
 Sub-tray: 200 sheets A4; 60 – 300 g/m<sup>2</sup>; A6R – 305 x 457 mm  
 Sub-tray (top): 100 sheets; 60 – 300 g/m<sup>2</sup>; A6R – A4  
 Stapling up to 65 sheets A4 or 30 sheets A3 at 3 positions, B5 – 305 x 457 mm  
**PH-7C/PH-7D Punch unit for DF-7110**  
 2-hole/4-hole/Swedish type, 60 – 300 g/m<sup>2</sup>, A5R – A3  
**MT-730(B) Mailbox sorter for DF-7110**  
 7 bins x 100 sheets A4, 50 sheets A3/B4, 60 – 163 g/m<sup>2</sup>  
**BF-730 Booklet and tri-folding unit for DF-7110**  
 Half folding: 60 – 256 g/m<sup>2</sup>, A3, B4, A4R; Booklet: max. 16 sheets (64 pages, 60 – 90 g/m<sup>2</sup>); Non-staple folding: max. 5 sheets (60 – 90 g/m<sup>2</sup>); Tri-folding: 60 – 105 g/m<sup>2</sup>, A4R  
 Multi tri-folding: 5 sheets (60 – 90 g/m<sup>2</sup>), 3 sheets (91 – 105 g/m<sup>2</sup>)  
**Copy tray (D):** upper tray 100 sheets, lower tray 250 sheets  
**Banner Guide (A)**  
 Banner paper feeding guide, up to 10 sheets  
**Security**  
**Data Security Kit (E):** In line with ISO 15408 (Common Criteria) with security level EAL3  
**USB IC Card Reader:** Card Authentication Kit (B)  
**Numeric keypad:** NK-7100  
**Keyboardholder 10**  
**UG-33 AC:** ThinPrint support  
**UG-34 AC:** Emulation (IBM Proprinter/EPSON LQ-850)  
**Optional interface**  
**IB-35:** Direct Wi-Fi Interface  
**IB-50:** Gigabit-Ethernet board 10BaseT/100BaseTX/1000BaseT  
**IB-51:** Wireless Lan Interface



HyPAS

KYOCERA Document Solutions (UK) Ltd,  
 Eldon Court, 75-77 London Road, Reading RG1 5BS  
 Tel: 0118 931 1500, Fax: 0118 931 1108  
[www.kyoceradocumentsolutions.co.uk](http://www.kyoceradocumentsolutions.co.uk), [info@duk.kyocera.com](mailto:info@duk.kyocera.com)

KYOCERA Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

YOUR KYOCERA BUSINESS PARTNER

**KYOCERA**  
 Document Solutions

# TASKalfa 3553ci

## BASIC SPECIFICATIONS

Configuration: Color Multifunctional System – Print/Scan/Copy/Optional Fax  
Pages Per Minute:  
Color and Black – Letter: 35 ppm, Legal: 21 ppm, Ledger: 17 ppm, 12" x 18": 17 ppm (print only)  
Warm Up Time: 17 Seconds or Less (Power On)  
First Page Out:  
Copy: 4.5 Seconds or Less Black, 5.9 Seconds or Less Color  
Print: 5.1 Seconds or Less Black, 6.5 Seconds or Less Color  
Display: 10.1" Color Touch Screen Control Panel  
Resolution: Up to 1200 x 1200 dpi  
Memory / Hard Disk Drive: 4GB RAM / 8GB SSD / 320GB HDD Standard  
Duplex: Standard Stackless Duplex Supports Statement (5.5" x 8.5") to Ledger (12" x 18"), 17 lb Bond - 142 lb Index (64 – 256gsm)  
Standard Output Tray: Statement – 12" x 18" / 500 sheets; up to 12" x 48" Banner (Single Sheet)  
Job Separator Output Tray: Statement – 12" x 18" / 100 sheets  
Electrical Requirements: 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A  
Typical Electricity Consumption (TEC): 120V: 1.85 kWh/week; 220V: 1.86 kWh/week  
Dimensions: 23.7" W x 26.2" D x 31.1" H  
Weight: 209.4 lbs  
Maximum Monthly Duty Cycle: 175,000 Pages per Month

## PAPER SUPPLY

Standard Paper Sources: Dual 500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching  
Optional Paper Sources: Dual 500 Sheet Trays (PF-7100), Dual 1,500-sheet Trays (PF-7110); Side LCT: 3,000 Sheet Capacity Tray (PF-7120)<sup>1</sup>  
Paper Capacity: Standard: 1,150 Sheets; Maximum: 7,150 Sheets  
Paper Size:  
Tray 1 – 5.5" x 8.5" – 8.5" x 14" (Statement to Legal); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; PF-7100: 5.5" x 8.5" – 12" x 18"; PF-7110, PF-7120: 8.5" x 11"; MPT: 5.5" x 8.5" – 12" x 18" (Multiple Sheets); Up to 12" x 48" Banner (Single Sheet)  
Paper Weight: Trays/MPT: 14 lb Bond – 166 lb Index (52 – 300gsm)  
Input Materials: Standard/Optional Trays: Plain, Bond, Recycled, Preprinted, Vellum, Color, Pre-Punched, Thick, Thin, High Quality, Letterhead, Envelope, Custom; MPT: Plain, Bond, Recycled, Preprinted, Vellum, Color, Pre-Punched, Thick, Thin, High Quality, Transparency (OHP film), Coated, Index Tab, Label, Letterhead, Envelope, Custom

## SECURITY SPECIFICATIONS

Local Authentication, Network Authentication, Encryption Communication (IPsec, HTTPS, LDAP over SSL, SMTP/POP over SSL, FTP over SSL, SNMPv3), TPM (Trusted Platform Module), Secure Boot (Firmware Authenticity Verification), Run Time Integrity Check, Data Security Kit (E) (HDD Overwrite Mode and HDD Data Encryption), Common Criteria (ISO15408 EAL2), IEEE 2600.2

## PRINT SPECIFICATION

Standard Controller: Freescale QorIQ T1024 (Dual Core) / 1.2GHz  
PDLs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL-5c), KPD L3 (P53), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850  
Print Resolution: Up to 1200 x 1200 dpi  
Fonts: 136 KPD L3, 93 PCL6, 8 Windows Vista, 1 Bitmap  
OS Compatibility: Windows: 7/8.1/10/Server 2008/Server 2012 R2/Server 2016; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS X v10.9 or later; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)  
Mobile Printing: Apple AirPrint®, Google Cloud Print™, Mopria®, KYOCERA Mobile Print  
Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots, IEEE 802.11b/g/n Wireless LAN (communication distance 98.5 feet)  
Optional: 10/100/1000BaseTX (IB-50 for Dual NIC); Optional: IEEE 802.11b/g/n (IB-51 for Wireless LAN Interface) (communication distance 328.1 feet)

Specifications and design are subject to change without notice.  
For the latest on connectivity visit [www.kyoceradocumentsolutions.com/us](http://www.kyoceradocumentsolutions.com/us)  
MAC and AirPrint are trademarks of Apple, Inc.  
Google Cloud Print is a trademark of Google, Inc.  
TASKalfa, PRESCRIBE, KX Driver, and Command Center RX are the trademarks of The Kyocera Companies.  
All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.  
Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA  
©2019 KYOCERA Document Solutions America, Inc.  
v021419

Network Print and Supported Protocols: TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLTD, SNMP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print  
Drivers: KX Driver, PCL Mini Driver, KPDL Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux  
Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Device Manager, PDF Direct Print, Command Center RX

## SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner  
Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi  
File Formats: TIFF, JPEG, XPS, OpenXPS, PDF (MMR)/JPG Compression / High Compression (PDF)  
PDF Extension: Searchable PDF (OCR) Option; MS Office File (Option)  
Scan Speeds (b&w/color, @300 dpi):  
DP-7100: Simplex: 80 ipm B&W / 80 ipm Color;  
Duplex: 48 ipm B&W / 48 ipm Color  
DP-7110: Simplex: 100 ipm BW / 100 ipm Color;  
Duplex: 180 ipm B&W / 180 ipm Color  
DP-7130 (with Multi-Feed Detection): Simplex: 120 ipm B&W / 120 ipm Color; Duplex: 220 ipm B&W / 220 ipm Color  
Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0  
Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan, Specified Color Removal, Border Erase, Preview  
Original Size: Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"  
Drivers: TWAIN/WIA Driver

## COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi  
Image Mode: Text, Photo, Text/Photo, Graphic/Map  
Continuous Copy: 1 – 9999 / Auto Reset to 1  
Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip, Specified Color Removal, Preview, ID Card Copy  
Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy  
Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness  
Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 – 400% in 1% Step Increments  
Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

## OPTIONAL DOCUMENT PROCESSORS<sup>2</sup>

Type / Capacity:  
DP-7100: Reversing Automatic Document Processor / 140 Sheets  
DP-7110: Dual Scan Document Processor / 270 Sheets  
DP-7130: Dual Scan Document Processor / 270 Sheets  
Acceptable Originals: 5.5" x 8.5" – 11" x 17"  
Acceptable Weights:  
DP-7100: Simplex: 13 lb Bond – 90 lb Index (45 – 160gsm);  
Duplex: 16 lb – 32 lb Bond (50 – 120gsm)  
DP-7110 & DP-7130: Simplex: 13 lb Bond – 120 lb Index (35 – 220gsm); Duplex: 16 lb – 120 lb Index (50 – 220gsm)

## OPTIONAL FAX SPECIFICATIONS

Fax Type: Fax System 12  
Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG  
Transmission Speed / Modem Speed: Less than 3 seconds / 33.6 Kbps  
Fax Memory: Standard 170 MB  
Driver: Network Fax Driver  
Fax Functions: Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast, Fax Server Integration, Fax Dedicated Paper Feeder

## OUTPUT & FINISHING OPTIONS<sup>3</sup>

OPTIONAL 500 SHEET INTERNAL FINISHER DF-7100  
Stack / Staple Capacity: 500 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])  
Paper Size: 5.5" x 8.5" – 12" x 18"  
Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)  
Edge Staple Position: 3 Positions: Front 1 Staple, Edge 1 Staple, Face 2 Staples  
Optional Punch: PH-7100 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)  
Dimensions: 19.4" W x 21" D x 6.9" H  
  
OPTIONAL 1,000 SHEET FINISHER DF-7120<sup>4</sup>  
Stack / Staple Capacity: Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])  
Paper Size: 5.5" x 8.5" – 12" x 18"  
Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)  
Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind  
Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)  
Dimensions: 21.6" W x 24.4" D x 4.13" H  
  
OPTIONAL 4,000 SHEET FINISHER DF-7110 AND DF-7130<sup>4</sup>  
Stack / Staple Capacity: Main Tray (A): 4,000 Sheets; DF-7110 Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])  
DF-7130 Sub Tray (B): 200 Sheets / 100 Sheets (up to 21 lb Bond [80gsm])  
Paper Size: 5.5" x 8.5" – 12" x 18"  
Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)  
Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind  
Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)  
Dimensions: DF-7110: 23.9" W x 26.3" D x 41.8" H; DF-7130: 29.5" W x 26.2" D x 43.7" H  
  
Optional Booklet Folder / Tri-fold Unit DF-7110<sup>4</sup>: BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold Booklet Staple: 16 lb – 24 lb Bond (60 – 90gsm) 20 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Higher than 28 lb Bond (Higher than 105gsm) 1 sheet; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 1 sheet; Trifold supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet  
DF-7130<sup>4</sup>: BF-9100 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold Booklet Staple: 16 lb – 24 lb Bond (60 – 90gsm) 20 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Higher than 28 lb Bond (Higher than 105gsm) 1 sheet; Fold Booklet No Staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 105gsm) 3 sheets; 32 lb Bond to 110 lb Cover (106 – 256gsm) 1 sheet; Tri-fold supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 3 sheets  
  
Optional Multi-Bin Mailbox (DF-7110)<sup>4</sup>: MT-730(B) includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"  
  
ADDITIONAL OPTIONS  
Bridge Unit Attachment Kit (AK-7110), Banner Guide 10, Internet Fax Kit (A), IC Card Authentication Kit (B), Gigabit NIC (IB-50), Wireless LAN IEEE802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Document Tray (DT-730(B)), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, EFI Fery Printing System 15, Numeric Keypad (NK-7130), Job Separator (JS-7100)

<sup>1</sup> Requires PF-7100 or PF-7110

<sup>2</sup> Only 1 Document Processor can be installed

<sup>3</sup> Only 1 Output Option can be installed

<sup>4</sup> Requires Bridge Unit Attachment Kit (AK-7110)

<sup>5</sup> Requires DF-7110

<sup>6</sup> Requires DF-7130



 **KYOCERA**  
Document Solutions

# STATE OF MAINE

## GENERAL TERMS AND CONDITIONS FOR GOODS AND/OR SERVICES UNDER BUYER PURCHASE ORDERS (BPOs) AND MASTER AGREEMENTS (MAs)

1. **DEFINITIONS:** The following definitions are applicable to these standard terms and conditions:
  - a. The term “Buyer” or “State” shall refer to the Government of the State of Maine or a person representing the Government of the State of Maine.
  - b. The term “Department” or “DAFS” shall refer to the State of Maine Department of Administrative and Financial Services.
  - c. The term “Bureau” or “BGS” shall refer to the State of Maine Bureau of General Services.
  - d. The term “Division” shall refer to the State of Maine Division of Purchases.
  - e. The term “Contractor”, “Vendor”, or “Provider” shall refer to the organization that is providing goods and/or services through the contract to which these standard terms and conditions have been attached and incorporated.
  - f. The term “Contract” or “Agreement” shall refer to the contract document to which these standard terms and conditions apply, taking the format of a Buyer Purchase Order (BPO) or Master Agreement (MA) or other contractual document that is mutually agreed upon between the State and the Contractor.
  
2. **WARRANTY:** The Contractor warrants the following:
  - a. That all goods and services to be supplied by it under this Contract are fit and sufficient for the purpose intended, and
  - b. That all goods and services covered by this Contract will conform to the specifications, drawing samples, symbols or other description specified by the Division, and
  - c. That such articles are merchantable, good quality, and free from defects whether patent or latent in material and workmanship, and
  - d. That all workmanship, materials, and articles to be provided are of the best grade and quality, and
  - e. That it has good and clear title to all articles to be supplied by it and the same are free and clear from all liens, encumbrances and security interest.

Neither the final certificate of payment nor any provision herein, nor partial nor entire use of the articles provided shall constitute an acceptance of work not done in accordance with this agreement or relieve the Contractor liability in respect of any warranties or responsibility for faulty material or workmanship. The Contractor shall remedy any defects in the work and pay any damage to other work resulting therefrom, which shall appear within one year from the date of final acceptance of the work provided hereunder. The Division of Purchases shall give written notice of observed defects with reasonable promptness.

3. **TAXES:** Contractor agrees that, unless otherwise indicated in the order, the prices herein do not include federal, state, or local sales or use tax from which an exemption is available for purposes of this order. Contractor agrees to accept and use tax exemption certificates when supplied by the Division as applicable. In case it shall ever be determined that any tax included in the prices herein was not required to be paid by Contractor, Contractor agrees to notify the Division and to make prompt application for the refund thereof, to take all proper steps to procure the same and when received to pay the same to the Division.

4. **PACKING AND SHIPMENT:** Deliveries shall be made as specified without charge for boxing, carting, or storage, unless otherwise specified. Articles shall be suitably packed to secure lowest

transportation cost and to conform to the requirements of common carriers and any applicable specifications. Order numbers and symbols must be plainly marked on all invoices, packages, bills of lading, and shipping orders. Bill of lading should accompany each invoice. Count or weight shall be final and conclusive on shipments not accompanied by packing lists.

**5. DELIVERY:** Delivery should be strictly in accordance with delivery schedule. If Contractor's deliveries fail to meet such schedule, the Division, without limiting its other remedies, may direct expedited routing and the difference between the expedited routing and the order routing costs shall be paid by the Contractor. Articles fabricated beyond the Division's releases are at Contractor's risk. Contractor shall not make material commitments or production arrangements in excess of the amount or in advance of the time necessary to meet delivery schedule, and, unless otherwise specified herein, no deliveries shall be made in advance of the Division's delivery schedule. Neither party shall be liable for excess costs of deliveries or defaults due to the causes beyond its control and without its fault or negligence, provided, however, that when the Contractor has reason to believe that the deliveries will not be made as scheduled, written notice setting forth the cause of the anticipated delay will be given immediately to the Division. If the Contractor's delay or default is caused by the delay or default of a subcontractor, such delay or default shall be excusable only if it arose out of causes beyond the control of both Contractor and subcontractor and without fault of negligence or either of them and the articles or services to be furnished were not obtainable from other sources in sufficient time to permit Contractor to meet the required delivery schedule.

**6. FORCE MAJEURE:** The State may, at its discretion, excuse the performance of an obligation by a party under this Agreement in the event that performance of that obligation by that party is prevented by an act of God, act of war, riot, fire, explosion, flood or other catastrophe, sabotage, severe shortage of fuel, power or raw materials, change in law, court order, national defense requirement, or strike or labor dispute, provided that any such event and the delay caused thereby is beyond the control of, and could not reasonably be avoided by, that party. The State may, at its discretion, extend the time period for performance of the obligation excused under this section by the period of the excused delay together with a reasonable period to reinstate compliance with the terms of this Agreement.

**7. INSPECTION:** All articles and work will be subject to final inspection and approval after delivery, notwithstanding prior payment, it being expressly agreed that payment will not constitute final acceptance. The Division of Purchases, at its option, may either reject any article or work not in conformity with the requirements and terms of this order, or re-work the same at Contractor's expense. The Division may reject the entire shipment where it consists of a quantity of similar articles and sample inspection discloses that ten (10%) percent of the articles inspected are defective, unless Contractor agrees to reimburse the Division for the cost of a complete inspection of the articles included in such shipment. Rejected material may be returned at Contractor's risk and expense at the full invoice price plus applicable incoming transportation charges, if any. No replacement of defective articles of work shall be made unless specified by the Division.

**8. INVOICE:** The original and duplicate invoices covering each and every shipment made against this order showing Contract number, Vendor number, and other essential particulars, must be forwarded promptly to the ordering agency concerned by the Vendor to whom the order is issued. Delays in receiving invoice and also errors and omissions on statements will be considered just cause for withholding settlement without losing discount privileges. All accounts are to be carried in the name of the agency or institution receiving the goods, and not in the name of the Division of Purchases.

**9. ALTERATIONS:** The Division reserves the right to increase or decrease all or any portion of the work and the articles required by the bidding documents or this agreements, or to eliminate all or any portion of such work or articles or to change delivery date hereon without invalidating this Agreement. All such alterations shall be in writing. If any such alterations are made, the contract amount or amounts shall be adjusted accordingly. In no event shall Contractor fail or refuse to continue the performance of the work in providing of articles under this Agreement because of the inability of the parties to agree on an adjustment or adjustments.

**10. TERMINATION:** The Division may terminate the whole or any part of this Agreement in any one of the following circumstances:

- a. The Contractor fails to make delivery of articles, or to perform services within the time or times specified herein, or
- b. If Contractor fails to deliver specified materials or services, or
- c. If Contractor fails to perform any of the provisions of this Agreement, or
- d. If Contractor so fails to make progress as to endanger the performance of this Agreement in accordance with its terms, or
- e. If Contractor is adjudged bankrupt, or if it makes a general assignment for the benefit of its creditors or if a receiver is appointed on account of its insolvency, or
- f. Whenever for any reason the State shall determine that such termination is in the best interest of the State to do so.

In the event that the Division terminates this Agreement in whole or in part, pursuant to this paragraph with the exception of 8(f), the Division may procure (articles and services similar to those so terminated) upon such terms and in such manner as the Division deems appropriate, and Contractor shall be liable to the Division for any excess cost of such similar articles or services.

**11. NON-APPROPRIATION:** Notwithstanding any other provision of this Agreement, if the State does not receive sufficient funds to fund this Agreement and other obligations of the State, if funds are de-appropriated, or if the State does not receive legal authority to expend funds from the Maine State Legislature or Maine courts, then the State is not obligated to make payment under this Agreement.

**12. COMPLIANCE WITH APPLICABLE LAWS:** Contractor agrees that, in the performance hereof, it will comply with applicable laws, including, but not limited to statutes, rules, regulations or orders of the United States Government or of any state or political subdivision(s) thereof, and the same shall be deemed incorporated herein by reference. Awarding agency requirements and regulations pertaining to copyrights and rights in data. Access by the grantee, the subgrantee, the Federal grantor agency, the Comptroller General of the United States, or any of their duly authorized representatives to any books, documents, papers and records of the Contractor which are directly pertinent to that specific contract for the purpose of making audit, examination, excerpts, and transcriptions. Retention of all required records for three years after grantees or subgrantees make final payments and all other pending matters are closed. Compliance with all applicable standards, orders, or requirements issued under section 306 of the Clean Air Act (42 U.S.C. 1857(h), section 508 of the Clean Water Act, (33 U.S.C. 1368), Executive Order 11738, and Environmental Protection Agency regulations (40 CFR part 15). (Contracts, subcontracts, and subgrants of amounts in excess of \$100,000). Mandatory standards and policies relating to energy efficiency which are

contained in the state energy conservation plan issued in compliance with Energy Policy and Conservation Act (Pub. L. 94-163, 89 Stat. 871).

**13. INTERPRETATION:** This Agreement shall be governed by the laws of the State of Maine as to interpretation and performance.

**14. DISPUTES:** The Division will decide any and all questions which may arise as to the quality and acceptability of articles provided and installation of such articles, and as to the manner of performance and rate of progress under this Contract. The Division will decide all questions, which may arise as to the interpretation of the terms of this Agreement and the fulfillment of this Agreement on the part of the Contractor.

**15. ASSIGNMENT:** None of the sums due or to become due nor any of the work to be performed under this order shall be assigned nor shall Contractor subcontract for completed or substantially completed articles called for by this order without the Division's prior written consent. No subcontract or transfer of agreement shall in any case release the Contractor of its obligations and liabilities under this Agreement.

**16. STATE HELD HARMLESS:** The Contractor agrees to indemnify, defend, and save harmless the State, its officers, agents, and employees from any and all claims and losses accruing or resulting to any and all contractors, subcontractors, material men, laborers and other persons, firm or corporation furnishing or supplying work, services, articles, or supplies in connection with the performance of this Agreement, and from any and all claims and losses accruing or resulting to any person, firm or corporation who may be injured or damaged by the Contractor in the performance of this Agreement.

**17. SOLICITATION:** The Contractor warrants that it has not employed or written any company or person, other than a bona fide employee working solely for the Contractor to solicit or secure this Agreement, and it has not paid, or agreed to pay any company, or person, other than a bona fide employee working solely for the Contractor any fee, commission, percentage, brokerage fee, gifts, or any other consideration, contingent upon, or resulting from the award for making this Agreement. For breach or violation of this warranty, the Division shall have the absolute right to annul this agreement or, in its discretion, to deduct from the Agreement price or consideration, or otherwise recover the full amount of such fee, commission, percentage, brokerage fee, gifts, or contingent fee.

**18. WAIVER:** The failure of the Division to insist, in any one or more instances, upon the performance of any of the terms, covenants, or conditions of this order or to exercise any right hereunder, shall not be construed as a waiver or relinquishment of the future performance of any such term, covenant, or condition or the future exercise of such right, but the obligation of Contractor with respect to such future performance shall continue in full force and effect.

**19. MATERIAL SAFETY:** All manufacturers, importers, suppliers, or distributors of hazardous chemicals doing business in this State must provide a copy of the current Material Safety Data Sheet (MSDS) for any hazardous chemical to their direct purchasers of that chemical.

**20. COMPETITION:** By accepting this Contract, Contractor agrees that no collusion or other restraint of free competitive bidding, either directly or indirectly, has occurred in connection with this award by the Division of Purchases.

**21. INTEGRATION:** All terms of this Contract are to be interpreted in such a way as to be consistent at all times with this Standard Terms and Conditions document, and this document shall take precedence over any other terms, conditions, or provisions incorporated into the Contract.