

**MASTER AGREEMENT**

ADVANTAGE CONTRACT #: 18P 25081500000000000028

COMMODITY/SERVICE DESCRIPTION: Equipment and Tool Rental Services

START DATE: 8/25/2025

END DATE: 4/30/2028

This Contract is between the following State of Maine Department and Provider:

STATE OF MAINE DEPARTMENT

DEPARTMENT NAME: Office of State Procurement Services

ADDRESS: 111 Sewall St., 4th Floor Burton Cross Office Building, SHS# 9

CITY: Augusta

STATE: ME

ZIP CODE: 04333-009

PROVIDER

PROVIDER NAME: Sunbelt Rentals

ADDRESS: PO Box 409211

CITY: Atlanta

STATE: GA

ZIP CODE: 30384-9211

PROVIDER'S VENDOR CUSTOMER #: VC1000087434

Each signatory below represents that the person has the requisite authority to enter into this Contract.

Department Representative:

Provider Representative:

DocuSigned by:

Michelle Fournier

066BBD96EE5347E

Michelle Fournier, Procurement Planning
Manager

Date 9/4/2025

Signed by:

Janet Carlson

4E7D2F3E94C54ED...

Janet Carlson, Contract
Manager

Date 9/2/2025

The contract is fully executed when all parties sign and funds have been encumbered. Upon final approval by the Office of State Procurement Services, a case details page will be made part of this contract.

DEPARTMENT AND PROVIDER POINT OF CONTACT and PROCUREMENT METHOD

PROCUREMENT SERVICES MA MANAGER: The Procurement Services MA Manager manages the MA contract documents. All other communication is to be with the agency the services were provided to.

| | |
|---|-------------------------|
| NAME: Justin Franzose | |
| EMAIL: justin.franzose@maine.gov | TELEPHONE: 207-624-7337 |

VENDOR CONTACT: The vendor contact person will help consumers place orders, inquire about orders that have not been delivered, all shipping issues, quality issues and any issues pertaining to the Master Agreement (MA) contract. All orders not submitted through a Delivery Order will be sent through the vendor contact person. The vendor contact person for this MA is:

| | |
|---|-------------------------|
| NAME: Ryan McNeal | |
| EMAIL: ryan.mcneal@sunbeltrentals.com | TELEPHONE: 617-291-5798 |

Any changes to the individuals identified above may be changed at any time through written notice by either party.

Master Agreement (MA) procurement method: Solicitation Number 24-15

TABLE OF RIDERS

| | |
|---|---|
| The following riders are hereby incorporated into this Contract and made part of it by reference. | |
| <input checked="" type="checkbox"/> | RIDER A – Specifications and User Information |
| <input checked="" type="checkbox"/> | RIDER B – Terms and Conditions |
| <input type="checkbox"/> | RIDER C – Exceptions |
| <input checked="" type="checkbox"/> | RIDER D – Responsible Bidder Certification |
| <input checked="" type="checkbox"/> | RIDER E – OMNIA Partners Contract R241502 |
| <input checked="" type="checkbox"/> | RIDER F – OMNIA Partners Contracted Pricing/Rates |

RIDER A: SPECIFICATIONS AND USER INFORMATION**TABLE OF CONTENTS**

- I. CONTRACT PERIOD
- II. COMMODITY
- III. CONTRACTED PRICING/RATES
- IV. AUTHORIZED USERS
- V. ORDERING PROCEDURE/DELIVERY INFORMATION

I. CONTRACT PERIOD:

Start 8/25/2025 through 4/30/2028

Following the initial term of the contract, the Department, at their discretion, may opt to extend/renew the contract for up to two (2) additional one (1) year extension periods.

- ☒ Initial Term
- ☐ First Renewal
- ☐ Second Renewal

II. COMMODITY: Equipment and Tool Rental Services

The State reserves the right to add other similar items or commodities to the Master Agreement (MA) if it's in the State's best interest but does not obligate the State to purchase similar noncontracted items or commodities from the selected bidder.

III. CONTRACTED PRICING/RATES

Prices: Prices are with shipping terms of "Free on Board (FOB) – Destination". The State intends for this to mean that all goods shall be priced to include shipping charges, if any, to the State's desired location. The "FOB – Destination" shipping term is also intended to mean that the State shall not bear any responsibility for the goods in question until the State takes possession of them at the destination point of delivery.

Price and Rate Guarantee Period: All quoted prices and rates must be guaranteed for and must remain firm for minimally one year of the initial contract period. Any approved price or rate adjustments must be held firm for minimally one year or the remainder of the contract period. Price adjustment requests must be made by the vendor at least sixty (60) days prior to the effective date. Requests for price adjustments must include sufficient documentation from the manufacture supporting the request. The price adjustment will not go into effect until the contract amendment has been fully approved by the State of Maine.

IV. AUTHORIZED USERS:**State of Maine Departments authorized to utilize this MA contract:**

All State of Maine Departments, Agencies

Municipalities, political subdivisions, and school districts in Maine:

- ☐ Are NOT permitted to utilize this MA.
- ☒ Are permitted to utilize this MA as written.
- ☐ Are permitted to utilize this MA with the following conditions:

V. ORDERING PROCEDURES/DELIVERY INFORMATION:

Delivery Orders (DO) will be created in AdvantageME for all orders over \$5000.00. DO's will be emailed as a .pdf file to the vendor's email address submitted in AdvantageME by the vendor.

Municipalities, political subdivisions, and school districts in Maine will handle their own orders and will be responsible for all payments.

Quantities: It is understood and agreed that the MA will cover the actual quantities required by the State over the length of the contract.

Delivery Locations: The vendor must deliver to any State of Maine facility. The exact addresses will be provided to the vendor at the time the order is placed.

Delivery and Inspection: The vendor is responsible for the delivery of material in first class condition at the point of delivery, and in accordance with good commercial practice. The sign blanks ordered from the resulting MA will be inspected after delivery. If shipments are deemed unacceptable the delivery will be refused and will be returned at the risk and expense of the selling vendor.

Sunbelt Maine Locations:

| | | | | | | |
|-------------------|----------------------|----------------------|----------------|----------------|-------------------|-------------|
| SCARBOROUGH PC284 | Sunbelt Rentals Inc. | M-F: 7:00 AM-5:00 PM | (207) 883-3200 | (207) 883-3266 | 5 GLASGOW RD | SCARBOROUGH |
| | | Sat: Closed | | | | |
| BANGOR PC293 | Sunbelt Rentals Inc. | M-F: 7:00 AM-5:00 PM | (207) 945-5635 | (207) 945-3321 | 1216 HAMMOND ST | BANGOR |
| | | Sat: Closed | | | | |
| SACO ME CC PC1258 | Sunbelt Rentals Inc. | M-F: 7:00 AM-5:00 PM | (207) 494-6070 | (207) 494-6071 | 29 SPRING HILL RD | SACO |
| | | Sat: Closed | | | | |

MA 18P 25081500000000000028

| | | | | | | |
|----------------------|----------------------------|--------------------------|--------------------|--|----------------------|---------|
| AUGUSTA ME PC1478 | Sunbelt Rentals Inc. | M-F: 7:00 AM- 5:00 PM | (207) 480- 6323 | | 59 LEIGHTON RD | AUGUSTA |
| | | Sat: Closed | | | | |

RIDER B: TERMS and CONDITIONS

1. **DEFINITIONS.** The following definitions are applicable to these standard terms and conditions:
- The term "Buyer" or "State" shall refer to the Government of the State of Maine or a person representing the Government of the State of Maine.
 - The term "Department" or "DAFS" shall refer to the State of Maine Department of Administrative and Financial Services.
 - The term "Bureau" or "BGS" shall refer to the State of Maine Bureau of General Services.
 - The term "OSPS" shall refer to the State of Maine Office of State Procurement Services.
 - The term "Provider" shall refer to the organization that is providing goods and/or services through the contract to which these standard terms and conditions have been attached and incorporated.
 - The term "Contract" shall refer to the contract document to which these standard terms and conditions apply, taking the format of a Buyer Purchase Order (BPO) or Master Agreement (MA) or other contractual document that is mutually agreed upon between the State and the Provider.

2. **WARRANTY.** The Provider warrants the following:

- That all goods and services to be supplied by it under this Contract are fit and sufficient for the purpose intended, and
- That all goods and services covered by this Contract will conform to the specifications, drawing samples, symbols or other description specified by OSPS, and
- That such articles are merchantable, good quality, and free from defects whether patent or latent in material and workmanship, and
- That all workmanship, materials, and articles to be provided are of the best grade and quality, and
- That it has good and clear title to all articles to be supplied by it and the same are free and clear from all liens, encumbrances and security interest.

Neither the final certificate of payment nor any provision herein, nor partial nor entire use of the articles provided shall constitute an acceptance of work not done in accordance with this agreement or relieve the Provider liability in respect of any warranties or responsibility for faulty material or workmanship. The Provider shall remedy any defects in the work and pay any damage to other work resulting therefrom, which shall appear within one year from the date of final acceptance of the work provided hereunder. OSPS shall give written notice of observed defects with reasonable promptness.

3. **TAXES.** Provider agrees that, unless otherwise indicated in the order, the prices herein do not include federal, state, or local sales or use tax from which an exemption is available for purposes of this order. Provider agrees to accept and use tax exemption certificates when supplied by OSPS as applicable. In case it shall ever be determined that any tax included in the prices herein was not required to be paid by Provider, Provider agrees to notify OSPS and to make prompt application for the refund thereof, to take all proper steps to procure the same and when received to pay the same to OSPS.
4. **PACKING AND SHIPMENT.** Deliveries shall be made as specified without charge for boxing, carting, or storage, unless otherwise specified. Articles shall be suitably packed to secure lowest transportation cost and to conform to the requirements of common carriers and any applicable specifications. Order numbers and symbols must be plainly marked on all invoices, packages, bills

of lading, and shipping orders. Bill of lading should accompany each invoice. Count or weight shall be final and conclusive on shipments not accompanied by packing lists.

5. **DELIVERY.** Delivery should be strictly in accordance with delivery schedule. If Provider's deliveries fail to meet such schedule, OSPS, without limiting its other remedies, may direct expedited routing and the difference between the expedited routing and the order routing costs shall be paid by the Provider. Articles fabricated beyond OSPS's releases are at Provider's risk. Provider shall not make material commitments or production arrangements in excess of the amount or in advance of the time necessary to meet delivery schedule, and, unless otherwise specified herein, no deliveries shall be made in advance of OSPSO's delivery schedule. Neither party shall be liable for excess costs of deliveries or defaults due to the causes beyond its control and without its fault or negligence, provided, however, that when the Provider has reason to believe that the deliveries will not be made as scheduled, written notice setting forth the cause of the anticipated delay will be given immediately to OSPS. If the Provider's delay or default is caused by the delay or default of a subcontractor, such delay or default shall be excusable only if it arose out of causes beyond the control of both Provider and subcontractor and without fault of negligence or either of them and the articles or services to be furnished were not obtainable from other sources in sufficient time to permit Provider to meet the required delivery schedule.
6. **FORCE MAJEURE.** The performance of an obligation by either party shall be excused in the event that performance of that obligation is prevented by an act of God, act of war, riot, fire, explosion, flood or other catastrophe, sabotage, severe shortage of fuel, power or raw materials, change in law, court order, national defense requirement, or strike or labor dispute, provided that any such event and the delay caused thereby is beyond the control of, and could not reasonably be avoided by, that party.
7. **INSPECTION.** All articles and work will be subject to final inspection and approval after delivery, notwithstanding prior payment, it being expressly agreed that payment will not constitute final acceptance. OSPS, at its option, may either reject any article or work not in conformity with the requirements and terms of this order, or re-work the same at Provider's expense. OSPS may reject the entire shipment where it consists of a quantity of similar articles and sample inspection discloses that ten (10%) percent of the articles inspected are defective, unless Provider agrees to reimburse OSPS for the cost of a complete inspection of the articles included in such shipment. Rejected material may be returned at Provider's risk and expense at the full invoice price plus applicable incoming transportation charges, if any. No replacement of defective articles of work shall be made unless specified by OSPS.

8. **INVOICE.** The original and duplicate invoices covering each and every shipment made against this order showing Contract number, Vendor number, and other essential particulars, must be forwarded promptly to the ordering agency concerned by the Vendor to whom the order is issued. Delays in receiving invoice, and any errors or omissions on statements, will be considered just cause for withholding settlement without losing discount privileges. All accounts are to be carried in the name of the agency or institution receiving the goods, and not in the name of OSPS.
9. **MODIFICATIONS.** OSPS reserves the right to increase or decrease all or any portion of the work and the articles required by the bidding documents or this agreements, or to eliminate all or any portion of such work or articles or to change delivery date hereon without invalidating this Contract. All such modification shall be in writing. If any such modification are made, the Contract amount or amounts shall be adjusted accordingly. In no event shall Provider fail or refuse to continue the performance of the work in providing of articles under this Agreement because of the inability of the parties to agree on an adjustment or adjustments.
10. **TERMINATION.** OSPS may terminate the whole or any part of this Agreement in any one of the following circumstances:
- a. The Provider fails to make delivery of articles, or to perform services within the time or times specified herein, or
 - b. If Provider fails to deliver specified materials or services, or
 - c. If Provider fails to perform any of the provisions of this Agreement, or
 - d. If Provider so fails to make progress as to endanger the performance of this Agreement in accordance with its terms, or
 - e. If Provider is adjudged bankrupt, or if it makes a general assignment for the benefit of its creditors or if a receiver is appointed on account of its insolvency, or
 - f. Whenever for any reason the State shall determine that such termination is in the best interest of the State to do so.

In the event that OSPS terminates this Agreement in whole or in part, pursuant to this paragraph with the exception of (f), OSPS may procure (articles and services similar to those so terminated) upon such terms and in such manner as OSPS deems appropriate, and Provider shall be liable to OSPS for any excess cost of such similar articles or services.

11. **NON-APPROPRIATION.** Notwithstanding any other provision of this Contract, if the State does not receive sufficient State, Federal, or other sources of funds to fund this Contract and other obligations of the State, if funds are de-appropriated, or if the State does not receive legal authority to expend funds from State or Federal legislative, executive or judicial bodies, then the State is not obligated to make payment under this Contract.

- 12. GOVERNMENTAL REQUIREMENTS.** The Provider warrants and represents that it will comply with all applicable governmental ordinances, laws and regulations.
- 13. GOVERNING LAW.** This Contract shall be governed in all respects by the laws, statutes, and regulations of the United States of America and of the State of Maine. Any legal proceeding against the State regarding this Contract shall be brought in the State of Maine administrative or judicial forums. The Provider consents to personal jurisdiction in the State of Maine.
- 14. DISPUTES.** OSPS will decide any and all questions which may arise as to the quality and acceptability of articles provided and installation of such articles, and as to the manner of performance and rate of progress under this Contract. OSPS will decide all questions, which may arise as to the interpretation of the terms of this Agreement and the fulfillment of this Agreement on the part of the Provider.
- 15. SUBLETTING, ASSIGNMENT OR TRANSFER.** The Provider shall not sublet, sell, transfer, assign or otherwise dispose of this Contract or any portion thereof, or of its right, title or interest therein, without the written request and written approval from the Department. Such approval shall not in any case relieve the Provider of its responsibility for performance of work or liability under this Contract.
- 16. STATE HELD HARMLESS.** The Provider shall indemnify and hold harmless the Department and its officers, agents, and employees from and against any and all third party claims, liabilities, and costs, including reasonable attorney fees, for any or all injuries to persons or property or claims for money damages, including claims for violation of intellectual property rights, arising from the negligent acts or omissions of the Provider, its employees or agents, officers or Subcontractors in the performance of work under this Agreement; provided, however, the Provider shall not be liable for claims arising out of the negligent acts or omissions of the Department, or for actions taken in reasonable reliance on written instructions of the Department.
- 17. NON-COLLUSION.** The Provider warrants that it has not employed or contracted with any company or person, other than for assistance with the normal study and preparation of a proposal, to solicit or secure this Contract, and that it has not paid, or agreed to pay, any company or person, other than a bona fide employee working solely for the Provider, any fee, commission, percentage, brokerage fee, gifts, or any other consideration, contingent upon, or resulting from, the award of this Contract.

And, the Provider has not entered into a prior understanding, agreement, or connection with any corporation, firm, or person submitting a response for the same materials, supplies, equipment, or services, and this proposal is in all respects fair and without collusion or fraud. The above-mentioned entities understand and agree that collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards.

For breach or violation of this provision, the Department shall have the right to terminate this Contract without liability or, at its discretion, to otherwise recover the full amount of such fee, commission, percentage, brokerage fee, gift, or contingent fee.

18. MATERIAL SAFETY: All manufacturers, importers, suppliers, or distributors of hazardous chemicals doing business in this State must provide a copy of the current Material Safety Data Sheet (MSDS) for any hazardous chemical to their direct purchasers of that chemical.

19. ORDER OF PRECEDENCE. In the event of a conflict between the documents comprising this Agreement, the Order of Precedence shall be:

- a. Exceptions - If applicable
- b. General Terms & Conditions for Goods and/or Services under Buyer Purchase Orders and Master Agreements
- c. Scope of Work - If applicable
- d. Vender Agreement - Included at Department's Discretion
- e. Other - Included at Department's Discretion

20. CYBERSECURITY AND PROHIBITED TECHNOLOGIES. The Provider certifies to the best of Provider's knowledge and belief that the aforementioned organization, its principals and any subcontractors named in this Contract:

- a. is not a foreign adversary business entity, <https://www.maine.gov/oit/prohibited-technologies>, [Title 5 MRSA §2021 \(3\)](#); and
- b. is not on the list of prohibited companies or does not obtain or purchase any information or communications technology or services included on the list of prohibited information and communications technology and services <https://www.maine.gov/oit/prohibited-technologies>, [Title 5 MRSA §2030-B](#).

Contracts entered into by a state agency in violation of [Title 5 M.R.S. §2030-B](#) are void. A person who knowingly signs this contract, in violation of this section, commits a civil violation for which a fine may be adjudged in an amount that is twice the amount of this contract or \$250,000, whichever is greater, [Title 5 MRSA §2030-A](#).

21. TARIFFS. Any price increases implemented by the provider due to the imposition of tariffs shall remain in effect only for the duration that such tariffs are in place. In the event of the repeal or reduction of any applicable tariff(s), the provider shall immediately return to the original price list or make a proportional reduction in the price to reflect the decrease in tariff(s). Price adjustments under this clause shall be made in good faith and without undue delay upon confirmation via documents reflecting tariff changes.

RIDER C: EXCEPTIONS TO RIDER B

N/A


RIDER D: RESPONSIBLE BIDDER CERTIFICATION

By signing this document, I certify to the best of my knowledge and belief that the aforementioned organization, its principals, and any subcontractors named in this proposal:

- a. Are not presently debarred, suspended, proposed for debarment, and declared ineligible or voluntarily excluded from bidding or working on contracts issued by any governmental agency.*
- b. Have not within three years of submitting the proposal for this contract been convicted of or had a civil judgment rendered against them for:*
 - i. fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a federal, state or local government transaction or contract.*
 - ii. violating Federal or State antitrust statutes or committing embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;*
 - iii. are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or Local) with commission of any of the offenses enumerated in paragraph (b) of this certification; and*
 - iv. have not within a three (3) year period preceding this proposal had one or more federal, state or local government transactions terminated for cause or default.*
- c. Have not entered into a prior understanding, agreement, or connection with any corporation, firm, or person submitting a response for the same materials, supplies, equipment, or services and this proposal is in all respects fair and without collusion or fraud. The above-mentioned entities understand and agree that collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards.*

- **Failure to provide this certification may result in the disqualification of the Bidder's proposal, at the discretion of the Department.**

To the best of my knowledge all information provided in the enclosed proposal, both programmatic and financial, is complete and accurate at the time of submission.

| | |
|---|-------------------------|
| Name: Janet Carlson | Title: Contract Manager |
| | |
| Authorized Signature:  <div style="font-size: small; margin-top: 5px;">Signed by: 1E7D2F3F91C54ED...</div> | Date: 9/2/2025 |

RIDER E: OMNIA PARTNERS CONTRACT R241502

OMNIA Partners Contract, part 1: Pages 15-164

Links to OMNIA Partners Contract, parts 2-5:

- Part 2: https://www.omniapartners.com/suppliers-files/O-S/Sunbelt_Rentals_Inc/Contract_Documents/R241502/Pages_from_R241502_Sunbelt_MAD_combined_-_2.pdf
- Part 3: https://www.omniapartners.com/suppliers-files/O-S/Sunbelt_Rentals_Inc/Contract_Documents/R241502/Pages_from_R241502_Sunbelt_MAD_combined-3.pdf
- Part 4: https://www.omniapartners.com/suppliers-files/O-S/Sunbelt_Rentals_Inc/Contract_Documents/R241502/Pages_from_R241502_Sunbelt_MAD_combined-4.pdf
- Part 5: https://www.omniapartners.com/suppliers-files/O-S/Sunbelt_Rentals_Inc/Contract_Documents/R241502/Pages_from_R241502_Sunbelt_MAD_combined-5.pdf

Region 4 Education Service Center

Contract # R241502

for

Equipment and Tool Rental Services

with

Sunbelt Rentals, Inc.

Effective: May 1, 2025

The following documents comprise the executed contract effective: May 1, 2025

- I. Vendor Contract and Signature Form
- II. Approved Deviations
- III. Supplier's Response to the RFP
- IV. Request for Proposal and Any Addenda, incorporated by reference

APPENDIX A-
(Region 4 ESC approved deviations)

CONTRACT

*This Contract ("**Contract**") is made as of May 1, 2025, by and between Sunbelt Rentals, Inc. ("**Contractor**") and Region 4 Education Service Center ("**Region 4 ESC**") for the purchase of Equipment and Tool Rental Services ("the products and services").*

RECITALS

WHEREAS, Region 4 ESC issued Request for Proposals Number 24-15 for Equipment and Tool Rental Services ("RFP"), to which Contractor provided a response ("**Proposal**"); and

WHEREAS, Region 4 ESC selected Contractor's Proposal and wishes to engage Contractor in providing the services/materials described in the RFP and Proposal;

WHEREAS, both parties agree and understand the following pages will constitute the Contract between the Contractor and Region 4 ESC, having its principal place of business at 7145 West Tidwell Road, Houston, TX 77092.

WHEREAS, Contractor included, in writing, any required exceptions or deviations from these terms, conditions, and specifications; and it is further understood that, if agreed to by Region 4 ESC, said exceptions or deviations are incorporated into the Contract.

WHEREAS, this Contract consists of the provisions set forth below, including provisions of all attachments referenced herein. In the event of a conflict between the provisions set forth below and those contained in any attachment, the provisions set forth below shall control.

WHEREAS, the Contract will provide that any state and local governmental entities, public and private primary, secondary and higher education entities, non-profit entities, and agencies for the public benefit ("**Public Agencies**") may purchase products and services at prices indicated in the Contract upon the Public Agency's registration with OMNIA Partners.

- 1) Term of agreement. The initial term of the Contract is for a period of **three (3) years** unless terminated, canceled, or extended as otherwise provided herein. Region 4 ESC shall have the right in its sole discretion to renew the Contract for additional terms up to **two (2) years** after the end of the initial term or for a lesser period of time as determined by Region 4 ESC by providing written notice to the Contractor of Region 4 ESC's intent to renew thirty (30) days prior to the expiration of the original term. Contractor acknowledges and understands Region 4 ESC is under no obligation whatsoever to extend the term of this Contract. In the event the proposal term, including renewals, ends before another proposal is executed, proposal prices and discounts may be extended on a month-to-month basis by mutual consent. Extensions are limited to the lesser of: a) six (6) additional monthly terms, or b) the time which is required to complete a new solicitation for the goods and services provided for in this solicitation. Notwithstanding the foregoing paragraph, the term of the Contract, including any extension of the original term, shall be further extended until the expiration of any Purchase Order issued within the Contract term for a period of up to one year beyond the Contract term.

- 2) Scope: Contractor shall perform all duties, responsibilities and obligations, set forth in this agreement, and described in the RFP, incorporated herein by reference as though fully set forth herein.
- 3) Form of Contract. The form of Contract shall consist of this Contract, any Purchase Order (or other similar document agreed to in writing by Region 4), Region 4's Standard Terms and Conditions for Procurement Solicitations **to the extent applicable to bare rental of equipment**, the RFP and any Addenda **(including Offeror's standard rental terms for government entities in Addendum A)**, Region 4's Electronic Bid Certifications, the Offeror's Best and Final Offer(s), as accepted by Region 4, and the Offeror's Proposal, as accepted by Region 4, each instrument incorporated herein by reference.
- 4) Order of Precedence. In the event of a conflict in the provisions of the Contract as accepted by Region 4 ESC, the following order of precedence shall prevail:
 - i. This Contract,
 - ii. Any Purchase Order (or other such similar document agreed to in writing by Region 4),
 - iii. Region 4's **applicable** Standard Terms and Conditions for Procurement Solicitations,
 - iv. RFP and any Addenda,
 - v. Region 4's Electronic Bid Certifications,
 - vi. Offeror's Best and Final Offer, as accepted by Region 4, and
 - vii. Offeror's proposal, as accepted by Region 4.
- 5) Commencement of Work. The Contractor is cautioned not to commence any billable work or provide any material or service under this Contract until Contractor receives a purchase order for such work or is otherwise directed to do so in writing by Region 4 ESC.
- 6) Entire Agreement (Parol evidence). The Contract, as specified above, represents the final written expression of agreement. All agreements are contained herein and no other agreements or representations that materially alter it are acceptable.
- 7) Assignment of Contract. No assignment of Contract may be made without the prior written approval of Region 4 ESC. Contractor is required to notify Region 4 ESC when any material change in operations is made (i.e., bankruptcy, change of ownership, merger, etc.).
- 8) Novation. If Contractor sells or transfers all assets or the entire portion of the assets used to perform this Contract, a successor in interest must guarantee to perform all obligations under this Contract. Region 4 ESC reserves the right to accept or reject any new party. A change of name agreement will not change the contractual obligations of Contractor.
- 9) Contract Alterations. No alterations to the terms of this Contract shall be valid or binding unless authorized and signed by Region 4 ESC.
- 10) Adding Authorized Distributors/Dealers. Contractor is prohibited from authorizing additional distributors or dealers, other than those identified at the time of submitting their proposal, to sell under the Contract without notification and prior written approval from Region 4 ESC. Contractor must notify Region 4 ESC each time it wishes to add an authorized distributor or dealer. Purchase orders and payment can only be made to the Contractor unless otherwise approved by Region 4 ESC. Pricing provided to members by added distributors or dealers must also be less than or equal to the Contractor's pricing.

11) TERMINATION OF CONTRACT

- a) Cancellation for Non-Performance or Contractor Deficiency. Region 4 ESC may terminate the Contract if purchase volume is determined to be low volume in any 12-month period. Region 4 ESC reserves the right to cancel the whole or any part of this Contract due to failure by Contractor to carry out any obligation, term or condition of the contract. Region 4 ESC may issue a written deficiency notice to Contractor for acting or failing to act in any of the following:
- i. Providing material that does not meet the specifications of the Contract;
 - ii. Providing work or material was not awarded under the Contract;
 - iii. Failing to adequately perform the services set forth in the scope of work and specifications;
 - iv. Failing to complete required work or furnish required materials within a reasonable amount of time;
 - v. Failing to make progress in performance of the Contract or giving Region 4 ESC reason to believe Contractor will not or cannot perform the requirements of the Contract; or
 - vi. Performing work or providing services under the Contract prior to receiving an authorized purchase order.

Upon receipt of a written deficiency notice, Contractor shall have ten (10) days to provide a satisfactory response to Region 4 ESC. Failure to adequately address all issues of concern may result in Contract cancellation. Upon cancellation under this paragraph, all ~~goods, materials~~, work, documents, data and reports prepared by Contractor under the Contract shall immediately become the property of Region 4 ESC.

- b) Termination for Cause. Conditions of cancellation are addressed in the General Terms and Conditions set forth by Region 4 ESC in the section titled "NON-PERFORMANCE /TERMINATION OF CONTRACT".
 - c) Delivery/Service Failures. Failure to deliver goods or services within the time specified, or within a reasonable time period as interpreted by the purchasing agent or failure to make replacements or corrections of rejected articles/services when so requested shall constitute grounds for the Contract to be terminated. In the event Region 4 ESC must purchase in an open market, Contractor agrees to reimburse Region 4 ESC, within a reasonable time period, for all expenses incurred.
 - d) Force Majeure. Conditions of Force Majeure are addressed in the General Terms and Conditions set forth by Region 4 ESC in the section titled "FORCE MAJEURE".
 - e) Standard Cancellation for Convenience. Region 4 ESC may cancel this Contract in whole or in part for convenience and without cause by providing written notice. Such cancellation will take effect 30 calendar days after Region 4 sends the notice of cancellation. After the 30th calendar day all work will cease following completion of final purchase order, provided that when Region 4 may in its sole discretion direct Contractor to cease performance of the contract at any time during the 30 day notice period, in which case Contractor shall discontinue any further charges to Region 4.
- 12) Licenses. Maintenance of licenses are addressed in the General Terms and Conditions set forth by Region 4 ESC in the section titled "LICENSES AND PERMITS; PERFORMANCE".
- 13) Survival Clause. Conditions of survival are addressed in the General Terms and Conditions set forth by Region 4 ESC in the section titled "SURVIVAL".

- 14) Delivery. Conforming products shall be shipped within 7 days of receipt of Purchase Order. If delivery is not or cannot be made within this time period, the Contractor must receive authorization for the delayed delivery. The order may be canceled by Region 4 if the estimated shipping time is not acceptable. All deliveries shall be freight prepaid, F.O.B. Destination and shall be included in all pricing offered unless otherwise clearly stated in writing.
- 15) Inspection & Acceptance. If defective or incorrect material is delivered, Region 4 ESC may make the determination to return the material to the Contractor at no cost to Region 4 ESC. The Contractor agrees to pay all shipping costs for the return shipment. Contractor shall be responsible for arranging the return of the defective or incorrect material.
- 16) Payments. Payment shall be made after satisfactory performance, in accordance with all provisions thereof, and upon receipt of a properly completed invoice.
- 17) Price Adjustments. Proposal prices must remain firm for at least one (1) calendar year from the proposal opening date, unless a deviation from this standard and purpose for the deviation is noted in the Vendor's response. Such deviations are subject to Region 4 ESC approval.. Price increases requested during the term of the contract may be granted at the sole discretion of Region 4 ESC. Should it become necessary or proper during the term of this Contract to make any change in design or any alterations that will increase price, Region 4 ESC must be notified immediately. Price increases must be approved by Region 4 ESC and no payment for additional materials or services, beyond the amount stipulated in the Contract shall be paid without prior approval. All price increases must be supported by manufacturer documentation, or a formal cost justification letter. Contractor must honor previous prices for thirty (30) days after approval and written notification from Region 4 ESC. It is the Contractor's responsibility to keep all pricing up to date and on file with Region 4 ESC. All price changes must be provided to Region 4 ESC, using the same format as was provided and accepted in the Contractor's proposal.

Price reductions may be offered at any time during Contract. Special, time-limited reductions are permissible under the following conditions: 1) reduction is available to all users equally; 2) reduction is for a specific period, normally not less than thirty (30) days; and 3) original price is not exceeded after the time-limit. Contractor shall offer Region 4 ESC any published price reduction during the Contract term.
- 18) Audit Rights. Audit rights are addressed in the General Terms and Conditions set forth by Region 4 ESC in the section titled "RIGHT TO AUDIT".
- 19) Discontinued Products. If a product or model is discontinued by the manufacturer, Contractor may substitute a new product or model if the replacement product meets or exceeds the specifications and performance of the discontinued model and if the discount is the same or greater than the discontinued model.
- 20) New Products/Services. New products and/or services that meet the scope of work may be added to the Contract. Pricing shall be equivalent to the percentage discount for other products. Contractor may replace or add product lines if the line is replacing or supplementing products, is equal or superior to the original products, is discounted similarly or greater than the original discount, and if the products meet the requirements of the Contract. No products and/or services may be added to avoid competitive procurement requirements. Region 4 ESC may require additions to be submitted with documentation from Members demonstrating an interest in, or a potential requirement for, the new product or service. Region 4 ESC may reject any additions without cause.

- 21) Options. Optional equipment for products under Contract may be added to the Contract at the time they become available under the following conditions: 1) the option is priced at a discount similar to other options; 2) the option is an enhancement to the unit that improves performance or reliability.
- 22) Warranty Conditions. ~~All supplies, equipment and services shall include manufacturer's minimum standard warranty and one (1) year labor warranty unless otherwise agreed to in writing. Longer warranty periods and other specifications may be required if indicated herein or through supplemental terms by Region 4.~~ The rental equipment provided will be warranted for the duration of the rental.
- 23) Site Cleanup. Contractor shall clean up and remove all debris and rubbish resulting from their work as required or directed. Upon completion of the work, the premises shall be left in good repair and an orderly, neat, clean, safe and unobstructed condition.
- 24) Site Preparation. Contractor shall not begin a project for which the site has not been prepared, unless Contractor does the preparation work at no cost, or until Region 4 ESC includes the cost of site preparation in a purchase order. Site preparation includes, but is not limited to moving furniture, installing wiring for networks or power, and similar pre-installation requirements.
- 25) Registered Sex Offender Restrictions. For work to be performed at schools, Contractor agrees no employee or employee of a subcontractor who has been adjudicated to be a registered sex offender will perform work at any time when students are or are reasonably expected to be present. Contractor agrees a violation of this condition shall be considered a material breach and may result in the cancellation of the purchase order at Region 4 ESC's discretion. Contractor must identify any additional costs associated with compliance of this term. If no costs are specified, compliance with this term will be provided at no additional charge. This requirement is in addition to other provisions contained in this RFP related to criminal history information.
- 26) Safety measures. Contractor shall take all reasonable precautions for the safety of employees on the worksite and shall erect and properly maintain all necessary safeguards for protection of workers and the public. Contractor shall post warning signs against all hazards created by its operation and work in progress. Proper precautions shall be taken pursuant to state law and standard practices to protect workers, general public and existing structures from injury or damage.
- 27) Smoking. Persons working under the Contract shall adhere to local smoking policies. Smoking will only be permitted in posted areas or off premises.
- 28) Stored materials. Upon prior written agreement between the Contractor and Region 4 ESC, payment may be made for materials not incorporated in the work but delivered and suitably stored at the site or some other location, for installation at a later date. An inventory of the stored materials must be provided to Region 4 ESC prior to payment. Such materials must be stored and protected in a secure location and be insured for their full value by the Contractor against loss and damage. Contractor agrees to provide proof of coverage and additionally insured upon request. Additionally, if stored offsite, the materials must also be clearly identified as property of Region 4 ESC and be separated from other materials. Region 4 ESC must be allowed reasonable opportunity to inspect and take inventory of stored materials, on or offsite, as necessary. Until final acceptance by Region 4 ESC, it shall be the Contractor's

responsibility to protect all materials and equipment. Contractor warrants and guarantees that title for all work, materials and equipment shall pass to Region 4 ESC upon final acceptance.

- 29) Funding Out Clause. A Contract for the acquisition, including lease, of real or personal property is a commitment of Region 4 ESC's current revenue only. Region 4 ESC retains the right to terminate the Contract at the expiration of each budget period during the term of the Contract.
- 30) **INDEMNITY. CONTRACTOR SHALL PROTECT, INDEMNIFY, AND HOLD HARMLESS BOTH REGION 4 ESC AND ITS ADMINISTRATORS, EMPLOYEES AND AGENTS AGAINST ALL CLAIMS, DAMAGES, LOSSES AND EXPENSES ARISING OUT OF OR RESULTING FROM THE ACTIONS OF THE CONTRACTOR, CONTRACTOR EMPLOYEES OR SUBCONTRACTORS IN THE PREPARATION OF THE SOLICITATION AND THE LATER EXECUTION OF THE CONTRACT. ANY LITIGATION INVOLVING EITHER REGION 4 ESC, ITS ADMINISTRATORS AND EMPLOYEES AND AGENTS WILL BE IN HARRIS COUNTY, TEXAS.**
- 31) Marketing. Contractor agrees to allow Region 4 ESC to use their name and logo within website, marketing materials and advertisement. Any use of Region 4 ESC name and logo or any form of publicity, inclusive of press releases, regarding this Contract by Contractor must have prior approval from Region 4 ESC.
- 32) Certificates of Insurance. Should the original or addended proposal solicitation identify insurance is required to perform a work, certificates of insurance shall be delivered to the Region 4 ESC prior to commencement of work. The Contractor shall give Region 4 ESC a minimum of ten (10) days' notice prior to any modifications or cancellation of policies. The Contractor shall require all subcontractors performing any work to maintain coverage as specified.
- 33) Legal Obligations. It is Contractor's responsibility to be aware of and comply with all local, state, and federal laws governing the sale of products/services and shall comply with all laws while fulfilling the Contract. Applicable laws and regulation must be followed even if not specifically identified herein.



Addendum A- Equipment Rentals Agreement

This Addendum A- Equipment Rental Agreement modifies the terms of the Master Agreement to which it is attached and is incorporated into such Agreement. If there is a conflict between language in the Master Agreement and this Addendum A, the Master Agreement controls.

Notwithstanding anything to the contrary contained in the Master Agreement, the Parties hereby agree to the following as a summary of applicable terms for a Participating Public Agency.

Notwithstanding anything to the contrary, the definition of "Work" is defined in the Supplier's Quote as Equipment Rental and Labor (Services) and therefore Supplier agrees to indemnify, defend, and hold Participating Public Agency harmless from and against any third-party claims including any and all liabilities, losses, damages, claims, penalties, fines and expenses, including attorney's fees for any damages to property and/or persons including death ("Claims") to the proportionate extent arising from Supplier or any of its Suppliers, suppliers, officers, agents, or employees negligent acts or omissions in the performance of this Agreement. Participating Public Agency will (i) give Supplier prompt notice of any such Claim, and (ii) at Supplier's reasonable request, cooperate with Supplier in the defense and settlement of Claim.

Participating Public Agency has care, custody, and control of the Work at all times Supplier does not; therefore, Supplier is not responsible for any third-party claims including any and all Claims to the proportionate extent arising from Participating Public Agency's or any of its Suppliers, suppliers, officers, agents, or employees negligent acts or omissions in the performance of this Agreement. There shall be no right or authority for any claims to be arbitrated or tried on a class action basis. Neither party shall have any liability in regard to consequential, exemplary, special, incidental or punitive damages, even if it has been advised of the possibility of such damages.

Terms Summary:

- 1. CREDIT APPROVAL.** If the Participating Public Agency does not have a current valid account established with Supplier, it must complete Supplier's credit application and be approved for a credit account. Supplier shall only be obligated to extend credit to those Participating Public Agencies who qualify for credit after completing Supplier's credit application. Any Participating Public Agency of OMNIA that chooses not to obtain a Supplier credit account or does not qualify for a credit account will not become a Participating Public Agency in the Program. If Participating Public Agency is an existing customer of Supplier, such Participating Public Agency must have no amounts outstanding longer than 60 days.
- 2. TERMINATION.** Either Party may terminate this Agreement without cause by providing at least ninety (90) days' prior written notice to the other Party.
- 3. TITLE AND RISK OF LOSS.** title will remain at all times with Contractor and risk of loss for the Equipment transfers to Customer upon taking possession of Equipment. Risk of loss transitions back to Contractor when returned to Contractor's possession.
- 4. BILLING CYCLE.** The rental charged will be determined by the daily, weekly, and 4-week

rental rates in combination with the rental period. This calculation will always be billed at the most advantageous rate available to the customer. Ex. If the rental period is 4 days and the daily rental rate is \$100 and the weekly rental rate is \$250, the customer will be charged the weekly rate of \$250 instead of \$400 (4 days x \$100 per day) because it is the lower of the two amounts. This same logic will work for any combination of rates within a 4-week period as the 4-week rental rate will be the most the customer will be charged for that equipment, using single shift rates. Additionally, a shift rate schedule shall apply for all hour metered machines and shall affect the rental rates accordingly.

- 5. PERMITTED & PROHIBITED USE:** Participating Public Agency agrees that Supplier has no control over the manner in which the Equipment is operated during the Rental Period by Participating Public Agency or any third party that Participating Public Agency implicitly or explicitly permits. Participating Public Agency warrants that: (a) prior to each use, Participating Public Agency has or will inspect the Equipment to confirm that it is in good condition, without defects, includes readable decals and operating and safety instructions and is suitable for Participating Public Agency's intended use; (b) any apparent agent at the Site Address is authorized to accept delivery of the Equipment (and if Participating Public Agency requests the applicable waiver, Participating Public Agency authorizes Supplier to leave the Equipment at the Site Address without requirement of written receipt); (c) Participating Public Agency shall immediately notify Supplier if the Equipment is lost, damaged, stolen, unsafe, disabled, malfunctioning, levied upon, threatened with seizure, or if any Incident occurs; (d) Participating Public Agency has received from Supplier all information needed or requested regarding the operation of the Equipment; (e) Supplier is not responsible for providing operator or other training unless Participating Public Agency specifically requests in writing and Supplier agrees to provide such training which may be at an additional fee (Participating Public Agency being responsible to obtain all training that Participating Public Agency desires prior to the Equipment's use); (f) only authorized individuals shall use and operate the Equipment ("authorized individuals" being those who are properly trained to use the Equipment and who are not under the influence of drugs or alcohol or otherwise impaired); (g) the Equipment's use shall be in a careful manner, in compliance with all operational and safety instructions provided on, in or with the Equipment and all Federal, State and local laws, permits and licenses, including but not limited to, OSHA, as revised; and (h) the Equipment shall be kept in a secure location.

Participating Public Agency shall not (a) alter or cover up any decals or insignia on the Equipment or remove any operational or safety instructions; (b) assign its rights under this Agreement; (c) move the Equipment from the Site Address without Supplier's written consent; or (d) use the Equipment in a negligent, illegal, unauthorized or abusive manner, or in any publication (print, audiovisual or electronic) nor allow the use of the Equipment by any unauthorized individual (Participating Public Agency acknowledging that the Equipment may be dangerous if used improperly or by untrained parties).

- 6. MAINTENANCE.** Participating Public Agency shall perform routine maintenance on the Equipment, including maintenance of fuel and oil levels, and routine visual inspections of grease, filters, cooling system, water, batteries, cutting edges, and cleaning in accordance with the manufacturer's specifications. Participating Public Agency shall submit a request for a service call a) if upon visual inspection a need for service is required, or b) any other maintenance or repairs are required. Such service may only be performed by Supplier. Supplier has no responsibility during the Rental Period to inspect or perform any maintenance or repairs unless Participating Public Agency requests a service call. If Supplier determines that repairs to the Equipment are required, other than resulting from Ordinary Wear and Tear, Participating Public Agency shall pay the full cost of repairs and rental of the Equipment until the repairs are completed.

7. **NO WARRANTIES.** Notwithstanding anything contained in the Agreement to the contrary, Supplier provides rental equipment that is neither sold nor integrated into the work, therefore there is no warranty, expressed or implied, as to the rental equipment or to its capabilities, and no warranty of merchantability, other than those detailed in the manufacturer's specifications.
8. **RELEASE AND INDEMNIFICATION.** Participating Public Agency has care, custody, and control of the Work at all times Supplier does not; therefore, Supplier is not responsible for any third-party claims including any and all Claims to the proportionate extent arising from Participating Public Agency's or any of its Suppliers, suppliers, officers, agents, or employees negligent acts or omissions in the performance of this Agreement. There shall be no right or authority for any claims to be arbitrated or tried on a class action basis. Neither party shall have any liability in regard to consequential, exemplary, special, incidental or punitive damages, even if it has been advised of the possibility of such damages.
9. **FEES:** For Equipment that uses fuel, Participating Public Agency has two options: (a) Pay on Return Option - if Participating Public Agency returns Equipment with less fuel than when received, Participating Public Agency shall pay a refueling charge (calculated by multiplying gallons required to refill tank with fuel to level when received, by the Pay on Return per gallon rate); and (b) Return Full Option – if Participating Public Agency returns the Equipment with at least as much fuel as when it was received (most Supplier Equipment comes with a full tank of fuel, but not all), no fuel charge will be assessed. The cost of Participating Public Agency refueling Equipment itself will generally be lower than the Prepay Fuel Option or the Pay on Return Option; however, these options each allow for the convenience of not refueling.

The rental rates for the Equipment's are for "one shift," being not more than 8 hours per day and 40 hours per week unless otherwise noted. Weekly and 4-week rental rates shall not be prorated.

Shift Rates apply to all generators and certain other equipment with hour meters. During a Declared State of Emergency, or a pending or existing disaster or catastrophe, natural (i.e. hurricane, tornado, flood, etc.) all diesel generators and pumps rented will be billed based on a one week minimum Rental Period at triple shift rates. This one week minimum rental at triple shift rates will not affect Equipment then on rent to Participating Public Agency. To promote a clean and sustainable environment, Supplier takes various measures to comply with federal and state environmental regulations, as well as with Supplier's own policies. Supplier also incurs a wide range of environmental related expenses (both direct and indirect). These expenses may include waste disposal, construction maintenance of cleaning facilities, acquisition of more fuel- efficient equipment, labor costs, administration costs, etc. To help defray these and other costs, Supplier charges an environmental fee in connection with certain rentals. The fee is not a tax or governmentally mandated charge. It is not designated for any particular use or placed in an escrow account. Rather, it is a fee that Supplier collects as revenue and uses at its discretion.

RENTAL PROTECTION PLAN ("RPP"). Upon execution of Supplier's Rental Out ticket, Participating Public Agency may choose to either reject or participate in Supplier's RPP program as detailed <https://www.sunbeltrentals.com/customerservice/rpp/>.

10. **RETURN OF EQUIPMENT:** Participating Public Agency must contact Supplier to request pickup of Equipment, retain the Pick Up Number given by Supplier and will be responsible for Equipment until actually retrieved by Supplier.

11. **WARRANTY:** Notwithstanding anything contained in the Agreement to the contrary, Supplier provides rental equipment that is neither sold nor integrated into the Work, therefore there is no warranty, expressed or implied, as to the rental equipment or to its capabilities, and no warranty of merchantability, other than those detailed in the manufacturer's specifications.
12. **LIMITATION OF SUPPLIER'S LIABILITY:** In consideration of the rental of the equipment and services provided, Participating Public Agency agrees that Supplier's liability under this contract, including any liability arising from Supplier's or any third party's comparative, concurrent, contributory, passive or active negligence or that arises as a result of any strict or absolute liability, shall not exceed one million dollars (\$1,000,000).

Term Sheet

| Provision | Description | Clause |
|---|--|--------|
| Indemnity | Sunbelt indemnifies for its negligent acts or omissions Sunbelt is not responsible for any action or inaction of PPA | |
| Consequential Damages | Neither party shall have any liability in regard to consequential, exemplary, special, incidental or punitive damages, even if it has been advised of the possibility of such damages. | |
| Limitation of Supplier Liability | In consideration of the rental of the equipment and services provided, Customer agrees that Sunbelt's liability under this contract, including any liability arising from Sunbelt's or any third party's comparative, concurrent, contributory, passive or active negligence or that arises as a result of any strict or absolute liability, shall not exceed one million dollars (\$1,000,000). | |
| Insurance | Sunbelt has insurance to cover their obligations (w/ SIR of \$5M) PPA is self-insured | |
| Confidentiality | Supplier maintains PPA information confidential | |
| Use of Rental Equipment | What is allowed for use of Equipment. See Attachment A | |
| Maintenance | Supplier to perform all maintenance, PPA must advise if a need for service is noticed | |
| Return of Equipment | PPA must call Sunbelt for pick-up and receive a pick-up number that is time and date stamped | |
| Choice of Law | State of PPA | |
| Warranty | For Equipment rented – repair or replacement of faulty equipment | |
| Payment Terms | Net 30 | |
| Billing Cycle | 28 days | |
| Discount off Book Rate for non-core equipment | Day 5% / Week 10% / 4-week 15% | |
| Single Shift | 8/40/160 | |
| Overtime | <p>Shift Rates (for diesel driven generators, pumps and air compressors):</p> <p>Double Shift Rate = 1.5 X Day / Week / Month Rate 8 - 16 hours per day 40.1 - 80 hours per week 160.1 - 320 hours per month</p> <p>Triple Shift Rate = 2 X Day / Week / Month Rate 16.1+ hours per day 80.1+ hours per week 320.1+ hours per month</p> <p>Overtime charges for engine drive equipment (excluding diesel engine generators, pumps and air compressors) will be calculated as follows:</p> <p>Divide the quoted rate by the hours allowed and multiply by the number of hours used over and above the hours allowed.</p> <p>*During a Declared State of Emergency, or a pending or existing disaster or catastrophe, natural hurricane, tornado, flood, etc.) or otherwise a one week minimum rental period at triple shift rates will apply for all diesel generators and pumps.</p> | |

OFFER AND CONTRACT SIGNATURE FORM

The undersigned hereby offers and, if awarded, agrees to furnish goods and/or services in strict compliance with the terms, specifications and conditions at the prices proposed within response unless noted in writing on the Deviation Form submitted with the request for proposal.

Company Name Sunbelt Rentals, Inc
 Address 1799 Innovation Point
 City/State/Zip Fort Mill, SC 29715
 Telephone No. 8656-786-2358
 Email Address contractteam@sunbeltrentals.com
 Printed Name Peggi Sawick
 Title Contract Facilitator

Authorized signature Peggi Sawick
Digitally signed by Peggi Sawick
 DN: CN = Peggi Sawick email =
 contractteam@sunbeltrentals.
 com, C = AD O = Sunbelt Rentals,
 Inc OU = Customer Contract
 Team
 Date: 2025.01.20 10:51:39 -0500

Accepted by Region 4 ESC:

Contract No. _R241502_

Initial Contract Term 5/1/2025 to 4/30/2028

Linda Tinnerman 4/22/2025
 Region 4 ESC Authorized Board Member Date

Linda Tinnerman
 Print Name

Victor E. White 4/22/2025
 Region 4 ESC Authorized Board Member Date

Victor E. White
 Print Name

Sunbelt Rental

DEVIATION FORM

Signature on the Offer and Contract Signature form certifies complete acceptance of the terms and conditions in this solicitation and draft Contract except as noted below with proposed substitute language (additional pages may be attached, if necessary). The provisions of the RFP cannot be modified without the express written approval of Region 4 ESC. If a proposal is returned with modifications to the draft Contract provisions that are not expressly approved in writing by Region 4 ESC, the Contract provisions contained in the RFP shall prevail.

Check one of the following responses:

- ☐ Offeror takes no exceptions to the terms and conditions of the RFP and draft Contract.

(Note: If none are listed below, it is understood that no exceptions/deviations are taken.)

- ☒ Offeror takes the following exceptions to the RFP and draft Contract. All exceptions must be clearly explained, reference the corresponding term to which Offeror is taking exception and clearly state any proposed modified language, proposed additional terms to the RFP and draft Contract must be included:

(Note: Unacceptable exceptions may remove Offeror's proposal from consideration for award. Region 4 ESC shall be the sole judge on the acceptance of exceptions and modifications and the decision shall be final.)

If an offer is made with modifications to the contract provisions that are not expressly approved in writing, the contract provisions contained in the RFP shall prevail.)

| Section/Page/Line | Term, Condition, or Specification | Exception/Proposed Modification | Accepted (For Region 4 ESC's use) |
|-------------------|---|---------------------------------|-----------------------------------|
| | See attached Bid Clarifications and Excapctions | | AKT / RY OMIAK |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



CLARIFICATIONS AND EXCEPTIONS

While Sunbelt Rentals is able to agree to most terms of the bid package; because Sunbelt is not a typical vendor we will require some modifications. Sunbelt does not perform work that will stay on your property, nor does Sunbelt supply materials that will be permanent to any structures. Sunbelt rents equipment to its customers without operators; therefore, Sunbelt's customers are responsible for using the equipment properly and only allowing trained individuals to operate the equipment.

Appendix A-- Draft Contract:

- Section 11.a) Sunbelt has excluded ownership of the rental equipment upon termination. At no time will Region 4 ESC own the equipment.
- Section 11.d) The Member still has the enjoyment of the equipment during any such force majeure event and therefore should continue to pay rental fees for it. For example, if it is a generator being rented, the member is continuing to use the generator during any storm, strike, etc. Sunbelt should continue to be paid for the rental fees. Additionally, we would expect that due care will be taken with the equipment to not intentionally leave it in harm's way while in the member's possession. If a force majeure event is anticipated, the member may call the equipment off rent and Sunbelt will retrieve it and the member is no longer responsible.
- Section 12. In many instances Sunbelt is not able to pull permits, because we are not using the equipment, they will not issue them to us. The member will need to pull the permits for how they intend to utilize the equipment.
- Section 22. Once the work is complete, nothing stays behind to warrant. It makes no sense to warrant for a year after the job is complete. There is nothing there to warrant. This was changed to the duration of the rental.
- There are multiple references to "Region 4's Standard Terms and Conditions for Procurement Solicitations". We were unable to find those terms in the bid package nor in an online search. Because those are most likely terms for the purchase of goods and services and not, we respectfully reserve the right to make additional comments on those terms when provided:
 - Section 11.b) Termination for Cause - General Terms and Conditions set forth by Region 4 ESC in the section titled "NON-PERFORMANCE /TERMINATION OF CONTRACT".
 - Section 11.d) Force Majeure - General Terms and Conditions set forth by Region 4 ESC in the section titled "FORCE MAJEURE".
 - Section 12 Licenses - General Terms and Conditions set forth by Region 4 ESC in the section titled "LICENSES AND PERMITS; PERFORMANCE"
 - Section 13 Survival Clause - General Terms and Conditions set forth by Region 4 ESC in the section titled "SURVIVAL"
 - Section 18 Audit Rights - General Terms and Conditions set forth by Region 4 ESC in the section titled "RIGHT TO AUDIT".

Sunbelt will provide equipment that is well maintained, in good working condition and fit for the intended purpose. New equipment will not be guaranteed as this is a true rental contract and title will remain with Sunbelt Rentals.

There are terms that we need to have in the agreement that are specific to the rental of equipment. While we understand that there are certain terms that government and quasi-government customers are unable to agree to (like indemnity or they may be self-insured), we have limited these terms to solely permitted and prohibited use of the equipment and who is to perform maintenance, how to return the equipment to Sunbelt, etc. Please review the language that has been included herein as Addendum A for your consideration.

One of these such terms is the Limitation of Liability. Due to our limited exposure, we ask that our liability be capped. Sunbelt cannot offer such pricing without doing so. Sunbelt must manage its liability in order to remain a viable company just as any other business must do. Additionally, this is a mandate from our parent company that there be some sort of a cap. We do, however, have flexibility as to the manner that it is capped; a percentage, a flat fee, capped to insurance levels, etc. We understand that it was not provided previously, but The Board of Directors of Sunbelt's parent company has implemented new guidelines since that time to satisfy the current regulatory environment. We have inserted \$1,000,000 as a place holder, but we are happy to consider any alternative that is acceptable.

Exhibit C - MICPA

Since the previous agreement, we learned some best practices from both the Public and Private Omnia sectors. For simplicity and better understanding with the Participating Public Agencies, we believe that it would be beneficial to have a simple detail of the rental terms that are needed as detailed above. Sunbelt would like respectfully request the attached term sheet for easy visibility for the Participating Public Agencies to see at a glance the applicable requirements. These are the rental terms that would not otherwise be addressed in a municipalities standard terms of purchase. Sunbelt has included two options for consideration.

- A clause table that can be posted on the OMNIA website
- Language to include relating to rentals in Exhibit C for the Participating Public Agencies registration.

Question 116 in the bid portal for Buy American Act - The Federal Regulations are very limited in the coverage of rental equipment without operators. It has been an issue we have come across for years. We do have a GSA contract in place and have had it since 2007. The instructions we had been given by our Contracting Officer is to just provide any clarification when we execute the contract detailing that we are not in compliance. The language provided below is what we give on all of our Federal Contracts/BPAs/Task Orders etc. As long as we are upfront about the fact that we don't comply, they are ok. It is up to each Federal Entity to decide if they want to continue with a contract. We have never had any Federal Entity say they do not want to move forward with us because of this. We can't say we comply and not. It has not been an issue, because they really aren't applicable to the work we provide."52.225-11 - Buy American – Construction Materials under Trade Agreements. Sunbelt Rentals, Inc. will be supplying/renting equipment that may or may not be domestic or from a qualifying country end products and due to the size and scope of our rental fleet, Sunbelt cannot confirm the state or country of origin of each brand of equipment since we are not the manufacturer."

1799 Innovation Pl. | Fort Mill, SC 29715 | Phone: 866-786-2358 | Fax: 803-578-6850

Term Sheet

| Provision | Description | Clause |
|---|---|--------|
| Indemnity | Sunbelt indemnifies for its negligent acts or omissions Sunbelt is not responsible for any action or inaction of PPA | |
| Consequential Damages | Neither party shall have any liability in regard to consequential, exemplary, special, incidental or punitive damages, even if it has been advised of the possibility of such damages. | |
| Limitation of Supplier Liability | In consideration of the rental of the equipment and services provided, Customer agrees that Sunbelt's liability under this contract, including any liability arising from Sunbelt's or any third party's comparative, concurrent, contributory, passive or active negligence or that arises as a result of any strict or absolute liability, shall not exceed one million dollars (\$1,000,000). | |
| Insurance | Sunbelt has insurance to cover their obligations (w/ SIR of \$5M) PPA is self-insured | |
| Confidentiality | Supplier maintains PPA information confidential | |
| Use of Rental Equipment | What is allowed for use of Equipment. See Attachment A | |
| Maintenance | Supplier to perform all maintenance, PPA must advise if a need for service is noticed | |
| Return of Equipment | PPA must call Sunbelt for pick-up and receive a pick-up number that is time and date stamped | |
| Choice of Law | State of PPA | |
| Warranty | For Equipment rented – repair or replacement of faulty equipment | |
| Payment Terms | Net 30 | |
| Billing Cycle | 28 days | |
| Discount off Book Rate for non-core equipment | Day 5% / Week 10% / 4-week 15% | |
| Single Shift | 8/40/160 | |
| Overtime | <p>Shift Rates (for diesel driven generators, pumps and air compressors):</p> <p>Double Shift Rate = 1.5 X Day / Week / Month Rate 8 - 16 hours per day 40.1 - 80 hours per week 160.1 - 320 hours per month</p> <p>Triple Shift Rate = 2 X Day / Week / Month Rate 16.1+ hours per day 80.1+ hours per week 320.1+ hours per month</p> <p>Overtime charges for engine drive equipment (excluding diesel engine generators, pumps and air compressors) will be calculated as follows:</p> <p>Divide the quoted rate by the hours allowed and multiply by the number of hours used over and above the hours allowed.</p> <p>*During a Declared State of Emergency, or a pending or existing disaster or catastrophe, natural hurricane, tornado, flood, etc.) or otherwise a one week minimum rental period at triple shift rates will apply for all diesel generators and pumps.</p> | |

Addendum A - Equipment Rentals

This Addendum modifies the terms of the Agreement to which it is attached and is incorporated into such Agreement. If there is a conflict between language in the Agreement and this Addendum, the Agreement controls.

Notwithstanding anything to the contrary, the definition in the Agreement of the term "Work" is defined in the Supplier's Quote as Equipment Rental and Labor (Services) and therefore Supplier agrees to indemnify, defend, and hold Participating Public Agency harmless from and against any third party claims including any and all liabilities, losses, damages, claims, penalties, fines and expenses, including attorneys' fees for any damages to property and/or persons including death ("Claims") to the proportionate extent arising from Supplier or any of its Suppliers, suppliers, officers, agents, or employees negligent acts or omissions in the performance of this Agreement. Participating Public Agency will (i) give Supplier prompt notice of any such Claim, and (ii) at Supplier's reasonable request, cooperate with Supplier in the defense and settlement of the Claim.

Participating Public Agency has care, custody, and control of the Work at all times Supplier does not; therefore, Supplier is not responsible for any third party claims including any and all Claims to the proportionate extent arising from Participating Public Agency's or any of its Suppliers, suppliers, officers, agents, or employees negligent acts or omissions in the performance of this Agreement. There shall be no right or authority for any claims to be arbitrated or tried on a class action basis. Neither party shall have any liability in regard to consequential, exemplary, special, incidental or punitive damages, even if it has been advised of the possibility of such damages.

PERMITTED & PROHIBITED USE: Participating Public Agency agrees that Supplier has no control over the manner in which the Equipment is operated during the Rental Period by Participating Public Agency or any third party that Participating Public Agency implicitly or explicitly permits. Participating Public Agency warrants that: (a) prior to each use, Participating Public Agency has or will inspect the Equipment to confirm that it is in good condition, without defects, includes readable decals and operating and safety instructions and is suitable for Participating Public Agency's intended use; (b) any apparent agent at the Site Address is authorized to accept delivery of the Equipment (and if Participating Public Agency requests the applicable waiver, Participating Public Agency authorizes Supplier to leave the Equipment at the Site Address without requirement of written receipt); (c) Participating Public Agency shall immediately notify Supplier if the Equipment is lost, damaged, stolen, unsafe, disabled, malfunctioning, levied upon, threatened with seizure, or if any Incident occurs; (d) Participating Public Agency has received from Supplier all information needed or requested regarding the operation of the Equipment; (e) Supplier is not responsible for providing operator or other training unless Participating Public Agency specifically requests in writing and Supplier agrees to provide such training which may be at an additional fee (Participating Public Agency being responsible to obtain all training that Participating Public Agency desires prior to the Equipment's use); (f) only authorized individuals shall use and operate the Equipment ("authorized individuals" being those who are properly trained to use the Equipment and who are not under the influence of drugs or alcohol or otherwise impaired); (g) the Equipment's use shall be in a careful manner, in compliance with all operational and safety instructions provided on, in or with the Equipment and all Federal, State and local laws, permits and licenses, including but not limited to, OSHA, as revised; and (h) the Equipment shall be kept in a secure location.

Participating Public Agency shall not (a) alter or cover up any decals or insignia on the Equipment or remove any operational or safety instructions; (b) assign its rights under this Agreement; (c) move the Equipment from the Site Address without Supplier's written consent; or (d) use the Equipment in a negligent, illegal, unauthorized or abusive manner, or in any publication (print, audiovisual or electronic) nor allow the use of the Equipment by any unauthorized individual (Participating Public Agency acknowledging that the Equipment may be dangerous if used improperly or by untrained parties).

MAINTENANCE: Participating Public Agency shall perform routine maintenance on the Equipment, including maintenance of fuel and oil levels, and routine visual inspections of grease, filters, cooling system, water, batteries, cutting edges, and cleaning in accordance with the manufacturer's specifications. Participating Public Agency shall submit a request for a service call a) if upon visual inspection a need for service is required, or b) any other maintenance or repairs are required. Such service may only be performed by Supplier. Supplier has no responsibility during the Rental Period to inspect or perform any maintenance or repairs unless Participating Public Agency requests a service call. If Supplier determines that repairs to the Equipment are required, other than resulting from Ordinary Wear and Tear, Participating Public Agency shall pay the full cost of repairs and rental of the Equipment until the repairs are completed.

FEES: For Equipment that uses fuel, Participating Public Agency has two options: (a) Pay on Return Option - if Participating Public Agency returns Equipment with less fuel than when received, Participating Public Agency shall pay a refueling charge (calculated by multiplying gallons required to refill tank with fuel to level when received, by the Pay on Return per gallon rate); and (b) Return Full Option - if Participating Public Agency returns the Equipment with at least as much fuel as when it was received (most Supplier Equipment comes with a full tank of fuel, but not all), no fuel charge will be assessed. The cost of Participating Public Agency refueling Equipment itself will generally be lower than the Prepay Fuel Option or the Pay on Return Option; however, these options each allow for the convenience of not refueling.

The rental rates for the Equipment's are for "one shift," being not more than 8 hours per day and 40 hours per week unless otherwise noted. Weekly and 4 week rental rates shall not be prorated. Shift Rates apply to all generators and certain other equipment with hour meters. During a Declared State of Emergency, or a pending or existing disaster or catastrophe, natural (i.e. hurricane, tornado, flood, etc.) all diesel generators and pumps rented will be billed based on a one week minimum Rental Period at triple shift rates. This one week minimum rental at triple shift rates will not affect Equipment then on rent to Participating Public Agency.

To promote a clean and sustainable environment, Supplier takes various measures to comply with federal and state environmental regulations, as well as with Supplier's own policies. Supplier also incurs a wide range of environmental related expenses (both direct and indirect). These expenses may include waste disposal, construction maintenance of cleaning facilities, acquisition of more fuel-efficient equipment, labor costs, administration costs, etc. To help defray these and other costs, Supplier charges an environmental fee in connection with certain rentals. The fee is not a tax or governmentally mandated charge. It is not designated for any particular use or placed in an escrow account. Rather, it is a fee that Supplier collects as revenue and uses at its discretion.

RENTAL PROTECTION PLAN ("RPP"): Upon execution of Supplier's Rental Out ticket, Participating Public Agency may choose to either reject or participate in Supplier's RPP program as detailed <https://www.sunbeltrentals.com/customerservice/rpp/>.

RETURN OF EQUIPMENT: Participating Public Agency must contact Supplier to request pickup of Equipment, retain the Pick Up Number given by Supplier and will be responsible for Equipment until actually retrieved by Supplier.

WARRANTY: Notwithstanding anything contained in the Agreement to the contrary, Supplier provides rental equipment that is neither sold nor integrated into the Work, therefore there is no warranty, expressed or implied, as to the rental equipment or to its capabilities, and no warranty of merchantability, other than those detailed in the manufacturer's specifications.

LIMITATION OF SUPPLIER'S LIABILITY: In consideration of the rental of the equipment and services provided, Participating Public Agency agrees that Supplier's liability under this contract, including any liability arising from Supplier's or any third party's comparative, concurrent, contributory, passive or active negligence or that arises as a result of any strict or absolute liability, shall not exceed one million dollars (\$1,000,000).

CONFIDENTIAL**TERMS SUMMARY APPLICABLE TO PARTICIPATING PUBLIC ENTITIES**

Notwithstanding anything to the contrary contained in the MPA, the Parties hereby agree to the following is a summary of applicable terms to the Program.

1. **CREDIT APPROVAL.** If the Participating Public Agency does not have a current valid account established with Supplier, it must complete Supplier's credit application and be approved for a credit account. Supplier shall only be obligated to extend credit to those Participating Public Agencies who qualify for credit after completing Supplier's credit application. Any Participating Public Agency of OMNIA that chooses not to obtain a Supplier credit account or does not qualify for a credit account will not become a Participating Public Agency in the Program. If Participating Public Agency is an existing customer of Supplier, such Participating Public Agency must have no amounts outstanding longer than 60 days.
2. **TERMINATION.** Either Party may terminate this Agreement without cause by providing at least ninety (90) days' prior written notice to the other Party.
3. **TITLE AND RISK OF LOSS.** title will remain at all times with Contractor and risk of loss for the Equipment transfers to Customer upon taking possession of Equipment. Risk of loss transitions back to Contractor when returned to Contractor's possession.
4. **BILLING CYCLE.** The rental charged will be determined by the daily, weekly, and 4-week rental rates in combination with the rental period. This calculation will always bill at the most advantageous rate available to the customer. Ex. If the rental period is 4 days and the daily rental rate is \$100 and the weekly rental rate is \$250, the customer will be charged the weekly rate of \$250 instead of the \$400 (4 days x \$100 per day) because it is the lower of the two amounts. This same logic will work for any combination of rates within a 4-week period as the 4-week rental rate will be the most the customer will be charged for that equipment, using single shift rates. Additionally, a shift rate schedule shall apply for all hour metered machines and shall affect the rental rates accordingly.
5. **PERMITTED & PROHIBITED USE:** Participating Public Agency agrees that Supplier has no control over the manner in which the Equipment is operated during the Rental Period by Participating Public Agency or any third party that Participating Public Agency implicitly or explicitly permits. Participating Public Agency warrants that: (a) prior to each use, Participating Public Agency has or will inspect the Equipment to confirm that it is in good condition, without defects, includes readable decals and operating and safety instructions and is suitable for Participating Public Agency's intended use; (b) any apparent agent at the Site Address is authorized to accept delivery of the Equipment (and if Participating Public Agency requests the applicable waiver, Participating Public Agency authorizes Supplier to leave the Equipment at the Site Address without requirement of written receipt); (c) Participating Public Agency shall immediately notify Supplier if the Equipment is lost, damaged, stolen, unsafe, disabled, malfunctioning, levied upon, threatened with seizure, or if any Incident occurs; (d) Participating Public Agency has received from Supplier all information needed or requested regarding the operation of the Equipment; (e) Supplier is not responsible for providing operator or other training unless Participating Public Agency specifically requests in writing and Supplier agrees to provide such training which may be at an additional fee (Participating Public Agency being responsible to obtain all training that Participating Public Agency desires prior to the Equipment's use); (f) only authorized individuals shall use and operate the Equipment ("authorized individuals" being those who are properly trained to use the Equipment and who are not under the influence of drugs or alcohol or otherwise impaired); (g) the Equipment's use shall be in a careful manner, in compliance with all operational and safety instructions provided on, in or with the Equipment and all Federal, State and local laws, permits and licenses, including but not limited to, OSHA, as revised; and (h) the Equipment shall be kept in a secure location. Participating Public Agency shall not (a) alter or cover up any decals or insignia on the Equipment or remove any operational or safety instructions; (b) assign its rights under this Agreement; (c) move the Equipment from the Site Address without Supplier's written consent; or (d) use the Equipment in a negligent, illegal, unauthorized or abusive manner, or in any publication (print, audiovisual or electronic) nor allow the use of the Equipment by any unauthorized individual (Participating Public Agency acknowledging that the Equipment may be dangerous if used improperly or by untrained parties).
6. **MAINTENANCE.** Participating Public Agency shall perform routine maintenance on the Equipment, including maintenance of fuel and oil levels, and routine visual inspections of grease, filters, cooling system, water, batteries, cutting edges, and cleaning in accordance with the manufacturer's

specifications. Participating Public Agency shall submit a request for a service call a) if upon visual inspection a need for service is required, or b) any other maintenance or repairs are required. Such service may only be performed by Supplier. Supplier has no responsibility during the Rental Period to inspect or perform any maintenance or repairs unless Participating Public Agency requests a service call. If Supplier determines that repairs to the Equipment are required, other than resulting from Ordinary Wear and Tear, Participating Public Agency shall pay the full cost of repairs and rental of the Equipment until the repairs are completed.

7. **NO WARRANTIES.** Notwithstanding anything contained in the Agreement to the contrary, Supplier provides rental equipment that is neither sold nor integrated into the work, therefore there is no warranty, expressed or implied, as to the rental equipment or to its capabilities, and no warranty of merchantability, other than those detailed in the manufacturer's specifications.

8. **RELEASE AND INDEMNIFICATION.** Participating Public Agency has care, custody, and control of the Work at all times Supplier does not; therefore, Supplier is not responsible for any third party claims including any and all Claims to the proportionate extent arising from Participating Public Agency's or any of its Suppliers, suppliers, officers, agents, or employees negligent acts or omissions in the performance of this Agreement. There shall be no right or authority for any claims to be arbitrated or tried on a class action basis. Neither party shall have any liability in regard to consequential, exemplary, special, incidental or punitive damages, even if it has been advised of the possibility of such damages.

9. **FEES:** For Equipment that uses fuel, Participating Public Agency has two options: (a) Pay on Return Option - if Participating Public Agency returns Equipment with less fuel than when received, Participating Public Agency shall pay a refueling charge (calculated by multiplying gallons required to refill tank with fuel to level when received, by the Pay on Return per gallon rate); and (b) Return Full Option - if Participating Public Agency returns the Equipment with at least as much fuel as when it was received (most Supplier Equipment comes with a full tank of fuel, but not all), no fuel charge will be assessed. The cost of Participating Public Agency refueling Equipment itself will generally be lower than the Prepay Fuel Option or the Pay on Return Option; however, these options each allow for the convenience of not refueling.

The rental rates for the Equipment's are for "one shift," being not more than 8 hours per day and 40 hours per week unless otherwise noted. Weekly and 4 week rental rates shall not be prorated. Shift Rates apply to all generators and certain other equipment with hour meters. During a Declared State of Emergency, or a pending or existing disaster or catastrophe, natural (i.e. hurricane, tornado, flood, etc.) all diesel generators and pumps rented will be billed based on a one week minimum Rental Period at triple shift rates. This one week minimum rental at triple shift rates will not affect Equipment then on rent to Participating Public Agency.

To promote a clean and sustainable environment, Supplier takes various measures to comply with federal and state environmental regulations, as well as with Supplier's own policies. Supplier also incurs a wide range of environmental related expenses (both direct and indirect). These expenses may include waste disposal, construction maintenance of cleaning facilities, acquisition of more fuel-efficient equipment, labor costs, administration costs, etc. To help defray these and other costs, Supplier charges an environmental fee in connection with certain rentals. The fee is not a tax or governmentally mandated charge. It is not designated for any particular use or placed in an escrow account. Rather, it is a fee that Supplier collects as revenue and uses at its discretion.

RENTAL PROTECTION PLAN ("RPP"). Upon execution of Supplier's Rental Out ticket, Participating Public Agency may choose to either reject or participate in Supplier's RPP program as detailed <https://www.sunbeltrentals.com/customerservice/rpp/>.

10. **RETURN OF EQUIPMENT:** Participating Public Agency must contact Supplier to request pickup of Equipment, retain the Pick Up Number given by Supplier and will be responsible for Equipment until actually retrieved by Supplier.
11. **WARRANTY:** Notwithstanding anything contained in the Agreement to the contrary, Supplier provides rental equipment that is neither sold nor integrated into the Work, therefore there is no warranty, expressed or implied, as to the rental equipment or to its capabilities, and no warranty of merchantability, other than those detailed in the manufacturer's specifications.
12. **LIMITATION OF SUPPLIER'S LIABILITY:** In consideration of the rental of the equipment and services provided, Participating Public Agency agrees that Supplier's liability under this contract, including any liability arising from Supplier's or any third party's comparative, concurrent, contributory, passive or active negligence or that arises as a result of any strict or absolute liability, shall not exceed one million dollars (\$1,000,000).



24-15 Addendum 1 Sunbelt Rentals Inc Supplier Response

Event Information

Number: 24-15 Addendum 1
Title: Equipment and Tool Rental Services
Type: Request for Proposal - Region 4 ESC
Issue Date: 11/7/2024
Deadline: 1/21/2025 02:00 PM (CT)
Notes: Oral communications concerning this RFP shall not be binding and shall in no way excuse an Offeror of the obligations set forth in this proposal.

Only online proposals will be accepted. Proposals must be submitted via Region 4 ESC's online procurement system:
region4esc.ionwave.net.

No manual, emailed, or faxed proposals will be accepted.

NON-MANDATORY PRE-PROPOSAL CONFERENCE

Meeting to be held on
Wednesday, November 20, 2024 at 1:00 pm
via ZOOM at <https://esc4.zoom.us/j/95819080175?from=addon>

Offerors are strongly encouraged, but not required to participate in a pre-proposal conference with the Procurement Contract Specialist.

Contact Information

Address: Finance and Operations

BID DUE DATE HAS BEEN EXTENDED UNTIL 1/21/2025.

7145 West Tidwell Road

TX 77092

Email: questions@esc4.net

Sunbelt Rentals Inc Information

Address: 1799 Innovation Point
Fort Mill, SC 29715
Phone: (866) 909-0954
Toll Free: (866) 909-0954
Email: SBR4Gov@sunbeltrentals.com
Web Address: www.SunbeltRentals.com

By submitting your response, you certify that you are authorized to represent and bind your company.

Peggi Sawick
Signature

contractteam@sunbeltrentals.com
Email

Submitted at 1/21/2025 11:11:45 AM (CT)

Supplier Note

Thank you for extending this bid opportunity to Sunbelt Rentals! We are very excited to continue our solid relationship with OMNIA and Region 4. We would like to note a few items to be highlighted: • We respectfully request that Exhibits A, B, and C (in attachments) be incorporated and part of final contract • Note that we checked YES on questions 82 and 123 regarding Terms and Conditions and Indemnification—however, items called out on Deviation Form to be incorporated and part of final contract • Question 94 regarding Texas Ethics form 1295 – we have certificate # 2024-1196251 on file with state of TX—however, if requiring additional form, we will complete after contract # has been awarded. Please reach out to us for any further details or if any questions. Thank you again. Respectfully,

Requested Attachments

| | |
|---|---|
| Offer and Contract Signature Form | 24-15 Offer and Contract Signature Form_Sunbelt Rentals.pdf |
| Please complete the Offer and Contract Signature Form, located on the Attachments tab, and upload the completed document here. | |
| Deviation Form | 24-15 Deviation Form - Sunbelt redline combined.pdf |
| Please complete the Deviation Form, located on the Attachments tab, and upload the completed document here. | |
| Conflict of Interest Questionnaire | No response |
| If a conflict exists that requires the submission of a Conflict of Interest Questionnaire (CIQ), complete and upload the document here. (REQUIRED ONLY IF A CONFLICT EXISTS, see Attribute titled "CONFLICT OF INTEREST QUESTIONNAIRE" for additional information.) | |
| Products and Pricing | OMNIA Pricing 24-15 Sunbelt Rentals FINAL.xlsx |
| Each offeror awarded an item under this solicitation may offer their complete product and service offering/a balance of line. Describe the full line of products and services offered by supplier. | |
| Value Added Services | Sunbelt Rentals Value Add and Command Center.pdf |
| Provide any additional information related to products and services the Offeror proposes to enhance and add value to the Contract. For example, a proposal for furniture may include additional value-added selections such as installation, white glove delivery options, setup/cleaning, classroom design/layout, special orders, etc. (OPTIONAL) | |

Diversity, HUB Certifications

No response

If your firm holds a certification from certifying agencies related to M/WBE, DBE, HUB, or other diverse business designations, you may upload the certificate here. (OPTIONAL)

OMNIA Partners - Exhibit F Federal Funds Certifications

OMNIA Partners - Exhibit F
Federal Funds Certifications Form
- Sunbelt executed.pdf

Please complete the OMNIA Partners - Exhibit F Federal Funds Certifications, located on the Attachments tab, and upload the completed documents here.

OMNIA Partners - Exhibit G New Jersey Business Compliance

Exhibit G Sunbelt Executed.pdf

Please complete the OMNIA Partners - Exhibit G New Jersey Business Compliance forms, located on the Attachments tab, and upload the completed documents here.

Additional Agreements Offeror will require Participating Agencies to sign.

Exhibit C MICPA EXAMPLE for
Region IV ESC - Sunbelt
redline.pdf

Upload any additional agreements offeror will require Participating Agencies here.

W-9 Upload

2025 W9 SBR INC.pdf

Interested offerors must upload an updated Form W-9 prior to submitting a proposal.

Response Attachments

Sunbelt Rentals Key Contacts.pdf

Key Contact information question 128

Sunbelt Rentals responses to 127 and 128.pdf

Answers to Questions 127 and 128

Climate Control Education Case Study 128.pdf

Case Study 128

CRT Case Study- High End Condo Disruption.pdf

Case study 128

CRT-Case Study-Office Tower Disruption.pdf

Case Study 128

Load Banks_Wind Farm Case Study.pdf

Case Study 128

Northwest-Oil-Drain-Case-Study.pdf

Case Study 128

Temporary-Bypass-Piping-Case-Study.pdf

Case study 128

Transformer-Rentals-Case-Study.pdf

Case study 128

Utility-Power-Services-Case-Study.pdf

Case study 128

Vol. 23 Sunbelt Rentals Full Line Catalog - Low Res.pdf

Sunbelt Full Line Catalog

Omnia Bid Customer References .pdf

Customer References

Ashtead-ARA2024-Financial-Statements (1).pdf

Sunbelt Financials FY2024

2024-2025 EMR - Experience Modification Rating - Letter Sunbelt Rentals as of 9.3.2024.pdf

Sunbelt EMR Letter Safety Record

24-15 Appendix A - Draft Contract - Sunbelt redline.pdf

Appendix A Draft Contract with Sunbelt redlines

Exhibit B Administration Agreement Example for Region IV ESC - Sunbelt redline.pdf

Exhibit B: Administration Agreement Example Sunbelt redlines

Omnia Region 4 Statement of Pricing RFP 040924.pdf

Statement of Pricing Explanation

Bid Attributes

| | |
|---|--|
| 1 | <p>CONTRACT DURATION</p> <p>The initial term of the Contract is for a period of three (3) years unless terminated, canceled, or extended as otherwise provided herein. Region 4 ESC shall have the right in its sole discretion to renew the Contract for additional terms up to two (2) years after the end of the initial term or for a lesser period of time as determined by Region 4 ESC by providing written notice to the Contractor of Region 4 ESC's intent to renew thirty (30) days prior to the expiration of the original term. Contractor acknowledges and understands Region 4 ESC is under no obligation whatsoever to extend the term of this Contract. In the event the proposal term, including renewals, ends before another proposal is executed, proposal prices and discounts may be extended on a month-to-month basis by mutual consent. Extensions are limited to the lesser of: a) six (6) additional monthly terms, or b) the time which is required to complete a new solicitation for the goods and services provided for in this solicitation. Notwithstanding the foregoing paragraph, the term of the Contract, including any extension of the original term, shall be further extended until the expiration of any Purchase Order issued within the Contract term for a period of up to one year beyond the Contract term.</p> <p><input checked="" type="checkbox"/> I certify compliance with this attribute.</p> |
| 2 | <p>NAME OF INDIVIDUAL COMPLETING THIS PROPOSAL</p> <p>Peggi Sawick</p> |
| 3 | <p>HOW MANY YEARS HAS YOUR BUSINESS OPERATED UNDER ITS PRESENT NAME</p> <p>42</p> |
| 4 | <p>WHAT IS YOUR CURRENT NUMBER OF CUSTOMER ACCOUNTS?</p> <p>200000</p> |
| 5 | <p>WHAT ARE YOUR BUSINESS HOURS?</p> <p>available 24/7 Sunbelt branches are open 7am - 5pm M-F some are open on Saturday. An after-hours service fee may apply in some cases and can be discussed in detail upon award.</p> |
| 6 | <p>IS 30 DAYS AFTER RECEIPT OF INVOICE AN ACCEPTABLE PAYMENT SCHEDULE FOR YOUR BUSINESS?</p> <p>If Yes, type "YES".</p> <p>If No, describe your payment schedule in the field provided.</p> <p>30 days after date of invoice</p> |

7 WHAT IS THE STANDARD LEAD TIME FOR RECEIPT OF PRODUCTS AFTER ORDER IS RECIEVED (ARO), IN DAYS?

Provide your answer in number of DAYS after receipt of order (ARO).

24-48 hours depending on equipment and location needed and if longer, will discuss with customer options.

8 ACCOUNT MANAGER NAME

Please indicate the name of the account manager we should speak to with concerns about the products and/or services in this proposal.

Natalia Welch

9 ACCOUNT MANAGER EMAIL

governmentsales@sunbeltrentals.com

10 ACCOUNT MANAGER PHONE

(800) 667-9328

11 PAYMENT REMITTANCE ADDRESS

PO Box 409211, Atlanta, GA 30384-9211

12 PAYMENT REMITTANCE PHONE

(866) 786-2358

13 CONTRACT/PURCHASE ORDER/QUOTE EMAIL

Vendors may choose to have purchase orders emailed to them in PDF format in lieu of having them faxed or mailed. To elect this option, please offer the preferred email address in the accompanying field. This email address will apply to any purchases from your company, so the use of a generic email address is suggested, such as bids@companyname.com or purchaseorders@businessname.com.

governmentsales@sunbeltrentals.com

14 CONTRACT/PURCHASE ORDER/QUOTE FAX NUMBER, IF APPLICABLE

If applicable, please provide a fax number to send orders and quote requests.

15 REQUIRED REFERENCE QUOTE OR CONTRACT NUMBER, IF APPLICABLE

Enter your quote or contract number and/or any other information our staff would need provide on the face of purchase orders in order to receive discount percentages and contract pricing.

in the absence of the new contract #, please reference #186849

16 COMPANY WEBSITE ADDRESS, IF APPLICABLE

www.SunbeltRentals.com

17 HOW WERE YOU NOTIFIED OF THIS BID OPPORTUNITY?

In order to verify the efficiency of communication tools used to notify vendors of bidding opportunities, we ask that you provide us with the manner in which you received notification of this request for bid/proposal.

Sunbelt Rentals is the incumbent supplier. We were aware of all extensions, and the final expiration date.

1
8**REFERENCE 1**

Please provide the reference of a school and/or business who have utilized the same equipment/products within the last two years. Include Company/Government name, address, contact name, and contact phone number.

Dekalb County Board of Education, Stone Mountain, GA Michael Burdette – Dir of HVAC Services 678-676-1200

1
9**REFERENCE 1 EMAIL**

michael_burdette@dekalbschoolsga.org

2
0**REFERENCE 2**

Please provide the reference of a school and/or business who have utilized the same equipment/products within the last two years. Include Company/Government name, address, contact name, and contact phone number.

University of South Carolina, Columbia, SC Scott Chewnie – Sr. Maintenance Dir 803-917-0608

2
1**REFERENCE 2 EMAIL**

jschewni@fmc.sc.edu

2
2**REFERENCE 3**

Please provide the reference of a school and/or business who have utilized the same equipment/products within the last two years. Include Company/Government name, address, contact name, and contact phone number.

San Antonio ISD, Houston, TX Rosalie Cavazos-Director of Procurement 210-354-9060

2
3**REFERENCE 3 EMAIL**

Rcavazos@saisd.net

2
4**THE U.S. STATE YOUR PRINCIPAL PLACE OF BUSINESS IS LOCATED.**

South Carolina

2
5**RECIPROCITY**

For Businesses not located in Texas: Does your state of residence or incorporation require out-of-state bidders to underbid vendors residing in your state by a prescribed amount or percentage to receive a comparable contract? If Yes, please input that percentage; If No, please leave the adjacent field blank.

No response

2
6**PARTIAL AWARD ACCEPTANCE**

REGION 4 ESC retains the right to award this contract in such a manner that it receives the best overall value for the goods and/or services requested in this request for proposal or bid, which may include awarding to multiple vendors.

☒ I understand.

2
7**PURCHASE ORDER POLICY**

REGION 4 ESC purchases tangible goods and services through the use of approved Purchase Orders. Vendors are highly discouraged from sending products, and/or performing services without prior receipt of an approved District Purchase Order. While campuses and departments may call for quotes and information, please be advised the District is not obligated to pay for any services and/or products ordered via telephone or email in without the presence of a properly executed Purchase Order.

☒ I understand.

2
8**ADDENDA NOTIFICATIONS**

Any addenda to this proposal will be issued electronically through this system. It is vendor's responsibility to review addenda upon e-mailed notice and retract/amend their submission as deemed necessary. REGION 4 ESC may choose to mark a proposal received prior to the issuance of an addendum as non-responsive should REGION 4 ESC, in its sole determination, finds the addendum to be of such material change that it warrants such determination. If such proposal is found non-responsive, REGION 4 ESC will not consider the proposal for evaluation or further consideration.

☒ I understand.
2
9**Provide equipment manufacturer, equipment types and discounts off published list price.**

Sunbelt Rentals offers 40+ equipment categories with thousands of Category Classes (Cat-Classes). Our equipment solutions are manufactured by the industries most notable manufacturers in the industry. Equipment brands we offer include, but are not limited to: John Deere, JCB, JLG, Genie, Bobcat, Ditch Witch, Tennant, Komatsu, Cummins, MQ Power, Hilti, Dewault, Milwaukee, Airrex, Movin Cool, Terex, Kubota, and countless others. We've provided an Omnia Partners Public Sector catalog in the attached pricing template. The template contains equipment most frequently rented by Public Sector customers as well as discount from our local book rates on all other items offered by Sunbelt Rentals. The template also outlines additional charges not included in the rental rates.

3
0**Define any freight charges.**

Standard Freight Charges also known as Pickup and delivery (P&D) are \$150.00 Each way, plus \$4.00 a loaded mile. Please see the pricing template for details regarding pick up and delivery that requires third party carriers, tolls, permits, emergency response and more.

3
1**Describe how Offeror responds to emergency orders.**

Natural and everyday disasters are difficult to project. Emergency Response at its core is ensuring a building, property, or community is operational as quickly as possible when disasters happen. We offer our customers 24/7 emergency response support year-round in all conditions and within 24-hours. We understand the unique needs of disaster response projects, and our emergency power generation, HVAC solutions, aerial work platforms, and scaffolding services are always ready. With a nationwide equipment of inventory, we offer the broadest offering for any job. Emergency Response at its core is ensuring a building, property, or community is operational. Natural and everyday disasters are difficult to project. Sunbelt Rentals can support our customers in each phase of an emergency from emergency response planning to mitigation/immediate response, to business continuity and recovery.

3
2**What is Offeror's average Fill Rate?**

N/A to scope of rental equipment

3
3**What is Offeror's average on time delivery rate? Describe Offeror's history of meeting the shipping and delivery timelines.**

90% or greater. Sunbelt prides itself of meeting delivery dates as we know that it is critical to our customer's project and business success. We have a vast network of locations to go to in case any issue with deliveries at one.

3
4**Describe Offeror's return and restocking policy.**

N/A to scope of rental equipment

3
5**Describe Offeror's ability to meet service and warranty needs.**

During the term of this Agreement, Supplier agrees to repair or replace any defective rental equipment or workmanship that Owner, notifies Supplier of in writing; Owner shall not be charged for any such repair or replacement provided that Owner immediately, upon discovery, notifies Supplier of the need for such repair or replacement and the rental equipment has been used in accordance with normal and intended use and has not been tampered with, modified, adjusted, altered, changed or otherwise repaired or damaged, by any party other than Supplier.

3
6**Describe Offeror's customer service/problem resolution process. Include hours of operation, number of services, etc.**

We take customer complaints and service concerns very seriously. When a customer reaches out to us to voice their concerns, we make sure to take the time to listen and ensure we collect all the associated details. Once the details have been captured and entered, we share this report with the appropriate Branch Manager, District Manager, and Regional Vice President. This group has 24 hours to respond to the customer and to let Customer Service know the details of the outcome or that they are working on a resolution. Sunbelt Customer Service is available 24/7.

3
7**Describe Offeror's invoicing process. Include payment terms and acceptable methods of payments. Offerors shall describe any associated fees pertaining to credit cards/p-cards.**

E-processes used by Sunbelt included emailed PDF invoices, customer direct XML feed, EDI, .csv FTP Files. We are established with various portals including Ariba, Onvia, BidSync. Our web portal/app MyAccount can be utilized by each customer location to monitor usage and pay invoices directly. Payment Terms are Net 30 from date of invoice.

3
8**Describe Offeror's contract implementation/customer transition plan.**

As the incumbent supplier with a proven track record, Sunbelt holds a distinct advantage over our competitors as it relates to implementation and customer transition. Implementation is seamless as the contract initially is only a matter of signature, and extension. Omnia Partner member accounts have already identified in cooperation with Omnia Partners, linked to the agreement, assigned to Sunbelt sellers, and targeted for interaction and growth. Customer transition is a matter of continuous improvement for Sunbelt. We are engaged with the Omnia Partners team to identify new customers and transition new customers to the existing Omnia Partners agreement. Regardless, Implementation and transition would continue in perpetuity. These efforts would include, but not be limited to: Training, Promotions, Target Identification, Assignment, Execution, Follow through, and follow up.

3
9**Describe the financial condition of Offeror.**

Sunbelt is financially sound at over \$10B revenue. Feel free to review our Annual report at <https://www.ashtead-group.com/investors/results-centre/annual-reports/> and also attached in attachments tab.

4
0**Provide a website link in order to review website ease of use, availability, and capabilities related to ordering, returns and reporting. Describe the website's capabilities and functionality.**

www.SunbeltRentals.com; our web portal/app MyAccount (formerly Command Center) Sunbelt's Command Center provides customers a global view of all equipment on rent and a historic look on previous rental transactions. This includes invoicing, purchase order numbers, rented-by name, equipment type and model, days on rent, total billings, etc. Reports can be set up to send on a regularly scheduled day and time, or you can pull the reports as needed.

4
1**Describe the Offeror's safety record.**

Sunbelt has a dedicated Safety Dept comprised of fulltime occupational health and safety professionals whose sole mission is to work directly with our field personnel to identify hazards & eliminate incidents by making safety the #1 priority for all of our 22,000 team members. Attached please find EMR letter showing the effectiveness of such department.

4
2**Provide a brief history of the Offeror, including year it was established and corporate office location.**

Established in 1983 and headquartered near Charlotte, North Carolina, Sunbelt has evolved from a small, local operation to a giant in the rental industry today. Sunbelt is a wholly owned subsidiary of Ashtead Group plc which is headquartered in London, England. Building on its solid foundation in the Southeast, the company has now established itself as the second largest rental company in the United States and will continue to grow through green field initiatives and acquisitions. Sunbelt is strategically positioned with convenient locations to provide superior customer service with more than \$15 billion in rental fleet and over 1,400 plus locations combined across all 50 states within the contiguous United States, including Hawaii, and in eight provinces in Canada.

**4
3 Describe Offeror's reputation in the marketplace.**

Sunbelt Rentals is the second largest equipment rental company in North America. We have a solid reputation as a solutions provider with a customer experience that is second to none. A leader in the equipment rental industry, Sunbelt Rentals is constantly advancing the idea of how a company can best serve its customers, communities and the planet. With a vast network of over 1,200 locations across North America and an expansive portfolio of products and services, we deliver solutions to support any job. Moreover, our communities are an extension of our team members and their families. Sunbelt Rentals aims to positively impact these areas by leveraging our time, talents and financial resources. Our work with numerous organizations throughout North America helps support communities and emergency response needs.

**4
4 Describe Offeror's reputation of products and services in the marketplace.**

Sunbelt Rentals has a reputation for providing the broadest range of quality rental solutions in the industry. With a strong focus on customer service, and a vast inventory of tools and equipment, we're able to cater to a diverse range of construction, facility maintenance, and industrial projects across North America.

**4
5 Describe if distributors/dealers/resellers/subsidiaries/partners ("affiliates") will be used to fulfill the contract. Submit a list of those affiliates authorized to sell under the proposed contract.**

Where and how does Offeror propose to maintain an authorized affiliate list so it may be accessed by Participating Agencies? How often does the supplier propose to update the affiliate list? Confirm the Offeror reviews the financial health, debarment status and overall general capacity of authorized affiliates. Offerors who use authorized affiliates are responsible for ensuring authorized affiliates are performing in accordance with the contract.

Not Applicable to scope

**4
6 Describe the experience and qualifications of key employees.**

Key personnel will be the Sunbelt Rentals Government Solutions Team. Sunbelt Rentals is the only nationwide equipment rental company with a team of dedicated Government sales force. This team of senior level sales professionals, each with a decade or more of public sector sales experience and equipment rental experience. The team is focused on promoting the power of Sunbelt Rentals within the public-sector, and successfully integrating those opportunities with the appropriate Sunbelt solutions and locations. See attachment for more details.

**4
7 Describe Offeror's experience working with the government sector.**

Sunbelt Rentals began working with the public sector on an as-needed basis when we opened in 1983. Over the past 42 years we have experienced the public sector's slow but steady transitions from ownership to rental. Today, we have approximately 22 standalone state contracts, a GSA schedule, multiple local, and education contracts, and several cooperative contracts with our Omnia Partners cooperative agreement being our largest and top performing public sector opportunity.

**4
8 Describe past litigation, bankruptcy, reorganization, state investigations of entity or current officers and directors.**

Sunbelt has been in the past and currently is involved in litigation, however, none of the litigation is material in nature to its relation to its provision of rental equipment.

**4
9 Provide Offeror's expertise in working with public sector and understanding of the unique technical regulatory requirements.**

Sunbelt Rentals is one of the largest equipment rental providers in North America. Our position in the industry affords us the luxury of being on the cutting edge of new equipment, technology, and compliance with new and existing regulatory requirements. Whether its emissions, fuel consumption, energy storage solutions, or the electrification of equipment we're often the first to have it, and at times involved in the development, design and manufacturing of such items. Additionally, Sunbelt's Government Solutions team is often engaged with customers to anticipate regulatory requirements whether its equipment specifics, or the procurement process.

50 Indicate if Offeror is licensed to do business in all 50 states.☒ Yes☐ No**51 Value Add - Provide any additional information related to products and services Offeror proposes to enhance and add value to the Contract.**

"One of the benefits of an equipment rental company is that we have the ability to help improve our customers' operational efficiency. We can do this by impacting areas such as equipment inventory, standardization, service and process improvement, among others. The following provides examples in each of the areas listed: - Equipment Inventory: Renting equipment cuts costs by eliminating the need for storage, maintenance and repair parts, service area and staff. Using a four-wheel drive backhoe as an example, the cost of ownership over a five-year period is approximately \$71,000. This is based on an average purchase price of \$64,000, a residual value of \$25,000 and operating costs of \$18,560. The cost of renting the same piece of equipment six months a year over a five-year period is roughly \$45,000. This results in total savings of over \$26,000. - Standardization: Using Sunbelt allows you to standardize your equipment fleet by accessing new equipment whenever you have a need. This drives efficiency by always having the right equipment for each job ready to go to work when you are. - Service: Keeping an equipment fleet serviced and ready at all times is expensive. Leveraging our fleet reduces the costs on your end by placing the burden of service on our company. This results in much lower operating costs, as you no longer have the need for maintenance staff, parts, supplies, etc. - Process Improvement: Sunbelt Rentals Command Center provides the ability to streamline the process of managing all your rentals. Using our web tools, you can move equipment from job site to job site, call equipment off rent, create alerts and custom reports, manage your AR, pay invoices online and much more. These process improvement result in fewer hours required to fulfill the needs of your company."

52 Include a per diem rate.

Not Applicable to scope of rental equipment

53 For Non-Normal Working Hours, indicate if there is a minimum charge of hours and what the number of hours is.

As it relates to Equipment rentals, the minimum rental period is 1 day/8 hours.

54 Is pricing available for all products and services?

Yes, pricing is available for all Sunbelt Rentals products and services including future products and services through greenfield developments or acquisitions. Some products may require a request for quote, but will be discounted according to the discount structure laid out in the pricing template. Rental industry as a whole does not publish a MSRP. Please refer to Attachment Statement of Pricing.

55 Describe any shipping charges (where applicable).

For equipment requiring delivery. Pickup & Delivery Charges are Not included in The Rental Rates. \$150.00 Each Way plus \$4.00 a Loaded Mile. * If required, fees associated with permitted, overweight, oversized loads, or Third Party Carriers are additional and will be quoted at the time of request.

56 Provide pricing for warranties on all products and services.

Not Applicable. - Equipment is owned by Sunbelt Rentals. Sunbelt will handle all warranty issues.

57 Describe any return or restocking fees.

Not Applicable

58 Describe any additional discounts or rebates available. Additional discounts or rebates may be offered for large quantity orders, single ship to location, growth, annual spend, guaranteed quantity, etc.

Our offer is a discount of 5/10/12% off from book rates. No additional rebates or discounts at this time, however, we are open to further discussions after award.

5
9**Describe how customers verify they are receiving Contract pricing.**

Member pricing is notated in Sunbelts CRM module, Members may verify Contract Pricing through the Sunbelt Rentals Omnia Partners contract Manager, or their local sales representative. Also, encouraged to create account on MyAccount found on www.Sunbeltrentals.com to view pricing and manage account.

6
0**Propose the frequency of updates to the Offeror's pricing structure. Describe any proposed indices to guide price adjustments. If offering a catalog contract with discounts by category, while changes in individual pricing may change, the category**

discounts should not change over the term of the Contract.

Pricing will be updated annually. Price adjustments will be guided by industry trends, Producer price indices for equipment, and heavy machinery for rental and leasing, transport services, fuel costs, the U.S. Energy Information Administration, and the Employment Cost Index as it relates to equipment rental. Sunbelt is offering an equipment catalog with category discounts. The discount is on the rental period rather than the category, and as such may change.

6
1**Describe how future product introductions will be priced and align with Contract pricing proposed.**

Future equipment and services introductions will be priced according to industry standards by rental market, and priced and discounted similarly to like products and categories.

6
2**Describe any diversity programs or partners supplier does business with and how Participating Agencies may use diverse partners through the Master Agreement.**

Indicate how, if at all, pricing changes when using the diversity program. If there are any diversity programs, provide a list of diversity alliances and a copy of their certifications.

Not applicable. Sunbelt Rentals self performs nearly every aspect of the rental process.

6
3**Minority Women Business Enterprise Certification**

If yes, list certifying agency.

Not applicable

6
4**Small Business Enterprise (SBE) or Disadvantaged Business Enterprise (DBE) Certification**

If yes, list certifying agency.

Not applicable.

6
5**Historically Underutilized Business (HUB) Certification**

If yes, list certifying agency.

Not applicable.

6
6**Historically Underutilized Business Zone Enterprise (HUBZone) Certification**

If yes, list certifying agency.

Not applicable

6
7**Other recognized diversity certificate holder**

If yes, list certifying agency

Not Applicable

6
8**Describe how Supplier will transition any existing Public Agency customers' accounts to the Master Agreement available nationally through OMNIA Partners.**

Include a list of current cooperative contracts (regional and national) Offeror holds and describe how the Master Agreement will be positioned among the other cooperative agreements.

Sunbelt is committed to growing the contract and collaborating with Omnia Partners on any marketing plan or strategy with OMNIA to result in an Omnia contract. However, the transition of existing public agency accounts will be at the customers discretion as to which contract vehicle they will utilize.

6
9**Acknowledge Supplier agrees to provide its logo(s) to OMNIA Partners and agrees to provide permission for reproduction of such logo in marketing communications and promotions.**

Acknowledge that use of OMNIA Partners logo will require permission for reproduction, as well.

☒ Yes

☐ No
7
0**Confirm Supplier will be proactive in direct sales of Supplier's goods and services to Public Agencies nationwide and the timely follow up to leads established by OMNIA Partners.**

All sales materials are to use the OMNIA Partners logo. At a minimum, the Offeror's sales initiatives should communicate:

- Master Agreement was competitively solicited and publicly awarded by a Principal Procurement Agency
- Best government pricing
- No cost to participate
- Non-exclusive

☒ Yes

☐ No
7
1**Confirm Offeror will train its national sales force on the Master Agreement. At a minimum, sales training should include:**

- Key features of Master Agreement
- Working knowledge of the solicitation process
- Awareness of the range of Public Agencies that can utilize the Master Agreement through OMNIA Partners
- Knowledge of benefits of the use of cooperative contracts

☒ Yes

☐ No
7
2**Provide the name, title, email and phone number for the person(s), who will be responsible for:**

- Executive Support
- Marketing
- Sales
- Sales Support
- Financial Reporting
- Accounts Payable
- Contracts

As the incumbent, Sunbelt has all of the requested personnel established and set up to handle OMNIA inquiries. Please forward to governmentsales@sunbeltrentals.com and they will be directed/forwarded to appropriate people and/or departments.

7
3

Describe in detail how Supplier's national sales force is structured, including contact information for the highest-level executive in charge of the sales team.

Sunbelt Rentals has a robust nationwide sales force,, but more importantly Sunbelt has a dedicated Government sales team. The Government team ultimately reports to the VP of Sales. Our structure is VP of sales, then Senior Director of Sales & Operations, followed by our Director of Government Sales. There are three (3) Regional Sales Managers who report to the Director of Government Sales. The Regional sales managers each have a team of Government Sales Specialists that cover the U.S. These sellers work directly with the sales staff and end users at the 1400 Sunbelt locations nationwide. As the current contract holder all pertinent contact information is currently in place.

7
4

Explain in detail how the sales teams will work with the OMNIA Partners team to implement, grow and service the national program.

As the incumbent supplier, Sunbelt Rentals is currently fully implemented. Our focus is on the future, empowering our sales force, while continuously improving and refining our approach. This approach has yielded over 170% growth over the past 5 years, and will continue well into the future. Please see attached Marketing Plan for additional details.

7
5

Explain in detail how Offeror will manage the overall national program throughout the term of the Master Agreement, including ongoing coordination of marketing and sales efforts, timely new Participating Public Agency account set-up, timely contract

administration, etc.

Many of the details surrounding the coordination of marketing and sales efforts are laid out in our attachment for question 74. The existing relationship allows for accounts to be set up and linked within a matter of hours. The account set up and linking process identifies the account to be included in ongoing marketing and sales efforts and administration.

7
6

State the amount of Supplier's Public Agency sales for the previous fiscal year. Provide a list of Supplier's top 10 Public Agency customers, the total purchases for each for the previous fiscal year along with a key contact for each.

SAN ANTONIO ISD SAN ANTONIO, TX \$4,735,430.29 SAN ANTONIO ISD-CONSTRUCTIONOL SAN ANTONIO, TX \$2,445,619.25 TIPTON COUNTY BOARD OF EDUCATI COVINGTON, TN \$1,321,652.89 TEXAS MILITARY DEPARTMENT AUSTIN, TX \$746,878.53 DAC CONTROLLER'S OFFICE RALEIGH, NC \$661,031.43 UNIVERSITY OF SOUTH ALABAMA MOBILE, AL \$650,461.20 CITY OF ORLANDO-FACILITIES ORLANDO, FL \$456,676.29 PASCO COUNTY BOARD COMMISSION DADE CITY, FL \$377,532.16 TDCJ-FAC- PURCHASING HUNTSVILLE, TX \$364,397.46 PRAIRIE VIEW A&M UNIVERSITY PRAIRIE VIEW, TX \$340,635.30

7
7

Year 1 - Provide the Contract Sales (as defined in Section 12 of OMNIA Partners Administration Agreement) that Supplier will guarantee each year under the Master Agreement for the initial three years of the Master Agreement ("Guaranteed Contract Sales").

To the extent Supplier guarantees minimum Contract Sales, the Administrative Fee shall be calculated based on the greater of the actual Contract Sales and the Guaranteed Contract Sales.

\$52306810.00

7
8

Year 2 - Provide the Contract Sales (as defined in Section 12 of OMNIA Partners Administration Agreement) that Supplier will guarantee each year under the Master Agreement for the initial three years of the Master Agreement

To the extent Supplier guarantees minimum Contract Sales, the Administrative Fee shall be calculated based on the greater of the actual Contract Sales and the Guaranteed Contract Sales.

\$60152832.00

7
9

Year 3 - Provide the Contract Sales (as defined in Section 12 of OMNIA Partners Administration Agreement) that Supplier will guarantee each year under the Master Agreement for the initial three years of the Master Agreement

To the extent Supplier guarantees minimum Contract Sales, the Administrative Fee shall be calculated based on the greater of the actual Contract Sales and the Guaranteed Contract Sales.

\$69175757.00

8
0

Please download and thoroughly review the Scope of Work, located on the Attachments Tab. Indicate your review and acceptance.

☒ Yes

8
1

Oral Communications concerning this RFP shall not be binding and shall in no way excuse an Offeror of the obligations set forth in this proposal.

☒ Yes

8
2

Please download and thoroughly review the Terms and Conditions, located on the Attachments Tab. Indicate your review and acceptance.

☒ Yes

8
3

Products/Pricing - Upload on Response Attachments Tab

i. Offerors shall provide pricing based on coefficient pricing completing Appendix D; or on a discount from a manufacturer's or other price list or catalog, or fixed price, or a combination of both with indefinite quantities. Prices listed will be used to establish the extent of a manufacturer's product lines, services, warranties, etc. that are available from Offeror and the pricing per item. Multiple percentage discounts are acceptable if, where different percentage discounts apply, the different percentages are specified. Additional pricing and/or discounts may be included. Products and services proposed are to be priced separately with all ineligible items identified. Discounts proposed shall remain the same throughout the term of the contract and at all renewal options. At a minimum the Awarded Offeror must hold the proposed price list firm for the first 12 months after the contract award. Offerors may elect to limit their proposals to any category or categories.

· Complete the applicable Pricing information

o Provide equipment manufacturer, equipment types and discount off published list price.

o Define any freight charges.

o Provide classifications of labor with billable rates for each respondent's office(s), territories or district(s) along with any sub-office pricing as required. Each of these labor classification rates shall be fully burdened, defined and will be set for Normal Working Hours and Non-Normal Working Hours. Sub-contractor labor shall not be recognized. Each respondent shall determine their sub-contractor's labor rate as a prime labor classification. For example, an electrician's labor rate shall be calculated based on the respondent's sub-contractor's labor billable rate plus respondent's normal margins on sub-contractor labor. Labor classification shall be provided in the response.

o If using coefficient pricing, the Normal Working Hours and Non-Normal Working Hours for tasks identified in the Scope of Work shall use a benchmark against an established data set (e.g.; RSMeans or others) to ensure that the hours provided can be verified. Each of these hourly tasks shall have a coefficient of labor against an established data set (e.g.; RSMeans or others) city cost index by each respondent's office(s), territories or district(s) to determine effectiveness of providing these tasks. Offerors using coefficient pricing will complete Appendix D.

Federal Funding Pricing: Due to products and services potentially being used in response to an emergency or disaster recovery situation in which federal funding may be applied, provide alternative pricing that does not include cost plus a percentage of cost or pricing based on time and materials; if time and materials is necessary, a ceiling price that the contract exceeds at its own risk will be needed. Products and services provided in a situation where an agency is eligible for federal funding, Offeror is subject to and must comply with all federal requirements applicable to the funding including, but not limited to the FEMA Special Conditions section located in the Federal Funds Certifications Exhibit F.

**8
4****Not to Exceed Pricing**

Region 4 ESC requests pricing be submitted as not to exceed pricing. Unlike fixed pricing, the Contractor can adjust submitted pricing lower if needed but, cannot exceed original pricing submitted. Contractor must allow for lower pricing to be available for similar product and service purchases. Cost plus pricing as a primary pricing structure is not acceptable.

**8
5****Provide the number, size and location of Supplier's distribution facilities, warehouses and retail network as applicable.**

as of 1/20/2025 there are 1,393 Sunbelt locations throughout USA for a comprehensive/updated list please visit www.sunbeltrentals.com/location

**8
6****Provide a detailed ninety-day plan beginning from award date of the Master Agreement describing the strategy to immediately implement the Master Agreement as supplier's primary go to market strategy for Public Agencies to supplier's teams nationwide,**

to include, but not limited to:

- i. Executive leadership endorsement and sponsorship of the award as the public sector go-to-market strategy within first 10 days
- ii. Training and education of Supplier's national sales force with participation from the Supplier's executive leadership, along with the OMNIA Partners team within first 90 days

As Sunbelt is incumbent and currently holds the OMNIA contract, there will not have to be a transition per se, as all protocols and processes are in place on both sides. Given the 170% growth over the last 5 years, we feel this is a well oiled machine--however, we are open to tweaking if both sides feel necessary.

**8
7****Provide a detailed ninety-day plan beginning from award date of the Master Agreement describing the strategy to market the Master Agreement to current Participating Public Agencies, existing Public Agency customers of Supplier, as well as to prospective**

Public Agencies nationwide immediately upon award, to include, but not limited to:

- i. Creation and distribution of a co-branded press release to trade publications
- ii. Announcement, Master Agreement details and contact information published on the Supplier's website within first 90 days
- iii. Design, publication and distribution of co-branded marketing materials within first 90 days
- iv. Commitment to attendance and participation with OMNIA Partners at national (i.e. NIGP Annual Forum, NPI Conference, etc.), regional (i.e. Regional NIGP Chapter Meetings, Regional Cooperative Summits, etc.) and supplier-specific trade shows, conferences and meetings throughout the term of the Master Agreement
- v. Commitment to attend, exhibit and participate at the NIGP Annual Forum in an area reserved by OMNIA Partners for partner suppliers. Booth space will be purchased and staffed by Supplier. In addition, Supplier commits to provide reasonable assistance to the overall promotion and marketing efforts for the NIGP Annual Forum, as directed by OMNIA Partners.
- vi. Design and publication of national and regional advertising in trade publications throughout the term of the Master Agreement
- vii. Ongoing marketing and promotion of the Master Agreement throughout its term (case studies, collateral pieces, presentations, promotions, etc.)
- viii. Dedicated OMNIA Partners internet web-based homepage on Supplier's website with:
 - OMNIA Partners standard logo;
 - Copy of original Request for Proposal;
 - Copy of Master Agreement and amendments between Principal Procurement Agency and Supplier;
 - Summary of Products and pricing;
 - Marketing Materials
 - Electronic link to OMNIA Partners' website including the online registration page;
 - A dedicated toll-free number and email address for OMNIA Partners

as Sunbelt is incumbent and currently holds the OMNIA contract, there will not have to be a transition per se--as all protocols and processes are in place on both sides.

8 GENERAL TERMS AND CONDITIONS

Respondent agrees to comply with the Contract and General Terms and Conditions provided as an attachment to this online bid event. Any deviations to the Contract and General Terms and Conditions may be provided using the procedures set forth in the attribute pertaining to deviations.

☒ I certify compliance with this attribute.

8 DEVIATIONS TO TERMS AND CONDITIONS

Any Deviation from the RFP documents, including the General Terms and Conditions, Notice to Offeror, or any other document presented with terms for consideration by the proposer MUST be documented and presented on the Deviation Form and attached to this electronic bid event via an electronic upload to the "Response Attachments" tab. In addition to indicating the requested deviations on the form, additional pages may be provided to more thoroughly explain each deviation listed on the Deviation Form.

☒ I certify compliance with this attribute.

9 FELONY CONVICTION NOTIFICATION

State of Texas Legislative Senate Bill No. 1 Section 44.034, Notification of Criminal History, Subsection (a), states "a person or business entity that enters into an agreement with a school district must give advance notice to the district if the person or an owner or operator of the business entity has been convicted of a felony. The notice must include a general description of the conduct resulting in the conviction of a felony".

Subsection (b) states "a school district may terminate the agreement with a person or business entity if the district determines that the person or business entity failed to give notice as required by Subsection (a), or misrepresented the conduct resulting in the conviction. The district must compensate the person or business entity for services performed before the termination of the contract".

Subsection (c) states "this section does not apply to a publicly held corporation".

Use the list of values associated with this item to identify your status as it relates to this legal requirement.

Non-Felon - person/owner IS NOT a convicted felon

9 NAME OF FELON AND NATURE OF FELONY, IF APPLICABLE

If response to previous attribute was "Felon - person/owner IS a convicted felon", vendor shall give the name of the felon and details of conviction.

If you did not answer "Felon - person/owner IS a convicted felon" in the previous question, type "N/A" in the respective field.

N/A

9 CRIMINAL HISTORY RECORDS REVIEW OF CERTAIN CONTRACT EMPLOYEES

Texas Education Code Chapter §22.0834 requires that criminal history records be obtained regarding covered employees of entities that contract with a school entity in Texas to provide services for that school entity ("Contractors") and entities that contract with school entity contractors ("Subcontractors"). Covered employees with disqualifying criminal histories are prohibited from serving at a school entity. Contractors/Subcontractors contracting with a school entity shall (1) maintain compliance with the requirements of Texas Education Code Chapter 22 to the school entity; and (2) require that each of their subcontractors complies with the requirements of Texas Education Code Chapter 22. Contractors performing work at a school entity in Texas must comply with these statutes.

Compliance includes providing or causing employees and sub-contractor employees to provide requested information and fingerprinting upon request.

Covered employees: Employees of a Contractor/Subcontractor who have or will have continuing duties related to the service to be performed at a school entity and have or will have direct contact with students. The school entity will be the final arbiter of what constitutes *continuing duties* and *direct contact* with students at their school.

☒ I certify compliance with this attribute.

9
3**HISTORICALLY UNDERUTILIZED BUSINESS (HUB) CERTIFICATION**

Businesses that have been certified by the Texas Building and Procurement Commission (TBPC) or other qualified agency as Historically Underutilized Business (HUB) entities are encouraged to indicate their HUB status when responding to this proposal invitation. The electronic catalogs will indicate HUB certifications for vendors that properly indicate and document their HUB certification on this form.

Select one of the available options:

OPTION A: My business has NOT been certified as HUB.

OPTION B: I certify that my business has been certified as a Historically Underutilized Business (HUB), and I have/will upload the certification information into the "Response Attachments" Tab located in this online bidding event.

OPTION A - Not HUB

9
4**DISCLOSURE OF INTERESTED PARTIES**

Texas state law requires the Disclosure of Interested Parties be filed with a public entity, including regional service centers and school districts, for any contract which:

- (1) requires an action or vote by the governing body; or
- (2) has a value of \$1 million or more; or
- (3) for any services provided that would require an individual to register as a lobbyist under TX Gov't Code Chapter 305.

NOTE: This form is not required if the vendor is a publicly-traded business entity, including a wholly-owned subsidiary of the business entity (a company in which ownership is dispersed among the general public via shares of stock which are traded via at least one stock exchange or over-the-counter market).

If you are required by law to submit this form, it must be completed online at the Texas Ethics Commission website. Obtain a numbered certificate and click the link below to access the instructions and to complete this required form. Upon completion, vendors required to submit the form must attach it to the proposal via the "Response Attachments" Tab.

[Click here to complete the form on the Texas Ethic Commission's 1295 Form webpage.](#)

Please note: The District must verify receipt of all required 1295 forms received within 30 days on the Texas Ethics Commission website. This verification does not indicate a contract award. Contract awards will be issued via direct communication from the AISD Purchasing Department. A contract requiring a Disclosure of Interested Parties form is voidable at any time if:

- (1) the governmental entity or state agency submits to the business entity written notice of the business entity's failure to provide the required disclosure; and
- (2) the business entity fails to submit to the governmental entity or state agency the required disclosure on or before the 10th business day after the date the business entity receives the written notice.

IF UNDER LAW YOU ARE EXEMPT FROM SUBMITTING THIS 1295 FORM, PROPOSERS MUST SUBMIT A DOCUMENT THAT SHOWS PROOF OR PROVIDES EXPLANATION OF THIS EXEMPTION.

THE FOLLOWING CONTRACTS ARE EXEMPT FROM THE REQUIREMENTS OF TEXAS DISCLOSURE OF INTERESTED PARTIES LAWS:

- *a sponsored research contract of an institution of higher education;*
- *an interagency contract of a state agency or an institution of higher education;*
- *a contract related to health and human services if:*
 - *the value of the contract cannot be determined at the time the contract is executed; and*
 - *any qualified vendor is eligible for the contract;*
- *a contract with a publicly traded business entity, including a wholly owned subsidiary of the business entity;*
- *a contract with an electric utility, as that term is defined by Section 31.002, Utilities Code; or*
- *a contract with a gas utility, as that term is defined by Section 121.001, Utilities Code.*

☒ I certify compliance with this attribute.

9
5**CONFLICT OF INTEREST QUESTIONNAIRE**

Region 4 Education Service Center (Region 4) is required to comply with Texas Local Government Code Chapter 176, Disclosure of Certain Relationships with Local Government Officers. House Bill 23 significantly changed Chapter 176 as well as the required disclosures and the corresponding forms. As of September 1, 2015, any vendor who does business with Region 4 or who seeks to do business with Region 4 must fill out the new Conflict of Interest Questionnaire (CIQ) if a conflict of interest exists. A conflict of interest exists in the following situations:

- 1) If the vendor has an employment or other business relationship with a local government officer of Region 4 or a family member of the officer, as described by section 176.003(a)(2)(A) of the Texas Local Government Code; or
- 2) If the vendor has given a local government officer of Region 4, or a family member of the officer, one or more gifts with the aggregate value of \$100, excluding any gift accepted by the officer or a family member of the officer if the gift is: (a) a political contribution as defined by Title 15 of the Election Code; or (b) a gift of food accepted as a guest; or
- 3) If the vendor has a family relationship with a local government officer of Region 4.

"Vendor" means a person who enters or seeks to enter into a contract with a local governmental entity. The term includes an agent of a vendor. The term includes an officer or employee of a state agency when that individual is acting in a private capacity to enter into a contract. The term does not include a state agency except for Texas Correctional Industries. Texas Local Government Code 176.001(7).

"Business relationship" means a connection between two or more parties based on commercial activity of one of the parties. The term does not include a connection based on: (A) a transaction that is subject to rate or fee regulation by a federal, state, or local governmental entity or an agency of a federal, state, or local governmental entity; (B) a transaction conducted at a price and subject to terms available to the public; or (C) a purchase or lease of goods or services from a person that is chartered by a state or federal agency and that is subject to regular examination by, and reporting to, that agency. Texas Local Government Code 176.001(3).

"Family relationship" means a relationship between a person and another person within the third degree by consanguinity or the second degree by affinity, as those terms are defined by Subchapter B, Chapter 573, Government Code. Texas Local Government Code 176.001(2-a).

"Local government officer" means: (A) a member of the governing body of a local governmental entity; (B) a director, superintendent, administrator, president, or other person designated as the executive officer of a local governmental entity; or (C) an agent of a local governmental entity who exercises discretion in the planning, recommending, selecting, or contracting of a vendor. Texas Local Government Code 176.001(4).

Individuals serving as a Member of the Board of Directors, the Executive Director, Cabinet Members, and other local government officers may be found at: <https://www.esc4.net/about/about-region-4>.

For additional information on Conflict of Interest Questionnaire, and the statutes that mandate it, please visit the following links:

[Texas Local Government Code, Section 176](#)

[Texas House Bill 23](#)

A blank Conflict of Interest Questionnaire is available by clicking:

<https://www.ethics.state.tx.us/data/forms/conflict/CIQ.pdf>.

If your firm is required to return a completed Conflict of Interest Questionnaire with your proposal submission, use the "Response Attachments" Tab to upload the completed document.

☒ I certify compliance with this attribute.

96 ENTITIES THAT BOYCOTT ISRAEL

Pursuant to Chapter 2271 of the Texas Government Code, the Respondent hereby certifies and verifies that neither the Respondent, nor any affiliate, subsidiary, or parent company of the Respondent, if any (the "Respondent Companies"), boycotts Israel, and the Respondent agrees that the Respondent and Respondent Companies will not boycott Israel during the term of this Agreement. For purposes of this Agreement, the term "boycott" shall mean and include refusing to deal with, terminating business activities with, or otherwise taking any action that is intended to penalize, inflict economic harm on, or limit commercial relations with Israel, or with a person or entity doing business in Israel or in an Israeli-controlled territory, but does not include an action made for ordinary business purposes.

EXCEPTIONS: Clause only applies to contracts and contractors that meet the following criteria: (i) Respondent is not a sole proprietorship; (ii) with 10 or more full-time employees; and (iii) with a contract to be paid a value of \$100,000 or more wholly or partially from public funds of the governmental entity.

☒ I certify compliance with this attribute.

97 FOREIGN TERRORIST ORGANIZATIONS

Section 2252.152 of the Texas Government Code prohibits Region 4 ESC from awarding a contract to any person who does business with Iran, Sudan, or a foreign terrorist organization as defined in Section 2252.151 of the Texas Government Code. Respondent certifies that it not ineligible to receive the contract.

☒ I certify compliance with this attribute.

98 FIREARMS ENTITIES AND TRADE ASSOCIATIONS DISCRIMINATION

Respondent verifies that: (1) it does not, and will not for the duration of the contract, have a practice, policy, guidance, or directive that discriminates against a firearm entity or firearm trade association or (2) the verification required by Section 2274.002 of the Texas Government Code does not apply to the contract. If circumstances relevant to this provision change during the course of the contract, Respondent shall promptly notify Region 4 ESC.

APPLICABILITY: This clause applies only to a contract that: (1) is between a governmental entity and a company with at least 10 full-time employees; and (2) has a value of at least \$100,000 that is paid wholly or partly from public funds of the governmental entity.

EXCEPTIONS: This clause is not required when a state Agency: (1) contracts with a sole-source provider; or (2) does not receive any bids from a company that is able to provide the written verification required by Section 2274.002(b) of the Texas Government Code.

☒ I certify compliance with this attribute.

99 ENERGY COMPANY BOYCOTT PROHIBITED

Respondent represents and warrants that: (1) it does not, and will not for the duration of the contract, boycott energy companies or (2) the verification required by Section 2274.002 of the Texas Government Code does not apply to the contract. If circumstances relevant to this provision change during the course of the contract, Respondent shall promptly notify Region 4 ESC.

EXCEPTIONS: Clause only applies to contracts and contractors that meet the following criteria: (i) a "company" within the definitions of Section 2274.001(2) of the Tex. Gov't Code; (ii) with 10 or more full-time employees; and (iii) with a contract to be paid a value of \$100,000 or more wholly or partially from public funds of the governmental entity.

☒ I certify compliance with this attribute.

100 CRITICAL INFRASTRUCTURE AFFIRMATION

Pursuant to Government Code Section 2274.0102, Respondent certifies that neither it nor its parent company, nor any affiliate of Respondent or its parent company, is: (1) majority owned or controlled by citizens or governmental entities of China, Iran, North Korea, Russia, or any other country designated by the Governor under Government Code Section 2274.0103, or (2) headquartered in any of those countries.

EXCEPTION: Clause only applies to solicitations and contracts in which the contractor would be granted direct or remote access to or control of critical infrastructure, as defined by Section 2274.0101 of the Texas Government Code, in this state, other than access specifically allowed for product warranty and support purposes.

The Governor of the State of Texas may designate countries as a threat to critical infrastructure under Section 2274.0103 of the Texas Government Code. Agencies should promptly add any country that is designated by the Governor to this clause."

☒ I certify compliance with this attribute.

1
0
1**OPEN RECORDS POLICY**

All proposals, information and documents submitted are subject to the Public Information Act requirements governed by the State of Texas once a Contract(s) is executed. If an Offeror believes its response, or parts of its response, may be exempted from disclosure, the Offeror must specify page-by-page and line-by-line the parts of the response, which it believes, are exempt and include detailed reasons to substantiate the exemption. Price is not confidential and will not be withheld. Any unmarked information will be considered public information and released, if requested under the Public Information Act.

The determination of whether information is confidential and not subject to disclosure is the duty of the Office of Attorney General (OAG). Region 4 ESC must provide the OAG sufficient information to render an opinion and therefore, vague and general claims to confidentiality by the Offeror are not acceptable. Region 4 ESC must comply with the opinions of the OAG. Region 4 ESC assumes no responsibility for asserting legal arguments on behalf of any Offeror. Offeror is advised to consult with their legal counsel concerning disclosure issues resulting from this procurement process and to take precautions to safeguard trade secrets and other proprietary information.

Check one of the following responses to the Acknowledgment and Acceptance of Region 4 ESC's Open Records Policy below:

OPTION A: We acknowledge Region 4 ESC's Open Records Policy and declare that no information submitted with this proposal, or any part of our proposal, is exempt from disclosure under the Public Information Act.

OPTION B: We declare the following information to be a trade secret or proprietary and exempt from disclosure under the Public Information Act and these requested exemptions are uploaded into the "Response Attachments" Tab located in this online bidding event.

(Note: Offeror must specify page-by-page and line-by-line the parts of the response, which it believes, are exempt. In addition, Offeror must include detailed reasons to substantiate the exemption(s). Price is not confidential and will not be withheld. All information believed to be a trade secret or proprietary must be listed. It is further understood that failure to identify such information, in strict accordance with the instructions, will result in that information being considered public information and released, if requested under the Public Information Act.)

☐ OPTION A - No proprietary information

1
0
2**CONSENT TO RELEASE PROPOSAL TABULATION**

Notwithstanding anything explicitly and properly declared as Confidential or Proprietary Information to the contrary, by submitting a Proposal, Vendor consents and agrees that, upon Contract award, the District may publicly release, including posting on the public Region 4 ESC and/or OMNIA Partners website(s), a copy of the proposal tabulation for the Contract including Vendor name; proposed catalog/pricelist name(s); proposed percentage discount(s), unit price(s), hourly labor rate(s), or other specified pricing; and Vendor award notice information.

☒ I certify compliance with this attribute.

1
0
3**CONTRACTING INFORMATION**

If Vendor is not a governmental body and

- (a) this Agreement has a stated expenditure of at least \$1 million in public funds for the purchase of goods or services by REGION 4 ESC; or
- (b) this Agreement results in the expenditure of at least \$1 million in public funds for the purchase of goods or services by REGION 4 ESC in a fiscal year of REGION 4 ESC, the following certification shall apply; otherwise, this certification is not required.

As required by Tex. Gov't Code § 552.374(b), the following statement is included in the RFP and the Agreement (unless the Agreement is

- (1) related to the purchase or underwriting of a public security;
- (2) is or may be used as collateral on a loan; or
- (3) proceeds from which are used to pay debt service of a public security of loan):

"The requirements of Subchapter J, Chapter 552, Government Code, may apply to this RFP and Agreement and the contractor or vendor agrees that the contract can be terminated if the contractor or vendor knowingly or intentionally fails to comply with a requirement of that subchapter."

Pursuant to Subchapter J, Chapter 552, Texas Government Code, the Vendor hereby certifies and agrees to

- (1) preserve all contracting information related to this Agreement as provided by the records retention requirements applicable to REGION 4 ESC for the duration of the Agreement;
- (2) promptly provide to REGION 4 ESC any contracting information related to the Agreement that is in the custody or possession of the Vendor on request of REGION 4 ESC; and
- (3) on completion of the Agreement, either
 - (a) provide at no cost to AISD all contracting information related to the Agreement that is in the custody or possession of Vendor, or
 - (b) preserve the contracting information related to the Agreement as provided by the records retention requirements applicable to REGION 4 ESC.

☒ I certify compliance with this attribute.

1
0
4**ANTI-TRUST CERTIFICATION STATEMENT**

Vendor affirms under penalty of perjury of the laws of the State of Texas that:

- (1) I am duly authorized to execute this contract on my own behalf or on behalf of the company, corporation, firm, partnership or individual (Company) listed below;
- (2) In connection with this bid, neither I nor any representative of the Company have violated any provision of the Texas Free Enterprise and Antitrust Act, Tex. Bus. & Comm. Code Chapter 15;
- (3) In connection with this bid, neither I nor any representative of the Company have violated any federal antitrust law; and
- (4) Neither I nor any representative of the Company have directly or indirectly communicated any of the contents of this bid to a competitor of the Company or any other company, corporation, firm, partnership or individual engaged in the same line of business as the Company.

☒ I certify compliance with this attribute.

1
0
5**FEDERAL RULE (A) - CONTRACT TERM VIOLATIONS**

(A) Contracts for more than the simplified acquisition threshold currently set at \$250,000 (2 CFR §200.320), which is the inflation adjusted amount determined by the Civilian Agency Acquisition Council and the Defense Acquisition Regulations Council (Councils) as authorized by 41 U.S.C. 1908, must address administrative, contractual, or legal remedies in instances where contractors violate or breach contract terms, and provide for such sanctions and penalties as appropriate.

Pursuant to Federal Rule (A) above, when federal funds are expended by Region 4 ESC, Region 4 ESC reserves all rights and privileges under the applicable laws and regulations with respect to this procurement in the event of breach of contract by either party.

☒ I certify compliance with this attribute.

106 FEDERAL RULE (B) - TERMINATION CONDITIONS

(B) Termination for cause and for convenience by the grantee or subgrantee including the manner by which it will be effected and the basis for settlement. (All contracts in excess of \$10,000)

Pursuant to Federal Rule (B) above, when federal funds are expended by REGION 4 ESC, REGION 4 ESC reserves the right to immediately terminate any agreement in excess of \$10,000 resulting from this procurement process in the event of a breach or default of the agreement by Vendor, in the event vendor fails to: (1) meet schedules, deadlines, and/or delivery dates within the time specified in the procurement solicitation, contract, and/or a purchase order; (2) make any payments owed; or (3) otherwise perform in accordance with the contract and/or the procurement solicitation; (4) to the greatest extent authorized by law, if an award no longer effectuates the program goals or priorities of the Federal awarding agency or REGION 4 ESC. REGION 4 ESC also reserves the right to terminate the contract immediately, with written notice to vendor, for convenience, if REGION 4 ESC believes, in its sole discretion that it is in the best interest of REGION 4 ESC to do so. The vendor will be compensated for work performed and accepted and goods accepted by REGION 4 ESC as of the termination date if the contract is terminated for convenience of REGION 4 ESC. Any award under this procurement process is not exclusive and REGION 4 ESC reserves the right to purchase goods and services from other vendors when it is in the best interest of REGION 4 ESC.

☒ I certify compliance with this attribute.

107 FEDERAL RULE (C) - EQUAL EMPLOYMENT OPPORTUNITY

(C) Except as otherwise provided under 41 CFR Part 60, all contracts that meet the definition of "federally assisted construction contract" in 41 CFR Part 60-1.3 must include the equal opportunity clause provided under 41 CFR 60-1.4(b), in accordance with Executive Order 11246, "Equal Employment Opportunity" (30 FR 12319, 12935, 3 CFR Part, 1964-1965 Comp., p. 339), as amended by Executive Order 11375, "Amending Executive Order 11246 Relating to Equal Employment Opportunity," and implementing regulations at 41 CFR part 60, "Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Department of Labor."

It is the policy of REGION 4 ESC not to discriminate on the basis of race, color, national origin, gender, limited English proficiency or disabling conditions in its programs. Vendor agrees not to discriminate against any employee or applicant for employment to be employed in the performance of this Contract, with respect to hire, tenure, terms, conditions and privileges of employment, or a matter directly or indirectly related to employment, because of age (except where based on a bona fide occupational qualification), sex (except where based on a bona fide occupational qualification) or race, color, religion, national origin, or ancestry. Vendor further agrees that every subcontract entered into for the performance of this Contract shall contain a provision requiring non-discrimination in employment herein specified binding upon each subcontractor. Breach of this covenant may be regarded as a material breach of the Contract.

Pursuant to Federal Rule (C) and the requirements stated above, when federal funds are expended by REGION 4 ESC on any federally assisted construction contract, the equal opportunity clause is incorporated by reference herein.

☒ I certify compliance with this attribute.

108 FEDERAL RULE (D) - DAVIS BACON ACT/COPELAND ACT

(D) Davis-Bacon Act, as amended (40 U.S.C. 3141-3148). When required by Federal program legislation, all prime construction contracts in excess of \$2,000 awarded by non-Federal entities must include a provision for compliance with the Davis-Bacon Act (40 U.S.C. 3141-3144, and 3146- 3148) as supplemented by Department of Labor regulations (29 CFR Part 5, "Labor Standards Provisions Applicable to Contracts Covering Federally Financed and Assisted Construction"). In accordance with the statute, contractors must be required to pay wages to laborers and mechanics at a rate not less than the prevailing wages specified in a wage determination made by the Secretary of Labor. In addition, contractors must be required to pay wages not less than once a week. The non-Federal entity must place a copy of the current prevailing wage determination issued by the Department of Labor in each solicitation. The decision to award a contract or subcontract must be conditioned upon the acceptance of the wage determination. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency. The contracts must also include a provision for compliance with the Copeland "Anti-Kickback" Act (40 U.S.C. 3145), as supplemented by Department of Labor regulations (29 CFR Part 3, "Contractors and Subcontractors on Public Building or Public Work Financed in Whole or in Part by Loans or Grants from the United States"). The Act provides that each contractor or subrecipient must be prohibited from inducing, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which he or she is otherwise entitled. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency.

Pursuant to Federal Rule (D) above, when federal funds are expended by REGION4 ESC, during the term of an award for all contracts and subgrants for construction or repair, the vendor will be in compliance with all applicable Davis-Bacon Act provisions.

☒ I certify compliance with this attribute.

109 FEDERAL RULE (E) - CONTRACT WORK HOURS AND SAFETY STANDARDS ACT

(E) (40 U.S.C. 3701-3708). Where applicable, all contracts awarded by the non-Federal entity in excess of \$100,000 that involve the employment of mechanics or laborers must include a provision for compliance with 40 U.S.C. 3702 and 3704, as supplemented by Department of Labor regulations (29 CFR Part 5). Under 40 U.S.C. 3702 of the Act, each contractor must be required to compute the wages of every mechanic and laborer on the basis of a standard work week of 40 hours. Work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and a half times the basic rate of pay for all hours worked in excess of 40 hours in the work week. The requirements of 40 U.S.C. 3704 are applicable to construction work and provide that no laborer or mechanic must be required to work in surroundings or under working conditions which are unsanitary, hazardous or dangerous. These requirements do not apply to the purchases of supplies or materials or articles ordinarily available on the open market, or contracts for transportation or transmission of intelligence.

Pursuant to Federal Rule (E) above, when federal funds are expended by REGION 4 ESC, the vendor certifies that during the term of an award for all contracts by REGION 4 ESC resulting from this procurement process, the vendor will be in compliance with all applicable provisions of the Contract Work Hours and Safety Standards Act.

☒ I certify compliance with this attribute.

110 FEDERAL RULE (F) - RIGHTS TO INVENTIONS MADE UNDER A CONTRACT OR AGREEMENT

(F) If the Federal award meets the definition of "funding agreement" under 37 CFR §401.2 (a) and the recipient or subrecipient wishes to enter into a contract with a small business firm or nonprofit organization regarding the substitution of parties, assignment or performance of experimental, developmental, or research work under that "funding agreement," the recipient or subrecipient must comply with the requirements of 37 CFR Part 401, "Rights to Inventions Made by Nonprofit Organizations and Small Business Firms Under Government Grants, Contracts and Cooperative Agreements," and any implementing regulations issued by the awarding agency.

Pursuant to Federal Rule (F) above, when federal funds are expended by REGION 4 ESC, the vendor certifies that during the term of an award for all contracts by REGION 4 ESC resulting from this procurement process, the vendor agrees to comply with all applicable requirements as referenced in Federal Rule (F) above.

☒ I certify compliance with this attribute.

1
1
1**FEDERAL RULE (G) - CLEAN AIR ACT/FEDERAL WATER POLLUTION CONTROL ACT**

(G) The Clean Air Act (42 U.S.C. 7401-7671q.) and the Federal Water Pollution Control Act (33 U.S.C. 1251-1387), as amended—Contracts and subgrants of amounts in excess of \$150,000 must contain a provision that requires the non-Federal award to agree to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water Pollution Control Act as amended (33 U.S.C. 1251- 1387). Violations must be reported to the Federal awarding agency and the Regional Office of the Environmental Protection Agency (EPA).

When federal funds are expended by REGION 4 ESC for any contract resulting from this procurement process, the vendor certifies that the vendor will be in compliance with mandatory standards and policies relating to energy efficiency which are contained in the state energy conservation plan issued in compliance with the Energy Policy and Conservation Act (Pub. L. 94-163, 89 Stat. 871).

When federal funds are expended by REGION 4 ESC for any contract resulting from this procurement process in excess of \$100,000, the vendor certifies that the vendor is in compliance with all applicable standards, orders, regulations, and/or requirements issued pursuant to the Clean Air Act of 1970, as amended (42 U.S.C. 1857(h)), Section 508 of the Clean Water Act, as amended (33 U.S.C. 1368), Executive Order 117389 and Environmental Protection Agency Regulation, 40 CFR Part 15.

Pursuant to Federal Rule (G) above, when federal funds are expended by REGION 4 ESC, the vendor certifies that during the term of an award for all contracts by REGION 4 ESC resulting from this procurement process, the vendor agrees to comply with all applicable requirements as referenced in Federal Rule (G) above.

☒ I certify compliance with this attribute.

1
1
2**FEDERAL RULE (H) - DEBARMENT AND SUSPENSION**

(H) (Executive Orders 12549 and 12689)—A contract award (see 2 CFR 180.220) must not be made to parties listed on the governmentwide exclusions in the System for Award Management (SAM), in accordance with the OMB guidelines at 2 CFR 180 that implement Executive Orders 12549 (3 CFR part 1986 Comp., p. 189) and 12689 (3 CFR part 1989 Comp., p. 235), "Debarment and Suspension." SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive Order 12549.

Pursuant to Federal Rule (H) above, when federal funds are expended by REGION 4 ESC, the vendor certifies that during the term of an award for all contracts by REGION 4 ESC resulting from this procurement process, the vendor certifies that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation by any federal department or agency or by the State of Texas. Vendor shall immediately provide written notice to REGION 4 ESC if at any time the vendor learns that this certification was erroneous when submitted or has become erroneous by reason of changed circumstances. REGION 4 ESC may rely upon a certification of a vendor that the vendor is not debarred, suspended, ineligible, or voluntarily excluded from the covered contract, unless REGION 4 ESC knows the certification is erroneous.

☒ I certify compliance with this attribute.

**1
1
3 FEDERAL RULE (I) - BYRD ANTI-LOBBYING AMENDMENT**

(I) (31 U.S.C. 1352)—Contractors that apply or bid for an award exceeding \$100,000 must file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant or any other award covered by 31 U.S.C. 1352. Each tier must also disclose any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the non-Federal award.

Pursuant to Federal Rule (I) above, when federal funds are expended by REGION 4 ESC, the vendor certifies that during the term and after the awarded term of an award for all contracts by REGION 4 ESC resulting from this procurement process, the vendor certifies that it is in compliance with all applicable provisions of the Byrd Anti-Lobbying Amendment (31 U.S.C. 1352). The undersigned further certifies that:

(1) No Federal appropriated funds have been paid or will be paid by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of a Federal contract, the making of a Federal grant, the making of a Federal loan, the entering into a cooperative agreement, and the extension, continuation, renewal, amendment, or modification of a Federal contract, grant, loan, or cooperative agreement.

(2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying", in accordance with its instructions.

(3) The undersigned shall require that the language of this certification be included in the award documents for all subawards at all tiers (including subcontracts, subgrants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certificate is a prerequisite for making or entering into this transaction imposed by Section 1352, title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

☒ I certify compliance with this attribute.

**1
1
4 FEDERAL RULE (J) - PROCUREMENT OF RECOVERED MATERIALS**

(J) When federal funds are expended by REGION 4 ESC, REGION 4 ESC and its contractors must comply with section 6002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include: (1) procuring only items designated in guidelines of the Environmental Protection Agency (EPA) at 40 CFR part 247 that contain the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition, where the purchase price of the item exceeds \$10,000 or the value of the quantity acquired during the preceding fiscal year exceeded \$10,000; (2) procuring solid waste management services in a manner that maximizes energy and resource recovery; and (3) establishing an affirmative procurement program for procurement of recovered materials identified in the EPA guidelines.

Pursuant to Federal Rule (J) above, when federal funds are expended REGION 4 ESC, as required by the Resource Conservation and Recovery Act of 1976 (42 U.S.C. § 6962(c)(3)(A)(i)), the vendor certifies, by signing this document, that the percentage of recovered materials content for EPA-designated items to be delivered or used in the performance of the contract will be at least the amount required by the applicable contract specifications or other contractual requirements.

☒ I certify compliance with this attribute.

1
1
5

FEDERAL RULE (K) - PROHIBITION ON CERTAIN TELECOM AND SURVEILLANCE SERVICE AND EQUIPMENT

(K) Region 4 ESC, as a non-federal entity, is prohibited from obligating or expending Federal financial assistance, to include loan or grant funds, to: (1) procure or obtain, (2) extend or renew a contract to procure or obtain, or (3) enter into a contract (or extend or renew a contract) to procure or obtain, equipment, services, or systems that uses covered telecommunications equipment or services as a substantial or essential component of any system, or as a critical technology as part of any system. Covered telecommunications equipment is telecommunications equipment produced Huawei Technologies Company or ZTE Corporation (or any subsidiary or affiliate of such entities) and physical security surveillance of critical infrastructure and other national security purposes, and video surveillance and telecommunications equipment produced by Hytera Communications Corporation, Hangzhou Hikvision Digital Technology Company, or Dahua Technology Company (or any subsidiary or affiliate of such entities) for the purpose of public safety, security of government facilities, physical security surveillance of critical infrastructure, and other national security purposes detailed in 2 CFR § 200.216.

The Respondent certifies that it will not purchase equipment, services, or systems that use covered telecommunications, as defined herein, as a substantial or essential component of any system, or as critical technology as part of any system.

☒ I certify compliance with this attribute.

1
1
6

FEDERAL RULE (L) - BUY AMERICAN PROVISIONS

(L) As appropriate and to the extent consistent with law, REGION 4 ESC has a preference for the purchase, acquisition, or use of goods, products, or materials produced in the United States, including but not limited to iron, aluminum, steel, cement, and other manufactured products, when spending federal funds. Vendor agrees that the requirements of this section will be included in all subawards including all contracts and purchase orders for work or products under this award, to the greatest extent practicable under a Federal award. Purchases that are made with non-federal funds or grants are excluded from the Buy American Act.

Vendor certifies that it is in compliance with all applicable provisions of the Buy American Act. Purchases made in accordance with the Buy American Act must still follow the applicable procurement rules calling for free and open competition.

"Produced in the United States" means, for iron and steel products, that all manufacturing processes, from the initial melting stage through the application of coatings, occurred in the United States. "Manufactured products" means items and construction materials composed in whole or in part of non-ferrous metals such as aluminum; plastics and polymer-based products such as polyvinyl chloride pipe; aggregates such as concrete; glass, including optical fiber; and lumber.

☒ I certify compliance with this attribute.

1
1
7

FEDERAL RULE - REQUIRED AFFIRMATIVE STEPS FOR SMALL, MINORITY, AND WOMEN-OWNED FIRMS FOR CONTRACTS PAID FOR WITH FEDERAL FUNDS

When federal funds are expended by REGION 4 ESC, Vendor is required to take all affirmative steps set forth in 2 CFR 200.321 to solicit and reach out to small, minority and women owned firms for any subcontracting opportunities on the project, including:

- 1) Placing qualified small and minority businesses and women's business enterprises on solicitation lists;
- 2) Assuring that small and minority businesses, and women's business enterprises are solicited whenever they are potential sources;
- 3) Dividing total requirements, when economically feasible, into smaller tasks or quantities to permit maximum participation by small and minority businesses, and women's business enterprises;
- 4) Establishing delivery schedules, where the requirement permits, which encourage participation by small and minority businesses, and women's business enterprises; and
- 5) Using the services and assistance, as appropriate, of such organizations as the Small Business Administration and the Minority Business Development Agency of the Department of Commerce.

☒ I certify compliance with this attribute.

**1
1
8 FEDERAL RULE - FEDERAL RECORD RETENTION**

When federal funds are expended by REGION 4 ESC for any contract resulting from this procurement process, the vendor certifies that it will comply with the record retention requirements detailed in 2 CFR §200.334. The vendor further certifies that vendor will retain all records as required by 2 CFR §200.334 for a period of five (5) years after grantees or subgrantees submit final expenditure reports or quarterly or annual financial reports, as applicable, and all other pending matters are closed.

Vendor agrees that REGION 4 ESC, Inspector General, Department of Homeland Security, FEMA, the Comptroller General of the United States, or any of their duly authorized representatives shall have access to any books, documents, papers and records of Vendor, and its successors, transferees, assignees, and subcontractors that are directly pertinent to the Contract for the purpose of making audits, examinations, excerpts, and transcriptions. The right also includes timely and reasonable access to Vendor's personnel for the purpose of interview and discussion relating to such documents. Vendor agrees to permit any of the foregoing parties to reproduce by any means whatsoever or to copy excerpts and transcriptions as reasonably needed. Vendor agrees to provide the FEMA Administrator or his authorized representative access to construction or other work sites pertaining to the work being completed under the Contract.

☒ I certify compliance with this attribute.

**1
1
9 FEDERAL RULE - PROFIT NEGOTIATION**

For purchases using Federal funds in excess of \$250,000, REGION 4 ESC may be required to negotiate profit as a separate element of the price. (See 2 CFR 200.324(b)).

When required by REGION 4 ESC, Vendor agrees to provide information relating to profitability of the given transaction and itemize the profit margin as a separate element of the price.

☒ I certify compliance with this attribute.

**1
2
0 FEDERAL RULE - SOLID WASTE DISPOSAL ACT**

A non-Federal entity that is a state agency or agency of a political subdivision of a state and its contractors must comply with section 6002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include procuring only items designated in guidelines of the Environmental Protection Agency (EPA) at 40 CFR Part 247 that contain the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition, where the purchase price of the item exceeds \$10,000 or the value of the quantity acquired during the preceding fiscal year exceed \$10,000; procuring solid waste management services in a manner that maximizes energy and resource recovery; and establishing an affirmative procurement program for procurement of recovered materials identified in the EPA guidelines. (78 FR 78608, Dec. 26, 2013, as amended at 79 FR 75885, Dec. 19, 2014.)

Pursuant to this federal rule, when federal funds are expended by REGION 4 ESC, the vendor certifies that during the term of all contracts resulting from this procurement process, the vendor agrees to comply with all applicable requirements as referenced in this paragraph.

☒ I certify compliance with this attribute.

**1
2
1 APPLICABILITY TO SUBCONTRACTORS**

Vendor agrees that all contracts it awards pursuant to this procurement action shall be bound by the terms and conditions of this procurement action.

☒ I certify compliance with this attribute.

**1
2
2 COMPLIANCE WITH THE ENERGY POLICY AND CONSERVATION ACT**

When REGION 4 ESC expends federal funds for any contract resulting from this procurement process, Vendor certifies that it will comply with the mandatory standards and policies relating to energy efficiency which are contained in the state energy conservation plan issued in compliance with the Energy Policy and Conservation Act (42 U.S.C. 6321 et seq.; 49 C.F.R. Part 18).

☒ I certify compliance with this attribute.

1
2
3

INDEMNIFICATION

Acts or Omissions

Vendor shall indemnify and hold harmless Region 4, AND/OR THEIR OFFICERS, AGENTS, EMPLOYEES, REPRESENTATIVES, CONTRACTORS, ASSIGNEES, AND/OR DESIGNEES FROM ANY AND ALL LIABILITY, ACTIONS, CLAIMS, DEMANDS, OR SUITS, AND ALL RELATED COSTS, ATTORNEY FEES, AND EXPENSES arising out of, or resulting from any acts or omissions of the Vendor or its agents, employees, subcontractors, Order Fulfillers, or suppliers of subcontractors in the execution or performance of the Contract and any Purchase Orders issued under the Contract.

Infringements

a) Vendor shall indemnify and hold harmless Region 4 and Customers, AND/OR THEIR EMPLOYEES, AGENTS, REPRESENTATIVES, CONTRACTORS, ASSIGNEES, AND/OR DESIGNEES from any and all third party claims involving infringement of United States patents, copyrights, trade and service marks, and any other intellectual or intangible property rights in connection with the PERFORMANCES OR ACTIONS OF VENDOR PURSUANT TO THIS CONTRACT. VENDOR AND THE CUSTOMER AGREE TO FURNISH TIMELY WRITTEN NOTICE TO EACH OTHER OF ANY SUCH CLAIM. VENDOR SHALL BE LIABLE TO PAY ALL COSTS OF DEFENSE INCLUDING ATTORNEYS' FEES.

b) Vendor shall have no liability under this section if the alleged infringement is caused in whole or in part by: (i) use of the product or service for a purpose or in a manner for which the product or service was not designed, (ii) any modification made to the product without Vendor's written approval, (iii) any modifications made to the product by the Vendor pursuant to Customer's specific instructions, (iv) any intellectual property right owned by or licensed to Customer, or (v) any use of the product or service by Customer that is not in conformity with the terms of any applicable license agreement.

c) If Vendor becomes aware of an actual or potential claim, or Customer provides Vendor with notice of an actual or potential claim, Vendor may (or in the case of an injunction against Customer, shall), at Vendor's sole option and expense; (i) procure for the Customer the right to continue to use the affected portion of the product or service, or (ii) modify or replace the affected portion of the product or service with functionally equivalent or superior product or service so that Customer's use is non-infringing.

Taxes/Workers' Compensation/Unemployment Insurance – Including Indemnity

a) VENDOR AGREES AND ACKNOWLEDGES THAT DURING THE EXISTENCE OF THIS CONTRACT, VENDOR SHALL BE ENTIRELY RESPONSIBLE FOR THE LIABILITY AND PAYMENT OF VENDOR'S AND VENDOR'S EMPLOYEES' TAXES OF WHATEVER KIND, ARISING OUT OF THE PERFORMANCES IN THIS CONTRACT. VENDOR AGREES TO COMPLY WITH ALL STATE AND FEDERAL LAWS APPLICABLE TO ANY SUCH PERSONS, INCLUDING LAWS REGARDING WAGES, TAXES, INSURANCE, AND WORKERS' COMPENSATION. THE CUSTOMER AND/OR REGION 4 SHALL NOT BE LIABLE TO THE VENDOR, ITS EMPLOYEES, AGENTS, OR OTHERS FOR THE PAYMENT OF TAXES OR THE PROVISION OF UNEMPLOYMENT INSURANCE AND/OR WORKERS' COMPENSATION OR ANY BENEFIT AVAILABLE TO A STATE EMPLOYEE OR EMPLOYEE OF ANOTHER GOVERNMENTAL ENTITY CUSTOMER.

b) VENDOR AGREES TO INDEMNIFY AND HOLD HARMLESS CUSTOMERS, REGION 4 AND/OR THEIR EMPLOYEES, AGENTS, REPRESENTATIVES, CONTRACTORS, AND/OR ASSIGNEES FROM ANY AND ALL LIABILITY, ACTIONS, CLAIMS, DEMANDS, OR SUITS, AND ALL RELATED COSTS, ATTORNEYS' FEES, AND EXPENSES, RELATING TO TAX LIABILITY, UNEMPLOYMENT INSURANCE AND/OR WORKERS' COMPENSATION IN ITS PERFORMANCE UNDER THIS CONTRACT, VENDOR SHALL BE LIABLE TO PAY ALL COSTS OF DEFENSE INCLUDING ATTORNEYS' FEES.

☒ I certify compliance with this attribute.

1
2
4

EXCESS OBLIGATIONS PROHIBITED

Proposer understands that all obligations of Region 4 ESC under the contract are subject to the availability of state funds. If such funds are not appropriated or become unavailable, the contract may be terminated by Region 4 ESC.

☒ I certify compliance with this attribute.

1
2
5

SUSPENSION AND DEBARMENT

Respondent certifies that neither it nor its principals are debarred, suspended, proposed for debarment, declared ineligible, or otherwise excluded from participation in the contract by any state or federal agency.

☒ I certify compliance with this attribute.

1
2
6**CHANGE IN LAW AND COMPLIANCE WITH LAWS**

Proposer shall comply with all laws, regulations, requirements and guidelines applicable to a vendor providing services and products required by the contract to the Region 4 ESC, as these laws, regulations, requirements and guidelines currently exist and as amended throughout the term of the contract. Region 4 ESC reserves the right, in its sole discretion, to unilaterally amend the contract prior to award and throughout the term of the contract to incorporate any modifications necessary for compliance with all applicable state and federal laws, regulations, requirements and guidelines.

☒ I certify compliance with this attribute.

1
2
7**For the following categories, the Offeror shall provide the following information to include;****o HVAC Refrigeration**

- Type (e.g., Rotary, Centrifugal, Scroll, Reciprocating., Absorption)
- Cooling medium (e.g., air, water)
- Brand Name(s)
- Capacity Range (tons)
- Standard Warranty (Parts & Labor)
- Optional Warranty (components covered & Labor)
- Estimated Lead/Delivery Time
- Location of Manufacturing (City, State or Country)
- Range of Efficiencies (KW/Ton)
- Estimated Market Share (North America)
- Provide example data on each type of product provided
- Detail Features & Benefits

o Indoor Air Quality Products and Devices

- Type (Active polarization, non-ionizing, electronic air cleaning systems intended to replace passive filtration, any other.)
- Brand Name(s)
- Capacity Range
- Standard Warranty (Parts & Labor)
- Optional Warranty (components covered & Labor)
- Estimated Lead/Delivery Time
- Location of Manufacturing (City, State or Country)
- Range of Efficiencies
- Estimated Market Share (North America)
- Provide example data on each type of product provided
- Detail Features & Benefits

o Unitary

- Type (e.g., rooftops, split systems, VRFs, Heat Pumps, PTACs, water source, mini-splits)
- Brand Name(s)
- Capacity Range
- Heating Medium (Electric, Gas, Steam, Hot Water)
- Cooling Medium (DX, Chilled Water)
- Standard Warranty (Parts & Labor)
- Optional Warranty (components covered & Labor)
- Estimated Lead/Delivery Time
- Location of Manufacturing (City, State or Country)
- Range of Efficiencies (EER, SEER, COP)
- Estimated Market Share (North America)
- Provide example data on each type of product provided
- Detail Features & Benefits

o Air handling

- Type (e.g. central station-manufactured or custom makeup air, fan, filter, coil sections)
- Brand Name(s)
- Fan Types (e.g. Backward incline, Forward curve, airfoil)
- Capacity Range (CFM)
- Heating Medium (Electric, Gas, Steam, Hot Water)
- Cooling Medium (DX, Chilled Water)
- Standard Warranty (Parts & Labor)

- Optional Warranty (components covered & Labor)
- Estimated Lead/Delivery Time
- Location of Manufacturing (City, State or Country)
- Estimated Market Share (North America)
- Provide example data on each type of product provided
- Detail Features & Benefits
- o **Air Terminal Devices and Heating Products**
 - Type (e.g. VAV, Fan Coils, Unit Ventilators, Unit Heaters, Fin Tube Radiation/Convectors)
 - Brand Name(s)
 - Capacity Range (CFM)
 - Heating Medium (Electric, Gas, Steam, Hot Water)
 - Cooling Medium (DX, Chilled Water)
 - Standard Warranty (Parts & Labor)
 - Optional Warranty (components covered & Labor)
 - Estimated Lead/Delivery Time
 - Location of Manufacturing (City, State or Country)
 - Estimated Market Share (North America)
 - Provide example data on each type of product provided
 - Detail Features & Benefits
- o **DDC Controls**
 - Type (core components, end devices, lighting, panels) Brand Name(s)
 - System Protocol (BACnet, LonWorks, Proprietary or Combo)
 - LAN Communication Structure (Peer-to-peer, Polling)
 - Human Machine Interface (HMI) types (PC, Notebooks, Handheld terminals)
 - Third party interface (Drivers and Gateways)
 - Remote alarm and message capabilities
 - Standard Warranty (Parts & Labor)
 - Optional Warranty (components covered & Labor)
 - Estimated Lead/Delivery Time
 - Location of Manufacturing (City, State or Country)
 - Estimated Market Share (North America)
 - Detail Features & Benefits
- o **Cooling Towers**
 - Type (e.g., open, closed, evaporative, other)
 - Brand Name(s)
 - Capacity Range (tons)
 - Standard Warranty (Parts & Labor)
 - Optional Warranty (components covered & Labor)
 - Estimated Lead/Delivery Time
 - Location of Manufacturing (City, State or Country)
 - Range of Efficiencies
 - Estimated Market Share (North America)
 - Provide example data on each type of product provided
 - Detail Features & Benefits
- o **Pumps**
 - Type (e.g., single stage, split case, end suction, inline, circulator, turbines)
 - Brand Name(s)
 - Capacity Range (GPM)
 - Standard Warranty (Parts & Labor)
 - Optional Warranty (components covered & Labor)
 - Estimated Lead/Delivery Time
 - Location of Manufacturing (City, State or Country)
 - Range of Efficiencies
 - Estimated Market Share (North America)
 - Provide example data on each type of product provided
 - Detail Features & Benefits
- o **Invertors**
 - Brand Name(s)
 - Capacity Range (HP)
 - Standard Warranty (Parts & Labor)
 - Optional Warranty (components covered & Labor)

- Estimated Lead/Delivery Time
- Location of Manufacturing (City, State or Country)
- Estimated Market Share (North America)
- Provide example data on each type of product provided
- Detail Features & Benefits
- o **Boilers & Water Heaters**
 - Type (e.g., modulating, condensing, cast iron, water tube, packaged, other)
 - Brand Name(s)
 - Heating Medium (Electric, Gas, Steam, Hot Water)
 - Capacity Range (MBH)
 - Standard Warranty (Parts & Labor)
 - Optional Warranty (components covered & Labor)
 - Estimated Lead/Delivery Time
 - Location of Manufacturing (City, State or Country)
 - Range of Efficiencies
 - Estimated Market Share (North America)
 - Provide example data on each type of product provided
 - Detail Features & Benefits
- o **HVAC Specialty Products**
 - Type (e.g., modular, outside/inside, S&T Heat Recovery, Humidity
 - Control, Heat Wheel, Heat Pipe, Heat Exchangers)
 - Brand Name(s)
 - Heating Medium (Electric, Gas, Steam, Hot Water)
 - Cooling Medium (DX, Chilled Water)
 - Capacity Range (CFM and/or MBH)
 - Standard Warranty (Parts & Labor)
 - Optional Warranty (components covered & Labor)
 - Estimated Lead/Delivery Time
 - Location of Manufacturing (City, State or Country)
 - Range of Efficiencies
 - Estimated Market Share (North America)
 - Provide example data on each type of product provided
 - Detail Features & Benefits
- **Refrigeration Products**
 - Display Cases
 - Refrigeration Systems
 - Glass Doors & Lids
 - Walk-in Products
 - Others
- o **LED Lighting Products**
 - LED Area Lights
 - Flexible LED Strips
 - Ceiling Lighting
 - Bulbs, Fixture Products
 - Others
- o **Equipment Parts and Supplies**
 - Type (e.g., manufactured parts, emergency parts service, miscellaneous material and supplies and other)
 - Brand Name(s) stocked
 - Location of stocking parts
 - Standard Warranty (Parts & Labor)
 - Optional Warranty (components covered & Labor)
 - Estimated Lead/Delivery Time
 - Percentage of locally stocked parts to delivered parts
 - Detail Features & Benefits

1
2
8

Offerors are requested to provide service forms with detailed description of your service offerings. Provide service forms with detailed descriptions; at a minimum, Offerors are to include the following information as it is applicable to their product,

service, and solutions offering:

- o **Startup & Commissioning Services**

- Define process for validation of system or equipment operation to design
- Type (e.g., equipment startups, system checkouts, control verification, retro commissioning, M & V verifications, rebate auditing, other)
- List key personnel (factory, sub-contract, other)
- References (public sector only)
- Case studies describing benefits of services
- o **Service & Maintenance**
 - Type (e.g., preventative and full maintenance contracts, man-at attendance, remote monitoring, annuals, emergency services, regulatory compliance, cleaning (e.g., duct, coils and filters), scheduled maintenance (e.g., oil, chemical and vibration analysis) and other)
 - Define processes for each type of service and/or maintenance of the system or the equipment
 - List key personnel (factory, sub-contract, other)
 - References (public sector only)
 - Case studies describing benefits of services
- o **Installation and Turnkey Contracting**
 - Type (e.g., retrofit, new construction, energy retrofit, controls new- and upgrade and other)
 - Define processes for each type install of the system or the equipment
 - Bonding and licensing capabilities
 - List key personnel (factory, sub-contract, other)
 - References (public sector only)
 - Case studies describing benefits of services
- o **Warranty Services**
 - Type (e.g., Extended parts & labor (define maximum number of years available), delayed start-up and other)
 - Define processes for each type of warranty
 - List key personnel (factory, sub-contract, other)
 - References (public sector only)
 - Case studies describing benefits of services
- o **Energy Services**
 - Type (e.g., (Energy Tracking, Energy Analysis, Evaluation of potential upgrades, demand response, rebates and others)
 - Define processes for each type of energy services
 - Certifications of personnel
 - List key personnel (factory, sub-contract, other)
 - References (public sector only)
 - Case studies describing benefits of services
- o **Equipment Rentals**
 - Type (e.g., chillers, pumps, transformers, terminal units, generators, cooling towers, packaged unitary and other)
 - Brands available
 - Locations of rental fleet
 - Process of accessing rental fleet during disaster event
 - List key personnel (factory, sub-contract, other)
 - References (public sector only)
 - Case studies describing benefits of services
- o **Financial Services**
 - Type (e.g., leasing, prompt and pre-payment discounts, guaranteed savings and other)
 - Describe type of each funding and availability
 - Funding Sources (internal and/or external)
 - List key personnel (internal and/or external)
 - References (public sector only)
 - Case studies describing benefits of services
- o **Professional Services**
 - Describe type of each professional service and availability
 - Licensing and certification capabilities
 - List key personnel (internal and/or external)
 - References (public sector only)
 - Case studies describing benefits of services
- o **Site Surveys**
 - Type (e.g., Equipment, system analysis, operational, architectural and other)
 - Describe type of survey
 - Licensing and certification capabilities



- Advanced technology uses for each type of survey
- List key personnel (internal and/or external)
- References (public sector only)
- Case studies describing benefits of services



Sunbelt Rentals responses to questions 127. And 128.

Sunbelt Rentals responses to questions 128.

Question 127 reads as though it is structured around the purchase, warranty, and service of the categories rather than rental. Additionally, the scope of each category is very broad with a great deal of crossover between the categories. In general, rentals are facilitated on an as/ if needed basis for short term planned maintenance, or unplanned emergencies. Sunbelt Rentals offers multiple types of equipment within each category with exception of DDC controls, Inverters, and LED lighting products as written in the question. As rental solutions, each of these categories has their own mediums, range of efficiencies, brand names, capacities, and manufacturing origin. All warranty related issues are handled by Sunbelt Rentals. The nature of rental makes it difficult to determine overall market share. However, we can tell you Sunbelt Rentals is one of the largest equipment rental companies in North America with these product categories and more inventoried throughout North America. Every major equipment manufacturer is represented within these categories and they are generally available in 4 -48 hours depending upon availability and the nature of the request. Product data examples, features, and benefits are available upon request once the categories are clarified.

Sunbelt Rentals responses to questions 128.

Question 128. Is rather unclear and reads as though it's merging the lines between construction, installation, commodities, and services. There is a great deal of crossover, and yet some areas that can be relative to one another in the proper context. Sunbelts response relates to the Equipment Rental section, and rental industry standards. The equipment rental products categories are inventoried throughout North America, they represent every major manufacturer and are generally available in 4 -48 hours depending upon availability and the nature of the request. Emergency and after-hours requests can be made by calling 1-866-909-0954. References are in our Attribute responses, key contacts and case studies are within the attachments. Product data examples, features, and benefits are available upon request once the categories are clarified.

CAPABILITIES GUIDE



WE'LL
MAKE IT
HAPPEN
FOR YOU





YOUR JOB — IS — OUR JOB

At Sunbelt Rentals, we are committed to delivering the equipment, service, and expertise your project requires. And that's not merely a claim. We back it up. Armed with the support and strength of 14,000+ empowered team members, our U.S. and Canadian network of rental locations is poised to quickly deliver ready-to-work equipment when and where you need it.

It's simple, really. Our people, range of products, and broad solutions set us apart in the rental industry, enabling us to provide unparalleled customer experiences.

THE SUNBELT PROMISE

WE PROMISE

AVAILABILITY

We promise to have our core equipment available in the market you are in, or we will leverage our network to source it.

WE PROMISE

RELIABILITY

We will deliver your equipment within 1 hour of our promised delivery time.

While our equipment is on rent, we will be on site within 1 hour of our promised service time.

We provide 24/7 customer support.

WE PROMISE

EASE

We promise total customer satisfaction – in person, online, and by phone.



HOW IT WORKS

Sunbelt Rentals empowers our team members to make renting equipment the easiest part of your job. When you have a job to do, we have a job to do. Your challenges are our challenges, and your deadlines drive ours. That's why when it comes to our people and products, we promise availability, reliability, and ease.



THE POWER OF SUNBELT

FULL-SERVICE SOLUTIONS

It's not enough to provide the equipment you need. We're in the problem-solving business. Our team of experts leverage a vast network and "make it happen" attitude to deliver full-service solutions for any project, large or small.



PLANNED AND UNPLANNED NEEDS

Whether you need regular maintenance support or a solution for an unplanned situation, we have the expertise to get the job done. From staged events to long-term rentals, our equipment portfolio is always ready, because your downtime is our go time.


24/7 SUPPORT

Accidents, breakdowns, and emergencies can wreak havoc on project schedules. That's why we offer 24/7 support. When trouble strikes, strike back with a call to the Sunbelt Rentals team of experts.

ONE RENTAL PARTNER DOES IT ALL

Time is money when you're working to meet a tight timeline. Save both by partnering with Sunbelt Rentals. Whether it's a full-service solution or a single tool rental, we're the one stop source for all of your project needs.

SOLUTIONS FOR ANY PROJECT



CLIMATE CONTROL SERVICES

Outfitted with the industry's largest fleet of temperature control equipment, our team of seasoned professionals provides turnkey engineered cooling, heating, and dehumidification solutions for a wide variety of applications.



FLOORING SOLUTIONS

Our flooring experts provide customized solutions for cleaning, maintaining, and restoring all hard and soft surfaces using scrubbers, sweepers, carpet extractors, vacuums, grinders, polishers, and accessories ideal for everything from carpet and resilient surfaces, to finished and unfinished concrete.



GENERAL TOOL & EQUIPMENT

With more than 8,000 product types, we stock the broadest fleet in the rental industry for commercial, residential, industrial, municipal, specialized service industries, and homeowners.



GROUND PROTECTION

We serve the industry with the largest inventory of composite ground protection mats and accessories for rent. Our team of experts will handle everything from initial site visit and installation, to post-project teardown.



INDUSTRIAL HEAT

We deliver site-specific engineered solutions for all industrial heating applications. Our heaters can withstand the harshest weather conditions and include indirect-fired, flameless, hydronic, rig heaters, and more.



INDUSTRIAL SERVICES

Providing comprehensive tool and equipment packages, including on-site tool management, to support all projects and special needs for industrial applications, including plant shutdowns, outages, turnarounds, plant maintenance, and more.



OIL & GAS SERVICES

We offer full start-to-finish support. From site prep to frack, coil tube to completions, we can meet the needs of the most challenging oil and gas project.




POWER & HVAC SERVICES

Backed by a diverse fleet of portable and containerized generators, load banks, air compressors, desiccant dehumidifiers, chillers, cooling towers, and more, our experts specialize in providing custom-designed solutions for a diverse array of projects across a broad range of industries.



PUMP SOLUTIONS

We have equipment and expertise for all major pumping projects, including dewatering job sites, performing large sewer bypasses, fluid handling for industrial facilities, and more.



SCAFFOLD SERVICES

Whether you require 1 assembler or 500, Sunbelt Rentals delivers the scaffolding and manpower you need in a full turnkey solution for commercial and industrial projects.



SHORING SOLUTIONS

Supported by a comprehensive fleet of excavation shoring, structural shoring, and bridging equipment, our team delivers unrivaled safety on any project with the most cost-effective rental options in the industry. Available equipment includes steel and aluminum trench boxes, road plates, sheet pile, frames, slide rail, bridging, and more.

sunbeltrentals.com/solutions



MAKE IT HAPPEN FROM ANYWHERE

COMMAND CENTER

Bring all aspects of the rental process to your web-enabled device and achieve digital control.

- Reserve, rent, or release equipment
- Track fleet in real time
- View equipment on the job
- Reorder with one click
- Manage payables and simplify rental financing
- Manage safety and maintenance schedules
- Receive alerts and notifications

Sign up for a Command Center account at
sunbeltrentals.com/command-center



SAFETY IS A CORE VALUE



We put it first for both you and our team members every moment of every day. Not only

do we earn one of the highest safety records year in and year out, but our rigorous training and prevention model includes the industry's best customer safety training, too.

Training classes available:

- Earthmoving
- Excavation
- Forklift
- MEWP
- Supported and suspended scaffolding

View training courses at

sunbeltrentals.com/customerservice/safety





LOCAL HUSTLE NATIONAL MUSCLE

WITH 24/7 SUPPORT THROUGHOUT THE U.S. AND CANADA, YOU'LL FIND
A SUNBELT RENTALS LOCATION NEARBY TO SERVE ALL YOUR RENTAL NEEDS.



800-667-9328 | [sunbeltrentals.com](https://www.sunbeltrentals.com)

SBR995-CG 7/19R



EQUIPMENT RENTAL SOLUTIONS

1-800-667-9328 | SUNBELTRENTALS.COM

Aerial Work Platforms

Atrium Lifts
Manlifts, Articulating
Manlifts, Single
Manlifts, Straight Boom
Manlifts, Towable
Scissor Lifts, Electric
Scissor Lifts, Rough Terrain

Air Compressors

Diesel Air Compressors
Dust Collectors
Electric Air Compressors
Portable Gas Air Compressors
High-Pressure Air Compressors
Instrument Quality Air Compressors

Air Compressor Accessories

Air Hose, Air Manifolds
Aftercoolers Dryers
Aftercoolers Filters
Aftercoolers Separators
Desiccant Dryers
Refrigerated Dryers

Air Conditioners

Heat Pumps
Industrial Air Conditioners
Portable Air Conditioners

Air Handlers & Chillers

Air-cooled Chillers
Air Handling Units
Glycol Holding Tanks

Air Tools

Backfill Tampers
Chipping Hammers
Impact Wrenches
Industrial Air Tools
Nailers & Staplers
Paving Breakers
Post Drivers
Rivet Busters
Rock Drills

Backhoe Loaders

Backhoe Loaders
Compact Backhoe Loaders

Chain Hoists & Air Winches

Air Chain Hoists
Air Winches
Beam Trolleys & Clamps
Electric Chain Hoists
Gantry Cranes
Lever Hoists
Manual Chain Hoists

Compaction Equipment

Asphalt Rollers
Jumping Jack Tampers/Hammers
Trench Rollers, Walk-Behind
Vibratory Compactors, Ride-On
Vibratory Plate Compactors

Concrete/Masonry Equipment

Mixing & Placing Equipment
Concrete Buckets
Concrete Mixers
Georgia Push Buggies
Mortar Mixers, Multi-Use Mixers
Power Buggies
Rebar Cutters & Benders
Vibrators

Cutting & Drilling Equipment

Concrete Saws, Early Entry
Concrete Saws, Push Type
Concrete Saws, Self-Propelled
Crack Chasers
Diamond & Abrasive Blades
Diamond Chain Saws
Diamond Core Drills & Bits
Gas Breakers
Hydraulic Splitters
Masonry & Tile Saws
Power Cutoff Saws

Concrete Finishing Equipment

Hand Finishing Tools
Power Trowels
Vibratory Screeds

Surface Preparation Equipment

Concrete Ceiling Grinders
Concrete Floor Grinders
Concrete Planers (Scarifiers)
Dust Collector Vacuums
Grinder-Vacs

Magnetic Sweepers
Scabblers, Air-Powered
Shot Blasters, Portable
Traffic Line Removers

Conveyors

Portable Conveyors
Sectional Conveyors

Cranes

Carry Deck Cranes
Portable Industrial Cranes

Dehumidifiers/Remediation Equipment

Air Movers, Carpet Dryers
Air Scrubbers, Portable
Containment Area Enclosures
Dehumidifiers, Industrial Refrigerant
Dehumidifiers, Large Desiccant
Dehumidifiers, Portable Refrigerant
Electric Heaters High Static Blowers
Hybrid Cooling Units
Indirect-Fired Heaters
Inline Electric Blowers
Insulation Vacuums
Negative Air Machines
Sunbelt Air Monitoring System

Dozers & Crawler Loaders

Crawler Dozers
Crawler Loaders
Drain & Sewer
Cleaning/Inspection
Pipe & Drain Cleaners
Pipe Freezers
Video Pipe Inspectors

Electric Tools

Angle & Die Grinders
Demolition Hammers
Drills, Hand-Held & Magnetic
Drywall Screwdrivers
Heat Guns
Impact Wrenches
Rotary & Combination Hammers
Routers & Planers
Sanders
Saws
Shears

Excavators

Hydraulic Excavators
Mini-Excavators

Fans/Blowers/Ventilators

Confined Space Ventilators
Electric Floor Fans
Evaporative Cooling Fans
Hazardous Location Ventilators
Tank Fans
Venturi Air Horns

Floor & Carpet Care Equipment

Air Scales
Carpet Extractors
Carpet Tools
Flood Pumper Vacuum
Floor Buffers
Floor Burnishers
Floor Sanders
Floor Scrubbers
Floor Strippers
Floor Sweepers
Flooring Tools
Hardwood Floor Nailers

Forklifts

Industrial Warehouse Forklifts
Straight Mast RT Forklifts
Shooting Boom Forklifts

Fuel Tanks

Auxiliary Fuel Tanks
Propane Tanks

Generators

Diesel Industrial Generators
Diesel Mobile Set Generators
Diesel Towable Generators
Gas Portable Generators
Natural Gas Generators

Generator Accessories

Distribution Panels
Fuseable Disconnect Switches
Power Cable
Power Distribution Accessories
Remote Monitoring Systems
Step-Down Transformers
Transfer Switches

Ground Protection

Containment Berms
Ground Protection Mats

Heaters

Convection Heaters
Direct-Fired Heaters, Oil
Direct-Fired Heaters, Natural Gas
Direct-Fired Heaters, Propane
Electric Heaters
Flameless Heaters
Heat Pumps
Hydronic Ground Heaters
Indirect-Fired Heaters, Oil
Indirect-Fired Heaters, Natural Gas
Indirect-Fired Heaters, Propane
Industrial Heaters
Inline Heaters
Radiant & Infrared Heaters
Steam Heaters

Hydraulic Breakers/Demolition Attachments

Hydraulic Demolition Breakers
Hydraulic Plate Tampers

Hydraulic Cylinders & Pumps

Double-Acting Cylinders
Electric Pumps
Hand Pumps
Hydraulic Maintenance Sets
Pull Cylinders
Single-Acting Cylinders

Hydraulic Tools

Cutterheads
Flange Spreaders
Nut Splitters
Punches
Torque Wrenches, Hexagon Cassette
Torque Wrenches, Square Drive
Torque Wrench Pumps
"Wedgie" Spreaders

Industrial Vehicles

Electric Material Carts
Golf Carts
Utility Vehicles

Jacks

Engine Hoists & Stands
Hydraulic Bottle Jacks
Hydraulic Toe Jacks
Jack Stands
Railroad Jacks
Screw Jacks
Service & Transmission Jacks

Laser & Optical Levels

Ceiling & Drywall Lasers
Grade Rods & Tripods
Laser Grade Levels
Optical Levels
Pipe Lasers

Lawn & Landscape

Aerators
Backpack Blowers
Bark Blowers
Bed Edger/Trenchers
Brush Cutters
Chain Saws
Dethatchers
Garden Tillers
Gas-Powered Drills
Hedge Trimmers
Hydroseeders
Lawn Mowers
Lawn Spreaders & Rollers
Lawn Vacuums
Leaf Blowers
Log Splitters
Metal Detector
Overseeders
Pole Pruners
Post Hole Augers
Sod Cutters
Straw Blowers
Trimmers & Edgers
Wheelbarrows

Lighting Equipment

Bucy Lights
Hazardous Location Lighting
Light Towers, Diesel Towable
Light Towers, Solar Towable
Magnetic Work Lights
Mobile Surveillance Camera Trailer
Portable Light Stands

Load Banks

Load Banks - Resistive/Reactive
Load Banks - DC

Material Handling Equipment

Appliance Trucks
Dockplates
Drywall Lifts & Carts
Glass Lifts
Glass Suction Cups
Hand Trucks & Dollies
Loading Equipment
Pallet Trucks
Pipe Handling Equipment
Portable Material Lifts
Roller Skid Systems
Sandusky Crate Wagons
Trash Skips

Mechanical & Electrical Contractor Trade Tools

Cable Benders
Cable Cutters
Cable Pullers & Feeders
Cable Reel Rollers
Cable Reel Stands
Chain Vise, Portable
Circuit Tracers
Conduit Benders
Conduit Racks
Crimping Tools
Hole Cutting Tools
Hydraulic Punch Drivers
Pipe Cutters
Pipe Threaders
Pipe Tools
PVC Heaters
Power Fish Systems
Roll Groovers
Siding Brakes
Wire Carts

Media Blasters

Dry Ice Blasters
Portable Abrasive Blasters
Soda Blasters
Vapor Abrasive Blasters

Paint Sprayers

Airless Sprayers
Fine Finish Sprayer
Industrial Sprayers
Line Strippers
Texture Sprayers
Wallpaper Steamers

Pile Driving Equipment

Concrete Pile Cutters
Diesel Pile Hammers
Hydraulic Power Units
Vibratory Driver/Extractors

Pressure Washers

Cold Water Pressure Washers
Hot Water Pressure Washers
Industrial Hot/Cold Pressure Washers
Pressure Washer Accessories

Pumps

Air Diaphragm Pumps
Double Diaphragm Pumps
Diesel Trash Pumps
Electric Drive Trash Pumps
Electric Submersible Pumps
Gas Portable Pumps
High Head Diesel Pumps
Hydraulic Power Packs
Hydraulic Submersible Pumps
Hydrostatic Test Pumps
Silenced Diesel Trash Pumps
Wellpoint Pumps

Pump Accessories

Auto-Start Systems
Auxiliary Fuel Tanks
Bauer Pipe & Fittings
HDPE Pipe & Fittings
LOFA Panels
Hose & Fittings
Pipe Plugs
Remote Monitoring Systems
Road Ramps
Transducers
Valves & Flanges

Scaffolding & Ladders

General-Purpose
Frame Scaffolding
Interior Adjustable Scaffolding
Ladders

Full-Service Scaffolding

Aluminum Stages
FIXEO Swing Stage
Frame Scaffolding
Mast Climbing Work Platforms
Portable Hoists
Suspended Platforms
Systems Scaffolding
Transport Platforms

Skid-Steer Loaders

Compact Skid-Steer Loaders
Skid-Steer Loaders
Skid-Steer Track Loaders
Skid-Steer Attachments

Storage Containers

Large Storage Containers
Mobile Storage Boxes

Street Sweeper/Brooms

Street Sweepers
Angle Broom Attachments

Stump Grinders

Stump Grinders, Self-Propelled
Stump Grinders, Walk-behind

Tractors & Landscape Loaders

Landscape Loaders
Off-road Dump Trailers
Tractor Attachments
Utility Tractors

Traffic Safety Equipment

Barricades & Warning Lights
Solar Arrow & Message Boards
Traffic Cones & Barrels
Traffic Control Signs

Trailers

Box Utility Trailers
Folding Ramp & Tilt Deck Trailers
Hydraulic Dump Trailers
Platform Lift Trailers
Water Trailers

Trench Shoring Equipment

Aluminum Lite-Shields
Bedding/Rock Boxes, Steel
Hydraulic Shoring Shields
Hydraulic Vertical Shores
Manhole Shields, Steel
Trench Boxes, Aluminum
Trench Boxes, Steel
Road Plates, Steel
Water Tap Boxes, Steel

Trenchers

Cable Locators
Ride-On Trenchers
Rock Saws
Vibratory Plows
Walk-Behind Trenchers

Trenchless Technology

Trenchless Boring Tools
Vacuum Evacuator Systems

Trucks, Rental

Boom Trucks
Dump Trucks
Water Trucks

Vacuums

Back Pack Vacuums
Cleanroom & HEPA Vacuums
Hazardous Material Vacuums
Wet/Dry Vacuums

Welding & Plasma Cutting Equipment

Engine-Driven Welders
Fume Extractors
Inverter Welders
MIG Welders
Multi-Operator Welders
Multiprocess Welders
Pipe & Fabrication Stands
Pipe Bevelers
Plasma Cutters
Rod Ovens
TIG Welders
Wire Feeders, Portable

Wheel Loaders

Compact Wheel Loaders
Large Wheel Loaders

Wood & Brush Chippers


Diesel Chippers
Gas Chippers

Rental Accessories

& Safety Supplies Available

SUNBELT RENTALS LOCATIONS

U.S. AND CANADA



Sunbelt Rentals is one of the largest equipment rental companies in North America. Backed by an ever expanding network, Sunbelt successfully services a variety of customers — from those in the commercial, residential, industrial, municipal and specialized service industries, to weekend do-it-yourselfers.

Designed to serve distinct customer segments requiring a high level of technical expertise, our specialty divisions offer a highly diversified product mix, as well as trained experts.

sunbeltrentals.com

General Tool & Equipment **1-800-667-9328**

Toll-free numbers that connect you to the nearest Sunbelt Rentals specialty locations.

Climate Control Services: **800-892-8677**
 Facility Maintenance: **800-508-4760**
 Flooring Solutions: **844-723-4778**
 GSA Services: **800-667-9328**
 Industrial Heat: **833-723-4328**
 Industrial Services: **855-260-6726**

Oil & Gas Services: **877-687-1146**
 Pile Driving Equipment: **800-223-8427**
 Power & HVAC Services: **800-736-2504**
 Pump Solutions: **800-736-2504**
 Remediation & Restoration: **800-508-4760**
 Scaffold Services: **866-784-1785**



COMMAND CENTER CAPABILITIES & APPLICATIONS



2022

Make It Happen From Anywhere




On-Demand Account Management

- Reserve, rent, or release equipment
- Use *Quick Rent* to reorder your most frequent, recent, and favorite equipment
- View and manage equipment at the project
- Manage purchase orders and invoice payments
- Manage and track fleet in real time
- Receive alerts and notifications



Benefits of Command Center

- Streamlined communication and collaboration
- Improved jobsite, rental, and invoice management
- Increased awareness
- Empowerment to immediately take action
- Access from any computer or mobile device
- Ability to customize user access and key functions
- Insights via real time and historical data to improve efficiencies and planning
- Access to all transactional documents
- Streamlined A/P processes




Website and Mobile App

Website

- ❑ Accessed from computer or tablet
- ❑ Robust functionality
- ❑ Order & manage equipment
- ❑ Access reports, alerts, payments
- ❑ Used by multiple customer types

Mobile App

- ❑ Tablet or phone
- ❑ Available on iOS or Android
- ❑ Tactical functionality
- ❑ Used frequently by field teams
- ❑ Order & manage equipment



User Empowerment


- Empower your teammates with customizable access
 - Account Administrator (full control)
 - Submit Online Orders
 - Off-rent Equipment
 - Pay Online
 - Access Reporting
 - Subscribe to Alerts
 - Update Jobsite Info
 - Manage Paperless Billing Preferences
- Review last-log-in data and manage peer user profiles to secure your data

| User Accounts | | | Admin | Rental Reservations | Rentals Returns | Online Payments | Reporting | Alerts | Location Maintenance | E-Subscriptions |
|---------------|---|--|-------|------------------------|--------------------|--------------------|-----------|--------|-------------------------|-----------------|
| EDIT | X | AndriaMoffat amoffat@walbridge.com Last Login: Thursday, July 9, 2020 1:51 PM | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| EDIT | X | bbeader@walbridge.com Last Login: Wednesday, July 8, 2020 4:23 PM | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| EDIT | X | cmoffat@walbridge.com Last Login: Wednesday, July 8, 2020 4:23 PM | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

Online Equipment Catalog

Sunbelt Rentals’ Online Catalog provides immediate access to:

- Equipment Uses and Applications
- Specifications to verify that the equipment can meet your needs
- *Rental Rates



Cat Class: 035-0140

7,500lb Mini Excavator


★ Add to Favorites

With a maximum digging force of 6,968 lbs. and outstanding maneuverability, the mini-excavator has a maximum digging depth of 10 feet and 16 feet of reach. The mini-excavator is an excellent solution for digging around obstacles or alongside structures.

- Peak digging force of 6,968 lbs
- Maximum digging depth of 10 feet and 16 feet of reach
- Backfill blade for leveling and stabilizing
- Rubber tracks reduce damage to hard surfaces

Online Rate:
1 Day: **\$320** USD 1 Week: **\$880** USD 4 Weeks: **\$1,965** USD

The displayed rates do not include the taxes or optional charges that may be selected later in the checkout process.



| Specifications | | | |
|-------------------|----------|------------|----------|
| Make | Bobcat | John Deere | Bobcat |
| Model | 331 | 35D | E32 |
| HP | 42 | 27 | 33 |
| Weight | 7185 lbs | 7672 lbs | 7183 lbs |
| Overall Width | 61" | 69" | 60" |
| Max Dump Height | 122" | 137" | 132" |
| Standard Bucket | 20" | 24" | 24" |
| Max Digging Depth | 122" | 121" | 122" |
| Max Digging Force | 6866 lbs | 6182 lbs | 6182 lbs |
| Max Digging Reach | 192" | 206" | 196" |

Online Ordering Made Simple

1. Select desired equipment from:
 - a. Online Catalog
 - b. Quick Rent tab
 - i. Recent, Frequent, or Favorite Orders
2. Choose rental duration
3. Select existing Jobsite or create a new one
4. Enter PO or additional billing references*
5. Submit

Order Review

Your Account Information [Edit](#)

1
SUNBELT RENTALS MISC ACCT

Your Store [Edit](#)

Brooklyn Ny Branch #1045
General Equipment & Tools
1 12th St
Brooklyn, NY 11215 3820
(718) 637-2078
Manager: Kenneth OConnor
PCM1045@SUNBELTRENTALS.COM

Job Site Location [Edit](#)

Deliver to:
105.5 NORTH STREET
BAYONNE , NJ 07002
Job Site Contact
MANDY
(770) 519-8937

Special Instructions:
Must have safety beacon.


Purchase Order Number
4400218525

Additional Email Recipients
Email Address (Optional) [ADD](#)

Rental Duration [Edit](#)

Start: Monday, October 05 @ 8:00 AM
End: Friday, October 09 @ 5:00 PM

Equipment



5500lb 19' Shooting Boom Forklift
\$1,400/unit

-

1

+

QTY

[Remove](#)

\$1,400

Equipment Subtotal\$1,400

Delivery\$165

Pickup\$165

Sunbelt Rentals Environmental Fee-

Transportation Surcharge\$41.25

☒ Rental Protection Plan (Optional)
Protect yourself. [Learn more about RPP.](#)\$210

☐ Fuel Convenience Plan (Optional)
No hassle. [Learn more about Fuel Convenience.](#)-

Environmental/Hazmat Fee 2133Xxx0000\$22.40

Rental Subtotal\$2,003.65

Sales Tax\$132.73

Estimated Total (USD)*\$2,136.38

☐ I agree to Sunbelt Rentals [Terms & Conditions.](#)
Required.


*All prices will be double-checked by an equipment Rental Specialist at a location near you. We'll be in touch shortly with a confirmation call.

CONFIRM RESERVATION

Managing Jobsites

Manage/Update Jobsite Info

- Job Name (your internal reference)
- Default PO # for future orders
- Contact Name/Phone
- Delivery Instructions



Account: COOPER TIRE
80960
1689 S GREEN ST
TUPELO, MS 38804
Equipment on site

Edit Job Site

Job Number: 1 - BORG WARNER

Job Name: BORG WARNER

PO Number:

☐ Make all open contracts on this jobsite use the PO Number above

Contact Name:

Phone Number: (864) 972-4720

Address Line 1: 15545 WELLS HWY

Address Line 2:

City: SENECA

State: SC ZIP Code: 29678 1664

☒ Address has been validated to street or intersection

Job Status: Active
Equipment on Rent: 355 Items

Delivery Instructions / Comments: Deliver to Gate 34-A and call 337-540-9568 upon arrival to be escorted

CANCEL SUBMIT

Managing Rentals (Jobs & Equipment)

Manage your rental equipment via personalized layouts that empower you to quickly identify and act on key items including:

- Delivery Signatures on Contracts
- Underutilized assets
- Overdue equipment
- Missing/Inaccurate POs
- Outdated Ownership
- Future Rentals

Job Site Map Job Sites **Equipment** Reservations Live Map

Search to filter grid results [Select Columns](#) [Export to Excel](#) [Reset Grid](#)

Drag a column header and drop it here to group by that column

| Description ▼ | Ordered By ▼ | Asset # ▼ | Date Out ▼ | Est. Return Date ▼ | Customer PO... ▼ |
|--|-----------------|-----------|------------|--------------------|------------------|
| OFF ROAD ELEC CART 2WD 2 SEAT | Maher, Margaret | 10036912 | 6/28/2019 | 7/25/2019 | TBD |
| Change PO ▼ | | | | | |
| I Want To | | | | | |
| Extend Rental | MARTIN, JAMES | 420972 | 6/8/2020 | 7/6/2020 | TAYLOR |
| Request Pickup | | | | | |
| Request Service | | | | | |
| View Contract | | | | | |
| Change PO | MARTIN, JAMES | 663490 | 6/8/2020 | 7/6/2020 | TAYLOR |
| Chg Ordered By | | | | | |
| CONDENSATE PUMP 115V | MARTIN, JAMES | CONDPUMP | 6/8/2020 | 7/6/2020 | TAYLOR |
| I Want To ▼ | | | | | |


Telematics Data

Sunbelt’s Telematics Program empowers you to:

- Identify the last known location of missing assets
- Assess utilization trends via reporting and/or alerts to right-size your rental fleet
- Analyze historical utilization data to impactfully guide future projects

Key internal developments:

- Mandated factory installation for much of Sunbelt’s Equipment Catalog
- Proactive real-time monitoring of data feeds
- Integration of remote diagnostics for the Sunbelt Service Team
- Integration with Sunbelt’s dispatch system for safer and more efficient pickups



To learn more, please contact your local Sunbelt Account Manager

Managing Invoicing

- Review, approve, and pay invoices
- Analyze spend for a specific project, timeframe, or PO
- Identify missing/inaccurate POs
- Review Paperless Billing options
- Identify and act upon oldest invoices

INVOICES

REPORTS

CENTURY CONTRACTORS, INC. - 703 (A)

\$31,138.09

PAY BALANCE

DOWNLOAD

Invoice #, PO #, Job Site...

07/15/2019

→

07/15/2020

Filter

▼

| <input type="checkbox"/> | Invoice # | PO # | Job Site | Type | Date | Amount | Status | Actions |
|--------------------------|---------------|-----------|---------------------|-------------|--------------|------------|----------|----------------|
| <input type="checkbox"/> | 83834960-0005 | 1884-8002 | BAXTER HEALTHCARE . | 4 Week Bill | Feb 23, 2020 | \$537.75 | Past Due | <div>PAY</div> |
| <input type="checkbox"/> | 84423491-0004 | 1884-8006 | BAXTER HEALTHCARE . | 4 Week Bill | Feb 23, 2020 | \$645.30 | Past Due | <div>PAY</div> |
| <input type="checkbox"/> | 84427586-0004 | 1884-8018 | BAXTER HEALTHCARE . | 4 Week Bill | Feb 23, 2020 | \$1,451.93 | Past Due | <div>PAY</div> |

EXPORT TO EXCEL

Rows per page:

10

1 - 3 of 3

SUNBELT
RENTALS

INVOICE
SEND ALL PAYMENTS TO:
SUNBELT RENTALS, INC.
PO BOX 409211
ATLANTA, GA 30384-9211

INVOICE NUMBER: 00000770002
ACCOUNT NUMBER: 000000
INVOICE DATE: 4/9/20
PAGE: 1

RECEIVED BY: MICHAEL DAVE
CONTRACT NUMBER: 0000077
PURCHASE ORDER NUMBER: 0000000000
JOB NUMBER: 5 - FORD STERLING AK
BRANCH: STERLING HEIGHTS MI PC247
4247
34000 MOUND RD
STERLING HEIGHTS, MI 48310 47
588-498-9515

BROKER TO:
CENTURY CONTRACTORS, INC.
10000 EIGHTH AVE
DETROIT, MI 48226

JOB ADDRESS:
10000 EIGHTH AVE
DETROIT, MI 48226
313-447-1100
313-447-1100
313-447-1100

| QTY | EQUIPMENT # | Min | Day | Week | 4 Week | Amount |
|---|-------------------------------------|----------------|--------|--------|---------|---------|
| 1 | 4" DOUBLE DRUM RIDE-ON ROLLER DIFER | 243.00 | 243.00 | 721.00 | 1950.00 | 1950.00 |
| 1042177 - RAKO RAKO RIDE-ON ROLLER | | 243.00 | 243.00 | 721.00 | 1950.00 | 1950.00 |
| RR QTY: 313.400 RR IN: 00 | | TOTAL: 313.400 | | | | |
| Rental Sub-total: | | | | | | 1950.00 |
| SALES TAX: | | | | | | 31.38 |
| ENVIRONMENTAL | | | | | | 292.50 |
| ENVIRONMENTAL/HADMAT FEE 2133KX0000 | | | | | | |
| 1 ADDED PROTECTION PLAN | | | | | | |
| BILLED FOR FOUR WEEKS 3/16/20 THRU 4/12/20. | | | | | | |
| | | | | | | 2273.70 |
| SUBTOTAL | | | | | | 2273.70 |
| TAX | | | | | | 136.42 |
| INVOICE TOTAL | | | | | | 2410.12 |

4 WEEK BILL

NET DUE UPON RECEIPT

REPORT 04/15/2020

Data Insights (Reporting)

Seven standard reports are already built for quick access:

- Equipment On Rent
- Invoice History
- Invoice History with Details
- Payment History
- Rental History

Reports can also be customized with the options to **save** any changes for future use, as well as **schedule** the report to be automatically emailed to you or your team at a time and cadence of your choice.



Real-Time Awareness (Account Activity)

Utilize the Account Activity tab to proactively manage transactions by:

- Reviewing the last 30 days of activity
- Subscribing to and of the 22 customizable notifications based on an event, Jobsite, or PO
 - Examples include “Delivery Complete” and “Equipment Off-rent Due Today”

| Current Activity | | Recent Notifications | | |
|---|----------------------------|---|-----------|------------------------------|
| Activity | When (EST) | Job Site | Equipment | |
| Contract invoiced #103106074-001 | Tue 07/14/2020 11:14 PM | COOPER TIRE 1689 S GREEN ST TUPELO MS | 1 | 250 AMP CC/CV LP WELDER |
| Contract invoiced #102993916-001 | Tue 07/14/2020 11:13 PM | BORG WARNER 15545 WELLS HWY SENECA SC | 1 | 1T CLASSIC PORTABLE AC/DEHU |
| Contract invoiced #102784683-001 | Tue 07/14/2020 11:07 PM | BORG WARNER 15545 WELLS HWY SENECA SC | 2 | 3" X 50' AIR COMPRESSOR HOSE |
| Contract invoiced #102001417-003 | Tue 07/14/2020 10:54 PM | BORG WARNER 15545 WELLS HWY SENECA SC | 4 | AIR HOSE WHIP CHECK SMALL |
| Delivery is in route #103473837-000 | Tue 07/14/2020 4:25 PM | COOPER TIRE 1689 S GREEN ST TUPELO MS | 1 | 80' ART MANLIFT W/JIB |
| Pickup is complete #103105798-000 | Tue 07/14/2020 4:25 PM | COOPER TIRE 1689 S GREEN ST TUPELO MS | 1 | 20' SINGLE MANLIFT S/P |
| Pickup is in route #103105798-000 | Tue 07/14/2020 4:25 PM | COOPER TIRE 1689 S GREEN ST TUPELO MS | 1 | 45' ART ELECT MANLIFT JIB |
| Reservation converted to a contract #103473837-000 | Tue 07/14/2020 2:38 PM | COOPER TIRE 1689 S GREEN ST TUPELO MS | 1 | 80' ART MANLIFT W/JIB |
| | | | 1 | 20' SINGLE MANLIFT S/P |

Add Notification ×

Whenever a new

Equipment Off-Rent Due today

occurs, I'd like to be notified if:

My Job Site is:

Any Job Site

Show Inactive Jobsites (no equipment)

Has this equipment:

Any Equipmer

Is for this PO:

I'd like to be notified:

☒ By Email

bradley.bates@sunbeltrentals.com

Separate multiple email addresses with a semicolon(,)

☐ By Text Message

Select Carrier

☐ By Push Notification

Restrict Notification Hours: [Show](#)

Notification Active:

☒

CANCEL

SAVE

THANK YOU!

sunbeltrentals.com

ecommerce@sunbeltrentals.com





FULL LINE CATALOG

AVAILABILITY | RELIABILITY | EASE

CALL OR CLICK

1-800-667-9328

[sunbeltrentals.com](https://www.sunbeltrentals.com)

Page 95 of 175

THE POWER OF **SUNBELT**

Sunbelt Rentals helps professionals and do-it-yourselfers get things done. With a highly diversified offering of equipment and services available, we help customers extend their capabilities, complete projects on-time and handle times of crisis. No matter if you are in commercial, industrial, residential or municipal industries, we are constantly advancing the idea of what a rental equipment company can do for its customers.



WE MAKE IT HAPPEN!

VISIT **SUNBELTRENTALS.COM** TO FIND OUT
WHAT WE CAN DO FOR YOU.

**TEAM OF 20,000+ PASSIONATE
RENTAL EXPERTS**

Aren't sure what is the best tool for the job? Reach out to the team to help. No project is too big or small.

**RESERVE, RENT AND RETURN
YOUR EQUIPMENT WITH EASE**

Manage all your projects from start to finish with the Sunbelt Rentals mobile app.

READY 24/7

Not everything can be planned. We are ready to get you what you need, for planned and emergency situations.

**14,000+ TYPES OF TOOLS AND
EQUIPMENT READY TO WORK**

The right tool or piece of equipment can make all the difference in helping to get a job done fast and efficiently.



THE SUNBELT PROMISE

SOLUTIONS FOR ANY PROJECT



CLIMATE CONTROL SERVICES

Outfitted with the industry's largest fleet of temperature-control equipment, our team of seasoned professionals provides turnkey engineered cooling, heating and dehumidification solutions for a wide variety of applications.




FLOORING SOLUTIONS

Our flooring experts provide customized solutions for cleaning, maintaining, and restoring all hard and soft surfaces using scrubbers, sweepers, carpet extractors, vacuums, grinders, polishers and accessories — ideal for everything from carpet and resilient surfaces to finished and unfinished concrete.



GENERAL TOOL & EQUIPMENT

With more than 8,000 product types, we stock the broadest fleet in the rental industry for commercial, residential, industrial, municipal, specialized service industries and homeowners.



GROUND PROTECTION

We serve the industry with the largest inventory of composite ground protection mats and accessories for rent. Our team of experts will handle everything from initial site visit and installation to post-project teardown.



INDUSTRIAL HEAT

We deliver site-specific engineered solutions for all industrial heating applications. Our heaters can withstand the harshest weather conditions and include indirect-fired, flameless, hydronic, rig heaters and more.



INDUSTRIAL SERVICES

Providing comprehensive tool and equipment packages, including on-site tool management, to support all projects and special needs for industrial applications, including plant shutdowns, outages, turnarounds, plant maintenance and more.



OIL & GAS SERVICES

We offer full start-to-finish support. From site prep to frack, coil tube to completions, we can meet the needs of the most challenging oil and gas project.



POWER & HVAC SERVICES

Backed by a diverse fleet of portable and containerized generators, load banks, air compressors, desiccant dehumidifiers, chillers, cooling towers and more; our experts specialize in providing custom-designed solutions for a diverse array of projects across a broad range of industries.



PUMP SOLUTIONS

We have equipment and expertise for all major pumping projects, including dewatering job sites, performing large sewer bypasses, fluid handling for industrial facilities and more.



SCAFFOLD SERVICES

Whether you require one assembler or 500, Sunbelt Rentals delivers the scaffolding and manpower you need in a full turnkey solution for commercial and industrial projects.



TRENCH SAFETY

Supported by a comprehensive fleet of excavation shoring, structural shoring, and bridging equipment, our team delivers unrivaled safety on any project with the most cost-effective rental options in the industry. Available equipment includes steel and aluminum trench boxes, road plates, sheet pile, frames, slide rail, bridging and more.



CONTAINMENT WALLS, FENCING & STRUCTURES

Temporary containment walls, fencing and structures provide flexible structures and solutions to control and secure your jobsite keeping your project moving forward with little downtime.



TABLE OF CONTENTS

| | | | |
|---|-----|--|-----|
| Air Compressors | 7 | Media Blasters | 241 |
| Air Conditioners | 17 | Mobile Elevating Work Platforms | 245 |
| Air Tools | 25 | Paint Sprayers | 257 |
| Backhoe Loaders | 31 | Pile Driving & Drilling Equipment | 261 |
| Chain Hoists & Air Winches | 35 | Pressure Washers | 265 |
| Compaction Equipment | 41 | Pumps | 269 |
| Concrete & Masonry Equipment | 47 | Scaffold | 279 |
| Conveyors | 65 | Secondary Containment | 301 |
| Cranes | 67 | Site Services | 303 |
| Dehumidification & Remediation | 71 | Skid Steer Loaders | 307 |
| Dozers | 77 | Storage Containers | 311 |
| Drain & Sewer Cleaning/Inspection | 81 | Temporary Containment Walls | 313 |
| Electric Tools | 87 | Temporary Fencing | 317 |
| Excavators | 97 | Temporary Structures | 321 |
| Fans, Blowers & Ventilators | 101 | Tractors | 325 |
| Floor Care & Surface Preparation | 107 | Traffic Safety Equipment | 327 |
| Forklifts | 121 | Trailers | 331 |
| Fuel Tanks | 125 | Trenchers | 335 |
| Generators & Power Distribution | 129 | Trenchless Technology | 339 |
| Ground Protection | 143 | Trench Safety | 343 |
| Heaters | 147 | Trucks | 355 |
| Hydraulic Breakers & Attachments | 157 | Welding & Plasma Cutting Equipment | 359 |
| Hydraulic Tools | 161 | Wheel Loaders | 367 |
| Indoor Air Quality | 173 | Rental Accessories & Supplies | 369 |
| Industrial Vehicles | 179 | | |
| Jacks | 183 | | |
| Laser & Optical Levels | 189 | | |
| Lawn & Landscape | 193 | | |
| Lighting Equipment | 205 | | |
| Load Banks | 209 | | |
| Material Handling Equipment | 215 | | |
| Mechanical & Electrical Trade Tools | 227 | | |

GENERAL INFORMATION

OPERATING HOURS

Standard business hours at most Sunbelt Rentals locations are from 7:00 a.m. to 5:00 p.m. Monday through Friday (weekend operating hours vary by location). We also offer a 24-hour emergency hotline to accommodate both after-hours service and rental needs: **800-667-9328**.

RENTAL TERMS

For more information on rental terms and conditions visit www.sunbeltrentals.com/about/terms-and-conditions.

To apply, complete the credit application online at sunbeltrentals.com/creditapplication or toll-free at **800-508-4756**.

FUEL PAYMENT OPTIONS

Prepay Fuel Option

Customer may purchase a full tank of fuel for the Equipment at the start of the rental, in which case a "convenience charge" will appear on this Contract (calculated by multiplying the estimated fuel capacity of Equipment by the Prepay per Gallon rate). As an added benefit, Customer may return the Equipment full of fuel and the convenience charge will be refunded (however, if not returned full, Customer will not obtain any credit for fuel left in the Equipment upon return).

Pay on Return Option

If Customer returns Equipment with less fuel than when received, Customer shall pay a refueling charge (calculated by multiplying gallons required to refill tank with fuel to level when received, by the Pay on Return per gallon rate).

Return Full Option

If Customer returns the Equipment with at least as much fuel as when it was received (most Sunbelt Equipment comes with a full tank of fuel, but not all), no fuel charge will be assessed.

The cost of Customer refueling Equipment itself will generally be lower than the Prepay Fuel Option or the Pay on Return Option; however these options each allow for the convenience of not refueling. Customer agrees that none of these options are a retail sale of fuel.

DELIVERY & PICK-UP

Sunbelt Rentals maintains an extensive fleet of delivery vehicles to provide responsive transport of equipment for our customers at competitive rates. We also offer trailers for rent, specially designed for hauling the types of equipment we offer.

TRANSPORTATION SURCHARGE

There is a charge intended to defray a wide range of transportation expenses (both direct and indirect), which are not always fully recovered by other transportation charges.

GSA CONTRACT HOLDER

Sunbelt Rentals, Inc. is a GSA contract holder on Schedule 51 V—Hardware Superstore. Sunbelt Rentals is committed to offering our federal government customers the best service in the rental industry. In order to ensure this high level of service we have established a team that is dedicated exclusively to your needs.

We offer a large portion of our rental fleet on our GSA schedule. Any equipment that is not on our GSA schedule is also available.

SAFETY IS A CORE VALUE



We put it first for both you and our team members every moment of every day. Not only do we earn one of the highest safety records year in and year out, but our rigorous training and prevention model includes the industry's best customer safety training, too.

Training classes available:

- Earth moving
- Excavation
- Forklift
- MEWP
- Supported and suspended scaffolding

View training courses at sunbeltrentals.com/safety

Safety Icon Key



It is important that you use all the manufacturer's recommended safety equipment, review all safe operation manuals and decals, and observe all safety precautions when utilizing tools and operating equipment. The operator/user assumes all responsibility for the use, care, or inspection of PPE (Personal Protective Equipment).

GSA Contract Holder

GSA Contract # GS-21F-0028T
Section 833 Qualified
FSC Group 51 V – Hardware Superstore
SIN's: 105-001 & 515-002
CCR Registered: Duns #: 101776490
CCR Registered: Cage Code: 1LCW3



GENERAL INFORMATION

RENTAL PROTECTION PLAN

The Rental Protection Plan (RPP) is NOT an insurance policy. The RPP is an extended rental protection plan for you or your company, to offset possible damages or theft that may occur during the equipment rental period. While the RPP is completely optional, it is recommended to maximize your total protection while renting equipment. The RPP can also cover gaps in your insurance coverage such as when the loss is within your insurance deductible or when the loss is greater than the deductible, but not large enough to make filing a claim in your best interest. Actual terms of the RPP are outlined in the rental contract.

Theft Protection

For equipment stolen, customer is only responsible for 10% of the manufacturer’s suggested list price, up to a maximum of \$500.

In the case of theft of equipment, the customer’s responsibility is limited when you have paid for the RPP and comply with the rental contract, including filing a proper police report of the theft within 48 hours of discovery of theft. If the equipment is recovered at a later date, Sunbelt Rentals retains ownership. Without the RPP, if equipment is stolen from your job site, you are 100% responsible for replacing the equipment. Even if your insurance covers the stolen equipment, you will likely have to meet your deductible. With the RPP, your maximum responsibility for stolen equipment is 10% of the manufacturer’s suggested list price, up to a maximum of \$500.

Damage Protection (Incidental & Accidental)

For the cost of repairs, the customer is only responsible for 10% of the cost of the repairs, up to a maximum of \$500.

The RPP can shield you, as the customer, against unexpected expenses that could result from damage during the use of rental equipment. Typically insurance does not cover the cost of repair or such repair cost is within your deductible amount.

Tire Protection

First \$50 of tire puncture repair costs are covered for each occurrence.

Rental Liability

Customers are exempt from rental charges on damaged equipment covered by RPP while it is being repaired.

The RPP limits your responsibility for cost of repairs, as well as eliminating your liability for the rental amount normally charged during the period in which the equipment is repaired.

There are limitations to the RPP coverage which are clearly listed on the Rental Contract. Please refer to your contract or ask to speak to a manager if you have questions about the RPP. FOC-713R

ENVIRONMENTAL FEE

In order to meet the equipment needs of our valued customers, Sunbelt Rentals handles potentially hazardous materials like fuel, oil, cleaners, batteries and sediment every day. Proper management of these materials and their by-products is expensive, but we are committed to protecting the environment and our communities. As a result, Sunbelt Rentals invests in solutions intended to minimize impacts to our environment and comply with Federal, State/Provincial and local regulations, such as containing our potentially hazardous materials, treating our wash bay run-off/waste, and proper disposal or recycling of oil, filters, fluids, tires, batteries and shop waste.

The Sunbelt Rentals Environmental Fee is not a government mandated tax or fee. This fee helps offset a wide-range of environmental-related risks and expenses (direct and indirect) incurred through activity of our rental fleet, such as:

- Waste disposal
- Oil recycling
- Fuel and fluid handling
- Construction and operation of cleaning facilities
- Treating our wash bay run-off/waste
- Investment in low emission rental assets (i.e., Tier IV)
- Labor costs related to environmental compliance
- Governmental reporting
- Administrative costs

This fee is not intended for any particular purpose or placed in an escrow account. It becomes part of Sunbelt Rentals revenue and is used at our discretion. This fee is intended to be added to each piece of rental equipment identified as having a potential for environmental impact, and in accordance with the groupings set forth in the following chart.

| TIER 1: Equipment requires no cleaning | |
|--|-----------|
| How is the fee calculated? | No charge |
| What is the rate of the fee?* | 0.00% |
| What is the minimum charged? | N/A |

| TIER 2: Equipment requires general cleaning | |
|---|-------------------|
| How is the fee calculated? | % of rental rate |
| What is the rate of the fee?* | 1.25% |
| What is the minimum charged? | \$1.00 USD or CAD |

| TIER 3: Equipment contains propane, kerosene, battery, hydraulic fluid or natural gas | |
|---|-------------------|
| How is the fee calculated? | % of rental rate |
| What is the rate of the fee?* | 1.50% |
| What is the minimum charged? | \$1.00 USD or CAD |

| TIER 4: Equipment contains a combustion engine | |
|--|-------------------|
| How is the fee calculated? | % of rental rate |
| What is the rate of the fee?* | 1.95% |
| What is the minimum charged? | \$1.00 USD or CAD |

*Percentage charged against the total rental amount



AIR COMPRESSORS



For more
information,
scan code or
visit sbr.com



Air compressors are designed for contractors' rugged demands and numerous applications, including demolition, road and bridge building, sandblasting and general construction work. Sunbelt Rentals carries a wide variety of air compressors that are portable, towable or industrial size – all built to answer the demands of whatever job needs to get done.

Aftercooler/Dryer/Filter Packages

Aftercooler/Filter Packages

Aftercooler/Separators

Air Hoses

Air Manifolds

Custom Filter Packages

Desiccant Dryers

Electric Air Compressors

Instrument-Quality Air Compressors

Membrane Dryer/Aftercooler Packages

Portable Air Compressors

Standard Diesel Air Compressors

Towable Air Compressors



AIR COMPRESSORS

AIR TYPES

Standard Compressed Air (Oil-Flooded)

- Hot (Heat of compression is approximately 110°F over ambient)
- Wet (Humidity in ambient air is sent downstream)
- Oily (Oil-flooded compressors will pass oil downstream)

Instrument-Quality (IQ) Compressed Air

- Oil-flooded air with after-treatment
- After-cooled (15–25°F of ambient)
- Filtered (.01 micron and .01 ppm remaining oil content)
- 99.99% of all impurities are removed
- Cleanest compressed air available

Oil-Free Compressed Air (Dry Screw)

- No oil utilized in the compression cycle
- After-cooled (25°F of ambient)
- Minimal filtration (filtered to 25 microns)
- Not cost effective and not needed for compressing air (in most applications)

ISO 8573.1 Quality Classes

| QUALITY CLASSES | SOLIDS (MAX PARTICLE SIZE IN MICRONS) | MOISTURE DEW POINT | | OIL LIQUID & GAS | |
|-----------------|---|--------------------|-----|---------------------|---------|
| | | °C | °F | MG/M3 | PPM W/W |
| 0 | Exceeds Class 1 | | | | |
| 1 | 0.1 | -70 | -94 | 0.01 | 0.008 |
| 2 | 1 | -40 | -40 | 0.1 | 0.08 |
| 3 | 5 | -20 | -4 | 1 | 0.8 |
| 4 | 15 | 3 | 38 | 5 | 4 |
| 5 | 40 | 7 | 45 | >5 | >4 |
| 6 | – | 10 | 50 | – | – |

Typical Compressed Air Applications

| APPLICATIONS | COMPRESSED AIR TYPE | | | |
|--|---------------------|--------------------|-----------|---------------|
| | FILTERED & DRIED | INSTRUMENT-QUALITY | STANDARD | HIGH-PRESSURE |
| Chemical Plants | Preferred | | | |
| Critical Instrument Air | Preferred | | | |
| Electronics | Preferred | | | |
| Food and Drug (packaging) | Preferred | | | |
| Metalworking Plants | Preferred | Good | | |
| Paper Mills | Preferred | Good | | |
| Pharmaceuticals | Preferred | Good | | |
| Refineries | Preferred | | | |
| Snowmaking | Preferred | Good | | |
| Textiles | Preferred | Good | | |
| General Industrial/Manufacturing | | Preferred | Good | |
| Instrument Air | Preferred | Preferred | | |
| Shipyards | | Preferred | Good | |
| Painting & Blasting | | Preferred | | |
| Demolition Tools | | | Preferred | |
| General Construction | | | Preferred | |
| Catalytic Regeneration (gasoline and refined oils) | | | | Preferred |
| Drilling (down-the-hole rock and oil) | | | | Preferred |
| Nitrogen Membrane Separation | | | | Preferred |
| PET (bottle blowing) | | | | Preferred |
| Soot Blowing (utilities with coal fired furnaces) | | | | Preferred |



AIR COMPRESSORS



MI-T-M AM1-HE02-05M1
2 hp Electric Hand Carry Type



JENNY K15A-8P
1.5 hp Electric Wheelbarrow Type



MI-T-M AM1-PH55-08M
5.5 hp Gas Wheelbarrow Type



JENNY G8HGA-17P
8 hp Gas Cart Type

PORTABLE AIR COMPRESSORS are commercial grade units designed for the rigorous demands of the construction industry. They are ideal for powering all types of small air tools. Electric and gas-powered models are available in several sizes and mounting types. All models include a pressure regulator and receiver tank(s).



| MAKE | MODEL | TYPE | HP | CFM* | AIR TANK | WEIGHT | CAT-CLASS |
|--------|----------------|----------------------|-----|------|----------|----------|-----------|
| Jenny | AM780-HC4V | Electric Hand Carry | 2 | 4.1 | 4 gal. | 60 lbs. | 003-0010 |
| Mi-T-M | AM1-HE02-05M1 | Electric Hand Carry | 2 | 4.1 | 5 gal. | 56 lbs. | 003-0010 |
| Jenny | AM840-4HG-HC4V | Gas Hand Carry | 4 | 4.7 | 4 gal. | 69 lbs. | 003-0015 |
| Mi-T-M | AM1-HH04-05M | Gas Hand Carry | 4 | 4.4 | 5 gal. | 79 lbs. | 003-0015 |
| Jenny | K15A-8P | Electric Wheelbarrow | 1.5 | 6.5 | 8 gal. | 175 lbs. | 003-0020 |
| Mi-T-M | AM1-PE15-08M | Electric Wheelbarrow | 1.5 | 6.5 | 8 gal. | 170 lbs. | 003-0020 |
| Jenny | K5HGA-8P | Gas Wheelbarrow | 5.5 | 8.9 | 8 gal. | 175 lbs. | 003-0025 |
| Mi-T-M | AM1-PH55-08M | Gas Wheelbarrow | 5.5 | 9.0 | 8 gal. | 175 lbs. | 003-0025 |
| Jenny | G8HGA-17P | Gas Cart | 8 | 16.2 | 17 gal. | 250 lbs. | 003-0045 |

*CFM rating is at 100 PSI rated output, except Mi-T-M AS2-SH08-30M, which is at 175 PSI rated output.

TOWABLE AIR COMPRESSORS are designed for the rugged demands of contractors in numerous applications, including demolition, road and bridge building, sandblasting and general construction work. They feature single-axle trailer mounting for towing at speeds up to 55 mph. Diesel-driven models ranging from 90 cfm to 375 cfm are available. Smaller models include two 3/4-inch discharge outlets; 375 cfm models include one 1-1/4-inch outlet.



DOOSAN C185
185 cfm Towable Air Compressor



DOOSAN HP375
375 cfm Towable Air Compressor

| MAKE | MODEL | CFM | RATED PRESSURE | PRESSURE RANGE | HP | DIMENSIONS (L x W x H) | WEIGHT | CAT-CLASS |
|------------------|------------|-----|----------------|----------------|-----|------------------------|------------|-----------|
| Doosan | C185 | 185 | 100 psi | 80–125 psi | 65 | 141" x 69" x 62" | 2,325 lbs. | 001-0030 |
| Sullivan-Palatek | D185P | 185 | 100 psi | 70–125 psi | 49 | 125" x 55" x 61" | 1,900 lbs. | 001-0030 |
| Doosan | XP375 | 375 | 125 psi | 100–150 psi | 123 | 158" x 78" x 68" | 4,418 lbs. | 001-0050 |
| Sullivan-Palatek | D375P | 375 | 100 psi | 100–150 psi | 140 | 147" x 56" x 80" | 3,395 lbs. | 001-0050 |
| Doosan | HP375 | 375 | 150 psi | 100–150 psi | 123 | 158" x 78" x 68" | 4,418 lbs. | 001-0060 |
| Sullivan-Palatek | D375PH | 375 | 150 psi | 100–150 psi | 140 | 147" x 56" x 80" | 3,395 lbs. | 001-0060 |
| Sullivan-Palatek | D110PK USB | 110 | 100 psi | 80–125 psi | 24 | 113" x 46" x 52" | 1,256 lbs. | 004-0010 |

AIR COMPRESSORS

STANDARD DIESEL (LUBRICATED AIR END) AIR

COMPRESSORS are ideal for meeting emergency and supplemental air requirements at industrial plants and commercial facilities where critical air quality is not required. They are also well-suited for construction applications such as powering large portable drills and multiple smaller air tools. They feature efficient rotary screw compressor units coupled with continuous duty-rated diesel engines for sustained, dependable operation.



DOOSAN HP750WCU
750 cfm Standard Air
Compressor, 150 psi



DOOSAN HP915WCU
900 cfm Standard Air
Compressor, 150 psi

| MAKE | MODEL | CFM | RATED PRESSURE | PRESSURE RANGE | HP | ONBOARD FUEL CAP | CONSUMP FULL LOAD | RUN TIME FULL LOAD | DIMENSIONS (L x W x H) | WEIGHT | CAT-CLASS |
|------------------|-----------------------|-------|----------------|----------------|-----|------------------|-------------------|--------------------|------------------------|-------------|-----------|
| Doosan | HP375 | 375 | 150 psi | 90–175 psi | 123 | 60 gal. | 6.3 gph | 11 hrs. | 13' x 78" x 68" | 4,418 lbs. | 001-0060 |
| Sullivan-Palatek | D375PH | 375 | 150 psi | 90–170 psi | 140 | 40 gal. | 6.0 gph | 7 hrs. | 12' x 56" x 80" | 3,395 lbs. | 001-0060 |
| Atlas Copco | XATS400J08 | 400 | 150 psi | 90–225 psi | 115 | 52 gal. | 6.5 gph | 8 hrs. | 14' x 72" x 70" | 4,555 lbs. | 001-0075 |
| Doosan | HP750WCU ¹ | 750 | 150 psi | 90–150 psi | 275 | 100 gal. | 12.9 gph | 8 hrs. | 16' x 86" x 89" | 7,590 lbs. | 001-0090 |
| Atlas Copco | XAS900JD | 750 | 150 psi | 90–175 psi | 250 | 88 gal. | 8.2 gph | 11 hrs. | 17' x 80" x 86" | 7,980 lbs. | 001-0095 |
| Doosan | HP750WJD | 750 | 150 psi | 90–150 psi | 275 | 100 gal. | 11.4 gph | 9 hrs. | 16' x 86" x 89" | 7,890 lbs. | 001-0095 |
| Sullivan-Palatek | D750PH | 750 | 150 psi | 90–150 psi | 275 | 100 gal. | 12.7 gph | 8 hrs. | 16' x 80" x 89" | 9,000 lbs. | 001-0095 |
| Doosan | HP915WCU ² | 900 | 150 psi | 90–150 psi | 300 | 110 gal. | 14.5 gph | 8 hrs. | 18' x 79" x 93" | 10,250 lbs. | 001-0115 |
| Sullivan-Palatek | D900PH | 900 | 150 psi | 90–150 psi | 305 | 100 gal. | 14.0 gph | 7 hrs. | 16' x 80" x 89" | 9,000 lbs. | 001-0115 |
| Doosan | XHP1170 ² | 1,170 | 350 psi | 225–375 psi | 540 | 230 gal. | 20.9 gph | 11 hrs. | 24' x 90" x 100" | 16,700 lbs. | 001-0150 |

¹Fuel capacities and run times are based on units with Tier 2 certified engines—specs may vary for units with other engines. ²Fuel capacities and run times are based on units with Tier 3 certified engines—specs may vary for units with other engines.

INSTRUMENT-QUALITY (I-Q) AIR COMPRESSORS provide extremely clean, high-quality compressed air on a cost-effective basis for a wide range of industrial and construction applications. This is achieved by combining a rotary screw air compressor with an aftercooler, a moisture separator, dual coalescing filters and a condensate burn-off system in an efficient, self-contained package.



ATLAS COPCO XAS1800JDT4F
1,600 cfm, 150 psi



DOOSAN HP1600WCU
1,600 cfm, 150 psi

| MAKE | MODEL | CFM | RATED PRESSURE | PRESSURE RANGE | HP | ONBOARD FUEL CAP ¹ | CONSUMP FULL LOAD | RUN TIME FULL LOAD ¹ | DIMENSIONS (L x W x H) | WEIGHT | CAT-CLASS |
|------------------|--------------|-------------|----------------|----------------|-----|-------------------------------|-------------------|---------------------------------|------------------------|-------------|-----------|
| Atlas Copco | XAS1800JDT4F | 1,600–1,800 | 150 psi | 90–225 psi | 525 | 240 gal. | 23 gph | 10 hrs. | 20' x 88" x 101" | 18,300 lbs. | 001-0220 |
| Doosan | HP1600WCU IQ | 1,600–1,800 | 150 psi | 90–150 psi | 560 | 230 gal. | 22 gph | 10 hrs. | 24' x 90" x 101" | 18,300 lbs. | 001-0220 |
| Sullivan Palatek | D1600PH | 1,600 | 150 psi | 90–150 psi | 535 | 200 gal. | 24 gph | 8 hrs. | 20' x 90" x 94" | 1,900 lbs. | 001-0220 |

¹Fuel capacities and run times are based on units with Tier 3 certified engines—specs may vary for units with other engines.

AIR COMPRESSORS

ELECTRIC AIR COMPRESSORS deliver outstanding, trouble-free performance in a wide range of industrial and commercial applications. They feature quiet operation and easy, low-cost maintenance. Models ranging from 50 HP to 400 HP are available.



SULLIVAN-PALATEK 50UD
50 hp Electric Air Compressor

| MAKE | MODEL | HP | CFM | RATED PRESSURE | AMP RATING | STARTING AMP REQUIREMENT | OUTLET | DIMENSIONS (L x W x H) | WEIGHT | CAT-CLASS |
|------------------|---------|-----|-------|----------------|------------|--------------------------|--------|------------------------|-------------|-----------|
| Sullivan-Palatek | 50UD* | 50 | 210 | 150 psi | 59.7 | 200 | 1.25" | 84" x 48" x 48" | 2,300 lbs. | 001-0420 |
| Sullivan-Palatek | 100UD* | 100 | 440 | 140 psi | 129.2 | 400 | 2" | 91" x 54" x 75" | 3,600 lbs. | 001-0425 |
| Atlas Copco | XAB900E | 168 | 871 | 150 psi | — | — | 3" | 194" x 87" x 85" | 9,530 lbs. | 001-0430 |
| Sullivan-Palatek | 200UD* | 200 | 900 | 150 psi | 313.0 | 790 | 3" | 105" x 67" x 86" | 6,500 lbs. | 001-0430 |
| Sullivan-Palatek | 400UD* | 400 | 1,490 | 150 psi | 479.8 | 1590 | 3" | 105" x 67" x 86" | 10,000 lbs. | 001-0435 |

*Units operate on a 460V 3-phase power.



QUICK QUESTIONS

Here's a quick checklist with the questions you should ask before renting an air compressor:

- ☐ Is there enough room for all the equipment?
- ☐ Can you unload the equipment?
- ☐ Who is going to fuel an auxiliary tank?
- ☐ If the air compressor is electric, can the breaker handle the inrush amps?
- ☐ Do you need low ambient protection (below 35°F)?
- ☐ Do you need a receiver tank?
- ☐ Is this application critical or is the site remote?
- ☐ Will you need a back-up?



AIR COMPRESSORS



3/8" AIR HOSE



2" AIR HOSE



3/4" AIR HOSE



3" AIR HOSE WITH BOSS FITTINGS



AIR FUSE



AIR HOSE WHIP CHECK

AIR HOSES to complete your compressed air installation, Sunbelt Rentals offers a wide selection of air hose and accessory items including connectors and fittings, safety whipchecks, OSHA valves, inline water separators, inline oilers, pressure regulators, blow pipes and receiver tanks.

| DESCRIPTION | CAT-CLASS |
|----------------------------|-----------|
| 3/8" x 25' Air Hose | 150-0019 |
| 3/8" x 50' Air Hose | 150-0020 |
| 3/4" x 50' Air Hose | 150-0025 |
| 1" x 50' Air Hose | 150-0030 |
| 1-1/2" x 50' Air Hose | 150-0032 |
| 2" x 25' Air Hose | 150-0035 |
| 2" x 50' Air Hose | 150-0040 |
| 3" x 25' Air Hose | 150-0045 |
| 3" x 50' Air Hose | 150-0050 |
| Bull Hose Spud Connector | 150-0055 |
| Air Hose Whip Check | 150-0060 |
| Air Hose OSHA Valve | 150-0065 |
| Inline Water Separator | 150-0070 |
| Y Air Hose Fitting | 150-0075 |
| Inline Oiler | 150-0080 |
| Air Pressure Regulator | 150-0085 |
| Blow Pipe | 150-0090 |
| 660 gal. Air Receiver Tank | 150-0053 |

AIR MANIFOLDS provide multiple 3/4-inch air outlets with ball valve controls from a larger (1-1/2-inch or 2-inch) air inlet. Both tank-type and cage-type air manifolds are offered, both types with a 200 psi pressure rating. (Cat-Class 150-0095) Note: Other types and sizes of air manifolds are available.



TEXAS PNEUMATIC TX-2AMF

Tank-type air manifold
(8) ball valve controlled outlets
2" air inlet with 4-prong coupler on one end and flow-through plug on the other end allows using multiple units in tandem.



TEXAS PNEUMATIC TX-1AMF-WF

Cage-type air manifold w/ water filter
(6) ball valve controlled outlets and a 1-1/2" air inlet.

| PRESSURE LOSS IN AIR HOSE (PER 50' LENGTH) | | | | | | | | |
|--|----------|---------------------|------|------|------|------|------|-----|
| INSIDE DIAMETER | FREE CFM | LINE PRESSURE (PSI) | | | | | | |
| | | 60 | 80 | 100 | 120 | 150 | 200 | 300 |
| 3/4" | 60 | 3.1 | 2.4 | 2.0 | | | | |
| | 80 | 5.3 | 4.2 | 3.5 | 2.9 | 2.4 | 1.8 | 1.2 |
| | 100 | 8.1 | 6.4 | 5.2 | 4.5 | 3.6 | 2.8 | 1.9 |
| | 120 | | 9.0 | 7.4 | 6.3 | 5.1 | 3.9 | 2.7 |
| | 140 | | 12.0 | 9.9 | 8.4 | 6.9 | 5.3 | 3.6 |
| | 160 | | | 12.7 | 10.8 | 8.9 | 6.8 | 4.6 |
| 1" | 180 | | | | 13.6 | 11.1 | 8.5 | 5.8 |
| | 200 | | | | 16.6 | 13.5 | 10.4 | 7.1 |
| | 220 | | | | | 16.2 | 12.4 | 8.4 |
| | 120 | 2.7 | 2.1 | | | | | |
| | 150 | 4.1 | 3.2 | 2.7 | 2.3 | | | |
| | 180 | 5.8 | 4.6 | 3.8 | 3.2 | 2.6 | 2.0 | 1.3 |
| 1 1/2" | 210 | 7.7 | 6.1 | 4.0 | 4.3 | 3.5 | 2.7 | 1.8 |
| | 240 | | 7.9 | 6.5 | 5.5 | 4.5 | 3.4 | 2.3 |
| | 270 | | 9.8 | 8.1 | 6.9 | 5.6 | 4.3 | 2.9 |
| | 300 | | 12.0 | 9.9 | 8.4 | 6.9 | 5.3 | 3.6 |
| | 330 | | | 11.8 | 10.0 | 8.2 | 6.3 | 4.3 |
| | 360 | | | 13.9 | 11.9 | 9.7 | 7.4 | 5.0 |
| 2" | 390 | | | | 13.8 | 11.3 | 8.7 | 5.9 |
| | 420 | | | | 15.9 | 13.0 | 10.0 | 6.8 |
| | 450 | | | | | 14.8 | 11.4 | 7.7 |
| | 600 | 1.9 | | | | | | |
| | 800 | 3.2 | 2.5 | 2.1 | | | | |
| | 1,000 | 5.0 | 3.9 | 3.2 | 2.7 | 2.2 | 1.7 | 1.1 |
| 2 1/2" | 1,200 | 7.0 | 5.5 | 4.5 | 3.8 | 3.1 | 2.4 | 1.6 |
| | 1,400 | 9.3 | 7.4 | 6.1 | 5.2 | 4.2 | 3.2 | 2.2 |
| | 1,600 | | 9.6 | 7.9 | 6.7 | 5.5 | 4.2 | 2.8 |
| | 1,800 | | 12.1 | 9.9 | 8.4 | 6.9 | 5.3 | 3.6 |
| | 2,000 | | | 12.2 | 10.4 | 8.5 | 6.5 | 4.4 |
| | 2,200 | | | 14.6 | 12.5 | 10.2 | 7.8 | 5.3 |
| 3" | 2,400 | | | | 14.7 | 12.0 | 9.2 | 6.3 |
| | 2,600 | | | | | 14.1 | 10.8 | 7.3 |
| | 2,800 | | | | | 16.2 | 12.4 | 8.5 |
| | 2,000 | 2.5 | 2.0 | | | | | |
| | 2,500 | 3.9 | 3.0 | 2.5 | 2.1 | | | |
| | 3,000 | 5.5 | 4.4 | 3.6 | 3.1 | 2.5 | 1.9 | 1.3 |
| 3 1/2" | 3,500 | 7.5 | 5.9 | 4.9 | 4.1 | 3.4 | 2.6 | 1.7 |
| | 4,000 | 9.8 | 7.6 | 6.3 | 5.3 | 4.4 | 3.3 | 2.3 |
| | 4,500 | | 9.6 | 7.9 | 6.7 | 5.5 | 4.2 | 2.8 |
| | 5,000 | | 11.7 | 9.6 | 8.2 | 6.7 | 5.1 | 3.5 |
| | 5,500 | | | 11.5 | 9.8 | 8.0 | 6.1 | 4.2 |
| | 6,000 | | | 13.6 | 11.5 | 9.4 | 7.2 | 4.9 |
| 4" | 6,500 | | | | 13.5 | 11.0 | 8.4 | 5.7 |
| | 7,000 | | | | 15.6 | 12.7 | 9.8 | 6.6 |
| 4 1/2" | 7,500 | | | | | 14.5 | 11.1 | 7.6 |



AIR COMPRESSORS

AFTERCOOLER/SEPARATORS reduce compressed air temperatures to within 5°F to 20°F of ambient temperature. These units help to make air safe, usable and capable of further filtering and drying. These are also capable of eliminating up to 70% of water. Maximum working pressures to 400 psig are available. Air-driven fans include air motor, regulator, lubricator and relief valve.



AACA-450
10 scfm

Capacity Selection Chart*: Max scfm @ 5°F, 10°F, 15°F and 20°F approach temperature to ambient.

| INLET TEMPERATURE °F | 150 | | | | 200 | | | | 250 | | | |
|-------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Approach Temperature °F | 5 | 10 | 15 | 20 | 5 | 10 | 15 | 20 | 5 | 10 | 15 | 20 |
| AACE-1600 & AACA-1600 | 790 | 1,440 | 1,950 | 2,260 | 710 | 1,290 | 1,720 | 1,950 | 660 | 1,200 | 1,600 | 1,860 |
| AACE-2500 & AACA-2500 | 1,220 | 2,220 | 3,000 | 3,470 | 1,090 | 1,980 | 2,680 | 3,100 | 1,035 | 1,880 | 2,500 | 2,870 |
| AACA-3000 | 1,450 | 2,650 | 3,580 | 4,120 | 1,295 | 2,360 | 3,200 | 3,710 | 1,243 | 2,260 | 3,000 | 3,450 |

*Above capacities are based on 80 to 125 psig operating pressures. Maximum pressure drop, less than 3 PSI.

Specifications: Air-Driven

| MODEL | AIR MOTOR USAGE | IN/OUT CONNECTIONS | DIMENSIONS (L x W x H)* | WEIGHT |
|-----------|-----------------|--------------------|-------------------------|----------|
| AACA-450 | 10 scfm | 2" npt | 46" x 48" x 60" | 400 lbs. |
| AACA-1000 | 20 scfm | 2" npt | 46" x 48" x 60" | 600 lbs. |
| AACA-1600 | 70 scfm | 3" npt | 73" x 48" x 72" | 800 lbs. |

AFTERCOOLER/FILTER PACKAGES

Obtain oil-free air with lubricated (oil-flooded) compressors. Units are skid-mounted, require no power and feature filter gauges that indicate element replacement.

This package includes an aftercooler with air-driven fan motor which reduces air temperature leaving the compressor to within 10°F to 15°F of ambient temperature.

Eliminates 80% of water and utilizes a separator/filter to remove bulk liquids. Prefilters the air for finer filtration. Large-in-depth bed eliminates heavy particulate loads. Employs an ultra-high efficiency coalescing oil removal filter that removes fine oil droplets (aerosols) and solid particles 0.01 microns and larger.

Oil content after filtration: 001 ppm w/w. Ideal for Construction, bridge repair, sandblasting, painting, manufacturing, refineries, shipyards, paper and chemical.



AFCS1000
1,000 scfm

| MODEL | CAPACITY (SCFM) | DIMENSIONS (H x W x D) | WEIGHT |
|----------|-----------------|------------------------|------------|
| AFCS450 | 450 | 53" x 46" x 36" | 675 lbs. |
| AFCS750 | 750 | 68" x 48" x 60" | 675 lbs. |
| AFCS1000 | 1,000 | 73" x 48" x 72" | 950 lbs. |
| AFCS1600 | 1,600 | 73" x 48" x 72" | 1,000 lbs. |

AIR COMPRESSORS

MEMBRANE DRYER/AFTERCOOLER PACKAGES

Features a three-part filtration system, air cooling and sturdy design.

Includes an aftercooler that is rated for 10°F approach from ambient temperature. The unit features an air-driven fan motor, regulator, lubricator and muffler/separator. Our three-stage filtration system includes a separator/prefilter to remove liquids to 3 microns, two-stage prefilter to remove liquid water and oil to 1 micron, and high-efficiency oil removal to remove solids and aerosols to 0.01 micron. Filters are oversized and staged to increase particulate loading capacity. Drains on prefilter housings are float type. Steel channel construction with forklift slots included. Also features 2-inch npt Male in and out compressed air connections.



AFTERCOOLER/DRYER/FILTER PACKAGES

A complete air treatment system in one package (cfm air loss 15%–20%).

The aftercooler with air-driven fan motor lowers temperature of air leaving the compressor to within 7.5°F of ambient temperature and eliminates 70% of water. Prefilter 1 serves as a separator/filter that removes bulk liquids and prefilters the air. Prefilter 2 is an ultra-high efficiency coalescing type oil removal filter that removes fine oil droplets (aerosols) and solid particles 0.01 microns and larger. Oil content after filtration = 0.001 ppm w/w. Our pressure-swing (heatless) regenerative desiccant dryer—produces extra dry air (–40°F or –80°F pressure dew point). The efficient design minimizes purge air requirements. Dryer runs on 12V dc—115V ac optional and units are pre-piped with convenient in/out connections. Can be utilized industrially in spray painting, powder coating, blow molding, pneumatic instrumentation, nitrogen generation and process air. Construction (with portable compressors) applications include bridge repair, sandblasting, painting and pipeline dehydration.



RDH1550AC
1,600 scfm

| MODEL | CAPACITY (SCFM) @ 100 PSIG | MAX WORKING PRESSURE | DIMENSIONS (H x W x D) | WEIGHT |
|------------|----------------------------|----------------------|------------------------|------------|
| RDH260GAC | 185–260 | 250 psi | 82" x 50" x 69" | 1,500 lbs. |
| RDH450GAC | 260–500 | 250 psi | 82" x 50" x 69" | 2,200 lbs. |
| RDH930GAC | 500–1,000 | 150 psi | 80" x 75" x 71" | 3,800 lbs. |
| RDH1550AC | 1,000–1,600 | 150 psi | 97" x 73" x 81" | 6,000 lbs. |
| RDH1550GAC | 1,000–1,600 | 250 psi | 87" x 78" x 83" | 6,000 lbs. |

CUSTOM FILTER PACKAGES

Compressed air as clean as you need it— we offer custom filter packages tailored to meet your specific requirements. Examples include coalescing type oil removal filters, oil vapor removal filters, separator/filters, air line filters and any combination of these filters. Each filter package includes automatic drains and filter change indicators.



AIR COMPRESSORS

Sunbelt Rentals also offers air hose and accessory items including connectors and fittings, safety whipchecks, OSHA valves, inline water separators, inline oilers, pressure regulators, blow pipes and receiver tanks.

DESICCANT DRYERS: For dew points of -40°F and -80°F (cfm air loss 15–20%)

Features

- Mounted particulate and oil removal prefilters complete with automatic condensate drains and a one micron afterfilter—no field installation of filters is required
- Heavy-duty frame with lifting lugs and forklift channels for easy handling
- NEMA 4, 115/1/60 electrics—suitable for outdoor operation (all pneumatic units are also available)
- Units can be field adjusted for -40°F or -80°F pressure dew point
- Full instrumentation package provides ready indication of system malfunction
- High-pressure models (350 psi) are available

Operating Conditions

- Maximum inlet compressed air temperature: 120°F
- Minimum/maximum ambient temperature: 35/120°F standard (-10/120°F with low ambient package installed)



Note: Transport desiccant dryers on air-ride trucks only.

| STANDARD MODELS** | FLOW (SCFM)* | | | MAX WORKING PRESSURE | IN/OUT CONNECTIONS | DIMENSIONS (H x W x D) | WEIGHT |
|-------------------|--------------|-------------|--------------|----------------------|--------------------|------------------------|------------|
| | INLET | OUTLET | | | | | |
| | | @ -40°F PDP | @ -100°F PDP | | | | |
| RDH450 | 450 | 385 | 380 | 150 psi | 2" npt | 92" x 42" x 60" | 1,800 lbs. |
| RDH930 | 930 | 796 | 786 | 150 psi | 2-1/2" npt | 105" x 58" x 72" | 3,800 lbs. |
| RDH930G | 930 | 796 | 786 | 150 psi | 2-1/2" npt | 80" x 76" x 73" | 3,500 lbs. |
| RDH1550 | 1,550 | 1,327 | 1,309 | 150 psi | 3" Boss | 100" x 78" x 96" | 5,000 lbs. |
| RDH1550G | 1,550 | 1,327 | 1,309 | 250 psi | 3" Boss | 79" x 78" x 83" | 5,500 lbs. |

*Flow shown is based on inlet compressed air at 100 PSI and 100°F. **High pressure units are available.



AIR CONDITIONERS



For more
information,
scan code or
visit sbr.com



Whether you need to cool a single room, an office space or a fully functioning manufacturing plant, Sunbelt Rentals has the equipment you need. No matter what industry you work in, Sunbelt Rentals has the necessary cooling solutions you need.

- Air-Cooled Chillers
- Air Handling Units
- Cooling Towers
- High Static Air Conditioners
- HVAC-Energy Recovery Ventilation
- Mounted Air Conditioners/Dehumidifiers
- Portable Air Conditioners/Dehumidifiers
- Portable Heat Pumps
- Portable Water-Cooled Air Conditioners
- Vertical Air Conditioners



SUNBELT
RENTALS

AIR CONDITIONERS



AIRREX AHSC-12
1 Ton AC



AIRREX AHSC-18
1.5 Ton AC



AIRREX AHSC-60
5 Ton AC

PORTABLE AIR CONDITIONERS/DEHUMIDIFIERS are ideal for small area cooling and spot cooling—the ability to direct cool air to precise locations. These efficient units provide comfort for workers and protection for sensitive equipment in all types of environments. Spot cooling provides substantial energy savings compared to central air conditioning by cooling only the area, people or equipment necessary. Energy-efficient and ultra-quiet, these units can achieve temperature drops of 12°F to 30°F in just minutes.



| MAKE | MODEL | CAPACITY | MAX AIRFLOW | WARM AIR DUCT ¹ DIA/MAX LENGTH | VOLTAGE | AMP RATING | WEIGHT | CAT-CLASS |
|-------------|-----------------------|----------|-------------|--|-----------|------------|----------|-----------|
| Airrex | AHSC-12 | 1 ton | 272 cfm | 10"/25' | 115V | 10.4 | 148 lbs. | 107-2018 |
| Airrex | AHSC-14 | 1.25 ton | 440 cfm | 12"/25' | 115V | 1.37 | 178 lbs. | 107-2017 |
| Airrex | AHSC-18 | 1.5 ton | 424 cfm | 12"/30' | 115V | 13.4 | 210 lbs. | 107-2019 |
| Airrex | HSC-12 | 1 ton | 395 cfm | 10"/25' | 115V | 1.34 | 127 lbs. | 107-0105 |
| Airrex | HSC-14 | 1.2 ton | 440 cfm | 12"/50' | 115V | 13 | 176 lbs. | 107-0110 |
| Airrex | HSC-18 | 1.5 ton | 460 cfm | 12"/50' | 115V | 17 | 185 lbs. | 107-0114 |
| Airrex | HSC-24A | 2 ton | 460 cfm | 12"/50' | 220V | 12.6 | 210 lbs. | 107-0120 |
| Airrex | HSC-36B | 3 ton | 943 cfm | 16"/50' | 220V | 21.9 | 396 lbs. | 107-0134 |
| Airrex | HSC-60 | 5 ton | 1,940 cfm | 16"/50' | 480V | 10.4 | 550 lbs. | 107-0154 |
| MobileCool | MOB-60HP ² | 5 ton | 1,950 cfm | — | 230V, 1ØV | 47 | 725 lbs. | 107-0140 |
| Oceanaire | 20AC1811 | 1.5 ton | 600 cfm | 12"/25' | 115V | 14.1 | 260 lbs. | 107-0114 |
| Oceanaire | 20AC3612 | 3 ton | 1,200 cfm | 16"/50' | 208/230V | 18.1 | 365 lbs. | 107-0134 |
| Temp Air | PAC-1.2 | 1.2 ton | 350 cfm | 14"/12' [optional] | 115V | 15 | 163 lbs. | 107-0112 |
| Temp Air | PAC-1.5 | 1.5 ton | 600 cfm | 14"/12' [optional] | 115V | 15 | 232 lbs. | 107-0115 |
| United Cool | PACH5N1 | 5 ton | 2,000 cfm | 16"/75' | 230V | 55.6 | 690 lbs. | 107-0152 |

¹Optional warm air flange is required when using warm air discharge duct. ²MOB-series models are combination heating/cooling/dehumidifying units with 12" supply and [2] 12" return ducts—weatherproof for outdoor placement. ⁴OptionalNote: 12' x 25' flexible duct is available for use with portable air conditioners. [Cat-Class 150-0110] A ceiling transition is available for ducting through ceilings.



AIR CONDITIONERS

PORTABLE WATER-COOLED AIR CONDITIONERS offer an extremely efficient and effective way to control the climate in any sized room. Because water cooled air conditioners do not discharge large amounts of heat, they do not require exhaust ducting and are used to great effect in enclosed areas.



AIRREX HWC-19
1.5 Ton



OCEANAIRE OWC/PWC 6034
5 Ton

| MAKE | MODEL | CAPACITY | MAX AIRFLOW | COOLING AREA ¹ | VOLTAGE | AMP RATING | WEIGHT | CAT-CLASS |
|-----------|--------------|----------|-------------|---------------------------|----------|------------|----------|-----------|
| Airrex | HWC-19 | 1.5 ton | 514 cfm | 600 sq. ft. | 115V | 1.5 | 163 lbs. | 107-0116 |
| Oceanaire | OWC/PWC 1811 | 1.5 ton | 600 cfm | 600 sq. ft. | 115V | 11.3 | 155 lbs. | 107-0116 |
| Oceanaire | OWC/PWC 6012 | 5 ton | 1,950 cfm | 2,000 sq. ft. | 208-230V | 23.7 | 470 lbs. | 107-0153 |
| Oceanaire | OWC/PWC 6034 | 5 ton | 1,950 cfm | 2,000 sq. ft. | 460V | 6.3 | 500 lbs. | 107-0156 |

¹Cooling area is based upon an uninsulated/insulated enclosed area.



MOBILECOOL MOB 250
25 Ton



AIRREX AHSC-140
12 Ton



TEMP AIR PAC25T4HD
25 Ton



AIRREX AHSC-60
5 Ton

SKID OR TRAILER MOUNTED AIR CONDITIONERS/DEHUMIDIFIERS provide cooling and dehumidifying for large area solutions. Applications include warehouse facilities, special events, aerospace and aviation, industrial plant shutdowns and maintenance, emergency backup cooling and large scale spot cooling.



| MAKE | MODEL | CAPACITY | HEAT PUMP | ELECTRIC HEAT | MAX AIRFLOW | VOLTAGE | AMP RATING | DIMENSIONS (L x W x H) | SKID WEIGHT | CAT-CLASS |
|-----------------|-----------------------|----------|-----------|---------------|-------------|-----------|-------------------|------------------------|-------------|-----------|
| Airrex | AHSC-60 | 5 ton | Yes | No | 1,620 cfm | 220V/460V | 50/10.6 | 29.1" x 57.1" x 47.7" | 567 lbs. | 107-0150 |
| Airrex | AHSC-140 | 12 ton | No | Yes | 3,530 cfm | 480V | 30 | 62" x 31" x 65.2" | 1,162 lbs. | 108-0213 |
| MobileCool | MOB-42HP ² | 3.5 ton | Yes | Yes | 1,400 cfm | 230V, 1Ø | 26 | 38" x 64" x 48" | 475 lbs. | 107-0130 |
| MobileCool | MOB-100 | 10 ton | No | Yes | 4,000 cfm | 460V | 31 | 59" x 96" x 53" | 1,350 lbs. | 108-0210 |
| MobileCool | MOB-250 ¹ | 25 ton | No | Yes | 10,000 cfm | 460V | 57 | 92" x 128" x 63" | 3,200 lbs. | 108-0230 |
| Temp Air | PAC-5 | 5 ton | No | No | 2,000 cfm | 208/230V | 50 | 89" x 53" x 50" | 906 lbs. | 107-0140 |
| Temp Air | PAC-15 | 15 ton | No | Yes | 6,000 cfm | 460V | 50 Cool, 100 Heat | 127" x 74" x 66" | 3,340 lbs. | 108-0209 |
| Temp Air | PAC-25T | 25 ton | No | Yes | 10,000 cfm | 460V | 130 | 140" x 88" x 65" | 3,108 lbs. | 108-0225 |
| Temp Air | PAC-30 | 30 ton | No | Yes | 9,000 cfm | 460V | 150 | 120" x 96" x 102" | 7,000 lbs. | 108-0238 |
| Temp Air | PAC-50T | 50 ton | No | Yes | 18,000 cfm | 460V | 180 | 243" x 100" x 93" | 8,400 lbs. | 108-0252 |
| Temp Air | PAC-60 | 60 ton | No | Yes | — | 460V | 200 | 278" x 100" x 100" | 12,600 lbs. | 108-0260 |
| United Cool | 15 TON | 15 ton | No | Yes | 5,000 cfm | 460V | 50 Cool, 60 Heat | 46" x 64.7" x 86.5" | 1,640 lbs. | 108-0208 |
| United Cool Air | PacSlim-12 | 12 ton | No | Yes | 4,400 cfm | 230V | — | 75.5" x 34" x 67.75" | 1,184 lbs. | 108-0211 |

¹Combination cooling/heating/dehumidifying units with built-in electric heaters: 72 kW heater (25-ton models); 108 kW heater (40-ton model); 200 kW heater (60-ton model). ²MOB-series models are combination heating/cooling/dehumidifying units with 12" supply and (2) 12" return ducts—weatherproof for outdoor placement.

AIR CONDITIONERS

VERTICAL AIR CONDITIONERS provide 20 ton cooling at 7,000 cfm. These units are ideal for situations where space is limited. They are equipped with quick connect plugs for fast set ups and removals, and equipped with condensate pumps to ensure reliable discharge to a nearby drain.



**AMERICAN EVENT SERVICES
WISPERKOOL 2D**
20 Ton

| MAKE | MODEL | CAPACITY | MAX AIRFLOW | VOLTAGE | DIMENSIONS (L x W x H) | WEIGHT | CAT-CLASS |
|-------------------------|---------------|----------|-------------|---------|------------------------|------------|-----------|
| American Event Services | Wisperkool 2D | 20 ton | 7,000 cfm | 480V | 81" x 44" x 82" | 2,544 lbs. | 108-0221 |

HIGH STATIC AIR CONDITIONERS offer a compact design and use R410a refrigerant. Units feature oversized and low noise condensers, high static blowers, and blower VFDs with additional inline starters and speed control. These are industrial-designed units with certified structural cages.



SMART FAMILY SACP40A-HS
40 Ton Industrial Air Conditioner



SMART FAMILY SACP80A-HS
80 Ton Industrial Air Conditioner

| MAKE | MODEL | CAPACITY | MAX AIRFLOW | STATIC PRESSURE | SUPPLY DUCT DIA/MAX LENGTH | RETURN DUCT DIA/MAX LENGTH | VOLTAGE | MIN CIRCUIT AMP (460V) | AMP RATING | DIMENSIONS (L x W x H) | SKID WEIGHT | CAT-CLASS |
|---------------------------|------------|----------|-------------|-----------------|----------------------------|----------------------------|----------|------------------------|------------|------------------------|-------------|-----------|
| Smart Family | SACP12A-HS | 12 ton | 4,000 cfm | 10" wg | 2 x 12" | 2 x 12" | 460V, 3Ø | 33A | 33 | 74" x 70" x 90" | 3,720 lbs. | 108-0214 |
| Smart Family | SACP28A-HS | 30 ton | 4,000 cfm | 8" wg | 2 x 20" | 1 x 20" | 460V, 3Ø | 56A | 47.9 | 72" x 88" x 98" | 4,040 lbs. | 108-0238 |
| Smart Family | SACP40A-HS | 40 ton | 6,400 cfm | 6.5" wg | 2 x 20" | 2 x 20" | 460V, 3Ø | 80A | 67.6 | 78" x 88" x 98" | 4,620 lbs. | 108-0245 |
| Smart Family | SACP80A-HS | 80 ton | 12,800 cfm | 6.4" wg | 2 x 20" | 4 x 20" | 460V, 3Ø | 156A | 143 | 130" x 88" x 98" | 4,620 lbs. | 108-0285 |
| Smart Family ¹ | SACP80A-HS | 80 ton | 12,800 cfm | 6.4" wg | 2 x 20" | 4 x 20" | 460V, 3Ø | 156A | 143 | 130" x 88" x 95" | 4,620 lbs. | 108-0286 |

¹Heat Model.

HVAC-ENERGY RECOVERY VENTILATION is based on ambient air and humidity. The energy recovery wheel returns, on average, 75% of the energy from exhausted air back to the structure.



CMHX10Q

| MAKE | MODEL | DUCT/HOSE CONNECTION | CONNECTION TYPE | DIMENSIONS (L x W x H) | WEIGHT | CAT-CLASS |
|-------------------------------|---------|----------------------------------|-----------------|------------------------|------------|-----------|
| Smart Family Cooling Products | CMHX10Q | (2) 20" Supply / (2) 20" Exhaust | 110V Sure Plug | 102" x 87" x 98" | 3,800 lbs. | 109-9010 |



AIR CONDITIONERS



AIRREX AHSC-12
1 Ton



AIRREX AHSC-18
1.5 Ton



MOBILECOOL MOB 42
3.5 Ton

PORTABLE HEAT PUMPS combine both cooling and heating capabilities in a single, self-contained unit. The most common type of portable heat pump uses ambient air to heat a space. All that is required is to simply plug the unit in.



| MAKE | MODEL | CAPACITY | BTU | ELECTRIC HEAT RATING | MAX AIRFLOW | WARM AIR DUCT* DIA/MAX LENGTH | VOLTAGE | AMP RATING | WEIGHT | CAT-CLASS |
|------------|-----------|----------|--------------|----------------------|-------------|-------------------------------|---------|------------|----------|-----------|
| Airrex | AHSC-12 | 1 ton | 12,000 btu/h | — | 272 cfm | 10"/25' | 115V | 11 | 148 lbs. | 107-2018 |
| Airrex | AHSC-14 | 1.25 ton | 13,600 btu/h | — | 440 cfm | 10"/30' | 115V | 11.8 | 178 lbs. | 107-2017 |
| Airrex | AHSC-18 | 1.5 ton | 16,800 btu/h | — | 424 cfm | 12"/50' | 115V | 16 | 210 lbs. | 107-2019 |
| MobileCool | MOB-42 | 3.5 ton | 42,000 btu/h | 5.7 kW | 1,400 cfm | 20"/25' | 208V | 26 | 475 lbs. | 107-0130 |
| Oceanaire | 20ACH1211 | 1 ton | 12,000 btu/h | — | 400 cfm | 12"/25' | 115V | 10.4 | 180 lbs. | 107-2018 |
| Oceanaire | 20ACH1811 | 1.5 ton | 16,800 btu/h | — | 600 cfm | 12"/25' | 115V | 14.1 | 260 lbs. | 107-0114 |

*Optional warm air flange is required when using warm air discharge duct.



WE'LL MAKE IT
HAPPEN

FULL-SERVICE SOLUTIONS

It's not enough to merely have the equipment you need. Unlike drop-and-go rental providers, we're in the problem-solving business too. So, no matter what obstacles you face, we'll work to help you find a solution. We do this by leveraging project expertise others can't match.

PLANNED AND UNPLANNED NEEDS

We specialize in supporting scheduled maintenance projects and emergency situations when vital systems fail. Our Climate Control experts work closely with you to identify the equipment that best fits your unique application, so you're up and running in no time.

CLIMATE CONTROL SERVICES

It's our job to understand the importance of precise temperature control and to deliver engineered solutions. Our dedicated team of sales engineers and technicians provide white-glove delivery, installation, and removal for temporary heating, cooling, dehumidifying, and indoor air quality control rental equipment.



AIR CONDITIONERS



PORTABLE AIR HANDLING UNIT
50 Ton



PORTABLE AIR HANDLING UNIT
120 Ton



SMART FAMILY SMT-020QLT
20 Ton Low Temp

AIR HANDLING UNITS are designed and constructed for ease of operation and mobility as well as the rigors of everyday use. Our units are mounted on a structural steel frame that incorporates tube slots for forklift handling. Our units also include a certified structural lifting/stacking protective cage for optional overhead positioning with an onsite crane for hard-to-reach site setup locations. The units are ready for operation with minimal setup of two 4-foot hose connections and four Camlock power cables.



| TYPE | MAKE | MODEL | CAPACITY | CFM | DUCT SIZE | SUPPLY DUCTS | RETURN DUCTS | VOLTAGE | DIMENSIONS (L x W x H) | WEIGHT | CAT-CLASS |
|-------------|--------------|-----------|----------|--------|-----------|--------------|--------------|----------|------------------------|------------|-----------|
| 20 ton AHU | Temp Air | TAH-20 | 20 ton | 3,500 | 20" | 1 | — | 230/460V | 63" x 36" x 76" | 1,372 lbs. | 109-1020 |
| 50 ton AHU | CAPS | PAHH-50TC | 50 ton | 6,250 | 20" | 2 | 4 | 460V | 107.25" x 83" x 63.25" | 3,250 lbs. | 109-1050 |
| 50 ton AHU | Temp Air | TAH-50 | 50 ton | 12,000 | 20" | 2 | 4 | 460V | 115" x 80" x 71" | 2,600 lbs. | 109-1050 |
| 120 ton AHU | Smart Family | SMT-120Q | 120 ton | 15,000 | 20" | 2 | 4 | 460V | 130" x 88" x 60" | 3,800 lbs. | 109-1120 |
| 120 ton AHU | CAPS | SMT-120Q | 120 ton | 15,000 | 20" | 4 | 6 | 460V | 151.5" x 101" x 63.25" | 5,200 lbs. | 109-1120 |

Low Temp Air Handler



| TYPE | MAKE | MODEL | CAPACITY | CFM | DUCT/HOSE CONN | RUN LOAD AMPS | GENERATOR SIZE | POWER SUPPLY | DIMENSIONS (L x W x H) | WEIGHT | CAT-CLASS |
|---------------------|--------------|------------|----------|--------|----------------|---------------|----------------|---------------|------------------------|------------|-----------|
| 20 ton low temp AHU | Smart Family | SMT-020QLT | 20 ton | 24,500 | 4" | 49.6 | 27 kW(min) | 460V/3PH/60HZ | 114" x 44.25" x 84" | 3,800 lbs. | 109-5190 |

COOLING TOWERS are specialized heat exchangers that bring water and air into direct contact with one another in order to lower the temperature of the water being circulated through the enclosed basin. Our units are modular in design and can be used in both direct systems – augmentation process cooling and HVAC cooling tower change-out – and indirect systems for process cooling in industrial applications. Our fleet of cooling towers helps customers reach their cooling goals while using less energy and experiencing less downtime for maintenance. Typical rental applications include retrofit or replacement of an existing tower and emergency and planned maintenance.



TOWER TECH TTXR-1019XX
1,000 Ton

| MAKE | MODEL | BASIN CAPACITY | MIN FLOW | MAX FLOW | FANS/ MOTORS | NOMINAL TONS ¹ | DIMENSIONS ¹ (L x W x H) | SHIPPING WEIGHT ² | OPERATING WEIGHT ² | CAT-CLASS |
|------------|--------------------------|----------------|-----------|-----------|--------------|---------------------------|-------------------------------------|------------------------------|-------------------------------|-----------|
| Tower Tech | TTXR-1019xx | 1,600 gal. | 1,000 gpm | 2,700 gpm | 10 | 1,000 | 30' 9" x 12' x 17' | 19,162 lbs. | 31,655 lbs. | 109-2000 |
| Tower Tech | TTXR-1219xx ³ | 1,920 gal. | 1,200 gpm | 3,000 gpm | 12 | 1,200 | 36' 6" x 12' x 17' | 22,912 lbs. | 37,623 lbs. | 109-2001 |

¹Dimensions are approximate and should not be used for construction purposes. ²Tower weights may vary due to optional equipment, residual water from factory testing, rain, etc. Weights shown are guidelines only and do not include sump, substructure or other accessories not directly attached to the tower module during shipping. ³TTXR-1219xx requires two sumps. ⁴At 95° - 85° - 76°.

AIR CONDITIONERS



CAPS PCHH-56TD
56 Ton



CAPS PCHH-100TD
100 Ton



CAPS PCHH-150TD
150 Ton

AIR-COOLED CHILLERS offer flexible temporary fluid cooling solutions using equipment that has been designed and engineered to be self contained systems for Commercial and Industrial air conditioning and process cooling applications. These packages have also been designed and constructed for ease of operation and mobility as well as the rigors of everyday use. Our package is mounted on a structural steel frame that incorporates tube slots for forklift handling. Our package also includes a certified structural lifting/stacking protective cage for optional overhead positioning with an onsite crane for hard to reach site setup locations.



| MAKE | MODEL | CAPACITY | PUMP SIZE | HOSE CONN | VOLTAGE | MIN CIRCUIT AMP | VSD | PUMP DISCHARGE | FPCC ² | DIMENSIONS (L x W x H) | WEIGHT | CAT-CLASS |
|--------------|-------------------------|----------|-----------|-----------|---------|-----------------|-----------|----------------|-------------------|------------------------|-------------|-----------|
| Smart Family | STAC10D-R | 10 ton | 24 gpm | 2" | 460V | 29A | — | 100' | 36" | 90" x 56" x 66" | 1,600 lbs. | 109-1005 |
| CAPS | PCHH-56TD | 56 ton | 140 gpm | 4" | 460V | 153A | — | 100' | Varies | 205" x 100" x 77.5" | 6,800 lbs. | 109-1056 |
| CAPS | PCHH-70TD | 70 ton | 200 gpm | 4" | 460V | 181A | — | 100' | 54" | 177" x 100" x 102" | 8,200 lbs. | 109-1270 |
| CAPS | PCHH-100TD | 100 ton | 300 gpm | 4" | 460V | 244A | — | 100' | 54" | 205" x 100" x 102" | 11,000 lbs. | 109-1300 |
| CAPS | PCHH-150TD | 150 ton | 500 gpm | 6" | 460V | 345A | — | 100' | 54" | 255" x 101" x 102" | 14,500 lbs. | 109-1350 |
| CAPS | PCHH-200TD | 200 ton | 600 gpm | 6" | 460V | 379A | Installed | 100' | 54" | 292" x 100" x 102" | 20,000 lbs. | 109-1520 |
| AES | YCIV-230T | 230 ton | 800 gpm | 6" | 460V | 450A | Installed | 100' | 54" | 326" x 103" x 106" | 21,000 lbs. | 109-1523 |
| CAPS | PCHH-417TD ¹ | 400 ton | 1,200 gpm | 6" | 460V | 752A | Installed | 100' | — | 636" x 103" x 158" | 48,000 lbs. | 109-1560 |
| AES | YCIU-440T | 400 ton | 1,250 gpm | 6" | 460V | 800A | Installed | 100' | — | 573" x 90" x 91" | 28,364 lbs. | 109-1560 |

¹400 ton chiller is complete with air-ride trailer. ²FPCC: Fork pockets center to center. Please check fork pocket sizes. Most are 4" x 10" or 6" x 10" depending on model. 400 ton chillers are trailer mounted with 8 lifting eyes.

Low Temp Chillers



| MAKE | MODEL | CAPACITY | PUMP SIZE | HOSE CONN | VOLTAGE | MIN CIRCUIT AMP | PUMP DISCHARGE | WATER VOLUME | DIMENSIONS (L x W x H) | WEIGHT | CAT-CLASS |
|------|-------------|----------|-----------|-----------|---------|-----------------|----------------|--------------|------------------------|-------------|-----------|
| CAPS | PCHLT-100TC | 100 ton | 300 gpm | 4" | 460V | 244A | 100' | 51 gal. | 205" x 102" x 102" | 11,000 lbs. | 109-1301 |
| CAPS | PCHLT-150TC | 150 ton | 500 gpm | 6" | 460V | 345A | 100' | 66 gal. | 250" x 102" x 102" | 14,500 lbs. | 109-1351 |
| CAPS | PCHLT-200TC | 200 ton | 600 gpm | 6" | 460V | 379A | 100' | 110 gal. | 295" x 101" x 102" | 20,000 lbs. | 109-1521 |
| CAPS | YCIV 440T | 400 ton | 1,200 gpm | 6" | 460V | 784A | 100' | 318 gal. | 531" x 101" x 102" | 35,000 lbs. | 109-1561 |



AIR TOOLS



For more
information,
scan code or
visit sbr.com



Air pressure can really pack a punch and tools that run on air pressure can help you get the job done. We carry a variety of air tools that can help you tackle a wide array of projects in your home or in your business.

- Air Backfill Tampers
- Air Impact Wrenches
- Air Nailers & Staplers
- Air Post Drivers
- Chipping Hammers
- Industrial Air Tools
- Paving Breakers
- Rivet Busters
- Rock Drills

AIR TOOLS



UNIVERSAL TOOL UT8160R
1/2" Square Drive



UNIVERSAL TOOL UT7560C-75
3/4" Square Drive



UNIVERSAL TOOL UT1040C
1" Square Drive



UNIVERSAL TOOL UT1550S
No. 5 Spline Drive

AIR IMPACT WRENCHES provide high-speed bolt torquing in industrial and construction applications. Factors to consider when selecting an impact wrench for a specific application are the diameter of the bolts being tightened, the approximate torque requirement and the intended use frequency. Oilers, air filters and whip checks can be supplied with the impacts.

Note: Impact sockets are also available for rent. (Cat-Class 150-0155)



| MAKE | MODEL | DRIVE/STYLE | NO-LOAD SPEED | IMPACTS/MIN | MAX TORQUE | AIR REQUIREMENT | WEIGHT | CAT-CLASS |
|----------------|------------|------------------------|---------------|-------------|----------------|-----------------|---------|-----------|
| Ingersoll | 2707P1 | 1/2" square/pistol | 7,750 rpm | 1,300 | 450 ft. lbs. | 26 cfm @ 90 psi | 6 lbs. | 002-0040 |
| Ingersoll | 2135PT1 | 1/2" square/pistol | 9,500 rpm | 1,250 | 600 ft. lbs. | 24 cfm @ 90 psi | 5 lbs. | 002-0040 |
| Universal Tool | UT8160R | 1/2" square/pistol | 9,000 rpm | 1,250 | 725 ft. lbs. | 29 cfm @ 90 psi | 4 lbs. | 002-0040 |
| Universal Tool | UT7560C-75 | 3/4" square/pistol | 5,700 rpm | 1,050 | 1,025 ft. lbs. | 35 cfm @ 90 psi | 12 lbs. | 002-0045 |
| Ingersoll | 2925P1 | 3/4" square/pistol | 5,200 rpm | 1,050 | 1,450 ft. lbs. | 60 cfm @ 90 psi | 12 lbs. | 002-0045 |
| Ingersoll | 2161P | 3/4" square/pistol | 6,000 rpm | 1,050 | 1,250 ft. lbs. | 46 cfm @ 90 psi | 12 lbs. | 002-0045 |
| Universal Tool | UT7560C-1 | 1" square/pistol | 5,700 rpm | 1,050 | 1,025 ft. lbs. | 35 cfm @ 90 psi | 12 lbs. | 002-0050 |
| Ingersoll | 1712B2 | 1" square/straight | 6,000 rpm | 800 | 1,350 ft. lbs. | 56 cfm @ 90 psi | 18 lbs. | 002-0050 |
| Universal Tool | UT1040C | 1" square/straight | 5,000 rpm | 800 | 2,000 ft. lbs. | 58 cfm @ 90 psi | 22 lbs. | 002-0050 |
| Ingersoll | 3940B2T1 | 1" square/straight | 6,000 rpm | 800 | 2,500 ft. lbs. | 75 cfm @ 90 psi | 21 lbs. | 002-0050 |
| Ingersoll | 2950B7 | 1-1/2" square/straight | 3,750 rpm | 650 | 3,000 ft. lbs. | 70 cfm @ 90 psi | 33 lbs. | 002-0049 |
| Universal Tool | UT1550C | 1-1/2" square/straight | 3,750 rpm | 650 | 3,000 ft. lbs. | 70 cfm @ 90 psi | 33 lbs. | 002-0049 |
| Universal Tool | UT1550S | No. 5 spline/straight | 3,750 rpm | 650 | 3,000 ft. lbs. | 70 cfm @ 90 psi | 33 lbs. | 002-0048 |

AIR POST DRIVERS are ideal for driving fence posts, channel posts, ground rods, beams and stakes in both open space and hard to reach locations. They feature fast, one-man or two-man operation. Two sizes of air post drivers are available plus a selection of chucks to accommodate specific applications.

Note: A transport cart is available for the model PD-55. (Cat-Class 044-0250)



RHINO PD-55
3-7/8" Chuck

| MAKE | MODEL | CHUCK* | APPLICATIONS | AIR REQUIREMENT | WEIGHT | CAT-CLASS |
|-------|--------|--------|---------------------------------------|------------------|----------|-----------|
| Rhino | PD-55 | 3-7/8" | Steel fence posts, ground rods | 42 cfm @ 100 psi | 55 lbs. | 002-0060 |
| Rhino | PD-140 | 4-1/4" | Beams up to 4" x 6", 12" sheet piling | 64 cfm @ 100 psi | 138 lbs. | — |

*Chuck size shown is the master chuck—additional chucks are available to match specific applications.

AIR TOOLS

AIR BACKFILL TAMPERS are ideal for compacting soil and asphalt in close quarters. Applications include foundation and pavement repair, utility pole installation and temporary filling of holes. All models feature a round steel butt tamping foot and a long handle design for easy operation.



APT 131

| MAKE | MODEL | BPM | TAMPING FOOT | AIR REQUIREMENT | LENGTH | WEIGHT | CAT-CLASS |
|------|-------|-----|--------------|-----------------|--------|---------|-----------|
| APT | 131 | 670 | 5-3/4" | 42 cfm @ 90 psi | 52" | 37 lbs. | 002-0035 |

CHIPPING HAMMERS are utilized for many light demolition applications including scaling, chiseling, removing concrete buildup from cement mixers and other surfaces and form stripping. They feature compact designs, making them ideal for working in tight spaces. The 20-pound class models are light paving breakers that function as clay diggers suitable for digging and tunneling around foundations. Demolition tool steel, including chisels, points, spades and bushing heads, is also available for rent.

APT M263
15 lb. classAPT 125
20 lb. class

| MAKE | MODEL | CLASS | GRIP TYPE | LATCH STYLE | CHUCK | BPM | AIR REQUIREMENT | LENGTH | WEIGHT | CAT-CLASS |
|-------|-------|---------|-------------|-------------|-------------------|-------|-------------------|--------|---------|-----------|
| APT | M263 | 15 lbs. | D-style | Spring-type | .680" round | 1,650 | 33 cfm @ 90 psi | 15" | 14 lbs. | 002-0005 |
| APT | M264 | 15 lbs. | D-style | Spring-type | .680" round | 1,375 | 34 cfm @ 90 psi | 16" | 15 lbs. | 002-0005 |
| APT | M654 | 15 lbs. | Pistol grip | Spring-type | .680" round | 1,375 | 36 cfm @ 90 psi | 15" | 18 lbs. | 002-0005 |
| Tamco | TCH3B | 15 lbs. | D-style | Spring-type | .680" round | 2,200 | 31.5 cfm @ 90 psi | 16" | 19 lbs. | 002-0005 |
| APT | 125 | 20 lbs. | D-style | Lever-type | 7/8" hex x 3-1/4" | 2,120 | 42 cfm @ 90 psi | 18" | 21 lbs. | 002-0010 |
| Tamco | TCH4B | 20 lbs. | D-style | Spring-type | .680" round | 1,800 | 33 cfm @ 90 psi | 17" | 17 lbs. | 002-0010 |

PAVING BREAKERS are heavy-duty air hammers utilized for the demolition of concrete floors, pavement, masonry walls and bridge decks. All models feature T-style handles for a secure grip and lever-type latches for easy tool changes. 35-pound, 65-pound and 90-pound class hammers are available to accommodate a variety of demolition applications. Demolition tool steel, including chisels, points, spades and bushing heads, is also available for rent.

APT 117
35 lb. classAPT M190
90 lb. class

| MAKE | MODEL | CLASS | APPLICATIONS | CHUCK SIZE ¹ | RETAINER | BPM | AIR REQUIREMENT | LENGTH | WEIGHT | CAT-CLASS |
|-------|-------|---------|-------------------|-------------------------|----------|-------|-----------------|--------|---------|-----------|
| APT | MW117 | 35 lbs. | Light-to med-duty | 1" hex x 4-1/4" | Round | 1,850 | 37 cfm @ 90 psi | 23" | 36 lbs. | 002-0015 |
| Tamco | TBP30 | 35 lbs. | Light-to med-duty | 1" hex x 4-1/4" | Round | 1,550 | 49 cfm @ 90 psi | 22" | 33 lbs. | 002-0015 |
| APT | M160 | 65 lbs. | Med-to heavy-duty | 1-1/8" hex x 6" | Round | 1,680 | 65 cfm @ 90 psi | 26" | 70 lbs. | 002-0020 |
| Tamco | TBP60 | 65 lbs. | Med-to heavy-duty | 1-1/8" hex x 6" | Round | 1,400 | 70 cfm @ 90 psi | 25" | 66 lbs. | 002-0020 |
| APT | M190 | 90 lbs. | Heavy-duty | 1-1/8" hex x 6" | Round | 1,350 | 80 cfm @ 90 psi | 29" | 93 lbs. | 002-0025 |
| Tamco | TBP90 | 90 lbs. | Heavy-duty | 1-1/8" hex x 6" | Round | 1,250 | 77 cfm @ 90 psi | 28" | 92 lbs. | 002-0025 |

¹65 lb. and 90 lb. models are also available with 1-1/4" x 6" hex chucks.

AIR TOOLS

RIVET BUSTERS are high impact air hammers designed to cut rivets off metal structures such as bridge decks. These efficient units are also popular for cutting underground tanks. Both models feature a compact design with D-style handles to enable working in close quarters. They utilize 11X jumbo rivet buster tools, available in several tool lengths and point styles.



APT 1133
33 lbs.



TAMCORB-1133
34 lbs.

| MAKE | MODEL | BPM | STROKE | AIR REQUIREMENT | LENGTH | WEIGHT | CAT-CLASS |
|-------|--------------|-------|--------|-----------------|--------|---------|-----------|
| APT | 133 | 1,140 | 8" | 46 cfm @ 90 psi | 23" | 30 lbs. | 002-0001 |
| Tamco | TAMCORB-133 | 960 | 8" | 46 cfm @ 90 psi | 22" | 30 lbs. | 002-0001 |
| APT | 1133 | 850 | 11" | 52 cfm @ 90 psi | 26" | 33 lbs. | 002-0001 |
| Tamco | TAMCORB-1133 | 960 | 11" | 46 cfm @ 90 psi | 22" | 34 lbs. | 002-0001 |

ROCK DRILLS are designed for drilling through granite, hard faced rock, quarry drilling, drilling secondary holes for blasting and numerous other construction and plant maintenance applications. Utilizing steel or carbide rock bits attached to drill steel, these units apply both impact and rotation to penetrate hard surfaces. The 9-pound models are ideal for drilling holes for anchor bolts and dowel holes. They feature a D-style handle and a 3/4-inch by 3-3/4-inch round chuck. Larger models feature T-style handles for secure grip and clamp-type latches for quick tool changes.



APT 155
61 lbs.

| MAKE | MODEL | CLASS | ROTATION | BPM | CHUCK SIZE | AIR REQUIREMENT | LENGTH | WEIGHT | CAT-CLASS |
|-------|-----------|---------|----------|-------|---------------------|--------------------|--------|---------|-----------|
| APT | M109 | 9 lbs. | variable | 3,400 | 3/4" x 3-1/4" round | 21 cfm @ 90 psi | 15" | 9 lbs. | 002-0028 |
| APT | M115 | 15 lbs. | 1-speed | 2,900 | 7/8" x 3-1/4" hex | 36 cfm @ 90 psi | 18" | 19 lbs. | 002-0029 |
| Tamco | THD-1100N | 15 lbs. | 1-speed | 3,200 | 7/8" x 3-1/4" | 28.3 cfm @ 90 psi | 7" | 11 lbs. | 002-0029 |
| APT | M137 | 35 lbs. | 4-speed | 2,300 | 1" x 4-1/4" hex | 90 cfm @ 90 psi | 20" | 38 lbs. | 002-0031 |
| Tamco | TJ-15 | 35 lbs. | variable | 2,450 | 7/8" x 4-1/4" | 56 cfm @ 90 psi | 18" | 30 lbs. | 002-0031 |
| APT | 155 | 60 lbs. | 3-speed | 2,100 | 1" x 4-1/4" hex | 120 cfm @ 90 psi | 22" | 61 lbs. | 002-0030 |
| Tamco | TS-55 | 50 lbs. | 3-speed | 1,800 | 1" x 4-1/4" | 91.81 cfm @ 90 psi | 22" | 59 lbs. | 002-0030 |



AIR TOOLS



UNITEC AIRBAND
Band Saw



INGERSOLL S80
Circular Saw



UNIVERSAL TOOL UT4425
Die Grinder



INGERSOLL 7ANSTB
Standard Drill



INGERSOLL 22KA1
Large Drill



INGERSOLL 33SKA
Large Drill



UNITEC 5-1212-0010
Hack Saw



APT 317 KIT
Needle Scaler



INGERSOLL SRA010A1
Reciprocating Saw



INGERSOLL HA120RP1045
Wheel Grinder



UNITEC AB-4300-2
Air Magnetic Drill



UNITEC 2-2404-0010
Air Rotary Hammer

INDUSTRIAL AIR TOOLS are ideal for use in applications where a source of compressed air is available and electric power is unavailable.



| MAKE | MODEL | DESCRIPTION | CAPACITY | SPEED | AIR REQUIREMENT | WEIGHT | CAT-CLASS |
|----------------|--------------------------|--------------------|--------------------------|---------------------|-----------------|---------|-----------|
| Unitec | AirBand | Band Saw | 4-3/4" | 130-220 spm | 20 cfm @ 90 psi | 14 lbs. | 002-0034 |
| Ingersoll | S80 | Circular Saw | 8-1/4" | 4,000 rpm | 67 cfm @ 90 psi | 15 lbs. | 002-0033 |
| Universal Tool | UT4425 | Die Grinder | 1/4" collet | 25,000 rpm | 22 cfm @ 90 psi | 2 lbs. | 002-0051 |
| Ingersoll | HD180RG4 | Die Grinder | 1/4" collet | 18,000 rpm | 43 cfm @ 90 psi | 2 lbs. | 002-0051 |
| Ingersoll | 7ANSTB | Drill, Standard | 1/2" | 900 rpm | 25 cfm @ 90 psi | 3 lbs. | 002-0038 |
| Ingersoll | 22KA1 | Drill, Large | 9/16" | 725 rpm | 55 cfm @ 90 psi | 15 lbs. | 002-0396 |
| Ingersoll | 33SKA | Drill, Large | 1-1/4" | 300 rpm | 85 cfm @ 90 psi | 25 lbs. | 002-0398 |
| Unitec | 5-1212-0010 | Hack Saw | 2-3/8" | 330 spm | 51 cfm @ 90 psi | 15 lbs. | 002-0036 |
| APT | 317 Kit | Needle Scaler | 19 needles | 4,000 bpm | 7 cfm @ 90 psi | 7 lbs. | 002-0054 |
| Tamco | A1L1 | Needle Scaler | 19 needles | 4,600 bpm | 12 cfm @ 90 psi | 5 lbs. | 002-0054 |
| Ingersoll | 182LNA1 | Needle Scaler | 19 needles | 4,000 bpm | 13 cfm @ 90 psi | 6 lbs. | 002-0054 |
| Ingersoll | SRA010A1 | Reciprocating Saw | 6" blade | 1,600 spm | 21 cfm @ 90 psi | 8 lbs. | 002-0037 |
| Ingersoll | HA120RP1045 | Wheel Grinder | 4-1/2" wheel | 12,000 rpm | 43 cfm @ 90 psi | 3 lbs. | 002-0201 |
| Ingersoll | 88V60P107 | Wheel Grinder | 7" wheel | 6,000 rpm | 61 cfm @ 90 psi | 9 lbs. | 002-0202 |
| Unitec | AB-4300-2 ¹ | Air Magnetic Drill | 2-1/16" | 500 rpm | 32 cfm @ 90 psi | 34 lbs. | 002-0400 |
| Unitec | 2-2404-0010 ¹ | Air Rotary Hammer | 1" concrete/2-1/2" brick | 3,000 bpm/0-400 rpm | 21 cfm @ 90 psi | 11 lbs. | 002-0410 |

¹Air Magnetic Drills and Air Rotary Hammers are offered by Sunbelt Rentals' Industrial Services. Call 855-260-6726 for the closest Industrial Services location.

AIR TOOLS



STANLEY-BOSTITCH N62FN
Angled Finish Nailer



DEWALT DWFP71917
Finish Nailer



STANLEY-BOSTITCH BTFP72156
Finish Nailer



STANLEY-BOSTITCH RN46-1
Coil Roofing Nailer



DEWALT DWF83PL
Framing Nailer



STANLEY-BOSTITCH MIII812CNCT
Industrial Concrete Nailer



STANLEY-BOSTITCH 450S2-1
Jam-Free Lathing Stapler



DEWALT DWFP12233
Finish Nailer



POWERNAIL 445LS T&G
Mallet-Actuated Floor Nailer



POWERNAIL 50P
Mallet-Actuated Floor Stapler



STANLEY-BOSTITCH MIIIFS
Mallet-Actuated Floor Nailer

AIR NAILERS & STAPLERS are ideal for performing many specialized construction applications utilizing coiled or stick-type fasteners. Air-powered nailers and staplers are powered by a 90–100 psi compressed air source. A full line of coiled and stick-type fasteners are available.



| MAKE | MODEL | DESCRIPTION | FASTENER TYPES | CAPACITY | WEIGHT | CAT-CLASS |
|------------------|------------------|-------------------------------|-----------------------------------|----------|---------|-----------|
| Stanley-Bostitch | N62FN | Angled Finish Nailer | 1-1/2"–2-1/2" finish nails | 130 | 4 lbs. | 002-0160 |
| DeWalt | DWFP71917 | Finish Nailer | 1-1/4"–2-1/2" | 100 | 4 lbs. | 002-0160 |
| Stanley-Bostitch | BTFP72156 | Finish Nailer | 1-1/4"–2-1/2" | 129 | 4 lbs. | 002-0160 |
| Stanley-Bostitch | RN46-1 | Coil Roofing Nailer | 3/4"–1-3/4" roofing nails | 120 | 5 lbs. | 002-0150 |
| DeWalt | DWF83PL | Framing Nailer | 2"–3-1/4" | 50 | 8 lbs. | 002-0155 |
| Stanley-Bostitch | MIII812CNCT | Industrial Concrete Nailer | 9/16"–2-1/2" T-nails | 66 | 7 lbs. | 002-0190 |
| Stanley-Bostitch | 450S2-1 | Jam-free Lathing Stapler | 1/2"–2" 16 ga. Staples | 160 | 5 lbs. | 002-0168 |
| Stanley-Bostitch | LHF97125-2 | Laminated Floor Stapler | 1" 20 ga. Staples | 100 | 3 lbs. | 002-0168 |
| DeWalt | DWFP12233 | Finish Nailer | 5/8"–2-1/8" | 100 | 3 lbs. | 002-0175 |
| Powernail | 445LS T&G | Mallet-Actuated Floor Nailer | 1-1/2"–2" 16 ga. Powercleat nails | 100 | 11 lbs. | 002-0180 |
| Powernail | 200 T&G | Mallet-Actuated Floor Nailer | 1"–2" 20 ga. E-Powercleat nails | 100 | 9 lbs. | 002-0180 |
| Powernail | 50P ¹ | Mallet-Actuated Floor Nailer | 1"–1-3/4" 18 ga. Powercleat nails | 100 | 10 lbs. | 002-0180 |
| Powernail | 445FS | Mallet-Actuated Floor Stapler | 1-1/2"–2" 15.5 ga. PowerStaples | 100 | 11 lbs. | 002-0168 |
| Stanley-Bostitch | MIIIFS | Mallet-Actuated Floor Stapler | 1-1/2"–2" 15.5 ga. Staples | 92 | 11 lbs. | 002-0168 |

¹Powernail 50P is designed for 3/8"-5/8" floors including engineered, bamboo and exotic hardwoods.



BACKHOE LOADERS



For more
information,
scan code or
visit [sbr.com](https://www.sbr.com)



Backhoe loaders are necessary when you need both extra power and precision for your project. When your job calls for a heavy lifter, Sunbelt Rentals carries a fleet of vehicles to choose from to help you get things moving.

Backhoe Loaders
Compact Backhoe Loaders



SUNBELT
RENTALS

BACKHOE LOADERS

COMPACT BACKHOE LOADERS are ideal for performing a variety of landscaping, spreading, digging and loading operations in places inaccessible by larger machines. Units are also rugged and powerful enough to perform more demanding applications such as septic tank and utility line installations.



KUBOTA B26

1,301 lbs. Backhoe Lift Capacity

| MAKE | MODEL | ENGINE | MAX DIGGING DEPTH | LOADER DUMP HEIGHT | LOADER LIFT CAPACITY | BACKHOE LIFT CAPACITY | DIMENSIONS (L x W x H) | WEIGHT | CAT-CLASS |
|--------|-------|----------------|-------------------|--------------------|----------------------|-----------------------|------------------------|------------|-----------|
| Kubota | BX23 | Kubota 21.6 HP | 6' 1" | 71" | 739 lbs. | 1,700 lbs. | 99" x 45" x 86.2" | 1,570 lbs. | 053-0055 |
| Kubota | B26 | Kubota 24 HP | 8' 4" | 94.5" | 1,301 lbs. | 745 lbs. | 149" x 54" x 89.5" | 4,001 lbs. | 053-0120 |



JOHN DEERE 410L

10,645 lbs. Backhoe Lift Capacity



JOHN DEERE 310KEP

1,700 lbs. Backhoe Lift Capacity



JCB 3CX-14

745 lbs. Backhoe Lift Capacity

BACKHOE LOADERS provide outstanding versatility, performing a variety of digging, loading and utility applications. 2wd, 4wd and 4wd extendable dipper models are available, including both canopy and enclosed cab versions for most models.



| MAKE | MODEL | HP | MAX DIGGING DEPTH | BACKHOE LIFT CAPACITY ¹ | LOADER DUMP HEIGHT | LOADER LIFT CAPACITY | DIMENSIONS (L x W x H) | WEIGHT | CAT-CLASS |
|------------|----------------------------|-----|-------------------|------------------------------------|--------------------|----------------------|------------------------|-------------|-----------|
| JCB | 3C-14 2wd | 74 | 14' 4" | 2,970 lbs. | 8' 10" | 6,750 lbs. | 23' x 88" x 11' 2" | 13,222 lbs. | 053-0210 |
| John Deere | 310L 2wd | 70 | 14' 3" | 4,446 lbs. | 8' 10" | 5,800 lbs. | 23' x 86" x 11' 3" | 12,800 lbs. | 053-0210 |
| JCB | 3CX-14 4wd Canopy | 74 | 14' 7" | 4,099 lbs. | 9' 0" | 7,670 lbs. | 24' x 92" x 11' 3" | 15,439 lbs. | 053-0230 |
| John Deere | 310KEP 4wd Canopy | 70 | 14' 2" | 4,420 lbs. | 8' 10" | 6,600 lbs. | 23' x 86" x 10' 11" | 14,283 lbs. | 053-0230 |
| JCB | 3C-14 4wd Extradig Canopy | 74 | 14' 7"/18' | 3,450/1,745 lbs. | 8' 10" | 6,750 lbs. | 23' x 88" x 11' 2" | 14,252 lbs. | 053-0240 |
| JCB | 3CX-14 4wd Extradig Canopy | 74 | 14' 7"/18' 6" | 3,867/2,691 lbs. | 9' 0" | 7,670 lbs. | 24' x 92" x 11' 7" | 16,437 lbs. | 053-0240 |
| John Deere | 310KEP 4wd Extended Canopy | 70 | 14' 4"/17' 10" | 4,050/2,723 lbs. | 8' 10" | 6,600 lbs. | 23' x 86" x 11' 1" | 14,723 lbs. | 053-0240 |
| John Deere | 410L | 116 | 15' 9" | 10,645 lbs. | 11' 4" | 7,211 lbs. | 24' 5" x 95" x 11' 4" | 17,786 lbs. | 053-0245 |
| JCB | 3C-14 4wd Cab | 74 | 14' 4" | 2,970 lbs. | 8' 10" | 6,750 lbs. | 23' x 88" x 11' 2" | 13,992 lbs. | 053-0310 |
| JCB | 3CX-14 4wd Cab | 74 | 14' 7" | 4,099 lbs. | 9' 0" | 7,670 lbs. | 24' x 92" x 11' 3" | 15,979 lbs. | 053-0310 |
| John Deere | 310KEP 4wd Cab | 70 | 14' 2" | 4,420 lbs. | 8' 10" | 6,600 lbs. | 23' x 86" x 10' 11" | 14,863 lbs. | 053-0310 |
| JCB | 3C-14 4wd Extradig Cab | 74 | 14' 7"/18' | 3,450/1,745 lbs. | 8' 10" | 6,750 lbs. | 23' x 88" x 11' 2" | 14,692 lbs. | 053-0320 |
| JCB | 3CX-14 4wd Extradig Cab | 74 | 14' 7"/18' 6" | 3,867/2,691 lbs. | 9' 0" | 7,670 lbs. | 24' x 92" x 11' 7" | 16,977 lbs. | 053-0320 |
| John Deere | 310KEP 4wd Extended Cab | 70 | 14' 4"/17' 10" | 4,050/2,723 lbs. | 8' 10" | 6,600 lbs. | 23' x 86" x 11' 1" | 15,303 lbs. | 053-0320 |

¹Lift capacities shown reflect 8' above ground ratings. Dual ratings for extendable dipper models reflect retracted/extended dipper modes. Units equipped with 4-in-1 buckets may be available in certain markets.







CHAIN HOISTS & AIR WINCHES



For more
information,
scan code or
visit sbr.com



Chain hoists and air winches can help make moving or lifting heavy loads much easier. Sunbelt Rentals aims to make your projects safer and easier for you to handle. Let us be your hookup for all your hoist and winching needs.

- Air Chain Hoists
- Air Winches
- Beam Clamps
- Beam Trolleys
- Electric Chain Hoists
- Electric Winches
- Lever Hoists
- Manual Chain Hoists



SUNBELT
RENTALS

CHAIN HOISTS & AIR WINCHES



HARRINGTON HOIST CF010-10
1 Ton Capacity

MANUAL CHAIN HOISTS feature rugged steel construction and hook suspension mounting for safe, dependable lifting of light to medium loads.



| MAKE | MODEL | CAPACITY | LIFT | WEIGHT | CAT-CLASS |
|------------------|-----------|-----------|------|----------|-----------|
| Harrington Hoist | CF010-10 | 1 ton | 10' | 25 lbs. | 081-0210 |
| Harrington Hoist | CF010-20 | 1 ton | 20' | 30 lbs. | 081-0215 |
| Harrington Hoist | CF010-30 | 1 ton | 30' | 36 lbs. | 081-0220 |
| Harrington Hoist | CF010-50 | 1 ton | 50' | 52 lbs. | 081-0225 |
| Harrington Hoist | CF015-10 | 1-1/2 ton | 10' | 48 lbs. | 081-0226 |
| Harrington Hoist | CF015-20 | 1-1/2 ton | 20' | 48 lbs. | 081-0227 |
| Harrington Hoist | CF015-30 | 1-1/2 ton | 30' | 48 lbs. | 081-0228 |
| Harrington Hoist | CF020-20 | 2 ton | 20' | 60 lbs. | 081-0235 |
| Harrington Hoist | CF020-30 | 2 ton | 30' | 70 lbs. | 081-0240 |
| Harrington Hoist | CF020-50 | 2 ton | 50' | 95 lbs. | 081-0245 |
| Harrington Hoist | CF030-10 | 3 ton | 10' | 66 lbs. | 081-0250 |
| Harrington Hoist | CF030-15 | 3 ton | 15' | 89 lbs. | 081-0255 |
| Harrington Hoist | CF030-20 | 3 ton | 20' | 105 lbs. | 081-0255 |
| Harrington Hoist | CF030-30 | 3 ton | 30' | 105 lbs. | 081-0260 |
| Harrington Hoist | CF050-10 | 5 ton | 10' | 77 lbs. | 081-0270 |
| Harrington Hoist | CF050-20 | 5 ton | 20' | 106 lbs. | 081-0275 |
| Harrington Hoist | CF050-30 | 5 ton | 30' | 128 lbs. | 081-0280 |
| Harrington Hoist | CF050-50 | 5 ton | 50' | 179 lbs. | 081-0285 |
| Harrington Hoist | CF100-10 | 10 ton | 10' | 158 lbs. | 081-0290 |
| Harrington Hoist | CF100-20 | 10 ton | 20' | 225 lbs. | 081-0295 |
| Harrington Hoist | CF100-30 | 10 ton | 30' | 263 lbs. | 081-0300 |
| Harrington Hoist | CF100-50 | 10 ton | 50' | 368 lbs. | 081-0310 |
| Harrington Hoist | CF150-20 | 15 ton | 20' | 419 lbs. | 081-0320 |
| Harrington Hoist | CF150-30 | 15 ton | 30' | 499 lbs. | 081-0325 |
| Harrington Hoist | CF300-30 | 30 ton | 30' | 870 lbs. | 081-0355 |
| Coffing | LMHA50000 | 25 ton | 30' | 680 lbs. | 081-0355 |

Note: Load limiters are available for rent.



CHAIN HOISTS & AIR WINCHES

ELECTRIC CHAIN HOISTS utilize a helical/spur gear drive that provides smooth, quiet operation. 2-ton and 4-ton hoists are available, equipped with a pendant control. 40-foot, 50-foot and 60-foot lift chains are available.



HARRINGTON HOIST
1 Ton Capacity

| MAKE | MODEL | CAPACITY | CHAIN FALLS | LIFTING SPEED | HP | VOLTAGE | AMP RATING | WEIGHT | CAT-CLASS |
|-------------------|-------------|----------|-------------|---------------|-----|--------------|------------|-----------------------|-----------|
| Harrington Hoist | SNER005L | 1/2 ton | 1 | 7 fpm | 0.6 | 115/230V | 7.7/3.9 | 84 lbs. | 081-0406 |
| Harrington Hoist | SNER010S | 1 ton | 1 | 14 fpm | 1.2 | 115/230V | 23.9-12.0 | 159 lbs. | 081-0410 |
| Harrington Hoist | SNER020L-40 | 2 ton | 1 | 32 fpm | 2.4 | 115V | 7.6/3.8 | 130 lbs. ¹ | 081-0415 |
| Harrington Hoist | SNER020L-50 | 2 ton | 1 | 32 fpm | 2.4 | 115V | 7.6/3.8 | 130 lbs. ¹ | 081-0415 |
| Harrington Hoist | SNER020L-60 | 2 ton | 1 | 32 fpm | 2.4 | 115V | 7.6/3.8 | 130 lbs. ¹ | 081-0415 |
| Harrington Hoist | SNER030C | 3 ton | 2 | 3.5 fpm | 1.2 | 115/230V | 23.9/12 | 207 lbs. | 081-0419 |
| Harrington Hoist | NER030L | 3 ton | 1 | 17 fpm | 4.7 | 230/460V | 19.6/9.8 | 300 lbs. | 081-0420 |
| Columbus McKinnon | EC8008-3-40 | 4 ton | 2 | 16 fpm | 3.6 | 230/460V, 3Ø | 12.0/6.0 | 236 lbs. | 081-0425 |

¹Weight excludes chain.

AIR CHAIN HOISTS are ideal for lifting applications where a compressed air supply is available. With no electrical hazard, they provide freedom from electrical shock and are ideal for use in flammable environments such as chemical plants and refineries. Air chain hoists are the preferred choice for use in dusty or dirty environments.

Note: By removing the bottom block on the 2-ton and 12-ton hoists, the lift capacity is halved (1 ton and 6 tons respectively) and the lifting speed is doubled. Air requirements remain the same.



JD NEUHAUS PROFI 3TI
3 Ton Capacity

| MAKE | MODEL | CAPACITY | CHAIN FALLS | LIFTING SPEED (RATED LOAD) | LIFTING SPEED (NO LOAD) | LOWERING SPEED (RATED LOAD) | AIR REQUIREMENT | WEIGHT | CAT-CLASS |
|------------|-------------------|---------------|-------------|----------------------------|-------------------------|-----------------------------|------------------|--------------|-----------|
| JD Neuhaus | Profi 1TI/2TI | 1 ton/2 ton | 1 or 2 | 18.0/9.0 fpm | 36.0/18.0 fpm | 36.0/18.0 fpm | 53 cfm @ 85 psi | 62/75 lbs. | 081-0515 |
| JD Neuhaus | Profi 1.5TI/3TI-2 | 1.5 ton/3 ton | 1 or 2 | 19.7/9.8 fpm | 32.8/16.4 fpm | 39.4/19.7 fpm | 127 cfm @ 85 psi | 123/146 lbs. | 081-0517 |
| JD Neuhaus | Profi 3TI/6TI | 3 ton/6 ton | 1 or 2 | 16.4/8.2 fpm | 32.8/16.4 fpm | 35.4/17.7 fpm | 195 cfm @ 85 psi | 190/243 lbs. | 081-0525 |
| JD Neuhaus | Profi 10TI | 10 ton | 2 | 5.2 fpm | 10.5 fpm | 11.2 fpm | 195 cfm @ 85 psi | 344 lbs. | 081-0527 |
| JD Neuhaus | Profi 16TI | 16 ton | 3 | 3.3 fpm | 6.6 fpm | 6.9 fpm | 195 cfm @ 85 psi | 529 lbs. | 081-0535 |
| JD Neuhaus | Profi 25TI | 25 ton | 2 | 4.1 fpm | 7.9 fpm | 9.2 fpm | 230 cfm @ 85 psi | 1,213 lbs. | 081-0540 |

BEAM CLAMPS provide a temporary or permanent fixed mount tapered or flat beams.



INGERSOLL-RAND, BC-5
5 Ton Capacity

| MAKE | MODEL | CAPACITY | BEAM WIDTH | WEIGHT | CAT-CLASS |
|----------------|--------|----------|------------|---------|-----------|
| Ingersoll-Rand | BC-3 | 3 ton | 3.2"-12.6" | 9 lbs. | 081-0710 |
| Ingersoll-Rand | BC-5 | 5 ton | 3.6"-12.6" | 11 lbs. | 081-0720 |
| Harrington | UBC100 | 10 ton | 6"-13.25" | 55 lbs. | 081-0730 |

CHAIN HOISTS & AIR WINCHES

BEAM TROLLEYS provide a convenient means to suspend chain hoists from an overhead beam and provide horizontal travel. Both manual (push-type) and geared trolleys are available in a variety of capacities for both manual and powered hoists up to 20-ton capacity.



HARRINGTON HOIST PTF2010
1 Ton Capacity

| MAKE | MODEL | TYPE | CAPACITY | STD FLANGE ADJUSTMENT | MIN BEAM HEIGHT | MIN CURVE RADIUS | WEIGHT | CAT-CLASS |
|------------------|----------------------|--------|----------|-----------------------|-----------------|------------------|----------|-----------|
| Harrington Hoist | PTF2010 | Push | 1 ton | 2.5"-8.0" | 4.3" | 42" | 23 lbs. | 081-0610 |
| Harrington Hoist | PTF2020 ¹ | Push | 2 ton | 3.5"-8.0" | 4.9" | 48" | 39 lbs. | 081-0620 |
| Harrington Hoist | PTF2030 | Push | 3 ton | 3.9"-8.0" | 6.2" | 48" | 60 lbs. | 081-0630 |
| Harrington Hoist | PTF2050 ¹ | Push | 5 ton | 4.5"-8.0" | 6.9" | 60" | 93 lbs. | 081-0640 |
| Harrington Hoist | PTF100 | Push | 10 ton | 4.9"-12.0" | 8.3" | 96" | 157 lbs. | 081-0650 |
| Ingersoll-Rand | SG100 | Geared | 10 ton | 4.9"-12.0" | 8.3" | 96" | 165 lbs. | 081-0680 |
| Ingersoll-Rand | SG200 | Geared | 20 ton | 5.4"-12.0" | 10.3" | 120" | 379 lbs. | 081-0690 |

¹Wide beam extension kits are available for these models.

LEVER HOISTS are suitable for a variety of industrial lifting, pulling and positioning applications. They feature a rugged, compact design and require minimum effort to handle heavy loads. Forged steel alloy load hooks have wide throat openings with slip-resistant barbed tips to better retain slings. 5-foot, 10-foot and 20-foot lift chains are available.



HARRINGTON HOIST LB015-10
1-1/2 Ton Capacity

| MAKE | MODEL | CAPACITY | LIFT | WEIGHT | CAT-CLASS |
|-------------------|----------|-----------|------|---------|-----------|
| Columbus McKinnon | 640-5 | 3/4 ton | 5' | 16 lbs. | 081-0040 |
| Harrington Hoist | LB008-10 | 3/4 ton | 10' | 14 lbs. | 081-0045 |
| Harrington Hoist | LB008-20 | 3/4 ton | 20' | 18 lbs. | 081-0050 |
| Harrington Hoist | LB015-10 | 1-1/2 ton | 10' | 24 lbs. | 081-0075 |
| Harrington Hoist | LB015-20 | 1-1/2 ton | 20' | 30 lbs. | 081-0080 |
| Harrington Hoist | LB030-5 | 3 ton | 5' | 35 lbs. | 081-0085 |
| Harrington Hoist | LB030-10 | 3 ton | 10' | 40 lbs. | 081-0090 |
| Harrington Hoist | LB030-20 | 3 ton | 20' | 45 lbs. | 081-0095 |
| Harrington Hoist | LB060-10 | 6 ton | 10' | 77 lbs. | 081-0105 |
| Harrington Hoist | LB060-20 | 6 ton | 20' | 99 lbs. | 081-0110 |

Note: Load limiters are available for rent.

ELECTRIC WINCHES are ideal for easy efforts in heavy-duty lifting and pulling and designed for intermittent use only. Applications include heavy-duty lifting, construction, heavy industrial, utilities, lifting motors and heavy apparatus, moving equipment, installation of elevator equipment, and are ideal for in-plant use.



MY-TE 100AB
1,000 lbs. Single-Line
2,000 lbs. Double-Line



MY-TE AC36B
3,000 lbs. Single-line
6,000 lbs. Double-Line

| MAKE | MODEL | CAPACITY - SINGLE LINE | CAPACITY - DOUBLE LINE | VOLTAGE | AMP RATING | WEIGHT | CAT-CLASS |
|-------|-------|------------------------|------------------------|---------|------------|----------|-----------|
| MY-TE | 100AB | 1,000 lbs. | 2,000 lbs. | 115V | 6-14 amps | 76 lbs. | 082-0470 |
| MY-TE | AC36B | 3,000 lbs. | 6,000 lbs. | 208V | 6-14 amps | 132 lbs. | 082-0475 |



CHAIN HOISTS & AIR WINCHES



INGERSOLL-RAND BU7AQ-E
1,000 lbs.



TERN TA2-24MX1
4,000 lbs.



INGERSOLL-RAND FA5A-LMX1HQ
10,000 lbs.

AIR WINCHES are ideal for lifting, pulling and tensioning of materials. Applications include construction, heavy industrial, utilities, shipbuilding and petrochemical.



| MAKE | MODEL | CAPACITY ¹ | BRAKE TYPE | DRUM LENGTH | HP | AIR REQUIREMENT | AIR INLET | WEIGHT | CAT-CLASS |
|----------------|---------------|-----------------------|-------------|-------------|-------|------------------|-----------|------------|-----------|
| Ingersoll-Rand | BU7AQ-E | 1,000 lbs. | Manual Band | 4.5" | 1.6 | 50 cfm - 90 psi | 3/4" | 75 lbs. | 082-0100 |
| Ingersoll-Rand | EULQ-S | 2,000 lbs. | Manual Band | 12.9" | 4.4 | 100 cfm - 90 psi | 3/4" | 440 lbs. | 082-0200 |
| Ingersoll-Rand | FA2B-LMX1HQ-S | 4,000 lbs. | Manual Band | 20.0" | 16 | 375 cfm - 90 psi | 1-1/4" | 738 lbs. | 082-0300 |
| Thern | TA2-24MX1 | 4,000 lbs. | Manual Band | 24.0" | 7.1 | 250 cfm - 90 psi | 1" | 1,000 lbs. | 082-0300 |
| Ingersoll-Rand | FA5A-LMX1HQ | 10,000 lbs. | Manual Band | 27.0" | 25.0 | 600 cfm - 90 psi | 1-1/4" | 1,176 lbs. | 082-0400 |
| Thern | TA7-30AX1 | 10,000 lbs. | Auto Band | 30.0" | 14.4 | 550 cfm - 90 psi | 1-1/2" | 3,620 lbs. | 082-0450 |
| SAN-EI | W05AA3SACMB | 1,000 lbs. | Manual Band | 4.49" | 2.35 | 71 cfm - 90 psi | 3/4" | 97 lbs. | 082-0100 |
| SAN-EI | W10220LACMB | 2,200 lbs. | Manual Band | 14.02" | 9.72 | 191 cfm - 90 psi | 1" | 608 lbs. | 082-0200 |
| SAN-EI | W20220LAABGF | 4,400 lbs. | Auto Band | 14.02" | 9.72 | 191 cfm - 90 psi | 1" | 654 lbs. | 082-0300 |
| SAN-EI | W3036LAABGF | 6,600 lbs. | Auto Band | 18.90" | 16.31 | 318 cfm - 90 psi | 1-1/4" | 1,035 lbs. | 082-0350 |
| SAN-EI | W5036LACMB | 11,000 lbs. | Manual Band | 23.62" | 16.31 | 318 cfm - 90 psi | 1-1/4" | 1,890 lbs. | 082-0400 |
| SAN-EI | W5036LAAB | 11,000 lbs. | Auto Band | 23.62" | 16.31 | 318 cfm - 90 psi | 1-1/4" | 1,923 lbs. | 082-0400 |

¹Capacity is based on mid-layer lift capacity rating.

Performance Ratings

| MODEL | LIFT CAPACITY RATINGS ¹ | | | LINE PULL RATINGS ² | | |
|--------------------|------------------------------------|--------------------|--------------------|--------------------------------|--------------------|--------------------|
| | FIRST LAYER | MID LAYER | TOP LAYER | FIRST LAYER | MID LAYER | TOP LAYER |
| BU7AQ-E | 1,200 lbs./36 fpm | 1,000 lbs./43 fpm | 1,000 lbs./39 fpm | 1,500 lbs./26 fpm | 1,200 lbs./34 fpm | 1,000 lbs./39 fpm |
| EULQ-S | 2,100 lbs./62 fpm | 2,000 lbs./68 fpm | 2,000 lbs./64 fpm | 3,000 lbs./45 fpm | 2,600 lbs./49 fpm | 2,000 lbs./64 fpm |
| FA2B-LMX1HQ-E | 5,000 lbs./79 fpm | 4,000 lbs./96 fpm | 3,200 lbs./122 fpm | 5,100 lbs./76 fpm | 4,000 lbs./96 fpm | 3,200 lbs./122 fpm |
| FA2.5A-WFS/01085 | 7,000 lbs./97 fpm | 5,800 lbs./117 fpm | 5,000 lbs./132 fpm | 8,000 lbs./79 fpm | 6,600 lbs./42 fpm | 5,300 lbs./119 fpm |
| FA5A (both models) | 11,400 lbs./50 fpm | 10,000 lbs./32 fpm | 8,000 lbs./43 fpm | 13,100 lbs./26 fpm | 10,000 lbs./32 fpm | 8,000 lbs./43 fpm |

¹Lift capacity ratings are based on ANSI/ASME B30.16 allowable line pulls. [5:1 design factor] ²Line pull ratings are based on ANSI/ASME B30.7 allowable line pulls. [3.5:1 design factor]

Drum Wire Rope Capacities

| MAKE | MODEL | 1/4" CABLE | 5/16" CABLE | 3/8" CABLE | 7/16" CABLE | 1/2" CABLE | 5/8" CABLE | 3/4" CABLE | 1" CABLE |
|----------------|---------------|------------|-------------|------------|-------------|------------|------------|------------|----------|
| Ingersoll-Rand | BU7AQ-E | 228' | 132' | — | — | — | — | — | — |
| Ingersoll-Rand | EULQ-S | — | 946' | 619' | 465' | — | — | — | — |
| Ingersoll-Rand | FA2B-LMX1HQ-S | — | — | 1,758' | 1,371' | 1,068' | 625' | — | — |
| Ingersoll-Rand | TA2-24MX1 | — | — | 1,758' | 1,371' | 1,068' | 625' | — | — |
| Thern | FA5A-LMX1HQ | — | — | — | — | — | 1,802' | 1,355' | — |
| SAN-EI | W05AA3SACMB | 195' | 145' | — | — | — | — | — | — |
| SAN-EI | W10220LACMB | — | — | 1,340' | 950' | 750' | — | — | — |
| SAN-EI | W20220LAABGF | — | — | — | 950' | 750' | — | — | — |
| SAN-EI | W3036LAABGF | — | — | — | — | — | 1,050' | — | — |
| SAN-EI | W5036LACMB | — | — | — | — | — | — | 1,000' | — |
| SAN-EI | W5036LAAB | — | — | — | — | — | — | — | 1,300' |

Note: Wire rope must be purchased separately from winches. Either 6 x 19 or 6 x 37 Extra Improved Plow Steel (EIPS) with independent wire rope core (IWRC) is recommended.



COMPACTION EQUIPMENT



For more
information,
scan code or
visit [sbr.com](https://www.sbr.com)



Soil compaction is a delicate yet vital process that requires the proper machinery. The goal is to reduce the amount of pore space within your soil. Sunbelt Rentals can help you find the right piece of equipment necessary for your job's compaction needs.

- Electric Plate Vibratory Compactors
- Jumping Jack Tampers/Rammers
- One-Way Plate Vibratory Compactors
- Reversible Vibratory Plate Compactors
- Ride-On Asphalt Rollers
- Single-Drum Ride-On Vibratory Compactors
- Walk-Behind Asphalt Rollers
- Walk-Behind Vibratory Trench Rollers



SUNBELT
RENTALS

COMPACTION EQUIPMENT



MULTIQUIP MTX70HD
4-cycle Gas 165 lbs.



WACKER NEUSON BS 50-2
2-cycle Gas 129 lbs.



WACKER NEUSON BS 60-4S
4-cycle Gas 156 lbs.

JUMPING JACK TAMPERS/RAMMERS are designed for confined area compaction of cohesive and mixed soils in construction, utility and municipal applications. Several sizes are available with 2-cycle gas, 4-cycle gas, diesel and electric power options.



| MAKE | MODEL | TYPE | IMPACT FORCE/BLOW | HP | SHOE SIZE | MAX BPM | MAX STROKE | HEIGHT | WEIGHT | CAT-CLASS |
|---------------|------------------------|-------------|-------------------|-----|-----------|---------|------------|--------|----------|-----------|
| MultiQuip | MTR40HF | 4-cycle Gas | 1,215 lbs. | 2.4 | 6" x 11" | 695 | 2.2" | 44" | 101 lbs. | 064-0110 |
| Wacker Neuson | BS 50-2 | 2-cycle Gas | 2,695 lbs. | 2.2 | 10" x 13" | 715 | 1.7" | 37" | 129 lbs. | 064-0110 |
| Wacker Neuson | BS 50-2i ¹ | 2-cycle Gas | 2,695 lbs. | 2.2 | 11" x 13" | 700 | 2.5" | 37" | 131 lbs. | 064-0110 |
| MultiQuip | MTX70HD | 4-cycle Gas | 3,350 lbs. | 3.1 | 11" x 13" | 690 | 3.1" | 39" | 165 lbs. | 064-0120 |
| MultiQuip | MTX60HD | 4-cycle Gas | 3,060 lbs. | 2.8 | 10" x 13" | 695 | 3.1" | 39" | 141 lbs. | 064-0120 |
| Wacker Neuson | BS 60-2i ¹ | 2-cycle Gas | 3,025 lbs. | 2.4 | 11" x 13" | 700 | 3.1" | 38" | 145 lbs. | 064-0120 |
| Wacker Neuson | BS 60-4s | 4-cycle Gas | 2,975 lbs. | 3.2 | 11" x 13" | 680 | 2.7" | 38" | 156 lbs. | 064-0120 |
| Wacker Neuson | BS 70-2i ¹ | 2-cycle Gas | 3,375 lbs. | 2.7 | 11" x 13" | 650 | 2.6" | 38" | 164 lbs. | 064-0130 |
| Wacker Neuson | BS 70-2im ¹ | 2-cycle Gas | 3,375 lbs. | 2.7 | 13" x 13" | 650 | 2.6" | 38" | 164 lbs. | 064-0130 |
| MultiQuip | MTX80SD | 4-cycle Gas | 3,510 lbs. | 3.4 | 11" x 13" | 678 | 3.1" | 39" | 183 lbs. | 064-0130 |

¹These 2-cycle gas models feature an oil-injection system that automatically mixes the oil and gasoline.

ONE-WAY PLATE VIBRATORY COMPACTORS are designed for compacting both granular soils and hot/cold asphalt in confined space applications such as patio construction.



MULTIQUIP MVC-64VHW
157 lbs. Gas



WACKER NEUSON WP1550AW
190 lbs. Gas

| MAKE | MODEL | CENTRIFUGAL FORCE | BASE PLATE (L x W) | ENGINE | WATER TANK | VIBRATION FREQUENCY | FORWARD SPEED | WEIGHT | CAT-CLASS |
|---------------|------------|-------------------|--------------------|------------------|------------|---------------------|---------------|----------|-----------|
| MultiQuip | MVC-64VHW | 2,275 lbs. | 21" x 14" | Honda 4.0 hp Gas | 9 qt. | 5,600 vpm | 0-82 fpm | 157 lbs. | 064-0210 |
| Wacker Neuson | VP1135AW | 2,470 lbs. | 21" x 14" | Honda 4.0 hp Gas | 8 qt. | 5,800 vpm | 0-85 fpm | 142 lbs. | 064-0210 |
| MultiQuip | MVC-90H | 3,350 lbs. | 22" x 20" | Honda 5.5 hp Gas | 4 qt. | 5,800 vpm | 0-82 fpm | 194 lbs. | 064-0220 |
| Wacker Neuson | WP1540AW | 3,375 lbs. | 23" x 16" | Honda 5.5 hp Gas | 11 qt. | 6,000 vpm | 0-85 fpm | 190 lbs. | 064-0220 |
| Wacker Neuson | WP1550W | 3,375 lbs. | 23" x 20" | Honda 6.0 hp Gas | 11 qt. | 6,000 vpm | 0-114 fpm | 194 lbs. | 064-0220 |
| Wacker Neuson | WP1550AW | 3,375 lbs. | 23" x 20" | Honda 5.5 hp Gas | 11 qt. | 6,000 vpm | 0-100 fpm | 190 lbs. | 064-0220 |
| MultiQuip | MVC-88VGHW | 3,450 lbs. | 22" x 20" | Honda 5.5 hp Gas | 12 qt. | 5,800 vpm | 0-72 fpm | 218 lbs. | 064-0220 |



COMPACTION EQUIPMENT



WACKER NEUSON DPU65655HE
1,049 lbs. Diesel Reversible



WACKER NEUSON BPU3050A
366 lbs. Gas Reversible



MULTIQUIP MVH-406DSZ
902 lbs. Diesel Reversible

REVERSIBLE VIBRATORY PLATE COMPACTORS feature variable forward and reverse operation, ideal for compaction applications in trenches and backfilling along foundations. Machines can also be operated stationary for “spot” compaction.



| MAKE | MODEL | CENTRIFUGAL FORCE | BASE PLATE (L x W) | BASE (W/O EXT) (L x W) | ENGINE | VIBRATION FREQUENCY | FWD/REV SPEED | WEIGHT | CAT-CLASS |
|---------------|-------------|-------------------|--------------------|------------------------|---------------------|---------------------|---------------|------------|-----------|
| Multiquip | MVH-150VGH | 6,620 lbs. | 26" x 17" | — | Honda 6.5 hp Gas | 5,600 vpm | 0-75 fpm | 331 lbs. | 064-0230 |
| Wacker Neuson | BPU3050A | 6,750 lbs. | 29" x 20" | — | Honda 9.0 hp Gas | 5,400 vpm | 0-69 fpm | 366 lbs. | 064-0230 |
| Multiquip | MVH-206GH | 7,870 lbs. | 28" x 20" | — | Honda 7.1 hp Gas | 5,200 vpm | 0-75 fpm | 459 lbs. | 064-0240 |
| Wacker Neuson | DPU4045A | 8,992 lbs. | 35" x 24" | 35" x 18" | Honda 8.0 hp Gas | 4,140 vpm | 0-79 fpm | 710 lbs. | 064-0240 |
| Multiquip | MVH-306GH | 10,125 lbs. | 34" x 24" | 34" x 18" | Honda 9.0 hp Gas | 3,600 vpm | 0-75 fpm | 706 lbs. | 064-0240 |
| Multiquip | MVH-406DSZ | 12,400 lbs. | 35" x 28" | 35" x 20" | Hatz 9.7 hp Diesel | 4,600 vpm | 0-75 fpm | 902 lbs. | 064-0250 |
| Wacker Neuson | BPU5545A | 12,365 lbs. | 35" x 24" | 35" x 18" | Honda 13.0 hp Gas | 4,140 vpm | 0-89 fpm | 714 lbs. | 064-0250 |
| Wacker Neuson | DPU5545HE | 12,365 lbs. | 35" x 24" | 35" x 18" | Hatz 9.4 hp Diesel | 4,140 vpm | 0-89 fpm | 915 lbs. | 064-0250 |
| Wacker Neuson | DPU65655HE | 14,613 lbs. | 35" x 28" | 35" x 22" | Hatz 12.9 hp Diesel | 4,150 vpm | 0-92 fpm | 1,049 lbs. | 064-0260 |
| Multiquip | MVH-502DSB2 | 14,000 lbs. | 35" x 28" | 35" x 22" | Hatz 14.0 hp Diesel | 4,200 vpm | 0-75 fpm | 1,122 lbs. | 064-0260 |

ELECTRIC PLATE VIBRATORY COMPACTORS are a great alternative to traditional gas powered units. These are designed for compacting both granular soils and hot/cold asphalt in confined space applications.



PACKER BROTHERS PB184-E
4,200 vpm



WACKER NEUSON AP1850E
5,880 vpm

| MAKE | MODEL | CENTRIFUGAL FORCE | BASE PLATE (L x W) | ENGINE | VIBRATION FREQUENCY | WEIGHT | CAT-CLASS |
|-----------------|---------|-------------------|--------------------|----------------------------|---------------------|----------|-----------|
| Packer Brothers | PB137-E | 2,200 lbs. | 12" x 18" | 110V Lesson electric motor | 5,900 vpm | 127 lbs. | 064-0215 |
| Packer Brothers | PB184-E | 3,300 lbs. | 17" x 24" | 1.5 hp Lesson motor 110V | 4,200 vpm | 187 lbs. | 064-0215 |
| Wacker Neuson | AP1850E | 4,046 lbs. | 15" x 20" | 51V Li-ion battery | 5,880 vpm | 223 lbs. | 064-0215 |

COMPACTION EQUIPMENT

WALK-BEHIND VIBRATORY TRENCH ROLLERS feature dual vibratory padfoot tamping drums for compacting cohesive soils and clay in utility trenches and other confined areas. Powered by electric-start diesel engines with hydrostatic drive, they feature articulated steering for easy operation and maximum productivity. Drums are completely clear at the sides, allowing compaction right along the walls of a trench or other obstructions. All models feature infrared or radio remote control operation for increased worker safety.



BOMAG BMP8500
33.5" Drum Width



WACKER NEUSON RTLX-SC3
32" Drum Width

| MAKE | MODEL | CENTRIFUGAL FORCE | DRUM WIDTH | HP | VIBRATION FREQUENCY | GRADEABILITY | WORKING SPEED | DIMENSIONS (L x W x H) | WEIGHT | CAT-CLASS |
|---------------|----------|-------------------|------------|------|---------------------|--------------|---------------|------------------------|------------|-----------|
| Bomag | BMP8500 | 16,186 lbs. | 33.5" | 19.4 | 2,520 vpm | 45% | 0-141 fpm | 74" x 33.5" x 50.2" | 3,516 lbs. | 018-0005 |
| Wacker Neuson | RTLX-SC3 | 15,377 lbs. | 32" | 20 | 2,500 vpm | 45% | 0-132 fpm | 73" x 32" x 50" | 3,295 lbs. | 018-0005 |



HAMM H5i
54" Smooth



HAMM H7i
66" Smooth



HAMM H10i
84" Smooth

SINGLE-DRUM RIDE-ON VIBRATORY COMPACTORS feature hydrostatic, all-wheel planetary drive and articulated steering for excellent gradeability and maneuverability on rugged terrain. All models are diesel-powered and feature high ground clearance to clear job site obstacles.



| MAKE | MODEL | DRUM WIDTH | DRUM TYPE | HP | CENTRIFUGAL FORCE | VIBRATION FREQUENCY | AMPLITUDE (HI/LO) | WORKING SPEED | DIMENSIONS (L x W x H) | WEIGHT | CAT-CLASS |
|-------|------------|------------|-----------|-----|-------------------|---------------------|-------------------|---------------|-------------------------|-------------|-----------|
| Bomag | BW124DH-5 | 47.2" | Smooth | 46 | 18,540 lbs. | 2,460 vpm | 0.067" | 5.6 mph | 138" x 51" x 99" | 8,598 lbs. | 022-0220 |
| Bomag | BW145D-5 | 56.1" | Smooth | 75 | 17,985 lbs. | 1,860/2,100 vpm | 0.067"/.032" | 6.2 mph | 171.8" x 61.3" x 107.8" | 12,346 lbs. | 022-0240 |
| HAMM | H5i | 54" | Smooth | 74 | 15,525 lbs. | 1,800 vpm | .061" | 3.7-7.8 mph | 159" x 57.1" x 112.9" | 10,617 lbs. | 022-0240 |
| HAMM | H5iP | 54" | Padfoot | 74 | 15,525 lbs. | 1,800 vpm | .061" | 3.7-7.8 mph | 159" x 57.1" x 112.9" | 10,882 lbs. | 022-0250 |
| HAMM | H5iPB | 54" | Padfoot | 74 | 15,525 lbs. | 1,800 vpm | .061" | 3.7-7.8 mph | 178.7" x 62" x 112.9" | 11,622 lbs. | 022-0250 |
| Bomag | BW177D-5 | 66.4" | Smooth | 75 | 25,179 lbs. | 1,860/2,280 vpm | .075"/.032" | 6.5 mph | 178.8" x 71.7" x 110.2" | 17,196 lbs. | 022-0260 |
| HAMM | H7i | 66" | Smooth | 74 | 28,125 lbs. | 1,880/2,520 vpm | .025"/.067" | 3.7-7.8 mph | 173.6" x 72.8" x 115.3" | 13,933 lbs. | 022-0260 |
| HAMM | H7i CAB | 66" | Smooth | 74 | 28,125 lbs. | 1,880/2,520 vpm | .025"/.067" | 3.7-7.8 mph | 173.6" x 72.8" x 115.3" | 14,418 lbs. | 022-0265 |
| HAMM | H7iPB | 66" | Padfoot | 74 | 28,125 lbs. | 1,880/2,520 vpm | .025"/.067" | 3.7-7.8 mph | 195.2" x 70.5" x 115.3" | 15,278 lbs. | 022-0270 |
| Bomag | BW177PDH-5 | 66.4" | Padfoot | 75 | 25,179 lbs. | 1,740-1,920 vpm | .069"/.035" | 0-10 mph | 178.8" x 71.7" x 110.2" | 16,755 lbs. | 022-0270 |
| Bomag | BW211 | 83.9" | Padfoot | 128 | 48,784 lbs. | 1,800/2,040 vpm | .077"/.039" | 6.9 mph | 231.1" x 89.4" x 117.7" | 28,418 lbs. | 022-0280 |
| HAMM | H10i | 84" | Smooth | 115 | 55,350 lbs. | 1,800/2,160 vpm | .033"/.080" | 8.7 mph | 230.3" x 89.9" x 116.5" | 23,439 lbs. | 022-0280 |
| HAMM | H10iP | 84" | Padfoot | 115 | 55,350 lbs. | 1,800/2,160 vpm | .031"/.075" | 8.7 mph | 230.3" x 89.9" x 116.5" | 26,504 lbs. | 022-0290 |
| Bomag | BW211PD-5 | 83.9" | Padfoot | 128 | 58,000 lbs. | 1,800/2,040 vpm | .067"/.035" | 6.9 mph | 231.1" x 89.4" x 117.7" | 28,109 lbs. | 022-0290 |
| HAMM | H10i CAB | 84" | Smooth | 115 | 55,350 lbs. | 1,800/2,160 vpm | .033"/.080" | 8.7 mph | 230.3" x 89.9" x 116.5" | 24,990 lbs. | 022-0300 |



COMPACTION EQUIPMENT

WALK-BEHIND ASPHALT ROLLERS are ideal for compacting granular soils and asphalt on patching and small paving jobs. They feature hydrostatic drive with dual 26-inch width smooth vibratory drums and a water tank.



WACKER NEUSON RD7HES9
3,725 vpm

| MAKE | MODEL | POWER SOURCE | IMPACT FORCE | VIBRATION FREQUENCY | WEIGHT | CAT-CLASS |
|---------------|-----------|--------------|--------------|---------------------|------------|-----------|
| Multiquip | MRH800GS2 | 13 hp Gas | 5,300 lbs. | 3,300 vpm | 1,530 lbs. | 064-0320 |
| Wacker Neuson | RD7HES9 | 8.2 hp Gas | 5,000 lbs. | 3,725 vpm | 1,623 lbs. | 064-0320 |
| Wacker Neuson | RD7A | 10 hp Gas | 6,500 lbs. | 3,725 vpm | 1,545 lbs. | 065-0320 |

RIDE-ON ASPHALT ROLLERS provide excellent performance on small to medium asphalt paving jobs, as well as roller compacted concrete applications. They feature dual vibratory drums (except static model) with hydrostatic dual drum drive and articulated steering. All models include a pressurized water system with a large capacity water tank.



WACKER NEUSON RD12A
35.4" Drum Width



BOMAG BW120SL-5
47.2" Drum Width

| MAKE | MODEL | DRUM WIDTH | POWER SOURCE | CENTRIFUGAL FORCE/DRUM | VIBRATION FREQUENCY | AMPLITUDE | WORKING SPEED | WEIGHT | CAT-CLASS |
|---------------|-----------|------------|--------------|------------------------|---------------------|-------------|---------------|-------------|-----------|
| Multiquip | AR14H | 36" | 21 hp Gas | 3,400 lbs. | 4,200 vpm | — | 0–4.8 mph | 2,688 lbs. | 022-0120 |
| Wacker Neuson | RD12A | 35.4" | 21 hp Gas | 3,400 lbs. | 4,200 vpm | .043" | 0–5.0 mph | 2,964 lbs. | 022-0120 |
| HAMM | HD-10 | 39" | 32 hp Diesel | 5,805 lbs. | 3,300 vpm | .020" | 0–6.5 mph | 5,688 lbs. | 022-0130 |
| Bomag | BW120SL-5 | 47.2" | 25 hp Diesel | 8,993 lbs. | 4,320 vpm | .020" | 0–5.6 mph | 5,511 lbs. | 022-0140 |
| HAMM | HD-12 | 47" | 35 hp Diesel | 6,570 lbs. | 3,300 vpm | .020" | 0–6.5 mph | 5,952 lbs. | 022-0140 |
| HAMM | HD14VV | 54" | 50 hp Diesel | 14,400 lbs. | 3,060/3,600 vpm | .012"/.020" | 0–6.8 mph | 9,779 lbs. | 022-0150 |
| HAMM | HD-13 | 51" | 32 hp Diesel | 7,650 lbs. | 3,300 vpm | .016" | 0–6.5 mph | 7,055 lbs. | 022-0150 |
| HAMM | HD-70HV | 59" | 84 hp Diesel | 17,100 lbs. | 2,880 vpm | .024" | 0–3.9 mph | 15,432 lbs. | 022-0155 |



CONCRETE & MASONRY EQUIPMENT



For more
information,
scan code or
visit sbr.com



Concrete and masonry work requires a plethora of tools and equipment to get the job done. Having the right tools makes all the difference in the end. That's why Sunbelt Rentals keeps a wide variety of concrete and masonry equipment for all your renting needs.

Air-Powered Scabblers

Concrete Buckets
Concrete Ceiling Grinders
Concrete Floor Grinders
Concrete Mixers
Crack Chasers
Diamond Chain Saws
Diamond Core Drill Accessories
Diamond Core Drill Bits
Diamond Core Drill Rigs
Diamond Saw Blades
Dust Collector Vacuums
Early Entry Concrete Saws

Electric Rebar Cutters & Benders

Electric Tile Saws
Elephant Trunks
Flex-Shaft Vibrators
Georgia Push Buggies
Grinder-Vacs
Hand Finishing Tools
Hand-Held Diamond Core Drills
High-Cycle Vibrators
Hydraulic Splitters
Industrial Concrete Grinders
Magnetic Sweepers
Masonry Saws

Mortar Mixers

Multi-Use Mixers
Portable Shot Blasters
Power Buggies
Power Cutoff Saws
Power Screeds
Power Trowels
Push-Type Concrete Floor Saws
Self-Propelled Street Saws
Shavers & Planners
Traffic Line Removers



CONCRETE & MASONRY EQUIPMENT

CONCRETE MIXERS feature a polyethylene drum that won't rust or dent—just a few taps with a rubber mallet removes dried concrete from the drum. An oversized dump wheel provides fast, easy dumping. All models feature large pneumatic tires and a retractable towing tongue.



MULTIQUIP MC94PH8
9 cu. ft. Capacity

| MAKE | MODEL | TYPE | CAPACITY | POWER SOURCE | WEIGHT | CAT-CLASS |
|-----------|-----------|-------------|-----------|--------------|----------|-----------|
| Multiquip | MC64PH8 | Gas Towable | 6 cu. ft. | Honda 8 hp | 685 lbs. | 015-0138 |
| Multiquip | MC94PH8 | Gas Towable | 9 cu. ft. | Honda 8 hp | 860 lbs. | 015-0150 |
| Toro | CM-958H-P | Gas Towable | 9 cu. ft. | Honda 8 hp | 850 lbs. | 015-0150 |



IMER U.S.A. MINI-MIX 60
14 gal. Capacity



IMER U.S.A. MINUTEMAN II
5 cu. ft. Capacity



MULTIQUIP MC3SEA
4.5 cu. ft. Capacity



IMER U.S.A. WHEELMAN II E
5 cu. ft. Capacity

MULTI-USE MIXERS provide outstanding versatility—mix mortar, stucco, grout and concrete with a single machine. All models feature fast, easy operation. Featuring polyethylene or steel drums.



| MAKE | MODEL | TYPE | APPLICATIONS | CAPACITY | POWER SOURCE | WEIGHT | CAT-CLASS |
|-------------|---------------------|----------------------------------|--------------------------------------|-------------|--------------|----------|-----------|
| IMER U.S.A. | Mini-Mix 60 | Electric bucket mixer | Coatings, thin sets, mortar, plaster | 14 gal. | 0.75 hp 110V | 64 lbs. | 015-0210 |
| IMER U.S.A. | Minuteman II | Electric portable multi-mixer | Concrete, mortar, stucco, grout | 5 cu. ft. | 0.5 hp 110V | 120 lbs. | 015-0220 |
| Toro | CM250EPC | Electric wheelbarrow multi-mixer | Concrete, mortar, stucco, grout | 2 cu. ft. | 0.75 hp 110V | 96 lbs. | 015-0230 |
| Multiquip | MC3PEA ¹ | Electric wheelbarrow multi-mixer | Concrete, mortar, stucco, grout | 4.5 cu. ft. | 1 hp 115V | 138 lbs. | 015-0230 |
| IMER U.S.A. | Wheelman II E | Electric wheelbarrow multi-mixer | Concrete, mortar, stucco, grout | 5 cu. ft. | 0.5 hp 110V | 101 lbs. | 015-0230 |
| IMER U.S.A. | Wheelman II G | Gas wheelbarrow multi-mixer | Concrete, mortar, stucco, grout | 5 cu. ft. | Honda 3 hp | 115 lbs. | 015-0240 |

¹Polyethylene drum models.



CONCRETE & MASONRY EQUIPMENT



IMER U.S.A. MORTARMAN 120
4.5 cu. ft.



MULTIQUIP WM70PH8
7 cu. ft.



MULTIQUIP EM120SMH11
12 cu. ft.

MORTAR MIXERS are ideal for mixing mortar, plaster, stucco and similar materials right on the job site. All towable models include large pneumatic tires and a retractable tongue for easy towing.



| MAKE | MODEL | TYPE | CAPACITY | POWER SOURCE | WEIGHT | CAT-CLASS |
|-------------|-------------------------|-------------------|-------------|--------------|------------|-----------|
| IMER U.S.A. | Mortarman 120 | Electric portable | 4.5 cu. ft. | 1 hp 110V | 192 lbs. | 015-0100 |
| Toro | MM658HP | Gas towable | 6 cu. ft. | Honda 8 hp | 554 lbs. | 015-0120 |
| Multiquip | WM70PH8 ¹ | Gas towable | 7 cu. ft. | Honda 8 hp | 700 lbs. | 015-0130 |
| Toro | MM858HP | Gas towable | 8 cu. ft. | Honda 8 hp | 585 lbs. | 015-0155 |
| Multiquip | WM90PH8 ¹ | Gas towable | 9 cu. ft. | Honda 8 hp | 860 lbs. | 015-0155 |
| Multiquip | WM90SH8 ² | Gas towable | 9 cu. ft. | Honda 8 hp | 860 lbs. | 015-0155 |
| Multiquip | EM120SMH11 ² | Gas towable | 12 cu. ft. | Honda 11 hp | 1,075 lbs. | 015-0140 |

¹Polyethylene drum models. ²Steel drum models.



MULTIQUIP CV3
3 hp Electric



WACKER NEUSON M3000
3 hp Electric



WACKER NEUSON BV50A-H
2 hp Gas Backpack

FLEX-SHAFT VIBRATORS are utilized to maximize density and eliminate trapped air during pours of medium to high-slump concrete on applications such as foundations, walls, columns and slabs. Electric hand-held and gas backpack power units are available, which are combined with a flexible shaft and a vibrator head to match job requirements.



| MAKE | MODEL | TYPE | POWER UNIT | AMP RATING | SHAFT LENGTHS | HEAD DIAMETERS | WEIGHT ¹ | CAT-CLASS |
|---------------|---------|--------------|-------------------|------------|-----------------------|----------------------------------|---------------------|-----------|
| Multiquip | CV1 | Electric | 1 hp 120V | 10 | 5', 7', 10', 12', 14' | 7/8", 1-1/16", 1-3/8" | 11 lbs. | 032-0810 |
| Multiquip | CV2 | Electric | 2 hp 120V | 15 | 5', 7', 10', 12', 14' | 1-3/8", 1-11/16", 2-1/8" | 13 lbs. | 032-0810 |
| Wacker Neuson | M2500 | Electric | 2.5 hp 120V AC/DC | 15 | 6.5', 10', 13' | 1", 1.4", 1.8" | 12 lbs. | 032-0810 |
| Multiquip | CV3 | Electric | 3 hp 120V | 20 | 5', 7', 10', 12', 14' | 1-3/8", 1-11/16", 2-1/8" | 14 lbs. | 032-0820 |
| Wacker Neuson | M3000 | Electric | 3 hp 115V AC/DC | 20 | 6.5', 10', 12' | 1-3/8", 1-3/4", 2-1/2" | 18 lbs. | 032-0820 |
| Wyco | WSD1 | Electric | 3 hp 115V | 15 | 10', 13', 14', 20', | 1-3/8", 2" | 14 lbs. | 032-0820 |
| Multiquip | BPX | Gas backpack | 2 hp Honda | — | 3'-21' | 1-3/8", 1-11/16", 2-1/8", 2-5/8" | 31 lbs. | 032-0860 |
| Wacker Neuson | BV50A-H | Gas backpack | 2 hp Honda | — | 10' | 1.75" | 37 lbs. | 032-0860 |

¹Weights shown reflect power unit only.

CONCRETE & MASONRY EQUIPMENT

HIGH-CYCLE VIBRATORS are ideal for applications, such as foundations, walls and columns, that require high frequency concrete vibration. They feature 3-phase, 200 Hz motors mounted inside the vibrator head that operate on standard 115V power, utilizing an integrated electronic convertor.



WACKER NEUSON IRFUN 45
1.8" High-Cycle

| MAKE | MODEL | HEAD DIAMETER | AMP RATING | HOSE LENGTH | MAX VPM | WEIGHT | CAT-CLASS |
|---------------|----------|---------------|------------|-------------|---------|---------|-----------|
| Wacker Neuson | IRFUN 38 | 1.5" | 6 | 18' | 12,000 | 31 lbs. | 032-0830 |
| Wacker Neuson | IRFUN 45 | 1.8" | 8 | 18' | 12,000 | 34 lbs. | 032-0840 |
| Wacker Neuson | IRFUN 57 | 2.3" | 12 | 18' | 12,000 | 44 lbs. | 032-0850 |

POWER BUGGIES provide productive, on-the-job transport and placement of ready-mix concrete and other construction materials. Two sizes with ride-on operator platforms, powered by Honda gas engines with hydrostatic drive are available. All models include a hydraulic dump system with the option of foam-filled tires or durable tracks for maximum performance.



MULTIQUIP WBH-16F
16 cu. ft. Capacity

| MAKE | MODEL | TYPE | CAPACITY | PAYLOAD | ENGINE | WEIGHT | CAT-CLASS |
|-----------|------------------|------------------|--------------|------------|-----------------------|------------|-----------|
| Multiquip | 11E ¹ | Walk-behind | 10.6 cu. ft. | 990 lbs. | DC 1300W/24V Electric | 561 lbs. | 032-0005 |
| Canycom | SC75PDH | Ride-on platform | 16 cu. ft. | 2,200 lbs. | 690 cc Gas | 1,410 lbs. | 032-0006 |
| Multiquip | WBH-16F | Ride-on platform | 16 cu. ft. | 2,500 lbs. | 13 hp Gas | 1,135 lbs. | 032-0008 |
| Allen | AR16 | Ride-on platform | 16 cu. ft. | 2,500 lbs. | 13 hp Gas | 1,300 lbs. | 032-0008 |

¹Electric model.



STERLING GB 872
8 cu. ft. Capacity Push Buggy



ELEPHANT TRUNK
(with hopper attached)



GAR-BRO 427-R
1 cu. yd. Capacity Concrete Bucket

GEORGIA PUSH BUGGIES provide an efficient way to manually transport and place concrete and other materials on-the-job. They feature an 8-cu. ft. capacity and large pneumatic tires for smooth operation. Their balanced design provides an easy rocker dump action.

ELEPHANT TRUNKS are flexible, 8-inch diameter tubes utilized to place concrete into forms. Available in 4 ft., 6 ft., 8 ft. and 10 ft. lengths, which can be coupled together with hoppers and other attachments. Gar-Bro 913-PVC (Cat-Class 150-0375)

CONCRETE BUCKETS feature a lightweight, round-gate design for job site mobility and easy operation during concrete pours.



| MAKE | MODEL | CAPACITY | WEIGHT | CAT-CLASS |
|---------|-------|-------------|----------|-----------|
| Gar-Bro | 420-R | 3/4 cu. yd. | 330 lbs. | 032-0610 |
| Gar-Bro | 427-R | 1 cu. yd. | 400 lbs. | 032-0615 |
| Gar-Bro | 454-R | 2 cu. yd. | 675 lbs. | 032-0620 |



CONCRETE & MASONRY EQUIPMENT

ELECTRIC REBAR CUTTERS AND BENDERS are ideal for on-the-job cutting and bending of steel rebar up to 1-inch diameter. Several models feature a 115V operation.



MULTIQUIP HBC25B
1" Capacity Bender



MULTIQUIP MB25A
1" Capacity Bender

| MAKE | MODEL | TYPE | CAPACITY | AMP RATING | WEIGHT | CAT-CLASS |
|-----------|--------|--------|----------|------------|----------|-----------|
| Multiquip | HBC19B | Cutter | 3/4" | 9 | 27 lbs. | 032-0780 |
| Multiquip | HBC25B | Cutter | 1" | 13 | 49 lbs. | 032-0780 |
| Multiquip | MB25A | Bender | 1" | 13 | 227 lbs. | 032-0770 |



STIHL TS 420-14
14" Gas Saw



HUSQVARNA K40-14
14" Air Saw



HUSQVARNA K970-16
16" Gas Saw



HUSQVARNA K760 CUT-N-BREAK
9" Gas Cut-n-Break Saw



HUSQVARNA K970 RING
14" Gas Ring Saw

POWER CUTOFF SAWS are high-production, hand-held saws that are ideal for cutting concrete, stone, asphalt, steel and other tough materials. Cutoff saws utilize high-speed diamond or abrasive blades. Gas, electric, air and hydraulic power options are available.



| MAKE | MODEL | TYPE | BLADE DIA | CUTTING DEPTH | POWER SOURCE | WEIGHT | CAT-CLASS |
|-----------|-------------------------------|----------|-----------|---------------|-----------------------|-----------|-----------|
| Stihl | TSA230 | Cordless | 9" | 2.75" | 36V LiON Battery | 12.3 lbs. | 020-0005 |
| Hilti | DCH300 | Electric | 12" | 4.75" | 120V AC/DC, 15A | 20.7 lbs. | 020-0015 |
| Husqvarna | K4000 Vac | Electric | 14" | 5" | 120V, 15A | 19 lbs. | 020-0040 |
| Husqvarna | K4000 Wet | Electric | 14" | 5" | 120V, 15A | 16 lbs. | 020-0040 |
| Stihl | TS 420-14 | Gas | 14" | 5" | 4.4 hp 2-stroke | 21.2 lbs. | 020-0050 |
| Husqvarna | K770 ¹ | Gas | 14" | 5" | 5 hp 2-stroke | 22.4 lbs. | 020-0050 |
| Husqvarna | K40-14 | Air | 14" | 5" | 100-125 cfm @ 100 psi | 24.2 lbs. | 020-0060 |
| Husqvarna | K970-14 | Gas | 14" | 5" | 6.4 hp 2-stroke | 21.6 lbs. | 020-0070 |
| Husqvarna | K970-16 | Gas | 16" | 6" | 6.4 hp 2-stroke | 24.2 lbs. | 020-0070 |
| Husqvarna | K760 Cut-n-Break ¹ | Gas | 9" | 16" | 5 hp 2-stroke | 23.3 lbs. | 020-0090 |
| Husqvarna | K3000 Cut-n-Break | Electric | 9" | 16" | 120V, 15A | 18 lbs. | 020-0095 |
| Husqvarna | K970 Ring ¹ | Gas | 14" | 10" | 6.4 hp 2-stroke | 26 lbs. | 020-0125 |

¹Active Air Filtration models.

CONCRETE & MASONRY EQUIPMENT

DIAMOND CHAIN SAWS are ideal for wet cutting of concrete, rebar and masonry materials, such as plunge cuts, corner cuts without overcutting and irregular shape cuts. Gas and hydraulic saws, each featuring a diamond cutting chain and a water lubrication system, are available.



ICS 680ES
14" Gas



HUSQVARNA K970
14" Gas

| MAKE | MODEL | TYPE | CUTTING BAR | POWER SOURCE | WEIGHT | CAT-CLASS |
|-----------|----------|-----------|-----------------|-------------------|-----------|-----------|
| Husqvarna | K960/970 | Gas | 14" | 6.1 hp 2-stroke | 21 lbs. | 020-0120 |
| ICS | 680ES | Gas | 12"/14" | 5.7 hp 2-stroke | 21 lbs. | 020-0120 |
| ICS | 695XL | Gas | 12"/14"/16" | 6.5 hp 2-stroke | 28 lbs. | 020-0120 |
| Stihl | GS461 | Gas | 12"/16" | 5.8 hp 2-stroke | 16.8 lbs. | 020-0120 |
| ICS | 890F4 | Hydraulic | 10"/15"/20"/25" | 8 gpm @ 2,500 psi | 27 lbs. | 020-0190 |



SOFF-CUT 150D
6" Gas Push-type Decorative Cuts



NORTON GC55
10" Gas Push-type



SOFF-CUT 2000
10" Gas Self-propelled



SOFF-CUT 4000
13.5" Gas Self-propelled



SOFF-CUT 4200
13.5" Gas Self-propelled

EARLY ENTRY CONCRETE SAWS provide the ideal solution for cutting crack control joints to prevent random cracking caused by the internal stresses that develop during concrete curing. They are specifically designed to operate in the "green zone"—within the first two hours after finishing.



| MAKE | MODEL | TYPE | STANDARD BLADE | MAX CUTTING DEPTH | CLASSIFICATION | POWER SOURCE | WEIGHT | CAT-CLASS |
|----------|-------------------|---------------------|----------------|-------------------|-------------------------------|--------------|----------|-----------|
| Soff-Cut | 150 | Gas, Push-type | 6" | 1-3/16" | Residential, Light Commercial | 4.5 hp | 87 lbs. | 020-0215 |
| Soff-Cut | 150D | Gas, Push-type | 6" | 1-3/16" | Residential, Light Commercial | 4.5 hp | 102 lbs. | 020-0215 |
| Norton | GC55 | Gas, Push-type | 10" | 3-1/2" | Residential, Light Commercial | 5.5 hp | 115 lbs. | 020-0225 |
| Norton | GC25E | Electric, Push-type | 10" | 3-1/2" | Residential, Light Commercial | 2.5 hp | 135 lbs. | 020-0226 |
| Soff-Cut | 2000 ¹ | Gas, Self-propelled | 10" | 1-1/2" | Med. to Heavy Commercial | 9 hp | 317 lbs. | 020-0230 |
| Soff-Cut | 2500 ¹ | Gas, Self-propelled | 10" | 1-1/2" | Med. to Heavy Commercial | 13.5 hp | 347 lbs. | 020-0230 |
| Soff-Cut | 4000 ¹ | Gas, Self-propelled | 13.5" | 3" | Heavy Commercial | 20 hp | 420 lbs. | 020-0240 |
| Soff-Cut | 4200 ¹ | Gas, Self-propelled | 13.5" | 3" | Heavy Commercial | 22 hp | 488 lbs. | 020-0240 |

¹These models feature electric starting.



CONCRETE & MASONRY EQUIPMENT

PUSH-TYPE CONCRETE FLOOR SAWS utilize diamond blades for wet/dry cutting of concrete and asphalt pavement. Applications include short-run slab cutting, crack control joints, patching, trenching and traffic loop installation. Precision controls enable accurate cuts and smooth operation. A water system is included for wet cutting applications to cool the blade and control dust.



HUSQVARNA FS400
18" 11 hp Gas Push-type



EDCO DS-18-13H
18" 13 hp Gas Push-type

| MAKE | MODEL | TYPE | MAX BLADE SIZE | MAX CUTTING DEPTH | POWER SOURCE | WEIGHT | CAT-CLASS |
|-----------|-----------|----------|----------------|-------------------|--------------|----------|-----------|
| EDCO | SK-14 | Gas | 14" | 4-5/8" | 13 hp Honda | 190 lbs. | 020-0310 |
| Husqvarna | FS309 | Gas | 14" | 4-5/8" | 9 hp Robin | 141 lbs. | 020-0310 |
| Husqvarna | MC18-5E | Electric | 18" | 6-5/8" | 5 hp 230V | 268 lbs. | 020-0325 |
| EDCO | DS-18-5B | Electric | 18" | 6-5/8" | 5 hp 230V | 280 lbs. | 020-0325 |
| Husqvarna | FS400 | Gas | 18" | 6-5/8" | 11 hp Honda | 218 lbs. | 020-0326 |
| Husqvarna | FS413 | Gas | 18" | 6-5/8" | 11 hp Honda | 359 lbs. | 020-0326 |
| EDCO | DS-18-13H | Gas | 18" | 6-5/8" | 13 hp Honda | 250 lbs. | 020-0326 |
| Husqvarna | MC18-13H | Gas | 18" | 6-5/8" | 13 hp Honda | 195 lbs. | 020-0326 |
| EDCO | ASB-14 | Air | 14" | 4-5/8" | 5 hp 160 cfm | 193 lbs. | 020-0340 |

SELF-PROPELLED STREET SAWS are ideal for heavy-duty, wet cutting of concrete and asphalt pavement utilizing diamond cutting blades. Applications include highway and road repair, airport construction and utility construction. Hydrostatic transmissions provide variable-speed operation and smooth directional changes. A water system is included to cool the blade and control dust. Gas, diesel and propane power options are available.



EDCO SS-20-20H
20" 20 hp Gas Self-propelled



HUSQVARNA FS6600
26" 66 hp Diesel Self-propelled

| MAKE | MODEL | TYPE | MAX BLADE SIZE | MAX CUTTING DEPTH | POWER SOURCE | WEIGHT | CAT-CLASS |
|-----------|-----------|----------|----------------|-------------------|------------------|------------|-----------|
| EDCO | SS-16A | Gas | 16" | 5-5/8" | 13 hp Honda | 350 lbs. | 020-0350 |
| Husqvarna | FS513 | Gas | 18" | 6-5/8" | 13 hp Honda | 424 lbs. | 020-0350 |
| Husqvarna | FS520 | Gas | 20" | 7-5/8" | 20 hp Honda | 493 lbs. | 020-0350 |
| EDCO | SS-20-20H | Gas | 20" | 7-5/8" | 20 hp Honda | 458 lbs. | 020-0350 |
| EDCO | SS-24-24H | Gas | 24" | 9-5/8" | 24 hp Honda | 532 lbs. | 020-0350 |
| EDCO | SS-20-25P | Propane | 20" | 7-5/8" | 20 hp Honda | 458 lbs. | 020-0360 |
| Husqvarna | FS524 | Gas | 24" | 9-5/8" | 24 hp Honda | 520 lbs. | 020-0350 |
| EDCO | SS-26 | Gas | 30" | 12" | 38 hp Kohler | 1,040 lbs. | 020-0420 |
| Husqvarna | FS3500 | Electric | 30" | 12" | 30 hp Lincoln | 1,160 lbs. | 020-0440 |
| Husqvarna | FS5000 | Diesel | 14" | 14-3/4" | 47 hp Yanmar | 1,700 lbs. | 020-0440 |
| Husqvarna | FS7000 | Diesel | 36" | 17-1/4" | 74 hp John Deere | 1,700 lbs. | 020-0540 |

CONCRETE & MASONRY EQUIPMENT

MASONRY SAWS utilize diamond cutting blades for wet/dry cutting of bricks and blocks. All models feature a sliding cutting table for versatile operation. 14-inch models include a folding stand and perform both plunge cuts and jam cuts. 20-inch models are mounted on a rigid stand that includes a foot pedal for performing plunge cuts and combination step cuts. An electric recirculating-type water pump and tray are included for wet cutting applications to cool the blade and control dust.



EDCO BB-14E
14" Electric Saw



HUSQVARNA MS360G
14" Gas Saw

| MAKE | MODEL | TYPE | BLADE SIZE | CUTTING DEPTH | POWER SOURCE | WEIGHT | CAT-CLASS |
|-----------|------------|----------|------------|---------------|------------------------------|----------|-----------|
| EDCO | GMS-10-4H | Gas | 10" | 3" | 4 hp Honda | 135 lbs. | 020-0630 |
| EDCO | BB-14E | Electric | 14" | 5" | 1.5 hp 115/230V ¹ | 168 lbs. | 020-0640 |
| Husqvarna | MS360 | Electric | 14" | 5" | 1.5 hp 115V | 128 lbs. | 020-0640 |
| Norton | BBM158 | Electric | 14" | 5" | 2 hp 115/230V | 123 lbs. | 020-0640 |
| Norton | BBM307 | Electric | 14" | 5" | 3 hp 115V | 75 lbs. | 020-0640 |
| EDCO | BB-14G | Gas | 14" | 5" | 5.5 hp Honda | 175 lbs. | 020-0650 |
| Husqvarna | MS360G | Gas | 14" | 5" | 5 hp Honda | 170 lbs. | 020-0650 |
| Norton | BBC547 | Gas | 14" | 5" | 5.5 hp Honda | 275 lbs. | 020-0650 |
| EDCO | GMS-20-11H | Gas | 20" | 8" | 11 hp Honda | 550 lbs. | 020-0670 |

¹1.5 hp 115/230V available in some markets.



IMER USA COMBI 200VA
8" Tile Saw



HUSQVARNA TS250X
10" Tile Saw



EDCO TMS-10
10" Tile Saw

ELECTRIC TILE SAWS utilize diamond blades for wet/dry cutting of ceramic and quarry tile. All models feature a sliding cutting table to accommodate a variety of cutting applications. An electric recirculating-type water pump and tray are included for wet cutting applications to cool the blade and control dust. These saws are designed for tabletop usage or mounting on a portable stand. 115V operation.



| MAKE | MODEL | BLADE SIZE | CAPACITY STRAIGHT CUTS | CAPACITY DIAGONAL CUTS | HP | WEIGHT | CAT-CLASS |
|-------------|-------------|------------|------------------------|------------------------|-------|----------|-----------|
| Norton | CTC705 | 7" | 17" | 12" | 1 | 43 lbs. | 020-0610 |
| IMER U.S.A. | Combi 200VA | 8" | 21" | 15" | 3/4 | 45 lbs. | 020-0610 |
| IMER U.S.A. | Combi 250VA | 10" | 28" | 20" | 1-1/2 | 70 lbs. | 020-0615 |
| EDCO | TMS-10 | 10" | 20" | 14" | 1-1/2 | 100 lbs. | 020-0620 |
| Husqvarna | TS250X | 10" | 24" | 18" | 1-1/2 | 132 lbs. | 020-0620 |
| Norton | CTC1020XL | 10" | 24" | 18" | 2 | 65 lbs. | 020-0620 |
| Husqvarna | TS60 | 10" | 28" | 20" | 1/2 | 79 lbs. | 020-0620 |



CONCRETE & MASONRY EQUIPMENT



HILTI VC150-10X
150 cfm



ERMATOR S26
258 cfm



KARCHER NT40/1 TACT TE
150 cfm



ERMATOR S36
353 cfm

DUST COLLECTOR VACUUMS are ideal for collecting dust and residue from all types of surface preparation equipment including grinders, planers, scabblers and shot blasters. They can also be used effectively with other equipment such as rotary hammers and saws. Featuring powerful vacuums with highly-efficient filtration, they reduce the environmental and health hazards of airborne particles. Several sizes of dust collector vacuums are available. Each model includes a vacuum hose and accessories.



| MAKE | MODEL | AIR FLOW | WATER LIFT | COLLECTOR CAPACITY | VACUUM HOSE | POWER SOURCE | WEIGHT | CAT-CLASS |
|------------|---------------------------|----------|------------|--------------------|--------------|---------------|----------|-----------|
| Hilti | VC150-10X | 150 cfm | 85" | 10 gal. | 1-1/2" x 25' | 120V, 9A | 44 lbs. | 032-0150 |
| Husqvarna | DC 1400 | 129 cfm | 88.6" | 14 gal. | 1-1/2" x 8' | 220/240V, 16A | 38 lbs. | 032-0410 |
| Hilti | VC40-U | 106 cfm | 129" | 6.6 gal. | 1-1/4" x 16' | 120V, 20A | 80 lbs. | 032-0410 |
| EDCO | Vortex-200 | 200 cfm | 94.0" | 9 gal. | 2" x 25' | 110V, 16A | 90 lbs. | 032-0410 |
| Ermator | S26 ² | 258 cfm | 100.0" | 3.5 gal. | 2" x 17' | 120V, 20A | 103 lbs. | 032-0420 |
| Karcher | NT30/1 Tact TE | 150 cfm | 102.0" | 8.2 gal. | 1-3/8" x 13' | 120V, 13A | 30 lbs. | 032-0420 |
| Karcher | NT40/1 Tact TE | 150 cfm | 102.0" | 10.3 gal. | 1-3/8" x 13' | 120V, 13A | 30 lbs. | 032-0420 |
| Karcher | NT65/2 Tact TE | 280 cfm | 88.0" | 17.2 gal. | 1-5/8" x 13' | 120V, 15A | 30 lbs. | 032-0420 |
| Ermator | S36 ² | 353 cfm | 110.0" | 3.5 gal. | 2" x 17' | 230V, 20A | 134 lbs. | 032-0430 |
| Clarke/Wap | ATTIX 12RDFD ¹ | 140 cfm | 105.0" | 12 gal. | 1-1/2" x 10' | 120V, 13A | 53 lbs. | 080-0120 |

¹This model also works as a wet/dry vacuum. (see page 111) ²HEPA Dust Extractor.

GRINDER-VACS are hand-held diamond grinders designed for dust-free operation when used with a dust collector vacuum. Utilizing diamond cup wheels or grinding discs, they are ideal for a variety of applications, including concrete grinding, paint coating and adhesive removal and surface preparation. Hilti model features a brushless dc motor that provides long-standing performance and includes a power conditioner that converts AC power to DC.



HILTI DG-150
6" Disc Size

| MAKE | MODEL | TYPE | DISC SIZE | SPEED | POWER SOURCE | WEIGHT | CAT-CLASS |
|-------|--------|-----------|-----------|-----------------|--------------|--------|-----------|
| Hilti | DG-150 | Hand-held | 6" | 4,700/6,600 rpm | 115V, 15A | 9 lbs. | 032-0150 |

CONCRETE & MASONRY EQUIPMENT



MULTIQUIP CDM1H
1-speed



HUSQVARNA DM 230
3-speed



HILTI DD 130
3-speed

HAND-HELD DIAMOND CORE DRILLS are ideal for both dry and wet drilling applications in reinforced concrete, stone, masonry and asphalt using up to 6-inch diameter diamond core bits. All models operate on 115V current and include a water system to provide cooling and control dust.



| MAKE | MODEL | TYPE | MAX DRILLING CAPACITY ¹ | MAX DRILLING DEPTH ² | MOTOR | AMP RATING | SPEED | WEIGHT | CAT-CLASS |
|-----------|--------|-----------|------------------------------------|---------------------------------|---------|------------|---------------------|---------|-----------|
| Multiquip | CDM1H | Hand-Held | 5" | — | 1-speed | 11 | 1,800 rpm | 9 lbs. | 032-0710 |
| Husqvarna | DM 220 | Hand-Held | 6" | — | 3-speed | 15 | 580/1,400/2,900 rpm | 12 lbs. | 032-0720 |
| Husqvarna | DM 230 | Hand-Held | 6" | — | 3-speed | 15 | 500/1,400/2,900 rpm | 12 lbs. | 032-0720 |
| Hilti | DD 130 | Hand-Held | 6" | — | 3-speed | 15 | 780/1,400/1,120 rpm | 17 lbs. | 032-0720 |

¹Dual drilling capacities reflect optional spacers not installed/installed. ²Standard drilling depths shown. Column extensions are available to increase depth.



HUSQVARNA DS 800
3-Speed



HILTI DD 200
3-Speed



HILTI DD 250E
4-Speed

DIAMOND CORE DRILL RIGS are designed for precision wet drilling applications in reinforced concrete, brick, block and stone using diamond core drill bits up to 26-inch diameter. All models operate on standard 115V current and feature multi-speed operation to optimize performance.

| MAKE | MODEL | TYPE | MAX DRILLING CAPACITY ¹ | MAX DRILLING DEPTH ² | MOTOR | AMP RATING | SPEED | WEIGHT | CAT-CLASS |
|-----------|---------|-----------|------------------------------------|---------------------------------|---------|------------|-----------------------|-----------|-----------|
| Husqvarna | DMS 180 | Drill Rig | 6" | — | 1-speed | 15 | 1200 rpm | 51 lbs. | 032-0730 |
| Husqvarna | DMS 240 | Drill Rig | 10" | 20" | 1-speed | 15 | 1500 rpm | 51 lbs. | 032-0730 |
| Husqvarna | DS 800 | Drill Rig | 16" | 26" | 3-speed | 15 | 300/660/1,140 rpm | 108 lbs. | 032-0730 |
| Husqvarna | DMS 280 | Drill Rig | 16" | 26" | 3-speed | 15 | 300/660/1,140 rpm | 86 lbs. | 032-0740 |
| Hilti | DD 200 | Drill Rig | 16" | 20" | 3-speed | 20 | 320/550/1,120 rpm | 50 lbs. | 032-0740 |
| Hilti | DD 150U | Drill Rig | 6-1/4" | 20" | 3-speed | 18.3 | 780/1,520/285 rpm | 47.3 lbs. | 032-0740 |
| Hilti | DD 250E | Drill Rig | 12"/16" | 20" | 4-speed | 20 | 275/450/950/1,800 rpm | 110 lbs. | 032-0740 |

¹Dual drilling capacities reflect optional spacers not installed/installed. ²Standard drilling depths shown. Column extensions are available to increase depth.



CONCRETE & MASONRY EQUIPMENT

DIAMOND CORE DRILL BITS are available in a range of sizes for hand-held core drills and core drill rigs, including both dry drilling and wet drilling types. Dry drilling core bits are offered in 1-inch through 6-inch diameters with a maximum drilling depth of 9-1/2-inches. Wet drilling core bits are offered in 1-inch through 14-inch diameters with a maximum drilling depth of 13-inch (6-inch and 12-inch extensions are available). Core drill bits are offered for both rental and sale.

Note: Larger wet drilling core bits up to 26-inch diameter are also available upon request.



DRY DRILLING BITS
1" through 6" diameter



WET DRILLING BITS
1" through 14" diameter

DIAMOND CORE DRILL ACCESSORIES



HILTI DD REC-1
Water Recycling Unit
(Cat-Class 032-0726)



HILTI DWP 10
Water Supply Unit



HILTI DD VP-U
Vacuum Pump



MAKINEX HOSE2GO
3.6 gallons, up to 30 min
constant flow, no pump,
no electronics



DRILL RIG SPACER
Expands core bit capacity
up to 16"



FREE WORKSHOPS

LOCATIONS NEAR YOU


Concrete Polishing, Repair and Restoration Workshop

One day hands-on training that will cover grinding, polishing, color application, and repair techniques.

Interested?


Contact us at flooring.info@sunbeltrentals.com or visit [sunbeltrentals.com](https://www.sunbeltrentals.com)

CONCRETE & MASONRY EQUIPMENT




SEGMENTED—LASER WELDED

For use on a wide variety of materials. Suitable for all-purpose cutting and hard materials.



CONTINUOUS T-RIM TURBO

Excellent for use when less chipping or spalling is desired in all-purpose applications.



TUCK POINTING BLADES

These blades are used for cleaning and removing mortar joints. For use on right angle grinders.



DIAMOND SAW BLADES are available for use with concrete saws, masonry saws and tile saws. Small diameter diamond blades, suitable for portable power tools such as circular saws and right-angle grinders, are also available. Diamond blades consist of a precision-made, steel disc with a diamond edge attached by welding or bonding. Three basic types of diamond blades are illustrated above.

| APPLICATION GUIDE FOR DIAMOND BLADES | |
|--------------------------------------|---|
| BLADE TYPE | APPLICATIONS |
| Abrasive Block | Cutting very abrasive concrete and cinder blocks |
| Abrasive Material | Cutting green/abrasive concrete and soft abrasive block |
| All Purpose | Cutting most concrete, concrete block and medium hard brick |
| Asphalt | Cutting asphalt pavement |
| Block | Cutting most concrete blocks |
| Brick | Cutting hard brick, brick pavers and certain types of hard tile |
| Combo | Cutting a mixture of bricks and blocks |
| Cured Concrete | Cutting well-cured concrete over 7 days old with medium to hard aggregate |
| Green Concrete | Cutting green concrete 2 days or newer |
| Hard Material | Cutting very hard brick, granite and marble |
| Overlay | Cutting asphalt over concrete |
| Soft Material | Cutting soft abrasive block |
| Tile | Cutting most types of ceramic and quarry tile |

| MAX CUTTING DEPTHS—DIAMOND BLADES | |
|-----------------------------------|---------------|
| BLADE DIAMETER | CUTTING DEPTH |
| CONCRETE SAW BLADES | |
| 12" | 3-5/8" |
| 14" | 4-5/8" |
| 16" | 5-5/8" |
| 18" | 6-5/8" |
| 20" | 7-5/8" |
| 24" | 9-5/8" |
| 26" | 10-5/8" |
| 30" | 11-3/4" |
| 36" | 14-3/4" |
| 42" | 17-3/4" |
| 48" | 19-3/4" |
| MASONRY SAW BLADES | |
| 10" | 3" |
| 14" | 5" |
| 18" | 7" |
| 20" | 8" |
| TILE SAW BLADES | |
| 6" | 1-3/4" |
| 7" | 2-1/4" |
| 8" | 2-3/4" |
| 9" | 3-1/4" |
| 10" | 3-3/4" |



CONCRETE & MASONRY EQUIPMENT

CONCRETE FLOOR SAW BLADES

| BLADE TYPE | BLADE DIAMETER | APPLICATIONS |
|---------------------------------|----------------|--------------|
| Diamond/Asphalt/Green Concrete | 9"-14" | Dry cutting |
| Diamond/Asphalt/Green Concrete | 14"-36" | Wet cutting |
| Diamond/Cured Concrete | 9"-14" | Dry cutting |
| Diamond/Cured Concrete | 12"-36" | Wet cutting |
| Diamond/Green Concrete/Overlay | 12"-14" | Dry cutting |
| Diamond/Green Concrete/Overlay | 14"-18" | Wet cutting |
| Abrasive/Asphalt/Green Concrete | 14"-18" | Dry cutting |
| Abrasive/Concrete | 14"-18" | Dry cutting |



CUTOFF SAW BLADES

| BLADE TYPE | BLADE DIAMETER | APPLICATIONS |
|---------------------------|----------------|--------------|
| Diamond/Abrasive Material | 12"-14" | Dry cutting |
| Diamond/All-Purpose | 12"-16" | Dry cutting |
| Diamond/Continuous T-Rim | 12"-14" | Dry cutting |
| Diamond/Hard Material | 12"-14" | Dry cutting |
| Abrasive/Asphalt | 12"-16" | Dry cutting |
| Abrasive/Chop Saw | 14" | Metal studs |
| Abrasive/Concrete | 12"-16" | Dry cutting |
| Abrasive/Ductile | 12"-14" | Dry cutting |
| Abrasive/Metal | 12"-14" | Dry cutting |
| Abrasive/Rail Track | 14" | Dry cutting |
| Wire Joint Brush | 12" | Concrete |



MASONRY & TILE SAW BLADES

| BLADE TYPE | BLADE DIAMETER | APPLICATIONS |
|-------------------------------|----------------|-------------------------------|
| Diamond/Masonry/Block | 14" | Dry cutting |
| Diamond/Masonry/Block | 14"-20" | Wet cutting |
| Diamond/Masonry/Brick | 14" | Dry cutting |
| Diamond/Masonry/Brick—14"—20" | 14"-20" | Wet cutting |
| Diamond/Masonry/Combo | 14"-20" | Dry cutting |
| Diamond/Masonry/Combo | 14"-20" | Wet cutting |
| Abrasive/Masonry | 14" | Dry cutting |
| Diamond/Tile | 6"-14" | Wet cutting, continuous rim |
| Diamond/Tile | 4"-7" | Dry cutting, continuous rim |
| Diamond/Tile/Brick/Pavers | 10" | Wet or dry cutting, segmented |



PORTABLE POWER TOOL BLADES

| BLADE TYPE | BLADE DIAMETER |
|--------------------------------|----------------|
| Diamond/All Purpose | 4"-14" |
| Diamond/Continuous T-Rim Turbo | 4"-10" |
| Diamond/Hard Material | 7" |
| Diamond/Tile | 8"-10" |
| Diamond/Tuck Pointing | 4"-7" |
| Abrasive/Concrete | 4"-9" |
| Abrasive/Metal | 4"-9" |
| Flared Cup Stones | 4"-6" |
| Grinding Cup Wheels | 4"-7" |



Note: These blades are suitable for use on portable power tools such as right-angle grinders and circular saws.

CONCRETE & MASONRY EQUIPMENT



WACKER NEUSON CT36-5A
36" Walk-behind



MULTIQUIP B46H90
46" Walk-behind



MULTIQUIP HHN-31V-TCSL5
Twin 48" Ride-on

POWER TROWELS are utilized to float and finish new concrete surfaces. Several types and sizes of power trowels including edging, standard and twin ride-on types are available. All models feature air-cooled gasoline engines, 4-blade design and variable pitch control for adjusting blades to changing surface conditions. Float pans and float, finish and combination blade sets are available for both sale and rental.



| MAKE | MODEL | TYPE | ENGINE | TROWELING WIDTH | SPEED RANGE | WEIGHT | CAT-CLASS |
|---------------|---------------------|----------------------------------|----------------|-----------------|-------------|------------|-----------|
| Multiquip | CA4HM | Edging-within 1/4" of walls | Honda 3.5 hp | 24" | 70-130 rpm | 125 lbs. | 025-0110 |
| Multiquip | J36H55 ¹ | Standard walk-behind | Honda 4.8 hp | 36" | 60-115 rpm | 150 lbs. | 025-0130 |
| Wacker Neuson | CT36-5A | Standard walk-behind | Honda 5.5 hp | 36" | 60-125 rpm | 183 lbs. | 025-0130 |
| Multiquip | B46H90 ¹ | Standard walk-behind | Honda 8 hp | 46" | 60-130 rpm | 242 lbs. | 025-0150 |
| Wacker Neuson | CT48-8A | Standard walk-behind | Honda 8 hp | 48" | 60-125 rpm | 243 lbs. | 025-0150 |
| Multiquip | HHNG5 | Ride-on twin 48" non-overlapping | Vanguard 35 hp | 92" | 0-180 rpm | 1,083 lbs. | 025-0230 |
| Multiquip | HHN-31V-TCSL5 | Ride-on twin 48" non-overlapping | Vanguard 31 hp | 91" | 10-130 rpm | 1,120 lbs. | 025-0230 |
| Allen | HDX760 | Ride-on twin 58" non-overlapping | Hatz 74 hp | 118" | 25-145 rpm | 2,687 lbs. | 025-0245 |

¹These models are available with either standard or Quick-Pitch handles.

POWER SCREEDS provide increased productivity over manual screeding of freshly poured concrete utilizing a vibratory blade. Vibratory action is achieved by a flexible shaft coupled to eccentric weights, which are adjustable to match the centrifugal force to the blade size. Several blade widths are available. Units disassemble in minutes for easy storage and transportation.



MULTIQUIP DS-GPULW
5'-16' Blade width



WACKER NEUSON P31A
6'-16' Blade width

| MAKE | MODEL | BLADE WIDTHS | ENGINE | WEIGHT | CAT-CLASS |
|---------------|----------|--------------|------------------|---------|-----------|
| Multiquip | DS-GPULW | 5'-16' | Honda 1.3 hp Gas | 32 lbs. | 025-0310 |
| Wacker Neuson | P31A | 6'-16' | Honda 1.5 hp Gas | 34 lbs. | 025-0310 |



CONCRETE & MASONRY EQUIPMENT

HYDRAULIC SPLITTERS break reinforced concrete and rock with up to 385 tons of splitting force. It is ideal for many demolition applications including bridge decks and abutments, retaining walls and foundations, especially in environmentally sensitive areas where breakers and blasting cannot be used. After drilling a pilot hole with a pneumatic rock drill, the plug and feather end of the hydraulic splitter is inserted. An air-driven hydraulic pump applies hydraulic pressure to force the plug between the feathers, splitting the concrete or rock.



ELCO 02-12
50–80 cfm

| MAKE | MODEL | AIR REQUIREMENT | CYLINDER WEIGHT | PUMP WEIGHT | CAT-CLASS |
|------|-------|-----------------|-----------------|-------------|-----------|
| Elco | 02-12 | 50–80 cfm | 68 lbs. | 70 lbs. | — |



LAVINA 21-X
20" Work path



LAVINA 13-X EDGER
13" Work path



LAVINA 25-X
25" Work path



LAVINA 30G-X
30" Work path



LAVINA L20-GE
20" Work path

INDUSTRIAL CONCRETE GRINDERS are heavy-duty grinders utilized for the surface preparation of concrete floors prior to the application of new coatings. They are also ideal for grinding, honing and polishing concrete, terrazzo and stone surfaces. Each unit is equipped with a water system and tank for wet grinding and should be used in conjunction with a dust collector vacuum.



| MAKE | MODEL | WORK PATH | SPEED | HP | POWER SOURCE | WEIGHT | CAT-CLASS |
|--------|------------|-----------|---------------|------|--------------|----------|-----------|
| Lavina | 21-X | 20" | 300–500 rpm | 2.45 | Electric | 219 lbs. | 032-0065 |
| Lavina | 13-X Edger | 13" | 500–800 rpm | 5 | Electric | 271 lbs. | 032-0205 |
| Lavina | 25-X | 25" | 500–1,100 rpm | 15 | Electric | 660 lbs. | 032-0130 |
| Lavina | 30G-X | 30" | 570–1,030 rpm | 18 | Propane | 610 lbs. | 032-0135 |
| Lavina | L20-GE | 20" | 610–1,090 rpm | 14.5 | Propane | 645 lbs. | 032-0135 |

CONCRETE & MASONRY EQUIPMENT

CONCRETE FLOOR GRINDERS (scarifiers) utilize rotating discs to level, smooth or clean the top surface of a concrete slab. Applications include eliminating trowel marks, smoothing rough edges, removing coatings, grinding high spots and adding texture to slippery surfaces. Several sizes and types of floor grinders are available including electric edge grinders, electric and gas conventional grinders (single and dual disc) and high-speed turbo grinders (electric, gas and propane models available). All models accommodate a dust collector vacuum.



EDCO TMC-7E
7" Electric Edge Grinder



EDCO TG-10-11H
10" Gas Turbo Grinder

| MAKE | MODEL | TYPE | DISC SIZE/TYPE | WORKING WIDTH | POWER SOURCE | WEIGHT | CAT-CLASS |
|-----------|------------|-------------------------|-------------------------------|---------------|------------------|----------|-----------|
| EDCO | TMC-7E | Edge Grinder, Electric | 7" Diamond Cupwheel | 7" | 2 hp, 115V | 130 lbs. | 032-0010 |
| EDCO | TL-9 | Single Disc, Electric | 9" Magna-Trap | 9" | 1.5 hp, 115V | 90 lbs. | 032-0020 |
| Husqvarna | PG280 | Single Disc, Electric | 11" Dyma-Sert/Multi-Accessory | 11" | 3 hp, 115V | 176 lbs. | 032-0020 |
| EDCO | SEC-NG | Single Disc, Electric | 11" Dyma-Sert/Multi-Accessory | 11" | 1.5 hp, 115V | 188 lbs. | 032-0030 |
| EDCO | TG-10-13P | Turbo Grinder, Propane | 10" Diamond Disc | 10" | 13 hp Honda | 254 lbs. | 032-0030 |
| EDCO | 2EC-NG1.5 | Dual Disc, Electric | 11" Dyma-Set/Multi-Accessory | 22" | 1.5 hp, 115/230V | 258 lbs. | 032-0040 |
| EDCO | 2GC-11H | Dual Disc, Gas | 11" Dyma-Sert/Multi-Accessory | 22" | 11 hp Honda | 242 lbs. | 032-0050 |
| EDCO | 2GC-NG-11H | Dual Disc, Gas | 11" Dyma-Sert/Multi-Accessory | 22" | 11 hp Honda | 282 lbs. | 032-0050 |
| EDCO | TG-10E | Turbo Grinder, Electric | 10" Diamond Disc | 10" | 5 hp, 230/460V | 208 lbs. | 032-0060 |
| EDCO | TG-10-11H | Turbo Grinder, Gas | 10" Diamond Disc | 10" | 11 hp Honda | 190 lbs. | 032-0070 |

CONCRETE CEILING GRINDERS are ideal for smoothing rough edges and joints on precast and poured-in-place ceilings in parking decks and other structures. They feature a self-aligning grinding head that ensures full surface contact.



OZTEC CG12E
1.5 hp Electric

| MAKE | MODEL | MOTOR | WORKING HEIGHT | WEIGHT | CAT-CLASS |
|-------|-------|------------------|----------------|----------|-----------|
| Oztec | CG12E | 115V 1.5 hp | 12' | 200 lbs. | 032-0080 |
| Oztec | CG12G | Honda 2.5 hp Gas | 12' | 200 lbs. | 032-0080 |

CRACK CHASERS are designed for repairing random cracks in concrete floors. They utilize a diamond blade or bit to open cracks, leaving smooth edges ready for applying epoxies or other patching materials.



EDCO C-10-13H
8" Gas Walk-behind

| MAKE | MODEL | TYPE | BLADE | MAX CUTTING DEPTH | POWER SOURCE | WEIGHT | CAT-CLASS |
|------|----------|-----------------|-------|-------------------|--------------|----------|-----------|
| EDCO | C-10-13H | Gas walk-behind | 8" | 1" | Honda 13 hp | 215 lbs. | 032-0260 |



CONCRETE & MASONRY EQUIPMENT

CONCRETE SHAVERS & PLANNERS (or Scarifiers) utilize rotating circular cutting wheels to perform a variety of surface preparation functions, including milling misaligned sidewalks and joints, removing coatings and traffic lines, grooving and texturing. Push-type and self-propelled models are available, with both gas and electric power options offered. All models are designed to accommodate a dust collector vacuum.



EDCO CPM-10
10" Gas Self-propelled



EDCO CPM-8-5B
8" Electric Push-type

| MAKE | MODEL | TYPE | WORKING WIDTH | POWER SOURCE | WEIGHT | CAT-CLASS |
|----------------|------------|-------------------------|---------------|-----------------|----------|-----------|
| EDCO | CPM-8-5B | Electric Push-type | 8" | 5 hp 230V, 1ø | 202 lbs. | 032-0210 |
| EDCO | CPM-8-9H | Gas Push-type | 8" | 9 hp Honda | 202 lbs. | 032-0220 |
| EDCO | CPM-10 | Electric Self-propelled | 10" | 7.5 hp 230/460V | 287 lbs. | 032-0230 |
| EDCO | CPM-10-13H | Gas Self-propelled | 10" | 13 hp Honda | 267 lbs. | 032-0235 |
| EDCO | CPU-10FC | Gas Self-propelled | 10" | 20 hp Honda | 565 lbs. | 032-0240 |
| Bartell Global | CT320 | Electric Self-propelled | 12" | 23 hp 480V, 3ø | 507 lbs. | — |

TRAFFIC LINE REMOVERS are ideal for removing traffic lines from concrete and asphalt surfaces, while causing minimal surface damage. Includes a 3-inch vacuum port to accommodate a dust collection system and two removable 45-pound weights to adjust grinding pressure.



EDCO TLR-7
1,826 rpm

| MAKE | MODEL | ENGINE | WORKING WIDTH | SPEED | DIMENSIONS (L x W x H) | WEIGHT | CAT-CLASS |
|------|-------|-----------|---------------|-----------|------------------------|----------|-----------|
| EDCO | TLR-7 | 11 hp Gas | 7" | 1,826 rpm | 46.5" x 29" x 36.5" | 438 lbs. | 032-0250 |

AIR-POWERED SCABBLERS are ideal for removing spalling, loose, deteriorating and oil-soaked concrete for new overlayments; ramping large slab differences; texturing parking deck and wheelchair ramps; producing slip-resistant surfaces; and removing floor coatings. They utilize carbide bits in multi-head configurations to hammer concrete or asphalt surfaces, removing bulk material at penetrations up to 1/4-inch per pass.



EDCO CD-3
3-Head Scabblers



EDCO CD-5
5-Head Scabblers

| MAKE | MODEL | HEADS | WORKING WIDTH | MAX BPM | AIR REQUIREMENT | WEIGHT | CAT-CLASS |
|------|-------|-------|---------------|---------|------------------|----------|-----------|
| EDCO | CD-3 | 3 | 7" | 1,200 | 100 cfm @ 85 psi | 165 lbs. | 002-0094 |
| EDCO | CD-5 | 5 | 11-1/2" | 1,200 | 160 cfm @ 85 psi | 300 lbs. | 002-0095 |

CONCRETE & MASONRY EQUIPMENT



BLASTPRO BP-9-110V
9" Electric Push-Type



BLASTPRO BP-10-SUPER
10" Electric Self-propelled



BLASTPRO BP-10-27
10" Propane Ride-on

PORTABLE SHOT BLASTERS provide one-step surface preparation for a variety of concrete surface applications where a minimum amount of material must be removed in preparation for resurfacing. Blast media (shot) is directed in a controlled pattern to scour the surface. A powerful dust collector vacuum separates the blasted debris from the shot and stores it safely for disposal. Steel shot is recycled through the chamber until it is too small to be effective and then it is removed with the debris by the vacuum. Several types of shot blasters are available including an electric push-type edger model, electric self-propelled models and a propane-powered ride-on model, providing blast patterns up to 10-inches wide.



| MAKE | MODEL | TYPE | WORKING WIDTH | PRODUCTION CAPACITY | TRAVEL SPEED | POWER SOURCE | DUST COLLECTOR | WEIGHT | CAT-CLASS |
|----------|-------------|-------------------------|---------------|---------------------|--------------|----------------------|----------------|------------|-----------|
| BlastPro | BP-9-110V | Electric Push-type | 9" | 275 sq. ft./hr. | Manual | 110V, 18A | — | 121 lbs. | 032-0310 |
| BlastPro | BP-9-220V | Electric Push-type | 9" | 375 sq. ft./hr. | Manual | 208V/230, 13/12A | — | 178 lbs. | 032-0325 |
| BlastPro | BP-10-SUPER | Electric Self-propelled | 10" | 1,550 sq. ft./hr. | 0-100 fpm | 230/460V, 3ø, 34/17A | BP-9-54 | 736 lbs. | 032-0330 |
| BlastPro | BP-10-27 | Propane Ride-on | 10" | 1,500 sq. ft./hr. | 0-200 fpm | 27 hp Kohler | Onboard System | 1,525 lbs. | 032-0340 |

MAGNETIC SWEEPERS are ideal for easy cleanup and recycling of stray steel shot resulting from portable shot blaster operation. They are also great for picking up nails and other debris. NailHawg models feature a unique hand/toe release for easy operation.



VAN MARK NH25
25" Working Width



SUPERIOR MAGNETIC 71730
30" Working Width

| MAKE | MODEL | WORKING WIDTH | WEIGHT | CAT-CLASS |
|-------------------|-----------|---------------|---------|-----------|
| Van Mark | NH25 | 25" | 18 lbs. | 150-0350 |
| Van Mark | NH31 | 31" | 20 lbs. | 150-0350 |
| Superior Magnetic | 71730 | 30" | 13 lbs. | 150-0350 |
| BlastPro | BTP004335 | 25" | 13 lbs. | 150-0350 |

HAND FINISHING TOOLS including bull floats, extension handles and jitterbugs are available for rent.



BULL FLOAT WAGMAN BF60R
(Cat-Class 150-0275)



JITTERBUG
(Cat-Class 150-0280)

CONVEYORS



For more
information,
scan code or
visit [sbr.com](https://www.sbr.com)

Conveyors help to move materials and equipment safely and quickly from point A to point B. Perfect for a variety of job locations and materials. Sunbelt Rentals' assortment of conveyors can help your project move along in the right direction.

Modular Conveyors
Portable Conveyors

CONVEYORS

PORTABLE CONVEYORS are ideal for applications requiring the movement of building supplies and bulk materials up steep inclines. They feature a narrow frame that fits easily through small openings and windows. Lightweight design allows two persons to move the conveyor into position quickly and easily. 110V operation.



LINKIT LKB-26E

| MAKE | MODEL | LENGTH | BELT WIDTH | HP | WEIGHT | CAT-CLASS |
|---------|---------|--------|------------|-----|----------|-----------|
| Linklt | LKB-32E | 32' | 8" | 1 | 362 lbs. | 044-0202 |
| Redline | C-3-21 | 21' | 10" | 1 | 500 lbs. | 044-0204 |
| Linklt | LKB-26E | 26' | 8" | 1 | 227 lbs. | 044-0206 |
| Redline | C-3-26 | 26' | 10" | 1.5 | 650 lbs. | 044-0206 |



LINKIT LSK300



LINKIT LSK450



ADJUSTABLE STANDS



BULK HOPPER

MODULAR CONVEYORS provide extra versatility by adapting to various configurations. Each section is self-contained with its own electric 110V motor. Multiple sections can be assembled together in minutes and up to four sections can be powered by a 5,000 watt generator.



| MAKE | MODEL | LENGTH | BELT WIDTH | AMP RATING | WEIGHT | CAT-CLASS |
|--------|------------|--------|------------|------------|----------|-----------|
| Linklt | LKS300-3.2 | 10' | 12" | 5.0 | 228 lbs. | 044-0200 |
| Linklt | LKS300-4.4 | 14' | 12" | 5.0 | 278 lbs. | 044-0202 |
| Linklt | LKS450-5.5 | 18' | 12"/18" | 5.0 | 397 lbs. | 044-0203 |

Note: Additional conveyor accessories available for rent.



CRANES



Industrial lifting calls for heavy equipment. Manpower isn't always enough to handle larger than normal loads, materials, or equipment. The Sunbelt Rental fleet of cranes stands at the ready to help your project reach new heights.

Carry Deck Cranes
Portable Industrial Cranes

CRANES

PORTABLE INDUSTRIAL CRANES feature 48V self-propelled operation. Narrow 37-inch width and short 6-foot 7-inch turning radius allow traveling through narrow corridors and doorways. Low 5-foot 6-inch retracted height helps clear overhead obstructions. Units include an onboard charger.



VALLA 25E
5,500 lbs. Capacity

| MAKE | MODEL | LIFT CAPACITY | HORIZONTAL REACH | VERTICAL REACH | WEIGHT | CAT-CLASS |
|-------|-------|---------------|------------------|----------------|------------|-----------|
| Valla | 25E | 5,500 lbs. | 9' | 15' | 5,300 lbs. | 060-0110 |



BRODERSON IC-20
2.5 Ton Capacity



BRODERSON IC-200-2C DF
16.2 Ton Capacity



SHUTTLELIFT 5540 D
16 Ton Capacity

CARRY DECK CRANES are ideal for lifting applications requiring a compact, low-profile crane that will clear overhead obstructions and maneuver in tight spaces. Applications include industrial and manufacturing plants, equipment maintenance and repair, industrial and mechanical contractors and general construction.



| MAKE | MODEL | CAPACITY ¹ (OUTRIGGERS) | CAPACITY ¹ (PICK/CARRY) | CAPACITY ¹ (DECK) | SHEAVE HEIGHT ² | HORIZONTAL REACH ² | OVERALL HT/WIDTH | POWER SOURCE | WEIGHT | CAT-CLASS |
|-------------|---------------|---------------------------------------|---------------------------------------|---------------------------------|-------------------------------|----------------------------------|---------------------|------------------|-------------|-----------|
| Broderson | IC-20 | 5,000 lbs. | 2,500 lbs. | 5,000 lbs. | 21'/15' | 22' | 7'-6"/4' | 65 hp Dual Fuel | 6,380 lbs. | 060-0205 |
| Broderson | IC-35 | 8,000 lbs. | 6,700 lbs. | 6,000 lbs. | 26'/33' | 27' | 6'-6"/5' | 65 hp Dual Fuel | 7,860 lbs. | 060-0210 |
| Broderson | IC-80-3F DF | 18,000 lbs. | 11,400 lbs. | 14,000 lbs. | 37'/47' | 30'/40' | 87"/78" | 66 hp Dual Fuel | 15,800 lbs. | 060-0310 |
| Shuttlelift | 3339 DF | 18,000 lbs. | 11,500 lbs. | 14,000 lbs. | 38'/55' | 31'/48' | 87"/77" | 70 hp Dual Fuel | 15,800 lbs. | 060-0310 |
| Shuttlelift | 3340 DF | 18,000 lbs. | 11,500 lbs. | 14,000 lbs. | 38'/55' | 31'/48' | 87"/79" | 70 hp Dual Fuel | 16,600 lbs. | 060-0310 |
| Broderson | IC-80-3F D | 18,000 lbs. | 11,400 lbs. | 14,000 lbs. | 37'/47' | 30'/40' | 87"/78" | 74 hp Diesel | 15,800 lbs. | 060-0320 |
| Shuttlelift | 3339 D | 18,000 lbs. | 11,500 lbs. | 14,000 lbs. | 38'/55' | 31'/48' | 87"/77" | 99 hp Diesel | 15,800 lbs. | 060-0320 |
| Shuttlelift | 3340 D | 18,000 lbs. | 11,500 lbs. | 14,000 lbs. | 38'/55' | 31'/48' | 87"/79" | 80 hp Diesel | 16,600 lbs. | 060-0320 |
| Broderson | IC-200-2C DF | 30,000 lbs. | 16,200 lbs. | 17,000 lbs. | 45'/60' | 36'/51' | 95"/96" | 110 hp Dual Fuel | 27,640 lbs. | 060-0410 |
| Shuttlelift | 5540 DF | 30,000 lbs. | 16,000 lbs. | 20,000 lbs. | 47'/61' | 37'/51' | 93"/94" | 100 hp Dual Fuel | 26,500 lbs. | 060-0410 |
| Broderson | IC-200-2C D | 30,000 lbs. | 16,200 lbs. | 17,000 lbs. | 45'/60' | 36'/51' | 95"/96" | 110 hp Diesel | 27,640 lbs. | 060-0420 |
| Shuttlelift | 5540 D | 30,000 lbs. | 16,000 lbs. | 20,000 lbs. | 27'/61' | 37'/51' | 96"/94" | 80 hp Diesel | 26,500 lbs. | 060-0420 |
| Shuttlelift | 5560RT 4WD DF | 36,000 lbs. | 16,000 lbs. | 20,000 lbs. | 61'/76' | 51'/66' | 93"/94" | 100 hp Dual Fuel | 30,700 lbs. | 060-0430 |
| Shuttlelift | 5560RT 4WD D | 36,000 lbs. | 16,000 lbs. | 20,000 lbs. | 61'/76' | 51'/66' | 93"/94" | 110 hp Diesel | 30,700 lbs. | 060-0440 |

¹Capacity ratings shown reflect crane operation under optimum conditions with retracted boom at minimum radius. Consult the capacity and range chart with the crane to determine the capacity for specific lifting applications. ²Sheave heights and horizontal reach shown reflect main boom/boom plus extension or jib.



RIDER F: OMNIA PARTNERS CONTRACTED PRICING/RATES



Solicitation Number 24-15 – Equipment and Tool Rental Service

Sunbelt Rentals Statement of Pricing

In place of part numbers, the rental industry identifies equipment by Category & Classification, (Cat-Class) Each category is a grouping of similar equipment with multiple classifications representing the size and specifications for the equipment represented within that category. Cat-Classes have no brand affiliation, only a product type and specification affiliation. For these reasons as well as the type of equipment, manufacturer, options, accessories, age, and condition of equipment make maintaining an industry MSRP impossible. Sunbelt Rentals currently, provides rental solutions in over 175 equipment categories.

Sunbelts pricing proposal contains our “Top Items” list made up of the most frequently rented public sector items and based on historical usage data. In addition to the market basket items, we are offering discounts from our Day, Week, and Month rates for all catalog items. Our catalog can be located at <https://www.sunbeltrentals.com> Or by contacting your local Sunbelt Rentals location.

Discounts are as follows: 5% off of Day, 10% off of Week, and 12% off of the Monthly rate.

Rental rate pricing is developed by geographic area and is based on input from local, regional, and national market conditions relative to public sector equipment trends. Rates can vary over time based on market conditions, and geographic area. However, the discount remains the same. All market Basket and discounted prices are ceiling rates flagged as “Not to Exceed” (NTE) within our system. Our approach in presenting this is to provide the broadest scope of rental solutions to participating entities at competitive rates in every market across North America.

| Category | Class | Cat-Class | Description | Day | Week | Month |
|----------|-------|-----------|--|----------|------------|------------|
| 1 | 30 | 1_30 | 185CFM 125PSI DIESEL AIR COMPRESSOR | \$115.00 | \$290.00 | \$670.00 |
| 6 | 1 | 6_1 | SPIDER BOX TPB50P | \$75.00 | \$200.00 | \$580.00 |
| 7 | 8 | 7_8 | 20' ELECT SCISSORLIFT | \$155.00 | \$270.00 | \$455.00 |
| 7 | 10 | 7_10 | 25-26' ELECT SCISSORLIFT 46" WIDE | \$180.00 | \$340.00 | \$665.00 |
| 7 | 11 | 7_11 | 25-26' ELECT SCISSOR NARROW | \$180.00 | \$340.00 | \$665.00 |
| 7 | 16 | 7_16 | 40-44' ELECT SCISSOR NARROW | \$320.00 | \$750.00 | \$1,745.00 |
| 7 | 25 | 7_25 | 19' ELECT SCISSORLIFT | \$155.00 | \$270.00 | \$455.00 |
| 7 | 28 | 7_28 | 30-33' ELECT SCISSOR | \$230.00 | \$555.00 | \$1,195.00 |
| 7 | 29 | 7_29 | 30-33' ELECT SCISSOR NARROW | \$230.00 | \$555.00 | \$1,195.00 |
| 9 | 30 | 9_30 | 20KW DIESEL GENERATOR | \$190.00 | \$520.00 | \$1,195.00 |
| 9 | 40 | 9_40 | 36KW DIESEL GENERATOR | \$255.00 | \$680.00 | \$1,595.00 |
| 9 | 70 | 9_70 | 56KW DIESEL GENERATOR | \$350.00 | \$935.00 | \$2,150.00 |
| 9 | 100 | 9_100 | 100KW DIESEL GENERATOR | \$490.00 | \$1,165.00 | \$3,070.00 |
| 10 | 535 | 10_535 | 15KW ELECTRIC HEATER 480V 3PH | \$210.00 | \$310.00 | \$930.00 |
| 10 | 540 | 10_540 | 30KW ELECTRIC HEATER 480V 3PH | \$210.00 | \$310.00 | \$930.00 |
| 12 | 405 | 12_405 | 4000W NARROW VERTICAL MAST LIGHT TOWER | \$110.00 | \$250.00 | \$555.00 |
| 12 | 410 | 12_410 | 4000W NARROW HORIZONTAL MAST LIGHT TOWER | \$110.00 | \$250.00 | \$555.00 |
| 12 | 415 | 12_415 | 4000W WIDE VERTICAL MAST LIGHT TOWER | \$110.00 | \$250.00 | \$555.00 |
| 18 | 5 | 18_5 | TRENCH ROLLER W/ REMOTE | \$310.00 | \$815.00 | \$1,855.00 |
| 20 | 40 | 20_40 | 14" ELECTRIC CUTOFF SAW | \$85.00 | \$195.00 | \$540.00 |
| 20 | 50 | 20_50 | 14" GAS CUTOFF SAW | \$85.00 | \$195.00 | \$540.00 |
| 20 | 70 | 20_70 | 16" GAS CUTOFF SAW | \$85.00 | \$195.00 | \$540.00 |
| 22 | 120 | 22_120 | 36" DOUBLE DRUM RIDE-ON ROLLER | \$245.00 | \$730.00 | \$1,660.00 |
| 22 | 140 | 22_140 | 47" DOUBLE DRUM RIDE-ON ROLLER DIESEL | \$270.00 | \$760.00 | \$1,875.00 |
| 24 | 1102 | 24_1102 | 12'DECK SINGLE AXLE TILT TRAILER < 10K# | \$55.00 | \$170.00 | \$435.00 |
| 32 | 220 | 32_220 | CONCRETE PLANER 8" GAS | \$265.00 | \$675.00 | \$1,725.00 |
| 35 | 120 | 35_120 | 3,500LB MINI EXCAVATOR | \$275.00 | \$750.00 | \$1,745.00 |
| 35 | 130 | 35_130 | 6,000LB MINI EXCAVATOR | \$295.00 | \$775.00 | \$1,775.00 |
| 35 | 135 | 35_135 | 6,000LB MINI EXCAVATOR CAB | \$300.00 | \$790.00 | \$1,795.00 |
| 35 | 140 | 35_140 | 7,500LB MINI EXCAVATOR | \$305.00 | \$810.00 | \$1,800.00 |
| 35 | 145 | 35_145 | 7,500LB MINI EXCAVATOR CAB | \$310.00 | \$820.00 | \$1,820.00 |
| 37 | 80 | 37_80 | 24" TRACK TRENCHER WALK BEHIND | \$245.00 | \$540.00 | \$1,640.00 |

| | | | | | | |
|----|-----|--------|---|----------|------------|------------|
| 37 | 85 | 37_85 | 36" TRACK TRENCHER WALK BEHIND | \$250.00 | \$685.00 | \$1,775.00 |
| 39 | 60 | 39_60 | 12" CHIPPER | \$465.00 | \$1,205.00 | \$2,985.00 |
| 40 | 9 | 40_9 | SWEeper MID-SIZE W/B BATTERY | \$165.00 | \$520.00 | \$880.00 |
| 40 | 31 | 40_31 | SWEeper COMPACT RIDE-ON BATTERY | \$285.00 | \$805.00 | \$1,730.00 |
| 40 | 35 | 40_35 | SWEeper MID-SIZED RIDE-ON LP | \$395.00 | \$1,440.00 | \$2,520.00 |
| 40 | 37 | 40_37 | SWEeper FULL-SIZED RIDE-ON LP | \$405.00 | \$1,520.00 | \$2,750.00 |
| 40 | 45 | 40_45 | LITTER VACUUM RIDE-ON - OUTDOOR | \$445.00 | \$1,465.00 | \$2,850.00 |
| 40 | 110 | 40_110 | SCRUBBER W/B 20" PATH BATTERY | \$165.00 | \$480.00 | \$900.00 |
| 40 | 115 | 40_115 | SCRUBBER W/B 28" PATH BATTERY | \$225.00 | \$575.00 | \$1,650.00 |
| 40 | 118 | 40_118 | SCRUBBER W/B MIDSIZE 28" | \$190.00 | \$580.00 | \$1,235.00 |
| 40 | 120 | 40_120 | SCRUBBER W/B 32" PATH BATTERY | \$295.00 | \$875.00 | \$1,850.00 |
| 40 | 200 | 40_200 | SCRUBBER MICRO RIDE-ON BATTERY | \$270.00 | \$945.00 | \$1,840.00 |
| 40 | 220 | 40_220 | SCRUBBER INDUSTRIAL RIDE-ON LPG | \$560.00 | \$1,800.00 | \$4,015.00 |
| 40 | 230 | 40_230 | SWEeper/SCRUBBER INDUSTRIAL RIDE-ON LPG | \$600.00 | \$1,935.00 | \$4,135.00 |
| 41 | 163 | 41_163 | 6X6X11 SOLIDS VAC 74HP QF CONTR PUMP | \$300.00 | \$875.00 | \$3,295.00 |
| 43 | 230 | 43_230 | 3" GAS TRASH PUMP | \$75.00 | \$190.00 | \$470.00 |
| 48 | 400 | 48_400 | 1500-2000LB SKIDSTEER | \$240.00 | \$700.00 | \$1,395.00 |
| 48 | 410 | 48_410 | 1500-2000LB SKIDSTEER CAB | \$245.00 | \$725.00 | \$1,480.00 |
| 48 | 510 | 48_510 | 1500-2100LB TRACK SKIDSTEER | \$285.00 | \$850.00 | \$2,050.00 |
| 48 | 530 | 48_530 | 1500-2100LB TRACK SKIDSTEER CAB | \$300.00 | \$895.00 | \$2,130.00 |
| 49 | 6 | 49_6 | SKIDSTEER / MINI EX AUGER ATTACHMENT | \$110.00 | \$290.00 | \$780.00 |
| 53 | 230 | 53_230 | 4WD STANDARD BACKHOE CANOPY | \$315.00 | \$870.00 | \$1,140.00 |
| 55 | 220 | 55_220 | 5K 14-17' DF IND FORKLIFT | \$230.00 | \$585.00 | \$1,325.00 |
| 55 | 235 | 55_235 | 5K 12-15' DF LOW MAST IND FORKLIFT | \$230.00 | \$585.00 | \$1,325.00 |
| 56 | 230 | 56_230 | 5.5K 19' TELEHANDLER FORKLIFT | \$330.00 | \$830.00 | \$2,025.00 |
| 56 | 235 | 56_235 | 5.5K 19' CAB TELEHANDLER FORKLIFT | \$340.00 | \$880.00 | \$2,145.00 |
| 56 | 320 | 56_320 | 6K 34'-36' TELEHANDLER FORKLIFT | \$390.00 | \$975.00 | \$2,250.00 |
| 56 | 330 | 56_330 | 6K-7K 42' TELEHANDLER FORKLIFT | \$390.00 | \$975.00 | \$2,250.00 |
| 56 | 335 | 56_335 | 6K-7K 42' CAB TELEHANDLER FORKLIFT | \$400.00 | \$995.00 | \$2,350.00 |
| 56 | 620 | 56_620 | 10K 55' TELEHANDLER FORKLIFT | \$635.00 | \$1,600.00 | \$3,350.00 |
| 56 | 625 | 56_625 | 10K 55' CAB TELEHANDLER FORKLIFT | \$675.00 | \$1,685.00 | \$3,480.00 |
| 58 | 45 | 58_45 | 34' TOWABLE ART MANLIFT | \$330.00 | \$790.00 | \$1,980.00 |
| 58 | 49 | 58_49 | 50' TOWABLE ART MANLIFT | \$365.00 | \$990.00 | \$2,250.00 |
| 58 | 301 | 58_301 | 30' ART ELEC MANLIFT NARROW ROTAJIB | \$330.00 | \$825.00 | \$1,795.00 |

| | | | | | | |
|-----|------|----------|--|------------|------------|------------|
| 58 | 318 | 58_318 | 34-35' ART MANLIFT ELECT NARROW | \$335.00 | \$865.00 | \$1,895.00 |
| 58 | 343 | 58_343 | 34' ART MANLIFT | \$325.00 | \$725.00 | \$1,725.00 |
| 58 | 424 | 58_424 | 40' STR MANLIFT | \$340.00 | \$760.00 | \$1,850.00 |
| 58 | 426 | 58_426 | 45' STR MANLIFT W/JIB | \$340.00 | \$760.00 | \$1,850.00 |
| 58 | 434 | 58_434 | 40' ART ELECT MANLIFT NARROW | \$355.00 | \$915.00 | \$2,150.00 |
| 58 | 435 | 58_435 | 40' ART ELECT MANLIFT NARROW JIB | \$355.00 | \$915.00 | \$2,150.00 |
| 58 | 440 | 58_440 | 45' ART ELECT MANLIFT JIB | \$360.00 | \$930.00 | \$2,250.00 |
| 58 | 445 | 58_445 | 45' ART ELECT MANLIFT | \$360.00 | \$930.00 | \$2,250.00 |
| 58 | 455 | 58_455 | 45' ART MANLIFT | \$340.00 | \$760.00 | \$1,850.00 |
| 58 | 457 | 58_457 | 45' ART MANLIFT W/JIB | \$340.00 | \$760.00 | \$1,850.00 |
| 58 | 605 | 58_605 | 60' ART MANLIFT | \$450.00 | \$1,195.00 | \$2,715.00 |
| 58 | 607 | 58_607 | 60' ART MANLIFT W/JIB | \$450.00 | \$1,195.00 | \$2,715.00 |
| 58 | 624 | 58_624 | 60' STR MANLIFT | \$450.00 | \$1,195.00 | \$2,715.00 |
| 58 | 626 | 58_626 | 65' STR MANLIFT W/JIB | \$450.00 | \$1,195.00 | \$2,715.00 |
| 58 | 803 | 58_803 | 80' ART MANLIFT W/JIB | \$715.00 | \$1,775.00 | \$4,075.00 |
| 58 | 822 | 58_822 | 80' STR MANLIFT | \$715.00 | \$1,775.00 | \$4,075.00 |
| 58 | 823 | 58_823 | 85' STR MANLIFT W/JIB | \$715.00 | \$1,775.00 | \$4,075.00 |
| 58 | 855 | 58_855 | 120' STR MANLIFT W/JIB | \$1,310.00 | \$3,525.00 | \$8,275.00 |
| 64 | 220 | 64_220 | PLATE TAMPER 200LB CLASS 19.5" WIDE | \$95.00 | \$250.00 | \$600.00 |
| 107 | 105 | 107_105 | 1T OFFICE PORTABLE AC/DEHU 110V | \$195.00 | \$395.00 | \$995.00 |
| 107 | 112 | 107_112 | 1.25T CLASSIC PORTABLE AC/DEHU | \$195.00 | \$395.00 | \$995.00 |
| 107 | 2018 | 107_2018 | 1T PORTABLE HEAT PUMP/AC/DEHU | \$195.00 | \$395.00 | \$995.00 |
| 108 | 216 | 108_216 | 12 TON AIR CONDITIONER W/HEATER 208V 3PH | \$500.00 | \$1,300.00 | \$2,650.00 |
| 108 | 230 | 108_230 | 25 TON AIR CONDITIONER W/HEATER 480V 3PH | \$575.00 | \$1,500.00 | \$3,950.00 |
| 108 | 245 | 108_245 | 40 TON AIR CONDITIONER NON-XP NEMA 4 | \$595.00 | \$1,650.00 | \$5,450.00 |
| 109 | 1005 | 109_1005 | 10 TON SCROLL CHILLER | \$360.00 | \$1,080.00 | \$3,260.00 |
| 109 | 1270 | 109_1270 | 70 TON SCROLL CHILLER | \$730.00 | \$2,210.00 | \$6,185.00 |
| 120 | 120 | 120_120 | 65LB CLASS DEMOLITION HAMMER | \$115.00 | \$310.00 | \$745.00 |
| 150 | 25 | 150_25 | 3/4" X 50' AIR COMPRESSOR HOSE | \$13.00 | \$25.00 | \$55.00 |
| 150 | 800 | 150_800 | 50' SPIDERBOX CABLE 6/4 | \$35.00 | \$110.00 | \$320.00 |
| 152 | 3310 | 152_3310 | 6X20 ORANGE/CLEAR SUC BAUER HOSE | \$35.00 | \$110.00 | \$320.00 |
| 155 | 67 | 155_67 | 50' #2 BANDED 5-WIRE | \$16.00 | \$80.00 | \$225.00 |
| 155 | 100 | 155_100 | 4/0 CAMLOCK CABLE 50' | \$35.00 | \$110.00 | \$320.00 |
| 155 | 245 | 155_245 | CABLE RAMPS | \$10.80 | \$35.00 | \$75.00 |

RFQ RFQ RFQ Any Sunbelt Item Not Listed 5% off Local Boof Rates 10% off Local Book Rates 12% off Local Book Rates

Pickup & Delivery Charges Not included in The Rental Rates.

\$150.00 Each Way plus \$4.00 a Loaded Mile.

* If required, fees associacted with permitted, overweight, oversized loads, or Third Party Carriers are additional and will be quoted at the time of request.

| Category of Equipment Each Category Contains Multiple Items and encompasses The entire Sunbelt Rentals product offering. | Make | Model | Size | Pickup & Delivery Charges * If required, fees associated with permitted, overweight, oversized loads, or Third party Carriers are | Daily | Weekly | Monthly | Additional information |
|---|------|-------|---------|---|--------|---------|---------|--|
| Aerial Work Platforms, & Related Equipment. Booms, Scissors, Pusharounds, Glaziers, Welder, and AWP Generator Packages | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Air Compressors and Air Tools, Hoses, & Fittings | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Air Handlers, Chillers, and Accessories | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Arrow Boards, Traffic Control Equipment & Accessories | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Compaction, Tampers, Rollers, Rammers | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Concrete & Masonry Tools | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% Off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Containment Products | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Dump Trucks | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Earthmoving Equipment, Backhoes | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Earthmoving Equip, Dozers | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Earthmoving Equip, Excavators | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Earthmoving Equip, Mini Excavators | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |

| | | | | | | | | |
|--|-----|-----|---------|---|--------|---------|---------|--|
| Earthmoving Equip, Skid Steer Loader | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Earthmoving Equip, Track Loaders | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Earthmoving Equip, Sweepers | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Earthmoving Equip, Tractors | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Earthmoving Equip, Trenchers | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Earthmoving Equip, Wheel Loaders | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Forklifts, Telehandlers & Material Handling | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Generators & Accessories. Plugs, Transfer Switches, Transformers, Cables, Distribution Panels, Spider Boxes, Plugs | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Heaters, and Accessories | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Lawn & Landscape, Chippers, Brush Cutters | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Lawn & Landscape, Other | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Light Towers | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Mobile Offices | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Pumps, Hoses and Accessories | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |

| | | | | | | | | |
|-------------------------------------|-----|-----|---------|--|--------|---------|---------|--|
| Pressure Washers & Accessories | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Scaffolding | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Storage Containers | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Tanker Trucks | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Tanks, Frac, Poly, Stainless Steel | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Telehandlers | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Tools, Power and Hand | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Trench, Boxes and Shoring | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Vacuum Trucks | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Water Treatment, Filtration Systems | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Water Trucks, Trailers | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| Welders | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| OTHER: | All | All | Various | \$150.00 Each Way plus \$4.00 a Loaded Mile | 5% Off | 10% off | 12% off | Discount applied to Catalog/Book rate of the geographic zone equipment is provided from at the time of rental. |
| | | | | | | | | |

Additional Charges and Shift Rate Schedule If Applicable – Rental rates are not inclusive of the following charges.

Taxes and Surcharges

Customer will be responsible for all applicable taxes and governmental fees and any applicable transportation and fuel surcharges.

Fuel Charges

Equipment will be delivered full of fuel. If equipment is not returned full, fuel amount used will be charged at the pay on return full-service price per gallon posted at the location at the time of return.

Labor Rates

Labor rates will be charged for service work done in relation to rental contracts as well as any customer damage service done on rented equipment. Rates will be charged at prevailing area rates and will be quoted prior to performing work.

After Hours Store Opening Fee

Should an after-hours call require an employee to open a Sunbelt Rentals location for equipment pick-up, loading or unloading, or other event, an After-Hours Emergency Response Charge of \$300 will be assessed for each occurrence and will be independent of any standard charges that shall apply to the order. This charge will not apply to any after-hours service calls, or equipment swap-outs resulting from service-related issues.

Mobilization Fees

Costs associated with preparing, moving and deploying equipment relative to emergency response, after hours, and large-scale equipment and accessory deployments.

Additional Freight Charges.

Additional charges may apply for permitted loads, overweight loads, third party carriers, and tolls. Fees will be quoted prior to performing work.

Consumables

All rates quoted are for the rental equipment only. Consumables such as blades, bits, and discs are additional charges, whether they are sold or rented with applicable wear charges. Some consumables will be sold as there will be no residual value after use. Other consumables will be rented such as diamond blades, dyma grinder wheels, and core bits. The rental rate for these does not include any applicable wear charges. Each rental consumable will have individual rates that are charged per unit of usage based on the type of consumable.

Damages and Cleaning Fees

Customer will be responsible for any damages to equipment outside of normal wear and tear. Customer will be notified of these damages and the charge amounts prior to repair. Cleaning fees may be applicable if equipment is returned with excess debris, concrete, etc. that requires excess time to clean or remove from the equipment.

Environmental Charges

The environmental fee is NOT a government mandated tax or fee. It is our fee designed to offset continually rising environmental-related costs and to help us manage our stores in an environmentally friendly manner.

Shift Rate Schedule

Daily: 24 Hours 8 Equipment Hours (By Hour Meter)

Weekly: 7 days 40 Equipment Hours (By Hour Meter)

Monthly: 28 Days 160 Equipment Hours (By Hour Meter)

Shift Rates (for diesel driven generators, pumps and air compressors):

Double Shift Rate = 1.5 X Day / Week / Month Rate

8 - 16 hours per day

40.1 - 80 hours per week

160.1 - 320 hours per month

Triple Shift Rate = 2 X Day / Week / Month Rate

16.1+ hours per day

80.1+ hours per week

320.1+ hours per month

Overtime charges for engine drive equipment (excluding diesel engine generators, pumps and air compressors) will be calculated as follows: Divide the quoted rate by the hours allowed and multiply by the number of hours used over and above the hours allowed. *During a Declared State of Emergency, or a pending or existing disaster or catastrophe, natural hurricane, tornado, flood, etc.) or otherwise a one week minimum rental period at triple shift rates will apply for all diesel generators and pumps.