



Operated By NEWSME Landfill Operations, LLC

April 29, 2022

Susan Parmelee
Department of Environmental Protection
Bureau of Remediation and Waste Management
17 State House Station
Augusta, ME 04333-0017

RE: Juniper Ridge Landfill 2021 Annual Report

Dear Ms. Parmelee:

Enclosed for your review is the Juniper Ridge Landfill 2021 Annual Report and supporting documentation as required. Should you require additional information or clarification, please do not hesitate to contact me at 207-249-8025 or Wayne Boyd at 207-862-4200 ext. 224.

Respectfully submitted,

NEWSME Landfill Operations, LLC

Jeffrey Pelletier
Environmental Manager

Enclosure

CC:

*Wayne Boyd, Casella
Kathy Tarbuck, MEDEP
Bill Longfellow, BGS
Bill Mayo, City of Old Town*

2021 ANNUAL REPORT

**JUNIPER RIDGE LANDFILL
OLD TOWN, MAINE**

**MEDEP LIC. #S-020700-7A-A-N,
Amendment #S-020700-WD-N-A, and
MEDEP LIC. #S-020700-WD-BI-N**

April 2022



Operated by NEWSME Landfill Operations, LLC
2828 Bennoch Road, Old Town, Maine 04468 • (207) 394-4372

TABLE OF CONTENTS

<u>Section No.</u>	<u>Title</u>	<u>Page No.</u>
1.0	INTRODUCTION	1
1.1	Overview.....	1
1.2	Annual Report Format.....	4
2.0	SUMMARY OF SITE ACTIVITIES	4
2.1	Site Activities	4
2.2	Summary of Applications Submitted and/or Approved at JRL in 2021	4
2.3	Compliance Self-Audit.....	6
3.0	SUMMARY OF OPERATIONS	6
3.1	Types of Wastes Received at JRL during 2021	6
3.2	Estimates of Capacity Utilized during 2021 and Remaining Capacity.....	6
3.3	Estimates of the Amount of Cover Material Placed.....	8
3.4	Summary of Changes to the Facility's Operations Manual	8
3.5	Proposed Changes to the Operations Manual or Other Landfill Operations	8
3.6	Responses to Spills, Fires, Accidents or Unusual Events at the Landfill.....	9
3.7	Updated Cell Development Plans.....	10
3.8	Copies of Reports Prepared in Accordance with the Landfill's Hazardous and Special Waste Handling and Exclusion Plan.....	10
3.9	Inspections and Testing.....	10
3.10	Description of System Failures and/or Repairs.....	10
4.0	FACILITY SITE CHANGES	11
5.0	MONITORING	11
6.0	FINANCIAL ASSURANCE	14
7.0	MSW DIVERSION.....	14

LIST OF ATTACHMENTS

ATTACHMENT A	COMPLIANCE SELF AUDIT
ATTACHMENT B	ANNUAL SOLID WASTE MANAGEMENT REPORT
ATTACHMENT C	UPDATED OPERATIONS MANUAL SECTIONS
ATTACHMENT D	FACILITY INSPECTION REPORTS/OTHER MAINTENANCE ACTIVITIES
ATTACHMENT E	LEACHATE COLLECTION MAINTENANCE ACTIVITIES
ATTACHMENT F	WATER QUALITY MONITORING REPORT
ATTACHMENT G	LANDFILL GAS MONITORING EVALUATION
ATTACHMENT H	LANDFILL AIR MONITORING EVALUATION
ATTACHMENT I	GEOTECHNICAL MONITORING REPORT
ATTACHMENT J	UPDATED CLOSURE AND POST-CLOSURE COST ESTIMATES
ATTACHMENT K	MSW DIVERSION

LIST OF FIGURES

<u>Figure No.</u>	<u>Title</u>	<u>Page No.</u>
1-1	Site Location Map.....	3

LIST OF TABLES

<u>Table No.</u>	<u>Title</u>	<u>Page No.</u>
2-1	Summary of Applications Submitted and/or Approved at JRL, 2021.....	5
3-1	Summary of Wastes Accepted at JRL, 2021	7
5-1	Leachate Total Comparison, 2020 & 2021.....	12

1.0 INTRODUCTION

Pursuant to the requirements of 38 MRS §1310-N(6-D), this document, and associated attachments, serve as the 2021 Annual Report for the Juniper Ridge Landfill (JRL) located off Route 16 in Old Town, Maine. The information contained in this report also addresses the requirements of:

- Section 401.4.D of Maine Solid Waste Management Rules;
- Condition 19 of Solid Waste Order #S-020700-WD-N-A;
- Condition 4 of Solid Waste Order #S-020700-WD-W-M;
- Conditions 12, 14, 15, and 20 of Solid Waste Order #S-020700-WD-BI-N; and
- Condition 2 of Solid Waste Orders #S-20700-WD-CM-M.

As the contracted operator of the Juniper Ridge Landfill, NEWSME Landfill Operations, LLC (NEWSME), an indirect subsidiary of Casella Waste Systems, Inc. (CWS) is submitting this annual report to the Maine Department of Environmental Protection (MEDEP) on behalf of the Maine Bureau of General Services (BGS). Pursuant to P.L. 2011, Chapter 655, Sec. GG-69, on July 1, 2012 the Bureau of General Services in the Department of Administrative and Financial Services became the owner and licensee of JRL. Prior to July 1, the State Planning Office (SPO) owned JRL and held its licenses. The SPO was abolished on July 1, 2012.

1.1 Overview

JRL property consists of a 780-acre site accessed off Route 16 in Alton, with a physical address of 2828 Bennoch Road, Old Town, Maine. The licensed solid waste footprint of the JRL is approximately 122 acres. A location map of the JRL site and the surrounding facilities is shown on Figure 1-1. The JRL was originally licensed (#S-020700-7A-A-N) by the Board of Environmental Protection on July 28, 1993 as a generator-owned landfill for disposal of pulp and papermaking residuals generated by the Fort James Paper Mill located in Old Town, Maine. The original approved capacity of the facility was approximately 3 million cubic yards. Landfill operations began in Cell 1 in December 1996.

In June 2003, the Maine legislature passed Resolve 2003, Chapter 93, which authorized the State of Maine to pursue the purchase of the JRL from Fort James Operating Company. The final purchase agreement between SPO and Fort James would provide disposal capacity for the mill's waste for a 30-year period. On October 30, 2003, the SPO submitted an amendment application to the MEDEP to increase the approved final elevation of the landfill, and to dispose of additional waste streams at the facility.


On February 5, 2004, SPO formally purchased the JRL property from Fort James and signed an Operating Services Agreement with NEWSME to operate the facility for a 30-year period. At the same time, previously approved MEDEP operating licenses for the JRL were transferred to the SPO. On April 9, 2004, the MEDEP approved the amendment application and issued permit #S-020700-WD-N-A to the SPO to increase the original JRL capacity from approximately 3.3 million cubic yards to approximately 10.2 million cubic yards. An expansion of an additional 9.35 million cubic yards of capacity was approved for the site by the Maine Board of Environmental Protection (MEBEP) on June 1, 2017 with Board Order #S-020700-WD-BI-N and #L-19015-TG-D-N.

Since the execution of the Operating Services Agreement, NEWSME has been operating the site and is responsible for costs associated with development, operation and closure/post-closure activities at the JRL.

To date, Cells 1, 2, 3A, 3B, 4, 5, 6, 7, 8, 9, and 10 of the 2004 amendment license have been constructed; this accounts for the 68-acre landfill approved by the MEDEP Solid Waste Order #S-020700-WD-N-A. The last phase of filling the originally permitted landfill includes filling over the eastern and northern outer waste side slopes of the originally permitted landfill cells to achieve final waste grades of the 2004 permitted footprint. It is NEWSME's intent to fill this capacity in conjunction with the filling of expansion cells.

To date, Cells 11, 12 and 13 have been constructed as part of the 54-acre JRL expansion, approved by MEBEP Board Order #S-020700-WD-BI-N and #L-19015-TG-D-N. Cell 11 was constructed in 2018, followed by Cell 12 in 2020, and Cell 13 in 2021. Approval to commence waste placement in Cell 13 was issued by the MEDEP on September 14, 2021. In 2021 waste placement occurred primarily in Cells 11, 12, and 13, along with other adjacent cells located in the 2004 permitted footprint. Intermediate cover was placed once final waste grades were reached.

As of December 31, 2021, 6,184,207 cubic yards of total permitted capacity remained at the JRL. Of that total permitted capacity, 751,191 cubic yards remained in the previously constructed Cells 1 – 10 of the 2004 permitted footprint (#S-020700-WD-N-A), 1,193,007 cubic yards remained in the previously constructed Cells 11 and 13 (the first three of seven landfill cells to be built as part of the JRL expansion footprint (#S-020700-WD-BI-N)), and 5,433,016 cubic yards remained in the entire JRL expansion footprint (#S-020700-WD-BI-N).



NOTE:

BASE MAP ADAPTED FROM 7.5 MIN
USGS TOPOGRAPHIC QUADRANGLE
OLD TOWN, MAINE-1988

**FIGURE 1-1
SITE LOCATION MAP
JUNIPER RIDGE LANDFILL EXPANSION
OLD TOWN, MAINE**



ENVIRONMENTAL • CIVIL • GEOTECHNICAL • WATER • COMPLIANCE

1.2 Annual Report Format

This Annual Report contains the information required by Section 401.4.D of the Maine Solid Waste Management Rules (Rules), including a general summary of activities during 2021, a compliance evaluation performed by JRL's environmental manager, a summary of 2021 operations and operational information, a summary of facility site changes, a summary of the site monitoring performed at and around the site during 2021, an update of the costs and documentation of changes to the closure and post-closure funding of the facility, and a summary of best efforts by CWS to divert MSW from landfilling at the JRL to the greatest extent practicable.

2.0 SUMMARY OF SITE ACTIVITIES

2.1 Site Activities

The following landfill related site activities occurred at JRL during 2021:

- Construction of Cell 13 and associated infrastructure;
- Placement of soft layer/frost layer material in Cell 13, along with routine waste material placement in Cells 11, 12, and 13 of the expansion footprint;
- Continuance of waste material placement in the 2004 permitted footprint;
- An extension to JRL's perimeter fence beginning from the new scale and connecting to pre-existing infrastructure at the northwest corner of the 2004 permitted footprint;
- Installation of additional road gravel around the new scale house;
- Excavation and stockpiling of soils from the borrow area;
- Continued placement of intermediate cover on the 2004 permitted footprint and the side slopes of Cells 11 and 12 as waste grades were reached;
- Continued installation of new landfill gas collection components in the original 2004 permitted footprint and Cells 11/12 of the expansion. Components installed included new vertical LFG extraction wells, gas collection trenches, 12" header piping, and lateral extraction piping; and
- Construction of the Cell 14 underdrain.

2.2 Summary of Applications Submitted and/or Approved at JRL in 2021

Listed in Table 2-1 is a summary of MEDEP, Local, and Federal applications that were submitted and or approved at JRL during 2021.

Table 2-1 Summary of Applications Submitted and/or Approved at JRL, 2021

Application Description	Agency	Permit/License Number
Received an amendment to JRL Air License A-921-70-B-R to reflect updates in applicable USEPA Standards for MSW Landfills (from NSPS Subpart WWW to NSPS Subpart XXX and NESHAP Subpart AAAA)	MEDEP	A-921-70-H-A
Received a renewal of JRL Part 70 Air Emission License	MEDEP	A-921-70-F-R
Approval to modify the location of two groundwater monitoring transducers below the Cell 13 area from the expansion application	MEDEP	Approved (no permit issued)
Approval to modify Cell 13 geosynthetic material conformance sample collection	MEDEP	Approved (no permit issued)
Approval to begin Cell 13 pre-projects and ancillary tasks which were either outside of the cell footprint or at base grade	MEDEP	Approved (no permit issued)
Approval of the Cell 13 Construction Design Report and received condition compliance license	MEDEP	S-020700-WD-CL-C
Maine Construction General Permit - to perform the grubbing and stumping work for the perimeter chain link fence	MEDEP	Approved (after 14 day waiting period)
Federal Fish & Wildlife Permit Renewal (Bird Depredation)	US Department of Fish and Wildlife	MB670894-0
Approval of Permit Change Orders 1-3 and construction documentation report for Cell 13	MEDEP	Approved (no permit issued)
Approval to begin Cell 14 pre-construction activities	MEDEP	Approved (no permit issued)
Approval to commence soft layer material placement in Cell 13	MEDEP	Approved (no permit issued)
Approval to construct Cell 14 underdrain	MEDEP	Approved (no permit issued)
Approval to modify Cell 14 geosynthetic material conformance sample collection	MEDEP	Approved (no permit issued)
Received Solid Waste License Minor Revision to revise the expansion area OBW limit based on the previous five years OBW tonnage and the average CPI during the same period	MEDEP	S-020700-WD-CM-M

2.3 Compliance Self-Audit

As required by Section 401.4.D (1) (b) of the Rules, JRL performed an annual evaluation of landfill operations for calendar year 2021. A copy of the Audit is included as Attachment A of this report.

3.0 SUMMARY OF OPERATIONS

3.1 Types of Wastes Received at JRL during 2021

During calendar year (CY) 2021, JRL received and disposed a total of 882,124 tons of waste material. Table 3-1 summarizes the waste types received, along with their corresponding tonnages.

In compliance with JRL's permit condition, wastes going to the landfill were screened in advance to prevent out-of-state wastes from being accepted at the facility.

3.2 Estimates of Capacity Utilized during 2021 and Remaining Capacity

Listed below are estimates of capacity utilized and remaining for JRL based on June 24, 2021 aerial survey results. Since survey data for the entire site is utilized, these values account for capacity gains due to settlement, compaction, and waste decomposition. Further details are provided in Attachment I of this report, the 2021 JRL Geotechnical Monitoring Report. Within the report, please refer to Appendix B.

Disposal Capacity Utilized During 2021:

- 144,098 cubic yards in the 2004 permitted footprint (Cells 1-10)
- 1,130,494 cubic yards in the expansion footprint (Cells 11-13)

Disposal Capacity Remaining as of December 31, 2021:

- 6,184,207 cubic yards of total permitted capacity (Cells 1-17)
- 751,191 cubic yards in the constructed 2004 permitted footprint (Cells 1-10)
- 1,193,007 cubic yards in the constructed expansion footprint (Cells 11-13)
- 5,433,016 cubic yards in the entire permitted expansion footprint (Cells 11-17)

Table 3-1 Summary of Wastes Accepted at JRL, 2021

Summary of Wastes Accepted at Juniper Ridge Landfill Report Year 2021				
Waste Type #	Waste Types	Total (tons)	Origin	% Total Waste
1	Bypass MSW ⁵	221,926	Maine	25.2
2	CDD/MSW Processing Residue - OBW (Disposed of in the Original 2004 Permitted Footprint)	8,874	Maine	1.0
3	CDD/MSW Processing Residue - OBW (Disposed of in the Expansion Permitted Footprint) ⁴	73,561	Maine	8.3
4	CDD Processing Residue - Fines ¹	95,519	Maine	10.8
5	Mixed CDD	319,038	Maine	36.2
6	Wood from CDD ²	44	Maine	0.0
7	Residue/Trash from Single Stream	6,683	Maine	0.8
Special Wastes Types				
8	Burn Pile Ash and/or Hot Loads Area Ash	514	Maine	0.1
9	Catch Basin Grit & Street Sweeping	538	Maine	0.1
10	Coal, Oil & Multi-fuel Boiler Ash	3,250	Maine	0.4
11	Contaminated Soil & Debris	9,300	Maine	1.1
12	Dredged Spoils	1,593	Maine	0.2
13	Industrial (Miscellaneous)	40	Maine	0.0
14	Industrial WWTP Sludge	16,194	Maine	1.8
15	Leather Scraps	68	Maine	0.0
16	Lime Mud/Grit	3,461	Maine	0.4
17	MSW Incinerator Ash	28,210	Maine	3.2
18	Municipal WWTP/POTW Sludge	73,876	Maine	8.4
19	Non-Friable Asbestos	3,183	Maine	0.4
20	Non-Hazardous Chemical Related	1,108	Maine	0.1
21	Oil Spill Debris	2,803	Maine	0.3
22	Polyethylene & Cellulose Trimmings	9,619	Maine	1.1
23	Pulp Mill Waste	402	Maine	0.0
24	Sandblast Grit	494	Maine	0.1
25	Spent Septic Systems	104	Maine	0.0
26	Spoiled Foods	257	Maine	0.0
27	Sulfur Scrubbing Residues	838	Maine	0.1
28	Water/Air Filtration Media	10	Maine	0.0
29	WWTP Grit Screenings	617	Maine	0.1
SUBTOTAL WASTE TYPES 1-7		725,644	Maine	82.3
SUBTOTAL WASTE TYPES 8-29		156,480	Maine	17.7
GRAND TOTAL WASTE RECEIVED³		882,124	Maine	

1. Used as alternative daily cover (ADC).

2. Wood from CDD was received at the Juniper Ridge Landfill wood storage facility (ADC).

3. Total does not include purchased materials: tire chips (548.01 tons). Monthly reports included this purchased material. Total derived from sum of higher significant digit numbers, not rounded whole numbers as provided in the above table.

4. On 11/29/21, MEDEP approved an increase of OBW in the Expansion area. The previous limit of 65,000 tons per year, set by expansion license #S-020700-WD-BI-N, was modified through solid waste minor revision #S-020700-WD-CM-M. The minor revision approved additional disposal of OBW to 76,648 tons for calendar year 2021.

5. CRM/MRC 17,547.41 tons, ecomaine 23,924.29 tons, PERC 180,453.80 tons.

3.3 Estimates of the Amount of Cover Material Placed

During 2021, a mixture of synthetic and soil cover was utilized as final waste grades were reached. Approximately 5 acres of additional synthetic cover (30 and 40-mil) was added to the side slopes of Cells 11 and 12. Approximately 3 acres of soil cover was utilized on the north side slope of Cell 12.

Throughout 2021 operational areas received alternate daily cover (ADC). ADC is also used as a bedding layer on the waste side slopes prior to placement of the intermediate cover. Approved ADC materials utilized throughout the year included: CDD processing residue wood fines and clean wood from CDD after being chipped. Total ADC usage for 2021 amounted to 95,563 tons. Utilization of waste-related materials for daily cover and bedding for the intermediate cover obviated the use of virgin soil material.

3.4 Summary of Changes to the Facility's Operations Manual

Included as Attachment C are updated sections to include to the JRL Expansion Operations Manual (April 2021). Once included the Operations Manual will be complete and will be considered the April 2022 revision. The updated sections for the 2022 revision are listed below:

- Binder Cover/Spline Labels
- JRL Expansion Operations Manual Narrative Section
- Appendix A - MEDEP Operating Permits
- Appendix C - Operator Training Program Outline
- Appendix D - Cell Development Plans for Cell 14 (to add to previous cell plans)
- Appendix G - Waste Characterization and Acceptance Plan

3.5 Proposed Changes to the Operations Manual or Other Landfill Operations

During 2022, JRL staff plan to continue updating the revised April 2022 JRL Expansion Operations Manual as changes arise. Changes will likely occur with the addition of Cell 14, set to be constructed during the 2022 construction season.

In 2022, JRL will continue filling/shaping Cells 12, 13, and the north slope of the 2004 permitted footprint, until Cell 14 is constructed. Once constructed, the Cap 1 Area will be once again mined for soft layer material, if bypass MSW is not available or insufficient to the site's needs.

3.6 Responses to Spills, Fires, Accidents or Unusual Events at the Landfill

During 2021, the JRL facility experienced spills, fires, and waste related events. All spills were properly cleaned up by JRL Staff or a 3rd party environmental services company. Further details of the events are listed below.

Petroleum Related Spills

Two small petroleum related spills occurred in 2021. The MEDEP spill hotline was contacted on both events and the details are listed below.

1. A hydraulic spill occurred when a 3rd party hauler busted a hydraulic line while leaving the tip area of the landfill. A majority of the spill was contained within the open portion of the landfill, but the driver only realized the leak once he made it on the paved road. The spill was quickly cleaned up using a skid steer, speedy dry, and the sweeper.
2. A water/oil mixture spill occurred when the floor drain and underground holding tank for the shop overflowed with water. Onsite staff noticed the event and quickly shut the water off. A 3rd party environmental service company was called to empty the tank and pick up any residual that spilled across the paved driveway. A skid steer was also used to pick up anything in the dirt. The spill remained contained and did not leave the parking area around the shop.

Leachate Related Spills

No leachate related spills occurred in 2021.

Waste Related Fires

During 2021, on-site waste-related fires occurred at JRL. All fires were resolved by JRL site personnel. Fire events occurred in both active waste placement areas and/or areas where synthetic intermediate cover was installed. The MEDEP Project Manager was notified when the fires occurred and was made aware of how they started and were resolved.

Active waste placement fires were typically extinguished with the use of both water and/or soil to cool and eliminate air. Fires where Intermediate cover was placed were typically resolved using a combination of fire extinguishers, a bentonite slurry, water and soil cover, and then making the necessary synthetic cover repairs.

Damaged Intermediate Cover

During 2021, several small areas of synthetic immediate cover were damaged around landfill gas (LFG) infrastructure due to heavy rain/wind events. 3rd party crews were called in to make necessary repairs. JRL site personnel continuously try new things to better secure the cover material to prevent reoccurrences.

Waste Related Events

During 2021, two waste related events occurred at JRL in 2021. The first occurred on 03-17-21 and the second on 04-07-21. After these two events, the MEDEP was notified and informed of each occurrence. Additional information was provided if requested.

3.7 Updated Cell Development Plans

Cell 11, 12, and 13 plans will remain in the JRL Expansion Operations Manual, along with the future plans for Cell 14. Cell 14 is set to be constructed during the 2022 construction season and will represent the fourth cell of the 9.35 million cubic yard permitted expansion.

3.8 Copies of Reports Prepared in Accordance with the Landfill's Hazardous and Special Waste Handling and Exclusion Plan

During 2021, JRL submitted monthly special waste activity reports to the BGS, the City of Old Town, and the MEDEP. Reports were also and placed on the BGS's JRL website for the public and the Landfill Advisory Committee to access.

3.9 Inspections and Testing

During 2021, JRL personnel performed routine inspections of the landfill and infrastructure as outlined in the JRL Operations Manual. Copies of quarterly (routine) and weekly inspection reports may be found on file in the Environmental Manager's Office. Completed sample inspection sheets are included in Attachment D of this Annual Report.

3.10 Description of System Failures and/or Repairs

Routine and non-routine maintenance activities were performed on the leachate and landfill gas collection infrastructure, access roads, stormwater structures, and cover systems during 2021.

Leachate maintenance activities are listed chronologically in Attachment E. A summary of other identified landfill maintenance activities are listed in Attachment D.

During report year 2021, the following routine maintenance and/or repair functions were performed at the facility:

- Leachate maintenance and cleaning activities occurred as needed and in accordance with the Facility's Operations Manual;
- On-site stormwater structures were cleaned and/or repaired in accordance with standard BMP's to maintain erosion & sedimentation control during rain events;
- Various repairs were made to the existing 30/40-mil intermediate cover systems due to tears, rips, and/or holes from movement, settlement, or wind;
- Gas collection piping was repaired in multiple locations to accommodate for normal settlement and operations;
- Landfill gas (LFG) wellheads were repaired throughout the year due to normal wear and tear; and
- Access roads were graded and maintained as necessary to allow access to the facility.

4.0 FACILITY SITE CHANGES

During 2021, the following minor facility site changes not requiring Department approval occurred and are once again planned for 2022:

- Mowing, brush cutting, and other site maintenance upkeep;
- Continued safety and visual upgrades of the landfill paved access road;
- Continued improvements to stormwater control systems; and
- Continued efforts to mitigate wind-damage of landfill synthetic intermediate cover materials.

5.0 MONITORING

Water Quality

The 2021 Annual Water Quality Report for JRL is included as Attachment F of this report and includes an evaluation of the environmental monitoring data for the JRL site. During 2021, water quality samples were collected at JRL in accordance with the Environmental Monitoring Program (EMP), during April, July, and October.

Leachate Quality

Leachate quality was also evaluated and included as part of the 2021 Water Quality Report, Attachment F of this report. Below in Table 5-1, are leachate volumes of each pump station, along with total leachate hauled for 2020 and 2021. As seen, leachate flows decreased overall for 2021. This decrease was likely attributed to a change in weather patterns and an increase of installed synthetic/soil intermediate cover material.

Table 5-1 Leachate Total Comparison, 2020 & 2021

Total Leachate Pumped By Cell Pump Stations					
	Cell 4	Cell 5	Cell 8	Cell 12	Cell 13
2020	7,328,981	2,656,795	3,928,875	1,051,635	0
2021	6,547,858	3,324,483	3,262,395	942,260	630,250
Difference	-12%	20%	-20%	-12%	100%
Total Leachate Produced (Hauled) By Month					
	2020	2021	Difference		
January	1,665,470	1,433,245	-16%		
February	1,048,445	886,215	-18%		
March	1,585,340	1,412,180	-12%		
April	1,302,425	1,235,535	-5%		
May	1,166,005	1,062,860	-10%		
June	1,057,245	925,987	-14%		
July	1,152,965	1,318,515	13%		
August	1,001,035	1,001,495	0%		
September	987,085	1,579,020	37%		
October	1,303,400	1,458,840	11%		
November	1,311,335	1,368,955	4%		
December	2,405,515	1,556,495	-55%		
TOTAL	15,986,265	15,239,342	-5%		

Landfill Gas Monitoring

The 2021 Landfill Gas Monitoring Evaluation for JRL is included as Attachment G of this report. This routine landfill gas monitoring took place at various on-site gas management locations with results being submitted via electronic deliverable documents to the MEDEP as required.

The 2021 monitoring data associated with the landfill gas collection and treatment system indicates that the system is operating in accordance with the facility's air license.

Air Monitoring

The 2021 Air Monitoring Evaluation for JRL is included as Attachment H of this report. Two types of air monitoring activities occurred on-site during 2021; (1) hydrogen sulfide (H₂S) monitoring with stationary continuous monitors, and (2) quarterly methane (CH₄) emission surface scans on the landfill intermediate cover. Additionally, odor complaints from the 24-hour JRL odor complaint hotline provided an opportunity to evaluate the effectiveness of odor control measures at the JRL.

Geotechnical Monitoring

The 2021 Annual Geotechnical Monitoring Report for JRL is included as Attachment I of this report. During 2021, JRL continued to monitor site settlement and stability as in the past with the assistance of Dr. Richard Wardwell.

The report describes the geotechnical activities performed in accordance with the current Geotechnical Monitoring Plan (Appendix N of the Operations Manual) and the Stability and Settlement Monitoring Plan (Section 3.1.5 of the Design Report), prepared and included as part of the JRL Expansion Application for a new solid waste license, as approved by the MEBEP under Solid Waste License #S-020700-WD-BI-N and Natural Resources Protection Act #L-19015-TG-D-N dated 06/01/2017.

Results of this monitoring verifies the consistency of the landfill's geotechnical performance with design parameters and assumptions, and with the goals of the JRL Expansion Operations Manual (NEWSME 2021). Specifically, geotechnical monitoring during 2021 included: (1) visual observation of landfill slope stability, settlement, and general landfill conditions, (2) assessment of site aerial topographic surveys; (3) a review of waste types, quantities, location of waste placement, and filling sequences, and (4) evaluation of fluid levels in the leachate collection layer of Cells 11 and 12.

6.0 FINANCIAL ASSURANCE

The closure and post-closure costs have been recalculated to reflect those Cells that, as of the end of calendar year 2021, have been or will be constructed, but have not received final cover. A copy of the revised closure and post-closure costs may be found in Attachment J of this report. Following approval of the estimates, a revised financial assurance package will be submitted to the MEDEP under a separate cover.

7.0 MSW DIVERSION

In accordance with Condition #5 of Solid Waste Order #S-020700-WD-BC-A, a summary of best efforts by CWS to divert MSW from landfilling at JRL to the greatest extent practicable has been completed and may be found in Attachment K of this report.

ATTACHMENT A
Compliance Self Audit

**JUNIPER RIDGE LANDFILL
COMPLIANCE SELF-AUDIT EVALUATION
REPORT YEAR 2021**

This Compliance Self-Audit Evaluation is to be used to perform an annual audit of landfill operations as required by of Chapter 401, Section 4.D. (1) (b) of the State of Maine Solid Waste Management Rules. The purpose of this audit is to verify general compliance with the site operations manual, licenses and regulatory requirements. Qualified facility personnel performed the audit.

Facility Name..... Juniper Ridge Landfill (JRL)
Location..... Old Town, Maine
Audit for Calendar Year..... 2021
Compliance Auditor..... Jeffrey M Pelletier
Title..... Environmental Manager
Signature of Auditor.....



GENERAL EVALUATION:

1. Are active facility licenses kept on file at the facility?

Copies of active MEDEP licenses may be found in the Environmental Manager's office located at Pine Tree Landfill. Licenses are also available electronically to the landfill supervisor and staff at the JRL site.

2. Do the facility licenses have special license conditions relating to landfill operations?

Yes, a number of conditions are laid out in various licenses held by the facility. MEDEP licensed conditions are entered into a company Environmental Compliance Database that allows the division manager and compliance manager to monitor compliance with submission deadlines and fee requirements.

3. What pending licenses or approvals were sought from the MEDEP at the time of this audit.

- Minor Revision Application (Solid Waste License # S-20700-WD-N-A) to add a Renewable Gas Facility at JRL (submitted on 01-19-22).
- Cell 14 Design Report Review (submitted on 01-25-22).
- 2022 Annual Oversized Bulky Waste Limit Request Form submittal (pursuant to Condition 2 (D) of Solid Waste Minor Revision License #S-020700-WD-CM-M) (submitted 01-28-22).

4. Date of payment of MEDEP Annual Report/License Fees.

- MEDEP 2021 annual report fee invoice will be paid once received.
- MEDEP 2021 annual license fee of \$15,380.00 was paid on August 17, 2021.

5. Date of submittal of previous MEDEP Annual Report & Report/License Fees.

- MEDEP 2020 annual report was submitted on April 30, 2021.
- MEDEP 2020 annual report fee of \$3,981.00 was paid on April 15, 2021.
- MEDEP 2020 annual license fee of \$15,011.00 was paid on July 07, 2020.

6. Does the facility have a Host Community Agreement in-place and on file?

A Host Community Compensation and Facility Oversight Agreement was signed with the City of Old Town on December 8, 2005. Although not a host community, a Community Benefits Agreement also was signed with the Town of Alton on October 6, 2005. Copies of these agreements may be found in the Division Manager's Office.

7. Does the facility have a current liability insurance policy in-place and on file at the facility?

Yes, a copy of the policy is available in the Division Manager's Office.

8. Has the facility submitted an executed financial assurance instrument for closure and post closure care along with updated closure/post closure cost estimates to the MEDEP?

Yes, performance bonds were initially provided to the MEDEP on February 19, 2004. An updated financial assurance package for the closure/post-closure care is provided to the MEDEP within the annual report.

9. Last date a certified copy of the facility Operations Manual was updated.

An update to the JRL Expansion Operations manual was distributed in April 2021 alongside the 2020 Annual Report.

10. MEDEP approval date of last updated Operations Manual.

The facility Operations Manual was formally approved on June 01, 2017 as part of Solid Waste Order #S-020700-WD-BI-N.

11. Number and locations of the Certified Copies of the Operations Manual.

Certified copies of the Operations Manual may be found at the following locations:

- The Augusta Office of the MEDEP
- The Municipal Office of the City of Old Town
- JRL's Environmental Compliance Manager's Office
- JRL's Operations Supervisor's Office
- Manager of State Landfills at the Maine Bureau of General Services

12. Operational personnel who received landfill training during audit year.

During 2021, operations personnel received monthly training sessions on a variety of topics relating to safety, environmental compliance, and landfill operations. Records relating to the ongoing training of landfill personnel are kept on file in the Landfill Supervisor's office.

13. Are only solid wastes or special wastes as allowed in the landfill's current license accepted and are those wastes handled as described in the landfill's Operations Manual?

Yes, only approved non-hazardous special and solid wastes from Maine are being accepted at JRL and are being characterized according to the conditions laid out in the facility's Waste Characterization Plan.

14. Are solid wastes and special wastes permitted for acceptance characterized on an ongoing basis in conformance with the characterization plan approved by the Department?

Yes, those wastes are being characterized at the required intervals and/or tonnage rates. Records associated with waste acceptance are kept on file electronically.

15. Is access to the facility controlled so that the public is not exposed to potential health and safety hazards and access is only permitted when an attendant is on duty?

Yes, an attendant is located at the scale house during operational hours. During non-operational hours the facility is manned by security personnel that perform regular site inspections. For public safety reasons, non-employee visitors entering the site during operational hours must first stop at the scalehouse and check in prior to further entry. The site is secured with fencing. Doors and gates around the site are secured unless in use.

16. Are the hours of operation and other limitations for access and use prominently posted at the entrance to the landfill?

Yes, the facility has the required signage in-place at the entrance to the landfill prior to and at the scale house. Additional signage is placed in prominent areas throughout the landfill.

17. Are the access roads within the facility maintained?

Yes, roads from the entrance to the active landfill are maintained year-round to accommodate passage of vehicles.

18. Are any access roads into the active cell of the landfill constructed and maintained to prevent migration of leachate outside of the cell.

Yes, the main access road into the active cell is designed to prevent leachate from migrating outside of the cell.

19. Is a road maintenance program appropriately implemented to prevent the accumulation of dust, mud, or wastes from the facility access, public, or private roads?

Yes, paved roads are mechanically swept, scraped, and/or plowed as needed to prevent accumulation of undesirable material on the roads. Roads are additionally watered seasonally as necessary as a further dust control measure.

20. Are the appropriate signs posted or other approved means implemented to indicate clearly where solid waste is to be unloaded and the location of any separate handling areas?

Yes, drivers are directed by the scale house attendant and/or landfill operators to the proper staging/unloading area where they are then given further instructions via radio communications with the operators. Delivery vehicles utilizing the site are required to be equipped with a means of radio communication. Hand-held radios are made available as needed.

21. Are the setbacks and buffer strips approved by the Department being maintained?

Yes, required setbacks and buffers are being maintained as required.

22. Are the cell development plans up-to-date and submitted with the annual report?

Yes, cell development plans are included for Cell 14 which will be constructed throughout the 2022 construction season.

23. Is compaction performed at least once per operating day and more often as necessary unless otherwise approved by the Department?

Compaction is currently being achieved at JRL with the use of compactors that are operated in a manner to achieve favorable compaction rates.

24. Has cover been placed as outlined in the operations manual?

Yes, suitable waste materials, (i.e., alternate daily cover) are primarily being utilized as daily cover as necessary. Intermediate soil/synthetic cover materials are being installed as slopes reach appropriate elevation & grades.

25. Have storm water management and erosion control measures been implemented as outlined in the operations manual?

Yes, storm water management & erosion control measures are being utilized as outlined in JRL's Storm Water Pollution Prevention Plan, located in the Operations Manual.

26. Are leachate management systems including collection, transport, storage, and pumping systems maintained in accordance with the site Operations Manual?

Yes, systems receive regularly scheduled maintenance and are inspected at pre-determined intervals in accordance with the site Operations Manual.

27. Are landfill gas systems installed and maintained as outlined in the Operations Manual?

Yes, the landfill maintains an active gas collection system consisting of horizontal gas collection piping, vertical wells, and a flare.

28. Is a methane gas-monitoring program implemented to verify the concentration of explosive gases generated by the landfill, and if an exceedance is triggered, appropriate steps are taken to protect human health and the Department notified of the occurrence and the protective steps that were taken?

Yes, methane gas monitoring is being performed as required at the groundwater quality wells, landfill surfaces, at landfill structures, and LFG wellheads as required. The facility has developed a plan of action that needs to be followed should elevated levels be detected. No elevated levels of H₂S (a separate component of LFG) were detected in 2021.

29. Are routine inspections of the landfill facilities performed as outlined in the Operations Manual, and are records of the inspections kept on file at the facility?

Yes, routine inspections are performed at pre-determined frequencies in compliance with the site Operations Manual, with records of inspections kept on file in the Environmental Manager's office.

30. Does the facility have a fire protection plan in-place and is it outlined in the operations manual?

Yes, fire protection procedures are located in the JRL Operations Manual, and are being followed as required.

31. Does the facility have a hazardous and special waste handling and exclusion plan and is it implemented at the facility?

Yes, the hazardous and special waste handling and exclusion plan may be found in the Operations Manual. Appropriate response procedures are followed as required.

32. Does the facility have a litter control plan and is it implemented as outlined in the Operations Manual?

Yes, the facility controls off-site litter through the use of strategically placed fencing and regular litter patrols.

33. Has the Environmental Monitoring Program been implemented as outlined in the Operations Manual?

Yes, requirements as laid out in the environmental monitoring plan are being adhered to and are located in the Operations Manual.

34. Environmental sampling events being conducted as required and results reported to the MEDEP.

A record of environmental sampling events with corresponding dates may be found in the annual water quality report being submitted to the MEDEP as part of the Annual Report. Site water quality monitoring was completed on a tri annual basis in April, July, and October, with monitoring reports from those events submitted to the MEDEP. Required landfill leachate PFAS testing was completed in the fall of 2021 and reported to the MEDEP on 01-06-22.

35. Are waste staging and storage areas maintained as outlined in the Operations Manual?

Yes, staging and storage areas are being operated and maintained in accordance with the site Operations Manual.

36. Is a vector control program in-place and implemented as outlined in the operations manual?

Yes, a pest control service regularly visits the site and maintains control devices. Additionally, the facility utilizes lethal & non-lethal means of deterring bird populations.

37. Does the facility accept asbestos wastes?

The facility is only licensed to accept non-friable asbestos containing wastes and manages the material in a manner that minimizes exposure during offloading.

ATTACHMENT B

Annual Solid Waste Management Report



ANNUAL SOLID WASTE MANAGEMENT REPORT FOR LICENSED LANDFILLS

FACILITY NAME: _____ Report For Year: _____

DEP LICENSE NUMBER _____

This report includes information on solid waste handling and disposal per 06-096 C.M.R. ch. 401, § 4(D) and § 7(21), as applicable, for the following facility and/or municipalities, as applicable (please list all users):

CONTACT PERSON: _____ Title: _____

Mailing Address: _____

City/Town: _____ Zip Code: _____

Phone: _____ E-mail: _____

LANDFILL MANAGER: _____

Mailing Address: _____

City/Town: _____ Zip Code: _____

Phone: _____ E-mail: _____

Please check here if a stand-alone annual report is being submitted. If so, submit this cover sheet only along with your report.

I have examined this report to the best of my knowledge and believe this report is true, accurate and complete.

Signature of person completing this form:  _____ Date Signed _____

Printed name of person completing this form: _____

Please return one (1) paper copy and an electronic copy of your completed form with the required annual report fee by April 30th of each year to:

Geraldine Travers
Maine Department of Environmental Protection
17 State House Station
Augusta, Maine 04333-0017
Geraldine.Travers@maine.gov

ATTACHMENT C

Updated Operations Manual Sections

Appendices included within Attachment C:

Cover Page/Binder Sleeve

Operations Manual Narrative Section

MEDEP Operating Permits List (Ops. Manual-APPENDIX A)

Cell 14 Design Plans (Ops. Manual-APPENDIX D)

Waste Characterization and Acceptance Plan (Ops. Manual-APPENDIX G)

The entire 2022 JRL Operations Manual is included as a separate digital file.

ATTACHMENT D


**Facility Inspection Reports/
Other Maintenance Activities**

Appendices included within Attachment D:

Weekly/Monthly/Quarterly Site Inspection Reports
JRL Other Maintenance Activities

**Weekly/Monthly Site
Inspection Reports**

WEEKLY/MONTHLY INSPECTION FORM

Site Name/Company	Juniper Ridge Landfill/NEWSME Landfill Operations, LLC
Location	2828 Bennoch Road, Alton, Maine
Date of Visit	09-02-21
Inspector Name/Signature	Jeffrey Bellon / 

Note: For weekly inspections, only Table 1 and Table 3 need to be completed. For monthly inspections, Tables 1, 2 and 3 need to be completed.

**Table 1
Inspection of Active Areas at the Facility**

Active Areas at the Facility			
Leachate	Is leachate observed on the ground, or leaking from tanks or piping, with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
Access Roads	Are industrial materials, residue or trash observed on roads where vehicles enter or exit the active landfill with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
MSW and CDD (windblown debris)	Is MSW and/or CDD on ground, tracking, blowing or whirling with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
Borrow Pit	Is there evidence of tracking or erosion from site soil borrow areas with potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
Mobile Equipment	Is mobile equipment leaking oil or other liquids with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)

Active Areas at the Facility	
Comments	LOOKS GOOD

Table 2
 Inspection of Stabilized Areas at the Facility

Stabilized Active Areas at the Facility			
Leachate	Is leachate observed on the ground, or leaking from tanks or piping, with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
Access Roads	Are industrial materials, residue or trash observed on roads where vehicles enter or exit the active landfill with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
MSW and CDD (windblown debris)	Is MSW and/or CDD on ground, tracking, blowing or whirling with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
Comments	LOOKS GOOD		

Table 3
Inspection of Stormwater BMPs, Conveyances and Outfalls

BMP	Describe where any of the following were observed: <ul style="list-style-type: none"> • Any evidence that the BMP is not functioning properly.
Detention Pond 1	Good
Geomembrane Lined Storage Pond	Good
Detention Pond 2	Good
Detention Pond 6	Good
Litter Fence	Good
Lechate Storage Tank Containment Area	Good
Leachate Storage Tank Containment Area Riprap Outlet	Good
Leachate Loading Rack Catch Basin	Good
Detention Pond 9	Good
2,000-Gallon Underground Storage Tank	Good
Detention Pond 5	Good
Outfall No. 1	Good
Outfall No. 2	Good
Outfall No. 3	Good

Table 3
Inspection of Stormwater BMPs, Conveyances and Outfalls

BMP	Describe where any of the following were observed: <ul style="list-style-type: none"> Any evidence that the BMP is not functioning properly.
Outfall No. 4	good
Outfall No. 5	good
Outfall No. 6	good
Outfall No. 7	good ECU could be refilled. Completed by Sargent Corp. 09-02-21

Table 4
New Potential Pollutant Source and/or Recommendations for Additional BMPs

Reference	Description	Schedule

Certification

<input checked="" type="checkbox"/> Site is in compliance with SWPPP and MSGP. <input type="checkbox"/> Site is not in compliance with SWPPP and MSGP and either structural control measure maintenance, additional controls, or modifications to the SWPPP are required.	
<i>I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.</i>	
Name: Jeffrey Pelletier	Telephone: 207-249-8025
Signature: <i>JJP</i>	Date: 09-02-21

September
 10/9/16

571 SP001 MONTHLY ABOVEGROUND STORAGE TANK AND CONTAINER CHECKLIST
 NEWSME LANDFILL OPERATIONS LLC - JUNIPER RIDGE LANDFILL
 2828 BENNOCH ROAD, ALTON, MAINE

INSPECTOR'S SIGNATURE: *[Signature]* DATE: 09/09/21 INSPECTOR'S TITLE: Environmental Manager

The checklist shall be completed on a monthly basis and be retained with the SPCC Plan for at least 3 years.

LOCATION:	Maintenance Building	Outside Maintenance Building	Delivery Truck (Active Cell of Landfill)	Active Cell of Landfill	Office Building	Diesel Generator	LFG Treatment Facility	Maintenance Building	Rubb Building
CONTENTS:	500-GAL Motor Oil	1,500-GAL Gasoline	500-GAL Diesel	275-GAL Hydraulic Oil	275-GAL No. 2 Fuel Oil	366-GAL Diesel	270-GAL Mineral Oil	275-GAL Used Oil	55-GAL Drums Varies
TANK CONTAINMENT:									
Water in primary tank, secondary containment, interstice, or spill container?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Debris or fire hazard in containment?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Drain valves operable and in a closed position?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Containment egress pathways clear and gates/floors operable?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Concrete intact and in good condition with no cracks?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
LEAK DETECTION:									
Visible signs of leakage around the tank, concrete pad, containment, ring wall or ground?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
TANK ATTACHMENTS AND APPLURANCES:									
Ladder and platform structure secure with no sign of severe corrosion or damage?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Tank liquid level gauge readable and in good condition?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Tank openings properly sealed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

COMMENT ON MAINTENANCE OR REPAIR NEEDED ON THE LAST PAGE OF THIS DOCUMENT FOR ANY MARKED RED UNDERLINED CHECK BOX.
 PAGE 1

STI SP001 MONTHLY ABOVEGROUND STORAGE TANK AND CONTAINER CHECKLIST
 NEWSME LANDFILL OPERATIONS LLC - JUNIPER RIDGE LANDFILL
 2828 BENNOCH ROAD, ALTON, MAINE

GENERAL HOUSEKEEPING:	Yes	No	NA	Yes	No	NA	Yes	No	NA	Yes	No	NA	Yes	No	NA	Yes	No	NA
Fire extinguisher nearby?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Spill equipment nearby?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
PORTABLE CONTAINERS:																		
Are portable containers in designated storage area?																		
Debris, spill, or other fire hazards in containment or storage area?																		
Water in outdoor secondary containment?																		
Drain valves operable and in a closed position?																		
Egress pathways clear and gates/doors operable?																		
Container distorting, buckling, denting, or bulging?																		
Visible signs of leakage around the container or storage area?																		
COMMENTS / REPAIRS / MAINTENANCE:																		

**Quarterly
Site Inspection
Reports**



Standard Operating Procedure
 Bureau of Water Quality
 Attachment B
 Date: April 20, 2006
 Revised: June 12, 2017
 Doc Number: DEPLW0768

Visual Monitoring Form

Facility Name: Juniper Ridge Landfill
 Facility Address: 2828 Bennoch Road
 Old Town, ME 04468

Sampler's Name: Jeffrey Pelletier
 MSGP Permit Number: MER05B477

72 Hours Since last Qualifying Storm? Yes or No (circle)

Measurable Discharge from outfall? Yes or No (circle)

Outfall Number	1	2	3	4	5	6
Observation Time	8:32 AM	7:14 AM	7:38 AM		8:15 AM	
Est. Time from Onset of Discharge	< 60 min	< 60 min	< 60 min		< 60 min	
Discharge Type (rain, snow melt or ice melt)	rain	rain	rain		rain	
Sample Volume (ml)	1000 mL	1000 mL	1000 mL		1000 mL	
Color	clear	clear	very light tan		clear	
Odor	light ^{slight} plastic smell	none	very light dirt smell		light grossy odor	
Clarity	clear	clear	cloudy		clear	
Floating Solids*	trace	none	trace		trace	
Settled Solid*	none	none	trace		none	
Suspended Solid*	none	none	trace		none	
Foam	none	none	none		none	
Oil Sheen	none	none	none		none	
Possible Source of Any Observed Contamination	none	none	Silt from Ditch/roadway		none	

*Enter a description of corresponding criteria for each outfall and any corrective actions in the General Comments section of this document.

Signature of Responsible Official: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowingly violating the law.

Name: Jeffrey Pelletier Date: 09/02/21

Signature: *Jeffrey Pelletier* Date: 09/02/21



General Comments

In the comments section, enter physical description of floating, settled, and suspended solids for each outfall sampled. Enter general comments on the condition and appearance of each outfall in the comments as well as any corrective actions taken as indicated in the instructions.

Outfall 1	Comments: <u>Very nice clean clear sample.</u> <u>light organic pond smell. Trace of floating</u> <u>organic matter.</u>
Outfall 2	Comments: <u>Nice clean sample.</u>
Outfall 3	Comments: <u>Typical sample for outfall. Cloudy but not</u> <u>extremely bad. clear coloring but light tan tint.</u> <u>Very light dirt/silt smell. Trace of organic</u> <u>matter floating. Trace of suspended solid. Trace of</u> <u>settled solids < 1 ml.</u>
Outfall 4	Comments: <u>No flow due to previous dry</u> <u>conditions.</u>
Outfall 5	Comments: <u>Nice clean sample. light grassy odor.</u>
Outfall 6	Comments: <u>No flow due to previous dry conditions</u>



Standard Operating Procedure
 Bureau of Water Quality
 Attachment B
 Date: April 20, 2006
 Revised: June 12, 2017
 Doc Number: DEPLW0768

Visual Monitoring Form

Facility Name: Juniper Ridge Landfill
 Facility Address: 2828 Bennoch Road
Old Town, ME 04468

Sampler's Name: _____
 MSGP Permit Number: MER05B477

72 Hours Since last Qualifying Storm? Yes or No (circle)

Measurable Discharge from outfall? Yes or No (circle)

Outfall Number	<u>7</u>					
Observation Time	<u>7:02 AM</u>					
Est. Time from Onset of Discharge	<u>< 60 min</u>					
Discharge Type (rain, snow melt or ice melt)	<u>rain</u>					
Sample Volume (ml)	<u>1000 mL</u>					
Color	<u>light tan</u>					
Odor	<u>light dirt smell</u>					
Clarity	<u>cloudy</u>					
Floating Solids*	<u>none</u>					
Settled Solid*	<u>1 mL</u>					
Suspended Solid*	<u>trace</u>					
Foam	<u>none</u>					
Oil Sheen	<u>none</u>					
Possible Source of Any Observed Contamination	<u>Construction activities / groundwork</u>					

*Enter a description of corresponding criteria for each outfall and any corrective actions in the General Comments section of this document.

Signature of Responsible Official: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowingly violating the law.

Name: Jeffrey Rellinger Date: 09-02-21

Signature:  Date: 09-02-21



General Comments

In the comments section, enter physical description of floating, settled, and suspended solids for each outfall sampled. Enter general comments on the condition and appearance of each outfall in the comments as well as any corrective actions taken as indicated in the instructions.

Outfall 7	Comments: <u>Sample was cloudy but not really bad.</u> <u>Had light dirt smell, 1 ml settled Solids, trace</u> <u>of suspended Solids. Source of contamination was</u> <u>due to construction activities. BMPs put in place to</u> <u>help clean up work prior to leaving site. Several large</u> <u>check dams, filter stone, erosion control mix being utilized</u> <u>as required. Overall a job well done.</u>
Outfall	Comments: _____ _____ _____ _____
Outfall	Comments: _____ _____ _____ _____
Outfall	Comments: _____ _____ _____ _____
Outfall	Comments: _____ _____ _____ _____
Outfall	Comments: _____ _____ _____ _____

ROUTINE INSPECTION REPORT

Site Name/Company	Juniper Ridge Landfill/NEWSME Landfill Operations, LLC
Location	2828 Bennoch Road, Alton, Maine
Date of Visit	09-02-21
Inspector Name/Signature	Jeffrey Kellonen / <i>[Signature]</i>
Weather	Rain 56°F

Does this inspection qualify as the one required annual inspection conducted during qualifying storm event? Yes No

Are there any new discharges or pollutants at the site? Yes No

**Table 1
Inspection of Potential Pollutant Sources (PPS)**

Description	
Industrial Activity or Area	<p>Describe where any of the following were observed:</p> <ul style="list-style-type: none"> • Any discharges present at the time of inspection; • Any evidence of pollutants entering the drain system or outfalls; • The condition of the outfalls, including any restricted flow; • Industrial materials, residue or trash on the ground; • Leaks or spills from industrial equipment, drums, barrels, tanks or other containers; • Offsite tracking of industrial or waste materials or sediment; and • Tracking or blowing of raw, final, or waste materials.
Scale House and Scale	Good
Office Building	Good
Soil Stockpile Areas	Good
Borrow Pit	Good / will need to be milled but on Sargents Schedule. <i>(Completed by Sargents some time in October)</i>
Wood Waste Handling Area	Good

Table 1
Inspection of Potential Pollutant Sources (PPS)

Maintenance Building	Good organized + clean
Rubb Building	Good
LFG Treatment Facility	Good clean
Leachate Storage Tank	Good no sign of leaks
Leachate Loading Rack	Good
Leachate Collection System	Good
Gravel Laydown Area	Good
Employee Parking Area	Good
1,500-Gallon Gasoline Tank	Good container empty
1,500-Gallon Diesel Tank	Good not in use
2,500-Gallon Diesel Delivery Truck	Good in landfill cell
Access Roads	Good light litter here and there but not bad. Pickers onsite daily

Table 2
Inspection of Structural Control Measures and Outfalls

BMP	Describe where any of the following were observed: <ul style="list-style-type: none"> • Any evidence that the BMP is not functioning properly; • Any evidence of erosion; and • Industrial materials, residue, or trash.
Detention Pond 1	Good
Geomembrane Lined Storage Pond	Good
Detention Pond 2	Good
Detention Pond 6	Good
Litter Fence	Good
Leachate Storage Tank Containment Area	Good
Leachate Storage Tank Containment Area Riprap Outlet	Good
Leachate Loading Rack Catch Basin	Good
Detention Pond 9	Good
2,000-Gallon Underground Storage Tank	Good
Detention Pond 5	Good
Detention Pond 10	Good
Outfall No. 1	Good

Table 2
Inspection of Structural Control Measures and Outfalls

Outfall No. 2	Good
Outfall No. 3	Good
Outfall No. 4	Good
Outfall No. 5	Good
Outfall No. 6	Good
Outfall No. 7	ECM could be retested <i>Completed by Sargent Corp. 09-10-21</i>

Table 3
Corrective Actions Required for PPS(s) and/or Existing Structural Control Measures

Reference	Description/Schedule	Date Completed
See Attached		


Table 4
Recommendation for New PPS(s) and/or Structural Control Measures

Reference	Description/Schedule	Date Completed

Table 5
Modifications Required to SWPPP or Site Plan

Reference	Description

Certification

<input checked="" type="checkbox"/> Site is in compliance with SWPPP and MSGP.	
<input type="checkbox"/> Site is not in compliance with SWPPP and MSGP and either structural control measure maintenance, additional controls, or modifications to the SWPPP are required.	
<i>I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.</i>	
Name: <i>Jeffrey Pelletier</i>	Telephone: <i>207-249-8025</i>
Signature: 	Date: <i>07-02-21</i>

CORRECTIVE ACTION REPORT

Site Name/Company: <i>Juniper Ridge Landfill / C-sella</i>	
Location: <i>Along Access Rd</i>	
Contact Name: <i>Jeffrey Pelletier</i>	Contact Signature: <i>Jeff</i>
Date of Discovery: <i>09-02-21</i>	
Date of Corrective Action Initiation: <i>09-02-21</i>	
Date of Corrective Action Completion: <i>09-02-21</i>	
Condition Requiring Corrective Action	<i>Light litter here / there along access road.</i>
Immediate Measures Taken to Control	<i>Informed onsite pickers</i>
Measures Taken to Prevent Re-Occurrence	<i>Stay on top of litter.</i>

Corrective actions must be completed within 14 days of the discovery of the condition. SWPPP modifications must be completed within 14 days of the completion of the corrective action. In the case of a spill, fill out Appendix E – Spill Report in addition to this form.

If it is not feasible to complete the corrective action within 14 days, please describe the reason and proposed schedule for completion: _____

If corrective actions cannot be completed within 45 days of discovery, MEDEP must be notified.

CORRECTIVE ACTION REPORT

Site Name/Company: <i>Juniper Ridge Landfill / C-sella</i>	
Location: <i>Outfall # 7</i>	
Contact Name: <i>Jeffrey Pelletier</i>	Contact Signature: <i>[Signature]</i>
Date of Discovery: <i>09-02-21</i>	
Date of Corrective Action Initiation: <i>09-02-21</i>	
Date of Corrective Action Completion: <i>09-10-21</i>	
Condition Requiring Corrective Action	<i>ECM could be reinstalled near Outfall #7</i>
Immediate Measures Taken to Control	<i>Informed Supervisor Completed by Sergeant Corb</i>
Measures Taken to Prevent Re-Occurrence	<i>Stay on top of BMP measures.</i>

Corrective actions must be completed within 14 days of the discovery of the condition. SWPPP modifications must be completed within 14 days of the completion of the corrective action. In the case of a spill, fill out Appendix E – Spill Report in addition to this form.

If it is not feasible to complete the corrective action within 14 days, please describe the reason and proposed schedule for completion: _____

If corrective actions cannot be completed within 45 days of discovery, MEDEP must be notified.

2021 Juniper Ridge Landfill Other Maintenance Activities

Below is a list of all other maintenance activities that occurred throughout 2021. A list of all leachate maintenance and cleaning activities is chronologically listed in Attachment E of the 2021 JRL Annual Report.

Access Road Maintenance

- Access roads going to the top of the landfill and around the north, west, and south sides of the landfill perimeter were graded as necessary.
- All access roads were swept and watered as necessary.

Landfill Cover System Maintenance

- Various repairs were made to the existing 30/40 mil intermediate cover system due to tears, rips, and holes from liner movement, settlement, and the wind.

Landfill Gas System (LFG) Maintenance

- Roughly 211 improvements were made to the LFG system throughout 2021. These improvements included: well/gas collection trench installations/extensions, maintenance to all collection well head components (valves, ports, hoses), and torn well boots.
- The flare flame arrestor was cleaned periodically.
- Routine maintenance was performed at the JRL Thiopaq Facility in accordance with the Facility's operations manual.
- Condensate knockout pots (KOP) were cleaned as necessary.

Other Site Maintenance

- An extension of the security fence line was added, to incorporate future landfill expansion from the new scale location to the northwest side of the 2004 permitted landfill footprint.

Scale House Maintenance

- Additional gravel was installed along the road shoulders to better accommodate truck travel around the new scale house.
- Scales were cleaned, de-iced, and calibrated as necessary.

Stormwater Maintenance

- All stormwater ditches on the north, west, and south sides of the landfill were cleaned. Culverts were cleaned and new rip-rap was installed as necessary.
- Both sides of Detention Pond #5 were cleaned with new drainage sand installed.
- New erosion control mix was added around the level lip spreader and prior to Outfall #2.
- Seeding and mulching occurred as necessary to prevent erosion.
- Continuous litter patrols were performed by 3rd party temporary personnel.

ATTACHMENT E

Leachate Collection Maintenance Activities

2021 Juniper Ridge Landfill Leachate Maintenance and Repairs

01/22/21	Emptied surface water from the leachate force main manholes. Inspected the manholes and pressure gauges.
04/03/21	Flow meter verification performed on the leachate loadout rack and landfill pump stations.
04/15/21	Emptied surface water from the leachate force main manholes. Inspected the manholes and pressure gauges.
07/21/21	Emptied surface water from the leachate force main manholes. Inspected the manholes and pressure gauges.
09/07/21	Removed and cleaned leachate collection (LC) pump #2 from Cell 12 pump station. Reinstalled it in Cell 13 pump station for future use.
09/17/21	Inspected the leachate tank and force main, cleaned force main man hole structures.
09/27/21	Temporarily removed LC pump #1 from Cell 5 pump station. Replaced level transducer and safety transfer switch. Cleaned the pump, hose, discharge line, valves, and sump.
10/01/21	Removed and cleaned LC pump #1 from Cell 12 pump station. Reinstalled it in Cell 13 pump station for future use.
10/11/21	Located and marked out LC lines to be cleaned.
10/22/21	Cleaned LC lines around the east and southeast side of the landfill.
10/26/21	Cleaned LC lines around the north, west, and south sides of the landfill.
11/17/21	Emptied surface water from the leachate force main manholes. Inspected the manholes and pressure gauges.
11/22/21	Cleaned the remaining 4 LC lines and replaced bolts and hardware.

ATTACHMENT F


Water Quality Monitoring Report

2021 ANNUAL WATER QUALITY REPORT JUNIPER RIDGE LANDFILL

Prepared for

NEWSME LANDFILL OPERATIONS, LLC

April 2022



4 Blanchard Road
P.O. Box 85A
Cumberland, Maine 04021
Phone: 207.829.5016 smemaine.com

SME 
SEVEE & MAHER
ENGINEERS

ENVIRONMENTAL • CIVIL • GEOTECHNICAL • WATER • COMPLIANCE

TABLE OF CONTENTS

Section No.	Title	Page No.
EXECUTIVE SUMMARY 1		
1.0 INTRODUCTION 1-1		
1.1	Landfill Conditions	1-5
1.2	Hydrogeologic Setting	1-5
2.0 MONITORING LOCATIONS 2-1		
2.1	2021 Monitoring Locations	2-1
2.2	Groundwater Locations	2-5
2.3	Surface Water and Stormwater Locations.....	2-6
2.4	Pore-Water Locations	2-6
2.5	Leachate Sample Location	2-6
2.6	Underdrain Monitoring.....	2-6
2.7	Leak Detection Monitoring	2-9
2.8	Annual Monitoring Well Specific Conductance Measurements.....	2-9
2.9	Water Quality Landfill Gas Monitoring Program	2-12
2.10	Baseline Water Quality Monitoring Wells for Cell 13	2-12
3.0 MONITORING PARAMETERS..... 3-1		
3.1	Detection Monitoring Program.....	3-1
3.2	Baseline Analytical Program for Monitoring Wells for Cell 13	3-3
4.0 SAMPLING TECHNIQUES..... 4-4		
4.1	Monitoring Wells	4-4
4.2	Surface Water, Stormwater, Underdrain, and Leachate Sampling Locations	4-4
4.3	Pore-Water Sampling Locations	4-4
4.4	Water Quality Landfill Gas Monitoring	4-5
4.5	Sample Handling and Chain-of-Custody	4-5
5.0 DATA VALIDATION AND QUALITY ASSURANCE (QA)/QUALITY CONTROL (QC) 5-6		
6.0 DATA ANALYSIS..... 6-1		
6.1	Concentrations above MCL, MEG, MFCCC	6-1
6.2	Key Indicator Parameters for Comparison to JRL Leachate.....	6-1
6.3	Box and Whisker Plots and Data Summary Sheets.....	6-2
6.4	Mann-Kendall Trend Analyses	6-2
6.5	Stiff and Piper Diagram Construction	6-4
7.0 WATER QUALITY EVALUATION 7-1		
7.1	Leachate.....	7-2
7.2	Underdrains	7-8
7.3	Groundwater Quality	7-11
7.4	Surface Water, Stormwater, and Pore-Water	7-12
7.5	Baseline Water Quality Monitoring Wells for Cell 13	7-17
7.6	Leak Detection System.....	7-20

TABLE OF CONTENTS (Cont'd)

Section No.	Title	Page No.
8.0	WATER QUALITY GAS MONITORING	8-1
9.0	SUMMARY AND RECOMMENDATIONS	9-1
9.1	Summary	9-1
9.2	Closure and Recommendations	9-6

LIST OF APPENDICES

APPENDIX A	RESPONSES TO MEDEP COMMENTS REGARDING THE PREVIOUS ANNUAL WATER QUALITY DATA REVIEW (NONE RECEIVED)
APPENDIX B	INTERPRETED SHALLOW GROUNDWATER PHREATIC SURFACE AND UPPER BEDROCK POTENTIOMETRIC SURFACE CONTOUR MAPS AND 2021 QUANTITATIVE ANALYSIS OF MEASURED CHANGES IN GROUNDWATER ELEVATIONS AT MONITORING LOCATIONS
APPENDIX C	2021 AND HISTORICAL FALL SPECIFIC CONDUCTANCE DATA (EXPANDED LOCATIONS)
APPENDIX D	2021 AND HISTORICAL WATER QUALITY DATA
APPENDIX E	2021 WATER QUALITY SUMMARY REPORTS AND BOX & WHISKER PLOTS
APPENDIX F	MANN-KENDALL TREND ANALYSIS RESULTS
APPENDIX G	STIFF AND PIPER DIAGRAMS FOR MW-206, MW-223A, MW-223B, MW-302R, AND LT-C4LR
APPENDIX H	STIFF DIAGRAMS FOR OW-06-03, OW-601A, OW-601B, OW-606A, OW-611A, and MW-507
APPENDIX I	2021 AND HISTORICAL GAS MEASUREMENT DATA

LIST OF FIGURES

<u>Figure No.</u>	<u>Title</u>	<u>Page No.</u>
1-1	SITE LOCATION MAP	1-2
1-2	SITE LAYOUT AND ENVIRONMENTAL MONITORING LOCATIONS.....	1-3
1-3	ENVIRONMENTAL MONITORING LOCATIONS ADJACENT TO FORMER LEACHATE POND	1-4
2-1	UNDERDRAIN PIPING LAYOUT AND MONITORING LOCATIONS	2-7
2-2	MONITORING WELL LOCATIONS USED FOR ANNUAL CONDUCTIVITY MEASUREMENTS	2-11

LIST OF TABLES

Table No.	Title	Page No.
1-1	2021 SUMMARY OF SITE GROUNDWATER ELEVATION TRENDS	1-7
2-1	2021 GROUNDWATER MONITORING LOCATIONS.....	2-2
2-2	2021 SURFACE WATER, STORMWATER, LEACHATE, LEAK DETECTION, AND UNDERDRAIN MONITORING LOCATIONS	2-3
2-3	2021 SAMPLING FREQUENCY	2-4
2-4	2021 MONITORING WELL AND PIEZOMETER LOCATIONS USED FOR ANNUAL SPECIFIC CONDUCTANCE MEASUREMENTS	2-10
2-5	2021 BASELINE WATER QUALITY MONITORING WELLS FOR CELL 13	2-12
3-1	2021 DETECTION MONITORING ANALYTICAL PROGRAM.....	3-2
3-2	2021 BASELINE ANALYTICAL PROGRAM FOR MONITORING WELLS FOR CELL 13.....	3-3
7-1	SUMMARY OF LT-C4LR PARAMETERS WITH NEW HISTORICAL MINIMUM OR MAXIMUM VALUES IN 2021	7-3
7-2	SUMMARY OF CHLORIDE TO BROMIDE RATIOS FOR 2021 BROMIDE DETECTIONS ABOVE LABORATORY REPORTING LIMITS.....	7-7
7-3	2021 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES AND CHLORIDE AND ARSENIC CONCENTRATIONS AT UNDERDRAIN MONITORING LOCATIONS.....	7-9
7-4	2021 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES AND CHLORIDE AND ARSENIC CONCENTRATIONS AT GROUNDWATER MONITORING LOCATIONS	7-12
7-5	SUMMARY OF 2021 KEY INDICATOR PARAMETER VALUES AT MW12-303R	7-4
7-6	SUMMARY OF 2021 ANNUAL MAXIMUM WATER QUALITY PARAMETER VALUES AT MW-302R, MW-223A, AND MW-223B	7-6
7-7	2021 MCL AND MEG EXCEEDANCES AT GROUNDWATER MONITORING LOCATIONS	7-10
7-8	2021 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES AND CHLORIDE AND ARSENIC CONCENTRATIONS AT SURFACE WATER, STORMWATER, AND PORE-WATER MONITORING LOCATIONS	7-12
7-9	SUMMARY OF RECENT STORMWATER QUALITY CHANGES AT SW-DP1	7-14
7-10	2021 DISSOLVED METHANE CONCENTRATIONS AT PORE-WATER MONITORING LOCATIONS.....	7-16
7-11	2021 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES AND CHLORIDE CONCENTRATIONS AT BASELINE WATER QUALITY MONITORING WELLS FOR CELL 13	7-18
7-12	2021 MCL AND MEG EXCEEDANCES AT BASELINE GROUNDWATER MONITORING LOCATIONS.....	7-19
7-13	2021 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES AND CHLORIDE AND ARSENIC CONCENTRATIONS AT LEAK DETECTION MONITORING LOCATIONS.....	7-21

2021 ANNUAL WATER QUALITY REPORT JUNIPER RIDGE LANDFILL

EXECUTIVE SUMMARY

Water quality samples were obtained in April, July, and October 2021 at the Juniper Ridge Landfill (JRL) in accordance with the current site Environmental Monitoring Plan. The 2021 water quality data for the JRL monitoring locations are consistent with the historical data for the site and with the setting of monitoring locations among the construction and operational activities of the landfill. Site groundwater and surface water quality data do not show adverse effects from the performance of the landfill cells or leachate collection and transport systems. The evaluation of site water quality, which incorporates the 2021 water quality data, identifies trends at multiple locations and for a number of parameters, both upgradient and downgradient from the landfill. Historical groundwater quality data through 2021 indicate that these trends, however, are largely attributable to landfill operations and changes in redox conditions, which occur as expected around the landfill due to the construction of the landfill (e.g., from removal of vegetation, disturbance of native soils, and the cutoff of precipitation in the landfill area), and do not indicate any significant landfill related impacts to water quality from malfunction of the landfill liners.¹

Leachate from monitoring location LT-C4LR during 2021 and historically since July 2013 is generally characterized by high parameter values. In 2021, the annual maximum value of specific conductance in JRL leachate (i.e., monitoring location LT-C4LR) was 21,200 $\mu\text{mhos/cm}$ in July 2021. The annual maximum concentrations of chloride and arsenic at monitoring location LT-C4LR were 9,900 mg/L (April 2021) and 0.45 mg/L (October 2021), respectively. Generally, at a given water quality monitoring location, if landfill leachate were present, there would be a notable, significant increase in specific conductance values and chloride and arsenic concentrations (in conjunction with changes in other parameter concentrations) due to their presence at high concentrations in the JRL leachate.

Where there was flow during 2021 from underdrain monitoring locations, the underdrain monitoring data do not show adverse effects from the performance of the landfill cells or leachate collection and transport systems. During 2021, annual maximum chloride concentrations from the sampled underdrain monitoring locations (ranging from 1.3 mg/L to 18 mg/L) were very low relative to the JRL leachate and do not indicate influence from the presence of landfill leachate. There were no volatile organic compounds (VOCs) detected in 2021 above laboratory reporting limits at any of the sampled underdrain locations.

Based on review of 2021 and historical groundwater data, SME has identified 24 of the 36 site-wide groundwater monitoring locations with water quality that: (1) do not indicate influence from landfill

¹ The MEDEP agreed with this assessment in its review of the 2017 Annual Report. MEDEP, February 20, 2018, Memorandum regarding the 2017 Annual Report, Juniper Ridge Landfill, Old Town, Maine, MEDEP Lic. #S-020700-7A-A-N and Amendment #S-020700-WD-N-A, Prepared by Sevee and Maher Engineers, Inc., April 2015.

leachate; and (2) shows limited influence from landfill construction operations. The annual maximum specific conductance values at these wells range from 111 $\mu\text{mhos/cm}$ to 424 $\mu\text{mhos/cm}$. The annual maximum chloride concentrations at these monitoring locations ranged from 1.3 mg/L to 16 mg/L. These wells also exhibit limited or no statistically significant increasing trends.

More pronounced water quality changes have been observed at 12 of the site groundwater monitoring locations, which include wells both upgradient and downgradient from the landfill. These monitoring locations are discussed in detail in Section 7.3. The water quality changes are evidenced at some of these 12 groundwater monitoring locations by statistically significant trends for multiple parameters. These trends are largely attributable to changes in redox conditions, which occur as expected around the landfill due to the construction and operations of the landfill (e.g., from removal of vegetation, disturbance of native soils, and the cutoff of precipitation in the landfill area), and do not indicate landfill related impacts to water quality from malfunction of the landfill liners. This conclusion is supported by the current values and trends of key indicator parameters at the landfill underdrain monitoring locations and leak detection monitoring locations.

Arsenic is the only parameter analyzed in groundwater monitoring wells detected above its U.S.EPA Maximum Contamination Level (MCL) or Maine Maximum Exposure Guideline (MEG) in 2021. There were only three of the thirty-two monitoring wells in the detection monitoring analytical program with arsenic concentrations detected above its MCL and MEG (0.01 mg/L) during 2021. The maximum arsenic concentration detected at site-wide monitoring locations was 0.021 mg/L during 2021. There were no arsenic concentrations detected above its MCL and MEG at pore-water monitoring locations or above its Maine Freshwater Criterion Continuous Concentration (MFCCC) at surface water monitoring locations in 2021.

The 2021 surface water, stormwater, and pore-water monitoring data are generally characterized by very low values of key indicator parameters by comparison to the JRL leachate (i.e., LT-C4LR). This is generally consistent with historical data at these locations.

Monitoring of the landfill leak detection sampling locations for Cell 11 and Cell 12 began in 2021. Annual maximum chloride concentrations were very low at these monitoring locations during 2021 (less than the laboratory reporting limit of 1.0 mg/L to 1.5 mg/L). These chloride concentrations do not indicate the presence of leachate in the leak detection systems for Cell 11 and Cell 12.

During 2021, SME performed four baseline water quality monitoring rounds at Cell 13 monitoring wells MW-503, MW-504, MW-505, MW-506, PW-08-01, P-04-11A, P-04-11B, OW-606B, OW-607B, OW-608B, and OW-609B. The baseline water quality monitoring data results from the Cell 13 monitoring wells were submitted to MEDEP in 2021. The Cell 13 monitoring locations were monitored for detection monitoring parameters in October 2021 and will be incorporated into the EMP in 2022.

1.0 INTRODUCTION

The Juniper Ridge Landfill (JRL) is a secure landfill located on a 780-acre parcel in Old Town, Maine. It is owned by the Maine Bureau of General Services (BGS) and is operated by NEWSME Landfill Operations, LLC (NEWSME). Since 2004, JRL has been an integral part of the State of Maine's overall solid waste management program, providing environmentally sound disposal capacity for non-hazardous solid waste generated throughout the State of Maine. Figure 1-1 shows the location of the site. Figures 1-2 and 1-3 show the general site layout and monitoring locations of the site in 2021.

Water quality has been monitored at the site since 1990 when the site was first selected for a landfill.² This report describes the results of the water quality sampling and an analysis of site water quality in 2021 completed by Sevee & Maher Engineers, Inc. (SME). The analysis compares the 2021 results to historical water quality at the Site, using statistical and graphical evaluations of trends in the data by sample location, and to State and Federal water quality standards. The analysis also looks at the water quality data in terms of the site conditions that exist at the JRL.

Sampling during 2021 was completed in general accordance with the current Environmental Monitoring Plan (EMP) for the JRL (revised April 2016) and the EMP for the JRL expansion (revised June 2017).^{3,4} Descriptions of the 2021 water quality monitoring results are provided in this report. There were supplemental components to the 2021 water quality monitoring program, consisting of sampling and analyses for dissolved methane at one monitoring well and three pore-water sampling locations.


Monitoring of Phase II monitoring wells MW-507, OW-605A, OW-606A, OW-608A, and OW-611A, for which baseline analytical monitoring was performed in 2018, began under the current EMP specifications in 2021.

Monitoring of Cell 12 monitoring wells MW-04-09A, MW-04-09B, and MW-502, for which baseline analytical monitoring was performed in 2020, began under the current EMP specifications in 2021.

² The JRL was formerly known as the West Old Town Landfill and was owned and operated by Georgia-Pacific (previously known as Fort James and James River Paper Company) as a secure, non-hazardous, generator-owned waste disposal facility. A comprehensive description of the site setting and hydrogeology is contained in the 1991 report by SME entitled: *James River Paper Company Inc., West Old Town Landfill Project, Old Town Maine, Volume III, Site Investigation and Hydrogeologic Evaluation, August 1991*).

³ SME, April 2016, Environmental Monitoring Plan, Juniper Ridge Landfill, Old Town, Maine, Prepared for NEWSME Landfill Operations LLC, Revised April 2016.

⁴ SME, June 2017, Juniper Ridge Landfill Expansion Application Environmental Monitoring Plan, Submitted by: State of Maine Bureau of General Services, as Owner and NEWSME Landfill Operations, LLC, as Operator, July 2015 (Revised June 2017).




BASE MAP ADAPTED FROM 7.5 MIN
 USGS TOPOGRAPHIC QUADRANGLE
 OLD TOWN, MAINE-1988



FIGURE 1-1
 SITE LOCATION MAP
 JUNIPER RIDGE LANDFILL
 OLD TOWN, MAINE





LEGEND

- ⊕ GROUNDWATER SAMPLING LOCATION
- ⊕ DECOMMISSIONED WELL
- △ SURFACE WATER SAMPLING LOCATION
- GAS MONITORING LOCATION
- ⊞ HYDROGEN SULFIDE MONITORING LOCATION
- ▽ PORE WATER SAMPLE LOCATION
- ⊕ FALL FIELD PARAMETER
- ⊕ CELL 13 BASELINE MONITORING LOCATION




FIGURE 1-2
SITE LAYOUT AND
ENVIRONMENTAL
MONITORING LOCATIONS
JUNIPER RIDGE LANDFILL
OLD TOWN, MAINE




HYDROGEN SULFIDE
MONITOR LOCATION D N
482955.24
E 921878.25

HYDROGEN SULFIDE
MONITOR LOCATION C
N 478101.11
E 923701.00

HYDROGEN SULFIDE
MONITOR LOCATION A N
482095.70
E 929404.13

HYDROGEN SULFIDE
MONITOR LOCATION B N
477352.97
E 930685.56

I:\server\cds\Casella\OldTown_Landfill\GeneralSiteInfo\Acad\EMP.dwg, EML-FIG 1-2, 4/22/2022 8:21:39 AM, .sjm



NOTE

USE OF LEACHATE POND TO STORE LEACHATE DISCONTINUED WITH CONSTRUCTION OF CELL 4 IN 2008.



LEGEND

- GROUNDWATER MONITORING LOCATION
- SURFACE WATER MONITORING LOCATION
- UNDERDRAIN MONITORING LOCATION
- GAS MONITORING LOCATION
- LEACHATE PUMP STATION
- FALL FIELD PARAMETER ONLY

FIGURE 1-3
ENVIRONMENTAL MONITORING LOCATIONS
ADJACENT TO
FORMER LEACHATE POND
JUNIPER RIDGE LANDFILL
OLD TOWN, MAINE



In addition to EMP and supplemental monitoring, baseline analytical monitoring for Cell 13 monitoring wells MW-503, MW-504, MW-505, MW-506, PW-08-01, P-04-11A, P-04-11B, OW-606B, OW-607B, OW-608B, and OW-609B was performed in 2021.

Descriptions of the site setting, facility layout, monitoring locations, analytical parameters, and 2021 site activities are also included herein.

1.1 Landfill Conditions

The JRL is designed and constructed as a secure waste disposal facility in that the groundwater beneath and adjacent to the site is protected by a composite liner and a leachate collection system. Leachate generated at the site in 2021 was collected and stored in an on-site storage tank and then transported to either the MEDEP licensed wastewater treatment facility at the Old Town Mill owned by Nine Dragons Paper or the City of Brewer's wastewater treatment facility for treatment.

Cells 1, 2, 3A, 3B, 4, 5, 6, 7, 8, 9, and 10 account for the 68-acre landfill approved by the Maine Department of Environmental Protection (MEDEP) Solid Waste Order #S-020700-WD-N-A. A landfill expansion was approved by Board Order #S-020700-WD-BI-N and includes expansion Cells 11 through 17. Cell 11 was constructed in 2018, Cell 12 was constructed in 2020, and Cell 13 was constructed in 2021. Development of Cell 13 included site grading, construction of the landfill perimeter dike and temporary pump station, installation of a new leachate force main, abandonment of boring B-16-102 and the former scale house building water supply well, and modifications to perimeter stormwater drainage ditches east, west, and north of the landfill. Intermediate cover and landfill gas collection piping and wells were installed within several areas of the active landfill cells in 2021.

Waste filling in 2021 occurred primarily in Cells 7, 8, 9, 12, and 13. In 2021, JRL received 882,124 tons of non-hazardous waste including, but not limited to, construction and demolition debris (CDD), municipal solid waste, front end process residue, incinerator and boiler ashes, sludges, CDD fines, contaminated soils, oil spill debris, and other solid waste for which the facility has either blanket or individual permits. As of December 2021, approximately 751,191 cubic yards of permitted capacity remained in Cells 1-10 and approximately 5,433,016 cubic yards of permitted capacity remained in Cells 11-17.

1.2 Hydrogeologic Setting

The existing JRL facility is located on the southwestern side of a northwest-southeast trending drumlin. The natural topography in the landfill area slopes downward to the southwest towards a large wetland and an unnamed stream that empties into Pushaw Stream (Class B). Pushaw Stream empties into the Stillwater River (Class B), which flows to the Penobscot River (Class B). Groundwater beneath the landfill is interpreted to follow the natural surficial topography and, therefore, generally flows towards the

southwest and towards the unnamed stream. The large change in elevation from northeast to southwest across the landfill area results in upward groundwater seepage gradients near the unnamed stream and wetland area. Horizontal groundwater seepage gradients on the western side of the stream indicate that groundwater also moves from the west towards the stream; thus, the stream acts as a hydrologic barrier for groundwater flow from the landfill beyond the east side of the stream.

The site is underlain primarily by glacial till with marine clay of the Presumpscot Formation in the lower topographic areas (e.g., the wetlands in the southwestern portion of the site). Throughout the site, the glacial till generally consists of a very dense brown till grading to very dense gray till with depth. The till typically ranges from 20 to 50 feet thick beneath the landfill and thus provides a natural containment layer for the landfill. At a few locations outside of the landfill boundary, bedrock outcrops are exposed at the ground surface. In addition, there were several isolated, discontinuous, washed till zones found beneath the till. However, these discontinuous washed till zones are often found within finer grained glacial tills.

Bedrock beneath the facility has been identified as a light gray and brown metagraywacke and metaquartzite interbedded with dark gray phyllite. The metasediments are typically competent and unfoliated, except for zones within the phyllite. The bedrock is mostly unweathered, although some discontinuous weathered zones have been observed. No faulting has been observed in bedrock cores and there are no faults mapped in the vicinity of the site. The bedrock surface beneath the landfill is locally variable; however, the surface generally slopes towards the southeast towards a bedrock trough that exists in the vicinity of the wetlands and unnamed stream at the southwest corner of the site.

The interpreted shallow groundwater phreatic surface and upper bedrock groundwater potentiometric surface contour maps for the JRL site are provided in Appendix B. These maps represent interpretations of the potentiometric surfaces using site data from 2007 and 2008. As expected, the groundwater elevations at the site monitoring wells have declined since then as a result of the cut-off of recharge from precipitation in the area of the landfill liner systems. The 2021 site groundwater level conditions do not result in a significant change to the interpreted groundwater flow directions or the groundwater flow divides at the site, particularly with regard to monitoring groundwater and surface water. Linear trendlines of groundwater elevations later than 2007 were calculated for twenty-nine of the site's thirty-six current groundwater monitoring locations to evaluate water level changes during the time period ending in October 2021 (see Appendix B for water level and trendline plots). The average slopes of linear trendlines during this period were used to quantify the approximate rates of groundwater elevation changes at site groundwater monitoring locations, which are summarized in Table 1-1.

TABLE 1-1

2021 SUMMARY OF SITE GROUNDWATER ELEVATION TRENDS

Location Designation ¹	Position Relative to Landfill	Date Range for Analysis	Total Groundwater Elevation Change During Date Range for Analysis (feet-NGVD)	Rate of Groundwater Elevation Change (feet/year)
OW-602A	Downgradient (Expansion)	Apr-18 to Oct-21	-7.39	-2.118
OW-604A	Downgradient (Expansion)	Apr-18 to Oct-21	-7.26	-2.082
OW-601A	Downgradient (Expansion)	Apr-18 to Oct-21	-6.11	-1.753
OW-601B	Downgradient (Expansion)	Apr-18 to Oct-21	-4.84	-1.388
P-206A	Upgradient	Jul-13 to Oct-21	-6.87	-0.840
OW-06-03	Downgradient (Expansion)	Apr-18 to Oct-21	-2.68	-0.767
MW12-303R	Upgradient	Oct-12 to Oct-21	-5.23	-0.584
MW-302R	Downgradient	May-08 to Oct-21	-4.40	-0.329
OW-608A	Downgradient (Expansion)	Apr-18 to Oct-21	-1.02	-0.292
MW04-102	Downgradient	May-07 to Oct-21	-1.58	-0.110
P-04-04	Downgradient	May-07 to Oct-21	-1.58	-0.110
MW-206	Upgradient	May-07 to Oct-21	-1.05	-0.073
MW04-105	Downgradient	May-07 to Oct-21	-1.05	-0.073
MW-223A	Downgradient	May-07 to Oct-21	-1.05	-0.073
MW-223B	Downgradient	May-07 to Oct-21	-0.53	-0.037
MW-204	Downgradient	May-07 to Oct-21	-0.53	-0.037
MW-227	Downgradient	May-07 to Oct-21	-0.26	-0.018
MW-402B	Downgradient	May-07 to Oct-21	-0.16	-0.011
MW04-109R	Downgradient	Dec-09 to Oct-21	-0.13	-0.011
MW-401B	Downgradient	May-07 to Oct-21	-0.16	-0.011
DP-4	Downgradient	May-07 to Oct-21	-0.05	-0.004
P-04-02R	Downgradient	Jul-15 to Oct-21	-0.02	-0.004
MW-401A	Downgradient	May-07 to Oct-21	-0.02	-0.001
MW-04-09B	Downgradient (Expansion)	Feb-20 to Oct-21	0.01	0.004
MW-04-09A	Downgradient (Expansion)	Feb-20 to Oct-21	0.05	0.029
MW09-901	Downgradient	Dec-09 to Oct-21	2.16	0.183
MW-507	Downgradient (Expansion)	Apr-18 to Oct-21	1.54	0.438
OW-611A	Downgradient (Expansion)	Apr-18 to Oct-21	1.54	0.438
OW-605A	Downgradient (Expansion)	Apr-18 to Oct-21	1.66	0.475
Notes:				
¹ Site monitoring locations are described in Section 2.0.				

As shown in Table 1-1, twenty-three of the twenty-nine monitoring wells included in this analysis have downward water level trends for data collected later than 2007. Five of the monitoring locations included in Table 1-1 (OW-06-03, OW-601A, OW-601B, OW-602A, and OW-604B) are located downgradient of the landfill expansion and have now been monitored since 2018. Early monitoring of groundwater elevation trends at these locations shows that the cut-off of recharge from precipitation by the Cell 11 landfill liner system has resulted in groundwater elevation change rates ranging from -0.767 feet per year (feet/year) at OW-06-03 to -2.118 feet/year at OW-602A.

Monitoring locations MW-507, MW-605A, MW-608A, and MW-611A, located downgradient from the landfill expansion, were monitored for baseline analytical parameters in 2018 and monitoring began under the current EMP specifications in 2021. The groundwater elevation decreased at MW-608A

between 2018 and 2021 at a rate of -0.292 feet/year. The groundwater elevations increased between 2018 and 2021 at monitoring locations MW-507, MW-605A, and MW-611A at average annual rates of 0.438 feet/year, 0.475 feet/year, and 0.438 feet/year respectively.

Monitoring locations MW-04-09A and MW-04-09B, located downgradient from the landfill expansion, were monitored for baseline analytical parameters in 2020 and monitoring began under the current EMP specifications in 2021. The groundwater elevations increased between 2020 and 2021 at monitoring locations MW-04-09A and MW-04-09B at average annual rates of 0.029 feet/year and 0.004 feet/year, respectively.

The remaining monitoring locations are upgradient or downgradient from all or a portion of Cells 1 through 10 of the JRL. The cut-off of recharge from precipitation by the landfill liner systems has generally resulted in greater rates of groundwater elevation decline at the three upgradient monitoring locations. The upgradient monitoring locations have groundwater elevation change rates of -0.840 feet/year at P-206A, -0.584 feet/year at MW12-303R, and -0.073 feet/year at MW-206. Thirteen of the fourteen downgradient monitoring locations analyzed for groundwater elevation trends for data collected later than 2007 have declining groundwater elevation trends, but generally at lesser rates than at the upgradient monitoring locations. These downgradient monitoring locations have a range in groundwater elevation decrease rates from -0.110 feet/year at MW04-102 and P-04-04 to -0.001 feet/year at MW-401A. The one monitoring location downgradient of Cells 1 through 10 of the JRL with an increasing groundwater elevation trend is MW09-901, which is a deep groundwater well located west of Cell 5. Monitoring location MW-302R has a greater rate of groundwater elevation decline than the downgradient monitoring locations; however, the declining groundwater elevation rate of -0.329 feet/year at MW-302R is partly attributed to the lining of the adjacent Detention Pond #5 in 2013.

Site monitoring wells MW-301, MW-402A, MW-501, MW-502, MW06-01, OW-603B, and OW-606A are not included in the analysis summarized in Table 1-1. Monitoring locations MW-301, MW-402A, MW-502, MW06-01, and MW-603B show indications of declining water levels but were not included since the rates of decline cannot be quantified with available data. Monitoring well MW-501 and MW-606A have been flowing during each of the monitoring events in 2018 through 2021.

Monitoring well MW-301 is located downgradient from the JRL and the former leachate pond. Groundwater elevation data from MW-301 show slight declines from 2007 through 2012. MW-301 was found to be damaged during the April 2013 monitoring round. It was repaired prior to the July 2013 monitoring round and since that time has had reported average groundwater elevations in the order of 4 feet higher than values prior to the repair. Groundwater elevation data from MW-301 show slight declines from 2013 through 2021.

Monitoring well MW-402A is located downgradient from the JRL and the former leachate pond. Groundwater from MW-402A was reported as flowing from the top of the well casing from when it was first sampled in April 2009 through October 2012. Since then, the groundwater has been reported as intermittently flowing. These observations signify an overall slight decline of groundwater elevations at MW-402A from 2009 through 2021. Similarly, groundwater intermittently flows from monitoring well MW06-01. The groundwater elevations appear to be trending down for water levels measured below the top of the well casing at MW06-01. Groundwater was flowing from MW-502 during its first three baseline monitoring events in 2020 but was below the top of casing during the final baseline monitoring event (August 2020) and during the 2021 monitoring events.

Monitoring well OW-603B is a shallow overburden monitoring well that has had decreasing water levels since its first baseline monitoring event in 2018. The groundwater elevation has dropped by more than 8 feet between April 2018 and the end of 2021. Monitoring well OW-603B is periodically dry, including during the July 2021 and October 2021 monitoring events.

In addition to the cut-off of recharge from precipitation by the landfill liner systems, groundwater elevations at the site are affected by the amount of precipitation that falls on the site. Preliminary monthly climate data from the National Climatic Data Center (NCDC) for Bangor, Maine indicates a 2021 total precipitation of 40.85 inches, which is 0.86 inches below the normal precipitation reported by the NCDC for Bangor, Maine. The average groundwater elevations were generally higher in 2021 at most groundwater monitoring wells compared to 2020, when there was a total precipitation of 37.60 inches. The higher average groundwater elevations during 2021 are likely also influenced by unusually high precipitation totals in July 2021 (7.67 inches) and September (9.42 inches) and the timing of monitoring events in or soon after those months.

2.0 MONITORING LOCATIONS

Sampling during 2021 was completed in general accordance with the current EMP for the JRL (revised April 2016) and the EMP for the JRL expansion (revised June 2017).

2.1 2021 Monitoring Locations

Sampling events during 2021 were completed in April, July, and October 2021. In 2021, water quality samples for the detection monitoring program were obtained by SME from 36 groundwater monitoring wells and piezometers,^{5,6,7,8} three pore-water sample locations, three surface water locations, three stormwater locations, three underdrain locations,⁹ two leak detection locations,¹⁰ and one leachate monitoring location. Measurement of field parameters (e.g., temperature and specific conductance) at the underdrain locations that contained water were completed on a monthly basis by NEWSME personnel.

The site monitoring points are summarized in Table 2-1 and Table 2-2 and their locations are shown on Figures 1-2 and 1-3. Information on the geologic formation in which each monitoring well is screened, as well as the elevation and distance below ground of each monitoring well screened interval, is listed in Table 2-1.

⁵ Three of the site groundwater monitoring wells (DP-4, MW04-105, and MW-204) are sampled only during the fall monitoring event, and for field parameters only. Ten of the site groundwater monitoring wells (OW-06-03, OW-601A, OW-601B, OW-602A, OW-603B, OW-604A, OW-605A, OW-606A, OW-608A, and OW-611A) are sampled for detection monitoring parameters only during the summer monitoring event and are monitored for field parameters only during the spring and fall monitoring events.

⁶ Monitoring wells OW-605A, OW-606A, OW-608A, and OW-611A were sampled for field parameters and the detection monitoring parameters in July 2021 and October 2021. The current EMP specifies that these locations be monitored for field parameters only during the spring and fall and for field parameters and detection monitoring parameters during the summer. The current EMP specifications will be applied to these wells for 2022 monitoring.

⁷ Monitoring wells MW-502, MW-507, MW-04-09A, and MW-04-09B were sampled for field parameters and the detection monitoring parameters in July 2021 and October 2021. The current EMP specifies that these locations be monitored for field parameters and detection monitoring parameters during the spring, summer, and fall. The current EMP specifications will be applied to these wells for 2022 monitoring.

⁸ Monitoring location OW-603B was dry during the April 2021, July 2021, and October 2021 monitoring events.

⁹ Samples were obtained from three underdrain monitoring locations during one or more of the three 2021 sampling events. Nine additional locations were not sampled due to dry conditions (LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, LF-UD-7, LF-UD-8, LF-UD-9, LF-UD-10, and LP-UD-1). No composite samples were required to be taken at Manhole #5 (LF-COMP) and Manhole #7 (LP-COMP) in 2021; however, a composite sample was taken from LF-COMP in April 2021 (see Section 2.6).

¹⁰ Leak detection monitoring locations LF-LD-11 and LF-LD-12 were sampled for field parameters and the detection monitoring parameters in July 2021 and October 2021 and for field parameters only in August, September, November, and December 2021. The current EMP specifies that these locations be monitored for field parameters and detection monitoring parameters during the summer monitoring event and for field parameters monthly. The current EMP specifications will be applied to these monitoring locations for 2022 monitoring.

TABLE 2-1

2021 GROUNDWATER MONITORING LOCATIONS

Location Designation	Position Relative to Landfill	Screen Depth Interval (feet below ground surface)	Ground Surface Elevation (feet-NGVD)	Screen Interval Elevation (feet-NGVD)	Geologic Formation Screened
MW-204 ¹	Downgradient	13.8 – 18.8	164.0	150.2 – 145.2	Overburden
MW-206	Upgradient	15.0 – 20.0	200.9	185.9 – 180.9	Overburden
P-206A	Upgradient	85.5 – 90.5	201.5	116.0 – 111.0	Bedrock
MW-223A	Downgradient	28.0 – 33.0	173.4	145.4 – 140.4	Bedrock
MW-223B	Downgradient	12.6 – 17.6	173.3	160.7 – 155.7	Overburden
MW-227	Downgradient	15.0 – 20.0	160.8	145.8 – 140.8	Overburden
MW-301	Downgradient	162.7 – 182.7	163.5	0.8 – -19.2	Bedrock
MW-302R	Downgradient	19.5 – 29.5	204.5	185.0 – 175.0	Bedrock
MW12-303R	Upgradient	30.4 – 40.4	206.1	175.7 – 165.7	Overburden
MW-401A	Downgradient	98.8 – 108.8	153.6	54.8 – 44.8	Bedrock
MW-401B	Downgradient	10.0 – 20.0	154.2	144.2 – 134.2	Overburden
MW-402A	Downgradient	95.5 – 105.5	149.3	53.8 – 43.8	Bedrock
MW-402B	Downgradient	12.0 – 22.0	149.7	137.7 – 127.7	Overburden
DP-4 ¹	Downgradient (In proximity of former leachate pond)	18.5 – 24.5	165.5	147.0 – 141.0	Overburden
P-04-02R	Downgradient (In proximity of former leachate pond)	27.1 – 32.1	168.0	140.9 – 135.9	Overburden
P-04-04	Downgradient (In proximity of former leachate pond)	27.2 – 32.2	166.7	142.1 – 137.1	Overburden
MW04-102	Downgradient (In proximity of former leachate pond)	10.0 – 15.0	167.0	157.0 – 152.0	Overburden
MW04-105 ¹	Downgradient (In proximity of former leachate pond)	14.8 – 19.8	162.2	147.4 – 142.4	Overburden
MW04-109R	Downgradient (In proximity of former leachate pond)	15.0 – 20.0	157.1	142.1 – 137.1	Overburden
MW-04-09A	Downgradient Expansion	38.0 – 39.0	167.0	128.0 – 129.0	Bedrock
MW-04-09B	Downgradient Expansion	14.0 – 15.0	167.0	152.0 – 153.0	Overburden
MW09-901	Downgradient	15.0 – 20.0	161.9	146.9 – 141.9	Overburden
MW-501	Downgradient Expansion	57.0 – 67.0	163.2	96.2 – 106.2	Bedrock
MW-502	Downgradient Expansion	38.0 – 43.0	TBD	TBD	Bedrock
MW-507	Downgradient Expansion	20.0 – 220.0	174.7	-45.3 – 154.7	Bedrock (Open Borehole)
MW06-01	Downgradient Expansion	10.0 – 20.0	163.3	143.3 – 153.3	Overburden
OW-06-03 ¹	Downgradient Expansion	10.0 – 15.0	203.0	188.0 – 193.0	Overburden
OW-601A ¹	Downgradient Expansion	88.0 – 98.0	214.9	116.9 – 126.9	Bedrock
OW-601B ¹	Downgradient Expansion	51.0 – 61.0	214.5	153.5 – 163.5	Overburden
OW-602A ¹	Downgradient Expansion	52.0 – 62.0	211.7	149.7 – 159.7	Bedrock
OW-603B ¹	Downgradient Expansion	34.0 – 44.0	205.1	161.1 – 171.1	Overburden
OW-604A ¹	Downgradient Expansion	39.0 – 49.0	195.8	146.8 – 156.8	Bedrock
OW-605A ¹	Downgradient Expansion	60.0 – 260.0	184.7	-75.3 – 124.7	Bedrock (Open Borehole)
OW-606A ¹	Downgradient Expansion	40.0 – 240.0	157.0	-83.0 – 117.0	Bedrock (Open Borehole)
OW-608A ¹	Downgradient Expansion	60.0 – 260.0	196.1	-63.9 – 136.1	Bedrock (Open Borehole)
OW-611A ¹	Downgradient Expansion	20.0 – 220.0	183.1	-36.9 – 163.1	Bedrock (Open Borehole)

Notes

¹ MW-204, DP-4, and MW04-105 were sampled only during the fall sampling event for field parameters only. Ten of the site groundwater monitoring wells (OW-06-03, OW-601A, OW-601B, OW-602A, OW-603B, OW-604A, OW-605A, OW-606A, OW-608A, and OW-611A) are sampled for detection monitoring parameters only during the summer monitoring event and are monitored for field parameters only during the spring and fall monitoring events.

TABLE 2-2

**2021 SURFACE WATER, STORMWATER, LEACHATE,
LEAK DETECTION, AND UNDERDRAIN MONITORING LOCATIONS**

Location Designation	Water Body Description
SW-1	Unnamed tributary of Pushaw Stream
SW-2	Unnamed tributary of Pushaw Stream
SW-3	Unnamed tributary of Pushaw Stream
SW-DP1	Stormwater Detention Pond #1
SW-DP5	Stormwater Detention Pond #5
SW-DP6	Stormwater Detention Pond #6
PWS10-1	Downgradient Stream Alluvium
PWS10-2	Downgradient Stream Alluvium
PWS10-3	Downgradient Stream Alluvium
LF-LD-11	Cell 11 Leak Detection
LF-LD-12	Cell 12 Leak Detection
LF-UD-1	Cell 1 underdrain at MH #5
LF-UD-2	Cell 2 underdrain at MH #5
LF-UD-3A,B	Cell 3A & Cell 3B underdrain at MH #5
LF-UD-4	Cell 4 underdrain at MH #5
LF-UD-5and6	Cell 5 & Cell 6 Underdrain (combined flow)
LF-UD-6	Cell 6 Underdrain
LF-UD-7	Cell 7 Underdrain at MH #5
LF-UD-8	Cell 8 Underdrain
LF-UD-9	Cell 9 Underdrain
LF-UD-10	Cell 10 Underdrain
LP-UD-1	Former leachate pond underdrain south end at MH #7
LP-UD-2	Former leachate pond underdrain north end at MH #7
LF-COMP	Composite sample of LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, and LF-UD-7 when water level in manhole covers the inlet pipes at MH #5
LP-COMP	Composite sample of LP-UD-1 and LP-UD-2 when water level in manhole covers both of the inlet pipes at MH #7
LT-C4LR	Leachate – On-site leachate storage tank

The sampling frequencies and monitoring parameters for each monitoring location are listed in Table 2-3. Monitoring parameters are discussed in Section 3.0.

TABLE 2-3

2021 SAMPLING FREQUENCY

Sample Type	Location Designation	Monitoring:			Field Parameters Monthly	
		Detection Parameters (D) Field Parameters Only (FP)				
		Spring	Summer	Fall		
Groundwater	MW-204			FP		
	MW-206	D	D	D		
	P-206A	D	D	D		
	MW-223A	D	D	D		
	MW-223B	D	D	D		
	MW-227	D	D	D		
	MW-301	D	D	D		
	MW-302R	D	D	D		
	MW12-303R	D	D	D		
	MW-401A	D	D	D		
	MW-401B	D	D	D		
	MW-402A	D	D	D		
	MW-402B	D	D	D		
	DP-4				FP	
	P-04-02R	D	D	D		
	P-04-04	D	D	D		
	MW04-102	D	D	D		
	MW04-105				FP	
	MW04-109R	D	D	D		
	MW-04-09A	D	D	D		
	MW-04-09A	D	D	D		
	MW09-901	D	D	D		
	MW-501	D	D	D		
	MW-502	D	D	D		
	MW-507	D	D	D		
	MW-06-01	D	D	D		
	OW-06-03	FP	D	FP		
	OW-601A	FP	D	FP		
	OW-601B	FP	D	FP		
	OW-602A	FP	D	FP		
OW-603B	FP	D	FP			
OW-604A	FP	D	FP			
OW-605A	FP	D	FP			
OW-606A	FP	D	FP			
OW-608A	FP	D	FP			
OW-611A	FP	D	FP			
Surface Water	SW-1	D	D	D		
	SW-2	D	D	D		
	SW-3	D	D	D		
Stormwater Detention Pond	SW-DP1	D	D	D		
	SW-DP5	D	D	D		
	SW-DP6	D	D	D		
Pore-Water	PWS10-1	D	D	D		
	PWS10-2	D	D	D		
	PWS10-3	D	D	D		

TABLE 2-3 (cont'd)

Sample Type	Location Designation	Monitoring: Detection Parameters (D) Field Parameters Only (FP)			Field Parameters Monthly
		Spring	Summer	Fall	
Leak Detection	LF-LD-11		D		X
	LF-LD-12		D		X
Underdrains ¹	LF-UD-1	D	D	D	X
	LF-UD-2	D	D	D	X
	LF-UD-3A,B	D	D	D	X
	LF-UD-4	D	D	D	X
	LF-UD-5and6	D	D	D	X
	LF-UD-6	D	D	D	X
	LF-UD-7	D	D	D	X
	LF-UD-8	D	D	D	X
	LF-UD-9	D	D	D	X
	LF-UD-10	D	D	D	X
	LP-UD-1	D	D	D	X
	LP-UD-2	D	D	D	X
	LF-COMP	D	D	D	X
	LP-COMP	D	D	D	X
Leachate	LT-C4LR	D	D	D	
Notes					
¹ NEWSME personnel complete monthly underdrain and leak detection monitoring.					

During 2021, SME also performed baseline water quality monitoring at the Cell 13 monitoring wells. Baseline groundwater samples were collected from eleven groundwater monitoring wells. Monitoring wells MW-503, MW-504, MW-505, PW-08-01, P-04011A, P-04-11B, OW-607B, OW-608B, and OW-609B were sampled for baseline parameters in February, April, June, and August 2021. Monitoring well MW-506 could not be sampled in June 2021 because the groundwater level was too low to pump with a peristaltic pump. A bladder pump was installed at MW-506. Monitoring well MW-506 was sampled for baseline parameters in February, April, July, and September 2021. Monitoring well OW-606B was frozen in February 2021 so it was sampled for baseline parameters in April, June, July, and August 2021. The Cell 13 monitoring wells were also sampled in October 2021 for detection monitoring parameters.

The locations of the Cell 13 monitoring wells are shown on Figure 1-2 and they are summarized in Table 2-5. The baseline water quality monitoring is further discussed in Sections 2.10, 3.2, and 7.5.

2.2 Groundwater Locations

Groundwater monitoring wells MW-206, P-206A, and MW12-303R are positioned upgradient of the landfill.

Groundwater monitoring wells MW-204, MW-223A, MW-223B, MW-227, MW-301, MW-302R, MW-401A, MW-401B, MW-402A, MW-402B, and MW09-901 are positioned downgradient of the landfill. Groundwater monitoring wells P-04-02R, P-04-04, MW04-102, MW04-105, MW04-109R, and DP-4 are located in the proximity of the former leachate pond¹¹ and are also downgradient of the landfill.

Groundwater monitoring wells MW-501, MW-502, OW-06-01, OW-06-03, OW-601A, OW-601B, OW-602A, OW-603B, OW-604A, OW-605A, and OW-606A are positioned east and downgradient of the landfill expansion. Groundwater monitoring wells MW-507 and OW-611A are positioned west and downgradient of the landfill expansion. Groundwater monitoring wells MW-04-09A, MW-04-09B, and OW-608A are positioned north and downgradient of the landfill expansion.

2.3 Surface Water and Stormwater Locations

Surface water monitoring locations SW-1, SW-2, and SW-3 are located in the unnamed tributary to Pushaw Stream. SW-1 and SW-3 are located downstream of the landfill while SW-2 is located upstream of the landfill. Stormwater sample monitoring locations SW-DP1, SW-DP5, and SW-DP6 are located at the discharge locations of Detention Pond #1, Detention Pond #5, and Detention Pond #6, respectively.

2.4 Pore-Water Locations

Stream-based pore-water sample locations PWS10-1, PWS10-2, and PWS10-3 are located downgradient of the landfill along the unnamed tributary to Pushaw Stream and represent water in the overburden adjacent to the stream.


2.5 Leachate Sample Location

During the 2021 sampling events, leachate samples were obtained from the on-site leachate storage tank (i.e., LT-C4LR). Leachate samples associated with compliance monitoring for off-site wastewater treatment are also obtained at the same location. The sampling location at the leachate storage tank, LT-C4LR, is shown on Figure 1-2.

2.6 Underdrain Monitoring

The sample locations where underdrain samples were obtained in 2021 are shown on Figures 1-2 and 1-3 and a diagram of the underdrain collection system is included on Figure 2-1. By design, the sampling of the landfill underdrain system provides a means to monitor for landfill cell leakage as the underdrains underlie the landfill liner system. Manhole MH #5, located northeast of the former leachate pond, is the

¹¹ The former leachate pond has been used as a stormwater storage pond since the summer of 2008.



I:\server\cds\Casella\OldTown\Landfill\GeneralSiteInfo\Acad\EMP.dwg, UD MONLOCS FIG2-1, 4/5/2022 7:45:21 AM, .sjm

sample location which receives groundwater entering the underdrains beneath Cells 1, 2, 3A, 3B, 4, and 7. The sampling location for the underdrain for Cell 6 (LF-UD-6) is from a stilling well in the underdrain line. The base grades for Cell 5 and Cell 6 were designed such that the Cell 5 underdrain would also accommodate flow from the Cell 6 underdrain. The combined flow from the Cell 5 and Cell 6 underdrains then drain to a 6-inch diameter pipe outfall located on the southern perimeter of the landfill. Beginning in June 2010, samples obtained from this 6-inch diameter pipe outfall are now a composite sample from the Cell 5 and Cell 6 underdrains (LF-UD-5and6); prior to June 2010, samples obtained from this 6-inch diameter outfall pipe were for the Cell 5 underdrain only (LF-UD-5).

The underdrain for Cell 8 was constructed in 2012 at a discrete location shown on Figure 2-1. LF-UD-8 was added to the monitoring program during the April 2013 sampling event as the underdrain monitoring location for Cell 8. The underdrain for Cell 9, LF-UD-9, was constructed in 2015 and was added to the monitoring program during the April 2016 sampling event. With the construction of Cell 10 in 2017, the underdrain piping and sample collection location for the underdrain for LF-UD-9, which was located in a temporary underdrain manhole adjacent to Cell 9, was extended to the south outside of the Cell 10 perimeter berm. The underdrain for Cell 10, LF-UD-10, was constructed in 2017 outside of the southern perimeter berm of Cell 10 and was added to the monitoring program during the October 2017 sampling event.

Manhole location MH #7, which is located southwest of the former leachate pond, is the sample location for LP-UD-1 and LP-UD-2, which monitor groundwater entering the southern and northern underdrains, respectively, of the former leachate pond.

Underdrain samples were obtained by SME as part of routine monitoring and analyzed for the detection monitoring parameters. Samples were also obtained monthly by NEWSME for field parameters. The underdrain sample locations LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, LF-UD-5and6, LF-UD-6, LF-UD-7, LF-UD-8, LF-UD-9, LF-UD-10, LP-UD-1, and LP-UD-2 were sampled during 2021, unless those locations were dry or their sample pipe inverts were submerged.

Historically, during times when LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, and LF-UD-7 were not able to be sampled separately due to pipe invert submergence, LF-COMP has been obtained from the manhole MH #5. This sample provides a composite sample of the subject underdrain locations. Sample pipe submergence did not occur during the three 2021 detection monitoring events. LF-COMP samples were obtained from manhole MH #5 and analyzed for field parameters during each of the twelve 2021 monthly monitoring events.

While it was not required, LF-COMP was sampled during the April 2021 monitoring event due to a communication error. There was no flow from any of the inlet pipes (i.e., LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, and LF-UD-7) during the April 2021 monitoring event, which is not typical. The April 2021

detection monitoring results from LF-COMP do not represent water quality during a time when LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, and LF-UD-7 were not able to be sampled separately due to pipe invert submergence.

Composite LP-COMP samples were not obtained during the routine monitoring events in 2021 because pipe invert submergence did not occur at individual sample locations LP-UD-1 and LP-UD-2. LP-COMP samples were obtained and analyzed for field parameters during each of the twelve 2021 monthly monitoring events.

2.7 Leak Detection Monitoring

Monitoring of the leak detection sampling locations for Cell 11 (LF-LD-11) and Cell 12 (LF-LD-12) began in 2021. Monitoring locations LF-LD-11 and LF-LD-12 are shown on Figure 2-1.


2.8 Annual Monitoring Well Specific Conductance Measurements

Specific conductance measurements were taken in 2021 from an expanded list of monitoring wells surrounding the existing landfill operations at JRL during the October monitoring event. This specific conductance sampling has occurred since 2008 when the MEDEP made a request that these samples be obtained. Locations measured annually for specific conductance are listed in Table 2-4 and shown on Figure 2-2. The results of the 2021 and historical fall specific conductance measurements are included in Appendix C.

TABLE 2-4

2021 MONITORING WELL AND PIEZOMETER LOCATIONS
USED FOR ANNUAL SPECIFIC CONDUCTANCE MEASUREMENTS

Location Designation	
DP-4	MW-402B
MW04-102	P-04-02R
MW04-104	P-04-04
MW04-105	P-201A
MW04-109R	P-201B
MW12-303R	P-201C
MW-204	P-201D
MW-206	P-201E
MW-216BR	P-202A ¹
MW-223A	P-202B ¹
MW09-901	P-206A
MW-223B	P-209A
MW-227	P-209B
MW-301	P-209C ²
MW-302R	P-211A
MW-401A	P-211B
MW-401B	P-220A ¹
MW-402A	P-220B ¹
<p>Notes:</p> <p>¹ P-202A, P-202B, P-220A, and P-220B were not monitored for specific conductance in October 2021 since the area was flooded with due to a beaver dam.</p> <p>² P-209C was dry in October 2021 and specific conductance was not measured at this location.</p>	



NOTES

1. CONTOURS AND AERIAL PHOTO WITHIN LIMITS OF EXISTING CELLS, BORROW PIT, DETENTION PONDS, ACCESS ROADS, AND PERMITTED LANDFILL BOUNDARY, FROM LOW ALTITUDE AERIAL PHOTOGRAMMETRIC MAPPING PERFORMED BY SEVEE & MAHER ENGINEERS, INC. (SME) OF CUMBERLAND, MAINE, DATED DECEMBER 1, 2021.
2. GROUND CONTROL BY SEVEE & MAHER ENGINEERS, INC (SME) OF CUMBERLAND, MAINE USING PROPELLER AEROPOINTS, DATED NOVEMBER 15, 2019:
HORIZONTAL DATUM - NAD83 MAINE, WEST, US FT.
VERTICAL DATUM - NAVD 88, US FT.
3. REMAINDER OF BASE MAP PREPARED BY AERIAL SURVEY & PHOTO INC., NORRIDGEWOCK, MAINE. PHOTO DATE 6/24/21. VERTICAL DATUM: BRASS PLUG AT PUMP STATION AND AT THE ADMINISTRATION BUILDING. HORIZONTAL DATUM: MAINE STATE COORDINATES EAST ZONE NAD 83. GROUND CONTROL BY SEVEE & MAHER ENGINEERS, INC, CUMBERLAND, MAINE.
4. PROPERTY LINE LOCATIONS ARE A RESULT OF FIELD SURVEY PERFORMED BY HERRICK AND SALSBURY, INC. LAND SURVEYORS, ELLSWORTH, MAINE FOR TRYTON TREE FARM PROJECT, PATTEN CORPORATION-DOWNEAST, OLD TOWN, MAINE, FEBRUARY 23, 1988, REVISED APRIL 7, 1988.
5. LOCATIONS OF EXPLORATIONS ARE APPROXIMATE.

FIGURE 2-2
MONITORING WELL LOCATIONS USED FOR
ANNUAL CONDUCTIVITY MEASUREMENTS
JUNIPER RIDGE LANDFILL
OLD TOWN, MAINE



I:\server\dfs\Casella\OldTown\Landfill\GeneralSiteInfo\Acad\GW.dwg, FIG 2-2 ANNUAL CONDUCTIVITY, 4/5/2022 8:11:07 AM, sjm

2.9 Water Quality Landfill Gas Monitoring Program

Concurrent with the routine water quality monitoring events in 2021, site monitoring wells, underdrain locations, leachate manholes, a leak detection manhole, and JRL site property boundaries were monitored for the presence of landfill-related gases using a hand-held GEM 2000 gas meter. Figures 1-2 and 1-3 show the gas monitoring locations associated with the landfill's water quality monitoring program. The results of the 2021 and historical landfill gas monitoring are discussed in Section 8.0.

2.10 Baseline Water Quality Monitoring Wells for Cell 13

Baseline water quality for Cell 13 monitoring wells was completed in 2021. Baseline monitoring locations are shown in Table 2-5. The locations of these wells are shown on Figure 1-2 and well construction details are summarized in Table 2-5.

TABLE 2-5

2021 BASELINE WATER QUALITY MONITORING WELLS FOR CELL 13

Monitoring Well	Implementation Schedule	Screen Depth Interval (feet-BGS)	Ground Surface Elevation (feet-NGVD)	Screen Interval Elevation (feet-NGVD)	Geologic Formation Screened
MW-503	Cell 13	60.0 – 70.0	160.7	90.7 – 100.7	Bedrock
MW-504	Cell 13	71.5 – 81.5	172.6	91.1 – 101.1	Bedrock
MW-505	Cell 13	72.2 – 82.2	197.0	114.8 – 124.8	Bedrock
MW-506	Cell 13	50.0 – 60.0	195.8	135.8 – 145.8	Bedrock
PW-08-01	Cell 13	117.0 – 127.0	173.1	46.1 – 56.1	Bedrock
P-04-11A	Cell 13	48.5 – 49.5	184.0	134.5 – 135.5	Overburden
P-04-11B	Cell 13	9.0 – 10.0	184.0	174.0 – 175.0	Overburden
OW-606B	Cell 13	7.0 – 12.7	162.9	150.2 – 155.9	Overburden/Bedrock
OW-607B	Cell 13	41.0 – 51.0	172.2	121.2 – 131.2	Overburden
OW-608B	Cell 13	33.5 – 43.5	198.4	154.9 – 164.9	Overburden
OW-609B	Cell 13	39.0 – 49.0	209.9	160.9 – 170.9	Overburden

3.0 MONITORING PARAMETERS

3.1 Detection Monitoring Program

Table 2-3 shows the monitoring locations where detection monitoring was performed in 2021. Sampling during 2021 was completed in general accordance with the current EMP for the JRL (revised April 2016) and the EMP for the JRL expansion (revised June 2017). The detection monitoring parameters are listed in Table 3-1. In instances where Table 2-3 shows a monitoring location is monitored for field parameters only, measurements are taken for groundwater elevation, specific conductance, dissolved oxygen, pH, temperature, turbidity, monitoring well pumping rate, and surface water flow rate.

Analysis for volatile organic compounds (VOCs) was included during the April monitoring event for multiple locations (LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, LF-UD-5and6, LF-UD-6, LF-UD-7, LF-UD-8, LF-UD-9, LF-UD-10, LP-UD-1, LP-UD-2, and MW-401B), provided that there was sufficient water available to sample at these locations. LF-COMP was also monitored for VOCs in April 2021. The leachate samples from LT-C4LR were analyzed for the same VOCs list during the April, July, and October 2021 monitoring events. The leachate location (LT-C4LR) was also analyzed for the parameters listed in Appendix A, Column 3 of the Chapter 405 MEDEP Solid Waste Regulations during the April 2021 monitoring event. The Cell 13 baseline monitoring program monitoring wells were also each monitored four times for VOCs during 2021.

A supplementary addition to the 2021 monitoring program included sampling and analysis for dissolved methane at monitoring well MW-223B and pore-water sampling locations PWS10-1, PWS10-2, and PWS10-3 in April, July, and October 2021. The results of the supplementary dissolved methane monitoring are discussed in Sections 7.3 and 7.4 Dissolved methane is also included in the EMP for the JRL expansion.

TABLE 3-1

2021 DETECTION MONITORING ANALYTICAL PROGRAM

Water Quality Parameter ¹	Method	Practical Quantitation Limit (PQL) ² (mg/L)
Total Dissolved Solids	SM 2540C	10
Total Suspended Solids	SM 2540D	2.5
Arsenic (As)	SW846/6010C/3010A	0.005
Calcium (Ca)	SW846/6010C/3010A	0.3
Iron (Fe)	SW846/6010C/3010A	0.05
Magnesium (Mg)	SW846/6010C/3010A	0.3
Manganese (Mn)	SW846/6010C/3010A	0.05
Potassium (K)	SW846/6010C/3010A	0.3
Sodium (Na)	SW846/6010C/3010A	0.3
Total Organic Carbon (TOC)	SW846/9060A	2.0
Chloride (Cl)	SW846/9056A	1.0
Bromide (Br)	SW846/9056A	0.1
Sulfate (SO ₄)	SW846/9056A	2.0
Nitrate Plus Nitrite (NO ₃ -N/NO ₂ -N)	U.S. EPA 353.2	0.05
Bicarbonate (HCO ₃ -CaCO ₃) ¹⁰	SM 2320B	1.5
Volatile Organic Compounds (VOCs) ^{4,8}	U.S.EPA 8260C	0.0005 – 0.05
Total Kjeldahl Nitrogen (TKN) ⁵	4500NO(QC/NH3D-11)	0.2
Total Phosphorous ⁶	U.S.EPA 365.3	0.04
Biochemical Oxygen Demand (BOD) ⁷	SM 5210B	2.0
Ammonia (NH ₃ -N) ⁹	SM 4500 NH ₃ -B/SM 4500 NH ₃ -C	0.5
Total Alkalinity ⁹	SM 2320B	1.5
Sulfide ⁹	8131 HACH	0.1
Copper (Cu) ⁹	SW846/6010C/3010A	0.003
Boron (B) ⁹	SW846/6010C/6010C	0.05
Dissolved Methane ⁹	8015mod/RSK	0.020
Field Parameters		
Groundwater Elevation	Field Measurement	NA ³
Specific Conductance	Field Measurement	NA
Dissolved Oxygen (DO)	Field Measurement	NA
pH	Field Measurement	NA
Eh	Field Measurement	NA
Temperature	Field Measurement	NA
Turbidity	Field Measurement (APHA 2130)	NA
Surface Water Flow Rate	Field Measurement	NA
Field Observations	Visual Observations	NA
Total Alkalinity (as CaCO ₃) ⁹	Field Measurement	NA

Notes:

- ¹ In April 2021, leachate samples from LT-C4LR were analyzed for Appendix A, Column 3 parameters (from Chapter 405 MEDEP Solid Waste Regulations).
- ² At dilution factor of unity. Some PQLs may differ for surface and stormwater analysis.
- ³ NA = Not Applicable.
- ⁴ VOCs are the 47 organic constituents listed in Appendix I of 40 CFR Part 258. Diethyl ether and tetrahydrofuran were added to the list of VOCs in 2016 at the request of MEDEP. PQLs for VOCs are reported at a dilution factor of unity.
- ⁵ Monitoring wells and leachate only.
- ⁶ Surface waters, stormwater, pore-water, and underdrain only.
- ⁷ Surface waters only (excluding stormwater detention ponds and underdrains).
- ⁸ In April 2021, LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, LF-UD-5and6, LF-UD-6, LF-UD-7, LF-UD-8, LF-UD-9, LF-UD-10, LP-UD-1, LP-UD-2, and MW-401B were analyzed for VOC compounds, unless those locations were dry. LF-COMP was also monitored for VOCs in April 2021.
- ⁹ Underdrain and landfill expansion monitoring locations only.
- ¹⁰ Cells 1 through 10 monitoring locations only.

3.2 Baseline Analytical Program for Monitoring Wells for Cell 13

Baseline analytical monitoring for Cell 13 monitoring wells was performed in 2021 at the eleven monitoring locations shown in Table 2-5. Each Cell 13 baseline monitoring location was sampled four time during 2021. The Cell 13 monitoring wells were also sampled in October 2021 for detection monitoring parameters. The results of the baseline analytical monitoring are summarized in Section 7.5.

TABLE 3-2

2021 BASELINE ANALYTICAL PROGRAM FOR MONITORING WELLS FOR CELL 13

Water Quality Parameter	Method	PQL ¹ (mg/L)
Total Dissolved Solids	SM 2540C	10
Total Suspended Solids	SM 2540D	2.5
Arsenic (As)	SW846/6010C/3010A	0.005
Calcium (Ca)	SW846/6010C/3010A	0.3
Boron (B)	SW846/6010C/6010C	0.05
Copper (Cu)	SW846/6010C/3010A	0.003
Iron (Fe)	SW846/6010C/3010A	0.05
Magnesium (Mg)	SW846/6010C/3010A	0.3
Manganese (Mn)	SW846/6010C/3010A	0.05
Potassium (K)	SW846/6010C/3010A	0.3
Sodium (Na)	SW846/6010C/3010A	0.3
Total Organic Carbon (TOC)	SW846/9060A	2.0
Chloride (Cl)	SW846/9056A	1.0
Bromide (Br)	SW846/9056A	0.1
Sulfate (SO ₄)	SW846/9056A	2.0
Sulfide (S ²⁻)	8131 HACH	0.1
Ammonia (NH ₃)	SM 4500 NH3-B/SM 4500 NH3-C	0.5
Nitrate Plus Nitrite (NO ₃ -N/NO ₂ -N)	U.S. EPA 353.2	0.05
Alkalinity (CaCO ₃)	SM 2320B	1.5
Volatile Organic Compounds (VOCs) ³	U.S.EPA 8260C	0.0005 – 0.05
Dissolved Methane	8015mod/RSK	0.020
Total Kjeldahl Nitrogen (TKN)	4500NO(QC.NH3D-11)	0.2
Total Phosphorous	U.S.EPA 365.3	0.04
Biochemical Oxygen Demand (BOD)	SM 5210B	2.0
Field Parameters		
Groundwater Elevation	Field Measurement	NA ²
Specific Conductance	Field Measurement	NA
Dissolved Oxygen (DO)	Field Measurement	NA
pH	Field Measurement	NA
Eh	Field Measurement	NA
Temperature	Field Measurement	NA
Turbidity	Field Measurement (APHA 2130)	NA
Field Observations	Visual Observations	NA
Notes:		
¹ At dilution factor of unity. Some PQLs may differ for surface and stormwater analysis.		
² NA = Not Applicable.		
³ VOCs are the 47 organic constituents listed in Appendix I of 40 CFR Part 258 plus diethyl ether and tetrahydrofuran. PQLs for VOCs are reported at a dilution factor of unity.		

4.0 SAMPLING TECHNIQUES

4.1 Monitoring Wells

Groundwater samples from monitoring wells and piezometers are obtained utilizing the low-flow sample collection techniques in general accordance with the EMP for the JRL. The low-flow sampling program includes dedication of 1/8-inch diameter (I.D.) polyethylene tubing in each well. The tubing is secured at the top of the well such that the inlet of the tubing is placed approximately at the middle of the screen zone in each well. Prior to sampling, the static water level is measured in each well. A peristaltic pump with an adjustable flow rate is used to purge and sample monitoring wells with relatively shallow water tables. Monitoring wells with water tables greater than 28 feet below ground surface are sampled with dedicated submersible pumps rather than a peristaltic pump due to the depth of the groundwater.

The low-flow sampling procedure at the JRL consists of purging the monitoring wells at approximately 100 to 200 milliliters per minute. While the wells are purged, water levels and measurements of specific conductance, temperature, pH, Eh, dissolved oxygen, and turbidity are taken through a flow-through-cell at regular intervals. Field parameters and water level measurements are monitored to determine if parameter stabilization has occurred as outlined in the EMP. Once stabilization of the field parameters has occurred, in particular water levels and turbidity, a sample is obtained for chemical analysis. Several of the wells have very low recharge rates and, therefore, do not stabilize even under these low purge rates. For these wells, a sample is obtained after purging the liquid present in the sampling tube and pump.

4.2 Surface Water, Stormwater, Underdrain, and Leachate Sampling Locations

Grab samples are obtained at the surface water, stormwater, underdrain, and leachate sampling locations, which is consistent with historical sampling methods and in accordance with the EMP. These samples are not filtered prior to analysis.

4.3 Pore-Water Sampling Locations

The pore-water samples are obtained in the following manner:

1. The pore-water sampling apparatus (i.e., pore-water sampler) is decontaminated with an Alconox® and deionized water solution followed by several deionized water rinses.
2. The area to be sampled is entered from an area downstream from the sample point. Caution is used not to disrupt the area where the pore-water sampler will be used.

3. The pore-water sampler is gently pushed approximately two feet into the soil surface in the sampling location area specified in the EMP. The inner rod remains inside of the pore-water sampler as it is pushed into the soil surface in order to maintain the integrity of the pore-water sample.
4. Once the pore-water sampler is advanced approximately two feet into the soil surface, the inner rod is removed and a new, clean piece of polyethylene tubing is attached to the top of the pore-water sampler using a new, clean silicone tube coupling.
5. Water is pumped from the pore-water sampler at a rate of approximately 100 to 200 milliliters per minute with a peristaltic pump.
6. Field parameters are monitored at a regular interval until stabilization criteria are met, or until the pore-water sampler runs out of water. If the pore-water sampler runs out of water, it is allowed to recharge and samples are then obtained for laboratory analyses.
7. After sampling is complete, the pore-water sampler is removed from the soils and a labeled grade stake is installed at the sampling location that clearly identifies the location for future sample collection from the same general location.

4.4 Water Quality Landfill Gas Monitoring

Gas monitoring at the monitoring wells, underdrain locations/manholes, leak detection manhole, and JRL site property boundaries is done using a GEM 2000 gas meter manufactured by Landtec of Colton, California with an auxiliary H₂S pod. Measurement of headspace gas in the monitoring wells is accomplished by placing the probe tip into the upper few inches of the well casing immediately after the well cap is removed. Gas measurements at underdrain and leak detection manhole locations are measured by placing the probe at the manhole opening where samples are obtained. The meter is calibrated daily before use. Methane-equivalent, carbon dioxide, and oxygen are reported as percent by volume. Hydrogen sulfide is reported in parts per million by volume.

4.5 Sample Handling and Chain-of-Custody

After obtaining the water quality samples in 2021, the samples were preserved on ice in coolers and shipped by SME to Maine Environmental Laboratory (MEL) of Yarmouth, Maine for analyses. Eastern Analytical, Inc. of Concord, New Hampshire, under subcontract to MEL, performed the nitrate plus nitrite, dissolved methane, and VOC analyses. Katahdin Analytical Services (Katahdin) of Scarborough, Maine, under subcontract to MEL, performed the analyses for total Kjeldahl nitrogen, semi-volatile organic compounds (SVOC), herbicides, pesticides, and polychlorinated biphenyls (PCBs). Chain-of-custody sheets prepared by the sampling personnel accompanied the samples and contain the signatures documenting the transfer of the water quality samples from the field sampler to the receiving laboratory.

5.0 DATA VALIDATION AND QUALITY ASSURANCE (QA)/QUALITY CONTROL (QC)

QA/QC activities associated with sampling include the utilization of standardized collection procedures and sample data records, calibration of field instruments, and the use of chain-of-custody procedures. SME followed the EMP procedures to ensure that both the field instruments and protocols employed generate data that are reliable and provide valid analysis results. Instruments were calibrated, analyses were conducted to determine potential matrix interference as necessary, precision and accuracy were checked, and hold-times were verified. Analytical QA/QC involves the use of approved analytical protocols by a qualified laboratory. Water quality samples were all analyzed within the required hold-times.

Data validation and laboratory quality control procedures were followed and documented as described in the MEDEP Solid Waste Management Rules, Chapter 405. During 2021 monitoring events, duplicate water quality samples were obtained from several monitoring locations, as discussed in water quality data submittals for each round. Reports on Relative Percent Difference (RPD), calculated ratios of total dissolved solids to specific conductance, and values falling outside of historical ranges for each monitoring event were presented in each of the three data transmittals provided in 2021.

6.0 DATA ANALYSIS

Detailed discussion and evaluations of the water quality from sampling locations are presented in Section 7.0. Appendix D contains tables of historical water quality data collected over the past ten years, including 2021, for the sampling locations and parameters identified in this report. Water quality data for the site have been quantitatively evaluated using the methods described below and qualitatively evaluated based on the knowledge of the site hydrogeologic conditions developed from the extensive site investigations completed onsite and the status of site development and operations. Conclusions about site water quality are based on a combination of the quantitative and qualitative methods used to evaluate the water quality data.

6.1 Concentrations above MCL, MEG, MFCCC

Parameters measured at the site groundwater monitoring wells and pore-water sample locations that were above their respective U.S.EPA Maximum Contamination Levels (MCLs) or Maine Maximum Exposure Guidelines (MEGs) during 2021 are identified in detail in Sections 7.3 and 7.4. Parameters measured at the site surface water and stormwater monitoring locations that were above their Maine Freshwater Criterion Continuous Concentrations (MFCCCs) are identified in detail in Section 7.4.

6.2 Key Indicator Parameters for Comparison to JRL Leachate

For each of the site monitoring locations, specific conductance, chloride, and arsenic concentrations are summarized as key indicator parameters for comparison to JRL leachate concentrations. Generally, at a given water quality monitoring location, if landfill leachate were present, there would be a notable, significant, increase in specific conductance values and chloride and arsenic concentrations (in conjunction with changes in other parameter concentrations) due to their presence at high concentrations in the JRL leachate. In 2021, the annual maximum value of specific conductance in JRL leachate (i.e., monitoring location LT-C4LR) was 21,200 $\mu\text{mhos/cm}$ in July 2021. The annual maximum concentrations of chloride and arsenic at monitoring location LT-C4LR were 9,900 mg/L (April 2021) and 0.45 mg/L (October 2021), respectively.

Specific conductance gives an indication of the total dissolved constituents at each monitoring location. Chloride is useful in assessing the site water quality in comparison to JRL leachate due to its conservative nature in terms of adsorption, precipitation, and degradation in the groundwater environment. It is important to note that increases in chloride may also be due to runoff and recharge from salting or dust control of nearby roadways. Therefore, increases in chloride levels also need to be reviewed in terms of site conditions.

Currently, there are limited occurrences of arsenic MCL/MEG (0.01 mg/L) exceedances in site groundwater that are attributed to reducing conditions associated with decreasing groundwater recharge from site development. These reducing conditions are interpreted to favor reductive dissolution of arsenic and iron hydroxides that are present naturally in the soils and bedrock, which results in the release and mobility of dissolved arsenic in the groundwater. The highest arsenic concentration at JRL water quality monitoring locations in 2021 (0.021 mg/L at MW-402B in October 2021) is more than an order of magnitude lower than in the JRL leachate in 2021. The historical maximum arsenic concentration in the JRL leachate is 0.6 mg/L (July 2017). The occurrence of arsenic concentration increases in JRL water quality monitoring locations, accompanied by increases in specific conductance values and chloride concentrations, may be a reliable indicator of landfill impacts resulting from the presence of JRL leachate.

Bromide was added to the monitoring program during 2013. Section 7.1 includes an evaluation of the chloride to bromide ratios for the JRL leachate during 2021 and how they compare to chloride to bromide ratios for site monitoring locations during 2021.

6.3 Box and Whisker Plots and Data Summary Sheets

Water quality data for each monitoring location are summarized in the data summary sheets contained in Appendix E of this document. The summary sheet prepared for each sampling location contains a map and description of the monitoring point, a 2021 water quality data summary, and a statistical summary of the historical data prior to 2021. Parameter concentrations that exceeded historical minimum and maximum concentration values in 2021 at site monitoring locations are identified on the individual water quality summary sheets contained in Appendix E.

Also included in Appendix E are box and whisker plots of select monitoring parameter data for each of the sampling locations. The box and whisker plots graphically illustrate the annual concentration ranges and annual median value for the analytical results of each parameter shown and also provide a useful way to visually identify long-term and short-term trends in the water quality data. Plotting the range of annual values on the box and whisker plots also provides a sense of the variability of the annual data (statistically expressed as a standard deviation) and whether or not an apparent trend may be real or lies within the inherent variability of the data. Visual observation of water quality trends over time using the historical data (including 2021 data) is aided by using a fast-Fourier transform regression of each of the select parameter annual mean concentration values. Graphs of the fast-Fourier regression are part of the box and whisker plots in Appendix E.

6.4 Mann-Kendall Trend Analyses

Mann-Kendall trend analyses were run for the JRL water quality data to screen for potential statistically significant changes in water quality parameter concentrations over time. The Mann-Kendall analysis was

chosen because it is nonparametric and is robust to outliers, missing data, and non-detects. Time-series plots of water quality parameter concentrations often contain multiple trends over time, due to various factors. In order to evaluate current trends for this annual report, the Mann-Kendall trend analyses were run for the site data over two time periods; from the end of 2021 back five years and three years. The three-year and five-year timeframes are suitable for evaluating changes in water quality related to more recent conditions, and to identify ongoing longer trends.

The Mann-Kendall test was run with a 0.05 Type-I error (i.e., 95% confidence level). For this evaluation, we consider a statistically significant trend to be one in which the potential Type-I error (i.e., false positive) is less than 0.05. The Mann-Kendall results for groundwater, surface water, stormwater, leachate, and underdrain locations are provided in Appendix F and are discussed by location in Section 7.0. It should be noted that individual parameter trend analysis calculations using analytical data that are typically non-detect are at times positive for increasing or decreasing trend screenings due to changes in the laboratory reporting limit. In those cases, trends are interpreted and reported herein as no trends. This occurrence is somewhat frequent for some parameters for JRL site water quality due to generally low parameter concentrations in groundwater at the site. This condition occurred in 2021 analyses for five-year statistically significant decreasing trends for total Kjeldahl nitrogen at MW-227, MW-301, MW-401B, and MW-402A.

Although rapid increases in concentrations of multiple parameters at a monitoring location may reflect site operational impacts such as spillage of leachate or landfill liner leakage, changes in multiple parameter values at a given monitoring location can also result from changes in groundwater conditions unrelated to the landfill leachate. As an example, decreases in natural precipitation recharge to the groundwater will change redox, alkalinity, and pH conditions, which results in the release of various constituents such as iron, manganese, and arsenic from soils and bedrock into the groundwater. Nearly all chemical constituents are subject to changes in concentrations resulting from interactions between soil, rock, and groundwater.

Increases in multiple (four or more) parameters, especially when including key indicator parameters, are noted in our evaluation of the water quality in the site monitoring locations.¹² At locations where this criterion is met, further assessment of water quality data and site conditions is completed to ascertain the potential causes for the change in water quality.

The trend analyses are used as a screening tool to review the water quality and must be viewed in conjunction with other factors such as the specific parameters exhibiting trends and the parameter

¹² Water temperatures, water elevations at groundwater monitoring locations, and flow rates at underdrain monitoring locations are included in the Mann-Kendall results in Appendix F but are not included in discussions related to water quality changes based on the number of parameters with increasing or decreasing trends at a given location.

concentrations detected at the monitoring locations (i.e., a specific parameter could have an increasing trend, but remain within a range consistent with upgradient concentrations). The results of the trend screening analyses are compared visually with the time-series plots (box and whisker plots) described above to aid in assessing the actual significance of a statistical trend.

6.5 Stiff and Piper Diagram Construction

Stiff and Piper Diagrams were constructed for several of the monitoring locations to assist in the evaluation of water quality at these locations in 2021. These diagrams are graphical representations of select parameters that display the major ion composition of a water quality sample. They were used at several of the monitoring locations to compare the ionic composition of the water quality samples to other sample results such as upgradient locations and/or the landfill leachate to assess potential sources of water at the wells. This can be a valuable tool to compare water quality between various locations since it can be used to “fingerprint” ionic ratios, independent of concentration. See Appendix G and Appendix H for Stiff and Piper diagrams.

7.0 WATER QUALITY EVALUATION

Groundwater, surface water, stormwater, leachate, and underdrain water quality samples were obtained in 2021 at monitoring locations as described in Section 2.0 of this report. Samples were obtained during April, July, and October 2021. Laboratory analytical reports, field data sheets, and data validation documentation have been presented in tri-annual data submittals forwarded to the MEDEP during 2021 for each monitoring event.

The 2021 water quality data for the JRL is generally consistent with the historical data for the site. The 2021 water quality data from monitoring locations at the JRL are consistent with their setting among the construction and operational activities of the landfill. Site groundwater, surface water, and underdrain quality data do not show adverse effects from the performance of the landfill cells or leachate collection and transport systems. Water quality changes have been observed at the JRL, both upgradient and downgradient from the landfill, as evidenced by the statistically significant trends discussed in this section for multiple parameters and monitoring locations. These trends are largely attributable to landfill operations and changes in redox conditions, which occur as expected around the landfill due to the construction of the landfill (e.g., from removal of vegetation, disturbance of native soils, and the cutoff of precipitation in the landfill area), and do not indicate any significant landfill related impacts to water quality from malfunction of the landfill liners.¹³

Arsenic is the only parameter analyzed in groundwater monitoring wells that was detected above an MCL in 2021. During 2021, arsenic concentrations were generally low at the site-wide monitoring locations. There were only three monitoring wells in the detection monitoring analytical program with arsenic concentrations detected above its MCL (0.01 mg/L) during 2021. The maximum arsenic concentration detected at site-wide monitoring locations was 0.021 mg/L at MW-402B in October 2021. There were no arsenic concentrations detected above its MCL at pore-water sampling locations in 2021. There were no arsenic MFCCC exceedances during 2021 at surface water monitoring locations SW-1, SW-2, and SW-3.

Low arsenic concentrations in 2021 are a continuation of a trend observed since 2017 of generally site-wide lower concentrations of arsenic compared to their recent previous concentrations. In contrast to 2021 arsenic data, all routine monitoring wells (19 at the time) and two of the three pore-water sampling locations had arsenic MCL exceedances during one or more sampling event in 2016.

The presence of arsenic at JRL monitoring locations in 2021, while limited, is attributed to reducing conditions associated with decreasing groundwater recharge from site development. These reducing conditions are interpreted to favor reductive dissolution of arsenic and iron hydroxides that are present

¹³ The MEDEP agreed with this assessment in its review of the 2017 Annual Report. MEDEP, February 20, 2018, Memorandum regarding the 2017 Annual Report, Juniper Ridge Landfill, Old Town, Maine, MEDEP Lic. #S-020700-7A-A-N and Amendment #S-020700-WD-N-A, Prepared by Sevee and Maher Engineers, Inc., April 2015.

naturally in the soils and bedrock, which results in the release and mobility of dissolved arsenic in the groundwater.

Observations relative to the site water quality data for 2021, in terms of historical and regulatory comparisons and site setting, are discussed below for: leachate (Section 7.1); underdrains (Section 7.2); groundwater (Section 7.3); and surface water, stormwater, and pore-water (Section 7.4) monitoring locations. Water quality parameter data not specifically discussed in this report are considered to be consistent with the previously obtained water quality data for the JRL. The baseline analytical monitoring results of eleven new monitoring locations downgradient from Cell 13 in 2021 are discussed in Section 7.5.

7.1 Leachate

The landfill leachate is sampled and analyzed as part of the ongoing water quality monitoring program. Leachate samples were obtained from the on-site leachate storage tank (i.e., LT-C4LR) during 2021. Leachate sampling location LT-C4LR replaced the former leachate sampling location in July 2013 in order to obtain leachate samples that are representative of leachate from all of the landfill cells. The leachate at LT-C4LR was sampled for the parameters in the detection monitoring analytical program (see Table 3-1) in July 2021 and October 2021 and was sampled for the parameters listed in Appendix A, Column 3 of the Chapter 405 MEDEP Solid Waste Rules during the April 2021 monitoring event. Leachate samples associated with compliance monitoring for off-site wastewater treatment are also obtained at the leachate storage tank when transport tanker trucks are being loaded. During 2021, approximately 15.2 million gallons of leachate were loaded into tanker trucks and transported from JRL for off-site treatment.

2021 Leachate Parameters that Fall Outside of Historical Range

Leachate parameter values during 2021 and historically since July 2013 are generally characterized by high concentrations. There were multiple parameters that were detected outside of their respective historical ranges during 2021 for LT-C4LR. The parameters with new historical maximum or minimum values at LT-C4LR in 2021 are summarized in Table 7-1.

TABLE 7-1

SUMMARY OF LT-C4LR PARAMETERS WITH NEW HISTORICAL MINIMUM OR MAXIMUM VALUES IN 2021

Parameter	Date	New Historical Minimum Value	New Historical Maximum Value
Dissolved oxygen (mg/L)	7/13/2021	0.5 (1.0)	-
Methylene Chloride (µg/L)	7/13/2021	1.0 U (1.2)	-
O-xylene (µg/L)	7/13/2021	-	8.0 (5.3)
M,p-xylene (µg/L)	4/6/2021 & 7/13/2021	-	13 (12)
Cis-1,2-dichloroethene (µg/L)	7/13/2021	-	2.5 (1.5)
Diethyl ether (µg/L)	7/13/2021	-	9.3 (8.0)
Beryllium (mg/L)	4/6/2021	-	0.0033 (0.0012)
Cadmium (mg/L)	4/6/2021	-	0.025 (0.0161)
Calcium (mg/L)	10/5/2021	200 (259)	-
Chromium (mg/L)	4/6/2021	-	0.13 (0.105)
Cobalt (mg/L)	4/6/2021	-	0.044 (0.034)
Copper (mg/L)	4/6/2021	-	0.093 (0.065)
Iron (mg/L)	10/5/2021	3.1 (3.5)	-
Magnesium (mg/L)	4/6/2021	170 (179)	-
Thallium (mg/L)	4/6/2021	-	0.025 (0.012)
Total suspended solids (mg/L)	10/5/2021	4.5 (5.0)	-
Hardness (mg/L)	4/6/2021	1,300 (1,400)	-
Turbidity (NTU)	10/5/2021	4.4 (6.1)	-
<p>Notes: Previous historical maximum and minimum values are shown in parentheses. U = not detected above indicated laboratory reporting limit</p>			

2021 Leachate Key Indicator Parameters

The specific conductance values recorded at LT-C4LR in 2021 ranged from 17,300 µmhos/cm in April 2021 to 21,200 µmhos/cm in July 2021. Chloride concentrations at LT-C4LR in 2021 ranged from 4,800 mg/L in October 2021 to 9,900 mg/L in April 2021. Arsenic concentrations at LT-C4LR in 2021 ranged from 0.20 mg/L in April 2021 to 0.45 mg/L in October 2021. The 2021 data from the leachate monitoring location is included in Appendix D.

2021 Leachate Mann-Kendall Trends

There are not multiple (four or more) parameters for LT-C4LR with statistically significant increasing trends over the past three years or five years.

There are six parameters for LT-C4LR with statistically significant decreasing trends over the past three years, including dissolved oxygen, calcium, iron, total suspended solids, sulfate, and chloride. There are seven parameters for LT-C4LR with statistically significant decreasing trends over the past five years,

including specific conductance, aluminum, iron, magnesium, biological oxygen demand, chloride, and cyanide.

2021 Leachate VOCs, SVOCs, Herbicides, Pesticides, and PCBs

Leachate was monitored for VOCs, SVOCs, herbicides, pesticides, and PCBs during the April 2021 monitoring event at LT-C4LR and for VOCs during the July 2021 and October 2021 monitoring events at LT-C4LR. Appendix D includes the monitoring results at LT-C4LR for 2021. The results of VOC, SVOC, herbicide, pesticide, and PCB parameters at LT-C4LR detected during 2021 at levels above their respective laboratory reporting limits are summarized below:

- Methylene chloride (1.1 µg/L in April 2021 and 1.9 µg/L in October 2021);
- Acetone (970 µg/L in April 2021, 800 µg/L in July 2021, and 450 µg/L in October 2021);
- Carbon disulfide (3.6 µg/L in July 2021);
- 1,2-dichloroethane (2.7 µg/L in April 2021 and 1.7 in October 2021);
- Methyl ethyl ketone (770 µg/L in April 2021, 660 µg/L in July 2021, and 340 µg/L in October 2021);
- Benzene (4.9 µg/L in April 2021, 5.5 µg/L in July 2021, and 3.7 µg/L in October 2021);
- 4-methyl-2-pentanone (33 µg/L in April 2021, 22 µg/L in July 2021, and 19 µg/L in October 2021);
- 2-hexanone (16 µg/L in April 2021);
- Toluene (24 µg/L in April 2021, 28 µg/L in July 2021, and 17 µg/L in October 2021);
- Ethylbenzene (10 µg/L in April 2021, 11 µg/L in July 2021, and 6.6 µg/L in October 2021);
- m,p-xylene (13 µg/L in April 2021, 13 µg/L in July 2021, and 8.5 µg/L in October 2021);
- o-xylene (6.9 µg/L in April 2021, 8.0 µg/L in July 2021, and 4.7 µg/L in October 2021);
- Tetrahydrofuran (320 µg/L in April 2021, 480 µg/L in July 2021, and 360 µg/L in October 2021);
- Cis-1,2-dichloroethene (2.2 µg/L in April 2021, 2.5 µg/L in July 2021, and 1.6 µg/L in October 2021);
- 1,4-dichlorobenzene (1.2 µg/L in April 2021 and 1.3 µg/L in July 2021);
- Diethyl ether (9.3 µg/L in July 2021 and 7.3 µg/L in October 2021);
- Phenol (200 µg/L in April 2021);
- Naphthalene (17 µg/L in April 2021);
- 3&4-methylphenol (320 µg/L in April 2021); and

- Acenaphthene (12 µg/L in April 2021).

The carbon disulfide detection at LT-C4LR in July 2021 at a concentration of 3.6 µg/L was a first-time detection above the laboratory reporting limit; however, the laboratory reporting limit has often been well above 3.6 µg/L for carbon disulfide historically at LT-C4LR. All other analyzed VOC and SVOC parameters shown above have previously been detected above laboratory reporting limits at LT-C4LR and/or LT-C4L (i.e., the former leachate collection location). There were no herbicides, pesticides, or PCBs parameters detected above the laboratory reporting limits in April 2021.

In contrast to leachate analytical data, there were no detections of the VOC parameters listed above in groundwater or underdrain samples obtained during 2021.¹⁴

2021 Leachate Bromide Concentrations Compared to Groundwater, Underdrain, Pore-Water, Surface Water, and Stormwater Bromide Concentrations

Bromide was present in the leachate (LT-C4LR) samples obtained during 2021 at concentrations ranging from 41 mg/L in October 2021 to 66 mg/L in April 2021. The chloride to bromide ratio for the leachate and site monitoring locations is being evaluated for its potential as a useful screening tool for assessing possible leachate influence in water samples obtained from site monitoring locations. The chloride to bromide ratios for the leachate during 2021 were approximately 150 to 1 in April 2021, 115 to 1 in July 2021, and 117 to 1 in October 2021.

While the ratio of chloride to bromide can be used to differentiate a variety of bromide sources,¹⁵ the bromide concentrations in the JRL water quality sampling locations in 2021 were either non-detect or at low values. There were 115 bromide measurements during 2021 at 45 monitoring locations among the groundwater monitoring wells, underdrain monitoring locations, pore-water monitoring locations, surface water monitoring locations, and stormwater monitoring locations. Of the 115 bromide measurements during 2021, 82 of the measurements were non-detect with a laboratory reporting limit of 0.10 mg/L and six of the measurements were non-detect with laboratory reporting limits ranging from 0.20 mg/L to 0.50 mg/L.

There were 27 bromide measurements at 19 monitoring locations during 2021 among the groundwater, underdrain, pore-water, surface water, and stormwater monitoring locations with detections above the laboratory reporting limit. Among the 27 bromide detections during 2021, the concentrations ranged from 0.10 mg/L to 0.51 mg/L with a mean concentration of 0.18 mg/L.

¹⁴ This excludes the detection of chloroform, a common laboratory contaminant, at a concentration of 1.4 µg/L in April 2021 at expansion landfill baseline monitoring location OW-609B.

¹⁵ Panno, S.V., Hackley, K.C., Hwang, H.H., Greenberg, S.E., Krapac, I.G., Landsbergger, S., and O'Kelly, D.J., 2006, Characterization and identification of Na-Cl sources in ground water. *Ground Water*. 2006 Mar-Apr; 44(2):129.

Bromide detections at monitoring locations during 2021 were within their respective historical ranges with the following exceptions:

- Bromide exceeded previous historical maximum concentration of 0.23 mg/L at MW-401B in April 2021 with a concentration of 0.24 mg/L;
- Bromide exceeded previous historical maximum concentration of 0.22 mg/L at MW-502 in July 2021 with a concentration of 0.33 mg/L;
- Bromide exceeded previous historical maximum concentration of 0.24 mg/L at OW-601B in July 2021 with a concentration of 0.25 mg/L; and
- Bromide exceeded previous historical maximum concentration of 0.10 mg/L at P-206A in April 2021 with a concentration of 0.11 mg/L.

The 2021 bromide detections and chloride to bromide ratios are summarized in Table 7-2. The bromide concentrations above the laboratory reporting limits during 2021 are generally within the range of naturally occurring bromide concentrations in Maine, particularly in locations such as the JRL site that were in the area of post-glacial sea submergence.¹⁶

The chloride to bromide ratios summarized in Table 7-2 are broad ranging (i.e., from 4 to 1 to 350 to 1), with a median ratio of approximately 55 to 1. Only three of the 27 calculated chloride to bromide ratios fell within the same range as JRL leachate monitoring location LT-C4LR during 2021. The range of the chloride to bromide ratio results in 2021 is generally similar to those calculated for previous years.

The chloride concentrations associated with bromide detections were generally low and ranged from less than the laboratory reporting limit of 1.0 mg/L at MW-401B in April 2021 to 42 mg/L at OW-601B in July 2021. Only three of the 27 chloride concentrations associated with bromide detections during 2021 were at or above 25 mg/L and 15 of the 27 of the chloride concentrations were less than 10 mg/L.

Based on a study of 32 locations across 24 states in the United States, potable groundwater that has less than 10 mg/L chloride (which is a similar concentration range to most JRL sampling locations) had chloride to bromide ratios ranging from 43 to 1 to 285 to 1 with a median value of 101 to 1.¹⁷ These values are

¹⁶ Snow, M.S., Kahl, J.S., Norton, S.A., Olson, C., 1990. Geochemical determination of salinity sources in ground water wells in Maine. Proc., Focus Conference on Eastern Regional Ground Water Issues, Ground Water, Management No. 3, 1990, pp. 313-327.

¹⁷ Davis, S.N., Fabryka-Martin, J.T., Wolfsberg, L.E., 2004. Variations of bromide in potable groundwater in the United States. Groundwater 42 (6), 902-909.

generally consistent with JRL leachate and for site monitoring locations where bromide was detected at low concentrations (see Table 7-2).

Unless site chloride concentrations become greater, the presence of bromide at low concentrations at some monitoring locations is currently of limited value for the chloride to bromide ratio analysis. However, this analysis is a helpful tool for future monitoring in the event that a monitoring location exhibits increasing concentrations for bromide and/or chloride and it should be maintained in the monitoring program.

TABLE 7-2
SUMMARY OF CHLORIDE TO BROMIDE RATIOS FOR 2021 BROMIDE DETECTIONS
ABOVE LABORATORY REPORTING LIMITS

Location Designation	Date	Chloride Concentration (mg/L)	Bromide Concentration (mg/L)	Chloride to Bromide Ratio
LT-C4LR	April 2021	9,900	66	150:1
	July 2021	6,800	59	115:1
	October 2021	4,800	41	117:1
LF-LD-5and6	April 2021	2.1	0.14	15:1
	October 2021	2.3	0.10	23:1
LP-UD-2	April 2021	6.2	0.11	56:1
MW04-109R	April 2021	3.6	0.20	18:1
	July 2021	4.2	0.20	21:1
MW-223A	April 2021	24	0.20	120:1
MW-223B	October 2021	35	0.10	350:1
MW-301	July 2021	21	0.10	210:1
MW-401A	April 2021	6.1	0.11	55:1
MW-401B	April 2021	1.0 U	0.24	≤4:1
	July 2021	1.5	0.21	7:1
	October 2021	5.0	0.20	25:1
MW-502	July 2021	13	0.33	39:1
	October 2021	14	0.29	48:1
MW09-901	April 2021	3.5	0.29	12:1
	July 2021	4.1	0.24	17:1
	October 2021	2.5	0.10	25:1
OW-06-03	July 2021	6.3	0.51	12:1
OW-601A	July 2021	22	0.19	116:1
OW-601B	July 2021	42	0.25	168:1
OW-602A	July 2021	16	0.17	94:1
OW-605A	July 2021	13	0.10	130:1
OW-606A	July 2021	37	0.12	308:1
P-206A	April 2021	20	0.11	182:1
	July 2021	23	0.10	230:1
PWS10-1	April 2021	9.2	0.11	84:1
SW-1	October 2021	8.3	0.13	64:1
<p>Note: U = not detected above indicated laboratory reporting limit</p>				

7.2 Underdrains

The JRL underdrain monitoring locations for the landfill and former leachate pond are listed in Table 7-3. Where there was flow during 2021 from underdrain monitoring locations, the underdrain monitoring data do not show adverse effects from the performance of the landfill cells or leachate collection and transport systems.

There was no flow at LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-7, LF-UD-8, LF-UD-9, LF-UD-10, and LP-UD-1 during any of the three 2021 monitoring events; thus, no samples were obtained at these locations during 2021. LP-UD-1 was monitored by NEWSME during the September and October monthly monitoring events for field parameters only. 2021 occurrences of no flow at these underdrain monitoring locations are generally consistent with previous observed patterns with the exception of LF-UD-2. The decrease in flow from LF-UD-2 is likely associated with the lowering of the groundwater table that has resulted from the construction of the landfill expansion cells (see Section 1.2).

Sample pipe submergence conditions did not occur for the LF-COMP and LP-COMP sampling locations during the three 2021 monitoring events for field parameters and the detection monitoring analytical parameters, so those locations did not require sampling. While it was not required, sampling for detection monitoring parameters was done at LF-COMP during the April 2021 monitoring event due to a communication error. There was no flow from any of the inlet pipes (i.e., LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, and LF-UD-7) during the April 2021 monitoring event, which is not typical. The April 2021 detection monitoring results from LF-COMP do not represent water quality during a time when LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, and LF-UD-7 could not be sampled separately due to pipe invert submergence.

LF-COMP and LP-COMP samples were obtained and analyzed by NEWSME for field parameters during each month of 2021.

Comparison of Key Indicator Parameters at Underdrains to JRL Leachate and Summary of Statistically Significant Trend Results

The 2021 annual maximum specific conductance values and chloride and arsenic concentrations for underdrain monitoring locations are summarized in Table 7-3. The Mann-Kendall analyses results for statistically significant trends for these parameters are also provided in Table 7-3. The complete results for Mann-Kendall analyses are provided in Appendix F.

TABLE 7-3

2021 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES
AND CHLORIDE AND ARSENIC CONCENTRATIONS AT
UNDERDRAIN MONITORING LOCATIONS

Location Designation	Annual Maximum Specific Conductance (21,200 µmhos/cm in JRL Leachate in July 2021)			Annual Maximum Chloride (9,900 mg/L in JRL Leachate in April 2021)			Annual Maximum Arsenic (0.45 mg/L in JRL Leachate in October 2021)		
	µmhos/cm	Statistically Significant Trend		mg/L	Statistically Significant Trend		mg/L	Statistically Significant Trend	
		3-Year	5-Year		3-Year	5-Year		3-Year	5-Year
LF-COMP	504	–	–	2.1	I	I	0.005 U	I	I
LF-UD-1	NS	I	I	NS	I	I	NS	I	I
LF-UD-2	NS	I	I	NS	I	I	NS	I	I
LF-UD-3A,B	NS	I	I	NS	I	I	NS	I	I
LF-UD-4	343	–	–	1.3	I	–	0.005	I	–
LF-UD-5and6	450	–	–	2.6	Increasing	–	0.005 U	–	–
LF-UD-6	1,365	Increasing	Decreasing	18	–	–	0.011	–	–
LF-UD-7	NS	I	I	NS	I	I	NS	I	I
LF-UD-8	NS	I	I	NS	I	I	NS	I	I
LF-UD-9	NS	I	I	NS	I	I	NS	I	I
LF-UD-10	NS	I	I	NS	I	I	NS	I	I
LP-COMP	365	–	–	NS	I	I	NS	I	I
LP-UD-1	357	I	I	NS	I	I	NS	I	I
LP-UD-2	344	–	Decreasing	6.2	Increasing	–	0.005 U	–	–

Notes:
 U = not detected above indicated laboratory reporting limit
 NS = not sampled in 2021
 – = no trend
 I = insufficient data

Annual maximum specific conductance values during 2021 from LF-UD-4, LF-UD-5and6, LP-COMP, LP-UD-1, and LP-UD-2 ranged from 343 µmhos/cm to 450 µmhos/cm and were low relative to the JRL leachate (specific conductance values ranged from 17,300 µmhos/cm in April 2021 to 21,200 µmhos/cm in July 2021 at LT-C4LR). The greatest specific conductance value measured during 2021 was at LF-UD-6 (1,365 µmhos/cm in August 2021), which is greater than the previous historical maximum value of 919 µmhos/cm measured in August 2013. Specific conductance was measured at a lower value of 295 µmhos/cm later in the year (October 2021) at LF-UD-6 and there is currently a five-year statistically significant decreasing trend for specific conductance at LF-UD-6. The 2021 annual maximum LF-UD-6 chloride concentration (18 mg/L) and arsenic concentration (less than the laboratory reporting limit of 0.005 mg/L) remain low and are not indicative of influence from the JRL leachate.

During 2021, chloride concentrations from the sampled underdrain monitoring locations were low relative to the JRL leachate (chloride was detected in leachate at a concentration of 9,900 mg/L at LT-C4LR in April 2021) and do not indicate influence from the presence of landfill leachate.

The arsenic concentrations in the underdrain monitoring locations sampled during 2021 were low and generally consistent with those at groundwater monitoring wells across the site, including multiple upgradient monitoring locations.

There are insufficient data for three-year and five-year Mann-Kendall analyses at LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-7, LF-UD-8, LF-UD-9, LF-UD-10, and LP-UD-1 due to those locations being always or intermittently dry during sampling events. For underdrain monitoring locations with sufficient data for analysis, the Mann-Kendall trend analyses for the key indicator parameters (i.e., specific conductance, chloride, and arsenic) indicate generally improving or stable water quality conditions. Underdrain monitoring locations LF-UD-6 and LP-UD-2 have five-year statistically significant decreasing trends for specific conductance. Underdrain monitoring location LF-UD-6 also has a three-year statistically significant increasing trend for specific conductance.

There are not statistically significant trends for specific conductance at LF-COMP, LF-UD-4, LF-UD-5and6, and LP-COMP over the past three years and five years.

There are three-year statistically significant increasing trends for chloride at LF-UD-5and6 and LF-UD-2; however, annual maximum chloride concentrations at these locations remain very low (2.6 mg/L and 6.2 mg/L, respectively). There were no statistically significant trends for arsenic over the past three years or five years at underdrain monitoring locations with sufficient data for analyses.

Of the underdrain monitoring locations with sufficient data for Mann-Kendall trend analyses, LP-UD-2 was the only underdrain monitoring location with multiple (i.e., four or more) three-year and/or five-year statistically significant increasing and/or decreasing trends: Calcium, total dissolved solids, bicarbonate, alkalinity, and chloride have statistically significant increasing trends over the past three years. These parameters were well within their respective historical ranges at LP-UD-2 during 2021 and only moderately greater than at upgradient monitoring wells MW-206 and P-206A.

The complete results of the Mann-Kendall analyses are included in Appendix F.

2021 Underdrain VOCs

VOCs were analyzed at all sampled underdrain locations (both landfill and former leachate pond underdrains) in April 2021. There were no VOCs detected in 2021 above laboratory reporting limits at any of the sampled underdrain locations.

7.3 Groundwater Quality

During 2021, routine water quality samples were obtained from 36 detection monitoring well locations (unless those locations were dry) at the JRL during April, July, and October 2021.^{18,19} With few exceptions, historical water quality data from groundwater monitoring locations at the JRL are consistent with their setting, the groundwater flow conditions at the monitoring locations, and normal construction and operational activities of the landfill. Site groundwater data do not show adverse effects from the performance of the landfill cells or leachate collection and transport systems. The 2021 water quality data remain consistent with these interpretations.

Comparison of Key Indicator Parameters at Groundwater Monitoring Locations to JRL Leachate and Summary of Statistically Significant Trend Results

A summary of site-wide groundwater quality in 2021 at the JRL is provided in Table 7-4. The table contains a comparison of 2021 values of key indicator parameters (i.e., specific conductance, chloride, and arsenic) from leachate monitoring location LT-C4LR to the site's 36 groundwater monitoring locations and current statistically significant trends of the key indicator parameters. The table also includes a summary of locations identified with statistically significant trends for multiple (i.e., four or more) parameters. The complete results of the Mann-Kendall trend analyses are provided in Appendix F. The groundwater monitoring locations shown in Table 7-4 are listed in order of 2021 annual maximum specific conductance values from high to low.

¹⁸ See footnotes 9, 10, and 11 from Section 2.1.

¹⁹ OW-603B was dry during its 2021 monitoring events.

TABLE 7-4

2021 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES
AND CHLORIDE AND ARSENIC CONCENTRATIONS AT
GROUNDWATER MONITORING LOCATIONS

Location Designation	Position Relative to Landfill	Material Screened	Annual Maximum Specific Conductance (21,200 µmhos/cm in JRL Leachate in July 2021)			Annual Maximum Chloride (9,900 mg/L in JRL Leachate in April 2021)			Annual Maximum Arsenic (0.45 mg/L in JRL Leachate in October 2021)			Multiple Parameters with Decreasing Trends ¹		Multiple Parameters with Increasing Trends ¹	
			µmhos/cm	Statistically Significant Trend		mg/L	Statistically Significant Trend		mg/L	Statistically Significant Trend		3-Year	5-Year	3-Year	5-Year
				3-Year	5-Year		3-Year	5-Year		3-Year	5-Year				
OW-06-03 ²	Downgradient Expansion	Overburden	1,035	Increasing	I	6.3	I ³	I	0.010	I ³	I	No ³	I	No ³	I
MW12-303R	Upgradient	Overburden	673	–	–	110	Increasing	–	0.005 U	–	–	No	No	No	No
MW-302R	Downgradient	Bedrock	662	Increasing	–	68	–	–	0.006	–	–	No	No	Yes (6)	No
MW-223A	Downgradient	Bedrock	628	Increasing	Increasing	32	–	Decreasing	0.005 U	–	–	No	Yes (4)	Yes (6)	Yes (7)
MW-223B	Downgradient	Overburden	531	Increasing	Increasing	38	–	–	0.005	–	–	No	No	Yes (5)	Yes (8)
OW-611A	Downgradient Expansion	Bedrock (Open Borehole)	496	I	I	48	I	I	0.005 U	I	I	I	I	I	I
OW-601A	Downgradient Expansion	Bedrock	434	–	I	22	I ³	I	0.005	I ³	I	No ³	I	No ³	I
MW04-109R	Downgradient (in proximity of former leachate pond)	Overburden	424	–	Decreasing	4.2	–	Decreasing	0.007	–	–	Yes (4)	Yes (6)	No	No
MW-04-09A	Downgradient Expansion	Bedrock	388	I	I	5.9	I	I	0.005 U	I	I	I	I	I	I
OW-601B	Downgradient Expansion	Overburden	377	–	I	42	I ³	I	0.006	I ³	I	No ³	I	No ³	I
MW09-901	Downgradient	Overburden	373	–	–	4.1	Decreasing	Decreasing	0.005 U	–	–	Yes (4)	Yes (9)	No	No
MW-204	Downgradient	Overburden	357	I	–	NS	I	I ³	NS	I	I ³	Not Assessed			
MW-502	Downgradient Expansion	Bedrock	343	I	I	14	I	I	0.005 U	I	I	I	I	I	I
OW-602A	Downgradient Expansion	Bedrock	336	Increasing	I	16	I ³	I	0.005 U	I ³	I	No ³	I	No ³	I
MW04-105	Downgradient (in proximity of former leachate pond)	Overburden	328	I	–	NS	I	I ³	NS	I	I ³	Not Assessed			
MW-507	Downgradient Expansion	Bedrock (Open Borehole)	318	I	I	43	I	I	0.005 U	I	I	I	I	I	I
P-04-02R	Downgradient (in proximity of former leachate pond)	Overburden	301	Decreasing	Decreasing	1.8	Decreasing	Decreasing	0.006	–	–	Yes (7)	Yes (11)	No	No
OW-606A	Downgradient Expansion	Bedrock (Open Borehole)	290	I	I	37	I	I	0.005 U	I	I	I	I	I	I
MW-401B	Downgradient	Overburden	287	–	–	5.0	–	Decreasing	0.009	Decreasing	Decreasing	No	Yes (5)	No	No
DP-4	Downgradient (in proximity of former leachate pond)	Overburden	268	I	–	NS	I	I ³	NS	I	I ³	Not Assessed			
MW-301	Downgradient	Bedrock	259	–	Increasing	26	–	Increasing	0.005 U	–	Decreasing	No	No	No	Yes (5)
P-206A	Upgradient	Bedrock	249	Increasing	Increasing	23	–	–	0.005 U	Decreasing	Decreasing	No	No	Yes (4)	Yes (7)
MW04-102	Downgradient (in proximity of former leachate pond)	Overburden	246	–	–	1.7	–	–	0.005	–	–	No	No	No	No
MW-501	Downgradient Expansion	Bedrock	242	–	I	15	–	I	0.005	–	I	No	I	No	I
OW-604A	Downgradient Expansion	Bedrock	233	Increasing	I	6.0	I ³	I	0.005 U	I ³	I	No ³	I	No ³	I
OW-608A	Downgradient Expansion	Bedrock (Open Borehole)	205	I	I	2.5	I	I	0.005 U	I	I	I	I	I	I
OW-605A	Downgradient Expansion	Bedrock (Open Borehole)	193	I	I	13	I	I	0.005 U	I	I	I	I	I	I
MW-227	Downgradient	Overburden	191	–	–	1.7	–	–	0.015	–	–	No	No	No	No
P-04-04	Downgradient (in proximity of former leachate pond)	Overburden	175	–	–	9.7	Increasing	Increasing	0.007	–	–	No	No	No	No
MW-206	Upgradient	Overburden	159	Increasing	–	2.8	–	Increasing	0.009	–	–	No	Yes (4)	No	No
MW-402B	Downgradient	Overburden	132	–	–	1.3	–	Decreasing	0.021	–	–	No	No	No	No
MW-401A	Downgradient	Bedrock	128	–	–	6.8	Increasing	Increasing	0.007	–	–	No	No	No	Yes (4)
MW-402A	Downgradient	Bedrock	118	–	–	1.8	–	–	0.019	–	–	No	No	No	No
MW-04-09B	Downgradient Expansion	Overburden	113	I	I	4.0	I	I	0.005 U	I	I	I	I	I	I
MW06-01	Downgradient Expansion	Overburden	111	Increasing	I	11	Increasing	I	0.005 U	–	I	No	I	Yes (7)	I
OW-603B	Downgradient Expansion	Overburden	NS (Dry)	I	I	NS (Dry)	I	I	NS (Dry)	I	I	I	I	I	I

Notes:

- Number of parameters with trends shown in parenthesis for analyses with four or more trends. Locations monitored for field parameters only (i.e., DP-4, MW04-105, MW-204) are not assessed for multiple (i.e., four or more) parameters.
- Locations shown with non-bold text have water quality that: (1) does not indicate influence from landfill leachate; and (2) shows limited influence from landfill construction operations. Locations shown with bold text currently have more pronounced water quality changes that are largely attributable to changes in redox conditions related to construction of the landfill and/or landfill operations, and do not indicate significant landfill related impacts to water quality from malfunction of landfill liners. Section 7.3 includes extended discussions for the locations shown with bold text.
- Insufficient data for detection monitoring parameters (i.e., trends available for field parameters only).

U = not detected above indicated laboratory reporting limit
NS = not sampled in 2021
– = no trend
I = insufficient data

Arsenic concentrations site-wide are generally low and did not exceed the MCL and MEG of 0.01 mg/L at 29 of the 32 monitoring locations where arsenic was sampled in 2021. At the three groundwater monitoring locations where arsenic did exceed the MCL and MEG, MW-227, MW-402A, and MW-402B, arsenic concentrations were only detected as high as 0.021 mg/L (at MW-402B in October 2021). The noted exceedances did not occur in conjunction with elevated or increasing chloride concentrations (see Table 7-4).

Based on review of Table 7-4 and a visual review of plotted 2021 and historical data, SME has identified 24 of the 36 site-wide groundwater monitoring locations with water quality that: (1) do not indicate influence from landfill leachate; and (2) currently show limited influence from landfill construction operations. These 24 groundwater monitoring locations are identified on Table 7-4 as the locations with non-bold text. The 2021 annual maximum specific conductance values at these wells range from 111 $\mu\text{mhos/cm}$ to 424 $\mu\text{mhos/cm}$. The 2021 annual maximum chloride concentrations at these monitoring locations were very low and ranged from 1.3 mg/L to 16 mg/L. These wells also exhibit limited to no statistically significant increasing trends. For these reasons, extended discussion on these wells is not warranted at this time.

More pronounced water quality changes have been observed at multiple groundwater monitoring locations, both upgradient and downgradient from the landfill. These changes are evidenced at some monitoring locations by the statistically significant trends, as summarized in Table 7-4, for multiple parameters. These trends are largely attributable to landfill operations and changes in redox conditions, which occur as expected around the landfill due to the construction of the landfill (e.g., from removal of vegetation, disturbance of native soils, and the cutoff of precipitation in the landfill area), and do not indicate any significant landfill related impacts to water quality from malfunction of the landfill liners.

SME has identified 12 of the site monitoring locations that currently warrant additional discussions. These monitoring locations, shown by bold text in Table 7-4, are: (1) upgradient monitoring locations MW12-303R and P-206A; (2) downgradient monitoring locations MW-223A, MW223B, MW-301, and MW-302R; and (3) OW-06-03, OW-601A, OW-601B, OW-606A, OW-611A, and MW-507, which are downgradient from the landfill expansion. Groundwater quality at these monitoring locations is discussed below.

Extended Discussion on JRL Groundwater Quality

Upgradient Monitoring Locations MW12-303R and P-206A: Groundwater monitoring locations MW12-303R and P-206A are categorized as upgradient from the JRL; however, as the east side of the JRL (i.e., the upslope edge) is situated along the crest of a northwest-southeast trending drumlin, these upgradient monitoring locations are not fully hydraulically isolated from the landfill and operations outside of the area of landfill construction (see interpreted phreatic surface and groundwater potentiometric surface maps in Appendix B).

P-206A is a bedrock piezometer located southeast from the landfill and outside of the area of landfill construction. P-206A was added to the monitoring program during the July 2013 sampling event to provide an additional upgradient bedrock monitoring location. Review of the water quality data at P-206A shows that there were increases for several parameters over the past several years at P-206A; however, the groundwater quality at P-206A is still characterized by low parameter concentrations. The Mann-Kendall analyses indicate that there are statistically significant increasing trends for four parameters at P-206A for the past three years (specific conductance, magnesium, bicarbonate, and nitrate plus nitrite) and for seven parameters over the past five years (specific conductance, calcium, magnesium, total dissolved solids, sulfate, bicarbonate, and nitrate plus nitrite). The 2021 annual maximum values for parameters identified with current or recent increasing trends are shown below:

- Specific conductance (249 μ mhos/cm in October 2021);
- Calcium (26 mg/L in October 2021);
- Magnesium (8.2 mg/L in October 2021);
- Total dissolved solids (149 mg/L in October 2021);
- Sulfate (3.2 mg/L in April 2021 and October 2021);
- Bicarbonate (88 mg/L in April 2021); and
- Nitrate plus nitrite (0.58 mg/L in October 2021).

While these parameters have exhibited increases over the past several years, their 2021 values remain relatively low and consistent with expectations in their site setting. Chloride concentrations are currently stable at P-206A with no statistical increasing or decreasing trend over the past three years and five years. The annual maximum chloride concentration at P-206A during 2021 was 23 mg/L (July 2021 and October 2021). There were no MCL and/or MEG exceedances for parameters analyzed at P-206A during 2021.

There were new historical maximum values detected for calcium, magnesium, total dissolved solids, bicarbonate, and bromide at P-206A during 2021. There were new historical minimum values detected for pH, iron, manganese, potassium, and sodium at P-206A during 2021.

The Mann-Kendall analyses indicate that there are not statistically significant decreasing trends for multiple parameters (i.e., four or more) at P-206A for the past three-year and five-year periods.

Since groundwater quality at P-206A is still characterized by low parameter concentrations and the increasing water quality trends appear to be subsiding, SME does not interpret the current water quality at P-206A as related to the performance of landfill cells or leachate collection and transport systems. Monitoring location P-206A is located proximate to the looped road that accesses the JRL leachate storage

tank. SME recommends that on-site snow removal and winter roadway maintenance practices minimize stockpiling of snow around this well.

MW12-303R is located in an area that historically has been influenced by roadway maintenance and runoff and from site construction activities. Water quality at MW12-303R was generally consistent with that at upgradient well MW-206 from when it was first sampled in 2012 until between 2015 and 2016. Since that time, multiple water quality parameters at MW12-303R have increased. Previous investigations were conducted to assess three ancillary landfill structures related to landfill leachate and gas condensate in the vicinity of the well as potential sources responsible for the change in water quality at MW12-303R, and results are discussed in previous annual water quality reports.²⁰ Investigation results identified that the water quality at MW12-303R was not associated with these three structures.

Visual inspection of the area surrounding the well in 2018 showed the well was located in a topographic depression and that it is located near the beginning of the access road to Cell 10, which began receiving waste in October 2017. It is likely that stormwater runoff from the vicinity of the access road had contributed to the water quality changes at MW12-303R. It was also determined that plowed snow was piled in the area surrounding MW12-303R during the winter of 2018 and during previous years.

The water quality signature at MW12-303R and the timing of the April 2018 monitoring event was consistent with what would be anticipated from impacts associated with surface water. Increases in dissolved oxygen and sulfate concentrations (see Appendix E) in this well suggest that MW12-303R was being influenced by an oxygenated source such as stormwater from precipitation, runoff, and/or spring snow melting. In early summer of 2018, the access roadway and the area surrounding MW12-303R were regraded to divert stormwater runoff away from the well and the well was purged.

In general, the recent water quality parameter value increases observed at MW12-303R appear to be stabilizing or improving. While there were seven parameters identified with statistically significant increasing trends for data from 2013 through 2017, including specific conductance and chloride, chloride is the only water quality parameter for the past three years with a statistically significant increasing trend and there are none over the past five years. There are not statistically significant decreasing trends for multiple parameters (i.e., four or more) over the past three years or five years at MW12-303R. There are statistically significant decreasing trends for groundwater at MW12-303R over the pasts three years and five years, which suggests less infiltration of water in the area of MW12-303R over the past several years.

There was only one parameter (pH) at MW12-303R that was outside of its historical range. The pH value at MW12-303R was 5.7 in April 2021, which is less than the previous historical minimum value of 5.8.

²⁰ SME, August 2015, Juniper Ridge Landfill, June 2015 Supplemental Water Quality Data and July 2015 Water Quality Data Results.

Specific conductance, chloride, and arsenic values at MW12-303R have declined substantially since they were recently reported at historical maximum values, which are shown in Table 7-5.

TABLE 7-5
SUMMARY OF 2021 KEY INDICATOR PARAMETER VALUES AT MW12-303R

Parameter	October 2012 Value	Historical Maximum Value	2021 Range of Values
Specific Conductance (µmhos/cm)	189	1,711 (April 2018)	442 (April 2021) to 673 (October 2021)
Chloride (mg/L)	4.9	220 (April 2018)	59 (April 2021) to 110 (October 2021)
Arsenic (mg/L)	0.005 U	0.036 mg/L (July 2016)	0.005 U (April, July, October 2021)
Note: U = not detected above indicated laboratory reporting limit			

The specific conductance values and chloride concentrations at MW12-303R during 2021, while lower than the historical maximum values reported in April 2018, rebounded somewhat compared to during 2020. This may be associated with precipitation totals being well over normal values in the months of or just before the summer and fall monitoring events. The precipitation totals reported by the NCDC for Bangor, Maine in July 2021 (7.67 inches) and September 2021 (9.42 inches) were above normal precipitation of 4.51 inches and 5.66 inches, respectively.

Sodium exceeded its MEG of 20 mg/L at MW12-303R in April 2021 (22 mg/L), July 2021 (28 mg/L), and October 2021 (37 mg/L). The nitrate plus nitrite concentrations in April 2021 (1.9 mg/L) and July 2021 (3.8 mg/L) indicate that the 10 mg/L MCL and MEG for nitrate was not exceeded; however, while unlikely, it cannot be distinguished whether the 1 mg/L MCL and MEG for nitrite was exceeded. There were no other parameters analyzed at MW12-303R with MCL and/or MEG exceedances in 2021.

SME does not interpret the recent water quality trends at MW12-303R and P-206A as related to the performance of landfill cells or leachate collection and transport systems. This is supported by the current values and trends of key indicator parameters at the landfill underdrain monitoring locations (see Section 7.2).

Downgradient Monitoring Locations MW-223A, MW-223B, MW-302R: Groundwater monitoring wells MW-223A and MW223B monitor the bedrock and overburden groundwater, respectively, hydraulically downgradient and northwest of the JRL. Bedrock groundwater monitoring location MW-302R is located northwest from the JRL. Monitoring well MW-302R is located directly adjacent to one of the site's stormwater Detention Pond #5.

In previous years' site water quality evaluations, SME has specifically addressed monitoring wells MW-302R, MW-223A, and MW-223B, located along the northwest perimeter of the landfill, and potential

site activities responsible for the water quality in these wells.^{21,22} Additional insight into the water quality changes at these wells was discussed in the 2016 through 2020 site water quality evaluations, with the sampling of the Scale House Well and Office Well during those years. The evaluation determined that similarities exist among the Scale House Well, the Office Well, MW-302R, MW-223A, and MW-223B, and showed that they are distinct from the chemical signature of the leachate from LT-C4LR. The similarities in water quality in these wells are consistent with the known hydrogeology in this area of the site. Bedrock pumping tests completed between March 17, 2009 and March 19, 2009 at pumping well PW-08-02,²³ located proximate to the Scale House Well, showed preferential drawdown patterns in the surrounding wells that demonstrated a preferential groundwater flow direction exists from northeast to southwest from the vicinity of the Scale House (i.e., in the direction from the Scale House Well toward MW-302R, MW-223A, and MW-223B). This suggests that water quality in MW-302R, MW-223A, and MW-223B may in part be associated with upgradient water quality in the vicinity of the Office Well and Scale House Well in addition to the sources previously identified. A former topsoil and stump stockpile area and a subsurface wastewater disposal field are also located along this preferential groundwater flow direction. As part of the landfill expansion construction, the Office Well was decommissioned in 2020. The Scale House Well was decommissioned in 2021 with a vibrating wire piezometer installed in it.

Table 7-6 summarizes the 2021 annual maximum water quality parameter results for eight parameters at MW-302R, MW-223A, and MW-223B that are elevated with respect to upgradient groundwater quality. Arsenic concentrations at MW-302R, MW-223A, and MW-223B were not elevated with respect to upgradient groundwater quality but arsenic is included in Table 7-6 since it is a key indicator parameter for comparison to JRL leachate.

²¹ SME, April 2015. 2014 Annual Water Quality Report, Juniper Ridge Landfill, prepared for NEWSME Landfill Operations LLC.

²² SME, April 2016, 2015 Annual Water Quality Report, Juniper Ridge Landfill, prepared for NEWSME Landfill Operations LLC.

²³ SME, May 13, 2016, Letter to MEDEP regarding Juniper Ridge Landfill Expansion Application, MEDEP #S-020700WD-BI-N, follow-up to Department Staff's responses to the March 4, 2016 submittal on Staff's review comments as presented in the Department's April 5, 2016 letter (Attachment SME-D3, Figures U-14B- Bedrock Amended and Figure U-14B- Till Amended).

TABLE 7-6

**SUMMARY OF 2021 ANNUAL MAXIMUM WATER QUALITY PARAMETER VALUES AT
MW-302R, MW-223A, AND MW-223B**

Parameter	MW-302R	MW-223A	MW-223B	Upgradient Comparison (MW-206)
Specific Conductance (µmhos/cm)	662	628	531	159
Arsenic (mg/L)	0.006	0.005 U	0.005	0.009
Calcium (mg/L)	59	110	71	18
Magnesium (mg/L)	5.2	11	16	5.3
Sodium (mg/L)	28	6.2	5.7	4.6
Total Dissolved Solids (mg/L)	328	387	340	95
Sulfate (mg/L)	31	21	16	2.3
Bicarbonate (mg/L)	140	260	200	70
Chloride (mg/L)	68	32	38	2.8
<u>Note:</u> U – not detected above the indicated laboratory reporting limit				

Piper and Stiff diagrams were plotted using April 2021 data for MW-302R, MW-223A, MW-223B, upgradient monitoring well MW-206, and the leachate sampled at LT-C4LR. The Piper and Stiff diagrams for these locations, which are provided in Appendix G, show similar chemical signatures for MW-223A, MW-223B, MW-302R, and MW-206 and a clear distinction from the chemical signature of the leachate from LT-C4LR.

The water quality at MW-302R is characterized by a relatively large seasonal variation in parameter values, including groundwater levels. The groundwater levels are influenced by stormwater levels in adjacent Detention Pond #5. There is typically a correlation between low groundwater level elevations and low dissolved oxygen concentrations, when MW-302R is less influenced by stormwater from Detention Pond #5, and higher values for multiple parameters (see box and whisker plots in Appendix E). During these periods, the higher parameter concentrations at MW-302R are more characteristic of past upgradient water quality at the former Scale House Well and former Office Well.

Nitrate plus nitrite and organic carbon were the only parameters analyzed at MW-302R with new historical maximum values in 2021. The organic carbon concentration in July 2021 at MW-302R (64 mg/L) is anomalously higher than the previous historical maximum value of 24 mg/L, the latter of which was reported in October 2020 and was flagged as likely elevated due to an identified laboratory instrumentation malfunction. Besides these two anomalously high organic carbon concentrations reported for MW-302R, organic carbon concentrations have been below the laboratory reporting limit of 2.0 mg/L for at least the past ten years, including during the April 2021 and October 2021 monitoring events. The nitrate plus nitrate concentration in October 2021 (1.0 mg/L) exceeded its previous historical maximum value of 0.73 mg/L. There are statistically significant increasing trends at MW-302R for six parameters (specific conductance, calcium, magnesium, potassium, bicarbonate, and nitrate plus nitrate)

over the past three years. There are not statistically significant decreasing trends at MW-302R for multiple parameters (i.e., four or more) over the past three years or five years or increasing trends for multiple parameters (i.e., four or more) over the past five years.

Visual review of water quality trends at MW-223A and MW-223B show distinct increases in parameter concentrations since about 2005 or later. There are statistically significant increasing trends at MW-223A for six parameters (specific conductance, calcium, magnesium, total dissolved solids, sulfate, and bicarbonate) over the past three years and seven parameters (specific conductance, calcium, magnesium, sodium, total dissolved solids, sulfate, and bicarbonate) over the past five years. There are statistically significant decreasing trends for four parameters (pH, Eh, dissolved oxygen, and chloride) at MW-223A over the past five years.

There are statistically significant increasing trends at MW-223B for five parameters (specific conductance, iron, total dissolved solids, sulfate, and bicarbonate) over the past three years and for eight parameters (specific conductance, calcium, iron, magnesium, potassium, total dissolved solids, sulfate, and bicarbonate) over the past five years. There are not statistically significant decreasing trends for multiple parameters (i.e., four or more) at MW-223B over the past three years or five years.

Previous increasing concentrations of chloride have generally been decreasing over the past five years at MW-223A and have generally been stable over the past five years at MW-223B.

There were three groundwater quality parameters detected at new historical maximum values at MW-223A in 2021: calcium (110 mg/L in October 2021), total dissolved solids (387 mg/L in October 2021), and bicarbonate (260 mg/L in April 2021 and October 2021). There were three groundwater quality parameters detected at new historical maximum values at MW-223B in 2021: calcium (71 mg/L in July 2021 and October 2021), total dissolved solids (340 mg/L in October 2021), and bicarbonate (200 mg/L in April 2021, July 2021, and October 2021).

There were no MCL or MEG exceedances of analyzed parameters at MW-223A and MW-223B in 2021. Sodium exceeded its MEG of 20 mg/L at MW-302R in July 2020 (28 mg/L) and October 2020 (24 mg/L). Sodium has previously exceeded its MEG at MW-302R. There were no other MCL or MEG exceedances of analyzed parameters at MW-302R in 2021.

We do not interpret recent water quality and noted trends at MW-223A, MW-223B, and MW-302R as related to the performance of landfill cells or leachate collection and transport systems. This is supported by the current values and trends of key indicator parameters at the landfill underdrain monitoring locations (see Section 7.2).

Downgradient location MW-301: MW-301 is a deep bedrock monitoring well (screened between 162.7 and 182.7 feet below ground surface) located downgradient from the landfill in proximity of the former leachate pond. The groundwater quality at MW-301 is consistent with its setting as a monitoring location downgradient from the landfill. There are no current concerns with water quality results at this location related to the performance of landfill cells or leachate collection and transport systems.

There were no parameters analyzed at MW-301 that exceeded MCL or MEG standards in 2021. Although parameter concentrations at MW-301 remained relatively low during 2021, the Mann-Kendall analyses indicate that there are five parameters (specific conductance, manganese, sodium, total dissolved solids, and chloride) at MW-301 with statistically significant increasing trends for the past five years. Review of the 2021 data for these parameters shows that their values are steadily increasing. The specific conductance values at MW-301 range from 239 $\mu\text{mhos/cm}$ to 259 $\mu\text{mhos/cm}$ during 2021, remaining generally consistent with those at upgradient monitoring location MW-206, which has a historical maximum value of 269 $\mu\text{mhos/cm}$ (April 2018). Chloride concentrations at MW-301 increased relatively sharply between about 2013 through 2019 but have remained stable from 2019 through 2021. While the 2013 chloride concentrations at MW-301 were 2.3 mg/L (July 2013) and 3.1 mg/L (October 2013), the annual maximum chloride concentration was 26 mg/L in April 2021.

There were new historical maximum concentrations at MW-301 during 2021 for magnesium (7.1 mg/L in April 2021), total dissolved solids (171 mg/L in April 2021), and organic carbon (16 mg/L in July 2021).

Review of water quality data at MW-301 suggests that there may be a correlation between the noted parameter value increases and a repair of the well in 2013. MW-301 was reported damaged in April 2013 and was not sampled. Following repairs to MW-301 (prior to the July 2013 monitoring event), there was a distinct increase in reported groundwater elevations at MW-301 in the order of approximately 4 feet. Since the repairs, multiple parameters began to increase at MW-301. The parameters with the most evident changes starting in 2013 are specific conductance, calcium, magnesium, sodium, and chloride.

Landfill Expansion downgradient locations OW-06-03, OW-601A, OW-601B, OW-606A, OW-611A, and MW-507: Monitoring locations OW-06-03, OW-601A, and OW-601B are located east of the landfill expansion and downgradient from Cell 11. Monitoring location 606A is located east of the landfill expansion and downgradient from Cell 12. Monitoring locations OW-611A and MW-507 are located west of and downgradient from the landfill expansion. Baseline groundwater quality was monitored at these locations in 2018. Detection monitoring began at OW-06-03, OW-601A, and OW-601B in 2019 and at OW-606A, OW-611A, and MW-507 in 2021.

Chloride concentrations at monitoring locations OW-601A, OW-601B, OW-606A, OW-611A, and MW-507 are somewhat greater than at monitoring locations upgradient from the JRL. Detection monitoring parameters are sampled and analyzed only during the summer (i.e., July 2021) OW-601A and OW-601B. The July 2021 chloride concentrations at OW-601A and OW-601B were 22 mg/L and 42 mg/L, respectively.

Monitoring locations OW-606A, OW-611A, and MW-507 were sampled in July 2021 and October 2021 with annual maximum chloride concentrations of 37 mg/L, 48 mg/L, and 43 mg/L, respectively.

Specific conductance values at OW-601A, OW-601B, OW-606A, OW-611A, and MW-507 during 2021 were somewhat greater than at upgradient monitoring locations MW-206 and P-206A, which is generally consistent with other groundwater monitoring locations downgradient from the JRL. The annual maximum specific conductance values at these locations during 2021 ranged from 290 µmhos/cm at OW-606A in July 2021 to 496 µmhos/cm at OW-611A in July 2021.

Specific conductance values measured at OW-06-03 have increased since it was first sampled in April 2018 (193 µmhos/cm) to 2021 (1,035 µmhos/cm in October 2021). The chloride concentration, however, remains very low at OW-06-03 (6.3 mg/L in July 2021).

Arsenic was not detected above the laboratory reporting limit of 0.005 mg/L at OW-606A, OW-611A, and MW-507 during 2021. Arsenic was detected at low concentrations that did not exceed the MCL and MEG of 0.01 mg/L during 2021 at OW-06-03 (0.010 mg/L in July 2021), OW-601A (0.005 mg/L in July 2021), and OW-601B (0.006 mg/L in July 2021).

There is insufficient groundwater quality data for performing Mann-Kendall trend analyses at OW-606A, OW-611A, and MW-507 over the past three years and five years. For OW-06-03, OW-601A, and OW-601B there is only sufficient data for three-year Mann-Kendall analyses for field parameters. Specific conductance has a three-year statistically significant increasing trend at OW-06-03 and no trend at OW-601A and OW-601B.

There were no MCL exceedances for parameters analyzed at OW-06-03, OW-601A, OW-601B, OW-606A, OW-611A, and MW-507 during 2021. The only MEG exceedances for parameters analyzed at these locations were iron at OW-06-03 (23 mg/L in July 2021) and manganese (8.7 mg/L in July 2021) at OW-06-03.

Monitoring locations OW-06-03, OW-601A, OW-601B, and OW-606A are located in close proximity to the landfill access road and may be influenced by winter road salting. Additionally, OW-06-03, OW-601A, OW-601B, OW-606A, OW-611A, and ME-507 are likely influenced by the recent construction of the Cell 11, Cell 12, and/or Cell 13 liner systems. Additional monitoring data from these locations over time will be useful for evaluating groundwater quality influences from the construction of the landfill expansion cells.

Of note is that OW-611A is located proximate to MW-223A and MW-223B, which are discussed above regarding the similarities that exist between their water quality and the water quality for monitoring wells (former and current) along a preferential groundwater flow direction that exists from northeast to

southwest. Several of the groundwater monitoring locations downgradient from the landfill expansions are located along this preferential groundwater flow direction. Stiff diagrams were plotted using July 2021 data for landfill expansion downgradient monitoring wells OW-06-03, OW-601A, OW-601B, OW-606A, OW-611A, and MW-507, which are provided in Appendix H. These Stiff diagrams show similar chemical distinctions to those of MW-223A, MW-223B, MW-302R, and the former Scale House and Office wells and a clear distinction from the chemical signature of the leachate from LT-C4LR (see Appendix G).

VOCs at JRL Groundwater Monitoring Well Locations

VOCs were analyzed at MW-401B in April 2021. No VOCs were detected above the laboratory reporting limits at MW-401B in 2021.²⁴

MCL and MEG Exceedances at JRL Groundwater Monitoring Well Locations

Parameters detected at concentrations that were above MCLs or MEGs at groundwater detection monitoring locations in 2021 are identified in Table 7-7.²⁵

**TABLE 7-7
2021 MCL AND MEG EXCEEDANCES AT GROUNDWATER MONITORING LOCATIONS**

Location Designation	Iron (mg/L) (5 mg/L MEG)	Manganese (mg/L) (0.3 mg/L MEG)	Sodium (mg/L) (20 mg/L MEG)	Arsenic (mg/L) (0.01 mg/L MCL and MEG)
MW-04-09A	–	0.33 (October 2021)	45 (July 2021) 37 (October 2021)	–
MW04-109R	–	0.97 (July 2021) 1.4 (October 2021)	–	–
MW-227	–	–	–	0.013 (April 2021) 0.012 (July 2021) 0.015 (October 2021)
MW12-303R	–	–	22 (April 2021) 28 (July 2021) 37 (October 2021)	–
MW-302R	–	–	28 (July 2021) 24 (October 2021)	–
MW-402A	–	–	–	0.017 (April 2021) 0.015 (July 2021) 0.019 (October 2021)
MW-402B	–	–	–	0.018 (April 2021) 0.019 (July 2021) 0.021 (October 2021)
OW-06-03	23 (July 2021)	8.7 (July 2021)	–	–
P-04-02R	–	–	35 (April 2021) 34 (July 2021) 29 (October 2021)	–

²⁴ See Section 7.5 for VOC analyses completed for 2021 baseline monitoring.

²⁵ See Section 7.5 for MCL and MEG exceedances for 2021 baseline monitoring locations.

With the exception of the iron MEG exceedance in 2021 at OW-06-03, which has previously only been sampled for iron once in 2018, each of the MCL and/or MEG exceedances listed in Table 7-7 have occurred at their respective locations in the past. The occurrence of arsenic MCL and MEG exceedances in groundwater is largely attributable to reducing conditions associated with landfill operations and decreasing groundwater recharge from site development. They are not interpreted to be related to landfill liner system performance.

Dissolved Methane

Samples were obtained for dissolved methane analysis at monitoring wells MW-223B and MW-501 during the April, July, and October 2021 monitoring rounds. Dissolved methane was not detected above the laboratory reporting limit of 20 µg/L at MW-223B and MW-501 in April, July, and October 2021.

Samples were obtained for dissolved methane analysis at monitoring wells MW-04-09A, MW-04-09B, MW-206, MW-502, MW-507, OW-606A, OW-608A, and OW-611A during the July 2021 and October 2021 monitoring rounds. Dissolved methane was not detected above the laboratory reporting limit of 20 µg/L at MW-04-09A, MW-04-09B, MW-206, MW-507, OW-606A, and OW-611A in July 2021 and October 2021. Dissolved methane was detected at MW-502 at low concentrations of 190 µg/L in July 2021 and 37 µg/L in October 2021. Dissolved methane was detected at OW-608A at a low concentration of 140 µg/L in October 2021 but was not detected above the laboratory reporting limit of 20 µg/L in July 2021. Dissolved methane samples were not collected from OW-603B during 2021 because that location was dry in July 2021 and October 2021.

Samples were obtained for dissolved methane analysis at monitoring wells MW06-01, OW-06-03, OW-601A, OW-601B, OW-602A, OW-604A, and P-206A during the July 2021 monitoring round. Dissolved methane was not detected above the laboratory reporting limit of 20 µg/L at MW06-01, OW-601A, OW-601B, OW-604A and P-206A in July 2021. Dissolved methane was detected at a low concentration of 41 µg/L at OW-602A in July 2021. Dissolved methane was detected at a concentration of 2,900 µg/L at OW-06-03 in July 2021.

While the dissolved methane concentration of 2,900 µg/L at OW-06-03 in July 2021 is notable in terms of potential migration of landfill gas, there is no historical dissolved methane data at OW-06-03 prior to July 2021. Monitoring well OW-06-03 is located proximate to OW-604A, where dissolved methane was not detected above the laboratory reporting limit of 20 µg/L in July 2021, and is screened at a similar depth interval in the bedrock as OW-604A. The 2022 dissolved methane monitoring at OW-06-03 and its proximate monitoring wells will be useful to determine if dissolved methane concentrations in the order of several thousand µg/L persist.

7.4 Surface Water, Stormwater, and Pore-Water

Surface water at the site was monitored in 2021 at three locations on the southwest side of the landfill along an unnamed tributary to Pushaw Stream (SW-1, SW-2, and SW-3). Stormwater was monitored at three stormwater detention ponds (SW-DP1, SW-DP5, and SW-DP6) during 2021. Additionally, three pore-water sampling locations were monitored in 2021 at PWS10-1, PWS10-2, and PWS10-3, which are located along the landfill side of the bank of the unnamed tributary to Pushaw Stream.

Comparison of Key Indicator Parameters at Surface Water, Stormwater, and Pore-Water Monitoring Locations to JRL Leachate and Summary of Statistically Significant Trend Results

The 2021 annual maximum specific conductance values and chloride and arsenic concentrations for the JRL surface water, stormwater, and pore-water monitoring locations are summarized in Table 7-8. The Mann-Kendall analyses results for statistically significant trends for these parameters are also provided in Table 7-8. The complete results for Mann-Kendall analyses are provided in Appendix F.

TABLE 7-8

2021 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES
AND CHLORIDE AND ARSENIC CONCENTRATIONS AT
SURFACE WATER, STORMWATER, AND PORE-WATER MONITORING LOCATIONS

Location Designation	Annual Maximum Specific Conductance (21,200 µmhos/cm in JRL Leachate in July 2021)			Annual Maximum Chloride (9,900 mg/L in JRL Leachate in April 2021)			Annual Maximum Arsenic (0.45 mg/L in JRL Leachate in October 2021)		
	µmhos/cm	Statistically Significant Trend		mg/L	Statistically Significant Trend		mg/L	Statistically Significant Trend	
		3-Year	5-Year		3-Year	5-Year		3-Year	5-Year
SW-1	308	–	–	8.3	–	–	0.005 U	–	–
SW-2	67	Decreasing	Decreasing	13	–	–	0.005	–	–
SW-3	68	–	Decreasing	8.9	–	–	0.005	–	–
SW-DP1	82	–	–	2.5	–	–	0.008	–	–
SW-DP5	69	Decreasing	Decreasing	4.3	Decreasing	Decreasing	0.008	–	–
SW-DP6	62	–	–	5.8	–	Decreasing	0.005 U	–	–
PWS10-1	246	–	–	9.2	–	–	0.005 U	–	–
PWS10-2	99	–	–	8.3	–	–	0.005 U	–	–
PWS10-3	105	–	–	5.7	–	–	0.009	–	–

Notes:
 U = not detected above indicated laboratory reporting limit
 – = no trend
 I = insufficient data

The 2021 surface water, stormwater, and pore-water monitoring location data are generally characterized by low values of key indicator parameters by comparison to the JRL leachate (i.e., LT-C4LR). This is consistent with historical data at these locations. The arsenic concentrations at the surface water, stormwater, and pore-water monitoring locations during 2021 were within their respective historical ranges. The specific conductance values and chloride concentrations at the surface water monitoring

locations were within their respective historical ranges. There were several new historical minimum specific conductance values and chloride concentrations measured at the stormwater and pore-water monitoring locations during 2021, which are summarized as follows:

- PWS10-1 – New historical minimum specific conductance value (67 μ mhos/cm in July 2021) and chloride concentration (2.4 mg/L in July 2021);
- PWS10-2 – New historical minimum chloride concentration (2.8 mg/L in July 2021);
- SW-DP1 – New historical minimum chloride concentration (less than the laboratory reporting limit of 1.0 mg/L in October 2021);
- SW-DP5 – New historical minimum chloride concentration (less than the laboratory reporting limit of 1.0 mg/L in July 2021);
- SW-DP6 – New historical minimum specific conductance value (38 μ mhos/cm in July 2021) and chloride concentration (less than the laboratory reporting limit of 1.0 mg/L in July 2021);

The Mann-Kendall trends summarized in Table 7-8 indicate stable or decreasing values for specific conductance, chloride, and arsenic at surface water, stormwater, and pore-water monitoring locations over the past three to five years.

Further description of the JRL surface water, stormwater, and pore-water sampling locations and notable observations from their 2021 water quality data are provided below.

Surface Water Monitoring Locations: Along the unnamed tributary to Pushaw Stream, surface water quality at SW-1, SW-2, and SW-3 has been very consistent since sampling began at these locations in the early 1990s. Parameter concentrations during the 2021 sampling events at downstream locations SW-1 and SW-3 were generally similar to those measured at SW-2, which is located upstream from the landfill. Parameters analyzed at SW-1 and SW-3, located downstream from the landfill, remain at relatively low values that do not indicate influence from landfill leachate. The few parameter concentrations at SW-1, SW-2, and SW-3 that were outside of their respective historical ranges for these monitoring locations in 2021 are identified on the individual water quality summary sheets contained in Appendix E.

The iron concentrations at SW-1, SW-2, and SW-3 exceeded the MFCCC standard of 1 mg/L during the July 2021 monitoring event at concentrations of 2.1 mg/L, 1.8 mg/L, and 1.4 mg/L, respectively. Iron also exceeded its MFCCC in October 2021 at SW-1 and SW-3 with concentrations of 1.2 mg/L and 1.5 mg/L, respectively. MFCCC exceedances for iron have occurred historically at these locations, and the 2021 iron concentrations at each of these locations were within their respective historical ranges. Iron concentrations were below the MFCCC standard at SW-1, SW-2, and SW-3 in April 2021 and at SW-2 in

October 2021. There were no other MFCCC exceedances at SW-1, SW-2, and SW-3 for parameters analyzed during 2021.

There were not multiple parameters (i.e., four or more) with statistically significant increasing or decreasing trends at SW-1, SW-2, and SW-3 over the past three years and five years.

Stormwater Monitoring Locations: Samples from SW-DP1 are obtained from a stormwater detention pond at the downstream western edge of the JRL site. Samples from SW-DP5 are obtained from an outfall on the west side of Detention Pond #5. Samples from SW-DP6 are obtained from a stormwater detention pond sampling location at the southern end of the site.

The historical range of parameter concentrations at SW-DP1 have generally been low since sampling began at this location in 2004 and have not indicated influences from landfill leachate or landfill operations. As discussed in last year’s evaluation (i.e., for 2020 monitoring data), the April 2020 monitoring data indicated a spike in many parameter values at SW-DP1. The increase in parameter values was attributed to an overboard discharge that occurred from the active landfill in the vicinity of SW-DP1 prior to sample collection in April 2020. The MEDEP was notified of the discharge and residual material was removed by NEWSME. Table 7-9 provides a summary of stormwater quality for several parameters from April 2020 in comparison to the previous monitoring event (i.e., October 2019) and to values detected at the end of 2021 monitoring in October.

TABLE 7-9

SUMMARY OF RECENT STORMWATER QUALITY CHANGES AT SW-DP1

Parameter	October 2019	April 2020	October 2021
Specific Conductance (µmhos/cm)	106	439	82
Calcium (mg/L)	15	24	15
Potassium (mg/L)	2.1	12	1.6
Total Dissolved Solids (mg/L)	84	251	83
Sodium (mg/L)	1.6	27	1.3
Chloride (mg/L)	2.2	79	1.0 U
Bromide (mg/L)	0.10 U	1.1	0.10 U
<u>Notes:</u> U – not detected above the indicated laboratory reporting limit			

As shown in Table 7-9, the parameters observed to have been impacted from the overboard discharge during the April 2020 monitoring have returned to values similar to those prior to the overboard discharge.

Stormwater quality monitoring at SW-DP5 began in April 2013. The 2021 water quality from SW-DP5 included low parameter values that do not indicate influences from landfill leachate or landfill operations. There were new historical maximum values for iron, manganese, total phosphorus, total suspended solids,

and organic carbon in 2021 at SW-DP5 and new historical minimum values for potassium, sodium, and chloride. The most notable parameter increase at SW-DP5 during 2021 was an iron concentration of 5.2 mg/L in April 2021, which exceeded the previous historical maximum value of 1.7 mg/L. The key indicator parameter values for comparison to JRL leachate remain very low at SW-DP5 with values as low as 62 µmhos/cm for specific conductance (July 2021), less than the laboratory reporting limit of 1.0 mg/L for chloride (July 2021), and less than the laboratory reporting limit of 0.005 mg/L for arsenic (April 2021). Stormwater quality monitoring at SW-DP6 began in October 2009. The stormwater quality at SW-DP6 during 2021 is characterized by continued low parameter concentrations that do not indicate influences from landfill leachate or landfill operations. All monitored parameters at SW-DP6 remained below their respective historical maximums during 2021. There were five parameters at SW-DP6 with new historical minimum values detected during 2021 (specific conductance, pH, calcium, sodium, and chloride). The key indicator parameter values for comparison to JRL leachate remain very low at SW-DP6 with values as low as 38 µmhos/cm for specific conductance (July 2021), less than the laboratory reporting limit of 1.0 mg/L for chloride (July 2021), and less than the laboratory reporting limit of 0.005 mg/L for arsenic (April 2021, July 2021, and October 2021).

The iron concentrations at SW-DP1, SW-DP5, and SW-DP6 exceeded the MFCCC standard of 1 mg/L during one or more of the 2021 monitoring events. The exceedances are summarized below:

- SW-DP1 – 3.5 mg/L iron in April 2021 and 6.4 mg/L iron in July 2021;
- SW-DP5 – 5.2 mg/L iron in April 2021 and 3.5 mg/L iron in July 2021; and
- SW-DP6 – 1.6 mg/L iron in July 2021.

MFCCC exceedances for iron have occurred historically at these locations. There were no other MFCCC exceedances at SW-DP1, SW-DP5, and SW-DP6 for parameters analyzed during 2021.

Several parameter concentrations at SW-DP1, SW-DP5, and SW-DP6 were outside of their respective historical ranges for these monitoring locations in 2021, which are identified on the individual water quality summary sheets contained in Appendix E.

There were not multiple parameters (i.e., four or more) with statistically significant increasing or decreasing trends at SW-DP5 and SW-DP6 over the past three years and five years. There were five parameters (iron, manganese, potassium, total dissolved solids, and total suspended solids) with statistically significant increasing trends at SW-DP1 over the past five years but only one parameter with an increasing trend over the past three years (iron). This is an improvement for last year's evaluation when there were eleven parameters with statistically significant increasing trends at SW-DP1 over the past three years. These improvements indicate recovery from the water quality impacts from the aforementioned overboard discharge that affected SW-DP1 water quality in 2020.

Pore-Water Monitoring Locations: Pore-water sample locations PWS10-1, PWS10-2, and PWS10-3, which are located along the landfill side of the bank of the unnamed tributary to Pushaw Stream, have been sampled since 2010. These sampling locations are intended to be representative of groundwater quality as it discharges to the stream. Due to their local hydrologic setting (i.e., shallow fluctuating water table with high natural organic matter associated with the wetland and stream), they are characterized by iron and total organic carbon concentrations that are typically greater than in groundwater from other areas of the site. Groundwater quality has been generally consistent at all three pore-water sampling locations since sampling began at these locations in 2010 and does not indicate influences from landfill leachate or landfill operations.

While visual review of the 2021 and historical pore-water quality data indicates generally stable water quality, there are one or more parameter concentrations at PWS10-1, PWS10-2, and PWS10-3 that were outside of the range of historical minimum and maximum values for these monitoring locations in 2021. These occurrences are identified on the individual water quality summary sheets contained in Appendix E.

There were not multiple parameters at PWS10-2 and PWS10-3 with statistically significant decreasing or increasing trends over the past three years and five years. There were four parameters (potassium, total dissolved solids, organic carbon, and dissolved methane) with statistically significant increasing trends over the past five years at PWS10-1. There were not multiple parameters (i.e., four or more) at PWS10-1 with statistically significant decreasing trends over the past three and five years or increasing trends over the past three years.

The pore-water samples were analyzed for dissolved methane during the April, July, and October 2021 monitoring events, as recommended by the MEDEP. The dissolved methane concentrations for pore-water samples in 2021 are summarized in Table 7-10.

TABLE 7-10

2021 DISSOLVED METHANE CONCENTRATIONS AT PORE-WATER MONITORING LOCATIONS

Location Designation	April 2021 (µg/L)	July 2021 (µg/L)	October 2021 (µg/L)
PWS10-1	1,600	190	700
PWS10-2	79	95	190
PWS10-3	400	140	130

The 2021 dissolved methane concentrations are lower than the historical maximum concentrations detected at PWS10-1 (4,600 µg/L in July 2015), PWS10-2 (690 µg/L in July 2015), and PWS10-3 (4,000 µg/L in July 2020). The historical dissolved methane detections at these locations are consistent with their hydrologic setting in a freshwater wetland and are attributed to anaerobic biological processes in the saturated wetland soils. Studies of freshwater wetlands in the southeastern portion of the United States

show wetland pore-water samples with dissolved methane concentrations of more than 20,000 µg/L in the top 25 centimeters of saturated soils²⁶. The lower dissolved methane concentrations at JRL wetlands are likely attributed to the cooler climate in the northeastern portion of the United States, which limits anaerobic biological activity.

While the pore-water sampling locations are grouped with surface water and stormwater monitoring locations, the samples are obtained from soil and the sampling results from these locations are compared to MCL and MEG standards for groundwater. There were no MCL exceedances during 2021 at the pore-water monitoring locations for the parameters analyzed. The MEG exceedances for parameters analyzed during 2021 at the pore-water monitoring locations are summarized as follows:

- Manganese was above its MEG of 0.3 mg/L in 2021 at PWS10-1 (0.42 mg/L in July 2021 and 1.3 mg/L in October 2021);
- Manganese was above its MEG of 0.3 mg/L in 2021 at PWS10-3 (0.45 mg/L in April 2021, 0.48 mg/L in July 2021, and 0.57 mg/L in October 2021); and
- Iron was above its MEG of 5.0 mg/L in 2021 at PWS10-1 (5.3 mg/L in October 2021).

7.5 Baseline Water Quality Monitoring Wells for Cell 13

During 2021, SME performed baseline water quality monitoring at eleven Cell 13 monitoring wells. Monitoring wells MW-503, MW-504, MW-505, PW-08-01, P-04-11A, P-04-11B, OW-607B, OW-608B, and OW-609B were sampled for baseline parameters in February, April, June, and August 2021. Monitoring well MW-506 could not be sampled in June 2021 because the groundwater level was too low to pump with a peristaltic pump. A bladder pump was installed at MW-506. Monitoring well MW-506 was sampled for baseline parameters in February, April, July, and September 2021. Monitoring well OW-606B was frozen in February 2021 so it was sampled for baseline parameters in April, June, July, and August 2021. The Cell 13 monitoring wells were also sampled in October 2021 for detection monitoring parameters.

The locations of the Cell 13 monitoring wells are shown in Figure 1-2 and well construction details are summarized in Table 2-5. These locations were analyzed for the baseline monitoring parameters listed in Table 3-2.

²⁶ Schipper LA, Reddy KR (1994) Methane production and emissions from four reclaimed and pristine wetlands of southeastern U.S. *Soil Science Society of America Journal* 58, 1270-1275.

The baseline water quality monitoring data results from the Cell 13 monitoring wells were submitted to MEDEP in 2021.^{27,28,29,30} The results are summarized below.

- The 2021 annual maximum specific conductance values and chloride concentrations at the baseline water quality monitoring wells for Cell 13 are shown in Table 7-11.

TABLE 7-11

**2021 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES
AND CHLORIDE CONCENTRATIONS AT
BASELINE WATER QUALITY MONITORING WELLS FOR CELL 13**

Monitoring Well	Specific Conductance (µmhos/cm)	Chloride (mg/L)	Implementation Schedule
MW-503	207 (February 2021)	17 (February 2021 and April 2021)	Cell 13
MW-504	139 (April 2021)	3.2 (February 2021)	Cell 13
MW-505	329 (February 2021)	22 (February 2021)	Cell 13
MW-506	837 (February 2021)	57 (February 2021)	Cell 13
PW-08-01	229 (April 2021)	6.9 (February 2021)	Cell 13
P-04-11A	126 (April 2021 and October 2021)	2.2 (February 2021)	Cell 13
P-04-11B	53 (February 2021)	7.5 (October 2021)	Cell 13
OW-606B	234 (April 2021)	18 (April 2021)	Cell 13
OW-607B	172 (April 2021)	2.6 (February 2021)	Cell 13
OW-608B	272 (April 2021)	6.0 (February 2021)	Cell 13
OW-609B	477 (June 2021)	51 (February 2021)	Cell 13
Note: Includes baseline monitoring data results and October 2021 detection monitoring results.			

- There were no MCL and/or MEG exceedances from Cell 13 baseline water quality monitoring wells MW-503, MW-504, and P-04-11B during 2021. Table 7-12 presents a summary of the MCL and/or MEG exceedances from the remaining Cell 13 baseline water quality monitoring wells during 2021.

²⁷ SME, 2021. Letter from SME to MEDEP with subject: *Juniper Ridge Landfill, Cell 12 Baseline Monitoring Wells – Installation Logs and Sampling Results*, dated May 3, 2021.

²⁸ SME, 2021. Letter from SME to MEDEP with subject: *Juniper Ridge Landfill, Cell 12 Baseline Monitoring Wells – Third Round Sampling Results*, dated July 21, 2021.

²⁹ SME, 2021. Letter from SME to MEDEP with subject: *Juniper Ridge Landfill, Cell 12 Baseline Monitoring Wells – Fourth Round Sampling Results*, dated November 2, 2021.

³⁰ SME, 2021. Letter from SME to NEWSME Landfill Operations, LLC with subject: *Juniper Ridge Landfill October 2021 Water Quality Data Results*, dated November 24, 2021.

TABLE 7-12

2021 MCL AND MEG EXCEEDANCES AT BASELINE GROUNDWATER MONITORING LOCATIONS

Location Designation	Manganese (mg/L) (0.3 mg/L MEG)	Sodium (mg/L) (20 mg/L MEG)	Arsenic (mg/L) (0.01 mg/L MCL and MEG)
MW-505	0.73 (February 2021) 0.62 (April 2021) 0.58 (June 2021) 0.43 (August 2021) 0.39 (October 2021)	55 (February 2021) 33 (April 2021) 27 (June 2021) 34 (August 2021) 34 (October 2021)	–
MW-506	1.1 (February 2021) 0.97 (April 2021) 0.87 (July 2021) 0.72 (September 2021) 0.67 (October 2021)	200 (February 2021) 130 (April 2021) 110 (July 2021) 110 (September 2021) 120 (October 2021)	–
OW-606B	0.58 (April 2021)	21 (April 2021)	
OW-608B	–	26 (February 2021) 22 (April 2021) 33 (June 2021) 29 (August 2021) 29 (October 2021)	–
OW-609B	0.36 (February 2021) 0.51 (April 2021) 0.37 (June 2021)	52 (February 2021) 28 (April 2021) 81 (June 2021) 68 (August 2021) 58 (October 2021)	
P-04-11A	–	–	0.015 (February 2021) 0.013 (April 2021) 0.012 (June 2021) 0.011 (August 2021) 0.013 (October 2021)
PW-08-01		31 (February 2021) 35 (April 2021) 26 (June 2021) 27 (August 2021) 26 (October 2021)	–

- Groundwater samples from the Cell 13 baseline groundwater quality monitoring wells were analyzed for VOCs during the 2021 monitoring events. There was only one VOC detected, during only one monitoring event, at one of the Cell 13 baseline groundwater quality monitoring wells during 2021. Chloroform, a common laboratory contaminant, was detected at a low concentration of 1.4 µg/L at OW-609B during the April 2021 monitoring event. Chloroform was below the laboratory reporting limit of 1.0 µg/L at OW-609B during the February 2021, June 2021, and August 2021 monitoring events.
- Groundwater samples from the Cell 13 baseline groundwater quality monitoring wells were analyzed for dissolved methane during the 2021 monitoring events. There were no dissolved methane detections above the laboratory reporting limit of 20 µg/L at the Cell 13 baseline groundwater quality monitoring wells during 2021.

The Cell 13 baseline groundwater quality monitoring wells were incorporated into the EMP during the October 2021 monitoring event to monitor the operations of the JRL landfill expansion. The baseline, October 2021, and 2022 water quality data from these wells will be incorporated into the 2022 Annual Water Quality Report for the JRL.

7.6 Leak Detection System

The approved permitted landfill expansion liner system for Cell 11 through Cell 17 includes leak detection layers under the primary liner systems. The 2015 Liner Action Plan (LAP) describes the methods to monitor the performance of the primary liner system of Cell 11 through Cell 17 and outlines response actions should action levels be exceeded in the leak detection layer. The LAP uses a calculated Leak Detection System Action Level (LDSAL) to determine the need for additional actions. The LDSAL formula is based on the flow measured in the leak detection layer and the specific conductance measured in the leachate and leak detection layers. The LDSAL is compared to the leak detection specific conductance that is measured each month. If the LDSAL is equal to or greater than the leak detection specific conductance, no further action is needed. The Cell 11 and Cell 12 leak detection systems were monitored throughout 2021 in accordance with the LAP and there were no LDSAL exceedances.

Sampling began at two landfill leak detection sampling locations in 2021. The 2021 water quality from LF-LD-11 and LF-LD-12 monitors liquid from the leak detection systems for Cell 11 and Cell 12, respectively. The LF-LD-11 and LF-LD-12 monitoring locations are shown on Figure 2-1. The samples are collected from the pump stations where liquids from the leak detection systems drain. The leak detection monitoring locations were monitored during the July 2021 and October 2021 monitoring events for parameters in the detection monitoring program and for field parameters only in August, September, November, and December 2021. The 2021 water quality for LF-LD-11 and LF-LD-12 are summarized below:

- A summary of the 2021 leak detection annual maximum values for key indicator parameters for comparison to the JRL leachate is provided in Table 7-13. Based on the very low chloride and arsenic concentrations at LF-LD-11 and LF-LD-12 during 2021, the liquid sampled from those locations does not indicate the presence of leachate in the leak detection systems. The specific conductance values at LF-LD-11 and LF-LD-12 are greater than those typical at upgradient monitoring locations, which is likely the result of the recent construction of Cell 11 and Cell 12.

TABLE 7-13

2021 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES
AND CHLORIDE AND ARSENIC CONCENTRATIONS AT
LEAK DETECTION MONITORING LOCATIONS

Leak Detection Monitoring Location	Annual Maximum Specific Conductance (21,200 µmhos/cm in JRL Leachate in July 2021)	Annual Maximum Chloride (9,900 mg/L in JRL Leachate in April 2021)	Annual Maximum Arsenic (0.45 mg/L in JRL Leachate in October 2021)
LF-LD-11	884 (October 2021)	1.0 U (July 2021 and October 2021)	0.005 U (July 2021 and October 2021)
LF-LD-12	737 (July 2021)	1.5 (July 2021)	0.005 (October 2021)
<p>Note: U – not detected above the indicated laboratory reporting limit</p>			

- Samples from the LF-LD-11 and LF-LD-12 were analyzed for dissolved methane during the July 2021 and October 2021 monitoring events. Dissolved methane was detected at annual maximum concentrations of 59 µg/L at LF-LD-11 in July 2021 and 170 µg/L at LF-LD-12 in October 2021.

8.0 WATER QUALITY GAS MONITORING

As part of the 2021 environmental monitoring program, methane gas was measured during the collection of water quality samples at the site monitoring well standpipes, underdrain outfalls, leachate collection system, leachate pond leak detection system, and JRL site property boundaries using a hand-held gas meter. All methane gas monitoring results were below the meter detection limit.

Hydrogen sulfide (H₂S) was also monitored at the above-mentioned locations in 2021 and was not detected at any of the locations.

Historical and 2021 gas monitoring results for the site are included in Appendix I. The 2021 gas monitoring results indicate no landfill-related gases are present at the monitored locations.

9.0 SUMMARY AND RECOMMENDATIONS

9.1 Summary

Water quality samples were obtained in April, July, and October 2021 at the JRL in accordance with the current site EMP. The 2021 water quality data for the JRL is consistent with the historical data for the site and with the setting of monitoring locations among the construction and operational activities of the landfill. Site groundwater and surface water quality data do not show adverse effects from the performance of the landfill cells or leachate collection and transport systems. The evaluation of site water quality, which incorporates the 2021 water quality data, identifies trends at multiple locations and for a number of parameters, both upgradient and downgradient from the landfill. Historical groundwater quality data through 2021 indicate that these trends, however, are largely attributable to landfill operations and changes in redox conditions, which occur as expected around the landfill due to the construction of the landfill (e.g., from removal of vegetation, disturbance of native soils, and the cutoff of precipitation in the landfill area), and do not indicate any significant landfill related impacts to water quality from malfunction of the landfill liners.³¹ The JRL site-wide water quality are summarized below:

Leachate Monitoring Location

Leachate parameter values from monitoring location LT-C4LR during 2021 and historically since July 2013 are generally characterized by high parameter values. Generally, at a given water quality monitoring location, if landfill leachate were present, there would be a notable, significant increase in specific conductance values and chloride and arsenic concentrations (in conjunction with changes in other parameter concentrations) due to their presence at high concentrations in the JRL leachate. In 2021, the annual maximum value of specific conductance in JRL leachate (i.e., monitoring location LT-C4LR) was 21,200 $\mu\text{mhos/cm}$ in July 2021. The annual maximum concentrations of chloride and arsenic at monitoring location LT-C4LR were 9,900 mg/L (April 2021) and 0.45 mg/L (October 2021), respectively.

Underdrain Monitoring Locations

There was no flow at LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-7, LF-UD-8, LF-UD-9, LF-UD-10, and LP-UD-1 during any of the three 2021 detection monitoring events; thus, no samples were obtained at these locations during 2021. LP-UD-1 was monitored during the September and October monitoring events for field parameters only. These occurrences of no flow at these underdrain monitoring locations are generally consistent with previous observed patterns with the exception of LF-UD-2. The decrease in flow from LF-UD-2 is likely associated with the lowering of the groundwater table that has resulted from the construction of the landfill expansion cells (see Section 1.2).

³¹ The MEDEP agreed with this assessment in its review of the 2017 Annual Report. MEDEP, February 20, 2018, Memorandum regarding the 2017 Annual Report, Juniper Ridge Landfill, Old Town, Maine, MEDEP Lic. #S-020700-7A-A-N and Amendment #S-020700-WD-N-A, Prepared by Sevee and Maher Engineers, Inc., April 2015.

Where there was flow during 2021 from underdrain monitoring locations (LF-UD-4, LF-UD-5 and 6, LF-UD-6, and LP-UD-2), the underdrain monitoring data do not show adverse effects from the performance of the landfill cells or leachate collection and transport systems. The greatest specific conductance value measured during 2021 was at LF-UD-6 (1,365 $\mu\text{mhos/cm}$ in August 2021), which is greater than the previous historical maximum value of 919 $\mu\text{mhos/cm}$ measured in August 2013. Specific conductance was measured at a lower value of 295 $\mu\text{mhos/cm}$ later in the year (October 2021) at LF-UD-6 and there is currently a five-year statistically significant decreasing trend for specific conductance at LF-UD-6. The annual maximum chloride concentration at LF-UD-6 during 2021 is low (18 mg/L), which indicates that the periodic high specific conductance values measured at LF-UD-6 are not from leachate influence. There were no specific conductance values above 500 $\mu\text{mhos/cm}$ at the remaining underdrain monitoring locations monitored in 2021.

During 2021, annual maximum chloride concentrations from the sampled underdrain monitoring locations (ranging from 1.3 mg/L at LF-UD-4 to 18 mg/L at LF-UD-6) were low relative to the JRL leachate and do not indicate influence from the presence of landfill leachate.

The arsenic concentrations in the underdrain monitoring locations sampled during 2021 were low (ranging from less than the laboratory reporting limit of 0.005 mg/L at LP-UD-2 and LP-UD-5 and 6 to 0.011 mg/L at LF-UD-6) and generally consistent with those at groundwater monitoring wells across the site, including multiple upgradient monitoring locations.

VOCs were analyzed at all sampled underdrain locations (both landfill and former leachate pond underdrains) in April 2021. There were no VOCs detected in 2021 above laboratory reporting limits at any of the sampled underdrain locations.

Groundwater Monitoring Locations

Based on review of 2021 and historical data, SME has identified 24 of the 36 site-wide groundwater monitoring locations with water quality that: (1) do not indicate influence from landfill leachate; and (2) show limited influence from landfill construction operations (see Table 7-4). The annual maximum specific conductance values at these wells range from 111 $\mu\text{mhos/cm}$ to 424 $\mu\text{mhos/cm}$. The annual maximum chloride concentrations at these monitoring locations were very low and ranged from 1.3 mg/L to 16 mg/L. These wells also exhibit limited or no statistically significant increasing trends.

More pronounced water quality changes have been observed at 12 of the site groundwater monitoring locations (see Table 7-4), which include wells both upgradient and downgradient from the landfill. These changes are evidenced at some monitoring locations by the statistically significant trends for multiple parameters. These trends are largely attributable to changes in redox conditions, which occur as expected around the landfill due to the construction and operations of the landfill (e.g., from removal of vegetation, disturbance of native soils, and the cutoff of precipitation in the landfill area), and do not indicate landfill related impacts to water quality from malfunction of the landfill liners. This conclusion is supported by

the current values and trends of key indicator parameters at the landfill underdrain monitoring locations and leak detection monitoring locations. These monitoring locations are discussed in detail in Section 7.3 and include: (1) upgradient monitoring locations MW12-303R and P-206A; (2) downgradient monitoring locations MW-223A, MW223B, MW-301, and MW-302R; and (3) OW-06-03, OW-601A, OW-601B, OW-606A, OW-611A, and MW-507, which are downgradient from the landfill expansion. Current and recent water quality at these locations are summarized below:

Upgradient Monitoring Locations MW12-303R and P-206A: Despite recent increasing parameter values at upgradient monitoring location P-206A, its groundwater quality is still characterized by low parameter concentrations. There were no MCL and/or MEG exceedances for parameters analyzed at P-206A during 2021. Despite current statistically significant increasing trends over the past three and five years, visual review of water quality trends indicates that the rate of increase has slowed considerably over the past few years. Water quality at P-206A does not appear to be affected by performance of landfill cells or leachate collection and transport systems. Roadway maintenance practices in the vicinity of P-206A could be improved to avoid impacting water quality. Upgradient monitoring location MW12-303R is located in an area that historically has been influenced by roadway maintenance and runoff, and from site construction activities. After review of the April 2018 water quality sampling results at MW12-303R, when there were eight water quality parameters detected at new historical maximum values, SME further investigated the water quality changes at MW12-303R. The water quality at MW12-303R and visual observations of the area surrounding the well indicated the well was likely being influence by stockpiled snow from plowing and stormwater runoff from the access road to Cell 10, which began receiving waste in October 2017. In early summer of 2018, the access roadway and the area surrounding MW12-303R were regraded to divert stormwater runoff away from the well and the well was purged.

The recent water quality parameter value increases observed at MW12-303R appear to be stabilizing or improving.

Water quality at MW12-303R does not appear to be adversely affected by performance of landfill cells or leachate collection and transport systems, based on key indicator parameters at the landfill underdrain monitoring locations.

MW-223A, MW-223B, MW-302R: As discussed in Section 7.3, previous water quality evaluations identified similarities among the Scale House Well, the Office Well, MW-302R, MW-223A, and MW-223B, and showed that they are distinct from the chemical signature of the leachate from LT-C4LR. Water quality assessment, the results of bedrock pumping tests conducted in 2009, and the established hydrogeology in this area indicate that water quality in MW-302R, MW-223A, and MW-223B may in part be associated with upgradient water quality in the vicinity of the Office Well and Scale House Well in addition to the sources previously identified, a former topsoil and stump stockpile area and a subsurface wastewater disposal field located along this preferential groundwater flow direction.

Aside from the seasonal fluctuation in water quality data at MW-302R associated with seasonal stormwater levels in adjacent Detention Pond #5, the water quality is generally stable. Annual maximum specific conductance values and chloride and arsenic concentrations at MW-302R during 2021 were 662 $\mu\text{mhos/cm}$, 68 mg/L, and 0.006 mg/L, respectively. Sodium was the only parameter with an MCL and/or MEG exceedance at MW-302R during 2021.

Visual review of water quality trends at MW-223A and MW-223B show distinct increases in multiple parameter concentrations since about 2005 or later. Previously increasing concentrations of chloride have generally been decreasing over the past five years at MW-223A and have generally been stable at MW-223B. There were no MCL and/or MEG exceedances for parameters analyzed at MW-223A and MW-223B during 2021.

Based on review of current values and trends of key indicator parameters at the landfill underdrain monitoring locations, we do not interpret recent water quality and noted trends at MW-223A, MW-223B, and MW-302R as related to the performance of landfill cells or leachate collection and transport systems.

MW-301: The groundwater quality at MW-301 is consistent with its setting as a monitoring location downgradient from the landfill. There are no current concerns with water quality results at this location related to the performance of landfill cells or leachate collection and transport systems. Although parameter concentrations at MW-301 remained relatively low during 2021, as noted in Section 7.3, there are increasing trends in the water quality data that may be associated with a 2013 well repair (discussed in Section 7.3).

There were no parameters analyzed at MW-301 that exceeded MCL or MEG standards in 2021.

OW-06-03, OW-601A, OW-601B, OW-606A, OW-611A, and MW-507: Baseline groundwater quality was monitored at these locations downgradient from the landfill expansion in 2018. Detection monitoring began at OW-06-03, OW-601A, and OW-601B in 2019 and at OW-606A, OW-611A, and MW-507 in 2021. It is early in the monitoring history for these locations downgradient from the landfill expansion; routine monitoring will continue in 2022 and beyond, and additional data will be useful for evaluating groundwater quality influences from the landfill expansion construction.

Specific conductance values and/or chloride concentrations remain somewhat greater than at monitoring locations upgradient from the JRL at OW-06-03, OW-601A, OW-601B, OW-606A, OW-611A, and MW-507. There were no MCL or MEG exceedances for parameters analyzed at these downgradient locations during 2021, with the exceptions of iron at OW-06-03 (23 mg/L in July 2021) and manganese (8.7 mg/L in July 2021) at OW-06-03.

Monitoring locations OW-06-03, OW-601A, OW-601B, and OW-606A are located in close proximity to the landfill access road and may be influenced by winter road salting. OW-611A is located proximate to MW-223A and MW-223B (discussed above); this location and other

downgradient expansion monitoring locations and may likewise be associated with a preferential groundwater flow path from northeast to southwest.

Review of Stiff diagrams plotted using July 2021 data for landfill expansion downgradient monitoring wells OW-06-03, OW-601A, OW-601B, OW-606A, OW-611A, and MW-507 (Section 7.3, Appendix H) indicates a similar chemical signature to those of MW-223A, MW-223B, and MW-302R and a clear distinction from the chemical signature of the leachate from LT-C4LR (Appendix G).

Arsenic is the only parameter analyzed in groundwater monitoring wells detected above its MCL in 2021. There were only three monitoring wells in the detection monitoring analytical program with arsenic concentrations detected above its MCL (0.01 mg/L) during 2021. The maximum arsenic concentration detected at site-wide monitoring locations was 0.021 mg/L at MW-402B in October 2021. There were no arsenic concentrations detected above its MCL at pore-water or its MFCCC at surface water sampling locations in 2021.

Surface Water, Stormwater, and Pore-Water Monitoring Locations

The 2021 surface water, stormwater, and pore-water monitoring location data are generally characterized by very low values of key indicator parameters by comparison to the JRL leachate (i.e., LT-C4LR). This is generally consistent with historical data at these locations.

Dissolved Methane Monitoring

Of the seventeen locations from which samples were obtained for dissolved methane analysis in 2021, the parameter was only detected above laboratory reporting limits in four locations. Dissolved methane was detected at MW-502 at low concentrations of 190 µg/L in July 2021 and 37 µg/L in October 2021. Dissolved methane was detected at OW-608A at a low concentration of 140 µg/L in October 2021 but was not detected above the laboratory reporting limit of 20 µg/L in July 2021. Dissolved methane was detected at a low concentration of 41 µg/L at OW-602A in July 2021. Dissolved methane was detected at a concentration of 2,900 µg/L at OW-06-03 in July 2021. There are no prior monitoring data for dissolved methane at this location, where routine monitoring has just begun, so no comparison with historical detection is possible for 2021.

Dissolved methane was detected in underdrain monitoring locations LF-LD-11 and LF-LD-12 at low annual maximum concentrations of 59 µg/L at LF-LD-11 in July 2021 and 170 µg/L at LF-LD-12 in October 2021.

Pore-water samples were analyzed for dissolved methane as discussed in Section 7.4. The annual maximum dissolved methane in pore-water samples are lower than the historical maximum concentrations. The historical dissolved methane detections at these locations are consistent with their

hydrologic setting in a freshwater wetland in the cool climate of the northeastern United States, and are attributed to anaerobic biological processes in the saturated wetland soils.

Leak Detection Monitoring Locations

Sampling began at landfill leak detection sampling locations LF-LD-11 and LF-LD-12 in 2021, as discussed in Section 7.6. These locations monitor liquid from the leak detection systems for Cell 11 and Cell 12, respectively. Sampling results show low chloride concentrations and specific conductance values well below those of JRL leachate (i.e., LT-C4LR), and do not indicate the presence of leachate in the leak detection systems for Cell 11 and Cell 12. 2021 specific conductance values at both leak detection monitoring locations were greater than those typical at upgradient monitoring locations, which is likely the result of the recent construction of Cell 11 and Cell 12.

2021 Baseline Monitoring Locations

Baseline monitoring at Cell 13 monitoring locations was conducted and results reported as discussed in Section 7.5, and baseline monitoring will be incorporated into the EMP in 2022. The baseline, October 2021, and 2022 water quality data from these wells will be incorporated into the 2022 Annual Water Quality Report for the JRL.

9.2 Closure and Recommendations

SME recommends that on-site snow removal and winter roadway maintenance practices minimize stockpiling of snow around monitoring locations proximate to roadways.


SME recommends continuing with the current site monitoring program in 2022, which will include water quality monitoring for Cell 13 monitoring wells MW-503, MW-504, MW-505, MW-506, PW-08-01, P-04-11A, P-04-11B, OW-606B, OW-607B, OW-608B, and OW-609B.

APPENDIX A

**RESPONSES TO MEDEP COMMENTS REGARDING THE
PREVIOUS ANNUAL WATER QUALITY REVIEW
(NONE RECEIVED)**

APPENDIX B

**INTERPRETED SHALLOW GROUNDWATER PHREATIC SURFACE AND UPPER
BEDROCK POTENTIOMETRIC SURFACE CONTOUR MAPS AND
2021 QUANTITATIVE ANALYSIS OF MEASURED CHANGES IN
GROUNDWATER ELEVATIONS AT MONITORING LOCATIONS**



NOTES

1. BASE MAP PREPARED BY AERIAL SURVEY & PHOTO INC., NORRIDGEWOCK, MAINE. PHOTO DATE 7/5/17. VERTICAL DATUM: BRASS PLUG AT PUMP STATION AND AT THE ADMINISTRATION BUILDING. HORIZONTAL DATUM: MAINE STATE COORDINATES EAST ZONE NAD 83. GROUND CONTROL BY SEVEE & MAHER ENGINEERS, INC, CUMBERLAND, MAINE. CONTOURS WITHIN EXISTING CELL LINER LIMIT FROM LOW ALTITUDE AERIAL PHOTOGRAMMETRIC MAPPING PERFORMED BY SEVEE & MAHER ENGINEERS, INC. (SME) OF CUMBERLAND, MAINE, DATED DECEMBER 1, 2018. GROUND CONTROL BY SEVEE & MAHER ENGINEERS, INC (SME) OF CUMBERLAND, MAINE USING PROPELLER AEROPOINTS, DATED DECEMBER 1, 2018: HORIZONTAL DATUM - NAD83 MAINE, EAST, US FT. VERTICAL DATUM - NAVD 88, US FT.
2. PROPERTY LINE LOCATIONS ARE A RESULT OF FIELD SURVEY PERFORMED BY HERRICK AND SALSBUURY, INC. LAND SURVEYORS, ELLSWORTH, MAINE FOR TRYTON TREE FARM PROJECT, PATTEN CORPORATION-DOWNEAST, OLD TOWN, MAINE, FEBRUARY 23, 1988, REVISED APRIL 7, 1988.
3. LOCATIONS OF EXPLORATIONS ARE APPROXIMATE.
4. GROUNDWATER CONTOURS BASED ON WATER LEVEL MEASUREMENTS RECORDED DURING SPRING AND FALL OF 2007 (WET AND DRY SEASONS RESPECTIVELY). SUMMER DATA FROM 2008 (WET AND DRY SEASONS RESPECTIVELY).

LEGEND


- 150 INTERPRETED WET-SEASON POTENTIOMETRIC SURFACE, (2007) IN BEDROCK (ELEVATION IN FEET NGVD).
- 150 INTERPRETED DRY-SEASON POTENTIOMETRIC SURFACE, (2007), IN BEDROCK (ELEVATION IN FEET NGVD).
- MW-227
W 160.02
D 158.19 WELL/PIEZOMETER LOCATION WITH ELEVATION OF GROUNDWATER FOR WET (W) AND DRY (D) SEASON.



FIGURE 5-1
 INTERPRETED PHREATIC SURFACE
 SEASONAL HIGH CONDITIONS
 JUNIPER RIDGE LANDFILL EXPANSION
 OLD TOWN, MAINE



I:\server\cds\Casella\OldTown\Landfill\General\EMP\Acad\GW.dwg, 3/19/2019 8:01:13 AM, sjm



NOTES

1. BASE MAP PREPARED BY AERIAL SURVEY & PHOTO INC., NORRIDGEWOCK, MAINE. PHOTO DATE 7/5/17. VERTICAL DATUM: BRASS PLUG AT PUMP STATION AND AT THE ADMINISTRATION BUILDING. HORIZONTAL DATUM: MAINE STATE COORDINATES EAST ZONE NAD 83. GROUND CONTROL BY SEVEE & MAHER ENGINEERS, INC, CUMBERLAND, MAINE. CONTOURS WITHIN EXISTING CELL LINER LIMIT FROM LOW ALTITUDE AERIAL PHOTOGRAMMETRIC MAPPING PERFORMED BY SEVEE & MAHER ENGINEERS, INC. (SME) OF CUMBERLAND, MAINE, DATED DECEMBER 1, 2018. GROUND CONTROL BY SEVEE & MAHER ENGINEERS, INC (SME) OF CUMBERLAND, MAINE USING PROPELLER AEROPOINTS, DATED DECEMBER 1, 2018: HORIZONTAL DATUM - NAD83 MAINE, EAST, US FT. VERTICAL DATUM - NAVD 88, US FT.
2. PROPERTY LINE LOCATIONS ARE A RESULT OF FIELD SURVEY PERFORMED BY HERRICK AND SALSBURY, INC. LAND SURVEYORS, ELLSWORTH, MAINE FOR TRYTON TREE FARM PROJECT, PATTEN CORPORATION-DOWNEAST, OLD TOWN, MAINE, FEBRUARY 23, 1988, REVISED APRIL 7, 1988.
3. LOCATIONS OF EXPLORATIONS ARE APPROXIMATE.
4. GROUNDWATER CONTOURS BASED ON WATER LEVEL MEASUREMENTS RECORDED DURING SPRING AND FALL OF 2007 (WET AND DRY SEASONS RESPECTIVELY). SUMMER DATA FROM 2008 (WET AND DRY SEASONS RESPECTIVELY).

LEGEND

- 150 INTERPRETED WET-SEASON UPPER BEDROCK POTENTIOMETRIC SURFACE CONTOUR (ELEVATION IN FEET NGVD).
- 150 INTERPRETED DRY-SEASON UPPER BEDROCK POTENTIOMETRIC SURFACE CONTOUR (ELEVATION IN FEET NGVD).
- MW-223A
W 174.97
D 173.04 WELL/PIEZOMETER LOCATION WITH ELEVATION OF GROUNDWATER FOR WET (W) AND DRY (D) SEASON.





FIGURE 5-8
INTERPRETED GROUNDWATER
POTENTIOMETRIC SURFACE
IN UPPER BEDROCK
JUNIPER RIDGE LANDFILL EXPANSION
OLD TOWN, MAINE



Quantitative Analysis of Groundwater at JRL

Shallow Groundwater Downgradient of Leachate Pond


(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as $(y = mx + B)$. B is the intercept at a specified date on the y-axis.)



Quantitative Analysis of Groundwater at JRL

Shallow Groundwater at Background

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as $(y = mx + B)$.
B is the intercept at a specified date on the y-axis.)



—■— MW-206

—◆— MW12-303R

..... Linear (MW-206)

..... Linear (MW12-303R)


$$y = -0.0002x + 205.13$$

$$y = -0.0016x + 249.82$$

Quantitative Analysis of Groundwater at JRL

Shallow Groundwater Downgradient of Cell 1

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as $(y = mx + B)$. B is the intercept at a specified date on the y-axis.)



—◆— MW-223B

—■— MW-227

—×— P-04-04

—*— MW04-102

●●● Linear (MW-223B)

●●● Linear (MW-227)

●●● Linear (P-04-04)

●●● Linear (MW04-102)

$y = -0.0001x + 178.85$

$y = -5E-05x + 161.54$


$y = -0.0003x + 172.11$

$y = -0.0003x + 177.85$

Quantitative Analysis of Groundwater at JRL

Deep Groundwater West of Cell 1

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as $(y = mx + B)$.
B is the intercept at a specified date on the y-axis.)




—■— MW-223A
..... Linear (MW-223A)
 $y = -0.0002x + 183.19$

Quantitative Analysis of Groundwater at JRL

Shallow Groundwater Downgradient of Cell 5/6

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as $(y = mx + B)$.
B is the intercept at a specified date on the y-axis.)




—■— MW-402B
●●● Linear (MW-402B)
 $y = -3E-05x + 150.34$

Quantitative Analysis of Groundwater at JRL

Deep Groundwater West of Cell 5

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as $(y = mx + B)$.
B is the intercept at a specified date on the y-axis.)



—◆— MW04-109R

—■— MW09-901

..... Linear (MW04-109R)

..... Linear (MW09-901)


$y = -3E-05x + 154.61$

$y = 0.0005x + 136.74$

Quantitative Analysis of Groundwater at JRL

Deep Groundwater North of Cell 1/2

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as $(y = mx + B)$. B is the intercept at a specified date on the y-axis.)




—◆— MW-302R
••••• Linear (MW-302R)
 $y = -0.0009x + 234.54$

Quantitative Analysis of Groundwater at JRL

Deep Groundwater at Background

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as $(y = mx + B)$.
B is the intercept at a specified date on the y-axis.)




—◆— P-206A
••••• Linear (P-206A)
 $y = -0.0023x + 279.17$

Quantitative Analysis of Groundwater at JRL

Deep Groundwater Downgradient of Leachate Pond

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as $(y = mx + B)$.
B is the intercept at a specified date on the y-axis.)



—■— MW-401A

—◆— P-04-02R

●●● Linear (MW-401A)

●●● Linear (P-04-02R)

$y = -4E-06x + 152.36$

$y = -1E-05x + 158.97$

Quantitative Analysis of Groundwater at JRL

Bedrock Groundwater Downgradient of Expansion (1 of 2)

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as (y = mx + B).
B is the intercept at a specified date on the y-axis.)



OW-601A

OW-602A

OW-604A

MW-04-09A

Linear (OW-601A)

Linear (OW-602A)

Linear (OW-604A)

Linear (MW-04-09A)

$y = -0.0048x + 388.19$

$y = -0.0058x + 431.45$


$y = -0.0057x + 427.73$

$y = 8E-05x + 159.8$

Quantitative Analysis of Groundwater at JRL

Overburden Groundwater Downgradient of Expansion

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as $(y = mx + B)$.
B is the intercept at a specified date on the y-axis.)



—◆— OW-06-03

●●●● Linear (OW-06-03)

$$y = -0.0021x + 272.57$$

—×— OW-601B

●●●● Linear (OW-601B)

$$y = -0.0038x + 346.47$$

—■— MW-04-09B


●●●● Linear (MW-04-09B)

$$y = 1E-05x + 162.75$$

Quantitative Analysis of Groundwater at JRL

Bedrock Groundwater Downgradient of Expansion (2 of 2)

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as $(y = mx + B)$.
B is the intercept at a specified date on the y-axis.)



APPENDIX C

**2021 AND HISTORICAL FALL SPECIFIC
CONDUCTANCE DATA (EXPANDED LOCATIONS)**

REPORT PREPARED: 2/23/2022 07:44
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Conductivity and Water Levels

Page 1 of 13
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(DP-4) Date	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet														
DP-4																		
10/26/2009	409	13.68	155.69	27.05														
10/18/2010	401	14.98	154.39	27.1														
10/24/2011	256	16.95	152.42	27.06														
10/24/2012	302	14.08	155.29	27.06														
10/30/2013	273	14.9	154.47	27.06														
10/21/2014	239	14.67	154.7	27.05														
10/28/2015	278	14.57	154.8	27.05														
10/26/2016	267	15	154.37	27.1														
10/23/2017	201	17.02	152.35	27.17														
10/3/2018	214	15.25	154.12	27.16														
10/28/2019	272	14.91	154.46	27.1														
10/26/2020	249	15.1	154.27	27.12														
10/4/2021	268	14.78	154.59	27.12														
MW04-101																		
10/28/2008	176																	
10/27/2009	191	4.1	163.82	23.75														
10/18/2010	198	5.1	162.82	23.75														
10/25/2011	177	5.7	162.22	23.75														
10/22/2012	196	5.45	162.47	23.75														
10/28/2013	186	6.42	161.5	23.82														
10/21/2014	193	5.86	162.06	23.82														
10/26/2015	189	5.8	162.12	23.82														
10/24/2016	211	6.2	161.72	23.82														
10/23/2017	213	7.2	160.72	23.82														
10/3/2018	204	6.3	161.62	23.83														
10/28/2019	!	!	!	!														
10/28/2020	!	!	!	!														
MW04-102																		
10/27/2009	236	5.27	164.95	17.84														
10/19/2010	232	5.85	164.37	17.97														
10/25/2011	209	6.5	163.72	17.85														
10/22/2012	221	5.78	164.44	17.98														
10/28/2013	207	7.1	163.12	18.05														
10/21/2014	196	6.58	163.64	18.05														
10/28/2015	214	6.75	163.47	18.05														
10/25/2016	237	7.2	163.02	18.05														
10/25/2017	240	8.2	162.02	18.05														
10/3/2018	224	7.95	162.27	18.05														
10/28/2019	216	6.55	163.67	18.05														
10/26/2020	224	8	162.22	18.05														
10/4/2021	230	8	162.22	18.05														
MW04-104																		
10/28/2008	192																	
10/27/2009	213	7.3	160.76	28														
10/18/2010	229	8	160.06	28														
10/25/2011	206	8	160.06	28														

SUMMARY REPORT
Conductivity and Water Levels

(MW04-104)	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet													
Date																	
10/22/2012	231	7.5	160.56	28													
10/29/2013	209	9	159.06	28.05													
10/22/2014	203	8.2	159.86	28.07													
10/26/2015	222	8.46	159.6	28.08													
10/25/2016	242	8.8	159.26	28.05													
10/24/2017	239	9.6	158.46	28.07													
10/2/2018	236	9.2	158.86	28.07													
10/28/2019	229	8.1	159.96	28.06													
10/28/2020	231	8	160.06	27.9													
10/5/2021	236	8.85	159.21	27.9													
MW04-105																	
10/26/2009	528	5.8	159.79	22.75													
10/18/2010	306	6.9	158.69	22.75													
10/25/2011	217	6.9	158.69	22.75													
10/22/2012	252	6.6	158.99	22.75													
10/29/2013	286	8.43	157.16	22.83													
10/22/2014	322	7.28	158.31	22.83													
10/28/2015	296	7.62	157.97	22.83													
10/26/2016	305	8.31	157.28	22.83													
10/23/2017	332	9.2	156.39	22.85													
10/1/2018	341	8.61	156.98	22.84													
10/28/2019	218	7.2	158.39	22.83													
10/27/2020	276	8.3	157.29	22.84													
10/5/2021	328	8.15	157.44	22.84													
MW04-109R																	
10/19/2010	488	6.6	153.53	22.92													
10/25/2011	416	6.62	153.51	22.95													
10/23/2012	404	6.4	153.73	22.92													
10/29/2013	397	7.41	152.72	22.97													
10/21/2014	389	7.07	153.06	22.98													
10/27/2015	429	7	153.13	22.97													
10/25/2016	425	7.35	152.78	22.97													
10/24/2017	453	8.62	151.51	22.97													
10/2/2018	437	7.85	152.28	22.97													
10/28/2019	418	5.96	154.17	22.97													
10/27/2020	391	7.08	153.05	27.98													
10/5/2021	386	6.75	153.38	27.98													
MW-204																	
10/26/2009	309	8.7	156.05	24.42													
10/19/2010	200	9.32	155.43	24.45													
10/26/2011	180	9.1	155.65	24.45													
10/24/2012	193	9.05	155.7	24.45													
10/30/2013	185	9.95	154.8	24.43													
10/22/2014	192	9.45	155.3	24.48													
10/26/2015	167	9.4	155.35	24.43													
10/26/2016	218	10.05	154.7	24.43													
10/23/2017	272	11.5	153.25	24.43													
10/3/2018	277	10.17	154.58	24.48													

SUMMARY REPORT
Conductivity and Water Levels

(MW-204)	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet														
Date																		
10/28/2019	253	9	155.75	24.49														
10/26/2020	265	10.1	154.65	24.47														
10/4/2021	357	9.65	155.1	24.47														
MW-206																		
10/28/2009	141	6.05	198.62	23.08														
10/18/2010	187	6.85	197.82	23.08														
10/24/2011	148	4.67	200	23.1														
10/22/2012	157	4.55	200.12	23.09														
10/28/2013	135	8.05	196.62	23.15														
10/20/2014	142	7.8	196.87	23.15														
10/26/2015	139	6.8	197.87	23.15														
10/24/2016	167	13.95	190.72	23.15														
10/23/2017	146	14.9	189.77	23.15														
10/1/2018	147	13.2	191.47	23.15														
10/28/2019	149	4.5	200.17	23.15														
10/26/2020	148	9.6	195.07	23.15														
10/4/2021	154	5.8	198.87	23.15														
MW-216BR																		
10/19/2010	289	5.51	153.89	22.46														
10/25/2011	400	5.48	153.92	22.48														
10/23/2012	334	5.2	154.2	22.45														
10/29/2013	278	6.35	153.05	22.53														
10/21/2014	263	6	153.4	22.53														
10/26/2015	257	5.85	153.55	22.54														
10/25/2016	273	6.3	153.1	22.52														
10/23/2017	258	7.7	151.7	22.52														
10/2/2018	266	6.8	152.6	22.53														
10/29/2019	164	4.7	154.7	22.25														
10/27/2020	196	6	153.4	22.48														
10/5/2021	140	5.9	153.5	22.48														
MW-223A																		
5/19/2008		4.22	172.32															
7/30/2008		1.87	174.67															
10/27/2009	271	1.35	175.19	35.44														
10/19/2010	326	2.2	174.34	35.42														
10/25/2011	367	0.7	175.84	35.56														
10/23/2012	390	0.5	176.04	35.48														
10/29/2013	420	1.95	174.59	35.56														
10/20/2014	435	2.43	174.11	35.57														
11/6/2014		0.68	175.86															
10/27/2015	490	1.4	175.14	35.57														
10/25/2016	547	3.7	172.84	35.57														
10/24/2017	552	4.5	172.04	35.57														
10/2/2018	556	4.95	171.59	35.6														
10/29/2019	548	0.93	175.61	35.57														
10/27/2020	583	2.8	173.74	35.57														
10/5/2021	628	2.35	174.19	35.57														

REPORT PREPARED: 2/23/2022 07:44
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Conductivity and Water Levels

Page 4 of 13
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(MW-223B)	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet														
Date																		
MW-223B																		
5/19/2008		3.7	172.23															
7/30/2008		3.17	172.76															
10/27/2009	331	2.65	173.28	19.95														
10/19/2010	316	3.45	172.48	20														
10/25/2011	327	2.2	173.73	19.93														
10/23/2012	333	2.1	173.83	20.05														
10/29/2013	336	3.3	172.63	20.07														
10/20/2014	350	3.5	172.43	20.07														
11/6/2014		2.19	173.74															
10/27/2015	394	2.8	173.13	20.05														
10/25/2016	436	4.5	171.43	20.07														
10/24/2017	446	5.25	170.68	20.06														
10/2/2018	485	5.7	170.23	20.07														
10/29/2019	480	2.4	173.53	20.07														
10/27/2020	505	3.8	172.13	20.07														
10/5/2021	531	3.6	172.33	20.07														
MW-227																		
10/27/2009	182	4.1	160.13	22.2														
10/19/2010	189	4.42	159.81	22.3														
10/25/2011	188	4.05	160.18	22.28														
10/23/2012	201	4.23	160	22.3														
10/29/2013	177	4.65	159.58	22.28														
10/20/2014	181	4.6	159.63	22.3														
10/27/2015	182	4.6	159.63	22.3														
10/25/2016	199	4.61	159.62	22.3														
10/24/2017	191	5.65	158.58	22.3														
10/2/2018	191	5.18	159.05	22.3														
10/29/2019	181	4.19	160.04	22.3														
10/27/2020	184	4.45	159.78	22.31														
10/5/2021	191	4.65	159.58	22.31														
MW-301																		
10/26/2009	276	4.25	162.11	185.15														
10/19/2010	340	4.96	161.4	182.45														
10/26/2011	204	4.11	162.25	185.1														
10/24/2012	171	4.56	161.8	179.61														
10/30/2013	198	0.1	165.81	184.1														
10/22/2014	299	0.3	165.61	184.1														
10/27/2015	205	0.23	165.68	185.11														
10/26/2016	218	0.38	165.53	185.11														
10/25/2017	225	0.2	165.71	185.11														
10/1/2018	242	0.95	164.96	185.13														
10/28/2019	248	F1		185.1														
10/26/2020	248	1.8	164.11	185.12														
10/4/2021	259	0.9	165.01	185.11														
MW-302R																		
5/19/2008		7.08	199.78															

SUMMARY REPORT
Conductivity and Water Levels

(MW-302R)	Specific Conductance	Water Level Depth	Water Level Elevation	Well Depth														
Date	µmhos/cm @25°C	Feet	Feet	Feet														
7/29/2008		8.27	198.59															
10/27/2009	470	8.46	198.4	32.25														
10/18/2010	649	8.05	198.81	32.22														
10/24/2011	400	6.6	200.26	32.2														
10/22/2012	463	4.12	202.74	32.2														
10/28/2013	341	14.15	192.71	32.22														
10/20/2014	500	15.75	191.11	32.22														
11/6/2014		6.53	200.33															
10/26/2015	766	9.2	197.66	32.22														
10/24/2016	630	18.5	188.36	32.22														
10/23/2017	698	19.35	187.51	32.25														
10/1/2018	851	19.6	187.26	32.23														
10/28/2019	317	5.17	201.69	32.2														
10/26/2020	562	13.8	193.06	32.27														
10/4/2021	450	11.2	195.66	32.27														

MW-303 & MW12-303R

10/23/2012	189	27.47	181.42	43.32														
10/28/2013	223	27.43	181.46	43.38														
10/20/2014	440	30.08	178.81	43.38														
10/26/2015	370	29.29	179.6	43.4														
10/24/2016	681	32.5	176.39	43.4														
10/23/2017	414	19.35	189.54	43.4														
10/1/2018	408	32.08	176.81	43.4														
10/28/2019	380	29.12	179.77	43.4														
10/26/2020	577	33.4	175.49	43.4														
10/4/2021	673	31.77	177.12	43.4														

MW-401A

10/28/2009	165	4.12	152.71	111.98														
10/20/2010	191	5.52	151.31	112.1														
10/24/2011	128	3.62	153.21	112.02														
10/22/2012	119	0.93	155.9	112.02														
10/28/2013	140	6.1	150.73	112.04														
10/20/2014	118	7.15	149.68	112.04														
10/26/2015	118	4.8	152.03	112.03														
10/24/2016	127	8.5	148.33	112.2														
10/25/2017	303	8.55	148.28	112.18														
10/1/2018	146	8.72	148.11	112.2														
10/28/2019	140	2.21	154.62	112.21														
10/26/2020	122	6.27	150.56	112.03														
10/4/2021	128	3.41	153.42	112.03														

MW-401B

10/28/2009	520	6.6	150.72	23.2														
10/20/2010	514	6.82	150.5	23.1														
10/24/2011	319	6.63	150.69	23.12														
10/22/2012	310	6.35	150.97	23.13														
10/28/2013	376	7.2	150.12	23.11														
10/20/2014	336	7.14	150.18	23.12														
10/26/2015	335	6.97	150.35	23.1														

SUMMARY REPORT
Conductivity and Water Levels

(MW-401B)	Specific Conductance	Water Level Depth	Water Level Elevation	Well Depth														
Date	µmhos/cm @25°C	Feet	Feet	Feet														
10/24/2016	355	7.34	149.98	23.1														
10/25/2017	375	8.25	149.07	23.14														
10/1/2018	363	7.9	149.42	23.14														
10/28/2019	327	6.2	151.12	23.14														
10/26/2020	296	7.1	150.22	23.13														
10/4/2021	287	6.68	150.64	23.13														
MW-402A																		
10/28/2009	183	F1		108.45														
10/20/2010	197	F1		108.35														
10/26/2011	130	0	152.2	108.35														
10/24/2012	116	F1		108.35														
10/30/2013	141	0	152.2	108.35														
10/22/2014	58	0.25	151.95	108.3														
10/28/2015	117	0.04	152.16	108.28														
10/26/2016	126	0.46	151.74	108.28														
10/26/2017	122	0.05	152.15	108.28														
10/3/2018	136	0.45	151.75	108.3														
10/30/2019	128	0.05	152.69	108.35														
10/28/2020	112	F1		108.55														
10/4/2021	118	0.06	152.14	108.55														
MW-402B																		
10/28/2009	215	2.98	149.76	25.26														
10/20/2010	246	3.4	149.34	25.18														
10/26/2011	160	2.95	149.79	25.18														
10/24/2012	141	2.9	149.84	25.2														
10/30/2013	174	3.8	148.94	25.18														
10/22/2014	147	3.87	148.87	25.13														
10/28/2015	142	3.25	149.49	25.16														
10/26/2016	150	5.21	147.53	25.15														
10/26/2017	147	4.58	148.16	25.16														
10/3/2018	162	5.82	146.92	25.16														
10/30/2019	151	2.65	149.55	25.14														
10/28/2020	131	3.92	148.82	25.2														
10/4/2021	132	3.15	149.59	25.2														
MW09-901																		
10/19/2010	300	9.25	155.85	22.75														
10/23/2012	197	8.8	156.3	22.73														
10/29/2013	195	10.63	154.47	22.8														
10/21/2014	266	9.7	155.4	22.8														
10/27/2015	318	9.48	155.62	22.82														
10/25/2016	353	10.5	154.6	22.82														
10/24/2017	392	11.92	153.18	22.8														
10/2/2018	390	11	154.1	22.82														
10/29/2019	333	5.89	159.21	22.82														
10/27/2020	341	8.15	156.95	22.81														
10/5/2021	346	7.3	157.8	22.81														
P-04-02R																		

SUMMARY REPORT
 Conductivity and Water Levels

(P-04-02R)	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet													
Date																	
10/28/2015	700	11.8	158.92	37.98													
10/26/2016	629	12.81	157.91	37.96													
10/25/2017	481	13.5	155.24	38													
10/3/2018	456	13.25	155.49	38													
10/30/2019	331	11.5	159.22	38													
10/28/2020	284	13.18	157.54	37.88													
10/6/2021	274	13.88	156.84	37.88													
P-04-04																	
10/27/2009	175	7.96	161.39	32.21													
10/20/2010	177	9	160.35	32.25													
10/26/2011	181	9.3	160.05	32.3													
10/24/2012	158	8.9	160.45	32.33													
10/30/2013	194	10.01	159.24	32.26													
10/22/2014	165	9.35	159.9	32.28													
10/28/2015	161	9.06	160.19	32.31													
10/26/2016	184	10.53	158.72	32.3													
10/25/2017	189	10.8	158.45	32.34													
10/3/2018	196	10.92	158.33	32.34													
10/30/2019	187	9.2	160.05	32.34													
10/28/2020	167	10.8	158.45	37.1													
10/6/2021	175	10.2	159.05	37.1													
P-201A																	
5/19/2008		1.65	147.9														
7/30/2008		0	149.55														
10/29/2008	123	F1															
10/27/2009	328	F1		70.25													
10/19/2010	287	2.46	147.09	Q													
10/25/2011	131	1.92	147.63	21.84													
10/23/2012	118	1.8	147.75	7.5 Q													
10/30/2013	232	2.65	146.9	22.95													
10/21/2014	78	2.99	146.56	Q													
11/6/2014		2.28	147.27														
10/28/2015	119	2.45	147.1	21.62													
10/25/2016	85	3.18	146.37	21.62													
10/26/2017	73	2.72	146.83	21.62													
10/2/2018	187	3.4	146.15	21.62													
10/29/2019	176	1.99	147.56	21.62													
10/27/2020	186	2.86	146.69	22.48													
10/7/2021	124	2.21	147.34	22.48													
P-201B																	
5/19/2008		0	152.18														
7/30/2008		2.8	149.38														
10/29/2008	146																
10/27/2009	195	F1		68.1													
10/19/2010	248	F1		67.92													
10/25/2011	150	0.05	152.13	68.1													
10/23/2012	120	F1		71.1													
10/30/2013	147	0	152.18	69.3													

SUMMARY REPORT
Conductivity and Water Levels

(P-201B)	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet														
Date																		
10/21/2014	124	F1		70.7														
11/6/2014		0.62	151.56															
10/28/2015	77	F1		70.7														
10/25/2016	158	F1		70.12														
10/26/2017	104	F1		70.12														
10/2/2018	138	F1		70.12														
10/29/2019	148	0.19	151.99	70.12														
10/27/2020	116	2.66	149.52	73.97														
10/7/2021	115	2.13	150.05	73.97														
P-201C																		
5/19/2008		0	152.19															
7/30/2008		1.68	150.51															
10/29/2008	136																	
10/27/2009	209	2.45	149.74	49.45														
10/19/2010	235	2.29	149.9	49.4														
10/25/2011	147	2.25	149.94	49.53														
10/23/2012	121	F1		42.85														
10/30/2013	264	2.2	149.99	68.15														
10/21/2014	150	3.76	148.43	67.82														
11/6/2014		F1																
10/28/2015	150	0.77	151.42	67.82														
10/25/2016	160	2.4	149.79	67.82														
10/26/2017	123	2.18	150.01	67.82														
10/2/2018	156	5.65	146.54	67.82														
10/29/2019	150	2.62	149.57	67.82														
10/27/2020	141	4.39	147.8	68.05														
10/7/2021	126	2.19	150	68.05														
P-201D																		
5/19/2008		0.35	150.98															
7/30/2008		0.2	151.13															
10/29/2008	127																	
10/27/2009	325	0.05	151.28	43.15														
10/19/2010	220	0.7	150.63	42.4														
10/25/2011	143	F1		43.02														
10/23/2012	128	3.1	148.23	49.46														
10/30/2013	279	2.57	148.76	49.8														
10/21/2014	153	3.02	148.31	49.42														
11/6/2014		2.14	149.19															
10/28/2015	142	2.15	149.18	49.42														
10/25/2016	164	3.57	147.76	49.42														
10/26/2017	122	3.05	148.28	49.42														
10/2/2018	157	3.75	147.58	49.92														
10/29/2019	149	2.11	149.22	49.92														
10/27/2020	134	3.22	148.11	48.57														
10/7/2021	132	0.78	150.55	48.57														
P-201E																		
5/19/2008		0	152.26															
7/30/2008		A																

SUMMARY REPORT
 Conductivity and Water Levels

(P-201E)	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet														
Date																		
10/29/2008	249																	
10/27/2009	532	2.2	150.06	Q														
10/19/2010	286	F1		71.1														
10/25/2011	225	F1		69.8														
10/23/2012	135	F1		67.93														
10/30/2013	281	1.11	151.15	44.15														
10/21/2014	130	2.04	150.22	42.5														
11/6/2014		F1																
10/28/2015	151	0.7	151.56	42.5														
10/25/2016	164	2.39	149.87	42.5														
10/26/2017	117	1.94	150.32	42.5														
10/2/2018	150	2.6	149.66	42.5														
10/29/2019	135	2.11	150.15	42.5														
10/27/2020	122	2.02	150.24	43.1														
10/7/2021	214	2.24	150.02	43.1														
P-202A																		
5/19/2008		1	148.38															
7/30/2008		1.58	147.8															
10/27/2008	162																	
10/27/2009	125	2.55	146.83	21.35														
10/19/2010	250	3.1	146.28	21.3														
10/26/2011	175	1.98	147.4	21.3														
10/22/2012	171	2.1	147.28	21.3														
10/28/2013	236	2.2	147.18	32.15														
10/20/2014	164	3.16	146.22	21.31														
11/6/2014		2.2	147.18															
10/27/2015	179	2.25	147.13	21.31														
10/26/2016	191	3.59	145.79	21.31														
10/26/2017	132	2.9	146.48	21.31														
10/2/2018	110	4.5	144.88	6.31														
10/30/2019	89	1.94	147.44	6.31														
10/28/2020	99	2.98	146.4	21.18														
10/4/2021	F21	F21		F21														
P-202B																		
5/19/2008		2	147.37															
7/30/2008		2.41	146.96															
10/27/2008	155																	
10/27/2009	250	2.2	147.17	Q														
10/19/2010	312	2.35	147.02	16.05														
10/26/2011	212	2.9	146.47	6.05														
10/22/2012	171	2.25	147.12	6.1 Q														
10/28/2013	191	2.25	147.12	21.4														
10/20/2014	168	2.29	147.08	6.31 Q														
11/6/2014		2.75	146.62															
10/27/2015	173	2.85	146.52	6.31 Q														
10/26/2016	194	2.97	146.4	6.31 Q														
10/26/2017	138	3.63	145.74	6.31														
10/2/2018	144	3.15	146.22	21.31														

SUMMARY REPORT
 Conductivity and Water Levels

(P-202B)	Specific Conductance	Water Level Depth	Water Level Elevation	Well Depth														
Date	µmhos/cm @25°C	Feet	Feet	Feet														
10/30/2019	116	2.29	147.08	21.31														
10/28/2020	87	2.31	147.06	6.02														
10/4/2021	F21	F21		F21														
P-206A																		
10/28/2013	126	22.9	181.61	93.5														
10/20/2014	128	25.7	178.81	93.48														
10/26/2015	146	24.9	179.61	93.45														
10/24/2016	192	28.2	176.31	93.43														
10/23/2017	221	27.6	176.91	93.45														
10/1/2018	234	28.4	176.11	93.43														
10/28/2019	218	24.8	179.71	93.43														
10/26/2020	F5	30 A6	174.51	93.15														
10/4/2021	249	27.3	177.21	93.15														
P-209A																		
5/21/2008		L																
7/30/2008		L																
10/29/2008	69																	
10/27/2009	93	3.85	174.94	55.95														
10/19/2010	282	6.58	172.21	55.9														
10/25/2011	124	F1		55.9														
10/23/2012	45	F1		55.91														
10/29/2013	84	9.3	169.49	56.1														
10/21/2014	82	22.21	156.58	55.82														
11/6/2014		3.25	175.54															
10/28/2015	70	41.2	137.59	55.82														
10/25/2016	199	25.92	152.87	55.82														
10/26/2017	56	22.11	156.68	55.82														
10/3/2018	59	25.65	153.14	55.82														
10/29/2019	89	F1		55.82														
10/27/2020	72	23.73	155.06	54.644														
10/5/2021	63	1.89	176.9	54.64														
P-209B																		
5/21/2008		L																
7/30/2008		L																
10/29/2008	100																	
10/27/2009	70	4.25	174.57	30.75														
10/19/2010	240	6.85	171.97	30.71														
10/25/2011	69	0.15	178.67	30.66														
10/23/2012	76	F1		30.75														
10/29/2013	124	9.4	169.42	30.83														
10/21/2014	184	22.35	156.47	30.65														
11/6/2014		4.28	174.54															
10/28/2015	125	3.62	175.2	30.65														
10/25/2016	124	26.17	152.65	30.65														
10/26/2017	77	22.85	155.97	30.65														
10/3/2018	103	25.84	152.98	30.65														
10/29/2019	85	0.12	178.7	30.65														
10/27/2020	84	23.95	154.87	30.81														

SUMMARY REPORT
 Conductivity and Water Levels

(P-209B)	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet														
Date																		
10/5/2021	51	1.92	176.9	30.81														
P-209C																		
5/21/2008		L																
7/30/2008		L																
10/29/2008	71																	
10/27/2009	D	D		12.75														
10/19/2010	D	D		12.76														
10/25/2011	95	3.15	175.73	12.82														
10/23/2012	55	3.2	175.68	12.75														
10/29/2013	D	12.61	166.27	12.63														
10/21/2014	D	D		9.82														
11/6/2014		D																
10/28/2015	D	D		9.82														
10/25/2016	D	D		9.82														
10/26/2017	D	D		9.82														
10/3/2018	D	D		9.82														
10/29/2019	61	2.85	176.03	9.82														
10/27/2020	D	D		9.87														
10/5/2021	D	D		9.87														
P-211A																		
5/21/2008		D																
7/30/2008		5.87	177.7															
10/27/2008	73																	
10/27/2009	83	5.5	178.07	25.6														
10/18/2010	87	6	177.57	25.6														
10/25/2011	140	5.4	178.17	25.6														
10/22/2012	176	3.8	179.77	25.62														
10/29/2013	215	7.4	176.17	25.63														
10/21/2014	180	5.5	178.07	25.62														
11/6/2014		4.21	179.36															
10/26/2015	196	4.7	178.87	25.6														
10/24/2016	281	8.3	175.27	25.58														
10/23/2017	364	8.35	175.22	25.68														
10/2/2018	392	9.2	174.37	13.25														
10/29/2019	437	5.3	178.27	25.43														
10/28/2020	422	6.42	177.15	25.65														
10/6/2021	515	7.08	176.49	25.67														
P-211B																		
5/21/2008		20.81	163.16															
7/30/2008		6.28	177.69															
10/27/2008	115																	
10/27/2009	96	6.1	177.87	13.43														
10/18/2010	101	6.4	177.57	13.42														
10/25/2011	123	6.1	177.87	13.45														
10/22/2012	165	4.3	179.67	13.43														
10/29/2013	194	7.8	176.17	13.5														
10/21/2014	249	5.7	178.27	13.44														
11/6/2014		4.36	179.61															

SUMMARY REPORT
 Conductivity and Water Levels

(P-211B)	Specific Conductance	Water Level Depth	Water Level Elevation	Well Depth														
Date	µmhos/cm @25°C	Feet	Feet	Feet														
10/26/2015	282	5.4	178.57	13.5														
10/24/2016	284	7.8	176.17	13.5														
10/23/2017	477	8.2	175.77	13.5														
10/2/2018	506	9.15	174.82	25.65														
10/29/2019	482	5.4	178.57	13.23														
10/28/2020	473	6.4	177.57	13.5														
10/6/2021	469	6.75	177.22	13.5														
P-220A																		
5/19/2008		0	147.99															
7/30/2008		F1																
10/29/2008	170																	
10/27/2009	223	F1		40.9														
10/18/2010	264	F1		40.95														
10/26/2011	172	F1		40.91														
10/22/2012	157	F1		40.82														
10/28/2013	186	F1	147.99	41.02														
10/20/2014	152	F1		40.8														
11/6/2014		F1																
10/27/2015	187	F1		40.8														
10/25/2016	189	0.37	147.62	40.8														
10/26/2017	137	0.35	147.64															
10/2/2018	177	0.35	147.64	40.8														
10/30/2019	F12	F12		F12														
10/26/2020	A	A		A														
10/4/2021	F21	F21		F21														
P-220B																		
5/19/2008		0	148.05															
7/30/2008		F1																
10/29/2008	157																	
10/27/2009	239	F1		22.85														
10/18/2010	309	F1		22.85														
10/26/2011	202	F1		22.82														
10/22/2012	233	F1		22.85														
10/28/2013	205	F1	148.05	22.88														
10/20/2014	154	F1		22.8														
11/6/2014		F1																
10/27/2015	201	F1		22.78														
10/25/2016	181	0.63	147.42	22.78														
10/26/2017	134	0.57	147.48															
10/2/2018	110	0.47	147.58	22.78														
10/30/2019	F12	F12		F12														
10/26/2020	A	A		A														
10/4/2021	F21	F21		F21														

(P-220B)	Specific Conductance	Water Level Depth	Water Level Elevation	Well Depth
Date	µmhos/cm @25°C	Feet	Feet	Feet

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.

Concentration Qualifier Notes:

- !- The sampling location was damaged or destroyed.
- A- The sampling location was Inaccessible
- A6- Approximate value.
- D- The sampling location was dry.
- F1- Well was flowing
- F12- Pipe under water, no sample taken.
- F21- Area flooded by water. Beaver dam in area.
- F5- Water level not high enough to pump.
- L- Could not locate sampling location.
- Q- An obstruction prevented the collection of data.

APPENDIX D

2021 AND HISTORICAL WATER QUALITY DATA

REPORT PREPARED: 2/23/2022 08:22
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
 Field Data

Page 1 of 59
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(DP-4)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU
DP-4														
4/25/2012	XX	GWXXXX52G	334	6.3	9.1	169.37	155.27	14.1	232	1			120	5.9
7/25/2012	XX	GWXXXX57F	313	6.2	13.8	169.37	154.07	15.3	25	0.6			120	3.7
10/24/2012	XX	GWXXXX5E6	302	7.3	9.4	169.37	155.29	14.08	221	1		27.06	100	7.9
4/24/2013	XX	GWXXXX5IH	293	6.5	7.2	169.37	154.99	14.38	240	1			70	10
10/30/2013	XX	GWDP4X689	273	5.8	10.7	169.37	154.47	14.9	217	0.8		27.06	70	3.9
10/21/2014	XX	GWDP4X72C	239	6.7	13.1	169.37	154.72	14.65	343	0.8		27.05	75	0.6
10/28/2015	XX	GWDP4X7J6	278	6.6	10.5	169.37	154.8	14.57	257	0.9		27.05		3
10/26/2016	XX	GWDP4X908	267	6.5	10.2	169.37	154.37	15	296	0.6		27.1		7
10/23/2017	XX	GWDP4X9I7	201	6.2	14.3	169.37	152.35	17.02	284	0.4		22.17		5.5
10/3/2018	XX	GWDP4XB25	214	6.3	12.3	169.37	154.12	15.25	285	1.4		27.16		4.7
10/28/2019	XX	GWDP4XBJ5	272	6.5	10.7	169.37	154.46	14.91	236	0.5		27.1		14.9
10/26/2020	XX	GWDP4XD49	249	6.4	11.8	169.37	154.27	15.1	315	0.6		27.12		12.5
10/4/2021	XX	GWDP4XE7A	268	6.1	14.8	169.37	154.59	14.78	193	0.7				4.9

LF-COMP														
Date	Type	Sample ID	Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)
			µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU
1/26/2012	XX	LFCMPX58I	381	7.5	17				372	6			140	1.05
2/24/2012	XX	LFCMPX599	366	7.5	13.7				371	5			145	0.91
3/23/2012	XX	LFCMPX5A0												
4/16/2012	XX	LFCMPX5AB												
4/24/2012	XX	LFXXXX53B	314	7.2	17.8				403	6			85	4.4
5/3/2012	XX	LFCMPX5B2	400	7	18.7				446	6			140	11.82
6/29/2012	XX	LFCMPX5BD	394	6.9	22.5				444	5			125	0.07
7/31/2012	XX	LFCMPX5C4	389	7.3	29.7				383	8			150	0.33
8/31/2012	XX	LFCMPX5F5	421	6.9	22.1				384	6			150	0.27
9/27/2012	XX	LFCMPX5FG	373	7.3	21.2				348	8			150	0.14
11/13/2012	XX	LFCMPX5G7	307	7.6	17.7				355	6			135	3.91
12/31/2012	XX	LFCMPX5GI	306	7.7	11.4				406	8			130	5.27
1/30/2013	XX	LFCMPX60E	239	7.1	15.1				426	7			100	9.85
2/15/2013	XX	LFCMPX602	306	7.5	13.5				407	6			145	3.75
3/28/2013	XX	LFCMPX617	294	8	16.7				333	8			170	0.74
4/24/2013	XX	LFCMPX61J	262	7.1	15.9				347	6			160	0.39
5/30/2013	XX	LFCMPX62B	271	7.3	20.4				331	8			160	0.4
6/26/2013	XX	LFCMPX633	311	7.8	20.2				397	8			150	1.48
8/20/2013	XX	LFCMPX69D	397	7.1	25.3				383	6			150	0.44
9/26/2013	XX	LFCMPX691	384	8.1	18.3				399	8			125	0.72
11/25/2013	XX	LFCMPX6A6	370	8.4	7.2				371	8			160	0.32
12/17/2013	XX	LFCMPX6D6	359	7.5	8.9				433	8			185	5.86
1/24/2014	XX	LFCMPX6DI	360	7.4	7.2				342	8			170	2.17
2/24/2014	XX	LFCMPX6HF	387	7.5	11.4				397	9 E2			200	1.46
3/27/2014	XX	LFCMPX6H3	383	8.1	13.7				334	8			200	2.22
4/29/2014	XX	LFCMPX6I7	354	7.9	17.5				333	8			180	0.76
5/23/2014	XX	LFCMPX716	390	7.7	21.5				355	8			200	0.63
6/24/2014	XX	LFCMPX711	442	7.2	21.6				370	6			190	0.74
8/26/2014	XX	LFCMPX74I	M7	M7	M7				M7	M7			M7	M7
9/23/2014	XX	LFCMPX759	449	7.6	23.1				345				165	0.09
11/28/2014	XX	LFCMPX761	366	7.3	15.6				366	6			150	M
12/24/2014	XX	LFCMPX76E	398	7	17.3				438	6			150	0.89
2/3/2015	XX	LFCMPX775	383	7.4	14.3				386	5			185	0.03

SUMMARY REPORT

Field Data

(LF-COMP)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
2/21/2015	XX	LFCMPX77G	321	7.5	17.7				369	4.5			185	0.63		
3/28/2015	XX	LFCMPX7AE	372	7.3	15.8				409	6			150	0.65		
9/26/2015	XX	LFCMPX809	314	6.7	21.4				380	8			160	0.5		
8/29/2016	XX	LFCMPX90J	454	6.9	24.6				337	8			220	2.9		
9/23/2016	XX	LFCMPX93I	458	7.52	19				304	9			230	2.1		
10/31/2016	XX	LFCMPX94C	426	8.21	14.3				314	8			125	0.4		
11/29/2016	XX	LFCMPX957	218	7.39	12.3				357	6			150	0.9		
12/13/2016	XX	LFCMPX960	196	8.06	5.6				345	10			140	1		
1/10/2017	XX	LFCMPX99J	223	7.77	15.1				373	8			145	0.4		
2/8/2017	XX	LFCMPX9AC	311	7.71	14.2				358	9			125	0.4		
3/3/2017	XX	LFCMPX9B5	194	7.74	16				352	7			130	0.5		
4/5/2017	XX	LFCMPX996	206	7.95	18.7				349	8			105	3.6		
7/31/2017	XX	LFCMPX9FC	468	7.3	23.9				391	6			250	0.8		
9/28/2017	XX	LFCMPX9JE	492	7.4	18.9				360	8			240	7.1		
10/26/2017	XX	LFCMPXA06	473	6.9	17.7				414	6			160	1.3		
4/28/2018	XX	LFCMPXAAH	395	7.8	16.2				384	8			150	0.3		
6/2/2018	XX	LFCMPXAE1	433	8	19.7				365	7			130	0.3		
7/2/2018	XX	LFCMPXAJ1	483	8	22.4				367	7			180	0.2		
8/17/2018	XX	LFCMPXAJ2	498	7	22.8				355	7			200	5.6		
9/1/2018	XX	LFCMPXB28	485	7.8	19.9				376	7			200	4.8		
10/13/2018	XX	LFCMPXB32	481	7	14.9				374	7			190	1.7		
11/2/2018	XX	LFCMPXB3G	399	7.1	11.3				361	7			150	2.8		
12/7/2018	XX	LFCMPXB7F	309	8	8.4				374	7			175	1.1		
1/3/2019	XX	LFCMPXB89	446	6.7	4.9				373	8			150	2		
2/2/2019	XX	LFCMPXB93	409	7.5	3.2				410	8			200	7		
3/2/2019	XX	LFCMPXB9H	423	7	5				372	7			200	2.2		
4/5/2019	XX	LFCMPXBAB	382	8.2	12.9				354	8			155	1.9		
5/10/2019	XX	LFCMPXBE3	344	7	14.4				321	7			160	3.7		
6/24/2019	XX	LFCMPXBEH	395	7.5	17.1				364	8			200	0.5		
7/30/2019	XX	LFCMPXBFB	410	8	20.6				337	8			210	2.5		
8/20/2019	XX	LFCMPXBG5	376	7.6	25.3				357	6			180	0.3		
9/20/2019	XX	LFCMPXBJI	453	7.2	21.5				370	6			200	0.2		
10/14/2019	XX	LFCMPXC0C	410	7.8	18.9				339	6			200	0.3		
11/27/2019	XX	LFCMPXC16	353	7.7	20				384	8			190	1.1		
12/23/2019	XX	LFCMPXC2G	394	7.9	12.7				353	8			135	0.3		
1/17/2020	XX	LFCMPXC3B	374	8.2	11.6				377	10			175	2.4		
2/4/2020	XX	LFCMPXC46	378	8.3	12.4				337	10			175	0.2		
3/27/2020	XX	LFCMPXCF3	328	7.3	11.7				415	6			200	0.4		
4/29/2020	XX	LFCMPXCFH	380	8.2	16.9				334	6			200	0.4		
5/27/2020	XX	LFCMPXCJG	438	7.2	18.4				346	6			200	0.2		
6/28/2020	XX	LFCMPXD0A	401	7.3	21.9				338	5			210	2.8		
7/11/2020	XX	LFCMPXD14	429	7.1	20.7				361	5			250	1.1		
8/3/2020	XX	LFCMPXD52	485	7	21.5				374	6			250	0.6		
9/27/2020	XX	LFCMPXD5I	402	7.2	17.7				409	6			250	14.2		
10/31/2020	XX	LFCMPXD6C	417	8.2	14.3				397	8			250	0.6		
11/29/2020	XX	LFCMPXD76	320	7.6	15.3				410	6			175	15.6		
12/13/2020	XX	LFCMPXD80	217	7	12.5				380	5			105	67.9		
1/10/2021	XX	LFCMPXDDE	258	7.1	15.5				397	6			125	28		
2/28/2021	XX	LFCMPXDDE0	101	7.2	10.5				361	8			55	52.4		
3/30/2021	XX	LFCMPXD7C	364	7.1	12.7				412	8			200	181.1		

SUMMARY REPORT

Field Data

(LF-COMP)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
4/6/2021	XX	LFCOMPDG6	318	7	5.4				346	6.3				2.3		
4/29/2021	XX	LFCMPXDH8	426	7.5	15.4				381	8			250	2.2		
5/19/2021	XX	LFCMPXDI2	440	7.7	21.4				406	8			230	1.4		
6/2/2021	XX	LFCMPXE2D	394	7.9	20.1				334	7			230	3.1		
7/16/2021	XX	LFCMPXE39	473	7.1	24.8				388	6			250	3.9		
8/3/2021	XX	LFCMPXEFB	504	7.5	23.1				404	6			210	82.8		
9/18/2021	XX	LFCMPXEED	450	7.1	19.4				365	6			225	14.4		
10/16/2021	XX	LFCMPXECC	370	7.1	17.4				359	8			250	7.1		
11/20/2021	XX	LFCMPXEHA	281	7.3	13.7				329	5			150	18.3		
12/18/2021	XX	LFCMPXEIC	365	7.7	13				341	7			145	13.7		
LF-LD-11																
4/7/2021	XX	LFXXXXG7	795	6.7	18.4				130	2.5	0.0316			2.1		
7/13/2021	XX	LFXXXXE1C	723	6.5	21.2				195	1.5	0.0348			0.3		
8/3/2021	XX	LFXXXXEG8	847	6.8	24.2				420	4			300	0.8		
8/18/2021	XX	LFLD11EGD	864	6.8	24.3				372	4			300	0.8		
8/30/2021	XX	LFLD11EGH	844	6.9	22.8				359	4			350	1.4		
9/18/2021	XX	LFXXXXEEA	869	6.8	21				338	4			500	2.3		
10/5/2021	XX	LFXXXXE88	744	6.5	17.1				261	1.7	0.0343			0.3		
10/23/2021	XX	LFLD11EGK	884	6.8	21.1				368	3			350	1.4		
11/7/2021	XX	LFXXXXEI6	739	6.3	20.2				364	4			450	1.2		
11/20/2021	XX	LFLD1XEI9	740	6.9	15.9				336	3			300	4.9		
12/4/2021	XX	LFXXXXEJ8	748	6.5	16.3				241	5			450	3.8		
12/18/2021	XX	LFLD1XEJB	770	6.5	16.7				148	4			125	15		
LF-LD-12																
4/7/2021	XX	LFXXXXG8	444	4.3	17.7				252	3.7				2.3		
7/13/2021	XX	LFXXXXE1D	369	6	19.9				306	0.8				0.2		
8/3/2021	XX	LFXXXXEG9	639	6.3	23.9				389	3			300	6.2		
8/18/2021	XX	LFLD12EGF	689	6.2	22.1				347	1			350	8.8		
8/30/2021	XX	LFLD12EGJ	700	6.5	22.2				340	5			350	3.2		
9/18/2021	XX	LFXXXXEEB	737	6.4	21				317	2			350	2		
10/5/2021	XX	LFXXXXE89	563	6.3	16.8				212	1.3	0.0245			0.3		
10/23/2021	XX	LFLD12EGL	F6	F6	F6				F6	F6	F6			F6		
11/7/2021	XX	LFXXXXE17	528	6.1	19.7				357	2			250	6		
11/20/2021	XX	LFXXXXE1A	587	6.2	17.2				334	2			300	4.2		
12/4/2021	XX	LFXXXXEJ9	615	6.2	17.4				131	2			250	5.3		
12/18/2021	XX	LFXXXXEJD	573	6	17.8				111	2			255	7.2		
LF-UD-1																
1/26/2012	XX	LFUD1X589	173	7.5	13.7				371	8	0.0006		150	2.03		
2/24/2012	XX	LFUD1X591	382	7.4	15.3				371	5	0.0006		150	2.23		
3/23/2012	XX	LFUD1X59C	349	7.2	16.7				399	6	0.0003		150	0.22		
4/16/2012	XX	LFUD1X5A3	359	7	17.3				387	6	0.0006		150	0.04		
4/24/2012	XX	LFUD1X525	H2	H2	H2				H2	H2	H2		H2	H2		
5/3/2012	XX	LFUD1X5AE	364	7	16.7				438	8	0.0006		150	0.79		
6/29/2012	XX	LFUD1X5B5	338	6.6	21.4				427	6	0.0006		125	0.64		
7/24/2012	XX	LFUD1X574	355	6.5	20.4				316	6	0.0022		200	1.8		
7/31/2012	XX	LFUD1X5BG	375	7.1	24.1				341	8	0.0003		160	0.17		
8/31/2012	XX	LFUD1X5EH	384	6.7	21.1				343	5	0.0003		135	0.32		
9/27/2012	XX	LFUD1X5F8	317	8.1	18.6				375	6	0.0003		125	0.01		

SUMMARY REPORT

Field Data

(LF-UD-1)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
10/23/2012	XX	LFUD1X5DF	F6	F6	F6				F6	F6	F6		F6	F6		
11/13/2012	XX	LFUD1X5FJ	288	8	14.8				362	6			135	0.87		
12/31/2012	XX	LFUD1X5GA	290	7.7	10.6				409	8			120	0.72		
1/30/2013	XX	LFUD1X606	295	7.1	13.3				380	6	0.0002		125	0.65		
2/15/2013	XX	LFUD1X5JE	298	7.5	10				404	6	0.0002		145	0.7		
3/28/2013	XX	LFUD1X60J	291	8.1	14.1				359	8	0.0002		150	0.41		
4/23/2013	XX	LFUD1X5I6	358	7.5	16.1				270	5	0.0022		100	1.1		
4/24/2013	XX	LFUD1X61B	230	7.1	14.6				331	8	0.0002		150	0.28		
5/30/2013	XX	LFUD1X623	240	7.5	25.9				342	8	0.0003		125	0.16		
6/26/2013	XX	LFUD1X62F	308	7.8	19.5				366	8	0.0003		175	0.81		
7/30/2013	XX	LFUD1X64B	362	6.8	21.5				262	6	0.0022		100	0.9		
8/20/2013	XX	LFUD1X695	348	7	23.6				388	6	0.0001		125	0.75		
9/26/2013	XX	LFUD1X68D	334	7.9	18.1				420	8	0.0003		125	0.65		
10/29/2013	XX	LFUD1X674	F6	F6	F6				F6	F6	F6		F6	F6		
11/25/2013	XX	LFUD1X69I	H8	H8	H8				H8	H8	H8		H8	H8		
12/17/2013	XX	LFUD1X6CI	317	7.5	8.8				334	10	0.0002		160	3.52		
1/24/2014	XX	LFUD1X6DA	325	8	6.2				284	10	0.0003		150	1.3		
2/24/2014	XX	LFUD1X6H7	355	7.3	9.1				400	10	0.0003		160	0.96		
3/27/2014	XX	LFUD1X6GF	311	8.2	8.2				362	10	0.0004		175	3.15		
4/22/2014	XX	LFUD1X6F7	388	6.9	13.2				524	5	0.0017		120	2.2		
4/29/2014	XX	LFUD1X6HJ	310	8.1	15.7				324	10	0.0006		175	1.78		
5/23/2014	XX	LFUD1X70I	350	7.4	20				357	10	0.0003		175	0.4		
6/24/2014	XX	LFUD1X71A	369	7	20.6				371	8	0.0004		170	0.27		
7/29/2014	XX	LFUD1X6JE	368	7	21				337	5	0.0022		40	8.1		
8/26/2014	XX	LFUD1X74A	366	7.2	23.1				385	7	0.0006		175	0.29		
9/23/2014	XX	LFUD1X751	360	7.6	22.6				353		0.0001		160	0.05		
10/21/2014	XX	LFUD1X735	F6	F6	F6				F6	F6	F6		F6	F6		
11/28/2014	XX	LFUD1X75D	341	7	15.8				383	7	0.0006		160	M		
12/24/2014	XX	LFUD1X766	337	6.9	16.1				413	7	0.0007		150	0.28		
2/3/2015	XX	LFUD1X76H	329	7.9	13.8				384	5.5	0.0006		140	0.46		
2/21/2015	XX	LFUD1X778	267	7.6	17.9				377	5.5	0.0003		150	0.3		
3/28/2015	XX	LFUD1X7A6	339	6.9	13.4				404	5.5	0.0003		160	0.4		
4/16/2015	XX	LFUD1X7AJ	306	7.1	17.6				384	7	0.0006		150	0.83		
4/28/2015	XX	LFUD1X792	401	7.4	16.6				300	6.1	0.0022			1.8		
5/22/2015	XX	LFUD1X7F4	197	7.4	18.8				373	8	0.0002		150	0.5		
6/22/2015	XX	LFUD1X7EC	333	7.8	23.2				326	9	0.0002		165	0.4		
7/14/2015	XX	LFUD1X7CE	411	6.9	20.7				313	4.5	0.002			0.5		
7/23/2015	XX	LFUD1X7FG	330	7.4	23.3				367	6	0.0002		135	0.7		
8/24/2015	XX	LFUD1X7G8	354	7.1	21.1				364	8	0.0001		195	0.5		
9/26/2015	XX	LFUD1X801	425	7.3	21.3				365	7	F14		200	0.1		
10/27/2015	XX	LFUD1X7I3	F6	F6	F6				F6	F6	F6			F6		
10/31/2015	XX	LFUD1X80D	378	8.1	16.1				339	8	0.0002		170	0.6		
11/27/2015	XX	LFUD1X815	326	6.8	15.2				376	9	0.0002		185	0.2		
12/30/2015	XX	LFUD1X81I	332	7.2	11.2				362	9	0.0002		180	0.7		
1/14/2016	XX	LFUD1X82A	347	6.9	9.2				338	7	0.0002		180	1.2		
2/18/2016	XX	LFUD1X882	338	8	10.6				357	8	0.0003		170	0.1		
3/17/2016	XX	LFUD1X88E	341	6.8	13.3				342	9	0.0003		180	0.7		
4/5/2016	XX	LFUD1X86D	404	8.1	15.1				342	6.7	0.0022			0.8		
4/21/2016	XX	LFUD1X896	344	6.8	15.8				297	8	0.0004		145	0.5		
5/26/2016	XX	LFUD1X8CC	341	7.6	17.7				309	8	0.0002		175	0.2		

SUMMARY REPORT

Field Data

(LF-UD-1)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
6/27/2016	XX	LFUD1X8DG	382	6.7	20.6				433	8	0.0007		175	0.9			
7/20/2016	XX	LFUD1X8F0	330	7.1	22.1				328	7	0.00006		175	0.4			
7/26/2016	XX	LFUD1X8B3	1	1	1				1	1	1			1			
8/29/2016	XX	LFUD1X90B	F6	F6	F6				F6	F6	F6			F6			
9/23/2016	XX	LFUD1X93A	F6	F6	F6				F6	F6	F6			F6			
10/25/2016	XX	LFUD1X8J2	F6	F6	F6				F6	F6	F6			F6			
10/31/2016	XX	LFUD1X944	H8	H8	H8				H8	H8	H8			H8			
11/29/2016	XX	LFUD1X94J	H8	H8	H8				H8	H8	H8		H8	H8			
12/13/2016	XX	LFUD1X95C	H8	H8	H8				H8	H8	H8		H8	H8			
1/10/2017	XX	LFUD1X99B	H8	H8	H8				H8	H8	H8		H8	H8			
2/8/2017	XX	LFUD1X9A4	H8	H8	H8				H8	H8	H8		H8	H8			
3/3/2017	XX	LFUD1X9AH	H8	H8	H8				H8	H8	H8		H8	H8			
4/5/2017	XX	LFUD1X98I	H8	H8	H8				H8	H8	H8		H8	H8			
4/18/2017	XX	LFUD1X978	378	7.3	14				322	8.2	0.0006			0.8			
5/25/2017	XX	LFUD1X9BA	342	7.12	16.7				425	8	0.0003		125	0.2			
6/16/2017	XX	LFUD1X9EB	380	7.8	16.4				356	8	0.0003		195	0.4			
7/25/2017	XX	LFUD1X9D6	423	8.1	20				312	5.9	0.0006			0.5			
7/31/2017	XX	LFUD1X9F4	H8	H8	H8				H8	H8	H8		H8	H8			
8/31/2017	XX	LFUD1X9IE	479	6.9	20.2				386	7	0.0002		180	0.3			
9/28/2017	XX	LFUD1X9J6	H8	H8	H8				H8	H8	H8		H8	H8			
10/25/2017	XX	LFUD1X9H1	F6	F6	F6				F6	F6	F6		F6	F6			
10/26/2017	XX	LFUD1X9JI	H8	H8	H8				H8	H8	H8		H8	H8			
11/30/2017	XX	LFUD1XA0A	444	7.3	11.8				401	6	0.00014		175	0.3			
12/27/2017	XX	LFUD1XA13	424	7.2	10.9				422	8	0.0003		200	0.4			
1/19/2018	XX	LFUD1XA49	437	7.8	6.8				408	10	0.00007		200	0.5			
2/22/2018	XX	LFUD1XA52	384	7.2	6				389	10	0.00006		150	7.6			
3/24/2018	XX	LFUD1XA8I	374	7.4	8.4				428	8	0.00007		145	1.3			
4/3/2018	XX	LFUD1XA30	418	7.8	9				472	11	0.00167			1.1			
4/28/2018	XX	LFUD1XA9B	352	8	15.6				370	10	0.00019		125	0.5			
5/11/2018	XX	LFUD1XAA4	378	7.6	14.3				434	7	0.00019		125	0.1			
6/2/2018	XX	LFUD1XAD8	370	8	18.2				363	8	0.00014		150	1.1			
7/2/2018	XX	LFUD1XA18	397	7.9	20.2				355	7	0.00002		160	0.9			
7/17/2018	XX	LFUD1XAC1	F6	F6	F6				F6	F6	F6		F6	F6			
8/17/2018	XX	LFUD1XAJ3	H8	H8	H8				H8	H8	H8		H8	H8			
9/1/2018	XX	LFUD1XB29	H8	H8	H8				H8	H8	H8		H8	H8			
10/2/2018	XX	LFUD1XB0J	F6	F6	F6				F6	F6	F6		F6	F6			
10/13/2018	XX	LFUD1XB33	H8	H8	H8				H8	H8	H8		H8	H8			
11/2/2018	XX	LFUD1XB3H	H8	H8	H8				H8	H8	H8		H8	H8			
12/7/2018	XX	LFUD1XB7G	H8	H8	H8				H8	H8	H8		H8	H8			
1/3/2019	XX	LFUD1XB8A	H8	H8	H8				H8	H8	H8		H8	H8			
2/2/2019	XX	LFUD1XB94	H8	H8	H8				H8	H8	H8		H8	H8			
3/2/2019	XX	LFUD1XB9I	H8	H8	H8				H8	H8	H8		H8	H8			
4/5/2019	XX	LFUD1XBAC	H8	H8	H8				H8	H8	H8		H8	H8			
4/23/2019	XX	LFUD1XB5G	354	7	6.9				341	7.6	0.0006			0.4			
5/10/2019	XX	LFUD1XBE4	H8	H8	H8				H8	H8	H8			H8			
6/24/2019	XX	LFUD1XBEI	H8	H8	H8				H8	H8	H8			H8			
7/16/2019	XX	LFUD1XBC8	F6	F6	F6				F6	F6	F6			F6			
7/30/2019	XX	LFUD1XBFC	H8	H8	H8				H8	H8	H8			H8			
8/20/2019	XX	LFUD1XBG6	H8	H8	H8				H8	H8	H8			H8			
9/20/2019	XX	LFUD1XBJJ	H8	H8	H8				H8	H8	H8			H8			

SUMMARY REPORT

Field Data

(LF-UD-1)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
10/14/2019	XX	LFUD1XC0D	H8	H8	H8				H8	H8	H8			H8		
10/29/2019	XX	LFUD1XBI1	F6	F6	F6				F6	F6	F6			F6		
11/27/2019	XX	LFUD1XC17	H8	H8	H8				H8	H8	H8			H8		
12/23/2019	XX	LFUD1XC2H	355	8.4	12.4				352	8	0.0006		120	0.6		
1/17/2020	XX	LFUD1XC3C	H8	H8	H8				H8	H8	H8			H8		
2/4/2020	XX	LFUD1XC47	H8	H8	H8				H8	H8	H8			H8		
3/27/2020	XX	LFUD1XCF4	H8	H8	H8				H8	H8	H8			H8		
4/28/2020	XX	LFUD1XCD8	F6	F6	F6				F6	F6	F6			F6		
4/29/2020	XX	LFUD1XCF1	H8	H8	H8				H8	H8	H8			H8		
5/27/2020	XX	LFUD1XCJH	H8	H8	H8				H8	H8	H8			H8		
6/28/2020	XX	LFUD1XD0B	H8	H8	H8				H8	H8	H8			H8		
7/11/2020	XX	LFUD1XD15	H8	H8	H8				H8	H8	H8			H8		
7/21/2020	XX	LFUD1XC11	F6	F6	F6				F6	F6	F6			F6		
8/3/2020	XX	LFUD1XD53	H8	H8	H8				H8	H8	H8			H8		
9/27/2020	XX	LFUD1XD5J	H8	H8	H8				H8	H8	H8			H8		
10/27/2020	XX	LFUD1XD35	F6	F6	F6				F6	F6	F6			F6		
10/31/2020	XX	LFUD1XD6D	H8	H8	H8				H8	H8	H8			H8		
11/29/2020	XX	LFUD1XD77	H8	H8	H8				H8	H8	H8			H8		
12/13/2020	XX	LFUD1XD81	H8	H8	H8				H8	H8	H8			H8		
1/10/2021	XX	LFUD1XDEF	H8	H8	H8				H8	H8	H8			H8		
2/28/2021	XX	LFUD1XDE1	H2	H2	H2				H2	H2	H2			H2		
3/30/2021	XX	LFUD1XDFD	H8	H8	H8				H8	H8	H8			H8		
4/6/2021	XX	LFUD1XDC7	H8	H8	H8				H8	H8	H8			H8		
4/29/2021	XX	LFUD1XDH9	H8	H8	H8				H8	H8	H8			H8		
5/19/2021	XX	LFUD1XD13	H8	H8	H8				H8	H8	H8			H8		
6/2/2021	XX	LFUD1XE2E	H8	H8	H8				H8	H8	H8			H8		
7/13/2021	XX	LFUD1XDJJ	F6	F6	F6				F6	F6	F6			F6		
7/16/2021	XX	LFUD1XE3A	H8	H8	H8				H8	H8	H8			H8		
8/3/2021	XX	LFUD1XEFC	H8	H8	H8				H8	H8	H8			H8		
9/18/2021	XX	LFUD1XEDE	H8	H8	H8				H8	H8	H8			H8		
10/5/2021	XX	LFUD1XE67	F6	F6	F6				F6	F6	F6			F6		
10/16/2021	XX	LFUD1XEED	H8	H8	H8				H8	H8	H8			H8		
11/20/2021	XX	LFUD1XEHB	H8	H8	H8				H8	H8	H8			H8		
12/18/2021	XX	LFUD1XEID	H8	H8	H8				H8	H8	H8			H8		
LF-UD-2																
1/26/2012	XX	LFUD2X58A	297	8	16.8				357	8	0.0011		115	0.37		
2/24/2012	XX	LFUD2X592	310	7.3	16.8				273	4	0.0011		130	0.82		
3/23/2012	XX	LFUD2X59D	302	7.25	17.9				393	5	0.0011		125	0.26		
4/16/2012	XX	LFUD2X5A4	311	7	20.9				391	6	0.0011		130	0.18		
4/24/2012	XX	LFUD2X526	H2	H2	H2				H2	H2	H2			H2		
5/3/2012	XX	LFUD2X5AF	318	6.9	18.5				458	6	0.0011		115	0.1		
6/29/2012	XX	LFUD2X5B6	305	6.8	22.8				444	6	0.0011		100	0.21		
7/24/2012	XX	LFUD2X575	316	6.8	22.6				495	5	0.0056		225	1.5		
7/31/2012	XX	LFUD2X5BH	345	7.1	28.4				364	8	0.0011		120	0.01		
8/31/2012	XX	LFUD2X5E1	368	6.8	22.6				349	6	0.0011		125	0		
9/27/2012	XX	LFUD2X5F9	321	8.1	21.3				360	6	0.0006		150	0.01		
10/23/2012	XX	LFUD2X5DG	307	7.1	14.3				518	5	0.0045		100	1.2		
11/13/2012	XX	LFUD2X5G0	276	8	17.5				346	6	0.0011		115	0.63		
12/31/2012	XX	LFUD2X5GB	293	7.7	13.7				399	6	0.0003		115	0.72		

SUMMARY REPORT

Field Data

(LF-UD-2)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
1/30/2013	XX	LFUD2X607	186	7	16.4				404	6	0.0022		85	4.1		
2/15/2013	XX	LFUD2X5JF	277	7.7	14.3				407	6	0.0022		135	0.04		
3/28/2013	XX	LFUD2X610	284	8.2	18.2				352	8	0.0006		140	0.35		
4/23/2013	XX	LFUD2X5I7	304	7.4	18.3				285	6	0.0045		90	1		
4/24/2013	XX	LFUD2X61C	229	7.1	17.8				349	8	0.0006		150	0.04		
5/30/2013	XX	LFUD2X624	234	7.4	24.1				329	8	0.0011		150	0.32		
6/26/2013	XX	LFUD2X62G	298	8	21.2				366	8	0.0011		125	0.58		
7/30/2013	XX	LFUD2X64C	320	7.1	22.9				196	6	0.0056		105	0.5		
8/20/2013	XX	LFUD2X696	348	7	24.8				386	6	0.0011		135	0.27		
9/26/2013	XX	LFUD2X68E	338	8.2	20				398	8	0.0022		120	0.63		
10/29/2013	XX	LFUD2X675	404	7.3	17.3				260	6	0.0022		120	0.5		
11/25/2013	XX	LFUD2X69J	332	8.4	13.4				343	8	0.0011		125	1.48		
12/17/2013	XX	LFUD2X6CJ	327	7.4	9.1				366	8	0.0003		150	0.46		
1/24/2014	XX	LFUD2X6DB	328	7.3	8.7				307	8	0.0013		130	3.26		
2/24/2014	XX	LFUD2X6H8	363	7.5	13.3				387	8	0.0011		155	0.52		
3/27/2014	XX	LFUD2X6GG	342	8.4	13.5				346	8	0.0011		175	3.43		
4/22/2014	XX	LFUD2X6F8	353	7.2	12.5				514	5	0.0033		110	2.6		
4/29/2014	XX	LFUD2X6I0	326	8.3	18.3				320	8	0.0011		170	0.3		
5/23/2014	XX	LFUD2X70J	368	7.4	22.1				357	8	0.0011		160	0.3		
6/24/2014	XX	LFUD2X71B	391	7.1	22.5				365	7	0.0022		145	0.28		
7/29/2014	XX	LFUD2X6JF	361	7.6	21.5				300	6	0.0045		40	2.6		
8/26/2014	XX	LFUD2X74B	417	7.2	23.1				386	6	0.0017		185	0.37		
9/23/2014	XX	LFUD2X752	411	8	23.1				345		0.0011		175	0		
10/21/2014	XX	LFUD2X736	382	7.4	14.4				304	5	0.0022		70	0.4		
11/28/2014	XX	LFUD2X75E	382	7.2	14.7				369	5.5	0.0004		155	M		
12/24/2014	XX	LFUD2X767	384	6.9	17.7				431	5	0.0022		125	0.16		
2/3/2015	XX	LFUD2X76I	368	8.1	16.1				370	7	0.0022		160	0		
2/21/2015	XX	LFUD2X779	306	7.4	18				376	4	0.0022		150	0.46		
3/28/2015	XX	LFUD2X7A7	397	6.8	15.1				409	5	0.0022		150	0.29		
4/16/2015	XX	LFUD2X7B0	360	7.1	19.2				385	5.5	0.0028		170	0.84		
4/28/2015	XX	LFUD2X793	398	7.1	16.4				340	6.8	0.0033			1.1		
5/22/2015	XX	LFUD2X7F5	314	7.8	20.4				367	9	0.0017		170	0.5		
6/22/2015	XX	LFUD2X7ED	386	8	26.4				284	8	0.0017		140	0.2		
7/14/2015	XX	LFUD2X7CF	397	6.9	21.4				303	4.7	0.0033			0.3		
7/23/2015	XX	LFUD2X7FH	405	7.2	24.8				375	8	0.0006		175	0.1		
8/24/2015	XX	LFUD2X7G9	405	6.9	20.8				372	7	0.0017		160	0.3		
9/26/2015	XX	LFUD2X802	411	7.1	21.8				367	7	0.0017		200	0.1		
10/27/2015	XX	LFUD2X7I4	403	7.5	14.9				303	5.7	0.0011			0.5		
10/31/2015	XX	LFUD2X80E	394	8.2	16.7				335	7	0.002		195	0.6		
11/27/2015	XX	LFUD2X816	414	7	18.1				376	7	0.002		190	0.01		
12/30/2015	XX	LFUD2X81J	386	7.1	14.7				363	8	0.0011		190	0.2		
1/14/2016	XX	LFUD2X82B	406	6.9	11.2				347	6	0.0007		170	0.01 U		
2/18/2016	XX	LFUD2X883	393	8.3	18.3				360	8	0.0011		178	0.01		
3/17/2016	XX	LFUD2X88F	401	6.9	17.6				345	7	0.0015		173	0.01		
4/5/2016	XX	LFUD2X86E	389	8.4	18.8				271	5.6	0.0045			0.9		
4/21/2016	XX	LFUD2X897	392	6.9	21.2				239	7	0.0017		165	0.6		
5/26/2016	XX	LFUD2X8CD	391	7.8	21.2				308	7	0.0011		180	0.1		
6/27/2016	XX	LFUD2X8DH	420	6.8	21.9				554	7	0.0011		190	0.4		
7/20/2016	XX	LFUD2X8F1	423	7	22.6				329	7	0.0011		200	0.02		
7/26/2016	XX	LFUD2X8B4	447	7.4	22.2				291	4.9	0.0017			0.4		

SUMMARY REPORT

Field Data

(LF-UD-2)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
8/29/2016	XX	LFUD2X90C	449	7.02	23.8				332	7	0.0007			0.5		
9/23/2016	XX	LFUD2X93B	446	8.03	19.7				298	9	0.0006			0.4		
10/25/2016	XX	LFUD2X8J3	458	7.8	13.5				275	6.6	0.0011			0.8		
10/31/2016	XX	LFUD2X945	395	8.3	15.1				315	8	0.0006		100	0.2		
11/29/2016	XX	LFUD2X950	205	7.24	11.6				369	8	0.0001		130	0.6		
12/13/2016	XX	LFUD2X95D	206	8.22	6				353	8	0.0002		125	1.5		
1/10/2017	XX	LFUD2X99C	186	7.32	15.6				378	9	0.0003		135	0.4		
2/8/2017	XX	LFUD2X9A5	210	8.03	15.5				354	9	0.0011		130	0.2		
3/3/2017	XX	LFUD2X9AI	158	7.92	15.7				351	8	0.0002		155	0.7		
4/5/2017	XX	LFUD2X98J	213	8.05	18.7				353	7	0.0017		130	0.4		
4/18/2017	XX	LFUD2X979	366	8.1	14.5				314	8	0.0022			0.5		
5/25/2017	XX	LFUD2X9BB	401	7.1	20.4				408	6	0.0017		150	0.3		
6/16/2017	XX	LFUD2X9EC	437	8	18.6				357	7	0.0015		205	0.3		
7/25/2017	XX	LFUD2X9D7	418	8.3	21.7				308	5.7	0.0022			0.3		
7/31/2017	XX	LFUD2X9F5	334	7	23.6				394	6	0.0011		190	0.3		
8/31/2017	XX	LFUD2X9IF	464	7	21.2				402	7	0.0017		245	0.2		
9/28/2017	XX	LFUD2X9J7	463	8.1	20.1				355	6	0.0004		180	0.5		
10/25/2017	XX	LFUD2X9H2	456	7.2	17.6				379	6.9	0.0006			2.1		
10/26/2017	XX	LFUD2X9JJ	499	6.9	18.9				417	5	0.00028		240	0.8		
11/30/2017	XX	LFUD2XA0B	427	7.5	13.4				409	7	0.00056		180	0.3		
12/27/2017	XX	LFUD2XA14	429	6.9	12.4				426	8	0.0006		200	0.2		
1/19/2018	XX	LFUD2XA4A	438	7.9	9				403	8	0.00074		175	0.9		
2/22/2018	XX	LFUD2XA53	299	6.9	8				411	8	0.00056		115	0.2		
3/24/2018	XX	LFUD2XA8J	453	8	10				427	7	0.00028		150	2.4		
4/3/2018	XX	LFUD2XA31	413	7.7	11.6				465	10.2	0.00446			0.8		
4/28/2018	XX	LFUD2XA9C	417	8.1	18.1				371	8	0.00074		150	0.2		
5/11/2018	XX	LFUD2XAA5	446	8	17.6				420	7	0.00074		130	0.2		
6/2/2018	XX	LFUD2XAD9	434	8.1	19.9				365	6	0.00074		150	0.3		
7/2/2018	XX	LFUD2XA19	480	7.9	22.3				356	6	0.0006		175	0.5		
7/17/2018	XX	LFUD2XAC2	535	8.1	19				451	4.3	0.00223			0.8		
8/17/2018	XX	LFUD2XAJ4	490	7	22.8				342	7	0.0002		170	0.3		
9/1/2018	XX	LFUD2XB2A	451	7.8	20				365	8	0.0002		150	0.7		
10/2/2018	XX	LFUD2XB10	522	7.8	14.7				443	6.1	0.00056			0.5		
10/13/2018	XX	LFUD2XB34	446	6.7	14.9				361	7	0.0002		175	2.9		
11/2/2018	XX	LFUD2XB31	418	7.2	10.9				357	9	0.0002		180	1.4		
12/7/2018	XX	LFUD2XB7H	315	8.2	8.6				363	6	0.0002		180	1.11		
1/3/2019	XX	LFUD2XB8B	430	6.8	4.4				375	7	0.0003		135	1.6		
2/2/2019	XX	LFUD2XB95	341	7.4	3				402	7	0.0002		150	5.3		
3/2/2019	XX	LFUD2XB9J	362	7.1	5.1				366	6	0.0002		175	5.7		
4/5/2019	XX	LFUD2XBAD	365	7.9	13.9				403	7	0.0001		150	5.9		
4/23/2019	XX	LFUD2XB5H	F6	F6	F6				F6	F6	F6		F6	F6		
5/10/2019	XX	LFUD2XBE5	307	7	15.1				311	7	0.0002		175	8.7		
6/24/2019	XX	LFUD2XBEJ	380	7.4	18.4				357	8	0.0003		150	0.4		
7/16/2019	XX	LFUD2XBC9	428	8.1	18.4				383	9.5	0.0011			0.4		
7/30/2019	XX	LFUD2XBFD	400	8.2	20.8				334	8	0.0002		175	0.5		
8/20/2019	XX	LFUD2XBG7	353	8.2	25.8				339	6	0.0001		160	0.3		
9/20/2019	XX	LFUD2XC00	409	7.4	21.5				368	6	0.0017		150	0.6		
10/14/2019	XX	LFUD2XC0E	342	8	19.1				339	6	0.0002		150	0.1		
10/29/2019	XX	LFUD2XB12	386	8.1	12.8				214	8.7	0.0011			2.2		
11/27/2019	XX	LFUD2XC18	303	8.4	20.9				369	8	0.0002		125	0.8		

SUMMARY REPORT

Field Data

(LF-UD-2)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
12/23/2019	XX	LFUD2XC2I	H8	H8	H8				H8	H8	H8		H8	H8			
1/17/2020	XX	LFUD2XC3D	339	8.5	11.6				382	10	0.0003		160	2.3			
2/4/2020	XX	LFUD2XC48	369	8	13.2				348	10	0.0002		150	0.4			
3/27/2020	XX	LFUD2XCF5	302	8.1	12				401	6	0.0009		175	0.4			
4/28/2020	XX	LFUD2XCD9	439	7.9	7.3				327	7.9	0.0006			0.5			
4/29/2020	XX	LFUD2XCFJ	354	8.1	19				333	6	0.0001		160	0.1			
5/27/2020	XX	LFUD2XCJI	400	7.1	18.8				349	6	0.0001		175	0.3			
6/28/2020	XX	LFUD2XD0C	347	7.8	22.1				316	5	0.0001		160	0.2			
7/11/2020	XX	LFUD2XD16	363	7.3	21.4				357	6	0.0001		200	1.1			
7/21/2020	XX	LFUD2XC12	429	7.5	17.8				299	8.2	0.0006			0.8			
8/3/2020	XX	LFUD2XD54	399	8	22.3				344	8	0.0001		200	0.3			
9/27/2020	XX	LFUD2XD60	355	8	18.7				406	6	0.00002		250	1.1			
10/27/2020	XX	LFUD2XD36	403	7.3	12				389	7.7				0.4			
10/31/2020	XX	LFUD2XD6E	H8	H8	H8				H8	H8				H8			
11/29/2020	XX	LFUD2XD78	H8	H8	H8				H8	H8				H8			
12/13/2020	XX	LFUD2XD82	H8	H8	H8				H8	H8				H8			
1/10/2021	XX	LFUD2XDEG	H8	H8	H8				H8	H8	H8		H8	H8			
2/28/2021	XX	LFUD2XDE2	H2	H2	H2				H2	H2	H2		H2	H2			
3/30/2021	XX	LFUD2XDFE	H8	H8	H8				H8	H8	H8		H8	H8			
4/6/2021	XX	LFUD2XDC8	H8	H8	H8				H8	H8	H8		H8	H8			
4/29/2021	XX	LFUD2XDHA	H8	H8	H8				H8	H8	H8		H8	H8			
6/2/2021	XX	LFUD2XE2F	H8	H8	H8				H8	H8	H8		H8	H8			
7/13/2021	XX	LFUD2XE00	F6	F6	F6				F6	F6	F6		F6	F6			
7/16/2021	XX	LFUD2XE3B	H8	H8	H8				H8	H8	H8		H8	H8			
8/3/2021	XX	LFUD2XEFD	H8	H8	H8				H8	H8	H8		H8	H8			
9/18/2021	XX	LFUD2XEDF	H8	H8	H8				H8	H8	H8		H8	H8			
10/5/2021	XX	LFUD2XE68	F6	F6	F6				F6	F6	F6		F6	F6			
10/16/2021	XX	LFUD2XE6E	H8	H8	H8				H8	H8	H8		H8	H8			
11/20/2021	XX	LFUD2XEHC	H8	H8	H8				H8	H8	H8		H8	H8			
12/18/2021	XX	LFUD2XEIE	H8	H8	H8				H8	H8	H8		H8	H8			
LF-UD-3A,B																	
1/26/2012	XX	LFXXX58D	H8	H8	H8				H8	H8			H8	H8			
2/24/2012	XX	LFXXX595	H8	H8	H8				H8	H8			H8	H8			
3/23/2012	XX	LFXXX59G	F6	F6	F6				F6	F6			F6	F6			
4/16/2012	XX	LFXXX5A7	F6	F6	F6				F6	F6			F6	F6			
4/24/2012	XX	LFXXX534	H2	H2	H2				H2	H2			H2	H2			
5/3/2012	XX	LFXXX5AI	H8	H8	H8				H8	H8			H8	H8			
6/29/2012	XX	LFXXX5B9	H8	H8	H8				H8	H8			H8	H8			
7/24/2012	XX	LFXXX581	F6	F6	F6				F6	F6			F6	F6			
7/31/2012	XX	LFXXX5C0	H8	H8	H8				H8	H8			H8	H8			
8/31/2012	XX	LFXXX5F1	H8	H8	H8				H8	H8			H8	H8			
9/27/2012	XX	LFXXX5FC	H8	H8	H8				H8	H8			H8	H8			
10/23/2012	XX	LFXXX5EC	F6	F6	F6				F6	F6			F6	F6			
11/13/2012	XX	LFXXX5G3	H8	H8	H8				H8	H8			H8	H8			
12/31/2012	XX	LFXXX5GE	H8	H8	H8				H8	H8			H8	H8			
1/30/2013	XX	LFXXX60A	H8	H8	H8				H8	H8			H8	H8			
2/15/2013	XX	LFXXX5JI	H8	H8	H8				H8	H8			H8	H8			
3/28/2013	XX	LFXXX613	H8	H8	H8				H8	H8			H8	H8			
4/23/2013	XX	LFXXX5J5	F6	F6	F6				F6	F6			F6	F6			

SUMMARY REPORT

Field Data

(LF-UD-3A,B)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
4/24/2013	XX	LFXXX61F	H8	H8	H8				H8	H8			H8	H8		
5/30/2013	XX	LFXXX627	H8	H8	H8				H8	H8			H8	H8		
6/26/2013	XX	LFXXX62J	H8	H8	H8				H8	H8			H8	H8		
7/30/2013	XX	LFXXX65A	F6	F6	F6				F6	F6			F6	F6		
8/20/2013	XX	LFXXX699	H8	H8	H8				H8	H8			H8	H8		
9/26/2013	XX	LFXXX68H	H8	H8	H8				H8	H8			H8	H8		
10/29/2013	XX	LFXXX67J	F6	F6	F6				F6	F6			F6	F6		
11/25/2013	XX	LFXXX6A2	H8	H8	H8				H8	H8			H8	H8		
12/17/2013	XX	LFXXX6D2	H8	H8	H8				H8	H8			H8	H8		
1/24/2014	XX	LFXXX6DE	H8	H8	H8				H8	H8			H8	H8		
2/24/2014	XX	LFXXX6HB	H8	H8	H8				H8	H8			H8	H8		
3/27/2014	XX	LFXXX6GJ	H8	H8	H8				H8	H8			H8	H8		
4/22/2014	XX	LFXXX6G6	F6	F6	F6				F6	F6			F6	F6		
4/29/2014	XX	LFXXX6I3	H8	H8	H8				H8	H8			H8	H8		
5/23/2014	XX	LFXXX712	H8	H8	H8				H8	H8			H8	H8		
6/24/2014	XX	LFXXX71E	H8	H8	H8				H8	H8			H8	H8		
7/29/2014	XX	LFXXX708	F6	F6	F6				F6	F6			F6	F6		
8/26/2014	XX	LFXXX74E	F6	F6	F6				F6	F6			F6	F6		
9/23/2014	XX	LFXXX755	H8	H8	H8				H8	H8			H8	H8		
10/21/2014	XX	LFXXX73H	F6	F6	F6				F6	F6			F6	F6		
11/28/2014	XX	LFXXX75H	H8	H8	H8				H8	H8			H8	H8		
12/24/2014	XX	LFXXX76A	H8	H8	H8				H8	H8			H8	H8		
2/3/2015	XX	LFXXX771	H8	H8	H8				H8	H8			H8	H8		
2/21/2015	XX	LFXXX77C	H8	H8	H8				H8	H8			H8	H8		
3/28/2015	XX	LFXXX7AA	H8	H8	H8				H8	H8			H8	H8		
4/16/2015	XX	LFXXX7B3	F6	F6	F6				F6	F6			F6	F6		
4/28/2015	XX	LFXXX79G	F6	F6	F6				F6	F6			F6	F6		
5/22/2015	XX	LFXXX7F8	F6	F6	F6				F6	F6			F6	F6		
6/22/2015	XX	LFXXX7EG	F6	F6	F6				F6	F6			F6	F6		
7/14/2015	XX	LFXXX7D8	F6	F6	F6				F6	F6			F6	F6		
7/23/2015	XX	LFXXX7G0	F12	F12	F12				F12	F12			F12	F12		
8/24/2015	XX	LFXXX7GC	F12	F12	F12				F12	F12			F12	F12		
9/26/2015	XX	LFXXX805	H8	H8	H8				H8	H8			H8	H8		
10/27/2015	XX	LFXXX71F	F6	F6	F6				F6	F6			F6	F6		
10/31/2015	XX	LFXXX80H	F6	F6	F6				F6	F6			F6	F6		
11/27/2015	XX	LFXXX819	F6	F6	F6				F6	F6			F6	F6		
12/30/2015	XX	LFXXX822	F6	F6	F6				F6	F6			F6	F6		
1/14/2016	XX	LFXXX82E	F6	F6	F6				F6	F6			F6	F6		
2/18/2016	XX	LFXXX886	F6	F6	F6				F6	F6			F6	F6		
3/17/2016	XX	LFXXX88I	F6	F6	F6				F6	F6			F6	F6		
4/5/2016	XX	LFXXX877	F6	F6	F6				F6	F6	F6		F6	F6		
4/21/2016	XX	LFXXX89A	F6	F6	F6				F6	F6			F6	F6		
5/26/2016	XX	LFXXX8CG	F6	F6	F6				F6	F6			F6	F6		
6/27/2016	XX	LFXXX8E0	F6	F6	F6				F6	F6			F6	F6		
7/20/2016	XX	LFXXX8F4	F6	F6	F6				F6	F6			F6	F6		
7/26/2016	XX	LFXXX8BH	F6	F6	F6				F6	F6	F6		F6	F6		
8/29/2016	XX	LFXXX90F	F6	F6	F6				F6	F6	F6		F6	F6		
9/23/2016	XX	LFXXX93E	F6	F6	F6				F6	F6	F6		F6	F6		
10/25/2016	XX	LFXXX8JF	F6	F6	F6				F6	F6	F6		F6	F6		
10/31/2016	XX	LFXXX948	H8	H8	H8				H8	H8	H8		H8	H8		

REPORT PREPARED: 2/23/2022 08:22

FOR: Juniper Ridge Landfill

SUMMARY REPORT

Field Data

Page 11 of 59

SEVEE & MAHER ENGINEERS, INC.
4 BLANCHARD ROAD
CUMBERLAND CENTER, ME 04021

(LF-UD-3A,B)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
11/29/2016	XX	LFXXXX953	H8	H8	H8				H8	H8	H8		H8	H8		
12/13/2016	XX	LFXXXX95G	H8	H8	H8				H8	H8	H8		H8	H8		
1/10/2017	XX	LFXXXX99F	H8	H8	H8				H8	H8	H8		H8	H8		
2/8/2017	XX	LFXXXX9A8	H8	H8	H8				H8	H8	H8		H8	H8		
3/3/2017	XX	LFXXXX9B1	H8	H8	H8				H8	H8	H8		H8	H8		
4/5/2017	XX	LFXXXX992	H8	H8	H8				H8	H8	H8		H8	H8		
4/18/2017	XX	LFXXXX982	F6	F6	F6				F6	F6	F6			F6		
5/25/2017	XX	LFXXXX9BE	F6	F6	F6				F6	F6	F6		F6	F6		
6/16/2017	XX	LFXXXX9EF	F6	F6	F6				F6	F6	F6		F6	F6		
7/25/2017	XX	LFXXXX9DJ	F6	F6	F6				F6	F6	F6		F6	F6		
7/31/2017	XX	LFXXXX9F8	H8	H8	H8				H8	H8	H8		H8	H8		
8/31/2017	XX	LFXXXX9II	F6	F6	F6				F6	F6	F6		F6	F6		
9/28/2017	XX	LFXXXX9JA	H8	H8	H8				H8	H8	H8		H8	H8		
10/25/2017	XX	LFXXXX9HE	F6	F6	F6				F6	F6	F6		F6	F6		
10/26/2017	XX	LFXXXXA02	H8	H8	H8				H8	H8	H8		H8	H8		
11/30/2017	XX	LFXXXXA0E	F6	F6	F6				F6	F6	F6		F6	F6		
12/27/2017	XX	LFXXXXA17	F6	F6	F6				F6	F6	F6		F6	F6		
1/19/2018	XX	LFXXXXA4D	F6	F6	F6				F6	F6	F6		F6	F6		
2/22/2018	XX	LFXXXXA56	F6	F6	F6				F6	F6	F6		F6	F6		
3/24/2018	XX	LFXXXXA92	F6	F6	F6				F6	F6	F6		F6	F6		
4/3/2018	XX	LFXXXXA3E	F6	F6	F6				F6	F6	F6		F6	F6		
4/28/2018	XX	LFXXXXA9F	H8	H8	H8				H8	H8	H8		H8	H8		
5/11/2018	XX	LFXXXXA8	F6	F6	F6				F6	F6	F6		F6	F6		
6/2/2018	XX	LFXXXXADC	H8	H8	H8				H8	H8	H8		H8	H8		
7/2/2018	XX	LFXXXXA1C	H8	H8	H8				H8	H8	H8		H8	H8		
7/17/2018	XX	LFXXXXACE	F6	F6	F6				F6	F6	F6		F6	F6		
8/17/2018	XX	LFXXXXAJ7	H8	H8	H8				H8	H8	H8		H8	H8		
9/1/2018	XX	LFXXXXB2D	H8	H8	H8				H8	H8	H8		H8	H8		
10/2/2018	XX	LFXXXXB1C	F6	F6	F6				F6	F6	F6		F6	F6		
10/13/2018	XX	LFXXXXB37	H8	H8	H8				H8	H8	H8		H8	H8		
11/2/2018	XX	LFXXXXB41	H8	H8	H8				H8	H8	H8		H8	H8		
12/7/2018	XX	LFXXXXB80	H8	H8	H8				H8	H8	H8		H8	H8		
1/3/2019	XX	LFXXXXB8E	H8	H8	H8				H8	H8	H8		H8	H8		
2/2/2019	XX	LFXXXXB98	H8	H8	H8				H8	H8	H8		H8	H8		
3/2/2019	XX	LFXXXXBA2	H8	H8	H8				H8	H8	H8		H8	H8		
4/5/2019	XX	LFXXXXBAG	H8	H8	H8				H8	H8	H8		H8	H8		
4/23/2019	XX	LFXXXXB6A	F6	F6	F6				F6	F6	F6		F6	F6		
5/10/2019	XX	LFXXXXBE8	H8	H8	H8				H8	H8	H8		H8	H8		
6/24/2019	XX	LFXXXXBF2	H8	H8	H8				H8	H8	H8		H8	H8		
7/16/2019	XX	LFXXXXBD1	F6	F6	F6				F6	F6	F6		F6	F6		
7/30/2019	XX	LFXXXXBFG	H8	H8	H8				H8	H8	H8		H8	H8		
8/20/2019	XX	LFXXXXBGA	H8	H8	H8				H8	H8	H8		H8	H8		
9/20/2019	XX	LFXXXXC03	H8	H8	H8				H8	H8	H8		H8	H8		
10/14/2019	XX	LFXXXXC0H	H8	H8	H8				H8	H8	H8		H8	H8		
10/29/2019	XX	LFXXXXBID	F6	F6	F6				F6	F6	F6		F6	F6		
11/27/2019	XX	LFXXXXC1B	H8	H8	H8				H8	H8	H8		H8	H8		
12/23/2019	XX	LFXXXXC31	H8	H8	H8				H8	H8	H8		H8	H8		
1/17/2020	XX	LFXXXXC3G	H8	H8	H8				H8	H8	H8		H8	H8		
2/4/2020	XX	LFXXXXC4B	H8	H8	H8				H8	H8	H8		H8	H8		
3/27/2020	XX	LFXXXXCF8	H8	H8	H8				H8	H8	H8		H8	H8		

SUMMARY REPORT

Field Data

(LF-UD-3A,B)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
4/28/2020	XX	LFXXXXCE1	F6	F6	F6				F6	F6	F6		F6	F6			
4/29/2020	XX	LFXXXXCG2	H8	H8	H8				H8	H8	H8		H8	H8			
5/27/2020	XX	LFXXXXD01	H8	H8	H8				H8	H8	H8		H8	H8			
6/28/2020	XX	LFXXXXD0F	H8	H8	H8				H8	H8	H8		H8	H8			
7/11/2020	XX	LFXXXXD19	H8	H8	H8				H8	H8	H8		H8	H8			
7/21/2020	XX	LFXXXXCIE	F6	F6	F6				F6	F6	F6		F6	F6			
8/3/2020	XX	LFXXXXD57	H8	H8	H8				H8	H8	H8		H8	H8			
9/27/2020	XX	LFXXXXD63	H8	H8	H8				H8	H8	H8		H8	H8			
10/27/2020	XX	LFXXXXD3H	F6	F6	F6				F6	F6	F6		F6	F6			
10/31/2020	XX	LFXXXXD6H	H8	H8	H8				H8	H8	H8		H8	H8			
11/29/2020	XX	LFXXXXD7B	H8	H8	H8				H8	H8	H8		H8	H8			
12/13/2020	XX	LFXXXXD85	H8	H8	H8				H8	H8	H8		H8	H8			
1/10/2021	XX	LFXXXXDEJ	H8	H8	H8				H8	H8	H8		H8	H8			
2/28/2021	XX	LFXXXXDE5	H2	H2	H2				H2	H2	H2		H2	H2			
3/30/2021	XX	LFXXXXDFH	H8	H8	H8				H8	H8	H8		H8	H8			
4/6/2021	XX	LFXXXXDD0	H8	H8	H8				H8	H8	H8		H8	H8			
4/29/2021	XX	LFXXXXDHD	H8	H8	H8				H8	H8	H8		H8	H8			
5/19/2021	XX	LFXXXXDI7	H8	H8	H8				H8	H8	H8		H8	H8			
6/2/2021	XX	LFXXXXE2I	H8	H8	H8				H8	H8	H8		H8	H8			
7/13/2021	XX	LFXXXXE0C	F6	F6	F6				F6	F6	F6		F6	F6			
7/16/2021	XX	LFXXXXE3E	H8	H8	H8				H8	H8	H8		H8	H8			
8/3/2021	XX	LFXXXXEFG	H8	H8	H8				H8	H8	H8		H8	H8			
9/18/2021	XX	LFXXXXEDI	H8	H8	H8				H8	H8	H8		H8	H8			
10/5/2021	XX	LFXXXXE6J	F6	F6	F6				F6	F6	F6		F6	F6			
10/16/2021	XX	LFXXXXEEH	H8	H8	H8				H8	H8	H8		H8	H8			
11/20/2021	XX	LFXXXXEHF	H8	H8	H8				H8	H8	H8		H8	H8			
12/18/2021	XX	LFXXXXEIH	H8	H8	H8				H8	H8	H8		H8	H8			
LF-UD-4																	
1/26/2012	XX	LFUD4X58F	H2	H2	H2				H2	H2	H2		H2	H2			
2/24/2012	XX	LFUD4X596	H8	H8	H8				H8	H8	H8		H8	H8			
3/23/2012	XX	LFUD4X59H	444	7.3	17.3				395	5	0.0006		200	0.29			
4/16/2012	XX	LFUD4X5A8	437	7.2	20.7				390	8	0.0011		200	0.32			
4/24/2012	XX	LFXXXX536	H2	H2	H2				H2	H2	H2		H2	H2			
5/3/2012	XX	LFUD4X5AJ	H2	H2	H2				H2	H2	H2		H2	H2			
6/29/2012	XX	LFUD4X5BA	H8	H8	H8				H8	H8	H8		H8	H8			
7/24/2012	XX	LFXXXX582	434	6.9	23.2				488	6	0.0045		300	1.2			
7/31/2012	XX	LFUD4X5C1	457	7.3	30.7				403	8	0.0006		140	0.19			
8/31/2012	XX	LFUD4X5F2	485	6.9	22.6				375	5	0.0006		200	0.11			
9/27/2012	XX	LFUD4X5FD	447	7.9	21				375	6	0.0006		170	0.03			
10/23/2012	XX	LFXXXX5CA	362	7	16.2				571	5	0.0022		150	1.6			
11/13/2012	XX	LFUD4X5G4	387	7.8	17.3				355	6	0.0003		200	0.85			
12/31/2012	XX	LFUD4X5GF	416	7.8	12.1				358	6	0.0003		165	0.49			
1/30/2013	XX	LFUD4X60B	402	7.3	13.8				437	6	0.0003		175	0.43			
2/15/2013	XX	LFUD4X5JJ	H2	H2	H2				H2	H2	H2		H2	H2			
3/28/2013	XX	LFUD4X614	H2	H2	H2				H2	H2	H2		H2	H2			
4/23/2013	XX	LFXXXX5J6	352	7.3	15.8				272	5	0.0022		92	1.1			
4/24/2013	XX	LFUD4X61G	327	7.3	15.5				346	8	0.0006		205	0.44			
5/30/2013	XX	LFUD4X628	H2	H2	H2				H2	H2	H2		H2	H2			
6/26/2013	XX	LFUD4X630	H2	H2	H2				H2	H2	H2		H2	H2			

SUMMARY REPORT

Field Data

(LF-UD-4)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
7/30/2013	XX	LFXXX65B	F6	F6	F6				F6	F6	F6		F6	F6		
8/20/2013	XX	LFUD4X69A	H2	H2	H2				H2	H2	H2		H2	H2		
9/26/2013	XX	LFUD4X68I	480	8	17.8				406	8	0.0011		215	0.41		
10/29/2013	XX	LFXXX680	424	7	17.8				322	5	0.0022		110	0.3		
11/25/2013	XX	LFUD4X6A3	440	8.2	8.1				380	8	0.0006		185	0.64		
12/17/2013	XX	LFUD4X6D3	424	7.5	8.4				413	8	0.0002		210	1.67		
1/24/2014	XX	LFUD4X6DF	425	7.5	4.5				345	8	0.0007		160	0.61		
2/24/2014	XX	LFUD4X6HC	H8	H8	H8				H8	H8	H8		H8	H8		
3/27/2014	XX	LFUD4X6H0	431	8.2	13.7				337	10	0.0004		250	0.86		
4/22/2014	XX	LFXXX6G7	430	6.9	15.4				513	6	0.0022		200	2.6		
4/29/2014	XX	LFUD4X6I4	411	8.12	17.2				331	10	0.0003		250	0.62		
5/23/2014	XX	LFUD4X713	H2	H2	H2				H2	H2	H2		H2	H2		
6/24/2014	XX	LFUD4X71F	H8	H8	H8				H8	H8	H8		H8	H8		
7/29/2014	XX	LFXXX709	F6	F6	F6				F6	F6	F6		F6	F6		
8/26/2014	XX	LFUD4X74F	F6	F6	F6				F6	F6	F6		F6	F6		
9/23/2014	XX	LFUD4X756	H8	H8	H8				H8	H8	H8		H8	H8		
10/21/2014	XX	LFXXX73I	F6	F6	F6				F6	F6	F6		F6	F6		
11/28/2014	XX	LFUD4X75I	H2	H2	H2				H2	H2	H2		H2	H2		
12/24/2014	XX	LFUD4X76B	H8	H8	H8				H8	H8	H8		H8	H8		
2/3/2015	XX	LFUD4X772	H8	H8	H8				H8	H8	H8		H8	H8		
2/21/2015	XX	LFUD4X77D	H8	H8	H8				H8	H8	H8		H8	H8		
3/28/2015	XX	LFUD4X7AB	H8	H8	H8				H8	H8	H8		H8	H8		
4/16/2015	XX	LFUD4X7B4	F6	F6	F6				F6	F6	F6		F6	F6		
4/28/2015	XX	LFXXX79H	F6	F6	F6				F6	F6	F6		F6	F6		
5/22/2015	XX	LFUD4X7F9	F6	F6	F6				F6	F6	F6		F6	F6		
6/22/2015	XX	LFUD4X7EH	F6	F6	F6				F6	F6	F6		F6	F6		
7/14/2015	XX	LFXXX7D9	F6	F6	F6				F6	F6	F6		F6	F6		
7/23/2015	XX	LFUD4X7G1	F12	F12	F12				F12	F12	F12		F12	F12		
8/24/2015	XX	LFUD4X7GD	F12	F12	F12				F12	F12	F12		F12	F12		
9/26/2015	XX	LFUD4X806	H8	H8	H8				H8	H8	H8		H8	H8		
10/27/2015	XX	LFXXX7IG	F6	F6	F6				F6	F6	F6		F6	F6		
10/31/2015	XX	LFUD4X80I	F6	F6	F6				F6	F6	F6		F6	F6		
11/27/2015	XX	LFUD4X81A	F6	F6	F6				F6	F6	F6		F6	F6		
12/30/2015	XX	LFUD4X823	F6	F6	F6				F6	F6	F6		F6	F6		
1/14/2016	XX	LFUD4X82F	F6	F6	F6				F6	F6	F6		F6	F6		
2/18/2016	XX	LFUD4X887	F6	F6	F6				F6	F6	F6		F6	F6		
3/17/2016	XX	LFUD4X88J	F6	F6	F6				F6	F6	F6		F6	F6		
4/5/2016	XX	LFXXX878	F6	F6	F6				F6	F6	F6		F6	F6		
4/21/2016	XX	LFUD4X89B	F6	F6	F6				F6	F6	F6		F6	F6		
5/26/2016	XX	LFUD4X8CH	F6	F6	F6				F6	F6	F6		F6	F6		
6/27/2016	XX	LFUD4X8E1	F6	F6	F6				F6	F6	F6		F6	F6		
7/20/2016	XX	LFUD4X8F5	F6	F6	F6				F6	F6	F6		F6	F6		
7/26/2016	XX	LFXXX8BI	435	7.4	21.2				296	4.9	0.0011			0.8		
8/29/2016	XX	LFUD4X90G	F6	F6	F6				F6	F6	F6			F6		
9/23/2016	XX	LFUD4X93F	F6	F6	F6				F6	F6	F6			F6		
10/25/2016	XX	LFXXX8JG	464	7.7	14.2				253	7	0.0006			1		
10/31/2016	XX	LFUD4X949	H8	H8	H8				H8	H8	H8			H8		
11/29/2016	XX	LFUD4X954	H8	H8	H8				H8	H8	H8		H8	H8		
12/13/2016	XX	LFUD4X95H	H8	H8	H8				H8	H8	H8		H8	H8		
1/10/2017	XX	LFUD4X99G	H8	H8	H8				H8	H8	H8		H8	H8		

SUMMARY REPORT

Field Data

(LF-UD-4)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
2/8/2017	XX	LFUD4X9A9	H8	H8	H8				H8	H8	H8		H8	H8		
3/3/2017	XX	LFUD4X9B2	H8	H8	H8				H8	H8	H8		H8	H8		
4/5/2017	XX	LFUD4X993	H8	H8	H8				H8	H8	H8		H8	H8		
4/18/2017	XX	LFXXXX983	371	8.1	13.3				292	8.3	0.0011			0.8		
5/25/2017	XX	LFUD4X9BF	387	7.38	18.5				392	8	0.0009		175	0.6		
6/16/2017	XX	LFUD4X9EG	F6	F6	F6				F6	F6	F6		F6	F6		
7/25/2017	XX	LFXXXX9E0	415	8.2	20.7				283	5.7	0.0017			0.4		
7/31/2017	XX	LFUD4X9F9	H8	H8	H8				H8	H8	H8		H8	H8		
8/31/2017	XX	LFUD4X9IJ	F6	F6	F6				F6	F6	F6		F6	F6		
9/28/2017	XX	LFUD4X9JB	H8	H8	H8				H8	H8	H8		H8	H8		
10/25/2017	XX	LFXXXX9HF	F6	F6	F6				F6	F6	F6		F6	F6		
10/26/2017	XX	LFUD4XA03	H8	H8	H8				H8	H8	H8		H8	H8		
11/30/2017	XX	LFUD4XA0F	F6	F6	F6				F6	F6	F6		F6	F6		
12/27/2017	XX	LFUD4XA18	F6	F6	F6				F6	F6	F6		F6	F6		
1/19/2018	XX	LFUD4XA4E	F6	F6	F6				F6	F6	F6		F6	F6		
2/22/2018	XX	LFUD4XA57	F6	F6	F6				F6	F6	F6		F6	F6		
3/24/2018	XX	LFUD4XA93	F6	F6	F6				F6	F6	F6		F6	F6		
4/3/2018	XX	LFXXXXA3F	F6	F6	F6				F6	F6	F6		F6	F6		
4/28/2018	XX	LFUD4XA9G	H8	H8	H8				H8	H8	H8		H8	H8		
5/11/2018	XX	LFUD4XAA9	F6	F6	F6				F6	F6	F6		F6	F6		
6/2/2018	XX	LFUD4XADD	H8	H8	H8				H8	H8	H8		H8	H8		
7/2/2018	XX	LFUD4XAID	H8	H8	H8				H8	H8	H8		H8	H8		
7/17/2018	XX	LFXXXXACF	520	8	19				474	4.2	0.0011			1.1		
8/17/2018	XX	LFUD4XAJ8	H8	H8	H8				H8	H8	H8		H8	H8		
9/1/2018	XX	LFUD4XB2E	H8	H8	H8				H8	H8	H8		H8	H8		
10/2/2018	XX	LFXXXXB1D	F6	F6	F6				F6	F6	F6		F6	F6		
10/13/2018	XX	LFUD4XB38	H8	H8	H8				H8	H8	H8		H8	H8		
11/2/2018	XX	LFUD4XB42	H8	H8	H8				H8	H8	H8		H8	H8		
12/7/2018	XX	LFUD4XB81	H8	H8	H8				H8	H8	H8		H8	H8		
1/3/2019	XX	LFUD4XB8F	H8	H8	H8				H8	H8	H8		H8	H8		
2/2/2019	XX	LFUD4XB99	H8	H8	H8				H8	H8	H8		H8	H8		
3/2/2019	XX	LFUD4XBA3	H8	H8	H8				H8	H8	H8		H8	H8		
4/5/2019	XX	LFUD4XBAH	H8	H8	H8				H8	H8	H8		H8	H8		
4/23/2019	XX	LFXXXXB6B	F6	F6	F6				F6	F6	F6		F6	F6		
5/10/2019	XX	LFUD4XBE9	H8	H8	H8				H8	H8	H8		H8	H8		
6/24/2019	XX	LFUD4XBF3	H8	H8	H8				H8	H8	H8		H8	H8		
7/16/2019	XX	LFXXXXBD2	F6	F6	F6				F6	F6	F6		F6	F6		
7/30/2019	XX	LFUD4XBFH	H8	H8	H8				H8	H8	H8		H8	H8		
8/20/2019	XX	LFUD4XBGB	H8	H8	H8				H8	H8	H8		H8	H8		
9/20/2019	XX	LFUD4XC04	H8	H8	H8				H8	H8	H8		H8	H8		
10/14/2019	XX	LFUD4XC0I	H8	H8	H8				H8	H8	H8		H8	H8		
10/29/2019	XX	LFXXXXBIE	383	8.1	13.3				259	10.3	0.0006			2.6		
11/27/2019	XX	LFUD4XC1C	365	8	20.3				377	6	0.0002		250	0.5		
12/23/2019	XX	LFUD4XC32	390	8.1	13.2				353	8	0.0001		200	0.4		
1/17/2020	XX	LFUD4XC3H	H8	H8	H8				H8	H8	H8		H8	H8		
2/4/2020	XX	LFUD4XC4C	H8	H8	H8				H8	H8	H8		H8	H8		
3/27/2020	XX	LFUD4XCF9	H8	H8	H8				H8	H8	H8		H8	H8		
4/28/2020	XX	LFXXXXCE2	F6	F6	F6				F6	F6	F6		F6	F6		
4/29/2020	XX	LFUD4XCG3	H8	H8	H8				H8	H8	H8		H8	H8		
5/27/2020	XX	LFUD4XD02	H8	H8	H8				H8	H8	H8		H8	H8		

SUMMARY REPORT

Field Data

(LF-UD-4)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
6/28/2020	XX	LFUD4XD0G	H8	H8	H8				H8	H8	H8		H8	H8			
7/11/2020	XX	LFUD4XD1A	H8	H8	H8				H8	H8	H8		H8	H8			
7/21/2020	XX	LFXXXXCIF	F6	F6	F6				F6	F6	F6		F6	F6			
8/3/2020	XX	LFUD4XD58	H8	H8	H8				H8	H8	H8		H8	H8			
9/27/2020	XX	LFUD4XD64	H8	H8	H8				H8	H8	H8		H8	H8			
10/27/2020	XX	LFXXXXD3I	F6	F6	F6				F6	F6	F6		F6	F6			
10/31/2020	XX	LFUD4XD6I	H8	H8	H8				H8	H8	H8		H8	H8			
11/29/2020	XX	LFUD4XD7C	H8	H8	H8				H8	H8	H8		H8	H8			
12/13/2020	XX	LFUD4XD86	H2	H2	H2				H2	H2	H2		H2	H2			
1/10/2021	XX	LFUD4XDF0	H2	H2	H2				H2	H2	H2		H2	H2			
2/28/2021	XX	LFUD4XDE6	H2	H2	H2				H2	H2	H2		H2	H2			
3/30/2021	XX	LFUD4XDFI	H2	H2	H2				H2	H2	H2		H2	H2			
4/6/2021	XX	LFXXXXDD1	H8	H8	H8				H8	H8	H8		H8	H8			
4/29/2021	XX	LFUD4XDHE	H8	H8	H8				H8	H8	H8		H8	H8			
5/19/2021	XX	LFUD4XD18	H8	H8	H8				H8	H8	H8		H8	H8			
6/2/2021	XX	LFUD4XE2J	H8	H8	H8				H8	H8	H8		H8	H8			
7/13/2021	XX	LFXXXXE0D	340	7.4	15.4				293	5.8	0.0003			0.5			
7/16/2021	XX	LFUD4XE3F	H8	H8	H8				H8	H8	H8		H8	H8			
8/3/2021	XX	LFUD4XEFH	H8	H8	H8				H8	H8	H8			H8			
9/18/2021	XX	LFUD4XEDJ	H8	H8	H8				H8	H8	H8			H8			
10/5/2021	XX	LFXXXXE70	343	7.5	15.9				251	5.4	0.0006			0.1			
10/16/2021	XX	LFUD4XEEI	H8	H8	H8				H8	H8	H8			H8			
11/20/2021	XX	LFUD4XEHG	H8	H8	H8				H8	H8	H8			H8			
12/18/2021	XX	LFUD4XEII	H8	H8	H8				H8	H8	H8			H8			
LF-UD-5and6																	
1/26/2012	XX	LFXXXX58G	473	8.3	11.9				359	8			150	14.95			
2/24/2012	XX	LFXXXX597	460	8.1	15.2				348	5			175	3.16			
3/23/2012	XX	LFXXXX59I	486	7.8	16.6				382	6			190	1.58			
4/16/2012	XX	LFXXXX5A9	467	8	22.8				357	6			200	6.06			
4/24/2012	XX	LFXXXX537	389	7.4	18.8				427	6			95	4.6			
5/3/2012	XX	LFXXXX5B0	491	8	17.4				370	8			160	1.16			
6/29/2012	XX	LFXXXX5BB	473	7.2	23.1				416	6			175	0.55			
7/24/2012	XX	LFXXXX584	482	7.3	22.4				417	6			260	3			
7/31/2012	XX	LFXXXX5C2	500	7.5	23.6				355	6			200	0.13			
8/31/2012	XX	LFXXXX5F3	514	7.3	21.5				317	6			200	0.12			
9/27/2012	XX	LFXXXX5FE	407	7.9	18				354	6			170	30.88			
10/23/2012	XX	LFXXXX5C7	498	7.3	14.5				423	4			160	6.7			
11/13/2012	XX	LFXXXX5G5	378	7.3	16.8				390	7			175	0.2			
12/31/2012	XX	LFXXXX5GG	368	8.3	10.7				303	8	0.0003		125	1.48			
1/30/2013	XX	LFXXXX60C	177	7.5	7.1				447	10			75	9.79			
2/15/2013	XX	LFXXXX600	F	F	F				F	F	F		F	F			
3/28/2013	XX	LFXXXX615	356	8.2	10.3				311	8	0.0002		170	0.66			
4/23/2013	XX	LFXXXX5J7	353	7.8	10.9				237	6	0.0011		145	2.6			
4/24/2013	XX	LFXXXX61H	296	7.6	11.6				344	8	0.0002		190	0			
5/30/2013	XX	LFXXXX629	291	7.4	18.2				368	8	0.0022		200	0.09			
6/26/2013	XX	LFXXXX631	401	8	18.1				338	8	0.0006		175	0.67			
7/30/2013	XX	LFXXXX65C	319	7.5	20.9				240	6	0.0006		115	1.7			
8/20/2013	XX	LFXXXX69B	H8	H8	H8				H8	H8	H8		H8	H8			
9/26/2013	XX	LFXXXX68J	458	8.1	16				366	6	0.0004		150	0.63			

SUMMARY REPORT

Field Data

(LF-UD-5and6)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
10/29/2013	XX	LFXXX681	453	7.2	6.4				412	6	0.0011		120	0.8		
11/25/2013	XX	LFXXX6A4	369	8.2	12.3				382	6	0.0022		150	0.34		
12/17/2013	XX	LFXXX6D4	F12	F12	F12				F12	F12	F12		F12	F12		
1/24/2014	XX	LFXXX6DG	337	7.9	5.7				219	12	0.0003		175	0.53		
2/24/2014	XX	LFXXX6HD	379	7.6	11.4				365	10	0.0006		200	0.71		
3/27/2014	XX	LFXXX6H1	348	7.8	10.7				380	10	0.0008		200	0.33		
4/22/2014	XX	LFXXX6G8	386	7.1	14.5				70	4	0.0006		145	1.2		
4/29/2014	XX	LFXXX6I5	374	7.7	12.6				343	10	0.0003		225	0.44		
5/23/2014	XX	LFXXX714	435	7.9	15.9				342	10	0.0003		250	0.29		
6/24/2014	XX	LFXXX71G	474	7.5	20.1				360	8	0.0004		240	0.09		
7/29/2014	XX	LFXXX70A	413	7.9	20.7				393	6	0.0022		35	0.5		
8/26/2014	XX	LFXXX74G	458	7.7	23.3				392	7			225	0.08		
9/23/2014	XX	LFXXX757	435	8.1	23.4				340		0.0003		180	0.35		
10/21/2014	XX	LFXXX73J	F6	F6	F6				F6	F6			F6	F6		
11/28/2014	XX	LFXXX75J	357	7.9	14.1				358	7	0.0002		180	M		
12/24/2014	XX	LFXXX76C	372	7.2	16.4				436	5.5	0.0003		180	0.12		
2/3/2015	XX	LFXXX773	F	F	F				F	F	F		F	F		
2/21/2015	XX	LFXXX77E	318	7.7	17.6				387	4	0.0003		155	1.17		
3/28/2015	XX	LFXXX7AC	F6	F6	F6				F6	F6	F6		F6	F6		
4/16/2015	XX	LFXXX7B5	367	7.5	17.3				382	7	0.0003		180	0.5		
4/28/2015	XX	LFXXX79I	422	8	11.6				347	9.3	0.0017			2.3		
5/22/2015	XX	LFXXX7FA	430	7.9	19.1				371	8	0.0003		220	0.5		
6/22/2015	XX	LFXXX7E1	474	8	26.5				319	9	0.0003		240	0.2		
7/14/2015	XX	LFXXX7DA	I	I	I				I	I	I		I	I		
7/23/2015	XX	LFXXX7G2	456	7.4	24.2				375	8	0.0002		250	0.2		
8/24/2015	XX	LFXXX7GE	447	7.3	19.1				371	8	0.0001		200	0.6		
9/26/2015	XX	LFXXX807	397	8	19.7				351	8	0.0002		180	0.3		
10/27/2015	XX	LFXXX7IH	350	8.3	14				265	7.5	0.0006			1		
10/31/2015	XX	LFXXX80J	380	8.1	13.7				336	9	0.0002		200	0.5		
11/27/2015	XX	LFXXX81B	384	7.3	15.1				373	7	0.0003		210	0.4		
12/30/2015	XX	LFXXX824	256	7.6	10.7				357	9	0.0003		200	0.2		
1/14/2016	XX	LFXXX82G	386	7.6	10.4				343	8	0.0002		220	0.01 U		
2/18/2016	XX	LFXXX888	392	8.3	15.3				363	7	0.0003		208	0.01		
3/17/2016	XX	LFXXX890	409	7.3	13.5				337	9	0.0003		200	0.2		
4/5/2016	XX	LFXXX879	399	8.3	11.1				339	8.1	0.0017			0.4		
4/21/2016	XX	LFXXX89C	435	7.3	17.3				303	8	0.0002		190	0.01 U		
5/26/2016	XX	LFXXX8D0	415	8	17.6				306	7	0.0002		200	0.01		
6/27/2016	XX	LFXXX8E2	440	7.4	17.4				515	9	0.0002		250	0.1		
7/20/2016	XX	LFXXX8F6	416	7.5	19.3				325	8	0.0002		220	0.2		
7/26/2016	XX	LFXXX8BJ	421	7.3	19.9				319	5.6	0.0006			2.1		
8/29/2016	XX	LFXXX90H	406	7.49	22.1				319	9	0.0002			0.3		
9/23/2016	XX	LFXXX93G	373	8.11	17.4				303	9	0.00004			2		
10/25/2016	XX	LFXXX8JH	286	7.3	9.5				285	6.9	0.0006			0.6		
10/31/2016	XX	LFXXX94A	324	8.32	11.3				313	8				0.2		
11/29/2016	XX	LFXXX955	310	7.47	7.3				349	8	0.0001		120	0.5		
12/13/2016	XX	LFXXX95I	155	7.72	4.2				341	8	0.0001		125	1.2		
1/10/2017	XX	LFXXX99H	164	8.12	12.8				358	9	0.0001		120	0.5		
2/8/2017	XX	LFXXX9AA	162	8.06	10.2				351	10	0.0002		105	0.3		
3/3/2017	XX	LFXXX9B3	162	8.05	14.8				348	8	0.0004		125	0.3		
4/5/2017	XX	LFXXX994	117	8.01	17.8				348	8	0.0006		120	0.4		

REPORT PREPARED: 2/23/2022 08:22

FOR: Juniper Ridge Landfill

SUMMARY REPORT

Field Data

Page 17 of 59

SEVEE & MAHER ENGINEERS, INC.
4 BLANCHARD ROAD
CUMBERLAND CENTER, ME 04021

(LF-UD-5and6)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
4/18/2017	XX	LFXXXX984	312	8	9.2				349	10.8	0.0011			0.8		
5/25/2017	XX	LFXXXX9BG	340	7.66	16.1				328	8	0.0004		150	0.5		
6/16/2017	XX	LFXXXX9EH	400	8.1	17.3				354	8	0.0003		205	0.7		
7/25/2017	XX	LFXXXX9E1	332	7.9	17.2				297	6.7	0.0006			0.6		
7/31/2017	XX	LFXXXX9FA	426	7.7	19.3				386	7	0.0004		245	0.2		
8/31/2017	XX	LFXXXX9J0	378	8	19.1				383	6	0.00037		205	0.1		
9/28/2017	XX	LFXXXX9JC	375	8	17.9				363	6	0.0002		205	0.9		
10/25/2017	XX	LFXXXX9HG	F6	F6	F6				F6	F6	F6		F6	F6		
10/26/2017	XX	LFXXXXA04	373	8.2	17.3				392	6	0.00003		185	0.5		
11/30/2017	XX	LFXXXXA0G	337	7.7	10.9				426	6	0.00028		150	0.3		
12/27/2017	XX	LFXXXXA19	F	F	F				F	F	F		F	F		
1/19/2018	XX	LFXXXXA4F	310	8	6.1				409	7	0.00014		130	0.5		
2/22/2018	XX	LFXXXXA58	314	7.3	8.4				409	9	0.00037		125	0.1		
3/24/2018	XX	LFXXXXA94	338	8	10.4				428	9	0.00056		130	0.3		
4/3/2018	XX	LFXXXXA3G	307	8.2	9.8				484	12.8	0.00056			0.8		
4/28/2018	XX	LFXXXXA9H	317	8.1	15.4				411	8	0.00022		150	0.3		
5/11/2018	XX	LFXXXXAAA	344	7.8	13.2				441	9	0.00037		150	0.4		
6/2/2018	XX	LFXXXXADE	360	7.9	16.2				374	8	0.00045		140	0.5		
7/2/2018	XX	LFXXXXAIE	376	7.8	19.5				364	8	0.0002		150	0.2		
7/17/2018	XX	LFXXXXACG	387	8.2	16.7				486	8.2	0.00056			0.8		
8/17/2018	XX	LFXXXXAJ9	377	7.2	20.6				360	8	0.00017		150	0.2		
9/1/2018	XX	LFXXXXB2F	362	8	19.5				380	7	0.0002		175	2.4		
10/2/2018	XX	LFXXXXB1E	371	8.1	12.2				485	8.1	0.00056			0.3		
10/13/2018	XX	LFXXXXB39	339	7.5	13.2				371	7	0.0001		150	1.1		
11/2/2018	XX	LFXXXXB43	330	7.6	11.6				362	7	0.0002		150	0.7		
12/7/2018	XX	LFXXXXB82	232	8.1	8.6				387	7	0.0002		70	1.7		
1/3/2019	XX	LFXXXXB8G	F	F	F				F	F	F		F	F		
2/2/2019	XX	LFXXXXB9A	F6	F6	F6				F6	F6	F6		F6	F6		
3/2/2019	XX	LFXXXXBA4	F6	F6	F6				F6	F6	F6		F6	F6		
4/5/2019	XX	LFXXXXBAI	F	F	F				F	F	F		F	F		
4/23/2019	XX	LFXXXXB6C	289	8.2	7.6				357	9.7	0.0011			0.4		
5/10/2019	XX	LFXXXXBEA	280	6.9	15.2				317	6	0.0002		175	0.8		
6/24/2019	XX	LFXXXXBF4	328	7.8	17.3				356	8	0.0003		175	0.1 U		
7/16/2019	XX	LFXXXXBD3	333	7.9	17.3				346	12.8	0.0006			1.2		
7/30/2019	XX	LFXXXXBF1	330	8.2	20.5				336	8	0.0002		180	0.6		
8/20/2019	XX	LFXXXXBGC	327	8.2	25.3				341	6	0.0001		175	0.4		
9/20/2019	XX	LFXXXXC05	338	7.6	21.8				357	6	0.0001		150	2.5		
10/14/2019	XX	LFXXXXC0J	304	8.3	19.6				331	6	0.0001		175	4.8		
10/29/2019	XX	LFXXXXBIF	225	8	13.8				332	9.5	0.0006			1.8		
11/27/2019	XX	LFXXXXC1D	295	8.3	20.5				376	8	0.0001		155	8.1		
12/23/2019	XX	LFXXXXC33	279	8.3	12.8				343	8	0.0001		140	20.2		
1/17/2020	XX	LFXXXXC3I	305	8.4	7.6				386	10	0.0002		150	0.6		
2/4/2020	XX	LFXXXXC4D	284	8.3	13.2				331	10	0.0002		150	0.1		
3/27/2020	XX	LFXXXXCFA	249	8.3	13.2				392	6	0.0014		150	0.3		
4/28/2020	XX	LFXXXXCE3	322	8.2	8.9				403	9.3	0.0006			1.6		
4/29/2020	XX	LFXXXXCG4	266	8.3	16.5				330	6	0.0002		150	0.1		
5/27/2020	XX	LFXXXXD03	320	7.9	19.7				331	6	0.0002		150	0.7		
6/28/2020	XX	LFXXXXD0H	280	8.3	21.6				334	5	0.0002		175	1.2		
7/11/2020	XX	LFXXXXD1B	314	7.5	21.2				353	5	0.0001		200	0.5		
7/21/2020	XX	LFXXXXCIG	308	7.9	18.5				361	7.5	0.0002			0.4		

SUMMARY REPORT

Field Data

(LF-UD-5and6)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
8/3/2020	XX	LFXXXX59	325	7.9	21.1				352	6	0.0001		175	0.1		
9/27/2020	XX	LFXXXX65	312	8.1	18.6				401	5	0.00003		175	11.1		
10/27/2020	XX	LFXXXX3J	D	D	D				D	D	D		D	D		
10/31/2020	XX	LFXXXX6J	326	8.5	14				404	8	0.00004		200	51.3		
11/29/2020	XX	LFXXXX7D	313	8.4	15.6				383	8	0.0001		140	22.6		
12/13/2020	XX	LFXXXX87	286	8	13.4				359	5	0.0001		155	38.52		
1/10/2021	XX	LFXXXXF1	295	8.4	16.2				360	8	0.0001		160	0.5		
2/28/2021	XX	LFXXXXE7	272	8.3	13.1				349	8	0.00005		175	18.6		
3/30/2021	XX	LFXXXXFJ	289	8	15.6				389	8	0.0001		145	9.3		
4/6/2021	XX	LFXXXXD2	264	7.9	8				371	8.5	0.0004			1		
4/29/2021	XX	LFXXXXHF	297	7.5	16.2				384	6	0.0001		150	5.7		
5/19/2021	XX	LFXXXXI9	327	8.5	21.1				532	6	0.0002		190	1.7		
6/2/2021	XX	LFXXXXE30	268	8.5	20.3				314	8	0.0001		165	1.4		
7/13/2021	XX	LFXXXXE0E	339	7	18.9				338	7.2	0.0003			0.7		
7/16/2021	XX	LFXXXXE3G	398	7.8	25.4				380	7	0.0001		175	0.7		
8/3/2021	XX	LFXXXXEF1	342	8.5	24.1				377	6	0.0033		185	1		
9/18/2021	XX	LFXXXXE0	450	7.6	20.2				358	7	0.0033		175	16.1		
10/5/2021	XX	LFXXXXE71	296	7.8	13.1				258	7.6	0.0011			0.6		
10/16/2021	XX	LFXXXXEJ	297	7.4	17.8				352	6	0.0053		180	4.1		
11/20/2021	XX	LFXXXXEHH	293	8.4	13.7				327	7	0.0001		130	13.8		
12/18/2021	XX	LFXXXXEIJ	297	8.4	13.2				329	6	0.0001		135	2.1		
LF-UD-6																
1/26/2012	XX	LFUD6X58H	580	7.4	14.7				379	4			175	5.54		
2/24/2012	XX	LFUD6X598	559	7.3	15.3				375	5			250	27.87		
3/23/2012	XX	LFUD6X59J	556	7.5	16.4				387	5			205	13.84		
4/16/2012	XX	LFUD6X5AA	557	7.2	21.6				381	7			250	2.47		
4/24/2012	XX	LFUD6X539	431	7.4	16.8				490	4			105	4.2		
5/3/2012	XX	LFUD6X5B1	580	7.2	17.2				390	8			260	5.72		
6/29/2012	XX	LFUD6X5BC	611	7.1	19.7				415	6			250	11.23		
7/24/2012	XX	LFUD6X586	675	7	20.3				409	5	0.0022		360	4		
7/31/2012	XX	LFUD6X5C3	733	7.1	20.05				352	6			275	0.3		
8/31/2012	XX	LFUD6X5F4	773	7.1	19.3				329	4			175	0.98		
9/27/2012	XX	LFUD6X5FF	748	7.2	17.2				372	5			165	0.57		
10/23/2012	XX	LFUD6X5C9	762	7.1	13.7				443	5	0.0022		240	0.8		
11/13/2012	XX	LFUD6X5G6	748	7.2	16.8				377	5			250	1.5		
12/31/2012	XX	LFUD6X5GH	720	7.2	14.7				362	6			250	0.82		
1/30/2013	XX	LFUD6X60D	704	7.6	12.5				472	6			250	1.14		
2/15/2013	XX	LFUD6X601	281	7.6	10.6				374	6			110	5.3		
3/28/2013	XX	LFUD6X616	499	7.6	11				330	8			155	1.27		
4/23/2013	XX	LFUD6X5J9	572	7.3	12.2				234	6	0.0022		140	5		
4/24/2013	XX	LFUD6X611	467	7.7	12.2				351	8			225	0.87		
5/30/2013	XX	LFUD6X62A	525	7.4	18.5				376	6			225	0.26		
6/26/2013	XX	LFUD6X632	809	7.3	16.6				361	6			275	0.26		
7/30/2013	XX	LFUD6X65E	823	7.3	19.5				140	5	0.0022		235	10.3		
8/20/2013	XX	LFUD6X69C	919	7.4	21.4				374	6			250	0.65		
9/26/2013	XX	LFUD6X690	899	7.4	16.6				379	6	F14		250	1.14		
10/29/2013	XX	LFUD6X683	913	7.7	16.1				422	4	0.0022		265	2.2		
11/25/2013	XX	LFUD6X6A5	788	7.6	15.3				396	6			300	0.8		
12/17/2013	XX	LFUD6X6D5	785	7.7	7.6				403	6			225	1.55		

SUMMARY REPORT

Field Data

(LF-UD-6)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
1/24/2014	XX	LFUD6X6DH	F6	F6	F6				F6	F6			F6	F6		
2/24/2014	XX	LFUD6X6HE	685	7.8	11.1				383	8			275	6.68		
3/27/2014	XX	LFUD6X6H2	672	7.7	14.9				339	8			250	13.75		
4/22/2014	XX	LFUD6X6GA	712	7	14.3				479	6	0.0022		160	1.6		
4/23/2014	XX	LFUD6X6IA	749	7.43	16.4				369	8			350	8.27		
4/29/2014	XX	LFUD6X6I6	392	8.1	14.6				321	10			155	32.95		
5/23/2014	XX	LFUD6X715	774	7.6	19.6				361	8			350	0.94		
6/24/2014	XX	LFUD6X71H	841	7.7	19.5				353	8			350	0.87		
7/29/2014	XX	LFUD6X70C	803	7.5	19.7				386	5			90	0.7		
8/26/2014	XX	LFUD6X74H	842	7.6	23.1				414	7			385	0.37		
9/23/2014	XX	LFUD6X758	847	7.6	23.3				352				300	1		
10/21/2014	XX	LFUD6X740	767	7.5	16.6				357	6	0.0022		240	0.4		
11/28/2014	XX	LFUD6X760	810	7.5	15.7				360	5			260	M		
12/24/2014	XX	LFUD6X76D	847	7.5	16				436	7			325	0.65		
2/3/2015	XX	LFUD6X774	F	F	F				F	F			F	F		
2/21/2015	XX	LFUD6X77F	F6	F6	F6				F6	F6			F6	F6		
3/28/2015	XX	LFUD6X7AD	798	7.5	16.2				412	5			200	5.6		
4/16/2015	XX	LFUD6X7B6	754	7.6	17.1				380	6			200	8.75		
4/28/2015	XX	LFUD6X7A0	839	7.4	12.6				309	6.2	0.0022			2.2		
5/22/2015	XX	LFUD6X7FB	815	7.8	19.1				375	10			335	0.5		
6/22/2015	XX	LFUD6X7EJ	840	7.6	23.4				334	8			375	0.16		
7/14/2015	XX	LFUD6X7DC	823	7.4	18				349	7.2	0.0022			0.8		
7/23/2015	XX	LFUD6X7G3	834	7.5	23.5				377	8			275	0.1		
8/24/2015	XX	LFUD6X7GF	845	7.5	17.1				370	7			400	0.8		
9/26/2015	XX	LFUD6X808	816	7.5	20.6				362	6			350	0.3		
10/27/2015	XX	LFUD6X71J	764	7.7	14.9				348	4.3	0.0022			1.2		
10/31/2015	XX	LFUD6X810	851	7.6	15.7				347	7			475	1.2		
11/27/2015	XX	LFUD6X81C	864	7.6	16.9				373	8			380	0.8		
12/30/2015	XX	LFUD6X825	F6	F6	F6				F6	F6			F6	F6		
1/14/2016	XX	LFUD6X82H	F6	F6	F6				F6	F6			F6	F6		
2/18/2016	XX	LFUD6X889	F6	F6	F6				F6	F6	F6		F6	F6		
3/17/2016	XX	LFUD6X891	859	7.3	16.1				329	7			375	2.3		
4/5/2016	XX	LFUD6X87B	850	7.7	10.6				312	6.8	0.0022			1.1		
4/21/2016	XX	LFUD6X89D	870	7.4	20.6				311	9			260	0.3		
5/26/2016	XX	LFUD6X8CJ	F6	F6	F6				F6	F6			F6	F6		
6/27/2016	XX	LFUD6X8E3	F6	F6	F6				F6	F6			F6	F6		
7/20/2016	XX	LFUD6X8F7	F6	F6	F6				F6	F6			F6	F6		
7/26/2016	XX	LFUD6X8C1	D	D	D				D	D	D			D		
8/29/2016	XX	LFUD6X90I	871	7.37	23.8				322	9			300	4.3		
9/23/2016	XX	LFUD6X93H	592	7.7	18.7				312	9			225	6.7		
10/25/2016	XX	LFUD6X8JJ	I	I	I				I	I	I		I	I		
10/31/2016	XX	LFUD6X94B	H8	H8	H8				H8	H8			H8	H8		
11/29/2016	XX	LFUD6X956	F6	F6	F6				F6	F6	F6		F6	F6		
12/13/2016	XX	LFUD6X95J	F6	F6	F6				F6	F6	F6		F6	F6		
1/10/2017	XX	LFUD6X99I	F6	F6	F6				F6	F6	F6		F6	F6		
2/8/2017	XX	LFUD6X9AB	F6	F6	F6				F6	F6	F6		F6	F6		
3/3/2017	XX	LFUD6X9B4	F6	F6	F6				F6	F6	F6		F6	F6		
4/5/2017	XX	LFUD6X995	F6	F6	F6				F6	F6	F6		F6	F6		
4/18/2017	XX	LFUD6X986	439	7.6	14.2				366	7.5	0.0022			1.2		
5/25/2017	XX	LFUD6X9BH	355	7.33	17.2				426	6			175	0.7		

REPORT PREPARED: 2/23/2022 08:22

FOR: Juniper Ridge Landfill

SUMMARY REPORT

Field Data

Page 20 of 59

SEVEE & MAHER ENGINEERS, INC.
4 BLANCHARD ROAD
CUMBERLAND CENTER, ME 04021

(LF-UD-6)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU
6/16/2017	XX	LFUD6X9E1	486	8.5	22.1				338	7			250	126.9
7/25/2017	XX	LFUD6X9E3	I	I	I				I	I	I		I	I
7/31/2017	XX	LFUD6X9FB	398	7.7	20.8				391	6			165	22.2
8/31/2017	XX	LFUD6X9J1	327	7.2	22.4				413	8			145	0.7
9/28/2017	XX	LFUD6X9JD	F6	F6	F6				F6	F6	F6		F6	F6
10/25/2017	XX	LFUD6X9HI	413	7.2	18.9				407	5.7	0.0022			2.1
10/26/2017	XX	LFUD6XA05	442	7.5	19.3				405	6			215	32.3
11/30/2017	XX	LFUD6XA0H	293	7	14.9				436	6			125	1.4
12/27/2017	XX	LFUD6XA1A	270	7.3	15.8				426	7			103	2.7
1/19/2018	XX	LFUD6XA4G	277	7.4	9.1				425	7			100	1.7
2/22/2018	XX	LFUD6XA59	292	7	11				420	8			90	0.2
3/24/2018	XX	LFUD6XA95	301	7.1	11.8				439	7			110	0.7
4/3/2018	XX	LFUD6XA3I	302	7.6	15				461	4.5	0.00223			1.3
4/28/2018	XX	LFUD6XA9I	212	7.3	17.7				418	8			100	0.4
5/11/2018	XX	LFUD6XAAB	263	7.2	17.9				454	7			105	1
6/2/2018	XX	LFUD6XADF	262	7	20.1				394	6			115	1.2
7/2/2018	XX	LFUD6XAIF	F6	F6	F6				F6	F6				F6
7/17/2018	XX	LFUD6XACI	328	8.4	20.4				466	3.6	0.00223			1.4
8/17/2018	XX	LFUD6XAJA	268	6.7	23.9				374	6			115	0.9
9/1/2018	XX	LFUD6XB2G	281	7	21.7				406	6			100	2.6
10/2/2018	XX	LFUD6XB1G	294	7.3	16.7				487	4.8	0.00056			0.5
10/13/2018	XX	LFUD6XB3A	246	6.9	15.4				383	5			75	7.4
11/2/2018	XX	LFUD6XB44	241	6.8	13.2				381	7			70	1.6
12/7/2018	XX	LFUD6XB83	243	7.4	8.1				380	7			140	0.6
1/3/2019	XX	LFUD6XB8H	297	6.8	11.3				386	7			70	2.1
2/2/2019	XX	LFUD6XB9B	F	F	F				F	F			F	F
3/2/2019	XX	LFUD6XBA5	337	7.7	15.3				340	5			75	0.8
4/5/2019	XX	LFUD6XBAJ	320	8.3	14.1				354	6			100	1.4
4/23/2019	XX	LFUD6XB6E	380	7.1	14.7				375	6.8	0.0022			0.8
5/10/2019	XX	LFUD6XBEB	201	7.1	15.4				314	6			35	1.4
6/24/2019	XX	LFUD6XBF5	239	7.4	21				359	8			60	0.2
7/16/2019	XX	LFUD6XBD5	184	7.8	20.7				379	9	0.0006			0.8
7/30/2019	XX	LFUD6XBFJ	70	7.3	21.2				343	8			35	0.9
8/20/2019	XX	LFUD6XBGD	82	7.4	24.8				349	6			40	0.4
9/20/2019	XX	LFUD6XC06	112	7.1	21.9				353	6			45	13.8
10/14/2019	XX	LFUD6XC10	204	6.4	20.3				373	5			180	43.6
10/29/2019	XX	LFUD6XBIH	267	6.3	17.5				282	6.6	0.0011			1.5
11/27/2019	XX	LFUD6XC1E	310	5.2	20.4				449	6			TK	2.2
12/23/2019	XX	LFUD6XC34	L	L	L				L	L			L	L
1/4/2020	XX	LFXXXXC3A	515	4.3	14				434	8			TK	1.6
1/17/2020	XX	LFXXXXC45	460	4.4	14.8				520	8			TK	19.4
2/4/2020	XX	LFXXXXC50	225	4	18.6				488	6			TK	0.8
3/27/2020	XX	LFXXXXCFG	315	4.1	17.7				512	6				0.3
4/28/2020	XX	LFUD6XCE5	579	4.2	14.1				605	7	0.0006			0.6
4/29/2020	XX	LFXXXXCGA	H8	H8	H8				H8	H8	H8		H8	H8
5/27/2020	XX	LFXXXXD09	F6	F6	F6				F6	F6	F6		F6	F6
6/28/2020	XX	LFXXXXD13	F6	F6	F6				F6	F6	F6		F6	F6
7/11/2020	XX	LFXXXXD1H	F6	F6	F6				F6	F6	F6		F6	F6
7/21/2020	XX	LFUD6XCII	D	D	D				D	D	D		D	D
8/3/2020	XX	LFXXXXD5F	F6	F6	F6				F6	F6	F6		F6	F6

SUMMARY REPORT

Field Data

(LF-UD-6)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU
9/27/2020	XX	LFXXXD6B	F6	F6	F6				F6	F6	F6		F6	F6
10/27/2020	XX	LFUD6XD41	D	D	D				D	D	D		D	D
10/31/2020	XX	LFXXXD75	F6	F6	F6				F6	F6	F6		F6	F6
11/29/2020	XX	LFXXXD7J	F6	F6	F6				F6	F6	F6		F6	F6
12/13/2020	XX	LFXXXD8D	F6	F6	F6				F6	F6	F6		F6	F6
1/10/2021	XX	LFXXXDF7	F6	F6	F6				F6	F6	F6		F6	F6
2/28/2021	XX	LFXXXDED	F6	F6	F6				F6	F6	F6		F6	F6
3/30/2021	XX	LFXXXDG5	F6	F6	F6				F6	F6	F6		F6	F6
4/6/2021	XX	LFUD6XDD4	1154	5.1	15.9				504	5.3	0.0006			1.1
4/29/2021	XX	LFXXXDI1	F6	F6	F6				F6	F6	F6		F6	F6
5/19/2021	XX	LFXXXDIF	758	4	22.2				495	5	0.0003		TK	3.7
6/2/2021	XX	LFXXXE36	642	4.6	20.2				370	8	0.00002		TK	42.1
7/13/2021	XX	LFUD6XE0G	I	I	I				I	I	I		I	I
7/16/2021	XX	LFXXXE42	F6	F6	F6				F6	F6	F6		F6	F6
8/3/2021	XX	LFXXXEG5	1365	3.8	24.4				487	6	I		TK	7
9/18/2021	XX	LFXXXEE6	F6	F6	F6				F6	F6	F6		F6	F6
10/5/2021	XX	LFUD6XE72	295	5.6	14				426	5.2	0.0022			0.5
10/16/2021	XX	LFXXXEF5	F6	F6	F6				F6	F6	F6		F6	F6
11/20/2021	XX	LFXXXEI3	F6	F6	F6				F6	F6	F6		F6	F6
12/18/2021	XX	LFXXXEJ5	F6	F6	F6				F6	F6	F6		F6	F6
LF-UD-7														
1/26/2012	XX	LFUD7X590	H8	H8	H8				H8	H8			H8	H8
2/24/2012	XX	LFUD7X59B	H8	H8	H8				H8	H8			H8	H8
3/23/2012	XX	LFUD7X5A2	F6	F6	F6				F6	F6			F6	F6
4/16/2012	XX	LFUD7X5AD	F6	F6	F6				F6	F6			F6	F6
4/24/2012	XX	LFUD7X53A	H2	H2	H2				H2	H2			H2	H2
5/3/2012	XX	LFUD7X5B4	H2	H2	H2				H2	H2			H2	H2
6/29/2012	XX	LFUD7X5BF	H8	H8	H8				H8	H8			H8	H8
7/24/2012	XX	LFXXX587	F6	F6	F6				F6	F6			F6	F6
7/31/2012	XX	LFUD7X5C6	H8	H8	H8				H8	H8			H8	H8
8/31/2012	XX	LFUD7X5F7	H8	H8	H8				H8	H8			H8	H8
9/27/2012	XX	LFUD7X5F1	H8	H8	H8				H8	H8			H8	H8
10/23/2012	XX	LFXXX5EF	F6	F6	F6				F6	F6			F6	F6
11/13/2012	XX	LFUD7X5G9	H8	H8	H8				H8	H8			H8	H8
12/31/2012	XX	LFUD7X5GJ	H8	H8	H8				H8	H8			H8	H8
1/30/2013	XX	LFUD7X60F	H8	H8	H8				H8	H8			H8	H8
2/15/2013	XX	LFUD7X603	H8	H8	H8				H8	H8			H8	H8
3/28/2013	XX	LFUD7X618	H8	H8	H8				H8	H8			H8	H8
4/23/2013	XX	LFUD7X5JA	F6	F6	F6				F6	F6			F6	F6
4/24/2013	XX	LFUD7X620	H8	H8	H8				H8	H8			H8	H8
5/30/2013	XX	LFUD7X62C	H8	H8	H8				H8	H8			H8	H8
6/26/2013	XX	LFUD7X634	H8	H8	H8				H8	H8			H8	H8
7/30/2013	XX	LFUD7X65F	F6	F6	F6				F6	F6			F6	F6
8/20/2013	XX	LFUD7X69E	H8	H8	H8				H8	H8			H8	H8
9/26/2013	XX	LFUD7X692	H8	H8	H8				H8	H8			H8	H8
10/29/2013	XX	LFUD7X684	F6	F6	F6				F6	F6			F6	F6
11/25/2013	XX	LFUD7X6A7	H8	H8	H8				H8	H8			H8	H8
12/17/2013	XX	LFUD7X6D7	H8	H8	H8				H8	H8			H8	H8
1/24/2014	XX	LFUD7X6DJ	H8	H8	H8				H8	H8			H8	H8

SUMMARY REPORT

Field Data

(LF-UD-7)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU
2/24/2014	XX	LFUD7X6HG	H8	H8	H8				H8	H8			H8	H8
3/27/2014	XX	LFUD7X6H4	H8	H8	H8				H8	H8			H8	H8
4/22/2014	XX	LFUD7X6GB	F6	F6	F6				F6	F6			F6	F6
4/29/2014	XX	LFUD7X6I8	H8	H8	H8				H8	H8			H8	H8
5/23/2014	XX	LFUD7X717	H8	H8	H8				H8	H8			H8	H8
6/24/2014	XX	LFUD7X71J	H8	H8	H8				H8	H8			H8	H8
7/29/2014	XX	LFUD7X70D	F6	F6	F6				F6	F6			F6	F6
8/26/2014	XX	LFUD7X74J	F6	F6	F6				F6	F6			F6	F6
9/23/2014	XX	LFUD7X75A	H8	H8	H8				H8	H8			H8	H8
10/21/2014	XX	LFUD7X741	F6	F6	F6				F6	F6			F6	F6
11/28/2014	XX	LFUD7X762	H8	H8	H8				H8	H8			H8	H8
12/24/2014	XX	LFUD7X76F	H8	H8	H8				H8	H8			H8	H8
2/3/2015	XX	LFUD7X776	H8	H8	H8				H8	H8			H8	H8
2/21/2015	XX	LFUD7X77H	H8	H8	H8				H8	H8			H8	H8
3/28/2015	XX	LFUD7X7AF	H8	H8	H8				H8	H8			H8	H8
4/16/2015	XX	LFUD7X7B8	F6	F6	F6				F6	F6			F6	F6
4/28/2015	XX	LFUD7X7A1	F6	F6	F6				F6	F6			F6	F6
5/22/2015	XX	LFUD7X7FD	F6	F6	F6				F6	F6			F6	F6
6/22/2015	XX	LFUD7X7F1	F6	F6	F6				F6	F6			F6	F6
7/14/2015	XX	LFUD7X7DD	F6	F6	F6				F6	F6			F6	F6
7/23/2015	XX	LFUD7X7G5	F12	F12	F12				F12	F12			F12	F12
8/24/2015	XX	LFUD7X7GH	F12	F12	F12				F12	F12			F12	F12
9/26/2015	XX	LFUD7X80A	F6	F6	F6				F6	F6			F6	F6
10/27/2015	XX	LFUD7X7J0	F6	F6	F6				F6	F6			F6	F6
10/31/2015	XX	LFUD7X812	F6	F6	F6				F6	F6			F6	F6
11/27/2015	XX	LFUD7X81E	F6	F6	F6				F6	F6			F6	F6
12/30/2015	XX	LFUD7X827	F6	F6	F6				F6	F6	F6		F6	F6
1/14/2016	XX	LFUD7X82J	F6	F6	F6				F6	F6	F6		F6	F6
2/18/2016	XX	LFUD7X88B	F6	F6	F6				F6	F6	F6		F6	F6
3/17/2016	XX	LFUD7X893	F6	F6	F6				F6	F6	F6		F6	F6
4/5/2016	XX	LFUD7X87C	F6	F6	F6				F6	F6	F6		F6	F6
4/21/2016	XX	LFUD7X89F	F6	F6	F6				F6	F6	F6		F6	F6
5/26/2016	XX	LFUD7X8D1	F6	F6	F6				F6	F6	F6		F6	F6
6/27/2016	XX	LFUD7X8E5	F6	F6	F6				F6	F6	F6		F6	F6
7/20/2016	XX	LFUD7X8F9	F6	F6	F6				F6	F6	F6		F6	F6
7/26/2016	XX	LFUD7X8C2	F6	F6	F6				F6	F6	F6		F6	F6
8/29/2016	XX	LFUD7X91B	F6	F6	F6				F6	F6	F6		F6	F6
9/23/2016	XX	LFUD7X93J	F6	F6	F6				F6	F6	F6		F6	F6
10/25/2016	XX	LFUD7X900	F6	F6	F6				F6	F6	F6		F6	F6
10/31/2016	XX	LFUD7X94D	H8	H8	H8				H8	H8	H8		H8	H8
11/29/2016	XX	LFUD7X958	H8	H8	H8				H8	H8	H8		H8	H8
12/13/2016	XX	LFUD7X961	H8	H8	H8				H8	H8	H8		H8	H8
1/10/2017	XX	LFUD7X9A0	H8	H8	H8				H8	H8	H8		H8	H8
2/8/2017	XX	LFUD7X9AD	H8	H8	H8				H8	H8	H8		H8	H8
3/3/2017	XX	LFUD7X9B6	H8	H8	H8				H8	H8	H8		H8	H8
4/5/2017	XX	LFUD7X997	H8	H8	H8				H8	H8	H8		H8	H8
4/18/2017	XX	LFUD7X987	F6	F6	F6				F6	F6	F6		F6	F6
5/25/2017	XX	LFUD7X9BJ	F6	F6	F6				F6	F6	F6		F6	F6
6/16/2017	XX	LFUD7X9F0	F6	F6	F6				F6	F6	F6		F6	F6
7/25/2017	XX	LFUD7X9E4	F6	F6	F6				F6	F6	F6		F6	F6

SUMMARY REPORT

Field Data

(LF-UD-7)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
7/31/2017	XX	LFUD7X9FD	H8	H8	H8				H8	H8	H8		H8	H8		
8/31/2017	XX	LFUD7X9J3	F6	F6	F6				F6	F6	F6		F6	F6		
9/28/2017	XX	LFUD7X9JF	H8	H8	H8				H8	H8	H8		H8	H8		
10/25/2017	XX	LFUD7X9HJ	F6	F6	F6				F6	F6	F6		F6	F6		
10/26/2017	XX	LFUD7XA07	H8	H8	H8				H8	H8	H8		H8	H8		
11/30/2017	XX	LFUD7XA0J	F6	F6	F6				F6	F6	F6		F6	F6		
12/27/2017	XX	LFUD7XA1C	F6	F6	F6				F6	F6	F6		F6	F6		
1/19/2018	XX	LFUD7XA4I	F6	F6	F6				F6	F6	F6		F6	F6		
2/22/2018	XX	LFUD7XA5B	F6	F6	F6				F6	F6	F6		F6	F6		
3/24/2018	XX	LFUD7XA97	F6	F6	F6				F6	F6	F6		F6	F6		
4/3/2018	XX	LFUD7XA3J	F6	F6	F6				F6	F6	F6		F6	F6		
4/28/2018	XX	LFUD7XAA0	H8	H8	H8				H8	H8	H8		H8	H8		
5/11/2018	XX	LFUD7XAAD	F6	F6	F6				F6	F6	F6		F6	F6		
6/2/2018	XX	LFUD7XADH	H8	H8	H8				H8	H8	H8		H8	H8		
7/2/2018	XX	LFUD7XAIH	H8	H8	H8				H8	H8	H8		H8	H8		
7/17/2018	XX	LFUD7XACJ	F6	F6	F6				F6	F6	F6		F6	F6		
8/17/2018	XX	LFUD7XAJC	H8	H8	H8				H8	H8	H8		H8	H8		
9/1/2018	XX	LFUD7XB2I	H8	H8	H8				H8	H8	H8		H8	H8		
10/2/2018	XX	LFUD7XB1H	F6	F6	F6				F6	F6	F6		F6	F6		
10/13/2018	XX	LFUD7XB3C	H8	H8	H8				H8	H8	H8		H8	H8		
11/2/2018	XX	LFUD7XB46	H8	H8	H8				H8	H8	H8		H8	H8		
12/7/2018	XX	LFUD7XB85	H8	H8	H8				H8	H8	H8		H8	H8		
1/3/2019	XX	LFUD7XB8J	H8	H8	H8				H8	H8	H8		H8	H8		
2/2/2019	XX	LFUD7XB9D	H8	H8	H8				H8	H8	H8		H8	H8		
3/2/2019	XX	LFUD7XBA7	H8	H8	H8				H8	H8	H8		H8	H8		
4/5/2019	XX	LFUD7XBB1	H8	H8	H8				H8	H8	H8		H8	H8		
4/23/2019	XX	LFUD7XB6F	F6	F6	F6				F6	F6	F6		F6	F6		
5/10/2019	XX	LFUD7XBED	H8	H8	H8				H8	H8	H8		H8	H8		
6/24/2019	XX	LFUD7XBF7	H8	H8	H8				H8	H8	H8		H8	H8		
7/16/2019	XX	LFUD7XBD6	F6	F6	F6				F6	F6	F6		F6	F6		
7/30/2019	XX	LFUD7XBG1	H8	H8	H8				H8	H8	H8		H8	H8		
8/20/2019	XX	LFUD7XBGF	H8	H8	H8				H8	H8	H8		H8	H8		
9/20/2019	XX	LFUD7XC08	H8	H8	H8				H8	H8	H8		H8	H8		
10/14/2019	XX	LFUD7XC12	H8	H8	H8				H8	H8	H8		H8	H8		
10/29/2019	XX	LFUD7XBII	F6	F6	F6				F6	F6	F6		F6	F6		
11/27/2019	XX	LFUD7XC1G	H8	H8	H8				H8	H8	H8		H8	H8		
12/23/2019	XX	LFUD7XC36	H8	H8	H8				H8	H8	H8		H8	H8		
1/17/2020	XX	LFUD7XC41	H8	H8	H8				H8	H8	H8		H8	H8		
2/4/2020	XX	LFUD7XC4G	H8	H8	H8				H8	H8	H8		H8	H8		
3/27/2020	XX	LFUD7XCFC	H8	H8	H8				H8	H8	H8		H8	H8		
4/28/2020	XX	LFUD7XCE6	F6	F6	F6				F6	F6	F6		F6	F6		
4/29/2020	XX	LFUD7XCG6	H8	H8	H8				H8	H8	H8		H8	H8		
5/27/2020	XX	LFUD7XD05	H8	H8	H8				H8	H8	H8		H8	H8		
6/28/2020	XX	LFUD7XD0J	H8	H8	H8				H8	H8	H8		H8	H8		
7/11/2020	XX	LFUD7XD1D	H8	H8	H8				H8	H8	H8		H8	H8		
7/21/2020	XX	LFUD7XC1J	F6	F6	F6				F6	F6	F6		F6	F6		
8/3/2020	XX	LFUD7XD5B	H8	H8	H8				H8	H8	H8		H8	H8		
9/27/2020	XX	LFUD7XD67	H8	H8	H8				H8	H8	H8		H8	H8		
10/27/2020	XX	LFUD7XD42	F6	F6	F6				F6	F6	F6		F6	F6		
10/31/2020	XX	LFUD7XD71	H8	H8	H8				H8	H8	H8		H8	H8		

SUMMARY REPORT

Field Data

(LF-UD-7)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU
11/29/2020	XX	LFUD7XD7F	H8	H8	H8				H8	H8	H8		H8	H8
12/13/2020	XX	LFUD7XD89	H8	H8	H8				H8	H8	H8		H8	H8
1/10/2021	XX	LFUD7XDF3	H8	H8	H8				H8	H8	H8		H8	H8
2/28/2021	XX	LFUD7XDE9	H2	H2	H2				H2	H2	H2		H2	H2
3/30/2021	XX	LFUD7XDG1	H8	H8	H8				H8	H8	H8		H8	H8
4/6/2021	XX	LFUD7XDD5	H8	H8	H8				H8	H8	H8		H8	H8
4/29/2021	XX	LFUD7XDDH	H8	H8	H8				H8	H8	H8		H8	H8
5/19/2021	XX	LFUD7XDIB	H8	H8	H8				H8	H8	H8		H8	H8
6/2/2021	XX	LFUD7XE32	H8	H8	H8				H8	H8	H8		H8	H8
7/13/2021	XX	LFUD7XE0H	F6	F6	F6				F6	F6	F6		F6	F6
7/16/2021	XX	LFUD7XE3I	H8	H8	H8				H8	H8	H8		H8	H8
8/3/2021	XX	LFUD7XEG0	H8	H8	H8				H8	H8	H8		H8	H8
9/18/2021	XX	LFUD7XEE2	H8	H8	H8				H8	H8	H8		H8	H8
10/5/2021	XX	LFUD7XE73	F6	F6	F6				F6	F6	F6		F6	F6
10/16/2021	XX	LFUD7XEF1	H8	H8	H8				H8	H8	H8		H8	H8
11/20/2021	XX	LFUD7XEHJ	H8	H8	H8				H8	H8	H8		H8	H8
12/18/2021	XX	LFUD7XEJ1	H8	H8	H8				H8	H8	H8		H8	H8

LF-UD-8														
1/30/2013	XX	LFUD8X60H	64	7.5	7.1				431	10			50 <	24.35
2/15/2013	XX	LFUD8X605	F	F	F				F	F	F		F	F
3/28/2013	XX	LFUD8X61A	290	8.1	8.8				350	8			150	0.27
4/23/2013	XX	LFUD8X5JD	319	7.1	9.9				235	5	0.0011		145	1.2
4/24/2013	XX	LFUD8X622	243	7.1	11.2				359	8	0.0002		140	0.04
5/30/2013	XX	LFUD8X62E	F12	F12	F12				F12	F12	F12		F12	F12
6/26/2013	XX	LFUD8X636	F12	F12	F12				F12	F12	F12		F12	F12
7/30/2013	XX	LFUD8X65G	355	6.8	17.9				269	5	0.0022		140	0.8
8/20/2013	XX	LFUD8X69G	H2	H2	H2				H2	H2	H2		H2	H2
9/26/2013	XX	LFUD8X694	363	7.1	16				568	8	0.0003		135	0.8
10/29/2013	XX	LFUD8X685	407	7	9.6				435	5	0.0011		140	0.6
11/25/2013	XX	LFUD8X6A9	374	7.2	9.9				401	10	0.00003		165	0.42
12/17/2013	XX	LFUD8X6D9	344	7.2	5.9				405	6	0.0002		185	0.64
1/24/2014	XX	LFUD8X6E1	F	F	F				F	F	F		F	F
2/24/2014	XX	LFUD8X6HH	F12	F12	F12				F12	F12	F12		F12	F12
3/27/2014	XX	LFUD8X6H5	F12	F12	F12				F12	F12	F12		F12	F12
4/22/2014	XX	LFUD8X6GC	F12	F12	F12				F12	F12	F12		F12	F12
4/29/2014	XX	LFUD8X6I9	F12	F12	F12				F12	F12	F12		F12	F12
5/23/2014	XX	LFUD8X718	F12	F12	F12				F12	F12	F12		F12	F12
6/24/2014	XX	LFUD8X720	F12	F12	F12				F12	F12	F12		F12	F12
7/29/2014	XX	LFUD8X70E	108	7.8	24				397	5	0.0022		15	0.8
8/26/2014	XX	LFUD8X750	F12	F12	F12				F12	F12	F12		F12	F12
9/23/2014	XX	LFUD8X75B	F6	F6	F6				F6	F6	F6		F6	F6
10/21/2014	XX	LFUD8X742	96	7.9	12.3				332	6	0.0022		25	2.6
11/28/2014	XX	LFUD8X763	F12	F12	F12				F12	F12	F12		F12	F12
12/24/2014	XX	LFUD8X76G	F12	F12	F12				F12	F12	F12		F12	F12
2/3/2015	XX	LFUD8X777	F	F	F				F	F	F		F	F
2/21/2015	XX	LFUD8X77I	F6	F6	F6				F6	F6	F6		F6	F6
3/28/2015	XX	LFUD8X7AG	F6	F6	F6				F6	F6	F6		F6	F6
4/16/2015	XX	LFUD8X7B9	F12	F12	F12				F12	F12	F12		F12	F12
4/28/2015	XX	LFUD8X7A2	100	7.9	9.7				375	10.8	0.0045		1.8	

SUMMARY REPORT

Field Data

(LF-UD-8)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
5/22/2015	XX	LFUD8X7FE	F12	F12	F12				F12	F12	F12		F12	F12			
6/22/2015	XX	LFUD8X7F2	F12	F12	F12				F12	F12	F12		F12	F12			
7/14/2015	XX	LFUD8X7DE	I	I	I				I	I	I		I	I			
7/23/2015	XX	LFUD8X7G6	F12	F12	F12				F12	F12	F12		F12	F12			
8/24/2015	XX	LFUD8X7GI	F12	F12	F12				F12	F12	F12		F12	F12			
9/26/2015	XX	LFUD8X80B	H8	H8	H8				H8	H8	H8		H8	H8			
10/27/2015	XX	LFUD8X7J1	F6	F6	F6				F6	F6	F6			F6			
10/31/2015	XX	LFUD8X813	F12	F12	F12				F12	F12	F12		F12	F12			
11/27/2015	XX	LFUD8X81F	F6	F6	F6				F6	F6	F6		F6	F6			
12/30/2015	XX	LFUD8X828	F12	F12	F12				F12	F12	F12		F12	F12			
1/14/2016	XX	LFUD8X830	F12	F12	F12				F12	F12	F12		F12	F12			
2/18/2016	XX	LFUD8X88C	F12	F12	F12				F12	F12	F12		F12	F12			
3/17/2016	XX	LFUD8X894	F6	F6	F6				F6	F6	F6		F6	F6			
4/5/2016	XX	LFUD8X87D	F6	F6	F6				F6	F6	F6		F6	F6			
4/21/2016	XX	LFUD8X89G	F12	F12	F12				F12	F12	F12		F12	F12			
5/26/2016	XX	LFUD8X8D2	F12	F12	F12				F12	F12	F12		F12	F12			
6/27/2016	XX	LFUD8X8E6	F6	F6	F6				F6	F6	F6		F6	F6			
7/20/2016	XX	LFUD8X8FA	F6	F6	F6				F6	F6	F6		F6	F6			
7/26/2016	XX	LFUD8X8C3	F6	F6	F6				F6	F6	F6			F6			
8/29/2016	XX	LFUD8X91C	F6	F6	F6				F6	F6	F6			F6			
9/23/2016	XX	LFUD8X940	F6	F6	F6				F6	F6	F6			F6			
10/25/2016	XX	LFUD8X901	D	D	D				D	D	D			D			
10/31/2016	XX	LFUD8X94E	H8	H8	H8				H8	H8	H8			H8			
11/29/2016	XX	LFUD8X959	F6	F6	F6				F6	F6	F6			F6			
12/13/2016	XX	LFUD8X962	F6	F6	F6				F6	F6	F6			F6			
1/10/2017	XX	LFUD8X9A1	A	A	A				A	A	A		A	A			
2/8/2017	XX	LFUD8X9AE	A	A	A				A	A	A		A	A			
3/3/2017	XX	LFUD8X9B9	A	A	A				A	A	A		A	A			
4/5/2017	XX	LFUD8X998	A	A	A				A	A	A		A	A			
4/18/2017	XX	LFUD8X988	65	7.4	9.5				315	9.3	0.0006			1.2			
5/25/2017	XX	LFUD8X9C0	F12	F12	F12				F12	F12	F12		F12	F12			
6/16/2017	XX	LFUD8X9F1	F6	F6	F6				F6	F6	F6		F6	F6			
7/25/2017	XX	LFUD8X9E5	D	D	D				D	D	D		D	D			
7/31/2017	XX	LFUD8X9FE	F6	F6	F6				F6	F6	F6		F6	F6			
8/31/2017	XX	LFUD8X9J4	F6	F6	F6				F6	F6	F6		F6	F6			
9/28/2017	XX	LFUD8X9JG	F6	F6	F6				F6	F6	F6		F6	F6			
10/25/2017	XX	LFUD8X9I0	F6	F6	F6				F6	F6	F6		F6	F6			
10/26/2017	XX	LFUD8XA08	F6	F6	F6				F6	F6	F6		F6	F6			
11/30/2017	XX	LFUD8XA10	F6	F6	F6				F6	F6	F6		F6	F6			
12/27/2017	XX	LFUD8XA1D	F	F	F				F	F	F		F	F			
1/19/2018	XX	LFUD8XA4J	F6	F6	F6				F6	F6	F6		F6	F6			
2/22/2018	XX	LFUD8XA5C	F6	F6	F6				F6	F6	F6		F6	F6			
3/24/2018	XX	LFUD8XA98	F12	F12	F12				F12	F12	F12		F12	F12			
4/3/2018	XX	LFUD8XA40	90	8.5	2.8				482	6.8	0.00223			2.6			
4/28/2018	XX	LFUD8XAA1	F12	F12	F12				F12	F12	F12		F12	F12			
5/11/2018	XX	LFUD8XAAE	F12	F12	F12				F12	F12	F12		F12	F12			
6/2/2018	XX	LFUD8XADI	F12	F12	F12				F12	F12	F12		F12	F12			
7/2/2018	XX	LFUD8XAI1	F12	F12	F12				F12	F12	F12		F12	F12			
7/17/2018	XX	LFUD8XAD0	D	D	D				D	D	D		D	D			
8/17/2018	XX	LFUD8XAJD	F6	F6	F6				F6	F6	F6		F6	F6			

REPORT PREPARED: 2/23/2022 08:22

FOR: Juniper Ridge Landfill

SUMMARY REPORT

Field Data

Page 26 of 59

SEVEE & MAHER ENGINEERS, INC.
4 BLANCHARD ROAD
CUMBERLAND CENTER, ME 04021

(LF-UD-8)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
9/1/2018	XX	LFUD8XB2J	F6	F6	F6				F6	F6	F6		F6	F6		
10/2/2018	XX	LFUD8XB1I	F6	F6	F6				F6	F6	F6		F6	F6		
10/13/2018	XX	LFUD8XB3D	F6	F6	F6				F6	F6	F6		F6	F6		
11/2/2018	XX	LFUD8XB47	F6	F6	F6				F6	F6	F6		F6	F6		
12/7/2018	XX	LFUD8XB86	F6	F6	F6				F6	F6			F6	F6		
1/3/2019	XX	LFUD8XB90	F6	F6	F6				F6	F6			F6	F6		
2/2/2019	XX	LFUD8XB9E	F6	F6	F6				F6	F6			F6	F6		
3/2/2019	XX	LFUD8XBA8	F6	F6	F6				F6	F6			F6	F6		
4/5/2019	XX	LFUD8XBB2	F6	F6	F6				F6	F6	F6		F6	F6		
4/23/2019	XX	LFUD8XB6G	88	6.8	7.9				347	9.3	0.0022					
5/10/2019	XX	LFUD8XBEE	F6	F6	F6				F6	F6	F6			F6		
6/24/2019	XX	LFUD8XBF8	F12	F12	F12				F12	F12	F12			F12		
7/16/2019	XX	LFUD8XBD7	71	8.3	26.9				305	6				2.1		
7/30/2019	XX	LFUD8XBG2	F6	F6	F6				F6	F6				F6		
8/20/2019	XX	LFUD8XBG6	H6	H6	H6				H6	H6				H6		
9/20/2019	XX	LFUD8XC09	F6	F6	F6				F6	F6	F6			F6		
10/14/2019	XX	LFUD8XC13	F6	F6	F6				F6	F6	F6			F6		
10/29/2019	XX	LFUD8XBIJ	105	8	10				250	10.9	0.0011			2.1		
11/27/2019	XX	LFUD8XC1H	F	F	F				F	F	F			F		
12/23/2019	XX	LFUD8XC37	F	F	F				F	F	F			F		
1/17/2020	XX	LFUD8XC42	F	F	F				F	F	F			F		
2/4/2020	XX	LFUD8XC4H	F6	F6	F6				F6	F6	F6			F6		
3/27/2020	XX	LFUD8XCFD	F6	F6	F6				F6	F6	F6			F6		
4/28/2020	XX	LFUD8XCE7	F6	F6	F6				F6	F6	F6			F6		
4/29/2020	XX	LFUD8XCG7	F6	F6	F6				F6	F6	F6			F6		
5/27/2020	XX	LFUD8XD06	F6	F6	F6				F6	F6	F6			F6		
6/28/2020	XX	LFUD8XD10	F6	F6	F6				F6	F6	F6			F6		
7/11/2020	XX	LFUD8XD1E	F6	F6	F6				F6	F6	F6			F6		
7/21/2020	XX	LFUD8XCJ0	F6	F6	F6				F6	F6	F6			F6		
8/3/2020	XX	LFUD8XD5C	F6	F6	F6				F6	F6	F6			F6		
9/27/2020	XX	LFUD8XD68	F6	F6	F6				F6	F6	F6			F6		
10/27/2020	XX	LFUD8XD43	D	D	D				D	D	D			D		
10/31/2020	XX	LFUD8XD72	F6	F6	F6				F6	F6	F6			F6		
11/29/2020	XX	LFUD8XD7G	F6	F6	F6				F6	F6	F6			F6		
12/13/2020	XX	LFUD8XD8A	F6	F6	F6				F6	F6	F6			F6		
1/10/2021	XX	LFUD8XDF4	A	A	A				A	A	A		A	A		
2/28/2021	XX	LFUD8XDEA	A	A	A				A	A	A		A	A		
3/30/2021	XX	LFUD8XDG2	F6	F6	F6				F6	F6	F6		F6	F6		
4/6/2021	XX	LFUD8XDD6	F6	F6	F6				F6	F6	F6		F6	F6		
4/29/2021	XX	LFUD8XDHI	F6	F6	F6				F6	F6	F6		F6	F6		
5/19/2021	XX	LFUD8XDIC	F6	F6	F6				F6	F6	F6		F6	F6		
6/2/2021	XX	LFUD8XE33	F6	F6	F6				F6	F6	F6		F6	F6		
7/13/2021	XX	LFUD8XE0I	F6	F6	F6				F6	F6	F6		F6	F6		
7/16/2021	XX	LFUD8XE3J	F6	F6	F6				F6	F6	F6		F6	F6		
8/3/2021	XX	LFUD8XEG1	F6	F6	F6				F6	F6	F6		F6	F6		
9/18/2021	XX	LFUD8XEE3	F6	F6	F6				F6	F6	F6		F6	F6		
10/5/2021	XX	LFUD8XE74	F6	F6	F6				F6	F6	F6		F6	F6		
10/16/2021	XX	LFUD8XEF2	F6	F6	F6				F6	F6	F6		F6	F6		
11/20/2021	XX	LFUD8XEI0	F6	F6	F6				F6	F6	F6		F6	F6		
12/18/2021	XX	LFUD8XEJ2	F6	F6	F6				F6	F6	F6		F6	F6		

REPORT PREPARED: 2/23/2022 08:22

FOR: Juniper Ridge Landfill

SUMMARY REPORT

Field Data

SEVEE & MAHER ENGINEERS, INC.
4 BLANCHARD ROAD
CUMBERLAND CENTER, ME 04021

(LF-UD-9)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU
LF-UD-9														
4/5/2016	XX	LFUD9X881	F6	F6	F6				F6	F6	F6		F6	F6
7/26/2016	XX	LFUD9X8CA	F12	F12	F12				F12	F12	F12			
10/25/2016	XX	LFUD9X905	F6	F6	F6				F6	F6	F6			F6
10/31/2016	XX	LFUD9X94G	H8	H8	H8				H8	H8	H8			H8
11/29/2016	XX	LFUD9X95B	F6	F6	F6				F6	F6	F6			F6
12/13/2016	XX	LFUD9X964	F6	F6	F6				F6	F6	F6			F6
1/10/2017	XX	LFUD9X9A3	F6	F6	F6				F6	F6	F6		F6	F6
2/8/2017	XX	LFUD9X9AG	F6	F6	F6				F6	F6	F6		F6	F6
3/3/2017	XX	LFUD9X9B9	F6	F6	F6				F6	F6	F6		F6	F6
4/5/2017	XX	LFUD9X99A	F6	F6	F6				F6	F6	F6		F6	F6
4/18/2017	XX	LFUD9X98F	292	7.6	7.1				375	10.8	0.0011			1.2
5/25/2017	XX	LFUD9X9C2	F6	F6	F6				F6	F6	F6		F6	F6
6/16/2017	XX	LFUD9X9F3	DE	DE	DE				DE	DE	DE		DE	DE
10/25/2017	XX	LFUD9X9I4	F6	F6	F6				F6	F6	F6		F6	F6
1/19/2018	XX	LFUD9XA4H	F6	F6	F6				F6	F6	F6		F6	F6
2/22/2018	XX	LFUD9XA5A	F6	F6	F6				F6	F6	F6		F6	F6
3/24/2018	XX	LFUD9XA96	176	7.3	8				458	9	0.00334		50 U	44.8
4/3/2018	XX	LFUD9XA47	F6	F6	F6				F6	F6	F6		F6	F6
4/28/2018	XX	LFUD9XA9J	F6	F6	F6				F6	F6	F6		F6	F6
5/11/2018	XX	LFUD9XAAC	F6	F6	F6				F6	F6	F6		F6	F6
6/2/2018	XX	LFUD9XADG	F6	F6	F6				F6	F6	F6		F6	F6
7/2/2018	XX	LFUD9XAIG	F6	F6	F6				F6	F6	F6		F6	F6
7/17/2018	XX	LFUD9XAD4	D	D	D				D	D	D		D	D
8/17/2018	XX	LFUD9XAJB	F6	F6	F6				F6	F6	F6		F6	F6
9/1/2018	XX	LFUD9XB2H	F6	F6	F6				F6	F6	F6		F6	F6
10/2/2018	XX	LFUD9XB22	F6	F6	F6				F6	F6	F6		F6	F6
10/13/2018	XX	LFUD9XB3B	F6	F6	F6				F6	F6	F6		F6	F6
11/2/2018	XX	LFUD9XB45	135	7.3	10.7				379	7	0.0045		25	49.6
12/7/2018	XX	LFUD9XB84	F6	F6	F6				F6	F6	F6		F6	F6
1/3/2019	XX	LFUD9XB8I	F6	F6	F6				F6	F6	F6		F6	F6
2/2/2019	XX	LFUD9XB9C	F6	F6	F6				F6	F6	F6		F6	F6
3/2/2019	XX	LFUD9XBA6	F6	F6	F6				F6	F6	F6		F6	F6
4/5/2019	XX	LFUD9XBB0	F6	F6	F6				F6	F6	F6		F6	F6
4/23/2019	XX	LFUD9XB73	F6	F6	F6				F6	F6	F6		F6	F6
5/10/2019	XX	LFUD9XBEC	201	6.6	15.1				278	7	0.0004		30	9.6
6/24/2019	XX	LFUD9XBF6	F6	F6	F6				F6	F6	F6		F6	F6
7/16/2019	XX	LFUD9XBDD	F6	F6	F6				F6	F6	F6		F6	F6
7/30/2019	XX	LFUD9XBG0	F6	F6	F6				F6	F6	F6		F6	F6
8/20/2019	XX	LFUD9XBGE	F6	F6	F6				F6	F6	F6		F6	F6
9/20/2019	XX	LFUD9XC07	F6	F6	F6				F6	F6	F6		F6	F6
10/14/2019	XX	LFUD9XC11	F6	F6	F6				F6	F6	F6		F6	F6
10/29/2019	XX	LFUD9XBJ3	F6	F6	F6				F6	F6	F6		F6	F6
11/27/2019	XX	LFUD9XC1F	F6	F6	F6				F6	F6	F6		F6	F6
12/23/2019	XX	LFUD9XC35	F6	F6	F6				F6	F6	F6		F6	F6
1/17/2020	XX	LFUD9XC40	F6	F6	F6				F6	F6	F6		F6	F6
2/4/2020	XX	LFUD9XC4F	F6	F6	F6				F6	F6	F6		F6	F6
3/27/2020	XX	LFUD9XCFB	F6	F6	F6				F6	F6	F6		F6	F6
4/28/2020	XX	LFUD9XCED	F6	F6	F6				F6	F6	F6		F6	F6

SUMMARY REPORT

Field Data

(LF-UD-9)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
4/29/2020	XX	LFUD9XCG5	F6	F6	F6				F6	F6	F6		F6	F6			
5/27/2020	XX	LFUD9XD04	F6	F6	F6				F6	F6	F6		F6	F6			
6/28/2020	XX	LFUD9XD0I	F6	F6	F6				F6	F6	F6		F6	F6			
7/11/2020	XX	LFUD9XD1C	F6	F6	F6				F6	F6	F6		F6	F6			
7/21/2020	XX	LFUD9XCJ6	F6	F6	F6				F6	F6	F6		F6	F6			
8/3/2020	XX	LFUD9XD5A	F6	F6	F6				F6	F6	F6		F6	F6			
9/27/2020	XX	LFUD9XD66	F6	F6	F6				F6	F6	F6		F6	F6			
10/27/2020	XX	LFUD9XD47	D	D	D				D	D	D		D	D			
10/31/2020	XX	LFUD9XD70	F6	F6	F6				F6	F6	F6		F6	F6			
11/29/2020	XX	LFUD9XD7E	F6	F6	F6				F6	F6	F6		F6	F6			
12/13/2020	XX	LFUD9XD88	F6	F6	F6				F6	F6	F6		F6	F6			
1/10/2021	XX	LFUD9XDF2	F6	F6	F6				F6	F6	F6		F6	F6			
2/28/2021	XX	LFUD9XDE8	A	A	A				A	A	A		A	A			
3/30/2021	XX	LFUD9XDG0	F6	F6	F6				F6	F6	F6		F6	F6			
4/6/2021	XX	LFUD9XDDA	F6	F6	F6				F6	F6	F6		F6	F6			
4/29/2021	XX	LFUD9XDHG	F6	F6	F6				F6	F6	F6		F6	F6			
5/19/2021	XX	LFUD9XDIA	F6	F6	F6				F6	F6	F6		F6	F6			
6/2/2021	XX	LFUD9XE31	F6	F6	F6				F6	F6	F6		F6	F6			
7/13/2021	XX	LFUD9XE11	F6	F6	F6				F6	F6	F6		F6	F6			
7/16/2021	XX	LFUD9XE3H	F6	F6	F6				F6	F6	F6		F6	F6			
8/3/2021	XX	LFUD9XEFJ	F6	F6	F6				F6	F6	F6		F6	F6			
9/18/2021	XX	LFUD9XEE1	F6	F6	F6				F6	F6	F6		F6	F6			
10/5/2021	XX	LFUD9XE78	F6	F6	F6				F6	F6	F6		F6	F6			
10/16/2021	XX	LFUD9XEF0	F6	F6	F6				F6	F6	F6		F6	F6			
11/20/2021	XX	LFUD9XEHI	F6	F6	F6				F6	F6	F6		F6	F6			
12/18/2021	XX	LFUD9XEJ0	F6	F6	F6				F6	F6	F6		F6	F6			
LF-UD-10																	
10/25/2017	XX	LFXXXX9ID	F6	F6	F6				F6	F6	F6			F6			
12/27/2017	XX	LFXXXXA1F	F6	F6	F6				F6	F6	F6			F6			
1/19/2018	XX	LFXXXXA51	F6	F6	F6				F6	F6	F6			F6			
2/22/2018	XX	LFXXXXA5E	119	6.8	5.1				420	9	0.00056			12.9			
3/24/2018	XX	LFXXXXA9A	175	7	8.8				455	8	0.00334		50 U	43.4			
4/3/2018	XX	LFXXXXA48	F6	F6	F6				F6	F6	F6			F6			
4/28/2018	XX	LFXXXXAA3	F6	F6	F6				F6	F6	F6		F6	F6			
5/11/2018	XX	LFXXXXAAG	F6	F6	F6				F6	F6	F6		F6	F6			
6/2/2018	XX	LFXXXXAE0	F6	F6	F6				F6	F6	F6			F6			
7/2/2018	XX	LFXXXXAJ0	F6	F6	F6				F6	F6	F6			F6			
7/17/2018	XX	LFU10XAD6	D	D	D				D	D	D			D			
8/17/2018	XX	LFXXXXAJF	F6	F6	F6				F6	F6	F6			F6			
9/1/2018	XX	LFXXXXB31	F6	F6	F6				F6	F6	F6			F6			
10/3/2018	XX	LFXXXXB27	F6	F6	F6				F6	F6	F6		F6	F6			
10/13/2018	XX	LFXXXXB3F	F6	F6	F6				F6	F6	F6			F6			
11/2/2018	XX	LFXXXXB49	134	7.3	10.6				387	7	0.0045		25	49.6			
12/7/2018	XX	LFXXXXB88	F6	F6	F6				F6	F6	F6			F6			
1/3/2019	XX	LFXXXXB92	F6	F6	F6				F6	F6	F6			F6			
2/2/2019	XX	LFXXXXB9G	F6	F6	F6				F6	F6	F6			F6			
3/2/2019	XX	LFXXXXBAA	F6	F6	F6				F6	F6	F6			F6			
4/5/2019	XX	LFXXXXBB4	F6	F6	F6				F6	F6	F6			F6			
4/23/2019	XX	LFXXXXB74	F6	F6	F6				F6	F6	F6			F6			

SUMMARY REPORT

Field Data

(LF-UD-10)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
5/10/2019	XX	LFXXXXBEG	111	7.3	14.9				295	7	0.0178		0 D3	49.5		
6/24/2019	XX	LFXXXXBFA	F6	F6	F6				F6	F6	F6		F6	F6		
7/16/2019	XX	LFXXXXBDE	F6	F6	F6				F6	F6	F6		F6	F6		
7/30/2019	XX	LFXXXXBG4	F6	F6	F6				F6	F6	F6		F6	F6		
8/20/2019	XX	LFXXXXBGI	F6	F6	F6				F6	F6	F6		F6	F6		
9/20/2019	XX	LFXXXXC0B	F6	F6	F6				F6	F6	F6		F6	F6		
10/14/2019	XX	LFXXXXC15	F6	F6	F6				F6	F6	F6		F6	F6		
10/29/2019	XX	LFXXXXBJ7	F6	F6	F6				F6	F6	F6		F6	F6		
11/27/2019	XX	LFXXXXC1J	F6	F6	F6				F6	F6	F6		F6	F6		
12/23/2019	XX	LFXXXXC39	F6	F6	F6				F6	F6	F6		F6	F6		
1/17/2020	XX	LFXXXXC44	F6	F6	F6				F6	F6	F6		F6	F6		
2/4/2020	XX	LFXXXXC4J	F6	F6	F6				F6	F6	F6		F6	F6		
3/27/2020	XX	LFXXXXCFF	F6	F6	F6				F6	F6	F6		F6	F6		
4/28/2020	XX	LFXXXXCEE	F6	F6	F6				F6	F6	F6		F6	F6		
4/29/2020	XX	LFXXXXCG9	F6	F6	F6				F6	F6	F6		F6	F6		
5/27/2020	XX	LFXXXXD08	F6	F6	F6				F6	F6	F6		F6	F6		
6/28/2020	XX	LFXXXXD12	F6	F6	F6				F6	F6	F6		F6	F6		
7/11/2020	XX	LFXXXXD1G	F6	F6	F6				F6	F6	F6		F6	F6		
7/21/2020	XX	LFXXXXCJ7	F6	F6	F6				F6	F6	F6		F6	F6		
8/3/2020	XX	LFXXXXD5E	F6	F6	F6				F6	F6	F6		F6	F6		
9/27/2020	XX	LFXXXXD6A	F6	F6	F6				F6	F6	F6		F6	F6		
10/27/2020	XX	LFXXXXD4B	F6	F6	F6				F6	F6	F6		F6	F6		
10/31/2020	XX	LFXXXXD74	F6	F6	F6				F6	F6	F6		F6	F6		
11/29/2020	XX	LFXXXXD7I	F6	F6	F6				F6	F6	F6		F6	F6		
12/13/2020	XX	LFXXXXD8C	F6	F6	F6				F6	F6	F6		F6	F6		
1/10/2021	XX	LFXXXXDF6	F6	F6	F6				F6	F6	F6		F6	F6		
2/28/2021	XX	LFXXXXDEC	A	A	A				A	A	A		A	A		
3/30/2021	XX	LFXXXXDG4	F6	F6	F6				F6	F6	F6		F6	F6		
4/6/2021	XX	LFXXXXDDB	F6	F6	F6				F6	F6	F6		F6	F6		
4/29/2021	XX	LFXXXXD10	F6	F6	F6				F6	F6	F6		F6	F6		
5/19/2021	XX	LFXXXXDIE	F6	F6	F6				F6	F6	F6		F6	F6		
6/2/2021	XX	LFXXXXE35	F6	F6	F6				F6	F6	F6		F6	F6		
7/13/2021	XX	LFXXXXE12	F6	F6	F6				F6	F6	F6		F6	F6		
7/16/2021	XX	LFXXXXE41	F6	F6	F6				F6	F6	F6		F6	F6		
8/3/2021	XX	LFXXXXEG4	F6	F6	F6				F6	F6	F6		F6	F6		
9/18/2021	XX	LFXXXXEE5	F6	F6	F6				F6	F6	F6		F6	F6		
10/5/2021	XX	LFXXXXE7C	F6	F6	F6				F6	F6	F6		F6	F6		
10/16/2021	XX	LFXXXXEF4	F6	F6	F6				F6	F6	F6		F6	F6		
11/20/2021	XX	LFXXXXE12	F6	F6	F6				F6	F6	F6		F6	F6		
12/18/2021	XX	LFXXXXEJ4	F6	F6	F6				F6	F6	F6		F6	F6		
LP-COMP																
1/26/2012	XX	LPCMPX58J	315	7.6	9.1				371	6			110	1.47		
2/24/2012	XX	LPCMPX59A	323	7.8	13				354	8			125	1.74		
3/23/2012	XX	LPCMPX5A1	320	7.6	15.3				360	6			125	0.39		
4/16/2012	XX	LPCMPX5AC	331	7.3	13.2				377	6			150	0.48		
5/3/2012	XX	LPCMPX5B3	324	7.4	14.3				395	10			120	0.42		
7/31/2012	XX	LPCMPX5C5	355	7	22				363	8			125	0.79		
3/28/2015	XX	LPCMPX7AH	320	7.1	11.4				387	4.5			135	1.78		
4/16/2015	XX	LPCMPX7BA	261	7.5	17.6				370	8			125	1.74		

REPORT PREPARED: 2/23/2022 08:22

FOR: Juniper Ridge Landfill

SUMMARY REPORT

Field Data

Page 30 of 59

SEVEE & MAHER ENGINEERS, INC.
4 BLANCHARD ROAD
CUMBERLAND CENTER, ME 04021

(LP-COMP)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
7/23/2015	XX	LPCMPX7G7	326	7.2	20.2				350	9			155	0.4			
8/24/2015	XX	LPCMPX7GJ	317	7	20.2				361	6			160	0.2			
10/31/2015	XX	LPCMPX814	284	7.4	13.8				353	8			130	0.5			
11/27/2015	XX	LPCMPX81G	312	7	15				377	8			170	0.8			
12/30/2015	XX	LPCMPX829	306	7.2	8.8				361	10			160	0.9			
1/14/2016	XX	LPCMPX831	307	6.4	6.2				327	8			150	0.5			
2/18/2016	XX	LPCMPX88D	285	7.2	11.2				346	8			145	1			
3/17/2016	XX	LPCMPX895	305	7	11.3				331	10			155	0.4			
4/21/2016	XX	LPCMPX89H	302	7.1	11.9				335	9			120	1.3			
5/26/2016	XX	LPCMPX8D3	313	7	16.6				285	7			160	0.3			
6/27/2016	XX	LPCMPX8E7	333	6.6	17.9				520	7			165	0.8			
7/20/2016	XX	LPCMPX8FB	328	6.7	20.3				362	7			155	0.3			
8/29/2016	XX	LPCMPX91D	261	6.44	21.2				346	7			125	0.5			
9/23/2016	XX	LPCMPX941	265	6.63	18				313	7			130	0.3			
10/31/2016	XX	LPCMPX94F	250	6.84	15.1				347	4			75	0.3			
11/29/2016	XX	LPCMPX95A	269	7.25	7.5				378	6			110	0.6			
12/13/2016	XX	LPCMPX963	143	7.5	5.8				362	9			115	0.2			
1/10/2017	XX	LPCMPX9A2	122	7.05	13.6				364	7			110	0.4			
2/8/2017	XX	LPCMPX9AF	123	6.95	10.5				377	5			95	0.7			
3/3/2017	XX	LPCMPX9B8	92	6.91	15.1				370	6			75	2			
4/5/2017	XX	LPCMPX999	115	6.88	18.4				362	6			95	0.4			
5/25/2017	XX	LPCMPX9C1	205	6.6	13.8				359	3			90	0.6			
6/16/2017	XX	LPCMPX9F2	235	6.9	14				346	7			115	0.6			
7/31/2017	XX	LPCMPX9FF	333	7.1	21.2				330	7			180	0.6			
8/31/2017	XX	LPCMPX9J5	325	6.8	19.1				346	7			180	0.2			
9/28/2017	XX	LPCMPX9JH	324	7.3	18.3				330	7			125	0.3			
10/26/2017	XX	LPCMPXA09	317	6.8	17.1				415	7			165	1.7			
11/30/2017	XX	LPCMPXA11	311	7.3	12				367	6			165	0.7			
12/27/2017	XX	LPCMPXA1E	304	6.2	11.4				376	7			140	1			
1/19/2018	XX	LPCMPXA50	306	7	6.9				389	8			150	0.2			
2/22/2018	XX	LPCMPXA5D	297	7.5	7				386	9			110	1.3			
3/24/2018	XX	LPCMPXA99	310	6.5	9.1				396	9			120	2.1			
4/28/2018	XX	LPCMPXAA2	257	7.2	14.6				415	10			125	0.5			
5/11/2018	XX	LPCMPXAAF	294	6.9	10.8				415	9			110	2			
6/2/2018	XX	LPCMPXADJ	472	6.7	13.8				373	7			120	0.4			
7/2/2018	XX	LPCMPXAIJ	332	7.2	19.1				359	8			130	0.6			
8/17/2018	XX	LPCMPXAJE	335	6.7	21.3				324	8			130	3.2			
9/1/2018	XX	LPCMPXB30	320	6.7	18.7				369	7			130	0.9			
10/13/2018	XX	LPCMPXB3E	313	6	15.3				363	6			130	1.2			
11/2/2018	XX	LPCMPXB48	269	6.6	12.1				354	8			110	2.2			
12/7/2018	XX	LPCMPXB87	235	6.1	8.2				359	8			125	2.5			
1/3/2019	XX	LPCMPXB91	310	6.8	5.2				375	7			125	4.7			
2/2/2019	XX	LPCMPXB9F	429	7.7	3.4				378	7			130	7.4			
3/2/2019	XX	LPCMPXBA9	289	6.4	6				356	6			130	2.1			
4/5/2019	XX	LPCMPXBB3	260	8.1	13.1				363	7			130	0.9			
5/10/2019	XX	LPCMPXBEF	248	6.8	13.8				327	6			130	0.9			
6/24/2019	XX	LPCMPXBF9	270	7.2	15.1				366	8			125	0.5			
7/30/2019	XX	LPCMPXBG3	280	7.1	20				354	8			150	0.4			
8/20/2019	XX	LPCMPXBGH	273	7.4	25.1				352	8			140	0.2			
9/20/2019	XX	LPCMPXC0A	294	7.2	21.7				361	6			125	0.2			

SUMMARY REPORT

Field Data

(LP-COMP)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
10/14/2019	XX	LPCMPXC14	267	7.3	18.5				347	10			140	0.3			
11/27/2019	XX	LPCMPXC11	245	7.5	21				389	8			145	1.6			
12/23/2019	XX	LPCMPXC38	285	7.3	9.3				378				125	0.6			
1/17/2020	XX	LPCMPXC43	247	7.2	7.8				415	10			135	1.8			
2/4/2020	XX	LPCMPXC4I	256	7.2	10.2				361	10			100	1.1			
3/27/2020	XX	LPCMPXCFE	225	7.3	10.7				418	6			135	0.5			
4/29/2020	XX	LPCMPXC8	268	7.2	14.8				352	8			140	1.6			
5/27/2020	XX	LPCMPXD07	238	7.1	21.3				348	6			150	0.3			
6/28/2020	XX	LPCMPXD11	275	7	22.4				322	6			150	1.8			
7/11/2020	XX	LPCMPXD1F	293	6.9	22.2				352	5			175	0.2			
8/3/2020	XX	LPCMPXD5D	303	7	22.4				360	6			160	0.1			
9/27/2020	XX	LPCMPXD69	285	7.2	18				416	5			175	0.1			
10/31/2020	XX	LPCMPXD73	288	7.4	14.5				403	8			150	1.2			
11/29/2020	XX	LPCMPXD7H	286	7.3	14.9				426	6			150	0.8			
12/13/2020	XX	LPCMPXD8B	274	7.1	11.9				385	6			135	2.7			
1/10/2021	XX	LPCMPXDF5	289	7.4	15.7				390	6			150	0.8			
2/28/2021	XX	LPCMPXDEB	267	7.4	11.9				350	8			150	1.4			
3/30/2021	XX	LPCMPXDG3	261	7.3	14.9				402	8			130	6.5			
4/29/2021	XX	LPCMPXDHJ	314	7.3	15				373	8			150	0.9			
5/19/2021	XX	LPCMPXDID	314	7.5	21.2				394	7			145	1.3			
6/2/2021	XX	LPCMPXE34	262	7.2	19.6				344	6			150	0.8			
7/16/2021	XX	LPCMPXE40	333	6.9	23.8				386	9			160	0.8			
8/3/2021	XX	LPCMPXEG3	306	7	23.4				409	8			160	2.5			
9/18/2021	XX	LPCMPXEE4	365	6.7	19.9				366	7			150	21.3			
10/16/2021	XX	LPCMPXEF3	253	7	17.6				352	5			160	8.1			
11/20/2021	XX	LPCMPXEI1	362	7.8	13.9				328	6			175	5.8			
12/18/2021	XX	LPCMPXEJ3	277	7.2	13.5				341	6			150	15.2			
LP-UD-1																	
1/26/2012	XX	LPUD1X58B	H9	H9	H9				H9	H9			H9	H9			
2/24/2012	XX	LPUD1X593	H9	H9	H9				H9	H9			H9	H9			
3/23/2012	XX	LPUD1X59E	H9	H9	H9				H9	H9			H9	H9			
4/16/2012	XX	LPUD1X5A5	H5	H5	H5				H5	H5			H5	H5			
4/24/2012	XX	LPUD1X527	F6	F6	F6				F6	F6			F6	F6			
5/3/2012	XX	LPUD1X5AG	H9	H9	H9				H9	H9			H9	H9			
6/29/2012	XX	LPUD1X5B7	F6	F6	F6				F6	F6			F6	F6			
7/24/2012	XX	LPUD1X576	F6	F6	F6				F6	F6			F6	F6			
7/31/2012	XX	LPUD1X5BI	H9	H9	H9				H9	H9			H9	H9			
8/31/2012	XX	LPUD1X5EJ	F6	F6	F6				F6	F6			F6	F6			
9/27/2012	XX	LPUD1X5FA	F6	F6	F6				F6	F6			F6	F6			
10/23/2012	XX	LPUD1X5DH	F6	F6	F6				F6	F6			F6	F6			
11/13/2012	XX	LPUD1X5G1	F6	F6	F6				F6	F6			F6	F6			
12/31/2012	XX	LPUD1X5GC	F6	F6	F6				F6	F6			F6	F6			
1/30/2013	XX	LPUD1X608	F6	F6	F6				F6	F6			F6	F6			
2/15/2013	XX	LPUD1X5JG	F6	F6	F6				F6	F6			F6	F6			
3/28/2013	XX	LPUD1X611	F6	F6	F6				F6	F6			F6	F6			
4/23/2013	XX	LPUD1X5I8	F6	F6	F6				F6	F6			F6	F6			
4/24/2013	XX	LPUD1X61D	F6	F6	F6				F6	F6			F6	F6			
5/30/2013	XX	LPUD1X625	F6	F6	F6				F6	F6			F6	F6			
6/26/2013	XX	LPUD1X62H	F6	F6	F6				F6	F6			F6	F6			

SUMMARY REPORT

Field Data

(LP-UD-1)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
7/30/2013	XX	LPUD1X64D	F6	F6	F6				F6	F6			F6	F6			
8/20/2013	XX	LPUD1X697	F6	F6	F6				F6	F6			F6	F6			
9/26/2013	XX	LPUD1X68F	F6	F6	F6				F6	F6			F6	F6			
10/29/2013	XX	LPUD1X676	F6	F6	F6				F6	F6			F6	F6			
11/25/2013	XX	LPUD1X6A0	F6	F6	F6				F6	F6			F6	F6			
12/17/2013	XX	LPUD1X6D0	F6	F6	F6				F6	F6			F6	F6			
1/24/2014	XX	LPUD1X6DC	F6	F6	F6				F6	F6			F6	F6			
2/24/2014	XX	LPUD1X6H9	F6	F6	F6				F6	F6			F6	F6			
3/27/2014	XX	LPUD1X6GH	F6	F6	F6				F6	F6			F6	F6			
4/22/2014	XX	LPUD1X6F9	F6	F6	F6				F6	F6			F6	F6			
4/29/2014	XX	LPUD1X6I1	F6	F6	F6				F6	F6			F6	F6			
5/23/2014	XX	LPUD1X710	F6	F6	F6				F6	F6			F6	F6			
6/24/2014	XX	LPUD1X71C	F6	F6	F6				F6	F6			F6	F6			
7/29/2014	XX	LPUD1X6JG	F6	F6	F6				F6	F6			F6	F6			
8/26/2014	XX	LPUD1X74C	F6	F6	F6				F6	F6			F6	F6			
9/23/2014	XX	LPUD1X753	F6	F6	F6				F6	F6			F6	F6			
10/21/2014	XX	LPUD1X737	F6	F6	F6				F6	F6			F6	F6			
11/28/2014	XX	LPUD1X75F	F6	F6	F6				F6	F6			F6	F6			
12/24/2014	XX	LPUD1X768	F12	F12	F12				F12	F12			F12	F12			
2/3/2015	XX	LPUD1X76J	F12	F12	F12				F12	F12			F12	F12			
2/21/2015	XX	LPUD1X77A	F6	F6	F6				F6	F6			F6	F6			
3/28/2015	XX	LPUD1X7A8	H9	H9	H9				H9	H9			H9	H9			
4/16/2015	XX	LPUD1X7B1	H9	H9	H9				H9	H9			H9	H9			
4/28/2015	XX	LPUD1X794	F6	F6	F6				F6	F6			F6	F6			
5/22/2015	XX	LPUD1X7F6	F6	F6	F6				F6	F6			F6	F6			
6/22/2015	XX	LPUD1X7EE	F6	F6	F6				F6	F6			F6	F6			
7/14/2015	XX	LPUD1X7CG	F6	F6	F6				F6	F6			F6	F6			
7/23/2015	XX	LPUD1X7FI	H9	H9	H9				H9	H9			H9	H9			
8/24/2015	XX	LPUD1X7GA	H9	H9	H9				H9	H9			H9	H9			
9/26/2015	XX	LPUD1X803	F6	F6	F6				F6	F6			F6	F6			
10/26/2015	XX	LPUD1X7I5	F6	F6	F6				F6	F6				F6			
10/31/2015	XX	LPUD1X80F	H9	H9	H9				H9	H9	H9		H9	H9			
11/27/2015	XX	LPUD1X817	H9	H9	H9				H9	H9	H9		H9	H9			
12/30/2015	XX	LPUD1X820	H9	H9	H9				H9	H9	H9		H9	H9			
1/14/2016	XX	LPUD1X82C	H9	H9	H9				H9	H9	H9		H9	H9			
2/18/2016	XX	LPUD1X884	H9	H9	H9				H9	H9	H9		H9	H9			
3/17/2016	XX	LPUD1X88G	H9	H9	H9				H9	H9	H9		H9	H9			
4/5/2016	XX	LPUD1X86F	F6	F6	F6				F6	F6	F6		F6	F6			
4/21/2016	XX	LPUD1X89E	H9	H9	H9				H9	H9	H9		H9	H9			
5/26/2016	XX	LPUD1X8CE	H9	H9	H9				H9	H9	H9		H9	H9			
6/27/2016	XX	LPUD1X8DI	H9	H9	H9				H9	H9	H9		H9	H9			
7/20/2016	XX	LPUD1X8F2	F6	F6	F6				F6	F6	F6		F6	F6			
7/26/2016	XX	LPUD1X8B5	F6	F6	F6				F6	F6	F6		F6	F6			
8/29/2016	XX	LPUD1X90D	F6	F6	F6				F6	F6	F6		F6	F6			
9/23/2016	XX	LPUD1X93C	F12	F12	F12				F12	F12	F12		F12	F12			
10/25/2016	XX	LPUD1X8J4	F6	F6	F6				F6	F6	F6		F6	F6			
10/31/2016	XX	LPUD1X946	H9	H9	H9				H9	H9	H9		H9	H9			
11/29/2016	XX	LPUD1X951	H9	H9	H9				H9	H9	H9		H9	H9			
12/13/2016	XX	LPUD1X95E	H9	H9	H9				H9	H9	H9		H9	H9			
1/10/2017	XX	LPUD1X99D	H9	H9	H9				H9	H9	H9		H9	H9			

SUMMARY REPORT

Field Data

(LP-UD-1)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
2/8/2017	XX	LPUD1X9A6	H9	H9	H9				H9	H9	H9		H9	H9		
3/3/2017	XX	LPUD1X9AJ	H9	H9	H9				H9	H9	H9		H9	H9		
4/5/2017	XX	LPUD1X990	H9	H9	H9				H9	H9	H9		H9	H9		
4/18/2017	XX	LPUD1X97A	F6	F6	F6				F6	F6	F6		F6	F6		
5/25/2017	XX	LPUD1X9BC	H9	H9	H9				H9	H9	H9		H9	H9		
6/16/2017	XX	LPUD1X9ED	H9	H9	H9				H9	H9	H9		H9	H9		
7/25/2017	XX	LPUD1X9D8	F6	F6	F6				F6	F6	F6		F6	F6		
7/31/2017	XX	LPUD1X9F6	H9	H9	H9				H9	H9	H9		H9	H9		
8/31/2017	XX	LPUD1X9IG	H9	H9	H9				H9	H9	H9		H9	H9		
9/28/2017	XX	LPUD1X9J8	H9	H9	H9				H9	H9	H9		H9	H9		
10/25/2017	XX	LPUD1X9H3	F6	F6	F6				F6	F6	F6		F6	F6		
10/26/2017	XX	LPUD1XA00	H9	H9	H9				H9	H9	H9		H9	H9		
11/30/2017	XX	LPUD1XA0C	H9	H9	H9				H9	H9	H9		H9	H9		
12/27/2017	XX	LPUD1XA15	H9	H9	H9				H9	H9	H9		H9	H9		
1/19/2018	XX	LPUD1XA4B	H9	H9	H9				H9	H9	H9		H9	H9		
2/22/2018	XX	LPUD1XA54	H9	H9	H9				H9	H9	H9		H9	H9		
3/24/2018	XX	LPUD1XA90	H9	H9	H9				H9	H9	H9		H9	H9		
4/3/2018	XX	LPUD1XA32	F6	F6	F6				F6	F6	F6		F6	F6		
4/28/2018	XX	LPUD1XA9D	H9	H9	H9				H9	H9	H9		H9	H9		
5/11/2018	XX	LPUD1XAA6	H9	H9	H9				H9	H9	H9		H9	H9		
6/2/2018	XX	LPUD1XADA	H9	H9	H9				H9	H9	H9		H9	H9		
7/2/2018	XX	LPUD1XAIA	H9	H9	H9				H9	H9	H9		H9	H9		
7/17/2018	XX	LPUD1XAC3	F6	F6	F6				F6	F6	F6		F6	F6		
8/17/2018	XX	LPUD1XAJ5	H9	H9	H9				H9	H9	H9		H9	H9		
9/1/2018	XX	LPUD1XB2B	H9	H9	H9				H9	H9	H9		H9	H9		
10/2/2018	XX	LPUD1XB11	F6	F6	F6				F6	F6	F6		F6	F6		
10/13/2018	XX	LPUD1XB35	H9	H9	H9				H9	H9	H9		H9	H9		
11/2/2018	XX	LPUD1XB3J	H9	H9	H9				H9	H9	H9		H9	H9		
12/7/2018	XX	LPUD1XB7I	H9	H9	H9				H9	H9	H9		H9	H9		
1/3/2019	XX	LPUD1XB8C	H9	H9	H9				H9	H9	H9		H9	H9		
2/2/2019	XX	LPUD1XB96	H9	H9	H9				H9	H9	H9		H9	H9		
3/2/2019	XX	LPUD1XBA0	H9	H9	H9				H9	H9	H9		H9	H9		
4/5/2019	XX	LPUD1XBAE	H9	H9	H9				H9	H9	H9		H9	H9		
4/23/2019	XX	LPUD1XB5I	241	7.1	6.2				370	2.5	0.0011			0.4		
5/10/2019	XX	LPUD1XBE6	H9	H9	H9				H9	H9	H9			H9		
6/24/2019	XX	LPUD1XBF0	H9	H9	H9				H9	H9	H9			H9		
7/16/2019	XX	LPUD1XBCA	F6	F6	F6				F6	F6	F6			F6		
7/30/2019	XX	LPUD1XBFE	H9	H9	H9				H9	H9	H9			H9		
8/20/2019	XX	LPUD1XBG8	H9	H9	H9				H9	H9	H9			H9		
9/20/2019	XX	LPUD1XC0I	H9	H9	H9				H9	H9	H9			H9		
10/14/2019	XX	LPUD1XC0F	H9	H9	H9				H9	H9	H9			H9		
10/29/2019	XX	LPUD1XB13	F6	F6	F6				F6	F6	F6			F6		
11/27/2019	XX	LPUD1XC19	H9	H9	H9				H9	H9	H9			H9		
12/23/2019	XX	LPUD1XC2J	H9	H9	H9				H9	H9	H9			H9		
1/17/2020	XX	LPUD1XC3E	H9	H9	H9				H9	H9	H9			H9		
2/4/2020	XX	LPUD1XC49	H9	H9	H9				H9	H9	H9			H9		
3/27/2020	XX	LPUD1XCF6	H9	H9	H9				H9	H9	H9			H9		
4/28/2020	XX	LPUD1XCDA	F6	F6	F6				F6	F6	F6			F6		
4/29/2020	XX	LPUD1XCG0	H9	H9	H9				H9	H9	H9			H9		
5/27/2020	XX	LPUD1XCJJ	H9	H9	H9				H9	H9	H9			H9		

SUMMARY REPORT

Field Data

(LP-UD-1)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
6/28/2020	XX	LPUD1XD0D	H9	H9	H9				H9	H9	H9			H9		
7/11/2020	XX	LPUD1XD17	H9	H9	H9				H9	H9	H9			H9		
7/22/2020	XX	LPUD1XC13	F6	F6	F6				F6	F6	F6			F6		
8/3/2020	XX	LPUD1XD55	H9	H9	H9				H9	H9	H9			H9		
9/27/2020	XX	LPUD1XD61	H9	H9	H9				H9	H9	H9			H9		
10/27/2020	XX	LPUD1XD37	F6	F6	F6				F6	F6	F6			F6		
10/31/2020	XX	LPUD1XD6F	H9	H9	H9				H9	H9	H9			H9		
12/13/2020	XX	LPUD1XD83	H9	H9	H9				H9	H9	H9			H9		
1/10/2021	XX	LPUD1XDEH	H9	H9	H9				H9	H9	H9		H9	H9		
2/28/2021	XX	LPUD1XDE3	H9	H9	H9				H9	H9	H9		H9	H9		
3/30/2021	XX	LPUD1XDFE	H9	H9	H9				H9	H9	H9		H9	H9		
4/6/2021	XX	LPUD1XDC9	F6	F6	F6				F6	F6	F6		F6	F6		
4/29/2021	XX	LPUD1XDHB	H9	H9	H9				H9	H9	H9		H9	H9		
5/19/2021	XX	LPUD1XDI5	H9	H9	H9				H9	H9	H9		H9	H9		
6/2/2021	XX	LPUD1XE2G	H9	H9	H9				H9	H9	H9		H9	H9		
7/13/2021	XX	LPUD1XE01	F6	F6	F6				F6	F6	F6		F6	F6		
7/16/2021	XX	LPUD1XE3C	H9	H9	H9				H9	H9	H9		H9	H9		
8/3/2021	XX	LPUD1XEFE	H9	H9	H9				H9	H9	H9		H9	H9		
9/18/2021	XX	LPUD1XEDG	357	6.7	20.4				365	6	0.143		125	11		
10/5/2021	XX	LPUD1XE69	F6	F6	F6				F6	F6	F6		F6	F6		
10/16/2021	XX	LPUD1XEEF	251	6.9	19.8				349	6	0.2152		150	5		
11/20/2021	XX	LPUD1XEHD	H9	H9	H9				H9	H9	H9		H9	H9		
12/18/2021	XX	LPUD1XE1F	H9	H9	H9				H9	H9	H9		H9	H9		
LP-UD-2																
1/26/2012	XX	LPUD2X58C	H5	H5	H5				H5	H5	H5		H5	H5		
2/24/2012	XX	LPUD2X594	H5	H5	H5				H5	H5	H5		H5	H5		
3/23/2012	XX	LPUD2X59F	H5	H5	H5				H5	H5	H5		H5	H5		
4/16/2012	XX	LPUD2X5A6	F6	F6	F6				F6	F6	F6		F6	F6		
4/24/2012	XX	LPUD2X528	200	6.9	10.3				409	6			100	2.5		
5/3/2012	XX	LPUD2X5AH	322	7.6	16.6				373	8			130	0.27		
6/29/2012	XX	LPUD2X5B8	287	7	17.21				422	6	0.0006		100	1.23		
7/24/2012	XX	LPUD2X577	110	6.7	18.9				468	6	0.0033		185	3		
7/31/2012	XX	LPUD2X5BJ	338	7	20.3				360	6	0.0011		130	0.14		
8/31/2012	XX	LPUD2X5F0	342	6.6	19				298	7	0.0003		125	0.23		
9/27/2012	XX	LPUD2X5FB	196	6.8	17.6				368	6	0.0003		115	0.39		
10/23/2012	XX	LPUD2X5DI	272	6.8	14.1				453	4	0.0033		105	1.3		
11/13/2012	XX	LPUD2X5G2	272	7.2	12.5				364	6	0.0003		125	0.36		
12/31/2012	XX	LPUD2X5GD	286	7.4	7.6				350	8	0.0006		110	0.64		
1/30/2013	XX	LPUD2X609	289	7.7	8.7				463	10	0.0003		125	0.35		
2/15/2013	XX	LPUD2X5JH	272	7.6	9.6				393	6	0.0003		130	0.04		
3/28/2013	XX	LPUD2X612	270	7.9	8.5				300	10	0.0003		110	0.47		
4/23/2013	XX	LPUD2X5I9	299	7.1	7.9				238	6	0.0033		85	1		
4/24/2013	XX	LPUD2X61E	231	7.6	11.1				343	10	0.0006		137	0.02		
5/30/2013	XX	LPUD2X626	216	7.2	18.6				324	10	0.005		115	0.19		
6/26/2013	XX	LPUD2X62I	302	7.1	13.5				409	8	0.0045		150	0.32		
7/30/2013	XX	LPUD2X64E	304	6.8	18.1				261	6	0.0033		105	1.1		
8/20/2013	XX	LPUD2X698	335	6.9	21.3				372	6	0.0045		125	0.41		
9/26/2013	XX	LPUD2X68G	337	7.2	15.9				377	8	0.0011		110	1.08		
10/29/2013	XX	LPUD2X677	361	7	10.8				366	6	0.0022		125	0.6		

SUMMARY REPORT

Field Data

(LP-UD-2)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
11/25/2013	XX	LPUD2X6A1	315	7.4	10.9				381	8	0.0022		125	0.62		
12/17/2013	XX	LPUD2X6D1	288	7.6	9.2				357	10				0.44		
1/24/2014	XX	LPUD2X6DD	290	7.5	6.7				343	10	0.0003		130	0.51		
2/24/2014	XX	LPUD2X6HA	297	7.6	8				207	10	0.0011		140	1.91		
3/27/2014	XX	LPUD2X6GI	296	7.7	10.9				363	12	0.0003		170	0.48		
4/22/2014	XX	LPUD2X6FA	305	7.2	9.8				518	5	0.0033		90	1.2		
4/29/2014	XX	LPUD2X6I2	298	7.4	11.4				326	11	0.0003		165	1.84		
5/23/2014	XX	LPUD2X711	318	7.3	13.9				353	10	0.0006		140	0.58		
6/24/2014	XX	LPUD2X71D	369	7.3	20.8				368	8	0.0003		160	0.39		
7/29/2014	XX	LPUD2X6JH	300	7	18.3				437	5	0.0056		30	0.8		
8/26/2014	XX	LPUD2X74D	329	7	24.9				379	7	0.0003		200	0.27		
9/23/2014	XX	LPUD2X754	336	7.3	22.2				367	8	0.0011		155	0.1		
10/21/2014	XX	LPUD2X738	280	7.2	13.3				360	5	0.0033		75	0.4		
11/28/2014	XX	LPUD2X75G	308	7.3	13				373	7	0.0007		135	M		
12/24/2014	XX	LPUD2X769	316	7.3	12.1				374	8	0.0015		135	0.14		
2/3/2015	XX	LPUD2X770	310	7.6	12.6				375	5.5	0.0011		150	0.27		
2/21/2015	XX	LPUD2X77B	241	7.8	17.5				352	7.5	0.0007		150	0.87		
3/28/2015	XX	LPUD2X7A9	281	7.1	11.7				393	5.5	0.0017		125	1.06		
4/16/2015	XX	LPUD2X7B2	294	7.6	18.8				370	9	0.0015		125	0.95		
4/28/2015	XX	LPUD2X795	302	7.4	7.2				333	8.8	0.0033			1.3		
5/22/2015	XX	LPUD2X7F7	174	7.2	18.8				370	8	0.0006		150	0.7		
6/22/2015	XX	LPUD2X7EF	321	7.1	21.8				287	7	0.0006		160	0.34		
7/14/2015	XX	LPUD2X7CH	309	7	15.5				335	7.6	0.0045			0.4		
7/23/2015	XX	LPUD2X7FJ	324	7.1	19.6				363	7			130	0.1		
8/24/2015	XX	LPUD2X7GB	329	7	19				350	7	0.0007		165	0.4		
9/26/2015	XX	LPUD2X804	309	7	19.9				364	7	0.0004		155	0.1		
10/27/2015	XX	LPUD2X7I6	283	7.7	12.5				336	8	0.0033			0.3		
10/31/2015	XX	LPUD2X80G	H5	H5	H5				H5	H5	H5		H5	H5		
11/27/2015	XX	LPUD2X818	315	7.2	13.3				374	9	0.0007		160	0.3		
12/30/2015	XX	LPUD2X821	305	7.2	7.8				361	9	0.0004		140	0.03		
1/14/2016	XX	LPUD2X82D	310	6.8	4.4				332	8	0.0006		155	0.01 U		
2/18/2016	XX	LPUD2X885	283	7.3	9.6				354	8	0.0006		155	0.7		
3/17/2016	XX	LPUD2X88H	311	7.1	9.4				333	9	0.0006		160	0.4		
4/5/2016	XX	LPUD2X86G	302	7.5	5.1				205	9.2	0.0033			0.6		
4/21/2016	XX	LPUD2X899	305	7.2	10.9				290	9	0.0006		150	0.3		
5/26/2016	XX	LPUD2X8CF	312	7.1	13.8				309	9	0.0004		145	0.2		
6/27/2016	XX	LPUD2X8DJ	H9	H9	H9				H9	H9	H9		H9	H9		
7/20/2016	XX	LPUD2X8F3	F6	F6	F6				F6	F6	F6		F6	F6		
7/26/2016	XX	LPUD2X8B6	339	6.8	15.4				332	4.6	0.0022			0.4		
8/29/2016	XX	LPUD2X90E	F12	F12	F12				F12	F12	F12			F12		
9/23/2016	XX	LPUD2X93D	F12	F12	F12				F12	F12	F12			F12		
10/25/2016	XX	LPUD2X8J5	466	7.4	12.9				157	2.6	0.0017			0.8		
10/31/2016	XX	LPUD2X947	H9	H9	H9				H9	H9	H9			H9		
11/29/2016	XX	LPUD2X952	F12	F12	F12				F12	F12	F12			F12		
12/13/2016	XX	LPUD2X95F	H9	H9	H9				H9	H9	H9			H9		
1/10/2017	XX	LPUD2X99E	H5	H5	H5				H5	H5	H5		H5	H5		
2/8/2017	XX	LPUD2X9A7	H5	H5	H5				H5	H5	H5		H5	H5		
3/3/2017	XX	LPUD2X9B0	H5	H5	H5				H5	H5	H5		H5	H5		
4/5/2017	XX	LPUD2X991	H5	H5	H5				H5	H5	H5		H5	H5		
4/18/2017	XX	LPUD2X97B	390	6.8	6.2				405	4.5	0.0011			0.5		

SUMMARY REPORT

Field Data

(LP-UD-2)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
5/25/2017	XX	LPUD2X9BD	H5	H5	H5				H5	H5	H5		H5	H5		
6/16/2017	XX	LPUD2X9EE	327	7.4	19.8				365	7	0.0007		175	0.4		
7/25/2017	XX	LPUD2X9D9	305	7.7	15.4				413	8.3	0.0022			0.3		
7/31/2017	XX	LPUD2X9F7	341	7	18.2				372	6	0.0006		170	0.3		
8/31/2017	XX	LPUD2X9IH	332	6.7	17.8				378	7	0.0006		155	0.2		
9/28/2017	XX	LPUD2X9J9	330	7	16.9				347	6	0.0006		140	0.2		
10/25/2017	XX	LPUD2X9H4	293	7.3	15.2				340	8	0.0006			1.2		
10/26/2017	XX	LPUD2XA01	332	6.8	16.1				401	6	0.00056		155	0.3		
11/30/2017	XX	LPUD2XA0D	313	7.2	1.3				390	7	0.00111		150	0.2		
12/27/2017	XX	LPUD2XA16	306	6.5	9.7				415	9	0.0007		130	0.1		
1/19/2018	XX	LPUD2XA4C	303	7	9.2				399	9	0.00111		125	0.3		
2/22/2018	XX	LPUD2XA55	456	7.6	8.9				373	9	0.00167		160	0.2		
3/24/2018	XX	LPUD2XA91	308	6.8	8.5				423	9	0.00037		125	0.5		
4/3/2018	XX	LPUD2XA33	267	7.2	8.3				463	8	0.00334			1.2		
4/28/2018	XX	LPUD2XA9E	263	7.1	13.6				420	10	0.00056		120	0.5		
5/11/2018	XX	LPUD2XAA7	309	6.9	13.3				415	8	0.00111		120	0.2		
6/2/2018	XX	LPUD2XADB	359	6.6	15.3				356	7	0.00111		125	0.7		
7/2/2018	XX	LPUD2XAIB	364	7.3	20.1				372	7	0.0011		120	0.5		
7/17/2018	XX	LPUD2XAC4	327	8.5	15.2				393	7.2	0.00056			1.1		
8/17/2018	XX	LPUD2XAJ6	390	6.7	23.8				344	7	0.00037		140	1.1		
9/1/2018	XX	LPUD2XB2C	353	6.7	18.3				375	6	0.0004		125	0.7		
10/2/2018	XX	LPUD2XB12	314	7.7	14.4				476	6.7	0.00056			0.8		
10/13/2018	XX	LPUD2XB36	391	5.7	15.4				370	7	0.0004		150	1.9		
11/2/2018	XX	LPUD2XB40	273	6.2	12.1				370	8	0.0003		120	1.5		
12/7/2018	XX	LPUD2XB7J	285	5.8	7.6				360	7	0.0007		130	1.1		
1/3/2019	XX	LPUD2XB8D	324	6.9	5.1				376	8	0.0004		140	1.6		
2/2/2019	XX	LPUD2XB97	444	7.7	3.1				374	7	0.0002		125	3.8		
3/2/2019	XX	LPUD2XBA1	317	5.9	6.1				352	7	0.0003		150	0.8		
4/5/2019	XX	LPUD2XBAF	272	8	13.1				380	8	0.0002		125	0.8		
4/23/2019	XX	LPUD2XB5J	243	7.1	6.3				359	9	0.0022			0.6		
5/10/2019	XX	LPUD2XBE7	299	6.4	13.7				348	7	0.0004		125	1.7		
6/24/2019	XX	LPUD2XBF1	272	7.2	16				367	8	0.0033		125	0.9		
7/16/2019	XX	LPUD2XBCB	284	7.5	16.2				402	12	0.0011			0.4		
7/30/2019	XX	LPUD2XBFF	300	7.3	20.3				355	8	0.0002		135	0.4		
8/20/2019	XX	LPUD2XBG9	281	7.4	25.2				355	5	0.0022		130	0.2		
9/20/2019	XX	LPUD2XC02	300	7.3	21.6				362	6	0.0002		125	0.2		
10/14/2019	XX	LPUD2XC0G	271	7.3	18.2				348	8	0.0017		125	0.8		
10/29/2019	XX	LPUD2XB14	273	7.3	12.7				333	7.8	0.0006			1.1		
11/27/2019	XX	LPUD2XC1A	257	7.4	20.9				395	8	0.0022		125	0.7		
12/23/2019	XX	LPUD2XC30	267	7.2	10.4				378	8	0.0045		120	0.3		
1/17/2020	XX	LPUD2XC3F	253	7.3	8				418	10	0.0013		125	0.7		
2/4/2020	XX	LPUD2XC4A	256	7.3	10.4				377	10	0.0025		125	0.2		
3/27/2020	XX	LPUD2XCF7	232	7.3	10.7				423	6	0.0067		125	0.1		
4/28/2020	XX	LPUD2XCDB	304	7.7	7.4				336	8.5	0.0011			0.2		
4/29/2020	XX	LPUD2XCG1	263	7.3	11.7				309	8	0.0017		125	0.4		
5/27/2020	XX	LPUD2XD00	245	7.1	21.1				320	6	0.0033		135	0.1		
6/28/2020	XX	LPUD2XD0E	292	6.8	22.6				323	6	0.0006		150	0.1 U		
7/11/2020	XX	LPUD2XD18	310	7	21.9				327	6	0.0017		175	0.1		
7/21/2020	XX	LPUD2XC14	284	6.8	16.7				371	6.1	0.0006			0.6		
8/3/2020	XX	LPUD2XD56	303	7	22.1				352	8	0.0017		160	0.2		

SUMMARY REPORT

Field Data

(LP-UD-2)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
9/27/2020	XX	LPUD2XD62	282	7.2	18.1				414	6	0.0006		175	0.2			
10/27/2020	XX	LPUD2XD38	284	7.5	12.1				403	8.3				0.8			
10/31/2020	XX	LPUD2XD6G	291	7.4	15				398	6	0.0011		150	0.2			
11/29/2020	XX	LPUD2XD7A	292	7.3	14.8				419	6	0.0023		150	0.4			
12/13/2020	XX	LPUD2XD84	285	7.1	11.8				385	6	0.0022		135	0.6			
1/10/2021	XX	LPUD2XDEI	295	7.4	15.2				365	6	0.0025		140	0.1 U			
2/28/2021	XX	LPUD2XDE4	271	7.5	13.1				344	8	0.0015		175	0.5			
3/30/2021	XX	LPUD2XDFG	277	7.2	14.2				361	8	0.0012		130	1.4			
4/6/2021	XX	LPUD2XDCA	252	7	7.2				382	9.7	0.0017			2.7			
4/29/2021	XX	LPUD2XDHC	303	7.4	15.5				367	8	0.0017		150	0.5			
5/19/2021	XX	LPUD2XD16	314	7.5	21.2				394	7	0.0018		145	1.3			
6/2/2021	XX	LPUD2XE2H	269	7.3	19.2				317	5	0.0007		150	1.6			
7/13/2021	XX	LPUD2XE02	281	7.3	15.2				301	8.8	0.0006			0.6			
7/16/2021	XX	LPUD2XE3D	344	6.9	23.7				372	6	0.0006		150	1.6			
8/3/2021	XX	LPUD2XEFF	310	7.2	24.6				399	6	0.0668		150	13			
9/18/2021	XX	LPUD2XEDH	H9	H9	H9				H9	H9	H9			H9			
10/5/2021	XX	LPUD2XE6A	273	6.9	15.1				256	5.8	0.0022			0.2			
10/16/2021	XX	LPUD2XEEG	H9	H9	H9				H9	H9	H9			H9			
11/20/2021	XX	LPUD2XEHE	301	7.1	16.6				337	6	0.0036		125	7			
12/18/2021	XX	LPUD2XEIG	285	6.8	15.3				344	6	0.0014		140	3.1			
MW-04-09A																	
2/26/2020	XX	GWX09AC56	315	8.7	6.5	169.9	164.28	5.62	26	0.6		42.38		81.2			
4/30/2020	XX	GWX09ACC1	368	8.1	6.7	169.9	164.66	5.24	29	1.9				5.6			
6/23/2020	XX	GWX09ACGC	187	7.2	14.9	169.9	162.06	7.84	133	8.2				1.5			
8/20/2020	XX	GWX09AD1J	389	7.9	11.3	169.9	160.78	9.12	33	0.6				0.8			
7/15/2021	XX	GWXXXXE20	388	7.7	10.8	169.9	163.2	6.7	162	1				2			
10/7/2021	XX	GWX09AE86	369	7.7	9.5	169.9	163.9	6	47	0.2				9.4			
MW-04-09B																	
2/26/2020	XX	GWX09BC57	127	7.1	5.3	169.93	164.48	5.45	312	9.7		19.64		11.1			
4/30/2020	XX	GWX09BCC2	104	7.4	5.6	169.93	164.82	5.11	353	10.5				1.2			
6/23/2020	XX	GWX09BCGD	89	6.6	12	169.93	162.08	7.85	417	9.3				1.1			
8/20/2020	XX	GWX09BD20	99	7.1	12	169.93	160.82	9.11	354	9.4				0.7			
7/15/2021	XX	GWXXXXE21	112	7	12.1	169.93	163.28	6.65	235	7.2				8.5			
10/7/2021	XX	GWX09BE87	113	6.7	11	169.93	164.02	5.91	303	7.5				7.6			
MW04-102																	
4/24/2012	XX	GW102X52J	227	8.1	9.8	170.22	164.22	6	-8	3			120	3.2			
7/24/2012	XX	GW102X57I	230	7.9	15.8	170.22	162.22	8	38	3			100	1.4			
10/22/2012	XX	GW102X5E9	221	7.7	14.1	170.22	164.44	5.78	178	3		17.98	45	1.5			
4/23/2013	XX	GW102X5J0	220	8.4	7	170.22	164.42	5.8	396	3			85	0.9			
7/31/2013	XX	GW102X655	227	7.8	16.1	170.22	163.72	6.5	334	3			100	0.8			
10/28/2013	XX	GW102X67F	207	8.3	12.7	170.22	163.12	7.1	306	1		18.05	100	1.2			
4/23/2014	XX	GW102X6G1	226	6.2	8.5	170.22	164.62	5.6	476	5			75	1.1			
7/30/2014	XX	GW102X704	226	7.6	15.8	170.22	163.92	6.3	429	3			105	0.9			
10/21/2014	XX	GW102X73F	196	8.1	12.9	170.22	163.64	6.58	431	2		18.05	90	1.6			
4/29/2015	XX	GW102X79C	210	8.2	6.8	170.22	164.72	5.5	380	5.1				0.8			
7/14/2015	XX	GW102X7D4	237	8	17.3	170.22	163.32	6.9	349	3				0.9			
10/28/2015	XX	GW102X7ID	214	8.4	10.8	170.22	163.47	6.75	285	5.29		18.05		2.1			
4/5/2016	XX	GW102X873	244	8	5.3	170.22	164.22	6	350	6.9				4.6			

SUMMARY REPORT

Field Data

(MW04-102)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU
7/26/2016	XX	GW102X8BD	275	8	17.1	170.22	167.62	7.6	327	3.3				3.3
10/25/2016	XX	GW102X8JC	237	7.5	13	170.22	163.02	7.2	382	2.6		18.05		8.1
4/19/2017	XX	GW102X97I	219	8.2	6.3	170.22	163.42	6.8	324	7.5				0.6
7/26/2017	XX	GW102X9DG	222	8	15.9	170.22	162.14	8.08	297	3.6				2.1
10/25/2017	XX	GW102X9HB	240	7.9	15.6	170.22	162.02	8.2	315	3		18.05		2.4
4/4/2018	XX	GW102XA3A	320	8.2	4.5	170.22	164.02	6.2	342	7.3				2.7
7/18/2018	XX	GW102XACB	228	7.7	15.7	170.22	161.92	8.3	293	5				1.9
10/3/2018	XX	GW102XB19	224	8.1	14.5	170.22	162.27	7.95	280	3.3		18.05		1.7
4/24/2019	XX	GW102XB66	216	8.3	5.1	170.22	163.82	6.4	355	6				1.9
7/17/2019	XX	GW102XBCH	216	7.6	14.2	170.22	163.12	7.1	265	3.7				2.7
10/28/2019	XX	GW102XBIA	216	8.1	8.1	170.22	163.67	6.55	307	3.3		18.05		2.7
4/27/2020	XX	GW102XCDH	235	7	6.1	170.22	163.12	7.1	348	4.9				1.2
7/20/2020	XX	GW102XCIA	219	7.6	15.6	170.22	161.8	8.42	262	3.9				2.4
10/26/2020	XX	GW102XD3E	224	7.2	12.5	170.22	162.22	8	351	5.5		18.05		2.7
4/5/2021	XX	GW102XDCC	246	6.6	5.2	170.22	163.67	6.55	335	5.4				3
7/12/2021	XX	GW102XE08	208	7.9	14.5	170.22	162.02	8.2	267	4.7				2.8
10/4/2021	XX	GW102XE6G	230	7.4	15.5	170.22	162.22	8	253	3.4				1.7
MW04-105														
4/23/2012	XX	GW105X530	240	7.4	8.7	165.59	157.99	7.6	325	3			160	1.7
7/24/2012	XX	GW105X57J	299	7.1	13.6	165.59	156.99	8.6	-7	0.4			160	1.1
10/22/2012	XX	GW105X5EA	252	7.2	11.9	165.59	158.99	6.6	281	0.4		22.75	70	1.3
4/24/2013	XX	GW105X5J1	249	6.8	7.1	165.59	158.04	7.55	381	1			90	3
10/29/2013	XX	GW105X68B	286	6.7	11.2	165.59	157.16	8.43	324	0.6		22.83	125	1.2
10/22/2014	XX	GW105X747	322	6.6	10.5	165.59	158.31	7.28	447	0.4		22.83	110	0.2
10/28/2015	XX	GW105X7J7	296	6.7	10.1	165.59	157.97	7.62	295	0.4		22.83		0.9
10/26/2016	XX	GW105X909	305	6.9	10.6	165.59	157.28	8.31	346	0.4		22.83		3.7
10/23/2017	XX	GW105X9I8	332	6.9	14.3	165.59	156.39	9.2	299	0.4		22.85		0.7
10/1/2018	XX	GW105XB26	341	6.9	11.7	165.59	156.98	8.61	307	0.4		22.84		1.9
10/28/2019	XX	GW105XBJ6	218	6.8	10.3	165.59	158.39	7.2	265	0.4		22.83		1.8
10/27/2020	XX	GW105XD4A	276	7.1	11.4	165.59	157.29	8.3	348	0.6		22.84		1.8
10/5/2021	XX	GW105XE7B	328	6.8	14.9	165.59	157.44	8.15	170	0.3				1
MW04-109R														
4/24/2012	XX	GW109X531	382	6.6	10.4	160.13	153.77	6.36	-478	0.4			240	2.9
7/24/2012	XX	GW109X580	408	6.5	19.1	160.13	152.86	7.27	-155	0.3			140	1
10/23/2012	XX	GW109X5EB	404	6.6	9.3	160.13	153.73	6.4	241	0.8		22.92	160	1.1
4/23/2013	XX	GW109X5J2	390	6.8	10.2	160.13	153.45	6.68	341	1			165	0.3
7/30/2013	XX	GW109X657	414	6.6	19	160.13	153.21	6.92	278	0.6			180	0.2
10/29/2013	XX	GW109X67G	397	6.3	5.9	160.13	152.72	7.41	327	0.6		22.97	220	0.2
4/22/2014	XX	GW109X6G3	377	6.5	11	160.13	153.91	6.22	418	0.8			200	0
7/29/2014	XX	GW109X705	407	6.6	17.7	160.13	153.34	6.79	361	0.3			220	0.9
10/21/2014	XX	GW109X73G	389	6.7	12.5	160.13	153.06	7.07	412	0.4		22.98	220	0
4/28/2015	XX	GW109X79D	399	6.7	9.9	160.13	153.9	6.23	386	1.3				0.1
7/14/2015	XX	GW109X7D5	398	6.6	21.9	160.13	152.78	7.35	355	1				0.1
10/27/2015	XX	GW109X7IE	429	6.6	11.6	160.13	153.13	7	323	0.7		22.97		0.2
4/5/2016	XX	GW109X874	445	6.6	8.4	160.13	153.8	6.33	339	1.3				0.4
7/26/2016	XX	GW109X8BE	426	6.5	21.4	160.13	152.53	7.6	356	0.8				1
10/25/2016	XX	GW109X8JD	425	6.6	9.1	160.13	152.78	7.35	385	0.7		22.97		2
4/18/2017	XX	GW109X97J	237	6.8	9	160.13	154.02	6.11	419	2.6				0.4

SUMMARY REPORT

Field Data

(MW04-109R)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
7/25/2017	XX	GW109X9DH	443	6.5	19.9	160.13	152.42	7.71	302	0.5				2.4			
10/24/2017	XX	GW109X9HC	453	6.7	16.5	160.13	151.51	8.62	335	2		22.97		0.8			
4/3/2018	XX	GW109XA3B	556	6.7	7.2	160.13	154.4	5.73	389	1.7				0.7			
7/17/2018	XX	GW109XACC	461	6.6	19	160.13	152.68	7.45	300	1.5				2.4			
10/2/2018	XX	GW109XB1A	437	6.7	11.1	160.13	152.28	7.85	330	0.4		22.97		1.8			
4/23/2019	XX	GW109XB67	427	6.9	8.7	160.13	154.46	5.67	409	1.7				0.8			
7/16/2019	XX	GW109XBCI	446	6.5	18.2	160.13	153.73	6.4	268	1.3				2.3			
10/29/2019	XX	GW109XBIB	418	6.8	13.2	160.13	154.17	5.96	371	0.1 U		22.97		2.8			
4/28/2020	XX	GW109XCDI	385	6.9	8.7	160.13	153.68	6.45	354	4.3				1.2			
7/21/2020	XX	GW109XCIB	408	6.8	20.2	160.13	152.85	7.28	236	1.8				2.7			
10/27/2020	XX	GW109XD3F	391	6.9	9.2	160.13	153.05	7.08	327	0.6		27.98		1.5			
4/6/2021	XX	GW109XDCH	403	6.5	9.7	160.13	153.83	6.3	252	2.5				1.9			
7/13/2021	XX	GW109XE09	424	6.6	17.9	160.13	153.03	7.1	207	0.4				1			
10/5/2021	XX	GW109XE6H	386	6.6	12.1	160.13	153.38	6.75	220	0.3				1.2			
MW06-01																	
4/10/2018	XX	GWXXXXA70	85	6.5	7.3			F1	325	7.9		22.13		0.1			
6/4/2018	XX	GWXXXXA7H	94	6.6	7.7	166.131	165.881	0.25	367	10.3				0.7			
7/18/2018	XX	GWXXXXAEF	102	8	10.2	166.131	165.281	0.85	508	8.7				3.2			
8/20/2018	XX	GWXXXXAFG	91	6.1	11.2	166.131	164.431	1.7	376	9.2				3.5			
4/24/2019	XX	GWXXXXB7D	84	7	6.4			F1	377	10.1				2.1			
7/18/2019	XX	GWXXXXBE1	67	8.1	12.2	166.131	165.951	0.18	290	13				0.5			
10/30/2019	XX	GWXXXXBJ8	85	7.7	9.7	166.131		F1	219	11		22.13		0.1			
4/29/2020	XX	GWXXXXCF1	95	7.2	6.5	166.131		F1	394	10.9				0.3			
7/22/2020	XX	GWXXXXCJE	98	6.7	18.1	166.131	162.881	3.25	386	6.8				0.2			
10/28/2020	XX	GWXXXXD4C	83	7.9	9.8	166.131	163.461	2.67	372	10.5		22.14		0.3			
4/7/2021	XX	GWXXXXDDI	86	6.4	7.6	166.131	165.231	0.9	442	7.9				0.3			
7/14/2021	XX	GWXXXXE19	108	7.2	13.1	166.131	163.761	2.37	337	5.8				0.2			
10/6/2021	XX	GWXXXXE7D	111	6.5	12.6	166.131	164.431	1.7	356	3.9				0.1			
MW-204																	
4/24/2012	XX	GW204X52C	192	6.5	9.4	164.75	155.75	9	255	1			100	2.7			
7/23/2012	XX	GW204X57B	189	7.2	16	164.75	154.6	10.15	258	0.6			80	1.3			
10/24/2012	XX	GW204X5E2	193	7	10.9	164.75	155.7	9.05	228	0.4		24.45	100	4.6			
4/24/2013	XX	GW204X5ID	185	6.7	7.2	164.75	155.53	9.22	339	1			60	5.5			
10/30/2013	XX	GW204X68A	185	6	10.8	164.75	154.8	9.95	210	0.6		24.43	80	1.7			
10/22/2014	XX	GW204X746	192	6.3	11.1	164.75	155.3	9.45	428	0.4		24.48	75	0.4			
10/28/2015	XX	GW204X7J5	167	6.5	11.5	164.75	155.35	9.4	301	1.9		24.43		1.3			
10/26/2016	XX	GW204X907	218	6.7	10	164.75	154.7	10.05	294	0.5		24.43		3.5			
10/23/2017	XX	GW204X9I6	272	6.6	13.1	164.75	153.25	11.5	312	0.3		24.43		1.6			
10/3/2018	XX	GW204XB24	277	6.6	12.3	164.75	154.58	10.17	300	1.6		24.48		2.4			
10/28/2019	XX	GW204XBJ4	253	6.9	11	164.75	155.75	9	191	0.3		24.49		4.1			
10/26/2020	XX	GW204XD48	265	6.6	11.2	164.75	154.65	10.1	337	0.4		24.47		3.5			
10/4/2021	XX	GW204XE79	357	6.8	13.6	164.75	155.1	9.65	183	0.7				2.8			
MW-206																	
4/23/2012	XX	GW206X511	153	7	8.6	204.67	200.26	4.41	-334	4			100	2.7			
7/23/2012	XX	GW206X560	155	7.9	15.7	204.67	196.32	8.35	329	6			80	1.3			
10/22/2012	XX	GW206X5CB	157	8.4	11.2	204.67	200.12	4.55	312	6		23.09	60	1.8			
4/22/2013	XX	GW206X5H2	141	8.1	8.6	204.67	199.87	4.8	317	6			65	0.9			
7/29/2013	XX	GW206X637	146	7.7	12.3	204.67	197.89	6.78	464	8			65	0.9			

SUMMARY REPORT

Field Data

(MW-206)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
10/28/2013	XX	GW206X660	135	7.9	10.3	204.67	196.62	8.05	164	6		23.15	60	1.5		
4/21/2014	XX	GW206X6E3	135	8.4	11	204.67	199.97	4.7	441	5			60	0.4		
7/28/2014	XX	GW206X6IB	170	7.3	14.4	204.67	197.72	6.95	366	5			70	0.9		
10/20/2014	XX	GW206X721	142	8.3	9.5	204.67	196.87	7.8	295	6		23.15	65	0.9		
4/27/2015	XX	GW206X77J	131	8.3	6.9	204.67	200.07	4.6	328	8.6				1.2		
7/13/2015	XX	GW206X7BB	149	8.2	14.4	204.67	197.02	7.65	287	7.7				0.4		
10/26/2015	XX	GW206X7H0	139	7.8	9.3	204.67	197.87	6.8	200	7.7		23.15		4.4		
4/4/2016	XX	GW206X85A	159	7.3	4.1	204.67	199.77	4.9	364	8.5				1.5		
7/25/2016	XX	GW206X8A0	148	8.1	13.8	204.67	195.17	9.5	306	7.6				2.4		
10/24/2016	XX	GW206X8HJ	167	7.5	9.4	204.67	190.72	13.95	348	8.2				9.4		
4/17/2017	XX	GW206X965	142	8.2	8.6	204.67	199.85	4.82	266	9.9				1.4		
7/24/2017	XX	GW206X9C3	150	7.7	11.8	204.67	195.07	9.6	367	9.4				2.4		
10/23/2017	XX	GW206X9F1	146	8.1	11.6	204.67	189.77	14.9	338	7.3		23.15		2		
4/2/2018	XX	GW206XA1G	269	7.8	5.7	204.67	200.07	4.6	362	8.5				7.5		
7/16/2018	XX	GW206XAA1	148	8	11.3	204.67	196.12	8.55	313	8.4				2.4		
10/1/2018	XX	GW206XAJG	147	8.1	10.7	204.67	191.47	13.2	258	7.8		23.15		4.2		
4/22/2019	XX	GW206XB4C	139	8.6	6.1	204.67	200.22	4.45	399	8.8				2.6		
7/17/2019	XX	GW206XBB5	144	8.1	12.3	204.67	198.07	6.6	253	7.5				7.8		
10/28/2019	XX	GW206XBGJ	149	8.3	9.1	204.67	200.17	4.5	242	7.2		23.15		4		
4/27/2020	XX	GW206XCC5	142	7.4	4.7	204.67	199.57	5.1	237	8.4				5.1		
7/20/2020	XX	GW206XCGI	146	8.1	14.3	204.67	193.87	10.8	191	7.5				2.8		
10/26/2020	XX	GW206XD23	148	7.6	7.3	204.67	195.07	9.6	342	8.7		23.15		2.4		
4/5/2021	XX	GW206XDB4	150	7.3	5.5	204.67	200.02	4.65	225	7.1				1.3		
7/14/2021	XX	GW206XDIG	159	7.8	11	204.67	197.77	6.9	267	7				2.5		
10/4/2021	XX	GWXXXXE8D	154	8.2	10.3	204.67	198.87	5.8	243	6				1.2		
MW-223A																
4/24/2012	XX	GW223A514	378	7.8	8	176.54	176.14	0.4	-345	1			200	2.2		
7/24/2012	XX	GW223A563	400	7.3	13.4	176.54	174.44	2.1	323	1			160	0.6		
10/23/2012	XX	GW223A5CE	390	7.5	8.5	176.54	176.04	0.5	207	1		35.48	125	0.8		
4/23/2013	XX	GW223A5H5	439	7.6	4.8	176.54	176.23	0.31	255	1			180	0.5		
7/30/2013	XX	GW223A63A	454	7.6	13.4	176.54	175.45	1.09	322	1			180	0.1		
10/29/2013	XX	GW223A663	420	7.6	9.3	176.54	174.59	1.95	237	0.8		35.56	180	0.3		
4/22/2014	XX	GW223A6E6	453	7.8	6	176.54	176.14	0.4	436	0.6			200	0.3		
7/29/2014	XX	GW223A6ID	460	7.5	10.4	176.54	175.39	1.15	404	0.4			200	0.5		
10/21/2014	XX	GW223A723	435	7.6	9	176.54	174.11	2.43	367	0.8		35.57	200	0.8		
4/28/2015	XX	GW223A781	458	7.6	6.5	176.54	175.74	0.8	367	0.7				0.3		
7/14/2015	XX	GW223A7BD	467	7.5	14.2	176.54	174.72	1.82	356	0.9				0.3		
10/27/2015	XX	GW223A7H2	490	7.6	8.5	176.54	175.14	1.4	290	1.1		35.57		0.2		
4/5/2016	XX	GW223A85CX	F	F	F			F	F	F				F		
4/27/2016	XX	GW223A85C	509	7.7	9.1	176.54	176.4	0.14	275	1.3				0.2		
7/26/2016	XX	GW223A8A2	539	7.5	14.2	176.54	173.79	2.75	349	1.8				2.1		
10/25/2016	XX	GW223A8I1	547	7.6	9.4	176.54	172.84	3.7	338	1.8		35.57		2.7		
4/18/2017	XX	GW223A967	519	7.6	5.2	176.54	175.24	1.3	318	2.7				0.7		
7/25/2017	XX	GW223A9C5	543	7.4	14	176.54	173.74	2.8	305	2				0.8		
10/24/2017	XX	GW223A9G0	552	7.6	12.1	176.54	172.04	4.5	340	1.8		35.57		1.2		
4/3/2018	XX	GW223AA11	651	7.6	4.5	176.54	175.14	1.4	307	1.8				0.6		
7/17/2018	XX	GW223AAB0	568	7.4	12.6	176.54	172.94	3.6	297	1.6				2		
10/2/2018	XX	GW223AAJ1	556	6.3	10.8	176.54	171.59	4.95	305	1.3		35.6		2.9		
4/23/2019	XX	GW223AB4E	542	7.6	6.1	176.54	174.51	2.03	370	2				2		

SUMMARY REPORT

Field Data

(MW-223A)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
7/16/2019	XX	GW223ABB7	559	7.3	11.5	176.54	174.64	1.9	250	0.8				2.8			
10/29/2019	XX	GW223ABH0	548	7.6	9.5	176.54	175.61	0.93	351	0.1 U		35.57		1.3			
4/28/2020	XX	GW223ACC7	531	7.4	6.2	176.54	174.99	1.55	336	0.8				1			
7/21/2020	XX	GW223ACH0	575	7.4	13.5	176.54	173.12	3.42	212	0.8				1			
10/27/2020	XX	GW223AD24	583	7.4	9.5	176.54	173.74	2.8	295	0.8		35.57		1.5			
4/6/2021	XX	GW223ADB6	599	7.1	6.7	176.54	174.94	1.6	225	1.9				0.7			
7/13/2021	XX	GW223ADI1	622	7.4	12.7	176.54	173.39	3.15	149	0.3				1.6			
10/5/2021	XX	GW223AE56	628	7.3	10.5	176.54	174.19	2.35	166	0.3				2.3			
MW-223B																	
4/24/2012	XX	GW223B52D	316	7.1	6.7	175.93	173.98	1.95	-402	0.8			180	3.6			
7/24/2012	XX	GW223B57C	338	6.9	12.9	175.93	172.13	3.8	173	1			140	1.2			
10/23/2012	XX	GW223B5E3	333	7.5	10.3	175.93	173.83	2.1	238	1		20.05	90	0.9			
4/23/2013	XX	GW223B5IE	344	7.3	5.5	175.93	173.75	2.18	244	1			95	0.2			
7/30/2013	XX	GW223B64J	363	7.8	13.8	175.93	173.16	2.77	318	2			125	0.4			
10/29/2013	XX	GW223B67C	336	7.5	10.8	175.93	172.63	3.3	267	0.8		20.07	140	0.1			
4/22/2014	XX	GW223B6FF	370	7.5	6.4	175.93	173.93	2	446	1			160	0.6			
7/29/2014	XX	GW223B700	377	7.6	13.3	175.93	173.23	2.7	355	0.6			160	0.7			
10/21/2014	XX	GW223B73C	350	7.5	10.4	175.93	172.43	3.5	388	1		20.07	160	1.1			
4/28/2015	XX	GW223B798	371	7.1	6.2	175.93	173.78	2.15	344	0.4				0.5			
7/14/2015	XX	GW223B7D0	397	7.2	13.9	175.93	172.53	3.4	349	0.5				0.4			
10/27/2015	XX	GW223B7I9	394	7.5	9.8	175.93	173.13	2.8	286	1.4		20.05		1.3			
4/5/2016	XX	GW223B86J	445	7.1	3.8	175.93	173.53	2.4	309	2.2				7.7			
7/26/2016	XX	GW223B889	433	7.4	12.8	175.93	171.93	4	360	0.5				3.5			
10/25/2016	XX	GW223B8J8	436	7.5	10.6	175.93	171.43	4.5	352	0.3		20.07		3.7			
4/18/2017	XX	GW223B97E	416	7.2	6	175.93	172.73	3.2	371	3.6				0.8			
7/25/2017	XX	GW223B9DC	441	6.7	12.1	175.93	171.76	4.17	316	0.9				0.9			
10/24/2017	XX	GW223B9H7	446	7.3	13	175.93	170.68	5.25	367	0.3		20.06		1.5			
4/3/2018	XX	GW223BA36	596	7.1	3.9	175.93	173.23	2.7	338	2.3				0.2			
7/17/2018	XX	GW223BAC7	480	6.8	12.2	175.93	171.22	4.71	227	1				2.2			
10/2/2018	XX	GW223BB15	485	7.2	10.4	175.93	170.23	5.7	267	0.9		20.07		2.6			
4/23/2019	XX	GW223BB62	465	7.1	5.1	175.93	173.48	2.45	391	0.8				1.1			
7/16/2019	XX	GW223BBCD	491	7.3	13.7	175.93	172.63	3.3	259	2				1.6			
10/29/2019	XX	GW223BBI6	480	7.2	10.4	175.93	173.53	2.4	349	0.1 U		20.07		1.3			
4/28/2020	XX	GW223BCDD	461	7	5.6	175.93	173.13	2.8	355	0.5				1			
7/21/2020	XX	GW223BCI6	497	7.1	12.3	175.93	171.43	4.5	220	0.6				1.4			
10/27/2020	XX	GW223BD3A	505	7.2	10.7	175.93	172.13	3.8	328	0.3		20.07		1.9			
4/6/2021	XX	GW223BDCC	505	6.8	5.8	175.93	173.03	2.9	239	0.3				0.8			
7/13/2021	XX	GW223BE04	521	7	11.4	175.93	172.53	3.4	180	0.2				1.3			
10/5/2021	XX	GW223BE6C	531	6.8	11.7	175.93	172.33	3.6	197	0.2				1.2			
MW-227																	
4/24/2012	XX	GW227X515	186	8.5	6.8	164.23	160.59	3.64	-455	2			120	3			
7/24/2012	XX	GW227X564	191	7.8	13.9	164.23	157.78	6.45	43	1			80	1.3			
10/23/2012	XX	GW227X5CF	201	7.8	11	164.23	160	4.23	213	0.3		22.3	100	1.3			
4/23/2013	XX	GW227X5H6	189	8.5	5.8	164.23	159.9	4.33	281	1			85	0.2			
7/30/2013	XX	GW227X63B	192	8.9	15	164.23	159.84	4.39	227	0.8			85	0.3			
10/29/2013	XX	GW227X664	177	8.4	10.5	164.23	159.58	4.65	305	1		22.28	80	0.7			
4/22/2014	XX	GW227X6E7	187	8.2	8.3	164.23	160.03	4.2	388	2			70	0.2			
7/29/2014	XX	GW227X6IE	180	8.3	14.2	164.23	159.8	4.43	306	0.8			75	1.3			

SUMMARY REPORT

Field Data

(MW-227)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
10/21/2014	XX	GW227X724	181	8.3	10.7	164.23	159.63	4.6	376	0.8		22.3	85	1.2			
4/28/2015	XX	GW227X782	184	8.3	6.7	164.23	159.93	4.3	350	3.1				0.8			
7/14/2015	XX	GW227X7BE	193	8.3	15.3	164.23	158.43	5.8	353	1.1				1.1			
10/27/2015	XX	GW227X7H3	182	8.1	11.4	164.23	159.63	4.6	297	3.9		22.3		0.7			
4/5/2016	XX	GW227X85D	205	8.1	3.1	164.23	159.73	4.5	320	3.4				2.2			
7/26/2016	XX	GW227X8A3	201	8	13.9	164.23	158.68	5.55	365	1.8				5.2			
10/25/2016	XX	GW227X8I2	199	7.9	10.2	164.23	159.62	4.61	353	3.5		22.3		5.3			
4/18/2017	XX	GW227X968	188	8.2	5.8	164.23	159.63	4.6	356	5.4				1.4			
7/25/2017	XX	GW227X9C6	185	8.2	12.6	164.23	158.03	6.2	314	1.5				2.4			
10/24/2017	XX	GW227X9G1	191	8.1	13.1	164.23	158.58	5.65	354	1.2		22.3		2			
4/3/2018	XX	GW227XA1J	284	8.2	4.8	164.23	160.03	4.2	326	4.9				1.3			
7/17/2018	XX	GW227XAB1	189	8.2	13.5	164.23	158.38	5.85	278	2.1				2.4			
10/2/2018	XX	GW227XAJJ	191	8.1	11.1	164.23	159.05	5.18	274	2		22.3		1.6			
4/23/2019	XX	GW227XB4F	194	8.3	4.9	164.23	160.1	4.13	389	3.2				2.5			
7/16/2019	XX	GW227XBB8	189	8.1	15	164.23	159.48	4.75	244	3.1				3.7			
10/29/2019	XX	GW227XBH1	181	8.3	10.5	164.23	160.04	4.19	333	0.1 U		22.3		2.6			
4/28/2020	XX	GW227XCC8	173	7.8	5.8	164.23	159.92	4.31	352	2.7				1.5			
7/21/2020	XX	GW227XCH1	182	8	12.9	164.23	159.18	5.05	219	2.7				2.2			
10/27/2020	XX	GW227XD25	184	7.9	10.9	164.23	159.78	4.45	314	5.3		22.31		2			
4/6/2021	XX	GW227XDB7	190	7.7	6	164.23	159.9	4.33	226	3.6				2.9			
7/13/2021	XX	GW227XDIJ	190	8.1	12.1	164.23	159.43	4.8	125	0.6				3.2			
10/5/2021	XX	GW227XE57	191	8.2	11.9	164.23	159.58	4.65	180	0.2				3.7			
MW-301																	
4/25/2012	XX	GW301X516	194	8.1	9.5	166.36	162.43	3.93	290	0.6			100	7.6			
7/25/2012	XX	GW301X565	202	7.4	13.3	166.36	161.36	5	307	0.8			120	1.5			
10/24/2012	XX	GW301X5CG	171	7.2	15.5	166.36	161.8	4.56	448	1		179.61	55	8.5			
4/22/2013	XX	GW301X5H7	!	!	!	166.36		!	!	!			!	!			
7/31/2013	XX	GW301X63C	209	6.3	16.9	165.91	165.87	0.04	367	0.4			60	6.2			
10/30/2013	XX	GW301X665	198	7	7.9	165.91	165.81	0.1	339	0.6		184.1	70	3.2			
4/23/2014	XX	GW301X6E8	197	6.2	9.3	165.91	165.91	F1	438	1			60	3.1			
7/30/2014	XX	GW301X6IF	201	7.7	14.3	165.91	165.91	F1	377	0.4			80	4.3			
10/22/2014	XX	GW301X725	299	6.2	10	165.91	165.61	0.3	397	0.6		184.1	75	0.9			
4/29/2015	XX	GW301X783	192	8.2	8.2	165.91	165.66	0.25	359	0.7				1.2			
7/15/2015	XX	GW301X7BF	217	8.1	16.6	165.91	165.71	0.2	338	0.5				0.9			
10/27/2015	XX	GW301X7H4	205	7.8	10.7	165.91	165.68	0.23	287	0.3		185.11		0.8			
4/6/2016	XX	GW301X85EX	F	F	F			F	F	F				F			
4/27/2016	XX	GW301X85E	210	8.4	8.8	165.91	165.61	0.3	234	0.3				0.4			
7/27/2016	XX	GW301X8A4	210	8.1	15.6	165.91	165.49	0.42	203	0.1				0.2			
10/26/2016	XX	GW301X8I3	218	8.3	8.1	165.91	165.53	0.38	334	0.6		185.11		4.5			
4/19/2017	XX	GW301X969	215	8.2	8.3	165.91	165.56	0.35	308	2.8				1.8			
7/26/2017	XX	GW301X9C7	224	7.9	15.2	165.91	165.61	0.3	287	0.3				2.1			
10/25/2017	XX	GW301X9G2	225	8.1	13.7	165.91	165.71	0.2	368	0.2		185.11		1.6			
4/4/2018	XX	GW301XA20	322	8.2	3.7	165.91	165.61	0.3	148	1.5				1.7			
7/18/2018	XX	GW301XAB2	244	7.8	14.3			F1	267	0.2				3.5			
10/1/2018	XX	GW301XB00	242	8	11.8	165.91	164.96	0.95	283	0.3		185.13		2.4			
4/24/2019	XX	GW301XB4G	242	8.2	6.3	165.91	165.56	0.35	388	0.3				1.7			
7/17/2019	XX	GW301XBB9	245	7.8	13.7	165.91	164.41	1.5	202	0.2				1.6			
10/28/2019	XX	GW301XBH2	248	8.1	10.2	165.91		F1	322	0.3		185.1		1.9			
4/27/2020	XX	GW301XCC9	228	7.8	7.1	165.91	165.6	0.31	301	0.2				2.4			

SUMMARY REPORT

Field Data

(MW-301)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU
7/20/2020	XX	GW301XCH2	248	7.9	14.2	165.91	165.89	0.02	143	0.2				3.3
10/26/2020	XX	GW301XD26	248	7.3	9.8	165.91	164.11	1.8	334	0.2		185.12		2.7
4/5/2021	XX	GW301XDB8	255	7.4	7.4	165.91	165.41	0.5	249	0.3				2
7/12/2021	XX	GW301XDJ0	239	8.2	13.8	165.91	165.14	0.77	127	0.1				3.6
10/4/2021	XX	GW301XE58	259	8.1	12.6	165.91	165.01	0.9	95	0.2				1.5

MW-302R

4/23/2012	XX	GW302X52B	249	6.7	7.2	206.86	197.84	9.02	315	3			220	1.9
7/23/2012	XX	GW302X57A	355	6.6	12.2	206.86	195.61	11.25	241	3			60	1.7
10/22/2012	XX	GW302X5E1	463	6.8	12.3	206.86	202.74	4.12	319	3		32.2	70	1.9
4/22/2013	XX	GW302X5IC	205	6.7	7.7	206.86	199.71	7.15	299	4			180	2.5
7/29/2013	XX	GW302X64H	350	6.5	11.8	206.86	198.47	8.39	546	5			80	0.4
10/28/2013	XX	GW302X67A	341	6.5	10.9	206.86	192.71	14.15	374	2		32.22	180	1.3
4/21/2014	XX	GW302X6FD	336	6.7	7.1	206.86	201.31	5.55	505	3			180	1
7/28/2014	XX	GW302X6JJ	445	6.6	13.3	206.86	197.38	9.48	475	4			180	0.7
10/20/2014	XX	GW302X73A	500	6.6	11.8	206.86	191.11	15.75	476	1		32.22	180	1.4
4/27/2015	XX	GW302X797	270	6.7	7.1	206.86	201.61	5.25	381	6.7				0.6
7/13/2015	XX	GW302X7CJ	367	6.7	12.1	206.86	197.04	9.82	322	6				1.3
10/26/2015	XX	GW302X7I8	766	6.7	11.4	206.86	197.66	9.2	282	4.6		32.22		0.4
4/4/2016	XX	GW302X86I	293	6.8	6	206.86	201.24	5.62	351	6.2				2.7
7/25/2016	XX	GW302X8B8	300	6.9	12.4	206.86	191.23	15.63	367	6.1				0.9
10/24/2016	XX	GW302X8J7	630	6.4	11.9	206.86	188.36	18.5	350	1.3		32.22		2.6
4/17/2017	XX	GW302X97D	310	6.7	7.2	206.86	201.46	5.4	366	8.2				1.7
7/24/2017	XX	GW302X9DB	347	6.5	11.7	206.86	191.35	15.51	357	5.6				5.5
10/23/2017	XX	GW302X9H6	698	6.8	11.5	206.86	187.51	19.35	421	1.6		32.25		2.1
4/2/2018	XX	GW302XA35	490	6.7	6.5	206.86	202.36	4.5	375	6.3				2
7/16/2018	XX	GW302XAC6	354	6.4	11.6	206.86	191.08	15.78	345	6				3
10/1/2018	XX	GW302XB14	851	6.7	11.1	206.86	187.26	19.6	311	1.7		32.23		2.4
4/22/2019	XX	GW302XB61	181	6.7	6.7	206.86	202.33	4.53	400	9				2.7
7/17/2019	XX	GW302XBCC	335	6.4	12	206.86	198.31	8.55	295	6.4				1.5
10/28/2019	XX	GW302XBIF5	317	6.5	11.1	206.86	201.69	5.17	375	2.1		32.2		1.9
4/27/2020	XX	GW302XCDC	269	5.7	6	206.86	199.89	6.97	367	7.8				0.8
7/20/2020	XX	GW302XCIF5	399	7.1	12.8	206.86	190.91	15.95	289	5.3				1.9
10/26/2020	XX	GW302XD39	562	6.6	9.7	206.86	193.06	13.8	361	2.2		32.27		1.7
4/5/2021	XX	GW302XDCB	662	6	5.9	206.86	200.56	6.3	297	1.4				3.1
7/12/2021	XX	GW302XE03	504	6.5	10.7	206.86	192.41	14.45	284	1.1				4.5
10/4/2021	XX	GW302XE6B	450	6.3	11.4	206.86	195.66	11.2	246	0.9				1.5

MW-303 & MW12-303R

4/23/2012	XX	GW303X52F	243	6.1	7.1	207.87	182.92	24.95	294	0.8			180	5.6
7/24/2012	XX	GW303X57E	!	!	!	207.87	!	!	!	!		!	!	!
10/23/2012	XX	GW303X5EG	189	7	10.6	208.89	181.42	27.47	236	2		43.32	80	9.3
4/22/2013	XX	GW303X5IG	254	6.7	9.4	208.89	183.26	25.63	311	2			110	2
7/29/2013	XX	GW303X651	253	6.6	12.4	208.89	182.91	25.98	418	1			105	0.9
10/28/2013	XX	GW303X67D	223	6.5	10.2	208.89	181.46	27.43	353	1		43.38	140	2.4
4/21/2014	XX	GW303X6FH	274	6.6	9.5	208.89	184.54	24.35	401	1			120	0.6
7/28/2014	XX	GW303X701	263	6.6	11.7	208.89	182.81	26.08	411	0.8			160	0.6
10/20/2014	XX	GW303X73D	440	6.8	10.5	208.89	178.81	30.08	447	0.8		43.38	180	1
4/27/2015	XX	GW303X799	874	6.1	8.7	208.89	183.49	25.4	407	5				0.5
6/18/2015	XX	42173-1	564	6.4	12.6	208.89	182.59	26.3	158	1				4.2

SUMMARY REPORT

Field Data

(MW-303 & MW12-303R)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU
7/13/2015	XX	GW303X7D1	347	6.5	13.9	208.89	182.07	26.82	330	0.9				1.4
10/26/2015	XX	GW303X7IA	370	6.5	10.4	208.89	179.6	29.29	313	1.4		43.4		1.2
4/4/2016	XX	GW303X870	411	6.4	6.7	208.89	184.34	24.55	378	7.5				1.7
7/25/2016	XX	GW303X8BA	549	6.3	14.3	208.89	180.39	28.5	369	0.9				1.3
10/24/2016	XX	GW303X8J9	681	6.3	12.2	208.89	176.39	32.5	389	5.5		43.4		17.2
4/17/2017	XX	GW303X97F	466	6.4	10.2	208.89	182.29	26.6	382	7.7				1.8
7/24/2017	XX	GW303X9DD	419	6.2	12.3	208.89	181.5	27.39	343	0.8				2.8
10/23/2017	XX	GW303X9H8	414	6.8	12.9	208.89	176.94	31.95	375	2.3		43.4		37.5
4/2/2018	XX	GW303XA37	1711	6	8.8	208.89	181.64	27.25	408	5.1				1.9
7/16/2018	XX	GW303XAC8	501	6.2	14.4	208.89	180.59	28.3	333	0.9				1.8
10/1/2018	XX	GW303XB16	408	6.6	11.3	208.89	176.81	32.08	272	1.4		43.4		12.5
4/22/2019	XX	GW303XB63	485	6.2	9.1	208.89	181.14	27.75	418	5.8				7.6
7/17/2019	XX	GW303XBCE	494	5.9	11.3	208.89	181.89	27	303	2.2				1.8
10/28/2019	XX	GW303XBI7	380	6.1	10.4	208.89	179.77	29.12	400	0.2		43.4		2.8
4/27/2020	XX	GW303XCDE	409	6.1	8.7	208.89	180.29	28.6	361	1.9				3.6
7/20/2020	XX	GW303XCI7	280	6.9	14.3	208.89	177.79	31.1	227	1.1				2.4
10/26/2020	XX	GW303XD3B	577	6.2	8.9	208.89	175.49	33.4	390	1.3		43.4		2.5
4/5/2021	XX	GW303XDCC	442	5.7	8.8	208.89	178.59	30.3	354	4.6				2.3
7/12/2021	XX	GW303XE05	531	6.2	13.7	208.89	177.29	31.6	318	4.5				3.6
10/4/2021	XX	GW303XE6D	673	6.3	11.5	208.89	177.12	31.77	234	1.8				2
MW-401A														
4/23/2012	XX	GW401A520	123	8.3	8.6	156.83	152.41	4.42	422	5			50	2.4
7/23/2012	XX	GW401A56J	126	7.8	12.7	156.83	150.8	6.03	394	6			100	4.9
10/22/2012	XX	GW401A5DA	119	7.1	9.9	156.83	155.9	0.93	452	5		112.02	75	0.7
4/22/2013	XX	GW401A5I1	123	7.9	7.8	156.83	153.93	2.9	233	5			45	1.4
7/29/2013	XX	GW401A646	124	7.2	12.3	156.83	151.23	5.6	330	6			45	1.6
10/28/2013	XX	GW401A66J	140	6.8	9.3	156.83	150.73	6.1	209	5		112.04	45	0.2
4/21/2014	XX	GW401A6F2	131	7.9	8.4	156.83	155.69	1.14	396	6			55	1.1
7/28/2014	XX	GW401A6J9	129	8.2	11.2	156.83	151.73	5.1	384	4			25	2.1
10/20/2014	XX	GW401A730	118	6.6	9.5	156.83	149.68	7.15	370	5		112.04	25	0.4
4/27/2015	XX	GW401A78H	131	8.3	7.2	156.83	155.23	1.6	217	7.3				0.4
7/13/2015	XX	GW401A7C9	124	8	10.3	156.83	151.47	5.36	194	6.9				0.5
10/26/2015	XX	GW401A7HI	118	7.8	9	156.83	152.03	4.8	208	7.1		112.03		0.2
4/6/2016	XX	GW401A868X	F	F	F			F	F	F				F
4/27/2016	XX	GW401A868	130	8.6	7.4	156.83	153.14	3.69	270	5.9				0.1
7/25/2016	XX	GW401A8AI	127	7.4	11.7	156.83	149.57	7.26	310	6.1				0.4
10/24/2016	XX	GW401A8IH	127	7.6	9.2	156.83	148.33	8.5	182	5.8		112.2		0.2
4/17/2017	XX	GW401A973	120	8.3	8.5	156.83	155.76	1.07	337	7.4				0.2
7/24/2017	XX	GW401A9D1	126	7.9	9.2	156.83	149.68	7.15	317	7				0.5
10/25/2017	XX	GW401A9GG	303	7	17.8	156.83	148.28	8.55	152	1.2		112.18		2
4/2/2018	XX	GW401AA2F	134	8.3	6.6	156.83	155.47	1.36	459	3.1				0.6
7/16/2018	XX	GW401AABG	140	8.3	11.6	156.83	149.93	6.9	365	5.5				0.5
10/1/2018	XX	GW401AB0E	146	8.2	9.5	156.83	148.11	8.72	466	5.2		112.2		0.3
4/22/2019	XX	GW401AB5B	130	8.4	7.6	156.83	154.92	1.91	289	6.8				0.2
7/15/2019	XX	GW401ABC3	130	7.3	10.3	156.83	152.78	4.05	482	11.1				0.4
10/28/2019	XX	GW401ABHG	140	7.6	9.3	156.83	154.62	2.21	243	4.9		112.21		0.5
4/27/2020	XX	GW401ACD3	147	8.5	6.8	156.83	153.91	2.92	278	5.7				0.5
7/20/2020	XX	GW401ACHG	121	7.5	11.1	156.83	149.85	6.98	252	5.3				0.2
10/26/2020	XX	GW401AD30	122	7.6	8.9	156.83	150.56	6.27	435	5.7		112.03		0.3

SUMMARY REPORT

Field Data

(MW-401A)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
4/5/2021	XX	GW401ADC2	125	7.7	6.6	156.83	155.31	1.52	207	5.2				0.5		
7/12/2021	XX	GW401ADJE	124	6.6	11.1	156.83	150.72	6.11	329	5.3				0.3		
10/4/2021	XX	GW401AE62	128	7.6	10.6	156.83	153.42	3.41	240	4.6				0.2		
MW-401B																
4/23/2012	XX	GW401B521	235	7.5	7.5	157.32	150.69	6.63	338	5			60	2.2		
7/23/2012	XX	GW401B570	276	6.9	11.9	157.32	149.92	7.4	181	0.3			140	2.8		
10/22/2012	XX	GW401B5DB	310	6.7	11.1	157.32	150.97	6.35	227	0.4		23.13	110	1.2		
4/22/2013	XX	GW401B5I2	262	6.8	6.9	157.32	150.62	6.7	234	0.8			90	1.1		
7/29/2013	XX	GW401B647	238	7.1	12.2	157.32	150.38	6.94	158	0.4			95	1.4		
10/28/2013	XX	GW401B670	376	6.5	10	157.32	150.12	7.2	172	0.6		23.11	100	0.3		
4/21/2014	XX	GW401B6F3	265	7	7.1	157.32	150.93	6.39	264	1			55	1.1		
7/28/2014	XX	GW401B6JA	324	6.9	11.3	157.32	150.4	6.92	173	0.3			30	2.4		
10/20/2014	XX	GW401B731	336	6.5	10.1	157.32	150.18	7.14	217	1		23.12	25	0.3		
4/27/2015	XX	GW401B78I	243	7.4	6.7	157.32	150.8	6.52	174	0.2				0.4		
7/13/2015	XX	GW401B7CA	318	7	8.7	157.32	150.01	7.31	166	0.1				0.9		
10/26/2015	XX	GW401B7HJ	335	6.8	10.1	157.32	150.35	6.97	190	0.1		23.1		0.1		
4/6/2016	XX	GW401B869	274	7.2	5.9	157.32	150.69	6.63	219	1.7				0.3		
7/25/2016	XX	GW401B8AJ	360	6.4	9.8	157.32	149.79	7.53	171	0.1				0.2		
10/24/2016	XX	GW401B8II	355	6.6	10.2	157.32	149.98	7.34	199	0.1		23.1		0.2		
4/17/2017	XX	GW401B974	265	6.8	7	157.32	150.99	6.33	222	0.5				0.2		
7/24/2017	XX	GW401B9D2	305	6.8	9.5	157.32	149.72	7.66	200	0.1				0.2		
10/25/2017	XX	GW401B9GH	375	6.8	12.3	157.32	149.07	8.25	119	1		23.14		6.7		
4/2/2018	XX	GW401BA2G	272	7.3	6.3	157.32	151.07	6.25	401	0.2				0.5		
7/16/2018	XX	GW401BABH	350	7.5	9.7	157.32	149.83	7.49	220	0.1				0.2		
10/1/2018	XX	GW401BB0F	363	7.2	10.4	157.32	149.42	7.9	417	0.1		23.14		0.2		
4/22/2019	XX	GW401BB5C	216	7.7	7.5	157.32	151	6.32	186	0.3				0.3		
7/15/2019	XX	GW401BBC4	267	7.2	9.2	157.32	150.56	6.76	216	3.7				0.6		
10/28/2019	XX	GW401BBHH	327	6.8	10	157.32	151.12	6.2	213	1.9		23.14		2.2		
4/27/2020	XX	GW401BCD4	246	7.7	5.9	157.32	150.64	6.68	196	0.2				1.2		
7/20/2020	XX	GW401BCHH	278	6.9	13.1	157.32	149.88	7.44	159	0.4				0.3		
10/26/2020	XX	GW401BD31	296	6.9	9.6	157.32	150.22	7.1	172	0.6		23.13		0.3		
4/5/2021	XX	GW401BDC3	268	6.7	6.2	157.32	150.82	6.5	126	0.2				0.2		
7/12/2021	XX	GW401BDJF	283	6.4	9.7	157.32	150.14	7.18	158	0.6				0.2		
10/4/2021	XX	GW401BE63	287	6.5	11.1	157.32	150.64	6.68	139	0.2				0.3		
MW-402A																
4/24/2012	XX	GW402A522	121	7.5	9.3	152.2		F1	353	4			60	0.7		
7/25/2012	XX	GW402A571	125	8.4	13.4	152.2		F1	392	4			70	1.9		
10/24/2012	XX	GW402A5DC	116	7.4	7.9	152.2		F1	405	4		108.35	60	0.8		
4/22/2013	XX	GW402A5I3	138	9.2	10.4	152.2	152.07	0.13	339	3			50	0.5		
7/31/2013	XX	GW402A648	125	8.3	14.4	152.2	152.15	0.05	139	5			25	0.6		
10/30/2013	XX	GW402A671	141	8.1	7.7	152.2		F1	348	5		108.35	30	0.3		
4/23/2014	XX	GW402A6F4	130	8.4	8.6	152.2	152.2	F1	390	2			45	0.2		
7/30/2014	XX	GW402A6JB	126	8.5	11.7	152.2	152	0.2	427	4			15	0.3		
10/22/2014	XX	GW402A732	58	8.6	8.3	152.2	151.95	0.25	370	4		108.3	30	0.4		
4/29/2015	XX	GW402A78J	137	8.5	6.9	152.2	152.05	0.15	272	4				0.8		
7/15/2015	XX	GW402A7CB	124	8.6	11.2	152.2		F1	306	3				0.4		
10/28/2015	XX	GW402A7I0	117	8.6	7.3	152.2	152.16	0.04	323	3.2		108.28		0.2		
4/6/2016	XX	GW402A86AX	F	F	F			F	F	F				F		

SUMMARY REPORT

Field Data

(MW-402A)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
4/27/2016	XX	GW402A86A	129	8.8	7.2	152.2		F1	240	2.9				0.2			
7/27/2016	XX	GW402A8B0	128	8.6	12.4	152.2	152.12	0.08	248	2.9				0.3			
10/26/2016	XX	GW402A8J	126	8.3	8.2	152.2	151.74	0.46	245	4.5		108.28		0.4			
4/19/2017	XX	GW402A975	120	8.7	6.9	152.2	152.14	0.06	283	3.5				0.5			
7/26/2017	XX	GW402A9D3	122	8.4	10.2	152.2	152.15	0.05	321	2.7				0.4			
10/26/2017	XX	GW402A9GI	122	8.1	11	152.2	152.15	0.05	365	2.8		108.28		0.6			
4/4/2018	XX	GW402AA2H	130	8.6	6.1	152.2	152.18	0.02	460	5.2				0.3			
7/18/2018	XX	GW402AABI	136	8.5	11.9	152.2	151.97	0.23	407	2.6				0.3			
10/3/2018	XX	GW402AB0G	136	8.6	9.7	152.2	151.75	0.45	427	2.7		108.3		0.2			
4/24/2019	XX	GW402AB5D	122	8.5	6	152.2	152.14	0.06	344	3.5				0.2			
7/17/2019	XX	GW402ABC5	124	7.9	12.7	152.2		F1	339	6.1				2.1			
10/30/2019	XX	GW402ABHI	128	8.1	9.5	152.2	152.15	0.05	220	3.3		108.35		0.4			
4/29/2020	XX	GW402ACD5	134	8.3	7.5	152.2		F1	264	3.2				0.8			
7/22/2020	XX	GW402ACHI	111	8.5	10.6	152.2	152.16	0.04	319	3.4				0.5			
10/28/2020	XX	GW402AD32	112	8.5	6.7	152.2		F1	333	3.2		108.55		0.3			
4/7/2021	XX	GW402ADC4	114	7.9	7.7	152.2		F1	384	3.3				0.1			
7/14/2021	XX	GW402ADJG	112	8.1	10.5	152.2	152.15	0.05	243	3				0.4			
10/4/2021	XX	GW402AE64	118	7.6	11.9	152.2	152.14	0.06	181	1.8				0.3			
MW-402B																	
4/24/2012	XX	GW402B523	149	8.4	7.1	152.74	150.09	2.65	264	0.2			75	0.8			
7/25/2012	XX	GW402B572	157	8.5	10.8	152.74	148.12	4.62	279	0.3			90	2.2			
10/24/2012	XX	GW402B5DD	141	7.6	8.9	152.74	149.84	2.9	323	0.4		25.2	50	3.2			
4/22/2013	XX	GW402B5I4	152	9.2	7.3	152.74	149.74	3	242	0.3			60	0.9			
7/31/2013	XX	GW402B649	147	8.2	11.6	152.74	148.82	3.92	76	0.3			40	0.4			
10/30/2013	XX	GW402B672	174	8.7	9	152.74	148.94	3.8	195	0.3		25.18	35	0.3			
4/23/2014	XX	GW402B6F5	160	8.3	6.9	152.74	150.12	2.62	297	0.6			45	0.3			
7/30/2014	XX	GW402B6JC	152	8.6	11	152.74	149.03	3.71	307	1			15	0.2			
10/22/2014	XX	GW402B733	147	8.7	9.6	152.74	148.87	3.87	321	1		25.13	35	0.3			
4/29/2015	XX	GW402B790	155	8.7	6.1	152.74	149.94	2.8	253	0.6				0.4			
7/15/2015	XX	GW402B7CC	147	8.5	8.9	152.74	148.36	4.38	323	0.1				0.1			
10/28/2015	XX	GW402B7I1	142	8.6	8.8	152.74	149.49	3.25	351	0.1		25.16		0.2			
4/6/2016	XX	GW402B86BX	F	F	F			F	F	F				F			
4/27/2016	XX	GW402B86B	152	8.9	6.9	152.74	149.73	3.01	226	0.1				0.2			
7/27/2016	XX	GW402B8B1	150	8.4	10.8	152.74	147.81	4.93	214	0.2				0.3			
10/26/2016	XX	GW402B8J0	150	8.3	9.3	152.74	147.53	5.21	245	0.3		25.15		0.1			
4/19/2017	XX	GW402B976	141	8.8	6.4	152.74	149.94	2.8	241	0.1				0.2			
7/26/2017	XX	GW402B9D4	145	8.2	9.6	152.74	147.76	4.98	334	0.1				0.2			
10/26/2017	XX	GW402B9GJ	147	7.9	10.8	152.74	148.16	4.58	380	0.1		25.16		0.3			
4/4/2018	XX	GW402BA2I	152	8.4	5.9	152.74	150.29	2.45	467	6.8				0.3			
7/18/2018	XX	GW402BABJ	160	8.5	10	152.74	148.12	4.62	377	0.1				0.3			
10/3/2018	XX	GW402BB0H	162	8.7	10.1	152.74	146.92	5.82	415	0.1		25.16		0.1			
4/24/2019	XX	GW402BB5E	143	8.9	5.2	152.74	150.3	2.44	265	0.1				0.3			
7/17/2019	XX	GW402BBC6	143	8.3	10.6	152.74	149.02	3.72	319	3.2				1.2			
10/30/2019	XX	GW402BBHJ	151	8.1	9.9	152.74	150.09	2.65	208	1.2		25.14		0.2			
4/29/2020	XX	GW402BCD6	157	8.3	6.4	152.74	150.03	2.71	232	0.3				0.5			
7/22/2020	XX	GW402BCHJ	130	8	8.9	152.74	148.06	4.68	360	0.4				0.3			
10/28/2020	XX	GW402BD33	131	8.6	8.7	152.74	148.82	3.92	331	0.4		25.2		0.5			
4/7/2021	XX	GW402BDC5	132	8.3	7.3	152.74	150.09	2.65	276	0.2				0.7			
7/14/2021	XX	GW402BDJH	130	8.2	9.9	152.74	148.99	3.75	185	0.5				0.2			

(MW-402B)	Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU

10/4/2021	XX	GW402BE65	132	7.5	11.4	152.74	149.59	3.15	128	0.2				0.3
-----------	----	-----------	-----	-----	------	--------	--------	------	-----	-----	--	--	--	-----

MW-501

4/5/2018	XX	GW501XA6I	204	8.1	6.5	166.19		F1	472	4.1		47.6		0.4
6/4/2018	XX	GW501XA7F	202	7.2	8.2	166.19		F1	346	8				1
7/19/2018	XX	GW501XAED	235	8.8	9	166.19		F1	553	6.7				3.2
8/20/2018	XX	GW501XAFE	255	6.7	9.2	166.19		F1	327	7				3.9
4/24/2019	XX	GW501XB7C	297	6.7	8	166.19		F1	383	6.3				0.2
7/17/2019	XX	GW501XBE0	176	7.8	13.3	166.19		F1	200	13.3				0.4
10/30/2019	XX	GW501XB9J	367	6.9	9	166.19		F1	208	4.7		47.6		0.1
4/29/2020	XX	GW501XCF0	157	7.6	8.2	166.19		F1	386	7.7				0.2
7/22/2020	XX	GW501XCJD	310	6	15.5	166.19		F1	331	4				0.3
10/28/2020	XX	GW501XD4D	295	7.6	8.6	166.19		F1	367	0.9		47.6		0.2
4/7/2021	XX	GW501XDDH	229	6.7	8.6	166.19		F1	390	2.7				0.4
7/14/2021	XX	GW501XE18	242	7.3	11.1	166.19		F1	327	4.3				0.2
10/6/2021	XX	GW501XE8A	192	7	10.9	166.19		F1	304	5.2				0.1

MW-502

2/26/2020	XX	GW502XC55	280	8.4	7.5			F1	249	3.7		46.38		1.2
4/30/2020	XX	GW502XCBJ	312	8.2	7.2			F1	309	5.8				0.8
6/23/2020	XX	GW502XCGB	389	7.9	18.2			F1	342	3.6				0.2
8/20/2020	XX	GW502XD11	316	7.9	18.7			0.07	390	2.7				0.2
7/14/2021	XX	GW502XE23	315	7.5	14.1			0.9	319	2				0.2
10/7/2021	XX	GW502XE8B	343	7.4	13.9			0.15	251	2.1				0.5

MW-507

4/5/2018	XX	GW507XA6J	221	7.7	4.1	176.83	174.63	2.2	299	6.3				0.9
6/5/2018	XX	GW507XA7G	219	7.8	8.2	176.83	172.48	4.35	267	6.3				1.6
7/18/2018	XX	GW507XAE	249	7.2	11.5	176.83	170.98	5.85	298	4.6				3.5
8/20/2018	XX	GW507XAFF	270	7.1	13.9	176.83	169.31	7.52	267	3.1				4.7
7/14/2021	XX	GW507XE24	318	6.9	11.8	176.83	173.13	3.7	252	3.8				3.9
10/7/2021	XX	GW507XE8C	221	6.7	12	176.83	173.83	3	297	4.5				6.1

MW09-901

4/24/2012	XX	GW901X51J	189	8.4	11.9	165.1	156.5	8.6	183	3			100	3.3
7/24/2012	XX	GW901X56I	194	7.9	17.2	165.1	154.5	10.6	20	2			120	1
10/23/2012	XX	GW901X5D9	197	7.6	12.2	165.1	156.3	8.8	215	2		22.73	100	1.4
4/23/2013	XX	GW901X5I0	178	8.4	9.8	165.1	155.68	9.42	382	4			65	0.1
7/30/2013	XX	GW901X645	197	7.7	14.3	165.1	155.16	9.94	352	4			80	0.4
10/29/2013	XX	GW901X66I	195	7.3	8.9	165.1	154.47	10.63	312	2		22.8	85	1.4
4/22/2014	XX	GW901X6F1	231	7.4	13.1	165.1	157.03	8.07	464	5			85	1.5
7/29/2014	XX	GW901X6J8	208	7.7	15.8	165.1	155.79	9.31	408	4			95	0.8
10/21/2014	XX	GW901X72J	266	7.6	12.3	165.1	155.4	9.7	401	1		22.8	120	0
4/28/2015	XX	GW901X78G	286	7.5	11	165.1	157.6	7.5	371	5.1				1.4
7/14/2015	XX	GW901X7C8	306	7.5	18.6	165.1	154.85	10.25	368	4.6				1
10/27/2015	XX	GW901X7HH	318	7.7	11.8	165.1	155.62	9.48	301	3.4		22.82		0.2
4/5/2016	XX	GW901X867	356	7.4	4.6	165.1	157.3	7.8	362	5.3				1.1
7/26/2016	XX	GW901X8AH	366	7.6	20.4	165.1	154.38	10.72	337	4.3				3.9
10/25/2016	XX	GW901X8IG	353	7.1	10.7	165.1	154.6	10.5	397	0.9		22.82		4.1
4/18/2017	XX	GW901X972	341	7	8.5	165.1	157.65	7.45	422	5.4				0.7
7/25/2017	XX	GW901X9D0	379	6.5	19.5	165.1	154.19	10.91	346	2.2				2.5

SUMMARY REPORT

Field Data

(MW09-901)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
10/24/2017	XX	GW901X9GF	392	6.9	16.3	165.1	153.18	11.92	388	0.8		22.8		2.6		
4/3/2018	XX	GW901XA2E	482	6.8	10.1	165.1	158.8	6.3	413	3.2				0.2		
7/17/2018	XX	GW901XABF	423	6.7	15	165.1	154.93	10.17	311	1.4				2.4		
10/2/2018	XX	GW901XB0D	390	6.7	10.7	165.1	154.1	11	303	1		22.82		1.3		
4/23/2019	XX	GW901XB5A	364	6.7	6.9	165.1	159.14	5.96	423	1.3				1.6		
7/16/2019	XX	GW901XBC2	398	6.6	18.7	165.1	155.95	9.15	280	0.4				2.8		
10/29/2019	XX	GW901XBHF	333	6.8	12.4	165.1	159.21	5.89	381	0.1 U		22.82		1.6		
4/28/2020	XX	GW901XCD2	339	7.1	9.7	165.1	158.41	6.69	370	2				1.4		
7/21/2020	XX	GW901XCHF	348	7.2	13.3	165.1	156.3	8.8	235	0.3				1.1		
10/27/2020	XX	GW901XD2J	341	7	10.3	165.1	156.95	8.15	359	0.4		22.81		1.5		
4/6/2021	XX	GW901XDC1	373	6.4	10.2	165.1	159.1	6	278	2.1				1.5		
7/13/2021	XX	GW901XDJD	360	6.6	15.6	165.1	157.4	7.7	212	0.3				1.2		
10/5/2021	XX	GW901XE61	346	6.3	13.8	165.1	157.8	7.3	231	0.2				1.4		
OW-06-03																
4/10/2018	XX	GWXXXXA73	193	5.6	8.7	206.04	181.72	24.32	401	6		25.81		2.7		
6/5/2018	XX	GWXXXXA80														
7/19/2018	XX	GWXXXXAEI														
8/21/2018	XX	GWXXXXAFH														
4/23/2019	XX	GWXXXXB7B	409	6	6.2	206.04	185.54	20.5	358	3				8.2		
7/18/2019	XX	GWXXXXBDJ				206.04										
10/29/2019	XX	GWXXXXBJA	448	6.4	10.3	206.04	182.91	23.13	176	0.9		25.81		10.2		
4/29/2020	XX	GWXXXXCEJ	641	6.1	8.7	206.04	180.54	25.5	140	2.3				43.8		
7/20/2020	XX	GWXXXXCJC				206.04										
10/28/2020	XX	GWXXXXD4E	778	6.3	7	206.04	181.02	25.02	200	1.3		25.81		11.7		
4/7/2021	XX	GWXXXXDDG	497	5.9	10.4	206.04	183.24	22.8	87	0.9				2.9		
7/14/2021	XX	GWXXXXE17	626	6	15.3	206.04	182.54	23.5	144	1.5				8.6		
10/6/2021	XX	GWXXXXE7F	1035	6	16.4	206.04	180.92	25.12	123	0.5				3.4		
OW-601A																
4/11/2018	XX	GW601AA69	336	7.2	8.2	217.94	182.32	35.62	223	7.9		79.02		1355		
6/6/2018	XX	GW601AA76	324	7.4	9.2	217.94	182.34	35.6	276	2.7				38.1		
7/19/2018	XX	GW601AAE4	364	7.1	14.1	217.94	180.54	37.4	187	4.6				3.3		
8/22/2018	XX	GW601AAF5	379	7.2	14.2	217.94	178.84	39.1	273	1.5				3.3		
4/24/2019	XX	GW601AB76	410	7.2	6.4	217.94	181.34	36.6	402	0.9				1.7		
7/18/2019	XX	GW601ABB6	409	7.1	13.3	217.94	181.74	36.2	291	2				1.7		
10/30/2019	XX	GW601ABJB	378	7	11.3	217.94	179.69	38.25	314	6.4		79.02		2		
4/29/2020	XX	GW601ACC6	311	5.9	10.4	217.94	180.04	37.9	378	2.6				6.9		
7/22/2020	XX	GW601ACGJ	369	6.7	11.6	217.94	177.59	40.35	290	2.6				8.9		
10/28/2020	XX	GW601AD4F	415	7.1	8.4	217.94	175.34	42.6	291	1.8		79.02		10.6		
4/7/2021	XX	GW601ADB5	418	7	9.2	217.94	178.54	39.4	186	1.6				4		
7/12/2021	XX	GW601ADIH	398	7.7	11.7	217.94	177.19	40.75	172	2.1				6.5		
10/5/2021	XX	GW601AE7G	434	7.3	12.7	217.94	176.94	41	164	2.3				1.8		
OW-601B																
4/11/2018	XX	GW601BA6A	371	6.4	8.6	217.5	181.95	35.55	361	4.4		59.2		2.5		
6/6/2018	XX	GW601BA77	323	6.5	9.1	217.5	181.9	35.6	287	1.4				3		
7/19/2018	XX	GW601BAE5	339	6.2	12.6	217.5	179.95	37.55	370	3.1				2.5		
8/22/2018	XX	GW601BAF6	386	6.2	14.7	217.5	178.42	39.08	340	4.3				5		
4/23/2019	XX	GW601BB77	358	6.5	7.7	217.5	180.92	36.58	406	2.5				1		
7/18/2019	XX	GW601BBD6	351	6.2	11	217.5	181.34	36.16	259	2.1				5.7		

REPORT PREPARED: 2/23/2022 08:22
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Field Data

Page 49 of 59
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(OW-601B)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
10/30/2019	XX	GW601BBJC	369	6.7	10.4	217.5	179.2	38.3	328	3		59.19		6.3		
4/29/2020	XX	GW601BCEF	312	5.9	9.9	217.5	179.65	37.85	381	2.9				7.6		
7/22/2020	XX	GW601BCJ8	342	6.5	11.5	217.5	177.23	40.27	297	5.5				3.5		
10/28/2020	XX	GW601BD4G	403	6.5	8.3	217.5	174.95	42.55	341	3.2		59.2		2.4		
4/7/2021	XX	GW601BDCC	358	6.2	11.3	217.5	178.08	39.42	253	2.8				1.2		
7/12/2021	XX	GW601BE13	341	6.8	13.8	217.5	176.8	40.7	251	3.2				4.3		
10/5/2021	XX	GW601BE7H	377	6.5	11.8	217.5	176.7	40.8	222	3				1.4		
OW-602A																
4/11/2018	XX	GW602AA6B	144	7.3	8.1	213.17	183.25	29.92	345	9.8		240		0.5		
6/6/2018	XX	GW602AA78	143	7.2	7.9	213.17	181.67	31.5	335	12.9				2		
7/19/2018	XX	GW602AAE6	143	8.2	8.6	213.17	179.32	33.85	467	10.3				2.2		
8/21/2018	XX	GW602AAF7	143	6.7	17.5	213.17	177.92	35.25	301	7.5				3.7		
4/24/2019	XX	GW602AB78	93	7.1	7.2	213.17	178.72	34.45	391	10				0.9		
7/18/2019	XX	GW602ABDG	110	6.8	8.7	213.17	178.42	34.75	308	11.2				1.6		
10/29/2019	XX	GW602ABJD	120	7.1	9.2	213.17	177.37	35.8	324	8.2		239.4		0.7		
4/29/2020	XX	GW602ACEG	128	6.8	9.8	213.17	177.45	35.72	333	8.3				0.5		
7/22/2020	XX	GW602ACJ9	152	7.1	9.8	213.17	175.17	38	308	8.2				1.2		
10/28/2020	XX	GW602AD4H	171	7	6.5	213.17	173.27	39.9	306	7		239.4		2.4		
4/7/2021	XX	GW602ADDD	253	6.7	8.8	213.17	175.47	37.7	184	2.7				0.9		
7/12/2021	XX	GW602AE14	255	7.4	11.4	213.17	174.37	38.8	210	2.6				1.5		
10/6/2021	XX	GW602AE7I	336	6.5	10.8	213.17	174.47	38.7	212	1				1.3		
OW-603B																
4/12/2018	XX	GW603BA6C	302	5.7	7.7	208.07	187.63	20.44	415	0.3		28.84		7.2		
6/5/2018	XX	GW603BA79	211	5.9	8.3	208.07	185.27	22.8	393	3.7				2.2		
7/19/2018	XX	GW603BAE7	223	7.1	19.7	208.07	183.42	24.65	402	1.2				430		
8/21/2018	XX	GW603BAF8	136	6.1	16	208.07	182.47	25.6	315	5				11.3		
4/23/2019	XX	GW603BB79	122	6.4	6.3	208.07	181.17	26.9	409	5.8				22.1		
7/18/2019	XX	GW603BBDH	136	6.2	12.3	208.07	182.67	25.4	304	7.5				9.3		
10/29/2019	XX	GW603BBJE	185	6.5	10.2	208.07	181.51	26.56	400	0.1		28.84		32.6		
4/29/2020	XX	GW603BCEH	130	6.3	7.9	208.07	182.12	25.95	358	7.2				13.3		
7/22/2020	XX	GW603BCJA	I	I	I	208.07	I	I	I	I				I		
10/28/2020	XX	GW603BD4I	I	I	I	208.07	179.37	28.7	I	I		28.84		I		
4/7/2021	XX	GW603BDDE	D	D	D	208.07	179.32	28.75	D	D				D		
7/13/2021	XX	GW603BE15	D	D	D	208.07	D	D	D	D				D		
10/6/2021	XX	GW603BE7J	D	D	D	208.07	D	D	D	D				D		
OW-604A																
4/12/2018	XX	GW604AA6D	89	6	7.1	198.8	184.5	14.3	416	1.6		33.8		3.1		
6/4/2018	XX	GW604AA7A	78	6.3	8.1	198.8	180.3	18.5	397	7.5				1.2		
7/19/2018	XX	GW604AAE8	89	7.8	14.5	198.8	178.25	20.55	548	6				3.2		
8/21/2018	XX	GW604AAF9	125	6.3	16.9	198.8	175.73	23.07	334	5.4				3.7		
4/23/2019	XX	GW604AB7A	119	6.4	6.2	198.8	177.81	20.99	429	5.2				2		
7/18/2019	XX	GW604ABDI	124	6.1	14.1	198.8	178.95	19.85	293	3.2				5.8		
10/29/2019	XX	GW604ABJF	120	6.3	11	198.8	179.06	19.74	417	0.1 U		33.8		3.7		
4/29/2020	XX	GW604ACEI	155	6.1	6.9	198.8	179.03	19.77	389	6.3				1.3		
7/21/2020	XX	GW604ACJB	160	6.3	16.6	198.8	175.05	23.75	310	4.2				2.3		
10/28/2020	XX	GW604AD4J	159	7.2	7.4	198.8	172.9	25.9	369	5.6		33.71		10.9		
4/7/2021	XX	GW604ADDF	193	6.2	11	198.8	174.3	24.5	260	6.9				1.2		
7/14/2021	XX	GW604AE16	219	6.3	12.8	198.8	173.35	25.45	284	4.8				2		

(OW-604A)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
10/6/2021	XX	GW604AE80	233	6.6	14.1	198.8	173.95	24.85	234	4.7				2.1		
OW-605A																
4/10/2018	XX	GW605AA6E	194	7.4	7.7	186.76	162.21	24.55	230	7.1		260		8.9		
6/5/2018	XX	GW605AA7B	152	7.7	8.6	186.76	161.96	24.8	240	7.5				5		
7/19/2018	XX	GW605AAE9	151	7.3	14.4	186.76	161.69	25.07	286	6.9				7.4		
8/21/2018	XX	GW605AAFA	147	7.3	12.7	186.76	161.51	25.25	272	7.1				6.6		
7/14/2021	XX	GW605AE25	134	7.4	12.4	186.76	163.31	23.45	232	2.4				0.5		
10/7/2021	XX	GW605AE8G	193	6.8	11.5	186.76	163.54	23.22	246	1.4				0.8		
OW-606A																
4/3/2018	XX	GW606AA6F	427	8.2	5.5			F1	372	3.8		240		0.4		
6/4/2018	XX	GW606AA7C	339	8.4	7.9			F1	301	4.6				0.9		
7/19/2018	XX	GW606AAEA	353	8	10.2			F1	259	4				2.5		
8/21/2018	XX	GW606AAF8	353	8.1	10			F1	248	4.3				3.1		
7/14/2021	XX	GW606AE06	290	7.7	11.1			F1	336	4.2				0.3		
10/7/2021	XX	GW606AE8H	287	7.7	13			F1	254	3.3				0.3		
OW-608A																
4/4/2018	XX	GW608AA6G	197	8.4	7.5	196.61	160.89	35.72	320	2.7		260		5.1		
6/4/2018	XX	GW608AA7D	200	8.4	8.3	196.61	160.11	36.5	5	0.3				10		
7/18/2018	XX	GW608AAEB	205	8	11	196.61	159.81	36.8	42	0.3				10.3		
8/20/2018	XX	GW608AAFC	176	8.6	15.5	196.61	159.44	37.17	247	6.4				10		
7/15/2021	XX	GW608AE26	205	8.2	11.4	196.61	159.16	37.45	36	0.4				5.2		
10/6/2021	XX	GW608AE90	127	7.8	13.2	196.61	159.15	37.46	65	0.4				1.2		
OW-611A																
4/4/2018	XX	GW611AA6H	502	7.1	7	185.15	176.7	8.45	366	5.1		220		0.4		
6/5/2018	XX	GW611AA7E	393	7.2	8.7	185.15	175.25	9.9	363	5.6				2		
7/18/2018	XX	GW611AAEC	405	7	12.5	185.15	174.65	10.5	305	4.5				3.3		
8/20/2018	XX	GW611AAFD	400	7	13.4	185.15	174.12	11.03	243	3.6				5.5		
7/14/2021	XX	GW611AE27	496	7	10.2	185.15	176.45	8.7	248	3.7				4.1		
10/7/2021	XX	GW611AE93	473	6.8	10.9	185.15	176.85	8.3	272	3.5				3.2		
P-04-02																
4/25/2012	XX	GWXXX52H	193	6.3	10.7	168.74	158.19	10.55	263	1			100	64.4		
7/25/2012	XX	GWXXX57G	283	7.3	4.9	168.74	157.18	11.56	346	1			85	19.1		
10/24/2012	XX	GWXXX5E7	245	6.8	13.3	168.74	162.09	6.65	340	1		39.98	60	16.2		
4/22/2013	XX	GWXXX5II	!	!	!	168.74		!	!	!			!	!		
P-04-02R																
7/15/2015	XX	GWXXX7DJ	284	7.9	13.6	170.72	158.71	12.01	316	5.8				18.2		
10/28/2015	XX	GWXXX7J4	700	7.9	12.6	170.72	158.92	11.8	118	0.2		37.98		1.5		
4/6/2016	XX	GWXXX87I	531	8.1	8.4	170.72	159.37	11.35	272	1.9				2.2		
7/27/2016	XX	GWXXX8C7	772	7.8	15.4	170.72	157.92	12.8	282	1.1				0.8		
10/26/2016	XX	GWXXX904	629	7.8	11.1	170.72	157.91	12.81	195	1.2		37.96		0.8		
4/19/2017	XX	GWXXX98C	636	8.1	9.2	170.72	159.42	11.3	349	6.2				1.1		
7/26/2017	XX	GWXXX9E8	604	8	12.4	170.72	157.62	13.1	350	2.2				2.4		
10/25/2017	XX	GWXXX9I3	481	7.7	15.4	170.72	157.22	13.5	341	3.5		38		1.7		
4/4/2018	XX	GWXXXA44	492	8.2	9.3	170.72	159.92	10.8	470	5.6				1.8		
7/18/2018	XX	GWXXXAD3	509	8.2	13.2	170.72	157.48	13.24	446	1.7				7.3		
10/3/2018	XX	GWXXXB21	456	8.1	12.7	170.72	157.47	13.25	435	1.3		38		1.8		

SUMMARY REPORT

Field Data

(P-04-02R)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
4/22/2019	XX	GWXXXXB70	327	8.3	11	170.72	159.86	10.86	401	2.9				0.9			
7/17/2019	XX	GWXXXXBDA	401	8	15.1	170.72	158.23	12.49	305	7.1				1.3			
10/30/2019	XX	GWXXXXBJ2	331	8.2	12	170.72	159.22	11.5	254	0.7		38		2.9			
4/29/2020	XX	GWXXXXCEA	419	8.1	9.8	170.72	158.75	11.97	314	4.6				0.7			
7/22/2020	XX	GWXXXXCJ3	328	7.8	12.6	170.72	156.82	13.9	335	2.4				0.5			
10/28/2020	XX	GWXXXXD46	284	8.1	10.3	170.72	157.54	13.18	356	1.8		37.88		2.1			
4/7/2021	XX	GWXXXXDD9	301	7.7	9.8	170.72	159.14	11.58	358	4.5				1.5			
7/12/2021	XX	GWXXXXE10	289	7.1	13.1	170.72	157.32	13.4	287	3.9				0.6			
10/6/2021	XX	GWXXXXE77	274	7.3	11.8	170.72	156.84	13.88	283	1.5				0.6			
P-04-04																	
4/25/2012	XX	GWXXXX52I	185	7.1	11.9	169.35	159.73	9.62	290	3			100	2.9			
7/25/2012	XX	GWXXXX57H	177	7.7	18.7	169.35	159.3	10.05	396	4			100	2.7			
10/24/2012	XX	GWXXXX5E8	158	7.4	16.1	169.35	160.45	8.9	388	3		32.33	50	3			
4/24/2013	XX	GWXXXX5IJ	178	8.3	8.1	169.35	160.3	9.05	307	5			90	0.4			
7/31/2013	XX	GWXXXX654	175	8.1	17.3	169.25	160.13	9.12	274	4			50	1.2			
10/30/2013	XX	GWXXXX67E	194	7.9	11	169.25	159.24	10.01	346	3		32.26	35	0.8			
4/23/2014	XX	GWXXXX6G0	176	6.6	11.1	169.25	160.85	8.4	461	5			50	1.8			
7/30/2014	XX	GWXXXX703	175	7.9	14.3	169.25	160.29	8.96	335	3			45	0.6			
10/22/2014	XX	GWXXXX73E	165	8.1	10.9	169.25	159.9	9.35	390	3		32.28	50	1.1			
4/29/2015	XX	GWXXXX79B	174	8	8.3	169.25	161.1	8.15	397	5.9				0.9			
7/15/2015	XX	GWXXXX7D3	171	8.1	13.7	169.25	160.14	9.11	330	3.9				1.2			
10/28/2015	XX	GWXXXX7IC	161	8.3	11.6	169.25	160.19	9.06	324	2.3		32.31		0.5			
4/6/2016	XX	GWXXXX872	176	8.2	8.5	169.25	160.66	8.59	272	6.2				1.2			
7/27/2016	XX	GWXXXX8BC	173	7.7	14.1	169.25	159.29	9.96	249	3.7				0.7			
10/26/2016	XX	GWXXXX8JB	184	8	11.8	169.25	158.72	10.53	228	1.8		32.3		0.8			
4/19/2017	XX	GWXXXX97H	173	8.1	9.3	169.25	160.75	8.5	350	7.6				0.8			
7/26/2017	XX	GWXXXX9DF	175	8.1	13.4	169.25	159	10.25	312	3.3				1.5			
10/25/2017	XX	GWXXXX9HA	189	7.7	15.3	169.25	158.45	10.8	340	4.5		32.34		0.7			
4/4/2018	XX	GWXXXXA39	184	8.3	8.9	169.25	161.09	8.16	467	5.4				1.2			
7/18/2018	XX	GWXXXXACA	193	7.9	14	169.25	158.85	10.4	482	3.2				4.2			
10/3/2018	XX	GWXXXXB18	196	8.1	13.1	169.25	158.33	10.92	423	1.6		32.34		1.1			
4/22/2019	XX	GWXXXXB65	182	8.2	9.6	169.25	160.38	8.87	402	6.3				0.8			
7/17/2019	XX	GWXXXXBCG	190	8.1	16	169.25	159.65	9.6	304	7.7				1.4			
10/30/2019	XX	GWXXXXBI9	187	7.9	12	169.25	160.05	9.2	247	2.4		32.34		2.2			
4/29/2020	XX	GWXXXXCDG	197	8.2	9.9	169.25	161.29	7.96	314	7.2				0.8			
7/22/2020	XX	GWXXXXCI9	170	7.8	14	169.25	157.93	11.32	329	4				0.6			
10/28/2020	XX	GWXXXXD3D	167	8.1	10.3	169.25	158.45	10.8	347	2.4		37.1		1.8			
4/7/2021	XX	GWXXXXDCF	169	7.8	9.6	169.25	160.01	9.24	358	6.6				0.3			
7/12/2021	XX	GWXXXXE07	170	7.5	12.8	169.25	157.65	11.6	287	3.9				0.8			
10/6/2021	XX	GWXXXXE6F	175	7.3	13.4	169.25	159.05	10.2	277	1.9				0.8			
P-206A																	
7/31/2013	XX	GW206A64I	120	7.6	14.9	204.51	182.81	21.7	352	4			50	8.1			
10/28/2013	XX	GW206A67B	126	7.3	9.4	204.51	181.61	22.9	63	3		93.5	50	9.3			
4/21/2014	XX	GW206A6FJ	129	7.9	10.9	204.51	184.61	19.9	276	3			60	8.6			
7/28/2014	XX	GW206A702	131	7.3	16.3	204.51	182.71	21.8	268	2			60	5.4			
10/20/2014	XX	GW206A73B	128	8.1	9.2	204.51	178.81	25.7	325	3		93.48	55	1.2			
4/27/2015	XX	GW206A79A	122	7.3	6.7	204.51	183.31	21.2	104	2.3				1.4			
7/13/2015	XX	GW206A7D2	133	7.8	14.8	204.51	182.11	22.4	111	2.1				2.1			

SUMMARY REPORT

Field Data

(P-206A)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
10/26/2015	XX	GW206A7IB	146	7.8	9	204.51	179.61	24.9	309	0.6		93.45		4.2		
4/4/2016	XX	GW206A871	155	7.8	5.3	204.51	184.31	20.2	134	2.6				7		
4/26/2016	XX	GW206AHBC	187	8.1	6.4	204.51	184.51	20	123	1.9				1.1		
7/25/2016	XX	GW206A8BB	194	8	17	204.51	180.51	24	217	4.3				7.3		
10/24/2016	XX	GW206A8JA	192	7.6	9.7	204.51	176.31	28.2	237	6.8		93.43		2.9		
4/17/2017	XX	GW206A97G	193	7.6	11.1	204.51	181.01	23.5	123	4.5				1.3		
7/24/2017	XX	GW206A9DE	204	7.8	13.3	204.51	181.51	23	134	4.2				2.9		
10/23/2017	XX	GW206A9H9	221	7.5	11.3	204.51	176.91	27.6	302	4.5		93.45		1.8		
4/2/2018	XX	GW206AA38	317	7.6	9	204.51	181.66	22.85	311	1.6				0.8		
7/16/2018	XX	GW206AAC9	230	7.6	14.4	204.51	180.71	23.8	102	0.9				1.4		
10/1/2018	XX	GW206AB17	234	11.8	11.9	204.51	176.11	28.4	275	3		93.43		6.7		
4/22/2019	XX	GW206AB64	212	7.9	9	204.51	177.51	27	164	3.7				1.8		
7/17/2019	XX	GW206ABCF	225	7.9	15.4	204.51	181.91	22.6	97	3.8				2.6		
10/28/2019	XX	GW206ABI8	218	7.6	8.1	204.51	179.71	24.8	117	3.7		93.43		4.7		
4/27/2020	XX	GW206ACDF	244	6.9	4.6	204.51	180.41	24.1	101	3.6				1.3		
7/20/2020	XX	GW206ACI8	242	7.7	19.5	204.51	177.76	26.75	133	4.2				1.9		
10/26/2020	XX	GW206AD3C	A	A	A	204.51	169.81	34.7	A	A		93.15		A		
4/5/2021	XX	GW206ADCE	227	6.3	5.3	204.51	177.51	27	98	4.4				3.5		
7/14/2021	XX	GW206AE22	232	6.9	14.3	204.51	175.95	28.56	289	3.8				3.2		
10/4/2021	XX	GW206AE6E	249	7.3	10.2	204.51	177.21	27.3	242	5				1.1		
PWS10-1																
4/23/2012	XX	GWPWS151B	162	6	9.9				127	1			55	2.1		
7/23/2012	XX	GWPWS156A	104	6	23.5				213	2			50	14		
10/22/2012	XX	GWPWS15D1	138	5.8	11.6				228	0.3			35	3.7		
4/22/2013	XX	GWPWS15HC	278	5.7	7.2				228	1			50	3.2		
7/29/2013	XX	GWPWS163H	207	5.5	17.8				-38	1			75	12.6		
10/28/2013	XX	GWPWS166A	119	6.3	7.1				101	4			25	5.7		
4/21/2014	XX	GWPWS16ED	342	6.5	7.3				100	2			100	2.6		
7/28/2014	XX	GWPWS16J0	277	6.2	18.4				86	1			35	4.2		
10/20/2014	XX	GWPWS172A	76	5.4	11.1				407	4			20	1.8		
4/27/2015	XX	GWPWS1788	290	6.5	7.6				170	0.3				4.1		
7/13/2015	XX	GWPWS17C0	218	6.3	21.8				172	0.1				2.2		
10/26/2015	XX	GWPWS17H9	85	6.6	7.3				274	6.6				2.1		
4/4/2016	XX	GWPWS185J	247	6.5	2.7				196	0.3				2.2		
7/25/2016	XX	GWPWS18A9	121	6.6	25				190	1.5				2.1		
10/24/2016	XX	GWPWS18I8	304	6.5	9.6				155	0.1				1.1		
4/17/2017	XX	GWPWS196E	105	6.7	9.8				261	2.1				2.2		
7/24/2017	XX	GWPWS19CC	266	6.8	17.9				197	3.1				2.5		
10/25/2017	XX	GWPWS19G7	196	6.4	11.9				104	0				3.5		
4/2/2018	XX	GWPWS1A25	196	7.2	4.1				459	9.5				1.1		
7/16/2018	XX	GWPWS1AB7	186	7.2	23.1				245	2.5				2.1		
10/1/2018	XX	GWPWS1B05	148	6.2	11.7				818	5.6				2.1		
4/22/2019	XX	GWPWS1B51	187	6.4	10				195	3.1				1		
7/15/2019	XX	GWPWS1BBE	131	5.3	24.5				504	5.3				6.2		
10/28/2019	XX	GWPWS1BH7	172	6.3	9.3				260	6.7				1.1		
4/27/2020	XX	GWPWS1CCE	346	7	6.1				82	0.8				2.7		
7/20/2020	XX	GWPWS1CH7	254	6	23.2				167	0.4				3.1		
10/26/2020	XX	GWPWS1D2B	175	6	5.2				454	3.9				2.1		
4/5/2021	XX	GWPWS1DBD	189	6.3	3.5				164	0.4				3.1		

SUMMARY REPORT

Field Data

(PWS10-1)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
7/12/2021	XX	GWPWS1DJ5	67	6	19.4				376	3.1				2.1		
10/4/2021	XX	GWPWS1E5D	246	6	16.2				171	0.6				2.5		
PWS10-2																
4/23/2012	XX	GWPWS251C	73	5.7	6.4				104	1			35	3.2		
7/23/2012	XX	GWPWS256B	86	6.3	26.7				293	8			50	6.5		
10/22/2012	XX	GWPWS25D2	74	6	12.3				278	5			15	1.6		
4/22/2013	XX	GWPWS25HD	100	5.5	7.8				221	3			15	2.5		
7/29/2013	XX	GWPWS263I	127	5.4	16.2				-1	1			30	3.1		
10/28/2013	XX	GWPWS266B	107	6.7	9.6				133	5			15	6.2		
4/21/2014	XX	GWPWS26EE	63	7.3	9.9				52	1			40	2.2		
7/28/2014	XX	GWPWS26J1	140	5.7	15.4				108	0.4			25	1.5		
10/20/2014	XX	GWPWS272B	131	5.7	10.6				233	1			15	2.2		
4/27/2015	XX	GWPWS2789	103	6.4	5.5				217	3.8				5.2		
7/13/2015	XX	GWPWS27C1	133	6	20.5				197	0.2				2.2		
10/26/2015	XX	GWPWS27HA	72	7.6	7.5				392	10.1				1.2		
4/4/2016	XX	GWPWS2860	117	7	1.6				227	8.3				4.1		
7/25/2016	XX	GWPWS28AA	109	7.1	26.5				280	8.3				3.5		
10/24/2016	XX	GWPWS28I9	91	6.7	9.5				228	3.7				1.1		
4/17/2017	XX	GWPWS296F	102	6.3	9				189	3.9				2.1		
7/24/2017	XX	GWPWS29CD	140	7.5	18.6				250	5.4				2.1		
10/24/2017	XX	GWPWS29G8	D	D	D				D	D				D		
4/2/2018	XX	GWPWS2A26	110	7.4	1.3				474	1.2				1.1		
7/16/2018	XX	GWPWS2AB8	204	6.9	22.1				492	3.6				1.2		
10/1/2018	XX	GWPWS2B06	170	7	12.8				460	7				1		
4/22/2019	XX	GWPWS2B52	135	6.9	8.9				364	7.8				0.5		
7/15/2019	XX	GWPWS2BBF	276	7.2	26.3				413	7.2				4.1		
10/28/2019	XX	GWPWS2BH8	101	6.8	9.1				263	11.3				1.5		
4/27/2020	XX	GWPWS2CCF	140	7.2	5.4				289	6.6				3.1		
7/20/2020	XX	GWPWS2CH8	142	6.2	19.1				322	3				2.1		
10/26/2020	XX	GWPWS2D2C	124	7.3	4.9				359	6.7				4.6		
4/5/2021	XX	GWPWS2DBE	70	6.8	2.8				346	6.8				2.1		
7/12/2021	XX	GWPWS2DJ6	78	5.9	20.7				404	3.2				1.2		
10/4/2021	XX	GWPWS2E5E	99	5.9	14.4				258	0.9				3.1		
PWS10-3																
4/23/2012	XX	GWPWS351D	63	6.5	20.7				307	3			50	4.2		
7/23/2012	XX	GWPWS356C	73	5.8	26.8				155	4			25	6.6		
10/22/2012	XX	GWPWS35D3	59	5.4	11.9				284	0.8			15	4.3		
4/22/2013	XX	GWPWS35HE	62	5	7.3				223	5			15	5.6		
7/29/2013	XX	GWPWS363J	180	5.5	18.9				-7	1			90	5.9		
10/28/2013	XX	GWPWS366C	80	6.6	7.6				152	4			20	8.1		
4/21/2014	XX	GWPWS36EF	76	6.3	6.7				263	3			35	3.1		
7/28/2014	XX	GWPWS36J2	116	5.6	20.4				136	2			20	4.2		
10/20/2014	XX	GWPWS372D	42	5	10.1				423	4			20	2.1		
4/27/2015	XX	GWPWS378A	57	6	7.6				264	4.1				7.1		
7/13/2015	XX	GWPWS37C2	79	6.7	25				167	5.4				2.6		
10/26/2015	XX	GWPWS37HB	80	6.7	15.4				331	10.2				2.2		
4/4/2016	XX	GWPWS3861	163	7.4	3.1				229	7				2.2		
7/25/2016	XX	GWPWS38AB	D	D	D				D	D				D		

REPORT PREPARED: 2/23/2022 08:22

FOR: Juniper Ridge Landfill

SUMMARY REPORT

Field Data

Page 54 of 59

SEVEE & MAHER ENGINEERS, INC.
4 BLANCHARD ROAD
CUMBERLAND CENTER, ME 04021

(PWS10-3)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU
10/24/2016	XX	GWPWS381A	159	6.3	10.3				369	10.3				1.2
4/17/2017	XX	GWPWS396G	61	6	10.7				269	0.8				1.8
7/24/2017	XX	GWPWS39CE	133	6.9	22				289	7.1				2.1
10/24/2017	XX	GWPWS39G9	D	D	D				D	D				D
4/2/2018	XX	GWPWS3A27	51	6.3	2.7				456	3.5				0.8
7/16/2018	XX	GWPWS3AB9	D	D	D				D	D				D
10/1/2018	XX	GWPWS3B07	119	7.1	12.2				463	7.5				2.1
4/22/2019	XX	GWPWS3B53	82	6.5	7.6				374	7.3				0.8
7/15/2019	XX	GWPWS3BBG	83	7.2	23.6				449	9.9				5.5
10/28/2019	XX	GWPWS3BH9	98	6	8.6				279	9.3				1.1
4/27/2020	XX	GWPWS3CCG	54	6.8	5.5				314	5.8				2.5
7/20/2020	XX	GWPWS3CH9	144	5.3	22.3				208	0.3				3.1
10/26/2020	XX	GWPWS3D2D	197	5.9	6.1				540	7				4.1
4/5/2021	XX	GWPWS3DBF	105	6	4.4				191	0.3				1.5
7/12/2021	XX	GWPWS3DJ7	71	6	18.6				243	2.3				1.2
10/4/2021	XX	GWPWS3E5F	75	5.8	12.8				303	2.7				4
SW-1														
4/24/2012	XX	SWXX1X518	78	6.7	11.6				549	6			35	2
7/24/2012	XX	SWXX1X567	108	6.9	22.1				299	5			60	9.6
10/23/2012	XX	SWXX1X5CI	98	7.2	10.1				475	5			50	1.6
4/23/2013	XX	SWXX1X5H9	80	6.6	9.6				237	6			15	3.6
7/30/2013	XX	SWXX1X63E	83	6.5	23.2				310	6			25	2.3
10/29/2013	XX	SWXX1X667	99	7.2	5.6				325	6			20	1.5
4/22/2014	XX	SWXX1X6EA	154	7	9.9				455	6			35	3.4
7/29/2014	XX	SWXX1X6IH	75	7.1	22.8				424	4			20	2.7
10/21/2014	XX	SWXX1X727	83	7.5	9.7				350	6			20	3.1
4/28/2015	XX	SWXX1X785	117	7	7.9				407	9.7				2.2
7/14/2015	XX	SWXX1X7BH	95	7	25.1				331	3.8				4.2
10/27/2015	XX	SWXX1X7H6	81	8.2	5.3				320	10.3				2.2
4/5/2016	XX	SWXX1X85G	88	7	2.9				424	9.6				1.8
7/26/2016	XX	SWXX1X8A6	211	7.1	25.2				187	2.8				10.2
10/25/2016	XX	SWXX1X8I5	98	7.6	6.5				311	7.2				2.2
4/18/2017	XX	SWXX1X96B	56	6.5	6.9				369	9.1				1.3
7/25/2017	XX	SWXX1X9C9	235	6.8	18.9				221	4.2				3.3
10/25/2017	XX	SWXX1X9G4	127	6.9	15.2				398	5.4				2.5
4/3/2018	XX	SWXX1XA22	160	7	5.4				468	15.1				1.1
7/17/2018	XX	SWXX1XAB4	242	7.8	19.3				316	3.2				6.7
10/2/2018	XX	SWXX1XB02	144	6.6	9.6				514	6.1				1.4
4/23/2019	XX	SWXX1XB41	125	6.9	5.4				372	8.5				1.1
7/16/2019	XX	SWXX1XBBB	109	6.7	27.5				356	4.2				3.3
10/29/2019	XX	SWXX1XBB4	228	6.6	10.6				240	8.3				2.5
4/28/2020	XX	SWXX1XCCB	241	7.3	10				395	7.7				2.1
7/21/2020	XX	SWXX1XCH4	134	6.9	24.4				288	1.7				1.3
10/27/2020	XX	SWXX1XD28	175	7.7	8.9				298	4				1.2
4/6/2021	XX	SWXX1XD8A	179	6.5	8.7				335	7.3				2.1
7/13/2021	XX	SWXX1XDJ2	76	6.1	21.4				259	2.8	0.0056			0.8
10/5/2021	XX	SWXX1XE5A	308	6.6	22.2				153	0.7				1.2
SW-2														

SUMMARY REPORT

Field Data

(SW-2)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
4/24/2012	XX	SWXX2X519	87	6.9	10.6				454	5	14		30	2.4		
7/24/2012	XX	SWXX2X568	65	6.9	25.9				449	6	1.75		25	3.1		
10/23/2012	XX	SWXX2X5CJ	54	7.2	12.2				472	5	2.75		15	1.7		
4/23/2013	XX	SWXX2X5HA	77	6.4	10.6				236	5	1.5		15	4.1		
7/30/2013	XX	SWXX2X63F	65	7	26.2				274	6	1		20	2.2		
10/29/2013	XX	SWXX2X668	82	8	10.1				469	5	0.1		20	1.2		
4/22/2014	XX	SWXX2X6EB	76	7	10.4				407	6	5.25		25	2.6		
7/29/2014	XX	SWXX2X6II	66	7.8	25.6				423	6	0.6		15	2.8		
10/21/2014	XX	SWXX2X728	74	7	10.2				384	5	0.3		15	2.5		
4/28/2015	XX	SWXX2X786		6.7	9.2				355	9				1.1		
7/14/2015	XX	SWXX2X7BI	84	7	26.5				329	6.1	0.8			3.7		
10/27/2015	XX	SWXX2X7H7	65	8.5	5.8				317	9.4	0.0017			1.2		
4/5/2016	XX	SWXX2X85H	87	6.7	3.6				355	7.2				0.8		
7/26/2016	XX	SWXX2X8A7	81	7.3	26.9				341	3.7	0.0033			7.3		
10/25/2016	XX	SWXX2X8I6	90	7.1	8.1				353	7.1	6			1.6		
4/18/2017	XX	SWXX2X96C	67	6.9	10.6				349	8	0.4			0.8		
7/25/2017	XX	SWXX2X9CA	110	7.1	18				235	2.1	0.4			3.4		
10/25/2017	XX	SWXX2X9G5	102	7.1	16.7				415	5.4	3			2.1		
4/3/2018	XX	SWXX2XA23	50	6.8	3.1				467	7.9	11.25			1.1		
7/17/2018	XX	SWXX2XAB5	104	7.9	21.3				318	1.1	0.4			8.2		
10/2/2018	XX	SWXX2XB03		6.7	10.2				494	4	0.25			2.1		
4/23/2019	XX	SWXX2XB4J	83	6.6	4.9				360	6				0.9		
7/16/2019	XX	SWXX2XBBC	85	6.3	28.8				397	4.2				3.2		
10/29/2019	XX	SWXX2XBH5	66	5.9	8				281	13.7				0.8		
4/28/2020	XX	SWXX2XC0C	76	6.8	7				369	7.7				2.1		
7/21/2020	XX	SWXX2XCH5	68	6.9	29.2				380	5.5				1.6		
10/27/2020	XX	SWXX2XD29	77	6.8	8.4				413	6				1.2		
4/6/2021	XX	SWXX2XDBB	67	6.2	4.3				409	8.7	9			0.6		
7/13/2021	XX	SWXX2XDJ3	62	5.8	18.4				393	0.9	4.5			0.9		
10/5/2021	XX	SWXX2XE5B	57	6.3	17.7				323	4.4				0.5		
SW-3																
4/24/2012	XX	SWXX3X51A	54	7.4	9.8				449	6	19		25	2.4		
7/24/2012	XX	SWXX3X569	103	7.5	22.9				326	4	3.75		100	2.5		
10/23/2012	XX	SWXX3X5D0	46	7.4	11.5				422	6	5		50	2.1		
4/23/2013	XX	SWXX3X5HB	71	6.5	9.7				234	6	8		20	1.5		
7/30/2013	XX	SWXX3X63G	81	7.9	23				170	6	6		25	1.2		
10/29/2013	XX	SWXX3X669	108	7.7	6.7				365	4	6.5		15	1.2		
4/22/2014	XX	SWXX3X6EC	71	7.3	9.9				444	6	10		30	0.8		
7/29/2014	XX	SWXX3X6IJ	81	7.9	20.9				328	5	8		15	0.5		
10/21/2014	XX	SWXX3X729	78	7.7	8.4				386	5	7		15	1.2		
4/28/2015	XX	SWXX3X787	79	7.3	6.8				328	11.3	9.3			1		
4/29/2015	XX	SWXX3X7AI	88	7.7	10.3				344	8.6	9.3			0.8		
7/14/2015	XX	SWXX3X7BJ	93	8.1	21.5				305	5.4	5.8			1.2		
10/27/2015	XX	SWXX3X7H8	81	8.8	4.6				293	11.4	0.016			0.6		
4/5/2016	XX	SWXX3X85I	76	8.3	2.3				301	12.6				1.4		
7/26/2016	XX	SWXX3X8A8	102	7.6	21.6				344	2.3				2.1		
10/25/2016	XX	SWXX3X8I7	119	8.6	6.4				253	8.6	7			1.3		
4/18/2017	XX	SWXX3X96D	59	8.3	8.3				347	10.8				1.1		
7/25/2017	XX	SWXX3X9CB	120	7.4	16.8				344	2.6	5			1.3		

REPORT PREPARED: 2/23/2022 08:22

FOR: Juniper Ridge Landfill

SUMMARY REPORT

Field Data

Page 56 of 59

SEVEE & MAHER ENGINEERS, INC.
4 BLANCHARD ROAD
CUMBERLAND CENTER, ME 04021

(SW-3)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
10/25/2017	XX	SWXX3X9G6	149	6.9	15.7				407	3.6	8			1.3			
4/3/2018	XX	SWXX3XA24	84	7.7	1.8				459	4.6	2			1.1			
7/17/2018	XX	SWXX3XAB6	134	7.6	21.4				437	1.9	4			1.9			
10/2/2018	XX	SWXX3XB04	100	7.2	10.1				507	8.1	12			0.5			
4/23/2019	XX	SWXX3XB50	70	7.4	7.1				330	9				0.8			
7/16/2019	XX	SWXX3XBBD	92	7.6	24.3				300	5.7				1.3			
10/29/2019	XX	SWXX3XBH6	99	7.5	8.6				232	10.3				0.5			
4/28/2020	XX	SWXX3XCCD	73	7.7	8.8				359	9.9				1.4			
7/21/2020	XX	SWXX3XCH6	94	7.2	23.1				373	3.4				0.9			
10/27/2020	XX	SWXX3XD2A	78	7.6	8.4				403	8.1				0.8			
4/6/2021	XX	SWXX3XDBC	52	7.7	7.4				374	8.9	19			1.2			
7/13/2021	XX	SWXX3XDJ4	68	7.3	21.8				319	4.8	7.5			0.8			
10/5/2021	XX	SWXX3XE5C	68	7.3	14				284	5.2				1.2			
SW-DP1																	
4/24/2012	XX	SWDP1X51G	107	6.9	12.8				466	6			75	6.8			
7/24/2012	XX	SWDP1X56F	167	7.4	25.6				395	6			80	7.5			
10/23/2012	XX	SWDP1X5D6	66	7.2	11.7				477	6			25	2.1			
4/23/2013	XX	SWDP1X5HH	195	7.3	12.1				236	6			20	3.1			
7/30/2013	XX	SWDP1X642	82	6.7	26.8				285	6			30	0.7			
10/29/2013	XX	SWDP1X66F	204	7.4	7.4				311	6			20	1.6			
4/22/2014	XX	SWDP1X6E1	83	7.7	14.5				452	6			30	3.6			
7/29/2014	XX	SWDP1X6J5	47	7.1	25.1				448	6			10	0.8			
10/21/2014	XX	SWDP1X72G	54	7.4	11.4				368	6			15	0.8			
4/28/2015	XX	SWDP1X78D	109	7.3	10.2				368	11.8				2.1			
7/14/2015	XX	SWDP1X7C5	112	8.3	27				255	8.8				3.6			
10/27/2015	XX	SWDP1X7HE	69	8	8.6				313	10.8				0.8			
4/5/2016	XX	SWDP1X864	100	7.1	6.4				348	12.5				0.5			
7/26/2016	XX	SWDP1X8AE	123	7.9	29.3				263	5.9				2.3			
10/25/2016	XX	SWDP1X8ID	75	7.8	9.2				260	7.7				1.6			
4/18/2017	XX	SWDP1X96J	74	6.9	12.5				389	10.2				1.7			
7/25/2017	XX	SWDP1X9CH	142	7.4	24.9				274	7				0.8			
10/23/2017	XX	SWDP1X9GC	109	7.7	16.6				263	9.1				0.8			
4/3/2018	XX	SWDP1XA2B	34	7.3	1.9				457	9.1				2.6			
7/17/2018	XX	SWDP1XABC	91	8.2	23.1				418	6.7				2.7			
10/2/2018	XX	SWDP1XB0A	78	7.2	12				486	5.4				0.9			
4/23/2019	XX	SWDP1XB57	101	7.1	9				367	9.9				1.4			
7/16/2019	XX	SWDP1XBBJ	79	8.9	28.7				327	8.4				0.8			
10/29/2019	XX	SWDP1XBHC	106	6.9	10.6				241	9.5				1.2			
4/28/2020	XX	SWDP1XCCJ	439	7.8	9.5				356	12				1.7			
7/21/2020	XX	SWDP1XCHC	206	7.6	27				358	8.8				2.2			
10/27/2020	XX	SWDP1XD2G	148	7.7	7.5				261	8.3				0.8			
4/6/2021	XX	SWDP1XDBI	68	6.7	8.4				398	7.9				2.3			
7/13/2021	XX	SWDP1XDJA	78	6.5	23.9				323	5				1.2			
10/5/2021	XX	SWDP1XE5I	82	6.5	16.7				316	5.3				0.6			
SW-DP5																	
4/23/2013	XX	SWDP5X60I	162	7.6	12.8				236	6			20	2.6			
7/30/2013	XX	SWDP5X65H	150	8	30.7				241	6			50	1.5			
10/29/2013	XX	SWDP5X686	D	D	D				D	D			D	D			

SUMMARY REPORT

Field Data

(SW-DP5)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU			
4/22/2014	XX	SWDP5X6GD	194	6.9	16.9				408	6			30	9.8			
7/29/2014	XX	SWDP5X70F	99	7.9	27.5				392	6			15	2.6			
10/21/2014	XX	SWDP5X743	113	7.6	10.7				422	5			15	1.2			
4/28/2015	XX	SWDP5X7A3	208	7.9	10.8				353	11.5				1.1			
7/14/2015	XX	SWDP5X7DF	153	7.7	27.6				218	6.4				4.3			
10/27/2015	XX	SWDP5X7J2	D	D	D				D	D				D			
4/5/2016	XX	SWDP5X87E	D	D	D				D	D				D			
7/26/2016	XX	SWDP5X8C4	D	D	D				D	D				D			
10/25/2016	XX	SWDP5X902	I	I	I				I	I				I			
4/18/2017	XX	SWDP5X989	D	D	D				D	D				D			
7/25/2017	XX	SWDP5X9E6	173	8.1	25.4				273	7.7				0.4			
10/24/2017	XX	SWDP5X9I1	D	D	D				D	D				D			
4/3/2018	XX	SWDP5XA41	51	6.9	8.7				459	15.2				2.1			
7/17/2018	XX	SWDP5XAD1	D	D	D				D	D				D			
10/2/2018	XX	SWDP5XB1J	D	D	D				D	D				D			
4/23/2019	XX	SWDP5XB6H	133	7.3	9.7				369	7.8				0.8			
7/16/2019	XX	SWDP5XBD8	102	8.3	28.3				307	6.8				0.8			
10/29/2019	XX	SWDP5XBJ0	107	7	9.3				239	10				1.8			
4/28/2020	XX	SWDP5XCE8	173	8.1	10.1				333	12.6				1.6			
7/21/2020	XX	SWDP5XCJ1	126	7.8	30.3				328	6.8				0.6			
10/27/2020	XX	SWDP5XD44	82	8.5	10.2				320	10.5				0.6			
4/6/2021	XX	SWDP5XDD7	69	6.9	10.7				387	9.3				2.1			
7/13/2021	XX	SWDP5XE0J	62	8.2	24.6				267	10.2				1.1			
10/5/2021	XX	SWDP5XE75	67	7.4	18.6				245	6				0.5			
SW-DP6																	
4/24/2012	XX	SWDP6X51H	172	6.7	15.1				547	6			100	2.5			
7/24/2012	XX	SWDP6X56G	97	7.2	25.1				396	5	0.0045		40	12			
10/23/2012	XX	SWDP6X5D7	65	7.5	11.7				439	5			15	5.1			
4/23/2013	XX	SWDP6X5HI	62	6.6	15.2				235	6			15	3.2			
7/30/2013	XX	SWDP6X643	87	7	27.8				313	6			25	0.8			
10/29/2013	XX	SWDP6X66G	113	7.3	8.3				333	5			25	0.6			
4/22/2014	XX	SWDP6X6EJ	107	7.6	16.8				413	6			40	3.7			
7/29/2014	XX	SWDP6X6J6	72	7.3	24.7				442	5			10	1.2			
10/21/2014	XX	SWDP6X72H	75	7.7	11.5				394	6			15	2.6			
4/28/2015	XX	SWDP6X78E	96	6.9	10				392	10.4				1.3			
7/14/2015	XX	SWDP6X7C6	114	7.2	29.6				376	5.4				5.6			
10/27/2015	XX	SWDP6X7HF	68	8.4	9.8				327	10.4				1.1			
4/5/2016	XX	SWDP6X865	79	7.1	4.6				445	10				0.8			
7/26/2016	XX	SWDP6X8AF	135	7.5	28.7				254	5.4				2.7			
10/25/2016	XX	SWDP6X8IE	100	7.8	8.5				265	5.8				2.6			
4/18/2017	XX	SWDP6X970	59	6.6	11.2				364	6.7				1.1			
7/25/2017	XX	SWDP6X9CI	86	7.5	21.6				314	6.5				1.1			
10/23/2017	XX	SWDP6X9GD	101	7.2	17.2				219	7.5				1.6			
4/3/2018	XX	SWDP6XA2C	76	7.6	2.4				460	10.3				2.3			
7/17/2018	XX	SWDP6XABD	140	8	23.9				443	4.5				2.1			
10/2/2018	XX	SWDP6XB0B	136	7.8	11.6				478	6.2				0.8			
4/23/2019	XX	SWDP6XB58	78	6.7	8.1				368	11.7				1.1			
7/16/2019	XX	SWDP6XBC0	65	7.3	29.2				375	6.8				1.8			
10/29/2019	XX	SWDP6XBHD	50	6.2	10.3				246	10.3				2.2			

REPORT PREPARED: 2/23/2022 08:22
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Field Data

Page 58 of 59
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(SW-DP6)			Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU		
4/28/2020	XX	SWDP6XCD0	55	7.3	11.4				397	9.6				1.3		
7/21/2020	XX	SWDP6XCHD	71	8.4	27.1				294	5.9				0.8		
10/27/2020	XX	SWDP6XD2H	91	8.2	9.4				330	10.1				0.7		
4/6/2021	XX	SWDP6XDBJ	59	6.1	9.1				416	9.9				3.2		
7/13/2021	XX	SWDP6XDJB	38	6.2	25.4				404	5.2				0.7		
10/5/2021	XX	SWDP6XE5J	62	7.2	22.5				308	6.3				0.8		
OFFICE WELL																
4/6/2016	XX	DWOFFX87J	300	7.2	8.3				302	7.2				2.1		
4/19/2017	XX	DWOFFX98D	302	6.9	9.3				381	8.6				1		
4/4/2018	XX	DWOFFXA45	434	6.9	9.7				341	6.4				0.5		
4/22/2019	XX	DWOFFXB71	353	7	9.6				420	6.2				2.1		
7/15/2019	XX	DWOFFXBDB	372	7.2	12.8				267	7				2.8		
SCALE HOUSE WELL																
4/6/2016	XX	DWSCLX880	585	7.2	7.2				276	6.8				4		
4/19/2017	XX	DWSCLX98E	545	7	8.1				380	8.2				0.7		
4/4/2018	XX	DWSCLXA46	585	7.1	6.1				397	5.6				0.8		
4/22/2019	XX	DWSCLXB72	480	7.1	7.6				420	6.1				4.3		
7/15/2019	XX	DWSCLXBDC	540	7	18.5				269	7.1				1.5		

REPORT PREPARED: 2/23/2022 08:22 FOR: Juniper Ridge Landfill			SUMMARY REPORT Field Data								Page 59 of 59 SEVEE & MAHER ENGINEERS, INC. 4 BLANCHARD ROAD CUMBERLAND CENTER, ME 04021		
(SCALE HOUSE WELL)	Specific Conductance	pH	Temperature	Water Level Reference Point	Water Level Elevation	Water Level Depth	Eh	Dissolved Oxygen	Flow Rate	Well Depth	Alkalinity (CaCO3) (field)	Turbidity (field)	
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	mV	mg/L	cfs	Feet	mg/L	NTU

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

- ! - The sampling location was damaged or destroyed.
- < - Less than specified amount
- A - The sampling location was Inaccessible
- D - The sampling location was dry.
- D3 - Sample too dark to take reading.
- DE - Decommissioned Location
- E2 - Estimated Field Value
- F - The sampling location was frozen.
- F1 - Well was flowing
- F12 - Pipe under water, no sample taken.
- F14 - Unable to measure flow.
- F6 - No flow. Sample not taken.
- H2 - Waterlevel higher than pipes. See LF-COMP for readings
- H5 - Waterlevel higher than pipes. See LP-COMP for readings
- H6 - Pipe under water, could not measure flow.
- H8 - No flow from pipe. See LF-COMP for readings
- H9 - No flow from pipe. See LP-COMP for readings
- I - The sampling location yielded insufficient quantity to collect a sample.
- L - Could not locate sampling location.
- M - Results are missing or not reliable due to a meter malfunction.
- M7 - No reading taken at this location.
- TK - Outside of range of available test kits (or below test kit range).
- U - Not Detected above the laboratory reporting limit.

Date	Type	Sample ID	Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L

DP-4																
4/25/2012	XX	GWXXX52G	0.3				0.5 U		93	25.4		13	198		2 U	21
7/25/2012	XX	GWXXX57F	0.4				0.5 U		77	26.9		14.4	182		2 U	22
10/24/2012	XX	GWXXX5E6	0.31				0.5 U		78	31.6		15.3	196		2 U	34
4/24/2013	XX	GWXXX5IH	0.349				0.5 U		80	30.8		19.3	195	0.12	2 U	75

LF-COMP																
4/24/2012	XX	LFXXX53B					0.5 U		143	7	0.04 U	6	195		2 U	4 U
4/6/2021	XX	LFCOMP66			0.3				200	2.1	0.04 U	11	238	0.1 U	2 U	2.5 U

LF-LD-11																
7/13/2021	XX	LFXXXE1C	0.38	0.1 U	0.71		0.5 U	430		1 U		34	494	0.1 U	2.2	2.5 U
10/5/2021	XX	LFXXXE88	0.56	0.1 U	0.55		0.5 U	450		1 U		42	541	0.1 U	2 U	2.5 U

LF-LD-12																
7/13/2021	XX	LFXXXE1D	0.31	0.1 U	0.05 U		0.5 U	160		1.5		31	240	0.1 U	2.4	6.7
10/5/2021	XX	LFXXXE89	0.25	0.1 U	0.063		0.5 U	290		1 U		48	397	0.1 U	3.8	2.5 U

LF-UD-1																
4/24/2012	XX	LFUD1X525					H2		H2	H2	H2	H2	H2		H2	H2
7/24/2012	XX	LFUD1X574					0.5 U	168	3	0.05	4.1	208		2 U	10	
10/23/2012	XX	LFUD1X5DF					F6	F6	F6	F6	F6	F6		F6	F6	
4/23/2013	XX	LFUD1X5I6					0.5 U	164	11.5	0.04 U	7.8	230	0.16	2 U	4	
7/30/2013	XX	LFUD1X64B						156	22.5	0.04 U	9.9	232	0.14	2 U	4 U	
10/29/2013	XX	LFUD1X674						F6	F6	F6	F6	F6	F6	F6	F6	
4/22/2014	XX	LFUD1X6F7						177	19.1	0.04	10.4	235	0.1 U	2 U	35	
7/29/2014	XX	LFUD1X6JE						155	17.3	0.33	5	231	0.14	2 U	394	
10/21/2014	XX	LFUD1X735						F6	F6	F6	F6	F6	F6	F6	F6	
4/28/2015	XX	LFUD1X792			0.5 U			145	24.8	0.08	22.4	260	0.2	2 U	49	
7/14/2015	XX	LFUD1X7CE			2 U			179	16.7	0.04 U	6.6	257	0.1 U	2 U	4 U	
10/27/2015	XX	LFUD1X7I3			F6			F6	F6	F6	F6	F6	F6	F6	F6	
4/5/2016	XX	LFUD1X86D			0.07			152	26	0.04	12.7	242	0.1 U	2 U	4	
7/26/2016	XX	LFUD1X8B3			1			1	1	1	1	1	1	1	1	
10/25/2016	XX	LFUD1X8J2			F6			F6	F6	F6	F6	F6	F6	F6	F6	
4/18/2017	XX	LFUD1X978			0.19			170	21	0.1	7.3	243	0.2 U	2 U	56	
7/25/2017	XX	LFUD1X9D6			0.22			170	24	0.04 U	24	290	0.2 U	2 U	15	
10/25/2017	XX	LFUD1X9H1			F6			F6	F6	F6	F6	F6	F6	F6	F6	
4/3/2018	XX	LFUD1XA30			0.23			170	18	0.04 U	35	246	0.21	2 U	5	
7/17/2018	XX	LFUD1XAC1			F6			F6	F6	F6	F6	F6	F6	F6	F6	
10/2/2018	XX	LFUD1XB0J			F6			F6	F6	F6	F6	F6	F6	F6	F6	
4/23/2019	XX	LFUD1XB5G			0.4			170	2.2	0.04 U	13	214	0.1 U	2 U	2.5 U	
7/16/2019	XX	LFUD1XBC8			F6			F6	F6	F6	F6	F6	F6	F6	F6	
10/29/2019	XX	LFUD1XB11			F6			F6	F6	F6	F6	F6	F6	F6	F6	
4/28/2020	XX	LFUD1XCD8			F6			F6	F6	F6	F6	F6	F6	F6	F6	
7/21/2020	XX	LFUD1XC11			F6			F6	F6	F6	F6	F6	F6	F6	F6	
10/27/2020	XX	LFUD1XD35			F6			F6	F6	F6	F6	F6	F6	F6	F6	
4/6/2021	XX	LFUD1XD07			H8			H8	H8	H8	H8	H8	H8	H8	H8	
7/13/2021	XX	LFUD1XDJJ			F6			F6	F6	F6	F6	F6	F6	F6	F6	
10/5/2021	XX	LFUD1XE67			F6			F6	F6	F6	F6	F6	F6	F6	F6	

LF-UD-2																
----------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

SUMMARY REPORT

Inorganics

(LF-UD-2)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/24/2012	XX	LFUD2X526					H2		H2	H2	H2	H2	H2		H2	H2
7/24/2012	XX	LFUD2X575					0.5 U		135	9.5	0.04 U	2 U	188		2 U	4 U
10/23/2012	XX	LFUD2X5DG					0.5 U		133	12.6	0.04 U	5.4	211		2 U	4 U
4/23/2013	XX	LFUD2X5I7					0.5 U		134	18.5	0.04 U	4.6	207	0.19	2 U	4 U
7/30/2013	XX	LFUD2X64C							127	35.2	0.04 U	4.8	208	0.12	2 U	4 U
10/29/2013	XX	LFUD2X675							162	15.3	0.04 U	9.9	228	0.18	2 U	12
4/22/2014	XX	LFUD2X6F8							147	33.6	0.04 U	4.8	218	0.11	2 U	4 U
7/29/2014	XX	LFUD2X6JF							152	21.6	0.04 U	2	220	0.17	2 U	45
10/21/2014	XX	LFUD2X736							220	7.7	0.04 U	7.2	279	0.1 U	2 U	25
4/28/2015	XX	LFUD2X793			0.5 U				139	24.4	0.04 U	26	257	0.2	2 U	4
7/14/2015	XX	LFUD2X7CF			2 U				177	19.7	0.04 U	6.1	254	0.17	2 U	4 U
10/27/2015	XX	LFUD2X7I4			0.5 U				193	20.3	0.04 U	7.5	264	0.1 U	2 U	4 U
4/5/2016	XX	LFUD2X86E			0.06				134	41.2	0.04 U	11.4	246	0.1 U	2 U	4 U
7/26/2016	XX	LFUD2X8B4			0.05 U				170	22.7	0.04	22.1	283	0.2	2 U	24
10/25/2016	XX	LFUD2X8J3			0.27				203	12.8	0.04 U	21.6	294	0.2 U	2 U	4 U
4/18/2017	XX	LFUD2X979			0.22				160	29	0.05	18	262	0.2 U	2 U	15
7/25/2017	XX	LFUD2X9D7			0.13				170	32	0.04 U	4.6	273	0.2 U	2 U	8
10/25/2017	XX	LFUD2X9H2			0.22				200	13	0.07	9	291	0.14	2 U	29
4/3/2018	XX	LFUD2XA31			0.28				160	17	0.04 U	56	267	0.18	2 U	2.5 U
7/17/2018	XX	LFUD2XAC2			0.24				210	24	0.04	12	290	0.19	6.3	17
10/2/2018	XX	LFUD2XB10			0.28				220	7.8	0.04 U	16	285	0.1 U	2 U	5
4/23/2019	XX	LFUD2XB5H			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/16/2019	XX	LFUD2XBC9			0.26				200	15	0.07	12	262	0.11	2 U	2.7
10/29/2019	XX	LFUD2XBI2			0.22				180	11	0.04	11	222	0.12	2 U	83
4/28/2020	XX	LFUD2XCD9			0.32				200	10	0.04 U	11	243	0.11	2 U	16
7/21/2020	XX	LFUD2XCI2			0.23				230	6.9	0.2	13	307	0.1	2 U	370
10/27/2020	XX	LFUD2XD36			0.2				230	3	0.04 U	14	276	0.1 U	43 M10	2.5 U
4/6/2021	XX	LFUD2XDC8			H8				H8	H8	H8	H8	H8	H8	H8	H8
7/13/2021	XX	LFUD2XE00			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/5/2021	XX	LFUD2XE68			F6				F6	F6	F6	F6	F6	F6	F6	F6

LF-UD-3A,B																
4/24/2012	XX	LFXXX534					H2		H2	H2	H2	H2	H2		H2	H2
7/24/2012	XX	LFXXX581					F6		F6	F6	F6	F6	F6		F6	F6
10/23/2012	XX	LFXXX5EC					F6		F6	F6	F6	F6	F6		F6	F6
4/23/2013	XX	LFXXX5J5					F6		F6	F6	F6	F6	F6	F6	F6	F6
7/30/2013	XX	LFXXX65A							F6	F6	F6	F6	F6	F6	F6	F6
10/29/2013	XX	LFXXX67J							F6	F6	F6	F6	F6	F6	F6	F6
4/22/2014	XX	LFXXX6G6							F6	F6	F6	F6	F6	F6	F6	F6
7/29/2014	XX	LFXXX708							F6	F6	F6	F6	F6	F6	F6	F6
10/21/2014	XX	LFXXX73H							F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LFXXX79G			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/14/2015	XX	LFXXX7D8			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/27/2015	XX	LFXXX7IF			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFXXX877			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/26/2016	XX	LFXXX8BH			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/25/2016	XX	LFXXX8JF			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFXXX982			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/25/2017	XX	LFXXX9DJ			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/25/2017	XX	LFXXX9HE			F6				F6	F6	F6	F6	F6	F6	F6	F6

REPORT PREPARED: 4/11/2022 07:03

FOR: Juniper Ridge Landfill

SUMMARY REPORT

Inorganics

Page 3 of 31

SEVEE & MAHER ENGINEERS, INC.
4 BLANCHARD ROAD
CUMBERLAND CENTER, ME 04021

(LF-UD-3A,B)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/3/2018	XX	LFXXXXA3E			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/17/2018	XX	LFXXXXACE			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/2/2018	XX	LFXXXXB1C			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFXXXXB6A			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/16/2019	XX	LFXXXXBD1			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/29/2019	XX	LFXXXXBID			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXXCE1			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/21/2020	XX	LFXXXXCIE			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/27/2020	XX	LFXXXXD3H			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFXXXXDD0			H8				H8	H8	H8	H8	H8	H8	H8	H8
7/13/2021	XX	LFXXXXE0C			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/5/2021	XX	LFXXXXE6J			F6				F6	F6	F6	F6	F6	F6	F6	F6

LF-UD-4																	
Date	Type	Sample ID	Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids	
4/24/2012	XX	LFXXXX536					H2		H2	H2	H2	H2	H2		H2	H2	
7/24/2012	XX	LFXXXX582					0.5 U		207	3.1	0.04 U	2 U	263		2 U	4 U	
10/23/2012	XX	LFXXXX5CA					0.5 U		180	8.1	0.04 U	7.9	252		2 U	4 U	
4/23/2013	XX	LFXXXX5J6					0.5 U		166	11.8	0.04 U	8.8	235	0.14	2 U	4 U	
7/30/2013	XX	LFXXXX65B							F6	F6	F6	F6	F6	F6	F6	F6	
10/29/2013	XX	LFXXXX680							168	13.2	0.04 U	11.1	234	0.1 U	2 U	4 U	
4/22/2014	XX	LFXXXX6G7							206	8.9	0.04 U	14.2	252	0.1	2 U	4 U	
7/29/2014	XX	LFXXXX709							F6	F6	F6	F6	F6	F6	F6	F6	
10/21/2014	XX	LFXXXX73I							F6	F6	F6	F6	F6	F6	F6	F6	
4/28/2015	XX	LFXXXX79H			F6				F6	F6	F6	F6	F6	F6	F6	F6	
7/14/2015	XX	LFXXXX7D9			F6				F6	F6	F6	F6	F6	F6	F6	F6	
10/27/2015	XX	LFXXXX7IG			F6				F6	F6	F6	F6	F6	F6	F6	F6	
4/5/2016	XX	LFXXXX878			F6				F6	F6	F6	F6	F6	F6	F6	F6	
7/26/2016	XX	LFXXXX8BI			0.13				177	20.9	0.04	20.9	281	0.2	2 U	36	
10/25/2016	XX	LFXXXX8JG			0.25				202	12.5	0.04 U	24.9	298	0.2 U	2 U	4 U	
4/18/2017	XX	LFXXXX983			0.14				170	2.4	0.04 U	8.9	247	0.2 U	2.6	110	
7/25/2017	XX	LFXXXX9E0			0.18				170	24	0.04 U	24	279	0.2 U	2 U	10	
10/25/2017	XX	LFXXXX9HF			F6				F6	F6	F6	F6	F6	F6	F6	F6	
4/3/2018	XX	LFXXXXA3F			F6				F6	F6	F6	F6	F6	F6	F6	F6	
7/17/2018	XX	LFXXXXACF			0.23				210	23	0.04 U	8.6	291	0.18	2 U	5.3	
10/2/2018	XX	LFXXXXB1D			F6				F6	F6	F6	F6	F6	F6	F6	F6	
4/23/2019	XX	LFXXXXB6B			F6				F6	F6	F6	F6	F6	F6	F6	F6	
7/16/2019	XX	LFXXXXBD2			F6				F6	F6	F6	F6	F6	F6	F6	F6	
10/29/2019	XX	LFXXXXBIE			0.22				180	12	0.18	11	235	0.13	2 U	210	
4/28/2020	XX	LFXXXXCE2			F6				F6	F6	F6	F6	F6	F6	F6	F6	
7/21/2020	XX	LFXXXXCIF			F6				F6	F6	F6	F6	F6	F6	F6	F6	
10/27/2020	XX	LFXXXXD3I			F6				F6	F6	F6	F6	F6	F6	F6	F6	
4/6/2021	XX	LFXXXXDD1			H8				H8	H8	H8	H8	H8	H8	H8	H8	
7/13/2021	XX	LFXXXXE0D			0.28				190	1.3	0.05	27	245	0.1 U	2 U	11	
10/5/2021	XX	LFXXXXE70			0.26				200	1.3	0.04	11	246	0.1 U	2 U	2.5 U	

LF-UD-5and6																	
Date	Type	Sample ID	Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids	
4/24/2012	XX	LFXXXX537					0.5 U		232	3.2	0.05	14.9	272		2 U	26	
7/24/2012	XX	LFXXXX584					0.5 U		232	2.5	0.04 U	11.9	279		2 U	4 U	
10/23/2012	XX	LFXXXX5C7					0.5 U		201	3.3	0.07	14.6	268		2 U	128	
4/23/2013	XX	LFXXXX5J7					0.5 U		157	3.6	0.04 U	11.5	200	0.11	2 U	8	

SUMMARY REPORT

Inorganics

(LF-UD-5and6)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/30/2013	XX	LFXXX65C							163	3.4	0.04 U	10.8	202	0.1 U	2 U	4 U
10/29/2013	XX	LFXXX681							200	3.3	0.04 U	11.8	244	0.1 U	2 U	7
4/22/2014	XX	LFXXX6G8							181	4.7	0.04 U	14.7	222	0.1 U	2 U	18
7/29/2014	XX	LFXXX70A							207	2.2	0.04 U	8.7	269	0.1	2 U	4 U
10/21/2014	XX	LFXXX73J							F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LFXXX79I			0.5 U				197	3.3	0.04 U	12.4	250	0.1 U	2 U	4 U
7/14/2015	XX	LFXXX7DA			1				1	1	1	1	1	1	1	1
10/27/2015	XX	LFXXX7IH			0.5 U				184	3.8	0.04 U	11.1	235	0.1 U	2	6
4/5/2016	XX	LFXXX879			0.05				191	2.9	0.04 U	12.5	247	0.1 U	2 U	4 U
7/26/2016	XX	LFXXX8BJ			0.05 U				186	2.7	0.04 U	26.9	230	0.2 U	2 U	4 U
10/25/2016	XX	LFXXX8JH			0.2				167	2.1	0.04 U	9.8	215	0.2 U	2 U	4 U
4/18/2017	XX	LFXXX984			0.07				160	2.2	0.04 U	18	201	0.2 U	2 U	2.5 U
7/25/2017	XX	LFXXX9E1			0.21				200	2.8	0.04	11	243	0.2 U	2 U	4.7
10/25/2017	XX	LFXXX9HG			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LFXXXA3G			0.14				150	1.7	0.04 U	39	192	0.13	2 U	2.5 U
7/17/2018	XX	LFXXXACG			0.14				180	2.7	0.04 U	10	220	0.12	2 U	2.5 U
10/2/2018	XX	LFXXXB1E			0.21				180	2.4	0.04 U	14	228	0.1 U	2 U	5
4/23/2019	XX	LFXXXB6C			0.14				150	1.5	0.04 U	9.7	192	0.1	2 U	2.5 U
7/16/2019	XX	LFXXXBD3			0.12				170	2	0.04 U	9.2	211	0.1 U	2 U	2.5 U
10/29/2019	XX	LFXXXBIF			0.14				160	2.1	0.08	9.9	199	0.15	2 U	69
4/28/2020	XX	LFXXXCE3			0.2				150	2.3	0.04 U	11	185	0.17	2 U	2.5 U
7/21/2020	XX	LFXXXCIG			0.23				180	2.5	0.04 U	11	214	0.18	2 U	2.5 U
10/27/2020	XX	LFXXXD3J			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFXXXDD2			0.15				160	2.1	0.04 U	11	187	0.14	2 U	2.5 U
7/13/2021	XX	LFXXXE0E			0.13				190	2.6	0.04 U	12	228	0.1 U	2 U	3.7
10/5/2021	XX	LFXXXE71			0.17				170	2.3	0.04 U	12	215	0.1	2 U	2.5 U
LF-UD-6																
4/24/2012	XX	LFUD6X539					0.5 U		278	2.7	0.04 U	10.6	309		2 U	4 U
7/24/2012	XX	LFUD6X586					0.5 U		326	3.1	0.04 U	2 U	414		2.8	4 U
10/23/2012	XX	LFUD6X5C9					0.5 U		359	11.6	0.04 U	107	563		3.1	4 U
4/23/2013	XX	LFUD6X5J9					0.5 U		222	8.9	0.05	84.9	357	0.1	2 U	4 U
7/30/2013	XX	LFUD6X65E							338	18.2	0.04 U	143	554	0.1 U	3.3	4 U
10/29/2013	XX	LFUD6X683							343	14.1	0.04 U	116	552	0.12	3.1	4 U
4/22/2014	XX	LFUD6X6GA							275	15	0.11	128	464	0.1 U	2.9	4 U
7/29/2014	XX	LFUD6X70C							332	11.5	0.04	52.6	522	0.11	2.9	4 U
10/21/2014	XX	LFUD6X740							343	9.4	0.06	88.7	536	0.11	3	4 U
4/28/2015	XX	LFUD6X7A0			5.6				315	11.2	0.14	96.5	530	0.1 U	2.8	4 U
7/14/2015	XX	LFUD6X7DC			2 U				344	11.1	0.06	99.9	523	0.1 U	2.8	4 U
10/27/2015	XX	LFUD6X7IJ			1.5				337	12.8	0.09	96.3	544	0.1 U	2.7	4 U
4/5/2016	XX	LFUD6X87B			12				293	12.7	0.27	92.8	562	0.1 U	2.5	4 U
7/26/2016	XX	LFUD6X8C1			D				D	D	D	D	D	D	D	D
10/25/2016	XX	LFUD6X8JJ			1				1	1	1	1	1	1	1	1
4/18/2017	XX	LFUD6X986			2.5				230	7.5	0.12	7.5	289	0.2 U	2.4	41
7/25/2017	XX	LFUD6X9E3			1				1	1	1	1	1	1	1	1
10/25/2017	XX	LFUD6X9HI			5.8				180	1 U	0.16	7.3	280	0.1 U	2	2.5 U
4/3/2018	XX	LFUD6XA3I			5.6				130	1 U	0.12	42	193	0.1 U	2.7	2.5 U
7/17/2018	XX	LFUD6XACI			1.4				160	5 U	0.09	10 U	190	0.5 U	2 U	2.5 U
10/2/2018	XX	LFUD6XB1G			3.5				120	1 U	0.12	2 U	172	0.1 U	2 U	2.5 U
4/23/2019	XX	LFUD6XB6E			27				84	1.2	0.09	6.5	309	0.1 U	2 U	2.5 U

REPORT PREPARED: 4/11/2022 07:03
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Inorganics

Page 5 of 31
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(LF-UD-6)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/16/2019	XX	LFUD6XBD5			9.1				49	1 U	0.13	3.3	149	0.1 U	2 U	8.7
10/29/2019	XX	LFUD6XBIH			20				4.9	1.9	0.65	4.6	186	0.1 U	2.8	150
4/28/2020	XX	LFUD6XCE5			60				1.5 U	2 U	0.2	12	438	0.2 U	2 U	2.5 U
7/21/2020	XX	LFUD6XCII			D				D	D	D	D	D	D	D	D
10/27/2020	XX	LFUD6XD41			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD6XDD4			130				1.5 U	18	4.6	75	1255	0.1 U	5	30
7/13/2021	XX	LFUD6XE0G			1				1	1	1	1	1	1	1	1
10/5/2021	XX	LFUD6XE72			20				1.5 U	14	5.7	11	353	0.1 U	2 U	2.5 U

LF-UD-7																	
4/24/2012	XX	LFUD7X53A						H2		H2	H2	H2	H2	H2	H2	H2	H2
7/24/2012	XX	LFXXX587						F6		F6	F6	F6	F6	F6	F6	F6	F6
10/23/2012	XX	LFXXX5EF						F6		F6	F6	F6	F6	F6	F6	F6	F6
4/23/2013	XX	LFUD7X5JA						F6		F6	F6	F6	F6	F6	F6	F6	F6
7/30/2013	XX	LFUD7X65F						F6		F6	F6	F6	F6	F6	F6	F6	F6
10/29/2013	XX	LFUD7X684						F6		F6	F6	F6	F6	F6	F6	F6	F6
4/22/2014	XX	LFUD7X6GB						F6		F6	F6	F6	F6	F6	F6	F6	F6
7/29/2014	XX	LFUD7X70D						F6		F6	F6	F6	F6	F6	F6	F6	F6
10/21/2014	XX	LFUD7X741						F6		F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LFUD7X7A1			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
7/14/2015	XX	LFUD7X7DD			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
10/27/2015	XX	LFUD7X7J0			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFUD7X87C			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
7/26/2016	XX	LFUD7X8C2			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
10/25/2016	XX	LFUD7X900			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD7X987			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
7/25/2017	XX	LFUD7X9E4			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
10/25/2017	XX	LFUD7X9HJ			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LFUD7XA3J			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
7/17/2018	XX	LFUD7XACJ			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
10/2/2018	XX	LFUD7XB1H			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFUD7XB6F			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
7/16/2019	XX	LFUD7XBD6			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
10/29/2019	XX	LFUD7XBII			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD7XCE6			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
7/21/2020	XX	LFUD7XCJ			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
10/27/2020	XX	LFUD7XD42			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD7XDD5			H8			H8		H8	H8	H8	H8	H8	H8	H8	H8
7/13/2021	XX	LFUD7XE0H			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6
10/5/2021	XX	LFUD7XE73			F6			F6		F6	F6	F6	F6	F6	F6	F6	F6

LF-UD-8																	
4/23/2013	XX	LFUD8X5JD						0.5 U		152	3.5	0.04 U	7.3	195	0.1 U	2 U	4 U
7/30/2013	XX	LFUD8X65G								172	4	0.04 U	9.6	216	0.1 U	2 U	4 U
10/29/2013	XX	LFUD8X685								180	3.5	0.04 U	8.2	222	0.1 U	2 U	4 U
4/22/2014	XX	LFUD8X6GC								F12	F12	F12	F12	F12	F12	F12	F12
7/29/2014	XX	LFUD8X70E								38	3.3	0.05	4.6	74	0.1 U	5.7	4 U
10/21/2014	XX	LFUD8X742								12.4	3.7	0.04 U	12.9	69	0.1 U	5.4	4
4/28/2015	XX	LFUD8X7A2			0.5 U					21	7.3	0.08	17	74	0.1 U	3.6	9
7/14/2015	XX	LFUD8X7DE			I					I	I	I	I	I	I	I	I

REPORT PREPARED: 4/11/2022 07:03
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Inorganics

Page 6 of 31
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(LF-UD-8)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/27/2015	XX	LFUD8X7J1			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFUD8X87D			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/26/2016	XX	LFUD8X8C3			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/25/2016	XX	LFUD8X901			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD8X988			0.05 U				9.4	14	0.04	49	55	0.2 U	3.7	6
7/25/2017	XX	LFUD8X9E5			D				D	D	D	D	D	D	D	D
10/25/2017	XX	LFUD8X9I0			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LFUD8XA40			0.11				15	3.8	0.04	11	71	0.1 U	2.5	43
7/17/2018	XX	LFUD8XAD0			D				D	D	D	D	D	D	D	D
10/2/2018	XX	LFUD8XB11			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFUD8XB6G			0.058				14	7.1	0.1	14	70	0.1 U	4.7	11
7/16/2019	XX	LFUD8XBD7			0.05 U				14	4.7	0.04 U	8.7	53	0.1 U	6.3	5.5
10/29/2019	XX	LFUD8XBIJ			0.062				6	2	0.04	13	42	0.1 U	4.8	6.7
4/28/2020	XX	LFUD8XCE7			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/21/2020	XX	LFUD8XCJ0			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/27/2020	XX	LFUD8XD43			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD8XDD6			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/13/2021	XX	LFUD8XE0I			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/5/2021	XX	LFUD8XE74			F6				F6	F6	F6	F6	F6	F6	F6	F6

LF-UD-9																
Date	Type	Sample ID	Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
4/5/2016	XX	LFUD9X881			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/26/2016	XX	LFUD9X8CA			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/25/2016	XX	LFUD9X905			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD9X98F			0.88				90	5.1	0.08	11	224	0.2 U	2.7	57
10/25/2017	XX	LFUD9X9I4			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LFUD9XA47			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/17/2018	XX	LFUD9XAD4			D				D	D	D	D	D	D	D	D
10/2/2018	XX	LFUD9XB22			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFUD9XB73			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/16/2019	XX	LFUD9XBDD			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/29/2019	XX	LFUD9XBJ3			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD9XCED			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/21/2020	XX	LFUD9XCJ6			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/27/2020	XX	LFUD9XD47			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD9XDDA			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/13/2021	XX	LFUD9XE11			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/5/2021	XX	LFUD9XE78			F6				F6	F6	F6	F6	F6	F6	F6	F6

LF-UD-10																
Date	Type	Sample ID	Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
10/25/2017	XX	LFXXX9ID			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LFXXXA48			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/17/2018	XX	LFU10XAD6			D				D	D	D	D	D	D	D	D
10/3/2018	XX	LFXXXB27			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFXXXB74			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/16/2019	XX	LFXXXBDE			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/29/2019	XX	LFXXXBJ7			F6				F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXCEE			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/21/2020	XX	LFXXXCJ7			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/27/2020	XX	LFXXXD4B			F6				F6	F6	F6	F6	F6	F6	F6	F6

REPORT PREPARED: 4/11/2022 07:03
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Inorganics

Page 7 of 31
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(LF-UD-10)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/6/2021	XX	LFXXXXDB			F6				F6	F6	F6	F6	F6	F6	F6	F6
7/13/2021	XX	LFXXXXE12			F6				F6	F6	F6	F6	F6	F6	F6	F6
10/5/2021	XX	LFXXXXE7C			F6				F6	F6	F6	F6	F6	F6	F6	F6

LP-UD-1																	
4/24/2012	XX	LPUD1X527					F6		F6	F6	F6	F6	F6		F6	F6	
7/24/2012	XX	LPUD1X576					F6		F6	F6	F6	F6	F6		F6	F6	
10/23/2012	XX	LPUD1X5DH					F6		F6	F6	F6	F6	F6		F6	F6	
4/23/2013	XX	LPUD1X5I8					F6		F6	F6	F6	F6	F6	F6	F6	F6	
7/30/2013	XX	LPUD1X64D							F6	F6	F6	F6	F6	F6	F6	F6	
10/29/2013	XX	LPUD1X676							F6	F6	F6	F6	F6	F6	F6	F6	
4/22/2014	XX	LPUD1X6F9							F6	F6	F6	F6	F6	F6	F6	F6	
7/29/2014	XX	LPUD1X6JG							F6	F6	F6	F6	F6	F6	F6	F6	
10/21/2014	XX	LPUD1X737							F6	F6	F6	F6	F6	F6	F6	F6	
4/28/2015	XX	LPUD1X794			F6				F6	F6	F6	F6	F6	F6	F6	F6	
7/14/2015	XX	LPUD1X7CG			F6				F6	F6	F6	F6	F6	F6	F6	F6	
10/26/2015	XX	LPUD1X7I5			F6				F6	F6	F6	F6	F6	F6	F6	F6	
4/5/2016	XX	LPUD1X86F			F6				F6	F6	F6	F6	F6	F6	F6	F6	
7/26/2016	XX	LPUD1X8B5			F6				F6	F6	F6	F6	F6	F6	F6	F6	
10/25/2016	XX	LPUD1X8J4			F6				F6	F6	F6	F6	F6	F6	F6	F6	
4/18/2017	XX	LPUD1X97A			F6				F6	F6	F6	F6	F6	F6	F6	F6	
7/25/2017	XX	LPUD1X9D8			F6				F6	F6	F6	F6	F6	F6	F6	F6	
10/25/2017	XX	LPUD1X9H3			F6				F6	F6	F6	F6	F6	F6	F6	F6	
4/3/2018	XX	LPUD1XA32			F6				F6	F6	F6	F6	F6	F6	F6	F6	
7/17/2018	XX	LPUD1XAC3			F6				F6	F6	F6	F6	F6	F6	F6	F6	
10/2/2018	XX	LPUD1XB11			F6				F6	F6	F6	F6	F6	F6	F6	F6	
4/23/2019	XX	LPUD1XB5I			0.31				120	3.1	0.04 U	23	163	0.1 U	2 U	2.5 U	
7/16/2019	XX	LPUD1XBCA			F6				F6	F6	F6	F6	F6	F6	F6	F6	
10/29/2019	XX	LPUD1XBI3			F6				F6	F6	F6	F6	F6	F6	F6	F6	
4/28/2020	XX	LPUD1XCDA			F6				F6	F6	F6	F6	F6	F6	F6	F6	
7/22/2020	XX	LPUD1XCI3			F6				F6	F6	F6	F6	F6	F6	F6	F6	
10/27/2020	XX	LPUD1XD37			F6				F6	F6	F6	F6	F6	F6	F6	F6	
4/6/2021	XX	LPUD1XDC9			F6				F6	F6	F6	F6	F6	F6	F6	F6	
7/13/2021	XX	LPUD1XE01			F6				F6	F6	F6	F6	F6	F6	F6	F6	
10/5/2021	XX	LPUD1XE69			F6				F6	F6	F6	F6	F6	F6	F6	F6	

LP-UD-2																	
4/24/2012	XX	LPUD2X528					0.5 U		123	5.2	0.04 U	9.9	165		2 U	4 U	
7/24/2012	XX	LPUD2X577					0.5 U		143	5.1	0.04 U	8.5	192		2 U	4 U	
10/23/2012	XX	LPUD2X5DI					0.5 U		128	5.6	0.04 U	8.6	287		2 U	4 U	
4/23/2013	XX	LPUD2X5I9					0.5 U		137	6.7	0.04 U	12.2	185	0.11	2 U	4 U	
7/30/2013	XX	LPUD2X64E							136	7.2	0.04 U	12.1	182	0.1 U	2 U	4 U	
10/29/2013	XX	LPUD2X677							153	6.2	0.04 U	10.4	194	0.11	2 U	4 U	
4/22/2014	XX	LPUD2X6FA							140	8.3	0.04 U	13.9	183	0.1 U	2 U	4 U	
7/29/2014	XX	LPUD2X6JH							139	3.9	0.04 U	4.7	193	0.1 U	2 U	4 U	
10/21/2014	XX	LPUD2X738							137	3.9	0.04 U	8.1	189	0.1 U	2 U	4 U	
4/28/2015	XX	LPUD2X795			0.5 U				137	5.9	0.04 U	9.2	182	0.1 U	2 U	4 U	
7/14/2015	XX	LPUD2X7CH			2 U				145	4.9	0.04 U	10.4	202	0.1 U	2 U	4 U	
10/27/2015	XX	LPUD2X7I6			0.5 U				142	6.8	0.04 U	8.9	184	0.1 U	2 U	4 U	
4/5/2016	XX	LPUD2X86G			0.1				137	5.7	0.04 U	9.9	177	0.1 U	2 U	4 U	

SUMMARY REPORT

Inorganics

(LP-UD-2)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/26/2016	XX	LPUD2X8B6			0.13				163	5	0.04 U	8.6	218	0.2 U	2 U	4 U
10/25/2016	XX	LPUD2X8J5			0.14				229	5.4	0.04 U	10.7	294	0.2 U	2 U	4
4/18/2017	XX	LPUD2X97B			0.14				220	9.1	0.04 U	2 U	248	0.2 U	2 U	2.5 U
7/25/2017	XX	LPUD2X9D9			0.2				150	4.7	0.04 U	9.3	199	0.2 U	2 U	2.5 U
10/25/2017	XX	LPUD2X9H4			0.23				130	4	0.04 U	8.8	196	0.1 U	2 U	2.5 U
4/3/2018	XX	LPUD2XA33			0.3				120	3.6	0.04 U	2.1	156	0.1 U	2 U	2.5 U
7/17/2018	XX	LPUD2XAC4			0.27				140	4.3	0.04 U	8.8	184	0.1 U	2 U	2.5 U
10/2/2018	XX	LPUD2XB12			0.21				140	3.7	0.04 U	8.3	191	0.1 U	2 U	2.5 U
4/23/2019	XX	LPUD2XB5J			0.3				120	3.1	0.04 U	8.9	154	0.1 U	2 U	2.5 U
7/16/2019	XX	LPUD2XBCB			0.22				130	4	0.04 U	9.5	159	0.1 U	2 U	2.5 U
10/29/2019	XX	LPUD2XBIA			0.23				130	3	0.04 U	9.3	165	0.1 U	2 U	2.5 U
4/28/2020	XX	LPUD2XCDB			0.38				140	3.4	0.04 U	9.6	170	0.1 U	2 U	2.5 U
7/21/2020	XX	LPUD2XCIA			0.085				150	4.2	0.04 U	9.8	204	0.13	2 U	41
10/27/2020	XX	LPUD2XD38			0.24				150	8.4	0.17	8.1	199	0.12	27 M10	36
4/6/2021	XX	LPUD2XDCA			0.37				140	6.2	0.04 U	9.3	179	0.11	2 U	6.5
7/13/2021	XX	LPUD2XE02			0.36				150	5.2	0.04 U	9.9	203	0.1 U	2 U	2.5 U
10/5/2021	XX	LPUD2XE6A			0.34				140	4.3	0.04 U	9.6	187	0.1 U	2 U	4.7
MW-04-09A																
2/26/2020	XX	GWX09AC56	0.25 U	0.1 U	0.05 U		0.5 U	84		5		2 U	203	0.1 U	3	59
4/30/2020	XX	GWX09ACC1	0.25 U	0.1 U	0.05 U		0.5 U	88		4.1		63	240	0.1 U	4.4	93
6/23/2020	XX	GWX09ACGC	0.25 U	0.17	0.05 U		0.5 U	90		5.7		82	243	0.1 U	4.9	12
8/20/2020	XX	GWX09AD1J	0.25 U	1.1	0.05 U		0.5 U	92		5.7		96	272	0.1 U	7.1	11
7/15/2021	XX	GWXXXXE20	0.25 U	0.1 U	0.05 U		0.5 U	100		5.9		80	238	0.1 U	4.2	3.3
10/7/2021	XX	GWX09AE86	0.2 U	0.1 U	0.05 U		0.5 U	97		5.3		72	240	0.1 U	3	27
MW-04-09B																
2/26/2020	XX	GWX09BC57	0.25 U	0.1 U	0.078		0.5 U	52		3.3		2 U	103	0.1 U	2 U	2.5
4/30/2020	XX	GWX09BCC2	0.25 U	0.1 U	0.05 U		0.5 U	41		2.8		7.3	83	0.1 U	2 U	4.3
6/23/2020	XX	GWX09BCGD	0.25 U	0.1 U	0.066		0.5 U	41		3.3		6.2	84	0.1 U	2 U	3
8/20/2020	XX	GWX09BD20	0.28	0.1 U	0.056		0.5 U	47		3.4		5.8	81	0.1 U	2 U	2.5 U
7/15/2021	XX	GWXXXXE21	0.25 U	0.1 U	0.08		0.5 U	44		4		4.5	87	0.1 U	2 U	3
10/7/2021	XD	GWDP5XE8E	0.6	0.1 U	0.05 U		0.5 U	44		3.8		3.4	91	0.1 U	2 U	2.5 U
10/7/2021	XX	GWX09BE87	0.2 U	0.1 U	0.063		0.5 U	45		3.9		4	90	0.1 U	2 U	2.5 U
MW04-102																
4/24/2012	XX	GW102X52J	0.35				0.5 U		102	2		11.4	119		2 U	4 U
7/24/2012	XX	GW102X57I	3.8				0.5 U		101	1 U		11.4	122		2 U	4 U
10/22/2012	XX	GW102X5E9	0.98				0.5 U		107	1.1		6.7	141		2 U	4 U
4/23/2013	XX	GW102X5J0	0.3 U				0.5 U		100	2.4		13.2	143	0.1 U	2 U	4 U
7/31/2013	XX	GW102X655	0.646						102	1.2		9.1	134	0.1 U	2 U	4 U
10/28/2013	XX	GW102X67F	0.5 U						101	2.5		9.1	137	0.1 U	2 U	4 U
4/23/2014	XX	GW102X6G1	0.5 U						103	1.8		11.2	127	0.1 U	2 U	4 U
7/30/2014	XX	GW102X704	0.5 U						99	1.4		8.7	132	0.1 U	2 U	4 U
10/21/2014	XX	GW102X73F	0.5 U						103	1.5		10.2	143	0.1 U	2 U	4 U
4/29/2015	XX	GW102X79C	0.5 U		0.5 U				100	2.1		12.7	127	0.1 U	2 U	4 U
7/14/2015	XX	GW102X7D4	0.5 U		2 U				98	2.5		13.8	135	0.1 U	2 U	4 U
10/28/2015	XX	GW102X7ID	0.5 U		0.5 U				99	2.2		10.8	138	0.1 U	2 U	4 U
4/5/2016	XX	GW102X873	0.5 U		0.05 U				100	1.6		14.1	133	0.1 U	2 U	4 U
7/26/2016	XX	GW102X8BD	0.5 U		0.05 U				99	2.2		14.5	136	0.2 U	2 U	4 U
10/25/2016	XX	GW102X8JC	0.5 U		0.05				99	1.7		12.2	151	0.2 U	2 U	5

REPORT PREPARED: 4/11/2022 07:03
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Inorganics

SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(MW04-102)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/19/2017	XX	GW102X971	0.5 U		0.07				100	1.5		10	130	0.2 U	2 U	2.5 U
7/26/2017	XX	GW102X9DG	0.5 U		0.06				99	1.7		12	123	0.2 U	2 U	2.5 U
10/25/2017	XX	GW102X9HB	0.25 U		0.05				94	1.4		12	150	0.1 U	2 U	2.5 U
4/4/2018	XX	GW102XA3A	0.5 U		0.12				100	1.1		5.7	140	0.1 U	2 U	3
7/18/2018	XX	GW102XACB	0.25 U		0.054				100	1.7		12	133	0.1 U	2 U	2.5 U
10/3/2018	XX	GW102XB19	0.25 U		0.074				100	1.5		13	143	0.1 U	2 U	2.5 U
4/24/2019	XX	GW102XB66	0.25 U		0.11				98	1.2		13	131	0.1 U	2 U	2.5 U
7/17/2019	XX	GW102XBCH	0.25 U		0.065				99	1.1		13	132	0.1 U	2 U	2.5 U
10/28/2019	XX	GW102XBIA	0.25 U		0.091				100	1.9		13	131	0.1 U	2 U	2.5 U
4/27/2020	XX	GW102XCDH	0.25 U		0.15				100	2 U		13	138	0.2 U	2 U	2.5 U
7/20/2020	XX	GW102XCIA	0.25 U		0.089				100	1.6		13	133	0.1 U	2 U	2.5 U
10/26/2020	XX	GW102XD3E	0.28		0.085				110	1.1		11	136	0.1 U	5.2 M10	2.5 U
4/5/2021	XX	GW102XDCCG	0.25 U		0.11				110	1.7		13	135	0.1 U	2 U	2.5 U
7/12/2021	XX	GW102XE08	0.25 U		0.081				97	1 U		13	132	0.1 U	2 U	2.5 U
10/4/2021	XX	GW102XE6G	0.2 U		0.058				100	1.2		9.5	135	0.1 U	2 U	2.5 U
MW04-105																
4/23/2012	XX	GW105X530	0.3 U				0.5 U		105	5.6		6.4	164		2 U	4 U
4/23/2012	XD	GWDP3X511	0.3 U				0.5 U		102	5.7		6.4	154		2 U	4 U
7/24/2012	XX	GW105X57J	1				0.5 U		125	2.9		7.7	156		2 U	4 U
10/22/2012	XX	GW105X5EA	1				0.5 U		117	3		4.2	160		2 U	4 U
10/22/2012	XD	GWDP1X5CH	0.71				0.5 U		108	3.3		4.6	150		2 U	4 U
4/24/2013	XX	GW105X5J1	0.3 U				0.5 U		111	7.7		5.5	162	0.1 U	2 U	4 U
4/24/2013	XD	GWDP3X5HJ	0.3 U				0.5 U		110	7.3		5.6	154	0.1 U	2 U	4 U
MW04-109R																
4/24/2012	XX	GW109X531	0.3 U				0.5 U		186	5.7		6.9	230		2 U	4 U
7/24/2012	XX	GW109X580	0.59				0.5 U		184	2.3		6.4	227		2 U	4 U
10/23/2012	XX	GW109X5EB	0.32				0.5 U		203	5.8		2.6	271		2 U	4 U
4/23/2013	XX	GW109X5J2	0.3 U				0.5 U		190	6.5		8.7	245	0.17	2 U	4 U
7/30/2013	XX	GW109X657	0.444						195	7.7		8.6	242	0.14	2 U	4 U
10/29/2013	XX	GW109X67G	0.5 U						206	6.3		7.7	259	0.16	2 U	4 U
4/22/2014	XX	GW109X6G3	0.5 U						196	8.1		8.7	236	0.25	2 U	4 U
7/29/2014	XX	GW109X705	0.5 U						198	6.6		4	248	0.13	2 U	4 U
10/21/2014	XX	GW109X73G	0.5 U						209	4.9		5.8	260	0.14	2 U	4 U
4/28/2015	XX	GW109X79D	0.5 U		0.5 U				201	7.2		9.6	256	0.2	2 U	4 U
7/14/2015	XX	GW109X7D5	0.5 U		2 U				193	6		9.1	247	0.17	2 U	4 U
10/27/2015	XX	GW109X7IE	0.5 U		0.5 U				207	6.7		9.2	265	0.2	2 U	4 U
4/5/2016	XX	GW109X874	0.5 U		0.05 U				199	6.6		10.9	256	0.1 U	2 U	4 U
7/26/2016	XX	GW109X8BE	0.5 U		0.05 U				193	8.4		10.6	245	0.2	2 U	4 U
10/25/2016	XX	GW109X8JD	0.5 U		0.08				200	4.7		8.3	270	0.2	2 U	4 U
4/18/2017	XX	GW109X97J	0.5 U		0.05 U				230	5.5		8.6	261	0.2 U	2 U	2.5 U
7/25/2017	XX	GW109X9DH	0.5 U		0.06				210	6		12	259	0.2 U	2 U	2.5 U
10/24/2017	XX	GW109X9HC	0.25 U		0.05 U				190	9.9		9.1	267	0.1 U	2 U	2.5 U
4/3/2018	XX	GW109XA3B	0.25 U		0.15				220	5.5		55	271	0.17	2 U	2.5 U
7/17/2018	XX	GW109XACC	0.29		0.21				200	11		9.9	258	0.15	2.1	2.5 U
10/2/2018	XX	GW109XB1A	0.25 U		0.1				200	5		9	252	0.11	2 U	2.5 U
4/23/2019	XX	GW109XB67	0.25 U		0.058				210	3.8		10	256	0.16	2 U	2.5 U
7/16/2019	XX	GW109XBC1	0.25 U		0.05 U				220	6.8		8.9	265	0.15	2 U	2.5 U
10/29/2019	XX	GW109XBIB	0.92		0.05 U				210	1 U		8.5	260	0.2	2	2.5 U

SUMMARY REPORT

Inorganics

(MW04-109R)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/28/2020	XX	GW109XCDI	0.25 U		0.11				210	4.2		10	251	0.16	2 U	2.5 U
7/21/2020	XX	GW109XCIB	0.29		0.073				200	3.6		8	252	0.23	2 U	2.5 U
10/27/2020	XX	GW109XD3F	0.27		0.058				190	2.8		6.8	224	0.14	54 M10	2.5 U
4/6/2021	XX	GW109XDCH	0.25 U		0.065				210	3.6		7.6	245	0.2	2 U	2.5 U
7/13/2021	XX	GW109XE09	0.25 U		0.05 U				200	4.2		7.1	246	0.2	2 U	2.5 U
10/5/2021	XX	GW109XE6H	0.2 U		0.05 U				200	2.1		7.6	248	0.1 U	2 U	2.5 U
MW06-01																
4/10/2018	XD	GWDP1XA68	0.25 U	0.1 U	0.14	1 U	0.5 U	32		4.8	0.04 U	2.3	53	0.1 U	2 U	2.5 U
4/10/2018	XX	GWXXXXA70	0.25 U	0.1 U	0.13	1 U	0.5 U	32		4.8	0.04 U	2.3	50	0.1 U	2 U	2.5 U
6/4/2018	XX	GWXXXXA7H	0.25 U	0.1 U	0.11	1 U	0.5 U	32		8.9	0.04 U	2.8	75	0.1 U	2 U	2.5 U
7/18/2018	XX	GWXXXXAEF	0.25 U		0.13	1 U		31		8.1		3	72	0.1 U	2 U	2.5 U
8/20/2018	XD	GWDP1XAF4	0.25 U		0.097			32		7.3		2.7	68	0.1 U	2 U	2.5 U
8/20/2018	XX	GWXXXXAFG	0.25 U		0.078			31		7.3		2.6	78	0.1 U	2 U	2.5 U
4/24/2019	XX	GWXXXXB7D	0.25 U		0.091				30	4.4		2.9	60	0.1 U	2 U	2.5 U
7/18/2019	XX	GWXXXXBE1	0.25 U		0.13				34	7.5		2.6	77	0.1 U	2 U	2.5 U
10/30/2019	XX	GWXXXXBJ8	0.25 U		0.11				23	1.3		9.2	50	0.1 U	2 U	2.5 U
4/29/2020	XX	GWXXXXCF1	0.25 U		0.15				31	7.8		3.3	60	0.1 U	2 U	2.5 U
7/22/2020	XX	GWXXXXCJE	0.25 U		0.05 U				31	6.7		3.3	64	0.1 U	2 U	2.5 U
10/28/2020	XX	GWXXXXD4C	0.25 U		0.16				33	7.7		2.7	53	0.1 U	4.9 M10	2.5 U
4/7/2021	XX	GWXXXXDDI	0.25 U		0.14	2 U			37	7.9	0.04 U	2 U	81	0.1 U	2 U	2.5 U
7/14/2021	XX	GWXXXXE19	0.25 U		0.22				39	11		2.6	83	0.1 U	2 U	2.5 U
10/6/2021	XX	GWXXXXE7D	0.2 U		0.26				40	11		2.4	98	0.1 U	2 U	2.5 U
MW-204																
4/24/2012	XX	GW204X52C	0.3 U				0.5 U		72	3.8		7.7	112		2 U	4 U
7/23/2012	XX	GW204X57B	0.3 U				0.5 U		80	3.1		8.1	130		2 U	4 U
10/24/2012	XX	GW204X5E2	0.3				0.5 U		82	4.8		7.5	136		2 U	4 U
4/24/2013	XX	GW204X5ID	0.381				0.5 U		77	5.5		6.2	134	0.1 U	2 U	5
MW-206																
4/23/2012	XX	GW206X511	0.3 U				0.5 U		70	1.8		2.7	91		2 U	4 U
7/23/2012	XX	GW206X560	0.35				0.5 U		69	1.2		2 U	99		2 U	4 U
7/23/2012	XD	GWDP4X573	0.3 U				0.5 U		68	1.4		2.1	86		2 U	6
10/22/2012	XX	GW206X5CB	0.94				0.5 U		70	1.2		2 U	95		2 U	4
4/22/2013	XX	GW206X5H2	0.311				0.5 U		66	2.4		2.8	88	0.1 U	2 U	4 U
7/29/2013	XX	GW206X637	0.684						66	2		2.2	88	0.1 U	2 U	4 U
7/29/2013	XD	GWDP4X64A	0.492						63	1.8		2.2	90	0.1 U	2 U	4 U
10/28/2013	XX	GW206X660	0.5 U						70	2.4		2.3	95	0.1 U	2 U	4 U
4/21/2014	XX	GW206X6E3	0.5 U						71	2.6		2 U	83	0.1 U	2 U	4 U
7/28/2014	XX	GW206X6IB	0.5 U						68	1.3		2 U	83	0.1 U	2 U	4 U
7/28/2014	XD	GWDP1X6IG	0.8						67	1.1		2 U	87	0.1 U	2 U	4 U
10/20/2014	XX	GW206X721	0.5 U						74	1.6		2 U	91	0.1 U	2 U	4 U
4/27/2015	XX	GW206X77J	0.5 U		0.5 U				69	3.6		2 U	88	0.1 U	2 U	4 U
7/13/2015	XX	GW206X7BB	0.5 U		2 U				70	1.3		2.1	95	0.1 U	2 U	4 U
7/13/2015	XD	GWDP3X7C7	0.5 U		2 U				65	1.6		2 U	95	0.1 U	2 U	4 U
10/26/2015	XX	GW206X7H0	0.5 U		0.5 U				68	3.2		2 U	95	0.1 U	2 U	4 U
4/4/2016	XX	GW206X85A	1.2		0.05				70	1.9		2.3	95	0.1 U	2 U	4 U
7/25/2016	XD	GWDP4X8B2	0.7		0.14				68	1.4		2 U	95	0.2 U	2 U	4 U
7/25/2016	XX	GW206X8A0	0.7		0.05 U				69	1.5		2 U	95	0.2 U	2 U	4 U
10/24/2016	XX	GW206X8HJ	0.5 U		0.18				69	1.6		2 U	97	0.2 U	2 U	4 U

SUMMARY REPORT

Inorganics

(MW-206)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/17/2017	XX	GW206X965	0.5 U		0.16				73	1.3		2 U	102	0.2 U	2 U	37
7/24/2017	XD	GWDP4X9D5	0.5 U		0.18				70	1.9		2.3	110	0.2 U	2 U	5 U
7/24/2017	XX	GW206X9C3	0.5 U		0.13				69	2.1		2.3	68	0.2 U	2 U	5 U
10/23/2017	XX	GW206X9F1	0.25 U		0.22				64	1		2 U	92	1.2	2 U	2.5 U
4/2/2018	XX	GW206XA1G	0.25 U		0.23				71	1.4		2 U	97	0.1 U	2 U	8
7/16/2018	XD	GWDP4XAC0	0.49		0.28				66	1.9		2 U	80	0.1 U	2 U	2.5 U
7/16/2018	XX	GW206XAA1	0.26		0.26				70	2.3		2.4	88	0.1 U	2 U	2.5 U
10/1/2018	XX	GW206XAJG	0.25 U		0.05 U				72	1.9		2.1	92	0.1 U	2 U	2.5 U
4/22/2019	XX	GW206XB4C	0.25 U		0.2				68	1.7		2 U	97	0.1 U	2 U	5
7/17/2019	XX	GW206XBB5	0.25 U		0.18				71	2		2.3	93	0.1 U	2 U	2.5 U
10/28/2019	XX	GW206XBGJ	0.25 U		0.18				71	2.2		2 U	99	0.1 U	2 U	2.5 U
4/27/2020	XX	GW206XCC5	0.25 U		0.11				74	2.4		2.4	101	0.1 U	2 U	3
7/20/2020	XX	GW206XCGI	0.25 U		0.26				70	2.8		2.6	89	0.1 U	2 U	2.5 U
10/26/2020	XX	GW206XD23	0.25 U		0.16				72	2		1.7	89	0.1 U	6.6 M10	2.5 U
4/5/2021	XX	GW206XDB4	0.25 U		0.14				70	2.8		2.3	93	0.1 U	2 U	2.5 U
7/14/2021	XX	GW206XDIG	0.25 U	0.1 U	0.12		0.5 U	68		2.4		2.1	90	0.1 U	2 U	2.5 U
10/4/2021	XX	GWXXXXE8D	0.31	0.1 U	0.11		0.5 U	70		2.4		2 U	95	0.1 U	2 U	2.5 U
MW-223A																
4/24/2012	XX	GW223A514	0.3 U				0.5 U		149	24.1		7.4	244		2 U	4 U
4/24/2012	XD	GWDP1X517	0.3 U				0.5 U		147	24.1		7.5	231		2 U	4 U
7/24/2012	XX	GW223A563	0.31				0.5 U		144	23.9		7.8	229		2 U	4 U
10/23/2012	XX	GW223A5CE	0.31				0.5 U		153	25.4		4	262		2 U	4 U
10/23/2012	XD	GWDP3X5D8	0.3 U				0.5 U		149	24.4		7	266		2 U	4 U
4/23/2013	XX	GW223A5H5	0.323				0.5 U		168	34.9		9	275	0.2	2 U	4 U
4/23/2013	XD	GWDP1X5H8	0.3 U				0.5 U		168	35.2		9.8	275	0.18	2 U	4 U
7/30/2013	XX	GW223A63A	0.556						168	45.2		9.3	266	0.15	2 U	4 U
10/29/2013	XX	GW223A663	0.5 U						176	36.8		8.6	278	0.22	2 U	4 U
10/29/2013	XD	GWDP3X66H	0.5 U						170	36.6		8.6	278	0.22	2 U	4 U
4/22/2014	XX	GW223A6E6	0.5 U						186	57.6		12.1	288	0.1 U	2 U	4 U
4/22/2014	XD	GWDP1X6E9	0.5 U						185	56.3		12.3	282	0.1 U	2 U	4 U
7/29/2014	XX	GW223A6ID	0.5						176	36		4.4	288	0.15	2 U	4 U
10/21/2014	XX	GW223A723	0.5 U						178	32		8	296	0.16	2 U	4 U
10/21/2014	XD	GWDP3X72I	0.5 U						177	31.9		7.8	313	0.17	2 U	4 U
4/28/2015	XX	GW223A781	0.5 U		0.5 U				184	34.9		10.8	308	0.1	2 U	4 U
4/28/2015	XD	GWDP1X784	0.5 U		0.5 U				184	35.2		11.1	302	0.1	2 U	4 U
7/14/2015	XX	GW223A7BD	0.5 U		2 U				182	37.8		11.9	319	0.1 U	2 U	4 U
10/27/2015	XX	GW223A7H2	0.5 U		0.5 U				186	41.2		12.1	326	0.1 U	2 U	4 U
4/27/2016	XX	GW223A85C	0.5 U		0.48				191	43.2		13.9	318	0.1 U	2 U	4 U
7/26/2016	XX	GW223A8A2	0.5 U		0.36				184	41.9		14.6	345	0.2 U	2 U	4 U
10/25/2016	XX	GW223A8I1	0.5 U		0.57				185	43.5		13.4	353	0.2 U	2 U	4 U
4/18/2017	XX	GW223A967	0.5 U		0.58				200	40		8	334	0.2 U	2 U	2.5 U
7/25/2017	XX	GW223A9C5	0.5 U		0.48				190	46		16	356	0.2 U	2 U	2.5 U
10/24/2017	XX	GW223A9G0	0.25 U		0.58				180	49		16	346	0.1 U	2 U	2.5 U
4/3/2018	XX	GW223AA11	0.25 U		0.67				200	32		59	333	0.12	2 U	2.5 U
7/17/2018	XX	GW223AAB0	0.43		0.7				190	43		16	337	0.11	2 U	2.5 U
10/2/2018	XX	GW223AAJ1	0.35		0.63				200	41		16	346	0.1 U	2 U	2.5 U
4/23/2019	XX	GW223AB4E	0.26		0.72				210	26		18	337	0.11	2 U	2.5 U
7/16/2019	XX	GW223ABB7	0.4		0.71				220	34		18	345	0.11	2 U	2.5 U
10/29/2019	XX	GW223ABH0	0.29		0.64				230	32		19	337	0.12	2 U	2.5 U

SUMMARY REPORT

Inorganics

(MW-223A)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/28/2020	XX	GW223ACC7	0.25 U		0.74				230	32		22	360	0.15	2 U	2.5 U
7/21/2020	XX	GW223ACH0	0.25 U		0.17				240	31		20	376	0.23	2 U	2.5 U
10/27/2020	XX	GW223AD24	0.25 U		0.55				250	31		19	337	0.13	44 M10	2.5 U
4/6/2021	XX	GW223ADB6	0.25 U		0.46				260	24		21	365	0.2	2 U	2.5 U
7/13/2021	XX	GW223ADII	0.25 U		0.52				250	32		20	371	0.1 U	2 U	2.5 U
10/5/2021	XX	GW223AE56	0.26		0.6				260	30		21	387	0.1 U	2 U	2.5 U
MW-223B																
4/24/2012	XX	GW223B52D	0.57				0.5 U		118	22.3		5.1	190		2 U	4 U
7/24/2012	XX	GW223B57C	0.79				0.5 U		115	24.4		4.6	205		2 U	4 U
7/24/2012	XD	GWDP3X56H	0.45				0.5 U		117	23.7		4.6	191		2 U	4 U
10/23/2012	XX	GW223B5E3	0.3 U				0.5 U	0.3 U	121	24.1		5	216		2 U	4 U
4/23/2013	XX	GW223B5IE	0.597				0.5 U		124	32.6		5.6	201	0.16	2 U	4 U
7/30/2013	XX	GW223B64J	0.493						119	42.9		5.7	185	0.16	2 U	4 U
10/29/2013	XX	GW223B67C	0.5 U						125	34.3		5.5	202	0.2	2 U	4 U
4/22/2014	XX	GW223B6FF	0.5 U						135	55.7		7.6	225	4.13	2 U	4 U
7/29/2014	XX	GW223B700	1.2						133	34.8		3	225	0.18	2 U	4 U
10/21/2014	XX	GW223B73C	0.5 U						135	31.6		5.2	239	0.15	2 U	4 U
4/28/2015	XX	GW223B798	0.5 U		0.5 U				138	34.4		7	234	0.2	2 U	4 U
7/14/2015	XX	GW223B7D0	0.5 U		2 U				139	36.7		6.8	240	0.1 U	2 U	4 U
10/27/2015	XX	GW223B7I9	0.5 U		0.5 U				143	39.7		7.6	261	0.1 U	2 U	4 U
4/5/2016	XX	GW223B86J	0.5 U		0.15				146	40.1		8.8	228	0.1 U	2 U	12
7/26/2016	XX	GW223B8B9	0.5 U		0.17				146	36.6		8.7	248	0.2 U	2 U	4 U
10/25/2016	XX	GW223B8J8	1		0.43				147	34.4		7.1	262	0.2 U	2 U	4 U
4/18/2017	XX	GW223B97E	0.5 U		0.43				160	1.3		12	246	0.2 U	2 U	2.5 U
7/25/2017	XX	GW223B9DC	0.5 U		0.41				150	40		9.3	261	0.2 U	2 U	2.5 U
10/24/2017	XX	GW223B9H7	0.34		0.45				150	44		9.4	252	0.1 U	2 U	2.5 U
4/3/2018	XX	GW223BA36	0.27		0.58				160	31		53	254	0.1 U	2 U	2.5 U
7/17/2018	XX	GW223BAC7	0.25 U		0.67				160	42		11	252	0.11	2 U	2.5 U
10/2/2018	XX	GW223BB15	0.25 U		0.58				170	42		11	280	0.1 U	2 U	2.5 U
4/23/2019	XX	GW223BB62	0.25 U		0.65				170	32		12	281	0.11	2 U	2.5 U
7/16/2019	XX	GW223BBCD	0.25 U		0.7				180	42		13	282	0.13	2 U	2.5 U
10/29/2019	XX	GW223BBI6	0.25 U		0.63				180	39		15	285	0.15	2 U	2.5 U
4/28/2020	XX	GW223BCDD	0.35		0.75				180	38		16	288	0.15	2 U	2.5 U
7/21/2020	XX	GW223BCI6	0.25		0.21				180	38		14	326	0.22	2 U	2.5 U
10/27/2020	XX	GW223BD3A	0.25 U		0.65				190	38		14	283	0.15	47 M10	2.5 U
4/6/2021	XX	GW223BDCC	0.25 U		0.58				200	31		14	309	0.2 U	2 U	3
7/13/2021	XX	GW223BE04	0.25 U		0.61				200	38		16	308	0.1 U	2 U	2.5 U
10/5/2021	XX	GW223BE6C	0.61		0.6				200	35		16	340	0.1	2 U	2.5 U
MW-227																
4/24/2012	XX	GW227X515	0.3 U				0.5 U		79	1.6		12	108		2 U	4 U
7/24/2012	XX	GW227X564	0.3 U				0.5 U	0.3 U	75	1 U		13.4	109		2 U	4 U
10/23/2012	XX	GW227X5CF	0.31				0.5 U		78	2.6		11.2	222		2 U	4 U
4/23/2013	XX	GW227X5H6	0.3 U				0.5 U		81	2.4		14.4	118	0.1 U	2 U	4 U
7/30/2013	XX	GW227X63B	0.635						77	2		11.5	103	0.1 U	2 U	4 U
7/30/2013	XD	GWDP3X644	0.59						77	2.1		12.9	104	0.1 U	2 U	4 U
10/29/2013	XX	GW227X664	0.5 U						79	2.5		11	114	0.1 U	2 U	4 U
4/22/2014	XX	GW227X6E7	0.5 U						84	2		17.3	111	0.1 U	2 U	4 U
4/22/2014	XD	GWDP3X6F0	0.5 U						84	2.1		17.3	110	0.1 U	2 U	4 U

SUMMARY REPORT

Inorganics

(MW-227)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/29/2014	XX	GW227X6IE	0.5 U						84	1.3		5.7	107	0.1 U	2 U	4 U
7/29/2014	XD	GWDP3X6J7	0.5 U						78	1.2		5.7	109	0.1 U	2 U	4 U
10/21/2014	XX	GW227X724	0.5 U						81	1.4		10.2	116	0.16	2 U	4 U
4/28/2015	XX	GW227X782	0.5 U		0.5 U				81	2.2		13.3	110	0.1 U	2 U	4 U
4/28/2015	XD	GWDP3X78F	0.5		0.5 U				82	2.1		13.4	115	0.1 U	2 U	4 U
7/14/2015	XX	GW227X7BE	0.5 U		2 U				80	1.4		12.4	109	0.1 U	2 U	4 U
7/14/2015	XD	GWDP1X7BG	0.5 U		2 U				78	1.8		13.1	104	0.1 U	2 U	7
10/27/2015	XX	GW227X7H3	0.5 U		0.5 U				79	2.1		12	115	0.1 U	2 U	4 U
10/27/2015	XD	GWDP1X7H5	0.5 U		0.5 U				77	2.2		12.1	108	0.1 U	2 U	4 U
4/5/2016	XD	GWDP3X866	0.5 U		0.05 U				78	1.5		13.5	112	0.1 U	2 U	4 U
4/5/2016	XX	GW227X85D	0.5 U		0.05 U				79	1.6		13.4	105	0.1 U	2 U	4 U
7/26/2016	XD	GWDP3X8AG	0.5 U		0.05 U				79	2.1		12.4	108	0.2 U	2 U	4 U
7/26/2016	XX	GW227X8A3	0.5 U		0.05 U				80	2		12.5	114	0.2 U	2 U	4 U
10/25/2016	XD	GWDP3X8IF	0.7		0.05 U				79	1.77		11.5	123	0.2 U	2 U	4 U
10/25/2016	XX	GW227X8I2	0.5 U		0.05 U				79	1.8		11.6	129	0.2 U	2 U	4 U
4/18/2017	XD	GWDP3X971	0.5 U		0.05 U				84	1.4		12	108	0.2 U	2 U	6
4/18/2017	XX	GW227X968	0.5 U		0.05 U				84	1.3		12	110	0.2 U	2 U	4
7/25/2017	XD	GWDP3X9CJ	0.5 U		0.05 U				80	1.9		13	119	0.2 U	2 U	2.5 U
7/25/2017	XX	GW227X9C6	0.5 U		0.05 U				80	1.9		13	113	0.2 U	2 U	2.5 U
10/24/2017	XD	GWDP3X9GE	0.25 U		0.05 U				75	1.8		12	110	0.1 U	2 U	2.5 U
10/24/2017	XX	GW227X9G1	0.25 U		0.05 U				76	2		12	122	0.1 U	2 U	2.5 U
4/3/2018	XD	GWDP3XA2D	0.25 U		0.091				80	1.2		7.8	109	0.1 U	2 U	2.5 U
4/3/2018	XX	GW227XA1J	0.25 U		0.11				81	1.4		7.7	109	0.1 U	2 U	3.7
7/17/2018	XD	GWDP3XABE	0.25 U		0.057				76	1.1		12	102	0.1 U	2 U	2.5 U
7/17/2018	XX	GW227XAB1	0.25 U		0.083				80	1.2		12	101	0.1 U	2 U	2.5 U
10/2/2018	XD	GWDP3XB0C	0.88		0.07				80	1.4		12	113	0.1 U	2 U	2.5 U
10/2/2018	XX	GW227XAJJ	0.26		0.05 U				79	1.6		12	115	0.1 U	2 U	2.5 U
4/23/2019	XD	GWDP3XB59	0.25 U		0.092				81	1.1		14	106	0.1 U	2 U	6.3
4/23/2019	XX	GW227XB4F	0.25 U		0.12				81	1.3		14	108	0.1 U	2 U	10
7/16/2019	XD	GWDP3XBC1	0.25 U		0.05 U				79	1.3		12	103	0.1 U	2 U	2.5 U
7/16/2019	XX	GW227XBB8	0.25 U		0.05 U				80	1.4		13	114	0.1 U	2 U	4.3
10/29/2019	XD	GWDP3XBHE	1.8		0.091				78	1.6		13	110	0.1 U	2 U	2.5 U
10/29/2019	XX	GW227XBH1	0.25 U		0.05 U				82	1.3		12	106	0.1 U	2 U	2.5 U
4/28/2020	XD	GWDP3XCD1	0.25 U		0.13				82	1.2		17	105	0.1 U	2 U	2.5 U
4/28/2020	XX	GW227XCC8	0.25 U		0.11				81	1.4		15	115	0.1 U	2 U	2.5 U
7/21/2020	XD	GWDP3XCHE	0.25 U		0.05 U				77	1.3		13	118	0.1 U	2 U	2.5 U
7/21/2020	XX	GW227XCH1	0.25 U		0.05 U				80	1.5		13	117	0.1	2 U	2.5 U
10/27/2020	XD	GWDP3XD2I	0.25 U		0.065				82	1.2		12	103	0.1 U	16 M10	2.5 U
10/27/2020	XX	GW227XD25	0.25 U		0.056				84	1.1		11	104	0.1 U	14 M10	2.5 U
4/6/2021	XD	GWDP3XDC0	0.25 U		0.066				88	1.6		13	117	0.1 U	2 U	5.5
4/6/2021	XX	GW227XDB7	0.25 U		0.067				90	1.7		13	102	0.1 U	2 U	2.5 U
7/13/2021	XD	GWDP3XDJC	0.25 U		0.05 U				80	1.1		13	108	0.1 U	2 U	10
7/13/2021	XX	GW227XDJI	0.25 U		0.05 U				83	1 U		11	112	0.1 U	2 U	2.5 U
10/5/2021	XD	GWDP3XE60	0.34		0.05 U				83	1.3		12	121	0.1 U	2 U	6.3
10/5/2021	XX	GW227XE57	0.2 U		0.05 U				82	1.2		12	119	0.1 U	2 U	3
MW-301																
4/25/2012	XX	GW301X516	0.3 U				0.5 U		76	2.3		15	123		2 U	13
7/25/2012	XX	GW301X565	0.3 U				0.5 U		74	2.3		14.3	118		2 U	4 U
10/24/2012	XX	GW301X5CG	0.3 U				0.5 U		77	2.3		15.1	130		2 U	20

SUMMARY REPORT

Inorganics

(MW-301)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/24/2012	XD	GWDP4X5DE	0.31				0.5 U		75	2.3		15.2	118		2 U	15
4/22/2013	XX	GW301X5H7	!				!		!	!		!	!	!	!	!
7/31/2013	XX	GW301X63C	0.543						76	2.3		14.6	136	0.1 U	2 U	11
10/30/2013	XX	GW301X665	0.5 U						76	3.1		11.9	130	0.1 U	2 U	4
10/30/2013	XD	GWDP1X666	0.5 U						75	3.1		14.5	129	0.1 U	2 U	4 U
4/23/2014	XX	GW301X6E8	0.5 U						76	3.9		15.4	119	0.1 U	2 U	9
7/30/2014	XX	GW301X6IF	0.5 U						78	3.7		13.4	129	0.1 U	2 U	4
10/22/2014	XX	GW301X725	0.5 U						79	3.6		14.2	118	0.1 U	2 U	4 U
10/22/2014	XD	GWDP1X726	0.5 U						79	3.5		14.2	120	0.1 U	2 U	4 U
4/29/2015	XX	GW301X783	0.5 U		0.5 U				78	5.7		17.2	117	0.1 U	2 U	4 U
7/15/2015	XX	GW301X7BF	0.5 U		2 U				80	6.4		17	128	0.1 U	2 U	4 U
10/27/2015	XX	GW301X7H4	0.5 U		0.5 U				73	8		16.9	129	0.1 U	2 U	4 U
10/27/2015	XD	GWDP4X7I2	0.5 U		0.5 U				76	8.3		16.6	131	0.1 U	2 U	4 U
4/27/2016	XX	GW301X85E	0.5 U		0.06				77	8.8		17.5	133	0.1 U	2 U	20
7/27/2016	XX	GW301X8A4	0.5 U		0.06				75	8.2		14.9	139	0.2 U	2 U	14
10/26/2016	XD	GWDP4X8J1	0.5 U		0.05 U				75	8.9		17.1	143	0.2 U	2 U	4 U
10/26/2016	XX	GW301X8I3	0.5 U		0.05 U				76	9.1		17.2	146	0.2 U	2 U	4 U
4/19/2017	XX	GW301X969	0.5 U		0.05 U				79	12		17	138	0.2 U	2 U	2.5 U
7/26/2017	XX	GW301X9C7	0.5 U		0.05 U				74	15		19	136	0.2 U	2 U	2.5 U
10/25/2017	XD	GWDP4X9H0	0.25 U		0.09				71	0.9		18	162	0.1 U	2 U	2.5 U
10/25/2017	XX	GW301X9G2	0.25 U		0.07				70	15		18	150	0.1 U	2 U	2.5 U
4/4/2018	XX	GW301XA20	0.25 U		0.1				78	12		10	138	0.1 U	2 U	2.5 U
7/18/2018	XX	GW301XAB2	0.25 U		0.092				76	20		15	145	0.1 U	2 U	6
10/1/2018	XD	GWDP4XB0I	0.25 U		0.051				77	14		16	144	0.1	2 U	2.5 U
10/1/2018	XX	GW301XB00	0.25 U		0.06				75	16		16	147	0.1	2 U	2.5 U
4/24/2019	XX	GW301XB4G	0.25 U		0.066				74	21		17	148	0.1	2 U	2.5 U
7/17/2019	XX	GW301XBB9	0.25 U		0.051				78	25		17	159	0.1 U	2 U	2.5 U
10/28/2019	XD	GWDP4XBIO	0.25 U		0.07				77	27		18	163	0.15	2 U	2.5 U
10/28/2019	XX	GW301XBH2	0.25 U		0.056				74	26		17	161	0.15	2 U	2.5 U
4/27/2020	XX	GW301XCC9	0.25 U		0.083				77	20		19	148	0.1 U	2 U	2.5 U
7/20/2020	XX	GW301XCH2	0.25 U		0.05 U				76	25		18	153	0.11	2 U	2.5 U
10/26/2020	XD	GWDP4XD34	0.25 U		0.05 U				76	21		16	151	0.1 U	8.5 M10	2.5 U
10/26/2020	XX	GW301XD26	0.25 U		0.05 U				76	20		17	147	0.1 U	6.8 M10	2.5 U
4/5/2021	XX	GW301XDB8	0.25 U		0.05 U				76	26		19	171	0.1 U	2 U	6.5
7/12/2021	XX	GW301XDJO	0.25 U		0.05 U				74	21		17	152	0.1	16	2.5 U
10/4/2021	XD	GWDP4XE66	0.27		0.05 U				78	21		17	161	0.1 U	2 U	2.5 U
10/4/2021	XX	GW301XE58	0.2 U		0.05 U				76	22		18	163	0.1 U	2 U	2.5 U
MW-302R																
4/23/2012	XX	GW302X52B	0.3 U					0.5 U	51	28.2		10.8	150		2 U	4 U
7/23/2012	XX	GW302X57A	0.3					0.5 U	57	52.4		21.1	223		2 U	4 U
10/22/2012	XX	GW302X5E1	0.64					0.5 U	78	66.1		28.8	287		2 U	4 U
4/22/2013	XX	GW302X5IC	0.3 U					0.5 U	46	24.5		11.7	120	0.1 U	2 U	4 U
7/29/2013	XX	GW302X64H	0.68						53	77.1		17.9	234	0.1 U	2 U	4 U
10/28/2013	XX	GW302X67A	0.5 U						57	55.8		16	199	0.1 U	2 U	4 U
4/21/2014	XX	GW302X6FD	0.5 U						61	91.3		17.6	202	0.1 U	2 U	4 U
7/28/2014	XX	GW302X6JJ	0.6						70	89.7		6	315	0.2 U	2 U	4 U
10/20/2014	XX	GW302X73A	0.5 U						105	63.1		32.2	300	0.11	2 U	4 U
4/27/2015	XX	GW302X797	0.5 U		0.5 U				52	46.4		14.7	175	0.1 U	2 U	4 U
7/13/2015	XX	GW302X7CJ	0.5 U		2 U				58	79.4		15.3	275	0.1 U	2 U	4 U

SUMMARY REPORT

Inorganics

(MW-302R)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/26/2015	XX	GW302X7I8	0.5 U		0.5 U				87	89.4		17.5	326	0.2 U	2 U	4 U
4/4/2016	XX	GW302X86I	0.6		0.06				59	42.1		13.4	186	0.1 U	2 U	4 U
7/25/2016	XX	GW302X8B8	1.2		0.05 U				59	35.8		12.7	187	0.2 U	2 U	4 U
10/24/2016	XX	GW302X8J7	0.5 U		0.12				238	32		23.4	357	0.2 U	2 U	4 U
4/17/2017	XX	GW302X97D	0.5 U		0.29				65	39		17	182	0.2 U	2 U	2.5 U
7/24/2017	XX	GW302X9DB	0.5 U		0.31				61	48		22	200	0.2 U	2 U	5 U
10/23/2017	XX	GW302X9H6	0.25 U		0.31				160	42		31	322	0.16	2 U	2.5 U
4/2/2018	XX	GW302XA35	0.25 U		0.28				47	31		12	159	0.1 U	2 U	2.5 U
7/16/2018	XX	GW302XAC6	0.25 U		0.43				68	39		24	180	0.1 U	2 U	2.5 U
10/1/2018	XX	GW302XB14	0.32		0.73				330	43		38	506	0.14	2 U	2.5 U
4/22/2019	XX	GW302XB61	0.25 U		0.15				46	18		14	118	0.1 U	2 U	2.5 U
7/17/2019	XX	GW302XBCC	0.3		0.39				50	51		26	212	0.1 U	2 U	2.5 U
10/28/2019	XX	GW302XB15	0.25 U		0.5				61	44		31	199	0.16	2 U	2.5 U
4/27/2020	XX	GW302XCDC	0.25 U		0.22				43	44		27	196	0.1 U	2 U	2.5 U
7/20/2020	XX	GW302XCI5	0.25 U		0.1				62	47		25	205	0.2 U	2 U	2.5 U
10/26/2020	XX	GW302XD39	0.29		0.49				120	44		29	254	0.1 U	24 M10	2.5 U
4/5/2021	XX	GW302XD3B	0.25 U		0.65				84	18		11	160	0.2 U	2 U	2.5 U
7/12/2021	XX	GW302XE03	0.26		0.97				120	68		31	328	0.5 U	64	2.5 U
10/4/2021	XX	GW302XE6B	0.25		1				140	34		22	262	0.1 U	2 U	2.5 U
MW-303 & MW12-303R																
4/23/2012	XX	GW303X52F	0.3 U				0.5 U		113	7.5		2.1	162		2 U	5
7/24/2012	XX	GW303X57E	!				!		!	!		!	!		!	!
10/23/2012	XX	GW303X5EG	0.3 U				0.5 U		92	4.9		4.2	143		2 U	4 U
4/22/2013	XX	GW303X5IG	0.3 U				0.5 U		114	6.6		7.6	159	0.22	2 U	4 U
7/29/2013	XX	GW303X651	0.673						113	8		4.2	195	0.3	2 U	4 U
10/28/2013	XX	GW303X67D	0.5 U						111	8.4		2.8	158	0.42	2 U	4 U
4/21/2014	XX	GW303X6FH	0.5 U						126	15.1		6.3	162	0.38	2 U	4 U
7/28/2014	XX	GW303X701	0.9						115	9.6		2 U	157	0.15	2 U	4 U
10/20/2014	XX	GW303X73D	0.5 U						162	48.3		5.5	266	0.21	2 U	4 U
4/27/2015	XX	GW303X799	0.5 U		0.5 U				87	57.2		9.5	533	0.1 U	4.3	4 U
6/18/2015	XX	42173-1	0.5 U		0.5 U	1 U	0.5 U	135	135	76.4		4.1	314		2 U	6
7/13/2015	XX	GW303X7D1	0.6		2 U				130	39.4		3	221	0.19	2 U	4 U
10/26/2015	XX	GW303X7IA	0.5 U		0.5 U				136	39.4		4	214	0.1 U	2 U	4
4/4/2016	XX	GW303X870	0.5 U		0.05 U				103	48.8		18.2	236	0.1 U	6.4	4 U
7/25/2016	XX	GW303X8BA	0.5 U		5.9				130	51.8		10.6	326	0.2 U	4.1	4 U
10/24/2016	XX	GW303X8J9	1		2.4				152	71.3		32.8	391	0.2 U	11.6	38
4/17/2017	XX	GW303X97F	0.5 U		2.2				120	57		23	284	0.2 U	5.5	2.5 U
7/24/2017	XX	GW303X9DD	0.5 U		0.28				120	52		8.7	250	0.2 U	3.7	5 U
10/23/2017	XX	GW303X9H8	0.73		0.13				120	44		5.3	244	0.17	3.5	130
4/2/2018	XX	GW303XA37	0.63		1.5				42	220		430	1016	0.5 U	5.2	2.5
7/16/2018	XX	GW303XAC8	0.25 U		0.074				140	57		14	289	0.1 U	2 U	2.5 U
10/1/2018	XX	GW303XB16	0.34		0.072				120	45		5.7	265	0.1 U	2 U	37
4/22/2019	XX	GW303XB63	2		1				120	27		56	353	2.4	16	12
7/17/2019	XX	GW303XBCE	0.71		0.72				130	40		33	297	0.62	7.8	2.5 U
10/28/2019	XX	GW303XB17	0.9		1.7				120	15		45	268	0.27	11	2.5 U
4/27/2020	XX	GW303XCDE	0.25 U		0.58				77	42		22	297	0.1 U	4.4	4.7
7/20/2020	XX	GW303XCI7	0.25 U		0.17				90	29		5.1	176	0.2 U	2 U	2.5 U
10/26/2020	XX	GW303XD3B	0.8		12				72	77		29	372	0.1 U	34 M10	2.5 U
4/5/2021	XX	GW303XD3C	0.49		1.9				69	59		26	294	0.2 U	4.3	5

REPORT PREPARED: 4/11/2022 07:03
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Inorganics

Page 16 of 31
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(MW-303 & MW12-303R)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/12/2021	XX	GW303XE05	0.89		3.8				70	97		22	425	0.5 U	6.8	2.5 U
10/4/2021	XX	GW303XE6D	0.44		0.2				110	110		29	454	0.3 U	6.4	3
MW-401A																
4/23/2012	XX	GW401A520	0.3 U				0.5 U		56	1.9		4.4	89		2 U	4 U
7/23/2012	XX	GW401A56J	0.36				0.5 U		57	1.2		4.2	97		2 U	4 U
10/22/2012	XX	GW401A5DA	1.1				0.5 U		55	1.2		2 U	94		2 U	4 U
4/22/2013	XX	GW401A5I1	0.3 U				0.5 U		58	2.4		4.9	85	0.1 U	2 U	4 U
7/29/2013	XX	GW401A646	0.572						57	2.2		4.3	86	0.1 U	2 U	4 U
10/28/2013	XX	GW401A66J	0.5 U						57	2.8		4.3	87	0.1 U	2 U	4 U
4/21/2014	XX	GW401A6F2	0.5 U						62	2.9		4.8	81	0.1 U	2 U	4 U
7/28/2014	XX	GW401A6J9	0.5 U						61	1.5		2	89	0.1 U	2 U	4 U
10/20/2014	XX	GW401A730	0.5 U						62	1.8		3.3	83	0.1 U	2 U	4 U
4/27/2015	XX	GW401A78H	0.6		0.5 U				60	3.8		4.1	89	0.1 U	2 U	4 U
7/13/2015	XX	GW401A7C9	0.5 U		1 U				59	4.1		3.7	99	0.1 U	2 U	4 U
10/26/2015	XX	GW401A7HI	0.5 U		0.5 U				59	2.7		4.1	87	0.1 U	2 U	4 U
4/27/2016	XX	GW401A868	0.5 U		0.1				59	2.4		4.2	91	0.1 U	2 U	4 U
7/25/2016	XX	GW401A8AI	0.5 U		0.05 U				63	2.2		3.8	90	0.2 U	2 U	4 U
10/24/2016	XX	GW401A8IH	0.5 U		0.1				58	2.2		4	98	0.2 U	2 U	4 U
4/17/2017	XX	GW401A973	0.5 U		0.05				62	2.3		3.7	95	0.2 U	2 U	2.5 U
7/24/2017	XX	GW401A9D1	0.5 U		0.1				63	2.7		4.7	89	0.2 U	2 U	7
10/25/2017	XX	GW401A9GG	0.25 U		0.11				57	2.2		4.4	112	0.1 U	2 U	2.5 U
4/2/2018	XX	GW401AA2F	0.25 U		0.14				58	2.1		2.8	85	0.1 U	2 U	2.5 U
7/16/2018	XX	GW401AABG	0.25 U		0.14				60	3.1		4.7	89	0.1 U	2 U	2.5 U
10/1/2018	XX	GW401AB0E	0.25 U		0.083				61	2.8		4	91	0.1 U	2 U	2.5 U
4/22/2019	XX	GW401AB5B	0.25 U		0.1				61	3.4		4.5	91	0.1 U	2 U	2.5 U
7/15/2019	XX	GW401ABC3	0.25 U		0.1				62	3.8		4.3	92	0.1 U	2 U	2.5 U
10/28/2019	XX	GW401ABHG	0.25 U		0.12				61	4.9		5	98	0.1 U	2 U	2.5 U
4/27/2020	XX	GW401ACD3	0.25 U		0.16				63	4.8		5	106	0.1 U	2 U	2.5 U
7/20/2020	XX	GW401ACHG	0.25 U		0.05 U				61	5.3		4.9	97	0.1 U	2 U	2.5 U
10/26/2020	XX	GW401AD30	0.25 U		0.084				62	4.6		4	92	0.1 U	5 M10	2.5 U
4/5/2021	XX	GW401ADC2	0.25 U		0.11				62	6.1		4.7	98	0.11	2 U	3
7/12/2021	XX	GW401ADJE	0.25 U		0.091				62	6.2		4.2	101	0.1 U	9.6	2.5 U
10/4/2021	XX	GW401AE62	0.24		0.095				62	6.8		4	98	0.1 U	2 U	2.5 U
MW-401B																
4/23/2012	XX	GW401B521	0.3 U				0.5 U		117	9.4		11	173		2 U	4 U
4/23/2012	XD	GWDP4X524	0.3 U				0.5 U		116	9.8		11	177		2 U	4 U
7/23/2012	XX	GW401B570	0.3 U				0.5 U		117	12		13.4	181		2 U	4 U
7/23/2012	XD	GWDP1X566	0.3 U				0.5 U		116	10.7		12.5	172		2 U	4 U
10/22/2012	XX	GW401B5DB	0.94				0.5 U		133	8.3		9.8	201		2 U	4 U
4/22/2013	XX	GW401B5I2	0.3 U				0.5 U		122	12.5		13.2	172	0.1	2 U	4 U
4/22/2013	XD	GWDP4X5I5	0.3 U				0.5 U		121	12.5		13	186	0.13	2 U	4 U
7/29/2013	XX	GW401B647	0.528						108	13		11.4	156	0.1 U	2 U	4 U
7/29/2013	XD	GWDP1X63D	0.512						116	16.6		12.8	175	0.1 U	2 U	4 U
10/28/2013	XX	GW401B670	0.5 U						139	16.3		13	212	0.22	2 U	4 U
10/28/2013	XD	GWDP4X673	0.5 U						138	15.8		13	206	0.21	2 U	4 U
4/21/2014	XX	GW401B6F3	0.5 U						135	16.2		13.7	170	0.21	2 U	4 U
4/21/2014	XD	GWDP4X6F6	0.5 U						128	15.1		13.7	160	0.23	2 U	4 U
7/28/2014	XX	GW401B6JA	0.7						139	12.5		5.3	198	0.15	2 U	4 U

SUMMARY REPORT

Inorganics

(MW-401B)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/28/2014	XD	GWDP4X6JD	0.5 U						141	12		5.3	195	0.16	2 U	4 U
10/20/2014	XX	GW401B731	0.5 U						156	11.5		9.6	212	0.2	8.9	4 U
10/20/2014	XD	GWDP4X734	0.5 U						163	11.5		9.6	217	0.2	2 U	4 U
4/27/2015	XX	GW401B78I	0.5 U		0.5 U				126	11.3		10.9	177	0.18	2 U	4 U
4/27/2015	XD	GWDP4X791	0.5 U		0.5 U				123	11		11.3	170	0.18	2 U	4 U
7/13/2015	XX	GW401B7CA	0.5 U		1 U				146	13		10.7	205	0.16	2 U	4 U
7/13/2015	XD	GWDP4X7CD	0.5 U		2 U				144	11.7		10.3	208	0.25	2 U	4 U
10/26/2015	XX	GW401B7HJ	0.5 U		0.5 U				158	13.6		11.9	211	0.1 U	2 U	4 U
10/26/2015	XD	GWDP3X7HG	0.5 U		0.5 U				155	13.7		11.8	219	0.1 U	2 U	4 U
4/6/2016	XD	GWDP4X86C	0.5 U		0.05 U				124	11.5		11.7	177	0.1 U	2 U	4 U
4/6/2016	XX	GW401B869	0.5 U		0.05 U				127	11.8		11.8	185	0.1 U	2 U	4 U
7/25/2016	XX	GW401B8AJ	0.5 U		0.05 U				157	13.1		10.4	225	0.2	2 U	4 U
10/24/2016	XD	GWDP1X8I4	0.5 U		0.05 U				163	8.5		12.2	214	0.2	2 U	4 U
10/24/2016	XX	GW401B8II	1		0.05 U				158	8.9		12.5	213	0.2	2 U	4 U
4/17/2017	XD	GWDP4X977	0.5 U		0.05 U				130	9.5		11	183	0.2 U	2 U	7
4/17/2017	XX	GW401B974	0.5 U		0.05 U				140	9.4		11	196	0.2 U	2 U	5
7/24/2017	XX	GW401B9D2	0.5 U		0.05 U				150	12		12	180	0.2 U	2 U	5 U
10/25/2017	XD	GWDP1X9G3	0.25 U		0.07				150	6.9		13	235	0.19	2 U	2.5 U
10/25/2017	XX	GW401B9GH	0.25 U		0.05 U				150	6.5		13	226	0.21	2 U	2.5 U
4/2/2018	XD	GWDP4XA2J	0.25 U		0.092				150	5.5		6	192	0.16	2 U	2.5 U
4/2/2018	XX	GW401BA2G	0.25 U		0.069				130	6.4		5.9	176	0.14	2 U	2.5 U
7/16/2018	XX	GW401BABH	0.25 U		0.057				150	11		12	198	0.14	2 U	2.5 U
10/1/2018	XD	GWDP1XB01	0.25 U		0.058				160	6.2		11	214	0.19	2 U	2.5 U
10/1/2018	XX	GW401BB0F	0.25 U		0.05 U				160	6.3		11	213	0.2	2 U	2.7
4/22/2019	XD	GWDP4XB5F	0.25 U		0.05 U				120	6.9		12	156	0.16	2 U	2.5 U
4/22/2019	XX	GW401BB5C	0.25 U		0.05 U				120	6.4		12	166	0.14	2 U	2.5 U
7/15/2019	XD	GWDP4XBC7	0.25 U		0.05 U				140	8.7		11	175	0.17	2 U	2.7
7/15/2019	XX	GW401BBC4	0.25 U		0.21				130	9.1		11	167	0.15	2 U	2.5 U
10/28/2019	XD	GWDP1XBH3	0.25 U		0.06				150	10		13	208	0.2	2 U	2.5
10/28/2019	XX	GW401BBHH	0.25 U		0.067				150	10		14	208	0.23	2 U	2.5 U
4/27/2020	XD	GWDP4XCD7	0.25 U		0.05 U				110	9		13	162	0.14	2 U	2.5 U
4/27/2020	XX	GW401BCD4	0.25 U		0.091				120	9.4		13	166	0.15	2 U	2.5 U
7/20/2020	XD	GWDP4XCI0	0.25 U		0.05 U				160	8.5		12	188	0.24	2 U	2.5 U
7/20/2020	XX	GW401BCHH	0.25 U		0.05 U				160	8.4		13	196	0.21	2 U	2.5 U
10/26/2020	XD	GWDP1XD27	0.25 U		0.05 U				160	6.9		11	208	0.19	32 M10	2.5 U
10/26/2020	XX	GW401BD31	0.25 U		0.051				160	7.2		11	211	0.19	23 M10	2.5 U
4/5/2021	XD	GWDP4XDC6	0.25 U		0.05 U				150	5		12	190	0.23	2 U	3
4/5/2021	XX	GW401BDC3	0.25 U		0.05 U				150	1 U		12	183	0.24	2 U	2.5
7/12/2021	XD	GWDP5XE1B	0.25 U		0.05 U				150	1.6		10	190	0.2	2 U	2.5 U
7/12/2021	XX	GW401BDJF	0.25 U		0.05 U				160	1.5		11	198	0.21	49	2.5 U
10/4/2021	XD	GWDP1XE59	0.2 U		0.05 U				160	4.8		11	203	0.17	2 U	2.5 U
10/4/2021	XX	GW401BE63	0.2 U		0.05 U				160	5		11	199	0.2	2 U	2.5 U
MW-402A																
4/24/2012	XX	GW402A522	0.3 U				0.5 U		52	2		7	70		2 U	4 U
7/25/2012	XX	GW402A571	0.3 U				0.5 U		52	1.6		6.4	80		2 U	4 U
10/24/2012	XX	GW402A5DC	0.31				0.5 U		51	2.3		7.3	83		2 U	4 U
4/22/2013	XX	GW402A5I3	0.3 U				0.5 U		51	2.5		9.3	99	0.1 U	2 U	4 U
7/31/2013	XX	GW402A648	0.3 U						53	1.3		7	81	0.1 U	2 U	4 U
10/30/2013	XX	GW402A671	0.5 U						51	1.8		7.2	89	0.1 U	2 U	4 U

SUMMARY REPORT

Inorganics

(MW-402A)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/23/2014	XX	GW402A6F4	0.5 U						56	1.7		8.1	76	0.1 U	2 U	4 U
7/30/2014	XX	GW402A6JB	0.5 U						52	1.5		6.9	87	0.1 U	2 U	4 U
10/22/2014	XX	GW402A732	0.5 U						58	1.4		7	76	0.1 U	2 U	4 U
4/29/2015	XX	GW402A78J	0.5 U		0.5 U				57	2.1		9.1	79	0.1 U	2 U	4 U
7/15/2015	XX	GW402A7CB	0.5 U		2 U				56	1.5		8.4	91	0.1 U	2 U	4 U
10/28/2015	XX	GW402A7I0	0.5 U		0.5 U				54	2.2		8.8	91	0.1 U	2 U	4 U
4/27/2016	XX	GW402A86A	0.5 U		0.06				57	2.1		8.8	86	0.1 U	2 U	4 U
7/27/2016	XX	GW402A8B0	0.5 U		0.05				55	1.6		7.8	86	0.2 U	2 U	4 U
10/26/2016	XX	GW402A8IJ	0.5 U		0.05				53	1.8		8.8	95	0.2 U	2 U	4 U
4/19/2017	XX	GW402A975	0.5 U		0.05 U				56	1.4		6.3	94	0.2 U	2 U	2.5 U
7/26/2017	XX	GW402A9D3	0.5 U		0.05 U				54	1.9		9.6	78	0.2 U	2 U	2.5 U
10/26/2017	XX	GW402A9GI	0.25 U		0.1				51	1.6		9.5	100	0.1 U	2 U	2.5 U
4/4/2018	XX	GW402AA2H	0.5 U		0.11				59	1.6		6.1	90	0.1 U	2 U	2.5 U
7/18/2018	XX	GW402AABI	0.27		0.065				54	1.4		8.4	81	0.1 U	2 U	2.5 U
10/3/2018	XX	GW402AB0G	0.25 U		0.059				54	1.7		8.8	95	0.1 U	2 U	2.5 U
4/24/2019	XX	GW402AB5D	0.25 U		0.06				55	1.5		9.2	87	0.1 U	2 U	2.5 U
7/17/2019	XX	GW402ABC5	0.25 U		0.064				55	1.4		8.8	90	0.1 U	2 U	2.5 U
10/30/2019	XX	GW402ABHI	0.25 U		0.062				57	1.7		11	83	0.1 U	2 U	2.5 U
4/29/2020	XX	GW402ACD5	0.25 U		0.085				56	1.7		9.6	76	0.1 U	2 U	2.5 U
7/22/2020	XX	GW402ACHI	0.25 U		0.051				57	1.8		9.3	80	0.1 U	2 U	2.5 U
10/28/2020	XX	GW402AD32	0.25 U		0.057				55	1.4		8.3	75	0.1 U	4.8 M10	2.5 U
4/7/2021	XX	GW402ADC4	0.25 U		0.05 U				60	1.3		7.8	94	0.1 U	2 U	2.5 U
7/14/2021	XX	GW402ADJG	0.25 U		0.059				54	1.8		8.9	84	0.1 U	2 U	2.5 U
10/4/2021	XX	GW402AE64	0.2 U		0.05 U				56	1.8		8.9	87	0.1 U	2 U	2.5 U
MW-402B																
4/24/2012	XX	GW402B523	0.3 U				0.5 U		64	2.2		9	88		2 U	4 U
7/25/2012	XX	GW402B572	0.3 U				0.5 U		68	1.9		9.9	91		2 U	4 U
10/24/2012	XX	GW402B5DD	0.3 U				0.5 U		65	2.5		9.5	97		2 U	4 U
4/22/2013	XX	GW402B5I4	0.3 U				0.5 U		60	2.5		9	100	0.1 U	2 U	4 U
7/31/2013	XX	GW402B649	0.3 U						68	1.4		8.6	92	0.1 U	2 U	4 U
10/30/2013	XX	GW402B672	0.5 U						67	1.9		8.4	102	0.1 U	2 U	4 U
4/23/2014	XX	GW402B6F5	0.5 U						68	1.9		9	81	0.1 U	2 U	4 U
7/30/2014	XX	GW402B6JC	0.5 U						66	1.6		8.1	100	0.1 U	2 U	4 U
10/22/2014	XX	GW402B733	0.5 U						71	1.6		8.2	89	0.1 U	2 U	4 U
4/29/2015	XX	GW402B790	0.5 U		0.5 U				68	2		10.1	92	0.1 U	2 U	4 U
7/15/2015	XX	GW402B7CC	0.5 U		2 U				67	1.9		9.6	98	0.1 U	2 U	4 U
10/28/2015	XX	GW402B7I1	0.5 U		0.5 U				67	2.4		9.9	95	0.1 U	2 U	4 U
4/27/2016	XX	GW402B86B	0.5 U		0.05 U				68	2.1		9.8	94	0.1 U	2 U	4 U
7/27/2016	XX	GW402B8B1	0.5 U		0.05 U				66	1.7		8.8	94	0.2 U	2 U	4 U
10/26/2016	XX	GW402B8J0	0.5 U		0.05 U				66	2		9.8	105	0.2 U	2 U	8
4/19/2017	XX	GW402B976	0.5 U		0.06				68	1.6		6.5	96	0.2 U	2 U	2.5 U
7/26/2017	XX	GW402B9D4	0.5 U		0.05 U				67	2		11	88	0.2 U	2 U	2.5 U
10/26/2017	XX	GW402B9GJ	0.25 U		0.05				64	1.7		10	113	0.1 U	2 U	2.5 U
4/4/2018	XX	GW402BA2I	0.25 U		0.091				69	1.5		6.2	104	0.1 U	2 U	8
7/18/2018	XX	GW402BABJ	0.36		0.05 U				69	1.8		9.3	91	0.1 U	2 U	9.3
10/3/2018	XX	GW402BB0H	0.25 U		0.05 U				66	1.8		9.9	106	0.1 U	2 U	2.5 U
4/24/2019	XX	GW402BB5E	0.25 U		0.05 U				65	1.5		9.8	88	0.1 U	2 U	2.5 U
7/17/2019	XX	GW402BBC6	0.25 U		0.05 U				67	1.3		9.7	93	0.1 U	2 U	2.5 U
10/30/2019	XX	GW402BBHJ	0.25 U		0.05 U				69	18		2.6	88	0.11	2 U	2.5 U

SUMMARY REPORT

Inorganics

(MW-402B)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/29/2020	XX	GW402BCD6	0.25 U		0.059				68	1.4		11	79	0.1 U	2 U	2.5 U
7/22/2020	XX	GW402BCHJ	0.39		0.071				67	1.5		10	81	0.1 U	2 U	3.3
10/28/2020	XX	GW402BD33	0.25 U		0.05 U				72	1.2		9.3	85	0.1 U	6.1 M10	2.5 U
4/7/2021	XX	GW402BDC5	0.25 U		0.05 U				71	1.1		8.4	96	0.1 U	2 U	2.5 U
7/14/2021	XX	GW402BDJH	0.25 U		0.05 U				67	1.3		10	93	0.1 U	2 U	2.5 U
10/4/2021	XX	GW402BE65	0.2 U		0.05 U				69	1.3		9.7	93	0.1 U	2 U	35
MW-501																
4/5/2018	XX	GW501XA6I	0.25 U	0.1 U	0.25	2 U	0.5 U	83		8.3	0.04 U	9.8	130	0.1 U	2 U	2.5 U
6/4/2018	XX	GW501XA7F	0.25 U	0.1 U	0.18	1 U	0.5 U	84		10	0.04 U	2.9	131	0.1 U	2 U	2.5 U
7/19/2018	XX	GW501XAEED	0.33		0.24	1 U		92		10		2.5	151	0.1 U	2 U	2.5 U
8/20/2018	XX	GW501XAFE	0.25 U		0.21			100		11		2.8	157	0.1 U	2 U	2.5 U
4/24/2019	XX	GW501XB7C	0.25 U		0.43				140	10		2.9	190	0.12	2 U	2.5 U
7/17/2019	XX	GW501XBE0	0.25 U		0.25				75	9		2.5	117	0.1 U	6.4	2.5 U
10/30/2019	XX	GW501XBJ9	0.25 U		0.57				170	2.4		47	247	0.1 U	2 U	2.5 U
4/29/2020	XX	GW501XCF0	0.25 U		0.21				72	12		3	105	0.1 U	2 U	2.5 U
7/22/2020	XX	GW501XCJD	0.25 U		0.077				130	24		3	214	0.1	2 U	2.5 U
10/28/2020	XX	GW501XD4D	0.25 U		0.29				150	23		2.9	208	0.1 U	22 M10	2.5 U
4/7/2021	XX	GW501XDDH	0.25 U		0.22	2 U			110	15	0.04 U	2 U	167	0.1 U	2 U	2.5 U
7/14/2021	XX	GW501XE18	0.25 U	0.1 U	0.26		0.5 U	100		15		3.6	153	0.1 U	2 U	2.5 U
10/6/2021	XX	GW501XE8A	0.2 U	0.1 U	0.33		0.5 U	96		14		3.2	161	0.1 U	2 U	2.5 U
MW-502																
2/26/2020	XD	GWDP1XC52	0.25 U	0.1 U	0.25		0.5 U	100		21		2 U	163	0.14	2 U	2.5 U
2/26/2020	XX	GW502XC55	0.25 U	0.1 U	0.23		0.5 U	120		21		2 U	166	0.14	2 U	2.5 U
4/30/2020	XX	GW502XCBJ	0.25 U	0.1 U	0.1		0.5 U	110		19		4.9	175	0.22	2 U	2.5 U
6/23/2020	XX	GW502XCGB	0.25 U	0.1 U	0.18		0.5 U	120		20		4.4	183	0.15	2 U	2.5 U
8/20/2020	XX	GW502XD11	0.25 U	0.1 U	0.17		0.5 U	120		20		4.5	176	0.17	2 U	2.5 U
7/14/2021	XX	GW502XE23	0.25 U	0.1 U	0.05 U		0.5 U	190		13		4.2	234	0.33	2 U	3
10/7/2021	XX	GW502XE8B	0.2 U	0.1 U	0.069		0.5 U	190		14		3.6	250	0.29	2 U	2.5 U
MW-507																
4/5/2018	XX	GW507XA6J	0.25 U	0.1 U	0.088	2 U	0.5 U	61		6.9	0.04 U	2 U	106	0.1 U	2 U	2.5 U
6/5/2018	XX	GW507XA7G	0.25 U	0.1 U	0.079	1 U	0.5 U	69		25	0.04 U	3.4	161	0.1 U	2 U	2.5 U
7/18/2018	XX	GW507XAEED	0.25 U		0.05 U	1 U		74		29		3.7	164	0.1 U	2 U	2.5 U
8/20/2018	XX	GW507XAFF	0.25 U		0.05 U			85		28		4.3	177	0.1 U	2 U	2.5 U
7/14/2021	XX	GW507XE24	0.25 U	0.1 U	0.065		0.5 U	84		43		3.4	236	0.1 U	2 U	2.5 U
10/7/2021	XX	GW507XE8C	0.2 U	0.1 U	0.05 U		0.5 U	78		17		3.6	451	0.1 U	2 U	2.7
MW09-901																
4/24/2012	XX	GW901X51J	0.3 U				0.5 U		75	2.2		8.3	103		2 U	4 U
7/24/2012	XX	GW901X56I	0.3 U				0.5 U		77	1 U		9.5	108		2 U	4 U
10/23/2012	XX	GW901X5D9	0.3 U				0.5 U		82	2.5		9	118		2 U	4 U
4/23/2013	XX	GW901X5I0	0.3 U				0.5 U		81	2.5		10.8	116	0.1 U	2 U	4 U
7/30/2013	XX	GW901X645	0.52						80	2		10.7	110	0.1 U	2 U	4 U
10/29/2013	XX	GW901X66I	0.5 U						85	2.7		9.2	116	0.1 U	2 U	4 U
4/22/2014	XX	GW901X6F1	0.5 U						83	2.7		12.1	110	0.1 U	2 U	4 U
7/29/2014	XX	GW901X6J8	0.5 U						96	1.8		4.6	128	0.1 U	2 U	4 U
10/21/2014	XX	GW901X72J	0.5 U						132	3		8.1	170	0.1 U	2 U	4 U
4/28/2015	XX	GW901X78G	0.5 U		0.5 U				142	4.6		11	175	0.1 U	2 U	4 U
7/14/2015	XX	GW901X7C8	0.5		2 U				141	4.4		11.2	178	0.1 U	2 U	4 U

SUMMARY REPORT

Inorganics

(MW09-901)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/27/2015	XX	GW901X7HH	0.6		0.5 U				154	5.8		10.9	198	0.1 U	2 U	4 U
4/5/2016	XD	GWDP1X85F	0.5 U		0.13				154	5.2		12.4	194	0.1 U	2 U	4 U
4/5/2016	XX	GW901X867	0.5 U		0.06				155	5.4		12.3	188	0.1 U	2 U	4 U
7/26/2016	XD	GWDP1X8A5	0.5 U		0.05 U				158	6.2		12.1	205	1.2	2 U	4 U
7/26/2016	XX	GW901X8AH	1.5		0.05 U				157	6.1		12.4	203	0.2 U	2 U	4 U
10/25/2016	XX	GW901X8IG	0.5 U		0.11				159	5.9		9.9	224	0.2	2 U	4 U
4/18/2017	XD	GWDP1X96A	0.5 U		0.29				170	6		10	197	0.2 U	2 U	2.5 U
4/18/2017	XX	GW901X972	0.5 U		0.29				170	6.1		11	206	0.2 U	2 U	2.5 U
7/25/2017	XD	GWDP1X9C8	0.5 U		0.35				170	6.8		14	224	0.2 U	2 U	2.5 U
7/25/2017	XX	GW901X9D0	0.5 U		0.4				160	6.8		14	230	0.2 U	2 U	2.5 U
10/24/2017	XX	GW901X9GF	0.25 U		0.23				170	9.5		13	234	0.1 U	2 U	2.5 U
4/3/2018	XD	GWDP1XA21	0.25 U		0.61				170	7.4		45	220	0.16	2 U	2.5 U
4/3/2018	XX	GW901XA2E	0.34		0.6				170	7.4		47	235	0.15	2 U	2.5 U
7/17/2018	XD	GWDP1XAB3	0.25 U		0.76				170	13		13	234	0.12	2 U	2.5 U
7/17/2018	XX	GW901XABF	0.36		0.75				180	14		14	231	0.13	2 U	2.5 U*
10/2/2018	XX	GW901XB0D	0.25 U		0.37				170	10		13	234	0.17	2 U	2.5 U
4/23/2019	XD	GWDP1XB4H	0.3		0.18				170	4.7		11	217	0.32	2 U	2.5 U
4/23/2019	XX	GW901XB5A	0.25 U		0.2				170	4.8		11	217	0.26	2 U	2.5 U
7/16/2019	XD	GWDP1XBBA	0.25 U		0.24				180	8.7		12	236	0.22	2 U	2.5 U
7/16/2019	XX	GW901XBC2	0.25 U		0.22				180	8.6		12	227	0.23	2 U	2.5 U
10/29/2019	XX	GW901XBHF	0.25 U		0.05 U				160	5.1		13	209	0.27	2 U	2.5 U
4/28/2020	XD	GWDP1XCCA	0.25 U		0.1				170	5.9		14	220	0.32	2 U	2.5 U
4/28/2020	XX	GW901XCD2	0.25 U		0.11				170	6		14	216	0.32	2 U	2.5 U
7/21/2020	XD	GWDP1XCH3	0.25 U		0.073				170	4.2		12	216	0.32	2 U	2.5 U
7/21/2020	XX	GW901XCHF	0.25 U		0.05 U				170	4.4		13	219	0.29	2 U	2.5 U
10/27/2020	XX	GW901XD2J	0.25 U		0.05 U				160	3.3		12	194	0.15	39 M10	2.5 U
4/6/2021	XD	GWDP1XDB9	0.25 U		0.09				180	4.6		12	220	0.3	2 U	2.5 U
4/6/2021	XX	GW901XDC1	0.25 U		0.086				180	3.5		12	227	0.29	2 U	2.5 U
7/13/2021	XD	GWDP1XDJ1	0.25 U		0.05 U				160	1 U		12	202	0.1 U	2 U	2.5 U
7/13/2021	XX	GW901XDJD	0.25 U		0.05 U				160	4.1		12	209	0.24	2 U	2.5 U
10/5/2021	XX	GW901XE61	0.24		0.05 U				160	2.5		11	202	0.1	2 U	2.5 U

OW-06-03																
4/10/2018	XX	GWXXXXA73	0.25 U	0.1 U	0.1	4	0.5 U	65		1.6	0.04 U	2.1	84	0.58	2	2.5 U
6/5/2018	XX	GWXXXXA80														
7/19/2018	XX	GWXXXXAEI														
8/21/2018	XX	GWXXXXAFH														
7/18/2019	XX	GWXXXXBDJ														
7/20/2020	XX	GWXXXXCJC														
7/14/2021	XX	GWXXXXE17	8.4	5 U	0.05 U		6.7	270		6.3			491	0.51	68	16

OW-601A																
4/11/2018	XX	GW601AA69	0.25 U	0.1 U	0.3	1 U	0.5 U	120		16	0.22	2.1	180	0.17	2 U	7100
6/6/2018	XX	GW601AA76	0.25 U	0.1 U	0.18	1 U	0.5 U	120		24	0.1	6.1	198	0.13	2 U	230
7/19/2018	XX	GW601AAE4	0.3		0.3	1 U		130		18		6.8	209	1.1	2 U	13
8/22/2018	XX	GW601AAF5	0.25 U		0.19			130		27		7	212	0.15	2 U	2.5 U
7/18/2019	XX	GW601ABB6	0.86		0.33				140	26		11	234	0.18	2 U	2.5 U
7/22/2020	XX	GW601ACGJ	0.25 U		0.45				150	20		25	225	0.13	2 U	57
7/12/2021	XX	GW601ADIH	0.25 U	0.1 U	0.41		0.5 U	160		22		6.7	244	0.19	42	2.5 U

OW-601B																
---------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

SUMMARY REPORT

Inorganics

(OW-601B)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/11/2018	XX	GW601BA6A	0.25 U	0.1 U	0.42	1 U	0.5 U	120		22	0.04 U	2 U	184	0.21	2 U	5.7
6/6/2018	XX	GW601BA77	0.25 U	0.1 U	0.25	1 U	0.5 U	110		31	0.04 U	2.6	196	0.16	2 U	6.5
7/19/2018	XX	GW601BAE5	0.25 U		0.58	1 U		98		41		3	224	0.21	2 U	2.5 U
8/22/2018	XX	GW601BAF6	0.25 U		0.49			88		61		10 U	277	0.5 U	2 U	16
7/18/2019	XX	GW601BBDF	0.25 U		0.51				120	26		3.1	213	0.2	2 U	3.3
7/22/2020	XX	GW601BCJ8	0.25 U		0.23				92	44		4 U	263	0.24	2 U	2.5 U
7/12/2021	XD	GWDP4XDJI	0.25 U	0.1 U	0.58		0.5 U	110		42		2.7	250	0.26	2 U	2.5 U
7/12/2021	XX	GW601BE13	0.25 U	0.1 U	0.58		0.5 U	110		42		2.3	242	0.25	55	2.5 U
OW-602A																
4/11/2018	XX	GW602AA6B	0.25 U	0.1 U	0.05 U	1 U	0.5 U	44		2.3	0.04 U	3.9	59	0.1 U	2 U	2.5 U
6/6/2018	XD	GWDP1XA75	0.25 U	0.1 U	0.56	1 U	0.5 U	48		11	0.04 U	4.4	102	0.1 U	2 U	2.5 U
6/6/2018	XX	GW602AA78	0.25 U	0.1 U	0.13	1 U	0.5 U	49		12	0.04 U	4.6	93	0.1 U	2 U	2.5 U
7/19/2018	XD	GWDP1XAE3	0.25 U		0.19	1 U		44		13		4.6	92	0.1 U	2 U	2.5 U
7/19/2018	XX	GW602AAE6	0.3		0.15	1 U		44		13		4.5	97	0.1 U	2 U	2.5 U
8/21/2018	XX	GW602AAF7	0.25 U		0.094			45		12		4.5	100	0.1 U	2 U	2.5 U
7/18/2019	XX	GW602ABDG	0.72		0.26				43	5.6		2.8	77	0.1 U	2 U	2.5 U
7/22/2020	XX	GW602ACJ9	0.25 U		0.064				56	11		2.9	108	0.1 U	2 U	2.5 U
7/12/2021	XX	GW602AE14	0.25 U	0.1 U	0.9		0.5 U	110		16		2.4	165	0.17	36	2.5 U
OW-603B																
4/12/2018	XX	GW603BA6C	0.34	0.1 U	0.081	3	0.5 U	120		2.1	0.04 U	2.2	161	1.1	4	7
6/5/2018	XX	GW603BA79	0.25 U	0.1 U	0.054	1 U	0.5 U	90		1.2	0.04 U	2.1	136	0.27	2 U	2.5 U
7/19/2018	XX	GW603BAE7	1.2		0.11	2		65		1.7		2.4	103	0.1 U	2 U	1500
8/21/2018	XX	GW603BAF8	0.25 U		0.099			58		2.5		2.4	99	0.1 U	2 U	28
7/18/2019	XX	GW603BBDH	11		0.28				60	2		2.9	99	0.1 U	2 U	2.5 U
7/22/2020	XX	GW603BCJA	I		I				I	I		I	I	I	I	I
7/13/2021	XX	GW603BE15	D	D	D		D	D		D		D	D	D	D	D
10/6/2021	XX	GW603BE7J	D	D	D		D	D		D		D	D	D	D	D
OW-604A																
4/12/2018	XX	GW604AA6D	0.25 U	0.1 U	0.46	1 U	0.5 U	38		1.1	0.04 U	3.5	62	0.1 U	2 U	2.5 U
6/4/2018	XX	GW604AA7A	0.25 U	0.1 U	0.18	1 U	0.5 U	36		1.7	0.04 U	2.5	63	0.1 U	2 U	2.5 U
7/19/2018	XX	GW604AAE8	0.28		0.16	1 U		38		1.9		2.7	74	0.1 U	2 U	2.5 U
8/21/2018	XX	GW604AAF9	0.25 U		0.24			58		1.8		2.6	101	0.1 U	2 U	2.5 U
7/18/2019	XX	GW604ABDI	0.62		0.57				53	1.5		2.8	87	0.1 U	2 U	2.5 U
7/21/2020	XX	GW604ACJB	0.25 U		0.78				69	4.7		3.3	116	0.1	2 U	2.5 U
7/14/2021	XX	GW604AE16	0.25 U	0.1 U	2.4		0.5 U	84		6		2.4	145	0.1 U	2 U	3
OW-605A																
4/10/2018	XX	GW605AA6E	0.25 U	0.1 U	0.11	1 U	0.5 U	56		9.4	0.04 U	2.9	91	0.1 U	2 U	2.5 U
6/5/2018	XX	GW605AA7B	0.25 U	0.1 U	0.086	1 U	0.5 U	54		12	0.04 U	3.1	107	0.1 U	2 U	2.5 U
7/19/2018	XX	GW605AAE9	0.25 U		0.12	1 U		53		11		3.4	106	0.1 U	2 U	2.5 U
8/21/2018	XX	GW605AAFA	0.25 U		0.09			52		10		3	105	0.1 U	2 U	2.5 U
7/14/2021	XD	GWDP6XE1J	0.25 U	0.1 U	0.21		0.5 U	93		13		2 U	137	0.11	2 U	2.5 U
7/14/2021	XX	GW605AE25	0.25 U	0.1 U	0.23		0.5 U	95		13		2 U	142	0.1	2 U	3.7
10/7/2021	XX	GW605AE8G	0.2 U	0.1 U	0.21		0.5 U	100		11		2 U	151	0.1 U	2 U	2.5 U
OW-606A																
4/3/2018	XX	GW606AA6F	0.25 U	0.1 U	0.33	1 U	0.5 U	91		36	0.04 U	36	195	0.1 U	2 U	2.5 U
6/4/2018	XX	GW606AA7C	0.25 U	0.1 U	0.33	1 U	0.5 U	94		44	0.04 U	7.6	231	0.1 U	2 U	2.5 U

(OW-606A)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/19/2018	XX	GW606AAEA	0.25 U		0.49	1 U		96		44		8.2	234	0.1 U	2 U	2.5 U
8/21/2018	XX	GW606AAFB	0.25 U		0.33			94		40		7.7	232	0.1 U	2 U	2.5 U
7/14/2021	XX	GW606AE06	0.25 U	0.1 U	0.48		0.5 U	110		37		8.8	195	0.12	2 U	2.5 U
10/7/2021	XX	GW606AE8H	0.2 U	0.1 U	0.3		0.5 U	110		37		8.3	211	0.1 U	2 U	16

OW-608A

4/4/2018	XX	GW608AA6G	0.25 U	0.1 U	0.077	2 U	0.5 U	95		1.3	0.04 U	3.9	127	0.1 U	2 U	8
6/4/2018	XX	GW608AA7D	0.25 U	0.1 U	0.053	1 U	0.5 U	92		1.4	0.04 U	6.7	126	0.1 U	2 U	13
7/18/2018	XX	GW608AAEB	0.37		0.061	1 U		93		2.1		7.2	114	0.1 U	2 U	9
8/20/2018	XX	GW608AAFC	0.25 U		0.05 U			72		4.1		5.9	105	0.1 U	2 U	15
7/15/2021	XX	GW608AE26	0.25 U	0.1 U	0.054		0.5 U	95		1.2		5.8	118	0.1 U	2 U	2.5 U
10/6/2021	XX	GW608AE90	0.2 U	0.1 U	0.05 U		0.5 U	73		2.5		2 U	95	0.1 U	2 U	3.7

OW-611A

4/4/2018	XX	GW611AA6H	0.25 U	0.1 U	0.48	2 U	0.5 U	130		31	0.04 U	40	256	0.1 U	2 U	2.5 U
6/5/2018	XX	GW611AA7E	0.25 U	0.1 U	0.44	1 U	0.5 U	120		39	0.04 U	15	257	0.1 U	2 U	2.5 U
7/18/2018	XX	GW611AAEC	0.28		0.46	1 U		120		42		13	249	0.1 U	2 U	2.5 U
8/20/2018	XX	GW611AAFD	0.25 U		0.33			110		41		13	233	0.1 U	2 U	2.5 U
7/14/2021	XX	GW611AE27	0.25 U	0.1 U	0.51		0.5 U	130		48		17	287	0.1 U	2 U	2.5 U
10/7/2021	XX	GW611AE93	0.2 U	0.1 U	0.55		0.5 U	140		48		18	301	0.1 U	2 U	2.5 U

P-04-02

4/25/2012	XX	GWXXXX52H	0.6				0.5 U	63		8.8		11.3	211		11.9	11
7/25/2012	XX	GWXXXX57G	0.35				0.5 U	94		7.8		25.2	205		5.2	9
10/24/2012	XX	GWXXXX5E7	0.62				0.5 U	85		4.9		25.1	198		5.7	13
4/22/2013	XX	GWXXXX5II	!				!	!		!		!	!		!	!

P-04-02R

7/15/2015	XX	GWXXXX7DJ	0.5 U		2 U			82		15.4		32.4	188	0.1 U	2 U	26
10/28/2015	XX	GWXXXX7J4	0.5 U		0.5 U			106		42.5		147	442	0.1 U	2 U	5
4/6/2016	XX	GWXXXX87I	0.5		0.05 U			112		15.4		114	325	0.1 U	2 U	4 U
7/27/2016	XX	GWXXXX8C7	0.5 U		0.05			129		15.8		158	456	0.4 U	2 U	4 U
10/26/2016	XX	GWXXXX904	0.5		0.05 U			121		13		146	394	0.4 U	32.5	4 U
4/19/2017	XX	GWXXXX98C	0.5 U		0.05			150		9.6		120	412	0.2 U	2 U	10
7/26/2017	XX	GWXXXX9E8	0.5 U		0.06			140		7.4		120	357	0.2 U	2 U	2.5 U
10/25/2017	XX	GWXXXX9I3	0.25 U		0.08			120		5		110	331	0.1 U	2 U	2.5 U
4/4/2018	XX	GWXXXXA44	0.25 U		0.14			140		3		45	281	0.1 U	2 U	3.3
7/18/2018	XX	GWXXXXAD3	0.25 U		0.15			140		4		70	267	0.1 U	2 U	2.5 U
10/3/2018	XX	GWXXXXB21	0.25 U		0.094			130		3		69	254	0.1 U	2 U	2.5 U
4/22/2019	XX	GWXXXXB70	0.25 U		0.088			130		1.9		57	233	0.1 U	2 U	2.5 U
7/17/2019	XX	GWXXXXBDA	0.25 U		0.097			150		2.4		57	260	0.1 U	2 U	2.5 U
10/30/2019	XX	GWXXXXBJ2	0.25 U		0.1			140		6.2		9	215	0.1 U	2 U	2.5 U
4/29/2020	XX	GWXXXXCEA	0.25 U		0.092			170		2.8		45	236	0.1 U	2 U	2.5 U
7/22/2020	XX	GWXXXXCJ3	0.25 U		0.05 U			150		2.1		39	213	0.1 U	2 U	2.5 U
10/28/2020	XX	GWXXXXD46	0.25 U		0.05 U			140		1.7		34	195	0.1 U	15 M10	2.5 U
4/7/2021	XX	GWXXXXDD9	0.25 U		0.05 U			140		1.8		31	206	0.1 U	2 U	2.5 U
7/12/2021	XX	GWXXXXE10	0.25 U		0.1			140		1.6		29	196	0.1 U	29	2.5 U
10/6/2021	XX	GWXXXXE77	0.36		0.056			140		1.6		31	193	0.1 U	2 U	6

P-04-04

4/25/2012	XX	GWXXXX52I	0.3 U				0.5 U	75		1.8		8.5	114		2 U	4 U
-----------	----	-----------	-------	--	--	--	-------	----	--	-----	--	-----	-----	--	-----	-----

SUMMARY REPORT
Inorganics

(P-04-04)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/25/2012	XX	GWXXX57H	0.3 U				0.5 U		76	1.8		28.8	95		2 U	4 U
10/24/2012	XX	GWXXX5E8	0.3 U				0.5 U		78	2		8.1	111		2 U	4 U
4/24/2013	XX	GWXXX5U	0.479				0.5 U		80	1.3		9.2	115	0.1 U	2 U	4 U
7/31/2013	XX	GWXXX654	0.613						76	1.4		7.8	100	0.1 U	2 U	4 U
10/30/2013	XX	GWXXX67E	0.5 U						76	1.8		7.7	115	0.1 U	2 U	4 U
4/23/2014	XX	GWXXX6G0	0.5 U						79	1.8		8.2	112	0.1 U	2 U	4 U
7/30/2014	XX	GWXXX703	0.5 U						78	1.5		7.2	113	0.1 U	2 U	4 U
10/22/2014	XX	GWXXX73E	0.5 U						80	1.5		7.4	102	0.1 U	2 U	4 U
4/29/2015	XX	GWXXX79B	0.5 U		0.5 U				79	2		9.2	105	0.1 U	2 U	4 U
7/15/2015	XX	GWXXX7D3	0.5 U		2 U				78	2.1		8.9	108	0.1 U	2 U	4 U
10/28/2015	XX	GWXXX7IC	0.5 U		0.5 U				76	2.6		8.9	111	0.1 U	2 U	4 U
4/6/2016	XX	GWXXX872	0.5 U		0.05 U				80	2.2		9.4	115	0.1 U	2 U	4 U
7/27/2016	XX	GWXXX8BC	0.9		0.05 U				77	2.2		8.1	113	0.2 U	2 U	4 U
10/26/2016	XX	GWXXX8JB	0.5 U		0.1				78	2.7		8.8	119	0.2 U	2 U	4 U
4/19/2017	XX	GWXXX97H	0.5 U		0.05				81	2.8		5.3	112	0.2 U	2 U	2.5 U
7/26/2017	XX	GWXXX9DF	0.5 U		0.09				77	3.4		9.4	109	0.2 U	2 U	2.5 U
10/25/2017	XX	GWXXX9HA	0.25 U		0.11				73	3.1		8.7	125	0.1 U	2 U	2.5 U
4/4/2018	XX	GWXXXA39	0.25 U		0.16				80	3.3		4.1	111	0.1 U	2 U	2.5 U
7/18/2018	XX	GWXXXACA	0.28		0.13				77	4		7.8	112	0.1 U	2 U	2.5 U
10/3/2018	XX	GWXXXB18	0.25 U		0.11				78	4.5		8.5	118	0.1 U	2 U	2.5 U
4/22/2019	XX	GWXXXB65	0.27		0.13				76	4.3		9.7	118	0.1 U	2 U	2.5 U
7/17/2019	XX	GWXXXBCG	0.25 U		0.13				81	5.6		9.1	115	0.1 U	2 U	2.5 U
10/30/2019	XX	GWXXXBI9	0.25 U		0.14				78	5.9		8.8	114	0.1 U	2 U	2.5 U
4/29/2020	XX	GWXXXCDG	0.41		0.14				81	7.2		9.4	105	0.1 U	2 U	2.5 U
7/22/2020	XX	GWXXXCI9	0.25 U		0.05 U				77	7.4		8.8	115	0.1 U	2 U	2.5 U
10/28/2020	XX	GWXXXD3D	0.25 U		0.092				77	7.5		7.8	109	0.1 U	3.7 M10	2.5 U
4/7/2021	XX	GWXXXDCF	0.25 U		0.097				79	8.4		7.3	128	0.1 U	2 U	2.5 U
7/12/2021	XX	GWXXXE07	0.25 U		0.17				78	9.2		7.8	121	0.1 U	18	2.5 U
10/6/2021	XX	GWXXXE6F	0.2 U		0.14				77	9.7		8.3	131	0.1 U	2 U	3.3

P-206A																
7/31/2013	XX	GW206A64I	I						I	I		I	I	I	I	I
10/28/2013	XX	GW206A67B								4.3		2 U				
4/21/2014	XX	GW206A6FJ								6.2		2 U				
7/28/2014	XX	GW206A702								3.3		2 U				
10/20/2014	XX	GW206A73B								3.6		2 U				
4/27/2015	XX	GW206A79A			0.5 U					5.5		4.8				
7/13/2015	XX	GW206A7D2			0.5 U					7.9		2 U				
10/26/2015	XX	GW206A7IB			0.7					8.5		2 U				
4/4/2016	XX	GW206A871			0.05 U					10.2		2 U				
4/26/2016	XX	GW206AHBC	0.5 U						63				95	0.1 U	2 U	57
7/25/2016	XX	GW206A8BB	0.6		0.05 U				63	12.5		2 U	103	0.2 U	2 U	20
10/24/2016	XX	GW206A8JA	0.5		0.05 U				61	15.7		2.2	108	0.2 U	2 U	11
4/17/2017	XX	GW206A97G	0.5 U		0.05 U				69	20		2 U	118	0.2 U	2 U	35
7/24/2017	XX	GW206A9DE	0.5 U		0.05 U				70	21		2.2	120	0.2 U	2 U	5 U
10/23/2017	XX	GW206A9H9	0.25 U		0.05 U				65	20		2.7	120	0.1 U	2 U	6
4/2/2018	XX	GW206AA38	0.25 U		0.063				71	19		2 U	123	0.1 U	2 U	2.5 U
7/16/2018	XX	GW206AAC9	0.31		0.064				74	24		2.8	130	0.1 U	2 U	2.5 U
10/1/2018	XX	GW206AB17	0.29		0.05 U				75	21		2.2	131	0.1 U	2 U	4.7
4/22/2019	XX	GW206AB64	0.25 U		0.05 U				74	19		2 U	124	0.1 U	2 U	4.3

SUMMARY REPORT

Inorganics

(P-206A)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/17/2019	XX	GW206ABCF	0.3		0.05 U				79	22		2.4	136	0.1 U	2 U	7.7
10/28/2019	XX	GW206ABI8	0.25 U		0.067				78	21		3.1	135	0.1	2 U	18
4/27/2020	XX	GW206ACDF	0.25 U		0.088				78	20		2.1	135	0.1 U	2 U	15
7/20/2020	XX	GW206ACI8	0.25 U		0.05 U				83	22		3.4	134	0.1 U	2 U	2.5 U
10/26/2020	XX	GW206AD3C	A		A				A	A		A	A	A	A	A
4/5/2021	XX	GW206ADCE	0.25 U		0.093				88	20		3.2	147	0.11	2 U	17
7/14/2021	XX	GW206AE22	0.25 U	0.1 U	0.34		0.5 U	66		23		2.4	127	0.1	2 U	5
10/4/2021	XX	GW206AE6E	0.32		0.58				81	23		3.2	149	0.1 U	2 U	2.5 U
PWS10-1																
4/23/2012	XX	GWPWS151B					0.5 U		63	8.4	0.04 U	6.3	132		10.5	8
7/23/2012	XX	GWPWS156A					0.5 U		41	3.5	0.16	2 U	104		13.7	32
10/22/2012	XX	GWPWS15D1					0.5 U		48	8.2	0.09	2.7	130		13.3	25
4/22/2013	XX	GWPWS15HC					0.5 U		113	16.4	0.06	3.1	177	0.1	4.5	4 U
7/29/2013	XX	GWPWS163H							82	8.9	0.32	2 U	148	0.1 U	12.6	95
10/28/2013	XX	GWPWS166A							45	7	0.06	2.5	90	0.1 U	9.8	25
4/21/2014	XX	GWPWS16ED							130	22.9	0.16	2.2	197	0.1 U	8.4	34
7/28/2014	XX	GWPWS16J0							106	7.5	0.37	2 U	171	0.12	13.8	4 U
10/20/2014	XX	GWPWS172A							21	8.8	0.04 U	3.3	87	0.1 U	17.4	4 U
4/27/2015	XX	GWPWS1788			0.5 U				109	19.4	0.04 U	4.3	182	0.1 U	5.5	4 U
7/13/2015	XX	GWPWS17C0			2 U				76	8.4	0.52	2 U	156	0.1 U	12.5	156
10/26/2015	XX	GWPWS17H9			0.5 U				31	8.7	0.06	2.4	89	0.1 U	10.3	8
4/4/2016	XX	GWPWS185J			0.05 U				102	14.7	0.04	2.5	166	0.1 U	5.6	166
7/25/2016	XX	GWPWS18A9			0.05 U				50	3.1	0.19	2 U	122	0.2 U	13.8	21
10/24/2016	XX	GWPWS18I8			0.05 U				125	7.9	0.07	3.3	195	0.2 U	7.5	19
4/17/2017	XX	GWPWS196E			0.05 U				35	11	0.04 U	4	97	0.2 U	7.6	2.5 U
7/24/2017	XX	GWPWS19CC			0.05 U				130	7.3	0.04	3.4	150	0.2 U	5	110
10/25/2017	XX	GWPWS19G7			0.05 U				72	5.4	0.14	8.5	156	0.1 U	5.4	17
4/2/2018	XX	GWPWS1A25			0.27				56	8.2	0.04 U	4.5	106	0.1 U	3.8	2.5 U
7/16/2018	XX	GWPWS1AB7			0.076				77	5.1	0.13	2 U	132	0.1 U	12	16
10/1/2018	XX	GWPWS1B05			0.062				40	6	0.06	15	100	0.1 U	10	9.7
4/22/2019	XX	GWPWS1B51			0.14				67	8.7	0.04 U	6.4	141	0.1 U	10	16
7/15/2019	XX	GWPWS1BBE			0.16				38	8.4	0.08	2 U	105	0.1 U	21	24
10/28/2019	XX	GWPWS1BH7			0.057				69	8.7	0.04 U	9.9	134	0.1 U	9.4	11
4/27/2020	XX	GWPWS1CCE			0.073				99	13	0.04 U	8.9	180	0.1 U	8.6	11
7/20/2020	XX	GWPWS1CH7			0.05 U				81	12	0.09	2 U	191	0.1 U	30	14
10/26/2020	XX	GWPWS1D2B			0.05 U				95	9.6	0.04	9	172	0.1 U	28 M10	21
4/5/2021	XX	GWPWS1DBD			0.05 U				89	9.2	0.22	2.9	176	0.11	24	75
7/12/2021	XX	GWPWS1DJ5			0.05 U				27	2.4	0.1	8.2	104	0.1 U	35	12
10/4/2021	XX	GWPWS1E5D			0.05 U				120	7.2	0.18	3	192	0.1 U	35	81
PWS10-2																
4/23/2012	XX	GWPWS251C					0.5 U		10.6	8.3	0.04 U	7.7	79		11.5	4 U
7/23/2012	XX	GWPWS256B					0.5 U		35	3.2	0.05	2 U	90		13	4 U
10/22/2012	XX	GWPWS25D2					0.5 U		9.3	4.4	0.04 U	8.4	75		10.2	4
4/22/2013	XX	GWPWS25HD					0.5 U		30	8.4	0.04 U	3.8	82	0.1 U	6.4	5
7/29/2013	XX	GWPWS263I							28	19.8	0.05	2 U	111	0.1 U	11.8	62
10/28/2013	XX	GWPWS266B							28	5.1	0.1	4.3	78	0.1 U	5.5	43
4/21/2014	XX	GWPWS26EE							36	8.4	0.05	2.5	38	0.1 U	4.7	34
7/28/2014	XX	GWPWS26J1							55	8.3	0.04	2 U	119	0.1 U	10.4	7

SUMMARY REPORT

Inorganics

(PWS10-2)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/20/2014	XX	GWPWS272B							38	9.8	0.05	8.8	113	0.1 U	13.6	4 U
4/27/2015	XX	GWPWS2789			0.5 U				39	5.8	0.05	2.5	91	0.1 U	9.9	6
7/13/2015	XX	GWPWS27C1			2 U				31	6.4	0.09	2.2	94	0.1 U	11.9	327
10/26/2015	XX	GWPWS27HA			0.5 U				27	5	0.04 U	5.2	62	0.1 U	2.6	4 U
4/4/2016	XX	GWPWS2860			0.08				38	8.5	0.08	6.3	81	0.1 U	4	12
7/25/2016	XX	GWPWS28AA			0.05 U				47	3	0.06	2 U	103	0.2 U	12.6	4 U
10/24/2016	XX	GWPWS28I9			0.05				35	5.4	0.22	7.4	89	0.2 U	9	82
4/17/2017	XX	GWPWS296F			0.08				37	4.9	0.04 U	3.1	81	0.2 U	7	7
7/24/2017	XX	GWPWS29CD			0.05 U				64	5.4	0.04 U	4	87	0.2 U	7.4	5
10/24/2017	XX	GWPWS29G8			D				D	D	D	D	D	D	D	D
4/2/2018	XX	GWPWS2A26			0.17				24	3.2	0.06	2.6	56	0.1 U	2.8	44
7/16/2018	XX	GWPWS2AB8			0.05				53	3.9	0.04	3	98	0.1 U	11	2.5 U
10/1/2018	XX	GWPWS2B06			0.087				38	4.2	0.04	9.7	86	0.1 U	8.3	3.7
4/22/2019	XX	GWPWS2B52			0.05 U				13	8.3	0.04 U	12	79	0.1 U	7.5	2.5 U
7/15/2019	XX	GWPWS2BBF			0.11				34	8.5	0.06	2 U	106	0.1 U	24	4
10/28/2019	XX	GWPWS2BH8			0.064				14	6.8	0.04	15	76	0.1 U	6.4	19
4/27/2020	XX	GWPWS2CCF			0.099				21	17	0.04	19	107	0.1 U	6.2	44
7/20/2020	XX	GWPWS2CH8			0.05 U				42	13	0.06	8.6	99	0.1 U	13	2.5 U
10/26/2020	XX	GWPWS2D2C			0.05 U				29	8.6	0.05	12	101	0.1 U	19 M10	20
4/5/2021	XX	GWPWS2DBE			0.05 U				16	8.3	0.08	7.8	74	0.1 U	7.5	34
7/12/2021	XX	GWPWS2DJ6			0.05 U				22	2.8	0.06	2 U	80	0.1 U	26	5
10/4/2021	XX	GWPWS2ESE			0.05 U				21	6.2	0.05	3	103	0.1 U	23	31
PWS10-3																
4/23/2012	XX	GWPWS351D					0.5 U		16.4	4.5	0.06	6.3	66		7.5	60
7/23/2012	XX	GWPWS356C					0.5 U		26	3	0.07	2 U	89		13.8	18
10/22/2012	XX	GWPWS35D3					0.5 U		11.8	2.6	0.06	2 U	83		19	15
4/22/2013	XX	GWPWS35HE					0.5 U		21	4.1	0.08	2	72	0.1 U	11	8
7/29/2013	XX	GWPWS363J							56	5.4	0.5	2 U	141	0.1 U	21.6	39
10/28/2013	XX	GWPWS366C							22	6.2	0.08	2 U	73	0.1 U	11.9	29
4/21/2014	XX	GWPWS36EF							35	6.3	0.2	5	107	0.1 U	17	489
7/28/2014	XX	GWPWS36J2							32	5.2	0.27	2 U	92	0.1 U	14.8	57
10/20/2014	XX	GWPWS372D							24	8.9	0.06	2.5	89	0.1 U	18.4	19
4/27/2015	XX	GWPWS378A			0.5 U				10.4	5.3	0.09	7.4	68	0.1 U	8.7	58
7/13/2015	XX	GWPWS37C2			2 U				26	6.6	0.11	2 U	87	0.1 U	11.9	14
10/26/2015	XX	GWPWS37HB			0.5 U				25	2.4	0.05	10.2	91	0.1 U	12.3	9
4/4/2016	XX	GWPWS3861			0.05 U				68	3.2	0.04	4.6	98	0.1 U	2 U	14
7/25/2016	XX	GWPWS38AB			D				D	D	D	D	D	D	D	D
10/24/2016	XX	GWPWS38IA			1.5				7.9	4	0.04 U	47.3	135	0.2 U	13.3	4 U
4/17/2017	XX	GWPWS396G			0.05 U				21	3.3	0.06	4.6	91	0.2 U	16	17
7/24/2017	XX	GWPWS39CE			0.05 U				62	4.6	0.11	2 U	120	0.2 U	20	17
10/24/2017	XX	GWPWS39G9			D				D	D	D	D	D	D	D	D
4/2/2018	XX	GWPWS3A27			0.23				5.8	4.5	0.04 U	4.1	48	0.1 U	6.6	4
7/16/2018	XX	GWPWS3AB9			D				D	D	D	D	D	D	D	D
10/1/2018	XX	GWPWS3B07			0.062				11	8.6	0.04	20	98	0.1 U	12	11
4/22/2019	XX	GWPWS3B53			0.05 U				12	15	0.04 U	2.3	82	0.1 U	13	3.3
7/15/2019	XX	GWPWS3BBG			0.062				26	8.9	0.14	2 U	82	0.1 U	27	18
10/28/2019	XX	GWPWS3BH9			0.15				11	1 U	0.04 U	2 U	29	0.1 U	2 U	11
4/27/2020	XX	GWPWS3CCG			0.14				22	1	0.04 U	2	61	0.1 U	11	2.5 U
7/20/2020	XX	GWPWS3CH9			0.092				51	1.8	0.15	2 U	129	0.1 U	30	11

SUMMARY REPORT

Inorganics

(PWS10-3)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/26/2020	XX	GWPWS3D2D			0.054				25	7.8	0.1	3.9	106	0.1 U	34 M10	53
4/5/2021	XX	GWPWS3DBF			0.05 U				51	2.1	0.08	2 U	114	0.1 U	11	92
7/12/2021	XX	GWPWS3DJ7			0.05 U				30	1.8	0.06	2.1	97	0.1 U	41	47
10/4/2021	XX	GWPWS3E5F			0.05 U				28	5.7	0.09	2 U	115	0.1 U	29	48
SW-1																
4/24/2012	XX	SWXX1X518				5 U	0.5 U		13.9	9.3	0.04 U	3.6	65		10.8	4 U
7/24/2012	XX	SWXX1X567				4 U	0.5 U		40	3.8	0.11	2 U	89		13.8	15
10/23/2012	XX	SWXX1X5CI				2 U	0.5 U		35	6	0.04 U	5.6	104		9.6	13
4/23/2013	XX	SWXX1X5H9				4 U	0.5 U		15.3	12.7	0.04 U	3.1	60	0.1 U	7.4	4 U
7/30/2013	XX	SWXX1X63E				3 U			34	5.1	0.05	2 U	81	0.1 U	16.8	41
10/29/2013	XX	SWXX1X667				1 U			30	6.2	0.04 U	2.2	73	0.1 U	10.1	4 U
4/22/2014	XX	SWXX1X6EA				2 U			41	27.6	0.04	6.2	98	0.1 U	5.7	4 U
7/29/2014	XX	SWXX1X6IH				3 U			27	5.1	0.04 U	2 U	80	0.1 U	14.6	4 U
10/21/2014	XX	SWXX1X727				2 U			20	8.4	0.04 U	2.8	97	0.1 U	16.5	15
4/28/2015	XX	SWXX1X785			0.5 U	3 U			21	18	0.04 U	3.1	79	0.1 U	7.3	4 U
7/14/2015	XX	SWXX1X7BH			2 U	3 U			37	5.7	0.06	1.6 J	80	0.1 U	11.1	9
10/27/2015	XX	SWXX1X7H6			0.5 U	3 U			28	9	0.04 U	2.6	76	0.1 U	10.4	4 U
4/5/2016	XX	SWXX1X85G			0.05 U	3 U			21	16.3	0.04 U	3.4	69	0.1 U	6.1	4 U
7/26/2016	XX	SWXX1X8A6			0.05 U	4			83	4.1	0.95	2.2	135	0.2 U	12.9	377
10/25/2016	XX	SWXX1X8I5			0.05	3 U			15.5	11	0.04	6.6	126	0.2 U	17.3	4
4/18/2017	XX	SWXX1X96B			0.05	3 U			13	9.8	0.04 U	2 U	60	0.2 U	8.9	2.5 U
7/25/2017	XX	SWXX1X9C9			0.06	4			110	6.4	0.17	6.8	169	0.2 U	6.7	35
10/25/2017	XX	SWXX1X9G4			0.12	5			27	13	0.09	13	139	0.1 U	16	14
4/3/2018	XX	SWXX1XA22			0.25	2			45	11	0.04 U	3.5	92	0.1 U	4.5	2.5 U
7/17/2018	XX	SWXX1XAB4			0.063	6			100	5	0.17	2.2	151	0.1 U	10	640
10/2/2018	XX	SWXX1XB02			0.05 U	1 U			44	6.3	0.04	15	105	0.1 U	9.7	49
4/23/2019	XX	SWXX1XB4I			0.15	1 U			48	7.3	0.16	5.3	97	0.1 U	8.2	2.5 U
7/16/2019	XX	SWXX1XB5B			0.05 U	5			33	9.4	0.08	8.8	118	0.1 U	21	30
10/29/2019	XX	SWXX1XBH4			0.12	4			100	9.7	0.04 U	10	142	0.1 U	5	16
4/28/2020	XX	SWXX1XCCB			0.18	3			90	13	0.04	11	144	0.1 U	5.4	2.5 U
7/21/2020	XX	SWXX1XCH4			0.05 U	4			55	12	0.09	2 U	138	0.13	18	13
10/27/2020	XX	SWXX1XD28			0.064	9			85	17	0.11	15	196	0.1 U	49 M10	46
4/6/2021	XX	SWXX1XDBA			0.05 U	2 U			72	7.6	0.11	4.8	139	0.1 U	14	35
7/13/2021	XX	SWXX1XDJ2			0.081	5			40	2.2	0.14	2 U	93	0.1 U	20	15
10/5/2021	XX	SWXX1XE5A			0.05 U	20			170	8.3	0.17	5.9	235	0.13	17	170
SW-2																
4/24/2012	XX	SWXX2X519				5 U	0.5 U		15.1	21.6	0.04 U	2.6	89		12	4 U
4/24/2012	XD	SWDP2X51E				5 U	0.5 U		15.4	21.6	0.04 U	2.6	90		11.7	4 U
7/24/2012	XX	SWXX2X568				4 U	0.5 U		17.6	3.3	0.08	2 U	71		18	17
10/23/2012	XX	SWXX2X5CJ				2 U	0.5 U		13	4.2	0.04 U	3	72		10.7	4 U
10/23/2012	XD	SWDP2X5D4				2 U	0.5 U		13.8	4	0.04 U	3	72		10.9	4 U
4/23/2013	XX	SWXX2X5HA				4 U	0.5 U		13	13.6	0.04 U	2 U	66	0.1 U	7.6	4 U
4/23/2013	XD	SWDP2X5HF				4 U	0.5 U		12.8	14.2	0.04 U	2 U	62	0.1 U	7.8	4 U
7/30/2013	XX	SWXX2X63F				3 U			25	4.5	0.04 U	2 U	74	0.1 U	24.1	4
10/29/2013	XX	SWXX2X668				1 U			22	6.6	0.04 U	2 U	65	0.1 U	11.8	4 U
10/29/2013	XD	SWDP2X66D				1 U			21	6.6	0.04	2 U	68	0.1 U	11.9	6
4/22/2014	XX	SWXX2X6EB				2 U			13.6	16.1	0.04 U	2.6	56	0.1 U	6.6	4 U
4/22/2014	XD	SWDP2X6EG				2 U			13.4	16.4	0.04 U	2.7	58	0.1 U	6.5	4 U

SUMMARY REPORT

Inorganics

(SW-2)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/29/2014	XX	SWXX2X61I				5			26	5.3	0.1	2 U	76	0.1 U	15.1	42
10/21/2014	XX	SWXX2X728				2 U			13.7	9	0.04 U	2.2	95	0.1 U	17.6	4 U
10/21/2014	XD	SWDP2X72E				2 U			14.1	9	0.04 U	2.4	95	0.1 U	17.9	4 U
4/28/2015	XX	SWXX2X786			0.5 U	3 U			12	17.6	0.04 U	2.3	77	0.1 U	7.9	4 U
4/28/2015	XD	SWDP2X78B			0.5 U	3 U			11.9	19.3	0.04 U	3.4	76	0.1 U	7.8	4 U
7/14/2015	XX	SWXX2X7B1			2 U	3			27	6	0.04	2 U	73	0.1 U	12.4	19
10/27/2015	XX	SWXX2X7H7			0.5 U	3 U			16.2	9.2	0.04 U	2 U	71	0.1 U	14.1	30
10/27/2015	XD	SWDP2X7HC			0.5 U	3 U			16.1	9.3	0.04 U	2	74	0.1 U	12.3	4 U
4/5/2016	XD	SWDP2X862			0.05 U	3 U			15.7	16.4	0.04 U	3.1	62	0.1 U	6.3	4 U
4/5/2016	XX	SWXX2X85H			0.05 U	3 U			16.7	17.5	0.04 U	2.8	71	0.1 U	6.3	4 U
7/26/2016	XX	SWXX2X8A7			0.05 U	3			34	2.1	0.05	2 U	92	0.2 U	17.7	15
10/25/2016	XD	SWDP2X81B			0.05 U	3 U			14.6	11.8	0.04	4.1	121	0.2 U	18.5	4 U
10/25/2016	XX	SWXX2X816			0.05 U	3 U			14.5	11.7	0.04	3.8	131	0.2 U	20.6	4 U
4/18/2017	XD	SWDP2X96H			0.05 U	3 U			12	7.2	0.04 U	2.5	61	0.2 U	8.7	2.5 U
4/18/2017	XX	SWXX2X96C			0.05 U	3 U			12	6.8	0.04 U	2.2	63	0.2 U	9.4	2.5 U
7/25/2017	XX	SWXX2X9CA			0.06	2 U			46	3.4	0.09	3.2	93	0.2 U	8.9	9
10/25/2017	XD	SWDP2X9GA			0.11	5			22	13	0.11	3.8	107	0.1 U	14	10
10/25/2017	XX	SWXX2X9G5			0.16	4			21	13	0.1	3.5	114	0.1 U	14	4.7
4/3/2018	XD	SWDP2XA28			0.076	1 U			7.9	6.4	0.04 U	2 U	54	0.1 U	6.9	2.5 U
4/3/2018	XX	SWXX2XA23			0.084	1 U			8.6	6.8	0.04 U	2 U	67	0.1 U	7.2	2.5 U
7/17/2018	XX	SWXX2XAB5			0.05 U	42			40	4.6	0.43	2.3	103	0.1 U	18	76
10/2/2018	XD	SWDP2XB08			0.05 U	8			21	10	0.11	9.8	96	0.1 U	16	42
10/2/2018	XX	SWXX2XB03			0.065	7			25	9.8	0.09	9.2	94	0.1 U	16	16
4/23/2019	XD	SWDP2XB54			0.05 U	1 U			13	16	0.04 U	2.1	77	0.1 U	13	2.5 U
4/23/2019	XX	SWXX2XB4J			0.05 U	1 U			13	16	0.04 U	2 U	73	0.1 U	13	2.5 U
7/16/2019	XD	SWDP2XBBH			0.05 U	3			23	12	0.06	2 U	107	0.1 U	24	19
7/16/2019	XX	SWXX2XBBC			0.05 U	3			23	12	0.05	2 U	93	0.1 U	30	22
10/29/2019	XD	SWDP2XBHA			0.05 U	1 U			14	9.5	0.04 U	2 U	117	0.1 U	30	2.5 U
10/29/2019	XX	SWXX2XBH5			0.05 U	1 U			13	9.3	0.04 U	2 U	66	0.1 U	13	2.5 U
4/28/2020	XD	SWDP2XCCH			0.089	2 U			15	12	0.04 U	3.1	62	0.1 U	7.1	2.5 U
4/28/2020	XX	SWXX2XCCE			0.084	2 U			14	12	0.04 U	2.8	61	0.1 U	7.2	2.5 U
7/21/2020	XD	SWDP2XCHA			0.05 U	2			33	4.5	0.12	2 U	100	0.1 U	21	3.7
7/21/2020	XX	SWXX2XCH5			0.05 U	2			33	4.3	0.04	2 U	113	0.1 U	21	2.5 U
10/27/2020	XD	SWDP2XD2E			0.05 U	1			13	9.8	0.04 U	4.4	84	0.1 U	28 M10	2.5 U
10/27/2020	XX	SWXX2XD29			0.05 U	1 U			13	9.8	0.04 U	4.3	87	0.1 U	28 M10	2.5 U
4/6/2021	XD	SWDP2XDBG			0.05 U	2 U			20	13	0.04 U	2.6	74	0.1 U	7.9	2.5 U
4/6/2021	XX	SWXX2XDBB			0.05 U	2 U			16	13	0.04 U	2.8	77	0.1 U	8.1	2.5 U
7/13/2021	XD	SWDP2XDJ8			0.093	4			24	5.6	0.07	2 U	101	0.1 U	24	2.5
7/13/2021	XX	SWXX2XDJ3			0.05 U	2			24	6	0.06	2 U	104	0.1 U	25	2.5
10/5/2021	XD	SWDP2XE5G			0.05 U	2 U			16	6.6	0.04 U	2 U	92	0.1 U	21	10
10/5/2021	XX	SWXX2XE5B			0.05 U	2 U			15	6.8	0.04 U	2 U	97	0.1 U	21	2.5 U
SW-3																
4/24/2012	XX	SWXX3X51A				5 U	0.5 U		10.9	4.6	0.04 U	3.5	58		11.3	4 U
7/24/2012	XX	SWXX3X569				4 U	0.5 U		33	2	0.05	2 U	79		11.1	4
7/24/2012	XD	SWDP2X56D				4 U	0.5 U		33	1.9	0.05	2 U	76		11	4 U
10/23/2012	XX	SWXX3X5D0				2 U	0.5 U		13.6	3.8	0.04 U	2.3	74		12.1	4 U
4/23/2013	XX	SWXX3X5HB				4 U	0.5 U		14.8	9.8	0.04 U	3.1	56	0.1 U	7	4 U
7/30/2013	XX	SWXX3X63G				3 U			28	5.2	0.04 U	2.4	67	0.1 U	13.7	5
7/30/2013	XD	SWDP2X640				3 U			28	5.1	0.04 U	2.3	72	0.1 U	13.7	4 U

SUMMARY REPORT

Inorganics

(SW-3)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/29/2013	XX	SWXX3X669				1 U			29	7.7	0.04 U	2.7	74	0.1 U	7.8	4 U
4/22/2014	XX	SWXX3X6EC				2 U			12	13.8	0.04 U	3.3	53	0.1 U	6.4	4 U
7/29/2014	XX	SWXX3X6IJ				3 U			27	5.3	0.04 U	2 U	75	0.1 U	10	4 U
7/29/2014	XD	SWDP2X6J3				3 U			25	5.1	0.04 U	2 U	76	0.1 U	10.1	4 U
10/21/2014	XX	SWXX3X729				2 U			15.1	7	0.04 U	5.7	90	0.1 U	15.4	4 U
4/28/2015	XX	SWXX3X787			0.5 U	3 U			12.6	13.5	0.04 U	3.1	68	0.1 U	7.1	4 U
7/14/2015	XX	SWXX3X7BJ			2 U	3 U			29	6.1	0.04 U	2.3	69	0.1 U	9.7	4 U
7/14/2015	XD	SWDP2X7C3			2 U	3 U			28	6.1	0.04 U	2.2	69	0.1 U	9.7	4 U
10/27/2015	XX	SWXX3X7H8			0.5 U	3 U			23	9.1	0.04 U	3	85	0.1 U	9.1	4 U
4/5/2016	XX	SWXX3X85I			0.06	3 U			16.8	12.3	0.04 U	3.6	60	0.1 U	6.4	4 U
7/26/2016	XD	SWDP2X8AC			0.05 U	3 U			37	4.9	0.05	2.1	85	0.2 U	12.8	4 U
7/26/2016	XX	SWXX3X8A8			0.05 U	3 U			36	4.9	0.05	2.1	85	0.2 U	12.9	4 U
10/25/2016	XX	SWXX3X8I7			0.05 U	3 U			15.6	8.7	0.04 U	10.8	104	0.2 U	12.5	4 U
4/18/2017	XX	SWXX3X96D			0.05 U	3 U			12	4.3	0.04 U	4.2	55	0.2 U	8.4	2.5 U
7/25/2017	XD	SWDP2X9CF			0.06	2 U			43	11	0.04	2.6	101	0.2 U	8.5	4.3
7/25/2017	XX	SWXX3X9CB			0.05	2 U			43	11	0.04	2.6	100	0.2 U	9.6	2.5 U
10/25/2017	XX	SWXX3X9G6			0.22	7			22	20	0.06	11	139	0.1 U	15	2.5 U
4/3/2018	XX	SWXX3XA24			0.26	1 U			11	14	0.04 U	2 U	79	0.1 U	6.8	2.5 U
7/17/2018	XD	SWDP2XABA			0.07	3			41	11	0.09	2.5	85	0.1 U	13	25
7/17/2018	XX	SWXX3XAB6			0.074	3			40	10	0.09	2.6	91	0.1 U	12	17
10/2/2018	XX	SWXX3XB04			0.05 U	1 U			23	5.2	0.04 U	14	69	0.1 U	9	2.5 U
4/23/2019	XX	SWXX3XB50			0.05 U	1 U			11	10	0.04 U	2.7	63	0.1 U	11	2.5 U
7/16/2019	XX	SWXX3XBB6			0.05 U	2 U			31	7.3	0.05	2 U	93	0.1 U	19	2.5 U
10/29/2019	XX	SWXX3XBH6			0.05 U	1 U			11	5.9	0.04 U	2.5	66	0.1 U	14	2.5 U
4/28/2020	XX	SWXX3XCCD			0.1	2 U			13	9.9	0.04 U	3	56	0.1 U	8.1	2.5 U
7/21/2020	XX	SWXX3XCH6			0.05 U	1			31	12	0.04 U	2 U	108	0.1 U	12	2.5 U
10/27/2020	XX	SWXX3XD2A			0.065	1 U			26	18	0.04 U	6.4	73	0.11	17 M10	2.5 U
4/6/2021	XX	SWXX3XD8C			0.05 U	2 U			12	8.9	0.04 U	3	61	0.1 U	7.8	2.5 U
7/13/2021	XX	SWXX3XDJ4			0.05 U	2			23	4.5	0.04	2 U	72	0.1 U	14	3.3
10/5/2021	XX	SWXX3XE5C			0.077	2 U			20	6	0.04 U	2 U	94	0.1 U	18	2.5 U
SW-DP1																
4/24/2012	XX	SWDP1X51G					0.5 U		28	4.1	0.1	11.2	90		2.4	65
7/24/2012	XX	SWDP1X56F					0.5 U		63	4.1	0.14	8.1	97		3.3	6
10/23/2012	XX	SWDP1X5D6					0.5 U		23	3	0.08	5.5	90		2.2	46
4/23/2013	XX	SWDP1X5HH					0.5 U		57	15.2	0.06	27.4	118	0.13	2 U	12
7/30/2013	XX	SWDP1X642							27	4.4	0.04 U	7.2	55	0.1 U	2.6	4 U
10/29/2013	XX	SWDP1X66F							69	5.5	0.04	9.1	90	0.1 U	2.8	12
4/22/2014	XX	SWDP1X6EI							32	5.4	0.05	5.3	58	0.1 U	2 U	10
7/29/2014	XX	SWDP1X6J5							16.2	1.8	0.07	2.3	44	0.1 U	2.4	6
10/21/2014	XX	SWDP1X72G							17	1.9	0.04 U	4.9	47	0.1 U	2.2	4 U
4/28/2015	XX	SWDP1X78D			0.5 U				35	8.3	0.05	7.4	75	0.1 U	2 U	11
7/14/2015	XX	SWDP1X7C5			2 U				46	3.1	0.04 U	4.1	68	0.1 U	2.8	4 U
10/27/2015	XX	SWDP1X7HE			0.5 U				25	5.3	0.04 U	5	56	0.1 U	2 U	4
4/5/2016	XX	SWDP1X864			0.05 U				32	6.7	0.05	8.1	67	0.1 U	2 U	11
7/26/2016	XX	SWDP1X8AE			0.05 U				45	3.9	0.04 U	7.2	78	0.2 U	3.8	4 U
10/25/2016	XX	SWDP1X8ID			0.05 U				24	2.1	0.04 U	8.6	72	0.2 U	2.7	8
4/18/2017	XX	SWDP1X96J			0.05 U				32	7.4	0.04 U	7	55	0.2 U	2.1	2.5 U
7/25/2017	XX	SWDP1X9CH			0.09				57	6.6	0.04	5.4	94	0.2 U	3.7	11
10/23/2017	XX	SWDP1X9GC			0.05 U				39	3.9	0.04 U	6.8	93	0.1 U	2.9	2.5 U

REPORT PREPARED: 4/11/2022 07:03
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Inorganics

Page 29 of 31
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(SW-DP1)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/3/2018	XX	SWDP1XA2B			0.21				7.2	1.9	0.04 U	2.6	52	0.1 U	2 U	6
7/17/2018	XX	SWDP1XABC			0.055				30	1.4	0.05	4.6	61	0.1 U	3.4	18
10/2/2018	XX	SWDP1XB0A			0.05 U				25	1.9	0.04 U	7	49	0.1 U	2.4	3.7
4/23/2019	XX	SWDP1XB57			0.15				21	3.2	0.04 U	21	69	0.1 U	2 U	3.7
7/16/2019	XX	SWDP1XBBJ			0.05 U				23	1.5	0.04 U	12	60	0.1 U	2.3	2.5 U
10/29/2019	XX	SWDP1XBHC			0.23				42	2.2	0.06	9.4	84	0.1 U	3.6	16
4/28/2020	XX	SWDP1XCCJ			0.55				59	79	0.04	22	251	1.1	5.4	8
7/21/2020	XX	SWDP1XCHC			0.05 U				83	12	0.12	22	164	0.22	5.8	31
10/27/2020	XX	SWDP1XD2G			0.051				52	6.3	0.12	23	114	0.1 U	12 M10	25
4/6/2021	XX	SWDP1XDBI			0.15				23	2.5	0.2	12	191	0.1 U	2 U	18
7/13/2021	XX	SWDP1XDJA			0.07				41	1.3	0.24	7.9	185	0.1 U	3.6	29
10/5/2021	XX	SWDP1XE5I			0.05 U				42	1 U	0.06	5.3	83	0.1 U	2 U	11

SW-DP5																	
4/23/2013	XX	SWDP5X60I						0.5 U		37	10.7	0.06	32.1	110	0.1 U	2 U	7
7/30/2013	XX	SWDP5X65H								9	2.3	0.05	12.3	71	0.1 U	4.8	5
10/29/2013	XX	SWDP5X686								D	D	D	D	D	D	D	D
4/22/2014	XX	SWDP5X6GD								29	20.9	0.07	38	110	0.1 U	3.1	15
7/29/2014	XX	SWDP5X70F								26	3.9	0.1	7.5	81	0.1 U	2.9	29
10/21/2014	XX	SWDP5X743								23	4.1	0.05	22.9	90	0.1 U	2 U	9
4/28/2015	XX	SWDP5X7A3			0.5 U					31	20.1	0.05	38.1	137	0.1 U	2 U	12
7/14/2015	XX	SWDP5X7DF			2 U					50	8	0.04	14.4	107	0.1 U	3.8	9
10/27/2015	XX	SWDP5X7J2			D					D	D	D	D	D	D	D	D
7/26/2016	XX	SWDP5X8C4			D					D	D	D	D	D	D	D	D
10/25/2016	XX	SWDP5X902			I					I	I	I	I	I	I	I	I
4/18/2017	XX	SWDP5X989			D					D	D	D	D	D	D	D	D
7/25/2017	XX	SWDP5X9E6			0.05					57	4.7	0.06	24	127	0.2 U	5.6	7
10/24/2017	XX	SWDP5X9I1			D					D	D	D	D	D	D	D	D
4/3/2018	XX	SWDP5XA41			0.27					15	1.6	0.04	2.5	47	0.1 U	2 U	7.3
7/17/2018	XX	SWDP5XAD1			D					D	D	D	D	D	D	D	D
10/2/2018	XX	SWDP5XB1J			D					D	D	D	D	D	D	D	D
4/23/2019	XX	SWDP5XB6H			0.3					26	4.5	0.07	30	103	0.1 U	2	50
7/16/2019	XX	SWDP5XBD8			0.063					32	2.4	0.04 U	14	74	0.1 U	3	2.5 U
10/29/2019	XX	SWDP5XBJ0			0.065					23	2.3	0.06	26	80	0.1 U	2 U	21
4/28/2020	XX	SWDP5XCE8			0.14					33	6.8	0.04	36	101	0.1 U	2.5	14
7/21/2020	XX	SWDP5XCJ1			0.05 U					47	2.3	0.05	22	126	0.1 U	3.6	5
10/27/2020	XX	SWDP5XD44			0.089					30	1.9	0.08	14	69	0.1 U	6.7 M10	14
4/6/2021	XX	SWDP5XDD7			0.17					26	4.3	0.23	11	111	0.1 U	2.5	97
7/13/2021	XX	SWDP5XE0J			0.05 U					18	1 U	0.1	4.7	91	0.1 U	6.8	26
10/5/2021	XX	SWDP5XE75			0.05 U					23	1.4	0.07	8.8	66	0.1 U	2.5	53

SW-DP6																	
4/24/2012	XX	SWDP6X51H						0.5 U		16.8	10.3	0.04 U	21.3	91		4.4	5
7/24/2012	XX	SWDP6X56G						0.5 U		30	1.1	0.14	5.5	81		8.7	16
10/23/2012	XX	SWDP6X5D7						0.5 U		22	3.5	0.07	3.9	89		4.6	11
4/23/2013	XX	SWDP6X5HI						0.5 U		7.8	7	0.07	10.7	60	0.1 U	4.4	35
7/30/2013	XX	SWDP6X643								13.1	4.6	0.04 U	20.4	73	0.1 U	4.9	4
10/29/2013	XX	SWDP6X66G								12.6	4.9	0.04	23.2	71	0.1 U	3.8	4 U
4/22/2014	XX	SWDP6X6EJ								13.1	17.8	0.1	21.8	70	0.1 U	4.3	6
7/29/2014	XX	SWDP6X6J6								18.3	4.7	0.04 U	4.5	65	0.1 U	6.9	4 U

REPORT PREPARED: 4/11/2022 07:03
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Inorganics

Page 30 of 31
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(SW-DP6)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/21/2014	XX	SWDP6X72H							13.7	3.6	0.04 U	12.9	62	0.1 U	4.7	4 U
4/28/2015	XX	SWDP6X78E			0.5 U				21	7.2	0.05	17.4	81	0.1 U	3.4	4
7/14/2015	XX	SWDP6X7C6			2 U				28	5.6	0.12	13.5	131	0.1 U	5.7	43
10/27/2015	XX	SWDP6X7HF			0.5 U				22	2.7	0.04 U	10.3	58	0.1 U	4	4 U
4/5/2016	XX	SWDP6X865			0.05 U				12.7	6.9	0.04 U	15	61	0.1 U	3.2	4 U
7/26/2016	XX	SWDP6X8AF			0.05 U				28	2.8	0.04 U	29.8	92	0.2 U	5.7	4 U
10/25/2016	XX	SWDP6X8IE			0.1				22	2	0.07	18.8	104	0.2 U	3.8	29
4/18/2017	XX	SWDP6X970			0.05 U				9.6	9.7	0.04 U	2 U	46	0.2 U	3.5	4
7/25/2017	XX	SWDP6X9CI			0.06				16	9.1	0.05	10	87	0.2 U	6.7	6
10/23/2017	XX	SWDP6X9GD			0.05 U				10	9.2	0.04 U	21	88	0.1 U	4.5	3.3
4/3/2018	XX	SWDP6XA2C			0.12				11	3.6	0.04	9.7	44	0.1 U	2.1	31
7/17/2018	XX	SWDP6XABD			0.05 U				18	7.9	0.05	32	94	0.1 U	6.6	9.7
10/2/2018	XX	SWDP6XB0B			0.05 U				6	4.6	0.04 U	40	58	0.1 U	4.7	2.5 U
4/23/2019	XX	SWDP6XB58			0.05 U				12	6.7	0.06	12	57	0.1 U	4.2	9.3
7/16/2019	XX	SWDP6XBC0			0.056				14	4.6	0.04 U	8.7	59	0.1 U	6.5	3.7
10/29/2019	XX	SWDP6XBHD			0.05 U				6.3	1.7	0.04 U	12	43	0.1 U	4.6	5
4/28/2020	XX	SWDP6XCD0			0.056				8.4	4.3	0.05	10	38	0.1 U	3.3	6.7
7/21/2020	XX	SWDP6XCHD			0.05 U				13	2.3	0.04	16	83	0.1 U	6.1	8
10/27/2020	XX	SWDP6XD2H			0.058				14	1.8	0.06	24	65	0.1 U	5.8 M10	13
4/6/2021	XX	SWDP6XDBJ			0.05 U				10	2.2	0.04	7.2	52	0.1 U	3.5	6.5
7/13/2021	XX	SWDP6XDJB			0.05 U				12	1 U	0.09	4.5	60	0.1 U	6.2	9
10/5/2021	XX	SWDP6XE5J			0.05 U				15	5.8	0.04	6.6	63	0.1 U	4.7	4.3

OFFICE WELL

4/6/2016	XX	DWOFFX87J	0.5 U		0.2				93	19.5		16.4	174	0.5 U	2 U	4 U
4/19/2017	XX	DWOFFX98D	0.5 U		0.43				110	23		14	197	0.5 U	2 U	2.5 U
4/4/2018	XX	DWOFFXA45	0.25 U		0.57				120	23		43	221	0.1 U	2 U	2.7
4/22/2019	XX	DWOFFXB71	0.25 U		0.42				110	29		19	230	0.1 U	2 U	2.5 U
7/15/2019	XX	DWOFFXBDB	0.25 U		0.65				120	30		18	218	0.1 U	2 U	2.5 U

SCALE HOUSE WELL

4/6/2016	XX	DWSCLX880	0.7		0.2				133	75.6		15.2	345	0.5 U	2 U	4
4/19/2017	XX	DWSCLX98E	0.5 U		0.65				140	74		15	360	0.5 U	2 U	2.5 U
4/4/2018	XX	DWSCLXA46	0.25 U		0.59				130	58		7.6	309	0.3 U	2 U	2.5 U
4/22/2019	XX	DWSCLXB72	0.25 U		0.47				130	60		24	310	0.2 U	2 U	2.5 U
7/15/2019	XX	DWSCLXBDC	0.25 U		0.62				130	75		21	329	0.2 U	2 U	2.5 U

REPORT PREPARED: 4/11/2022 07:03 FOR: Juniper Ridge Landfill			SUMMARY REPORT Inorganics								Page 31 of 31 SEVEE & MAHER ENGINEERS, INC. 4 BLANCHARD ROAD CUMBERLAND CENTER, ME 04021					
(SCALE HOUSE WELL)			Total Kjeldahl Nitrogen	Sulfide	Nitrite/Nitrate - (N)	Biochemical Oxygen Demand	Ammonia (N)	Alkalinity (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Chloride	Total Phosphorus	Sulfate	Total Dissolved Solids	Bromide	Organic Carbon	Total Suspended Solids
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

- ! - The sampling location was damaged or destroyed.
- A - The sampling location was Inaccessible
- D - The sampling location was dry.
- F12 - Pipe under water, no sample taken.
- F6 - No flow. Sample not taken.
- H2 - Waterlevel higher than pipes. See LF-COMP for readings
- H8 - No flow from pipe. See LF-COMP for readings
- I - The sampling location yielded insufficient quantity to collect a sample.
- J - Analyte was positively identified/Associated value is an estimate.
- M10 - Due to a identified laboratory instrumentation malfunction, this analytical result is likely elevated—the laboratory has fixed the issue.
- U - Not Detected above the laboratory reporting limit.

REPORT PREPARED: 4/11/2022 07:06
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Metals

Page 1 of 31
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(DP-4)	Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
Date	Type	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L

DP-4															
4/25/2012	XX	GWXXXX52G		0.011	29.2	0.003 U	0.55	7.7	1.85	1.1	10.2				
7/25/2012	XX	GWXXXX57F		0.011	25.8	0.003 U	0.46	7.6	1.59	1.3	10.5				
10/24/2012	XX	GWXXXX5E6		0.006	25.2	0.003 U	0.52	7.9	1.92	1.2	11.8				
4/24/2013	XX	GWXXXX5IH		0.011	29.5	0.003 U	0.89	8.2	1.81	1.3	10.8				

LF-COMP															
4/24/2012	XX	LFXXXX53B		0.008	41.4	0.006	0.1	9.2	0.05 U	3.4	6.9				
4/6/2021	XX	LFCOMPDG6	UF	0.005 U	55		0.05 U	9.1	0.05 U	3.7	8.5				

LF-LD-11															
7/13/2021	XX	LFXXXXE1C	UF	0.005 U	120	0.003 U	0.05 U	26	0.06	7.1	10	0.05 U			
10/5/2021	XX	LFXXXXE88	UF	0.005 U	140	0.003 U	0.05 U	28	0.18	7.2	11	0.05 U			

LF-LD-12															
7/13/2021	XX	LFXXXXE1D	UF	0.005 U	47	0.003 U	0.19	8.1	0.77	3.2	7	0.05 U			
10/5/2021	XX	LFXXXXE89	UF	0.005	91	0.003 U	0.06	16	3.3	4.5	9.2	0.05 U			

LF-UD-1															
4/24/2012	XX	LFUD1X525		H2	H2	H2	H2	H2	H2	H2	H2				
7/24/2012	XX	LFUD1X574		0.007	44.3	0.004	0.13	12.2	0.05 U	3.5	8.7				
10/23/2012	XX	LFUD1X5DF		F6	F6	F6	F6	F6	F6	F6	F6				
4/23/2013	XX	LFUD1X5I6		0.012	44.4	0.003 U	0.05 U	10.5	0.05 U	3.7	7.9				
7/30/2013	XX	LFUD1X64B		0.015	49.7		0.05 U	10.8	0.05 U	3.2	7.1				
10/29/2013	XX	LFUD1X674		F6	F6		F6	F6	F6	F6	F6				
4/22/2014	XX	LFUD1X6F7		0.015	54.1		0.05	11.4	0.05 U	3.8	8.2				
7/29/2014	XX	LFUD1X6JE		0.006	47.3		4.57	12.1	0.1	4	7.5				
10/21/2014	XX	LFUD1X735		F6	F6		F6	F6	F6	F6	F6				
4/28/2015	XX	LFUD1X792		0.005 U	48.9		0.59	11.2	0.05 U	3.7	8.2				
7/14/2015	XX	LFUD1X7CE		0.013	52.8		0.05 U	10.7	0.05 U	3.5	8.1				
10/27/2015	XX	LFUD1X7I3		F6	F6		F6	F6	F6	F6	F6				
4/5/2016	XX	LFUD1X86D		0.015	48.9		0.05 U	10.2	0.05 U	3.2	8.1				
7/26/2016	XX	LFUD1X8B3		I	I		I	I	I	I	I				
10/25/2016	XX	LFUD1X8J2		F6	F6		F6	F6	F6	F6	F6				
4/18/2017	XX	LFUD1X978		0.005	45		0.22	12	0.05 U	3.5	9.2				
7/25/2017	XX	LFUD1X9D6		0.005 U	58		0.12	14	0.05 U	3.9	10				
10/25/2017	XX	LFUD1X9H1		F6	F6		F6	F6	F6	F6	F6				
4/3/2018	XX	LFUD1XA30	UF	0.005 U	57		0.05 U	13	0.05 U	3.6	9.5				
7/17/2018	XX	LFUD1XAC1		F6	F6		F6	F6	F6	F6	F6				
10/2/2018	XX	LFUD1XB0J		F6	F6		F6	F6	F6	F6	F6				
4/23/2019	XX	LFUD1XB5G	UF	0.005 U	58		0.05	10	0.05 U	3.3	7.8				
7/16/2019	XX	LFUD1XBC8		F6	F6		F6	F6	F6	F6	F6				
10/29/2019	XX	LFUD1XB11		F6	F6		F6	F6	F6	F6	F6				
4/28/2020	XX	LFUD1XCD8		F6	F6		F6	F6	F6	F6	F6				
7/21/2020	XX	LFUD1XC11		F6	F6		F6	F6	F6	F6	F6				
10/27/2020	XX	LFUD1XD35		F6	F6		F6	F6	F6	F6	F6				
4/6/2021	XX	LFUD1XD07		H8	H8		H8	H8	H8	H8	H8				
7/13/2021	XX	LFUD1XDJJ		F6	F6		F6	F6	F6	F6	F6				
10/5/2021	XX	LFUD1XE67		F6	F6		F6	F6	F6	F6	F6				

LF-UD-2										
---------	--	--	--	--	--	--	--	--	--	--

SUMMARY REPORT

Metals

(LF-UD-2)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
4/24/2012	XX	LFUD2X526		H2	H2	H2	H2	H2	H2	H2	H2					
7/24/2012	XX	LFUD2X575		0.005 U	39	0.003 U	0.05 U	10.4	0.05 U	3.1	6.7					
10/23/2012	XX	LFUD2X5DG		0.01	35.6	0.003 U	0.05 U	9.9	0.05 U	2.7	6.3					
4/23/2013	XX	LFUD2X5I7		0.011	36.3	0.003 U	0.05 U	9.6	0.05 U	3	6.8					
7/30/2013	XX	LFUD2X64C		0.012	40.3		0.05 U	10.3	0.05 U	2.6	6.2					
10/29/2013	XX	LFUD2X675		0.008	50.5		0.05 U	10.7	0.05 U	3.4	7.3					
4/22/2014	XX	LFUD2X6F8		0.012	46		0.05 U	11.4	0.05 U	3.2	7.4					
7/29/2014	XX	LFUD2X6JF		0.018	46.3		0.05 U	10.8	0.05 U	3	7					
10/21/2014	XX	LFUD2X736		0.016	71.5		0.05 U	12.3	0.05 U	4.5	9.2					
4/28/2015	XX	LFUD2X793		0.013	49.8		0.05 U	10.9	0.05 U	3.3	7.7					
7/14/2015	XX	LFUD2X7CF		0.013	50.8		0.05 U	10.8	0.05 U	3.4	8					
10/27/2015	XX	LFUD2X7I4		0.011	57.2		0.05 U	11.9	0.05 U	3.7	8.4					
4/5/2016	XX	LFUD2X86E		0.015	47		0.05 U	11.2	0.05 U	3	7.5					
7/26/2016	XX	LFUD2X8B4		0.024	58.9		0.12	13.5	0.05 U	4.2	9.6					
10/25/2016	XX	LFUD2X8J3		0.005 U	68.8		0.05 U	12	0.05 U	3.9	9					
4/18/2017	XX	LFUD2X979		0.005	46		0.38	12	0.05 U	3.7	10					
7/25/2017	XX	LFUD2X9D7		0.005 U	57		0.14	15	0.05 U	3.3	8.7					
10/25/2017	XX	LFUD2X9H2		0.008	68		0.71	14	0.05 U	4.6	9.6					
4/3/2018	XX	LFUD2XA31	UF	0.005 U	49		0.05 U	13	0.05 U	3.5	9.5					
7/17/2018	XX	LFUD2XAC2	UF	0.005 U	67		0.13	14	0.05 U	3.6	9.3					
10/2/2018	XX	LFUD2XB10	UF	0.005 U	70		0.05 U	14	0.05 U	4.5	12					
4/23/2019	XX	LFUD2XB5H		F6	F6		F6	F6	F6	F6	F6					
7/16/2019	XX	LFUD2XBC9	UF	0.005 U	59		0.05 U	12	0.05 U	3.8	11					
10/29/2019	XX	LFUD2XBI2	UF	0.005 U	52		0.7	10	0.05 U	3.5	9.2					
4/28/2020	XX	LFUD2XCD9	UF	0.005 U	60		0.1	11	0.05 U	3.6	9					
7/21/2020	XX	LFUD2XCI2	UF	0.005	65		2.5	15	0.13	5.4	14					
10/27/2020	XX	LFUD2XD36	UF	0.005 U	61		0.05 U	13	0.05 U	4.3	14					
4/6/2021	XX	LFUD2XDC8		H8	H8		H8	H8	H8	H8	H8					
7/13/2021	XX	LFUD2XE00		F6	F6		F6	F6	F6	F6	F6					
10/5/2021	XX	LFUD2XE68		F6	F6		F6	F6	F6	F6	F6					
LF-UD-3A,B																
4/24/2012	XX	LFXXX534		H2	H2	H2	H2	H2	H2	H2	H2					
7/24/2012	XX	LFXXX581		F6	F6	F6	F6	F6	F6	F6	F6					
10/23/2012	XX	LFXXX5EC		F6	F6	F6	F6	F6	F6	F6	F6					
4/23/2013	XX	LFXXX5J5		F6	F6	F6	F6	F6	F6	F6	F6					
7/30/2013	XX	LFXXX65A		F6	F6		F6	F6	F6	F6	F6					
10/29/2013	XX	LFXXX67J		F6	F6		F6	F6	F6	F6	F6					
4/22/2014	XX	LFXXX6G6		F6	F6		F6	F6	F6	F6	F6					
7/29/2014	XX	LFXXX708		F6	F6		F6	F6	F6	F6	F6					
10/21/2014	XX	LFXXX73H		F6	F6		F6	F6	F6	F6	F6					
4/28/2015	XX	LFXXX79G		F6	F6		F6	F6	F6	F6	F6					
7/14/2015	XX	LFXXX7D8		F6	F6		F6	F6	F6	F6	F6					
10/27/2015	XX	LFXXX7IF		F6	F6		F6	F6	F6	F6	F6					
4/5/2016	XX	LFXXX877		F6	F6		F6	F6	F6	F6	F6					
7/26/2016	XX	LFXXX8BH		F6	F6		F6	F6	F6	F6	F6					
10/25/2016	XX	LFXXX8JF		F6	F6		F6	F6	F6	F6	F6					
4/18/2017	XX	LFXXX982		F6	F6		F6	F6	F6	F6	F6					
7/25/2017	XX	LFXXX9DJ		F6	F6		F6	F6	F6	F6	F6					
10/25/2017	XX	LFXXX9HE		F6	F6		F6	F6	F6	F6	F6					

SUMMARY REPORT
Metals

(LF-UD-3A,B)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Date	Type	Sample ID										
4/3/2018	XX	LFXXXXA3E		F6	F6		F6	F6	F6	F6	F6	
7/17/2018	XX	LFXXXXACE		F6	F6		F6	F6	F6	F6	F6	
10/2/2018	XX	LFXXXXB1C		F6	F6		F6	F6	F6	F6	F6	
4/23/2019	XX	LFXXXXB6A		F6	F6		F6	F6	F6	F6	F6	
7/16/2019	XX	LFXXXXBD1		F6	F6		F6	F6	F6	F6	F6	
10/29/2019	XX	LFXXXXBID		F6	F6		F6	F6	F6	F6	F6	
4/28/2020	XX	LFXXXXCE1		F6	F6		F6	F6	F6	F6	F6	
7/21/2020	XX	LFXXXXCIE		F6	F6		F6	F6	F6	F6	F6	
10/27/2020	XX	LFXXXXD3H		F6	F6		F6	F6	F6	F6	F6	
4/6/2021	XX	LFXXXXDD0		H8	H8		H8	H8	H8	H8	H8	
7/13/2021	XX	LFXXXXE0C		F6	F6		F6	F6	F6	F6	F6	
10/5/2021	XX	LFXXXXE6J		F6	F6		F6	F6	F6	F6	F6	

LF-UD-4												
Date	Type	Sample ID	Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
4/24/2012	XX	LFXXXX536		H2	H2	H2	H2	H2	H2	H2	H2	
7/24/2012	XX	LFXXXX582		0.007	63.5	0.003 U	0.05 U	12.1	0.05 U	5.8	10.6	
10/23/2012	XX	LFXXXX5CA		0.011	48.6	0.003 U	0.05 U	11.1	0.05 U	3.8	8.4	
4/23/2013	XX	LFXXXX5J6		0.012	44.8	0.003 U	0.05 U	10.6	0.05 U	3.7	8.2	
7/30/2013	XX	LFXXXX65B		F6	F6		F6	F6	F6	F6	F6	
10/29/2013	XX	LFXXXX680		0.009	49.4		0.05 U	10.9	0.05 U	3.4	7.4	
4/22/2014	XX	LFXXXX6G7		0.014	62.6		0.05 U	11.3	0.05 U	4.7	9	
7/29/2014	XX	LFXXXX709		F6	F6		F6	F6	F6	F6	F6	
10/21/2014	XX	LFXXXX73I		F6	F6		F6	F6	F6	F6	F6	
4/28/2015	XX	LFXXXX79H		F6	F6		F6	F6	F6	F6	F6	
7/14/2015	XX	LFXXXX7D9		F6	F6		F6	F6	F6	F6	F6	
10/27/2015	XX	LFXXXX7IG		F6	F6		F6	F6	F6	F6	F6	
4/5/2016	XX	LFXXXX878		F6	F6		F6	F6	F6	F6	F6	
7/26/2016	XX	LFXXXX8BI		0.005	60.7		0.28	13.9	0.05 U	4.3	10.2	
10/25/2016	XX	LFXXXX8JG		0.005 U	75.7		0.05 U	13.8	0.05 U	4.3	9.9	
4/18/2017	XX	LFXXXX983		0.007	47		0.06	12	0.05 U	3.6	9.5	
7/25/2017	XX	LFXXXX9E0		0.005 U	57		0.13	14	0.05 U	3.9	11	
10/25/2017	XX	LFXXXX9HF		F6	F6		F6	F6	F6	F6	F6	
4/3/2018	XX	LFXXXXA3F		F6	F6		F6	F6	F6	F6	F6	
7/17/2018	XX	LFXXXXACF	UF	0.005	68		0.06	14	0.05 U	3.6	9.5	
10/2/2018	XX	LFXXXXB1D		F6	F6		F6	F6	F6	F6	F6	
4/23/2019	XX	LFXXXXB6B		F6	F6		F6	F6	F6	F6	F6	
7/16/2019	XX	LFXXXXBD2		F6	F6		F6	F6	F6	F6	F6	
10/29/2019	XX	LFXXXXBIE	UF	0.005	51		1.4	9.9	0.16	3.4	8.5	
4/28/2020	XX	LFXXXXCE2		F6	F6		F6	F6	F6	F6	F6	
7/21/2020	XX	LFXXXXCIF		F6	F6		F6	F6	F6	F6	F6	
10/27/2020	XX	LFXXXXD3I		F6	F6		F6	F6	F6	F6	F6	
4/6/2021	XX	LFXXXXDD1		H8	H8		H8	H8	H8	H8	H8	
7/13/2021	XX	LFXXXXE0D	UF	0.005 U	57		0.15	9.5	0.05 U	4.2	11	
10/5/2021	XX	LFXXXXE70	UF	0.005	58		0.05 U	9.9	0.05 U	3.7	9.4	

LF-UD-5and6												
Date	Type	Sample ID	Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
4/24/2012	XX	LFXXXX537		0.008	65.9	0.004	0.05	12.9	0.05 U	5.3	9.8	
7/24/2012	XX	LFXXXX584		0.01	68.3	0.003	0.05 U	14.1	0.05 U	5.5	9.8	
10/23/2012	XX	LFXXXX5C7		0.014	52.5	0.003 U	0.26	11.9	0.05	4.8	8.7	
4/23/2013	XX	LFXXXX5J7		0.009	42.8	0.003 U	0.05	8.4	0.05 U	4	6.7	

SUMMARY REPORT

Metals

(LF-UD-5and6)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/30/2013	XX	LFXXX65C		0.016	48.5		0.08	9.4	0.05 U	3.4	6.2					
10/29/2013	XX	LFXXX681		0.009	56.1		0.05 U	11.4	0.05 U	3.9	7.7					
4/22/2014	XX	LFXXX6G8		0.015	55.5		0.05 U	10.9	0.05 U	3.6	7.6					
7/29/2014	XX	LFXXX70A		0.014	64.7		0.05 U	12	0.05 U	4.2	8.3					
10/21/2014	XX	LFXXX73J		F6	F6		F6	F6	F6	F6	F6					
4/28/2015	XX	LFXXX79I		0.015	55.8		0.05 U	11.2	0.05 U	3.4	8.3					
7/14/2015	XX	LFXXX7DA		I	I		I	I	I	I	I					
10/27/2015	XX	LFXXX7IH		0.01	47.4		0.05 U	10.1	0.05 U	4.2	8					
4/5/2016	XX	LFXXX879		0.016	54.5		0.05 U	10.4	0.05 U	3.3	8.3					
7/26/2016	XX	LFXXX8BJ		0.024	62.3		0.05 U	12.5	0.05 U	3.8	8.8					
10/25/2016	XX	LFXXX8JH		0.005 U	52.6		0.05 U	9.8	0.05 U	2.9	6.9					
4/18/2017	XX	LFXXX984		0.005 U	39		0.09	10	0.05 U	3	8.1					
7/25/2017	XX	LFXXX9E1		0.005 U	55		0.05 U	12	0.05 U	3.5	9.4					
10/25/2017	XX	LFXXX9HG		F6	F6		F6	F6	F6	F6	F6					
4/3/2018	XX	LFXXXA3G	UF	0.007	38		0.05 U	10	0.05 U	2.6	8					
7/17/2018	XX	LFXXXACG	UF	0.005	52		0.05 U	9.7	0.05 U	2.7	7.2					
10/2/2018	XX	LFXXXB1E	UF	0.005 U	54		0.62	12	0.05 U	3.1	9.2					
4/23/2019	XX	LFXXXB6C	UF	0.005 U	42		0.05 U	9.5	0.05 U	2.4	7.5					
7/16/2019	XX	LFXXXBD3	UF	0.005 U	45		0.05 U	10	0.05 U	2.7	8.5					
10/29/2019	XX	LFXXXBIF	UF	0.005 U	40		0.88	9.1	0.05	2.5	7.4					
4/28/2020	XX	LFXXXCE3	UF	0.005 U	43		0.05 U	9.5	0.05 U	2.4	7.7					
7/21/2020	XX	LFXXXCIG	UF	0.005 U	50		0.05 U	11	0.05 U	3.1	9					
10/27/2020	XX	LFXXXD3J		F6	F6		F6	F6	F6	F6	F6					
4/6/2021	XX	LFXXXDD2	UF	0.005 U	40		0.05 U	9.8	0.05 U	2.3	7.5					
7/13/2021	XX	LFXXXE0E	UF	0.005 U	51		0.1	12	0.05 U	2.7	8.4					
10/5/2021	XX	LFXXXE71	UF	0.005 U	48		0.05 U	11	0.05 U	2.4	8.3					
LF-UD-6																
4/24/2012	XX	LFUD6X539		0.007	75.7	0.004	0.05 U	15.9	0.05 U	4.7	7.9					
7/24/2012	XX	LFUD6X586		0.011	96.4	0.003	0.05 U	22.2	0.05 U	5.3	26.5					
10/23/2012	XX	LFUD6X5C9		0.025	83.7	0.003 U	0.05 U	23.7	0.05 U	5.1	64.1					
4/23/2013	XX	LFUD6X5J9		0.015	62	0.003 U	0.05 U	14.7	0.05 U	3.3	39.7					
7/30/2013	XX	LFUD6X65E		0.023	86.3		0.05 U	24.2	0.05 U	4.3	74.3					
10/29/2013	XX	LFUD6X683		0.019	85.6		0.06	25.4	0.05 U	4.4	73.6					
4/22/2014	XX	LFUD6X6GA		0.019	72.7		0.05 U	21	0.05 U	4.6	57.3					
7/29/2014	XX	LFUD6X70C		0.026	80.5		0.05 U	22.5	0.05 U	4.1	69.1					
10/21/2014	XX	LFUD6X740		0.019	87.9		0.05 U	23.3	0.05 U	4.1	70.9					
4/28/2015	XX	LFUD6X7A0		0.026	76.5		0.05 U	21.5	0.05 U	4	66.4					
7/14/2015	XX	LFUD6X7DC		0.021	87.3		0.05 U	22	0.05 U	4.1	67.6					
10/27/2015	XX	LFUD6X7IJ		0.017	84.2		0.05 U	23.7	0.05 U	4.4	66.6					
4/5/2016	XX	LFUD6X87B		0.023	79.1		0.05 U	21.8	0.05 U	4.3	64.1					
7/26/2016	XX	LFUD6X8C1		D	D		D	D	D	D	D					
10/25/2016	XX	LFUD6X8JJ		I	I		I	I	I	I	I					
4/18/2017	XX	LFUD6X986		0.005	58		0.23	15	0.05 U	4.8	14					
7/25/2017	XX	LFUD6X9E3		I	I		I	I	I	I	I					
10/25/2017	XX	LFUD6X9HI		0.005	80		0.05	6.8	0.05 U	2.6	1					
4/3/2018	XX	LFUD6XA3I	UF	0.005	48		0.05 U	6.7	0.05 U	2.2	4.6					
7/17/2018	XX	LFUD6XACI	UF	0.005	53		0.05 U	7.1	0.05 U	1.9	1.1					
10/2/2018	XX	LFUD6XB1G	UF	0.005 U	47		0.05 U	6.6	0.05 U	1.9	1.4					
4/23/2019	XX	LFUD6XB6E	UF	0.005	59		0.05 U	7.4	0.05 U	2.4	2					

SUMMARY REPORT

Metals

(LF-UD-6)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/16/2019	XX	LFUD6XBD5	UF	0.005 U	24		0.05 U	3.3	0.05 U	1.7	0.9					
10/29/2019	XX	LFUD6XBIH	UF	0.005 U	24		0.1	2.9	0.68	5.3	0.5					
4/28/2020	XX	LFUD6XCE5	UF	0.005 U	52		0.05 U	6	3.3	5.7	1.9					
7/21/2020	XX	LFUD6XCII		D	D		D	D	D	D	D					
10/27/2020	XX	LFUD6XD41		F6	F6		F6	F6	F6	F6	F6					
4/6/2021	XX	LFUD6XDD4	UF	0.006	160		0.08	14	5.5	20	16					
7/13/2021	XX	LFUD6XE0G		I	I		I	I	I	I	I					
10/5/2021	XX	LFUD6XE72	UF	0.011	38		0.15	5	1.9	5	5.1					
LF-UD-7																
4/24/2012	XX	LFUD7X53A		H2	H2	H2	H2	H2	H2	H2	H2					
7/24/2012	XX	LFXXX587		F6	F6	F6	F6	F6	F6	F6	F6					
10/23/2012	XX	LFXXX5EF		F6	F6	F6	F6	F6	F6	F6	F6					
4/23/2013	XX	LFUD7X5JA		F6	F6	F6	F6	F6	F6	F6	F6					
7/30/2013	XX	LFUD7X65F		F6	F6	F6	F6	F6	F6	F6	F6					
10/29/2013	XX	LFUD7X684		F6	F6	F6	F6	F6	F6	F6	F6					
4/22/2014	XX	LFUD7X6GB		F6	F6	F6	F6	F6	F6	F6	F6					
7/29/2014	XX	LFUD7X70D		F6	F6	F6	F6	F6	F6	F6	F6					
10/21/2014	XX	LFUD7X741		F6	F6	F6	F6	F6	F6	F6	F6					
4/28/2015	XX	LFUD7X7A1		F6	F6	F6	F6	F6	F6	F6	F6					
7/14/2015	XX	LFUD7X7DD		F6	F6	F6	F6	F6	F6	F6	F6					
10/27/2015	XX	LFUD7X7J0		F6	F6	F6	F6	F6	F6	F6	F6					
4/5/2016	XX	LFUD7X87C		F6	F6	F6	F6	F6	F6	F6	F6					
7/26/2016	XX	LFUD7X8C2		F6	F6	F6	F6	F6	F6	F6	F6					
10/25/2016	XX	LFUD7X900		F6	F6	F6	F6	F6	F6	F6	F6					
4/18/2017	XX	LFUD7X987		F6	F6	F6	F6	F6	F6	F6	F6					
7/25/2017	XX	LFUD7X9E4		F6	F6	F6	F6	F6	F6	F6	F6					
10/25/2017	XX	LFUD7X9HJ		F6	F6	F6	F6	F6	F6	F6	F6					
4/3/2018	XX	LFUD7XA3J		F6	F6	F6	F6	F6	F6	F6	F6					
7/17/2018	XX	LFUD7XACJ		F6	F6	F6	F6	F6	F6	F6	F6					
10/2/2018	XX	LFUD7XB1H		F6	F6	F6	F6	F6	F6	F6	F6					
4/23/2019	XX	LFUD7XB6F		F6	F6	F6	F6	F6	F6	F6	F6					
7/16/2019	XX	LFUD7XBD6		F6	F6	F6	F6	F6	F6	F6	F6					
10/29/2019	XX	LFUD7XBII		F6	F6	F6	F6	F6	F6	F6	F6					
4/28/2020	XX	LFUD7XCE6		F6	F6	F6	F6	F6	F6	F6	F6					
7/21/2020	XX	LFUD7XCJ		F6	F6	F6	F6	F6	F6	F6	F6					
10/27/2020	XX	LFUD7XD42		F6	F6	F6	F6	F6	F6	F6	F6					
4/6/2021	XX	LFUD7XDD5		H8	H8	H8	H8	H8	H8	H8	H8					
7/13/2021	XX	LFUD7XE0H		F6	F6	F6	F6	F6	F6	F6	F6					
10/5/2021	XX	LFUD7XE73		F6	F6	F6	F6	F6	F6	F6	F6					
LF-UD-8																
4/23/2013	XX	LFUD8X5JD		0.014	39.3	0.003 U	0.05 U	9	0.05 U	3.7	6.9					
7/30/2013	XX	LFUD8X65G		0.013	50.1		0.05 U	10.7	0.05 U	3.7	7.1					
10/29/2013	XX	LFUD8X685		0.009	49.1		0.05 U	11.1	0.05 U	3.7	7.3					
4/22/2014	XX	LFUD8X6GC		F12	F12		F12	F12	F12	F12	F12					
7/29/2014	XX	LFUD8X70E		0.005	14.5		0.85	1.6	0.05 U	1.2	2.4					
10/21/2014	XX	LFUD8X742		0.005 U	9.6		0.44	1.2	0.05 U	1.1	2.1					
4/28/2015	XX	LFUD8X7A2		0.005 U	11		0.75	1.1	0.05 U	1.5	2.9					
7/14/2015	XX	LFUD8X7DE		I	I		I	I	I	I	I					

REPORT PREPARED: 4/11/2022 07:06
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Metals

Page 6 of 31
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(LF-UD-8)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/27/2015	XX	LFUD8X7J1		F6	F6		F6	F6	F6	F6	F6					
4/5/2016	XX	LFUD8X87D		F6	F6		F6	F6	F6	F6	F6					
7/26/2016	XX	LFUD8X8C3		F6	F6		F6	F6	F6	F6	F6					
10/25/2016	XX	LFUD8X901		F6	F6		F6	F6	F6	F6	F6					
4/18/2017	XX	LFUD8X988		0.005 U	5.3		0.61	0.8	0.11	1.1	3.7					
7/25/2017	XX	LFUD8X9E5		D	D		D	D	D	D	D					
10/25/2017	XX	LFUD8X910		F6	F6		F6	F6	F6	F6	F6					
4/3/2018	XX	LFUD8XA40	UF	0.005 U	8.3		0.48	1.1	0.15	0.8	2.2					
7/17/2018	XX	LFUD8XAD0		D	D		D	D	D	D	D					
10/2/2018	XX	LFUD8XB11		F6	F6		F6	F6	F6	F6	F6					
4/23/2019	XX	LFUD8XB6G	UF	0.005 U	8.7		1.1	1.3	0.1	1.6	3.5					
7/16/2019	XX	LFUD8XBD7	UF	0.005 U	6.4		1.5	1	0.05 U	1.4	2.6					
10/29/2019	XX	LFUD8XBJ	UF	0.005 U	4.8		0.35	0.8	0.05 U	0.9	1.3					
4/28/2020	XX	LFUD8XCE7		F6	F6		F6	F6	F6	F6	F6					
7/21/2020	XX	LFUD8XCJ0		F6	F6		F6	F6	F6	F6	F6					
10/27/2020	XX	LFUD8XD43		F6	F6		F6	F6	F6	F6	F6					
4/6/2021	XX	LFUD8XDD6		F6	F6		F6	F6	F6	F6	F6					
7/13/2021	XX	LFUD8XE0I		F6	F6		F6	F6	F6	F6	F6					
10/5/2021	XX	LFUD8XE74		F6	F6		F6	F6	F6	F6	F6					
LF-UD-9																
4/5/2016	XX	LFUD9X881		F6	F6		F6	F6	F6	F6	F6					
7/26/2016	XX	LFUD9X8CA		F6	F6		F6	F6	F6	F6	F6					
10/25/2016	XX	LFUD9X905		F6	F6		F6	F6	F6	F6	F6					
4/18/2017	XX	LFUD9X98F		0.007	55		1.4	6.8	0.06	4.3	6.5					
10/25/2017	XX	LFUD9X914		F6	F6		F6	F6	F6	F6	F6					
4/3/2018	XX	LFUD9XA47		F6	F6		F6	F6	F6	F6	F6					
7/17/2018	XX	LFUD9XAD4		D	D		D	D	D	D	D					
10/2/2018	XX	LFUD9XB22		F6	F6		F6	F6	F6	F6	F6					
4/23/2019	XX	LFUD9XB73		F6	F6		F6	F6	F6	F6	F6					
7/16/2019	XX	LFUD9XBDD		F6	F6		F6	F6	F6	F6	F6					
10/29/2019	XX	LFUD9XBJ3		F6	F6		F6	F6	F6	F6	F6					
4/28/2020	XX	LFUD9XCED		F6	F6		F6	F6	F6	F6	F6					
7/21/2020	XX	LFUD9XCJ6		F6	F6		F6	F6	F6	F6	F6					
10/27/2020	XX	LFUD9XD47		F6	F6		F6	F6	F6	F6	F6					
4/6/2021	XX	LFUD9XDDA		F6	F6		F6	F6	F6	F6	F6					
7/13/2021	XX	LFUD9XE11		F6	F6		F6	F6	F6	F6	F6					
10/5/2021	XX	LFUD9XE78		F6	F6		F6	F6	F6	F6	F6					
LF-UD-10																
10/25/2017	XX	LFXXXX9ID		F6	F6		F6	F6	F6	F6	F6					
4/3/2018	XX	LFXXXXA48		F6	F6		F6	F6	F6	F6	F6					
7/17/2018	XX	LFU10XAD6		D	D		D	D	D	D	D					
10/3/2018	XX	LFXXXXB27		F6	F6		F6	F6	F6	F6	F6					
4/23/2019	XX	LFXXXXB74		F6	F6		F6	F6	F6	F6	F6					
7/16/2019	XX	LFXXXXBDE		F6	F6		F6	F6	F6	F6	F6					
10/29/2019	XX	LFXXXXBJ7		F6	F6		F6	F6	F6	F6	F6					
4/28/2020	XX	LFXXXXCEE		F6	F6		F6	F6	F6	F6	F6					
7/21/2020	XX	LFXXXXCJ7		F6	F6		F6	F6	F6	F6	F6					
10/27/2020	XX	LFXXXXD4B		F6	F6		F6	F6	F6	F6	F6					

REPORT PREPARED: 4/11/2022 07:06
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Metals

Page 7 of 31
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(LF-UD-10)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
Date	Type	Sample ID	-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/6/2021	XX	LFXXXXDB		F6	F6		F6	F6	F6	F6	F6	
7/13/2021	XX	LFXXXE12		F6	F6		F6	F6	F6	F6	F6	
10/5/2021	XX	LFXXXE7C		F6	F6		F6	F6	F6	F6	F6	

LP-UD-1												
Date	Type	Sample ID	Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
4/24/2012	XX	LPUD1X527		F6	F6	F6	F6	F6	F6	F6	F6	
7/24/2012	XX	LPUD1X576		F6	F6	F6	F6	F6	F6	F6	F6	
10/23/2012	XX	LPUD1X5DH		F6	F6	F6	F6	F6	F6	F6	F6	
4/23/2013	XX	LPUD1X5I8		F6	F6	F6	F6	F6	F6	F6	F6	
7/30/2013	XX	LPUD1X64D		F6	F6		F6	F6	F6	F6	F6	
10/29/2013	XX	LPUD1X676		F6	F6		F6	F6	F6	F6	F6	
4/22/2014	XX	LPUD1X6F9		F6	F6		F6	F6	F6	F6	F6	
7/29/2014	XX	LPUD1X6JG		F6	F6		F6	F6	F6	F6	F6	
10/21/2014	XX	LPUD1X737		F6	F6		F6	F6	F6	F6	F6	
4/28/2015	XX	LPUD1X794		F6	F6		F6	F6	F6	F6	F6	
7/14/2015	XX	LPUD1X7CG		F6	F6		F6	F6	F6	F6	F6	
10/26/2015	XX	LPUD1X7I5		F6	F6		F6	F6	F6	F6	F6	
4/5/2016	XX	LPUD1X86F		F6	F6		F6	F6	F6	F6	F6	
7/26/2016	XX	LPUD1X8B5		F6	F6		F6	F6	F6	F6	F6	
10/25/2016	XX	LPUD1X8J4		F6	F6		F6	F6	F6	F6	F6	
4/18/2017	XX	LPUD1X97A		F6	F6		F6	F6	F6	F6	F6	
7/25/2017	XX	LPUD1X9D8		F6	F6		F6	F6	F6	F6	F6	
10/25/2017	XX	LPUD1X9H3		F6	F6		F6	F6	F6	F6	F6	
4/3/2018	XX	LPUD1XA32		F6	F6		F6	F6	F6	F6	F6	
7/17/2018	XX	LPUD1XAC3		F6	F6		F6	F6	F6	F6	F6	
10/2/2018	XX	LPUD1XB11		F6	F6		F6	F6	F6	F6	F6	
4/23/2019	XX	LPUD1XB5I	UF	0.005 U	32		0.05	8.7	0.05 U	1.7	5.5	
7/16/2019	XX	LPUD1XBCA		F6	F6		F6	F6	F6	F6	F6	
10/29/2019	XX	LPUD1XB13		F6	F6		F6	F6	F6	F6	F6	
4/28/2020	XX	LPUD1XCDA		F6	F6		F6	F6	F6	F6	F6	
7/22/2020	XX	LPUD1XC13		F6	F6		F6	F6	F6	F6	F6	
10/27/2020	XX	LPUD1XD37		F6	F6		F6	F6	F6	F6	F6	
4/6/2021	XX	LPUD1XDC9		F6	F6		F6	F6	F6	F6	F6	
7/13/2021	XX	LPUD1XE01		F6	F6		F6	F6	F6	F6	F6	
10/5/2021	XX	LPUD1XE69		F6	F6		F6	F6	F6	F6	F6	

LP-UD-2												
Date	Type	Sample ID	Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
4/24/2012	XX	LPUD2X528		0.006	29.9	0.005	0.11	9.7	0.05 U	2.9	8.5	
7/24/2012	XX	LPUD2X577		0.008	40.5	0.003	0.05 U	11.7	0.05 U	3.2	9.7	
10/23/2012	XX	LPUD2X5DI		0.012	29.9	0.003 U	0.05 U	10	0.05 U	2.4	9	
4/23/2013	XX	LPUD2X5I9		0.011	33.9	0.003 U	0.05 U	10.4	0.05 U	2.3	8	
7/30/2013	XX	LPUD2X64E		0.011	37.1		0.05 U	10.8	0.05 U	2.5	8.1	
10/29/2013	XX	LPUD2X677		0.01	36.4		0.05 U	11.4	0.05 U	2.2	7.9	
4/22/2014	XX	LPUD2X6FA		0.011	37.7		0.05 U	11.5	0.05 U	2.3	8	
7/29/2014	XX	LPUD2X6JH		0.015	36.5		0.05 U	10	0.05 U	2.8	8.2	
10/21/2014	XX	LPUD2X738		0.011	40.1		0.05 U	10.5	0.05 U	2.3	8	
4/28/2015	XX	LPUD2X795		0.013	34.4		0.05 U	10	0.05 U	1.8	7	
7/14/2015	XX	LPUD2X7CH		0.01	39.3		0.05 U	9.8	0.05 U	2.4	7.6	
10/27/2015	XX	LPUD2X7I6		0.01	33.4		0.05 U	10.3	0.05 U	2.1	7	
4/5/2016	XX	LPUD2X86G		0.013	33.8		0.05 U	9.3	0.05 U	1.7	6.4	

SUMMARY REPORT

Metals

(LP-UD-2)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/26/2016	XX	LPUD2X8B6		0.024	45.8		0.11	11.3	0.19	3.4	8.2					
10/25/2016	XX	LPUD2X8J5		0.005 U	68.2		2.36	15.9	0.8	3.3	10.4					
4/18/2017	XX	LPUD2X97B		0.005	49		0.05 U	16	0.05 U	2.1	11					
7/25/2017	XX	LPUD2X9D9		0.005 U	37		0.05 U	11	0.05 U	2.4	7.5					
10/25/2017	XX	LPUD2X9H4		0.005 U	38		0.1	10	0.05 U	2.2	7					
4/3/2018	XX	LPUD2XA33	UF	0.005 U	34		0.05 U	11	0.05 U	2	7					
7/17/2018	XX	LPUD2XAC4	UF	0.007	38		0.05 U	9.5	0.05 U	2.1	6.5					
10/2/2018	XX	LPUD2XB12	UF	0.005 U	41		0.05 U	11	0.05 U	2.1	7.3					
4/23/2019	XX	LPUD2XB5J	UF	0.005 U	33		0.05 U	8.8	0.05 U	1.8	5.6					
7/16/2019	XX	LPUD2XBCB	UF	0.005 U	32		0.05 U	9.9	0.05 U	2.3	7.3					
10/29/2019	XX	LPUD2XB14	UF	0.005 U	34		0.05 U	9.2	0.05 U	2.1	6.3					
4/28/2020	XX	LPUD2XCDB	UF	0.005 U	36		0.05 U	10	0.05 U	1.7	6.1					
7/21/2020	XX	LPUD2XC14	UF	0.005 U	38		0.17	12	0.05 U	2.8	7.9					
10/27/2020	XX	LPUD2XD38	UF	0.005 U	40		0.61	12	0.05 U	2.1	7.4					
4/6/2021	XX	LPUD2XDCA	UF	0.005 U	38		0.05 U	10	0.05 U	1.7	5.5					
7/13/2021	XX	LPUD2XE02	UF	0.005 U	42		0.1	11	0.05 U	2.2	7					
10/5/2021	XX	LPUD2XE6A	UF	0.005 U	40		0.05 U	10	0.05 U	2.1	6.7					
MW-04-09A																
2/26/2020	XX	GWX09AC56	UF	0.007	19	0.004	1.4	7	0.18	3.2	20					
2/26/2020	XX	GWX09A10A		0.007	19	0.003 U	0.22	6.7	0.14	2.8	19					
4/30/2020	XX	GWX09ACC1	UF	0.008	22	0.003 U	1.1	7.3	0.32	2.8	26					
6/23/2020	XX	GWX09ACGC	UF	0.005	21	0.003 U	0.48	7.5	0.29	3.6	43					
8/20/2020	XX	GWX09AD1J	UF	0.006	22	0.003 U	0.46	7.5	0.29	3.6	53					
7/15/2021	XX	GWXXXE20	UF	0.005 U	21	0.003	0.25	6.6	0.3	2.9	45	0.05 U				
10/7/2021	XX	GWX09AE86	UF	0.005 U	23	0.003 U	0.72	6.7	0.33	2.6	37	0.05 U				
MW-04-09B																
2/26/2020	XX	GWX09BC57	UF	0.005 U	11	0.003 U	0.16	4.1	0.05 U	0.9	5					
4/30/2020	XX	GWX09BCC2	UF	0.005 U	8.1	0.003 U	0.28	3.1	0.05 U	0.7	5.6					
6/23/2020	XX	GWX09BCGD	UF	0.005 U	8.1	0.003 U	0.22	3.6	0.05 U	0.9	5.4					
8/20/2020	XX	GWX09BD20	UF	0.005	8.4	0.003 U	0.14	3.6	0.05 U	1	5.3					
7/15/2021	XX	GWXXXE21	UF	0.005 U	9	0.003 U	0.25	3.6	0.05 U	0.7	4	0.05 U				
10/7/2021	XD	GWDP5XE8E	UF	0.005 U	10	0.003 U	0.09	3.8	0.05 U	0.7	4	0.05 U				
10/7/2021	XX	GWX09BE87	UF	0.005 U	10	0.003 U	0.32	3.7	0.05 U	0.7	4.2	0.05 U				
MW04-102																
4/24/2012	XX	GW102X52J		0.005	23.5	0.003 U	0.05 U	7.8	0.05 U	1.7	6.9					
7/24/2012	XX	GW102X57I		0.005 U	25	0.003 U	0.05 U	7.6	0.05 U	1.9	7.9					
10/22/2012	XX	GW102X5E9		0.005 U	31.2	0.003 U	0.05 U	8.1	0.05 U	2	8.9					
4/23/2013	XX	GW102X5J0		0.008	24.2	0.003 U	0.05 U	7	0.05 U	1.6	7.1					
7/31/2013	XX	GW102X655		0.017	27.5		0.05 U	7.4	0.05 U	1.5	7					
10/28/2013	XX	GW102X67F		0.013	25.6		0.05 U	7.1	0.05 U	2.1	8.2					
4/23/2014	XX	GW102X6G1		0.01	27.4		0.05 U	6.9	0.05 U	1.5	7.2					
7/30/2014	XX	GW102X704		0.01	27.1		0.05 U	6.9	0.05 U	1.8	7.9					
10/21/2014	XX	GW102X73F		0.012	27		0.05 U	7	0.05 U	1.8	7.5					
4/29/2015	XX	GW102X79C		0.015	26.6		0.05 U	7	0.05 U	1.5	7.2					
7/14/2015	XX	GW102X7D4		0.009	26.5		0.05 U	6.3	0.05 U	1.5	7					
10/28/2015	XX	GW102X7ID		0.006	24.3		0.05 U	6.6	0.05 U	1.7	7					
4/5/2016	XX	GW102X873		0.008	26		0.05 U	6.5	0.05 U	1.4	6.8					
7/26/2016	XX	GW102X8BD		0.013	28.2		0.06	7	0.05 U	1.7	7.3					

SUMMARY REPORT

Metals

(MW04-102)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
Date	Type	Sample ID	-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
10/25/2016	XX	GW102X8JC		0.005	30		0.19	7.2	0.05 U	2.4	8.7					
4/19/2017	XX	GW102X97I		0.006	25		0.05 U	7.1	0.05 U	1.6	6.9					
7/26/2017	XX	GW102X9DG		0.005 U	24		0.05 U	6.4	0.05 U	1.6	7.3					
10/25/2017	XX	GW102X9HB		0.005 U	28		0.12	7.1	0.05 U	1.9	8.4					
4/4/2018	XX	GW102XA3A	UF	0.005 U	25		0.11	7.1	0.05 U	1.4	7.5					
7/18/2018	XX	GW102XACB	UF	0.005 U	28		0.09	7	0.05 U	1.7	7.9					
10/3/2018	XX	GW102XB19	UF	0.005 U	27		0.05 U	6.9	0.05 U	1.7	7					
4/24/2019	XX	GW102XB66	UF	0.005	26		0.14	7.1	0.05 U	1.5	7.1					
7/17/2019	XX	GW102XBCH	UF	0.005 U	24		0.05 U	7.1	0.05 U	1.7	7.9					
10/28/2019	XX	GW102XBIA	UF	0.005	24		0.05 U	6.6	0.05 U	1.6	6.9					
4/27/2020	XX	GW102XCDH	UF	0.005 U	28		0.05 U	7.5	0.05 U	1.5	7.2					
7/20/2020	XX	GW102XCIA	UF	0.005 U	25		0.06	6.9	0.05 U	2	8					
10/26/2020	XX	GW102XD3E	UF	0.005 U	26		0.05 U	6.9	0.05 U	1.4	8					
4/5/2021	XX	GW102XDCCG	UF	0.005 U	27		0.05 U	7.3	0.05 U	1.4	7.2					
7/12/2021	XX	GW102XE08	UF	0.005	26		0.05 U	6.4	0.05 U	1.4	6.3					
10/4/2021	XX	GW102XE6G	UF	0.005	27		0.05 U	6.8	0.05 U	1.6	6.7					
MW04-105																
4/23/2012	XX	GW105X530		0.005 U	23.7	0.003 U	0.05 U	9.1	0.05 U	1.5	12.1					
4/23/2012	XD	GWDP3X51I		0.005 U	21.9	0.003 U	0.05 U	9	0.05 U	1.5	12					
7/24/2012	XX	GW105X57J		0.005 U	27	0.003 U	0.05 U	11.3	0.08	1.4	12.4					
10/22/2012	XX	GW105X5EA		0.007	27	0.003 U	0.05 U	9.2	0.59	1.3	8.7					
10/22/2012	XD	GWDP1X5CH		0.006	22.4	0.003 U	0.05 U	8.7	0.53	1.3	8.4					
4/24/2013	XX	GW105X5J1		0.012	25.9	0.003 U	0.05 U	9.1	0.05 U	1.3	8.4					
4/24/2013	XD	GWDP3X5HJ		0.01	25.8	0.003 U	0.05 U	9.1	0.05 U	1.3	8.6					
MW04-109R																
4/24/2012	XX	GW109X531		0.008	50.3	0.003 U	0.05 U	10.1	0.05 U	2.2	10.6					
7/24/2012	XX	GW109X580		0.009	52.8	0.003 U	0.05 U	10.9	0.05 U	2.2	10					
10/23/2012	XX	GW109X5EB		0.017	54	0.003 U	0.05 U	11	0.06	2	9.8					
4/23/2013	XX	GW109X5J2		0.017	54.1	0.003 U	0.05 U	9.7	0.05 U	2	9					
7/30/2013	XX	GW109X657		0.016	62.5		0.05 U	10.8	0.1	1.8	8.2					
10/29/2013	XX	GW109X67G		0.015	58.5		0.05 U	10.9	0.15	1.9	8.4					
4/22/2014	XX	GW109X6G3		0.019	60.1		0.05 U	9.9	0.13	2	7.5					
7/29/2014	XX	GW109X705		0.018	62.1		0.05 U	10.5	0.31	1.9	7.7					
10/21/2014	XX	GW109X73G		0.014	62.8		0.05 U	10.4	0.35	2	7.2					
4/28/2015	XX	GW109X79D		0.019	63.4		0.05 U	10.4	0.33	1.8	6.9					
7/14/2015	XX	GW109X7D5		0.015	57.3		0.05 U	9.4	0.5	1.7	6.5					
10/27/2015	XX	GW109X7IE		0.017	54		0.05 U	10.8	0.64	2	7.3					
4/5/2016	XX	GW109X874		0.024	61.2		0.05 U	9.5	0.58	1.7	6.1					
7/26/2016	XX	GW109X8BE		0.031	62.9		0.05 U	11.1	0.85	1.9	7.3					
10/25/2016	XX	GW109X8JD		0.005	65.9		0.05 U	11.1	0.98	2.3	7.8					
4/18/2017	XX	GW109X97J		0.005 U	62		0.05 U	12	0.78	2	6.9					
7/25/2017	XX	GW109X9DH		0.005 U	68		0.05 U	12	1.4	2.1	6.9					
10/24/2017	XX	GW109X9HC		0.006	69		0.05 U	12	1.4	2	7.1					
4/3/2018	XX	GW109XA3B	UF	0.005 U	67		0.05 U	13	0.48	2.2	7.8					
7/17/2018	XX	GW109XACC	UF	0.005	67		0.05 U	12	1.1	1.8	6.4					
10/2/2018	XX	GW109XB1A	UF	0.005 U	67		0.05 U	12	1.3	2.1	7.5					
4/23/2019	XX	GW109XB67	UF	0.005 U	64		0.05 U	13	0.53	1.9	6.8					
7/16/2019	XX	GW109XBCI	UF	0.005 U	65		0.05 U	13	1.2	1.9	7.4					

SUMMARY REPORT

Metals

(MW04-109R)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/29/2019	XX	GW109XBIB	UF	0.005 U	60		0.05 U	12	1.3	2.3	7.5					
4/28/2020	XX	GW109XCDI	UF	0.005 U	59		0.05 U	12	0.37	1.8	6.5					
7/21/2020	XX	GW109XCIB	UF	0.005 U	58		0.05 U	13	0.96	2.3	7.6					
10/27/2020	XX	GW109XD3F	UF	0.005 U	53		0.05 U	11	1.3	1.7	7					
4/6/2021	XX	GW109XDCH	UF	0.005 U	57		0.05 U	12	0.26	1.8	6.1					
7/13/2021	XX	GW109XE09	UF	0.005 U	57		0.05 U	12	0.97	2.4	8					
10/5/2021	XX	GW109XE6H	UF	0.007	59		0.05 U	12	1.4	1.8	6.7					
MW06-01																
4/10/2018	XD	GWDP1XA68	UF	0.005 U	8.7	0.003 U	0.05 U	2.5	0.05 U	0.4	2.7					
4/10/2018	XX	GWXXXXA70	UF	0.005 U	8.6	0.003 U	0.05 U	2.4	0.05 U	0.4	2.7					
6/4/2018	XX	GWXXXXA7H	UF	0.005 U	11	0.003 U	0.05 U	3	0.05 U	0.4	2.9					
7/18/2018	XX	GWXXXXAEF	UF	0.005 U	10		0.05 U	2.6	0.05 U	0.4	2.8					
8/20/2018	XD	GWDP1XAF4	UF	0.005 U	9.2		0.05 U	2.4	0.05 U	0.4	2.6					
8/20/2018	XX	GWXXXXAFG	UF	0.005 U	9		0.05 U	2.5	0.05 U	0.4	2.5					
4/24/2019	XX	GWXXXXB7D	UF	0.005 U	8.4		0.66	2.6	0.05 U	0.6	2.7					
7/18/2019	XX	GWXXXXBE1	UF	0.005 U	9		0.05 U	3.2	0.05 U	0.6	3.4					
10/30/2019	XX	GWXXXXBJ8	UF	0.005 U	8.5		0.05 U	2.5	0.05 U	0.5	2.7					
4/29/2020	XX	GWXXXXCF1	UF	0.005 U	9.5		0.05 U	2.7	0.05 U	0.6	2.9					
7/22/2020	XX	GWXXXXCJE	UF	0.005 U	8.9		0.05 U	2.9	0.05 U	0.9	3.5					
10/28/2020	XX	GWXXXXD4C	UF	0.005 U	9.3		0.05 U	2.9	0.05 U	0.5	3.4					
4/7/2021	XX	GWXXXXDDI	UF	0.005 U	12		0.05 U	3.5	0.05 U	0.5	3.2	0.05 U				
7/14/2021	XX	GWXXXXE19	UF	0.005 U	12		0.05 U	3.3	0.05 U	0.4	2.9					
10/6/2021	XX	GWXXXXE7D	UF	0.005 U	13		0.05 U	3.6	0.05 U	0.5	3.3					
MW-204																
4/24/2012	XX	GW204X52C		0.005	16.7	0.003 U	0.05 U	5.6	0.05 U	0.9	6.2					
7/23/2012	XX	GW204X57B		0.005 U	18.4	0.003 U	0.25	5.7	0.05 U	0.9	7					
10/24/2012	XX	GW204X5E2		0.005	17.9	0.003 U	0.05	6.4	0.05 U	1	7.8					
4/24/2013	XX	GW204X5ID		0.008	19.6	0.003 U	0.05 U	6	0.05 U	0.9	6.8					
MW-206																
4/23/2012	XX	GW206X511		0.006	15.2	0.003 U	0.29	5.2	0.05 U	0.9	5.5					
7/23/2012	XX	GW206X560		0.006	14.8	0.003 U	0.13	4.6	0.05 U	0.8	4.6					
7/23/2012	XD	GWDP4X573		0.005	14.7	0.003 U	0.24	4.6	0.05 U	0.8	4.7					
10/22/2012	XX	GW206X5CB		0.01	17.6	0.003 U	0.33	5.3	0.05 U	0.8	5.3					
4/22/2013	XX	GW206X5H2		0.008	14.5	0.003 U	0.05 U	4.8	0.05 U	0.8	5.1					
7/29/2013	XX	GW206X637		0.008	15.7		0.05 U	4.7	0.05 U	0.6	4.1					
7/29/2013	XD	GWDP4X64A		0.008	15.4		0.05 U	4.7	0.05 U	0.6	4.3					
10/28/2013	XX	GW206X660		0.013	16		0.05 U	4.9	0.05 U	0.9	5.2					
4/21/2014	XX	GW206X6E3		0.007	16.3		0.08	4.8	0.05 U	0.8	4.8					
7/28/2014	XX	GW206X6IB		0.01	16.2		0.05 U	4.5	0.05 U	0.7	4.7					
7/28/2014	XD	GWDP1X6IG		0.009	16.1		0.05 U	4.5	0.05 U	0.7	4.6					
10/20/2014	XX	GW206X721		0.014	16.3		0.05 U	4.3	0.05 U	0.7	4.3					
4/27/2015	XX	GW206X77J		0.01	16.2		0.19	4.6	0.05 U	0.7	4.4					
7/13/2015	XX	GW206X7BB		0.012	17.5		0.05 U	4.8	0.05 U	0.7	4.7					
7/13/2015	XD	GWDP3X7C7		0.016	15.7		0.05 U	4.3	0.05 U	0.6	4.2					
10/26/2015	XX	GW206X7H0		0.016	14.9		0.05 U	4.7	0.05 U	0.7	4.7					
4/4/2016	XX	GW206X85A		0.005	15.9		0.05 U	4.5	0.05 U	0.7	4.2					
7/25/2016	XD	GWDP4X8B2		0.021	17.3		0.05 U	4.8	0.05 U	0.7	4.3					
7/25/2016	XX	GW206X8A0		0.022	16.9		0.05 U	4.7	0.05 U	0.7	4.3					

SUMMARY REPORT

Metals

(MW-206)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/24/2016	XX	GW206X8HJ		0.008	17.5		0.05 U	5	0.05 U	0.9	4.8					
4/17/2017	XX	GW206X965		0.01	17		0.05	5.2	0.05 U	0.8	5					
7/24/2017	XD	GWDP4X9D5		0.008	16		0.05 U	4.8	0.05 U	0.5	4.3					
7/24/2017	XX	GW206X9C3		0.005 U	16		0.05 U	4.8	0.05 U	0.6	4.4					
10/23/2017	XX	GW206X9F1		0.007	17		0.05	5.1	0.05 U	0.8	4.8					
4/2/2018	XX	GW206XA1G	UF	0.008	19		0.3	5.9	0.05 U	0.9	5.5					
7/16/2018	XD	GWDP4XAC0	UF	0.008	17		0.05 U	4.9	0.05 U	0.8	4.5					
7/16/2018	XX	GW206XAAI	UF	0.007	17		0.09	4.8	0.05 U	0.7	4.5					
10/1/2018	XX	GW206XAJG	UF	0.007	18		0.05	5.3	0.05 U	0.7	4.8					
4/22/2019	XX	GW206XB4C	UF	0.005	18		0.25	5.3	0.05 U	0.7	4.6					
7/17/2019	XX	GW206XBB5	UF	0.006	16		0.05 U	5.4	0.05 U	0.8	5.2					
10/28/2019	XX	GW206XBGJ	UF	0.006	16		0.05	4.8	0.05 U	0.8	4.5					
4/27/2020	XX	GW206XCC5	UF	0.006	18		0.09	5.2	0.05 U	0.7	4.6					
7/20/2020	XX	GW206XCGI	UF	0.005	16		0.05 U	4.9	0.05 U	0.8	4.7					
10/26/2020	XX	GW206XD23	UF	0.005	16		0.2	4.8	0.05 U	0.4	4.3					
4/5/2021	XX	GW206XDB4	UF	0.006	18		0.05 U	5.3	0.05 U	0.7	4.6					
7/14/2021	XX	GW206XDIG	UF	0.005 U	16	0.003 U	0.05 U	4.6	0.05 U	0.5	4	0.05 U				
10/4/2021	XX	GWXXXXE8D	UF	0.009	18	0.003 U	0.05 U	4.9	0.05 U	0.8	4.5	0.05 U				
MW-223A																
4/24/2012	XX	GW223A514		0.005	54.4	0.003 U	0.05 U	6.5	0.05 U	0.7	4					
4/24/2012	XD	GWDP1X517		0.006	57.9	0.003 U	0.05 U	6.5	0.05 U	0.7	3.7					
7/24/2012	XX	GW223A563		0.005 U	60.7	0.003	0.05 U	7.2	0.05 U	0.8	4.4					
10/23/2012	XX	GW223A5CE		0.008	61.5	0.003 U	0.05 U	7.2	0.05 U	0.7	4.3					
10/23/2012	XD	GWDP3X5D8		0.007	57.4	0.003 U	0.05 U	7.1	0.05 U	0.7	4.5					
4/23/2013	XX	GW223A5H5		0.012	68.1	0.003 U	0.05 U	8	0.05 U	0.9	4.7					
4/23/2013	XD	GWDP1X5H8		0.011	65.3	0.003 U	0.05 U	7.8	0.05 U	0.8	4.4					
7/30/2013	XX	GW223A63A		0.01	73.8		0.05 U	7.7	0.05 U	0.7	4					
10/29/2013	XX	GW223A663		0.013	74.1		0.05 U	9.1	0.05 U	0.8	4.7					
10/29/2013	XD	GWDP3X66H		0.012	67.5		0.05 U	8.2	0.05 U	0.8	4.4					
4/22/2014	XX	GW223A6E6		0.014	78.7		0.05 U	8.5	0.05 U	0.8	4.5					
4/22/2014	XD	GWDP1X6E9		0.015	80.3		0.05 U	8.7	0.05 U	0.8	4.7					
7/29/2014	XX	GW223A6ID		0.016	77.2		0.05 U	8	0.05 U	0.8	4.5					
10/21/2014	XX	GW223A723		0.007	73.2		0.05 U	7.8	0.05 U	0.8	4.5					
10/21/2014	XD	GWDP3X72I		0.009	73.6		0.05 U	7.5	0.05 U	0.8	4.3					
4/28/2015	XX	GW223A781		0.012	75.4		0.05 U	8.2	0.05 U	0.8	4.6					
4/28/2015	XD	GWDP1X784		0.013	75.4		0.05 U	8.1	0.05 U	0.8	4.6					
7/14/2015	XX	GW223A7BD		0.015	76		0.05 U	7.5	0.05 U	0.8	4.3					
10/27/2015	XX	GW223A7H2		0.01	71.3		0.05 U	8.3	0.05 U	0.8	4.7					
4/27/2016	XX	GW223A85C		0.034	85.6		0.05 U	8.9	0.05 U	0.8	4.8					
7/26/2016	XX	GW223A8A2		0.021	83.9		0.05 U	9.1	0.05 U	0.9	4.9					
10/25/2016	XX	GW223A8I1		0.006	89.3		0.05 U	9	0.05 U	0.9	5.1					
4/18/2017	XX	GW223A967		0.005	78		0.05 U	9.6	0.05 U	0.9	5.1					
7/25/2017	XX	GW223A9C5		0.005 U	93		0.05 U	10	0.05 U	0.9	5.6					
10/24/2017	XX	GW223A9G0		0.005	93		0.05 U	10	0.05 U	0.9	5.5					
4/3/2018	XX	GW223AA11	UF	0.005 U	86		0.05 U	11	0.05 U	1	5.9					
7/17/2018	XX	GW223AAB0	UF	0.006	91		0.05 U	8.9	0.05 U	0.7	4.3					
10/2/2018	XX	GW223AAJI	UF	0.005 U	98		0.05 U	11	0.05 U	0.9	6					
4/23/2019	XX	GW223AB4E	UF	0.005 U	91		0.05 U	10	0.05 U	0.9	5.4					
7/16/2019	XX	GW223ABB7	UF	0.005 U	89		0.05 U	10	0.05 U	1	6					

SUMMARY REPORT

Metals

(MW-223A)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/29/2019	XX	GW223ABH0	UF	0.005 U	92		0.05 U	10	0.05 U	1	5.4					
4/28/2020	XX	GW223ACC7	UF	0.005 U	100		0.05 U	11	0.05	1	5.6					
7/21/2020	XX	GW223ACH0	UF	0.005 U	94		0.05 U	11	0.05 U	1.2	6.2					
10/27/2020	XX	GW223AD24	UF	0.005 U	100		0.05 U	11	0.05 U	0.9	6.2					
4/6/2021	XX	GW223ADB6	UF	0.005 U	100		0.05 U	11	0.05 U	0.9	5.5					
7/13/2021	XX	GW223ADII	UF	0.005 U	99		0.05 U	11	0.05 U	1	5.7					
10/5/2021	XX	GW223AE56	UF	0.005 U	110		0.05 U	11	0.05 U	1	6.2					
MW-223B																
4/24/2012	XX	GW223B52D		0.005 U	37	0.003 U	0.24	9.8	0.05 U	0.6	4.2					
7/24/2012	XX	GW223B57C		0.005 U	40.5	0.003	0.1	11	0.05 U	0.8	4.6					
7/24/2012	XD	GWDP3X56H		0.005	43.1	0.003 U	0.08	10.9	0.05 U	0.8	4.6					
10/23/2012	XX	GW223B5E3		0.011	39	0.003 U	0.09	10.7	0.05 U	0.7	4.6					
4/23/2013	XX	GW223B5IE		0.009	41.3	0.003 U	0.06	11.1	0.05 U	0.7	4.7					
7/30/2013	XX	GW223B64J		0.008	46.2		0.12	11.3	0.05 U	0.7	4.3					
10/29/2013	XX	GW223B67C		0.008	44.3		0.09	11.5	0.05 U	0.8	4.9					
4/22/2014	XX	GW223B6FF		0.011	51.2		0.24	12.3	0.05 U	0.8	4.8					
7/29/2014	XX	GW223B700		0.014	50.6		0.05 U	11.9	0.05 U	0.8	4.9					
10/21/2014	XX	GW223B73C		0.005 U	49.2		0.06	11	0.05 U	0.8	4.9					
4/28/2015	XX	GW223B798		0.012	49.9		0.05	12	0.05 U	0.7	5					
7/14/2015	XX	GW223B7D0		0.012	50		0.05	11.7	0.05 U	0.8	4.9					
10/27/2015	XX	GW223B7I9		0.009	46.1		0.05 U	12.2	0.05 U	0.8	4.9					
4/5/2016	XX	GW223B86J		0.014	52.5		0.51	11.7	0.05 U	0.7	4.8					
7/26/2016	XX	GW223B8B9		0.017	57.2		0.08	13.5	0.05 U	0.8	5.1					
10/25/2016	XX	GW223B8J8		0.005 U	61.7		0.05 U	13.5	0.05 U	0.9	5.3					
4/18/2017	XX	GW223B97E		0.005 U	52		0.05	14	0.05 U	0.8	5.3					
7/25/2017	XX	GW223B9DC		0.005 U	60		0.05 U	15	0.05 U	0.8	5.6					
10/24/2017	XX	GW223B9H7		0.005 U	66		0.05 U	15	0.05 U	0.8	5.6					
4/3/2018	XX	GW223BA36	UF	0.007	56		0.05 U	15	0.05 U	0.8	5.4					
7/17/2018	XX	GW223BAC7	UF	0.005	65		0.05 U	14	0.05 U	0.7	4.7					
10/2/2018	XX	GW223BB15	UF	0.005 U	68		0.05 U	16	0.05 U	0.9	6					
4/23/2019	XX	GW223BB62	UF	0.005 U	66		0.05	17	0.05 U	0.8	5.8					
7/16/2019	XX	GW223BBCD	UF	0.005 U	68		0.05 U	17	0.05 U	1.1	6.4					
10/29/2019	XX	GW223BBI6	UF	0.005 U	64		0.05 U	16	0.05 U	0.9	5.5					
4/28/2020	XX	GW223BCDD	UF	0.005 U	65		0.05	15	0.05 U	0.8	5					
7/21/2020	XX	GW223BCI6	UF	0.005 U	64		0.06	17	0.05 U	0.9	6.1					
10/27/2020	XX	GW223BD3A	UF	0.005 U	67		0.15	17	0.05 U	0.9	6.1					
4/6/2021	XX	GW223BDCC	UF	0.005 U	67		0.05	16	0.05 U	0.8	5.2					
7/13/2021	XX	GW223BE04	UF	0.005	71		0.09	16	0.05 U	0.9	5.7					
10/5/2021	XX	GW223BE6C	UF	0.005 U	71		0.19	16	0.05 U	1	5.7					
MW-227																
4/24/2012	XX	GW227X515		0.012	19.9	0.003 U	0.05 U	5.4	0.05 U	1	5					
7/24/2012	XX	GW227X564		0.011	22	0.003 U	0.05 U	5.7	0.05 U	1.1	5.3					
10/23/2012	XX	GW227X5CF		0.014	22.4	0.003 U	0.05 U	5.6	0.05 U	1	5.5					
4/23/2013	XX	GW227X5H6		0.018	22.1	0.003 U	0.05 U	5.5	0.05 U	1.1	5.4					
7/30/2013	XX	GW227X63B		0.017	22.8		0.05 U	5.5	0.05 U	0.8	4.7					
7/30/2013	XD	GWDP3X644		0.016	23		0.05 U	5.3	0.05 U	0.8	4.8					
10/29/2013	XX	GW227X664		0.017	21		0.05 U	5.5	0.05 U	1	5.5					
4/22/2014	XX	GW227X6E7		0.017	24.1		0.05 U	5.8	0.05 U	1.2	5.6					

SUMMARY REPORT

Metals

(MW-227)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
4/22/2014	XD	GWDP3X6F0		0.018	23.4		0.05 U	5.8	0.05 U	1.1	5.5					
7/29/2014	XX	GW227X6IE		0.019	23.4		0.05 U	5.4	0.05 U	1	5					
7/29/2014	XD	GWDP3X6J7		0.019	22.3		0.05 U	5.3	0.05 U	1	5.2					
10/21/2014	XX	GW227X724		0.021	22.7		0.05 U	5.2	0.05 U	1.1	5.4					
4/28/2015	XX	GW227X782		0.021	23.2		0.05 U	5.4	0.05 U	1	5.4					
4/28/2015	XD	GWDP3X78F		0.018	22.5		0.05 U	5.4	0.05 U	1	5.2					
7/14/2015	XX	GW227X7BE		0.015	23.4		0.05 U	5.1	0.05 U	1	5.1					
7/14/2015	XD	GWDP1X7BG		0.016	20.9		0.05 U	4.8	0.05 U	1	5					
10/27/2015	XX	GW227X7H3		0.015	19.8		0.05 U	5.1	0.05 U	1	5.1					
10/27/2015	XD	GWDP1X7H5		0.017	18		0.05 U	5.1	0.05 U	1	5					
4/5/2016	XD	GWDP3X866		0.013	22.1		0.05 U	4.8	0.05 U	0.9	4.8					
4/5/2016	XX	GW227X85D		0.016	21.8		0.05 U	4.9	0.05 U	0.9	4.9					
7/26/2016	XD	GWDP3X8AG		0.023	22.9		0.08	5.6	0.05 U	1.1	5.4					
7/26/2016	XX	GW227X8A3		0.024	23		0.09	5.5	0.05 U	1.1	5.2					
10/25/2016	XD	GWDP3X8IF		0.012	26.4		0.1	5.5	0.05 U	1.2	5.3					
10/25/2016	XX	GW227X8I2		0.012	26		0.1	5.4	0.05 U	1.2	5.4					
4/18/2017	XD	GWDP3X971		0.016	22		0.11	6	0.05 U	1.2	5.8					
4/18/2017	XX	GW227X968		0.017	20		0.11	5.8	0.05 U	1.1	5.3					
7/25/2017	XD	GWDP3X9CJ		0.014	22		0.05 U	5.5	0.05 U	1	5.1					
7/25/2017	XX	GW227X9C6		0.011	23		0.08	5.7	0.05 U	1	5.3					
10/24/2017	XD	GWDP3X9GE		0.02	25		0.05 U	5.7	0.05 U	1	5.4					
10/24/2017	XX	GW227X9G1		0.019	24		0.05 U	5.5	0.05 U	1	5.2					
4/3/2018	XD	GWDP3XA2D	UF	0.013	21		0.05	5.6	0.05 U	1.1	5.5					
4/3/2018	XX	GW227XA1J	UF	0.013	21		0.05 U	5.7	0.05 U	1.1	5.7					
7/17/2018	XD	GWDP3XABE	UF	0.016	24		0.05 U	5.1	0.05 U	0.9	4.5					
7/17/2018	XX	GW227XAB1	UF	0.014	24		0.05 U	5	0.05 U	0.9	4.7					
10/2/2018	XD	GWDP3XB0C	UF	0.013	26		0.05 U	6.2	0.16	1.1	5.8					
10/2/2018	XX	GW227XAJJ	UF	0.014	26		0.05 U	6	0.15	1.1	5.9					
4/23/2019	XD	GWDP3XB59	UF	0.013	25		0.05	6.1	0.05 U	1.1	5.4					
4/23/2019	XX	GW227XB4F	UF	0.015	26		0.08	6	0.05 U	1.1	5.4					
7/16/2019	XD	GWDP3XBC1	UF	0.015	22		0.08	5.7	0.05 U	1.1	5.5					
7/16/2019	XX	GW227XBB8	UF	0.015	21		0.05	5.3	0.05 U	1	5.4					
10/29/2019	XD	GWDP3XBHE	UF	0.012	21		0.13	5.3	0.05 U	1.2	5.1					
10/29/2019	XX	GW227XBH1	UF	0.013	22		0.05 U	5.4	0.05 U	1.2	5.4					
4/28/2020	XD	GWDP3XCD1	UF	0.011	24		0.06	5.9	0.05 U	1.1	5.3					
4/28/2020	XX	GW227XCC8	UF	0.016	23		0.05	5.4	0.05 U	1	4.8					
7/21/2020	XD	GWDP3XCHE	UF	0.011	23		0.05	5.8	0.05 U	2.1	5.7					
7/21/2020	XX	GW227XCH1	UF	0.013	21		0.05 U	5.8	0.05 U	1.5	5.9					
10/27/2020	XD	GWDP3XD21	UF	0.012	23		0.05 U	5.7	0.05 U	1.1	5.5					
10/27/2020	XX	GW227XD25	UF	0.012	22		0.05 U	5.7	0.05 U	1	5.6					
4/6/2021	XD	GWDP3XDC0	UF	0.012	23		0.07	5.4	0.05 U	1	4.7					
4/6/2021	XX	GW227XDB7	UF	0.013	24		0.07	5.5	0.05 U	1	4.8					
7/13/2021	XD	GWDP3XDJC	UF	0.013	22		0.24	5	0.05 U	1	4.7					
7/13/2021	XX	GW227XDJ1	UF	0.012	23		0.19	5.3	0.05 U	1.1	5.1					
10/5/2021	XD	GWDP3XE60	UF	0.019	24		0.38	5.6	0.05 U	1.2	5.4					
10/5/2021	XX	GW227XE57	UF	0.015	24		0.13	5.4	0.05 U	1.1	5.3					
MW-301																
4/25/2012	XX	GW301X516		0.009	16.9	0.003 U	0.15	4.4	0.05 U	0.7	11.1					
7/25/2012	XX	GW301X565		0.006	14.9	0.003 U	0.05 U	4.5	0.05 U	0.7	11.8					

SUMMARY REPORT

Metals

(MW-301)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/24/2012	XX	GW301X5CG		0.006	16.7	0.003 U	0.32	4.3	0.05 U	0.6	10.3					
10/24/2012	XD	GWDP4X5DE		0.008	17.1	0.003 U	0.31	4.4	0.05 U	0.6	10					
4/22/2013	XX	GW301X5H7		!	!	!	!	!	!	!	!					
7/31/2013	XX	GW301X63C		0.01	19.2		0.54	4.8	0.05	0.7	10.4					
10/30/2013	XX	GW301X665		0.006	19.3		0.13	4.7	0.05 U	0.6	10.1					
10/30/2013	XD	GWDP1X666		0.008	18.7		0.15	4.7	0.05 U	0.6	10.2					
4/23/2014	XX	GW301X6E8		0.007	20.7		0.22	4.7	0.05	0.7	11.5					
7/30/2014	XX	GW301X6IF		0.006	19.6		0.1	4.8	0.05 U	0.8	12.2					
10/22/2014	XX	GW301X725		0.011	19.9		0.05 U	4.6	0.05 U	0.7	11.4					
10/22/2014	XD	GWDP1X726		0.01	20.3		0.05	4.8	0.05 U	0.7	11.7					
4/29/2015	XX	GW301X783		0.012	19.9		0.05 U	4.9	0.05 U	0.7	12					
7/15/2015	XX	GW301X7BF		0.006	19.3		0.06	4.6	0.05 U	0.7	11.7					
10/27/2015	XX	GW301X7H4		0.005	17.5		0.05 U	5	0.05 U	0.7	10.7					
10/27/2015	XD	GWDP4X7I2		0.007	16.6		0.05 U	5	0.05 U	0.7	10.9					
4/27/2016	XX	GW301X85E		0.018	21.9		0.05 U	5.2	0.05 U	0.7	12.2					
7/27/2016	XX	GW301X8A4		0.011	21.6		0.56	5.2	0.18	0.7	11.1					
10/26/2016	XD	GWDP4X8J1		0.01	20.5		0.12	5.4	0.05 U	0.8	12.5					
10/26/2016	XX	GW301X8I3		0.01	20.4		0.1	5.6	0.05 U	0.8	13					
4/19/2017	XX	GW301X969		0.006	20		0.07	5.4	0.05 U	0.7	11					
7/26/2017	XX	GW301X9C7		0.006	21		0.05 U	5.4	0.05 U	0.8	11					
10/25/2017	XD	GWDP4X9H0		0.007	24		0.05	5.9	0.05 U	0.7	12					
10/25/2017	XX	GW301X9G2		0.005	24		0.06	5.8	0.05 U	0.8	12					
4/4/2018	XX	GW301XA20	UF	0.006	25		0.11	6.2	0.06	0.8	13					
7/18/2018	XX	GW301XAB2	UF	0.005 U	25		0.18	6	0.06	0.8	12					
10/1/2018	XD	GWDP4XB0I	UF	0.005	25		0.05	6.3	0.05 U	0.7	13					
10/1/2018	XX	GW301XB00	UF	0.005 U	25		0.1	6.3	0.05	0.7	13					
4/24/2019	XX	GW301XB4G	UF	0.005	24		0.07	6.2	0.05 U	0.8	12					
7/17/2019	XX	GW301XBB9	UF	0.005 U	25		0.05 U	6.6	0.05 U	0.9	14					
10/28/2019	XD	GWDP4XBIO	UF	0.006	25		0.05 U	6.5	0.05 U	1	12					
10/28/2019	XX	GW301XBH2	UF	0.005 U	22		0.1	5.7	0.05 U	0.8	12					
4/27/2020	XX	GW301XCC9	UF	0.006	26		0.06	6.6	0.05 U	0.8	14					
7/20/2020	XX	GW301XCH2	UF	0.005 U	24		0.18	6.2	0.16	0.8	13					
10/26/2020	XD	GWDP4XD34	UF	0.005 U	23		0.14	6.1	0.12	0.4	12					
10/26/2020	XX	GW301XD26	UF	0.005 U	22		0.06	5.8	0.06	0.4	12					
4/5/2021	XX	GW301XDB8	UF	0.005 U	28		0.14	7.1	0.11	0.8	13					
7/12/2021	XX	GW301XDJO	UF	0.005 U	24		0.06	6	0.07	0.9	13					
10/4/2021	XD	GWDP4XE66	UF	0.005 U	26		0.25	6	0.07	0.9	13					
10/4/2021	XX	GW301XE58	UF	0.005 U	24		0.05 U	6.1	0.07	0.8	13					
MW-302R																
4/23/2012	XX	GW302X52B		0.005 U	26	0.003 U	0.05 U	2.3	0.05 U	0.8	13.2					
7/23/2012	XX	GW302X57A		0.005 U	32.6	0.003 U	0.05 U	2.8	0.05 U	0.9	18.4					
10/22/2012	XX	GW302X5E1		0.009	54.6	0.003 U	0.05 U	4.3	0.05 U	1.2	28.6					
4/22/2013	XX	GW302X5IC		0.005	21.1	0.003 U	0.05 U	1.8	0.05 U	0.7	11					
7/29/2013	XX	GW302X64H		0.005 U	33		0.05 U	3	0.05 U	0.8	17.8					
10/28/2013	XX	GW302X67A		0.008	32.6		0.05 U	2.9	0.05 U	1.1	20.3					
4/21/2014	XX	GW302X6FD		0.006	38.5		0.05 U	2.9	0.05 U	0.9	16.7					
7/28/2014	XX	GW302X6JJ		0.009	50.2		0.05 U	3.6	0.05 U	1	20.8					
10/20/2014	XX	GW302X73A		0.015	54.4		0.05 U	4.7	0.05 U	1.2	26.7					
4/27/2015	XX	GW302X797		0.006	29.2		0.05 U	2.1	0.05 U	0.7	16.2					

SUMMARY REPORT

Metals

(MW-302R)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/13/2015	XX	GW302X7CJ		0.01	40.7		0.05 U	3.1	0.05 U	0.9	22.1					
10/26/2015	XX	GW302X7I8		0.009	51.3		0.05 U	4	0.05 U	0.9	20.9					
4/4/2016	XX	GW302X86I		0.009	30.4		0.05 U	2	0.05 U	0.7	13					
7/25/2016	XX	GW302X8B8		0.015	32.9		0.05 U	2.5	0.05 U	0.7	14.9					
10/24/2016	XX	GW302X8J7		0.005 U	99.2		0.05 U	8.1	0.05 U	1.5	22.5					
4/17/2017	XX	GW302X97D		0.005 U	33		0.05 U	2.6	0.05 U	0.8	17					
7/24/2017	XX	GW302X9DB		0.005 U	33		0.05 U	2.7	0.05 U	0.7	20					
10/23/2017	XX	GW302X9H6		0.005 U	73		0.05 U	6.1	0.05 U	1.3	28					
4/2/2018	XX	GW302XA35	UF	0.005	29		0.05 U	2.5	0.05 U	0.8	20					
7/16/2018	XX	GW302XAC6	UF	0.005 U	36		0.05 U	2.9	0.05 U	0.8	20					
10/1/2018	XX	GW302XB14	UF	0.005 U	140		0.05 U	8.6	0.1	2.4	35					
4/22/2019	XX	GW302XB61	UF	0.005 U	21		0.05 U	1.8	0.05 U	0.6	11					
7/17/2019	XX	GW302XBCC	UF	0.005 U	30		0.05 U	3	0.05 U	0.9	26					
10/28/2019	XX	GW302XB15	UF	0.005 U	29		0.05 U	2.5	0.05 U	0.9	22					
4/27/2020	XX	GW302XCDC	UF	0.005 U	31		0.05 U	2.5	0.05 U	0.7	18					
7/20/2020	XX	GW302XC15	UF	0.005 U	32		0.05 U	3	0.05 U	0.9	22					
10/26/2020	XX	GW302XD39	UF	0.005 U	54		0.05 U	4.6	0.05 U	1	27					
4/5/2021	XX	GW302XDCB	UF	0.005 U	38		0.05 U	2.9	0.05 U	0.9	15					
7/12/2021	XX	GW302XE03	UF	0.006	59		0.05 U	5.2	0.05 U	1.2	28					
10/4/2021	XX	GW302XE6B	UF	0.005 U	56		0.05 U	4.2	0.05 U	1.1	24					
MW-303 & MW12-303R																
4/23/2012	XX	GW303X52F		0.005 U	25.2	0.003 U	0.07	12.1	0.05 U	1	8.5					
7/24/2012	XX	GW303X57E		!	!	!	!	!	!	!	!					
10/23/2012	XX	GW303X5EG		0.005 U	16.6	0.003 U	0.1	7.8	0.32	1.5	10.4					
4/22/2013	XX	GW303X5IG		0.01	21.3	0.003 U	0.05 U	9.5	0.06	2.1	15.9					
7/29/2013	XX	GW303X651		0.008	24.3		0.05 U	10	0.05 U	1.5	8.8					
10/28/2013	XX	GW303X67D		0.015	23.7		0.05 U	10.3	0.05 U	1.7	9.2					
4/21/2014	XX	GW303X6FH		0.013	26.5		0.05 U	10.3	0.05 U	1.6	18.2					
7/28/2014	XX	GW303X701		0.01	26.4		0.05 U	10.3	0.05 U	1.5	9.5					
10/20/2014	XX	GW303X73D		0.013	28		0.05 U	10.9	0.05 U	1.4	46.8					
4/27/2015	XX	GW303X799		0.013	64.2		0.05 U	7.2	1.07	3.1	82.8					
6/18/2015	XX	42173-1		0.005 U	45.5	0.003 U	0.09	7.1	0.21	2.3	55.2					
7/13/2015	XX	GW303X7D1		0.016	40.6		0.05 U	8.5	0.09	1.7	22.3					
10/26/2015	XX	GW303X71A		0.009	31.8		0.19	7.9	0.31	1.8	29					
4/4/2016	XX	GW303X870		0.012	28.8		0.06	2.5	0.05 U	1.4	37.7					
7/25/2016	XX	GW303X8BA		0.036	55		0.05 U	9.2	0.05 U	2.3	28.7					
10/24/2016	XX	GW303X8J9		0.005 U	61		2.29	5.7	3.13	2.6	60.8					
4/17/2017	XX	GW303X97F		0.005 U	46		0.05	4.7	0.05	4.3	39					
7/24/2017	XX	GW303X9DD		0.005 U	47		0.05 U	7.4	0.05	4.2	22					
10/23/2017	XX	GW303X9H8	FILT	0.006	45		0.05 U	8.2	0.21	3.1	21					
4/2/2018	XX	GW303XA37	UF	0.005 U	160		0.08	22	0.16	5.6	110					
7/16/2018	XX	GW303XAC8	UF	0.007	56		0.05 U	15	0.05 U	2.2	15					
10/1/2018	XX	GW303XB16	UF	0.005 U	46		0.62	14		2	13					
4/22/2019	XX	GW303XB63	UF	0.005 U	60		0.35	8.3	0.76	5.7	25					
7/17/2019	XX	GW303XBCE	UF	0.005 U	50		0.05 U	9	0.14	4.3	29					
10/28/2019	XX	GW303XB17	UF	0.005 U	43		0.05 U	5.6	0.1	3.8	20					
4/27/2020	XX	GW303XCDE	UF	0.005 U	52		0.13	7.4	0.2	3.2	18					
7/20/2020	XX	GW303XC17	UF	0.005 U	30		0.05 U	6.1	0.06	2.5	11					
10/26/2020	XX	GW303XD3B	UF	0.005 U	57		0.05 U	9.5	0.07	3.1	24					

REPORT PREPARED: 4/11/2022 07:06
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Metals

Page 16 of 31
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(MW-303 & MW12-303R)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Date	Type	Sample ID										
4/5/2021	XX	GW303XDCCD	UF	0.005 U	46		0.05 U	6.4	0.06	2.4	22	
7/12/2021	XX	GW303XE05	UF	0.005 U	55		0.06	7.2	0.07	3.3	28	
10/4/2021	XX	GW303XE6D	UF	0.005 U	65		0.05 U	8.3	0.1	3.3	37	

MW-401A												
Date	Type	Sample ID	Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
4/23/2012	XX	GW401A520		0.007	12.9	0.003 U	0.05 U	4.3	0.05 U	0.8	4	
7/23/2012	XX	GW401A56J		0.005 U	12.1	0.003 U	0.05 U	3.9	0.05 U	0.7	3.5	
10/22/2012	XX	GW401A5DA		0.005 U	13	0.003 U	0.05 U	4.4	0.05 U	0.7	4	
4/22/2013	XX	GW401A5I1		0.005	13.7	0.003 U	0.05 U	3.9	0.05 U	0.7	4	
7/29/2013	XX	GW401A646		0.005 U	14.7		0.05 U	4.1	0.05 U	0.6	3.3	
10/28/2013	XX	GW401A66J		0.009	14		0.05 U	4	0.05 U	0.7	3.7	
4/21/2014	XX	GW401A6F2		0.006	15.4		0.05 U	4.2	0.05 U	0.7	3.9	
7/28/2014	XX	GW401A6J9		0.005	14.7		0.05 U	3.9	0.05 U	0.7	3.7	
10/20/2014	XX	GW401A730		0.01	14.5		0.05 U	4	0.05 U	0.6	3.6	
4/27/2015	XX	GW401A78H		0.009	15.7		0.06	4.2	0.05 U	0.7	3.9	
7/13/2015	XX	GW401A7C9		0.013	15.2		0.05 U	4	0.05 U	0.7	3.9	
10/26/2015	XX	GW401A7HI		0.009	15.1		0.05 U	4.1	0.05 U	0.6	3.8	
4/27/2016	XX	GW401A868		0.017	16.4		0.05 U	4.3	0.05 U	0.7	3.9	
7/25/2016	XX	GW401A8AI		0.018	15.7		0.05 U	4.2	0.05 U	0.7	3.6	
10/24/2016	XX	GW401A8IH		0.006	16.5		0.06	4.5	0.05 U	0.8	3.9	
4/17/2017	XX	GW401A973		0.007	15		0.05 U	4.4	0.05 U	0.8	3.7	
7/24/2017	XX	GW401A9D1		0.005	15		0.05 U	4.2	0.05 U	0.6	3.8	
10/25/2017	XX	GW401A9GG		0.008	16		0.05 U	4.3	0.05 U	0.7	3.8	
4/2/2018	XX	GW401AA2F	UF	0.005	16		0.05 U	4.7	0.05 U	0.8	4.5	
7/16/2018	XX	GW401AABG	UF	0.006	17		0.05 U	4.3	0.05 U	0.7	3.9	
10/1/2018	XX	GW401AB0E	UF	0.006	17		0.05 U	4.6	0.05 U	0.6	4.1	
4/22/2019	XX	GW401AB5B	UF	0.005 U	17		0.05 U	4.8	0.05 U	0.8	4.2	
7/15/2019	XX	GW401ABC3	UF	0.007	15		0.05 U	4.3	0.05 U	0.6	3.8	
10/28/2019	XX	GW401ABHG	UF	0.007	15		0.05 U	4.1	0.05 U	0.7	3.6	
4/27/2020	XX	GW401ACD3	UF	0.007	18		0.05 U	4.8	0.05 U	0.7	4	
7/20/2020	XX	GW401ACHG	UF	0.005 U	16		0.05 U	4.6	0.05 U	0.8	4.1	
10/26/2020	XX	GW401AD30	UF	0.007	17		0.05 U	4.7	0.05 U	0.6	3.7	
4/5/2021	XX	GW401ADC2	UF	0.005	17		0.05 U	4.9	0.05 U	0.8	4.1	
7/12/2021	XX	GW401ADJE	UF	0.007	17		0.05 U	4.5	0.05 U	0.7	3.6	
10/4/2021	XX	GW401AE62	UF	0.005 U	18		0.05 U	4.8	0.05 U	0.8	4.1	

MW-401B												
Date	Type	Sample ID	Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
4/23/2012	XX	GW401B521		0.017	25.3	0.003 U	0.19	8.3	0.05	1.1	10.9	
4/23/2012	XD	GWDP4X524		0.015	24.6	0.003 U	0.23	9	0.05	1.2	11.7	
7/23/2012	XX	GW401B570		0.011	29.9	0.003 U	0.63	8.8	0.16	1.1	11.4	
7/23/2012	XD	GWDP1X566		0.014	26.5	0.003 U	0.5	8.4	0.16	1.1	10.8	
10/22/2012	XX	GW401B5DB		0.016	34.5	0.003 U	0.99	11	0.2	1.4	14.7	
4/22/2013	XX	GW401B5I2		0.013	28.9	0.003 U	0.39	8.7	0.18	1.1	12.9	
4/22/2013	XD	GWDP4X5I5		0.012	29.4	0.003 U	0.36	8.7	0.17	1.1	12.5	
7/29/2013	XX	GW401B647		0.022	28.8		0.51	8.4	0.22	0.9	10	
7/29/2013	XD	GWDP1X63D		0.02	31.4		0.59	9.4	0.21	1	10.9	
10/28/2013	XX	GW401B670		0.027	35.1		1.72	10.8	0.28	1.5	14.9	
10/28/2013	XD	GWDP4X673		0.03	37.4		1.61	10.3	0.28	1.5	15.2	
4/21/2014	XX	GW401B6F3		0.031	30.2		1.45	8.8	0.2	1.1	11.4	
4/21/2014	XD	GWDP4X6F6		0.032	29.3		1.65	9	0.22	1.1	11.6	

SUMMARY REPORT

Metals

(MW-401B)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/28/2014	XX	GW401B6JA		0.023	36		1.63	9.6	0.18	1.2	13.6					
7/28/2014	XD	GWDP4X6JD		0.027	35.9		1.68	9.8	0.18	1.2	12.7					
10/20/2014	XX	GW401B731		0.026	38.8		1.95	10.9	0.16	1.4	16.2					
10/20/2014	XD	GWDP4X734		0.026	37		1.89	10.4	0.15	1.3	15.1					
4/27/2015	XX	GW401B78I		0.026	29.8		1.37	8.4	0.28	1	10.4					
4/27/2015	XD	GWDP4X791		0.027	28.4		1.28	8.4	0.26	1	10.4					
7/13/2015	XX	GW401B7CA		0.026	37		1.57	9.8	0.22	1.1	12.6					
7/13/2015	XD	GWDP4X7CD		0.029	36.4		1.52	9.6	0.21	1.1	12.6					
10/26/2015	XX	GW401B7HJ		0.027	35.4		2.13	10.6	0.22	1.3	13.6					
10/26/2015	XD	GWDP3X7HG		0.028	37.2		2.17	10.7	0.22	1.3	13.5					
4/6/2016	XD	GWDP4X86C		0.028	30.6		0.92	8.4	0.18	1	10.7					
4/6/2016	XX	GW401B869		0.025	33.3		0.9	8.8	0.18	1	10.6					
7/25/2016	XX	GW401B8AJ		0.058	43.3		2.79	12.1	0.19	1.4	13.9					
10/24/2016	XD	GWDP1X8I4		0.015	43.1		2.02	12.3	0.13	1.5	15.7					
10/24/2016	XX	GW401B8II		0.013	44.8		2.07	12.9	0.13	1.6	15.9					
4/17/2017	XD	GWDP4X977		0.045	30		3	10	0.4	1.2	13					
4/17/2017	XX	GW401B974		0.044	31		3	10	0.43	1.2	13					
7/24/2017	XX	GW401B9D2		0.02	37		1.3	10	0.17	1	12					
10/25/2017	XD	GWDP1X9G3		0.033	43		3.5	12	0.35	1.3	13					
10/25/2017	XX	GW401B9GH		0.015	43		1.7	12	0.2	1.3	14					
4/2/2018	XD	GWDP4XA2J	UF	0.013	40		0.55	11	0.08	1.3	14					
4/2/2018	XX	GW401BA2G	UF	0.013	37		0.47	10	0.07	1.1	13					
7/16/2018	XX	GW401BABH	UF	0.028	43		1.9	11	0.24	1.2	12					
10/1/2018	XD	GWDP1XB01	UF	0.01	41		1.6	11	0.15	1.3	14					
10/1/2018	XX	GW401BB0F	UF	0.01	42		1.9	12	0.17	1.4	13					
4/22/2019	XD	GWDP4XB5F	UF	0.02	27		0.64	8	0.13	0.9	9.8					
4/22/2019	XX	GW401BB5C	UF	0.021	26		0.63	8.1	0.13	0.9	9.7					
7/15/2019	XD	GWDP4XBC7	UF	0.02	33		1.3	9.7	0.15	0.9	10					
7/15/2019	XX	GW401BBC4	UF	0.02	34		1.4	10	0.16	1.1	11					
10/28/2019	XD	GWDP1XBH3	UF	0.017	39		1.9	11	0.15	1.4	11					
10/28/2019	XX	GW401BBHH	UF	0.013	38		1.6	10	0.13	1.2	10					
4/27/2020	XD	GWDP4XCD7	UF	0.019	31		0.68	8.9	0.1	1	9.8					
4/27/2020	XX	GW401BCD4	UF	0.023	30		0.67	8.5	0.09	0.9	9.7					
7/20/2020	XD	GWDP4XC10	UF	0.025	36		2.6	11	0.2	1.8	11					
7/20/2020	XX	GW401BCHH	UF	0.028	39		2.5	11	0.21	1.5	11					
10/26/2020	XD	GWDP1XD27	UF	0.013	38		2	11	0.21	1	11					
10/26/2020	XX	GW401BD31	UF	0.016	42		2.1	12	0.22	1.2	12					
4/5/2021	XD	GWDP4XDC6	UF	0.008	37		1.3	10	0.1	1.1	10					
4/5/2021	XX	GW401BDC3	UF	0.009	39		1.3	11	0.11	1.2	11					
7/12/2021	XD	GWDP5XE1B	UF	0.005	40		1.3	11	0.1	1.2	10					
7/12/2021	XX	GW401BDJF	UF	0.005 U	37		1.3	10	0.1	1.2	10					
10/4/2021	XD	GWDP1XE59	UF	0.017	41		1.5	11	0.11	1.4	12					
10/4/2021	XX	GW401BE63	UF	0.008	41		1.4	11	0.1	1.4	12					
MW-402A																
4/24/2012	XX	GW402A522		0.019	10.7	0.003 U	0.05 U	2.9	0.05 U	0.6	7.8					
7/25/2012	XX	GW402A571		0.021	11.3	0.003 U	0.05 U	2.9	0.05 U	0.6	8.6					
10/24/2012	XX	GW402A5DC		0.017	11.1	0.003 U	0.05 U	3.1	0.05 U	0.6	8.5					
4/22/2013	XX	GW402A5I3		0.021	10.7	0.003 U	0.05 U	3	0.05 U	0.7	9.1					
7/31/2013	XX	GW402A648		0.024	11.8		0.05 U	3.1	0.05 U	0.6	7.7					

SUMMARY REPORT

Metals

(MW-402A)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/30/2013	XX	GW402A671		0.02	12.1		0.05 U	3	0.05 U	0.6	8.2					
4/23/2014	XX	GW402A6F4		0.023	11.9		0.05 U	2.9	0.05 U	0.6	8.3					
7/30/2014	XX	GW402A6JB		0.022	12		0.05 U	3	0.05 U	0.7	8.9					
10/22/2014	XX	GW402A732		0.024	12.5		0.05 U	3	0.05 U	0.6	8.7					
4/29/2015	XX	GW402A78J		0.023	11.6		0.05 U	3	0.05 U	0.6	8.8					
7/15/2015	XX	GW402A7CB		0.025	11.4		0.05 U	2.8	0.05 U	0.6	8.4					
10/28/2015	XX	GW402A7I0		0.021	10.5		0.05 U	2.8	0.05 U	0.5	7.4					
4/27/2016	XX	GW402A86A		0.025	12.3		0.05 U	3.1	0.05 U	0.6	8.6					
7/27/2016	XX	GW402A8B0		0.026	12.4		0.05 U	3.1	0.05 U	0.7	8.8					
10/26/2016	XX	GW402A8IJ		0.017	11.7		0.05 U	3.2	0.05 U	0.6	8.9					
4/19/2017	XX	GW402A975		0.019	11		0.05 U	3.3	0.05 U	0.6	8.8					
7/26/2017	XX	GW402A9D3		0.016	11		0.05 U	2.9	0.05 U	0.6	7.9					
10/26/2017	XX	GW402A9GI		0.019	13		0.05 U	3.2	0.05 U	0.5	7.7					
4/4/2018	XX	GW402AA2H	UF	0.024	13		0.05 U	3.4	0.05 U	0.7	10					
7/18/2018	XX	GW402AABI	UF	0.015	14		0.26	3	0.05 U	0.7	8.2					
10/3/2018	XX	GW402AB0G	UF	0.024	12		0.05 U	3	0.05 U	0.6	8.5					
4/24/2019	XX	GW402AB5D	UF	0.017	12		0.05 U	3.1	0.05 U	0.6	8.5					
7/17/2019	XX	GW402ABC5	UF	0.02	12		0.05 U	3.4	0.05 U	0.7	10					
10/30/2019	XX	GW402ABHI	UF	0.019	11		0.05 U	3.1	0.05 U	0.7	8.5					
4/29/2020	XX	GW402ACD5	UF	0.02	12		0.05 U	3.2	0.05 U	0.8	8.5					
7/22/2020	XX	GW402ACHI	UF	0.018	12		0.05 U	3.3	0.05 U	1	9.5					
10/28/2020	XX	GW402AD32	UF	0.015	12		0.05 U	3.4	0.05 U	0.6	10					
4/7/2021	XX	GW402ADC4	UF	0.017	14		0.05 U	3.6	0.05 U	0.7	9.1					
7/14/2021	XX	GW402ADJG	UF	0.015	11		0.05 U	2.9	0.05 U	0.4	7.7					
10/4/2021	XX	GW402AE64	UF	0.019	13		0.05 U	3.2	0.05 U	0.7	9.1					
MW-402B																
4/24/2012	XX	GW402B523		0.018	13.6	0.003 U	0.05 U	4.9	0.05 U	0.7	8.1					
7/25/2012	XX	GW402B572		0.017	15	0.003 U	0.05 U	4.9	0.05 U	0.7	8.1					
10/24/2012	XX	GW402B5DD		0.02	13.9	0.003 U	0.05 U	5.1	0.05 U	0.6	8.1					
4/22/2013	XX	GW402B5I4		0.019	13.2	0.003 U	0.05 U	4.7	0.05 U	0.6	8.4					
7/31/2013	XX	GW402B649		0.024	14.9		0.05 U	5	0.05 U	0.6	7.6					
10/30/2013	XX	GW402B672		0.019	15.5		0.05 U	4.9	0.05 U	0.6	8.1					
4/23/2014	XX	GW402B6F5		0.019	15.1		0.05 U	4.7	0.05 U	0.6	8					
7/30/2014	XX	GW402B6JC		0.023	14.8		0.05 U	4.7	0.05 U	0.6	8.5					
10/22/2014	XX	GW402B733		0.021	14.7		0.05 U	4.6	0.05 U	0.7	8.3					
4/29/2015	XX	GW402B790		0.021	14.8		0.05 U	4.7	0.05 U	0.6	8					
7/15/2015	XX	GW402B7CC		0.024	14.7		0.05 U	4.5	0.05 U	0.6	7.8					
10/28/2015	XX	GW402B7I1		0.022	13.5		0.05 U	4.6	0.05 U	0.6	7.7					
4/27/2016	XX	GW402B86B		0.031	15.6		0.05 U	5	0.05 U	0.6	8.2					
7/27/2016	XX	GW402B8B1		0.023	15.3		0.05 U	4.8	0.05 U	0.6	8.3					
10/26/2016	XX	GW402B8J0		0.022	14.8		0.18	5.2	0.05	0.7	9.4					
4/19/2017	XX	GW402B976		0.021	13		0.05 U	4.9	0.05 U	0.7	8.3					
7/26/2017	XX	GW402B9D4		0.021	14		0.05 U	4.6	0.05 U	0.6	8.1					
10/26/2017	XX	GW402B9GJ		0.021	17		0.05 U	5.1	0.05 U	0.6	7.9					
4/4/2018	XX	GW402BA2I	UF	0.019	16		0.06	5.3	0.05 U	0.7	9.1					
7/18/2018	XX	GW402BABJ	UF	0.016	15		0.06	4.8	0.05 U	0.6	8.5					
10/3/2018	XX	GW402BB0H	UF	0.019	16		0.05 U	4.8	0.05 U	0.6	8.8					
4/24/2019	XX	GW402BB5E	UF	0.02	15		0.05 U	4.8	0.05 U	0.6	8.2					
7/17/2019	XX	GW402BBC6	UF	0.017	13		0.05 U	5.2	0.05 U	0.7	9.8					

SUMMARY REPORT

Metals

(MW-402B)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/30/2019	XX	GW402BBHJ	UF	0.02	14		0.05 U	4.8	0.05 U	0.7	8.1					
4/29/2020	XX	GW402BCD6	UF	0.017	15		0.05 U	4.9	0.05 U	0.7	8.2					
7/22/2020	XX	GW402BCHJ	UF	0.018	14		0.06	5.1	0.05 U	0.7	9.2					
10/28/2020	XX	GW402BD33	UF	0.016	15		0.05 U	5.3	0.05 U	0.6	9.4					
4/7/2021	XX	GW402BDC5	UF	0.018	18		0.05 U	5.9	0.05 U	0.7	9.2					
7/14/2021	XX	GW402BDJH	UF	0.019	15		0.05 U	4.6	0.05 U	0.4	7.8					
10/4/2021	XX	GW402BE65	UF	0.021	16		0.22	5.2	0.05 U	0.7	9					
MW-501																
4/5/2018	XX	GW501XA6I	UF	0.008	30	0.003 U	0.05 U	4.9	0.05 U	0.8	4.6					
6/4/2018	XX	GW501XA7F	UF	0.009	30	0.003 U	0.05 U	5.5	0.05	0.7	4.1					
7/19/2018	XX	GW501XAEED	UF	0.005 U	30		0.05	5.4	0.06	0.7	3.9					
8/20/2018	XX	GW501XAFE	UF	0.006	33		0.05 U	5.7	0.08	0.7	3.9					
4/24/2019	XX	GW501XB7C	UF	0.005 U	47		0.17	6.8	0.21	0.8	5.1					
7/17/2019	XX	GW501XBE0	UF	0.009	21		0.05 U	5.1	0.05 U	0.8	4.3					
10/30/2019	XX	GW501XBJ9	UF	0.005 U	60		0.05 U	7.8	0.05 U	1	5.4					
4/29/2020	XX	GW501XCF0	UF	0.005 U	21		0.05 U	4.7	0.05 U	0.7	3.5					
7/22/2020	XX	GW501XCJD	UF	0.005 U	44		0.05	9.2	0.05 U	1.1	6.4					
10/28/2020	XX	GW501XD4D	UF	0.005 U	50		0.05 U	8.2	0.05 U	0.9	6.1					
4/7/2021	XX	GW501XDDH	UF	0.005 U	38		0.05 U	7	0.05 U	0.8	4.9	0.05 U				
7/14/2021	XX	GW501XE18	UF	0.005 U	30	0.003 U	0.06	5.8	0.05 U	0.6	4	0.05 U				
10/6/2021	XX	GW501XE8A	UF	0.005	31	0.003 U	0.05 U	6.2	0.05 U	0.8	4.3	0.05 U				
MW-502																
2/26/2020	XD	GWDP1XC52	UF	0.005 U	34	0.003 U	0.05 U	6.2	0.05 U	0.9	4.6					
2/26/2020	XX	GW502XC55	UF	0.005 U	34	0.003 U	0.05 U	6.3	0.05 U	0.9	4.8					
4/30/2020	XX	GW502XCBJ	UF	0.005 U	39	0.003 U	0.05	6.9	0.05 U	1	5.1					
6/23/2020	XX	GW502XCGB	UF	0.005 U	38	0.003 U	0.05 U	7.6	0.05 U	1.1	5.6					
8/20/2020	XX	GW502XD11	UF	0.005 U	36	0.003 U	0.05 U	7	0.05 U	1.3	5.4					
7/14/2021	XX	GW502XE23	UF	0.005 U	59	0.003 U	0.13	9.8	0.2	1.4	6.1	0.05 U				
10/7/2021	XX	GW502XE8B	UF	0.005 U	64	0.003 U	0.05 U	9.8	0.05 U	1.2	5	0.05 U				
MW-507																
4/5/2018	XX	GW507XA6J	UF	0.005 U	22	0.003 U	0.13	2.7	0.05 U	0.5	2.5					
6/5/2018	XX	GW507XA7G	UF	0.007	33	0.003 U	0.05 U	4	0.05 U	0.5	3.3					
7/18/2018	XX	GW507XAE	UF	0.005 U	33		0.05	4.2	0.05 U	0.6	3.7					
8/20/2018	XX	GW507XAFF	UF	0.005 U	38		0.18	4.7	0.05 U	0.6	4					
7/14/2021	XX	GW507XE24	UF	0.005 U	38	0.003 U	0.6	5.2	0.05 U	0.5	4.3	0.05 U				
10/7/2021	XX	GW507XE8C	UF	0.005 U	33	0.003 U	0.68	3.8	0.05 U	0.5	3.6	0.05 U				
MW09-901																
4/24/2012	XX	GW901X51J		0.005	18.8	0.003 U	0.05 U	5.4	0.05 U	1.6	5.2					
7/24/2012	XX	GW901X56I		0.005	21.2	0.003	0.05 U	6	0.05 U	1.8	5.5					
10/23/2012	XX	GW901X5D9		0.008	19.9	0.003 U	0.05 U	6	0.05 U	1.8	6.4					
4/23/2013	XX	GW901X5I0		0.009	19.1	0.003	0.05 U	5.4	0.05 U	1.7	5.1					
7/30/2013	XX	GW901X645		0.01	21.8		0.05 U	5.9	0.05 U	1.5	4.9					
10/29/2013	XX	GW901X66I		0.009	22.5		0.05 U	6.1	0.05 U	1.7	5.9					
4/22/2014	XX	GW901X6F1		0.008	21.8		0.05 U	6.2	0.05 U	1.8	5.6					
7/29/2014	XX	GW901X6J8		0.012	28.5		0.05 U	7.7	0.05 U	2.1	7.7					
10/21/2014	XX	GW901X72J		0.009	33.4		0.05 U	8.9	0.05 U	2.3	13.1					
4/28/2015	XX	GW901X78G		0.012	33.5		0.05 U	9.3	0.05 U	2.1	12.1					

SUMMARY REPORT

Metals

(MW09-901)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/14/2015	XX	GW901X7C8		0.011	33.2		0.05 U	9.1	0.05 U	2.2	10.6					
10/27/2015	XX	GW901X7HH		0.011	32.1		0.05 U	10.7	0.05 U	2.5	12.7					
4/5/2016	XD	GWDP1X85F		0.016	36.4		0.05 U	9.6	0.05 U	2.1	11					
4/5/2016	XX	GW901X867		0.015	36.6		0.05 U	10	0.05 U	2.1	11.3					
7/26/2016	XD	GWDP1X8A5		0.02	41		0.05 U	11.8	0.05 U	2.5	12.4					
7/26/2016	XX	GW901X8AH		0.019	41.5		0.05 U	11.6	0.05 U	2.5	11.9					
10/25/2016	XX	GW901X8IG		0.005	46.2		0.05 U	11.5	0.05 U	2.6	14.4					
4/18/2017	XD	GWDP1X96A		0.005 U	38		0.05 U	12	0.05 U	2.2	10					
4/18/2017	XX	GW901X972		0.006	39		0.05 U	13	0.05 U	2.6	12					
7/25/2017	XD	GWDP1X9C8		0.005 U	50		0.05 U	14	0.05 U	2.6	11					
7/25/2017	XX	GW901X9D0		0.005 U	50		0.05 U	14	0.05 U	2.6	11					
10/24/2017	XX	GW901X9GF		0.005 U	53		0.05 U	14	0.05 U	2.3	11					
4/3/2018	XD	GWDP1XA21	UF	0.005 U	51		0.05 U	16	0.05 U	2.5	12					
4/3/2018	XX	GW901XA2E	UF	0.005 U	50		0.05	13	0.05 U	2.3	10					
7/17/2018	XD	GWDP1XAB3	UF	0.005 U	51		0.05 U	12	0.05 U	2	8.2					
7/17/2018	XX	GW901XABF	UF	0.005 U	56		0.05 U	13	0.05 U	2.2	8.7					
10/2/2018	XX	GW901XB0D	UF	0.005 U	58		0.05 U	14	0.05 U	2.3	11					
4/23/2019	XD	GWDP1XB4H	UF	0.005 U	49		0.05 U	12	0.05 U	1.8	9.8					
4/23/2019	XX	GW901XB5A	UF	0.005 U	49		0.05 U	12	0.05 U	1.8	9.8					
7/16/2019	XD	GWDP1XBBA	UF	0.005 U	49		0.05 U	13	0.05 U	1.9	11					
7/16/2019	XX	GW901XBC2	UF	0.005 U	51		0.05 U	13	0.05 U	1.8	11					
10/29/2019	XX	GW901XBHF	UF	0.005 U	44		0.05 U	11	0.05 U	1.9	10					
4/28/2020	XD	GWDP1XCCA	UF	0.005 U	46		0.05 U	12	0.05 U	1.7	8.8					
4/28/2020	XX	GW901XCD2	UF	0.005 U	46		0.05 U	12	0.05 U	1.7	8.9					
7/21/2020	XD	GWDP1XCH3	UF	0.005 U	42		0.05 U	12	0.05 U	2.9	9.9					
7/21/2020	XX	GW901XCHF	UF	0.005 U	45		0.05 U	13	0.05 U	2	9.9					
10/27/2020	XX	GW901XD2J	UF	0.005 U	43		0.05 U	12	0.12	1.6	10					
4/6/2021	XD	GWDP1XDB9	UF	0.005 U	48		0.05 U	14	0.05 U	1.8	8.7					
4/6/2021	XX	GW901XDC1	UF	0.005 U	47		0.05 U	13	0.05 U	1.6	8.3					
7/13/2021	XD	GWDP1XDJ1	UF	0.005	41		0.05 U	12	0.05 U	1.5	8.3					
7/13/2021	XX	GW901XDJD	UF	0.005 U	42		0.05 U	12	0.05 U	1.6	8.6					
10/5/2021	XX	GW901XE61	UF	0.005 U	43		0.05 U	12	0.07	1.5	8.4					
OW-06-03																
4/10/2018	XX	GWXXXXA73	UF	0.005 U	17	0.003 U	0.32	4.4	0.65	1.1	6.6					
6/5/2018	XX	GWXXXXA80		I	I	I	I	I	I	I	I					
7/19/2018	XX	GWXXXXAEI		I	I		I	I	I	I	I					
8/21/2018	XX	GWXXXXAFH		I	I		I	I	I	I	I					
7/18/2019	XX	GWXXXXBDJ		I	I		I	I	I	I	I					
7/20/2020	XX	GWXXXXCJC		I	I		I	I	I	I	I					
7/14/2021	XX	GWXXXXE17	UF	0.01	78	0.003 U	23	6.5	8.7	3.7	4.7	0.05 U				
OW-601A																
4/11/2018	XX	GW601AA69	UF	0.005 U	39	0.003 U	0.97	10	0.2	1.9	7.2					
4/11/2018	XX	GW601AHHA	FILT	0.005 U	36	0.003 U	0.18	8.8	0.19	1.8	6.6					
6/6/2018	XX	GWXXXXHG4	FILT	0.005 U	41	0.003 U	0.06	11	0.23	1.8	7.9					
7/19/2018	XX	GW601AAE4	UF	0.005 U	43		0.4	11	0.29	2.1	10					
8/22/2018	XX	GW601AAF5	UF	0.005 U	43		0.05 U	10	0.19	2.3	13					
7/18/2019	XX	GW601ABB6	UF	0.005 U	42		0.05 U	12	0.07	2.5	16					
7/22/2020	XX	GW601ACGJ	UF	0.005 U	37		0.87	10	0.05	2.4	25					

REPORT PREPARED: 4/11/2022 07:06
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Metals

Page 21 of 31
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(OW-601A)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/12/2021	XX	GW601ADIH	UF	0.005	47	0.003 U	0.05 U	12	0.05 U	2	12	0.05 U				
OW-601B																
4/11/2018	XX	GW601BA6A	UF	0.005 U	40	0.003 U	0.05 U	12	0.09	1.9	8					
6/6/2018	XX	GW601BA77	UF	0.007	39	0.003 U	0.28	12	1	1.9	8.2					
7/19/2018	XX	GW601BAE5	UF	0.005 U	36		0.19	11	0.11	1.5	7					
8/22/2018	XX	GW601BAF6	UF	0.005 U	40		0.19	13	0.05 U	1.4	6.8					
7/18/2019	XX	GW601BBDF	UF	0.005 U	34		0.74	13	0.64	1.8	8.7					
7/22/2020	XX	GW601BCJ8	UF	0.005 U	35		0.31	13	0.05 U	1.4	8.3					
7/12/2021	XD	GWDP4XDJI	UF	0.005 U	38	0.003	0.05 U	12	0.05 U	1.3	7.1	0.05 U				
7/12/2021	XX	GW601BE13	UF	0.006	38	0.003 U	0.05	13	0.05 U	1.2	7.3	0.05 U				
OW-602A																
4/11/2018	XX	GW602AA6B	UF	0.005 U	14	0.003 U	0.05 U	2.8	0.05 U	0.6	2.5					
6/6/2018	XD	GWDP1XA75	UF	0.005 U	19	0.003 U	0.05 U	4.1	0.05 U	0.4	3.4					
6/6/2018	XX	GW602AA78	UF	0.008	18	0.003 U	0.05 U	4.1	0.05 U	0.5	3					
7/19/2018	XD	GWDP1XAE3	UF	0.005 U	17		0.05 U	3.5	0.05 U	0.4	2.6					
7/19/2018	XX	GW602AAE6	UF	0.005 U	17		0.05 U	3.6	0.05 U	0.4	2.7					
8/21/2018	XX	GW602AAF7	UF	0.005 U	18		0.1	3.5	0.05 U	0.4	2.5					
7/18/2019	XX	GW602ABDG	UF	0.005 U	13		0.05 U	3	0.05 U	0.4	2.8					
7/22/2020	XX	GW602ACJ9	UF	0.005 U	17		0.05 U	4.1	0.05 U	0.5	3.3					
7/12/2021	XX	GW602AE14	UF	0.005 U	36	0.003 U	0.05 U	7.7	0.05 U	0.6	4.1	0.05 U				
OW-603B																
4/12/2018	XX	GW603BA6C	UF	0.005 U	34	0.003 U	0.11	11	0.16	1.4	8.5					
6/5/2018	XX	GW603BA79	UF	0.005 U	27	0.003 U	0.05	8.1	0.11	1	5.9					
7/19/2018	XX	GW603BAE7	UF	0.017	21		19	8.5	0.93	3.7	4.9					
7/19/2018	XX	GWXXXXHG5	FILT	0.005 U	13		1.3	4.5	0.37	1.2	4.2					
8/21/2018	XX	GW603BAF8	UF	0.005 U	13		0.54	4.6	0.77	1.5	3.9					
7/18/2019	XX	GW603BBDH	UF	0.008	12		0.08	4.7	0.2	1.6	5.4					
7/22/2020	XX	GW603BCJA		I	I		I	I	I	I	I					
7/13/2021	XX	GW603BE15		D	D	D	D	D	D	D	D	D				
10/6/2021	XX	GW603BE7J		D	D	D	D	D	D	D	D	D				
OW-604A																
4/12/2018	XX	GW604AA6D	UF	0.005 U	10	0.003 U	0.05 U	2.6	0.05 U	0.6	3.5					
6/4/2018	XX	GW604AA7A	UF	0.007	8.9	0.003 U	0.05 U	2.3	0.05 U	0.5	3.1					
7/19/2018	XX	GW604AAE8	UF	0.005 U	9.2		0.05 U	2.4	0.05 U	0.5	2.7					
8/21/2018	XX	GW604AAF9	UF	0.005 U	15		0.05 U	3.4	0.05 U	0.6	3.1					
7/18/2019	XX	GW604ABDI	UF	0.005 U	13		0.05 U	4.2	0.05 U	0.6	4.4					
7/21/2020	XX	GW604ACJB	UF	0.005 U	18		0.05 U	5	0.05 U	0.7	4.7					
7/14/2021	XX	GW604AE16	UF	0.005 U	23	0.003 U	0.05 U	5.9	0.05 U	0.5	4.4	0.05 U				
OW-605A																
4/10/2018	XX	GW605AA6E	UF	0.005 U	17	0.003 U	1.4	4.6	0.05 U	0.5	4.1					
6/5/2018	XX	GW605AA7B	UF	0.005	18	0.003 U	0.2	4.2	0.05 U	0.5	3.8					
7/19/2018	XX	GW605AAE9	UF	0.005 U	17		0.2	3.9	0.05 U	0.4	3.4					
8/21/2018	XX	GW605AAFA	UF	0.005 U	17		0.1	3.8	0.05 U	0.4	3.4					
7/14/2021	XD	GWDP6XE1J	UF	0.005 U	26	0.003 U	0.15	6.2	0.05 U	0.6	5	0.05 U				
7/14/2021	XX	GW605AE25	UF	0.005 U	28	0.003 U	0.18	6.6	0.05 U	0.6	5.6	0.05 U				
10/7/2021	XX	GW605AE8G	UF	0.005 U	33	0.003 U	0.29	7.4	0.05 U	0.5	5.6	0.05 U				

REPORT PREPARED: 4/11/2022 07:06
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Metals

Page 22 of 31
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(OW-606A)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
Date	Type	Sample ID	-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L

OW-606A												
4/3/2018	XX	GW606AA6F	UF	0.005 U	42	0.003 U	0.05 U	9.7	0.05 U	1.1	9.4	
6/4/2018	XX	GW606AA7C	UF	0.005	43	0.003 U	0.05 U	9.7	0.05 U	1.2	10	
7/19/2018	XX	GW606AAEA	UF	0.005 U	41		0.05 U	8.5	0.05 U	1.1	8.8	
8/21/2018	XX	GW606AAF6	UF	0.005 U	38		0.05 U	8.4	0.05 U	1	8.4	
7/14/2021	XX	GW606AE06	UF	0.005 U	39	0.003 U	0.5	8.6	0.05 U	1.1	8.4	0.05 U
10/7/2021	XX	GW606AE8H	UF	0.005 U	44	0.003 U	3.5	9.1	0.11	1	8.3	0.05 U

OW-608A												
4/4/2018	XX	GW608AA6G	UF	0.005	19	0.003 U	3.7	6.3	0.05 U	0.9	15	
6/4/2018	XX	GW608AA7D	UF	0.008	21	0.003 U	7.4	6.4	0.05	1	15	
7/18/2018	XX	GW608AAEB	UF	0.006	18		5	5.9	0.05 U	0.9	13	
8/20/2018	XX	GW608AAFC	UF	0.005 U	12		6	5.1	0.16	1.1	13	
7/15/2021	XX	GW608AE26	UF	0.005 U	17	0.003 U	0.53	5.8	0.05 U	0.9	13	0.05 U
10/6/2021	XX	GW608AE90	UF	0.005 U	10	0.003 U	2.5	4.7	0.08	1	12	0.05 U

OW-611A												
4/4/2018	XX	GW611AA6H	UF	0.005 U	56	0.003 U	0.05 U	5.8	0.05 U	1	15	
6/5/2018	XX	GW611AA7E	UF	0.007	54	0.003 U	0.17	5.5	0.05 U	0.9	12	
7/18/2018	XX	GW611AAEC	UF	0.005 U	55		0.3	5.3	0.05 U	1	13	
8/20/2018	XX	GW611AAFD	UF	0.005 U	52		0.65	5	0.05 U	0.9	12	
7/14/2021	XX	GW611AE27	UF	0.005 U	61	0.003 U	0.1	6.2	0.05 U	1.1	16	0.05 U
10/7/2021	XX	GW611AE93	UF	0.005 U	61	0.003 U	0.11	6.3	0.05 U	0.8	15	0.05 U

P-04-02												
4/25/2012	XX	GWXXXX52H		0.007	16.3	0.003	1.43	5.1	0.07	1.7	11.2	
4/25/2012	XX	GWXXXX588		0.005	16	0.003 U	0.27	4.6	0.05 U	1.6	11.4	
7/25/2012	XX	GWXXXX57G		0.005 U	23.8	0.004	0.52	6.9	0.05	1.6	17.6	
10/24/2012	XX	GWXXXX5E7		0.005	16.9	0.004	0.24	4.1	0.16	1.7	25.8	
4/22/2013	XX	GWXXXX5II		!	!	!	!	!	!	!	!	

P-04-02R												
7/15/2015	XX	GWXXXX7DJ		0.007	17.5		1.52	4.3	0.08	1.7	32.7	
10/28/2015	XX	GWXXXX7J4		0.009	29.8		0.22	7.8	0.21	2	92	
4/6/2016	XX	GWXXXX87I		0.015	29.3		0.05 U	7.9	0.05 U	1.6	61.8	
7/27/2016	XX	GWXXXX8C7		0.016	37		0.05 U	9.4	0.05 U	2.4	112	
10/26/2016	XX	GWXXXX904		0.008	35		0.05 U	10.2	0.05 U	2.5	98.9	
4/19/2017	XX	GWXXXX98C		0.009	30		0.15	9.5	0.05 U	2.4	96	
4/19/2017	XX	GWXXXX98H	FILT	0.007	29		0.05 U	9.3	0.05 U	2.3	87	
7/26/2017	XX	GWXXXX9E8		0.008	30		0.05 U	8.4	0.05 U	2.3	78	
7/26/2017	XX	GWXXXX9EA	FILT	0.005 U	29		0.05 U	7.8	0.05 U	1.8	65	
10/25/2017	XX	GWXXXX9I3		0.007	32		0.07	8.6	0.05 U	2.1	73	
4/4/2018	XX	GWXXXXA44	UF	0.009	29		0.05 U	8.3	0.05 U	1.9	64	
4/4/2018	XX	GWXXXXA29	FILT	0.008	27		0.05 U	7.8	0.05 U	1.9	69	
7/18/2018	XX	GWXXXXAD5	FILT	0.005 U	27		0.05 U	7	0.05 U	1.6	45	
7/18/2018	XX	GWXXXXAD3	UF	0.006	28		0.05 U	7	0.05 U	1.8	56	
10/3/2018	XX	GWXXXXB21	UF	0.005	28		0.05 U	7.9	0.05 U	1.8	51	
4/22/2019	XX	GWXXXXB70	UF	0.007	27		0.05 U	7.5	0.05 U	1.9	50	
7/17/2019	XX	GWXXXXBDA	UF	0.008	22		0.05 U	7.3	0.05 U	2	61	
10/30/2019	XX	GWXXXXBJ2	UF	0.006	22		0.09	6.6	0.05 U	1.8	49	

SUMMARY REPORT

Metals

(P-04-02R)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
4/29/2020	XX	GWXXXXCEA	UF	0.006	22		0.05 U	6	0.05 U	1.6	49					
7/22/2020	XX	GWXXXXCJ3	UF	0.006	22		0.05 U	6.8	0.05 U	1.7	47					
10/28/2020	XX	GWXXXXD46	UF	0.008	23		0.05 U	7.2	0.05 U	1.6	43					
4/7/2021	XX	GWXXXXDD9	UF	0.006	26		0.05 U	7.3	0.05 U	1.6	35					
7/12/2021	XX	GWXXXXE10	UF	0.005 U	23		0.05 U	6.3	0.05 U	1.6	34					
10/6/2021	XX	GWXXXXE77	UF	0.005	24		0.05 U	6.5	0.05 U	1.5	29					
P-04-04																
4/25/2012	XX	GWXXXX52I		0.008	18.3	0.003 U	0.05 U	5.1	0.05 U	1.3	4.1					
7/25/2012	XX	GWXXXX57H		0.005	21.2	0.003 U	0.05 U	5.2	0.05 U	1.3	4.2					
10/24/2012	XX	GWXXXX5E8		0.01	19.9	0.003 U	0.05 U	5.8	0.05 U	1.3	4.2					
4/24/2013	XX	GWXXXX5J		0.011	21.7	0.003	0.05 U	5.3	0.05 U	1.4	4.1					
7/31/2013	XX	GWXXXX654		0.012	22		0.05 U	5.5	0.05 U	1.2	3.7					
10/30/2013	XX	GWXXXX67E		0.008	21.7		0.05 U	5.2	0.05 U	1.2	3.6					
4/23/2014	XX	GWXXXX6G0		0.012	21.7		0.05 U	5.2	0.05 U	1.4	4.1					
7/30/2014	XX	GWXXXX703		0.008	22.3		0.05 U	5.2	0.05 U	1.4	4.3					
10/22/2014	XX	GWXXXX73E		0.013	21.1		0.05 U	5	0.05 U	1.3	3.9					
4/29/2015	XX	GWXXXX79B		0.012	21.9		0.05 U	5.2	0.05 U	1.3	4.3					
7/15/2015	XX	GWXXXX7D3		0.014	20.4		0.05 U	4.9	0.05 U	1.3	3.9					
10/28/2015	XX	GWXXXX7IC		0.011	21.6		0.05 U	4.9	0.05 U	1.2	3.7					
4/6/2016	XX	GWXXXX872		0.009	21.5		0.05 U	4.9	0.05 U	1.3	3.8					
7/27/2016	XX	GWXXXX8BC		0.012	23.3		0.05 U	5.4	0.05 U	1.4	4.1					
10/26/2016	XX	GWXXXX8JB		0.009	21.7		0.05 U	5.7	0.05 U	1.4	4.4					
4/19/2017	XX	GWXXXX97H		0.01	20		0.05 U	5.5	0.05 U	1.4	4.2					
7/26/2017	XX	GWXXXX9DF		0.005	22		0.05 U	5.1	0.05 U	1.2	3.9					
10/25/2017	XX	GWXXXX9HA		0.011	23		0.05 U	5.5	0.05 U	1.2	4.3					
4/4/2018	XX	GWXXXXA39	UF	0.007	24		0.05 U	5.7	0.05 U	1.4	4.6					
7/18/2018	XX	GWXXXXACA	UF	0.005	24		0.05 U	5.2	0.05 U	1.3	4					
10/3/2018	XX	GWXXXXB18	UF	0.007	24		0.05 U	5.4	0.05 U	1.3	4.3					
4/22/2019	XX	GWXXXXB65	UF	0.005 U	24		0.05 U	5.8	0.05 U	1.4	4.4					
7/17/2019	XX	GWXXXXBCG	UF	0.007	21		0.05 U	5.9	0.05 U	1.5	4.9					
10/30/2019	XX	GWXXXXB19	UF	0.007	22		0.05 U	5.8	0.05 U	1.4	4.4					
4/29/2020	XX	GWXXXXCDG	UF	0.008	23		0.05 U	5.6	0.05 U	1.4	4.5					
7/22/2020	XX	GWXXXXC19	UF	0.005	21		0.05 U	6	0.05 U	1.3	4.6					
10/28/2020	XX	GWXXXXD3D	UF	0.007	24		0.05 U	6	0.05 U	1.3	4.6					
4/7/2021	XX	GWXXXXDCF	UF	0.005 U	26		0.05 U	6.5	0.05 U	1.4	4.6					
7/12/2021	XX	GWXXXXE07	UF	0.005 U	24		0.05 U	6	0.05 U	1.3	4.2					
10/6/2021	XX	GWXXXXE6F	UF	0.007	24		0.05 U	5.7	0.05 U	1.3	4.3					
P-206A																
7/31/2013	XX	GW206A64I		1	1		1	1	1	1	1					
10/28/2013	XX	GW206A67B		0.01	11.1		4.26	3.5	0.2	1.3	8.4					
4/21/2014	XX	GW206A6FJ		0.008	11.7		10.3	3.8	0.25	1.6	8.4					
7/28/2014	XX	GW206A702		0.008	13.2		16.8	4	0.31	1.3	7.6					
10/20/2014	XX	GW206A73B		0.009	11.9		4.6	3.2	0.15	0.9	7.3					
4/27/2015	XX	GW206A79A		0.009	11.8		1.44	3.1	0.1	1	7.3					
7/13/2015	XX	GW206A7D2		0.013	12.8		0.51	3.1	0.1	1	7.4					
10/26/2015	XX	GW206A71B		0.013	13		5.84	3.8	0.17	1	7.8					
4/4/2016	XX	GW206A871		0.009	13.9		0.26	3.5	0.08	0.9	7.2					
7/25/2016	XX	GW206A8BB		0.022	16.4		2.47	4.2	0.12	1	8.3					

SUMMARY REPORT
Metals

(P-206A)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Date	Type	Sample ID										
10/24/2016	XX	GW206A8JA		0.009	19.5		0.21	5	0.1	1.2	9.1	
4/17/2017	XX	GW206A97G		0.01	19		1.6	5.2	0.11	1.2	9.1	
7/24/2017	XX	GW206A9DE		0.006	20		0.31	5.1	0.08	0.9	9.3	
10/23/2017	XX	GW206A9H9		0.007	22		0.46	5.6	0.08	1	9.1	
4/2/2018	XX	GW206AA38	UF	0.007	22		0.44	6	0.09	1.2	11	
7/16/2018	XX	GW206AAC9	UF	0.007	23		0.28	5.7	0.09	1.2	10	
10/1/2018	XX	GW206AB17	UF	0.009	24		0.49	6.2	0.09	1.1	9.9	
4/22/2019	XX	GW206AB64	UF	0.007	23		0.72	6.2	0.09	1.2	9.2	
7/17/2019	XX	GW206ABCF	UF	0.006	19		0.22	6.1	0.07	1.3	9.7	
10/28/2019	XX	GW206ABI8	UF	0.005	20		0.8	5.4	0.07	1.1	7.6	
4/27/2020	XX	GW206ACDF	UF	0.006	24		0.62	6.5	0.08	1.2	9.1	
7/20/2020	XX	GW206ACI8	UF	0.005 U	23		0.24	6.5	0.08	1.3	9.3	
10/26/2020	XX	GW206AD3C		A	A		A	A	A	A	A	
4/5/2021	XX	GW206ADCE	UF	0.005 U	23		1.5	7.2	0.15	1.2	8.5	
7/14/2021	XX	GW206AE22	UF	0.005 U	22	0.003	0.19	7.4	0.05 U	0.9	6.7	0.05 U
10/4/2021	XX	GW206AE6E	UF	0.005 U	26		0.1	8.2	0.05 U	0.8	6.8	

PWS10-1												
4/23/2012	XX	GWPWS151B		0.007	16.3	0.003 U	0.48	5.1	0.07	0.6	7.9	
7/23/2012	XX	GWPWS156A		0.005 U	9.8	0.003 U	3.47	3.2	0.4	0.5	5.1	
10/22/2012	XX	GWPWS15D1		0.006	13.2	0.003 U	2.61	5.3	0.1	0.4	6.4	
4/22/2013	XX	GWPWS15HC		0.011	30.9	0.003 U	1.35	9.3	0.09	1.8	10	
7/29/2013	XX	GWPWS163H		0.005 U	18.9		4.66	6.3	0.31	1.3	7.2	
10/28/2013	XX	GWPWS166A		0.005 U	9.5		1.56	3.4	0.09	0.7	5.6	
4/21/2014	XX	GWPWS16ED		0.015	30.3		6.52	12.7	0.19	1.1	8.4	
7/28/2014	XX	GWPWS16J0		0.005 U	27.2		4.06	7.4	0.26	2.1	8.1	
10/20/2014	XX	GWPWS172A		0.005 U	6.8		0.55	2.3	0.05 U	0.7	5.1	
4/27/2015	XX	GWPWS1788		0.019	30.8		1.33	8.4	0.06	1.2	8.5	
7/13/2015	XX	GWPWS17C0		0.011	20.2		7.27	5.8	0.31	1.8	6.3	
10/26/2015	XX	GWPWS17H9		0.01	8.7		1.18	2.7	0.07	0.5	4.7	
4/4/2016	XX	GWPWS185J		0.005 U	26.6		2.36	7.4	0.1	0.4	8.1	
7/25/2016	XX	GWPWS18A9		0.014	13.9		4.77	4.1	0.35	0.6	4.3	
10/24/2016	XX	GWPWS18I8		0.005	38.1		8.08	10.4	0.92	0.9	8.5	
4/17/2017	XX	GWPWS196E		0.007	10		0.34	3.1	0.06	0.7	6.6	
7/24/2017	XX	GWPWS19CC		0.005 U	35		1.7	9.3	0.5	0.8	8.9	
10/25/2017	XX	GWPWS19G7		0.011	20		5.8	6.3	0.31	0.8	7.2	
4/2/2018	XX	GWPWS1A25	UF	0.005 U	19		0.07	4.9	0.28	1.2	7.1	
7/16/2018	XX	GWPWS1AB7	UF	0.005	21		3.8	5.6	0.56	0.8	6.1	
10/1/2018	XX	GWPWS1B05	UF	0.005	15		1.3	4.1	0.1	0.6	5.7	
4/22/2019	XX	GWPWS1B51	UF	0.005 U	21		3.8	6.5	0.2	0.8	6.9	
7/15/2019	XX	GWPWS1BBE	UF	0.01	9.9		4.1	2.9	0.8	0.5	6.3	
10/28/2019	XX	GWPWS1BH7	UF	0.005 U	20		0.75	5.3	0.22	0.9	5.3	
4/27/2020	XX	GWPWS1CCE	UF	0.005 U	31		8.1	8.4	2.3	1.2	9.2	
7/20/2020	XX	GWPWS1CH7	UF	0.005	24		13	6.7	2.6	2.2	8	
10/26/2020	XX	GWPWS1D2B	UF	0.005 U	29		0.76	8.9	0.41	1.6	7.5	
4/5/2021	XX	GWPWS1DBD	UF	0.005 U	20		4.3	11	0.08	1.1	8.6	
7/12/2021	XX	GWPWS1DJ5	UF	0.005 U	10		1.4	2.7	0.42	1.2	2.8	
10/4/2021	XX	GWPWS1E5D	UF	0.005 U	33		5.3	9.5	1.3	2.1	8	

PWS10-2												
---------	--	--	--	--	--	--	--	--	--	--	--	--

SUMMARY REPORT

Metals

(PWS10-2)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
4/23/2012	XX	GWPWS251C		0.005 U	5.7	0.003 U	1.48	1.6	0.05 U	0.3 U	4.2					
7/23/2012	XX	GWPWS256B		0.005 U	8.1	0.003 U	1.55	2.7	0.07	0.4	4.6					
10/22/2012	XX	GWPWS25D2		0.005 U	6.6	0.003	0.32	1.4	0.05	0.8	2.9					
4/22/2013	XX	GWPWS25HD		0.005 U	9.2	0.003 U	2.34	3.1	0.05 U	0.3 U	4.4					
7/29/2013	XX	GWPWS263I		0.005 U	13.9		2.42	3.2	0.05 U	0.5	5.1					
10/28/2013	XX	GWPWS266B		0.005 U	8.9		6.07	1.9	0.44	0.8	3.2					
4/21/2014	XX	GWPWS26EE		0.005	10.1		4.83	3.4	0.17	1.1	3.5					
7/28/2014	XX	GWPWS26J1		0.014	14.3		2.25	4	0.05 U	0.3 U	5.8					
10/20/2014	XX	GWPWS272B		0.012	13.2		2.16	3	0.16	0.6	5.5					
4/27/2015	XX	GWPWS2789		0.005 U	10.4		1.28	3.5	0.05	0.5	7.8					
7/13/2015	XX	GWPWS27C1		0.01	12.3		13.8	4.7	0.4	1	4.4					
10/26/2015	XX	GWPWS27HA		0.012	9.3		0.08	1.3	0.05 U	1.3	1.6					
4/4/2016	XX	GWPWS2860		0.005	11.3		0.99	2.7	0.07	0.8	3.5					
7/25/2016	XX	GWPWS28AA		0.015	13.1		1.23	3.5	0.06	0.3 U	3.6					
10/24/2016	XX	GWPWS28I9		0.007	15.4		6.51	4.7	0.3	1.6	3.4					
4/17/2017	XX	GWPWS296F		0.006	10		1.7	2.8	0.08	1	3.2					
7/24/2017	XX	GWPWS29CD		0.005 U	16		0.93	4.1	0.14	0.3 U	5.1					
10/24/2017	XX	GWPWS29G8		D	D		D	D	D	D	D					
4/2/2018	XX	GWPWS2A26	UF	0.005 U	8.9		1.3	1.6	0.07	1.1	2.3					
7/16/2018	XX	GWPWS2AB8	UF	0.005	15		1.6	3.7	0.26	0.4	4.6					
10/1/2018	XX	GWPWS2B06	UF	0.005 U	14		0.61	3.1	0.06	0.4	4.2					
4/22/2019	XX	GWPWS2B52	UF	0.005 U	8.7		0.05 U	1.2	0.05 U	1.3	4.8					
7/15/2019	XX	GWPWS2BBF	UF	0.005	9.7		2.7	2.6	0.28	0.8	5.4					
10/28/2019	XX	GWPWS2BH8	UF	0.005 U	9		0.45	1.2	0.94	1.1	2.9					
4/27/2020	XX	GWPWS2CCF	UF	0.005	29		2	3.9	0.61	1.9	7.6					
7/20/2020	XX	GWPWS2CH8	UF	0.005 U	13		0.95	2.9	0.09	1.7	7.5					
10/26/2020	XX	GWPWS2D2C	UF	0.005 U	15		1.6	2.6	0.28	1.8	4.6					
4/5/2021	XX	GWPWS2DBE	UF	0.005 U	9.2		0.82	1.4	0.07	0.8	4.4					
7/12/2021	XX	GWPWS2DJ6	UF	0.005 U	7.1		2.8	1.5	0.21	1.1	2.5					
10/4/2021	XX	GWPWS2ESE	UF	0.005 U	7.1		2.4	1.9	0.21	1.1	4.5					
PWS10-3																
4/23/2012	XX	GWPWS351D		0.005 U	5.1	0.003 U	0.64	2.3	0.05 U	0.3 U	3.5					
7/23/2012	XX	GWPWS356C		0.005 U	6.2	0.003 U	1.54	2.3	0.12	0.3	4.2					
10/22/2012	XX	GWPWS35D3		0.005 U	4.4	0.003	3.07	1.7	0.15	0.3 U	3.2					
4/22/2013	XX	GWPWS35HE		0.005 U	4.9	0.003 U	1.42	1.8	0.05	0.4	3.9					
7/29/2013	XX	GWPWS363J		0.005	13.3		11.4	3.9	0.51	1.1	5.6					
10/28/2013	XX	GWPWS366C		0.006	6.2		1.53	2.3	0.09	0.5	4.5					
4/21/2014	XX	GWPWS36EF		0.007	9.9		9.29	4.5	0.35	1.4	5.4					
7/28/2014	XX	GWPWS36J2		0.005 U	7.5		5.45	2.2	0.22	0.7	5.3					
10/20/2014	XX	GWPWS372D		0.006	6.2		1.2	2.2	0.07	0.6	5.2					
4/27/2015	XX	GWPWS378A		0.005 U	4.8		1.78	1.7	0.08	0.6	2.6					
7/13/2015	XX	GWPWS37C2		0.007	8		2.44	2.2	0.11	0.3 U	3.8					
10/26/2015	XX	GWPWS37HB		0.01	8.1		1.57	2.6	0.15	0.3 U	4.2					
4/4/2016	XX	GWPWS3861		0.005 U	20.6		0.48	3.6	0.05 U	0.6	4.2					
7/25/2016	XX	GWPWS38AB		D	D		D	D	D	D	D					
10/24/2016	XX	GWPWS38IA		0.005 U	17.1		0.22	5	0.1	0.3 U	6					
4/17/2017	XX	GWPWS396G		0.005	6		1.5	2.1	0.34	0.9	3.5					
7/24/2017	XX	GWPWS39CE		0.006	15		5.2	4.2	0.39	2.6	6.4					
10/24/2017	XX	GWPWS39G9		D	D		D	D	D	D	D					

SUMMARY REPORT

Metals

(PWS10-3)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
4/2/2018	XX	GWPWS3A27	UF	0.005	3.5		0.17	1.3	0.05 U	0.6	3.8					
7/16/2018	XX	GWPWS3AB9		D	D		D	D	D	D	D					
10/1/2018	XX	GWPWS3B07	UF	0.005 U	9.6		0.37	3	0.05 U	0.6	6					
4/22/2019	XX	GWPWS3B53	UF	0.005 U	4.3		0.34	1.6	0.05 U	1.1	8.6					
7/15/2019	XX	GWPWS3BBG	UF	0.01	6.6		5.9	2.3	0.34	0.3	5.8					
10/28/2019	XX	GWPWS3BH9	UF	0.005 U	3		0.7	0.7	0.21	0.6	0.5					
4/27/2020	XX	GWPWS3CCG	UF	0.005 U	6		0.3	1.7	0.05 U	0.7	1.9					
7/20/2020	XX	GWPWS3CH9	UF	0.007	13		13	3.5	2.8	0.4	3					
10/26/2020	XX	GWPWS3D2D	UF	0.005 U	9.3		2.8	3.1	1	0.7	4.1					
4/5/2021	XX	GWPWS3DBF	UF	0.005 U	11		3.9	4.3	0.45	0.3 U	4.2					
7/12/2021	XX	GWPWS3DJ7	UF	0.009	8.7		2.3	2.5	0.48	0.9	2.3					
10/4/2021	XX	GWPWS3ESF	UF	0.005	9.1		2.3	2.7	0.57	0.5	4.9					
SW-1																
4/24/2012	XX	SWXX1X518		0.005 U	5.4	0.0003 U	0.23	1.8	0.05 U	1	5.1					
7/24/2012	XX	SWXX1X567		0.01	10.6	0.0003 U	2.32	3.6	0.25	0.8	5					
10/23/2012	XX	SWXX1X5CI		0.005 U	11.6	0.0027	0.3	2.6	0.05	1.1	4.1					
4/23/2013	XX	SWXX1X5H9		0.005 U	5.2	0.0003 U	0.24	1.9	0.05 U	1	6.3					
7/30/2013	XX	SWXX1X63E		0.005 U	9.6		2.92	3.2	0.12	0.4	3.6					
10/29/2013	XX	SWXX1X667		0.005 U	7.2		0.57	2.7	0.05 U	0.4	4.3					
4/22/2014	XX	SWXX1X6EA		0.005 U	14.8		0.74	3.8	0.06	1	8					
7/29/2014	XX	SWXX1X6IH		0.005 U	7.5		0.73	2.3	0.05 U	0.3	4.3					
10/21/2014	XX	SWXX1X727		0.007	7.9		0.86	2.6	0.05 U	0.6	5.5					
4/28/2015	XX	SWXX1X785		0.006	6.5		0.15	2.1	0.05 U	0.7	8.6					
7/14/2015	XX	SWXX1X7BH		0.005 U	9.2		1.24	2.6	0.19	0.3	4.4					
10/27/2015	XX	SWXX1X7H6		0.005 U	6.8		0.37	2.4	0.05 U	0.3	4.5					
4/5/2016	XX	SWXX1X85G		0.005 U	5.7		0.08	1.9	0.05 U	0.4	6.6					
7/26/2016	XX	SWXX1X8A6		0.012	22.6		8.95	6.9	0.41	1.1	6					
10/25/2016	XX	SWXX1X8I5		0.005 U	9.5		0.71	2.9	0.05 U	0.7	4.9					
4/18/2017	XX	SWXX1X96B		0.005 U	3.6		0.26	1.5	0.05 U	0.5	5.2					
7/25/2017	XX	SWXX1X9C9		0.007	29		3.1	8.4	0.41	1.1	7.9					
10/25/2017	XX	SWXX1X9G4		0.005 U	13		1.5	4	0.11	2.7	5.1					
4/3/2018	XX	SWXX1XA22	UF	0.005 U	15		0.08	4.8	0.05 U	1	7.8					
7/17/2018	XX	SWXX1XAB4	UF	0.01	28		9.8	7.1	0.73	0.9	6					
10/2/2018	XX	SWXX1XB02	UF	0.005 U	16		0.89	4.2	0.09	0.6	6					
4/23/2019	XX	SWXX1XB4I	UF	0.005 U	15		0.14	4.2	0.05 U	0.9	5					
7/16/2019	XX	SWXX1XBBB	UF	0.006	10		4.8	3.3	1.1	0.5	6.5					
10/29/2019	XX	SWXX1XBH4	UF	0.005 U	27		0.21	7.2	0.12	1.5	8					
4/28/2020	XX	SWXX1XCCB	UF	0.005 U	24		0.07	6.5	0.05 U	1.4	7.1					
7/21/2020	XX	SWXX1XCH4	UF	0.005 U	14		4.3	4.8	1.1	2.8	8.1					
10/27/2020	XX	SWXX1XD28	UF	0.005 U	27		2.3	9.4	1.8	3.8	9.8					
4/6/2021	XX	SWXX1XDBA	UF	0.005 U	24		0.12	6.7	0.2	1.2	5.7					
7/13/2021	XX	SWXX1XDJ2	UF	0.005 U	9.5		2.1	2.6	0.37	0.9	2.9					
10/5/2021	XX	SWXX1XE5A	UF	0.005 U	45		1.2	11	0.82	2.2	9.1					
SW-2																
4/24/2012	XX	SWXX2X519		0.005 U	6.1	0.0003 U	0.26	2.5	0.05 U	1.2	11.1					
4/24/2012	XD	SWDP2X51E		0.005 U	6.3	0.0003 U	0.27	2.6	0.05 U	1.2	11.3					
7/24/2012	XX	SWXX2X568		0.005 U	6.1	0.0004	1.41	2.5	0.09	0.3	4.1					
10/23/2012	XX	SWXX2X5CJ		0.005 U	3.9	0.0011	0.31	1.6	0.05 U	0.9	2.9					

SUMMARY REPORT

Metals

(SW-2)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/23/2012	XD	SWDP2X5D4		0.005 U	4	0.001	0.34	1.6	0.05 U	0.9	2.8					
4/23/2013	XX	SWXX2X5HA		0.005 U	4.2	0.0003 U	0.2	1.8	0.05 U	1.2	6.7					
4/23/2013	XD	SWDP2X5HF		0.005	4.1	0.0003 U	0.16	1.8	0.05 U	1.1	6.4					
7/30/2013	XX	SWXX2X63F		0.005 U	6.6		1.1	2.3	0.05	0.3 U	3.2					
10/29/2013	XX	SWXX2X668		0.005 U	5.3		0.32	2.2	0.05 U	0.3	4.2					
10/29/2013	XD	SWDP2X66D		0.005 U	5		0.32	2.1	0.05 U	0.3	3.8					
4/22/2014	XX	SWXX2X6E6		0.005 U	4.7		0.24	1.8	0.05 U	0.8	5.5					
4/22/2014	XD	SWDP2X6EG		0.005 U	4.5		0.24	1.8	0.05 U	0.8	5.5					
7/29/2014	XX	SWXX2X6I1		0.005 U	5.9		1.52	2	0.12	0.3 U	4.2					
10/21/2014	XX	SWXX2X728		0.005 U	6.3		0.5	2.2	0.05 U	0.6	5.3					
10/21/2014	XD	SWDP2X72E		0.005 U	6.3		0.5	2.3	0.05 U	0.5	5.6					
4/28/2015	XX	SWXX2X786		0.005 U	4.4		0.17	1.7	0.05 U	0.6	8.1					
4/28/2015	XD	SWDP2X78B		0.005 U	4.4		0.17	1.7	0.05 U	0.6	8.1					
7/14/2015	XX	SWXX2X7B1		0.005 U	7.1		0.89	2.2	0.19	0.4	4.1					
10/27/2015	XX	SWXX2X7H7		0.005 U	4.8		0.21	1.8	0.05 U	0.3 U	4.1					
10/27/2015	XD	SWDP2X7HC		0.005 U	4.8		0.21	1.9	0.05 U	0.3 U	4.6					
4/5/2016	XD	SWDP2X862		0.005 U	4.5		0.07	1.8	0.05 U	0.4	6.7					
4/5/2016	XX	SWXX2X85H		0.005 U	4.6		0.07	1.8	0.05 U	0.4	6.9					
7/26/2016	XX	SWXX2X8A7		0.011	9.1		1.41	2.8	0.12	0.3 U	3					
10/25/2016	XD	SWDP2X8IB		0.005 U	9		0.69	2.8	0.05 U	0.7	4.9					
10/25/2016	XX	SWXX2X8I6		0.005 U	8.6		0.65	2.7	0.05 U	0.7	4.7					
4/18/2017	XD	SWDP2X96H		0.007	3.4		0.25	1.4	0.05 U	0.5	5.5					
4/18/2017	XX	SWXX2X96C		0.005	3.3		0.26	1.4	0.05 U	0.5	5.3					
7/25/2017	XX	SWXX2X9CA		0.005 U	11		2.5	3.3	0.35	0.5	5.1					
10/25/2017	XD	SWDP2X9GA		0.005	7.9		1.1	2.6	0.11	1.8	6					
10/25/2017	XX	SWXX2X9G5		0.005 U	7.8		1.1	2.6	0.11	1.7	5.8					
4/3/2018	XD	SWDP2XA28	UF	0.005 U	2.5		0.25	1	0.05 U	0.4	3.5					
4/3/2018	XX	SWXX2XA23	UF	0.005 U	2.4		0.25	1	0.05 U	0.4	3.7					
7/17/2018	XX	SWXX2XAB5	UF	0.006	10		3.1	2.9	0.34	0.4	4					
10/2/2018	XD	SWDP2XB08	UF	0.005 U	9		0.65	3.3	0.05 U	0.6	6.3					
10/2/2018	XX	SWXX2XB03	UF	0.005 U	9.2		1	3.3	0.05 U	0.6	6.3					
4/23/2019	XD	SWDP2XB54	UF	0.005 U	4.5		0.5	1.8	0.05 U	1.4	8.7					
4/23/2019	XX	SWXX2XB4J	UF	0.005 U	4.8		0.48	1.8	0.05 U	1.4	8.4					
7/16/2019	XD	SWDP2XBBH	UF	0.005	6.1		1.7	2.4	0.29	0.3	7.9					
7/16/2019	XX	SWXX2XBBC	UF	0.005 U	5.9		1.7	2.3	0.33	0.3 U	7.5					
10/29/2019	XD	SWDP2XBHA	UF	0.005 U	4.8		0.28	1.9	0.05 U	0.3 U	4.5					
10/29/2019	XX	SWXX2XBH5	UF	0.005 U	4.9		0.29	1.9	0.05 U	0.3 U	4.6					
4/28/2020	XD	SWDP2XCCH	UF	0.005 U	4.7		0.14	2	0.05 U	0.3	5.4					
4/28/2020	XX	SWXX2XCCE	UF	0.005 U	4.7		0.11	1.9	0.05 U	0.3	5.2					
7/21/2020	XD	SWDP2XCHA	UF	0.005 U	6.8		1.1	2.6	0.05	0.5	5.5					
7/21/2020	XX	SWXX2XCH5	UF	0.005 U	7.3		1.2	2.7	0.08	0.5	5.4					
10/27/2020	XD	SWDP2XD2E	UF	0.005 U	6.5		0.56	2.5	0.05 U	0.5	5.3					
10/27/2020	XX	SWXX2XD29	UF	0.005 U	6.6		0.54	2.6	0.05 U	0.4	5.4					
4/6/2021	XD	SWDP2XDBG	UF	0.005 U	4.5		0.21	1.8	0.05 U	0.6	5.5					
4/6/2021	XX	SWXX2XDBB	UF	0.005 U	4.6		0.23	1.8	0.05 U	0.6	5.6					
7/13/2021	XD	SWDP2XDJ8	UF	0.005 U	6.9		1.7	2.2	0.18	0.8	3.5					
7/13/2021	XX	SWXX2XDJ3	UF	0.005	7.7		1.8	2.5	0.2	0.9	4					
10/5/2021	XD	SWDP2XE5G	UF	0.007	6.1		0.48	2	0.05 U	0.3 U	4.7					
10/5/2021	XX	SWXX2XE5B	UF	0.005 U	5.8		0.5	1.9	0.05 U	0.3 U	4.6					

REPORT PREPARED: 4/11/2022 07:06
 FOR: Juniper Ridge Landfill

SUMMARY REPORT

SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

Metals

(SW-3)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
SW-3																
4/24/2012	XX	SWXX3X51A		0.005 U	4.3	0.0003 U	0.26	1.2	0.05 U	0.7	2.9					
7/24/2012	XX	SWXX3X569		0.005	10.1	0.0003 U	1.34	3	0.46	0.5	5.4					
7/24/2012	XD	SWDP2X56D		0.005 U	7.5	0.0003 U	1.17	3	0.42	0.5	5.2					
10/23/2012	XX	SWXX3X5D0		0.005 U	4.3	0.0003 U	0.36	1.2	0.05 U	0.7	2.4					
4/23/2013	XX	SWXX3X5HB		0.005 U	4.8	0.0003 U	0.17	1.6	0.05 U	0.7	4.7					
7/30/2013	XX	SWXX3X63G		0.005 U	8.4		0.8	2.2	0.07	0.3 U	3.1					
7/30/2013	XD	SWDP2X640		0.005 U	8.6		0.79	2.2	0.07	0.3 U	3.1					
10/29/2013	XX	SWXX3X669		0.005 U	7.5		0.46	2.6	0.05	0.5	4.5					
4/22/2014	XX	SWXX3X6EC		0.005 U	4.4		0.19	1.3	0.05 U	0.6	4.9					
7/29/2014	XX	SWXX3X6IJ		0.005 U	7.7		0.49	1.9	0.05 U	0.6	3.4					
7/29/2014	XD	SWDP2X6J3		0.005 U	8.3		0.52	2	0.05 U	0.6	3.8					
10/21/2014	XX	SWXX3X729		0.005 U	8		0.46	2.2	0.05 U	0.9	4.7					
4/28/2015	XX	SWXX3X787		0.005	5		0.19	1.5	0.05 U	0.5	6.8					
7/14/2015	XX	SWXX3X7BJ		0.005 U	8.1		0.84	2.2	0.43	0.5	4.3					
7/14/2015	XD	SWDP2X7C3		0.005 U	8.2		0.91	2.2	0.45	0.4	4.3					
10/27/2015	XX	SWXX3X7H8		0.005 U	6.2		0.21	1.9	0.05 U	0.4	4					
4/5/2016	XX	SWXX3X85I		0.005 U	5.5		0.21	1.6	0.05 U	0.4	5.6					
7/26/2016	XD	SWDP2X8AC		0.005	11.2		1.05	2.7	0.44	0.3 U	4					
7/26/2016	XX	SWXX3X8A8		0.005 U	11.2		1.06	2.8	0.44	0.3 U	4.2					
10/25/2016	XX	SWXX3X8I7		0.005 U	10.4		0.6	2.3	0.09	1	4.1					
4/18/2017	XX	SWXX3X96D		0.006	3.4		0.2	1.1	0.05 U	0.4	4.2					
7/25/2017	XD	SWDP2X9CF		0.005 U	12		1.5	3.3	0.81	0.3 U	6.9					
7/25/2017	XX	SWXX3X9CB		0.005 U	12		1.2	3.1	0.63	0.3 U	6.7					
10/25/2017	XX	SWXX3X9G6		0.008	9.7		0.6	2.4	0.28	2.4	11					
4/3/2018	XX	SWXX3XA24	UF	0.005	3.8		0.19	1.4	0.05 U	0.4	7.2					
7/17/2018	XD	SWDP2XABA	UF	0.007	13		3.3	2.7	1.2	0.5	7.3					
7/17/2018	XX	SWXX3XAB6	UF	0.005	12		2.7	2.6	1	0.4	6.2					
10/2/2018	XX	SWXX3XB04	UF	0.005 U	11		0.28	2.3	0.05 U	0.6	4					
4/23/2019	XX	SWXX3XB50	UF	0.005 U	4.4		0.3	1.2	0.05 U	0.8	6.1					
7/16/2019	XX	SWXX3XBBD	UF	0.005 U	8.3		2.1	2.2	0.51	1.1	4.8					
10/29/2019	XX	SWXX3XBH6	UF	0.005 U	4.8		0.46	1.3	0.05 U	0.4	3.1					
4/28/2020	XX	SWXX3XCDD	UF	0.005 U	4.3		0.3	1.2	0.06	0.5	6.4					
7/21/2020	XX	SWXX3XCH6	UF	0.005 U	8.6		1.4	2.6	0.48	1	7.2					
10/27/2020	XX	SWXX3XD2A	UF	0.005 U	7.4		0.53	2.1	0.06	1.2	5					
4/6/2021	XX	SWXX3XD8C	UF	0.005 U	3.4		0.3	1	0.05 U	0.5	4.2					
7/13/2021	XX	SWXX3XDJ4	UF	0.005 U	7.2		1.4	1.8	0.08	1.1	3.7					
10/5/2021	XX	SWXX3XE5C	UF	0.005	6.8		1.5	1.7	0.09	0.9	3.6					
SW-DP1																
4/24/2012	XX	SWDP1X51G		0.005 U	13.9	0.0003 U	2.94	2.3	0.13	1.9	2.1					
7/24/2012	XX	SWDP1X56F		0.005	20.6	0.0003 U	0.17	4.2	0.11	2.4	3.6					
10/23/2012	XX	SWDP1X5D6		0.005 U	10.4	0.0082	1.93	1.4	0.21	1.3	1.2					
4/23/2013	XX	SWDP1X5HH		0.005	27.8	0.0003 U	0.42	3.4	0.13	2.7	4.9					
7/30/2013	XX	SWDP1X642		0.007	11		0.27	1.1	0.1	0.9	1.4					
10/29/2013	XX	SWDP1X66F		0.005	24.2		0.24	3.6	0.21	1.8	3.5					
4/22/2014	XX	SWDP1X6EI		0.006	10.8		0.31	1.5	0.05 U	1.2	1.8					
7/29/2014	XX	SWDP1X6J5		0.005 U	6.7		0.29	0.7	0.05	0.6	0.8					
10/21/2014	XX	SWDP1X72G		0.005	8		0.1	0.8	0.05 U	0.8	1					

SUMMARY REPORT

Metals

(SW-DP1)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
4/28/2015	XX	SWDP1X78D		0.008	13		0.23	1.4	0.08	1.1	3.2					
7/14/2015	XX	SWDP1X7C5		0.005	14.4		0.23	1.7	0.08	0.3 U	1.7					
10/27/2015	XX	SWDP1X7HE		0.005 U	8.4		0.12	1.1	0.05 U	1.3	1.6					
4/5/2016	XX	SWDP1X864		0.005 U	12		0.53	1.7	0.05	1.2	2.4					
7/26/2016	XX	SWDP1X8AE		0.013	17.1		0.29	2	0.08	1.4	2.1					
10/25/2016	XX	SWDP1X8ID		0.005 U	11.6		0.7	1.1	0.06	1.3	1.3					
4/18/2017	XX	SWDP1X96J		0.005	8.5		0.35	1.7	0.06	1	1.8					
7/25/2017	XX	SWDP1X9CH		0.005 U	19		1	3.7	0.17	0.8	3.4					
10/23/2017	XX	SWDP1X9GC		0.005	15		0.48	2.6	0.09	1.9	2.4					
4/3/2018	XX	SWDP1XA2B	UF	0.005 U	3.8		0.17	0.4	0.05 U	0.6	0.8					
7/17/2018	XX	SWDP1XABC	UF	0.007	13		0.9	1.6	0.08	0.3 U	0.8					
10/2/2018	XX	SWDP1XB0A	UF	0.005 U	10		0.41	1.1	0.05	1.6	1.1					
4/23/2019	XX	SWDP1XB57	UF	0.005 U	14		0.28	1.1	0.06	1.1	1.6					
7/16/2019	XX	SWDP1XBBJ	UF	0.005	12		0.29	1.1	0.05	0.4	1.2					
10/29/2019	XX	SWDP1XBHC	UF	0.005 U	15		1.4	1.7	0.14	2.1	1.6					
4/28/2020	XX	SWDP1XCCJ	UF	0.005 U	24		0.39	4	0.11	12	27					
7/21/2020	XX	SWDP1XCHC	UF	0.005 U	31		0.78	3.4	0.69	2.9	8.8					
10/27/2020	XX	SWDP1XD2G	UF	0.005 U	23		1.5	2.2	0.32	5.3	3.2					
4/6/2021	XX	SWDP1XDBI	UF	0.005	9.9		3.5	1.7	0.15	1.3	1.4					
7/13/2021	XX	SWDP1XDJA	UF	0.008	13		6.4	2.3	0.36	2.6	1.8					
10/5/2021	XX	SWDP1XE5I	UF	0.005 U	15		0.88	1.5	0.13	1.6	1.3					
SW-DP5																
4/23/2013	XX	SWDP5X60I		0.005 U	22.4	0.0003 U	0.32	1.8	0.06	1.9	4.7					
7/30/2013	XX	SWDP5X65H		0.006	14.4		0.33	0.8	0.05 U	1	1.9					
10/29/2013	XX	SWDP5X686		D	D		D	D	D	D	D					
4/22/2014	XX	SWDP5X6GD		0.005 U	19.7		1.34	1.6	0.17	2.2	5.4					
7/29/2014	XX	SWDP5X70F		0.006	14.2		0.4	0.8	0.09	1.6	1.9					
10/21/2014	XX	SWDP5X743		0.01	18.4		0.27	0.8	0.05 U	1.3	1.5					
4/28/2015	XX	SWDP5X7A3		0.007	24.1		0.23	1.3	0.09	1.9	8.6					
7/14/2015	XX	SWDP5X7DF		0.005 U	22.6		0.38	1.2	0.22	2.2	3.2					
10/27/2015	XX	SWDP5X7J2		D	D		D	D	D	D	D					
7/26/2016	XX	SWDP5X8C4		D	D		D	D	D	D	D					
10/25/2016	XX	SWDP5X902		I	I		I	I	I	I	I					
4/18/2017	XX	SWDP5X989		D	D		D	D	D	D	D					
7/25/2017	XX	SWDP5X9E6		0.005 U	29		0.32	1.8	0.16	2.6	2.4					
10/24/2017	XX	SWDP5X9I1		D	D		D	D	D	D	D					
4/3/2018	XX	SWDP5XA41	UF	0.005 U	5.3		0.23	0.5	0.05 U	0.7	1.3					
7/17/2018	XX	SWDP5XAD1		D	D		D	D	D	D	D					
10/2/2018	XX	SWDP5XB1J		D	D		D	D	D	D	D					
4/23/2019	XX	SWDP5XB6H	UF	0.005 U	19		1.7	1.4	0.15	1.3	2.9					
7/16/2019	XX	SWDP5XBD8	UF	0.005 U	14		0.23	0.9	0.13	1.4	1.5					
10/29/2019	XX	SWDP5XBJ0	UF	0.005 U	16		1.1	1	0.25	1.3	1.2					
4/28/2020	XX	SWDP5XCE8	UF	0.005 U	22		0.49	1.2	0.17	1.4	3.7					
7/21/2020	XX	SWDP5XCJ1	UF	0.005 U	22		0.62	1.4	0.27	1.8	2.2					
10/27/2020	XX	SWDP5XD44	UF	0.005 U	13		1.2	1	0.19	1.5	1.5					
4/6/2021	XX	SWDP5XDD7	UF	0.005 U	9.4		5.2	1.8	0.36	1.5	2.6					
7/13/2021	XX	SWDP5XE0J	UF	0.008	12		3.5	1.5	0.52	1.1	0.9					
10/5/2021	XX	SWDP5XE75	UF	0.008	10		0.84	1	0.05 U	0.6	1.2					

REPORT PREPARED: 4/11/2022 07:06
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
Metals

Page 30 of 31
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(SW-DP6)	Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
Date	Type	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L

SW-DP6

4/24/2012	XX	SWDP6X51H	0.005 U	14.1	0.0003 U	0.1	1.9	0.05 U	1.6	3.8									
7/24/2012	XX	SWDP6X56G	0.006	11	0.0003 U	1.32	2.5	0.79	3.4	2.2									
10/23/2012	XX	SWDP6X5D7	0.005 U	6.6	0.006	2.63	1.9	0.16	1.9	1.4									
4/23/2013	XX	SWDP6X5HI	0.005 U	5.6	0.0003 U	1.39	1.3	0.05	1.6	3									
7/30/2013	XX	SWDP6X643	0.005 U	10.2		0.31	1.4	0.05	1.1	1.8									
10/29/2013	XX	SWDP6X66G	0.005 U	10.6		0.23	1.6	0.05 U	1.1	1.9									
4/22/2014	XX	SWDP6X6EJ	0.005 U	10.4		0.99	1.1	0.24	1.3	5.4									
7/29/2014	XX	SWDP6X6J6	0.005 U	7.7		1.29	1	0.05 U	1	2.6									
10/21/2014	XX	SWDP6X72H	0.005 U	9.6		0.36	1.1	0.05 U	1	2									
4/28/2015	XX	SWDP6X78E	0.006	11.1		0.7	1.1	0.05 U	1.5	2.8									
7/14/2015	XX	SWDP6X7C6	0.005 U	12.4		2.46	2.4	0.46	2.3	2.7									
10/27/2015	XX	SWDP6X7HF	0.005 U	8.4		0.19	1.4	0.05 U	1.3	1.5									
4/5/2016	XX	SWDP6X865	0.005 U	8.2		0.57	1	0.05 U	1.1	2.8									
7/26/2016	XX	SWDP6X8AF	0.009	18.5		0.6	1.7	0.08	1.6	2									
10/25/2016	XX	SWDP6X8IE	0.005 U	14.6		1.85	1.5	0.09	1.9	1.6									
4/18/2017	XX	SWDP6X970	0.005 U	5.3		0.64	0.8	0.11	1	3.5									
7/25/2017	XX	SWDP6X9CI	0.005 U	8.5		1.4	1.5	0.05 U	0.7	5.1									
10/23/2017	XX	SWDP6X9GD	0.005 U	10		0.26	1.4	0.05 U	1.3	4.3									
4/3/2018	XX	SWDP6XA2C	UF	0.005 U	7.9	0.47	1.1	0.16	0.9	2.2									
7/17/2018	XX	SWDP6XABD	UF	0.005	15	0.5	1.5	0.1	1.3	4.3									
10/2/2018	XX	SWDP6XB0B	UF	0.005 U	16	0.23	1.7	0.05 U	1.5	3.5									
4/23/2019	XX	SWDP6XB58	UF	0.005	8.1	1.3	1.2	0.1	1.6	3.5									
7/16/2019	XX	SWDP6XBC0	UF	0.005	6.6	1.6	1.1	0.05 U	1.5	2.8									
10/29/2019	XX	SWDP6XBHD	UF	0.005 U	4.6	0.38	0.7	0.05 U	0.9	1.3									
4/28/2020	XX	SWDP6XCD0	UF	0.005 U	4.6	0.4	0.7	0.05 U	0.8	2.6									
7/21/2020	XX	SWDP6XCHD	UF	0.005 U	7.8	0.73	1.1	0.2	1.4	2.4									
10/27/2020	XX	SWDP6XD2H	UF	0.005 U	10	0.9	1.4	0.09	1.9	1.6									
4/6/2021	XX	SWDP6XDBJ	UF	0.005 U	3.9	0.89	0.7	0.05 U	1.1	1.3									
7/13/2021	XX	SWDP6XDJB	UF	0.005 U	4.5	1.6	0.9	0.19	1.7	1.1									
10/5/2021	XX	SWDP6XE5J	UF	0.005 U	7.1	0.55	1	0.05 U	2.2	3.3									

OFFICE WELL

4/6/2016	XX	DWOFFX87J		0.005 U	38	0.05 U	4.7	0.05 U	0.6	8.3									
4/19/2017	XX	DWOFFX98D		0.005 U	37	0.05 U	5.4	0.05 U	0.9	10									
4/4/2018	XX	DWOFFXA45	UF	0.005 U	51	0.05 U	6.2	0.05 U	0.9	13									
4/22/2019	XX	DWOFFXB71	UF	0.005 U	50	0.05 U	5.6	0.05 U	0.9	14									
7/15/2019	XX	DWOFFXBDB	UF	0.005 U	43	0.05 U	5.3	0.05 U	0.7	13									

SCALE HOUSE WELL

4/6/2016	XX	DWSCLX880		0.005 U	69.8	0.22	8.7	0.05 U	1.3	18.8									
4/19/2017	XX	DWSCLX98E		0.005 U	64	0.05 U	9.6	0.05 U	1.5	23									
4/4/2018	XX	DWSCLXA46	UF	0.005	64	0.05	8.5	0.05 U	1.3	20									
4/22/2019	XX	DWSCLXB72	UF	0.005 U	59	0.09	8.2	0.05 U	1.4	25									
7/15/2019	XX	DWSCLXBDC	UF	0.005 U	64	0.05 U	8.8	0.05 U	1.5	26									

REPORT PREPARED: 4/11/2022 07:06 FOR: Juniper Ridge Landfill		SUMMARY REPORT Metals							Page 31 of 31 SEVEE & MAHER ENGINEERS, INC. 4 BLANCHARD ROAD CUMBERLAND CENTER, ME 04021	
(SCALE HOUSE WELL)	Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
	-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Date	Type	Sample ID								

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

- ! - The sampling location was damaged or destroyed.
- A - The sampling location was Inaccessible
- D - The sampling location was dry.
- F12 - Pipe under water, no sample taken.
- F6 - No flow. Sample not taken.
- H2 - Waterlevel higher than pipes. See LF-COMP for readings
- H8 - No flow from pipe. See LF-COMP for readings
- I - The sampling location yielded insufficient quantity to collect a sample.
- U - Not Detected above the laboratory reporting limit.

Sample collection notes:

- FILT - One or more analytical parameters were field filtered.
- UF - No analytical parameters were field filtered

Date	Type	Sample ID	Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethane	1,1-Dichloroethane	trans-1,2-Dichloroethane	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
			ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L

DP-4																	
4/25/2012	XX	GWXXXX52G	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/24/2013	XX	GWXXXX5IH	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U

LF-COMP																	
4/24/2012	XX	LFXXXX53B	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/6/2021	XX	LFCOMP6G6	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U

LF-UD-1																	
4/24/2012	XX	LFUD1X525	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2
4/23/2013	XX	LFUD1X5I6	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2014	XX	LFUD1X6F7	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/28/2015	XX	LFUD1X792	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/5/2016	XX	LFUD1X86D	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/18/2017	XX	LFUD1X978	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	LFUD1XA30	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2019	XX	LFUD1XB5G	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/28/2020	XX	LFUD1XCD8	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD1XDC7	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8

LF-UD-2																	
4/24/2012	XX	LFUD2X526	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2
4/23/2013	XX	LFUD2X5I7	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2014	XX	LFUD2X6F8	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/28/2015	XX	LFUD2X793	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/5/2016	XX	LFUD2X86E	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/18/2017	XX	LFUD2X979	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	LFUD2XA31	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2019	XX	LFUD2XB5H	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD2XCD9	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/6/2021	XX	LFUD2XDC8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8

LF-UD-3A,B																	
4/24/2012	XX	LFXXXX534	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2
4/23/2013	XX	LFXXXX5J5	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/22/2014	XX	LFXXXX6G6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LFXXXX79G	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFXXXX877	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFXXXX982	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LFXXXXA3E	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFXXXXB6A	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXXCE1	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFXXXXDD0	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8

LF-UD-4																	
4/24/2012	XX	LFXXXX536	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2
4/23/2013	XX	LFXXXX5J6	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2014	XX	LFXXXX6G7	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/28/2015	XX	LFXXXX79H	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFXXXX878	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFXXXX983	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U

(LF-UD-4)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethane	1,1-Dichloroethane	trans-1,2-Dichloroethane	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/3/2018	XX	LFXXXXA3F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFXXXXB6B	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXXCE2	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFXXXXDD1	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
LF-UD-5and6																	
4/24/2012	XX	LFXXXX537	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2013	XX	LFXXXX5J7	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2014	XX	LFXXXX6G8	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/28/2015	XX	LFXXXX79I	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/5/2016	XX	LFXXXX879	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/18/2017	XX	LFXXXX984	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	LFXXXXA3G	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2019	XX	LFXXXXB6C	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/28/2020	XX	LFXXXXCE3	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/6/2021	XX	LFXXXXDD2	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
LF-UD-6																	
4/24/2012	XX	LFUD6X539	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2013	XX	LFUD6X5J9	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2014	XX	LFUD6X6GA	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/28/2015	XX	LFUD6X7A0	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/5/2016	XX	LFUD6X87B	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/18/2017	XX	LFUD6X986	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	LFUD6XA3I	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2019	XX	LFUD6XB6E	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/28/2020	XX	LFUD6XCE5	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/6/2021	XX	LFUD6XDD4	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
LF-UD-7																	
4/24/2012	XX	LFUD7X53A	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2
4/23/2013	XX	LFUD7X5JA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/22/2014	XX	LFUD7X6GB	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LFUD7X7A1	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFUD7X87C	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD7X987	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LFUD7XA3J	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFUD7XB6F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD7XCE6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD7XDD5	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
LF-UD-8																	
4/23/2013	XX	LFUD8X5JD	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2014	XX	LFUD8X6GC	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12
4/28/2015	XX	LFUD8X7A2	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/5/2016	XX	LFUD8X87D	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD8X988	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	LFUD8XA40	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2019	XX	LFUD8XB6G	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/28/2020	XX	LFUD8XCE7	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD8XDD6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

(LF-UD-9)	Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethane	1,1-Dichloroethane	trans-1,2-Dichloroethane	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
Date Type Sample ID															

LF-UD-9																
4/5/2016 XX LFUD9X881	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017 XX LFUD9X98F	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
4/3/2018 XX LFUD9XA47	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019 XX LFUD9XB73	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020 XX LFUD9XCED	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021 XX LFUD9XDDA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

LF-UD-10																
4/3/2018 XX LFXXXA48	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019 XX LFXXXB74	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020 XX LFXXXCEE	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021 XX LFXXXDDB	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

LP-UD-1																
4/24/2012 XX LPUD1X527	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2013 XX LPUD1X518	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/22/2014 XX LPUD1X6F9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015 XX LPUD1X794	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016 XX LPUD1X86F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017 XX LPUD1X97A	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018 XX LPUD1XA32	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019 XX LPUD1XB51	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
4/28/2020 XX LPUD1XCDA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021 XX LPUD1XDC9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

LP-UD-2																
4/24/2012 XX LPUD2X528	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2013 XX LPUD2X519	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2014 XX LPUD2X6FA	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	2 U
4/28/2015 XX LPUD2X795	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	2 U
4/5/2016 XX LPUD2X86G	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	2 U
4/18/2017 XX LPUD2X97B	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	1 U
4/3/2018 XX LPUD2XA33	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	1 U
4/23/2019 XX LPUD2XB5J	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	1 U
4/28/2020 XX LPUD2XCDB	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	1 U
4/6/2021 XX LPUD2XDCA	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	1 U

MW-04-09A																
2/26/2020 XX GWX09AC56	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	1 U
4/30/2020 XX GWX09ACC1	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	1 U
6/23/2020 XX GWX09ACGC	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	1 U
8/20/2020 XX GWX09AD1J	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	1 U

MW-04-09B																
2/26/2020 XX GWX09BC57	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	1 U
4/30/2020 XX GWX09BCC2	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	1 U

MW06-01																
4/10/2018 XD GWDP1XA68	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	1 U
4/10/2018 XX GWXXXXA70	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	1 U

Date	Type	Sample ID	Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethene	1,1-Dichloroethane	trans-1,2-Dichloroethene	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
			ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
6/4/2018	XX	GWXXXXA7H	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
MW-204																	
4/24/2012	XX	GW204X52C	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/24/2013	XX	GW204X5ID	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
MW-303 & MW12-303R																	
6/18/2015	XX	42173-1	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
MW-401B																	
4/23/2012	XX	GW401B521	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2012	XD	GWDP4X524	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2013	XX	GW401B512	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2013	XD	GWDP4X515	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/21/2014	XX	GW401B6F3	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/21/2014	XD	GWDP4X6F6	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/27/2015	XX	GW401B781	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/27/2015	XD	GWDP4X791	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/6/2016	XD	GWDP4X86C	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/6/2016	XX	GW401B869	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/17/2017	XD	GWDP4X977	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/17/2017	XX	GW401B974	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/2/2018	XD	GWDP4XA2J	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/2/2018	XX	GW401BA2G	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2019	XD	GWDP4XB5F	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2019	XX	GW401BB5C	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/27/2020	XD	GWDP4XCD7	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/27/2020	XX	GW401BCD4	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/5/2021	XD	GWDP4XDC6	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/5/2021	XX	GW401BDC3	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
MW-501																	
4/5/2018	XX	GW501XA6I	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/4/2018	XX	GW501XA7F	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
MW-502																	
2/26/2020	XD	GWDP1XC52	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
2/26/2020	XX	GW502XC55	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/30/2020	XX	GW502XCBJ	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
MW-507																	
4/5/2018	XX	GW507XA6J	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/5/2018	XX	GW507XA7G	3.1	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/20/2018	XX	GW507XAFF	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
OW-06-03																	
4/10/2018	XX	GWXXXXA73	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/5/2018	XX	GWXXXXA80	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
7/19/2018	XX	GWXXXXAEI	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
OW-601A																	
4/11/2018	XX	GW601AA69	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U

REPORT PREPARED: 4/11/2022 07:08 FOR: Juniper Ridge Landfill			SUMMARY REPORT VOA Part 1 of 4										Page 5 of 7 SEVEE & MAHER ENGINEERS, INC. 4 BLANCHARD ROAD CUMBERLAND CENTER, ME 04021				
(OW-601A)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethane	1,1-Dichloroethane	trans-1,2-Dichloroethane	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
6/6/2018	XX	GW601AA76	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/19/2018	XX	GW601AAE4	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
OW-601B																	
4/11/2018	XX	GW601BA6A	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/6/2018	XX	GW601BA77	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
OW-602A																	
4/11/2018	XX	GW602AA6B	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/6/2018	XD	GWDP1XA75	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/6/2018	XX	GW602AA78	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
OW-603B																	
4/12/2018	XX	GW603BA6C	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/5/2018	XX	GW603BA79	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
OW-604A																	
4/12/2018	XX	GW604AA6D	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/4/2018	XX	GW604AA7A	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
OW-605A																	
4/10/2018	XX	GW605AA6E	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/5/2018	XX	GW605AA7B	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
OW-606A																	
4/3/2018	XX	GW606AA6F	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/4/2018	XX	GW606AA7C	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
OW-608A																	
4/4/2018	XX	GW608AA6G	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/4/2018	XX	GW608AA7D	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
OW-611A																	
4/4/2018	XX	GW611AA6H	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/5/2018	XX	GW611AA7E	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
P-04-02																	
4/25/2012	XX	GWXXX52H	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2013	XX	GWXXX5II	!	!	!	!	!	!	!	!	!	!	!	!	!	!	!
QCBT																	
4/23/2012	XX	BTXXX532	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/24/2012	XX	BTXXX533	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/25/2012	XX	BTXXX538	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/24/2012	XX	BTXXX585	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/23/2012	XX	BTXXX5C8	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2013	XX	BTXXX5J3	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2013	XX	BTXXX5J4	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/24/2013	XX	BTXXX5J8	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/30/2013	XX	BTXXX65D	2.5 U	1 U	1 U	1 U	3 U	5 U	5 U	0.5 U	0.75 U	0.75 U	0.75 U	0.5 U	5 U	0.5 U	0.5 U
10/29/2013	XX	BTXXX68C	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/21/2014	XX	BTXXX6G4	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/22/2014	XX	BTXXX6G5	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U

REPORT PREPARED: 4/11/2022 07:08
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
 VOA Part 1 of 4

Page 6 of 7
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(QCBT)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethene	1,1-Dichloroethane	trans-1,2-Dichloroethene	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
7/30/2014	XX	BTXXX70B	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
10/21/2014	XX	BTXXX748	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/27/2015	XX	BTXXX79E	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/27/2015	XX	BTXXX79F	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/27/2015	XX	BTXXX79J	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
7/15/2015	XX	BTXXX7DB	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
10/27/2015	XX	BTXXX7II	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/5/2016	XX	BTXXX87GX	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/5/2016	XX	BTXXX876	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/6/2016	XX	BTXXX875	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
7/26/2016	XX	BTXXX8BF	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
10/25/2016	XX	BTXXX8JE	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/17/2017	XX	BTXXX985	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/18/2017	XX	BTXXX980	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/18/2017	XX	BTXXX981	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/25/2017	XX	BTXXX9DI	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/24/2017	XX	BTXXX9HD	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/2/2018	XX	BTXXXA3C	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	BTXXXA3H	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	BTXXXHHD	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	BTXXXHG3	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/4/2018	XX	BTXXXA5F	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/5/2018	XX	BTXXXA71	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/10/2018	XX	BTXXXA72	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/11/2018	XX	BTXXXHNB	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/12/2018	XX	BTXXXHNC	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/4/2018	XX	BTXXXA74	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/5/2018	XX	BTXXXA71	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/6/2018	XX	BTXXXA7J	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/17/2018	XX	BTXXXACD	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/19/2018	XX	BTXXXAE2	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/20/2018	XX	BTXXXAF3	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/2/2018	XX	BTXXXB1B	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2019	XX	BTXXXB6D	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2019	XX	BTXXXB68	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2019	XX	BTXXXB69	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/16/2019	XX	BTXXXBCJ	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/29/2019	XX	BTXXXBIC	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
2/25/2020	XX	BTXXXC86	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
2/26/2020	XX	BTXXXC5G	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/27/2020	XX	BTXXXCDJ	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/28/2020	XX	BTXXXCE4	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/28/2020	XX	BTXXXCE0	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/30/2020	XX	BTXXXCC3	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/23/2020	XX	BTXXXCGE	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/21/2020	XX	BTXXXCIC	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/21/2020	XX	BTXXXCGH	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/20/2020	XX	BTXXXD21	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/27/2020	XX	BTXXXD3G	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
1/5/2021	XX	BTXXXD8F	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U

(QCBT)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethene	1,1-Dichloroethane	trans-1,2-Dichloroethene	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
2/9/2021	XX	BTXXXXD98	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
2/10/2021	XX	BTXXXXD99	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
2/18/2021	XX	BTXXXXA5	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/5/2021	XX	BTXXXXDCI	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/6/2021	XX	BTXXXXDCJ	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/6/2021	XX	BTXXXXDDJ	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/7/2021	XX	BTXXXXDA7	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/8/2021	XX	BTXXXXDA8	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/8/2021	XX	BTXXXXDGA	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/9/2021	XX	BTXXXXDGB	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/13/2021	XX	BTXXXXE0B	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/13/2021	XX	BTXXXXE2A	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/14/2021	XX	BTXXXXE1F	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/17/2021	XX	BTXXXXE44	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/18/2021	XX	BTXXXXE45	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/19/2021	XX	BTXXXXE50	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
9/1/2021	XX	BTXXXXE51	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/5/2021	XX	BTXXXXE6I	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/26/2021	XX	BTXXXXE3	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

- !- The sampling location was damaged or destroyed.
- F12- Pipe under water, no sample taken.
- F6- No flow. Sample not taken.
- H2- Waterlevel higher than pipes. See LF-COMP for readings
- H8- No flow from pipe. See LF-COMP for readings
- I- The sampling location yielded insufficient quantity to collect a sample.
- U- Not Detected above the laboratory reporting limit.

REPORT PREPARED: 4/11/2022 07:08 FOR: Juniper Ridge Landfill	SUMMARY REPORT VOA Part 2 of 4	Page 1 of 7 SEVEE & MAHER ENGINEERS, INC. 4 BLANCHARD ROAD CUMBERLAND CENTER, ME 04021
---	-----------------------------------	---

(DP-4)		Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/25/2012	XX	GWXXXX52G	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
4/24/2013	XX	GWXXXX5IH	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U

LF-COMP																	
4/24/2012	XX	LFXXXX53B	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U	
4/6/2021	XX	LFCOMP6G6	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U

LF-UD-1																	
4/24/2012	XX	LFUD1X525	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2
4/23/2013	XX	LFUD1X5I6	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U	1 U
4/22/2014	XX	LFUD1X6F7	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/28/2015	XX	LFUD1X792	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/5/2016	XX	LFUD1X86D	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/18/2017	XX	LFUD1X978	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	LFUD1XA30	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/23/2019	XX	LFUD1XB5G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/28/2020	XX	LFUD1XCD8	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD1XDC7	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8

LF-UD-2																	
4/24/2012	XX	LFUD2X526	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2
4/23/2013	XX	LFUD2X5I7	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U	1 U
4/22/2014	XX	LFUD2X6F8	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/28/2015	XX	LFUD2X793	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/5/2016	XX	LFUD2X86E	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/18/2017	XX	LFUD2X979	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	LFUD2XA31	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/23/2019	XX	LFUD2XB5H	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD2XCD9	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/6/2021	XX	LFUD2XDC8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8

LF-UD-3A,B																	
4/24/2012	XX	LFXXXX534	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2
4/23/2013	XX	LFXXXX5J5	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/22/2014	XX	LFXXXX6G6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LFXXXX79G	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFXXXX877	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFXXXX982	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LFXXXXA3E	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFXXXXB6A	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXXCE1	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFXXXXDD0	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8

LF-UD-4																	
4/24/2012	XX	LFXXXX536	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2	H2
4/23/2013	XX	LFXXXX5J6	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U	1 U
4/22/2014	XX	LFXXXX6G7	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/28/2015	XX	LFXXXX79H	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFXXXX878	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFXXXX983	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U

(LF-UD-9)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/5/2016	XX	LFUD9X881	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD9X98F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	LFUD9XA47	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFUD9XB73	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD9XCED	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD9XDDA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

LF-UD-10			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/3/2018	XX	LFXXXXA48	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFXXXXB74	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXXCEE	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFXXXXDDB	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

LP-UD-1			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/24/2012	XX	LPUD1X527	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2013	XX	LPUD1X518	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/22/2014	XX	LPUD1X6F9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LPUD1X794	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LPUD1X86F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LPUD1X97A	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LPUD1XA32	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LPUD1XB5I	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/28/2020	XX	LPUD1XCDA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LPUD1XDC9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

LP-UD-2			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/24/2012	XX	LPUD2X528	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
4/23/2013	XX	LPUD2X519	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
4/22/2014	XX	LPUD2X6FA	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/28/2015	XX	LPUD2X795	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/5/2016	XX	LPUD2X86G	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/18/2017	XX	LPUD2X97B	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	LPUD2XA33	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/23/2019	XX	LPUD2XB5J	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/28/2020	XX	LPUD2XCDB	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/6/2021	XX	LPUD2XDCA	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U

MW-04-09A			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
2/26/2020	XX	GWX09AC56	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/30/2020	XX	GWX09ACC1	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/23/2020	XX	GWX09ACGC	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/20/2020	XX	GWX09AD1J	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U

MW-04-09B			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
2/26/2020	XX	GWX09BC57	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/30/2020	XX	GWX09BCC2	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U

MW06-01			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/10/2018	XD	GWDP1XA68	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/10/2018	XX	GWXXXXA70	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U

REPORT PREPARED: 4/11/2022 07:08 FOR: Juniper Ridge Landfill			SUMMARY REPORT VOA Part 2 of 4										Page 4 of 7 SEVEE & MAHER ENGINEERS, INC. 4 BLANCHARD ROAD CUMBERLAND CENTER, ME 04021				
(MW06-01)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
6/4/2018	XX	GWXXXXA7H	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
MW-204																	
4/24/2012	XX	GW204X52C	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
4/24/2013	XX	GW204X5ID	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
MW-303 & MW12-303R																	
6/18/2015	XX	42173-1	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
MW-401B																	
4/23/2012	XX	GW401B521	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
4/23/2012	XD	GWDP4X524	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
4/22/2013	XX	GW401B5I2	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
4/22/2013	XD	GWDP4X5I5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
4/21/2014	XX	GW401B6F3	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/21/2014	XD	GWDP4X6F6	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/27/2015	XX	GW401B78I	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/27/2015	XD	GWDP4X791	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/6/2016	XD	GWDP4X86C	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/6/2016	XX	GW401B869	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/17/2017	XD	GWDP4X977	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	1 U
4/17/2017	XX	GW401B974	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	1 U
4/2/2018	XD	GWDP4XA2J	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/2/2018	XX	GW401BA2G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/22/2019	XD	GWDP4XB5F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/22/2019	XX	GW401BB5C	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/27/2020	XD	GWDP4XCD7	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/27/2020	XX	GW401BCD4	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/5/2021	XD	GWDP4XDC6	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/5/2021	XX	GW401BDC3	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
MW-501																	
4/5/2018	XX	GW501XA6I	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/4/2018	XX	GW501XA7F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
MW-502																	
2/26/2020	XD	GWDP1XC52	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
2/26/2020	XX	GW502XC55	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/30/2020	XX	GW502XCBJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
MW-507																	
4/5/2018	XX	GW507XA6J	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/5/2018	XX	GW507XA7G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/20/2018	XX	GW507XAFF	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
OW-06-03																	
4/10/2018	XX	GWXXXXA73	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/5/2018	XX	GWXXXXA80	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
7/19/2018	XX	GWXXXXAEI	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
OW-601A																	
4/11/2018	XX	GW601AA69	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1.1	1 U	1 U

(OW-601A)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene	
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
6/6/2018	XX	GW601AA76	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
7/19/2018	XX	GW601AAE4	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
OW-601B																		
4/11/2018	XX	GW601BA6A	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/6/2018	XX	GW601BA77	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
OW-602A																		
4/11/2018	XX	GW602AA6B	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/6/2018	XD	GWDP1XA75	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/6/2018	XX	GW602AA78	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
OW-603B																		
4/12/2018	XX	GW603BA6C	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/5/2018	XX	GW603BA79	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
OW-604A																		
4/12/2018	XX	GW604AA6D	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/4/2018	XX	GW604AA7A	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
OW-605A																		
4/10/2018	XX	GW605AA6E	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/5/2018	XX	GW605AA7B	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
OW-606A																		
4/3/2018	XX	GW606AA6F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/4/2018	XX	GW606AA7C	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
OW-608A																		
4/4/2018	XX	GW608AA6G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/4/2018	XX	GW608AA7D	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
OW-611A																		
4/4/2018	XX	GW611AA6H	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/5/2018	XX	GW611AA7E	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
P-04-02																		
4/25/2012	XX	GWXXX52H	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U	
4/22/2013	XX	GWXXX5II	!	!	!	!	!	!	!	!	!	!	!	!	!	!	!	
QCBT																		
4/23/2012	XX	BTXXX532	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U	
4/24/2012	XX	BTXXX533	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U	
4/25/2012	XX	BTXXX538	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U	
7/24/2012	XX	BTXXX585	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U	
10/23/2012	XX	BTXXX5C8	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U	
4/22/2013	XX	BTXXX5J3	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U	
4/23/2013	XX	BTXXX5J4	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U	
4/24/2013	XX	BTXXX5J8	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U	
7/30/2013	XX	BTXXX65D	5 U	0.5 U	1.8 U	0.5 U	0.5 U	0.5 U	0.75 U	0.5 U	0.5 U	2 U	5 U	5 U	0.5 U	0.5 U	0.75 U	
10/29/2013	XX	BTXXX68C	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U	
4/21/2014	XX	BTXXX6G4	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U	
4/22/2014	XX	BTXXX6G5	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U	

SUMMARY REPORT

VOA Part 2 of 4

(QCBT)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2- Trichloroethane	Benzene	trans-1,3- Dichloro propene	Bromoform	4-Methyl-2- Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2- Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
7/30/2014	XX	BTXXXX70B	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
10/21/2014	XX	BTXXXX748	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/27/2015	XX	BTXXXX79E	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/27/2015	XX	BTXXXX79F	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/27/2015	XX	BTXXXX79J	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
7/15/2015	XX	BTXXXX7DB	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
10/27/2015	XX	BTXXXX7II	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/5/2016	XX	BTXXXX87GX	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/5/2016	XX	BTXXXX876	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/6/2016	XX	BTXXXX875	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
7/26/2016	XX	BTXXXX8BF	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
10/25/2016	XX	BTXXXX8JE	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/17/2017	XX	BTXXXX985	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/18/2017	XX	BTXXXX980	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/18/2017	XX	BTXXXX981	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/25/2017	XX	BTXXXX9DI	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/24/2017	XX	BTXXXX9HD	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/2/2018	XX	BTXXXXA3C	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	BTXXXXA3H	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	BTXXXXHHD	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	BTXXXXHG3	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/4/2018	XX	BTXXXXA5F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/5/2018	XX	BTXXXXA71	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/10/2018	XX	BTXXXXA72	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/11/2018	XX	BTXXXXHNB	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/12/2018	XX	BTXXXXHHC	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/4/2018	XX	BTXXXXA74	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/5/2018	XX	BTXXXXA71	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/6/2018	XX	BTXXXXA7J	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/17/2018	XX	BTXXXXACD	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/19/2018	XX	BTXXXXAE2	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/20/2018	XX	BTXXXXAF3	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/2/2018	XX	BTXXXXB1B	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/22/2019	XX	BTXXXXB6D	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/23/2019	XX	BTXXXXB68	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/23/2019	XX	BTXXXXB69	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/16/2019	XX	BTXXXXBCJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/29/2019	XX	BTXXXXBIC	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
2/25/2020	XX	BTXXXXC86	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
2/26/2020	XX	BTXXXXC5G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/27/2020	XX	BTXXXXCDJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/28/2020	XX	BTXXXXCE4	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/28/2020	XX	BTXXXXCE0	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/30/2020	XX	BTXXXXCC3	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/23/2020	XX	BTXXXXCGE	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/21/2020	XX	BTXXXXCIC	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/21/2020	XX	BTXXXXCGH	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/20/2020	XX	BTXXXXD21	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/27/2020	XX	BTXXXXD3G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
1/5/2021	XX	BTXXXXD8F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U

(QCBT)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
2/9/2021	XX	BTXXXXD98	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
2/10/2021	XX	BTXXXXD99	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
2/18/2021	XX	BTXXXXA5	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/5/2021	XX	BTXXXXDCI	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/6/2021	XX	BTXXXXDCJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/6/2021	XX	BTXXXXDDJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/7/2021	XX	BTXXXXA7	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/8/2021	XX	BTXXXXA8	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/8/2021	XX	BTXXXXDGA	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/9/2021	XX	BTXXXXDGB	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/13/2021	XX	BTXXXXE0B	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/13/2021	XX	BTXXXXE2A	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/14/2021	XX	BTXXXXE1F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/17/2021	XX	BTXXXXE44	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/18/2021	XX	BTXXXXE45	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/19/2021	XX	BTXXXXE50	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
9/1/2021	XX	BTXXXXE51	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/5/2021	XX	BTXXXXE6I	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/26/2021	XX	BTXXXXE3	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

- !- The sampling location was damaged or destroyed.
- F12- Pipe under water, no sample taken.
- F6- No flow. Sample not taken.
- H2- Waterlevel higher than pipes. See LF-COMP for readings
- H8- No flow from pipe. See LF-COMP for readings
- I- The sampling location yielded insufficient quantity to collect a sample.
- U- Not Detected above the laboratory reporting limit.

REPORT PREPARED: 4/11/2022 07:08 FOR: Juniper Ridge Landfill				SUMMARY REPORT VOA Part 3 of 4										Page 1 of 7 SEVEE & MAHER ENGINEERS, INC. 4 BLANCHARD ROAD CUMBERLAND CENTER, ME 04021				
(DP-4)				Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
DP-4																		
4/25/2012	XX	GWXXXX52G		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/24/2013	XX	GWXXXX5IH		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
LF-COMP																		
4/24/2012	XX	LFXXXX53B		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/6/2021	XX	LFCOMPDG6		1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
LF-UD-1																		
4/24/2012	XX	LFUD1X525		H2	H2	H2	H2	H2		H2	H2	H2	H2	H2	H2	H2	H2	H2
4/23/2013	XX	LFUD1X5I6		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/22/2014	XX	LFUD1X6F7		2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/28/2015	XX	LFUD1X792		2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	LFUD1X86D		2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/18/2017	XX	LFUD1X978		1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LFUD1XA30		1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	LFUD1XB5G		1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	LFUD1XCD8		F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD1XDC7		H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
LF-UD-2																		
4/24/2012	XX	LFUD2X526		H2	H2	H2	H2	H2		H2	H2	H2	H2	H2	H2	H2	H2	H2
4/23/2013	XX	LFUD2X5I7		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/22/2014	XX	LFUD2X6F8		2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/28/2015	XX	LFUD2X793		2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	LFUD2X86E		2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/18/2017	XX	LFUD2X979		1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LFUD2XA31		1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	LFUD2XB5H		F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD2XCD9		1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/6/2021	XX	LFUD2XDC8		H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
LF-UD-3A,B																		
4/24/2012	XX	LFXXXX534		H2	H2	H2	H2	H2		H2	H2	H2	H2	H2	H2	H2	H2	H2
4/23/2013	XX	LFXXXX5J5		F6	F6	F6	F6	F6		F6	F6	F6	F6	F6	F6	F6	F6	F6
4/22/2014	XX	LFXXXX6G6		F6	F6	F6	F6	F6		F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LFXXXX79G		F6	F6	F6	F6	F6		F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFXXXX877		F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFXXXX982		F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LFXXXXA3E		F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFXXXXB6A		F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXXCE1		F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFXXXXDD0		H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
LF-UD-4																		
4/24/2012	XX	LFXXXX536		H2	H2	H2	H2	H2		H2	H2	H2	H2	H2	H2	H2	H2	H2
4/23/2013	XX	LFXXXX5J6		1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/22/2014	XX	LFXXXX6G7		2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/28/2015	XX	LFXXXX79H		F6	F6	F6	F6	F6		F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFXXXX878		F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFXXXX983		1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U

(LF-UD-4)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/3/2018	XX	LFXXXXA3F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFXXXXB6B	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXXCE2	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFXXXXDD1	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8

LF-UD-5and6

4/24/2012	XX	LFXXXX537	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/23/2013	XX	LFXXXX5J7	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/22/2014	XX	LFXXXX6G8	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/28/2015	XX	LFXXXX79I	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	LFXXXX879	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/18/2017	XX	LFXXXX984	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LFXXXXA3G	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	LFXXXXB6C	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	LFXXXXCE3	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/6/2021	XX	LFXXXXDD2	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U

LF-UD-6

4/24/2012	XX	LFUD6X539	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/23/2013	XX	LFUD6X5J9	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/22/2014	XX	LFUD6X6GA	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/28/2015	XX	LFUD6X7A0	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	LFUD6X87B	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/18/2017	XX	LFUD6X986	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LFUD6XA3I	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	LFUD6XB6E	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	LFUD6XCE5	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/6/2021	XX	LFUD6XDD4	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U

LF-UD-7

4/24/2012	XX	LFUD7X53A	H2	H2	H2	H2	H2		H2	H2	H2	H2	H2	H2	H2	H2	H2
4/23/2013	XX	LFUD7X5JA	F6	F6	F6	F6	F6		F6	F6	F6	F6	F6	F6	F6	F6	F6
4/22/2014	XX	LFUD7X6GB	F6	F6	F6	F6	F6		F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LFUD7X7A1	F6	F6	F6	F6	F6		F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFUD7X87C	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD7X987	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LFUD7XA3J	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFUD7XB6F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD7XCE6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD7XDD5	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8

LF-UD-8

4/23/2013	XX	LFUD8X5JD	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/22/2014	XX	LFUD8X6GC	F12	F12	F12	F12	F12		F12	F12	F12	F12	F12	F12	F12	F12	F12
4/28/2015	XX	LFUD8X7A2	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	LFUD8X87D	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD8X988	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LFUD8XA40	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	LFUD8XB6G	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	LFUD8XCE7	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD8XDD6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

(LF-UD-9)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethane	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L

LF-UD-9																	
4/5/2016	XX	LFUD9X881	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD9X98F	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LFUD9XA47	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFUD9XB73	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD9XCED	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD9XDDA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

LF-UD-10																	
4/3/2018	XX	LFXXXXA48	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFXXXXB74	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXXCEE	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFXXXXDDB	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

LP-UD-1																	
4/24/2012	XX	LPUD1X527	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2013	XX	LPUD1X518	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/22/2014	XX	LPUD1X6F9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LPUD1X794	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LPUD1X86F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LPUD1X97A	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LPUD1XA32	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LPUD1XB51	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	LPUD1XCDA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LPUD1XDC9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

LP-UD-2																	
4/24/2012	XX	LPUD2X528	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/23/2013	XX	LPUD2X519	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/22/2014	XX	LPUD2X6FA	2 U	1 U	1 U	1 U	1 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/28/2015	XX	LPUD2X795	2 U	1 U	1 U	1 U	1 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	LPUD2X86G	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/18/2017	XX	LPUD2X97B	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LPUD2XA33	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	LPUD2XB5J	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	LPUD2XCDB	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/6/2021	XX	LPUD2XDCA	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U

MW-04-09A																	
2/26/2020	XX	GWX09AC56	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/30/2020	XX	GWX09ACC1	1 U	1 U	1 U	1 U	1.1	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/23/2020	XX	GWX09ACGC	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/20/2020	XX	GWX09AD1J	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U

MW-04-09B																	
2/26/2020	XX	GWX09BC57	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/30/2020	XX	GWX09BCC2	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U

MW06-01																	
4/10/2018	XD	GWDP1XA68	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/10/2018	XX	GWXXXXA70	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U

(MW06-01)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
6/4/2018	XX	GWXXXXA7H	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
MW-204																	
4/24/2012	XX	GW204X52C	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/24/2013	XX	GW204X5ID	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
MW-303 & MW12-303R																	
6/18/2015	XX	42173-1	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
MW-401B																	
4/23/2012	XX	GW401B521	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/23/2012	XD	GWDP4X524	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/22/2013	XX	GW401B512	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/22/2013	XD	GWDP4X515	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/21/2014	XX	GW401B6F3	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/21/2014	XD	GWDP4X6F6	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/27/2015	XX	GW401B78I	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/27/2015	XD	GWDP4X791	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/6/2016	XD	GWDP4X86C	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/6/2016	XX	GW401B869	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/17/2017	XD	GWDP4X977	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/17/2017	XX	GW401B974	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/2/2018	XD	GWDP4XA2J	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/2/2018	XX	GW401BA2G	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/22/2019	XD	GWDP4XB5F	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/22/2019	XX	GW401BB5C	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/27/2020	XD	GWDP4XCD7	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/27/2020	XX	GW401BCD4	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/5/2021	XD	GWDP4XDC6	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/5/2021	XX	GW401BDC3	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
MW-501																	
4/5/2018	XX	GW501XA6I	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/4/2018	XX	GW501XA7F	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
MW-502																	
2/26/2020	XD	GWDP1XC52	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
2/26/2020	XX	GW502XC55	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/30/2020	XX	GW502XCBJ	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
MW-507																	
4/5/2018	XX	GW507XA6J	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/5/2018	XX	GW507XA7G	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
8/20/2018	XX	GW507XAFF	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
OW-06-03																	
4/10/2018	XX	GWXXXXA73	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/5/2018	XX	GWXXXXA80	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
7/19/2018	XX	GWXXXXAEI	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
OW-601A																	
4/11/2018	XX	GW601AA69	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U

			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
(OW-601A)																	
6/6/2018	XX	GW601AA76	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
7/19/2018	XX	GW601AAE4	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
OW-601B																	
4/11/2018	XX	GW601BA6A	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/6/2018	XX	GW601BA77	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
OW-602A																	
4/11/2018	XX	GW602AA6B	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/6/2018	XD	GWDP1XA75	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/6/2018	XX	GW602AA78	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
OW-603B																	
4/12/2018	XX	GW603BA6C	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/5/2018	XX	GW603BA79	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
OW-604A																	
4/12/2018	XX	GW604AA6D	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/4/2018	XX	GW604AA7A	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
OW-605A																	
4/10/2018	XX	GW605AA6E	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/5/2018	XX	GW605AA7B	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
OW-606A																	
4/3/2018	XX	GW606AA6F	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/4/2018	XX	GW606AA7C	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
OW-608A																	
4/4/2018	XX	GW608AA6G	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/4/2018	XX	GW608AA7D	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
OW-611A																	
4/4/2018	XX	GW611AA6H	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/5/2018	XX	GW611AA7E	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
P-04-02																	
4/25/2012	XX	GWXXX52H	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/22/2013	XX	GWXXX5II	!	!	!	!	!		!	!	!	!	!	!	!	!	!
QCBT																	
4/23/2012	XX	BTXXX532	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/24/2012	XX	BTXXX533	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/25/2012	XX	BTXXX538	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
7/24/2012	XX	BTXXX585	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
10/23/2012	XX	BTXXX5C8	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/22/2013	XX	BTXXX5J3	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/23/2013	XX	BTXXX5J4	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/24/2013	XX	BTXXX5J8	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
7/30/2013	XX	BTXXX65D	0.5 U	0.5 U	1 U	1 U	1 U		2.5 U	0.5 U	2.5 U	5 U	2 U	0.5 U	5 U	2.5 U	2.5 U
10/29/2013	XX	BTXXX68C	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/21/2014	XX	BTXXX6G4	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/22/2014	XX	BTXXX6G5	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U

REPORT PREPARED: 4/11/2022 07:08
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
 VOA Part 3 of 4

Page 6 of 7
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(QCBT)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
7/30/2014	XX	BTXXXX70B	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
10/21/2014	XX	BTXXXX748	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/27/2015	XX	BTXXXX79E	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/27/2015	XX	BTXXXX79F	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/27/2015	XX	BTXXXX79J	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
7/15/2015	XX	BTXXXX7DB	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
10/27/2015	XX	BTXXXX7II	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	BTXXXX87GX	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	BTXXXX876	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/6/2016	XX	BTXXXX875	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
7/26/2016	XX	BTXXXX8BF	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
10/25/2016	XX	BTXXXX8JE	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/17/2017	XX	BTXXXX985	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/18/2017	XX	BTXXXX980	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/18/2017	XX	BTXXXX981	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
7/25/2017	XX	BTXXXX9DI	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
10/24/2017	XX	BTXXXX9HD	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/2/2018	XX	BTXXXXA3C	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	BTXXXXA3H	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	BTXXXXHHD	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	BTXXXXHG3	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/4/2018	XX	BTXXXXA5F	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/5/2018	XX	BTXXXXA71	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/10/2018	XX	BTXXXXA72	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/11/2018	XX	BTXXXXHHB	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/12/2018	XX	BTXXXXHHC	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/4/2018	XX	BTXXXXA74	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/5/2018	XX	BTXXXXA71	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/6/2018	XX	BTXXXXA7J	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
7/17/2018	XX	BTXXXXACD	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
7/19/2018	XX	BTXXXXAE2	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
8/20/2018	XX	BTXXXXAF3	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
10/2/2018	XX	BTXXXXB1B	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/22/2019	XX	BTXXXXB6D	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	BTXXXXB68	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	BTXXXXB69	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
7/16/2019	XX	BTXXXXBCJ	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
10/29/2019	XX	BTXXXXBIC	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
2/25/2020	XX	BTXXXXC86	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
2/26/2020	XX	BTXXXXC5G	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/27/2020	XX	BTXXXXCDJ	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	BTXXXXCE4	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	BTXXXXCE0	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/30/2020	XX	BTXXXXCC3	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/23/2020	XX	BTXXXXCGE	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/21/2020	XX	BTXXXXCIC	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/21/2020	XX	BTXXXXCGH	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/20/2020	XX	BTXXXXD21	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
10/27/2020	XX	BTXXXXD3G	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
1/5/2021	XX	BTXXXXD8F	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U

(QCBT)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2- Dichloroethene	Bromochloro methane	Dibromo methane	1,2- Dibromoethane	1,1,1,2- Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3- Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
2/9/2021	XX	BTXXXXD98	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
2/10/2021	XX	BTXXXXD99	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
2/18/2021	XX	BTXXXXA5	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/5/2021	XX	BTXXXXDCI	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/6/2021	XX	BTXXXXDCJ	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/6/2021	XX	BTXXXXDDJ	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/7/2021	XX	BTXXXXDA7	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/8/2021	XX	BTXXXXDA8	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/8/2021	XX	BTXXXXDGA	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/9/2021	XX	BTXXXXDGB	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/13/2021	XX	BTXXXXE0B	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/13/2021	XX	BTXXXXE2A	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/14/2021	XX	BTXXXXE1F	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/17/2021	XX	BTXXXXE44	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/18/2021	XX	BTXXXXE45	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/19/2021	XX	BTXXXXE50	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
9/1/2021	XX	BTXXXXE51	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
10/5/2021	XX	BTXXXXE6I	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
10/26/2021	XX	BTXXXXE03	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

- !- The sampling location was damaged or destroyed.
- F12- Pipe under water, no sample taken.
- F6- No flow. Sample not taken.
- H2- Waterlevel higher than pipes. See LF-COMP for readings
- H8- No flow from pipe. See LF-COMP for readings
- I- The sampling location yielded insufficient quantity to collect a sample.
- U- Not Detected above the laboratory reporting limit.

			1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4-Dichloro-2-butene	Iodomethane										
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L										

DP-4																	
4/25/2012	XX	GWXXXX52G	1 U	1 U		1 U	1 U										
4/24/2013	XX	GWXXXX5IH	1 U	1 U		1 U	1 U										

LF-COMP																	
4/24/2012	XX	LFXXXX53B	1 U	1 U		1 U	1 U										
4/6/2021	XX	LFCOMPDG6	1 U	20 U	2 U	5 U	5 U										

LF-UD-1																	
4/24/2012	XX	LFUD1X525	H2	H2		H2	H2										
4/23/2013	XX	LFUD1X5I6	1 U	1 U		1 U	1 U										
4/22/2014	XX	LFUD1X6F7	1 U	20 U		5 U	5 U										
4/28/2015	XX	LFUD1X792	1 U	20 U		5 U	5 U										
4/5/2016	XX	LFUD1X86D	1 U	20 U	5 U	5 U	5 U										
4/18/2017	XX	LFUD1X978	1 U	20 U	5 U	5 U	5 U										
4/3/2018	XX	LFUD1XA30	1 U	20 U	5 U	5 U	5 U										
4/23/2019	XX	LFUD1XB5G	1 U	20 U	5 U	5 U	5 U										
4/28/2020	XX	LFUD1XCD8	F6	F6	F6	F6	F6										
4/6/2021	XX	LFUD1XDC7	H8	H8	H8	H8	H8										

LF-UD-2																	
4/24/2012	XX	LFUD2X526	H2	H2		H2	H2										
4/23/2013	XX	LFUD2X5I7	1 U	1 U		1 U	1 U										
4/22/2014	XX	LFUD2X6F8	1 U	20 U		5 U	5 U										
4/28/2015	XX	LFUD2X793	1 U	20 U		5 U	5 U										
4/5/2016	XX	LFUD2X86E	1 U	20 U	5 U	5 U	5 U										
4/18/2017	XX	LFUD2X979	1 U	20 U	5 U	5 U	5 U										
4/3/2018	XX	LFUD2XA31	1 U	20 U	5 U	5 U	5 U										
4/23/2019	XX	LFUD2XB5H	F6	F6	F6	F6	F6										
4/28/2020	XX	LFUD2XCD9	1 U	20 U	2 U	5 U	5 U										
4/6/2021	XX	LFUD2XDC8	H8	H8	H8	H8	H8										

LF-UD-3A,B																	
4/24/2012	XX	LFXXXX534	H2	H2		H2	H2										
4/23/2013	XX	LFXXXX5J5	F6	F6		F6	F6										
4/22/2014	XX	LFXXXX6G6	F6	F6		F6	F6										
4/28/2015	XX	LFXXXX79G	F6	F6		F6	F6										
4/5/2016	XX	LFXXXX877	F6	F6	F6	F6	F6										
4/18/2017	XX	LFXXXX982	F6	F6	F6	F6	F6										
4/3/2018	XX	LFXXXXA3E	F6	F6	F6	F6	F6										
4/23/2019	XX	LFXXXXB6A	F6	F6	F6	F6	F6										
4/28/2020	XX	LFXXXXCE1	F6	F6	F6	F6	F6										
4/6/2021	XX	LFXXXXDD0	H8	H8	H8	H8	H8										

LF-UD-4																	
4/24/2012	XX	LFXXXX536	H2	H2		H2	H2										
4/23/2013	XX	LFXXXX5J6	1 U	1 U		1 U	1 U										
4/22/2014	XX	LFXXXX6G7	1 U	20 U		5 U	5 U										
4/28/2015	XX	LFXXXX79H	F6	F6		F6	F6										
4/5/2016	XX	LFXXXX878	F6	F6	F6	F6	F6										
4/18/2017	XX	LFXXXX983	1 U	20 U	5 U	5 U	5 U										

REPORT PREPARED: 4/11/2022 07:08
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
 VOA Part 4 of 4

Page 2 of 7
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(LF-UD-4)			1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4-Dichloro-2-butene	Iodomethane										
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L										
4/3/2018	XX	LFXXXXA3F	F6	F6	F6	F6	F6										
4/23/2019	XX	LFXXXXB6B	F6	F6	F6	F6	F6										
4/28/2020	XX	LFXXXXCE2	F6	F6	F6	F6	F6										
4/6/2021	XX	LFXXXXDD1	H8	H8	H8	H8	H8										

LF-UD-5and6																	
4/24/2012	XX	LFXXX537	1 U	1 U		1 U	1 U										
4/23/2013	XX	LFXXX5J7	1 U	1 U		1 U	1 U										
4/22/2014	XX	LFXXX6G8	1 U	20 U		5 U	5 U										
4/28/2015	XX	LFXXX79I	1 U	20 U		5 U	5 U										
4/5/2016	XX	LFXXX879	1 U	20 U		5 U	5 U										
4/18/2017	XX	LFXXX984	1 U	20 U		5 U	5 U										
4/3/2018	XX	LFXXXA3G	1 U	20 U		5 U	5 U										
4/23/2019	XX	LFXXXB6C	1 U	20 U		5 U	5 U										
4/28/2020	XX	LFXXXCE3	1 U	20 U		2 U	5 U										
4/6/2021	XX	LFXXXDD2	1 U	20 U		2 U	5 U										

LF-UD-6																	
4/24/2012	XX	LFUD6X539	1 U	1 U		1 U	1 U										
4/23/2013	XX	LFUD6X5J9	1 U	1 U		1 U	1 U										
4/22/2014	XX	LFUD6X6GA	1 U	20 U		5 U	5 U										
4/28/2015	XX	LFUD6X7A0	1 U	20 U		5 U	5 U										
4/5/2016	XX	LFUD6X87B	1 U	20 U		5 U	5 U										
4/18/2017	XX	LFUD6X986	1 U	20 U		5 U	5 U										
4/3/2018	XX	LFUD6XA3I	1 U	20 U		5 U	5 U										
4/23/2019	XX	LFUD6XB6E	1 U	20 U		5 U	5 U										
4/28/2020	XX	LFUD6XCE5	1 U	20 U		2 U	5 U										
4/6/2021	XX	LFUD6XDD4	1 U	20 U		2 U	5 U										

LF-UD-7																	
4/24/2012	XX	LFUD7X53A	H2	H2		H2	H2										
4/23/2013	XX	LFUD7X5JA	F6	F6		F6	F6										
4/22/2014	XX	LFUD7X6GB	F6	F6		F6	F6										
4/28/2015	XX	LFUD7X7A1	F6	F6		F6	F6										
4/5/2016	XX	LFUD7X87C	F6	F6		F6	F6										
4/18/2017	XX	LFUD7X987	F6	F6		F6	F6										
4/3/2018	XX	LFUD7XA3J	F6	F6		F6	F6										
4/23/2019	XX	LFUD7XB6F	F6	F6		F6	F6										
4/28/2020	XX	LFUD7XCE6	F6	F6		F6	F6										
4/6/2021	XX	LFUD7XDD5	H8	H8		H8	H8										

LF-UD-8																	
4/23/2013	XX	LFUD8X5JD	1 U	1 U		1 U	1 U										
4/22/2014	XX	LFUD8X6GC	F12	F12		F12	F12										
4/28/2015	XX	LFUD8X7A2	1 U	20 U		5 U	5 U										
4/5/2016	XX	LFUD8X87D	F6	F6		F6	F6										
4/18/2017	XX	LFUD8X988	1 U	20 U		5 U	5 U										
4/3/2018	XX	LFUD8XA40	1 U	20 U		5 U	5 U										
4/23/2019	XX	LFUD8XB6G	1 U	20 U		5 U	5 U										
4/28/2020	XX	LFUD8XCE7	F6	F6		F6	F6										
4/6/2021	XX	LFUD8XDD6	F6	F6		F6	F6										

(LF-UD-9)		1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4-Dichloro-2-butene	Iodomethane												
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L											

LF-UD-9																		
4/5/2016	XX	LFUD9X881	F6	F6	F6	F6	F6											
4/18/2017	XX	LFUD9X98F	1 U	20 U	5 U	5 U	5 U											
4/3/2018	XX	LFUD9XA47	F6	F6	F6	F6	F6											
4/23/2019	XX	LFUD9XB73	F6	F6	F6	F6	F6											
4/28/2020	XX	LFUD9XCED	F6	F6	F6	F6	F6											
4/6/2021	XX	LFUD9XDDA	F6	F6	F6	F6	F6											

LF-UD-10																		
4/3/2018	XX	LFXXXXA48	F6	F6	F6	F6	F6											
4/23/2019	XX	LFXXXXB74	F6	F6	F6	F6	F6											
4/28/2020	XX	LFXXXXCEE	F6	F6	F6	F6	F6											
4/6/2021	XX	LFXXXXDDB	F6	F6	F6	F6	F6											

LP-UD-1																		
4/24/2012	XX	LPUD1X527	F6	F6		F6	F6											
4/23/2013	XX	LPUD1X518	F6	F6		F6	F6											
4/22/2014	XX	LPUD1X6F9	F6	F6		F6	F6											
4/28/2015	XX	LPUD1X794	F6	F6		F6	F6											
4/5/2016	XX	LPUD1X86F	F6	F6	F6	F6	F6											
4/18/2017	XX	LPUD1X97A	F6	F6	F6	F6	F6											
4/3/2018	XX	LPUD1XA32	F6	F6	F6	F6	F6											
4/23/2019	XX	LPUD1XB51	1 U	20 U	5 U	5 U	5 U											
4/28/2020	XX	LPUD1XCDA	F6	F6	F6	F6	F6											
4/6/2021	XX	LPUD1XDC9	F6	F6	F6	F6	F6											

LP-UD-2																		
4/24/2012	XX	LPUD2X528	1 U	1 U		1 U	1 U											
4/23/2013	XX	LPUD2X519	1 U	1 U		1 U	1 U											
4/22/2014	XX	LPUD2X6FA	1 U	20 U		5 U	5 U											
4/28/2015	XX	LPUD2X795	1 U	20 U		5 U	5 U											
4/5/2016	XX	LPUD2X86G	1 U	20 U	5 U	5 U	5 U											
4/18/2017	XX	LPUD2X97B	1 U	20 U	5 U	5 U	5 U											
4/3/2018	XX	LPUD2XA33	1 U	20 U	5 U	5 U	5 U											
4/23/2019	XX	LPUD2XB5J	1 U	20 U	5 U	5 U	5 U											
4/28/2020	XX	LPUD2XCDB	1 U	20 U	2 U	5 U	5 U											
4/6/2021	XX	LPUD2XDCA	1 U	20 U	2 U	5 U	5 U											

MW-04-09A																		
2/26/2020	XX	GWX09AC56	1 U	20 U	2 U	5 U	5 U											
4/30/2020	XX	GWX09ACC1	1 U	20 U	2 U	5 U	5 U											
6/23/2020	XX	GWX09ACGC	1 U	20 U	2 U	5 U	5 U											
8/20/2020	XX	GWX09AD1J	1 U	20 U	2 U	5 U	5 U											

MW-04-09B																		
2/26/2020	XX	GWX09BC57	1 U	20 U	2 U	5 U	5 U											
4/30/2020	XX	GWX09BCC2	1 U	20 U	2 U	5 U	5 U											

MW06-01																		
4/10/2018	XD	GWDP1XA68	1 U	20 U	5 U	5 U	5 U											
4/10/2018	XX	GWXXXXA70	1 U	20 U	5 U	5 U	5 U											

(MW06-01)			1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4- Dichloro-2- butene	Iodomethane										
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L										
6/4/2018	XX	GWXXXXA7H	1 U	20 U	5 U	5 U	5 U										

MW-204												
4/24/2012	XX	GW204X52C	1 U	1 U		1 U	1 U					
4/24/2013	XX	GW204X5ID	1 U	1 U		1 U	1 U					

MW-303 & MW12-303R												
6/18/2015	XX	42173-1	1 U	20 U		5 U	5 U					

MW-401B												
4/23/2012	XX	GW401B521	1 U	1 U		1 U	1 U					
4/23/2012	XD	GWDP4X524	1 U	1 U		1 U	1 U					
4/22/2013	XX	GW401B5I2	1 U	1 U		1 U	1 U					
4/22/2013	XD	GWDP4X5I5	1 U	1 U		1 U	1 U					
4/21/2014	XX	GW401B6F3	1 U	20 U		5 U	5 U					
4/21/2014	XD	GWDP4X6F6	1 U	20 U		5 U	5 U					
4/27/2015	XX	GW401B78I	1 U	20 U		5 U	5 U					
4/27/2015	XD	GWDP4X79I	1 U	20 U		5 U	5 U					
4/6/2016	XD	GWDP4X86C	1 U	20 U	5 U	5 U	5 U					
4/6/2016	XX	GW401B869	1 U	20 U	5 U	5 U	5 U					
4/17/2017	XD	GWDP4X977	1 U	20 U	5 U	5 U	5 U					
4/17/2017	XX	GW401B974	1 U	20 U	5 U	5 U	5 U					
4/2/2018	XD	GWDP4XA2J	1 U	20 U	5 U	5 U	5 U					
4/2/2018	XX	GW401BA2G	1 U	20 U	5 U	5 U	5 U					
4/22/2019	XD	GWDP4XB5F	1 U	20 U	5 U	5 U	5 U					
4/22/2019	XX	GW401BB5C	1 U	20 U	5 U	5 U	5 U					
4/27/2020	XD	GWDP4XCD7	1 U	20 U	2 U	5 U	5 U					
4/27/2020	XX	GW401BCD4	1 U	20 U	2 U	5 U	5 U					
4/5/2021	XD	GWDP4XDC6	1 U	20 U	2 U	5 U	5 U					
4/5/2021	XX	GW401BDC3	1 U	20 U	2 U	5 U	5 U					

MW-501												
4/5/2018	XX	GW501XA6I	1 U	20 U	5 U	5 U	5 U					
6/4/2018	XX	GW501XA7F	1 U	20 U	5 U	5 U	5 U					

MW-502												
2/26/2020	XD	GWDP1XC52	1 U	20 U	2 U	5 U	5 U					
2/26/2020	XX	GW502XC55	1 U	20 U	2 U	5 U	5 U					
4/30/2020	XX	GW502XCBJ	1 U	20 U	2 U	5 U	5 U					

MW-507												
4/5/2018	XX	GW507XA6J	1 U	20 U	5 U	5 U	5 U					
6/5/2018	XX	GW507XA7G	1 U	20 U	5 U	5 U	5 U					
8/20/2018	XX	GW507XAFF	1 U	20 U	5 U	5 U	5 U					

OW-06-03												
4/10/2018	XX	GWXXXXA73	1 U	20 U	5 U	5 U	5 U					
6/5/2018	XX	GWXXXXA80	I	I	I	I	I					
7/19/2018	XX	GWXXXXAEI	I	I	I	I	I					

OW-601A												
4/11/2018	XX	GW601AA69	1 U	20 U	5 U	5 U	5 U					

(OW-601A)			1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4- Dichloro-2- butene	Iodomethane															
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L															
6/6/2018	XX	GW601AA76	1 U	20 U	5 U	5 U	5 U															
7/19/2018	XX	GW601AAE4	1 U	20 U	5 U	5 U	5 U															
OW-601B																						
4/11/2018	XX	GW601BA6A	1 U	20 U	5 U	5 U	5 U															
6/6/2018	XX	GW601BA77	1 U	20 U	5 U	5 U	5 U															
OW-602A																						
4/11/2018	XX	GW602AA6B	1 U	20 U	5 U	5 U	5 U															
6/6/2018	XD	GWDP1XA75	1 U	20 U	5 U	5 U	5 U															
6/6/2018	XX	GW602AA78	1 U	20 U	5 U	5 U	5 U															
OW-603B																						
4/12/2018	XX	GW603BA6C	1 U	20 U	5 U	5 U	5 U															
6/5/2018	XX	GW603BA79	1 U	20 U	5 U	5 U	5 U															
OW-604A																						
4/12/2018	XX	GW604AA6D	1 U	20 U	5 U	5 U	5 U															
6/4/2018	XX	GW604AA7A	1 U	20 U	5 U	5 U	5 U															
OW-605A																						
4/10/2018	XX	GW605AA6E	1 U	20 U	5 U	5 U	5 U															
6/5/2018	XX	GW605AA7B	1 U	20 U	5 U	5 U	5 U															
OW-606A																						
4/3/2018	XX	GW606AA6F	1 U	20 U	5 U	5 U	5 U															
6/4/2018	XX	GW606AA7C	1 U	20 U	5 U	5 U	5 U															
OW-608A																						
4/4/2018	XX	GW608AA6G	1 U	20 U	5 U	5 U	5 U															
6/4/2018	XX	GW608AA7D	1 U	20 U	5 U	5 U	5 U															
OW-611A																						
4/4/2018	XX	GW611AA6H	1 U	20 U	5 U	5 U	5 U															
6/5/2018	XX	GW611AA7E	1 U	20 U	5 U	5 U	5 U															
P-04-02																						
4/25/2012	XX	GWXXX52H	1 U	1 U		1 U	1 U															
4/22/2013	XX	GWXXX5II	!	!		!	!															
QCBT																						
4/23/2012	XX	BTXXX532	1 U	1 U		1 U	1 U															
4/24/2012	XX	BTXXX533	1 U	1 U		1 U	1 U															
4/25/2012	XX	BTXXX538	1 U	1 U		1 U	1 U															
7/24/2012	XX	BTXXX585	1 U	1 U		1 U	1.5															
10/23/2012	XX	BTXXX5C8	1 U	1 U		1 U	1 U															
4/22/2013	XX	BTXXX5J3	1 U	1 U		1 U	1 U															
4/23/2013	XX	BTXXX5J4	1 U	1 U		1 U	1 U															
4/24/2013	XX	BTXXX5J8	1 U	1 U		1 U	1 U															
7/30/2013	XX	BTXXX65D	2.5 U	5 U		2.5 U	5 U															
10/29/2013	XX	BTXXX68C	1 U	20 U		5 U	5 U															
4/21/2014	XX	BTXXX6G4	1 U	20 U		5 U	5 U															
4/22/2014	XX	BTXXX6G5	1 U	20 U		5 U	5 U															

SUMMARY REPORT
 VOA Part 4 of 4

(QCBT)			1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4- Dichloro-2- butene	Iodomethane											
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L											
7/30/2014	XX	BTXXX70B	1 U	20 U		5 U	5 U											
10/21/2014	XX	BTXXX748	1 U	20 U		5 U	5 U											
4/27/2015	XX	BTXXX79E	1 U	20 U		5 U	5 U											
4/27/2015	XX	BTXXX79F	1 U	20 U		5 U	5 U											
4/27/2015	XX	BTXXX79J	1 U	20 U		5 U	5 U											
7/15/2015	XX	BTXXX7DB	1 U	20 U		5 U	5 U											
10/27/2015	XX	BTXXX7II	1 U	20 U		5 U	5 U											
4/5/2016	XX	BTXXX87GX	1 U	20 U	5 U	5 U	5 U											
4/5/2016	XX	BTXXX876	1 U	20 U	5 U	5 U	5 U											
4/6/2016	XX	BTXXX875	1 U	20 U	5 U	5 U	5 U											
7/26/2016	XX	BTXXX8BF	1 U	20 U	5 U	5 U	5 U											
10/25/2016	XX	BTXXX8JE	1 U	20 U	5 U	5 U	5 U											
4/17/2017	XX	BTXXX985	1 U	20 U	5 U	5 U	5 U											
4/18/2017	XX	BTXXX980	1 U	20 U	5 U	5 U	5 U											
4/18/2017	XX	BTXXX981	1 U	20 U	5 U	5 U	5 U											
7/25/2017	XX	BTXXX9DI	1 U	20 U	5 U	5 U	5 U											
10/24/2017	XX	BTXXX9HD	1 U	20 U	5 U	5 U	5 U											
4/2/2018	XX	BTXXXA3C	1 U	20 U	5 U	5 U	5 U											
4/3/2018	XX	BTXXXA3H	1 U	20 U	5 U	5 U	5 U											
4/3/2018	XX	BTXXXHHD	1 U	20 U	5 U	5 U	5 U											
4/3/2018	XX	BTXXXHG3	1 U	20 U	5 U	5 U	5 U											
4/4/2018	XX	BTXXXA5F	1 U	20 U	5 U	5 U	5 U											
4/5/2018	XX	BTXXXA71	1 U	20 U	5 U	5 U	5 U											
4/10/2018	XX	BTXXXA72	1 U	20 U	5 U	5 U	5 U											
4/11/2018	XX	BTXXXHNB	1 U	20 U	5 U	5 U	5 U											
4/12/2018	XX	BTXXXHNC	1 U	20 U	5 U	5 U	5 U											
6/4/2018	XX	BTXXXA74	1 U	20 U	5 U	5 U	5 U											
6/5/2018	XX	BTXXXA71	1 U	20 U	5 U	5 U	5 U											
6/6/2018	XX	BTXXXA7J	1 U	20 U	5 U	5 U	5 U											
7/17/2018	XX	BTXXXACD	1 U	20 U	5 U	5 U	5 U											
7/19/2018	XX	BTXXXAE2	1 U	20 U	5 U	5 U	5 U											
8/20/2018	XX	BTXXXAF3	1 U	20 U	5 U	5 U	5 U											
10/2/2018	XX	BTXXXB1B	1 U	20 U	5 U	5 U	5 U											
4/22/2019	XX	BTXXXB6D	1 U	20 U	5 U	5 U	5 U											
4/23/2019	XX	BTXXXB68	1 U	20 U	5 U	5 U	5 U											
4/23/2019	XX	BTXXXB69	1 U	20 U	5 U	5 U	5 U											
7/16/2019	XX	BTXXXBCJ	1 U	20 U	5 U	5 U	5 U											
10/29/2019	XX	BTXXXBIC	1 U	20 U	5 U	5 U	5 U											
2/25/2020	XX	BTXXXC86	1 U	20 U	2 U	5 U	5 U											
2/26/2020	XX	BTXXXC5G	1 U	20 U	2 U	5 U	5 U											
4/27/2020	XX	BTXXXCDJ	1 U	20 U	2 U	5 U	5 U											
4/28/2020	XX	BTXXXCE4	1 U	20 U	2 U	5 U	5 U											
4/28/2020	XX	BTXXXCE0	1 U	20 U	2 U	5 U	5 U											
4/30/2020	XX	BTXXXCC3	1 U	20 U	2 U	5 U	5 U											
6/23/2020	XX	BTXXXCGE	1 U	20 U	2 U	5 U	5 U											
7/21/2020	XX	BTXXXCIC	1 U	20 U	2 U	5 U	5 U											
7/21/2020	XX	BTXXXCGH	1 U	20 U	2 U	5 U	5 U											
8/20/2020	XX	BTXXXD21	1 U	20 U	2 U	5 U	5 U											
10/27/2020	XX	BTXXXD3G	1 U	20 U	2 U	5 U	5 U											
1/5/2021	XX	BTXXXD8F	1 U	20 U	2 U	5 U	5 U											

(QCBT)			1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4- Dichloro-2- butene	Iodomethane										
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L										
2/9/2021	XX	BTXXXX98	1 U	20 U	2 U	5 U	5 U										
2/10/2021	XX	BTXXXX99	1 U	20 U	2 U	5 U	5 U										
2/18/2021	XX	BTXXXXA5	1 U	20 U	2 U	5 U	5 U										
4/5/2021	XX	BTXXXXCI	1 U	20 U	2 U	5 U	5 U										
4/6/2021	XX	BTXXXXCJ	1 U	20 U	2 U	5 U	5 U										
4/6/2021	XX	BTXXXXDJ	1 U	20 U	2 U	5 U	5 U										
4/7/2021	XX	BTXXXXA7	1 U	20 U	2 U	5 U	5 U										
4/8/2021	XX	BTXXXXA8	1 U	20 U	2 U	5 U	5 U										
6/8/2021	XX	BTXXXXGA	1 U	20 U	2 U	5 U	5 U										
6/9/2021	XX	BTXXXXGB	1 U	20 U	2 U	5 U	5 U										
7/13/2021	XX	BTXXXXE0B	1 U	20 U	2 U	5 U	5 U										
7/13/2021	XX	BTXXXXE2A	1 U	20 U	2 U	5 U	5 U										
7/14/2021	XX	BTXXXXE1F	1 U	20 U	2 U	5 U	5 U										
8/17/2021	XX	BTXXXXE44	1 U	20 U	2 U	5 U	5 U										
8/18/2021	XX	BTXXXXE45	1 U	20 U	2 U	5 U	5 U										
8/19/2021	XX	BTXXXXE50	1 U	20 U	2 U	5 U	5 U										
9/1/2021	XX	BTXXXXE51	1 U	20 U	2 U	5 U	5 U										
10/5/2021	XX	BTXXXXE6I	1 U	20 U	2 U	5 U	5 U										
10/26/2021	XX	BTXXXXE3	1 U	20 U	2 U	5 U	5 U										

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

- !- The sampling location was damaged or destroyed.
- F12- Pipe under water, no sample taken.
- F6- No flow. Sample not taken.
- H2- Waterlevel higher than pipes. See LF-COMP for readings
- H8- No flow from pipe. See LF-COMP for readings
- I- The sampling location yielded insufficient quantity to collect a sample.
- U- Not Detected above the laboratory reporting limit.

REPORT PREPARED: 4/11/2022 07:09
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
 Methane

Page 1 of 4
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(LF-LD-11) Methane
 ug/L

Date Type Sample ID

LF-LD-11

7/13/2021	XX	LFXXXXE1C	59																
10/5/2021	XX	LFXXXXE88	25																

LF-LD-12

7/13/2021	XX	LFXXXXE1D	170																
10/5/2021	XX	LFXXXXE89	48																

MW-04-09A

7/15/2021	XX	GWXXXXE20	20 U																
10/7/2021	XX	GWX09AE86	20 U																

MW-04-09B

7/15/2021	XX	GWXXXXE21	20 U																
10/7/2021	XD	GWDP5XE8E	20 U																
10/7/2021	XX	GWX09BE87	20 U																

MW06-01

4/7/2021	XX	GWXXXXDDI	20 U																
----------	----	-----------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

MW-206

7/14/2021	XX	GW206XDIG	20 U																
10/4/2021	XX	GWXXXXE8D	20 U																

MW-223A

7/30/2013	XX	GW223A63A	6.6 U																
-----------	----	-----------	-------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

MW-223B

7/30/2013	XX	GW223B64J	40.6																
10/29/2013	XX	GW223B67C	9.2																
4/22/2014	XX	GW223B6FF	20 U																
7/29/2014	XX	GW223B700	20 U																
10/21/2014	XX	GW223B73C	30																
4/28/2015	XX	GW223B798	20 U																
7/14/2015	XX	GW223B7D0	20 U																
10/27/2015	XX	GW223B7I9	20 U																
4/5/2016	XX	GW223B86J	20 U																
4/18/2017	XX	GW223B97E	20 U																
4/3/2018	XX	GW223BA36	20 U																
4/23/2019	XX	GW223BB62	20 U																
7/16/2019	XX	GW223BBCD	20 U																
10/29/2019	XX	GW223BBI6	20 U																
4/28/2020	XX	GW223BCDD	20 U																
7/21/2020	XX	GW223BCI6	20 U																
10/27/2020	XX	GW223BD3A	20 U																
4/6/2021	XX	GW223BDCC	20 U																
7/13/2021	XX	GW223BE04	20 U																
10/5/2021	XX	GW223BE6C	20 U																

MW-302R

7/29/2013	XX	GW302X64H	6.6 U																
-----------	----	-----------	-------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

(MW-303 & MW12-303R)

Methane
ug/L

Date Type Sample ID

MW-303 & MW12-303R

7/29/2013	XX	GW303X651	6.6	U															
-----------	----	-----------	-----	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

MW-501

4/7/2021	XX	GW501XDDH	20	U															
7/14/2021	XX	GW501XE18	20	U															
10/6/2021	XX	GW501XE8A	20	U															

MW-502

7/14/2021	XX	GW502XE23	190																
10/7/2021	XX	GW502XE8B	37																

MW-507

7/14/2021	XX	GW507XE24	20	U															
10/7/2021	XX	GW507XE8C	20	U															

OW-06-03

7/14/2021	XX	GWXXXXE17	2900																
-----------	----	-----------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

OW-601A

7/12/2021	XX	GW601ADIH	20	U															
-----------	----	-----------	----	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

OW-601B

7/12/2021	XD	GWDP4XDJI	20	U															
7/12/2021	XX	GW601BE13	20	U															

OW-602A

7/12/2021	XX	GW602AE14	41																
-----------	----	-----------	----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

OW-603B

7/13/2021	XX	GW603BE15	D																
10/6/2021	XX	GW603BE7J	D																

OW-604A

7/14/2021	XX	GW604AE16	20	U															
-----------	----	-----------	----	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

OW-605A

7/14/2021	XD	GWDP6XE1J	20	U															
7/14/2021	XX	GW605AE25	20	U															
10/7/2021	XX	GW605AE8G	20	U															

OW-606A

7/14/2021	XX	GW606AE06	20	U															
10/7/2021	XX	GW606AE8H	20	U															

OW-608A

7/15/2021	XX	GW608AE26	20	U															
10/6/2021	XX	GW608AE90	140																

OW-611A

7/14/2021	XX	GW611AE27	20	U															
10/7/2021	XX	GW611AE93	20	U															

P-206A

REPORT PREPARED: 4/11/2022 07:09
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
 Methane

Page 3 of 4
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(P-206A)

Methane
 ug/L

Date Type Sample ID

7/14/2021	XX	GW206AE22	20 U																
-----------	----	-----------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

PWS10-1

4/27/2015	XX	GWPWS1788	830																
7/13/2015	XX	GWPWS17C0	4600																
10/26/2015	XX	GWPWS17H9	440																
4/4/2016	XX	GWPWS185J	770																
4/17/2017	XX	GWPWS196E	40																
4/2/2018	XX	GWPWS1A25	20 U																
4/22/2019	XX	GWPWS1B51	79																
7/15/2019	XX	GWPWS1BBE	130																
10/28/2019	XX	GWPWS1BH7	20 U																
4/27/2020	XX	GWPWS1CCE	270																
7/21/2020	XX	GXXXXIOB	45																
10/26/2020	XX	GWPWS1D2B	20 U																
4/5/2021	XX	GWPWS1DBD	1600																
7/12/2021	XX	GWPWS1DJ5	190																
10/4/2021	XX	GWPWS1E5D	700																

PWS10-2

4/27/2015	XX	GWPWS2789	50																
7/13/2015	XX	GWPWS27C1	690																
10/26/2015	XX	GWPWS27HA	20 U																
4/4/2016	XX	GWPWS2860	140																
4/17/2017	XX	GWPWS296F	220																
4/2/2018	XX	GWPWS2A26	20 U																
4/22/2019	XX	GWPWS2B52	20 U																
7/15/2019	XX	GWPWS2BBF	110																
10/28/2019	XX	GWPWS2BH8	20 U																
4/27/2020	XX	GWPWS2CCF	20 U																
7/20/2020	XX	GWPWS2CH8	38																
10/26/2020	XX	GWPWS2D2C	300																
4/5/2021	XX	GWPWS2DBE	79																
7/12/2021	XX	GWPWS2DJ6	95																
10/4/2021	XX	GWPWS2E5E	190																

PWS10-3

4/27/2015	XX	GWPWS378A	20 U																
7/13/2015	XX	GWPWS37C2	260																
10/26/2015	XX	GWPWS37HB	160																
4/4/2016	XX	GWPWS3861	20 U																
4/17/2017	XX	GWPWS396G	20 U																
4/2/2018	XX	GWPWS3A27	20 U																
4/22/2019	XX	GWPWS3B53	20 U																
7/15/2019	XX	GWPWS3BBG	280																
10/28/2019	XX	GWPWS3BH9	20 U																
4/27/2020	XX	GWPWS3CCG	20 U																
7/20/2020	XX	GWPWS3CH9	4000																
10/26/2020	XX	GWPWS3D2D	44																
4/5/2021	XX	GWPWS3DBF	400																
7/12/2021	XX	GWPWS3DJ7	140																

REPORT PREPARED: 4/11/2022 07:09
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
 Methane

Page 4 of 4
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(PWS10-3)		Methane																
		ug/L																
Date	Type	Sample ID																
10/4/2021	XX	GWPWS3E5F	130															
QCBT																		
2/9/2021	XX	BTXXXXA2	20 U															
2/10/2021	XX	BTXXXXA3	20 U															
2/18/2021	XX	BTXXXXA4	20 U															
4/5/2021	XX	BTXXXXF8	20 U															
4/6/2021	XX	BTXXXXF9	20 U															
4/7/2021	XX	BTXXXXFA	20 U															
4/7/2021	XX	BTXXXXB0	20 U															
4/8/2021	XX	BTXXXXB1	20 U															
6/8/2021	XX	BTXXXXH3	20 U															
6/9/2021	XX	BTXXXXH4	20 U															
7/12/2021	XX	BTXXXX1G	20 U															
7/13/2021	XX	BTXXXXE1H	20 U															
7/14/2021	XX	BTXXXXE1E	20 U															
7/14/2021	XX	BTXXXXE1I	20 U															
7/14/2021	XX	BTXXXXE28	20 U															
8/17/2021	XX	BTXXXXE4J	20 U															
8/18/2021	XX	BTXXXXE4H	20 U															
8/19/2021	XX	BTXXXXE4I	20 U															
9/1/2021	XX	BTXXXXE52	20 U															

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:
 D- The sampling location was dry.
 U- Not Detected above the laboratory reporting limit.

Leachate Locations

(LT-C4L & LT-C4LR)			Specific Conductance	pH	Temperature	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)								
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	mV	mg/L	mg/L	NTU								
LT-C4L & LT-C4LR																	
4/24/2012	XX	LTC4LX51F	11470	6.7	15.7	-27	2	688	14.9								
7/24/2012	XX	LTC4LX56E	25300	6.8	24.8	-93	3	D3	D3								
10/23/2012	XX	LTC4LX5D5	19800	6.9	17.3	-33	D2	D3	D3								
4/23/2013	XX	LTC4LX5HG	18590	7.1	17.1	92	1	1500	18.9								
7/30/2013	XX	LTC4LX641	23400	6.7	23.6	44	D2	D3	D3								
10/29/2013	XX	LTC4LX66E	24100	6.8	11.3	92	D2	D3	D3								
4/22/2014	XX	LTC4LX6EH	15370	7.2	13.3	134	D2	D3	D3								
7/30/2014	XX	LTC4LX6J4	23800	7.2	22.3	-30	D2	D3	D3								
10/21/2014	XX	LTC4LX72F	21300	7.2	15.8	238	D2	D3	D3								
4/28/2015	XX	LTC4LX78C	22600	7.5	12.1	-151	D2		D3								
7/15/2015	XX	LTC4LX7C4	21500	6.9	22.7	-178	D2		D3								
10/27/2015	XX	LTC4LX7HD	29100	7.6	9.4	-133	D2		D3								
4/5/2016	XX	LTC4LX863	19950	5.5	10.9	100	D2		D3								
7/26/2016	XX	LTC4LX8AD	29200	6.3	27.1	-6	D2		D3								
10/25/2016	XX	LTC4LX8IC	25800	6.3	14.7	113	D2		1416								
4/18/2017	XX	LTC4LX96I	26400	6.3	12.7	-102	D2		1009								
7/25/2017	XX	LTC4LX9CG	25900	7.3	20.8	-141	D2		156								
10/24/2017	XX	LTC4LX9GB	29800	7.6	22.2	-12	D2		126								
4/3/2018	XX	LTC4LXA2A	11520	7	12.7	-41	D2		198								
7/17/2018	XX	LTC4LXABB	26000	7.2	23.1	-127	D2		190								
10/2/2018	XX	LTC4LXB09	23000	7.5	15.4	-76	D2		7.84								
4/23/2019	XX	LTC4LXB56	13730	7	9.6	-6	7.5		1733								
7/16/2019	XX	LTC4LXBBI	21908	7.1	26.1	7	D2		609								
10/29/2019	XX	LTC4LXBHB	18730	7.1	15.2	-59	D2		1407								
4/28/2020	XX	LTC4LXCCI	17490	6.6	12.6	-20	2.8		D3								
7/21/2020	XX	LTC4LXCHB	25800	5.9	29	-311	1.1		D3								
10/27/2020	XX	LTC4LXD2F	21900	7.5	12.8	-299	D2		741								
4/6/2021	XX	LTC4LXDBH	17300	7.4	13	52	2.2		D3								
7/13/2021	XX	LTC4LXDJ9	21200	7.2	23.9	-71	0.5		D3								
10/5/2021	XX	LTC4LXE5H	18480	7.2	25.1	-41	0.9		4.4								

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:
 D2- Sample too dark to read D.O. reading.
 D3- Sample too dark to take reading.

(LT-C4L & LT-C4LR)	Total Kjeldahl Nitrogen	Ammonia (N)	Nitrate (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Ca-mg Hardness (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Nitrite/Nitrate - (N)	Chemical Oxygen Demand
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L

LT-C4L & LT-C4LR																
4/24/2012	XX	LTC4LX51F	290	274	15 U		6080	108	133	1.6	1941	1370	1370	935	1120 G	2960
7/24/2012	XX	LTC4LX56E	710	742	6 U	0.77	15210	106	50.2	3		3630		2120	3090	6700
10/23/2012	XX	LTC4LX5D5	490	459	17.9	0.46	14570	36	213	16		2740		1740	3190	5900
4/23/2013	XX	LTC4LX5HG	697	574	30 U		10700	34	200 U	2.3	2424	2950	2950	935	1750	3280
7/30/2013	XX	LTC4LX641	742	630	1210	1.39	15050	625	400 U	78		3700		2560	4850	8110
10/29/2013	XX	LTC4LX66E	880	840	5	0.79	17400	140	10.4	5.6		3980		2450	855	8080
4/22/2014	XX	LTC4LX6EH	520	434	45 U		8600	28	300 U	4	1889	2010	2010	364	434	1620
7/30/2014	XX	LTC4LX6J4	850	708	348		12040	64	2250			3200		761		2760
10/21/2014	XX	LTC4LX72F	820	700	30 U	0.83	13280	44	200 U	6		2740		460	448	2320
4/28/2015	XX	LTC4LX78C	800	636	48 U		10080	38	320 U	40	1738	3560	3560	580	1284	2955
7/15/2015	XX	LTC4LX7C4				2.93	17940	40	800			4710		373		10 U
10/27/2015	XX	LTC4LX7HD				2.99	15800	17	2670			3850		363		3 U
4/5/2016	XX	LTC4LX863	680	554	30 U		11850	119	205	16	2910	2800	2800	1426	2700	5000
7/26/2016	XX	LTC4LX8AD	550				16460	125	970			3850		1900		0.3 U
10/25/2016	XX	LTC4LX8IC	990				14380	60	1780			3490		1150		0.05 U
4/18/2017	XX	LTC4LX96I	1100	830	190		12732	30	640	31	2000	3700	3700	1200	890	3200
7/25/2017	XX	LTC4LX9CG	1300				15448	34	1500			4100		680		0.1 U
10/24/2017	XX	LTC4LX9GB	1000				15836	13	2700			3400		480		0.1 U
4/3/2018	XX	LTC4LXA2A	610	520	260		7956	25	1100	11	1400	2200	2200	360	320	1600
7/17/2018	XX	LTC4LXABB	1400				13	42	600 U			3600		450		0.5 U
10/2/2018	XX	LTC4LXB09	1000				12960	29	2900			2900		430		0.05 U
4/23/2019	XX	LTC4LXB56	470	330	240		8744	40	2200	29	2300	1900	1900	110	760	1400
7/16/2019	XX	LTC4LXBBI	780				12152	180	2000			3000		480		0.5 U
10/29/2019	XX	LTC4LXBHB	660				9832	48	1900			2600		570		0.073
4/28/2020	XX	LTC4LXCCI	730	590	210		10160	48	1300	16	1700	2400	2400	880	200	1700
7/21/2020	XX	LTC4LXCHB	780				14610	8	2000			3100		500		0.2
10/27/2020	XX	LTC4LXD2F	660				10940	29	120			2700		1100 M10		0.05 U
4/6/2021	XX	LTC4LXDBH	710	600	310		9970	7	1600	4.5	1300	2300	2300	330	150	1700
7/13/2021	XX	LTC4LXDJ9	660				12000	7	500 U			2900		520		0.3 U
10/5/2021	XX	LTC4LXE5H	890				11040	4.5	32			2800		450		0.05 U

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

- G- Greater than specified amount.
- M10- Due to a identified laboratory instrumentation malfunction, this analytical result is likely elevated—the laboratory has fixed the issue.
- U- Not Detected above the laboratory reporting limit.

		Chloride	Bromide	Cyanide										
		mg/L	mg/L	ug/L										
Date	Type	Sample ID												

LT-C4L & LT-C4LR												
4/24/2012	XX	LTC4LX51F	2560	32.7	5 U							
7/24/2012	XX	LTC4LX56E	6350									
10/23/2012	XX	LTC4LX5D5	9880									
4/23/2013	XX	LTC4LX5HG	5610	73.3	5							
7/30/2013	XX	LTC4LX641	24300	38.8								
10/29/2013	XX	LTC4LX66E	5970	95								
4/22/2014	XX	LTC4LX6EH	7650	63.6	5 U							
7/30/2014	XX	LTC4LX6J4	13950	39								
10/21/2014	XX	LTC4LX72F	7070	100								
4/28/2015	XX	LTC4LX78C	5420	57	5 U							
7/15/2015	XX	LTC4LX7C4	11600	10 U								
10/27/2015	XX	LTC4LX7HD	16100	30 U								
4/5/2016	XX	LTC4LX863	5910	84.1	5 U							
7/26/2016	XX	LTC4LX8AD	11100	72.7								
10/25/2016	XX	LTC4LX8IC	16100	120								
4/18/2017	XX	LTC4LX96I	12000	75	74							
7/25/2017	XX	LTC4LX9CG	12000	72								
10/24/2017	XX	LTC4LX9GB	14000	20 U								
4/3/2018	XX	LTC4LXA2A	9300	52	43							
7/17/2018	XX	LTC4LXABB	8100	83								
10/2/2018	XX	LTC4LXB09	15000	63								
4/23/2019	XX	LTC4LXB56	12000	83	17							
7/16/2019	XX	LTC4LXBBI	14000	40 U								
10/29/2019	XX	LTC4LXBHB	11000	47								
4/28/2020	XX	LTC4LXCCI	8300	52	5 U							
7/21/2020	XX	LTC4LXCHB	13000	120								
10/27/2020	XX	LTC4LXD2F	7400	77								
4/6/2021	XX	LTC4LXDBH	9900	66	5 U							
7/13/2021	XX	LTC4LXDJ9	6800	59								
10/5/2021	XX	LTC4LXE5H	4800	41								

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:
 U - Not Detected above the laboratory reporting limit.

REPORT PREPARED: 2/23/2022 09:20
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
 Leachate - Metal (part 1 of 2)

Page 1 of 1
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(LT-C4L & LT-C4LR)			Aluminum	Antimony	Arsenic	Barium	Beryllium	Calcium	Chromium	Cobalt	Iron	Lead	Magnesium	Manganese	
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
Date	Type	Sample ID													
LT-C4L & LT-C4LR															
4/24/2012	XX	LTC4LX51F	0.25	0.025 U	0.07	0.915	0.003 U	482	0.025	0.05 U	63	0.015 U	179	23.6	
7/24/2012	XX	LTC4LX56E			0.11			845			82		466	26	
10/23/2012	XX	LTC4LX5D5			0.177			934			45.3		433	14	
4/23/2013	XX	LTC4LX5HG	0.223	0.005 U	0.102	1.285	0.0006 U	474	0.038	0.014	30.3	0.003 U	301	8.03	
7/30/2013	XX	LTC4LX641			0.137			958			179		433	23.4	
10/29/2013	XX	LTC4LX66E			0.16			860			100		532	16.7	
4/22/2014	XX	LTC4LX6EH	0.22	0.005 U	0.131	1.222	0.0006 U	329	0.049	0.016	13.2	0.022	259	2.73	
7/30/2014	XX	LTC4LX6J4			0.143			311			28.6		289	3.8	
10/21/2014	XX	LTC4LX72F			0.186			406			27.3		355	4.23	
4/28/2015	XX	LTC4LX78C	0.556	0.026	0.209	1.316	0.0012	259	0.093	0.034	11	0.095	265	1.8	
7/15/2015	XX	LTC4LX7C4			0.287			393			9.7		431	1.9	
10/27/2015	XX	LTC4LX7HD			0.29			318			5.9		307	1.6	
4/5/2016	XX	LTC4LX863	0.231	0.005 U	0.157	1.304	0.0006 U	656	0.105	0.015	60.3	0.004	309	15.9	
7/26/2016	XX	LTC4LX8AD			0.331			686			44.3		411	7.5	
10/25/2016	XX	LTC4LX8IC			0.403			541			21.7		307	5.95	
4/18/2017	XX	LTC4LX96I	0.72	0.025 U	0.54	1.5	0.003 U	300	0.025 U	0.05 U	8.5	0.03 U	300	1.8	
7/25/2017	XX	LTC4LX9CG			0.6			300			6.7		350	1.5	
10/24/2017	XX	LTC4LX9GB			0.34			310			5.4		310	2.5 U	
4/3/2018	XX	LTC4LXA2A	0.65	0.025 U	0.33	0.77	0.003 U	260	0.09	0.05 U	9	0.015 U	190	2.2	
7/17/2018	XX	LTC4LXABB			0.39			300			9.4		280	2.4	
10/2/2018	XX	LTC4LXB09			0.3			290			7.8		270	2.2	
4/23/2019	XX	LTC4LXB56	0.52	0.005 U	0.14	0.86	0.0006 U	560	0.078	0.01 U	17	0.007	230	10	
7/16/2019	XX	LTC4LXBBI			0.24			510			5.1		310	4.4	
10/29/2019	XX	LTC4LXBHB			0.23			350			12		280	4.1	
4/28/2020	XX	LTC4LXCCI	0.54	0.005 U	0.25	0.94	0.0006 U	300	0.1	0.01 U	6	0.003 U	220	1.7	
7/21/2020	XX	LTC4LXCHB			0.33			310			3.5		340	1.3	
10/27/2020	XX	LTC4LXD2F			0.24			310			7.5		250	14	
4/6/2021	XX	LTC4LXDBH	0.45	0.006	0.2	1.1	0.0033	240	0.13	0.044	5	0.035	170	3.1	
7/13/2021	XX	LTC4LXDJ9			0.35			240			5		210	2.2	
10/5/2021	XX	LTC4LXE5H			0.45			200			3.1		200	1.7	

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

U- Not Detected above the laboratory reporting limit.

REPORT PREPARED: 2/23/2022 09:23
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
 Leachate - Metal (part 2 of 2)

Page 1 of 1
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(LT-C4L & LT-C4LR)	Mercury	Potassium	Selenium	Silver	Sodium	Thallium	Vanadium	Zinc	Tin
	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Date Type Sample ID									

LT-C4L & LT-C4LR											
4/24/2012	XX	LTC4LX51F	0.0005 U	714	0.025	0.005 U	1024	0.02 U	0.05 U	0.155	0.075 U
7/24/2012	XX	LTC4LX56E		1719			2337				
10/23/2012	XX	LTC4LX5D5		1100			1842				
4/23/2013	XX	LTC4LX5HG	0.0005 U	1237	0.01	0.001 U	1844	0.004 U	0.01	0.016	0.019
7/30/2013	XX	LTC4LX641		1234			1910				
10/29/2013	XX	LTC4LX66E		1622			2290				
4/22/2014	XX	LTC4LX6EH	0.0005 U	941	0.035	0.001 U	1633	0.004 U	0.027	0.101	0.015 U
7/30/2014	XX	LTC4LX6J4		1140			1948				
10/21/2014	XX	LTC4LX72F		1472			2316				
4/28/2015	XX	LTC4LX78C	0.0005 U	1118	0.052	0.0021	3401	0.008 U	0.063	0.258	0.157
7/15/2015	XX	LTC4LX7C4		1845			8135				
10/27/2015	XX	LTC4LX7HD		1247			5081				
4/5/2016	XX	LTC4LX863	0.0005 U	954	0.005 U	0.0011 U	1681	0.004 U	0.024	0.136	0.015 U
7/26/2016	XX	LTC4LX8AD		1498			2687				
10/25/2016	XX	LTC4LX8IC		1131			2288				
4/18/2017	XX	LTC4LX96I	0.0005 U	1261	0.098	0.0055 U	3000	0.02 U	0.1	0.031	0.075 U
7/25/2017	XX	LTC4LX9CG		1300			3100				
10/24/2017	XX	LTC4LX9GB		1300			2600				
4/3/2018	XX	LTC4LXA2A	0.0005 U	740	0.043	0.2	1500	0.02 U	0.05 U	0.051	0.075 U
7/17/2018	XX	LTC4LXABB		1200			2700				
10/2/2018	XX	LTC4LXB09		1100			2400				
4/23/2019	XX	LTC4LXB56	0.0005 U	580	0.017	0.001 U	1300	0.004 U	0.016	0.093	0.015 U
7/16/2019	XX	LTC4LXBBI		1000			2200				
10/29/2019	XX	LTC4LXBHB		870			1900				
4/28/2020	XX	LTC4LXCCI	0.0005 U	790	0.022	0.001 U	1700	0.004 U	0.039	0.046	0.016
7/21/2020	XX	LTC4LXCHB		1400			2800				
10/27/2020	XX	LTC4LXD2F		900			2000				
4/6/2021	XX	LTC4LXDBH	0.0005 U	740	0.046	0.001 U	1600	0.025	0.031	0.051	0.015 U
7/13/2021	XX	LTC4LXDJ9		930			2200				
10/5/2021	XX	LTC4LXE5H		870			2000				

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:
 U- Not Detected above the laboratory reporting limit.

(LT-C4L & LT-C4LR)	Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethane	1,1-Dichloroethane	trans-1,2-Dichloroethane	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
Date Type Sample ID															

LT-C4L & LT-C4LR																	
4/24/2012	XX	LTC4LX51F	5 U	10 U	5 U	5 U	25 U	974	5 U	5 U	5 U	5 U	5 U	10	3440	5 U	5 U
7/24/2012	XX	LTC4LX56E	5 U	10 U	5 U	5 U	25 U	2460	5 U	5 U	5 U	5 U	5 U	9540	5 U	5 U	
10/23/2012	XX	LTC4LX5D5	25 U	50 U	25 U	25 U	125 U	2710	25 U	25 U	25 U	25 U	25 U	7490	25 U	25 U	
4/23/2013	XX	LTC4LX5HG	25 U	50 U	25 U	25 U	125 U	1310	25 U	25 U	25 U	25 U	25 U	4110	25 U	25 U	
7/30/2013	XX	LTC4LX641	250 U	100 U	100 U	100 U	300 U	4400	500 U	50 U	75 U	75 U	75 U	50 U	23000 E	50 U	50 U
10/29/2013	XX	LTC4LX66E	400 U	400 U	400 U	1000 U	1000 U	4000	400 U	200 U	200 U	200 U	200 U	2000	200 U	200 U	
4/22/2014	XX	LTC4LX6EH	40 U	40 U	40 U	100 U	100 U	1000	40 U	20 U	20 U	20 U	20 U	1400	20 U	20 U	
7/30/2014	XX	LTC4LX6J4	2 U	2 U	2 U	5 U	5 U	60	5 U	1 U	2 U	2 U	2 U	200	2 U	2 U	
10/21/2014	XX	LTC4LX72F	20 U	20 U	20 U	50 U	50 U	400	20 U	10 U	10 U	10 U	10 U	1200	10 U	10 U	
4/28/2015	XX	LTC4LX78C	20 U	20 U	20 U	50 U	50 U	2400	20 U	10 U	10 U	10 U	10 U	4400	10 U	10 U	
7/15/2015	XX	LTC4LX7C4	20 U	20 U	20 U	50 U	50 U	1400	20 U	10 U	10 U	10 U	10 U	2000	10 U	10 U	
10/27/2015	XX	LTC4LX7HD	20 U	20 U	20 U	50 U	50 U	1200	20 U	10 U	10 U	10 U	10 U	1300	10 U	10 U	
4/5/2016	XX	LTC4LX863	20 U	20 U	20 U	50 U	50 U	2300	20 U	10 U	10 U	10 U	10 U	5900	10 U	10 U	
7/26/2016	XX	LTC4LX8AD	20 U	20 U	20 U	50 U	50 U	2800	20 U	10 U	10 U	10 U	10 U	8000	10 U	10 U	
10/25/2016	XX	LTC4LX8IC	2 U	2 U	2 U	5 U	5 U	2500	5 U	1 U	2 U	2 U	2 U	4800	2 U	2 U	
4/18/2017	XX	LTC4LX96I	2 U	2 U	2 U	5 U	5 U	1900	2 U	1 U	1 U	1 U	1 U	2500	1 U	1 U	
7/25/2017	XX	LTC4LX9CG	2 U	2 U	2 U	5 U	5 U	1100	2 U	1 U	1 U	1 U	1 U	1400	1 U	1 U	
10/24/2017	XX	LTC4LX9GB	2 U	2 U	2 U	5 U	5 U	800	2 U	1 U	1 U	1 U	1 U	800	1 U	1 U	
4/3/2018	XX	LTC4LXA2A	2 U	2 U	2 U	5 U	5.3	1700	2 U	1 U	1 U	1 U	1 U	6.1	1700	1 U	1 U
7/17/2018	XX	LTC4LXABB	2 U	2 U	2 U	5 U	5 U	230	2 U	1 U	1 U	1 U	1 U	210	1 U	1 U	
10/2/2018	XX	LTC4LXB09	20 U	20 U	20 U	50 U	50 U	1000	20 U	10 U	10 U	10 U	10 U	970	10 U	10 U	
4/23/2019	XX	LTC4LXB56	40 U	40 U	40 U	100 U	100 U	2000	40 U	20 U	20 U	20 U	20 U	2000	20 U	20 U	
7/16/2019	XX	LTC4LXBBI	20 U	20 U	20 U	50 U	50 U	1200	20 U	10 U	10 U	10 U	10 U	1000	10 U	10 U	
10/29/2019	XX	LTC4LXBHB	20 U	20 U	20 U	50 U	50 U	2100	20 U	10 U	10 U	10 U	10 U	2100	10 U	10 U	
4/28/2020	XX	LTC4LXC01	20 U	20 U	10 U	20 U	10 U	1200	20 U	5 U	10 U	10 U	10 U	1000	10 U	10 U	
7/21/2020	XX	LTC4LXC0B	2 U	2 U	1 U	2 U	1.2	560	2 U	0.5 U	1 U	1 U	1 U	300	1 U	1 U	
10/27/2020	XX	LTC4LXD2F	20 U	20 U	10 U	20 U	30	1700	20 U	5 U	10 U	10 U	10 U	2100	10 U	10 U	
4/6/2021	XX	LTC4LXDBH	2 U	2 U	1 U	2 U	1.1	970	2 U	0.5 U	1 U	1 U	1 U	770	1 U	1 U	
7/13/2021	XX	LTC4LXDJ9	2 U	2 U	1 U	2 U	1 U	800	3.6	0.5 U	1 U	1 U	1 U	660	1 U	1 U	
10/5/2021	XX	LTC4LXE5H	2 U	2 U	1 U	2 U	1.9	450	2 U	0.5 U	1 U	1 U	1 U	340	1 U	1 U	

QCBT																
4/23/2012	XX	BTXXXX532	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/24/2012	XX	BTXXXX533	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/25/2012	XX	BTXXXX538	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/24/2012	XX	BTXXXX585	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/23/2012	XX	BTXXXX5C8	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2013	XX	BTXXXX5J3	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2013	XX	BTXXXX5J4	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/24/2013	XX	BTXXXX5J8	1 U	2 U	1 U	1 U	5 U	10 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/30/2013	XX	BTXXXX65D	2.5 U	1 U	1 U	1 U	3 U	5 U	5 U	0.5 U	0.75 U	0.75 U	0.75 U	5 U	0.5 U	0.5 U
10/29/2013	XX	BTXXXX68C	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	10 U	2 U	2 U
4/21/2014	XX	BTXXXX6G4	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	10 U	2 U	2 U
4/22/2014	XX	BTXXXX6G5	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	10 U	2 U	2 U
7/30/2014	XX	BTXXXX70B	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	10 U	2 U	2 U
10/21/2014	XX	BTXXXX748	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	10 U	2 U	2 U
4/27/2015	XX	BTXXXX79E	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	10 U	2 U	2 U
4/27/2015	XX	BTXXXX79F	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	10 U	2 U	2 U

SUMMARY REPORT
 Leachate - VOAs Part 1 of 4

(QCBT)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethane	1,1-Dichloroethane	trans-1,2-Dichloroethane	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/27/2015	XX	BTXXX79J	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
7/15/2015	XX	BTXXX7DB	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
10/27/2015	XX	BTXXX7II	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/5/2016	XX	BTXXX87GX	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/5/2016	XX	BTXXX876	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/6/2016	XX	BTXXX875	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
7/26/2016	XX	BTXXX8BF	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
10/25/2016	XX	BTXXX8JE	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/17/2017	XX	BTXXX985	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/18/2017	XX	BTXXX981	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/18/2017	XX	BTXXX980	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/25/2017	XX	BTXXX9DI	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/24/2017	XX	BTXXX9HD	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/2/2018	XX	BTXXXA3C	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	BTXXXHHD	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	BTXXXA3H	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	BTXXXHG3	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/4/2018	XX	BTXXXA5F	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/5/2018	XX	BTXXXA71	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/10/2018	XX	BTXXXA72	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/11/2018	XX	BTXXXHNB	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/12/2018	XX	BTXXXHHC	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/4/2018	XX	BTXXXA74	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/5/2018	XX	BTXXXA71	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/6/2018	XX	BTXXXA7J	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/17/2018	XX	BTXXXACD	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/19/2018	XX	BTXXXAE2	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/20/2018	XX	BTXXXAF3	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/2/2018	XX	BTXXXB1B	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2019	XX	BTXXXB6D	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2019	XX	BTXXXB68	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2019	XX	BTXXXB69	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/16/2019	XX	BTXXXBCJ	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/29/2019	XX	BTXXXBIC	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
2/25/2020	XX	BTXXXC86	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
2/26/2020	XX	BTXXXC5G	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/27/2020	XX	BTXXXCDJ	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/28/2020	XX	BTXXXCE0	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/28/2020	XX	BTXXXCE4	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/30/2020	XX	BTXXXCC3	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/23/2020	XX	BTXXXCGE	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/21/2020	XX	BTXXXCIC	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/21/2020	XX	BTXXXCGH	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/20/2020	XX	BTXXXD21	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/27/2020	XX	BTXXXD3G	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
1/5/2021	XX	BTXXXD8F	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
2/9/2021	XX	BTXXXD98	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
2/10/2021	XX	BTXXXD99	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
2/18/2021	XX	BTXXXDA5	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/5/2021	XX	BTXXXDCI	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U

(QCBT)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethene	1,1-Dichloroethane	trans-1,2-Dichloroethene	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/6/2021	XX	BTXXXXCJ	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/6/2021	XX	BTXXXXDJ	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/7/2021	XX	BTXXXXA7	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/8/2021	XX	BTXXXXA8	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/8/2021	XX	BTXXXXGA	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/9/2021	XX	BTXXXXGB	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/13/2021	XX	BTXXXX0B	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/13/2021	XX	BTXXXXE2A	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/14/2021	XX	BTXXXX1F	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/17/2021	XX	BTXXXXE44	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/18/2021	XX	BTXXXXE45	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/19/2021	XX	BTXXXXE50	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
9/1/2021	XX	BTXXXXE51	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/5/2021	XX	BTXXXXE61	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/26/2021	XX	BTXXXXE3	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

E - Compound exceeded upper level of calibration range and required dilution.
 U - Not Detected above the laboratory reporting limit.

(LT-C4L & LT-C4LR)	Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L

LT-C4L & LT-C4LR																
4/24/2012	XX	LTC4LX51F	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	50 U	50 U	5 U	5 U	13
7/24/2012	XX	LTC4LX56E	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	55	50 U	5 U	5 U	6.8
10/23/2012	XX	LTC4LX5D5	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	250 U	250 U	25 U	25 U	25 U
4/23/2013	XX	LTC4LX5HG	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	250 U	250 U	25 U	25 U	25 U
7/30/2013	XX	LTC4LX641	500 U	50 U	180 U	50 U	50 U	75 U	50 U	50 U	200 U	500 U	500 U	50 U	50 U	75 U
10/29/2013	XX	LTC4LX66E	2000 U	100 U	200 U	200 U	200 U	200 U	200 U	200 U	400 U	2000 U	2000 U	200 U	200 U	200 U
4/22/2014	XX	LTC4LX6EH	200 U	10 U	20 U	20 U	20 U	20 U	20 U	20 U	40 U	200 U	200 U	20 U	20 U	20 U
7/30/2014	XX	LTC4LX6J4	10 U	0.5 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
10/21/2014	XX	LTC4LX72F	100 U	5 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	100 U	100 U	10 U	10 U	10 U
4/28/2015	XX	LTC4LX78C	100 U	5 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	100 U	100 U	10 U	10 U	10
7/15/2015	XX	LTC4LX7C4	100 U	5 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	100 U	100 U	10 U	10 U	10
10/27/2015	XX	LTC4LX7HD	100 U	5 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	100 U	100 U	10 U	10 U	10
4/5/2016	XX	LTC4LX863	100 U	5 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	100 U	100 U	10 U	10 U	20
7/26/2016	XX	LTC4LX8AD	100 U	5 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	100 U	100 U	10 U	10 U	20
10/25/2016	XX	LTC4LX8IC	10 U	0.5 U	2 U	2 U	2 U	2 U	2	2 U	2 U	50	20	2 U	2 U	17
4/18/2017	XX	LTC4LX96I	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	4	0.5 U	2 U	40	10 U	1 U	14
7/25/2017	XX	LTC4LX9CG	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5	0.5 U	2 U	30	10 U	1 U	19
10/24/2017	XX	LTC4LX9GB	10 U	0.5 U	1 U	0.5 U	1 U	1 U	2	0.5 U	2 U	20	10 U	1 U	1 U	6
4/3/2018	XX	LTC4LXA2A	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5.6	0.5	2 U	35	10 U	1 U	26
7/17/2018	XX	LTC4LXABB	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1	0.5 U	2 U	10 U	10 U	1 U	1 U	4.4
10/2/2018	XX	LTC4LXB09	100 U	5 U	10 U	5 U	10 U	10 U	10 U	10 U	5 U	20 U	100 U	100 U	10 U	26
4/23/2019	XX	LTC4LXB56	200 U	10 U	20 U	10 U	20 U	20 U	20 U	20 U	10 U	40 U	200 U	200 U	20 U	25
7/16/2019	XX	LTC4LXBBI	100 U	5 U	10 U	5 U	10 U	10 U	10 U	10 U	5 U	20 U	100 U	100 U	10 U	16
10/29/2019	XX	LTC4LXBHB	100 U	5 U	10 U	5 U	10 U	10 U	10 U	10 U	5 U	20 U	100 U	100 U	10 U	53
4/28/2020	XX	LTC4LXCCI	100 U	5 U	10 U	5 U	10 U	10 U	10 U	10 U	5 U	20 U	100 U	100 U	10 U	26
7/21/2020	XX	LTC4LXCHB	10 U	0.5 U	1 U	0.5 U	1 U	1 U	5	0.5 U	2 U	20	10 U	1 U	1 U	16
10/27/2020	XX	LTC4LXD2F	100 U	5 U	10 U	5 U	10 U	10 U	10 U	10 U	5 U	20 U	100 U	100 U	10 U	24
4/6/2021	XX	LTC4LXDBH	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	4.9	0.5 U	2 U	33	16	1 U	24
7/13/2021	XX	LTC4LXDJ9	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5.5	0.5 U	2 U	22	10 U	1 U	28
10/5/2021	XX	LTC4LXE5H	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	3.7	0.5 U	2 U	19	10 U	1 U	17

QCBT																
4/23/2012	XX	BTXXXX532	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
4/24/2012	XX	BTXXXX533	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
4/25/2012	XX	BTXXXX538	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
7/24/2012	XX	BTXXXX585	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
10/23/2012	XX	BTXXXX5C8	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
4/22/2013	XX	BTXXXX5J3	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
4/23/2013	XX	BTXXXX5J4	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
4/24/2013	XX	BTXXXX5J8	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	10 U	1 U	1 U	1 U
7/30/2013	XX	BTXXXX65D	5 U	0.5 U	1.8 U	0.5 U	0.5 U	0.5 U	0.75 U	0.5 U	0.5 U	2 U	5 U	5 U	0.5 U	0.75 U
10/29/2013	XX	BTXXXX68C	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	1 U
4/21/2014	XX	BTXXXX6G4	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	1 U
4/22/2014	XX	BTXXXX6G5	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	1 U
7/30/2014	XX	BTXXXX70B	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	1 U
10/21/2014	XX	BTXXXX748	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	1 U
4/27/2015	XX	BTXXXX79E	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	1 U
4/27/2015	XX	BTXXXX79F	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	1 U

SUMMARY REPORT
Leachate - VOAs Part 2 of 4

(QCBT)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/27/2015	XX	BTXXXX79J	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
7/15/2015	XX	BTXXXX7DB	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
10/27/2015	XX	BTXXXX7II	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/5/2016	XX	BTXXXX87GX	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/5/2016	XX	BTXXXX876	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/6/2016	XX	BTXXXX875	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
7/26/2016	XX	BTXXXX8BF	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
10/25/2016	XX	BTXXXX8JE	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/17/2017	XX	BTXXXX985	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/18/2017	XX	BTXXXX981	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/18/2017	XX	BTXXXX980	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/25/2017	XX	BTXXXX9DI	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/24/2017	XX	BTXXXX9HD	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/2/2018	XX	BTXXXXA3C	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	BTXXXXHHD	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	BTXXXXA3H	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	BTXXXXHG3	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/4/2018	XX	BTXXXXA5F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/5/2018	XX	BTXXXXA71	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/10/2018	XX	BTXXXXA72	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/11/2018	XX	BTXXXXHNB	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/12/2018	XX	BTXXXXHHC	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/4/2018	XX	BTXXXXA74	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/5/2018	XX	BTXXXXA71	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/6/2018	XX	BTXXXXA7J	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/17/2018	XX	BTXXXXACD	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/19/2018	XX	BTXXXXAE2	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/20/2018	XX	BTXXXXAF3	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/2/2018	XX	BTXXXXB1B	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/22/2019	XX	BTXXXXB6D	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/23/2019	XX	BTXXXXB68	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/23/2019	XX	BTXXXXB69	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/16/2019	XX	BTXXXXBCJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/29/2019	XX	BTXXXXBIC	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
2/25/2020	XX	BTXXXXC86	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
2/26/2020	XX	BTXXXXC5G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/27/2020	XX	BTXXXXCDJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/28/2020	XX	BTXXXXCE0	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/28/2020	XX	BTXXXXCE4	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/30/2020	XX	BTXXXXCC3	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/23/2020	XX	BTXXXXCGE	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/21/2020	XX	BTXXXXCIC	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/21/2020	XX	BTXXXXCGH	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/20/2020	XX	BTXXXXD21	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/27/2020	XX	BTXXXXD3G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
1/5/2021	XX	BTXXXXD8F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
2/9/2021	XX	BTXXXXD98	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
2/10/2021	XX	BTXXXXD99	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
2/18/2021	XX	BTXXXXDA5	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/5/2021	XX	BTXXXXDCI	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U

(QCBT)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/6/2021	XX	BTXXXXCJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/6/2021	XX	BTXXXXDJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/7/2021	XX	BTXXXXA7	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/8/2021	XX	BTXXXXA8	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/8/2021	XX	BTXXXXGA	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/9/2021	XX	BTXXXXGB	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/13/2021	XX	BTXXXX0B	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/13/2021	XX	BTXXXXE2A	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/14/2021	XX	BTXXXX1F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/17/2021	XX	BTXXXXE44	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/18/2021	XX	BTXXXXE45	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/19/2021	XX	BTXXXXE50	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
9/1/2021	XX	BTXXXXE51	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/5/2021	XX	BTXXXXE61	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/26/2021	XX	BTXXXXE3	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

U - Not Detected above the laboratory reporting limit.

SUMMARY REPORT
 Leachate - VOAs Part 3 of 4

(LT-C4L & LT-C4LR)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
LT-C4L & LT-C4LR																	
4/24/2012	XX	LTC4LX51F	5 U	5.8	5 U	5 U	6.9		6.4	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
7/24/2012	XX	LTC4LX56E	5 U	5 U	5 U	5 U	5		5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
10/23/2012	XX	LTC4LX5D5	25 U	25 U	25 U	25 U	25 U		25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U
4/23/2013	XX	LTC4LX5HG	25 U	25 U	25 U	25 U	25 U		25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U
7/30/2013	XX	LTC4LX641	50 U	50 U	100 U	100 U	100 U		250 U	50 U	250 U	500 U	200 U	50 U	500 U	250 U	250 U
10/29/2013	XX	LTC4LX66E	200 U	200 U	200 U	200 U	200 U		1000 U	200 U	200 U	200 U	400 U	200 U	200 U	400 U	200 U
4/22/2014	XX	LTC4LX6EH	20 U	20 U	20 U	20 U	20 U		100 U	20 U	20 U	20 U	40 U	20 U	20 U	40 U	9.6 U
7/30/2014	XX	LTC4LX6J4	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
10/21/2014	XX	LTC4LX72F	10 U	10 U	10 U	10 U	10 U		50 U	10 U	10 U	10 U	20 U	10 U	10 U	20 U	10 U
4/28/2015	XX	LTC4LX78C	10 U	10 U	10 U	10 U	10 U		50 U	10 U	10 U	10 U	20 U	10 U	10 U	20 U	10 U
7/15/2015	XX	LTC4LX7C4	10 U	10 U	10 U	10 U	10 U		50 U	10 U	10 U	10 U	20 U	10 U	10 U	20 U	10 U
10/27/2015	XX	LTC4LX7HD	10 U	10 U	10 U	10 U	10 U		50 U	10 U	10 U	10 U	20 U	10 U	10 U	20 U	10 U
4/5/2016	XX	LTC4LX863	10 U	10	10 U	10 U	10 U	400	50 U	10 U	10 U	10 U	20 U	10 U	10 U	20 U	10 U
7/26/2016	XX	LTC4LX8AD	10 U	10 U	10 U	10 U	10 U	600	50 U	10 U	10 U	10 U	20 U	10 U	10 U	20 U	10 U
10/25/2016	XX	LTC4LX8IC	2 U	13	1 U	3	6	400	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/18/2017	XX	LTC4LX96I	1 U	7	1 U	3	6	500	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
7/25/2017	XX	LTC4LX9CG	1 U	7	1 U	5	9	500	5 U	1	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
10/24/2017	XX	LTC4LX9GB	1 U	3	1 U	2	3	400	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LTC4LXA2A	1 U	7.5	1.1	5	9.6	400	5 U	1.4	1 U	1 U	2 U	1 U	0.5 U	2 U	1
7/17/2018	XX	LTC4LXABB	1 U	1.5	1 U	1 U	1.7	110	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
10/2/2018	XX	LTC4LXB09	10 U	10 U	10 U	10 U	11	430	50 U	10 U	10 U	10 U	20 U	10 U	5 U	20 U	10 U
4/23/2019	XX	LTC4LXB56	20 U	20 U	20 U	20 U	20 U	280	100 U	20 U	20 U	20 U	40 U	20 U	10 U	40 U	20 U
7/16/2019	XX	LTC4LXBBI	10 U	10 U	10 U	10 U	10	390	50 U	10 U	10 U	10 U	20 U	10 U	5 U	20 U	10 U
10/29/2019	XX	LTC4LXBHB	10 U	12	10 U	10 U	10 U	370	50 U	10 U	10 U	10 U	20 U	10 U	5 U	20 U	10 U
4/28/2020	XX	LTC4LXC01	10 U	10 U	10 U	10 U	10 U	420	20 U	10 U	10 U	10 U	5 U	10 U	5 U	20 U	10 U
7/21/2020	XX	LTC4LXC0B	1 U	7.8	1 U	5.3	9.1	490	2 U	1.5	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1
10/27/2020	XX	LTC4LXD2F	10 U	10 U	10 U	10 U	12	350	20 U	10 U	10 U	10 U	5 U	10 U	5 U	20 U	10 U
4/6/2021	XX	LTC4LXDBH	1 U	10	1 U	6.9	13	320	2 U	2.2	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1.2
7/13/2021	XX	LTC4LXDJ9	1 U	11	1 U	8	13	480	2 U	2.5	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1.3
10/5/2021	XX	LTC4LXE5H	1 U	6.6	1 U	4.7	8.5	360	2 U	1.6	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
QCBT																	
4/23/2012	XX	BTXXXX532	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/24/2012	XX	BTXXXX533	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/25/2012	XX	BTXXXX538	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
7/24/2012	XX	BTXXXX585	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
10/23/2012	XX	BTXXXX5C8	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/22/2013	XX	BTXXXX5J3	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/23/2013	XX	BTXXXX5J4	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4/24/2013	XX	BTXXXX5J8	1 U	1 U	1 U	1 U	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
7/30/2013	XX	BTXXXX65D	0.5 U	0.5 U	1 U	1 U	1 U		2.5 U	0.5 U	2.5 U	5 U	2 U	0.5 U	5 U	2.5 U	2.5 U
10/29/2013	XX	BTXXXX68C	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/21/2014	XX	BTXXXX6G4	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/22/2014	XX	BTXXXX6G5	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
7/30/2014	XX	BTXXXX70B	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
10/21/2014	XX	BTXXXX748	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/27/2015	XX	BTXXXX79E	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/27/2015	XX	BTXXXX79F	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U

(QCBT)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/27/2015	XX	BTXXXX79J	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
7/15/2015	XX	BTXXXX7DB	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
10/27/2015	XX	BTXXXX7II	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	BTXXXX87GX	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	BTXXXX876	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/6/2016	XX	BTXXXX875	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
7/26/2016	XX	BTXXXX8BF	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
10/25/2016	XX	BTXXXX8JE	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/17/2017	XX	BTXXXX985	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/18/2017	XX	BTXXXX981	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/18/2017	XX	BTXXXX980	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
7/25/2017	XX	BTXXXX9DI	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
10/24/2017	XX	BTXXXX9HD	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/2/2018	XX	BTXXXXA3C	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	BTXXXXHHD	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	BTXXXXA3H	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	BTXXXXHG3	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/4/2018	XX	BTXXXXA5F	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/5/2018	XX	BTXXXXA71	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/10/2018	XX	BTXXXXA72	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/11/2018	XX	BTXXXXHNB	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/12/2018	XX	BTXXXXHNC	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/4/2018	XX	BTXXXXA74	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/5/2018	XX	BTXXXXA71	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/6/2018	XX	BTXXXXA7J	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
7/17/2018	XX	BTXXXXACD	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
7/19/2018	XX	BTXXXXAE2	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
8/20/2018	XX	BTXXXXAF3	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
10/2/2018	XX	BTXXXXB1B	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/22/2019	XX	BTXXXXB6D	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	BTXXXXB68	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	BTXXXXB69	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
7/16/2019	XX	BTXXXXBCJ	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
10/29/2019	XX	BTXXXXBIC	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
2/25/2020	XX	BTXXXXC86	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
2/26/2020	XX	BTXXXXC5G	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/27/2020	XX	BTXXXXCDJ	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	BTXXXXCE0	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	BTXXXXCE4	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/30/2020	XX	BTXXXXCC3	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/23/2020	XX	BTXXXXCGE	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/21/2020	XX	BTXXXXCIC	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/21/2020	XX	BTXXXXCGH	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/20/2020	XX	BTXXXXD21	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
10/27/2020	XX	BTXXXXD3G	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
1/5/2021	XX	BTXXXXD8F	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
2/9/2021	XX	BTXXXXD98	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
2/10/2021	XX	BTXXXXD99	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
2/18/2021	XX	BTXXXXA5	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/5/2021	XX	BTXXXXDCI	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U

(QCBT)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2- Dichloroethene	Bromochloro methane	Dibromo methane	1,2- Dibromoethane	1,1,1,2- Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3- Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/6/2021	XX	BTXXXXCJ	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/6/2021	XX	BTXXXXDJ	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/7/2021	XX	BTXXXXA7	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/8/2021	XX	BTXXXXA8	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/8/2021	XX	BTXXXXGA	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/9/2021	XX	BTXXXXGB	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/13/2021	XX	BTXXXXE0B	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/13/2021	XX	BTXXXXE2A	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/14/2021	XX	BTXXXXE1F	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/17/2021	XX	BTXXXXE44	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/18/2021	XX	BTXXXXE45	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/19/2021	XX	BTXXXXE50	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
9/1/2021	XX	BTXXXXE51	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
10/5/2021	XX	BTXXXXE6I	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
10/26/2021	XX	BTXXXXE3	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

U - Not Detected above the laboratory reporting limit.

			1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4-Dichloro-2-butene	Iodomethane										
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L										

LT-C4L & LT-C4LR

4/24/2012	XX	LTC4LX51F	5 U	5 U		5 U	5 U										
7/24/2012	XX	LTC4LX56E	5 U	5 U		5 U	35										
10/23/2012	XX	LTC4LX5D5	25 U	25 U		25 U	25 U										
4/23/2013	XX	LTC4LX5HG	25 U	25 U		25 U	25 U										
7/30/2013	XX	LTC4LX641	250 U	500 U		250 U	500 U										
10/29/2013	XX	LTC4LX66E	200 U	4000 U		1000 U	1000 U										
4/22/2014	XX	LTC4LX6EH	9.6 U	400 U		100 U	100 U										
7/30/2014	XX	LTC4LX6J4	1 U	20 U		5 U	5 U										
10/21/2014	XX	LTC4LX72F	10 U	200 U		50 U	50 U										
4/28/2015	XX	LTC4LX78C	10 U	200 U		50 U	50 U										
7/15/2015	XX	LTC4LX7C4	10 U	200 U		50 U	50 U										
10/27/2015	XX	LTC4LX7HD	10 U	200 U		50 U	50 U										
4/5/2016	XX	LTC4LX863	10 U	200 U	50 U	50 U	50 U										
7/26/2016	XX	LTC4LX8AD	10 U	200 U	50 U	50 U	50 U										
10/25/2016	XX	LTC4LX8IC	1 U	20 U	8	5 U	5 U										
4/18/2017	XX	LTC4LX96I	1 U	20 U	5 U	5 U	5 U										
7/25/2017	XX	LTC4LX9CG	1 U	20 U	5 U	5 U	5 U										
10/24/2017	XX	LTC4LX9GB	1 U	20 U	5 U	5 U	5 U										
4/3/2018	XX	LTC4LXA2A	1 U	20 U	5 U	5 U	5 U										
7/17/2018	XX	LTC4LXABB	1 U	20 U	5 U	5 U	5 U										
10/2/2018	XX	LTC4LXB09	10 U	200 U	50 U	50 U	50 U										
4/23/2019	XX	LTC4LXB56	20 U	400 U	100 U	100 U	100 U										
7/16/2019	XX	LTC4LXBBI	10 U	200 U	50 U	50 U	50 U										
10/29/2019	XX	LTC4LXBHB	10 U	200 U	50 U	50 U	50 U										
4/28/2020	XX	LTC4LXCCI	10 U	200 U	20 U	50 U	50 U										
7/21/2020	XX	LTC4LXCHB	1 U	20 U	6.5	5 U	5 U										
10/27/2020	XX	LTC4LXD2F	10 U	200 U	20 U	50 U	50 U										
4/6/2021	XX	LTC4LXDBH	1 U	20 U	2 U	5 U	5 U										
7/13/2021	XX	LTC4LXDJ9	1 U	20 U	9.3	5 U	5 U										
10/5/2021	XX	LTC4LXE5H	1 U	20 U	7.3	5 U	5 U										

QCBT

4/23/2012	XX	BTXXXX532	1 U	1 U		1 U	1 U										
4/24/2012	XX	BTXXXX533	1 U	1 U		1 U	1 U										
4/25/2012	XX	BTXXXX538	1 U	1 U		1 U	1 U										
7/24/2012	XX	BTXXXX585	1 U	1 U		1 U	1.5										
10/23/2012	XX	BTXXXX5C8	1 U	1 U		1 U	1 U										
4/22/2013	XX	BTXXXX5J3	1 U	1 U		1 U	1 U										
4/23/2013	XX	BTXXXX5J4	1 U	1 U		1 U	1 U										
4/24/2013	XX	BTXXXX5J8	1 U	1 U		1 U	1 U										
7/30/2013	XX	BTXXXX65D	2.5 U	5 U		2.5 U	5 U										
10/29/2013	XX	BTXXXX68C	1 U	20 U		5 U	5 U										
4/21/2014	XX	BTXXXX6G4	1 U	20 U		5 U	5 U										
4/22/2014	XX	BTXXXX6G5	1 U	20 U		5 U	5 U										
7/30/2014	XX	BTXXXX70B	1 U	20 U		5 U	5 U										
10/21/2014	XX	BTXXXX748	1 U	20 U		5 U	5 U										
4/27/2015	XX	BTXXXX79E	1 U	20 U		5 U	5 U										
4/27/2015	XX	BTXXXX79F	1 U	20 U		5 U	5 U										

SUMMARY REPORT
Leachate - VOAs Part 4 of 4

(QCBT)			1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4-Dichloro-2-butene	Iodomethane											
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L											
4/27/2015	XX	BTXXXX79J	1 U	20 U		5 U	5 U											
7/15/2015	XX	BTXXXX7DB	1 U	20 U		5 U	5 U											
10/27/2015	XX	BTXXXX7II	1 U	20 U		5 U	5 U											
4/5/2016	XX	BTXXXX87GX	1 U	20 U	5 U	5 U	5 U											
4/5/2016	XX	BTXXXX876	1 U	20 U	5 U	5 U	5 U											
4/6/2016	XX	BTXXXX875	1 U	20 U	5 U	5 U	5 U											
7/26/2016	XX	BTXXXX8BF	1 U	20 U	5 U	5 U	5 U											
10/25/2016	XX	BTXXXX8JE	1 U	20 U	5 U	5 U	5 U											
4/17/2017	XX	BTXXXX985	1 U	20 U	5 U	5 U	5 U											
4/18/2017	XX	BTXXXX981	1 U	20 U	5 U	5 U	5 U											
4/18/2017	XX	BTXXXX980	1 U	20 U	5 U	5 U	5 U											
7/25/2017	XX	BTXXXX9DI	1 U	20 U	5 U	5 U	5 U											
10/24/2017	XX	BTXXXX9HD	1 U	20 U	5 U	5 U	5 U											
4/2/2018	XX	BTXXXXA3C	1 U	20 U	5 U	5 U	5 U											
4/3/2018	XX	BTXXXXHHD	1 U	20 U	5 U	5 U	5 U											
4/3/2018	XX	BTXXXXA3H	1 U	20 U	5 U	5 U	5 U											
4/3/2018	XX	BTXXXXHG3	1 U	20 U	5 U	5 U	5 U											
4/4/2018	XX	BTXXXXA5F	1 U	20 U	5 U	5 U	5 U											
4/5/2018	XX	BTXXXXA71	1 U	20 U	5 U	5 U	5 U											
4/10/2018	XX	BTXXXXA72	1 U	20 U	5 U	5 U	5 U											
4/11/2018	XX	BTXXXXHHB	1 U	20 U	5 U	5 U	5 U											
4/12/2018	XX	BTXXXXHHC	1 U	20 U	5 U	5 U	5 U											
6/4/2018	XX	BTXXXXA74	1 U	20 U	5 U	5 U	5 U											
6/5/2018	XX	BTXXXXA71	1 U	20 U	5 U	5 U	5 U											
6/6/2018	XX	BTXXXXA7J	1 U	20 U	5 U	5 U	5 U											
7/17/2018	XX	BTXXXXACD	1 U	20 U	5 U	5 U	5 U											
7/19/2018	XX	BTXXXXAE2	1 U	20 U	5 U	5 U	5 U											
8/20/2018	XX	BTXXXXAF3	1 U	20 U	5 U	5 U	5 U											
10/2/2018	XX	BTXXXXB1B	1 U	20 U	5 U	5 U	5 U											
4/22/2019	XX	BTXXXXB6D	1 U	20 U	5 U	5 U	5 U											
4/23/2019	XX	BTXXXXB68	1 U	20 U	5 U	5 U	5 U											
4/23/2019	XX	BTXXXXB69	1 U	20 U	5 U	5 U	5 U											
7/16/2019	XX	BTXXXXBCJ	1 U	20 U	5 U	5 U	5 U											
10/29/2019	XX	BTXXXXBIC	1 U	20 U	5 U	5 U	5 U											
2/25/2020	XX	BTXXXXC86	1 U	20 U	2 U	5 U	5 U											
2/26/2020	XX	BTXXXXC5G	1 U	20 U	2 U	5 U	5 U											
4/27/2020	XX	BTXXXXCDJ	1 U	20 U	2 U	5 U	5 U											
4/28/2020	XX	BTXXXXCE0	1 U	20 U	2 U	5 U	5 U											
4/28/2020	XX	BTXXXXCE4	1 U	20 U	2 U	5 U	5 U											
4/30/2020	XX	BTXXXXCC3	1 U	20 U	2 U	5 U	5 U											
6/23/2020	XX	BTXXXXCGE	1 U	20 U	2 U	5 U	5 U											
7/21/2020	XX	BTXXXXCIC	1 U	20 U	2 U	5 U	5 U											
7/21/2020	XX	BTXXXXCGH	1 U	20 U	2 U	5 U	5 U											
8/20/2020	XX	BTXXXXD21	1 U	20 U	2 U	5 U	5 U											
10/27/2020	XX	BTXXXXD3G	1 U	20 U	2 U	5 U	5 U											
1/5/2021	XX	BTXXXXD8F	1 U	20 U	2 U	5 U	5 U											
2/9/2021	XX	BTXXXXD98	1 U	20 U	2 U	5 U	5 U											
2/10/2021	XX	BTXXXXD99	1 U	20 U	2 U	5 U	5 U											
2/18/2021	XX	BTXXXXDA5	1 U	20 U	2 U	5 U	5 U											
4/5/2021	XX	BTXXXXDCI	1 U	20 U	2 U	5 U	5 U											

(QCBT)			1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4- Dichloro-2- butene	Iodomethane										
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L										
4/6/2021	XX	BTXXXXCJ	1 U	20 U	2 U	5 U	5 U										
4/6/2021	XX	BTXXXXDJ	1 U	20 U	2 U	5 U	5 U										
4/7/2021	XX	BTXXXXA7	1 U	20 U	2 U	5 U	5 U										
4/8/2021	XX	BTXXXXA8	1 U	20 U	2 U	5 U	5 U										
6/8/2021	XX	BTXXXXGA	1 U	20 U	2 U	5 U	5 U										
6/9/2021	XX	BTXXXXGB	1 U	20 U	2 U	5 U	5 U										
7/13/2021	XX	BTXXXXE0B	1 U	20 U	2 U	5 U	5 U										
7/13/2021	XX	BTXXXXE2A	1 U	20 U	2 U	5 U	5 U										
7/14/2021	XX	BTXXXXE1F	1 U	20 U	2 U	5 U	5 U										
8/17/2021	XX	BTXXXXE44	1 U	20 U	2 U	5 U	5 U										
8/18/2021	XX	BTXXXXE45	1 U	20 U	2 U	5 U	5 U										
8/19/2021	XX	BTXXXXE50	1 U	20 U	2 U	5 U	5 U										
9/1/2021	XX	BTXXXXE51	1 U	20 U	2 U	5 U	5 U										
10/5/2021	XX	BTXXXXE6I	1 U	20 U	2 U	5 U	5 U										
10/26/2021	XX	BTXXXXE3	1 U	20 U	2 U	5 U	5 U										

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:
 U - Not Detected above the laboratory reporting limit.

(LT-C4L & LT-C4LR)			Phenol	Bis (2-Chloroethyl) ether	2-Chlorophenol	1,3-Dichloro benzene (SVOC)	1,4-Dichloro benzene (SVOC)	Benzyl Alcohol	1,2-Dichloro benzene (SVOC)	2-Methylphenol	Bis(2-Chloroisopropyl) ether	N-Nitroso-di-n-propylamine	Hexachloro ethane	Nitrobenzene	Isophorone	2-Nitrophenol	2,4-Dimethyl phenol
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
LT-C4L & LT-C4LR																	
4/24/2012	XX	LTC4LX51F	9.5 U	9.5 U	9.5 U	9.5 U		19 U		9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U
4/23/2013	XX	LTC4LX5HG	140	110 U	110 U	110 U		230 U		110 U	110 U	110 U	110 U	110 U	110 U	110 U	110 U
4/22/2014	XX	LTC4LX6EH	160	9.6 U	9.6 U	9.6 U		19 U		12	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U
4/28/2015	XX	LTC4LX78C	110	47 U	47 U	47 U	47 U	94 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U
4/5/2016	XX	LTC4LX863	210	200 U	200 U	200 U	200 U	400 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U
4/18/2017	XX	LTC4LX96I	75	14 U	14 U	14 U	14 U	28 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U
4/3/2018	XX	LTC4LXA2A	54	9.4 U	9.4 U	9.4 U	9.4 U	19 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U
4/23/2019	XX	LTC4LXB56	85	10 U	10 U	10 U	10 U	100 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	50 U
4/28/2020	XX	LTC4LXCCI	190														
4/28/2020	XX	LTC4LXCCI		9.5 U	9.5 U	9.5 U	9.5 U	19 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U
4/6/2021	XX	LTC4LXDBHDL	200														
4/6/2021	XX	LTC4LXDBH		9.4 U	9.4 U	9.4 U	9.4 U	19 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:
 U - Not Detected above the laboratory reporting limit.

(LT-C4L & LT-C4LR)			Bis(2-Chloroethoxy)m ethane	2,4-Dichlorophenol	1,2,4-Trichloro benzene (SVOC)	Naphthalene (SVOC)	4-Chloroaniline	Hexachloro butadiene (SVOC)	4-Chloro-3-Methylphenol	2-Methyl naphthalene	Hexachloro cyclo pentadiene	2,4,6-Trichlorophenol	2,4,5-Trichlorophenol	2-Chloro naphthalene	2-Nitroaniline	Dimethyl pthalate	Acenaphthylene	
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
LT-C4L & LT-C4LR																		
4/24/2012	XX	LTC4LX51F	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	24 U	9.5 U	24 U	9.5 U	9.5 U
4/23/2013	XX	LTC4LX5HG	110 U	110 U	110 U	110 U	110 U	110 U	110 U	110 U	110 U	110 U	110 U	280 U	110 U	280 U	110 U	110 U
4/22/2014	XX	LTC4LX6EH	9.6 U	9.6 U	9.6 U	12	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	24 U	9.6 U	24 U	9.6 U	9.6 U
4/28/2015	XX	LTC4LX78C	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	120 U	47 U	120 U	47 U	47 U
4/5/2016	XX	LTC4LX863	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	500 U	200 U	500 U	200 U	200 U
4/18/2017	XX	LTC4LX96I	14 U	14 U	14 U	20	14 U	14 U	14 U	14 U	14 U	14 U	14 U	36 U	14 U	36 U	14 U	14 U
4/3/2018	XX	LTC4LXA2A	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	9.4 U	24 U	9.4 U	9.4 U
4/23/2019	XX	LTC4LXB56	10 U	10 U	10 U	6.7	10 U	10 U	10 U	1.4	50 U	10 U	10 U	10 U	10 U	50 U	10 U	1 U
4/28/2020	XX	LTC4LXCCI	9.5 U	9.5 U	9.5 U	20	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	24 U	9.5 U	24 U	9.5 U	9.5 U
4/6/2021	XX	LTC4LXDBH	9.4 U	9.4 U	9.4 U	17	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	9.4 U	24 U	9.4 U	9.4 U

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:
 U - Not Detected above the laboratory reporting limit.

(LT-C4L & LT-C4LR)			2,6-Dinitrotoluene	3-Nitroaniline	Acenaphthene	2,4-Dinitrophenol	4-Nitrophenol	Dibenzofuran	2,4-Dinitrotoluene	Diethyl phthalate	4-Chlorophenyl-phenylether	Fluorene	4-Nitroaniline	4,6-Dinitro-2-methylphenol	N-Nitroso diphenylamine	4-Bromophenyl-phenylether	Hexachloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
LT-C4L & LT-C4LR																	
4/24/2012	XX	LTC4LX51F	9.5 U	24 U	9.5 U	24 U	24 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	24 U	24 U	9.5 U	9.5 U	9.5 U
4/23/2013	XX	LTC4LX5HG	110 U	280 U	110 U	280 U	280 U	110 U	110 U	110 U	110 U	110 U	280 U	280 U	110 U	110 U	110 U
4/22/2014	XX	LTC4LX6EH	9.6 U	24 U	9.6 U	24 U	24 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	24 U	24 U	9.6 U	9.6 U	9.6 U
4/28/2015	XX	LTC4LX78C	47 U	120 U	47 U	120 U	120 U	47 U	47 U	47 U	47 U	47 U	120 U	120 U	47 U	47 U	47 U
4/5/2016	XX	LTC4LX863	200 U	500 U	200 U	500 U	500 U	200 U	200 U	200 U	200 U	200 U	500 U	500 U	200 U	200 U	200 U
4/18/2017	XX	LTC4LX96I	14 U	36 U	14 U	36 U	36 U	14 U	14 U	14 U	14 U	14 U	36 U	36 U	14 U	14 U	14 U
4/3/2018	XX	LTC4LXA2A	9.4 U	24 U	9.4 U	24 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	24 U	9.4 U	9.4 U	9.4 U
4/23/2019	XX	LTC4LXB56	50 U	50 U	1.5	100 U	50 U	10 U	50 U	50 U	10 U	1 U	50 U	50 U	10 U	10 U	10 U
4/28/2020	XX	LTC4LXCCI	9.5 U	24 U	9.5 U	24 U	24 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	24 U	24 U	9.5 U	9.5 U	9.5 U
4/6/2021	XX	LTC4LXDBH	9.4 U	24 U	9.4 U	24 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	24 U	9.4 U	9.4 U	9.4 U

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:
 U - Not Detected above the laboratory reporting limit.

(LT-C4L & LT-C4LR)			Pentachlorophen ol	Phenanthrene	Anthracene	Di-n- butylphthalate	Fluoranthene	Pyrene	Butylbenzyl phthalate	3,3-Dichloro benzidine	Benzo(a) Anthracene	Chrysene	Bis(2- Ethylhexyl) phthalate	Di-n- octylphthalate	Benzo(b) Fluoranthene	Benzo(k) Fluoranthene	Benzo(a) Pyrene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
LT-C4L & LT-C4LR																	
4/24/2012	XX	LTC4LX51F	24 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U
4/23/2013	XX	LTC4LX5HG	280 U	110 U	110 U	110 U	110 U	110 U	110 U	110 U	110 U	110 U	110 U	110 U	110 U	110 U	110 U
4/22/2014	XX	LTC4LX6EH	24 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U
4/28/2015	XX	LTC4LX78C	120 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U
4/5/2016	XX	LTC4LX863	500 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U
4/18/2017	XX	LTC4LX96I	36 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U
4/3/2018	XX	LTC4LXA2A	24 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U
4/23/2019	XX	LTC4LXB56	50 U	1 U	1 U	50 U	1 U	1 U	50 U	10 U	1 U	1 U	50 U	50 U	1 U	1 U	1 U
4/28/2020	XX	LTC4LXCCI	24 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U
4/6/2021	XX	LTC4LXDBH	24 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:
 U - Not Detected above the laboratory reporting limit.

(LT-C4L & LT-C4LR)			Indeno(1,2,3-c,d) Pyrene	Dibenz(a,h) Anthracene	Benzo(g,h,i) perylene	N-Nitroso dimethylamine	Carbazole	2,3,4,6-Tetrachloro phenol	2,6-Dichlorophenol	3&4-Methylphenol	2-Acetyl aminofluorene	4-Aminobiphenyl	2-sec-Butyl-4-6-dinitrophenol (Dinoseb)	3,3'-Dimethyl benzidine	1,3-Dinitro benzene (m-Dinitrobenzene)	Ethyl methanesulfonate	Hexa chloropropene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
LT-C4L & LT-C4LR																	
4/24/2012	XX	LTC4LX51F	9.5 U	9.5 U	9.5 U	9.5 U		9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	4.8 U	24 U	9.5 U	9.5 U	9.5 U
4/23/2013	XX	LTC4LX5HG	110 U	110 U	110 U	110 U		110 U	110 U	1000	110 U	110 U	4.8 U	280 U	110 U	110 U	110 U
4/22/2014	XX	LTC4LX6EH	9.6 U	9.6 U	9.6 U	9.6 U		9.6 U	9.6 U	690	9.6 U	9.6 U	5.2 U	24 U	9.6 U	9.6 U	9.6 U
4/28/2015	XX	LTC4LX78C	47 U	47 U	47 U	47 U		47 U	47 U	890	47 U	47 U	4.7 U	120 U	47 U	47 U	47 U
4/5/2016	XX	LTC4LX863	200 U	200 U	200 U	200 U		200 U	200 U	1000	200 U	200 U	5.1 U	500 U	200 U	200 U	200 U
4/18/2017	XX	LTC4LX96IDL								480							
4/18/2017	XX	LTC4LX96I	14 U	14 U	14 U	14 U		14 U	14 U		14 U	14 U	4.7 U	36 U	14 U	14 U	14 U
4/3/2018	XX	LTC4LXA2ADL								350							
4/3/2018	XX	LTC4LXA2A	9.4 U	9.4 U	9.4 U	9.4 U		9.4 U	9.4 U		9.4 U	9.4 U	4.4 U	24 U	9.4 U	9.4 U	9.4 U
4/23/2019	XX	LTC4LXB56	1 U	1 U	1 U	10 U	10 U	10 UH	10 UH	540	10 UH	10 UH		26 UH	10 UH	10 UH	10 UH
4/23/2019	XX	LTC4LXB56RA											4.8 U				
4/28/2020	XX	LTC4LXCCI	9.5 U	9.5 U	9.5 U	9.5 U		9.5 U	9.5 U		9.5 U	9.5 U	4.4 U	24 U	9.5 U	9.5 U	9.5 U
4/28/2020	XX	LTC4LXCCIDL								540							
4/28/2020	XX	LTC4LXCCIRE											4.4 U				
4/6/2021	XX	LTC4LXDBHDL								320							
4/6/2021	XX	LTC4LXDBH	9.4 U	9.4 U	9.4 U	9.4 U		9.4 U	9.4 U		9.4 U	9.4 U	4.4 U	24 U	9.4 U	9.4 U	9.4 U

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:
 U - Not Detected above the laboratory reporting limit.
 UH - Not Detected above the laboratory reporting limit. Analyzed outside U.S.EPA's recommended hold time

(LT-C4L & LT-C4LR)			Isosafrole	Methapyrilene	3-Methyl cholanthrene	Methyl methane sulfonate	1-Naphthalene amine (1-Naphthyl amine)	2-Naphthalene amine (2-Naphthyl amine)	1,4-Naphtho quinone	5-Nitro-o-toluidine	N-Nitroso diethylamine	N-Nitrosodi-n-butylamine	N-Nitrosomethyl ethylamine	N-Nitroso piperidine	N-Nitroso pyrrolidine	Pentachloro benzene	Pentachloro nitrobenzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
LT-C4L & LT-C4LR																	
4/24/2012	XX	LTC4LX51F	9.5 U	24 U	9.5 U	9.5 U	9.5 U	9.5 U	24 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U
4/23/2013	XX	LTC4LX5HG	110 U	280 U	110 U	110 U	110 U	110 U	280 U	110 U	110 U	110 U	110 U	110 U	110 U	110 U	110 U
4/22/2014	XX	LTC4LX6EH	9.6 U	24 U	9.6 U	9.6 U	9.6 U	9.6 U	24 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U
4/28/2015	XX	LTC4LX78C	47 U	120 U	47 U	47 U	47 U	47 U	120 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U
4/5/2016	XX	LTC4LX863	200 U	500 U	200 U	200 U	200 U	200 U	500 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U
4/18/2017	XX	LTC4LX96I	14 U	36 U	14 U	14 U	14 U	14 U	36 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U
4/3/2018	XX	LTC4LXA2A	9.4 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U
4/23/2019	XX	LTC4LXB56		26 UH	10 UH	10 UH	10 UH	10 UH	26 UH	10 UH	10 UH	10 UH	10 UH	10 UH	10 UH	10 UH	10 UH
4/28/2020	XX	LTC4LXCCI	9.5 U	24 U	9.5 U	9.5 U	9.5 U	9.5 U	24 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U
4/6/2021	XX	LTC4LXDBH	9.4 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:
 U - Not Detected above the laboratory reporting limit.
 UH - Not Detected above the laboratory reporting limit. Analyzed outside U.S.EPA's recommended hold time

(LT-C4L & LT-C4LR)			Phenacetin	p-Phenylene diamine	Pronamide	1,2,4,5- Tetrachloro benzene	1,3,5-Trinitro benzene (sym- Trinitrobenzene)	Safrole	O-Toluidine	p-(Dimethyl amino) azobenzene	7,12- Dimethylbenz (a)anthracene	Acetophenone
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L

LT-C4L & LT-C4LR												
4/24/2012	XX	LTC4LX51F	9.5 U	24 U	9.5 U	9.5 U	9.5 U	9.5 U	24 U	9.5 U	9.5 U	9.5 U
4/23/2013	XX	LTC4LX5HG	110 U	280 U	110 U	110 U	110 U	110 U	280 U	110 U	110 U	110 U
4/22/2014	XX	LTC4LX6EH	9.6 U	24 U	9.6 U	9.6 U	9.6 U	9.6 U	24 U	9.6 U	9.6 U	11
4/28/2015	XX	LTC4LX78C	47 U	120 U	47 U	47 U	47 U	47 U	120 U	47 U	47 U	47 U
4/5/2016	XX	LTC4LX863	200 U	500 U	200 U	200 U	200 U	200 U	500 U	200 U	200 U	200 U
4/18/2017	XX	LTC4LX96I	14 U	36 U	14 U	14 U	14 U	14 U	36 U	14 U	14 U	14 U
4/3/2018	XX	LTC4LXA2A	9.4 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	9.4 U	9.4 U	11
4/23/2019	XX	LTC4LXB56	10 UH	26 UH	10 UH	10 UH	10 UH	10 UH	26 UH	10 UH	10 UH	100 U
4/28/2020	XX	LTC4LXCCI	9.5 U	24 U	9.5 U	9.5 U	9.5 U	9.5 U	24 U	9.5 U	9.5 U	14
4/6/2021	XX	LTC4LXDBH	9.4 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	9.4 U	9.4 U	12

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

U - Not Detected above the laboratory reporting limit.
 UH - Not Detected above the laboratory reporting limit. Analyzed outside U.S.EPA's recommended hold time

(LT-C4L & LT-C4LR)			alpha-BHC	beta-BHC	delta-BHC	gamma-BHC (Lindane)	Heptachlor	Aldrin	Heptachlor Epoxide	Endosulfan I	Dieldrin	4,4'-DDE	Endrin	Endosulfan II	4,4'-DDD	Endosulfan Sulfate	4,4'-DDT
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
LT-C4L & LT-C4LR																	
4/24/2012	XX	LTC4LX51F	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U
4/23/2013	XX	LTC4LX5HG	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.097 U	0.097 U	0.097 U	0.097 U	0.097 U	0.097 U	0.097 U
4/22/2014	XX	LTC4LX6EH	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.095 U	0.095 U	0.095 U	0.095 U	0.095 U	0.095 U	0.095 U
4/28/2015	XX	LTC4LX78C	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U
4/5/2016	XX	LTC4LX863	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.096 U	0.096 U	0.096 U	0.096 U	0.096 U	0.096 U	0.096 U
4/18/2017	XX	LTC4LX96IRE	0.052 U	0.052 U	0.052 U	0.052 U	0.052 U	0.052 U	0.052 U	0.052 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
4/3/2018	XX	LTC4LXA2A	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U
4/23/2019	XX	LTC4LXB56	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.036	0.02 U
4/28/2020	XX	LTC4LXCCI	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.093 U	0.093 U	0.093 U	0.093 U	0.093 U	0.093 U	0.093 U
4/6/2021	XX	LTC4LXDBH	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:
 U - Not Detected above the laboratory reporting limit.

(LT-C4L & LT-C4LR)			Methoxychlor	Toxaphene	Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Endrin Aldehyde	Chlordane (technical)	2,4-Dichloro phenoxyacetic Acid		
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L		
LT-C4L & LT-C4LR																
4/24/2012	XX	LTC4LX51F	0.47 U	0.94 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.094 U	0.47 U	2.8 U		
4/23/2013	XX	LTC4LX5HG	0.48 U	0.97 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.097 U	0.48 U	2.9 U		
4/22/2014	XX	LTC4LX6EH	0.48 U	0.95 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.095 U	0.48 U	3.1 U		
4/28/2015	XX	LTC4LX78C	0.47 U	0.94 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.094 U	0.47 U	2.8 U		
4/5/2016	XX	LTC4LX863	0.48 U	0.96 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.096 U	0.48 U	3.1 U		
4/18/2017	XX	LTC4LX96IRE	0.52 U	1 U	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U	0.1 U	0.52 U			
4/18/2017	XX	LTC4LX96I												2.8 U		
4/3/2018	XX	LTC4LX2A	0.47 U	0.94 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.094 U	0.47 U	2.7 U		
4/23/2019	XX	LTC4LXB56RA												2.8 U		
4/23/2019	XX	LTC4LXB56	0.1 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.02 U	0.1 U			
4/28/2020	XX	LTC4LXCCI												2.7 U		
4/28/2020	XX	LTC4LXCCI	0.47 U	0.93 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.093 U	0.47 U	2.6 U		
4/6/2021	XX	LTC4LXDBHRA			0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U					
4/6/2021	XX	LTC4LXDBH	0.47 U	0.94 U								0.094 U	0.47 U	2.6 U		

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:
 U - Not Detected above the laboratory reporting limit.

(LT-C4L & LT-C4LR)			2,4,5-Trichloro phenoxypro pionic Acid	2,4,5-Trichloro phenoxyacetic acid	Diallate	Isodrin	Kepone	Dimethoate	Chlorobenzilate	Disulfoton	Famphur	Methyl Parathion	Parathion	Phorate	Thionazin	o,o,o-Triethyl phosphoro thioate
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
LT-C4L & LT-C4LR																
4/24/2012	XX	LTC4LX51F	2.8 U	2.8 U	9.5 U	9.5 U	24 U	9.5 U	9.5 U	9.5 U	28 U	9.5 U	24 U	9.5 U		9.5 U
4/23/2013	XX	LTC4LX5HG	2.9 U	2.9 U	110 U	110 U	280 U	110 U	110 U	110 U	340 U	110 U	280 U	110 U	230 U	110 U
4/22/2014	XX	LTC4LX6EH	3.1 U	3.1 U	9.6 U	9.6 U	24 U	9.6 U	9.6 U	9.6 U	29 U	9.6 U	24 U	9.6 U	19 U	9.6 U
4/28/2015	XX	LTC4LX78C	2.8 U	2.8 U	47 U	47 U	120 U	47 U	47 U	47 U	140 U	47 U	120 U	47 U	94 U	47 U
4/5/2016	XX	LTC4LX863	3.1 U	3.1 U	200 U	200 U	500 U	200 U	200 U	200 U	590 U	200 U	500 U	200 U	400 U	200 U
4/18/2017	XX	LTC4LX96I	2.8 U	2.8 U	14 U	14 U	36 U	14 U	14 U	14 U	43 U	14 U	36 U	14 U	28 U	14 U
4/3/2018	XX	LTC4LXA2A	2.7 U	2.7 U	9.4 U	9.4 U	24 U	9.4 U	9.4 U	9.4 U	28 U	9.4 U	24 U	9.4 U	19 U	9.4 U
4/23/2019	XX	LTC4LXB56RA	2.9 U	2.9 U												
4/23/2019	XX	LTC4LXB56			10 UH	10 UH	26 UH	10 UH	10 UH	10 UH	31 UH	10 UH	26 UH	10 UH	21 UH	10 UH
4/28/2020	XX	LTC4LXCCIRE	2.7 U	2.7 U												
4/28/2020	XX	LTC4LXCCI	2.7 U	2.6 U	9.5 U	9.5 U	24 U	9.5 U	9.5 U	9.5 U	28 U	9.5 U	24 U	9.5 U	19 U	9.5 U
4/6/2021	XX	LTC4LXDBH	2.7 U	2.6 U	9.4 U	9.4 U	24 U	9.4 U	9.4 U	9.4 U	28 U	9.4 U	24 U	9.4 U	19 U	9.4 U

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

- U - Not Detected above the laboratory reporting limit.
- UH - Not Detected above the laboratory reporting limit. Analyzed outside U.S.EPA's recommended hold time

(LT-C4L & LT-C4LR)	2-sec-Butyl-4-6-dinitrophenol (Dinoseb)																		
Date	Type	Sample ID	ug/L																

LT-C4L & LT-C4LR																			
Date	Type	Sample ID	ug/L																
4/24/2012	XX	LTC4LX51F	4.8 U																
4/23/2013	XX	LTC4LX5HG	4.8 U																
4/22/2014	XX	LTC4LX6EH	5.2 U																
4/28/2015	XX	LTC4LX78C	4.7 U																
4/5/2016	XX	LTC4LX863	5.1 U																
4/18/2017	XX	LTC4LX96I	4.7 U																
4/3/2018	XX	LTC4LXA2A	4.4 U																
4/23/2019	XX	LTC4LXB56RA	4.8 U																
4/28/2020	XX	LTC4LXC0IRE	4.4 U																
4/28/2020	XX	LTC4LXCCI	4.4 U																
4/6/2021	XX	LTC4LXDBH	4.4 U																

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:
 U - Not Detected above the laboratory reporting limit.


APPENDIX E

**2021 WATER QUALITY SUMMARY REPORTS
AND BOX & WHISKER PLOTS**

Well Description

DP-4 is located downgradient of the landfill and former leachate pond and monitors groundwater quality within the overburden.

Screen Interval: **18.5 ft. to 24.5 ft.**
 Sampled: **1 Time Annually(field parameters only)**
 Sampled Since: **01/30/04**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)				268	100	to 965	340 ± 23		37
pH (STU)				6.1	5.6	to 7.3	6.5 ± 0.059		37
Temperature (Deg C)				14.8	6	to 23.9	13 ± 0.64		37
Water Level Elevation (Feet)				154.59	152.18	to 156.12	150 ± 0.14		37
Eh (mV)				193	-51	to 352	240 ± 14		36
Dissolved Oxygen (mg/L)				0.7	0.4	to 6	1.8 ± 0.26		37
Turbidity (field) (NTU)				4.9	0.6	to 36.2	8.7 ± 1.3		37








underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


**Juniper Ridge Landfill
DP-4**

Sevee & Maher Engineers, Inc.

Well Description

MW-04-09A monitors bedrock groundwater downgradient and north of the landfill expansion.

Screen Interval: **38 ft. to 39 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **Feb-20**
 Material Screened: **Bedrock**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)			388	369	187	to 389	310 ± 45		4
pH (STU)			7.7	7.7	7.2	to 8.7	8 ± 0.31		4
Temperature (Deg C)			10.8	9.5	6.5	to 14.9	9.9 ± 2		4
Eh (mV)			↑162	47	26	to 133	55 ± 26		4
Dissolved Oxygen (mg/L)			1	↓0.2	0.6	to 8.2	2.8 ± 1.8		4
Arsenic (mg/L)			0.005 U	0.005 U	0.005	to 0.008	0.0066 ± 0.000		5
Calcium (mg/L)			21	↑23	19	to 22	21 ± 0.68		5
Iron (mg/L)			0.25	0.72	0.22	to 1.4	0.73 ± 0.22		5
Magnesium (mg/L)			↓6.6	6.7	6.7	to 7.5	7.2 ± 0.15		5
Manganese (mg/L)			0.3	↑0.33	0.14	to 0.32	0.24 ± 0.035		5
Potassium (mg/L)			2.9	↓2.6	2.8	to 3.6	3.2 ± 0.18		5
Sodium (mg/L)			45	37	19	to 53	32 ± 6.7		5
Total Kjeldahl Nitrogen (mg/L)			0.25 U	↓0.2 U	0.25 U	to 0.25 U	0.25 ± 0		4
Nitrite/Nitrate - (N) (mg/L)			0.05 U	0.05 U	0.05 U	to 0.05 U	0.05 ± 0		4
Total Dissolved Solids (mg/L)			238	240	203	to 272	240 ± 14		4
Total Suspended Solids (mg/L)			↓3.3	27	11	to 93	44 ± 20		4
Sulfate (mg/L)			80	72	2 U	to 96	61 ± 21		4
Organic Carbon (mg/L)			4.2	3	3	to 7.1	4.9 ± 0.85		4
Chloride (mg/L)			↑5.9	5.3	4.1	to 5.7	5.1 ± 0.38		4
Bromide (mg/L)			0.1 U	0.1 U	0.1 U	to 0.1 U	0.1 ± 0		4
Turbidity (field) (NTU)			2	9.4	0.8	to 81.2	22 ± 20		4

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:


Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q3= 7 - 2021 U = Not Detected above the laboratory reporting limit.

Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- Sample Event
- BDL


Juniper Ridge Landfill
 MW-04-09A

Sevee & Maher Engineers, Inc.

Well Description

MW-04-09B monitors overburden groundwater downgradient and north of the landfill expansion

Screen Interval: **14 ft. to 15 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **Feb-20**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)			112	113	89	127	100 ± 8		4
pH (STU)			7	6.7	6.6	7.4	7.1 ± 0.17		4
Temperature (Deg C)			↑12.1	11	5.3	12	8.7 ± 1.9		4
Eh (mV)			↓235	↓303	312	417	360 ± 22		4
Dissolved Oxygen (mg/L)			↓7.2	↓7.5	9.3	10.5	9.7 ± 0.27		4
Arsenic (mg/L)			0.005 U	0.005 U	0.005 U	0.005 U	0.005 ± 0		4
Calcium (mg/L)			9	10	8.1	11	8.9 ± 0.7		4
Iron (mg/L)			0.25	↑0.32	0.14	0.28	0.2 ± 0.032		4
Magnesium (mg/L)			3.6	3.7	3.1	4.1	3.6 ± 0.2		4
Manganese (mg/L)			0.05 U	0.05 U	0.05 U	0.05 U	0.05 ± 0		4
Potassium (mg/L)			0.7	0.7	0.7	1	0.88 ± 0.063		4
Sodium (mg/L)			↓4	↓4.2	5	5.6	5.3 ± 0.13		4
Total Kjeldahl Nitrogen (mg/L)			0.25 U	↓0.2 U	0.25 U	0.28	0.26 ± 0.008		4
Nitrite/Nitrate - (N) (mg/L)			↑0.08	0.063	0.05 U	0.078	0.063 ± 0.006		4
Total Dissolved Solids (mg/L)			87	90	81	103	88 ± 5.1		4
Total Suspended Solids (mg/L)			3	2.5 U	2.5 U	4.3	3.1 ± 0.42		4
Sulfate (mg/L)			4.5	4	2 U	7.3	5.3 ± 1.2		4
Organic Carbon (mg/L)			2 U	2 U	2 U	2 U	2 ± 0		4
Chloride (mg/L)			↑4	↑3.9	2.8	3.4	3.2 ± 0.14		4
Bromide (mg/L)			0.1 U	0.1 U	0.1 U	0.1 U	0.1 ± 0		4
Turbidity (field) (NTU)			8.5	7.6	0.7	11.1	3.5 ± 2.5		4

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q3= 7 - 2021 U = Not Detected above the laboratory reporting limit.
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- Sample Event
- BDL


Juniper Ridge Landfill
MW-04-09B

Sevee & Maher Engineers, Inc.

Well Description

MW04-102 monitors groundwater in the overburden downgradient of the landfill and upgradient of Stormwater Detention Pond-1.

Screen Interval: **10 ft. to 15 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **01/18/2005**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		246	208	230	193	320	230 ± 2.9		49
pH (STU)		6.6	7.9	7.4	6.2	8.4	7.8 ± 0.057		49
Temperature (Deg C)		5.2	14.5	15.5	4	20.1	12 ± 0.6		49
Water Level Elevation (Feet)		163.67	162.02	162.22	161.8	167.62	160 ± 0.16		49
Eh (mV)		335	267	253	-8	476	310 ± 12		49
Dissolved Oxygen (mg/L)		5.4	4.7	3.4	1	7.5	3.7 ± 0.21		49
Arsenic (mg/L)		0.005 U	0.005	0.005	0.001 U	0.017	0.0053 ± 0.000		49
Calcium (mg/L)		27	26	27	23.5	31.2	26 ± 0.24		49
Iron (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	0.19	0.054 ± 0.005		49
Magnesium (mg/L)		7.3	6.4	6.8	6.3	8.1	7 ± 0.056		49
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	0.09	0.039 ± 0.003		49
Potassium (mg/L)		1.4	1.4	1.6	1.2	3.2	1.8 ± 0.053		49
Sodium (mg/L)		7.2	↓ 6.3	6.7	6.4	11	7.7 ± 0.14		49
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	↓ 0.2 U	0.25 U	3.8	0.5 ± 0.076		49
Nitrite/Nitrate - (N) (mg/L)		0.11	0.081	0.058	0.05 U	2 U	0.23 ± 0.11		18
Total Dissolved Solids (mg/L)		135	132	135	116	151	130 ± 1.2		49
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U	5	3.7 ± 0.099		49
Sulfate (mg/L)		13	13	9.5	5.7	14.5	11 ± 0.32		49
Bicarbonate Alkalinity (CaCO3) (mg/L)		110	97	100	73	110	100 ± 0.73		49
Organic Carbon (mg/L)		2 U	2 U	2 U	0.5	5.3	1.9 ± 0.14		49
Chloride (mg/L)		1.7	1 U	1.2	1 U	3.5	1.8 ± 0.082		49
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.03 U	0.2 U	0.11 ± 0.01		28
Turbidity (field) (NTU)		3	2.8	1.7	0	8.1	1.5 ± 0.21		49

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill MW04-102

Sevee & Maher Engineers, Inc.

Well Description

MW04-105 monitors groundwater in the overburden downgradient of the landfill and Stormwater Detention Pond-1.

Screen Interval: **14.8 ft. to 19.8 ft.**
 Sampled: **1 Time Annually(field parameters only)**
 Sampled Since: **01/17/2005**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)				328	217	to 703	360 ± 18		34
pH (STU)				6.8	6.1	to 7.7	6.9 ± 0.06		34
Temperature (Deg C)				14.9	6.7	to 23.8	12 ± 0.59		34
Water Level Elevation (Feet)				157.44	156.39	to 159.79	160 ± 0.13		34
Eh (mV)				170	-7	to 447	310 ± 14		34
Dissolved Oxygen (mg/L)				↓0.3	0.4	to 4	1.2 ± 0.18		34
Turbidity (field) (NTU)				1	0	to 3.7	0.92 ± 0.16		34








underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill
MW04-105

Sevee & Maher Engineers, Inc.

Well Description

MW04-109R is located to the south of Cell #5 of the landfill and near Manhole #5. This well monitors water quality within the overburden downgradient of the landfill.

Screen Interval: **15 ft. to 20 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **12/08/2009**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		403	424	386	237	to 556	420 ± 9		34
pH (STU)		6.5	6.6	6.6	6.3	to 7.9	6.7 ± 0.045		34
Temperature (Deg C)		9.7	17.9	12.1	5.9	to 21.9	13 ± 0.84		34
Water Level Elevation (Feet)		153.83	153.03	153.38	151.51	to 154.46	150 ± 0.11		34
Eh (mV)		252	207	220	-478	to 419	290 ± 29		34
Dissolved Oxygen (mg/L)		2.5	0.4	0.3	0.1 U	to 4.3	0.98 ± 0.14		34
Arsenic (mg/L)		0.005 U	0.005 U	0.007	0.002 U	to 0.033	0.012 ± 0.001		34
Calcium (mg/L)		57	57	59	50.3	to 77.2	61 ± 1		34
Iron (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	to 0.05 U	0.044 ± 0.002		34
Magnesium (mg/L)		12	12	12	9.4	to 14.3	11 ± 0.21		34
Manganese (mg/L)		0.26	0.97	1.4	0.02	to 1.4	0.52 ± 0.083		34
Potassium (mg/L)		1.8	2.4	1.8	1.7	to 2.5	2 ± 0.034		34
Sodium (mg/L)		6.1	8	6.7	6.1	to 10.6	8 ± 0.21		34
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	↓0.2 U	0.25 U	to 0.92	0.39 ± 0.025		34
Nitrite/Nitrate - (N) (mg/L)		0.065	0.05 U	0.05 U	0.05 U	to 2 U	0.23 ± 0.11		18
Total Dissolved Solids (mg/L)		245	246	248	224	to 310	260 ± 3		34
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U	to 4 U	3.5 ± 0.12		34
Sulfate (mg/L)		7.6	7.1	7.6	2.6	to 55	9.8 ± 1.4		34
Bicarbonate Alkalinity (CaCO3) (mg/L)		210	200	200	184	to 233	200 ± 2.2		34
Organic Carbon (mg/L)		2 U	2 U	2 U	1.2	to 54	3.5 ± 1.5		34
Chloride (mg/L)		3.6	4.2	2.1	1 U	to 15.9	6.5 ± 0.49		34
Bromide (mg/L)		0.2	0.2	0.1 U	0.1 U	to 0.25	0.17 ± 0.008		24
Turbidity (field) (NTU)		1.9	1	1.2	0	to 2.9	0.95 ± 0.16		34

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill
MW04-109R

Sevee & Maher Engineers, Inc.

Well Description

MW06-01 monitors overburden groundwater downgradient and east of the landfill expansion.

Screen Interval: **10 ft. to 20 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **Apr-18**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		86	↑108	↑111	67	to 102	88 ± 3.1		10
pH (STU)		6.4	7.2	6.5	6.1	to 8.1	7.2 ± 0.22		10
Temperature (Deg C)		7.6	13.1	12.6	6.4	to 18.1	9.9 ± 1.1		10
Water Level Elevation (Feet)		165.231	163.761	164.431	162.881	to 165.951	160 ± 0.52		6
Eh (mV)		442	337	356	219	to 508	360 ± 24		10
Dissolved Oxygen (mg/L)		7.9	↓5.8	↓3.9	6.8	to 13	9.8 ± 0.56		10
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.005 U	to 0.005 U	0.005 ± 3E-11		10
Calcium (mg/L)		↑12	↑12	↑13	8.4	to 11	9.2 ± 0.25		10
Iron (mg/L)		0.05 U	0.05	0.05 U	0.05 U	to 0.66	0.11 ± 0.061		10
Magnesium (mg/L)		↑3.5	↑3.3	↑3.6	2.4	to 3.2	2.7 ± 0.082		10
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U	to 0.05 U	0.05 ± 4E-10		10
Potassium (mg/L)		0.5	0.4	0.5	0.4	to 0.9	0.53 ± 0.05		10
Sodium (mg/L)		3.2	2.9	3.3	2.5	to 3.5	3 ± 0.11		10
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	↓0.2 U	0.25 U	to 0.25 U	0.25 ± 0		10
Nitrite/Nitrate - (N) (mg/L)		0.14	↑0.22	↑0.26	0.05 U	to 0.16	0.11 ± 0.011		10
Total Phosphorus Mixed Forms (PO4 and		0.04 U			0.04 U	to 0.04 U	0.04 ± 0		2
Total Dissolved Solids (mg/L)		↑81	↑83	↑98	50	to 78	64 ± 3.5		10
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U	to 2.5 U	2.5 ± 0		10
Sulfate (mg/L)		↓2 U	2.6	2.4	2.3	to 9.2	3.5 ± 0.64		10
Bicarbonate Alkalinity (CaCO3) (mg/L)		↑37	↑39	↑40	23	to 34	30 ± 1.6		6
Organic Carbon (mg/L)		2 U	2 U	2 U	2 U	to 4.9	2.3 ± 0.29		10
Biochemical Oxygen Demand (mg/L)		↑2 U			1 U	to 1 U	1 ± 0		3
Chloride (mg/L)		7.9	↑11	↑11	1.3	to 8.9	6.5 ± 0.73		10
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.1 U	0.1 ± 9E-10		10
Turbidity (field) (NTU)		0.3	0.2	0.1	0.1	to 3.5	1.1 ± 0.42		10
Methane (ug/L)		20 U			No historical data for Methane.				

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

- Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
- Q3= 7 - 2021
- Q4= 10 - 2021



LEGEND

	<ul style="list-style-type: none"> - Maximum Value - 75th Percentile - Median - 25th Percentile - Minimum Value 		<ul style="list-style-type: none"> - Sample Event
			<ul style="list-style-type: none"> - BDL


Juniper Ridge Landfill MW06-01

Sevee & Maher Engineers, Inc.

Well Description

MW09-901 is located to the south of Cell #5 and detention pond #2 of the landfill. This well monitors water quality within the overburden downgradient of the landfill.

Screen Interval: **15 ft. to 20 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **12/08/2009**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		373	360	346	178	to 482	300 ± 14		34
pH (STU)		↓6.4	6.6	↓6.3	6.5	to 8.4	7.4 ± 0.09		34
Temperature (Deg C)		10.2	15.6	13.8	4.6	to 20.4	13 ± 0.69		34
Water Level Elevation (Feet)		159.1	157.4	157.8	153.18	to 159.21	160 ± 0.26		34
Eh (mV)		278	212	231	20	to 464	330 ± 15		34
Dissolved Oxygen (mg/L)		2.1	0.3	0.2	0.1 U	to 5.4	2.4 ± 0.28		34
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.002 U	to 0.019	0.0075 ± 0.000		34
Calcium (mg/L)		47	42	43	18.8	to 58	35 ± 2.1		34
Iron (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	to 0.18	0.05 ± 0.004		34
Magnesium (mg/L)		13	12	12	5.4	to 14	9.4 ± 0.52		34
Manganese (mg/L)		0.05 U	0.05 U	0.07	0.02 U	to 0.39	0.062 ± 0.01		34
Potassium (mg/L)		1.6	1.6	1.5	1.5	to 2.6	2.1 ± 0.058		34
Sodium (mg/L)		8.3	8.6	8.4	4.9	to 17.4	9.4 ± 0.52		34
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	↓0.24	0.25 U	to 1.5	0.4 ± 0.038		34
Nitrite/Nitrate - (N) (mg/L)		0.086	0.05 U	0.05 U	0.05 U	to 2 U	0.36 ± 0.11		18
Total Dissolved Solids (mg/L)		227	209	202	103	to 235	170 ± 8.1		34
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U	to 4	3.5 ± 0.12		34
Sulfate (mg/L)		12	12	11	4.6	to 47	13 ± 1.2		34
Bicarbonate Alkalinity (CaCO3) (mg/L)		180	160	160	75	to 180	130 ± 6.6		34
Organic Carbon (mg/L)		2 U	2 U	2 U	0.7 U	to 39	2.9 ± 1.1		34
Chloride (mg/L)		3.5	4.1	2.5	1 U	to 14	4.6 ± 0.5		34
Bromide (mg/L)		0.29	0.24	0.1	0.1 U	to 0.32	0.16 ± 0.015		24
Turbidity (field) (NTU)		1.5	1.2	1.4	0	to 10.1	1.8 ± 0.31		34

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill
MW09-901

Sevee & Maher Engineers, Inc.

Well Description

MW-204 monitors the overburden water quality downgradient from the landfill.

Screen Interval: **13.8 ft. to 18.8 ft.**
 Sampled: **1 Time Annually(field parameters only)**
 Sampled Since: **11/13/90**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)				↑ 357	100	to 340	190 ± 5.8		85
pH (STU)				6.8	5.7	to 9.2	6.8 ± 0.061		85
Temperature (Deg C)				13.6	-1	to 18	10 ± 0.37		85
Water Level Elevation (Feet)				155.1	150.53	to 161.5	160 ± 0.22		82
Eh (mV)				183	35.2	to 491	290 ± 15		47
Dissolved Oxygen (mg/L)				0.7	0.3	to 5.2	1.5 ± 0.13		63
Turbidity (field) (NTU)				2.8	0	to 31	2.7 ± 0.71		62








underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill
MW-204

Sevee & Maher Engineers, Inc.

Well Description

MW-206 monitors overburden water quality upgradient of the landfill.

Screen Interval: **15 ft. to 20 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **04/27/93**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		150	159	154	89	to 269	140 ± 2.4		91
pH (STU)		7.3	7.8	8.2	6.2	to 8.6	7.9 ± 0.049		91
Temperature (Deg C)		5.5	11	10.3	2.9	to 17.5	9.7 ± 0.35		91
Water Level Elevation (Feet)		200.02	197.77	198.87	186.1	to 201.59	200 ± 0.37		88
Eh (mV)		225	267	243	-334	to 464	260 ± 16		62
Dissolved Oxygen (mg/L)		7.1	7	6	2	to 10.9	6.9 ± 0.22		77
Arsenic (mg/L)		0.006	0.005 U	0.009	0.001	to 0.022	0.0073 ± 0.000		51
Calcium (mg/L)		18	16	18	13	to 27.2	16 ± 0.21		78
Copper (mg/L)			0.003 U	0.003 U	0.001 U	to 0.02 U	0.0052 ± 0.001		30
Iron (mg/L)		0.05 U	0.05 U	0.05 U	0.012	to 1.2	0.14 ± 0.023		84
Magnesium (mg/L)		5.3	4.6	4.9	2.7	to 6.9	4.6 ± 0.061		78
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.003	to 0.32	0.036 ± 0.004		84
Potassium (mg/L)		0.7	0.5	0.8	0.3	to 2.5	0.83 ± 0.045		51
Sodium (mg/L)		4.6	4	4.5	3.7	to 25	5.5 ± 0.25		84
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	0.31	0.15 U	to 2.4	0.56 ± 0.071		56
Ammonia (N) (mg/L)			0.5 U	0.5 U	0.07	to 2	0.24 ± 0.062		33
Nitrite/Nitrate - (N) (mg/L)		0.14	0.12	0.11	0.05 U	to 2 U	0.3 ± 0.1		18
Total Dissolved Solids (mg/L)		93	90	95	30	to 190	90 ± 2.4		84
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U	to 37	5 ± 0.69		51
Sulfate (mg/L)		2.3	2.1	2 U	0.2	to 5 U	2 ± 0.13		84
Sulfide (mg/L)			0.1 U	0.1 U	0.1 U	to 0.1 U	0.1 ± 8E-10		5
Bicarbonate Alkalinity (CaCO3) (mg/L)		70			58	to 80	69 ± 0.45		51
Alkalinity (CaCO3) (mg/L)			68	70	No historical data for Alkalinity (CaCO3).				
Organic Carbon (mg/L)		2 U	2 U	2 U	0.5 U	to 9	1.8 ± 0.15		84
Chloride (mg/L)		2.8	2.4	2.4	0.8	to 10 U	2.6 ± 0.3		84
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 1.2	0.16 ± 0.046		24
Turbidity (field) (NTU)		1.3	2.5	1.2	0	to 40	2.4 ± 0.61		76
Methane (ug/L)			20 U	20 U	No historical data for Methane.				

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill
MW-206

Sevee & Maher Engineers, Inc.

Well Description

MW-223A monitors the bedrock water quality downgradient of the landfill.

Screen Interval: **28 ft. to 33 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **11/12/90**
 Material Screened: **Bedrock**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		599	622	628	79	to 651	280 ± 16		93
pH (STU)		7.1	7.4	7.3	6.1	to 8.4	7.4 ± 0.035		93
Temperature (Deg C)		6.7	12.7	10.5	4.5	to 16.2	9.4 ± 0.27		93
Water Level Elevation (Feet)		174.94	173.39	174.19	169.83	to 176.4	170 ± 0.12		90
Eh (mV)		225	149	166	-345	to 445	280 ± 15		62
Dissolved Oxygen (mg/L)		1.9	0.3	0.3	0.1 U	to 9.4	3.1 ± 0.27		76
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.001 U	to 0.034	0.0064 ± 0.000		51
Calcium (mg/L)		100	99	↑ 110	23	to 100	48 ± 2.9		81
Iron (mg/L)		0.05 U	0.05 U	0.05 U	0.005	to 120	1.5 ± 1.4		85
Magnesium (mg/L)		11	11	11	2.3	to 11	5.4 ± 0.32		81
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.001	to 4	0.075 ± 0.047		85
Potassium (mg/L)		0.9	1	1	0.4	to 1.3	0.77 ± 0.025		51
Sodium (mg/L)		5.5	5.7	6.2	1.8	to 9.8	3.9 ± 0.13		85
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	0.26	0.15 U	to 0.8	0.37 ± 0.018		60
Nitrite/Nitrate - (N) (mg/L)		0.46	0.52	0.6	0.17	to 2 U	0.64 ± 0.086		18
Total Dissolved Solids (mg/L)		365	371	↑ 387	36	to 376	190 ± 11		85
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U	to 4 U	3.6 ± 0.09		51
Sulfate (mg/L)		21	20	21	2.9	to 59	8 ± 0.79		85
Bicarbonate Alkalinity (CaCO3) (mg/L)		↑ 260	250	↑ 260	86	to 250	150 ± 6.9		51
Organic Carbon (mg/L)		2 U	2 U	2 U	0.5 U	to 44	1.9 ± 0.51		85
Chloride (mg/L)		24	32	30	1 U	to 57.6	16 ± 1.7		85
Bromide (mg/L)		0.2	0.1 U	0.1 U	0.1 U	to 0.23	0.14 ± 0.009		24
Turbidity (field) (NTU)		0.7	1.6	2.3	0	to 999	17 ± 13		74

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill
MW-223A

Sevee & Maher Engineers, Inc.

Well Description

MW-223B monitors the overburden water quality downgradient of the landfill.

Screen Interval: **12.6 ft. to 17.6 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **11/12/90**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		505	521	531	100	to 596	260 ± 13		92
pH (STU)		6.8	7	6.8	6.3	to 8.2	7.2 ± 0.032		92
Temperature (Deg C)		5.8	11.4	11.7	3.8	to 17.7	9.7 ± 0.32		92
Water Level Elevation (Feet)		173.03	172.53	172.33	169.03	to 175.24	170 ± 0.12		89
Eh (mV)		239	180	197	-402	to 446	270 ± 18		61
Dissolved Oxygen (mg/L)		0.3	0.2	0.2	0.1 U	to 7.6	1.6 ± 0.16		75
Arsenic (mg/L)		0.005 U	0.005	0.005 U	0.001 U	to 0.017	0.0058 ± 0.000		51
Calcium (mg/L)		67	↑71	↑71	16	to 68	36 ± 1.8		81
Iron (mg/L)		0.05	0.09	0.19	0.009	to 0.58	0.11 ± 0.014		85
Magnesium (mg/L)		16	16	16	3.7	to 17	8.6 ± 0.45		81
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.001 U	to 0.16	0.036 ± 0.003		85
Potassium (mg/L)		0.8	0.9	1	0.3	to 2	0.79 ± 0.037		51
Sodium (mg/L)		5.2	5.7	5.7	2.1	to 6.4	4.3 ± 0.091		85
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	0.61	0.15 U	to 2.5 U	0.47 ± 0.048		60
Nitrite/Nitrate - (N) (mg/L)		0.58	0.61	0.6	0.15	to 2 U	0.58 ± 0.093		18
Total Dissolved Solids (mg/L)		309	308	↑340	67	to 330	170 ± 7.7		85
Total Suspended Solids (mg/L)		3	2.5 U	2.5 U	2.5 U	to 12	3.8 ± 0.19		51
Sulfate (mg/L)		14	16	16	2.2	to 53	6.2 ± 0.65		85
Bicarbonate Alkalinity (CaCO3) (mg/L)		↑200	↑200	↑200	92	to 190	130 ± 3.7		51
Organic Carbon (mg/L)		2 U	2 U	2 U	0.5 U	to 47	2.2 ± 0.55		85
Chloride (mg/L)		31	38	35	1 U	to 55.7	15 ± 1.7		85
Bromide (mg/L)		0.2 U	0.1 U	0.1	0.03	to 4.13	0.3 ± 0.15		26
Turbidity (field) (NTU)		0.8	1.3	1.2	0	to 83	2.3 ± 1.1		73
Methane (ug/L)		20 U	20 U	20 U	9.2	to 40.6	21 ± 1.5		17

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L













↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.

Q3= 7 - 2021

Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill
MW-223B

Sevee & Maher Engineers, Inc.

Well Description

MW-227 monitors water quality in the overburden downgradient of the landfill.

Screen Interval: **15 ft. to 20 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **11/13/90**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		190	190	191	90	to 310	180 ± 2.8		94
pH (STU)		7.7	8.1	8.2	6.2	to 8.9	8 ± 0.044		94
Temperature (Deg C)		6	12.1	11.9	1	to 16.8	9.8 ± 0.35		94
Water Level Elevation (Feet)		159.9	159.43	159.58	149.5	to 161.09	160 ± 0.21		91
Eh (mV)		226	125	180	-455	to 411	270 ± 17		62
Dissolved Oxygen (mg/L)		3.6	0.6	0.2	0.1 U	to 8.7	2.4 ± 0.19		77
Arsenic (mg/L)		0.013	0.012	0.015	0.007	to 0.024	0.014 ± 0.000		51
Calcium (mg/L)		24	23	24	16	to 26	22 ± 0.2		82
Iron (mg/L)		0.07	0.19	0.13	0.008	to 0.65	0.072 ± 0.01		88
Magnesium (mg/L)		5.5	5.3	5.4	3.6	to 6	5.3 ± 0.048		82
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.004	to 0.17	0.034 ± 0.003		88
Potassium (mg/L)		1	1.1	1.1	0.6	to 1.6	1 ± 0.022		51
Sodium (mg/L)		4.8	5.1	5.3	3.1	to 11	6.3 ± 0.14		88
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	0.2 U	0.15 U	to 1	0.36 ± 0.019		61
Nitrite/Nitrate - (N) (mg/L)		0.067	0.05 U	0.05 U	0.05 U	to 2 U	0.22 ± 0.11		18
Total Dissolved Solids (mg/L)		102	112	119	59	to 222	110 ± 2.5		88
Total Suspended Solids (mg/L)		2.5 U	2.5 U	3	2.5 U	to 10	3.9 ± 0.14		51
Sulfate (mg/L)		13	11	12	1.3	to 17.3	11 ± 0.28		88
Bicarbonate Alkalinity (CaCO3) (mg/L)		↑90	83	82	75	to 89	80 ± 0.38		51
Organic Carbon (mg/L)		2 U	2 U	2 U	0.5 U	to 42	2.4 ± 0.51		88
Chloride (mg/L)		1.7	1 U	1.2	1 U	to 22.9	2.8 ± 0.37		88
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.2 U	0.12 ± 0.008		24
Turbidity (field) (NTU)		2.9	3.2	3.7	0	to 962	14 ± 13		75

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill
MW-227

Sevee & Maher Engineers, Inc.

Well Description

MW-301 monitors the water quality within the bedrock downgradient of the landfill.

Screen Interval: **162.7 ft. to 182.7 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **11/25/96**
 Material Screened: **Bedrock**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		255	239	259	82 to 340		190 ± 5.2		74
pH (STU)		7.4	8.2	8.1	6.2 to 8.4		7.8 ± 0.056		74
Temperature (Deg C)		7.4	13.8	12.6	3.2 to 19.1		11 ± 0.42		74
Water Level Elevation (Feet)		165.41	165.14	165.01	161.16 to 166.36		160 ± 0.23		68
Eh (mV)		249	127	95	25 to 471		270 ± 13		61
Dissolved Oxygen (mg/L)		0.3	0.1	0.2	0.1 to 5.5		2 ± 0.2		72
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.001 to 0.018		0.0058 ± 0.000		50
Calcium (mg/L)		28	24	24	14.9 to 31.4		19 ± 0.37		70
Iron (mg/L)		0.14	0.06	0.05 U	0.011 to 1.59		0.15 ± 0.026		74
Magnesium (mg/L)		↑7.1	6	6.1	2.5 to 6.6		4.7 ± 0.094		70
Manganese (mg/L)		0.11	0.07	0.07	0.001 to 0.18		0.036 ± 0.003		74
Potassium (mg/L)		0.8	0.9	0.8	0.4 to 1.2		0.76 ± 0.019		50
Sodium (mg/L)		13	13	13	6.8 to 14.2		11 ± 0.24		74
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	0.2 U	0.15 U to 0.6		0.38 ± 0.016		50
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U to 2 U		0.22 ± 0.11		18
Total Dissolved Solids (mg/L)		↑171	152	↑163	66 to 161		120 ± 2.6		74
Total Suspended Solids (mg/L)		6.5	2.5 U	2.5 U	2.5 U to 21		5.9 ± 0.68		50
Sulfate (mg/L)		19	17	18	4.9 to 19		12 ± 0.42		74
Bicarbonate Alkalinity (CaCO3) (mg/L)		76	74	76	70 to 91		76 ± 0.49		50
Organic Carbon (mg/L)		2 U	↑16	2 U	0.5 U to 6.8		1.6 ± 0.12		74
Chloride (mg/L)		26	21	22	1 U to 26		6 ± 0.78		74
Bromide (mg/L)		0.1 U	0.1	0.1 U	0.1 U to 0.2 U		0.12 ± 0.008		23
Turbidity (field) (NTU)		2	3.6	1.5	0 to 18		2.1 ± 0.39		71

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill
MW-301

Sevee & Maher Engineers, Inc.

Well Description

MW-302R monitors the water quality in the shallow bedrock beside the landfill, but not directly downgradient of the landfill.

Screen Interval: **19.5 ft. to 29.5 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **05/20/2008**
 Material Screened: **Bedrock**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		662	504	450	167	to 851	380 ± 25		39
pH (STU)		6	6.5	6.3	5.7	to 7.1	6.6 ± 0.043		39
Temperature (Deg C)		↓5.9	10.7	11.4	6	to 13.6	10 ± 0.38		39
Water Level Elevation (Feet)		200.56	192.41	195.66	187.26	to 202.74	200 ± 0.74		39
Eh (mV)		297	284	246	223	to 546	350 ± 11		39
Dissolved Oxygen (mg/L)		1.4	1.1	↓0.9	1	to 9	3.8 ± 0.35		39
Arsenic (mg/L)		0.005 U	0.006	0.005 U	0.002 U	to 0.015	0.0064 ± 0.000		39
Calcium (mg/L)		38	59	56	17.6	to 140	42 ± 3.7		39
Iron (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	to 0.19	0.048 ± 0.005		39
Magnesium (mg/L)		2.9	5.2	4.2	1.4	to 8.6	3.3 ± 0.25		39
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	to 0.1	0.043 ± 0.003		39
Potassium (mg/L)		0.9	1.2	1.1	0.5	to 2.4	1 ± 0.06		39
Sodium (mg/L)		15	28	24	6	to 35	18 ± 1.1		39
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.26	0.25	0.25 U	to 1.2	0.41 ± 0.029		39
Nitrite/Nitrate - (N) (mg/L)		0.65	0.97	1	0.05 U	to 2 U	0.41 ± 0.1		18
Total Dissolved Solids (mg/L)		160	328	262	78	to 506	230 ± 13		39
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U	to 5 U	3.6 ± 0.11		39
Sulfate (mg/L)		11	31	22	5.6	to 38	18 ± 1.3		39
Bicarbonate Alkalinity (CaCO3) (mg/L)		84	120	140	43	to 330	80 ± 8.9		39
Organic Carbon (mg/L)		2 U	↑64	2 U	0.7 U	to 24	2.3 ± 0.58		39
Chloride (mg/L)		18	68	34	12.8	to 91.3	47 ± 3.2		39
Bromide (mg/L)		0.2 U	↑0.5 U	0.1 U	0.1 U	to 0.2 U	0.14 ± 0.009		24
Turbidity (field) (NTU)		3.1	4.5	1.5	0	to 5.5	1.5 ± 0.17		39

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill
MW-302R

Sevee & Maher Engineers, Inc.

Well Description

MW12-303R was installed in September 2012 to replace MW-303. MW12-303R monitors the background water quality at the site upgradient of the landfill.

Screen Interval: **30.4 ft. to 40.4 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **10/23/12**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		442	531	673	189	to 1711	470 ± 58		26
pH (STU)		↓5.7	6.2	6.3	5.9	to 7	6.4 ± 0.056		26
Temperature (Deg C)		8.8	13.7	11.5	6.7	to 14.4	11 ± 0.4		26
Water Level Elevation (Feet)		178.59	177.29	177.12	175.49	to 184.54	180 ± 0.49		26
Eh (mV)		354	318	234	158	to 447	350 ± 13		26
Dissolved Oxygen (mg/L)		4.6	4.5	1.8	0.2	to 7.7	2.4 ± 0.43		26
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.005 U	to 0.036	0.009 ± 0.001		26
Calcium (mg/L)		46	55	65	16.6	to 160	46 ± 5.3		26
Iron (mg/L)		0.05 U	0.06	0.05 U	0.05 U	to 2.29	0.18 ± 0.088		26
Magnesium (mg/L)		6.4	7.2	8.3	2.5	to 22	9 ± 0.73		26
Manganese (mg/L)		0.06	0.07	0.1	0.05 U	to 3.13	0.31 ± 0.12		26
Potassium (mg/L)		2.4	3.3	3.3	1.4	to 5.7	2.7 ± 0.25		26
Sodium (mg/L)		22	28	37	8.8	to 110	30 ± 4.7		26
Total Kjeldahl Nitrogen (mg/L)		0.49	0.89	0.44	0.25 U	to 2	0.6 ± 0.069		26
Nitrite/Nitrate - (N) (mg/L)		1.9	3.8	0.2	0.05 U	to 12	1.7 ± 0.65		19
Total Dissolved Solids (mg/L)		294	425	454	143	to 1016	290 ± 34		26
Total Suspended Solids (mg/L)		5	2.5 U	3	2.5 U	to 130	11 ± 5.1		26
Sulfate (mg/L)		26	22	29	2 U	to 430	30 ± 16		26
Bicarbonate Alkalinity (CaCO3) (mg/L)		69	70	110	42	to 162	110 ± 5.1		26
Organic Carbon (mg/L)		4.3	6.8	6.4	2 U	to 34	5.5 ± 1.3		26
Chloride (mg/L)		59	97	110	4.9	to 220	46 ± 8.2		26
Bromide (mg/L)		0.2 U	0.5 U	0.3 U	0.1 U	to 2.4	0.31 ± 0.095		24
Turbidity (field) (NTU)		2.3	3.6	2	0.5	to 37.5	4.7 ± 1.5		26

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill
 MW-303 & MW12-303R

Sevee & Maher Engineers, Inc.

Well Description

MW-401A monitors bedrock water quality downgradient of the landfill and former leachate pond.

Screen Interval: **98.8 ft. to 108.8 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **07/29/04**
 Material Screened: **Bedrock**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		125	124	128	73	303	130 ± 4.3		50
pH (STU)		7.7	6.6	7.6	6.6	8.6	7.9 ± 0.065		50
Temperature (Deg C)		6.6	11.1	10.6	6.6	17.8	9.6 ± 0.28		50
Water Level Elevation (Feet)		155.31	150.72	153.42	148.11	155.96	150 ± 0.32		50
Eh (mV)		207	329	240	152	516	330 ± 13		50
Dissolved Oxygen (mg/L)		5.2	5.3	4.6	1.2	11.1	5.4 ± 0.21		50
Arsenic (mg/L)		0.005	0.007	0.005 U	0.001 U	0.018	0.0059 ± 0.000		50
Calcium (mg/L)		17	17	18	11	18	15 ± 0.21		50
Iron (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	0.07	0.041 ± 0.002		50
Magnesium (mg/L)		↑4.9	4.5	4.8	3.7	4.8	4.2 ± 0.044		50
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	0.05 U	0.037 ± 0.002		50
Potassium (mg/L)		0.8	0.7	0.8	0.3	1.4	0.72 ± 0.025		50
Sodium (mg/L)		4.1	3.6	4.1	3.2	5.2	4 ± 0.063		50
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	↓0.24	0.25 U	1.1	0.41 ± 0.024		50
Nitrite/Nitrate - (N) (mg/L)		0.11	0.091	0.095	0.05 U	1 U	0.19 ± 0.057		18
Total Dissolved Solids (mg/L)		98	101	98	68	116	90 ± 1.3		50
Total Suspended Solids (mg/L)		3	2.5 U	2.5 U	2.5 U	7	3.7 ± 0.11		50
Sulfate (mg/L)		4.7	4.2	4	2 U	5	3.5 ± 0.13		50
Bicarbonate Alkalinity (CaCO3) (mg/L)		62	62	62	51	64	58 ± 0.44		50
Organic Carbon (mg/L)		2 U	↑9.6	2 U	0.5 U	6.3	2 ± 0.17		50
Chloride (mg/L)		↑6.1	↑6.2	↑6.8	1	5.3	2.4 ± 0.15		50
Bromide (mg/L)		0.11	0.1 U	0.1 U	0.1 U	0.2 U	0.12 ± 0.008		24
Turbidity (field) (NTU)		0.5	0.3	0.2	0	4.9	0.58 ± 0.13		50

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND


- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill
MW-401A

Well Description

MW-401B is located downgradient of the landfill and former leachate pond and monitors groundwater quality in the overburden.

- Screen Interval: **10 ft. to 20 ft.**
- Sampled: **3 Times Annually**
- Sampled Since: **07/29/04**
- Material Screened: **Overburden**
- Well Condition: **Good**
- Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		268	283	287	180	to 699	350 ± 16		50
pH (STU)		6.7	6.4	6.5	5.9	to 7.7	6.8 ± 0.056		50
Temperature (Deg C)		6.2	9.7	11.1	5.9	to 16.1	9.5 ± 0.3		50
Water Level Elevation (Feet)		150.82	150.14	150.64	148.47	to 151.12	150 ± 0.08		50
Eh (mV)		126	158	139	-33	to 417	180 ± 14		50
Dissolved Oxygen (mg/L)		0.2	0.6	0.2	0.1	to 5	0.85 ± 0.12		50
Arsenic (mg/L)		0.009	0.005 U	0.008	0.002	to 0.058	0.016 ± 0.002		50
Calcium (mg/L)		39	37	41	25.3	to 100	41 ± 2.1		50
Iron (mg/L)		1.3	1.3	1.4	0.19	to 19	2.7 ± 0.46		50
Magnesium (mg/L)		11	10	11	8	to 36	12 ± 0.7		50
Manganese (mg/L)		0.11	0.1	0.1	0.05	to 2.9	0.34 ± 0.078		50
Potassium (mg/L)		1.2	1.2	1.4	0.9	to 3.2	1.4 ± 0.07		50
Sodium (mg/L)		11	10	12	9.7	to 33	15 ± 0.82		50
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	↓0.2 U	0.24	to 3.2	0.47 ± 0.061		50
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U	to 1 U	0.17 ± 0.06		18
Total Dissolved Solids (mg/L)		183	198	199	142	to 488	220 ± 9.8		50
Total Suspended Solids (mg/L)		2.5	2.5 U	2.5 U	2.5 U	to 36	4.9 ± 0.71		50
Sulfate (mg/L)		12	11	11	5.3	to 69.2	18 ± 1.8		50
Bicarbonate Alkalinity (CaCO3) (mg/L)		150	160	160	108	to 245	150 ± 4.5		50
Organic Carbon (mg/L)		2 U	↑49	2 U	0.7 U	to 23	2.9 ± 0.45		50
Chloride (mg/L)		↓1 U	↓1.5	↓5	6.3	to 40.5	14 ± 1.2		50
Bromide (mg/L)		↑0.24	0.21	0.2	0.1 U	to 0.23	0.17 ± 0.009		24
Turbidity (field) (NTU)		0.2	0.2	0.3	0	to 6.7	1.2 ± 0.19		50

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a “U” qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

- Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
- Q3= 7 - 2021
- Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill
MW-401B

Sevee & Maher Engineers, Inc.

Well Description

MW-402A monitors water quality within the bedrock downgradient of the landfill.

Screen Interval: **95.5 ft. to 105.5 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **07/29/04**
 Material Screened: **Bedrock**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		114	112	118	58	to 197	130 ± 2.6		50
pH (STU)		7.9	8.1	7.6	7.3	to 9.5	8.3 ± 0.068		50
Temperature (Deg C)		7.7	10.5	11.9	5.2	to 14.7	10 ± 0.36		50
Water Level Elevation (Feet)			152.15	152.14	151.74	to 152.2	150 ± 0.029		21
Eh (mV)		384	243	181	106	to 460	310 ± 12		50
Dissolved Oxygen (mg/L)		3.3	3	↓ 1.8	2	to 6.1	4.1 ± 0.15		50
Arsenic (mg/L)		<u>0.017</u>	<u>0.015</u>	<u>0.019</u>	0.012	to 0.028	0.019 ± 0.000		50
Calcium (mg/L)		14	11	13	7.7	to 14	11 ± 0.17		50
Iron (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	to 0.26	0.043 ± 0.005		50
Magnesium (mg/L)		↑ 3.6	2.9	3.2	2.6	to 3.4	3 ± 0.029		50
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	to 0.05 U	0.036 ± 0.002		50
Potassium (mg/L)		0.7	0.4	0.7	0.3	to 1.3	0.65 ± 0.02		50
Sodium (mg/L)		9.1	7.7	9.1	7.4	to 11	8.8 ± 0.12		50
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	0.2 U	0.15 U	to 1	0.39 ± 0.022		50
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.059	0.05 U	0.05 U	to 2 U	0.22 ± 0.11		18
Total Dissolved Solids (mg/L)		94	84	87	58	to 100	83 ± 1.2		50
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U	to 4 U	3.6 ± 0.092		50
Sulfate (mg/L)		7.8	8.9	8.9	3	to 11	6.7 ± 0.29		50
Bicarbonate Alkalinity (CaCO3) (mg/L)		↑ 60	54	56	46	to 59	53 ± 0.38		50
Organic Carbon (mg/L)		2 U	2 U	2 U	0.5 U	to 8.1	1.9 ± 0.17		50
Chloride (mg/L)		1.3	1.8	1.8	0.8	to 3.1	1.7 ± 0.061		50
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.2 U	0.12 ± 0.008		24
Turbidity (field) (NTU)		0.1	0.4	0.3	0	to 3.7	0.46 ± 0.097		50

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND


- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill
MW-402A

Well Description

MW-402B monitors water quality within the overburden downgradient of the landfill.

Screen Interval: **12 ft. to 22 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **07/29/04**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		132	130	132	96	to 246	150 ± 2.9		50
pH (STU)		8.3	8.2	7.5	7	to 9.2	8.4 ± 0.064		50
Temperature (Deg C)		7.3	9.9	11.4	5.2	to 13.8	9.2 ± 0.29		50
Water Level Elevation (Feet)		150.09	148.99	149.59	146.92	to 150.56	150 ± 0.13		50
Eh (mV)		276	185	128	11	to 467	250 ± 14		50
Dissolved Oxygen (mg/L)		0.2	0.5	0.2	0.1	to 6.8	0.8 ± 0.15		50
Arsenic (mg/L)		0.018	0.019	0.021	0.01	to 0.031	0.018 ± 0.000		50
Calcium (mg/L)		↑18	15	16	13	to 17.2	15 ± 0.14		50
Iron (mg/L)		0.05 U	0.05 U	↑0.22	0.02 U	to 0.18	0.042 ± 0.004		50
Magnesium (mg/L)		↑5.9	4.6	5.2	4.5	to 5.5	5 ± 0.034		50
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	to 0.05	0.037 ± 0.002		50
Potassium (mg/L)		0.7	0.4	0.7	0.4	to 2.2	0.7 ± 0.036		50
Sodium (mg/L)		9.2	7.8	9	7.6	to 12	8.6 ± 0.13		50
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	↓0.2 U	0.21	to 0.61	0.38 ± 0.015		50
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U	to 2 U	0.21 ± 0.11		18
Total Dissolved Solids (mg/L)		96	93	93	64	to 124	94 ± 1.4		50
Total Suspended Solids (mg/L)		2.5 U	2.5 U	↑35	2.5 U	to 9.3	4 ± 0.18		50
Sulfate (mg/L)		8.4	10	9.7	2.3	to 44.9	9 ± 0.77		50
Bicarbonate Alkalinity (CaCO3) (mg/L)		71	67	69	34	to 79	66 ± 0.79		50
Organic Carbon (mg/L)		2 U	2 U	2 U	0.5 U	to 6.1	1.9 ± 0.16		50
Chloride (mg/L)		1.1	1.3	1.3	1	to 26.5	2.6 ± 0.59		50
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.2 U	0.12 ± 0.008		24
Turbidity (field) (NTU)		0.7	0.2	0.3	0	to 3.5	0.51 ± 0.12		50

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill
MW-402B

Sevee & Maher Engineers, Inc.

Well Description

MW-501 monitors bedrock groundwater downgradient and east of the landfill expansion.

Screen Interval: **57 ft. to 67 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **Apr-18**
 Material Screened: **Bedrock**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		229	242	192	157	to 367	250 ± 21		10
pH (STU)		6.7	7.3	7	6	to 8.8	7.3 ± 0.26		10
Temperature (Deg C)		8.6	11.1	10.9	6.5	to 15.5	9.6 ± 0.86		10
Eh (mV)		390	327	304	200	to 553	360 ± 34		10
Dissolved Oxygen (mg/L)		2.7	4.3	5.2	0.9	to 13.3	6.3 ± 1		10
Arsenic (mg/L)		0.005 U	0.005 U	0.005	0.005 U	to 0.009	0.0062 ± 0.000		10
Calcium (mg/L)		38	30	31	21	to 60	37 ± 4.1		10
Copper (mg/L)			0.003 U	0.003 U	0.003 U	to 0.003 U	0.003 ± 0		2
Iron (mg/L)		0.05 U	0.06	0.05 U	0.05 U	to 0.17	0.062 ± 0.012		10
Magnesium (mg/L)		7	5.8	6.2	4.7	to 9.2	6.3 ± 0.5		10
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U	to 0.21	0.07 ± 0.016		10
Potassium (mg/L)		0.8	↓0.6	0.8	0.7	to 1.1	0.82 ± 0.044		10
Sodium (mg/L)		4.9	4	4.3	3.5	to 6.4	4.7 ± 0.31		10
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	↓0.2 U	0.25 U	to 0.33	0.26 ± 0.008		10
Ammonia (N) (mg/L)			0.5 U	0.5 U	0.5 U	to 0.5 U	0.5 ± 0		2
Nitrite/Nitrate - (N) (mg/L)		0.22	0.26	0.33	0.077	to 0.57	0.27 ± 0.043		10
Total Phosphorus Mixed Forms (PO4 and		0.04 U			0.04 U	to 0.04 U	0.04 ± 0		2
Total Dissolved Solids (mg/L)		167	153	161	105	to 247	170 ± 15		10
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U	to 2.5 U	2.5 ± 0		10
Sulfate (mg/L)		↓2 U	3.6	3.2	2.5	to 47	7.9 ± 4.4		10
Sulfide (mg/L)			0.1 U	0.1 U	0.1 U	to 0.1 U	0.1 ± 0		2
Bicarbonate Alkalinity (CaCO3) (mg/L)		110			72	to 170	120 ± 17		6
Alkalinity (CaCO3) (mg/L)			100	96	83	to 100	90 ± 4		4
Organic Carbon (mg/L)		2 U	2 U	2 U	2 U	to 22	4.4 ± 2		10
Biochemical Oxygen Demand (mg/L)		2 U			1 U	to 2 U	1.3 ± 0.33		3
Chloride (mg/L)		15	15	14	2.4	to 24	12 ± 2.1		10
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.12	0.1 ± 0.002		10
Turbidity (field) (NTU)		0.4	0.2	0.1	0.1	to 3.9	0.99 ± 0.44		10
Methane (ug/L)		20 U	20 U	20 U	No historical data for Methane.				

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021

Data Group: 606

Printed: 4/13/2022 07:21





LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- Sample Event
- BDL


Juniper Ridge Landfill MW-501

Sevee & Maher Engineers, Inc.

Well Description

MW-502 monitors bedrock groundwater downgradient and east of the landfill expansion.

Screen Interval: **38 ft. to 43 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **Feb-20**
 Material Screened: **Bedrock**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)			315	343	280	389	320 ± 23		4
pH (STU)			↓7.5	↓7.4	7.9	8.4	8.1 ± 0.12		4
Temperature (Deg C)			14.1	13.9	7.2	18.7	13 ± 3.2		4
Eh (mV)			319	251	249	390	320 ± 30		4
Dissolved Oxygen (mg/L)			↓2	↓2.1	2.7	5.8	4 ± 0.66		4
Arsenic (mg/L)			0.005 U	0.005 U	0.005 U	0.005 U	0.005 ± 0		4
Calcium (mg/L)			↑59	↑64	34	39	37 ± 1.1		4
Iron (mg/L)			↑0.13	0.05 U	0.05 U	0.05 U	0.05 ± 0		4
Magnesium (mg/L)			↑9.8	↑9.8	6.3	7.6	7 ± 0.27		4
Manganese (mg/L)			↑0.2	0.05 U	0.05 U	0.05 U	0.05 ± 0		4
Potassium (mg/L)			↑1.4	1.2	0.9	1.3	1.1 ± 0.085		4
Sodium (mg/L)			↑6.1	5	4.8	5.6	5.2 ± 0.18		4
Total Kjeldahl Nitrogen (mg/L)			0.25 U	↓0.2 U	0.25 U	0.25 U	0.25 ± 0		4
Nitrite/Nitrate - (N) (mg/L)			↓0.05 U	↓0.069	0.1	0.23	0.17 ± 0.027		4
Total Dissolved Solids (mg/L)			↑234	↑250	166	183	180 ± 3.5		4
Total Suspended Solids (mg/L)			↑3	2.5 U	2.5 U	2.5 U	2.5 ± 0		4
Sulfate (mg/L)			4.2	3.6	2 U	4.9	4 ± 0.66		4
Organic Carbon (mg/L)			2 U	2 U	2 U	2 U	2 ± 0		4
Chloride (mg/L)			↓13	↓14	19	21	20 ± 0.41		4
Bromide (mg/L)			↑0.33	↑0.29	0.14	0.22	0.17 ± 0.018		4
Turbidity (field) (NTU)			0.2	0.5	0.2	1.2	0.6 ± 0.24		4

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.



Applicable Limits:

Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q3= 7 - 2021 U = Not Detected above the laboratory reporting limit.
 Q4= 10 - 2021



Juniper Ridge Landfill
MW-502

Sevee & Maher Engineers, Inc.

Well Description

MW-507 monitors bedrock groundwater downgradient and west of the landfill expansion.

Screen Interval:


Sampled: **2 Times Annually**

Sampled Since: **Apr-18**

Material Screened: **Bedrock (Open Borehole)**

Well Condition: **Good**

Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)			↑ 318	221	219	to 270	240 ± 12		4
pH (STU)			↓ 6.9	↓ 6.7	7.1	to 7.8	7.5 ± 0.18		4
Temperature (Deg C)			11.8	12	4.1	to 13.9	9.4 ± 2.1		4
Eh (mV)			↓ 252	297	267	to 299	280 ± 9.1		4
Dissolved Oxygen (mg/L)			3.8	4.5	3.1	to 6.3	5.1 ± 0.77		4
Arsenic (mg/L)			0.005 U	0.005 U	0.005 U	to 0.007	0.0055 ± 0.000		4
Calcium (mg/L)			38	33	22	to 38	32 ± 3.4		4
Iron (mg/L)			↑ 0.6	↑ 0.68	0.05 U	to 0.18	0.1 ± 0.032		4
Magnesium (mg/L)			↑ 5.2	3.8	2.7	to 4.7	3.9 ± 0.43		4
Manganese (mg/L)			0.05 U	0.05 U	0.05 U	to 0.05 U	0.05 ± 0		4
Potassium (mg/L)			0.5	0.5	0.5	to 0.6	0.55 ± 0.029		4
Sodium (mg/L)			↑ 4.3	3.6	2.5	to 4	3.4 ± 0.33		4
Total Kjeldahl Nitrogen (mg/L)			0.25 U	↓ 0.2 U	0.25 U	to 0.25 U	0.25 ± 0		4
Nitrite/Nitrate - (N) (mg/L)			0.065	0.05 U	0.05 U	to 0.088	0.067 ± 0.01		4
Total Dissolved Solids (mg/L)			↑ 236	↑ 451	106	to 177	150 ± 16		4
Total Suspended Solids (mg/L)			2.5 U	↑ 2.7	2.5 U	to 2.5 U	2.5 ± 0		4
Sulfate (mg/L)			3.4	3.6	2 U	to 4.3	3.4 ± 0.49		4
Organic Carbon (mg/L)			2 U	2 U	2 U	to 2 U	2 ± 0		4
Chloride (mg/L)			↑ 43	17	6.9	to 29	22 ± 5.2		4
Bromide (mg/L)			0.1 U	0.1 U	0.1 U	to 0.1 U	0.1 ± 0		4
Turbidity (field) (NTU)			3.9	↑ 6.1	0.9	to 4.7	2.7 ± 0.87		4

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:


Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q3= 7 - 2021 U = Not Detected above the laboratory reporting limit.

Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- Sample Event
- BDL


**Juniper Ridge Landfill
MW-507**

Sevee & Maher Engineers, Inc.

Well Description

OW-06-03 monitors overburden groundwater downgradient and east of the landfill expansion.

Screen Interval: **10 ft. to 15 ft.**
 Sampled: **3 Times Annually***
 Sampled Since: **Apr-18**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		497	626	↑ 1035	193	to 778	490 ± 100		5
pH (STU)		5.9	6	6	5.6	to 6.4	6.1 ± 0.14		5
Temperature (Deg C)		↑ 10.4	↑ 15.3	↑ 16.4	6.2	to 10.3	8.2 ± 0.72		5
Water Level Elevation (Feet)		183.24	182.54	180.92	180.54	to 185.54	180 ± 0.89		5
Eh (mV)		↓ 87	144	↓ 123	140	to 401	260 ± 52		5
Dissolved Oxygen (mg/L)		0.9	1.5	↓ 0.5	0.9	to 6	2.7 ± 0.9		5
Arsenic (mg/L)			↑ 0.01		0.005 U	to 0.005 U	0.005 ± 0		1
Calcium (mg/L)			↑ 78		17	to 17	17 ± 0		1
Copper (mg/L)			0.003 U		0.003 U	to 0.003 U	0.003 ± 0		1
Iron (mg/L)			↑ 23		0.32	to 0.32	0.32 ± 0		1
Magnesium (mg/L)			↑ 6.5		4.4	to 4.4	4.4 ± 0		1
Manganese (mg/L)			↑ 8.7		0.65	to 0.65	0.65 ± 0		1
Potassium (mg/L)			↑ 3.7		1.1	to 1.1	1.1 ± 0		1
Sodium (mg/L)			↓ 4.7		6.6	to 6.6	6.6 ± 0		1
Total Kjeldahl Nitrogen (mg/L)			↑ 8.4		0.25 U	to 0.25 U	0.25 ± 0		1
Ammonia (N) (mg/L)			↑ 6.7		0.5 U	to 0.5 U	0.5 ± 0		1
Nitrite/Nitrate - (N) (mg/L)			↓ 0.05 U		0.1	to 0.1	0.1 ± 0		1
Total Dissolved Solids (mg/L)			↑ 491		84	to 84	84 ± 0		1
Total Suspended Solids (mg/L)			↑ 16		2.5 U	to 2.5 U	2.5 ± 0		1
Sulfate (mg/L)			↑ 12		2.1	to 2.1	2.1 ± 0		1
Sulfide (mg/L)			↑ 5 U		0.1 U	to 0.1 U	0.1 ± 0		1
Alkalinity (CaCO3) (mg/L)			↑ 270		65	to 65	65 ± 0		1
Organic Carbon (mg/L)			↑ 68		2	to 2	2 ± 0		1
Chloride (mg/L)			↑ 6.3		1.6	to 1.6	1.6 ± 0		1
Bromide (mg/L)			↓ 0.51		0.58	to 0.58	0.58 ± 0		1
Turbidity (field) (NTU)		2.9	8.6	3.4	2.7	to 43.8	15 ± 7.3		5
Methane (ug/L)			2900		No historical data for Methane.				

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













Comments

*Only field parameters are collected during the summer and fall sampling events.

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.

Q3= 7 - 2021

Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- Sample Event
- BDL


Juniper Ridge Landfill OW-06-03

Sevee & Maher Engineers, Inc.

Well Description

OW-601A monitors bedrock groundwater downgradient and east of the landfill expansion.

Screen Interval: **88 ft. to 98 ft.**
 Sampled: **3 Times Annually***
 Sampled Since: **Apr-18**
 Material Screened: **Bedrock**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑418	398	434	↑434	311	to 415	370 ± 12		10
pH (STU)	7	↑7.7	7.3		5.9	to 7.4	7 ± 0.13		10
Temperature (Deg C)	9.2	11.7	12.7		6.4	to 14.2	11 ± 0.84		10
Water Level Elevation (Feet)	178.54	177.19	176.94		175.34	to 182.34	180 ± 0.71		10
Eh (mV)	↓186	↓172	↓164		187	to 402	290 ± 20		10
Dissolved Oxygen (mg/L)	1.6	2.1	2.3		0.9	to 7.9	3.3 ± 0.72		10
Arsenic (mg/L)		0.005			0.005 U	to 0.005 U	0.005 ± 0		7
Calcium (mg/L)		↑47			36	to 43	40 ± 1.1		7
Copper (mg/L)		0.003 U			0.003 U	to 0.003 U	0.003 ± 4E-11		3
Iron (mg/L)		0.05 U			0.05 U	to 0.97	0.37 ± 0.15		7
Magnesium (mg/L)		12			8.8	to 12	10 ± 0.39		7
Manganese (mg/L)		0.05 U			0.05	to 0.29	0.17 ± 0.032		7
Potassium (mg/L)		2			1.8	to 2.5	2.1 ± 0.11		7
Sodium (mg/L)		12			6.6	to 25	12 ± 2.5		7
Total Kjeldahl Nitrogen (mg/L)		0.25 U			0.25 U	to 0.86	0.36 ± 0.1		6
Ammonia (N) (mg/L)		0.5 U			0.5 U	to 0.5 U	0.5 ± 0		2
Nitrite/Nitrate - (N) (mg/L)		0.41			0.18	to 0.45	0.29 ± 0.041		6
Total Dissolved Solids (mg/L)		↑244			180	to 234	210 ± 7.9		6
Total Suspended Solids (mg/L)		2.5 U			2.5 U	to 7100	1200 ± 1200		6
Sulfate (mg/L)		6.7			2.1	to 25	9.7 ± 3.3		6
Sulfide (mg/L)		0.1 U			0.1 U	to 0.1 U	0.1 ± 0		2
Alkalinity (CaCO3) (mg/L)		↑160			120	to 130	130 ± 2.9		4
Organic Carbon (mg/L)		↑42			2 U	to 2 U	2 ± 0		6
Chloride (mg/L)		22			16	to 27	22 ± 1.8		6
Bromide (mg/L)		0.19			0.13	to 1.1	0.31 ± 0.16		6
Turbidity (field) (NTU)	4	6.5	1.8		1.7	to 1355	140 ± 130		10
Methane (ug/L)		20 U			No historical data for Methane.				

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













Comments

*Only field parameters are collected during the summer and fall sampling events.








Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.

Q3= 7 - 2021

Q4= 10 - 2021



LEGEND

	- Maximum Value		- Sample Event
	- 75th Percentile		- BDL
	- Median		
	- 25th Percentile		
	- Minimum Value		


Juniper Ridge Landfill OW-601A

Sevee & Maher Engineers, Inc.

Well Description

OW-601B monitors overburden groundwater downgradient and east of the landfill expansion.

Screen Interval: **51 ft. to 61 ft.**
 Sampled: **3 Times Annually***
 Sampled Since: **Apr-18**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		358	341	377	312	to 403	360 ± 8.8		10
pH (STU)		6.2	↑6.8	6.5	5.9	to 6.7	6.4 ± 0.073		10
Temperature (Deg C)		11.3	13.8	11.8	7.7	to 14.7	10 ± 0.68		10
Water Level Elevation (Feet)		178.08	176.8	176.7	174.95	to 181.95	180 ± 0.7		10
Eh (mV)		↓253	↓251	↓222	259	to 406	340 ± 14		10
Dissolved Oxygen (mg/L)		2.8	3.2	3	1.4	to 5.5	3.2 ± 0.38		10
Arsenic (mg/L)			0.006		0.005 U	to 0.007	0.0053 ± 0.000		6
Calcium (mg/L)			38		34	to 40	37 ± 1.1		6
Copper (mg/L)			0.003 U		0.003 U	to 0.003 U	0.003 ± 0		2
Iron (mg/L)			0.05		0.05 U	to 0.74	0.29 ± 0.097		6
Magnesium (mg/L)			13		11	to 13	12 ± 0.33		6
Manganese (mg/L)			0.05 U		0.05 U	to 1	0.32 ± 0.16		6
Potassium (mg/L)			↓1.2		1.4	to 1.9	1.7 ± 0.099		6
Sodium (mg/L)			7.3		6.8	to 8.7	7.8 ± 0.31		6
Total Kjeldahl Nitrogen (mg/L)			0.25 U		0.25 U	to 0.25 U	0.25 ± 0		6
Ammonia (N) (mg/L)			0.5 U		0.5 U	to 0.5 U	0.5 ± 0		2
Nitrite/Nitrate - (N) (mg/L)			0.58		0.23	to 0.58	0.41 ± 0.059		6
Total Dissolved Solids (mg/L)			242		184	to 277	230 ± 15		6
Total Suspended Solids (mg/L)			2.5 U		2.5 U	to 16	6.1 ± 2.1		6
Sulfate (mg/L)			2.3		2 U	to 10 U	4.1 ± 1.2		6
Sulfide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0		2
Alkalinity (CaCO3) (mg/L)			110		88	to 120	100 ± 7		4
Organic Carbon (mg/L)			↑55		2 U	to 2 U	2 ± 0		6
Chloride (mg/L)			42		22	to 61	38 ± 5.8		6
Bromide (mg/L)			0.25		0.16	to 0.5 U	0.25 ± 0.05		6
Turbidity (field) (NTU)		1.2	4.3	1.4	1	to 7.6	4 ± 0.66		10
Methane (ug/L)			20 U		No historical data for Methane.				

underlined/bold - values exceed a regulatory standard listed below. Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits: Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.








Comments

*Only field parameters are collected during the summer and fall sampling events.
 Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021





LEGEND


	- Maximum Value		- Sample Event
	- 75th Percentile		- BDL
	- Median		
	- 25th Percentile		
	- Minimum Value		

Juniper Ridge Landfill OW-601B

Sevee & Maher Engineers, Inc.

Well Description

OW-602A monitors bedrock groundwater downgradient and east of the landfill expansion.



Screen Interval: **52 ft. to 62 ft.**
 Sampled: **3 Times Annually***
 Sampled Since: **Apr-18**
 Material Screened: **Bedrock**
 Well Condition: **Good**
 Sampling Method: **Low Flow**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		↑ 253	↑ 255	↑ 336	93	to 171	130 ± 7.1		10
pH (STU)		6.7	7.4	↓ 6.5	6.7	to 8.2	7.1 ± 0.13		10
Temperature (Deg C)		8.8	11.4	10.8	6.5	to 17.5	9.3 ± 0.97		10
Water Level Elevation (Feet)		175.47	174.37	174.47	173.27	to 183.25	180 ± 0.91		10
Eh (mV)		↓ 184	↓ 210	↓ 212	301	to 467	340 ± 16		10
Dissolved Oxygen (mg/L)		↓ 2.7	↓ 2.6	↓ 1	7	to 12.9	9.3 ± 0.58		10
Arsenic (mg/L)			0.005 U		0.005 U	to 0.008	0.0055 ± 0.000		6
Calcium (mg/L)			↑ 36		13	to 18	16 ± 0.87		6
Copper (mg/L)			0.003 U		0.003 U	to 0.003 U	0.003 ± 0		2
Iron (mg/L)			0.05 U		0.05 U	to 0.1	0.058 ± 0.008		6
Magnesium (mg/L)			↑ 7.7		2.8	to 4.1	3.5 ± 0.22		6
Manganese (mg/L)			0.05 U		0.05 U	to 0.05 U	0.05 ± 4E-10		6
Potassium (mg/L)			0.6		0.4	to 0.6	0.47 ± 0.033		6
Sodium (mg/L)			↑ 4.1		2.5	to 3.3	2.8 ± 0.13		6
Total Kjeldahl Nitrogen (mg/L)			0.25 U		0.25 U	to 0.72	0.34 ± 0.077		6
Ammonia (N) (mg/L)			0.5 U		0.5 U	to 0.5 U	0.5 ± 0		2
Nitrite/Nitrate - (N) (mg/L)			↑ 0.9		0.05 U	to 0.26	0.12 ± 0.031		6
Total Dissolved Solids (mg/L)			↑ 165		59	to 108	89 ± 7.3		6
Total Suspended Solids (mg/L)			2.5 U		2.5 U	to 2.5 U	2.5 ± 0		6
Sulfate (mg/L)			↓ 2.4		2.8	to 4.6	3.9 ± 0.34		6
Sulfide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0		2
Alkalinity (CaCO3) (mg/L)			↑ 110		44	to 49	46 ± 1.2		4
Organic Carbon (mg/L)			↑ 36		2 U	to 2 U	2 ± 0		6
Chloride (mg/L)			↑ 16		2.3	to 13	9.3 ± 1.8		6
Bromide (mg/L)			↑ 0.17		0.1 U	to 0.1 U	0.1 ± 8E-10		6
Turbidity (field) (NTU)		0.9	1.5	1.3	0.5	to 3.7	1.6 ± 0.32		10
Methane (ug/L)			41		No historical data for Methane.				

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:













Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

*Only field parameters are collected during the summer and fall sampling events.

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- Sample Event
- BDL


Juniper Ridge Landfill
OW-602A

Sevee & Maher Engineers, Inc.

Well Description

OW-603B monitors overburden groundwater downgradient and east of the landfill expansion.

Screen Interval: **34 ft. to 44 ft.**
 Sampled: **3 Times Annually***
 Sampled Since: **Apr-18**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		D	D	D	122	to 302	180 ± 22		8
pH (STU)		D	D	D	5.7	to 7.1	6.3 ± 0.15		8
Temperature (Deg C)		D	D	D	6.3	to 19.7	11 ± 1.7		8
Water Level Elevation (Feet)	↓179.32		D	D	179.37	to 187.63	180 ± 0.8		9
Eh (mV)		D	D	D	304	to 415	370 ± 15		8
Dissolved Oxygen (mg/L)		D	D	D	0.1	to 7.5	3.9 ± 1.1		8
Arsenic (mg/L)			D	D	0.005 U	to 0.017	0.0075 ± 0.002		6
Calcium (mg/L)			D	D	12	to 34	20 ± 3.7		6
Copper (mg/L)			D	D	0.003 U	to 0.003 U	0.003 ± 0		2
Iron (mg/L)			D	D	0.05	to 19	3.5 ± 3.1		6
Magnesium (mg/L)			D	D	4.5	to 11	6.9 ± 1.1		6
Manganese (mg/L)			D	D	0.11	to 0.93	0.42 ± 0.14		6
Potassium (mg/L)			D	D	1	to 3.7	1.7 ± 0.4		6
Sodium (mg/L)			D	D	3.9	to 8.5	5.5 ± 0.68		6
Total Kjeldahl Nitrogen (mg/L)			D	D	0.25 U	to 11	2.6 ± 2.1		5
Ammonia (N) (mg/L)			D	D	0.5 U	to 0.5 U	0.5 ± 0		2
Nitrite/Nitrate - (N) (mg/L)			D	D	0.054	to 0.28	0.12 ± 0.04		5
Total Dissolved Solids (mg/L)			D	D	99	to 161	120 ± 12		5
Total Suspended Solids (mg/L)			D	D	2.5 U	to 1500	310 ± 300		5
Sulfate (mg/L)			D	D	2.1	to 2.9	2.4 ± 0.14		5
Sulfide (mg/L)			D	D	0.1 U	to 0.1 U	0.1 ± 0		2
Alkalinity (CaCO3) (mg/L)			D	D	58	to 120	83 ± 14		4
Organic Carbon (mg/L)			D	D	2 U	to 4	2.4 ± 0.4		5
Chloride (mg/L)			D	D	1.2	to 2.5	1.9 ± 0.22		5
Bromide (mg/L)			D	D	0.1 U	to 1.1	0.33 ± 0.19		5
Turbidity (field) (NTU)		D	D	D	2.2	to 430	66 ± 52		8
Methane (ug/L)			D	D	No historical data for Methane.				

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













Comments

*Only field parameters are collected during the summer and fall sampling events.

Q2= 4 - 2021 D = The sampling location was dry.

Q3= 7 - 2021

Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- Sample Event
- BDL


Juniper Ridge Landfill
OW-603B

Sevee & Maher Engineers, Inc.

Well Description

OW-604A monitors bedrock groundwater downgradient and east of the landfill expansion.

Screen Interval: **39 ft. to 49 ft.**
 Sampled: **3 Times Annually***
 Sampled Since: **Apr-18**
 Material Screened: **Bedrock**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		↑193	↑219	↑233	78	to 160	120 ± 9.5		10
pH (STU)		6.2	6.3	6.6	6	to 7.8	6.5 ± 0.18		10
Temperature (Deg C)		11	12.8	14.1	6.2	to 16.9	11 ± 1.4		10
Water Level Elevation (Feet)		174.3	173.35	173.95	172.9	to 184.5	180 ± 1		10
Eh (mV)		↓260	↓284	↓234	293	to 548	390 ± 23		10
Dissolved Oxygen (mg/L)		6.9	4.8	4.7	0.1 U	to 7.5	4.5 ± 0.72		10
Arsenic (mg/L)				0.005 U	0.005 U	to 0.007	0.0053 ± 0.000		6
Calcium (mg/L)			↑23		8.9	to 18	12 ± 1.5		6
Copper (mg/L)			0.003 U		0.003 U	to 0.003 U	0.003 ± 0		2
Iron (mg/L)			0.05 U		0.05 U	to 0.05 U	0.05 ± 4E-10		6
Magnesium (mg/L)			↑5.9		2.3	to 5	3.3 ± 0.45		6
Manganese (mg/L)			0.05 U		0.05 U	to 0.05 U	0.05 ± 4E-10		6
Potassium (mg/L)			0.5		0.5	to 0.7	0.58 ± 0.031		6
Sodium (mg/L)			4.4		2.7	to 4.7	3.6 ± 0.32		6
Total Kjeldahl Nitrogen (mg/L)			0.25 U		0.25 U	to 0.62	0.32 ± 0.061		6
Ammonia (N) (mg/L)			0.5 U		0.5 U	to 0.5 U	0.5 ± 0		2
Nitrite/Nitrate - (N) (mg/L)			↑2.4		0.16	to 0.78	0.4 ± 0.1		6
Total Dissolved Solids (mg/L)			↑145		62	to 116	84 ± 8.8		6
Total Suspended Solids (mg/L)			↑3		2.5 U	to 2.5 U	2.5 ± 0		6
Sulfate (mg/L)			↓2.4		2.5	to 3.5	2.9 ± 0.17		6
Sulfide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0		2
Alkalinity (CaCO3) (mg/L)			↑84		36	to 58	43 ± 5.2		4
Organic Carbon (mg/L)			2 U		2 U	to 2 U	2 ± 0		6
Chloride (mg/L)			↑6		1.1	to 4.7	2.1 ± 0.53		6
Bromide (mg/L)			0.1 U		0.1 U	to 0.1	0.1 ± 8E-10		6
Turbidity (field) (NTU)		1.2	2	2.1	1.2	to 10.9	3.7 ± 0.91		10
Methane (ug/L)			20 U		No historical data for Methane.				

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













Comments

*Only field parameters are collected during the summer and fall sampling events.

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.

Q3= 7 - 2021

Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- Sample Event
- BDL


Juniper Ridge Landfill OW-604A

Sevee & Maher Engineers, Inc.

Well Description

OW-605A monitors bedrock groundwater downgradient and east of the landfill expansion.

Screen Interval: **60 ft. to 260 ft.**
 Sampled: **3 Times Annually***
 Sampled Since: **Apr-2018**
 Material Screened: **Bedrock (Open Borehole)**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)			↓ 134	193	147	to 194	160 ± 11		4
pH (STU)			7.4	↓ 6.8	7.3	to 7.7	7.4 ± 0.095		4
Temperature (Deg C)			12.4	11.5	7.7	to 14.4	11 ± 1.6		4
Eh (mV)			232	246	230	to 286	260 ± 13		4
Dissolved Oxygen (mg/L)			↓ 2.4	↓ 1.4	6.9	to 7.5	7.2 ± 0.13		4
Arsenic (mg/L)			0.005 U	0.005 U	0.005 U	to 0.005	0.005 ± 0		4
Calcium (mg/L)			↑ 28	↑ 33	17	to 18	17 ± 0.25		4
Iron (mg/L)			0.18	0.29	0.1	to 1.4	0.48 ± 0.31		4
Magnesium (mg/L)			↑ 6.6	↑ 7.4	3.8	to 4.6	4.1 ± 0.18		4
Manganese (mg/L)			0.05 U	0.05 U	0.05 U	to 0.05 U	0.05 ± 0		4
Potassium (mg/L)			↑ 0.6	0.5	0.4	to 0.5	0.45 ± 0.029		4
Sodium (mg/L)			↑ 5.6	↑ 5.6	3.4	to 4.1	3.7 ± 0.17		4
Total Kjeldahl Nitrogen (mg/L)			0.25 U	↓ 0.2 U	0.25 U	to 0.25 U	0.25 ± 0		4
Nitrite/Nitrate - (N) (mg/L)			↑ 0.23	↑ 0.21	0.086	to 0.12	0.1 ± 0.008		4
Total Dissolved Solids (mg/L)			↑ 142	↑ 151	91	to 107	100 ± 3.8		4
Total Suspended Solids (mg/L)			↑ 3.7	2.5 U	2.5 U	to 2.5 U	2.5 ± 0		4
Sulfate (mg/L)			↓ 2 U	↓ 2 U	2.9	to 3.4	3.1 ± 0.11		4
Organic Carbon (mg/L)			2 U	2 U	2 U	to 2 U	2 ± 0		4
Chloride (mg/L)			↑ 13	11	9.4	to 12	11 ± 0.57		4
Bromide (mg/L)			0.1	0.1 U	0.1 U	to 0.1 U	0.1 ± 0		4
Turbidity (field) (NTU)			↓ 0.5	↓ 0.8	5	to 8.9	7 ± 0.81		4

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L













↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

*Only field parameters are collected during the summer and fall sampling events.

Q3= 7 - 2021 U = Not Detected above the laboratory reporting limit.

Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- Sample Event
- BDL


Juniper Ridge Landfill
OW-605A

Sevee & Maher Engineers, Inc.

Well Description

OW-606A monitors bedrock groundwater downgradient and east of the landfill expansion.

Screen Interval: **40 ft. to 240 ft.**
 Sampled: **3 Times Annually***
 Sampled Since: **Apr-2018**
 Material Screened: **Bedrock (Open Borehole)**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)			↓290	↓287	339	to 427	370 ± 20		4
pH (STU)			↓7.7	↓7.7	8	to 8.4	8.2 ± 0.085		4
Temperature (Deg C)			↑11.1	↑13	5.5	to 10.2	8.4 ± 1.1		4
Eh (mV)			336	254	248	to 372	300 ± 28		4
Dissolved Oxygen (mg/L)			4.2	↓3.3	3.8	to 4.6	4.2 ± 0.17		4
Arsenic (mg/L)			0.005 U	0.005 U	0.005 U	to 0.005	0.005 ± 0		4
Calcium (mg/L)			39	↑44	38	to 43	41 ± 1.1		4
Iron (mg/L)			↑0.5	↑3.5	0.05 U	to 0.05 U	0.05 ± 0		4
Magnesium (mg/L)			8.6	9.1	8.4	to 9.7	9.1 ± 0.36		4
Manganese (mg/L)			0.05 U	↑0.11	0.05 U	to 0.05 U	0.05 ± 0		4
Potassium (mg/L)			1.1	1	1	to 1.2	1.1 ± 0.041		4
Sodium (mg/L)			8.4	↓8.3	8.4	to 10	9.2 ± 0.35		4
Total Kjeldahl Nitrogen (mg/L)			0.25 U	↓0.2 U	0.25 U	to 0.25 U	0.25 ± 0		4
Nitrite/Nitrate - (N) (mg/L)			0.48	↓0.3	0.33	to 0.49	0.37 ± 0.04		4
Total Dissolved Solids (mg/L)			195	211	195	to 234	220 ± 9.4		4
Total Suspended Solids (mg/L)			2.5 U	↑16	2.5 U	to 2.5 U	2.5 ± 0		4
Sulfate (mg/L)			8.8	8.3	7.6	to 36	15 ± 7		4
Organic Carbon (mg/L)			2 U	2 U	2 U	to 2 U	2 ± 0		4
Chloride (mg/L)			37	37	36	to 44	41 ± 1.9		4
Bromide (mg/L)			↑0.12	0.1 U	0.1 U	to 0.1 U	0.1 ± 0		4
Turbidity (field) (NTU)			↓0.3	↓0.3	0.4	to 3.1	1.7 ± 0.64		4

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L













↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

*Only field parameters are collected during the summer and fall sampling events.

Q3= 7 - 2021 U = Not Detected above the laboratory reporting limit.

Q4= 10 - 2021



LEGEND


- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- Sample Event
- BDL

Juniper Ridge Landfill
OW-606A

Well Description

OW-608A monitors bedrock groundwater downgradient and north of the landfill expansion.

Screen Interval: **60 ft. to 260 ft.**
 Sampled: **3 Times Annually***
 Sampled Since: **Apr-2018**
 Material Screened: **Bedrock (Open Borehole)**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)			205	↓127	176	to 205	190 ± 6.4		4
pH (STU)			8.2	↓7.8	8	to 8.6	8.4 ± 0.13		4
Temperature (Deg C)			11.4	13.2	7.5	to 15.5	11 ± 1.8		4
Eh (mV)			36	65	5	to 320	150 ± 77		4
Dissolved Oxygen (mg/L)			0.4	0.4	0.3	to 6.4	2.4 ± 1.4		4
Arsenic (mg/L)			0.005 U	0.005 U	0.005 U	to 0.008	0.006 ± 0.000		4
Calcium (mg/L)			17	↓10	12	to 21	18 ± 1.9		4
Iron (mg/L)			↓0.53	↓2.5	3.7	to 7.4	5.5 ± 0.78		4
Magnesium (mg/L)			5.8	↓4.7	5.1	to 6.4	5.9 ± 0.3		4
Manganese (mg/L)			0.05 U	0.08	0.05 U	to 0.16	0.078 ± 0.028		4
Potassium (mg/L)			0.9	1	0.9	to 1.1	0.98 ± 0.048		4
Sodium (mg/L)			13	↓12	13	to 15	14 ± 0.58		4
Total Kjeldahl Nitrogen (mg/L)			0.25 U	↓0.2 U	0.25 U	to 0.37	0.28 ± 0.03		4
Nitrite/Nitrate - (N) (mg/L)			0.054	0.05 U	0.05 U	to 0.077	0.06 ± 0.006		4
Total Dissolved Solids (mg/L)			118	↓95	105	to 127	120 ± 5.2		4
Total Suspended Solids (mg/L)			↓2.5 U	↓3.7	8	to 15	11 ± 1.7		4
Sulfate (mg/L)			5.8	↓2 U	3.9	to 7.2	5.9 ± 0.73		4
Organic Carbon (mg/L)			2 U	2 U	2 U	to 2 U	2 ± 0		4
Chloride (mg/L)			↓1.2	2.5	1.3	to 4.1	2.2 ± 0.65		4
Bromide (mg/L)			0.1 U	0.1 U	0.1 U	to 0.1 U	0.1 ± 0		4
Turbidity (field) (NTU)			5.2	↓1.2	5.1	to 10.3	8.9 ± 1.3		4

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L













↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

*Only field parameters are collected during the summer and fall sampling events.

Q3= 7 - 2021 U = Not Detected above the laboratory reporting limit.

Q4= 10 - 2021



LEGEND


- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- Sample Event
- BDL

**Juniper Ridge Landfill
OW-608A**

Well Description

OW-611A monitors bedrock groundwater downgradient and west of the landfill expansion.

Screen Interval: **20 ft. to 220 ft.**
 Sampled: **3 Times Annually***
 Sampled Since: **Apr-2018**
 Material Screened: **Bedrock (Open Borehole)**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)			496	473	393	502	430 ± 26		4
pH (STU)			7	↓6.8	7	7.2	7.1 ± 0.048		4
Temperature (Deg C)			10.2	10.9	7	13.4	10 ± 1.5		4
Eh (mV)			248	272	243	366	320 ± 29		4
Dissolved Oxygen (mg/L)			3.7	↓3.5	3.6	5.6	4.7 ± 0.43		4
Arsenic (mg/L)			0.005 U	0.005 U	0.005 U	0.007	0.0055 ± 0.000		4
Calcium (mg/L)			↑61	↑61	52	56	54 ± 0.85		4
Iron (mg/L)			0.1	0.11	0.05 U	0.65	0.29 ± 0.13		4
Magnesium (mg/L)			↑6.2	↑6.3	5	5.8	5.4 ± 0.17		4
Manganese (mg/L)			0.05 U	0.05 U	0.05 U	0.05 U	0.05 ± 0		4
Potassium (mg/L)			↑1.1	↓0.8	0.9	1	0.95 ± 0.029		4
Sodium (mg/L)			↑16	15	12	15	13 ± 0.71		4
Total Kjeldahl Nitrogen (mg/L)			0.25 U	↓0.2 U	0.25 U	0.28	0.26 ± 0.008		4
Nitrite/Nitrate - (N) (mg/L)			↑0.51	↑0.55	0.33	0.48	0.43 ± 0.034		4
Total Dissolved Solids (mg/L)			↑287	↑301	233	257	250 ± 5.5		4
Total Suspended Solids (mg/L)			2.5 U	2.5 U	2.5 U	2.5 U	2.5 ± 0		4
Sulfate (mg/L)			17	18	13	40	20 ± 6.6		4
Organic Carbon (mg/L)			2 U	2 U	2 U	2 U	2 ± 0		4
Chloride (mg/L)			↑48	↑48	31	42	38 ± 2.5		4
Bromide (mg/L)			0.1 U	0.1 U	0.1 U	0.1 U	0.1 ± 0		4
Turbidity (field) (NTU)			4.1	3.2	0.4	5.5	2.8 ± 1.1		4

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L



↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

*Only field parameters are collected during the summer and fall sampling events.

Q3= 7 - 2021 U = Not Detected above the laboratory reporting limit.

Q4= 10 - 2021




Juniper Ridge Landfill OW-611A

Sevee & Maher Engineers, Inc.

Well Description

P-04-02R monitors the water quality in the overburden downgradient of the landfill, between the former leachate pond and the landfill toe. P-04-02R replaced well P-04-02 in 2015. Survey info received on 2/1/2019



Screen Interval: **27.13 ft. to 32.13 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **7/15/15**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		301	289	↓274	284	to 772	480 ± 36		17
pH (STU)		7.7	↓7.1	↓7.3	7.7	to 8.3	8 ± 0.042		17
Temperature (Deg C)		9.8	13.1	11.8	8.4	to 15.4	12 ± 0.53		17
Water Level Elevation (Feet)		159.14	157.32	156.84	156.82	to 159.92	160 ± 0.24		17
Eh (mV)		358	287	283	118	to 470	330 ± 22		17
Dissolved Oxygen (mg/L)		4.5	3.9	1.5	0.2	to 7.1	3 ± 0.52		17
Arsenic (mg/L)		0.006	0.005 U	0.005	0.005 U	to 0.016	0.0079 ± 0.000		21
Calcium (mg/L)		26	23	24	17.5	to 37	27 ± 1		21
Iron (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U	to 1.52	0.14 ± 0.07		21
Magnesium (mg/L)		7.3	6.3	6.5	4.3	to 10.2	7.7 ± 0.29		21
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U	to 0.21	0.059 ± 0.008		21
Potassium (mg/L)		1.6	1.6	↓1.5	1.6	to 2.5	1.9 ± 0.063		21
Sodium (mg/L)		35	34	↓ 29	32.7	to 112	66 ± 4.6		21
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	0.36	0.25 U	to 0.5	0.35 ± 0.031		17
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.1	0.056	0.05 U	to 2 U	0.22 ± 0.11		17
Total Dissolved Solids (mg/L)		206	196	193	188	to 456	300 ± 21		17
Total Suspended Solids (mg/L)		2.5 U	2.5 U	6	2.5 U	to 26	4.8 ± 1.4		17
Sulfate (mg/L)		31	29	31	9	to 158	81 ± 11		17
Bicarbonate Alkalinity (CaCO3) (mg/L)		140	140	140	82	to 170	130 ± 4.9		17
Organic Carbon (mg/L)		2 U	29	2 U	2 U	to 32.5	4.6 ± 1.9		17
Chloride (mg/L)		1.8	↓1.6	↓1.6	1.7	to 42.5	8.9 ± 2.4		17
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.4 U	0.15 ± 0.024		17
Turbidity (field) (NTU)		1.5	0.6	0.6	0.5	to 18.2	2.8 ± 1		17

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill P-04-02R

Sevee & Maher Engineers, Inc.

Well Description

P-04-04 monitors the water quality in the overburden downgradient of the landfill, between the former leachate pond and landfill toe.

Screen Interval: **27.21 ft. to 32.21 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **02/05/04**
 Material Screened: **Overburden**
 Well Condition: **Good**
 Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		169	170	175	148	to 405	190 ± 5.2		53
pH (STU)		7.8	7.5	7.3	6.2	to 8.4	7.8 ± 0.058		53
Temperature (Deg C)		9.6	12.8	13.4	3.4	to 19.5	12 ± 0.46		53
Water Level Elevation (Feet)		160.01	157.65	159.05	140.18	to 161.85	160 ± 0.47		53
Eh (mV)		358	287	277	151	to 520	320 ± 12		51
Dissolved Oxygen (mg/L)		6.6	3.9	1.9	1	to 7.7	3.8 ± 0.23		53
Arsenic (mg/L)		0.005 U	0.005 U	0.007	0.001	to 0.014	0.007 ± 0.000		53
Calcium (mg/L)		26	24	24	11	to 58.1	23 ± 0.75		53
Iron (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	to 0.93	0.058 ± 0.017		53
Magnesium (mg/L)		↑ 6.5	6	5.7	4.8	to 6.1	5.4 ± 0.046		53
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	to 0.12	0.039 ± 0.003		53
Potassium (mg/L)		1.4	1.3	1.3	0.9	to 4.6	1.5 ± 0.068		53
Sodium (mg/L)		4.6	4.2	4.3	3.6	to 73	6.6 ± 1.4		53
Total Kjeldahl Nitrogen (mg/L)		0.25 U	0.25 U	0.2 U	0.17	to 0.9	0.41 ± 0.021		51
Nitrite/Nitrate - (N) (mg/L)		0.097	0.17	0.14	0.05 U	to 2 U	0.25 ± 0.11		18
Total Dissolved Solids (mg/L)		128	121	131	92	to 287	120 ± 3.5		53
Total Suspended Solids (mg/L)		2.5 U	2.5 U	3.3	2.5 U	to 21	4 ± 0.34		53
Sulfate (mg/L)		7.3	7.8	8.3	4.1	to 28.8	9.2 ± 0.59		53
Bicarbonate Alkalinity (CaCO3) (mg/L)		79	78	77	72	to 153	82 ± 1.7		53
Organic Carbon (mg/L)		2 U	↑ 18	2 U	0.5 U	to 3.8	1.7 ± 0.098		53
Chloride (mg/L)		↑ 8.4	↑ 9.2	↑ 9.7	0.9	to 7.5	2.6 ± 0.24		53
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.2 U	0.12 ± 0.008		24
Turbidity (field) (NTU)		0.3	0.8	0.8	0	to 162	4.2 ± 3		53

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND


- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill
P-04-04

Well Description

P-206A monitors bedrock water quality upgradient of the landfill.

Screen Interval: **85.5 ft. to 90.5 ft.**
 Sampled: **3 Times Annually**
 Sampled Since: **7/31/2013**
 Material Screened: **Bedrock**
 Well Condition: **Good**
 Sampling Method: **Grab**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		227	232	249	120	to 317	190 ± 11		23
pH (STU)	↓6.3	6.9	7.3		6.9	to 11.8	7.8 ± 0.19		23
Temperature (Deg C)	5.3	14.3	10.2		4.6	to 19.5	11 ± 0.82		23
Water Level Elevation (Feet)	177.51	175.95	177.21		169.81	to 184.61	180 ± 0.68		24
Eh (mV)	98	289	242		63	to 352	190 ± 19		23
Dissolved Oxygen (mg/L)	4.4	3.8	5		0.6	to 6.8	3.2 ± 0.29		23
Arsenic (mg/L)	0.005 U	0.005 U	0.005 U		0.005 U	to 0.022	0.0088 ± 0.000		21
Calcium (mg/L)	23	22	↑26		11.1	to 24	18 ± 1		21
Copper (mg/L)		0.003			No historical data for Copper.				
Iron (mg/L)	1.5	↓0.19	↓0.1		0.21	to 16.8	2.5 ± 0.9		21
Magnesium (mg/L)	↑7.2	↑7.4	↑8.2		3.1	to 6.5	4.8 ± 0.27		21
Manganese (mg/L)	0.15	↓0.05 U	↓0.05 U		0.07	to 0.31	0.12 ± 0.014		21
Potassium (mg/L)	1.2	0.9	↓0.8		0.9	to 1.6	1.1 ± 0.038		21
Sodium (mg/L)	8.5	↓6.7	↓6.8		7.2	to 11	8.7 ± 0.23		21
Total Kjeldahl Nitrogen (mg/L)	0.25 U	0.25 U	0.32		0.25 U	to 0.6	0.36 ± 0.035		14
Ammonia (N) (mg/L)		0.5 U			No historical data for Ammonia (N).				
Nitrite/Nitrate - (N) (mg/L)	0.093	0.34	0.58		0.05 U	to 0.7	0.15 ± 0.05		17
Total Dissolved Solids (mg/L)	↑147	127	↑149		95	to 136	120 ± 3.4		14
Total Suspended Solids (mg/L)	17	5	2.5 U		2.5 U	to 57	14 ± 4.1		14
Sulfate (mg/L)	3.2	2.4	3.2		2 U	to 4.8	2.4 ± 0.15		21
Sulfide (mg/L)		0.1 U			No historical data for Sulfide.				
Bicarbonate Alkalinity (CaCO3) (mg/L)	↑88		81		61	to 83	72 ± 1.8		14
Alkalinity (CaCO3) (mg/L)		66			No historical data for Alkalinity (CaCO3).				
Organic Carbon (mg/L)	2 U	2 U	2 U		2 U	to 2 U	2 ± 0		14
Chloride (mg/L)	20	23	23		3.3	to 24	15 ± 1.6		21
Bromide (mg/L)	0.11	0.1	0.1 U		0.1 U	to 0.2 U	0.13 ± 0.013		14
Turbidity (field) (NTU)	3.5	3.2	1.1		0.8	to 9.3	3.7 ± 0.58		23
Methane (ug/L)		20 U			No historical data for Methane.				

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Ammonia (N) MEG16=30 mg/L, Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Copper MEG16=0.5 mg/L, MCL=1.3 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill P-206A

Sevee & Maher Engineers, Inc.

Well Description

PWS10-1 is a pore water sampling location along the unnamed tributary to Pushaw stream. PWS10-1 is downgradient of the landfill.

Screen Interval:


Sampled: **3 Times Annually**

Sampled Since: **04/26/2010**

Material Screened:

Well Condition: **NA**

Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		189	↓67	246	76	to 438	210 ± 15		33
pH (STU)		6.3	6	6	5.3	to 7.2	6.3 ± 0.08		33
Temperature (Deg C)		3.5	19.4	16.2	2.7	to 25	13 ± 1.2		33
Eh (mV)		164	376	171	-38	to 818	220 ± 28		33
Dissolved Oxygen (mg/L)		0.4	3.1	0.6	0	to 9.5	2.4 ± 0.41		33
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.002 U	to 0.019	0.0077 ± 0.000		33
Calcium (mg/L)		20	10	33	6.8	to 38.1	21 ± 1.5		33
Iron (mg/L)		4.3	1.4	5.3	0.07	to 30.3	4.2 ± 0.95		33
Magnesium (mg/L)		11	2.7	9.5	2.3	to 12.7	6.5 ± 0.46		33
Manganese (mg/L)		0.08	0.42	1.3	0.05 U	to 2.6	0.41 ± 0.1		33
Potassium (mg/L)		1.1	1.2	2.1	0.4	to 2.8	1.1 ± 0.1		33
Sodium (mg/L)		8.6	↓2.8	8	4.3	to 10	7.2 ± 0.26		33
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U	to 2 U	0.24 ± 0.11		18
Total Phosphorus Mixed Forms (PO4 and		0.22	0.1	0.18	0.03	to 0.52	0.11 ± 0.019		33
Total Dissolved Solids (mg/L)		176	104	192	87	to 197	140 ± 5.7		33
Total Suspended Solids (mg/L)		75	12	81	2.5 U	to 786	52 ± 24		33
Sulfate (mg/L)		2.9	8.2	3	1	to 15	4.2 ± 0.57		33
Bicarbonate Alkalinity (CaCO3) (mg/L)		89	27	120	21	to 130	77 ± 5.4		33
Organic Carbon (mg/L)		24	↑35	↑35	3.8	to 30	11 ± 1.1		33
Chloride (mg/L)		9.2	↓2.4	7.2	3.1	to 22.9	9.8 ± 0.74		33
Bromide (mg/L)		0.11	0.1 U	0.1 U	0.1 U	to 0.2 U	0.12 ± 0.008		24
Turbidity (field) (NTU)		3.1	2.1	2.5	1	to 20	4.2 ± 0.73		33
Methane (ug/L)		1600	190	700	20 U	to 4600	610 ± 370		12

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L













↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.

Q3= 7 - 2021

Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill PWS10-1

Sevee & Maher Engineers, Inc.

Well Description

PWS10-2 is a pore water sampling location along the unnamed tributary to Pushaw stream. PWS10-2 is downgradient of the landfill.

Screen Interval:


Sampled: **3 Times Annually**

Sampled Since: **04/26/2010**

Material Screened:

Well Condition: **NA**

Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		70	78	99	63	to 276	120 ± 7.6		32
pH (STU)		6.8	5.9	5.9	5.4	to 7.6	6.5 ± 0.12		32
Temperature (Deg C)		2.8	20.7	14.4	1.3	to 26.7	13 ± 1.3		32
Eh (mV)		346	404	258	-5	to 492	240 ± 23		32
Dissolved Oxygen (mg/L)		6.8	3.2	0.9	0.2	to 11.3	4.4 ± 0.54		32
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.002 U	to 0.015	0.006 ± 0.000		32
Calcium (mg/L)		9.2	7.1	7.1	5.7	to 29	12 ± 0.76		32
Iron (mg/L)		0.82	2.8	2.4	0.05 U	to 13.8	2.2 ± 0.46		32
Magnesium (mg/L)		1.4	1.5	1.9	1.2	to 4.7	2.8 ± 0.18		32
Manganese (mg/L)		0.07	0.21	0.21	0.02 U	to 0.94	0.17 ± 0.036		32
Potassium (mg/L)		0.8	1.1	1.1	0.3 U	to 1.9	0.84 ± 0.083		32
Sodium (mg/L)		4.4	2.5	4.5	1.6	to 7.8	4.3 ± 0.26		32
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U	to 2 U	0.24 ± 0.12		17
Total Phosphorus Mixed Forms (PO4 and		0.08	0.06	0.05	0.02	to 0.22	0.054 ± 0.006		32
Total Dissolved Solids (mg/L)		74	80	103	38	to 119	86 ± 3.2		32
Total Suspended Solids (mg/L)		34	5	31	2.5 U	to 327	32 ± 12		32
Sulfate (mg/L)		7.8	2 U	3	1.6	to 19	5.6 ± 0.76		32
Bicarbonate Alkalinity (CaCO3) (mg/L)		16	22	21	9.3	to 64	32 ± 2.5		32
Organic Carbon (mg/L)		7.5	↑26	23	2.6	to 24	9.7 ± 0.79		32
Chloride (mg/L)		8.3	↓2.8	6.2	3	to 19.8	7.3 ± 0.69		32
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.2 U	0.12 ± 0.008		23
Turbidity (field) (NTU)		2.1	1.2	3.1	0.5	to 6.5	2.8 ± 0.28		32
Methane (ug/L)		79	95	190	20 U	to 690	140 ± 57		12

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L













↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.

Q3= 7 - 2021

Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill PWS10-2

Sevee & Maher Engineers, Inc.

Well Description

PWS10-3 is a pore water sampling location along the unnamed tributary to Pushaw stream. PWS10-3 is downgradient of the landfill.

Screen Interval:


Sampled: **3 Times Annually**

Sampled Since: **04/26/2010**

Material Screened:

Well Condition: **NA**

Sampling Method: **Low Flow**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		105	71	75	42	to 222	110 ± 9.5		30
pH (STU)		6	6	5.8	5	to 7.4	6.2 ± 0.12		30
Temperature (Deg C)		4.4	18.6	12.8	2.7	to 26.8	13 ± 1.3		30
Eh (mV)		191	243	303	-7	to 540	260 ± 24		30
Dissolved Oxygen (mg/L)		0.3	2.3	2.7	0.3	to 10.3	4.5 ± 0.55		30
Arsenic (mg/L)		0.005 U	0.009	0.005	0.002 U	to 0.011	0.0056 ± 0.000		30
Calcium (mg/L)		11	8.7	9.1	3	to 25	9.6 ± 1		30
Iron (mg/L)		3.9	2.3	2.3	0.17	to 20.8	3.5 ± 0.85		30
Magnesium (mg/L)		4.3	2.5	2.7	0.7	to 5	2.7 ± 0.19		30
Manganese (mg/L)		0.45	0.48	0.57	0.02	to 2.8	0.33 ± 0.1		30
Potassium (mg/L)		0.3 U	0.9	0.5	0.1	to 2.6	0.66 ± 0.09		30
Sodium (mg/L)		4.2	2.3	4.9	0.5	to 8.6	4.3 ± 0.28		30
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U	to 2 U	0.37 ± 0.15		15
Total Phosphorus Mixed Forms (PO4 and		0.08	0.06	0.09	0.03	to 0.5	0.12 ± 0.021		30
Total Dissolved Solids (mg/L)		114	97	115	29	to 141	93 ± 4.6		30
Total Suspended Solids (mg/L)		92	47	48	2.5 U	to 489	39 ± 16		30
Sulfate (mg/L)		2 U	2.1	2 U	0.6 U	to 47.3	5.1 ± 1.6		30
Bicarbonate Alkalinity (CaCO3) (mg/L)		51	30	28	5.8	to 87	32 ± 4		30
Organic Carbon (mg/L)		11	↑41	29	2 U	to 34	14 ± 1.4		30
Chloride (mg/L)		2.1	1.8	5.7	1 U	to 15	4.8 ± 0.55		30
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.2 U	0.11 ± 0.008		21
Turbidity (field) (NTU)		1.5	1.2	4	0.8	to 18.3	4.2 ± 0.61		30
Methane (ug/L)		400	140	130	20 U	to 4000	410 ± 330		12

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Sodium MEG16=20 mg/L, Manganese MEG16=0.3 mg/L, Iron MEG16=5 mg/L, Arsenic MEG16=0.01 mg/L, MCL=0.01 mg/L













↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.

Q3= 7 - 2021

Q4= 10 - 2021



LEGEND


- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill PWS10-3

Sevee & Maher Engineers, Inc.

Well Description

SW-1 is located downgradient of the landfill and monitors surface water quality in an unnamed tributary to Pushaw Stream.



Sampled: **3 Times Annually**
 Sampled Since: **11/13/90**

Sampling Method: **Grab**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		179	76	308	10	to 345	110 ± 6.3		92
pH (STU)		6.5	6.1	6.6	5.8	to 8.2	6.9 ± 0.059		92
Temperature (Deg C)		8.7	21.4	22.2	0	to 27.5	12 ± 0.78		92
Eh (mV)		335	259	153	52.7	to 549	300 ± 15		61
Dissolved Oxygen (mg/L)		7.3	2.8	0.7	0.6	to 15.1	5.2 ± 0.3		90
Flow Rate (cfs)			0.0056		No historical data for Flow Rate.				
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.001	to 0.012	0.0048 ± 0.000		50
Calcium (mg/L)		24	9.5	45	3.1	to 48	11 ± 0.89		80
Iron (mg/L)		0.12	2.1	1.2	0.07	to 19.4	2 ± 0.33		85
Magnesium (mg/L)		6.7	2.6	↑ 11	0.21	to 10.7	3.2 ± 0.22		80
Manganese (mg/L)		0.2	0.37	0.82	0.001	to 4.8	0.25 ± 0.063		85
Potassium (mg/L)		1.2	0.9	2.2	0.1	to 5	1.1 ± 0.14		50
Sodium (mg/L)		5.7	2.9	9.1	2.9	to 12	5.8 ± 0.2		85
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.081	0.05 U	0.05 U	to 2 U	0.24 ± 0.11		18
Total Phosphorus Mixed Forms (PO4 and		0.11	0.14	0.17	0.01 U	to 0.95	0.093 ± 0.02		62
Total Dissolved Solids (mg/L)		139	93	↑ 235	30	to 230	91 ± 4		85
Total Suspended Solids (mg/L)		35	15	170	2.5 U	to 1490	65 ± 33		50
Sulfate (mg/L)		4.8	2 U	5.9	0.2	to 17	3.8 ± 0.37		85
Bicarbonate Alkalinity (CaCO3) (mg/L)		72	40	↑ 170	10.6	to 148	42 ± 4.7		50
Organic Carbon (mg/L)		14	20	17	4.5	to 49	12 ± 0.65		85
Biochemical Oxygen Demand (mg/L)		2 U	5	↑ 20	1 U	to 12	4.2 ± 0.26		62
Chloride (mg/L)		7.6	2.2	8.3	1 U	to 27.6	8.1 ± 0.51		85
Bromide (mg/L)		0.1 U	0.1 U	0.13	0.1 U	to 0.2 U	0.12 ± 0.008		24
Turbidity (field) (NTU)		2.1	0.8	1.2	0	to 175	5.4 ± 2.5		71

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Chloride MFCCC=230 mg/L, Iron MFCCC=1 mg/L, Arsenic MFCCC=0.15 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill SW-1


Sevee & Maher Engineers, Inc.

Well Description

SW-2 is located upgradient of the landfill and monitors surface water quality in an unnamed tributary to Pushaw Stream.

Sampled: **3 Times Annually**
 Sampled Since: **11/13/90**

Sampling Method: **Grab**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		67	62	57	10	150	74 ± 2.5		98
pH (STU)		6.2	5.8	6.3	5.42	8.5	6.7 ± 0.064		100
Temperature (Deg C)		4.3	18.4	17.7	0	29.6	13 ± 0.87		99
Eh (mV)		409	393	323	69.2	516	320 ± 14		62
Dissolved Oxygen (mg/L)		8.7	0.9	4.4	0.4	13.7	4.7 ± 0.27		98
Flow Rate (cfs)		9	4.5		0.0017	14	2.4 ± 0.46		40
Arsenic (mg/L)		0.005 U	0.005	0.005 U	0.001 U	0.011	0.0041 ± 0.000		51
Calcium (mg/L)		4.6	7.7	5.8	0.1 U	11	5.9 ± 0.22		86
Iron (mg/L)		0.23	1.8	0.5	0.03 U	8.8	1.1 ± 0.12		92
Magnesium (mg/L)		1.8	2.5	1.9	0.1 U	3.7	2.1 ± 0.067		86
Manganese (mg/L)		0.05 U	0.2	0.05 U	0.003	0.43	0.091 ± 0.008		92
Potassium (mg/L)		0.6	0.9	0.3 U	0.1 U	1.7	0.54 ± 0.047		51
Sodium (mg/L)		5.6	4	4.6	1 U	14	5.4 ± 0.22		92
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U	2 U	0.22 ± 0.11		18
Total Phosphorus Mixed Forms (PO4 and		0.04 U	0.06	0.04 U	0.01	0.43	0.054 ± 0.009		65
Total Dissolved Solids (mg/L)		77	104	97	2	131	72 ± 2.2		92
Total Suspended Solids (mg/L)		2.5 U	2.5	2.5 U	2.5 U	89	11 ± 2.3		51
Sulfate (mg/L)		2.8	2 U	2 U	0.1 U	9.2	2.2 ± 0.18		92
Bicarbonate Alkalinity (CaCO3) (mg/L)		16	24	15	8.5	46	20 ± 1.2		51
Organic Carbon (mg/L)		8.1	25	21	1 U	30	14 ± 0.54		92
Biochemical Oxygen Demand (mg/L)		2 U	2	2 U	1 U	42	4.8 ± 0.65		64
Chloride (mg/L)		13	6	6.8	2 U	23	8.1 ± 0.47		92
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.12 ± 0.008		24
Turbidity (field) (NTU)		0.6	0.9	0.5	0	10	1.8 ± 0.23		74

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Chloride MFCCC=230 mg/L, Iron MFCCC=1 mg/L, Arsenic MFCCC=0.15 mg/L













↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.

Q3= 7 - 2021

Q4= 10 - 2021



LEGEND


- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill
SW-2

Sevee & Maher Engineers, Inc.

Well Description

SW-3 is located downgradient of the landfill and monitors surface water quality in an unnamed tributary of Pushaw Stream.



Sampled: **3 Times Annually**
 Sampled Since: **05/26/94**

Sampling Method: **Grab**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		52	68	68	20	151	83 ± 2.8		85
pH (STU)		7.7	7.3	7.3	5.4	8.8	6.9 ± 0.077		85
Temperature (Deg C)		7.4	21.8	14	0	27.4	12 ± 0.8		85
Eh (mV)		374	319	284	23.8	507	310 ± 13		63
Dissolved Oxygen (mg/L)		8.9	4.8	5.2	1	12.6	5.9 ± 0.3		84
Flow Rate (cfs)		19	7.5		0.016	19	6.7 ± 0.53		39
Arsenic (mg/L)		0.005 U	0.005 U	0.005	0.001 U	0.008	0.0038 ± 0.000		51
Calcium (mg/L)		3.4	7.2	6.8	2.8	12	7 ± 0.26		77
Iron (mg/L)		0.3	1.4	1.5	0.17	3.5	0.87 ± 0.075		84
Magnesium (mg/L)		1	1.8	1.7	0.47	3.1	1.9 ± 0.065		77
Manganese (mg/L)		0.05 U	0.08	0.09	0.004	1.3	0.16 ± 0.025		84
Potassium (mg/L)		0.5	1.1	0.9	0.2	2.4	0.68 ± 0.057		51
Sodium (mg/L)		4.2	3.7	3.6	2.4	11	4.8 ± 0.16		84
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.05 U	0.077	0.05 U	2 U	0.23 ± 0.11		18
Total Phosphorus Mixed Forms (PO4 and		0.04 U	0.04	0.04 U	0.01 U	0.4	0.043 ± 0.006		60
Total Dissolved Solids (mg/L)		61	72	94	31	210	74 ± 2.6		84
Total Suspended Solids (mg/L)		2.5 U	3.3	2.5 U	2.5 U	17	4.4 ± 0.38		51
Sulfate (mg/L)		3	2 U	2 U	0.4	35	3.9 ± 0.5		84
Bicarbonate Alkalinity (CaCO3) (mg/L)		12	23	20	10	43	22 ± 1.3		51
Organic Carbon (mg/L)		7.8	14	18	5.7	40	12 ± 0.48		84
Biochemical Oxygen Demand (mg/L)		2 U	2	2 U	1 U	7	4 ± 0.23		60
Chloride (mg/L)		8.9	4.5	6	1 U	20	7 ± 0.4		84
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.12 ± 0.008		24
Turbidity (field) (NTU)		1.2	0.8	1.2	0	16	1.6 ± 0.27		73

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Chloride MFCCC=230 mg/L, Iron MFCCC=1 mg/L, Arsenic MFCCC=0.15 mg/L













↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.

Q3= 7 - 2021

Q4= 10 - 2021



LEGEND


- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill SW-3

Sevee & Maher Engineers, Inc.

Well Description

SW-DP1 is located in Detention Pond #1 which is situated to the north of the former leachate pond.



Sampled: **3 Times Annually**
 Sampled Since: **05/03/04**

Sampling Method: **Grab**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		68	78	82	34	to 439	150 ± 11		51
pH (STU)		6.7	6.5	6.5	6.3	to 9.4	7.5 ± 0.098		51
Temperature (Deg C)		8.4	23.9	16.7	1.9	to 31.1	17 ± 1		51
Eh (mV)		398	323	316	200	to 486	330 ± 10		51
Dissolved Oxygen (mg/L)		7.9	5	5.3	0.8	to 12.5	6.9 ± 0.3		51
Arsenic (mg/L)		0.005	0.008	0.005 U	0.001 U	to 0.013	0.0044 ± 0.000		51
Calcium (mg/L)		9.9	13	15	3.8	to 40	18 ± 1.1		51
Iron (mg/L)		↑ 3.5	↑ 6.4	0.88	0.05	to 2.94	0.5 ± 0.077		51
Magnesium (mg/L)		1.7	2.3	1.5	0.4	to 7.6	2.6 ± 0.22		51
Manganese (mg/L)		0.15	0.36	0.13	0.02	to 0.88	0.11 ± 0.021		51
Potassium (mg/L)		1.3	2.6	1.6	0.3 U	to 25	2.8 ± 0.61		51
Sodium (mg/L)		1.4	1.8	1.3	0.8	to 27	4.4 ± 0.73		51
Nitrite/Nitrate - (N) (mg/L)		0.15	0.07	0.05 U	0.05 U	to 2 U	0.26 ± 0.11		18
Total Phosphorus Mixed Forms (PO4 and		↑ 0.2	↑ 0.24	0.06	0.01 U	to 0.15	0.049 ± 0.005		51
Total Dissolved Solids (mg/L)		191	185	83	44	to 262	99 ± 6.7		51
Total Suspended Solids (mg/L)		18	29	11	2.5 U	to 115	12 ± 2.6		51
Sulfate (mg/L)		12	7.9	5.3	0.2	to 30	9.8 ± 0.92		51
Bicarbonate Alkalinity (CaCO3) (mg/L)		23	41	42	7.2	to 170	49 ± 4.2		51
Organic Carbon (mg/L)		2 U	3.6	2 U	2 U	to 13.3	4.1 ± 0.39		51
Chloride (mg/L)		2.5	↓ 1.3	↓ 1 U	1.4	to 79	6.9 ± 1.5		51
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 1.1	0.16 ± 0.042		24
Turbidity (field) (NTU)		2.3	1.2	0.6	0	to 28.1	3.5 ± 0.73		51

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













Applicable Limits:

Chloride MFCCC=230 mg/L, Iron MFCCC=1 mg/L, Arsenic MFCCC=0.15 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill
SW-DP1


Sevee & Maher Engineers, Inc.

Well Description

Sample collected from outfall on the west side of Detention Pond #5.

Sampled: **3 Times Annually**
 Sampled Since: **4/23/2013**

Sampling Method: **Grab**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		69	62	67	51	208	140 ± 11		15
pH (STU)		6.9	8.2	7.4	6.9	8.5	7.7 ± 0.13		15
Temperature (Deg C)		10.7	24.6	18.6	8.7	30.7	18 ± 2.3		15
Eh (mV)		387	267	245	218	459	330 ± 19		15
Dissolved Oxygen (mg/L)		9.3	10.2	6	5	15.2	8.3 ± 0.77		15
Arsenic (mg/L)		0.005 U	0.008	0.008	0.005 U	0.01	0.0056 ± 0.000		15
Calcium (mg/L)		9.4	12	10	5.3	29	18 ± 1.5		15
Iron (mg/L)		↑ 5.2	↑ 3.5	0.84	0.23	1.7	0.61 ± 0.12		15
Magnesium (mg/L)		1.8	1.5	1	0.5	1.8	1.2 ± 0.1		15
Manganese (mg/L)		↑ 0.36	↑ 0.52	0.05 U	0.05 U	0.27	0.14 ± 0.019		15
Potassium (mg/L)		1.5	1.1	↓ 0.6	0.7	2.6	1.6 ± 0.13		15
Sodium (mg/L)		2.6	↓ 0.9	1.2	1.2	8.6	2.9 ± 0.52		15
Nitrite/Nitrate - (N) (mg/L)		0.17	0.05 U	0.05 U	0.05 U	2 U	0.35 ± 0.19		10
Total Phosphorus Mixed Forms (PO4 and		↑ 0.23	0.1	0.07	0.04 U	0.1	0.057 ± 0.004		15
Total Dissolved Solids (mg/L)		111	91	66	47	137	96 ± 6.5		15
Total Suspended Solids (mg/L)		↑ 97	26	↑ 53	2.5 U	50	14 ± 3.1		15
Sulfate (mg/L)		11	4.7	8.8	2.5	38.1	22 ± 2.9		15
Bicarbonate Alkalinity (CaCO3) (mg/L)		26	18	23	9	57	31 ± 3.3		15
Organic Carbon (mg/L)		2.5	↑ 6.8	2.5	2 U	6.7	3.2 ± 0.38		15
Chloride (mg/L)		4.3	↓ 1 U	↓ 1.4	1.6	20.9	6.4 ± 1.6		15
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.11 ± 0.007		15
Turbidity (field) (NTU)		2.1	1.1	0.5	0.4	9.8	2.1 ± 0.61		15

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Chloride MFCCC=230 mg/L, Iron MFCCC=1 mg/L, Arsenic MFCCC=0.15 mg/L













↑ indicates a value greater than the historical maximum value; **↓** indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.

Q3= 7 - 2021

Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL


Juniper Ridge Landfill
SW-DP5

Well Description

SW-DP6 is located in Detention Pond #6, which is situated to the south of the landfill and west of the leachate storage tank.

Sampled: **3 Times Annually**
 Sampled Since: **10/27/2009**

Sampling Method: **Grab**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		59	↓38	62	50 to 427		130 ± 15		34
pH (STU)		↓6.1	6.2	7.2	6.2 to 8.4		7.3 ± 0.098		34
Temperature (Deg C)		9.1	25.4	22.5	2.4 to 29.6		16 ± 1.4		34
Eh (mV)		416	404	308	212 to 547		360 ± 14		34
Dissolved Oxygen (mg/L)		9.9	5.2	6.3	4.5 to 11.7		6.9 ± 0.35		34
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.002 U to 0.011		0.0052 ± 0.000		34
Calcium (mg/L)		↓3.9	↓4.5	7.1	4.6 to 63.3		14 ± 2		34
Iron (mg/L)		0.89	1.6	0.55	0.1 to 3.05		0.89 ± 0.13		34
Magnesium (mg/L)		0.7	0.9	1	0.7 to 7.3		1.8 ± 0.22		34
Manganese (mg/L)		0.05 U	0.19	0.05 U	0.05 U to 0.96		0.15 ± 0.036		34
Potassium (mg/L)		1.1	1.7	2.2	0.7 to 3.4		1.6 ± 0.11		34
Sodium (mg/L)		1.3	↓1.1	3.3	1.3 to 7.5		3.3 ± 0.29		34
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U to 2 U		0.22 ± 0.11		18
Total Phosphorus Mixed Forms (PO4 and		0.04	0.09	0.04	0.03 to 0.14		0.057 ± 0.005		34
Total Dissolved Solids (mg/L)		52	60	63	38 to 323		94 ± 9.6		34
Total Suspended Solids (mg/L)		6.5	9	4.3	2.5 U to 54		11 ± 2.2		34
Sulfate (mg/L)		7.2	4.5	6.6	2 U to 155		21 ± 4.4		34
Bicarbonate Alkalinity (CaCO3) (mg/L)		10	12	15	6 to 75		23 ± 3.1		34
Organic Carbon (mg/L)		3.5	6.2	4.7	2.1 to 11.9		5.2 ± 0.37		34
Chloride (mg/L)		2.2	↓1 U	5.8	1.1 to 22.3		7.5 ± 0.97		34
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U to 0.2 U		0.12 ± 0.008		24
Turbidity (field) (NTU)		3.2	0.7	0.8	0 to 12		2.6 ± 0.43		34

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

Applicable Limits:

Chloride MFCCC=230 mg/L, Iron MFCCC=1 mg/L, Arsenic MFCCC=0.15 mg/L













↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.

Q3= 7 - 2021

Q4= 10 - 2021



LEGEND


- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill SW-DP6

Sevee & Maher Engineers, Inc.

Well Description

LF-LD-11 monitors the leak detection system for Cell 11 from the Cell 11 leak detection system pump station.



Sampled: **Annually in summer***
 Sampled Since: **Apr-21**

Sampling Method: **Grab**

Chemical Summary


Indicator Parameters	2021				Historical (-)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		795	869	884	No historical data for Specific Conductance.				
pH (STU)		6.7	6.9	6.9	No historical data for pH.				
Temperature (Deg C)		18.4	24.3	21.1	No historical data for Temperature.				
Eh (mV)		130	420	368	No historical data for Eh.				
Dissolved Oxygen (mg/L)		2.5	4	5	No historical data for Dissolved Oxygen.				
Arsenic (mg/L)			0.005 U	0.005 U	No historical data for Arsenic.				
Calcium (mg/L)			120	140	No historical data for Calcium.				
Iron (mg/L)			0.05 U	0.05 U	No historical data for Iron.				
Magnesium (mg/L)			26	28	No historical data for Magnesium.				
Manganese (mg/L)			0.06	0.18	No historical data for Manganese.				
Potassium (mg/L)			7.1	7.2	No historical data for Potassium.				
Sodium (mg/L)			10	11	No historical data for Sodium.				
Total Kjeldahl Nitrogen (mg/L)			0.38	0.56	No historical data for Total Kjeldahl Nitrogen.				
Nitrite/Nitrate - (N) (mg/L)			0.71	0.55	No historical data for Nitrite/Nitrate - (N).				
Total Dissolved Solids (mg/L)			494	541	No historical data for Total Dissolved Solids.				
Total Suspended Solids (mg/L)			2.5 U	2.5 U	No historical data for Total Suspended Solids.				
Sulfate (mg/L)			34	42	No historical data for Sulfate.				
Organic Carbon (mg/L)			2.2	2 U	No historical data for Organic Carbon.				
Chloride (mg/L)			1 U	1 U	No historical data for Chloride.				
Bromide (mg/L)			0.1 U	0.1 U	No historical data for Bromide.				
Turbidity (field) (NTU)		2.1	2.3	4.9	No historical data for Turbidity (field).				

underlined/bold - values exceed a regulatory standard listed below. Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

*Field parameters measured monthly by NEWSME.
 Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 9 - 2021
 Q4= 10 - 2021



LEGEND


- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- Sample Event
- BDL

Juniper Ridge Landfill
LF-LD-11

Sevee & Maher Engineers, Inc.

Well Description

LF-LD-12 monitors the leak detection system for Cell 12 from the Cell 12 leak detection system pump station



Sampled: **Annually in summer***
 Sampled Since: **Apr-21**

Sampling Method: **Grab**

Chemical Summary


Indicator Parameters	2021				Historical (-)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		444	737	615	No historical data for Specific Conductance.				
pH (STU)		4.3	6.5	6.3	No historical data for pH.				
Temperature (Deg C)		17.7	23.9	19.7	No historical data for Temperature.				
Eh (mV)		252	389	357	No historical data for Eh.				
Dissolved Oxygen (mg/L)		3.7	5	2	No historical data for Dissolved Oxygen.				
Arsenic (mg/L)			0.005 U	0.005	No historical data for Arsenic.				
Calcium (mg/L)			47	91	No historical data for Calcium.				
Iron (mg/L)			0.19	0.06	No historical data for Iron.				
Magnesium (mg/L)			8.1	16	No historical data for Magnesium.				
Manganese (mg/L)			0.77	3.3	No historical data for Manganese.				
Potassium (mg/L)			3.2	4.5	No historical data for Potassium.				
Sodium (mg/L)			7	9.2	No historical data for Sodium.				
Total Kjeldahl Nitrogen (mg/L)			0.31	0.25	No historical data for Total Kjeldahl Nitrogen.				
Nitrite/Nitrate - (N) (mg/L)			0.05 U	0.063	No historical data for Nitrite/Nitrate - (N).				
Total Dissolved Solids (mg/L)			240	397	No historical data for Total Dissolved Solids.				
Total Suspended Solids (mg/L)			6.7	2.5 U	No historical data for Total Suspended Solids.				
Sulfate (mg/L)			31	48	No historical data for Sulfate.				
Organic Carbon (mg/L)			2.4	3.8	No historical data for Organic Carbon.				
Chloride (mg/L)			1.5	1 U	No historical data for Chloride.				
Bromide (mg/L)			0.1 U	0.1 U	No historical data for Bromide.				
Turbidity (field) (NTU)		2.3	8.8	7.2	No historical data for Turbidity (field).				

underlined/bold - values exceed a regulatory standard listed below. Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

*Field parameters measured monthly by NEWSME.
 Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 9 - 2021
 Q4= 12 - 2021



LEGEND


- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- Sample Event
- BDL

Juniper Ridge Landfill
LF-LD-12

Sevee & Maher Engineers, Inc.

Well Description

Manhole #5 composite sample



Sampled:

Sampled Since: **See comments below**

Sampling Method: **Grab**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	364	440	↑504	370	194	to 498	370 ± 7.9		84
pH (STU)	7.2	7.9	7.5	7.7	6.7	to 8.4	7.5 ± 0.047		84
Temperature (Deg C)	15.5	5.4	24.8	17.4	3.2	to 29.7	17 ± 0.58		84
Eh (mV)	412	406	404	359	304	to 446	370 ± 3.3		84
Dissolved Oxygen (mg/L)	8	8	6	8	4	to 10	6.9 ± 0.15		82
Arsenic (mg/L)		↓0.005 U			0.008	to 0.014	0.011 ± 0.003		2
Calcium (mg/L)		↑55			41.4	to 44.3	43 ± 1.5		2
Iron (mg/L)		0.05 U			0.02 U	to 0.1	0.06 ± 0.04		2
Magnesium (mg/L)		↓9.1			9.2	to 10	9.6 ± 0.4		2
Manganese (mg/L)		0.05 U			0.02 U	to 0.05 U	0.035 ± 0.015		2
Potassium (mg/L)		3.7			3.4	to 4.3	3.9 ± 0.45		2
Sodium (mg/L)		8.5			6.9	to 9	8 ± 1.1		2
Nitrite/Nitrate - (N) (mg/L)		0.3			No historical data for Nitrite/Nitrate - (N).				
Total Phosphorus Mixed Forms (PO4 and		0.04 U			0.02	to 0.04 U	0.03 ± 0.01		2
Total Dissolved Solids (mg/L)		↑238			195	to 233	210 ± 19		2
Total Suspended Solids (mg/L)		↓2.5 U			4 U	to 4 U	4 ± 0		2
Sulfate (mg/L)		↑11			6	to 7.2	6.6 ± 0.6		2
Bicarbonate Alkalinity (CaCO3) (mg/L)		↑200			143	to 175	160 ± 16		2
Alkalinity (CaCO3) (field) (mg/L)	↓55	250	250	250	80	to 250	170 ± 4.4		84
Organic Carbon (mg/L)		2 U			0.7 U	to 2 U	1.4 ± 0.65		2
Chloride (mg/L)		↓2.1			5.4	to 7	6.2 ± 0.8		2
Bromide (mg/L)		0.1 U			No historical data for Bromide.				
Turbidity (field) (NTU)	52.4	3.1	82.8	7.1	0	to 129.3	4.7 ± 1.8		83

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments













During times when LF-UD-1, LF-UD-2, LF-UD-3A & B, LF-UD-4, and LF-UD-7 have not been able to be sampled separately due to pipe submergence, LF-COMP has been collected from manhole #5. Field parameters are measured at this location during some monthly monitoring rounds by NEWSME.

Q1= 1 - 2021 U = Not Detected above the laboratory reporting limit.

Q2= 4 - 2021

Q3= 7 - 2021

Q4= 10 - 2021



LEGEND


- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill LF-COMP

Sevee & Maher Engineers, Inc.

Well Description

LF-UD-1 monitors the landfill underdrain from Cell #1 at Manhole #5.



Sampled: **Monthly & 3 Times Annually**

Sampled Since: **07/28/04**

Sampling Method: **Grab**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	H8	H8	H8	H8	102 to 611		330 ± 6		139
pH (STU)	H8	H8	H8	H8	6.3 to 8.4		7.3 ± 0.042		139
Temperature (Deg C)	H8	H8	H8	H8	0.6 to 25.9		14 ± 0.44		139
Eh (mV)	H8	H8	H8	H8	173 to 524		340 ± 5.3		139
Dissolved Oxygen (mg/L)	H8	H8	H8	H8	2 to 11		6.6 ± 0.14		138
Flow Rate (cfs)	H8	H8	H8	H8	0.00002 to 0.0067		0.0012 ± 0.000		119
Arsenic (mg/L)		H8	F6	F6	0.001 to 0.015		0.0058 ± 0.000		30
Calcium (mg/L)		H8	F6	F6	25 to 58		43 ± 1.7		30
Iron (mg/L)		H8	F6	F6	0.02 U to 4.57		0.22 ± 0.15		30
Magnesium (mg/L)		H8	F6	F6	7.4 to 14		10 ± 0.29		30
Manganese (mg/L)		H8	F6	F6	0.02 U to 0.1		0.034 ± 0.004		30
Potassium (mg/L)		H8	F6	F6	1.8 to 4.1		3 ± 0.14		30
Sodium (mg/L)		H8	F6	F6	5.8 to 10		8 ± 0.19		30
Nitrite/Nitrate - (N) (mg/L)		H8	F6	F6	0.07 to 2 U		0.52 ± 0.25		7
Total Phosphorus Mixed Forms (PO4 and		H8	F6	F6	0.01 U to 0.33		0.039 ± 0.011		30
Total Dissolved Solids (mg/L)		H8	F6	F6	130 to 290		200 ± 7.1		30
Total Suspended Solids (mg/L)		H8	F6	F6	2.5 U to 394		23 ± 13		30
Sulfate (mg/L)		H8	F6	F6	4.1 to 35		9.6 ± 1.2		30
Bicarbonate Alkalinity (CaCO3) (mg/L)		H8	F6	F6	110 to 179		150 ± 4.2		30
Alkalinity (CaCO3) (field) (mg/L)	H8	H8	H8	H8	40 to 485		140 ± 4.2		132
Organic Carbon (mg/L)		H8	F6	F6	0.5 U to 6.4		1.9 ± 0.19		30
Chloride (mg/L)		H8	F6	F6	1.9 to 26		9.1 ± 1.5		30
Bromide (mg/L)		H8	F6	F6	0.1 U to 0.21		0.15 ± 0.014		11
Turbidity (field) (NTU)	H8	H8	H8	H8	0 to 8.1		1.1 ± 0.11		138

underlined/bold - values exceed a regulatory standard listed below.













Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

- Q1= 1 - 2021 H8 = No flow from pipe. See LF-COMP for readings
- Q2= 4 - 2021 H2 = Waterlevel higher than pipes. See LF-COMP for readings
- Q3= 7 - 2021 F6 = No flow. Sample not taken.
- Q4= 10 - 2021



LEGEND


- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill
LF-UD-1

Sevee & Maher Engineers, Inc.

Well Description

LF-UD-2 monitors the landfill underdrain from Cell #2 at Manhole #5.



Sampled: **Monthly & 3 Times Annually**
 Sampled Since: **07/28/04**

Sampling Method: **Grab**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	H8	H8	H8	H8	134	to 709	330 ± 6.2		202
pH (STU)	H8	H8	H8	H8	6	to 8.5	7.5 ± 0.036		202
Temperature (Deg C)	H8	H8	H8	H8	2.2	to 28.4	16 ± 0.36		202
Eh (mV)	H8	H8	H8	H8	168	to 554	340 ± 4.8		202
Dissolved Oxygen (mg/L)	H8	H8	H8	H8	2	to 10.2	6.4 ± 0.095		200
Flow Rate (cfs)	H8	H8	H8	H8	0.00002	to 0.0223	0.0022 ± 0.000		184
Arsenic (mg/L)		H8	F6	F6	0.001	U to 0.024	0.007 ± 0.000		46
Calcium (mg/L)		H8	F6	F6	20	to 71.5	45 ± 2.1		46
Iron (mg/L)		H8	F6	F6	0.02	U to 2.5	0.14 ± 0.057		46
Magnesium (mg/L)		H8	F6	F6	6.1	to 15	10 ± 0.35		46
Manganese (mg/L)		H8	F6	F6	0.02	U to 0.13	0.038 ± 0.003		46
Potassium (mg/L)		H8	F6	F6	1.9	to 5.4	3.2 ± 0.12		46
Sodium (mg/L)		H8	F6	F6	5.2	to 18.1	7.9 ± 0.4		46
Nitrite/Nitrate - (N) (mg/L)		H8	F6	F6	0.05	U to 2 U	0.35 ± 0.11		17
Total Phosphorus Mixed Forms (PO4 and		H8	F6	F6	0.01	U to 0.66	0.049 ± 0.014		46
Total Dissolved Solids (mg/L)		H8	F6	F6	132	to 307	220 ± 8		46
Total Suspended Solids (mg/L)		H8	F6	F6	2.5	U to 370	18 ± 8.1		46
Sulfate (mg/L)		H8	F6	F6	2	U to 56	8.9 ± 1.4		46
Bicarbonate Alkalinity (CaCO3) (mg/L)		H8	F6	F6	92	to 230	150 ± 5.7		46
Alkalinity (CaCO3) (field) (mg/L)	H8	H8	H8	H8	35	to 350	140 ± 3.1		183
Organic Carbon (mg/L)		H8	F6	F6	0.6	to 43	2.8 ± 0.93		46
Chloride (mg/L)		H8	F6	F6	1.7	to 41.2	12 ± 1.6		46
Bromide (mg/L)		H8	F6	F6	0.1	U to 0.2	0.15 ± 0.009		23
Turbidity (field) (NTU)	H8	H8	H8	H8	0	to 8.7	0.97 ± 0.1		201

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.


Comments

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

- Q1= 1 - 2021 H8 = No flow from pipe. See LF-COMP for readings
- Q2= 4 - 2021 H2 = Waterlevel higher than pipes. See LF-COMP for readings
- Q3= 7 - 2021 F6 = No flow. Sample not taken.
- Q4= 10 - 2021

Well Description

LF-UD-3A, B monitors the landfill underdrains from cell 3A and cell 3B at Manhole #5.



Sampled: **3 Times Annually**

Sampled Since: **July 2011**

Sampling Method: **Grab**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	H8	H8	H8	H8	126	to 565	370 ± 19		27
pH (STU)	H8	H8	H8	H8	6.2	to 8.4	7.6 ± 0.12		27
Temperature (Deg C)	H8	H8	H8	H8	5	to 19.8	13 ± 0.82		27
Eh (mV)	H8	H8	H8	H8	94	to 447	290 ± 13		27
Dissolved Oxygen (mg/L)	H8	H8	H8	H8	4	to 8	5.6 ± 0.14		27
Flow Rate (cfs)	H8	H8	H8	H8	0.0003	to 0.0067	0.0033 ± 0.000		27
Arsenic (mg/L)		H8	F6	F6	0.003	U to 0.01	0.0048 ± 0.001		5
Calcium (mg/L)		H8	F6	F6	46.4	to 69.9	56 ± 4.4		5
Iron (mg/L)		H8	F6	F6	0.02	U to 0.02 U	0.02 ± 1E-10		5
Magnesium (mg/L)		H8	F6	F6	8.2	to 12.5	10 ± 0.81		5
Manganese (mg/L)		H8	F6	F6	0.02	U to 0.12	0.048 ± 0.02		5
Potassium (mg/L)		H8	F6	F6	1.8	to 3.3	2.4 ± 0.31		5
Sodium (mg/L)		H8	F6	F6	6	to 9.5	8 ± 0.63		5
Nitrite/Nitrate - (N) (mg/L)		H8	F6	F6	No historical data for Nitrite/Nitrate - (N).				
Total Phosphorus Mixed Forms (PO4 and		H8	F6	F6	0.01	U to 0.01	0.01 ± 7E-11		5
Total Dissolved Solids (mg/L)		H8	F6	F6	163	to 263	230 ± 17		5
Total Suspended Solids (mg/L)		H8	F6	F6	4	U to 4 U	4 ± 0		5
Sulfate (mg/L)		H8	F6	F6	8.3	to 16.3	13 ± 1.3		5
Bicarbonate Alkalinity (CaCO3) (mg/L)		H8	F6	F6	123	to 201	160 ± 15		5
Alkalinity (CaCO3) (field) (mg/L)	H8	H8	H8	H8	85	to 475	180 ± 17		27
Organic Carbon (mg/L)		H8	F6	F6	1.2	to 4.8	3.4 ± 0.66		5
Chloride (mg/L)		H8	F6	F6	2.4	to 12.6	7.8 ± 1.7		5
Bromide (mg/L)		H8	F6	F6	No historical data for Bromide.				
Turbidity (field) (NTU)	H8	H8	H8	H8	0	to 5	0.9 ± 0.2		27

underlined/bold - values exceed a regulatory standard listed below.



Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

- Q1= 1 - 2021 H8 = No flow from pipe. See LF-COMP for readings
- Q2= 4 - 2021 H2 = Waterlevel higher than pipes. See LF-COMP for readings
- Q3= 7 - 2021 F6 = No flow. Sample not taken.
- Q4= 10 - 2021




Juniper Ridge Landfill
LF-UD-3A,B

Sevee & Maher Engineers, Inc.

Well Description

LF-UD-4 monitors the landfill underdrain from Cell #4 at Manhole #5.



Sampled: **Monthly & 3 Times Annually**

Sampled Since: **03/11/2009**

Sampling Method: **Grab**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	H2	H8	340	343	327	to 562	420 ± 7.7		39
pH (STU)	H2	H8	7.4	7.5	6.9	to 8.3	7.5 ± 0.072		39
Temperature (Deg C)	H2	H8	15.4	15.9	4.5	to 30.7	17 ± 0.78		39
Eh (mV)	H2	H8	293	251	212	to 571	360 ± 13		39
Dissolved Oxygen (mg/L)	H2	H8	5.8	5.4	4	to 10.3	6.4 ± 0.27		39
Arsenic (mg/L)		H8	0.005 U	0.005	0.002	to 0.014	0.0073 ± 0.001		12
Calcium (mg/L)		H8	57	58	44.8	to 75.7	57 ± 2.7		12
Iron (mg/L)		H8	0.15	0.05 U	0.02 U	to 1.4	0.19 ± 0.11		12
Magnesium (mg/L)		H8	↓9.5	9.9	9.9	to 14	12 ± 0.42		12
Manganese (mg/L)		H8	0.05 U	0.05 U	0.02 U	to 0.16	0.057 ± 0.01		12
Potassium (mg/L)		H8	4.2	3.7	3.4	to 5.8	4.1 ± 0.21		12
Sodium (mg/L)		H8	11	9.4	7.4	to 11	9.4 ± 0.31		12
Nitrite/Nitrate - (N) (mg/L)		H8	↑0.28	↑0.26	0.13	to 0.25	0.19 ± 0.02		6
Total Dissolved Solids (mg/L)		H8	245	246	206	to 298	260 ± 7.9		12
Total Suspended Solids (mg/L)		H8	11	↓2.5 U	4 U	to 210	33 ± 18		12
Sulfate (mg/L)		H8	↑27	11	2 U	to 24.9	13 ± 2		12
Bicarbonate Alkalinity (CaCO3) (mg/L)		H8	190	200	136	to 210	180 ± 6.3		12
Organic Carbon (mg/L)		H8	2 U	2 U	2 U	to 5.1	2.3 ± 0.26		12
Chloride (mg/L)		H8	↓1.3	↓1.3	2.4	to 24	12 ± 2		12
Bromide (mg/L)		H8	0.1 U	0.1 U	0.1 U	to 0.2	0.16 ± 0.015		9
Turbidity (field) (NTU)	H2	H8	0.5	0.1	0	to 9.1	0.97 ± 0.24		39













underlined/bold - values exceed a regulatory standard listed below. Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

- Q1= 1 - 2021 U = Not Detected above the laboratory reporting limit.
- Q2= 4 - 2021 H8 = No flow from pipe. See LF-COMP for readings
- Q3= 7 - 2021 H2 = Waterlevel higher than pipes. See LF-COMP for readings
- Q4= 10 - 2021



LEGEND


- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill LF-UD-4

Sevee & Maher Engineers, Inc.

Well Description

LF-UD-5and6 monitors the landfill underdrain from Cell #5 and Cell #6(composite). This underdrain pipe is located southeast of MW04-109R.



Sampled: **3 Times Annually and Monthly**
 Sampled Since: **July 2011**

Sampling Method: **Grab**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	295	327	450	297	117	to 652	370 ± 7.3		135
pH (STU)	8.4	8.5	8.5	8.4	6.7	to 8.5	7.8 ± 0.034		135
Temperature (Deg C)	16.2	8	25.4	17.8	4.2	to 26.5	16 ± 0.41		135
Eh (mV)	389	↑532	380	352	70	to 515	360 ± 4.8		134
Dissolved Oxygen (mg/L)	8	8.5	7.2	7.6	4	to 12.8	7.4 ± 0.15		133
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.005 U	to 0.024	0.0096 ± 0.001		28
Calcium (mg/L)		40	51	48	38	to 71.3	53 ± 1.7		28
Iron (mg/L)		0.05 U	0.1	0.05 U	0.02 U	to 11.3	0.53 ± 0.4		28
Magnesium (mg/L)		9.8	12	11	8.4	to 15.4	11 ± 0.32		28
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	to 0.25	0.054 ± 0.008		28
Potassium (mg/L)		↓2.3	2.7	2.4	2.4	to 7	3.9 ± 0.22		28
Sodium (mg/L)		7.5	8.4	8.3	6.2	to 10.2	8.3 ± 0.19		28
Nitrite/Nitrate - (N) (mg/L)		0.15	0.13	0.17	0.05 U	to 0.5 U	0.19 ± 0.035		15
Total Dissolved Solids (mg/L)		187	228	215	185	to 332	240 ± 7		28
Total Suspended Solids (mg/L)		2.5 U	3.7	2.5 U	2.5 U	to 154	19 ± 7.1		28
Sulfate (mg/L)		11	12	12	8.7	to 39	14 ± 1.2		28
Bicarbonate Alkalinity (CaCO3) (mg/L)		160	190	170	150	to 238	190 ± 4.9		28
Organic Carbon (mg/L)		2 U	2 U	2 U	1.5	to 2.5	2 ± 0.035		28
Chloride (mg/L)		2.1	2.6	2.3	1.5	to 6.2	2.9 ± 0.18		28
Bromide (mg/L)		0.14	0.1 U	0.1	0.1 U	to 0.2 U	0.13 ± 0.009		20
Turbidity (field) (NTU)	9.3	5.7	16.1	4.1	0	to 51.3	3 ± 0.61		134

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments













This location is monitored triannually for field and lab parameters and monthly for field parameters only.

Q1= 1 - 2021 U = Not Detected above the laboratory reporting limit.

Q2= 4 - 2021

Q3= 7 - 2021

Q4= 10 - 2021



LEGEND


- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill
LF-UD-5and6

Sevee & Maher Engineers, Inc.

Well Description

LF-UD-6 monitors the landfill underdrain from Cell #6. This underdrain pipe is located along the south perimeter of the landfill.



Sampled: **Monthly and 3 Times Annually**
 Sampled Since: **02/03/2011**

Sampling Method: **Grab**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	F6	758	↑1365	295	70	to 919	550 ± 22		110
pH (STU)	F6	5.1	↓3.8	5.6	4	to 8.5	7.2 ± 0.074		109
Temperature (Deg C)	F6	22.2	24.4	14	7.6	to 24.8	17 ± 0.36		110
Eh (mV)	F6	504	487	426	140	to 605	380 ± 5.8		109
Dissolved Oxygen (mg/L)	F6	8	6	5.2	3.6	to 10	6.4 ± 0.13		108
Flow Rate (cfs)	F6	0.0006	I	0.0022	0.00056	to 0.0045	0.002 ± 0.000		24
Arsenic (mg/L)		0.006	I	0.011	0.003	to 0.026	0.013 ± 0.002		25
Calcium (mg/L)		↑160	I	38	24	to 96.4	70 ± 4		25
Iron (mg/L)		0.08	I	0.15	0.02	U to 6.28	0.31 ± 0.25		25
Magnesium (mg/L)		14	I	5	2.9	to 25.4	16 ± 1.5		25
Manganese (mg/L)		↑5.5	I	1.9	0.02	U to 3.3	0.21 ± 0.13		25
Potassium (mg/L)		↑20	I	5	1.7	to 5.9	4 ± 0.25		25
Sodium (mg/L)		16	I	5.1	0.5	to 74.3	32 ± 6.1		25
Nitrite/Nitrate - (N) (mg/L)		↑130	I	20	1.4	to 60	12 ± 4.5		13
Total Phosphorus Mixed Forms (PO4 and		↑4.6	I	↑5.7	0.01	to 0.65	0.12 ± 0.025		25
Total Dissolved Solids (mg/L)		↑1255	I	353	149	to 563	390 ± 28		25
Total Suspended Solids (mg/L)		30	I	2.5 U	2.5	U to 150	15 ± 7		25
Sulfate (mg/L)		75	I	11	2	U to 143	51 ± 9.6		25
Bicarbonate Alkalinity (CaCO3) (mg/L)		1.5 U	I	1.5 U	1.5	U to 359	240 ± 23		25
Alkalinity (CaCO3) (field) (mg/L)	F6	TK	TK	F6	35	to 490	210 ± 11		92
Organic Carbon (mg/L)		↑5	I	2 U	2	U to 3.6	2.7 ± 0.11		25
Chloride (mg/L)		18	I	14	1	U to 18.2	6.8 ± 1.1		25
Bromide (mg/L)		0.1 U	I	0.1 U	0.1	U to 0.5 U	0.13 ± 0.022		19
Turbidity (field) (NTU)	F6	42.1	7	0.5	0.1	to 126.9	5.4 ± 1.3		109

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.


Comments

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

- Q1= 1 - 2021 U = Not Detected above the laboratory reporting limit.
- Q2= 4 - 2021 TK = Outside of range of available test kits (or below test kit range).
- Q3= 7 - 2021 I = The sampling location yielded insufficient quantity to collect a sample
- Q4= 10 - 2021 F6 = No flow. Sample not taken.

Well Description

LF-UD-7 monitors the landfill underdrain from Cell #7 and Manhole #5.



Sampled: **Monthly and 3 Times Annually**
 Sampled Since: **11/30/2011**

Sampling Method: **Grab**

Chemical Summary

Indicator Parameters	2021				Historical (-)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	H8	H8	H8	H8	No historical data for Specific Conductance.				
pH (STU)	H8	H8	H8	H8	No historical data for pH.				
Temperature (Deg C)	H8	H8	H8	H8	No historical data for Temperature.				
Eh (mV)	H8	H8	H8	H8	No historical data for Eh.				
Dissolved Oxygen (mg/L)	H8	H8	H8	H8	No historical data for Dissolved Oxygen.				
Flow Rate (cfs)	H8	H8	H8	H8	No historical data for Flow Rate.				
Arsenic (mg/L)		H8	F6	F6	No historical data for Arsenic.				
Calcium (mg/L)		H8	F6	F6	No historical data for Calcium.				
Iron (mg/L)		H8	F6	F6	No historical data for Iron.				
Magnesium (mg/L)		H8	F6	F6	No historical data for Magnesium.				
Manganese (mg/L)		H8	F6	F6	No historical data for Manganese.				
Potassium (mg/L)		H8	F6	F6	No historical data for Potassium.				
Sodium (mg/L)		H8	F6	F6	No historical data for Sodium.				
Nitrite/Nitrate - (N) (mg/L)		H8	F6	F6	No historical data for Nitrite/Nitrate - (N).				
Total Phosphorus Mixed Forms (PO4 and		H8	F6	F6	No historical data for Total Phosphorus.				
Total Dissolved Solids (mg/L)		H8	F6	F6	No historical data for Total Dissolved Solids.				
Total Suspended Solids (mg/L)		H8	F6	F6	No historical data for Total Suspended Solids.				
Sulfate (mg/L)		H8	F6	F6	No historical data for Sulfate.				
Bicarbonate Alkalinity (CaCO3) (mg/L)		H8	F6	F6	No historical data for Bicarbonate Alkalinity (CaCO3).				
Alkalinity (CaCO3) (field) (mg/L)	H8	H8	H8	H8	No historical data for Alkalinity (CaCO3) (field).				
Organic Carbon (mg/L)		H8	F6	F6	No historical data for Organic Carbon.				
Chloride (mg/L)		H8	F6	F6	No historical data for Chloride.				
Bromide (mg/L)		H8	F6	F6	No historical data for Bromide.				
Turbidity (field) (NTU)	H8	H8	H8	H8	No historical data for Turbidity (field).				

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.


Comments

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

- Q1= 1 - 2021 H8 = No flow from pipe. See LF-COMP for readings
- Q2= 4 - 2021 H2 = Waterlevel higher than pipes. See LF-COMP for readings
- Q3= 7 - 2021 F6 = No flow. Sample not taken.
- Q4= 10 - 2021

Well Description

LF-UD-8 monitors the landfill underdrain from Cell #8. This underdrain pipe is located along the southern perimeter of the landfill.



Sampled: **3 Times Annually**
 Sampled Since: **4/23/2013**

Sampling Method: **Grab**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	F6	F6	F6	F6	64	to 407	200 ± 32		17
pH (STU)	F6	F6	F6	F6	6.8	to 8.5	7.5 ± 0.13		17
Temperature (Deg C)	F6	F6	F6	F6	2.8	to 26.9	12 ± 1.5		17
Eh (mV)	F6	F6	F6	F6	235	to 568	370 ± 21		17
Dissolved Oxygen (mg/L)	F6	F6	F6	F6	5	to 10.9	7.6 ± 0.52		17
Flow Rate (cfs)	F6	F6	F6	F6	0.00003	to 0.0045	0.0014 ± 0.000		14
Arsenic (mg/L)		F6	F6	F6	0.005	U to 0.014	0.0069 ± 0.001		11
Calcium (mg/L)		F6	F6	F6	4.8	to 50.1	19 ± 5.4		11
Iron (mg/L)		F6	F6	F6	0.05	U to 1.5	0.57 ± 0.14		11
Magnesium (mg/L)		F6	F6	F6	0.8	to 11.1	3.6 ± 1.3		11
Manganese (mg/L)		F6	F6	F6	0.05	U to 0.15	0.069 ± 0.01		11
Potassium (mg/L)		F6	F6	F6	0.8	to 3.7	1.9 ± 0.36		11
Sodium (mg/L)		F6	F6	F6	1.3	to 7.3	3.8 ± 0.67		11
Nitrite/Nitrate - (N) (mg/L)		F6	F6	F6	0.05	U to 0.5 U	0.14 ± 0.073		6
Total Phosphorus Mixed Forms (PO4 and		F6	F6	F6	0.04	U to 0.1	0.05 ± 0.006		11
Total Dissolved Solids (mg/L)		F6	F6	F6	42	to 222	100 ± 21		11
Total Suspended Solids (mg/L)		F6	F6	F6	4	U to 43	9.2 ± 3.5		11
Sulfate (mg/L)		F6	F6	F6	4.6	to 49	14 ± 3.6		11
Bicarbonate Alkalinity (CaCO3) (mg/L)		F6	F6	F6	6	to 180	58 ± 22		11
Alkalinity (CaCO3) (field) (mg/L)	F6	F6	F6	F6	15	to 185	120 ± 18		11
Organic Carbon (mg/L)		F6	F6	F6	2	U to 6.3	3.9 ± 0.48		11
Chloride (mg/L)		F6	F6	F6	2	to 14	5.2 ± 1		11
Bromide (mg/L)		F6	F6	F6	0.1	U to 0.2 U	0.11 ± 0.009		11
Turbidity (field) (NTU)	F6	F6	F6	F6	0.04	to 24.35	2.6 ± 1.4		17

underlined/bold - values exceed a regulatory standard listed below.













Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

- Q1= 1 - 2021 F6 = No flow. Sample not taken.
- Q2= 4 - 2021 A = The sampling location was Inaccessible
- Q3= 7 - 2021
- Q4= 10 - 2021




LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill
LF-UD-8

Well Description

LF-UD-9 monitors the landfill underdrain from Cell #9. This underdrain pipe is located along the southern perimeter of the landfill.



Sampled: **3 Times Annually**
 Sampled Since: **April 2016**

Sampling Method: **Grab**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	F6	F6	F6	F6	135 to 292		200 ± 33		4
pH (STU)	F6	F6	F6	F6	6.6 to 7.6		7.2 ± 0.21		4
Temperature (Deg C)	F6	F6	F6	F6	7.1 to 15.1		10 ± 1.8		4
Eh (mV)	F6	F6	F6	F6	278 to 458		370 ± 37		4
Dissolved Oxygen (mg/L)	F6	F6	F6	F6	7 to 10.8		8.5 ± 0.91		4
Flow Rate (cfs)	F6	F6	F6	F6	0.0004 to 0.0045		0.0023 ± 0.001		4
Arsenic (mg/L)		F6	F6	F6	0.007 to 0.007		0.007 ± 0		1
Calcium (mg/L)		F6	F6	F6	55 to 55		55 ± 0		1
Iron (mg/L)		F6	F6	F6	1.4 to 1.4		1.4 ± 0		1
Magnesium (mg/L)		F6	F6	F6	6.8 to 6.8		6.8 ± 0		1
Manganese (mg/L)		F6	F6	F6	0.06 to 0.06		0.06 ± 0		1
Potassium (mg/L)		F6	F6	F6	4.3 to 4.3		4.3 ± 0		1
Sodium (mg/L)		F6	F6	F6	6.5 to 6.5		6.5 ± 0		1
Nitrite/Nitrate - (N) (mg/L)		F6	F6	F6	0.88 to 0.88		0.88 ± 0		1
Total Phosphorus Mixed Forms (PO4 and		F6	F6	F6	0.08 to 0.08		0.08 ± 0		1
Total Dissolved Solids (mg/L)		F6	F6	F6	224 to 224		220 ± 0		1
Total Suspended Solids (mg/L)		F6	F6	F6	57 to 57		57 ± 0		1
Sulfate (mg/L)		F6	F6	F6	11 to 11		11 ± 0		1
Bicarbonate Alkalinity (CaCO3) (mg/L)		F6	F6	F6	90 to 90		90 ± 0		1
Alkalinity (CaCO3) (field) (mg/L)	F6	F6	F6	F6	25 to 50 U		35 ± 7.6		3
Organic Carbon (mg/L)		F6	F6	F6	2.7 to 2.7		2.7 ± 0		1
Chloride (mg/L)		F6	F6	F6	5.1 to 5.1		5.1 ± 0		1
Bromide (mg/L)		F6	F6	F6	0.2 U to 0.2 U		0.2 ± 0		1
Turbidity (field) (NTU)	F6	F6	F6	F6	1.2 to 49.6		26 ± 12		4

underlined/bold - values exceed a regulatory standard listed below.


Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

- Q1= 1 - 2021 F6 = No flow. Sample not taken.
- Q2= 4 - 2021 A = The sampling location was Inaccessible
- Q3= 7 - 2021
- Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- Sample Event
- BDL

Juniper Ridge Landfill
LF-UD-9


Sevee & Maher Engineers, Inc.

Well Description

LF-UD-10 monitors the landfill underdrain from Cell #10. This underdrain pipe is located along the southern perimeter of the landfill.

Sampled: **3 Times Annually**
 Sampled Since: **October 2017**

Sampling Method:



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	F6	F6	F6	F6	111	to 175	130 ± 14		4
pH (STU)	F6	F6	F6	F6	6.8	to 7.3	7.1 ± 0.12		4
Temperature (Deg C)	F6	F6	F6	F6	5.1	to 14.9	9.9 ± 2		4
Eh (mV)	F6	F6	F6	F6	295	to 455	390 ± 34		4
Dissolved Oxygen (mg/L)	F6	F6	F6	F6	7	to 9	7.8 ± 0.48		4
Flow Rate (cfs)	F6	F6	F6	F6	0.00056	to 0.0178	0.0066 ± 0.004		4
Arsenic (mg/L)		F6	F6	F6	No historical data for Arsenic.				
Calcium (mg/L)		F6	F6	F6	No historical data for Calcium.				
Iron (mg/L)		F6	F6	F6	No historical data for Iron.				
Magnesium (mg/L)		F6	F6	F6	No historical data for Magnesium.				
Manganese (mg/L)		F6	F6	F6	No historical data for Manganese.				
Potassium (mg/L)		F6	F6	F6	No historical data for Potassium.				
Sodium (mg/L)		F6	F6	F6	No historical data for Sodium.				
Nitrite/Nitrate - (N) (mg/L)		F6	F6	F6	No historical data for Nitrite/Nitrate - (N).				
Total Phosphorus Mixed Forms (PO4 and		F6	F6	F6	No historical data for Total Phosphorus.				
Total Dissolved Solids (mg/L)		F6	F6	F6	No historical data for Total Dissolved Solids.				
Total Suspended Solids (mg/L)		F6	F6	F6	No historical data for Total Suspended Solids.				
Sulfate (mg/L)		F6	F6	F6	No historical data for Sulfate.				
Bicarbonate Alkalinity (CaCO3) (mg/L)		F6	F6	F6	No historical data for Bicarbonate Alkalinity (CaCO3).				
Alkalinity (CaCO3) (field) (mg/L)	F6	F6	F6	F6	0	to 50 U	25 ± 14		3
Organic Carbon (mg/L)		F6	F6	F6	No historical data for Organic Carbon.				
Chloride (mg/L)		F6	F6	F6	No historical data for Chloride.				
Bromide (mg/L)		F6	F6	F6	No historical data for Bromide.				
Turbidity (field) (NTU)	F6	F6	F6	F6	12.9	to 49.6	39 ± 8.8		4

underlined/bold - values exceed a regulatory standard listed below.


Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.


Comments

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

- Q1= 1 - 2021 F6 = No flow. Sample not taken.
- Q2= 4 - 2021 A = The sampling location was Inaccessible
- Q3= 7 - 2021
- Q4= 10 - 2021



No data for Sodium at LF-UD-10



No data for Bromide at LF-UD-10

No data for Calcium at LF-UD-10

No data for Total Dissolved Solids at LF-UD-10

No data for Iron at LF-UD-10

No data for Sulfate at LF-UD-10

No data for Magnesium at LF-UD-10

No data for Organic Carbon at LF-UD-10

No data for Manganese at LF-UD-10

No data for Chloride at LF-UD-10

LEGEND

	- Maximum Value		- Sample Event
	- 75th Percentile		- BDL
	- Median		
	- 25th Percentile		
	- Minimum Value		

Juniper Ridge Landfill LF-UD-10

Sevee & Maher Engineers, Inc.


Well Description

Manhole #7 composite sample

Sampled: **See comments below**

Sampled Since: **10/27/04**

Sampling Method: **Grab**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	289	314	365	362	92 to 665		300 ± 8.3		85
pH (STU)	7.4	7.5	7	7.8	6 to 8.4		7.1 ± 0.043		85
Temperature (Deg C)	15.7	21.2	23.8	17.6	3.4 to 25.1		14 ± 0.56		85
Eh (mV)	402	394	409	352	191 to 520		360 ± 4.4		85
Dissolved Oxygen (mg/L)	8	8	9	6	3 to 10		7 ± 0.18		83
Alkalinity (CaCO3) (field) (mg/L)	150	150	160	175	75 to 260		130 ± 3		85
Turbidity (field) (NTU)	6.5	1.3	↑21.3	↑8.1	0 to 7.4		1.1 ± 0.12		85

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments


During times when LP-UD-1 and LP-UD-2 have not been able to be sampled separately due to pipe submergence, LP-COMP has been collected from manhole #7. Field parameters are measured at this location during some monthly monitoring rounds by NEWSME.

Q1= 1 - 2021


Q2= 4 - 2021

Q3= 7 - 2021

Q4= 10 - 2021



No data for Sodium at LP-COMP



No data for Bromide at LP-COMP

No data for Calcium at LP-COMP

No data for Total Dissolved Solids at LP-COMP

No data for Iron at LP-COMP

No data for Sulfate at LP-COMP

No data for Magnesium at LP-COMP

No data for Organic Carbon at LP-COMP

No data for Manganese at LP-COMP

No data for Chloride at LP-COMP

LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- - FFT smoothing of yearly mean values.
- - Sample Event
- ⊙ - BDL


Juniper Ridge Landfill

LP-COMP

Sevee & Maher Engineers, Inc.

Well Description

LP-UD-1 is located at Manhole #7 and monitors the leachate underdrain from the southern end of the former leachate pond.



Sampled: **Monthly and 3 Times Annually**

Sampled Since: **07/28/04**

Sampling Method: **Grab**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	H9	H9	357	251	241	to 517	380 ± 140		2
pH (STU)	H9	H9	↓6.7	6.9	6.8	to 7.1	7 ± 0.15		2
Temperature (Deg C)	H9	H9	↑20.4	↑19.8	6.2	to 8.3	7.3 ± 1.1		2
Eh (mV)	H9	H9	↓365	↓349	368	to 370	370 ± 1		2
Dissolved Oxygen (mg/L)	H9	H9	↑6	↑6	2.5	to 5	3.8 ± 1.3		2
Flow Rate (cfs)	H9	H9	↑0.143	↑0.2152	0.0011	to 0.0011	0.0011 ± 0		1
Arsenic (mg/L)		F6	F6	F6	0.005 U	to 0.005 U	0.005 ± 0		1
Calcium (mg/L)		F6	F6	F6	32	to 32	32 ± 0		1
Iron (mg/L)		F6	F6	F6	0.05	to 0.05	0.05 ± 0		1
Magnesium (mg/L)		F6	F6	F6	8.7	to 8.7	8.7 ± 0		1
Manganese (mg/L)		F6	F6	F6	0.05 U	to 0.05 U	0.05 ± 0		1
Potassium (mg/L)		F6	F6	F6	1.7	to 1.7	1.7 ± 0		1
Sodium (mg/L)		F6	F6	F6	5.5	to 5.5	5.5 ± 0		1
Nitrite/Nitrate - (N) (mg/L)		F6	F6	F6	0.31	to 0.31	0.31 ± 0		1
Total Phosphorus Mixed Forms (PO4 and		F6	F6	F6	0.04 U	to 0.04 U	0.04 ± 0		1
Total Dissolved Solids (mg/L)		F6	F6	F6	163	to 163	160 ± 0		1
Total Suspended Solids (mg/L)		F6	F6	F6	2.5 U	to 2.5 U	2.5 ± 0		1
Sulfate (mg/L)		F6	F6	F6	23	to 23	23 ± 0		1
Bicarbonate Alkalinity (CaCO3) (mg/L)		F6	F6	F6	120	to 120	120 ± 0		1
Alkalinity (CaCO3) (field) (mg/L)	H9	H9	125	↑150	125	to 125	130 ± 0		1
Organic Carbon (mg/L)		F6	F6	F6	2 U	to 2 U	2 ± 0		1
Chloride (mg/L)		F6	F6	F6	3.1	to 3.1	3.1 ± 0		1
Bromide (mg/L)		F6	F6	F6	0.1 U	to 0.1 U	0.1 ± 0		1
Turbidity (field) (NTU)	H9	H9	↑11	↑5	0	to 0.4	0.2 ± 0.2		2

underlined/bold - values exceed a regulatory standard listed below.













Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

- Q1= 1 - 2021 H9 = No flow from pipe. See LP-COMP for readings
- Q2= 4 - 2021 F6 = No flow. Sample not taken.
- Q3= 7 - 2021
- Q4= 10 - 2021




LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- Sample Event
- BDL

Juniper Ridge Landfill
LP-UD-1

Well Description

LP-UD-2 is located in Manhole #7 and monitors the water quality of the leachate underdrain on the north end of the former leachate pond.



Sampled: **Monthly and 3 Times Annually**

Sampled Since: **07/28/04**

Sampling Method: **Grab**

Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	295	314	344	301	110 to 834		330 ± 5.7		192
pH (STU)	7.5	7.5	7.3	7.1	5.7 to 8.5		7.1 ± 0.029		192
Temperature (Deg C)	15.2	7.2	24.6	16.6	1.3 to 25.2		13 ± 0.36		192
Eh (mV)	365	394	399	344	157 to 520		340 ± 4.6		191
Dissolved Oxygen (mg/L)	8	9.7	8.8	6	1 to 12		6.7 ± 0.13		192
Flow Rate (cfs)	0.0025	0.0018	↑0.0668	0.0036	0.0002 to 0.0089		0.0019 ± 0.000		150
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.001 U to 0.024		0.0062 ± 0.000		50
Calcium (mg/L)		38	42	40	28.8 to 68.2		38 ± 1.1		50
Iron (mg/L)		0.05 U	0.1	0.05 U	0.02 U to 2.86		0.18 ± 0.074		50
Magnesium (mg/L)		10	11	10	7.7 to 21		11 ± 0.32		50
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U to 0.8		0.063 ± 0.017		50
Potassium (mg/L)		1.7	2.2	2.1	1.7 to 25		3.4 ± 0.48		50
Sodium (mg/L)		↓5.5	7	6.7	5.6 to 58		11 ± 1.2		50
Nitrite/Nitrate - (N) (mg/L)		0.37	0.36	0.34	0.085 to 2 U		0.34 ± 0.1		18
Total Phosphorus Mixed Forms (PO4 and		0.04 U	0.04 U	0.04 U	0.01 U to 0.17		0.033 ± 0.004		50
Total Dissolved Solids (mg/L)		179	203	187	151 to 455		200 ± 7		50
Total Suspended Solids (mg/L)		6.5	2.5 U	4.7	2.5 U to 73		6.6 ± 1.7		50
Sulfate (mg/L)		9.3	9.9	9.6	2 U to 116		14 ± 2.4		50
Bicarbonate Alkalinity (CaCO3) (mg/L)		140	150	140	90 to 229		140 ± 3.6		50
Alkalinity (CaCO3) (field) (mg/L)	175	150	150	140	30 to 350		140 ± 3		172
Organic Carbon (mg/L)		2 U	2 U	2 U	0.7 U to 27		2.5 ± 0.52		50
Chloride (mg/L)		6.2	5.2	4.3	2.3 to 31.1		7.5 ± 0.66		50
Bromide (mg/L)		0.11	0.1 U	0.1 U	0.1 U to 0.2 U		0.12 ± 0.008		24
Turbidity (field) (NTU)	1.4	2.7	13	7	0 to 60		1.2 ± 0.32		191

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

- Q1= 1 - 2021 U = Not Detected above the laboratory reporting limit.
- Q2= 4 - 2021 H9 = No flow from pipe. See LP-COMP for readings
- Q3= 7 - 2021
- Q4= 10 - 2021


Well Description

Leachate collection location at leachate storage tank.

Sampled: **3 Times Annually**

Sampled Since: **07/30/2013**

Sampling Method: **Grab**



Chemical Summary

Indicator Parameters	2021				Historical (1/1/1980 - 12/31/2021)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Nitrate (N) (mg/L)		310			5 U	to 1210	120 ± 52		24
Specific Conductance (µmhos/cm @25°C)		17300	21200	18480	11470	to 30700	22000 ± 840		36
pH (STU)		7.4	7.2	7.2	5.5	to 7.6	7 ± 0.078		36
Temperature (Deg C)		13	23.9	25.1	9.4	to 29	18 ± 0.89		36
Eh (mV)		52	-71	-41	-311	to 238	0.11 ± 21		36
Dissolved Oxygen (mg/L)		2.2	↓0.5	↓0.9	1	to 8	2.9 ± 0.74		11
Aluminum (mg/L)		0.45			0.201	to 0.72	0.42 ± 0.055		12
Antimony (mg/L)		0.006			0.005 U	to 0.065	0.018 ± 0.005		12
Arsenic (mg/L)		0.2	0.35	0.45	0.059	to 0.6	0.21 ± 0.022		36
Barium (mg/L)		1.1			0.77	to 1.873	1.2 ± 0.091		12
Beryllium (mg/L)		↑0.0033			0.0002 U	to 0.003 U	0.0012 ± 0.000		12
Cadmium (mg/L)		↑0.025			0.0006 U	to 0.0161	0.005 ± 0.000		24
Calcium (mg/L)		↓240	↓240	↓200	259	to 1759	530 ± 54		36
Chromium (mg/L)		↑0.13			0.024	to 0.105	0.064 ± 0.009		12
Cobalt (mg/L)		0.044			0.01 U	to 0.05 U	0.025 ± 0.005		12
Copper (mg/L)		↑0.093			0.003 U	to 0.065	0.019 ± 0.004		24
Iron (mg/L)		5	5	↓3.1	3.5	to 179	28 ± 5.7		36
Lead (mg/L)		0.035			0.002	to 0.095	0.024 ± 0.008		12
Magnesium (mg/L)		↓170	210	200	179	to 532	330 ± 15		36
Manganese (mg/L)		3.1	2.2	1.7	1.3	to 26	6.5 ± 1.2		36
Mercury (mg/L)		0.0005 U			0.0002 U	to 0.0005 U	0.00043 ± 4E-05		12
Nickel (mg/L)		0.064			0.022	to 0.304	0.098 ± 0.013		24
Potassium (mg/L)		740	930	870	580	to 1982	1300 ± 61		36
Selenium (mg/L)		0.046			0.005 U	to 0.098	0.03 ± 0.007		12
Silver (mg/L)		0.001 U			0.0003	to 0.2	0.023 ± 0.017		12
Sodium (mg/L)		1600	2200	2000	1024	to 8135	2400 ± 200		36
Thallium (mg/L)		↑0.025			0.001 U	to 0.02 U	0.0088 ± 0.002		12
Vanadium (mg/L)		0.031			0.01	to 0.1	0.037 ± 0.007		12
Zinc (mg/L)		0.051			0.011	to 0.604	0.13 ± 0.048		12
Tin (mg/L)		0.015 U			0.005 U	to 0.157	0.05 ± 0.014		12
Total Kjeldahl Nitrogen (mg/L)		710	660	890	290	to 1400	770 ± 39		34
Ammonia (N) (mg/L)		600			74	to 840	570 ± 38		24
Nitrite/Nitrate - (N) (mg/L)			0.3 U	0.05 U	0.05 U	to 10 U	1.2 ± 0.83		12
Total Dissolved Solids (mg/L)		9970	12000	11040	13	to 19816	13000 ± 670		36
Total Suspended Solids (mg/L)		7	7	↓4.5	5	to 625	76 ± 18		36
Sulfate (mg/L)		1600	500 U	32	10.4	to 2900	850 ± 150		36
Sulfide (mg/L)		4.5			0.18	to 78	12 ± 3.7		23

LT-C4L & LT-C4LR**LT-C4L & LT-C4LR**

Juniper Ridge Landfill

annual stats 2021 G7

Ca-mg Hardness (CaCO ₃) (mg/L)	↓1300			1400 to 6212	2400 ± 370	12
Bicarbonate Alkalinity (CaCO ₃) (mg/L)	2300	2900	2800	1370 to 4710	3000 ± 120	36
Alkalinity (CaCO ₃) (mg/L)	2300			1370 to 3700	2600 ± 210	12
Organic Carbon (mg/L)	330	520	450	110 to 2560	870 ± 110	36
Biochemical Oxygen Demand (mg/L)	150			39 to 4850	1300 ± 290	23
Chemical Oxygen Demand (mg/L)	1700			959 to 8110	3400 ± 440	24
Chloride (mg/L)	9900	6800	4800	2560 to 24300	11000 ± 870	36
Bromide (mg/L)	66	59	41	10 U to 188	68 ± 7	28
Cyanide (ug/L)	5 U			0.006 to 74	14 ± 6.5	12
Turbidity (field) (NTU)	D3	D3	↓4.4	6.1 to 1733	460 ± 120	21













underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q2= 4 - 2021 U = Not Detected above the laboratory reporting limit.
 Q3= 7 - 2021 D3 = Sample too dark to take reading.
 Q4= 10 - 2021



LEGEND

- Maximum Value
- 75th Percentile
- Median
- 25th Percentile
- Minimum Value
- FFT smoothing of yearly mean values.
- Sample Event
- BDL

Juniper Ridge Landfill LT-C4L & LT-C4LR

Sevee & Maher Engineers, Inc.

APPENDIX F

MANN-KENDALL TREND ANALYSIS RESULTS

**Summary of Mann-Kendall Trend Analysis
95% Confidence (alpha=0.05)
Juniper Ridge Landfill 2021**

3-yr trend: 1/1/2019 to 12/31/2021

5-yr trend: 1/1/2017 to 12/31/2021

LOCATION	Increasing Trends		Decreasing Trends		NoTrends	
	3 Year	5 Year	3 Year	5 Year	3 Year	5 Year
DP-4		Spec Cond, WLE NGVD29ft, Water Elev.		Water Depth	Spec Cond, Water Elev., Water Depth, MP Elev, WLE NGVD29ft, Well Depth	pH, Temp, MP Elev, Eh, DO, Well Depth, TURB (fld)
LF-COMP	TURB (fld)	ALK (fld)		DO	Spec Cond, pH, Temp, Eh, DO, ALK (fld)	Spec Cond, pH, Temp, Eh, TURB (fld)
LF-UD-4		NO2/NO3 - N	DO	Flow Rate	Spec Cond, pH, Temp, Eh, Flow Rate, TURB (fld)	Spec Cond, pH, Temp, Eh, DO, As, Ca, Fe, Mg, Mn, K, Na, TDS, TSS, SO4, HCO3, OC, Cl, Bromide, TURB (fld)
LF-UD-5and6	SO4, Cl, TURB (fld)	TURB (fld)		Flow Rate, K	Spec Cond, pH, Temp, Eh, DO, Flow Rate, As, Ca, Fe, Mg, Mn, K, Na, TDS, TSS, HCO3, ALK (fld), OC, Bromide, NO2/NO3 - N	Spec Cond, pH, Temp, Eh, DO, As, Ca, Fe, Mg, Mn, Na, TDS, TSS, SO4, HCO3, ALK (fld), OC, Cl, Bromide, NO2/NO3 - N
LF-UD-6	Spec Cond, Eh, Mn	Mn, NO2/NO3 - N	pH, HCO3	Spec Cond, pH, Flow Rate, HCO3	Temp, DO, Flow Rate, As, Ca, Fe, Mg, K, Na, TDS, TSS, SO4, OC, Cl, Bromide, TURB (fld), NO2/NO3 - N	Temp, Eh, DO, As, Ca, Fe, Mg, K, Na, TDS, TSS, SO4, OC, Cl, Bromide, TURB (fld)
LP-COMP	Temp, ALK (fld), TURB (fld)	pH, DO, ALK (fld)			Spec Cond, pH, Eh, DO	Spec Cond, Temp, Eh, TURB (fld)
LP-UD-2	Temp, Flow Rate, Ca, TDS, HCO3, ALK (fld), Cl	SO4, TURB (fld), NO2/NO3 - N		Spec Cond, Eh	Spec Cond, pH, Eh, DO, As, Fe, Mg, Mn, K, Na, TSS, SO4, OC, Bromide, TURB (fld), NO2/NO3 - N	pH, Temp, DO, Flow Rate, As, Ca, Fe, Mg, Mn, K, Na, TDS, TSS, HCO3, ALK (fld), OC, Cl, Bromide
LT-C4LR	As	Cr	DO, Ca, Fe, TSS, SO4, Cl	Spec Cond, Al, Fe, Mg, BOD5, Cl, CN	Spec Cond, pH, Temp, Eh, Mg, Mn, K, Na, TKN, TDS, HCO3, OC, Bromide, TURB (fld), NO2/NO3 - N	pH, Temp, Eh, Sb, As, Ba, Be, Cd, Ca, Co, Cu, Pb, Mn, Hg, Ni, K, Se, Ag, Na, Ti, V, Zn, Sn, TKN, NH3 - N, NO3 - N, TDS, TSS, SO4, S=, Hard(CaMg), HCO3, ALK, OC, COD, Bromide, TURB (fld), NO2/NO3 - N
MW04-102	Spec Cond, Water Depth		Water Elev., WLE NGVD29ft	pH	pH, Temp, MP Elev, Eh, DO, Well Depth, As, Ca, Fe, Mg, Mn, K, Na, TKN, TDS, TSS, SO4, HCO3, OC, Cl, Bromide, TURB (fld), NO2/NO3 - N	Spec Cond, Temp, Water Depth, WLE NGVD29ft, Water Elev., MP Elev, Eh, DO, Well Depth, As, Ca, Fe, Mg, Mn, K, Na, TKN, TDS, TSS, SO4, HCO3, OC, Cl, Bromide, TURB (fld), NO2/NO3 - N
MW04-105	Spec Cond	WLE NGVD29ft, Water Elev.		Water Depth	Water Elev., Water Depth, WLE NGVD29ft, MP Elev	Spec Cond, pH, Temp, MP Elev, Eh, DO, Well Depth, TURB (fld)
MW04-109R	Water Depth	Well Depth	Spec Cond, Water Elev., WLE NGVD29ft, Eh, Ca, TDS, SO4	Spec Cond, Eh, Ca, TDS, SO4, Cl	pH, Temp, MP Elev, DO, Well Depth, As, Fe, Mg, Mn, K, Na, TKN, TSS, HCO3, OC, Cl, Bromide, TURB (fld), NO2/NO3 - N	pH, Temp, MP Elev, Water Elev., WLE NGVD29ft, Water Depth, DO, As, Fe, Mg, Mn, K, Na, TKN, TSS, HCO3, OC, Bromide, TURB (fld), NO2/NO3 - N
MW09-901		Water Elev., WLE NGVD29ft, Bromide	Eh, Ca, K, Cl	Spec Cond, Water Depth, Eh, DO, Ca, Mg, K, Na, TDS, Cl, NO2/NO3 - N	Spec Cond, pH, Temp, Water Elev., Water Depth, WLE NGVD29ft, MP Elev, DO, Well Depth, As, Fe, Mg, Mn, Na, TKN, TDS, TSS, SO4, HCO3, OC, Bromide, TURB (fld), NO2/NO3 - N	pH, Temp, MP Elev, Well Depth, As, Fe, Mn, TKN, TSS, SO4, HCO3, OC, TURB (fld)
MW12-303R	Spec Cond, Water Depth, Cl	Water Depth	WLE NGVD29ft, Water Elev., HCO3	WLE NGVD29ft, Water Elev., HCO3	pH, Temp, MP Elev, Eh, DO, Well Depth, As, Ca, Fe, Mg, Mn, K, Na, TKN, TDS, TSS, SO4, OC, Bromide, TURB (fld), NO2/NO3 - N	Spec Cond, pH, Temp, MP Elev, Eh, DO, Well Depth, As, Ca, Fe, Mg, Mn, K, Na, TKN, TDS, TSS, SO4, OC, Cl, Bromide, TURB (fld), NO2/NO3 - N
MW-204	Spec Cond	WLE NGVD29ft, Water Elev.		Water Depth	Water Elev., Water Depth, WLE NGVD29ft, MP Elev, Well Depth	Spec Cond, pH, Temp, MP Elev, Eh, DO, Well Depth, TURB (fld)
MW-206	Spec Cond	Spec Cond, Cl	DO, TURB (fld), NO2/NO3 - N	Eh, DO, Na, TSS	pH, Temp, WLE NGVD29ft, Water Depth, MP Elev, Water Elev., Eh, Well Depth, As, Ca, Fe, Mg, Mn, K, Na, TKN, TDS, TSS, SO4, HCO3, OC, Cl, Bromide	pH, Temp, WLE NGVD29ft, Water Elev., MP Elev, Water Depth, Well Depth, As, Ca, Fe, Mg, Mn, K, TKN, TDS, SO4, HCO3, OC, Bromide, TURB (fld), NO2/NO3 - N

MW-223A	Spec Cond, Ca, Mg, TDS, SO4, HCO3	Spec Cond, Ca, Mg, Na, TDS, SO4, HCO3	Eh	pH, Eh, DO, Cl	pH, Temp, Water Elev., Water Depth, MP Elev, WLE NGVD29ft, DO, Well Depth, As, Fe, Mn, K, Na, TKN, TSS, OC, Cl, Bromide, TURB (fld), NO2/NO3 - N	Temp, Water Depth, MP Elev, Water Elev., WLE NGVD29ft, Well Depth, As, Fe, Mn, K, TKN, TSS, OC, Bromide, TURB (fld), NO2/NO3 - N
MW-223B	Spec Cond, Fe, TDS, SO4, HCO3	Spec Cond, Ca, Fe, Mg, K, TDS, SO4, HCO3	pH, Eh, DO	Eh, DO	Temp, WLE NGVD29ft, MP Elev, Water Elev., Water Depth, Well Depth, As, Ca, Mg, Mn, K, Na, TKN, TSS, OC, Cl, Bromide, TURB (fld), Methane, NO2/NO3 - N	pH, Temp, Water Depth, MP Elev, Water Elev., WLE NGVD29ft, Well Depth, As, Mn, Na, TKN, TSS, OC, Cl, Bromide, TURB (fld), Methane, NO2/NO3 - N
MW-227	Water Depth	Well Depth, HCO3, TURB (fld)	Water Elev., WLE NGVD29ft, Eh	Eh, TKN	Spec Cond, pH, Temp, MP Elev, DO, Well Depth, As, Ca, Fe, Mg, Mn, K, Na, TKN, TDS, TSS, SO4, HCO3, OC, Cl, Bromide, TURB (fld), NO2/NO3 - N	Spec Cond, pH, Temp, MP Elev, Water Elev., WLE NGVD29ft, Water Depth, DO, As, Ca, Fe, Mg, Mn, K, Na, TDS, TSS, SO4, OC, Cl, Bromide, NO2/NO3 - N
MW-301	Spec Cond	Spec Cond, Water Depth, Mn, Na, TDS, Cl	Eh, NO2/NO3 - N	Water Elev., WLE NGVD29ft, Eh, DO, As, TKN	pH, Temp, Water Elev., WLE NGVD29ft, MP Elev, Water Depth, DO, Well Depth, As, Ca, Fe, Mg, Mn, K, Na, TKN, TDS, TSS, SO4, HCO3, OC, Cl, Bromide, TURB (fld)	pH, Temp, MP Elev, Well Depth, Ca, Fe, Mg, K, TSS, SO4, HCO3, OC, Bromide, TURB (fld), NO2/NO3 - N
MW-302R	Spec Cond, Ca, Mg, K, HCO3, NO2/NO3 - N	NO2/NO3 - N	Eh, DO	Eh, DO	pH, Temp, Water Depth, WLE NGVD29ft, MP Elev, Water Elev., Well Depth, As, Fe, Mn, Na, TKN, TDS, TSS, SO4, OC, Cl, Bromide, TURB (fld)	Spec Cond, pH, Temp, Water Depth, WLE NGVD29ft, MP Elev, Water Elev., Well Depth, As, Ca, Fe, Mg, Mn, K, Na, TKN, TDS, TSS, SO4, HCO3, OC, Cl, Bromide, TURB (fld)
MW-401A	Cl	Ca, Mg, TDS, Cl	DO		Spec Cond, pH, Temp, Water Elev., WLE NGVD29ft, MP Elev, Water Depth, Eh, Well Depth, As, Ca, Fe, Mg, Mn, K, Na, TKN, TDS, TSS, SO4, HCO3, OC, Bromide, TURB (fld), NO2/NO3 - N	Spec Cond, pH, Temp, Water Depth, WLE NGVD29ft, Water Elev., MP Elev, Eh, DO, Well Depth, As, Fe, Mn, K, Na, TKN, TSS, SO4, HCO3, OC, Bromide, TURB (fld), NO2/NO3 - N
MW-401B	Ca, HCO3	Bromide	pH, Eh, As	Eh, Well Depth, As, Mn, Na, TKN, Cl	Spec Cond, Temp, WLE NGVD29ft, Water Elev., Water Depth, MP Elev, DO, Well Depth, Fe, Mg, Mn, K, Na, TKN, TDS, TSS, SO4, OC, Cl, Bromide, TURB (fld), NO2/NO3 - N	Spec Cond, pH, Temp, MP Elev, Water Elev., WLE NGVD29ft, Water Depth, DO, Ca, Fe, Mg, K, TDS, TSS, SO4, HCO3, OC, TURB (fld), NO2/NO3 - N
MW-402A		Well Depth	DO	pH, TKN	Spec Cond, pH, Temp, Water Elev., Water Depth, MP Elev, WLE NGVD29ft, Eh, Well Depth, As, Ca, Fe, Mg, Mn, K, Na, TKN, TDS, TSS, SO4, HCO3, OC, Cl, Bromide, TURB (fld), NO2/NO3 - N	Spec Cond, Temp, Water Elev., MP Elev, Water Depth, WLE NGVD29ft, Eh, DO, As, Ca, Fe, Mg, Mn, K, Na, TDS, TSS, SO4, HCO3, OC, Cl, Bromide, TURB (fld), NO2/NO3 - N
MW-402B				Spec Cond, Eh, Cl	Spec Cond, pH, Temp, MP Elev, WLE NGVD29ft, Water Elev., Water Depth, Eh, DO, Well Depth, As, Ca, Fe, Mg, Mn, K, Na, TKN, TDS, TSS, SO4, HCO3, OC, Cl, Bromide, TURB (fld), NO2/NO3 - N	pH, Temp, WLE NGVD29ft, Water Elev., MP Elev, Water Depth, DO, Well Depth, As, Ca, Fe, Mg, Mn, K, Na, TKN, TDS, TSS, SO4, HCO3, OC, Bromide, TURB (fld), NO2/NO3 - N
P-04-02R	Water Depth		Spec Cond, pH, Water Elev., WLE NGVD29ft, K, Na, TDS, SO4, Cl	Spec Cond, pH, Eh, Well Depth, Ca, Mg, K, Na, TDS, SO4, Cl, TURB (fld)	Temp, MP Elev, Eh, DO, Well Depth, As, Ca, Fe, Mg, Mn, TKN, TSS, HCO3, OC, Bromide, TURB (fld), NO2/NO3 - N	Temp, MP Elev, Water Elev., WLE NGVD29ft, Water Depth, DO, As, Fe, Mn, TKN, TSS, HCO3, OC, Bromide, NO2/NO3 - N
P-04-04	Cl	Well Depth, Mg, Cl	pH, K, SO4	pH	Spec Cond, Temp, Water Depth, Water Elev., WLE NGVD29ft, MP Elev, Eh, DO, Well Depth, As, Ca, Fe, Mg, Mn, Na, TKN, TDS, TSS, HCO3, OC, Bromide, TURB (fld), NO2/NO3 - N	Spec Cond, Temp, MP Elev, Water Depth, WLE NGVD29ft, Water Elev., Eh, DO, As, Ca, Fe, Mn, K, Na, TKN, TDS, TSS, SO4, HCO3, OC, Bromide, TURB (fld), NO2/NO3 - N
P-206A	Spec Cond, Water Depth, Mg, HCO3, NO2/NO3 - N	Spec Cond, Water Depth, Ca, Mg, TDS, SO4, HCO3, NO2/NO3 - N	Water Elev., WLE NGVD29ft, As	WLE NGVD29ft, Water Elev., Well Depth, As, Mn, Na	pH, Temp, MP Elev, Eh, DO, Ca, Fe, Mn, K, Na, TKN, TDS, TSS, SO4, OC, Cl, Bromide, TURB (fld)	pH, Temp, MP Elev, Eh, DO, Fe, K, TKN, TSS, OC, Cl, Bromide, TURB (fld)
PWS10-1	K, OC	K, TDS, OC, Methane	NO2/NO3 - N	pH	Spec Cond, pH, Temp, Eh, DO, As, Ca, Fe, Mg, Mn, Na, TDS, TSS, SO4, HCO3, Cl, Bromide, TURB (fld), Methane	Spec Cond, Temp, Eh, DO, As, Ca, Fe, Mg, Mn, Na, TSS, SO4, HCO3, Cl, Bromide, TURB (fld), NO2/NO3 - N

PWS10-2		K, OC	DO	pH	Spec Cond, pH, Temp, Eh, As, Ca, Fe, Mg, Mn, K, Na, TDS, TSS, SO4, HCO3, OC, Cl, Bromide, TURB (fld), Methane, NO2/NO3 - N	Spec Cond, Temp, Eh, DO, As, Ca, Fe, Mg, Mn, Na, TDS, TSS, SO4, HCO3, Cl, Bromide, TURB (fld), Methane, NO2/NO3 - N
PWS10-3		Mn			Spec Cond, pH, Temp, Eh, DO, As, Ca, Fe, Mg, Mn, K, Na, TDS, TSS, SO4, HCO3, OC, Cl, Bromide, TURB (fld), Methane, NO2/NO3 - N	Spec Cond, pH, Temp, Eh, DO, As, Ca, Fe, Mg, K, Na, TDS, TSS, SO4, HCO3, OC, Cl, Bromide, TURB (fld), Methane, NO2/NO3 - N
SW-1			DO	Eh, DO	Spec Cond, pH, Temp, Eh, As, Ca, Fe, Mg, Mn, K, Na, TDS, TSS, SO4, HCO3, OC, BOD5, Cl, Bromide, TURB (fld), NO2/NO3 - N	Spec Cond, pH, Temp, As, Ca, Fe, Mg, Mn, K, Na, TDS, TSS, SO4, HCO3, OC, BOD5, Cl, Bromide, TURB (fld), NO2/NO3 - N
SW-2			Spec Cond	Spec Cond, pH, TURB (fld)	pH, Temp, Eh, DO, As, Ca, Fe, Mg, Mn, K, Na, TDS, TSS, SO4, HCO3, OC, BOD5, Cl, Bromide, TURB (fld), NO2/NO3 - N	Temp, Eh, DO, Flow Rate, As, Ca, Fe, Mg, Mn, K, Na, TDS, TSS, SO4, HCO3, OC, BOD5, Cl, Bromide, NO2/NO3 - N
SW-3		K		Spec Cond, Na	Spec Cond, pH, Temp, Eh, DO, As, Ca, Fe, Mg, Mn, K, Na, TDS, TSS, SO4, HCO3, OC, BOD5, Cl, Bromide, TURB (fld), NO2/NO3 - N	pH, Temp, Eh, DO, Flow Rate, As, Ca, Fe, Mg, Mn, TDS, TSS, SO4, HCO3, OC, BOD5, Cl, Bromide, TURB (fld), NO2/NO3 - N
SW-DP1	Fe	Fe, Mn, K, TDS, TSS	pH, DO		Spec Cond, Temp, Eh, As, Ca, Mg, Mn, K, Na, TDS, TSS, SO4, HCO3, OC, Cl, Bromide, TURB (fld), NO2/NO3 - N	Spec Cond, pH, Temp, Eh, DO, As, Ca, Mg, Na, SO4, HCO3, OC, Cl, Bromide, TURB (fld), NO2/NO3 - N
SW-DP5		Fe, Mn, TSS	Spec Cond, SO4, Cl	Spec Cond, Cl	pH, Temp, Eh, DO, As, Ca, Fe, Mg, Mn, K, Na, TDS, TSS, HCO3, OC, Bromide, TURB (fld), NO2/NO3 - N	pH, Temp, Eh, DO, As, Ca, Mg, K, Na, TDS, SO4, HCO3, OC, Bromide, TURB (fld), NO2/NO3 - N
SW-DP6		K		Na, Cl	Spec Cond, pH, Temp, Eh, DO, As, Ca, Fe, Mg, Mn, K, Na, TDS, TSS, SO4, HCO3, OC, Cl, Bromide, TURB (fld), NO2/NO3 - N	Spec Cond, pH, Temp, Eh, DO, As, Ca, Fe, Mg, Mn, TDS, TSS, SO4, HCO3, OC, Bromide, TURB (fld), NO2/NO3 - N
MW06-01	Spec Cond, Ca, Mg, TDS, HCO3, Cl, NO2/NO3 - N		DO		pH, Temp, MP Elev, Water Elev., Water Depth, WLE NGVD29ft, Eh, As, Fe, Mn, K, Na, TKN, TSS, SO4, OC, Bromide, TURB (fld)	
MW-501					Spec Cond, pH, Temp, MP Elev, Eh, DO, As, Ca, Fe, Mg, Mn, K, Na, TKN, TDS, TSS, SO4, HCO3, OC, Cl, Bromide, TURB (fld), NO2/NO3 - N	
OW-06-03	Spec Cond, Temp				pH, WLE NGVD29ft, Water Depth, Water Elev., MP Elev, Eh, DO, TURB (fld)	
OW-601A	Water Depth		WLE NGVD29ft, Water Elev., Eh		Spec Cond, pH, Temp, MP Elev, DO, TURB (fld)	
OW-601B	Temp, Water Depth		Water Elev., WLE NGVD29ft, Eh		Spec Cond, pH, MP Elev, DO, TURB (fld)	
OW-602A	Spec Cond, Water Depth		WLE NGVD29ft, Water Elev., Eh, DO		pH, Temp, MP Elev, TURB (fld)	
OW-603B					Water Depth, MP Elev, Water Elev., WLE NGVD29ft	
OW-604A	Spec Cond, Water Depth		Water Elev., WLE NGVD29ft, Eh		pH, Temp, MP Elev, DO, TURB (fld)	

Key

Ag = Silver	Al = Aluminum	ALK (fld) = Alkalinity (CaCO ₃) (field)
ALK = Alkalinity (CaCO ₃)	As = Arsenic	Ba = Barium
Be = Beryllium	BOD5 = Biochemical Oxygen Demand	Bromide = Bromide
Ca = Calcium	Cd = Cadmium	Cl = Chloride
CN = Cyanide	Co = Cobalt	COD = Chemical Oxygen Demand
Cr = Chromium	Cu = Copper	DO = Dissolved Oxygen
Eh = Eh	Fe = Iron	Flow Rate = Flow Rate
Hard(CaMg) = Ca-mg Hardness (CaCO ₃)	HCO ₃ = Bicarbonate Alkalinity (CaCO ₃)	Hg = Mercury
K = Potassium	Methane = Methane	Mg = Magnesium
Mn = Manganese	MP Elev = Water Level Reference Point	Na = Sodium
NH ₃ - N = Ammonia (N)	Ni = Nickel	NO ₂ /NO ₃ - N = Nitrite/Nitrate - (N)
NO ₃ - N = Nitrate (N)	OC = Organic Carbon	P = Total Phosphorus Mixed Forms (PO ₄ and PO ₃)
Pb = Lead	pH = pH	S = Sulfide
Sb = Antimony	Se = Selenium	Sn = Tin
SO ₄ = Sulfate	Spec Cond = Specific Conductance	TANNIC = Tannin & Lignins (Tannic Acid)
TDS = Total Dissolved Solids	Temp = Temperature	TKN = Total Kjeldahl Nitrogen
Tl = Thallium	TSS = Total Suspended Solids	TURB (fld) = Turbidity (field)
V = Vanadium	Water Depth = Water Level Depth	Water Elev. = Water Level Elevation
Well Depth = Well Depth	Zn = Zinc	

- Values below the laboratory PQL (non-detects) are divided by 2. All other data qualifiers are ignored but any associated value is used.

- Samples collected for data quality control are not analyzed.

- Data sets with less than 5 data points are not analyzed.

- Data sets with a period shorter than the intended period of analysis (e.g. 3-yr analysis or 5-yr analysis) are not analyzed.

- Significant events in historical data can affect the distribution in a way that compromises the assumption of a monotonic data set. Events could include the cessation of filtering, a spill, changing sampling protocols or analytical method changes that alter the detection limit.

REFERENCES:

State of Wisconsin, Department of Natural Resources, Remediation and Redevelopment Program Mann-Kendall Statistical Test, Form 4400-215 (2/2001)


Gilbert, R.O., Statistical Methods for Environmental Pollution Monitoring, Van Nostrand Reinhold, 1987, pp. 204 – 240 and 272.

Hollander, M. and Wolfe, A.M Nonparametric Statistical Methods, John Wiley Sons, 1999


APPENDIX G

**STIFF AND PIPER DIAGRAMS FOR MW-206, MW-223A,
MW-223B, MW-302R, AND LT-C4LR**



Stiff Diagram - April 2021



Stiff Diagram - April 2021




Piper Diagram - April 2021



APPENDIX H

**STIFF DIAGRAMS FOR OW-06-03, OW-601A,
OW-601B, OW-606A, OW-611A, AND MW-507**

Stiff Diagram - July 2021



APPENDIX I

2021 AND HISTORICAL GAS MEASUREMENT DATA

SUMMARY REPORT

Methane - H2S - Oxygen - CO2 - Report

(DP-4)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide												
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.												
DP-4																		
4/26/2010	0.1 US		0		19.8	0												
7/19/2010	0.1 US		0		20.4	0												
10/18/2010	0.1 US	0.1 US	0	0	21.2	0												
4/25/2011	0.1 US	0.1 US	0	0	20.7	0												
7/18/2011	0.1 US	0.1 US	0	0	20.3	0												
10/24/2011	0.1 US	0.1 US	0	0	20.8	0												
4/25/2012	0.1 US	0.1 US	0	0	20.4	0												
7/25/2012	0.1 US	0.1 US	0	0	20.7	0												
10/24/2012	0.1 US	0.1 US	0	0	20.9	0												
4/24/2013	0.1 US	0.1 US	0	0	20.8	0												
7/31/2013	0.1 US	0.1 US	0	0	20.5	0												
10/30/2013	0.1 US	0.1 US	0	0	21.1	0												
4/21/2014	0.1 US	0.1 US	0	0	20.7	0												
7/30/2014	0.1 US	0.1 US	0	0	20.2	0												
10/21/2014	0.1 US	0.1 US	0	0	20.9	0												
4/29/2015	0.1 US	0.1 US	0	0	21.5	0												
7/14/2015	0.1 US	0.1 US	0	0	20.7	0												
10/27/2015	0.1 US	0.1 US	0	0	21.3	0												
4/6/2016	0.1 US	0.1 US	0	0	19.5	0												
7/25/2016	0.1 US	0.1 US	0	0	20.4	0												
10/25/2016	0.1 US	0.1 US	0	0	20.7	0												
4/18/2017	0.1 US	0.1 US	0	0	20.9	0												
7/25/2017	0.1 US	0.1 US	0	0	20.9	0												
10/23/2017	0.1 US	0.1 US	0	0	20.7	0												
4/3/2018	0.1 US	0.1 US	0	0	21	0												
7/16/2018	0.1 US	0.1 US	0	0	20.5	0												
10/1/2018	0.1 US	0.1 US	0	0	21.1	0												
4/23/2019	0.1 US	0.1 US	0	0	20.9	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												
4/27/2020	0.1 US	0.1 US	0	0	20.9	0												
7/20/2020	0.1 US	0.1 US	0	0	20.9	0												
10/26/2020	0.1 US	0.1 US	0	0	20.9	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
LT-C4L & LT-C4LR																		
4/27/2010	0.1 US		0		20.5	0												
7/21/2010	0.1 US		0		20.1	0												
10/19/2010	0.1 US	0.1 US	0	0	21.4	0												
4/27/2011	0.1 US	0.1 US	0	0	20.8	0												
7/19/2011	0.1 US	0.1 US	0	0	20.3	0												
10/25/2011	0.1 US	0.1 US	0	0	20.2	0												
4/24/2012	0.1 US	0.1 US	0	0	20.3	0												
7/25/2012	0.1 US	0.1 US	0	0	20.7	0												
10/23/2012	0.1 US	0.1 US	0	0	21.1	0												
4/23/2013	0.1 US	0.1 US	0	0	20.6	0												

SUMMARY REPORT
 Methane - H2S - Oxygen - CO2 - Report

(LT-C4L & LT-C4LR)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
7/30/2013	0.1 US	0.1 US	0	0	20.6	0											
10/29/2013	0.1 US	0.1 US	0	0	21.4	0											
4/21/2014	0.1 US	0.1 US	0	0	20.8	0											
7/30/2014	0.1 US	0.1 US	0	0	20.1	0											
10/21/2014	0.1 US	0.1 US	0	0	20.8	0											
4/29/2015	0.1 US	0.1 US	0	0	22.4	0											
7/14/2015	0.1 US	0.1 US	0	0	20.6	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/6/2016	0.1 US	0.1 US	0	0	19.6	0											
7/26/2016	0.1 US	0.1 US	0	0	20.3	0											
10/25/2016	0.1 US	0.1 US	0	0	20.6	0											
4/18/2017	0.1 US	0.1 US	0	0	20.9	0											
7/25/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.7	0											
4/3/2018	0.1 US	0.1 US	0	0	20.9	0											
7/16/2018	0.1 US	0.1 US	0	0	20.1	0											
10/1/2018	0.1 US	0.1 US	0	0	21.1	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
LF-UD																	
4/27/2010	0.1 US		0		20.5	0											
7/21/2010	0.1 US		0		20.1	0											
10/19/2010	0.1 US	0.1 US	0	0	21	0											
4/26/2011	0.1 US	0.1 US	0	0	20.8	0											
7/19/2011	0.1 US	0.1 US	0	0	19.8	0											
10/26/2011	0.1 US	0.1 US	0	0	20.6	0											
4/24/2012	0.1 US	0.1 US	0	0	20.5	0											
7/24/2012	0.1 US	0.1 US	0	0	20.2	0											
10/23/2012	0.1 US	0.1 US	0	0	21.1	0											
4/23/2013	0.1 US	0.1 US	0	0	20.6	0											
7/30/2013	0.1 US	0.1 US	0	0	20.9	0											
10/29/2013	0.1 US	0.1 US	0	0	20.5	0											
4/22/2014	0.1 US	0.1 US	0	0	20.3	0											
7/30/2014	0.1 US	0.1 US	0	0	20.5	0											
10/21/2014	0.1 US	0.1 US	0	0	20.9	0											
4/28/2015	0.1 US	0.1 US	0	0	24.8	0											
7/14/2015	0.1 US	0.1 US	0	0	20.1	0											
10/27/2015	0.1 US	0.1 US	0	0	22	0											
4/5/2016	0.1 US	0.1 US	0	0	20.3	0											
7/26/2016	0.1 US	0.1 US	0	0	20.7	0											
10/25/2016	0.1 US	0.1 US	0	0	20.6	0											
4/18/2017	0.1 US	0.1 US	0	0	20.9	0											

SUMMARY REPORT

Methane - H2S - Oxygen - CO2 - Report

(LF-UD)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide										
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.										
7/25/2017	0.1 US	0.1 US	0	0	20.9	0										
10/24/2017	0.1 US	0.1 US	0	0	20.6	0										
4/3/2018	0.1 US	0.1 US	0	0	21	0										
7/16/2018	0.1 US	0.1 US	0	0	17.2	0										
10/2/2018	0.1 US	0.1 US	0	0	20.9	0										
4/23/2019	0.1 US	0.1 US	0	0	20.9	0										
7/15/2019	0.1 US	0.1 US	0	0	20.9	0										
10/28/2019	0.1 US	0.1 US	0	0	20.9	0										
4/27/2020	0.1 US	0.1 US	0	0	20.9	0										
7/20/2020	0.1 US	0.1 US	0	0	20.9	0										
10/26/2020	0.1 US	0.1 US	0	0	20.8	0										
4/5/2021	0.1 US	0.1 US	0	0	20.9	0										
7/12/2021	0.1 US	0.1 US	0	0	20.9	0										
10/4/2021	0.1 US	0.1 US	0	0	20.9	0										
LP-LD																
4/27/2010	0.1 US		0		20.6	0										
7/19/2010	0.1 US		0		20.4	0										
10/19/2010	0.1 US	0.1 US	0	0	21	0										
4/26/2011	0.1 US	0.1 US	0	0	20.8	0										
7/19/2011	0.1 US	0.1 US	0	0	19.9	0										
10/26/2011	0.1 US	0.1 US	0	0	20.6	0										
4/24/2012	0.1 US	0.1 US	0	0	20.3	0										
7/24/2012	0.1 US	0.1 US	0	0	20.7	0										
10/23/2012	0.1 US	0.1 US	0	0	20.9	0										
4/23/2013	0.1 US	0.1 US	0	0	20.6	0										
7/30/2013	0.1 US	0.1 US	0	0	20.6	0										
10/29/2013	0.1 US	0.1 US	0	0	20.7	0										
4/22/2014	0.1 US	0.1 US	0	0	20.3	0										
7/30/2014	0.1 US	0.1 US	0	0	20.5	0										
10/21/2014	0.1 US	0.1 US	0	0	20.9	0										
4/28/2015	0.1 US	0.1 US	0	0	22.1	0										
7/14/2015	0.1 US	0.1 US	0	0	20.6	0										
10/27/2015	0.1 US	0.1 US	0	0	21.3	0										
4/5/2016	0.1 US	0.1 US	0	0	20.3	0										
7/26/2016	0.1 US	0.1 US	0	0	18.9	0										
10/25/2016	0.1 US	0.1 US	0	0	20.6	0										
4/18/2017	0.1 US	0.1 US	0	0	20.9	0										
7/25/2017	0.1 US	0.1 US	0	0	20.9	0										
10/24/2017	0.1 US	0.1 US	0	0	20.7	0										
4/3/2018	0.1 US	0.1 US	0	0	21.1	0										
7/16/2018	0.1 US	0.1 US	0	0	20	0										
10/2/2018	0.1 US	0.1 US	0	0	21.1	0										
4/23/2019	0.1 US	0.1 US	0	0	20.9	0										
7/15/2019	0.1 US	0.1 US	0	0	20.9	0										
10/28/2019	0.1 US	0.1 US	0	0	20.9	0										
4/27/2020	0.1 US	0.1 US	0	0	20.9	0										
7/20/2020	0.1 US	0.1 US	0	0	20.9	0										
10/26/2020	0.1 US	0.1 US	0	0	20.9	0										
4/5/2021	0.1 US	0.1 US	0	0	20.9	0										

SUMMARY REPORT
Methane - H2S - Oxygen - CO2 - Report

(LP-LD)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
LP-UD																	
4/27/2010	0.1 US		0		20.1	0											
7/21/2010	0.1 US		0		20.6	0											
10/19/2010	0.1 US	0.1 US	0	0	21	0											
4/26/2011	0.1 US	0.1 US	0	0	20.8	0											
7/19/2011	0.1 US	0.1 US	0	0	20	0											
10/26/2011	0.1 US	0.1 US	0	0	20.7	0											
4/24/2012	0.1 US	0.1 US	0	0	20.5	0											
7/24/2012	0.1 US	0.1 US	0	0	20.7	0											
10/23/2012	0.1 US	0.1 US	0	0	21.2	0											
4/23/2013	0.1 US	0.1 US	0	0	20.7	0											
7/30/2013	0.1 US	0.1 US	0	0	20.7	0											
10/29/2013	0.1 US	0.1 US	0	0	20.8	0											
4/22/2014	0.1 US	0.1 US	0	0	20.3	0											
7/30/2014	0.1 US	0.1 US	0	0	20.5	0											
10/21/2014	0.1 US	0.1 US	0	0	21.1	0											
4/28/2015	0.1 US	0.1 US	0	0	22.1	0											
7/14/2015	0.1 US	0.1 US	0	0	20.8	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/5/2016	0.1 US	0.1 US	0	0	20.3	0											
7/26/2016	0.1 US	0.1 US	0	0	20.4	0											
10/25/2016	0.1 US	0.1 US	0	0	20.7	0											
4/18/2017	0.1 US	0.1 US	0	0	20.9	0											
7/25/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.6	0											
4/3/2018	0.1 US	0.1 US	0	0	21.1	0											
7/16/2018	0.1 US	0.1 US	0	0	20	0											
10/2/2018	0.1 US	0.1 US	0	0	21.1	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
MW-04-09A																	
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/6/2021	0.1 US	0.1 US	0	0	20.9	0											
MW-04-09B																	
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/6/2021	0.1 US	0.1 US	0	0	20.9	0											
MW04-102																	
4/27/2010	0.1 US		0		20.8	0											

SUMMARY REPORT

Methane - H2S - Oxygen - CO2 - Report

(MW04-102)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide									
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.									
7/21/2010	0.1 US		0		20.1	0									
10/19/2010	0.1 US	0.1 US	0	0	21.1	0									
4/25/2011	0.1 US	0.1 US	0	0	21.1	0									
7/19/2011	0.1 US	0.1 US	0	0	20.2	0									
10/25/2011	0.1 US	0.1 US	0	0	21	0									
4/25/2012	0.1 US	0.1 US	0	0	20.3	0									
7/23/2012	0.1 US	0.1 US	0	0	20.2	0									
10/22/2012	0.1 US	0.1 US	0	0	21.2	0									
4/23/2013	0.1 US	0.1 US	0	0	20.8	0									
7/31/2013	0.1 US	0.1 US	0	0	20.7	0									
10/28/2013	0.1 US	0.1 US	0	0	20.8	0									
4/21/2014	0.1 US	0.1 US	0	0	20.7	0									
7/30/2014	0.1 US	0.1 US	0	0	20.5	0									
10/21/2014	0.1 US	0.1 US	0	0	20.9	0									
4/29/2015	0.1 US	0.1 US	0	0	22.4	0									
7/14/2015	0.1 US	0.1 US	0	0	20.8	0									
10/27/2015	0.1 US	0.1 US	0	0	21.5	0									
4/5/2016	0.1 US	0.1 US	0	0	20.6	0									
7/26/2016	0.1 US	0.1 US	0	0	20.4	0									
10/25/2016	0.1 US	0.1 US	0	0	20.6	0									
4/19/2017	0.1 US	0.1 US	0	0	20.2	0									
7/25/2017	0.1 US	0.1 US	0	0	20.9	0									
10/25/2017	0.1 US	0.1 US	0	0	20.7	0									
4/3/2018	0.1 US	0.1 US	0	0	21	0									
7/16/2018	0.1 US	0.1 US	0	0	20.5	0									
10/1/2018	0.1 US	0.1 US	0	0	21.1	0									
4/23/2019	0.1 US	0.1 US	0	0	20.9	0									
7/15/2019	0.1 US	0.1 US	0	0	20.9	0									
10/28/2019	0.1 US	0.1 US	0	0	20.9	0									
4/27/2020	0.1 US	0.1 US	0	0	20.9	0									
7/20/2020	0.1 US	0.1 US	0	0	20.9	0									
10/26/2020	0.1 US	0.1 US	0	0	20.9	0									
4/5/2021	0.1 US	0.1 US	0	0	20.9	0									
7/12/2021	0.1 US	0.1 US	0	0	20.9	0									
10/4/2021	0.1 US	0.1 US	0	0	20.9	0									
MW04-105															
4/27/2010	0.1 US		0		20.7	0									
7/19/2010	0.1 US		0		20.5	0									
10/18/2010	0.1 US	0.1 US	0	0	21.2	0									
4/26/2011	0.1 US	0.1 US	0	0	20.9	0									
7/18/2011	0.1 US	0.1 US	0	0	20.2	0									
10/25/2011	0.1 US	0.1 US	0	0	21	0									
4/25/2012	0.1 US	0.1 US	0	0	20.3	0									
7/23/2012	0.1 US	0.1 US	0	0	20.2	0									
10/22/2012	0.1 US	0.1 US	0	0	21.1	0									
4/24/2013	0.1 US	0.1 US	0	0	20.8	0									
7/30/2013	0.1 US	0.1 US	0	0	20.5	0									
10/29/2013	0.1 US	0.1 US	0	0	21.5	0									
4/21/2014	0.1 US	0.1 US	0	0	20.7	0									

SUMMARY REPORT

Methane - H2S - Oxygen - CO2 - Report

(MW04-105)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
7/30/2014	0.1 US	0.1 US	0	0	20.2	0											
10/21/2014	0.1 US	0.1 US	0	0	20.9	0											
4/28/2015	0.1 US	0.1 US	0	0	20.9	0											
7/14/2015	0.1 US	0.1 US	0	0	20.6	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/5/2016	0.1 US	0.1 US	0	0	20.6	0											
7/26/2016	0.1 US	0.1 US	0	0	20.5	0											
10/25/2016	0.1 US	0.1 US	0	0	20.7	0											
4/19/2017	0.1 US	0.1 US	0	0	20.4	0											
7/25/2017	0.1 US	0.1 US	0	0	20.9	0											
10/23/2017	0.1 US	0.1 US	0	0	20.7	0											
4/3/2018	0.1 US	0.1 US	0	0	21	0											
7/16/2018	0.1 US	0.1 US	0	0	20.6	0											
10/1/2018	0.1 US	0.1 US	0	0	21	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.8	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
MW04-109R																	
4/27/2010	0.1 US		0		20.8	0											
7/20/2010	0.1 US		0		20.4	0											
10/19/2010	0.1 US	0.1 US	0	0	21.3	0											
4/26/2011	0.1 US	0.1 US	0	0	21	0											
7/19/2011	0.1 US	0.1 US	0	0	20.4	0											
10/25/2011	0.1 US	0.1 US	0	0	20.3	0											
4/25/2012	0.1 US	0.1 US	0	0	20.3	0											
7/23/2012	0.1 US	0.1 US	0	0	20.4	0											
10/23/2012	0.1 US	0.1 US	0	0	21.2	0											
4/23/2013	0.1 US	0.1 US	0	0	20.8	0											
7/30/2013	0.1 US	0.1 US	0	0	20.4	0											
10/29/2013	0.1 US	0.1 US	0	0	21.2	0											
4/21/2014	0.1 US	0.1 US	0	0	20.7	0											
7/30/2014	0.1 US	0.1 US	0	0	20.5	0											
10/21/2014	0.1 US	0.1 US	0	0	20.9	0											
4/28/2015	0.1 US	0.1 US	0	0	20.7	0											
7/14/2015	0.1 US	0.1 US	0	0	20.6	0											
10/27/2015	0.1 US	0.1 US	0	0	21.5	0											
4/5/2016	0.1 US	0.1 US	0	0	20.6	0											
7/26/2016	0.1 US	0.1 US	0	0	20.5	0											
10/25/2016	0.1 US	0.1 US	0	0	20.7	0											
4/18/2017	0.1 US	0.1 US	0	0	20.9	0											
7/25/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.6	0											
4/3/2018	0.1 US	0.1 US	0	0	21.1	0											

SUMMARY REPORT
Methane - H2S - Oxygen - CO2 - Report

(MW04-109R)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
7/16/2018	0.1 US	0.1 US	0	0	20.4	0											
10/2/2018	0.1 US	0.1 US	0	0	21	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
MW06-01																	
4/22/2019	0.1 US																
4/23/2019		0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/29/2020	M	M	M	M	M	M											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
MW11-207R																	
7/20/2011	0.1 US	0.1 US	0	0	20.2	0											
10/24/2011	0.1 US	0.1 US	0	0	20.8	0											
4/25/2012	0.1 US	0.1 US	0	0	20.3	0											
7/23/2012	0.1 US	0.1 US	0	0	20.1	0											
10/22/2012	0.1 US	0.1 US	0	0	21.2	0											
4/22/2013	0.1 US	0.1 US	0	0	20.6	0											
7/31/2013	0.1 US	0.1 US	0	0	20.7	0											
10/29/2013	0.1 US	0.1 US	0	0	20.8	0											
4/21/2014	0.1 US	0.1 US	0	0	20.3	0											
7/29/2014	0.1 US	0.1 US	0	0	20.4	0											
10/20/2014	0.1 US	0.1 US	0	0	20.9	0											
4/27/2015	0.1 US	0.1 US	0	0	22.4	0											
7/13/2015	0.1 US	0.1 US	0	0	20.9	0											
10/26/2015	0.1 US	0.1 US	0	0	21.5	0											
4/4/2016	0.1 US	0.1 US	0	0	20.3	0											
7/26/2016	0.1 US	0.1 US	0	0	20.5	0											
10/24/2016	0.1 US	0.1 US	0	0	20.5	0											
4/17/2017	0.1 US	0.1 US	0	0	21.4	0											
7/24/2017	0.1 US	0.1 US	0	0	20.9	0											
10/23/2017	0.1 US	0.1 US	0	0	20.8	0											
4/2/2018	0.1 US	0.1 US	0	0	20.9	0											
7/16/2018	11	11	11	11	11	11											
MW-204																	
4/27/2010	0.1 US		0		20.5	0											
7/19/2010	0.1 US		0		20.4	0											

SUMMARY REPORT

Methane - H2S - Oxygen - CO2 - Report

(MW-204)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
10/19/2010	0.1 US	0.1 US	0	0	21.2	0											
4/27/2011	0.1 US	0.1 US	0	0	20.9	0											
7/19/2011	0.1 US	0.1 US	0	0	20.4	0											
10/25/2011	0.1 US	0.1 US	0	0	20	0											
4/25/2012	0.1 US	0.1 US	0	0	20.2	0											
7/23/2012	0.1 US	0.1 US	0	0	20.4	0											
10/24/2012	0.1 US	0.1 US	0	0	20.9	0											
4/24/2013	0.1 US	0.1 US	0	0	20.7	0											
7/31/2013	0.1 US	0.1 US	0	0	20.6	0											
10/30/2013	0.1 US	0.1 US	0	0	21.1	0											
4/21/2014	0.1 US	0.1 US	0	0	20.7	0											
7/30/2014	0.1 US	0.1 US	0	0	20.3	0											
10/21/2014	0.1 US	0.1 US	0	0	20.9	0											
4/29/2015	0.1 US	0.1 US	0	0	21.4	0											
7/14/2015	0.1 US	0.1 US	0	0	20.8	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/6/2016	0.1 US	0.1 US	0	0	19.5	0											
7/26/2016	0.1 US	0.1 US	0	0	20.4	0											
10/25/2016	0.1 US	0.1 US	0	0	20.6	0											
4/18/2017	0.1 US	0.1 US	0	0	20.9	0											
7/25/2017	0.1 US	0.1 US	0	0	20.4	0											
10/23/2017	0.1 US	0.1 US	0	0	20.7	0											
4/3/2018	0.1 US	0.1 US	0	0	20.9	0											
7/16/2018	0.1 US	0.1 US	0	0	20.6	0											
10/1/2018	0.1 US	0.1 US	0	0	19.8	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.8	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
MW-206																	
4/26/2010	0.1 US		0		20.4	0											
7/19/2010	0.1 US		0		20	0											
10/18/2010	0.1 US	0.1 US	0	0	21.1	0											
4/25/2011	0.1 US	0.1 US	0	0	20.4	0											
7/18/2011	0.1 US	0.1 US	0	0	20.5	0											
10/24/2011	0.1 US	0.1 US	0	0	20.6	0											
4/25/2012	0.1 US	0.1 US	0	0	20.3	0											
7/23/2012	0.1 US	0.1 US	0	0	20.2	0											
10/22/2012	0.1 US	0.1 US	0	0	21.1	0											
4/22/2013	0.1 US	0.1 US	0	0	20.5	0											
7/31/2013	0.1 US	0.1 US	0	0	20.6	0											
10/28/2013	0.1 US	0.1 US	0	0	20.8	0											
4/21/2014	0.1 US	0.1 US	0	0	20.6	0											
7/29/2014	0.1 US	0.1 US	0	0	20.2	0											

SUMMARY REPORT
 Methane - H2S - Oxygen - CO2 - Report

(MW-206)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide										
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.										
10/20/2014	0.1 US	0.1 US	0	0	20.9	0										
4/27/2015	0.1 US	0.1 US	0	0	21.9	0										
7/13/2015	0.1 US	0.1 US	0	0	21	0										
10/26/2015	0.1 US	0.1 US	0	0	21	0										
4/4/2016	0.1 US	0.1 US	0	0	20.8	0										
7/26/2016	0.1 US	0.1 US	0	0	20.5	0										
10/24/2016	0.1 US	0.1 US	0	0	20.7	0										
4/17/2017	0.1 US	0.1 US	0	0	21.2	0										
7/24/2017	0.1 US	0.1 US	0	0	20.9	0										
10/23/2017	0.1 US	0.1 US	0	0	20.7	0										
4/2/2018	0.1 US	0.1 US	0	0	20.8	0										
7/16/2018	0.1 US	0.1 US	0	0	20.3	0										
10/1/2018	0.1 US	0.1 US	0	0	20.9	0										
4/23/2019	0.1 US	0.1 US	0	0	20.9	0										
7/15/2019	0.1 US	0.1 US	0	0	20.9	0										
10/28/2019	0.1 US	0.1 US	0	0	20.9	0										
4/27/2020	0.1 US	0.1 US	0	0	20.8	0										
7/20/2020	0.1 US	0.1 US	0	0	20.9	0										
10/26/2020	0.1 US	0.1 US	0	0	20.9	0										
4/5/2021	0.1 US	0.1 US	0	0	20.8	0										
7/12/2021	0.1 US	0.1 US	0	0	20.9	0										
10/4/2021	0.1 US	0.1 US	0	0	20.9	0										
MW-223A																
4/27/2010	0.1 US		0		20.7	0										
7/20/2010	0.1 US		0		20.4	0										
10/19/2010	0.1 US	0.1 US	0	0	21.2	0										
4/26/2011	0.1 US	0.1 US	0	0	21.1	0										
7/19/2011	0.1 US	0.1 US	0	0	20.1	0										
10/25/2011	0.1 US	0.1 US	0	0	20.9	0										
4/25/2012	0.1 US	0.1 US	0	0	20.2	0										
7/23/2012	0.1 US	0.1 US	0	0	20.1	0										
10/23/2012	0.1 US	0.1 US	0	0	21.3	0										
4/23/2013	0.1 US	0.1 US	0	0	20.8	0										
7/30/2013	0.1 US	0.1 US	0	0	19.9	0										
10/29/2013	0.1 US	0.1 US	0	0	21.2	0										
4/21/2014	0.1 US	0.1 US	0	0	20.7	0										
7/30/2014	0.1 US	0.1 US	0	0	20.1	0										
10/21/2014	0.1 US	0.1 US	0	0	20.9	0										
4/28/2015	0.1 US	0.1 US	0	0	20.7	0										
7/14/2015	0.1 US	0.1 US	0	0	20.6	0										
10/27/2015	0.1 US	0.1 US	0	0	21.3	0										
4/5/2016	0.1 US	0.1 US	0	0	20.6	0										
7/26/2016	0.1 US	0.1 US	0	0	20	0										
10/25/2016	0.1 US	0.1 US	0	0	20.6	0										
4/18/2017	0.1 US	0.1 US	0	0	20.9	0										
7/25/2017	0.1 US	0.1 US	0	0	20.9	0										
10/24/2017	0.1 US	0.1 US	0	0	20.6	0										
4/3/2018	0.1 US	0.1 US	0	0	21.1	0										
7/16/2018	0.1 US	0.1 US	0	0	20.2	0										

SUMMARY REPORT
 Methane - H2S - Oxygen - CO2 - Report

(MW-223A)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
10/2/2018	0.1 US	0.1 US	0	0	21.1	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/28/2020	0.1 US	0.1 US	0	0	20.8	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
MW-223B																	
4/27/2010	0.1 US		0		20.7	0											
7/20/2010	0.1 US		0		20.4	0											
10/19/2010	0.1 US	0.1 US	0	0	21.2	0											
4/26/2011	0.1 US	0.1 US	0	0	21.1	0											
7/19/2011	0.1 US	0.1 US	0	0	20	0											
10/25/2011	0.1 US	0.1 US	0	0	20.9	0											
4/25/2012	0.1 US	0.1 US	0	0	20.2	0											
7/23/2012	0.1 US	0.1 US	0	0	20.1	0											
10/23/2012	0.1 US	0.1 US	0	0	21.3	0											
4/23/2013	0.1 US	0.1 US	0	0	20.7	0											
7/30/2013	0.1 US	0.1 US	0	0	20	0											
10/29/2013	0.1 US	0.1 US	0	0	21.2	0											
4/21/2014	0.1 US	0.1 US	0	0	20.7	0											
7/30/2014	0.1 US	0.1 US	0	0	20.1	0											
10/21/2014	0.1 US	0.1 US	0	0	20.9	0											
4/28/2015	0.1 US	0.1 US	0	0	20.7	0											
7/14/2015	0.1 US	0.1 US	0	0	20.6	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/5/2016	0.1 US	0.1 US	0	0	20.6	0											
7/26/2016	0.1 US	0.1 US	0	0	20.3	0											
10/25/2016	0.1 US	0.1 US	0	0	20.6	0											
4/18/2017	0.1 US	0.1 US	0	0	21	0											
7/25/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.6	0											
4/3/2018	0.1 US	0.1 US	0	0	21.1	0											
7/16/2018	0.1 US	0.1 US	0	0	20.2	0											
10/2/2018	0.1 US	0.1 US	0	0	21.2	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/28/2020	0.1 US	0.1 US	0	0	20.8	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
MW-227																	

SUMMARY REPORT

Methane - H2S - Oxygen - CO2 - Report

(MW-227)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
4/27/2010	0.1 US		0		20.8	0											
7/20/2010	0.1 US		0		20.3	0											
10/19/2010	0.1 US	0.1 US	0	0	21.3	0											
4/26/2011	0.1 US	0.1 US	0	0	20.9	0											
7/19/2011	0.1 US	0.1 US	0	0	20.1	0											
10/25/2011	0.1 US	0.1 US	0	0	20.8	0											
4/25/2012	0.1 US	0.1 US	0	0	20.3	0											
7/23/2012	0.1 US	0.1 US	0	0	20.1	0											
10/23/2012	0.1 US	0.1 US	0	0	21.2	0											
4/23/2013	0.1 US	0.1 US	0	0	20.8	0											
7/30/2013	0.1 US	0.1 US	0	0	19.8	0											
10/29/2013	0.1 US	0.1 US	0	0	21.4	0											
4/21/2014	0.1 US	0.1 US	0	0	20.7	0											
7/30/2014	0.1 US	0.1 US	0	0	20.1	0											
10/21/2014	0.1 US	0.1 US	0	0	20.9	0											
4/28/2015	0.1 US	0.1 US	0	0	20.8	0											
7/14/2015	0.1 US	0.1 US	0	0	20.7	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/5/2016	0.1 US	0.1 US	0	0	20.7	0											
7/26/2016	0.1 US	0.1 US	0	0	20.3	0											
10/25/2016	0.1 US	0.1 US	0	0	20.6	0											
4/18/2017	0.1 US	0.1 US	0	0	20.9	0											
7/25/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.6	0											
4/3/2018	0.1 US	0.1 US	0	0	21	0											
7/16/2018	0.1 US	0.1 US	0	0	20.3	0											
10/2/2018	0.1 US	0.1 US	0	0	21.1	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/28/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
MW-304A																	
4/26/2010	0.1 US		0		19.9	0											
7/19/2010	0.1 US		0		19.9	0											
10/18/2010	0.1 US	0.1 US	0	0	21	0											
4/25/2011	0.1 US	0.1 US	0	0	20.3	0											
7/18/2011	0.1 US	0.1 US	0	0	20.5	0											
10/24/2011	0.1 US	0.1 US	0	0	20.6	0											
4/25/2012	0.1 US	0.1 US	0	0	20.3	0											
7/23/2012	0.1 US	0.1 US	0	0	20.2	0											
10/22/2012	0.1 US	0.1 US	0	0	21.1	0											
4/22/2013	0.1 US	0.1 US	0	0	20.6	0											
7/31/2013	0.1 US	0.1 US	0	0	20.6	0											
10/28/2013	0.1 US	0.1 US	0	0	20.9	0											

SUMMARY REPORT

Methane - H2S - Oxygen - CO2 - Report

(MW-304A)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide									
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.									
4/21/2014	0.1 US	0.1 US	0	0	20.5	0									
7/29/2014	0.1 US	0.1 US	0	0	20.4	0									
10/20/2014	0.1 US	0.1 US	0	0	20.9	0									
4/27/2015	0.1 US	0.1 US	0	0	21.9	0									
7/13/2015	0.1 US	0.1 US	0	0	20.6	0									
10/26/2015	0.1 US	0.1 US	0	0	21.3	0									
4/4/2016	0.1 US	0.1 US	0	0	20	0									
7/25/2016	0.1 US	0.1 US	0	0	20.7	0									
10/24/2016	0.1 US	0.1 US	0	0	20.5	0									
4/17/2017	0.1 US	0.1 US	0	0	21.4	0									
7/24/2017	0.1 US	0.1 US	0	0	20.9	0									
10/23/2017	0.1 US	0.1 US	0	0	20.7	0									
4/2/2018	0.1 US	0.1 US	0	0	20.9	0									
7/16/2018	11	11	11	11	11	11									
MW-301															
4/26/2010	0.1 US		0		19.8	0									
7/19/2010	0.1 US		0		20.4	0									
10/19/2010	0.1 US	0.1 US	0	0	21.2	0									
4/27/2011	0.1 US	0.1 US	0	0	20.9	0									
7/20/2011	0.1 US	0.1 US	0	0	20.1	0									
10/25/2011	0.1 US	0.1 US	0	0	20.1	0									
4/25/2012	0.1 US	0.1 US	0	0	20.2	0									
7/25/2012	0.1 US	0.1 US	0	0	20.7	0									
10/24/2012	0.1 US	0.1 US	0	0	20.9	0									
4/22/2013	0.1 US	0.1 US	0	0	20.8	0									
7/31/2013	0.1 US	0.1 US	0	0	20.5	0									
10/30/2013	0.1 US	0.1 US	0	0	21.2	0									
4/21/2014	0.1 US	0.1 US	0	0	20.7	0									
7/30/2014	0.1 US	0.1 US	0	0	20.3	0									
10/20/2014	0.1 US	0.1 US	0	0	20.9	0									
4/29/2015	0.1 US	0.1 US	0	0	21	0									
7/14/2015	0.1 US	0.1 US	0	0	20.6	0									
10/27/2015	0.1 US	0.1 US	0	0	21.5	0									
4/6/2016	0.1 US	0.1 US	0	0	19.6	0									
7/27/2016	0.1 US	0.1 US	0	0	18.7	0									
10/25/2016	0.1 US	0.1 US	0	0	20.7	0									
4/19/2017	0.1 US	0.1 US	0	0	20.1	0									
7/25/2017	0.1 US	0.1 US	0	0	20.9	0									
10/25/2017	0.1 US	0.1 US	0	0	20.6	0									
4/3/2018	0.1 US	0.1 US	0	0	21	0									
7/16/2018	0.1 US	0.1 US	0	0	20.6	0									
10/1/2018	0.1 US	0.1 US	0	0	21.2	0									
4/23/2019	0.1 US	0.1 US	0	0	20.9	0									
7/15/2019	0.1 US	0.1 US	0	0	20.9	0									
10/28/2019	0.1 US	0.1 US	0	0	20.9	0									
4/27/2020	0.1 US	0.1 US	0	0	20.9	0									
7/20/2020	0.1 US	0.1 US	0	0	20.9	0									
10/26/2020	0.1 US	0.1 US	0	0	20.9	0									
4/5/2021	0.1 US	0.1 US	0	0	20.9	0									

SUMMARY REPORT
 Methane - H2S - Oxygen - CO2 - Report

(MW-301)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide										
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.										
7/12/2021	0.1 US	0.1 US	0	0	20.9	0										
10/4/2021	0.1 US	0.1 US	0	0	20.9	0										
MW-302R																
4/26/2010	0.1 US		0		20.2	0										
7/19/2010	0.1 US		0		20.4	0										
10/18/2010	0.1 US	0.1 US	0	0	21	0										
4/25/2011	0.1 US	0.1 US	0	0	20.4	0										
7/18/2011	0.1 US	0.1 US	0	0	20.5	0										
10/24/2011	0.1 US	0.1 US	0	0	20.5	0										
4/25/2012	0.1 US	0.1 US	0	0	20.2	0										
7/23/2012	0.1 US	0.1 US	0	0	20.3	0										
10/22/2012	0.1 US	0.1 US	0	0	21.2	0										
4/22/2013	0.1 US	0.1 US	0	0	20.5	0										
7/31/2013	0.1 US	0.1 US	0	0	20.7	0										
10/28/2013	0.1 US	0.1 US	0	0	21	0										
4/21/2014	0.1 US	0.1 US	0	0	20.7	0										
7/29/2014	0.1 US	0.1 US	0	0	20.3	0										
10/20/2014	0.1 US	0.1 US	0	0	20.9	0										
4/27/2015	0.1 US	0.1 US	0	0	21.9	0										
7/13/2015	0.1 US	0.1 US	0	0	20.9	0										
10/26/2015	0.1 US	0.1 US	0	0	21.3	0										
4/4/2016	0.1 US	0.1 US	0	0	20.6	0										
7/25/2016	0.1 US	0.1 US	0	0	20.5	0										
10/24/2016	0.1 US	0.1 US	0	0	20.6	0										
4/17/2017	0.1 US	0.1 US	0	0	21.3	0										
7/24/2017	0.1 US	0.1 US	0	0	20.9	0										
10/23/2017	0.1 US	0.1 US	0	0	20.7	0										
4/2/2018	0.1 US	0.1 US	0	0	20.8	0										
7/16/2018	0.1 US	0.1 US	0	0	20.5	0										
10/1/2018	0.1 US	0.1 US	0	0	19.8	0										
4/22/2019	0.1 US	0.1 US	0	0	20.9	0										
7/15/2019	0.1 US	0.1 US	0	0	20.9	0										
10/28/2019	0.1 US	0.1 US	0	0	20.9	0										
4/27/2020	0.1 US	0.1 US	0	0	20.9	0										
7/20/2020	0.1 US	0.1 US	0	0	20.9	0										
10/26/2020	0.1 US	0.1 US	0	0	20.9	0										
4/5/2021	0.1 US	0.1 US	0	0	20.9	0										
7/12/2021	0.1 US	0.1 US	0	0	20.9	0										
10/4/2021	0.1 US	0.1 US	0	0	20.9	0										
MW-303 & MW12-303R																
10/22/2012	0.1 US	0.1 US	0	0	21.1	0										
4/22/2013	0.1 US	0.1 US	0	0	20.6	0										
7/29/2013	0.1 US	0.1 US	0	0	20.6	0										
10/28/2013	0.1 US	0.1 US	0	0	21.2	0										
4/21/2014	0.1 US	0.1 US	0	0	20.7	0										
7/29/2014	0.1 US	0.1 US	0	0	20.2	0										
10/20/2014	0.1 US	0.1 US	0	0	20.9	0										
4/27/2015	0.1 US	0.1 US	0	0	21.9	0										

SUMMARY REPORT

Methane - H2S - Oxygen - CO2 - Report

(MW-303 & MW12-303R) Date	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide												
	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.												
7/13/2015	0.1 US	0.1 US	0	0	21	0												
10/26/2015	0.1 US	0.1 US	0	0	21	0												
4/4/2016	0.1 US	0.1 US	0	0	20.6	0												
7/25/2016	0.1 US	0.1 US	0	0	20.4	0												
10/24/2016	0.1 US	0.1 US	0	0	20.6	0												
4/17/2017	0.1 US	0.1 US	0	0	21.3	0												
7/24/2017	0.1 US	0.1 US	0	0	20.9	0												
10/23/2017	0.1 US	0.1 US	0	0	20.7	0												
4/2/2018	0.1 US	0.1 US	0	0	21	0												
7/16/2018	0.1 US	0.1 US	0	0	20.9	0												
10/1/2018	0.1 US	0.1 US	0	0	20.9	0												
4/22/2019	0.1 US	0.1 US	0	0	20.9	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												
4/27/2020	0.1 US	0.1 US	0	0	20.9	0												
7/20/2020	0.1 US	0.1 US	0	0	20.7	0												
10/26/2020	0.1 US	0.1 US	0	0	20.9	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
MW-401A																		
4/27/2010	0.1 US		0		20.5	0												
7/21/2010	0.1 US		0		20.1	0												
10/20/2010	0.1 US	0.1 US	0	0	21.1	0												
4/25/2011	0.1 US	0.1 US	0	0	20.5	0												
7/18/2011	0.1 US	0.1 US	0	0	20.1	0												
10/24/2011	0.1 US	0.1 US	0	0	20.9	0												
4/25/2012	0.1 US	0.1 US	0	0	20.3	0												
7/23/2012	0.1 US	0.1 US	0	0	20.3	0												
10/22/2012	0.1 US	0.1 US	0	0	21.2	0												
4/22/2013	0.1 US	0.1 US	0	0	20.5	0												
7/29/2013	0.1 US	0.1 US	0	0	20.4	0												
10/28/2013	0.1 US	0.1 US	0	0	21.2	0												
4/21/2014	0.1 US	0.1 US	0	0	20.5	0												
7/29/2014	0.1 US	0.1 US	0	0	20.4	0												
10/20/2014	0.1 US	0.1 US	0	0	20.9	0												
4/27/2015	0.1 US	0.1 US	0	0	20.9	0												
7/13/2015	0.1 US	0.1 US	0	0	20.9	0												
10/26/2015	0.1 US	0.1 US	0	0	21.3	0												
4/6/2016	0.1 US	0.1 US	0	0	19.5	0												
7/25/2016	0.1 US	0.1 US	0	0	20.2	0												
10/24/2016	0.1 US	0.1 US	0	0	20.6	0												
4/17/2017	0.1 US	0.1 US	0	0	21.2	0												
7/24/2017	0.1 US	0.1 US	0	0	20.9	0												
10/24/2017	0.1 US	0.1 US	0	0	20.6	0												
4/2/2018	0.1 US	0.1 US	0	0	20.9	0												
7/16/2018	0.1 US	0.1 US	0	0	20.4	0												
10/1/2018	0.1 US	0.1 US	0	0	21.1	0												
4/23/2019	0.1 US	0.1 US	0	0	20.9	0												

SUMMARY REPORT

Methane - H2S - Oxygen - CO2 - Report

(MW-401A)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
MW-401B																	
4/27/2010	0.1 US		0		20.5	0											
7/21/2010	0.1 US		0		20.1	0											
10/20/2010	0.1 US	0.1 US	0	0	21.1	0											
4/25/2011	0.1 US	0.1 US	0	0	20.5	0											
7/18/2011	0.1 US	0.1 US	0	0	20.1	0											
10/24/2011	0.1 US	0.1 US	0	0	20.9	0											
4/25/2012	0.1 US	0.1 US	0	0	20.3	0											
7/23/2012	0.1 US	0.1 US	0	0	20.4	0											
10/22/2012	0.1 US	0.1 US	0	0	21.2	0											
4/22/2013	0.1 US	0.1 US	0	0	20.5	0											
7/29/2013	0.1 US	0.1 US	0	0	20.4	0											
10/28/2013	0.1 US	0.1 US	0	0	21.2	0											
4/21/2014	0.1 US	0.1 US	0	0	20.5	0											
7/29/2014	0.1 US	0.1 US	0	0	20.4	0											
10/20/2014	0.1 US	0.1 US	0	0	20.9	0											
4/27/2015	0.1 US	0.1 US	0	0	20.9	0											
7/13/2015	0.1 US	0.1 US	0	0	20.9	0											
10/26/2015	0.1 US	0.1 US	0	0	21.3	0											
4/6/2016	0.1 US	0.1 US	0	0	19.5	0											
7/25/2016	0.1 US	0.1 US	0	0	20.3	0											
10/24/2016	0.1 US	0.1 US	0	0	20.6	0											
4/17/2017	0.1 US	0.1 US	0	0	21.2	0											
7/24/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.7	0											
4/2/2018	0.1 US	0.1 US	0	0	20.9	0											
7/16/2018	0.1 US	0.1 US	0	0	20.4	0											
10/1/2018	0.1 US	0.1 US	0	0	21.1	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
MW-402A																	
4/27/2010	0.1 US		0		20.5	0											
7/21/2010	0.1 US		0		20.3	0											

SUMMARY REPORT
 Methane - H2S - Oxygen - CO2 - Report

(MW-402A)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide												
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.												
10/20/2010	0.1 US	0.1 US	0	0	21.2	0												
4/27/2011	0.1 US	0.1 US	0	0	20.8	0												
7/20/2011	0.1 US	0.1 US	0	0	20.2	0												
10/26/2011	0.1 US	0.1 US	0	0	20.8	0												
4/24/2012	0.1 US	0.1 US	0	0	20.2	0												
7/25/2012	0.1 US	0.1 US	0	0	20.9	0												
10/24/2012	0.1 US	0.1 US	0	0	20.9	0												
4/22/2013	0.1 US	0.1 US	0	0	20.9	0												
7/31/2013	0.1 US	0.1 US	0	0	20.9	0												
10/30/2013	0.1 US	0.1 US	0	0	20.8	0												
4/21/2014	0.1 US	0.1 US	0	0	20.6	0												
7/30/2014	0.1 US	0.1 US	0	0	20.7	0												
10/22/2014	0.1 US	0.1 US	0	0	21	0												
4/29/2015	0.1 US	0.1 US	0	0	21.3	0												
7/15/2015	0.1 US	0.1 US	0	0	20.9	0												
10/28/2015	0.1 US	0.1 US	0	0	21.9	0												
4/6/2016	0.1 US	0.1 US	0	0	20	0												
7/27/2016	0.1 US	0.1 US	0	0	19.9	0												
10/26/2016	0.1 US	0.1 US	0	0	20.7	0												
4/19/2017	0.1 US	0.1 US	0	0	21.2	0												
7/26/2017	0.1 US	0.1 US	0	0	20.9	0												
10/24/2017	0.1 US	0.1 US	0	0	20.6	0												
4/4/2018	0.1 US	0.1 US	0	0	20.5	0												
7/16/2018	0.1 US	0.1 US	0	0	20.5	0												
10/1/2018	0.1 US	0.1 US	0	0	21	0												
4/23/2019	0.1 US	0.1 US	0	0	20.9	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												
4/27/2020	0.1 US	0.1 US	0	0	20.8	0												
7/20/2020	0.1 US	0.1 US	0	0	20.8	0												
10/26/2020	0.1 US	0.1 US	0	0	20.9	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
MW-402B																		
4/27/2010	0.1 US		0		20.5	0												
7/21/2010	0.1 US		0		20.3	0												
10/20/2010	0.1 US	0.1 US	0	0	21.2	0												
4/27/2011	0.1 US	0.1 US	0	0	20.8	0												
7/20/2011	0.1 US	0.1 US	0	0	20.2	0												
10/26/2011	0.1 US	0.1 US	0	0	20.8	0												
4/24/2012	0.1 US	0.1 US	0	0	20.5	0												
7/25/2012	0.1 US	0.1 US	0	0	20.9	0												
10/24/2012	0.1 US	0.1 US	0	0	20.9	0												
4/22/2013	0.1 US	0.1 US	0	0	20.9	0												
7/31/2013	0.1 US	0.1 US	0	0	20.9	0												
10/30/2013	0.1 US	0.1 US	0	0	20.8	0												
4/21/2014	0.1 US	0.1 US	0	0	20.6	0												
7/30/2014	0.1 US	0.1 US	0	0	20.7	0												

SUMMARY REPORT
 Methane - H2S - Oxygen - CO2 - Report

(MW-402B)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
10/22/2014	0.1 US	0.1 US	0	0	21	0											
4/29/2015	0.1 US	0.1 US	0	0	21.3	0											
7/15/2015	0.1 US	0.1 US	0	0	20.9	0											
10/28/2015	0.1 US	0.1 US	0	0	21.9	0											
4/6/2016	0.1 US	0.1 US	0	0	20	0											
7/27/2016	0.1 US	0.1 US	0	0	19.9	0											
10/26/2016	0.1 US	0.1 US	0	0	20.7	0											
4/19/2017	0.1 US	0.1 US	0	0	19.9	0											
7/26/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.6	0											
4/4/2018	0.1 US	0.1 US	0	0	20.6	0											
7/16/2018	0.1 US	0.1 US	0	0	20.5	0											
10/1/2018	0.1 US	0.1 US	0	0	21	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.8	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
MW-501																	
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/29/2020	M	M	M	M	M	M											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
MW-502																	
7/13/2021	0.1 US	0.1 US	0	0	20.9	0											
10/6/2021	0.1 US	0.1 US	0	0	20.9	0											
MW-506																	
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
MW-507																	
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/6/2021	0.1 US	0.1 US	0	0	20.9	0											
MW09-901																	
4/27/2010	0.1 US		0		20.7	0											
7/20/2010	0.1 US		0		20.3	0											
10/19/2010	0.1 US	0.1 US	0	0	21.3	0											
4/26/2011	0.1 US	0.1 US	0	0	21	0											
7/19/2011	0.1 US	0.1 US	0	0	20.2	0											

SUMMARY REPORT
 Methane - H2S - Oxygen - CO2 - Report

(MW09-901)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
10/25/2011	0.1 US	0.1 US	0	0	21	0											
4/25/2012	0.1 US	0.1 US	0	0	20.3	0											
7/23/2012	0.1 US	0.1 US	0	0	20.3	0											
10/23/2012	0.1 US	0.1 US	0	0	21.1	0											
4/23/2013	0.1 US	0.1 US	0	0	20.7	0											
7/30/2013	0.1 US	0.1 US	0	0	20.8	0											
10/29/2013	0.1 US	0.1 US	0	0	21.2	0											
4/21/2014	0.1 US	0.1 US	0	0	20.7	0											
7/30/2014	0.1 US	0.1 US	0	0	20.7	0											
10/21/2014	0.1 US	0.1 US	0	0	20.9	0											
4/28/2015	0.1 US	0.1 US	0	0	21.2	0											
7/14/2015	0.1 US	0.1 US	0	0	20.6	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/5/2016	0.1 US	0.1 US	0	0	20.6	0											
7/26/2016	0.1 US	0.1 US	0	0	20	0											
10/25/2016	0.1 US	0.1 US	0	0	20.7	0											
4/18/2017	0.1 US	0.1 US	0	0	20.8	0											
7/25/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.6	0											
4/3/2018	0.1 US	0.1 US	0	0	21.1	0											
7/16/2018	0.1 US	0.1 US	0	0	20.4	0											
10/2/2018	0.1 US	0.1 US	0	0	21	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/28/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
OW-06-03																	
4/23/2019	0.1 US	0.1 US	0	0	15.6	0											
7/15/2019	0.1 US	0.1 US	0	0	20.4	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/29/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	13	0.1 US	0	0	13.2	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
OW-601A																	
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/29/2020	M	M	M	M	M	M											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											

SUMMARY REPORT
 Methane - H2S - Oxygen - CO2 - Report

(OW-601A)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide										
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.										
4/5/2021	0.1 US	0.1 US	0	0	20.8	0										
7/12/2021	0.1 US	0.1 US	0	0	20.8	0										
10/4/2021	0.1 US	0.1 US	0	0	20.9	0										
OW-601B																
4/23/2019	0.1 US	0.1 US	0	0	20.9	0										
7/15/2019	0.1 US	0.1 US	0	0	20.9	0										
10/28/2019	0.1 US	0.1 US	0	0	20.9	0										
4/29/2020	M	M	M	M	M	M										
7/20/2020	0.1 US	0.1 US	0	0	20.9	0										
10/26/2020	0.1 US	0.1 US	0	0	20.9	0										
4/5/2021	0.1 US	0.1 US	0	0	20.9	0										
7/12/2021	0.1 US	0.1 US	0	0	20.9	0										
10/4/2021	0.1 US	0.1 US	0	0	20.9	0										
OW-602A																
4/23/2019	0.1 US	0.1 US	0	0	20.9	0										
7/15/2019	0.1 US	0.1 US	0	0	20.9	0										
10/28/2019	0.1 US	0.1 US	0	0	20.9	0										
4/29/2020	M	M	M	M	M	M										
7/20/2020	0.1 US	0.1 US	0	0	20.9	0										
10/26/2020	0.1 US	0.1 US	0	0	20.9	0										
4/5/2021	0.1 US	0.1 US	0	0	20.9	0										
7/12/2021	0.1 US	0.1 US	0	0	20.9	0										
10/4/2021	0.1 US	0.1 US	0	0	20.9	0										
OW-603B																
4/23/2019	0.1 US	0.1 US	0	0	8.6	0										
7/15/2019	0.1 US	0.1 US	0	0	20.9	0										
10/28/2019	0.1 US	0.1 US	0	0	20.9	0										
4/29/2020	0.1 US	0.1 US	0	0	20.9	0										
7/20/2020	0.1 US	0.1 US	0	0	4.7	0										
10/26/2020	0.1 US	0.1 US	0	0	20.8	0										
4/5/2021	0.1 US	0.1 US	0	0	20.9	0										
7/12/2021	0.1 US	0.1 US	0	0	20.9	0										
10/4/2021	0.1 US	0.1 US	0	0	20.9	0										
OW-604A																
4/23/2019	0.1 US	0.1 US	0	0	20.9	0										
7/15/2019	0.1 US	0.1 US	0	0	20.9	0										
10/28/2019	0.1 US	0.1 US	0	0	20.9	0										
4/29/2020	0.1 US	0.1 US	0	0	20.9	0										
7/20/2020	0.1 US	0.1 US	0	0	20.9	0										
10/26/2020	0.1 US	0.1 US	0	0	20.9	0										
4/5/2021	0.1 US	0.1 US	0	0	20.9	0										
7/12/2021	0.1 US	0.1 US	0	0	20.9	0										
10/4/2021	0.1 US	0.1 US	0	0	20.9	0										
OW-605A																
7/13/2021	0.1 US	0.1 US	0	0	20.9	0										
10/6/2021	0.1 US	0.1 US	0	0	20.9	0										

REPORT PREPARED: 2/24/2022 14:28
 FOR: Juniper Ridge Landfill

SUMMARY REPORT
 Methane - H2S - Oxygen - CO2 - Report

Page 20 of 24
 SEVEE & MAHER ENGINEERS, INC.
 4 BLANCHARD ROAD
 CUMBERLAND CENTER, ME 04021

(OW-606A)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
OW-606A																	
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/6/2021	0.1 US	0.1 US	0	0	20.9	0											
OW-606B																	
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
OW-608A																	
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/6/2021	0.1 US	0.1 US	0	0	20.9	0											
OW-611A																	
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/6/2021	0.1 US	0.1 US	0	0	20.9	0											
P-04-02																	
4/26/2010	0.1 US		0		20	0											
7/21/2010	0.1 US		0		20.1	0											
10/20/2010	0.1 US	0.1 US	0	0	21.3	0											
4/27/2011	0.1 US	0.1 US	0	0	20.8	0											
7/20/2011	0.1 US	0.1 US	0	0	19.9	0											
10/26/2011	0.1 US	0.1 US	0	0	20.6	0											
4/25/2012	0.1 US	0.1 US	0	0	20.4	0											
7/25/2012	0.1 US	0.1 US	0	0	20.9	0											
10/24/2012	0.1 US	0.1 US	0	0	20.9	0											
4/22/2013	!	!	!	!	!	!											
P-04-02R																	
7/15/2015	0.1 US	0.1 US	0	0	20.8	0											
10/28/2015	0.1 US	0.1 US	0	0	21.9	0											
4/6/2016	0.1 US	0.1 US	0	0	21	0											
7/27/2016	0.1 US	0.1 US	0	0	19.6	0											
10/26/2016	0.1 US	0.1 US	0	0	20.8	0											
4/19/2017	0.1 US	0.1 US	0	0	20.2	0											
7/26/2017	0.1 US	0.1 US	0	0	20.9	0											
10/25/2017	0.1 US	0.1 US	0	0	20.7	0											
4/3/2018	0.1 US	0.1 US	0	0	21	0											
7/16/2018	0.1 US	0.1 US	0	0	20.3	0											
10/1/2018	0.1 US	0.1 US	0	0	21.1	0											
4/22/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
P-04-04																	
4/26/2010	0.1 US		0		20	0											

SUMMARY REPORT

Methane - H2S - Oxygen - CO2 - Report

(P-04-04) Date	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide									
	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.									
7/21/2010	0.1 US		0		20.2	0									
10/20/2010	0.1 US	0.1 US	0	0	21.3	0									
4/27/2011	0.1 US	0.1 US	0	0	20.8	0									
7/20/2011	0.1 US	0.1 US	0	0	19.9	0									
10/26/2011	0.1 US	0.1 US	0	0	20.6	0									
4/25/2012	0.1 US	0.1 US	0	0	20.4	0									
7/25/2012	0.1 US	0.1 US	0	0	20.9	0									
10/24/2012	0.1 US	0.1 US	0	0	21	0									
4/24/2013	0.1 US	0.1 US	0	0	20.8	0									
7/31/2013	0.1 US	0.1 US	0	0	20.4	0									
10/30/2013	0.1 US	0.1 US	0	0	20.7	0									
4/21/2014	0.1 US	0.1 US	0	0	20.7	0									
7/30/2014	0.1 US	0.1 US	0	0	20.6	0									
10/22/2014	0.1 US	0.1 US	0	0	20.9	0									
4/29/2015	0.1 US	0.1 US	0	0	21.7	0									
7/15/2015	0.1 US	0.1 US	0	0	20.8	0									
10/28/2015	0.1 US	0.1 US	0	0	21.9	0									
4/6/2016	0.1 US	0.1 US	0	0	21	0									
7/27/2016	0.1 US	0.1 US	0	0	19.6	0									
10/26/2016	0.1 US	0.1 US	0	0	20.8	0									
4/19/2017	0.1 US	0.1 US	0	0	21.2	0									
7/26/2017	0.1 US	0.1 US	0	0	20.9	0									
10/25/2017	0.1 US	0.1 US	0	0	20.6	0									
4/3/2018	0.1 US	0.1 US	0	0	21	0									
7/16/2018	0.1 US	0.1 US	0	0	20.3	0									
10/1/2018	0.1 US	0.1 US	0	0	21.1	0									
4/22/2019	0.1 US	0.1 US	0	0	20.9	0									
7/15/2019	0.1 US	0.1 US	0	0	20.9	0									
10/28/2019	0.1 US	0.1 US	0	0	20.9	0									
4/27/2020	0.1 US	0.1 US	0	0	20.9	0									
7/20/2020	0.1 US	0.1 US	0	0	20.9	0									
10/26/2020	0.1 US	0.1 US	0	0	20.9	0									
4/5/2021	0.1 US	0.1 US	0	0	20.9	0									
7/12/2021	0.1 US	0.1 US	0	0	20.9	0									
10/4/2021	0.1 US	0.1 US	0	0	20.9	0									
P-206A															
7/31/2013	0.1 US	0.1 US	0	0	20.5	0									
10/28/2013	0.1 US	0.1 US	0	0	20.8	0									
4/21/2014	0.1 US	0.1 US	0	0	20.7	0									
7/29/2014	0.1 US	0.1 US	0	0	20.6	0									
10/20/2014	0.1 US	0.1 US	0	0	20.9	0									
4/27/2015	0.1 US	0.1 US	0	0	21.9	0									
7/13/2015	0.1 US	0.1 US	0	0	21	0									
10/26/2015	0.1 US	0.1 US	0	0	21	0									
4/4/2016	0.1 US	0.1 US	0	0	20.8	0									
7/25/2016	0.1 US	0.1 US	0	0	20.5	0									
10/24/2016	0.1 US	0.1 US	0	0	20.7	0									
4/17/2017	0.1 US	0.1 US	0	0	21.2	0									
7/24/2017	0.1 US	0.1 US	0	0	20.9	0									

SUMMARY REPORT
 Methane - H2S - Oxygen - CO2 - Report

(P-206A)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide									
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.									
10/23/2017	0.1 US	0.1 US	0	0	20.7	0									
4/2/2018	0.1 US	0.1 US	0	0	20.8	0									
7/16/2018	0.1 US	0.1 US	0	0	20.3	0									
10/1/2018	0.1 US	0.1 US	0	0	20.9	0									
4/22/2019	0.1 US	0.1 US	0	0	20.9	0									
7/15/2019	0.1 US	0.1 US	0	0	20.9	0									
10/28/2019	0.1 US	0.1 US	0	0	20.9	0									
4/27/2020	0.1 US	0.1 US	0	0	20.8	0									
7/20/2020	0.1 US	0.1 US	0	0	20.9	0									
10/26/2020	0.1 US	0.1 US	0	0	20.9	0									
4/5/2021	0.1 US	0.1 US	0	0	20.9	0									
7/12/2021	0.1 US	0.1 US	0	0	20.9	0									
10/4/2021	0.1 US	0.1 US	0	0	20.9	0									

W Property Line A

4/27/2010	0.1 US		0		20.5	0									
7/20/2010	0.1 US		0		20.1	0									
10/20/2010	0.1 US	0.1 US	0	0	21.1	0									
4/27/2011	0.1 US	0.1 US	0	0	20.8	0									
7/20/2011	0.1 US	0.1 US	0	0	20	0									
10/26/2011	0.1 US	0.1 US	0	0	20.6	0									
4/24/2012	0.1 US	0.1 US	0	0	20.5	0									
7/25/2012	0.1 US	0.1 US	0	0	20.6	0									
10/24/2012	0.1 US	0.1 US	0	0	20.9	0									
4/24/2013	0.1 US	0.1 US	0	0	20.7	0									
7/30/2013	0.1 US	0.1 US	0	0	20.7	0									
10/29/2013	0.1 US	0.1 US	0	0	21.3	0									
4/21/2014	0.1 US	0.1 US	0	0	20.6	0									
7/30/2014	0.1 US	0.1 US	0	0	20.7	0									
10/20/2014	0.1 US	0.1 US	0	0	20.9	0									
4/27/2015	0.1 US	0.1 US	0	0	21.4	0									
7/15/2015	0.1 US	0.1 US	0	0	20.9	0									
10/27/2015	0.1 US	0.1 US	0	0	21.3	0									
4/4/2016	0.1 US	0.1 US	0	0	20.6	0									
7/25/2016	0.1 US	0.1 US	0	0	20.2	0									
10/25/2016	0.1 US	0.1 US	0	0	20.7	0									
4/18/2017	0.1 US	0.1 US	0	0	20.8	0									
7/26/2017	0.1 US	0.1 US	0	0	20.9	0									
10/24/2017	0.1 US	0.1 US	0	0	20.6	0									
4/4/2018	0.1 US	0.1 US	0	0	20.8	0									
7/16/2018	0.1 US	0.1 US	0	0	20.5	0									
10/1/2018	0.1 US	0.1 US	0	0	21.1	0									
4/23/2019	0.1 US	0.1 US	0	0	20.9	0									
7/15/2019	0.1 US	0.1 US	0	0	20.9	0									
10/28/2019	0.1 US	0.1 US	0	0	20.9	0									
4/27/2020	0.1 US	0.1 US	0	0	20.9	0									
7/20/2020	0.1 US	0.1 US	0	0	20.9	0									
10/26/2020	0.1 US	0.1 US	0	0	20.9	0									
4/5/2021	0.1 US	0.1 US	0	0	20.9	0									
7/13/2021	0.1 US	0.1 US	0	0	20.9	0									

SUMMARY REPORT
Methane - H2S - Oxygen - CO2 - Report

(W Property Line A)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide												
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
W Property Line B																		
4/27/2010	0.1 US		0		20.5	0												
7/20/2010	0.1 US		0		20.1	0												
10/20/2010	0.1 US	0.1 US	0	0	21	0												
4/27/2011	0.1 US	0.1 US	0	0	20.7	0												
7/20/2011	0.1 US	0.1 US	0	0	20	0												
10/26/2011	0.1 US	0.1 US	0	0	20.6	0												
4/24/2012	0.1 US	0.1 US	0	0	20.5	0												
7/25/2012	0.1 US	0.1 US	0	0	20.6	0												
10/24/2012	0.1 US	0.1 US	0	0	20.9	0												
4/24/2013	0.1 US	0.1 US	0	0	20.7	0												
7/30/2013	0.1 US	0.1 US	0	0	20.7	0												
10/29/2013	0.1 US	0.1 US	0	0	21.3	0												
4/21/2014	0.1 US	0.1 US	0	0	20.7	0												
7/30/2014	0.1 US	0.1 US	0	0	20.6	0												
10/20/2014	0.1 US	0.1 US	0	0	20.9	0												
4/27/2015	0.1 US	0.1 US	0	0	21.4	0												
7/15/2015	0.1 US	0.1 US	0	0	20.9	0												
10/27/2015	0.1 US	0.1 US	0	0	21.3	0												
4/4/2016	0.1 US	0.1 US	0	0	20.6	0												
7/25/2016	0.1 US	0.1 US	0	0	20.1	0												
10/25/2016	0.1 US	0.1 US	0	0	20.7	0												
4/18/2017	0.1 US	0.1 US	0	0	20.8	0												
7/26/2017	0.1 US	0.1 US	0	0	20.9	0												
10/24/2017	0.1 US	0.1 US	0	0	20.7	0												
4/4/2018	0.1 US	0.1 US	0	0	20.7	0												
7/16/2018	0.1 US	0.1 US	0	0	20.4	0												
10/1/2018	0.1 US	0.1 US	0	0	21.1	0												
4/23/2019	0.1 US	0.1 US	0	0	20.9	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.8	0												
4/27/2020	0.1 US	0.1 US	0	0	20.9	0												
7/20/2020	0.1 US	0.1 US	0	0	20.9	0												
10/26/2020	0.1 US	0.1 US	0	0	20.9	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/13/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
S Property Line																		
4/27/2010	0.1 US		0		20.6	0												
7/20/2010	0.1 US		0		20.2	0												
10/20/2010	0.1 US	0.1 US	0	0	21	0												
4/27/2011	0.1 US	0.1 US	0	0	20.7	0												
7/20/2011	0.1 US	0.1 US	0	0	20	0												
10/26/2011	0.1 US	0.1 US	0	0	20.6	0												
4/24/2012	0.1 US	0.1 US	0	0	20.5	0												
7/25/2012	0.1 US	0.1 US	0	0	20.6	0												
10/24/2012	0.1 US	0.1 US	0	0	20.9	0												

SUMMARY REPORT
 Methane - H2S - Oxygen - CO2 - Report

(S Property Line)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide	Hydrogen Sulfide (Ambient)	Oxygen	Carbon Dioxide									
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.									
4/24/2013	0.1 US	0.1 US	0	0	20.7	0									
7/30/2013	0.1 US	0.1 US	0	0	20.6	0									
10/29/2013	0.1 US	0.1 US	0	0	21.2	0									
4/21/2014	0.1 US	0.1 US	0	0	20.6	0									
7/30/2014	0.1 US	0.1 US	0	0	20.6	0									
10/20/2014	0.1 US	0.1 US	0	0	20.9	0									
4/27/2015	0.1 US	0.1 US	0	0	21.3	0									
7/15/2015	0.1 US	0.1 US	0	0	20.8	0									
10/27/2015	0.1 US	0.1 US	0	0	21.3	0									
4/4/2016	0.1 US	0.1 US	0	0	20.6	0									
7/25/2016	0.1 US	0.1 US	0	0	20	0									
10/25/2016	0.1 US	0.1 US	0	0	20.7	0									
4/18/2017	0.1 US	0.1 US	0	0	20.8	0									
7/26/2017	0.1 US	0.1 US	0	0	20.9	0									
10/24/2017	0.1 US	0.1 US	0	0	20.7	0									
4/4/2018	0.1 US	0.1 US	0	0	20.8	0									
7/16/2018	0.1 US	0.1 US	0	0	20.5	0									
10/1/2018	0.1 US	0.1 US	0	0	21	0									
4/23/2019	0.1 US	0.1 US	0	0	20.7	0									
7/15/2019	0.1 US	0.1 US	0	0	20.9	0									
10/28/2019	0.1 US	0.1 US	0	0	20.9	0									
4/27/2020	0.1 US	0.1 US	0	0	20.9	0									
7/20/2020	0.1 US	0.1 US	0	0	20.9	0									
10/26/2020	0.1 US	0.1 US	0	0	20.9	0									
4/5/2021	0.1 US	0.1 US	0	0	20.9	0									
7/13/2021	0.1 US	0.1 US	0	0	20.9	0									
10/4/2021	0.1 US	0.1 US	0	0	20.9	0									

Notes: TYPE - Sample Type Qualifier where D = Duplicate Sample.

Concentration Qualifier Notes:

- !- The sampling location was damaged or destroyed.
- !1- The sampling location was damaged or destroyed, and has been discontinued.
- M- Results are missing or not reliable due to a meter malfunction.
- US- Not Detected above the reported reporting limit determined by interpreted instrument specification.

ATTACHMENT G
Landfill Gas Monitoring Evaluation

JUNIPER RIDGE LANDFILL

**2021 ANNUAL GAS MONITORING
EVALUATION**



Operated by NEWSME Landfill Operations, LLC
2828 Bennoch Road, Old Town, Maine 04468 • (207) 394-4372

TABLE OF CONTENTS

Section No.	Title	Page No.
1.0	INTRODUCTION	1
2.0	WELL FIELD ACTIVITY	1
2.1	Active, New, and Discontinued Well Heads.....	1
2.2	Changes and Anomalies in Well Field	5
3.0	LANDFILL GAS COMPOSITION	5
4.0	LANDFILL GAS FLOW	7
5.0	ENERGY GENERATED BY METHANE COMBUSTION	8
6.0	SUMMARY	10

LIST OF TABLES

Table No.	Title	Page No.
2-1	Well Heads Monitored at JRL, 2021.....	2
4-1	Volumetric Flow of Landfill Gas at JRL, 2020 & 2021	7
5-1	Energy Generated by CH ₄ Combustion at JRL, 2020 & 2021	8

LIST OF FIGURES

Figure No.	Title	Page No.
3-1	Monthly Average CH ₄ and O ₂ Concentrations at JRL, 2020 & 2021	6
4-1	Monthly Average Landfill Gas Flow Rate at JRL, 2020 & 2021	7
5-1	Energy Generated by CH ₄ Combustion at the JRL Flare, 2020 & 2021	9
5-2	Avg. Daily Energy Generated by CH ₄ Combustion at JRL, 2020 & 2021	9

1.0 INTRODUCTION

In accordance with the Maine Department of Environmental Protection (MEDEP) Chapter 401, Solid Waste Management Rules, Section 401.4.D(4)(d), an evaluation of the gas monitoring results for Juniper Ridge Landfill's (JRL) past year, including a comparison of the past year's results to the previous year's results is provided below.

Throughout 2021, the following regular landfill gas (LFG) monitoring activities occurred at JRL: (1) well-tuning of LFG collection trenches and wells (well heads), (2) continuous flow and temperature measurement at the landfill gas combustion flare, and (3) landfill gas composition measurement during well-tuning activities at the landfill gas combustion flare.

Additionally, JRL is subject to 40 Code of Federal Regulations (CFR) Part 60 Subpart XXX (the New Source Performance Standards [NSPS] for Municipal Solid Waste [MSW] landfills) and the operational standards of 40 CFR Part 63 Subpart AAAA (the National Emission Standard for Hazardous Air Pollutants [NESHAP] for MSW landfills). Reports completed in accordance with NSPS requirements are submitted separately to the MEDEP Bureau of Air Quality.

On March 26, 2020, NESHAP Subpart AAAA was updated with changes required to take effect by September 2021. JRL began complying with the changes as of the issuance date of air emission license A-921-70-H-A (1/6/2021), including the increased default LFG operating temperature limit of 145 degrees Fahrenheit (°F).

2.0 WELL FIELD ACTIVITY

During 2021, well field activities consisted of the addition of new infrastructure, as well as discontinuing older infrastructure due to malfunction, insufficient methane production or redundancy. Anomalies associated with routine operation of the well field were also monitored. A summary is provided below.

2.1 Active, New, and Discontinued Well Heads

At the beginning of 2021, the JRL well field consisted of 173 active collection devices. During 2021, 11 gas collection trenches, 11 vertical wells, and 1 other collector was discontinued or replaced. Prior to discontinuing vertical wells, JRL first sought MEDEP approval. Prior to discontinuing gas collection trenches, which are designed as temporary collectors, JRL first notified MEDEP. Table 2-1 shows all well heads that were monitored during 2021, as well as their status as of the end of the year. By the end of 2021, 189 gas collection devices were active.

Table 2-1 Well Heads Monitored at JRL, 2021

ID	Type	Status	ID	Type	Status
JR-GW--A	Gas Well	Active	JR-GW-66	Gas Well	Active
JR-GW--I	Gas Well	Active	JR-GW-68	Gas Well	Active
JR-GW--L	Gas Well	Active	JR-GW-70	Gas Well	Active
JR-GW--S	Gas Well	Active	JR-GW-71	Gas Well	Active
JR-GW--U	Gas Well	Active	JR-GW-72	Gas Well	Active
JR-GW--V	Gas Well	Active	JR-GW-74	Gas Well	Active
JR-GW-03	Gas Well	Active	JR-GW-75	Gas Well	Active
JR-GW-04	Gas Well	Active	JR-GW-76	Gas Well	Active
JR-GW-05	Gas Well	Active	JR-GW-78	Gas Well	Active
JR-GW-06	Gas Well	Active	JR-GW-79	Gas Well	Active
JR-GW-09	Gas Well	Active	JR-GW-80	Gas Well	Active
JR-GW-10	Gas Well	Active	JR-GW-81	Gas Well	Active
JR-GW-11	Gas Well	Active	JR-GW-82	Gas Well	Active
JR-GW-12	Gas Well	Active	JR-GW-83	Gas Well	Active
JR-GW-13	Gas Well	Active	JR-GW-84	Gas Well	Active
JR-GW-16	Gas Well	Active	JR-GW-85	Gas Well	Active
JR-GW-18	Gas Well	Active	JR-GW-86	Gas Well	Active
JR-GW-26	Gas Well	Active	JR-GW-87	Gas Well	Active
JR-GW-28	Gas Well	Active	JR-GW-88	Gas Well	Active
JR-GW-29	Gas Well	Active	JR-GW-89	Gas Well	Active
JR-GW-34	Gas Well	Active	JR-GW-90	Gas Well	Active
JR-GW-35	Gas Well	Active	JR-GW-91	Gas Well	Active
JR-GW-37	Gas Well	Active	JR-GW-92	Gas Well	Active
JR-GW-38	Gas Well	Active	JR-GW-93	Gas Well	Active
JR-GW-40	Gas Well	Active	JR-GW-94	Gas Well	Active
JR-GW-41	Gas Well	Active	JR-GW-95	Gas Well	Active
JR-GW-42	Gas Well	Active	JR-GW-96	Gas Well	Active
JR-GW-44	Gas Well	Active	JR-GW-97	Gas Well	Active
JR-GW-46	Gas Well	Active	JR-GW-98	Gas Well	Active
JR-GW-47	Gas Well	Active	JR-GW-99	Gas Well	Active
JR-GW-48	Gas Well	Active	JR-GW-H2	Gas Well	Active
JR-GW-49	Gas Well	Active	JR-GW07R	Gas Well	Active
JR-GW-52	Gas Well	Active	JR-GW100	Gas Well	Active
JR-GW-53	Gas Well	Active	JR-GW101	Gas Well	Active
JR-GW-55	Gas Well	Active	JR-GW102	Gas Well	Active
JR-GW-56	Gas Well	Active	JR-GW103	Gas Well	Active
JR-GW-58	Gas Well	Active	JR-GW104	Gas Well	Active
JR-GW-61	Gas Well	Active	JR-GW105	Gas Well	Active
JR-GW-62	Gas Well	Active	JR-GW106	Gas Well	Active
JR-GW-64	Gas Well	Active	JR-GW107	Gas Well	Active
JR-GW-65	Gas Well	Active	JR-GW108	Gas Well	Active

Table 2-1 Well Heads Monitored at JRL, 2021 Cont.

ID	Type	Status	ID	Type	Status
JR-GW109	Gas Well	Active	JR1207S	Horizontal	Active
JR-GW110	Gas Well	Active	JR1208L	Horizontal	Active
JR-GW111	Gas Well	Active	JR1208S	Horizontal	Active
JR-GW112	Gas Well	Active	JRCT1001	Horizontal	Active
JR-GW125	Gas Well	Active	JRCT1002	Horizontal	Active
JR-GW128	Gas Well	Active	JRCT1003	Horizontal	Active
JR-GW173	Gas Well	Active	JRCT1004	Horizontal	Active
JR-GW16R	Gas Well	Active	JRCT1005	Horizontal	Active
JR-GW19R	Gas Well	Active	JRCT1006	Horizontal	Active
JR-GW20R	Gas Well	Active	JRCT1007	Horizontal	Active
JR-GW23R	Gas Well	Active	JRCT1008	Horizontal	Active
JR-GW24R	Gas Well	Active	JRCT1009	Horizontal	Active
JR-GW30R	Gas Well	Active	JRCT1010	Horizontal	Active
JR-GW32R	Gas Well	Active	JRCT1011	Horizontal	Active
JR-GW33R	Gas Well	Active	JRCT1101	Horizontal	Active
JR-GW42B	Gas Well	Active	JRCT1102	Horizontal	Active
JR-GW50B	Gas Well	Active	JRCT1103	Horizontal	Active
JR-GW50R	Gas Well	Active	JRCT1104	Horizontal	Active
JR-GW51B	Gas Well	Active	JRCT1105	Horizontal	Active
JR-GW51R	Gas Well	Active	JRCT1106	Horizontal	Active
JR-GW58B	Gas Well	Active	JRCT1107	Horizontal	Active
JR-GW59B	Gas Well	Active	JRCT1108	Horizontal	Active
JR-GW59R	Gas Well	Active	JRCT1109	Horizontal	Active
JR-GW60B	Gas Well	Active	JRCT1110	Horizontal	Active
JR-GW60R	Gas Well	Active	JRCT1111	Horizontal	Active
JR-GW68B	Gas Well	Active	JRCT1112	Horizontal	Active
JR-GW68R	Gas Well	Active	JRCT1113	Horizontal	Active
JR-GW69B	Gas Well	Active	JRCT1114	Horizontal	Active
JR-GW69R	Gas Well	Active	JRCT1115	Horizontal	Active
JR-GW76B	Gas Well	Active	JRCT1116	Horizontal	Active
JR-GW77R	Gas Well	Active	JRCT1119	Horizontal	Active
JR-GW78B	Gas Well	Active	JRCT1120	Horizontal	Active
JR-GW79B	Gas Well	Active	JRCT1124	Horizontal	Active
JR-LC-SE	Horizontal	Active	JRCT1201	Horizontal	Active
JR-OP101	Gas Well	Active	JRCT1202	Horizontal	Active
JR-OP12A	Other	Active	JRCT1203	Horizontal	Active
JR-OP901	Other	Active	JRCT1204	Horizontal	Active
JR1205L	Horizontal	Active	JRGCT3B1	Horizontal	Active
JR1205S	Horizontal	Active	JRGCT3B2	Horizontal	Active
JR1206L	Horizontal	Active	JRGCT502	Horizontal	Active
JR1206S	Horizontal	Active	JRGCT503	Horizontal	Active
JR1207L	Horizontal	Active	JRGCT505	Horizontal	Active

Table 2-1 Well Heads Monitored at JRL, 2021 Cont.

ID	Type	Status	ID	Type	Status
JRGCT508	Horizontal	Active	JR-GW--W	Gas Well	Discontinued
JRGCT511	Horizontal	Active	JR-GW-14	Gas Well	Discontinued
JRGCT601	Horizontal	Active	JR-GW-15	Gas Well	Discontinued
JRGCT604	Horizontal	Active	JR-GW-24	Gas Well	Discontinued
JRGCT606	Horizontal	Active	JR-GW-25	Gas Well	Discontinued
JRGCT607	Horizontal	Active	JR-GW-39	Gas Well	Discontinued
JRGCT704	Horizontal	Active	JR-GW-51	Gas Well	Discontinued
JRGCT705	Horizontal	Active	JR-GW31R	Gas Well	Discontinued
JRGCT708	Horizontal	Active	JR-GW56R	Gas Well	Discontinued
JRGCT709	Horizontal	Active	JR-GW86B	Gas Well	Discontinued
JRGW22R2	Gas Well	Active	JR-OP-SE	Other	Discontinued
JRGW59R3	Gas Well	Active	JRCT1012	Horizontal	Discontinued
JROP11NE	Other	Active	JRCT1121	Horizontal	Discontinued
GW-33R-2	Gas Well	Active	JRCT1122	Horizontal	Discontinued
GW-43	Gas Well	Active	JRCT1123	Horizontal	Discontinued
JR-1209L	Horizontal	Active	JRGCT701	Horizontal	Discontinued
JR-1209S	Horizontal	Active	JRGCT703	Horizontal	Discontinued
JRCT1210	Horizontal	Active	JRGCT706	Horizontal	Discontinued
JRCT1211	Horizontal	Active	JRGCT711	Horizontal	Discontinued
JRCT1212	Horizontal	Active	JRGCT924	Horizontal	Discontinued
JRCT1213	Horizontal	Active	JRGCT927	Horizontal	Discontinued
JRGCT2A1	Horizontal	Active	JRLGV401	Horizontal	Discontinued
JRGCT3A4	Horizontal	Active	JR-GW-60	Gas Well	Discontinued

2.2 Changes and Anomalies in the Well Field

The facility was operated in accordance with NSPS requirements during the entirety of 2021. As discussed in Section 2.1, numerous collection trenches and wells were added and discontinued throughout 2021 as part of routine operations. Readings in excess of NESHAP thresholds for temperature and pressure were promptly addressed, and follow-ups were completed in accordance with NESHAP requirements. Excess readings were provided in separate reports to the MEDEP.

Due to the types of waste currently/previously disposed of at JRL (primarily construction debris, construction debris processing residuals, sludge, and ash), which tend to have higher decomposition temperatures than typical household waste, operating some of JRL's well heads according to NESHAP guidelines (with default gas temperature of 145 °F (62.8 °C)) has not always been possible. With that in mind, upon careful review by JRL staff and the MEDEP, several Higher Operating Value (HOV) allowances have been granted for temperature, up to 150 °F, to allow for proper gas collection to occur at these locations. JRL will continue to submit HOV requests as necessary to ensure continued compliance and a successful operation.

3.0 LANDFILL GAS COMPOSITION

During well-tuning activities, the composition of the landfill gas supplied to the flare was measured and concentrations of methane, carbon dioxide, and oxygen (CH₄, CO₂, O₂ respectively), and balance gas were recorded. During 2021, JRL staff operated the well field with the intent of: maintaining a target methane concentration in the range of 40%-45% (by volume) in the gas supplied to the flare, for both odor control and greenhouse gas reduction; and maintaining an oxygen concentration at satisfactory low levels (i.e. < 5%) in order to maintain high efficiency in the vacuum system and prevent possible landfill complications associated with oxygen infiltration. Balance gas levels are also monitored, as a confirmation of landfill collection efficiency and oxygen infiltration prevention. The concentration of carbon dioxide at the flare is not of great concern but is measured in addition to the more important levels of methane and oxygen.

Since gas composition is not measured daily, monthly average gas compositions at the flare were computed from routine measurements that occurred during well-tuning activities. The monthly average concentrations of methane and oxygen are shown in Figure 3-1. As can be seen, the concentration of CH₄ remained within the target range of 40%-45% for a majority of 2021. The average CH₄ concentration for 2021 was 41.6%, a slight decrease from the 2020 average concentration of 42.1%. This variation is acceptable and likely attributable to changing landfill conditions. In efforts to improve

gas quality for a future renewable natural gas project, a full time well tuner was hired in March of 2020. The average oxygen concentration during 2021 was 0.4%, similar to the 2020 average of 0.4%.




Figure 3-1 Monthly Average Landfill Gas Composition at JRL, 2020 & 2021

4.0 LANDFILL GAS FLOW

The flow of landfill gas supplied to the JRL flare and the Thiopaq® gas treatment system was measured and recorded on a continuous basis using a thermal flow meter. This data was then compiled for 2021 (and 2020 for comparison) and is summarized as total monthly flow and average flow in Table 4-1 and Figure 4-1. The average flow rate was calculated by taking the total monthly flow (in units of MMSCF)/(number of days in the month*1440 minutes/ 1 day). The result is an average flow rate (in units of SCFM) for any given month.

The total flow during 2021 was 1,283 million standard cubic feet (MMSCF), an increase of approximately 39% from total flow of 921 MMSCF in 2020. This significant increase is likely attributed to changes in waste mix and the addition of a full time well tuner whose goal is to improve gas quality and promote a healthy atmosphere for methanogenic producing bacteria to flourish.

Table 4-1 Volumetric Flow of Landfill Gas at JRL, 2020 & 2021

Month	Total Monthly Flow (MMSCF)		Average Flow Rate (SCFM)	
	2020	2021	2020	2021
Jan	97.3	108.2	2,180	2,424
Feb	84.5	105.1	2,097	2,608
Mar	89.0	97.2	1,995	2,177
Apr	92.3	86.4	2,137	2,000
May	76.5	92.4	1,713	2,069
Jun	61.0	97.6	1,413	2,258
Jul	71.8	101.8	1,609	2,281
Aug	66.6	131.4	1,491	2,943
Sep	60.8	119.6	1,408	2,769
Oct	67.9	111.5	1,520	2,497
Nov	72.3	116.9	1,674	2,706
Dec	80.9	114.6	1,812	2,566
Totals	921	1,283		
Average			1,754	2,442




Figure 4-1 Monthly Average Landfill Gas Flow Rate at JRL, 2020 & 2021

5.0 ENERGY GENERATED BY METHANE COMBUSTION

JRL has a candlestick type flare which burns the methane (CH₄) present in the landfill gas. Methane has an approximate heating value of 1,005 BTU/SCF (BTU per standard cubic foot). Using this heating value, along with the methane concentrations and landfill gas flows presented in the previous sections, the energy generated by the combustion of methane in the JRL flare was calculated.

Table 5-1 shows the monthly totals of energy generated by CH₄ combustion, along with the average daily combustion energy for 2020 and 2021. Figures 5-1 and 5-2 further portray LFG energy combustion during its destruction through the use of the flare. The calculated total energy converted to heat by combustion at JRL during 2021 was approximately 535,088 MMBTUs, compared to approximately 387,003 MMBTUs in 2020, an increase of approximately 38%. This change is a direct result of higher gas flows which is further described in Section 4.0.

Table 5-1 Energy Generated by CH₄ Combustion at JRL, 2020 & 2021

Month	Monthly Total (MMBTUs)		Daily Average (MMBTUs/day)	
	2020	2021	2020	2021
January	37,297	44,593	1,203	1,438
February	34,188	42,267	1,179	1,510
March	35,524	39,805	1,146	1,284
April	35,624	37,258	1,187	1,242
May	31,554	39,755	1,018	1,282
June	27,107	42,077	904	1,403
July	32,044	42,570	1,034	1,373
August	29,574	52,281	954	1,686
September	27,387	50,129	913	1,671
October	29,534	48,338	953	1,559
November	31,972	48,469	1,066	1,616
December	35,198	47,546	1,135	1,534
Totals	387,003	535,088		
Average			1,058	1,467




Figure 5-1 Energy Generated by CH₄ Combustion at the JRL Flare, 2020 & 2021




Figure 5-2 Avg. Daily Energy Generated by CH₄ Combustion at the JRL Flare, 2020 & 2021

6.0 SUMMARY

Throughout 2021, routine landfill gas (LFG) monitoring took place at various on-site gas management locations in accordance with NESHAP requirements, with results being submitted via electronic deliverable document to the MEDEP as required. At the beginning of 2021, the JRL well field consisted of 173 active collection devices. At the end of 2021, 189 collection devices remained active.

The average CH₄ concentration for 2021 was 41.6%, a slight decrease from the 2020 average concentration of 42.1%. This variation is acceptable and likely attributable to changing landfill conditions. In efforts to improve gas quality for a future renewable natural gas project, a full time well tuner was hired in March of 2020. The average oxygen concentration during 2021 was 0.4%, similar to the 2020 average of 0.4%.

The total flow during 2021 was 1,283 million standard cubic feet (MMSCF), an increase of approximately 39% from total flow of 921 MMSCF in 2020. This significant increase is likely attributed to changes in waste mix and the addition of a full time well tuner whose goal is to improve gas quality and promote a healthy atmosphere for methanogenic producing bacteria to flourish.

The calculated total energy converted to heat by combustion at JRL during 2021 was approximately 535,088 MMBTUs, compared to approximately 387,003 MMBTUs in 2020, an increase of approximately 38%. This change is a direct result of higher gas flows.

ATTACHMENT H

Landfill Air Monitoring Evaluation

JUNIPER RIDGE LANDFILL

2021 ANNUAL AIR MONITORING EVALUATION



Operated by NEWSME Landfill Operations, LLC
2828 Bennoch Road, Old Town, Maine 04468 • (207) 394-4372

TABLE OF CONTENTS

<u>Section No.</u>	<u>Title</u>	<u>Page No.</u>
1.0	INTRODUCTION.....	1
2.0	STATIONARY H ₂ S MONITORING RESULTS.....	2
3.0	ODOR COMPLAINTS.....	7
4.0	CH ₄ SURFACE SCANS.....	9
5.0	SUMMARY.....	10

LIST OF TABLES

<u>Table No.</u>	<u>Title</u>	<u>Page No.</u>
2-1	Annual SPM H ₂ S Averages, 2020 & 2021.....	3
2-2	Annual highest two readings at each SPM, 2020 & 2021.....	7
3-1	Summary of Complaints at Juniper Ridge Landfill, 2020 & 2021.....	8
4-1	Readings above 500 ppm found during CH ₄ Surface Scans, 2020 & 2021.....	9

LIST OF FIGURES

<u>Figure No.</u>	<u>Title</u>	<u>Page No.</u>
1-1	Juniper Ridge Landfill H ₂ S Single Point Monitoring Locations.....	1
2-1	Annual Avg. H ₂ S readings at all four SPM locations, 2020 & 2021.....	4
2-2	Annual Avg. H ₂ S readings at all four SPM locations with percentages of non-detects at 1 ppb based on wind rose data, 2020 & 2021.....	4
2-3	Monthly Avg. H ₂ S readings at the Access Road SPM, 2020 & 2021.....	5
2-4	Monthly Avg. H ₂ S readings at the 552 West Old Town Road SPM, 2020 & 2021.....	5
2-5	Monthly Avg. H ₂ S readings at the Old Stagecoach Road SPM, 2020 & 2021.....	6
2-6	Monthly Avg. H ₂ S readings at the West Coiley Road SPM, 2020 & 2021.....	6

1.0 INTRODUCTION

In accordance with the Maine Department of Environmental Protection (MEDEP) Chapter 401, Solid Waste Management Rules, Section 401.D(4)(e), NEWSME Landfill Operations, LLC evaluated the 2021 air monitoring results, including a comparison of the 2021 results to the previous year's results. Two types of air monitoring activities occurred at the Juniper Ridge Landfill (JRL) during 2021; (1) hydrogen sulfide (H_2S) monitoring at stationary continuous monitors; and (2) quarterly methane (CH_4) emission surface scans on the landfill's intermediate cover. The air monitoring was completed in general accordance with the procedures specified in the current JRL operations manual.

H_2S monitors are Honeywell® Analytics MDA Single Point Monitors (SPM) utilizing EP hydrides Chemcassettes® also provided by Honeywell®. Readings were taken at 15-minute intervals and data-logged. Monitors are located at four different off-site locations surrounding the landfill as shown in Figure 1-1.



Methane scans were completed using a MicroFID® (flame ionizing detector) or similar mobile device (QED SEM-5000) and completed once every quarter by taking measurements along an approximate 30-meter spacing grid on the intermediate cover system. Measurements were also collected at cover penetrations in the pattern (i.e. gas collection piping, etc.) and at noticeable punctures, cracks, or holes in the intermediate cover.

Additionally, odor complaints from the 24-hour JRL odor complaint hotline for 2021 were summarized and compared to 2020 results.

2.0 STATIONARY H₂S MONITORING RESULTS

Using the four Honeywell Analytics SPMs located off-site (on the access road, West Coiley Road, 552 West Old Town Road (Route 43), and Old Stagecoach Road), real-time data is collected and recorded at 15-minute intervals. If at any time off-site monitors detect concentrations greater than 15 parts per billion (ppb), then scale house personnel are alerted by automated telephone messages. Personnel then report any alert to supervisory staff, who are responsible for reporting H₂S readings greater than 15 ppb in the facility's Monthly Status Report and to the Old Town Code Enforcement Officer if H₂S levels exceed 30 ppb.

The Honeywell Chemcassette® tapes utilized in the SPMs at JRL are capable of continuously detecting hydrogen sulfide levels down to 2 ppb and quantitatively measuring down to 4 ppb. The quantitation limit (4 ppb) is the lowest numerical value that can be determined with suitable precision and accuracy and the detection limit (2 ppb) is the lowest numerical value that can be reasonably estimated by the instrument (typically half the quantitation limit). The summarized data provided below is an average of readings, including non-detect (values less than 2 ppb) readings taken at each instrument, therefore the average values (monthly and annually) are typically less than the detection limit of the Chemcassettes®.

In 2021, data logged readings, along with SPM maintenance records and associated weather data from an on-site weather station were provided to the MEDEP on a periodic basis. SPM maintenance includes Chemcassette® change outs, which generally occur every 6 weeks, along with recommended maintenance performed by the manufacturer.

The annual average H₂S calculated values at the Access Road, 552 West Old Town Road, the Old Stagecoach Road, and the West Coiley Road SPMs are presented in Table 2-1 & Figure 2-1. Due to the vast number of non-detect readings, also known as zero readings, the average H₂S values for all four meters were below the detection limit of 2 ppb for both 2020 and 2021.

Table 2-1 Annual SPM H₂S Averages, 2020 & 2021

Juniper Ridge Landfill 2021 Annual SPM H₂S Averages					
Location	Bangor Wind Rose %¹	Bangor Wind Rose % plus 50% calm²	Non-Detect Readings	Average in ppb (Non-Detect = 0 ppb)	Average in ppb (Non-Detects = 1 ppb³)
Access Road	11.5%	19.8%	27,525	0.290	0.383
552 West Old Town Road	3.6%	11.9%	32,169	0.086	0.205
Old Stagecoach Road	6.0%	14.3%	32,939	0.084	0.175
West Coiley Road	15.0%	23.3%	31,911	0.150	0.307
Total Number of Readings in 2021: 33921					
Juniper Ridge Landfill 2020 Annual SPM H₂S Averages					
Location	Bangor Wind Rose %¹	Bangor Wind Rose % plus 50% calm²	Non-Detect Readings	Average in ppb (Non-Detect = 0 ppb)	Average in ppb (Non-Detects = 1 ppb³)
Access Road	12.6%	20.6%	33,772	0.006	0.131
552 West Old Town Road	3.5%	11.5%	32,722	0.086	0.120
Old Stagecoach Road	7.1%	15.1%	32,705	0.074	0.143
West Coiley Road	14.5%	22.5%	32,490	0.101	0.249
Total Number of Readings in 2020: 33,814					

¹ Bangor Wind Rose percentage of time wind in direction of SPM.

² Bangor Wind Rose percentage of time wind in direction of SPM plus 50% of Calm.

³ Used 1 ppb instead of 0 for non-detect readings when the wind was in the direction of meter and 50% of time when the wind was calm; percentages are shown for each SPM in the second column.

In addition, the annual average H₂S values at these meters were also calculated using the most recent local wind direction and duration data from the Bangor International Airport Weather Station. Non-detect readings were replaced with a conservative estimate of half the detection limit of the SPM's, 1 ppb, for the percentage of time wind was in the direction of each meter, along with half of the total calm wind rose data. This data evaluation technique was developed in cooperation with the City of Old Town during the review of the JRL Expansion Application. These results are also presented in Table 2-1 and shown in Figure 2-2.

When comparing the 2020 and 2021 Annual SPM H₂S averages of the four SPMs located around JRL, all four SPMs saw an increase during 2021. This was likely attributed to the change in waste mix and the greater volumes of sludge accepted at the site throughout the year. Although an increase was noticed, the average off-site H₂S levels remained very low during both 2020 and 2021. Monthly average H₂S calculated values for each location are shown in Figures 2-3 through 2-6 and should be used for comparative analysis only due to their low averages, below the quantitative and detection limits of the instruments. These averages were plotted via a simple average of the monthly readings, non-detect (zero) readings were not edited.




Figure 2-1 Annual Avg. H₂S readings at all four SPM locations, 2020 & 2021




Figure 2-2 Annual Avg. H₂S readings at all four SPM locations with percentages of non-detects at 1 ppb based on wind rose data, 2020 & 2021




Figure 2-3 Monthly Avg. H₂S readings at the Access Road SPM, 2020 & 2021




Figure 2-4 Monthly Avg. H₂S readings at the 552 West Old Town Road SPM, 2020 & 2021




Figure 2-5 Monthly Avg. H₂S readings at the Old Stagecoach Road SPM, 2020 & 2021




Figure 2-6 Monthly Avg. H₂S readings at the West Coiley Road SPM, 2020 & 2021

Instantaneous peak readings were identified during 2021 and 2020, to determine if any short duration H₂S episodes occurred. They are provided below in Table 2-2.

Table 2-2 Annual highest two readings at each SPM, 2020 & 2021

Juniper Ridge Landfill					
Hydrogen Sulfide Single Point Monitor					
Highest Two Annual Readings					
Year	Location	Date	Highest Reading (ppb)	Date	2 nd Highest Reading (ppb)
2021	Access Road	12/20/2021 17:30	6.12	5/14/2021 3:10	5.78
2021	552 West Old Town Road	12/30/2021 9:32	9.68	1/11/2021 19:07	9.23
2021	Old Stagecoach Road	6/29/2021 0:54	10.57	3/22/2021 0:24	10.23
2021	West Coiley Road	03/22/2021 19:27	16.40	1/7/2021 16:08	10.90
2020	Access Road	12/19/2020 20:46	11.57	12/19/2020 21:01	8.90
2020	552 West Old Town Road	7/28/2020 17:39	11.68	12/6/2020 10:23	10.35
2020	Old Stagecoach Road	12/6/2020 12:38	23.03	9/30/2020 16:59	7.12
2020	West Coiley Road	8/4/2020 12:07	15.91	1/6/2020 8:41	9.46

Throughout 2021, there was one H₂S readings above 15 ppb, at the four off-site SPM's. This compares to two reading above 15 ppb during 2020. The MEDEP was notified of the occurrence, which were also noted as required in the JRL Monthly Status Report. On site landfill gas management systems continue to function well in preventing off-site migration of H₂S.

The one elevated H₂S reading was 16.4 ppb on March 22nd, 2021 at 7:27 pm. This occurred at the West Coiley Road SPM. Facility personnel were not able to identify any operational problems in the landfill that could have contributed to this high reading and no unusual odors were detected at the time. No apparent problems were identified with the meter itself. However, another relatively high H₂S readings was observed earlier that day at the Old Stagecoach Road SPM, leading JRL Staff to believe it may have been actual.

3.0 ODOR COMPLAINTS

Complaints recorded via the 24-hour JRL complaint hotline are provided for 2021 and 2020 in Table 3-1 below. Detailed complaint logs were submitted as part of the facility's monthly reports to the MEDEP during 2021. During the year, the JRL complaint hotline received a total of 23 landfill related complaints. 22 complaints were odor related and 1 was noise related. This is an increase from the 19 landfill related complaints for 2020, 15

of which were odor related. 21 of the 22 odor complaints were confirmed as likely coming from the landfill. Odor complaints were logged as they occurred.

Site visits were conducted at the location of complaint if requested, to allow for validity of all complaints. Close attention was paid to complaints, which helped determine operational effectiveness of all odor control measures and/or systems. Changes were made to those measures and/or systems as necessary.

In 2021, eleven different individuals called in the 22 odor complaints. This is an increase from nine individuals who called in 15 odor complaints during 2020.

Table 3-1 Summary of Complaints at Juniper Ridge Landfill, 2020 & 2021

2021 MONTH	OBJECT OF COMPLAINT						MONTH TOTAL
	ODOR	NOISE	LIGHTS	DUST	BIRDS	OTHER	
JAN.	3	0	0	0	0	0	3
FEB.	1	0	0	0	0	0	1
MAR.	1	0	0	0	0	0	1
APR.	0	0	0	0	0	0	0
MAY	0	0	0	0	0	0	0
JUN.	0	0	0	0	0	0	0
JUL.	1	0	0	0	0	0	1
AUG.	2	0	0	0	0	0	2
SEP.	2	1	0	0	0	0	3
OCT.	4	0	0	0	0	0	4
NOV.	4	0	0	0	0	0	4
DEC.	4	0	0	0	0	0	4
TOTALS	22	1	0	0	0	0	23

2020 MONTH	OBJECT OF COMPLAINT						MONTH TOTAL
	ODOR	NOISE	LIGHTS	DUST	BIRDS	OTHER	
JAN.	0	0	0	0	0	0	0
FEB.	1	0	0	0	0	0	1
MAR.	1	1	0	0	0	0	2
APR.	1	0	0	0	0	0	1
MAY	0	1	0	0	0	0	1
JUN.	0	0	0	0	0	0	0
JUL.	0	1	0	1	0	0	2
AUG.	3	0	0	0	0	0	3
SEP.	1	0	0	0	0	0	1
OCT.	1	0	0	0	0	0	1
NOV.	2	0	0	0	0	0	2
DEC.	5	0	0	0	0	0	5
TOTALS	15	3	0	1	0	0	19

4.0 CH₄ SURFACE SCANS

Landfill methane (CH₄) emission surface scans are performed to determine the effectiveness of intermediate landfill cover and landfill gas collections systems in controlling landfill gas migration. Quarterly surface scans were completed on the landfill intermediate cover at JRL during 2021 in accordance with the JRL Operations Manual and the requirements of the New Source Performance Standards (NSPS) for municipal solid waste (MSW) landfills contained in 40 Code of Federal Regulations (CFR) Part 60, Subpart WWW. Copies of the 2021 surface scans are kept on file and uploaded to Sanborn Head and Associates' Landfill Gas Management Suite (LFGMS).

Surface scans were completed in general accordance with the procedures outlined in NSPS, specifically Section 60.753(d) which states that each owner or operator of an MSW landfill with a gas collection and control system shall:

“Operate the collection system so that the methane concentration is less than 500 parts per million above background at the surface of the landfill. To determine if this level is exceeded, the owner or operator shall conduct surface testing around the perimeter of the collection area and along a pattern that traverses the landfill at 30 meter intervals and where visual observations indicate elevated concentrations of landfill gas, such as distressed vegetation and cracks or seeps in the cover. The owner or operator may establish an alternative traversing pattern that ensures equivalent coverage...”

Surface scans were completed using a MicroFID[®] (flame ionizing detector) or similar device (QED SEM-5000 portable methane detector, which NEWSME purchased in 2019). The MicroFID[®] device has a detection limit of 0.5 parts per million (ppm) and a concentration range of 0.5 to 50,000 ppm, while the QED SEM-5000 portable methane detector has the same detection limit but has a concentration range of 0.5 ppm to 100% methane. During 2021, a total of 12 readings above 500 ppm were detected during initial quarterly surface scans, compared to 9 which were detected during 2020. A quarterly breakdown is provided in Table 4-1. These readings and their locations have been documented, copies have been provided to the site supervisor, and necessary corrective actions have been taken. Follow-up was performed 10 days and 30 days after the initial reading in excess of 500 ppm or any subsequent reading in excess of 500 ppm.

Table 4-1 Readings above 500 ppm found during CH₄ Surface Scans, 2020 & 2021

Surface Scan Readings above 500 ppm					
	Q1	Q2	Q3	Q4	TOTAL
2021	3	2	2	5	12
2020	0	1	5	3	9

All areas with readings above 500ppm were resolved on the first initial rescan and follow-up. These results demonstrate the effectiveness of the synthetic and soil intermediate cover system. Damage to cover boots for the gas extraction piping due to landfill consolidation and settlement continue to be the primary cause of readings above 500 ppm. These damages are repaired as soon as practical.

5.0 SUMMARY

Two types of air monitoring activities occurred at the Juniper Ridge Landfill (JRL) during 2021; (1) hydrogen sulfide H₂S monitoring with stationary continuous monitors and, (2) quarterly methane emission surface scans on the landfill intermediate cover.

When comparing the 2020 and 2021 Annual SPM H₂S averages of the four SPMs located around JRL, all four SPMs saw an increase during 2021. This was likely attributed to the change in waste mix and the greater volumes of sludge accepted at the site throughout the year.

Throughout 2021, there was one H₂S readings above 15 ppb, at the four off-site SPM's. This compares to two reading above 15 ppb during 2020. The MEDEP was notified of the occurrence, which were also noted as required in the JRL Monthly Status Report. On site landfill gas management systems continue to function well in preventing off-site migration of H₂S

During the year, the JRL complaint hotline received a total of 23 landfill related complaints. 22 complaints were odor related and 1 was noise related. In 2021, eleven different individuals called in the 22 odor complaints.

During 2021, a total of 12 readings above 500 ppm were detected during methane surface scans. This is compared to 9 which were detected during 2020. Most of these readings occurred around landfill intermediate cover penetrations and were promptly corrected. Follow-up readings confirmed the issues were resolved.

ATTACHMENT I

Geotechnical Monitoring Report



RICHARD E. WARDWELL, P.E., Ph.D.
Geotechnical and Groundwater Engineer
19 Old Lake Rd, PO Box 169, Lake George, NY 12845

(518) 668-2406 office
arrew1@gmail.com


**2021 Annual Geotechnical Landfill Inspection Report
Juniper Ridge Landfill
Old Town, Maine**

March 2022

Report to:

BGS/NEWSME Landfill Operations, LLC
Hampden, Maine

Casella Waste Systems, Inc.
Saco, Maine





Richard E. Wardwell, P.E., Ph.D.
Lake George, NY 12845

EXECUTIVE SUMMARY

This 2021 Annual Landfill Geotechnical Monitoring Report for the Juniper Ridge Landfill (JRL) summarizes the geotechnical conditions of the facility over the past year. These conditions were ascertained from monitoring that was performed to assure that the field behavior of the landfill continues to be consistent with parameters and assumptions used in the facility design. This report describes the geotechnical activities performed in accordance with the current Geotechnical Monitoring Plan (Appendix N of the Operations Manual) and Stability and Settlement Monitoring Plan (Section 3.1.5 of the Design Report), prepared and included as part of the JRL Expansion Application (SME 2015a) for a new solid waste license, as approved by the Board of Environmental Protection under Solid Waste License #S-020700-WD-BI-N and Natural Resources Protection Act #L-19015-TG-D-N dated 06/01/2017.

The geotechnical monitoring at JRL during 2021 emphasized weekly stability and settlement observations of the landfill surface made during operations, and an independent geotechnical inspection of the landfill surface and slope topography conducted on August 30, 2021. Other specific monitoring activities in 2021 included: (a) comparisons of semi-annual topographic surveys, (b) review of waste types, quantities, and location of waste placement, and (c) evaluation of fluid pressure data measured by an electronic transducers placed on the base of Cells 11 & 12 to indicate the leachate head on the liner and to track whether or not the leachate collection system performance is consistent with design assumptions.

This document supplements previous monitoring reports made through 2010 (REW 2005a, 2006, 2007a, 2008a, 2009, 2010), and subsequent landfill inspection reports from the last eleven years (REW 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, and 2021). All monitoring data indicates that settlement and stability of the landfill waste is consistent with design parameters and assumptions. Information provided by the Cell 11 & 12 transducers demonstrate that the fluid levels in the leachate collection layer are at minimal levels, verifying that this drainage layer is performing as designed. No changes to the Geotechnical Monitoring Plan are proposed for geotechnical monitoring during 2022.

Table of Contents

Executive Summary 1
1. Introduction.....3
2. History of Landfill Development & Monitoring3
 2.1 Fort James Operation.....3
 2.2 State of Maine Purchase and Operations.....5
 2.3 Overview of Past Geotechnical Monitoring5
3. 2021 Waste Placement and Operation6
4. 2021 Geotechnical Landfill Monitoring6
 4.1 Landfill Observations6
 4.2 Annual Inspection.....7
 4.3 Fluid Pressure Measurements.....8
 4.4 Surveys8
 4.5 Modifications to the Geotechnical Monitoring Plan8
5. Summary8

Appendices

- Appendix A – Summary of Wastes Accepted at Juniper Ridge Landfill Report 2021
- Appendix B – JRL Estimate of Landfill Capacity December 31, 2021
- Appendix C – Weekly/Monthly Landfill Inspection Form
- Appendix D – Checklist: Annual Geotechnical Landfill Inspection
- Appendix E – Cells 11 & 12 Fluid Pressure Data
- Appendix F – Site Photographs

List of Figure

Figure 1: Site Topographic Plan (6/24/21) 4

**2021 Annual Landfill Geotechnical Monitoring Report
Juniper Ridge Landfill Facility
Old Town, Maine**

1. INTRODUCTION

This 2021 Annual Landfill Geotechnical Monitoring Report has been prepared for the State of Maine's Juniper Ridge Landfill (JRL), a facility that is owned by the State of Maine Bureau of General Services (BGS) and operated by NEWSME Landfill Operations, LLC. (NEWSME), a subsidiary of Casella Waste Systems Inc. (CWSI). The landfill site plan (Figure 1), is based on an aerial topographic survey performed on June 24, 2021.


This report describes the geotechnical activities performed in accordance with the current Geotechnical Monitoring Plan (Appendix N of the Operations Manual) and Stability and Settlement Monitoring Plan (Section 3.1.5 of the Design Report), prepared and included as part of the JRL Expansion Application (SME 2015a,b) for a new solid waste license, as approved by the Board of Environmental Protection under Solid Waste License #S-020700-WD-BI-N and Natural Resources Protection Act #L-19015-TG-D-N dated 06/01/2017. This report presents the results of this monitoring that verifies the consistency of the landfill's geotechnical performance with design parameters and assumptions, and with the goals of the JRL Expansion Operations Manual (NEWSME 2021).

2. HISTORY OF LANDFILL DEVELOPMENT & MONITORING

JRL was initially developed by Fort James Operating Company (FJC), a subsidiary of Georgia-Pacific Corporation, for its private use in the disposal of treatment plant sludges and other wastes from its mill in Old Town, Maine. In 2004, the State of Maine, through the State Planning Office (SPO), agreed to purchase the landfill for disposal of other approved in-state wastes including: construction and demolition debris (CDD), oversized bulky waste (OBW), front end processing residue (FEPR), ash from waste incinerators, other ashes from industrial incinerators, bypass municipal solid waste (bypass MSW), and other miscellaneous wastes. This section discusses the history of landfill development at the site.

2.1 Fort James Operation

Approximately 68 acres of a 780-acre property was licensed by FJC as a secure landfill, and operated by FJC from 1996 until 2004 when the State of Maine purchased the landfill. During this period, JRL, then called the West Old Town Landfill (WOTL), was used mainly for disposal of combined sludge from FJC's primary and secondary treatment plant in Old Town and fly ash from a biomass boiler at Eastern Paper's mill in Lincoln. Placement of the sludge began in December 1996 along the western portion of Cell 1. By 2001, operations had moved to the east into Cell 2. Details relating to the geotechnical behavior of FJC's sludge during the sequential landfill development is presented in previous reports (REW 2007a,b).



(ref: 06/24/21 aerial topographic survey)

Figure No: 1	Project No: 1751	Title:	Site Plan Juniper Ridge Landfill	By:	REW	Richard E. Wardwell, P.E., Ph.D. Geotechnical & Groundwater Engineering 19 Old Lake Road, PO Box 169 Lake George, NY 12845
		Project:	2021 Annual Landfill Geotechnical Monitoring Report	Checked:	REW	
		Client:	State of Maine BGS/NEWSME Landfill Operations LLC, Old Town, Maine	Date:	March 2022	
				Scale:	~1" = 500'	

2.2 State of Maine Purchase and Operations

In February 2004, the State of Maine, through the SPO, purchased the landfill from FJC. It selected CWSI through its subsidiary NEWSME, to operate the disposal of in-state wastes. Approximately 50,000 tons of sludge from FJC's Old Town mill were initially placed in landfill Cells 1 & 2 before the mill closed in 2006. To improve deposit stability, CWSI stabilized the existing sludge at the site by mixing it with approved in-state waste streams, i.e. CDD, OBW, FEPR, incinerator ash, bypass MSW, and other miscellaneous wastes. A detailed description of the test plots constructed to determine the geotechnical behavior of this waste and the sludge stabilization program were presented in previous annual monitoring reports (REW 2005a, 2006, 2007a, 2008a, 2009, 2010, 2011) and an annual geotechnical landfill inspection report (REW 2012).

Once the sludge stabilization program was completed by mid-2006, landfill operations moved into Cell 3A/B, followed sequentially with Cells 4-10 under MEDEP Solid Waste License #S-020700-WD-N-A. Deposited in these cells was a mixture of in-state wastes, which included but not limited to various percentages of CDD, MSW (Cells 3-10 only), bypass MSW, OBW, MSW incinerator ash and other ashes, CDD wood fines for cover, contaminated soils, WWTP/POTW sludge, lime mud and grit, oil spill debris, pulp mill waste, other approved miscellaneous special wastes.

In mid-2015, with the help of SME, BGS/NEWSME submitted JRL Expansion Application (SME 2015a,b) to the MEDEP. On June 6, 2017, that application was approved by the BEP under Solid Waste License #S-020700-WD-BI-N and Natural Resources Protection Act #L-19015-TG-D-N. During 2018, the first cell (Cell 11) of a 6-cell, 54 acre landfill expansion was constructed. As a result, a mixture of similar in-state wastes as described above for Cells 3-10, (excluding MSW for Expansion Cells 11-16) was approved. Based on performance to date, this mixture of wastes are stable at slopes up to 2.5H:1V. While the mixture from these waste streams are still highly compressible and subject to gas generation, the in-state waste mixture is more stable and less compressible than the waste-stabilized sludge based on more than 13 years of operational experience.

2.3 Overview of Past Geotechnical Monitoring

Once the stability of the waste-stabilized sludge was resolved (see MEDEP 2008; REW 2008b; 2008 GMR, REW 2009; 2010 GMR, REW 2011), the previous program (REW 2007b) was modified to represent the monitoring needs associated with current waste mixtures placed in a landfill founded on a firm soil (see 2011 GMR, REW 2012). Specifically, reliance on the extensive measurements of in-situ instruments was shifted to observation methodologies that are used to assure that the geotechnical performance of the landfill remained consistent with design analyses. This approach has been in service since 2010 and now applied to the most recent GMP included in the JRL Expansion Operations Manual (NEWSME 2021).

3. 2021 WASTE PLACEMENT AND OPERATION

In 2021, waste was placed in the limited remaining landfill capacity in Cells 1-11 and in Cell 12 while Cell 13 was constructed for future use. (see Appendix F site photos #19 – 24). As summarized in Appendix A herein, waste composition during this period was dominated by forms of CDD, MSW (Cells 3-10 only), bypass MSW, OBW, MSW incinerator ash and other ashes, CDD wood fines for cover, contaminated soils, WWTP/POTW sludge, oil spill debris, pulp mill waste, other approved miscellaneous special wastes. By mid-year (when the aerial photography was made), approximately 100 feet of the mixed waste was placed in Cell 12, raising its grade to a maximum elevation of approximately 310 ft. mean sea level (msl). Wastes placed over the southeast top of the landfill (i.e. Cells 7 to 11) raised the by approximately 50 feet to a maximum elevation of about 390 ft. msl. As the final capacity in Cell 12 was exhausted, waste placement was moved into Cell 13 in September of 2021.

The remaining landfill capacity in Cells 1-13 at the end of 2021 is summarized in Appendix B. As the capacity of Cell 13 is exhausted, expansion will continue in four additional landfill cells (i.e. Cells 14 to 17) located north of the existing operations. It is expected that future expansion cells will receive similar types and quantities of wastes placed in previous years during the operation of Cells 11 through 13.

4. 2021 GEOTECHNICAL LANDFILL MONITORING

During 2021, various monitoring was performed at JRL to ensure compliance with JRL's Solid Waste License #S-020700-WD-BI-N and Natural Resources Protection Act #L-19015-TG-D-N. Results of this monitoring verifies the consistency of the landfill's geotechnical performance with design parameters and assumptions, and with the goals of the JRL Expansion Operations Manual (NEWSME 2021). Specifically, geotechnical monitoring during this past year included: (1) visual observation of landfill slope stability, settlement, and general landfill conditions, (2) assessment of site aerial topographic surveys; (3) a review of waste types, quantities, location of waste placement, and filling sequences, and (4) evaluation of fluid levels in the leachate collection layers of Cell 11 and Cell 12.

4.1 Landfill Observations

During 2021, performance of JRL was verified by routine weekly visual site inspections of the landfill during normal operations. A sample copy of the weekly/monthly inspection forms is presented in Appendix C (with copies of any specific inspection available upon request). Observations made during these inspections help confirm the corroboration of landfill performance with the design conditions used in the geotechnical analysis. In part, the revised stability and settlement analyses completed for the landfill design (REW 2005b, SME 2015b) were verified in the field by monitoring the type, quantity, rate, location, and condition of waste placement in accordance with the JRL Expansion Operations Manual (NEWSME 2021).

4.2 Annual Inspection

To supplement weekly operational observations, an annual geotechnical inspection of the landfill area (performed on August 30, 2021) focused on the overall condition of the landfill that specifically looked for evidence of cracking, localized depressions, erosion, leachate breakout on sideslopes, areas of ponded water, stressed vegetation, and toe heaving. As previously mentioned, normal operations were taking place in Cell 12 while additional grading material was placed on the top of the landfill in the southeast portion of Cells 7/9/10. Synthetic Intermediate Cover Material (SICM) and, in small areas, earthen intermediate cover has been placed over the inactive portions of the landfill.

Geotechnical observations were made to confirm that waste placement procedures, sideslope construction, cover performance, and other construction/filling practices are consistent with the JRL Expansion Operations Manual (NEWSME 2021). An observation report, using the checklist presented in the current GMP, was filled out and is included in Appendix D of this report.

Inspection elements for assessment of geotechnical performance included:

Active Areas

- waste lift thickness
- active filling area slope angle
- final waste slope angle
- identification of areas with visible ponding, seepage, or indications of mass snow burial

Inactive Areas with Intermediate Cover (SICM or earthen material)

- overall surface and/or intermediate cover condition
- evidence of surface cracking
- localized surficial depressions in waste or cover surface
- erosion of cover material
- erosion of ditch linings
- leachate breakout on sideslopes
- areas of ponded water
- toe heaving
- grass kills
- gas venting

Geotechnical performance observations indicated that the landfill slopes were stable and that differential waste settlement was minor and can be managed to tolerable levels during final cover design. The active waste placement in Cell 7/9/10/11 and Cell 12 is performing as anticipated. At the time of the inspection, there were no indications of inconsistencies between site activities and JRL Expansion Operations Manual (NEWSME 2021).

During previous site inspection, ponded stormwater (in what appears to be an intercepting drainage ditch) was observed on the SICM in the northwest inactive portion of the landfill at an

elevation of approximately 317 msl. To mitigate this condition, the local topography was subsequently modified to re-establish passive drainage of stormwater runoff in this area (see Appendix F Photos ##16-17).

4.3 Fluid Pressure Measurements

In accordance with the Board Order for the landfill expansion, a fluid pressure transducer was installed in the leachate collection layer of Cells 11 & 12 (at the location shown on Figure 1) to confirm system design by measuring fluid levels in this drainage layer. These instruments were placed at the bottom of the 12-inch sand layer of the leachate collection system that overlies the geocomposite layer of the containment liner.

To help determine the degree that the hydraulic head within the leachate collection layer is minimized, daily instrument readings were recorded during 2021 as presented in Appendix E. The small values demonstrate that the levels are minimal, verifying that the leachate collection at these locations in Cell 11 & 12 are performing in accordance with design.

4.4 Surveys

A topographic survey of the landfill surface was completed on June 24, 2021 using aerial photogrammetric methods. A spot check of surface elevations indicates that the waste slope angles are consistent with the project design and JRL Expansion Operations Manual (NEWSME 2021). Elevation contours for covered areas were visually examined for depressions, heaving, and ditch slope continuity. Consistent with site observations, these observations indicate that the landfill is performing as anticipated during design with no noticeable excessive differential settlements or instabilities. Exclusive of the excavation area in Cells 1 & 2, comparisons with the aerial survey made in June 2021 show no discernable differences in the overall topography of the landfill surface that would indicate large differential settlements or slope instabilities.

4.5 Modifications to the Geotechnical Monitoring Plan

As addressed the last two years, the current GMP (included as part of the JRL Expansion Operations Manual, NEWSME 2021), includes weekly routine inspections and an evaluation of fluid levels in the leachate collection layer of JRL expansion cells (i.e. Cells 11 to 17). No other modifications to the GMP are proposed for 2022.

5. SUMMARY

Geotechnical monitoring of JRL was performed to verify that the operations and field behavior of the facility is consistent with design analyses and geotechnical plans. Consistent with the modifications in 2008 and 2010, field observations of landfill activities were emphasized in assuring consistency with the JRL Expansion Operations Manual (NEWSME 2021) and, in the process, confirmed that there were no indications of potential slope instabilities or excessive differential settlements that might impact the performance of the facility.

In accordance with the current GMP (which is included as part of the JRL Expansion Operations Manual, NEWSME 2021), routine weekly visual site inspections of the landfill were made during normal operations in 2021. In addition, an aerial topographic survey of the facility was conducted on June 24, 2021, and an annual geotechnical inspection was performed on August 30, 2021. This monitoring documented that the landfill is performing as anticipated with no excessive deformations, slope movements, unexplained ponded water, or leachate breakouts. Site observations made of the inactive areas and the operational activity in Cells 12 and the top of Cells 7/9/10/11 indicate that the landfill is performing as anticipated during design. Measurements of the fluid levels in the leachate collection system at the base of Cells 11 & 12 (as measured by the in-place transducers) indicate that the head on the liner system is minimal and is performing in accordance with design.

References

MEDEP (2008), *JRL Instrumentation*, email to REW authorizing abandonment of remaining electronic instrument, June 19.

NEWSME (2021), *2021 JRL Expansion Operations Manual, Old Town Landfill*, report prepared NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine.

REW (2005a), *Test Plot Construction and Monitoring Results, 2005 Geotechnical Monitoring Report, West Old Town Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, August.

REW (2005b), *Updated Geotechnical Stability Analyses, Condition 9, 2004 MDEP Solid Waste Order*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, October.

REW (2006), *Updated 2005 Geotechnical Monitoring Report, West Old Town Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, March.

REW (2007a), *2006 Geotechnical Monitoring Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, March.

REW (2007b), *2007 Geotechnical Monitoring Plan, West Old Town Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, May.

REW (2008a), *2007 Geotechnical Monitoring Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2008b), *JRL Instrumentation*, email send to MDEP, May 20.

REW (2009), *2008 Geotechnical Monitoring Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2010), *2009 Geotechnical Monitoring Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2011), *2010 Geotechnical Monitoring Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, March.

REW (2012), *2011 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2013), *2012 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2014), *2013 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2015), *2014 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2016), *2015 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, March.

REW (2017), *2016 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Lake George, NY for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, March.

REW (2018), *2017 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Lake George, NY for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, March.

REW (2019), *2018 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Lake George, NY for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2020), *2019 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Lake George, NY for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2021), *2020 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Lake George, NY for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

SME (2015a), *Juniper Ridge Landfill Expansion Application Geotechnical Monitoring Plan*, JRL Expansion Application, Volume IV - Operations Manual, Appendix N, Geotechnical

Monitoring Plan (2015) submitted by State of Maine Bureau of General Services (as Owner), and NEWSME Landfill Operations, LLC (as Operator), July.

SME (2015b), *Juniper Ridge Landfill Expansion Application Stability and Settlement Analysis*, JRL Expansion Application, Volume III-Design Report, Section 3.1.5, Stability and Settlement Monitoring Plan (2015), submitted by State of Maine Bureau of General Services (as Owner), and NEWSME Landfill Operations, LLC (as Operator), July.

APPENDIX A

Summary of Wastes Accepted at Juniper Ridge Landfill Report 2021

Summary of Wastes Accepted at Juniper Ridge Landfill				
Report Year 2021				
Waste Type #	Waste Types	Total (tons)	Origin	% Total Waste
1	Bypass MSW ⁵	221,926	Maine	25.2
2	CDD/MSW Processing Residue - OBW (Disposed of in the Original 2004 Permitted Footprint)	8,874	Maine	1.0
3	CDD/MSW Processing Residue - OBW (Disposed of in the Expansion Permitted Footprint) ⁴	73,561	Maine	8.3
4	CDD Processing Residue - Fines ¹	95,519	Maine	10.8
5	Mixed CDD	319,038	Maine	36.2
6	Wood from CDD ²	44	Maine	0.0
7	Residue/Trash from Single Stream	6,683	Maine	0.8
	Special Wastes Types			
8	Burn Pile Ash and/or Hot Loads Area Ash	514	Maine	0.1
9	Catch Basin Grit & Street Sweeping	538	Maine	0.1
10	Coal, Oil & Multi-fuel Boiler Ash	3,250	Maine	0.4
11	Contaminated Soil & Debris	9,300	Maine	1.1
12	Dredged Spoils	1,593	Maine	0.2
13	Industrial (Miscellaneous)	40	Maine	0.0
14	Industrial WWTP Sludge	16,194	Maine	1.8
15	Leather Scraps	68	Maine	0.0
16	Lime Mud/Grit	3,461	Maine	0.4
17	MSW Incinerator Ash	28,210	Maine	3.2
18	Municipal WWTP/POTW Sludge	73,876	Maine	8.4
19	Non-Friable Asbestos	3,183	Maine	0.4
20	Non-Hazardous Chemical Related	1,108	Maine	0.1
21	Oil Spill Debris	2,803	Maine	0.3
22	Polyethylene & Cellulose Trimmings	9,619	Maine	1.1
23	Pulp Mill Waste	402	Maine	0.0
24	Sandblast Grit	494	Maine	0.1
25	Spent Septic Systems	104	Maine	0.0
26	Spoiled Foods	257	Maine	0.0
27	Sulfur Scrubbing Residues	838	Maine	0.1
28	Water/Air Filtration Media	10	Maine	0.0
29	WWTP Grit Screenings	617	Maine	0.1
SUBTOTAL WASTE TYPES 1-7		725,644	Maine	82.3
SUBTOTAL WASTE TYPES 8-29		156,480	Maine	17.7
GRAND TOTAL WASTE RECEIVED³		882,124	Maine	

1. Used as alternative daily cover (ADC).

2. Wood from CDD was received at the Juniper Ridge Landfill wood storage facility (ADC).

3. Total does not include purchased materials: tire chips (548.01 tons). Monthly reports included this purchased material. Total derived from sum of higher significant digit numbers, not rounded whole numbers as provided in the above table.

4. On 11/29/21, MEDEP approved an increase of OBW in the Expansion area. The previous limit of 65,000 tons per year, set by expansion license #S-020700-WD-BI-N, was modified through solid waste minor revision #S-020700-WD-CM-M. The minor revision approved additional disposal of OBW to 76,648 tons for calendar year 2021.

5. CRM/MRC 17,547.41 tons, ecomaine 23,924.29 tons, PERC 180,453.80 tons.

APPENDIX B

JRL Estimate of Landfill Capacity December 31, 2021


Juniper Ridge Landfill
Estimate of Remaining Capacity as of December 31, 2021

	Values	Units	Source	
Landfill Capacity Remaining in Cells 1-10 as of December 31, 2020	895,289	cy	Calculated 2020 capacity evaluation	MSE Berm used for final waste surface for Cells 1-10 as permitted
Landfill Capacity Remaining in Cells 11-17 as of December 31, 2020	6,563,510	cy	Calculated 2020 capacity evaluation	
Remaining Site Capacity as of June 25, 2021 in landfill Cells 1-10	761,500	cy	June 24, 2021 Site Survey	MSE Berm used for final waste surface for Cells 1-10
Remaining Site Capacity as of June 25, 2021 in Expansion Cells 11 thru 17	6,101,900	cy	June 24, 2021 Site Survey	
Tons Placed in Landfill Cells 1-10 (tons) between June 25, 2021 and December 31, 2021.	9,587.09	tons	JRL Records	Wendy Plissey 03-09-2022 (Wood Pile tonnage left out (21.97 tons)
Tons Placed in Expansion Landfill Cells 11-17 (tons) between June 25, 2021 and December 31, 2021.	468,218.91	tons	JRL Records	Wendy Plissey 03-09-2022
Compaction Factor Three Year Running Average through June 2021	0.93	ton/cy	JRL Records	For Cells 1-12 (Cell 13 was not constructed until 9-31-2021). Note the previous (2020) compaction rate used for this calculation was 0.93tons/cy.
Calculated Capacity Used in Cells 1-10 between June 25, 2021 and December 31, 2021 (CY)	10,309	cy	Calculation	
Calculated Capacity Used in Cells 1-10 in 2021	144,098	cy	Calculation; Compaction factor change from 0.81 to 0.93.	
Compaction used in Cells 11-17 between June 25, 2021 and December 31, 2021	0.70	ton/cy	JRL	
Calculated Capacity Used in Cells 11-17 between June 25, 2021 and December 31, 2021 (CY)	668,884	cy	Calculation	Based on 0.70 compaction factor. Based on Airspace Capacity Report 06-24-2021 analysis update (03Aug2021)
Calculated Capacity Used in Cells 11-17 in 2021	1,130,494	cy	Calculation	
Estimated Remaining Cell 1 thru Cell 10 Capacity as of December 31, 2021	<u>751,191</u>	cy	Calculation	Includes MSE Berm Capacity
Estimated Remaining Cell 1 thru Cell 13 Capacity as of December 31, 2021	<u>1,193,007</u>	cy	Calculation	Cell 1 thru 13 Capacity Remaining reported as of 6-24-2021 of 1,872,200 cys minus capacity consumed to end of 2021.
Estimated Remaining Site Capacity in Cells 11-17 as of December 31, 2021	<u>5,433,016</u>	cy	Calculation	
Tons Disposed of in Landfill Cells 1 thru 10	12,595 Tons		Provided by JRL	} <div style="background-color: yellow; padding: 5px; display: inline-block;">Calculated based on a few overlapping tonnage reports.</div>
Tons Disposed of in Landfill Cell 11 & 12	869,529 Tons		Provided by JRL	
Total Reported Tons Disposed of in Entire Landfill Cells 1 thru 12	882,124 Tons		Provided by JRL	

Appendix C

Weekly/Monthly Landfill Inspection Form

WEEKLY/MONTHLY INSPECTION FORM

Site Name/Company	Juniper Ridge Landfill/NEWSME Landfill Operations, LLC
Location	2828 Bennoch Road, Alton, Maine
Date of Visit	09-02-21
Inspector Name/Signature	Jeffrey Bellon / 

Note: For weekly inspections, only Table 1 and Table 3 need to be completed. For monthly inspections, Tables 1, 2 and 3 need to be completed.

**Table 1
Inspection of Active Areas at the Facility**

Active Areas at the Facility			
Leachate	Is leachate observed on the ground, or leaking from tanks or piping, with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
Access Roads	Are industrial materials, residue or trash observed on roads where vehicles enter or exit the active landfill with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
MSW and CDD (windblown debris)	Is MSW and/or CDD on ground, tracking, blowing or whirling with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
Borrow Pit	Is there evidence of tracking or erosion from site soil borrow areas with potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
Mobile Equipment	Is mobile equipment leaking oil or other liquids with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)

Active Areas at the Facility	
Comments	LOOKS GOOD

Table 2
 Inspection of Stabilized Areas at the Facility

Stabilized Active Areas at the Facility			
Leachate	Is leachate observed on the ground, or leaking from tanks or piping, with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
Access Roads	Are industrial materials, residue or trash observed on roads where vehicles enter or exit the active landfill with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
MSW and CDD (windblown debris)	Is MSW and/or CDD on ground, tracking, blowing or whirling with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
Comments	LOOKS GOOD		

Table 3
Inspection of Stormwater BMPs, Conveyances and Outfalls

BMP	Describe where any of the following were observed: <ul style="list-style-type: none"> • Any evidence that the BMP is not functioning properly.
Detention Pond 1	Good
Geomembrane Lined Storage Pond	Good
Detention Pond 2	Good
Detention Pond 6	Good
Litter Fence	Good
Lechate Storage Tank Containment Area	Good
Leachate Storage Tank Containment Area Riprap Outlet	Good
Leachate Loading Rack Catch Basin	Good
Detention Pond 9	Good
2,000-Gallon Underground Storage Tank	Good
Detention Pond 5	Good
Outfall No. 1	Good
Outfall No. 2	Good
Outfall No. 3	Good

Table 3
Inspection of Stormwater BMPs, Conveyances and Outfalls

BMP	Describe where any of the following were observed: <ul style="list-style-type: none"> Any evidence that the BMP is not functioning properly.
Outfall No. 4	good
Outfall No. 5	good
Outfall No. 6	good
Outfall No. 7	good ECU could be refilled. Completed by Sargent Corp. 09-02-21

Table 4
New Potential Pollutant Source and/or Recommendations for Additional BMPs

Reference	Description	Schedule

Certification

<input checked="" type="checkbox"/> Site is in compliance with SWPPP and MSGP. <input type="checkbox"/> Site is not in compliance with SWPPP and MSGP and either structural control measure maintenance, additional controls, or modifications to the SWPPP are required.	
<i>I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.</i>	
Name: Jeffrey Pelletier	Telephone: 207-249-8025
Signature: <i>JJP</i>	Date: 09-02-21

Appendix D

Checklist: Annual Geotechnical Landfill Inspection

Table D-1
Checklist: Annual Geotechnical Inspection
2021 Annual Geotechnical Landfill Monitoring Report, Juniper Ridge Landfill, Old Town, Maine

Observation Date: 8/30/2021

Monitor Name: Richard E. Wardwell

Weather: cloudy, temperatures in mid-60's

Observation			Description (location, direction, appearance, etc.)	Proposed Action
Area	Sat.	Unsat		
Active Area				
location description	-	-	top of Cells 9/10/11 (#18, 21, 22), base of Cell 12 (see Photos #18-22)	n/a
slope stability	X			
waste lift thickness	X			
active slope angle	X		~2½:1 to 3:1 (see Photos #16,17)	
erosion	X			
leachate breakout	X		none observed (N/O)	
ponded water	X		N/O	
toe heaving	X		N/O	
overall condition	X		stable slope appearance	
Inactive Area (Synthetic)				
location description	-	-	Synthetic Interim Cover Material (SICM) over most slopes except lower west slope	n/a
slope stability	X		isolated surface bulge associated with SICM anchor	none needed
cracking	X		N/O	
erosion	X		N/O	
leachate breakout	X		N/O	
ponded water	X		northwest corner of landfill regarded to minimize ponding (see Photos #16,17)	regrade to establish drainage
toe heaving	X		N/O	
overall condition	X		stable SICM slope appearance (see Photos 1-7, 9-1,15,16)	
Interim Soil Cover				
location description	-	-	lower westerly slopes	n/a
overall surface condition	X		good grass/soil cover except in excavation (see Photo #7,10,13-15,21)	
cracking	X		N/O	
erosion of cover material	X		N/O	
erosion of ditch linings	X		N/O	
leachate breakout	X		N/O	
ponded water	X		N/O	
toe heaving	X		N/O	
grass kills	X		N/O	
gas venting	X		N/O	
overall condition	X		good stable condition (see Photos 19,21,23)	

Appendix E

Cells 11 & 12 Fluid Pressure Data

JRL Cell Floor Transducer Readings Q1 -2021					
Date	Cell 11 (ft)	Cell 12 (ft)	Date	Cell 11 (ft)	Cell 12 (ft)
1/1/2021	0.05	0.02	2/15/2021	0.05	0.03
1/2/2021	0.05	0.02	2/16/2021	0.06	0.03
1/3/2021	0.05	0.02	2/17/2021	0.05	0.03
1/4/2021	0.05	0.02	2/18/2021	0.05	0.03
1/5/2021	0.05	0.02	2/19/2021	0.05	0.03
1/6/2021	0.05	0.03	2/20/2021	0.05	0.03
1/7/2021	0.05	0.03	2/21/2021	0.05	0.03
1/8/2021	0.05	0.03	2/22/2021	0.06	0.03
1/9/2021	0.05	0.02	2/23/2021	0.06	0.03
1/10/2021	0.05	0.02	2/24/2021	0.05	0.03
1/11/2021	0.05	0.02	2/25/2021	0.05	0.03
1/12/2021	0.05	0.02	2/26/2021	0.05	0.03
1/13/2021	0.05	0.02	2/27/2021	0.05	0.03
1/14/2021	0.05	0.02	2/28/2021	0.05	0.03
1/15/2021	0.05	0.02	3/1/2021	0.06	0.03
1/16/2021	0.06	-0.04	3/2/2021	0.01	-0.03
1/17/2021	0.05	0.02	3/3/2021	0.03	0.03
1/18/2021	0.05	0.03	3/4/2021	0.05	0.03
1/19/2021	0.05	0.03	3/5/2021	0.05	0.03
1/20/2021	0.05	0.03	3/6/2021	0.05	0.03
1/21/2021	0.05	0.02	3/7/2021	0.05	0.03
1/22/2021	0.05	0.02	3/8/2021	0.05	0.03
1/23/2021	0.05	0.03	3/9/2021	0.05	0.03
1/24/2021	0.05	0.03	3/10/2021	0.05	0.03
1/25/2021	0.05	0.03	3/11/2021	0.05	0.03
1/26/2021	0.05	0.03	3/12/2021	0.06	0.03
1/27/2021	0.05	0.02	3/13/2021	0.06	0.03
1/28/2021	0.05	0.03	3/14/2021	0.05	0.03
1/29/2021	0.05	0.03	3/15/2021	0.05	0.03
1/30/2021	0.05	0.03	3/16/2021	0.05	0.03
1/31/2021	0.05	0.03	3/17/2021	0.05	0.03
2/1/2021	0.05	0.02	3/18/2021	0.05	0.03
2/2/2021	0.06	0.02	3/19/2021	0.05	0.03
2/3/2021	0.05	0.03	3/20/2021	0.05	0.03
2/4/2021	0.05	0.03	3/21/2021	0.05	0.03
2/5/2021	0.05	0.03	3/22/2021	0.05	0.03
2/6/2021	0.05	0.03	3/23/2021	0.05	0.03
2/7/2021	0.05	0.03	3/24/2021	0.05	0.03
2/8/2021	0.05	0.03	3/25/2021	0.05	0.03
2/9/2021	0.05	0.03	3/26/2021	0.05	0.03
2/10/2021	0.05	0.03	3/27/2021	0.06	0.03
2/11/2021	0.05	0.03	3/28/2021	0.05	0.03
2/12/2021	0.05	0.03	3/29/2021	0.06	0.03
2/13/2021	0.05	0.03	3/30/2021	0.05	0.03
2/14/2021	0.05	0.03	3/31/2021	0.05	0.03

JRL Cell Floor Transducer Readings Q2 -2021					
Date	Cell 11 (ft)	Cell 12 (ft)	Date	Cell 11 (ft)	Cell 12 (ft)
4/1/2021	0.05	0.03	5/17/2021	0.05	0.03
4/2/2021	0.05	0.03	5/18/2021	0.06	0.03
4/3/2021	0.05	0.03	5/19/2021	0.05	0.03
4/4/2021	0.05	0.03	5/20/2021	0.05	0.03
4/5/2021	0.05	0.03	5/21/2021	0.06	0.03
4/6/2021	0.00	0.03	5/22/2021	0.06	0.03
4/7/2021	0.00	0.03	5/23/2021	0.06	0.03
4/8/2021	0.00	0.03	5/24/2021	0.05	0.03
4/9/2021	0.00	0.03	5/25/2021	0.06	0.03
4/10/2021	0.00	0.03	5/26/2021	0.06	0.03
4/11/2021	0.00	0.03	5/27/2021	0.06	0.03
4/12/2021	0.00	0.03	5/28/2021	0.05	0.03
4/13/2021	0.00	0.03	5/29/2021	0.05	0.03
4/14/2021	0.00	0.03	5/30/2021	0.06	-0.03
4/15/2021	0.00	0.03	5/31/2021	0.06	0.03
4/16/2021	0.00	0.03	6/1/2021	0.06	0.03
4/17/2021	0.00	0.03	6/2/2021	0.06	0.03
4/18/2021	0.00	0.03	6/3/2021	0.06	0.03
4/19/2021	0.00	0.03	6/4/2021	0.06	0.03
4/20/2021	0.00	0.03	6/5/2021	0.06	0.03
4/21/2021	0.00	0.03	6/6/2021	0.06	0.03
4/22/2021	0.00	0.03	6/7/2021	0.00	-0.03
4/23/2021	0.00	0.03	6/8/2021	0.00	0.03
4/24/2021	0.00	0.03	6/9/2021	0.00	0.03
4/25/2021	0.00	0.03	6/10/2021	0.06	0.03
4/26/2021	0.00	0.03	6/11/2021	0.06	0.03
4/27/2021	0.00	0.03	6/12/2021	0.06	0.03
4/28/2021	0.00	0.03	6/13/2021	0.06	0.03
4/29/2021	0.00	0.03	6/14/2021	0.06	0.03
4/30/2021	0.00	0.03	6/15/2021	0.03	0.03
5/1/2021	0.00	0.03	6/16/2021	0.00	0.03
5/2/2021	0.00	0.03	6/17/2021	0.00	0.03
5/3/2021	0.00	0.03	6/18/2021	0.00	0.03
5/4/2021	0.00	0.03	6/19/2021	0.00	0.03
5/5/2021	0.00	0.03	6/20/2021	0.00	0.03
5/6/2021	0.00	0.03	6/21/2021	0.00	0.03
5/7/2021	0.00	0.03	6/22/2021	0.00	0.03
5/8/2021	0.00	0.03	6/23/2021	0.00	-0.03
5/9/2021	0.00	0.03	6/24/2021	0.00	0.03
5/10/2021	0.00	0.03	6/25/2021	0.00	0.03
5/11/2021	0.00	0.03	6/26/2021	0.00	0.03
5/12/2021	0.02	0.03	6/27/2021	0.00	0.03
5/13/2021	0.06	0.03	6/28/2021	0.00	0.03
5/14/2021	0.06	0.03	6/29/2021	0.00	0.03
5/15/2021	0.05	0.03	6/30/2021	0.00	0.03
5/16/2021	0.05	0.03			

JRL Cell Floor Transducer Readings Q3 -2021					
Date	Cell 11 (ft)	Cell 12 (ft)	Date	Cell 11 (ft)	Cell 12 (ft)
7/1/2021	0.00	0.03	8/16/2021	0.06	0.03
7/2/2021	0.00	0.03	8/17/2021	0.06	0.03
7/3/2021	0.00	0.03	8/18/2021	0.06	0.03
7/4/2021	0.00	0.03	8/19/2021	0.06	0.03
7/5/2021	0.00	0.03	8/20/2021	0.06	0.03
7/6/2021	0.00	0.03	8/21/2021	0.06	0.03
7/7/2021	0.00	0.03	8/22/2021	0.06	0.03
7/8/2021	0.00	0.03	8/23/2021	0.06	0.03
7/9/2021	0.00	-0.03	8/24/2021	0.06	0.03
7/10/2021	0.00	0.03	8/25/2021	0.06	0.03
7/11/2021	0.00	0.03	8/26/2021	0.06	0.03
7/12/2021	0.00	0.03	8/27/2021	0.06	0.03
7/13/2021	0.00	0.03	8/28/2021	0.06	0.03
7/14/2021	0.00	0.03	8/29/2021	0.06	0.03
7/15/2021	0.00	0.03	8/30/2021	0.06	0.03
7/16/2021	0.00	0.03	8/31/2021	0.06	0.03
7/17/2021	0.00	0.03	9/1/2021	0.06	0.03
7/18/2021	0.00	0.03	9/2/2021	0.06	0.03
7/19/2021	0.04	0.03	9/3/2021	0.06	0.03
7/20/2021	0.06	0.03	9/4/2021	0.06	0.03
7/21/2021	0.06	0.03	9/5/2021	0.06	0.03
7/22/2021	0.06	0.03	9/6/2021	0.06	0.03
7/23/2021	0.06	0.03	9/7/2021	0.06	-0.03
7/24/2021	0.06	0.03	9/8/2021	0.06	-0.09
7/25/2021	0.06	0.03	9/9/2021	0.06	0.03
7/26/2021	0.06	0.03	9/10/2021	0.06	0.03
7/27/2021	0.06	0.03	9/11/2021	0.06	0.03
7/28/2021	0.00	0.03	9/12/2021	0.06	0.03
7/29/2021	0.06	0.03	9/13/2021	-0.01	-0.03
7/30/2021	0.06	0.03	9/14/2021	0.06	0.03
7/31/2021	0.06	0.03	9/15/2021	0.06	0.03
8/1/2021	0.06	0.03	9/16/2021	0.06	0.03
8/2/2021	0.06	0.03	9/17/2021	0.06	0.03
8/3/2021	0.06	0.03	9/18/2021	0.06	0.03
8/4/2021	0.06	0.03	9/19/2021	0.06	0.03
8/5/2021	0.06	0.03	9/20/2021	0.06	0.02
8/6/2021	0.06	0.03	9/21/2021	0.06	0.00
8/7/2021	0.06	0.03	9/22/2021	0.06	0.00
8/8/2021	0.06	0.03	9/23/2021	0.06	0.00
8/9/2021	0.06	0.03	9/24/2021	0.06	0.00
8/10/2021	0.06	0.03	9/25/2021	0.06	0.00
8/11/2021	0.06	0.03	9/26/2021	0.06	0.00
8/12/2021	0.06	0.03	9/27/2021	0.06	0.00
8/13/2021	0.06	0.03	9/28/2021	0.06	0.00
8/14/2021	0.06	0.03	9/29/2021	0.06	0.01
8/15/2021	0.06	0.03	9/30/2021	0.06	0.03

JRL Cell Floor Transducer Readings Q4 -2021					
Date	Cell 11 (ft)	Cell 12 (ft)	Date	Cell 11 (ft)	Cell 12 (ft)
10/1/2021	0.06	0.03	11/16/2021	0.06	0.03
10/2/2021	-0.01	-0.03	11/17/2021	0.06	0.03
10/3/2021	0.06	0.03	11/18/2021	0.06	0.03
10/4/2021	0.06	0.03	11/19/2021	0.06	0.03
10/5/2021	0.06	-0.03	11/20/2021	0.06	0.03
10/6/2021	0.06	0.03	11/21/2021	0.06	0.03
10/7/2021	0.06	0.03	11/22/2021	0.06	0.03
10/8/2021	0.06	0.03	11/23/2021	0.06	0.03
10/9/2021	0.06	0.03	11/24/2021	0.06	0.03
10/10/2021	0.06	0.03	11/25/2021	0.06	0.03
10/11/2021	0.06	0.03	11/26/2021	0.07	0.03
10/12/2021	0.06	0.03	11/27/2021	0.06	0.03
10/13/2021	0.06	0.03	11/28/2021	0.06	0.03
10/14/2021	0.06	0.03	11/29/2021	0.06	0.03
10/15/2021	0.06	0.03	11/30/2021	0.06	0.03
10/16/2021	0.06	0.03	12/1/2021	0.06	0.03
10/17/2021	0.06	0.03	12/2/2021	0.06	0.03
10/18/2021	0.06	0.03	12/3/2021	0.06	0.03
10/19/2021	0.06	0.03	12/4/2021	0.06	0.03
10/20/2021	0.06	0.03	12/5/2021	0.06	0.03
10/21/2021	0.06	0.03	12/6/2021	0.06	0.03
10/22/2021	0.06	0.03	12/7/2021	0.06	0.03
10/23/2021	0.06	0.03	12/8/2021	0.06	-0.03
10/24/2021	0.06	0.03	12/9/2021	0.06	0.03
10/25/2021	0.06	0.03	12/10/2021	0.06	0.03
10/26/2021	0.06	0.03	12/11/2021	0.06	0.03
10/27/2021	0.06	0.03	12/12/2021	0.06	0.03
10/28/2021	0.06	0.03	12/13/2021	0.06	0.03
10/29/2021	0.06	0.03	12/14/2021	0.06	0.03
10/30/2021	0.06	0.03	12/15/2021	0.06	0.03
10/31/2021	0.06	0.03	12/16/2021	0.07	0.03
11/1/2021	0.06	0.03	12/17/2021	0.06	0.03
11/2/2021	0.06	0.03	12/18/2021	0.06	0.03
11/3/2021	0.06	0.03	12/19/2021	0.06	0.03
11/4/2021	0.06	0.03	12/20/2021	0.06	0.03
11/5/2021	0.06	0.03	12/21/2021	0.06	0.03
11/6/2021	0.06	0.03	12/22/2021	0.00	-0.03
11/7/2021	0.06	0.03	12/23/2021	0.06	0.03
11/8/2021	0.06	0.03	12/24/2021	0.06	0.03
11/9/2021	0.06	0.03	12/25/2021	0.06	0.03
11/10/2021	0.06	0.03	12/26/2021	0.06	0.03
11/11/2021	0.06	0.03	12/27/2021	0.06	0.03
11/12/2021	0.06	0.03	12/28/2021	0.06	0.03
11/13/2021	0.06	0.03	12/29/2021	0.06	0.03
11/14/2021	0.06	0.03	12/30/2021	0.06	0.03
11/15/2021	0.06	0.03	12/31/2021	0.06	0.03

Appendix F
Site Photographs



1. looking northwesterly along southwestern portion of the eastern slope of Cells 10/11



2. looking north along the central portion of Cells 10/11 eastern slope



3. looking southeasterly down the southeast portion of the eastern slope of Cell 10



4. looking south down the southeastern slope of Cells 10/8



5. looking westerly across upper southeastern slope of Cell 10



6. looking along the toe of the southeastern face of Cell 8 & Cell 10



7. looking southwesterly along the lower slope of Cells 5/6



8. looking southerly along the upper portion of the southwestern slope of Cells 4/5



9. looking southeasterly along the southern toe of Cells 4/5/6



10. looking northwesterly along the westerly toe of Cells 1/2/4



11. looking southeasterly across the upper southwesterly slope of Cells 4/5/6



12. looking southwesterly down the westerly slope of Cells 4/5



13. looking northwesterly down the northwestern slope of Cells 1/2/3/4



14. looking northwesterly along the lower portion of the southwestern slope of Cells 1/2/3/4



15. looking northwesterly along the upper portion of the southwestern slope of Cells 1/2/3



16. looking northwest down the westerly slope of Cells 2/3/4



17. looking northwesterly along northern slope of Cells 1/2/3



18. looking easterly along the northern slope of Cell 3 and the western slope of the active Cell 12



19. on the northern slope of Cell 7 looking northerly towards the active western slope of Cell 12



20. on the northern slope of Cell 7 looking northerly towards the active western slope of Cell 12



21. standing on the northeastern slope of Cell 11 looking northerly towards Cell 12 active area



22. looking northerly towards the active placement in Cell 12



23. looking southeasterly along eastern portion of northern slope of Cell 12
(Cell 13 construction in the foreground)



24. easterly across middle portion of northern slope of Cell 12 & Cell 13 construction

ATTACHMENT J

**Updated Closure and Post-Closure Cost
Estimates**

April 26, 2022

Mr. Jeffrey Pelletier
Environmental Compliance Manager
NEWSME Landfill Operations LLC
358 Emerson Mill Rd
Hampden, ME 04444

Subject: Update of Opinion of Capital Closure and Post-Closure Costs
Calendar Year 2022
Juniper Ridge Landfill
Old Town, Maine

Dear Jeffrey:

As requested by NEWSME Landfill Operations LLC (NEWSME), Sevee & Maher Engineers, Inc. (SME) has updated our opinion of capital closure and post-closure costs for the Juniper Ridge Landfill (JRL) in Old Town, Maine for calendar year 2022. The capital closure cost is for those cells that, as of the end of the calendar year 2022, have been or will be constructed and operational, but have not received final cover. These include Cells 1, 2, 3A, 3B, 4, 5, 6, 7, 11, 12, 13, 14 and portions of Cells 8, 9, and 10. In total, these landfill cells have approximately 96.6 acres of area requiring future closure. This does not include the proposed 5.2 acres of Stage 1 Final Cover to be constructed in the southeast corner of the landfill in 2022. Our opinion of the capital closure cost to close the remaining 96.6 acres is \$26,306,000. This cost is based on a per-acre closure cost presented in Table 1, for a final cover consistent with the final waste grades and cover components requirements of Maine Department of Environmental Protection (MEDEP) Solid Waste Management Rules (SWMRs).

The post-closure monitoring and maintenance cost for the site (as of April 2022) is \$12,309,900 for the items presented in Table 2. The post-closure costs assume a 30-year post-closure period and are based on 2022 dollars.

Our opinion of closure and post-closure costs is based on the following assumptions.

1. The closure of the individual cells will consist of placing final cover over the areas of the developed landfill which have not received final cover. Note the cost to remove and replace the intermediate cover is not included in the final cover costs presented herein. The cost to install an active gas collection system as part of closure is only included for landfill areas which currently do not have any active gas systems. It is assumed that the current systems will continue to operate during the post-closure period. In areas that currently do not have active gas collection, it is assumed that a gas extraction system will be installed as part of the final cover construction.

2. The final cover of these cells will consist of the components proposed in the Stage 1 Final Cover design report which are consistent with the current SWMRs. SME's opinion of closure costs is based on our current understanding of site conditions and unit costs from NEWSME's Stage 1 Final Cover project which reflect cover construction on 3H to 1V side slopes.
3. Bids were received for Stage 1 Final Cover construction in April 2022 and the per acre closure cost table was updated to reflect bid prices. The unit costs for most items increased from 2021 to 2022. The Stage 1 Final Cover design included three layers (6-inch sand bedding, geosynthetic clay liner, and 250-mil drainage geocomposite) that were added during the cover system evaluation and not previously included in the 2021 post-closure per acre cost estimate.
4. The post-closure costs include landfill inspection, water quality monitoring, leachate management, general site maintenance, gas treatment and maintenance, and engineering for the entire facility. These post-closure costs are based on our current understanding of site conditions, and projections of both leachate and landfill gas quantity and quality, and costs associated with treatment and disposal. Actual post-closure costs will vary and are dependent upon the actual nature of site conditions at the time of closure, long-term management decisions of NEWSME and the Regulators, and other factors not evident at this time.

If there are any questions concerning our opinion of costs presented in this letter, please feel free to contact us.

Sincerely,

SEVEE & MAHER ENGINEERS, INC.

Rhonda M Forrester

Rhonda N. Forrester, P.E.
Project Manager

Attachments

Table 1	Opinion of Final Cover Costs for Juniper Ridge Landfill Developed Landfill Area as of December 2022
Table 2	Opinion of Post-Closure Monitoring and Maintenance Costs for Juniper Ridge Landfill Developed Landfill Area as of April 2022

cc: Wayne Boyd, NEWSME

TABLE 1

OPINION OF FINAL COVER COSTS FOR JUNIPER RIDGE LANDFILL
DEVELOPED LANDFILL AREA
AS OF DECEMBER 2022

JUNIPER RIDGE LANDFILL PER-ACRE FINAL COVER COSTS (GAS COLLECTION NEEDED) (Update 4/2022)				
ITEM	UNIT	QUANTITY	UNIT COST ⁽¹⁾	TOTAL
Mobilization	L.S.	1	\$26,300	\$26,300
Erosion Control	L.S.	1	\$6,400	\$6,400
Active Gas System	L.S.	1	\$24,300	\$24,300
Site Grading of 6" Bedding Sand	C.Y.	810	\$29	\$23,490
12" Compacted Till	C.Y.	1,620	\$18	\$29,160
Geosynthetic Clay Liner	SQ.FT.	43,560	\$0.65	\$28,320
40-mil Textured Geomembrane	SQ.FT.	43,560	\$0.58	\$25,260
250-mil Drainage Geocomposite	SQ.FT.	43,560	\$0.63	\$27,440
12" Drainage Sand	C.Y.	1,620	\$29	\$46,980
12" Vegetative Cover	C.Y.	1,620	\$18	\$29,160
Seed & Mulch	L.S.	1	\$2,600	\$2,600
Engineer/Const. Monitoring	L.S.	1	\$25,300	\$25,300
			Total	\$294,710

JUNIPER RIDGE LANDFILL PER-ACRE FINAL COVER COSTS (EXISTING GAS COLLECTION) (Update 4/2022)				
ITEM	UNIT	QUANTITY	UNIT COST ⁽¹⁾	TOTAL
Mobilization	L.S.	1	\$26,300	\$26,300
Erosion Control	L.S.	1	\$6,400	\$6,400
Site Grading of 6" Bedding Sand	C.Y.	810	\$29	\$23,490
12" Compacted Till	C.Y.	1,620	\$18	\$29,160
Geosynthetic Clay Liner	SQ.FT.	43,560	\$0.65	\$28,320
40-mil Textured Geomembrane	SQ.FT.	43,560	\$0.58	\$25,260
250-mil Drainage Geocomposite	SQ.FT.	43,560	\$0.63	\$27,440
12" Drainage Sand	C.Y.	1,620	\$29	\$46,980
12" Vegetative Cover	C.Y.	1,620	\$18	\$29,160
Seed & Mulch	L.S.	1	\$2,600	\$2,600
Engineer/Const. Monitoring	L.S.	1	\$25,300	\$25,300
			Total	\$270,410

Notes:

1. Unit costs based upon Third Party Construction Cost (Stage 1 Final Cover bid dated April 2022).

	Acres	Closure Cost
Area with Existing Gas Collection that have not received Final Cover (Cells 1 - 13)	89	\$24,066,000
Area without Gas Collection (Cell 14)	7.6	\$2,240,000
Total	96.6	\$26,306,000

TABLE 2

OPINION OF POST-CLOSURE MONITORING AND MAINTENANCE COSTS FOR JUNIPER RIDGE LANDFILL
DEVELOPED LANDFILL AREA AS OF DECEMBER 2022

ITEM	OPINION OF AVERAGE YEARLY COSTS	TOTAL COST FOR 30 YEAR PERIOD	ASSUMPTIONS
Leachate Collection, Transport and Disposal			
A. Electrical Costs to Operate Pump Stations	\$ 1,200	\$36,000	Assumes a 15 hp (75 percent efficiency) pump pumping for 622 hours per year with electrical costs of \$0.18 /kWhr.
B. Disposal Costs for Leachate Years 1-30	\$ 81,500	\$2,445,000	Leachate generation is estimated for a 30 year period beginning with 17.1 M gallons at year 1 and decreasing to 0.26 M gallons at year 30. Transportation cost of \$0.02184/gal.
C. Annual Leachate Testing	\$ 5,200	\$156,000	Annual cost for pretreatment testing.
	Subtotal Total	\$2,637,000	
Post Closure Water Quality Monitoring			
A.1 Collect Samples From 24 Wells, 11 Underdrains, 2 Leachate, 1 Leak Detection, 7 Surface Waters & 3 Pore Waters for 3 Rounds/Year & Methane Measurements From Wells 3 Times per Year	\$ 42,900	\$214,500	Assumes two rounds field parameters and one round detection monitoring parameters for years 1-5.
A.2 Collect Samples From 24 Wells, 11 Underdrains, 2 Leachate, 1 Leak Detection, 7 Surface Waters & 3 Pore Waters for 2 Rounds/Year & Methane Measurements From Wells 2 Times per Year	\$ 28,600	\$143,000	Assumes one round field parameters and one round detection monitoring parameters for years 6-10.
A.3 Collect Samples From 24 Wells, 11 Underdrains, 2 Leachate, 1 leak Detection, 7 Surface Waters & 3 Pore Waters for 1 Round/Year & Methane Measurements From Wells 1 Time per Year	\$ 14,300	\$286,000	Assumes one round detection monitoring parameters for years 11-30.
B.1 Analyses of 52 Samples 3 Times per Year	\$ 53,400	\$267,000	Assumes 24 wells, 11 underdrains, 2 leachate, 1 Leak Detection 7 surface, 3 pore water & 4 QA/QC.
B.2 Analyses of 52 Samples 2 Times per Year	\$ 35,600	\$178,000	Assumes 24 wells, 11 underdrains, 2 leachate, 1 leak detection, 7 surface, 3 pore water & 4 QA/QC.
B.3 Analyses of 52 Samples 1 Time per Year	\$ 17,800	\$356,000	Assumes 24 wells, 11 underdrains, 2 leachate, 1 leak detection, 7 surface, 3 pore water & 4 QA/QC.
C. Compile Data and Submit to MDEP	\$ 4,600	\$138,000	Assumes Report prepared and submitted to MEDEP after each sampling round.
	Subtotal Yearly Cost Years 1-5	\$ 100,900	
	Subtotal Yearly Cost Years 6-10	\$ 68,800	
	Subtotal Yearly Cost Years 11-30	\$ 36,700	
	Subtotal Total	\$1,582,500	
Landfill Inspection			
A. Monthly Site Walk Over & Report Generation	\$ 9,180	\$275,400	Assumes 9 hr. per month @ \$85/hr.
	Subtotal	\$ 9,180	\$275,400
Active Landfill Gas Extraction System			
A. Gas Collection Equipment Replacement	\$ 11,200	\$336,000	General equipment replacement including well heads, condensate pumps etc.
B. Flare Maintenance	\$ 6,100	\$183,000	Replacement of flare parts such as flame arrestor media etc.
C. Blower Maintenance	\$ 6,100	\$183,000	Routine inspection and maintenance of blower & control system.
D. System Operation and Inspection	\$ 5,800	\$174,000	General system operation & maintenance.
E. Well Tuning	\$ 11,200	\$336,000	Well tuning once per month.
F. Compliance Monitoring and Reporting	\$ 18,400	\$552,000	Includes Compliance Air Monitoring and Reporting.
G. Electrical Costs to Operate Blowers, Heat & Control Panel Years 1-30	\$ 62,000	\$1,860,000	Electricity for blowers assumes varying horsepower requirement as gas decreases @\$0.18/kWhr.
H. Landfill Gas Treatment Costs Years 1-30	\$ 80,500	\$2,415,000	Includes treatment cost for H2S removal to 1,000 ppm using Thiopaq system at a cost of \$2,050 per ton.
	Subtotal Total	\$6,039,000	
Landfill Maintenance			
A. Cover Maintenance Including Annual Mowing & Erosion Repair	\$ 9,000	\$270,000	Assumes 2 man crew 10 days/ year.
B.1 Pump Stations Inspections	\$ 11,700	\$351,000	Assumes 4.5 hr./ week @ \$50 per hour.
B.2 Pump Replacement Every Five Years (Not Annual Cost)	\$ 42,000	\$252,000	Assumes replacing 14 on-site pumps every 5 years at \$3,000 a piece.
C. General Site Maintenance	\$ 8,000	\$240,000	Assumes snow plowing 20 storms per year @ \$430 per storm.
D. Leachate Line Cleaning	\$ 27,000	\$540,000	Assumes leachate line cleaning once per year for years 1-10, then every other year, for years 11-30 @ \$27,000 per cleaning.
	Subtotal	\$ 97,700	\$1,653,000
Professional Services			
A. Engineering Services	\$ 4,100	\$123,000	General Services
	Subtotal	\$ 4,100	\$123,000
	TOTAL	\$12,309,900	

ATTACHMENT K
MSW Diversion

JRL 2021 Annual Report

Compliance with Condition 5 of #S-020700-WD-BC-A

(Casella MSW Landfilling Diversion)

Best efforts by Casella to divert MSW from landfilling at JRL to the greatest extent practicable:

5.A: A list and description of all diversion options evaluated and/or pursued by Casella, including currently operating Maine waste-to-energy facilities as options:

Diversion of MSW through Recycling

1. Casella's Zero-Sort program delivering MSW recyclables collected in Maine to the Casella processing facility in Lewiston.
2. Casella's cardboard recycling program wherein source separated cardboard is collected, baled, and marketed to end use recyclers.
3. Operation of the Casella Zero-Sort processing facility in Lewiston, Maine. Outreach to municipalities and businesses to encourage participation in Casella's Zero-Sort recycling program.

Diversion of MSW to Maine Incinerators and Processing Facilities

ecomaine:

Casella's Pine Tree Waste hauling companies collect and deliver Maine MSW and recycling materials to the ecomaine incinerator and single stream recycling facility.

MMWAC:

Casella's Pine Tree Waste hauling companies collect and deliver Maine MSW to the MMWAC incinerator.

PERC:

In 2019 an agreement was reached with PERC to annually deliver up to 107,000 tons of Maine MSW. This agreement included an additional 27,000 tons of Maine MSW delivered to PERC. This is more than half of the expected annual throughput at the PERC facility. In addition, in the 2019 agreement with PERC a new provision has been added that if Coastal Resource Management (CRM) cannot accept the commercial tons provided for in the CRM agreement that MSW from the Bangor and Waterville markets will be taken to PERC.

COASTAL RESOURCE MANAGEMENT:

In 2017 an agreement was reached with CRM to deliver 40,000 tons annually of Maine municipal solid waste to CRM's recycling and processing facility in Hampden, in addition to deliveries of collected material from Municipal Review Committee (MRC) communities by Pine Tree Waste.

SWAP AGREEMENT:

A collective agreement was reached between Pine Tree Waste, Inc., NEWSME Landfill Operations, LLC, Waste Management Disposal Services of Maine, Inc., Municipal Review Committee, Inc., and Coastal Resources of Maine, LLC, pursuant to which bypass MSW and oversized bulky waste collected from some MRC communities, primarily within the greater Bangor area, would be delivered to JRL rather than being delivered to the Crossroads Landfill, and an equivalent amount of MSW originating in Maine that otherwise would be delivered by Pine Tree to JRL would instead be delivered by Pine Tree to the Crossroads Landfill.

Diversion by Disposal at Other Landfills

Casella's Pine Tree Waste hauling companies (Bethel, Columbia, Fairfield, Hermon, Houlton, Mechanic Falls, Old Orchard Beach, Sanford, Scarborough, Waterville, and West Bath) collect Maine MSW and deliver to landfills other than Juniper Ridge: Bath, Brunswick, Fort Fairfield / Presque Isle (RWS), and Norridgewock, Maine, Lawrence Station, New Brunswick, and Berlin, New Hampshire.

5.B: A narrative detailing the specific efforts made by Casella to implement diversion options:

See narrative description in 5.A above.

5.C: A narrative describing the results of Casella's evaluation/pursuit of MSW diversion options, including the volume of waste and diversion destination of MSW successfully diverted and/or the specific reasons that MSW was not diverted to other destination options.

Maine MSW Recyclables Delivered to Casella Zero-Sort in Lewiston, ME

- Number of Maine municipalities participating in Casella's Zero-Sort program in calendar year 2021: 43
- Number of Maine businesses participating in Casella's Zero-Sort program in calendar year 2021: approx. 3,539
- Tons of Maine MSW recyclables processed in Casella's Zero-Sort program in calendar year 2021: 31,484 tons

Casella cardboard recycling

Fiber brokered and baled directly from Maine municipalities or Maine businesses in calendar year 2021:

- Brokered: 22,055 tons
- Baled: 17,118 tons

Maine MSW Delivered to Maine Incinerators and Processing Facilities in 2021

ecomaine:

- Single-stream recyclables: 13,708 tons
- MSW: 60,872 tons

MMWAC:

- MSW: 38,854 tons

PERC:

- MSW: 189,709 tons

CRM:

- MSW: 0 tons

Maine MSW Delivered to Landfills Other than Juniper Ridge in 2021

Bath Landfill:

- MSW: 1,402 tons

Brunswick Landfill:

- MSW: 365 tons

Fort Fairfield / Presque Isle Landfill (RWS):

- MSW: 12,789 tons

Norridgewock Landfill:

- MSW: 22,852 tons

Southwest New Brunswick Service Commission (Lawrence Station, NB):

- MSW: 4,183 tons

Total Maine MSW diverted from disposal at JRL in 2021 through efforts described above

- 415,391 tons

Total Maine, non-bypass MSW disposed at JRL in 2021

- 0 tons

