



Operated By  
NEWSME Landfill Operations, LLC

April 29, 2024

Karen Knuuti  
Department of Environmental Protection  
Bureau of Remediation and Waste Management  
106 Hogan Road  
Bangor, ME 04401

**Re: Juniper Ridge Landfill 2023 Annual Report**

Dear Ms. Knuuti:

Enclosed for your review is the Juniper Ridge Landfill 2023 Annual Report and supporting documentation as required.

Should you require additional information or clarification, please do not hesitate to contact me at 207-249-8025 or Wayne Boyd at 207-862-4200 ext. 224.

Respectfully submitted,

NEWSME Landfill Operations, LLC.

Jeffrey Pelletier  
*Environmental Manager*

Enclosure

Cc: Wayne Boyd, Casella  
Kathy Tarbuck, MEDEP  
Lane Gould, BGS  
William Mayo, City of Old Town

**2023 ANNUAL REPORT**

**JUNIPER RIDGE LANDFILL  
OLD TOWN, MAINE**

**MEDEP LIC. #S-020700-7A-A-N,  
Amendment #S-020700-WD-N-A, and  
MEDEP LIC. #S-020700-WD-BI-N**

**April 2024**



Operated by NEWSME Landfill Operations, LLC  
2828 Bennoch Road, Old Town, Maine 04468 • (207) 394-4372



## TABLE OF CONTENTS

<u>Section No.</u>	<u>Title</u>	<u>Page No.</u>
1.0	INTRODUCTION .....	1
1.1	Overview.....	1
1.2	Annual Report Format.....	4
2.0	SUMMARY OF SITE ACTIVITIES .....	4
2.1	Site Activities .....	4
2.2	Summary of Applications Submitted and/or Approved at JRL in 2023 .....	5
2.3	Compliance Self-Audit .....	6
3.0	SUMMARY OF OPERATIONS .....	6
3.1	Types of Wastes Received at JRL during 2023 .....	6
3.2	Estimates of Capacity Utilized during 2023 and Remaining Capacity.....	6
3.3	Estimates of the Amount of Cover Material Placed.....	8
3.4	Summary of Changes to the Facility's Operations Manual .....	9
3.5	Proposed Changes to the Operations Manual or Other Landfill Operations .....	9
3.6	Responses to Spills, Fires, Accidents or Unusual Events at the Landfill.....	9
3.7	Updated Cell Development Plans.....	12
3.8	Copies of Reports Prepared in Accordance with the Landfill's Hazardous and Special Waste Handling and Exclusion Plan.....	12
3.9	Inspections and Testing.....	12
3.10	Description of System Failures and/or Repairs.....	12
4.0	FACILITY SITE CHANGES .....	13
5.0	MONITORING .....	13
6.0	FINANCIAL ASSURANCE .....	15
7.0	MSW DIVERSION.....	15

## **LIST OF ATTACHMENTS**

ATTACHMENT A	COMPLIANCE SELF AUDIT
ATTACHMENT B	ANNUAL SOLID WASTE MANAGEMENT REPORT
ATTACHMENT C	UPDATED OPERATIONS MANUAL SECTIONS
ATTACHMENT D	FACILITY INSPECTION REPORTS/OTHER MAINTENANCE ACTIVITIES
ATTACHMENT E	LEACHATE COLLECTION MAINTENANCE ACTIVITIES
ATTACHMENT F	WATER QUALITY MONITORING REPORT
ATTACHMENT G	LANDFILL GAS MONITORING EVALUATION
ATTACHMENT H	LANDFILL AIR MONITORING EVALUATION
ATTACHMENT I	GEOTECHNICAL MONITORING REPORT
ATTACHMENT J	UPDATED CLOSURE AND POST-CLOSURE COST ESTIMATES
ATTACHMENT K	MSW DIVERSION

## **LIST OF FIGURES**

<u>Figure No.</u>	<u>Title</u>	<u>Page No.</u>
1-1	Site Location Map.....	3

## **LIST OF TABLES**

<u>Table No.</u>	<u>Title</u>	<u>Page No.</u>
2-1	Summary of Applications Submitted and/or Approved at JRL, 2023.....	5
3-1	Summary of Wastes Accepted at JRL, 2023.....	7
3-2	Disposal Capacity Remaining as of December 31, 2023.....	8
5-1	Leachate Total Comparison, 2022 & 2023.....	14

## 1.0 INTRODUCTION

Pursuant to the requirements of 38 MRS §1310-N(6-D), this document, and associated attachments, serve as the 2023 Annual Report for the Juniper Ridge Landfill (JRL) located off Route 16 in Old Town, Maine. The information contained in this report also addresses the requirements of:

- Section 401.4.D of Maine Solid Waste Management Rules;
- Condition 19 of Solid Waste Order #S-020700-WD-N-A;
- Condition 4 of Solid Waste Order #S-020700-WD-W-M;
- Conditions 12, 14, 15, and 20 of Solid Waste Order #S-020700-WD-BI-N; and
- Condition 2 of Solid Waste Orders #S-20700-WD-CM-M.

As the contracted operator of the Juniper Ridge Landfill, NEWSME Landfill Operations, LLC (NEWSME), an indirect subsidiary of Casella Waste Systems, Inc. (CWS) is submitting this annual report to the Maine Department of Environmental Protection (MEDEP) on behalf of the Maine Bureau of General Services (BGS). Pursuant to P.L. 2011, Chapter 655, Sec. GG-69, on July 1, 2012 the Bureau of General Services in the Department of Administrative and Financial Services became the owner and licensee of JRL. Prior to July 1, the State Planning Office (SPO) owned JRL and held its licenses. The SPO was abolished on July 1, 2012.

### 1.1 Overview

JRL property consists of a 780-acre site accessed off Route 16 in Alton, with a physical address of 2828 Bennoch Road, Old Town, Maine. The licensed solid waste footprint of the JRL is approximately 122 acres. A location map of the JRL site and the surrounding facilities is shown on Figure 1-1. The JRL was originally licensed (#S-020700-7A-A-N) by the Board of Environmental Protection on July 28, 1993 as a generator-owned landfill for disposal of pulp and papermaking residuals generated by the Fort James Paper Mill located in Old Town, Maine. The original approved capacity of the facility was approximately 3 million cubic yards. Landfill operations began in Cell 1 in December 1996.

In June 2003, the Maine legislature passed Resolve 2003, Chapter 93, which authorized the State of Maine to pursue the purchase of the JRL from Fort James Operating Company. The final purchase agreement between SPO and Fort James would provide disposal capacity for the mill's waste for a 30-year period. On October 30, 2003, the SPO submitted an amendment application to the MEDEP to increase the approved final elevation of the landfill, and to dispose of additional waste streams at the facility.


On February 5, 2004, SPO formally purchased the JRL property from Fort James and signed an Operating Services Agreement with NEWSME to operate the facility for a 30-year period. At the same time, previously approved MEDEP operating licenses for the JRL were transferred to the SPO. On April 9, 2004, the MEDEP approved the amendment application and issued permit #S-020700-WD-N-A to the SPO to increase the original JRL capacity from approximately 3.3 million cubic yards to approximately 10.2 million cubic yards. An expansion of an additional 9.35 million cubic yards of capacity was approved for the site by the Maine Board of Environmental Protection (MEBEP) on June 1, 2017 with Board Order #S-020700-WD-BI-N and #L-19015-TG-D-N.

Since the execution of the Operating Services Agreement, NEWSME has been operating the site and is responsible for costs associated with development, operation and closure/post-closure activities at the JRL.

To date, Cells 1, 2, 3A, 3B, 4, 5, 6, 7, 8, 9, and 10 of the 2004 amendment license have been constructed; this accounts for the 68-acre landfill approved by the MEDEP Solid Waste Order #S-020700-WD-N-A. The last phase of filling the originally permitted landfill includes filling over the eastern and northern outer waste side slopes of the originally permitted landfill cells to achieve final waste grades of the 2004 permitted footprint. It is NEWSME's intent to fill this capacity in conjunction with the filling of expansion cells.

- To date, Cells 11, 12, 13, 14, and 15 have been constructed as part of the 54-acre JRL expansion, approved by MEBEP Board Order #S-020700-WD-BI-N and #L-19015-TG-D-N. Cell 11 was constructed in 2018, followed by Cell 12 in 2020, Cell 13 in 2021, Cell 14 in 2022, and Cell 15 in 2023. Approval to commence waste placement in Cell 15 was issued by the MEDEP on August 18, 2023. In 2023 waste placement occurred primarily in Cells 13, 14, 15, and the area where Stage 1 Final Cover was constructed (primarily the southern side slope of Cell 10). Lesser amounts of waste were also placed on the north slope of the 2004 permitted footprint (Cells 1, 2, 3A, and 3B). Intermediate cover was placed once final waste grades were reached.

As of December 31, 2023, 5,356,397 cubic yards of total permitted capacity remained at the JRL. Further Discussion is described below in Section 3.2.



**NOTE:**

BASE MAP ADAPTED FROM 7.5 MIN  
USGS TOPOGRAPHIC QUADRANGLE  
OLD TOWN, MAINE-1988



**FIGURE 1-1**  
**SITE LOCATION MAP**  
**JUNIPER RIDGE LANDFILL EXPANSION**  
**OLD TOWN, MAINE**



## 1.2 Annual Report Format

This Annual Report contains the information required by Section 401.4.D of the Maine Solid Waste Management Rules (Rules), including a general summary of activities during 2023, a compliance evaluation performed by JRL's environmental manager, a summary of 2023 operations and operational information, a summary of facility site changes, a summary of the site monitoring performed at and around the site during 2023, an update of the costs and documentation of changes to the closure and post-closure funding of the facility, and a summary of best efforts by CWS to divert MSW from landfilling at the JRL to the greatest extent practicable.

## 2.0 SUMMARY OF SITE ACTIVITIES

### 2.1 Site Activities

The following landfill related site activities occurred at JRL during 2023:

- Began construction of the Renewable Natural Gas (RNG) Facility;
- Removal of the geosynthetic intermediate cover material on the southern side slope of Cell 10, to allow for additional waste placement, in preparation for Stage 1 Final Cover;
- Construction of Cell 15 (6.7 Acres) and associated infrastructure;
- Installation of additional above ground power infrastructure on the northwest side of the landfill expansion area;
- Placement of soft layer material in Cell 15, along with routine waste placement primarily in Cells 13, 14, 15 and where Stage 1 Final Cover was constructed (primarily the southern side slope of Cell 10). Lesser amounts of waste were also placed on the north slope of the 2004 permitted footprint (Cells 1, 2, 3A, and 3B);
- Construction of Stage 1 Final Cover (8.6 acres);
- Excavation and stockpiling of soils in the borrow area;
- Continued placement of intermediate cover on the 2004 permitted footprint and the side slopes of Cells 14 as waste grades were reached; and
- Continued installation of new landfill gas collection components in the original 2004 permitted footprint and Cells 14, and 15 of the expansion. Components installed included new vertical LFG extraction wells, gas collection trenches, 12" header piping, and lateral extraction piping.



## 2.2 Summary of Applications Submitted and/or Approved at JRL in 2023

Listed in Table 2-1 is a summary of MEDEP, Local, and Federal applications that were submitted and or approved at JRL during 2023.

**Table 2-1 Summary of Applications Submitted and/or Approved at JRL, 2023**

Application Description	Agency	Permit/License Number
Approval of the Cell 15 Construction Design Report and received a condition compliance license	MEDEP	S-020700-WD-CR-C
Approval of the 2023 Annual Oversized Bulky Waste Limit Request	MEDEP	Approved (no permit issued)
Approval of the Cell 15 compacted clay placement test pad program/Stormwater Diversion Plan	MEDEP	Approved (no permit issued)
Approval of Stage 1 Final Closure Condition Compliance	MEDEP	S-020700-WD-CQ-C
Approval for JRL Stage 1 Final Cover Change Order 1, 2, 3 (Cover Drainage Pipe Spacing/Seam Strength/Additional Anchor)	MEDEP	Approved (no permit issued)
Updates regarding ATMOS Technologies Soil Equivalent Foam Trial	MEDEP	Approved (no permit issued)
Approval of the Stage 1 Final Cover compacted clay placement test pad program	MEDEP	Approved (no permit issued)
Review/approval of JRL Financial Assurance Bonds	MEDEP	Approved (no permit issued)
Cell 15 final inspection completed. Approval to start soft layer material placement	MEDEP	Approved (no permit issued)
Federal Fish & Wildlife Permit Renewal (Bird Depredation)	US Dept of Fish and Wildlife	MB670894-0 Pending Approval
Approval of substantial compliance with Stage 1 Final Cover Schedule of Compliance	MEDEP	Approved (no permit issued)
Determination of Environmental Feasibility of the proposed expansion based on the submitted Preliminary Information Report. (This determination does not constitute approval of the expansion, only warrants further investigation to determine its suitability)	MEDEP	Approved (no permit issued)

**Table 2-1 Cont. Summary of Applications Submitted and/or Approved at JRL, 2023**

<b>Application Description</b>	<b>Agency</b>	<b>Permit/License Number</b>
Approval of Air Emissions License Amendment to allow for the installation of a continuous pilot light of JRL's Flare #4	MEDEP	A-921-77-6-A
Approval to add additional material on the top of Cells 1-10 until Cell 15 is completed. Material must be later removed	MEDEP	Approved (no permit issued)
Submittal of Stage 2 Final Cover Design Report for compliance with Final Cover Schedule of Compliance	MEDEP	Pending Approval

### 2.3 Compliance Self-Audit

As required by Section 401.4.D (1) (b) of the Rules, JRL performed an annual evaluation of landfill operations for calendar year 2023. A copy of the Audit is included as Attachment A of this report.

## 3.0 SUMMARY OF OPERATIONS

### 3.1 Types of Wastes Received at JRL during 2023

During calendar year (CY) 2023, JRL received and disposed a total of 834,363 tons of waste material. Table 3-1 summarizes the waste types received, along with their corresponding tonnages.

In compliance with JRL's permit condition, wastes going to the landfill were screened in advance to prevent out-of-state wastes from being accepted at the facility.

### 3.2 Estimates of Capacity Utilized during 2023 and Remaining Capacity

During 2023 approximately 975,775 cubic yards of capacity was utilized in Cells 1-15. These estimates are based on June 23, 2023 aerial survey results. Since survey data for the entire site is utilized, these values account for capacity gains due to settlement, compaction, and waste decomposition. Remaining capacity at JRL, as of December 31, 2023 is list below in Table 3-2.



**Table 3-1 Summary of Wastes Accepted at JRL, 2023**

Summary of Wastes Accepted at Juniper Ridge Landfill				
Report Year 2023				
Waste Type #	Waste Types	Total (tons)	Origin	% Total Waste
1	Bypass MSW <sup>5</sup>	266,452	Maine	31.9
2	CDD/MSW Processing Residue - OBW (Disposed of in the Original 2004 Permitted Footprint)	10,679	Maine	1.3
3	CDD/MSW Processing Residue - OBW (Disposed of in the Expansion Permitted Footprint) <sup>4</sup>	67,994	Maine	8.1
4	Recycled/Reused CDD Processing Fines <sup>1</sup>	50,774	Maine	6.1
5	Mixed CDD	347,016	Maine	41.6
6	Recycled/Reused Wood from CDD <sup>2</sup>	248	Maine	0.0
7	Residue/Trash from Single Stream	8,239	Maine	1.0
<b>Special Wastes Types</b>				
8	Burn Pile Ash and/or Hot Loads Area Ash	339	Maine	0.0
9	Burnt Structure Debris/Ash	350	Maine	0.0
10	Catch Basin Grit & Street Sweeping	559	Maine	0.1
11	Coal, Oil & Multi-fuel Boiler Ash	1,355	Maine	0.2
12	Contaminated Soil & Debris	4,095	Maine	0.5
13	Industrial (Miscellaneous)	131	Maine	0.0
14	Industrial WWTP Sludge	9,086	Maine	1.1
15	Leather Scraps	51	Maine	0.0
16	Lime Mud/Grit	1,168	Maine	0.1
17	MSW Incinerator Ash	2,619	Maine	0.3
18	Municipal WWTP/POTW Sludge	57,090	Maine	6.8
19	Non-Friable Asbestos	670	Maine	0.1
20	Non-Hazardous Chemical Related	723	Maine	0.1
21	Oil Spill Debris	2,191	Maine	0.3
22	Polyethylene & Cellulose Trimmings	145	Maine	0.0
23	Pulp Mill Waste	538	Maine	0.1
24	Sandblast Grit	244	Maine	0.0
25	Spoiled Foods	328	Maine	0.0
26	Sulfur Scrubbing Residues	699	Maine	0.1
27	Water/Air Filtration Media	7	Maine	0.0
28	WWTP Grit Screenings	574	Maine	0.1
<b>SUBTOTAL WASTE TYPES 1-7</b>		<b>751,402</b>	Maine	<b>90.1</b>
<b>SUBTOTAL WASTE TYPES 8-28</b>		<b>82,961</b>	Maine	<b>9.9</b>
<b>GRAND TOTAL WASTE RECEIVED<sup>3</sup></b>		<b>834,363</b>	Maine	

1. Materials recycled/reused as alternative daily cover (ADC).

2. Wood from CDD was received at the Juniper Ridge Landfill wood storage facility then chipped and recycled/reused as ADC.

3. Total does not include construction materials. In 2023, 40,446.44 tons of Construction Fines were delivered from Resource in Lewiston. These fines were manufactured to meet construction specifications for the Stage 1 Final Cover and side slope grading requirements prior to installing synthetic intermediate cover. Total derived from sum of higher significant digit numbers, not rounded whole numbers as provided in the above table.

4. The previous limit of 65,000 tons per year, set by expansion license #S-020700-WD-BI-N, was modified through solid waste minor revision #S-020700-WD-CM-M. The minor revision approved the methodology and process used to determine JRL's annual OBW limit of 85,000 tons in the Expansion area for 2023. The approval was granted on 04-25-23.

5. CRM/MRC 61,279.69 tons, ecomaine 5,981.54 tons, PERC 185,328.99, MMWAC 13,861.54 tons.

**Table 3-2 Disposal Capacity Remaining as of December 31, 2023**

Cubic Yards (CY)	JRL Site Remaining Capacity as of December 31, 2023
	<b>Constructed Area Capacity</b>
502,983	2004 permitted footprint (Cells 1-10)
1,626,914	Expansion footprint (Cells 11-15)
2,129,897	<b>Total Constructed Area Capacity (Cells 1-15)</b>
3,226,500	<b>Total Permitted but Unconstructed Area Capacity (Cells 16-17)</b>
5,356,397	<b>Total Site Remaining Permitted Capacity (Cells 1-17)</b>

Further details are provided in Attachment I (the 2023 JRL Geotechnical Monitoring Report). Please refer to Appendix B.

### 3.3 Estimates of the Amount of Cover Material Placed

During 2023, the first stage of final cover was installed (Stage 1 Final Cover). The total acreage covered by the project was approximately 8.6 acres, which was primarily installed over the southern side slope of Cell 10. Installed above the final cover, is the beginnings of a road, which will be extended in future final cover projects, and will be utilized as a final road to the top of the landfill once the landfill is permanently closed.

Also installed throughout the year was a mixture of synthetic and soil intermediate cover. Materials were placed as final waste grades were reached. Approximately 8 acres of additional synthetic cover (40-mil) was added to the side slopes of Cells 14. Approximately 15 acres of soil cover was added to the top/upper side slopes of Cells 13/14 and on the top of the 2004 permitted footprint.

During daily operations, active areas received alternate daily cover (ADC). Approved ADC materials utilized throughout the year included: recycled/reused CDD processing wood fines, clean recycled/reused wood from CDD after being chipped, soil equivalent foam (seasonal), and virgin soil when other ADC materials were lacking or unavailable. Total ADC usage of recycled/reused materials amounted to 51,022 tons in 2023. Approximately 35,604 cubic yards of virgin soil (primarily sand) was used when recycled/reused materials were unavailable, or soil equivalent foam wasn't feasible due to cold weather.

### 3.4 Summary of Changes to the Facility's Operations Manual

Included as Attachment C are updated sections to include to the JRL Expansion Operations Manual (April 2023). Once included, the Operations Manual will be complete and will be considered the April 2024 revision. The updated sections for the 2024 revision are listed below:

- Binder Cover/Spline Labels
- JRL Expansion Operations Manual Narrative Section
- Appendix A - MEDEP Operating Permits
- Appendix C - Operator Training Program Outline
- Appendix D - Cell Development Plans for Cell 16 (to add to previous cell plans)
- Appendix I – Environmental Monitoring Plan

### 3.5 Proposed Changes to the Operations Manual or Other Landfill Operations

During 2024, JRL staff plan to continue updating the revised April 2024 JRL Expansion Operations Manual as changes arise. Changes in 2024 will likely include the addition of Cell 16, Stage 2 Final Cover, and the RNG Facility.

In 2024, JRL will continue filling/shaping Cell 15 and the north slope of the 2004 permitted footprint, until Cell 16 is constructed.

### 3.6 Responses to Spills, Fires, Accidents or Unusual Events at the Landfill

During 2023, the JRL facility experienced three petroleum related spills, four fires, and two other waste related events. Damage to synthetic intermediate cover and the liner system was also repaired in 2023. Descriptions of events are described below. All spill was properly cleaned up by JRL Staff.

#### Petroleum Related Spills

Three small petroleum related spills occurred in 2023. All were 5 gallons or less and caused by 3rd party hauler's equipment. The MEDEP spill hotline was contacted, and spills were properly cleaned up using spill pads and speedy dry. Once absorbed, the material was disposed of in the landfill.

### Non-Waste Related Fires

Two on-site non-related waste fires occurred during 2023. The are described below.

- On 02-05-23 at 4:30 AM, JRL overnight staff noticed a grass/hay fire around the base of the LFG flare. The area burned was approximately 400 ft<sup>2</sup> and was put out by JRL Staff with a fire extinguisher. Some loose stockpiled piping, composite material, and an outhouse in the area were damaged. The materials lost belonged to an on-site contractor.
- On 09-18-23 at 12:20 PM, an engine compartment of packer truck owned by a 3<sup>rd</sup> party caught fire. The fire occurred along the landfill access road and was fought by JRL personnel with fire extinguishers until the Old Town Fire Department could arrive. The fire was contained to the engine compartment of the truck. No trash, fuel, or oils were released. The truck was haul off-site and no injuries were sustained. The load of trash was not dumped at the landfill immediately following the fire.

### Waste Related Fires

Two on-site waste related fires occurred during 2023. Details are described below.

- On 05-15-23 at 7:45 PM JRL overnight staff noticed a fire on the northeast working face and side slope of Cell 14. The fire was fairly large (approximately 2.25 acres) and burned various disposed materials. At no time did the fire come close to the landfill liner system. The fire was isolated to the top and upper portion of the slope. JRL staff were called in to assist, along with the Old Town Fire Department, Thornton's Construction, Sargent Corporation, and several other smaller fire departments for support. At roughly 12:30 AM on 05-16-23, the Old Town Fire Department was dismissed because the spread of fire was under control. By 5:00 AM no open flames remained, and the area was covered with soil.

This was a valiant effort from all parties involved. No one was hurt, no equipment lost, and no damage occurred to the landfill liner system. The MEDEP Project Manager was notified morning of 05-16-23 and walked the area with JRL staff. The landfill was open for business with only a one-hour delay, at 7:00AM on 05-16-23. The cause of the fire is unknown, but likely started in the active working area.

- On 06-16-23 at 10:00 PM JRL overnight staff noticed a smaller fire (approximately 900 ft<sup>2</sup>) on the top/center of the working face in Cell 14. The cause of the fire is

unknown but started in the active working area. JRL staff responded and put the fire out in roughly 2 hours. 8 loads of on-site soil were used to smother and cover the area. The MEDEP was notified at 8:25 AM on 06-19-23. Due to the holiday follow-up calls were made the on 06-20-23.

### Waste Related Events

Two on-site waste related events occurred during 2023. Details are described below.

- On February 22 it was determined that waste in Cell 14 had not been sufficiently stabilized due to insufficient available bulking waste and large amounts of disposed municipal wastewater treatment plant sludge (Sludge). The area of the landfill needed to be remixed to achieve stability. Equipment operators were having difficulty maneuvering their heavy equipment.

This remixing took place starting Feb. 23 and ended on the 24th. The complete suspension of acceptance of Sludge lasted two days. Acceptance of Sludge for disposal at JRL slowly began to resume on February 27 and was increased during the first week of March. No one was injured and the landfill infrastructure remained unharmed. 3<sup>rd</sup> party engineers evaluated the area once the area had been remixed and confirm it to be stable. JRL staff monitor sludge intake daily to prevent recurrence. MEDEP was notified.

- On 09-07-2023 a load of unacceptable material arrived at JRL. The load was reloaded and sent back to where it came from. The MEDEP was notified as required.

### Damaged Intermediate Cover/Liner System

No large areas of synthetic intermediate cover were damaged due to the wind in 2023. Several small areas did require repair along with damaged around landfill gas (LFG) infrastructure. 3<sup>rd</sup> party crews were called in to make necessary repairs. JRL site personnel continuously try new things to better secure the cover material to prevent reoccurrences.

One liner system repair occurred on the outer berm of Cell 15 during 2023. Repairs were made by original installers with 3<sup>rd</sup> party engineering QA/QC on-site. MEDEP was notified of the occurrence.

### 3.7 Updated Cell Development Plans

Cell 11, 12, 13, 14, and 15 plans will remain in the JRL Expansion Operations Manual, along with the future plans for Cell 16. Cell 16 is set to be constructed during the 2024 construction season and will represent the sixth cell of the 9.35 million cubic yard permitted expansion.

### 3.8 Copies of Reports Prepared in Accordance with the Landfill's Hazardous and Special Waste Handling and Exclusion Plan

During 2023, JRL submitted monthly special waste activity reports to the BGS, the City of Old Town, and the MEDEP. Reports were also and placed on the BGS's JRL website for the public and the Landfill Advisory Committee to access.

### 3.9 Inspections and Testing

During 2023, JRL personnel performed routine inspections of the landfill and infrastructure as outlined in the JRL Operations Manual. Copies of quarterly (routine) and weekly inspection reports may be found on file in the Environmental Manager's Office. Completed sample inspection sheets are included in Attachment D of this Annual Report.

### 3.10 Description of System Failures and/or Repairs

Routine and non-routine maintenance activities were performed on the leachate and landfill gas collection infrastructure, access roads, stormwater structures, and cover systems during 2023. Leachate maintenance activities are listed chronologically in Attachment E. A summary of other identified landfill maintenance activities are listed in Attachment D.

During report year 2023, the following routine maintenance and/or repair functions were performed at the facility:

- Leachate maintenance and cleaning activities occurred as needed and in accordance with the Facility's Operations Manual;
- On-site stormwater structures were cleaned and/or repaired in accordance with standard BMP's to maintain erosion & sedimentation control during rain events;
- Various repairs were made to the existing 30/40-mil intermediate cover systems due to tears, rips, and/or holes from movement, settlement, or wind;
- Gas collection piping was repaired in multiple locations to accommodate for normal settlement and operations;

- Landfill gas (LFG) wellheads were repaired throughout the year due to normal wear and tear; and
- Access roads were graded and maintained as necessary to allow access to the facility.

#### **4.0 FACILITY SITE CHANGES**

During 2023, the following minor facility site changes not requiring Department approval occurred and are once again planned for 2024:

- Mowing, brush cutting, and other site maintenance upkeep;
- Continued safety and visual upgrades of the landfill paved access road;
- Continued improvements to stormwater control systems; and
- Continued efforts to mitigate wind-damage of landfill synthetic intermediate cover materials.

#### **5.0 MONITORING**

##### Water Quality

The 2023 Annual Water Quality Report for JRL is included as Attachment F of this report and includes an evaluation of the environmental monitoring data for the JRL site. During 2023, water quality samples were collected at JRL in accordance with the Environmental Monitoring Program (EMP), during April, July, and October.

##### Leachate Quality

Leachate quality was also evaluated and included as part of the 2023 Water Quality Report, Attachment F of this report.

Below in Table 5-1, are leachate volumes of each pump station, along with total leachate hauled for 2022 and 2023. As seen, leachate flows increased overall for 2023. This increase was likely attributed having a larger active working area, less synthetic intermediate cover installed on the north end of the 2004 permitted footprint, and higher than average rainfall throughout the year.

**Table 5-1 Leachate Total Comparison, 2022 & 2023**

<b>Total Leachate Pumped By Cell Pump Stations</b>					
	<b>Cell 4</b>	<b>Cell 5</b>	<b>Cell 8</b>	<b>East Side Cells 11-14</b>	<b>West Side Cell 15</b>
<b>2022</b>	8,710,640	2,572,740	3,735,325	2,781,720	0
<b>2023</b>	11,348,465	3,953,780	4,052,985	5,291,615	416,230
<b>Difference</b>	23%	35%	8%	47%	100.00%
<b>Total Leachate Produced (Hauled) By Month</b>					
	<b>2022</b>	<b>2023</b>	<b>Difference</b>		
<b>January</b>	893,430	2,023,640	56%		
<b>February</b>	2,342,600	2,278,695	-3%		
<b>March</b>	1,911,800	2,002,340	5%		
<b>April</b>	1,677,040	1,410,090	-19%		
<b>May</b>	1,472,740	1,618,625	9%		
<b>June</b>	1,047,440	2,056,070	49%		
<b>July</b>	715,570	1,877,845	62%		
<b>August</b>	1,395,545	2,902,795	52%		
<b>September</b>	1,317,905	2,011,375	34%		
<b>October</b>	1,798,575	2,881,385	38%		
<b>November</b>	2,161,570	2,051,655	-5%		
<b>December</b>	2,183,275	3,417,010	36%		
<b>TOTAL</b>	18,917,490	26,531,525	29%		

Landfill Gas Monitoring

The 2023 Landfill Gas Monitoring Evaluation for JRL is included as Attachment G of this report. This routine landfill gas monitoring took place at various on-site gas management locations with results being submitted via electronic deliverable documents to the MEDEP as required.

The 2023 monitoring data associated with the landfill gas collection and treatment system indicates that the system is operating in accordance with the facility’s air license.

Air Monitoring

The 2023 Air Monitoring Evaluation for JRL is included as Attachment H of this report. Two types of air monitoring activities occurred on-site during 2023: (1) hydrogen sulfide (H<sub>2</sub>S) monitoring with stationary continuous monitors, and (2) quarterly methane (CH<sub>4</sub>)



emission surface scans on the landfill intermediate cover. Additionally, odor complaints from the 24-hour JRL odor complaint hotline provided an opportunity to evaluate the effectiveness of odor control measures at the JRL.

### Geotechnical Monitoring

The 2023 Annual Geotechnical Monitoring Report for JRL is included as Attachment I of this report. During 2023, JRL continued to monitor site settlement and stability as in the past with the assistance of Dr. Richard Wardwell.

The report describes the geotechnical activities performed in accordance with the current Geotechnical Monitoring Plan (Appendix N of the Operations Manual) and the Stability and Settlement Monitoring Plan (Section 3.1.5 of the Design Report), prepared and included as part of the JRL Expansion Application for a new solid waste license, as approved by the MEBEP under Solid Waste License #S-020700-WD-BI-N and Natural Resources Protection Act #L-19015-TG-D-N dated 06/01/2017.

Results of this monitoring verifies the consistency of the landfill's geotechnical performance with design parameters and assumptions, and with the goals of the JRL Expansion Operations Manual (NEWSME 2023). Specifically, geotechnical monitoring during 2023 included: (1) visual observation of landfill slope stability, settlement, and general landfill conditions, (2) assessment of site aerial topographic surveys; (3) a review of waste types, quantities, location of waste placement, and filling sequences, and (4) evaluation of fluid levels in the leachate collection layer of Cells 11, 12, 13, 14, and 15.

## **6.0 FINANCIAL ASSURANCE**

The closure and post-closure costs have been recalculated to reflect those Cells that, as of the end of calendar year 2023, have been or will be constructed, but have not received final cover. A copy of the revised closure and post-closure costs may be found in Attachment J of this report. Following approval of the estimates, a revised financial assurance package will be submitted to the MEDEP under a separate cover.

## **7.0 MSW DIVERSION**

In accordance with Condition #5 of Solid Waste Order #S-020700-WD-BC-A, a summary of best efforts by CWS to divert MSW from landfilling at JRL to the greatest extent practicable has been completed and may be found in Attachment K of this report.

**ATTACHMENT A**

**Compliance Self Audit**

**JUNIPER RIDGE LANDFILL  
COMPLIANCE SELF-AUDIT EVALUATION  
REPORT YEAR 2023**

This Compliance Self-Audit Evaluation is to be used to perform an annual audit of landfill operations as required by of Chapter 401, Section 4.D. (1) (b) of the State of Maine Solid Waste Management Rules. The purpose of this audit is to verify general compliance with the site operations manual, licenses and regulatory requirements. Qualified facility personnel performed the audit.

**Facility Name..... Juniper Ridge Landfill (JRL)**  
**Location..... Old Town, Maine**  
**Audit for Calendar Year..... 2023**  
**Compliance Auditor..... Jeffrey M Pelletier**  
**Title..... Environmental Manager**  
**Signature of Auditor.....**



**GENERAL EVALUATION:**

**1. Are active facility licenses kept on file at the facility?**

Copies of active MEDEP licenses may be found in the Environmental Manager's office located at Pine Tree Landfill. Licenses are also available electronically to the landfill supervisor and staff at the JRL site.

**2. Do the facility licenses have special license conditions relating to landfill operations?**

Yes, a number of conditions are laid out in various licenses held by the facility. MEDEP licensed conditions are entered into a company Environmental Compliance Database that allows the division manager and compliance manager to monitor compliance with submission deadlines and fee requirements.

**3. What pending licenses or approvals were sought from the MEDEP at the time of this audit.**

- Stage 2 Final Cover Design (submitted 12/29/23)
- 2024 Annual Oversized Bulky Waste Limit Request Form submittal (pursuant to Condition 2 (D) of Solid Waste Minor Revision License #S-020700-WD-CM-M) (submitted 01-26-24).
- Part 70 Air License A-921-70-I-A
- JRL Proposed Sampling of RNG Condensate
- Cell 16/17 Tree Clearing Maine Construction General Permit NOI

**4. Date of payment of MEDEP Annual Report/License Fees.**

- MEDEP 2023 annual report fee invoice will be paid once received.
- MEDEP 2023 annual license fee of \$17,340.00 was paid on July 13, 2023.

**5. Date of submittal of previous MEDEP Annual Report & Report/License Fees.**

- MEDEP 2022 annual report was submitted on April 28, 2023.
- MEDEP 2022 annual report fee of \$4,488.00 was paid on March 16, 2023.
- MEDEP 2022 annual license fee of \$15,991.00 was paid on July 19, 2022.

**6. Does the facility have a Host Community Agreement in-place and on file?**

A Host Community Compensation and Facility Oversight Agreement was signed with the City of Old Town on December 8, 2005. Although not a host community, a Community Benefits Agreement also was signed with the Town of Alton on October 6, 2005. Copies of these agreements may be found in the Division Manager's Office.

**7. Does the facility have a current liability insurance policy in-place and on file at the facility?**

Yes, a copy of the policy is available in the Division Manager's Office.

**8. Has the facility submitted an executed financial assurance instrument for closure and post closure care along with updated closure/post closure cost estimates to the MEDEP?**

Yes, performance bonds were initially provided to the MEDEP on February 19, 2004. An updated financial assurance package for the closure/post-closure care is provided to the MEDEP within the annual report.

**9. Last date a certified copy of the facility Operations Manual was updated.**

An update to the JRL Expansion Operations manual was distributed in April 2023 alongside the 2022 Annual Report.

**10. MEDEP approval date of last updated Operations Manual.**

The facility Operations Manual was formally approved on June 01, 2017 as part of Solid Waste Order #S-020700-WD-BI-N.

**11. Number and locations of the Certified Copies of the Operations Manual.**

Certified copies of the Operations Manual may be found at the following locations:

- The Augusta Office of the MEDEP
- The Municipal Office of the City of Old Town
- JRL's Environmental Compliance Manager's Office
- JRL's Operations Supervisor's Office
- Manager of State Landfills at the Maine Bureau of General Services

**12. Operational personnel who received landfill training during audit year.**

During 2023, operations personnel received monthly training sessions on a variety of topics relating to safety, environmental compliance, and landfill operations. Records relating to the ongoing training of landfill personnel are kept on file in the Landfill Operation's Managers office.

**13. Are only solid wastes or special wastes as allowed in the landfill's current license accepted and are those wastes handled as described in the landfill's Operations Manual?**

Yes, only approved non-hazardous special and solid wastes from Maine are being accepted at JRL and are being characterized according to the conditions laid out in the facility's Waste Characterization Plan.

**14. Are solid wastes and special wastes permitted for acceptance characterized on an ongoing basis in conformance with the characterization plan approved by the Department?**

Yes, those wastes are being characterized at the required intervals and/or tonnage rates. Records associated with waste acceptance are kept on file electronically.

**15. Is access to the facility controlled so that the public is not exposed to potential health and safety hazards and access is only permitted when an attendant is on duty?**

Yes, an attendant is located at the scale house during operational hours. During non-operational hours the facility is manned by security personnel that perform regular site inspections. For public safety reasons, non-employee visitors entering the site during operational hours must first stop at the scalehouse and check in prior to further entry. The site is secured with fencing. Doors and gates around the site are secured unless in use.

**16. Are the hours of operation and other limitations for access and use prominently posted at the entrance to the landfill?**

Yes, the facility has the required signage in-place at the entrance to the landfill prior to and at the scale house. Additional signage is placed in prominent areas throughout the landfill.

**17. Are the access roads within the facility maintained?**

Yes, roads from the entrance to the active landfill are maintained year-round to accommodate passage of vehicles.

**18. Are any access roads into the active cell of the landfill constructed and maintained to prevent migration of leachate outside of the cell.**

Yes, the main access road into the active cell is designed to prevent leachate from migrating outside of the cell.

**19. Is a road maintenance program appropriately implemented to prevent the accumulation of dust, mud, or wastes from the facility access, public, or private roads?**

Yes, paved roads are mechanically swept, scraped, and/or plowed as needed to prevent accumulation of undesirable material on the roads. Roads are additionally watered seasonally as necessary as a further dust control measure.

**20. Are the appropriate signs posted or other approved means implemented to indicate clearly where solid waste is to be unloaded and the location of any separate handling areas?**

Yes, drivers are directed by the scale house attendant and/or landfill operators to the proper staging/unloading area where they are then given further instructions via radio communications with the operators. Delivery vehicles utilizing the site are required to be equipped with a means of radio communication. Hand-held radios are made available as needed.

**21. Are the setbacks and buffer strips approved by the Department being maintained?**

Yes, required setbacks and buffers are being maintained as required.

**22. Are the cell development plans up-to-date and submitted with the annual report?**

Yes, cell development plans are included as part of the updated operations manual section. Cell 16 plans will be added since construction will begin throughout the 2024 construction season.

**23. Is compaction performed at least once per operating day and more often as necessary unless otherwise approved by the Department?**

Compaction is currently being achieved at JRL with the use of compactors that are operated in a manner to achieve favorable compaction rates.

**24. Has cover been placed as outlined in the operations manual?**

Yes, suitable waste materials, (i.e., alternate daily cover) are primarily being utilized as daily cover as necessary. Intermediate soil/synthetic cover materials are being installed as slopes reach appropriate elevation & grades.

**25. Have storm water management and erosion control measures been implemented as outlined in the operations manual?**

Yes, storm water management & erosion control measures are being utilized as outlined in JRL's Storm Water Pollution Prevention Plan, located in the Operations Manual.

**26. Are leachate management systems including collection, transport, storage, and pumping systems maintained in accordance with the site Operations Manual?**

Yes, systems receive regularly scheduled maintenance and are inspected at pre-determined intervals in accordance with the site Operations Manual.

**27. Are landfill gas systems installed and maintained as outlined in the Operations Manual?**

Yes, the landfill maintains an active gas collection system consisting of horizontal gas collection piping, vertical wells, and a flare.

**28. Is a methane gas-monitoring program implemented to verify the concentration of explosive gases generated by the landfill, and if an exceedance is triggered, appropriate steps are taken to protect human health and the Department notified of the occurrence and the protective steps that were taken?**

Yes, methane gas monitoring is being performed as required at the groundwater quality wells, landfill surfaces, at landfill structures, and LFG wellheads as required. The facility has developed a plan of action that needs to be followed should elevated levels be detected. Elevated levels of H<sub>2</sub>S (a separate component of LFG) were detected in 2023 and reported as required.

**29. Are routine inspections of the landfill facilities performed as outlined in the Operations Manual, and are records of the inspections kept on file at the facility?**

Yes, routine inspections are performed at pre-determined frequencies in compliance with the site Operations Manual, with records of inspections kept on file in the Environmental Manager's office.

**30. Does the facility have a fire protection plan in-place and is it outlined in the operations manual?**

Yes, fire protection procedures are located in the JRL Operations Manual, and are being followed as required.

**31. Does the facility have a hazardous and special waste handling and exclusion plan and is it implemented at the facility?**

Yes, the hazardous and special waste handling and exclusion plan may be found in the Operations Manual. Appropriate response procedures are followed as required.

**32. Does the facility have a litter control plan and is it implemented as outlined in the Operations Manual?**

Yes, the facility controls off-site litter through the use of strategically placed fencing and regular litter patrols.

**33. Has the Environmental Monitoring Program been implemented as outlined in the Operations Manual?**

Yes, requirements as laid out in the environmental monitoring plan are being adhered to and are located in the Operations Manual.

**34. Environmental sampling events being conducted as required and results reported to the MEDEP.**

A record of environmental sampling events with corresponding dates may be found in the annual water quality report being submitted to the MEDEP as part of the Annual Report. Site water quality monitoring was completed on a tri annual basis in April, July, and October, with monitoring reports from those events submitted to the MEDEP. Required landfill leachate PFAS testing was completed in the spring and fall of 2023 and reported to the MEDEP on 02-16-23 and 11-14-23 respectfully.

**35. Are waste staging and storage areas maintained as outlined in the Operations Manual?**

Yes, staging and storage areas are being operated and maintained in accordance with the site Operations Manual.



**36. Is a vector control program in-place and implemented as outlined in the operations manual?**

Yes, a pest control service regularly visits the site and maintains control devices. Additionally, the facility utilizes lethal & non-lethal means of deterring bird populations.

**37. Does the facility accept asbestos wastes?**

The facility is only licensed to accept non-friable asbestos containing wastes and manages the material in a manner that minimizes exposure during offloading.

**ATTACHMENT B**

**Annual Solid Waste Management Report**



## ANNUAL SOLID WASTE MANAGEMENT REPORT FOR LICENSED LANDFILLS

FACILITY NAME: Juniper Ridge Landfill Report For Year: 2023

DEP LICENSE NUMBER #S-020700-WD-N-A & #S-020700-WD-BI-N

This report includes information on solid waste handling and disposal per 06-096 C.M.R. ch. 401, § 4(D) and § 7(21), as applicable, for the following facility and/or municipalities, as applicable (please list all users):

CONTACT PERSON: Jeffrey Pelletier Title: Environmental Manager  
Mailing Address: 358 Emerson Mill Rd.  
City/Town: Hampden Zip Code: 04444  
Phone: 207-249-8025 E-mail: jeffrey.pelletier@casella.com

LANDFILL MANAGER: Wayne Boyd  
Mailing Address: 358 Emerson Mill Rd.  
City/Town: Hampden Zip Code: 04444  
Phone: 207-862-4200 x224 E-mail: wayne.boyd@casella.com

Please check here if a stand-alone annual report is being submitted. If so, submit this cover sheet only along with your report.

I have examined this report to the best of my knowledge and believe this report is true, accurate and complete.

Signature of person completing this form:  Date Signed 04/29/24

Printed name of person completing this form: Jeffrey Pelletier

**Please return one (1) paper copy and an electronic copy of your completed form with the required annual report fee by April 30<sup>th</sup> of each year to:**

Geraldine Travers  
Maine Department of Environmental Protection  
17 State House Station  
Augusta, Maine 04333-0017  
[Geraldine.Travers@maine.gov](mailto:Geraldine.Travers@maine.gov)

## **ATTACHMENT C**

# **Updated Operations Manual Sections**

Appendices included within Attachment C:

- C-1 Cover Page / Operations Manual Narrative
- C-2 MEDEP Operating Permits (Ops. Manual - APPENDIX A)
- C-3 Operator Training Program Outline (Ops. Manual - APPENDIX C)
- C-4 Cell Development Plans (Ops. Manual - APPENDIX D)
- C-5 Environmental Monitoring Plan (Ops. Manual - APPENDIX I)

Please see the digital file that includes the updated 2024 JRL Operations Manual.

**ATTACHMENT D**


**Facility Inspection Reports/  
Other Maintenance Activities**

Appendices included within Attachment D:

- D-1 Weekly/Monthly/Quarterly Site Inspection Reports
- D-2 JRL Other Maintenance Activities

# **Weekly/Monthly Site Inspection Reports**

### WEEKLY/MONTHLY INSPECTION FORM

<b>Site Name/Company</b>	Juniper Ridge Landfill/NEWSME Landfill Operations, LLC
<b>Location</b>	2828 Bennoch Road, Alton, Maine
<b>Date of Visit</b>	08-10-2023
<b>Inspector Name/Signature</b>	Miguel S. Pizanti 

Note: For weekly inspections, only Table 1 and Table 3 need to be completed. For monthly inspections, Tables 1, 2 and 3 need to be completed.

**Table 1  
Inspection of Active Areas at the Facility**

Active Areas at the Facility			
<b>Leachate</b>	Is leachate observed on the ground, or leaking from tanks or piping, with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
<b>Access Roads</b>	Are industrial materials, residue or trash observed on roads where vehicles enter or exit the active landfill with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
<b>MSW and CDD (windblown debris)</b>	Is MSW and/or CDD on ground, tracking, blowing or whirling with evidence of or the potential to impact stormwater?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Comments (see below)
<b>Borrow Pit</b>	Is there evidence of tracking or erosion from site soil borrow areas with potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
<b>Mobile Equipment</b>	Is mobile equipment leaking oil or other liquids with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)

Active Areas at the Facility	
Comments	<i>Some trash and sediment in stormwater conveyance ditches near landfill access roads. Need to be cleaned out.</i>

**Table 2**  
**Inspection of Stabilized Areas at the Facility**

Stabilized Active Areas at the Facility			
<b>Leachate</b>	Is leachate observed on the ground, or leaking from tanks or piping, with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
<b>Access Roads</b>	Are industrial materials, residue or trash observed on roads where vehicles enter or exit the active landfill with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
<b>MSW and CDD (windblown debris)</b>	Is MSW and/or CDD on ground, tracking, blowing or whirling with evidence of or the potential to impact stormwater?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Comments (see below)
Comments	<i>see comments above. Also other stormwater conveyance ditches need to be cleaned of trash and sediment.</i>		



**Table 3**  
**Inspection of Stormwater BMPs, Conveyances and Outfalls**

<b>BMP</b>	<b>Describe where any of the following were observed:</b> <ul style="list-style-type: none"> <li>• Any evidence that the BMP is not functioning properly.</li> </ul>
Detention Pond 1	<i>Good</i>
Geomembrane Lined Storage Pond	<i>Good</i>
Detention Pond 2	<i>Good</i>
Detention Pond 6	<i>good</i>
Litter Fence	<i>litter fence along east access road has some holes in it. Working but could eventually use repair.</i>
Lechate Storage Tank Containment Area	<i>good</i>
Leachate Storage Tank Containment Area Riprap Outlet	<i>good</i>
Leachate Loading Rack Catch Basin	<i>good</i>
Detention Pond 9	<i>good</i>
2,000-Gallon Underground Storage Tank	<i>good</i>
Detention Pond 5	<i>good</i>
Outfall No. 1	<i>good</i>
Outfall No. 2	<i>good</i>
Outfall No. 3	<i>good</i>


**Table 3**  
**Inspection of Stormwater BMPs, Conveyances and Outfalls**

BMP	Describe where any of the following were observed: • Any evidence that the BMP is not functioning properly.
Outfall No. 4	good
Outfall No. 5	good
Outfall No. 6	good
Outfall No. 7	good


**Table 4**  
**New Potential Pollutant Source and/or Recommendations for Additional BMPs**

Reference	Description	Schedule

**Certification**

<input checked="" type="checkbox"/> Site is in compliance with SWPPP and MSGP. <input type="checkbox"/> Site is not in compliance with SWPPP and MSGP and either structural control measure maintenance, additional controls, or modifications to the SWPPP are required.	
<i>I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.</i>	
Name: Jeffrey Pelletier	Telephone: 207-249-8025
Signature: 	Date: 08-10-23

**CORRECTIVE ACTION REPORT**

Site Name/Company: <i>JRL Land fill</i>	
Location: <i>Old Town, ME</i>	
Contact Name: <i>Luigi Pizzuti</i>	Contact Signature: 
Date of Discovery: <i>08-10-2023</i>	
Date of Corrective Action Initiation: <i>08-10-2023</i>	
Date of Corrective Action Completion: <i>08-18-2023</i>	
Condition Requiring Corrective Action	<i>Clean out trash and sediment from east side road drainage conveyances</i>
Immediate Measures Taken to Control	<i>Trash removed and drainage conveyances cleaned.</i>
Measures Taken to Prevent Re-Occurrence	<i>Keep up with maintenance of drainage conveyances.</i>

Corrective actions must be completed within 14 days of the discovery of the condition. SWPPP modifications must be completed within 14 days of the completion of the corrective action. In the case of a spill, fill out Appendix E - Spill Report in addition to this form.

**If it is not feasible to complete the corrective action within 14 days, please describe the reason and proposed schedule for completion:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

If corrective actions cannot be completed within 45 days of discovery, MEDEP must be notified.

STI SP001 MONTHLY ABOVEGROUND STORAGE TANK AND CONTAINER CHECKLIST  
 NEWSME LANDFILL OPERATIONS LLC - JUNIPER RIDGE LANDFILL  
 2828 BENNOCH ROAD, ALTON, MAINE

INSPECTOR'S SIGNATURE: *[Signature]* DATE: 09-14-23  
 INSPECTOR'S TITLE: Environmental Manager

TANK #:	1		2		3		4		5		6		7		8		9		Total			
	Location	Contents	Location	Contents	Location	Contents	Location	Contents	Location	Contents	Location	Contents	Location	Contents	Location	Contents	Location	Contents	Location	Contents		
	Maintenance Building	500-GAL Hydraulic Oil	Maintenance Building	500-GAL Hydraulic Oil	Outside Maintenance Building	1,500-GAL Gasoline	Delivery Truck (Active Cell of Landfill)	500-GAL Diesel	Active Cell of Landfill	275-GAL Hydraulic Oil Empty	2,500-GAL Diesel Fuel Tank	Office Building	275-GAL Fuel Oil NA	Diesel Generator	366-GAL Diesel	LFG Treatment Facility	270-GAL Mineral Oil	Maintenance Building	55-GAL Drums Varies	Drums	Rubb Building	55-GAL Drums Varies
<p><b>TANK CONTAINMENT:</b></p> <p>Water in primary tank, secondary containment, interstice, or spill container? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Debris or fire hazard in containment? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Drain valves operable and in a closed position? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Containment egress pathways clear and gates/doors operable? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Concrete intact and in good condition with no cracks? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p><b>LEAK DETECTION:</b></p> <p>Visible signs of leakage around the tank, concrete pad, containment, ring wall or ground? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p><b>TANK ATTACHMENTS AND APPURTANCES:</b></p> <p>Ladder and platform structure secure with no sign of severe corrosion or damage? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Tank liquid level gauge readable and in good condition? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Tank openings properly sealed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>																						

COMMENT ON MAINTENANCE OR REPAIR NEEDED ON THE LAST PAGE OF THIS DOCUMENT FOR ANY MARKED RED UNDERLINED CHECK BOX.

STI SP001 MONTHLY ABOVEGROUND STORAGE TANK AND CONTAINER CHECKLIST  
 NEWSME LANDFILL OPERATIONS LLC - JUNIPER RIDGE LANDFILL  
 2828 BENNOCH ROAD, ALTON, MAINE

TANK #:	1	2	3	4	5	6	7	8	9	Total	Drums	Drums
<b>GENERAL HOUSEKEEPING:</b>												
Fire extinguisher nearby?	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA		
Spill equipment nearby?	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA		
<b>PORTABLE CONTAINERS:</b>												
Are portable containers in designated storage area?											<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA
Debris, spill, or other fire hazards in containment or storage area?											<input type="radio"/> Yes <input checked="" type="radio"/> NA	<input type="radio"/> Yes <input checked="" type="radio"/> NA
Water in outdoor secondary containment?											<input type="radio"/> Yes <input checked="" type="radio"/> NA	<input type="radio"/> Yes <input checked="" type="radio"/> NA
Drain valves operable and in a closed position?											<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA
Egress pathways clear and gates/doors operable?											<input checked="" type="radio"/> Yes <input type="radio"/> NA	<input checked="" type="radio"/> Yes <input type="radio"/> NA
Container distorting, buckling, denting, or bulging?											<input type="radio"/> Yes <input checked="" type="radio"/> NA	<input type="radio"/> Yes <input checked="" type="radio"/> NA
Visible signs of leakage around the container or storage area?											<input type="radio"/> Yes <input checked="" type="radio"/> NA	<input type="radio"/> Yes <input checked="" type="radio"/> NA

Everything looks good except some water in  
 1500 Gallon Fuel Tank contained area. Fished out tank  
 with a litter picking stick. Everything now looks good.

# **Quarterly Site Inspection Reports**

## ROUTINE INSPECTION REPORT

<b>Site Name/Company</b>	Juniper Ridge Landfill/NEWSME Landfill Operations, LLC
<b>Location</b>	2828 Bennoch Road, Alton, Maine
<b>Date of Visit</b>	11-18-23
<b>Inspector Name/Signature</b>	Jeffrey Pelletier / <i>Jeffrey Pelletier</i>
<b>Weather</b>	Raining

Does this inspection qualify as the one required annual inspection conducted during qualifying storm event?  Yes  No

Are there any new discharges or pollutants at the site?  Yes  No

**Table 1**  
**Inspection of Potential Pollutant Sources (PPS)**

Description	
<b>Industrial Activity or Area</b>	<p><b>Describe where any of the following were observed:</b></p> <ul style="list-style-type: none"> <li>• Any discharges present at the time of inspection;</li> <li>• Any evidence of pollutants entering the drain system or outfalls;</li> <li>• The condition of the outfalls, including any restricted flow;</li> <li>• Industrial materials, residue or trash on the ground;</li> <li>• Leaks or spills from industrial equipment, drums, barrels, tanks or other containers;</li> <li>• Offsite tracking of industrial or waste materials or sediment; and</li> <li>• Tracking or blowing of raw, final, or waste materials.</li> </ul>
<b>Scale House and Scale</b>	Scale Area Clean & orderly
<b>Soil Stockpile Areas</b>	Good, piles recently mulched & seeded
<b>Borrow Pit</b>	Good, Area recently mulched & seeded
<b>Wood Waste Handling Area</b>	Began chipping wood pile. Contained to area. Overall looks good
<b>Maintenance Building</b>	Overall looks good & well organized.

**Table 1**  
**Inspection of Potential Pollutant Sources (PPS)**

Rubb Building	LOOKS good
LFG Treatment Facility	LOOKS good
RNG Facility	Under construction but Archea is doing a good job to minimize stormwater impacts. Good
Leachate Storage Tank	No evidence of leaks, looks good
Leachate Loading Rack	No evidence of leaks, LOOKS good
Leachate Collection System	Good, system seems to be working as intended
Gravel Laydown Area	well organized
Employee Parking Area	Good, no issues
1,500-Gallon Gasoline Tank	Good, no signs of leaks, containment empty,
2,500-Gallon Diesel Delivery Truck	Good, no signs of leaks
Access Roads	Good, recently graded on South end, paving access road scheduled

Light litter along couple areas along the Landfill perimeter road. Scorn.



**Table 2**  
**Inspection of Structural Control Measures and Outfalls**

<b>BMP</b>	<b>Describe where any of the following were observed:</b> <ul style="list-style-type: none"> <li>• Any evidence that the BMP is not functioning properly;</li> <li>• Any evidence of erosion; and</li> <li>• Industrial materials, residue, or trash.</li> </ul>
Detention Pond 1	Good, recently upgraded
Geomembrane Lined Storage Pond	Good, functioning properly
Detention Pond 2	Good, functioning properly
Detention Pond 6	Good, functioning properly
Litter Fence	Good
Leachate Storage Tank Containment Area	Good, empty no signs of leaks
Leachate Storage Tank Containment Area Riprap Outlet	Good, functioning properly
Leachate Loading Rack Catch Basin	Good, functioning properly
Detention Pond 9	Good, functioning properly
2,000-Gallon Underground Storage Tank	Good, functioning properly, no signs of leaks
Detention Pond 10	Good, functioning properly
Detention Pond 11	Good, functioning properly
RNG Facility Stormwater Pond	Good, functioning properly

**Table 2**  
**Inspection of Structural Control Measures and Outfalls**

Outfall No. 1	good, pretty clear flow today, working as intended
Outfall No. 2	good, pretty clear flow today, working as intended
Outfall No. 4	good, no flow yet today but looks good.
Outfall No. 5	good, clear flow today, working as intended
Outfall No. 6	good, pretty clear flow, working as intended
Outfall No. 7	good, pretty clear flow, working as intended

**Table 3**  
**Corrective Actions Required for PPS(s) and/or Existing Structural Control Measures**

Reference	Description/Schedule	Date Completed
See Attached		


**Table 4**  
**Recommendation for New PPS(s) and/or Structural Control Measures**

Reference	Description/Schedule	Date Completed

**Table 5**  
**Modifications Required to SWPPP or Site Plan**

Reference	Description

**Certification**

<input checked="" type="checkbox"/> Site is in compliance with SWPPP and MSGP.	
<input type="checkbox"/> Site is not in compliance with SWPPP and MSGP and either structural control measure maintenance, additional controls, or modifications to the SWPPP are required.	
<i>I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.</i>	
Name: Jeffrey Pelletier	Telephone: 207-249-8025
Signature: 	Date: 11-18-23

**CORRECTIVE ACTION REPORT**

Site Name/Company: <i>Juniper Ridge Landfill</i>	
Location: <i>2828 Bunnock Road, ALTON, ME</i>	
Contact Name: <i>Jeffrey Pelletier</i>	Contact Signature: <i>[Signature]</i>
Date of Discovery: <i>11-18-23</i>	
Date of Corrective Action Initiation: <i>11-20-23</i>	
Date of Corrective Action Completion: <i>11-28-23</i>	
Condition Requiring Corrective Action	<i>Light litter along a couple Areas along the landfill perimeter road and the road near the entrance of Cell 15</i>
Immediate Measures Taken to Control	<i>Informed Site Supervisor / Environmental Analyst. Pickups Scheduled.</i>
Measures Taken to Prevent Re-Occurrence	<i>Stay on top of litter patrols.</i>

Corrective actions must be completed within 14 days of the discovery of the condition. SWPPP modifications must be completed within 14 days of the completion of the corrective action. In the case of a spill, fill out Appendix E – Spill Report in addition to this form.

**If it is not feasible to complete the corrective action within 14 days, please describe the reason and proposed schedule for completion:** \_\_\_\_\_

\_\_\_\_\_

If corrective actions cannot be completed within 45 days of discovery, MEDEP must be notified.

**QUARTERLY VISUAL MONITORING FORM**

Person Collecting Sample: Brendon Bieda / Jeffrey Kellner  
 Person Performing Visual Assessment: Brendon Bieda / Jeffrey Kellner  
 Site Name and Address: Juniper Ridge Landfill, 2828 Bennoch Road, Alton, Maine

Date and Time: 10-30-23 (1:16)

Time Since Previous Storm Event: 10-22-23

Time Since Current Storm Event Began: Approximately 6:50 am

Measurable Discharge from Outfall(s): #1, #2, #5, #7

Outfall	Time	Type of Discharge (rainfall/snowmelt)	Observations											
			color	odor	clarity	floating solids	settled solids	suspended solids	foam	oil sheen	other			
Outfall #1	1:35	Rainfall	Clear	Normal	Clear	None	None	None	None	None	None	None	None	None
Outfall #2	1:25	Rainfall	Clear	Normal	Clear	None	None	None	None	None	None	None	None	None
Outfall #4	1:15	NO Flow												
Outfall #5	1:55	Rainfall	Clear	Normal	Clear	None	None	None	None	None	None	None	None	None
Outfall #6	2:05	NO Flow												
Outfall #7	1:45	Rainfall	Clear	Normal	miniscule Cloudiness	None	None	None	None	mild Silt	None	None	None	None

Comments: Overall good samples

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: [Signature] Title: Environmental Manager Date: 10-30-23



## 2023 Juniper Ridge Landfill Other Maintenance Activities

Below is a list of all other maintenance activities that occurred throughout 2023. A list of all leachate maintenance and cleaning activities is chronologically listed in Attachment E of the 2023 JRL Annual Report.

### Access Road Maintenance

- Access roads going to the top of the landfill and around the north, west, and south sides of the landfill perimeter were graded as necessary.
- All access roads were swept and watered as necessary.
- Paving was completed along the main access road to repair potholes.

### Landfill Cover System Maintenance

- Various repairs were made to the existing 30/40 mil intermediate cover system due to tears, rips, and holes from liner movement, settlement, and the wind.

### Landfill Gas System (LFG) Maintenance

- Roughly 134 improvements were made to the LFG system throughout 2023. These improvements included: well/gas collection trench installations/extensions, maintenance to all collection well head components (valves, ports, hoses), and torn well boots.
- The flare flame arrestor was cleaned periodically.
- Routine maintenance was performed at the JRL Thiopaq Facility in accordance with the Facility's operations manual.
- Condensate knockout pots (KOP) were cleaned as necessary.

### Other Site Maintenance

- A new portion of overhead electrical was installed on the northwest side of the landfill. This was completed to allow electrical service to future landfill expansion cell pump stations.
- Third party contractors were used to mow around the landfill perimeter, along access roads, and along security fencing.
- Archaea contractors building the RNG facility performed regular clean up while buiding the new facility.

### Scale House Maintenance

- Gravel along the road shoulders was graded periodically.
- Scales were cleaned, de-iced, and calibrated as necessary.

### Stormwater Maintenance

- All stormwater ditches around the landfill were cleaned routinely. Culverts were cleaned and new rip-rap was installed as necessary.
- New erosion control mix was added around the level lip spreader and prior to Outfall #2.
- Seeding and mulching occurred as necessary to prevent erosion.
- Continuous litter patrols were performed by 3rd party temporary personnel.

**ATTACHMENT E**

**Leachate Collection Maintenance Activities**



## 2023 Juniper Ridge Landfill Leachate Maintenance and Repairs

<b>1/19/2023</b>	Replaced 10 HP motor on Pump #1 in Cell 14 Pump Station.
<b>1/31/2023</b>	Replaced 1/2 HP VFD and 1/2 HP pump end in Cell 14 leak detection.
<b>2/9/2023</b>	Replaced wire leads on 10 HP motor on Pump #1 in Cell 14 Pump Station.
<b>5/24/2023</b>	Flow meter verification was performed on the leachate loadout rack and pump stations.
<b>7/10/2023</b>	Replaced 10 HP pump end and motor on Pump #2 in Cell 14 Pump Station.
<b>09/21/23</b>	Cleaned various manhole structures for force main around perimeter of landfill.
<b>09/22/23</b>	Cleaned leachate collection (LC) lines around the landfill for Cells 10 through 15.
<b>11/10/23</b>	Located and marked leachate collection line on the backside of the landfill.

**Additional Items Completed:**

Surface water was checked and removed from the leachate force main manholes at least Quarterly throughout 2023. At that time force mains infrastructure and pressure gauges were inspected. The force main was also looked at throughout the year for cleanliness

**ATTACHMENT F**


**Water Quality Monitoring Report**

# 2023 ANNUAL WATER QUALITY REPORT JUNIPER RIDGE LANDFILL

Prepared for

**NEWSME LANDFILL OPERATIONS, LLC**

April 2024



4 Blanchard Road  
P.O. Box 85A  
Cumberland, Maine 04021  
Phone: 207.829.5016 smemaine.com

**SME**   
SEVEE & MAHER  
ENGINEERS

ENVIRONMENTAL • CIVIL • GEOTECHNICAL • WATER • COMPLIANCE

**TABLE OF CONTENTS**

Section No.	Title	Page No.
<b>1.0 INTRODUCTION</b>		<b>1-1</b>
1.1	2023 Monitoring Activities	1-1
1.2	2023 Landfill Conditions	1-5
<b>2.0 SITE HYDROGEOLOGIC SETTING</b>		<b>2-1</b>
<b>3.0 MONITORING LOCATIONS</b>		<b>3-1</b>
3.1	Monitoring Locations	3-1
3.2	Groundwater Locations	3-3
3.3	Surface Water and Stormwater Locations	3-4
3.4	Pore-Water Locations	3-4
3.5	Leachate Sample Location	3-4
3.6	Underdrain Monitoring	3-4
3.7	Leak Detection Monitoring	3-7
3.8	Annual Monitoring Well Specific Conductance Measurements	3-7
3.9	Water Quality Landfill Gas Monitoring Program	3-8
<b>4.0 MONITORING PARAMETERS</b>		<b>4-1</b>
4.1	Detection Monitoring Program	4-1
<b>5.0 SAMPLING TECHNIQUES</b>		<b>5-1</b>
5.1	Monitoring Wells	5-1
5.2	Surface Water, Stormwater, Underdrain, Leak Detection, and Leachate Sampling Locations	5-1
5.3	Pore-Water Sampling Locations	5-1
5.4	Water Quality Landfill Gas Monitoring	5-2
5.5	Sample Handling and Chain-of-Custody	5-2
<b>6.0 DATA VALIDATION AND QUALITY ASSURANCE (QA)/QUALITY CONTROL (QC)</b>		<b>6-1</b>
<b>7.0 DATA ANALYSIS</b>		<b>7-1</b>
7.1	Concentrations above MCL, LHA, DWA, MFCCC	7-1
7.2	Key Indicator Parameters for Comparison to JRL Leachate	7-1
7.3	Data Plots and Data Summary Sheets	7-2
7.4	Mann-Kendall Trend Analyses	7-3
7.5	Stiff and Piper Diagram Construction	7-3
<b>8.0 WATER QUALITY EVALUATION</b>		<b>8-1</b>
8.1	Leachate	8-2
8.2	Underdrains	8-9
8.3	Groundwater Quality	8-12
8.4	Surface Water, Stormwater, and Pore-Water	8-26
8.5	Leak Detection System	8-32
<b>9.0 WATER QUALITY GAS MONITORING</b>		<b>9-1</b>

**TABLE OF CONTENTS**

(cont'd)

Section No.	Title	Page No.
<b>10.0</b>	<b>SUMMARY AND RECOMMENDATIONS .....</b>	<b>10-1</b>
10.1	Summary .....	10-1
10.2	Closure and Recommendations .....	10-3

**LIST OF APPENDICES**

APPENDIX A	RESPONSES TO MEDEP COMMENTS REGARDING THE PREVIOUS ANNUAL WATER QUALITY DATA REVIEW
APPENDIX B	INTERPRETED SHALLOW GROUNDWATER PHREATIC SURFACE AND UPPER BEDROCK POTENTIOMETRIC SURFACE CONTOUR MAPS AND 2023 QUANTITATIVE ANALYSIS OF MEASURED CHANGES IN GROUNDWATER ELEVATIONS AT MONITORING LOCATIONS
APPENDIX C	2023 AND HISTORICAL FALL SPECIFIC CONDUCTANCE DATA (EXPANDED LOCATIONS)
APPENDIX D	2023 AND HISTORICAL WATER QUALITY DATA
APPENDIX E	2023 WATER QUALITY SUMMARY REPORTS AND DATA PLOTS
APPENDIX F	MANN-KENDALL TREND ANALYSIS RESULTS
APPENDIX G	STIFF AND PIPER DIAGRAMS
APPENDIX H	2023 AND HISTORICAL GAS MEASUREMENT DATA

**LIST OF FIGURES**

Figure No.	Title	Page No.
1-1	SITE LOCATION MAP .....	1-2
1-2	SITE LAYOUT AND ENVIRONMENTAL MONITORING LOCATIONS.....	1-3
1-3	ENVIRONMENTAL MONITORING LOCATIONS ADJACENT TO FORMER LEACHATE POND.....	1-4
3-1	UNDERDRAIN PIPING LAYOUT AND MONITORING LOCATIONS.....	3-5
3-2	MONITORING WELL LOCATIONS USED FOR ANNUAL CONDUCTIVITY MEASUREMENTS .....	3-9

**LIST OF TABLES**

Table No.	Title	Page No.
2-1	2023 SUMMARY OF SITE GROUNDWATER ELEVATION TRENDS .....	2-4
3-1	2023 GROUNDWATER MONITORING LOCATIONS.....	3-2
3-2	2023 SURFACE WATER, STORMWATER, LEACHATE, LEAK DETECTION, AND UNDERDRAIN MONITORING LOCATIONS .....	3-3
3-3	2023 MONITORING WELL AND PIEZOMETER LOCATIONS USED FOR ANNUAL SPECIFIC CONDUCTANCE MEASUREMENTS .....	3-8
4-1	2023 DETECTION MONITORING ANALYTICAL PROGRAM.....	4-2
8-1	SUMMARY OF LT-C4LR PARAMETERS WITH NEW HISTORICAL MINIMUM OR MAXIMUM VALUES IN 2023 .....	8-3
8-2	SUMMARY OF CHLORIDE TO BROMIDE RATIOS FOR 2023 BROMIDE DETECTIONS ABOVE LABORATORY REPORTING LIMITS.....	8-8
8-3	2023 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES AND CHLORIDE AND ARSENIC CONCENTRATIONS AT UNDERDRAIN MONITORING LOCATIONS.....	8-10
8-4	2023 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES AND CHLORIDE AND ARSENIC CONCENTRATIONS AT GROUNDWATER MONITORING LOCATIONS .....	8-13
8-5	SUMMARY OF 2023 KEY INDICATOR PARAMETER VALUES AT MW12-303R .....	8-18
8-6	SUMMARY OF 2023 ANNUAL MAXIMUM WATER QUALITY PARAMETER VALUES AT MW-223A, AND MW-223B .....	8-19
8-7	2023 MCL, LHA, AND DWA EXCEEDANCES AT GROUNDWATER MONITORING LOCATIONS .....	8-25
8-8	2023 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES AND CHLORIDE AND ARSENIC CONCENTRATIONS AT SURFACE WATER, STORMWATER, AND PORE-WATER MONITORING LOCATIONS .....	8-27
8-9	2023 DISSOLVED METHANE CONCENTRATIONS AT PORE-WATER MONITORING LOCATIONS.....	8-31
8-10	2023 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES AND CHLORIDE AND ARSENIC CONCENTRATIONS AT LEAK DETECTION MONITORING LOCATIONS.....	8-33

# 2023 ANNUAL WATER QUALITY REPORT JUNIPER RIDGE LANDFILL

## 1.0 INTRODUCTION

The Juniper Ridge Landfill (JRL or site) is a secure landfill located on a 780-acre parcel in Old Town, Maine. It is owned by the Maine Bureau of General Services (BGS) and is operated by NEWSME Landfill Operations, LLC (NEWSME). Since 2004, JRL has been an integral part of the State of Maine's overall solid waste management program, providing environmentally sound disposal capacity for non-hazardous solid waste generated throughout the State of Maine. Figure 1-1 shows the location of the site. Figures 1-2 and 1-3 show the general site layout and monitoring locations of the site in 2023.

Water quality has been monitored at the site since 1990 when the site was first selected for a landfill.<sup>1</sup> This report describes the results of the water quality sampling and an analysis of site water quality in 2023 completed by Sevee & Maher Engineers, Inc. (SME). The analysis compares the 2023 results to historical water quality at the site, using statistical and graphical evaluations of trends in the data by sample location, and to State and Federal water quality standards. The analysis also looks at the water quality data in terms of the site conditions that exist at the JRL.

### 1.1 2023 Monitoring Activities

Sampling during 2023 was completed in general accordance with the current Environmental Monitoring Plan (EMP) for the JRL (revised April 2016) and the EMP for the JRL expansion (revised June 2017).<sup>2,3</sup> Descriptions of the 2023 water quality monitoring results are provided in this report.

Following one round of monitoring in October 2022, baseline monitoring for downgradient landfill expansion monitoring wells MW-508, OW-610A, P-04-07A, and P-04-07B was completed during the winter and spring of 2023 and these wells began to be monitored under the current EMP specifications during the summer 2023 sampling round. In July 2023, SME began monitoring LF-LD-14 for field parameters and parameters in the detection monitoring program. NEWSME began monthly monitoring


---

<sup>1</sup> The JRL was formerly known as the West Old Town Landfill and was owned and operated by Georgia-Pacific (previously known as Fort James and James River Paper Company) as a secure, non-hazardous, generator-owned waste disposal facility. A comprehensive description of the site setting and hydrogeology is contained in the 1991 report by SME entitled: *James River Paper Company Inc., West Old Town Landfill Project, Old Town Maine, Volume III, Site Investigation and Hydrogeologic Evaluation, August 1991*).

<sup>2</sup> SME, April 2016, Environmental Monitoring Plan, Juniper Ridge Landfill, Old Town, Maine, Prepared for NEWSME Landfill Operations LLC, Revised April 2016.

<sup>3</sup> SME, June 2017, Juniper Ridge Landfill Expansion Application Environmental Monitoring Plan, Submitted by: State of Maine Bureau of General Services, as Owner and NEWSME Landfill Operations, LLC, as Operator, July 2015 (Revised June 2017).






BASE MAP ADAPTED FROM 7.5 MIN  
USGS TOPOGRAPHIC QUADRANGLE  
OLD TOWN, MAINE-1988



FIGURE 1-1  
SITE LOCATION MAP  
JUNIPER RIDGE LANDFILL  
OLD TOWN, MAINE







**LEGEND**

- GROUNDWATER SAMPLING AND GAS MONITORING LOCATION
- DECOMMISSIONED WELL
- SURFACE WATER SAMPLING LOCATION
- HYDROGEN SULFIDE MONITORING LOCATION
- PORE WATER SAMPLING LOCATION
- FALL FIELD PARAMETER AND GAS MONITORING LOCATION
- UNDERDRAIN SAMPLING AND GAS MONITORING LOCATION
- LEAK DETECTION SAMPLING AND GAS MONITORING LOCATION

**NOTES:**

1. TOPOGRAPHY FROM AERIAL SURVEY PERFORMED BY AERIAL SURVEY & PHOTO INC., NORRIDGEWOCK, MAINE. PHOTO DATE 6/23/2023. VERTICAL DATUM: BRASS PLUG AT FORMER LEACHATE POND PUMP STATION. HORIZONTAL DATUM: MAINE STATE COORDINATES EAST ZONE NAD 83. GROUND CONTROL BY SEVEE & MAHER ENGINEERS, INC, CUMBERLAND, MAINE.
2. TOPOGRAPHY CONTOURS INCLUDE PROPOSED TOPOGRAPHY FOR CELL 16 BASE GRADES.




FIGURE 1-2  
SITE LAYOUT AND ENVIRONMENTAL  
MONITORING LOCATIONS  
JUNIPER RIDGE LANDFILL  
OLD TOWN, MAINE



HYDROGEN SULFIDE  
MONITOR LOCATION D N  
482955.24  
E 921878.25


HYDROGEN SULFIDE  
MONITOR LOCATION A N  
482095.70  
E 929404.13

HYDROGEN SULFIDE  
MONITOR LOCATION B N  
477352.97  
E 930685.56

HYDROGEN SULFIDE  
MONITOR LOCATION C  
N 478101.11  
E 923701.00

I:\server\dfs\Casella\OldTownLandfill\GeneralSiteInfo\Acad\EMP.dwg, WQ FIG 1-2, 4/23/2024 10:00:55 AM, bwb






\\nserv\cds\Casella\OldTown\Landfill\General\SiteInfo\Acad\EMP.dwg, WQ FIG 1-3, 4/23/2024, 10:03:56 AM, bwb



**NOTE:**  
 TOPOGRAPHY FROM AERIAL SURVEY PERFORMED BY AERIAL SURVEY & PHOTO INC., NORRIDGEWOCK, MAINE. PHOTO DATE 6/23/2023. VERTICAL DATUM: BRASS PLUG AT FORMER LEACHATE POND PUMP STATION. HORIZONTAL DATUM: MAINE STATE COORDINATES EAST ZONE NAD 83. GROUND CONTROL BY SEVEE & MAHER ENGINEERS, INC, CUMBERLAND, MAINE.



**LEGEND**

-  GROUNDWATER MONITORING LOCATION
-  SURFACE WATER MONITORING LOCATION
-  GAS MONITORING LOCATION
-  UNDERDRAIN MONITORING LOCATION
-  FALL FIELD PARAMETER ONLY

**FIGURE 1-3**  
 ENVIRONMENTAL MONITORING LOCATIONS  
 ADJACENT TO  
 FORMER LEACHATE POND  
 JUNIPER RIDGE LANDFILL  
 OLD TOWN, MAINE



of field parameters at LF-LD-15 (Cell 15 leak detection system) in July 2023. SME began monitoring LF-LD-15 for field parameters in accordance with the EMP in October 2023 and will obtain the first laboratory samples during the summer 2024 monitoring round. Downgradient landfill expansion surface water monitoring location SW23-4 and pore-water sample monitoring location PWS-4 began to be monitored under the current EMP specifications during 2023 for field parameters and parameters in the detection monitoring program.

Descriptions of the site setting, facility layout, monitoring locations, analytical parameters, and 2023 site activities are included herein.

## 1.2 2023 Landfill Conditions

The JRL is designed and constructed as a secure waste disposal facility in that the groundwater beneath and adjacent to the site is protected by a composite liner and a leachate collection system. Leachate generated at the site in 2023 was collected and stored in an on-site storage tank and then transported to either the MEDEP licensed wastewater treatment facility at the Old Town Mill owned by Nine Dragons Paper or the Anson Madison Sanitary District for treatment.

Cells 1, 2, 3A, 3B, 4, 5, 6, 7, 8, 9, and 10 account for the 68-acre landfill approved by the Maine Department of Environmental Protection (MEDEP) Solid Waste Order #S-020700-WD-N-A. A landfill expansion was approved by Board Order #S-020700-WD-BI-N and includes expansion Cells 11 through 17. Cells were constructed as needed for landfilling activities during the years listed below:

- Cell 11 in 2018,
- Cell 12 in 2020,
- Cell 13 in 2021,
- Cell 14 in 2022, and
- Cell 15 in 2023.

Cell 15 construction activities included site grading, construction of the landfill perimeter dike and pump station, and modifications to perimeter stormwater drainage ditches west and north of the landfill. Intermediate cover and landfill gas collection piping and wells were installed within several areas of the active landfill cells in 2023.

Waste filling in 2023 occurred primarily in Cells 7, 8, 9, 12, 13, 14, and began in Cell 15.

## **2.0 SITE HYDROGEOLOGIC SETTING**

Cells 1 through 10 of the JRL facility are located on the southwestern side of a northwest-southeast trending drumlin. The natural topography in the landfill area slopes downward to the southwest towards a large wetland and an unnamed stream that empties into Pushaw Stream (Class B). Pushaw Stream empties into the Stillwater River (Class B), which flows to the Penobscot River (Class B). Groundwater beneath Cells 1 through 10 of the landfill is interpreted to follow the natural surficial topography and therefore predominantly flows towards the southwest and ultimately discharges to wetlands to an unnamed tributary to Pushaw Stream on the western portion of the site. The large change in elevation from northeast to southwest across the landfill area results in upward groundwater seepage gradients near the unnamed stream and wetland area. Horizontal groundwater seepage gradients on the western side of the stream indicate that groundwater also moves from the west towards the stream; thus, the stream acts as a hydrologic barrier for groundwater flow from the landfill beyond the east side of the stream.

Cells 11 through 14 of the landfill expansion are located along the north-northeast side of the northwest-southeast trending drumlin. Cell 15 is located on the northwest side of the drumlin. Groundwater beneath Cells 11 through 14 of the landfill is interpreted to follow the natural surficial topography and therefore predominantly flows towards the north and northeast and ultimately discharges to wetlands and a northerly unnamed tributary to Pushaw Stream. Groundwater beneath Cell 15 (as well as the locations proposed for Cells 16 and 17) of the landfill is interpreted to follow the natural surficial topography and therefore predominantly flows towards the northwest and west and ultimately discharge to wetlands and the westerly unnamed tributary to Pushaw Stream.

The site is underlain primarily by glacial till with marine clay of the Presumpscot Formation in the lower topographic areas (e.g., the wetlands in the southwestern portion of the site). Throughout the site, the glacial till generally consists of a very dense brown till grading to very dense gray till with depth. The till typically ranges from 20 to 50 feet thick beneath the landfill and thus provides a natural containment layer for the landfill. At a few locations outside of the landfill boundary, bedrock outcrops are exposed at the ground surface. In addition, there are several isolated, discontinuous, washed till zones found beneath the till. However, these discontinuous washed till zones are often found within finer grained glacial tills.

Bedrock beneath the facility has been identified as a light gray and brown metagraywacke and metaquartzite interbedded with dark gray phyllite. The metasediments are typically competent and unfoliated, except for zones within the phyllite. The bedrock is mostly unweathered, although some discontinuous weathered zones have been observed. No faulting has been observed in bedrock cores and there are no faults mapped in the vicinity of the site. The bedrock surface beneath the landfill is locally variable; however, the surface generally slopes southeast towards a bedrock trough that exists in the vicinity of the wetlands and unnamed stream at the southwest corner of the site.

The interpreted shallow groundwater phreatic surface and upper bedrock groundwater potentiometric surface contour maps for the JRL site are provided in Appendix B. These maps represent interpretations of the potentiometric surfaces using site data from 2007 and 2008. As expected, the groundwater elevations at the site monitoring wells have declined since then as a result of the cut-off of recharge from precipitation in the area of the landfill liner systems. The 2023 site groundwater level conditions do not result in a significant change to the interpreted groundwater flow directions or the groundwater flow divides at the site, particularly with regard to monitoring groundwater and surface water. Linear trendlines of groundwater elevations later than 2007 were calculated for thirty-nine of the site's fifty current groundwater monitoring locations to evaluate water level changes during the time period ending in October 2023 (see Appendix B for water level and trendline plots). The average slopes of linear trendlines during this period were used to quantify the approximate rates of groundwater elevation changes at site groundwater monitoring locations, which are summarized in Table 2-1.

As shown in Table 2-1, thirty-two of the thirty-nine monitoring wells included in this analysis have downward water level trends for data collected later than 2007. Twenty-two of the monitoring locations included in Table 2-1 are located downgradient of the landfill expansion. Monitoring of groundwater elevation trends at sixteen of these locations shows that the cut-off of recharge from precipitation by the landfill expansion cells' liner systems has resulted in lowering the groundwater elevations at average annual rates ranging from -5.77 feet per year (ft/yr) at MW-504 to -0.11 ft/yr at MW-04-09A. Groundwater elevations have increased at six of the twenty-two landfill expansion monitoring locations downgradient from the landfill expansion, with average annual groundwater elevation change rates ranging from 0.07 ft/yr at OW-611A to 0.80 ft/yr at OW-610A.

The remaining seventeen monitoring locations in Table 2-1 are upgradient or downgradient from all or a portion of Cells 1 through 10 of the JRL. The cut-off of recharge from precipitation by the landfill liner systems has resulted in greater rates of groundwater elevation decline at two of the three upgradient monitoring locations. Upgradient monitoring locations P-206A and MW12-303R have groundwater elevation change rates of -0.55 ft/yr and -0.40 ft/yr, respectively. The groundwater elevation decline at upgradient monitoring location MW-206 has been slower, with a rate of -0.07 ft/yr. Groundwater elevations have declined in thirteen of the fourteen monitoring locations downgradient from all or portions of Cells 1 through 10 of the JRL that were analyzed for groundwater elevation trends for data collected later than 2007. These declines have ranged from rates of -0.15 ft/yr at MW04-102 to under -0.01 ft/yr at MW-401B and MW-402B. The one monitoring location downgradient from all or a portion of Cells 1 through 10 of the JRL with increasing groundwater elevations is MW09-901, which had an increasing rate of 0.18 ft/yr.

Site monitoring wells MW-301, MW-402A, MW-502, MW06-01, OW-603B, OW-606A, OW-606B, and P-04-11B are not included in the analysis summarized in Table 2-1, because the rates of decline cannot be quantified due to either intermittent flowing or dry conditions, but generally show indications of declining

to steady water levels. Monitoring wells MW-501 and MW-503 have been flowing during each monitoring event to date and therefore were also not included in Table 2-1.

Monitoring well MW-301 is located downgradient from the JRL. Groundwater elevation data from MW-301 show slight declines from 2007 through 2012. MW-301 was found to be damaged during the April 2013 monitoring round. It was repaired prior to the July 2013 monitoring round by replacing the upper section of the well, and since that time has had reported average groundwater elevations in the order of 4 feet higher than values prior to the repair. Groundwater elevation data from MW-301 show slight declines from 2013 through 2023.

TABLE 2-1

2023 SUMMARY OF SITE GROUNDWATER ELEVATION TRENDS

Location Designation	Position Relative to Landfill	Date Range for Analysis	Total Groundwater Elevation Change(feet-NGVD)	Average Annual Rate of Groundwater Elevation Change (feet/year)
MW-504	Downgradient (Expansion)	Feb-21 to Oct-23	-15.29	-5.77
MW-08-01	Downgradient (Expansion)	Feb-21 to Oct-23	-15.20	-5.73
OW-607B	Downgradient (Expansion)	Feb-21 to Oct-23	-12.58	-4.75
MW-505	Downgradient (Expansion)	Feb-21 to Oct-23	-6.38	-2.41
OW-604A	Downgradient (Expansion)	Apr-18 to Oct-23	-5.60	-1.02
P-206A	Upgradient	Jul-13 to Oct-23	-5.57	-0.55
OW-602A	Downgradient (Expansion)	Apr-18 to Oct-23	-4.80	-0.88
MW12-303R	Upgradient	Oct-12 to Oct-23	-4.40	-0.40
P-04-07B	Downgradient (Expansion)	Oct-22 to Oct-23	-3.96	-3.94
P-04-07A	Downgradient (Expansion)	Oct-22 to Oct-23	-3.93	-3.91
MW-506	Downgradient (Expansion)	Feb-21 to Oct-23	-3.74	-1.42
OW-601A	Downgradient (Expansion)	Apr-18 to Oct-23	-2.40	-0.44
OW-601B	Downgradient (Expansion)	Apr-18 to Oct-23	-2.40	-0.44
MW04-102	Downgradient	May-07 to Oct-23	-2.39	-0.15
OW-608B	Downgradient (Expansion)	Feb-21 to Oct-23	-2.32	-0.88
P-04-04	Downgradient	May-07 to Oct-23	-1.80	-0.11
MW-223A	Downgradient	May-07 to Oct-23	-1.80	-0.11
MW-223B	Downgradient	May-07 to Oct-23	-1.80	-0.11
OW-608A	Downgradient (Expansion)	Apr-18 to Oct-23	-1.41	-0.26
MW-206	Upgradient	May-07 to Oct-23	-1.20	-0.07
MW04-105	Downgradient	May-07 to Oct-23	-1.20	-0.07
P-04-02R	Downgradient	Jul-15 to Oct-23	-0.90	-0.11
OW-609B	Downgradient (Expansion)	Feb-21 to Oct-23	-0.68	-0.26
MW-204	Downgradient	May-07 to Oct-22	-0.56	-0.04
MW-508	Downgradient (Expansion)	Oct-22 to Oct-23	-0.55	-0.55
MW-04-09A	Downgradient (Expansion)	Feb-20 to Oct-23	-0.39	-0.11
MW-227	Downgradient	May-07 to Oct-23	-0.30	-0.02
MW-401A	Downgradient	May-07 to Oct-23	-0.24	-0.01
DP-4	Downgradient	May-07 to Oct-23	-0.24	-0.01
MW04-109R	Downgradient	Dec-09 to Oct-23	-0.10	-0.01
MW-401B	Downgradient	May-07 to Oct-23	-0.12	<0.01
MW-402B	Downgradient	May-07 to Oct-23	-0.04	<0.01
P-04-11A	Downgradient (Expansion)	Feb-21 to Oct-23	0.39	0.15
OW-611A	Downgradient (Expansion)	Apr-18 to Oct-23	0.40	0.07
MW-04-09B	Downgradient (Expansion)	Feb-20 to Oct-23	0.79	0.22
OW-610A	Downgradient (Expansion)	Oct-22 to Oct-23	0.80	0.80
MW-507	Downgradient (Expansion)	Apr-18 to Oct-23	1.61	0.29
MW09-901	Downgradient	Dec-09 to Oct-23	2.52	0.18
OW-605A	Downgradient (Expansion)	Apr-18 to Oct-23	3.81	0.69

In addition to the cut-off of precipitation recharge by the landfill liner systems, groundwater elevations at the site are affected by the amount of precipitation that falls on the site. Monthly climate data from the National Oceanic and Atmospheric Administration (NOAA) for Bangor, Maine indicates a 2023 total precipitation of 49.28 inches, which is 6.25 inches above the mean precipitation. As discussed above, groundwater elevations at most monitoring locations continued to lower in 2023 as compared to 2022, when there was a slightly lower total precipitation of 48.38 inches, showing the influence of the cut-off of precipitation recharge by the landfill liner systems on groundwater elevations.



### **3.0 MONITORING LOCATIONS**

Monitoring during 2023 was completed in general accordance with the current EMP for the JRL (revised April 2016) and the EMP for the JRL expansion (revised June 2017). Descriptions of the monitoring locations sampled during 2023 are provided herein.

#### **3.1 Monitoring Locations**

Monitoring events were conducted in April, July, and October 2023 at 50 groundwater monitoring wells and piezometers,<sup>4</sup> four pore-water sample locations, four surface water locations, two stormwater locations, fifteen underdrain monitoring locations,<sup>5</sup> five leak detection locations,<sup>6</sup> and one leachate monitoring location. Measurement of field parameters (e.g., temperature and specific conductance) at the underdrain and leak detection monitoring locations that contained water were completed on a monthly basis by NEWSME personnel.

The site monitoring points are summarized in Tables 3-1 and 3-2 and their locations are shown on Figures 1-2 and 1-3. Information on the geologic formation in which each monitoring well is screened, as well as the elevation and distance below ground of each monitoring well screened interval, is listed in Table 3-1.

---

<sup>4</sup> Three of the site groundwater monitoring wells (DP-4, MW04-105, and MW-204) are only monitored for field parameters and only during the fall monitoring event. MW-204 was found damaged and could not be assessed for field parameters during 2023 but has been repaired and will be monitored during 2024. Fourteen of the site groundwater monitoring wells (OW-06-03, OW-601A, OW-601B, OW-602A, OW-603B, OW-604A, OW-605A, OW-606A, OW-606B, OW-607B, OW-608A, OW-608B, OW-609B, OW-610A, OW-611A, P-04-07A, P-04-07B, P-04-11A, and P-04-11B) are monitored for detection monitoring parameters only during the summer monitoring event and are monitored for field parameters only during the spring and fall monitoring events. Monitoring well OW-06-03 was dry in July 2023 and monitoring well OW-603B had insufficient water for sampling in July 2023.

<sup>5</sup> Samples were obtained from three underdrain monitoring locations (LF-UD-5 and 6, LF-UD-12+13+14, and LP-UD-2) during one or more of the 2023 sampling events. The remaining ten underdrain monitoring locations were not sampled during 2023 due to dry conditions (LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, LF-UD 5 and 6, LF-UD-6, LF-UD-7, LF-UD-8, LF-UD-9, LF-UD-10, LF-UD-12+13+14, LP-UD-1, and LP-UD-2). No composite samples were required to be taken at Manhole #5 (LF-COMP) and Manhole #7 (LP-COMP) in 2023.

<sup>6</sup> Leak detection monitoring locations LF-LD-11, LF-LD-12, LF-LD-13, and LF-LD-14 were sampled for field parameters and the detection monitoring parameters in July 2023 and for field parameters monthly. Monthly monitoring of field parameters began at LF-LD-15 in July 2023. LF-LD-15 will begin to be monitored for the detection monitoring parameters during 2024.

TABLE 3-1

2023 GROUNDWATER MONITORING LOCATIONS

Location Designation	Position Relative to Landfill	Screen Depth Interval (feet below ground surface)	Ground Surface Elevation (feet-NGVD)	Screen Interval Elevation (feet-NGVD)	Geologic Formation Screened
MW-204	Downgradient	13.8 – 18.8	164.0	150.2 – 145.2	Overburden
MW-206	Upgradient	15.0 – 20.0	200.9	185.9 – 180.9	Overburden
P-206A	Upgradient	85.5 – 90.5	201.5	116.0 – 111.0	Bedrock
MW-223A	Downgradient	28.0 – 33.0	173.4	145.4 – 140.4	Bedrock
MW-223B	Downgradient	12.6 – 17.6	173.3	160.7 – 155.7	Overburden
MW-227	Downgradient	15.0 – 20.0	160.8	145.8 – 140.8	Overburden
MW-301	Downgradient	162.7 – 182.7	163.5	0.8 – -19.2	Bedrock
MW12-303R	Upgradient	30.4 – 40.4	206.1	175.7 – 165.7	Overburden
MW-401A	Downgradient	98.8 – 108.8	153.6	54.8 – 44.8	Bedrock
MW-401B	Downgradient	10.0 – 20.0	154.2	144.2 – 134.2	Overburden
MW-402A	Downgradient	95.5 – 105.5	149.3	53.8 – 43.8	Bedrock
MW-402B	Downgradient	12.0 – 22.0	149.7	137.7 – 127.7	Overburden
DP-4	Downgradient	18.5 – 24.5	165.5	147.0 – 141.0	Overburden
P-04-02R	Downgradient	30.0 – 35.0	168.0	138.0 – 133.0	Overburden
P-04-04	Downgradient	25 – 30	166.7	144.3 – 139.3	Overburden
MW04-102	Downgradient	10.0 – 15.0	167.0	157.0 – 152.0	Overburden
MW04-105	Downgradient	14.8 – 19.8	162.2	147.4 – 142.4	Overburden
MW04-109R	Downgradient	15.0 – 20.0	157.1	142.1 – 137.1	Overburden
MW-04-09A	Downgradient Expansion	38.0 – 39.0	167.0	128.0 – 129.0	Bedrock
MW-04-09B	Downgradient Expansion	14.0 – 15.0	167.0	152.0 – 153.0	Overburden
MW-08-01	Downgradient Expansion	117.0 – 127.0	173.1	46.1 – 56.1	Bedrock
MW09-901	Downgradient	15.0 – 20.0	161.9	146.9 – 141.9	Overburden
MW-501	Downgradient Expansion	35.0 – 45.0	163.2	74.2 – 84.2	Bedrock
MW-502	Downgradient Expansion	38.0 – 43.0	TBD	TBD	Bedrock
MW-503	Downgradient Expansion	60.0 – 70.0	160.7	90.7 – 100.7	Bedrock
MW-504	Downgradient Expansion	71.5 – 81.5	172.6	91.1 – 101.1	Bedrock
MW-505	Downgradient Expansion	72.2 – 82.2	197.0	114.8 – 124.8	Bedrock
MW-506	Downgradient Expansion	50.0 – 60.0	195.8	135.8 – 145.8	Bedrock
MW-507	Downgradient Expansion	22.5 – 220.0	174.7	-42.8 – 154.7	Bedrock (Open Borehole)
MW-508	Downgradient Expansion	26.0 – 36.0	189.3	153.3 – 163.3	Bedrock
MW06-01	Downgradient Expansion	10.0 – 20.0	163.3	143.3 – 153.3	Overburden
OW-06-03	Downgradient Expansion	13.0 – 23.0	203.0	185 – 195	Overburden
OW-601A	Downgradient Expansion	66.6 – 76.6	214.9	138.3 – 148.3	Bedrock
OW-601B	Downgradient Expansion	46.2 – 56.2	214.5	158.3 – 168.3	Overburden
OW-602A	Downgradient Expansion	22.5 – 240.0	211.7	179.2 – 337.7	Bedrock (Open Borehole)
OW-603B	Downgradient Expansion	16.2 – 26.2	205.1	178.9 – 188.9	Overburden/Bedrock
OW-604A	Downgradient Expansion	22.5 – 32.5	195.8	146.8 – 156.8	Bedrock
OW-605A	Downgradient Expansion	62.5 – 260.0	184.7	-72.8 – 124.7	Bedrock (Open Borehole)
OW-606A	Downgradient Expansion	42.5 – 240.0	157.0	-80.5 – 117.0	Bedrock (Open Borehole)
OW-606B	Downgradient Expansion	7.0 – 12.7	162.9	150.2 – 155.9	Overburden/Bedrock
OW-607B	Downgradient Expansion	41.0 – 51.0	172.2	121.2 – 131.2	Overburden
OW-608A	Downgradient Expansion	62.5 – 260.0	196.1	-61.4 – 136.1	Bedrock (Open Borehole)
OW-608B	Downgradient Expansion	33.5 – 43.5	198.4	154.9 – 164.9	Overburden
OW-609B	Downgradient Expansion	39.0 – 49.0	209.9	160.9 – 170.9	Overburden
OW-610A	Downgradient Expansion	26.7 – 36.7	180.4	143.7 – 153.7	Bedrock
OW-611A	Downgradient Expansion	12.5 – 220.0	183.1	-36.9 – 163.1	Bedrock (Open Borehole)
P-04-07A	Downgradient Expansion	19.7 – 24.7	178.2	153.5 – 158.5	Bedrock
P-04-07B	Downgradient Expansion	12.0 – 13.0	177.5	164.5 – 165.5	Bedrock
P-04-11A	Downgradient Expansion	48.0 – 49.0	184.0	134.5 – 135.5	Overburden
P-04-11B	Downgradient Expansion	9.0 – 10.0	184.0	174.0 – 175.0	Overburden

**TABLE 3-2**

**2023 SURFACE WATER, STORMWATER, LEACHATE,  
LEAK DETECTION, AND UNDERDRAIN MONITORING LOCATIONS**

<b>Location Designation</b>	<b>Water Body Description</b>
SW-1	Southwesterly unnamed tributary of Pushaw Stream
SW-2	Southwesterly unnamed tributary of Pushaw Stream
SW-3	Southwesterly unnamed tributary of Pushaw Stream
SW23-4	Northerly unnamed tributary of Pushaw Stream
SW-DP1	Stormwater Detention Pond 1
SW-DP6	Stormwater Detention Pond 6
PWS10-1	Downgradient Stream Alluvium
PWS10-2	Downgradient Stream Alluvium
PWS10-3	Downgradient Stream Alluvium
PWS-4	Downgradient Stream Alluvium
LF-LD-11	Cell 11 Leak Detection
LF-LD-12	Cell 12 Leak Detection
LF-LD-13	Cell 13 Leak Detection
LF-LD-14	Cell 14 Leak Detection
LF-LD-15	Cell 15 Leak Detection
LF-UD-1	Cell 1 underdrain at MH #5
LF-UD-2	Cell 2 underdrain at MH #5
LF-UD-3A,B	Cell 3A & Cell 3B underdrain at MH #5
LF-UD-4	Cell 4 underdrain at MH #5
LF-UD-5 and 6	Cell 5 & Cell 6 Underdrain (combined flow)
LF-UD-6	Cell 6 Underdrain
LF-UD-7	Cell 7 Underdrain at MH #5
LF-UD-8	Cell 8 Underdrain
LF-UD-9	Cell 9 Underdrain
LF-UD-10	Cell 10 Underdrain
LF-UD-12+13+14	Cell 12, 13, and 14 Underdrain (combined flow)
LP-UD-1	Detention Pond 1A underdrain south end at MH #7
LP-UD-2	Detention Pond 1A underdrain north end at MH #7
LF-COMP	Composite sample of LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, and LF-UD-7 when water level in manhole covers the inlet pipes at MH #5
LP-COMP	Composite sample of LP-UD-1 and LP-UD-2 when water level in manhole covers both of the inlet pipes at MH #7
LT-C4LR	Leachate – On-site leachate storage tank

The sampling frequencies and monitoring parameters for each monitoring location are listed in the site’s EMP. Monitoring parameters are discussed in Section 4.0. During 2023, SME also performed baseline water quality monitoring at the four remaining expansion monitoring wells MW-508, OW-610A, P-04-07A, and P-04-07B. These baseline monitoring results were submitted to MEDEP in 2023.

**3.2 Groundwater Locations**

Groundwater monitoring wells MW-206, P-206A, and MW12-303R are positioned upgradient of the landfill.

Groundwater monitoring wells DP-4, MW04-102, MW04-105, MW04-109R, MW-204, MW-223A, MW-223B, MW-227, MW-301, MW-401A, MW-401B, MW-402A, MW-402B, MW09-901, P-04-02R, and P-04-04 are positioned downgradient of all or part of Cells 1 through 10 of the landfill.

Groundwater monitoring wells MW-04-09A, MW-04-09B, MW-08-01, MW-501, MW-502, MW-503, MW-504, MW-505, MW-506, MW-507, MW-508, OW-06-01, OW-06-03, OW-601A, OW-601B, OW-602A, OW-603B, OW-604A, OW-605A, OW-606A, OW-606B, OW-607B, OW-608A, OW-608B, OW-609B, OW-610A, OW-611A, P-04-07A, P-04-07B, P-04-11A, and P-04-11B are positioned downgradient of the landfill expansion.

### 3.3 Surface Water and Stormwater Locations

Surface water monitoring locations SW-1, SW-2, and SW-3 are located west of the landfill in a southwesterly unnamed tributary to Pushaw Stream. SW-1 and SW-3 are located downstream of the landfill, while SW-2 is located upstream of the landfill. Surface water monitoring location SW23-4 is located northeast of landfill in a northerly unnamed tributary to Pushaw Stream. Stormwater sample monitoring locations SW-DP1 and SW-DP6 are located at the discharge locations of Detention Pond 1 and Detention Pond 6, respectively.

### 3.4 Pore-Water Locations


Stream-based pore-water sample locations PWS10-1, PWS10-2, and PWS10-3 are located downgradient of the landfill along the southwesterly unnamed tributary to Pushaw Stream and represent water in the overburden adjacent to the stream. Stream-based pore-water sample location PWS-4 is located downgradient of the landfill expansion along a northerly unnamed tributary to Pushaw Stream and represents water in the overburden adjacent to the stream.

### 3.5 Leachate Sample Location

During the 2023 sampling events, leachate samples were obtained from the on-site leachate storage tank (i.e., LT-C4LR). The sampling location at the leachate storage tank, LT-C4LR, is shown on Figure 1-2.

### 3.6 Underdrain Monitoring

The sample locations where underdrain samples were obtained in 2023 are shown on Figures 1-2 and 1-3 and a diagram of the underdrain collection system is included on Figure 3-1. By design, the sampling of the landfill underdrain system provides a means to monitor for landfill cell leakage as the underdrains underlie the landfill liner system. Manhole MH #5, located northeast of Detention Pond 1A, is the sample location which receives groundwater entering the underdrains beneath Cells 1, 2, 3A, 3B, 4, and 7. The



- NOTES:**
1. THE SAMPLING LOCATION FOR CELL 15 TO BE ESTABLISHED.
  2. TOPOGRAPHY FROM AERIAL SURVEY PERFORMED BY AERIAL SURVEY & PHOTO INC., NORRIDGEWOCK, MAINE. PHOTO DATE 6/23/2023. VERTICAL DATUM: BRASS PLUG AT FORMER LEACHATE POND PUMP STATION. HORIZONTAL DATUM: MAINE STATE COORDINATES EAST ZONE NAD 83. GROUND CONTROL BY SEVEE & MAHER ENGINEERS, INC, CUMBERLAND, MAINE.

- LEGEND**
- 9 CELL IDENTIFICATION
  - ▼ UNDERDRAIN SAMPLE LOCATION

FIGURE 3-1  
 UNDERDRAIN PIPING LAYOUT AND  
 MONITORING LOCATIONS  
 JUNIPER RIDGE LANDFILL  
 OLD TOWN, MAINE



I:\server\ofc\Casella\OldTownLandfill\General\SiteInfo\Acad\EMP.dwg, UD MONLOCS FIG3-1, 3/25/2024 12:41:40 PM, bwb

sampling location for the underdrain for Cell 6 (LF-UD-6) is from a stilling well in the underdrain line. The base grades for Cells 5 and 6 were designed such that the Cell 5 underdrain would also accommodate flow from the Cell 6 underdrain. The combined flow from the Cells 5 and 6 underdrains then drains to a 6-inch-diameter pipe outfall located on the southern perimeter of the landfill, which is sampled as a composite sample (LF-UD-5 and 6).

The underdrain for Cell 8 was constructed in 2012 at a discrete location shown on Figure 3-1. LF-UD-8 was added to the monitoring program during the April 2013 sampling event as the underdrain monitoring location for Cell 8. The underdrain for Cell 9, LF-UD-9, was constructed in 2015 and was added to the monitoring program during the April 2016 sampling event. With the construction of Cell 10 in 2017, the underdrain piping and sample collection location of the underdrain for LF-UD-9, which was located in a temporary underdrain manhole adjacent to Cell 9, was extended to the south outside of the Cell 10 perimeter berm. The underdrain for Cell 10, LF-UD-10, was constructed in 2017 outside of the southern perimeter berm of Cell 10, and was added to the monitoring program during the October 2017 sampling event.

The Cell 12 underdrain, LF-UD-12, was monitored in spring of 2021. Samples for the underdrains for Cells 12 through 14 are now collected as a combined sample at monitoring location LF-UD-12+13+14, which was first monitored in fall 2022. Data from LF-UD-12 has been combined with data from LF-UD-12+13+14.

Manhole location MH #7, which is located southwest of Detention Pond 1A, is the sample location for LP-UD-1 and LP-UD-2, which monitors groundwater entering the southern and northern underdrains, respectively, of Detention Pond 1A.

Underdrain samples were obtained by SME as part of routine monitoring and analyzed for the detection monitoring parameters. Samples were also obtained monthly by NEWSME for field parameters. The underdrain sample locations LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, LF-UD-5 and 6, LF-UD-6, LF-UD-7, LF-UD-8, LF-UD-9, LF-UD-10, LP-UD-1, and LP-UD-2 were sampled during 2023, unless those locations were dry or their sample pipe inverts were submerged.

Historically, during times when LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, and LF-UD-7 were not able to be sampled separately due to pipe invert submergence, LF-COMP has been obtained from the manhole MH #5. This sample provides a composite sample of the subject underdrain locations. Sample pipe submergence did not occur during the three 2023 detection monitoring events. LF-COMP samples were obtained from manhole MH #5 and analyzed for field parameters during each of the twelve 2023 monthly monitoring events regardless of the level of the liquid level in the manhole.

Composite LP-COMP samples have never been obtained during the routine monitoring events in 2023 because pipe invert submergence did not occur at individual sample locations LP-UD-1 and LP-UD-2. LP-COMP samples were obtained and analyzed for field parameters during each of the twelve 2023 monthly monitoring events regardless of the level of the liquid level in the manhole.

### 3.7 Leak Detection Monitoring

Detection monitoring began in 2021 at landfill leak detection sampling locations LF-LD-11 and LF-LD-12 for the Cells 11 and 12 leak detection systems, respectively. Detection monitoring began in 2022 at landfill leak detection sampling location LF-LD-13 for the Cell 13 leak detection system and in 2023 for landfill leak detection sampling location LF-LD-14 for the Cell 14 leak detection system. Detection monitoring for landfill leak detection sampling location LF-LD-15 for the Cell 15 leak detection system will begin in 2024. Monitoring locations LF-LD-11, LF-LD-12, LF-LD-13, LF-LD-14, and LF-LD-15 are shown on Figure 3-1.

### 3.8 Annual Monitoring Well Specific Conductance Measurements

Specific conductance measurements were measured in 2023 from an expanded list of monitoring wells surrounding the existing landfill operations at JRL during the October monitoring event based on the MEDEP's request in 2008. Locations measured annually for specific conductance are listed in Table 3-3 and shown on Figure 3-2. The results of the 2023 and historical fall specific conductance measurements are included in Appendix C.

TABLE 3-3


2023 MONITORING WELL AND PIEZOMETER LOCATIONS  
USED FOR ANNUAL SPECIFIC CONDUCTANCE MEASUREMENTS

Location Designation	
DP-4	P-04-02R
MW04-102	P-04-04
MW04-104	P-201A
MW04-105	P-201B
MW04-109R	P-201C
MW09-901	P-201D
MW12-303R	P-201E
MW-204 <sup>1</sup>	P-202A
MW-206	P-202B
MW-216BR	P-206A
MW-223A	P-209A
MW-223B	P-209B
MW-227	P-209C <sup>2</sup>
MW-301	P-211A
MW-401A	P-211B
MW-401B	P-220A <sup>3</sup>
MW-402A	P-220B <sup>3</sup>
MW-402B	
<p><b>Notes:</b></p> <p><sup>1</sup> MW-204 was found damaged in October 2023 and was not monitored for specific conductance. MW-204 has been repaired and will be monitored in 2024.</p> <p><sup>2</sup> Similar to most other years, P-209C was dry in October 2023 and specific conductance was not measured at this location.</p> <p><sup>3</sup> P-220A and P-220B have not been monitored since 2021 because the area was flooded due to a beaver dam.</p>	

### 3.9 Water Quality Landfill Gas Monitoring Program

Concurrent with the routine water quality monitoring events in 2023, site monitoring wells, underdrain locations, leachate manholes, a leak detection manhole, and JRL site property boundaries were monitored for the presence of landfill-related gases using a hand-held gas meter. Figures 1-2 and 1-3 show the gas monitoring locations associated with the landfill’s water quality monitoring program. The results of the 2023 and historical landfill gas monitoring are discussed in Section 9.0.







**NOTES**

1. TOPOGRAPHY FROM AERIAL SURVEY PERFORMED BY AERIAL SURVEY & PHOTO INC., NORRIDGEWOCK, MAINE. PHOTO DATE 6/23/2023. VERTICAL DATUM: BRASS PLUG AT FORMER LEACHATE POND PUMP STATION. HORIZONTAL DATUM: MAINE STATE COORDINATES EAST ZONE NAD 83. GROUND CONTROL BY SEVEE & MAHER ENGINEERS, INC, CUMBERLAND, MAINE.
2. REMAINDER OF BASE MAP PREPARED BY AERIAL SURVEY & PHOTO INC., NORRIDGEWOCK, MAINE. PHOTO DATE 6/24/21. VERTICAL DATUM: BRASS PLUG AT PUMP STATION AND AT THE ADMINISTRATION BUILDING. HORIZONTAL DATUM: MAINE STATE COORDINATES EAST ZONE NAD 83. GROUND CONTROL BY SEVEE & MAHER ENGINEERS, INC, CUMBERLAND, MAINE.
3. PROPERTY LINE LOCATIONS ARE A RESULT OF FIELD SURVEY PERFORMED BY HERRICK AND SALSBURY, INC. LAND SURVEYORS, ELLSWORTH, MAINE FOR TRYTON TREE FARM PROJECT, PATTEN CORPORATION-DOWNEAST, OLD TOWN, MAINE, FEBRUARY 23, 1988, REVISED APRIL 7, 1988.
4. LOCATIONS OF EXPLORATIONS ARE APPROXIMATE.

**LEGEND**

-  MW-402B GROUNDWATER SAMPLING LOCATION
-  MW-302R DECOMMISSIONED GROUNDWATER SAMPLING LOCATION



**FIGURE 3-2**  
**MONITORING WELL LOCATIONS USED FOR**  
**ANNUAL CONDUCTIVITY MEASUREMENTS**  
**JUNIPER RIDGE LANDFILL**  
**OLD TOWN, MAINE**



## **4.0 MONITORING PARAMETERS**

### **4.1 Detection Monitoring Program**

Table 3-3 shows the monitoring locations where detection monitoring was performed in 2023. Sampling during 2023 was completed in general accordance with the current EMP for the JRL (revised April 2016) and the EMP for the JRL expansion (revised June 2017). The detection monitoring parameters are listed in Table 4-1. In instances where Table 3-3 shows a monitoring location is monitored for field parameters, the only measurements taken are groundwater elevation, specific conductance, dissolved oxygen, pH, temperature, turbidity, and monitoring well pumping rate or surface water flow rate.

Analysis for volatile organic compounds (VOCs) was included during the April monitoring event for multiple locations (LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, LF-UD-5 and 6, LF-UD-6, LF-UD-7, LF-UD-8, LF-UD-9, LF-UD-10, LF-UD-12+13+14, LP-UD-1, LP-UD-2, and MW-401B), provided that there was sufficient water available to sample at these locations. The leachate samples (LT-C4LR) were analyzed for the same VOCs list during the April, July, and October 2023 monitoring events. LT-C4LR was also analyzed for the parameters listed in Appendix A, Column 3 of the Chapter 405 MEDEP Solid Waste Regulations during the April 2023 monitoring event. The Cell 15 baseline monitoring program monitoring wells were also each monitored for VOCs during the baseline monitoring events in 2023.

A supplement to the 2023 monitoring program included sampling and analysis for dissolved methane at monitoring well MW-223B in April 2023 and pore-water sampling locations PWS10-1, PWS10-2, and PWS10-3 in April, July, and October 2023. Dissolved methane is also included in the EMP for the JRL expansion. The results of the 2023 dissolved methane monitoring are discussed in Section 8.0.

TABLE 4-1

2023 DETECTION MONITORING ANALYTICAL PROGRAM

Water Quality Parameter	Method	PQL <sup>1</sup> (mg/l) <sup>2</sup>
Total Dissolved Solids	SM 2540C	10
Total Suspended Solids	SM 2540D	2.5
Total Organic Carbon (TOC)	SW9060A	2.0
BOD <sub>5</sub> <sup>3</sup>	SM 5210B	2
Arsenic (As)	SW6010C/3010A	0.005
Calcium (Ca)	SW6010C/3010A	0.3
Iron (Fe)	SW6010C/3010A	0.05
Magnesium (Mg)	SW6010C/3010A	0.3
Manganese (Mn)	SW6010C/3010A	0.05
Potassium (K)	SW6010C/3010A	0.3
Sodium (Na)	SW6010C/3010A	0.3
Chloride (Cl <sup>-</sup> )	SWE300/9056A	1.0
Copper (Cu) <sup>9</sup>	SW6010C/3010A	0.003
Sulfate (SO <sub>4</sub> )	SWE300/9056A	2.0
Sulfide <sup>4,9</sup>	HACH 8131	0.1 <sup>1</sup>
Volatile Organic Compounds (VOCs) <sup>5</sup>	U.S.EPA 8260C	0.005-0.02
Ammonia (NH <sub>3</sub> -N) <sup>9</sup>	SM 4500 NH <sub>3</sub> B/ SM4500 NH <sub>3</sub> C	0.5
Total Alkalinity <sup>9</sup>	SM 2320B	1.5
Nitrate + Nitrite	EPA 353.2	0.05
Total Kjeldahl Nitrogen (TKN) <sup>7</sup>	SM 4500 NorC/NH <sub>3</sub> D-11	0.2 <sup>1</sup>
Total Phosphorous <sup>8</sup>	U.S.EPA 365.3	0.04
Boron <sup>9</sup>	SW6010C/3010A	0.05
Bromide	SW9056A	0.1
Methane <sup>9,10</sup>	EPA 8015B(MOD RSK-175)	0.02
<b>FIELD PARAMETERS</b>		
Groundwater Elevation	Field Measurement	NA
Specific Conductance	Field Measurement	NA
Dissolved Oxygen	Field Measurement	NA
pH	Field Measurement	NA
Temperature	Field Measurement	NA
Turbidity	Field Measurement (APHA 2130)	NA
Eh	Field Measurement	NA
Monitoring Well Pumping Rate	Field Measurement	NA
Water Flow Rate <sup>11</sup>	Field Measurement	NA
Field Observations	Field Observations	NA
<b>Notes:</b>		
1 Practical Quantitation Limits (PQLs) have been defined by U.S.EPA as up to 10 times the method or instrument detection limit and therefore may vary between laboratories.		
2 Abbreviations: mg/l = milligrams per liter; NA = Not Applicable.		
3 Surface water locations only.		
4 Sulfide is analyzed on the spring leachate sample.		
5 VOCs are the 47 organic constituents listed in Appendix I of 40 CFR Part 258. PQLs for VOCs are the lab method detection limits which are reported as micrograms per liter (µg/l). Also, diethyl ether and tetrahydrofuran will be included in the reported compounds. After two rounds of Characterization monitoring these compounds will only be sampled in the landfill leachate on a routine basis.		
6 During spring sample event, MW-401B, LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, LF-UD-5, LF-UD-6, LF-UD-7, LF-UD-8, LF-UD-9, LF-UD-10, LF-UD-12+13+14, LP-UD-1, and LP-UD-2 are analyzed for VOC compounds. Leachate is analyzed for VOC compounds during all three monitoring events.		
7 Monitoring wells and leachate only.		
8 Pore-water, surface waters, stormwater, and underdrain only.		
9 Cells 11 through 17 monitoring wells. Cells 11 through 17 Leak Detection and Underdrain locations (summer only).		
10 Porewater, P-04-07A&B, MW-04-09A&B, P-04-11A&B, MW-206, P-206A, and MW-223B.		
11 Surface water, leak detection, and underdrain samples only.		
<b>Method Reference:</b> The analytical methods selected are presented in <u>Test Methods for Evaluating Solid Waste</u> , OSWER, SW-846, Third Edition, as revised; <u>Methods for Chemical Analysis of Water and Wastes</u> , EMSL, EPA-600/4-79-020, revised March 1983; and <u>Standard Methods for the Examination of Water and Wastewater</u> , APHA, 22nd Edition, 2012. Equivalent and appropriate analytical methods may be substituted with Juniper Ridge Landfill approval, e.g., manual for automated and vice versa.		

## 5.0 SAMPLING TECHNIQUES

### 5.1 Monitoring Wells

Groundwater samples from monitoring wells and piezometers are obtained utilizing the low-flow sample collection techniques in general accordance with the EMP for the JRL. The low-flow sampling program includes dedication of 1/8-inch-diameter (I.D.) polyethylene tubing in each well. The tubing is secured at the top of the well such that the inlet of the tubing is placed approximately at the middle of the screen zone in each well. Prior to sampling, the static water level is measured in each well. A peristaltic pump with an adjustable flow rate is used to purge and sample monitoring wells with relatively shallow water tables. Monitoring wells with water tables greater than 28 feet below ground surface (bgs) are sampled with dedicated submersible pumps rather than a peristaltic pump due to the depth of the groundwater.

The low-flow sampling procedure at the JRL consists of purging the monitoring wells at approximately 100 to 200 milliliters per minute. While the wells are being purged, water levels and field parameter measurements of specific conductance, temperature, pH, Eh, dissolved oxygen, and turbidity are taken through a flow-through cell at regular intervals. Field parameters and water level measurements are monitored to determine if parameter stabilization has occurred as outlined in the EMP. Once stabilization of the field parameters has occurred, in particular for water level and turbidity, a sample is obtained for chemical analysis. Several of the wells have very low recharge rates and therefore do not stabilize even under these low purge rates. For these wells, a sample is obtained after purging the liquid present in the sampling tube and pump.

### 5.2 Surface Water, Stormwater, Underdrain, Leak Detection, and Leachate Sampling Locations

Grab samples are obtained at the surface water, stormwater, underdrain, leak detection, and leachate sampling locations, which is consistent with historical sampling methods and in accordance with the EMP. These samples are not filtered prior to analysis.

### 5.3 Pore-Water Sampling Locations

The pore-water samples are obtained in the following manner:

1. The pore-water sampling apparatus (i.e., pore-water sampler) is decontaminated with Alconox® and deionized water solution followed by several deionized water rinses;
2. The area to be sampled is entered from an area downstream from the sample point. Caution is used not to disrupt the area where the pore-water sampler will be used;
3. The pore-water sampler is gently pushed approximately two feet into the soil surface in the sampling location area specified in the EMP. The inner rod remains inside of the pore-water

sampler as it is pushed into the soil surface in order to maintain the integrity of the pore-water sample;

4. Once the pore-water sampler is advanced approximately two feet into the soil surface, the inner rod is removed and a new, clean piece of polyethylene tubing is attached to the top of the pore-water sampler using a new, clean silicone tube coupling;
5. Water is pumped from the pore-water sampler at a rate of approximately 100 to 200 milliliters per minute with a peristaltic pump;
6. Field parameters are monitored at a regular interval until stabilization criteria are met, or until the pore-water sampler runs out of water. If the pore-water sampler runs out of water, it is allowed to recharge and samples are then obtained for laboratory analyses; and
7. After sampling is complete, the pore-water sampler is removed from the soils and a labeled grade stake is installed at the sampling location that clearly identifies the location for future sample collection from the same general location.

#### 5.4 Water Quality Landfill Gas Monitoring

Gas monitoring at the monitoring wells, underdrain locations/manholes, leak detection manhole, and JRL site property boundaries is done using a hand-held gas meter. Measurement of headspace gas in the monitoring wells is accomplished by placing the probe tip into the upper few inches of the well casing immediately after the well cap is removed. Gas measurements at underdrain and leak detection manhole locations are measured by placing the probe at the manhole opening where samples are obtained. The meter is calibrated daily before use. Methane-equivalent, carbon dioxide, and oxygen are reported as percent by volume. Hydrogen sulfide is reported in parts per million by volume.

#### 5.5 Sample Handling and Chain-of-Custody

After obtaining the water quality samples in 2023, the samples were preserved on ice in coolers and shipped by SME to Maine Environmental Laboratory (MEL) of Yarmouth, Maine for analyses. Eastern Analytical, Inc. of Concord, New Hampshire, Katahdin Analytical Services of Scarborough, Maine, and Alpha Analytical of Westborough, Massachusetts performed some of the analyses under contract to MEL. Chain-of-custody sheets prepared by the sampling personnel accompanied the samples and contain the signatures documenting the transfer of the water quality samples from the field sampler to the receiving laboratory.

## **6.0 DATA VALIDATION AND QUALITY ASSURANCE (QA)/QUALITY CONTROL (QC)**

QA/QC activities associated with sampling include the utilization of standardized collection procedures and sample data records, calibration of field instruments, and the use of chain-of-custody procedures. SME followed the EMP procedures to ensure that both the field instruments and protocols employed generate data that are reliable and provide valid analytical results. Instruments were calibrated, analyses were conducted to determine potential matrix interference as necessary, precision and accuracy were checked, and hold-times were verified. Analytical QA/QC involves the use of approved analytical protocols by a qualified laboratory. Water quality samples that were analyzed outside of the required hold-times are identified in Appendix D.

Data validation and laboratory quality control procedures were followed and documented as described in the MEDEP Solid Waste Management Rules, Chapter 405. During 2023 monitoring events, duplicate water quality samples were obtained from several monitoring locations, as discussed in water quality data submittals for each round. Reports on Relative Percent Difference (RPD), calculated ratios of total dissolved solids to specific conductance, and values falling outside of historical ranges for each monitoring event were presented in each of the three data transmittals provided in 2023.

## **7.0 DATA ANALYSIS**

Appendix D contains tables of historical water quality data collected over the past ten years including 2023 for the sampling locations and parameters identified in this report. Water quality data for the site have been quantitatively evaluated using the methods described below and qualitatively evaluated based on the knowledge of the site hydrogeologic conditions developed from the extensive site investigations and the status of site development and operations. Detailed discussion and evaluations of the water quality from sampling locations are presented in Section 8.0. Conclusions about site water quality are based on a combination of the quantitative and qualitative methods used to evaluate the water quality data.

### **7.1 Concentrations above MCL, LHA, DWA, MFCCC**

Parameters measured at the site groundwater monitoring wells and pore-water sample locations that were above their respective Maine and U.S.EPA drinking water quality standards during 2023 are identified in detail in Sections 8.3 and 8.4. The Maine Center for Disease Control (MECDC) uses the U.S.EPA drinking water standards and health advisory levels for contaminants found in well water in Maine.<sup>7</sup> The health-related U.S.EPA drinking water standards and health advisory levels include:

- Maximum Contaminant Levels (MCLs);
- Life-time Health Advisory (LHA) Levels; and
- Health-Based Drinking Water Advisories (DWAs).

Parameters measured at the site surface water and stormwater monitoring locations that were above their Maine Freshwater Criterion Continuous Concentrations (MFCCCs) during 2023 are identified in detail in Section 8.4.

### **7.2 Key Indicator Parameters for Comparison to JRL Leachate**

For each of the site monitoring locations, specific conductance, chloride, and arsenic concentrations are summarized as key indicator parameters for comparison to JRL leachate concentrations. Generally, at a given water quality monitoring location, if landfill leachate were present, there would be a notable, significant, increase in specific conductance values and chloride and arsenic concentrations (in conjunction with changes in other parameter concentrations) due to their presence at high concentrations in the JRL leachate. In 2023, the annual maximum value of specific conductance in JRL leachate (i.e., monitoring location LT-C4LR) was 20,000  $\mu\text{mhos/cm}$  in April 2023. The annual maximum concentrations

---

<sup>7</sup> United States Environmental Protection Agency, 2018. 2018 Edition of the Drinking Water Standards and Health Advisory Tables.

of chloride and arsenic at monitoring location LT-C4LR were 5,000 mg/L (April and July 2023) and 0.43 mg/L (July 2023), respectively.

Specific conductance gives an indication of the total dissolved constituents at each monitoring location. Chloride is useful in assessing the site water quality in comparison to JRL leachate due to its conservative nature in terms of adsorption, precipitation, and degradation in the groundwater environment. It is important to note that increases in chloride may also be due to runoff and recharge from salting or dust control of nearby roadways. Therefore, increases in chloride levels also need to be reviewed relative to site conditions.

Currently, there are limited occurrences of arsenic MCL (0.01 mg/L) exceedances in site groundwater that are attributed to reducing conditions associated with decreasing groundwater recharge from site development. These reducing conditions are interpreted to favor reductive dissolution of arsenic and iron hydroxides that are present naturally in the soils and bedrock, which results in the release and mobility of dissolved arsenic in the groundwater. The highest arsenic concentration at the JRL water quality monitoring locations in 2023 (0.020 mg/L at MW-402B in April 2023) is more than an order-of-magnitude lower than in the JRL leachate in 2023. The historical maximum arsenic concentration in the JRL leachate is 0.6 mg/L (July 2017). If observed, occurrence of arsenic concentration increases in the JRL water quality monitoring locations, accompanied by increases in specific conductance values and chloride concentrations, may be a reliable indicator of landfill impacts resulting from the presence of JRL leachate.

Bromide was added to the monitoring program during 2013. Section 8.1 includes an evaluation of the chloride to bromide ratios for the JRL leachate during 2023 and how they compare to chloride to bromide ratios for site monitoring locations during 2023.

### 7.3 Data Plots and Data Summary Sheets

Water quality data for each monitoring location are summarized in the data summary sheets contained in Appendix E. The summary sheet prepared for each sampling location contains a map and description of the monitoring point, a 2023 water quality data summary, and a statistical summary of the historical data prior to 2023. Parameter concentrations that exceeded the last twenty years of historical minimum and maximum concentration values in 2023 at site monitoring locations are identified on the individual water quality summary sheets contained in Appendix E.

Also included in Appendix E are data plots of select monitoring parameter data for each of the sampling locations. The data plots graphically provide a useful way to visually identify long-term and short-term trends in the water quality data.



#### 7.4 Mann-Kendall Trend Analyses

Mann-Kendall trend analyses were run for the JRL water quality data to screen for potential statistically significant changes in water quality parameter concentrations over time. The Mann-Kendall analysis was chosen because it is nonparametric and is robust to outliers, missing data, and non-detects. Time-series plots of water quality parameter concentrations often contain multiple trends over time due to various factors. In order to evaluate current trends for this annual report, the Mann-Kendall trends were analyzed over a five-year time period at a 95 percent confidence level.

The Mann-Kendall results for groundwater, surface water, stormwater, leachate, leak detection, and underdrain locations are provided in Appendix F and are discussed by location in Section 8.0.

Although rapid increases in concentrations of multiple parameters at a monitoring location may reflect site operational impacts such as spillage of leachate or landfill liner leakage, changes in multiple parameter values at a given monitoring location can also result from changes in groundwater conditions unrelated to the landfill leachate. As an example, decreases in natural precipitation recharge to the groundwater will change redox, alkalinity, and pH conditions, which results in the release of various constituents such as iron, manganese, and arsenic from soils and bedrock into the groundwater. Nearly all chemical constituents are subject to changes in concentrations resulting from interactions between soil, rock, and groundwater.

Increases in multiple (i.e., four or more) parameters, especially key indicator parameters, are noted in our evaluation of the water quality in the site monitoring locations. At locations where this criterion is met, further assessment of water quality data and site conditions is completed to ascertain the potential causes for the change in water quality.

The trend analyses are used as a screening tool to review the water quality and must be viewed in conjunction with other factors such as the specific parameters exhibiting trends and the parameter concentrations detected at the monitoring locations (i.e., a specific parameter could have an increasing trend, but remain within a range consistent with upgradient concentrations). The results of the trend screening analyses are compared visually with the time-series plots (data plots) described above to aid in assessing the actual significance of a statistical trend.

#### 7.5 Stiff and Piper Diagram Construction

Stiff and Piper Diagrams were constructed for multiple monitoring locations to assist in the evaluation of water quality at these locations in 2023. These diagrams are graphical representations of select parameters that display the major ion composition of a water quality sample. They were used at several of the monitoring locations to compare the ionic composition of the water quality samples to other

sample results such as upgradient locations and/or the landfill leachate to assess potential sources of water at the wells. This can be a valuable tool to compare water quality between various locations since it can be used to “fingerprint” ionic ratios, independent of concentration. See Appendix G and Appendix H for Stiff and Piper diagrams.

## **8.0 WATER QUALITY EVALUATION**

The 2023 water quality data for the JRL is generally consistent with the historical data for the site. The 2023 water quality data from monitoring locations at the JRL are consistent with their setting among the construction and operational activities of the landfill. Site groundwater, surface water, and underdrain quality data do not show adverse effects from the performance of the landfill cells or leachate collection and transport systems. Water quality changes have been observed at the JRL, both upgradient and downgradient from the landfill. These trends are largely attributable to landfill operations and changes in redox conditions, which occur as expected around the landfill due to the construction of the landfill (e.g., from removal of vegetation, disturbance of native soils, and the cutoff of precipitation in the landfill area), and do not indicate any significant landfill related impacts to water quality from malfunction of the landfill liners.

Arsenic is the only parameter analyzed in groundwater monitoring wells that was detected above an MCL in 2023. During 2023, arsenic concentrations were generally low at the site-wide monitoring locations. Of the 45 wells sampled in 2023, only six wells had arsenic concentrations detected above the MCL (0.01 mg/L). The maximum arsenic concentration detected at site-wide monitoring locations was 0.020 mg/L at MW-402B in April 2023. There were no arsenic concentrations detected above the MCL at pore-water sampling locations PWS10-1, PWS10-2, and PWS10-3 in 2023. There were no arsenic MFCCC exceedances during 2023 at surface water monitoring locations SW-1, SW-2, and SW-3. Arsenic was detected slightly above its MCL at pore-water sampling location PWS-4 (0.011 mg/L in April 2023) but was not detected above the laboratory reporting limit of 0.005 mg/L during monitoring at that location in March, June, July, and October 2023. SW23-4 had an arsenic concentration of 0.01 mg/L in July 2023, but was not detected in March, April, June, or October of 2023.

Low arsenic concentrations in 2023 are a continuation of a trend observed since 2017 of generally lower site-wide concentrations of arsenic compared to concentrations prior to 2017. In contrast to 2023 arsenic data, all routine monitoring wells (19 at the time) and two of the three pore-water sampling locations had arsenic MCL exceedances during one or more sampling event in 2016.

The presence of arsenic at JRL monitoring locations in 2023, while limited, is attributed to reducing conditions associated with decreasing groundwater recharge from site development. These reducing conditions are interpreted to favor reductive dissolution of arsenic and iron hydroxides that are present naturally in the soils and bedrock, which results in the release and mobility of dissolved arsenic in the groundwater.

Observations relative to the site water quality data for 2023, in terms of historical and regulatory comparisons and site setting, are discussed below for: leachate (Section 8.1); underdrain (Section 8.2); groundwater (Section 8.3); and surface water, stormwater, and pore-water (Section 8.4) monitoring

locations. Water quality parameter data not specifically discussed in this report are considered to be generally consistent with the previously obtained water quality data for the JRL.

## 8.1 Leachate

The landfill leachate is sampled and analyzed as part of the ongoing water quality monitoring program. Leachate samples were obtained from the on-site leachate storage tank (i.e., LT-C4LR) during 2023. Leachate sampling location LT-C4LR replaced the former leachate sampling location in July 2013 in order to obtain leachate samples that are representative of leachate from all of the landfill cells. The leachate at LT-C4LR was sampled for the parameters in the detection monitoring analytical program (see Table 4-1) in July 2023 and October 2023 and was sampled for the parameters listed in Appendix A, Column 3 of the Chapter 405 MEDEP Solid Waste Rules in April 2023. Leachate samples associated with compliance monitoring for off-site wastewater treatment are also obtained at the leachate storage tank when transport tanker trucks are being loaded. During 2023, approximately 26.5 million gallons of leachate were loaded into tanker trucks and transported from JRL for off-site treatment.

### **2023 Leachate Parameters that Fall Outside of Historical Range**

Leachate parameter values during 2023 and historically are generally characterized by high concentrations. There were multiple parameters that were detected outside of their respective historical ranges during 2023 for LT-C4LR. The parameters with new historical maximum or minimum values at LT-C4LR in 2023 are summarized in Table 8-1. Laboratory reporting limits have decreased in the past few years. Typically VOC reporting limits were 10 to 40 µg/L and are currently 0.5 to 1 µg/L, which correlates to seeing historic highs in the data, at levels which could not have been measured previously.

TABLE 8-1

SUMMARY OF LT-C4LR PARAMETERS WITH NEW HISTORICAL MINIMUM OR MAXIMUM VALUES IN 2023

Parameter and Units	Date	New Historical Minimum Value	New Historical Maximum Value
Vinyl Chloride (µg/L)	4/18/2023	-	1.5 (0.75)
Benzene (µg/L)	4/18/2023	-	6.6 (5.6)
	7/11/2023	-	6.2 (5.6)
Styrene (µg/L)	10/2/2023	-	2.0 (1.4)
o-Xylene (µg/L)	4/18/2023	-	8.5 (8.0)
	7/11/2023	-	11 (8.0)
	10/2/2023	-	9.9 (8.0)
m,p-Xylene (µg/L)	4/18/2023	-	16 (13)
	7/11/2023	-	19 (13)
	10/2/2023	-	20 (13)
cis-1,2-Dichloroethene (µg/L)	7/11/2023	-	3.2 (2.5)
	10/2/2023	-	3.1 (2.5)
Diethyl Ether (µg/L)	10/2/2023	-	35 (16)
Cyanide (µg/L)	4/18/2023	-	810 (430)
Chromium (mg/L)	4/18/2023	-	0.29 (0.21)
Iron (mg/L)	7/11/2023	2.9 (3.1)	-
Dissolved oxygen (mg/L)	10/2/2023	0.1 (0.2)	-
<p><b>Notes:</b>                      Previous historical maximum and minimum values are shown in parentheses.                      U = not detected above indicated laboratory reporting limit</p>			

**2023 Leachate Key Indicator Parameters**

The specific conductance values at LT-C4LR in 2023 ranged from 17,673 µmhos/cm in October 2023 to 20,000 µmhos/cm in April 2023. Chloride concentrations at LT-C4LR in 2023 ranged from 3,900 mg/L in October 2023 to 5,000 mg/L in April and July 2023. Arsenic concentrations at LT-C4LR in 2023 ranged from 0.25 mg/L in October 2023 to 0.43 mg/L in July 2023. The 2023 data from the leachate monitoring location is included in Appendix D.

**2023 Leachate Mann-Kendall Trends**

The results for the five-year Mann-Kendall trends at LT-C4LR are provided in Appendix F. There are six parameters (ammonia, arsenic, bicarbonate, chromium, nickel, and total Kjeldahl nitrogen) with statistically significant increasing trends and six parameters (calcium, chloride, dissolved oxygen, magnesium, sulfate, and total suspended solids) with statistically significant decreasing trends for LT-C4LR over the past five years.

### **2023 Leachate VOCs, SVOCs, Herbicides, Pesticides, and PCBs**

Leachate was monitored for VOCs, SVOCs, herbicides, pesticides, and PCBs in April 2023 at LT-C4LR and for VOCs during the July 2023 and October 2023 monitoring events at LT-C4LR. Appendix D includes the monitoring results at LT-C4LR for 2023. The results of VOC, SVOC, herbicide, pesticide, and PCB parameters at LT-C4LR detected during 2023 at levels above their respective laboratory reporting limits are summarized below:

- Acetone (1,300 µg/L in April 2023, 430 µg/L in July 2023, and 930 µg/L in October 2023);
- Vinyl chloride (1.5 µg/L in April 2023);
- 1,1-Dichloroethane (1.0 µg/L in October 2023);
- 1,2-Dichloroethane (2.0 µg/L in April 2023, 2.4 µg/L in July 2023, and 5.3 µg/L in October 2023);
- cis-1,2-Dichloroethene (2.5 µg/L in April 2023, 3.2 µg/L in July 2023, and 3.1 µg/L in October 2023);
- trans-1,2-Dichloroethene (5.3 µg/L in October 2023)
- Tetrachloroethene (1.3 µg/L in October 2023);
- Methyl ethyl ketone (900 µg/L in April 2023, 300 µg/L in July 2023, and 780 µg/L in October 2023);
- Benzene (6.6 µg/L in April 2023, 6.2 µg/L in July 2023, and 5.5 µg/L in October 2023);
- 4-Methyl-2-pentanone (46 µg/L in April 2023, 27 µg/L 2023 in July 2023, and 33 µg/L in October 2023);
- Toluene (33 µg/L in April 2023, 30 µg/L in July 2023, and 48 µg/L in October 2023);
- Ethylbenzene (12 µg/L in April 2023, 13 µg/L in July 2023, and 13 µg/L in October 2023);
- m,p-Xylene (16 µg/L in April 2023, 19 µg/L in July 2023, and 20 µg/L in October 2023);
- o-Xylene (8.5 µg/L in April 2023, 11 µg/L in July 2023, and 9.9 µg/L in October 2023);
- Tetrahydrofuran (480 µg/L in April 2023, 450 µg/L in July 2023, and 560 µg/L in October 2023);
- 1,4-Dichlorobenzene (1.3 µg/L in April 2023, 1.3 µg/L in July 2023, and 1.3 µg/L in October 2023);
- Diethyl ether (16 µg/L in April 2023, 12 µg/L in July 2023, and 35 µg/L in October 2023);
- Methylene chloride (30 µg/L in October 2023);
- Styrene (1.2 µg/L in July 2023 and 2.0 µg/L in October 2023);
- Acetophenone (12 µg/L in April 2023);
- Naphthalene (16 µg/L in April 2023);

- Phenol (84 µg/L in April 2023); and
- 3&4-Methylphenol (210 µg/L in April 2023).

During 2023, multiple rounds of baseline monitoring, including for VOCs, were conducted at monitoring locations MW-508 (March, April, and June), OW-610A (January, April, and June), P-04-07A (March, April, and June), P-04-07B (March, April, and June), PWS-4 (March, April, June, July, and October), and SW23-4 (March, April, June, and July). Tetrahydrofuran was detected at P-04-07A at a concentration of 16 µg/L during the March 2023 monitoring event. No other VOCs were detected at any of the wells during any monitoring round.

### **2023 Leachate Bromide Concentrations Compared to Groundwater, Underdrain, Leak Detection, Pore-Water, Surface Water, and Stormwater Bromide Concentrations**

Bromide was present in the leachate (LT-C4LR) samples obtained during 2023 at concentrations ranging from 53 mg/L in April 2023 to 71 mg/L in April 2023, which are within the historical range for bromide at LT-C4LR. The chloride to bromide ratio for the leachate and site monitoring locations is being evaluated for its potential as a useful screening tool for assessing possible leachate influence in water samples obtained from site monitoring locations. The chloride to bromide ratios for the leachate during 2023 were approximately 70 to 1 in April 2023, 79 to 1 in July 2023, and 74 to 1 in October 2023.

While the ratio of chloride to bromide can be used to differentiate a variety of bromide sources,<sup>8</sup> the bromide concentrations in the JRL water quality sampling locations in 2023 were either non-detect or at low values. In 2023, bromide analyses were conducted on a total of 157 samples taken from 62 monitoring locations including groundwater monitoring wells, underdrain monitoring locations, leak detection monitoring locations, pore-water monitoring locations, surface water monitoring locations, and stormwater monitoring locations. 115 of the samples were non-detect at a laboratory reporting limit of 0.10 mg/L.

There were 42 bromide measurements at 24 monitoring locations during 2023 among the groundwater, underdrain, leak detection, pore-water, and surface water monitoring locations with detections above the laboratory reporting limit. Among the 42 bromide detections during 2023, the concentrations ranged from 0.10 mg/L to 0.26 mg/L with a mean concentration of 0.15 mg/L.

Bromide detections at monitoring locations during 2023 were within their respective historical ranges with the following exceptions:

---

<sup>8</sup> Panno, S.V., Hackley, K.C., Hwang, H.H., Greenberg, S.E., Krapac, I.G., Landsbergger, S., and O’Kelly, D.J., 2006, Characterization and identification of Na-Cl sources in ground water. *Ground Water*. 2006 Mar-Apr; 44(2):129.

- Bromide exceeded the previous historical maximum concentration of 0.20 mg/L at MW06-01 in July and October 2023 with concentrations of 0.24 mg/L and 0.23 mg/L, respectively;
- Bromide exceeded the previous historical maximum concentration of 0.24 mg/L at MW-401B in October 2023 with a concentration of 0.25 mg/L;
- Bromide exceeded the previous historical maximum concentration of 0.10 mg/L at OW-605A in July 2023 with a concentration of 0.13 mg/L;
- Bromide exceeded the previous historical maximum concentration of 0.13 mg/L at OW-606A in July 2023 with a concentration of 0.16 mg/L;
- Bromide was detected at the laboratory reporting limit of 0.1 mg/L at OW-611A in July 2023 (0.10 mg/L) for the first time since monitoring began at that location in April 2018; and
- Bromide was detected at the laboratory reporting limit of 0.1 mg/L at P-04-04 in July 2023 (0.10 mg/L) and above the laboratory reporting limit in October 2023 (0.11 mg/L) for the first and second time since bromide sampling began at that location in April 2013.<sup>9</sup>

The 2023 bromide detections and chloride to bromide ratios are summarized in Table 8-2. The bromide concentrations above the laboratory reporting limits during 2023 are generally within the range of naturally occurring bromide concentrations in Maine, particularly in locations such as the JRL site that were in the area of post-glacial sea submergence.<sup>10</sup>

The chloride to bromide ratios summarized in Table 8-2 for the groundwater, underdrain, leak detection, pore-water, and surface water monitoring locations are broad ranging (i.e., from 15 to 1 to 480 to 1), with a median ratio of approximately 104 to 1. The standard deviation of the 42 chloride to bromide ratios calculated is 94, which indicates a high standard deviation and that the data are spread out and not tending toward values similar to the chloride to bromide ratios of the leachate. Only one of the 42 calculated chloride to bromide ratios fell within the same range as JRL leachate monitoring location LT-C4LR during 2023.

The chloride concentrations associated with bromide detections were generally low and ranged from 1.5 mg/L at MW04-109R in October 2023 to 48 mg/L at OW-611B in July 2023. Thirty one of the 42 chloride concentrations associated with bromide detections during 2023 were at concentrations of less than 20 mg/L.

---

<sup>9</sup> Note that the bromide was reported at not detected above the laboratory reporting limit of 0.2 mg/L at P-04-04 in July and October 2016 and April and July 2017.

<sup>10</sup> Snow, M.S., Kahl, J.S., Norton, S.A., Olson, C., 1990. Geochemical determination of salinity sources in ground water wells in Maine. Proc., Focus Conference on Eastern Regional Ground Water Issues, Ground Water, Management No. 3, 1990, pp. 313-327.



Based on a study of 32 locations across 24 states in the United States, potable groundwater that has less than 10 mg/L chloride (which is a similar concentration to most JRL sampling locations) had chloride to bromide ratios ranging from 43 to 1 to 285 to 1 with a median ratio of 101 to 1.<sup>11</sup> These values are generally consistent with the site monitoring locations where bromide was detected at low concentrations (see Table 8-2).

---

<sup>11</sup> Davis, S.N., Fabryka-Martin, J.T., Wolfsberg, L.E., 2004. Variations of bromide in potable groundwater in the United States. *Groundwater* 42 (6), 902-909.

TABLE 8-2

SUMMARY OF CHLORIDE TO BROMIDE RATIOS FOR 2023 BROMIDE DETECTIONS  
ABOVE LABORATORY REPORTING LIMITS

Location Designation	Date	Chloride Concentration (mg/L)	Bromide Concentration (mg/L)	Chloride to Bromide Ratio
LT-C4LR	April 2023	5,000	71	70:1
	July 2023	5,000	63	79:1
	October 2023	3,900	53	74:1
LF-LD-13	July 2023	2.2	0.15	15:1
LF-LD-14	July 2023	2.2	0.10	22:1
LF-UD-5 and 6	July 2023	2.9	0.11	26:1
	October 2023	2.8	0.17	16:1
LP-UD-2	October 2023	2.1	0.10	21:1
MW04-109R	April 2023	5.3	0.13	41:1
	July 2023	3.1	0.13	24:1
	October 2023	1.5	0.10	15:1
MW06-01	April 2023	13	0.19	68:1
	July 2023	13	0.24	54:1
	October 2023	11	0.23	48:1
MW09-901	April 2023	14	0.23	61:1
	July 2023	6.8	0.25	27:1
	October 2023	4.5	0.18	25:1
MW-223A	April 2023	24	0.11	218:1
	July 2023	26	0.12	217:1
	October 2023	26	0.13	200:1
MW-223B	April 2023	32	0.15	213:1
	July 2023	31	0.15	207:1
	October 2023	29	0.12	242:1
MW-301	October 2023	24	0.11	218:1
MW-401A	October 2023	13	0.11	118:1
MW-401B	April 2023	5.4	0.16	34:1
	July 2023	5.4	0.19	28:1
	October 2023	3.9	0.25	16:1
MW-502	April 2023	19	0.18	106:1
	July 2023	18	0.20	90:1
	October 2023	17	0.18	94:1
OW-601A	July 2023	31	0.21	148:1
OW-601B	July 2023	41	0.21	195:1
OW-602A	July 2023	18	0.26	69:1
OW-605A	July 2023	16	0.13	123:1
OW-606A	July 2023	35	0.16	219:1
OW-606B	July 2023	12	0.11	109:1
OW-611B	July 2023	48	0.10	480:1
P-04-04	July 2023	13	0.10	130:1
	October 2023	14	0.11	127:1
PWS10-1	October 2023	5.9	0.10	59:1
PWS-4	July 2023	5.8	0.10	58:1
	October 2023	11	0.14	79:1
SW23-4	July 2023	5.9	0.11	54:1
	October 2023	7.6	0.11	69:1
<p>Note: U = not detected above indicated laboratory reporting limit</p>				

## 8.2 Underdrains

The JRL underdrain monitoring locations for the landfill and Detention Pond 1A are listed in Table 8-3. Where there was flow during 2023 from underdrain monitoring locations, the underdrain monitoring data do not show adverse effects from the performance of the landfill cells or leachate collection and transport systems.

There was no flow at LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, LF-UD-6, LF-UD-7, LF-UD-8, LF-UD-9, LF-UD-10, and LP-UD-1 during any of the three 2023 monitoring events; thus, no samples were obtained. 2023 occurrences of no flow at these underdrain monitoring locations are generally consistent with recently observed patterns. The lack of flowing conditions at underdrain monitoring locations that previously flowed regularly is associated with the lowering of the groundwater table that has resulted from the construction of the landfill expansion cells (see Section 1.2).

LF-UD-12+13+14, which was added to the detection monitoring program in July 2023, was sampled during the July 2023 monitoring event but there was no flow during the October 2023 monitoring event. The sampling pipes in LF-COMP and LP-COMP were not submerged during the three 2023 monitoring events, so those locations were not sampled.

LF-COMP and LP-COMP samples were obtained and analyzed by NEWSME for field parameters during each month of 2023.

### **Comparison of Key Indicator Parameters at Underdrains to JRL Leachate and Summary of Statistically Significant Trend Results**

The 2023 annual maximum specific conductance values and chloride and arsenic concentrations for underdrain monitoring locations are summarized in Table 8-3. The Mann-Kendall analyses results for statistically significant trends for these parameters are summarized in Table 8-3 as well. The complete results for Mann-Kendall analyses are provided in Appendix F.

TABLE 8-3

2023 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES  
AND CHLORIDE AND ARSENIC CONCENTRATIONS AT  
UNDERDRAIN MONITORING LOCATIONS

Location Designation	Annual Maximum Specific Conductance (20,000 µmhos/cm in JRL Leachate in April 2023)		Annual Maximum Chloride (5,000 mg/L in JRL Leachate in April and July 2023)		Annual Maximum Arsenic (0.43 mg/L in JRL Leachate in July 2023)	
	µmhos/cm	Statistically Significant Trend (5-year)	mg/L	Statistically Significant Trend (5-year)	mg/L	Statistically Significant Trend (5-year)
LF-COMP	490	–	NS	I	NS	I
LF-UD-1	NS	I	NS	I	NS	I
LF-UD-2	NS	I	NS	I	NS	I
LF-UD-3A,B	NS	I	NS	I	NS	I
LF-UD-4	NS	I	NS	I	NS	I
LF-UD-5 and 6	379	Increasing	3.2	Increasing	0.005 U	–
LF-UD-6	NS	I	NS	I	NS	I
LF-UD-7	NS	I	NS	I	NS	I
LF-UD-8	NS	I	NS	I	NS	I
LF-UD-9	NS	I	NS	I	NS	I
LF-UD-10	NS	I	NS	I	NS	I
LF-UD-12+13+14	756	I	5.3	I	0.005 U	I
LP-COMP	482	Increasing	NS	I	NS	I
LP-UD-1	NS	I	NS	I	NS	I
LP-UD-2	567	Increasing	2.8	Decreasing	0.005 U	–

**Notes:**  
 U = not detected above indicated laboratory reporting limit  
 NS = Insufficient liquid to obtain a sample in 2023  
 – = no trend  
 I = insufficient data

Annual maximum specific conductance values during 2023 from LF-COMP, LF-UD-5 and 6, LF-UD-12+13+14, LP-COMP, and LP-UD-2 ranged from 379 µmhos/cm (LF-UD-5 and 6 in October 2023) to 756 µmhos/cm (LF-UD-12+13+14 in August 2023). While these values are greater than background specific conductance values (e.g., an annual maximum specific conductance value of 233 µmhos/cm at MW-206 in April 2023), the annual maximum chloride and arsenic concentrations at LF-UD-5 and 6, LF-UD-12+13+14, and LP-UD-2 remain very low or non-detect and do not indicate the influence of JRL leachate. The chloride concentrations among these locations were low with an overall annual maximum value of 5.3 mg/L measured at LF-UD-12+13+14 in July 2023 (chloride was detected in leachate at a concentration of 5,000 mg/L at LT-C4LR in April and July 2023). Arsenic was not detected above the laboratory reporting limit of 0.005 mg/L in any underdrain monitoring locations sampled during 2023 (i.e., LF-UD-5 and 6, LF-UD-12+13+14, and LF-UD-2).

Of note is that the greatest specific conductance value measured in the underdrains in August 2023 at LF-UD-12+13+14 (756 µmhos/cm in August 2023) is anomalously high compared to the monthly measurements in January, February, April, July, and December 2023, which ranged from 100 to 187

µmhos/cm. There was no flow at LF-UD-12+13+14 during the March, May, June, September October, and November 2023 monitoring.

There are insufficient data for five-year Mann-Kendall analyses at LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, LF-UD-6, LF-UD-7, LF-UD-8, LF-UD-9, LF-UD-10, and LP-UD-1 due to the lack of sufficient liquid to obtain a sample at those locations.

For underdrain monitoring locations with sufficient data for analysis, the Mann-Kendall trend analyses for the key indicator parameters (i.e., specific conductance, chloride, and arsenic) generally indicate:

- Stable to increasing trends for specific conductance;
- Stable to increasing trends for the landfill underdrain locations and decreasing trends for the Detention Pond 1A underdrain (i.e., LP-UD-2); and
- No trends for arsenic.

While there are statistically significant increasing trends for chloride at LF-UD-5 and 6 and LP-UD-2, the chloride concentrations at these locations remain very low.

Of the underdrain monitoring locations with sufficient data for Mann-Kendall trend analyses, there were no instances of multiple parameters (i.e., four or more) with three-year statistically significant increasing and/or decreasing trends.

Of the underdrain monitoring locations with sufficient data for Mann-Kendall trend analyses, there was one instance of multiple parameters (i.e., four or more) with five-year statistically significant increasing and/or decreasing trends. There were six parameters (alkalinity, bicarbonate, calcium, specific conductance, total dissolved solids, and turbidity) with statistically significant increasing trends over the past five years at LP-UD-2. Review of the LP-UD-2 data does not indicate influence from the JRL leachate. The 2023 annual maximum chloride concentration at LP-UD-2 was very low (2.8 mg/L in April 2023) and parameters with statistically significant increasing trends at LP-UD-2 generally have similar or marginally greater values compared with upgradient monitoring locations MW-206 and P-206A.

The complete results of the Mann-Kendall analyses are included in Appendix F.

There were no new historical maximum values reported during 2023 monitoring at the underdrain monitoring locations. There were five parameters (calcium, magnesium, potassium, total dissolved solids, and sulfate) with new historical minimum concentrations reported during 2023 at underdrain monitoring location LF-UD-5 and 6.

### **2023 Underdrain VOCs**

VOCs were analyzed at all sampled underdrain locations, both landfill and Detention Pond 1A (former leachate pond) underdrains in April 2023. There were no VOCs detected in 2023 above laboratory reporting limits at any of the sampled underdrain locations.

### **8.3 Groundwater Quality**

During 2023, routine water quality samples were obtained from the 45 monitoring well locations that had sufficient water quantity for sampling at the JRL during the April, July, and October 2023 monitoring events.<sup>12</sup> With few exceptions, historical water quality data from groundwater monitoring locations at the JRL are consistent with their setting, the groundwater flow conditions at the monitoring locations, and normal construction and operational activities of the landfill. Site groundwater data do not show adverse effects from the performance of the landfill cells or leachate collection and transport systems. The 2023 water quality data remain consistent with these interpretations.

### **Comparison of Key Indicator Parameters at Groundwater Monitoring Locations to JRL Leachate and Summary of Statistically Significant Trend Results**

A summary of site-wide groundwater quality in 2023 at the JRL is provided in Table 8-4. The table contains a comparison of 2023 values of key indicator parameters (i.e., specific conductance, chloride, and arsenic) from leachate monitoring location LT-C4LR to the site's 50 groundwater monitoring locations and current statistically significant trends of the key indicator parameters. The table also includes a summary of locations identified with statistically significant trends for multiple (i.e., four or more) parameters. The complete results of the Mann-Kendall trend analyses are provided in Appendix F. The groundwater monitoring locations shown in Table 8-4 are listed in order of 2023 annual maximum specific conductance values by location from high to low.

---

<sup>12</sup> See footnotes 4 through 6 from Section 3.1.

TABLE 8-4  
2023 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES  
AND CHLORIDE AND ARSENIC CONCENTRATIONS AT  
GROUNDWATER MONITORING LOCATIONS

Location Designation <sup>2</sup>	Position Relative to Landfill	Material Screened	Annual Maximum Specific Conductance (20,000 µmhos/cm in JRL Leachate in April 2023)		Annual Maximum Chloride (5,000 mg/L in JRL Leachate in April and July 2023)		Annual Maximum Arsenic (0.43 mg/L in JRL Leachate in July 2023)		Multiple Parameters with Decreasing Trends <sup>2</sup>		Multiple Parameters with Increasing Trends <sup>2</sup>	
			µmhos/cm	Statistically Significant Trend (5-year)	mg/L	Statistically Significant Trend (5-year)	mg/L	Statistically Significant Trend (5-year)	3-Year	5-Year	3-Year	5-Year
OW-06-03	Downgradient Expansion	Overburden	775	–	NS (Dry)	I <sup>3</sup>	NS (Dry)	I <sup>3</sup>	No <sup>3</sup>	No <sup>3</sup>	No <sup>3</sup>	No <sup>3</sup>
MW-223A	Downgradient	Bedrock	675	Increasing	26	Decreasing	0.005 U	–	No	No	No	Yes (6)
MW-223B	Downgradient	Overburden	611	–	32	Decreasing	0.005 U	–	No	Yes (4)	Yes (4)	Yes (6)
OW-611A	Downgradient Expansion	Bedrock (Open Borehole)	553	I	48	I	0.005 U	I	No	I	No	I
OW-601A	Downgradient Expansion	Bedrock	545	Increasing	31	–	0.005 U	–	No	No	No	No
P-04-07B	Downgradient Expansion	Bedrock	526	I	63	I	0.005 U	I	I	I	I	I
OW-610A	Downgradient Expansion	Bedrock	521	I	28	I	0.0051	I	I	I	I	I
MW09-901	Downgradient	Overburden	487	–	14	–	0.005 U	–	No	Yes (4)	No	No
MW-506	Downgradient Expansion	Bedrock	481	I	6.1	I	0.010	I	Yes (10)	I	No	I
MW12-303R	Upgradient	Overburden	474	–	14	–	0.005 U	–	Yes (6)	Yes (8)	No	No
MW04-109R	Downgradient	Overburden	458	Decreasing	5.3	–	0.005 U	–	No	Yes (8)	No	No
OW-602A	Downgradient Expansion	Bedrock	436	Increasing	18	Increasing	0.005 U	–	No	No	No	Yes (7)
OW-601B	Downgradient Expansion	Overburden	427	–	41	–	0.005 U	–	No	No	No	No
OW-604A	Downgradient Expansion	Bedrock	411	Increasing	12	Increasing	0.005 U	–	No	No	No	Yes (6)
MW-04-09A	Downgradient Expansion	Bedrock	372	I	4.3	I	0.0072	I	Yes (5)	I	No	I
MW-502	Downgradient Expansion	Bedrock	369	I	19	I	0.005 U	I	No	I	No	I
OW-606A	Downgradient Expansion	Bedrock (Open Borehole)	356	I	35	I	0.005 U	I	No	I	No	I
MW-204	Downgradient	Overburden	Not Monitored During 2023 Due to Well Damage									
MW-08-01	Downgradient Expansion	Bedrock	318	I	5.6	I	0.0078	I	No	I	No	I
MW04-102	Downgradient	Overburden	317	–	1.5	–	0.0078	–	No	No	No	No
OW-608B	Downgradient Expansion	Overburden	315	I	1.4	I	0.0093	I	No	I	No	I
P-206A	Upgradient	Bedrock	314	–	22	–	0.005 U	Decreasing	No	Yes (6)	No	Yes (5)
MW-508	Downgradient Expansion	Bedrock	312	I	26	I	0.0059	I	I	I	I	I
MW-401B	Downgradient	Overburden	311	–	5.4	Decreasing	0.011	Decreasing	No	Yes (5)	No	No
OW-609B	Downgradient Expansion	Overburden	309	I	13	I	0.005 U	I	Yes (4)	I	No	I
P-04-04	Downgradient	Overburden	289	Increasing	14	Increasing	0.0059	–	No	No	Yes (4)	Yes (6)
MW-501	Downgradient Expansion	Bedrock	287	–	14	–	0.005 U	–	No	No	Yes (4)	No
P-04-02R	Downgradient	Overburden	280	Decreasing	1.4	Decreasing	0.0059	Decreasing	Yes (6)	Yes (12)	No	No

TABLE 8-4 (cont'd)

Location Designation <sup>2</sup>	Position Relative to Landfill	Material Screened	Annual Maximum Specific Conductance (20,000 µmhos/cm in JRL Leachate in April 2023)		Annual Maximum Chloride (5,000 mg/L in JRL Leachate in April and July 2023)		Annual Maximum Arsenic (0.43 mg/L in JRL Leachate in July 2023)		Multiple Parameters with Decreasing Trends <sup>2</sup>		Multiple Parameters with Increasing Trends <sup>2</sup>	
			µmhos/cm	Statistically Significant Trend (5-year)	mg/L	Statistically Significant Trend (5-year)	mg/L	Statistically Significant Trend (5-year)	3-Year	5-Year	3-Year	5-Year
MW-227	Downgradient	Overburden	279	–	1.3	–	0.011	Decreasing	No	Yes (4)	No	No
OW-605A	Downgradient Expansion	Bedrock (Open Borehole)	272	I	16	I	0.005 U	I	No	I	No	I
OW-608A	Downgradient Expansion	Bedrock (Open Borehole)	265	I	1.5	I	0.005 U	I	No	I	No	I
<b>P-04-07A</b>	<b>Downgradient Expansion</b>	<b>Bedrock</b>	<b>259</b>	<b>I</b>	<b>26</b>	<b>I</b>	<b>0.0060</b>	<b>I</b>	<b>I</b>	<b>I</b>	<b>I</b>	<b>I</b>
<b>MW-301</b>	<b>Downgradient</b>	<b>Bedrock</b>	<b>243</b>	<b>–</b>	<b>24</b>	<b>–</b>	<b>0.0067</b>	<b>–</b>	<b>No</b>	<b>No</b>	<b>No</b>	<b>No</b>
MW-503	Downgradient Expansion	Bedrock	240	I	10	I	0.0052	I	No	I	Yes (4)	I
MW-206	Upgradient	Overburden	233	–	2.6	Increasing	0.0090	–	No	Yes (4)	No	No
MW-505	Downgradient Expansion	Bedrock	225	I	2.5	I	0.011	I	Yes (8)	I	No	I
MW06-01	Downgradient Expansion	Overburden	221	Increasing	13	Increasing	0.005 U	–	No	No	Yes (8)	Yes (9)
MW-507	Downgradient Expansion	Bedrock (Open Borehole)	219	I	15	I	0.005 U	I	No	I	No	I
MW04-105	Downgradient	Overburden	216	–	NS	I <sup>3</sup>	NS	I <sup>3</sup>	Not Assessed			
DP-4	Downgradient	Overburden	184	Decreasing	NS	I <sup>3</sup>	NS	I <sup>3</sup>	Not Assessed			
OW-606B	Downgradient Expansion	Overburden/Bedrock	178	I	12	I	0.005 U	I	No	I	No	I
MW-04-09B	Downgradient Expansion	Overburden	164	I	5.6	I	0.005 U	I	No	I	No	I
OW-607B	Downgradient Expansion	Overburden	162	I	1.3	I	0.0066	I	No	I	No	I
MW-401A	Downgradient	Bedrock	161	Increasing	13	Increasing	0.005 U	Decreasing	No	Yes (4)	No	Yes (6)
MW-402B	Downgradient	Overburden	148	–	1.5	–	0.020	–	No	No	No	No
P-04-11A	Downgradient Expansion	Overburden	136	I	1.9	I	0.011	I	No	I	No	I
MW-504	Downgradient Expansion	Bedrock	131	I	1.3	I	0.01	I	No	I	No	I
MW-402A	Downgradient	Bedrock	130	–	2.1	Increasing	0.018	Decreasing	No	No	No	No
P-04-11B	Downgradient Expansion	Overburden	56	I	5.1	I	0.005 U	I	No	I	No	I
OW-603B	Downgradient Expansion	Overburden	NS (Dry)	I	NS (Dry)	I	NS (Dry)	I	I	I	I	I

Notes:

<sup>1</sup> Locations shown with non-bold text have water quality that: (1) does not indicate influence from landfill leachate; and (2) shows limited influence from landfill construction operations. Locations shown with bold text currently have more pronounced water quality changes that are largely attributable to changes in redox conditions related to construction of the landfill and/or landfill operations, and do not indicate significant landfill related impacts to water quality from malfunction of landfill liners. Section 8.3 includes extended discussions for the locations shown with bold text.

<sup>2</sup> Number of parameters with trends shown in parenthesis for analyses with four or more trends. Locations monitored for field parameters only (i.e., DP-4, MW04-105, MW-204) are not assessed for multiple (i.e., four or more) parameters.

<sup>3</sup> Insufficient data for detection monitoring parameters (i.e., trends available for field parameters only).

U = not detected above indicated laboratory reporting limit

NS = not sampled in 2023

– = no trend

I = insufficient data



Arsenic concentrations site-wide are generally low and did not exceed the MCL of 0.01 mg/L at 39 of the 45 monitoring locations where arsenic was monitored in 2023. At the six groundwater monitoring locations where arsenic did exceed the MCL (MW-227, MW-401B, MW-402A, MW-402B, P-04-11A, and MW-505), arsenic concentrations were only detected as high as 0.020 mg/L (at MW-402B in April 2023). The noted exceedances did not occur in conjunction with elevated chloride concentrations (see Table 8-4).

Based on review of Table 8-4 and a visual review of plotted 2023 and historical data, SME has identified 30 of the 50 site-wide groundwater monitoring locations with water quality that: (1) do not indicate influence from landfill leachate; and (2) currently show limited influence from landfill construction operations. These 30 groundwater monitoring locations are identified in Table 8-4 as the locations with non-bold text. The 2023 annual maximum specific conductance values at these wells range from 56  $\mu\text{mhos/cm}$  to 372  $\mu\text{mhos/cm}$ . The 2023 annual maximum chloride concentrations at these monitoring locations were low and ranged from 1.3 mg/L to 19 mg/L. For these reasons, extended discussion on these wells is not warranted at this time.

More pronounced water quality changes have been observed at multiple groundwater monitoring locations, both upgradient and downgradient from the landfill. These changes are evidenced at some monitoring locations by statistically significant trends, as summarized in Table 8-4, for multiple parameters. These trends are largely attributable to landfill construction (e.g., from removal of vegetation, disturbance of native soils, and the cutoff of precipitation in the landfill area), and changes in redox conditions due to the reduction of groundwater recharge from precipitation, and do not indicate any significant landfill related impacts to water quality from malfunction of the landfill liners.

SME has identified 19 of the site monitoring locations that currently warrant additional discussions. These monitoring locations, shown by bold text in Table 8-4, are: (1) upgradient monitoring locations MW12-303R and P-206A; (2) MW04-109R, MW09-901, MW-223A, MW-223B, and MW-301, which are downgradient from Cells 1 through 10 of JRL; and (3) OW-06-03, OW-601A, OW-601B, OW-602A, OW-604A, OW-606A, OW-610A, OW-611A, MW-506, MW-508, P-04-07A, and P-04-07B, which are downgradient from the landfill expansion. Groundwater quality at these monitoring locations is discussed below.

### **Extended Discussion on JRL Groundwater Quality**

Upgradient Monitoring Locations MW12-303R and P-206A: Groundwater monitoring locations MW12-303R and P-206A are categorized as upgradient from the JRL; however, as the east side of the JRL (i.e., the upslope edge) is situated along the crest of a northwest-southeast trending drumlin, these upgradient monitoring locations are not fully hydraulically isolated from the landfill and operations outside of the area of landfill construction (see interpreted phreatic surface and groundwater potentiometric surface maps in Appendix B).

P-206A is a bedrock piezometer located southeast from the landfill and outside of the area of landfill construction. P-206A was added to the monitoring program during the July 2013 sampling event to provide an additional upgradient bedrock monitoring location. Review of the water quality data at P-206A shows that there were increases for multiple parameters over the past several years; however, the groundwater quality at P-206A is still generally characterized by low parameter concentrations. The Mann-Kendall analyses indicate that there are statistically significant increasing trends for five parameters at P-206A for the past five years (calcium, Eh, magnesium, nitrate plus nitrite, and sulfate). This is an improvement from the seven parameters identified at this location with statistically significant increasing trends during last year's analysis (i.e., from 2018 through 2022) and there are also now six parameters (arsenic, manganese, pH, potassium, sodium, and total suspended solids) with statistically significant decreasing trends at P-206A over the past five years. The 2023 annual maximum values for parameters identified with current or recent increasing trends are:

- Calcium (26 mg/L in October 2023);
- Eh (347 mV in April 2023);
- Magnesium (8.5 mg/L in April 2023);
- Nitrate plus nitrite (0.42 mg/L in April 2023); and
- Sulfate (5.4 mg/L in July 2023).

The nitrate plus nitrite concentrations at P-206A were below the MCLs for both nitrate (10 mg/L and nitrite (1 mg/L) and the sulfate value was well below the DWA of 500 mg/L. There were no health-related Maine drinking water standard (i.e., MCL, LHA, or DWA) exceedances at P-206A during 2023 for the parameters analyzed.

There were new historical maximum values detected for total dissolved solids and sulfate at P-206A during 2023. These parameters, as well as other parameters that have exhibited increases over the past several years and still generally have 2023 values that remain relatively low and consistent with expectations in their site setting (i.e., consistent with groundwater upgradient from the landfill but in the area of the landfill facility). Specific conductance values and chloride concentrations are currently stable at P-206A with no statistically significant increasing or decreasing trends over the past three years or five years. The annual maximum specific conductance value at P-206A was 314  $\mu$ mhos/m in April 2023. The annual maximum chloride concentration at P-206A during 2023 was 22 mg/L (July and October 2023).

Since groundwater quality at P-206A is still characterized by low parameter concentrations and the increasing water quality trends appear to be subsiding, SME does not interpret the current water quality at P-206A as related to the performance of landfill cells or leachate collection and transport systems. Monitoring location P-206A is located proximate to the looped road that accesses the JRL leachate storage

tank. SME recommends that on-site snow removal and winter roadway maintenance practices minimize stockpiling of snow around this well.

MW12-303R is located in an area that historically has been influenced by roadway maintenance and runoff and from site construction activities. Water quality at MW12-303R was generally consistent with that at upgradient well MW-206, from when MW12-303R was first sampled in 2012 until between 2015 and 2016. Since that time, multiple water quality parameters at MW12-303R have increased. Visual inspection of the area surrounding the well in 2018 showed the well was located in a topographic depression and that it is located near the beginning of the access road to Cell 10, which began receiving waste in October 2017. It is likely that stormwater runoff from the vicinity of the access road had contributed to the water quality changes at MW12-303R. It was also determined that plowed snow was piled in the area surrounding MW12-303R during the winter of 2018 and during previous years. In early summer of 2018, the access roadway and the area surrounding MW12-303R were regraded to divert stormwater runoff away from the well and the well was purged. No adverse impacts to water quality were observed at MW12-303R in 2023 despite the Stage 1 Closure construction being conducted on the landfill immediately adjacent to MW12-303R during the late summer and fall of 2023.

The water quality parameters at MW12-303R appear to be improving. Assessments of conditions and site activities in the vicinity of MW12-303R have been reported in recent annual water quality reports and resulted in site management improvements including access roadway regrading and snow handling procedures. While there were seven parameters identified with statistically significant increasing trends for data from 2013 through 2017, including specific conductance and chloride, there were no water quality parameters for the past three years with statistically significant increasing trends and only two parameters (iron and total suspended solids) with increasing trends over the past five years. Improvements to groundwater quality are also shown by statistically significant decreasing trends for eight parameters (bromide, calcium, Eh, organic carbon, potassium, sulfate, total dissolved solids, and total Kjeldahl nitrogen) over the past five years. These improvements to groundwater quality suggest a reduction of infiltration of water in the area of MW12-303R over the past several years.

There were no parameters at MW12-303R that were outside of historical range during 2023.

Specific conductance, chloride, and arsenic values at MW12-303R have declined substantially since they were reported at historical maximum values between 2016 and 2018, which are shown in Table 8-5.

TABLE 8-5

SUMMARY OF 2023 KEY INDICATOR PARAMETER VALUES AT MW12-303R

Parameter	October 2012 Value	Historical Maximum Value	2023 Range of Values
Specific Conductance (µmhos/cm)	189	1,711 (April 2018)	284 (July 2023) to 487 (April 2023)
Chloride (mg/L)	4.9	220 (April 2018)	12 (April and October 2023) to 14 (July 2023)
Arsenic (mg/L)	0.005 U	0.036 mg/L (July 2016)	0.005 U (April, July, October 2023)
<b>Note:</b> U = not detected above indicated laboratory reporting limit			

Manganese exceeded its LHA of 0.3 mg/L at MW12-303R in April 2023 (0.49 mg/L). There were no other parameters analyzed at MW12-303R with MCL, LHA, or DWA exceedances in 2023.

Stiff and Piper diagrams were plotted using July 2023 data for upgradient monitoring wells MW12-303R and P-206A, as well as for upgradient monitoring location MW-206 and leachate monitoring location LT-C4LR; diagrams are provided in Appendix G. These diagrams show similar ionic ratios among the upgradient monitoring wells in July 2023 and a clear distinction from the chemical signature of the leachate from LT-C4LR in July 2023 (see Appendix G).

SME does not interpret the recent water quality trends at MW12-303R and P-206A as related to the performance of landfill cells or leachate collection and transport systems. This is supported by the current values and trends of key indicator parameters at the landfill underdrain monitoring locations (see Section 8.2) and leak detection monitoring locations (see Section 8.5).

Downgradient Monitoring Locations MW-223A and MW-223B: Groundwater monitoring wells MW-223A and MW223B monitor the bedrock and overburden groundwater, respectively, hydraulically downgradient and northwest of the JRL. In previous years' site water quality evaluations, SME has specifically addressed monitoring wells MW-223A and MW-223B, located along the northwest perimeter of the landfill, and potential site activities responsible for the water quality in these wells.<sup>13,14</sup> Additional insight into the water quality changes at these wells was discussed in the 2016 through 2020 site water quality evaluations, with the sampling of the former Scale House Well and former Office Well during those years. The evaluations determined that similarities existed among the former Scale House Well, the former Office Well, former monitoring well MW-302R, and MW-223A and MW-223B, and showed that they are distinct from the chemical signature of the leachate from LT-C4LR. The similarities in water quality in these wells are consistent with the known hydrogeology in this area of the site, which indicate a

<sup>13</sup> SME, April 2015. 2014 Annual Water Quality Report, Juniper Ridge Landfill, prepared for NEWSME Landfill Operations LLC.

<sup>14</sup> SME, April 2016, 2015 Annual Water Quality Report, Juniper Ridge Landfill, prepared for NEWSME Landfill Operations LLC.

preferential groundwater flow direction exists from northeast to southwest from the vicinity of the former Scale House toward former monitoring well MW-302R and monitoring wells MW-223A, and MW-223B.<sup>15</sup> This suggests that water quality in monitoring wells MW-223A and MW-223B may in part be associated with upgradient water quality in the vicinity of the former Office Well and former Scale House Well in addition to the sources previously identified. A former topsoil and stump stockpile area and a subsurface wastewater disposal field which is no longer in use were also located along this preferential groundwater flow direction. Construction of landfill Cell 15 adjacent to MW-223A and MW-223B during 2022 and 2023 could be responsible for any parameter increases beginning in 2022 and continuing for the next several years.

Table 8-6 summarizes the 2023 annual maximum water quality parameter results for eight parameters at monitoring wells MW-223A and MW-223B that are elevated with respect to upgradient groundwater quality. Arsenic concentrations at MW-223A and MW-223B were not elevated with respect to upgradient groundwater quality but arsenic is included in Table 8-6 since it is a key indicator parameter for comparison to JRL leachate.

**TABLE 8-6**

**SUMMARY OF 2023 ANNUAL MAXIMUM WATER QUALITY  
PARAMETER VALUES AT MW-223A, AND MW-223B**

Parameter	MW-223A	MW-223B	Upgradient Comparison (MW-206)
Specific Conductance (µmhos/cm)	675	611	233
Arsenic (mg/L)	0.005 U	0.005 U	0.0009
Calcium (mg/L)	110	80	19
Magnesium (mg/L)	12	19	5.4
Sodium (mg/L)	6.4	7.9	4.6
Total Dissolved Solids (mg/L)	408	356	100
Sulfate (mg/L)	19	16	4.3
Bicarbonate (mg/L)	270	220	73 <sup>1</sup>
Chloride (mg/L)	26	32	2.6
<p><b>Note:</b>  <sup>1</sup> Value shown is for alkalinity. Bicarbonate is not monitored at MW-206.            U – not detected above the indicated laboratory reporting limit</p>			

Piper and Stiff diagrams were plotted using July 2023 data for MW-223A and MW-223B, upgradient monitoring well MW-206, and the leachate sampled at LT-C4LR. The Piper and Stiff diagrams for these locations, which are provided in Appendix G, show similar chemical signatures for monitoring locations

<sup>15</sup> SME, May 13, 2016, Letter to MEDEP regarding Juniper Ridge Landfill Expansion Application, MEDEP #S-020700WD-BI-N, follow-up to Department Staff's responses to the March 4, 2016 submittal on Staff's review comments as presented in the Department's April 5, 2016 letter (Attachment SME-D3, Figures U-14B- Bedrock Amended and Figure U-14B- Till Amended).

MW-223A and MW-223B with greater influence from calcium cations and bicarbonate alkalinity anions compared to upgradient monitoring location MW-206. There is a clear distinction from the chemical signature of the leachate from LT-C4LR compared to MW-223A and MW-223B.

Visual review of water quality trends at MW-223A and MW-223B show distinct increases in parameter concentrations since about 2005 or later. There are statistically significant increasing trends at MW-223A for six parameters (bicarbonate, calcium, magnesium, nitrate plus nitrite, specific conductance, and total dissolved solids) over the past five years. Of note is that there is a statistically significant decreasing trend in chloride concentrations at MW-223A over the past five years. Chloride, a key indicator for leachate influence in groundwater, was detected at an annual maximum concentration of 26 mg/L at MW-223A in July and October 2023. Chloride concentrations at MW-223A have steadily decreased since it was detected at a historical maximum concentration of 57.6 mg/L in April 2014. There were not multiple parameters (i.e., four or more) at MW-223A with statistically significant increasing trends over the past three years or with decreasing trends over the past five years.

There are statistically significant increasing trends at MW-223B for six parameters (bicarbonate, calcium, magnesium, potassium, sulfate, and total dissolved solids) over the past five years. There are statistically significant decreasing trends for four parameters (pH, Eh, dissolved oxygen, and chloride) at MW-223B over the past five years. There are statistically significant decreasing trends at MW-223B for four parameters (chloride, dissolved oxygen, Eh, and pH) over the past five years. The previously increasing chloride concentrations at MW-223B have generally been decreasing over the past five years, which is supported by the statistically significant decreasing trends for chloride over the past five years. Chloride was detected at an annual maximum concentration of 32 mg/L at MW-223B in April 2023. This is a decrease compared to the historical maximum chloride concentration of 55.7 mg/L at MW-223B in April 2014.

Dissolved methane has been sampled at MW-223B as part of a supplemental monitoring program to evaluate potential influence of landfill gas to the groundwater at that location. During the past ten years of monitoring dissolved methane concentrations at MW-223B, it has only been detected above the laboratory reporting limit of 20 µg/L once at a concentration of 30 µg/L in October 2014. The supplemental dissolved methane monitoring at MW-223B indicates that JRL landfill gas is not migrating away from the landfill in vicinity of that well.

There were three groundwater quality parameters detected at new historical maximum values at MW-223A in 2023: specific conductance (675 µmhos/cm in April 2023), nitrate plus nitrite (1.2 mg/L in July 2023), and total suspended solids (9 mg/L in April 2023). There were four groundwater quality parameters detected at new historical maximum values at MW-223B in 2023: bicarbonate (220 mg/L in October 2023), specific conductance (611 µmhos/cm in April 2023), magnesium (19 mg/L in April and July 2023), sodium (7.9 mg/L in October 2023), and total dissolved solids (356 mg/L in July 2023).

There were no MCL, LHA, or DWA exceedances of analyzed parameters at MW-223A and MW-223B in 2023.

We do not interpret recent water quality and noted trends at MW-223A and MW-223B as related to the performance of landfill cells or leachate collection and transport systems. This is supported by the current values and trends of key indicator parameters at the landfill underdrain monitoring locations (see Section 8.2) and leak detection monitoring locations (see Section 8.5).

Downgradient location MW-301: Monitoring well MW-301 is a deep bedrock monitoring well (screened between 162.7 and 182.7 feet below ground surface) located downgradient from the landfill in proximity of the Detention Pond 1A. The groundwater quality at MW-301 is consistent with its setting as a monitoring location downgradient from the landfill. There are no current concerns with water quality results at this well location related to the performance of landfill cells or leachate collection and transport systems.

As previously reported, MW-301 was damaged prior to April 2013. Following 2013 repairs to the well, groundwater elevations rose approximately 4 feet, and multiple parameters have been observed to increase generally between 2013 and 2019.<sup>16</sup> The groundwater quality at MW-301 has generally stabilized since 2019. There was only one parameter at MW-301 outside of its historical range during 2023, which was a new historical minimum value for Eh. Parameter concentrations at MW-301 remained relatively low during 2023 and the Mann-Kendall analyses indicate that there were not multiple parameters (i.e., four or more) at MW-301 with statistically significant increasing or decreasing trends over the past five years. There were no parameters analyzed at MW-301 that exceeded MCL, LHA, or DWA standards in 2023.

The 2023 specific conductance values at MW-301 ranged from 242  $\mu\text{mhos/cm}$  in July 2023 to 333  $\mu\text{mhos/cm}$  in April 2023, remaining generally consistent with the historical range of values at upgradient monitoring location MW-206. The historical maximum specific conductance value at upgradient monitoring location MW-206 is 323  $\mu\text{mhos/cm}$  (October 2022). Chloride concentrations at MW-206 in 2023 are generally consistent with concentrations detected at MW-206 since 2019.

Piper and Stiff diagrams were plotted using July 2023 data for MW-301 and the leachate sampled at LT-C4LR. The Piper and Stiff diagrams for these locations, which are provided in Appendix G, show a clear distinction from the chemical signature of the leachate from LT-C4LR compared to MW-301. The chemical signature of the July 2023 water quality from MW-301, as shown on the Stiff diagrams, is also very similar to the chemical signatures of the upgradient monitoring wells.

---

<sup>16</sup> SME, 2020. 2019 Annual Water Quality Report, Juniper Ridge Landfill, Prepared for NEWSME Landfill Operations, LLC. April 2020.

Downgradient locations MW04-109R and MW09-901: Monitoring locations MW04-109R and MW09-901 are located downgradient from Cell 5 of the JRL and monitor shallow overburden groundwater.

There were no parameters analyzed at MW09-901 that exceeded MCL, LHA, or DWA standards in 2023. Manganese exceeded its LHA of 0.3 mg/L in July 2023 (6.0 mg/L) and October 2023 (3.6 mg/L) at MW04-109R. There were no other parameters at MW04-109R that exceeded MCL, LHA, or DWA standards in 2023. While the manganese LHA exceedances at MW04-109R during 2023 were not first-time exceedances, it is of note that the manganese values were anomalously high during the July and October 2023 monitoring events. The new historical maximum manganese concentration of 6.0 mg/L at MW04-109R, which has been sampled since 2009, was preceded by a historical maximum value of 1.4 mg/L. Review of the 2023 water quality data at this location indicates that nearly all other groundwater quality parameters were consistent with recent historical data; however, there was a new historical maximum concentration of 0.11 mg/L detected for iron in July 2023. While this iron concentration remains low, the increase in iron and manganese concentrations may be an indication of a decrease in the oxidation-reduction potential in the groundwater associated with the landfill construction. This is supported by the decrease in Eh values from 334 mV in April 2023 to 111 mV in July 2023.

Landfill Expansion downgradient locations OW-06-03, OW-601A, OW-601B, OW-602A, OW-604A, OW-606A, OW-610A, OW-611A, MW-506, MW-508, P-04-07A, and P-04-07B: Monitoring locations OW-06-03, OW-601A, OW-601B, OW-602A, OW-604A, and OW-606A are located east and hydraulically downgradient of the landfill expansion cells. Monitoring locations OW-610A, OW-611A, MW-506, MW-508, P-04-07A, and P-04-07B are located west of and downgradient from the landfill expansion cells. Baseline groundwater quality was monitored at these locations between 2018 and 2023. Detection monitoring began at OW-06-03, OW-601A, OW-601B, OW-602A, and OW-604A in 2019, at OW-606A, OW-611A, and MW-507 in 2021, at MW-506 in 2022, and at MW-508, OW-610A, P-04-07A, and P-04-07B in 2023.

In general, multiple parameters at many of the landfill expansion monitoring locations have exhibited greater values than at upgradient monitoring well MW-206, including the key indicator parameters specific conductance and chloride. Arsenic concentrations at the subject landfill expansion monitoring locations were below the MCL of 0.01 mg/L during 2023. The annual maximum values of the key indicator parameters for the subject landfill expansion monitoring locations are summarized in Table 8-4.

The greater parameter values observed at landfill expansion monitoring location during 2023 (e.g., the specific conductance value of 775  $\mu\text{mhos/cm}$  in April 2023) are likely caused by the ground disturbance associated with the landfill expansion cells that have been constructed to date and the change in redox conditions in the soil and groundwater from cutting off precipitation recharge in those areas. Additionally, monitoring locations OW-06-03, OW-601A, OW-601B, OW-602A, OW-604A, and OW-606A are located in close proximity to the landfill access road and may be influenced by winter road salting (e.g., the chloride



concentration of 41 mg/L at OW-601B in July 2023). Leak detection monitoring for landfill expansion Cells 11 through 15 indicate that the cells are performing as designed, as discussed in Section 8.5. Chloride concentrations at leak detection monitoring locations for Cells 11 through 15 in 2023 ranged from less than the laboratory reporting limit of 1 mg/L to a maximum of 2.9 mg/L and were very low compared to JRL leachate (5,000 mg/L at LT-C4LR in April and July 2023).

Parameter concentrations at the landfill expansion downgradient monitoring locations are expected to decrease and stabilize with additional time following the construction of the landfill expansion cells. These decreases and stabilization of water quality parameter values has been observed, for example, at monitoring location MW-506, which is included in this expanded discussion but has had substantial water quality improvements since its baseline monitoring in 2021. The specific conductance value in February 2021 at MW-506 was 837  $\mu\text{mhos/cm}$  and have since steadily decreased to a historic minimum value of 319  $\mu\text{mhos/cm}$  in October 2023. Similarly, the chloride concentration at MW-506 has decreased from 57 mg/L in February 2021 to a historic minimum of 4.0 mg/L October 2023.

There is insufficient groundwater quality data to perform Mann-Kendall trend analyses at MW-506, MW-508, OW-606A, WO-610A, and OW-611A over the past five years. There was only sufficient data to perform Mann-Kendall trend analyses for field parameters at OW-06-03 over the past five years due to that location frequently being dry or having insufficient water for obtaining samples for laboratory analyses. The results for the Mann-Kendall analyses for OW-601A, OW-601B, OW-602A, and OW-604A are discuss as follows:

- There were not multiple parameters (i.e., four or more) at OW-601A and OW-601B with statistically significant increasing or decreasing trends over the past five years;
- There were seven parameters (calcium, chloride, magnesium, potassium, sodium, specific conductance, and total dissolved solids) at OW-602A with statistically significant increasing trends over the past five years; and
- There were six parameters (calcium, chloride, magnesium, nitrate plus nitrite, specific conductance, and total dissolved solids) at OW-604A with statistically significant increasing trends over the past five years.

There were no MCL, LHA, or DWA exceedances for parameters analyzed at MW-508, OW-601A, OW-601B, OW-602A, OW-604A, OW-606A, and OW-611A during 2023. Monitoring well OW-06-03 was either dry or had insufficient water for sample collection during 2023. The MCL, LHA, and DWA exceedances for parameters monitored for at MW-506, OW-610A, P-04-07A, and P-04-07B during 2023 are provided later in this section (see Table 8-7).

Stiff diagrams were plotted using July 2023 data for landfill expansion downgradient monitoring wells OW-601A, OW-601B, OW-602A, OW-604A, OW-606A, OW-610A, OW-611A, MW-506, MW-508, P-04-07A, and P-04-07B, which are provided in Appendix G. These Stiff diagrams generally show similar chemical characterizations to each other and in July 2023 and a clear distinction from the chemical signature of the leachate from LT-C4LR in July 2023 (see Appendix G).

#### **VOCs at JRL Groundwater Monitoring Well Locations**

VOCs were analyzed at MW-401B in April 2023; no VOCs were detected above the laboratory reporting limits.<sup>17</sup>

#### **MCL, LHA, and DWA Exceedances at JRL Groundwater Monitoring Well Locations**

Parameters detected at concentrations that were above MCLs, LHAs, or DWAs at groundwater detection monitoring locations in 2023 are identified in Table 8-7.<sup>18</sup>

With the exception of the arsenic MCL exceedance in April 2023 at MW-505, each of the MCL, LHA, and DWA exceedances listed in Table 8-7 have occurred at their respective locations in the past. The occurrence of arsenic MCL exceedances in groundwater is largely attributable to reducing conditions associated with decreasing groundwater recharge from site development.

---

<sup>17</sup> VOC analyses were also completed for 2023 baseline monitoring, which were reported to MEDEP in 2023.

<sup>18</sup> MCL, LHA, and DWA exceedances for 2023 baseline monitoring locations are included in Table 8-7.

TABLE 8-7

2023 MCL, LHA, AND DWA EXCEEDANCES AT GROUNDWATER MONITORING LOCATIONS

Location Designation	Sulfate (mg/L) (500 mg/L DWA)	Ammonia (mg/L) (30 mg/L LHA)	Boron (mg/L) (6 mg/L LHA)	Sodium (mg/L) (20 mg/L DWA)	Manganese (mg/L) (0.3 mg/L LHA)	Copper (mg/L) (1.3 mg/L MCL)	Arsenic (mg/L) (0.01mg/L MCL)
MW-04-09A	-	-	-	34 (April 2023) 31 (July 2023) 26 (October 2023)	-	-	-
MW04-109R	-	NS	NS	-	6.0 (July 2023) 3.6 (October 2023)	NS	-
MW-227	-	NS	NS	-	-	NS	0.011 (July 2023)
MW12-303R	-	NS	NS	-	0.49 (April 2023)	NS	-
MW-401B	-	NS	NS	-	-	NS	0.011 (April 2023)
MW-402A	-	NS	NS	-	-	NS	0.018 (April 2023) 0.015 (July 2023) 0.011 (October 2023)
MW-402B	-	NS	NS	-	-	NS	0.020 (April 2023) 0.016 (July 2023) 0.015 (October 2023)
MW-505	-	-	-	-	-	-	0.011 (April 2023)
MW-506	-	-	-	59 (April 2023) 49 (July 2023) 46 (October 2023)	0.31 (April 2023)	-	-
OW-609B	-	-	-	32 (April 2023)	-	-	-
OW-610A	-	-	-	-	1.9 (January 2023) 1.5 (April 2023) 1.6 (June 2023) 1.6 (July 2023)	-	-
P-04-02R	-	NS	NS	23 (October 2023)	-	NS	-
P-04-07B	-	-	-	38 (March 2023) 24 (April 2023) 21 (June 2023)	-	-	-
P-04-11A	-	-	-	-	-	-	0.011 (July 2023)
<p><b>Notes:</b></p> <p><sup>1</sup> Nitrate plus nitrite samples for 2023 groundwater monitoring locations were all less than the MCL for nitrate of 10 mg/L. There were four monitoring locations during 2023 where the nitrate plus nitrite concentrations were greater than the MCL for nitrite of 1.0 mg/L and, while unlikely, it cannot be verified that nitrite was below its MCL of 1.0 mg/L at those locations at those times. These instances include: 1.1 mg/L at MW-223A in April and October 2023, 1.2 mg/L at MW-223A in July 2023, 1.1 mg/L at OW-611A in July 2023, 1.3 mg/L at MW12-303R in April 2023, and 3.2 mg/L at OW-604A in July 2023.</p> <p>NS = not sampled - = no exceedance</p>							

**Dissolved Methane**

Samples were obtained for dissolved methane analyses at monitoring wells MW-08-01, MW-206, MW-501, MW-502, MW-503, MW-504, MW-505, MW-506, MW-507, MW-04-09A, and MW-04-09B during the April, July, and October 2023 monitoring rounds. Samples were obtained for dissolved methane analyses at OW-601A, MW-601B, OW-602A, OW-604A, OW-605A, OW-606A, OW-606B, OW-607B, OW-608A, OW-608B, OW-609B, OW-610A, OW-611A, P-04-11A, and P-04-11B in July 2023. Samples were also obtained for dissolved methane analyses at monitoring wells MW-223B (April 2023), MW06-01 and

P-206A (July and October 2023), P-04-07A and P-04-07B (May, April, June, and July 2023), and MW-508 (May, April, June, July, and October 2023).

With the exceptions of MW06-01, OW-602A, and OW-610A dissolved methane was not detected above the laboratory reporting limit of 20 µg/L at these wells during 2023.

Dissolved methane was detected at MW06-01 at a concentration of 110 µg/L in July 2023 and 230 µg/L in July 2023 in October 2023. Dissolved methane was also detected at OW-602A at a concentration of 130 µg/L in July 2023 and at OW-610A at a concentration of 150 µg/L in July 2023.

#### 8.4 Surface Water, Stormwater, and Pore-Water

Surface water at the site was monitored in 2023 at three locations on the southwest side of the landfill along a southwesterly unnamed tributary to Pushaw Stream (SW-1, SW-2, and SW-3) and one location northeast of the Site in a separate, more northerly tributary to Pushaw Stream (SW23-4). The latter of these locations, SW23-4, was added to the monitoring program during 2023 as part of the current JRL expansion monitoring. Stormwater was monitored at two stormwater detention ponds (SW-DP1 and SW-DP6) during 2023. Additionally, three pore-water sampling locations were monitored in 2023 at PWS10-1, PWS10-2, PWS10-3 along the landfill side of the bank of the unnamed tributary to Pushaw Stream and one pore-water sampling location was monitored at PWS-4 northeast of the landfill in the vicinity of SW23-4. The latter of these locations, PWS-4, was added to the monitoring program during 2023 as part of the current JRL expansion monitoring. The surface water, stormwater, and pore-water monitoring locations were each sampled in April, July, and October 2023. Monitoring locations SW23-4 and PWS-4 were also sampled in March and June as part of the baseline monitoring for those locations.

#### **Comparison of Key Indicator Parameters at Surface Water, Stormwater, and Pore-Water Monitoring Locations to JRL Leachate and Summary of Statistically Significant Trend Results**

The 2023 annual maximum specific conductance values and chloride and arsenic concentrations for the JRL surface water, stormwater, and pore-water monitoring locations are summarized in Table 8-8. The Mann-Kendall analyses results for statistically significant trends for these parameters are also provided in Table 8-8. The complete results for Mann-Kendall analyses are provided in Appendix F.

TABLE 8-8

2023 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES  
AND CHLORIDE AND ARSENIC CONCENTRATIONS AT  
SURFACE WATER, STORMWATER, AND PORE-WATER MONITORING LOCATIONS

Location Designation	Annual Maximum Specific Conductance (20,000 µmhos/cm in JRL Leachate in April 2023)		Annual Maximum Chloride (5,000 mg/L in JRL Leachate in April and July 2023)		Annual Maximum Arsenic (0.43 mg/L in JRL Leachate in July 2023)	
	µmhos/cm	Statistically Significant Trend (5-Year)	mg/L	Statistically Significant Trend (5-Year)	mg/L	Statistically Significant Trend (5-Year)
SW-1	195	–	7.5	–	0.0055	–
SW-2	86	–	11	Decreasing	0.005 U	–
SW-3	91	–	11	–	0.005 U	–
SW23-4	227	I	13	I	0.010	I
SW-DP1	82	–	1.5	Decreasing	0.0096	–
SW-DP6	465	–	13	–	0.005 U	–
PWS10-1	201	–	6.5	Decreasing	0.0079	–
PWS10-2	199	–	10	–	0.005 U	–
PWS10-3	133	–	11	–	0.005 U	–
PWS-4	255	I	12	I	0.011	I

**Notes:**  
 U = not detected above indicated laboratory reporting limit  
 – = no trend  
 I – insufficient data

The 2023 surface water, stormwater, and pore-water monitoring location data are generally characterized by low values of key indicator parameters in comparison to the JRL leachate (i.e., LT-C4LR). This is consistent with historical data at these locations. The arsenic concentrations at the surface water, stormwater, and pore-water monitoring locations during 2023 were within their respective historical ranges (for locations with historical data prior to 2023). The arsenic concentration of 0.011 mg/L in April 2023 at pore-water monitoring location PWS-4, which is compared to the MCLs for groundwater, slightly exceeded the MCL of 0.01 mg/L but was not detected above the laboratory reporting limit of 0.005 mg/L in March, June, July, and October 2023. The specific conductance values and chloride concentrations at the surface water, stormwater, and pore-water monitoring locations were all within their respective historical ranges (for locations with historical data prior to 2023) with the exception of one new historical maximum value for specific conductance at SW-DP6 in July 2023 (465 µmhos/cm). This value exceeded the previous historical maximum value of 427 µmhos/cm; however, specific conductance values are generally lower at this location (e.g., 55 µmhos/cm in April 2023) with a mean value of 120 µmhos/cm since sampling began at this location in 2009.

The Mann-Kendall trends summarized in Table 8-8 indicate stable values for specific conductance at the pore-water monitoring locations. There are no trends for arsenic at surface water, stormwater, and pore-water monitoring locations over the past three to five years.

Further description of the JRL surface water, stormwater, and pore-water sampling locations and notable observations from their 2023 water quality data are provided below.

Surface Water Monitoring Locations: Along an unnamed southwesterly tributary to Pushaw Stream, surface water quality at SW-1, SW-2, and SW-3 has been very consistent since sampling began at these locations in the early 1990s. The few surface water quality parameters measured during 2023 were not within their respective historical ranges are summarized on the 2023 water quality data summary reports provided in Appendix E. Parameter concentrations during the 2023 sampling events at downstream locations SW-1 and SW-3 were generally similar to or marginally greater than those measured at SW-2, which is located upstream from the landfill. Parameters analyzed at SW-1 and SW-3, located downstream from the landfill, remain at relatively low values that do not indicate influence from landfill leachate. The slightly increased values at the downstream location are consistent with changes seen when natural surface water travels downstream from its source.

Surface water quality monitoring at SW23-4, along a northerly tributary to Pushaw Stream, began during 2023. Monitoring location SW23-4 was sampled during the April, July, and October 2023 and was also sampled as part of its baseline monitoring in March and June 2023. The 2023 data from SW23-4 indicates surface water quality similar to the historical water quality from SW-1, SW-2, and SW-3 along the unnamed tributary to Pushaw Stream.

The iron concentrations exceeded the MFCCC standard of 1 mg/L during the July 2023 monitoring event at SW-1 (11 mg/L), SW-2 (3.3 mg/L), and SW-3 (2.2 mg/L). The iron concentrations also exceeded the MFCCC during the October 2023 monitoring event at SW-1 (4.3 mg/L), SW-2 (1.1), and SW-3 (1.5). MFCCC exceedances for iron have occurred historically at these locations. Iron concentrations were below the MFCCC standard at SW-1, SW-2, and SW-3 in April 2023 and at SW23-4 during all 2023 monitoring events. The MFCCC of 0.00236 mg/L for copper was exceeded at SW23-4 during the July 2023 monitoring event (0.0027 mg/L) but was not exceeded during the March, April, July, and October monitoring events. There were no other MFCCC exceedances at SW-1, SW-2, SW-3, and SW23-4 for parameters analyzed during 2023.

There were not multiple parameters (i.e., four or more) with statistically significant decreasing trends at SW-1, SW-2, and SW-3 over the past three years and five years. There were four parameters (Eh, manganese, nitrate plus nitrite, and specific conductance) with statistically significant increasing trends at SW-3 over the past three years. There were four parameters (biological oxygen demand, potassium, phosphorus, and total suspended solids) with statistically significant increasing trends over the past five years at SW23-4.

There is currently insufficient data for Mann-Kendall trend analyses for the past five years at SW23-4.

Stormwater Monitoring Locations: Samples from SW-DP1 are obtained from a stormwater detention pond at the downstream western edge of the JRL site. Samples from SW-DP6 are obtained from a stormwater detention pond sampling location at the southern end of the site.

The historical range of parameter concentrations at SW-DP1 have generally been low since sampling began at this location in 2004 and have not indicated influences from landfill leachate or landfill operations. There was only one parameter at SW-DP1 that was outside of its historical range during 2023. Iron was detected at a new historical maximum concentration of 8.5 mg/L in July 2023, which exceeded the previous historical maximum concentration of 6.4 mg/L.

Stormwater quality monitoring at SW-DP6 began in October 2009. The stormwater quality at SW-DP6 during 2023 is typically characterized by continued low parameter concentrations that do not indicate influences from landfill leachate or landfill operations. The July 2023 monitoring results at SW-DP6; however, included several parameters with anomalously greater values. There were seven groundwater quality parameters detected at new historical maximum values at SW-DP6 in July 2023: specific conductance (465  $\mu$ mhos/cm), calcium (74 mg/L), magnesium (8.6 mg/L), sodium (9.4 mg/L), sulfate (200 mg/L), phosphorous (0.16 mg/L), and total dissolved solids (356 mg/L).

Construction of the Stage 1 Closure Cap occurred during the summer of 2023 and may have contributed to increased disturbance of area soils and the consequent increase in parameter values in the stormwater in Detention Pond 6. The parameter values at SW-DP6 returned to values that were more consistent with typical values at this location in October 2023.

With the exception of the greater parameter values discussed above at SW-DP6 in July 2023, the key indicator parameter values for SW-DP1 and SW-DP6 remain very low in comparison to JRL leachate (see Table 8-8).

The iron concentration at SW-DP1 exceeded the MFCCC standard of 1 mg/L during only the July 2023 monitoring event with a concentration of 8.5 mg/L. MFCCC exceedances for iron have occurred historically at this location. There were no other MFCCC exceedances at SW-DP1 for parameters analyzed during 2023. There were no MFCCC exceedances at SW-DP6 for parameters analyzed during 2023.

There were not multiple parameters (i.e., four or more) with statistically significant increasing or decreasing trends at SW-DP1 and SW-DP6 over the past three years and five years.

Pore-Water Monitoring Locations: Pore-water sample locations PWS10-1, PWS10-2, and PWS10-3, which are located along the landfill side of the bank of the southwesterly unnamed tributary to Pushaw Stream, have been sampled since 2010. These sampling locations are intended to be representative of

groundwater quality as it discharges to the stream. Due to their local hydrologic setting (i.e., shallow fluctuating water table with high natural organic matter associated with the wetland and stream), they are characterized by iron and total organic carbon concentrations that are typically greater than in groundwater from other areas of the site. Groundwater quality has been generally consistent at all three pore-water sampling locations since sampling began at these locations in 2010 and does not indicate influences from landfill leachate or landfill operations.

While visual review of the 2023 and historical pore-water quality data indicates generally stable water quality, there were one or more parameter concentrations at PWS10-1, PWS10-2, and PWS10-3 that were outside of the range of historical minimum and maximum values for these monitoring locations in 2023. These occurrences are identified on the individual water quality summary sheets contained in Appendix E.

There were not multiple parameters (i.e., four or more) at PWS10-1, PWS10-2, and PWS10-3 with statistically significant decreasing or increasing trends over the past three years and five years.

Pore-water sampling location PWS-4 was added to the site monitoring program in 2023 to monitor the water in the overburden adjacent to the northerly unnamed tributary to Pushaw Stream. The 2023 pore-water samples from PWS-4 had water quality that was very similar to the pore-water quality at PWS10-1, PWS10-2, and PWS10-3.

The key indicator parameter values for PWS10-1, PWS10-2, PWS10-3, and PWS-4 remain very low in comparison to JRL leachate (see Table 8-8).

Pore-water samples from PWS10-1, PWS10-2, and PWS10-3 were analyzed for dissolved methane during the April, July, and October 2023 monitoring events, as recommended by the MEDEP. Pore-water samples from PWS-4 were also analyzed for dissolved methane in March, April, June, July, and October 2023 as part of the baseline monitoring for that location and as specified in the detection monitoring program for that location. The dissolved methane concentrations for these pore-water samples in 2023 are provided in Table 8-9.



TABLE 8-9

2023 DISSOLVED METHANE CONCENTRATIONS AT PORE-WATER MONITORING LOCATIONS

Location Designation	March 2023 (µg/L)	April 2023 (µg/L)	June 2023 (µg/L)	July 2023 (µg/L)	October 2023 (µg/L)
PWS10-1	–	160	–	120	720
PWS10-2	–	20 U	–	100	99
PWS10-3	–	20 U	–	220	20 U
PWS-4	20 U	26	62	33	55
<p><u>Notes:</u> U – not detected above the indicated laboratory reporting limit</p>					

The 2023 dissolved methane concentrations are lower than the historical maximum concentrations detected at PWS10-1 (4,600 µg/L in July 2015), PWS10-2 (4,800 µg/L in July 2022), and PWS10-3 (4,000 µg/L in July 2020). The 2023 dissolved methane concentrations at PWS-4, which was added to the monitoring program in 2023, were well below the historical maximum concentrations observed at PWS10-1, PWS10-2, and PWS10-3. The historical dissolved methane detections at these locations are consistent with their hydrologic setting in a freshwater wetland and are attributed to anaerobic biological processes in the saturated wetland soils. Studies of freshwater wetlands in the southeastern portion of the United States show wetland pore-water samples with dissolved methane concentrations of more than 20,000 µg/L in the top 25 centimeters of saturated soils<sup>19</sup>. The lower dissolved methane concentrations at JRL wetlands are likely attributed to the cooler climate in the northeastern portion of the United States, which limits anaerobic biological activity. The historical dissolved methane results at the pore-water monitoring locations typically indicate substantially greater concentrations during the summer monitoring event when warmer temperatures facilitate increased anaerobic biological processes in the saturated wetland soils.

While the pore-water sampling locations are grouped with surface water and stormwater monitoring locations, the samples are obtained from soil and the sampling results from these locations are compared to MCL, LHA, and DWA standards for groundwater. The exceedances for parameters analyzed during 2023 at the pore-water monitoring locations are summarized as follows:

- Manganese was above its LHA of 0.3 mg/L in 2023 at PWS10-1 (0.39 mg/L in April 2023, 4.8 mg/L in July 2023, and 0.76 mg/L in October 2023);
- Manganese was above its LHA of 0.3 mg/L in 2023 at PWS10-2 (0.32 mg/L in April 2023 and 0.42 mg/L in July 2023);
- Manganese was above its LHA of 0.3 mg/L in 2023 at PWS10-3 (1.5 mg/L in July 2023);

<sup>19</sup> Schipper LA, Reddy KR (1994) Methane production and emissions from four reclaimed and pristine wetlands of southeastern U.S. *Soil Science Society of America Journal* 58, 1270-1275.

- Manganese was above its LHA of 0.3 mg/L in 2023 at PWS-4 (0.83 mg/L in March 2023, 1.0 mg/L in April 2023, 2.1 mg/L in June 2023, and 0.35 mg/L in October 2023; and
- Arsenic was above its MCL of 0.01 mg/L in 2023 at PWS-4 (0.011 mg/L in April 2023).

## 8.5 Leak Detection System

The approved permitted landfill expansion liner system for Cell 11 through Cell 17 includes leak detection layers under the primary liner systems. The 2015 Liner Action Plan (LAP) describes the methods to monitor the performance of the primary liner system of Cell 11 through Cell 17 and outlines response actions should action levels be exceeded in the leak detection layer. The LAP uses a calculated Leak Detection System Action Level (LDSAL) to determine the need for additional actions. The LDSAL formula is based on the flow measured in the leak detection layer and the specific conductance measured in the leachate and leak detection layers. The LDSAL is compared to the leak detection specific conductance that is measured each month. If the LDSAL is equal to or greater than the leak detection specific conductance, no further action is needed. The Cell 11, Cell 12, Cell 13, and Cell 14 leak detection systems were monitored throughout 2023 in accordance with the LAP and there were no LDSAL exceedances. Monitoring for the Cell 15 leak detection system began in July 2023 in accordance with the LAP and there were no LDSAL exceedances.

Detection monitoring began in 2021 at landfill leak detection sampling locations LF-LD-11 and LF-LD-12 for the Cell 11 and Cell 12 leak detection systems, respectively. Detection monitoring began in 2022 at landfill leak detection sampling location LF-LD-13 for the Cell 13 leak detection system. Detection monitoring began in 2023 at landfill leak detection sampling location LF-LD-14 for the Cell 14 leak detection system. Detection monitoring for landfill leak detection sampling location LF-LD-15 for the Cell 15 leak detection system will begin in 2024. The LF-LD-11, LF-LD-12, LF-LD-13, and LF-LD-14 monitoring locations are shown on Figure 3-1. The samples are collected from the leak detection sample sump which is accessible from the pump stations. Leak detection monitoring was conducted during the July 2023 monitoring event for parameters in the detection monitoring program. A summary of the 2023 leak detection annual maximum values for key indicator parameters for comparison to the JRL leachate is provided in Table 8-10.

TABLE 8-10

2023 ANNUAL MAXIMUM SPECIFIC CONDUCTANCE VALUES  
AND CHLORIDE AND ARSENIC CONCENTRATIONS AT  
LEAK DETECTION MONITORING LOCATIONS

Leak Detection Monitoring Location	Annual Maximum Specific Conductance (20,000 µmhos/cm in JRL Leachate in April 2023)	Annual Maximum Chloride (5,000 mg/L in JRL Leachate in April and July 2023)	Annual Maximum Arsenic (0.43 mg/L in JRL Leachate in July 2023)
LF-LD-11	1,275 (August 2023)	2.9 (July 2023)	0.005 U (July 2023)
LF-LD-12	1,410 (November 2023)	1.0 U (July 2023)	0.005 U (July 2023)
LF-LD-13	557 (August 2023)	2.2 (July 2023)	0.005 U (July 2023)
LF-LD-14	803 (August 2023)	2.2 (July 2023)	0.005 U (July 2023)
LF-LD-15	796 (October 2023)	NS	NS
<p><u>Notes:</u> U – not detected above the indicated laboratory reporting limit NS – not sampled</p>			

Based on the very low chloride and arsenic concentrations at LF-LD-11, LF-LD-12, LF-LD-13, and LF-LD-14 during 2023, the liquid sampled from those locations does not indicate the presence of leachate in the leak detection systems. The specific conductance at LF-LD-11, LF-LD-12, LF-LD-13, and LF-LD-14 had annual maximum values that are greater than those typical at upgradient monitoring locations. This is likely the result of the recent construction of Cell 11, Cell 12, Cell 13, Cell 14, and Cell 15.

Samples from the LF-LD-11, LF-LD-12, LF-LD-13, and LF-LD-14 were analyzed for dissolved methane during the July 2023 monitoring event. Dissolved methane was not detected at or above the laboratory reporting limit of 20 µg/L at LF-LD-11. Dissolved methane was detected at concentrations of 240 µg/L at LF-LD-12 and 39 µg/L at LF-LD-13, which were values consistent with the historical dissolved methane detections at those locations. Dissolved methane was detected at a concentration of 79 µg/L at LF-LD-14 in July 2023, which was the first time that this well was sampled for detection monitoring parameters. LF-LD-15 will be sampled for the detection monitoring parameters beginning in the summer 2024 monitoring round.

## **9.0 WATER QUALITY GAS MONITORING**

During the spring, summer, and fall monitoring events in 2023, methane gas, hydrogen sulfide, and oxygen were measured during the collection of water quality samples at the site monitoring well standpipes, underdrain outfalls, leachate collection system, Detention Pond 1A leak detection system using a hand-held gas meter. All methane and hydrogen sulfide monitoring results were below the meter detection limit. Historical and 2023 gas monitoring results for the site are included in Appendix H.

Hydrogen sulfide is monitored automatically near the JRL site property boundaries in four locations. The data is logged every 15 minutes and is available from NEWSME upon request.

## **10.0 SUMMARY AND RECOMMENDATIONS**

### **10.1 Summary**

Water quality samples were obtained in April, July, and October 2023 at the JRL in accordance with the current site EMP. The 2023 water quality data for the JRL is consistent with the historical data for the site and with the setting of monitoring locations among the construction and operational activities of the landfill. Site groundwater and surface water quality data do not show adverse effects from the performance of the landfill cells or leachate collection and transport systems. The evaluation of site water quality, which incorporates the 2023 water quality data, identifies trends at multiple locations and for a number of parameters, both upgradient and downgradient from the landfill. Historical groundwater quality data through 2023 indicate that these trends are largely attributable to a reduction in recharge due to the landfill placement in the landscape and subsequent changes in redox conditions, as well as changes due to the construction of the landfill (e.g., from removal of vegetation, disturbance of native soils, and the cutoff of precipitation in the landfill area), and do not indicate any significant landfill related impacts to water quality from malfunction of the landfill liners. The JRL site-wide water quality are summarized below.

#### **Leachate Monitoring Location**

As discussed in Section 8.1, leachate parameter values from monitoring location LT-C4LR during 2023 and historically since July 2013 are generally characterized by high parameter values. Generally, at a given water quality monitoring location, if landfill leachate were present, there would be a notable, significant increase in specific conductance values and chloride and arsenic concentrations (in conjunction with changes in other parameter concentrations) due to their presence at high concentrations in the JRL leachate. In 2023, the annual maximum values in JRL leachate (i.e., monitoring location LT-C4LR) are a specific conductance value of 20,000  $\mu\text{mhos/cm}$ , 19,380 mg/L of chloride, and 0.43 mg/L of arsenic.

#### **Underdrain Monitoring Locations**

As discussed in Section 8.2, there was no flow at LF-UD-1, LF-UD-2, LF-UD-3A,B, LF-UD-4, LF-UD-6, LF-UD-7, LF-UD-8, LF-UD-9, LF-UD-10, and LP-UD-1 during any of the three 2023 detection monitoring events; thus, no samples were obtained at these locations during 2023. These occurrences of no flow at these underdrain monitoring locations are generally consistent with previously observed patterns and is likely associated with the lowering of the groundwater table from the construction of the landfill expansion cells (see Section 2.0).

Where there was flow during 2023 from underdrain monitoring locations (LF-UD-4, LF-UD-5 and 6, LF-UD-12+13+14, and LP-UD-2), the underdrain monitoring data do not show adverse effects from the performance of the landfill cells or leachate collection and transport systems.

VOCs were analyzed at all sampled underdrain locations (both landfill and Detention Pond 1A underdrains) in April 2023; no VOCs were detected above laboratory reporting limits.

### **Groundwater Monitoring Locations**

As discussed in Section 8.3, SME has identified 31 of the 50 site-wide groundwater monitoring locations with water quality that: (1) do not indicate influence from landfill leachate; and (2) show limited influence from landfill construction operations (see Table 8-4). These wells have 2023 annual maximum specific conductance values ranging from 56  $\mu\text{mhos/cm}$  to 372  $\mu\text{mhos/cm}$ , and low chloride concentrations ranging from 1.3 mg/L to 19 mg/L. Many of these wells also generally exhibit limited to no statistically significant increasing trends.

More pronounced water quality changes have been observed at 19 of the site groundwater monitoring locations (see Table 8-4), which include wells both upgradient and downgradient from the landfill. These changes are evidenced at some monitoring locations by the statistically significant trends for multiple parameters. These trends are largely attributable to changes in redox conditions, which occur as expected around the landfill due to the placement of the landfill in the landscape and from construction activities (e.g., from removal of vegetation, disturbance of native soils, and the cutoff of precipitation in the landfill area), and do not indicate landfill related impacts to water quality from malfunction of the landfill liners. This conclusion is supported by the current values and trends of key indicator parameters at the landfill underdrain monitoring locations and leak detection monitoring locations.

Upgradient monitoring location MW12-303R is located in an area that historically has been influenced by roadway maintenance and runoff, and from site construction activities, with improvements and corrections implemented as discussed in previous reports. T Good roadway maintenance practices and prohibiting the stockpiling of snow in the vicinity of MW12-303R will help to minimize potential impacts to water quality from landfill operations.

Stiff and Piper diagrams were plotted using July 2023 data from the landfill leachate and the 19 groundwater monitoring wells discussed in this report for having more pronounced water quality changes (see Appendix G). These diagrams generally show similar chemical characterizations among the groundwater monitoring wells in July 2023 and a clear distinction from the chemical signature of the leachate from LT-C4LR in July 2023 (see Appendix G). We do not interpret any of the recent water quality data or noted trends at any of the downgradient monitoring wells to be related to the performance of landfill cells or leachate collection and transport systems. Some parameter concentrations at some monitoring locations downgradient of the landfill expansion show effects from the recent construction activities that are expected to decrease and stabilize with additional time following the construction of the landfill expansion cells.

### **Surface Water, Stormwater, and Pore-Water Monitoring Locations**

As discussed in Section 8.4, the 2023 surface water, stormwater, and pore-water monitoring location data are generally characterized by very low values of key indicator parameters by comparison to the JRL leachate (i.e., LT-C4LR). This is generally consistent with historical data at these locations.

### **Dissolved Methane Monitoring**

Dissolved methane monitoring at groundwater monitoring wells, pore-water samples, and leak detection monitoring locations are discussed in Sections 8.3, 8.4, and 8.5. Of the thirty-two groundwater monitoring wells from which samples were obtained for dissolved methane analysis in 2023, the parameter was only detected at low concentrations above laboratory reporting limit of 20 µg/L at three locations during the July monitoring event and one location during the October monitoring event.

Dissolved methane was detected during July of 2023 in three leak detection monitoring locations.

The dissolved methane detections in 2023 pore-water monitoring are consistent with their hydrologic setting in a freshwater wetland and are attributed to anaerobic biological processes in the saturated wetland soils, including higher concentrations during the summer monitoring event when warmer temperatures facilitate increased anaerobic biological processes in the saturated wetland soils.

### **Leak Detection Monitoring Locations**

Landfill leak detection locations LF-LD-11, LF-LD-12, LF-LD-13, and LF-LD-14 were monitored in 2023 as discussed in Section 8.5. Sampling results show very low chloride concentrations and no arsenic detections during 2023. The 2023 leak detection monitoring results do not indicate the presence of leachate in the leak detection systems for Cells 11 through 14. The specific conductance values at these leak detection locations in 2023 were greater than those typical at upgradient monitoring locations, which is likely the result of the material settling in the leak detection system, and can be expected to continue and increase over time. Specific conductance and liquid flow rates in the leak detection systems were below the action levels defined in the LAR Plan.

## **10.2 Closure and Recommendations**

- SME recommends that on-site snow removal and winter roadway maintenance practices minimize stockpiling of snow around monitoring locations proximate to roadways.
- SME recommends continuing with the current site monitoring program in 2024.


**APPENDIX A**

**RESPONSES TO MEDEP COMMENTS REGARDING THE  
PREVIOUS ANNUAL WATER QUALITY REVIEW  
(NONE RECEIVED)**



**APPENDIX B**

**INTERPRETED SHALLOW GROUNDWATER PHREATIC SURFACE AND UPPER  
BEDROCK POTENTIOMETRIC SURFACE CONTOUR MAPS AND  
2023 QUANTITATIVE ANALYSIS OF MEASURED CHANGES IN  
GROUNDWATER ELEVATIONS AT MONITORING LOCATIONS**



**NOTES**

1. BASE MAP PREPARED BY AERIAL SURVEY & PHOTO INC., NORRIDGEWOCK, MAINE. PHOTO DATE 7/5/17. VERTICAL DATUM: BRASS PLUG AT PUMP STATION AND AT THE ADMINISTRATION BUILDING. HORIZONTAL DATUM: MAINE STATE COORDINATES EAST ZONE NAD 83. GROUND CONTROL BY SEVEE & MAHER ENGINEERS, INC, CUMBERLAND, MAINE. CONTOURS WITHIN EXISTING CELL LINER LIMIT FROM LOW ALTITUDE AERIAL PHOTOGRAMMETRIC MAPPING PERFORMED BY SEVEE & MAHER ENGINEERS, INC. (SME) OF CUMBERLAND, MAINE, DATED DECEMBER 1, 2018. GROUND CONTROL BY SEVEE & MAHER ENGINEERS, INC (SME) OF CUMBERLAND, MAINE USING PROPELLER AEROPOINTS, DATED DECEMBER 1, 2018: HORIZONTAL DATUM - NAD83 MAINE, EAST, US FT. VERTICAL DATUM - NAVD 88, US FT.
2. PROPERTY LINE LOCATIONS ARE A RESULT OF FIELD SURVEY PERFORMED BY HERRICK AND SALSBURY, INC. LAND SURVEYORS, ELLSWORTH, MAINE FOR TRYTON TREE FARM PROJECT, PATTEN CORPORATION-DOWNEAST, OLD TOWN, MAINE, FEBRUARY 23, 1988, REVISED APRIL 7, 1988.
3. LOCATIONS OF EXPLORATIONS ARE APPROXIMATE.
4. GROUNDWATER CONTOURS BASED ON WATER LEVEL MEASUREMENTS RECORDED DURING SPRING AND FALL OF 2007 (WET AND DRY SEASONS RESPECTIVELY). SUMMER DATA FROM 2008 (WET AND DRY SEASONS RESPECTIVELY).

**LEGEND**


- 150 INTERPRETED WET-SEASON POTENTIOMETRIC SURFACE, (2007) IN BEDROCK (ELEVATION IN FEET NGVD).
- 150 INTERPRETED DRY-SEASON POTENTIOMETRIC SURFACE, (2007), IN BEDROCK (ELEVATION IN FEET NGVD).
- MW-227  
W 160.02  
D 158.19 WELL/PIEZOMETER LOCATION WITH ELEVATION OF GROUNDWATER FOR WET (W) AND DRY (D) SEASON.



**FIGURE 5-1**  
 INTERPRETED PHREATIC SURFACE  
 SEASONAL HIGH CONDITIONS  
 JUNIPER RIDGE LANDFILL EXPANSION  
 OLD TOWN, MAINE







**NOTES**

1. BASE MAP PREPARED BY AERIAL SURVEY & PHOTO INC., NORRIDGEWOCK, MAINE. PHOTO DATE 7/5/17. VERTICAL DATUM: BRASS PLUG AT PUMP STATION AND AT THE ADMINISTRATION BUILDING. HORIZONTAL DATUM: MAINE STATE COORDINATES EAST ZONE NAD 83. GROUND CONTROL BY SEVEE & MAHER ENGINEERS, INC, CUMBERLAND, MAINE. CONTOURS WITHIN EXISTING CELL LINER LIMIT FROM LOW ALTITUDE AERIAL PHOTOGRAMMETRIC MAPPING PERFORMED BY SEVEE & MAHER ENGINEERS, INC. (SME) OF CUMBERLAND, MAINE, DATED DECEMBER 1, 2018. GROUND CONTROL BY SEVEE & MAHER ENGINEERS, INC (SME) OF CUMBERLAND, MAINE USING PROPELLER AEROPOINTS, DATED DECEMBER 1, 2018: HORIZONTAL DATUM - NAD83 MAINE, EAST, US FT. VERTICAL DATUM - NAVD 88, US FT.
2. PROPERTY LINE LOCATIONS ARE A RESULT OF FIELD SURVEY PERFORMED BY HERRICK AND SALSBURY, INC. LAND SURVEYORS, ELLSWORTH, MAINE FOR TRYTON TREE FARM PROJECT, PATTEN CORPORATION-DOWNEAST, OLD TOWN, MAINE, FEBRUARY 23, 1988, REVISED APRIL 7, 1988.
3. LOCATIONS OF EXPLORATIONS ARE APPROXIMATE.
4. GROUNDWATER CONTOURS BASED ON WATER LEVEL MEASUREMENTS RECORDED DURING SPRING AND FALL OF 2007 (WET AND DRY SEASONS RESPECTIVELY). SUMMER DATA FROM 2008 (WET AND DRY SEASONS RESPECTIVELY).

**LEGEND**

- 150 INTERPRETED WET-SEASON UPPER BEDROCK POTENTIOMETRIC SURFACE CONTOUR (ELEVATION IN FEET NGVD).
- 150 INTERPRETED DRY-SEASON UPPER BEDROCK POTENTIOMETRIC SURFACE CONTOUR (ELEVATION IN FEET NGVD).
- MW-223A  
W 174.97  
D 173.04 WELL/PIEZOMETER LOCATION WITH ELEVATION OF GROUNDWATER FOR WET (W) AND DRY (D) SEASON.





**FIGURE 5-8**  
**INTERPRETED GROUNDWATER**  
**POTENTIOMETRIC SURFACE**  
**IN UPPER BEDROCK**  
**JUNIPER RIDGE LANDFILL EXPANSION**  
**OLD TOWN, MAINE**



# Quantitative Analysis of Groundwater at JRL

## Shallow Groundwater at Background


(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as  $(y = mx + B)$ .  
B is the intercept at a specified date on the y-axis.)



# Quantitative Analysis of Groundwater at JRL

## Deep Groundwater at Background

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as  $(y = mx + B)$ .  
B is the intercept at a specified date on the y-axis.)




—◆— P-206A  
●●● Linear (P-206A)  
 $y = -0.0015x + 244.58$

# Quantitative Analysis of Groundwater at JRL

## Shallow Groundwater Downgradient of Former Leachate Pond

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as  $y = mx + B$ . B is the intercept at a specified date on the y-axis.)



MW-401B

DP-4

MW04-105

MW-204

Linear (MW-401B)

Linear (DP-4)

Linear (MW04-105)

Linear (MW-204)

$$y = -2E-05x + 151.37$$

$$y = -4E-05x + 155.85$$

$$y = -0.0002x + 166.59$$


$$y = -0.0001x + 159.43$$



# Quantitative Analysis of Groundwater at JRL

## Deep Groundwater Downgradient of Former Leachate Pond


(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as  $(y = mx + B)$ .  
B is the intercept at a specified date on the y-axis.)



# Quantitative Analysis of Groundwater at JRL

## Shallow Groundwater Downgradient of Cell 1

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as  $(y = mx + B)$ . B is the intercept at a specified date on the y-axis.)



—◆— MW-223B  
●●● Linear (MW-223B)  
 $y = -0.0003x + 183.54$

—■— MW-227  
●●● Linear (MW-227)  
 $y = -5E-05x + 161.59$

—×— P-04-04  
●●● Linear (P-04-04)  
 $y = -0.0003x + 171.72$


—\*— MW04-102  
●●● Linear (MW04-102)  
 $y = -0.0004x + 178.73$



# Quantitative Analysis of Groundwater at JRL

## Deep Groundwater West of Cell 1

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as  $(y = mx + B)$ .  
B is the intercept at a specified date on the y-axis.)




—■— MW-223A  
..... Linear (MW-223A)  
 $y = -0.0003x + 187.99$

# Quantitative Analysis of Groundwater at JRL

## Deep Groundwater West of Cell 5


(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as  $y = mx + B$ .  
B is the intercept at a specified date on the y-axis.)



# Quantitative Analysis of Groundwater at JRL

## Shallow Groundwater Downgradient of Cell 5/6


(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as  $(y = mx + B)$ .  
B is the intercept at a specified date on the y-axis.)



# Quantitative Analysis of Groundwater at JRL

## Overburden Groundwater Downgradient of Expansion (1 of 2)

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as  $(y = mx + B)$ .  
B is the intercept at a specified date on the y-axis.)



—x— OW-601B

●●● Linear (OW-601B)

$$y = -0.0012x + 230.97$$

—■— MW-04-09B

●●● Linear (MW-04-09B)

$$y = 0.0006x + 135.9$$


—▲— OW-607B

●●● Linear (OW-607B)

$$y = -0.013x + 741.83$$

## Overburden Groundwater Downgradient of Expansion (2 of 2)

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as (y = mx + B).  
B is the intercept at a specified date on the y-axis.)



—◆— P-04-11A

—×— OW-608B

—■— OW-609B

••••• Linear (P-04-11A)

••••• Linear (OW-608B)

••••• Linear (OW-609B)


$$y = 0.0004x + 164.61$$

$$y = -0.0024x + 303.2$$

$$y = -0.0007x + 231.04$$

## Bedrock Groundwater Downgradient of Expansion (1 of 4)


(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as  $(y = mx + B)$ . B is the intercept at a specified date on the y-axis.)



# Quantitative Analysis of Groundwater at JRL

## Bedrock Groundwater Downgradient of Expansion (2 of 4)

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as  $y = mx + B$ .  
B is the intercept at a specified date on the y-axis.)



—▲— MW-507

●●● Linear (MW-507)

$$y = 0.0008x + 135.99$$

—◆— OW-605A

●●● Linear (OW-605A)

$$y = 0.0019x + 78.833$$

—×— OW-608A

●●● Linear (OW-608A)

$$y = -0.0007x + 188.6$$

—■— OW-611A


●●● Linear (OW-611A)

$$y = 0.0002x + 166.51$$

# Quantitative Analysis of Groundwater at JRL

## Bedrock Groundwater Downgradient of Expansion (3 of 4)

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as  $(y = mx + B)$ .  
B is the intercept at a specified date on the y-axis.)



MW-504

MW-505

MW-506

MW-08-01

Linear (MW-504)

Linear (MW-505)

Linear (MW-506)

Linear (MW-08-01)

$y = -0.0158x + 857.72$

$y = -0.0066x + 477.57$


$y = -0.0039x + 345.5$

$y = -0.0157x + 855.17$



## Bedrock Groundwater Downgradient of Expansion (4 of 4)

(Dotted lines are Linear Trendlines from EXCEL, slope values (m) are presented in the Legend as  $(y = mx + B)$ .  
 B is the intercept at a specified date on the y-axis.)



—■— P-04-07A

—■— P-04-07B

—◆— MW-508

—■— OW-610A

●●● Linear (P-04-07A)

●●● Linear (P-04-07B)

●●● Linear (MW-508)

●●● Linear (OW-610A)

$y = 0.0019x + 88.714$

$y = 0.0022x + 77.758$

$y = -0.0015x + 254.57$

$y = 0.0022x + 73.298$

**APPENDIX C**

**2023 AND HISTORICAL FALL SPECIFIC  
CONDUCTANCE DATA (EXPANDED LOCATIONS)**

REPORT PREPARED: 3/18/2024 09:15  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Conductivity and Water Levels



Page 1 of 10  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

Date	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet														
<b>DP-4</b>																		
10/21/2014	239	14.67	154.7	27.05														
10/28/2015	278	14.57	154.8	27.05														
10/26/2016	267	15	154.37	27.1														
10/23/2017	201	17.02	152.35	27.17														
10/3/2018	214	15.25	154.12	27.16														
10/28/2019	272	14.91	154.46	27.1														
10/26/2020	249	15.1	154.27	27.12														
10/4/2021	268	14.78	154.59	27.12														
10/5/2022	248	14.35	155.02	27.12														
10/3/2023	184	16.65	152.72	27.12														
<b>MW04-101</b>																		
10/21/2014	193	5.86	162.06	23.82														
10/26/2015	189	5.8	162.12	23.82														
10/24/2016	211	6.2	161.72	23.82														
10/23/2017	213	7.2	160.72	23.82														
10/3/2018	204	6.3	161.62	23.83														
10/28/2019	!	!		!														
10/28/2020	!	!		!														
<b>MW04-102</b>																		
10/21/2014	196	6.58	163.64	18.05														
10/28/2015	214	6.75	163.47	18.05														
10/25/2016	237	7.2	163.02	18.05														
10/25/2017	240	8.2	162.02	18.05														
10/3/2018	224	7.95	162.27	18.05														
10/28/2019	216	6.55	163.67	18.05														
10/26/2020	224	8	162.22	18.05														
10/4/2021	230	8	162.22	18.05														
10/3/2022	210	8.3	161.92	18.05														
10/2/2023	211	7.3	162.92	18.05														
<b>MW04-104</b>																		
10/22/2014	203	8.2	159.86	28.07														
10/26/2015	222	8.46	159.6	28.08														
10/25/2016	242	8.8	159.26	28.05														
10/24/2017	239	9.6	158.46	28.07														
10/2/2018	236	9.2	158.86	28.07														
10/28/2019	229	8.1	159.96	28.06														
10/28/2020	231	8	160.06	27.9														
10/5/2021	236	8.85	159.21	27.9														
10/5/2022	224	9.05	159.01	27.9														
10/2/2023	224	9.1	158.96	27.9														
<b>MW04-105</b>																		
10/22/2014	322	7.28	158.31	22.83														
10/28/2015	296	7.62	157.97	22.83														
10/26/2016	305	8.31	157.28	22.83														
10/23/2017	332	9.2	156.39	22.85														

REPORT PREPARED: 3/18/2024 09:15  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Conductivity and Water Levels



Page 2 of 10  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW04-105)	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet														
Date																		
10/1/2018	341	8.61	156.98	22.84														
10/28/2019	218	7.2	158.39	22.83														
10/27/2020	276	8.3	157.29	22.84														
10/5/2021	328	8.15	157.44	22.84														
10/5/2022	316	8.5	157.09	22.84														
10/2/2023	216	8.7	156.89	22.84														
<b>MW04-109 &amp; MW04-109R</b>																		
10/21/2014	389	7.07	153.06	22.98														
10/27/2015	429	7	153.13	22.97														
10/25/2016	425	7.35	152.78	22.97														
10/24/2017	453	8.62	151.51	22.97														
10/2/2018	437	7.85	152.28	22.97														
10/28/2019	418	5.96	154.17	22.97														
10/27/2020	391	7.08	153.05	27.98														
10/5/2021	386	6.75	153.38	27.98														
10/4/2022	345	7.05	153.08	27.98														
10/3/2023	337	7.2	152.93	27.98														
<b>MW-204</b>																		
10/22/2014	192	9.45	155.3	24.48														
10/26/2015	167	9.4	155.35	24.43														
10/26/2016	218	10.05	154.7	24.43														
10/23/2017	272	11.5	153.25	24.43														
10/3/2018	277	10.17	154.58	24.48														
10/28/2019	253	9	155.75	24.49														
10/26/2020	265	10.1	154.65	24.47														
10/4/2021	357	9.65	155.1	24.47														
10/5/2022	323	9.9	154.85	24.47														
10/2/2023	!	!	!	!														
<b>MW-206</b>																		
10/20/2014	142	7.8	196.87	23.15														
10/26/2015	139	6.8	197.87	23.15														
10/24/2016	167	13.95	190.72	23.15														
10/23/2017	146	14.9	189.77	23.15														
10/1/2018	147	13.2	191.47	23.15														
10/28/2019	149	4.5	200.17	23.15														
10/26/2020	148	9.6	195.07	23.15														
10/4/2021	154	5.8	198.87	23.15														
10/5/2022	323	9.9	194.77	23.15														
10/2/2023	140	6.4	198.27	23.15														
<b>MW-216BR</b>																		
10/21/2014	263	6	153.4	22.53														
10/26/2015	257	5.85	153.55	22.54														
10/25/2016	273	6.3	153.1	22.52														
10/23/2017	258	7.7	151.7	22.52														
10/2/2018	266	6.8	152.6	22.53														
10/29/2019	164	4.7	154.7	22.25														
10/27/2020	196	6	153.4	22.48														

REPORT PREPARED: 3/18/2024 09:15  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Conductivity and Water Levels



Page 3 of 10  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-216BR)	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet													
Date																	
10/5/2021	140	5.9	153.5	22.48													
10/4/2022	127	5.9	153.5	22.48													
7/19/2023		5.53	153.87														
10/2/2023	124	6.1	153.3	22.48													
<b>MW-223A</b>																	
10/20/2014	435	2.43	174.11	35.57													
11/6/2014		0.68	175.86														
10/27/2015	490	1.4	175.14	35.57													
10/25/2016	547	3.7	172.84	35.57													
10/24/2017	552	4.5	172.04	35.57													
10/2/2018	556	4.95	171.59	35.6													
10/29/2019	548	0.93	175.61	35.57													
10/27/2020	583	2.8	173.74	35.57													
10/5/2021	628	2.35	174.19	35.57													
10/4/2022	578	3	173.54	35.57													
10/3/2023	595	4.72	171.82	35.57													
<b>MW-223B</b>																	
10/20/2014	350	3.5	172.43	20.07													
11/6/2014		2.19	173.74														
10/27/2015	394	2.8	173.13	20.05													
10/25/2016	436	4.5	171.43	20.07													
10/24/2017	446	5.25	170.68	20.06													
10/2/2018	485	5.7	170.23	20.07													
10/29/2019	480	2.4	173.53	20.07													
10/27/2020	505	3.8	172.13	20.07													
10/5/2021	531	3.6	172.33	20.07													
10/4/2022	487	4.2	171.73	20.07													
10/3/2023	503	6	169.93	20.07													
<b>MW-227</b>																	
10/20/2014	181	4.6	159.63	22.3													
10/27/2015	182	4.6	159.63	22.3													
10/25/2016	199	4.61	159.62	22.3													
10/24/2017	191	5.65	158.58	22.3													
10/2/2018	191	5.18	159.05	22.3													
10/29/2019	181	4.19	160.04	22.3													
10/27/2020	184	4.45	159.78	22.31													
10/5/2021	191	4.65	159.58	22.31													
10/4/2022	178	8.45	155.78	22.31													
10/3/2023	173	4.7	159.53	22.31													
<b>MW-301</b>																	
10/22/2014	299	0.3	165.61	184.1													
10/27/2015	205	0.23	165.68	185.11													
10/26/2016	218	0.38	165.53	185.11													
10/25/2017	225	0.2	165.71	185.11													
10/1/2018	242	0.95	164.96	185.13													
10/28/2019	248	F1		185.1													
10/26/2020	248	1.8	164.11	185.12													

REPORT PREPARED: 3/18/2024 09:15  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Conductivity and Water Levels



Page 4 of 10  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-301)	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet														
10/4/2021	259	0.9	165.01	185.11														
10/3/2022	242	3	162.91	185.11														
10/2/2023	243	3.1	162.81	185.11														
<b>MW-302 &amp; MW-302R</b>																		
10/20/2014	500	15.75	191.11	32.22														
11/6/2014		6.53	200.33															
10/26/2015	766	9.2	197.66	32.22														
10/24/2016	630	18.5	188.36	32.22														
10/23/2017	698	19.35	187.51	32.25														
10/1/2018	851	19.6	187.26	32.23														
10/28/2019	317	5.17	201.69	32.2														
10/26/2020	562	13.8	193.06	32.27														
10/4/2021	450	11.2	195.66	32.27														
10/2/2023	!	!		32.27														
<b>MW-303 &amp; MW12-303R</b>																		
10/20/2014	440	30.08	178.81	43.38														
10/26/2015	370	29.29	179.6	43.4														
10/24/2016	681	32.5	176.39	43.4														
10/23/2017	414	19.35	189.54	43.4														
10/1/2018	408	32.08	176.81	43.4														
10/28/2019	380	29.12	179.77	43.4														
10/26/2020	577	33.4	175.49	43.4														
10/4/2021	673	31.77	177.12	43.4														
10/3/2022	401	33.15	175.74	43.4														
10/2/2023	286	29.1	179.79	43.4														
<b>MW-401A</b>																		
10/20/2014	118	7.15	149.68	112.04														
10/26/2015	118	4.8	152.03	112.03														
10/24/2016	127	8.5	148.33	112.2														
10/25/2017	303	8.55	148.28	112.18														
10/1/2018	146	8.72	148.11	112.2														
10/28/2019	140	2.21	154.62	112.21														
10/26/2020	122	6.27	150.56	112.03														
10/4/2021	128	3.41	153.42	112.03														
10/3/2022	134	6.6	150.23	112.03														
10/2/2023	161	4.28	152.55	112.03														
<b>MW-401B</b>																		
10/20/2014	336	7.14	150.18	23.12														
10/26/2015	335	6.97	150.35	23.1														
10/24/2016	355	7.34	149.98	23.1														
10/25/2017	375	8.25	149.07	23.14														
10/1/2018	363	7.9	149.42	23.14														
10/28/2019	327	6.2	151.12	23.14														
10/26/2020	296	7.1	150.22	23.13														
10/4/2021	287	6.68	150.64	23.13														
10/3/2022	290	6.5	150.82	23.13														
10/2/2023	311	7.03	150.29	23.13														

REPORT PREPARED: 3/18/2024 09:15  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Conductivity and Water Levels



Page 5 of 10  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-402A)	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet														
<b>MW-402A</b>																		
10/22/2014	58	0.25	151.95	108.3														
10/28/2015	117	0.04	152.16	108.28														
10/26/2016	126	0.46	151.74	108.28														
10/26/2017	122	0.05	152.15	108.28														
10/3/2018	136	0.45	151.75	108.3														
10/30/2019	128	0.05	152.69	108.35														
10/28/2020	112	F1		108.55														
10/4/2021	118	0.06	152.14	108.55														
10/3/2022	113	0.66	151.54	108.55														
10/2/2023	128	0.08	152.12	108.55														
<b>MW-402B</b>																		
10/22/2014	147	3.87	148.87	25.13														
10/28/2015	142	3.25	149.49	25.16														
10/26/2016	150	5.21	147.53	25.15														
10/26/2017	147	4.58	148.16	25.16														
10/3/2018	162	5.82	146.92	25.16														
10/30/2019	151	2.65	149.55	25.14														
10/28/2020	131	3.92	148.82	25.2														
10/4/2021	132	3.15	149.59	25.2														
10/3/2022	131	4.2	148.54	25.2														
10/2/2023	148	3.6	149.14	25.2														
<b>MW09-901</b>																		
10/21/2014	266	9.7	155.4	22.8														
10/27/2015	318	9.48	155.62	22.82														
10/25/2016	353	10.5	154.6	22.82														
10/24/2017	392	11.92	153.18	22.8														
10/2/2018	390	11	154.1	22.82														
10/29/2019	333	5.89	159.21	22.82														
10/27/2020	341	8.15	156.95	22.81														
10/5/2021	346	7.3	157.8	22.81														
10/4/2022	286	7.8	157.3	22.81														
10/3/2023	342	5.7	159.4	22.81														
<b>P-04-02 &amp; P-04-02R</b>																		
10/28/2015	700	11.8	158.92	37.98														
10/26/2016	629	12.81	157.91	37.96														
10/25/2017	481	13.5	155.24	38														
10/3/2018	456	13.25	155.49	38														
10/30/2019	331	11.5	159.22	38														
10/28/2020	284	13.18	157.54	37.88														
10/6/2021	274	13.88	156.84	37.88														
10/4/2022	229	13	157.72	37.88														
10/2/2023	223	12.8	157.92	37.88														
<b>P-04-04</b>																		
10/22/2014	165	9.35	159.9	32.28														
10/28/2015	161	9.06	160.19	32.31														

REPORT PREPARED: 3/18/2024 09:15

FOR: Juniper Ridge Landfill

DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
Conductivity and Water Levels



Page 6 of 10

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(P-04-04)	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet														
Date																		
10/26/2016	184	10.53	158.72	32.3														
10/25/2017	189	10.8	158.45	32.34														
10/3/2018	196	10.92	158.33	32.34														
10/30/2019	187	9.2	160.05	32.34														
10/28/2020	167	10.8	158.45	37.1														
10/6/2021	175	10.2	159.05	37.1														
10/4/2022	194	10.52	158.73	37.1														
10/2/2023	201	10	159.25	37.1														
<b>P-201A</b>																		
10/21/2014	78	2.99	146.56	Q														
11/6/2014		2.28	147.27															
10/28/2015	119	2.45	147.1	21.62														
10/25/2016	85	3.18	146.37	21.62														
10/26/2017	73	2.72	146.83	21.62														
10/2/2018	187	3.4	146.15	21.62														
10/29/2019	176	1.99	147.56	21.62														
10/27/2020	186	2.86	146.69	22.48														
10/7/2021	124	2.21	147.34	22.48														
10/4/2022	197	3.02	146.53	22.48														
10/3/2023	222	7.35	142.2	22.48														
<b>P-201B</b>																		
10/21/2014	124	F1		70.7														
11/6/2014		0.62	151.56															
10/28/2015	77	F1		70.7														
10/25/2016	158	F1		70.12														
10/26/2017	104	F1		70.12														
10/2/2018	138	F1		70.12														
10/29/2019	148	0.19	151.99	70.12														
10/27/2020	116	2.66	149.52	73.97														
10/7/2021	115	2.13	150.05	73.97														
10/4/2022	123	2.23	149.95	73.97														
10/3/2023	130	1.85	150.33	73.97														
<b>P-201C</b>																		
10/21/2014	150	3.76	148.43	67.82														
11/6/2014		F1																
10/28/2015	150	0.77	151.42	67.82														
10/25/2016	160	2.4	149.79	67.82														
10/26/2017	123	2.18	150.01	67.82														
10/2/2018	156	5.65	146.54	67.82														
10/29/2019	150	2.62	149.57	67.82														
10/27/2020	141	4.39	147.8	68.05														
10/7/2021	126	2.19	150	68.05														
10/4/2022	124	3.7	148.49	68.05														
10/3/2023	142	2.19	150	68.05														
<b>P-201D</b>																		
10/21/2014	153	3.02	148.31	49.42														
11/6/2014		2.14	149.19															



REPORT PREPARED: 3/18/2024 09:15  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Conductivity and Water Levels



Page 7 of 10  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(P-201D)	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet														
Date																		
10/28/2015	142	2.15	149.18	49.42														
10/25/2016	164	3.57	147.76	49.42														
10/26/2017	122	3.05	148.28	49.42														
10/2/2018	157	3.75	147.58	49.92														
10/29/2019	149	2.11	149.22	49.92														
10/27/2020	134	3.22	148.11	48.57														
10/7/2021	132	0.78	150.55	48.57														
10/4/2022	126	3.34	147.99	48.57														
10/3/2023	141	2.5	148.83	48.57														
<b>P-201E</b>																		
10/21/2014	130	2.04	150.22	42.5														
11/6/2014		F1																
10/28/2015	151	0.7	151.56	42.5														
10/25/2016	164	2.39	149.87	42.5														
10/26/2017	117	1.94	150.32	42.5														
10/2/2018	150	2.6	149.66	42.5														
10/29/2019	135	2.11	150.15	42.5														
10/27/2020	122	2.02	150.24	43.1														
10/7/2021	214	2.24	150.02	43.1														
10/4/2022	113	2.03	150.23	43.1														
10/3/2023	138	2.15	150.11	43.1														
<b>P-202A</b>																		
10/20/2014	164	3.16	146.22	21.31														
11/6/2014		2.2	147.18															
10/27/2015	179	2.25	147.13	21.31														
10/26/2016	191	3.59	145.79	21.31														
10/26/2017	132	2.9	146.48	21.31														
10/2/2018	110	4.5	144.88	6.31														
10/30/2019	89	1.94	147.44	6.31														
10/28/2020	99	2.98	146.4	21.18														
10/4/2021	F21	F21		F21														
10/3/2022	F21	F21		F21														
10/2/2023	179	2.56	146.82	21.18														
<b>P-202B</b>																		
10/20/2014	168	2.29	147.08	6.31 Q														
11/6/2014		2.75	146.62															
10/27/2015	173	2.85	146.52	6.31 Q														
10/26/2016	194	2.97	146.4	6.31 Q														
10/26/2017	138	3.63	145.74	6.31														
10/2/2018	144	3.15	146.22	21.31														
10/30/2019	116	2.29	147.08	21.31														
10/28/2020	87	2.31	147.06	6.02														
10/4/2021	F21	F21		F21														
10/3/2022	F21	F21		F21														
7/19/2023		F12																
10/2/2023	156	2.18	147.19	6.02														
<b>P-206A</b>																		

REPORT PREPARED: 3/18/2024 09:15  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Conductivity and Water Levels



Page 8 of 10  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(P-206A)	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet													
Date																	
10/20/2014	128	25.7	178.81	93.48													
10/26/2015	146	24.9	179.61	93.45													
10/24/2016	192	28.2	176.31	93.43													
10/23/2017	221	27.6	176.91	93.45													
10/1/2018	234	28.4	176.11	93.43													
10/28/2019	218	24.8	179.71	93.43													
10/26/2020	F5	30 A6	174.51	93.15													
10/4/2021	249	27.3	177.21	93.15													
10/3/2022	214	28.5	176.01	93.15													
10/2/2023	277	24.6	179.91	93.15													
<b>P-209A</b>																	
10/21/2014	82	22.21	156.58	55.82													
11/6/2014		3.25	175.54														
10/28/2015	70	41.2	137.59	55.82													
10/25/2016	199	25.92	152.87	55.82													
10/26/2017	56	22.11	156.68	55.82													
10/3/2018	59	25.65	153.14	55.82													
10/29/2019	89	F1		55.82													
10/27/2020	72	23.73	155.06	54.644													
10/5/2021	63	1.89	176.9	54.64													
10/3/2022	46	21.95	156.84	54.64													
10/2/2023	58	2.71	176.08	54.64													
<b>P-209B</b>																	
10/21/2014	184	22.35	156.47	30.65													
11/6/2014		4.28	174.54														
10/28/2015	125	3.62	175.2	30.65													
10/25/2016	124	26.17	152.65	30.65													
10/26/2017	77	22.85	155.97	30.65													
10/3/2018	103	25.84	152.98	30.65													
10/29/2019	85	0.12	178.7	30.65													
10/27/2020	84	23.95	154.87	30.81													
10/5/2021	51	1.92	176.9	30.81													
10/3/2022	88	22.03	156.79	30.81													
10/2/2023	88	2.26	176.56	30.81													
<b>P-209C</b>																	
10/21/2014	D	D		9.82													
11/6/2014		D															
10/28/2015	D	D		9.82													
10/25/2016	D	D		9.82													
10/26/2017	D	D		9.82													
10/3/2018	D	D		9.82													
10/29/2019	61	2.85	176.03	9.82													
10/27/2020	D	D		9.87													
10/5/2021	D	D		9.87													
10/3/2022	D	D		9.87													
10/2/2023	D	D		9.87													
<b>P-211A</b>																	

REPORT PREPARED: 3/18/2024 09:15  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Conductivity and Water Levels



Page 9 of 10  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(P-211A)	Specific Conductance µmhos/cm @25°C	Water Level Depth Feet	Water Level Elevation Feet	Well Depth Feet													
Date																	
10/21/2014	180	5.5	178.07	25.62													
11/6/2014		4.21	179.36														
10/26/2015	196	4.7	178.87	25.6													
10/24/2016	281	8.3	175.27	25.58													
10/23/2017	364	8.35	175.22	25.68													
10/2/2018	392	9.2	174.37	13.25													
10/29/2019	437	5.3	178.27	25.43													
10/28/2020	422	6.42	177.15	25.65													
10/6/2021	515	7.08	176.49	25.67													
10/5/2022	377	7.4	176.17	25.67													
10/3/2023	390	8.3	175.27	25.67													
<b>P-211B</b>																	
10/21/2014	249	5.7	178.27	13.44													
11/6/2014		4.36	179.61														
10/26/2015	282	5.4	178.57	13.5													
10/24/2016	284	7.8	176.17	13.5													
10/23/2017	477	8.2	175.77	13.5													
10/2/2018	506	9.15	174.82	25.65													
10/29/2019	482	5.4	178.57	13.23													
10/28/2020	473	6.4	177.57	13.5													
10/6/2021	469	6.75	177.22	13.5													
10/5/2022	449	7.3	176.67	13.5													
10/3/2023	509	7.8	176.17	13.5													
<b>P-220A</b>																	
10/20/2014	152	F1		40.8													
11/6/2014		F1															
10/27/2015	187	F1		40.8													
10/25/2016	189	0.37	147.62	40.8													
10/26/2017	137	0.35	147.64														
10/2/2018	177	0.35	147.64	40.8													
10/30/2019	F12	F12		F12													
10/26/2020	A	A		A													
10/4/2021	F21	F21		F21													
10/3/2022	F21	F21		F21													
10/2/2023	F21	F21		F21													
<b>P-220B</b>																	
10/20/2014	154	F1		22.8													
11/6/2014		F1															
10/27/2015	201	F1		22.78													
10/25/2016	181	0.63	147.42	22.78													
10/26/2017	134	0.57	147.48														
10/2/2018	110	0.47	147.58	22.78													
10/30/2019	F12	F12		F12													
10/26/2020	A	A		A													
10/4/2021	F21	F21		F21													
10/3/2022	F21	F21		F21													
7/19/2023		F12															
10/2/2023	F21	F21		F21													

REPORT PREPARED: 3/18/2024 09:15  
FOR: Juniper Ridge Landfill  
DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
Conductivity and Water Levels



Page 10 of 10  
SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(P-220B)	Specific Conductance	Water Level Depth	Water Level Elevation	Well Depth
Date	µmhos/cm @25°C	Feet	Feet	Feet

**Notes:** TYPE - Sample Type Qualifier where D = Duplicate Sample.

**Concentration Qualifier Notes:**

- !- The sampling location was damaged or destroyed.
- A- The sampling location was inaccessible.
- A6- Approximate value.
- D- The sampling location was dry.
- F1- Well was flowing
- F12- Pipe under water, no sample taken.
- F21- Area flooded by water. Beaver dam in area.
- F5- Water level not high enough to pump.
- Q- An obstruction prevented the collection of data.

**APPENDIX D**

**2023 AND HISTORICAL WATER QUALITY DATA**

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 1 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(DP-4)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
<b>DP-4</b>														
10/21/2014	XX	GWDP4X72C	239	6.7	13.1	154.72	14.65	27.05	169.37	343	0.8	75	0.6	
10/28/2015	XX	GWDP4X7J6	278	6.6	10.5	154.8	14.57	27.05	169.37	257	0.9		3	
10/26/2016	XX	GWDP4X908	267	6.5	10.2	154.37	15	27.1	169.37	296	0.6		7	
10/23/2017	XX	GWDP4X9I7	201	6.2	14.3	152.35	17.02	22.17	169.37	284	0.4		5.5	
10/3/2018	XX	GWDP4XB25	214	6.3	12.3	154.12	15.25	27.16	169.37	285	1.4		4.7	
10/28/2019	XX	GWDP4XBJ5	272	6.5	10.7	154.46	14.91	27.1	169.37	236	0.5		14.9	
10/26/2020	XX	GWDP4XD49	249	6.4	11.8	154.27	15.1	27.12	169.37	315	0.6		12.5	
10/4/2021	XX	GWDP4XE7A	268	6.1	14.8	154.59	14.78		169.37	193	0.7		4.9	
4/25/2022	XX	GWDP4XF21	236	5.9	10.3	154.7	14.67		169.37	204	0.8		5	
10/5/2022	XX	GWDP4XG00	248	6.3	15.4	155.02	14.35	27.12	169.37	219	0.8		3.5	
10/3/2023	XX	GWDP4X09A	184	5.9	14.3	152.72	16.65	27.12	169.37	253	0.4		10.5	
<b>LF-COMP</b>														
1/24/2014	XX	LFCMPX6DI	360	7.4	7.2					342	8	170	2.17	
2/24/2014	XX	LFCMPX6HF	387	7.5	11.4					397	9 E2	200	1.46	
3/27/2014	XX	LFCMPX6H3	383	8.1	13.7					334	8	200	2.22	
4/29/2014	XX	LFCMPX6I7	354	7.9	17.5					333	8	180	0.76	
5/23/2014	XX	LFCMPX716	390	7.7	21.5					355	8	200	0.63	
6/24/2014	XX	LFCMPX71I	442	7.2	21.6					370	6	190	0.74	
8/26/2014	XX	LFCMPX74I	M7	M7	M7					M7	M7	M7	M7	
9/23/2014	XX	LFCMPX759	449	7.6	23.1					345	6	165	0.09	
11/28/2014	XX	LFCMPX761	366	7.3	15.6					366	6	150	M	
12/24/2014	XX	LFCMPX76E	398	7	17.3					438	6	150	0.89	
2/3/2015	XX	LFCMPX775	383	7.4	14.3					386	5	185	0.03	
2/21/2015	XX	LFCMPX77G	321	7.5	17.7					369	4.5	185	0.63	
3/28/2015	XX	LFCMPX7AE	372	7.3	15.8					409	6	150	0.65	
9/26/2015	XX	LFCMPX809	314	6.7	21.4					380	8	160	0.5	
11/27/2015	XX	LFCMPX81D	312	7	15					377	8	170	0.81	
12/2/2015	XX	LFCMPX7GG	317	7	20.2					361	6	160	0.2	
8/29/2016	XX	LFCMPX90J	454	6.9	24.6					337	8	220	2.9	
9/23/2016	XX	LFCMPX93I	458	7.52	19					304	9	230	2.1	
10/31/2016	XX	LFCMPX94C	426	8.21	14.3					314	8	125	0.4	
11/29/2016	XX	LFCMPX957	218	7.39	12.3					357	6	150	0.9	
12/13/2016	XX	LFCMPX960	196	8.06	5.6					345	10	140	1	
1/10/2017	XX	LFCMPX99J	223	7.77	15.1					373	8	145	0.4	
2/8/2017	XX	LFCMPX9AC	311	7.71	14.2					358	9	125	0.4	
3/3/2017	XX	LFCMPX9B5	194	7.74	16					352	7	130	0.5	
4/5/2017	XX	LFCMPX996	206	7.95	18.7					349	8	105	3.6	
7/31/2017	XX	LFCMPX9FC	468	7.3	23.9					391	6	250	0.8	
9/28/2017	XX	LFCMPX9JE	492	7.4	18.9					360	8	240	7.1	
10/26/2017	XX	LFCMPXA06	473	6.9	17.7					414	6	160	1.3	
4/28/2018	XX	LFCMPXAAH	395	7.8	16.2					384	8	150	0.3	
6/2/2018	XX	LFCMPXAE1	433	8	19.7					365	7	130	0.3	
7/2/2018	XX	LFCMPXAJ1	483	8	22.4					367	7	180	0.2	
8/17/2018	XX	LFCMPXAJ2	498	7	22.8					355	7	200	5.6	
9/1/2018	XX	LFCMPXB28	485	7.8	19.9					376	7	200	4.8	
10/13/2018	XX	LFCMPXB32	481	7	14.9					374	7	190	1.7	
11/2/2018	XX	LFCMPXB3G	399	7.1	11.3					361	7	150	2.8	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 2 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-COMP)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
12/7/2018	XX	LFCMPXB7F	309	8	8.4					374	7	175	1.1	
1/3/2019	XX	LFCMPXB89	446	6.7	4.9					373	8	150	2	
2/2/2019	XX	LFCMPXB93	409	7.5	3.2					410	8	200	7	
3/2/2019	XX	LFCMPXB9H	423	7	5					372	7	200	2.2	
4/5/2019	XX	LFCMPXBAB	382	8.2	12.9					354	8	155	1.9	
5/10/2019	XX	LFCMPXBE3	344	7	14.4					321	7	160	3.7	
6/24/2019	XX	LFCMPXBEH	395	7.5	17.1					364	8	200	0.5	
7/30/2019	XX	LFCMPXBFB	410	8	20.6					337	8	210	2.5	
8/20/2019	XX	LFCMPXBG5	376	7.6	25.3					357	6	180	0.3	
9/20/2019	XX	LFCMPXBJI	453	7.2	21.5					370	6	200	0.2	
10/14/2019	XX	LFCMPXC0C	410	7.8	18.9					339	6	200	0.3	
11/27/2019	XX	LFCMPXC16	353	7.7	20					384	8	190	1.1	
12/23/2019	XX	LFCMPXC2G	394	7.9	12.7					353	8	135	0.3	
1/17/2020	XX	LFCMPXC3B	374	8.2	11.6					377	10	175	2.4	
2/4/2020	XX	LFCMPXC46	378	8.3	12.4					337	10	175	0.2	
3/27/2020	XX	LFCMPXCF3	328	7.3	11.7					415	6	200	0.4	
4/29/2020	XX	LFCMPXCFH	380	8.2	16.9					334	6	200	0.4	
5/27/2020	XX	LFCMPXCJG	438	7.2	18.4					346	6	200	0.2	
6/28/2020	XX	LFCMPXD0A	401	7.3	21.9					338	5	210	2.8	
7/11/2020	XX	LFCMPXD14	429	7.1	20.7					361	5	250	1.1	
8/3/2020	XX	LFCMPXD52	485	7	21.5					374	6	250	0.6	
9/27/2020	XX	LFCMPXD5I	402	7.2	17.7					409	6	250	14.2	
10/31/2020	XX	LFCMPXD6C	417	8.2	14.3					397	8	250	0.6	
11/29/2020	XX	LFCMPXD76	320	7.6	15.3					410	6	175	15.6	
12/13/2020	XX	LFCMPXD80	217	7	12.5					380	5	105	67.9	
1/10/2021	XX	LFCMPXDDE	258	7.1	15.5					397	6	125	28	
2/28/2021	XX	LFCMPXDE0	101	7.2	10.5					361	8	55	52.4	
3/30/2021	XX	LFCMPXDFC	364	7.1	12.7					412	8	200	181.1	
4/6/2021	XX	LFCOMPDG6	318	7	5.4					346	6.3		2.3	
4/29/2021	XX	LFCMPXDH8	426	7.5	15.4					381	8	250	2.2	
5/19/2021	XX	LFCMPXDI2	440	7.7	21.4					406	8	230	1.4	
6/2/2021	XX	LFCMPXE2D	394	7.9	20.1					334	7	230	3.1	
7/16/2021	XX	LFCMPXE39	473	7.1	24.8					388	6	250	3.9	
8/3/2021	XX	LFCMPXEFB	504	7.5	23.1					404	6	210	82.8	
9/18/2021	XX	LFCMPXEDD	450	7.1	19.4					365	6	225	14.4	
10/16/2021	XX	LFCMPXEEC	370	7.1	17.4					359	8	250	7.1	
11/20/2021	XX	LFCMPXEHA	281	7.3	13.7					329	5	150	18.3	
12/18/2021	XX	LFCMPXEIC	365	7.7	13					341	7	145	13.7	
1/16/2022	XX	LFCMPXF48	281	7.1	15.6					343	10	80	3.7	
2/20/2022	XX	LFCMPXF58	275	7.2	12					313	5	65	12.4	
3/20/2022	XX	LFCMPXF68	292	7	10.7					350	9	130	8.9	
4/15/2022	XX	LFCMPXFBJ	244	7.2	18.5					306	6	125	10	
5/10/2022	XX	LFCMPXFCJ	398	7.5	19.5					343	8	200	625.23	
6/7/2022	XX	LFCMPXFE9	483	8	20.7					327	8	325	13.2	
7/21/2022	XX	LFCMPXFF9	449	7.6	22.7					318	7	300	9.9	
8/8/2022	XX	LFCMPXG2I	370	7.2	18.6					365	6	175	4.9	
9/2/2022	XX	LFCMPXG5A	364	7.3	18.2					359	6	175	5	
10/6/2022	XX	LFCMPXG8C	423	7.8	13.4					293	6	200	8.7	
11/4/2022	XX	LFCMPXGA3	291	7	10					328	6	125	2.6	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 3 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-COMP)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
12/5/2022	XX	LFCMPXGC8	295	7	9.2					325	6	150	2.5	
1/4/2023	XX	LFCMPXGE0	361	7.1	9					383	6	175	7	
2/1/2023	XX	LFCMPXGFB	342	7.7	11.4					362	6	150	12.8	
3/1/2023	XX	LFCMPXH2F	393	7.8	12					389	6	135	147.5	
4/3/2023	XX	LFCMPXH46	348	7.7	14.1					346	6	150	10.5	
5/3/2023	XX	LFCMPXH65	297	7.5	14.9					306	6	150	27.7	
6/6/2023	XX	LFCMPX028	395	7.2	16.8					336	6	150	58.7	
7/18/2023	XX	LFCMPX03D	338	7.3	23.5					343	6	150	9.6	
8/1/2023	XX	LFCMPX0A9	459	7.8	21.2					300	5	225	7.3	
9/8/2023	XX	LFCMPX0BF	490	7.6	24.1					344	6	200	20.6	
10/4/2023	XX	LFCMPX0D7	450	7.2	22.3					343	6	250	10.9	
11/7/2023	XX	LFCMPX0EG	404	6.9	16.8					359	6	200	6.1	
12/20/2023	XX	LFCMPX0GE	288	7.2	10.8					346	5	125	12	
<b>LF-LD-11</b>														
4/7/2021	XX	LFXXXXG7	795	6.7	18.4					130	2.5		2.1	0.0316
7/13/2021	XX	LFXXXXE1C	723	6.5	21.2					195	1.5		0.3	0.0348
8/3/2021	XX	LFXXXXEG8	847	6.8	24.2					420	4	300	0.8	
8/18/2021	XX	LFLD11EGD	864	6.8	24.3					372	4	300	0.8	
8/30/2021	XX	LFLD11EGH	844	6.9	22.8					359	4	350	1.4	
9/18/2021	XX	LFXXXXE8A	869	6.8	21					338	4	500	2.3	
10/5/2021	XX	LFXXXXE88	744	6.5	17.1					261	1.7		0.3	0.0343
10/23/2021	XX	LFLD11EGK	884	6.8	21.1					368	3	350	1.4	
11/7/2021	XX	LFXXXXE16	739	6.3	20.2					364	4	450	1.2	
11/20/2021	XX	LFLD1XEI9	740	6.9	15.9					336	3	300	4.9	
12/4/2021	XX	LFXXXXEJ8	748	6.5	16.3					241	5	450	3.8	
12/18/2021	XX	LFLD1XEJB	770	6.5	16.7					148	4	125	15	
1/4/2022	XX	LFLD1XF57	738	6.6	16.9					367	4	250	2.8	
1/16/2022	XX	LFXXXXF54	739	7	15.9					356	7	370	4.6	
2/7/2022	XX	LFXXXXF64	804	6.9	18.7					352	4	500	2.6	
2/16/2022	XX	LFLD1XF67	731	7.9	13.2					344	9	225	4.9	
3/7/2022	XX	LFXXXXF74	1210	6.5	20.4					273	5	300	36.6	
3/20/2022	XX	LFLD1XF77	1245	6.4	15.6					135	3	350	24.6	
4/1/2022	XX	LFLD1XFCI	1197	6.4	20.6					178	5	500	11.3	
4/15/2022	XX	LFXXXXFCF	1027	6.8	19.5					222	5	500 <	4.7	
4/28/2022	XX	LFXXXXF2E	857	6.5	15.5					233	3.2		1.8	
5/10/2022	XX	LFLD1XFDI	895	7	19.7					293	5	500	5.5	
5/25/2022	XX	LFXXXXFDF	767	7	20.9					233	3	325	3.2	
6/7/2022	XX	LFXXXXFF5	945	7.1	21.1					339	8	500	7	
6/20/2022	XX	LFXXXXFGD	916	7.1	18.2					336	6	400	1.9	
7/1/2022	XX	LFXXXXFG5	906	7	23.9					233	6	450	1.6	
7/19/2022	XX	LFXXXXFA9	817	6.7	20.8					193	1.9		0.5	0.0341
7/21/2022	XX	LFLD1XFG8	893	7	22.8					237	6	425	1.9	
8/8/2022	XX	LFXXXXG3E	899	7.1	19.2					300	6	450	1.3	
8/22/2022	XX	LFXXXXG52	915	7	19.1					315	5	450	2.1	
9/2/2022	XX	LFXXXXG66	926	6.9	19.4					366	5	500	1.3	
9/15/2022	XX	LFLD1XG4F	918	6.9	19.6					362	6	450	2.2	
10/4/2022	XX	LFXXXXG0D	771	6.8	18.8					302	5		0.4	
10/6/2022	XX	LFXXXXG98	881	7	16.8					323	5	350	1.8	
10/24/2022	XX	LFLD1XG8B	906	7.1	18.9					325	6	350	1.3	



REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 4 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-LD-11)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
11/4/2022	XX	LFXXXGAJ	861	6.8	15.7					334	5	300	1.2	
11/21/2022	XX	LFLD1XGA2	857	7.1	17.6					326	4	300	1.2	
12/5/2022	XX	LFXXXGD4	857	6.8	15.3					335	6	300	1.3	
12/26/2022	XX	LFLD1XGC7	850	7	16.1					325	6	300	1.3	
1/4/2023	XX	LFXXXGEG	842	7	13.7					382	6	400	1.7	
1/19/2023	XX	LFLD1XGDJ	845	7.3	16.2					367	6	350	1.9	
2/1/2023	XX	LFXXXGG7	809	7.5	14.2					360	5	200	0.8	
2/15/2023	XX	LFLD1XGFA	936	7.3	18.7					379	6	350	0.8	
3/1/2023	XX	LFXXXH3B	838	7.5	15.2					396	6	350	5	
3/15/2023	XX	LFLD1XH2E	955	7.2	19.9					359	6	350	0.4	
4/3/2023	XX	LFLD1XH45	868	7.5	18.8					348	6	400	4.8	
4/12/2023	XX	LFXXXH52	1155	7.1	20.8					360	6	300	2	
4/18/2023	XX	LFXXXH04	770	7	19					357	4.3		0.4	0.035
5/3/2023	XX	LFXXXH70	854	7.3	19.3					311	6	350	2.5	
5/16/2023	XX	LFLD1XH64	1092	6.5	20.9					339	6	500	2.1	
6/6/2023	XX	LFXXX033	954	7.2	21.1					335	6	350	1.3	
6/20/2023	XX	LFLD1X027	933	7.2	21.8					373	6	350	0.6	
7/6/2023	XX	LFXXX048	1195	6.9	25.9					360	6	350	0.6	
7/11/2023	XX	LFXXX005	892	6.6	21.5					347	3.1		0.6	0.0189
7/18/2023	XX	LFLD1X03C	964	7	24.5					342	5	500	1	
8/1/2023	XX	LFXXX0B4	568	6.6	23.2					266	3	225	15.9	
8/16/2023	XX	LFLD1X0A8	1275	6.8	22.8					384	5	350	2.3	
9/8/2023	XX	LFXXX0CA	966	7.1	24.8					344	6	300	11	
9/19/2023	XX	LFLD1X0BE	855	7	21.9					363	5	350	3	
10/3/2023	XX	LFXXX079	D	D	D					D	D	D	D	D
10/4/2023	XX	LFXXX0E2	934	6.9	23.6					338	6	450	5	
10/16/2023	XX	LFLD1X0D6	1083	7	19.3					368	6	350	5	
11/7/2023	XX	LFXXX0FB	871	6.9	18.9					347	5	350	2.8	
11/20/2023	XX	LFLD1X0EF	1052	7.2	18.1					363	6	350	1.1	
12/4/2023	XX	LFXXX0H9	1059	7.2	18.2					353	6	350	7.6	
12/18/2023	XX	LFLD1X0GD	1078	7	21.1					364	6	350	3.8	
<b>LF-LD-12</b>														
4/7/2021	XX	LFXXXDG8	444	4.3	17.7					252	3.7		2.3	
7/13/2021	XX	LFXXXE1D	369	6	19.9					306	0.8		0.2	
8/3/2021	XX	LFXXXEG9	639	6.3	23.9					389	3	300	6.2	
8/18/2021	XX	LFLD12EGF	689	6.2	22.1					347	1	350	8.8	
8/30/2021	XX	LFLD12EGJ	700	6.5	22.2					340	5	350	3.2	
9/18/2021	XX	LFXXXEEB	737	6.4	21					317	2	350	2	
10/5/2021	XX	LFXXXE89	563	6.3	16.8					212	1.3		0.3	0.0245
10/23/2021	XX	LFLD12EGL	F6	F6	F6					F6	F6		F6	F6
11/7/2021	XX	LFXXXEI7	528	6.1	19.7					357	2	250	6	
11/20/2021	XX	LFXXXEIA	587	6.2	17.2					334	2	300	4.2	
12/4/2021	XX	LFXXXEJ9	615	6.2	17.4					131	2	250	5.3	
12/18/2021	XX	LFXXXEJD	573	6	17.8					111	2	255	7.2	
1/4/2022	XX	LFXXXF55	506	6.2	17.1					164	1	160	15.3	
1/16/2022	XX	LFXXXF78	528	6.5	15.4					363	5	340	4.9	
2/7/2022	XX	LFXXXF65	504	6.7	18					211	6	250	3	
2/16/2022	XX	LFXXXF7A	544	6.8	16.1					352	6	250	14.2	
3/7/2022	XX	LFXXXF75	627	6.6	19.2					223	7	200	10.8	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 5 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-LD-12)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
3/20/2022	XX	LFXXXXF7C	621	6.3	18.4					74	4	475	47.8	
4/1/2022	XX	LFXXXXFCG	581	6.4	19.8					121	4	250	5.6	
4/15/2022	XX	LFXXXXFDJ	497	6.4	19.8					257	3	250	10.2	
4/28/2022	XX	LFXXXXF2F	470	6.2	17.2					220	1.2		2.2	0.0203
5/10/2022	XX	LFXXXXFDG	547	6.5	21.1					235	4	275	6.5	
5/25/2022	XX	LFXXXXFE2	577	6.4	20.4					202	2	275	2.3	
6/7/2022	XX	LFXXXXFF6	528	6.5	21.3					298	6	250	1.9	
6/20/2022	XX	LFXXXXFGF	529	6.5	18.3					290	3	250	1.1	
7/1/2022	XX	LFXXXXFG6	539	6.4	23.3					243	3	325	1.4	
7/19/2022	XX	LFXXXXFAA	490	6.2	21.8					226	0.9		0.6	0.0207
7/21/2022	XX	LFXXXXFHE	545	6.6	23					238	4	350	1.4	
8/8/2022	XX	LFXXXXG3F	531	6.7	19.3					313	5	350	3.3	
8/22/2022	XX	LFXXXXG54	525	6.9	19.1					303	5	325	3.4	
9/2/2022	XX	LFXXXXG6D	553	6.4	20.6					327	5	250	2	
9/15/2022	XX	LFXXXXG67	539	6.8	19.6					335	5	275	1.8	
10/4/2022	XX	LFXXXXG0E	459	6.4	19.9					337	2.4		0.8	
10/6/2022	XX	LFXXXXG99	526	6.4	19.1					319	4	300	2.5	
10/24/2022	XX	LFXXXXG9F	574	6.6	19.7					325	4	250	2	
11/4/2022	XX	LFXXXXGB0	554	6.1	17.6					279	4	200	2.3	
11/21/2022	XX	LFXXXXGB6	569	6.6	17.6					331	5	350	2.9	
12/5/2022	XX	LFXXXXGD5	550	6.2	15.8					281	4	200	2.4	
12/26/2022	XX	LFXXXXGDB	565	6.7	16.1					326	6	300	3	
1/4/2023	XX	LFXXXXGEH	532	6.2	15.3					341	6	250	1.3	
1/19/2023	XX	LFXXXXGF3	545	6.7	16.9					377	5	200	3	
2/1/2023	XX	LFXXXXGG8	580	6.8	16.7					346	5	250	2.5	
2/15/2023	XX	LFXXXXGGE	599	6.6	19.8					349	5	250	2.9	
3/1/2023	XX	LFXXXXH3C	573	6.7	17.2					405	6	200	3.2	
3/15/2023	XX	LFXXXXH3I	601	6.6	20.3					317	5	250	1.1	
4/3/2023	XX	LFXXXXH59	595	6.8	19.3					340	5	250	6.8	
4/12/2023	XX	LFXXXXH53	674	6.5	21.6					304	6	250	4.6	
4/18/2023	XX	LFXXXXH05	492	7	17					255	0.8		0.4	0.0176
5/3/2023	XX	LFXXXXH71	568	6.6	20.2					294	6	250	4.3	
5/16/2023	XX	LFXXXXH76	644	6.3	21.2					315	5	250	2.2	
6/6/2023	XX	LFXXXX034	300	6.1	21.2					281	6	250	13.2	
6/20/2023	XX	LFXXXX039	351	6.3	21.6					302	5	150	2.1	
7/6/2023	XX	LFXXXX049	568	6.4	25.7					290	5	225	0.8	
7/11/2023	XX	LFXXXX006	486	6.1	22.6					252	1.9		0.3	0.0203
7/18/2023	XX	LFXXXX04E	517	6.6	25					281	4	250	3.1	
8/1/2023	XX	LFXXXX0B5	552	6.6	23.5					240	4	200	8	
8/16/2023	XX	LFXXXX0BA	690	6.4	23.6					264	5	250	4.5	
9/8/2023	XX	LFXXXX0CG	613	6.7	25.9					282	5	300	4.9	
9/19/2023	XX	LFXXXX0CB	454	6.5	22.7					253	6	275	5.5	
10/3/2023	XX	LFXXXX07A	504	6.3	22.6					392	1.2		0.4	0.0207
10/4/2023	XX	LFXXXX0E3	547	6.3	24.1					285	5	250	12.1	
10/16/2023	XX	LFXXXX0E8	1281	6.7	20.9					156	5	400	10.9	
11/7/2023	XX	LFXXXX0FC	1410	6.3	20.3					192	6	350	3.9	
11/20/2023	XX	LFXXXX0FH	1257	6.5	19.4					195	5	300	3.2	
12/4/2023	XX	LFXXXX0HA	1197	6.6	18.2					205	5	350	7.1	
12/18/2023	XX	LFXXXX0HF	1096	6.5	21.1					217	5	350	14.2	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 6 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-LD-13)		Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
9/14/2021	XX	LFXXXXEE7	373	7	21				346	7	75	209	
10/7/2021	XX	LFXXXXEF6	381	7	22.7				361	8	70	1.4	
10/23/2021	XX	LFLD13EGM	305	6.7	18.6				349	4	90	3.1	
11/7/2021	XX	LFXXXXEI4	226	6.3	19				343	4	85	9.2	
11/20/2021	XX	LFXXXXEI8	234	6.7	17.3				321	4	80	1.3	
12/4/2021	XX	LFXXXXEJ6	275	6.7	17.2				148		125	0.9	
12/18/2021	XX	LFXXXXEJC	264	6.6	17.8				123	5	90	1.1	
1/4/2022	XX	LFXXXXF52	230	6.7	16.9				164	5	100	1.2	
1/16/2022	XX	LFXXXXF79	261	6.8	15.6				359	6	75	2.3	
2/7/2022	XX	LFXXXXF62	233	6.9	17.2				197	5	100	1.8	
2/16/2022	XX	LFXXXXF7B	243	7	17.1				345	9	85	1.7	
3/7/2022	XX	LFXXXXF72	185	6.8	19.1				224	6	90	2	
3/20/2022	XX	LFXXXXF7D	340	6.7	18.7				115		125	2.6	
4/1/2022	XX	LFXXXXFCD	341	6.7	19.8				140	5	150	1.1	
4/15/2022	XX	LFXXXXFE0	328	6.7	19.8				273	5	130	2	
4/28/2022	XX	LFXXXXF47	214	6.7	27.9				229	3.6		0.8	0.0158
5/10/2022	XX	LFXXXXFDD	269	6.9	20.6				242	5	100	1.1	
5/25/2022	XX	LFXXXXFE1	244	6.6	20.2				238	4	90	0.8	
6/7/2022	XX	LFXXXXFF3	282	6.7	21.4				286	5	100	0.9	
6/20/2022	XX	LFXXXXFF4	256	6.7	18.2				287	5	100	0.9	
7/1/2022	XX	LFXXXXFG3	308	6.6	22.8				253	4	125	0.4	
7/19/2022	XX	LFXXXXFB4	320	6.2	21.6				273	1.3		0.8	0.0131
7/21/2022	XX	LFXXXXFHB	330	6.5	23.1				257	5	250	1.2	
8/8/2022	XX	LFXXXXG3C	276	7	19.4				267	5	125	9.8	
8/22/2022	XX	LFXXXXG56	290	7	19.2				285	5	175	7.8	
9/2/2022	XX	LFXXXXG64	349	6.3	20.4				317	5	175	1.8	
9/15/2022	XX	LFXXXXG4B	376	6.7	20.1				332	5	200	2.2	
10/4/2022	XX	LFXXXXG20	292	7.2	19.8				320	4.8		0.5	
10/6/2022	XX	LFXXXXG96	339	6.5	19.4				304	5	175	1.1	
10/24/2022	XX	LFXXXXG88	333	6.7	19.7				265	5	125	4.7	
11/4/2022	XX	LFXXXXGAH	346	6.1	17.1				291	5	200	3.9	
11/21/2022	XX	LFXXXXG9J	316	6.6	18				318	6	175	12.1	
12/5/2022	XX	LFXXXXGD2	342	6.2	15.8				295	6	200	3.8	
12/26/2022	XX	LFXXXXGC4	323	6.7	16.1				321	6	175	9.4	
1/4/2023	XX	LFXXXXGEE	299	6.2	15.4				354	6	115	0.4	
1/19/2023	XX	LFXXXXGDG	315	6.6	17.5				374	6	100	1	
2/1/2023	XX	LFXXXXGG5	333	6.8	17.6				347	6	100	0.4	
2/15/2023	XX	LFXXXXGF7	340	6.5	20.4				351	6	115	0.9	
3/1/2023	XX	LFXXXXH39	328	6.7	18				404	6	125	2.5	
3/15/2023	XX	LFXXXXH2B	354	6.7	20.3				316	6	130	1.3	
4/3/2023	XX	LFXXXXH42	383	6.7	20.1				342	6	115	3.8	
4/12/2023	XX	LFXXXXH50	398	6.4	22.3				305	6	125	4	
4/18/2023	XX	LFXXXXH1B	317	6.6	22.3				335	1.6		0.5	0.0147
5/3/2023	XX	LFXXXXH6J	387	6.7	21.2				293	6	175	3.8	
5/16/2023	XX	LFXXXXH63	375	6.3	22.9				322	6	145	1.3	
6/6/2023	XX	LFXXXX032	368	6.7	22.1				262	5	125	0.5	
6/20/2023	XX	LFXXXX026	427	7.1	22.4				301	6	200	2.1	
7/6/2023	XX	LFXXXX047	503	6.8	27.2				249	6	200	1.8	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 7 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-LD-13)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
7/11/2023	XX	LFXXX010	432	6.4	24.8					298	1.3		0.5	0.0145
7/18/2023	XX	LFXXX03B	455	6.8	25.7					263	5	200	2.8	
8/1/2023	XX	LFXXX0B3	458	23.7	6.8					266	5	175	2.3	
8/16/2023	XX	LFXXX0A7	557	6.5	24.9					260	6	200	6.1	
9/8/2023	XX	LFXXX0C9	468	6.7	26.3					275	4	175	6.4	
9/19/2023	XX	LFXXX0BD	354	6.6	22.9					258	6	175	5.5	
10/3/2023	XX	LFXXX08G	373	6.1	24.4					317	1.8		0.3	0.0145
10/4/2023	XX	LFXXX0E1	425	6.3	25					282	6	150	7.2	
10/16/2023	XX	LFXXX0D5	432	6.8	20.3					249	6	180	7.8	
11/7/2023	XX	LFXXX0FA	447	6.4	21.2					235	5	150	5.6	
11/20/2023	XX	LFXXX0EE	447	6.6	20					230	6	175	4.4	
12/4/2023	XX	LFXXX0H8	439	6.6	19.8					252	6	250	2	
12/18/2023	XX	LFXXX0GC	462	6.8	21.3					187	4	175	11.7	
<b>LF-LD-14</b>														
7/26/2022	XX	LFXXXFHF	397	7	22.2					288	6	200	2.1	
8/8/2022	XX	LFXXXG4H	419	7.3	18.9					268	6	225	5.5	
8/22/2022	XX	LFXXXG58	436	7.1	19					294	5	250	5.2	
9/2/2022	XX	LFXXXG6F	477	7	19.6					183	5	200	18.3	
9/15/2022	XX	LFXXXG6A	483	7	20.1					187	6	200	15.8	
10/4/2022	XX	LFXXXG29	407	6.8	14.3					308	3.1		2.6	
10/6/2022	XX	LFXXXG9H	319	6.5	19.3					294	6	200	11.8	
10/24/2022	XX	LFXXXG9C	470	7.1	19.5					252	6	225	14	
11/4/2022	XX	LFXXXGB3	472	6.6	17.2					274	6	275	2.8	
11/21/2022	XX	LFXXXGB8	466	7	18.1					298	5	200	4.7	
12/5/2022	XX	LFXXXGD8	469	6.7	15.8					277	6	275	2.7	
12/26/2022	XX	LFXXXGDD	471	7.1	16.1					300	6	200	4.5	
1/4/2023	XX	LFXXXGF0	491	6.9	16					335	6	250	20.9	
1/19/2023	XX	LFXXXGF5	496	7.3	17.2					377	6	225	19.3	
2/1/2023	XX	LFXXXGGB	508	7.4	16.7					350	6	150	18.8	
2/15/2023	XX	LFXXXGGG	526	7.3	19.6					336	6	250	14.3	
3/1/2023	XX	LFXXXH3F	519	7.4	17.6					399	6	200	14.5	
3/15/2023	XX	LFXXXH40	515	7.4	19.3					313	6	225	10.7	
4/3/2023	XX	LFXXXH5B	548	7.4	19.2					346	6	250	16.5	
4/12/2023	XX	LFXXXH56	557	7.3	20.8					297	6	250	14.3	
4/18/2023	XX	LFXXXH1F	448	6.9	15.1					265	4.1		0.5	0.0045
5/3/2023	XX	LFXXXH77	535	7.3	20.9					282	6	300	16.8	
5/16/2023	XX	LFXXXH73	622	7	21.2					309	6	250	8.8	
6/6/2023	XX	LFXXX036	590	7.3	21.6					238	6	250	21.6	
6/20/2023	XX	LFXXX03A	569	7.3	21.4					245	6	250	11.9	
7/6/2023	XX	LFXXX04F	633	7.1	27.6					254	6	200	7.4	
7/11/2023	XX	LFXXX01G	565	6.5	22.6					308	1.8		0.8	0.0143
7/18/2023	XX	LFXXX04B	670	7	25.6					239	5	400	5.4	
8/1/2023	XX	LFXXX0BB	648	7	23.9					213	6	350	7.7	
8/16/2023	XX	LFXXX0B7	803	6.7	24.4					192	5	300	12.1	
9/8/2023	XX	LFXXX0CD	714	7	26.8					173	5	350	15.4	
9/19/2023	XX	LFXXX0CH	619	6.9	23.7					204	5	300	7.9	
10/3/2023	XX	LFXXX08I	699	6.5	22.8					294	2.3		0.2	0.0147
10/4/2023	XX	LFXXX0E5	716	6.7	25.4					137	5	350	44.6	
10/16/2023	XX	LFXXX0E9	708	7.1	20.4					182	5	350	17.3	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 8 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-LD-14)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
11/7/2023	XX	LFXXX0FI	636	6.6	22.1					215	5	350	6.5	
11/20/2023	XX	LFXXX0FE	651	6.7	20.4					206	6	300	6.2	
12/4/2023	XX	LFXXX0HC	647	6.8	19.6					225	6	350	4.7	
12/18/2023	XX	LFXXX0HG	724	6.9	20.9					201	5	400	7	
<b>LF-LD-15</b>														
7/18/2023	XX	LFXXX04G	307	7.8	25.3					335	5	150	11.8	
9/27/2023	XX	LFXXX0CI	605	7.5	20.6					353	6	160	22.9	
10/3/2023	XX	LFXXX0A3	384	7	18.7					260	4.2		0.4	0.0145
10/4/2023	XX	LFXXX0EA	761	7.5	23.9					87	5	175	12.8	
10/16/2023	XX	LDXXX0ED	398	7.7	18.9					223	6	175	11.5	
11/7/2023	XX	LFXXX0FJ	580	7.5	20.6					63	5	200	5.4	
11/20/2023	XX	LFXXX0G3	460	7.5	18.8					201	6	225	9	
12/4/2023	XX	LFXXX0HH	464	7.5	18.6					209	6	250	4.4	
12/18/2023	XX	LFXXX0I0	510	7.4	19.7					239	6	250	8.1	
<b>LF-UD-1</b>														
1/24/2014	XX	LFUD1X6DA	325	8	6.2					284	10	150	1.3	0.0003
2/24/2014	XX	LFUD1X6H7	355	7.3	9.1					400	10	160	0.96	0.0003
3/27/2014	XX	LFUD1X6GF	311	8.2	8.2					362	10	175	3.15	0.0004
4/22/2014	XX	LFUD1X6F7	388	6.9	13.2					524	5	120	2.2	0.0017
4/29/2014	XX	LFUD1X6HJ	310	8.1	15.7					324	10	175	1.78	0.0006
5/23/2014	XX	LFUD1X70I	350	7.4	20					357	10	175	0.4	0.0003
6/24/2014	XX	LFUD1X71A	369	7	20.6					371	8	170	0.27	0.0004
7/29/2014	XX	LFUD1X6JE	368	7	21					337	5	40	8.1	0.0022
8/26/2014	XX	LFUD1X74A	366	7.2	23.1					385	7	175	0.29	0.0006
9/23/2014	XX	LFUD1X751	360	7.6	22.6					353		160	0.05	0.0001
10/21/2014	XX	LFUD1X735	F6	F6	F6					F6	F6	F6	F6	F6
11/28/2014	XX	LFUD1X75D	341	7	15.8					383	7	160	M	0.0006
12/24/2014	XX	LFUD1X766	337	6.9	16.1					413	7	150	0.28	0.0007
2/3/2015	XX	LFUD1X76H	329	7.9	13.8					384	5.5	140	0.46	0.0006
2/21/2015	XX	LFUD1X778	267	7.6	17.9					377	5.5	150	0.3	0.0003
3/28/2015	XX	LFUD1X7A6	339	6.9	13.4					404	5.5	160	0.4	0.0003
4/16/2015	XX	LFUD1X7AJ	306	7.1	17.6					384	7	150	0.83	0.0006
4/28/2015	XX	LFUD1X792	401	7.4	16.6					300	6.1		1.8	0.0022
5/22/2015	XX	LFUD1X7F4	197	7.4	18.8					373	8	150	0.5	0.0002
6/22/2015	XX	LFUD1X7EC	333	7.8	23.2					326	9	165	0.4	0.0002
7/14/2015	XX	LFUD1X7CE	411	6.9	20.7					313	4.5		0.5	0.002
7/23/2015	XX	LFUD1X7FG	330	7.4	23.3					367	6	135	0.7	0.0002
8/24/2015	XX	LFUD1X7G8	354	7.1	21.1					364	8	195	0.5	0.0001
9/26/2015	XX	LFUD1X801	425	7.3	21.3					365	7	200	0.1	F14
10/27/2015	XX	LFUD1X7I3	F6	F6	F6					F6	F6		F6	F6
10/31/2015	XX	LFUD1X80D	378	8.1	16.1					339	8	170	0.6	0.0002
11/27/2015	XX	LFUD1X815	326	6.8	15.2					376	9	185	0.2	0.0002
12/30/2015	XX	LFUD1X81I	332	7.2	11.2					362	9	180	0.7	0.0002
1/14/2016	XX	LFUD1X82A	347	6.9	9.2					338	7	180	1.2	0.0002
2/18/2016	XX	LFUD1X882	338	8	10.6					357	8	170	0.1	0.0003
3/17/2016	XX	LFUD1X88E	341	6.8	13.3					342	9	180	0.7	0.0003
4/5/2016	XX	LFUD1X86D	404	8.1	15.1					342	6.7		0.8	0.0022
4/21/2016	XX	LFUD1X896	344	6.8	15.8					297	8	145	0.5	0.0004



FOR: Juniper Ridge Landfill

Field Parameters

DATE RANGE: 1/1/2014 - 12/31/2023

(LF-UD-1)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
5/26/2016	XX	LFUD1X8CC	341	7.6	17.7					309	8	175	0.2	0.0002
6/27/2016	XX	LFUD1X8DG	382	6.7	20.6					433	8	175	0.9	0.0007
7/20/2016	XX	LFUD1X8F0	330	7.1	22.1					328	7	175	0.4	0.00006
7/26/2016	XX	LFUD1X8B3	1	1	1					1	1		1	1
8/29/2016	XX	LFUD1X90B	F6	F6	F6					F6	F6		F6	F6
9/23/2016	XX	LFUD1X93A	F6	F6	F6					F6	F6		F6	F6
10/25/2016	XX	LFUD1X8J2	F6	F6	F6					F6	F6		F6	F6
10/31/2016	XX	LFUD1X944	H8	H8	H8					H8	H8		H8	H8
11/29/2016	XX	LFUD1X94J	H8	H8	H8					H8	H8	H8	H8	H8
12/13/2016	XX	LFUD1X95C	H8	H8	H8					H8	H8	H8	H8	H8
1/10/2017	XX	LFUD1X99B	H8	H8	H8					H8	H8	H8	H8	H8
2/8/2017	XX	LFUD1X9A4	H8	H8	H8					H8	H8	H8	H8	H8
3/3/2017	XX	LFUD1X9AH	H8	H8	H8					H8	H8	H8	H8	H8
4/5/2017	XX	LFUD1X98I	H8	H8	H8					H8	H8	H8	H8	H8
4/18/2017	XX	LFUD1X978	378	7.3	14					322	8.2		0.8	0.0006
5/25/2017	XX	LFUD1X9BA	342	7.12	16.7					425	8	125	0.2	0.0003
6/16/2017	XX	LFUD1X9EB	380	7.8	16.4					356	8	195	0.4	0.0003
7/25/2017	XX	LFUD1X9D6	423	8.1	20					312	5.9		0.5	0.0006
7/31/2017	XX	LFUD1X9F4	H8	H8	H8					H8	H8	H8	H8	H8
8/31/2017	XX	LFUD1X9IE	479	6.9	20.2					386	7	180	0.3	0.0002
9/28/2017	XX	LFUD1X9J6	H8	H8	H8					H8	H8	H8	H8	H8
10/25/2017	XX	LFUD1X9H1	F6	F6	F6					F6	F6	F6	F6	F6
10/26/2017	XX	LFUD1X9JI	H8	H8	H8					H8	H8	H8	H8	H8
11/30/2017	XX	LFUD1XA0A	444	7.3	11.8					401	6	175	0.3	0.00014
12/27/2017	XX	LFUD1XA13	424	7.2	10.9					422	8	200	0.4	0.0003
1/19/2018	XX	LFUD1XA49	437	7.8	6.8					408	10	200	0.5	0.00007
2/22/2018	XX	LFUD1XA52	384	7.2	6					389	10	150	7.6	0.00006
3/24/2018	XX	LFUD1XA8I	374	7.4	8.4					428	8	145	1.3	0.00007
4/3/2018	XX	LFUD1XA30	418	7.8	9					472	11		1.1	0.00167
4/28/2018	XX	LFUD1XA9B	352	8	15.6					370	10	125	0.5	0.00019
5/11/2018	XX	LFUD1XAA4	378	7.6	14.3					434	7	125	0.1	0.00019
6/2/2018	XX	LFUD1XAD8	370	8	18.2					363	8	150	1.1	0.00014
7/2/2018	XX	LFUD1XA18	397	7.9	20.2					355	7	160	0.9	0.00002
7/17/2018	XX	LFUD1XAC1	F6	F6	F6					F6	F6	F6	F6	F6
8/17/2018	XX	LFUD1XAJ3	H8	H8	H8					H8	H8	H8	H8	H8
9/1/2018	XX	LFUD1XB29	H8	H8	H8					H8	H8	H8	H8	H8
10/2/2018	XX	LFUD1XB0J	F6	F6	F6					F6	F6	F6	F6	F6
10/13/2018	XX	LFUD1XB33	H8	H8	H8					H8	H8	H8	H8	H8
11/2/2018	XX	LFUD1XB3H	H8	H8	H8					H8	H8	H8	H8	H8
12/7/2018	XX	LFUD1XB7G	H8	H8	H8					H8	H8	H8	H8	H8
1/3/2019	XX	LFUD1XB8A	H8	H8	H8					H8	H8	H8	H8	H8
2/2/2019	XX	LFUD1XB94	H8	H8	H8					H8	H8	H8	H8	H8
3/2/2019	XX	LFUD1XB9I	H8	H8	H8					H8	H8	H8	H8	H8
4/5/2019	XX	LFUD1XBAC	H8	H8	H8					H8	H8	H8	H8	H8
4/23/2019	XX	LFUD1XB5G	354	7	6.9					341	7.6		0.4	0.0006
5/10/2019	XX	LFUD1XBE4	H8	H8	H8					H8	H8	H8	H8	H8
6/24/2019	XX	LFUD1XBEI	H8	H8	H8					H8	H8	H8	H8	H8
7/16/2019	XX	LFUD1XBC8	F6	F6	F6					F6	F6	F6	F6	F6
7/30/2019	XX	LFUD1XBFC	H8	H8	H8					H8	H8	H8	H8	H8

REPORT PREPARED: 3/18/2024 06:50

FOR: Juniper Ridge Landfill

DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE

Field Parameters



Page 10 of 73

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(LF-UD-1)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
8/20/2019	XX	LFUD1XBG6	H8	H8	H8					H8	H8		H8	H8
9/20/2019	XX	LFUD1XBJJ	H8	H8	H8					H8	H8		H8	H8
10/14/2019	XX	LFUD1XC0D	H8	H8	H8					H8	H8		H8	H8
10/29/2019	XX	LFUD1XB1I	F6	F6	F6					F6	F6		F6	F6
11/27/2019	XX	LFUD1XC17	H8	H8	H8					H8	H8		H8	H8
12/23/2019	XX	LFUD1XC2H	355	8.4	12.4					352	8	120	0.6	0.0006
1/17/2020	XX	LFUD1XC3C	H8	H8	H8					H8	H8	H8	H8	H8
2/4/2020	XX	LFUD1XC47	H8	H8	H8					H8	H8	H8	H8	H8
3/27/2020	XX	LFUD1XCF4	H8	H8	H8					H8	H8	H8	H8	H8
4/28/2020	XX	LFUD1XCD8	F6	F6	F6					F6	F6	F6	F6	F6
4/29/2020	XX	LFUD1XCF1	H8	H8	H8					H8	H8	H8	H8	H8
5/27/2020	XX	LFUD1XCJH	H8	H8	H8					H8	H8	H8	H8	H8
6/28/2020	XX	LFUD1XD0B	H8	H8	H8					H8	H8	H8	H8	H8
7/11/2020	XX	LFUD1XD15	H8	H8	H8					H8	H8	H8	H8	H8
7/21/2020	XX	LFUD1XC1I	F6	F6	F6					F6	F6	F6	F6	F6
8/3/2020	XX	LFUD1XD53	H8	H8	H8					H8	H8	H8	H8	H8
9/27/2020	XX	LFUD1XD5J	H8	H8	H8					H8	H8	H8	H8	H8
10/27/2020	XX	LFUD1XD35	F6	F6	F6					F6	F6	F6	F6	F6
10/31/2020	XX	LFUD1XD6D	H8	H8	H8					H8	H8	H8	H8	H8
11/29/2020	XX	LFUD1XD77	H8	H8	H8					H8	H8	H8	H8	H8
12/13/2020	XX	LFUD1XD81	H8	H8	H8					H8	H8	H8	H8	H8
1/10/2021	XX	LFUD1XDEF	H8	H8	H8					H8	H8	H8	H8	H8
2/28/2021	XX	LFUD1XDE1	H2	H2	H2					H2	H2	H2	H2	H2
3/30/2021	XX	LFUD1XDF0	H8	H8	H8					H8	H8	H8	H8	H8
4/6/2021	XX	LFUD1XDC7	H8	H8	H8					H8	H8	H8	H8	H8
4/29/2021	XX	LFUD1XDH9	H8	H8	H8					H8	H8	H8	H8	H8
5/19/2021	XX	LFUD1XDI3	H8	H8	H8					H8	H8	H8	H8	H8
6/2/2021	XX	LFUD1XE2E	H8	H8	H8					H8	H8	H8	H8	H8
7/13/2021	XX	LFUD1XDJJ	F6	F6	F6					F6	F6	F6	F6	F6
7/16/2021	XX	LFUD1XE3A	H8	H8	H8					H8	H8	H8	H8	H8
8/3/2021	XX	LFUD1XEFC	H8	H8	H8					H8	H8	H8	H8	H8
9/18/2021	XX	LFUD1XEDE	H8	H8	H8					H8	H8	H8	H8	H8
10/5/2021	XX	LFUD1XE67	F6	F6	F6					F6	F6	F6	F6	F6
10/16/2021	XX	LFUD1XEED	H8	H8	H8					H8	H8	H8	H8	H8
11/20/2021	XX	LFUD1XEHB	H8	H8	H8					H8	H8	H8	H8	H8
12/18/2021	XX	LFUD1XEID	H8	H8	H8					H8	H8	H8	H8	H8
1/16/2022	XX	LFUD1XF49	H8	H8	H8					H8	H8	H8	H8	H8
2/20/2022	XX	LFUD1XF59	H8	H8	H8					H8	H8	H8	H8	H8
3/20/2022	XX	LFUD1XF69	H8	H8	H8					H8	H8	H8	H8	H8
4/15/2022	XX	LFUD1XFC0	H8	H8	H8					H8	H8	H8	H8	H8
4/26/2022	XX	LFUD1XF0J	F6	F6	F6					F6	F6	F6	F6	F6
5/10/2022	XX	LFUD1XFD0	H8	H8	H8					H8	H8	H8	H8	H8
6/7/2022	XX	LFUD1XFEA	H8	H8	H8					H8	H8	H8	H8	H8
7/19/2022	XX	LFUD1XF8H	D	D	D					D	D	D	D	D
7/21/2022	XX	LFUD1XFFA	H8	H8	H8					H8	H8	H8	H8	H8
8/8/2022	XX	LFUD1XG2J	H8	H8	H8					H8	H8	H8	H8	H8
9/2/2022	XX	LFUD1XG5B	H8	H8	H8					H8	H8	H8	H8	H8
10/4/2022	XX	LFUD1XFII	D	D	D					D	D	D	D	F6
10/6/2022	XX	LFUD1XG8D	H8	H8	H8					H8	H8		H8	H8

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 11 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-1)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
11/4/2022	XX	LFUD1XGA4	H8	H8	H8					H8	H8		H8	H8
12/5/2022	XX	LFUD1XGC9	H8	H8	H8					H8	H8		H8	H8
1/4/2023	XX	LFUD1XGE1	H8	H8	H8					H8	H8		H8	H8
2/1/2023	XX	LFUD1XGFC	H8	H8	H8					H8	H8		H8	H8
3/1/2023	XX	LFUD1XH2G	H8	H8	H8					H8	H8		H8	H8
4/3/2023	XX	LFUD1XH47	H8	H8	H8					H8	H8		H8	H8
4/18/2023	XX	LFUD1XGI9	F6	F6	F6					F6	F6		F6	F6
5/3/2023	XX	LFUD1XH66	H8	H8	H8					H8	H8		H8	H8
6/6/2023	XX	LFUD1X029	H8	H8	H8					H8	H8		H8	H8
7/11/2023	XX	LFUD1XH8B	F6	F6	F6					F6	F6		F6	F6
7/18/2023	XX	LFUD1X03E	H8	H8	H8					H8	H8		H8	H8
8/1/2023	XX	LFUD1X0AA	H8	H8	H8					H8	H8		H8	H8
9/8/2023	XX	LFUD1X0BG	H8	H8	H8					H8	H8		H8	H8
10/3/2023	XX	LFUD1X05J	F6	F6	F6					F6	F6		F6	F6
10/4/2023	XX	LFUD1X0D8	H8	H8	H8					H8	H8		H8	H8
11/7/2023	XX	LFUD1X0EH	H8	H8	H8					H8	H8		H8	H8
12/20/2023	XX	LFUD1X0GF	H8	H8	H8					H8	H8		H8	H8
<b>LF-UD-2</b>														
1/24/2014	XX	LFUD2X6DB	328	7.3	8.7					307	8	130	3.26	0.0013
2/24/2014	XX	LFUD2X6H8	363	7.5	13.3					387	8	155	0.52	0.0011
3/27/2014	XX	LFUD2X6GG	342	8.4	13.5					346	8	175	3.43	0.0011
4/22/2014	XX	LFUD2X6F8	353	7.2	12.5					514	5	110	2.6	0.0033
4/29/2014	XX	LFUD2X6I0	326	8.3	18.3					320	8	170	0.3	0.0011
5/23/2014	XX	LFUD2X70J	368	7.4	22.1					357	8	160	0.3	0.0011
6/24/2014	XX	LFUD2X71B	391	7.1	22.5					365	7	145	0.28	0.0022
7/29/2014	XX	LFUD2X6JF	361	7.6	21.5					300	6	40	2.6	0.0045
8/26/2014	XX	LFUD2X74B	417	7.2	23.1					386	6	185	0.37	0.0017
9/23/2014	XX	LFUD2X752	411	8	23.1					345		175	0	0.0011
10/21/2014	XX	LFUD2X736	382	7.4	14.4					304	5	70	0.4	0.0022
11/28/2014	XX	LFUD2X75E	382	7.2	14.7					369	5.5	155	M	0.0004
12/24/2014	XX	LFUD2X767	384	6.9	17.7					431	5	125	0.16	0.0022
2/3/2015	XX	LFUD2X76I	368	8.1	16.1					370	7	160	0	0.0022
2/21/2015	XX	LFUD2X779	306	7.4	18					376	4	150	0.46	0.0022
3/28/2015	XX	LFUD2X7A7	397	6.8	15.1					409	5	150	0.29	0.0022
4/16/2015	XX	LFUD2X7B0	360	7.1	19.2					385	5.5	170	0.84	0.0028
4/28/2015	XX	LFUD2X793	398	7.1	16.4					340	6.8		1.1	0.0033
5/22/2015	XX	LFUD2X7F5	314	7.8	20.4					367	9	170	0.5	0.0017
6/22/2015	XX	LFUD2X7ED	386	8	26.4					284	8	140	0.2	0.0017
7/14/2015	XX	LFUD2X7CF	397	6.9	21.4					303	4.7		0.3	0.0033
7/23/2015	XX	LFUD2X7FH	405	7.2	24.8					375	8	175	0.1	0.0006
8/24/2015	XX	LFUD2X7G9	405	6.9	20.8					372	7	160	0.3	0.0017
9/26/2015	XX	LFUD2X802	411	7.1	21.8					367	7	200	0.1	0.0017
10/27/2015	XX	LFUD2X7I4	403	7.5	14.9					303	5.7		0.5	0.0011
10/31/2015	XX	LFUD2X80E	394	8.2	16.7					335	7	195	0.6	0.002
11/27/2015	XX	LFUD2X816	414	7	18.1					376	7	190	0.01	0.002
12/30/2015	XX	LFUD2X81J	386	7.1	14.7					363	8	190	0.2	0.0011
1/14/2016	XX	LFUD2X82B	406	6.9	11.2					347	6	170	0.01 U	0.0007
2/18/2016	XX	LFUD2X883	393	8.3	18.3					360	8	178	0.01	0.0011
3/17/2016	XX	LFUD2X88F	401	6.9	17.6					345	7	173	0.01	0.0015



REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 12 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-2)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
4/5/2016	XX	LFUD2X86E	389	8.4	18.8					271	5.6		0.9	0.0045
4/21/2016	XX	LFUD2X897	392	6.9	21.2					239	7	165	0.6	0.0017
5/26/2016	XX	LFUD2X8CD	391	7.8	21.2					308	7	180	0.1	0.0011
6/27/2016	XX	LFUD2X8DH	420	6.8	21.9					554	7	190	0.4	0.0011
7/20/2016	XX	LFUD2X8F1	423	7	22.6					329	7	200	0.02	0.0011
7/26/2016	XX	LFUD2X8B4	447	7.4	22.2					291	4.9		0.4	0.0017
8/29/2016	XX	LFUD2X90C	449	7.02	23.8					332	7		0.5	0.0007
9/23/2016	XX	LFUD2X93B	446	8.03	19.7					298	9		0.4	0.0006
10/25/2016	XX	LFUD2X8J3	458	7.8	13.5					275	6.6		0.8	0.0011
10/31/2016	XX	LFUD2X945	395	8.3	15.1					315	8	100	0.2	0.0006
11/29/2016	XX	LFUD2X950	205	7.24	11.6					369	8	130	0.6	0.0001
12/13/2016	XX	LFUD2X95D	206	8.22	6					353	8	125	1.5	0.0002
1/10/2017	XX	LFUD2X99C	186	7.32	15.6					378	9	135	0.4	0.0003
2/8/2017	XX	LFUD2X9A5	210	8.03	15.5					354	9	130	0.2	0.0011
3/3/2017	XX	LFUD2X9AI	158	7.92	15.7					351	8	155	0.7	0.0002
4/5/2017	XX	LFUD2X98J	213	8.05	18.7					353	7	130	0.4	0.0017
4/18/2017	XX	LFUD2X979	366	8.1	14.5					314	8		0.5	0.0022
5/25/2017	XX	LFUD2X9BB	401	7.1	20.4					408	6	150	0.3	0.0017
6/16/2017	XX	LFUD2X9EC	437	8	18.6					357	7	205	0.3	0.0015
7/25/2017	XX	LFUD2X9D7	418	8.3	21.7					308	5.7		0.3	0.0022
7/31/2017	XX	LFUD2X9F5	334	7	23.6					394	6	190	0.3	0.0011
8/31/2017	XX	LFUD2X9IF	464	7	21.2					402	7	245	0.2	0.0017
9/28/2017	XX	LFUD2X9J7	463	8.1	20.1					355	6	180	0.5	0.0004
10/25/2017	XX	LFUD2X9H2	456	7.2	17.6					379	6.9		2.1	0.0006
10/26/2017	XX	LFUD2X9JJ	499	6.9	18.9					417	5	240	0.8	0.00028
11/30/2017	XX	LFUD2XA0B	427	7.5	13.4					409	7	180	0.3	0.00056
12/27/2017	XX	LFUD2XA14	429	6.9	12.4					426	8	200	0.2	0.0006
1/19/2018	XX	LFUD2XA4A	438	7.9	9					403	8	175	0.9	0.00074
2/22/2018	XX	LFUD2XA53	299	6.9	8					411	8	115	0.2	0.00056
3/24/2018	XX	LFUD2XA8J	453	8	10					427	7	150	2.4	0.00028
4/3/2018	XX	LFUD2XA31	413	7.7	11.6					465	10.2		0.8	0.00446
4/28/2018	XX	LFUD2XA9C	417	8.1	18.1					371	8	150	0.2	0.00074
5/11/2018	XX	LFUD2XAA5	446	8	17.6					420	7	130	0.2	0.00074
6/2/2018	XX	LFUD2XAD9	434	8.1	19.9					365	6	150	0.3	0.00074
7/2/2018	XX	LFUD2XAI9	480	7.9	22.3					356	6	175	0.5	0.0006
7/17/2018	XX	LFUD2XAC2	535	8.1	19					451	4.3		0.8	0.00223
8/17/2018	XX	LFUD2XAJ4	490	7	22.8					342	7	170	0.3	0.0002
9/1/2018	XX	LFUD2XB2A	451	7.8	20					365	8	150	0.7	0.0002
10/2/2018	XX	LFUD2XB10	522	7.8	14.7					443	6.1		0.5	0.00056
10/13/2018	XX	LFUD2XB34	446	6.7	14.9					361	7	175	2.9	0.0002
11/2/2018	XX	LFUD2XB31	418	7.2	10.9					357	9	180	1.4	0.0002
12/7/2018	XX	LFUD2XB7H	315	8.2	8.6					363	6	180	1.11	0.0002
1/3/2019	XX	LFUD2XB8B	430	6.8	4.4					375	7	135	1.6	0.0003
2/2/2019	XX	LFUD2XB95	341	7.4	3					402	7	150	5.3	0.0002
3/2/2019	XX	LFUD2XB9J	362	7.1	5.1					366	6	175	5.7	0.0002
4/5/2019	XX	LFUD2XBAD	365	7.9	13.9					403	7	150	5.9	0.0001
4/23/2019	XX	LFUD2XB5H	F6	F6	F6					F6	F6	F6	F6	F6
5/10/2019	XX	LFUD2XBE5	307	7	15.1					311	7	175	8.7	0.0002
6/24/2019	XX	LFUD2XBEJ	380	7.4	18.4					357	8	150	0.4	0.0003

REPORT PREPARED: 3/18/2024 06:50

FOR: Juniper Ridge Landfill

DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE

Field Parameters



Page 13 of 73

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(LF-UD-2)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs		
7/16/2019	XX	LFUD2XBC9	428	8.1	18.4					383	9.5		0.4	0.0011		
7/30/2019	XX	LFUD2Xbfd	400	8.2	20.8					334	8	175	0.5	0.0002		
8/20/2019	XX	LFUD2XBG7	353	8.2	25.8					339	6	160	0.3	0.0001		
9/20/2019	XX	LFUD2XC00	409	7.4	21.5					368	6	150	0.6	0.0017		
10/14/2019	XX	LFUD2XC0E	342	8	19.1					339	6	150	0.1	0.0002		
10/29/2019	XX	LFUD2XBi2	386	8.1	12.8					214	8.7		2.2	0.0011		
11/27/2019	XX	LFUD2XC18	303	8.4	20.9					369	8	125	0.8	0.0002		
12/23/2019	XX	LFUD2XC2I	H8	H8	H8					H8	H8	H8	H8	H8		
1/17/2020	XX	LFUD2XC3D	339	8.5	11.6					382	10	160	2.3	0.0003		
2/4/2020	XX	LFUD2XC48	369	8	13.2					348	10	150	0.4	0.0002		
3/27/2020	XX	LFUD2XCF5	302	8.1	12					401	6	175	0.4	0.0009		
4/28/2020	XX	LFUD2XCD9	439	7.9	7.3					327	7.9		0.5	0.0006		
4/29/2020	XX	LFUD2XCFJ	354	8.1	19					333	6	160	0.1	0.0001		
5/27/2020	XX	LFUD2XCJI	400	7.1	18.8					349	6	175	0.3	0.0001		
6/28/2020	XX	LFUD2XD0C	347	7.8	22.1					316	5	160	0.2	0.0001		
7/11/2020	XX	LFUD2XD16	363	7.3	21.4					357	6	200	1.1	0.0001		
7/21/2020	XX	LFUD2XC12	429	7.5	17.8					299	8.2		0.8	0.0006		
8/3/2020	XX	LFUD2XD54	399	8	22.3					344	8	200	0.3	0.0001		
9/27/2020	XX	LFUD2XD60	355	8	18.7					406	6	250	1.1	0.00002		
10/27/2020	XX	LFUD2XD36	403	7.3	12					389	7.7		0.4			
10/31/2020	XX	LFUD2XD6E	H8	H8	H8					H8	H8		H8			
11/29/2020	XX	LFUD2XD78	H8	H8	H8					H8	H8		H8			
12/13/2020	XX	LFUD2XD82	H8	H8	H8					H8	H8		H8			
1/10/2021	XX	LFUD2XDEG	H8	H8	H8					H8	H8	H8	H8	H8		
2/28/2021	XX	LFUD2XDE2	H2	H2	H2					H2	H2	H2	H2	H2		
3/30/2021	XX	LFUD2XDfE	H8	H8	H8					H8	H8	H8	H8	H8		
4/6/2021	XX	LFUD2XDC8	H8	H8	H8					H8	H8	H8	H8	H8		
4/29/2021	XX	LFUD2XDHA	H8	H8	H8					H8	H8	H8	H8	H8		
6/2/2021	XX	LFUD2XE2F	H8	H8	H8					H8	H8	H8	H8	H8		
7/13/2021	XX	LFUD2XE00	F6	F6	F6					F6	F6	F6	F6	F6		
7/16/2021	XX	LFUD2XE3B	H8	H8	H8					H8	H8	H8	H8	H8		
8/3/2021	XX	LFUD2XEFD	H8	H8	H8					H8	H8	H8	H8	H8		
9/18/2021	XX	LFUD2XEDF	H8	H8	H8					H8	H8	H8	H8	H8		
10/5/2021	XX	LFUD2XE68	F6	F6	F6					F6	F6	F6	F6	F6		
10/16/2021	XX	LFUD2XEEE	H8	H8	H8					H8	H8	H8	H8	H8		
11/20/2021	XX	LFUD2XEHC	H8	H8	H8					H8	H8	H8	H8	H8		
12/18/2021	XX	LFUD2XEIE	H8	H8	H8					H8	H8	H8	H8	H8		
1/16/2022	XX	LFUD2XF4A	H8	H8	H8					H8	H8	H8	H8	H8		
2/20/2022	XX	LFUD2XF5A	H8	H8	H8					H8	H8	H8	H8	H8		
3/20/2022	XX	LFUD2XF6A	H8	H8	H8					H8	H8	H8	H8	H8		
4/15/2022	XX	LFUD2XFC1	H8	H8	H8					H8	H8	H8	H8	H8		
4/26/2022	XX	LFUD2XF10	F6	F6	F6					F6	F6	F6	F6	F6		
5/10/2022	XX	LFUD2XFD1	H8	H8	H8					H8	H8	H8	H8	H8		
6/7/2022	XX	LFUD2XFEB	H8	H8	H8					H8	H8	H8	H8	H8		
7/19/2022	XX	LFUD2XF8I	D	D	D					D	D	D	D	D		
7/21/2022	XX	LFUD2XFFB	H8	H8	H8					H8	H8	H8	H8	H8		
8/8/2022	XX	LFUD2XG30	H8	H8	H8					H8	H8	H8	H8	H8		
9/2/2022	XX	LFUD2XG5C	H8	H8	H8					H8	H8	H8	H8	H8		
10/4/2022	XX	LFUD2XFJU	D	D	D					D	D		D	F6		

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 14 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-2)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
10/6/2022	XX	LFUD2XG8E	H8	H8	H8					H8	H8		H8	H8
11/4/2022	XX	LFUD2XGA5	H8	H8	H8					H8	H8		H8	H8
12/5/2022	XX	LFUD2XGCA	H8	H8	H8					H8	H8		H8	H8
1/4/2023	XX	LFUD2XGE2	H8	H8	H8					H8	H8		H8	H8
2/1/2023	XX	LFUD2XGFD	H8	H8	H8					H8	H8		H8	H8
3/1/2023	XX	LFUD2XH2H	H8	H8	H8					H8	H8		H8	H8
4/3/2023	XX	LFUD2XH48	H8	H8	H8					H8	H8		H8	H8
4/18/2023	XX	LFUD2XGIA	F6	F6	F6					F6	F6		F6	F6
5/3/2023	XX	LFUD2XH67	H8	H8	H8					H8	H8		H8	H8
6/6/2023	XX	LFUD2X02A	H8	H8	H8					H8	H8		H8	H8
7/11/2023	XX	LFUD2XH8C	F6	F6	F6					F6	F6		F6	F6
7/18/2023	XX	LFUD2X03F	H8	H8	H8					H8	H8		H8	H8
8/1/2023	XX	LFUD2X0AB	H8	H8	H8					H8	H8		H8	H8
9/8/2023	XX	LFUD2X0BH	H8	H8	H8					H8	H8		H8	H8
10/3/2023	XX	LFUD2X060	F6	F6	F6					F6	F6		F6	F6
10/4/2023	XX	LFUD2X0D9	H8	H8	H8					H8	H8		H8	H8
11/7/2023	XX	LFUD2X0EI	H8	H8	H8					H8	H8		H8	H8
12/20/2023	XX	LFUD2X0GG	H8	H8	H8					H8	H8		H8	H8
<b>LF-UD-3A,B</b>														
1/24/2014	XX	LFXXX6DE	H8	H8	H8					H8	H8	H8	H8	
2/24/2014	XX	LFXXX6HB	H8	H8	H8					H8	H8	H8	H8	
3/27/2014	XX	LFXXX6GJ	H8	H8	H8					H8	H8	H8	H8	
4/22/2014	XX	LFXXX6G6	F6	F6	F6					F6	F6	F6	F6	
4/29/2014	XX	LFXXX6I3	H8	H8	H8					H8	H8	H8	H8	
5/23/2014	XX	LFXXX712	H8	H8	H8					H8	H8	H8	H8	
6/24/2014	XX	LFXXX71E	H8	H8	H8					H8	H8	H8	H8	
7/29/2014	XX	LFXXX708	F6	F6	F6					F6	F6	F6	F6	
8/26/2014	XX	LFXXX74E	F6	F6	F6					F6	F6	F6	F6	
9/23/2014	XX	LFXXX755	H8	H8	H8					H8	H8	H8	H8	
10/21/2014	XX	LFXXX73H	F6	F6	F6					F6	F6	F6	F6	
11/28/2014	XX	LFXXX75H	H8	H8	H8					H8	H8	H8	H8	
12/24/2014	XX	LFXXX76A	H8	H8	H8					H8	H8	H8	H8	
2/3/2015	XX	LFXXX771	H8	H8	H8					H8	H8	H8	H8	
2/21/2015	XX	LFXXX77C	H8	H8	H8					H8	H8	H8	H8	
3/28/2015	XX	LFXXX7AA	H8	H8	H8					H8	H8	H8	H8	
4/16/2015	XX	LFXXX7B3	F6	F6	F6					F6	F6	F6	F6	
4/28/2015	XX	LFXXX79G	F6	F6	F6					F6	F6	F6	F6	
5/22/2015	XX	LFXXX7F8	F6	F6	F6					F6	F6	F6	F6	
6/22/2015	XX	LFXXX7EG	F6	F6	F6					F6	F6	F6	F6	
7/14/2015	XX	LFXXX7D8	F6	F6	F6					F6	F6	F6	F6	
7/23/2015	XX	LFXXX7G0	F12	F12	F12					F12	F12	F12	F12	
8/24/2015	XX	LFXXX7GC	F12	F12	F12					F12	F12	F12	F12	
9/26/2015	XX	LFXXX805	H8	H8	H8					H8	H8	H8	H8	
10/27/2015	XX	LFXXX71F	F6	F6	F6					F6	F6	F6	F6	
10/31/2015	XX	LFXXX80H	F6	F6	F6					F6	F6	F6	F6	
11/27/2015	XX	LFXXX819	F6	F6	F6					F6	F6	F6	F6	
12/30/2015	XX	LFXXX822	F6	F6	F6					F6	F6	F6	F6	
1/14/2016	XX	LFXXX82E	F6	F6	F6					F6	F6	F6	F6	
2/18/2016	XX	LFXXX886	F6	F6	F6					F6	F6	F6	F6	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 15 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-3A,B)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
3/17/2016	XX	LFXXX88I	F6	F6	F6					F6	F6	F6	F6	
4/5/2016	XX	LFXXX877	F6	F6	F6					F6	F6	F6	F6	F6
4/21/2016	XX	LFXXX89A	F6	F6	F6					F6	F6	F6	F6	
5/26/2016	XX	LFXXX8CG	F6	F6	F6					F6	F6	F6	F6	
6/27/2016	XX	LFXXX8E0	F6	F6	F6					F6	F6	F6	F6	
7/20/2016	XX	LFXXX8F4	F6	F6	F6					F6	F6	F6	F6	
7/26/2016	XX	LFXXX8BH	F6	F6	F6					F6	F6		F6	F6
8/29/2016	XX	LFXXX90F	F6	F6	F6					F6	F6		F6	F6
9/23/2016	XX	LFXXX93E	F6	F6	F6					F6	F6		F6	F6
10/25/2016	XX	LFXXX8JF	F6	F6	F6					F6	F6		F6	F6
10/31/2016	XX	LFXXX948	H8	H8	H8					H8	H8		H8	H8
11/29/2016	XX	LFXXX953	H8	H8	H8					H8	H8	H8	H8	H8
12/13/2016	XX	LFXXX95G	H8	H8	H8					H8	H8	H8	H8	H8
1/10/2017	XX	LFXXX99F	H8	H8	H8					H8	H8	H8	H8	H8
2/8/2017	XX	LFXXX9A8	H8	H8	H8					H8	H8	H8	H8	H8
3/3/2017	XX	LFXXX9B1	H8	H8	H8					H8	H8	H8	H8	H8
4/5/2017	XX	LFXXX992	H8	H8	H8					H8	H8	H8	H8	H8
4/18/2017	XX	LFXXX982	F6	F6	F6					F6	F6		F6	F6
5/25/2017	XX	LFXXX9BE	F6	F6	F6					F6	F6	F6	F6	F6
6/16/2017	XX	LFXXX9EF	F6	F6	F6					F6	F6	F6	F6	F6
7/25/2017	XX	LFXXX9DJ	F6	F6	F6					F6	F6	F6	F6	F6
7/31/2017	XX	LFXXX9F8	H8	H8	H8					H8	H8	H8	H8	H8
8/31/2017	XX	LFXXX9I1	F6	F6	F6					F6	F6	F6	F6	F6
9/28/2017	XX	LFXXX9JA	H8	H8	H8					H8	H8	H8	H8	H8
10/25/2017	XX	LFXXX9HE	F6	F6	F6					F6	F6	F6	F6	F6
10/26/2017	XX	LFXXXA02	H8	H8	H8					H8	H8	H8	H8	H8
11/30/2017	XX	LFXXXA0E	F6	F6	F6					F6	F6	F6	F6	F6
12/27/2017	XX	LFXXXA17	F6	F6	F6					F6	F6	F6	F6	F6
1/19/2018	XX	LFXXXA4D	F6	F6	F6					F6	F6	F6	F6	F6
2/22/2018	XX	LFXXXA56	F6	F6	F6					F6	F6	F6	F6	F6
3/24/2018	XX	LFXXXA92	F6	F6	F6					F6	F6	F6	F6	F6
4/3/2018	XX	LFXXXA3E	F6	F6	F6					F6	F6	F6	F6	F6
4/28/2018	XX	LFXXXA9F	H8	H8	H8					H8	H8	H8	H8	H8
5/11/2018	XX	LFXXXA8	F6	F6	F6					F6	F6	F6	F6	F6
6/2/2018	XX	LFXXXADC	H8	H8	H8					H8	H8	H8	H8	H8
7/2/2018	XX	LFXXXA1C	H8	H8	H8					H8	H8	H8	H8	H8
7/17/2018	XX	LFXXXACE	F6	F6	F6					F6	F6	F6	F6	F6
8/17/2018	XX	LFXXXAJ7	H8	H8	H8					H8	H8	H8	H8	H8
9/1/2018	XX	LFXXXB2D	H8	H8	H8					H8	H8	H8	H8	H8
10/2/2018	XX	LFXXXB1C	F6	F6	F6					F6	F6	F6	F6	F6
10/13/2018	XX	LFXXXB37	H8	H8	H8					H8	H8	H8	H8	H8
11/2/2018	XX	LFXXXB41	H8	H8	H8					H8	H8	H8	H8	H8
12/7/2018	XX	LFXXXB80	H8	H8	H8					H8	H8	H8	H8	
1/3/2019	XX	LFXXXB8E	H8	H8	H8					H8	H8	H8	H8	
2/2/2019	XX	LFXXXB98	H8	H8	H8					H8	H8	H8	H8	
3/2/2019	XX	LFXXXBA2	H8	H8	H8					H8	H8	H8	H8	
4/5/2019	XX	LFXXXBAG	H8	H8	H8					H8	H8	H8	H8	
4/23/2019	XX	LFXXXB6A	F6	F6	F6					F6	F6	F6	F6	F6
5/10/2019	XX	LFXXXBE8	H8	H8	H8					H8	H8	H8	H8	H8

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 16 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-3A,B)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
6/24/2019	XX	LFXXXBF2	H8	H8	H8					H8	H8	H8	H8	H8
7/16/2019	XX	LFXXXBD1	F6	F6	F6					F6	F6	F6	F6	F6
7/30/2019	XX	LFXXXBFG	H8	H8	H8					H8	H8	H8	H8	H8
8/20/2019	XX	LFXXXBGA	H8	H8	H8					H8	H8	H8	H8	H8
9/20/2019	XX	LFXXXC03	H8	H8	H8					H8	H8	H8	H8	H8
10/14/2019	XX	LFXXXC0H	H8	H8	H8					H8	H8	H8	H8	H8
10/29/2019	XX	LFXXXBID	F6	F6	F6					F6	F6	F6	F6	F6
11/27/2019	XX	LFXXXC1B	H8	H8	H8					H8	H8	H8	H8	H8
12/23/2019	XX	LFXXXC31	H8	H8	H8					H8	H8	H8	H8	H8
1/17/2020	XX	LFXXXC3G	H8	H8	H8					H8	H8	H8	H8	H8
2/4/2020	XX	LFXXXC4B	H8	H8	H8					H8	H8	H8	H8	H8
3/27/2020	XX	LFXXXCF8	H8	H8	H8					H8	H8	H8	H8	H8
4/28/2020	XX	LFXXXCE1	F6	F6	F6					F6	F6	F6	F6	F6
4/29/2020	XX	LFXXXCG2	H8	H8	H8					H8	H8	H8	H8	H8
5/27/2020	XX	LFXXXD01	H8	H8	H8					H8	H8	H8	H8	H8
6/28/2020	XX	LFXXXD0F	H8	H8	H8					H8	H8	H8	H8	H8
7/11/2020	XX	LFXXXD19	H8	H8	H8					H8	H8	H8	H8	H8
7/21/2020	XX	LFXXXCIE	F6	F6	F6					F6	F6	F6	F6	F6
8/3/2020	XX	LFXXXD57	H8	H8	H8					H8	H8	H8	H8	H8
9/27/2020	XX	LFXXXD63	H8	H8	H8					H8	H8	H8	H8	H8
10/27/2020	XX	LFXXXD3H	F6	F6	F6					F6	F6	F6	F6	F6
10/31/2020	XX	LFXXXD6H	H8	H8	H8					H8	H8	H8	H8	H8
11/29/2020	XX	LFXXXD7B	H8	H8	H8					H8	H8	H8	H8	H8
12/13/2020	XX	LFXXXD85	H8	H8	H8					H8	H8	H8	H8	H8
1/10/2021	XX	LFXXXDEJ	H8	H8	H8					H8	H8	H8	H8	H8
2/28/2021	XX	LFXXXDE5	H2	H2	H2					H2	H2	H2	H2	H2
3/30/2021	XX	LFXXXDFH	H8	H8	H8					H8	H8	H8	H8	H8
4/6/2021	XX	LFXXXDD0	H8	H8	H8					H8	H8	H8	H8	H8
4/29/2021	XX	LFXXXDHD	H8	H8	H8					H8	H8	H8	H8	H8
5/19/2021	XX	LFXXXDI7	H8	H8	H8					H8	H8	H8	H8	H8
6/2/2021	XX	LFXXXE2I	H8	H8	H8					H8	H8	H8	H8	H8
7/13/2021	XX	LFXXXE0C	F6	F6	F6					F6	F6	F6	F6	F6
7/16/2021	XX	LFXXXE3E	H8	H8	H8					H8	H8	H8	H8	H8
8/3/2021	XX	LFXXXEFG	H8	H8	H8					H8	H8	H8	H8	H8
9/18/2021	XX	LFXXXEDI	H8	H8	H8					H8	H8	H8	H8	H8
10/5/2021	XX	LFXXXE6J	F6	F6	F6					F6	F6	F6	F6	F6
10/16/2021	XX	LFXXXEEH	H8	H8	H8					H8	H8	H8	H8	H8
11/20/2021	XX	LFXXXEHF	H8	H8	H8					H8	H8	H8	H8	H8
12/18/2021	XX	LFXXXEIH	H8	H8	H8					H8	H8	H8	H8	H8
1/16/2022	XX	LFXXXF4D	H8	H8	H8					H8	H8	H8	H8	H8
2/20/2022	XX	LFXXXF5D	H8	H8	H8					H8	H8	H8	H8	H8
3/20/2022	XX	LFXXXF6D	H8	H8	H8					H8	H8	H8	H8	H8
4/15/2022	XX	LFXXXFC4	H8	H8	H8					H8	H8	H8	H8	H8
4/26/2022	XX	LFXXXF1B	F6	F6	F6					F6	F6	F6	F6	F6
5/10/2022	XX	LFXXXFD4	H8	H8	H8					H8	H8	H8	H8	H8
6/7/2022	XX	LFXXXFEE	H8	H8	H8					H8	H8	H8	H8	H8
7/19/2022	XX	LFXXXF9A	D	D	D					D	D	D	D	D
7/21/2022	XX	LFXXXFFE	H8	H8	H8					H8	H8	H8	H8	H8
8/8/2022	XX	LFXXXG33	H8	H8	H8					H8	H8	H8	H8	H8

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 17 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-3A,B)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
9/2/2022	XX	LFXXXG5F	H8	H8	H8					H8	H8	H8	H8	H8
10/4/2022	XX	LFXXXFJA	D	D	D					D	D		D	F6
10/6/2022	XX	LFXXXG8H	H8	H8	H8					H8	H8		H8	H8
11/4/2022	XX	LFXXXGA8	H8	H8	H8					H8	H8		H8	H8
12/5/2022	XX	LFXXXGCD	H8	H8	H8					H8	H8		H8	H8
1/4/2023	XX	LFXXXGE5	H8	H8	H8					H8	H8		H8	H8
2/1/2023	XX	LFXXXGFG	H8	H8	H8					H8	H8		H8	H8
3/1/2023	XX	LFXXXH30	H8	H8	H8					H8	H8		H8	H8
4/3/2023	XX	LFXXXH4B	H8	H8	H8					H8	H8		H8	H8
4/18/2023	XX	LFXXXGJ1	F6	F6	F6					F6	F6		F6	F6
5/3/2023	XX	LFXXXH6A	H8	H8	H8					H8	H8		H8	H8
6/6/2023	XX	LFXXX02D	H8	H8	H8					H8	H8		H8	H8
7/11/2023	XX	LFXXXH94	F6	F6	F6					F6	F6		F6	F6
7/18/2023	XX	LFXXX03I	H8	H8	H8					H8	H8		H8	H8
8/1/2023	XX	LFXXX0AE	H8	H8	H8					H8	H8		H8	H8
9/8/2023	XX	LFXXX0C0	H8	H8	H8					H8	H8		H8	H8
10/3/2023	XX	LFXXX06A	F6	F6	F6					F6	F6		F6	F6
10/4/2023	XX	LFXXX0DC	H8	H8	H8					H8	H8		H8	H8
11/7/2023	XX	LFXXX0F1	H8	H8	H8					H8	H8		H8	H8
12/20/2023	XX	LFXXX0GJ	H8	H8	H8					H8	H8		H8	H8
<b>LF-UD-4</b>														
1/24/2014	XX	LFUD4X6DF	425	7.5	4.5					345	8	160	0.61	0.0007
2/24/2014	XX	LFUD4X6HC	H8	H8	H8					H8	H8	H8	H8	H8
3/27/2014	XX	LFUD4X6H0	431	8.2	13.7					337	10	250	0.86	0.0004
4/22/2014	XX	LFXXX6G7	430	6.9	15.4					513	6	200	2.6	0.0022
4/29/2014	XX	LFUD4X6I4	411	8.12	17.2					331	10	250	0.62	0.0003
5/23/2014	XX	LFUD4X713	H2	H2	H2					H2	H2	H2	H2	H2
6/24/2014	XX	LFUD4X71F	H8	H8	H8					H8	H8	H8	H8	H8
7/29/2014	XX	LFXXX709	F6	F6	F6					F6	F6	F6	F6	F6
8/26/2014	XX	LFUD4X74F	F6	F6	F6					F6	F6	F6	F6	F6
9/23/2014	XX	LFUD4X756	H8	H8	H8					H8	H8	H8	H8	H8
10/21/2014	XX	LFXXX73I	F6	F6	F6					F6	F6	F6	F6	F6
11/28/2014	XX	LFUD4X75I	H2	H2	H2					H2	H2	H2	H2	H2
12/24/2014	XX	LFUD4X76B	H8	H8	H8					H8	H8	H8	H8	H8
2/3/2015	XX	LFUD4X772	H8	H8	H8					H8	H8	H8	H8	H8
2/21/2015	XX	LFUD4X77D	H8	H8	H8					H8	H8	H8	H8	H8
3/28/2015	XX	LFUD4X7AB	H8	H8	H8					H8	H8	H8	H8	H8
4/16/2015	XX	LFUD4X7B4	F6	F6	F6					F6	F6	F6	F6	F6
4/28/2015	XX	LFXXX79H	F6	F6	F6					F6	F6	F6	F6	F6
5/22/2015	XX	LFUD4X7F9	F6	F6	F6					F6	F6	F6	F6	F6
6/22/2015	XX	LFUD4X7EH	F6	F6	F6					F6	F6	F6	F6	F6
7/14/2015	XX	LFXXX7D9	F6	F6	F6					F6	F6	F6	F6	F6
7/23/2015	XX	LFUD4X7G1	F12	F12	F12					F12	F12	F12	F12	F12
8/24/2015	XX	LFUD4X7GD	F12	F12	F12					F12	F12	F12	F12	F12
9/26/2015	XX	LFUD4X806	H8	H8	H8					H8	H8	H8	H8	H8
10/27/2015	XX	LFXXX7IG	F6	F6	F6					F6	F6	F6	F6	F6
10/31/2015	XX	LFUD4X80I	F6	F6	F6					F6	F6	F6	F6	F6
11/27/2015	XX	LFUD4X81A	F6	F6	F6					F6	F6	F6	F6	F6
12/30/2015	XX	LFUD4X823	F6	F6	F6					F6	F6	F6	F6	F6

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 18 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-4)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
1/14/2016	XX	LFUD4X82F	F6	F6	F6					F6	F6	F6	F6	F6
2/18/2016	XX	LFUD4X887	F6	F6	F6					F6	F6	F6	F6	F6
3/17/2016	XX	LFUD4X88J	F6	F6	F6					F6	F6	F6	F6	F6
4/5/2016	XX	LFXXX878	F6	F6	F6					F6	F6	F6	F6	F6
4/21/2016	XX	LFUD4X89B	F6	F6	F6					F6	F6	F6	F6	F6
5/26/2016	XX	LFUD4X8CH	F6	F6	F6					F6	F6	F6	F6	F6
6/27/2016	XX	LFUD4X8E1	F6	F6	F6					F6	F6	F6	F6	F6
7/20/2016	XX	LFUD4X8F5	F6	F6	F6					F6	F6	F6	F6	F6
7/26/2016	XX	LFXXX8B1	435	7.4	21.2					296	4.9		0.8	0.0011
8/29/2016	XX	LFUD4X90G	F6	F6	F6					F6	F6		F6	F6
9/23/2016	XX	LFUD4X93F	F6	F6	F6					F6	F6		F6	F6
10/25/2016	XX	LFXXX8JG	464	7.7	14.2					253	7		1	0.0006
10/31/2016	XX	LFUD4X949	H8	H8	H8					H8	H8		H8	H8
11/29/2016	XX	LFUD4X954	H8	H8	H8					H8	H8	H8	H8	H8
12/13/2016	XX	LFUD4X95H	H8	H8	H8					H8	H8	H8	H8	H8
1/10/2017	XX	LFUD4X99G	H8	H8	H8					H8	H8	H8	H8	H8
2/8/2017	XX	LFUD4X9A9	H8	H8	H8					H8	H8	H8	H8	H8
3/3/2017	XX	LFUD4X9B2	H8	H8	H8					H8	H8	H8	H8	H8
4/5/2017	XX	LFUD4X993	H8	H8	H8					H8	H8	H8	H8	H8
4/18/2017	XX	LFXXX983	371	8.1	13.3					292	8.3		0.8	0.0011
5/25/2017	XX	LFUD4X9BF	387	7.38	18.5					392	8	175	0.6	0.0009
6/16/2017	XX	LFUD4X9EG	F6	F6	F6					F6	F6	F6	F6	F6
7/25/2017	XX	LFXXX9E0	415	8.2	20.7					283	5.7		0.4	0.0017
7/31/2017	XX	LFUD4X9F9	H8	H8	H8					H8	H8	H8	H8	H8
8/31/2017	XX	LFUD4X9IJ	F6	F6	F6					F6	F6	F6	F6	F6
9/28/2017	XX	LFUD4X9JB	H8	H8	H8					H8	H8	H8	H8	H8
10/25/2017	XX	LFXXX9HF	F6	F6	F6					F6	F6	F6	F6	F6
10/26/2017	XX	LFUD4XA03	H8	H8	H8					H8	H8	H8	H8	H8
11/30/2017	XX	LFUD4XA0F	F6	F6	F6					F6	F6	F6	F6	F6
12/27/2017	XX	LFUD4XA18	F6	F6	F6					F6	F6	F6	F6	F6
1/19/2018	XX	LFUD4XA4E	F6	F6	F6					F6	F6	F6	F6	F6
2/22/2018	XX	LFUD4XA57	F6	F6	F6					F6	F6	F6	F6	F6
3/24/2018	XX	LFUD4XA93	F6	F6	F6					F6	F6	F6	F6	F6
4/3/2018	XX	LFXXXA3F	F6	F6	F6					F6	F6	F6	F6	F6
4/28/2018	XX	LFUD4XA9G	H8	H8	H8					H8	H8	H8	H8	H8
5/11/2018	XX	LFUD4XAA9	F6	F6	F6					F6	F6	F6	F6	F6
6/2/2018	XX	LFUD4XADD	H8	H8	H8					H8	H8	H8	H8	H8
7/2/2018	XX	LFUD4XAID	H8	H8	H8					H8	H8	H8	H8	H8
7/17/2018	XX	LFXXXACF	520	8	19					474	4.2		1.1	0.0011
8/17/2018	XX	LFUD4XAJ8	H8	H8	H8					H8	H8	H8	H8	H8
9/1/2018	XX	LFUD4XB2E	H8	H8	H8					H8	H8	H8	H8	H8
10/2/2018	XX	LFXXXB1D	F6	F6	F6					F6	F6	F6	F6	F6
10/13/2018	XX	LFUD4XB38	H8	H8	H8					H8	H8	H8	H8	H8
11/2/2018	XX	LFUD4XB42	H8	H8	H8					H8	H8	H8	H8	H8
12/7/2018	XX	LFUD4XB81	H8	H8	H8					H8	H8	H8	H8	H8
1/3/2019	XX	LFUD4XB8F	H8	H8	H8					H8	H8	H8	H8	H8
2/2/2019	XX	LFUD4XB99	H8	H8	H8					H8	H8	H8	H8	H8
3/2/2019	XX	LFUD4XBA3	H8	H8	H8					H8	H8	H8	H8	H8
4/5/2019	XX	LFUD4XBAH	H8	H8	H8					H8	H8	H8	H8	H8

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 19 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-4)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
4/23/2019	XX	LFXXXB6B	F6	F6	F6					F6	F6	F6	F6	F6
5/10/2019	XX	LFUD4XBE9	H8	H8	H8					H8	H8	H8	H8	H8
6/24/2019	XX	LFUD4XBF3	H8	H8	H8					H8	H8	H8	H8	H8
7/16/2019	XX	LFXXXBD2	F6	F6	F6					F6	F6	F6	F6	F6
7/30/2019	XX	LFUD4XBFH	H8	H8	H8					H8	H8	H8	H8	H8
8/20/2019	XX	LFUD4XBGB	H8	H8	H8					H8	H8	H8	H8	H8
9/20/2019	XX	LFUD4XC04	H8	H8	H8					H8	H8		H8	H8
10/14/2019	XX	LFUD4XC0I	H8	H8	H8					H8	H8		H8	H8
10/29/2019	XX	LFXXXBIE	383	8.1	13.3					259	10.3		2.6	0.0006
11/27/2019	XX	LFUD4XC1C	365	8	20.3					377	6	250	0.5	0.0002
12/23/2019	XX	LFUD4XC32	390	8.1	13.2					353	8	200	0.4	0.0001
1/17/2020	XX	LFUD4XC3H	H8	H8	H8					H8	H8	H8	H8	H8
2/4/2020	XX	LFUD4XC4C	H8	H8	H8					H8	H8	H8	H8	H8
3/27/2020	XX	LFUD4XCF9	H8	H8	H8					H8	H8	H8	H8	H8
4/28/2020	XX	LFXXXCE2	F6	F6	F6					F6	F6	F6	F6	F6
4/29/2020	XX	LFUD4XCG3	H8	H8	H8					H8	H8	H8	H8	H8
5/27/2020	XX	LFUD4XD02	H8	H8	H8					H8	H8	H8	H8	H8
6/28/2020	XX	LFUD4XD0G	H8	H8	H8					H8	H8	H8	H8	H8
7/11/2020	XX	LFUD4XD1A	H8	H8	H8					H8	H8	H8	H8	H8
7/21/2020	XX	LFXXXCIF	F6	F6	F6					F6	F6	F6	F6	F6
8/3/2020	XX	LFUD4XD58	H8	H8	H8					H8	H8	H8	H8	H8
9/27/2020	XX	LFUD4XD64	H8	H8	H8					H8	H8	H8	H8	H8
10/27/2020	XX	LFXXXD3I	F6	F6	F6					F6	F6	F6	F6	F6
10/31/2020	XX	LFUD4XD6I	H8	H8	H8					H8	H8	H8	H8	H8
11/29/2020	XX	LFUD4XD7C	H8	H8	H8					H8	H8	H8	H8	H8
12/13/2020	XX	LFUD4XD86	H2	H2	H2					H2	H2	H2	H2	H2
1/10/2021	XX	LFUD4XDF0	H2	H2	H2					H2	H2	H2	H2	H2
2/28/2021	XX	LFUD4XDE6	H2	H2	H2					H2	H2	H2	H2	H2
3/30/2021	XX	LFUD4XDFI	H2	H2	H2					H2	H2	H2	H2	H2
4/6/2021	XX	LFXXXDD1	H8	H8	H8					H8	H8	H8	H8	H8
4/29/2021	XX	LFUD4XDHE	H8	H8	H8					H8	H8	H8	H8	H8
5/19/2021	XX	LFUD4XD18	H8	H8	H8					H8	H8	H8	H8	H8
6/2/2021	XX	LFUD4XE2J	H8	H8	H8					H8	H8	H8	H8	H8
7/13/2021	XX	LFXXXE0D	340	7.4	15.4					293	5.8		0.5	0.0003
7/16/2021	XX	LFUD4XE3F	H8	H8	H8					H8	H8	H8	H8	H8
8/3/2021	XX	LFUD4XEFH	H8	H8	H8					H8	H8		H8	H8
9/18/2021	XX	LFUD4XEDJ	H8	H8	H8					H8	H8		H8	H8
10/5/2021	XX	LFXXXE70	343	7.5	15.9					251	5.4		0.1	0.0006
10/16/2021	XX	LFUD4XEEI	H8	H8	H8					H8	H8		H8	H8
11/20/2021	XX	LFUD4XEHG	H8	H8	H8					H8	H8		H8	H8
12/18/2021	XX	LFUD4XEII	H8	H8	H8					H8	H8		H8	H8
1/16/2022	XX	LFUD4XF4E	H8	H8	H8					H8	H8		H8	H8
2/20/2022	XX	LFUD4XF5E	H8	H8	H8					H8	H8		H8	H8
3/20/2022	XX	LFUD4XF6E	H8	H8	H8					H8	H8		H8	H8
4/15/2022	XX	LFUD4XFC5	H8	H8	H8					H8	H8		H8	H8
4/26/2022	XX	LFXXXF1C	321	7.3	8					265	7.3		0.2	0.0002
5/10/2022	XX	LFUD4XFD5	H8	H8	H8					H8	H8		H8	H8
6/7/2022	XX	LFUD4XFEF	H8	H8	H8					H8	H8		H8	H8
7/19/2022	XX	LFXXXF9B	D	D	D					D	D		D	D



REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 20 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-4)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
7/21/2022	XX	LFUD4XFFF	H8	H8	H8					H8	H8		H8	H8
8/8/2022	XX	LFUD4XG34	H8	H8	H8					H8	H8		H8	H8
9/2/2022	XX	LFUD4XG5G	H8	H8	H8					H8	H8		H8	H8
10/4/2022	XX	LFXXXXFJB	153	7.4	10.4					358	4.4		0.3	0.0006
10/6/2022	XX	LFUD4XG8I	H8	H8	H8					H8	H8		H8	H8
11/4/2022	XX	LFUD4XGA9	H8	H8	H8					H8	H8		H8	H8
12/5/2022	XX	LFUD4XGCE	H8	H8	H8					H8	H8		H8	H8
1/4/2023	XX	LFUD4XGE6	H8	H8	H8					H8	H8		H8	H8
2/1/2023	XX	LFUD4XGFH	H8	H8	H8					H8	H8		H8	H8
3/1/2023	XX	LFUD4XH31	H8	H8	H8					H8	H8		H8	H8
4/3/2023	XX	LFUD4XH4C	H8	H8	H8					H8	H8		H8	H8
4/18/2023	XX	LFXXXXGJ2	F6	F6	F6					F6	F6		F6	F6
5/3/2023	XX	LFUD4XH6B	H8	H8	H8					H8	H8		H8	H8
6/6/2023	XX	LFUD4X02E	H8	H8	H8					H8	H8		H8	H8
7/11/2023	XX	LFXXXXH95	F6	F6	F6					F6	F6		F6	F6
7/18/2023	XX	LFUD4X03J	H8	H8	H8					H8	H8		H8	H8
8/1/2023	XX	LFUD4X0AF	H8	H8	H8					H8	H8		H8	H8
9/8/2023	XX	LFUD4X0C1	H8	H8	H8					H8	H8		H8	H8
10/3/2023	XX	LFXXXX06B	F6	F6	F6					F6	F6		F6	F6
10/4/2023	XX	LFUD4X0DD	H8	H8	H8					H8	H8		H8	H8
11/7/2023	XX	LFUD4X0F2	H8	H8	H8					H8	H8		H8	H8
12/20/2023	XX	LFUD4X0H0	H8	H8	H8					H8	H8		H8	H8

LF-UD-5and6														
1/24/2014	XX	LFXXXX6DG	337	7.9	5.7					219	12	175	0.53	0.0003
2/24/2014	XX	LFXXXX6HD	379	7.6	11.4					365	10	200	0.71	0.0006
3/27/2014	XX	LFXXXX6H1	348	7.8	10.7					380	10	200	0.33	0.0008
4/22/2014	XX	LFXXXX6G8	386	7.1	14.5					70	4	145	1.2	0.0006
4/29/2014	XX	LFXXXX6I5	374	7.7	12.6					343	10	225	0.44	0.0003
5/23/2014	XX	LFXXXX714	435	7.9	15.9					342	10	250	0.29	0.0003
6/24/2014	XX	LFXXXX71G	474	7.5	20.1					360	8	240	0.09	0.0004
7/29/2014	XX	LFXXXX70A	413	7.9	20.7					393	6	35	0.5	0.0022
8/26/2014	XX	LFXXXX74G	458	7.7	23.3					392	7	225	0.08	
9/23/2014	XX	LFXXXX757	435	8.1	23.4					340		180	0.35	0.0003
10/21/2014	XX	LFXXXX73J	F6	F6	F6					F6	F6	F6	F6	
11/28/2014	XX	LFXXXX75J	357	7.9	14.1					358	7	180	M	0.0002
12/24/2014	XX	LFXXXX76C	372	7.2	16.4					436	5.5	180	0.12	0.0003
2/3/2015	XX	LFXXXX773	F	F	F					F	F	F	F	F
2/21/2015	XX	LFXXXX77E	318	7.7	17.6					387	4	155	1.17	0.0003
3/28/2015	XX	LFXXXX7AC	F6	F6	F6					F6	F6	F6	F6	F6
4/16/2015	XX	LFXXXX7B5	367	7.5	17.3					382	7	180	0.5	0.0003
4/28/2015	XX	LFXXXX79I	422	8	11.6					347	9.3		2.3	0.0017
5/22/2015	XX	LFXXXX7FA	430	7.9	19.1					371	8	220	0.5	0.0003
6/22/2015	XX	LFXXXX7E1	474	8	26.5					319	9	240	0.2	0.0003
7/14/2015	XX	LFXXXX7DA	1	1	1					1	1	1	1	1
7/23/2015	XX	LFXXXX7G2	456	7.4	24.2					375	8	250	0.2	0.0002
8/24/2015	XX	LFXXXX7GE	447	7.3	19.1					371	8	200	0.6	0.0001
9/26/2015	XX	LFXXXX807	397	8	19.7					351	8	180	0.3	0.0002
10/27/2015	XX	LFXXXX7IH	350	8.3	14					265	7.5		1	0.0006
10/31/2015	XX	LFXXXX80J	380	8.1	13.7					336	9	200	0.5	0.0002

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 21 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-Sand6)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs		
11/27/2015	XX	LFXXX81B	384	7.3	15.1					373	7	210	0.4	0.0003		
12/30/2015	XX	LFXXX824	256	7.6	10.7					357	9	200	0.2	0.0003		
1/14/2016	XX	LFXXX82G	386	7.6	10.4					343	8	220	0.01 U	0.0002		
2/18/2016	XX	LFXXX888	392	8.3	15.3					363	7	208	0.01	0.0003		
3/17/2016	XX	LFXXX890	409	7.3	13.5					337	9	200	0.2	0.0003		
4/5/2016	XX	LFXXX879	399	8.3	11.1					339	8.1		0.4	0.0017		
4/21/2016	XX	LFXXX89C	435	7.3	17.3					303	8	190	0.01 U	0.0002		
5/26/2016	XX	LFXXX8D0	415	8	17.6					306	7	200	0.01	0.0002		
6/27/2016	XX	LFXXX8E2	440	7.4	17.4					515	9	250	0.1	0.0002		
7/20/2016	XX	LFXXX8F6	416	7.5	19.3					325	8	220	0.2	0.0002		
7/26/2016	XX	LFXXX8BJ	421	7.3	19.9					319	5.6		2.1	0.0006		
8/29/2016	XX	LFXXX90H	406	7.49	22.1					319	9		0.3	0.0002		
9/23/2016	XX	LFXXX93G	373	8.11	17.4					303	9		2	0.0004		
10/25/2016	XX	LFXXX8JH	286	7.3	9.5					285	6.9		0.6	0.0006		
10/31/2016	XX	LFXXX94A	324	8.32	11.3					313	8		0.2			
11/29/2016	XX	LFXXX955	310	7.47	7.3					349	8	120	0.5	0.0001		
12/13/2016	XX	LFXXX95I	155	7.72	4.2					341	8	125	1.2	0.0001		
1/10/2017	XX	LFXXX99H	164	8.12	12.8					358	9	120	0.5	0.0001		
2/8/2017	XX	LFXXX9AA	162	8.06	10.2					351	10	105	0.3	0.0002		
3/3/2017	XX	LFXXX9B3	162	8.05	14.8					348	8	125	0.3	0.0004		
4/5/2017	XX	LFXXX994	117	8.01	17.8					348	8	120	0.4	0.0006		
4/18/2017	XX	LFXXX984	312	8	9.2					349	10.8		0.8	0.0011		
5/25/2017	XX	LFXXX9BG	340	7.66	16.1					328	8	150	0.5	0.0004		
6/16/2017	XX	LFXXX9EH	400	8.1	17.3					354	8	205	0.7	0.0003		
7/25/2017	XX	LFXXX9E1	332	7.9	17.2					297	6.7		0.6	0.0006		
7/31/2017	XX	LFXXX9FA	426	7.7	19.3					386	7	245	0.2	0.0004		
8/31/2017	XX	LFXXX9J0	378	8	19.1					383	6	205	0.1	0.00037		
9/28/2017	XX	LFXXX9JC	375	8	17.9					363	6	205	0.9	0.0002		
10/25/2017	XX	LFXXX9HG	F6	F6	F6					F6	F6	F6	F6	F6		
10/26/2017	XX	LFXXXA04	373	8.2	17.3					392	6	185	0.5	0.00003		
11/30/2017	XX	LFXXXA0G	337	7.7	10.9					426	6	150	0.3	0.00028		
12/27/2017	XX	LFXXXA19	F	F	F					F	F	F	F	F		
1/19/2018	XX	LFXXXA4F	310	8	6.1					409	7	130	0.5	0.00014		
2/22/2018	XX	LFXXXA58	314	7.3	8.4					409	9	125	0.1	0.00037		
3/24/2018	XX	LFXXXA94	338	8	10.4					428	9	130	0.3	0.00056		
4/3/2018	XX	LFXXXA3G	307	8.2	9.8					484	12.8		0.8	0.00056		
4/28/2018	XX	LFXXXA9H	317	8.1	15.4					411	8	150	0.3	0.00022		
5/11/2018	XX	LFXXXAAA	344	7.8	13.2					441	9	150	0.4	0.00037		
6/2/2018	XX	LFXXXADE	360	7.9	16.2					374	8	140	0.5	0.00045		
7/2/2018	XX	LFXXXAIE	376	7.8	19.5					364	8	150	0.2	0.0002		
7/17/2018	XX	LFXXXACG	387	8.2	16.7					486	8.2		0.8	0.00056		
8/17/2018	XX	LFXXXAJ9	377	7.2	20.6					360	8	150	0.2	0.00017		
9/1/2018	XX	LFXXXB2F	362	8	19.5					380	7	175	2.4	0.0002		
10/2/2018	XX	LFXXXB1E	371	8.1	12.2					485	8.1		0.3	0.00056		
10/13/2018	XX	LFXXXB39	339	7.5	13.2					371	7	150	1.1	0.0001		
11/2/2018	XX	LFXXXB43	330	7.6	11.6					362	7	150	0.7	0.0002		
12/7/2018	XX	LFXXXB82	232	8.1	8.6					387	7	70	1.7	0.0002		
1/3/2019	XX	LFXXXB8G	F	F	F					F	F	F	F	F		
2/2/2019	XX	LFXXXB9A	F6	F6	F6					F6	F6	F6	F6	F6		

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 22 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-Sand6)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
3/2/2019	XX	LFXXXXBA4	F6	F6	F6					F6	F6	F6	F6	F6
4/5/2019	XX	LFXXXXBAI	F	F	F					F	F	F	F	F
4/23/2019	XX	LFXXXXB6C	289	8.2	7.6					357	9.7		0.4	0.0011
5/10/2019	XX	LFXXXXBEA	280	6.9	15.2					317	6	175	0.8	0.0002
6/24/2019	XX	LFXXXXBF4	328	7.8	17.3					356	8	175	0.1 U	0.0003
7/16/2019	XX	LFXXXXBD3	333	7.9	17.3					346	12.8		1.2	0.0006
7/30/2019	XX	LFXXXXBFI	330	8.2	20.5					336	8	180	0.6	0.0002
8/20/2019	XX	LFXXXXBGC	327	8.2	25.3					341	6	175	0.4	0.0001
9/20/2019	XX	LFXXXXC05	338	7.6	21.8					357	6	150	2.5	0.0001
10/14/2019	XX	LFXXXXC0J	304	8.3	19.6					331	6	175	4.8	0.0001
10/29/2019	XX	LFXXXXBIF	225	8	13.8					332	9.5		1.8	0.0006
11/27/2019	XX	LFXXXXC1D	295	8.3	20.5					376	8	155	8.1	0.0001
12/23/2019	XX	LFXXXXC33	279	8.3	12.8					343	8	140	20.2	0.0001
1/17/2020	XX	LFXXXXC3I	305	8.4	7.6					386	10	150	0.6	0.0002
2/4/2020	XX	LFXXXXC4D	284	8.3	13.2					331	10	150	0.1	0.0002
3/27/2020	XX	LFXXXXCFA	249	8.3	13.2					392	6	150	0.3	0.0014
4/28/2020	XX	LFXXXXCE3	322	8.2	8.9					403	9.3		1.6	0.0006
4/29/2020	XX	LFXXXXCG4	266	8.3	16.5					330	6	150	0.1	0.0002
5/27/2020	XX	LFXXXXD03	320	7.9	19.7					331	6	150	0.7	0.0002
6/28/2020	XX	LFXXXXD0H	280	8.3	21.6					334	5	175	1.2	0.0002
7/11/2020	XX	LFXXXXD1B	314	7.5	21.2					353	5	200	0.5	0.0001
7/21/2020	XX	LFXXXXCIG	308	7.9	18.5					361	7.5		0.4	0.0002
8/3/2020	XX	LFXXXXD59	325	7.9	21.1					352	6	175	0.1	0.0001
9/27/2020	XX	LFXXXXD65	312	8.1	18.6					401	5	175	11.1	0.00003
10/27/2020	XX	LFXXXXD3J	D	D	D					D	D	D	D	D
10/31/2020	XX	LFXXXXD6J	326	8.5	14					404	8	200	51.3	0.00004
11/29/2020	XX	LFXXXXD7D	313	8.4	15.6					383	8	140	22.6	0.0001
12/13/2020	XX	LFXXXXD87	286	8	13.4					359	5	155	38.52	0.0001
1/10/2021	XX	LFXXXXDF1	295	8.4	16.2					360	8	160	0.5	0.0001
2/28/2021	XX	LFXXXXDE7	272	8.3	13.1					349	8	175	18.6	0.00005
3/30/2021	XX	LFXXXXDFJ	289	8	15.6					389	8	145	9.3	0.0001
4/6/2021	XX	LFXXXXDD2	264	7.9	8					371	8.5		1	0.0004
4/29/2021	XX	LFXXXXDHF	297	7.5	16.2					384	6	150	5.7	0.0001
5/19/2021	XX	LFXXXXD9	327	8.5	21.1					532	6	190	1.7	0.0002
6/2/2021	XX	LFXXXXE30	268	8.5	20.3					314	8	165	1.4	0.0001
7/13/2021	XX	LFXXXXE0E	339	7	18.9					338	7.2		0.7	0.0003
7/16/2021	XX	LFXXXXE3G	398	7.8	25.4					380	7	175	0.7	0.0001
8/3/2021	XX	LFXXXXEFI	342	8.5	24.1					377	6	185	1	0.0033
9/18/2021	XX	LFXXXXEE0	450	7.6	20.2					358	7	175	16.1	0.0033
10/5/2021	XX	LFXXXXE71	296	7.8	13.1					258	7.6		0.6	0.0011
10/16/2021	XX	LFXXXXEEJ	297	7.4	17.8					352	6	180	4.1	0.0053
11/20/2021	XX	LFXXXXEHH	293	8.4	13.7					327	7	130	13.8	0.0001
12/18/2021	XX	LFXXXXEIJ	297	8.4	13.2					329	6	135	2.1	0.0001
1/16/2022	XX	LFXXXXF4F	270	7.7	15.8					340	6	130	6.3	0.0001
2/20/2022	XX	LFXXXXF5F	253	7.2	7.4					338	11	150	5.6	0.0001
3/20/2022	XX	LFXXXXF6F	316	8	12.6					98	8	150	13.7	0.0001
4/15/2022	XX	LFXXXXFC6	319	7.7	18.7					302	6	175	5.6	0.0002
4/26/2022	XX	LFXXXXF1D	275	7	9.8					368	7.4		0.3	0.0006
5/10/2022	XX	LFXXXXFD6	326	7.6	18.9					339	6	175	10.4	0.0001

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 23 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-Sand6)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
6/7/2022	XX	LFXXXXFEG	365	8.3	20.8					315	6		57.7	0.0001
7/19/2022	XX	LFXXXXF9C	334	6.9	20.6					285	4.9		0.7	0.0004
7/21/2022	XX	LFXXXXFFG	382	7.9	23					322	6	200	50.5	0.0001
8/8/2022	XX	LFXXXXG35	390	7.3	18.6					335	5	200	11.2	0.0001
9/2/2022	XX	LFXXXXG5H	389	8.3	18.6					334	6	200	10.4	0.0001
10/4/2022	XX	LFXXXXFJC	282	7.5	13.1					303	5.1		0.8	0.0006
10/6/2022	XX	LFXXXXG8J	328	8.4	13.2					286	5	175	8.9	0.0001
11/4/2022	XX	LFXXXXGAA	329	7.9	9.9					316	6	150	2.8	0.0001
12/5/2022	XX	LFXXXXGCF	330	7.8	9.2					320	6	175	2.4	0.0001
1/4/2023	XX	LFXXXXGE7	313	8.3	9.4					364	6	150	2.6	0.0001
2/1/2023	XX	LFXXXXGFI	314	8.4	11.7					352	6	135	8.8	0.0001
3/1/2023	XX	LFXXXXH32	315	8.4	12.3					384	6	125	9.8	0.0003
4/3/2023	XX	LFXXXXH4D	338	8.4	15.3					340	6	145	8.6	0.0002
4/18/2023	XX	LFXXXXGJ3	266	7.5	10.4					429	7.6		0.4	0.0006
5/3/2023	XX	LFXXXXH6C	325	8.3	14.7					300	6	125	7.9	0.0001
6/6/2023	XX	LFXXXX02F	338	7.3	16.8					335	6	150	12.4	0.0001
7/11/2023	XX	LFXXXXH96	303	7.7	17.3					465	7.3		0.6	0.0011
7/18/2023	XX	LFXXXX040	328	7.6	23.1					331	8	150	2.4	0.0002
8/1/2023	XX	LFXXXX0AG	343	8.3	21.3					294	6	150	1.7	0.0001
9/8/2023	XX	LFXXXX0C2	379	8.1	24.2					335	6	200	20.1	0.0001
10/3/2023	XX	LFXXXX06C	310	7.4	15.4					466	8.1		0.5	0.0006
10/4/2023	XX	LFXXXX0DE	335	8.1	22.6					324	6		5.7	0.0001
11/7/2023	XX	LFXXXX0F3	325	7.3	16.7					353	6	125	2.9	0.0001
12/20/2023	XX	LFXXXX0H1	322	7.7	12.6					327	6	150	4.3	0.0001
<b>LF-UD-6</b>														
1/24/2014	XX	LFUD6X6DH	F6	F6	F6					F6	F6	F6	F6	
2/24/2014	XX	LFUD6X6HE	685	7.8	11.1					383	8	275	6.68	
3/27/2014	XX	LFUD6X6H2	672	7.7	14.9					339	8	250	13.75	
4/22/2014	XX	LFUD6X6GA	712	7	14.3					479	6	160	1.6	0.0022
4/23/2014	XX	LFUD6X6IA	749	7.43	16.4					369	8	350	8.27	
4/29/2014	XX	LFUD6X6I6	392	8.1	14.6					321	10	155	32.95	
5/23/2014	XX	LFUD6X715	774	7.6	19.6					361	8	350	0.94	
6/24/2014	XX	LFUD6X71H	841	7.7	19.5					353	8	350	0.87	
7/29/2014	XX	LFUD6X70C	803	7.5	19.7					386	5	90	0.7	
8/26/2014	XX	LFUD6X74H	842	7.6	23.1					414	7	385	0.37	
9/23/2014	XX	LFUD6X758	847	7.6	23.3					352		300	1	
10/21/2014	XX	LFUD6X740	767	7.5	16.6					357	6	240	0.4	0.0022
11/28/2014	XX	LFUD6X760	810	7.5	15.7					360	5	260	M	
12/24/2014	XX	LFUD6X76D	847	7.5	16					436	7	325	0.65	
2/3/2015	XX	LFUD6X774	F	F	F					F	F	F	F	
2/21/2015	XX	LFUD6X77F	F6	F6	F6					F6	F6	F6	F6	
3/28/2015	XX	LFUD6X7AD	798	7.5	16.2					412	5	200	5.6	
4/16/2015	XX	LFUD6X7B6	754	7.6	17.1					380	6	200	8.75	
4/28/2015	XX	LFUD6X7A0	839	7.4	12.6					309	6.2		2.2	0.0022
5/22/2015	XX	LFUD6X7FB	815	7.8	19.1					375	10	335	0.5	
6/22/2015	XX	LFUD6X7EJ	840	7.6	23.4					334	8	375	0.16	
7/14/2015	XX	LFUD6X7DC	823	7.4	18					349	7.2		0.8	0.0022
7/23/2015	XX	LFUD6X7G3	834	7.5	23.5					377	8	275	0.1	
8/24/2015	XX	LFUD6X7GF	845	7.5	17.1					370	7	400	0.8	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 24 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-6)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
9/26/2015	XX	LFUD6X808	816	7.5	20.6					362	6	350	0.3	
10/27/2015	XX	LFUD6X71J	764	7.7	14.9					348	4.3		1.2	0.0022
10/31/2015	XX	LFUD6X810	851	7.6	15.7					347	7	475	1.2	
11/27/2015	XX	LFUD6X81C	864	7.6	16.9					373	8	380	0.8	
12/30/2015	XX	LFUD6X825	F6	F6	F6					F6	F6	F6	F6	
1/14/2016	XX	LFUD6X82H	F6	F6	F6					F6	F6	F6	F6	
2/18/2016	XX	LFUD6X889	F6	F6	F6					F6	F6	F6	F6	F6
3/17/2016	XX	LFUD6X891	859	7.3	16.1					329	7	375	2.3	
4/5/2016	XX	LFUD6X87B	850	7.7	10.6					312	6.8		1.1	0.0022
4/21/2016	XX	LFUD6X89D	870	7.4	20.6					311	9	260	0.3	
5/26/2016	XX	LFUD6X8CJ	F6	F6	F6					F6	F6	F6	F6	
6/27/2016	XX	LFUD6X8E3	F6	F6	F6					F6	F6	F6	F6	
7/20/2016	XX	LFUD6X8F7	F6	F6	F6					F6	F6	F6	F6	
7/26/2016	XX	LFUD6X8C1	D	D	D					D	D		D	D
8/29/2016	XX	LFUD6X90I	871	7.37	23.8					322	9	300	4.3	
9/23/2016	XX	LFUD6X93H	592	7.7	18.7					312	9	225	6.7	
10/25/2016	XX	LFUD6X8JJ	I	I	I					I	I	I	I	I
10/31/2016	XX	LFUD6X94B	H8	H8	H8					H8	H8	H8	H8	
11/29/2016	XX	LFUD6X956	F6	F6	F6					F6	F6	F6	F6	F6
12/13/2016	XX	LFUD6X95J	F6	F6	F6					F6	F6	F6	F6	F6
1/10/2017	XX	LFUD6X99I	F6	F6	F6					F6	F6	F6	F6	F6
2/8/2017	XX	LFUD6X9AB	F6	F6	F6					F6	F6	F6	F6	F6
3/3/2017	XX	LFUD6X9B4	F6	F6	F6					F6	F6	F6	F6	F6
4/5/2017	XX	LFUD6X995	F6	F6	F6					F6	F6	F6	F6	F6
4/18/2017	XX	LFUD6X986	439	7.6	14.2					366	7.5		1.2	0.0022
5/25/2017	XX	LFUD6X98H	355	7.33	17.2					426	6	175	0.7	
6/16/2017	XX	LFUD6X9E1	486	8.5	22.1					338	7	250	126.9	
7/25/2017	XX	LFUD6X9E3	I	I	I					I	I	I	I	I
7/31/2017	XX	LFUD6X9FB	398	7.7	20.8					391	6	165	22.2	
8/31/2017	XX	LFUD6X9J1	327	7.2	22.4					413	8	145	0.7	
9/28/2017	XX	LFUD6X9JD	F6	F6	F6					F6	F6	F6	F6	F6
10/25/2017	XX	LFUD6X9HI	413	7.2	18.9					407	5.7		2.1	0.0022
10/26/2017	XX	LFUD6XA05	442	7.5	19.3					405	6	215	32.3	
11/30/2017	XX	LFUD6XA0H	293	7	14.9					436	6	125	1.4	
12/27/2017	XX	LFUD6XA1A	270	7.3	15.8					426	7	103	2.7	
1/19/2018	XX	LFUD6XA4G	277	7.4	9.1					425	7	100	1.7	
2/22/2018	XX	LFUD6XA59	292	7	11					420	8	90	0.2	
3/24/2018	XX	LFUD6XA95	301	7.1	11.8					439	7	110	0.7	
4/3/2018	XX	LFUD6XA3I	302	7.6	15					461	4.5		1.3	0.00223
4/28/2018	XX	LFUD6XA9I	212	7.3	17.7					418	8	100	0.4	
5/11/2018	XX	LFUD6XAAAB	263	7.2	17.9					454	7	105	1	
6/2/2018	XX	LFUD6XADF	262	7	20.1					394	6	115	1.2	
7/2/2018	XX	LFUD6XAIF	F6	F6	F6					F6	F6		F6	
7/17/2018	XX	LFUD6XACI	328	8.4	20.4					466	3.6		1.4	0.00223
8/17/2018	XX	LFUD6XAJA	268	6.7	23.9					374	6	115	0.9	
9/1/2018	XX	LFUD6XB2G	281	7	21.7					406	6	100	2.6	
10/2/2018	XX	LFUD6XB1G	294	7.3	16.7					487	4.8		0.5	0.00056
10/13/2018	XX	LFUD6XB3A	246	6.9	15.4					383	5	75	7.4	
11/2/2018	XX	LFUD6XB44	241	6.8	13.2					381	7	70	1.6	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 25 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-6)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
12/7/2018	XX	LFUD6XB83	243	7.4	8.1					380	7	140	0.6	
1/3/2019	XX	LFUD6XB8H	297	6.8	11.3					386	7	70	2.1	
2/2/2019	XX	LFUD6XB9B	F	F	F					F	F	F	F	
3/2/2019	XX	LFUD6XBA5	337	7.7	15.3					340	5	75	0.8	
4/5/2019	XX	LFUD6XBAJ	320	8.3	14.1					354	6	100	1.4	
4/23/2019	XX	LFUD6XB6E	380	7.1	14.7					375	6.8		0.8	0.0022
5/10/2019	XX	LFUD6XBEB	201	7.1	15.4					314	6	35	1.4	
6/24/2019	XX	LFUD6XBF5	239	7.4	21					359	8	60	0.2	
7/16/2019	XX	LFUD6XBD5	184	7.8	20.7					379	9		0.8	0.0006
7/30/2019	XX	LFUD6XBFJ	70	7.3	21.2					343	8	35	0.9	
8/20/2019	XX	LFUD6XBGD	82	7.4	24.8					349	6	40	0.4	
9/20/2019	XX	LFUD6XC06	112	7.1	21.9					353	6	45	13.8	
10/14/2019	XX	LFUD6XC10	204	6.4	20.3					373	5	180	43.6	
10/29/2019	XX	LFUD6XBIH	267	6.3	17.5					282	6.6		1.5	0.0011
11/27/2019	XX	LFUD6XC1E	310	5.2	20.4					449	6	TK	2.2	
12/23/2019	XX	LFUD6XC34	L	L	L					L	L	L	L	
1/4/2020	XX	LFXXXXC3A	515	4.3	14					434	8	TK	1.6	
1/17/2020	XX	LFXXXXC45	460	4.4	14.8					520	8	TK	19.4	
2/4/2020	XX	LFXXXXC50	225	4	18.6					488	6	TK	0.8	
3/27/2020	XX	LFXXXXCFG	315	4.1	17.7					512	6		0.3	
4/28/2020	XX	LFUD6XCE5	579	4.2	14.1					605	7		0.6	0.0006
4/29/2020	XX	LFXXXXCGA	H8	H8	H8					H8	H8	H8	H8	H8
5/27/2020	XX	LFXXXXD09	F6	F6	F6					F6	F6	F6	F6	F6
6/28/2020	XX	LFXXXXD13	F6	F6	F6					F6	F6	F6	F6	F6
7/11/2020	XX	LFXXXXD1H	F6	F6	F6					F6	F6	F6	F6	F6
7/21/2020	XX	LFUD6XCII	D	D	D					D	D	D	D	D
8/3/2020	XX	LFXXXXD5F	F6	F6	F6					F6	F6	F6	F6	F6
9/27/2020	XX	LFXXXXD6B	F6	F6	F6					F6	F6	F6	F6	F6
10/27/2020	XX	LFUD6XD41	D	D	D					D	D	D	D	D
10/31/2020	XX	LFXXXXD75	F6	F6	F6					F6	F6	F6	F6	F6
11/29/2020	XX	LFXXXXD7J	F6	F6	F6					F6	F6	F6	F6	F6
12/13/2020	XX	LFXXXXD8D	F6	F6	F6					F6	F6	F6	F6	F6
1/10/2021	XX	LFXXXXDF7	F6	F6	F6					F6	F6	F6	F6	F6
2/28/2021	XX	LFXXXXDED	F6	F6	F6					F6	F6	F6	F6	F6
3/30/2021	XX	LFXXXXDG5	F6	F6	F6					F6	F6	F6	F6	F6
4/6/2021	XX	LFUD6XDD4	1154	5.1	15.9					504	5.3		1.1	0.0006
4/29/2021	XX	LFXXXXD11	F6	F6	F6					F6	F6	F6	F6	F6
5/19/2021	XX	LFXXXXDIF	758	4	22.2					495	5	TK	3.7	0.0003
6/2/2021	XX	LFXXXXE36	642	4.6	20.2					370	8	TK	42.1	0.00002
7/13/2021	XX	LFUD6XE0G	I	I	I					I	I	I	I	I
7/16/2021	XX	LFXXXXE42	F6	F6	F6					F6	F6	F6	F6	F6
8/3/2021	XX	LFXXXXEG5	1365	3.8	24.4					487	6	TK	7	I
9/18/2021	XX	LFXXXXEE6	F6	F6	F6					F6	F6	F6	F6	F6
10/5/2021	XX	LFUD6XE72	295	5.6	14					426	5.2		0.5	0.0022
10/16/2021	XX	LFXXXXEF5	F6	F6	F6					F6	F6	F6	F6	F6
11/20/2021	XX	LFXXXXE13	F6	F6	F6					F6	F6	F6	F6	F6
12/18/2021	XX	LFXXXXEJ5	F6	F6	F6					F6	F6	F6	F6	F6
1/16/2022	XX	LFXXXXF51	F6	F6	F6					F6	F6	F6	F6	F6
2/20/2022	XX	LFXXXXF61	F6	F6	F6					F6	F6	F6	F6	F6

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 26 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-6)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
3/20/2022	XX	LFXXXXF71	F6	F6	F6					F6	F6	F6	F6	F6
4/15/2022	XX	LFXXXXFCC	F6	F6	F6					F6	F6	F6	F6	F6
4/26/2022	XX	LFUD6XF1E	F6	F6	F6					F6	F6	F6	F6	F6
5/10/2022	XX	LFXXXXFDC	F6	F6	F6					F6	F6	F6	F6	F6
6/7/2022	XX	LFXXXXFF2	F6	F6	F6					F6	F6	F6	F6	F6
7/19/2022	XX	LFUD6XF9E	D	D	D					D	D	D	D	D
7/21/2022	XX	LFXXXXFG2	F6	F6	F6					F6	F6	F6	F6	F6
8/8/2022	XX	LFXXXXG3B	F6	F6	F6					F6	F6	F6	F6	F6
9/2/2022	XX	LFXXXXG63	F6	F6	F6					F6	F6	F6	F6	F6
10/4/2022	XX	LFUD6XFJD	D	D	D					D	D	D	D	F6
10/6/2022	XX	LFXXXXG95	F6	F6	F6					F6	F6		F6	F6
11/4/2022	XX	LFXXXXGAG	F6	F6	F6					F6	F6		F6	F6
12/5/2022	XX	LFXXXXGD1	F6	F6	F6					F6	F6		F6	F6
1/4/2023	XX	LFXXXXGED	F6	F6	F6					F6	F6		F6	F6
2/1/2023	XX	LFXXXXGG4	F6	F6	F6					F6	F6		F6	F6
3/1/2023	XX	LFXXXXH38	F6	F6	F6					F6	F6		F6	F6
4/3/2023	XX	LFXXXXH4J	F6	F6	F6					F6	F6		F6	F6
4/18/2023	XX	LFUD6XGJ4	F6	F6	F6					F6	F6		F6	F6
5/3/2023	XX	LFXXXXH6I	F6	F6	F6					F6	F6		F6	F6
6/6/2023	XX	LFXXXX031	F6	F6	F6					F6	F6		F6	F6
7/11/2023	XX	LFUD6XH98	F6	F6	F6					F6	F6		F6	F6
7/18/2023	XX	LFXXXX046	F6	F6	F6					F6	F6		F6	F6
8/1/2023	XX	LFXXXX0B2	F6	F6	F6					F6	F6		F6	F6
9/8/2023	XX	LFXXXX0C8	F6	F6	F6					F6	F6		F6	F6
10/3/2023	XX	LFUD6X06D	D	D	D					D	D		D	D
10/4/2023	XX	LFXXXX0E0	F6	F6	F6					F6	F6		F6	F6
11/7/2023	XX	LFXXXX0F9	F6	F6	F6					F6	F6		F6	F6
12/20/2023	XX	LFXXXX0H7	F6	F6	F6					F6	F6		F6	F6
<b>LF-UD-7</b>														
1/24/2014	XX	LFUD7X6DJ	H8	H8	H8					H8	H8	H8	H8	
2/24/2014	XX	LFUD7X6HG	H8	H8	H8					H8	H8	H8	H8	
3/27/2014	XX	LFUD7X6H4	H8	H8	H8					H8	H8	H8	H8	
4/22/2014	XX	LFUD7X6GB	F6	F6	F6					F6	F6	F6	F6	
4/29/2014	XX	LFUD7X6I8	H8	H8	H8					H8	H8	H8	H8	
5/23/2014	XX	LFUD7X717	H8	H8	H8					H8	H8	H8	H8	
6/24/2014	XX	LFUD7X71J	H8	H8	H8					H8	H8	H8	H8	
7/29/2014	XX	LFUD7X70D	F6	F6	F6					F6	F6	F6	F6	
8/26/2014	XX	LFUD7X74J	F6	F6	F6					F6	F6	F6	F6	
9/23/2014	XX	LFUD7X75A	H8	H8	H8					H8	H8	H8	H8	
10/21/2014	XX	LFUD7X741	F6	F6	F6					F6	F6	F6	F6	
11/28/2014	XX	LFUD7X762	H8	H8	H8					H8	H8	H8	H8	
12/24/2014	XX	LFUD7X76F	H8	H8	H8					H8	H8	H8	H8	
2/3/2015	XX	LFUD7X776	H8	H8	H8					H8	H8	H8	H8	
2/21/2015	XX	LFUD7X77H	H8	H8	H8					H8	H8	H8	H8	
3/28/2015	XX	LFUD7X7AF	H8	H8	H8					H8	H8	H8	H8	
4/16/2015	XX	LFUD7X7B8	F6	F6	F6					F6	F6	F6	F6	
4/28/2015	XX	LFUD7X7A1	F6	F6	F6					F6	F6	F6	F6	
5/22/2015	XX	LFUD7X7FD	F6	F6	F6					F6	F6	F6	F6	
6/22/2015	XX	LFUD7X7F1	F6	F6	F6					F6	F6	F6	F6	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 27 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-7)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
7/14/2015	XX	LFUD7X7DD	F6	F6	F6					F6	F6	F6	F6	
7/23/2015	XX	LFUD7X7G5	F12	F12	F12					F12	F12	F12	F12	
8/24/2015	XX	LFUD7X7GH	F12	F12	F12					F12	F12	F12	F12	
9/26/2015	XX	LFUD7X80A	F6	F6	F6					F6	F6	F6	F6	
10/27/2015	XX	LFUD7X7J0	F6	F6	F6					F6	F6	F6	F6	
10/31/2015	XX	LFUD7X812	F6	F6	F6					F6	F6	F6	F6	
11/27/2015	XX	LFUD7X81E	F6	F6	F6					F6	F6	F6	F6	
12/30/2015	XX	LFUD7X827	F6	F6	F6					F6	F6	F6	F6	F6
1/14/2016	XX	LFUD7X82J	F6	F6	F6					F6	F6	F6	F6	F6
2/18/2016	XX	LFUD7X88B	F6	F6	F6					F6	F6	F6	F6	F6
3/17/2016	XX	LFUD7X893	F6	F6	F6					F6	F6	F6	F6	F6
4/5/2016	XX	LFUD7X87C	F6	F6	F6					F6	F6	F6	F6	F6
4/21/2016	XX	LFUD7X89F	F6	F6	F6					F6	F6	F6	F6	F6
5/26/2016	XX	LFUD7X8D1	F6	F6	F6					F6	F6	F6	F6	F6
6/27/2016	XX	LFUD7X8E5	F6	F6	F6					F6	F6	F6	F6	F6
7/20/2016	XX	LFUD7X8F9	F6	F6	F6					F6	F6	F6	F6	F6
7/26/2016	XX	LFUD7X8C2	F6	F6	F6					F6	F6	F6	F6	F6
8/29/2016	XX	LFUD7X91B	F6	F6	F6					F6	F6	F6	F6	F6
9/23/2016	XX	LFUD7X93J	F6	F6	F6					F6	F6	F6	F6	F6
10/25/2016	XX	LFUD7X900	F6	F6	F6					F6	F6	F6	F6	F6
10/31/2016	XX	LFUD7X94D	H8	H8	H8					H8	H8	H8	H8	H8
11/29/2016	XX	LFUD7X958	H8	H8	H8					H8	H8	H8	H8	H8
12/13/2016	XX	LFUD7X961	H8	H8	H8					H8	H8	H8	H8	H8
1/10/2017	XX	LFUD7X9A0	H8	H8	H8					H8	H8	H8	H8	H8
2/8/2017	XX	LFUD7X9AD	H8	H8	H8					H8	H8	H8	H8	H8
3/3/2017	XX	LFUD7X9B6	H8	H8	H8					H8	H8	H8	H8	H8
4/5/2017	XX	LFUD7X997	H8	H8	H8					H8	H8	H8	H8	H8
4/18/2017	XX	LFUD7X987	F6	F6	F6					F6	F6	F6	F6	F6
5/25/2017	XX	LFUD7X9BJ	F6	F6	F6					F6	F6	F6	F6	F6
6/16/2017	XX	LFUD7X9F0	F6	F6	F6					F6	F6	F6	F6	F6
7/25/2017	XX	LFUD7X9E4	F6	F6	F6					F6	F6	F6	F6	F6
7/31/2017	XX	LFUD7X9FD	H8	H8	H8					H8	H8	H8	H8	H8
8/31/2017	XX	LFUD7X9J3	F6	F6	F6					F6	F6	F6	F6	F6
9/28/2017	XX	LFUD7X9JF	H8	H8	H8					H8	H8	H8	H8	H8
10/25/2017	XX	LFUD7X9HJ	F6	F6	F6					F6	F6	F6	F6	F6
10/26/2017	XX	LFUD7XA07	H8	H8	H8					H8	H8	H8	H8	H8
11/30/2017	XX	LFUD7XA0J	F6	F6	F6					F6	F6	F6	F6	F6
12/27/2017	XX	LFUD7XA1C	F6	F6	F6					F6	F6	F6	F6	F6
1/19/2018	XX	LFUD7XA4I	F6	F6	F6					F6	F6	F6	F6	F6
2/22/2018	XX	LFUD7XA5B	F6	F6	F6					F6	F6	F6	F6	F6
3/24/2018	XX	LFUD7XA97	F6	F6	F6					F6	F6	F6	F6	F6
4/3/2018	XX	LFUD7XA3J	F6	F6	F6					F6	F6	F6	F6	F6
4/28/2018	XX	LFUD7XAA0	H8	H8	H8					H8	H8	H8	H8	H8
5/11/2018	XX	LFUD7XAAD	F6	F6	F6					F6	F6	F6	F6	F6
6/2/2018	XX	LFUD7XADH	H8	H8	H8					H8	H8	H8	H8	H8
7/2/2018	XX	LFUD7XAIH	H8	H8	H8					H8	H8	H8	H8	H8
7/17/2018	XX	LFUD7XACJ	F6	F6	F6					F6	F6	F6	F6	F6
8/17/2018	XX	LFUD7XAJC	H8	H8	H8					H8	H8	H8	H8	H8
9/1/2018	XX	LFUD7XB2I	H8	H8	H8					H8	H8	H8	H8	H8



REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 28 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-7)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
10/2/2018	XX	LFUD7XB1H	F6	F6	F6					F6	F6	F6	F6	F6
10/13/2018	XX	LFUD7XB3C	H8	H8	H8					H8	H8	H8	H8	H8
11/2/2018	XX	LFUD7XB46	H8	H8	H8					H8	H8	H8	H8	H8
12/7/2018	XX	LFUD7XB85	H8	H8	H8					H8	H8	H8	H8	
1/3/2019	XX	LFUD7XB8J	H8	H8	H8					H8	H8	H8	H8	
2/2/2019	XX	LFUD7XB9D	H8	H8	H8					H8	H8	H8	H8	
3/2/2019	XX	LFUD7XBA7	H8	H8	H8					H8	H8	H8	H8	
4/5/2019	XX	LFUD7XBB1	H8	H8	H8					H8	H8	H8	H8	
4/23/2019	XX	LFUD7XB6F	F6	F6	F6					F6	F6	F6	F6	F6
5/10/2019	XX	LFUD7XBED	H8	H8	H8					H8	H8	H8	H8	H8
6/24/2019	XX	LFUD7XBF7	H8	H8	H8					H8	H8	H8	H8	H8
7/16/2019	XX	LFUD7XBD6	F6	F6	F6					F6	F6	F6	F6	F6
7/30/2019	XX	LFUD7XBG1	H8	H8	H8					H8	H8	H8	H8	H8
8/20/2019	XX	LFUD7XBGF	H8	H8	H8					H8	H8	H8	H8	H8
9/20/2019	XX	LFUD7XC08	H8	H8	H8					H8	H8	H8	H8	H8
10/14/2019	XX	LFUD7XC12	H8	H8	H8					H8	H8	H8	H8	H8
10/29/2019	XX	LFUD7XBII	F6	F6	F6					F6	F6	F6	F6	F6
11/27/2019	XX	LFUD7XC1G	H8	H8	H8					H8	H8	H8	H8	H8
12/23/2019	XX	LFUD7XC36	H8	H8	H8					H8	H8	H8	H8	H8
1/17/2020	XX	LFUD7XC41	H8	H8	H8					H8	H8	H8	H8	H8
2/4/2020	XX	LFUD7XC4G	H8	H8	H8					H8	H8	H8	H8	H8
3/27/2020	XX	LFUD7XCFC	H8	H8	H8					H8	H8	H8	H8	H8
4/28/2020	XX	LFUD7XCE6	F6	F6	F6					F6	F6	F6	F6	F6
4/29/2020	XX	LFUD7XCG6	H8	H8	H8					H8	H8	H8	H8	H8
5/27/2020	XX	LFUD7XD05	H8	H8	H8					H8	H8	H8	H8	H8
6/28/2020	XX	LFUD7XD0J	H8	H8	H8					H8	H8	H8	H8	H8
7/11/2020	XX	LFUD7XD1D	H8	H8	H8					H8	H8	H8	H8	H8
7/21/2020	XX	LFUD7XCJ	F6	F6	F6					F6	F6	F6	F6	F6
8/3/2020	XX	LFUD7XD5B	H8	H8	H8					H8	H8	H8	H8	H8
9/27/2020	XX	LFUD7XD67	H8	H8	H8					H8	H8	H8	H8	H8
10/27/2020	XX	LFUD7XD42	F6	F6	F6					F6	F6	F6	F6	F6
10/31/2020	XX	LFUD7XD71	H8	H8	H8					H8	H8	H8	H8	H8
11/29/2020	XX	LFUD7XD7F	H8	H8	H8					H8	H8	H8	H8	H8
12/13/2020	XX	LFUD7XD89	H8	H8	H8					H8	H8	H8	H8	H8
1/10/2021	XX	LFUD7XDF3	H8	H8	H8					H8	H8	H8	H8	H8
2/28/2021	XX	LFUD7XDE9	H2	H2	H2					H2	H2	H2	H2	H2
3/30/2021	XX	LFUD7XDG1	H8	H8	H8					H8	H8	H8	H8	H8
4/6/2021	XX	LFUD7XDD5	H8	H8	H8					H8	H8	H8	H8	H8
4/29/2021	XX	LFUD7XDHH	H8	H8	H8					H8	H8	H8	H8	H8
5/19/2021	XX	LFUD7XDIB	H8	H8	H8					H8	H8	H8	H8	H8
6/2/2021	XX	LFUD7XE32	H8	H8	H8					H8	H8	H8	H8	H8
7/13/2021	XX	LFUD7XE0H	F6	F6	F6					F6	F6	F6	F6	F6
7/16/2021	XX	LFUD7XE3I	H8	H8	H8					H8	H8	H8	H8	H8
8/3/2021	XX	LFUD7XEG0	H8	H8	H8					H8	H8	H8	H8	H8
9/18/2021	XX	LFUD7XEE2	H8	H8	H8					H8	H8	H8	H8	H8
10/5/2021	XX	LFUD7XE73	F6	F6	F6					F6	F6	F6	F6	F6
10/16/2021	XX	LFUD7XEF1	H8	H8	H8					H8	H8	H8	H8	H8
11/20/2021	XX	LFUD7XEHJ	H8	H8	H8					H8	H8	H8	H8	H8
12/18/2021	XX	LFUD7XEJ1	H8	H8	H8					H8	H8	H8	H8	H8

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 29 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-7)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
1/16/2022	XX	LFUD7XF4H	H8	H8	H8					H8	H8	H8	H8	H8
2/20/2022	XX	LFUD7XF5H	H8	H8	H8					H8	H8	H8	H8	H8
3/20/2022	XX	LFUD7XF6H	H8	H8	H8					H8	H8	H8	H8	H8
4/15/2022	XX	LFUD7XFC8	H8	H8	H8					H8	H8	H8	H8	H8
4/26/2022	XX	LFUD7XF1F	F6	F6	F6					F6	F6	F6	F6	F6
5/10/2022	XX	LFUD7XFD8	H8	H8	H8					H8	H8	H8	H8	H8
6/7/2022	XX	LFUD7XFEI	H8	H8	H8					H8	H8	H8	H8	H8
7/19/2022	XX	LFUD7XF9F	D	D	D					D	D	D	D	D
7/21/2022	XX	LFUD7XFFI	H8	H8	H8					H8	H8	H8	H8	H8
8/8/2022	XX	LFUD7XG37	H8	H8	H8					H8	H8	H8	H8	H8
9/2/2022	XX	LFUD7XG5J	H8	H8	H8					H8	H8	H8	H8	H8
10/4/2022	XX	LFUD7XFJE	D	D	D					D	D	D	D	F6
10/6/2022	XX	LFUD7XG91	H8	H8	H8					H8	H8	H8	H8	H8
11/4/2022	XX	LFUD7XGAC	H8	H8	H8					H8	H8	H8	H8	H8
12/5/2022	XX	LFUD7XGCH	H8	H8	H8					H8	H8	H8	H8	H8
1/4/2023	XX	LFUD7XGE9	H8	H8	H8					H8	H8	H8	H8	H8
2/1/2023	XX	LFUD7XGG0	H8	H8	H8					H8	H8	H8	H8	H8
3/1/2023	XX	LFUD7XH34	H8	H8	H8					H8	H8	H8	H8	H8
4/3/2023	XX	LFUD7XH4F	H8	H8	H8					H8	H8	H8	H8	H8
4/18/2023	XX	LFUD7XGJ5	F6	F6	F6					F6	F6	F6	F6	F6
5/3/2023	XX	LFUD7XH6E	H8	H8	H8					H8	H8	H8	H8	H8
6/6/2023	XX	LFUD7X02H	H8	H8	H8					H8	H8	H8	H8	H8
7/11/2023	XX	LFUD7XH99	F6	F6	F6					F6	F6	F6	F6	F6
7/18/2023	XX	LFUD7X042	H8	H8	H8					H8	H8	H8	H8	H8
8/1/2023	XX	LFUD7X0AI	H8	H8	H8					H8	H8	H8	H8	H8
9/8/2023	XX	LFUD7X0C4	H8	H8	H8					H8	H8	H8	H8	H8
10/3/2023	XX	LFUD7X06E	F6	F6	F6					F6	F6	F6	F6	F6
10/4/2023	XX	LFUD7X0DG	H8	H8	H8					H8	H8	H8	H8	H8
11/7/2023	XX	LFUD7X0F5	H8	H8	H8					H8	H8	H8	H8	H8
12/20/2023	XX	LFUD7X0H3	H8	H8	H8					H8	H8	H8	H8	H8
<b>LF-UD-8</b>														
1/24/2014	XX	LFUD8X6E1	F	F	F					F	F	F	F	F
2/24/2014	XX	LFUD8X6HH	F12	F12	F12					F12	F12	F12	F12	F12
3/27/2014	XX	LFUD8X6H5	F12	F12	F12					F12	F12	F12	F12	F12
4/22/2014	XX	LFUD8X6GC	F12	F12	F12					F12	F12	F12	F12	F12
4/29/2014	XX	LFUD8X6I9	F12	F12	F12					F12	F12	F12	F12	F12
5/23/2014	XX	LFUD8X718	F12	F12	F12					F12	F12	F12	F12	F12
6/24/2014	XX	LFUD8X720	F12	F12	F12					F12	F12	F12	F12	F12
7/29/2014	XX	LFUD8X70E	108	7.8	24					397	5	15	0.8	0.0022
8/26/2014	XX	LFUD8X750	F12	F12	F12					F12	F12	F12	F12	F12
9/23/2014	XX	LFUD8X75B	F6	F6	F6					F6	F6	F6	F6	F6
10/21/2014	XX	LFUD8X742	96	7.9	12.3					332	6	25	2.6	0.0022
11/28/2014	XX	LFUD8X763	F12	F12	F12					F12	F12	F12	F12	F12
12/24/2014	XX	LFUD8X76G	F12	F12	F12					F12	F12	F12	F12	F12
2/3/2015	XX	LFUD8X777	F	F	F					F	F	F	F	F
2/21/2015	XX	LFUD8X77I	F6	F6	F6					F6	F6	F6	F6	F6
3/28/2015	XX	LFUD8X7AG	F6	F6	F6					F6	F6	F6	F6	F6
4/16/2015	XX	LFUD8X7B9	F12	F12	F12					F12	F12	F12	F12	F12
4/28/2015	XX	LFUD8X7A2	100	7.9	9.7					375	10.8		1.8	0.0045

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 30 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-8)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
5/22/2015	XX	LFUD8X7FE	F12	F12	F12					F12	F12	F12	F12	F12
6/22/2015	XX	LFUD8X7F2	F12	F12	F12					F12	F12	F12	F12	F12
7/14/2015	XX	LFUD8X7DE	I	I	I					I	I	I	I	I
7/23/2015	XX	LFUD8X7G6	F12	F12	F12					F12	F12	F12	F12	F12
8/24/2015	XX	LFUD8X7GI	F12	F12	F12					F12	F12	F12	F12	F12
9/26/2015	XX	LFUD8X80B	H8	H8	H8					H8	H8	H8	H8	H8
10/27/2015	XX	LFUD8X7J1	F6	F6	F6					F6	F6	F6	F6	F6
10/31/2015	XX	LFUD8X813	F12	F12	F12					F12	F12	F12	F12	F12
11/27/2015	XX	LFUD8X81F	F6	F6	F6					F6	F6	F6	F6	F6
12/30/2015	XX	LFUD8X828	F12	F12	F12					F12	F12	F12	F12	F12
1/14/2016	XX	LFUD8X830	F12	F12	F12					F12	F12	F12	F12	F12
2/18/2016	XX	LFUD8X88C	F12	F12	F12					F12	F12	F12	F12	F12
3/17/2016	XX	LFUD8X894	F6	F6	F6					F6	F6	F6	F6	F6
4/5/2016	XX	LFUD8X87D	F6	F6	F6					F6	F6	F6	F6	F6
4/21/2016	XX	LFUD8X89G	F12	F12	F12					F12	F12	F12	F12	F12
5/26/2016	XX	LFUD8X8D2	F12	F12	F12					F12	F12	F12	F12	F12
6/27/2016	XX	LFUD8X8E6	F6	F6	F6					F6	F6	F6	F6	F6
7/20/2016	XX	LFUD8X8FA	F6	F6	F6					F6	F6	F6	F6	F6
7/26/2016	XX	LFUD8X8C3	F6	F6	F6					F6	F6	F6	F6	F6
8/29/2016	XX	LFUD8X91C	F6	F6	F6					F6	F6	F6	F6	F6
9/23/2016	XX	LFUD8X940	F6	F6	F6					F6	F6	F6	F6	F6
10/25/2016	XX	LFUD8X901	D	D	D					D	D	D	D	D
10/31/2016	XX	LFUD8X94E	H8	H8	H8					H8	H8	H8	H8	H8
11/29/2016	XX	LFUD8X959	F6	F6	F6					F6	F6	F6	F6	F6
12/13/2016	XX	LFUD8X962	F6	F6	F6					F6	F6	F6	F6	F6
1/10/2017	XX	LFUD8X9A1	A	A	A					A	A	A	A	A
2/8/2017	XX	LFUD8X9AE	A	A	A					A	A	A	A	A
3/3/2017	XX	LFUD8X9B9	A	A	A					A	A	A	A	A
4/5/2017	XX	LFUD8X998	A	A	A					A	A	A	A	A
4/18/2017	XX	LFUD8X988	65	7.4	9.5					315	9.3		1.2	0.0006
5/25/2017	XX	LFUD8X9C0	F12	F12	F12					F12	F12	F12	F12	F12
6/16/2017	XX	LFUD8X9F1	F6	F6	F6					F6	F6	F6	F6	F6
7/25/2017	XX	LFUD8X9E5	D	D	D					D	D	D	D	D
7/31/2017	XX	LFUD8X9FE	F6	F6	F6					F6	F6	F6	F6	F6
8/31/2017	XX	LFUD8X9J4	F6	F6	F6					F6	F6	F6	F6	F6
9/28/2017	XX	LFUD8X9JG	F6	F6	F6					F6	F6	F6	F6	F6
10/25/2017	XX	LFUD8X9I0	F6	F6	F6					F6	F6	F6	F6	F6
10/26/2017	XX	LFUD8XA08	F6	F6	F6					F6	F6	F6	F6	F6
11/30/2017	XX	LFUD8XA10	F6	F6	F6					F6	F6	F6	F6	F6
12/27/2017	XX	LFUD8XA1D	F	F	F					F	F	F	F	F
1/19/2018	XX	LFUD8XA4J	F6	F6	F6					F6	F6	F6	F6	F6
2/22/2018	XX	LFUD8XA5C	F6	F6	F6					F6	F6	F6	F6	F6
3/24/2018	XX	LFUD8XA98	F12	F12	F12					F12	F12	F12	F12	F12
4/3/2018	XX	LFUD8XA40	90	8.5	2.8					482	6.8		2.6	0.00223
4/28/2018	XX	LFUD8XAA1	F12	F12	F12					F12	F12	F12	F12	F12
5/11/2018	XX	LFUD8XAAE	F12	F12	F12					F12	F12	F12	F12	F12
6/2/2018	XX	LFUD8XADI	F12	F12	F12					F12	F12	F12	F12	F12
7/2/2018	XX	LFUD8XAI1	F12	F12	F12					F12	F12	F12	F12	F12
7/17/2018	XX	LFUD8XAD0	D	D	D					D	D	D	D	D

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 31 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-8)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
8/17/2018	XX	LFUD8XAJD	F6	F6	F6					F6	F6	F6	F6	F6
9/1/2018	XX	LFUD8XB2J	F6	F6	F6					F6	F6	F6	F6	F6
10/2/2018	XX	LFUD8XB1I	F6	F6	F6					F6	F6	F6	F6	F6
10/13/2018	XX	LFUD8XB3D	F6	F6	F6					F6	F6	F6	F6	F6
11/2/2018	XX	LFUD8XB47	F6	F6	F6					F6	F6	F6	F6	F6
12/7/2018	XX	LFUD8XB86	F6	F6	F6					F6	F6	F6	F6	F6
1/3/2019	XX	LFUD8XB90	F6	F6	F6					F6	F6	F6	F6	F6
2/2/2019	XX	LFUD8XB9E	F6	F6	F6					F6	F6	F6	F6	F6
3/2/2019	XX	LFUD8XBA8	F6	F6	F6					F6	F6	F6	F6	F6
4/5/2019	XX	LFUD8XBB2	F6	F6	F6					F6	F6	F6	F6	F6
4/23/2019	XX	LFUD8XB6G	88	6.8	7.9					347	9.3		1.2	0.0022
5/10/2019	XX	LFUD8XBEE	F6	F6	F6					F6	F6		F6	F6
6/24/2019	XX	LFUD8XBF8	F12	F12	F12					F12	F12		F12	F12
7/16/2019	XX	LFUD8XBD7	71	8.3	26.9					305	6		2.1	
7/30/2019	XX	LFUD8XBG2	F6	F6	F6					F6	F6		F6	F6
8/20/2019	XX	LFUD8XBG6	H6	H6	H6					H6	H6		H6	H6
9/20/2019	XX	LFUD8XC09	F6	F6	F6					F6	F6		F6	F6
10/14/2019	XX	LFUD8XC13	F6	F6	F6					F6	F6		F6	F6
10/29/2019	XX	LFUD8XBIJ	105	8	10					250	10.9		2.1	0.0011
11/27/2019	XX	LFUD8XC1H	F	F	F					F	F		F	F
12/23/2019	XX	LFUD8XC37	F	F	F					F	F		F	F
1/17/2020	XX	LFUD8XC42	F	F	F					F	F		F	F
2/4/2020	XX	LFUD8XC4H	F6	F6	F6					F6	F6		F6	F6
3/27/2020	XX	LFUD8XCFD	F6	F6	F6					F6	F6		F6	F6
4/28/2020	XX	LFUD8XCE7	F6	F6	F6					F6	F6		F6	F6
4/29/2020	XX	LFUD8XCG7	F6	F6	F6					F6	F6		F6	F6
5/27/2020	XX	LFUD8XD06	F6	F6	F6					F6	F6		F6	F6
6/28/2020	XX	LFUD8XD10	F6	F6	F6					F6	F6		F6	F6
7/11/2020	XX	LFUD8XD1E	F6	F6	F6					F6	F6		F6	F6
7/21/2020	XX	LFUD8XCJ0	F6	F6	F6					F6	F6		F6	F6
8/3/2020	XX	LFUD8XD5C	F6	F6	F6					F6	F6		F6	F6
9/27/2020	XX	LFUD8XD68	F6	F6	F6					F6	F6		F6	F6
10/27/2020	XX	LFUD8XD43	D	D	D					D	D		D	D
10/31/2020	XX	LFUD8XD72	F6	F6	F6					F6	F6		F6	F6
11/29/2020	XX	LFUD8XD7G	F6	F6	F6					F6	F6		F6	F6
12/13/2020	XX	LFUD8XD8A	F6	F6	F6					F6	F6		F6	F6
1/10/2021	XX	LFUD8XDF4	A	A	A					A	A	A	A	A
2/28/2021	XX	LFUD8XDEA	A	A	A					A	A	A	A	A
3/30/2021	XX	LFUD8XDG2	F6	F6	F6					F6	F6	F6	F6	F6
4/6/2021	XX	LFUD8XDD6	F6	F6	F6					F6	F6	F6	F6	F6
4/29/2021	XX	LFUD8XDHI	F6	F6	F6					F6	F6	F6	F6	F6
5/19/2021	XX	LFUD8XDIC	F6	F6	F6					F6	F6	F6	F6	F6
6/2/2021	XX	LFUD8XE33	F6	F6	F6					F6	F6	F6	F6	F6
7/13/2021	XX	LFUD8XE0I	F6	F6	F6					F6	F6	F6	F6	F6
7/16/2021	XX	LFUD8XE3J	F6	F6	F6					F6	F6	F6	F6	F6
8/3/2021	XX	LFUD8XEG1	F6	F6	F6					F6	F6	F6	F6	F6
9/18/2021	XX	LFUD8XEE3	F6	F6	F6					F6	F6	F6	F6	F6
10/5/2021	XX	LFUD8XE74	F6	F6	F6					F6	F6	F6	F6	F6
10/16/2021	XX	LFUD8XEF2	F6	F6	F6					F6	F6	F6	F6	F6

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 32 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-8)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs		
11/20/2021	XX	LFUD8XEI0	F6	F6	F6					F6	F6	F6	F6	F6		
12/18/2021	XX	LFUD8XEJ2	F6	F6	F6					F6	F6	F6	F6	F6		
1/16/2022	XX	LFUD8XF4I	F6	F6	F6					F6	F6	F6	F6	F6		
2/20/2022	XX	LFUD8XF5I	F6	F6	F6					F6	F6	F6	F6	F6		
3/20/2022	XX	LFUD8XF6I	F6	F6	F6					F6	F6	F6	F6	F6		
4/15/2022	XX	LFUD8XFC9	F6	F6	F6					F6	F6	F6	F6	F6		
4/26/2022	XX	LFUD8XF1G	F6	F6	F6					F6	F6	F6	F6	F6		
5/10/2022	XX	LFUD8XFD9	F6	F6	F6					F6	F6	F6	F6	F6		
6/7/2022	XX	LFUD8XFEJ	H8	H8	H8					H8	H8	H8	H8	H8		
7/19/2022	XX	LFUD8XF9G	D	D	D					D	D	D	D	D		
7/21/2022	XX	LFUD8XFFJ	F6	F6	F6					F6	F6	F6	F6	F6		
8/8/2022	XX	LFUD8XG38	F6	F6	F6					F6	F6	F6	F6	F6		
9/2/2022	XX	LFUD8XG60	F6	F6	F6					F6	F6	F6	F6	F6		
10/4/2022	XX	LFUD8XFJF	D	D	D					D	D	D	D	F6		
10/6/2022	XX	LFUD8XG92	F6	F6	F6					F6	F6	F6	F6	F6		
11/4/2022	XX	LFUD8XGAD	F6	F6	F6					F6	F6	F6	F6	F6		
12/5/2022	XX	LFUD8XGCI	F6	F6	F6					F6	F6	F6	F6	F6		
1/4/2023	XX	LFUD8XGEA	F6	F6	F6					F6	F6	F6	F6	F6		
2/1/2023	XX	LFUD8XGG1	F6	F6	F6					F6	F6	F6	F6	F6		
3/1/2023	XX	LFUD8XH35	F6	F6	F6					F6	F6	F6	F6	F6		
4/3/2023	XX	LFUD8XH4G	F6	F6	F6					F6	F6	F6	F6	F6		
4/18/2023	XX	LFUD8XGJ6	F6	F6	F6					F6	F6	F6	F6	F6		
5/3/2023	XX	LFUD8XH6F	F6	F6	F6					F6	F6	F6	F6	F6		
6/6/2023	XX	LFUD8X02I	F6	F6	F6					F6	F6	F6	F6	F6		
7/11/2023	XX	LFUD8XH9A	F6	F6	F6					F6	F6	F6	F6	F6		
7/18/2023	XX	LFUD8X043	F6	F6	F6					F6	F6	F6	F6	F6		
8/1/2023	XX	LFUD8X0AJ	F6	F6	F6					F6	F6	F6	F6	F6		
9/8/2023	XX	LFUD8X0C5	F6	F6	F6					F6	F6	F6	F6	F6		
10/3/2023	XX	LFUD8X06F	F6	F6	F6					F6	F6	F6	F6	F6		
10/4/2023	XX	LFUD8X0DH	F6	F6	F6					F6	F6	F6	F6	F6		
11/7/2023	XX	LFUD8X0F6	F6	F6	F6					F6	F6	F6	F6	F6		
12/20/2023	XX	LFUD8X0H4	F6	F6	F6					F6	F6	F6	F6	F6		
<b>LF-UD-9</b>																
4/5/2016	XX	LFUD9X881	F6	F6	F6					F6	F6	F6	F6	F6		
7/26/2016	XX	LFUD9X8CA	F12	F12	F12					F12	F12	F6	F12	F12		
10/25/2016	XX	LFUD9X905	F6	F6	F6					F6	F6	F6	F6	F6		
10/31/2016	XX	LFUD9X94G	H8	H8	H8					H8	H8	F6	H8	H8		
11/29/2016	XX	LFUD9X95B	F6	F6	F6					F6	F6	F6	F6	F6		
12/13/2016	XX	LFUD9X964	F6	F6	F6					F6	F6	F6	F6	F6		
1/10/2017	XX	LFUD9X9A3	F6	F6	F6					F6	F6	F6	F6	F6		
2/8/2017	XX	LFUD9X9AG	F6	F6	F6					F6	F6	F6	F6	F6		
3/3/2017	XX	LFUD9X9B9	F6	F6	F6					F6	F6	F6	F6	F6		
4/5/2017	XX	LFUD9X99A	F6	F6	F6					F6	F6	F6	F6	F6		
4/18/2017	XX	LFUD9X98F	292	7.6	7.1					375	10.8	F6	1.2	0.0011		
5/25/2017	XX	LFUD9X9C2	F6	F6	F6					F6	F6	F6	F6	F6		
6/16/2017	XX	LFUD9X9F3	DE	DE	DE					DE	DE	DE	DE	DE		
10/25/2017	XX	LFUD9X9I4	F6	F6	F6					F6	F6	F6	F6	F6		
1/19/2018	XX	LFUD9XA4H	F6	F6	F6					F6	F6	F6	F6	F6		
2/22/2018	XX	LFUD9XA5A	F6	F6	F6					F6	F6	F6	F6	F6		

REPORT PREPARED: 3/18/2024 06:50

FOR: Juniper Ridge Landfill

DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE

Field Parameters



Page 33 of 73

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(LF-UD-9)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
3/24/2018	XX	LFUD9XA96	176	7.3	8					458	9	50 U	44.8	0.00334
4/3/2018	XX	LFUD9XA47	F6	F6	F6					F6	F6	F6	F6	F6
4/28/2018	XX	LFUD9XA9J	F6	F6	F6					F6	F6	F6	F6	F6
5/11/2018	XX	LFUD9XAAC	F6	F6	F6					F6	F6	F6	F6	F6
6/2/2018	XX	LFUD9XADG	F6	F6	F6					F6	F6	F6	F6	F6
7/2/2018	XX	LFUD9XAIG	F6	F6	F6					F6	F6	F6	F6	F6
7/17/2018	XX	LFUD9XAD4	D	D	D					D	D	D	D	D
8/17/2018	XX	LFUD9XAJB	F6	F6	F6					F6	F6	F6	F6	F6
9/1/2018	XX	LFUD9XB2H	F6	F6	F6					F6	F6	F6	F6	F6
10/2/2018	XX	LFUD9XB22	F6	F6	F6					F6	F6	F6	F6	F6
10/13/2018	XX	LFUD9XB3B	F6	F6	F6					F6	F6	F6	F6	F6
11/2/2018	XX	LFUD9XB45	135	7.3	10.7					379	7	25	49.6	0.0045
12/7/2018	XX	LFUD9XB84	F6	F6	F6					F6	F6	F6	F6	
1/3/2019	XX	LFUD9XB8I	F6	F6	F6					F6	F6	F6	F6	
2/2/2019	XX	LFUD9XB9C	F6	F6	F6					F6	F6	F6	F6	
3/2/2019	XX	LFUD9XBA6	F6	F6	F6					F6	F6	F6	F6	
4/5/2019	XX	LFUD9XBB0	F6	F6	F6					F6	F6	F6	F6	
4/23/2019	XX	LFUD9XB73	F6	F6	F6					F6	F6	F6	F6	F6
5/10/2019	XX	LFUD9XBEC	201	6.6	15.1					278	7	30	9.6	0.0004
6/24/2019	XX	LFUD9XBF6	F6	F6	F6					F6	F6	F6	F6	F6
7/16/2019	XX	LFUD9XBDD	F6	F6	F6					F6	F6	F6	F6	F6
7/30/2019	XX	LFUD9XBG0	F6	F6	F6					F6	F6	F6	F6	F6
8/20/2019	XX	LFUD9XBGE	F6	F6	F6					F6	F6	F6	F6	F6
9/20/2019	XX	LFUD9XC07	F6	F6	F6					F6	F6	F6	F6	F6
10/14/2019	XX	LFUD9XC11	F6	F6	F6					F6	F6	F6	F6	F6
10/29/2019	XX	LFUD9XBJ3	F6	F6	F6					F6	F6	F6	F6	F6
11/27/2019	XX	LFUD9XC1F	F6	F6	F6					F6	F6	F6	F6	F6
12/23/2019	XX	LFUD9XC35	F6	F6	F6					F6	F6	F6	F6	F6
1/17/2020	XX	LFUD9XC40	F6	F6	F6					F6	F6	F6	F6	F6
2/4/2020	XX	LFUD9XC4F	F6	F6	F6					F6	F6	F6	F6	F6
3/27/2020	XX	LFUD9XCFB	F6	F6	F6					F6	F6	F6	F6	F6
4/28/2020	XX	LFUD9XCED	F6	F6	F6					F6	F6	F6	F6	F6
4/29/2020	XX	LFUD9XCG5	F6	F6	F6					F6	F6	F6	F6	F6
5/27/2020	XX	LFUD9XD04	F6	F6	F6					F6	F6	F6	F6	F6
6/28/2020	XX	LFUD9XD0I	F6	F6	F6					F6	F6	F6	F6	F6
7/11/2020	XX	LFUD9XD1C	F6	F6	F6					F6	F6	F6	F6	F6
7/21/2020	XX	LFUD9XCJ6	F6	F6	F6					F6	F6	F6	F6	F6
8/3/2020	XX	LFUD9XD5A	F6	F6	F6					F6	F6	F6	F6	F6
9/27/2020	XX	LFUD9XD66	F6	F6	F6					F6	F6	F6	F6	F6
10/27/2020	XX	LFUD9XD47	D	D	D					D	D	D	D	D
10/31/2020	XX	LFUD9XD70	F6	F6	F6					F6	F6	F6	F6	F6
11/29/2020	XX	LFUD9XD7E	F6	F6	F6					F6	F6	F6	F6	F6
12/13/2020	XX	LFUD9XD88	F6	F6	F6					F6	F6	F6	F6	F6
1/10/2021	XX	LFUD9XDF2	F6	F6	F6					F6	F6	F6	F6	F6
2/28/2021	XX	LFUD9XDE8	A	A	A					A	A	A	A	A
3/30/2021	XX	LFUD9XDGO	F6	F6	F6					F6	F6	F6	F6	F6
4/6/2021	XX	LFUD9XDDA	F6	F6	F6					F6	F6	F6	F6	F6
4/29/2021	XX	LFUD9XDHG	F6	F6	F6					F6	F6	F6	F6	F6
5/19/2021	XX	LFUD9XDIA	F6	F6	F6					F6	F6	F6	F6	F6

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 34 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-9)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
6/2/2021	XX	LFUD9XE31	F6	F6	F6					F6	F6	F6	F6	F6
7/13/2021	XX	LFUD9XE11	F6	F6	F6					F6	F6	F6	F6	F6
7/16/2021	XX	LFUD9XE3H	F6	F6	F6					F6	F6	F6	F6	F6
8/3/2021	XX	LFUD9XEFJ	F6	F6	F6					F6	F6	F6	F6	F6
9/18/2021	XX	LFUD9XEE1	F6	F6	F6					F6	F6	F6	F6	F6
10/5/2021	XX	LFUD9XE78	F6	F6	F6					F6	F6	F6	F6	F6
10/16/2021	XX	LFUD9XEF0	F6	F6	F6					F6	F6	F6	F6	F6
11/20/2021	XX	LFUD9XEHI	F6	F6	F6					F6	F6	F6	F6	F6
12/18/2021	XX	LFUD9XEJ0	F6	F6	F6					F6	F6	F6	F6	F6
1/16/2022	XX	LFUD9XF4G	F6	F6	F6					F6	F6	F6	F6	F6
2/20/2022	XX	LFUD9XF5G	F6	F6	F6					F6	F6	F6	F6	F6
3/20/2022	XX	LFUD9XF6G	F6	F6	F6					F6	F6	F6	F6	F6
4/15/2022	XX	LFUD9XFC7	F6	F6	F6					F6	F6	F6	F6	F6
4/26/2022	XX	LFUD9XF1J	F6	F6	F6					F6	F6	F6	F6	F6
5/10/2022	XX	LFUD9XFD7	F6	F6	F6					F6	F6	F6	F6	F6
6/7/2022	XX	LFUD9XFEH	F6	F6	F6					F6	F6	F6	F6	F6
7/19/2022	XX	LFUD9XF9J	D	D	D					D	D	D	D	D
7/21/2022	XX	LFUD9XFFH	F6	F6	F6					F6	F6	F6	F6	F6
8/8/2022	XX	LFUD9XG36	F6	F6	F6					F6	F6	F6	F6	F6
9/2/2022	XX	LFUD9XG5I	F6	F6	F6					F6	F6	F6	F6	F6
10/4/2022	XX	LFUD9XFJ1	D	D	D					D	D	D	D	D
10/6/2022	XX	LFUD9XG90	F6	F6	F6					F6	F6	F6	F6	F6
11/4/2022	XX	LFUD9XGAB	F6	F6	F6					F6	F6	F6	F6	F6
12/5/2022	XX	LFUD9XGCG	F6	F6	F6					F6	F6	F6	F6	F6
1/4/2023	XX	LFUD9XGE8	F6	F6	F6					F6	F6	F6	F6	F6
2/1/2023	XX	LFUD9XGFJ	F6	F6	F6					F6	F6	F6	F6	F6
3/1/2023	XX	LFUD9XH33	F6	F6	F6					F6	F6	F6	F6	F6
4/3/2023	XX	LFUD9XH4E	F6	F6	F6					F6	F6	F6	F6	F6
4/18/2023	XX	LFUD9XGJ9	F6	F6	F6					F6	F6	F6	F6	F6
5/3/2023	XX	LFUD9XH6D	F6	F6	F6					F6	F6	F6	F6	F6
6/6/2023	XX	LFUD9X02G	F6	F6	F6					F6	F6	F6	F6	F6
7/11/2023	XX	LFUD9XH9D	F6	F6	F6					F6	F6	F6	F6	F6
7/18/2023	XX	LFUD9X041	F6	F6	F6					F6	F6	F6	F6	F6
8/1/2023	XX	LFUD9X0AH	F6	F6	F6					F6	F6	F6	F6	F6
9/8/2023	XX	LFUD9X0C3	F6	F6	F6					F6	F6	F6	F6	F6
10/3/2023	XX	LFUD9X06H	F6	F6	F6					F6	F6	F6	F6	F6
10/4/2023	XX	LFUD9X0DF	F6	F6	F6					F6	F6	F6	F6	F6
11/7/2023	XX	LFUD9X0F4	F6	F6	F6					F6	F6	F6	F6	F6
12/20/2023	XX	LFUD9X0H2	F6	F6	F6					F6	F6	F6	F6	F6
<b>LF-UD-10</b>														
10/25/2017	XX	LFXXXX9ID	F6	F6	F6					F6	F6	F6	F6	F6
12/27/2017	XX	LFXXXXA1F	F6	F6	F6					F6	F6	F6	F6	F6
1/19/2018	XX	LFXXXXA51	F6	F6	F6					F6	F6	F6	F6	F6
2/22/2018	XX	LFXXXXA5E	119	6.8	5.1					420	9		12.9	0.00056
3/24/2018	XX	LFXXXXA9A	175	7	8.8					455	8	50 U	43.4	0.00334
4/3/2018	XX	LFXXXXA48	F6	F6	F6					F6	F6	F6	F6	F6
4/28/2018	XX	LFXXXXAA3	F6	F6	F6					F6	F6	F6	F6	F6
5/11/2018	XX	LFXXXXAAG	F6	F6	F6					F6	F6	F6	F6	F6
6/2/2018	XX	LFXXXXAE0	F6	F6	F6					F6	F6	F6	F6	F6

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 35 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-10)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
7/2/2018	XX	LFXXXXAJ0	F6	F6	F6					F6	F6		F6	F6
7/17/2018	XX	LFU10XAD6	D	D	D					D	D		D	D
8/17/2018	XX	LFXXXXAJF	F6	F6	F6					F6	F6		F6	F6
9/1/2018	XX	LFXXXXB31	F6	F6	F6					F6	F6		F6	F6
10/3/2018	XX	LFXXXXB27	F6	F6	F6					F6	F6	F6	F6	F6
10/13/2018	XX	LFXXXXB3F	F6	F6	F6					F6	F6		F6	F6
11/2/2018	XX	LFXXXXB49	134	7.3	10.6					387	7	25	49.6	0.0045
12/7/2018	XX	LFXXXXB88	F6	F6	F6					F6	F6	F6	F6	
1/3/2019	XX	LFXXXXB92	F6	F6	F6					F6	F6	F6	F6	
2/2/2019	XX	LFXXXXB9G	F6	F6	F6					F6	F6	F6	F6	
3/2/2019	XX	LFXXXXBAA	F6	F6	F6					F6	F6	F6	F6	
4/5/2019	XX	LFXXXXBB4	F6	F6	F6					F6	F6	F6	F6	
4/23/2019	XX	LFXXXXB74	F6	F6	F6					F6	F6	F6	F6	F6
5/10/2019	XX	LFXXXXBEG	111	7.3	14.9					295	7	0 D3	49.5	0.0178
6/24/2019	XX	LFXXXXBFA	F6	F6	F6					F6	F6	F6	F6	F6
7/16/2019	XX	LFXXXXBDE	F6	F6	F6					F6	F6	F6	F6	F6
7/30/2019	XX	LFXXXXBG4	F6	F6	F6					F6	F6	F6	F6	F6
8/20/2019	XX	LFXXXXBGI	F6	F6	F6					F6	F6	F6	F6	F6
9/20/2019	XX	LFXXXXC0B	F6	F6	F6					F6	F6	F6	F6	F6
10/14/2019	XX	LFXXXXC15	F6	F6	F6					F6	F6	F6	F6	F6
10/29/2019	XX	LFXXXXBJ7	F6	F6	F6					F6	F6	F6	F6	F6
11/27/2019	XX	LFXXXXC1J	F6	F6	F6					F6	F6	F6	F6	F6
12/23/2019	XX	LFXXXXC39	F6	F6	F6					F6	F6	F6	F6	F6
1/17/2020	XX	LFXXXXC44	F6	F6	F6					F6	F6	F6	F6	F6
2/4/2020	XX	LFXXXXC4J	F6	F6	F6					F6	F6	F6	F6	F6
3/27/2020	XX	LFXXXXCFF	F6	F6	F6					F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXXCEE	F6	F6	F6					F6	F6	F6	F6	F6
4/29/2020	XX	LFXXXXCG9	F6	F6	F6					F6	F6	F6	F6	F6
5/27/2020	XX	LFXXXXD08	F6	F6	F6					F6	F6	F6	F6	F6
6/28/2020	XX	LFXXXXD12	F6	F6	F6					F6	F6	F6	F6	F6
7/11/2020	XX	LFXXXXD1G	F6	F6	F6					F6	F6	F6	F6	F6
7/21/2020	XX	LFXXXXCJ7	F6	F6	F6					F6	F6	F6	F6	F6
8/3/2020	XX	LFXXXXD5E	F6	F6	F6					F6	F6	F6	F6	F6
9/27/2020	XX	LFXXXXD6A	F6	F6	F6					F6	F6	F6	F6	F6
10/27/2020	XX	LFXXXXD4B	F6	F6	F6					F6	F6	F6	F6	F6
10/31/2020	XX	LFXXXXD74	F6	F6	F6					F6	F6	F6	F6	F6
11/29/2020	XX	LFXXXXD7I	F6	F6	F6					F6	F6	F6	F6	F6
12/13/2020	XX	LFXXXXD8C	F6	F6	F6					F6	F6	F6	F6	F6
1/10/2021	XX	LFXXXXDF6	F6	F6	F6					F6	F6	F6	F6	F6
2/28/2021	XX	LFXXXXDEC	A	A	A					A	A	A	A	A
3/30/2021	XX	LFXXXXDG4	F6	F6	F6					F6	F6	F6	F6	F6
4/6/2021	XX	LFXXXXDDB	F6	F6	F6					F6	F6	F6	F6	F6
4/29/2021	XX	LFXXXXDI0	F6	F6	F6					F6	F6	F6	F6	F6
5/19/2021	XX	LFXXXXDIE	F6	F6	F6					F6	F6	F6	F6	F6
6/2/2021	XX	LFXXXXE35	F6	F6	F6					F6	F6	F6	F6	F6
7/13/2021	XX	LFXXXXE12	F6	F6	F6					F6	F6	F6	F6	F6
7/16/2021	XX	LFXXXXE41	F6	F6	F6					F6	F6	F6	F6	F6
8/3/2021	XX	LFXXXXEG4	F6	F6	F6					F6	F6	F6	F6	F6
9/18/2021	XX	LFXXXXEE5	F6	F6	F6					F6	F6	F6	F6	F6



REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 36 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-10)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
10/5/2021	XX	LFXXXXE7C	F6	F6	F6					F6	F6	F6	F6	F6
10/16/2021	XX	LFXXXXEF4	F6	F6	F6					F6	F6	F6	F6	F6
11/20/2021	XX	LFXXXXEI2	F6	F6	F6					F6	F6	F6	F6	F6
12/18/2021	XX	LFXXXXEJ4	F6	F6	F6					F6	F6	F6	F6	F6
1/16/2022	XX	LFXXXXF50	F6	F6	F6					F6	F6	F6	F6	F6
2/20/2022	XX	LFXXXXF60	F6	F6	F6					F6	F6	F6	F6	F6
3/20/2022	XX	LFXXXXF70	F6	F6	F6					F6	F6	F6	F6	F6
4/15/2022	XX	LFXXXXFCB	F6	F6	F6					F6	F6	F6	F6	F6
4/26/2022	XX	LFXXXXF23	F6	F6	F6					F6	F6	F6	F6	F6
5/10/2022	XX	LFXXXXFDB	F6	F6	F6					F6	F6	F6	F6	F6
6/7/2022	XX	LFXXXXFF1	F6	F6	F6					F6	F6		F6	
7/19/2022	XX	LFXXXXFA0	D	D	D					D	D		D	D
7/21/2022	XX	LFXXXXFG1	F6	F6	F6					F6	F6		F6	
8/8/2022	XX	LFXXXXG3A	F6	F6	F6					F6	F6		F6	
9/2/2022	XX	LFXXXXG62	F6	F6	F6					F6	F6		F6	
10/4/2022	XX	LFXXXXG02	D	D	D					D	D		D	F6
10/6/2022	XX	LFXXXXG94	F6	F6	F6					F6	F6		F6	F6
11/4/2022	XX	LFXXXXGAF	F6	F6	F6					F6	F6		F6	F6
12/5/2022	XX	LFXXXXGD0	F6	F6	F6					F6	F6		F6	F6
1/4/2023	XX	LFXXXXGEC	F6	F6	F6					F6	F6		F6	F6
2/1/2023	XX	LFXXXXGG3	F6	F6	F6					F6	F6		F6	F6
3/1/2023	XX	LFXXXXH37	F6	F6	F6					F6	F6		F6	F6
4/3/2023	XX	LFXXXXH4I	F6	F6	F6					F6	F6		F6	F6
4/18/2023	XX	LFXXXXGJD	F6	F6	F6					F6	F6		F6	F6
5/3/2023	XX	LFXXXXH6H	F6	F6	F6					F6	F6		F6	F6
6/6/2023	XX	LFXXXX030	F6	F6	F6					F6	F6		F6	F6
7/11/2023	XX	LFXXXXH9E	F6	F6	F6					F6	F6		F6	F6
7/18/2023	XX	LFXXXX045	F6	F6	F6					F6	F6		F6	F6
8/1/2023	XX	LFXXXX0B1	F6	F6	F6					F6	F6		F6	F6
9/8/2023	XX	LFXXXX0C7	F6	F6	F6					F6	F6		F6	F6
10/3/2023	XX	LFXXXX06I	D	D	D					D	D		D	D
10/4/2023	XX	LFXXXX0DJ	F6	F6	F6					F6	F6		F6	F6
11/7/2023	XX	LFXXXX0F8	F6	F6	F6					F6	F6		F6	F6
12/20/2023	XX	LFXXXX0H6	F6	F6	F6					F6	F6		F6	F6
<b>LF-UD-12+13+14</b>														
4/6/2021	XX	LFX12XDFB	D	D	D					D	D		D	D
8/8/2022	XX	GWXXXXG4G	F6	F6	F6					F6	F6		F6	
9/2/2022	XX	LFXXXXG69	F6	F6	F6					F6	F6		F6	
10/4/2022	XX	LFXXXXG2A	D	D	D					D	D		D	
10/6/2022	XX	LFXXXXG9B	I	I	I					I	I		I	
11/4/2022	XX	LFXXXXGB2	I	I	I					I	I		I	
12/5/2022	XX	LFXXXXGD7	F6	F6	F6					F6	F6		F6	
1/4/2023	XX	LFXXXXGEJ	146	7.8	10.7					361	6	50 <	14.1	0.0001
2/1/2023	XX	LFXXXXGGA	100	7.7	9.4					347	6	500 >	8.3	0.0001
3/1/2023	XX	LFXXXXH3E	FI	FI	FI					FI	FI	FI	FI	FI
4/3/2023	XX	LFXXXXH55	F6	F6	F6					F6	F6	F6	F6	F6
4/18/2023	XX	LFXXXXH1G	130	7.5	10.9					337	8.9		0.6	0.0011
5/3/2023	XX	LFXXXXH72	F6	F6	F6					F6	F6	F6	F6	F6
6/6/2023	XX	LFXXXX035	F6	F6	F6					F6	F6	F6	F6	F6

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 37 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-12+13+14)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
7/11/2023	XX	LFXXX01F	138	6.2	20.1					427	4.9		0.5	0.0011
7/18/2023	XX	LFXXX04A	F6	F6	F6					F6	F6	F6	F6	F6
8/1/2023	XX	LFXXX0B6	756	7.9	23					305	5	110	120.8	0.0001
9/8/2023	XX	LFXXX0CC	F6	F6	F6					F6	F6	F6	F6	F6
10/3/2023	XX	LFXXX0A2	F6	F6	F6					F6	F6	F6	F6	F6
10/4/2023	XX	LFXXX0E4	F6	F6	F6					F6	F6	F6	F6	F6
11/7/2023	XX	LFXXX0FD	F6	F6	F6					F6	F6	F6	F6	F6
12/20/2023	XX	LFXXX0HB	187	7.9	11.4					315	6	135	35.4	0.0001
<b>LP-COMP</b>														
3/28/2015	XX	LPCMPX7AH	320	7.1	11.4					387	4.5	135	1.78	
4/16/2015	XX	LPCMPX7BA	261	7.5	17.6					370	8	125	1.74	
7/23/2015	XX	LPCMPX7G7	326	7.2	20.2					350	9	155	0.4	
8/24/2015	XX	LPCMPX7GJ	317	7	20.2					361	6	160	0.2	
10/31/2015	XX	LPCMPX814	284	7.4	13.8					353	8	130	0.5	
11/27/2015	XX	LPCMPX81G	312	7	15					377	8	170	0.8	
12/2/2015	XX	LPCOMX62D	271	7.3	20.4					331	8	160	0.4	
12/30/2015	XX	LPCMPX829	306	7.2	8.8					361	10	160	0.9	
1/14/2016	XX	LPCMPX831	307	6.4	6.2					327	8	150	0.5	
2/18/2016	XX	LPCMPX88D	285	7.2	11.2					346	8	145	1	
3/17/2016	XX	LPCMPX895	305	7	11.3					331	10	155	0.4	
4/21/2016	XX	LPCMPX89H	302	7.1	11.9					335	9	120	1.3	
5/26/2016	XX	LPCMPX8D3	313	7	16.6					285	7	160	0.3	
6/27/2016	XX	LPCMPX8E7	333	6.6	17.9					520	7	165	0.8	
7/20/2016	XX	LPCMPX8FB	328	6.7	20.3					362	7	155	0.3	
8/29/2016	XX	LPCMPX91D	261	6.44	21.2					346	7	125	0.5	
9/23/2016	XX	LPCMPX941	265	6.63	18					313	7	130	0.3	
10/31/2016	XX	LPCMPX94F	250	6.84	15.1					347	4	75	0.3	
11/29/2016	XX	LPCMPX95A	269	7.25	7.5					378	6	110	0.6	
12/13/2016	XX	LPCMPX963	143	7.5	5.8					362	9	115	0.2	
1/10/2017	XX	LPCMPX9A2	122	7.05	13.6					364	7	110	0.4	
2/8/2017	XX	LPCMPX9AF	123	6.95	10.5					377	5	95	0.7	
3/3/2017	XX	LPCMPX9B8	92	6.91	15.1					370	6	75	2	
4/5/2017	XX	LPCMPX999	115	6.88	18.4					362	6	95	0.4	
5/25/2017	XX	LPCMPX9C1	205	6.6	13.8					359	3	90	0.6	
6/16/2017	XX	LPCMPX9F2	235	6.9	14					346	7	115	0.6	
7/31/2017	XX	LPCMPX9FF	333	7.1	21.2					330	7	180	0.6	
8/31/2017	XX	LPCMPX9J5	325	6.8	19.1					346	7	180	0.2	
9/28/2017	XX	LPCMPX9JH	324	7.3	18.3					330	7	125	0.3	
10/26/2017	XX	LPCMPXA09	317	6.8	17.1					415	7	165	1.7	
11/30/2017	XX	LPCMPXA11	311	7.3	12					367	6	165	0.7	
12/27/2017	XX	LPCMPXA1E	304	6.2	11.4					376	7	140	1	
1/19/2018	XX	LPCMPXA50	306	7	6.9					389	8	150	0.2	
2/22/2018	XX	LPCMPXA5D	297	7.5	7					386	9	110	1.3	
3/24/2018	XX	LPCMPXA99	310	6.5	9.1					396	9	120	2.1	
4/28/2018	XX	LPCMPXAA2	257	7.2	14.6					415	10	125	0.5	
5/11/2018	XX	LPCMPXAAF	294	6.9	10.8					415	9	110	2	
6/2/2018	XX	LPCMPXADJ	472	6.7	13.8					373	7	120	0.4	
7/2/2018	XX	LPCMPXAIJ	332	7.2	19.1					359	8	130	0.6	
8/17/2018	XX	LPCMPXAJE	335	6.7	21.3					324	8	130	3.2	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 38 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LP-COMP)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
9/1/2018	XX	LPCMPXB30	320	6.7	18.7					369	7	130	0.9	
10/13/2018	XX	LPCMPXB3E	313	6	15.3					363	6	130	1.2	
11/2/2018	XX	LPCMPXB48	269	6.6	12.1					354	8	110	2.2	
12/7/2018	XX	LPCMPXB87	235	6.1	8.2					359	8	125	2.5	
1/3/2019	XX	LPCMPXB91	310	6.8	5.2					375	7	125	4.7	
2/2/2019	XX	LPCMPXB9F	429	7.7	3.4					378	7	130	7.4	
3/2/2019	XX	LPCMPXA9	289	6.4	6					356	6	130	2.1	
4/5/2019	XX	LPCMPXBB3	260	8.1	13.1					363	7	130	0.9	
5/10/2019	XX	LPCMPXBEF	248	6.8	13.8					327	6	130	0.9	
6/24/2019	XX	LPCMPXBF9	270	7.2	15.1					366	8	125	0.5	
7/30/2019	XX	LPCMPXBG3	280	7.1	20					354	8	150	0.4	
8/20/2019	XX	LPCMPXBGH	273	7.4	25.1					352	8	140	0.2	
9/20/2019	XX	LPCMPXC0A	294	7.2	21.7					361	6	125	0.2	
10/14/2019	XX	LPCMPXC14	267	7.3	18.5					347	10	140	0.3	
11/27/2019	XX	LPCMPXC11	245	7.5	21					389	8	145	1.6	
12/23/2019	XX	LPCMPXC38	285	7.3	9.3					378		125	0.6	
1/17/2020	XX	LPCMPXC43	247	7.2	7.8					415	10	135	1.8	
2/4/2020	XX	LPCMPXC4I	256	7.2	10.2					361	10	100	1.1	
3/27/2020	XX	LPCMPXCFE	225	7.3	10.7					418	6	135	0.5	
4/29/2020	XX	LPCMPXCG8	268	7.2	14.8					352	8	140	1.6	
5/27/2020	XX	LPCMPXD07	238	7.1	21.3					348	6	150	0.3	
6/28/2020	XX	LPCMPXD11	275	7	22.4					322	6	150	1.8	
7/11/2020	XX	LPCMPXD1F	293	6.9	22.2					352	5	175	0.2	
8/3/2020	XX	LPCMPXD5D	303	7	22.4					360	6	160	0.1	
9/27/2020	XX	LPCMPXD69	285	7.2	18					416	5	175	0.1	
10/31/2020	XX	LPCMPXD73	288	7.4	14.5					403	8	150	1.2	
11/29/2020	XX	LPCMPXD7H	286	7.3	14.9					426	6	150	0.8	
12/13/2020	XX	LPCMPXD8B	274	7.1	11.9					385	6	135	2.7	
1/10/2021	XX	LPCMPXDF5	289	7.4	15.7					390	6	150	0.8	
2/28/2021	XX	LPCMPXDEB	267	7.4	11.9					350	8	150	1.4	
3/30/2021	XX	LPCMPXDG3	261	7.3	14.9					402	8	130	6.5	
4/29/2021	XX	LPCMPXDHJ	314	7.3	15					373	8	150	0.9	
5/19/2021	XX	LPCMPXDID	314	7.5	21.2					394	7	145	1.3	
6/2/2021	XX	LPCMPXE34	262	7.2	19.6					344	6	150	0.8	
7/16/2021	XX	LPCMPXE40	333	6.9	23.8					386	9	160	0.8	
8/3/2021	XX	LPCMPXE63	306	7	23.4					409	8	160	2.5	
9/18/2021	XX	LPCMPXEE4	365	6.7	19.9					366	7	150	21.3	
10/16/2021	XX	LPCMPXEF3	253	7	17.6					352	5	160	8.1	
11/20/2021	XX	LPCMPXEI1	362	7.8	13.9					328	6	175	5.8	
12/18/2021	XX	LPCMPXEJ3	277	7.2	13.5					341	6	150	15.2	
1/16/2022	XX	LPCMPXF4J	254	7	15.4					337	8	110	4.8	
2/20/2022	XX	LPCMPXF5J	245	6.8	11.3					335	6	130	5.6	
3/20/2022	XX	LPCMPXF6J	288	7	10.9					346	8	150	2.8	
4/15/2022	XX	LPCMPXFCA	292	7	19.4					304	8	140	4.8	
5/10/2022	XX	LPCMPXFDA	294	7.3	19.8					342	8	150	42.7	
6/7/2022	XX	LPCMPXFF0	328	2.2	21.1					329	6	175	1.2	
7/21/2022	XX	LPCMPXFG0	332	7.2	22.2					325	5	175	1.2	
8/8/2022	XX	LPCMPXG39	F6	F6	F6					F6	F6	F6	F6	
9/2/2022	XX	LPCMPXG61	336	7	18					365	5	150	5.9	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 39 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LP-COMP)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
10/6/2022	XX	LPCMPXG93	308	7.1	13.8					299	6	150	1.2	
11/4/2022	XX	LPCMPXGAE	314	6.7	10.2					332	6	150	2.8	
12/5/2022	XX	LPCMPXGCJ	320	6.7	9.2					326	6	175	2.3	
1/4/2023	XX	LPCMPXGEB	321	7.1	8.4					385	6	110	0.4	
2/1/2023	XX	LPCMPXGG2	318	7.5	11.6					360	6	125	3.9	
3/1/2023	XX	LPCMPXH36	316	7.6	12					381	6	125	11.7	
4/3/2023	XX	LPCMPXH4H	309	7.5	14.9					351	6	115	49.2	
5/3/2023	XX	LPCMPXH6G	296	7.2	13.9					311	6	125	37.5	
6/6/2023	XX	LPCMPX02J	352	7.3	16.8					333	6	120	29.5	
7/18/2023	XX	LPCMPX044	482	6.8	22.7					357	6	135	20.9	
8/1/2023	XX	LPCMPX0B0	332	7	21					312	8	135	11.9	
9/8/2023	XX	LPCMPX0C6	344	7.1	23.9					342	5	140	53.1	
10/4/2023	XX	LPCMPX0DI	334	6.9	22.3					341	6	150	15.4	
11/7/2023	XX	LPCMPX0F7	321	6.9	16.7					361	6	150	6	
12/20/2023	XX	LPCMPX0H5	298	7.2	10.9					342	6	125	6.1	
<b>LP-UD-1</b>														
1/24/2014	XX	LPUD1X6DC	F6	F6	F6					F6	F6	F6	F6	
2/24/2014	XX	LPUD1X6H9	F6	F6	F6					F6	F6	F6	F6	
3/27/2014	XX	LPUD1X6GH	F6	F6	F6					F6	F6	F6	F6	
4/22/2014	XX	LPUD1X6F9	F6	F6	F6					F6	F6	F6	F6	
4/29/2014	XX	LPUD1X6I1	F6	F6	F6					F6	F6	F6	F6	
5/23/2014	XX	LPUD1X710	F6	F6	F6					F6	F6	F6	F6	
6/24/2014	XX	LPUD1X71C	F6	F6	F6					F6	F6	F6	F6	
7/29/2014	XX	LPUD1X6JG	F6	F6	F6					F6	F6	F6	F6	
8/26/2014	XX	LPUD1X74C	F6	F6	F6					F6	F6	F6	F6	
9/23/2014	XX	LPUD1X753	F6	F6	F6					F6	F6	F6	F6	
10/21/2014	XX	LPUD1X737	F6	F6	F6					F6	F6	F6	F6	
11/28/2014	XX	LPUD1X75F	F6	F6	F6					F6	F6	F6	F6	
12/24/2014	XX	LPUD1X768	F12	F12	F12					F12	F12	F12	F12	
2/3/2015	XX	LPUD1X76J	F12	F12	F12					F12	F12	F12	F12	
2/21/2015	XX	LPUD1X77A	F6	F6	F6					F6	F6	F6	F6	
3/28/2015	XX	LPUD1X7A8	H9	H9	H9					H9	H9	H9	H9	
4/16/2015	XX	LPUD1X7B1	H9	H9	H9					H9	H9	H9	H9	
4/28/2015	XX	LPUD1X794	F6	F6	F6					F6	F6	F6	F6	
5/22/2015	XX	LPUD1X7F6	F6	F6	F6					F6	F6	F6	F6	
6/22/2015	XX	LPUD1X7EE	F6	F6	F6					F6	F6	F6	F6	
7/14/2015	XX	LPUD1X7CG	F6	F6	F6					F6	F6	F6	F6	
7/23/2015	XX	LPUD1X7FI	H9	H9	H9					H9	H9	H9	H9	
8/24/2015	XX	LPUD1X7GA	H9	H9	H9					H9	H9	H9	H9	
9/26/2015	XX	LPUD1X803	F6	F6	F6					F6	F6	F6	F6	
10/26/2015	XX	LPUD1X7I5	F6	F6	F6					F6	F6		F6	
10/31/2015	XX	LPUD1X80F	H9	H9	H9					H9	H9	H9	H9	H9
11/27/2015	XX	LPUD1X817	H9	H9	H9					H9	H9	H9	H9	H9
12/30/2015	XX	LPUD1X820	H9	H9	H9					H9	H9	H9	H9	H9
1/14/2016	XX	LPUD1X82C	H9	H9	H9					H9	H9	H9	H9	H9
2/18/2016	XX	LPUD1X884	H9	H9	H9					H9	H9	H9	H9	H9
3/17/2016	XX	LPUD1X88G	H9	H9	H9					H9	H9	H9	H9	H9
4/5/2016	XX	LPUD1X86F	F6	F6	F6					F6	F6	F6	F6	F6
4/21/2016	XX	LPUD1X898	H9	H9	H9					H9	H9	H9	H9	H9

REPORT PREPARED: 3/18/2024 06:50

FOR: Juniper Ridge Landfill

DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE

Field Parameters



Page 40 of 73

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(LP-UD-1)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
5/26/2016	XX	LPUD1X8CE	H9	H9	H9					H9	H9	H9	H9	H9
6/27/2016	XX	LPUD1X8DI	H9	H9	H9					H9	H9	H9	H9	H9
7/20/2016	XX	LPUD1X8F2	F6	F6	F6					F6	F6	F6	F6	F6
7/26/2016	XX	LPUD1X8B5	F6	F6	F6					F6	F6	F6	F6	F6
8/29/2016	XX	LPUD1X90D	F6	F6	F6					F6	F6	F6	F6	F6
9/23/2016	XX	LPUD1X93C	F12	F12	F12					F12	F12	F12	F12	F12
10/25/2016	XX	LPUD1X8J4	F6	F6	F6					F6	F6	F6	F6	F6
10/31/2016	XX	LPUD1X946	H9	H9	H9					H9	H9	H9	H9	H9
11/29/2016	XX	LPUD1X951	H9	H9	H9					H9	H9	H9	H9	H9
12/13/2016	XX	LPUD1X95E	H9	H9	H9					H9	H9	H9	H9	H9
1/10/2017	XX	LPUD1X99D	H9	H9	H9					H9	H9	H9	H9	H9
2/8/2017	XX	LPUD1X9A6	H9	H9	H9					H9	H9	H9	H9	H9
3/3/2017	XX	LPUD1X9AJ	H9	H9	H9					H9	H9	H9	H9	H9
4/5/2017	XX	LPUD1X990	H9	H9	H9					H9	H9	H9	H9	H9
4/18/2017	XX	LPUD1X97A	F6	F6	F6					F6	F6	F6	F6	F6
5/25/2017	XX	LPUD1X9BC	H9	H9	H9					H9	H9	H9	H9	H9
6/16/2017	XX	LPUD1X9ED	H9	H9	H9					H9	H9	H9	H9	H9
7/25/2017	XX	LPUD1X9D8	F6	F6	F6					F6	F6	F6	F6	F6
7/31/2017	XX	LPUD1X9F6	H9	H9	H9					H9	H9	H9	H9	H9
8/31/2017	XX	LPUD1X9IG	H9	H9	H9					H9	H9	H9	H9	H9
9/28/2017	XX	LPUD1X9J8	H9	H9	H9					H9	H9	H9	H9	H9
10/25/2017	XX	LPUD1X9H3	F6	F6	F6					F6	F6	F6	F6	F6
10/26/2017	XX	LPUD1XA00	H9	H9	H9					H9	H9	H9	H9	H9
11/30/2017	XX	LPUD1XA0C	H9	H9	H9					H9	H9	H9	H9	H9
12/27/2017	XX	LPUD1XA15	H9	H9	H9					H9	H9	H9	H9	H9
1/19/2018	XX	LPUD1XA4B	H9	H9	H9					H9	H9	H9	H9	H9
2/22/2018	XX	LPUD1XA54	H9	H9	H9					H9	H9	H9	H9	H9
3/24/2018	XX	LPUD1XA90	H9	H9	H9					H9	H9	H9	H9	H9
4/3/2018	XX	LPUD1XA32	F6	F6	F6					F6	F6	F6	F6	F6
4/28/2018	XX	LPUD1XA9D	H9	H9	H9					H9	H9	H9	H9	H9
5/11/2018	XX	LPUD1XAA6	H9	H9	H9					H9	H9	H9	H9	H9
6/2/2018	XX	LPUD1XADA	H9	H9	H9					H9	H9	H9	H9	H9
7/2/2018	XX	LPUD1XAI A	H9	H9	H9					H9	H9	H9	H9	H9
7/17/2018	XX	LPUD1XAC3	F6	F6	F6					F6	F6	F6	F6	F6
8/17/2018	XX	LPUD1XAJ5	H9	H9	H9					H9	H9	H9	H9	H9
9/1/2018	XX	LPUD1XB2B	H9	H9	H9					H9	H9	H9	H9	H9
10/2/2018	XX	LPUD1XB11	F6	F6	F6					F6	F6	F6	F6	F6
10/13/2018	XX	LPUD1XB35	H9	H9	H9					H9	H9	H9	H9	H9
11/2/2018	XX	LPUD1XB3J	H9	H9	H9					H9	H9	H9	H9	H9
12/7/2018	XX	LPUD1XB7I	H9	H9	H9					H9	H9	H9	H9	H9
1/3/2019	XX	LPUD1XB8C	H9	H9	H9					H9	H9	H9	H9	H9
2/2/2019	XX	LPUD1XB96	H9	H9	H9					H9	H9	H9	H9	H9
3/2/2019	XX	LPUD1XBA0	H9	H9	H9					H9	H9	H9	H9	H9
4/5/2019	XX	LPUD1XBAE	H9	H9	H9					H9	H9	H9	H9	H9
4/23/2019	XX	LPUD1XB5I	241	7.1	6.2					370	2.5		0.4	0.0011
5/10/2019	XX	LPUD1XBE6	H9	H9	H9					H9	H9	H9	H9	H9
6/24/2019	XX	LPUD1XBF0	H9	H9	H9					H9	H9	H9	H9	H9
7/16/2019	XX	LPUD1XBCA	F6	F6	F6					F6	F6	F6	F6	F6
7/30/2019	XX	LPUD1XBFE	H9	H9	H9					H9	H9	H9	H9	H9

REPORT PREPARED: 3/18/2024 06:50

FOR: Juniper Ridge Landfill

DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE

Field Parameters



(LP-UD-1)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
8/20/2019	XX	LPUD1XBG8	H9	H9	H9					H9	H9		H9	H9
9/20/2019	XX	LPUD1XC01	H9	H9	H9					H9	H9		H9	H9
10/14/2019	XX	LPUD1XC0F	H9	H9	H9					H9	H9		H9	H9
10/29/2019	XX	LPUD1XB13	F6	F6	F6					F6	F6		F6	F6
11/27/2019	XX	LPUD1XC19	H9	H9	H9					H9	H9		H9	H9
12/23/2019	XX	LPUD1XC2J	H9	H9	H9					H9	H9		H9	H9
1/17/2020	XX	LPUD1XC3E	H9	H9	H9					H9	H9		H9	H9
2/4/2020	XX	LPUD1XC49	H9	H9	H9					H9	H9		H9	H9
3/27/2020	XX	LPUD1XCF6	H9	H9	H9					H9	H9		H9	H9
4/28/2020	XX	LPUD1XCDA	F6	F6	F6					F6	F6		F6	F6
4/29/2020	XX	LPUD1XCG0	H9	H9	H9					H9	H9		H9	H9
5/27/2020	XX	LPUD1XCJJ	H9	H9	H9					H9	H9		H9	H9
6/28/2020	XX	LPUD1XD0D	H9	H9	H9					H9	H9		H9	H9
7/11/2020	XX	LPUD1XD17	H9	H9	H9					H9	H9		H9	H9
7/22/2020	XX	LPUD1XC13	F6	F6	F6					F6	F6		F6	F6
8/3/2020	XX	LPUD1XD55	H9	H9	H9					H9	H9		H9	H9
9/27/2020	XX	LPUD1XD61	H9	H9	H9					H9	H9		H9	H9
10/27/2020	XX	LPUD1XD37	F6	F6	F6					F6	F6		F6	F6
10/31/2020	XX	LPUD1XD6F	H9	H9	H9					H9	H9		H9	H9
12/13/2020	XX	LPUD1XD83	H9	H9	H9					H9	H9		H9	H9
1/10/2021	XX	LPUD1XDEH	H9	H9	H9					H9	H9	H9	H9	H9
2/28/2021	XX	LPUD1XDE3	H9	H9	H9					H9	H9	H9	H9	H9
3/30/2021	XX	LPUD1XDFF	H9	H9	H9					H9	H9	H9	H9	H9
4/6/2021	XX	LPUD1XDC9	F6	F6	F6					F6	F6	F6	F6	F6
4/29/2021	XX	LPUD1XDHB	H9	H9	H9					H9	H9	H9	H9	H9
5/19/2021	XX	LPUD1XD15	H9	H9	H9					H9	H9	H9	H9	H9
6/2/2021	XX	LPUD1XE2G	H9	H9	H9					H9	H9	H9	H9	H9
7/13/2021	XX	LPUD1XE01	F6	F6	F6					F6	F6	F6	F6	F6
7/16/2021	XX	LPUD1XE3C	H9	H9	H9					H9	H9	H9	H9	H9
8/3/2021	XX	LPUD1XEFE	H9	H9	H9					H9	H9	H9	H9	H9
9/18/2021	XX	LPUD1XEDG	357	6.7	20.4					365	6	125	11	0.143
10/5/2021	XX	LPUD1XE69	F6	F6	F6					F6	F6	F6	F6	F6
10/16/2021	XX	LPUD1XEEF	251	6.9	19.8					349	6	150	5	0.2152
11/20/2021	XX	LPUD1XEHD	H9	H9	H9					H9	H9	H9	H9	H9
12/18/2021	XX	LPUD1XE1F	H9	H9	H9					H9	H9	H9	H9	H9
1/16/2022	XX	LPUD1XF4B	H9	H9	H9					H9	H9	H9	H9	H9
2/20/2022	XX	LPUD1XF5B	H9	H9	H9					H9	H9	H9	H9	H9
3/20/2022	XX	LPUD1XF6B	H9	H9	H9					H9	H9	H9	H9	H9
4/15/2022	XX	LPUD1XFC2	H9	H9	H9					H9	H9	H9	H9	H9
4/26/2022	XX	LPUD1XF11	F6	F6	F6					F6	F6	F6	F6	F6
5/10/2022	XX	LPUD1XFD2	H9	H9	H9					H9	H9	H9	H9	H9
6/7/2022	XX	LPUD1XFEC	H9	H9	H9					H9	H9	H9	H9	H9
7/19/2022	XX	LPUD1XF8J	D	D	D					D	D	D	D	D
7/21/2022	XX	LPUD1XFFC	H9	H9	H9					H9	H9	H9	H9	H9
8/8/2022	XX	LPUD1XG31	H9	H9	H9					H9	H9	H9	H9	H9
9/2/2022	XX	LPUD1XG5D	H9	H9	H9					H9	H9	H9	H9	H9
10/4/2022	XX	LPUD1XFJ0	D	D	D					D	D	D	D	F6
10/6/2022	XX	LPUD1XG8F	H9	H9	H9					H9	H9	H9	H9	H9
11/4/2022	XX	LPUD1XGA6	H9	H9	H9					H9	H9	H9	H9	H9

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 42 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LP-UD-1)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
12/5/2022	XX	LPUD1XGCB	H9	H9	H9					H9	H9		H9	H9
1/4/2023	XX	LPUD1XGE3	H9	H9	H9					H9	H9		H9	H9
2/1/2023	XX	LPUD1XGFE	H9	H9	H9					H9	H9		H9	H9
3/1/2023	XX	LPUD1XH2I	H9	H9	H9					H9	H9		H9	H9
4/3/2023	XX	LPUD1XH49	H9	H9	H9					H9	H9		H9	H9
4/18/2023	XX	LPUD1XGIB	F6	F6	F6					F6	F6		F6	F6
5/3/2023	XX	LPUD1XH68	H9	H9	H9					H9	H9		H9	H9
6/6/2023	XX	LPUD1X02B	H9	H9	H9					H9	H9		H9	H9
7/11/2023	XX	LPUD1XH8D	F6	F6	F6					F6	F6		F6	F6
7/18/2023	XX	LPUD1X03G	H9	H9	H9					H9	H9		H9	H9
8/1/2023	XX	LPUD1X0AC	H9	H9	H9					H9	H9		H9	H9
9/8/2023	XX	LPUD1X0BI	H9	H9	H9					H9	H9		H9	H9
10/3/2023	XX	LPUD1X06I	F6	F6	F6					F6	F6		F6	F6
10/4/2023	XX	LPUD1X0DA	H9	H9	H9					H9	H9		H9	H9
11/7/2023	XX	LPUD1X0EJ	H9	H9	H9					H9	H9		H9	H9
12/20/2023	XX	LPUD1X0GH	H9	H9	H9					H9	H9		H9	H9
<b>LP-UD-2</b>														
1/24/2014	XX	LPUD2X6DD	290	7.5	6.7					343	10	130	0.51	0.0003
2/24/2014	XX	LPUD2X6HA	297	7.6	8					207	10	140	1.91	0.0011
3/27/2014	XX	LPUD2X6GI	296	7.7	10.9					363	12	170	0.48	0.0003
4/22/2014	XX	LPUD2X6FA	305	7.2	9.8					518	5	90	1.2	0.0033
4/29/2014	XX	LPUD2X6I2	298	7.4	11.4					326	11	165	1.84	0.0003
5/23/2014	XX	LPUD2X711	318	7.3	13.9					353	10	140	0.58	0.0006
6/24/2014	XX	LPUD2X71D	369	7.3	20.8					368	8	160	0.39	0.0003
7/29/2014	XX	LPUD2X6JH	300	7	18.3					437	5	30	0.8	0.0056
8/26/2014	XX	LPUD2X74D	329	7	24.9					379	7	200	0.27	0.0003
9/23/2014	XX	LPUD2X754	336	7.3	22.2					367	8	155	0.1	0.0011
10/21/2014	XX	LPUD2X738	280	7.2	13.3					360	5	75	0.4	0.0033
11/28/2014	XX	LPUD2X75G	308	7.3	13					373	7	135	M	0.0007
12/24/2014	XX	LPUD2X769	316	7.3	12.1					374	8	135	0.14	0.0015
2/3/2015	XX	LPUD2X770	310	7.6	12.6					375	5.5	150	0.27	0.0011
2/21/2015	XX	LPUD2X77B	241	7.8	17.5					352	7.5	150	0.87	0.0007
3/28/2015	XX	LPUD2X7A9	281	7.1	11.7					393	5.5	125	1.06	0.0017
4/16/2015	XX	LPUD2X7B2	294	7.6	18.8					370	9	125	0.95	0.0015
4/28/2015	XX	LPUD2X795	302	7.4	7.2					333	8.8		1.3	0.0033
5/22/2015	XX	LPUD2X7F7	174	7.2	18.8					370	8	150	0.7	0.0006
6/22/2015	XX	LPUD2X7EF	321	7.1	21.8					287	7	160	0.34	0.0006
7/14/2015	XX	LPUD2X7CH	309	7	15.5					335	7.6		0.4	0.0045
7/23/2015	XX	LPUD2X7FJ	324	7.1	19.6					363	7	130	0.1	
8/24/2015	XX	LPUD2X7GB	329	7	19					350	7	165	0.4	0.0007
9/26/2015	XX	LPUD2X804	309	7	19.9					364	7	155	0.1	0.0004
10/27/2015	XX	LPUD2X7I6	283	7.7	12.5					336	8		0.3	0.0033
10/31/2015	XX	LPUD2X80G	H5	H5	H5					H5	H5	H5	H5	H5
11/27/2015	XX	LPUD2X818	315	7.2	13.3					374	9	160	0.3	0.0007
12/30/2015	XX	LPUD2X821	305	7.2	7.8					361	9	140	0.03	0.0004
1/14/2016	XX	LPUD2X82D	310	6.8	4.4					332	8	155	0.01 U	0.0006
2/18/2016	XX	LPUD2X885	283	7.3	9.6					354	8	155	0.7	0.0006
3/17/2016	XX	LPUD2X88H	311	7.1	9.4					333	9	160	0.4	0.0006
4/5/2016	XX	LPUD2X86G	302	7.5	5.1					205	9.2		0.6	0.0033

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 43 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LP-UD-2)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
4/21/2016	XX	LPUD2X899	305	7.2	10.9					290	9	150	0.3	0.0006
5/26/2016	XX	LPUD2X8CF	312	7.1	13.8					309	9	145	0.2	0.0004
6/27/2016	XX	LPUD2X8DJ	H9	H9	H9					H9	H9	H9	H9	H9
7/20/2016	XX	LPUD2X8F3	F6	F6	F6					F6	F6	F6	F6	F6
7/26/2016	XX	LPUD2X8B6	339	6.8	15.4					332	4.6		0.4	0.0022
8/29/2016	XX	LPUD2X90E	F12	F12	F12					F12	F12		F12	F12
9/23/2016	XX	LPUD2X93D	F12	F12	F12					F12	F12		F12	F12
10/25/2016	XX	LPUD2X8J5	466	7.4	12.9					157	2.6		0.8	0.0017
10/31/2016	XX	LPUD2X947	H9	H9	H9					H9	H9		H9	H9
11/29/2016	XX	LPUD2X952	F12	F12	F12					F12	F12		F12	F12
12/13/2016	XX	LPUD2X95F	H9	H9	H9					H9	H9		H9	H9
1/10/2017	XX	LPUD2X99E	H5	H5	H5					H5	H5	H5	H5	H5
2/8/2017	XX	LPUD2X9A7	H5	H5	H5					H5	H5	H5	H5	H5
3/3/2017	XX	LPUD2X9B0	H5	H5	H5					H5	H5	H5	H5	H5
4/5/2017	XX	LPUD2X991	H5	H5	H5					H5	H5	H5	H5	H5
4/18/2017	XX	LPUD2X97B	390	6.8	6.2					405	4.5		0.5	0.0011
5/25/2017	XX	LPUD2X9BD	H5	H5	H5					H5	H5	H5	H5	H5
6/16/2017	XX	LPUD2X9EE	327	7.4	19.8					365	7	175	0.4	0.0007
7/25/2017	XX	LPUD2X9D9	305	7.7	15.4					413	8.3		0.3	0.0022
7/31/2017	XX	LPUD2X9F7	341	7	18.2					372	6	170	0.3	0.0006
8/31/2017	XX	LPUD2X9IH	332	6.7	17.8					378	7	155	0.2	0.0006
9/28/2017	XX	LPUD2X9J9	330	7	16.9					347	6	140	0.2	0.0006
10/25/2017	XX	LPUD2X9H4	293	7.3	15.2					340	8		1.2	0.0006
10/26/2017	XX	LPUD2XA01	332	6.8	16.1					401	6	155	0.3	0.00056
11/30/2017	XX	LPUD2XA0D	313	7.2	1.3					390	7	150	0.2	0.00111
12/27/2017	XX	LPUD2XA16	306	6.5	9.7					415	9	130	0.1	0.0007
1/19/2018	XX	LPUD2XA4C	303	7	9.2					399	9	125	0.3	0.00111
2/22/2018	XX	LPUD2XA55	456	7.6	8.9					373	9	160	0.2	0.00167
3/24/2018	XX	LPUD2XA91	308	6.8	8.5					423	9	125	0.5	0.00037
4/3/2018	XX	LPUD2XA33	267	7.2	8.3					463	8		1.2	0.00334
4/28/2018	XX	LPUD2XA9E	263	7.1	13.6					420	10	120	0.5	0.00056
5/11/2018	XX	LPUD2XAA7	309	6.9	13.3					415	8	120	0.2	0.00111
6/2/2018	XX	LPUD2XADB	359	6.6	15.3					356	7	125	0.7	0.00111
7/2/2018	XX	LPUD2XAIB	364	7.3	20.1					372	7	120	0.5	0.0011
7/17/2018	XX	LPUD2XAC4	327	8.5	15.2					393	7.2		1.1	0.00056
8/17/2018	XX	LPUD2XAJ6	390	6.7	23.8					344	7	140	1.1	0.00037
9/1/2018	XX	LPUD2XB2C	353	6.7	18.3					375	6	125	0.7	0.0004
10/2/2018	XX	LPUD2XB12	314	7.7	14.4					476	6.7		0.8	0.00056
10/13/2018	XX	LPUD2XB36	391	5.7	15.4					370	7	150	1.9	0.0004
11/2/2018	XX	LPUD2XB40	273	6.2	12.1					370	8	120	1.5	0.0003
12/7/2018	XX	LPUD2XB7J	285	5.8	7.6					360	7	130	1.1	0.0007
1/3/2019	XX	LPUD2XB8D	324	6.9	5.1					376	8	140	1.6	0.0004
2/2/2019	XX	LPUD2XB97	444	7.7	3.1					374	7	125	3.8	0.0002
3/2/2019	XX	LPUD2XBA1	317	5.9	6.1					352	7	150	0.8	0.0003
4/5/2019	XX	LPUD2XBAF	272	8	13.1					380	8	125	0.8	0.0002
4/23/2019	XX	LPUD2XB5J	243	7.1	6.3					359	9		0.6	0.0022
5/10/2019	XX	LPUD2XBE7	299	6.4	13.7					348	7	125	1.7	0.0004
6/24/2019	XX	LPUD2XBF1	272	7.2	16					367	8	125	0.9	0.0033
7/16/2019	XX	LPUD2XBCB	284	7.5	16.2					402	12		0.4	0.0011



REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 44 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LP-UD-2)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
7/30/2019	XX	LPUD2XBFF	300	7.3	20.3					355	8	135	0.4	0.0002
8/20/2019	XX	LPUD2XBG9	281	7.4	25.2					355	5	130	0.2	0.0022
9/20/2019	XX	LPUD2XC02	300	7.3	21.6					362	6	125	0.2	0.0002
10/14/2019	XX	LPUD2XC0G	271	7.3	18.2					348	8	125	0.8	0.0017
10/29/2019	XX	LPUD2XB14	273	7.3	12.7					333	7.8		1.1	0.0006
11/27/2019	XX	LPUD2XC1A	257	7.4	20.9					395	8	125	0.7	0.0022
12/23/2019	XX	LPUD2XC30	267	7.2	10.4					378	8	120	0.3	0.0045
1/17/2020	XX	LPUD2XC3F	253	7.3	8					418	10	125	0.7	0.0013
2/4/2020	XX	LPUD2XC4A	256	7.3	10.4					377	10	125	0.2	0.0025
3/27/2020	XX	LPUD2XCF7	232	7.3	10.7					423	6	125	0.1	0.0067
4/28/2020	XX	LPUD2XCDB	304	7.7	7.4					336	8.5		0.2	0.0011
4/29/2020	XX	LPUD2XCG1	263	7.3	11.7					309	8	125	0.4	0.0017
5/27/2020	XX	LPUD2XD00	245	7.1	21.1					320	6	135	0.1	0.0033
6/28/2020	XX	LPUD2XD0E	292	6.8	22.6					323	6	150	0.1 U	0.0006
7/11/2020	XX	LPUD2XD18	310	7	21.9					327	6	175	0.1	0.0017
7/21/2020	XX	LPUD2XC14	284	6.8	16.7					371	6.1		0.6	0.0006
8/3/2020	XX	LPUD2XD56	303	7	22.1					352	8	160	0.2	0.0017
9/27/2020	XX	LPUD2XD62	282	7.2	18.1					414	6	175	0.2	0.0006
10/27/2020	XX	LPUD2XD38	284	7.5	12.1					403	8.3		0.8	
10/31/2020	XX	LPUD2XD6G	291	7.4	15					398	6	150	0.2	0.0011
11/29/2020	XX	LPUD2XD7A	292	7.3	14.8					419	6	150	0.4	0.0023
12/13/2020	XX	LPUD2XD84	285	7.1	11.8					385	6	135	0.6	0.0022
1/10/2021	XX	LPUD2XDEI	295	7.4	15.2					365	6	140	0.1 U	0.0025
2/28/2021	XX	LPUD2XDE4	271	7.5	13.1					344	8	175	0.5	0.0015
3/30/2021	XX	LPUD2XDFG	277	7.2	14.2					361	8	130	1.4	0.0012
4/6/2021	XX	LPUD2XDCA	252	7	7.2					382	9.7		2.7	0.0017
4/29/2021	XX	LPUD2XDHC	303	7.4	15.5					367	8	150	0.5	0.0017
5/19/2021	XX	LPUD2XD16	314	7.5	21.2					394	7	145	1.3	0.0018
6/2/2021	XX	LPUD2XE2H	269	7.3	19.2					317	5	150	1.6	0.0007
7/13/2021	XX	LPUD2XE02	281	7.3	15.2					301	8.8		0.6	0.0006
7/16/2021	XX	LPUD2XE3D	344	6.9	23.7					372	6	150	1.6	0.0006
8/3/2021	XX	LPUD2XEFF	310	7.2	24.6					399	6	150	13	0.0668
9/18/2021	XX	LPUD2XEDH	H9	H9	H9					H9	H9		H9	H9
10/5/2021	XX	LPUD2XE6A	273	6.9	15.1					256	5.8		0.2	0.0022
10/16/2021	XX	LPUD2XEEG	H9	H9	H9					H9	H9		H9	H9
11/20/2021	XX	LPUD2XEHE	301	7.1	16.6					337	6	125	7	0.0036
12/18/2021	XX	LPUD2XEIG	285	6.8	15.3					344	6	140	3.1	0.0014
1/16/2022	XX	LPUD2XF4C	250	5.5	15.6					339	7	220	9.2	0.0014
2/20/2022	XX	LPUD2XF5C	256	5.5	16					347	7	125	3.7	0.0014
3/20/2022	XX	LPUD2XF6C	305	6.3	14					354	9	130	2.9	0.0017
4/15/2022	XX	LPUD2XFC3	298	7.6	19.9					298	8	150	4.7	0.0017
4/26/2022	XX	LPUD2XF12	253	7.1	7.5					321	7.4		0.5	0.0011
5/10/2022	XX	LPUD2XFD3	300	7.2	21.6					339	8	150	30.3	0.0006
6/7/2022	XX	LPUD2XFED	350	7.3	21.3					326	6	175	1.7	0.0005
7/19/2022	XX	LPUD2XF90	296	6.7	17.1					353	4.1		0.3	0.0011
7/21/2022	XX	LPUD2XFFD	337	7.2	22.3					324	5	200	1.5	0.0004
8/8/2022	XX	LPUD2XG32	321	7	18.8					357	5	175	2.3	0.0004
9/2/2022	XX	LPUD2XG5E	335	7.1	18.6					365	5	150	2	0.0004
10/4/2022	XX	LPUD2XFJ1	266	7.1	12.2					373	4.2		0.4	0.0011

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 45 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LP-UD-2)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
10/6/2022	XX	LPUD2XG8G	324	7.3	13.9					286	6	175	1.2	0.0004
11/4/2022	XX	LPUD2XGA7	318	6.7	13.2					327	8	175	1.9	0.0007
12/5/2022	XX	LPUD2XGCC	320	6.8	9.2					325	6	175	2.1	0.0006
1/4/2023	XX	LPUD2XGE4	329	7	10.7					385	6	150	0.7	0.0009
2/1/2023	XX	LPUD2XGFF	417	7.6	11.6					370	6	135	5.5	0.0007
3/1/2023	XX	LPUD2XH2J	437	7.4	12.1					386	6	125	8.2	0.0013
4/3/2023	XX	LPUD2XH4A	338	7.4	14.6					373	6	130	3.5	0.0008
4/18/2023	XX	LPUD2XGIC	261	7.5	7.6					440	8.6		0.6	0.0022
5/3/2023	XX	LPUD2XH69	370	7.3	15.2					335	6	149	3.6	0.0008
6/6/2023	XX	LPUD2X02C	488	7.2	17.4					344	6	160	1.3	0.0008
7/11/2023	XX	LPUD2XH8E	354	6.6	16.2					486	6.7		0.8	0.0033
7/18/2023	XX	LPUD2X03H	328	6.9	22.9					343	8	165	3.9	0.0009
8/1/2023	XX	LPUD2X0AD	510	7	22.1					346	6	160	1.3	0.0009
9/8/2023	XX	LPUD2X0BJ	422	7.3	25					350	6	150	9.5	0.0006
10/3/2023	XX	LPUD2X062	300	6.8	15.2					456	8.2		1.3	0.0011
10/4/2023	XX	LPUD2X0DB	567	6.3	23.5					344	6	150	10.5	0.0006
11/7/2023	XX	LPUD2X0F0	430	6.8	17.3					367	6	150	2.4	0.0007
12/20/2023	XX	LPUD2X0GI	376	7	12.3					356	6	125	3.6	0.0007
<b>MW-04-09A</b>														
2/26/2020	XX	GWX09AC56	315	8.7	6.5	164.28	5.62	42.38	169.9	26	0.6		81.2	
4/30/2020	XX	GWX09ACC1	368	8.1	6.7	164.66	5.24		169.9	29	1.9		5.6	
6/23/2020	XX	GWX09ACGC	187	7.2	14.9	162.06	7.84		169.9	133	8.2		1.5	
8/20/2020	XX	GWX09AD1J	389	7.9	11.3	160.78	9.12		169.9	33	0.6		0.8	
7/15/2021	XX	GWXXXXE20	388	7.7	10.8	163.2	6.7		169.9	162	1		2	
10/7/2021	XX	GWX09AE86	369	7.7	9.5	163.9	6		169.9	47	0.2		9.4	
4/27/2022	XX	GWX09AF2C	284	7.4	7.1	164.83	5.07		169.9	156	3.4		3	
7/20/2022	XX	GWXXXXFAF	306	7	9.5	160.6	9.3		169.9	189	1		2	
10/5/2022	XX	GWX09AG0B	270	7.4	8.4	162.4	7.5	42.1	169.9	370	0.4		0.6	
4/19/2023	XX	GWX09AH02	372	8.2	7.3	164.8	5.1		169.9	274	3.6		3.7	
7/12/2023	XX	GWXXXX00B	273	7.8	11.4	164.32	5.58		169.9	130	1.9		2.4	
10/4/2023	XX	GWX09A077	271	7.3	12.1	160.7	9.2	42.1	169.9	103	0.3		2.8	
<b>MW-04-09B</b>														
2/26/2020	XX	GWX09BC57	127	7.1	5.3	164.48	5.45	19.64	169.93	312	9.7		11.1	
4/30/2020	XX	GWX09BCC2	104	7.4	5.6	164.82	5.11		169.93	353	10.5		1.2	
6/23/2020	XX	GWX09BCGD	89	6.6	12	162.08	7.85		169.93	417	9.3		1.1	
8/20/2020	XX	GWX09BD20	99	7.1	12	160.82	9.11		169.93	354	9.4		0.7	
7/15/2021	XX	GWXXXXE21	112	7	12.1	163.28	6.65		169.93	235	7.2		8.5	
10/7/2021	XX	GWX09BE87	113	6.7	11	164.02	5.91		169.93	303	7.5		7.6	
4/27/2022	XX	GWX09BF2D	89	6.6	6.2	165.33	4.6		169.93	247	8.6		4.6	
7/20/2022	XX	GWXXXXFAG	104	6.9	10.9	160.53	9.4		169.93	256	7.4		3.8	
10/5/2022	XX	GWX09BG0C	139	7.4	9.9	162.53	7.4	19.64	169.93	316	3.4		0.3	
4/19/2023	XX	GWX09BH03	164	7.5	6.1	165.11	4.82		169.93	313	9.3		4	
7/12/2023	XX	GWXXXX00C	97	6.9	12.1	164.58	5.35		169.93	211	8.1		1	
10/4/2023	XX	GWX09B078	96	6.3	12.7	163.8	6.13	19.64	169.93	249	8.3		3	
<b>MW04-102</b>														
4/23/2014	XX	GW102X6G1	226	6.2	8.5	164.62	5.6		170.22	476	5	75	1.1	
7/30/2014	XX	GW102X704	226	7.6	15.8	163.92	6.3		170.22	429	3	105	0.9	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 46 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW04-102)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
10/21/2014	XX	GW102X73F	196	8.1	12.9	163.64	6.58	18.05	170.22	431	2	90	1.6	
4/29/2015	XX	GW102X79C	210	8.2	6.8	164.72	5.5		170.22	380	5.1		0.8	
7/14/2015	XX	GW102X7D4	237	8	17.3	163.32	6.9		170.22	349	3		0.9	
10/28/2015	XX	GW102X7ID	214	8.4	10.8	163.47	6.75	18.05	170.22	285	5.29		2.1	
4/5/2016	XX	GW102X873	244	8	5.3	164.22	6		170.22	350	6.9		4.6	
7/26/2016	XX	GW102X8BD	275	8	17.1	167.62	7.6		170.22	327	3.3		3.3	
10/25/2016	XX	GW102X8JC	237	7.5	13	163.02	7.2	18.05	170.22	382	2.6		8.1	
4/19/2017	XX	GW102X97I	219	8.2	6.3	163.42	6.8		170.22	324	7.5		0.6	
7/26/2017	XX	GW102X9DG	222	8	15.9	162.14	8.08		170.22	297	3.6		2.1	
10/25/2017	XX	GW102X9HB	240	7.9	15.6	162.02	8.2	18.05	170.22	315	3		2.4	
4/4/2018	XX	GW102XA3A	320	8.2	4.5	164.02	6.2		170.22	342	7.3		2.7	
7/18/2018	XX	GW102XACB	228	7.7	15.7	161.92	8.3		170.22	293	5		1.9	
10/3/2018	XX	GW102XB19	224	8.1	14.5	162.27	7.95	18.05	170.22	280	3.3		1.7	
4/24/2019	XX	GW102XB66	216	8.3	5.1	163.82	6.4		170.22	355	6		1.9	
7/17/2019	XX	GW102XBCH	216	7.6	14.2	163.12	7.1		170.22	265	3.7		2.7	
10/28/2019	XX	GW102XBIA	216	8.1	8.1	163.67	6.55	18.05	170.22	307	3.3		2.7	
4/27/2020	XX	GW102XCDH	235	7	6.1	163.12	7.1		170.22	348	4.9		1.2	
7/20/2020	XX	GW102XCIA	219	7.6	15.6	161.8	8.42		170.22	262	3.9		2.4	
10/26/2020	XX	GW102XD3E	224	7.2	12.5	162.22	8	18.05	170.22	351	5.5		2.7	
4/5/2021	XX	GW102XDCCG	246	6.6	5.2	163.67	6.55		170.22	335	5.4		3	
7/12/2021	XX	GW102XE08	208	7.9	14.5	162.02	8.2		170.22	267	4.7		2.8	
10/4/2021	XX	GW102XE6G	230	7.4	15.5	162.22	8		170.22	253	3.4		1.7	
4/25/2022	XX	GW102XF18	195	7.7	7.5	163.32	6.9		170.22	202	5.4		2.6	
7/18/2022	XX	GW102XF96	207	7.6	16	160.3	9.92		170.22	201	3.7		2.7	
10/3/2022	XX	GW102XFJ7	210	7.3	15	161.92	8.3	18	170.22	279	5.3		1.5	
4/17/2023	XX	GW102XGII	317	8.3	7.3	163.22	7		170.22	278	6.2		1.2	
7/10/2023	XX	GW102XH90	210	7.7	14.4	162.62	7.6		170.22	230	4		0.9	
10/2/2023	XX	GW102X067	211	7.4	16.5	162.92	7.3	18	170.22	234	4.8		1.9	
<b>MW04-105</b>														
10/22/2014	XX	GW105X747	322	6.6	10.5	158.31	7.28	22.83	165.59	447	0.4	110	0.2	
10/28/2015	XX	GW105X7J7	296	6.7	10.1	157.97	7.62	22.83	165.59	295	0.4		0.9	
10/26/2016	XX	GW105X909	305	6.9	10.6	157.28	8.31	22.83	165.59	346	0.4		3.7	
10/23/2017	XX	GW105X9I8	332	6.9	14.3	156.39	9.2	22.85	165.59	299	0.4		0.7	
10/1/2018	XX	GW105XB26	341	6.9	11.7	156.98	8.61	22.84	165.59	307	0.4		1.9	
10/28/2019	XX	GW105XBJ6	218	6.8	10.3	158.39	7.2	22.83	165.59	265	0.4		1.8	
10/27/2020	XX	GW105XD4A	276	7.1	11.4	157.29	8.3	22.84	165.59	348	0.6		1.8	
10/5/2021	XX	GW105XE7B	328	6.8	14.9	157.44	8.15		165.59	170	0.3		1	
4/25/2022	XX	GW105XF22	207	6.5	10	157.59	8		165.59	211	2.6		2.3	
10/5/2022	XX	GW105XG01	316	6.5	14.1	157.09	8.5	22.85	165.59	180	0.3		2	
10/2/2023	XX	GW105X09C	216	6.8	14.6	156.89	8.7	22.85	165.59	188	0.2		1.4	
<b>MW04-109 &amp; MW04-109R</b>														
4/22/2014	XX	GW109X6G3	377	6.5	11	153.91	6.22		160.13	418	0.8	200	0	
7/29/2014	XX	GW109X705	407	6.6	17.7	153.34	6.79		160.13	361	0.3	220	0.9	
10/21/2014	XX	GW109X73G	389	6.7	12.5	153.06	7.07	22.98	160.13	412	0.4	220	0	
4/28/2015	XX	GW109X79D	399	6.7	9.9	153.9	6.23		160.13	386	1.3		0.1	
7/14/2015	XX	GW109X7D5	398	6.6	21.9	152.78	7.35		160.13	355	1		0.1	
10/27/2015	XX	GW109X7IE	429	6.6	11.6	153.13	7	22.97	160.13	323	0.7		0.2	
4/5/2016	XX	GW109X874	445	6.6	8.4	153.8	6.33		160.13	339	1.3		0.4	

REPORT PREPARED: 3/18/2024 06:50

FOR: Juniper Ridge Landfill

DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE

Field Parameters



SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(MW04-109 & MW04-109R)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
7/26/2016	XX	GW109X8BE	426	6.5	21.4	152.53	7.6		160.13	356	0.8		1	
10/25/2016	XX	GW109X8JD	425	6.6	9.1	152.78	7.35	22.97	160.13	385	0.7		2	
4/18/2017	XX	GW109X97J	237	6.8	9	154.02	6.11		160.13	419	2.6		0.4	
7/25/2017	XX	GW109X9DH	443	6.5	19.9	152.42	7.71		160.13	302	0.5		2.4	
10/24/2017	XX	GW109X9HC	453	6.7	16.5	151.51	8.62	22.97	160.13	335	2		0.8	
4/3/2018	XX	GW109XA3B	556	6.7	7.2	154.4	5.73		160.13	389	1.7		0.7	
7/17/2018	XX	GW109XACC	461	6.6	19	152.68	7.45		160.13	300	1.5		2.4	
10/2/2018	XX	GW109XB1A	437	6.7	11.1	152.28	7.85	22.97	160.13	330	0.4		1.8	
4/23/2019	XX	GW109XB67	427	6.9	8.7	154.46	5.67		160.13	409	1.7		0.8	
7/16/2019	XX	GW109XBCI	446	6.5	18.2	153.73	6.4		160.13	268	1.3		2.3	
10/29/2019	XX	GW109XBIB	418	6.8	13.2	154.17	5.96	22.97	160.13	371	0.1 U		2.8	
4/28/2020	XX	GW109XCDI	385	6.9	8.7	153.68	6.45		160.13	354	4.3		1.2	
7/21/2020	XX	GW109XCIB	408	6.8	20.2	152.85	7.28		160.13	236	1.8		2.7	
10/27/2020	XX	GW109XD3F	391	6.9	9.2	153.05	7.08	27.98	160.13	327	0.6		1.5	
4/6/2021	XX	GW109XDCH	403	6.5	9.7	153.83	6.3		160.13	252	2.5		1.9	
7/13/2021	XX	GW109XE09	424	6.6	17.9	153.03	7.1		160.13	207	0.4		1	
10/5/2021	XX	GW109XE6H	386	6.6	12.1	153.38	6.75		160.13	220	0.3		1.2	
4/26/2022	XX	GW109XF19	314	6.5	9.7	153.83	6.3		160.13	250	2.7		2	
7/19/2022	XX	GW109XF97	370	6.2	21.9	152.63	7.5		160.13	202	0.7		1.5	
10/4/2022	XX	GW109XFJ8	345	6.3	9.3	153.08	7.05	27.98	160.13	273	0.8		1.4	
4/18/2023	XX	GW109XGIJ	458	7.5	9.8	153.83	6.3		160.13	334	3.3		0.6	
7/11/2023	XX	GW109XH91	353	6.6	16	153.4	6.73		160.13	111	0.6		1.3	
10/2/2023	XX	GW109X068	337	6.5	17.3	152.93	7.2	27.98	160.13	166	0.8		1.1	
<b>MW06-01</b>														
4/10/2018	XX	GWXXXXA70	85	6.5	7.3		F1	22.13		325	7.9		0.1	
6/4/2018	XX	GWXXXXA7H	94	6.6	7.7	165.881	0.25		166.131	367	10.3		0.7	
7/18/2018	XX	GWXXXXAEF	102	8	10.2	165.281	0.85		166.131	508	8.7		3.2	
8/20/2018	XX	GWXXXXAFG	91	6.1	11.2	164.431	1.7		166.131	376	9.2		3.5	
4/24/2019	XX	GWXXXXB7D	84	7	6.4		F1			377	10.1		2.1	
7/18/2019	XX	GWXXXXBE1	67	8.1	12.2	165.951	0.18		166.131	290	13		0.5	
10/30/2019	XX	GWXXXXBJ8	85	7.7	9.7		F1	22.13	166.131	219	11		0.1	
4/29/2020	XX	GWXXXXCF1	95	7.2	6.5		F1		166.131	394	10.9		0.3	
7/22/2020	XX	GWXXXXCJE	98	6.7	18.1	162.881	3.25		166.131	386	6.8		0.2	
10/28/2020	XX	GWXXXXD4C	83	7.9	9.8	163.461	2.67	22.14	166.131	372	10.5		0.3	
4/7/2021	XX	GWXXXXDDI	86	6.4	7.6	165.231	0.9		166.131	442	7.9		0.3	
7/14/2021	XX	GWXXXXE19	108	7.2	13.1	163.761	2.37		166.131	337	5.8		0.2	
10/6/2021	XX	GWXXXXE7D	111	6.5	12.6	164.431	1.7		166.131	356	3.9		0.1	
4/27/2022	XX	GWXXXXF24	162	6.3	8		F1		166.131	424	2.5		0.2	
7/20/2022	XX	GWXXXXFA7	149	6.9	12.2	164.301	1.83		166.131	325	1.8		0.2	
10/5/2022	XX	GWXXXXG03	154	7.2	11.4	163.951	2.18	22.13	166.131	355	1.8		0.3	
4/19/2023	XX	GWXXXXGJE	176	6.8	8.1		F1		166.131	455	9.3		0.2	
7/12/2023	XX	GWXXXX003	221	6.6	15.9		F1		166.131	496	8.3		0.2	
10/4/2023	XX	GWXXXX06J	215	6.9	14.2	166.091	0.04	22.13	166.131	390	3.5		0.1	
<b>MW-08-01</b>														
2/9/2021	XX	GWXXXXDA0	196	8.4	5.7	161.08	14.93	127.89	176.01	343	4.5		5.2	
4/7/2021	XX	GWXXXXDAJ	229	8.1	8	161.26	14.75		176.01	160	1.7		2.8	
6/9/2021	XX	GWXXXXDH2	188	7.8	10.4	160.97	15.04		176.01	204	1.8		2.2	
8/19/2021	XX	GWXXXXE4G	190	7.2	11.6	160.71	15.3		176.01	342	1.3		0.5	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 48 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-08-01)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
10/4/2021	XX	GWXXXXE9B	201	7.1	10.7	161.33	14.68		176.01	155	0.9		0.8	
4/27/2022	XX	GWXXXXF3G	210	7.8	8.8	154.26	21.75		176.01	134	1.5		13	
7/21/2022	XX	GWXXXXFBD	183	7.6	17.4	153.61	22.4		176.01	169	1.2		5.9	
10/5/2022	XX	GWXXXXG1F	243	7.1	11.9	153.56	22.45	127.89	176.01	217	1.6		6.6	
4/17/2023	XX	GWXXXXH16	318	8	11.9	153.86	22.15		176.01	291	2.5		1.3	
7/13/2023	XX	GWXXXXO19	223	7.9	16	153.76	22.25		176.01	120	1.7		3.2	
10/5/2023	XX	GWXXXXO8B	235	7.6	13.3	153.61	22.4		176.01	190	1.7		6.1	
<b>MW09-901</b>														
4/22/2014	XX	GW901X6F1	231	7.4	13.1	157.03	8.07		165.1	464	5	85	1.5	
7/29/2014	XX	GW901X6J8	208	7.7	15.8	155.79	9.31		165.1	408	4	95	0.8	
10/21/2014	XX	GW901X72J	266	7.6	12.3	155.4	9.7	22.8	165.1	401	1	120	0	
4/28/2015	XX	GW901X78G	286	7.5	11	157.6	7.5		165.1	371	5.1		1.4	
7/14/2015	XX	GW901X7C8	306	7.5	18.6	154.85	10.25		165.1	368	4.6		1	
10/27/2015	XX	GW901X7HH	318	7.7	11.8	155.62	9.48	22.82	165.1	301	3.4		0.2	
4/5/2016	XX	GW901X867	356	7.4	4.6	157.3	7.8		165.1	362	5.3		1.1	
7/26/2016	XX	GW901X8AH	366	7.6	20.4	154.38	10.72		165.1	337	4.3		3.9	
10/25/2016	XX	GW901X8IG	353	7.1	10.7	154.6	10.5	22.82	165.1	397	0.9		4.1	
4/18/2017	XX	GW901X972	341	7	8.5	157.65	7.45		165.1	422	5.4		0.7	
7/25/2017	XX	GW901X9D0	379	6.5	19.5	154.19	10.91		165.1	346	2.2		2.5	
10/24/2017	XX	GW901X9GF	392	6.9	16.3	153.18	11.92	22.8	165.1	388	0.8		2.6	
4/3/2018	XX	GW901XA2E	482	6.8	10.1	158.8	6.3		165.1	413	3.2		0.2	
7/17/2018	XX	GW901XABF	423	6.7	15	154.93	10.17		165.1	311	1.4		2.4	
10/2/2018	XX	GW901XB0D	390	6.7	10.7	154.1	11	22.82	165.1	303	1		1.3	
4/23/2019	XX	GW901XB5A	364	6.7	6.9	159.14	5.96		165.1	423	1.3		1.6	
7/16/2019	XX	GW901XBC2	398	6.6	18.7	155.95	9.15		165.1	280	0.4		2.8	
10/29/2019	XX	GW901XBHF	333	6.8	12.4	159.21	5.89	22.82	165.1	381	0.1 U		1.6	
4/28/2020	XX	GW901XCD2	339	7.1	9.7	158.41	6.69		165.1	370	2		1.4	
7/21/2020	XX	GW901XCHF	348	7.2	13.3	156.3	8.8		165.1	235	0.3		1.1	
10/27/2020	XX	GW901XD2J	341	7	10.3	156.95	8.15	22.81	165.1	359	0.4		1.5	
4/6/2021	XX	GW901XDC1	373	6.4	10.2	159.1	6		165.1	278	2.1		1.5	
7/13/2021	XX	GW901XDJD	360	6.6	15.6	157.4	7.7		165.1	212	0.3		1.2	
10/5/2021	XX	GW901XE61	346	6.3	13.8	157.8	7.3		165.1	231	0.2		1.4	
4/26/2022	XX	GW901XF0D	342	6.3	9.9	158.95	6.15		165.1	260	1.4		1.9	
7/19/2022	XX	GW901XF8B	348	6.2	18.1	156.1	9		165.1	211	0.2		1.6	
10/4/2022	XX	GW901XFIC	286	6.3	12.8	157.3	7.8	22.78	165.1	309	0.8		1.2	
4/18/2023	XX	GW901XGI3	487	7.3	8.9	158.53	6.57		165.1	343	2.7		0.9	
7/11/2023	XX	GW901XH85	349	6.5	15.5	157.75	7.35		165.1	166	0.4		1.7	
10/2/2023	XX	GW901XO5D	342	6.2	17.1	159.4	5.7	22.78	165.1	202	0.4		1	
<b>MW-204</b>														
10/22/2014	XX	GW204X746	192	6.3	11.1	155.3	9.45	24.48	164.75	428	0.4	75	0.4	
10/28/2015	XX	GW204X7J5	167	6.5	11.5	155.35	9.4	24.43	164.75	301	1.9		1.3	
10/26/2016	XX	GW204X907	218	6.7	10	154.7	10.05	24.43	164.75	294	0.5		3.5	
10/23/2017	XX	GW204X9I6	272	6.6	13.1	153.25	11.5	24.43	164.75	312	0.3		1.6	
10/3/2018	XX	GW204XB24	277	6.6	12.3	154.58	10.17	24.48	164.75	300	1.6		2.4	
10/28/2019	XX	GW204XBJ4	253	6.9	11	155.75	9	24.49	164.75	191	0.3		4.1	
10/26/2020	XX	GW204XD48	265	6.6	11.2	154.65	10.1	24.47	164.75	337	0.4		3.5	
10/4/2021	XX	GW204XE79	357	6.8	13.6	155.1	9.65		164.75	183	0.7		2.8	
4/26/2022	XX	GW204XF20	251	6.5	8.5	155.35	9.4		164.75	239	1.7		1.8	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 49 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-204)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
10/5/2022	XX	GW204XFJJ	323	6.6	14.5	154.85	9.9	24.47	164.75	176	0.4		2	
10/3/2023	XX	GW204X09B	!	!	!		!	24.47	164.75	!	!		!	!
<b>MW-206</b>														
4/21/2014	XX	GW206X6E3	135	8.4	11	199.97	4.7		204.67	441	5	60	0.4	
7/28/2014	XX	GW206X6IB	170	7.3	14.4	197.72	6.95		204.67	366	5	70	0.9	
10/20/2014	XX	GW206X721	142	8.3	9.5	196.87	7.8	23.15	204.67	295	6	65	0.9	
4/27/2015	XX	GW206X77J	131	8.3	6.9	200.07	4.6		204.67	328	8.6		1.2	
7/13/2015	XX	GW206X7BB	149	8.2	14.4	197.02	7.65		204.67	287	7.7		0.4	
10/26/2015	XX	GW206X7H0	139	7.8	9.3	197.87	6.8	23.15	204.67	200	7.7		4.4	
4/4/2016	XX	GW206X85A	159	7.3	4.1	199.77	4.9		204.67	364	8.5		1.5	
7/25/2016	XX	GW206X8A0	148	8.1	13.8	195.17	9.5		204.67	306	7.6		2.4	
10/24/2016	XX	GW206X8HJ	167	7.5	9.4	190.72	13.95		204.67	348	8.2		9.4	
4/17/2017	XX	GW206X965	142	8.2	8.6	199.85	4.82		204.67	266	9.9		1.4	
7/24/2017	XX	GW206X9C3	150	7.7	11.8	195.07	9.6		204.67	367	9.4		2.4	
10/23/2017	XX	GW206X9F1	146	8.1	11.6	189.77	14.9	23.15	204.67	338	7.3		2	
4/2/2018	XX	GW206XA1G	269	7.8	5.7	200.07	4.6		204.67	362	8.5		7.5	
7/16/2018	XX	GW206XAAI	148	8	11.3	196.12	8.55		204.67	313	8.4		2.4	
10/1/2018	XX	GW206XAJG	147	8.1	10.7	191.47	13.2	23.15	204.67	258	7.8		4.2	
4/22/2019	XX	GW206XB4C	139	8.6	6.1	200.22	4.45		204.67	399	8.8		2.6	
7/17/2019	XX	GW206XBB5	144	8.1	12.3	198.07	6.6		204.67	253	7.5		7.8	
10/28/2019	XX	GW206XBGJ	149	8.3	9.1	200.17	4.5	23.15	204.67	242	7.2		4	
4/27/2020	XX	GW206XCC5	142	7.4	4.7	199.57	5.1		204.67	237	8.4		5.1	
7/20/2020	XX	GW206XCGI	146	8.1	14.3	193.87	10.8		204.67	191	7.5		2.8	
10/26/2020	XX	GW206XD23	148	7.6	7.3	195.07	9.6	23.15	204.67	342	8.7		2.4	
4/5/2021	XX	GW206XDB4	150	7.3	5.5	200.02	4.65		204.67	225	7.1		1.3	
7/14/2021	XX	GW206XDIG	159	7.8	11	197.77	6.9		204.67	267	7		2.5	
10/4/2021	XX	GWXXXXE8D	154	8.2	10.3	198.87	5.8		204.67	243	6		1.2	
4/25/2022	XX	GWXXXXF2J	139	7.9	7.6	199.44	5.23		204.67	192	6.9		2.3	
7/18/2022	XX	GW206XF7E	143	7.4	14.5	192.47	12.2		204.67	186	5.5		4.6	
10/3/2022	XX	GWXXXXG0I	323	6.6	14.5	194.77	9.9	23.1	204.67	176	0.4		2	
4/17/2023	XX	GWXXXXH09	233	8.2	8.2	199.07	5.6		204.67	308	7.5		1.2	
7/10/2023	XX	GW206XH78	136	8.5	9.8	195.57	9.1		204.67	189	7.6		1.5	
10/2/2023	XX	GWXXXX07E	140	8.1	11.8	198.27	6.4	23.1	204.67	195	6.7		1.7	
<b>MW-223A</b>														
4/22/2014	XX	GW223A6E6	453	7.8	6	176.14	0.4		176.54	436	0.6	200	0.3	
7/29/2014	XX	GW223A6ID	460	7.5	10.4	175.39	1.15		176.54	404	0.4	200	0.5	
10/21/2014	XX	GW223A723	435	7.6	9	174.11	2.43	35.57	176.54	367	0.8	200	0.8	
4/28/2015	XX	GW223A781	458	7.6	6.5	175.74	0.8		176.54	367	0.7		0.3	
7/14/2015	XX	GW223A7BD	467	7.5	14.2	174.72	1.82		176.54	356	0.9		0.3	
10/27/2015	XX	GW223A7H2	490	7.6	8.5	175.14	1.4	35.57	176.54	290	1.1		0.2	
4/5/2016	XX	GW223A85CX	F	F	F	F	F		F	F	F		F	
4/27/2016	XX	GW223A85C	509	7.7	9.1	176.4	0.14		176.54	275	1.3		0.2	
7/26/2016	XX	GW223A8A2	539	7.5	14.2	173.79	2.75		176.54	349	1.8		2.1	
10/25/2016	XX	GW223A8I1	547	7.6	9.4	172.84	3.7	35.57	176.54	338	1.8		2.7	
4/18/2017	XX	GW223A967	519	7.6	5.2	175.24	1.3		176.54	318	2.7		0.7	
7/25/2017	XX	GW223A9C5	543	7.4	14	173.74	2.8		176.54	305	2		0.8	
10/24/2017	XX	GW223A9G0	552	7.6	12.1	172.04	4.5	35.57	176.54	340	1.8		1.2	
4/3/2018	XX	GW223AA11	651	7.6	4.5	175.14	1.4		176.54	307	1.8		0.6	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 50 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-223A)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
7/17/2018	XX	GW223AAB0	568	7.4	12.6	172.94	3.6		176.54	297	1.6		2	
10/2/2018	XX	GW223AAJI	556	6.3	10.8	171.59	4.95	35.6	176.54	305	1.3		2.9	
4/23/2019	XX	GW223AB4E	542	7.6	6.1	174.51	2.03		176.54	370	2		2	
7/16/2019	XX	GW223ABB7	559	7.3	11.5	174.64	1.9		176.54	250	0.8		2.8	
10/29/2019	XX	GW223ABH0	548	7.6	9.5	175.61	0.93	35.57	176.54	351	0.1 U		1.3	
4/28/2020	XX	GW223ACC7	531	7.4	6.2	174.99	1.55		176.54	336	0.8		1	
7/21/2020	XX	GW223ACH0	575	7.4	13.5	173.12	3.42		176.54	212	0.8		1	
10/27/2020	XX	GW223AD24	583	7.4	9.5	173.74	2.8	35.57	176.54	295	0.8		1.5	
4/6/2021	XX	GW223ADB6	599	7.1	6.7	174.94	1.6		176.54	225	1.9		0.7	
7/13/2021	XX	GW223ADII	622	7.4	12.7	173.39	3.15		176.54	149	0.3		1.6	
10/5/2021	XX	GW223AE56	628	7.3	10.5	174.19	2.35		176.54	166	0.3		2.3	
4/26/2022	XX	GW223AEJI	506	7.2	7.2	174.64	1.9		176.54	158	0.2		2.3	
7/19/2022	XX	GW223AF7G	576	7.1	13.8	171.54	5		176.54	127	0.2		1.3	
10/4/2022	XX	GW223AFHH	578	7	9.8	173.54	3	35.57	176.54	216	0.2		1.3	
4/18/2023	XX	GW223AGH8	675	7.7	7.8	173.31	3.23		176.54	358	2.1		0.9	
7/11/2023	XX	GW223AH7A	577	7.4	11.2	172.44	4.1		176.54	90	0.1		1	
10/2/2023	XX	GW223A04H	594	7.3	13.6	171.82	4.72	35.57	176.54	128	0.2		1	
<b>MW-223B</b>														
4/22/2014	XX	GW223B6FF	370	7.5	6.4	173.93	2		175.93	446	1	160	0.6	
7/29/2014	XX	GW223B700	377	7.6	13.3	173.23	2.7		175.93	355	0.6	160	0.7	
10/21/2014	XX	GW223B73C	350	7.5	10.4	172.43	3.5	20.07	175.93	388	1	160	1.1	
4/28/2015	XX	GW223B798	371	7.1	6.2	173.78	2.15		175.93	344	0.4		0.5	
7/14/2015	XX	GW223B7D0	397	7.2	13.9	172.53	3.4		175.93	349	0.5		0.4	
10/27/2015	XX	GW223B7I9	394	7.5	9.8	173.13	2.8	20.05	175.93	286	1.4		1.3	
4/5/2016	XX	GW223B86J	445	7.1	3.8	173.53	2.4		175.93	309	2.2		7.7	
7/26/2016	XX	GW223B8B9	433	7.4	12.8	171.93	4		175.93	360	0.5		3.5	
10/25/2016	XX	GW223B8J8	436	7.5	10.6	171.43	4.5	20.07	175.93	352	0.3		3.7	
4/18/2017	XX	GW223B97E	416	7.2	6	172.73	3.2		175.93	371	3.6		0.8	
7/25/2017	XX	GW223B9DC	441	6.7	12.1	171.76	4.17		175.93	316	0.9		0.9	
10/24/2017	XX	GW223B9H7	446	7.3	13	170.68	5.25	20.06	175.93	367	0.3		1.5	
4/3/2018	XX	GW223BA36	596	7.1	3.9	173.23	2.7		175.93	338	2.3		0.2	
7/17/2018	XX	GW223BAC7	480	6.8	12.2	171.22	4.71		175.93	227	1		2.2	
10/2/2018	XX	GW223BB15	485	7.2	10.4	170.23	5.7	20.07	175.93	267	0.9		2.6	
4/23/2019	XX	GW223BB62	465	7.1	5.1	173.48	2.45		175.93	391	0.8		1.1	
7/16/2019	XX	GW223BBCD	491	7.3	13.7	172.63	3.3		175.93	259	2		1.6	
10/29/2019	XX	GW223BBI6	480	7.2	10.4	173.53	2.4	20.07	175.93	349	0.1 U		1.3	
4/28/2020	XX	GW223BCDD	461	7	5.6	173.13	2.8		175.93	355	0.5		1	
7/21/2020	XX	GW223BCI6	497	7.1	12.3	171.43	4.5		175.93	220	0.6		1.4	
10/27/2020	XX	GW223BD3A	505	7.2	10.7	172.13	3.8	20.07	175.93	328	0.3		1.9	
4/6/2021	XX	GW223BDCC	505	6.8	5.8	173.03	2.9		175.93	239	0.3		0.8	
7/13/2021	XX	GW223BE04	521	7	11.4	172.53	3.4		175.93	180	0.2		1.3	
10/5/2021	XX	GW223BE6C	531	6.8	11.7	172.33	3.6		175.93	197	0.2		1.2	
4/26/2022	XX	GW223BF14	421	6.8	6.7	172.78	3.15		175.93	213	0.2		2.1	
7/19/2022	XX	GW223BF92	479	6.8	11.8	169.88	6.05		175.93	175	0.2		1.4	
10/4/2022	XX	GW223BFJ3	487	6.7	11.3	171.73	4.2	20.1	175.93	245	0.2		1.6	
4/18/2023	XX	GW223BGIE	611	7.4	7.2	171.58	4.35		175.93	348	2.2		1.2	
7/11/2023	XX	GW223BH8G	483	6.9	10.7	171.12	4.81		175.93	174	0.1		1	
10/2/2023	XX	GW223B063	503	6.9	13.3	169.93	6	20.1	175.93	121	0.2		1.4	



REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 51 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-227)		Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs		
<b>MW-227</b>																
4/22/2014	XX	GW227X6E7	187	8.2	8.3	160.03	4.2		164.23	388	2	70	0.2			
7/29/2014	XX	GW227X6IE	180	8.3	14.2	159.8	4.43		164.23	306	0.8	75	1.3			
10/21/2014	XX	GW227X724	181	8.3	10.7	159.63	4.6	22.3	164.23	376	0.8	85	1.2			
4/28/2015	XX	GW227X782	184	8.3	6.7	159.93	4.3		164.23	350	3.1		0.8			
7/14/2015	XX	GW227X7BE	193	8.3	15.3	158.43	5.8		164.23	353	1.1		1.1			
10/27/2015	XX	GW227X7H3	182	8.1	11.4	159.63	4.6	22.3	164.23	297	3.9		0.7			
4/5/2016	XX	GW227X85D	205	8.1	3.1	159.73	4.5		164.23	320	3.4		2.2			
7/26/2016	XX	GW227X8A3	201	8	13.9	158.68	5.55		164.23	365	1.8		5.2			
10/25/2016	XX	GW227X8I2	199	7.9	10.2	159.62	4.61	22.3	164.23	353	3.5		5.3			
4/18/2017	XX	GW227X968	188	8.2	5.8	159.63	4.6		164.23	356	5.4		1.4			
7/25/2017	XX	GW227X9C6	185	8.2	12.6	158.03	6.2		164.23	314	1.5		2.4			
10/24/2017	XX	GW227X9G1	191	8.1	13.1	158.58	5.65	22.3	164.23	354	1.2		2			
4/3/2018	XX	GW227XA1J	284	8.2	4.8	160.03	4.2		164.23	326	4.9		1.3			
7/17/2018	XX	GW227XAB1	189	8.2	13.5	158.38	5.85		164.23	278	2.1		2.4			
10/2/2018	XX	GW227XAJJ	191	8.1	11.1	159.05	5.18	22.3	164.23	274	2		1.6			
4/23/2019	XX	GW227XB4F	194	8.3	4.9	160.1	4.13		164.23	389	3.2		2.5			
7/16/2019	XX	GW227XBB8	189	8.1	15	159.48	4.75		164.23	244	3.1		3.7			
10/29/2019	XX	GW227XBH1	181	8.3	10.5	160.04	4.19	22.3	164.23	333	0.1 U		2.6			
4/28/2020	XX	GW227XCC8	173	7.8	5.8	159.92	4.31		164.23	352	2.7		1.5			
7/21/2020	XX	GW227XCH1	182	8	12.9	159.18	5.05		164.23	219	2.7		2.2			
10/27/2020	XX	GW227XD25	184	7.9	10.9	159.78	4.45	22.31	164.23	314	5.3		2			
4/6/2021	XX	GW227XDB7	190	7.7	6	159.9	4.33		164.23	226	3.6		2.9			
7/13/2021	XX	GW227XD1J	190	8.1	12.1	159.43	4.8		164.23	125	0.6		3.2			
10/5/2021	XX	GW227XE57	191	8.2	11.9	159.58	4.65		164.23	180	0.2		3.7			
4/26/2022	XX	GW227XEJ2	169	7.7	6.2	159.63	4.6		164.23	224	3.4		3.1			
7/19/2022	XX	GW227XF7H	174	7.7	13.1	158.33	5.9		164.23	129	0.6		3.2			
10/4/2022	XX	GW227XFH1	178	7.5	11.3	159.38	4.85	22.32	164.23	219	0.3		2			
4/18/2023	XX	GW227XGH9	279	7.8	8	159.53	4.7		164.23	299	4.1		1.5			
7/11/2023	XX	GW227XH7B	172	8.2	11.5	159.73	4.5		164.23	127	0.9		1.3			
10/2/2023	XX	GW227XO4I	173	7.8	12.9	159.53	4.7	22.32	164.23	191	0.6		1.5			
<b>MW-301</b>																
4/23/2014	XX	GW301X6E8	197	6.2	9.3	165.91	F1		165.91	438	1	60	3.1			
7/30/2014	XX	GW301X6IF	201	7.7	14.3	165.91	F1		165.91	377	0.4	80	4.3			
10/22/2014	XX	GW301X725	299	6.2	10	165.61	0.3	184.1	165.91	397	0.6	75	0.9			
4/29/2015	XX	GW301X783	192	8.2	8.2	165.66	0.25		165.91	359	0.7		1.2			
7/15/2015	XX	GW301X7BF	217	8.1	16.6	165.71	0.2		165.91	338	0.5		0.9			
10/27/2015	XX	GW301X7H4	205	7.8	10.7	165.68	0.23	185.11	165.91	287	0.3		0.8			
4/6/2016	XX	GW301X85EX	F	F	F		F			F	F		F			
4/27/2016	XX	GW301X85E	210	8.4	8.8	165.61	0.3		165.91	234	0.3		0.4			
7/27/2016	XX	GW301X8A4	210	8.1	15.6	165.49	0.42		165.91	203	0.1		0.2			
10/26/2016	XX	GW301X8I3	218	8.3	8.1	165.53	0.38	185.11	165.91	334	0.6		4.5			
4/19/2017	XX	GW301X969	215	8.2	8.3	165.56	0.35		165.91	308	2.8		1.8			
7/26/2017	XX	GW301X9C7	224	7.9	15.2	165.61	0.3		165.91	287	0.3		2.1			
10/25/2017	XX	GW301X9G2	225	8.1	13.7	165.71	0.2	185.11	165.91	368	0.2		1.6			
4/4/2018	XX	GW301XA20	322	8.2	3.7	165.61	0.3		165.91	148	1.5		1.7			
7/18/2018	XX	GW301XAB2	244	7.8	14.3		F1			267	0.2		3.5			
10/1/2018	XX	GW301XB00	242	8	11.8	164.96	0.95	185.13	165.91	283	0.3		2.4			



REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 52 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-301)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
4/24/2019	XX	GW301XB4G	242	8.2	6.3	165.56	0.35		165.91	388	0.3		1.7	
7/17/2019	XX	GW301XBB9	245	7.8	13.7	164.41	1.5		165.91	202	0.2		1.6	
10/28/2019	XX	GW301XBH2	248	8.1	10.2		F1	185.1	165.91	322	0.3		1.9	
4/27/2020	XX	GW301XCC9	228	7.8	7.1	165.6	0.31		165.91	301	0.2		2.4	
7/20/2020	XX	GW301XCH2	248	7.9	14.2	165.89	0.02		165.91	143	0.2		3.3	
10/26/2020	XX	GW301XD26	248	7.3	9.8	164.11	1.8	185.12	165.91	334	0.2		2.7	
4/5/2021	XX	GW301XDB8	255	7.4	7.4	165.41	0.5		165.91	249	0.3		2	
7/12/2021	XX	GW301XDJO	239	8.2	13.8	165.14	0.77		165.91	127	0.1		3.6	
10/4/2021	XX	GW301XE58	259	8.1	12.6	165.01	0.9		165.91	95	0.2		1.5	
4/25/2022	XX	GW301XF00	219	7.9	9.6	165.76	0.15		165.91	96	0.3		2.8	
7/18/2022	XX	GW301XF71	238	7.8	15.3	164.41	1.5		165.91	41	0.1		2.3	
10/3/2022	XX	GW301XFHJ	242	7.3	12.2	162.91	3	185.11	165.91	92	0.2		2	
4/17/2023	XX	GW301XGHA	333	8.4	10.1	165.81	0.1		165.91	145	0.2		0.8	
7/10/2023	XX	GW301XH7C	242	8.2	13.7	165.06	0.85		165.91	29	0.1		2.1	
10/2/2023	XX	GW301X04J	243	8.3	12.8	162.81	3.1	185.11	165.91	63	0.2		0.7	
<b>MW-302 &amp; MW-302R</b>														
4/21/2014	XX	GW302X6FD	336	6.7	7.1	201.31	5.55		206.86	505	3	180	1	
7/28/2014	XX	GW302X6JJ	445	6.6	13.3	197.38	9.48		206.86	475	4	180	0.7	
10/20/2014	XX	GW302X73A	500	6.6	11.8	191.11	15.75	32.22	206.86	476	1	180	1.4	
4/27/2015	XX	GW302X797	270	6.7	7.1	201.61	5.25		206.86	381	6.7		0.6	
7/13/2015	XX	GW302X7CJ	367	6.7	12.1	197.04	9.82		206.86	322	6		1.3	
10/26/2015	XX	GW302X7I8	766	6.7	11.4	197.66	9.2	32.22	206.86	282	4.6		0.4	
4/4/2016	XX	GW302X86I	293	6.8	6	201.24	5.62		206.86	351	6.2		2.7	
7/25/2016	XX	GW302X8B8	300	6.9	12.4	191.23	15.63		206.86	367	6.1		0.9	
10/24/2016	XX	GW302X8J7	630	6.4	11.9	188.36	18.5	32.22	206.86	350	1.3		2.6	
4/17/2017	XX	GW302X97D	310	6.7	7.2	201.46	5.4		206.86	366	8.2		1.7	
7/24/2017	XX	GW302X9DB	347	6.5	11.7	191.35	15.51		206.86	357	5.6		5.5	
10/23/2017	XX	GW302X9H6	698	6.8	11.5	187.51	19.35	32.25	206.86	421	1.6		2.1	
4/2/2018	XX	GW302XA35	490	6.7	6.5	202.36	4.5		206.86	375	6.3		2	
7/16/2018	XX	GW302XAC6	354	6.4	11.6	191.08	15.78		206.86	345	6		3	
10/1/2018	XX	GW302XB14	851	6.7	11.1	187.26	19.6	32.23	206.86	311	1.7		2.4	
4/22/2019	XX	GW302XB61	181	6.7	6.7	202.33	4.53		206.86	400	9		2.7	
7/17/2019	XX	GW302XBCC	335	6.4	12	198.31	8.55		206.86	295	6.4		1.5	
10/28/2019	XX	GW302XB15	317	6.5	11.1	201.69	5.17	32.2	206.86	375	2.1		1.9	
4/27/2020	XX	GW302XCDC	269	5.7	6	199.89	6.97		206.86	367	7.8		0.8	
7/20/2020	XX	GW302XC15	399	7.1	12.8	190.91	15.95		206.86	289	5.3		1.9	
10/26/2020	XX	GW302XD39	562	6.6	9.7	193.06	13.8	32.27	206.86	361	2.2		1.7	
4/5/2021	XX	GW302XDCB	662	6	5.9	200.56	6.3		206.86	297	1.4		3.1	
7/12/2021	XX	GW302XE03	504	6.5	10.7	192.41	14.45		206.86	284	1.1		4.5	
10/4/2021	XX	GW302XE6B	450	6.3	11.4	195.66	11.2		206.86	246	0.9		1.5	
4/25/2022	XX	GW302XF13	272	5.8	7.2	199.36	7.5		206.86	268	0.9		2.5	
7/18/2022	XX	GW302XF91	471	6.3	13.6	189.96	16.9		206.86	211	0.6		2.2	
10/3/2022	XX	GW302XFJ2	DE	DE	DE	DE	DE	DE	206.86	DE	DE		DE	
<b>MW-303 &amp; MW12-303R</b>														
4/21/2014	XX	GW303X6FH	274	6.6	9.5	184.54	24.35		208.89	401	1	120	0.6	
7/28/2014	XX	GW303X701	263	6.6	11.7	182.81	26.08		208.89	411	0.8	160	0.6	
10/20/2014	XX	GW303X73D	440	6.8	10.5	178.81	30.08	43.38	208.89	447	0.8	180	1	
4/27/2015	XX	GW303X799	874	6.1	8.7	183.49	25.4		208.89	407	5		0.5	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 53 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-303 & MW12-303R)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
6/18/2015	XX	42173-1	564	6.4	12.6	182.59	26.3		208.89	158	1		4.2	
7/13/2015	XX	GW303X7D1	347	6.5	13.9	182.07	26.82		208.89	330	0.9		1.4	
10/26/2015	XX	GW303X7IA	370	6.5	10.4	179.6	29.29	43.4	208.89	313	1.4		1.2	
4/4/2016	XX	GW303X870	411	6.4	6.7	184.34	24.55		208.89	378	7.5		1.7	
7/25/2016	XX	GW303X8BA	549	6.3	14.3	180.39	28.5		208.89	369	0.9		1.3	
10/24/2016	XX	GW303X8J9	681	6.3	12.2	176.39	32.5	43.4	208.89	389	5.5		17.2	
4/17/2017	XX	GW303X97F	466	6.4	10.2	182.29	26.6		208.89	382	7.7		1.8	
7/24/2017	XX	GW303X9DD	419	6.2	12.3	181.5	27.39		208.89	343	0.8		2.8	
10/23/2017	XX	GW303X9H8	414	6.8	12.9	176.94	31.95	43.4	208.89	375	2.3		37.5	
4/2/2018	XX	GW303XA37	1711	6	8.8	181.64	27.25		208.89	408	5.1		1.9	
7/16/2018	XX	GW303XAC8	501	6.2	14.4	180.59	28.3		208.89	333	0.9		1.8	
10/1/2018	XX	GW303XB16	408	6.6	11.3	176.81	32.08	43.4	208.89	272	1.4		12.5	
4/22/2019	XX	GW303XB63	485	6.2	9.1	181.14	27.75		208.89	418	5.8		7.6	
7/17/2019	XX	GW303XBCE	494	5.9	11.3	181.89	27		208.89	303	2.2		1.8	
10/28/2019	XX	GW303XBI7	380	6.1	10.4	179.77	29.12	43.4	208.89	400	0.2		2.8	
4/27/2020	XX	GW303XCDE	409	6.1	8.7	180.29	28.6		208.89	361	1.9		3.6	
7/20/2020	XX	GW303XCI7	280	6.9	14.3	177.79	31.1		208.89	227	1.1		2.4	
10/26/2020	XX	GW303XD3B	577	6.2	8.9	175.49	33.4	43.4	208.89	390	1.3		2.5	
4/5/2021	XX	GW303XDCC	442	5.7	8.8	178.59	30.3		208.89	354	4.6		2.3	
7/12/2021	XX	GW303XE05	531	6.2	13.7	177.29	31.6		208.89	318	4.5		3.6	
10/4/2021	XX	GW303XE6D	673	6.3	11.5	177.12	31.77		208.89	234	1.8		2	
4/25/2022	XX	GW303XF15	277	5.8	10.5	181.24	27.65		208.89	317	5.9		7.7	
7/18/2022	XX	GW303XF93	373	6.7	16.5	178.29	30.6		208.89	222	5		8.8	
10/3/2022	XX	GW303XFJ4	401	6.3	13.7	175.74	33.15	43.4	208.89	268	3.2		5	
4/17/2023	XX	GW303XGIF	474	7.2	11.2	180.89	28		208.89	348	6.5		6.2	
7/10/2023	XX	GW303XH8H	284	6.1	12.6	180.39	28.5		208.89	296	2.7		3	
10/2/2023	XX	GW303X064	286	6.5	13.8	179.79	29.1	43.4	208.89	221	2		4	
<b>MW-401A</b>														
4/21/2014	XX	GW401A6F2	131	7.9	8.4	155.69	1.14		156.83	396	6	55	1.1	
7/28/2014	XX	GW401A6J9	129	8.2	11.2	151.73	5.1		156.83	384	4	25	2.1	
10/20/2014	XX	GW401A730	118	6.6	9.5	149.68	7.15	112.04	156.83	370	5	25	0.4	
4/27/2015	XX	GW401A78H	131	8.3	7.2	155.23	1.6		156.83	217	7.3		0.4	
7/13/2015	XX	GW401A7C9	124	8	10.3	151.47	5.36		156.83	194	6.9		0.5	
10/26/2015	XX	GW401A7HI	118	7.8	9	152.03	4.8	112.03	156.83	208	7.1		0.2	
4/6/2016	XX	GW401A868X	F	F	F	F	F		F	F	F		F	
4/27/2016	XX	GW401A868	130	8.6	7.4	153.14	3.69		156.83	270	5.9		0.1	
7/25/2016	XX	GW401A8AI	127	7.4	11.7	149.57	7.26		156.83	310	6.1		0.4	
10/24/2016	XX	GW401A8IH	127	7.6	9.2	148.33	8.5	112.2	156.83	182	5.8		0.2	
4/17/2017	XX	GW401A973	120	8.3	8.5	155.76	1.07		156.83	337	7.4		0.2	
7/24/2017	XX	GW401A9D1	126	7.9	9.2	149.68	7.15		156.83	317	7		0.5	
10/25/2017	XX	GW401A9GG	303	7	17.8	148.28	8.55	112.18	156.83	152	1.2		2	
4/2/2018	XX	GW401AA2F	134	8.3	6.6	155.47	1.36		156.83	459	3.1		0.6	
7/16/2018	XX	GW401AABG	140	8.3	11.6	149.93	6.9		156.83	365	5.5		0.5	
10/1/2018	XX	GW401AB0E	146	8.2	9.5	148.11	8.72	112.2	156.83	466	5.2		0.3	
4/22/2019	XX	GW401AB5B	130	8.4	7.6	154.92	1.91		156.83	289	6.8		0.2	
7/15/2019	XX	GW401ABC3	130	7.3	10.3	152.78	4.05		156.83	482	11.1		0.4	
10/28/2019	XX	GW401ABHG	140	7.6	9.3	154.62	2.21	112.21	156.83	243	4.9		0.5	
4/27/2020	XX	GW401ACD3	147	8.5	6.8	153.91	2.92		156.83	278	5.7		0.5	
7/20/2020	XX	GW401ACHG	121	7.5	11.1	149.85	6.98		156.83	252	5.3		0.2	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 54 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-401A)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
10/26/2020	XX	GW401AD30	122	7.6	8.9	150.56	6.27	112.03	156.83	435	5.7		0.3	
4/5/2021	XX	GW401ADC2	125	7.7	6.6	155.31	1.52		156.83	207	5.2		0.5	
7/12/2021	XX	GW401ADJE	124	6.6	11.1	150.72	6.11		156.83	329	5.3		0.3	
10/4/2021	XX	GW401AE62	128	7.6	10.6	153.42	3.41		156.83	240	4.6		0.2	
4/25/2022	XX	GW401AF0E	128	6.7	7.4	154.72	2.11		156.83	222	3.9		0.1	
7/18/2022	XX	GW401AF8C	132	7.7	10.3	149.48	7.35		156.83	189	4.2		0.2	
10/3/2022	XX	GW401AFID	134	7	9.4	150.23	6.6	111.96	156.83	332	4.9		0.1	
4/17/2023	XX	GW401AGI4	140	7.5	7.9	154.41	2.42		156.83	288	4.5		0.3	
7/10/2023	XX	GW401AH86	149	8.1	10.7	153.81	3.02		156.83	397	4.6		0.2	
10/2/2023	XX	GW401A05E	161	7.2	10.7	152.55	4.28	111.96	156.83	380	1.2		0.2	
<b>MW-401B</b>														
4/21/2014	XX	GW401B6F3	265	7	7.1	150.93	6.39		157.32	264	1	55	1.1	
7/28/2014	XX	GW401B6JA	324	6.9	11.3	150.4	6.92		157.32	173	0.3	30	2.4	
10/20/2014	XX	GW401B731	336	6.5	10.1	150.18	7.14	23.12	157.32	217	1	25	0.3	
4/27/2015	XX	GW401B78I	243	7.4	6.7	150.8	6.52		157.32	174	0.2		0.4	
7/13/2015	XX	GW401B7CA	318	7	8.7	150.01	7.31		157.32	166	0.1		0.9	
10/26/2015	XX	GW401B7HJ	335	6.8	10.1	150.35	6.97	23.1	157.32	190	0.1		0.1	
4/6/2016	XX	GW401B869	274	7.2	5.9	150.69	6.63		157.32	219	1.7		0.3	
7/25/2016	XX	GW401B8AJ	360	6.4	9.8	149.79	7.53		157.32	171	0.1		0.2	
10/24/2016	XX	GW401B8II	355	6.6	10.2	149.98	7.34	23.1	157.32	199	0.1		0.2	
4/17/2017	XX	GW401B974	265	6.8	7	150.99	6.33		157.32	222	0.5		0.2	
7/24/2017	XX	GW401B9D2	305	6.8	9.5	149.72	7.66		157.32	200	0.1		0.2	
10/25/2017	XX	GW401B9GH	375	6.8	12.3	149.07	8.25	23.14	157.32	119	1		6.7	
4/2/2018	XX	GW401BA2G	272	7.3	6.3	151.07	6.25		157.32	401	0.2		0.5	
7/16/2018	XX	GW401BABH	350	7.5	9.7	149.83	7.49		157.32	220	0.1		0.2	
10/1/2018	XX	GW401BB0F	363	7.2	10.4	149.42	7.9	23.14	157.32	417	0.1		0.2	
4/22/2019	XX	GW401BB5C	216	7.7	7.5	151	6.32		157.32	186	0.3		0.3	
7/15/2019	XX	GW401BBC4	267	7.2	9.2	150.56	6.76		157.32	216	3.7		0.6	
10/28/2019	XX	GW401BBHH	327	6.8	10	151.12	6.2	23.14	157.32	213	1.9		2.2	
4/27/2020	XX	GW401BCD4	246	7.7	5.9	150.64	6.68		157.32	196	0.2		1.2	
7/20/2020	XX	GW401BCHH	278	6.9	13.1	149.88	7.44		157.32	159	0.4		0.3	
10/26/2020	XX	GW401BD31	296	6.9	9.6	150.22	7.1	23.13	157.32	172	0.6		0.3	
4/5/2021	XX	GW401BDC3	268	6.7	6.2	150.82	6.5		157.32	126	0.2		0.2	
7/12/2021	XX	GW401BDJF	283	6.4	9.7	150.14	7.18		157.32	158	0.6		0.2	
10/4/2021	XX	GW401BE63	287	6.5	11.1	150.64	6.68		157.32	139	0.2		0.3	
4/25/2022	XX	GW401BF0F	270	6.6	6.7	150.69	6.63		157.32	213	0.2		0.1	
7/18/2022	XX	GW401BF8D	281	6.4	9.9	149.29	8.03		157.32	169	0.2		0.5	
10/3/2022	XX	GW401BFIE	290	6.7	10.4	150.82	6.5	23.9	157.32	213	3.5		0.2	
4/17/2023	XX	GW401BGI5	271	6.9	7	150.69	6.63		157.32	200	0.1		0.2	
7/10/2023	XX	GW401BH87	274	6.4	9.3	150.43	6.89		157.32	191	0.3		0.3	
10/2/2023	XX	GW401B05F	311	6.3	11.3	150.29	7.03	23.9	157.32	197	0.2		0.1	
<b>MW-402A</b>														
4/23/2014	XX	GW402A6F4	130	8.4	8.6	152.2	F1		152.2	390	2	45	0.2	
7/30/2014	XX	GW402A6JB	126	8.5	11.7	152	0.2		152.2	427	4	15	0.3	
10/22/2014	XX	GW402A732	58	8.6	8.3	151.95	0.25	108.3	152.2	370	4	30	0.4	
4/29/2015	XX	GW402A78J	137	8.5	6.9	152.05	0.15		152.2	272	4		0.8	
7/15/2015	XX	GW402A7CB	124	8.6	11.2		F1		152.2	306	3		0.4	
10/28/2015	XX	GW402A7IO	117	8.6	7.3	152.16	0.04	108.28	152.2	323	3.2		0.2	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 55 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-402A)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
4/6/2016	XX	GW402A86AX	F	F	F		F			F	F		F	
4/27/2016	XX	GW402A86A	129	8.8	7.2		F1		152.2	240	2.9		0.2	
7/27/2016	XX	GW402A8B0	128	8.6	12.4	152.12	0.08		152.2	248	2.9		0.3	
10/26/2016	XX	GW402A8J	126	8.3	8.2	151.74	0.46	108.28	152.2	245	4.5		0.4	
4/19/2017	XX	GW402A975	120	8.7	6.9	152.14	0.06		152.2	283	3.5		0.5	
7/26/2017	XX	GW402A9D3	122	8.4	10.2	152.15	0.05		152.2	321	2.7		0.4	
10/26/2017	XX	GW402A9GI	122	8.1	11	152.15	0.05	108.28	152.2	365	2.8		0.6	
4/4/2018	XX	GW402AA2H	130	8.6	6.1	152.18	0.02		152.2	460	5.2		0.3	
7/18/2018	XX	GW402AABI	136	8.5	11.9	151.97	0.23		152.2	407	2.6		0.3	
10/3/2018	XX	GW402AB0G	136	8.6	9.7	151.75	0.45	108.3	152.2	427	2.7		0.2	
4/24/2019	XX	GW402AB5D	122	8.5	6	152.14	0.06		152.2	344	3.5		0.2	
7/17/2019	XX	GW402ABC5	124	7.9	12.7		F1		152.2	339	6.1		2.1	
10/30/2019	XX	GW402ABHI	128	8.1	9.5	152.15	0.05	108.35	152.2	220	3.3		0.4	
4/29/2020	XX	GW402ACD5	134	8.3	7.5		F1		152.2	264	3.2		0.8	
7/22/2020	XX	GW402ACHI	111	8.5	10.6	152.16	0.04		152.2	319	3.4		0.5	
10/28/2020	XX	GW402AD32	112	8.5	6.7		F1	108.55	152.2	333	3.2		0.3	
4/7/2021	XX	GW402ADC4	114	7.9	7.7		F1		152.2	384	3.3		0.1	
7/14/2021	XX	GW402ADJG	112	8.1	10.5	152.15	0.05		152.2	243	3		0.4	
10/4/2021	XX	GW402AE64	118	7.6	11.9	152.14	0.06		152.2	181	1.8		0.3	
4/25/2022	XX	GW402AF0G	113	7.8	9.6	150.12	2.08		152.2	216	2.3		0.3	
7/20/2022	XX	GW402AF8E	113	7.6	11.9		F1		152.2	311	3.9		0.6	
10/3/2022	XX	GW402AFIF	113	7.1	9.7	151.54	0.66	108.39	152.2	263	9.2		0.3	
4/17/2023	XX	GW402AGI6	113	7.4	8.9	149.85	2.35		152.2	262	2.4		0.3	
7/10/2023	XX	GW402AH88	130	7.6	12.5	152.02	0.18		152.2	444	4.4		0.4	
10/2/2023	XX	GW402A05G	128	7.5	11.5	152.12	0.08	108.39	152.2	336	2.6		0.3	
<b>MW-402B</b>														
4/23/2014	XX	GW402B6F5	160	8.3	6.9	150.12	2.62		152.74	297	0.6	45	0.3	
7/30/2014	XX	GW402B6JC	152	8.6	11	149.03	3.71		152.74	307	1	15	0.2	
10/22/2014	XX	GW402B733	147	8.7	9.6	148.87	3.87	25.13	152.74	321	1	35	0.3	
4/29/2015	XX	GW402B790	155	8.7	6.1	149.94	2.8		152.74	253	0.6		0.4	
7/15/2015	XX	GW402B7CC	147	8.5	8.9	148.36	4.38		152.74	323	0.1		0.1	
10/28/2015	XX	GW402B7I1	142	8.6	8.8	149.49	3.25	25.16	152.74	351	0.1		0.2	
4/6/2016	XX	GW402B86BX	F	F	F		F			F	F		F	
4/27/2016	XX	GW402B86B	152	8.9	6.9	149.73	3.01		152.74	226	0.1		0.2	
7/27/2016	XX	GW402B8B1	150	8.4	10.8	147.81	4.93		152.74	214	0.2		0.3	
10/26/2016	XX	GW402B8J0	150	8.3	9.3	147.53	5.21	25.15	152.74	245	0.3		0.1	
4/19/2017	XX	GW402B976	141	8.8	6.4	149.94	2.8		152.74	241	0.1		0.2	
7/26/2017	XX	GW402B9D4	145	8.2	9.6	147.76	4.98		152.74	334	0.1		0.2	
10/26/2017	XX	GW402B9GJ	147	7.9	10.8	148.16	4.58	25.16	152.74	380	0.1		0.3	
4/4/2018	XX	GW402BA2I	152	8.4	5.9	150.29	2.45		152.74	467	6.8		0.3	
7/18/2018	XX	GW402BABJ	160	8.5	10	148.12	4.62		152.74	377	0.1		0.3	
10/3/2018	XX	GW402BB0H	162	8.7	10.1	146.92	5.82	25.16	152.74	415	0.1		0.1	
4/24/2019	XX	GW402BB5E	143	8.9	5.2	150.3	2.44		152.74	265	0.1		0.3	
7/17/2019	XX	GW402BBC6	143	8.3	10.6	149.02	3.72		152.74	319	3.2		1.2	
10/30/2019	XX	GW402BBHJ	151	8.1	9.9	150.09	2.65	25.14	152.74	208	1.2		0.2	
4/29/2020	XX	GW402BCD6	157	8.3	6.4	150.03	2.71		152.74	232	0.3		0.5	
7/22/2020	XX	GW402BCHJ	130	8	8.9	148.06	4.68		152.74	360	0.4		0.3	
10/28/2020	XX	GW402BD33	131	8.6	8.7	148.82	3.92	25.2	152.74	331	0.4		0.5	
4/7/2021	XX	GW402BDC5	132	8.3	7.3	150.09	2.65		152.74	276	0.2		0.7	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 56 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-402B)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
7/14/2021	XX	GW402BDJH	130	8.2	9.9	148.99	3.75		152.74	185	0.5		0.2	
10/4/2021	XX	GW402BE65	132	7.5	11.4	149.59	3.15		152.74	128	0.2		0.3	
4/25/2022	XX	GW402BF0H	130	7.8	7.8	150.14	2.6		152.74	191	0.2		0.1	
7/20/2022	XX	GW402BF8F	158	7.9	9.4	148.25	4.49		152.74	233	0.2		0.5	
10/3/2022	XX	GW402BFIG	131	7.6	10.7	148.54	4.2	25.15	152.74	251	1.5		0.2	
4/17/2023	XX	GW402BG17	130	6.9	7.6	149.96	2.78		152.74	193	0.2		0.2	
7/10/2023	XX	GW402BH89	139	8.1	10.2	149.44	3.3		152.74	394	0.5		0.2	
10/2/2023	XX	GW402B05H	148	8.1	11.5	149.14	3.6	25.15	152.74	343	0.5		0.2	
<b>MW-501</b>														
4/5/2018	XX	GW501XA6I	204	8.1	6.5		F1	47.6	166.19	472	4.1		0.4	
6/4/2018	XX	GW501XA7F	202	7.2	8.2		F1		166.19	346	8		1	
7/19/2018	XX	GW501XAE D	235	8.8	9		F1		166.19	553	6.7		3.2	
8/20/2018	XX	GW501XAFE	255	6.7	9.2		F1		166.19	327	7		3.9	
4/24/2019	XX	GW501XB7C	297	6.7	8		F1		166.19	383	6.3		0.2	
7/17/2019	XX	GW501XBE0	176	7.8	13.3		F1		166.19	200	13.3		0.4	
10/30/2019	XX	GW501XBJ9	367	6.9	9		F1	47.6	166.19	208	4.7		0.1	
4/29/2020	XX	GW501XCF0	157	7.6	8.2		F1		166.19	386	7.7		0.2	
7/22/2020	XX	GW501XCJD	310	6	15.5		F1		166.19	331	4		0.3	
10/28/2020	XX	GW501XD4D	295	7.6	8.6		F1	47.6	166.19	367	0.9		0.2	
4/7/2021	XX	GW501XDDH	229	6.7	8.6		F1		166.19	390	2.7		0.4	
7/14/2021	XX	GW501XE18	242	7.3	11.1		F1		166.19	327	4.3		0.2	
10/6/2021	XX	GW501XE8A	192	7	10.9		F1		166.19	304	5.2		0.1	
4/27/2022	XX	GW501XF2G	231	7	8.1		F1		166.19	411	2.8		0.1	
7/20/2022	XX	GW501XFA6	212	7	8.7		F1		166.19	329	3.9		0.2	
10/5/2022	XX	GW501XG0F	221	6.9	12.6		F1	47.6	166.19	366	2.3		0.3	
4/19/2023	XX	GW501XH06	232	7.2	10		F1		166.19	409	6.5		0.3	
7/12/2023	XX	GW501X002	249	6.9	17.2		F1		166.19	503	6.7		0.3	
10/4/2023	XX	GW501X07B	287	7.1	12.9		F1	47.6	166.19	295	3.5		0.5	
<b>MW-502</b>														
2/26/2020	XX	GW502XC55	280	8.4	7.5		F1	46.38		249	3.7		1.2	
4/30/2020	XX	GW502XCBJ	312	8.2	7.2		F1			309	5.8		0.8	
6/23/2020	XX	GW502XCGB	389	7.9	18.2		F1			342	3.6		0.2	
8/20/2020	XX	GW502XD11	316	7.9	18.7		F1			390	2.7		0.2	
7/14/2021	XX	GW502XE23	315	7.5	14.1		F1			319	2		0.2	
10/7/2021	XX	GW502XE8B	343	7.4	13.9		F1			251	2.1		0.5	
4/27/2022	XX	GW502XF2H	256	7.3	9.1		F1			404	3.3		0.1	
7/20/2022	XX	GW502XFAI	331	7.4	12.7		F1			279	2.1		0.7	
10/5/2022	XX	GW502XG0G	351	7.5	10.8		F1	46.38		334	1.7		0.3	
4/19/2023	XX	GW502XH07	335	6.6	9		F1			414	7.8		0.2	
7/12/2023	XX	GW502X00E	335	7.3	17.7		F1			492	4		0.6	
10/4/2023	XX	GW502X07C	369	7.3	14.3		F1	46.38		364	3.2		0.2	
<b>MW-503</b>														
2/9/2021	XX	GW503XD9A	207	7.9	6.5		F1	73.02		312	5.3		1.1	
4/8/2021	XX	GW503XDA9	204	7.5	8.4		F1			368	2.3		0.6	
6/8/2021	XX	GW503XDGC	198	7.4	12.3		F1			312	2.2		0.5	
8/19/2021	XX	GW503XE46	196	6.6	10.1		F1			398	1.6		0.2	
10/7/2021	XX	GW503XE96	138	7.4	12		F1			233	2.7		0.3	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 57 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-503)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
4/27/2022	XX	GW503XF3B	205	7.5	9.6		F1			369	3.6		0.2	
7/20/2022	XX	GW503XFB5	224	7.6	10.4		F1			278	1.2		1	
10/5/2022	XX	GW503XG1A	217	7.4	9.1		F1	73.02		339	1.7		0.2	
4/20/2023	XX	GW503XH11	213	7.6	5.7		F1			415	6.5		0.2	
7/13/2023	XX	GW503X011	200	7.3	12.4		F1			590	4.4		0.2	
10/4/2023	XX	GW503X086	240	7.6	14.8	163.715	0	73.02	163.715	352	3.6		0.3	
<b>MW-504</b>														
2/9/2021	XX	GW504XD9B	124	8.4	5.9	157.459	18.15	84.38	175.609	337	7.3		2.5	
4/7/2021	XX	GW504XDAA	139	8.3	8.3	157.609	18		175.609	179	6.2		3.9	
6/9/2021	XX	GW504XDGD	108	7.6	11.2	156.969	18.64		175.609	239	7		3.1	
8/19/2021	XX	GW504XE47	103	7.7	12.1	156.679	18.93		175.609	288	2.8		0.6	
10/7/2021	XX	GW504XE97	123	7.7	14.6	157.259	18.35		175.609	156	4.9		0.8	
4/27/2022	XX	GW504XF3C	104	8	9.4	150.509	25.1		175.609	223	7.3		3.8	
7/21/2022	XX	GW504XFB6	!	!	!	!	!		175.609	!	!		!	
10/5/2022	XX	GW504XG1B	106	7.4	10.4	149.109	26.5	84.38	175.609	339	3		3.7	
4/20/2023	XX	GW504XH12	103	7.3	7.4	149.359	26.25		175.609	361	6.8		0.8	
7/13/2023	XX	GW504X012	131	7.7	19.4	149.509	26.1		175.609	465	8.1		0.5	
10/5/2023	XX	GW504X087	126	7.8	13.2	148.809	26.8		175.609	214	5.9		3.4	
<b>MW-505</b>														
2/10/2021	XX	GW505XD9C	329	7.9	5.1	186.876	13.14	84.8	200.016	25	2.2		4.5	
4/8/2021	XX	GW505XDAB	311	7.6	8.4	188.236	11.78		200.016	55	2		0.9	
6/9/2021	XX	GW505XDGE	261	7.1	11.2	185.146	14.87		200.016	51	0.9		1.1	
8/18/2021	XX	GW505XE48	244	7.6	11.4	183.636	16.38		200.016	346	1.3		0.7	
10/7/2021	XX	GW505XE98	269	7.8	13.1	186.766	13.25		200.016	33	1.3		0.5	
4/27/2022	XX	GW505XF3D	242	7.7	7.7	188.236	11.78		200.016	88	0.3		0.3	
7/21/2022	XX	GW505XFB7	242	6.9	13.3	181.486	18.53		200.016	283	0.7		6.4	
10/5/2022	XX	GW505XG1C	212	7.4	9.8	182.566	17.45	84.8	200.016	182	0.4		0.6	
4/20/2023	XX	GW505XH13	210	7.7	6.3	185.906	14.11		200.016	121	0.6		0.4	
7/13/2023	XX	GW505X013	225	7.2	11	185.386	14.63		200.016	396	4.3		0.5	
10/4/2023	XX	GW505X088	221	7.8	10.7	184.366	15.65	84.8	200.016	239	0.4		0.4	
<b>MW-506</b>														
2/18/2021	XX	GW506XD9D	837	8.8	5.1	171.408	27.35	64.75	198.758	234	2.6		7.5	
4/8/2021	XX	GW506XDAC	667	8.1	10.2	173.258	25.5		198.758	254	3.4		6.7	
6/8/2021	XX	GW506XDGF	F16	F16	F16	170.378	28.38		198.758	F16	F16		F16	
7/14/2021	XX	GW506XE38	778	7.6	14.1	171.158	27.6		198.758	75	2		2.7	
9/1/2021	XX	GW506XE49	660	7.2	16.8	169.488	29.27		198.758	42	0.9		0.8	
10/7/2021	XX	GW506XE99	783	7.4	12.4	171.928	26.83		198.758	49	1.9		3.5	
4/27/2022	XX	GW506XF3E	499	7.5	8.6	172.758	26		198.758	28	1.5		15.2	
7/18/2022	XX	GW506XFB8	551	8.1	11	167.658	31.1		198.758	71	3.1		10.5	
10/5/2022	XX	GW506XG1D	496	7.5	8	169.758	29	64.75	198.758	103	4.7		8.6	
4/18/2023	XX	GW506XH14	481	8.1	8.9	165.198	33.56		198.758	117	3.8		8.2	
7/11/2023	XX	GW506X014	329	7.7	13.8	169.208	29.55		198.758	38	1.8		2.7	
10/4/2023	XX	GW506X089	319	7.5	13.6	171.458	27.3	64.75	198.758	36	1.6		4.1	
<b>MW-507</b>														
4/5/2018	XX	GW507XA6J	221	7.7	4.1	174.63	2.2		176.83	299	6.3		0.9	
6/5/2018	XX	GW507XA7G	219	7.8	8.2	172.48	4.35		176.83	267	6.3		1.6	
7/18/2018	XX	GW507XAE	249	7.2	11.5	170.98	5.85		176.83	298	4.6		3.5	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 58 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-507)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
8/20/2018	XX	GW507XAFF	270	7.1	13.9	169.31	7.52		176.83	267	3.1		4.7	
7/14/2021	XX	GW507XE24	318	6.9	11.8	173.13	3.7		176.83	252	3.8		3.9	
10/7/2021	XX	GW507XE8C	221	6.7	12	173.83	3		176.83	297	4.5		6.1	
4/27/2022	XX	GW507XF21	90	6.8	7.4	174.69	2.14		176.83	427	6.2		0.3	
7/20/2022	XX	GW507XFAJ	272	6.7	12.3	170.51	6.32		176.83	230	3.5		2.6	
10/5/2022	XX	GW507XG0H	324	6.6	11.8	171.98	4.85	35	176.83	261	2		2.4	
4/19/2023	XX	GW507XH08	178	8	7.2	174.53	2.3		176.83	284	5.1		1	
7/13/2023	XX	GW507X00F	129	7.3	11.3	174.03	2.8		176.83	206	6.6		5.7	
10/5/2023	XX	GW507X07D	219	6.7	11.9	173.43	3.4	35	176.83	260	7.1		1	
<b>MW-508</b>														
10/5/2022	XX	GW508XG2E	334	7.7	9		1.8	38.78		215	1.9		1.7	
1/24/2023	XX	GW508XGBF	F	F	F		F	38.78	F	F	F		F	
3/30/2023	XX	GW508XGH2	281	8.4	5.7		0.37			355	3.4		0.5	
4/19/2023	XX	GW508XH1H	269	7.4	8.5		1.86			436	3.4		0.5	
6/19/2023	XX	GW508XH5H	305	7.5	9.7		1.2			464	4.2		0.3	
7/13/2023	XX	GW508X011	303	7.4	14.3		2.15			446	3.6		0.4	
10/4/2023	XX	GW508X090	312	5.5	12.3		2.23	38.78		424	4.4		0.4	
<b>OW-06-03</b>														
4/10/2018	XX	GWXXXXA73	193	5.6	8.7	181.72	24.32	25.81	206.04	401	6		2.7	
6/5/2018	XX	GWXXXXA80	I	I	I		I			I	I		I	
7/19/2018	XX	GWXXXXAEI	I	I	I		I			I	I		I	
8/21/2018	XX	GWXXXXAFH	I	I	I		I			I	I		I	
4/23/2019	XX	GWXXXXB7B	409	6	6.2	185.54	20.5		206.04	358	3		8.2	
7/18/2019	XX	GWXXXXBDJ	I	I	I		I		206.04	I	I		I	
10/29/2019	XX	GWXXXXBJA	448	6.4	10.3	182.91	23.13	25.81	206.04	176	0.9		10.2	
4/29/2020	XX	GWXXXXCEJ	641	6.1	8.7	180.54	25.5		206.04	140	2.3		43.8	
7/20/2020	XX	GWXXXXCJC	I	I	I		I		206.04	I	I		I	
10/28/2020	XX	GWXXXXD4E	778	6.3	7	181.02	25.02	25.81	206.04	200	1.3		11.7	
4/7/2021	XX	GWXXXXDDG	497	5.9	10.4	183.24	22.8		206.04	87	0.9		2.9	
7/14/2021	XX	GWXXXXE17	626	6	15.3	182.54	23.5		206.04	144	1.5		8.6	
10/6/2021	XX	GWXXXXE7F	1035	6	16.4	180.92	25.12		206.04	123	0.5		3.4	
4/28/2022	XX	GWXXXXF25	292	5.9	7.7	180.74	25.3		206.04	158	2		8.9	
7/20/2022	XX	GWXXXXFA5	I	I	I	181.89	24.15		206.04	I	I		I	
10/6/2022	XX	GWXXXXG04	758	5.9	13.4	181.12	24.92	25.8	206.04	103	1.6		4.7	
4/20/2023	XX	GWXXXXGJF	775	7.8	6.8	180.84	25.2		206.04	180	0.9		5.1	
7/12/2023	XX	GWXXXX001	D	D	D	D	D		206.04	D	D		D	
10/4/2023	XX	GWXXXX070	D	D	D	180.36	25.68	25.8	206.04	D	D		D	
<b>OW-601A</b>														
4/11/2018	XX	GW601AA69	336	7.2	8.2	182.32	35.62	79.02	217.94	223	7.9		1355	
6/6/2018	XX	GW601AA76	324	7.4	9.2	182.34	35.6		217.94	276	2.7		38.1	
7/19/2018	XX	GW601AAE4	364	7.1	14.1	180.54	37.4		217.94	187	4.6		3.3	
8/22/2018	XX	GW601AAF5	379	7.2	14.2	178.84	39.1		217.94	273	1.5		3.3	
4/24/2019	XX	GW601AB76	410	7.2	6.4	181.34	36.6		217.94	402	0.9		1.7	
7/18/2019	XX	GW601ABB6	409	7.1	13.3	181.74	36.2		217.94	291	2		1.7	
10/30/2019	XX	GW601ABJB	378	7	11.3	179.69	38.25	79.02	217.94	314	6.4		2	
4/29/2020	XX	GW601ACC6	311	5.9	10.4	180.04	37.9		217.94	378	2.6		6.9	
7/22/2020	XX	GW601ACGJ	369	6.7	11.6	177.59	40.35		217.94	290	2.6		8.9	



REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 59 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-601A)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
10/28/2020	XX	GW601AD4F	415	7.1	8.4	175.34	42.6	79.02	217.94	291	1.8		10.6	
4/7/2021	XX	GW601ADB5	418	7	9.2	178.54	39.4		217.94	186	1.6		4	
7/12/2021	XX	GW601ADIH	398	7.7	11.7	177.19	40.75		217.94	172	2.1		6.5	
10/5/2021	XX	GW601AE7G	434	7.3	12.7	176.94	41		217.94	164	2.3		1.8	
4/29/2022	XX	GW601AF26	362	6.6	8.8	181.19	36.75		217.94	236	1.5		2.7	
7/21/2022	XX	GW601AF7F	420	6.7	17.7	178.09	39.85		217.94	176	1.7		1.5	
10/6/2022	XX	GW601AG05	426	6.6	9.9	175.59	42.35	79.02	217.94	241	2.7		2	
4/20/2023	XX	GW601AGJG	545	6.9	7.2	180.64	37.3		217.94	305	1.9		0.9	
7/12/2023	XX	GW601AH79	424	7.5	15.1	180.24	37.7		217.94	107	1.6		2.4	
10/5/2023	XX	GW601A071	459	6.7	14.5	179.59	38.35	79.02	217.94	247	3.3		0.6	
<b>OW-601B</b>														
4/11/2018	XX	GW601BA6A	371	6.4	8.6	181.95	35.55	59.2	217.5	361	4.4		2.5	
6/6/2018	XX	GW601BA77	323	6.5	9.1	181.9	35.6		217.5	287	1.4		3	
7/19/2018	XX	GW601BAE5	339	6.2	12.6	179.95	37.55		217.5	370	3.1		2.5	
8/22/2018	XX	GW601BAF6	386	6.2	14.7	178.42	39.08		217.5	340	4.3		5	
4/23/2019	XX	GW601BB77	358	6.5	7.7	180.92	36.58		217.5	406	2.5		1	
7/18/2019	XX	GW601BBDF	351	6.2	11	181.34	36.16		217.5	259	2.1		5.7	
10/30/2019	XX	GW601BBJC	369	6.7	10.4	179.2	38.3	59.19	217.5	328	3		6.3	
4/29/2020	XX	GW601BCEF	312	5.9	9.9	179.65	37.85		217.5	381	2.9		7.6	
7/22/2020	XX	GW601BCJ8	342	6.5	11.5	177.23	40.27		217.5	297	5.5		3.5	
10/28/2020	XX	GW601BD4G	403	6.5	8.3	174.95	42.55	59.2	217.5	341	3.2		2.4	
4/7/2021	XX	GW601BDDC	358	6.2	11.3	178.08	39.42		217.5	253	2.8		1.2	
7/12/2021	XX	GW601BE13	341	6.8	13.8	176.8	40.7		217.5	251	3.2		4.3	
10/5/2021	XX	GW601BE7H	377	6.5	11.8	176.7	40.8		217.5	222	3		1.4	
4/29/2022	XX	GW601BF27	296	5.9	8.1	180.7	36.8		217.5	293	2.5		2.3	
7/21/2022	XX	GW601BFA1	336	6.2	13.7	177.7	39.8		217.5	220	2.9		2.1	
10/6/2022	XX	GW601BG06	391	6	11	175.2	42.3	59.2	217.5	293	3.3		1.2	
4/20/2023	XX	GW601BGJH	427	6.3	8.3	180.3	37.2		217.5	370	5.3		0.6	
7/12/2023	XX	GW601BH9F	337	6.4	25	180.05	37.45		217.5	162	2.4		2.6	
10/5/2023	XX	GW601B072	359	6.1	13.2	179.2	38.3		217.5	283	3.3		1	
<b>OW-602A</b>														
4/11/2018	XX	GW602AA6B	144	7.3	8.1	183.25	29.92	240	213.17	345	9.8		0.5	
6/6/2018	XX	GW602AA78	143	7.2	7.9	181.67	31.5		213.17	335	12.9		2	
7/19/2018	XX	GW602AAE6	143	8.2	8.6	179.32	33.85		213.17	467	10.3		2.2	
8/21/2018	XX	GW602AAF7	143	6.7	17.5	177.92	35.25		213.17	301	7.5		3.7	
4/24/2019	XX	GW602AB78	93	7.1	7.2	178.72	34.45		213.17	391	10		0.9	
7/18/2019	XX	GW602ABDG	110	6.8	8.7	178.42	34.75		213.17	308	11.2		1.6	
10/29/2019	XX	GW602ABJD	120	7.1	9.2	177.37	35.8	239.4	213.17	324	8.2		0.7	
4/29/2020	XX	GW602ACEG	128	6.8	9.8	177.45	35.72		213.17	333	8.3		0.5	
7/22/2020	XX	GW602ACJ9	152	7.1	9.8	175.17	38		213.17	308	8.2		1.2	
10/28/2020	XX	GW602AD4H	171	7	6.5	173.27	39.9	239.4	213.17	306	7		2.4	
4/7/2021	XX	GW602ADDD	253	6.7	8.8	175.47	37.7		213.17	184	2.7		0.9	
7/12/2021	XX	GW602AE14	255	7.4	11.4	174.37	38.8		213.17	210	2.6		1.5	
10/6/2021	XX	GW602AE71	336	6.5	10.8	174.47	38.7		213.17	212	1		1.3	
4/29/2022	XX	GW602AF28	312	6.2	5.2	177.77	35.4		213.17	270	2.9		2.7	
7/21/2022	XX	GW602AFA2	313	6.5	9.8	175.17	38		213.17	183	0.8		1.4	
10/6/2022	XX	GW602AG07	328	6.2	9.2	173.37	39.8	50	213.17	247	1.1		1.1	
4/20/2023	XX	GW602AGJ1	436	7.1	8.1	177.47	35.7		213.17	311	0.6		1	



REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 60 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-602A)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
7/12/2023	XX	GW602AH9G	356	6.9	12	177.17	36		213.17	108	0.8		2.1	
10/4/2023	XX	GW602A073	362	6.5	11.1	176.57	36.6	50	213.17	187	0.9		1.1	
<b>OW-603B</b>														
4/12/2018	XX	GW603BA6C	302	5.7	7.7	187.63	20.44	28.84	208.07	415	0.3		7.2	
6/5/2018	XX	GW603BA79	211	5.9	8.3	185.27	22.8		208.07	393	3.7		2.2	
7/19/2018	XX	GW603BAE7	223	7.1	19.7	183.42	24.65		208.07	402	1.2		430	
8/21/2018	XX	GW603BAF8	136	6.1	16	182.47	25.6		208.07	315	5		11.3	
4/23/2019	XX	GW603BB79	122	6.4	6.3	181.17	26.9		208.07	409	5.8		22.1	
7/18/2019	XX	GW603BBDH	136	6.2	12.3	182.67	25.4		208.07	304	7.5		9.3	
10/29/2019	XX	GW603BBJE	185	6.5	10.2	181.51	26.56	28.84	208.07	400	0.1		32.6	
4/29/2020	XX	GW603BCEH	130	6.3	7.9	182.12	25.95		208.07	358	7.2		13.3	
7/22/2020	XX	GW603BCJA	I	I	I	I	I		208.07	I	I		I	
10/28/2020	XX	GW603BD4I	I	I	I	179.37	28.7	28.84	208.07	I	I		I	
4/7/2021	XX	GW603BDDE	D	D	D	179.32	28.75		208.07	D	D		D	
7/13/2021	XX	GW603BE15	D	D	D	D	D		208.07	D	D		D	
10/6/2021	XX	GW603BE7J	D	D	D	D	D		208.07	D	D		D	
4/28/2022	XX	GW603BF29	D	D	D	179.37	28.7		208.07	D	D		D	
7/21/2022	XX	GW603BFA3	D	D	D	D	D		208.07	D	D		D	
10/6/2022	XX	GW603BG08	D	D	D	D	D	28.82	208.07	D	D		D	
4/20/2023	XX	GW603BGJJ	D	D	D	179.99	28.08		208.07	D	D		D	
7/12/2023	XX	GW603BH9H	I	I	I	I	I		208.07	I	I		I	
10/5/2023	XX	GW603B074	D	D	D	179.37	28.7	28.82	208.07	D	D		D	
<b>OW-604A</b>														
4/12/2018	XX	GW604AA6D	89	6	7.1	184.5	14.3	33.8	198.8	416	1.6		3.1	
6/4/2018	XX	GW604AA7A	78	6.3	8.1	180.3	18.5		198.8	397	7.5		1.2	
7/19/2018	XX	GW604AAE8	89	7.8	14.5	178.25	20.55		198.8	548	6		3.2	
8/21/2018	XX	GW604AAF9	125	6.3	16.9	175.73	23.07		198.8	334	5.4		3.7	
4/23/2019	XX	GW604AB7A	119	6.4	6.2	177.81	20.99		198.8	429	5.2		2	
7/18/2019	XX	GW604ABDI	124	6.1	14.1	178.95	19.85		198.8	293	3.2		5.8	
10/29/2019	XX	GW604ABJF	120	6.3	11	179.06	19.74	33.8	198.8	417	0.1 U		3.7	
4/29/2020	XX	GW604ACEI	155	6.1	6.9	179.03	19.77		198.8	389	6.3		1.3	
7/21/2020	XX	GW604ACJB	160	6.3	16.6	175.05	23.75		198.8	310	4.2		2.3	
10/28/2020	XX	GW604AD4J	159	7.2	7.4	172.9	25.9	33.71	198.8	369	5.6		10.9	
4/7/2021	XX	GW604ADDF	193	6.2	11	174.3	24.5		198.8	260	6.9		1.2	
7/14/2021	XX	GW604AE16	219	6.3	12.8	173.35	25.45		198.8	284	4.8		2	
10/6/2021	XX	GW604AE80	233	6.6	14.1	173.95	24.85		198.8	234	4.7		2.1	
4/28/2022	XX	GW604AF2A	233	6	7.4	177.2	21.6		198.8	296	3.7		4.3	
7/21/2022	XX	GW604AFA4	272	5.9	16.7	173.8	25		198.8	265	3		2	
10/6/2022	XX	GW604AG09	280	6.2	13.5	173.15	25.65	36.8	198.8	260	3.6		1.9	
4/20/2023	XX	GW604AH00	411	6.8	6.6	176.3	22.5		198.8	380	3.5		0.7	
7/12/2023	XX	GW604AH9I	315	6.3	14.8	176.05	22.75		198.8	217	3.5		0.9	
10/4/2023	XX	GW604A075	336	6.2	15.3	175.4	23.4	36.8	198.8	208	3.1		1.5	
<b>OW-605A</b>														
4/10/2018	XX	GW605AA6E	194	7.4	7.7	162.21	24.55	260	186.76	230	7.1		8.9	
6/5/2018	XX	GW605AA7B	152	7.7	8.6	161.96	24.8		186.76	240	7.5		5	
7/19/2018	XX	GW605AAE9	151	7.3	14.4	161.69	25.07		186.76	286	6.9		7.4	
8/21/2018	XX	GW605AAFA	147	7.3	12.7	161.51	25.25		186.76	272	7.1		6.6	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 61 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-605A)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
7/14/2021	XX	GW605AE25	134	7.4	12.4	163.31	23.45		186.76	232	2.4		0.5	
10/7/2021	XX	GW605AE8G	193	6.8	11.5	163.54	23.22		186.76	246	1.4		0.8	
4/28/2022	XX	GW605AF31	218	6.8	7.5	165.26	21.5		186.76	397	1.7		0.2	
7/21/2022	XX	GW605AFB0	235	6.4	13.2	164.46	22.3		186.76	334	1.3		5.8	
10/6/2022	XX	GW605AG10	237	7.1	10	164.43	22.33	155	186.76	378	1.8		0.6	
4/20/2023	XX	GW605AH0B	83	7.4	8.8	166.11	20.65		186.76	295	3.6		1.2	
7/12/2023	XX	GW605A00G	267	6.4	13.4	165.16	21.6		186.76	382	2.4		0.3	
10/4/2023	XX	GW605A07G	272	6.7	15.2	165.36	21.4	155	186.76	203	1.2		0.4	
<b>OW-606A</b>														
4/3/2018	XX	GW606AA6F	427	8.2	5.5			F1	240	372	3.8		0.4	
6/4/2018	XX	GW606AA7C	339	8.4	7.9			F1		301	4.6		0.9	
7/19/2018	XX	GW606AAEA	353	8	10.2			F1		259	4		2.5	
8/21/2018	XX	GW606AAF8	353	8.1	10			F1		248	4.3		3.1	
7/14/2021	XX	GW606AE06	290	7.7	11.1			F1		336	4.2		0.3	
10/7/2021	XX	GW606AE8H	287	7.7	13			F1		254	3.3		0.3	
4/28/2022	XX	GW606AF32	296	7.6	7.8			F1		395	3.3		0.2	
7/20/2022	XX	GW606AF94	291	7.8	9.1			F1		295	3.3		0.5	
10/6/2022	XX	GW606AG11	167	7.4	11.9	155.67	3.95	60	159.62	384	3		1.2	
4/19/2023	XX	GW606AH0C	310	7.4	10.2			F1		159.62	331		0.2	
7/12/2023	XX	GW606AH8I	354	7.8	12.7			F1		159.62	485		0.8	
10/5/2023	XX	GW606A07H	356	7.8	8.4			F1	60	159.62	484		0.3	
<b>OW-606B</b>														
2/9/2021	XX	GW606BD9E	F	F	F	162.846	3.03 F	17	165.876	F	F		F	
4/8/2021	XX	GW606BDAD	234	7.1	5.5	162.796	3.08		165.876	253	3.3		9.2	
6/8/2021	XX	GW606BDGG	176	7.1	11.5	161.876	4		165.876	329	3.1		3.6	
7/14/2021	XX	GW606BE37	155	7.3	14.6	162.456	3.42		165.876	352	3.9		0.8	
8/18/2021	XX	GW606BE4A	165	7.7	17.1	161.586	4.29		165.876	333	2.4		0.5	
10/7/2021	XX	GW606BE8I	162	7.2	12.2	162.736	3.14		165.876	162	3		0.5	
4/28/2022	XX	GW606BF33	240	6.9	9.7	162.576	3.3		165.876	350	1.2		0.4	
7/20/2022	XX	GW606BF89	157	7.4	13.3	162.156	3.72		165.876	329	3.9		7.1	
10/6/2022	XX	GW606BG12	291	7.7	8.7			F1	17	165.876	362		0.3	
4/19/2023	XX	GW606BH0D	151	7.5	7	162.436	3.44		165.876	369	10.8		0.3	
7/12/2023	XX	GW606B015	171	7.8	13.1	162.276	3.6		165.876	476	4.9		0.3	
10/5/2023	XX	GW606B07I	178	7.7	13.5	161.856	4.02	17	165.876	466	4.7		0.6	
<b>OW-607B</b>														
2/9/2021	XX	GW607BD9F	142	7.8	4.9	165.057	10.12	54	175.177	322	2.9		2.5	
4/7/2021	XX	GW607BDAE	172	7.8	8.8	166.977	8.2		175.177	105	0.5		1.8	
6/9/2021	XX	GW607BDGH	160	7.2	11.5	164.477	10.7		175.177	249	2		1.1	
8/19/2021	XX	GW607BE4B	138	7.6	12.7	163.077	12.1		175.177	202	1.2		0.3	
10/7/2021	XX	GW607BE8J	129	7.1	17.1	164.927	10.25		175.177	225	3.3		0.5	
4/28/2022	XX	GW607BF34	143	7.2	6.4	158.777	16.4		175.177	191	2.9		14.5	
7/20/2022	XX	GW607BF8A	161	7.6	22.5	154.377	20.8		175.177	86	1.1		12.1	
10/6/2022	XX	GW607BG13	142	7.3	9.9	154.857	20.32	60.75	175.177	349	0.9		2.1	
4/20/2023	XX	GW607BH0E	140	7.3	9	155.827	19.35		175.177	255	3.9		1.2	
7/13/2023	XX	GW607B016	162	7.9	19.8	155.927	19.25		175.177	356	2.7		1.2	
10/5/2023	XX	GW607B07J	143	7.9	13.3	154.877	20.3		175.177	165	2.4		3	
<b>OW-608A</b>														

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 62 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-608A)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
4/4/2018	XX	GW608AA6G	197	8.4	7.5	160.89	35.72	260	196.61	320	2.7		5.1	
6/4/2018	XX	GW608AA7D	200	8.4	8.3	160.11	36.5		196.61	5	0.3		10	
7/18/2018	XX	GW608AAEB	205	8	11	159.81	36.8		196.61	42	0.3		10.3	
8/20/2018	XX	GW608AAFC	176	8.6	15.5	159.44	37.17		196.61	247	6.4		10	
7/15/2021	XX	GW608AE26	205	8.2	11.4	159.16	37.45		196.61	36	0.4		5.2	
10/6/2021	XX	GW608AE90	127	7.8	13.2	159.15	37.46		196.61	65	0.4		1.2	
4/28/2022	XX	GW608AF35	169	7.8	8.3	159.51	37.1		196.61	9	0.2		9.6	
7/20/2022	XX	GW608AFB1	188	8.3	13.8	158.61	38		196.61	29	0.5		12.5	
10/5/2022	XX	GW608AG14	196	7.9	15	158.81	37.8	260	196.61	60	0.5		9.5	
4/19/2023	XX	GW608AH0F	265	8.7	8.2	159.16	37.45		196.61	8	0.2		2.5	
8/2/2023	XX	GW608A00H	170	8.1	9.4	158.91	37.7		196.61	49	0.6		2.5	
10/5/2023	XX	GW608A080	204	7.9	9.8	158.86	37.75		196.61	160	0.4		1.2	
<b>OW-608B</b>														
2/10/2021	XX	GW608BD9G	228	8.1	5.6	196.254	5.15	46.09	201.404	222	1.4		3.2	
4/8/2021	XX	GW608BDAF	272	8.4	7.5	197.054	4.35		201.404	45	0.2		2.6	
6/8/2021	XX	GW608BDGI	258	7.6	13.2	194.874	6.53		201.404	54	0.5		2.1	
8/17/2021	XX	GW608BE4C	244	7.7	13.1	193.874	7.53		201.404	284	0.9		0.8	
10/6/2021	XX	GW608BE91	232	6.8	14.5	195.254	6.15		201.404	199	1		1.5	
4/28/2022	XX	GW608BF36	219	7.9	7.7	195.134	6.27		201.404	124	0.5		5.1	
7/20/2022	XX	GW608BFBB	264	8.2	15.5	192.404	9		201.404	12	0.3		3.5	
10/5/2022	XX	GW608BG15	251	8.1	12.9	193.104	8.3	46.09	201.404	34	0.2		4.5	
4/19/2023	XX	GW608BH0G	315	8.6	8.5	194.504	6.9		201.404	221	2.1		1.2	
7/13/2023	XX	GW608B017	211	8.6	14.8	194.954	6.45		201.404	35	0.4		1.5	
10/5/2023	XX	GW608B081	255	7.5	12.5	192.954	8.45	46.09	201.404	246	0.5		1	
<b>OW-609B</b>														
2/10/2021	XX	GW609BD9H	380	7.7	6.2	198.467	14.46	51.61	212.927	315	7		3.3	
4/8/2021	XX	GW609BDAG	271	7.4	8	206.627	6.3		212.927	272	3.2		32.4	
6/8/2021	XX	GW609BDGI	477	6.8	12	196.917	16.01		212.927	228	0.5		12.5	
8/17/2021	XX	GW609BE4D	418	7.6	11.8	194.697	18.23		212.927	225	0.8		1.2	
10/7/2021	XX	GW609BE92	468	7.6	9.8	196.927	16		212.927	105	0.3		4.9	
4/28/2022	XX	GW609BF37	226	6.9	7.6	200.127	12.8		212.927	206	1		11.5	
7/18/2022	XX	GW609BFBC	334	7.6	12.5	194.277	18.65		212.927	131	0.4		3.8	
10/5/2022	XX	GW609BG16	318	7.8	8.8	196.777	16.15	51.61	212.927	71	0.4		2.7	
4/18/2023	XX	GW609BH0H	227	7.4	7.8	197.587	15.34		212.927	231	3.3		7.2	
7/11/2023	XX	GW609B018	266	7.3	11.9	200.227	12.7		212.927	164	3.4		4.7	
10/4/2023	XX	GW609B082	309	7.4	10.9	199.727	13.2	51.61	212.927	108	0.5		2.8	
<b>OW-610A</b>														
10/5/2022	XX	GW610AG2F	410	6.9	10.9		7.27	39.52		174	0.3		2.2	
1/24/2023	XX	GW610AGBG	466	7.7	5		6.32	39.52		126	2.9		2.8	
4/19/2023	XX	GW610AH11	521	8.2	7.4		5.35			230	0.2		0.8	
6/19/2023	XX	GW610AH61	375	7.3	10.3		5.75			120	0.3		2.1	
7/13/2023	XX	GW610A01H	363	7.2	12.5		5.65			87	0.2		1.7	
10/5/2023	XX	GW610A091	350	7.2	12.7		6.2	39.52		254	0.3		1	
<b>OW-611A</b>														
4/4/2018	XX	GW611AA6H	502	7.1	7	176.7	8.45	220	185.15	366	5.1		0.4	
6/5/2018	XX	GW611AA7E	393	7.2	8.7	175.25	9.9		185.15	363	5.6		2	
7/18/2018	XX	GW611AAEC	405	7	12.5	174.65	10.5		185.15	305	4.5		3.3	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 63 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-611A)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
8/20/2018	XX	GW611AAFD	400	7	13.4	174.12	11.03		185.15	243	3.6		5.5	
7/14/2021	XX	GW611AE27	496	7	10.2	176.45	8.7		185.15	248	3.7		4.1	
10/7/2021	XX	GW611AE93	473	6.8	10.9	176.85	8.3		185.15	272	3.5		3.2	
4/27/2022	XX	GW611AF38	370	6.8	8.3	177.61	7.54		185.15	227	4.2		3.4	
7/20/2022	XX	GW611AFB2	416	6.6	12.4	174.8	10.35		185.15	253	3.7		2.5	
10/6/2022	XX	GW611AG17	378	6.9	9.8	175.48	9.67	220	185.15	388	2		0.5	
4/20/2023	XX	GW611AH01	553	7.7	7	175.95	9.2		185.15	272	7.5		1.2	
7/13/2023	XX	GW611A001	466	6.9	11.5	175.46	9.69		185.15	406	4.3		0.5	
10/5/2023	XX	GW611A083	458	6.8	9.8	174.65	10.5	220	185.15	451	4.1		0.5	
<b>P-04-02 &amp; P-04-02R</b>														
7/15/2015	XX	GWXXXX7DJ	284	7.9	13.6	158.71	12.01		170.72	316	5.8		18.2	
10/28/2015	XX	GWXXXX7J4	700	7.9	12.6	158.92	11.8	37.98	170.72	118	0.2		1.5	
4/6/2016	XX	GWXXXX871	531	8.1	8.4	159.37	11.35		170.72	272	1.9		2.2	
7/27/2016	XX	GWXXXX8C7	772	7.8	15.4	157.92	12.8		170.72	282	1.1		0.8	
10/26/2016	XX	GWXXXX904	629	7.8	11.1	157.91	12.81	37.96	170.72	195	1.2		0.8	
4/19/2017	XX	GWXXXX98C	636	8.1	9.2	159.42	11.3		170.72	349	6.2		1.1	
7/26/2017	XX	GWXXXX9E8	604	8	12.4	157.62	13.1		170.72	350	2.2		2.4	
10/25/2017	XX	GWXXXX9I3	481	7.7	15.4	157.22	13.5	38	170.72	341	3.5		1.7	
4/4/2018	XX	GWXXXXA44	492	8.2	9.3	159.92	10.8		170.72	470	5.6		1.8	
7/18/2018	XX	GWXXXXAD3	509	8.2	13.2	157.48	13.24		170.72	446	1.7		7.3	
10/3/2018	XX	GWXXXXB21	456	8.1	12.7	157.47	13.25	38	170.72	435	1.3		1.8	
4/22/2019	XX	GWXXXXB70	327	8.3	11	159.86	10.86		170.72	401	2.9		0.9	
7/17/2019	XX	GWXXXXBDA	401	8	15.1	158.23	12.49		170.72	305	7.1		1.3	
10/30/2019	XX	GWXXXXBJ2	331	8.2	12	159.22	11.5	38	170.72	254	0.7		2.9	
4/29/2020	XX	GWXXXXCEA	419	8.1	9.8	158.75	11.97		170.72	314	4.6		0.7	
7/22/2020	XX	GWXXXXCJ3	328	7.8	12.6	156.82	13.9		170.72	335	2.4		0.5	
10/28/2020	XX	GWXXXXD46	284	8.1	10.3	157.54	13.18	37.88	170.72	356	1.8		2.1	
4/7/2021	XX	GWXXXXDD9	301	7.7	9.8	159.14	11.58		170.72	358	4.5		1.5	
7/12/2021	XX	GWXXXXE10	289	7.1	13.1	157.32	13.4		170.72	287	3.9		0.6	
10/6/2021	XX	GWXXXXE77	274	7.3	11.8	156.84	13.88		170.72	283	1.5		0.6	
4/26/2022	XX	GWXXXXF11	260	7.5	9.3	159.17	11.55		170.72	219	3.4		3.5	
7/19/2022	XX	GWXXXXF91	274	7.7	15.1	156.57	14.15		170.72	103	1.5		1.8	
10/4/2022	XX	GWXXXXFJH	229	6.3	13	157.72	13	38.02	170.72	288	0.5		2.4	
4/17/2023	XX	GWXXXXGJ8	280	7.6	10.1	158.52	12.2		170.72	299	3.3		1.5	
7/10/2023	XX	GWXXXXH9C	216	7.6	12.9	158.26	12.46		170.72	191	1.3		2.1	
10/2/2023	XX	GWXXXX06G	223	7.4	14.2	157.92	12.8	38.02	170.72	146	0.5		3.7	
<b>P-04-04</b>														
4/23/2014	XX	GWXXXX6G0	176	6.6	11.1	160.85	8.4		169.25	461	5	50	1.8	
7/30/2014	XX	GWXXXX703	175	7.9	14.3	160.29	8.96		169.25	335	3	45	0.6	
10/22/2014	XX	GWXXXX73E	165	8.1	10.9	159.9	9.35	32.28	169.25	390	3	50	1.1	
4/29/2015	XX	GWXXXX79B	174	8	8.3	161.1	8.15		169.25	397	5.9		0.9	
7/15/2015	XX	GWXXXX7D3	171	8.1	13.7	160.14	9.11		169.25	330	3.9		1.2	
10/28/2015	XX	GWXXXX7IC	161	8.3	11.6	160.19	9.06	32.31	169.25	324	2.3		0.5	
4/6/2016	XX	GWXXXX872	176	8.2	8.5	160.66	8.59		169.25	272	6.2		1.2	
7/27/2016	XX	GWXXXX8BC	173	7.7	14.1	159.29	9.96		169.25	249	3.7		0.7	
10/26/2016	XX	GWXXXX8JB	184	8	11.8	158.72	10.53	32.3	169.25	228	1.8		0.8	
4/19/2017	XX	GWXXXX97H	173	8.1	9.3	160.75	8.5		169.25	350	7.6		0.8	
7/26/2017	XX	GWXXXX9DF	175	8.1	13.4	159	10.25		169.25	312	3.3		1.5	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 64 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(P-04-04)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO <sub>3</sub> ) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
10/25/2017	XX	GWXXXX9HA	189	7.7	15.3	158.45	10.8	32.34	169.25	340	4.5		0.7	
4/4/2018	XX	GWXXXXA39	184	8.3	8.9	161.09	8.16		169.25	467	5.4		1.2	
7/18/2018	XX	GWXXXXACA	193	7.9	14	158.85	10.4		169.25	482	3.2		4.2	
10/3/2018	XX	GWXXXXB18	196	8.1	13.1	158.33	10.92	32.34	169.25	423	1.6		1.1	
4/22/2019	XX	GWXXXXB65	182	8.2	9.6	160.38	8.87		169.25	402	6.3		0.8	
7/17/2019	XX	GWXXXXBCG	190	8.1	16	159.65	9.6		169.25	304	7.7		1.4	
10/30/2019	XX	GWXXXXBI9	187	7.9	12	160.05	9.2	32.34	169.25	247	2.4		2.2	
4/29/2020	XX	GWXXXXCDG	197	8.2	9.9	161.29	7.96		169.25	314	7.2		0.8	
7/22/2020	XX	GWXXXXCI9	170	7.8	14	157.93	11.32		169.25	329	4		0.6	
10/28/2020	XX	GWXXXXD3D	167	8.1	10.3	158.45	10.8	37.1	169.25	347	2.4		1.8	
4/7/2021	XX	GWXXXXDCF	169	7.8	9.6	160.01	9.24		169.25	358	6.6		0.3	
7/12/2021	XX	GWXXXXE07	170	7.5	12.8	157.65	11.6		169.25	287	3.9		0.8	
10/6/2021	XX	GWXXXXE6F	175	7.3	13.4	159.05	10.2		169.25	277	1.9		0.8	
4/26/2022	XX	GWXXXXF17	175	7.6	9	160.4	8.85		169.25	231	6.1		2.8	
7/19/2022	XX	GWXXXXF95	194	7.8	14	157.43	11.82		169.25	115	2.8		4.7	
10/4/2022	XX	GWXXXXFJ6	194	6.7	13.3	158.73	10.52	37.11	169.25	256	1.8		1.7	
4/17/2023	XX	GWXXXXGIH	289	7.9	9.7	159.9	9.35		169.25	296	5.6		0.9	
7/10/2023	XX	GWXXXXH8J	201	7.8	13.1	159.32	9.93		169.25	197	2.8		1.6	
10/2/2023	XX	GWXXXXO66	201	7.7	13.6	159.15	10.1	32.35	169.25	125	1.1		2.6	
<b>P-04-07A</b>														
10/3/2022	XX	GWXXXXG2G	280	6.7	9.2	173.49	3.63	28.22	177.12	265	1.3		2	
1/24/2023	XX	GWX07AGBD	F	F	F		F	28.17	177.12	F	F		F	
3/30/2023	XX	GWX07AGH0	245	7.8	5.6	176.06	1.06		177.12	372	3.2		0.2	
4/19/2023	XX	GWXXXXH1J	250	6.9	7.2	175.36	1.76		177.12	363	1.6		0.8	
6/19/2023	XX	GWX07AH5F	259	6.7	8.8	175.01	2.11		177.12	474	4.5		0.4	
7/13/2023	XX	GWX07A01J	259	6.7	10.8	175	2.12		177.12	445	4.2		1.2	
10/5/2023	XX	GWXXXXO92	256	6.6	12.1	174.14	2.98	28.22	177.12	325	2		0.5	
<b>P-04-07B</b>														
10/3/2022	XX	GWXXXXG2H	476	6.8	9.1	173.64	3.51	16.45	177.15	269	1.8		4.3	
1/24/2023	XX	GWX07BGBE	F	F	F		F	16.45	177.15	F	F		F	
3/30/2023	XX	GWX07BGH1	478	7.5	4.4	176.12	1.03		177.15	365	0.2		0.3	
4/19/2023	XX	GWXXXXH20	457	7.1	6.3	175.64	1.51		177.15	350	0.3		0.3	
6/19/2023	XX	GWX07BH5G	504	7	9.1	175.43	1.72		177.15	482	1.6		0.3	
7/13/2023	XX	GWX07B020	507	7	13	175.17	1.98		177.15	421	1.6		1.2	
10/5/2023	XX	GWXXXXO93	526	7	13	174.32	2.83	16.54	177.15	335	0.6		0.5	
<b>P-04-11A</b>														
2/10/2021	XX	GWXXXXD9I	120	7.8	5.3	175.86	11.22	52.66	187.08	371	5.3		3.3	
4/8/2021	XX	GWXXXXDAH	126	7.4	7.4	185.197	11.17		196.367	204	5		0.8	
6/9/2021	XX	GWXXXXDH0	75	5.9	11.9	182.967	13.4		196.367	385	4.4		1.2	
8/18/2021	XX	GWXXXXE4E	125	7	9.7	181.327	15.04		196.367	140	3.1		0.3	
10/6/2021	XX	GWX11AE94	126	6.8	14.1	181.837	14.53		196.367	224	2.8		1.2	
4/27/2022	XX	GWX11AF39	117	7.3	7.8	186.417	9.95		196.367	200	6.9		0.2	
7/21/2022	XX	GWXXXXFBE	101	6.6	15.7	178.497	17.87		196.367	274	1.3		3.2	
10/6/2022	XX	GWX11AG18	114	7.5	8.3	179.117	17.25	52.66	196.367	392	2.2		0.8	
4/20/2023	XX	GWX11AH0J	114	7.7	6.9	182.787	13.58		196.367	171	0.6		0.5	
7/12/2023	XX	GWXXXXO1A	136	7	11.6	182.957	13.41		196.367	428	4.3		1.1	
10/5/2023	XX	GWX11A084	124	6.5	10.4	180.387	15.98	52.66	196.367	472	4.6		0.8	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 65 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(P-04-11B)		Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
<b>P-04-11B</b>													
2/10/2021	XX	GWXXXX9J	53	7.3	2.8	175.08	12.06	13.03	187.14	434	4	3.5	
4/8/2021	XX	GWXXXXDAI	50	6.1	8	184.197	12.17		196.367	381	8.7	8.1	
6/9/2021	XX	GWXXXXDH1	48	6.2	12.8	188.447	7.92		196.367	406	4.2	6.6	
8/18/2021	XX	GWXXXXE4F	51	7	18	188.227	8.14		196.367	290	3.2	2.1	
10/6/2021	XX	GWX11BE95	52	5.9	14.1	185.867	10.5		196.367	347	6.1	1.5	
4/27/2022	XX	GWX11BF3A	54	6.8	6.5	185.647	10.72		196.367	285	7.8	0.4	
7/21/2022	XX	GWXXXXFBF	D	D	D	D	D		196.367	D	D	D	
10/6/2022	XX	GWX11BG19	D	D	D	D	D	13.03	196.367		D	D	
4/20/2023	XX	GWX11BH10	48	7.6	4.3	184.337	12.03		196.367		10.9	0.4	
7/12/2023	XX	GWXXXX01B	53	5.9	14.1	184.217	12.15		196.367	377	8	1.8	
10/5/2023	XX	GWX11B085	56	7.1	13.1	188.767	7.6	13.03	196.367	450	6.5	0.7	
<b>P-206A</b>													
4/21/2014	XX	GW206A6FJ	129	7.9	10.9	184.61	19.9		204.51	276	3	60	8.6
7/28/2014	XX	GW206A702	131	7.3	16.3	182.71	21.8		204.51	268	2	60	5.4
10/20/2014	XX	GW206A73B	128	8.1	9.2	178.81	25.7	93.48	204.51	325	3	55	1.2
4/27/2015	XX	GW206A79A	122	7.3	6.7	183.31	21.2		204.51	104	2.3		1.4
7/13/2015	XX	GW206A7D2	133	7.8	14.8	182.11	22.4		204.51	111	2.1		2.1
10/26/2015	XX	GW206A7IB	146	7.8	9	179.61	24.9	93.45	204.51	309	0.6		4.2
4/4/2016	XX	GW206A871	155	7.8	5.3	184.31	20.2		204.51	134	2.6		7
4/26/2016	XX	GW206A8BC	187	8.1	6.4	184.51	20		204.51	123	1.9		1.1
7/25/2016	XX	GW206A8BB	194	8	17	180.51	24		204.51	217	4.3		7.3
10/24/2016	XX	GW206A8JA	192	7.6	9.7	176.31	28.2	93.43	204.51	237	6.8		2.9
4/17/2017	XX	GW206A97G	193	7.6	11.1	181.01	23.5		204.51	123	4.5		1.3
7/24/2017	XX	GW206A9DE	204	7.8	13.3	181.51	23		204.51	134	4.2		2.9
10/23/2017	XX	GW206A9H9	221	7.5	11.3	176.91	27.6	93.45	204.51	302	4.5		1.8
4/2/2018	XX	GW206AA38	317	7.6	9	181.66	22.85		204.51	311	1.6		0.8
7/16/2018	XX	GW206AAC9	230	7.6	14.4	180.71	23.8		204.51	102	0.9		1.4
10/1/2018	XX	GW206AB17	234	11.8	11.9	176.11	28.4	93.43	204.51	275	3		6.7
4/22/2019	XX	GW206AB64	212	7.9	9	177.51	27		204.51	164	3.7		1.8
7/17/2019	XX	GW206ABCF	225	7.9	15.4	181.91	22.6		204.51	97	3.8		2.6
10/28/2019	XX	GW206ABIB	218	7.6	8.1	179.71	24.8	93.43	204.51	117	3.7		4.7
4/27/2020	XX	GW206ACDF	244	6.9	4.6	180.41	24.1		204.51	101	3.6		1.3
7/20/2020	XX	GW206ACIB	242	7.7	19.5	177.76	26.75		204.51	133	4.2		1.9
10/26/2020	XX	GW206AD3C	A	A	A	169.81	34.7	93.15	204.51	A	A		A
4/5/2021	XX	GW206ADCE	227	6.3	5.3	177.51	27		204.51	98	4.4		3.5
7/14/2021	XX	GW206AE22	232	6.9	14.3	175.95	28.56		204.51	289	3.8		3.2
10/4/2021	XX	GW206AE6E	249	7.3	10.2	177.21	27.3		204.51	242	5		1.1
4/25/2022	XX	GW206AF16	207	6.5	8.4	177.64	26.87		204.51	224	2.9		1.9
7/18/2022	XX	GW206AFAH	263	6.7	17.6	176.25	28.26		204.51	171	1.9		1.3
10/3/2022	XX	GW206AFJ5	214	7.6	8	176.01	28.5	93.43	204.51	278	3.9		2.5
4/17/2023	XX	GW206AGIG	314	7.1	9.4	181.21	23.3		204.51	347	3.3		0.8
7/10/2023	XX	GW206A00D	222	6.6	15.8	180.31	24.2		204.51	230	2.6		2
10/2/2023	XX	GW206A065	277	6.4	10.4	179.91	24.6	93.43	204.51	299	5.5		3.4
<b>PWS10-1</b>													
4/21/2014	XX	GWPWS16ED	342	6.5	7.3					100	2	100	2.6
7/28/2014	XX	GWPWS16J0	277	6.2	18.4					86	1	35	4.2

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 66 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(PWS10-1)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
10/20/2014	XX	GWPWS172A	76	5.4	11.1					407	4	20	1.8	
4/27/2015	XX	GWPWS1788	290	6.5	7.6					170	0.3		4.1	
7/13/2015	XX	GWPWS17C0	218	6.3	21.8					172	0.1		2.2	
10/26/2015	XX	GWPWS17H9	85	6.6	7.3					274	6.6		2.1	
4/4/2016	XX	GWPWS185J	247	6.5	2.7					196	0.3		2.2	
7/25/2016	XX	GWPWS18A9	121	6.6	25					190	1.5		2.1	
10/24/2016	XX	GWPWS18I8	304	6.5	9.6					155	0.1		1.1	
4/17/2017	XX	GWPWS196E	105	6.7	9.8					261	2.1		2.2	
7/24/2017	XX	GWPWS19CC	266	6.8	17.9					197	3.1		2.5	
10/25/2017	XX	GWPWS19G7	196	6.4	11.9					104	0		3.5	
4/2/2018	XX	GWPWS1A25	196	7.2	4.1					459	9.5		1.1	
7/16/2018	XX	GWPWS1AB7	186	7.2	23.1					245	2.5		2.1	
10/1/2018	XX	GWPWS1B05	148	6.2	11.7					818	5.6		2.1	
4/22/2019	XX	GWPWS1B51	187	6.4	10					195	3.1		1	
7/15/2019	XX	GWPWS1BBE	131	5.3	24.5					504	5.3		6.2	
10/28/2019	XX	GWPWS1BH7	172	6.3	9.3					260	6.7		1.1	
4/27/2020	XX	GWPWS1CCE	346	7	6.1					82	0.8		2.7	
7/20/2020	XX	GWPWS1CH7	254	6	23.2					167	0.4		3.1	
10/26/2020	XX	GWPWS1D2B	175	6	5.2					454	3.9		2.1	
4/5/2021	XX	GWPWS1DBD	189	6.3	3.5					164	0.4		3.1	
7/12/2021	XX	GWPWS1DJ5	67	6	19.4					376	3.1		2.1	
10/4/2021	XX	GWPWS1E5D	246	6	16.2					171	0.6		2.5	
4/25/2022	XX	GWPWS1F05	226	6.3	7.6					177	0.6		0.2	
7/18/2022	XX	GWPWS1F83	100	5.6	22.7					204	0.5		1	
10/3/2022	XX	GWPWS1FI4	175	6.5	12.2					300	6.5		2.1	
4/17/2023	XX	GWPWS1GHF	174	6.2	10.7					224	1.9		1.5	
7/10/2023	XX	GWPWS1H7H	175	6.5	21.7					195	0.6		3.1	
10/2/2023	XX	GWPWS1055	201	6.1	16.5					219	1.4		2.1	
<b>PWS10-2</b>														
4/21/2014	XX	GWPWS26EE	63	7.3	9.9					52	1	40	2.2	
7/28/2014	XX	GWPWS26J1	140	5.7	15.4					108	0.4	25	1.5	
10/20/2014	XX	GWPWS272B	131	5.7	10.6					233	1	15	2.2	
4/27/2015	XX	GWPWS2789	103	6.4	5.5					217	3.8		5.2	
7/13/2015	XX	GWPWS27C1	133	6	20.5					197	0.2		2.2	
10/26/2015	XX	GWPWS27HA	72	7.6	7.5					392	10.1		1.2	
4/4/2016	XX	GWPWS2860	117	7	1.6					227	8.3		4.1	
7/25/2016	XX	GWPWS28AA	109	7.1	26.5					280	8.3		3.5	
10/24/2016	XX	GWPWS28I9	91	6.7	9.5					228	3.7		1.1	
4/17/2017	XX	GWPWS296F	102	6.3	9					189	3.9		2.1	
7/24/2017	XX	GWPWS29CD	140	7.5	18.6					250	5.4		2.1	
10/24/2017	XX	GWPWS29G8	D	D	D					D	D		D	
4/2/2018	XX	GWPWS2A26	110	7.4	1.3					474	1.2		1.1	
7/16/2018	XX	GWPWS2AB8	204	6.9	22.1					492	3.6		1.2	
10/1/2018	XX	GWPWS2B06	170	7	12.8					460	7		1	
4/22/2019	XX	GWPWS2B52	135	6.9	8.9					364	7.8		0.5	
7/15/2019	XX	GWPWS2BBF	276	7.2	26.3					413	7.2		4.1	
10/28/2019	XX	GWPWS2BH8	101	6.8	9.1					263	11.3		1.5	
4/27/2020	XX	GWPWS2CCF	140	7.2	5.4					289	6.6		3.1	
7/20/2020	XX	GWPWS2CH8	142	6.2	19.1					322	3		2.1	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 67 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(PWS10-2)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
10/26/2020	XX	GWPWS2D2C	124	7.3	4.9					359	6.7		4.6	
4/5/2021	XX	GWPWS2DBE	70	6.8	2.8					346	6.8		2.1	
7/12/2021	XX	GWPWS2DJ6	78	5.9	20.7					404	3.2		1.2	
10/4/2021	XX	GWPWS2E5E	99	5.9	14.4					258	0.9		3.1	
4/25/2022	XX	GWPWS2F06	86	6.8	7.9					287	7.5		0.3	
7/18/2022	XX	GWPWS2F84	82	5.5	22.4					235	0.3		3.1	
10/3/2022	XX	GWPWS2FI5	94	7.3	17.1					391	1.6		2.3	
4/17/2023	XX	GWPWS2GHG	96	7.1	12.3					423	6.3		1	
7/10/2023	XX	GWPWS2H7I	199	6.5	23.4					509	2.5		4.2	
10/2/2023	XX	GWPWS2056	142	7.7	16.1					366	8.1		2.5	
<b>PWS10-3</b>														
4/21/2014	XX	GWPWS36EF	76	6.3	6.7					263	3	35	3.1	
7/28/2014	XX	GWPWS36J2	116	5.6	20.4					136	2	20	4.2	
10/20/2014	XX	GWPWS372D	42	5	10.1					423	4	20	2.1	
4/27/2015	XX	GWPWS378A	57	6	7.6					264	4.1		7.1	
7/13/2015	XX	GWPWS37C2	79	6.7	25					167	5.4		2.6	
10/26/2015	XX	GWPWS37HB	80	6.7	15.4					331	10.2		2.2	
4/4/2016	XX	GWPWS3861	163	7.4	3.1					229	7		2.2	
7/25/2016	XX	GWPWS38AB	D	D	D					D	D		D	
10/24/2016	XX	GWPWS38IA	159	6.3	10.3					369	10.3		1.2	
4/17/2017	XX	GWPWS396G	61	6	10.7					269	0.8		1.8	
7/24/2017	XX	GWPWS39CE	133	6.9	22					289	7.1		2.1	
10/24/2017	XX	GWPWS39G9	D	D	D					D	D		D	
4/2/2018	XX	GWPWS3A27	51	6.3	2.7					456	3.5		0.8	
7/16/2018	XX	GWPWS3AB9	D	D	D					D	D		D	
10/1/2018	XX	GWPWS3B07	119	7.1	12.2					463	7.5		2.1	
4/22/2019	XX	GWPWS3B53	82	6.5	7.6					374	7.3		0.8	
7/15/2019	XX	GWPWS3BBG	83	7.2	23.6					449	9.9		5.5	
10/28/2019	XX	GWPWS3BH9	98	6	8.6					279	9.3		1.1	
4/27/2020	XX	GWPWS3CCG	54	6.8	5.5					314	5.8		2.5	
7/20/2020	XX	GWPWS3CH9	144	5.3	22.3					208	0.3		3.1	
10/26/2020	XX	GWPWS3D2D	197	5.9	6.1					540	7		4.1	
4/5/2021	XX	GWPWS3DBF	105	6	4.4					191	0.3		1.5	
7/12/2021	XX	GWPWS3DJ7	71	6	18.6					243	2.3		1.2	
10/4/2021	XX	GWPWS3E5F	75	5.8	12.8					303	2.7		4	
4/25/2022	XX	GWPWS3F07	79	6.2	7.9					341	3.5		0.6	
7/18/2022	XX	GWPWS3F85	112	5.8	22.6					163	0.5		1	
10/3/2022	XX	GWPWS3F16	74	6.4	11					317	6.4		2.2	
4/17/2023	XX	GWPWS3GHH	76	6.7	9.5					436	3.7		2.4	
7/10/2023	XX	GWPWS3H7J	133	6	21.3					421	0.8		5.3	
10/2/2023	XX	GWPWS3057	76	6.6	15.3					418	3.8		1.7	
<b>PWS-4</b>														
1/24/2023	XX	PWXX4XGBI	A	A	A		A	A	A	A	A		A	
3/30/2023	XX	PWXX4XGH5	255	6.5	2.3					151	0.3		12.5	
4/19/2023	XX	GWXXXXH22	192	7.1	8.6					162	2.9		5.6	
6/19/2023	XX	PWXX4XH5J	118	6.3	12.4					112	0.8		11.1	
7/13/2023	XX	PWXX4X023	152	6.7	18.6					96	2.6		10.1	
10/4/2023	XX	GWXXXX094	170	6.7	17					113	3.3		8.5	



REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 68 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(SW-1)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
<b>SW-1</b>														
4/22/2014	XX	SWXX1X6EA	154	7	9.9					455	6	35	3.4	
7/29/2014	XX	SWXX1X6IH	75	7.1	22.8					424	4	20	2.7	
10/21/2014	XX	SWXX1X727	83	7.5	9.7					350	6	20	3.1	
4/28/2015	XX	SWXX1X785	117	7	7.9					407	9.7		2.2	
7/14/2015	XX	SWXX1X7BH	95	7	25.1					331	3.8		4.2	
10/27/2015	XX	SWXX1X7H6	81	8.2	5.3					320	10.3		2.2	
4/5/2016	XX	SWXX1X85G	88	7	2.9					424	9.6		1.8	
7/26/2016	XX	SWXX1X8A6	211	7.1	25.2					187	2.8		10.2	
10/25/2016	XX	SWXX1X8I5	98	7.6	6.5					311	7.2		2.2	
4/18/2017	XX	SWXX1X96B	56	6.5	6.9					369	9.1		1.3	
7/25/2017	XX	SWXX1X9C9	235	6.8	18.9					221	4.2		3.3	
10/25/2017	XX	SWXX1X9G4	127	6.9	15.2					398	5.4		2.5	
4/3/2018	XX	SWXX1XA22	160	7	5.4					468	15.1		1.1	
7/17/2018	XX	SWXX1XAB4	242	7.8	19.3					316	3.2		6.7	
10/2/2018	XX	SWXX1XB02	144	6.6	9.6					514	6.1		1.4	
4/23/2019	XX	SWXX1XB4I	125	6.9	5.4					372	8.5		1.1	
7/16/2019	XX	SWXX1XBBB	109	6.7	27.5					356	4.2		3.3	
10/29/2019	XX	SWXX1XBH4	228	6.6	10.6					240	8.3		2.5	
4/28/2020	XX	SWXX1XCCB	241	7.3	10					395	7.7		2.1	
7/21/2020	XX	SWXX1XCH4	134	6.9	24.4					288	1.7		1.3	
10/27/2020	XX	SWXX1XD28	175	7.7	8.9					298	4		1.2	
4/6/2021	XX	SWXX1XDBA	179	6.5	8.7					335	7.3		2.1	
7/13/2021	XX	SWXX1XDJ2	76	6.1	21.4					259	2.8		0.8	0.0056
10/5/2021	XX	SWXX1XE5A	308	6.6	22.2					153	0.7		1.2	
4/26/2022	XX	SWXX1XF02	162	6.7	10.3					292	7.7		1.3	
7/19/2022	XX	SWXX1XF80	130	6.7	23.2					283	3.3		2.7	0.0089
10/4/2022	XX	SWXX1XF11	192	7	15.6					301	2.6		2.2	0.0045
4/18/2023	XX	SWXX1XGHC	111	6.3	10.7					301	3.9		0.9	0.0223
7/11/2023	XX	SWXX1XH7E	162	6.5	23					319	2.4		2.3	0.0223
10/3/2023	XX	SWXX1X052	195	6.7	21.9					335	2.3		5.2	0.0022
<b>SW-2</b>														
4/22/2014	XX	SWXX2X6EB	76	7	10.4					407	6	25	2.6	5.25
7/29/2014	XX	SWXX2X6II	66	7.8	25.6					423	6	15	2.8	0.6
10/21/2014	XX	SWXX2X728	74	7	10.2					384	5	15	2.5	0.3
4/28/2015	XX	SWXX2X786		6.7	9.2					355	9		1.1	
7/14/2015	XX	SWXX2X7BI	84	7	26.5					329	6.1		3.7	0.8
10/27/2015	XX	SWXX2X7H7	65	8.5	5.8					317	9.4		1.2	0.0017
4/5/2016	XX	SWXX2X85H	87	6.7	3.6					355	7.2		0.8	
7/26/2016	XX	SWXX2X8A7	81	7.3	26.9					341	3.7		7.3	0.0033
10/25/2016	XX	SWXX2X8I6	90	7.1	8.1					353	7.1		1.6	6
4/18/2017	XX	SWXX2X96C	67	6.9	10.6					349	8		0.8	0.4
7/25/2017	XX	SWXX2X9CA	110	7.1	18					235	2.1		3.4	0.4
10/25/2017	XX	SWXX2X9G5	102	7.1	16.7					415	5.4		2.1	3
4/3/2018	XX	SWXX2XA23	50	6.8	3.1					467	7.9		1.1	11.25
7/17/2018	XX	SWXX2XAB5	104	7.9	21.3					318	1.1		8.2	0.4
10/2/2018	XX	SWXX2XB03		6.7	10.2					494	4		2.1	0.25
4/23/2019	XX	SWXX2XB4J	83	6.6	4.9					360	6		0.9	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 69 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(SW-2)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
7/16/2019	XX	SWXX2XBBC	85	6.3	28.8					397	4.2		3.2	
10/29/2019	XX	SWXX2XBH5	66	5.9	8					281	13.7		0.8	
4/28/2020	XX	SWXX2XCCC	76	6.8	7					369	7.7		2.1	
7/21/2020	XX	SWXX2XCH5	68	6.9	29.2					380	5.5		1.6	
10/27/2020	XX	SWXX2XD29	77	6.8	8.4					413	6		1.2	
4/6/2021	XX	SWXX2XDBB	67	6.2	4.3					409	8.7		0.6	9
7/13/2021	XX	SWXX2XDJ3	62	5.8	18.4					393	0.9		0.9	4.5
10/5/2021	XX	SWXX2XE5B	57	6.3	17.7					323	4.4		0.5	
4/26/2022	XX	SWXX2XF03	73	6.5	6.8					375	6.5		1.9	
7/19/2022	XX	SWXX2XF81	67	6.5	25.8					323	4.2		0.8	0.0111
10/4/2022	XX	SWXX2XF12	64	6.2	12.6					373	2.7		1.8	
4/18/2023	XX	SWXX2XGHD	58	6.1	9.2					433	5.2		0.9	
7/11/2023	XX	SWXX2XH7F	86	5.9	22.2					468	1.3		2.6	0.0223
10/3/2023	XX	SWXX2X053	79	6.2	19.5					361	2.9		3.1	0.0045
<b>SW-3</b>														
4/22/2014	XX	SWXX3X6EC	71	7.3	9.9					444	6	30	0.8	10
7/29/2014	XX	SWXX3X6IJ	81	7.9	20.9					328	5	15	0.5	8
10/21/2014	XX	SWXX3X729	78	7.7	8.4					386	5	15	1.2	7
4/28/2015	XX	SWXX3X787	79	7.3	6.8					328	11.3		1	9.3
4/29/2015	XX	SWXX3X7AI	88	7.7	10.3					344	8.6		0.8	9.3
7/14/2015	XX	SWXX3X7BJ	93	8.1	21.5					305	5.4		1.2	5.8
10/27/2015	XX	SWXX3X7H8	81	8.8	4.6					293	11.4		0.6	0.016
4/5/2016	XX	SWXX3X85I	76	8.3	2.3					301	12.6		1.4	
7/26/2016	XX	SWXX3X8A8	102	7.6	21.6					344	2.3		2.1	
10/25/2016	XX	SWXX3X8I7	119	8.6	6.4					253	8.6		1.3	7
4/18/2017	XX	SWXX3X96D	59	8.3	8.3					347	10.8		1.1	
7/25/2017	XX	SWXX3X9CB	120	7.4	16.8					344	2.6		1.3	5
10/25/2017	XX	SWXX3X9G6	149	6.9	15.7					407	3.6		1.3	8
4/3/2018	XX	SWXX3XA24	84	7.7	1.8					459	4.6		1.1	2
7/17/2018	XX	SWXX3XAB6	134	7.6	21.4					437	1.9		1.9	4
10/2/2018	XX	SWXX3XB04	100	7.2	10.1					507	8.1		0.5	12
4/23/2019	XX	SWXX3XB50	70	7.4	7.1					330	9		0.8	
7/16/2019	XX	SWXX3XBBD	92	7.6	24.3					300	5.7		1.3	
10/29/2019	XX	SWXX3XBH6	99	7.5	8.6					232	10.3		0.5	
4/28/2020	XX	SWXX3XCDD	73	7.7	8.8					359	9.9		1.4	
7/21/2020	XX	SWXX3XCH6	94	7.2	23.1					373	3.4		0.9	
10/27/2020	XX	SWXX3XD2A	78	7.6	8.4					403	8.1		0.8	
4/6/2021	XX	SWXX3XD8C	52	7.7	7.4					374	8.9		1.2	19
7/13/2021	XX	SWXX3XDJ4	68	7.3	21.8					319	4.8		0.8	7.5
10/5/2021	XX	SWXX3XE5C	68	7.3	14					284	5.2		1.2	
4/26/2022	XX	SWXX3XF04	63	7.2	9.8					332	7.9		1.1	
7/19/2022	XX	SWXX3XF82	109	7.3	22.6					322	3.6		0.8	0.0067
10/4/2022	XX	SWXX3XF13	89	7.9	9.5					333	5		0.9	
4/18/2023	XX	SWXX3XGHE	72	6.4	10.6					428	7.6		0.8	
7/11/2023	XX	SWXX3XH7G	75	6.6	23.2					455	3.3		1.5	0.0334
10/3/2023	XX	SWXX3X054	91	7.2	14.2					415	17.1		0.4	0.0045
<b>SW23-4</b>														
1/24/2023	XX	SWXX4XGBH	A	A	A			A	A	A	A		A	

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 70 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(SW23-4)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
3/30/2023	XX	SWXX4XGH4	227	7.1	3.2					352	10.6		1.7	
4/19/2023	XX	GWXXXXH23	185	7.6	10					288	8.2		4.3	
6/19/2023	XX	SWXX4XH5I	91	6.6	13.5					176	5.2		6.5	
7/13/2023	XX	SWXX4X022	154	6.6	18.8					154	2.2		6.5	
10/4/2023	XX	GWXXXX095	112	6.9	17.1					173	5.2		7.3	
<b>SW-DP1</b>														
4/22/2014	XX	SWDP1X6EI	83	7.7	14.5					452	6	30	3.6	
7/29/2014	XX	SWDP1X6J5	47	7.1	25.1					448	6	10	0.8	
10/21/2014	XX	SWDP1X72G	54	7.4	11.4					368	6	15	0.8	
4/28/2015	XX	SWDP1X78D	109	7.3	10.2					368	11.8		2.1	
7/14/2015	XX	SWDP1X7C5	112	8.3	27					255	8.8		3.6	
10/27/2015	XX	SWDP1X7HE	69	8	8.6					313	10.8		0.8	
4/5/2016	XX	SWDP1X864	100	7.1	6.4					348	12.5		0.5	
7/26/2016	XX	SWDP1X8AE	123	7.9	29.3					263	5.9		2.3	
10/25/2016	XX	SWDP1X8ID	75	7.8	9.2					260	7.7		1.6	
4/18/2017	XX	SWDP1X96J	74	6.9	12.5					389	10.2		1.7	
7/25/2017	XX	SWDP1X9CH	142	7.4	24.9					274	7		0.8	
10/23/2017	XX	SWDP1X9GC	109	7.7	16.6					263	9.1		0.8	
4/3/2018	XX	SWDP1XA2B	34	7.3	1.9					457	9.1		2.6	
7/17/2018	XX	SWDP1XABC	91	8.2	23.1					418	6.7		2.7	
10/2/2018	XX	SWDP1XB0A	78	7.2	12					486	5.4		0.9	
4/23/2019	XX	SWDP1XB57	101	7.1	9					367	9.9		1.4	
7/16/2019	XX	SWDP1XBBJ	79	8.9	28.7					327	8.4		0.8	
10/29/2019	XX	SWDP1XBHC	106	6.9	10.6					241	9.5		1.2	
4/28/2020	XX	SWDP1XCCJ	439	7.8	9.5					356	12		1.7	
7/21/2020	XX	SWDP1XCHC	206	7.6	27					358	8.8		2.2	
10/27/2020	XX	SWDP1XD2G	148	7.7	7.5					261	8.3		0.8	
4/6/2021	XX	SWDP1XD8I	68	6.7	8.4					398	7.9		2.3	
7/13/2021	XX	SWDP1XDJA	78	6.5	23.9					323	5		1.2	
10/5/2021	XX	SWDP1XE5I	82	6.5	16.7					316	5.3		0.6	
4/26/2022	XX	SWDP1XF0A	123	7.1	10.8					343	7		0.6	
7/19/2022	XX	SWDP1XF88	176	6.7	27.5					312	2.9		2.7	0.0089
10/4/2022	XX	SWDP1XF19	150	7.4	14.5					332	4.6		1.2	
4/18/2023	XX	SWDP1XGI0	47	6.3	12.5					388	7.3		0.9	
7/11/2023	XX	SWDP1XH82	84	7.6	26.6					405	6.6		0.7	
10/3/2023	XX	SWDP1X05A	82	7.2	18.5					324	11.1		1.8	
<b>SW-DP5</b>														
4/22/2014	XX	SWDP5X6GD	194	6.9	16.9					408	6	30	9.8	
7/29/2014	XX	SWDP5X70F	99	7.9	27.5					392	6	15	2.6	
10/21/2014	XX	SWDP5X743	113	7.6	10.7					422	5	15	1.2	
4/28/2015	XX	SWDP5X7A3	208	7.9	10.8					353	11.5		1.1	
7/14/2015	XX	SWDP5X7DF	153	7.7	27.6					218	6.4		4.3	
10/27/2015	XX	SWDP5X7J2	D	D	D					D	D		D	
4/5/2016	XX	SWDP5X87E	D	D	D					D	D		D	
7/26/2016	XX	SWDP5X8C4	D	D	D					D	D		D	
10/25/2016	XX	SWDP5X902	I	I	I					I	I		I	
4/18/2017	XX	SWDP5X989	D	D	D					D	D		D	
7/25/2017	XX	SWDP5X9E6	173	8.1	25.4					273	7.7		0.4	


REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 71 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(SW-DP5)			Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs
10/24/2017	XX	SWDP5X91I	D	D	D					D	D		D	
4/3/2018	XX	SWDP5XA41	51	6.9	8.7					459	15.2		2.1	
7/17/2018	XX	SWDP5XAD1	D	D	D					D	D		D	
10/2/2018	XX	SWDP5XB1J	D	D	D					D	D		D	
4/23/2019	XX	SWDP5XB6H	133	7.3	9.7					369	7.8		0.8	
7/16/2019	XX	SWDP5XBD8	102	8.3	28.3					307	6.8		0.8	
10/29/2019	XX	SWDP5XB0	107	7	9.3					239	10		1.8	
4/28/2020	XX	SWDP5XCE8	173	8.1	10.1					333	12.6		1.6	
7/21/2020	XX	SWDP5XCJ1	126	7.8	30.3					328	6.8		0.6	
10/27/2020	XX	SWDP5XD44	82	8.5	10.2					320	10.5		0.6	
4/6/2021	XX	SWDP5XDD7	69	6.9	10.7					387	9.3		2.1	
7/13/2021	XX	SWDP5XE0J	62	8.2	24.6					267	10.2		1.1	
10/5/2021	XX	SWDP5XE75	67	7.4	18.6					245	6		0.5	
4/26/2022	XX	SWDP5XF1H	195	7	11.1					333	7.6		1.2	
7/19/2022	XX	SWDP5XF9H	D	D	D					D	D		D	
10/4/2022	XX	SWDP5XFJG	D	D	D					D	D		D	
<b>SW-DP6</b>														
4/22/2014	XX	SWDP6X6EJ	107	7.6	16.8					413	6	40	3.7	
7/29/2014	XX	SWDP6X6J6	72	7.3	24.7					442	5	10	1.2	
10/21/2014	XX	SWDP6X72H	75	7.7	11.5					394	6	15	2.6	
4/28/2015	XX	SWDP6X78E	96	6.9	10					392	10.4		1.3	
7/14/2015	XX	SWDP6X7C6	114	7.2	29.6					376	5.4		5.6	
10/27/2015	XX	SWDP6X7HF	68	8.4	9.8					327	10.4		1.1	
4/5/2016	XX	SWDP6X865	79	7.1	4.6					445	10		0.8	
7/26/2016	XX	SWDP6X8AF	135	7.5	28.7					254	5.4		2.7	
10/25/2016	XX	SWDP6X8IE	100	7.8	8.5					265	5.8		2.6	
4/18/2017	XX	SWDP6X970	59	6.6	11.2					364	6.7		1.1	
7/25/2017	XX	SWDP6X9CI	86	7.5	21.6					314	6.5		1.1	
10/23/2017	XX	SWDP6X9GD	101	7.2	17.2					219	7.5		1.6	
4/3/2018	XX	SWDP6XA2C	76	7.6	2.4					460	10.3		2.3	
7/17/2018	XX	SWDP6XABD	140	8	23.9					443	4.5		2.1	
10/2/2018	XX	SWDP6XB0B	136	7.8	11.6					478	6.2		0.8	
4/23/2019	XX	SWDP6XB58	78	6.7	8.1					368	11.7		1.1	
7/16/2019	XX	SWDP6XBC0	65	7.3	29.2					375	6.8		1.8	
10/29/2019	XX	SWDP6XBHD	50	6.2	10.3					246	10.3		2.2	
4/28/2020	XX	SWDP6XCD0	55	7.3	11.4					397	9.6		1.3	
7/21/2020	XX	SWDP6XCHD	71	8.4	27.1					294	5.9		0.8	
10/27/2020	XX	SWDP6XD2H	91	8.2	9.4					330	10.1		0.7	
4/6/2021	XX	SWDP6XDBJ	59	6.1	9.1					416	9.9		3.2	
7/13/2021	XX	SWDP6XDJB	38	6.2	25.4					404	5.2		0.7	
10/5/2021	XX	SWDP6XE5J	62	7.2	22.5					308	6.3		0.8	
4/26/2022	XX	SWDP6XF0B	36	7.3	11.6					288	8.2		1.5	
7/19/2022	XX	SWDP6XF89	44	6.4	28.9					348	3.9		2.1	
10/4/2022	XX	SWDP6XFIA	44	7.6	16.7					323	4.8		2.6	
4/18/2023	XX	SWDP6XG1I	55	6.3	11.9					394	8.5		1.2	
7/11/2023	XX	SWDP6XH83	465	8.1	26.9					416	7.1		1.2	
10/3/2023	XX	SWDP6X05B	160	7	26.3					345	6.7		2.7	

REPORT PREPARED: 3/18/2024 06:50 FOR: Juniper Ridge Landfill DATE RANGE: 1/1/2014 - 12/31/2023			<b>DATA SUMMARY TABLE</b> <b>Field Parameters</b>									Page 72 of 73 SEVEE & MAHER ENGINEERS, INC. 4 BLANCHARD ROAD CUMBERLAND CENTER, ME 04021		
(SW-DP6)	Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs

**Units Abbreviations:**

- µmhos/cm @25°C - MICROSIEMENS PER CENTIMETER
- cfs - CUBIC FEET PER SECOND
- Deg C - DEGREES CELCIUS (TEMPERATURE)
- Feet - FEET
- mg/L - MILLIGRAMS PER LITER
- mV - MILLIVOLTS
- NTU - NEPHELOMETRIC TURBIDITY UNIT (TURBIDITY)
- STU - STANDARD PH UNIT

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

- ! - The sampling location was damaged or destroyed.
- < - Less than specified amount
- > - Greater than specified amount.
- A - The sampling location was inaccessible.
- D - The sampling location was dry.
- D3 - Sample too dark to take reading.
- DE - Decommissioned Location
- E2 - Estimated Field Value
- F - The sampling location was frozen.
- F1 - Well was flowing
- F12 - Pipe under water, no sample taken.
- F14 - Unable to measure flow.
- F16 - Could not pump water to surface for testing/sampling
- F6 - No flow. Sample not taken.
- FI - Frozen ice in pipe, no readings.
- H2 - Waterlevel higher than pipes. See LF-COMP for readings
- H5 - Waterlevel higher than pipes. See LP-COMP for readings
- H6 - Pipe under water, could not measure flow.
- H8 - No flow from pipe. See LF-COMP for readings
- H9 - No flow from pipe. See LP-COMP for readings
- I - The sampling location yielded insufficient quantity to collect a sample.
- L - Could not locate sampling location.

REPORT PREPARED: 3/18/2024 06:50  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Field Parameters



Page 73 of 73  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(SW-DP6)	Specific Conductance	pH	Temperature	Water Level Elevation	Water Level Depth	Well Depth	Water Level Reference Point	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate		
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	Feet	Feet	Feet	Feet	mV	mg/L	mg/L	NTU	cfs

- M- Results are missing or not reliable due to a meter malfunction.
- M7- No reading taken at this location.
- TK- Outside of range of available test kits (or below test kit range).
- U- Not Detected above the laboratory reporting limit.

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 1 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-COMP)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
<b>LF-COMP</b>																
4/6/2021	XX	LFCOMPDG6			0.3	0.04 U	238	2.5 U	11		200		2 U		2.1	0.1 U
<b>LF-LD-11</b>																
7/13/2021	XX	LFXXXXE1C	0.38	0.5 U	0.71		494	2.5 U	34	0.1 U		430	2.2		1 U	0.1 U
10/5/2021	XX	LFXXXXE88	0.56	0.5 U	0.55		541	2.5 U	42	0.1 U		450	2 U		1 U	0.1 U
7/19/2022	XX	LFXXXXFA9	0.68	0.5 U	0.31		597	2.5 U	72	0.1 U		470	2		3.2	0.1 U
7/11/2023	XX	LFXXXX005	0.2 U	0.5 U	1.3		562	2.5 U	45	0.1 U		460	2.3		2.9	0.1 U
<b>LF-LD-12</b>																
7/13/2021	XX	LFXXXXE1D	0.31	0.5 U	0.05 U		240	6.7	31	0.1 U		160	2.4		1.5	0.1 U
10/5/2021	XX	LFXXXXE89	0.25	0.5 U	0.063		397	2.5 U	48	0.1 U		290	3.8		1 U	0.1 U
7/19/2022	XX	LFXXXXFAA	0.4	0.5 U	0.05 U		343	2.5 U	41	0.1 U		260	3.6		2.2	0.1 U
7/11/2023	XX	LFXXXX006	0.2 U	0.5 U	0.1		302	2.5 U	20	0.1 U		230	3.2		1 U	0.1 U
<b>LF-LD-13</b>																
7/19/2022	XX	LFXXXXFB4	0.29	0.5 U	0.07		207	2.5 U	28	0.1 U		130	2.7		1.7	0.1
7/11/2023	XX	LFXXXX010	0.2 U	0.5 U	0.066		265	2.5 U	29	0.1 U		190	3.3		2.2	0.15
<b>LF-LD-14</b>																
7/11/2023	XX	LFXXXX01G	0.2 U	0.5 U	0.088		368	2.5 U	19	0.1 U		310	3.6		2.2	0.1
<b>LF-UD-1</b>																
4/22/2014	XX	LFUD1X6F7				0.04	235	35	10.4		177		2 U		19.1	0.1 U
7/29/2014	XX	LFUD1X6JE				0.33	231	394	5		155		2 U		17.3	0.14
10/21/2014	XX	LFUD1X735				F6	F6	F6	F6		F6		F6		F6	F6
4/28/2015	XX	LFUD1X792			0.5 U	0.08	260	49	22.4		145		2 U		24.8	0.2
7/14/2015	XX	LFUD1X7CE			2 U	0.04 U	257	4 U	6.6		179		2 U		16.7	0.1 U
10/27/2015	XX	LFUD1X7I3			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/5/2016	XX	LFUD1X86D			0.07	0.04	242	4	12.7		152		2 U		26	0.1 U
7/26/2016	XX	LFUD1X8B3			1	1	1	1	1		1		1		1	1
10/25/2016	XX	LFUD1X8J2			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/18/2017	XX	LFUD1X978			0.19	0.1	243	56	7.3		170		2 U		21	0.2 U
7/25/2017	XX	LFUD1X9D6			0.22	0.04 U	290	15	24		170		2 U		24	0.2 U
10/25/2017	XX	LFUD1X9H1			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/3/2018	XX	LFUD1XA30			0.23	0.04 U	246	5	35		170		2 U		18	0.21
7/17/2018	XX	LFUD1XAC1			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/2/2018	XX	LFUD1XB0J			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/23/2019	XX	LFUD1XB5G			0.4	0.04 U	214	2.5 U	13		170		2 U		2.2	0.1 U
7/16/2019	XX	LFUD1XBC8			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/29/2019	XX	LFUD1XB1I			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/28/2020	XX	LFUD1XCD8			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/21/2020	XX	LFUD1XC1I			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/27/2020	XX	LFUD1XD35			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/6/2021	XX	LFUD1XDC7			H8	H8	H8	H8	H8		H8		H8		H8	H8
7/13/2021	XX	LFUD1XDJ1			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/5/2021	XX	LFUD1XE67			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/26/2022	XX	LFUD1XF0J			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/19/2022	XX	LFUD1XF8H			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/4/2022	XX	LFUD1XFII			F6	F6	F6	F6	F6		F6		F6		F6	F6

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 2 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-1)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/18/2023	XX	LFUD1XG19			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/11/2023	XX	LFUD1XH8B			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/3/2023	XX	LFUD1X05J			F6	F6	F6	F6	F6		F6		F6		F6	F6
<b>LF-UD-2</b>																
4/22/2014	XX	LFUD2X6F8				0.04 U	218	4 U	4.8		147		2 U		33.6	0.11
7/29/2014	XX	LFUD2X6JF				0.04 U	220	45	2		152		2 U		21.6	0.17
10/21/2014	XX	LFUD2X736				0.04 U	279	25	7.2		220		2 U		7.7	0.1 U
4/28/2015	XX	LFUD2X793			0.5 U	0.04 U	257	4	26		139		2 U		24.4	0.2
7/14/2015	XX	LFUD2X7CF			2 U	0.04 U	254	4 U	6.1		177		2 U		19.7	0.17
10/27/2015	XX	LFUD2X714			0.5 U	0.04 U	264	4 U	7.5		193		2 U		20.3	0.1 U
4/5/2016	XX	LFUD2X86E			0.06	0.04 U	246	4 U	11.4		134		2 U		41.2	0.1 U
7/26/2016	XX	LFUD2X8B4			0.05 U	0.04	283	24	22.1		170		2 U		22.7	0.2
10/25/2016	XX	LFUD2X8J3			0.27	0.04 U	294	4 U	21.6		203		2 U		12.8	0.2 U
4/18/2017	XX	LFUD2X979			0.22	0.05	262	15	18		160		2 U		29	0.2 U
7/25/2017	XX	LFUD2X9D7			0.13	0.04 U	273	8	4.6		170		2 U		32	0.2 U
10/25/2017	XX	LFUD2X9H2			0.22	0.07	291	29	9		200		2 U		13	0.14
4/3/2018	XX	LFUD2XA31			0.28	0.04 U	267	2.5 U	56		160		2 U		17	0.18
7/17/2018	XX	LFUD2XAC2			0.24	0.04	290	17	12		210		6.3		24	0.19
10/2/2018	XX	LFUD2XB10			0.28	0.04 U	285	5	16		220		2 U		7.8	0.1 U
4/23/2019	XX	LFUD2XB5H			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/16/2019	XX	LFUD2XBC9			0.26	0.07	262	2.7	12		200		2 U		15	0.11
10/29/2019	XX	LFUD2XB12			0.22	0.04	222	83	11		180		2 U		11	0.12
4/28/2020	XX	LFUD2XCD9			0.32	0.04 U	243	16	11		200		2 U		10	0.11
7/21/2020	XX	LFUD2XC12			0.23	0.2	307	370	13		230		2 U		6.9	0.1
10/27/2020	XX	LFUD2XD36			0.2	0.04 U	276	2.5 U	14		230		43 M10		3	0.1 U
4/6/2021	XX	LFUD2XDC8			H8	H8	H8	H8	H8		H8		H8		H8	H8
7/13/2021	XX	LFUD2XE00			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/5/2021	XX	LFUD2XE68			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/26/2022	XX	LFUD2XF10			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/19/2022	XX	LFUD2XF8I			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/4/2022	XX	LFUD2XF1J			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/18/2023	XX	LFUD2XG1A			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/11/2023	XX	LFUD2XH8C			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/3/2023	XX	LFUD2X060			F6	F6	F6	F6	F6		F6		F6		F6	F6
<b>LF-UD-3A,B</b>																
4/22/2014	XX	LFXXX6G6				F6	F6	F6	F6		F6		F6		F6	F6
7/29/2014	XX	LFXXX708				F6	F6	F6	F6		F6		F6		F6	F6
10/21/2014	XX	LFXXX73H				F6	F6	F6	F6		F6		F6		F6	F6
4/28/2015	XX	LFXXX79G			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/14/2015	XX	LFXXX7D8			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/27/2015	XX	LFXXX71F			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/5/2016	XX	LFXXX877			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/26/2016	XX	LFXXX8BH			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/25/2016	XX	LFXXX8JF			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/18/2017	XX	LFXXX982			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/25/2017	XX	LFXXX9DJ			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/25/2017	XX	LFXXX9HE			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/3/2018	XX	LFXXXA3E			F6	F6	F6	F6	F6		F6		F6		F6	F6



REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 3 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-3A,B)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/17/2018	XX	LFXXXACE			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/2/2018	XX	LFXXXB1C			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/23/2019	XX	LFXXXB6A			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/16/2019	XX	LFXXXBD1			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/29/2019	XX	LFXXXBD			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/28/2020	XX	LFXXXCE1			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/21/2020	XX	LFXXXCIE			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/27/2020	XX	LFXXXD3H			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/6/2021	XX	LFXXXDD0			H8	H8	H8	H8	H8		H8		H8		H8	H8
7/13/2021	XX	LFXXXE0C			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/5/2021	XX	LFXXXE6J			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/26/2022	XX	LFXXXF1B			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/19/2022	XX	LFXXXF9A			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/4/2022	XX	LFXXXFJA			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/18/2023	XX	LFXXXGJ1			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/11/2023	XX	LFXXXH94			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/3/2023	XX	LFXXXO6A			F6	F6	F6	F6	F6		F6		F6		F6	F6
<b>LF-UD-4</b>																
4/22/2014	XX	LFXXXG67				0.04 U	252	4 U	14.2		206		2 U		8.9	0.1
7/29/2014	XX	LFXXXG709				F6	F6	F6	F6		F6		F6		F6	F6
10/21/2014	XX	LFXXXG73I				F6	F6	F6	F6		F6		F6		F6	F6
4/28/2015	XX	LFXXXG79H			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/14/2015	XX	LFXXXG7D9			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/27/2015	XX	LFXXXG7IG			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/5/2016	XX	LFXXXG878			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/26/2016	XX	LFXXXG8BI			0.13	0.04	281	36	20.9		177		2 U		20.9	0.2
10/25/2016	XX	LFXXXG8JG			0.25	0.04 U	298	4 U	24.9		202		2 U		12.5	0.2 U
4/18/2017	XX	LFXXXG8B3			0.14	0.04 U	247	110	8.9		170		2.6		2.4	0.2 U
7/25/2017	XX	LFXXXG9E0			0.18	0.04 U	279	10	24		170		2 U		24	0.2 U
10/25/2017	XX	LFXXXG9HF			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/3/2018	XX	LFXXXA3F			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/17/2018	XX	LFXXXACF			0.23	0.04 U	291	5.3	8.6		210		2 U		23	0.18
10/2/2018	XX	LFXXXB1D			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/23/2019	XX	LFXXXB6B			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/16/2019	XX	LFXXXBD2			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/29/2019	XX	LFXXXBIE			0.22	0.18	235	210	11		180		2 U		12	0.13
4/28/2020	XX	LFXXXCE2			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/21/2020	XX	LFXXXCIF			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/27/2020	XX	LFXXXD3I			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/6/2021	XX	LFXXXDD1			H8	H8	H8	H8	H8		H8		H8		H8	H8
7/13/2021	XX	LFXXXE0D			0.28	0.05	245	11	27		190		2 U		1.3	0.1 U
10/5/2021	XX	LFXXXE70			0.26	0.04	246	2.5 U	11		200		2 U		1.3	0.1 U
4/26/2022	XX	LFXXXF1C			0.41	0.08	227	25	9.9		190		1 U		1.9	0.1 U
7/19/2022	XX	LFXXXF9B			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/4/2022	XX	LFXXXFJB			0.42	0.06	240	27	11		200		1 U		1 U	0.1 U
4/18/2023	XX	LFXXXGJ2			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/11/2023	XX	LFXXXH95			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/3/2023	XX	LFXXXO6B			F6	F6	F6	F6	F6		F6		F6		F6	F6

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 4 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-Sand6)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
<b>LF-UD-Sand6</b>																
4/22/2014	XX	LFXXX6G8				0.04 U	222	18	14.7		181		2 U		4.7	0.1 U
7/29/2014	XX	LFXXX70A				0.04 U	269	4 U	8.7		207		2 U			0.1
10/21/2014	XX	LFXXX73J				F6	F6	F6	F6		F6		F6		F6	F6
4/28/2015	XX	LFXXX79I			0.5 U	0.04 U	250	4 U	12.4		197		2 U		3.3	0.1 U
7/14/2015	XX	LFXXX7DA			I	I	I	I	I		I		I		I	I
10/27/2015	XX	LFXXX7H1			0.5 U	0.04 U	235	6	11.1		184		2		3.8	0.1 U
4/5/2016	XX	LFXXX879			0.05	0.04 U	247	4 U	12.5		191		2 U		2.9	0.1 U
7/26/2016	XX	LFXXX8BJ			0.05 U	0.04 U	230	4 U	26.9		186		2 U		2.7	0.2 U
10/25/2016	XX	LFXXX8JH			0.2	0.04 U	215	4 U	9.8		167		2 U		2.1	0.2 U
4/18/2017	XX	LFXXX984			0.07	0.04 U	201	2.5 U	18		160		2 U		2.2	0.2 U
7/25/2017	XX	LFXXX9E1			0.21	0.04	243	4.7	11		200		2 U		2.8	0.2 U
10/25/2017	XX	LFXXX9HG			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/3/2018	XX	LFXXXA3G			0.14	0.04 U	192	2.5 U	39		150		2 U		1.7	0.13
7/17/2018	XX	LFXXXACG			0.14	0.04 U	220	2.5 U	10		180		2 U		2.7	0.12
10/2/2018	XX	LFXXXB1E			0.21	0.04 U	228	5	14		180		2 U		2.4	0.1 U
4/23/2019	XX	LFXXXB6C			0.14	0.04 U	192	2.5 U	9.7		150		2 U		1.5	0.1
7/16/2019	XX	LFXXXBD3			0.12	0.04 U	211	2.5 U	9.2		170		2 U		2	0.1 U
10/29/2019	XX	LFXXXBIF			0.14	0.08	199	69	9.9		160		2 U		2.1	0.15
4/28/2020	XX	LFXXXCE3			0.2	0.04 U	185	2.5 U	11		150		2 U		2.3	0.17
7/21/2020	XX	LFXXXCIG			0.23	0.04 U	214	2.5 U	11		180		2 U		2.5	0.18
10/27/2020	XX	LFXXXD3J			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/6/2021	XX	LFXXXDD2			0.15	0.04 U	187	2.5 U	11		160		2 U		2.1	0.14
7/13/2021	XX	LFXXXEOE			0.13	0.04 U	228	3.7	12		190		2 U		2.6	0.1 U
10/5/2021	XX	LFXXXE71			0.17	0.04 U	215	2.5 U	12		170		2 U		2.3	0.1
4/26/2022	XX	LFXXXF1D			0.13	0.04 U	202	5	10		160		1 U		2.5	0.12
7/19/2022	XX	LFXXXF9C			0.1	0.04 U	241	2.5 U	10		190		1 U		2.9	0.15
10/4/2022	XX	LFXXXFJC			0.21	0.07	200	16	8.4		170		1 U		2.1	0.11
4/18/2023	XX	LFXXXGJ3			0.16	0.04 U	183	16	8.9		150		1 U		3.2	0.1 U
7/11/2023	XX	LFXXXH96			0.21	0.04 U	194	8.5	8.3		150		1 U		2.9	0.11
10/3/2023	XX	LFXXXO6C			0.16	0.04 U	187	2.5 U	8.3		160		1 U		2.8	0.17
<b>LF-UD-6</b>																
4/22/2014	XX	LFUD6X6GA				0.11	464	4 U	128		275		2.9		15	0.1 U
7/29/2014	XX	LFUD6X70C				0.04	522	4 U	52.6		332		2.9		11.5	0.11
10/21/2014	XX	LFUD6X740				0.06	536	4 U	88.7		343		3		9.4	0.11
4/28/2015	XX	LFUD6X7A0			5.6	0.14	530	4 U	96.5		315		2.8		11.2	0.1 U
7/14/2015	XX	LFUD6X7DC			2 U	0.06	523	4 U	99.9		344		2.8		11.1	0.1 U
10/27/2015	XX	LFUD6X71J			1.5	0.09	544	4 U	96.3		337		2.7		12.8	0.1 U
4/5/2016	XX	LFUD6X87B			12	0.27	562	4 U	92.8		293		2.5		12.7	0.1 U
7/26/2016	XX	LFUD6X8C1			D	D	D	D	D		D		D		D	D
10/25/2016	XX	LFUD6X8JJ			I	I	I	I	I		I		I		I	I
4/18/2017	XX	LFUD6X986			2.5	0.12	289	41	7.5		230		2.4		7.5	0.2 U
7/25/2017	XX	LFUD6X9E3			I	I	I	I	I		I		I		I	I
10/25/2017	XX	LFUD6X9HI			5.8	0.16	280	2.5 U	7.3		180		2		1 U	0.1 U
4/3/2018	XX	LFUD6XA3I			5.6	0.12	193	2.5 U	42		130		2.7		1 U	0.1 U
7/17/2018	XX	LFUD6XACI			1.4	0.09	190	2.5 U	10 U		160		2 U		5 U	0.5 U
10/2/2018	XX	LFUD6XB1G			3.5	0.12	172	2.5 U	2 U		120		2 U		1 U	0.1 U
4/23/2019	XX	LFUD6XB6E			27	0.09	309	2.5 U	6.5		84		2 U		1.2	0.1 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 5 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-6)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/16/2019	XX	LFUD6XBD5			9.1	0.13	149	8.7	3.3		49		2 U		1 U	0.1 U
10/29/2019	XX	LFUD6XBIH			20	0.65	186	150	4.6		4.9		2.8		1.9	0.1 U
4/28/2020	XX	LFUD6XCE5			60	0.2	438	2.5 U	12		1.5 U		2 U		2 U	0.2 U
7/21/2020	XX	LFUD6XCII			D	D	D	D	D		D		D		D	D
10/27/2020	XX	LFUD6XD41			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/6/2021	XX	LFUD6XDD4			130	4.6	1255	30	75		1.5 U		5		18	0.1 U
7/13/2021	XX	LFUD6XE0G			I	I	I	I	I		I		I		I	I
10/5/2021	XX	LFUD6XE72			20	5.7	353	2.5 U	11		1.5 U		2 U		14	0.1 U
4/26/2022	XX	LFUD6XF1E			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/19/2022	XX	LFUD6XF9E			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/4/2022	XX	LFUD6XFJD			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/18/2023	XX	LFUD6XGJ4			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/11/2023	XX	LFUD6XH98			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/3/2023	XX	LFUD6X06D			F6	F6	F6	F6	F6		F6		F6		F6	F6

LF-UD-7																
4/22/2014	XX	LFUD7X6GB					F6	F6	F6	F6		F6		F6		F6
7/29/2014	XX	LFUD7X70D					F6	F6	F6	F6		F6		F6		F6
10/21/2014	XX	LFUD7X741					F6	F6	F6	F6		F6		F6		F6
4/28/2015	XX	LFUD7X7A1			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/14/2015	XX	LFUD7X7DD			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/27/2015	XX	LFUD7X7J0			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/5/2016	XX	LFUD7X87C			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/26/2016	XX	LFUD7X8C2			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/25/2016	XX	LFUD7X900			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/18/2017	XX	LFUD7X987			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/25/2017	XX	LFUD7X9E4			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/25/2017	XX	LFUD7X9HJ			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/3/2018	XX	LFUD7XA3J			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/17/2018	XX	LFUD7XACJ			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/2/2018	XX	LFUD7XB1H			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/23/2019	XX	LFUD7XB6F			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/16/2019	XX	LFUD7XBD6			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/29/2019	XX	LFUD7XBII			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/28/2020	XX	LFUD7XCE6			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/21/2020	XX	LFUD7XCIJ			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/27/2020	XX	LFUD7XD42			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/6/2021	XX	LFUD7XDD5			H8	H8	H8	H8	H8		H8		H8		H8	H8
7/13/2021	XX	LFUD7XE0H			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/5/2021	XX	LFUD7XE73			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/26/2022	XX	LFUD7XF1F			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/19/2022	XX	LFUD7XF9F			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/4/2022	XX	LFUD7XFJE			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/18/2023	XX	LFUD7XGJ5			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/11/2023	XX	LFUD7XH99			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/3/2023	XX	LFUD7X06E			F6	F6	F6	F6	F6		F6		F6		F6	F6

LF-UD-8																
4/22/2014	XX	LFUD8X6GC					F12	F12	F12	F12		F12		F12		F12
7/29/2014	XX	LFUD8X70E					0.05	74	4 U	4.6		38		5.7		3.3

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 6 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-8)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/21/2014	XX	LFUD8X742				0.04 U	69	4	12.9		12.4		5.4		3.7	0.1 U
4/28/2015	XX	LFUD8X7A2			0.5 U	0.08	74	9	17		21		3.6		7.3	0.1 U
7/14/2015	XX	LFUD8X7DE			I	I	I	I	I		I		I		I	I
10/27/2015	XX	LFUD8X7J1			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/5/2016	XX	LFUD8X87D			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/26/2016	XX	LFUD8X8C3			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/25/2016	XX	LFUD8X901			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/18/2017	XX	LFUD8X988			0.05 U	0.04	55	6	49		9.4		3.7		14	0.2 U
7/25/2017	XX	LFUD8X9E5			D	D	D	D	D		D		D		D	D
10/25/2017	XX	LFUD8X9I0			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/3/2018	XX	LFUD8XA40			0.11	0.04	71	43	11		15		2.5		3.8	0.1 U
7/17/2018	XX	LFUD8XAD0			D	D	D	D	D		D		D		D	D
10/2/2018	XX	LFUD8XB11			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/23/2019	XX	LFUD8XB6G			0.058	0.1	70	11	14		14		4.7		7.1	0.1 U
7/16/2019	XX	LFUD8XBD7			0.05 U	0.04 U	53	5.5	8.7		14		6.3		4.7	0.1 U
10/29/2019	XX	LFUD8XBIJ			0.062	0.04	42	6.7	13		6		4.8		2	0.1 U
4/28/2020	XX	LFUD8XCE7			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/21/2020	XX	LFUD8XCJ0			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/27/2020	XX	LFUD8XD43			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/6/2021	XX	LFUD8XDD6			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/13/2021	XX	LFUD8XE0I			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/5/2021	XX	LFUD8XE74			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/26/2022	XX	LFUD8XF1G			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/19/2022	XX	LFUD8XF9G			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/4/2022	XX	LFUD8XFJF			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/18/2023	XX	LFUD8XGJ6			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/11/2023	XX	LFUD8XH9A			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/3/2023	XX	LFUD8X06F			F6	F6	F6	F6	F6		F6		F6		F6	F6
<b>LF-UD-9</b>																
4/5/2016	XX	LFUD9X881			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/26/2016	XX	LFUD9X8CA			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/25/2016	XX	LFUD9X905			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/18/2017	XX	LFUD9X98F			0.88	0.08	224	57	11		90		2.7		5.1	0.2 U
10/25/2017	XX	LFUD9X9I4			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/3/2018	XX	LFUD9XA47			D	F6	F6	F6	F6		F6		F6		F6	F6
7/17/2018	XX	LFUD9XAD4			D	D	D	D	D		D		D		D	D
10/2/2018	XX	LFUD9XB22			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/23/2019	XX	LFUD9XB73			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/16/2019	XX	LFUD9XBDD			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/29/2019	XX	LFUD9XBJ3			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/28/2020	XX	LFUD9XCED			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/21/2020	XX	LFUD9XCJ6			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/27/2020	XX	LFUD9XD47			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/6/2021	XX	LFUD9XDDA			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/13/2021	XX	LFUD9XE11			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/5/2021	XX	LFUD9XE78			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/26/2022	XX	LFUD9XF1J			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/19/2022	XX	LFUD9XF9J			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/4/2022	XX	LFUD9XFJI			F6	F6	F6	F6	F6		F6		F6		F6	F6

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 7 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-9)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/18/2023	XX	LFUD9XGJ9			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/11/2023	XX	LFUD9XH9D			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/3/2023	XX	LFUD9X06H			F6	F6	F6	F6	F6		F6		F6		F6	F6
<b>LF-UD-10</b>																
10/25/2017	XX	LFXXX9ID			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/3/2018	XX	LFXXXA48			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/17/2018	XX	LFU10XAD6			D	D	D	D	D		D		D		D	D
10/3/2018	XX	LFXXXB27			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/23/2019	XX	LFXXXB74			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/16/2019	XX	LFXXXBDE			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/29/2019	XX	LFXXXBJ7			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/28/2020	XX	LFXXXCEE			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/21/2020	XX	LFXXXCJ7			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/27/2020	XX	LFXXXD4B			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/6/2021	XX	LFXXXDDB			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/13/2021	XX	LFXXXE12			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/5/2021	XX	LFXXXE7C			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/26/2022	XX	LFXXXF23			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/19/2022	XX	LFXXXFA0			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/4/2022	XX	LFXXXG02			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/18/2023	XX	LFXXXGJD			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/11/2023	XX	LFXXXH9E			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/3/2023	XX	LFXXX06I			F6	F6	F6	F6	F6		F6		F6		F6	F6
<b>LF-UD-12+13+14</b>																
4/6/2021	XX	LFX12XDFB			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/11/2023	XX	LFXXX01F	0.2 U	0.5 U	0.49		111	63	6.5	0.1 U		50	1.5		5.3	0.1 U
10/3/2023	XX	LFXXX0A2			F6	F6	F6	F6	F6		F6		F6		F6	F6
<b>LP-UD-1</b>																
4/22/2014	XX	LPUD1X6F9				F6	F6	F6	F6		F6		F6		F6	F6
7/29/2014	XX	LPUD1X6JG				F6	F6	F6	F6		F6		F6		F6	F6
10/21/2014	XX	LPUD1X737				F6	F6	F6	F6		F6		F6		F6	F6
4/28/2015	XX	LPUD1X794			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/14/2015	XX	LPUD1X7CG			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/26/2015	XX	LPUD1X7I5			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/5/2016	XX	LPUD1X86F			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/26/2016	XX	LPUD1X8B5			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/25/2016	XX	LPUD1X8J4			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/18/2017	XX	LPUD1X97A			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/25/2017	XX	LPUD1X9D8			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/25/2017	XX	LPUD1X9H3			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/3/2018	XX	LPUD1XA32			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/17/2018	XX	LPUD1XAC3			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/2/2018	XX	LPUD1XB11			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/23/2019	XX	LPUD1XB5I			0.31	0.04 U	163	2.5 U	23		120		2 U		3.1	0.1 U
7/16/2019	XX	LPUD1XBCA			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/29/2019	XX	LPUD1XB13			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/28/2020	XX	LPUD1XCDA			F6	F6	F6	F6	F6		F6		F6		F6	F6

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 8 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LP-UD-1)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/22/2020	XX	LPUD1XC13			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/27/2020	XX	LPUD1XD37			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/6/2021	XX	LPUD1XDC9			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/13/2021	XX	LPUD1XE01			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/5/2021	XX	LPUD1XE69			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/26/2022	XX	LPUD1XF11			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/19/2022	XX	LPUD1XF8J			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/4/2022	XX	LPUD1XFJ0			F6	F6	F6	F6	F6		F6		F6		F6	F6
4/18/2023	XX	LPUD1XGIB			F6	F6	F6	F6	F6		F6		F6		F6	F6
7/11/2023	XX	LPUD1XH8D			F6	F6	F6	F6	F6		F6		F6		F6	F6
10/3/2023	XX	LPUD1X061			F6	F6	F6	F6	F6		F6		F6		F6	F6
<b>LP-UD-2</b>																
4/22/2014	XX	LPUD2X6FA				0.04 U	183	4 U	13.9		140		2 U		8.3	0.1 U
7/29/2014	XX	LPUD2X6JH				0.04 U	193	4 U	4.7		139		2 U		3.9	0.1 U
10/21/2014	XX	LPUD2X738				0.04 U	189	4 U	8.1		137		2 U		3.9	0.1 U
4/28/2015	XX	LPUD2X795			0.5 U	0.04 U	182	4 U	9.2		137		2 U		5.9	0.1 U
7/14/2015	XX	LPUD2X7CH			2 U	0.04 U	202	4 U	10.4		145		2 U		4.9	0.1 U
10/27/2015	XX	LPUD2X716			0.5 U	0.04 U	184	4 U	8.9		142		2 U		6.8	0.1 U
4/5/2016	XX	LPUD2X86G			0.1	0.04 U	177	4 U	9.9		137		2 U		5.7	0.1 U
7/26/2016	XX	LPUD2X8B6			0.13	0.04 U	218	4 U	8.6		163		2 U		5	0.2 U
10/25/2016	XX	LPUD2X8J5			0.14	0.04 U	294	4	10.7		229		2 U		5.4	0.2 U
4/18/2017	XX	LPUD2X97B			0.14	0.04 U	248	2.5 U	2 U		220		2 U		9.1	0.2 U
7/25/2017	XX	LPUD2X9D9			0.2	0.04 U	199	2.5 U	9.3		150		2 U		4.7	0.2 U
10/25/2017	XX	LPUD2X9H4			0.23	0.04 U	196	2.5 U	8.8		130		2 U		4	0.1 U
4/3/2018	XX	LPUD2XA33			0.3	0.04 U	156	2.5 U	2.1		120		2 U		3.6	0.1 U
7/17/2018	XX	LPUD2XAC4			0.27	0.04 U	184	2.5 U	8.8		140		2 U		4.3	0.1 U
10/2/2018	XX	LPUD2XB12			0.21	0.04 U	191	2.5 U	8.3		140		2 U		3.7	0.1 U
4/23/2019	XX	LPUD2XB5J			0.3	0.04 U	154	2.5 U	8.9		120		2 U		3.1	0.1 U
7/16/2019	XX	LPUD2XBCB			0.22	0.04 U	159	2.5 U	9.5		130		2 U		4	0.1 U
10/29/2019	XX	LPUD2XB14			0.23	0.04 U	165	2.5 U	9.3		130		2 U		3	0.1 U
4/28/2020	XX	LPUD2XCDB			0.38	0.04 U	170	2.5 U	9.6		140		2 U		3.4	0.1 U
7/21/2020	XX	LPUD2XC14			0.085	0.04 U	204	41	9.8		150		2 U		4.2	0.13
10/27/2020	XX	LPUD2XD38			0.24	0.17	199	36	8.1		150		27 M10		8.4	0.12
4/6/2021	XX	LPUD2XDCA			0.37	0.04 U	179	6.5	9.3		140		2 U		6.2	0.11
7/13/2021	XX	LPUD2XE02			0.36	0.04 U	203	2.5 U	9.9		150		2 U		5.2	0.1 U
10/5/2021	XX	LPUD2XE6A			0.34	0.04 U	187	4.7	9.6		140		2 U		4.3	0.1 U
4/26/2022	XX	LPUD2XF12			0.3	0.04 U	185	2.5 U	8.1		140		1 U		2.9	0.1 U
7/19/2022	XX	LPUD2XF90			0.25	0.04 U	215	2.5	9.4		170		1 U		3.1	0.1 U
10/4/2022	XX	LPUD2XFJ1			0.41	0.04 U	180	4 U	7.5		150		1 U		2.5	0.1 U
4/18/2023	XX	LPUD2XGIC			0.56	0.08	173	85	8		150		1		2.8	0.1 U
7/11/2023	XX	LPUD2XH8E			0.35	0.35	194	13	8.2		150		1 U		2.1	0.1 U
10/3/2023	XX	LPUD2X062			0.27	0.04 U	185	2.5 U	8		150		1 U		2.1	0.1
<b>MW-04-09A</b>																
2/26/2020	XX	GWX09AC56	0.25 U	0.5 U	0.05 U		203	59	2 U	0.1 U		84	3		5	0.1 U
4/30/2020	XX	GWX09ACC1	0.25 U	0.5 U	0.05 U		240	93	63	0.1 U		88	4.4		4.1	0.1 U
6/23/2020	XX	GWX09ACGC	0.25 U	0.5 U	0.05 U		243	12	82	0.17		90	4.9		5.7	0.1 U
8/20/2020	XX	GWX09AD1J	0.25 U	0.5 U	0.05 U		272	11	96	1.1		92	7.1		5.7	0.1 U
7/15/2021	XX	GWXXXXE20	0.25 U	0.5 U	0.05 U		238	3.3	80	0.1 U		100	4.2		5.9	0.1 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 9 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-04-09A)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/7/2021	XX	GWX09AE86	0.2 U	0.5 U	0.05 U		240	27	72	0.1 U		97	3		5.3	0.1 U
4/27/2022	XX	GWX09AF2C	0.2 U	0.5 U	0.051		223	5.3	62	0.1 U		99	3.7		4.4	0.1 U
7/20/2022	XX	GWXXXXFAF	0.2 U	0.5 U	0.05 U		223	2.5 U	65	0.1 U		95	3.2		4.8	0.1 U
10/5/2022	XX	GWX09AG0B	0.53	0.5 U	0.14		150	4 U	54	0.1 U		95	1.6		4.3	0.1 U
4/19/2023	XX	GWX09AH02	0.2 U	0.5 U	0.05 U		204	47	51	0.1 U		95	4.4		4.3	0.1 U
7/12/2023	XX	GWXXXX00B	0.2 U	0.5 U	0.057		187	6	47	0.1 U		95	1.4		4.1	0.1 U
10/4/2023	XX	GWX09A077	0.2 U	0.5 U	0.05 U		192	29	45	0.1 U		95	1.1		4.2	0.1 U
<b>MW-04-09B</b>																
2/26/2020	XX	GWX09BC57	0.25 U	0.5 U	0.078		103	2.5	2 U	0.1 U		52	2 U		3.3	0.1 U
4/30/2020	XX	GWX09BCC2	0.25 U	0.5 U	0.05 U		83	4.3	7.3	0.1 U		41	2 U		2.8	0.1 U
6/23/2020	XX	GWX09BCGD	0.25 U	0.5 U	0.066		84	3	6.2	0.1 U		41	2 U		3.3	0.1 U
8/20/2020	XX	GWX09BD20	0.28	0.5 U	0.056		81	2.5 U	5.8	0.1 U		47	2 U		3.4	0.1 U
7/15/2021	XX	GWXXXXE21	0.25 U	0.5 U	0.08		87	3	4.5	0.1 U		44	2 U		4	0.1 U
10/7/2021	XD	GWDP5XE8E	0.6	0.5 U	0.05 U		91	2.5 U	3.4	0.1 U		44	2 U		3.8	0.1 U
10/7/2021	XX	GWX09BE87	0.2 U	0.5 U	0.063		90	2.5 U	4	0.1 U		45	2 U		3.9	0.1 U
4/27/2022	XD	GWDP5XF30	0.2 U	0.5 U	0.072		82	2.5 U	3.9	0.1 U		43	1 U		4.3	0.1 U
4/27/2022	XX	GWX09BF2D	0.2 U	0.5 U	0.068		82	2.5 U	3.7	0.1 U		39	1 U		4.3	0.1 U
7/20/2022	XX	GWXXXXFAG	0.2 U	0.5 U	0.055		93	2.5 U	3.3	0.1 U		39	1 U		4.3	0.1 U
10/5/2022	XD	GWDP5XG0J	0.23	0.5 U	0.17		280	4 U	3.3	0.1 U		45	1 U		4.1	0.1 U
10/5/2022	XX	GWX09BG0C	0.57	0.5 U	0.16		42	4 U	3.8	0.1 U		44	1 U		4.4	0.1 U
4/19/2023	XX	GWX09BH03	0.2 U	0.5 U	0.074		68	4.5	3.6	0.1 U		34	1 U		5.4	0.1 U
7/12/2023	XX	GWXXXX00C	0.2 U	0.5 U	0.089		78	2.5 U	3.5	0.1 U		35	1 U		5.6	0.1 U
10/4/2023	XX	GWX09B078	0.2 U	0.5 U	0.17		81	2.5 U	3.2	0.1 U		37	1 U		5	0.1 U
<b>MW04-102</b>																
4/23/2014	XX	GW102X6G1	0.5 U				127	4 U	11.2			103	2 U		1.8	0.1 U
7/30/2014	XX	GW102X704	0.5 U				132	4 U	8.7			99	2 U		1.4	0.1 U
10/21/2014	XX	GW102X73F	0.5 U				143	4 U	10.2			103	2 U		1.5	0.1 U
4/29/2015	XX	GW102X79C	0.5 U		0.5 U		127	4 U	12.7			100	2 U		2.1	0.1 U
7/14/2015	XX	GW102X7D4	0.5 U		2 U		135	4 U	13.8			98	2 U		2.5	0.1 U
10/28/2015	XX	GW102X7ID	0.5 U		0.5 U		138	4 U	10.8			99	2 U		2.2	0.1 U
4/5/2016	XX	GW102X873	0.5 U		0.05 U		133	4 U	14.1			100	2 U		1.6	0.1 U
7/26/2016	XX	GW102X8BD	0.5 U		0.05 U		136	4 U	14.5			99	2 U		2.2	0.2 U
10/25/2016	XX	GW102X8JC	0.5 U		0.05		151	5	12.2			99	2 U		1.7	0.2 U
4/19/2017	XX	GW102X971	0.5 U		0.07		130	2.5 U	10			100	2 U		1.5	0.2 U
7/26/2017	XX	GW102X9DG	0.5 U		0.06		123	2.5 U	12			99	2 U		1.7	0.2 U
10/25/2017	XX	GW102X9HB	0.25 U		0.05		150	2.5 U	12			94	2 U		1.4	0.1 U
4/4/2018	XX	GW102XA3A	0.5 U		0.12		140	3	5.7			100	2 U		1.1	0.1 U
7/18/2018	XX	GW102XACB	0.25 U		0.054		133	2.5 U	12			100	2 U		1.7	0.1 U
10/3/2018	XX	GW102XB19	0.25 U		0.074		143	2.5 U	13			100	2 U		1.5	0.1 U
4/24/2019	XX	GW102XB66	0.25 U		0.11		131	2.5 U	13			98	2 U		1.2	0.1 U
7/17/2019	XX	GW102XBCH	0.25 U		0.065		132	2.5 U	13			99	2 U		1.1	0.1 U
10/28/2019	XX	GW102XBIA	0.25 U		0.091		131	2.5 U	13			100	2 U		1.9	0.1 U
4/27/2020	XX	GW102XCDH	0.25 U		0.15		138	2.5 U	13			100	2 U		2 U	0.2 U
7/20/2020	XX	GW102XCIA	0.25 U		0.089		133	2.5 U	13			100	2 U		1.6	0.1 U
10/26/2020	XX	GW102XD3E	0.28		0.085		136	2.5 U	11			110	5.2 M10		1.1	0.1 U
4/5/2021	XX	GW102XDCCG	0.25 U		0.11		135	2.5 U	13			110	2 U		1.7	0.1 U
7/12/2021	XX	GW102XE08	0.25 U		0.081		132	2.5 U	13			97	2 U		1 U	0.1 U
10/4/2021	XX	GW102XE6G	0.2 U		0.058		135	2.5 U	9.5			100	2 U		1.2	0.1 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 10 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW04-102)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/25/2022	XX	GW102XF18	0.51		0.16		126	2.5 U	12		100		1 U		1	0.1 U
7/18/2022	XX	GW102XF96	0.2 U		0.07		139	3	10		100		1 U		1.2	0.1 U
10/3/2022	XX	GW102XFJ7	0.2 U		0.11		91	4 U	8.8		100		1 U		1.1	0.1 U
4/17/2023	XX	GW102XGII	0.5 U		0.099		127	2.5 U	11		100		1 U		1.3	0.1 U
7/10/2023	XX	GW102XH90	0.2 U		0.12		129	2.5 U	10		99		1 U		1.4	0.1 U
10/2/2023	XX	GW102X067	0.2 U		0.17		125	2.5 U	9.6		110		1 U		1.5	0.1 U
<b>MW04-109 &amp; MW04-109R</b>																
4/22/2014	XX	GW109X6G3	0.5 U				236	4 U	8.7		196		2 U		8.1	0.25
7/29/2014	XX	GW109X705	0.5 U				248	4 U	4		198		2 U		6.6	0.13
10/21/2014	XX	GW109X73G	0.5 U				260	4 U	5.8		209		2 U		4.9	0.14
4/28/2015	XX	GW109X79D	0.5 U		0.5 U		256	4 U	9.6		201		2 U		7.2	0.2
7/14/2015	XX	GW109X7D5	0.5 U		2 U		247	4 U	9.1		193		2 U		6	0.17
10/27/2015	XX	GW109X7IE	0.5 U		0.5 U		265	4 U	9.2		207		2 U		6.7	0.2
4/5/2016	XX	GW109X874	0.5 U		0.05 U		256	4 U	10.9		199		2 U		6.6	0.1 U
7/26/2016	XX	GW109X8BE	0.5 U		0.05 U		245	4 U	10.6		193		2 U		8.4	0.2
10/25/2016	XX	GW109X8JD	0.5 U		0.08		270	4 U	8.3		200		2 U		4.7	0.2
4/18/2017	XX	GW109X97J	0.5 U		0.05 U		261	2.5 U	8.6		230		2 U		5.5	0.2 U
7/25/2017	XX	GW109X9DH	0.5 U		0.06		259	2.5 U	12		210		2 U		6	0.2 U
10/24/2017	XX	GW109X9HC	0.25 U		0.05 U		267	2.5 U	9.1		190		2 U		9.9	0.1 U
4/3/2018	XX	GW109XA3B	0.25 U		0.15		271	2.5 U	55		220		2 U		5.5	0.17
7/17/2018	XX	GW109XACC	0.29		0.21		258	2.5 U	9.9		200		2.1		11	0.15
10/2/2018	XX	GW109XB1A	0.25 U		0.1		252	2.5 U	9		200		2 U		5	0.11
4/23/2019	XX	GW109XB67	0.25 U		0.058		256	2.5 U	10		210		2 U		3.8	0.16
7/16/2019	XX	GW109XBCI	0.25 U		0.05 U		265	2.5 U	8.9		220		2 U		6.8	0.15
10/29/2019	XX	GW109XBIB	0.92		0.05 U		260	2.5 U	8.5		210		2		1 U	0.2
4/28/2020	XX	GW109XCDI	0.25 U		0.11		251	2.5 U	10		210		2 U		4.2	0.16
7/21/2020	XX	GW109XCIB	0.29		0.073		252	2.5 U	8		200		2 U		3.6	0.23
10/27/2020	XX	GW109XD3F	0.27		0.058		224	2.5 U	6.8		190		54 M10		2.8	0.14
4/6/2021	XX	GW109XDCH	0.25 U		0.065		245	2.5 U	7.6		210		2 U		3.6	0.2
7/13/2021	XX	GW109XE09	0.25 U		0.05 U		246	2.5 U	7.1		200		2 U		4.2	0.2
10/5/2021	XX	GW109XE6H	0.2 U		0.05 U		248	2.5 U	7.6		200		2 U		2.1	0.1 U
4/26/2022	XX	GW109XF19	0.25		0.052		232	2.5 U	6		190		1.7		3.7	0.15
7/19/2022	XD	GWDP7XFBI	0.35		0.05 U		248	2.5 U	5.8		190		1.7		5.5	0.2
7/19/2022	XX	GW109XF97	0.32		0.05 U		244	2.5 U	6.4		190		1.7		5.7	0.18
10/4/2022	XX	GW109XFJ8	0.2 U		0.12		650	4 U	5.9		180		1.6		3.3	0.13
4/18/2023	XX	GW109XGII	0.2 U		0.066		228	2.5	7.1		190		2		5.3	0.13
7/11/2023	XD	GWDP8X01C	0.3		0.068		245	2.5 U	6.4		190		1.9		3.5	0.14
7/11/2023	XX	GW109XH91	0.26		0.05 U		251	2.5 U	5.5		190		1.8		3.1	0.13
10/2/2023	XX	GW109X068	0.2		0.064		211	2.5 U	4.7		180		1.9		1.5	0.1
<b>MW06-01</b>																
4/10/2018	XD	GWDP1XA68	0.25 U	0.5 U	0.14	0.04 U	53	2.5 U	2.3	0.1 U		32	2 U	1 U	4.8	0.1 U
4/10/2018	XX	GWXXXXA70	0.25 U	0.5 U	0.13	0.04 U	50	2.5 U	2.3	0.1 U		32	2 U	1 U	4.8	0.1 U
6/4/2018	XX	GWXXXXA7H	0.25 U	0.5 U	0.11	0.04 U	75	2.5 U	2.8	0.1 U		32	2 U	1 U	8.9	0.1 U
7/18/2018	XX	GWXXXXAEF	0.25 U		0.13		72	2.5 U	3			31	2 U	1 U	8.1	0.1 U
8/20/2018	XD	GWDP1XAF4	0.25 U		0.097		68	2.5 U	2.7			32	2 U		7.3	0.1 U
8/20/2018	XX	GWXXXXAFG	0.25 U		0.078		78	2.5 U	2.6			31	2 U		7.3	0.1 U
4/24/2019	XX	GWXXXXB7D	0.25 U		0.091		60	2.5 U	2.9		30		2 U		4.4	0.1 U
7/18/2019	XX	GWXXXXBE1	0.25 U		0.13		77	2.5 U	2.6		34		2 U		7.5	0.1 U



REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 11 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW06-01)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/30/2019	XX	GWXXXXBJ8	0.25 U		0.11		50	2.5 U	9.2		23		2 U		1.3	0.1 U
4/29/2020	XX	GWXXXXCF1	0.25 U		0.15		60	2.5 U	3.3		31		2 U		7.8	0.1 U
7/22/2020	XX	GWXXXXCJE	0.25 U		0.05 U		64	2.5 U	3.3		31		2 U		6.7	0.1 U
10/28/2020	XX	GWXXXXD4C	0.25 U		0.16		53	2.5 U	2.7		33		4.9 M10		7.7	0.1 U
4/7/2021	XX	GWXXXXDDI	0.25 U		0.14	0.04 U	81	2.5 U	2 U		37		2 U	2 U	7.9	0.1 U
7/14/2021	XX	GWXXXXE19	0.25 U		0.22		83	2.5 U	2.6		39		2 U		11	0.1 U
10/6/2021	XX	GWXXXXE7D	0.2 U		0.26		98	2.5 U	2.4		40		2 U		11	0.1 U
4/27/2022	XX	GWXXXXF24	0.2 U		0.23		129	2.5 U	2.5		69		1 U		12	0.2
7/20/2022	XX	GWXXXXFA7	0.2 U	0.5 U	0.27		128	2.5 U	2.5	0.1 U		62	1 U		13	0.1 U
10/5/2022	XX	GWXXXXG03	0.2 U		0.34		140	4 U	2.3			67	1 U		12	0.14
4/19/2023	XX	GWXXXXGJE	0.2 U		0.27		121	2.5 U	2.8		78		1 U		13	0.19
7/12/2023	XX	GWXXXX003	0.2 U	0.5 U	0.25		137	2.5 U	2.7	0.1 U		83	1 U		13	0.24
10/4/2023	XX	GWXXXX06J	0.2 U	0.5 U	0.23		142	2.5 U	2.6	0.1 U		84	1 U		11	0.23
<b>MW-08-01</b>																
2/9/2021	XX	GWXXXXDA0	0.25 U	0.5 U	0.089	0.08	162	4.7	19	0.1 U		93	2 U	2 U	6.9	0.1 U
4/7/2021	XX	GWXXXXDAJ	0.25 U	0.5 U	0.05 U	0.08	143	3.5	13	0.1 U		95	2 U	2 U	3.8	0.1 U
6/9/2021	XX	GWXXXXDH2	0.25 U	0.5 U	0.067	0.07	141	2.5 U	12	0.1 U		90	2 U	2 U	2.9	0.1 U
8/19/2021	XX	GWXXXXE4G	0.2 U	0.5 U	0.05 U	0.07	145	2.5 U	14	0.1 U		90	2 U	2 U	4.2	0.1 U
10/4/2021	XX	GWXXXXE9B	0.2 U	0.5 U	0.05 U					0.1 U			2 U			
10/5/2021	XX	GWXXXXE9BINO28					149	2.5 U	18			91			5.1	0.1 U
4/27/2022	XX	GWXXXXF3G	0.38	0.5 U	0.05 U		179	31	19	0.1 U		96	1 U		5.9	0.1 U
7/21/2022	XX	GWXXXXFBD	0.2 U	0.5 U	0.087		135	3	14	0.3 U		86	1 U		4.2	0.1 U
10/5/2022	XX	GWXXXXG1F	0.24	0.5 U	1.3		130	6.4	16	0.1 U		89	1.1		7.3	0.1 U
4/17/2023	XX	GWXXXXH16	0.5 U	0.5 U	0.53		132	3.5	15	0.1 U		90	1 U		5.4	0.1 U
7/13/2023	XX	GWXXXX019	0.2 U	0.5 U	0.36		126	2.5 U	13	0.1 U		89	1 U		4.5	0.1 U
10/5/2023	XX	GWXXXX08B	0.2 U	0.5 U	0.25		140	13	14	0.1 U		98	1 U		5.6	0.1 U
<b>MW09-901</b>																
4/22/2014	XX	GW901X6F1	0.5 U				110	4 U	12.1		83		2 U		2.7	0.1 U
7/29/2014	XX	GW901X6J8	0.5 U				128	4 U	4.6		96		2 U		1.8	0.1 U
10/21/2014	XX	GW901X72J	0.5 U				170	4 U	8.1		132		2 U		3	0.1 U
4/28/2015	XX	GW901X78G	0.5 U		0.5 U		175	4 U	11		142		2 U		4.6	0.1 U
7/14/2015	XX	GW901X7C8	0.5		2 U		178	4 U	11.2		141		2 U		4.4	0.1 U
10/27/2015	XX	GW901X7HH	0.6		0.5 U		198	4 U	10.9		154		2 U		5.8	0.1 U
4/5/2016	XD	GWDP1X85F	0.5 U		0.13		194	4 U	12.4		154		2 U		5.2	0.1 U
4/5/2016	XX	GW901X867	0.5 U		0.06		188	4 U	12.3		155		2 U		5.4	0.1 U
7/26/2016	XD	GWDP1X8A5	0.5 U		0.05 U		205	4 U	12.1		158		2 U		6.2	1.2
7/26/2016	XX	GW901X8AH	1.5		0.05 U		203	4 U	12.4		157		2 U		6.1	0.2 U
10/25/2016	XX	GW901X8IG	0.5 U		0.11		224	4 U	9.9		159		2 U		5.9	0.2
4/18/2017	XD	GWDP1X96A	0.5 U		0.29		197	2.5 U	10		170		2 U		6	0.2 U
4/18/2017	XX	GW901X972	0.5 U		0.29		206	2.5 U	11		170		2 U		6.1	0.2 U
7/25/2017	XD	GWDP1X9C8	0.5 U		0.35		224	2.5 U	14		170		2 U		6.8	0.2 U
7/25/2017	XX	GW901X9D0	0.5 U		0.4		230	2.5 U	14		160		2 U		6.8	0.2 U
10/24/2017	XX	GW901X9GF	0.25 U		0.23		234	2.5 U	13		170		2 U		9.5	0.1 U
4/3/2018	XD	GWDP1XA21	0.25 U		0.61		220	2.5 U	45		170		2 U		7.4	0.16
4/3/2018	XX	GW901XA2E	0.34		0.6		235	2.5 U	47		170		2 U		7.4	0.15
7/17/2018	XD	GWDP1XAB3	0.25 U		0.76		234	2.5 U	13		170		2 U		13	0.12
7/17/2018	XX	GW901XABF	0.36		0.75		231	2.5 U*	14		180		2 U		14	0.13
10/2/2018	XX	GW901XB0D	0.25 U		0.37		234	2.5 U	13		170		2 U		10	0.17

DATA SUMMARY TABLE

Inorganics Parameters



(MW09-901)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/23/2019	XD	GWDP1XB4H	0.3		0.18		217	2.5 U	11		170		2 U		4.7	0.32
4/23/2019	XX	GW901XB5A	0.25 U		0.2		217	2.5 U	11		170		2 U		4.8	0.26
7/16/2019	XD	GWDP1XBBA	0.25 U		0.24		236	2.5 U	12		180		2 U		8.7	0.22
7/16/2019	XX	GW901XBC2	0.25 U		0.22		227	2.5 U	12		180		2 U		8.6	0.23
10/29/2019	XX	GW901XBF2	0.25 U		0.05 U		209	2.5 U	13		160		2 U		5.1	0.27
4/28/2020	XD	GWDP1XCCA	0.25 U		0.1		220	2.5 U	14		170		2 U		5.9	0.32
4/28/2020	XX	GW901XCD2	0.25 U		0.11		216	2.5 U	14		170		2 U		6	0.32
7/21/2020	XD	GWDP1XCH3	0.25 U		0.073		216	2.5 U	12		170		2 U		4.2	0.32
7/21/2020	XX	GW901XCHF	0.25 U		0.05 U		219	2.5 U	13		170		2 U		4.4	0.29
10/27/2020	XX	GW901XD2J	0.25 U		0.05 U		194	2.5 U	12		160		39 M10		3.3	0.15
4/6/2021	XD	GWDP1XDB9	0.25 U		0.09		220	2.5 U	12		180		2 U		4.6	0.3
4/6/2021	XX	GW901XDC1	0.25 U		0.086		227	2.5 U	12		180		2 U		3.5	0.29
7/13/2021	XD	GWDP1XDJ1	0.25 U		0.05 U		202	2.5 U	12		160		2 U		1 U	0.1 U
7/13/2021	XX	GW901XDJD	0.25 U		0.05 U		209	2.5 U	12		160		2 U		4.1	0.24
10/5/2021	XX	GW901XE61	0.24		0.05 U		202	2.5 U	11		160		2 U		2.5	0.1
4/26/2022	XX	GW901XF0D	0.31		0.44		240	2.5 U	12		180		1.3		14	0.28
7/19/2022	XD	GWDP1XF7J	0.2 U		0.05 U		231	2.5 U	10		180		1.2		7.2	0.23
7/19/2022	XX	GW901XF8B	0.22		0.05 U		212	2.5 U	11		170		1.2		7.8	0.28
10/4/2022	XX	GW901XFIC	0.2 U		0.12		270	4 U	8.4		140		2.2		6.4	0.21
4/18/2023	XX	GW901XGI3	0.2 U		0.53		241	2.5 U	12		180		1.6		14	0.23
7/11/2023	XD	GWDP1XH7D	0.2 U		0.091		229	2.5 U	11		170		1.4		7.2	0.31
7/11/2023	XX	GW901XH85	0.2 U		0.077		243	2.5	12		170		3.3		6.8	0.25
10/2/2023	XX	GW901X05D	0.2 U		0.05		203	2.5 U	10		170		1.4		4.5	0.18
<b>MW-206</b>																
4/21/2014	XX	GW206X6E3	0.5 U				83	4 U	2 U		71		2 U		2.6	0.1 U
7/28/2014	XX	GW206X6IB	0.5 U				83	4 U	2 U		68		2 U		1.3	0.1 U
7/28/2014	XD	GWDP1X6IG	0.8				87	4 U	2 U		67		2 U		1.1	0.1 U
10/20/2014	XX	GW206X721	0.5 U				91	4 U	2 U		74		2 U		1.6	0.1 U
4/27/2015	XX	GW206X77J	0.5 U		0.5 U		88	4 U	2 U		69		2 U		3.6	0.1 U
7/13/2015	XX	GW206X7BB	0.5 U		2 U		95	4 U	2.1		70		2 U		1.3	0.1 U
7/13/2015	XD	GWDP3X7C7	0.5 U		2 U		95	4 U	2 U		65		2 U		1.6	0.1 U
10/26/2015	XX	GW206X7H0	0.5 U		0.5 U		95	4 U	2 U	0.5 U	68		2 U		3.2	0.1 U
4/4/2016	XX	GW206X85A	1.2		0.05		95	4 U	2.3		70		2 U		1.9	0.1 U
7/25/2016	XD	GWDP4X8B2	0.7		0.14		95	4 U	2 U		68		2 U		1.4	0.2 U
7/25/2016	XX	GW206X8A0	0.7		0.05 U		95	4 U	2 U		69		2 U		1.5	0.2 U
10/24/2016	XX	GW206X8HJ	0.5 U		0.18		97	4 U	2 U		69		2 U		1.6	0.2 U
4/17/2017	XX	GW206X965	0.5 U		0.16		102	37	2 U		73		2 U		1.3	0.2 U
7/24/2017	XD	GWDP4X9D5	0.5 U		0.18		110	5 U	2.3		70		2 U		1.9	0.2 U
7/24/2017	XX	GW206X9C3	0.5 U		0.13		68	5 U	2.3		69		2 U		2.1	0.2 U
10/23/2017	XX	GW206X9F1	0.25 U		0.22		92	2.5 U	2 U		64		2 U		1	1.2
4/2/2018	XX	GW206XA1G	0.25 U		0.23		97	8	2 U		71		2 U		1.4	0.1 U
7/16/2018	XD	GWDP4XAC0	0.49		0.28		80	2.5 U	2 U		66		2 U		1.9	0.1 U
7/16/2018	XX	GW206XAAI	0.26		0.26		88	2.5 U	2.4		70		2 U		2.3	0.1 U
10/1/2018	XX	GW206XAJG	0.25 U		0.05 U		92	2.5 U	2.1		72		2 U		1.9	0.1 U
4/22/2019	XX	GW206XB4C	0.25 U		0.2		97	5	2 U		68		2 U		1.7	0.1 U
7/17/2019	XX	GW206XBB5	0.25 U		0.18		93	2.5 U	2.3		71		2 U		2	0.1 U
10/28/2019	XX	GW206XBGJ	0.25 U		0.18		99	2.5 U	2 U		71		2 U		2.2	0.1 U
4/27/2020	XX	GW206XCC5	0.25 U		0.11		101	3	2.4		74		2 U		2.4	0.1 U
7/20/2020	XX	GW206XCGI	0.25 U		0.26		89	2.5 U	2.6		70		2 U		2.8	0.1 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 13 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-206)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/26/2020	XX	GW206XD23	0.25 U		0.16		89	2.5 U	1.7		72		6.6 M10		2	0.1 U
4/5/2021	XX	GW206XDB4	0.25 U		0.14		93	2.5 U	2.3		70		2 U		2.8	0.1 U
7/14/2021	XX	GW206XDIG	0.25 U	0.5 U	0.12		90	2.5 U	2.1	0.1 U		68	2 U		2.4	0.1 U
10/4/2021	XX	GWXXXXE8D	0.31	0.5 U	0.11		95	2.5 U	2 U	0.1 U		70	2 U		2.4	0.1 U
4/25/2022	XX	GWXXXXF2J	0.5 UH	0.5 U	0.096		94	2.5 U	2 U	0.1 U		68	1 U		2.3	0.1 U
7/18/2022	XX	GW206XF7E	0.2 U	0.5 U	0.082		101	2.5	2 U	0.1 U		72	1 U		2.5	0.1 U
10/3/2022	XX	GWXXXXG0I	0.2 U	0.5 U	0.13		23	4 U	2 U	0.1 U		70	1 U		2	0.1 U
4/17/2023	XX	GWXXXXH09	0.5 U	1	0.11		85	2.5 U	2 U	0.1 U		72	1 U		2.4	0.1 U
7/10/2023	XX	GW206XH78	0.2 U	0.5 U	0.1		100	2.5 U	4.3	0.1 U		66	1 U		2.5	0.1 U
10/2/2023	XX	GWXXXX07E	0.2 U	0.5 U	0.075		92	2.5 U	2.3	0.1 U		73	1 U		2.6	0.1 U
<b>MW-223A</b>																
4/22/2014	XX	GW223A6E6	0.5 U				288	4 U	12.1		186		2 U		57.6	0.1 U
4/22/2014	XD	GWDP1X6E9	0.5 U				282	4 U	12.3		185		2 U		56.3	0.1 U
7/29/2014	XX	GW223A6ID	0.5				288	4 U	4.4		176		2 U		36	0.15
10/21/2014	XX	GW223A723	0.5 U				296	4 U	8		178		2 U		32	0.16
10/21/2014	XD	GWDP3X72I	0.5 U				313	4 U	7.8		177		2 U		31.9	0.17
4/28/2015	XX	GW223A781	0.5 U		0.5 U		308	4 U	10.8		184		2 U		34.9	0.1
4/28/2015	XD	GWDP1X784	0.5 U		0.5 U		302	4 U	11.1		184		2 U		35.2	0.1
7/14/2015	XX	GW223A7BD	0.5 U		2 U		319	4 U	11.9		182		2 U		37.8	0.1 U
10/27/2015	XX	GW223A7H2	0.5 U		0.5 U		326	4 U	12.1		186		2 U		41.2	0.1 U
4/27/2016	XX	GW223A85C	0.5 U		0.48		318	4 U	13.9		191		2 U		43.2	0.1 U
7/26/2016	XX	GW223A8A2	0.5 U		0.36		345	4 U	14.6		184		2 U		41.9	0.2 U
10/25/2016	XX	GW223A8I1	0.5 U		0.57		353	4 U	13.4		185		2 U		43.5	0.2 U
4/18/2017	XX	GW223A967	0.5 U		0.58		334	2.5 U	8		200		2 U		40	0.2 U
7/25/2017	XX	GW223A9C5	0.5 U		0.48		356	2.5 U	16		190		2 U		46	0.2 U
10/24/2017	XX	GW223A9G0	0.25 U		0.58		346	2.5 U	16		180		2 U		49	0.1 U
4/3/2018	XX	GW223AA11	0.25 U		0.67		333	2.5 U	59		200		2 U		32	0.12
7/17/2018	XX	GW223AAB0	0.43		0.7		337	2.5 U	16		190		2 U		43	0.11
10/2/2018	XX	GW223AAJ1	0.35		0.63		346	2.5 U	16		200		2 U		41	0.1 U
4/23/2019	XX	GW223AB4E	0.26		0.72		337	2.5 U	18		210		2 U		26	0.11
7/16/2019	XX	GW223ABB7	0.4		0.71		345	2.5 U	18		220		2 U		34	0.11
10/29/2019	XX	GW223ABH0	0.29		0.64		337	2.5 U	19		230		2 U		32	0.12
4/28/2020	XX	GW223ACC7	0.25 U		0.74		360	2.5 U	22		230		2 U		32	0.15
7/21/2020	XX	GW223ACH0	0.25 U		0.17		376	2.5 U	20		240		2 U		31	0.23
10/27/2020	XX	GW223AD24	0.25 U		0.55		337	2.5 U	19		250		44 M10		31	0.13
4/6/2021	XX	GW223ADB6	0.25 U		0.46		365	2.5 U	21		260		2 U		24	0.2
7/13/2021	XX	GW223ADII	0.25 U		0.52		371	2.5 U	20		250		2 U		32	0.1 U
10/5/2021	XX	GW223AE56	0.26		0.6		387	2.5 U	21		260		2 U		30	0.1 U
4/26/2022	XX	GW223AEJ1	0.61		0.69		375	2.5 U	19		260		1 U		27	0.14
7/19/2022	XX	GW223AF7G	0.47		0.72		370	2.5 U	19		270		1 U		27	0.14
10/4/2022	XX	GW223AFHH	0.5		0.86		460	4 U	19		260		1 U		26	0.15
4/18/2023	XX	GW223AGH8	0.2 U		1.1		364	9	17		260		1		24	0.11
7/11/2023	XX	GW223AH7A	0.2 U		1.2		408	2.5 U	19		270		1		26	0.12
10/2/2023	XX	GW223A04H	0.2 U		1.1		377	2.5 U	17		270		1 U		26	0.13
<b>MW-223B</b>																
4/22/2014	XX	GW223B6FF	0.5 U				225	4 U	7.6		135		2 U		55.7	4.13
7/29/2014	XX	GW223B700	1.2				225	4 U	3		133		2 U		34.8	0.18
10/21/2014	XX	GW223B73C	0.5 U				239	4 U	5.2		135		2 U		31.6	0.15

REPORT PREPARED: 3/12/2024 08:46

FOR: Juniper Ridge Landfill

DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE

Inorganics Parameters



Page 14 of 36

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(MW-223B)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/28/2015	XX	GW223B798	0.5 U		0.5 U		234	4 U	7		138		2 U		34.4	0.2
7/14/2015	XX	GW223B7D0	0.5 U		2 U		240	4 U	6.8		139		2 U		36.7	0.1 U
10/27/2015	XX	GW223B7I9	0.5 U		0.5 U		261	4 U	7.6		143		2 U		39.7	0.1 U
4/5/2016	XX	GW223B86J	0.5 U		0.15		228	12	8.8		146		2 U		40.1	0.1 U
7/26/2016	XX	GW223B8B9	0.5 U		0.17		248	4 U	8.7		146		2 U		36.6	0.2 U
10/25/2016	XX	GW223B8J8	1		0.43		262	4 U	7.1		147		2 U		34.4	0.2 U
4/18/2017	XX	GW223B97E	0.5 U		0.43		246	2.5 U	12		160		2 U		1.3	0.2 U
7/25/2017	XX	GW223B9DC	0.5 U		0.41		261	2.5 U	9.3		150		2 U		40	0.2 U
10/24/2017	XX	GW223B9H7	0.34		0.45		252	2.5 U	9.4		150		2 U		44	0.1 U
4/3/2018	XX	GW223BA36	0.27		0.58		254	2.5 U	53		160		2 U		31	0.1 U
7/17/2018	XX	GW223BAC7	0.25 U		0.67		252	2.5 U	11		160		2 U		42	0.11
10/2/2018	XX	GW223BB15	0.25 U		0.58		280	2.5 U	11		170		2 U		42	0.1 U
4/23/2019	XX	GW223BB62	0.25 U		0.65		281	2.5 U	12		170		2 U		32	0.11
7/16/2019	XX	GW223BB8C	0.25 U		0.7		282	2.5 U	13		180		2 U		42	0.13
10/29/2019	XX	GW223BBI6	0.25 U		0.63		285	2.5 U	15		180		2 U		39	0.15
4/28/2020	XX	GW223BCDD	0.35		0.75		288	2.5 U	16		180		2 U		38	0.15
7/21/2020	XX	GW223BCI6	0.25		0.21		326	2.5 U	14		180		2 U		38	0.22
10/27/2020	XX	GW223BD3A	0.25 U		0.65		283	2.5 U	14		190		47 M10		38	0.15
4/6/2021	XX	GW223BDCC	0.25 U		0.58		309	3	14		200		2 U		31	0.2 U
7/13/2021	XX	GW223BE04	0.25 U		0.61		308	2.5 U	16		200		2 U		38	0.1 U
10/5/2021	XX	GW223BE6C	0.61		0.6		340	2.5 U	16		200		2 U		35	0.1
4/26/2022	XX	GW223BF14	0.48		0.51		308	2.5 U	15		200		1 U		32	0.16
7/19/2022	XX	GW223BF92	0.2 U		0.47		297	2.5 U	15		200		1 U		33	0.16
10/4/2022	XX	GW223BFJ3	0.7		0.67		350	4 U	17		210		1 U		30	0.16
4/18/2023	XX	GW223BGIE	0.2 U		0.67		317	2.5 U	15		210		1 U		32	0.15
7/11/2023	XX	GW223BH8G	0.2 U		0.75		356	2.5 U	16		210		1 U		31	0.15
10/2/2023	XX	GW223B063	0.3		0.46		304	7.3	15		220		1 U		29	0.12
<b>MW-227</b>																
4/22/2014	XX	GW227X6E7	0.5 U				111	4 U	17.3		84		2 U		2	0.1 U
4/22/2014	XD	GWDP3X6F0	0.5 U				110	4 U	17.3		84		2 U		2.1	0.1 U
7/29/2014	XX	GW227X6IE	0.5 U				107	4 U	5.7		84		2 U		1.3	0.1 U
7/29/2014	XD	GWDP3X6J7	0.5 U				109	4 U	5.7		78		2 U		1.2	0.1 U
10/21/2014	XX	GW227X724	0.5 U				116	4 U	10.2		81		2 U		1.4	0.16
4/28/2015	XX	GW227X782	0.5 U		0.5 U		110	4 U	13.3		81		2 U		2.2	0.1 U
4/28/2015	XD	GWDP3X78F	0.5		0.5 U		115	4 U	13.4		82		2 U		2.1	0.1 U
7/14/2015	XX	GW227X7BE	0.5 U		2 U		109	4 U	12.4		80		2 U		1.4	0.1 U
7/14/2015	XD	GWDP1X7BG	0.5 U		2 U		104	7	13.1		78		2 U		1.8	0.1 U
10/27/2015	XX	GW227X7H3	0.5 U		0.5 U		115	4 U	12		79		2 U		2.1	0.1 U
10/27/2015	XD	GWDP1X7H5	0.5 U		0.5 U		108	4 U	12.1		77		2 U		2.2	0.1 U
4/5/2016	XD	GWDP3X866	0.5 U		0.05 U		112	4 U	13.5		78		2 U		1.5	0.1 U
4/5/2016	XX	GW227X85D	0.5 U		0.05 U		105	4 U	13.4		79		2 U		1.6	0.1 U
7/26/2016	XD	GWDP3X8AG	0.5 U		0.05 U		108	4 U	12.4		79		2 U		2.1	0.2 U
7/26/2016	XX	GW227X8A3	0.5 U		0.05 U		114	4 U	12.5		80		2 U		2	0.2 U
10/25/2016	XD	GWDP3X8IF	0.7		0.05 U		123	4 U	11.5		79		2 U		1.77	0.2 U
10/25/2016	XX	GW227X8I2	0.5 U		0.05 U		129	4 U	11.6		79		2 U		1.8	0.2 U
4/18/2017	XD	GWDP3X971	0.5 U		0.05 U		108	6	12		84		2 U		1.4	0.2 U
4/18/2017	XX	GW227X968	0.5 U		0.05 U		110	4	12		84		2 U		1.3	0.2 U
7/25/2017	XD	GWDP3X9CJ	0.5 U		0.05 U		119	2.5 U	13		80		2 U		1.9	0.2 U
7/25/2017	XX	GW227X9C6	0.5 U		0.05 U		113	2.5 U	13		80		2 U		1.9	0.2 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 15 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-227)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/24/2017	XD	GWDP3X9GE	0.25 U		0.05 U		110	2.5 U	12		75		2 U		1.8	0.1 U
10/24/2017	XX	GW227X9G1	0.25 U		0.05 U		122	2.5 U	12		76		2 U		2	0.1 U
4/3/2018	XD	GWDP3XA2D	0.25 U		0.091		109	2.5 U	7.8		80		2 U		1.2	0.1 U
4/3/2018	XX	GW227XA1J	0.25 U		0.11		109	3.7	7.7		81		2 U		1.4	0.1 U
7/17/2018	XD	GWDP3XABE	0.25 U		0.057		102	2.5 U	12		76		2 U		1.1	0.1 U
7/17/2018	XX	GW227XAB1	0.25 U		0.083		101	2.5 U	12		80		2 U		1.2	0.1 U
10/2/2018	XD	GWDP3XB0C	0.88		0.07		113	2.5 U	12		80		2 U		1.4	0.1 U
10/2/2018	XX	GW227XAJJ	0.26		0.05 U		115	2.5 U	12		79		2 U		1.6	0.1 U
4/23/2019	XD	GWDP3XB59	0.25 U		0.092		106	6.3	14		81		2 U		1.1	0.1 U
4/23/2019	XX	GW227XB4F	0.25 U		0.12		108	10	14		81		2 U		1.3	0.1 U
7/16/2019	XD	GWDP3XBC1	0.25 U		0.05 U		103	2.5 U	12		79		2 U		1.3	0.1 U
7/16/2019	XX	GW227XBB8	0.25 U		0.05 U		114	4.3	13		80		2 U		1.4	0.1 U
10/29/2019	XD	GWDP3XBHE	1.8		0.091		110	2.5 U	13		78		2 U		1.6	0.1 U
10/29/2019	XX	GW227XBH1	0.25 U		0.05 U		106	2.5 U	12		82		2 U		1.3	0.1 U
4/28/2020	XD	GWDP3XCD1	0.25 U		0.13		105	2.5 U	17		82		2 U		1.2	0.1 U
4/28/2020	XX	GW227XCC8	0.25 U		0.11		115	2.5 U	15		81		2 U		1.4	0.1 U
7/21/2020	XD	GWDP3XCHE	0.25 U		0.05 U		118	2.5 U	13		77		2 U		1.3	0.1 U
7/21/2020	XX	GW227XCH1	0.25 U		0.05 U		117	2.5 U	13		80		2 U		1.5	0.1
10/27/2020	XD	GWDP3XD2I	0.25 U		0.065		103	2.5 U	12		82		16 M10		1.2	0.1 U
10/27/2020	XX	GW227XD25	0.25 U		0.056		104	2.5 U	11		84		14 M10		1.1	0.1 U
4/6/2021	XD	GWDP3XDC0	0.25 U		0.066		117	5.5	13		88		2 U		1.6	0.1 U
4/6/2021	XX	GW227XDB7	0.25 U		0.067		102	2.5 U	13		90		2 U		1.7	0.1 U
7/13/2021	XD	GWDP3XDJC	0.25 U		0.05 U		108	10	13		80		2 U		1.1	0.1 U
7/13/2021	XX	GW227XDJI	0.25 U		0.05 U		112	2.5 U	11		83		2 U		1 U	0.1 U
10/5/2021	XD	GWDP3XE60	0.34		0.05 U		121	6.3	12		83		2 U		1.3	0.1 U
10/5/2021	XX	GW227XE57	0.2 U		0.05 U		119	3	12		82		2 U		1.2	0.1 U
4/26/2022	XD	GWDP3XF0C	0.2 U		0.054		109	2.5 U	12		82		1 U		1.2	0.1 U
4/26/2022	XX	GW227XEJ	0.35		0.051		115	2.5 U	12		82		1 U		1.2	0.1 U
7/19/2022	XD	GWDP3XF8A	0.2 U		0.05 U		119	2.5 U	11		82		1 U		1.1	0.1 U
7/19/2022	XX	GW227XF7H	0.2 U		0.05 U		130	2.5 U	12		85		1 U		1.3	0.1 U
10/4/2022	XD	GWDP3XFIB	0.2 U		0.1		18	4 U	10		83		1 U		1.3	0.1 U
10/4/2022	XX	GW227XFHI	0.23		0.11		190	4 U	11		84		1 U		1.2	0.1 U
4/18/2023	XD	GWDP3XGI2	0.2 U		0.058		104	2.5 U	11		82		1 U		1.3	0.1 U
4/18/2023	XX	GW227XGH9	0.2 U		0.05 U		113	2.5 U	12		80		1 U		1.3	0.1 U
7/11/2023	XD	GWDP3XH84	0.2 U		0.07		128	2.5 U	11		80		1 U		1.3	0.1 U
7/11/2023	XX	GW227XH7B	0.2 U		0.087		135	2.5 U	11		80		1 U		1.3	0.1 U
10/2/2023	XD	GWDP3X05C	0.2 U		0.05 U		106	2.5 U	10		84		1 U		1.3	0.1 U
10/2/2023	XX	GW227X04I	0.2 U		0.05 U		103	2.5 U	10		82		1 U		1.3	0.1 U
<b>MW-301</b>																
4/23/2014	XX	GW301X6E8	0.5 U				119	9	15.4		76		2 U		3.9	0.1 U
7/30/2014	XX	GW301X6IF	0.5 U				129	4	13.4		78		2 U		3.7	0.1 U
10/22/2014	XX	GW301X725	0.5 U				118	4 U	14.2		79		2 U		3.6	0.1 U
10/22/2014	XD	GWDP1X726	0.5 U				120	4 U	14.2		79		2 U		3.5	0.1 U
4/29/2015	XX	GW301X783	0.5 U		0.5 U		117	4 U	17.2		78		2 U		5.7	0.1 U
7/15/2015	XX	GW301X7BF	0.5 U		2 U		128	4 U	17		80		2 U		6.4	0.1 U
10/27/2015	XX	GW301X7H4	0.5 U		0.5 U		129	4 U	16.9		73		2 U		8	0.1 U
10/27/2015	XD	GWDP4X7I2	0.5 U		0.5 U		131	4 U	16.6		76		2 U		8.3	0.1 U
4/27/2016	XX	GW301X85E	0.5 U		0.06		133	20	17.5		77		2 U		8.8	0.1 U
7/27/2016	XX	GW301X8A4	0.5 U		0.06		139	14	14.9		75		2 U		8.2	0.2 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 16 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-301)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/26/2016	XD	GWDP4X8J1	0.5 U		0.05 U		143	4 U	17.1		75		2 U		8.9	0.2 U
10/26/2016	XX	GW301X8I3	0.5 U		0.05 U		146	4 U	17.2		76		2 U		9.1	0.2 U
4/19/2017	XX	GW301X969	0.5 U		0.05 U		138	2.5 U	17		79		2 U		12	0.2 U
7/26/2017	XX	GW301X9C7	0.5 U		0.05 U		136	2.5 U	19		74		2 U		15	0.2 U
10/25/2017	XD	GWDP4X9H0	0.25 U		0.09		162	2.5 U	18		71		2 U		12	0.1 U
10/25/2017	XX	GW301X9G2	0.25 U		0.07		150	2.5 U	18		70		2 U		15	0.1 U
4/4/2018	XX	GW301XA20	0.25 U		0.1		138	2.5 U	10		78		2 U		12	0.1 U
7/18/2018	XX	GW301XAB2	0.25 U		0.092		145	6	15		76		2 U		20	0.1 U
10/1/2018	XD	GWDP4XB0I	0.25 U		0.051		144	2.5 U	16		77		2 U		14	0.1
10/1/2018	XX	GW301XB00	0.25 U		0.06		147	2.5 U	16		75		2 U		16	0.1
4/24/2019	XX	GW301XB4G	0.25 U		0.066		148	2.5 U	17		74		2 U		21	0.1
7/17/2019	XX	GW301XBB9	0.25 U		0.051		159	2.5 U	17		78		2 U		25	0.1 U
10/28/2019	XD	GWDP4XBIO	0.25 U		0.07		163	2.5 U	18		77		2 U		27	0.15
10/28/2019	XX	GW301XBH2	0.25 U		0.056		161	2.5 U	17		74		2 U		26	0.15
4/27/2020	XX	GW301XCC9	0.25 U		0.083		148	2.5 U	19		77		2 U		20	0.1 U
7/20/2020	XX	GW301XCH2	0.25 U		0.05 U		153	2.5 U	18		76		2 U		25	0.11
10/26/2020	XD	GWDP4XD34	0.25 U		0.05 U		151	2.5 U	16		76		8.5 M10		21	0.1 U
10/26/2020	XX	GW301XD26	0.25 U		0.05 U		147	2.5 U	17		76		6.8 M10		20	0.1 U
4/5/2021	XX	GW301XDB8	0.25 U		0.05 U		171	6.5	19		76		2 U		26	0.1 U
7/12/2021	XX	GW301XDJO	0.25 U		0.05 U		152	2.5 U	17		74		16		21	0.1
10/4/2021	XD	GWDP4XE66	0.27		0.05 U		161	2.5 U	17		78		2 U		21	0.1 U
10/4/2021	XX	GW301XE58	0.2 U		0.05 U		163	2.5 U	18		76		2 U		22	0.1 U
4/25/2022	XD	GWDP4XF0I	0.25		0.05 U		154	2.5 U	18		76		1 U		21	0.1 U
4/25/2022	XX	GW301XF0I	0.2 U		0.05 U		158	2.5 U	17		74		1 U		21	0.1 U
7/18/2022	XX	GW301XF7I	0.2 U		0.05 U		163	2.5 U	17		82		1 U		22	0.1 U
10/3/2022	XD	GWDP4XFIH	0.2 U		0.05 U		96	4 U	16		74		1 U		20	0.1 U
10/3/2022	XX	GW301XFHJ	0.2 U		0.05 U		88	4 U	3.9		75		1 U		8.5	0.1 U
4/17/2023	XD	GWDP4XGI8	0.5 U		0.05 U		148	2.5 U	19		71		1 U		23	0.1 U
4/17/2023	XX	GW301XGHA	0.5 U		0.054		149	2.5 U	17		73		1 U		22	0.1 U
7/10/2023	XX	GW301XH7C	0.2 U		0.062		168	2.5 U	17		75		1 U		23	0.1 U
10/2/2023	XD	GWDP4X05I	0.2 U		0.055		152	2.5 U	18		79		1 U		23	0.11
10/2/2023	XX	GW301X04J	0.2 U		0.061		152	2.5 U	18		83		1 U		24	0.11
<b>MW-302 &amp; MW-302R</b>																
4/21/2014	XX	GW302X6FD	0.5 U				202	4 U	17.6		61		2 U		91.3	0.1 U
7/28/2014	XX	GW302X6J	0.6				315	4 U	6		70		2 U		89.7	0.2 U
10/20/2014	XX	GW302X73A	0.5 U				300	4 U	32.2		105		2 U		63.1	0.11
4/27/2015	XX	GW302X797	0.5 U		0.5 U		175	4 U	14.7		52		2 U		46.4	0.1 U
7/13/2015	XX	GW302X7CJ	0.5 U		2 U		275	4 U	15.3		58		2 U		79.4	0.1 U
10/26/2015	XX	GW302X7I8	0.5 U		0.5 U		326	4 U	17.5		87		2 U		89.4	0.2 U
4/4/2016	XX	GW302X86I	0.6		0.06		186	4 U	13.4		59		2 U		42.1	0.1 U
7/25/2016	XX	GW302X8B8	1.2		0.05 U		187	4 U	12.7		59		2 U		35.8	0.2 U
10/24/2016	XX	GW302X8J7	0.5 U		0.12		357	4 U	23.4		238		2 U		32	0.2 U
4/17/2017	XX	GW302X97D	0.5 U		0.29		182	2.5 U	17		65		2 U		39	0.2 U
7/24/2017	XX	GW302X9DB	0.5 U		0.31		200	5 U	22		61		2 U		48	0.2 U
10/23/2017	XX	GW302X9H6	0.25 U		0.31		322	2.5 U	31		160		2 U		42	0.16
4/2/2018	XX	GW302XA35	0.25 U		0.28		159	2.5 U	12		47		2 U		31	0.1 U
7/16/2018	XX	GW302XAC6	0.25 U		0.43		180	2.5 U	24		68		2 U		39	0.1 U
10/1/2018	XX	GW302XB14	0.32		0.73		506	2.5 U	38		330		2 U		43	0.14
4/22/2019	XX	GW302XB61	0.25 U		0.15		118	2.5 U	14		46		2 U		18	0.1 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 17 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-302 & MW-302R)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/17/2019	XX	GW302XBCC	0.3		0.39		212	2.5 U	26		50		2 U		51	0.1 U
10/28/2019	XX	GW302XB15	0.25 U		0.5		199	2.5 U	31		61		2 U		44	0.16
4/27/2020	XX	GW302XCDC	0.25 U		0.22		196	2.5 U	27		43		2 U		44	0.1 U
7/20/2020	XX	GW302XC15	0.25 U		0.1		205	2.5 U	25		62		2 U		47	0.2 U
10/26/2020	XX	GW302XD39	0.29		0.49		254	2.5 U	29		120		24 M10		44	0.1 U
4/5/2021	XX	GW302XD39	0.25 U		0.65		160	2.5 U	11		84		2 U		18	0.2 U
7/12/2021	XX	GW302XE03	0.26		0.97		328	2.5 U	31		120		64		68	0.5 U
10/4/2021	XX	GW302XE6B	0.25		1		262	2.5 U	22		140		2 U		34	0.1 U
4/25/2022	XX	GW302XF13	0.2 U		1.2		204	2.5 U	13		85		1 U		31	0.23
7/18/2022	XX	GW302XF91	0.2 U		0.71		319	2.5 U	30		150		1.3		48	0.23
10/3/2022	XX	GW302XFJ2	DE		DE			DE	DE		DE		DE		DE	DE
<b>MW-303 &amp; MW12-303R</b>																
4/21/2014	XX	GW303X6FH	0.5 U				162	4 U	6.3		126		2 U		15.1	0.38
7/28/2014	XX	GW303X701	0.9				157	4 U	2 U		115		2 U		9.6	0.15
10/20/2014	XX	GW303X73D	0.5 U				266	4 U	5.5		162		2 U		48.3	0.21
4/27/2015	XX	GW303X799	0.5 U		0.5 U		533	4 U	9.5		87		4.3		57.2	0.1 U
6/18/2015	XX	42173-1	0.5 U	0.5 U	0.5 U		314	6	4.1		135	135	2 U	1 U	76.4	
7/13/2015	XX	GW303X7D1	0.6		2 U		221	4 U	3		130		2 U		39.4	0.19
10/26/2015	XX	GW303X71A	0.5 U		0.5 U		214	4	4		136		2 U		39.4	0.1 U
4/4/2016	XX	GW303X870	0.5 U		0.05 U		236	4 U	18.2		103		6.4		48.8	0.1 U
7/25/2016	XX	GW303X8BA	0.5 U		5.9		326	4 U	10.6		130		4.1		51.8	0.2 U
10/24/2016	XX	GW303X8J9	1		2.4		391	38	32.8		152		11.6		71.3	0.2 U
4/17/2017	XX	GW303X97F	0.5 U		2.2		284	2.5 U	23		120		5.5		57	0.2 U
7/24/2017	XX	GW303X9DD	0.5 U		0.28		250	5 U	8.7		120		3.7		52	0.2 U
10/23/2017	XX	GW303X9H8	0.73		0.13		244	130	5.3		120		3.5		44	0.17
4/2/2018	XX	GW303XA37	0.63		1.5		1016	2.5	430		42		5.2		220	0.5 U
7/16/2018	XX	GW303XAC8	0.25 U		0.074		289	2.5 U	14		140		2 U		57	0.1 U
10/1/2018	XX	GW303XB16	0.34		0.072		265	37	5.7		120		2 U		45	0.1 U
4/22/2019	XX	GW303XB63	2		1		353	12	56		120		16		27	2.4
7/17/2019	XX	GW303XBCE	0.71		0.72		297	2.5 U	33		130		7.8		40	0.62
10/28/2019	XX	GW303XB17	0.9		1.7		268	2.5 U	45		120		11		15	0.27
4/27/2020	XX	GW303XCDE	0.25 U		0.58		297	4.7	22		77		4.4		42	0.1 U
7/20/2020	XX	GW303XC17	0.25 U		0.17		176	2.5 U	5.1		90		2 U		29	0.2 U
10/26/2020	XX	GW303XD3B	0.8		12		372	2.5 U	29		72		34 M10		77	0.1 U
4/5/2021	XX	GW303XDCC	0.49		1.9		294	5	26		69		4.3		59	0.2 U
7/12/2021	XX	GW303XE05	0.89		3.8		425	2.5 U	22		70		6.8		97	0.5 U
10/4/2021	XX	GW303XE6D	0.44		0.2		454	3	29		110		6.4		110	0.3 U
4/25/2022	XX	GW303XF15	0.36		0.78		205	15	26		62		4.7		35	0.1 U
7/18/2022	XX	GW303XF93	0.78		0.72		250	7.5	25		150		1.2		12	0.1 U
10/3/2022	XX	GW303XFJ4	0.42		1.1		180	4.8	28		120		4.1		34	0.1 U
4/17/2023	XX	GW303XGIF	0.5 U		1.3		242	22	25		150		2.2		12	0.1 U
7/10/2023	XX	GW303XH8H	0.24		0.61		200	3	22		100		4.3		14	0.1 U
10/2/2023	XX	GW303X064	0.32		0.39		187	8	25		110		4.5		12	0.1 U
<b>MW-401A</b>																
4/21/2014	XX	GW401A6F2	0.5 U				81	4 U	4.8		62		2 U		2.9	0.1 U
7/28/2014	XX	GW401A6J9	0.5 U				89	4 U	2		61		2 U		1.5	0.1 U
10/20/2014	XX	GW401A730	0.5 U				83	4 U	3.3		62		2 U		1.8	0.1 U
4/27/2015	XX	GW401A78H	0.6		0.5 U		89	4 U	4.1		60		2 U		3.8	0.1 U



REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 18 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-401A)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/13/2015	XX	GW401A7C9	0.5 U		1 U		99	4 U	3.7		59		2 U		4.1	0.1 U
10/26/2015	XX	GW401A7HI	0.5 U		0.5 U		87	4 U	4.1		59		2 U		2.7	0.1 U
4/27/2016	XX	GW401A868	0.5 U		0.1		91	4 U	4.2		59		2 U		2.4	0.1 U
7/25/2016	XX	GW401A8AI	0.5 U		0.05 U		90	4 U	3.8		63		2 U		2.2	0.2 U
10/24/2016	XX	GW401A8IH	0.5 U		0.1		98	4 U	4		58		2 U		2.2	0.2 U
4/17/2017	XX	GW401A973	0.5 U		0.05		95	2.5 U	3.7		62		2 U		2.3	0.2 U
7/24/2017	XX	GW401A9D1	0.5 U		0.1		89	7	4.7		63		2 U		2.7	0.2 U
10/25/2017	XX	GW401A9GG	0.25 U		0.11		112	2.5 U	4.4		57		2 U		2.2	0.1 U
4/2/2018	XX	GW401AA2F	0.25 U		0.14		85	2.5 U	2.8		58		2 U		2.1	0.1 U
7/16/2018	XX	GW401AABG	0.25 U		0.14		89	2.5 U	4.7		60		2 U		3.1	0.1 U
10/1/2018	XX	GW401AB0E	0.25 U		0.083		91	2.5 U	4		61		2 U		2.8	0.1 U
4/22/2019	XX	GW401AB5B	0.25 U		0.1		91	2.5 U	4.5		61		2 U		3.4	0.1 U
7/15/2019	XX	GW401ABC3	0.25 U		0.1		92	2.5 U	4.3		62		2 U		3.8	0.1 U
10/28/2019	XX	GW401ABHG	0.25 U		0.12		98	2.5 U	5		61		2 U		4.9	0.1 U
4/27/2020	XX	GW401ACD3	0.25 U		0.16		106	2.5 U	5		63		2 U		4.8	0.1 U
7/20/2020	XX	GW401ACHG	0.25 U		0.05 U		97	2.5 U	4.9		61		2 U		5.3	0.1 U
10/26/2020	XX	GW401AD30	0.25 U		0.084		92	2.5 U	4		62		5 M10		4.6	0.1 U
4/5/2021	XX	GW401ADC2	0.25 U		0.11		98	3	4.7		62		2 U		6.1	0.11
7/12/2021	XX	GW401ADJE	0.25 U		0.091		101	2.5 U	4.2		62		9.6		6.2	0.1 U
10/4/2021	XX	GW401AE62	0.24		0.095		98	2.5 U	4		62		2 U		6.8	0.1 U
4/25/2022	XX	GW401AF0E	0.21		0.078		105	2.5 U	4.2		58		1 U		7.9	0.1 U
7/18/2022	XX	GW401AF8C	0.27		0.096		111	2.5 U	4		64		1 U		8.1	0.1 U
10/3/2022	XX	GW401AFID	0.2 U		0.12			4 U	16		62		1 U		21	0.1 U
10/3/2022	XX	GW401AFIDRR					77 H									
4/17/2023	XX	GW401AGI4	0.5 U		0.12		99	2.5 U	3.7		58		1 U		11	0.1 U
7/10/2023	XX	GW401AH86	0.2 U		0.11		118	2.5 U	4		60		1 U		13	0.1 U
10/2/2023	XX	GW401A05E	0.2 U		0.098		109	2.5 U	4.3		66		1 U		13	0.11
<b>MW-401B</b>																
4/21/2014	XX	GW401B6F3	0.5 U				170	4 U	13.7		135		2 U		16.2	0.21
4/21/2014	XD	GWDP4X6F6	0.5 U				160	4 U	13.7		128		2 U		15.1	0.23
7/28/2014	XX	GW401B6JA	0.7				198	4 U	5.3		139		2 U		12.5	0.15
7/28/2014	XD	GWDP4X6JD	0.5 U				195	4 U	5.3		141		2 U		12	0.16
10/20/2014	XX	GW401B731	0.5 U				212	4 U	9.6		156		8.9		11.5	0.2
10/20/2014	XD	GWDP4X734	0.5 U				217	4 U	9.6		163		2 U		11.5	0.2
4/27/2015	XX	GW401B78I	0.5 U		0.5 U		177	4 U	10.9		126		2 U		11.3	0.18
4/27/2015	XD	GWDP4X791	0.5 U		0.5 U		170	4 U	11.3		123		2 U		11	0.18
7/13/2015	XX	GW401B7CA	0.5 U		1 U		205	4 U	10.7		146		2 U		13	0.16
7/13/2015	XD	GWDP4X7CD	0.5 U		2 U		208	4 U	10.3		144		2 U		11.7	0.25
10/26/2015	XX	GW401B7HJ	0.5 U		0.5 U		211	4 U	11.9		158		2 U		13.6	0.1 U
10/26/2015	XD	GWDP3X7HG	0.5 U		0.5 U		219	4 U	11.8		155		2 U		13.7	0.1 U
4/6/2016	XD	GWDP4X86C	0.5 U		0.05 U		177	4 U	11.7		124		2 U		11.5	0.1 U
4/6/2016	XX	GW401B869	0.5 U		0.05 U		185	4 U	11.8		127		2 U		11.8	0.1 U
7/25/2016	XX	GW401B8AJ	0.5 U		0.05 U		225	4 U	10.4		157		2 U		13.1	0.2
10/24/2016	XD	GWDP1X8I4	0.5 U		0.05 U		214	4 U	12.2		163		2 U		8.5	0.2
10/24/2016	XX	GW401B8II	1		0.05 U		213	4 U	12.5		158		2 U		8.9	0.2
4/17/2017	XD	GWDP4X977	0.5 U		0.05 U		183	7	11		130		2 U		9.5	0.2 U
4/17/2017	XX	GW401B974	0.5 U		0.05 U		196	5	11		140		2 U		9.4	0.2 U
7/24/2017	XX	GW401B9D2	0.5 U		0.05 U		180	5 U	12		150		2 U		12	0.2 U
10/25/2017	XD	GWDP1X9G3	0.25 U		0.07		235	2.5 U	13		150		2 U		6.9	0.19



REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 19 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-401B)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/25/2017	XX	GW401B9GH	0.25 U		0.05 U		226	2.5 U	13		150		2 U		6.5	0.21
4/2/2018	XD	GWDP4XA2J	0.25 U		0.092		192	2.5 U	6		150		2 U		5.5	0.16
4/2/2018	XX	GW401BA2G	0.25 U		0.069		176	2.5 U	5.9		130		2 U		6.4	0.14
7/16/2018	XX	GW401BABH	0.25 U		0.057		198	2.5 U	12		150		2 U		11	0.14
10/1/2018	XD	GWDP1XB01	0.25 U		0.058		214	2.5 U	11		160		2 U		6.2	0.19
10/1/2018	XX	GW401BB0F	0.25 U		0.05 U		213	2.7	11		160		2 U		6.3	0.2
4/22/2019	XD	GWDP4XB5F	0.25 U		0.05 U		156	2.5 U	12		120		2 U		6.9	0.16
4/22/2019	XX	GW401BB5C	0.25 U		0.05 U		166	2.5 U	12		120		2 U		6.4	0.14
7/15/2019	XD	GWDP4XBC7	0.25 U		0.05 U		175	2.7	11		140		2 U		8.7	0.17
7/15/2019	XX	GW401BBC4	0.25 U		0.21		167	2.5 U	11		130		2 U		9.1	0.15
10/28/2019	XD	GWDP1XBH3	0.25 U		0.06		208	2.5	13		150		2 U		10	0.2
10/28/2019	XX	GW401BBHH	0.25 U		0.067		208	2.5 U	14		150		2 U		10	0.23
4/27/2020	XD	GWDP4XCD7	0.25 U		0.05 U		162	2.5 U	13		110		2 U		9	0.14
4/27/2020	XX	GW401BCD4	0.25 U		0.091		166	2.5 U	13		120		2 U		9.4	0.15
7/20/2020	XD	GWDP4XCI0	0.25 U		0.05 U		188	2.5 U	12		160		2 U		8.5	0.24
7/20/2020	XX	GW401BCHH	0.25 U		0.05 U		196	2.5 U	13		160		2 U		8.4	0.21
10/26/2020	XD	GWDP1XD27	0.25 U		0.05 U		208	2.5 U	11		160		32 M10		6.9	0.19
10/26/2020	XX	GW401BD31	0.25 U		0.051		211	2.5 U	11		160		23 M10		7.2	0.19
4/5/2021	XD	GWDP4XDC6	0.25 U		0.05 U		190	3	12		150		2 U		5	0.23
4/5/2021	XX	GW401BDC3	0.25 U		0.05 U		183	2.5	12		150		2 U		1 U	0.24
7/12/2021	XD	GWDP5XE1B	0.25 U		0.05 U		190	2.5 U	10		150		2 U		1.6	0.2
7/12/2021	XX	GW401BDJF	0.25 U		0.05 U		198	2.5 U	11		160		49		1.5	0.21
10/4/2021	XD	GWDP1XE59	0.2 U		0.05 U		203	2.5 U	11		160		2 U		4.8	0.17
10/4/2021	XX	GW401BE63	0.2 U		0.05 U		199	2.5 U	11		160		2 U		5	0.2
4/25/2022	XD	GWDP1XF01	0.2 U		0.05 U		195	2.5 U	9.7		150		1 U		4.7	0.18
4/25/2022	XX	GW401BF0F	0.5		0.05 U		190	2.5 U	10		150		1 U		4.5	0.18
7/18/2022	XD	GWDP5XFA8	0.2 U		0.06		201	2.5	9.2		160		1 U		4.5	0.19
7/18/2022	XX	GW401BF8D	0.2 U		0.05 U		210	2.5	9.7		160		1 U		4.7	0.18
10/3/2022	XD	GWDP1XF10	0.2 U		0.05 U		140	4 U	9.3		160		1 U		4.2	0.18
10/3/2022	XX	GW401BFIE	0.41		0.05 U			4 U	10		160		1 U		5.3	0.18
10/3/2022	XX	GW401BFIERR					150 H									
4/17/2023	XD	GWDP1XGHB	0.5 U		0.05 U		186	2.5 U	10		150		1		5.2	0.17
4/17/2023	XX	GW401BG15	0.5 U		0.051		180	2.5 U	10		150		1.1		5.4	0.16
7/10/2023	XD	GWDP5X004	0.2 U		0.053		192	2.5 U	10		140		1 U		4.5	0.2
7/10/2023	XX	GW401BH87	0.2 U		0.06		189	2.5 U	10		140		1 U		5.4	0.19
10/2/2023	XD	GWDP1X050	0.2 U		0.05 U		189	2.5 U	11		150		1		3.7	0.2
10/2/2023	XX	GW401B05F	0.2 U		0.05 U		193	2.5 U	11		160		1 U		3.9	0.25
<b>MW-402A</b>																
4/23/2014	XX	GW402A6F4	0.5 U				76	4 U	8.1		56		2 U		1.7	0.1 U
7/30/2014	XX	GW402A6JB	0.5 U				87	4 U	6.9		52		2 U		1.5	0.1 U
10/22/2014	XX	GW402A732	0.5 U				76	4 U	7		58		2 U		1.4	0.1 U
4/29/2015	XX	GW402A78J	0.5 U		0.5 U		79	4 U	9.1		57		2 U		2.1	0.1 U
7/15/2015	XX	GW402A7CB	0.5 U		2 U		91	4 U	8.4		56		2 U		1.5	0.1 U
10/28/2015	XX	GW402A710	0.5 U		0.5 U		91	4 U	8.8		54		2 U		2.2	0.1 U
4/27/2016	XX	GW402A86A	0.5 U		0.06		86	4 U	8.8		57		2 U		2.1	0.1 U
7/27/2016	XX	GW402A8B0	0.5 U		0.05		86	4 U	7.8		55		2 U		1.6	0.2 U
10/26/2016	XX	GW402A81J	0.5 U		0.05		95	4 U	8.8		53		2 U		1.8	0.2 U
4/19/2017	XX	GW402A975	0.5 U		0.05 U		94	2.5 U	6.3		56		2 U		1.4	0.2 U
7/26/2017	XX	GW402A9D3	0.5 U		0.05 U		78	2.5 U	9.6		54		2 U		1.9	0.2 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 20 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-402A)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/26/2017	XX	GW402A9GI	0.25 U		0.1		100	2.5 U	9.5		51		2 U		1.6	0.1 U
4/4/2018	XX	GW402AA2H	0.5 U		0.11		90	2.5 U	6.1		59		2 U		1.6	0.1 U
7/18/2018	XX	GW402AABI	0.27		0.065		81	2.5 U	8.4		54		2 U		1.4	0.1 U
10/3/2018	XX	GW402AB0G	0.25 U		0.059		95	2.5 U	8.8		54		2 U		1.7	0.1 U
4/24/2019	XX	GW402AB5D	0.25 U		0.06		87	2.5 U	9.2		55		2 U		1.5	0.1 U
7/17/2019	XX	GW402ABC5	0.25 U		0.064		90	2.5 U	8.8		55		2 U		1.4	0.1 U
10/30/2019	XX	GW402ABHI	0.25 U		0.062		83	2.5 U	11		57		2 U		1.7	0.1 U
4/29/2020	XX	GW402ACD5	0.25 U		0.085		76	2.5 U	9.6		56		2 U		1.7	0.1 U
7/22/2020	XX	GW402ACHI	0.25 U		0.051		80	2.5 U	9.3		57		2 U		1.8	0.1 U
10/28/2020	XX	GW402AD32	0.25 U		0.057		75	2.5 U	8.3		55		4.8 M10		1.4	0.1 U
4/7/2021	XX	GW402ADC4	0.25 U		0.05 U		94	2.5 U	7.8		60		2 U		1.3	0.1 U
7/14/2021	XX	GW402ADJG	0.25 U		0.059		84	2.5 U	8.9		54		2 U		1.8	0.1 U
10/4/2021	XX	GW402AE64	0.2 U		0.05 U		87	2.5 U	8.9		56		2 U		1.8	0.1 U
4/25/2022	XX	GW402AF0G	0.2 U		0.052		89	2.5 U	8		55		1 U		1.7	0.1 U
7/20/2022	XX	GW402AF8E	0.2 U		0.072		96	2.5 U	8.4		56		1 U		2	0.1 U
10/3/2022	XX	GW402AFIF	0.2 U		0.069			4 U	8		58		1 U		1.8	0.1 U
10/3/2022	XX	GW402AFIFRR					45 H									
4/17/2023	XX	GW402AGI6	0.5 U		0.093		78	2.5 U	7.9		53		1 U		2	0.1 U
7/10/2023	XX	GW402AH88	0.2 U		0.091		94	2.5 U	8		54		1 U		2.1	0.1 U
10/2/2023	XX	GW402A05G	0.2 U		0.093		55	2.5 U	8.3		59		1 U		2.1	0.1 U
<b>MW-402B</b>																
4/23/2014	XX	GW402B6F5	0.5 U				81	4 U	9		68		2 U		1.9	0.1 U
7/30/2014	XX	GW402B6JC	0.5 U				100	4 U	8.1		66		2 U		1.6	0.1 U
10/22/2014	XX	GW402B733	0.5 U				89	4 U	8.2		71		2 U		1.6	0.1 U
4/29/2015	XX	GW402B790	0.5 U		0.5 U		92	4 U	10.1		68		2 U		2	0.1 U
7/15/2015	XX	GW402B7CC	0.5 U		2 U		98	4 U	9.6		67		2 U		1.9	0.1 U
10/28/2015	XX	GW402B711	0.5 U		0.5 U		95	4 U	9.9		67		2 U		2.4	0.1 U
4/27/2016	XX	GW402B86B	0.5 U		0.05 U		94	4 U	9.8		68		2 U		2.1	0.1 U
7/27/2016	XX	GW402B8B1	0.5 U		0.05 U		94	4 U	8.8		66		2 U		1.7	0.2 U
10/26/2016	XX	GW402B8J0	0.5 U		0.05 U		105	8	9.8		66		2 U		2	0.2 U
4/19/2017	XX	GW402B976	0.5 U		0.06		96	2.5 U	6.5		68		2 U		1.6	0.2 U
7/26/2017	XX	GW402B9D4	0.5 U		0.05 U		88	2.5 U	11		67		2 U		2	0.2 U
10/26/2017	XX	GW402B9GJ	0.25 U		0.05		113	2.5 U	10		64		2 U		1.7	0.1 U
4/4/2018	XX	GW402BA2I	0.25 U		0.091		104	8	6.2		69		2 U		1.5	0.1 U
7/18/2018	XX	GW402BABJ	0.36		0.05 U		91	9.3	9.3		69		2 U		1.8	0.1 U
10/3/2018	XX	GW402BB0H	0.25 U		0.05 U		106	2.5 U	9.9		66		2 U		1.8	0.1 U
4/24/2019	XX	GW402BB5E	0.25 U		0.05 U		88	2.5 U	9.8		65		2 U		1.5	0.1 U
7/17/2019	XX	GW402BBC6	0.25 U		0.05 U		93	2.5 U	9.7		67		2 U		1.3	0.1 U
10/30/2019	XX	GW402BBHJ	0.25 U		0.05 U		88	2.5 U	2.6		69		2 U		18	0.11
4/29/2020	XX	GW402BCD6	0.25 U		0.059		79	2.5 U	11		68		2 U		1.4	0.1 U
7/22/2020	XX	GW402BCHJ	0.39		0.071		81	3.3	10		67		2 U		1.5	0.1 U
10/28/2020	XX	GW402BD33	0.25 U		0.05 U		85	2.5 U	9.3		72		6.1 M10		1.2	0.1 U
4/7/2021	XX	GW402BDC5	0.25 U		0.05 U		96	2.5 U	8.4		71		2 U		1.1	0.1 U
7/14/2021	XX	GW402BDJH	0.25 U		0.05 U		93	2.5 U	10		67		2 U		1.3	0.1 U
10/4/2021	XX	GW402BE65	0.2 U		0.05 U		93	35	9.7		69		2 U		1.3	0.1 U
4/25/2022	XX	GW402BF0H	0.41		0.05 U		93	2.5 U	8.9		65		1 U		1.2	0.1 U
7/20/2022	XX	GW402BF8F	0.2 U		0.05 U		122	2.5 U	8.9		85		1 U		2	0.1 U
10/3/2022	XX	GW402BFIG	0.2 U		0.054			4 U	9.8		69		1 U		1.2	0.1 U
10/3/2022	XX	GW402BFIGRR					66 H									

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 21 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-402B)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/17/2023	XX	GW402BG17	0.5 U		0.05 U		81	24	8.7		67		1 U		1.3	0.1 U
7/10/2023	XX	GW402BH89	0.2 U		0.054		102	7	9		66		1 U		1.4	0.1 U
10/2/2023	XX	GW402B05H	0.2 U		0.05 U		91	2.5 U	9.4		74		1 U		1.5	0.1 U
<b>MW-501</b>																
4/5/2018	XX	GW501XA6I	0.25 U	0.5 U	0.25	0.04 U	130	2.5 U	9.8	0.1 U		83	2 U	2 U	8.3	0.1 U
6/4/2018	XX	GW501XA7F	0.25 U	0.5 U	0.18	0.04 U	131	2.5 U	2.9	0.1 U		84	2 U	1 U	10	0.1 U
7/19/2018	XX	GW501XAED	0.33		0.24		151	2.5 U	2.5			92	2 U	1 U	10	0.1 U
8/20/2018	XX	GW501XAFE	0.25 U		0.21		157	2.5 U	2.8			100	2 U		11	0.1 U
4/24/2019	XX	GW501XB7C	0.25 U		0.43		190	2.5 U	2.9		140		2 U		10	0.12
7/17/2019	XX	GW501XBE0	0.25 U		0.25		117	2.5 U	2.5		75		6.4		9	0.1 U
10/30/2019	XX	GW501XBJ9	0.25 U		0.57		247	2.5 U	47		170		2 U		2.4	0.1 U
4/29/2020	XX	GW501XCF0	0.25 U		0.21		105	2.5 U	3		72		2 U		12	0.1 U
7/22/2020	XX	GW501XCJD	0.25 U		0.077		214	2.5 U	3		130		2 U		24	0.1
10/28/2020	XX	GW501XD4D	0.25 U		0.29		208	2.5 U	2.9		150		22 M10		23	0.1 U
4/7/2021	XX	GW501XDDH	0.25 U		0.22	0.04 U	167	2.5 U	2 U		110		2 U	2 U	15	0.1 U
7/14/2021	XX	GW501XE18	0.25 U	0.5 U	0.26		153	2.5 U	3.6	0.1 U		100	2 U		15	0.1 U
10/6/2021	XX	GW501XE8A	0.2 U	0.5 U	0.33		161	2.5 U	3.2	0.1 U		96	2 U		14	0.1 U
4/27/2022	XX	GW501XF2G	0.2 U	0.5 U	0.32		179	2.5 U	3.9	0.1 U		110	1 U		13	0.1 U
7/20/2022	XX	GW501XFA6	0.2 U	0.5 U	0.32		170	2.5 U	3.7	0.1 U		100	1 U		14	0.1 U
10/5/2022	XX	GW501XG0F	0.42	0.5 U	0.45		160	4 U	3.8	0.1 U		100	1 U		13	0.1 U
4/19/2023	XX	GW501XH06	0.2 U	0.5 U	0.44		163	2.5 U	4.3	0.1 U		120	1 U		14	0.1 U
7/12/2023	XX	GW501X002	0.2 U	0.5 U	0.39		186	2.5 U	5.7	0.1 U		120	1 U		13	0.1 U
10/4/2023	XX	GW501X07B	0.26	0.5 U	0.25		181	2.5 U	4.5	0.1 U		120	1 U		12	0.1 U
<b>MW-502</b>																
2/26/2020	XD	GWDP1XC52	0.25 U	0.5 U	0.25		163	2.5 U	2 U	0.1 U		100	2 U		21	0.14
2/26/2020	XX	GW502XC55	0.25 U	0.5 U	0.23		166	2.5 U	2 U	0.1 U		120	2 U		21	0.14
4/30/2020	XX	GW502XCBJ	0.25 U	0.5 U	0.1		175	2.5 U	4.9	0.1 U		110	2 U		19	0.22
6/23/2020	XX	GW502XCGB	0.25 U	0.5 U	0.18		183	2.5 U	4.4	0.1 U		120	2 U		20	0.15
8/20/2020	XX	GW502XD11	0.25 U	0.5 U	0.17		176	2.5 U	4.5	0.1 U		120	2 U		20	0.17
7/14/2021	XX	GW502XE23	0.25 U	0.5 U	0.05 U		234	3	4.2	0.1 U		190	2 U		13	0.33
10/7/2021	XX	GW502XE8B	0.2 U	0.5 U	0.069		250	2.5 U	3.6	0.1 U		190	2 U		14	0.29
4/27/2022	XX	GW502XF2H	0.75	0.5 U	0.16		204	2.5 U	3.4	0.1 U		120	1 U		17	0.16
7/20/2022	XX	GW502XFAL	0.2 U	0.5 U	0.077		223	2.5 U	4	0.1 U		160	1 U		17	0.26
10/5/2022	XX	GW502XG0G	0.49	0.5 U	0.16		250	4 U	4.7	0.1 U		200	1		15	0.31
4/19/2023	XX	GW502XH07	0.2 U	0.5 U	0.23		179	3	4.3	0.1 U		130	1 U		19	0.18
7/12/2023	XX	GW502X00E	0.2 U	0.5 U	0.26		214	4	4.3	0.1 U		150	1 U		18	0.2
10/4/2023	XX	GW502X07C	0.2 U	0.5 U	0.2		196	2.5 U	3.9	0.1 U		140	1 U		17	0.18
<b>MW-503</b>																
2/9/2021	XX	GW503XD9A	0.25 U	0.5 U	0.12	0.04 U	140	2.5 U	12	0.1 U		90	2 U	2 U	17	0.1 U
4/8/2021	XX	GW503XDA9	0.25 U	0.5 U	0.093	0.04 U	153	2.5 U	8.6	0.1 U		85	2 U	2 U	17	0.1 U
6/8/2021	XX	GW503XDGC	0.25 U	0.5 U	0.15	0.04 U	147	2.5 U	7.9	0.1 U		91	2 U	2 U	13	0.1 U
8/19/2021	XX	GW503XE46	0.2 U	0.5 U	0.11	0.04 U	151	2.5 U	8.6	0.1 U		90	2 U	2 U	14	0.1 U
10/7/2021	XX	GW503XE96	0.2 U	0.5 U	0.11		147	2.5 U	7.4	0.1 U		83	2 U		14	0.1 U
4/27/2022	XX	GW503XF3B	0.58	0.5 U	0.11		153	2.5 U	7.3	0.1 U		96	1 U		11	0.1 U
7/20/2022	XX	GW503XFB5	0.2 U	0.5 U	0.09		164	2.5 U	6.9	0.1 U		120	1 U		6.1	0.1 U
10/5/2022	XX	GW503XG1A	0.41	0.5 U	0.15		250	4 U	6.8	0.1 U		110	1 U		6.4	0.1 U
4/20/2023	XX	GW503XH11	0.2 U	0.5 U	0.11		135	2.5 U	7.2	0.1 U		110	1 U		7.6	0.1 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 22 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-503)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/13/2023	XX	GW503X011	0.2 U	0.5 U	0.13		134	2.5 U	7.7	0.1 U		94	1 U		10	0.1 U
10/4/2023	XX	GW503X086	0.2 U	0.5 U	0.083		141	2.5 U	6.9	0.1 U		110	1 U		6.9	0.1 U
<b>MW-504</b>																
2/9/2021	XD	GWDP1XD94	0.25 U	0.5 U	0.075	0.07	108	6	14	0.1 U		63	2 U	2 U	3.3	0.1 U
2/9/2021	XX	GW504XD9B	0.25 U	0.5 U	0.072	0.06	101	4	14	0.1 U		65	2 U	2 U	3.2	0.1 U
4/7/2021	XX	GW504XDA	0.25 U	0.5 U	0.05 U	0.06	92	4.5	6.3	0.1 U		64	2 U	2 U	1.1	0.1 U
6/9/2021	XD	GWDP1XDG9	0.25 U	0.5 U	0.077	0.06	108	5	6.2	0.1 U		63	2 U	2 U	1.3	0.1 U
6/9/2021	XX	GW504XDGD	0.25 U	0.5 U	0.091	0.05	112	25	6.2	0.1 U		63	2 U	2 U	1.3	0.1 U
8/19/2021	XX	GW504XE47	0.2 U	0.5 U	0.08	0.07	97	6.3	5.8	0.1 U		62	2 U	2 U	1.4	0.1 U
10/7/2021	XD	GWDP6XE9A	0.26	0.5 U	0.072		99	22	5.1	0.1 U		59	2 U		1.2	0.1 U
10/7/2021	XX	GW504XE97	0.26	0.5 U	0.05 U		101	3.7	6.3	0.1 U		63	2 U		1.2	0.1 U
4/27/2022	XD	GWDP6XF3F	0.2 U	0.5 U	0.081		88	27	4.7	0.1 U		56	1 U		1.1	0.1 U
4/27/2022	XX	GW504XF3C	1.5	0.5 U	0.078		92	34	5.4	0.1 U		58	1 U		1.1	0.1 U
7/21/2022	XX	GW504XFB6	!	!	!		!	!	!	!		!	!		!	!
10/5/2022	XD	GWDP6XG1E	0.2 U	0.5 U	0.14		120	24	5.7	0.1 U		61	1 U		1.1	0.1 U
10/5/2022	XX	GW504XG1B	1.8	0.5 U			15	110	5.4	0.2 U		58	1 U		1.2	0.1 U
4/20/2023	XD	GWDP6XH15	0.2 U	0.5 U	0.082		79	4.5	6.5	0.1 U		60	1 U		1.3	0.1 U
4/20/2023	XX	GW504XH12	0.2 U	0.5 U	0.09		77	26	6	0.1 U		59	1 U		1.3	0.1 U
7/13/2023	XX	GW504X012	0.2 U	0.5 U	0.064		87	2.5 U	5.9	0.1 U		58	1 U		1.3	0.1 U
10/5/2023	XD	GWDP6X08A	0.2 U	0.5 U	0.091		88	2.5 U	6.1	0.1 U		66	1 U		1.2	0.1 U
10/5/2023	XX	GW504X087	0.2 U	0.5 U	0.091		88	2.5 U	6.4	0.1 U		66	1 U		1.2	0.1 U
<b>MW-505</b>																
2/10/2021	XX	GW505XD9C	0.25 U	0.5 U	0.057	0.04 U	237	4	55	0.1 U		110	3.5	4	22	0.1 U
4/8/2021	XX	GW505XDAB	0.25 U	0.5 U	0.05 U	0.04 U	208	2.5 U	45	0.26		96	2.3	3	11	0.1 U
6/9/2021	XX	GW505XDGE	0.25 U	0.5 U	0.062	0.04	174	2.5 U	37	0.25		88	2 U	3 *	6.5	0.1 U
8/18/2021	XX	GW505XE48	0.29	0.5 U	0.05 U	0.05	198	2.5 U	48	0.61		92	2 U	3	12	0.1 U
10/7/2021	XX	GW505XE98	0.2 U	0.5 U	0.065		202	2.7	47	0.35		94	2 U		11	0.1 U
4/27/2022	XX	GW505XF3D	0.2 U	0.5 U	0.05 U		189	3	40	0.32		94	2.3		6	0.1 U
7/21/2022	XX	GW505XFB7	0.2 U	0.5 U	0.05 U		160	2.5 U	35	0.17		90	1.5		4.2	0.1 U
10/5/2022	XX	GW505XG1C	0.26	0.5 U	0.16		63	4 U	28	0.1 U		93	1.3		3.3	0.1 U
4/20/2023	XX	GW505XH13	0.2 U	0.5 U	0.05 U		141	2.5 U	24	0.17		91	1.4		2.5	0.1 U
7/13/2023	XX	GW505X013	0.2 U	0.5 U	0.067		136	2.5 U	22	0.16		92	1.2		2.3	0.1 U
10/4/2023	XX	GW505X088	0.2 U	0.5 U	0.05 U		137	2.5 U	21	0.13		90	1.3		2.1	0.1 U
<b>MW-506</b>																
2/18/2021	XX	GW506XD9D	0.25 U	0.5 U	0.057	0.06	802	20	340	0.1 U		120	25	21	57	0.5 U
4/8/2021	XX	GW506XDAC	0.82	0.5 U	0.05 U	0.05	628	24	2 U	0.1 U		140	19	23	44	0.1 U
6/8/2021	XX	GW506XDGF	F16	F16	F16	F16	F16	F16	F16	F16		F16	F16	F16	F16	F16
7/14/2021	XX	GW506XE38	0.25 U	0.5 U	0.05 U	0.07	487	14	180	0.57		130	14	18	23	0.1 U
9/1/2021	XX	GW506XE49	0.27	0.5 U	0.06	0.05	499	2.5 U	160	1.5		140	15	18	20	0.1 U
10/7/2021	XX	GW506XE99	0.2 U	0.5 U	0.05 U		490	3	170	0.75		140	13		19	0.1 U
4/27/2022	XX	GW506XF3E	0.61	0.5 U	0.057		410	130	130	1		140	11		14	0.3 U
7/18/2022	XX	GW506XFB8	2.2	0.5 U	0.05 U		360	47	100	0.44		140	13		8.8	0.1 U
10/5/2022	XX	GW506XG1D	3.8	0.5 U	0.17		270	61	110	0.23		140	5.7		7.1	0.1 U
4/18/2023	XX	GW506XH14	0.92	0.5 U	0.27		235	75	53	0.18		130	8.6		6.1	0.1 U
7/11/2023	XX	GW506X014	0.2 U	0.5 U	0.058		264	16	42	0.23		130	2.8		4.2	0.1 U
10/4/2023	XX	GW506X089	0.27	0.5 U	0.05 U		193	6.3	33	0.25		130	3.9		4	0.1 U
<b>MW-507</b>																

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 23 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-507)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/5/2018	XX	GW507XA6J	0.25 U	0.5 U	0.088	0.04 U	106	2.5 U	2 U	0.1 U		61	2 U	2 U	6.9	0.1 U
6/5/2018	XX	GW507XA7G	0.25 U	0.5 U	0.079	0.04 U	161	2.5 U	3.4	0.1 U		69	2 U	1 U	25	0.1 U
7/18/2018	XX	GW507XAEI	0.25 U		0.05 U		164	2.5 U	3.7			74	2 U	1 U	29	0.1 U
8/20/2018	XX	GW507XAFF	0.25 U		0.05 U		177	2.5 U	4.3			85	2 U		28	0.1 U
7/14/2021	XX	GW507XE24	0.25 U	0.5 U	0.065		236	2.5 U	3.4	0.1 U		84	2 U		43	0.1 U
10/7/2021	XX	GW507XE8C	0.2 U	0.5 U	0.05 U		451	2.7	3.6	0.1 U		78	2 U		17	0.1 U
4/27/2022	XX	GW507XF2I	0.24	0.5 U	0.051		69	4.7	3.1	0.1 U		47	1 U		1.2	0.1 U
7/20/2022	XX	GW507XFAJ	0.2 U	0.5 U	0.061		190	2.5 U	2.9	0.1 U		86	1 U		37	0.1 U
10/5/2022	XX	GW507XG0H	0.37	0.5 U	0.21		150	4 U	3.3	0.1 U		110	1 U		37	0.1 U
4/19/2023	XX	GW507XH08	0.2 U	0.5 U	0.051		65	2.5	3.3	0.1 U		48	1 U		1.7	0.1 U
7/13/2023	XX	GW507X00F	0.2 U	0.5 U	0.096		89	2.5 U	3.6	0.1 U		59	1 U		4	0.1 U
10/5/2023	XX	GW507X07D	0.22	0.5 U	0.064		132	2.5 U	3.2	0.1 U		85	1 U		15	0.1 U
<b>MW-508</b>																
10/5/2022	XX	GW508XG2E	0.48	0.5 U	0.42		150	4 U	16	0.1 U		110	1 U		29	0.1 U
1/24/2023	XX	GW508XGBF	F	F	F		F	F	F	F		F	F		F	F
3/30/2023	XX	GW508XGH2	0.2 U	0.5 U	0.26		209	20	12	0.1 U		110	1 U		26	0.1 U
4/19/2023	XX	GW508XH1H	0.2 U	0.5 U	0.23		202	3	12	0.1 U		110	1 U		24	0.1 U
6/19/2023	XX	GW508XH5H	0.2 U	0.5 U	0.2		189	2.5 U	11	0.1 U		110	1 U		23	0.1 U
7/13/2023	XX	GW508X01I	0.2 U	0.5 U	0.24		185	2.5 U	11	0.1 U		110	1 U		23	0.1 U
10/4/2023	XD	GWDP5X07F	0.2 U	0.5 U	0.18		182	2.5 U	11	0.1 U		120	1 U		21	0.1 U
10/4/2023	XX	GW508X090	0.2 U	0.5 U	0.18		179	2.5 U	11	0.1 U		110	1 U		19	0.1 U
<b>OW-06-03</b>																
4/10/2018	XX	GWXXXXA73	0.25 U	0.5 U	0.1	0.04 U	84	2.5 U	2.1	0.1 U		65	2	4	1.6	0.58
6/5/2018	XX	GWXXXXA80	I	I	I	I	I	I	I	I		I	I	I	I	I
7/19/2018	XX	GWXXXXAEI	I		I		I	I	I			I	I	I	I	I
8/21/2018	XX	GWXXXXAFH	I		I		I	I	I			I	I	I	I	I
7/18/2019	XX	GWXXXXBDJ	I		I		I	I	I			I	I	I	I	I
7/20/2020	XX	GWXXXXCJC	I		I		I	I	I			I	I	I	I	I
7/14/2021	XX	GWXXXXE17	8.4	6.7	0.05 U		491	16	12	5 U		270	68		6.3	0.51
7/20/2022	XX	GWXXXXFA5	I	I	I		I	I	I	I		I	I	I	I	I
7/12/2023	XX	GWXXXX001	D	D	D		D	D	D	D		D	D	D	D	D
<b>OW-601A</b>																
4/11/2018	XX	GW601AA69	0.25 U	0.5 U	0.3	0.22	180	7100	2.1	0.1 U		120	2 U	1 U	16	0.17
6/6/2018	XX	GW601AA76	0.25 U	0.5 U	0.18	0.1	198	230	6.1	0.1 U		120	2 U	1 U	24	0.13
7/19/2018	XX	GW601AAE4	0.3		0.3		209	13	6.8			130	2 U	1 U	18	1.1
8/22/2018	XX	GW601AAF5	0.25 U		0.19		212	2.5 U	7			130	2 U		27	0.15
7/18/2019	XX	GW601ABB6	0.86		0.33		234	2.5 U	11		140		2 U		26	0.18
7/22/2020	XX	GW601ACGJ	0.25 U		0.45		225	57	25		150		2 U		20	0.13
7/12/2021	XX	GW601ADIH	0.25 U	0.5 U	0.41		244	2.5 U	6.7	0.1 U		160	42		22	0.19
7/21/2022	XX	GW601AF7F	0.2 U	0.5 U	0.62		264	2.5 U	15	0.1 U		170	1 U		26	0.24
7/12/2023	XX	GW601AH79	0.2 U	0.5 U	0.58		261	2.5 U	8.2	0.1 U		170	1 U		31	0.21
<b>OW-601B</b>																
4/11/2018	XX	GW601BA6A	0.25 U	0.5 U	0.42	0.04 U	184	5.7	2 U	0.1 U		120	2 U	1 U	22	0.21
6/6/2018	XX	GW601BA77	0.25 U	0.5 U	0.25	0.04 U	196	6.5	2.6	0.1 U		110	2 U	1 U	31	0.16
7/19/2018	XX	GW601BAE5	0.25 U		0.58		224	2.5 U	3			98	2 U	1 U	41	0.21
8/22/2018	XX	GW601BAF6	0.25 U		0.49		277	16	10 U			88	2 U		61	0.5 U
7/18/2019	XX	GW601BBDF	0.25 U		0.51		213	3.3	3.1		120		2 U		26	0.2

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 24 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-601B)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/22/2020	XX	GW601BCJ8	0.25 U		0.23		263	2.5 U	4 U		92		2 U		44	0.24
7/12/2021	XD	GWDP4XDJI	0.25 U	0.5 U	0.58		250	2.5 U	2.7	0.1 U		110	2 U		42	0.26
7/12/2021	XX	GW601BE13	0.25 U	0.5 U	0.58		242	2.5 U	2.3	0.1 U		110	55		42	0.25
7/21/2022	XD	GWDP4XF8G	0.2 U	0.5 U	0.67		232	2.5 U	2.9	0.1 U		110	1 U		45	0.27
7/21/2022	XX	GW601BFA1	0.2 U	0.5 U	0.34		237	11	2.1	0.1 U		110	1 U		48	0.3
7/12/2023	XD	GWDP4XH8A	0.2 U	0.5 U	0.7		232	2.5 U	2	0.1 U		120	1 U		40	0.21
7/12/2023	XX	GW601BH9F	0.2 U	0.5 U	0.64		229	2.5 U	2.5	0.1 U		120	1 U		41	0.21
<b>OW-602A</b>																
4/11/2018	XX	GW602AA6B	0.25 U	0.5 U	0.05 U	0.04 U	59	2.5 U	3.9	0.1 U		44	2 U	1 U	2.3	0.1 U
6/6/2018	XD	GWDP1XA75	0.25 U	0.5 U	0.56	0.04 U	102	2.5 U	4.4	0.1 U		48	2 U	1 U	11	0.1 U
6/6/2018	XX	GW602AA78	0.25 U	0.5 U	0.13	0.04 U	93	2.5 U	4.6	0.1 U		49	2 U	1 U	12	0.1 U
7/19/2018	XD	GWDP1XAE3	0.25 U		0.19		92	2.5 U	4.6			44	2 U	1 U	13	0.1 U
7/19/2018	XX	GW602AAE6	0.3		0.15		97	2.5 U	4.5			44	2 U	1 U	13	0.1 U
8/21/2018	XX	GW602AAF7	0.25 U		0.094		100	2.5 U	4.5			45	2 U		12	0.1 U
7/18/2019	XX	GW602ABDG	0.72		0.26		77	2.5 U	2.8		43		2 U		5.6	0.1 U
7/22/2020	XX	GW602ACJ9	0.25 U		0.064		108	2.5 U	2.9		56		2 U		11	0.1 U
7/12/2021	XX	GW602AE14	0.25 U	0.5 U	0.9		165	2.5 U	2.4	0.1 U		110	36		16	0.17
7/21/2022	XX	GW602AFA2	0.2 U	0.5 U	0.76		214	2.5 U	3.2	0.1 U		140	1 U		20	0.33
7/12/2023	XX	GW602AH9G	0.2 U	0.5 U	0.43		221	2.5 U	3.6	0.1 U		170	1.1		18	0.26
<b>OW-603B</b>																
4/12/2018	XX	GW603BA6C	0.34	0.5 U	0.081	0.04 U	161	7	2.2	0.1 U		120	4	3	2.1	1.1
6/5/2018	XX	GW603BA79	0.25 U	0.5 U	0.054	0.04 U	136	2.5 U	2.1	0.1 U		90	2 U	1 U	1.2	0.27
7/19/2018	XX	GW603BAE7	1.2		0.11		103	1500	2.4			65	2 U	2	1.7	0.1 U
8/21/2018	XX	GW603BAF8	0.25 U		0.099		99	28	2.4			58	2 U		2.5	0.1 U
7/18/2019	XX	GW603BBDH	11		0.28		99	2.5 U	2.9		60		2 U		2	0.1 U
7/22/2020	XX	GW603BCJA	I		I		I	I	I		I		I		I	I
7/13/2021	XX	GW603BE15	D	D	D		D	D	D	D		D	D		D	D
10/6/2021	XX	GW603BE7J	D	D	D		D	D	D	D		D	D		D	D
7/21/2022	XX	GW603BFA3	D	D	D		D	D	D	D		D	D		D	D
7/12/2023	XX	GW603BH9H	I	I	I		I	I	I	I		I	I		I	I
<b>OW-604A</b>																
4/12/2018	XX	GW604AA6D	0.25 U	0.5 U	0.46	0.04 U	62	2.5 U	3.5	0.1 U		38	2 U	1 U	1.1	0.1 U
6/4/2018	XX	GW604AA7A	0.25 U	0.5 U	0.18	0.04 U	63	2.5 U	2.5	0.1 U		36	2 U	1 U	1.7	0.1 U
7/19/2018	XX	GW604AAE8	0.28		0.16		74	2.5 U	2.7			38	2 U	1 U	1.9	0.1 U
8/21/2018	XX	GW604AAF9	0.25 U		0.24		101	2.5 U	2.6			58	2 U		1.8	0.1 U
7/18/2019	XX	GW604ABDI	0.62		0.57		87	2.5 U	2.8		53		2 U		1.5	0.1 U
7/21/2020	XX	GW604ACJB	0.25 U		0.78		116	2.5 U	3.3		69		2 U		4.7	0.1
7/14/2021	XX	GW604AE16	0.25 U	0.5 U	2.4		145	3	2.4	0.1 U		84	2 U		6	0.1 U
7/21/2022	XX	GW604AFA4	0.5	0.5 U	4		190	2.5	2.4	0.1 U		110	1 U		11	0.12
7/12/2023	XX	GW604AH9I	0.2 U	0.5 U	3.2		216	2.5 U	6.9	0.1 U		140	1.7		12	0.1 U
<b>OW-605A</b>																
4/10/2018	XX	GW605AA6E	0.25 U	0.5 U	0.11	0.04 U	91	2.5 U	2.9	0.1 U		56	2 U	1 U	9.4	0.1 U
6/5/2018	XX	GW605AA7B	0.25 U	0.5 U	0.086	0.04 U	107	2.5 U	3.1	0.1 U		54	2 U	1 U	12	0.1 U
7/19/2018	XX	GW605AAE9	0.25 U		0.12		106	2.5 U	3.4			53	2 U	1 U	11	0.1 U
8/21/2018	XX	GW605AAFA	0.25 U		0.09		105	2.5 U	3			52	2 U		10	0.1 U
7/14/2021	XD	GWDP6XE1J	0.25 U	0.5 U	0.21		137	2.5 U	2 U	0.1 U		93	2 U		13	0.11
7/14/2021	XX	GW605AE25	0.25 U	0.5 U	0.23		142	3.7	2 U	0.1 U		95	2 U		13	0.1

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 25 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-605A)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/7/2021	XX	GW605AE8G	0.2 U	0.5 U	0.21		151	2.5 U	2 U	0.1 U		100	2 U		11	0.1 U
7/21/2022	XD	GWDP6XFAE	0.2 U	0.5 U	0.13		59	40	2 U	0.1 U		28	1 U		13	0.1 U
7/21/2022	XX	GW605AFB0	0.2 U	0.5 U	0.13		61	35	2 U	0.1 U		27	1 U		13	0.1 U
7/12/2023	XD	GWDP7X00A	0.2 U	0.5 U	0.16		179	5	2 U	0.1 U		120	1 U		16	0.14
7/12/2023	XX	GW605A00G	0.2 U	0.5 U	0.15		179	8	2 U	0.1 U		120	1 U		16	0.13
<b>OW-606A</b>																
4/3/2018	XX	GW606AA6F	0.25 U	0.5 U	0.33	0.04 U	195	2.5 U	36	0.1 U		91	2 U	1 U	36	0.1 U
6/4/2018	XX	GW606AA7C	0.25 U	0.5 U	0.33	0.04 U	231	2.5 U	7.6	0.1 U		94	2 U	1 U	44	0.1 U
7/19/2018	XX	GW606AAEA	0.25 U		0.49		234	2.5 U	8.2			96	2 U	1 U	44	0.1 U
8/21/2018	XX	GW606AAF6	0.25 U		0.33		232	2.5 U	7.7			94	2 U		40	0.1 U
7/14/2021	XX	GW606AE06	0.25 U	0.5 U	0.48		195	2.5 U	8.8	0.1 U		110	2 U		37	0.12
10/7/2021	XX	GW606AE8H	0.2 U	0.5 U	0.3		211	16	8.3	0.1 U		110	2 U		37	0.1 U
7/20/2022	XX	GW606AF94	0.2 U	0.5 U	0.26		204	2.5 U	8.3	0.1 U		110	1 U		36	0.13
7/12/2023	XX	GW606AH8I	0.3	0.5 U	0.3		223	2.5 U	7.7	0.1 U		130	1 U		35	0.16
<b>OW-606B</b>																
2/9/2021	XX	GW606BD9E	F	F	F	F	F	F	F	F		F	F	F	F	F
4/8/2021	XX	GW606BDAD	0.27	0.5 U	0.05 U	0.11	286	880	33	0.22		120	2 U	2 U	18	0.12
6/8/2021	XX	GW606BDGG	0.25 U	0.5 U	0.077	0.09	139	23	8.1	0.5 U		71	2 U	2 U	15	0.1 U
7/14/2021	XX	GW606BE37	0.25 U	0.5 U	0.1	0.06	118	27	6.2	0.1 U		60	2 U	2 U	15	0.1 U
8/18/2021	XX	GW606BE4A	0.33	0.5 U	0.12	0.06	128	6.3	6	0.1 U		64	2 U	1 U	15	0.11
10/7/2021	XX	GW606BE8I	0.2 U	0.5 U	0.1		126	9.3	5.9	0.1 U		64	2 U		15	0.1 U
7/20/2022	XX	GW606BFB9	0.2 U	0.5 U	0.11		175	150	5.3	0.1 U		72	1 U		14	0.1 U
7/12/2023	XX	GW606B015	0.2 U	0.5 U	0.12		114	14	4.5	0.1 U		65	1 U		12	0.11
<b>OW-607B</b>																
2/9/2021	XX	GW607BD9F	0.25 U	0.5 U	0.08	0.04	95	2.7	6	0.1 U		66	2 U	2 U	2.6	0.1 U
4/7/2021	XX	GW607BDAE	0.25 U	0.5 U	0.05 U	0.04 U	89	2.5 U	3.3	0.1 U		67	2 U	2 U	1.3	0.1 U
6/9/2021	XX	GW607BDGH	0.25 U	0.5 U	0.066	0.04 U	105	2.5 U	4.6	0.1 U		66	2 U	2 U	1.6	0.1 U
8/19/2021	XX	GW607BE4B	0.2 U	0.5 U	0.07	0.04 U	98	2.5 U	4.1	0.1 U		64	2 U	2 U	1.5	0.1 U
10/7/2021	XX	GW607BE8J	0.2 U	0.5 U	0.05 U		104	4.7	5.7	0.1 U		81	2 U		1.8	0.1 U
7/20/2022	XX	GW607BFBA	0.2 U	0.5 U	0.088		111	32	4.3	0.1 U		38	1 U		1.3	0.1 U
7/13/2023	XX	GW607B016	0.2 U	0.5 U	0.085		90	2.5 U	5	0.1 U		69	1 U		1.3	0.1 U
<b>OW-608A</b>																
4/4/2018	XX	GW608AA6G	0.25 U	0.5 U	0.077	0.04 U	127	8	3.9	0.1 U		95	2 U	2 U	1.3	0.1 U
6/4/2018	XX	GW608AA7D	0.25 U	0.5 U	0.053	0.04 U	126	13	6.7	0.1 U		92	2 U	1 U	1.4	0.1 U
7/18/2018	XX	GW608AAEB	0.37		0.061		114	9	7.2			93	2 U	1 U	2.1	0.1 U
8/20/2018	XX	GW608AAFC	0.25 U		0.05 U		105	15	5.9			72	2 U		4.1	0.1 U
7/15/2021	XX	GW608AE26	0.25 U	0.5 U	0.054		118	2.5 U	5.8	0.1 U		95	2 U		1.2	0.1 U
10/6/2021	XX	GW608AE90	0.2 U	0.5 U	0.05 U		95	3.7	2 U	0.1 U		73	2 U		2.5	0.1 U
7/20/2022	XX	GW608AFB1	0.2 U	0.5 U	0.05 U		132	11	6	0.1 U		130	1 U		1.9	0.1 U
8/2/2023	XX	GW608A00H	0.2 U	0.5 U	0.05 U		122	7	5.2	0.1 U		94	1 U		1.5	0.1 U
<b>OW-608B</b>																
2/10/2021	XX	GW608BD9G	0.25 U	0.5 U	0.066	0.08	223	31	29	0.5 U		110	2 U	2 U	6	0.1 U
4/8/2021	XD	GWDP1XDA6	0.25 U	0.5 U	0.05 U	0.06	177	3.5	32	0.1 U		100	2 U	2 U	3.7	0.1 U
4/8/2021	XX	GW608BDAF	0.25 U	0.5 U	0.05 U	0.06	188	3.5	41	0.1 U		99	2 U	2 U	4.8	0.1 U
6/8/2021	XX	GW608BDGI	0.25 U	0.5 U	0.06	0.06	175	2.5 U	39	0.1 U		99	2 U	2 U	3.1	0.1 U
8/17/2021	XD	GWDP1XE43	0.21	0.5 U	0.05 U	0.07	142	5	20	0.1 U		95	2 U	2 U	1.9	0.1 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 26 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-608B)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
8/17/2021	XX	GW608BE4C	0.22	0.5 U	0.05 U	0.07	142	2.5 U	21	0.1 U		97	2 U	2 U	1.9	0.1 U
10/6/2021	XX	GW608BE91	0.2 U	0.5 U	0.05 U		163	2.7	38	0.1 U		100	2 U		2.6	0.1 U
7/20/2022	XX	GW608BFBB	0.2 U	0.5 U	0.05 U		156	2.5 U	25	0.1 U		98	1 U		2	0.1 U
7/13/2023	XX	GW608B017	0.2 U	0.5 U	0.06		120	2.5 U	8.6	0.1 U		100	1 U		1.4	0.1 U
<b>OW-609B</b>																
2/10/2021	XX	GW609BD9H	0.25 U	0.5 U	0.065	0.04 U	543	3.7	44	0.1 U		72	2 U	2 U	51	0.1 U
4/8/2021	XX	GW609BDAG	0.49	0.5 U	0.05 U	0.07	246	15	21	0.1 U		71	5.5	2 U	35	0.1 U
6/8/2021	XX	GW609BDGJ	0.25 U	0.5 U	0.068	0.04	337	4.3	97	0.1 U		110	3.2	2	36	0.1 U
8/17/2021	XX	GW609BE4D	0.25	0.5 U	0.05 U	0.07	309	7	77	0.1 U		120	2.8	3	31	0.1 U
10/7/2021	XX	GW609BE92	0.2 U	0.5 U	0.05 U		271	8.3	56	0.1 U		120	2 U		34	0.1 U
7/18/2022	XX	GW609BFBC	0.84	0.5 U	0.05 U		209	5.5	39	0.1 U		110	1.5		23	0.1 U
7/11/2023	XX	GW609B018	0.2 U	0.5 U	0.5 U		219	3	27	0.1 U		94	1.7		13	0.1 U
<b>OW-610A</b>																
10/5/2022	XX	GW610AG2F	0.27	0.5 U	0.13		210	4 U	2 U	0.1 U		180	2.1		25	0.1 U
1/24/2023	XX	GW610AGBG	0.21	0.5 U	0.073		286	2.5 U	2.9	0.1 U		200	2.2		28	0.1 U
4/19/2023	XX	GW610AH11	0.2 U	0.5 U	0.05 U		265	2.5 U	2.9	0.1 U		180	1.7		27	0.1 U
6/19/2023	XX	GW610AH61	0.2 U	0.5 U	0.05 U		242	2.5 U	2.9	0.1 U		160	1.6		25	0.1 U
7/13/2023	XX	GW610A01H	0.2 U	0.5 U	0.073		237	2.5 U	3.1	0.1 U		150	1.6		27	0.1 U
<b>OW-611A</b>																
4/4/2018	XX	GW611AA6H	0.25 U	0.5 U	0.48	0.04 U	256	2.5 U	40	0.1 U		130	2 U	2 U	31	0.1 U
6/5/2018	XX	GW611AA7E	0.25 U	0.5 U	0.44	0.04 U	257	2.5 U	15	0.1 U		120	2 U	1 U	39	0.1 U
7/18/2018	XX	GW611AAEC	0.28		0.46		249	2.5 U	13			120	2 U	1 U	42	0.1 U
8/20/2018	XX	GW611AAFD	0.25 U		0.33		233	2.5 U	13			110	2 U		41	0.1 U
7/14/2021	XX	GW611AE27	0.25 U	0.5 U	0.51		287	2.5 U	17	0.1 U		130	2 U		48	0.1 U
10/7/2021	XX	GW611AE93	0.2 U	0.5 U	0.55		301	2.5 U	18	0.1 U		140	2 U		48	0.1 U
7/20/2022	XX	GW611AFB2	0.32	0.5 U	0.85		277	2.5 U	17	0.1 U		140	1 U		44	0.1 U
7/13/2023	XX	GW611A00I	0.2 U	0.5 U	1.1		289	2.5 U	19	0.1 U		150	1 U		48	0.1
<b>P-04-02 &amp; P-04-02R</b>																
7/15/2015	XX	GWXXXX7DJ	0.5 U		2 U		188	26	32.4		82		2 U		15.4	0.1 U
10/28/2015	XX	GWXXXX7J4	0.5 U		0.5 U		442	5	147		106		2 U		42.5	0.1 U
4/6/2016	XX	GWXXXX87I	0.5		0.05 U		325	4 U	114		112		2 U		15.4	0.1 U
7/27/2016	XX	GWXXXX8C7	0.5 U		0.05		456	4 U	158		129		2 U		15.8	0.4 U
10/26/2016	XX	GWXXXX904	0.5		0.05 U		394	4 U	146		121		32.5		13	0.4 U
4/19/2017	XX	GWXXXX98C	0.5 U		0.05		412	10	120		150		2 U		9.6	0.2 U
7/26/2017	XX	GWXXXX9E8	0.5 U		0.06		357	2.5 U	120		140		2 U		7.4	0.2 U
10/25/2017	XX	GWXXXX9I3	0.25 U		0.08		331	2.5 U	110		120		2 U		5	0.1 U
4/4/2018	XX	GWXXXXA44	0.25 U		0.14		281	3.3	45		140		2 U		3	0.1 U
7/18/2018	XX	GWXXXXAD3	0.25 U		0.15		267	2.5 U	70		140		2 U		4	0.1 U
10/3/2018	XX	GWXXXXB21	0.25 U		0.094		254	2.5 U	69		130		2 U		3	0.1 U
4/22/2019	XX	GWXXXXB70	0.25 U		0.088		233	2.5 U	57		130		2 U		1.9	0.1 U
7/17/2019	XX	GWXXXXBDA	0.25 U		0.097		260	2.5 U	57		150		2 U		2.4	0.1 U
10/30/2019	XX	GWXXXXBJ2	0.25 U		0.1		215	2.5 U	9		140		2 U		6.2	0.1 U
4/29/2020	XX	GWXXXXCEA	0.25 U		0.092		236	2.5 U	45		170		2 U		2.8	0.1 U
7/22/2020	XX	GWXXXXCJ3	0.25 U		0.05 U		213	2.5 U	39		150		2 U		2.1	0.1 U
10/28/2020	XX	GWXXXXD46	0.25 U		0.05 U		195	2.5 U	34		140		15 M10		1.7	0.1 U
4/7/2021	XX	GWXXXXDD9	0.25 U		0.05 U		206	2.5 U	31		140		2 U		1.8	0.1 U
7/12/2021	XX	GWXXXXE10	0.25 U		0.1		196	2.5 U	29		140		29		1.6	0.1 U



REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 27 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(P-04-02 & P-04-02R)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/6/2021	XX	GWXXXXE77	0.36		0.056		193	6	31		140		2 U		1.6	0.1 U
4/26/2022	XX	GWXXXXF11	0.5		0.15		202	12	22		140		1 U		1.5	0.1 U
7/19/2022	XX	GWXXXXF9I	0.2 U		0.087		202	2.5 U	23		140		1 U		1.5	0.1 U
10/4/2022	XX	GWXXXXFJH	0.22		0.18		210	12	11		120		1.4		1 U	0.1 U
4/17/2023	XX	GWXXXXGJ8	0.5 U		0.15		114	5	8.2		89		3		1 U	0.1 U
7/10/2023	XX	GWXXXXH9C	0.2 U		0.15		170	11	12		110		2		1.2	0.1 U
10/2/2023	XX	GWXXXXO6G	0.2 U		0.11		153	43	15		120		1.4		1.4	0.1 U
<b>P-04-04</b>																
4/23/2014	XX	GWXXXXG60	0.5 U				112	4 U	8.2		79		2 U		1.8	0.1 U
7/30/2014	XX	GWXXXX703	0.5 U				113	4 U	7.2		78		2 U		1.5	0.1 U
10/22/2014	XX	GWXXXX73E	0.5 U				102	4 U	7.4		80		2 U		1.5	0.1 U
4/29/2015	XX	GWXXXX79B	0.5 U		0.5 U		105	4 U	9.2		79		2 U		2	0.1 U
7/15/2015	XX	GWXXXX7D3	0.5 U		2 U		108	4 U	8.9		78		2 U		2.1	0.1 U
10/28/2015	XX	GWXXXX7IC	0.5 U		0.5 U		111	4 U	8.9		76		2 U		2.6	0.1 U
4/6/2016	XX	GWXXXX872	0.5 U		0.05 U		115	4 U	9.4		80		2 U		2.2	0.1 U
7/27/2016	XX	GWXXXX8BC	0.9		0.05 U		113	4 U	8.1		77		2 U		2.2	0.2 U
10/26/2016	XX	GWXXXX8JB	0.5 U		0.1		119	4 U	8.8		78		2 U		2.7	0.2 U
4/19/2017	XX	GWXXXX97H	0.5 U		0.05		112	2.5 U	5.3		81		2 U		2.8	0.2 U
7/26/2017	XX	GWXXXX9DF	0.5 U		0.09		109	2.5 U	9.4		77		2 U		3.4	0.2 U
10/25/2017	XX	GWXXXX9HA	0.25 U		0.11		125	2.5 U	8.7		73		2 U		3.1	0.1 U
4/4/2018	XX	GWXXXXA39	0.25 U		0.16		111	2.5 U	4.1		80		2 U		3.3	0.1 U
7/18/2018	XX	GWXXXXACA	0.28		0.13		112	2.5 U	7.8		77		2 U		4	0.1 U
10/3/2018	XX	GWXXXXB18	0.25 U		0.11		118	2.5 U	8.5		78		2 U		4.5	0.1 U
4/22/2019	XX	GWXXXXB65	0.27		0.13		118	2.5 U	9.7		76		2 U		4.3	0.1 U
7/17/2019	XX	GWXXXXBCG	0.25 U		0.13		115	2.5 U	9.1		81		2 U		5.6	0.1 U
10/30/2019	XX	GWXXXXBI9	0.25 U		0.14		114	2.5 U	8.8		78		2 U		5.9	0.1 U
4/29/2020	XX	GWXXXXCDG	0.41		0.14		105	2.5 U	9.4		81		2 U		7.2	0.1 U
7/22/2020	XX	GWXXXXCI9	0.25 U		0.05 U		115	2.5 U	8.8		77		2 U		7.4	0.1 U
10/28/2020	XX	GWXXXXD3D	0.25 U		0.092		109	2.5 U	7.8		77		3.7 M10		7.5	0.1 U
4/7/2021	XX	GWXXXXDCF	0.25 U		0.097		128	2.5 U	7.3		79		2 U		8.4	0.1 U
7/12/2021	XX	GWXXXXE07	0.25 U		0.17		121	2.5 U	7.8		78		18		9.2	0.1 U
10/6/2021	XX	GWXXXXE6F	0.2 U		0.14		131	3.3	8.3		77		2 U		9.7	0.1 U
4/26/2022	XX	GWXXXXF17	0.46		0.14		136	2.5 U	7.5		77		1 U		10	0.1 U
7/19/2022	XX	GWXXXXF95	0.54		0.1		134	2.5 U	9		83		1 U		11	0.1 U
10/4/2022	XX	GWXXXXFJ6	0.2 U		0.22		160	4 U	8.4		77		1 U		11	0.1 U
4/17/2023	XX	GWXXXXGIH	0.5 U		0.16		115	2.5 U	8.9		77		1 U		12	0.1 U
7/10/2023	XX	GWXXXXH8J	0.2 U		0.2		147	2.5 U	8.4		75		1 U		13	0.1
10/2/2023	XX	GWXXXXO66	0.2 U		0.17		120	2.5 U	7.8		80		1 U		14	0.11
<b>P-04-07A</b>																
10/3/2022	XX	GWXXXXG2G	0.2 U	0.5 U	0.21			4 U	9.4	0.1 U		96	1 U		27	0.1 U
10/3/2022	XX	GWXXXXG2GRR					130 H									
1/24/2023	XX	GWX07AGBD	F	F	F		F	F	F	F		F	F		F	F
3/30/2023	XD	GWDP1XGGJ	0.2 U	0.5 U	0.49		308	7	21	0.1 U		150	1 U		63	0.1 U
3/30/2023	XX	GWX07AGH0	0.2 U	0.5 U	0.13		195	5.5	8.4	0.1 U		93	1 U		26	0.1 U
4/19/2023	XD	GWDP5XH0A	0.2 U	0.5 U	0.13		154	2.5 U	8.3	0.1 U		88	1 U		25	0.1 U
4/19/2023	XX	GWXXXXH1J	0.2 U	0.5 U	0.13		173	2.5	8.6	0.1 U		89	1 U		25	0.1 U
6/19/2023	XD	GWDP1XH5E	0.2 U	0.5 U	0.16		169	2.5 U	8.2	0.1 U		93	1 U		22	0.1 U
6/19/2023	XX	GWX07AH5F	0.2 U	0.5 U	0.16		164	3.5	8.3	0.1 U		90	1 U		22	0.1 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 28 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(P-04-07A)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/13/2023	XD	GWDP6X021	0.2 U	0.5 U	0.16		166	2.5 U	8.3	0.1 U		89	1 U		22	0.1 U
7/13/2023	XX	GWX07A01J	0.2 U	0.5 U	0.17		160	2.5 U	8.6	0.1 U		91	1 U		23	0.1 U
<b>P-04-07B</b>																
10/3/2022	XX	GWXXXXG2H	0.55	0.5 U	0.58			7.6	19	0.1 U		140	1 U		59	0.2 U
10/3/2022	XX	GWXXXXG2HRR					290 H									
1/24/2023	XX	GWX07BGBE	F	F	F		F	F	F	F		F	F		F	F
3/30/2023	XX	GWX07BGH1	0.24	0.5 U	0.45		328	7	23	0.1 U		160	1 U		63	0.1 U
4/19/2023	XX	GWXXXXH20	0.2 U	0.5 U	0.48		327	2.5 U	20	0.1 U		150	1 U		63	0.1 U
6/19/2023	XX	GWX07BH5G	0.2 U	0.5 U	0.47		322	2.5 U	20	0.1 U		150	1 U		60	0.1 U
7/13/2023	XX	GWX07B020	0.2 U	0.5 U	0.47		325	2.5 U	21	0.1 U		150	1 U		63	0.1 U
<b>P-04-11A</b>																
2/10/2021	XX	GWXXXXD9I	0.25 U	0.5 U	0.19	0.12	105	7	4.6	0.1 U		75	2 U	2 U	2.2	0.1 U
4/8/2021	XX	GWXXXXDAH	0.25 U	0.5 U	0.17	0.12	102	2.5 U	4.3	0.1 U		68	2 U	2 U	1.7	0.1 U
6/9/2021	XX	GWXXXXDH0	0.25 U	0.5 U	0.34	0.1	106	2.5 U	4.2	0.1 U		67	2 U	2	1.6	0.1 U
8/18/2021	XX	GWXXXXE4E	0.55	0.5 U	0.19	0.13	120	2.5 U	5	0.1 U		69	2 U	1 U	1.9	0.1 U
10/6/2021	XX	GWX11AE94	0.2 U	0.5 U	0.17		97	2.5 U	4.5	0.1 U		69	2 U		1.6	0.1 U
4/27/2022	XX	GWX11AF39	6.1	0.5 U	0.17		95	6.3	3.8	0.1 U		63	1 U		1.5	0.1 U
7/21/2022	XX	GWXXXXFBE	0.2 U	0.5 U	0.1		95	65	4.2	0.1 U		59	1 U		2.3	0.1 U
7/12/2023	XX	GWXXXX01A	0.2 U	0.5 U	0.28		88	2.5 U	3.5	0.1 U		61	1 U		1.9	0.1 U
<b>P-04-11B</b>																
2/10/2021	XX	GWXXXXD9J	0.25 U	0.5 U	0.085	0.05	62	47	3.6	0.1 U		13	2 U	2 U	4.9	0.1 U
4/8/2021	XX	GWXXXXDAI	0.25 U	0.5 U	0.05 U	0.04	62	19	3.2	0.1 U		12	2 U	2 U	4.7	0.1 U
6/9/2021	XX	GWXXXXDH1	0.25 U	0.5 U	0.059	0.04	67	17	2.9	0.1 U		11	2 U	2 U	4.9	0.1 U
8/18/2021	XX	GWXXXXE4F	0.24	0.5 U	0.05 U	0.04 U	63	43	3.3	0.1 U		12	2 U	1 U	6	0.1 U
10/6/2021	XX	GWX11BE95	0.31	0.5 U	0.05 U		52	16	3.1	0.1 U		11	2 U		7.5	0.1 U
4/27/2022	XX	GWX11BF3A	0.2 U	0.5 U	0.096		62	40	2	0.1 U		7.9	1 U		8.9	0.1 U
7/21/2022	XX	GWXXXXFBF	D	D	D		D	D	D	D		D	D		D	D
7/12/2023	XX	GWXXXX01B	0.2 U	0.5 U	0.061		50	37	3.3	0.1 U		11	1 U		5.1	0.1 U
<b>P-206A</b>																
4/21/2014	XX	GW206A6FJ							2 U						6.2	
7/28/2014	XX	GW206A702							2 U						3.3	
10/20/2014	XX	GW206A73B							2 U						3.6	
4/27/2015	XX	GW206A79A			0.5 U				4.8						5.5	
7/13/2015	XX	GW206A7D2			0.5 U				2 U						7.9	
10/26/2015	XX	GW206A71B			0.7				2 U						8.5	
4/4/2016	XX	GW206A871			0.05 U				2 U						10.2	
4/26/2016	XX	GW206AHBC	0.5 U				95	57			63		2 U			0.1 U
7/25/2016	XX	GW206A8BB	0.6		0.05 U		103	20	2 U		63		2 U		12.5	0.2 U
10/24/2016	XX	GW206A8JA	0.5		0.05 U		108	11	2.2		61		2 U		15.7	0.2 U
4/17/2017	XX	GW206A97G	0.5 U		0.05 U		118	35	2 U		69		2 U		20	0.2 U
7/24/2017	XX	GW206A9DE	0.5 U		0.05 U		120	5 U	2.2		70		2 U		21	0.2 U
10/23/2017	XX	GW206A9H9	0.25 U		0.05 U		120	6	2.7		65		2 U		20	0.1 U
4/2/2018	XX	GW206AA38	0.25 U		0.063		123	2.5 U	2 U		71		2 U		19	0.1 U
7/16/2018	XX	GW206AAC9	0.31		0.064		130	2.5 U	2.8		74		2 U		24	0.1 U
10/1/2018	XX	GW206AB17	0.29		0.05 U		131	4.7	2.2		75		2 U		21	0.1 U
4/22/2019	XX	GW206AB64	0.25 U		0.05 U		124	4.3	2 U		74		2 U		19	0.1 U
7/17/2019	XX	GW206ABCF	0.3		0.05 U		136	7.7	2.4		79		2 U		22	0.1 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 29 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(P-206A)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/28/2019	XX	GW206ABI8	0.25 U		0.067		135	18	3.1		78		2 U		21	0.1
4/27/2020	XX	GW206ACDF	0.25 U		0.088		135	15	2.1		78		2 U		20	0.1 U
7/20/2020	XX	GW206ACI8	0.25 U		0.05 U		134	2.5 U	3.4		83		2 U		22	0.1 U
10/26/2020	XX	GW206AD3C	A		A		A	A	A		A		A		A	A
4/5/2021	XX	GW206ADCE	0.25 U		0.093		147	17	3.2		88		2 U		20	0.11
7/14/2021	XX	GW206AE22	0.25 U	0.5 U	0.34		127	5	2.4	0.1 U		66	2 U		23	0.1
10/4/2021	XX	GW206AE6E	0.32		0.58		149	2.5 U	3.2		81		2 U		23	0.1 U
4/25/2022	XX	GW206AF16	0.44		0.33		139	5.3	2.8		73		1 U		20	0.1 U
7/18/2022	XX	GW206FAFH	0.2 U	0.5 U	0.15		158	2.5 U	4.6	0.1 U		80	1 U		21	0.1 U
10/3/2022	XX	GW206AFJ5	0.2 U		0.24			4 U	3.5		87		1 U		21	0.1 U
10/3/2022	XX	GW206AFJ5RR					120 H									
4/17/2023	XX	GW206AGIG	0.5 U		0.42		130	3	3.9		77		1.6		20	0.1 U
7/10/2023	XX	GW206A00D	0.2 U	0.5 U	0.38		169	2.5 U	5.4	0.1 U		75	1 U		22	0.1 U
10/2/2023	XX	GW206A065	0.2 U	0.5 U	0.22		145	2.5 U	5.3	0.1 U		86	1 U		22	0.1 U
<b>PWS10-1</b>																
4/21/2014	XX	GWPWS16ED				0.16	197	34	2.2		130		8.4		22.9	0.1 U
7/28/2014	XX	GWPWS16J0				0.37	171	4 U	2 U		106		13.8		7.5	0.12
10/20/2014	XX	GWPWS172A				0.04 U	87	4 U	3.3		21		17.4		8.8	0.1 U
4/27/2015	XX	GWPWS1788			0.5 U	0.04 U	182	4 U	4.3		109		5.5		19.4	0.1 U
7/13/2015	XX	GWPWS17C0			2 U	0.52	156	156	2 U		76		12.5		8.4	0.1 U
10/26/2015	XX	GWPWS17H9			0.5 U	0.06	89	8	2.4		31		10.3		8.7	0.1 U
4/4/2016	XX	GWPWS185J			0.05 U	0.04	166	166	2.5		102		5.6		14.7	0.1 U
7/25/2016	XX	GWPWS18A9			0.05 U	0.19	122	21	2 U		50		13.8		3.1	0.2 U
10/24/2016	XX	GWPWS18I8			0.05 U	0.07	195	19	3.3		125		7.5		7.9	0.2 U
4/17/2017	XX	GWPWS196E			0.05 U	0.04 U	97	2.5 U	4		35		7.6		11	0.2 U
7/24/2017	XX	GWPWS19CC			0.05 U	0.04	150	110	3.4		130		5		7.3	0.2 U
10/25/2017	XX	GWPWS19G7			0.05 U	0.14	156	17	8.5		72		5.4		5.4	0.1 U
4/2/2018	XX	GWPWS1A25			0.27	0.04 U	106	2.5 U	4.5		56		3.8		8.2	0.1 U
7/16/2018	XX	GWPWS1AB7			0.076	0.13	132	16	2 U		77		12		5.1	0.1 U
10/1/2018	XX	GWPWS1B05			0.062	0.06	100	9.7	15		40		10		6	0.1 U
4/22/2019	XX	GWPWS1B51			0.14	0.04 U	141	16	6.4		67		10		8.7	0.1 U
7/15/2019	XX	GWPWS1BBE			0.16	0.08	105	24	2 U		38		21		8.4	0.1 U
10/28/2019	XX	GWPWS1BH7			0.057	0.04 U	134	11	9.9		69		9.4		8.7	0.1 U
4/27/2020	XX	GWPWS1CCE			0.073	0.04 U	180	11	8.9		99		8.6		13	0.1 U
7/20/2020	XX	GWPWS1CH7			0.05 U	0.09	191	14	2 U		81		30		12	0.1 U
10/26/2020	XX	GWPWS1D2B			0.05 U	0.04	172	21	9		95		28 M10		9.6	0.1 U
4/5/2021	XX	GWPWS1DBD			0.05 U	0.22	176	75	2.9		89		24		9.2	0.11
7/12/2021	XX	GWPWS1DJ5			0.05 U	0.1	104	12	8.2		27		35		2.4	0.1 U
10/4/2021	XX	GWPWS1ESD			0.05 U	0.18	192	81	3		120		35		7.2	0.1 U
4/25/2022	XX	GWPWS1F05			0.05 U	0.23	184	83	2.1		81		24		5.5	0.1 U
7/18/2022	XX	GWPWS1F83			0.05 U	0.09	121	6	2 U		38		20		10	0.1 U
10/3/2022	XX	GWPWS1F4			0.05 U	0.07		14	4.7		81		17		5.1	0.1 U
10/3/2022	XX	GWPWS1F4RR					110 H									
4/17/2023	XX	GWPWS1GHF			0.05 U	0.05	116	12	9.6		83		2.5		3.9	0.1 U
7/10/2023	XX	GWPWS1H7H			0.1	0.09	160	27	2 U		62		27		6.5	0.1 U
10/2/2023	XX	GWPWS1055			0.14	0.81	141	240	4.9		100		27		5.9	0.1
<b>PWS10-2</b>																
4/21/2014	XX	GWPWS26EE				0.05	38	34	2.5		36		4.7		8.4	0.1 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 30 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(PWS10-2)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/28/2014	XX	GWPWS26J1				0.04	119	7	2 U		55		10.4		8.3	0.1 U
10/20/2014	XX	GWPWS272B				0.05	113	4 U	8.8		38		13.6		9.8	0.1 U
4/27/2015	XX	GWPWS2789			0.5 U	0.05	91	6	2.5		39		9.9		5.8	0.1 U
7/13/2015	XX	GWPWS27C1			2 U	0.09	94	327	2.2		31		11.9		6.4	0.1 U
10/26/2015	XX	GWPWS27HA			0.5 U	0.04 U	62	4 U	5.2		27		2.6		5	0.1 U
4/4/2016	XX	GWPWS2860			0.08	0.08	81	12	6.3		38		4		8.5	0.1 U
7/25/2016	XX	GWPWS28AA			0.05 U	0.06	103	4 U	2 U		47		12.6		3	0.2 U
10/24/2016	XX	GWPWS28I9			0.05	0.22	89	82	7.4		35		9		5.4	0.2 U
4/17/2017	XX	GWPWS296F			0.08	0.04 U	81	7	3.1		37		7		4.9	0.2 U
7/24/2017	XX	GWPWS29CD			0.05 U	0.04 U	87	5	4		64		7.4		5.4	0.2 U
10/24/2017	XX	GWPWS29G8			D	D	D	D	D		D		D		D	D
4/2/2018	XX	GWPWS2A26			0.17	0.06	56	44	2.6		24		2.8		3.2	0.1 U
7/16/2018	XX	GWPWS2AB8			0.05	0.04	98	2.5 U	3		53		11		3.9	0.1 U
10/1/2018	XX	GWPWS2B06			0.087	0.04	86	3.7	9.7		38		8.3		4.2	0.1 U
4/22/2019	XX	GWPWS2B52			0.05 U	0.04 U	79	2.5 U	12		13		7.5		8.3	0.1 U
7/15/2019	XX	GWPWS2BBF			0.11	0.06	106	4	2 U		34		24		8.5	0.1 U
10/28/2019	XX	GWPWS2BH8			0.064	0.04	76	19	15		14		6.4		6.8	0.1 U
4/27/2020	XX	GWPWS2CCF			0.099	0.04	107	44	19		21		6.2		17	0.1 U
7/20/2020	XX	GWPWS2CH8			0.05 U	0.06	99	2.5 U	8.6		42		13		13	0.1 U
10/26/2020	XX	GWPWS2D2C			0.05 U	0.05	101	20	12		29		19 M10		8.6	0.1 U
4/5/2021	XX	GWPWS2DBE			0.05 U	0.08	74	34	7.8		16		7.5		8.3	0.1 U
7/12/2021	XX	GWPWS2DJ6			0.05 U	0.06	80	5	2 U		22		26		2.8	0.1 U
10/4/2021	XX	GWPWS2E5E			0.05 U	0.05	103	31	3		21		23		6.2	0.1 U
4/25/2022	XX	GWPWS2F06			0.05 U	0.04 U	79	2.5 U	3.2		16		10		13	0.1 U
7/18/2022	XX	GWPWS2F84			0.05 U	0.18	105	3	2 U		23		20		9.5	0.1 U
10/3/2022	XX	GWPWS2F15			0.05	0.04 U		7.2	4.1		27		14		4	0.1 U
10/3/2022	XX	GWPWS2F15RR					47 H									
4/17/2023	XX	GWPWS2GHG			0.05 U	0.04	51	7.5	3		21		7.3		10	0.1 U
7/10/2023	XX	GWPWS2H7I			0.071	0.11	116	24	2 U		39		22		6.9	0.1 U
10/2/2023	XX	GWPWS2056			0.052	0.11	81	240	2 U		31		26		4.4	0.1 U
<b>PWS10-3</b>																
4/21/2014	XX	GWPWS36EF				0.2	107	489	5		35		17		6.3	0.1 U
7/28/2014	XX	GWPWS36J2				0.27	92	57	2 U		32		14.8		5.2	0.1 U
10/20/2014	XX	GWPWS372D				0.06	89	19	2.5		24		18.4		8.9	0.1 U
4/27/2015	XX	GWPWS378A			0.5 U	0.09	68	58	7.4		10.4		8.7		5.3	0.1 U
7/13/2015	XX	GWPWS37C2			2 U	0.11	87	14	2 U		26		11.9		6.6	0.1 U
10/26/2015	XX	GWPWS37HB			0.5 U	0.05	91	9	10.2		25		12.3		2.4	0.1 U
4/4/2016	XX	GWPWS3861			0.05 U	0.04	98	14	4.6		68		2 U		3.2	0.1 U
7/25/2016	XX	GWPWS38AB			D	D	D	D	D		D		D		D	D
10/24/2016	XX	GWPWS38IA			1.5	0.04 U	135	4 U	47.3		7.9		13.3		4	0.2 U
4/17/2017	XX	GWPWS396G			0.05 U	0.06	91	17	4.6		21		16		3.3	0.2 U
7/24/2017	XX	GWPWS39CE			0.05 U	0.11	120	17	2 U		62		20		4.6	0.2 U
10/24/2017	XX	GWPWS39G9			D	D	D	D	D		D		D		D	D
4/2/2018	XX	GWPWS3A27			0.23	0.04 U	48	4	4.1		5.8		6.6		4.5	0.1 U
7/16/2018	XX	GWPWS3AB9			D	D	D	D	D		D		D		D	D
10/1/2018	XX	GWPWS3B07			0.062	0.04	98	11	20		11		12		8.6	0.1 U
4/22/2019	XX	GWPWS3B53			0.05 U	0.04 U	82	3.3	2.3		12		13		15	0.1 U
7/15/2019	XX	GWPWS3BBG			0.062	0.14	82	18	2 U		26		27		8.9	0.1 U
10/28/2019	XX	GWPWS3BH9			0.15	0.04 U	29	11	2 U		11		2 U		1 U	0.1 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 31 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(PWS10-3)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/27/2020	XX	GWPWS3CCG			0.14	0.04 U	61	2.5 U	2		22		11		1	0.1 U
7/20/2020	XX	GWPWS3CH9			0.092	0.15	129	11	2 U		51		30		1.8	0.1 U
10/26/2020	XX	GWPWS3D2D			0.054	0.1	106	53	3.9		25		34 M10		7.8	0.1 U
4/5/2021	XX	GWPWS3DBF			0.05 U	0.08	114	92	2 U		51		11		2.1	0.1 U
7/12/2021	XX	GWPWS3DJ7			0.05 U	0.06	97	47	2.1		30		41		1.8	0.1 U
10/4/2021	XX	GWPWS3E5F			0.05 U	0.09	115	48	2 U		28		29		5.7	0.1 U
4/25/2022	XX	GWPWS3F07			0.05 U	0.04 U	91	2.5 U	2 U		30		16		5.7	0.1 U
7/18/2022	XX	GWPWS3F85			0.05 U	0.1	117	25	2 U		46		19		3	0.1 U
10/3/2022	XX	GWPWS3F16			0.13	0.04		10	2 U		30		21		3	0.1 U
10/3/2022	XX	GWPWS3F16RR					83 H									
4/17/2023	XX	GWPWS3GHH			0.067	0.24	67	110	2.3		30		11		9.9	0.1 U
7/10/2023	XX	GWPWS3H7J			0.072	0.33	163	15	2 U		41		31		11	0.1 U
10/2/2023	XX	GWPWS3057			0.05 U	0.04 U	87	2.5 U	2 U		25		18		5.8	0.1 U
<b>PWS-4</b>																
1/24/2023	XX	PWXX4XGBI	A	A	A	A	A	A	A	A	A	A	A	A	A	A
3/30/2023	XX	PWXX4XGH5	0.56	0.5 U	0.088	0.09	102	98	5.6	0.1 U		29	7.1		9.6	0.1 U
4/19/2023	XX	GWXXXH22	0.38	0.5 U	0.05 U	0.07	100	7	3	0.2 U		30	9.7		12	0.1 U
6/19/2023	XX	PWXX4XH5J	0.45	0.5 U	0.053	0.033	92	30	4.8	0.5 U		37	10		4.5	0.1 U
7/13/2023	XX	PWXX4X023	0.5	0.5 U	0.05 U	0.06	122	26	2 U	0.1 U		71	14	2 U	5.8	0.1
10/4/2023	XX	GWXXX094	0.37	0.5 U	0.092	0.04 U	121	18	2 U	0.1 U		70	8.2		11	0.14
<b>SW-1</b>																
4/22/2014	XX	SWXX1X6EA				0.04	98	4 U	6.2		41		5.7	2 U	27.6	0.1 U
7/29/2014	XX	SWXX1X6IH				0.04 U	80	4 U	2 U		27		14.6	3 U	5.1	0.1 U
10/21/2014	XX	SWXX1X727				0.04 U	97	15	2.8		20		16.5	2 U	8.4	0.1 U
4/28/2015	XX	SWXX1X785			0.5 U	0.04 U	79	4 U	3.1		21		7.3	3 U	18	0.1 U
7/14/2015	XX	SWXX1X7BH			2 U	0.06	80	9	1.6 J		37		11.1	3 U	5.7	0.1 U
10/27/2015	XX	SWXX1X7H6			0.5 U	0.04 U	76	4 U	2.6		28		10.4	3 U	9	0.1 U
4/5/2016	XX	SWXX1X85G			0.05 U	0.04 U	69	4 U	3.4		21		6.1	3 U	16.3	0.1 U
7/26/2016	XX	SWXX1X8A6			0.05 U	0.95	135	377	2.2		83		12.9	4	4.1	0.2 U
10/25/2016	XX	SWXX1X8I5			0.05 U	0.04	126	4	6.6		15.5		17.3	3 U	11	0.2 U
4/18/2017	XX	SWXX1X96B			0.05	0.04 U	60	2.5 U	2 U		13		8.9	3 U	9.8	0.2 U
7/25/2017	XX	SWXX1X9C9			0.06	0.17	169	35	6.8		110		6.7	4	6.4	0.2 U
10/25/2017	XX	SWXX1X9G4			0.12	0.09	139	14	13		27		16	5	13	0.1 U
4/3/2018	XX	SWXX1XA22			0.25	0.04 U	92	2.5 U	3.5		45		4.5	2	11	0.1 U
7/17/2018	XX	SWXX1XAB4			0.063	0.17	151	640	2.2		100		10	6	5	0.1 U
10/2/2018	XX	SWXX1XB02			0.05 U	0.04	105	49	15		44		9.7	1 U	6.3	0.1 U
4/23/2019	XX	SWXX1XB4I			0.15	0.16	97	2.5 U	5.3		48		8.2	1 U	7.3	0.1 U
7/16/2019	XX	SWXX1XB8B			0.05 U	0.08	118	30	8.8		33		21	5	9.4	0.1 U
10/29/2019	XX	SWXX1XBH4			0.12	0.04 U	142	16	10		100		5	4	9.7	0.1 U
4/28/2020	XX	SWXX1XC8B			0.18	0.04	144	2.5 U	11		90		5.4	3	13	0.1 U
7/21/2020	XX	SWXX1XCH4			0.05 U	0.09	138	13	2 U		55		18	4	12	0.13
10/27/2020	XX	SWXX1XD28			0.064	0.11	196	46	15		85		49 M10	9	17	0.1 U
4/6/2021	XX	SWXX1XDBA			0.05 U	0.11	139	35	4.8		72		14	2 U	7.6	0.1 U
7/13/2021	XX	SWXX1XDJ2			0.081	0.14	93	15	2 U		40		20	5	2.2	0.1 U
10/5/2021	XX	SWXX1XE5A			0.05 U	0.17	235	170	5.9		170		17	20	8.3	0.13
4/26/2022	XX	SWXX1XF02			0.19	0.04 U	136	8.7	5		80		7.6	2	8.9	0.1 U
7/19/2022	XX	SWXX1XF80			0.05 U	0.27	118	140	2 U		30		21	19	9.9	0.1 U
10/4/2022	XX	SWXX1XF11			0.097	0.26	200	19	5.1		96		19	9	6.1	0.1 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 32 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(SW-1)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/18/2023	XX	SWXX1XGHC			0.069	0.06	92	14	8.5		49		9.9	7.6	4.9	0.1 U
7/11/2023	XX	SWXX1XH7E			0.08	0.23	173	180	2 U		69		27	16	7.5	0.1 U
10/3/2023	XX	SWXX1X052			0.05 U	0.36	143	91	3.6		82		23	14	6	0.1 U
<b>SW-2</b>																
4/22/2014	XX	SWXX2X6EB				0.04 U	56	4 U	2.6		13.6		6.6	2 U	16.1	0.1 U
4/22/2014	XD	SWDP2X6EG				0.04 U	58	4 U	2.7		13.4		6.5	2 U	16.4	0.1 U
7/29/2014	XX	SWXX2X6II				0.1	76	42	2 U		26		15.1	5	5.3	0.1 U
10/21/2014	XX	SWXX2X728				0.04 U	95	4 U	2.2		13.7		17.6	2 U	9	0.1 U
10/21/2014	XD	SWDP2X72E				0.04 U	95	4 U	2.4		14.1		17.9	2 U	9	0.1 U
4/28/2015	XX	SWXX2X786			0.5 U	0.04 U	77	4 U	2.3		12		7.9	3 U	17.6	0.1 U
4/28/2015	XD	SWDP2X78B			0.5 U	0.04 U	76	4 U	3.4		11.9		7.8	3 U	19.3	0.1 U
7/14/2015	XX	SWXX2X7BI			2 U	0.04	73	19	2 U		27		12.4	3	6	0.1 U
10/27/2015	XX	SWXX2X7H7			0.5 U	0.04 U	71	30	2 U		16.2		14.1	3 U	9.2	0.1 U
10/27/2015	XD	SWDP2X7HC			0.5 U	0.04 U	74	4 U	2		16.1		12.3	3 U	9.3	0.1 U
4/5/2016	XD	SWDP2X862			0.05 U	0.04 U	62	4 U	3.1		15.7		6.3	3 U	16.4	0.1 U
4/5/2016	XX	SWXX2X85H			0.05 U	0.04 U	71	4 U	2.8		16.7		6.3	3 U	17.5	0.1 U
7/26/2016	XX	SWXX2X8A7			0.05 U	0.05	92	15	2 U		34		17.7	3	2.1	0.2 U
10/25/2016	XD	SWDP2X8IB			0.05 U	0.04	121	4 U	4.1		14.6		18.5	3 U	11.8	0.2 U
10/25/2016	XX	SWXX2X8I6			0.05 U	0.04	131	4 U	3.8		14.5		20.6	3 U	11.7	0.2 U
4/18/2017	XD	SWDP2X96H			0.05 U	0.04 U	61	2.5 U	2.5		12		8.7	3 U	7.2	0.2 U
4/18/2017	XX	SWXX2X96C			0.05 U	0.04 U	63	2.5 U	2.2		12		9.4	3 U	6.8	0.2 U
7/25/2017	XX	SWXX2X9CA			0.06	0.09	93	9	3.2		46		8.9	2 U	3.4	0.2 U
10/25/2017	XD	SWDP2X9GA			0.11	0.11	107	10	3.8		22		14	5	13	0.1 U
10/25/2017	XX	SWXX2X9G5			0.16	0.1	114	4.7	3.5		21		14	4	13	0.1 U
4/3/2018	XD	SWDP2XA28			0.076	0.04 U	54	2.5 U	2 U		7.9		6.9	1 U	6.4	0.1 U
4/3/2018	XX	SWXX2XA23			0.084	0.04 U	67	2.5 U	2 U		8.6		7.2	1 U	6.8	0.1 U
7/17/2018	XX	SWXX2XAB5			0.05 U	0.43	103	76	2.3		40		18	42	4.6	0.1 U
10/2/2018	XD	SWDP2XB08			0.05 U	0.11	96	42	9.8		21		16	8	10	0.1 U
10/2/2018	XX	SWXX2XB03			0.065	0.09	94	16	9.2		25		16	7	9.8	0.1 U
4/23/2019	XD	SWDP2XB54			0.05 U	0.04 U	77	2.5 U	2.1		13		13	1 U	16	0.1 U
4/23/2019	XX	SWXX2XB4J			0.05 U	0.04 U	73	2.5 U	2 U		13		13	1 U	16	0.1 U
7/16/2019	XD	SWDP2XBBH			0.05 U	0.06	107	19	2 U		23		24	3	12	0.1 U
7/16/2019	XX	SWXX2XBBC			0.05 U	0.05	93	22	2 U		23		30	3	12	0.1 U
10/29/2019	XD	SWDP2XBHA			0.05 U	0.04 U	117	2.5 U	2 U		14		30	1 U	9.5	0.1 U
10/29/2019	XX	SWXX2XBH5			0.05 U	0.04 U	66	2.5 U	2 U		13		13	1 U	9.3	0.1 U
4/28/2020	XD	SWDP2XCCH			0.089	0.04 U	62	2.5 U	3.1		15		7.1	2 U	12	0.1 U
4/28/2020	XX	SWXX2XCCC			0.084	0.04 U	61	2.5 U	2.8		14		7.2	2 U	12	0.1 U
7/21/2020	XD	SWDP2XCHA			0.05 U	0.12	100	3.7	2 U		33		21	2	4.5	0.1 U
7/21/2020	XX	SWXX2XCH5			0.05 U	0.04	113	2.5 U	2 U		33		21	2	4.3	0.1 U
10/27/2020	XD	SWDP2XD2E			0.05 U	0.04 U	84	2.5 U	4.4		13		28 M10	1	9.8	0.1 U
10/27/2020	XX	SWXX2XD29			0.05 U	0.04 U	87	2.5 U	4.3		13		28 M10	1 U	9.8	0.1 U
4/6/2021	XD	SWDP2XDBG			0.05 U	0.04 U	74	2.5 U	2.6		20		7.9	2 U	13	0.1 U
4/6/2021	XX	SWXX2XDBB			0.05 U	0.04 U	77	2.5 U	2.8		16		8.1	2 U	13	0.1 U
7/13/2021	XD	SWDP2XDJ8			0.093	0.07	101	2.5	2 U		24		24	4	5.6	0.1 U
7/13/2021	XX	SWXX2XDJ3			0.05 U	0.06	104	2.5	2 U		24		25	2	6	0.1 U
10/5/2021	XD	SWDP2XE5G			0.05 U	0.04 U	92	10	2 U		16		21	2 U	6.6	0.1 U
10/5/2021	XX	SWXX2XE5B			0.05 U	0.04 U	97	2.5 U	2 U		15		21	2 U	6.8	0.1 U
4/26/2022	XD	SWDP2XF08			0.05 U	0.04 U	73	2.5 U	2.1		15		8	1 U	12	0.1 U
4/26/2022	XX	SWXX2XF03			0.05 U	0.04 U	72	2.5 U	2		14		8.3	1 U	12	0.1 U

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 33 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(SW-2)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
7/19/2022	XD	SWDP2XF86			0.05 U	0.04	104	2.5 U	2.4		23		18	2 U	6.2	0.1 U
7/19/2022	XX	SWXX2XF81			0.05 U	0.04	104	2.5 U	2.5		22		18	2 U	6.2	0.1 U
10/4/2022	XD	SWDP2XF17			0.085	0.04 U	120	5.6	2.1		22		17	2 U	4.6	0.1 U
10/4/2022	XX	SWXX2XF12			0.12	0.04 U	120	4 U	2		21		17	2 U	4.5	0.1 U
4/18/2023	XD	SWDP2XGHI			0.05 U	0.04 U	63	2.5 U	2 U		16		9	2 U	11	0.1 U
4/18/2023	XX	SWXX2XGHD			0.05 U	0.04 U	51	2.5 U	2 U		17		9.3	2 U	11	0.1 U
7/11/2023	XD	SWDP2XH80			0.05 U	0.09	136	3.5	2 U		25		28	6	8	0.1 U
7/11/2023	XX	SWXX2XH7F			0.05 U	0.09	131	2.5	2 U		25		28	6	8.2	0.1 U
10/3/2023	XD	SWDP2X058			0.05 U	0.05	91	2.5 U	2 U		23		19	2 U	6	0.1 U
10/3/2023	XX	SWXX2X053			0.05 U	0.06	91	2.5 U	2 U		24		19	2	6	0.1 U
<b>SW-3</b>																
4/22/2014	XX	SWXX3X6EC				0.04 U	53	4 U	3.3		12		6.4	2 U	13.8	0.1 U
7/29/2014	XX	SWXX3X6IJ				0.04 U	75	4 U	2 U		27		10	3 U	5.3	0.1 U
7/29/2014	XD	SWDP2X6J3				0.04 U	76	4 U	2 U		25		10.1	3 U	5.1	0.1 U
10/21/2014	XX	SWXX3X729				0.04 U	90	4 U	5.7		15.1		15.4	2 U	7	0.1 U
4/28/2015	XX	SWXX3X787			0.5 U	0.04 U	68	4 U	3.1		12.6		7.1	3 U	13.5	0.1 U
7/14/2015	XX	SWXX3X7BJ			2 U	0.04 U	69	4 U	2.3		29		9.7	3 U	6.1	0.1 U
7/14/2015	XD	SWDP2X7C3			2 U	0.04 U	69	4 U	2.2		28		9.7	3 U	6.1	0.1 U
10/27/2015	XX	SWXX3X7H8			0.5 U	0.04 U	85	4 U	3		23		9.1	3 U	9.1	0.1 U
4/5/2016	XX	SWXX3X851			0.06	0.04 U	60	4 U	3.6		16.8		6.4	3 U	12.3	0.1 U
7/26/2016	XD	SWDP2X8AC			0.05 U	0.05	85	4 U	2.1		37		12.8	3 U	4.9	0.2 U
7/26/2016	XX	SWXX3X8A8			0.05 U	0.05	85	4 U	2.1		36		12.9	3 U	4.9	0.2 U
10/25/2016	XX	SWXX3X8I7			0.05 U	0.04 U	104	4 U	10.8		15.6		12.5	3 U	8.7	0.2 U
4/18/2017	XX	SWXX3X96D			0.05 U	0.04 U	55	2.5 U	4.2		12		8.4	3 U	4.3	0.2 U
7/25/2017	XD	SWDP2X9CF			0.06	0.04	101	4.3	2.6		43		8.5	2 U	11	0.2 U
7/25/2017	XX	SWXX3X9CB			0.05	0.04	100	2.5 U	2.6		43		9.6	2 U	11	0.2 U
10/25/2017	XX	SWXX3X9G6			0.22	0.06	139	2.5 U	11		22		15	7	20	0.1 U
4/3/2018	XX	SWXX3XA24			0.26	0.04 U	79	2.5 U	2 U		11		6.8	1 U	14	0.1 U
7/17/2018	XD	SWDP2XA8A			0.07	0.09	85	25	2.5		41		13	3	11	0.1 U
7/17/2018	XX	SWXX3XA86			0.074	0.09	91	17	2.6		40		12	3	10	0.1 U
10/2/2018	XX	SWXX3XB04			0.05 U	0.04 U	69	2.5 U	14		23		9	1 U	5.2	0.1 U
4/23/2019	XX	SWXX3XB50			0.05 U	0.04 U	63	2.5 U	2.7		11		11	1 U	10	0.1 U
7/16/2019	XX	SWXX3XBBD			0.05 U	0.05	93	2.5 U	2 U		31		19	2 U	7.3	0.1 U
10/29/2019	XX	SWXX3XBH6			0.05 U	0.04 U	66	2.5 U	2.5		11		14	1 U	5.9	0.1 U
4/28/2020	XX	SWXX3XCDD			0.1	0.04 U	56	2.5 U	3		13		8.1	2 U	9.9	0.1 U
7/21/2020	XX	SWXX3XCHE			0.05 U	0.04 U	108	2.5 U	2 U		31		12	1	12	0.1 U
10/27/2020	XX	SWXX3XD2A			0.065	0.04 U	73	2.5 U	6.4		26		17 M10	1 U	18	0.11
4/6/2021	XX	SWXX3XD8C			0.05 U	0.04 U	61	2.5 U	3		12		7.8	2 U	8.9	0.1 U
7/13/2021	XX	SWXX3XDJ4			0.05 U	0.04	72	3.3	2 U		23		14	2	4.5	0.1 U
10/5/2021	XX	SWXX3XE5C			0.077	0.04 U	94	2.5 U	2 U		20		18	2 U	6	0.1 U
4/26/2022	XX	SWXX3XF04			0.055	0.04 U	65	2.5 U	2.3		13		9.2	1 U	11	0.1 U
7/19/2022	XX	SWXX3XF82			0.096	0.04	116	12	2 U		30		12	2 U	18	0.1 U
10/4/2022	XX	SWXX3XF13			0.19	0.04 U	68	4 U	6.1		27		10	2 U	5.9	0.1 U
4/18/2023	XX	SWXX3XGHE			0.064	0.04 U	51	2.5	2		14		7.7	2 U	11	0.1 U
7/11/2023	XX	SWXX3XH7G			0.061	0.06	100	5	2 U		27		18	3	4.8	0.1 U
10/3/2023	XX	SWXX3X054			0.23	0.05	75	30	2.5		29		13	2 U	5.8	0.1 U
<b>SW23-4</b>																
1/24/2023	XX	SWXX4XGBH	A	A	A	A	A	A	A	A	A	A	A	A	A	A

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 34 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(SW23-4)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
3/30/2023	XX	SWXX4XGH4	0.28	0.5 U	0.092	0.04 U	78	2.5	5.6	0.1 U		15	6.7	2 U	11	0.1 U
4/19/2023	XX	GWXXXXH23	0.35	0.5 U	0.05 U	0.04	89	2.5 U	5	0.1 U		26	9.2	2 U	13	0.1 U
6/19/2023	XX	SWXX4XH5I	0.44	0.5 U	0.079	0.028	80	5	6.8	0.1 U		24	10	2 U	4.8	0.1 U
7/13/2023	XX	SWXX4X022	0.52	0.5 U	0.061	0.04 U	119	4	2 U	0.1 U		68	14	2 U	5.9	0.11
10/4/2023	XX	GWXXXX095	0.41	0.5 U	0.08	0.04 U	86	8.3	2.6	0.1 U		42	7.2	2 U	7.6	0.11
<b>SW-DP1</b>																
4/22/2014	XX	SWDP1X6EI				0.05	58	10	5.3		32		2 U		5.4	0.1 U
7/29/2014	XX	SWDP1X6J5				0.07	44	6	2.3		16.2		2.4		1.8	0.1 U
10/21/2014	XX	SWDP1X72G				0.04 U	47	4 U	4.9		17		2.2		1.9	0.1 U
4/28/2015	XX	SWDP1X78D			0.5 U	0.05	75	11	7.4		35		2 U		8.3	0.1 U
7/14/2015	XX	SWDP1X7C5			2 U	0.04 U	68	4 U	4.1		46		2.8		3.1	0.1 U
10/27/2015	XX	SWDP1X7HE			0.5 U	0.04 U	56	4	5		25		2 U		5.3	0.1 U
4/5/2016	XX	SWDP1X864			0.05 U	0.05	67	11	8.1		32		2 U		6.7	0.1 U
7/26/2016	XX	SWDP1X8AE			0.05 U	0.04 U	78	4 U	7.2		45		3.8		3.9	0.2 U
10/25/2016	XX	SWDP1X8ID			0.05 U	0.04 U	72	8	8.6		24		2.7		2.1	0.2 U
4/18/2017	XX	SWDP1X96J			0.05 U	0.04 U	55	2.5 U	7		32		2.1		7.4	0.2 U
7/25/2017	XX	SWDP1X9CH			0.09	0.04	94	11	5.4		57		3.7		6.6	0.2 U
10/23/2017	XX	SWDP1X9GC			0.05 U	0.04 U	93	2.5 U	6.8		39		2.9		3.9	0.1 U
4/3/2018	XX	SWDP1XA2B			0.21	0.04 U	52	6	2.6		7.2		2 U		1.9	0.1 U
7/17/2018	XX	SWDP1XABC			0.055	0.05	61	18	4.6		30		3.4		1.4	0.1 U
10/2/2018	XX	SWDP1XB0A			0.05 U	0.04 U	49	3.7	7		25		2.4		1.9	0.1 U
4/23/2019	XX	SWDP1XB57			0.15	0.04 U	69	3.7	21		21		2 U		3.2	0.1 U
7/16/2019	XX	SWDP1XBBJ			0.05 U	0.04 U	60	2.5 U	12		23		2.3		1.5	0.1 U
10/29/2019	XX	SWDP1XBHC			0.23	0.06	84	16	9.4		42		3.6		2.2	0.1 U
4/28/2020	XX	SWDP1XCCJ			0.55	0.04	251	8	22		59		5.4		79	1.1
7/21/2020	XX	SWDP1XCHC			0.05 U	0.12	164	31	22		83		5.8		12	0.22
10/27/2020	XX	SWDP1XD2G			0.051	0.12	114	25	23		52		12 M10		6.3	0.1 U
4/6/2021	XX	SWDP1XDBI			0.15	0.2	191	18	12		23		2 U		2.5	0.1 U
7/13/2021	XX	SWDP1XDJA			0.07	0.24	185	29	7.9		41		3.6		1.3	0.1 U
10/5/2021	XX	SWDP1XE5I			0.05 U	0.06	83	11	5.3		42		2 U		1 U	0.1 U
4/26/2022	XX	SWDP1XF0A			0.05 U	0.12	101	26	32		28		2.8		5.2	0.1 U
7/19/2022	XX	SWDP1XF88			0.052	0.14	192	33	44		49		4.4		7.2	0.1 U
10/4/2022	XX	SWDP1XF19			0.13	0.04	110	9.6	36		40		2.2		2.9	0.1 U
4/18/2023	XX	SWDP1XGI0			0.089	0.14	58	19	5.8		15		3		1.5	0.1 U
7/11/2023	XX	SWDP1XH82			0.064	0.23	161	62	4		34		3.5		1.1	0.1 U
10/3/2023	XX	SWDP1X05A			0.05 U	0.04 U	48	29	8.3		30		7		1 U	0.1 U
<b>SW-DP5</b>																
4/22/2014	XX	SWDP5X6GD				0.07	110	15	38		29		3.1		20.9	0.1 U
7/29/2014	XX	SWDP5X70F				0.1	81	29	7.5		26		2.9		3.9	0.1 U
10/21/2014	XX	SWDP5X743				0.05	90	9	22.9		23		2 U		4.1	0.1 U
4/28/2015	XX	SWDP5X7A3			0.5 U	0.05	137	12	38.1		31		2 U		20.1	0.1 U
7/14/2015	XX	SWDP5X7DF			2 U	0.04	107	9	14.4		50		3.8		8	0.1 U
10/27/2015	XX	SWDP5X7J2			D	D	D	D	D		D		D		D	D
7/26/2016	XX	SWDP5X8C4			D	D	D	D	D		D		D		D	D
10/25/2016	XX	SWDP5X902			I	I	I	I	I		I		I		I	I
4/18/2017	XX	SWDP5X989			D	D	D	D	D		D		D		D	D
7/25/2017	XX	SWDP5X9E6			0.05	0.06	127	7	24		57		5.6		4.7	0.2 U
10/24/2017	XX	SWDP5X9I1			D	D	D	D	D		D		D		D	D




REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Inorganics Parameters



Page 35 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(SW-DP5)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
4/3/2018	XX	SWDP5XA41			0.27	0.04	47	7.3	2.5		15		2 U		1.6	0.1 U
7/17/2018	XX	SWDP5XAD1			D	D	D	D	D		D		D		D	D
10/2/2018	XX	SWDP5XB1J			D	D	D	D	D		D		D		D	D
4/23/2019	XX	SWDP5XB6H			0.3	0.07	103	50	30		26		2		4.5	0.1 U
7/16/2019	XX	SWDP5XBD8			0.063	0.04 U	74	2.5 U	14		32		3		2.4	0.1 U
10/29/2019	XX	SWDP5XBJ0			0.065	0.06	80	21	26		23		2 U		2.3	0.1 U
4/28/2020	XX	SWDP5XCE8			0.14	0.04	101	14	36		33		2.5		6.8	0.1 U
7/21/2020	XX	SWDP5XCJ1			0.05 U	0.05	126	5	22		47		3.6		2.3	0.1 U
10/27/2020	XX	SWDP5XD44			0.089	0.08	69	14	14		30		6.7 M10		1.9	0.1 U
4/6/2021	XX	SWDP5XDD7			0.17	0.23	111	97	11		26		2.5		4.3	0.1 U
7/13/2021	XX	SWDP5XE0J			0.05 U	0.1	91	26	4.7		18		6.8		1 U	0.1 U
10/5/2021	XX	SWDP5XE75			0.05 U	0.07	66	53	8.8		23		2.5		1.4	0.1 U
4/26/2022	XX	SWDP5XF1H			0.075	0.05	155	8	46		37		4.8		16	0.1 U
7/19/2022	XX	SWDP5XF9H			D	D	D	D	D		D		D		D	D
10/4/2022	XX	SWDP5XFJG			D	D	D	D	D		D		D		D	D
<b>SW-DP6</b>																
4/22/2014	XX	SWDP6X6EJ				0.1	70	6	21.8		13.1		4.3		17.8	0.1 U
7/29/2014	XX	SWDP6X6J6				0.04 U	65	4 U	4.5		18.3		6.9		4.7	0.1 U
10/21/2014	XX	SWDP6X72H				0.04 U	62	4 U	12.9		13.7		4.7		3.6	0.1 U
4/28/2015	XX	SWDP6X78E			0.5 U	0.05	81	4	17.4		21		3.4		7.2	0.1 U
7/14/2015	XX	SWDP6X7C6			2 U	0.12	131	43	13.5		28		5.7		5.6	0.1 U
10/27/2015	XX	SWDP6X7HF			0.5 U	0.04 U	58	4 U	10.3		22		4		2.7	0.1 U
4/5/2016	XX	SWDP6X865			0.05 U	0.04 U	61	4 U	15		12.7		3.2		6.9	0.1 U
7/26/2016	XX	SWDP6X8AF			0.05 U	0.04 U	92	4 U	29.8		28		5.7		2.8	0.2 U
10/25/2016	XX	SWDP6X8IE			0.1	0.07	104	29	18.8		22		3.8		2	0.2 U
4/18/2017	XX	SWDP6X970			0.05 U	0.04 U	46	4	2 U		9.6		3.5		9.7	0.2 U
7/25/2017	XX	SWDP6X9CI			0.06	0.05	87	6	10		16		6.7		9.1	0.2 U
10/23/2017	XX	SWDP6X9GD			0.05 U	0.04 U	88	3.3	21		10		4.5		9.2	0.1 U
4/3/2018	XX	SWDP6XA2C			0.12	0.04	44	31	9.7		11		2.1		3.6	0.1 U
7/17/2018	XX	SWDP6XABD			0.05 U	0.05	94	9.7	32		18		6.6		7.9	0.1 U
10/2/2018	XX	SWDP6XB0B			0.05 U	0.04 U	58	2.5 U	40		6		4.7		4.6	0.1 U
4/23/2019	XX	SWDP6XB58			0.05 U	0.06	57	9.3	12		12		4.2		6.7	0.1 U
7/16/2019	XX	SWDP6XBC0			0.056	0.04 U	59	3.7	8.7		14		6.5		4.6	0.1 U
10/29/2019	XX	SWDP6XBHD			0.05 U	0.04 U	43	5	12		6.3		4.6		1.7	0.1 U
4/28/2020	XX	SWDP6XCD0			0.056	0.05	38	6.7	10		8.4		3.3		4.3	0.1 U
7/21/2020	XX	SWDP6XCHD			0.05 U	0.04	83	8	16		13		6.1		2.3	0.1 U
10/27/2020	XX	SWDP6XD2H			0.058	0.06	65	13	24		14		5.8 M10		1.8	0.1 U
4/6/2021	XX	SWDP6XDBJ			0.05 U	0.04	52	6.5	7.2		10		3.5		2.2	0.1 U
7/13/2021	XX	SWDP6XDJB			0.05 U	0.09	60	9	4.5		12		6.2		1 U	0.1 U
10/5/2021	XX	SWDP6XE5J			0.05 U	0.04	63	4.3	6.6		15		4.7		5.8	0.1 U
4/26/2022	XX	SWDP6XF0B			0.12	0.04	42	6.7	3.8		10		4.1		1.9	0.1 U
7/19/2022	XX	SWDP6XF89			0.05 U	0.15	107	36	4.8		20		5.2		1 U	0.1 U
10/4/2022	XX	SWDP6XFIA			0.14	0.1	55	16	5.5		16		3.4		1.2	0.1 U
4/18/2023	XX	SWDP6XGI1			0.052	0.04	43	8	14		9		3.5		2	0.1 U
7/11/2023	XX	SWDP6XH83			0.096	0.04 U	356	2.5 U	200		16		5.3		13	0.1 U
10/3/2023	XX	SWDP6X05B			0.14	0.16	186	48	41		17		5		6.7	0.1 U

REPORT PREPARED: 3/12/2024 08:46 FOR: Juniper Ridge Landfill DATE RANGE: 1/1/2014 - 12/31/2023			<b>DATA SUMMARY TABLE</b> <b>Inorganics Parameters</b>										Page 36 of 36 SEVEE & MAHER ENGINEERS, INC. 4 BLANCHARD ROAD CUMBERLAND CENTER, ME 04021			
(SW-DP6)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrite/Nitrate - (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Chloride	Bromide
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L

**Units Abbreviations:**

mg/L - MILLIGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

- ! - The sampling location was damaged or destroyed.
- \* - Analysis not within control limits
- A - The sampling location was inaccessible.
- D - The sampling location was dry.
- DE - Decommissioned Location
- F - The sampling location was frozen.
- F12 - Pipe under water, no sample taken.
- F16 - Could not pump water to surface for testing/sampling
- F6 - No flow. Sample not taken.
- H - Analyzed outside U.S.EPA's recommended hold time.
- H8 - No flow from pipe. See LF-COMP for readings
- I - The sampling location yielded insufficient quantity to collect a sample.
- J - Analyte was positively identified/Associated value is an estimate.
- M10 - Due to a identified laboratory instrumentation malfunction, this analytical result is likely elevated—the laboratory has fixed the issue.
- U - Not Detected above the laboratory reporting limit.
- UH - Not Detected above the laboratory reporting limit. Analyzed outside U.S.EPA's recommended hold time

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 1 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-COMP)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
<b>LF-COMP</b>																
4/6/2021	XX	LFCOMPDG6	UF	0.005 U	55		0.05 U	9.1	0.05 U	3.7	8.5					
<b>LF-LD-11</b>																
7/13/2021	XX	LFXXXXE1C	UF	0.005 U	120	0.003 U	0.05 U	26	0.06	7.1	10	0.05 U				
10/5/2021	XX	LFXXXXE88	UF	0.005 U	140	0.003 U	0.05 U	28	0.18	7.2	11	0.05 U				
7/19/2022	XX	LFXXXXFA9	UF	0.005 U	150	0.006 U	0.17	33	0.56	7.8	12	0.05 U				
7/11/2023	XX	LFXXXX005	UF	0.005 U	150	0.003 U	0.05 U	32	0.05 U	8.3	14	0.05 U				
<b>LF-LD-12</b>																
7/13/2021	XX	LFXXXXE1D	UF	0.005 U	47	0.003 U	0.19	8.1	0.77	3.2	7	0.05 U				
10/5/2021	XX	LFXXXXE89	UF	0.005	91	0.003 U	0.06	16	3.3	4.5	9.2	0.05 U				
7/19/2022	XX	LFXXXXFAA	UF	0.005 U	86	0.003 U	0.46	16	5.3	4.5	7.8	0.05 U				
7/11/2023	XX	LFXXXX006	UF	0.005 U	77	0.003 U	1.2	13	5.9	4.2	6.3	0.05 U				
<b>LF-LD-13</b>																
7/19/2022	XX	LFXXXXFB4	UF	0.005 U	43	0.003 U	0.05 U	9	0.48	4.1	6.4	0.05 U				
7/11/2023	XX	LFXXXX010	UF	0.005 U	61	0.003 U	0.13	13	2.5	4.7	8.6	0.05 U				
<b>LF-LD-14</b>																
7/11/2023	XX	LFXXXX01G	UF	0.005 U	96	0.003 U	0.72	22	1.3	7	7.8	0.05 U				
<b>LF-UD-1</b>																
4/22/2014	XX	LFUD1X6F7		0.015	54.1		0.05	11.4	0.05 U	3.8	8.2					
7/29/2014	XX	LFUD1X6JE		0.006	47.3		4.57	12.1	0.1	4	7.5					
10/21/2014	XX	LFUD1X735		F6	F6		F6	F6	F6	F6	F6					
4/28/2015	XX	LFUD1X792		0.005 U	48.9		0.59	11.2	0.05 U	3.7	8.2					
7/14/2015	XX	LFUD1X7CE		0.013	52.8		0.05 U	10.7	0.05 U	3.5	8.1					
10/27/2015	XX	LFUD1X7I3		F6	F6		F6	F6	F6	F6	F6					
4/5/2016	XX	LFUD1X86D		0.015	48.9		0.05 U	10.2	0.05 U	3.2	8.1					
7/26/2016	XX	LFUD1X8B3		I	I		I	I	I	I	I					
10/25/2016	XX	LFUD1X8J2		F6	F6		F6	F6	F6	F6	F6					
4/18/2017	XX	LFUD1X978		0.005	45		0.22	12	0.05 U	3.5	9.2					
7/25/2017	XX	LFUD1X9D6		0.005 U	58		0.12	14	0.05 U	3.9	10					
10/25/2017	XX	LFUD1X9H1		F6	F6		F6	F6	F6	F6	F6					
4/3/2018	XX	LFUD1XA30	UF	0.005 U	57		0.05 U	13	0.05 U	3.6	9.5					
7/17/2018	XX	LFUD1XAC1		F6	F6		F6	F6	F6	F6	F6					
10/2/2018	XX	LFUD1XB0J		F6	F6		F6	F6	F6	F6	F6					
4/23/2019	XX	LFUD1XB5G	UF	0.005 U	58		0.05	10	0.05 U	3.3	7.8					
7/16/2019	XX	LFUD1XBC8		F6	F6		F6	F6	F6	F6	F6					
10/29/2019	XX	LFUD1XB1I		F6	F6		F6	F6	F6	F6	F6					
4/28/2020	XX	LFUD1XCD8		F6	F6		F6	F6	F6	F6	F6					
7/21/2020	XX	LFUD1XC1I		F6	F6		F6	F6	F6	F6	F6					
10/27/2020	XX	LFUD1XD35		F6	F6		F6	F6	F6	F6	F6					
4/6/2021	XX	LFUD1XDC7		H8	H8		H8	H8	H8	H8	H8					
7/13/2021	XX	LFUD1XDJ1		F6	F6		F6	F6	F6	F6	F6					
10/5/2021	XX	LFUD1XE67		F6	F6		F6	F6	F6	F6	F6					
4/26/2022	XX	LFUD1XF0J		F6	F6		F6	F6	F6	F6	F6					
7/19/2022	XX	LFUD1XF8H		F6	F6		F6	F6	F6	F6	F6					
10/4/2022	XX	LFUD1XFII		F6	F6		F6	F6	F6	F6	F6					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 2 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-1)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
4/18/2023	XX	LFUD1XG19		F6	F6		F6	F6	F6	F6	F6					
7/11/2023	XX	LFUD1XH8B		F6	F6		F6	F6	F6	F6	F6					
10/3/2023	XX	LFUD1X05J		F6	F6		F6	F6	F6	F6	F6					
<b>LF-UD-2</b>																
4/22/2014	XX	LFUD2X6F8		0.012	46		0.05 U	11.4	0.05 U	3.2	7.4					
7/29/2014	XX	LFUD2X6JF		0.018	46.3		0.05 U	10.8	0.05 U	3	7					
10/21/2014	XX	LFUD2X736		0.016	71.5		0.05 U	12.3	0.05 U	4.5	9.2					
4/28/2015	XX	LFUD2X793		0.013	49.8		0.05 U	10.9	0.05 U	3.3	7.7					
7/14/2015	XX	LFUD2X7CF		0.013	50.8		0.05 U	10.8	0.05 U	3.4	8					
10/27/2015	XX	LFUD2X714		0.011	57.2		0.05 U	11.9	0.05 U	3.7	8.4					
4/5/2016	XX	LFUD2X86E		0.015	47		0.05 U	11.2	0.05 U	3	7.5					
7/26/2016	XX	LFUD2X8B4		0.024	58.9		0.12	13.5	0.05 U	4.2	9.6					
10/25/2016	XX	LFUD2X8J3		0.005 U	68.8		0.05 U	12	0.05 U	3.9	9					
4/18/2017	XX	LFUD2X979		0.005	46		0.38	12	0.05 U	3.7	10					
7/25/2017	XX	LFUD2X9D7		0.005 U	57		0.14	15	0.05 U	3.3	8.7					
10/25/2017	XX	LFUD2X9H2		0.008	68		0.71	14	0.05 U	4.6	9.6					
4/3/2018	XX	LFUD2XA31	UF	0.005 U	49		0.05 U	13	0.05 U	3.5	9.5					
7/17/2018	XX	LFUD2XAC2	UF	0.005 U	67		0.13	14	0.05 U	3.6	9.3					
10/2/2018	XX	LFUD2XB10	UF	0.005 U	70		0.05 U	14	0.05 U	4.5	12					
4/23/2019	XX	LFUD2XB5H		F6	F6		F6	F6	F6	F6	F6					
7/16/2019	XX	LFUD2XBC9	UF	0.005 U	59		0.05 U	12	0.05 U	3.8	11					
10/29/2019	XX	LFUD2XB12	UF	0.005 U	52		0.7	10	0.05 U	3.5	9.2					
4/28/2020	XX	LFUD2XCD9	UF	0.005 U	60		0.1	11	0.05 U	3.6	9					
7/21/2020	XX	LFUD2XC12	UF	0.005	65		2.5	15	0.13	5.4	14					
10/27/2020	XX	LFUD2XD36	UF	0.005 U	61		0.05 U	13	0.05 U	4.3	14					
4/6/2021	XX	LFUD2XDC8		H8	H8		H8	H8	H8	H8	H8					
7/13/2021	XX	LFUD2XE00		F6	F6		F6	F6	F6	F6	F6					
10/5/2021	XX	LFUD2XE68		F6	F6		F6	F6	F6	F6	F6					
4/26/2022	XX	LFUD2XF10		F6	F6		F6	F6	F6	F6	F6					
7/19/2022	XX	LFUD2XF8I		F6	F6		F6	F6	F6	F6	F6					
10/4/2022	XX	LFUD2XF1J		F6	F6		F6	F6	F6	F6	F6					
4/18/2023	XX	LFUD2XG1A		F6	F6		F6	F6	F6	F6	F6					
7/11/2023	XX	LFUD2XH8C		F6	F6		F6	F6	F6	F6	F6					
10/3/2023	XX	LFUD2X060		F6	F6		F6	F6	F6	F6	F6					
<b>LF-UD-3A,B</b>																
4/22/2014	XX	LFXXX6G6		F6	F6		F6	F6	F6	F6	F6					
7/29/2014	XX	LFXXX708		F6	F6		F6	F6	F6	F6	F6					
10/21/2014	XX	LFXXX73H		F6	F6		F6	F6	F6	F6	F6					
4/28/2015	XX	LFXXX79G		F6	F6		F6	F6	F6	F6	F6					
7/14/2015	XX	LFXXX7D8		F6	F6		F6	F6	F6	F6	F6					
10/27/2015	XX	LFXXX71F		F6	F6		F6	F6	F6	F6	F6					
4/5/2016	XX	LFXXX877		F6	F6		F6	F6	F6	F6	F6					
7/26/2016	XX	LFXXX8BH		F6	F6		F6	F6	F6	F6	F6					
10/25/2016	XX	LFXXX8JF		F6	F6		F6	F6	F6	F6	F6					
4/18/2017	XX	LFXXX982		F6	F6		F6	F6	F6	F6	F6					
7/25/2017	XX	LFXXX9DJ		F6	F6		F6	F6	F6	F6	F6					
10/25/2017	XX	LFXXX9HE		F6	F6		F6	F6	F6	F6	F6					
4/3/2018	XX	LFXXXA3E		F6	F6		F6	F6	F6	F6	F6					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 3 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-3A,B)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/17/2018	XX	LFXXXACE		F6	F6		F6	F6	F6	F6	F6					
10/2/2018	XX	LFXXXB1C		F6	F6		F6	F6	F6	F6	F6					
4/23/2019	XX	LFXXXB6A		F6	F6		F6	F6	F6	F6	F6					
7/16/2019	XX	LFXXXBD1		F6	F6		F6	F6	F6	F6	F6					
10/29/2019	XX	LFXXXBD2		F6	F6		F6	F6	F6	F6	F6					
4/28/2020	XX	LFXXXCE1		F6	F6		F6	F6	F6	F6	F6					
7/21/2020	XX	LFXXXCIE		F6	F6		F6	F6	F6	F6	F6					
10/27/2020	XX	LFXXXD3H		F6	F6		F6	F6	F6	F6	F6					
4/6/2021	XX	LFXXXDD0		H8	H8		H8	H8	H8	H8	H8					
7/13/2021	XX	LFXXXE0C		F6	F6		F6	F6	F6	F6	F6					
10/5/2021	XX	LFXXXE6J		F6	F6		F6	F6	F6	F6	F6					
4/26/2022	XX	LFXXXF1B		F6	F6		F6	F6	F6	F6	F6					
7/19/2022	XX	LFXXXF9A		F6	F6		F6	F6	F6	F6	F6					
10/4/2022	XX	LFXXXFJA		F6	F6		F6	F6	F6	F6	F6					
4/18/2023	XX	LFXXXGJ1		F6	F6		F6	F6	F6	F6	F6					
7/11/2023	XX	LFXXXH94		F6	F6		F6	F6	F6	F6	F6					
10/3/2023	XX	LFXXXO6A		F6	F6		F6	F6	F6	F6	F6					
<b>LF-UD-4</b>																
4/22/2014	XX	LFXXX6G7		0.014	62.6		0.05 U	11.3	0.05 U	4.7	9					
7/29/2014	XX	LFXXX709		F6	F6		F6	F6	F6	F6	F6					
10/21/2014	XX	LFXXX73I		F6	F6		F6	F6	F6	F6	F6					
4/28/2015	XX	LFXXX79H		F6	F6		F6	F6	F6	F6	F6					
7/14/2015	XX	LFXXX7D9		F6	F6		F6	F6	F6	F6	F6					
10/27/2015	XX	LFXXX71G		F6	F6		F6	F6	F6	F6	F6					
4/5/2016	XX	LFXXX878		F6	F6		F6	F6	F6	F6	F6					
7/26/2016	XX	LFXXX8B1		0.005	60.7		0.28	13.9	0.05 U	4.3	10.2					
10/25/2016	XX	LFXXX8JG		0.005 U	75.7		0.05 U	13.8	0.05 U	4.3	9.9					
4/18/2017	XX	LFXXX983		0.007	47		0.06	12	0.05 U	3.6	9.5					
7/25/2017	XX	LFXXX9E0		0.005 U	57		0.13	14	0.05 U	3.9	11					
10/25/2017	XX	LFXXX9HF		F6	F6		F6	F6	F6	F6	F6					
4/3/2018	XX	LFXXXA3F		F6	F6		F6	F6	F6	F6	F6					
7/17/2018	XX	LFXXXACF	UF	0.005	68		0.06	14	0.05 U	3.6	9.5					
10/2/2018	XX	LFXXXB1D		F6	F6		F6	F6	F6	F6	F6					
4/23/2019	XX	LFXXXB6B		F6	F6		F6	F6	F6	F6	F6					
7/16/2019	XX	LFXXXBD2		F6	F6		F6	F6	F6	F6	F6					
10/29/2019	XX	LFXXXBIE	UF	0.005	51		1.4	9.9	0.16	3.4	8.5					
4/28/2020	XX	LFXXXCE2		F6	F6		F6	F6	F6	F6	F6					
7/21/2020	XX	LFXXXCIF		F6	F6		F6	F6	F6	F6	F6					
10/27/2020	XX	LFXXXD3I		F6	F6		F6	F6	F6	F6	F6					
4/6/2021	XX	LFXXXDD1		H8	H8		H8	H8	H8	H8	H8					
7/13/2021	XX	LFXXXE0D	UF	0.005 U	57		0.15	9.5	0.05 U	4.2	11					
10/5/2021	XX	LFXXXE70	UF	0.005	58		0.05 U	9.9	0.05 U	3.7	9.4					
4/26/2022	XX	LFXXXF1C	UF	0.005 U	57		0.45	9.4	0.05 U	3.7	7.9					
7/19/2022	XX	LFXXXF9B		F6	F6		F6	F6	F6	F6	F6					
10/4/2022	XX	LFXXXFJB	UF	0.005 U	64		0.37	11	0.05 U	4	10					
4/18/2023	XX	LFXXXGJ2		F6	F6		F6	F6	F6	F6	F6					
7/11/2023	XX	LFXXXH95		F6	F6		F6	F6	F6	F6	F6					
10/3/2023	XX	LFXXXO6B		F6	F6		F6	F6	F6	F6	F6					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 4 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-Sand6)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Date	Type	Sample ID										
<b>LF-UD-Sand6</b>												
4/22/2014	XX	LFXXX6G8		0.015	55.5		0.05 U	10.9	0.05 U	3.6	7.6	
7/29/2014	XX	LFXXX70A		0.014	64.7		0.05 U	12	0.05 U	4.2	8.3	
10/21/2014	XX	LFXXX73J		F6	F6		F6	F6	F6	F6	F6	
4/28/2015	XX	LFXXX79I		0.015	55.8		0.05 U	11.2	0.05 U	3.4	8.3	
7/14/2015	XX	LFXXX7DA		I	I		I	I	I	I	I	
10/27/2015	XX	LFXXX7IH		0.01	47.4		0.05 U	10.1	0.05 U	4.2	8	
4/5/2016	XX	LFXXX879		0.016	54.5		0.05 U	10.4	0.05 U	3.3	8.3	
7/26/2016	XX	LFXXX8BJ		0.024	62.3		0.05 U	12.5	0.05 U	3.8	8.8	
10/25/2016	XX	LFXXX8JH		0.005 U	52.6		0.05 U	9.8	0.05 U	2.9	6.9	
4/18/2017	XX	LFXXX984		0.005 U	39		0.09	10	0.05 U	3	8.1	
7/25/2017	XX	LFXXX9E1		0.005 U	55		0.05 U	12	0.05 U	3.5	9.4	
10/25/2017	XX	LFXXX9HG		F6	F6		F6	F6	F6	F6	F6	
4/3/2018	XX	LFXXXA3G	UF	0.007	38		0.05 U	10	0.05 U	2.6	8	
7/17/2018	XX	LFXXXACG	UF	0.005	52		0.05 U	9.7	0.05 U	2.7	7.2	
10/2/2018	XX	LFXXXB1E	UF	0.005 U	54		0.62	12	0.05 U	3.1	9.2	
4/23/2019	XX	LFXXXB6C	UF	0.005 U	42		0.05 U	9.5	0.05 U	2.4	7.5	
7/16/2019	XX	LFXXXBD3	UF	0.005 U	45		0.05 U	10	0.05 U	2.7	8.5	
10/29/2019	XX	LFXXXBIF	UF	0.005 U	40		0.88	9.1	0.05	2.5	7.4	
4/28/2020	XX	LFXXXCE3	UF	0.005 U	43		0.05 U	9.5	0.05 U	2.4	7.7	
7/21/2020	XX	LFXXXCIG	UF	0.005 U	50		0.05 U	11	0.05 U	3.1	9	
10/27/2020	XX	LFXXXD3J		F6	F6		F6	F6	F6	F6	F6	
4/6/2021	XX	LFXXXDD2	UF	0.005 U	40		0.05 U	9.8	0.05 U	2.3	7.5	
7/13/2021	XX	LFXXXE0E	UF	0.005 U	51		0.1	12	0.05 U	2.7	8.4	
10/5/2021	XX	LFXXXE71	UF	0.005 U	48		0.05 U	11	0.05 U	2.4	8.3	
4/26/2022	XX	LFXXXF1D	UF	0.005 U	44		0.36	11	0.05 U	3.3	8.1	
7/19/2022	XX	LFXXXF9C	UF	0.005 U	56		0.05 U	13	0.05 U	2.7	8.8	
10/4/2022	XX	LFXXXFJC	UF	0.005 U	52		0.59	11	0.05 U	2.5	8.2	
4/18/2023	XX	LFXXXGJ3	UF	0.005 U	46		0.05 U	11	0.05 U	2.7	9.2	
7/11/2023	XX	LFXXXH96	UF	0.005 U	47		0.097	10	0.05 U	2.5	8.8	
10/3/2023	XX	LFXXX06C	UF	0.005 U	34		0.05 U	8.2	0.05 U	1.8	6.9	
<b>LF-UD-6</b>												
4/22/2014	XX	LFUD6X6GA		0.019	72.7		0.05 U	21	0.05 U	4.6	57.3	
7/29/2014	XX	LFUD6X70C		0.026	80.5		0.05 U	22.5	0.05 U	4.1	69.1	
10/21/2014	XX	LFUD6X740		0.019	87.9		0.05 U	23.3	0.05 U	4.1	70.9	
4/28/2015	XX	LFUD6X7A0		0.026	76.5		0.05 U	21.5	0.05 U	4	66.4	
7/14/2015	XX	LFUD6X7DC		0.021	87.3		0.05 U	22	0.05 U	4.1	67.6	
10/27/2015	XX	LFUD6X71J		0.017	84.2		0.05 U	23.7	0.05 U	4.4	66.6	
4/5/2016	XX	LFUD6X87B		0.023	79.1		0.05 U	21.8	0.05 U	4.3	64.1	
7/26/2016	XX	LFUD6X8C1		D	D		D	D	D	D	D	
10/25/2016	XX	LFUD6X8JJ		I	I		I	I	I	I	I	
4/18/2017	XX	LFUD6X986		0.005	58		0.23	15	0.05 U	4.8	14	
7/25/2017	XX	LFUD6X9E3		I	I		I	I	I	I	I	
10/25/2017	XX	LFUD6X9HI		0.005	80		0.05	6.8	0.05 U	2.6	1	
4/3/2018	XX	LFUD6XA3I	UF	0.005	48		0.05 U	6.7	0.05 U	2.2	4.6	
7/17/2018	XX	LFUD6XACI	UF	0.005	53		0.05 U	7.1	0.05 U	1.9	1.1	
10/2/2018	XX	LFUD6XB1G	UF	0.005 U	47		0.05 U	6.6	0.05 U	1.9	1.4	
4/23/2019	XX	LFUD6XB6E	UF	0.005	59		0.05 U	7.4	0.05 U	2.4	2	

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 5 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-6)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/16/2019	XX	LFUD6XBD5	UF	0.005 U	24		0.05 U	3.3	0.05 U	1.7	0.9					
10/29/2019	XX	LFUD6XBIH	UF	0.005 U	24		0.1	2.9	0.68	5.3	0.5					
4/28/2020	XX	LFUD6XCE5	UF	0.005 U	52		0.05 U	6	3.3	5.7	1.9					
7/21/2020	XX	LFUD6XCII		D	D		D	D	D	D	D					
10/27/2020	XX	LFUD6XD41		F6	F6		F6	F6	F6	F6	F6					
4/6/2021	XX	LFUD6XDD4	UF	0.006	160		0.08	14	5.5	20	16					
7/13/2021	XX	LFUD6XE0G		I	I		I	I	I	I	I					
10/5/2021	XX	LFUD6XE72	UF	0.011	38		0.15	5	1.9	5	5.1					
4/26/2022	XX	LFUD6XF1E		F6	F6		F6	F6	F6	F6	F6					
7/19/2022	XX	LFUD6XF9E		F6	F6		F6	F6	F6	F6	F6					
10/4/2022	XX	LFUD6XFJD		F6	F6		F6	F6	F6	F6	F6					
4/18/2023	XX	LFUD6XGJ4		F6	F6		F6	F6	F6	F6	F6					
7/11/2023	XX	LFUD6XH98		F6	F6		F6	F6	F6	F6	F6					
10/3/2023	XX	LFUD6X06D		F6	F6		F6	F6	F6	F6	F6					
<b>LF-UD-7</b>																
4/22/2014	XX	LFUD7X6GB		F6	F6		F6	F6	F6	F6	F6					
7/29/2014	XX	LFUD7X70D		F6	F6		F6	F6	F6	F6	F6					
10/21/2014	XX	LFUD7X741		F6	F6		F6	F6	F6	F6	F6					
4/28/2015	XX	LFUD7X7A1		F6	F6		F6	F6	F6	F6	F6					
7/14/2015	XX	LFUD7X7DD		F6	F6		F6	F6	F6	F6	F6					
10/27/2015	XX	LFUD7X7J0		F6	F6		F6	F6	F6	F6	F6					
4/5/2016	XX	LFUD7X87C		F6	F6		F6	F6	F6	F6	F6					
7/26/2016	XX	LFUD7X8C2		F6	F6		F6	F6	F6	F6	F6					
10/25/2016	XX	LFUD7X900		F6	F6		F6	F6	F6	F6	F6					
4/18/2017	XX	LFUD7X987		F6	F6		F6	F6	F6	F6	F6					
7/25/2017	XX	LFUD7X9E4		F6	F6		F6	F6	F6	F6	F6					
10/25/2017	XX	LFUD7X9HJ		F6	F6		F6	F6	F6	F6	F6					
4/3/2018	XX	LFUD7XA3J		F6	F6		F6	F6	F6	F6	F6					
7/17/2018	XX	LFUD7XACJ		F6	F6		F6	F6	F6	F6	F6					
10/2/2018	XX	LFUD7XB1H		F6	F6		F6	F6	F6	F6	F6					
4/23/2019	XX	LFUD7XB6F		F6	F6		F6	F6	F6	F6	F6					
7/16/2019	XX	LFUD7XBD6		F6	F6		F6	F6	F6	F6	F6					
10/29/2019	XX	LFUD7XBII		F6	F6		F6	F6	F6	F6	F6					
4/28/2020	XX	LFUD7XCE6		F6	F6		F6	F6	F6	F6	F6					
7/21/2020	XX	LFUD7XCUI		F6	F6		F6	F6	F6	F6	F6					
10/27/2020	XX	LFUD7XD42		F6	F6		F6	F6	F6	F6	F6					
4/6/2021	XX	LFUD7XDD5		H8	H8		H8	H8	H8	H8	H8					
7/13/2021	XX	LFUD7XE0H		F6	F6		F6	F6	F6	F6	F6					
10/5/2021	XX	LFUD7XE73		F6	F6		F6	F6	F6	F6	F6					
4/26/2022	XX	LFUD7XF1F		F6	F6		F6	F6	F6	F6	F6					
7/19/2022	XX	LFUD7XF9F		F6	F6		F6	F6	F6	F6	F6					
10/4/2022	XX	LFUD7XFJE		F6	F6		F6	F6	F6	F6	F6					
4/18/2023	XX	LFUD7XGJ5		F6	F6		F6	F6	F6	F6	F6					
7/11/2023	XX	LFUD7XH99		F6	F6		F6	F6	F6	F6	F6					
10/3/2023	XX	LFUD7X06E		F6	F6		F6	F6	F6	F6	F6					
<b>LF-UD-8</b>																
4/22/2014	XX	LFUD8X6GC		F12	F12		F12	F12	F12	F12	F12					
7/29/2014	XX	LFUD8X70E		0.005	14.5		0.85	1.6	0.05 U	1.2	2.4					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 6 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-8)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/21/2014	XX	LFUD8X742		0.005 U	9.6		0.44	1.2	0.05 U	1.1	2.1					
4/28/2015	XX	LFUD8X7A2		0.005 U	11		0.75	1.1	0.05 U	1.5	2.9					
7/14/2015	XX	LFUD8X7DE		I	I		I	I	I	I	I					
10/27/2015	XX	LFUD8X7J1		F6	F6		F6	F6	F6	F6	F6					
4/5/2016	XX	LFUD8X87D		F6	F6		F6	F6	F6	F6	F6					
7/26/2016	XX	LFUD8X8C3		F6	F6		F6	F6	F6	F6	F6					
10/25/2016	XX	LFUD8X901		F6	F6		F6	F6	F6	F6	F6					
4/18/2017	XX	LFUD8X988		0.005 U	5.3		0.61	0.8	0.11	1.1	3.7					
7/25/2017	XX	LFUD8X9E5		D	D		D	D	D	D	D					
10/25/2017	XX	LFUD8X9I0		F6	F6		F6	F6	F6	F6	F6					
4/3/2018	XX	LFUD8XA40	UF	0.005 U	8.3		0.48	1.1	0.15	0.8	2.2					
7/17/2018	XX	LFUD8XAD0		D	D		D	D	D	D	D					
10/2/2018	XX	LFUD8XB11		F6	F6		F6	F6	F6	F6	F6					
4/23/2019	XX	LFUD8XB6G	UF	0.005 U	8.7		1.1	1.3	0.1	1.6	3.5					
7/16/2019	XX	LFUD8XBD7	UF	0.005 U	6.4		1.5	1	0.05 U	1.4	2.6					
10/29/2019	XX	LFUD8XBIJ	UF	0.005 U	4.8		0.35	0.8	0.05 U	0.9	1.3					
4/28/2020	XX	LFUD8XCE7		F6	F6		F6	F6	F6	F6	F6					
7/21/2020	XX	LFUD8XCJ0		F6	F6		F6	F6	F6	F6	F6					
10/27/2020	XX	LFUD8XD43		F6	F6		F6	F6	F6	F6	F6					
4/6/2021	XX	LFUD8XDD6		F6	F6		F6	F6	F6	F6	F6					
7/13/2021	XX	LFUD8XE0I		F6	F6		F6	F6	F6	F6	F6					
10/5/2021	XX	LFUD8XE74		F6	F6		F6	F6	F6	F6	F6					
4/26/2022	XX	LFUD8XF1G		F6	F6		F6	F6	F6	F6	F6					
7/19/2022	XX	LFUD8XF9G		F6	F6		F6	F6	F6	F6	F6					
10/4/2022	XX	LFUD8XFJF		F6	F6		F6	F6	F6	F6	F6					
4/18/2023	XX	LFUD8XGJ6		F6	F6		F6	F6	F6	F6	F6					
7/11/2023	XX	LFUD8XH9A		F6	F6		F6	F6	F6	F6	F6					
10/3/2023	XX	LFUD8X06F		F6	F6		F6	F6	F6	F6	F6					
<b>LF-UD-9</b>																
4/5/2016	XX	LFUD9X881		F6	F6		F6	F6	F6	F6	F6					
7/26/2016	XX	LFUD9X8CA		F6	F6		F6	F6	F6	F6	F6					
10/25/2016	XX	LFUD9X905		F6	F6		F6	F6	F6	F6	F6					
4/18/2017	XX	LFUD9X98F		0.007	55		1.4	6.8	0.06	4.3	6.5					
10/25/2017	XX	LFUD9X9I4		F6	F6		F6	F6	F6	F6	F6					
4/3/2018	XX	LFUD9XA47		F6	F6		F6	F6	F6	F6	F6					
7/17/2018	XX	LFUD9XAD4		D	D		D	D	D	D	D					
10/2/2018	XX	LFUD9XB22		F6	F6		F6	F6	F6	F6	F6					
4/23/2019	XX	LFUD9XB73		F6	F6		F6	F6	F6	F6	F6					
7/16/2019	XX	LFUD9XBDD		F6	F6		F6	F6	F6	F6	F6					
10/29/2019	XX	LFUD9XBJ3		F6	F6		F6	F6	F6	F6	F6					
4/28/2020	XX	LFUD9XCED		F6	F6		F6	F6	F6	F6	F6					
7/21/2020	XX	LFUD9XCJ6		F6	F6		F6	F6	F6	F6	F6					
10/27/2020	XX	LFUD9XD47		F6	F6		F6	F6	F6	F6	F6					
4/6/2021	XX	LFUD9XDDA		F6	F6		F6	F6	F6	F6	F6					
7/13/2021	XX	LFUD9XE11		F6	F6		F6	F6	F6	F6	F6					
10/5/2021	XX	LFUD9XE78		F6	F6		F6	F6	F6	F6	F6					
4/26/2022	XX	LFUD9XF1J		F6	F6		F6	F6	F6	F6	F6					
7/19/2022	XX	LFUD9XF9J		F6	F6		F6	F6	F6	F6	F6					
10/4/2022	XX	LFUD9XFJI		F6	F6		F6	F6	F6	F6	F6					



REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 7 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-9)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
4/18/2023	XX	LFUD9XGJ9		F6	F6		F6	F6	F6	F6	F6					
7/11/2023	XX	LFUD9XH9D		F6	F6		F6	F6	F6	F6	F6					
10/3/2023	XX	LFUD9X06H		F6	F6		F6	F6	F6	F6	F6					
<b>LF-UD-10</b>																
10/25/2017	XX	LFXXX9ID		F6	F6		F6	F6	F6	F6	F6					
4/3/2018	XX	LFXXXXA48		F6	F6		F6	F6	F6	F6	F6					
7/17/2018	XX	LFU10XAD6		D	D		D	D	D	D	D					
10/3/2018	XX	LFXXXB27		F6	F6		F6	F6	F6	F6	F6					
4/23/2019	XX	LFXXXB74		F6	F6		F6	F6	F6	F6	F6					
7/16/2019	XX	LFXXXBDE		F6	F6		F6	F6	F6	F6	F6					
10/29/2019	XX	LFXXXBJ7		F6	F6		F6	F6	F6	F6	F6					
4/28/2020	XX	LFXXXCEE		F6	F6		F6	F6	F6	F6	F6					
7/21/2020	XX	LFXXXCJ7		F6	F6		F6	F6	F6	F6	F6					
10/27/2020	XX	LFXXXD4B		F6	F6		F6	F6	F6	F6	F6					
4/6/2021	XX	LFXXXDDB		F6	F6		F6	F6	F6	F6	F6					
7/13/2021	XX	LFXXXE12		F6	F6		F6	F6	F6	F6	F6					
10/5/2021	XX	LFXXXE7C		F6	F6		F6	F6	F6	F6	F6					
4/26/2022	XX	LFXXXF23		F6	F6		F6	F6	F6	F6	F6					
7/19/2022	XX	LFXXXFA0		F6	F6		F6	F6	F6	F6	F6					
10/4/2022	XX	LFXXXG02		F6	F6		F6	F6	F6	F6	F6					
4/18/2023	XX	LFXXXGJD		F6	F6		F6	F6	F6	F6	F6					
7/11/2023	XX	LFXXXH9E		F6	F6		F6	F6	F6	F6	F6					
10/3/2023	XX	LFXXX06I		F6	F6		F6	F6	F6	F6	F6					
<b>LF-UD-12+13+14</b>																
4/6/2021	XX	LFX12XDFB		F6	F6		F6	F6	F6	F6	F6					
7/11/2023	XX	LFXXX01F	UF	0.005 U	16	0.003 U	1.1	5.1	0.071	1.4	5.4	0.05 U				
10/3/2023	XX	LFXXX0A2		F6	F6		F6	F6	F6	F6	F6					
<b>LP-UD-1</b>																
4/22/2014	XX	LPUD1X6F9		F6	F6		F6	F6	F6	F6	F6					
7/29/2014	XX	LPUD1X6JG		F6	F6		F6	F6	F6	F6	F6					
10/21/2014	XX	LPUD1X737		F6	F6		F6	F6	F6	F6	F6					
4/28/2015	XX	LPUD1X794		F6	F6		F6	F6	F6	F6	F6					
7/14/2015	XX	LPUD1X7CG		F6	F6		F6	F6	F6	F6	F6					
10/26/2015	XX	LPUD1X7I5		F6	F6		F6	F6	F6	F6	F6					
4/5/2016	XX	LPUD1X86F		F6	F6		F6	F6	F6	F6	F6					
7/26/2016	XX	LPUD1X8B5		F6	F6		F6	F6	F6	F6	F6					
10/25/2016	XX	LPUD1X8J4		F6	F6		F6	F6	F6	F6	F6					
4/18/2017	XX	LPUD1X97A		F6	F6		F6	F6	F6	F6	F6					
7/25/2017	XX	LPUD1X9D8		F6	F6		F6	F6	F6	F6	F6					
10/25/2017	XX	LPUD1X9H3		F6	F6		F6	F6	F6	F6	F6					
4/3/2018	XX	LPUD1XA32		F6	F6		F6	F6	F6	F6	F6					
7/17/2018	XX	LPUD1XAC3		F6	F6		F6	F6	F6	F6	F6					
10/2/2018	XX	LPUD1XB11		F6	F6		F6	F6	F6	F6	F6					
4/23/2019	XX	LPUD1XB5I	UF	0.005 U	32	0.05	8.7	0.05 U	1.7	5.5						
7/16/2019	XX	LPUD1XBCA		F6	F6		F6	F6	F6	F6	F6					
10/29/2019	XX	LPUD1XB13		F6	F6		F6	F6	F6	F6	F6					
4/28/2020	XX	LPUD1XCDA		F6	F6		F6	F6	F6	F6	F6					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 8 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LP-UD-1)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/22/2020	XX	LPUD1XC13		F6	F6		F6	F6	F6	F6	F6					
10/27/2020	XX	LPUD1XD37		F6	F6		F6	F6	F6	F6	F6					
4/6/2021	XX	LPUD1XDC9		F6	F6		F6	F6	F6	F6	F6					
7/13/2021	XX	LPUD1XE01		F6	F6		F6	F6	F6	F6	F6					
10/5/2021	XX	LPUD1XE69		F6	F6		F6	F6	F6	F6	F6					
4/26/2022	XX	LPUD1XF11		F6	F6		F6	F6	F6	F6	F6					
7/19/2022	XX	LPUD1XF8J		F6	F6		F6	F6	F6	F6	F6					
10/4/2022	XX	LPUD1XFJ0		F6	F6		F6	F6	F6	F6	F6					
4/18/2023	XX	LPUD1XGIB		F6	F6		F6	F6	F6	F6	F6					
7/11/2023	XX	LPUD1XH8D		F6	F6		F6	F6	F6	F6	F6					
10/3/2023	XX	LPUD1X061		F6	F6		F6	F6	F6	F6	F6					
<b>LP-UD-2</b>																
4/22/2014	XX	LPUD2X6FA		0.011	37.7		0.05 U	11.5	0.05 U	2.3	8					
7/29/2014	XX	LPUD2X6JH		0.015	36.5		0.05 U	10	0.05 U	2.8	8.2					
10/21/2014	XX	LPUD2X738		0.011	40.1		0.05 U	10.5	0.05 U	2.3	8					
4/28/2015	XX	LPUD2X795		0.013	34.4		0.05 U	10	0.05 U	1.8	7					
7/14/2015	XX	LPUD2X7CH		0.01	39.3		0.05 U	9.8	0.05 U	2.4	7.6					
10/27/2015	XX	LPUD2X7I6		0.01	33.4		0.05 U	10.3	0.05 U	2.1	7					
4/5/2016	XX	LPUD2X86G		0.013	33.8		0.05 U	9.3	0.05 U	1.7	6.4					
7/26/2016	XX	LPUD2X8B6		0.024	45.8		0.11	11.3	0.19	3.4	8.2					
10/25/2016	XX	LPUD2X8J5		0.005 U	68.2		2.36	15.9	0.8	3.3	10.4					
4/18/2017	XX	LPUD2X97B		0.005	49		0.05 U	16	0.05 U	2.1	11					
7/25/2017	XX	LPUD2X9D9		0.005 U	37		0.05 U	11	0.05 U	2.4	7.5					
10/25/2017	XX	LPUD2X9H4		0.005 U	38		0.1	10	0.05 U	2.2	7					
4/3/2018	XX	LPUD2XA33	UF	0.005 U	34		0.05 U	11	0.05 U	2	7					
7/17/2018	XX	LPUD2XAC4	UF	0.007	38		0.05 U	9.5	0.05 U	2.1	6.5					
10/2/2018	XX	LPUD2XB12	UF	0.005 U	41		0.05 U	11	0.05 U	2.1	7.3					
4/23/2019	XX	LPUD2XB5J	UF	0.005 U	33		0.05 U	8.8	0.05 U	1.8	5.6					
7/16/2019	XX	LPUD2XBCB	UF	0.005 U	32		0.05 U	9.9	0.05 U	2.3	7.3					
10/29/2019	XX	LPUD2XB14	UF	0.005 U	34		0.05 U	9.2	0.05 U	2.1	6.3					
4/28/2020	XX	LPUD2XCDB	UF	0.005 U	36		0.05 U	10	0.05 U	1.7	6.1					
7/21/2020	XX	LPUD2XC14	UF	0.005 U	38		0.17	12	0.05 U	2.8	7.9					
10/27/2020	XX	LPUD2XD38	UF	0.005 U	40		0.61	12	0.05 U	2.1	7.4					
4/6/2021	XX	LPUD2XDCA	UF	0.005 U	38		0.05 U	10	0.05 U	1.7	5.5					
7/13/2021	XX	LPUD2XE02	UF	0.005 U	42		0.1	11	0.05 U	2.2	7					
10/5/2021	XX	LPUD2XE6A	UF	0.005 U	40		0.05 U	10	0.05 U	2.1	6.7					
4/26/2022	XX	LPUD2XF12	UF	0.005 U	40		0.05 U	10	0.05 U	2.3	5.9					
7/19/2022	XX	LPUD2XF90	UF	0.005 U	46		0.18	13	0.05 U	2.4	7.5					
10/4/2022	XX	LPUD2XFJ1	UF	0.005 U	43		0.081	10	0.05 U	2	6.5					
4/18/2023	XX	LPUD2XGIC	UF	0.005 U	43		1.5	11	0.14	1.9	6.5					
7/11/2023	XX	LPUD2XH8E	UF	0.005 U	45		1.5	12	0.12	2.5	7.5					
10/3/2023	XX	LPUD2X062	UF	0.005 U	37		0.05 U	9.8	0.05 U	2	6.7					
<b>MW-04-09A</b>																
2/26/2020	XX	GWX09AC56	UF	0.007	19	0.004	1.4	7	0.18	3.2	20					
2/26/2020	XX	GWX09A10A		0.007	19	0.003 U	0.22	6.7	0.14	2.8	19					
4/30/2020	XX	GWX09ACC1	UF	0.008	22	0.003 U	1.1	7.3	0.32	2.8	26					
6/23/2020	XX	GWX09ACGC	UF	0.005	21	0.003 U	0.48	7.5	0.29	3.6	43					
8/20/2020	XX	GWX09AD1J	UF	0.006	22	0.003 U	0.46	7.5	0.29	3.6	53					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 9 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-04-09A)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/15/2021	XX	GWXXXXE20	UF	0.005 U	21	0.003	0.25	6.6	0.3	2.9	45	0.05 U				
10/7/2021	XX	GWX09AE86	UF	0.005 U	23	0.003 U	0.72	6.7	0.33	2.6	37	0.05 U				
4/27/2022	XX	GWX09AF2C	UF	0.005 U	24	0.0054	0.2	7	0.2	3	37	0.05 U				
7/20/2022	XX	GWXXXXFAF	UF	0.005 U	24	0.0039	0.07	7.3	0.2	3.3	32	0.05 U				
10/5/2022	XX	GWX09AG0B	UF	0.005 U	23	0.003 U	0.11	6.5	0.26	2.1	30	0.05 U				
4/19/2023	XX	GWX09AH02	UF	0.0072	26	0.003 U	0.71	7.8	0.25	2.4	34	0.05 U				
7/12/2023	XX	GWXXXX00B	UF	0.005 U	22	0.0039	0.3	6.8	0.26	2.1	31	0.05 U				
10/4/2023	XX	GWX09A077	UF	0.005 U	22	0.0033	0.24	6.1	0.24	1.9	26	0.05 U				
<b>MW-04-09B</b>																
2/26/2020	XX	GWX09BC57	UF	0.005 U	11	0.003 U	0.16	4.1	0.05 U	0.9	5					
4/30/2020	XX	GWX09BCC2	UF	0.005 U	8.1	0.003 U	0.28	3.1	0.05 U	0.7	5.6					
6/23/2020	XX	GWX09BCGD	UF	0.005 U	8.1	0.003 U	0.22	3.6	0.05 U	0.9	5.4					
8/20/2020	XX	GWX09BD20	UF	0.005	8.4	0.003 U	0.14	3.6	0.05 U	1	5.3					
7/15/2021	XX	GWXXXXE21	UF	0.005 U	9	0.003 U	0.25	3.6	0.05 U	0.7	4	0.05 U				
10/7/2021	XD	GWDP5XE8E	UF	0.005 U	10	0.003 U	0.09	3.8	0.05 U	0.7	4	0.05 U				
10/7/2021	XX	GWX09BE87	UF	0.005 U	10	0.003 U	0.32	3.7	0.05 U	0.7	4.2	0.05 U				
4/27/2022	XD	GWDP5XF30	UF	0.005 U	9.5	0.003 U	0.09	3.7	0.05 U	1.7	5.1	0.05 U				
4/27/2022	XX	GWX09BF2D	UF	0.005 U	9.3	0.003 U	0.07	3.7	0.05 U	1.5	5.1	0.05 U				
7/20/2022	XX	GWXXXXFAG	UF	0.005 U	9.5	0.003 U	0.13	3.6	0.05 U	1.3	5	0.05 U				
10/5/2022	XD	GWDP5XG0J	UF	0.005 U	9.2	0.0061	0.12	3.7	0.05 U	0.63	4.5	0.05 U				
10/5/2022	XX	GWX09BG0C	UF	0.005 U	9.7	0.003 U	0.24	3.8	0.05 U	0.71	4.6	0.05 U				
4/19/2023	XX	GWX09BH0C	UF	0.005 U	9	0.003 U	0.2	3.8	0.05 U	0.62	4.4	0.05 U				
7/12/2023	XX	GWXXXX00C	UF	0.005 U	8.9	0.003 U	0.23	3.8	0.05 U	0.63	4.3	0.05 U				
10/4/2023	XX	GWX09B078	UF	0.005 U	10	0.003 U	0.084	4.1	0.05 U	0.65	4.3	0.05 U				
<b>MW04-102</b>																
4/23/2014	XX	GW102X6G1		0.01	27.4		0.05 U	6.9	0.05 U	1.5	7.2					
7/30/2014	XX	GW102X704		0.01	27.1		0.05 U	6.9	0.05 U	1.8	7.9					
10/21/2014	XX	GW102X73F		0.012	27		0.05 U	7	0.05 U	1.8	7.5					
4/29/2015	XX	GW102X79C		0.015	26.6		0.05 U	7	0.05 U	1.5	7.2					
7/14/2015	XX	GW102X7D4		0.009	26.5		0.05 U	6.3	0.05 U	1.5	7					
10/28/2015	XX	GW102X7ID		0.006	24.3		0.05 U	6.6	0.05 U	1.7	7					
4/5/2016	XX	GW102X873		0.008	26		0.05 U	6.5	0.05 U	1.4	6.8					
7/26/2016	XX	GW102X8BD		0.013	28.2		0.06	7	0.05 U	1.7	7.3					
10/25/2016	XX	GW102X8JC		0.005	30		0.19	7.2	0.05 U	2.4	8.7					
4/19/2017	XX	GW102X97I		0.006	25		0.05 U	7.1	0.05 U	1.6	6.9					
7/26/2017	XX	GW102X9DG		0.005 U	24		0.05 U	6.4	0.05 U	1.6	7.3					
10/25/2017	XX	GW102X9HB		0.005 U	28		0.12	7.1	0.05 U	1.9	8.4					
4/4/2018	XX	GW102XA3A	UF	0.005 U	25		0.11	7.1	0.05 U	1.4	7.5					
7/18/2018	XX	GW102XACB	UF	0.005 U	28		0.09	7	0.05 U	1.7	7.9					
10/3/2018	XX	GW102XB19	UF	0.005 U	27		0.05 U	6.9	0.05 U	1.7	7					
4/24/2019	XX	GW102XB66	UF	0.005	26		0.14	7.1	0.05 U	1.5	7.1					
7/17/2019	XX	GW102XBCH	UF	0.005 U	24		0.05 U	7.1	0.05 U	1.7	7.9					
10/28/2019	XX	GW102XBIA	UF	0.005	24		0.05 U	6.6	0.05 U	1.6	6.9					
4/27/2020	XX	GW102XCDH	UF	0.005 U	28		0.05 U	7.5	0.05 U	1.5	7.2					
7/20/2020	XX	GW102XCIA	UF	0.005 U	25		0.06	6.9	0.05 U	2	8					
10/26/2020	XX	GW102XD3E	UF	0.005 U	26		0.05 U	6.9	0.05 U	1.4	8					
4/5/2021	XX	GW102XD3G	UF	0.005 U	27		0.05 U	7.3	0.05 U	1.4	7.2					
7/12/2021	XX	GW102XE08	UF	0.005	26		0.05 U	6.4	0.05 U	1.4	6.3					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 10 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW04-102)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/4/2021	XX	GW102XE6G	UF	0.005	27		0.05 U	6.8	0.05 U	1.6	6.7					
4/25/2022	XX	GW102XF18	UF	0.005 U	30		0.05 U	7.6	0.05 U	2.4	8.4					
7/18/2022	XX	GW102XF96	UF	0.005 U	27		0.06	7.2	0.05 U	1.6	7.2					
10/3/2022	XX	GW102XFJ7	UF	0.005 U	29		0.059	7.1	0.05 U	1.7	6.9					
4/17/2023	XX	GW102XGII	UF	0.0078	30		0.05 U	7.9	0.05 U	1.6	7.5					
7/10/2023	XX	GW102XH90	UF	0.005 U	30		0.073	7.5	0.05 U	1.5	6.9					
10/2/2023	XX	GW102X067	UF	0.005 U	27		0.05 U	7.1	0.05 U	1.6	7					
<b>MW04-109 &amp; MW04-109R</b>																
4/22/2014	XX	GW109X6G3		0.019	60.1		0.05 U	9.9	0.13	2	7.5					
7/29/2014	XX	GW109X705		0.018	62.1		0.05 U	10.5	0.31	1.9	7.7					
10/21/2014	XX	GW109X73G		0.014	62.8		0.05 U	10.4	0.35	2	7.2					
4/28/2015	XX	GW109X79D		0.019	63.4		0.05 U	10.4	0.33	1.8	6.9					
7/14/2015	XX	GW109X7D5		0.015	57.3		0.05 U	9.4	0.5	1.7	6.5					
10/27/2015	XX	GW109X7IE		0.017	54		0.05 U	10.8	0.64	2	7.3					
4/5/2016	XX	GW109X874		0.024	61.2		0.05 U	9.5	0.58	1.7	6.1					
7/26/2016	XX	GW109X8BE		0.031	62.9		0.05 U	11.1	0.85	1.9	7.3					
10/25/2016	XX	GW109X8JD		0.005	65.9		0.05 U	11.1	0.98	2.3	7.8					
4/18/2017	XX	GW109X97J		0.005 U	62		0.05 U	12	0.78	2	6.9					
7/25/2017	XX	GW109X9DH		0.005 U	68		0.05 U	12	1.4	2.1	6.9					
10/24/2017	XX	GW109X9HC		0.006	69		0.05 U	12	1.4	2	7.1					
4/3/2018	XX	GW109XA3B	UF	0.005 U	67		0.05 U	13	0.48	2.2	7.8					
7/17/2018	XX	GW109XACC	UF	0.005	67		0.05 U	12	1.1	1.8	6.4					
10/2/2018	XX	GW109XB1A	UF	0.005 U	67		0.05 U	12	1.3	2.1	7.5					
4/23/2019	XX	GW109XB67	UF	0.005 U	64		0.05 U	13	0.53	1.9	6.8					
7/16/2019	XX	GW109XBCI	UF	0.005 U	65		0.05 U	13	1.2	1.9	7.4					
10/29/2019	XX	GW109XBIB	UF	0.005 U	60		0.05 U	12	1.3	2.3	7.5					
4/28/2020	XX	GW109XCDI	UF	0.005 U	59		0.05 U	12	0.37	1.8	6.5					
7/21/2020	XX	GW109XCIB	UF	0.005 U	58		0.05 U	13	0.96	2.3	7.6					
10/27/2020	XX	GW109XD3F	UF	0.005 U	53		0.05 U	11	1.3	1.7	7					
4/6/2021	XX	GW109XDCH	UF	0.005 U	57		0.05 U	12	0.26	1.8	6.1					
7/13/2021	XX	GW109XE09	UF	0.005 U	57		0.05 U	12	0.97	2.4	8					
10/5/2021	XX	GW109XE6H	UF	0.007	59		0.05 U	12	1.4	1.8	6.7					
4/26/2022	XX	GW109XF19	UF	0.005 U	57		0.05 U	11	0.17	2.6	6.6					
7/19/2022	XD	GWDP7XFBI	UF	0.005 U	54		0.05 U	12	0.95	1.6	6					
7/19/2022	XX	GW109XF97	UF	0.005 U	56		0.05	13	0.83	1.8	6.4					
10/4/2022	XX	GW109XFJ8	UF	0.005 U	58		0.05 U	11	1.1	1.9	6.6					
4/18/2023	XX	GW109XGIJ	UF	0.005 U	60		0.05 U	12	0.27	2.2	6.9					
7/11/2023	XD	GWDP8X01C	UF	0.005 U	54		0.12	12	6.6	1.7	5.9					
7/11/2023	XX	GW109XH91	UF	0.005 U	57		0.11	12	6	2.2	7.1					
10/2/2023	XX	GW109X068	UF	0.005 U	49		0.05 U	11	3.6	1.7	6.3					
<b>MW06-01</b>																
4/10/2018	XD	GWDP1XA68	UF	0.005 U	8.7	0.003 U	0.05 U	2.5	0.05 U	0.4	2.7					
4/10/2018	XX	GWXXXXA70	UF	0.005 U	8.6	0.003 U	0.05 U	2.4	0.05 U	0.4	2.7					
6/4/2018	XX	GWXXXXA7H	UF	0.005 U	11	0.003 U	0.05 U	3	0.05 U	0.4	2.9					
7/18/2018	XX	GWXXXXAEF	UF	0.005 U	10		0.05 U	2.6	0.05 U	0.4	2.8					
8/20/2018	XD	GWDP1XAF4	UF	0.005 U	9.2		0.05 U	2.4	0.05 U	0.4	2.6					
8/20/2018	XX	GWXXXXAFG	UF	0.005 U	9		0.05 U	2.5	0.05 U	0.4	2.5					
4/24/2019	XX	GWXXXXB7D	UF	0.005 U	8.4		0.66	2.6	0.05 U	0.6	2.7					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 11 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW06-01)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/18/2019	XX	GWXXXXBE1	UF	0.005 U	9		0.05 U	3.2	0.05 U	0.6	3.4					
10/30/2019	XX	GWXXXXBJ8	UF	0.005 U	8.5		0.05 U	2.5	0.05 U	0.5	2.7					
4/29/2020	XX	GWXXXXCF1	UF	0.005 U	9.5		0.05 U	2.7	0.05 U	0.6	2.9					
7/22/2020	XX	GWXXXXCJE	UF	0.005 U	8.9		0.05 U	2.9	0.05 U	0.9	3.5					
10/28/2020	XX	GWXXXXD4C	UF	0.005 U	9.3		0.05 U	2.9	0.05 U	0.5	3.4					
4/7/2021	XX	GWXXXXDDI	UF	0.005 U	12		0.05 U	3.5	0.05 U	0.5	3.2	0.05 U				
7/14/2021	XX	GWXXXXE19	UF	0.005 U	12		0.05	3.3	0.05 U	0.4	2.9					
10/6/2021	XX	GWXXXXE7D	UF	0.005 U	13		0.05 U	3.6	0.05 U	0.5	3.3					
4/27/2022	XX	GWXXXXF24	UF	0.005 U	23		0.05 U	6.2	0.05 U	1.7	5.9					
7/20/2022	XX	GWXXXXFA7	UF	0.005 U	21	0.003 U	0.05 U	6.4	0.05 U	0.98	4.8	0.05 U				
10/5/2022	XX	GWXXXXG03	UF	0.005 U	21	0.003 U	0.05 U	5.6	0.05 U	0.61	4	0.05 U				
4/19/2023	XX	GWXXXXGJE	UF	0.005 U	26		0.05 U	7.6	0.05 U	0.79	4.7					
7/12/2023	XX	GWXXXX003	UF	0.005 U	26	0.003 U	0.05 U	7.6	0.05 U	0.71	4.8	0.05 U				
10/4/2023	XX	GWXXXX06J	UF	0.005 U	26	0.003 U	0.051	7.3	0.05 U	0.82	5.2	0.05 U				
<b>MW-08-01</b>																
2/9/2021	XX	GWXXXXA0	UF	0.005	11	0.003 U	0.32	2.9	0.05 U	1.1	31	0.05 U				
4/7/2021	XX	GWXXXXDAJ	UF	0.005 U	13	0.003 U	0.05 U	2.9	0.05 U	1.3	35	0.05 U				
6/9/2021	XX	GWXXXXDH2	UF	0.005	13	0.003 U	0.05	3.2	0.05 U	1.3	26	0.05 U				
8/19/2021	XX	GWXXXXE4G	UF	0.005 U	13	0.003 U	0.05 U	2.8	0.05 U	1.3	27	0.05 U				
10/4/2021	XX	GWXXXXE9B	UF	0.005 U	14	0.003 U	0.05 U	3.1	0.05 U	1.3	26	0.05 U				
4/27/2022	XX	GWXXXXF3G	UF	0.005 U	18	0.003 U	0.4	3.4	0.05 U	2.7	32	0.05 U				
7/21/2022	XX	GWXXXXFBD	UF	0.005 U	19	0.005	0.4	4.1	0.05 U	2.6	20	0.05 U				
10/5/2022	XX	GWXXXXG1F	UF	0.005 U	23	0.003 U	0.18	4.5	0.05 U	1.5	18	0.05 U				
4/17/2023	XX	GWXXXXH16	UF	0.0078	24	0.003 U	0.05 U	5.4	0.05 U	1.7	17	0.05 U				
7/13/2023	XX	GWXXXX019	UF	0.005 U	24	0.003 U	0.05 U	5.3	0.05 U	1.6	16	0.05 U				
10/5/2023	XX	GWXXXX08B	UF	0.005 U	23	0.003 U	0.069	4.9	0.05 U	1.6	15	0.05 U				
<b>MW09-901</b>																
4/22/2014	XX	GW901X6F1		0.008	21.8		0.05 U	6.2	0.05 U	1.8	5.6					
7/29/2014	XX	GW901X6J8		0.012	28.5		0.05 U	7.7	0.05 U	2.1	7.7					
10/21/2014	XX	GW901X72J		0.009	33.4		0.05 U	8.9	0.05 U	2.3	13.1					
4/28/2015	XX	GW901X78G		0.012	33.5		0.05 U	9.3	0.05 U	2.1	12.1					
7/14/2015	XX	GW901X7C8		0.011	33.2		0.05 U	9.1	0.05 U	2.2	10.6					
10/27/2015	XX	GW901X7HH		0.011	32.1		0.05 U	10.7	0.05 U	2.5	12.7					
4/5/2016	XD	GWDP1X85F		0.016	36.4		0.05 U	9.6	0.05 U	2.1	11					
4/5/2016	XX	GW901X867		0.015	36.6		0.05 U	10	0.05 U	2.1	11.3					
7/26/2016	XD	GWDP1X8A5		0.02	41		0.05 U	11.8	0.05 U	2.5	12.4					
7/26/2016	XX	GW901X8AH		0.019	41.5		0.05 U	11.6	0.05 U	2.5	11.9					
10/25/2016	XX	GW901X8IG		0.005	46.2		0.05 U	11.5	0.05 U	2.6	14.4					
4/18/2017	XD	GWDP1X96A		0.005 U	38		0.05 U	12	0.05 U	2.2	10					
4/18/2017	XX	GW901X972		0.006	39		0.05 U	13	0.05 U	2.6	12					
7/25/2017	XD	GWDP1X9C8		0.005 U	50		0.05 U	14	0.05 U	2.6	11					
7/25/2017	XX	GW901X9D0		0.005 U	50		0.05 U	14	0.05 U	2.6	11					
10/24/2017	XX	GW901X9GF		0.005 U	53		0.05 U	14	0.05 U	2.3	11					
4/3/2018	XD	GWDP1XA21	UF	0.005 U	51		0.05 U	16	0.05 U	2.5	12					
4/3/2018	XX	GW901XA2E	UF	0.005 U	50		0.05	13	0.05 U	2.3	10					
7/17/2018	XD	GWDP1XAB3	UF	0.005 U	51		0.05 U	12	0.05 U	2	8.2					
7/17/2018	XX	GW901XABF	UF	0.005 U	56		0.05 U	13	0.05 U	2.2	8.7					
10/2/2018	XX	GW901XB0D	UF	0.005 U	58		0.05 U	14	0.05 U	2.3	11					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 12 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW09-901)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
4/23/2019	XD	GWDP1XB4H	UF	0.005 U	49		0.05 U	12	0.05 U	1.8	9.8					
4/23/2019	XX	GW901XB5A	UF	0.005 U	49		0.05 U	12	0.05 U	1.8	9.8					
7/16/2019	XD	GWDP1XBBA	UF	0.005 U	49		0.05 U	13	0.05 U	1.9	11					
7/16/2019	XX	GW901XBC2	UF	0.005 U	51		0.05 U	13	0.05 U	1.8	11					
10/29/2019	XX	GW901XBHF	UF	0.005 U	44		0.05 U	11	0.05 U	1.9	10					
4/28/2020	XD	GWDP1XCCA	UF	0.005 U	46		0.05 U	12	0.05 U	1.7	8.8					
4/28/2020	XX	GW901XCD2	UF	0.005 U	46		0.05 U	12	0.05 U	1.7	8.9					
7/21/2020	XD	GWDP1XCH3	UF	0.005 U	42		0.05 U	12	0.05 U	2.9	9.9					
7/21/2020	XX	GW901XCHF	UF	0.005 U	45		0.05 U	13	0.05 U	2	9.9					
10/27/2020	XX	GW901XD2J	UF	0.005 U	43		0.05 U	12	0.12	1.6	10					
4/6/2021	XD	GWDP1XDB9	UF	0.005 U	48		0.05 U	14	0.05 U	1.8	8.7					
4/6/2021	XX	GW901XDC1	UF	0.005 U	47		0.05 U	13	0.05 U	1.6	8.3					
7/13/2021	XD	GWDP1XDJ1	UF	0.005 U	41		0.05 U	12	0.05 U	1.5	8.3					
7/13/2021	XX	GW901XDJD	UF	0.005 U	42		0.05 U	12	0.05 U	1.6	8.6					
10/5/2021	XX	GW901XE61	UF	0.005 U	43		0.05 U	12	0.07	1.5	8.4					
4/26/2022	XX	GW901XF0D	UF	0.005 U	53		0.05 U	16	0.05 U	2.1	8.9					
7/19/2022	XD	GWDP1XF7J	UF	0.005 U	47		0.05 U	14	0.05	1.6	8.6					
7/19/2022	XX	GW901XF8B	UF	0.005 U	47		0.05 U	14	0.06	1.6	8.7					
10/4/2022	XX	GW901XFIC	UF	0.005 U	39		0.05 U	11	0.05 U	1.4	7.8					
4/18/2023	XX	GW901XGI3	UF	0.005 U	51		0.05 U	17	0.05 U	2	12					
7/11/2023	XD	GWDP1XH7D	UF	0.005 U	48		0.05 U	14	0.08	1.6	9.2					
7/11/2023	XX	GW901XH85	UF	0.005 U	51		0.05 U	15	0.075	1.8	9.6					
10/2/2023	XX	GW901X05D	UF	0.005 U	29		0.05 U	9.4	0.14	1	6.7					
<b>MW-206</b>																
4/21/2014	XX	GW206X6E3		0.007	16.3		0.08	4.8	0.05 U	0.8	4.8					
7/28/2014	XX	GW206X6IB		0.01	16.2		0.05 U	4.5	0.05 U	0.7	4.7					
7/28/2014	XD	GWDP1X6IG		0.009	16.1		0.05 U	4.5	0.05 U	0.7	4.6					
10/20/2014	XX	GW206X721		0.014	16.3		0.05 U	4.3	0.05 U	0.7	4.3					
4/27/2015	XX	GW206X77J		0.01	16.2		0.19	4.6	0.05 U	0.7	4.4					
7/13/2015	XX	GW206X7BB		0.012	17.5		0.05 U	4.8	0.05 U	0.7	4.7					
7/13/2015	XD	GWDP3X7C7		0.016	15.7		0.05 U	4.3	0.05 U	0.6	4.2					
10/26/2015	XX	GW206X7H0		0.016	14.9		0.05 U	4.7	0.05 U	0.7	4.7					
4/4/2016	XX	GW206X85A		0.005	15.9		0.05 U	4.5	0.05 U	0.7	4.2					
7/25/2016	XD	GWDP4X8B2		0.021	17.3		0.05 U	4.8	0.05 U	0.7	4.3					
7/25/2016	XX	GW206X8A0		0.022	16.9		0.05 U	4.7	0.05 U	0.7	4.3					
10/24/2016	XX	GW206X8HJ		0.008	17.5		0.05 U	5	0.05 U	0.9	4.8					
4/17/2017	XX	GW206X965		0.01	17		0.05	5.2	0.05 U	0.8	5					
7/24/2017	XD	GWDP4X9D5		0.008	16		0.05 U	4.8	0.05 U	0.5	4.3					
7/24/2017	XX	GW206X9C3		0.005 U	16		0.05 U	4.8	0.05 U	0.6	4.4					
10/23/2017	XX	GW206X9F1		0.007	17		0.05	5.1	0.05 U	0.8	4.8					
4/2/2018	XX	GW206XA1G	UF	0.008	19		0.3	5.9	0.05 U	0.9	5.5					
7/16/2018	XD	GWDP4XAC0	UF	0.008	17		0.05 U	4.9	0.05 U	0.8	4.5					
7/16/2018	XX	GW206XAAI	UF	0.007	17		0.09	4.8	0.05 U	0.7	4.5					
10/1/2018	XX	GW206XAJG	UF	0.007	18		0.05	5.3	0.05 U	0.7	4.8					
4/22/2019	XX	GW206XB4C	UF	0.005	18		0.25	5.3	0.05 U	0.7	4.6					
7/17/2019	XX	GW206XBB5	UF	0.006	16		0.05 U	5.4	0.05 U	0.8	5.2					
10/28/2019	XX	GW206XBGJ	UF	0.006	16		0.05	4.8	0.05 U	0.8	4.5					
4/27/2020	XX	GW206XCC5	UF	0.006	18		0.09	5.2	0.05 U	0.7	4.6					
7/20/2020	XX	GW206XCGI	UF	0.005	16		0.05 U	4.9	0.05 U	0.8	4.7					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 13 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-206)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/26/2020	XX	GW206XD23	UF	0.005	16		0.2	4.8	0.05 U	0.4	4.3					
4/5/2021	XX	GW206XDB4	UF	0.006	18		0.05 U	5.3	0.05 U	0.7	4.6					
7/14/2021	XX	GW206XDIG	UF	0.005 U	16	0.003 U	0.05 U	4.6	0.05 U	0.5	4	0.05 U				
10/4/2021	XX	GWXXXE8D	UF	0.009	18	0.003 U	0.05 U	4.9	0.05 U	0.8	4.5	0.05 U				
4/25/2022	XX	GWXXXF2J	UF	0.005 U	20	0.003 U	0.05 U	5.6	0.05 U	2.3	5.9	0.05 U				
7/18/2022	XX	GW206XF7E	UF	0.0055	18	0.003 U	0.05 U	5.3	0.05 U	0.81	4.5	0.05 U				
10/3/2022	XX	GWXXXG0I	UF	0.005 U	18	0.0063	0.05 U	5	0.05 U	0.78	4.6	0.05 U				
4/17/2023	XX	GWXXXH09	UF	0.009	18	0.003 U	0.05 U	5.4	0.05 U	0.73	4.6	0.05 U				
7/10/2023	XX	GW206XH78	UF	0.005 U	19	0.011	0.61	5.1	0.05 U	0.7	4.4	0.05 U				
10/2/2023	XX	GWXXX07E	UF	0.005 U	17	0.003 U	0.05 U	4.6	0.05 U	0.81	4.6	0.05 U				
<b>MW-223A</b>																
4/22/2014	XX	GW223A6E6		0.014	78.7		0.05 U	8.5	0.05 U	0.8	4.5					
4/22/2014	XD	GWDP1X6E9		0.015	80.3		0.05 U	8.7	0.05 U	0.8	4.7					
7/29/2014	XX	GW223A6ID		0.016	77.2		0.05 U	8	0.05 U	0.8	4.5					
10/21/2014	XX	GW223A723		0.007	73.2		0.05 U	7.8	0.05 U	0.8	4.5					
10/21/2014	XD	GWDP3X72I		0.009	73.6		0.05 U	7.5	0.05 U	0.8	4.3					
4/28/2015	XX	GW223A781		0.012	75.4		0.05 U	8.2	0.05 U	0.8	4.6					
4/28/2015	XD	GWDP1X784		0.013	75.4		0.05 U	8.1	0.05 U	0.8	4.6					
7/14/2015	XX	GW223A7BD		0.015	76		0.05 U	7.5	0.05 U	0.8	4.3					
10/27/2015	XX	GW223A7H2		0.01	71.3		0.05 U	8.3	0.05 U	0.8	4.7					
4/27/2016	XX	GW223A85C		0.034	85.6		0.05 U	8.9	0.05 U	0.8	4.8					
7/26/2016	XX	GW223A8A2		0.021	83.9		0.05 U	9.1	0.05 U	0.9	4.9					
10/25/2016	XX	GW223A8I1		0.006	89.3		0.05 U	9	0.05 U	0.9	5.1					
4/18/2017	XX	GW223A967		0.005	78		0.05 U	9.6	0.05 U	0.9	5.1					
7/25/2017	XX	GW223A9C5		0.005 U	93		0.05 U	10	0.05 U	0.9	5.6					
10/24/2017	XX	GW223A9G0		0.005	93		0.05 U	10	0.05 U	0.9	5.5					
4/3/2018	XX	GW223AA11	UF	0.005 U	86		0.05 U	11	0.05 U	1	5.9					
7/17/2018	XX	GW223AAB0	UF	0.006	91		0.05 U	8.9	0.05 U	0.7	4.3					
10/2/2018	XX	GW223AAJ1	UF	0.005 U	98		0.05 U	11	0.05 U	0.9	6					
4/23/2019	XX	GW223AB4E	UF	0.005 U	91		0.05 U	10	0.05 U	0.9	5.4					
7/16/2019	XX	GW223ABB7	UF	0.005 U	89		0.05 U	10	0.05 U	1	6					
10/29/2019	XX	GW223ABH0	UF	0.005 U	92		0.05 U	10	0.05 U	1	5.4					
4/28/2020	XX	GW223ACC7	UF	0.005 U	100		0.05 U	11	0.05	1	5.6					
7/21/2020	XX	GW223ACH0	UF	0.005 U	94		0.05 U	11	0.05 U	1.2	6.2					
10/27/2020	XX	GW223AD24	UF	0.005 U	100		0.05 U	11	0.05 U	0.9	6.2					
4/6/2021	XX	GW223ADB6	UF	0.005 U	100		0.05 U	11	0.05 U	0.9	5.5					
7/13/2021	XX	GW223AD1I	UF	0.005 U	99		0.05 U	11	0.05 U	1	5.7					
10/5/2021	XX	GW223AE56	UF	0.005 U	110		0.05 U	11	0.05 U	1	6.2					
4/26/2022	XX	GW223AEJ1	UF	0.005 U	110		0.05 U	12	0.05 U	1.9	6.6					
7/19/2022	XX	GW223AF7G	UF	0.005 U	110		0.05 U	12	0.05 U	0.94	5.8					
10/4/2022	XX	GW223AFHH	UF	0.005 U	120		0.05 U	12	0.05 U	0.99	5.9					
4/18/2023	XX	GW223AGH8	UF	0.005 U	110		0.05 U	12	0.05 U	1.1	6.2					
7/11/2023	XX	GW223AH7A	UF	0.005 U	110		0.05 U	12	0.05 U	1.1	6.4					
10/2/2023	XX	GW223A04H	UF	0.005 U	76		0.05 U	8.5	0.05 U	0.73	4.6					
<b>MW-223B</b>																
4/22/2014	XX	GW223B6FF		0.011	51.2		0.24	12.3	0.05 U	0.8	4.8					
7/29/2014	XX	GW223B700		0.014	50.6		0.05 U	11.9	0.05 U	0.8	4.9					
10/21/2014	XX	GW223B73C		0.005 U	49.2		0.06	11	0.05 U	0.8	4.9					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 14 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-223B)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
4/28/2015	XX	GW223B798		0.012	49.9		0.05	12	0.05 U	0.7	5					
7/14/2015	XX	GW223B7D0		0.012	50		0.05	11.7	0.05 U	0.8	4.9					
10/27/2015	XX	GW223B7I9		0.009	46.1		0.05 U	12.2	0.05 U	0.8	4.9					
4/5/2016	XX	GW223B86J		0.014	52.5		0.51	11.7	0.05 U	0.7	4.8					
7/26/2016	XX	GW223B8B9		0.017	57.2		0.08	13.5	0.05 U	0.8	5.1					
10/25/2016	XX	GW223B8J8		0.005 U	61.7		0.05 U	13.5	0.05 U	0.9	5.3					
4/18/2017	XX	GW223B97E		0.005 U	52		0.05	14	0.05 U	0.8	5.3					
7/25/2017	XX	GW223B9DC		0.005 U	60		0.05 U	15	0.05 U	0.8	5.6					
10/24/2017	XX	GW223B9H7		0.005 U	66		0.05 U	15	0.05 U	0.8	5.6					
4/3/2018	XX	GW223BA36	UF	0.007	56		0.05 U	15	0.05 U	0.8	5.4					
7/17/2018	XX	GW223BAC7	UF	0.005	65		0.05 U	14	0.05 U	0.7	4.7					
10/2/2018	XX	GW223BB15	UF	0.005 U	68		0.05 U	16	0.05 U	0.9	6					
4/23/2019	XX	GW223BB62	UF	0.005 U	66		0.05	17	0.05 U	0.8	5.8					
7/16/2019	XX	GW223BBCD	UF	0.005 U	68		0.05 U	17	0.05 U	1.1	6.4					
10/29/2019	XX	GW223BBI6	UF	0.005 U	64		0.05 U	16	0.05 U	0.9	5.5					
4/28/2020	XX	GW223BCDD	UF	0.005 U	65		0.05	15	0.05 U	0.8	5					
7/21/2020	XX	GW223BCI6	UF	0.005 U	64		0.06	17	0.05 U	0.9	6.1					
10/27/2020	XX	GW223BD3A	UF	0.005 U	67		0.15	17	0.05 U	0.9	6.1					
4/6/2021	XX	GW223BDCC	UF	0.005 U	67		0.05	16	0.05 U	0.8	5.2					
7/13/2021	XX	GW223BE04	UF	0.005	71		0.09	16	0.05 U	0.9	5.7					
10/5/2021	XX	GW223BE6C	UF	0.005 U	71		0.19	16	0.05 U	1	5.7					
4/26/2022	XX	GW223BF14	UF	0.005 U	75		0.11	17	0.05 U	1.6	6.3					
7/19/2022	XX	GW223BF92	UF	0.005 U	72		0.13	18	0.05 U	0.83	5.4					
10/4/2022	XX	GW223BFJ3	UF	0.005 U	80		0.05 U	18	0.05 U	0.98	5.8					
4/18/2023	XX	GW223BGIE	UF	0.005 U	80		0.05 U	19	0.05 U	1.1	6.3					
7/11/2023	XX	GW223BH8G	UF	0.005 U	79		0.05 U	19	0.05 U	0.93	5.9					
10/2/2023	XX	GW223B063	UF	0.005 U	76		0.35	18	0.05 U	1.2	7.9					
<b>MW-227</b>																
4/22/2014	XX	GW227X6E7		0.017	24.1		0.05 U	5.8	0.05 U	1.2	5.6					
4/22/2014	XD	GWDP3X6F0		0.018	23.4		0.05 U	5.8	0.05 U	1.1	5.5					
7/29/2014	XX	GW227X6IE		0.019	23.4		0.05 U	5.4	0.05 U	1	5					
7/29/2014	XD	GWDP3X6J7		0.019	22.3		0.05 U	5.3	0.05 U	1	5.2					
10/21/2014	XX	GW227X724		0.021	22.7		0.05 U	5.2	0.05 U	1.1	5.4					
4/28/2015	XX	GW227X782		0.021	23.2		0.05 U	5.4	0.05 U	1	5.4					
4/28/2015	XD	GWDP3X78F		0.018	22.5		0.05 U	5.4	0.05 U	1	5.2					
7/14/2015	XX	GW227X7BE		0.015	23.4		0.05 U	5.1	0.05 U	1	5.1					
7/14/2015	XD	GWDP1X7BG		0.016	20.9		0.05 U	4.8	0.05 U	1	5					
10/27/2015	XX	GW227X7H3		0.015	19.8		0.05 U	5.1	0.05 U	1	5.1					
10/27/2015	XD	GWDP1X7H5		0.017	18		0.05 U	5.1	0.05 U	1	5					
4/5/2016	XD	GWDP3X866		0.013	22.1		0.05 U	4.8	0.05 U	0.9	4.8					
4/5/2016	XX	GW227X85D		0.016	21.8		0.05 U	4.9	0.05 U	0.9	4.9					
7/26/2016	XD	GWDP3X8AG		0.023	22.9		0.08	5.6	0.05 U	1.1	5.4					
7/26/2016	XX	GW227X8A3		0.024	23		0.09	5.5	0.05 U	1.1	5.2					
10/25/2016	XD	GWDP3X8IF		0.012	26.4		0.1	5.5	0.05 U	1.2	5.3					
10/25/2016	XX	GW227X8I2		0.012	26		0.1	5.4	0.05 U	1.2	5.4					
4/18/2017	XD	GWDP3X971		0.016	22		0.11	6	0.05 U	1.2	5.8					
4/18/2017	XX	GW227X968		0.017	20		0.11	5.8	0.05 U	1.1	5.3					
7/25/2017	XD	GWDP3X9CJ		0.014	22		0.05 U	5.5	0.05 U	1	5.1					
7/25/2017	XX	GW227X9C6		0.011	23		0.08	5.7	0.05 U	1	5.3					



REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 15 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-227)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/24/2017	XD	GWDP3X9GE		0.02	25		0.05 U	5.7	0.05 U	1	5.4					
10/24/2017	XX	GW227X9G1		0.019	24		0.05 U	5.5	0.05 U	1	5.2					
4/3/2018	XD	GWDP3XA2D	UF	0.013	21		0.05	5.6	0.05 U	1.1	5.5					
4/3/2018	XX	GW227XA1J	UF	0.013	21		0.05 U	5.7	0.05 U	1.1	5.7					
7/17/2018	XD	GWDP3XABE	UF	0.016	24		0.05 U	5.1	0.05 U	0.9	4.5					
7/17/2018	XX	GW227XAB1	UF	0.014	24		0.05 U	5	0.05 U	0.9	4.7					
10/2/2018	XD	GWDP3XB0C	UF	0.013	26		0.05 U	6.2	0.16	1.1	5.8					
10/2/2018	XX	GW227XAJJ	UF	0.014	26		0.05 U	6	0.15	1.1	5.9					
4/23/2019	XD	GWDP3XB59	UF	0.013	25		0.05	6.1	0.05 U	1.1	5.4					
4/23/2019	XX	GW227XB4F	UF	0.015	26		0.08	6	0.05 U	1.1	5.4					
7/16/2019	XD	GWDP3XBC1	UF	0.015	22		0.08	5.7	0.05 U	1.1	5.5					
7/16/2019	XX	GW227XBB8	UF	0.015	21		0.05	5.3	0.05 U	1	5.4					
10/29/2019	XD	GWDP3XBHE	UF	0.012	21		0.13	5.3	0.05 U	1.2	5.1					
10/29/2019	XX	GW227XBH1	UF	0.013	22		0.05 U	5.4	0.05 U	1.2	5.4					
4/28/2020	XD	GWDP3XCD1	UF	0.011	24		0.06	5.9	0.05 U	1.1	5.3					
4/28/2020	XX	GW227XCC8	UF	0.016	23		0.05	5.4	0.05 U	1	4.8					
7/21/2020	XD	GWDP3XCHE	UF	0.011	23		0.05	5.8	0.05 U	2.1	5.7					
7/21/2020	XX	GW227XCH1	UF	0.013	21		0.05 U	5.8	0.05 U	1.5	5.9					
10/27/2020	XD	GWDP3XD2I	UF	0.012	23		0.05 U	5.7	0.05 U	1.1	5.5					
10/27/2020	XX	GW227XD25	UF	0.012	22		0.05 U	5.7	0.05 U	1	5.6					
4/6/2021	XD	GWDP3XDC0	UF	0.012	23		0.07	5.4	0.05 U	1	4.7					
4/6/2021	XX	GW227XDB7	UF	0.013	24		0.07	5.5	0.05 U	1	4.8					
7/13/2021	XD	GWDP3XDJC	UF	0.013	22		0.24	5	0.05 U	1	4.7					
7/13/2021	XX	GW227XDJI	UF	0.012	23		0.19	5.3	0.05 U	1.1	5.1					
10/5/2021	XD	GWDP3XE60	UF	0.019	24		0.38	5.6	0.05 U	1.2	5.4					
10/5/2021	XX	GW227XE57	UF	0.015	24		0.13	5.4	0.05 U	1.1	5.3					
4/26/2022	XD	GWDP3XF0C	UF	0.011	25		0.05 U	5.6	0.05 U	2.2	6					
4/26/2022	XX	GW227XEJJ	UF	0.0097	26		0.05 U	5.9	0.05 U	1.9	5.9					
7/19/2022	XD	GWDP3XF8A	UF	0.011	24		0.1	5.8	0.05 U	1	5.1					
7/19/2022	XX	GW227XF7H	UF	0.011	24		0.11	6	0.05 U	1	5.1					
10/4/2022	XD	GWDP3XFIB	UF	0.0084	24		0.14	5.1	0.05 U	1.1	4.8					
10/4/2022	XX	GW227XFHI	UF	0.0091	26		0.1	5.6	0.05 U	1.2	5.2					
4/18/2023	XD	GWDP3XGI2	UF	0.011	27		0.05 U	6.3	0.05 U	1.8	6.8					
4/18/2023	XX	GW227XGH9	UF	0.0086	26		0.05 U	5.7	0.05 U	1.2	5.5					
7/11/2023	XD	GWDP3XH84	UF	0.011	25		0.051	5.8	0.05 U	1.1	5.3					
7/11/2023	XX	GW227XH7B	UF	0.011	26		0.13	5.9	0.05 U	1.1	5.4					
10/2/2023	XD	GWDP3X05C	UF	0.0071	23		0.05 U	5.2	0.05 U	1	5.7					
10/2/2023	XX	GW227X04I	UF	0.005 U	24		0.05 U	5.7	0.05 U	1.2	5.8					
<b>MW-301</b>																
4/23/2014	XX	GW301X6E8		0.007	20.7		0.22	4.7	0.05	0.7	11.5					
7/30/2014	XX	GW301X6IF		0.006	19.6		0.1	4.8	0.05 U	0.8	12.2					
10/22/2014	XX	GW301X725		0.011	19.9		0.05 U	4.6	0.05 U	0.7	11.4					
10/22/2014	XD	GWDP1X726		0.01	20.3		0.05	4.8	0.05 U	0.7	11.7					
4/29/2015	XX	GW301X783		0.012	19.9		0.05 U	4.9	0.05 U	0.7	12					
7/15/2015	XX	GW301X7BF		0.006	19.3		0.06	4.6	0.05 U	0.7	11.7					
10/27/2015	XX	GW301X7H4		0.005	17.5		0.05 U	5	0.05 U	0.7	10.7					
10/27/2015	XD	GWDP4X7I2		0.007	16.6		0.05 U	5	0.05 U	0.7	10.9					
4/27/2016	XX	GW301X85E		0.018	21.9		0.05 U	5.2	0.05 U	0.7	12.2					
7/27/2016	XX	GW301X8A4		0.011	21.6		0.56	5.2	0.18	0.7	11.1					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 16 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-301)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/26/2016	XD	GWDP4X8J1		0.01	20.5		0.12	5.4	0.05 U	0.8	12.5					
10/26/2016	XX	GW301X8I3		0.01	20.4		0.1	5.6	0.05 U	0.8	13					
4/19/2017	XX	GW301X969		0.006	20		0.07	5.4	0.05 U	0.7	11					
7/26/2017	XX	GW301X9C7		0.006	21		0.05 U	5.4	0.05 U	0.8	11					
10/25/2017	XD	GWDP4X9H0		0.007	24		0.05	5.9	0.05 U	0.7	12					
10/25/2017	XX	GW301X9G2		0.005	24		0.06	5.8	0.05 U	0.8	12					
4/4/2018	XX	GW301XA20	UF	0.006	25		0.11	6.2	0.06	0.8	13					
7/18/2018	XX	GW301XAB2	UF	0.005 U	25		0.18	6	0.06	0.8	12					
10/1/2018	XD	GWDP4XB01	UF	0.005	25		0.05	6.3	0.05 U	0.7	13					
10/1/2018	XX	GW301XB00	UF	0.005 U	25		0.1	6.3	0.05	0.7	13					
4/24/2019	XX	GW301XB4G	UF	0.005	24		0.07	6.2	0.05 U	0.8	12					
7/17/2019	XX	GW301XBB9	UF	0.005 U	25		0.05 U	6.6	0.05 U	0.9	14					
10/28/2019	XD	GWDP4XB10	UF	0.006	25		0.05 U	6.5	0.05 U	1	12					
10/28/2019	XX	GW301XBH2	UF	0.005 U	22		0.1	5.7	0.05 U	0.8	12					
4/27/2020	XX	GW301XCC9	UF	0.006	26		0.06	6.6	0.05 U	0.8	14					
7/20/2020	XX	GW301XCH2	UF	0.005 U	24		0.18	6.2	0.16	0.8	13					
10/26/2020	XD	GWDP4XD34	UF	0.005 U	23		0.14	6.1	0.12	0.4	12					
10/26/2020	XX	GW301XD26	UF	0.005 U	22		0.06	5.8	0.06	0.4	12					
4/5/2021	XX	GW301XDB8	UF	0.005 U	28		0.14	7.1	0.11	0.8	13					
7/12/2021	XX	GW301XDJ0	UF	0.005 U	24		0.06	6	0.07	0.9	13					
10/4/2021	XD	GWDP4XE66	UF	0.005 U	26		0.25	6	0.07	0.9	13					
10/4/2021	XX	GW301XE58	UF	0.005 U	24		0.05 U	6.1	0.07	0.8	13					
4/25/2022	XD	GWDP4XF01	UF	0.005 U	27		0.05 U	6.6	0.05	1.8	14					
4/25/2022	XX	GW301XF00	UF	0.005 U	28		0.05 U	6.6	0.05	1.7	15					
7/18/2022	XX	GW301XF71	UF	0.005 U	26		0.05 U	6.5	0.1	0.86	14					
10/3/2022	XD	GWDP4XFIH	UF	0.005 U	26		0.14	6.3	0.14	0.79	14					
10/3/2022	XX	GW301XFHJ	UF	0.005 U	24		0.13	5.9	0.13	0.73	12					
4/17/2023	XD	GWDP4XG18	UF	0.005 U	28		0.064	7	0.071	0.97	15					
4/17/2023	XX	GW301XGHA	UF	0.0067	27		0.074	6.5	0.064	0.79	14					
7/10/2023	XX	GW301XH7C	UF	0.005 U	26		0.1	6.2	0.094	0.77	13					
10/2/2023	XD	GWDP4X05I	UF	0.005 U	25		0.074	5.8	0.069	0.79	14					
10/2/2023	XX	GW301X04J	UF	0.005 U	25		0.073	6.2	0.069	0.82	15					
<b>MW-302 &amp; MW-302R</b>																
4/21/2014	XX	GW302X6FD		0.006	38.5		0.05 U	2.9	0.05 U	0.9	16.7					
7/28/2014	XX	GW302X6JJ		0.009	50.2		0.05 U	3.6	0.05 U	1	20.8					
10/20/2014	XX	GW302X73A		0.015	54.4		0.05 U	4.7	0.05 U	1.2	26.7					
4/27/2015	XX	GW302X797		0.006	29.2		0.05 U	2.1	0.05 U	0.7	16.2					
7/13/2015	XX	GW302X7CJ		0.01	40.7		0.05 U	3.1	0.05 U	0.9	22.1					
10/26/2015	XX	GW302X718		0.009	51.3		0.05 U	4	0.05 U	0.9	20.9					
4/4/2016	XX	GW302X86I		0.009	30.4		0.05 U	2	0.05 U	0.7	13					
7/25/2016	XX	GW302X8B8		0.015	32.9		0.05 U	2.5	0.05 U	0.7	14.9					
10/24/2016	XX	GW302X8J7		0.005 U	99.2		0.05 U	8.1	0.05 U	1.5	22.5					
4/17/2017	XX	GW302X97D		0.005 U	33		0.05 U	2.6	0.05 U	0.8	17					
7/24/2017	XX	GW302X9DB		0.005 U	33		0.05 U	2.7	0.05 U	0.7	20					
10/23/2017	XX	GW302X9H6		0.005 U	73		0.05 U	6.1	0.05 U	1.3	28					
4/2/2018	XX	GW302XA35	UF	0.005	29		0.05 U	2.5	0.05 U	0.8	20					
7/16/2018	XX	GW302XAC6	UF	0.005 U	36		0.05 U	2.9	0.05 U	0.8	20					
10/1/2018	XX	GW302XB14	UF	0.005 U	140		0.05 U	8.6	0.1	2.4	35					
4/22/2019	XX	GW302XB61	UF	0.005 U	21		0.05 U	1.8	0.05 U	0.6	11					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 17 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-302 & MW-302R)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/17/2019	XX	GW302XBCC	UF	0.005 U	30		0.05 U	3	0.05 U	0.9	26					
10/28/2019	XX	GW302XB15	UF	0.005 U	29		0.05 U	2.5	0.05 U	0.9	22					
4/27/2020	XX	GW302XCDC	UF	0.005 U	31		0.05 U	2.5	0.05 U	0.7	18					
7/20/2020	XX	GW302XCI5	UF	0.005 U	32		0.05 U	3	0.05 U	0.9	22					
10/26/2020	XX	GW302XD39	UF	0.005 U	54		0.05 U	4.6	0.05 U	1	27					
4/5/2021	XX	GW302XD3B	UF	0.005 U	38		0.05 U	2.9	0.05 U	0.9	15					
7/12/2021	XX	GW302XE03	UF	0.006	59		0.05 U	5.2	0.05 U	1.2	28					
10/4/2021	XX	GW302XE6B	UF	0.005 U	56		0.05 U	4.2	0.05 U	1.1	24					
4/25/2022	XX	GW302XF13	UF	0.005 U	44		0.05 U	3.8	0.05 U	1.6	16					
7/18/2022	XX	GW302XF91	UF	0.005 U	67		0.05 U	6.2	0.05 U	1.4	24					
10/3/2022	XX	GW302XFJ2		DE	DE		DE	DE	DE	DE	DE					
<b>MW-303 &amp; MW12-303R</b>																
4/21/2014	XX	GW303X6FH		0.013	26.5		0.05 U	10.3	0.05 U	1.6	18.2					
7/28/2014	XX	GW303X701		0.01	26.4		0.05 U	10.3	0.05 U	1.5	9.5					
10/20/2014	XX	GW303X73D		0.013	28		0.05 U	10.9	0.05 U	1.4	46.8					
4/27/2015	XX	GW303X799		0.013	64.2		0.05 U	7.2	1.07	3.1	82.8					
6/18/2015	XX	42173-1		0.005 U	45.5	0.003 U	0.09	7.1	0.21	2.3	55.2					
7/13/2015	XX	GW303X7D1		0.016	40.6		0.05 U	8.5	0.09	1.7	22.3					
10/26/2015	XX	GW303X71A		0.009	31.8		0.19	7.9	0.31	1.8	29					
4/4/2016	XX	GW303X870		0.012	28.8		0.06	2.5	0.05 U	1.4	37.7					
7/25/2016	XX	GW303X8BA		0.036	55		0.05 U	9.2	0.05 U	2.3	28.7					
10/24/2016	XX	GW303X8J9		0.005 U	61		2.29	5.7	3.13	2.6	60.8					
4/17/2017	XX	GW303X97F		0.005 U	46		0.05	4.7	0.05	4.3	39					
7/24/2017	XX	GW303X9DD		0.005 U	47		0.05 U	7.4	0.05	4.2	22					
10/23/2017	XX	GW303X9H8	FILT	0.006	45		0.05 U	8.2	0.21	3.1	21					
4/2/2018	XX	GW303XA37	UF	0.005 U	160		0.08	22	0.16	5.6	110					
7/16/2018	XX	GW303XAC8	UF	0.007	56		0.05 U	15	0.05 U	2.2	15					
10/1/2018	XX	GW303XB16	UF	0.005 U	46		0.62	14	0.62	2	13					
4/22/2019	XX	GW303XB63	UF	0.005 U	60		0.35	8.3	0.76	5.7	25					
7/17/2019	XX	GW303XBCE	UF	0.005 U	50		0.05 U	9	0.14	4.3	29					
10/28/2019	XX	GW303XB17	UF	0.005 U	43		0.05 U	5.6	0.1	3.8	20					
4/27/2020	XX	GW303XCDE	UF	0.005 U	52		0.13	7.4	0.2	3.2	18					
7/20/2020	XX	GW303XCI7	UF	0.005 U	30		0.05 U	6.1	0.06	2.5	11					
10/26/2020	XX	GW303XD3B	UF	0.005 U	57		0.05 U	9.5	0.07	3.1	24					
4/5/2021	XX	GW303XDCC	UF	0.005 U	46		0.05 U	6.4	0.06	2.4	22					
7/12/2021	XX	GW303XE05	UF	0.005 U	55		0.06	7.2	0.07	3.3	28					
10/4/2021	XX	GW303XE6D	UF	0.005 U	65		0.05 U	8.3	0.1	3.3	37					
4/25/2022	XX	GW303XF15	UF	0.005 U	33		0.35	4.8	0.27	2.7	22					
7/18/2022	XX	GW303XF93	UF	0.005 U	41		0.21	16	0.24	1.6	16					
10/3/2022	XX	GW303XFJ4	UF	0.005 U	43		0.13	12	0.11	2	22					
4/17/2023	XX	GW303XGIF	UF	0.005 U	42		0.68	20	0.49	1.6	13					
7/10/2023	XX	GW303XH8H	UF	0.005 U	34		0.14	8.3	0.061	1.6	16					
10/2/2023	XX	GW303X064	UF	0.005 U	32		0.16	7.8	0.072	1.6	14					
<b>MW-401A</b>																
4/21/2014	XX	GW401A6F2		0.006	15.4		0.05 U	4.2	0.05 U	0.7	3.9					
7/28/2014	XX	GW401A6J9		0.005	14.7		0.05 U	3.9	0.05 U	0.7	3.7					
10/20/2014	XX	GW401A730		0.01	14.5		0.05 U	4	0.05 U	0.6	3.6					
4/27/2015	XX	GW401A78H		0.009	15.7		0.06	4.2	0.05 U	0.7	3.9					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 18 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-401A)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/13/2015	XX	GW401A7C9		0.013	15.2		0.05 U	4	0.05 U	0.7	3.9					
10/26/2015	XX	GW401A7HI		0.009	15.1		0.05 U	4.1	0.05 U	0.6	3.8					
4/27/2016	XX	GW401A868		0.017	16.4		0.05 U	4.3	0.05 U	0.7	3.9					
7/25/2016	XX	GW401A8AI		0.018	15.7		0.05 U	4.2	0.05 U	0.7	3.6					
10/24/2016	XX	GW401A8IH		0.006	16.5		0.06	4.5	0.05 U	0.8	3.9					
4/17/2017	XX	GW401A973		0.007	15		0.05 U	4.4	0.05 U	0.8	3.7					
7/24/2017	XX	GW401A9D1		0.005	15		0.05 U	4.2	0.05 U	0.6	3.8					
10/25/2017	XX	GW401A9GG		0.008	16		0.05 U	4.3	0.05 U	0.7	3.8					
4/2/2018	XX	GW401AA2F	UF	0.005	16		0.05 U	4.7	0.05 U	0.8	4.5					
7/16/2018	XX	GW401AABG	UF	0.006	17		0.05 U	4.3	0.05 U	0.7	3.9					
10/1/2018	XX	GW401AB0E	UF	0.006	17		0.05 U	4.6	0.05 U	0.6	4.1					
4/22/2019	XX	GW401AB5B	UF	0.005 U	17		0.05 U	4.8	0.05 U	0.8	4.2					
7/15/2019	XX	GW401ABC3	UF	0.007	15		0.05 U	4.3	0.05 U	0.6	3.8					
10/28/2019	XX	GW401ABHG	UF	0.007	15		0.05 U	4.1	0.05 U	0.7	3.6					
4/27/2020	XX	GW401ACD3	UF	0.007	18		0.05 U	4.8	0.05 U	0.7	4					
7/20/2020	XX	GW401ACHG	UF	0.005 U	16		0.05 U	4.6	0.05 U	0.8	4.1					
10/26/2020	XX	GW401AD30	UF	0.007	17		0.05 U	4.7	0.05 U	0.6	3.7					
4/5/2021	XX	GW401ADC2	UF	0.005	17		0.05 U	4.9	0.05 U	0.8	4.1					
7/12/2021	XX	GW401ADJE	UF	0.007	17		0.05 U	4.5	0.05 U	0.7	3.6					
10/4/2021	XX	GW401AE62	UF	0.005 U	18		0.05 U	4.8	0.05 U	0.8	4.1					
4/25/2022	XX	GW401AF0E	UF	0.005 U	21		0.05 U	5.4	0.05 U	1.8	5.2					
7/18/2022	XX	GW401AF8C	UF	0.005 U	19		0.05 U	5.2	0.05 U	0.81	4.1					
10/3/2022	XX	GW401AFID	UF	0.005 U	19		0.05 U	5	0.05 U	0.77	4					
4/17/2023	XX	GW401AGI4	UF	0.005 U	21		0.05 U	5.5	0.05 U	0.81	4.3					
7/10/2023	XX	GW401AH86	UF	0.005 U	21		0.05 U	5.2	0.05 U	0.76	4.1					
10/2/2023	XX	GW401A05E	UF	0.005 U	20		0.05 U	5.1	0.05 U	0.84	4.7					
<b>MW-401B</b>																
4/21/2014	XX	GW401B6F3		0.031	30.2		1.45	8.8	0.2	1.1	11.4					
4/21/2014	XD	GWDP4X6F6		0.032	29.3		1.65	9	0.22	1.1	11.6					
7/28/2014	XX	GW401B6JA		0.023	36		1.63	9.6	0.18	1.2	13.6					
7/28/2014	XD	GWDP4X6JD		0.027	35.9		1.68	9.8	0.18	1.2	12.7					
10/20/2014	XX	GW401B731		0.026	38.8		1.95	10.9	0.16	1.4	16.2					
10/20/2014	XD	GWDP4X734		0.026	37		1.89	10.4	0.15	1.3	15.1					
4/27/2015	XX	GW401B78I		0.026	29.8		1.37	8.4	0.28	1	10.4					
4/27/2015	XD	GWDP4X791		0.027	28.4		1.28	8.4	0.26	1	10.4					
7/13/2015	XX	GW401B7CA		0.026	37		1.57	9.8	0.22	1.1	12.6					
7/13/2015	XD	GWDP4X7CD		0.029	36.4		1.52	9.6	0.21	1.1	12.6					
10/26/2015	XX	GW401B7HJ		0.027	35.4		2.13	10.6	0.22	1.3	13.6					
10/26/2015	XD	GWDP3X7HG		0.028	37.2		2.17	10.7	0.22	1.3	13.5					
4/6/2016	XD	GWDP4X86C		0.028	30.6		0.92	8.4	0.18	1	10.7					
4/6/2016	XX	GW401B869		0.025	33.3		0.9	8.8	0.18	1	10.6					
7/25/2016	XX	GW401B8AJ		0.058	43.3		2.79	12.1	0.19	1.4	13.9					
10/24/2016	XD	GWDP1X8I4		0.015	43.1		2.02	12.3	0.13	1.5	15.7					
10/24/2016	XX	GW401B8II		0.013	44.8		2.07	12.9	0.13	1.6	15.9					
4/17/2017	XD	GWDP4X977		0.045	30		3	10	0.4	1.2	13					
4/17/2017	XX	GW401B974		0.044	31		3	10	0.43	1.2	13					
7/24/2017	XX	GW401B9D2		0.02	37		1.3	10	0.17	1	12					
10/25/2017	XD	GWDP1X9G3		0.033	43		3.5	12	0.35	1.3	13					
10/25/2017	XX	GW401B9GH		0.015	43		1.7	12	0.2	1.3	14					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 19 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-401B)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
4/2/2018	XD	GWDP4XA2J	UF	0.013	40		0.55	11	0.08	1.3	14					
4/2/2018	XX	GW401BA2G	UF	0.013	37		0.47	10	0.07	1.1	13					
7/16/2018	XX	GW401BABH	UF	0.028	43		1.9	11	0.24	1.2	12					
10/1/2018	XD	GWDP1XB01	UF	0.01	41		1.6	11	0.15	1.3	14					
10/1/2018	XX	GW401BB0F	UF	0.01	42		1.9	12	0.17	1.4	13					
4/22/2019	XD	GWDP4XB5F	UF	0.02	27		0.64	8	0.13	0.9	9.8					
4/22/2019	XX	GW401BB5C	UF	0.021	26		0.63	8.1	0.13	0.9	9.7					
7/15/2019	XD	GWDP4XBC7	UF	0.02	33		1.3	9.7	0.15	0.9	10					
7/15/2019	XX	GW401BBC4	UF	0.02	34		1.4	10	0.16	1.1	11					
10/28/2019	XD	GWDP1XBH3	UF	0.017	39		1.9	11	0.15	1.4	11					
10/28/2019	XX	GW401BBHH	UF	0.013	38		1.6	10	0.13	1.2	10					
4/27/2020	XD	GWDP4XCD7	UF	0.019	31		0.68	8.9	0.1	1	9.8					
4/27/2020	XX	GW401BCD4	UF	0.023	30		0.67	8.5	0.09	0.9	9.7					
7/20/2020	XD	GWDP4XCI0	UF	0.025	36		2.6	11	0.2	1.8	11					
7/20/2020	XX	GW401BCHH	UF	0.028	39		2.5	11	0.21	1.5	11					
10/26/2020	XD	GWDP1XD27	UF	0.013	38		2	11	0.21	1	11					
10/26/2020	XX	GW401BD31	UF	0.016	42		2.1	12	0.22	1.2	12					
4/5/2021	XD	GWDP4XDC6	UF	0.008	37		1.3	10	0.1	1.1	10					
4/5/2021	XX	GW401BDC3	UF	0.009	39		1.3	11	0.11	1.2	11					
7/12/2021	XD	GWDP5XE1B	UF	0.005	40		1.3	11	0.1	1.2	10					
7/12/2021	XX	GW401BDJF	UF	0.005 U	37		1.3	10	0.1	1.2	10					
10/4/2021	XD	GWDP1XE59	UF	0.017	41		1.5	11	0.11	1.4	12					
10/4/2021	XX	GW401BE63	UF	0.008	41		1.4	11	0.1	1.4	12					
4/25/2022	XD	GWDP1XF01	UF	0.005 U	42		1.2	11	0.1	3.3	12					
4/25/2022	XX	GW401BF0F	UF	0.005 U	42		1.3	11	0.11	2.2	11					
7/18/2022	XD	GWDP5XFA8	UF	0.0051	41		1.4	11	0.11	1.4	11					
7/18/2022	XX	GW401BF8D	UF	0.005 U	40		1.2	11	0.1	1.4	11					
10/3/2022	XD	GWDP1XF10	UF	0.005 U	43		1.3	11	0.12	1.4	11					
10/3/2022	XX	GW401BFIE	UF	0.005 U	45		1.3	11	0.11	1.4	11					
4/17/2023	XD	GWDP1XGHB	UF	0.013	41		1.3	11	0.12	1.7	11					
4/17/2023	XX	GW401BG15	UF	0.011	42		1.2	12	0.12	1.3	11					
7/10/2023	XD	GWDP5X004	UF	0.005 U	41		1.2	11	0.13	1.2	9.5					
7/10/2023	XX	GW401BH87	UF	0.005 U	42		1.2	11	0.13	1.2	9.8					
10/2/2023	XD	GWDP1X050	UF	0.005 U	42		1.2	11	0.12	1.4	11					
10/2/2023	XX	GW401B05F	UF	0.005 U	38		1.2	11	0.12	1.4	11					
<b>MW-402A</b>																
4/23/2014	XX	GW402A6F4		0.023	11.9		0.05 U	2.9	0.05 U	0.6	8.3					
7/30/2014	XX	GW402A6JB		0.022	12		0.05 U	3	0.05 U	0.7	8.9					
10/22/2014	XX	GW402A732		0.024	12.5		0.05 U	3	0.05 U	0.6	8.7					
4/29/2015	XX	GW402A78J		0.023	11.6		0.05 U	3	0.05 U	0.6	8.8					
7/15/2015	XX	GW402A7CB		0.025	11.4		0.05 U	2.8	0.05 U	0.6	8.4					
10/28/2015	XX	GW402A7I0		0.021	10.5		0.05 U	2.8	0.05 U	0.5	7.4					
4/27/2016	XX	GW402A86A		0.025	12.3		0.05 U	3.1	0.05 U	0.6	8.6					
7/27/2016	XX	GW402A8B0		0.026	12.4		0.05 U	3.1	0.05 U	0.7	8.8					
10/26/2016	XX	GW402A8IJ		0.017	11.7		0.05 U	3.2	0.05 U	0.6	8.9					
4/19/2017	XX	GW402A975		0.019	11		0.05 U	3.3	0.05 U	0.6	8.8					
7/26/2017	XX	GW402A9D3		0.016	11		0.05 U	2.9	0.05 U	0.6	7.9					
10/26/2017	XX	GW402A9GI		0.019	13		0.05 U	3.2	0.05 U	0.5	7.7					
4/4/2018	XX	GW402AA2H	UF	0.024	13		0.05 U	3.4	0.05 U	0.7	10					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 20 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-402A)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/18/2018	XX	GW402AABI	UF	0.015	14		0.26	3	0.05 U	0.7	8.2					
10/3/2018	XX	GW402AB0G	UF	0.024	12		0.05 U	3	0.05 U	0.6	8.5					
4/24/2019	XX	GW402AB5D	UF	0.017	12		0.05 U	3.1	0.05 U	0.6	8.5					
7/17/2019	XX	GW402ABC5	UF	0.02	12		0.05 U	3.4	0.05 U	0.7	10					
10/30/2019	XX	GW402ABHI	UF	0.019	11		0.05 U	3.1	0.05 U	0.7	8.5					
4/29/2020	XX	GW402ACD5	UF	0.02	12		0.05 U	3.2	0.05 U	0.8	8.5					
7/22/2020	XX	GW402ACHI	UF	0.018	12		0.05 U	3.3	0.05 U	1	9.5					
10/28/2020	XX	GW402AD32	UF	0.015	12		0.05 U	3.4	0.05 U	0.6	10					
4/7/2021	XX	GW402ADC4	UF	0.017	14		0.05 U	3.6	0.05 U	0.7	9.1					
7/14/2021	XX	GW402ADJG	UF	0.015	11		0.05 U	2.9	0.05 U	0.4	7.7					
10/4/2021	XX	GW402AE64	UF	0.019	13		0.05 U	3.2	0.05 U	0.7	9.1					
4/25/2022	XX	GW402AF0G	UF	0.017	14		0.05 U	3.4	0.05 U	1.3	9.4					
7/20/2022	XX	GW402AF8E	UF	0.013	14		0.05 U	3.6	0.05 U	1.3	9.6					
10/3/2022	XX	GW402AFIF	UF	0.014	13		0.05 U	3.1	0.05 U	0.65	8.8					
4/17/2023	XX	GW402AGI6	UF	0.018	13		0.05 U	3.4	0.05 U	0.68	9.1					
7/10/2023	XX	GW402AH88	UF	0.015	14		0.05 U	3.3	0.05 U	0.62	8.8					
10/2/2023	XX	GW402A05G	UF	0.011	13		0.05 U	3.2	0.05 U	0.69	9.6					
<b>MW-402B</b>																
4/23/2014	XX	GW402B6F5		0.019	15.1		0.05 U	4.7	0.05 U	0.6	8					
7/30/2014	XX	GW402B6JC		0.023	14.8		0.05 U	4.7	0.05 U	0.6	8.5					
10/22/2014	XX	GW402B733		0.021	14.7		0.05 U	4.6	0.05 U	0.7	8.3					
4/29/2015	XX	GW402B790		0.021	14.8		0.05 U	4.7	0.05 U	0.6	8					
7/15/2015	XX	GW402B7CC		0.024	14.7		0.05 U	4.5	0.05 U	0.6	7.8					
10/28/2015	XX	GW402B7I1		0.022	13.5		0.05 U	4.6	0.05 U	0.6	7.7					
4/27/2016	XX	GW402B86B		0.031	15.6		0.05 U	5	0.05 U	0.6	8.2					
7/27/2016	XX	GW402B8B1		0.023	15.3		0.05 U	4.8	0.05 U	0.6	8.3					
10/26/2016	XX	GW402B8J0		0.022	14.8		0.18	5.2	0.05	0.7	9.4					
4/19/2017	XX	GW402B976		0.021	13		0.05 U	4.9	0.05 U	0.7	8.3					
7/26/2017	XX	GW402B9D4		0.021	14		0.05 U	4.6	0.05 U	0.6	8.1					
10/26/2017	XX	GW402B9GJ		0.021	17		0.05 U	5.1	0.05 U	0.6	7.9					
4/4/2018	XX	GW402BA2I	UF	0.019	16		0.06	5.3	0.05 U	0.7	9.1					
7/18/2018	XX	GW402BABJ	UF	0.016	15		0.06	4.8	0.05 U	0.6	8.5					
10/3/2018	XX	GW402BB0H	UF	0.019	16		0.05 U	4.8	0.05 U	0.6	8.8					
4/24/2019	XX	GW402BB5E	UF	0.02	15		0.05 U	4.8	0.05 U	0.6	8.2					
7/17/2019	XX	GW402BBC6	UF	0.017	13		0.05 U	5.2	0.05 U	0.7	9.8					
10/30/2019	XX	GW402BBHJ	UF	0.02	14		0.05 U	4.8	0.05 U	0.7	8.1					
4/29/2020	XX	GW402BCD6	UF	0.017	15		0.05 U	4.9	0.05 U	0.7	8.2					
7/22/2020	XX	GW402BCHJ	UF	0.018	14		0.06	5.1	0.05 U	0.7	9.2					
10/28/2020	XX	GW402BD33	UF	0.016	15		0.05 U	5.3	0.05 U	0.6	9.4					
4/7/2021	XX	GW402BDC5	UF	0.018	18		0.05 U	5.9	0.05 U	0.7	9.2					
7/14/2021	XX	GW402BDJH	UF	0.019	15		0.05 U	4.6	0.05 U	0.4	7.8					
10/4/2021	XX	GW402BE65	UF	0.021	16		0.22	5.2	0.05 U	0.7	9					
4/25/2022	XX	GW402BF0H	UF	0.017	16		0.05 U	5.1	0.05 U	1.3	8.8					
7/20/2022	XX	GW402BF8F	UF	0.0099	22		0.05 U	7.4	0.05 U	1.4	9.7					
10/3/2022	XX	GW402BFIG	UF	0.016	16		0.05 U	4.6	0.05 U	0.61	8					
4/17/2023	XX	GW402BGI7	UF	0.02	17		0.3	5.4	0.05 U	0.7	8.9					
7/10/2023	XX	GW402BH89	UF	0.016	17		0.05 U	5.2	0.05 U	0.64	8.4					
10/2/2023	XX	GW402B05H	UF	0.015	15		0.05 U	4.8	0.05 U	0.68	8.8					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 21 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-501)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
<b>MW-501</b>																
4/5/2018	XX	GW501XA6I	UF	0.008	30	0.003 U	0.05 U	4.9	0.05 U	0.8	4.6					
6/4/2018	XX	GW501XA7F	UF	0.009	30	0.003 U	0.05 U	5.5	0.05	0.7	4.1					
7/19/2018	XX	GW501XAEED	UF	0.005 U	30		0.05	5.4	0.06	0.7	3.9					
8/20/2018	XX	GW501XAFE	UF	0.006	33		0.05 U	5.7	0.08	0.7	3.9					
4/24/2019	XX	GW501XB7C	UF	0.005 U	47		0.17	6.8	0.21	0.8	5.1					
7/17/2019	XX	GW501XBE0	UF	0.009	21		0.05 U	5.1	0.05 U	0.8	4.3					
10/30/2019	XX	GW501XBJ9	UF	0.005 U	60		0.05 U	7.8	0.05 U	1	5.4					
4/29/2020	XX	GW501XCF0	UF	0.005 U	21		0.05 U	4.7	0.05 U	0.7	3.5					
7/22/2020	XX	GW501XCJD	UF	0.005 U	44		0.05	9.2	0.05 U	1.1	6.4					
10/28/2020	XX	GW501XD4D	UF	0.005 U	50		0.05 U	8.2	0.05 U	0.9	6.1					
4/7/2021	XX	GW501XDDH	UF	0.005 U	38		0.05 U	7	0.05 U	0.8	4.9	0.05 U				
7/14/2021	XX	GW501XE18	UF	0.005 U	30	0.003 U	0.06	5.8	0.05 U	0.6	4	0.05 U				
10/6/2021	XX	GW501XE8A	UF	0.005	31	0.003 U	0.05 U	6.2	0.05 U	0.8	4.3	0.05 U				
4/27/2022	XX	GW501XF2G	UF	0.005 U	37	0.003 U	0.05 U	7.5	0.05	2.4	6.7	0.05 U				
7/20/2022	XX	GW501XFA6	UF	0.005 U	35	0.003 U	0.05 U	7.9	0.05 U	1.3	5.3	0.05 U				
10/5/2022	XX	GW501XG0F	UF	0.005 U	34	0.003 U	0.051	6.7	0.05	0.73	4.3	0.05 U				
4/19/2023	XX	GW501XH06	UF	0.005 U	42	0.003 U	0.071	8.9	0.19	0.94	5.6	0.05 U				
7/12/2023	XX	GW501X002	UF	0.005 U	41	0.003 U	0.05 U	8.2	0.069	0.87	5.7	0.05 U				
10/4/2023	XX	GW501X07B	UF	0.005 U	42	0.003 U	0.063	8.2	0.085	0.95	6	0.05 U				
<b>MW-502</b>																
2/26/2020	XD	GWDP1XC52	UF	0.005 U	34	0.003 U	0.05 U	6.2	0.05 U	0.9	4.6					
2/26/2020	XX	GW502XC55	UF	0.005 U	34	0.003 U	0.05 U	6.3	0.05 U	0.9	4.8					
4/30/2020	XX	GW502XCBJ	UF	0.005 U	39	0.003 U	0.05	6.9	0.05 U	1	5.1					
6/23/2020	XX	GW502XCGB	UF	0.005 U	38	0.003 U	0.05 U	7.6	0.05 U	1.1	5.6					
8/20/2020	XX	GW502XD11	UF	0.005 U	36	0.003 U	0.05 U	7	0.05 U	1.3	5.4					
7/14/2021	XX	GW502XE23	UF	0.005 U	59	0.003 U	0.13	9.8	0.2	1.4	6.1	0.05 U				
10/7/2021	XX	GW502XE8B	UF	0.005 U	64	0.003 U	0.05 U	9.8	0.05 U	1.2	5	0.05 U				
4/27/2022	XX	GW502XF2H	UF	0.005 U	45	0.003 U	0.05 U	7.8	0.05 U	2	6.3	0.05 U				
7/20/2022	XX	GW502XFAL	UF	0.005 U	61	0.003 U	0.05 U	10	0.05 U	1.7	5.9	0.05 U				
10/5/2022	XX	GW502XG0G	UF	0.005 U	69	0.003 U	0.05 U	9.7	0.17	1.3	6.3	0.05 U				
4/19/2023	XX	GW502XH07	UF	0.005 U	50	0.003 U	0.056	8.6	0.05 U	1.2	5.7	0.05 U				
7/12/2023	XX	GW502X00E	UF	0.005 U	49	0.003 U	0.05 U	7.9	0.05 U	1	5.3	0.05 U				
10/4/2023	XX	GW502X07C	UF	0.005 U	53	0.003 U	0.05 U	8.4	0.05 U	1.1	5.5	0.05 U				
<b>MW-503</b>																
2/9/2021	XX	GW503XD9A	UF	0.005	25	0.003 U	0.05 U	7.1	0.05 U	0.8	5.3	0.05 U				
4/8/2021	XX	GW503XDA9	UF	0.005 U	29	0.003 U	0.05 U	7.2	0.05 U	0.9	4.9	0.05 U				
6/8/2021	XX	GW503XDGC	UF	0.005 U	31	0.003 U	0.05 U	7.4	0.05 U	1	5.6	0.05 U				
8/19/2021	XX	GW503XE4E	UF	0.005 U	30	0.003 U	0.05 U	7.1	0.05 U	1	5.3	0.05 U				
10/7/2021	XX	GW503XE96	UF	0.005 U	28	0.003 U	0.05 U	6.5	0.05 U	0.9	5	0.05 U				
4/27/2022	XX	GW503XF3B	UF	0.005 U	31	0.003 U	0.05 U	7.6	0.05 U	2	7.3	0.05 U				
7/20/2022	XX	GW503XFB5	UF	0.005 U	37	0.003 U	0.05 U	9.4	0.05 U	1.6	7	0.05 U				
10/5/2022	XX	GW503XG1A	UF	0.005 U	32	0.0041	0.05 U	7.7	0.05 U	0.96	5.6	0.05 U				
4/20/2023	XX	GW503XH11	UF	0.0052	34	0.003 U	0.05 U	8.5	0.05 U	1.1	6.2	0.05 U				
7/13/2023	XX	GW503X011	UF	0.005 U	31	0.003 U	0.05 U	7.6	0.05 U	0.95	6	0.05 U				
10/4/2023	XX	GW503X086	UF	0.005 U	33	0.003 U	0.05 U	8	0.05 U	1	6.8	0.05 U				
<b>MW-504</b>																

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 22 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-504)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
2/9/2021	XD	GWDP1XD94	UF	0.006	12	0.003 U	0.12	3.5	0.1	1.2	11	0.05 U				
2/9/2021	XX	GW504XD9B	UF	0.006	12	0.003 U	0.17	3.6	0.1	1.4	12	0.05 U				
4/7/2021	XX	GW504XDAA	UF	0.005	14	0.003 U	0.05 U	4.1	0.05	1.2	10	0.05 U				
6/9/2021	XD	GWDP1XDG9	UF	0.006	14	0.003 U	0.07	4.2	0.1	1.1	6.9	0.05 U				
6/9/2021	XX	GW504XDGD	UF	0.005	14	0.003 U	0.06	4.2	0.05 U	1.1	6.8	0.05 U				
8/19/2021	XX	GW504XE47	UF	0.006	15	0.003 U	0.1	4.2	0.13	1	6.2	0.05 U				
10/7/2021	XD	GWDP6XE9A	UF	0.005 U	15	0.003 U	0.28	4.1	0.17	1	6.1	0.05 U				
10/7/2021	XX	GW504XE97	UF	0.005 U	16	0.003 U	0.06	4.6	0.05 U	0.9	6.4	0.05 U				
4/27/2022	XD	GWDP6XF3F	UF	0.005 U	13	0.003 U	0.06	4	0.05 U	1.4	6.2	0.05 U				
4/27/2022	XX	GW504XF3C	UF	0.005 U	14	0.003 U	0.12	4	0.06	1.8	7.5	0.05 U				
7/21/2022	XX	GW504XFB6		!	!	!	!	!	!	!	!	!				
10/5/2022	XD	GWDP6XG1E	UF	0.005 U	14	0.0038	0.25	4.2	0.12	0.76	5.5	0.05 U				
10/5/2022	XX	GW504XG1B	UF	0.005 U	15	0.015	6	5.8	0.89	2	6.1	0.05 U				
4/20/2023	XD	GWDP6XH15	UF	0.0078	13	0.003 U	0.05 U	4.4	0.05 U	0.84	6.4	0.05 U				
4/20/2023	XX	GW504XH12	UF	0.01	16	0.003 U	0.11	5.2	0.051	1	7	0.05 U				
7/13/2023	XX	GW504X012	UF	0.005 U	14	0.003 U	0.05 U	4.4	0.05 U	0.78	6	0.05 U				
10/5/2023	XD	GWDP6X08A	UF	0.005 U	16	0.003 U	0.086	4.6	0.05 U	0.85	6	0.05 U				
10/5/2023	XX	GW504X087	UF	0.005 U	15	0.003 U	0.05 U	4.5	0.05 U	0.81	5.7	0.05 U				
<b>MW-505</b>																
2/10/2021	XX	GW505XD9C	UF	0.005 U	17	0.003 U	0.35	5.9	0.73	1.2	55	0.05 U				
4/8/2021	XX	GW505XDAB	UF	0.005 U	20	0.003 U	0.16	6.5	0.62	1.2	33	0.05 U				
6/9/2021	XX	GW505XDGE	UF	0.005	21	0.003 U	0.13	7	0.58	1.3	27	0.05 U				
8/18/2021	XX	GW505XE48	UF	0.005	19	0.003 U	0.1	6.3	0.43	1.2	34	0.05 U				
10/7/2021	XX	GW505XE98	UF	0.006	19	0.003 U	0.13	6.2	0.39	1	34	0.05 U				
4/27/2022	XX	GW505XF3D	UF	0.0052	20	0.003 U	0.9	7	0.29	1.4	33	0.05 U				
7/21/2022	XX	GW505XFB7	UF	0.005 U	20	0.0032	0.32	6.9	0.26	1.9	22	0.05 U				
10/5/2022	XX	GW505XG1C	UF	0.005 U	22	0.003 U	0.24	6.8	0.25	1.1	21	0.05 U				
4/20/2023	XX	GW505XH13	UF	0.011	21	0.003 U	0.45	7.5	0.18	1.3	20	0.05 U				
7/13/2023	XX	GW505X013	UF	0.0067	21	0.003 U	0.21	7.4	0.17	1.1	18	0.05 U				
10/4/2023	XX	GW505X088	UF	0.0083	20	0.003 U	0.13	7.3	0.16	1.1	18	0.05 U				
<b>MW-506</b>																
2/18/2021	XX	GW506XD9D	UF	0.005 U	34	0.003 U	0.51	8.7	1.1	2.6	200	0.06				
4/8/2021	XX	GW506XDAC	UF	0.005 U	29	0.003 U	0.23	7	0.97	1.8	130	0.05				
6/8/2021	XX	GW506XDGF		F16	F16	F16	F16	F16	F16	F16	F16	F16				
7/14/2021	XX	GW506XE38	UF	0.005	23	0.003 U	0.23	7.8	0.87	1.2	110	0.05 U				
9/1/2021	XX	GW506XE49	UF	0.009	24	0.003 U	0.11	7.7	0.72	1.2	110	0.05				
10/7/2021	XX	GW506XE99	UF	0.008	30	0.003 U	0.24	8	0.67	1.6	120	0.05 U				
4/27/2022	XX	GW506XF3E	UF	0.0075	24	0.003 U	0.38	7.9	0.49	2	100	0.05 U				
7/18/2022	XX	GW506XFB8	UF	0.0094	20	0.0052	0.8	7.4	0.39	1.3	83	0.05 U				
10/5/2022	XX	GW506XG1D	UF	0.0068	19	0.0051	0.71	7.1	0.32	1.1	79	0.069				
4/18/2023	XX	GW506XH14	UF	0.01	17	0.015	2.1	7.7	0.31	1.4	59	0.05 U				
7/11/2023	XX	GW506X014	UF	0.0061	16	0.003 U	0.29	7.4	0.2	0.96	49	0.05 U				
10/4/2023	XX	GW506X089	UF	0.0059	15	0.0046	0.12	7	0.16	0.86	46	0.05 U				
<b>MW-507</b>																
4/5/2018	XX	GW507XA6J	UF	0.005 U	22	0.003 U	0.13	2.7	0.05 U	0.5	2.5					
6/5/2018	XX	GW507XA7G	UF	0.007	33	0.003 U	0.05 U	4	0.05 U	0.5	3.3					
7/18/2018	XX	GW507XAE	UF	0.005 U	33		0.05	4.2	0.05 U	0.6	3.7					



REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 23 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-507)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
8/20/2018	XX	GW507XAFF	UF	0.005 U	38		0.18	4.7	0.05 U	0.6	4					
7/14/2021	XX	GW507XE24	UF	0.005 U	38	0.003 U	0.6	5.2	0.05 U	0.5	4.3	0.05 U				
10/7/2021	XX	GW507XE8C	UF	0.005 U	33	0.003 U	0.68	3.8	0.05 U	0.5	3.6	0.05 U				
4/27/2022	XX	GW507XF21	UF	0.005 U	16	0.003 U	0.86	2.2	0.05 U	1	2.7	0.05 U				
7/20/2022	XX	GW507XFAJ	UF	0.005 U	44	0.003 U	0.3	6.1	0.05 U	1.1	4.9	0.05 U				
10/5/2022	XX	GW507XG0H	UF	0.005 U	52	0.003 U	0.074	6.6	0.05 U	0.75	6.4	0.05 U				
4/19/2023	XX	GW507XH08	UF	0.005 U	17	0.003 U	0.2	2.4	0.05 U	0.48	2	0.05 U				
7/13/2023	XX	GW507X00F	UF	0.005 U	22	0.003 U	0.97	2.6	0.05 U	0.46	2.4	0.05 U				
10/5/2023	XX	GW507X07D	UF	0.005 U	31	0.003 U	0.31	4	0.05 U	0.59	3.3	0.05 U				
<b>MW-508</b>																
10/5/2022	XX	GW508XG2E	UF	0.005 U	54	0.003 U	0.21	5.6	0.05	1.1	7.3	0.05 U				
1/24/2023	XX	GW508XGBF		F	F	F	F	F	F	F	F	F				
3/30/2023	XX	GW508XGH2	UF	0.005 U	51	0.003 U	0.18	5.6	0.082	0.95	7.6	0.05 U				
4/19/2023	XX	GW508XH1H	UF	0.0059	51	0.003 U	0.076	5.8	0.05 U	1	7.3	0.05 U				
6/19/2023	XX	GW508XH5H	UF	0.005 U	50	0.003 U	0.05 U	5.5	0.05 U	0.83	7.2	0.05 U				
7/13/2023	XX	GW508X011	UF	0.005 U	44	0.003 U	0.06	5.2	0.05 U	0.79	6.5	0.05 U				
10/4/2023	XD	GWDP5X07F	UF	0.005 U	47	0.003 U	0.05 U	5	0.05 U	0.86	6.9	0.05 U				
10/4/2023	XX	GW508X090	UF	0.005 U	46	0.003 U	0.05 U	5.3	0.05 U	0.87	7.3	0.05 U				
<b>OW-06-03</b>																
4/10/2018	XX	GWXXXXA73	UF	0.005 U	17	0.003 U	0.32	4.4	0.65	1.1	6.6					
6/5/2018	XX	GWXXXXA80		I	I	I	I	I	I	I	I					
7/19/2018	XX	GWXXXXAEI		I	I	I	I	I	I	I	I					
8/21/2018	XX	GWXXXXAFH		I	I	I	I	I	I	I	I					
7/18/2019	XX	GWXXXXBDJ		I	I	I	I	I	I	I	I					
7/20/2020	XX	GWXXXXCJC		I	I	I	I	I	I	I	I					
7/14/2021	XX	GWXXXXE17	UF	0.01	78	0.003 U	23	6.5	8.7	3.7	4.7	0.05 U				
7/20/2022	XX	GWXXXXFA5		I	I	I	I	I	I	I	I					
7/12/2023	XX	GWXXXX001		D	D	D	D	D	D	D	D					
<b>OW-601A</b>																
4/11/2018	XX	GW601AA69	UF	0.005 U	39	0.003 U	0.97	10	0.2	1.9	7.2					
4/11/2018	XX	GW601AHHA	FILT	0.005 U	36	0.003 U	0.18	8.8	0.19	1.8	6.6					
6/6/2018	XX	GWXXXXHG4	FILT	0.005 U	41	0.003 U	0.06	11	0.23	1.8	7.9					
7/19/2018	XX	GW601AAE4	UF	0.005 U	43		0.4	11	0.29	2.1	10					
8/22/2018	XX	GW601AAF5	UF	0.005 U	43		0.05 U	10	0.19	2.3	13					
7/18/2019	XX	GW601ABB6	UF	0.005 U	42		0.05 U	12	0.07	2.5	16					
7/22/2020	XX	GW601ACGJ	UF	0.005 U	37		0.87	10	0.05	2.4	25					
7/12/2021	XX	GW601ADIH	UF	0.005	47	0.003 U	0.05 U	12	0.05 U	2	12	0.05 U				
7/21/2022	XX	GW601AF7F	UF	0.005 U	52	0.004	0.05 U	13	0.05 U	2.8	21	0.05 U				
7/12/2023	XX	GW601AH79	UF	0.005 U	55	0.003 U	0.05 U	15	0.05 U	1.8	14	0.05 U				
<b>OW-601B</b>																
4/11/2018	XX	GW601BA6A	UF	0.005 U	40	0.003 U	0.05 U	12	0.09	1.9	8					
6/6/2018	XX	GW601BA77	UF	0.007	39	0.003 U	0.28	12	1	1.9	8.2					
7/19/2018	XX	GW601BAE5	UF	0.005 U	36		0.19	11	0.11	1.5	7					
8/22/2018	XX	GW601BAF6	UF	0.005 U	40		0.19	13	0.05 U	1.4	6.8					
7/18/2019	XX	GW601BBDF	UF	0.005 U	34		0.74	13	0.64	1.8	8.7					
7/22/2020	XX	GW601BCJ8	UF	0.005 U	35		0.31	13	0.05 U	1.4	8.3					
7/12/2021	XD	GWDP4XDJI	UF	0.005 U	38	0.003	0.05 U	12	0.05 U	1.3	7.1	0.05 U				

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 24 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-601B)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/12/2021	XX	GW601BE13	UF	0.006	38	0.003 U	0.05	13	0.05 U	1.2	7.3	0.05 U				
7/21/2022	XD	GWDP4XF8G	UF	0.005 U	42	0.0098	0.1	14	0.05 U	4.1	9.9	0.05 U				
7/21/2022	XX	GW601BFA1	UF	0.005 U	44	0.003 U	0.05 U	14	0.05 U	2	8.1	0.05 U				
7/12/2023	XD	GWDP4XH8A	UF	0.005 U	40	0.0038	0.05 U	14	0.05 U	1.2	7.8	0.05 U				
7/12/2023	XX	GW601BH9F	UF	0.005 U	42	0.003 U	0.05 U	13	0.05 U	1.2	7.5	0.05 U				
<b>OW-602A</b>																
4/11/2018	XX	GW602AA6B	UF	0.005 U	14	0.003 U	0.05 U	2.8	0.05 U	0.6	2.5					
6/6/2018	XD	GWDP1XA75	UF	0.005 U	19	0.003 U	0.05 U	4.1	0.05 U	0.4	3.4					
6/6/2018	XX	GW602AA78	UF	0.008	18	0.003 U	0.05 U	4.1	0.05 U	0.5	3					
7/19/2018	XD	GWDP1XAE3	UF	0.005 U	17		0.05 U	3.5	0.05 U	0.4	2.6					
7/19/2018	XX	GW602AAE6	UF	0.005 U	17		0.05 U	3.6	0.05 U	0.4	2.7					
8/21/2018	XX	GW602AAF7	UF	0.005 U	18		0.1	3.5	0.05 U	0.4	2.5					
7/18/2019	XX	GW602ABDG	UF	0.005 U	13		0.05 U	3	0.05 U	0.4	2.8					
7/22/2020	XX	GW602ACJ9	UF	0.005 U	17		0.05 U	4.1	0.05 U	0.5	3.3					
7/12/2021	XX	GW602AE14	UF	0.005 U	36	0.003 U	0.05 U	7.7	0.05 U	0.6	4.1	0.05 U				
7/21/2022	XX	GW602AFA2	UF	0.005 U	50	0.003 U	0.05 U	11	0.05 U	1.3	5.8	0.05 U				
7/12/2023	XX	GW602AH9G	UF	0.005 U	52	0.003 U	0.05 U	12	0.05 U	0.73	5.3	0.05 U				
<b>OW-603B</b>																
4/12/2018	XX	GW603BA6C	UF	0.005 U	34	0.003 U	0.11	11	0.16	1.4	8.5					
6/5/2018	XX	GW603BA79	UF	0.005 U	27	0.003 U	0.05	8.1	0.11	1	5.9					
7/19/2018	XX	GW603BAE7	UF	0.017	21		19	8.5	0.93	3.7	4.9					
7/19/2018	XX	GWXXXHG5	FILT	0.005 U	13		1.3	4.5	0.37	1.2	4.2					
8/21/2018	XX	GW603BAF8	UF	0.005 U	13		0.54	4.6	0.77	1.5	3.9					
7/18/2019	XX	GW603BBDH	UF	0.008	12		0.08	4.7	0.2	1.6	5.4					
7/22/2020	XX	GW603BCJA		I	I		I	I	I	I	I					
7/13/2021	XX	GW603BE15		D	D	D	D	D	D	D	D					
10/6/2021	XX	GW603BE7J		D	D	D	D	D	D	D	D					
7/21/2022	XX	GW603BFA3		D	D	D	D	D	D	D	D					
7/12/2023	XX	GW603BH9H		I	I	I	I	I	I	I	I					
<b>OW-604A</b>																
4/12/2018	XX	GW604AA6D	UF	0.005 U	10	0.003 U	0.05 U	2.6	0.05 U	0.6	3.5					
6/4/2018	XX	GW604AA7A	UF	0.007	8.9	0.003 U	0.05 U	2.3	0.05 U	0.5	3.1					
7/19/2018	XX	GW604AAE8	UF	0.005 U	9.2		0.05 U	2.4	0.05 U	0.5	2.7					
8/21/2018	XX	GW604AAF9	UF	0.005 U	15		0.05 U	3.4	0.05 U	0.6	3.1					
7/18/2019	XX	GW604ABDI	UF	0.005 U	13		0.05 U	4.2	0.05 U	0.6	4.4					
7/21/2020	XX	GW604ACJB	UF	0.005 U	18		0.05 U	5	0.05 U	0.7	4.7					
7/14/2021	XX	GW604AE16	UF	0.005 U	23	0.003 U	0.05 U	5.9	0.05 U	0.5	4.4	0.05 U				
7/21/2022	XX	GW604AFA4	UF	0.005 U	38	0.003 U	0.05	9	0.05 U	3.1	9.8	0.05 U				
7/12/2023	XX	GW604AH9I	UF	0.005 U	48	0.003 U	0.05 U	9	0.05 U	1.1	6	0.05 U				
<b>OW-605A</b>																
4/10/2018	XX	GW605AA6E	UF	0.005 U	17	0.003 U	1.4	4.6	0.05 U	0.5	4.1					
6/5/2018	XX	GW605AA7B	UF	0.005	18	0.003 U	0.2	4.2	0.05 U	0.5	3.8					
7/19/2018	XX	GW605AAE9	UF	0.005 U	17		0.2	3.9	0.05 U	0.4	3.4					
8/21/2018	XX	GW605AAFA	UF	0.005 U	17		0.1	3.8	0.05 U	0.4	3.4					
7/14/2021	XD	GWDP6XE1J	UF	0.005 U	26	0.003 U	0.15	6.2	0.05 U	0.6	5	0.05 U				
7/14/2021	XX	GW605AE25	UF	0.005 U	28	0.003 U	0.18	6.6	0.05 U	0.6	5.6	0.05 U				
10/7/2021	XX	GW605AE8G	UF	0.005 U	33	0.003 U	0.29	7.4	0.05 U	0.5	5.6	0.05 U				

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 25 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-605A)		Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
		-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID													
7/21/2022	XD	GWDP6XFAE	UF	0.005 U	41	0.0068	0.8	9.1	0.05 U	2.5	7.7	0.05 U			
7/21/2022	XX	GW605AFB0	UF	0.005 U	39	0.015	0.8	9.1	0.05 U	0.89	6.3	0.05 U			
7/12/2023	XD	GWDP7X00A	UF	0.005 U	39	0.003 U	14	8.8	0.05 U	0.72	6.1	0.05 U			
7/12/2023	XX	GW605A00G	UF	0.005 U	38	0.003 U	8.9	9	0.05 U	0.72	6	0.05 U			
<b>OW-606A</b>															
4/3/2018	XX	GW606AA6F	UF	0.005 U	42	0.003 U	0.05 U	9.7	0.05 U	1.1	9.4				
6/4/2018	XX	GW606AA7C	UF	0.005	43	0.003 U	0.05 U	9.7	0.05 U	1.2	10				
7/19/2018	XX	GW606AAEA	UF	0.005 U	41		0.05 U	8.5	0.05 U	1.1	8.8				
8/21/2018	XX	GW606AAF8	UF	0.005 U	38		0.05 U	8.4	0.05 U	1	8.4				
7/14/2021	XX	GW606AE06	UF	0.005 U	39	0.003 U	0.5	8.6	0.05 U	1.1	8.4	0.05 U			
10/7/2021	XX	GW606AE8H	UF	0.005 U	44	0.003 U	3.5	9.1	0.11	1	8.3	0.05 U			
7/20/2022	XX	GW606AF94	UF	0.005 U	47	0.003 U	0.06	11	0.07	1.6	9.6	0.05 U			
7/12/2023	XX	GW606AH8I	UF	0.005 U	47	0.003 U	0.24	11	0.05 U	1.2	9.5	0.05 U			
<b>OW-606B</b>															
2/9/2021	XX	GW606BD9E		F	F	F	F	F	F	F	F	F			
4/8/2021	XX	GW606BDAD	UF	0.005 U	28	0.003 U	1.4	5.7	0.58	1.6	21	0.05 U			
6/8/2021	XX	GW606BDGG	UF	0.005 U	24	0.003 U	0.26	5.2	0.05	1.5	6.7	0.05 U			
7/14/2021	XX	GW606BE37	UF	0.005 U	19	0.003 U	0.09	4.2	0.05 U	1.5	5.1	0.05 U			
8/18/2021	XX	GW606BE4A	UF	0.005 U	22	0.003 U	0.11	4.7	0.05 U	1.7	5.7	0.05 U			
10/7/2021	XX	GW606BE8I	UF	0.005 U	23	0.003 U	0.41	4.6	0.05 U	1.6	5.7	0.05 U			
7/20/2022	XX	GW606BFB9	UF	0.005 U	23	0.003 U	0.72	5.3	0.05	2.1	7.1	0.05 U			
7/12/2023	XX	GW606B015	UF	0.005 U	22	0.003 U	0.15	4.8	0.05 U	1.2	4.7	0.05 U			
<b>OW-607B</b>															
2/9/2021	XX	GW607BD9F	UF	0.008	15	0.003 U	0.05 U	5.2	0.05 U	0.9	4.2	0.05 U			
4/7/2021	XX	GW607BDAE	UF	0.007	18	0.003 U	0.05 U	5.3	0.05 U	1	4.5	0.05 U			
6/9/2021	XX	GW607BDGH	UF	0.007	19	0.003 U	0.08	5.8	0.05 U	1.2	5.2	0.05 U			
8/19/2021	XX	GW607BE4B	UF	0.009	18	0.003 U	0.05 U	5.2	0.05 U	1	4.2	0.05 U			
10/7/2021	XX	GW607BE8J	UF	0.007	18	0.003 U	0.05 U	5.3	0.05 U	0.9	4.3	0.05 U			
7/20/2022	XX	GW607BFBA	UF	0.005 U	19	0.003 U	0.18	6	0.09	1.5	5.3	0.05 U			
7/13/2023	XX	GW607B016	UF	0.0066	19	0.003 U	0.05 U	6	0.05	1.2	5	0.05 U			
<b>OW-608A</b>															
4/4/2018	XX	GW608AA6G	UF	0.005	19	0.003 U	3.7	6.3	0.05 U	0.9	15				
6/4/2018	XX	GW608AA7D	UF	0.008	21	0.003 U	7.4	6.4	0.05	1	15				
7/18/2018	XX	GW608AAEB	UF	0.006	18		5	5.9	0.05 U	0.9	13				
8/20/2018	XX	GW608AAFC	UF	0.005 U	12		6	5.1	0.16	1.1	13				
7/15/2021	XX	GW608AE26	UF	0.005 U	17	0.003 U	0.53	5.8	0.05 U	0.9	13	0.05 U			
10/6/2021	XX	GW608AE90	UF	0.005 U	10	0.003 U	2.5	4.7	0.08	1	12	0.05 U			
7/20/2022	XX	GW608AFB1	UF	0.005 U	19	0.003 U	3.6	6.7	0.05	1.4	14	0.05 U			
8/2/2023	XX	GW608A00H	UF	0.005 U	20	0.003 U	5.1	6.4	0.05 U	0.93	14	0.05 U			
<b>OW-608B</b>															
2/10/2021	XX	GW608BD9G	UF	0.009	16	0.003 U	0.88	8.9	0.13	1.1	26	0.05 U			
4/8/2021	XD	GWDP1XDA6	UF	0.007	16	0.003 U	0.27	8.7	0.11	1	26	0.05 U			
4/8/2021	XX	GW608BDAF	UF	0.009	17	0.003 U	0.39	8.6	0.12	1	22	0.05 U			
6/8/2021	XX	GW608BDGI	UF	0.009	17	0.003 U	0.05 U	8.9	0.24	1.1	33	0.05 U			
8/17/2021	XD	GWDP1XE43	UF	0.006	16	0.003 U	0.05 U	8	0.18	1	29	0.05 U			
8/17/2021	XX	GW608BE4C	UF	0.008	15	0.007	0.06	7.7	0.18	1	29	0.05 U			

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 26 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-608B)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/6/2021	XX	GW608BE91	UF	0.008	15	0.003 U	0.08	7.7	0.12	0.9	29	0.05 U				
7/20/2022	XX	GW608BFBB	UF	0.0067	16	0.003 U	0.05 U	8.9	0.05 U	1.4	28	0.05 U				
7/13/2023	XX	GW608B017	UF	0.0093	16	0.003 U	0.05 U	8.8	0.055	0.91	19	0.05 U				
<b>OW-609B</b>																
2/10/2021	XX	GW609BD9H	UF	0.005 U	19	0.003 U	0.31	3	0.36	1.1	52	0.05 U				
4/8/2021	XX	GW609BDAG	UF	0.005 U	24	0.003 U	0.71	2	0.51	1.5	23	0.05 U				
4/8/2021	XX	GWXXXI6B		0.005 U	25	0.003 U	0.28	1.9	0.48	1.5	28	0.05 U				
6/8/2021	XX	GW609BDGJ	UF	0.005	21	0.003 U	0.4	7.3	0.37	1.5	81	0.05 U				
8/17/2021	XX	GW609BE4D	UF	0.007	19	0.004	0.37	7.9	0.29	1.4	68	0.05 U				
10/7/2021	XX	GW609BE92	UF	0.008	24	0.003 U	0.55	7.2	0.25	1.4	58	0.05 U				
7/18/2022	XX	GW609BFBC	UF	0.0077	17	0.003 U	0.49	7.9	0.09	1.3	42	0.05 U				
7/11/2023	XX	GW609B018	UF	0.005 U	17	0.003 U	0.25	7	0.17	1.3	32	0.05 U				
<b>OW-610A</b>																
10/5/2022	XX	GW610AG2F	UF	0.005 U	74	0.003 U	0.05 U	5.9	2.7	0.98	6.3	0.05 U				
1/24/2023	XX	GW610AGBG	UF	0.005 U	74	0.003 U	0.063	6.7	1.9	1	5.8	0.05 U				
4/19/2023	XX	GW610AH11	UF	0.0051	77	0.003 U	0.05 U	7.4	1.5	1.2	6.2	0.05 U				
6/19/2023	XX	GW610AH61	UF	0.005 U	67	0.003 U	0.05 U	5	1.6	0.77	4.8	0.05 U				
7/13/2023	XX	GW610A01H	UF	0.005 U	67	0.003 U	0.05 U	5.1	1.6	0.84	5	0.05 U				
<b>OW-611A</b>																
4/4/2018	XX	GW611AA6H	UF	0.005 U	56	0.003 U	0.05 U	5.8	0.05 U	1	15					
6/5/2018	XX	GW611AA7E	UF	0.007	54	0.003 U	0.17	5.5	0.05 U	0.9	12					
7/18/2018	XX	GW611AAEC	UF	0.005 U	55		0.3	5.3	0.05 U	1	13					
8/20/2018	XX	GW611AAF0	UF	0.005 U	52		0.65	5	0.05 U	0.9	12					
7/14/2021	XX	GW611AE27	UF	0.005 U	61	0.003 U	0.1	6.2	0.05 U	1.1	16	0.05 U				
10/7/2021	XX	GW611AE93	UF	0.005 U	61	0.003 U	0.11	6.3	0.05 U	0.8	15	0.05 U				
7/20/2022	XX	GW611AFB2	UF	0.005 U	66	0.003 U	0.18	7.3	0.05 U	1.5	18	0.05 U				
7/13/2023	XX	GW611A001	UF	0.005 U	67	0.003 U	1.6	7.2	0.05 U	1.1	20	0.05 U				
<b>P-04-02 &amp; P-04-02R</b>																
7/15/2015	XX	GWXXX7DJ		0.007	17.5		1.52	4.3	0.08	1.7	32.7					
10/28/2015	XX	GWXXX7J4		0.009	29.8		0.22	7.8	0.21	2	92					
4/6/2016	XX	GWXXX871		0.015	29.3		0.05 U	7.9	0.05 U	1.6	61.8					
7/27/2016	XX	GWXXX8C7		0.016	37		0.05 U	9.4	0.05 U	2.4	112					
10/26/2016	XX	GWXXX904		0.008	35		0.05 U	10.2	0.05 U	2.5	98.9					
4/19/2017	XX	GWXXX98C		0.009	30		0.15	9.5	0.05 U	2.4	96					
4/19/2017	XX	GWXXX98H	FILT	0.007	29		0.05 U	9.3	0.05 U	2.3	87					
7/26/2017	XX	GWXXX9E8		0.008	30		0.05 U	8.4	0.05 U	2.3	78					
7/26/2017	XX	GWXXX9EA	FILT	0.005 U	29		0.05 U	7.8	0.05 U	1.8	65					
10/25/2017	XX	GWXXX9I3		0.007	32		0.07	8.6	0.05 U	2.1	73					
4/4/2018	XX	GWXXXA29	FILT	0.008	27		0.05 U	7.8	0.05 U	1.9	69					
4/4/2018	XX	GWXXXA44	UF	0.009	29		0.05 U	8.3	0.05 U	1.9	64					
7/18/2018	XX	GWXXXAD3	UF	0.006	28		0.05 U	7	0.05 U	1.8	56					
7/18/2018	XX	GWXXXAD5	FILT	0.005 U	27		0.05 U	7	0.05 U	1.6	45					
10/3/2018	XX	GWXXXB21	UF	0.005	28		0.05 U	7.9	0.05 U	1.8	51					
4/22/2019	XX	GWXXXB70	UF	0.007	27		0.05 U	7.5	0.05 U	1.9	50					
7/17/2019	XX	GWXXXBDA	UF	0.008	22		0.05 U	7.3	0.05 U	2	61					
10/30/2019	XX	GWXXXBJ2	UF	0.006	22		0.09	6.6	0.05 U	1.8	49					
4/29/2020	XX	GWXXXCEA	UF	0.006	22		0.05 U	6	0.05 U	1.6	49					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 27 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(P-04-02 & P-04-02R)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/22/2020	XX	GWXXXXCJ3	UF	0.006	22		0.05 U	6.8	0.05 U	1.7	47					
10/28/2020	XX	GWXXXXD46	UF	0.008	23		0.05 U	7.2	0.05 U	1.6	43					
4/7/2021	XX	GWXXXXD9	UF	0.006	26		0.05 U	7.3	0.05 U	1.6	35					
7/12/2021	XX	GWXXXXE10	UF	0.005 U	23		0.05 U	6.3	0.05 U	1.6	34					
10/6/2021	XX	GWXXXXE77	UF	0.005	24		0.05 U	6.5	0.05 U	1.5	29					
4/26/2022	XX	GWXXXXF11	UF	0.005 U	20		0.44	5.4	0.05 U	2.2	42					
7/19/2022	XX	GWXXXXF9I	UF	0.005 U	22		0.08	6.3	0.05 U	1.6	39					
10/4/2022	XX	GWXXXXFJ8	UF	0.005 U	28		0.21	7.2	0.05 U	1.7	27					
4/17/2023	XX	GWXXXXGJ8	UF	0.0059	19		0.16	3.7	0.05 U	1.3	17					
7/10/2023	XX	GWXXXXH9C	UF	0.005 U	23		1	4.9	0.08	1.6	19					
10/2/2023	XX	GWXXXXO6G	UF	0.005 U	23		0.16	5.2	0.05 U	1.5	23					
<b>P-04-04</b>																
4/23/2014	XX	GWXXXXG60		0.012	21.7		0.05 U	5.2	0.05 U	1.4	4.1					
7/30/2014	XX	GWXXXX703		0.008	22.3		0.05 U	5.2	0.05 U	1.4	4.3					
10/22/2014	XX	GWXXXX73E		0.013	21.1		0.05 U	5	0.05 U	1.3	3.9					
4/29/2015	XX	GWXXXX79B		0.012	21.9		0.05 U	5.2	0.05 U	1.3	4.3					
7/15/2015	XX	GWXXXX7D3		0.014	20.4		0.05 U	4.9	0.05 U	1.3	3.9					
10/28/2015	XX	GWXXXX7IC		0.011	21.6		0.05 U	4.9	0.05 U	1.2	3.7					
4/6/2016	XX	GWXXXX872		0.009	21.5		0.05 U	4.9	0.05 U	1.3	3.8					
7/27/2016	XX	GWXXXX8BC		0.012	23.3		0.05 U	5.4	0.05 U	1.4	4.1					
10/26/2016	XX	GWXXXX8JB		0.009	21.7		0.05 U	5.7	0.05 U	1.4	4.4					
4/19/2017	XX	GWXXXX97H		0.01	20		0.05 U	5.5	0.05 U	1.4	4.2					
7/26/2017	XX	GWXXXX9DF		0.005	22		0.05 U	5.1	0.05 U	1.2	3.9					
10/25/2017	XX	GWXXXX9HA		0.011	23		0.05 U	5.5	0.05 U	1.2	4.3					
4/4/2018	XX	GWXXXXA39	UF	0.007	24		0.05 U	5.7	0.05 U	1.4	4.6					
7/18/2018	XX	GWXXXXACA	UF	0.005	24		0.05 U	5.2	0.05 U	1.3	4					
10/3/2018	XX	GWXXXXB18	UF	0.007	24		0.05 U	5.4	0.05 U	1.3	4.3					
4/22/2019	XX	GWXXXXB65	UF	0.005 U	24		0.05 U	5.8	0.05 U	1.4	4.4					
7/17/2019	XX	GWXXXXBCG	UF	0.007	21		0.05 U	5.9	0.05 U	1.5	4.9					
10/30/2019	XX	GWXXXXBI9	UF	0.007	22		0.05 U	5.8	0.05 U	1.4	4.4					
4/29/2020	XX	GWXXXXCDG	UF	0.008	23		0.05 U	5.6	0.05 U	1.4	4.5					
7/22/2020	XX	GWXXXXC19	UF	0.005	21		0.05 U	6	0.05 U	1.3	4.6					
10/28/2020	XX	GWXXXXD3D	UF	0.007	24		0.05 U	6	0.05 U	1.3	4.6					
4/7/2021	XX	GWXXXXDCF	UF	0.005 U	26		0.05 U	6.5	0.05 U	1.4	4.6					
7/12/2021	XX	GWXXXXE07	UF	0.005 U	24		0.05 U	6	0.05 U	1.3	4.2					
10/6/2021	XX	GWXXXXE6F	UF	0.007	24		0.05 U	5.7	0.05 U	1.3	4.3					
4/26/2022	XX	GWXXXXF17	UF	0.005	26		0.05 U	6.1	0.05 U	2.1	5					
7/19/2022	XX	GWXXXXF95	UF	0.005	28		0.05 U	6.9	0.05 U	1.4	4.8					
10/4/2022	XX	GWXXXXFJ6	UF	0.005 U	27		0.05 U	6	0.05 U	1.3	4.3					
4/17/2023	XX	GWXXXXGIH	UF	0.0059	28		0.05 U	6.8	0.05 U	1.4	4.7					
7/10/2023	XX	GWXXXXH8J	UF	0.005 U	28		0.052	6.2	0.05 U	1.3	4.5					
10/2/2023	XX	GWXXXXO66	UF	0.005 U	26		0.05 U	6.4	0.05 U	1.5	5.4					
<b>P-04-07A</b>																
10/3/2022	XX	GWXXXXG2G	UF	0.005 U	42	0.003 U	0.05 U	5.2	0.05 U	0.79	7.5	0.05 U				
1/24/2023	XX	GWX07AGBD		F	F	F	F	F	F	F	F	F				
3/30/2023	XD	GWDP1XGGJ	UF	0.005 U	58	0.003 U	0.05 U	7.3	0.05 U	1.3	40	0.05 U				
3/30/2023	XX	GWX07AGH0	UF	0.005 U	42	0.003 U	0.05 U	5.5	0.05 U	0.81	8.7	0.05 U				
4/19/2023	XD	GWDP5XH0A	UF	0.005 U	40	0.003 U	0.05 U	5.8	0.05 U	0.92	8.1	0.05 U				

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 28 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(P-04-07A)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
4/19/2023	XX	GWXXXXH1J	UF	0.006	41	0.003 U	0.05 U	5.7	0.05 U	0.85	8	0.05 U				
6/19/2023	XD	GWDP1XH5E	UF	0.005 U	40	0.003 U	0.05 U	5.2	0.05 U	0.7	7.8	0.05 U				
6/19/2023	XX	GWX07AH5F	UF	0.005 U	38	0.003 U	0.05 U	4.9	0.05 U	0.69	7.5	0.05 U				
7/13/2023	XD	GWDP6X021	UF	0.005 U	37	0.003 U	0.05 U	5	0.05 U	0.72	7.6	0.05 U				
7/13/2023	XX	GWX07A01J	UF	0.005 U	37	0.003 U	0.16	5	0.05 U	0.72	7.5	0.05 U				
<b>P-04-07B</b>																
10/3/2022	XX	GWXXXXG2H	UF	0.005 U	63	0.003 U	0.05	6.8	0.05 U	1.1	27	0.05 U				
1/24/2023	XX	GWX07BGBE		F	F	F	F	F	F	F	F	F				
3/30/2023	XX	GWX07BGH1	UF	0.005 U	63	0.003 U	0.05 U	7.2	0.05 U	1.3	38	0.05 U				
4/19/2023	XX	GWXXXXH20	UF	0.005 U	71	0.003 U	0.05 U	8.2	0.05 U	1.2	24	0.05 U				
6/19/2023	XX	GWX07BH5G	UF	0.005 U	74	0.003 U	0.05 U	7.9	0.05 U	1.1	21	0.05 U				
7/13/2023	XX	GWX07B020	UF	0.005 U	71	0.003 U	0.05 U	7.8	0.05 U	1.1	20	0.05 U				
<b>P-04-11A</b>																
2/10/2021	XX	GWXXXXD9I	UF	0.015	12	0.003 U	0.62	2.9	0.05 U	0.8	12	0.05 U				
4/8/2021	XX	GWXXXXDAH	UF	0.013	13	0.003 U	0.05 U	2.9	0.05 U	0.7	9.4	0.05 U				
6/9/2021	XX	GWXXXXDH0	UF	0.012	13	0.003 U	0.05	2.9	0.05 U	0.9	12	0.05 U				
8/18/2021	XX	GWXXXXE4E	UF	0.011	10	0.003 U	0.05 U	2.3	0.05 U	0.9	11	0.05 U				
10/6/2021	XX	GWX11AE94	UF	0.013	13	0.003 U	0.05 U	2.5	0.05 U	0.8	13	0.05 U				
4/27/2022	XX	GWX11AF39	UF	0.011	13	0.003 U	0.08	2.8	0.05 U	1.3	12	0.05 U				
7/21/2022	XX	GWXXXXFBE	UF	0.005 U	12	0.0075	1.2	2.8	0.06	1.3	11	0.05 U				
7/12/2023	XX	GWXXXX01A	UF	0.011	15	0.003 U	0.05 U	3.5	0.05 U	0.79	5.5	0.05 U				
<b>P-04-11B</b>																
2/10/2021	XX	GWXXXXD9J	UF	0.005 U	2.5	0.003 U	0.15	1	0.05 U	0.3	4.2	0.05 U				
4/8/2021	XX	GWXXXXDAI	UF	0.005 U	2.7	0.003 U	0.29	1.1	0.05 U	0.3	4	0.05 U				
6/9/2021	XX	GWXXXXDH1	UF	0.005 U	3	0.003 U	0.13	1.1	0.05 U	0.3	4.2	0.05 U				
8/18/2021	XX	GWXXXXE4F	UF	0.005 U	3.2	0.003 U	0.13	1.2	0.05 U	0.4	4	0.05 U				
10/6/2021	XX	GWX11BE95	UF	0.005 U	3.2	0.003 U	0.16	1.2	0.05 U	0.3	3.6	0.05 U				
4/27/2022	XX	GWX11BF3A	UF	0.005 U	3.2	0.003 U	0.17	1.2	0.05 U	0.87	5.8	0.05 U				
7/21/2022	XX	GWXXXXFBF		D	D	D	D	D	D	D	D	D				
7/12/2023	XX	GWXXXX01B	UF	0.005 U	3.3	0.003 U	1.4	1.5	0.05 U	0.57	4.1	0.05 U				
<b>P-206A</b>																
4/21/2014	XX	GW206A6FJ		0.008	11.7		10.3	3.8	0.25	1.6	8.4					
7/28/2014	XX	GW206A702		0.008	13.2		16.8	4	0.31	1.3	7.6					
10/20/2014	XX	GW206A73B		0.009	11.9		4.6	3.2	0.15	0.9	7.3					
4/27/2015	XX	GW206A79A		0.009	11.8		1.44	3.1	0.1	1	7.3					
7/13/2015	XX	GW206A7D2		0.013	12.8		0.51	3.1	0.1	1	7.4					
10/26/2015	XX	GW206A71B		0.013	13		5.84	3.8	0.17	1	7.8					
4/4/2016	XX	GW206A871		0.009	13.9		0.26	3.5	0.08	0.9	7.2					
7/25/2016	XX	GW206A8BB		0.022	16.4		2.47	4.2	0.12	1	8.3					
10/24/2016	XX	GW206A8JA		0.009	19.5		0.21	5	0.1	1.2	9.1					
4/17/2017	XX	GW206A97G		0.01	19		1.6	5.2	0.11	1.2	9.1					
7/24/2017	XX	GW206A9DE		0.006	20		0.31	5.1	0.08	0.9	9.3					
10/23/2017	XX	GW206A9H9		0.007	22		0.46	5.6	0.08	1	9.1					
4/2/2018	XX	GW206AA38	UF	0.007	22		0.44	6	0.09	1.2	11					
7/16/2018	XX	GW206AAC9	UF	0.007	23		0.28	5.7	0.09	1.2	10					
10/1/2018	XX	GW206AB17	UF	0.009	24		0.49	6.2	0.09	1.1	9.9					
4/22/2019	XX	GW206AB64	UF	0.007	23		0.72	6.2	0.09	1.2	9.2					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 29 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(P-206A)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/17/2019	XX	GW206ABCF	UF	0.006	19		0.22	6.1	0.07	1.3	9.7					
10/28/2019	XX	GW206ABIB	UF	0.005	20		0.8	5.4	0.07	1.1	7.6					
4/27/2020	XX	GW206ACDF	UF	0.006	24		0.62	6.5	0.08	1.2	9.1					
7/20/2020	XX	GW206ACIB	UF	0.005 U	23		0.24	6.5	0.08	1.3	9.3					
10/26/2020	XX	GW206AD3C		A	A		A	A	A	A	A					
4/5/2021	XX	GW206ADCE	UF	0.005 U	23		1.5	7.2	0.15	1.2	8.5					
7/14/2021	XX	GW206AE22	UF	0.005 U	22	0.003	0.19	7.4	0.05 U	0.9	6.7	0.05 U				
10/4/2021	XX	GW206AE6E	UF	0.005 U	26		0.1	8.2	0.05 U	0.8	6.8					
4/25/2022	XX	GW206AF16	UF	0.005 U	25		0.07	8.1	0.05 U	1.4	7					
7/18/2022	XX	GW206FAFH	UF	0.005 U	26	0.003 U	0.1	8.6	0.05 U	1.1	7.7	0.05 U				
10/3/2022	XX	GW206AFJ5	UF	0.005 U	27		0.08	8	0.05 U	0.98	7.4					
4/17/2023	XX	GW206AGIG	UF	0.005 U	25		0.25	8.5	0.05 U	1	7.3					
7/10/2023	XX	GW206A00D	UF	0.005 U	25	0.0053	0.14	7.8	0.05 U	0.93	6.8	0.05 U				
10/2/2023	XX	GW206A065	UF	0.005 U	26	0.003 U	0.25	8	0.05 U	1	8.1	0.05 U				
<b>PWS10-1</b>																
4/21/2014	XX	GWPWS16ED		0.015	30.3		6.52	12.7	0.19	1.1	8.4					
7/28/2014	XX	GWPWS16J0		0.005 U	27.2		4.06	7.4	0.26	2.1	8.1					
10/20/2014	XX	GWPWS172A		0.005 U	6.8		0.55	2.3	0.05 U	0.7	5.1					
4/27/2015	XX	GWPWS1788		0.019	30.8		1.33	8.4	0.06	1.2	8.5					
7/13/2015	XX	GWPWS17C0		0.011	20.2		7.27	5.8	0.31	1.8	6.3					
10/26/2015	XX	GWPWS17H9		0.01	8.7		1.18	2.7	0.07	0.5	4.7					
4/4/2016	XX	GWPWS185J		0.005 U	26.6		2.36	7.4	0.1	0.4	8.1					
7/25/2016	XX	GWPWS18A9		0.014	13.9		4.77	4.1	0.35	0.6	4.3					
10/24/2016	XX	GWPWS18I8		0.005	38.1		8.08	10.4	0.92	0.9	8.5					
4/17/2017	XX	GWPWS196E		0.007	10		0.34	3.1	0.06	0.7	6.6					
7/24/2017	XX	GWPWS19CC		0.005 U	35		1.7	9.3	0.5	0.8	8.9					
10/25/2017	XX	GWPWS19G7		0.011	20		5.8	6.3	0.31	0.8	7.2					
4/2/2018	XX	GWPWS1A25	UF	0.005 U	19		0.07	4.9	0.28	1.2	7.1					
7/16/2018	XX	GWPWS1AB7	UF	0.005	21		3.8	5.6	0.56	0.8	6.1					
10/1/2018	XX	GWPWS1B05	UF	0.005	15		1.3	4.1	0.1	0.6	5.7					
4/22/2019	XX	GWPWS1B51	UF	0.005 U	21		3.8	6.5	0.2	0.8	6.9					
7/15/2019	XX	GWPWS1BBE	UF	0.01	9.9		4.1	2.9	0.8	0.5	6.3					
10/28/2019	XX	GWPWS1BH7	UF	0.005 U	20		0.75	5.3	0.22	0.9	5.3					
4/27/2020	XX	GWPWS1CCE	UF	0.005 U	31		8.1	8.4	2.3	1.2	9.2					
7/20/2020	XX	GWPWS1CH7	UF	0.005	24		13	6.7	2.6	2.2	8					
10/26/2020	XX	GWPWS1D2B	UF	0.005 U	29		0.76	8.9	0.41	1.6	7.5					
4/5/2021	XX	GWPWS1DBD	UF	0.005 U	20		4.3	11	0.08	1.1	8.6					
7/12/2021	XX	GWPWS1DJ5	UF	0.005 U	10		1.4	2.7	0.42	1.2	2.8					
10/4/2021	XX	GWPWS1ESD	UF	0.005 U	33		5.3	9.5	1.3	2.1	8					
4/25/2022	XX	GWPWS1F05	UF	0.01 U	26		13	8.1	2	1.3	6.7					
7/18/2022	XX	GWPWS1F83	UF	0.005 U	9.8		2.2	3	0.35	1.5	7					
10/3/2022	XX	GWPWS1F4	UF	0.005 U	25		3.2	7.3	1.3	1.6	7.5					
4/17/2023	XX	GWPWS1GHF	UF	0.005 U	26		1.8	7.2	0.39	1.4	5.9					
7/10/2023	XX	GWPWS1H7H	UF	0.0079	27		18	6.1	4.8	1.9	5.7					
10/2/2023	XX	GWPWS1055	UF	0.005 U	33		8.4	9	0.76	3.2	11					
<b>PWS10-2</b>																
4/21/2014	XX	GWPWS26EE		0.005	10.1		4.83	3.4	0.17	1.1	3.5					
7/28/2014	XX	GWPWS26J1		0.014	14.3		2.25	4	0.05 U	0.3 U	5.8					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 30 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(PWS10-2)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/20/2014	XX	GWPWS272B		0.012	13.2		2.16	3	0.16	0.6	5.5					
4/27/2015	XX	GWPWS2789		0.005 U	10.4		1.28	3.5	0.05	0.5	7.8					
7/13/2015	XX	GWPWS27C1		0.01	12.3		13.8	4.7	0.4	1	4.4					
10/26/2015	XX	GWPWS27HA		0.012	9.3		0.08	1.3	0.05 U	1.3	1.6					
4/4/2016	XX	GWPWS2860		0.005	11.3		0.99	2.7	0.07	0.8	3.5					
7/25/2016	XX	GWPWS28AA		0.015	13.1		1.23	3.5	0.06	0.3 U	3.6					
10/24/2016	XX	GWPWS28I9		0.007	15.4		6.51	4.7	0.3	1.6	3.4					
4/17/2017	XX	GWPWS296F		0.006	10		1.7	2.8	0.08	1	3.2					
7/24/2017	XX	GWPWS29CD		0.005 U	16		0.93	4.1	0.14	0.3 U	5.1					
10/24/2017	XX	GWPWS29G8		D	D		D	D	D	D	D					
4/2/2018	XX	GWPWS2A26	UF	0.005 U	8.9		1.3	1.6	0.07	1.1	2.3					
7/16/2018	XX	GWPWS2AB8	UF	0.005	15		1.6	3.7	0.26	0.4	4.6					
10/1/2018	XX	GWPWS2B06	UF	0.005 U	14		0.61	3.1	0.06	0.4	4.2					
4/22/2019	XX	GWPWS2B52	UF	0.005 U	8.7		0.05 U	1.2	0.05 U	1.3	4.8					
7/15/2019	XX	GWPWS2BBF	UF	0.005	9.7		2.7	2.6	0.28	0.8	5.4					
10/28/2019	XX	GWPWS2BH8	UF	0.005 U	9		0.45	1.2	0.94	1.1	2.9					
4/27/2020	XX	GWPWS2CCF	UF	0.005	29		2	3.9	0.61	1.9	7.6					
7/20/2020	XX	GWPWS2CH8	UF	0.005 U	13		0.95	2.9	0.09	1.7	7.5					
10/26/2020	XX	GWPWS2D2C	UF	0.005 U	15		1.6	2.6	0.28	1.8	4.6					
4/5/2021	XX	GWPWS2DBE	UF	0.005 U	9.2		0.82	1.4	0.07	0.8	4.4					
7/12/2021	XX	GWPWS2DJ6	UF	0.005 U	7.1		2.8	1.5	0.21	1.1	2.5					
10/4/2021	XX	GWPWS2E5E	UF	0.005 U	7.1		2.4	1.9	0.21	1.1	4.5					
4/25/2022	XX	GWPWS2F06	UF	0.005 U	7.4		0.26	1.9	0.05 U	2.4	8.3					
7/18/2022	XX	GWPWS2F84	UF	0.005 U	5.3		2.3	1.7	0.05	1.9	5.7					
10/3/2022	XX	GWPWS2FI5	UF	0.005 U	9.4		2.1	2.1	0.32	1.5	3.4					
4/17/2023	XX	GWPWS2GHG	UF	0.005 U	7.2		0.59	1.9	0.32	0.59	5.6					
7/10/2023	XX	GWPWS2H7I	UF	0.005 U	12		3	3.3	0.42	1.3	4.7					
10/2/2023	XX	GWPWS2056	UF	0.005 U	7.2		1.9	1.9	0.29	2.5	4					
<b>PWS10-3</b>																
4/21/2014	XX	GWPWS36EF		0.007	9.9		9.29	4.5	0.35	1.4	5.4					
7/28/2014	XX	GWPWS36J2		0.005 U	7.5		5.45	2.2	0.22	0.7	5.3					
10/20/2014	XX	GWPWS372D		0.006	6.2		1.2	2.2	0.07	0.6	5.2					
4/27/2015	XX	GWPWS378A		0.005 U	4.8		1.78	1.7	0.08	0.6	2.6					
7/13/2015	XX	GWPWS37C2		0.007	8		2.44	2.2	0.11	0.3 U	3.8					
10/26/2015	XX	GWPWS37HB		0.01	8.1		1.57	2.6	0.15	0.3 U	4.2					
4/4/2016	XX	GWPWS3861		0.005 U	20.6		0.48	3.6	0.05 U	0.6	4.2					
7/25/2016	XX	GWPWS38AB		D	D		D	D	D	D	D					
10/24/2016	XX	GWPWS38IA		0.005 U	17.1		0.22	5	0.1	0.3 U	6					
4/17/2017	XX	GWPWS396G		0.005	6		1.5	2.1	0.34	0.9	3.5					
7/24/2017	XX	GWPWS39CE		0.006	15		5.2	4.2	0.39	2.6	6.4					
10/24/2017	XX	GWPWS39G9		D	D		D	D	D	D	D					
4/2/2018	XX	GWPWS3A27	UF	0.005	3.5		0.17	1.3	0.05 U	0.6	3.8					
7/16/2018	XX	GWPWS3AB9		D	D		D	D	D	D	D					
10/1/2018	XX	GWPWS3B07	UF	0.005 U	9.6		0.37	3	0.05 U	0.6	6					
4/22/2019	XX	GWPWS3B53	UF	0.005 U	4.3		0.34	1.6	0.05 U	1.1	8.6					
7/15/2019	XX	GWPWS3BBG	UF	0.01	6.6		5.9	2.3	0.34	0.3	5.8					
10/28/2019	XX	GWPWS3BH9	UF	0.005 U	3		0.7	0.7	0.21	0.6	0.5					
4/27/2020	XX	GWPWS3CCG	UF	0.005 U	6		0.3	1.7	0.05 U	0.7	1.9					
7/20/2020	XX	GWPWS3CH9	UF	0.007	13		13	3.5	2.8	0.4	3					



REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 31 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(PWS10-3)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/26/2020	XX	GWPWS3D2D	UF	0.005 U	9.3		2.8	3.1	1	0.7	4.1					
4/5/2021	XX	GWPWS3DBF	UF	0.005 U	11		3.9	4.3	0.45	0.3 U	4.2					
7/12/2021	XX	GWPWS3DJ7	UF	0.009	8.7		2.3	2.5	0.48	0.9	2.3					
10/4/2021	XX	GWPWS3E5F	UF	0.005	9.1		2.3	2.7	0.57	0.5	4.9					
4/25/2022	XX	GWPWS3F07	UF	0.005 U	9.3		0.45	3.3	0.14	2.1	5.6					
7/18/2022	XX	GWPWS3F85	UF	0.005 U	11		11	4	0.58	1.1	3.1					
10/3/2022	XX	GWPWS3F16	UF	0.005 U	9.6		4.9	2.8	0.2	0.67	2.8					
4/17/2023	XX	GWPWS3GHH	UF	0.005 U	7.6		1.5	2.4	0.05 U	0.84	7					
7/10/2023	XX	GWPWS3H7J	UF	0.005 U	14		9.4	3.7	1.5	1.1	6.6					
10/2/2023	XX	GWPWS3057	UF	0.005 U	6.9		1.2	2.1	0.05 U	0.3 U	5					
<b>PWS-4</b>																
1/24/2023	XX	PWXX4XGBI		A	A	A	A	A	A	A	A	A				
3/30/2023	XX	PWXX4XGH5	UF	0.005 U	10	0.003 U	2.8	3.5	0.83	0.3 U	5.8	0.05 U				
4/19/2023	XX	GWXXXXH22	UF	0.011	10	0.003 U	3.9	3.1	1	0.41	7.1	0.05 U				
6/19/2023	XX	PWXX4XH5J	UF	0.005 U	11	0.003 U	4.8	3.1	2.1	0.3 U	4.8	0.05 U				
7/13/2023	XX	PWXX4X023	UF	0.005 U	21	0.003 U	1.9	4.8	0.26	1.2	5.3	0.05 U				
10/4/2023	XX	GWXXXX094	UF	0.005 U	19	0.003 U	1.2	5	0.35	1.1	6.3	0.05 U				
<b>SW-1</b>																
4/22/2014	XX	SWXX1X6EA		0.005 U	14.8		0.74	3.8	0.06	1	8					
7/29/2014	XX	SWXX1X6IH		0.005 U	7.5		0.73	2.3	0.05 U	0.3	4.3					
10/21/2014	XX	SWXX1X727		0.007	7.9		0.86	2.6	0.05 U	0.6	5.5					
4/28/2015	XX	SWXX1X785		0.006	6.5		0.15	2.1	0.05 U	0.7	8.6					
7/14/2015	XX	SWXX1X7BH		0.005 U	9.2		1.24	2.6	0.19	0.3	4.4					
10/27/2015	XX	SWXX1X7H6		0.005 U	6.8		0.37	2.4	0.05 U	0.3	4.5					
4/5/2016	XX	SWXX1X85G		0.005 U	5.7		0.08	1.9	0.05 U	0.4	6.6					
7/26/2016	XX	SWXX1X8A6		0.012	22.6		8.95	6.9	0.41	1.1	6					
10/25/2016	XX	SWXX1X8I5		0.005 U	9.5		0.71	2.9	0.05 U	0.7	4.9					
4/18/2017	XX	SWXX1X96B		0.005 U	3.6		0.26	1.5	0.05 U	0.5	5.2					
7/25/2017	XX	SWXX1X9C9		0.007	29		3.1	8.4	0.41	1.1	7.9					
10/25/2017	XX	SWXX1X9G4		0.005 U	13		1.5	4	0.11	2.7	5.1					
4/3/2018	XX	SWXX1XA22	UF	0.005 U	15		0.08	4.8	0.05 U	1	7.8					
7/17/2018	XX	SWXX1XAB4	UF	0.01	28		9.8	7.1	0.73	0.9	6					
10/2/2018	XX	SWXX1XB02	UF	0.005 U	16		0.89	4.2	0.09	0.6	6					
4/23/2019	XX	SWXX1XB41	UF	0.005 U	15		0.14	4.2	0.05 U	0.9	5					
7/16/2019	XX	SWXX1XBBB	UF	0.006	10		4.8	3.3	1.1	0.5	6.5					
10/29/2019	XX	SWXX1XBH4	UF	0.005 U	27		0.21	7.2	0.12	1.5	8					
4/28/2020	XX	SWXX1XCCB	UF	0.005 U	24		0.07	6.5	0.05 U	1.4	7.1					
7/21/2020	XX	SWXX1XCH4	UF	0.005 U	14		4.3	4.8	1.1	2.8	8.1					
10/27/2020	XX	SWXX1XD28	UF	0.005 U	27		2.3	9.4	1.8	3.8	9.8					
4/6/2021	XX	SWXX1XDBA	UF	0.005 U	24		0.12	6.7	0.2	1.2	5.7					
7/13/2021	XX	SWXX1XDJ2	UF	0.005 U	9.5		2.1	2.6	0.37	0.9	2.9					
10/5/2021	XX	SWXX1XE5A	UF	0.005 U	45		1.2	11	0.82	2.2	9.1					
4/26/2022	XX	SWXX1XF02	UF	0.005 U	24		0.13	6.4	0.05	1.6	6.5					
7/19/2022	XX	SWXX1XF80	UF	0.005 U	13		5	3.6	0.9	1.8	6.9					
10/4/2022	XX	SWXX1XF11	UF	0.005 U	26		2.5	7.3	1.2	1.7	7.3					
4/18/2023	XX	SWXX1XGHC	UF	0.005 U	14		0.69	4.1	0.32	2	5.9					
7/11/2023	XX	SWXX1XH7E	UF	0.0055	28		11	7.3	2.4	1.9	7.2					
10/3/2023	XX	SWXX1X052	UF	0.005 U	24		4.3	6.7	0.4	3.1	7.2					

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 32 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(SW-2)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Date	Type	Sample ID										
4/22/2014	XX	SWXX2X6EB		0.005 U	4.7		0.24	1.8	0.05 U	0.8	5.5	
4/22/2014	XD	SWDP2X6EG		0.005 U	4.5		0.24	1.8	0.05 U	0.8	5.5	
7/29/2014	XX	SWXX2X6II		0.005 U	5.9		1.52	2	0.12	0.3 U	4.2	
10/21/2014	XX	SWXX2X728		0.005 U	6.3		0.5	2.2	0.05 U	0.6	5.3	
10/21/2014	XD	SWDP2X72E		0.005 U	6.3		0.5	2.3	0.05 U	0.5	5.6	
4/28/2015	XX	SWXX2X786		0.005 U	4.4		0.17	1.7	0.05 U	0.6	8.1	
4/28/2015	XD	SWDP2X78B		0.005 U	4.4		0.17	1.7	0.05 U	0.6	8.1	
7/14/2015	XX	SWXX2X7BI		0.005 U	7.1		0.89	2.2	0.19	0.4	4.1	
10/27/2015	XX	SWXX2X7H7		0.005 U	4.8		0.21	1.8	0.05 U	0.3 U	4.1	
10/27/2015	XD	SWDP2X7HC		0.005 U	4.8		0.21	1.9	0.05 U	0.3 U	4.6	
4/5/2016	XD	SWDP2X862		0.005 U	4.5		0.07	1.8	0.05 U	0.4	6.7	
4/5/2016	XX	SWXX2X85H		0.005 U	4.6		0.07	1.8	0.05 U	0.4	6.9	
7/26/2016	XX	SWXX2X8A7		0.011	9.1		1.41	2.8	0.12	0.3 U	3	
10/25/2016	XD	SWDP2X8IB		0.005 U	9		0.69	2.8	0.05 U	0.7	4.9	
10/25/2016	XX	SWXX2X8I6		0.005 U	8.6		0.65	2.7	0.05 U	0.7	4.7	
4/18/2017	XD	SWDP2X96H		0.007	3.4		0.25	1.4	0.05 U	0.5	5.5	
4/18/2017	XX	SWXX2X96C		0.005	3.3		0.26	1.4	0.05 U	0.5	5.3	
7/25/2017	XX	SWXX2X9CA		0.005 U	11		2.5	3.3	0.35	0.5	5.1	
10/25/2017	XD	SWDP2X9GA		0.005	7.9		1.1	2.6	0.11	1.8	6	
10/25/2017	XX	SWXX2X9G5		0.005 U	7.8		1.1	2.6	0.11	1.7	5.8	
4/3/2018	XD	SWDP2XA28	UF	0.005 U	2.5		0.25	1	0.05 U	0.4	3.5	
4/3/2018	XX	SWXX2XA23	UF	0.005 U	2.4		0.25	1	0.05 U	0.4	3.7	
7/17/2018	XX	SWXX2XAB5	UF	0.006	10		3.1	2.9	0.34	0.4	4	
10/2/2018	XD	SWDP2XB08	UF	0.005 U	9		0.65	3.3	0.05 U	0.6	6.3	
10/2/2018	XX	SWXX2XB03	UF	0.005 U	9.2		1	3.3	0.05 U	0.6	6.3	
4/23/2019	XD	SWDP2XB54	UF	0.005 U	4.5		0.5	1.8	0.05 U	1.4	8.7	
4/23/2019	XX	SWXX2XB4J	UF	0.005 U	4.8		0.48	1.8	0.05 U	1.4	8.4	
7/16/2019	XD	SWDP2XBBH	UF	0.005	6.1		1.7	2.4	0.29	0.3	7.9	
7/16/2019	XX	SWXX2XBBC	UF	0.005 U	5.9		1.7	2.3	0.33	0.3 U	7.5	
10/29/2019	XD	SWDP2XBHA	UF	0.005 U	4.8		0.28	1.9	0.05 U	0.3 U	4.5	
10/29/2019	XX	SWXX2XBH5	UF	0.005 U	4.9		0.29	1.9	0.05 U	0.3 U	4.6	
4/28/2020	XD	SWDP2XCCH	UF	0.005 U	4.7		0.14	2	0.05 U	0.3	5.4	
4/28/2020	XX	SWXX2XCCE	UF	0.005 U	4.7		0.11	1.9	0.05 U	0.3	5.2	
7/21/2020	XD	SWDP2XCHA	UF	0.005 U	6.8		1.1	2.6	0.05	0.5	5.5	
7/21/2020	XX	SWXX2XCH5	UF	0.005 U	7.3		1.2	2.7	0.08	0.5	5.4	
10/27/2020	XD	SWDP2XD2E	UF	0.005 U	6.5		0.56	2.5	0.05 U	0.5	5.3	
10/27/2020	XX	SWXX2XD29	UF	0.005 U	6.6		0.54	2.6	0.05 U	0.4	5.4	
4/6/2021	XD	SWDP2XDBG	UF	0.005 U	4.5		0.21	1.8	0.05 U	0.6	5.5	
4/6/2021	XX	SWXX2XDBB	UF	0.005 U	4.6		0.23	1.8	0.05 U	0.6	5.6	
7/13/2021	XD	SWDP2XDJ8	UF	0.005 U	6.9		1.7	2.2	0.18	0.8	3.5	
7/13/2021	XX	SWXX2XDJ3	UF	0.005	7.7		1.8	2.5	0.2	0.9	4	
10/5/2021	XD	SWDP2XE5G	UF	0.007	6.1		0.48	2	0.05 U	0.3 U	4.7	
10/5/2021	XX	SWXX2XE5B	UF	0.005 U	5.8		0.5	1.9	0.05 U	0.3 U	4.6	
4/26/2022	XD	SWDP2XF08	UF	0.005 U	5.1		0.21	2.1	0.05 U	1.4	6.6	
4/26/2022	XX	SWXX2XF03	UF	0.005 U	5.2		0.2	2.1	0.05 U	1.2	6.1	
7/19/2022	XD	SWDP2XF86	UF	0.005 U	6.2		0.57	2.2	0.05 U	0.3 U	4.9	
7/19/2022	XX	SWXX2XF81	UF	0.005 U	6.3		0.58	2.3	0.05 U	0.3 U	5.1	
10/4/2022	XD	SWDP2XFI7	UF	0.005 U	7.2		0.65	2.3	0.05 U	0.3 U	4.2	

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 33 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(SW-2)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
10/4/2022	XX	SWXX2XF12	UF	0.005 U	6.8		0.62	2.2	0.05 U	0.3 U	4.2					
4/18/2023	XD	SWDP2XGHI	UF	0.005 U	5.3		0.27	2.1	0.05 U	0.63	6.6					
4/18/2023	XX	SWXX2XGHD	UF	0.005 U	5.6		0.25	2.1	0.05 U	0.64	6.6					
7/11/2023	XD	SWDP2XH80	UF	0.005 U	8.6		3.3	2.6	0.47	0.65	7.1					
7/11/2023	XX	SWXX2XH7F	UF	0.005 U	8.5		3.3	2.7	0.47	0.65	7.1					
10/3/2023	XD	SWDP2X058	UF	0.005 U	6.6		1	2.2	0.07	0.3 U	5.2					
10/3/2023	XX	SWXX2X053	UF	0.005 U	6.7		1.1	2.1	0.08	0.3 U	5.1					
<b>SW-3</b>																
4/22/2014	XX	SWXX3X6EC		0.005 U	4.4		0.19	1.3	0.05 U	0.6	4.9					
7/29/2014	XX	SWXX3X6IJ		0.005 U	7.7		0.49	1.9	0.05 U	0.6	3.4					
7/29/2014	XD	SWDP2X6J3		0.005 U	8.3		0.52	2	0.05 U	0.6	3.8					
10/21/2014	XX	SWXX3X729		0.005 U	8		0.46	2.2	0.05 U	0.9	4.7					
4/28/2015	XX	SWXX3X787		0.005	5		0.19	1.5	0.05 U	0.5	6.8					
7/14/2015	XX	SWXX3X7BJ		0.005 U	8.1		0.84	2.2	0.43	0.5	4.3					
7/14/2015	XD	SWDP2X7C3		0.005 U	8.2		0.91	2.2	0.45	0.4	4.3					
10/27/2015	XX	SWXX3X7H8		0.005 U	6.2		0.21	1.9	0.05 U	0.4	4					
4/5/2016	XX	SWXX3X85I		0.005 U	5.5		0.21	1.6	0.05 U	0.4	5.6					
7/26/2016	XD	SWDP2X8AC		0.005	11.2		1.05	2.7	0.44	0.3 U	4					
7/26/2016	XX	SWXX3X8A8		0.005 U	11.2		1.06	2.8	0.44	0.3 U	4.2					
10/25/2016	XX	SWXX3X8I7		0.005 U	10.4		0.6	2.3	0.09	1	4.1					
4/18/2017	XX	SWXX3X96D		0.006	3.4		0.2	1.1	0.05 U	0.4	4.2					
7/25/2017	XD	SWDP2X9CF		0.005 U	12		1.5	3.3	0.81	0.3 U	6.9					
7/25/2017	XX	SWXX3X9CB		0.005 U	12		1.2	3.1	0.63	0.3 U	6.7					
10/25/2017	XX	SWXX3X9G6		0.008	9.7		0.6	2.4	0.28	2.4	11					
4/3/2018	XX	SWXX3XA24	UF	0.005	3.8		0.19	1.4	0.05 U	0.4	7.2					
7/17/2018	XD	SWDP2XABA	UF	0.007	13		3.3	2.7	1.2	0.5	7.3					
7/17/2018	XX	SWXX3XAB6	UF	0.005	12		2.7	2.6	1	0.4	6.2					
10/2/2018	XX	SWXX3XB04	UF	0.005 U	11		0.28	2.3	0.05 U	0.6	4					
4/23/2019	XX	SWXX3XB50	UF	0.005 U	4.4		0.3	1.2	0.05 U	0.8	6.1					
7/16/2019	XX	SWXX3XBBB	UF	0.005 U	8.3		2.1	2.2	0.51	1.1	4.8					
10/29/2019	XX	SWXX3XBH6	UF	0.005 U	4.8		0.46	1.3	0.05 U	0.4	3.1					
4/28/2020	XX	SWXX3XCDD	UF	0.005 U	4.3		0.3	1.2	0.06	0.5	6.4					
7/21/2020	XX	SWXX3XCH6	UF	0.005 U	8.6		1.4	2.6	0.48	1	7.2					
10/27/2020	XX	SWXX3XD2A	UF	0.005 U	7.4		0.53	2.1	0.06	1.2	5					
4/6/2021	XX	SWXX3XD8C	UF	0.005 U	3.4		0.3	1	0.05 U	0.5	4.2					
7/13/2021	XX	SWXX3XDJ4	UF	0.005 U	7.2		1.4	1.8	0.08	1.1	3.7					
10/5/2021	XX	SWXX3XE5C	UF	0.005	6.8		1.5	1.7	0.09	0.9	3.6					
4/26/2022	XX	SWXX3XF04	UF	0.005 U	5		0.3	1.4	0.05 U	2.2	8.3					
7/19/2022	XX	SWXX3XF82	UF	0.005 U	9		1.8	2.2	0.28	0.83	12					
10/4/2022	XX	SWXX3XF13	UF	0.005 U	9.4		0.52	2.3	0.05 U	1.5	4.5					
4/18/2023	XX	SWXX3XGHE	UF	0.005 U	5		0.55	1.3	0.14	0.51	7.8					
7/11/2023	XX	SWXX3XH7G	UF	0.005 U	9		2.2	2.4	0.23	0.89	4					
10/3/2023	XX	SWXX3X054	UF	0.005 U	8.4		1.5	2.2	0.57	1.1	5.3					
<b>SW23-4</b>																
1/24/2023	XX	SWXX4XGBH		A	A	A	A	A	A	A	A	A				
3/30/2023	XX	SWXX4XGH4	UF	0.005 U	7.6	0.0008	0.45	2	0.05 U	0.77	6.5	0.05 U				
4/19/2023	XX	GWXXXXH23	UF	0.005 U	11	0.003 U	0.82	2.9	0.05 U	1.1	7.7	0.05 U				
6/19/2023	XX	SWXX4XH5I	UF	0.005 U	10	0.0027	0.84	2.2	0.05 U	0.72	4.4	0.05 U				

REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 34 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(SW23-4)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
7/13/2023	XX	SWXX4X022	UF	0.01	21	0.003 U	0.57	4.6	0.15	1.2	5.5	0.05 U				
10/4/2023	XX	GWXXX095	UF	0.005 U	13	0.003 U	0.63	3.6	0.05 U	1.1	4.5	0.05 U				
<b>SW-DP1</b>																
4/22/2014	XX	SWDP1X6E1		0.006	10.8		0.31	1.5	0.05 U	1.2	1.8					
7/29/2014	XX	SWDP1X6J5		0.005 U	6.7		0.29	0.7	0.05	0.6	0.8					
10/21/2014	XX	SWDP1X72G		0.005	8		0.1	0.8	0.05 U	0.8	1					
4/28/2015	XX	SWDP1X78D		0.008	13		0.23	1.4	0.08	1.1	3.2					
7/14/2015	XX	SWDP1X7C5		0.005	14.4		0.23	1.7	0.08	0.3 U	1.7					
10/27/2015	XX	SWDP1X7HE		0.005 U	8.4		0.12	1.1	0.05 U	1.3	1.6					
4/5/2016	XX	SWDP1X864		0.005 U	12		0.53	1.7	0.05	1.2	2.4					
7/26/2016	XX	SWDP1X8AE		0.013	17.1		0.29	2	0.08	1.4	2.1					
10/25/2016	XX	SWDP1X8ID		0.005 U	11.6		0.7	1.1	0.06	1.3	1.3					
4/18/2017	XX	SWDP1X96J		0.005	8.5		0.35	1.7	0.06	1	1.8					
7/25/2017	XX	SWDP1X9CH		0.005 U	19		1	3.7	0.17	0.8	3.4					
10/23/2017	XX	SWDP1X9GC		0.005	15		0.48	2.6	0.09	1.9	2.4					
4/3/2018	XX	SWDP1XA2B	UF	0.005 U	3.8		0.17	0.4	0.05 U	0.6	0.8					
7/17/2018	XX	SWDP1XABC	UF	0.007	13		0.9	1.6	0.08	0.3 U	0.8					
10/2/2018	XX	SWDP1XB0A	UF	0.005 U	10		0.41	1.1	0.05	1.6	1.1					
4/23/2019	XX	SWDP1XB57	UF	0.005 U	14		0.28	1.1	0.06	1.1	1.6					
7/16/2019	XX	SWDP1XBBJ	UF	0.005	12		0.29	1.1	0.05	0.4	1.2					
10/29/2019	XX	SWDP1XBHC	UF	0.005 U	15		1.4	1.7	0.14	2.1	1.6					
4/28/2020	XX	SWDP1XCCJ	UF	0.005 U	24		0.39	4	0.11	12	27					
7/21/2020	XX	SWDP1XCHC	UF	0.005 U	31		0.78	3.4	0.69	2.9	8.8					
10/27/2020	XX	SWDP1XD2G	UF	0.005 U	23		1.5	2.2	0.32	5.3	3.2					
4/6/2021	XX	SWDP1XDBI	UF	0.005	9.9		3.5	1.7	0.15	1.3	1.4					
7/13/2021	XX	SWDP1XDJA	UF	0.008	13		6.4	2.3	0.36	2.6	1.8					
10/5/2021	XX	SWDP1XE5I	UF	0.005 U	15		0.88	1.5	0.13	1.6	1.3					
4/26/2022	XX	SWDP1XF0A	UF	0.005 U	21		1.1	1.7	0.21	2	3.9					
7/19/2022	XX	SWDP1XF88	UF	0.005	31		1.8	2.7	0.48	3.6	4.5					
10/4/2022	XX	SWDP1XFI9	UF	0.005 U	27		0.88	2.5	0.1	2.6	2.5					
4/18/2023	XX	SWDP1XGI0	UF	0.005 U	7.7		0.98	1	0.061	1.2	1.1					
7/11/2023	XX	SWDP1XH82	UF	0.0096	12		8.5	4	0.38	2.3	1.6					
10/3/2023	XX	SWDP1X05A	UF	0.005 U	8.7		0.14	1.3	0.05 U	0.48	1.6					
<b>SW-DP5</b>																
4/22/2014	XX	SWDP5X6GD		0.005 U	19.7		1.34	1.6	0.17	2.2	5.4					
7/29/2014	XX	SWDP5X70F		0.006	14.2		0.4	0.8	0.09	1.6	1.9					
10/21/2014	XX	SWDP5X743		0.01	18.4		0.27	0.8	0.05 U	1.3	1.5					
4/28/2015	XX	SWDP5X7A3		0.007	24.1		0.23	1.3	0.09	1.9	8.6					
7/14/2015	XX	SWDP5X7DF		0.005 U	22.6		0.38	1.2	0.22	2.2	3.2					
10/27/2015	XX	SWDP5X7J2		D	D		D	D	D	D	D					
7/26/2016	XX	SWDP5X8C4		D	D		D	D	D	D	D					
10/25/2016	XX	SWDP5X902		I	I		I	I	I	I	I					
4/18/2017	XX	SWDP5X989		D	D		D	D	D	D	D					
7/25/2017	XX	SWDP5X9E6		0.005 U	29		0.32	1.8	0.16	2.6	2.4					
10/24/2017	XX	SWDP5X9I1		D	D		D	D	D	D	D					
4/3/2018	XX	SWDP5XA41	UF	0.005 U	5.3		0.23	0.5	0.05 U	0.7	1.3					
7/17/2018	XX	SWDP5XAD1		D	D		D	D	D	D	D					
10/2/2018	XX	SWDP5XB1J		D	D		D	D	D	D	D					


REPORT PREPARED: 3/12/2024 08:46  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Metals Parameters



Page 35 of 36  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(SW-DP5)			Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron				
			-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L				
Date	Type	Sample ID														
4/23/2019	XX	SWDP5XB6H	UF	0.005 U	19		1.7	1.4	0.15	1.3	2.9					
7/16/2019	XX	SWDP5XBD8	UF	0.005 U	14		0.23	0.9	0.13	1.4	1.5					
10/29/2019	XX	SWDP5XB0	UF	0.005 U	16		1.1	1	0.25	1.3	1.2					
4/28/2020	XX	SWDP5XCE8	UF	0.005 U	22		0.49	1.2	0.17	1.4	3.7					
7/21/2020	XX	SWDP5XCJ1	UF	0.005 U	22		0.62	1.4	0.27	1.8	2.2					
10/27/2020	XX	SWDP5XD44	UF	0.005 U	13		1.2	1	0.19	1.5	1.5					
4/6/2021	XX	SWDP5XDD7	UF	0.005 U	9.4		5.2	1.8	0.36	1.5	2.6					
7/13/2021	XX	SWDP5XE0J	UF	0.008	12		3.5	1.5	0.52	1.1	0.9					
10/5/2021	XX	SWDP5XE75	UF	0.008	10		0.84	1	0.05 U	0.6	1.2					
4/26/2022	XX	SWDP5XF1H	UF	0.005 U	29		0.93	2.6	0.17	3.5	9.7					
7/19/2022	XX	SWDP5XF9H		D	D		D	D	D	D	D					
10/4/2022	XX	SWDP5XFJG		D	D		D	D	D	D	D					
<b>SW-DP6</b>																
4/22/2014	XX	SWDP6X6EJ		0.005 U	10.4		0.99	1.1	0.24	1.3	5.4					
7/29/2014	XX	SWDP6X6J6		0.005 U	7.7		1.29	1	0.05 U	1	2.6					
10/21/2014	XX	SWDP6X72H		0.005 U	9.6		0.36	1.1	0.05 U	1	2					
4/28/2015	XX	SWDP6X78E		0.006	11.1		0.7	1.1	0.05 U	1.5	2.8					
7/14/2015	XX	SWDP6X7C6		0.005 U	12.4		2.46	2.4	0.46	2.3	2.7					
10/27/2015	XX	SWDP6X7HF		0.005 U	8.4		0.19	1.4	0.05 U	1.3	1.5					
4/5/2016	XX	SWDP6X865		0.005 U	8.2		0.57	1	0.05 U	1.1	2.8					
7/26/2016	XX	SWDP6X8AF		0.009	18.5		0.6	1.7	0.08	1.6	2					
10/25/2016	XX	SWDP6X8IE		0.005 U	14.6		1.85	1.5	0.09	1.9	1.6					
4/18/2017	XX	SWDP6X970		0.005 U	5.3		0.64	0.8	0.11	1	3.5					
7/25/2017	XX	SWDP6X9CI		0.005 U	8.5		1.4	1.5	0.05 U	0.7	5.1					
10/23/2017	XX	SWDP6X9GD		0.005 U	10		0.26	1.4	0.05 U	1.3	4.3					
4/3/2018	XX	SWDP6XA2C	UF	0.005 U	7.9		0.47	1.1	0.16	0.9	2.2					
7/17/2018	XX	SWDP6XABD	UF	0.005	15		0.5	1.5	0.1	1.3	4.3					
10/2/2018	XX	SWDP6XB0B	UF	0.005 U	16		0.23	1.7	0.05 U	1.5	3.5					
4/23/2019	XX	SWDP6XB58	UF	0.005	8.1		1.3	1.2	0.1	1.6	3.5					
7/16/2019	XX	SWDP6XBC0	UF	0.005	6.6		1.6	1.1	0.05 U	1.5	2.8					
10/29/2019	XX	SWDP6XBHD	UF	0.005 U	4.6		0.38	0.7	0.05 U	0.9	1.3					
4/28/2020	XX	SWDP6XCD0	UF	0.005 U	4.6		0.4	0.7	0.05 U	0.8	2.6					
7/21/2020	XX	SWDP6XCHD	UF	0.005 U	7.8		0.73	1.1	0.2	1.4	2.4					
10/27/2020	XX	SWDP6XD2H	UF	0.005 U	10		0.9	1.4	0.09	1.9	1.6					
4/6/2021	XX	SWDP6XDBJ	UF	0.005 U	3.9		0.89	0.7	0.05 U	1.1	1.3					
7/13/2021	XX	SWDP6XDJB	UF	0.005 U	4.5		1.6	0.9	0.19	1.7	1.1					
10/5/2021	XX	SWDP6XE5J	UF	0.005 U	7.1		0.55	1	0.05 U	2.2	3.3					
4/26/2022	XX	SWDP6XF0B	UF	0.005 U	3.8		0.49	0.7	0.05 U	1.7	2.3					
7/19/2022	XX	SWDP6XF89	UF	0.005 U	6.8		2.3	1.5	0.35	1.9	1.3					
10/4/2022	XX	SWDP6XFIA	UF	0.005 U	6.6		2.1	1.1	0.09	1.5	1.3					
4/18/2023	XX	SWDP6XG11	UF	0.005 U	7.8		0.42	1.1	0.13	1.1	2					
7/11/2023	XX	SWDP6XH83	UF	0.005 U	74		0.26	8.6	0.05 U	1.3	9.4					
10/3/2023	XX	SWDP6X05B	UF	0.005 U	14		0.68	2.8	0.26	1.8	3.2					

REPORT PREPARED: 3/12/2024 08:46 FOR: Juniper Ridge Landfill DATE RANGE: 1/1/2014 - 12/31/2023		<b>DATA SUMMARY TABLE</b> <b>Metals Parameters</b>							Page 36 of 36 SEVEE & MAHER ENGINEERS, INC. 4 BLANCHARD ROAD CUMBERLAND CENTER, ME 04021	
<b>(SW-DP6)</b>	Filtration	Arsenic	Calcium	Copper	Iron	Magnesium	Manganese	Potassium	Sodium	Boron
	-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Date	Type	Sample ID								

**Units Abbreviations:**

- -  
mg/L - MILLIGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

- ! - The sampling location was damaged or destroyed.
- A - The sampling location was inaccessible.
- D - The sampling location was dry.
- DE - Decommissioned Location
- F - The sampling location was frozen.
- F12 - Pipe under water, no sample taken.
- F16 - Could not pump water to surface for testing/sampling
- F6 - No flow. Sample not taken.
- H8 - No flow from pipe. See LF-COMP for readings
- I - The sampling location yielded insufficient quantity to collect a sample.
- U - Not Detected above the laboratory reporting limit.

**Sample collection notes:**

- FILT - One or more analytical parameters were field filtered.
- UF - No analytical parameters were field filtered.

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 1 of 4



Page 1 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-COMP)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethene	1,1-Dichloroethane	trans-1,2-Dichloroethene	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride	
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
<b>LF-COMP</b>																		
4/6/2021	XX	LFCOMPDG6	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
<b>LF-UD-1</b>																		
4/22/2014	XX	LFUD1X6F7	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
4/28/2015	XX	LFUD1X792	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
4/5/2016	XX	LFUD1X86D	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
4/18/2017	XX	LFUD1X978	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
4/3/2018	XX	LFUD1XA30	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
4/23/2019	XX	LFUD1XB5G	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
4/28/2020	XX	LFUD1XCD8	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/6/2021	XX	LFUD1XDC7	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	
4/26/2022	XX	LFUD1XF0J	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/18/2023	XX	LFUD1XGI9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
10/3/2023	XX	LFUD1X05J	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
<b>LF-UD-2</b>																		
4/22/2014	XX	LFUD2X6F8	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
4/28/2015	XX	LFUD2X793	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
4/5/2016	XX	LFUD2X86E	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
4/18/2017	XX	LFUD2X979	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
4/3/2018	XX	LFUD2XA31	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
4/23/2019	XX	LFUD2XB5H	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/28/2020	XX	LFUD2XCD9	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
4/6/2021	XX	LFUD2XDC8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	
4/26/2022	XX	LFUD2XF10	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/18/2023	XX	LFUD2XGIA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
10/3/2023	XX	LFUD2X060	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
<b>LF-UD-3A,B</b>																		
4/22/2014	XX	LFXXX6G6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/28/2015	XX	LFXXX79G	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/5/2016	XX	LFXXX877	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/18/2017	XX	LFXXX982	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/3/2018	XX	LFXXXA3E	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/23/2019	XX	LFXXXB6A	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/28/2020	XX	LFXXXCE1	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/6/2021	XX	LFXXXDD0	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	
4/26/2022	XX	LFXXXF1B	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/18/2023	XX	LFXXXGJ1	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
10/3/2023	XX	LFXXX06A	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
<b>LF-UD-4</b>																		
4/22/2014	XX	LFXXX6G7	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
4/28/2015	XX	LFXXX79H	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/5/2016	XX	LFXXX878	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/18/2017	XX	LFXXX983	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
4/3/2018	XX	LFXXXA3F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/23/2019	XX	LFXXXB6B	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/28/2020	XX	LFXXXCE2	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 1 of 4



Page 2 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-4)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethene	1,1-Dichloroethane	trans-1,2-Dichloroethene	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/6/2021	XX	LFXXXXD1	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
4/26/2022	XX	LFXXXXF1C	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/18/2023	XX	LFXXXGJ2	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFXXX06B	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-5and6</b>																	
4/22/2014	XX	LFXXX6G8	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/28/2015	XX	LFXXX79I	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/5/2016	XX	LFXXX879	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/18/2017	XX	LFXXX984	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	LFXXXA3G	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2019	XX	LFXXXB6C	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/28/2020	XX	LFXXXCE3	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/6/2021	XX	LFXXXDD2	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/26/2022	XX	LFXXXF1D	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/18/2023	XX	LFXXXGJ3	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/3/2023	XX	LFXXX06C	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>LF-UD-6</b>																	
4/22/2014	XX	LFUD6X6GA	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/28/2015	XX	LFUD6X7A0	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/5/2016	XX	LFUD6X87B	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/18/2017	XX	LFUD6X986	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	LFUD6XA3I	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2019	XX	LFUD6XB6E	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/28/2020	XX	LFUD6XCE5	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/6/2021	XX	LFUD6XDD4	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/26/2022	XX	LFUD6XF1E	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFUD6XGJ4	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFUD6X06D	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-7</b>																	
4/22/2014	XX	LFUD7X6GB	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LFUD7X7A1	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFUD7X87C	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD7X987	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LFUD7XA3J	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFUD7XB6F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD7XCE6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD7XDD5	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
4/26/2022	XX	LFUD7XF1F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFUD7XGJ5	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFUD7X06E	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-8</b>																	
4/22/2014	XX	LFUD8X6GC	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12
4/28/2015	XX	LFUD8X7A2	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/5/2016	XX	LFUD8X87D	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD8X988	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	LFUD8XA40	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2019	XX	LFUD8XB6G	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U



REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 1 of 4



Page 3 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-8)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethene	1,1-Dichloroethane	trans-1,2-Dichloroethene	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/28/2020	XX	LFUD8XCE7	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD8XDD6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/26/2022	XX	LFUD8XF1G	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFUD8XGJ6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFUD8X06F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-9</b>																	
4/5/2016	XX	LFUD9X881	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD9X98F	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	LFUD9XA47	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFUD9XB73	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD9XCED	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD9XDDA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/26/2022	XX	LFUD9XF1J	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFUD9XGJ9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFUD9X06H	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-10</b>																	
4/3/2018	XX	LFXXXXA48	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFXXXXB74	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXXCEE	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFXXXXDDB	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/26/2022	XX	LFXXXXF23	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFXXXXGJD	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFXXXX06I	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-12+13+14</b>																	
4/6/2021	XX	LFX12XDFB	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFXXXX0A2	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LP-UD-1</b>																	
4/22/2014	XX	LPUD1X6F9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LPUD1X794	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LPUD1X86F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LPUD1X97A	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LPUD1XA32	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LPUD1XB5I	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/28/2020	XX	LPUD1XCDA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LPUD1XDC9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/26/2022	XX	LPUD1XF11	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LPUD1XGIB	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LPUD1X061	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LP-UD-2</b>																	
4/22/2014	XX	LPUD2X6FA	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/28/2015	XX	LPUD2X795	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/5/2016	XX	LPUD2X86G	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/18/2017	XX	LPUD2X97B	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/3/2018	XX	LPUD2XA33	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2019	XX	LPUD2XB5J	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/28/2020	XX	LPUD2XCDB	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 1 of 4



Page 4 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LP-UD-2)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethene	1,1-Dichloroethane	trans-1,2-Dichloroethene	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/6/2021	XX	LPUD2XDCA	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/26/2022	XX	LPUD2XF12	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/18/2023	XX	LPUD2XGIC	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/3/2023	XX	LPUD2X062	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>MW-04-09A</b>																	
2/26/2020	XX	GWX09AC56	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/30/2020	XX	GWX09ACC1	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/23/2020	XX	GWX09ACGC	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/20/2020	XX	GWX09AD1J	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>MW-04-09B</b>																	
2/26/2020	XX	GWX09BC57	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/30/2020	XX	GWX09BCC2	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>MW06-01</b>																	
4/10/2018	XD	GWDP1XA68	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/10/2018	XX	GWXXXXA70	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/4/2018	XX	GWXXXXA7H	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>MW-08-01</b>																	
2/9/2021	XX	GWXXXXA0	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/7/2021	XX	GWXXXXAJ	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/9/2021	XX	GWXXXXH2	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/19/2021	XX	GWXXXXE4G	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>MW-303 &amp; MW12-303R</b>																	
6/18/2015	XX	42173-1	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
<b>MW-401B</b>																	
4/21/2014	XX	GW401B6F3	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/21/2014	XD	GWDP4X6F6	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/27/2015	XX	GW401B78I	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/27/2015	XD	GWDP4X79I	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/6/2016	XD	GWDP4X86C	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/6/2016	XX	GW401B869	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U
4/17/2017	XD	GWDP4X977	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/17/2017	XX	GW401B974	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/2/2018	XD	GWDP4XA2J	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/2/2018	XX	GW401BA2G	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2019	XD	GWDP4XB5F	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/22/2019	XX	GW401BB5C	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/27/2020	XD	GWDP4XCD7	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/27/2020	XX	GW401BCD4	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/5/2021	XD	GWDP4XDC6	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/5/2021	XX	GW401BDC3	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/25/2022	XD	GWDP1XF01	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/25/2022	XX	GW401BF0F	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/17/2023	XD	GWDP1XGHB	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/17/2023	XX	GW401BG15	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>MW-501</b>																	

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 1 of 4



Page 5 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-501)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethene	1,1-Dichloroethane	trans-1,2-Dichloroethene	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/5/2018	XX	GW501XA6I	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/4/2018	XX	GW501XA7F	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>MW-502</b>																	
2/26/2020	XD	GWDP1XC52	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
2/26/2020	XX	GW502XC55	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/30/2020	XX	GW502XCBJ	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>MW-503</b>																	
2/9/2021	XX	GW503XD9A	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/8/2021	XX	GW503XDA9	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/8/2021	XX	GW503XDGC	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/19/2021	XX	GW503XE46	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>MW-504</b>																	
2/9/2021	XD	GWDP1XD94	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
2/9/2021	XX	GW504XD9B	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/7/2021	XX	GW504XDA	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/9/2021	XD	GWDP1XDG9	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/9/2021	XX	GW504XDGD	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/19/2021	XX	GW504XE47	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>MW-505</b>																	
2/10/2021	XX	GW505XD9C	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/8/2021	XX	GW505XDAB	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/9/2021	XX	GW505XDGE	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/18/2021	XX	GW505XE48	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>MW-506</b>																	
2/18/2021	XX	GW506XD9D	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/8/2021	XX	GW506XDAC	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/8/2021	XX	GW506XDF	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16
7/14/2021	XX	GW506XE38	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
9/1/2021	XX	GW506XE49	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>MW-507</b>																	
4/5/2018	XX	GW507XA6J	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/5/2018	XX	GW507XA7G	3.1	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/20/2018	XX	GW507XAFF	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>MW-508</b>																	
10/5/2022	XX	GW508XG2E	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
1/24/2023	XX	GW508XGBF	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F
3/30/2023	XX	GW508XGH2	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/19/2023	XX	GW508XH1H	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/19/2023	XX	GW508XH5H	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>OW-06-03</b>																	
4/10/2018	XX	GWXXXXA73	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/5/2018	XX	GWXXXXA80	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
7/19/2018	XX	GWXXXXAEI	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 1 of 4



Page 6 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-601A)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethene	1,1-Dichloroethane	trans-1,2-Dichloroethene	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride	
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
<b>OW-601A</b>																		
4/11/2018	XX	GW601AA69	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
6/6/2018	XX	GW601AA76	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
7/19/2018	XX	GW601AAE4	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
<b>OW-601B</b>																		
4/11/2018	XX	GW601BA6A	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
6/6/2018	XX	GW601BA77	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
<b>OW-602A</b>																		
4/11/2018	XX	GW602AA6B	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
6/6/2018	XD	GWDP1XA75	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
6/6/2018	XX	GW602AA78	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
<b>OW-603B</b>																		
4/11/2018	XX	GW603BA6C	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
6/5/2018	XX	GW603BA79	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
<b>OW-604A</b>																		
4/12/2018	XX	GW604AA6D	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
6/4/2018	XX	GW604AA7A	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
<b>OW-605A</b>																		
4/10/2018	XX	GW605AA6E	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
6/5/2018	XX	GW605AA7B	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
<b>OW-606A</b>																		
4/3/2018	XX	GW606AA6F	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
6/4/2018	XX	GW606AA7C	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
<b>OW-606B</b>																		
2/9/2021	XX	GW606BD9E	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	
4/8/2021	XX	GW606BDAD	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
6/8/2021	XX	GW606BDGG	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
7/14/2021	XX	GW606BE37	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
8/18/2021	XX	GW606BE4A	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
<b>OW-607B</b>																		
2/9/2021	XX	GW607BD9F	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
4/7/2021	XX	GW607BDAE	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
6/9/2021	XX	GW607BDGH	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
8/19/2021	XX	GW607BE4B	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
<b>OW-608A</b>																		
4/4/2018	XX	GW608AA6G	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
6/4/2018	XX	GW608AA7D	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
<b>OW-608B</b>																		
2/10/2021	XX	GW608BD9G	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
4/8/2021	XD	GWDP1XDA6	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
4/8/2021	XX	GW608BDAF	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
6/8/2021	XX	GW608BDGI	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

**DATA SUMMARY TABLE**  
 VOA Parameters Group 1 of 4



Page 7 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-608B)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethene	1,1-Dichloroethane	trans-1,2-Dichloroethene	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
8/17/2021	XD	GWDP1XE43	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/17/2021	XX	GW608BE4C	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>OW-609B</b>																	
2/10/2021	XX	GW609BD9H	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/8/2021	XX	GW609BDAG	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1.4	1 U	10 U	1 U	1 U
6/8/2021	XX	GW609BDGJ	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/17/2021	XX	GW609BE4D	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>OW-610A</b>																	
10/5/2022	XX	GW610AG2F	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
1/24/2023	XX	GW610AGBG	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/19/2023	XX	GW610AH11	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/19/2023	XX	GW610AH61	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>OW-611A</b>																	
4/4/2018	XX	GW611AA6H	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/5/2018	XX	GW611AA7E	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>P-04-07A</b>																	
10/3/2022	XX	GWXXXXG2G	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
1/24/2023	XX	GWX07AGBD	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F
3/30/2023	XD	GWDP1XGGJ	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
3/30/2023	XX	GWX07AGH0	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/19/2023	XD	GWDP5XH0A	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/19/2023	XX	GWXXXXH1J	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/19/2023	XD	GWDP1XH5E	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/19/2023	XX	GWX07AH5F	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>P-04-07B</b>																	
10/3/2022	XX	GWXXXXG2H	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
1/24/2023	XX	GWX07BGBE	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F
3/30/2023	XX	GWX07BGH1	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/19/2023	XX	GWXXXXH20	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/19/2023	XX	GWX07BH5G	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>P-04-11A</b>																	
2/10/2021	XX	GWXXXXD9I	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/8/2021	XX	GWXXXXDAH	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/9/2021	XX	GWXXXXDH0	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/18/2021	XX	GWXXXXE4E	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>P-04-11B</b>																	
2/10/2021	XX	GWXXXXD9J	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/8/2021	XX	GWXXXXDAI	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/9/2021	XX	GWXXXXDH1	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
8/18/2021	XX	GWXXXXE4F	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>PWS-4</b>																	
1/24/2023	XX	PWXX4XGBI	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
3/30/2023	XX	PWXX4XGH5	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/19/2023	XX	GWXXXXH22	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U

(PWS-4)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethene	1,1-Dichloroethane	trans-1,2-Dichloroethene	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
6/19/2023	XX	PWXX4XH5J	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/13/2023	XX	PWXX4X023	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/4/2023	XX	GWXXX094	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
<b>SW23-4</b>																	
1/24/2023	XX	SWXX4XGBH	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
3/30/2023	XX	SWXX4XGH4	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/19/2023	XX	GWXXXH23	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
6/19/2023	XX	SWXX4XH5I	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/13/2023	XX	SWXX4X022	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

- A- The sampling location was inaccessible.
- F- The sampling location was frozen.
- F12- Pipe under water, no sample taken.
- F16- Could not pump water to surface for testing/sampling
- F6- No flow. Sample not taken.
- H8- No flow from pipe. See LF-COMP for readings
- I- The sampling location yielded insufficient quantity to collect a sample.
- U- Not Detected above the laboratory reporting limit.

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 2 of 4



Page 1 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-COMP)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
<b>LF-COMP</b>																	
4/6/2021	XX	LFCOMPDG6	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>LF-UD-1</b>																	
4/22/2014	XX	LFUD1X6F7	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/28/2015	XX	LFUD1X792	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/5/2016	XX	LFUD1X86D	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/18/2017	XX	LFUD1X978	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	LFUD1XA30	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/23/2019	XX	LFUD1XB5G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/28/2020	XX	LFUD1XCD8	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD1XDC7	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
4/26/2022	XX	LFUD1XF0J	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFUD1XGI9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFUD1X05J	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-2</b>																	
4/22/2014	XX	LFUD2X6F8	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/28/2015	XX	LFUD2X793	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/5/2016	XX	LFUD2X86E	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/18/2017	XX	LFUD2X979	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	LFUD2XA31	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/23/2019	XX	LFUD2XB5H	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD2XCD9	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/6/2021	XX	LFUD2XDC8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
4/26/2022	XX	LFUD2XF10	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFUD2XGIA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFUD2X060	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-3A,B</b>																	
4/22/2014	XX	LFXXX6G6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LFXXX79G	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFXXX877	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFXXX982	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LFXXXA3E	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFXXXB6A	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXCE1	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFXXXDD0	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
4/26/2022	XX	LFXXXF1B	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFXXXGJ1	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFXXX06A	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-4</b>																	
4/22/2014	XX	LFXXX6G7	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/28/2015	XX	LFXXX79H	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFXXX878	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFXXX983	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	LFXXXA3F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFXXXB6B	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXCE2	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 2 of 4



Page 2 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-4)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/6/2021	XX	LFXXXXD1	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
4/26/2022	XX	LFXXXXF1C	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/18/2023	XX	LFXXXGJ2	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFXXXX06B	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

LF-UD-5and6

4/22/2014	XX	LFXXX6G8	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/28/2015	XX	LFXXX79I	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/5/2016	XX	LFXXX879	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/18/2017	XX	LFXXX984	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	LFXXXA3G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/23/2019	XX	LFXXXB6C	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/28/2020	XX	LFXXXCE3	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/6/2021	XX	LFXXXDD2	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/26/2022	XX	LFXXXF1D	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/18/2023	XX	LFXXXGJ3	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/3/2023	XX	LFXXX06C	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U

LF-UD-6

4/22/2014	XX	LFUD6X6GA	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/28/2015	XX	LFUD6X7A0	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/5/2016	XX	LFUD6X87B	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/18/2017	XX	LFUD6X986	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	LFUD6XA3I	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/23/2019	XX	LFUD6XB6E	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/28/2020	XX	LFUD6XCE5	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/6/2021	XX	LFUD6XDD4	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/26/2022	XX	LFUD6XF1E	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFUD6XGJ4	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFUD6X06D	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

LF-UD-7

4/22/2014	XX	LFUD7X6GB	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LFUD7X7A1	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFUD7X87C	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD7X987	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LFUD7XA3J	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFUD7XB6F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD7XCE6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD7XDD5	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
4/26/2022	XX	LFUD7XF1F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFUD7XGJ5	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFUD7X06E	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

LF-UD-8

4/22/2014	XX	LFUD8X6GC	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12	F12
4/28/2015	XX	LFUD8X7A2	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/5/2016	XX	LFUD8X87D	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD8X988	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/3/2018	XX	LFUD8XA40	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/23/2019	XX	LFUD8XB6G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U



REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 2 of 4



Page 3 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-8)		Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene	
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
4/28/2020	XX	LFUD8XCE7	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/6/2021	XX	LFUD8XDD6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/26/2022	XX	LFUD8XF1G	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/18/2023	XX	LFUD8XGJ6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
10/3/2023	XX	LFUD8X06F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
<b>LF-UD-9</b>																	
4/5/2016	XX	LFUD9X881	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/18/2017	XX	LFUD9X98F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
4/3/2018	XX	LFUD9XA47	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/23/2019	XX	LFUD9XB73	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/28/2020	XX	LFUD9XCED	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/6/2021	XX	LFUD9XDDA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/26/2022	XX	LFUD9XF1J	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/18/2023	XX	LFUD9XGJ9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
10/3/2023	XX	LFUD9X06H	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
<b>LF-UD-10</b>																	
4/3/2018	XX	LFXXXXA48	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/23/2019	XX	LFXXXXB74	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/28/2020	XX	LFXXXXCEE	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/6/2021	XX	LFXXXXDDB	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/26/2022	XX	LFXXXXF23	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/18/2023	XX	LFXXXXGJD	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
10/3/2023	XX	LFXXXX06I	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
<b>LF-UD-12+13+14</b>																	
4/6/2021	XX	LFX12XDFB	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
10/3/2023	XX	LFXXXX0A2	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
<b>LP-UD-1</b>																	
4/22/2014	XX	LPUD1X6F9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/28/2015	XX	LPUD1X794	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/5/2016	XX	LPUD1X86F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/18/2017	XX	LPUD1X97A	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/3/2018	XX	LPUD1XA32	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/23/2019	XX	LPUD1XB5I	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
4/28/2020	XX	LPUD1XCDA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/6/2021	XX	LPUD1XDC9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/26/2022	XX	LPUD1XF11	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
4/18/2023	XX	LPUD1XGIB	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
10/3/2023	XX	LPUD1X061	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	
<b>LP-UD-2</b>																	
4/22/2014	XX	LPUD2X6FA	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/28/2015	XX	LPUD2X795	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/5/2016	XX	LPUD2X86G	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/18/2017	XX	LPUD2X97B	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
4/3/2018	XX	LPUD2XA33	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
4/23/2019	XX	LPUD2XB5J	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
4/28/2020	XX	LPUD2XCDB	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 2 of 4



Page 4 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LP-UD-2)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/6/2021	XX	LPUD2XDCA	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/26/2022	XX	LPUD2XF12	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/18/2023	XX	LPUD2XGIC	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/3/2023	XX	LPUD2X062	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>MW-04-09A</b>																	
2/26/2020	XX	GWX09AC56	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/30/2020	XX	GWX09ACC1	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/23/2020	XX	GWX09ACGC	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/20/2020	XX	GWX09AD1J	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>MW-04-09B</b>																	
2/26/2020	XX	GWX09BC57	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/30/2020	XX	GWX09BCC2	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>MW06-01</b>																	
4/10/2018	XD	GWDP1XA68	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/10/2018	XX	GWXXXXA70	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/4/2018	XX	GWXXXXA7H	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>MW-08-01</b>																	
2/9/2021	XX	GWXXXXA0	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/7/2021	XX	GWXXXXDAJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/9/2021	XX	GWXXXXDH2	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/19/2021	XX	GWXXXXE4G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>MW-303 &amp; MW12-303R</b>																	
6/18/2015	XX	42173-1	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
<b>MW-401B</b>																	
4/21/2014	XX	GW401B6F3	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/21/2014	XD	GWDP4X6F6	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/27/2015	XX	GW401B78I	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/27/2015	XD	GWDP4X791	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/6/2016	XD	GWDP4X86C	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/6/2016	XX	GW401B869	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U
4/17/2017	XD	GWDP4X977	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/17/2017	XX	GW401B974	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/2/2018	XD	GWDP4XA2J	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/2/2018	XX	GW401BA2G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/22/2019	XD	GWDP4XB5F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/22/2019	XX	GW401BB5C	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/27/2020	XD	GWDP4XCD7	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/27/2020	XX	GW401BCD4	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/5/2021	XD	GWDP4XDC6	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/5/2021	XX	GW401BDC3	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/25/2022	XD	GWDP1XF01	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/25/2022	XX	GW401BF0F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/17/2023	XD	GWDP1XGHB	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/17/2023	XX	GW401BG15	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>MW-501</b>																	

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 2 of 4



Page 5 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-501)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/5/2018	XX	GW501XA6I	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/4/2018	XX	GW501XA7F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>MW-502</b>																	
2/26/2020	XD	GWDP1XC52	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
2/26/2020	XX	GW502XC55	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/30/2020	XX	GW502XCBJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>MW-503</b>																	
2/9/2021	XX	GW503XD9A	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/8/2021	XX	GW503XDA9	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/8/2021	XX	GW503XDGC	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/19/2021	XX	GW503XE46	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>MW-504</b>																	
2/9/2021	XD	GWDP1XD94	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
2/9/2021	XX	GW504XD9B	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/7/2021	XX	GW504XDAA	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/9/2021	XD	GWDP1XDG9	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/9/2021	XX	GW504XDGD	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/19/2021	XX	GW504XE47	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>MW-505</b>																	
2/10/2021	XX	GW505XD9C	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/8/2021	XX	GW505XDAB	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/9/2021	XX	GW505XDGE	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/18/2021	XX	GW505XE48	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>MW-506</b>																	
2/18/2021	XX	GW506XD9D	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/8/2021	XX	GW506XDAC	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/8/2021	XX	GW506XDGF	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16
7/14/2021	XX	GW506XE38	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
9/1/2021	XX	GW506XE49	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>MW-507</b>																	
4/5/2018	XX	GW507XA6J	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/5/2018	XX	GW507XA7G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/20/2018	XX	GW507XAFF	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>MW-508</b>																	
10/5/2022	XX	GW508XG2E	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
1/24/2023	XX	GW508XGBF	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F
3/30/2023	XX	GW508XGH2	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/19/2023	XX	GW508XH1H	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/19/2023	XX	GW508XH5H	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>OW-06-03</b>																	
4/10/2018	XX	GWXXXXA73	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/5/2018	XX	GWXXXXA80	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
7/19/2018	XX	GWXXXXAEI	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 2 of 4



Page 6 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-601A)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene	
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
<b>OW-601A</b>																		
4/11/2018	XX	GW601AA69	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1.1	1 U	1 U	
6/6/2018	XX	GW601AA76	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
7/19/2018	XX	GW601AAE4	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
<b>OW-601B</b>																		
4/11/2018	XX	GW601BA6A	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/6/2018	XX	GW601BA77	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
<b>OW-602A</b>																		
4/11/2018	XX	GW602AA6B	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/6/2018	XD	GWDP1XA75	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/6/2018	XX	GW602AA78	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
<b>OW-603B</b>																		
4/12/2018	XX	GW603BA6C	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/5/2018	XX	GW603BA79	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
<b>OW-604A</b>																		
4/12/2018	XX	GW604AA6D	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/4/2018	XX	GW604AA7A	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
<b>OW-605A</b>																		
4/10/2018	XX	GW605AA6E	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/5/2018	XX	GW605AA7B	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
<b>OW-606A</b>																		
4/3/2018	XX	GW606AA6F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/4/2018	XX	GW606AA7C	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
<b>OW-606B</b>																		
2/9/2021	XX	GW606BD9E	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	
4/8/2021	XX	GW606BDAD	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/8/2021	XX	GW606BDGG	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
7/14/2021	XX	GW606BE37	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
8/18/2021	XX	GW606BE4A	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
<b>OW-607B</b>																		
2/9/2021	XX	GW607BD9F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
4/7/2021	XX	GW607BDAE	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/9/2021	XX	GW607BDGH	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
8/19/2021	XX	GW607BE4B	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
<b>OW-608A</b>																		
4/4/2018	XX	GW608AA6G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/4/2018	XX	GW608AA7D	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
<b>OW-608B</b>																		
2/10/2021	XX	GW608BD9G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
4/8/2021	XD	GWDP1XDA6	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
4/8/2021	XX	GW608BDAF	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
6/8/2021	XX	GW608BDGI	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 2 of 4



Page 7 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-608B)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentaneone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
8/17/2021	XD	GWDP1XE43	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/17/2021	XX	GW608BE4C	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>OW-609B</b>																	
2/10/2021	XX	GW609BD9H	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/8/2021	XX	GW609BDAG	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/8/2021	XX	GW609BDGJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/17/2021	XX	GW609BE4D	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>OW-610A</b>																	
10/5/2022	XX	GW610AG2F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
1/24/2023	XX	GW610AGBG	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/19/2023	XX	GW610AH11	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/19/2023	XX	GW610AH61	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>OW-611A</b>																	
4/4/2018	XX	GW611AA6H	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/5/2018	XX	GW611AA7E	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>P-04-07A</b>																	
10/3/2022	XX	GWXXXXG2G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
1/24/2023	XX	GWX07AGBD	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F
3/30/2023	XD	GWDP1XGGJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
3/30/2023	XX	GWX07AGH0	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/19/2023	XD	GWDP5XH0A	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/19/2023	XX	GWXXXXH1J	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/19/2023	XD	GWDP1XH5E	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/19/2023	XX	GWX07AH5F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>P-04-07B</b>																	
10/3/2022	XX	GWXXXXG2H	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
1/24/2023	XX	GWX07BGBE	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F
3/30/2023	XX	GWX07BGH1	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/19/2023	XX	GWXXXXH20	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/19/2023	XX	GWX07BH5G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>P-04-11A</b>																	
2/10/2021	XX	GWXXXXD9I	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/8/2021	XX	GWXXXXDAH	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/9/2021	XX	GWXXXXDH0	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/18/2021	XX	GWXXXXE4E	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>P-04-11B</b>																	
2/10/2021	XX	GWXXXXD9J	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/8/2021	XX	GWXXXXDAI	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/9/2021	XX	GWXXXXDH1	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
8/18/2021	XX	GWXXXXE4F	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>PWS-4</b>																	
1/24/2023	XX	PWXX4XGBI	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
3/30/2023	XX	PWXX4XGH5	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/19/2023	XX	GWXXXXH22	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U

(PWS-4)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
6/19/2023	XX	PWXX4XH5J	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/13/2023	XX	PWXX4X023	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/4/2023	XX	GWXXXX094	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
<b>SW23-4</b>																	
1/24/2023	XX	SWXX4XGBH	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
3/30/2023	XX	SWXX4XGH4	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/19/2023	XX	GWXXXXH23	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
6/19/2023	XX	SWXX4XH5I	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/13/2023	XX	SWXX4X022	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

- A- The sampling location was inaccessible.
- F- The sampling location was frozen.
- F12- Pipe under water, no sample taken.
- F16- Could not pump water to surface for testing/sampling
- F6- No flow. Sample not taken.
- H8- No flow from pipe. See LF-COMP for readings
- I- The sampling location yielded insufficient quantity to collect a sample.
- U- Not Detected above the laboratory reporting limit.

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 3 of 4



Page 1 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-COMP)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
<b>LF-COMP</b>																	
4/6/2021	XX	LFCOMPDG6	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>LF-UD-1</b>																	
4/22/2014	XX	LFUD1X6F7	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/28/2015	XX	LFUD1X792	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	LFUD1X86D	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/18/2017	XX	LFUD1X978	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LFUD1XA30	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	LFUD1XB5G	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	LFUD1XCD8	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD1XDC7	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
4/26/2022	XX	LFUD1XF0J	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFUD1XGI9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFUD1X05J	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-2</b>																	
4/22/2014	XX	LFUD2X6F8	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/28/2015	XX	LFUD2X793	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	LFUD2X86E	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/18/2017	XX	LFUD2X979	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LFUD2XA31	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	LFUD2XB5H	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD2XCD9	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/6/2021	XX	LFUD2XDC8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
4/26/2022	XX	LFUD2XF10	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFUD2XGIA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFUD2X060	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-3A,B</b>																	
4/22/2014	XX	LFXXX6G6	F6	F6	F6	F6	F6		F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LFXXX79G	F6	F6	F6	F6	F6		F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFXXX877	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFXXX982	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LFXXXA3E	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFXXXB6A	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXCE1	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFXXXDD0	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
4/26/2022	XX	LFXXXF1B	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFXXXGJ1	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFXXX06A	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-4</b>																	
4/22/2014	XX	LFXXX6G7	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/28/2015	XX	LFXXX79H	F6	F6	F6	F6	F6		F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFXXX878	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFXXX983	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LFXXXA3F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFXXXB6B	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXCE2	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 3 of 4



Page 2 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-4)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/6/2021	XX	LFXXXXDD1	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
4/26/2022	XX	LFXXXXF1C	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/18/2023	XX	LFXXXGJ2	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFXXXX06B	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-5and6</b>																	
4/22/2014	XX	LFXXX6G8	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/28/2015	XX	LFXXX79I	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	LFXXX879	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/18/2017	XX	LFXXX984	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LFXXXA3G	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	LFXXXB6C	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	LFXXXCE3	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/6/2021	XX	LFXXXDD2	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/26/2022	XX	LFXXXF1D	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/18/2023	XX	LFXXXGJ3	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
10/3/2023	XX	LFXXX06C	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>LF-UD-6</b>																	
4/22/2014	XX	LFUD6X6GA	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/28/2015	XX	LFUD6X7A0	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	LFUD6X87B	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/18/2017	XX	LFUD6X986	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LFUD6XA3I	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	LFUD6XB6E	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	LFUD6XCE5	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/6/2021	XX	LFUD6XDD4	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/26/2022	XX	LFUD6XF1E	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFUD6XGJ4	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFUD6X06D	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-7</b>																	
4/22/2014	XX	LFUD7X6GB	F6	F6	F6	F6	F6		F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LFUD7X7A1	F6	F6	F6	F6	F6		F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LFUD7X87C	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD7X987	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LFUD7XA3J	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFUD7XB6F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD7XCE6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD7XDD5	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8	H8
4/26/2022	XX	LFUD7XF1F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFUD7XGJ5	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFUD7X06E	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-8</b>																	
4/22/2014	XX	LFUD8X6GC	F12	F12	F12	F12	F12		F12	F12	F12	F12	F12	F12	F12	F12	F12
4/28/2015	XX	LFUD8X7A2	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	LFUD8X87D	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD8X988	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LFUD8XA40	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	LFUD8XB6G	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U



REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 3 of 4



Page 3 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-8)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/28/2020	XX	LFUD8XCE7	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD8XDD6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/26/2022	XX	LFUD8XF1G	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFUD8XGJ6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFUD8X06F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-9</b>																	
4/5/2016	XX	LFUD9X881	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LFUD9X98F	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LFUD9XA47	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFUD9XB73	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFUD9XCED	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFUD9XDDA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/26/2022	XX	LFUD9XF1J	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFUD9XGJ9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFUD9X06H	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-10</b>																	
4/3/2018	XX	LFXXXA48	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LFXXXB74	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2020	XX	LFXXXCEE	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LFXXXDDB	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/26/2022	XX	LFXXXF23	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LFXXXGJD	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFXXX06I	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LF-UD-12+13+14</b>																	
4/6/2021	XX	LFX12XDFB	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LFXXX0A2	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LP-UD-1</b>																	
4/22/2014	XX	LPUD1X6F9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/28/2015	XX	LPUD1X794	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/5/2016	XX	LPUD1X86F	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2017	XX	LPUD1X97A	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/3/2018	XX	LPUD1XA32	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/23/2019	XX	LPUD1XB5I	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	LPUD1XCDA	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/6/2021	XX	LPUD1XDC9	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/26/2022	XX	LPUD1XF11	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
4/18/2023	XX	LPUD1XGIB	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
10/3/2023	XX	LPUD1X061	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6	F6
<b>LP-UD-2</b>																	
4/22/2014	XX	LPUD2X6FA	2 U	1 U	1 U	1 U	1 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/28/2015	XX	LPUD2X795	2 U	1 U	1 U	1 U	1 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/5/2016	XX	LPUD2X86G	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/18/2017	XX	LPUD2X97B	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LPUD2XA33	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	LPUD2XB5J	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	LPUD2XCDB	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 3 of 4



Page 4 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LP-UD-2)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/6/2021	XX	LPUD2XDCA	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/26/2022	XX	LPUD2XF12	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/18/2023	XX	LPUD2XGIC	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
10/3/2023	XX	LPUD2X062	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>MW-04-09A</b>																	
2/26/2020	XX	GWX09AC56	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/30/2020	XX	GWX09ACC1	1 U	1 U	1 U	1 U	1.1	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/23/2020	XX	GWX09ACGC	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/20/2020	XX	GWX09AD1J	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>MW-04-09B</b>																	
2/26/2020	XX	GWX09BC57	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/30/2020	XX	GWX09BCC2	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>MW06-01</b>																	
4/10/2018	XD	GWDP1XA68	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/10/2018	XX	GWXXXXA70	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/4/2018	XX	GWXXXXA7H	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
<b>MW-08-01</b>																	
2/9/2021	XX	GWXXXXA0	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/7/2021	XX	GWXXXXDAJ	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/9/2021	XX	GWXXXXDH2	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/19/2021	XX	GWXXXXE4G	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>MW-303 &amp; MW12-303R</b>																	
6/18/2015	XX	42173-1	2 U	1 U	1 U	1 U	1 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
<b>MW-401B</b>																	
4/21/2014	XX	GW401B6F3	2 U	1 U	1 U	1 U	1 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/21/2014	XD	GWDP4X6F6	2 U	1 U	1 U	1 U	1 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/27/2015	XX	GW401B78I	2 U	1 U	1 U	1 U	1 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/27/2015	XD	GWDP4X791	2 U	1 U	1 U	1 U	1 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/6/2016	XD	GWDP4X86C	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/6/2016	XX	GW401B869	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/17/2017	XD	GWDP4X977	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/17/2017	XX	GW401B974	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/2/2018	XD	GWDP4XA2J	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/2/2018	XX	GW401BA2G	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/22/2019	XD	GWDP4XB5F	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/22/2019	XX	GW401BB5C	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/27/2020	XD	GWDP4XCD7	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/27/2020	XX	GW401BCD4	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/5/2021	XD	GWDP4XDC6	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/5/2021	XX	GW401BDC3	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/25/2022	XD	GWDP1XF01	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/25/2022	XX	GW401BF0F	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/17/2023	XD	GWDP1XGHB	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/17/2023	XX	GW401BG15	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>MW-501</b>																	

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 3 of 4



Page 5 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-501)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
4/5/2018	XX	GW501XA6I	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/4/2018	XX	GW501XA7F	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
<b>MW-502</b>																	
2/26/2020	XD	GWDP1XC52	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
2/26/2020	XX	GW502XC55	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/30/2020	XX	GW502XCBJ	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>MW-503</b>																	
2/9/2021	XX	GW503XD9A	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/8/2021	XX	GW503XDA9	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/8/2021	XX	GW503XDGC	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/19/2021	XX	GW503XE46	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>MW-504</b>																	
2/9/2021	XD	GWDP1XD94	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
2/9/2021	XX	GW504XD9B	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/7/2021	XX	GW504XDA	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/9/2021	XD	GWDP1XDG9	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/9/2021	XX	GW504XDGD	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/19/2021	XX	GW504XE47	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>MW-505</b>																	
2/10/2021	XX	GW505XD9C	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/8/2021	XX	GW505XDAB	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/9/2021	XX	GW505XDGE	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/18/2021	XX	GW505XE48	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>MW-506</b>																	
2/18/2021	XX	GW506XD9D	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/8/2021	XX	GW506XDAC	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/8/2021	XX	GW506XDGF	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16	F16
7/14/2021	XX	GW506XE38	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
9/1/2021	XX	GW506XE49	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>MW-507</b>																	
4/5/2018	XX	GW507XA6J	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/5/2018	XX	GW507XA7G	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
8/20/2018	XX	GW507XAFF	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
<b>MW-508</b>																	
10/5/2022	XX	GW508XG2E	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
1/24/2023	XX	GW508XGBF	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F
3/30/2023	XX	GW508XGH2	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/19/2023	XX	GW508XH1H	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/19/2023	XX	GW508XH5H	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>OW-06-03</b>																	
4/10/2018	XX	GWXXXXA73	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/5/2018	XX	GWXXXXA80	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
7/19/2018	XX	GWXXXXAEI	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 3 of 4



Page 6 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-601A)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
<b>OW-601A</b>																	
4/11/2018	XX	GW601AA69	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/6/2018	XX	GW601AA76	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
7/19/2018	XX	GW601AAE4	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
<b>OW-601B</b>																	
4/11/2018	XX	GW601BA6A	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/6/2018	XX	GW601BA77	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
<b>OW-602A</b>																	
4/11/2018	XX	GW602AA6B	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/6/2018	XD	GWDP1XA75	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/6/2018	XX	GW602AA78	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
<b>OW-603B</b>																	
4/12/2018	XX	GW603BA6C	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/5/2018	XX	GW603BA79	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
<b>OW-604A</b>																	
4/12/2018	XX	GW604AA6D	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/4/2018	XX	GW604AA7A	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
<b>OW-605A</b>																	
4/10/2018	XX	GW605AA6E	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/5/2018	XX	GW605AA7B	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
<b>OW-606A</b>																	
4/3/2018	XX	GW606AA6F	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/4/2018	XX	GW606AA7C	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
<b>OW-606B</b>																	
2/9/2021	XX	GW606BD9E	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F
4/8/2021	XX	GW606BDAD	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/8/2021	XX	GW606BDGG	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/14/2021	XX	GW606BE37	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/18/2021	XX	GW606BE4A	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>OW-607B</b>																	
2/9/2021	XX	GW607BD9F	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/7/2021	XX	GW607BDAE	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/9/2021	XX	GW607BDGH	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/19/2021	XX	GW607BE4B	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>OW-608A</b>																	
4/4/2018	XX	GW608AA6G	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/4/2018	XX	GW608AA7D	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
<b>OW-608B</b>																	
2/10/2021	XX	GW608BD9G	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/8/2021	XD	GWDP1XDA6	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/8/2021	XX	GW608BDAF	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/8/2021	XX	GW608BDGI	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 3 of 4



Page 7 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-608B)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
8/17/2021	XD	GWDP1XE43	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/17/2021	XX	GW608BE4C	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>OW-609B</b>																	
2/10/2021	XX	GW609BD9H	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/8/2021	XX	GW609BDAG	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/8/2021	XX	GW609BDGJ	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/17/2021	XX	GW609BE4D	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>OW-610A</b>																	
10/5/2022	XX	GW610AG2F	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
1/24/2023	XX	GW610AGBG	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/19/2023	XX	GW610AH11	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/19/2023	XX	GW610AH61	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>OW-611A</b>																	
4/4/2018	XX	GW611AA6H	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
6/5/2018	XX	GW611AA7E	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
<b>P-04-07A</b>																	
10/3/2022	XX	GWXXXXG2G	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
1/24/2023	XX	GWX07AGBD	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F
3/30/2023	XD	GWDP1XGGJ	1 U	1 U	1 U	1 U	1 U	16	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
3/30/2023	XX	GWX07AGH0	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/19/2023	XD	GWDP5XH0A	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/19/2023	XX	GWXXXXH1J	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/19/2023	XD	GWDP1XH5E	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/19/2023	XX	GWX07AH5F	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>P-04-07B</b>																	
10/3/2022	XX	GWXXXXG2H	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
1/24/2023	XX	GWX07BGBE	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F
3/30/2023	XX	GWX07BGH1	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/19/2023	XX	GWXXXXH20	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/19/2023	XX	GWX07BH5G	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>P-04-11A</b>																	
2/10/2021	XX	GWXXXXD9I	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/8/2021	XX	GWXXXXDAH	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/9/2021	XX	GWXXXXDH0	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/18/2021	XX	GWXXXXE4E	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>P-04-11B</b>																	
2/10/2021	XX	GWXXXXD9J	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/8/2021	XX	GWXXXXDAI	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/9/2021	XX	GWXXXXDH1	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
8/18/2021	XX	GWXXXXE4F	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>PWS-4</b>																	
1/24/2023	XX	PWXX4XGBI	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
3/30/2023	XX	PWXX4XGH5	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/19/2023	XX	GWXXXXH22	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U

(PWS-4)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
6/19/2023	XX	PWXX4XH5J	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/13/2023	XX	PWXX4X023	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
10/4/2023	XX	GWXXX094	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
<b>SW23-4</b>																	
1/24/2023	XX	SWXX4XGBH	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
3/30/2023	XX	SWXX4XGH4	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/19/2023	XX	GWXXXH23	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
6/19/2023	XX	SWXX4XH5I	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/13/2023	XX	SWXX4X022	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

- A- The sampling location was inaccessible.
- F- The sampling location was frozen.
- F12- Pipe under water, no sample taken.
- F16- Could not pump water to surface for testing/sampling
- F6- No flow. Sample not taken.
- H8- No flow from pipe. See LF-COMP for readings
- I- The sampling location yielded insufficient quantity to collect a sample.
- U- Not Detected above the laboratory reporting limit.

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 4 of 4



Page 1 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-COMP)		1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4-Dichloro-2-butene	Iodomethane																
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L															
<b>LF-COMP</b>																						
4/6/2021	XX	LFCOMPDG6	1 U	20 U	2 U	5 U	5 U															
<b>LF-UD-1</b>																						
4/22/2014	XX	LFUD1X6F7	1 U	20 U		5 U	5 U															
4/28/2015	XX	LFUD1X792	1 U	20 U		5 U	5 U															
4/5/2016	XX	LFUD1X86D	1 U	20 U	5 U	5 U	5 U															
4/18/2017	XX	LFUD1X978	1 U	20 U	5 U	5 U	5 U															
4/3/2018	XX	LFUD1XA30	1 U	20 U	5 U	5 U	5 U															
4/23/2019	XX	LFUD1XB5G	1 U	20 U	5 U	5 U	5 U															
4/28/2020	XX	LFUD1XCD8	F6	F6	F6	F6	F6															
4/6/2021	XX	LFUD1XDC7	H8	H8	H8	H8	H8															
4/26/2022	XX	LFUD1XF0J	F6	F6	F6	F6	F6															
4/18/2023	XX	LFUD1XGI9	F6	F6	F6	F6	F6															
10/3/2023	XX	LFUD1X05J	F6	F6	F6	F6	F6															
<b>LF-UD-2</b>																						
4/22/2014	XX	LFUD2X6F8	1 U	20 U		5 U	5 U															
4/28/2015	XX	LFUD2X793	1 U	20 U		5 U	5 U															
4/5/2016	XX	LFUD2X86E	1 U	20 U	5 U	5 U	5 U															
4/18/2017	XX	LFUD2X979	1 U	20 U	5 U	5 U	5 U															
4/3/2018	XX	LFUD2XA31	1 U	20 U	5 U	5 U	5 U															
4/23/2019	XX	LFUD2XB5H	F6	F6	F6	F6	F6															
4/28/2020	XX	LFUD2XCD9	1 U	20 U	2 U	5 U	5 U															
4/6/2021	XX	LFUD2XDC8	H8	H8	H8	H8	H8															
4/26/2022	XX	LFUD2XF10	F6	F6	F6	F6	F6															
4/18/2023	XX	LFUD2XGIA	F6	F6	F6	F6	F6															
10/3/2023	XX	LFUD2X060	F6	F6	F6	F6	F6															
<b>LF-UD-3A,B</b>																						
4/22/2014	XX	LFXXX6G6	F6	F6		F6	F6															
4/28/2015	XX	LFXXX79G	F6	F6		F6	F6															
4/5/2016	XX	LFXXX877	F6	F6	F6	F6	F6															
4/18/2017	XX	LFXXX982	F6	F6	F6	F6	F6															
4/3/2018	XX	LFXXXA3E	F6	F6	F6	F6	F6															
4/23/2019	XX	LFXXXB6A	F6	F6	F6	F6	F6															
4/28/2020	XX	LFXXXCE1	F6	F6	F6	F6	F6															
4/6/2021	XX	LFXXXDD0	H8	H8	H8	H8	H8															
4/26/2022	XX	LFXXXF1B	F6	F6	F6	F6	F6															
4/18/2023	XX	LFXXXGJ1	F6	F6	F6	F6	F6															
10/3/2023	XX	LFXXX06A	F6	F6	F6	F6	F6															
<b>LF-UD-4</b>																						
4/22/2014	XX	LFXXX6G7	1 U	20 U		5 U	5 U															
4/28/2015	XX	LFXXX79H	F6	F6		F6	F6															
4/5/2016	XX	LFXXX878	F6	F6	F6	F6	F6															
4/18/2017	XX	LFXXX983	1 U	20 U	5 U	5 U	5 U															
4/3/2018	XX	LFXXXA3F	F6	F6	F6	F6	F6															
4/23/2019	XX	LFXXXB6B	F6	F6	F6	F6	F6															
4/28/2020	XX	LFXXXCE2	F6	F6	F6	F6	F6															

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 4 of 4



Page 2 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-4)		1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4-Dichloro-2-butene	Iodomethane											
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L									
4/6/2021	XX	LFXXXDD1	H8	H8	H8	H8	H8										
4/26/2022	XX	LFXXXF1C	1 U	20 U	2 U	5 U	5 U										
4/18/2023	XX	LFXXXGJ2	F6	F6	F6	F6	F6										
10/3/2023	XX	LFXXX06B	F6	F6	F6	F6	F6										

LF-UD-5and6																	
4/22/2014	XX	LFXXX6G8	1 U	20 U		5 U	5 U										
4/28/2015	XX	LFXXX79I	1 U	20 U		5 U	5 U										
4/5/2016	XX	LFXXX879	1 U	20 U	5 U	5 U	5 U										
4/18/2017	XX	LFXXX984	1 U	20 U	5 U	5 U	5 U										
4/3/2018	XX	LFXXXA3G	1 U	20 U	5 U	5 U	5 U										
4/23/2019	XX	LFXXXB6C	1 U	20 U	5 U	5 U	5 U										
4/28/2020	XX	LFXXXCE3	1 U	20 U	2 U	5 U	5 U										
4/6/2021	XX	LFXXXDD2	1 U	20 U	2 U	5 U	5 U										
4/26/2022	XX	LFXXXF1D	1 U	20 U	2 U	5 U	5 U										
4/18/2023	XX	LFXXXGJ3	1 U	20 U	2 U	5 U	5 U										
10/3/2023	XX	LFXXX06C	1 U	20 U	2 U	5 U	5 U										

LF-UD-6																	
4/22/2014	XX	LFUD6X6GA	1 U	20 U		5 U	5 U										
4/28/2015	XX	LFUD6X7A0	1 U	20 U		5 U	5 U										
4/5/2016	XX	LFUD6X87B	1 U	20 U	5 U	5 U	5 U										
4/18/2017	XX	LFUD6X986	1 U	20 U	5 U	5 U	5 U										
4/3/2018	XX	LFUD6XA3I	1 U	20 U	5 U	5 U	5 U										
4/23/2019	XX	LFUD6XB6E	1 U	20 U	5 U	5 U	5 U										
4/28/2020	XX	LFUD6XCE5	1 U	20 U	2 U	5 U	5 U										
4/6/2021	XX	LFUD6XDD4	1 U	20 U	2 U	5 U	5 U										
4/26/2022	XX	LFUD6XF1E	F6	F6	F6	F6	F6										
4/18/2023	XX	LFUD6XGJ4	F6	F6	F6	F6	F6										
10/3/2023	XX	LFUD6X06D	F6	F6	F6	F6	F6										

LF-UD-7																	
4/22/2014	XX	LFUD7X6GB	F6	F6		F6	F6										
4/28/2015	XX	LFUD7X7A1	F6	F6		F6	F6										
4/5/2016	XX	LFUD7X87C	F6	F6	F6	F6	F6										
4/18/2017	XX	LFUD7X987	F6	F6	F6	F6	F6										
4/3/2018	XX	LFUD7XA3J	F6	F6	F6	F6	F6										
4/23/2019	XX	LFUD7XB6F	F6	F6	F6	F6	F6										
4/28/2020	XX	LFUD7XCE6	F6	F6	F6	F6	F6										
4/6/2021	XX	LFUD7XDD5	H8	H8	H8	H8	H8										
4/26/2022	XX	LFUD7XF1F	F6	F6	F6	F6	F6										
4/18/2023	XX	LFUD7XGJ5	F6	F6	F6	F6	F6										
10/3/2023	XX	LFUD7X06E	F6	F6	F6	F6	F6										

LF-UD-8																	
4/22/2014	XX	LFUD8X6GC	F12	F12		F12	F12										
4/28/2015	XX	LFUD8X7A2	1 U	20 U		5 U	5 U										
4/5/2016	XX	LFUD8X87D	F6	F6	F6	F6	F6										
4/18/2017	XX	LFUD8X988	1 U	20 U	5 U	5 U	5 U										
4/3/2018	XX	LFUD8XA40	1 U	20 U	5 U	5 U	5 U										
4/23/2019	XX	LFUD8XB6G	1 U	20 U	5 U	5 U	5 U										



REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 4 of 4



Page 3 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-UD-8)		1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4-Dichloro-2-butene	Iodomethane												
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L											
4/28/2020	XX	LFUD8XCE7	F6	F6	F6	F6	F6											
4/6/2021	XX	LFUD8XDD6	F6	F6	F6	F6	F6											
4/26/2022	XX	LFUD8XF1G	F6	F6	F6	F6	F6											
4/18/2023	XX	LFUD8XGJ6	F6	F6	F6	F6	F6											
10/3/2023	XX	LFUD8X06F	F6	F6	F6	F6	F6											
<b>LF-UD-9</b>																		
4/5/2016	XX	LFUD9X881	F6	F6	F6	F6	F6											
4/18/2017	XX	LFUD9X98F	1 U	20 U	5 U	5 U	5 U											
4/3/2018	XX	LFUD9XA47	F6	F6	F6	F6	F6											
4/23/2019	XX	LFUD9XB73	F6	F6	F6	F6	F6											
4/28/2020	XX	LFUD9XCED	F6	F6	F6	F6	F6											
4/6/2021	XX	LFUD9XDDA	F6	F6	F6	F6	F6											
4/26/2022	XX	LFUD9XF1J	F6	F6	F6	F6	F6											
4/18/2023	XX	LFUD9XGJ9	F6	F6	F6	F6	F6											
10/3/2023	XX	LFUD9X06H	F6	F6	F6	F6	F6											
<b>LF-UD-10</b>																		
4/3/2018	XX	LFXXXA48	F6	F6	F6	F6	F6											
4/23/2019	XX	LFXXXB74	F6	F6	F6	F6	F6											
4/28/2020	XX	LFXXXCEE	F6	F6	F6	F6	F6											
4/6/2021	XX	LFXXXDDB	F6	F6	F6	F6	F6											
4/26/2022	XX	LFXXXF23	F6	F6	F6	F6	F6											
4/18/2023	XX	LFXXXGJD	F6	F6	F6	F6	F6											
10/3/2023	XX	LFXXX06I	F6	F6	F6	F6	F6											
<b>LF-UD-12+13+14</b>																		
4/6/2021	XX	LFX12XDFB	F6	F6	F6	F6	F6											
10/3/2023	XX	LFXXX0A2	F6	F6	F6	F6	F6											
<b>LP-UD-1</b>																		
4/22/2014	XX	LPUD1X6F9	F6	F6		F6	F6											
4/28/2015	XX	LPUD1X794	F6	F6		F6	F6											
4/5/2016	XX	LPUD1X86F	F6	F6	F6	F6	F6											
4/18/2017	XX	LPUD1X97A	F6	F6	F6	F6	F6											
4/3/2018	XX	LPUD1XA32	F6	F6	F6	F6	F6											
4/23/2019	XX	LPUD1XB5I	1 U	20 U	5 U	5 U	5 U											
4/28/2020	XX	LPUD1XCDA	F6	F6	F6	F6	F6											
4/6/2021	XX	LPUD1XDC9	F6	F6	F6	F6	F6											
4/26/2022	XX	LPUD1XF11	F6	F6	F6	F6	F6											
4/18/2023	XX	LPUD1XGIB	F6	F6	F6	F6	F6											
10/3/2023	XX	LPUD1X061	F6	F6	F6	F6	F6											
<b>LP-UD-2</b>																		
4/22/2014	XX	LPUD2X6FA	1 U	20 U		5 U	5 U											
4/28/2015	XX	LPUD2X795	1 U	20 U		5 U	5 U											
4/5/2016	XX	LPUD2X86G	1 U	20 U	5 U	5 U	5 U											
4/18/2017	XX	LPUD2X97B	1 U	20 U	5 U	5 U	5 U											
4/3/2018	XX	LPUD2XA33	1 U	20 U	5 U	5 U	5 U											
4/23/2019	XX	LPUD2XB5J	1 U	20 U	5 U	5 U	5 U											
4/28/2020	XX	LPUD2XCDB	1 U	20 U	2 U	5 U	5 U											

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 4 of 4



Page 4 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LP-UD-2)		1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4-Dichloro-2-butene	Iodomethane												
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L											
4/6/2021	XX	LPUD2XDCA	1 U	20 U	2 U	5 U	5 U											
4/26/2022	XX	LPUD2XF12	1 U	20 U	2 U	5 U	5 U											
4/18/2023	XX	LPUD2XGIC	1 U	20 U	2 U	5 U	5 U											
10/3/2023	XX	LPUD2X062	1 U	20 U	2 U	5 U	5 U											
<b>MW-04-09A</b>																		
2/26/2020	XX	GWX09AC56	1 U	20 U	2 U	5 U	5 U											
4/30/2020	XX	GWX09ACC1	1 U	20 U	2 U	5 U	5 U											
6/23/2020	XX	GWX09ACGC	1 U	20 U	2 U	5 U	5 U											
8/20/2020	XX	GWX09AD1J	1 U	20 U	2 U	5 U	5 U											
<b>MW-04-09B</b>																		
2/26/2020	XX	GWX09BC57	1 U	20 U	2 U	5 U	5 U											
4/30/2020	XX	GWX09BCC2	1 U	20 U	2 U	5 U	5 U											
<b>MW06-01</b>																		
4/10/2018	XD	GWDP1XA68	1 U	20 U	5 U	5 U	5 U											
4/10/2018	XX	GWXXXXA70	1 U	20 U	5 U	5 U	5 U											
6/4/2018	XX	GWXXXXA7H	1 U	20 U	5 U	5 U	5 U											
<b>MW-08-01</b>																		
2/9/2021	XX	GWXXXXA0	1 U	20 U	2 U	5 U	5 U											
4/7/2021	XX	GWXXXXAJ	1 U	20 U	2 U	5 U	5 U											
6/9/2021	XX	GWXXXXH2	1 U	20 U	2 U	5 U	5 U											
8/19/2021	XX	GWXXXXE4G	1 U	20 U	2 U	5 U	5 U											
<b>MW-303 &amp; MW12-303R</b>																		
6/18/2015	XX	42173-1	1 U	20 U		5 U	5 U											
<b>MW-401B</b>																		
4/21/2014	XX	GW401B6F3	1 U	20 U		5 U	5 U											
4/21/2014	XD	GWDP4X6F6	1 U	20 U		5 U	5 U											
4/27/2015	XX	GW401B78I	1 U	20 U		5 U	5 U											
4/27/2015	XD	GWDP4X791	1 U	20 U		5 U	5 U											
4/6/2016	XD	GWDP4X86C	1 U	20 U	5 U	5 U	5 U											
4/6/2016	XX	GW401B869	1 U	20 U	5 U	5 U	5 U											
4/17/2017	XD	GWDP4X977	1 U	20 U	5 U	5 U	5 U											
4/17/2017	XX	GW401B974	1 U	20 U	5 U	5 U	5 U											
4/2/2018	XD	GWDP4XA2J	1 U	20 U	5 U	5 U	5 U											
4/2/2018	XX	GW401BA2G	1 U	20 U	5 U	5 U	5 U											
4/22/2019	XD	GWDP4XB5F	1 U	20 U	5 U	5 U	5 U											
4/22/2019	XX	GW401BB5C	1 U	20 U	5 U	5 U	5 U											
4/27/2020	XD	GWDP4XCD7	1 U	20 U	2 U	5 U	5 U											
4/27/2020	XX	GW401BCD4	1 U	20 U	2 U	5 U	5 U											
4/5/2021	XD	GWDP4XDC6	1 U	20 U	2 U	5 U	5 U											
4/5/2021	XX	GW401BDC3	1 U	20 U	2 U	5 U	5 U											
4/25/2022	XD	GWDP1XF01	1 U	20 U	2 U	5 U	5 U											
4/25/2022	XX	GW401BF0F	1 U	20 U	2 U	5 U	5 U											
4/17/2023	XD	GWDP1XGHB	1 U	20 U	2 U	5 U	5 U											
4/17/2023	XX	GW401BG15	1 U	20 U	2 U	5 U	5 U											
<b>MW-501</b>																		

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 4 of 4



Page 5 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-501)			1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4-Dichloro-2-butene	Iodomethane											
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L											
4/5/2018	XX	GW501XA6I	1 U	20 U	5 U	5 U	5 U											
6/4/2018	XX	GW501XA7F	1 U	20 U	5 U	5 U	5 U											
<b>MW-502</b>																		
2/26/2020	XD	GWDP1XC52	1 U	20 U	2 U	5 U	5 U											
2/26/2020	XX	GW502XC55	1 U	20 U	2 U	5 U	5 U											
4/30/2020	XX	GW502XCBJ	1 U	20 U	2 U	5 U	5 U											
<b>MW-503</b>																		
2/9/2021	XX	GW503XD9A	1 U	20 U	2 U	5 U	5 U											
4/8/2021	XX	GW503XDA9	1 U	20 U	2 U	5 U	5 U											
6/8/2021	XX	GW503XDGC	1 U	20 U	2 U	5 U	5 U											
8/19/2021	XX	GW503XE46	1 U	20 U	2 U	5 U	5 U											
<b>MW-504</b>																		
2/9/2021	XD	GWDP1XD94	1 U	20 U	2 U	5 U	5 U											
2/9/2021	XX	GW504XD9B	1 U	20 U	2 U	5 U	5 U											
4/7/2021	XX	GW504XDA	1 U	20 U	2 U	5 U	5 U											
6/9/2021	XD	GWDP1XDG9	1 U	20 U	2 U	5 U	5 U											
6/9/2021	XX	GW504XDGD	1 U	20 U	2 U	5 U	5 U											
8/19/2021	XX	GW504XE47	1 U	20 U	2 U	5 U	5 U											
<b>MW-505</b>																		
2/10/2021	XX	GW505XD9C	1 U	20 U	2 U	5 U	5 U											
4/8/2021	XX	GW505XDAB	1 U	20 U	2 U	5 U	5 U											
6/9/2021	XX	GW505XDGE	1 U	20 U	2 U	5 U	5 U											
8/18/2021	XX	GW505XE48	1 U	20 U	2 U	5 U	5 U											
<b>MW-506</b>																		
2/18/2021	XX	GW506XD9D	1 U	20 U	2 U	5 U	5 U											
4/8/2021	XX	GW506XDAC	1 U	20 U	2 U	5 U	5 U											
6/8/2021	XX	GW506XDGF	F16	F16	F16	F16	F16											
7/14/2021	XX	GW506XE38	1 U	20 U	2 U	5 U	5 U											
9/1/2021	XX	GW506XE49	1 U	20 U	2 U	5 U	5 U											
<b>MW-507</b>																		
4/5/2018	XX	GW507XA6J	1 U	20 U	5 U	5 U	5 U											
6/5/2018	XX	GW507XA7G	1 U	20 U	5 U	5 U	5 U											
8/20/2018	XX	GW507XAFF	1 U	20 U	5 U	5 U	5 U											
<b>MW-508</b>																		
10/5/2022	XX	GW508XG2E	1 U	20 U	2 U	5 U	5 U											
1/24/2023	XX	GW508XGBF	F	F	F	F	F											
3/30/2023	XX	GW508XGH2	1 U	20 U	2 U	5 U	5 U											
4/19/2023	XX	GW508XH1H	1 U	20 U	2 U	5 U	5 U											
6/19/2023	XX	GW508XH5H	1 U	20 U	2 U	5 U	5 U											
<b>OW-06-03</b>																		
4/10/2018	XX	GWXXXXA73	1 U	20 U	5 U	5 U	5 U											
6/5/2018	XX	GWXXXXA80	I	I	I	I	I											
7/19/2018	XX	GWXXXXAEI	I	I	I	I	I											

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 4 of 4



Page 6 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-601A)			1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4-Dichloro-2-butene	Iodomethane																	
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L																	
<b>OW-601A</b>																								
4/11/2018	XX	GW601AA69	1 U	20 U	5 U	5 U	5 U																	
6/6/2018	XX	GW601AA76	1 U	20 U	5 U	5 U	5 U																	
7/19/2018	XX	GW601AAE4	1 U	20 U	5 U	5 U	5 U																	
<b>OW-601B</b>																								
4/11/2018	XX	GW601BA6A	1 U	20 U	5 U	5 U	5 U																	
6/6/2018	XX	GW601BA77	1 U	20 U	5 U	5 U	5 U																	
<b>OW-602A</b>																								
4/11/2018	XX	GW602AA6B	1 U	20 U	5 U	5 U	5 U																	
6/6/2018	XD	GWDP1XA75	1 U	20 U	5 U	5 U	5 U																	
6/6/2018	XX	GW602AA78	1 U	20 U	5 U	5 U	5 U																	
<b>OW-603B</b>																								
4/12/2018	XX	GW603BA6C	1 U	20 U	5 U	5 U	5 U																	
6/5/2018	XX	GW603BA79	1 U	20 U	5 U	5 U	5 U																	
<b>OW-604A</b>																								
4/12/2018	XX	GW604AA6D	1 U	20 U	5 U	5 U	5 U																	
6/4/2018	XX	GW604AA7A	1 U	20 U	5 U	5 U	5 U																	
<b>OW-605A</b>																								
4/10/2018	XX	GW605AA6E	1 U	20 U	5 U	5 U	5 U																	
6/5/2018	XX	GW605AA7B	1 U	20 U	5 U	5 U	5 U																	
<b>OW-606A</b>																								
4/3/2018	XX	GW606AA6F	1 U	20 U	5 U	5 U	5 U																	
6/4/2018	XX	GW606AA7C	1 U	20 U	5 U	5 U	5 U																	
<b>OW-606B</b>																								
2/9/2021	XX	GW606BD9E	F	F	F	F	F																	
4/8/2021	XX	GW606BDAD	1 U	20 U	2 U	5 U	5 U																	
6/8/2021	XX	GW606BDGG	1 U	20 U	2 U	5 U	5 U																	
7/14/2021	XX	GW606BE37	1 U	20 U	2 U	5 U	5 U																	
8/18/2021	XX	GW606BE4A	1 U	20 U	2 U	5 U	5 U																	
<b>OW-607B</b>																								
2/9/2021	XX	GW607BD9F	1 U	20 U	2 U	5 U	5 U																	
4/7/2021	XX	GW607BDAE	1 U	20 U	2 U	5 U	5 U																	
6/9/2021	XX	GW607BDGH	1 U	20 U	2 U	5 U	5 U																	
8/19/2021	XX	GW607BE4B	1 U	20 U	2 U	5 U	5 U																	
<b>OW-608A</b>																								
4/4/2018	XX	GW608AA6G	1 U	20 U	5 U	5 U	5 U																	
6/4/2018	XX	GW608AA7D	1 U	20 U	5 U	5 U	5 U																	
<b>OW-608B</b>																								
2/10/2021	XX	GW608BD9G	1 U	20 U	2 U	5 U	5 U																	
4/8/2021	XD	GWDP1XDA6	1 U	20 U	2 U	5 U	5 U																	
4/8/2021	XX	GW608BDAF	1 U	20 U	2 U	5 U	5 U																	
6/8/2021	XX	GW608BDGI	1 U	20 U	2 U	5 U	5 U																	

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 VOA Parameters Group 4 of 4



Page 7 of 8  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-608B)		1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4-Dichloro-2-butene	Iodomethane												
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L											
8/17/2021	XD	GWDP1XE43	1 U	20 U	2 U	5 U	5 U											
8/17/2021	XX	GW608BE4C	1 U	20 U	2 U	5 U	5 U											
<b>OW-609B</b>																		
2/10/2021	XX	GW609BD9H	1 U	20 U	2 U	5 U	5 U											
4/8/2021	XX	GW609BDAG	1 U	20 U	2 U	5 U	5 U											
6/8/2021	XX	GW609BDGJ	1 U	20 U	2 U	5 U	5 U											
8/17/2021	XX	GW609BE4D	1 U	20 U	2 U	5 U	5 U											
<b>OW-610A</b>																		
10/5/2022	XX	GW610AG2F	1 U	20 U	2 U	5 U	5 U											
1/24/2023	XX	GW610AGBG	1 U	20 U	2 U	5 U	5 U											
4/19/2023	XX	GW610AH11	1 U	20 U	2 U	5 U	5 U											
6/19/2023	XX	GW610AH61	1 U	20 U	2 U	5 U	5 U											
<b>OW-611A</b>																		
4/4/2018	XX	GW611AA6H	1 U	20 U	5 U	5 U	5 U											
6/5/2018	XX	GW611AA7E	1 U	20 U	5 U	5 U	5 U											
<b>P-04-07A</b>																		
10/3/2022	XX	GWXXXXG2G	1 U	20 U	2 U	5 U	5 U											
1/24/2023	XX	GWX07AGBD	F	F	F	F	F											
3/30/2023	XD	GWDP1XGGJ	1 U	20 U	2 U	5 U	5 U											
3/30/2023	XX	GWX07AGH0	1 U	20 U	2 U	5 U	5 U											
4/19/2023	XD	GWDP5XH0A	1 U	20 U	2 U	5 U	5 U											
4/19/2023	XX	GWXXXXH1J	1 U	20 U	2 U	5 U	5 U											
6/19/2023	XD	GWDP1XH5E	1 U	20 U	2 U	5 U	5 U											
6/19/2023	XX	GWX07AH5F	1 U	20 U	2 U	5 U	5 U											
<b>P-04-07B</b>																		
10/3/2022	XX	GWXXXXG2H	1 U	20 U	2 U	5 U	5 U											
1/24/2023	XX	GWX07BGBE	F	F	F	F	F											
3/30/2023	XX	GWX07BGH1	1 U	20 U	2 U	5 U	5 U											
4/19/2023	XX	GWXXXXH20	1 U	20 U	2 U	5 U	5 U											
6/19/2023	XX	GWX07BH5G	1 U	20 U	2 U	5 U	5 U											
<b>P-04-11A</b>																		
2/10/2021	XX	GWXXXXD9I	1 U	20 U	2 U	5 U	5 U											
4/8/2021	XX	GWXXXXDAH	1 U	20 U	2 U	5 U	5 U											
6/9/2021	XX	GWXXXXDH0	1 U	20 U	2 U	5 U	5 U											
8/18/2021	XX	GWXXXXE4E	1 U	20 U	2 U	5 U	5 U											
<b>P-04-11B</b>																		
2/10/2021	XX	GWXXXXD9J	1 U	20 U	2 U	5 U	5 U											
4/8/2021	XX	GWXXXXDAI	1 U	20 U	2 U	5 U	5 U											
6/9/2021	XX	GWXXXXDH1	1 U	20 U	2 U	5 U	5 U											
8/18/2021	XX	GWXXXXE4F	1 U	20 U	2 U	5 U	5 U											
<b>PWS-4</b>																		
1/24/2023	XX	PWXX4XGBI	A	A	A	A	A											
3/30/2023	XX	PWXX4XGH5	1 U	20 U	2 U	5 U	5 U											
4/19/2023	XX	GWXXXXH22	1 U	20 U	2 U	5 U	5 U											

(PWS-4)			1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4- Dichloro-2- butene	Iodomethane										
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L										
6/19/2023	XX	PWXX4XH5J	1 U	20 U	2 U	5 U	5 U										
7/13/2023	XX	PWXX4X023	1 U	20 U	2 U	5 U	5 U										
10/4/2023	XX	GWXXX094	1 U	20 U	2 U	5 U	5 U										
<b>SW23-4</b>																	
1/24/2023	XX	SWXX4XGBH	A	A	A	A	A										
3/30/2023	XX	SWXX4XGH4	1 U	20 U	2 U	5 U	5 U										
4/19/2023	XX	GWXXXH23	1 U	20 U	2 U	5 U	5 U										
6/19/2023	XX	SWXX4XH5I	1 U	20 U	2 U	5 U	5 U										
7/13/2023	XX	SWXX4X022	1 U	20 U	2 U	5 U	5 U										

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

- A- The sampling location was inaccessible.
- F- The sampling location was frozen.
- F12- Pipe under water, no sample taken.
- F16- Could not pump water to surface for testing/sampling
- F6- No flow. Sample not taken.
- H8- No flow from pipe. See LF-COMP for readings
- I- The sampling location yielded insufficient quantity to collect a sample.
- U- Not Detected above the laboratory reporting limit.

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Methane



Page 1 of 9  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LF-LD-11) Methane  
 ug/L

Date Type Sample ID

**LF-LD-11**

7/13/2021	XX	LFXXXXE1C	59																
10/5/2021	XX	LFXXXXE88	25																
7/19/2022	XX	LFXXXXFA9	20 U																
7/11/2023	XX	LFXXXX005	20 U																

**LF-LD-12**

7/13/2021	XX	LFXXXXE1D	170																
10/5/2021	XX	LFXXXXE89	48																
7/19/2022	XX	LFXXXXFAA	240																
7/11/2023	XX	LFXXXX006	240																

**LF-LD-13**

7/19/2022	XX	LFXXXXFB4	53																
7/11/2023	XX	LFXXXX010	39																

**LF-LD-14**

7/11/2023	XX	LFXXXX01G	79																
-----------	----	-----------	----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**LF-UD-12+13+14**

7/11/2023	XX	LFXXXX01F	20 U																
-----------	----	-----------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**MW-04-09A**

7/15/2021	XX	GWXXXXE20	20 U																
10/7/2021	XX	GWX09AE86	20 U																
4/27/2022	XX	GWX09AF2C	20 U																
7/20/2022	XX	GWXXXXFAF	20 U																
10/5/2022	XX	GWX09AG0B	20 U																
4/19/2023	XX	GWX09AH02	20 U																
7/12/2023	XX	GWXXXX00B	20 U																
10/4/2023	XX	GWX09A077	20 U																

**MW-04-09B**

7/15/2021	XX	GWXXXXE21	20 U																
10/7/2021	XD	GDWP5XE8E	20 U																
10/7/2021	XX	GWX09BE87	20 U																
4/27/2022	XD	GDWP5XF30	20 U																
4/27/2022	XX	GWX09BF2D	20 U																
7/20/2022	XX	GWXXXXFAG	20 U																
10/5/2022	XD	GDWP5XG0J	20 U																
10/5/2022	XX	GWX09BG0C	20 U																
4/19/2023	XX	GWX09BH03	20 U																
7/12/2023	XX	GWXXXX00C	20 U																
10/4/2023	XX	GWX09B078	20 U																

**MW06-01**

4/7/2021	XX	GWXXXXDI	20 U																
7/20/2022	XX	GWXXXXFA7	62																
7/12/2023	XX	GWXXXX003	110																
10/4/2023	XX	GWXXXX06J	230																



(MW-08-01) Methane  
ug/L

Date Type Sample ID

MW-08-01															
Date	Type	Sample ID	Concentration	Units	Notes										
2/9/2021	XX	GWXXXXA0	20	U											
4/7/2021	XX	GWXXXXDAJ	20	U											
6/9/2021	XX	GWXXXXDH2	20	U											
8/19/2021	XX	GWXXXXE4G	20	U											
10/4/2021	XX	GWXXXXE9B	20	U											
4/27/2022	XX	GWXXXXF3G	20	U											
7/21/2022	XX	GWXXXXFBD	20	U											
10/5/2022	XX	GWXXXXG1F	20	U											
4/17/2023	XX	GWXXXXH16	20	U											
7/13/2023	XX	GWXXXX019	20	U											
10/5/2023	XX	GWXXXX08B	20	U											

MW-206															
Date	Type	Sample ID	Concentration	Units	Notes										
7/14/2021	XX	GW206XDIG	20	U											
10/4/2021	XX	GWXXXXE8D	20	U											
4/25/2022	XX	GWXXXXF2J	20	U											
7/18/2022	XX	GW206XF7E	20	U											
10/3/2022	XX	GWXXXXG0I	20	U											
4/17/2023	XX	GWXXXXH09	20	U											
7/10/2023	XX	GW206XH78	20	U											
10/2/2023	XX	GWXXXX07E	20	U											

MW-223B															
Date	Type	Sample ID	Concentration	Units	Notes										
4/22/2014	XX	GW223B6FF	20	U											
7/29/2014	XX	GW223B700	20	U											
10/21/2014	XX	GW223B73C	30												
4/28/2015	XX	GW223B798	20	U											
7/14/2015	XX	GW223B7D0	20	U											
10/27/2015	XX	GW223B7I9	20	U											
4/5/2016	XX	GW223B86J	20	U											
4/18/2017	XX	GW223B97E	20	U											
4/3/2018	XX	GW223BA36	20	U											
4/23/2019	XX	GW223BB62	20	U											
7/16/2019	XX	GW223BBCD	20	U											
10/29/2019	XX	GW223BBI6	20	U											
4/28/2020	XX	GW223BCDD	20	U											
7/21/2020	XX	GW223BCI6	20	U											
10/27/2020	XX	GW223BD3A	20	U											
4/6/2021	XX	GW223BDCC	20	U											
7/13/2021	XX	GW223BE04	20	U											
10/5/2021	XX	GW223BE6C	20	U											
4/26/2022	XX	GW223BF14	20	U											
7/19/2022	XX	GW223BF92	20	U											
10/4/2022	XX	GW223BFJ3	20	U											
4/18/2023	XX	GW223BGIE	20	U											

MW-501															
Date	Type	Sample ID	Concentration	Units	Notes										
4/7/2021	XX	GW501XDDH	20	U											
7/14/2021	XX	GW501XE18	20	U											



REPORT PREPARED: 3/12/2024 08:47

FOR: Juniper Ridge Landfill

DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE

Methane



(MW-501)		Methane																
		ug/L																
Date	Type	Sample ID																
10/6/2021	XX	GW501XE8A	20 U															
4/27/2022	XX	GW501XF2G	20 U															
7/20/2022	XX	GW501XFA6	20 U															
10/5/2022	XX	GW501XG0F	20 U															
4/19/2023	XX	GW501XH06	20 U															
7/12/2023	XX	GW501X002	20 U															
10/4/2023	XX	GW501X07B	20 U															
<b>MW-502</b>																		
7/14/2021	XX	GW502XE23	190															
10/7/2021	XX	GW502XE8B	37															
4/27/2022	XX	GW502XF2H	20 U															
7/20/2022	XX	GW502XFAI	20 U															
10/5/2022	XX	GW502XG0G	20 U															
4/19/2023	XX	GW502XH07	20 U															
7/12/2023	XX	GW502X00E	20 U															
10/4/2023	XX	GW502X07C	20 U															
<b>MW-503</b>																		
2/9/2021	XX	GW503XD9A	20 U															
4/8/2021	XX	GW503XDA9	20 U															
6/8/2021	XX	GW503XDGC	20 U															
8/19/2021	XX	GW503XE46	20 U															
10/7/2021	XX	GW503XE96	20 U															
4/27/2022	XX	GW503XF3B	20 U															
7/20/2022	XX	GW503XFB5	20 U															
10/5/2022	XX	GW503XG1A	20 U															
4/20/2023	XX	GW503XH11	20 U															
7/13/2023	XX	GW503X011	20 U															
10/4/2023	XX	GW503X086	20 U															
<b>MW-504</b>																		
2/9/2021	XD	GWDP1XD94	20 U															
2/9/2021	XX	GW504XD9B	20 U															
4/7/2021	XX	GW504XDAA	20 U															
6/9/2021	XD	GWDP1XDG9	20 U															
6/9/2021	XX	GW504XDGD	20 U															
8/19/2021	XX	GW504XE47	20 U															
10/7/2021	XD	GWDP6XE9A	20 U															
10/7/2021	XX	GW504XE97	20 U															
4/27/2022	XD	GWDP6XF3F	20 U															
4/27/2022	XX	GW504XF3C	20 U															
7/21/2022	XX	GW504XFB6	!															
10/5/2022	XD	GWDP6XG1E	20 U															
10/5/2022	XX	GW504XG1B	20 U															
4/20/2023	XD	GWDP6XH15	20 U															
4/20/2023	XX	GW504XH12	20 U															
7/13/2023	XX	GW504X012	20 U															
10/5/2023	XD	GWDP6X08A	20 U															
10/5/2023	XX	GW504X087	20 U															

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Methane



Page 4 of 9  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(MW-505) Methane  
 ug/L

Date Type Sample ID

**MW-505**

2/10/2021	XX	GW505XD9C	20 U																
4/8/2021	XX	GW505XDAB	20 U																
6/9/2021	XX	GW505XDGE	20 U																
8/18/2021	XX	GW505XE48	20 U																
10/7/2021	XX	GW505XE98	20 U																
4/27/2022	XX	GW505XF3D	20 U																
7/21/2022	XX	GW505XFB7	20 U																
10/5/2022	XX	GW505XG1C	20 U																
4/20/2023	XX	GW505XH13	20 U																
7/13/2023	XX	GW505X013	20 U																
10/4/2023	XX	GW505X088	20 U																

**MW-506**

2/18/2021	XX	GW506XD9D	20 U																
4/8/2021	XX	GW506XDAC	20 U																
6/8/2021	XX	GW506XDGF	F 16																
7/14/2021	XX	GW506XE38	20 U																
9/1/2021	XX	GW506XE49	20 U																
10/7/2021	XX	GW506XE99	20 U																
4/27/2022	XX	GW506XF3E	20 U																
7/18/2022	XX	GW506XFB8	20 U																
10/5/2022	XX	GW506XG1D	20 U																
4/18/2023	XX	GW506XH14	20 U																
7/11/2023	XX	GW506X014	20 U																
10/4/2023	XX	GW506X089	20 U																

**MW-507**

7/14/2021	XX	GW507XE24	20 U																
10/7/2021	XX	GW507XE8C	20 U																
4/27/2022	XX	GW507XF2I	20 U																
7/20/2022	XX	GW507XFAJ	20 U																
10/5/2022	XX	GW507XG0H	20 U																
4/19/2023	XX	GW507XH08	20 U																
7/13/2023	XX	GW507X00F	20 U																
10/5/2023	XX	GW507X07D	20 U																

**MW-508**

10/5/2022	XX	GW508XG2E	20 U																
1/24/2023	XX	GW508XGBF	F																
3/30/2023	XX	GW508XGH2	20 U																
4/19/2023	XX	GW508XH1H	20 U																
6/19/2023	XX	GW508XH5H	20 U																
7/13/2023	XX	GW508X01I	20 U																
10/4/2023	XD	GWDP5X07F	20 U																
10/4/2023	XX	GW508X090	20 U																

**OW-06-03**

7/14/2021	XX	GWXXXXE17	2900																
7/20/2022	XX	GWXXXXFA5	I																

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Methane



Page 5 of 9  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(OW-06-03)		Methane																
		ug/L																
Date	Type	Sample ID																
7/12/2023	XX	GWXXXX001	D															
<b>OW-601A</b>																		
7/12/2021	XX	GW601ADIH	20 U															
7/21/2022	XX	GW601AF7F	20 U															
7/12/2023	XX	GW601AH79	20 U															
<b>OW-601B</b>																		
7/12/2021	XD	GWDP4XDJI	20 U															
7/12/2021	XX	GW601BE13	20 U															
7/21/2022	XD	GWDP4XF8G	20 U															
7/21/2022	XX	GW601BFA1	20 U															
7/12/2023	XD	GWDP4XH8A	20 U															
7/12/2023	XX	GW601BH9F	20 U															
<b>OW-602A</b>																		
7/12/2021	XX	GW602AE14	41															
7/21/2022	XX	GW602AFA2	20 U															
7/12/2023	XX	GW602AH9G	130															
<b>OW-603B</b>																		
7/13/2021	XX	GW603BE15	D															
10/6/2021	XX	GW603BE7J	D															
7/21/2022	XX	GW603BFA3	D															
7/12/2023	XX	GW603BH9H	I															
<b>OW-604A</b>																		
7/14/2021	XX	GW604AE16	20 U															
7/21/2022	XX	GW604AFA4	20 U															
7/12/2023	XX	GW604AH9I	20 U															
<b>OW-605A</b>																		
7/14/2021	XD	GWDP6XE1J	20 U															
7/14/2021	XX	GW605AE25	20 U															
10/7/2021	XX	GW605AE8G	20 U															
7/21/2022	XD	GWDP6XF8G	480															
7/21/2022	XX	GW605AFB0	430															
7/12/2023	XD	GWDP7X00A	20 U															
7/12/2023	XX	GW605A00G	20 U															
<b>OW-606A</b>																		
7/14/2021	XX	GW606AE06	20 U															
10/7/2021	XX	GW606AE8H	20 U															
7/20/2022	XX	GW606AF94	20 U															
7/12/2023	XX	GW606AH8I	20 U															
<b>OW-606B</b>																		
2/9/2021	XX	GW606BD9E	F															
4/8/2021	XX	GW606BDAD	20 U															
6/8/2021	XX	GW606BDGG	20 U															
7/14/2021	XX	GW606BE37	20 U															
8/18/2021	XX	GW606BE4A	20 U															

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Methane



Page 6 of 9  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

<b>(OW-606B)</b>		Methane																
		ug/L																
Date	Type	Sample ID																
10/7/2021	XX	GW606BE8I	20	U														
7/20/2022	XX	GW606BF89	20	U														
7/12/2023	XX	GW606B015	20	U														
<b>OW-607B</b>																		
2/9/2021	XX	GW607BD9F	20	U														
4/7/2021	XX	GW607BDAE	20	U														
6/9/2021	XX	GW607BDGH	20	U														
8/19/2021	XX	GW607BE4B	20	U														
10/7/2021	XX	GW607BE8J	20	U														
7/20/2022	XX	GW607BF8A	20	U														
7/13/2023	XX	GW607B016	20	U														
<b>OW-608A</b>																		
7/15/2021	XX	GW608AE26	20	U														
10/6/2021	XX	GW608AE90	140															
7/20/2022	XX	GW608AFB1	20	U														
8/2/2023	XX	GW608A00H	20	U														
<b>OW-608B</b>																		
2/10/2021	XX	GW608BD9G	20	U														
4/8/2021	XD	GWDP1XDA6	20	U														
4/8/2021	XX	GW608BDAF	20	U														
6/8/2021	XX	GW608BDGI	20	U														
8/17/2021	XD	GWDP1XE43	20	U														
8/17/2021	XX	GW608BE4C	20	U														
10/6/2021	XX	GW608BE91	20	U														
7/20/2022	XX	GW608BF8B	20	U														
7/13/2023	XX	GW608B017	20	U														
<b>OW-609B</b>																		
2/10/2021	XX	GW609BD9H	20	U														
4/8/2021	XX	GW609BDAG	20	U														
6/8/2021	XX	GW609BDGJ	20	U														
8/17/2021	XX	GW609BE4D	20	U														
10/7/2021	XX	GW609BE92	20	U														
7/18/2022	XX	GW609BF8C	20	U														
7/11/2023	XX	GW609B018	20	U														
<b>OW-610A</b>																		
10/5/2022	XX	GW610AG2F	250															
1/24/2023	XX	GW610AG8G	300															
4/19/2023	XX	GW610AH11	170															
6/19/2023	XX	GW610AH61	140															
7/13/2023	XX	GW610A01H	150															
<b>OW-611A</b>																		
7/14/2021	XX	GW611AE27	20	U														
10/7/2021	XX	GW611AE93	20	U														
7/20/2022	XX	GW611AF82	20	U														
7/13/2023	XX	GW611A00I	20	U														

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Methane



Page 7 of 9  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(P-04-07A) Methane  
 ug/L

Date Type Sample ID

P-04-07A															
10/3/2022	XX	GWXXXXG2G	20 U												
1/24/2023	XX	GWX07AGBD	F												
3/30/2023	XD	GWDP1XGGJ	20 U												
3/30/2023	XX	GWX07AGH0	20 U												
4/19/2023	XD	GWDP5XH0A	20 U												
4/19/2023	XX	GWXXXXH1J	20 U												
6/19/2023	XD	GWDP1XH5E	20 U												
6/19/2023	XX	GWX07AH5F	20 U												
7/13/2023	XD	GWDP6X021	20 U												
7/13/2023	XX	GWX07A01J	20 U												

P-04-07B															
10/3/2022	XX	GWXXXXG2H	20 U												
1/24/2023	XX	GWX07BGBE	F												
3/30/2023	XX	GWX07BGH1	20 U												
4/19/2023	XX	GWXXXXH20	20 U												
6/19/2023	XX	GWX07BH5G	20 U												
7/13/2023	XX	GWX07B020	20 U												

P-04-11A															
2/10/2021	XX	GWXXXXD9I	20 U												
4/8/2021	XX	GWXXXXDAH	20 U												
6/9/2021	XX	GWXXXXDH0	20 U												
8/18/2021	XX	GWXXXXE4E	20 U												
10/6/2021	XX	GWX11AE94	20 U												
4/27/2022	XX	GWX11AF39	20 U												
7/21/2022	XX	GWXXXXFBE	20 U												
7/12/2023	XX	GWXXXX01A	20 U												

P-04-11B															
2/10/2021	XX	GWXXXXD9J	20 U												
4/8/2021	XX	GWXXXXDAI	20 U												
6/9/2021	XX	GWXXXXDH1	20 U												
8/18/2021	XX	GWXXXXE4F	20 U												
10/6/2021	XX	GWX11BE95	20 U												
4/27/2022	XX	GWX11BF3A	20 U												
7/21/2022	XX	GWXXXXFBF	D												
7/12/2023	XX	GWXXXX01B	20 U												

P-206A															
7/14/2021	XX	GW206AE22	20 U												
7/18/2022	XX	GW206FAFH	20 U												
7/10/2023	XX	GW206A00D	20 U												
10/2/2023	XX	GW206A065	20 U												

PWS10-1															
4/27/2015	XX	GWPWS1788	830												
7/13/2015	XX	GWPWS17C0	4600												
10/26/2015	XX	GWPWS17H9	440												

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Methane



Page 8 of 9  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(PWS10-1) Methane  
 ug/L

Date	Type	Sample ID																
4/4/2016	XX	GWPWS185J	770															
4/17/2017	XX	GWPWS196E	40															
4/2/2018	XX	GWPWS1A25	20 U															
4/22/2019	XX	GWPWS1B51	79															
7/15/2019	XX	GWPWS1BBE	130															
10/28/2019	XX	GWPWS1BH7	20 U															
4/27/2020	XX	GWPWS1CCE	270															
7/21/2020	XX	GWXXXIOB	45															
10/26/2020	XX	GWPWS1D2B	20 U															
4/5/2021	XX	GWPWS1DBD	1600															
7/12/2021	XX	GWPWS1DJ5	190															
10/4/2021	XX	GWPWS1E5D	700															
4/25/2022	XX	GWPWS1F05	1100															
7/18/2022	XX	GWPWS1F83	2200															
10/3/2022	XX	GWPWS1FI4	240															
4/17/2023	XX	GWPWS1GHF	160															
7/10/2023	XX	GWPWS1H7H	120															
10/2/2023	XX	GWPWS1055	720															

**PWS10-2**

4/27/2015	XX	GWPWS2789	50															
7/13/2015	XX	GWPWS27C1	690															
10/26/2015	XX	GWPWS27HA	20 U															
4/4/2016	XX	GWPWS2860	140															
4/17/2017	XX	GWPWS296F	220															
4/2/2018	XX	GWPWS2A26	20 U															
4/22/2019	XX	GWPWS2B52	20 U															
7/15/2019	XX	GWPWS2BBF	110															
10/28/2019	XX	GWPWS2BH8	20 U															
4/27/2020	XX	GWPWS2CCF	20 U															
7/20/2020	XX	GWPWS2CH8	38															
10/26/2020	XX	GWPWS2D2C	300															
4/5/2021	XX	GWPWS2DBE	79															
7/12/2021	XX	GWPWS2DJ6	95															
10/4/2021	XX	GWPWS2E5E	190															
4/25/2022	XX	GWPWS2F06	20 U															
7/18/2022	XX	GWPWS2F84	4800															
10/3/2022	XX	GWPWS2FI5	92															
4/17/2023	XX	GWPWS2GHG	20 U															
7/10/2023	XX	GWPWS2H7I	100															
10/2/2023	XX	GWPWS2056	99															

**PWS10-3**

4/27/2015	XX	GWPWS378A	20 U															
7/13/2015	XX	GWPWS37C2	260															
10/26/2015	XX	GWPWS37HB	160															
4/4/2016	XX	GWPWS3861	20 U															
4/17/2017	XX	GWPWS396G	20 U															
4/2/2018	XX	GWPWS3A27	20 U															
4/22/2019	XX	GWPWS3B53	20 U															

REPORT PREPARED: 3/12/2024 08:47  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Methane



(PWS10-3)		Methane																
		ug/L																
Date	Type	Sample ID																
7/15/2019	XX	GWPWS3BBG	280															
10/28/2019	XX	GWPWS3BH9	20 U															
4/27/2020	XX	GWPWS3CCG	20 U															
7/20/2020	XX	GWPWS3CH9	4000															
10/26/2020	XX	GWPWS3D2D	44															
4/5/2021	XX	GWPWS3DBF	400															
7/12/2021	XX	GWPWS3DJ7	140															
10/4/2021	XX	GWPWS3E5F	130															
4/25/2022	XX	GWPWS3F07	20 U															
7/18/2022	XX	GWPWS3F85	1300															
10/3/2022	XX	GWPWS3F16	250															
4/17/2023	XX	GWPWS3GHH	20 U															
7/10/2023	XX	GWPWS3H7J	220															
10/2/2023	XX	GWPWS3057	20 U															
<b>PWS-4</b>																		
1/24/2023	XX	PWXX4XGBI	A															
3/30/2023	XX	PWXX4XGH5	20 U															
4/19/2023	XX	GWXXXXH22	26															
6/19/2023	XX	PWXX4XH5J	62															
7/13/2023	XX	PWXX4X023	33															
10/4/2023	XX	GWXXXX094	55															
<b>SW23-4</b>																		
1/24/2023	XX	SWXX4XGBH	A															
3/30/2023	XX	SWXX4XGH4	20 U															
4/19/2023	XX	GWXXXXH23	20 U															
6/19/2023	XX	SWXX4XH5I	20 U															
7/13/2023	XX	SWXX4X022	20 U															
10/4/2023	XX	GWXXXX095	20 U															

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:**

Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

- ! - The sampling location was damaged or destroyed.
- A - The sampling location was inaccessible.
- D - The sampling location was dry.
- F - The sampling location was frozen.
- F16 - Could not pump water to surface for testing/sampling
  - I - The sampling location yielded insufficient quantity to collect a sample.
  - U - Not Detected above the laboratory reporting limit.

REPORT PREPARED: 3/18/2024 06:51  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023


DATA SUMMARY TABLE  
 Leachate - Field Data



Page 1 of 2  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LT-C4L & LT-C4LR)			Specific Conductance	pH	Temperature	Eh	Dissolved Oxygen	Alkalinity (CaCO3) (field)	Turbidity (field)	Flow Rate							
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	mV	mg/L	mg/L	NTU	cfs							
<b>LT-C4L &amp; LT-C4LR</b>																	
4/22/2014	XX	LTC4LX6EH	15370	7.2	13.3	134	D2	D3	D3								
7/30/2014	XX	LTC4LX6J4	23800	7.2	22.3	-30	D2	D3	D3								
10/21/2014	XX	LTC4LX72F	21300	7.2	15.8	238	D2	D3	D3								
4/28/2015	XX	LTC4LX78C	22600	7.5	12.1	-151	D2		D3								
7/15/2015	XX	LTC4LX7C4	21500	6.9	22.7	-178	D2		D3								
10/27/2015	XX	LTC4LX7HD	29100	7.6	9.4	-133	D2		D3								
4/5/2016	XX	LTC4LX863	19950	5.5	10.9	100	D2		D3								
7/26/2016	XX	LTC4LX8AD	29200	6.3	27.1	-6	D2		D3								
10/25/2016	XX	LTC4LX8IC	25800	6.3	14.7	113	D2		1416								
4/18/2017	XX	LTC4LX96I	26400	6.3	12.7	-102	D2		1009								
7/25/2017	XX	LTC4LX9CG	25900	7.3	20.8	-141	D2		156								
10/24/2017	XX	LTC4LX9GB	29800	7.6	22.2	-12	D2		126								
4/3/2018	XX	LTC4LXA2A	11520	7	12.7	-41	D2		198								
7/17/2018	XX	LTC4LXABB	26000	7.2	23.1	-127	D2		190								
10/2/2018	XX	LTC4LXB09	23000	7.5	15.4	-76	D2		7.84								
4/23/2019	XX	LTC4LXB56	13730	7	9.6	-6	7.5		1733								
7/16/2019	XX	LTC4LXBBI	21908	7.1	26.1	7	D2		609								
10/29/2019	XX	LTC4LXBHB	18730	7.1	15.2	-59	D2		1407								
4/28/2020	XX	LTC4LXCCI	17490	6.6	12.6	-20	2.8		D3								
7/21/2020	XX	LTC4LXCHB	25800	5.9	29	-311	1.1		D3								
10/27/2020	XX	LTC4LXD2F	21900	7.5	12.8	-299	D2		741								
4/6/2021	XX	LTC4LXDBH	17300	7.4	13	52	2.2		D3								
7/13/2021	XX	LTC4LXDJ9	21200	7.2	23.9	-71	0.5		D3								
10/5/2021	XX	LTC4LXE5H	18480	7.2	25.1	-41	0.9		4.4								
5/26/2022	XX	LTC4LXF09	18909	7.5	22.1	46	0.2		D3								
7/19/2022	XX	LTC4LXF87	22260	6.8	26.4	-98	FK		D3								
10/4/2022	XX	LTC4LXF18	21263	6.7	16.3	-62	0.3		D3	0.0071							
4/18/2023	XX	LTC4LXGHJ	20000	7.5	13.1	-113	1.3		D3	0.0071							
7/11/2023	XX	LTC4LXH81	19380	7.1	25.2	-135	0.3		66.5	0.0071							
10/2/2023	XX	LTC4LX059	17673	6.8	23.4	-108	0.1		D3	0.0071							



REPORT PREPARED: 3/18/2024 06:51 FOR: Juniper Ridge Landfill DATE RANGE: 1/1/2014 - 12/31/2023			<b>DATA SUMMARY TABLE</b> <b>Leachate - Field Data</b>								Page 2 of 2 SEVEE & MAHER ENGINEERS, INC. 4 BLANCHARD ROAD CUMBERLAND CENTER, ME 04021		
<b>(LT-C4L &amp; LT-C4LR)</b>			Specific Conductance	pH	Temperature	Eh	Dissolved Oxygen	Alkalinity (CaCO <sub>3</sub> ) (field)	Turbidity (field)	Flow Rate			
Date	Type	Sample ID	µmhos/cm @25°C	STU	Deg C	mV	mg/L	mg/L	NTU	cfs			

**Units Abbreviations:**

- µmhos/cm @25°C - MICROSIEMENS PER CENTIMETER
- cfs - CUBIC FEET PER SECOND
- Deg C - DEGREES CELCIUS (TEMPERATURE)
- mg/L - MILLIGRAMS PER LITER
- mV - MILLIVOLTS
- NTU - NEPHELOMETRIC TURBIDITY UNIT (TURBIDITY)
- STU - STANDARD PH UNIT

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

- D2- Sample too dark to read D.O. reading.
- D3- Sample too dark to take reading.
- FK- Outside range of available field kits.

(LT-C4L & LT-C4LR)			Total Kjeldahl Nitrogen	Ammonia (N)	Nitrate (N)	Total Phosphorus	Total Dissolved Solids	Total Suspended Solids	Sulfate	Sulfide	Ca-mg Hardness (CaCO3)	Bicarbonate Alkalinity (CaCO3)	Alkalinity (CaCO3)	Organic Carbon	Biochemical Oxygen Demand	Nitrite/Nitrate - (N)	Chemical Oxygen Demand
Date	Type	Sample ID	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L

LT-C4L & LT-C4LR																	
4/22/2014	XX	LTC4LX6EH	520	434	45 U		8600	28	300 U	4	1889	2010	2010	364	434		1620
7/30/2014	XX	LTC4LX6J4	850	708	348		12040	64	2250			3200		761			2760
10/21/2014	XX	LTC4LX72F	820	700	30 U	0.83	13280	44	200 U	6		2740		460	448		2320
4/28/2015	XX	LTC4LX78C	800	636	48 U		10080	38	320 U	40	1738	3560	3560	580	1284		2955
7/15/2015	XX	LTC4LX7C4				2.93	17940	40	800			4710		373		10 U	
10/27/2015	XX	LTC4LX7HD				2.99	15800	17	2670			3850		363		3 U	
4/5/2016	XX	LTC4LX863	680	554	30 U		11850	119	205	16	2910	2800	2800	1426	2700		5000
7/26/2016	XX	LTC4LX8AD	550				16460	125	970			3850		1900		0.3 U	
10/25/2016	XX	LTC4LX8IC	990				14380	60	1780			3490		1150		0.05 U	
4/18/2017	XX	LTC4LX96I	1100	830	190		12732	30	640	31	2000	3700	3700	1200	890		3200
7/25/2017	XX	LTC4LX9CG	1300				15448	34	1500			4100		680		0.1 U	
10/24/2017	XX	LTC4LX9GB	1000				15836	13	2700			3400		480		0.1 U	
4/3/2018	XX	LTC4LXA2A	610	520	260		7956	25	1100	11	1400	2200	2200	360	320		1600
7/17/2018	XX	LTC4LXABB	1400				13	42	600 U			3600		450		0.5 U	
10/2/2018	XX	LTC4LXB09	1000				12960	29	2900			2900		430		0.05 U	
4/23/2019	XX	LTC4LXB56	470	330	240		8744	40	2200	29	2300	1900	1900	110	760		1400
7/16/2019	XX	LTC4LXBBI	780				12152	180	2000			3000		480		0.5 U	
10/29/2019	XX	LTC4LXBHB	660				9832	48	1900			2600		570		0.073	
4/28/2020	XX	LTC4LXCCI	730	590	210		10160	48	1300	16	1700	2400	2400	880	200		1700
7/21/2020	XX	LTC4LXCHB	780				14610	8	2000			3100		500		0.2	
10/27/2020	XX	LTC4LXD2F	660				10940	29	120			2700		1100 M10		0.05 U	
4/6/2021	XX	LTC4LXDBH	710	600	310		9970	7	1600	4.5	1300	2300	2300	330	150		1700
7/13/2021	XX	LTC4LXDJ9	660				12000	7	500 U			2900		520		0.3 U	
10/5/2021	XX	LTC4LXE5H	890				11040	4.5	32			2800		450		0.05 U	
5/26/2022	XX	LTC4LXF09	970	750	30 U		12340	40	200 U	3.5	1500	3300	3300	430	150		2300
7/19/2022	XX	LTC4LXF87	990				13120	8	20 U			3500		470		0.2 U	
10/4/2022	XX	LTC4LXF18	1000				11000	16	50			3100		370		0.15	
4/18/2023	XX	LTC4LXGHJ	940	720	7.5 U		11760	10	78	18	1500	3300	3300	530	220		2200
7/11/2023	XX	LTC4LXH81	910				12160	10	100 U			3300		480		0.3 U	
10/2/2023	XX	LTC4LX059	810				10010	2.5 U	43			3400		490		0.3 U	

**Units Abbreviations:**

mg/L - MILLIGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

M10- Due to a identified laboratory instrumentation malfunction, this analytical result is likely elevated—the laboratory has fixed the issue.  
 U- Not Detected above the laboratory reporting limit.

REPORT PREPARED: 12/27/2023 14:40  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Leachate - Inorganics Group 2 of 2



(LT-C4L & LT-C4LR) Chloride Bromide Cyanide  
 mg/L mg/L ug/L

Date Type Sample ID

LT-C4L & LT-C4LR

Date	Type	Sample ID	Chloride (mg/L)	Bromide (mg/L)	Cyanide (ug/L)														
4/22/2014	XX	LTC4LX6EH	7650	63.6	5 U														
7/30/2014	XX	LTC4LX6J4	13950	39															
10/21/2014	XX	LTC4LX72F	7070	100															
4/28/2015	XX	LTC4LX78C	5420	57	5 U														
7/15/2015	XX	LTC4LX7C4	11600	10 U															
10/27/2015	XX	LTC4LX7HD	16100	30 U															
4/5/2016	XX	LTC4LX863	5910	84.1	5 U														
7/26/2016	XX	LTC4LX8AD	11100	72.7															
10/25/2016	XX	LTC4LX8IC	16100	120															
4/18/2017	XX	LTC4LX96I	12000	75	74														
7/25/2017	XX	LTC4LX9CG	12000	72															
10/24/2017	XX	LTC4LX9GB	14000	20 U															
4/3/2018	XX	LTC4LXA2A	9300	52	43														
7/17/2018	XX	LTC4LXABB	8100	83															
10/2/2018	XX	LTC4LXB09	15000	63															
4/23/2019	XX	LTC4LXB56	12000	83	17														
7/16/2019	XX	LTC4LXBBI	14000	40 U															
10/29/2019	XX	LTC4LXBHB	11000	47															
4/28/2020	XX	LTC4LXC0C	8300	52	5 U														
7/21/2020	XX	LTC4LXCHB	13000	120															
10/27/2020	XX	LTC4LXD2F	7400	77															
4/6/2021	XX	LTC4LXDBH	9900	66	5 U														
7/13/2021	XX	LTC4LXDJ9	6800	59															
10/5/2021	XX	LTC4LXE5H	4800	41															
5/26/2022	XX	LTC4LXF09	5700	69	430														
7/19/2022	XX	LTC4LXF87	6600	75															
10/4/2022	XX	LTC4LXF18	5700	84															
4/18/2023	XX	LTC4LXGHJ	5000	71	810														
7/11/2023	XX	LTC4LXH81	5000	63															
10/2/2023	XX	LTC4LX059	3900	53															

Units Abbreviations:

mg/L - MILLIGRAMS PER LITER  
 ug/L - MICROGRAMS PER LITER

Notes: Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

U - Not Detected above the laboratory reporting limit.

(LT-C4L & LT-C4LR)			Aluminum	Antimony	Arsenic	Barium	Beryllium	Calcium	Chromium	Cobalt	Iron	Lead	Magnesium	Manganese	Mercury	Potassium	Selenium
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Date	Type	Sample ID															
<b>LT-C4L &amp; LT-C4LR</b>																	
4/22/2014	XX	LTC4LX6EH	0.22	0.005 U	0.131	1.222	0.0006 U	329	0.049	0.016	13.2	0.022	259	2.73	0.0005 U	941	0.035
7/30/2014	XX	LTC4LX6J4			0.143			311			28.6		289	3.8		1140	
10/21/2014	XX	LTC4LX72F			0.186			406			27.3		355	4.23		1472	
4/28/2015	XX	LTC4LX78C	0.556	0.026	0.209	1.316	0.0012	259	0.093	0.034	11	0.095	265	1.8	0.0005 U	1118	0.052
7/15/2015	XX	LTC4LX7C4			0.287			393			9.7		431	1.9		1845	
10/27/2015	XX	LTC4LX7HD			0.29			318			5.9		307	1.6		1247	
4/5/2016	XX	LTC4LX863	0.231	0.005 U	0.157	1.304	0.0006 U	656	0.105	0.015	60.3	0.004	309	15.9	0.0005 U	954	0.005 U
7/26/2016	XX	LTC4LX8AD			0.331			686			44.3		411	7.5		1498	
10/25/2016	XX	LTC4LX8IC			0.403			541			21.7		307	5.95		1131	
4/18/2017	XX	LTC4LX96I	0.72	0.025 U	0.54	1.5	0.003 U	300	0.025 U	0.05 U	8.5	0.03 U	300	1.8	0.0005 U	1261	0.098
7/25/2017	XX	LTC4LX9CG			0.6			300			6.7		350	1.5		1300	
10/24/2017	XX	LTC4LX9GB			0.34			310			5.4		310	2.5 U		1300	
4/3/2018	XX	LTC4LXA2A	0.65	0.025 U	0.33	0.77	0.003 U	260	0.09	0.05 U	9	0.015 U	190	2.2	0.0005 U	740	0.043
7/17/2018	XX	LTC4LXABB			0.39			300			9.4		280	2.4		1200	
10/2/2018	XX	LTC4LXB09			0.3			290			7.8		270	2.2		1100	
4/23/2019	XX	LTC4LXB56	0.52	0.005 U	0.14	0.86	0.0006 U	560	0.078	0.01 U	17	0.007	230	10	0.0005 U	580	0.017
7/16/2019	XX	LTC4LXBBI			0.24			510			5.1		310	4.4		1000	
10/29/2019	XX	LTC4LXBHB			0.23			350			12		280	4.1		870	
4/28/2020	XX	LTC4LXCCI	0.54	0.005 U	0.25	0.94	0.0006 U	300	0.1	0.01 U	6	0.003 U	220	1.7	0.0005 U	790	0.022
7/21/2020	XX	LTC4LXCHB			0.33			310			3.5		340	1.3		1400	
10/27/2020	XX	LTC4LXD2F			0.24			310			7.5		250	14		900	
4/6/2021	XX	LTC4LXDBH	0.45	0.006	0.2	1.1	0.0033	240	0.13	0.044	5	0.035	170	3.1	0.0005 U	740	0.046
7/13/2021	XX	LTC4LXDJ9			0.35			240			5		210	2.2		930	
10/5/2021	XX	LTC4LXE5H			0.45			200			3.1		200	1.7		870	
5/26/2022	XX	LTC4LXF09	1.4	0.005 U	0.4	1	0.0012 U	250	0.21	0.011	12	0.006 U	200	16	Y	1100	0.0082
7/19/2022	XX	LTC4LXF87			0.42			230			5.8		230	2.2		1100	
10/4/2022	XX	LTC4LXF18			0.33			250			6.6		220	2.8		1000	
4/18/2023	XX	LTC4LXGHJ	0.81	0.021	0.42	1.1	0.0006 U	260	0.29	0.011	3.2	0.0035	210	1.8	0.0005 U	1000	0.011
7/11/2023	XX	LTC4LXH81			0.43			290			2.9		200	2.1		1000	
10/2/2023	XX	LTC4LX059			0.25			290			8.8		200	5.8		760	

**Units Abbreviations:**

mg/L - MILLIGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

- U - Not Detected above the laboratory reporting limit.
- Y - Laboratory error, results not available.

<b>(LT-C4L &amp; LT-C4LR)</b>	Silver mg/L	Sodium mg/L	Thallium mg/L	Vanadium mg/L	Zinc mg/L	Tin mg/L										
Date	Type	Sample ID														

<b>LT-C4L &amp; LT-C4LR</b>																					
4/22/2014	XX	LTC4LX6EH	0.001 U	1633	0.004 U	0.027	0.101	0.015 U													
7/30/2014	XX	LTC4LX6J4		1948																	
10/21/2014	XX	LTC4LX72F		2316																	
4/28/2015	XX	LTC4LX78C	0.0021	3401	0.008 U	0.063	0.258	0.157													
7/15/2015	XX	LTC4LX7C4		8135																	
10/27/2015	XX	LTC4LX7HD		5081																	
4/5/2016	XX	LTC4LX863	0.0011 U	1681	0.004 U	0.024	0.136	0.015 U													
7/26/2016	XX	LTC4LX8AD		2687																	
10/25/2016	XX	LTC4LX8IC		2288																	
4/18/2017	XX	LTC4LX96I	0.0055 U	3000	0.02 U	0.1	0.031	0.075 U													
7/25/2017	XX	LTC4LX9CG		3100																	
10/24/2017	XX	LTC4LX9GB		2600																	
4/3/2018	XX	LTC4LXA2A	0.2	1500	0.02 U	0.05 U	0.051	0.075 U													
7/17/2018	XX	LTC4LXABB		2700																	
10/2/2018	XX	LTC4LXB09		2400																	
4/23/2019	XX	LTC4LXB56	0.001 U	1300	0.004 U	0.016	0.093	0.015 U													
7/16/2019	XX	LTC4LXBBI		2200																	
10/29/2019	XX	LTC4LXBHB		1900																	
4/28/2020	XX	LTC4LXCCI	0.001 U	1700	0.004 U	0.039	0.046	0.016													
7/21/2020	XX	LTC4LXCHB		2800																	
10/27/2020	XX	LTC4LXD2F		2000																	
4/6/2021	XX	LTC4LXDBH	0.001 U	1600	0.025	0.031	0.051	0.015 U													
7/13/2021	XX	LTC4LXDJ9		2200																	
10/5/2021	XX	LTC4LXE5H		2000																	
5/26/2022	XX	LTC4LXF09	0.0026	2400	0.004 U	0.01 U	0.014	0.047													
7/19/2022	XX	LTC4LXF87		2500																	
10/4/2022	XX	LTC4LXF18		2100																	
4/18/2023	XX	LTC4LXGHJ	0.001 U	2500	0.004 U	0.056	0.053	0.015 U													
7/11/2023	XX	LTC4LXH81		2400																	
10/2/2023	XX	LTC4LX059		2000																	

**Units Abbreviations:**

mg/L - MILLIGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

U - Not Detected above the laboratory reporting limit.

REPORT PREPARED: 12/27/2023 14:41  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Leachate - VOAs Group 1 of 4



Page 1 of 2  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LT-C4L & LT-C4LR)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethene	1,1-Dichloroethane	trans-1,2-Dichloroethene	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride	
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
<b>LT-C4L &amp; LT-C4LR</b>																		
4/22/2014	XX	LTC4LX6EH	40 U	40 U	40 U	100 U	100 U	1000	40 U	20 U	20 U	20 U	20 U	20 U	1400	20 U	20 U	
7/30/2014	XX	LTC4LX6J4	2 U	2 U	2 U	5 U	5 U	60	5 U	1 U	2 U	2 U	2 U	2 U	200	2 U	2 U	
10/21/2014	XX	LTC4LX72F	20 U	20 U	20 U	50 U	50 U	400	20 U	10 U	10 U	10 U	10 U	10 U	1200	10 U	10 U	
4/28/2015	XX	LTC4LX78C	20 U	20 U	20 U	50 U	50 U	2400	20 U	10 U	10 U	10 U	10 U	10 U	4400	10 U	10 U	
7/15/2015	XX	LTC4LX7C4	20 U	20 U	20 U	50 U	50 U	1400	20 U	10 U	10 U	10 U	10 U	10 U	2000	10 U	10 U	
10/27/2015	XX	LTC4LX7HD	20 U	20 U	20 U	50 U	50 U	1200	20 U	10 U	10 U	10 U	10 U	10 U	1300	10 U	10 U	
4/5/2016	XX	LTC4LX863	20 U	20 U	20 U	50 U	50 U	2300	20 U	10 U	10 U	10 U	10 U	10 U	5900	10 U	10 U	
7/26/2016	XX	LTC4LX8AD	20 U	20 U	20 U	50 U	50 U	2800	20 U	10 U	10 U	10 U	10 U	10 U	8000	10 U	10 U	
10/25/2016	XX	LTC4LX8IC	2 U	2 U	2 U	5 U	5 U	2500	5 U	1 U	2 U	2 U	2 U	5	4800	2 U	2 U	
4/18/2017	XX	LTC4LX96I	2 U	2 U	2 U	5 U	5 U	1900	2 U	1 U	1 U	1 U	1 U	1 U	2500	1 U	1 U	
7/25/2017	XX	LTC4LX9CG	2 U	2 U	2 U	5 U	5 U	1100	2 U	1 U	1 U	1 U	1 U	4	1400	1 U	1 U	
10/24/2017	XX	LTC4LX9GB	2 U	2 U	2 U	5 U	5 U	800	2 U	1 U	1 U	1 U	1 U	2	800	1 U	1 U	
4/3/2018	XX	LTC4LX2A	2 U	2 U	2 U	5 U	5.3	1700	2 U	1 U	1 U	1 U	1 U	6.1	1700	1 U	1 U	
7/17/2018	XX	LTC4LXABB	2 U	2 U	2 U	5 U	5 U	230	2 U	1 U	1 U	1 U	1 U	1 U	210	1 U	1 U	
10/2/2018	XX	LTC4LX809	20 U	20 U	20 U	50 U	50 U	1000	20 U	10 U	10 U	10 U	10 U	10 U	970	10 U	10 U	
4/23/2019	XX	LTC4LXB56	40 U	40 U	40 U	100 U	100 U	2000	40 U	20 U	20 U	20 U	20 U	20 U	2000	20 U	20 U	
7/16/2019	XX	LTC4LXBBI	20 U	20 U	20 U	50 U	50 U	1200	20 U	10 U	10 U	10 U	10 U	10 U	1000	10 U	10 U	
10/29/2019	XX	LTC4LXBHB	20 U	20 U	20 U	50 U	50 U	2100	20 U	10 U	10 U	10 U	10 U	10 U	2100	10 U	10 U	
4/28/2020	XX	LTC4LXCCI	20 U	20 U	10 U	20 U	10 U	1200	20 U	5 U	10 U	10 U	10 U	10 U	1000	10 U	10 U	
7/21/2020	XX	LTC4LXCHB	2 U	2 U	1 U	2 U	1.2	560	2 U	0.5 U	1 U	1 U	1 U	1.8	300	1 U	1 U	
10/27/2020	XX	LTC4LXD2F	20 U	20 U	10 U	20 U	30	1700	20 U	5 U	10 U	10 U	10 U	10 U	2100	10 U	10 U	
4/6/2021	XX	LTC4LXDBH	2 U	2 U	1 U	2 U	1.1	970	2 U	0.5 U	1 U	1 U	1 U	2.7	770	1 U	1 U	
7/13/2021	XX	LTC4LXDJ9	2 U	2 U	1 U	2 U	1 U	800	3.6	0.5 U	1 U	1 U	1 U	1 U	660	1 U	1 U	
10/5/2021	XX	LTC4LXE5H	2 U	2 U	1 U	2 U	1.9	450	2 U	0.5 U	1 U	1 U	1 U	1.7	340	1 U	1 U	
5/26/2022	XX	LTC4LXF09	2 U	2 U	1 U	2 U	1 U	260	2 U	0.5 U	1 U	1 U	1 U	1.8	180	1 U	1 U	
7/19/2022	XX	LTC4LXF87	2 U	2 U	1 U	2 U	1 U	100	2 U	0.5 U	1 U	1 U	1 U	1.8	92	1 U	1 U	
10/4/2022	XX	LTC4LXF18	2 U	2 U	1 U	2 U	1 U	210	2 U	0.5 U	1 U	1 U	1 U	2.7	200	1 U	1 U	
4/18/2023	XX	LTC4LXGHJ	2 U	2 U	1.5	2 U	1 U	1300	2 U	0.5 U	1 U	1 U	1 U	2	900	1 U	1 U	
7/11/2023	XX	LTC4LXH81	2 U	2 U	1 U	2 U	1 U	430	2 U	0.5 U	1 U	1 U	1 U	2.4	300	1 U	1 U	
10/2/2023	XX	LTC4LX059	2 U	2 U	1 U	2 U	30	930	2 U	0.5 U	1	5.3	1 U	5.3	780	1 U	1 U	
<b>QCBT</b>																		
4/21/2014	XX	BTXXX6G4	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
4/22/2014	XX	BTXXX6G5	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
7/30/2014	XX	BTXXX70B	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
10/21/2014	XX	BTXXX748	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
4/27/2015	XX	BTXXX79E	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
4/27/2015	XX	BTXXX79F	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
4/27/2015	XX	BTXXX79J	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
7/15/2015	XX	BTXXX7DB	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
10/27/2015	XX	BTXXX7II	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
7/26/2016	XX	BTXXX8BF	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
10/25/2016	XX	BTXXX8JE	2 U	2 U	2 U	5 U	5 U	10 U	5 U	1 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	
4/18/2017	XX	BTXXX980	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
7/25/2017	XX	BTXXX9DI	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
10/24/2017	XX	BTXXX9HD	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
4/3/2018	XX	BTXXXHG3	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	
7/17/2018	XX	BTXXXACD	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	

(QCBT)			Chloromethane	Bromomethane	Vinyl Chloride	Chloroethane	Methylene Chloride	Acetone	Carbon Disulfide	1,1-Dichloroethene	1,1-Dichloroethane	trans-1,2-Dichloroethene	Chloroform	1,2-Dichloroethane	Methyl Ethyl Ketone	1,1,1-Trichloroethane	Carbon Tetrachloride
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
10/2/2018	XX	BTXXXXB1B	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/23/2019	XX	BTXXXXB68	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/16/2019	XX	BTXXXXBCJ	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/29/2019	XX	BTXXXXBIC	2 U	2 U	2 U	5 U	5 U	10 U	2 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/28/2020	XX	BTXXXXCE4	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/21/2020	XX	BTXXXXCIC	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/27/2020	XX	BTXXXXD3G	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/6/2021	XX	BTXXXXDDJ	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/13/2021	XX	BTXXXXE0B	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/5/2021	XX	BTXXXXE6I	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
5/26/2022	XX	BTXXXXF1A	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/19/2022	XX	BTXXXXFE7	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/4/2022	XX	BTXXXXFJ9	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
4/18/2023	XX	BTXXXXH24	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
7/11/2023	XX	BTXXXXH92	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U
10/2/2023	XX	BTXXXX076	2 U	2 U	1 U	2 U	1 U	10 U	2 U	0.5 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

U - Not Detected above the laboratory reporting limit.

REPORT PREPARED: 12/27/2023 14:41  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Leachate - VOAs Group 2 of 4



Page 1 of 2  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LT-C4L & LT-C4LR)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene	
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
<b>LT-C4L &amp; LT-C4LR</b>																		
4/22/2014	XX	LTC4LX6EH	200 U	10 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	40 U	200 U	200 U	20 U	20 U	20 U	
7/30/2014	XX	LTC4LX6J4	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U	
10/21/2014	XX	LTC4LX72F	100 U	5 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	100 U	100 U	10 U	10 U	10 U	
4/28/2015	XX	LTC4LX78C	100 U	5 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	100 U	100 U	10 U	10 U	10	
7/15/2015	XX	LTC4LX7C4	100 U	5 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	100 U	100 U	10 U	10 U	10	
10/27/2015	XX	LTC4LX7HD	100 U	5 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	100 U	100 U	10 U	10 U	10	
4/5/2016	XX	LTC4LX863	100 U	5 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	100 U	100 U	10 U	10 U	20	
7/26/2016	XX	LTC4LX8AD	100 U	5 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	100 U	100 U	10 U	10 U	20	
10/25/2016	XX	LTC4LX8IC	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	2	2 U	2 U	50	20	2 U	2 U	17	
4/18/2017	XX	LTC4LX96I	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	4	0.5 U	2 U	40	10 U	1 U	1 U	14	
7/25/2017	XX	LTC4LX9CG	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5	0.5 U	2 U	30	10 U	1 U	1 U	19	
10/24/2017	XX	LTC4LX9GB	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	2	0.5 U	2 U	20	10 U	1 U	1 U	6	
4/3/2018	XX	LTC4LX2A	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5.6	0.5	2 U	35	10 U	1 U	1 U	26	
7/17/2018	XX	LTC4LXABB	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1	0.5 U	2 U	10 U	10 U	1 U	1 U	4.4	
10/2/2018	XX	LTC4LX09	100 U	5 U	10 U	5 U	10 U	10 U	10 U	10 U	5 U	20 U	100 U	100 U	10 U	10 U	26	
4/23/2019	XX	LTC4LXB56	200 U	10 U	20 U	10 U	20 U	20 U	20 U	20 U	10 U	40 U	200 U	200 U	20 U	20 U	25	
7/16/2019	XX	LTC4LXBBI	100 U	5 U	10 U	5 U	10 U	10 U	10 U	10 U	5 U	20 U	100 U	100 U	10 U	10 U	16	
10/29/2019	XX	LTC4LXBHB	100 U	5 U	10 U	5 U	10 U	10 U	10 U	10 U	5 U	20 U	100 U	100 U	10 U	10 U	53	
4/28/2020	XX	LTC4LXCCI	100 U	5 U	10 U	5 U	10 U	10 U	10 U	10 U	5 U	20 U	100 U	100 U	10 U	10 U	26	
7/21/2020	XX	LTC4LXCHB	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5	0.5 U	2 U	20	10 U	1 U	1 U	16	
10/27/2020	XX	LTC4LXD2F	100 U	5 U	10 U	5 U	10 U	10 U	10 U	10 U	5 U	20 U	100 U	100 U	10 U	10 U	24	
4/6/2021	XX	LTC4LXDBH	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	4.9	0.5 U	2 U	33	16	1 U	1 U	24	
7/13/2021	XX	LTC4LXDJ9	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5.5	0.5 U	2 U	22	10 U	1 U	1 U	28	
10/5/2021	XX	LTC4LXE5H	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	3.7	0.5 U	2 U	19	10 U	1 U	1 U	17	
5/26/2022	XX	LTC4LXF09	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	3.7	0.5 U	2 U	21	10 U	1 U	1 U	37	
7/19/2022	XX	LTC4LXF87	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	3.8	0.5 U	2 U	12	10 U	1 U	1 U	74	
10/4/2022	XX	LTC4LXF18	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	4.8	0.5 U	2 U	10 U	10 U	1 U	1 U	16	
4/18/2023	XX	LTC4LXGHJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	6.6	0.5 U	2 U	46	10 U	1 U	1 U	33	
7/11/2023	XX	LTC4LXH81	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	6.2	0.5 U	2 U	27	10 U	1 U	1 U	30	
10/2/2023	XX	LTC4LX059	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	5.5	0.5 U	2 U	33	10 U	1.3	1 U	48	
<b>QCBT</b>																		
4/21/2014	XX	BTXXXXG64	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U	
4/22/2014	XX	BTXXXXG65	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U	
7/30/2014	XX	BTXXXX70B	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U	
10/21/2014	XX	BTXXXX748	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U	
4/27/2015	XX	BTXXXX79E	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U	
4/27/2015	XX	BTXXXX79F	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U	
4/27/2015	XX	BTXXXX79J	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U	
7/15/2015	XX	BTXXXX7DB	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U	
10/27/2015	XX	BTXXXX7II	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U	
7/26/2016	XX	BTXXXX8BF	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U	
10/25/2016	XX	BTXXXX8JE	10 U	0.5 U	2 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U	10 U	10 U	2 U	2 U	1 U	
4/18/2017	XX	BTXXXX980	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
7/25/2017	XX	BTXXXX9DI	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
10/24/2017	XX	BTXXXX9HD	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
4/3/2018	XX	BTXXXXHG3	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	
7/17/2018	XX	BTXXXXACD	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U	



REPORT PREPARED: 12/27/2023 14:41  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Leachate - VOAs Group 2 of 4



Page 2 of 2  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(QCBT)			Vinyl Acetate	Bromo dichloro methane	1,2-Dichloro propane	cis-1,3-Dichloro propene	Trichloroethene	Dibromo chloromethane	1,1,2-Trichloroethane	Benzene	trans-1,3-Dichloro propene	Bromoform	4-Methyl-2-Pentanone	2-Hexanone	Tetrachloro ethene	1,1,2,2-Tetrachloro ethane	Toluene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
10/2/2018	XX	BTXXXXB1B	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/23/2019	XX	BTXXXXB68	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/16/2019	XX	BTXXXXBCJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/29/2019	XX	BTXXXXBIC	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/28/2020	XX	BTXXXXCE4	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/21/2020	XX	BTXXXXCIC	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/27/2020	XX	BTXXXXD3G	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/6/2021	XX	BTXXXXDDJ	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/13/2021	XX	BTXXXXE0B	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/5/2021	XX	BTXXXXE6I	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
5/26/2022	XX	BTXXXXF1A	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/19/2022	XX	BTXXXXFE7	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/4/2022	XX	BTXXXXFJ9	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
4/18/2023	XX	BTXXXXH24	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
7/11/2023	XX	BTXXXXH92	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U
10/2/2023	XX	BTXXXX076	10 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	2 U	10 U	10 U	1 U	1 U	1 U

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:**

Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

U - Not Detected above the laboratory reporting limit.

REPORT PREPARED: 12/27/2023 14:41  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Leachate - VOAs Group 3 of 4



Page 1 of 2  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(LT-C4L & LT-C4LR)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
<b>LT-C4L &amp; LT-C4LR</b>																	
4/22/2014	XX	LTC4LX6EH	20 U	20 U	20 U	20 U	20 U		100 U	20 U	20 U	20 U	40 U	20 U	20 U	40 U	9.6 U
7/30/2014	XX	LTC4LX6J4	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
10/21/2014	XX	LTC4LX72F	10 U	10 U	10 U	10 U	10 U		50 U	10 U	10 U	10 U	20 U	10 U	10 U	20 U	10 U
4/28/2015	XX	LTC4LX78C	10 U	10 U	10 U	10 U	10 U		50 U	10 U	10 U	10 U	20 U	10 U	10 U	20 U	10 U
7/15/2015	XX	LTC4LX7C4	10 U	10 U	10 U	10 U	10 U		50 U	10 U	10 U	10 U	20 U	10 U	10 U	20 U	10 U
10/27/2015	XX	LTC4LX7HD	10 U	10 U	10 U	10 U	10 U		50 U	10 U	10 U	10 U	20 U	10 U	10 U	20 U	10 U
4/5/2016	XX	LTC4LX863	10 U	10	10 U	10 U	10 U	400	50 U	10 U	10 U	10 U	20 U	10 U	10 U	20 U	10 U
7/26/2016	XX	LTC4LX8AD	10 U	10 U	10 U	10 U	10 U	600	50 U	10 U	10 U	10 U	20 U	10 U	10 U	20 U	10 U
10/25/2016	XX	LTC4LX8IC	2 U	13	1 U	3	6	400	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/18/2017	XX	LTC4LX96I	1 U	7	1 U	3	6	500	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
7/25/2017	XX	LTC4LX9CG	1 U	7	1 U	5	9	500	5 U	1	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
10/24/2017	XX	LTC4LX9GB	1 U	3	1 U	2	3	400	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	LTC4LX2A2	1 U	7.5	1.1	5	9.6	400	5 U	1.4	1 U	1 U	2 U	1 U	0.5 U	2 U	1
7/17/2018	XX	LTC4LXABB	1 U	1.5	1 U	1 U	1.7	110	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
10/2/2018	XX	LTC4LX809	10 U	10 U	10 U	10 U	11	430	50 U	10 U	10 U	10 U	20 U	10 U	5 U	20 U	10 U
4/23/2019	XX	LTC4LX856	20 U	20 U	20 U	20 U	20 U	280	100 U	20 U	20 U	20 U	40 U	20 U	10 U	40 U	20 U
7/16/2019	XX	LTC4LXBBI	10 U	10 U	10 U	10 U	10	390	50 U	10 U	10 U	10 U	20 U	10 U	5 U	20 U	10 U
10/29/2019	XX	LTC4LXBHB	10 U	12	10 U	10 U	10 U	370	50 U	10 U	10 U	10 U	20 U	10 U	5 U	20 U	10 U
4/28/2020	XX	LTC4LXCCI	10 U	10 U	10 U	10 U	10 U	420	20 U	10 U	10 U	10 U	5 U	10 U	5 U	20 U	10 U
7/21/2020	XX	LTC4LXCHB	1 U	7.8	1 U	5.3	9.1	490	2 U	1.5	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1
10/27/2020	XX	LTC4LXD2F	10 U	10 U	10 U	10 U	12	350	20 U	10 U	10 U	10 U	5 U	10 U	5 U	20 U	10 U
4/6/2021	XX	LTC4LXDBH	1 U	10	1 U	6.9	13	320	2 U	2.2	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1.2
7/13/2021	XX	LTC4LXDJ9	1 U	11	1 U	8	13	480	2 U	2.5	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1.3
10/5/2021	XX	LTC4LXE5H	1 U	6.6	1 U	4.7	8.5	360	2 U	1.6	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
5/26/2022	XX	LTC4LXF09	1 U	6.8	1 U	4.8	9	410	2 U	2.2	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/19/2022	XX	LTC4LXF87	1 U	7.7	1 U	6.3	11	420	2 U	2.5	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
10/4/2022	XX	LTC4LXF18	1 U	8.6	1 U	6.2	12	410	2 U	1.8	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1.1
4/18/2023	XX	LTC4LXGHJ	1 U	12	1 U	8.5	16	480	2 U	2.5	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1.3
7/11/2023	XX	LTC4LXH81	1 U	13	1.2	11	19	450	2 U	3.2	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1.3
10/2/2023	XX	LTC4LX059	1 U	13	2	9.9	20	560	2 U	3.1	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1.3
<b>QCBT</b>																	
4/21/2014	XX	BTXXX6G4	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/22/2014	XX	BTXXX6G5	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
7/30/2014	XX	BTXXX70B	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
10/21/2014	XX	BTXXX748	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/27/2015	XX	BTXXX79E	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/27/2015	XX	BTXXX79F	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/27/2015	XX	BTXXX79J	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
7/15/2015	XX	BTXXX7DB	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
10/27/2015	XX	BTXXX7II	2 U	1 U	1 U	1 U	1 U		5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
7/26/2016	XX	BTXXX8BF	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
10/25/2016	XX	BTXXX8JE	2 U	1 U	1 U	1 U	1 U	10 U	5 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	1 U
4/18/2017	XX	BTXXX980	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
7/25/2017	XX	BTXXX9DI	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
10/24/2017	XX	BTXXX9HD	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/3/2018	XX	BTXXXHG3	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
7/17/2018	XX	BTXXXACD	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U

(QCBT)			Chlorobenzene	Ethylbenzene	Styrene	o-Xylene	m,p-Xylene	Tetra hydrofuran	Trichloro fluoromethane	cis-1,2-Dichloroethene	Bromochloro methane	Dibromo methane	1,2-Dibromoethane	1,1,1,2-Tetrachloro ethane	1,2,3-Trichloro propane	1,2-Dibromo-3-Chloropropane	1,4-Dichloro benzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
10/2/2018	XX	BTXXXXB1B	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/23/2019	XX	BTXXXXB68	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
7/16/2019	XX	BTXXXXBCJ	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
10/29/2019	XX	BTXXXXBIC	1 U	1 U	1 U	1 U	1 U	10 U	5 U	1 U	1 U	1 U	2 U	1 U	0.5 U	2 U	1 U
4/28/2020	XX	BTXXXXCE4	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/21/2020	XX	BTXXXXCIC	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
10/27/2020	XX	BTXXXXD3G	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/6/2021	XX	BTXXXXDDJ	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/13/2021	XX	BTXXXXE0B	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
10/5/2021	XX	BTXXXXE6I	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
5/26/2022	XX	BTXXXXF1A	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/19/2022	XX	BTXXXXFE7	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
10/4/2022	XX	BTXXXXFJ9	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
4/18/2023	XX	BTXXXXH24	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
7/11/2023	XX	BTXXXXH92	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U
10/2/2023	XX	BTXXXX076	1 U	1 U	1 U	1 U	1 U	10 U	2 U	1 U	1 U	1 U	0.5 U	1 U	0.5 U	2 U	1 U

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

U - Not Detected above the laboratory reporting limit.

REPORT PREPARED: 12/27/2023 14:41  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Leachate - VOAs Group 4 of 4



Page 1 of 2  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

**(LT-C4L & LT-C4LR)**      1,2-Dichloro benzene      Acrylonitrile      Diethyl ether      trans-1,4-Dichloro-2-butene      Iodomethane

Date    Type    Sample ID      ug/L      ug/L      ug/L      ug/L      ug/L

**LT-C4L & LT-C4LR**

4/22/2014	XX	LTC4LX6EH	9.6 U	400 U		100 U	100 U												
7/30/2014	XX	LTC4LX6J4	1 U	20 U		5 U	5 U												
10/21/2014	XX	LTC4LX72F	10 U	200 U		50 U	50 U												
4/28/2015	XX	LTC4LX78C	10 U	200 U		50 U	50 U												
7/15/2015	XX	LTC4LX7C4	10 U	200 U		50 U	50 U												
10/27/2015	XX	LTC4LX7HD	10 U	200 U		50 U	50 U												
4/5/2016	XX	LTC4LX863	10 U	200 U	50 U	50 U	50 U												
7/26/2016	XX	LTC4LX8AD	10 U	200 U	50 U	50 U	50 U												
10/25/2016	XX	LTC4LX8IC	1 U	20 U	8	5 U	5 U												
4/18/2017	XX	LTC4LX96I	1 U	20 U	5 U	5 U	5 U												
7/25/2017	XX	LTC4LX9CG	1 U	20 U	5 U	5 U	5 U												
10/24/2017	XX	LTC4LX9GB	1 U	20 U	5 U	5 U	5 U												
4/3/2018	XX	LTC4LXA2A	1 U	20 U	5 U	5 U	5 U												
7/17/2018	XX	LTC4LXABB	1 U	20 U	5 U	5 U	5 U												
10/2/2018	XX	LTC4LXB09	10 U	200 U	50 U	50 U	50 U												
4/23/2019	XX	LTC4LXB56	20 U	400 U	100 U	100 U	100 U												
7/16/2019	XX	LTC4LXBBI	10 U	200 U	50 U	50 U	50 U												
10/29/2019	XX	LTC4LXBHB	10 U	200 U	50 U	50 U	50 U												
4/28/2020	XX	LTC4LXCCI	10 U	200 U	20 U	50 U	50 U												
7/21/2020	XX	LTC4LXCHB	1 U	20 U	6.5	5 U	5 U												
10/27/2020	XX	LTC4LXD2F	10 U	200 U	20 U	50 U	50 U												
4/6/2021	XX	LTC4LXDBH	1 U	20 U	2 U	5 U	5 U												
7/13/2021	XX	LTC4LXDJ9	1 U	20 U	9.3	5 U	5 U												
10/5/2021	XX	LTC4LXE5H	1 U	20 U	7.3	5 U	5 U												
5/26/2022	XX	LTC4LXF09	1 U	20 U	16	5 U	5 U												
7/19/2022	XX	LTC4LXF87	1 U	20 U	14	5 U	5 U												
10/4/2022	XX	LTC4LXF18	1 U	20 U	11	5 U	5 U												
4/18/2023	XX	LTC4LXGHJ	1 U	20 U	16	5 U	5 U												
7/11/2023	XX	LTC4LXH81	1 U	20 U	12	5 U	5 U												
10/2/2023	XX	LTC4LX059	1 U	20 U	35	5 U	5 U												

**QCBT**

4/21/2014	XX	BTXXX6G4	1 U	20 U		5 U	5 U												
4/22/2014	XX	BTXXX6G5	1 U	20 U		5 U	5 U												
7/30/2014	XX	BTXXX70B	1 U	20 U		5 U	5 U												
10/21/2014	XX	BTXXX748	1 U	20 U		5 U	5 U												
4/27/2015	XX	BTXXX79E	1 U	20 U		5 U	5 U												
4/27/2015	XX	BTXXX79F	1 U	20 U		5 U	5 U												
4/27/2015	XX	BTXXX79J	1 U	20 U		5 U	5 U												
7/15/2015	XX	BTXXX7DB	1 U	20 U		5 U	5 U												
10/27/2015	XX	BTXXX7II	1 U	20 U		5 U	5 U												
7/26/2016	XX	BTXXX8BF	1 U	20 U	5 U	5 U	5 U												
10/25/2016	XX	BTXXX8JE	1 U	20 U	5 U	5 U	5 U												
4/18/2017	XX	BTXXX980	1 U	20 U	5 U	5 U	5 U												
7/25/2017	XX	BTXXX9DI	1 U	20 U	5 U	5 U	5 U												
10/24/2017	XX	BTXXX9HD	1 U	20 U	5 U	5 U	5 U												
4/3/2018	XX	BTXXXHG3	1 U	20 U	5 U	5 U	5 U												
7/17/2018	XX	BTXXXACD	1 U	20 U	5 U	5 U	5 U												

REPORT PREPARED: 12/27/2023 14:41  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

DATA SUMMARY TABLE  
 Leachate - VOAs Group 4 of 4



Page 2 of 2  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

(QCBT)			1,2-Dichloro benzene	Acrylonitrile	Diethyl ether	trans-1,4-Dichloro-2-butene	Iodomethane										
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L										
10/2/2018	XX	BTXXXXB1B	1 U	20 U	5 U	5 U	5 U										
4/23/2019	XX	BTXXXXB68	1 U	20 U	5 U	5 U	5 U										
7/16/2019	XX	BTXXXXBCJ	1 U	20 U	5 U	5 U	5 U										
10/29/2019	XX	BTXXXXBIC	1 U	20 U	5 U	5 U	5 U										
4/28/2020	XX	BTXXXXCE4	1 U	20 U	2 U	5 U	5 U										
7/21/2020	XX	BTXXXXCIC	1 U	20 U	2 U	5 U	5 U										
10/27/2020	XX	BTXXXXD3G	1 U	20 U	2 U	5 U	5 U										
4/6/2021	XX	BTXXXXDDJ	1 U	20 U	2 U	5 U	5 U										
7/13/2021	XX	BTXXXXE0B	1 U	20 U	2 U	5 U	5 U										
10/5/2021	XX	BTXXXXE6I	1 U	20 U	2 U	5 U	5 U										
5/26/2022	XX	BTXXXXF1A	1 U	20 U	2 U	5 U	5 U										
7/19/2022	XX	BTXXXXFE7	1 U	20 U	2 U	5 U	5 U										
10/4/2022	XX	BTXXXXFJ9	1 U	20 U	2 U	5 U	5 U										
4/18/2023	XX	BTXXXXH24	1 U	20 U	2 U	5 U	5 U										
7/11/2023	XX	BTXXXXH92	1 U	20 U	2 U	5 U	5 U										
10/2/2023	XX	BTXXXX076	1 U	20 U	2 U	5 U	5 U										

Units Abbreviations:

ug/L - MICROGRAMS PER LITER

Notes:

Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

Concentration Qualifier Notes:

U - Not Detected above the laboratory reporting limit.

(LT-C4L & LT-C4LR)			Phenol	Bis (2-Chloroethyl) ether	2-Chlorophenol	1,3-Dichloro benzene (SVOC)	1,4-Dichloro benzene (SVOC)	Benzyl Alcohol	1,2-Dichloro benzene (SVOC)	2-Methylphenol	Bis(2-Chloroisopropyl) ether	N-Nitroso-di-n-propylamine	Hexachloro ethane	Nitrobenzene	Isophorone	2-Nitrophenol	2,4-Dimethyl phenol
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L

LT-C4L & LT-C4LR																	
4/22/2014	XX	LTC4LX6EH	160	9.6 U	9.6 U	9.6 U		19 U		12	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U
4/28/2015	XX	LTC4LX78C	110	47 U	47 U	47 U	47 U	94 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U
4/5/2016	XX	LTC4LX863	210	200 U	200 U	200 U	200 U	400 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U
4/18/2017	XX	LTC4LX96I	75	14 U	14 U	14 U	14 U	28 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U
4/3/2018	XX	LTC4LXA2A	54	9.4 U	9.4 U	9.4 U	9.4 U	19 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U
4/23/2019	XX	LTC4LXB56	85	10 U	10 U	10 U	10 U	100 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	50 U	50 U
4/28/2020	XX	LTC4LXCCI		9.5 U	9.5 U	9.5 U	9.5 U	19 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U
4/28/2020	XX	LTC4LXCCIDL	190														
4/6/2021	XX	LTC4LXDBH		9.4 U	9.4 U	9.4 U	9.4 U	19 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U
4/6/2021	XX	LTC4LXDBHDL	200														
5/26/2022	XX	LTC4LXF09		9.3 U	9.3 U	9.3 U	9.3 U	19 U	9.3 U	11	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U
5/26/2022	XX	LTC4LXF09DL	94														
4/18/2023	XX	LTC4LXGHJ		10 U	10 U	10 U	10 U	20 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4/18/2023	XX	LTC4LXGHJDL	84														

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

U- Not Detected above the laboratory reporting limit.

			Bis(2-Chloroethoxy)m ethane	2,4-Dichlorophenol	1,2,4-Trichloro benzene (SVOC)	Naphthalene (SVOC)	4-Chloroaniline	Hexachloro butadiene (SVOC)	4-Chloro-3-Methylphenol	2-Methyl naphthalene	Hexachloro cyclo pentadiene	2,4,6-Trichlorophenol	2,4,5-Trichlorophenol	2-Chloro naphthalene	2-Nitroaniline	Dimethyl Phthalate	Acenaphthylene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L

<b>LT-C4L &amp; LT-C4LR</b>																	
4/22/2014	XX	LTC4LX6EH	9.6 U	9.6 U	9.6 U	12	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	24 U	9.6 U	24 U	9.6 U	9.6 U
4/28/2015	XX	LTC4LX78C	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	120 U	47 U	120 U	47 U	47 U
4/5/2016	XX	LTC4LX863	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	500 U	200 U	500 U	200 U	200 U
4/18/2017	XX	LTC4LX96I	14 U	14 U	14 U	20	14 U	14 U	14 U	14 U	14 U	14 U	36 U	14 U	36 U	14 U	14 U
4/3/2018	XX	LTC4LXA2A	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	9.4 U	24 U	9.4 U	9.4 U
4/23/2019	XX	LTC4LXB56	10 U	10 U	10 U	6.7	10 U	10 U	10 U	1.4	50 U	10 U	10 U	10 U	50 U	10 U	1 U
4/28/2020	XX	LTC4LXCCI	9.5 U	9.5 U	9.5 U	20	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	24 U	9.5 U	24 U	9.5 U	9.5 U
4/6/2021	XX	LTC4LXDBH	9.4 U	9.4 U	9.4 U	17	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	9.4 U	24 U	9.4 U	9.4 U
5/26/2022	XX	LTC4LXF09	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	23 U	9.3 U	23 U	9.3 U	9.3 U
4/18/2023	XX	LTC4LXGHJ	10 U	10 U	10 U	16	10 U	10 U	10 U	10 U	10 U	10 U	25 U	10 U	25 U	10 U	10 U

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

U - Not Detected above the laboratory reporting limit.

(LT-C4L & LT-C4LR)	2,6-Dinitrotoluene	3-Nitroaniline	Acenaphthene	2,4-Dinitrophenol	4-Nitrophenol	Dibenzofuran	2,4-Dinitrotoluene	Diethyl phthalate	4-Chlorophenyl-phenylether	Fluorene	4-Nitroaniline	4,6-Dinitro-2-methylphenol	N-Nitroso diphenylamine	4-Bromophenyl-phenylether	Hexachloro benzene
Date    Type    Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L

LT-C4L & LT-C4LR																	
4/22/2014	XX	LTC4LX6EH	9.6 U	24 U	9.6 U	24 U	24 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	24 U	24 U	9.6 U	9.6 U	9.6 U
4/28/2015	XX	LTC4LX78C	47 U	120 U	47 U	120 U	120 U	47 U	47 U	47 U	47 U	47 U	120 U	120 U	47 U	47 U	47 U
4/5/2016	XX	LTC4LX863	200 U	500 U	200 U	500 U	500 U	200 U	200 U	200 U	200 U	200 U	500 U	500 U	200 U	200 U	200 U
4/18/2017	XX	LTC4LX96I	14 U	36 U	14 U	36 U	36 U	14 U	14 U	14 U	14 U	14 U	36 U	36 U	14 U	14 U	14 U
4/3/2018	XX	LTC4LXA2A	9.4 U	24 U	9.4 U	24 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	24 U	9.4 U	9.4 U	9.4 U
4/23/2019	XX	LTC4LXB56	50 U	50 U	1.5	100 U	50 U	10 U	50 U	50 U	10 U	1 U	50 U	50 U	10 U	10 U	10 U
4/28/2020	XX	LTC4LXCCI	9.5 U	24 U	9.5 U	24 U	24 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	24 U	24 U	9.5 U	9.5 U	9.5 U
4/6/2021	XX	LTC4LXDBH	9.4 U	24 U	9.4 U	24 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	24 U	9.4 U	9.4 U	9.4 U
5/26/2022	XX	LTC4LXF09	9.3 U	23 U	9.3 U	23 U	23 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	23 U	23 U	9.3 U	9.3 U	9.3 U
4/18/2023	XX	LTC4LXGHJ	10 U	25 U	10 U	25 U	25 U	10 U	10 U	10 U	10 U	10 U	25 U	25 U	10 U	10 U	10 U

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:**                    Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

U - Not Detected above the laboratory reporting limit.



(LT-C4L & LT-C4LR)			Pentachlorophen ol	Phenanthrene	Anthracene	Di-n- butylphthalate	Fluoranthene	Pyrene	Butylbenzyl phthalate	3,3-Dichloro benzidine	Benzo(a) Anthracene	Chrysene	Bis(2- Ethylhexyl) phthalate	Di-n- octylphthalate	Benzo(b) Fluoranthene	Benzo(k) Fluoranthene	Benzo(a) Pyrene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L

LT-C4L & LT-C4LR																	
4/22/2014	XX	LTC4LX6EH	24 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U
4/28/2015	XX	LTC4LX78C	120 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U
4/5/2016	XX	LTC4LX863	500 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U
4/18/2017	XX	LTC4LX96I	36 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U
4/3/2018	XX	LTC4LXA2A	24 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U
4/23/2019	XX	LTC4LXB56	50 U	1 U	1 U	50 U	1 U	1 U	50 U	10 U	1 U	1 U	50 U	50 U	1 U	1 U	1 U
4/28/2020	XX	LTC4LXCCI	24 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U
4/6/2021	XX	LTC4LXDBH	24 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U
5/26/2022	XX	LTC4LXF09	23 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U
4/18/2023	XX	LTC4LXGHJ	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

U - Not Detected above the laboratory reporting limit.

			Indeno(1,2,3-c,d) Pyrene	Dibenz(a,h) Anthracene	Benzo(g,h,i) perylene	N-Nitroso dimethylamine	Carbazole	2,3,4,6-Tetrachloro phenol	2,6-Dichlorophenol	3&4-Methylphenol	2-Acetyl amino fluorene	4-Aminobiphenyl	2-sec-Butyl-4,6-dinitrophenol (Dinoseb)	3,3'-Dimethyl benzidine	1,3-Dinitro benzene (m-Dinitrobenzene)	Ethyl methanesulfonate	Hexa chloropropene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L

**LT-C4L & LT-C4LR**

4/22/2014	XX	LTC4LX6EH	9.6 U	9.6 U	9.6 U	9.6 U		9.6 U	9.6 U	690	9.6 U	9.6 U	5.2 U	24 U	9.6 U	9.6 U	9.6 U
4/28/2015	XX	LTC4LX78C	47 U	47 U	47 U	47 U		47 U	47 U	890	47 U	47 U	4.7 U	120 U	47 U	47 U	47 U
4/5/2016	XX	LTC4LX863	200 U	200 U	200 U	200 U		200 U	200 U	1000	200 U	200 U	5.1 U	500 U	200 U	200 U	200 U
4/18/2017	XX	LTC4LX96I	14 U	14 U	14 U	14 U		14 U	14 U		14 U	14 U	4.7 U	36 U	14 U	14 U	14 U
4/18/2017	XX	LTC4LX96IDL								480							
4/3/2018	XX	LTC4LXA2A	9.4 U	9.4 U	9.4 U	9.4 U		9.4 U	9.4 U		9.4 U	9.4 U	4.4 U	24 U	9.4 U	9.4 U	9.4 U
4/3/2018	XX	LTC4LXA2ADL								350							
4/23/2019	XX	LTC4LXB56	1 U	1 U	1 U	10 U	10 U	10 UH	10 UH	540	10 UH	10 UH		26 UH	10 UH	10 UH	10 UH
4/23/2019	XX	LTC4LXB56RA											4.8 U				
4/28/2020	XX	LTC4LXCCI	9.5 U	9.5 U	9.5 U	9.5 U		9.5 U	9.5 U		9.5 U	9.5 U	4.4 U	24 U	9.5 U	9.5 U	9.5 U
4/28/2020	XX	LTC4LXCCIDL								540							
4/28/2020	XX	LTC4LXCCIRE											4.4 U				
4/6/2021	XX	LTC4LXDBH	9.4 U	9.4 U	9.4 U	9.4 U		9.4 U	9.4 U		9.4 U	9.4 U	4.4 U	24 U	9.4 U	9.4 U	9.4 U
4/6/2021	XX	LTC4LXDBHDL								320							
5/26/2022	XX	LTC4LXF09	9.3 U	9.3 U	9.3 U	9.3 U		9.3 U	9.3 U		9.3 U	9.3 U	4.4 U	23 U	9.3 U	9.3 U	9.3 U
5/26/2022	XX	LTC4LXF09DL								200							
4/18/2023	XX	LTC4LXGHJ	10 U	10 U	10 U	10 U		10 U	10 U		10 U	10 U	4.7 U	25 U	10 U	10 U	10 U
4/18/2023	XX	LTC4LXGHJDL								210							

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

U- Not Detected above the laboratory reporting limit.  
 UH- Not Detected above the laboratory reporting limit. Analyzed outside U.S.EPA's recommended hold time

(LT-C4L & LT-C4LR)			Isosafrole	Methapyrilene	3-Methyl cholanthrene	Methyl methane sulfonate	1-Naphthalene amine (1-Naphthyl amine)	2-Naphthalene amine (2-Naphthyl amine)	1,4-Naphtho quinone	5-Nitro-o-toluidine	N-Nitroso diethylamine	N-Nitrosodi-n-butylamine	N-Nitrosomethyl ethylamine	N-Nitroso piperidine	N-Nitroso pyrrolidine	Pentachloro benzene	Pentachloro nitrobenzene
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L

LT-C4L & LT-C4LR																	
4/22/2014	XX	LTC4LX6EH	9.6 U	24 U	9.6 U	9.6 U	9.6 U	9.6 U	24 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U
4/28/2015	XX	LTC4LX78C	47 U	120 U	47 U	47 U	47 U	47 U	120 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U	47 U
4/5/2016	XX	LTC4LX863	200 U	500 U	200 U	200 U	200 U	200 U	500 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U	200 U
4/18/2017	XX	LTC4LX96I	14 U	36 U	14 U	14 U	14 U	14 U	36 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U
4/3/2018	XX	LTC4LXA2A	9.4 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U
4/23/2019	XX	LTC4LXB56		26 UH	10 UH	10 UH	10 UH	10 UH	26 UH	10 UH	10 UH	10 UH	10 UH	10 UH	10 UH	10 UH	10 UH
4/28/2020	XX	LTC4LXCCI	9.5 U	24 U	9.5 U	9.5 U	9.5 U	9.5 U	24 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U
4/6/2021	XX	LTC4LXDBH	9.4 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U	9.4 U
5/26/2022	XX	LTC4LXF09	9.3 U	23 U	9.3 U	9.3 U	9.3 U	9.3 U	23 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U	9.3 U
4/18/2023	XX	LTC4LXGHJ	10 U	25 U	10 U	10 U	10 U	10 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

U - Not Detected above the laboratory reporting limit.  
 UH - Not Detected above the laboratory reporting limit. Analyzed outside U.S.EPA's recommended hold time

(LT-C4L & LT-C4LR)			Phenacetin	p-Phenylene diamine	Pronamide	1,2,4,5-Tetrachloro benzene	1,3,5-Trinitro benzene (sym-Trinitrobenzene)	Safrole	O-Toluidine	p-(Dimethyl amino) azobenzene	7,12-Dimethylbenz (a)anthracene	Acetophenone					
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L					

LT-C4L & LT-C4LR															
4/22/2014	XX	LTC4LX6EH	9.6 U	24 U	9.6 U	9.6 U	9.6 U	9.6 U	24 U	9.6 U	9.6 U	11			
4/28/2015	XX	LTC4LX78C	47 U	120 U	47 U	47 U	47 U	47 U	120 U	47 U	47 U	47 U			
4/5/2016	XX	LTC4LX863	200 U	500 U	200 U	200 U	200 U	200 U	500 U	200 U	200 U	200 U			
4/18/2017	XX	LTC4LX96I	14 U	36 U	14 U	14 U	14 U	14 U	36 U	14 U	14 U	14 U			
4/3/2018	XX	LTC4LXA2A	9.4 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	9.4 U	9.4 U	11			
4/23/2019	XX	LTC4LXB56	10 UH	26 UH	10 UH	10 UH	10 UH	10 UH	26 UH	10 UH	10 UH	100 U			
4/28/2020	XX	LTC4LXCCI	9.5 U	24 U	9.5 U	9.5 U	9.5 U	9.5 U	24 U	9.5 U	9.5 U	14			
4/6/2021	XX	LTC4LXDBH	9.4 U	24 U	9.4 U	9.4 U	9.4 U	9.4 U	24 U	9.4 U	9.4 U	12			
5/26/2022	XX	LTC4LXF09	9.3 U	23 U	9.3 U	9.3 U	9.3 U	9.3 U	23 U	9.3 U	9.3 U	9.3 U			
4/18/2023	XX	LTC4LXGHJ	10 U	25 U	10 U	10 U	10 U	10 U	25 U	10 U	10 U	12			

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

U - Not Detected above the laboratory reporting limit.  
 UH - Not Detected above the laboratory reporting limit. Analyzed outside U.S.EPA's recommended hold time

	alpha-BHC	beta-BHC	delta-BHC	gamma-BHC (Lindane)	Heptachlor	Aldrin	Heptachlor Epoxide	Endosulfan I	Dieldrin	4,4'-DDE	Endrin	Endosulfan II	4,4'-DDD	Endosulfan Sulfate	4,4'-DDT
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L

LT-C4L & LT-C4LR																
4/22/2014	XX	LTC4LX6EH	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.095 U	0.095 U	0.095 U	0.095 U	0.095 U	0.095 U
4/28/2015	XX	LTC4LX78C	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U
4/5/2016	XX	LTC4LX863	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.048 U	0.096 U	0.096 U	0.096 U	0.096 U	0.096 U	0.096 U
4/18/2017	XX	LTC4LX96IRE	0.052 U	0.052 U	0.052 U	0.052 U	0.052 U	0.052 U	0.052 U	0.052 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
4/3/2018	XX	LTC4LXA2A	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U
4/23/2019	XX	LTC4LXB56	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.036
4/28/2020	XX	LTC4LXCCI	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.093 U	0.093 U	0.093 U	0.093 U	0.093 U	0.093 U
4/6/2021	XX	LTC4LXDBH	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U
5/26/2022	XX	LTC4LXF09RA	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.047 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U	0.094 U
4/18/2023	XX	LTC4LXGHJ	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

U - Not Detected above the laboratory reporting limit.

(LT-C4L & LT-C4LR)	Methoxychlor	Endrin Ketone	alpha-Chlordane	gamma-Chlordane	Toxaphene	Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Endrin Aldehyde	Chlordane (technical)	2,4-Dichloro phenoxyacetic Acid
Date	Type	Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L

LT-C4L & LT-C4LR																
4/22/2014	XX	LTC4LX6EH	0.48 U					0.95 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U
4/28/2015	XX	LTC4LX78C	0.47 U					0.94 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U
4/5/2016	XX	LTC4LX863	0.48 U					0.96 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U
4/18/2017	XX	LTC4LX96I														2.8 U
4/18/2017	XX	LTC4LX96IRE	0.52 U					1 U	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
4/3/2018	XX	LTC4LXA2A	0.47 U					0.94 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U
4/23/2019	XX	LTC4LXB56	0.1 U					0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
4/23/2019	XX	LTC4LXB56RA														2.8 U
4/28/2020	XX	LTC4LXCCI	0.47 U					0.93 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U
4/28/2020	XX	LTC4LXCCIIRE														2.7 U
4/6/2021	XX	LTC4LXDBH	0.47 U					0.94 U							0.094 U	0.47 U
4/6/2021	XX	LTC4LXDBHRA							0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U
5/26/2022	XX	LTC4LXF09														2.7 U
5/26/2022	XX	LTC4LXF09RA	0.47 U					0.94 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U
4/18/2023	XX	LTC4LXGHJ	0.5 U	0.1 U	0.05 U	0.05 U		1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

U - Not Detected above the laboratory reporting limit.

(LT-C4L & LT-C4LR)	2,4,5-Trichloro phenoxypro pionic Acid	2,4,5-Trichloro phenoxyacetic acid	Diallate	Isodrin	Kepone	Dimethoate	Chlorobenzilate	Disulfoton	Famphur	Methyl Parathion	Parathion	Phorate	Thionazin	o,o,o-Triethyl phosphoro thioate
Date Type Sample ID	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L

LT-C4L & LT-C4LR																
4/22/2014	XX	LTC4LX6EH	3.1 U	3.1 U	9.6 U	9.6 U	24 U	9.6 U	9.6 U	9.6 U	29 U	9.6 U	24 U	9.6 U	19 U	9.6 U
4/28/2015	XX	LTC4LX78C	2.8 U	2.8 U	47 U	47 U	120 U	47 U	47 U	47 U	140 U	47 U	120 U	47 U	94 U	47 U
4/5/2016	XX	LTC4LX863	3.1 U	3.1 U	200 U	200 U	500 U	200 U	200 U	200 U	590 U	200 U	500 U	200 U	400 U	200 U
4/18/2017	XX	LTC4LX96I	2.8 U	2.8 U	14 U	14 U	36 U	14 U	14 U	14 U	43 U	14 U	36 U	14 U	28 U	14 U
4/3/2018	XX	LTC4LXA2A	2.7 U	2.7 U	9.4 U	9.4 U	24 U	9.4 U	9.4 U	9.4 U	28 U	9.4 U	24 U	9.4 U	19 U	9.4 U
4/23/2019	XX	LTC4LXB56			10 UH	10 UH	26 UH	10 UH	10 UH	10 UH	31 UH	10 UH	26 UH	10 UH	21 UH	10 UH
4/23/2019	XX	LTC4LXB56RA	2.9 U	2.9 U												
4/28/2020	XX	LTC4LXCCI	2.7 U	2.6 U	9.5 U	9.5 U	24 U	9.5 U	9.5 U	9.5 U	28 U	9.5 U	24 U	9.5 U	19 U	9.5 U
4/28/2020	XX	LTC4LXCCIRE	2.7 U	2.7 U												
4/6/2021	XX	LTC4LXDBH	2.7 U	2.6 U	9.4 U	9.4 U	24 U	9.4 U	9.4 U	9.4 U	28 U	9.4 U	24 U	9.4 U	19 U	9.4 U
5/26/2022	XX	LTC4LXF09	2.7 U	2.7 U	9.3 U	9.3 U	23 U	9.3 U	9.3 U	9.3 U	28 U	9.3 U	23 U	9.3 U	19 U	9.3 U
5/26/2022	XX	LTC4LXF09DL			19 U	19 U	47 U	19 U	19 U	19 U	56 U	19 U	47 U	19 U	37 U	19 U
4/18/2023	XX	LTC4LXGHJ	2.8 U	2.8 U	10 U	10 U	25 U	10 U	10 U	10 U	30 U	10 U	25 U	10 U	20 U	10 U

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:** Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

U- Not Detected above the laboratory reporting limit.  
 UH- Not Detected above the laboratory reporting limit. Analyzed outside U.S.EPA's recommended hold time

REPORT PREPARED: 12/27/2023 14:43  
 FOR: Juniper Ridge Landfill  
 DATE RANGE: 1/1/2014 - 12/31/2023

**DATA SUMMARY TABLE**  
 Pesticides, Herbicides and PCBs Group 4 of 4



Page 1 of 1  
 SEVEE & MAHER ENGINEERS, INC.  
 4 BLANCHARD ROAD  
 CUMBERLAND CENTER, ME 04021

**(LT-C4L & LT-C4LR)**      2-sec-Butyl-4-6-dinitrophenol (Dinoseb)  
 Date    Type    Sample ID      ug/L

<b>LT-C4L &amp; LT-C4LR</b>																
4/22/2014	XX	LTC4LX6EH	5.2 U													
4/28/2015	XX	LTC4LX78C	4.7 U													
4/5/2016	XX	LTC4LX863	5.1 U													
4/18/2017	XX	LTC4LX96I	4.7 U													
4/3/2018	XX	LTC4LXA2A	4.4 U													
4/23/2019	XX	LTC4LXB56RA	4.8 U													
4/28/2020	XX	LTC4LXCCI	4.4 U													
4/28/2020	XX	LTC4LXCIRE	4.4 U													
4/6/2021	XX	LTC4LXDBH	4.4 U													
5/26/2022	XX	LTC4LXF09	4.4 U													
4/18/2023	XX	LTC4LXGHJ	4.7 U													

**Units Abbreviations:**

ug/L - MICROGRAMS PER LITER

**Notes:**                    Sample Type XX = Environmental Sample, XD = Duplicate Sample  
 Blank Cells appear when a parameter was not analyzed.

**Concentration Qualifier Notes:**

U - Not Detected above the laboratory reporting limit.




**APPENDIX E**

**2023 WATER QUALITY SUMMARY REPORTS  
AND DATA PLOTS**

**Well Description**

DP-4 is located downgradient of the landfill and former leachate pond and monitors groundwater quality within the overburden.

Screen Interval: **18.5 ft. to 24.5 ft.**  
 Sampled: **1 Time Annually(field parameters only)**  
 Sampled Since: **01/30/04**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)				184	100	965	330 ± 21.000		40
pH (STU)				5.9	5.6	7.3	6.5 ± 0.058		40
Temperature (Deg C)				14.3	6	23.9	13 ± 0.600		40
Water Level Depth (Feet)				16.65	13.25	17.19	15 ± 0.130		40
Water Level Elevation (Feet)				152.72	152.18	156.12	150 ± 0.130		40
Water Level Reference Point (Feet)				169.37	169.37	169.37	170 ± 0.000		40
Eh (mV)				253	-51	352	240 ± 13.000		39
Dissolved Oxygen (mg/L)				0.4	0.4	6	1.7 ± 0.250		40
Well Depth (Feet)				27.12	22.17	27.16	27 ± 0.270		18
Turbidity (field) (NTU)				10.5	0.6	36.2	8.4 ± 1.200		40













**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Q4= 10 - 2023



**LEGEND**  
 □ - Below reporting Limit, Associate value is the reporting limit.  
 ◇ - Estimated Value (J-flagged).



**DP-4**  
 Juniper Ridge Landfill


**Well Description**

Manhole #5 composite sample

Sampled:

Sampled Since: **See comments below**

Sampling Method: **Grab**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	393	395	490	450	101	to 504	370 ± 7.300		111
pH (STU)	7.8	7.7	7.8	7.2	6.7	to 8.4	7.4 ± 0.039		111
Temperature (Deg C)	9	16.8	24.1	22.3	3.2	to 29.7	17 ± 0.490		111
Eh (mV)	389	346	344	359	293	to 446	370 ± 3.000		111
Dissolved Oxygen (mg/L)	6	6	6	6	4	to 10	6.9 ± 0.130		109
Alkalinity (CaCO3) (field) (mg/L)	175	150	225	250	55	to 325	170 ± 4.600		110
Turbidity (field) (NTU)	7	58.7	9.6	6.1	0	to 625.23	14 ± 6.000		110













underlined/bold - values exceed a regulatory standard listed below. Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

During times when LF-UD-1, LF-UD-2, LF-UD-3A & B, LF-UD-4, and LF-UD-7 have not been able to be sampled separately due to pipe submergence, LF-COMP has been collected from manhole #5. Field parameters are measured at this location during some monthly monitoring rounds by NEWSME.

- Q1= 1 - 2023
- Q2= 4 - 2023
- Q3= 7 - 2023
- Q4= 10 - 2023



**LEGEND**


- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**LF-COMP**  
Juniper Ridge Landfill

**Well Description**

LF-LD-11 monitors the leak detection system for Cell 11 from the Cell 11 leak detection system pump station.



Sampled: **Annually in summer\***  
 Sampled Since: **Apr-21**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	955	954	966	934	723	to 1245	870 ± 20.000		39
pH (STU)	7.5	7.5	7.1	7.2	6.3	to 7.9	6.8 ± 0.046		39
Temperature (Deg C)	19.9	21.8	↑25.9	23.6	13.2	to 24.3	19 ± 0.430		39
Eh (mV)	396	373	384	368	130	to 420	290 ± 12.000		39
Dissolved Oxygen (mg/L)	6	6	6	6	1.5	to 9	4.6 ± 0.260		39
Flow Rate (cfs)		↑0.035	↓0.0189	D	0.0316	to 0.0348	0.034 ± 0.001		4
Arsenic (mg/L)			0.005 U		0.005 U	to 0.005 U	0.005 ± 0.000		3
Calcium (mg/L)			150		120	to 150	140 ± 8.800		3
Copper (mg/L)			0.003 U		0.003 U	to 0.006 U	0.004 ± 0.001		3
Iron (mg/L)			0.05 U		0.05 U	to 0.17	0.09 ± 0.040		3
Magnesium (mg/L)			32		26	to 33	29 ± 2.100		3
Manganese (mg/L)			↓0.05 U		0.06	to 0.56	0.27 ± 0.150		3
Potassium (mg/L)			↑8.3		7.1	to 7.8	7.4 ± 0.220		3
Sodium (mg/L)			↑14		10	to 12	11 ± 0.580		3
Boron (mg/L)			0.05 U		0.05 U	to 0.05 U	0.05 ± 0.000		3
Total Kjeldahl Nitrogen (mg/L)			↓0.2 U		0.38	to 0.68	0.54 ± 0.087		3
Ammonia (N) (mg/L)			0.5 U		0.5 U	to 0.5 U	0.5 ± 0.000		3
Nitrite/Nitrate - (N) (mg/L)			↑1.3		0.31	to 0.71	0.52 ± 0.120		3
Total Dissolved Solids (mg/L)			562		494	to 597	540 ± 30.000		3
Total Suspended Solids (mg/L)			2.5 U		2.5 U	to 2.5 U	2.5 ± 0.000		3
Sulfate (mg/L)			45		34	to 72	49 ± 12.000		3
Sulfide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		3
Alkalinity (CaCO3) (mg/L)			460		430	to 470	450 ± 12.000		3
Alkalinity (CaCO3) (field) (mg/L)	400	500	500	450	125	to 500	380 ± 17.000		33
Organic Carbon (mg/L)			↑2.3		2 U	to 2.2	2.1 ± 0.067		3
Chloride (mg/L)			2.9		1 U	to 3.2	1.7 ± 0.730		3
Bromide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		3
Turbidity (field) (NTU)	5	4.8	3	7.6	0.3	to 36.6	4.2 ± 1.100		39

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

\*Field parameters measured monthly by NEWSME.

# LF-LD-11

Juniper Ridge Landfill

Q1= 1 - 2023

Q2= 4 - 2023

Q3= 7 - 2023













Q4= 10 - 2023

U = Not Detected above the laboratory reporting limit.

D = The sampling location was dry.

# LF-LD-11

annual stats 2023 G2



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**LF-LD-11**  
Juniper Ridge Landfill



**Well Description**

LF-LD-12 monitors the leak detection system for Cell 12 from the Cell 12 leak detection system pump station



Sampled: **Annually in summer\***  
 Sampled Since: **Apr-21**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	601	674	690	547	369	to 737	550 ± 11.000		38
pH (STU)	6.8	↑7	6.7	6.7	4.3	to 6.9	6.4 ± 0.066		38
Temperature (Deg C)	20.3	21.6	↑25.9	↑24.1	15.4	to 23.9	19 ± 0.350		38
Eh (mV)	↑405	340	290	↑392	74	to 389	270 ± 13.000		38
Dissolved Oxygen (mg/L)	6	6	6	6	0.8	to 7	3.5 ± 0.280		38
Flow Rate (cfs)		↓0.0176	0.0203	0.0207	0.0203	to 0.0245	0.022 ± 0.001		3
Arsenic (mg/L)			0.005 U		0.005 U	to 0.005	0.005 ± 0.000		3
Calcium (mg/L)			77		47	to 91	75 ± 14.000		3
Copper (mg/L)			0.003 U		0.003 U	to 0.003 U	0.003 ± 0.000		3
Iron (mg/L)			↑1.2		0.06	to 0.46	0.24 ± 0.120		3
Magnesium (mg/L)			13		8.1	to 16	13 ± 2.600		3
Manganese (mg/L)			↑5.9		0.77	to 5.3	3.1 ± 1.300		3
Potassium (mg/L)			4.2		3.2	to 4.5	4.1 ± 0.430		3
Sodium (mg/L)			↓6.3		7	to 9.2	8 ± 0.640		3
Boron (mg/L)			0.05 U		0.05 U	to 0.05 U	0.05 ± 0.000		3
Total Kjeldahl Nitrogen (mg/L)			↓0.2 U		0.25	to 0.4	0.32 ± 0.044		3
Ammonia (N) (mg/L)			0.5 U		0.5 U	to 0.5 U	0.5 ± 0.000		3
Nitrite/Nitrate - (N) (mg/L)			↑0.1		0.05 U	to 0.063	0.054 ± 0.004		3
Total Dissolved Solids (mg/L)			302		240	to 397	330 ± 46.000		3
Total Suspended Solids (mg/L)			2.5 U		2.5 U	to 6.7	3.9 ± 1.400		3
Sulfate (mg/L)			↓20		31	to 48	40 ± 4.900		3
Sulfide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		3
Alkalinity (CaCO3) (mg/L)			230		160	to 290	240 ± 39.000		3
Alkalinity (CaCO3) (field) (mg/L)	250	250	300	400	160	to 475	280 ± 11.000		32
Organic Carbon (mg/L)			3.2		2.4	to 3.8	3.3 ± 0.440		3
Chloride (mg/L)			1 U		1 U	to 2.2	1.6 ± 0.350		3
Bromide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		3
Turbidity (field) (NTU)	3.2	6.8	8	7.1	0.2	to 47.8	5.3 ± 1.300		38

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

\*Field parameters measured monthly by NEWSME.

# LF-LD-12

Juniper Ridge Landfill

Q1= 1 - 2023

Q2= 4 - 2023













Q3= 7 - 2023

Q4= 10 - 2023

U = Not Detected above the laboratory reporting limit.

# LF-LD-12

annual stats 2023 G2



**LEGEND**


- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**LF-LD-12**  
Juniper Ridge Landfill

**Well Description**

LF-LD-13 monitors the leak detection system for Cell 13 from the Cell 13 leak detection system pump station.



Sampled: **Annually in summer\***  
 Sampled Since: **9/14/2021**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	354	↑427	↑557	↑462	185	to 381	290 ± 8.700		34
pH (STU)	6.8	7.1	6.8	6.8	6.1	to 7.2	6.7 ± 0.043		34
Temperature (Deg C)	20.4	22.9	↓6.8	25	15.6	to 27.9	19 ± 0.420		34
Eh (mV)	↑404	342	298	317	115	to 361	270 ± 12.000		34
Dissolved Oxygen (mg/L)	6	6	6	6	1.3	to 9	5.1 ± 0.230		32
Flow Rate (cfs)		0.0147	0.0145	0.0145	0.0131	to 0.0158	0.014 ± 0.001		2
Arsenic (mg/L)			0.005 U		0.005 U	to 0.005 U	0.005 ± 0.000		1
Calcium (mg/L)			↑61		43	to 43	43 ± 0.000		1
Copper (mg/L)			0.003 U		0.003 U	to 0.003 U	0.003 ± 0.000		1
Iron (mg/L)			↑0.13		0.05 U	to 0.05 U	0.05 ± 0.000		1
Magnesium (mg/L)			↑13		9	to 9	9 ± 0.000		1
Manganese (mg/L)			↑2.5		0.48	to 0.48	0.48 ± 0.000		1
Potassium (mg/L)			↑4.7		4.1	to 4.1	4.1 ± 0.000		1
Sodium (mg/L)			↑8.6		6.4	to 6.4	6.4 ± 0.000		1
Boron (mg/L)			0.05 U		0.05 U	to 0.05 U	0.05 ± 0.000		1
Total Kjeldahl Nitrogen (mg/L)			↓0.2 U		0.29	to 0.29	0.29 ± 0.000		1
Ammonia (N) (mg/L)			0.5 U		0.5 U	to 0.5 U	0.5 ± 0.000		1
Nitrite/Nitrate - (N) (mg/L)			↓0.066		0.07	to 0.07	0.07 ± 0.000		1
Total Dissolved Solids (mg/L)			↑265		207	to 207	210 ± 0.000		1
Total Suspended Solids (mg/L)			2.5 U		2.5 U	to 2.5 U	2.5 ± 0.000		1
Sulfate (mg/L)			↑29		28	to 28	28 ± 0.000		1
Sulfide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		1
Alkalinity (CaCO3) (mg/L)			↑190		130	to 130	130 ± 0.000		1
Alkalinity (CaCO3) (field) (mg/L)	130	200	200	250	70	to 250	130 ± 8.500		31
Organic Carbon (mg/L)			↑3.3		2.7	to 2.7	2.7 ± 0.000		1
Chloride (mg/L)			↑2.2		1.7	to 1.7	1.7 ± 0.000		1
Bromide (mg/L)			↑0.15		0.1	to 0.1	0.1 ± 0.000		1
Turbidity (field) (NTU)	2.5	4	6.4	7.8	0.4	to 209	9 ± 6.100		34

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

\*Field parameters measured monthly by NEWSME.

Juniper Ridge Landfill

Q1= 1 - 2023













Q2= 4 - 2023

Q3= 7 - 2023

Q4= 10 - 2023

U = Not Detected above the laboratory reporting limit.

annual stats 2023 G2



**LEGEND**


- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**LF-LD-13**  
Juniper Ridge Landfill

**Well Description**

LF-LD-14 monitors the leak detection system for Cell 14 from the Cell 14 leak detection system pump station.



Sampled: **Annually in summer\***  
 Sampled Since: **7/26/2022**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑ 526	↑ 622	↑ 803	↑ 724	319	to 483	440 ± 14.000		12
pH (STU)	↑ 7.4	↑ 7.4	7.1	7.1	6.5	to 7.3	6.9 ± 0.068		12
Temperature (Deg C)	19.6	21.6	↑ 27.6	↑ 25.4	14.3	to 22.2	18 ± 0.630		12
Eh (mV)	↑ 399	↑ 346	308	294	183	to 308	270 ± 12.000		12
Dissolved Oxygen (mg/L)	6	6	6	6	3.1	to 6	5.5 ± 0.250		12
Flow Rate (cfs)		0.0045	0.0143	0.0147	No historical data for Flow Rate.				
Arsenic (mg/L)			0.005 U		No historical data for Arsenic.				
Calcium (mg/L)			96		No historical data for Calcium.				
Copper (mg/L)			0.003 U		No historical data for Copper.				
Iron (mg/L)			0.72		No historical data for Iron.				
Magnesium (mg/L)			22		No historical data for Magnesium.				
Manganese (mg/L)			1.3		No historical data for Manganese.				
Potassium (mg/L)			7		No historical data for Potassium.				
Sodium (mg/L)			7.8		No historical data for Sodium.				
Boron (mg/L)			0.05 U		No historical data for Boron.				
Total Kjeldahl Nitrogen (mg/L)			0.2 U		No historical data for Total Kjeldahl Nitrogen.				
Ammonia (N) (mg/L)			0.5 U		No historical data for Ammonia (N).				
Nitrite/Nitrate - (N) (mg/L)			0.088		No historical data for Nitrite/Nitrate - (N).				
Total Dissolved Solids (mg/L)			368		No historical data for Total Dissolved Solids.				
Total Suspended Solids (mg/L)			2.5 U		No historical data for Total Suspended Solids.				
Sulfate (mg/L)			19		No historical data for Sulfate.				
Sulfide (mg/L)			0.1 U		No historical data for Sulfide.				
Alkalinity (CaCO3) (mg/L)			310		No historical data for Alkalinity (CaCO3).				
Alkalinity (CaCO3) (field) (mg/L)	250	↑ 300	↑ 400	↑ 400	200	to 275	220 ± 9.200		11
Organic Carbon (mg/L)			3.6		No historical data for Organic Carbon.				
Chloride (mg/L)			2.2		No historical data for Chloride.				
Bromide (mg/L)			0.1		No historical data for Bromide.				
Turbidity (field) (NTU)	↑ 20.9	8.8	7.9	7	2.1	to 18.3	7.5 ± 1.700		12

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

\*Field parameters measured monthly by NEWSME.

# LF-LD-14

Juniper Ridge Landfill

Q1= 1 - 2023

Q2= 4 - 2023

Q3= 7 - 2023













Q4= 10 - 2023

U = Not Detected above the laboratory reporting limit.

# LF-LD-14

annual stats 2023 G2





**LEGEND**


- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**LF-LD-14**  
Juniper Ridge Landfill

**Well Description**

LF-UD-1 monitors the landfill underdrain from Cell #1 at Manhole #5.



Sampled: **Monthly & 3 Times Annually**  
 Sampled Since: **07/28/04**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	H8	H8	H8	H8	102	to 611	330 ± 6.000		139
pH (STU)	H8	H8	H8	H8	6.3	to 8.4	7.3 ± 0.042		139
Temperature (Deg C)	H8	H8	H8	H8	0.6	to 25.9	14 ± 0.440		139
Eh (mV)	H8	H8	H8	H8	173	to 524	340 ± 5.300		139
Dissolved Oxygen (mg/L)	H8	H8	H8	H8	2	to 11	6.6 ± 0.140		138
Flow Rate (cfs)	H8	H8	H8	H8	0.00002	to 0.0067	0.0012 ± 0.000		119
Arsenic (mg/L)		F6	F6	F6	0.001	to 0.015	0.0058 ± 0.001		30
Calcium (mg/L)		F6	F6	F6	25	to 58	43 ± 1.700		30
Iron (mg/L)		F6	F6	F6	0.02 U	to 4.57	0.22 ± 0.150		30
Magnesium (mg/L)		F6	F6	F6	7.4	to 14	10 ± 0.290		30
Manganese (mg/L)		F6	F6	F6	0.02 U	to 0.1	0.034 ± 0.004		30
Potassium (mg/L)		F6	F6	F6	1.8	to 4.1	3 ± 0.140		30
Sodium (mg/L)		F6	F6	F6	5.8	to 10	8 ± 0.190		30
Nitrite/Nitrate - (N) (mg/L)		F6	F6	F6	0.07	to 2 U	0.52 ± 0.250		7
Total Phosphorus Mixed Forms (PO4 and		F6	F6	F6	0.01 U	to 0.33	0.039 ± 0.011		30
Total Dissolved Solids (mg/L)		F6	F6	F6	130	to 290	200 ± 7.100		30
Total Suspended Solids (mg/L)		F6	F6	F6	2.5 U	to 394	23 ± 13.000		30
Sulfate (mg/L)		F6	F6	F6	4.1	to 35	9.6 ± 1.200		30
Bicarbonate Alkalinity (CaCO3) (mg/L)		F6	F6	F6	110	to 179	150 ± 4.200		30
Organic Carbon (mg/L)		F6	F6	F6	0.5 U	to 6.4	1.9 ± 0.190		30
Chloride (mg/L)		F6	F6	F6	1.9	to 26	9.1 ± 1.500		30
Bromide (mg/L)		F6	F6	F6	0.1 U	to 0.21	0.15 ± 0.014		11
Turbidity (field) (NTU)	H8	H8	H8	H8	0	to 8.1	1.1 ± 0.110		138

underlined/bold - values exceed a regulatory standard listed below.













Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

Q1= 1 - 2023      H8 = No flow from pipe. See LF-COMP for readings  
 Q2= 4 - 2023      F6 = No flow. Sample not taken.  
 Q3= 7 - 2023  
 Q4= 10 - 2023



**LEGEND**


- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**LF-UD-1**  
Juniper Ridge Landfill

**Well Description**

LF-UD-2 monitors the landfill underdrain from Cell #2 at Manhole #5.



Sampled: **Monthly & 3 Times Annually**

Sampled Since: **07/28/04**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	H8	H8	H8	H8	134	to 709	330 ± 6.200		202
pH (STU)	H8	H8	H8	H8	6	to 8.5	7.5 ± 0.036		202
Temperature (Deg C)	H8	H8	H8	H8	2.2	to 28.4	16 ± 0.360		202
Eh (mV)	H8	H8	H8	H8	168	to 554	340 ± 4.800		202
Dissolved Oxygen (mg/L)	H8	H8	H8	H8	2	to 10.2	6.4 ± 0.095		200
Flow Rate (cfs)	H8	H8	H8	H8	0.00002	to 0.0223	0.0022 ± 0.000		184
Arsenic (mg/L)		F6	F6	F6	0.001	U to 0.024	0.007 ± 0.001		46
Calcium (mg/L)		F6	F6	F6	20	to 71.5	45 ± 2.100		46
Iron (mg/L)		F6	F6	F6	0.02	U to 2.5	0.14 ± 0.057		46
Magnesium (mg/L)		F6	F6	F6	6.1	to 15	10 ± 0.350		46
Manganese (mg/L)		F6	F6	F6	0.02	U to 0.13	0.038 ± 0.003		46
Potassium (mg/L)		F6	F6	F6	1.9	to 5.4	3.2 ± 0.120		46
Sodium (mg/L)		F6	F6	F6	5.2	to 18.1	7.9 ± 0.400		46
Nitrite/Nitrate - (N) (mg/L)		F6	F6	F6	0.05	U to 2 U	0.35 ± 0.110		17
Total Phosphorus Mixed Forms (PO4 and		F6	F6	F6	0.01	U to 0.66	0.049 ± 0.014		46
Total Dissolved Solids (mg/L)		F6	F6	F6	132	to 307	220 ± 8.000		46
Total Suspended Solids (mg/L)		F6	F6	F6	2.5	U to 370	18 ± 8.100		46
Sulfate (mg/L)		F6	F6	F6	2	U to 56	8.9 ± 1.400		46
Bicarbonate Alkalinity (CaCO3) (mg/L)		F6	F6	F6	92	to 230	150 ± 5.700		46
Organic Carbon (mg/L)		F6	F6	F6	0.6	to 43	2.8 ± 0.930		46
Chloride (mg/L)		F6	F6	F6	1.7	to 41.2	12 ± 1.600		46
Bromide (mg/L)		F6	F6	F6	0.1	U to 0.2	0.15 ± 0.009		23
Turbidity (field) (NTU)	H8	H8	H8	H8	0	to 8.7	0.97 ± 0.100		201

underlined/bold - values exceed a regulatory standard listed below.













Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

Q1= 1 - 2023      H8 = No flow from pipe. See LF-COMP for readings  
 Q2= 4 - 2023      F6 = No flow. Sample not taken.  
 Q3= 7 - 2023  
 Q4= 10 - 2023



**LEGEND**


- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**LP-UD-2**  
Juniper Ridge Landfill

**Well Description**

LF-UD-3A, B monitors the landfill underdrains from cell 3A and cell 3B at Manhole #5.



Sampled: **Monthly and 3 Times Annually**  
 Sampled Since: **July 2011**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	H8	H8	H8	H8	126	to 565	370 ± 19.000		27
pH (STU)	H8	H8	H8	H8	6.2	to 8.4	7.6 ± 0.120		27
Temperature (Deg C)	H8	H8	H8	H8	5	to 19.8	13 ± 0.820		27
Eh (mV)	H8	H8	H8	H8	94	to 447	290 ± 13.000		27
Dissolved Oxygen (mg/L)	H8	H8	H8	H8	4	to 8	5.6 ± 0.140		27
Flow Rate (cfs)	H8	H8	H8	H8	0.0003	to 0.0067	0.0033 ± 0.000		27
Arsenic (mg/L)		F6	F6	F6	0.003 U	to 0.01	0.0048 ± 0.001		5
Calcium (mg/L)		F6	F6	F6	46.4	to 69.9	56 ± 4.400		5
Iron (mg/L)		F6	F6	F6	0.02 U	to 0.02 U	0.02 ± 0.000		5
Magnesium (mg/L)		F6	F6	F6	8.2	to 12.5	10 ± 0.810		5
Manganese (mg/L)		F6	F6	F6	0.02 U	to 0.12	0.048 ± 0.020		5
Potassium (mg/L)		F6	F6	F6	1.8	to 3.3	2.4 ± 0.310		5
Sodium (mg/L)		F6	F6	F6	6	to 9.5	8 ± 0.630		5
Nitrite/Nitrate - (N) (mg/L)		F6	F6	F6	No historical data for Nitrite/Nitrate - (N).				
Total Phosphorus Mixed Forms (PO4 and		F6	F6	F6	0.01 U	to 0.01	0.01 ± 0.000		5
Total Dissolved Solids (mg/L)		F6	F6	F6	163	to 263	230 ± 17.000		5
Total Suspended Solids (mg/L)		F6	F6	F6	4 U	to 4 U	4 ± 0.000		5
Sulfate (mg/L)		F6	F6	F6	8.3	to 16.3	13 ± 1.300		5
Bicarbonate Alkalinity (CaCO3) (mg/L)		F6	F6	F6	123	to 201	160 ± 15.000		5
Organic Carbon (mg/L)		F6	F6	F6	1.2	to 4.8	3.4 ± 0.660		5
Chloride (mg/L)		F6	F6	F6	2.4	to 12.6	7.8 ± 1.700		5
Bromide (mg/L)		F6	F6	F6	No historical data for Bromide.				
Turbidity (field) (NTU)	H8	H8	H8	H8	0	to 5	0.9 ± 0.200		27

**underlined/bold** - values exceed a regulatory standard listed below.




Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.









**Comments**

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

Q1= 1 - 2023      H8 = No flow from pipe. See LF-COMP for readings  
 Q2= 4 - 2023      F6 = No flow. Sample not taken.  
 Q3= 7 - 2023  
 Q4= 10 - 2023



No Data Found for Bromide



**LEGEND**


- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



LF-UD-3A,B  
Juniper Ridge Landfill

**Well Description**

LF-UD-4 monitors the landfill underdrain from Cell #4 at Manhole #5.



Sampled: **Monthly & 3 Times Annually**  
 Sampled Since: **03/11/2009**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	H8	H8	H8	H8	153 to 562		410 ± 9.900		43
pH (STU)	H8	H8	H8	H8	6.9 to 8.3		7.5 ± 0.065		43
Temperature (Deg C)	H8	H8	H8	H8	4.5 to 30.7		16 ± 0.750		43
Eh (mV)	H8	H8	H8	H8	212 to 571		350 ± 12.000		43
Dissolved Oxygen (mg/L)	H8	H8	H8	H8	4 to 10.3		6.4 ± 0.250		43
Flow Rate (cfs)	H8	H8	H8	H8	0.0001 to 0.0078		0.0015 ± 0.000		40
Arsenic (mg/L)		F6	F6	F6	0.002 to 0.014		0.0067 ± 0.001		16
Calcium (mg/L)		F6	F6	F6	44.8 to 75.7		57 ± 2.100		16
Iron (mg/L)		F6	F6	F6	0.02 U to 1.4		0.2 ± 0.086		16
Magnesium (mg/L)		F6	F6	F6	9.4 to 14		12 ± 0.400		16
Manganese (mg/L)		F6	F6	F6	0.02 U to 0.16		0.055 ± 0.007		16
Potassium (mg/L)		F6	F6	F6	3.4 to 5.8		4.1 ± 0.160		16
Sodium (mg/L)		F6	F6	F6	7.4 to 11		9.4 ± 0.270		16
Nitrite/Nitrate - (N) (mg/L)		F6	F6	F6	0.13 to 0.42		0.25 ± 0.031		10
Total Phosphorus Mixed Forms (PO4 and		F6	F6	F6	0.01 U to 0.18		0.051 ± 0.009		16
Total Dissolved Solids (mg/L)		F6	F6	F6	206 to 298		250 ± 6.200		16
Total Suspended Solids (mg/L)		F6	F6	F6	2.5 U to 210		29 ± 14.000		16
Sulfate (mg/L)		F6	F6	F6	2 U to 27		14 ± 1.800		16
Bicarbonate Alkalinity (CaCO3) (mg/L)		F6	F6	F6	136 to 210		180 ± 5.000		16
Organic Carbon (mg/L)		F6	F6	F6	1 U to 5.1		2.1 ± 0.220		16
Chloride (mg/L)		F6	F6	F6	1 U to 24		9.7 ± 2.000		16
Bromide (mg/L)		F6	F6	F6	0.1 U to 0.2		0.14 ± 0.013		13
Turbidity (field) (NTU)	H8	H8	H8	H8	0 to 9.1		0.91 ± 0.220		43

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

This location is monitored triannually for field and lab parameters and monthly for field parameters only.


Q1= 1 - 2023      H8 = No flow from pipe. See LF-COMP for readings  
 Q2= 4 - 2023      F6 = No flow. Sample not taken.  
 Q3= 7 - 2023  
 Q4= 10 - 2023





**Well Description**

LF-UD-5and6 monitors the landfill underdrain from Cell #5 and Cell #6(composite). This underdrain pipe is located southeast of MW04-109R.



Sampled: **3 Times Annually and Monthly**  
 Sampled Since: **July 2011**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	315	338	379	335	117	to 652	360 ± 6.300		165
pH (STU)	8.4	8.4	8.3	8.1	6.7	to 8.5	7.8 ± 0.032		165
Temperature (Deg C)	9.4	16.8	24.2	22.6	4.2	to 26.5	16 ± 0.370		165
Eh (mV)	384	429	465	466	70	to 532	350 ± 4.500		164
Dissolved Oxygen (mg/L)	6	7.6	8	8.1	4	to 12.8	7.3 ± 0.130		163
Flow Rate (cfs)	0.0003	0.0006	0.0011	0.0006	0.00003	to 0.0053	0.00062 ± 0.000		143
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.005 U	to 0.024	0.0088 ± 0.001		34
Calcium (mg/L)		46	47	↓34	38	to 71.3	53 ± 1.500		34
Iron (mg/L)		0.05 U	0.097	0.05 U	0.02 U	to 11.3	0.47 ± 0.330		34
Magnesium (mg/L)		11	10	↓8.2	8.4	to 15.4	11 ± 0.270		34
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	to 0.25	0.053 ± 0.006		34
Potassium (mg/L)		2.7	2.5	↓1.8	2.3	to 7	3.7 ± 0.200		34
Sodium (mg/L)		9.2	8.8	6.9	6.2	to 10.2	8.3 ± 0.160		34
Nitrite/Nitrate - (N) (mg/L)		0.16	0.21	0.16	0.05 U	to 0.5 U	0.18 ± 0.026		21
Total Phosphorus Mixed Forms (PO4 and		0.04 U	0.04 U	0.04 U	0.01	to 0.16	0.046 ± 0.004		34
Total Dissolved Solids (mg/L)		↓183	194	187	185	to 332	230 ± 6.200		34
Total Suspended Solids (mg/L)		16	8.5	2.5 U	2.5 U	to 154	17 ± 5.900		34
Sulfate (mg/L)		8.9	↓8.3	↓8.3	8.4	to 39	14 ± 1.000		34
Bicarbonate Alkalinity (CaCO3) (mg/L)		150	150	160	150	to 238	180 ± 4.200		34
Alkalinity (CaCO3) (field) (mg/L)	150	150	200	150	35	to 435	170 ± 4.300		140
Organic Carbon (mg/L)		1 U	1 U	1 U	1 U	to 2.5	1.9 ± 0.057		34
Chloride (mg/L)		3.2	2.9	2.8	1.5	to 6.2	2.8 ± 0.150		34
Bromide (mg/L)		0.1 U	0.11	0.17	0.1 U	to 0.2 U	0.13 ± 0.008		26
Turbidity (field) (NTU)	9.8	8.6	20.1	5.7	0	to 57.7	4 ± 0.690		164

**underlined/bold** - values exceed a regulatory standard listed below.













Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

Q1= 1 - 2023 U = Not Detected above the laboratory reporting limit.  
 Q2= 4 - 2023  
 Q3= 7 - 2023  
 Q4= 10 - 2023



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




LF-UD-5and6  
Juniper Ridge Landfill

**Well Description**

LF-UD-6 monitors the landfill underdrain from Cell #6. This underdrain pipe is located along the south perimeter of the landfill.

Sampled: **Monthly and 3 Times Annually**  
 Sampled Since: **02/03/2011**

Sampling Method: **Grab**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	F6	F6	F6	F6	70	to 1365	570 ± 23.000		115
pH (STU)	F6	F6	F6	F6	3.8	to 8.5	7.1 ± 0.087		114
Temperature (Deg C)	F6	F6	F6	F6	7.6	to 24.8	17 ± 0.360		115
Eh (mV)	F6	F6	F6	F6	140	to 605	380 ± 5.900		114
Dissolved Oxygen (mg/L)	F6	F6	F6	F6	3.6	to 10	6.4 ± 0.130		113
Flow Rate (cfs)	F6	F6	F6	F6	0.00002	to 0.0045	0.0018 ± 0.000		28
Arsenic (mg/L)		F6	F6	F6	0.003	to 0.026	0.013 ± 0.002		27
Calcium (mg/L)		F6	F6	F6	24	to 160	73 ± 5.100		27
Iron (mg/L)		F6	F6	F6	0.02 U	to 6.28	0.29 ± 0.230		27
Magnesium (mg/L)		F6	F6	F6	2.9	to 25.4	15 ± 1.500		27
Manganese (mg/L)		F6	F6	F6	0.02 U	to 5.5	0.47 ± 0.240		27
Potassium (mg/L)		F6	F6	F6	1.7	to 20	4.7 ± 0.630		27
Sodium (mg/L)		F6	F6	F6	0.5	to 74.3	31 ± 5.800		27
Nitrite/Nitrate - (N) (mg/L)		F6	F6	F6	1.4	to 130	20 ± 8.800		15
Total Phosphorus Mixed Forms (PO4 and		F6	F6	F6	0.01	to 5.7	0.49 ± 0.260		27
Total Dissolved Solids (mg/L)		F6	F6	F6	149	to 1255	420 ± 42.000		27
Total Suspended Solids (mg/L)		F6	F6	F6	2.5 U	to 150	15 ± 6.500		27
Sulfate (mg/L)		F6	F6	F6	2 U	to 143	51 ± 9.000		27
Bicarbonate Alkalinity (CaCO3) (mg/L)		F6	F6	F6	1.5 U	to 359	220 ± 24.000		27
Organic Carbon (mg/L)		F6	F6	F6	2 U	to 5	2.7 ± 0.140		27
Chloride (mg/L)		F6	F6	F6	1 U	to 18.2	7.5 ± 1.100		27
Bromide (mg/L)		F6	F6	F6	0.1 U	to 0.5 U	0.13 ± 0.020		21
Turbidity (field) (NTU)	F6	F6	F6	F6	0.1	to 126.9	5.7 ± 1.300		114

underlined/bold - values exceed a regulatory standard listed below.













Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

Q1= 1 - 2023 F6 = No flow. Sample not taken.  
 Q2= 4 - 2023 D = The sampling location was dry.  
 Q3= 7 - 2023  
 Q4= 10 - 2023



**LEGEND**


- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**LF-UD-6**  
Juniper Ridge Landfill

**Well Description**

LF-UD-7 monitors the landfill underdrain from Cell #7 and Manhole #5.



Sampled: **Monthly and 3 Times Annually**  
 Sampled Since: **11/30/2011**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical ( - )				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	H8	H8	H8	H8	No historical data for Specific Conductance.				
pH (STU)	H8	H8	H8	H8	No historical data for pH.				
Temperature (Deg C)	H8	H8	H8	H8	No historical data for Temperature.				
Eh (mV)	H8	H8	H8	H8	No historical data for Eh.				
Dissolved Oxygen (mg/L)	H8	H8	H8	H8	No historical data for Dissolved Oxygen.				
Flow Rate (cfs)	H8	H8	H8	H8	No historical data for Flow Rate.				
Arsenic (mg/L)		F6	F6	F6	No historical data for Arsenic.				
Calcium (mg/L)		F6	F6	F6	No historical data for Calcium.				
Iron (mg/L)		F6	F6	F6	No historical data for Iron.				
Magnesium (mg/L)		F6	F6	F6	No historical data for Magnesium.				
Manganese (mg/L)		F6	F6	F6	No historical data for Manganese.				
Potassium (mg/L)		F6	F6	F6	No historical data for Potassium.				
Sodium (mg/L)		F6	F6	F6	No historical data for Sodium.				
Nitrite/Nitrate - (N) (mg/L)		F6	F6	F6	No historical data for Nitrite/Nitrate - (N).				
Total Phosphorus Mixed Forms (PO4 and Organic)		F6	F6	F6	No historical data for Total Phosphorus Mixed Forms (PO4 and Organic).				
Total Dissolved Solids (mg/L)		F6	F6	F6	No historical data for Total Dissolved Solids.				
Total Suspended Solids (mg/L)		F6	F6	F6	No historical data for Total Suspended Solids.				
Sulfate (mg/L)		F6	F6	F6	No historical data for Sulfate.				
Bicarbonate Alkalinity (CaCO3) (mg/L)		F6	F6	F6	No historical data for Bicarbonate Alkalinity (CaCO3).				
Organic Carbon (mg/L)		F6	F6	F6	No historical data for Organic Carbon.				
Chloride (mg/L)		F6	F6	F6	No historical data for Chloride.				
Bromide (mg/L)		F6	F6	F6	No historical data for Bromide.				
Turbidity (field) (NTU)	H8	H8	H8	H8	No historical data for Turbidity (field).				

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

Q1= 1 - 2023      H8 = No flow from pipe. See LF-COMP for readings  
 Q2= 4 - 2023      F6 = No flow. Sample not taken.  
 Q3= 7 - 2023  
 Q4= 10 - 2023

No Data Found for  
Specific Conductance

No Data Found for  
Sodium

No Data Found for  
Dissolved Oxygen

No Data Found for  
Bromide

No Data Found for  
Calcium

No Data Found for  
Total Dissolved Solids

No Data Found for  
Iron

No Data Found for  
Sulfate

No Data Found for  
Magnesium

No Data Found for  
Organic Carbon

No Data Found for  
Manganese

No Data Found for  
Chloride

**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**LF-UD-7**  
Juniper Ridge Landfill




**Well Description**

LF-UD-8 monitors the landfill underdrain from Cell #8. This underdrain pipe is located along the southern perimeter of the landfill.

Sampled: **Monthly and 3 Times Annually**  
 Sampled Since: **4/23/2013**

Sampling Method: **Grab**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	F6	F6	F6	F6	64	to 407	200 ± 32.000		17
pH (STU)	F6	F6	F6	F6	6.8	to 8.5	7.5 ± 0.130		17
Temperature (Deg C)	F6	F6	F6	F6	2.8	to 26.9	12 ± 1.500		17
Eh (mV)	F6	F6	F6	F6	235	to 568	370 ± 21.000		17
Dissolved Oxygen (mg/L)	F6	F6	F6	F6	5	to 10.9	7.6 ± 0.520		17
Flow Rate (cfs)	F6	F6	F6	F6	0.00003	to 0.0045	0.0014 ± 0.000		14
Arsenic (mg/L)		F6	F6	F6	0.005 U	to 0.014	0.0069 ± 0.001		11
Calcium (mg/L)		F6	F6	F6	4.8	to 50.1	19 ± 5.400		11
Iron (mg/L)		F6	F6	F6	0.05 U	to 1.5	0.57 ± 0.140		11
Magnesium (mg/L)		F6	F6	F6	0.8	to 11.1	3.6 ± 1.300		11
Manganese (mg/L)		F6	F6	F6	0.05 U	to 0.15	0.069 ± 0.010		11
Potassium (mg/L)		F6	F6	F6	0.8	to 3.7	1.9 ± 0.360		11
Sodium (mg/L)		F6	F6	F6	1.3	to 7.3	3.8 ± 0.670		11
Nitrite/Nitrate - (N) (mg/L)		F6	F6	F6	0.05 U	to 0.5 U	0.14 ± 0.073		6
Total Phosphorus Mixed Forms (PO4 and		F6	F6	F6	0.04 U	to 0.1	0.05 ± 0.006		11
Total Dissolved Solids (mg/L)		F6	F6	F6	42	to 222	100 ± 21.000		11
Total Suspended Solids (mg/L)		F6	F6	F6	4 U	to 43	9.2 ± 3.500		11
Sulfate (mg/L)		F6	F6	F6	4.6	to 49	14 ± 3.600		11
Bicarbonate Alkalinity (CaCO3) (mg/L)		F6	F6	F6	6	to 180	58 ± 22.000		11
Organic Carbon (mg/L)		F6	F6	F6	2 U	to 6.3	3.9 ± 0.480		11
Chloride (mg/L)		F6	F6	F6	2	to 14	5.2 ± 1.000		11
Bromide (mg/L)		F6	F6	F6	0.1 U	to 0.2 U	0.11 ± 0.009		11
Turbidity (field) (NTU)	F6	F6	F6	F6	0.04	to 24.35	2.6 ± 1.400		17

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

Q1= 1 - 2023      F6 = No flow. Sample not taken.  
 Q2= 4 - 2023  
 Q3= 7 - 2023  
 Q4= 10 - 2023






**Well Description**

LF-UD-9 monitors the landfill underdrain from Cell #9. This underdrain pipe is located along the southern perimeter of the landfill.

Sampled: **Monthly and 3 Times Annually**  
 Sampled Since: **April 2016**

Sampling Method: **Grab**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	F6	F6	F6	F6	135 to 292		200 ± 33.000		4
pH (STU)	F6	F6	F6	F6	6.6 to 7.6		7.2 ± 0.210		4
Temperature (Deg C)	F6	F6	F6	F6	7.1 to 15.1		10 ± 1.800		4
Eh (mV)	F6	F6	F6	F6	278 to 458		370 ± 37.000		4
Dissolved Oxygen (mg/L)	F6	F6	F6	F6	7 to 10.8		8.5 ± 0.910		4
Flow Rate (cfs)	F6	F6	F6	F6	0.0004 to 0.0045		0.0023 ± 0.001		4
Arsenic (mg/L)		F6	F6	F6	0.007 to 0.007		0.007 ± 0.000		1
Calcium (mg/L)		F6	F6	F6	55 to 55		55 ± 0.000		1
Iron (mg/L)		F6	F6	F6	1.4 to 1.4		1.4 ± 0.000		1
Magnesium (mg/L)		F6	F6	F6	6.8 to 6.8		6.8 ± 0.000		1
Manganese (mg/L)		F6	F6	F6	0.06 to 0.06		0.06 ± 0.000		1
Potassium (mg/L)		F6	F6	F6	4.3 to 4.3		4.3 ± 0.000		1
Sodium (mg/L)		F6	F6	F6	6.5 to 6.5		6.5 ± 0.000		1
Nitrite/Nitrate - (N) (mg/L)		F6	F6	F6	0.88 to 0.88		0.88 ± 0.000		1
Total Phosphorus Mixed Forms (PO4 and		F6	F6	F6	0.08 to 0.08		0.08 ± 0.000		1
Total Dissolved Solids (mg/L)		F6	F6	F6	224 to 224		220 ± 0.000		1
Total Suspended Solids (mg/L)		F6	F6	F6	57 to 57		57 ± 0.000		1
Sulfate (mg/L)		F6	F6	F6	11 to 11		11 ± 0.000		1
Bicarbonate Alkalinity (CaCO3) (mg/L)		F6	F6	F6	90 to 90		90 ± 0.000		1
Organic Carbon (mg/L)		F6	F6	F6	2.7 to 2.7		2.7 ± 0.000		1
Chloride (mg/L)		F6	F6	F6	5.1 to 5.1		5.1 ± 0.000		1
Bromide (mg/L)		F6	F6	F6	0.2 U to 0.2 U		0.2 ± 0.000		1
Turbidity (field) (NTU)	F6	F6	F6	F6	1.2 to 49.6		26 ± 12.000		4

**underlined/bold** - values exceed a regulatory standard listed below.













Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

- Q1= 1 - 2023 F6 = No flow. Sample not taken.
- Q2= 4 - 2023
- Q3= 7 - 2023
- Q4= 10 - 2023



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**LF-UD-9**  
Juniper Ridge Landfill

**Well Description**

LF-UD-10 monitors the landfill underdrain from Cell #10. This underdrain pipe is located along the southern perimeter of the landfill.

Sampled: **Monthly and 3 Times Annually**  
 Sampled Since: **October 2017**

Sampling Method:



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	F6	F6	F6	F6	111	to 175	130 ± 14.000		4
pH (STU)	F6	F6	F6	F6	6.8	to 7.3	7.1 ± 0.120		4
Temperature (Deg C)	F6	F6	F6	F6	5.1	to 14.9	9.9 ± 2.000		4
Eh (mV)	F6	F6	F6	F6	295	to 455	390 ± 34.000		4
Dissolved Oxygen (mg/L)	F6	F6	F6	F6	7	to 9	7.8 ± 0.480		4
Flow Rate (cfs)	F6	F6	F6	F6	0.00056	to 0.0178	0.0066 ± 0.004		4
Arsenic (mg/L)		F6	F6	F6	No historical data for Arsenic.				
Calcium (mg/L)		F6	F6	F6	No historical data for Calcium.				
Iron (mg/L)		F6	F6	F6	No historical data for Iron.				
Magnesium (mg/L)		F6	F6	F6	No historical data for Magnesium.				
Manganese (mg/L)		F6	F6	F6	No historical data for Manganese.				
Potassium (mg/L)		F6	F6	F6	No historical data for Potassium.				
Sodium (mg/L)		F6	F6	F6	No historical data for Sodium.				
Nitrite/Nitrate - (N) (mg/L)		F6	F6	F6	No historical data for Nitrite/Nitrate - (N).				
Total Phosphorus Mixed Forms (PO4 and Organic) (mg/L)		F6	F6	F6	No historical data for Total Phosphorus Mixed Forms (PO4 and Organic).				
Total Dissolved Solids (mg/L)		F6	F6	F6	No historical data for Total Dissolved Solids.				
Total Suspended Solids (mg/L)		F6	F6	F6	No historical data for Total Suspended Solids.				
Sulfate (mg/L)		F6	F6	F6	No historical data for Sulfate.				
Bicarbonate Alkalinity (CaCO3) (mg/L)		F6	F6	F6	No historical data for Bicarbonate Alkalinity (CaCO3).				
Organic Carbon (mg/L)		F6	F6	F6	No historical data for Organic Carbon.				
Chloride (mg/L)		F6	F6	F6	No historical data for Chloride.				
Bromide (mg/L)		F6	F6	F6	No historical data for Bromide.				
Turbidity (field) (NTU)	F6	F6	F6	F6	12.9	to 49.6	39 ± 8.800		4

underlined/bold - values exceed a regulatory standard listed below.


Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.


**Comments**

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

Q1= 1 - 2023      F6 = No flow. Sample not taken.  
 Q2= 4 - 2023      D = The sampling location was dry.  
 Q3= 7 - 2023  
 Q4= 10 - 2023



No Data Found for Sodium



No Data Found for Bromide

No Data Found for Calcium

No Data Found for Total Dissolved Solids

No Data Found for Iron

No Data Found for Sulfate

No Data Found for Magnesium

No Data Found for Organic Carbon

No Data Found for Manganese

No Data Found for Chloride

**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**LF-UD-10**  
Juniper Ridge Landfill


**Well Description**

Manhole #7 composite sample

Sampled: **See comments below**

Sampled Since: **10/27/04**

Sampling Method: **Grab**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	321	352	482	334	92	665	300 ± 6.700		109
pH (STU)	7.6	7.5	7.1	7.2	2.2	8.4	7 ± 0.057		109
Temperature (Deg C)	8.4	16.8	23.9	22.3	3.4	25.1	15 ± 0.490		109
Eh (mV)	385	351	357	361	191	520	360 ± 3.700		109
Dissolved Oxygen (mg/L)	6	6	8	6	3	10	7 ± 0.150		107
Alkalinity (CaCO3) (field) (mg/L)	125	125	140	150	75	260	140 ± 2.600		109
Turbidity (field) (NTU)	3.9	<b>↑49.2</b>	<b>↑53.1</b>	6.1	0	42.7	2.1 ± 0.460		109

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**



During times when LP-UD-1 and LP-UD-2 have not been able to be sampled separately due to pipe submergence, LP-COMP has been collected from manhole #7. Field parameters are measured at this location during some monthly monitoring rounds by NEWSME.

Q1= 1 - 2023










Q2= 4 - 2023

Q3= 7 - 2023

Q4= 10 - 2023



No Data Found for Bromide



**LEGEND**


- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**LP-COMP**  
Juniper Ridge Landfill

**Well Description**

LP-UD-1 is located at Manhole #7 and monitors the leachate underdrain from the southern end of the former leachate pond.



Sampled: **Monthly and 3 Times Annually**  
 Sampled Since: **07/28/04**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	H9	H9	H9	H9	241	to 517	340 ± 64.000		4
pH (STU)	H9	H9	H9	H9	6.7	to 7.1	6.9 ± 0.085		4
Temperature (Deg C)	H9	H9	H9	H9	6.2	to 20.4	14 ± 3.700		4
Eh (mV)	H9	H9	H9	H9	349	to 370	360 ± 4.800		4
Dissolved Oxygen (mg/L)	H9	H9	H9	H9	2.5	to 6	4.9 ± 0.830		4
Flow Rate (cfs)	H9	H9	H9	H9	0.0011	to 0.2152	0.12 ± 0.063		3
Arsenic (mg/L)		F6	F6	F6	0.005 U	to 0.005 U	0.005 ± 0.000		1
Calcium (mg/L)		F6	F6	F6	32	to 32	32 ± 0.000		1
Iron (mg/L)		F6	F6	F6	0.05	to 0.05	0.05 ± 0.000		1
Magnesium (mg/L)		F6	F6	F6	8.7	to 8.7	8.7 ± 0.000		1
Manganese (mg/L)		F6	F6	F6	0.05 U	to 0.05 U	0.05 ± 0.000		1
Potassium (mg/L)		F6	F6	F6	1.7	to 1.7	1.7 ± 0.000		1
Sodium (mg/L)		F6	F6	F6	5.5	to 5.5	5.5 ± 0.000		1
Nitrite/Nitrate - (N) (mg/L)		F6	F6	F6	0.31	to 0.31	0.31 ± 0.000		1
Total Phosphorus Mixed Forms (PO4 and		F6	F6	F6	0.04 U	to 0.04 U	0.04 ± 0.000		1
Total Dissolved Solids (mg/L)		F6	F6	F6	163	to 163	160 ± 0.000		1
Total Suspended Solids (mg/L)		F6	F6	F6	2.5 U	to 2.5 U	2.5 ± 0.000		1
Sulfate (mg/L)		F6	F6	F6	23	to 23	23 ± 0.000		1
Bicarbonate Alkalinity (CaCO3) (mg/L)		F6	F6	F6	120	to 120	120 ± 0.000		1
Organic Carbon (mg/L)		F6	F6	F6	2 U	to 2 U	2 ± 0.000		1
Chloride (mg/L)		F6	F6	F6	3.1	to 3.1	3.1 ± 0.000		1
Bromide (mg/L)		F6	F6	F6	0.1 U	to 0.1 U	0.1 ± 0.000		1
Turbidity (field) (NTU)	H9	H9	H9	H9	0	to 11	4.1 ± 2.600		4

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

Q1= 1 - 2023      H9 = No flow from pipe. See LP-COMP for readings  
 Q2= 4 - 2023      F6 = No flow. Sample not taken.  
 Q3= 7 - 2023  
 Q4= 10 - 2023





**LEGEND**


- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



LP-UD-1  
Juniper Ridge Landfill

**Well Description**

LP-UD-2 is located in Manhole #7 and monitors the water quality of the leachate underdrain on the north end of the former leachate pond.



Sampled: **Monthly and 3 Times Annually**  
 Sampled Since: **07/28/04**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	437	488	510	567	110	to 834	320 ± 5.100		220
pH (STU)	7.6	7.5	7.3	7	5.5	to 8.5	7.1 ± 0.028		220
Temperature (Deg C)	12.1	7.6	25	23.5	1.3	to 25.2	13 ± 0.340		220
Eh (mV)	386	440	486	456	157	to 520	340 ± 4.100		219
Dissolved Oxygen (mg/L)	6	8.6	8	8.2	1	to 12	6.7 ± 0.110		220
Flow Rate (cfs)	0.0013	0.0022	0.0033	0.0011	0.0002	to 0.0668	0.0022 ± 0.000		178
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.001 U	to 0.024	0.006 ± 0.001		56
Calcium (mg/L)		43	45	37	28.8	to 68.2	38 ± 0.960		56
Iron (mg/L)		1.5	1.5	0.05 U	0.02 U	to 2.86	0.17 ± 0.066		56
Magnesium (mg/L)		11	12	9.8	7.7	to 21	11 ± 0.290		56
Manganese (mg/L)		0.14	0.12	0.05 U	0.02 U	to 0.8	0.061 ± 0.015		56
Potassium (mg/L)		1.9	2.5	2	1.7	to 25	3.2 ± 0.430		56
Sodium (mg/L)		6.5	7.5	6.7	5.5	to 58	11 ± 1.100		56
Nitrite/Nitrate - (N) (mg/L)		0.56	0.35	0.27	0.085	to 2 U	0.34 ± 0.076		24
Total Phosphorus Mixed Forms (PO4 and		0.08	↑0.35	0.04 U	0.01 U	to 0.17	0.034 ± 0.004		56
Total Dissolved Solids (mg/L)		173	194	185	151	to 455	200 ± 6.300		56
Total Suspended Solids (mg/L)		↑85	13	2.5 U	2.5 U	to 73	6.3 ± 1.500		56
Sulfate (mg/L)		8	8.2	8	2 U	to 116	13 ± 2.200		56
Bicarbonate Alkalinity (CaCO3) (mg/L)		150	150	150	90	to 229	140 ± 3.300		56
Alkalinity (CaCO3) (field) (mg/L)	150	160	165	150	30	to 350	140 ± 2.800		194
Organic Carbon (mg/L)		1	1 U	1 U	0.7 U	to 27	2.4 ± 0.460		56
Chloride (mg/L)		2.8	↓2.1	↓2.1	2.3	to 31.1	7.1 ± 0.610		56
Bromide (mg/L)		0.1 U	0.1 U	0.1	0.1 U	to 0.2 U	0.12 ± 0.006		30
Turbidity (field) (NTU)	8.2	3.6	9.5	3.6	0	to 60	1.5 ± 0.320		219

underlined/bold - values exceed a regulatory standard listed below.













Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

This location is monitored triannually for field and lab parameters and monthly for field parameters only.

Q1= 1 - 2023      U = Not Detected above the laboratory reporting limit.  
 Q2= 4 - 2023  
 Q3= 7 - 2023  
 Q4= 10 - 2023



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**LP-UD-2**  
Juniper Ridge Landfill


**Well Description**

Leachate collection location at leachate storage tank.

Sampled: **3 Times Annually**

Sampled Since: **07/30/2013**

Sampling Method: **Grab**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		20000	19380	17673	11470	to 30700	22000 ± 740.000		42
pH (STU)		7.5	7.1	6.8	5.5	to 7.6	7 ± 0.070		42
Temperature (Deg C)		13.1	25.2	23.4	9.4	to 29	18 ± 0.840		42
Eh (mV)		-113	-135	-108	-311	to 238	-4 ± 19.000		42
Dissolved Oxygen (mg/L)		1.3	0.3	↓0.1	0.2	to 8	2.3 ± 0.570		16
Flow Rate (cfs)		0.0071	0.0071	0.0071	0.0071	to 0.0071	0.0071 ± 0.000		1
Aluminum (mg/L)		0.81			0.201	to 1.4	0.5 ± 0.084		14
Antimony (mg/L)		0.021			0.005 U	to 0.065	0.016 ± 0.005		14
Arsenic (mg/L)		0.42	0.43	0.25	0.059	to 0.6	0.23 ± 0.021		42
Barium (mg/L)		1.1			0.77	to 1.873	1.2 ± 0.080		14
Beryllium (mg/L)		0.0006 U			0.0002 U	to 0.0033	0.0014 ± 0.000		14
Cadmium (mg/L)		0.0065			0.0006 U	to 0.025	0.0058 ± 0.001		26
Calcium (mg/L)		260	290	290	200	to 1759	490 ± 49.000		42
Chromium (mg/L)		↑0.29			0.024	to 0.21	0.079 ± 0.013		14
Cobalt (mg/L)		0.011			0.01 U	to 0.05 U	0.025 ± 0.004		14
Copper (mg/L)		0.007			0.003 U	to 0.093	0.021 ± 0.004		26
Iron (mg/L)		3.2	↓2.9	8.8	3.1	to 179	25 ± 5.100		42
Lead (mg/L)		0.0035			0.002	to 0.095	0.024 ± 0.007		14
Magnesium (mg/L)		210	200	200	170	to 532	310 ± 14.000		42
Manganese (mg/L)		1.8	2.1	5.8	1.3	to 26	6.3 ± 1.000		42
Mercury (mg/L)		0.0005 U			0.0002 U	to 0.0005 U	0.00043 ± 0.000		13
Nickel (mg/L)		0.071			0.022	to 0.304	0.094 ± 0.013		26
Potassium (mg/L)		1000	1000	760	580	to 1982	1200 ± 56.000		42
Selenium (mg/L)		0.011			0.005 U	to 0.098	0.029 ± 0.007		14
Silver (mg/L)		0.001 U			0.0003	to 0.2	0.02 ± 0.014		14
Sodium (mg/L)		2500	2400	2000	1024	to 8135	2400 ± 170.000		42
Thallium (mg/L)		0.004 U			0.001 U	to 0.025	0.0096 ± 0.002		14
Vanadium (mg/L)		0.056			0.01 U	to 0.1	0.034 ± 0.007		14
Zinc (mg/L)		0.053			0.011	to 0.604	0.12 ± 0.042		14
Tin (mg/L)		0.015 U			0.005 U	to 0.157	0.047 ± 0.013		14
Total Kjeldahl Nitrogen (mg/L)		940	910	810	290	to 1400	780 ± 35.000		40
Ammonia (N) (mg/L)		720			74	to 840	580 ± 36.000		26
Nitrate (N) (mg/L)		7.5 U			5 U	to 1210	120 ± 48.000		26
Nitrite/Nitrate - (N) (mg/L)			0.3 U	0.3 U	0.05 U	to 10 U	0.98 ± 0.630		16
Total Dissolved Solids (mg/L)		11760	12160	10010	13	to 19816	13000 ± 580.000		42
Total Suspended Solids (mg/L)		10	10	↓2.5 U	4.5	to 625	67 ± 16.000		42
Sulfate (mg/L)		78	100 U	43	10.4	to 2900	780 ± 140.000		42

**LT-C4L & LT-C4LR**

**LT-C4L & LT-C4LR**

Juniper Ridge Landfill

annual stats 2023 G2

Sulfide (mg/L)	18			0.18 to 78	12 ± 3.500	25
Ca-mg Hardness (CaCO3) (mg/L)	1500			1300 to 6212	2300 ± 330.000	14
Bicarbonate Alkalinity (CaCO3) (mg/L)	3300	3300	3400	1370 to 4710	3000 ± 110.000	42
Alkalinity (CaCO3) (mg/L)	3300			1370 to 3700	2700 ± 190.000	14
Organic Carbon (mg/L)	530	480	490	110 to 2560	810 ± 100.000	42
Biochemical Oxygen Demand (mg/L)	220			39 to 4850	1200 ± 270.000	25
Chemical Oxygen Demand (mg/L)	2200			959 to 8110	3300 ± 420.000	26
Chloride (mg/L)	5000	5000	3900	2560 to 24300	11000 ± 790.000	42
Bromide (mg/L)	71	63	53	10 U to 188	68 ± 5.800	34
Cyanide (ug/L)	<b>↑ 810</b>			0.006 to 430	43 ± 30.000	14
Turbidity (field) (NTU)	D3	66.5	D3	4.4 to 1733	440 ± 120.000	22

**underlined/bold** - values exceed a regulatory standard listed below.


Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.


**Comments**

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
 Q3= 7 - 2023  
 Q4= 10 - 2023      D3 = Sample too dark to take reading.


**Bromide**




**Manganese**




**Calcium**




**Organic Carbon**




**Chloride**




**Sodium**




**Dissolved Oxygen**




**Specific Conductance**




**Iron**




**Sulfate**



**Magnesium**



**Total Dissolved Solids**



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**LT-C4L & LT-C4LR**  
Juniper Ridge Landfill

**Well Description**

LF-LD-15 monitors the leak detection system for Cell 15 from the Cell 15 leak detection pump station.

Screen Interval:


Sampled: **Annually in summer\***

Sampled Since: **7/18/2023**

Material Screened:

Well Condition:

Sampling Method: **Grab**



**Chemical Summary**

Indicator Parameters	2023				Historical (-)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)			605	761	No historical data for Specific Conductance.				
pH (STU)			7.8	7.7	No historical data for pH.				
Temperature (Deg C)			25.3	23.9	No historical data for Temperature.				
Eh (mV)			353	87	No historical data for Eh.				
Dissolved Oxygen (mg/L)			6	6	No historical data for Dissolved Oxygen.				
Flow Rate (cfs)				0.0145	No historical data for Flow Rate.				
Alkalinity (CaCO3) (field) (mg/L)			160	250	No historical data for Alkalinity (CaCO3) (field).				
Turbidity (field) (NTU)			22.9	9	No historical data for Turbidity (field).				

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.


↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**


\*Field parameters measured monthly by NEWSME.

Q3= 7 - 2023

Q4= 10 - 2023



No Data Found for Sodium



No Data Found for Bromide

No Data Found for Calcium

No Data Found for Total Dissolved Solids

No Data Found for Iron

No Data Found for Sulfate

No Data Found for Magnesium

No Data Found for Organic Carbon

No Data Found for Manganese

No Data Found for Chloride

**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**LF-LD-15**  
Juniper Ridge Landfill




**Well Description**

LF-UD-12+13+14 monitors the landfill underdrains from Cell #12, Cell #13, and Cell #14 (composite). This sample collection location is at the northeast corner of Cell 14.

Sampled: **3 Times Annually and Monthly**

Sampled Since: **4/6/2021**

Sampling Method: **Grab**



**Chemical Summary**

Indicator Parameters	2023				Historical ( - )				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	146	130	756	187	No historical data for Specific Conductance.				
pH (STU)	7.8	7.5	7.9	7.9	No historical data for pH.				
Temperature (Deg C)	9.4	10.9	23	11.4	No historical data for Temperature.				
Eh (mV)	361	337	427	315	No historical data for Eh.				
Dissolved Oxygen (mg/L)	6	8.9	5	6	No historical data for Dissolved Oxygen.				
Flow Rate (cfs)	0.0001	0.0011	0.0011	0.0001	No historical data for Flow Rate.				
Arsenic (mg/L)			0.005 U	F6	No historical data for Arsenic.				
Calcium (mg/L)			16	F6	No historical data for Calcium.				
Copper (mg/L)			0.003 U		No historical data for Copper.				
Iron (mg/L)			1.1	F6	No historical data for Iron.				
Magnesium (mg/L)			5.1	F6	No historical data for Magnesium.				
Manganese (mg/L)			0.071	F6	No historical data for Manganese.				
Potassium (mg/L)			1.4	F6	No historical data for Potassium.				
Sodium (mg/L)			5.4	F6	No historical data for Sodium.				
Boron (mg/L)			0.05 U		No historical data for Boron.				
Total Kjeldahl Nitrogen (mg/L)			0.2 U		No historical data for Total Kjeldahl Nitrogen.				
Ammonia (N) (mg/L)			0.5 U		No historical data for Ammonia (N).				
Nitrite/Nitrate - (N) (mg/L)			0.49	F6	No historical data for Nitrite/Nitrate - (N).				
Total Phosphorus Mixed Forms (PO4 and Organic) (mg/L)				F6	No historical data for Total Phosphorus Mixed Forms (PO4 and Organic).				
Total Dissolved Solids (mg/L)			111	F6	No historical data for Total Dissolved Solids.				
Total Suspended Solids (mg/L)			63	F6	No historical data for Total Suspended Solids.				
Sulfate (mg/L)			6.5	F6	No historical data for Sulfate.				
Sulfide (mg/L)			0.1 U		No historical data for Sulfide.				
Bicarbonate Alkalinity (CaCO3) (mg/L)				F6	No historical data for Bicarbonate Alkalinity (CaCO3).				
Alkalinity (CaCO3) (mg/L)			50		No historical data for Alkalinity (CaCO3).				
Alkalinity (CaCO3) (field) (mg/L)	500 >	F6	110	135	No historical data for Alkalinity (CaCO3) (field).				
Organic Carbon (mg/L)			1.5	F6	No historical data for Organic Carbon.				
Chloride (mg/L)			5.3	F6	No historical data for Chloride.				
Bromide (mg/L)			0.1 U	F6	No historical data for Bromide.				
Turbidity (field) (NTU)	8.3	0.6	120.8	35.4	No historical data for Turbidity (field).				

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**













This location is monitored triannually for field and lab parameters and monthly for field parameters only.

Data Group: 24

Printed: 4/23/2024 10:37



Q1= 1 - 2023      U = Not Detected above the laboratory reporting limit.  
Q2= 4 - 2023      FI = Frozen ice in pipe, no readings.  
Q3= 7 - 2023      F6 = No flow. Sample not taken.  
Q4= 10 - 2023     > = Greater than specified amount.  
                         < = Less than specified amount



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◆ - Estimated Value (J-flagged).




**LF-UD-12+13+14**  
Juniper Ridge Landfill

**Well Description**

MW-04-09A monitors bedrock groundwater downgradient and north of the landfill expansion.

Screen Interval: **38 ft. to 39 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **Feb-20**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		372	273	271	187	to 389	320 ± 22.000		9
pH (STU)		8.2	7.8	7.3	7	to 8.7	7.7 ± 0.170		9
Temperature (Deg C)		7.3	11.4	12.1	6.5	to 14.9	9.4 ± 0.900		9
Water Level Depth (Feet)		5.1	5.58	9.2	5.07	to 9.3	6.9 ± 0.530		9
Water Level Elevation (Feet)		164.8	164.32	160.7	160.6	to 164.83	160 ± 0.530		9
Water Level Reference Point (Feet)		169.9	169.9	169.9	169.9	to 169.9	170 ± 0.000		9
Eh (mV)		274	130	103	26	to 370	130 ± 37.000		9
Dissolved Oxygen (mg/L)		3.6	1.9	0.3	0.2	to 8.2	1.9 ± 0.850		9
Well Depth (Feet)				42.1	42.1	to 42.38	42 ± 0.140		2
Arsenic (mg/L)		0.0072	0.005 U	0.005 U	0.005 U	to 0.008	0.0058 ± 0.000		10
Calcium (mg/L)		↑26	22	22	19	to 24	22 ± 0.570		10
Copper (mg/L)		0.003 U	0.0039	0.0033	0.003 U	to 0.0054	0.0034 ± 0.000		10
Iron (mg/L)		0.71	0.3	0.24	0.07	to 1.4	0.5 ± 0.140		10
Magnesium (mg/L)		↑7.8	6.8	↓6.1	6.5	to 7.5	7 ± 0.120		10
Manganese (mg/L)		0.25	0.26	0.24	0.14	to 0.33	0.25 ± 0.021		10
Potassium (mg/L)		2.4	2.1	↓1.9	2.1	to 3.6	3 ± 0.150		10
Sodium (mg/L)		<b>34</b>	<b>31</b>	<b>26</b>	19	to 53	34 ± 3.500		10
Boron (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U	to 0.05 U	0.05 ± 0.000		5
Total Kjeldahl Nitrogen (mg/L)		0.2 U	0.2 U	0.2 U	0.2 U	to 0.53	0.26 ± 0.034		9
Ammonia (N) (mg/L)		0.5 U	0.5 U	0.5 U	0.5 U	to 0.5 U	0.5 ± 0.000		9
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.057	0.05 U	0.05 U	to 0.14	0.06 ± 0.010		9
Total Dissolved Solids (mg/L)		204	187	192	150	to 272	230 ± 11.000		9
Total Suspended Solids (mg/L)		47	6	29	2.5 U	to 93	24 ± 11.000		9
Sulfate (mg/L)		51	47	45	2 U	to 96	64 ± 8.800		9
Sulfide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 1.1	0.22 ± 0.110		9
Alkalinity (CaCO3) (mg/L)		95	95	95	84	to 100	93 ± 1.800		9
Organic Carbon (mg/L)		4.4	↓1.4	↓1.1	1.6	to 7.1	3.9 ± 0.510		9
Chloride (mg/L)		4.3	4.1	4.2	4.1	to 5.9	5 ± 0.220		9
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.1 U	0.1 ± 0.000		9
Turbidity (field) (NTU)		3.7	2.4	2.8	0.6	to 81.2	12 ± 8.700		9

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

---













**Comments**

---

Q2= 4 - 2023  
Q3= 7 - 2023  
Q4= 10 - 2023

U = Not Detected above the laboratory reporting limit.

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




MW-04-09A  
Juniper Ridge Landfill

**Well Description**

MW-04-09B monitors overburden groundwater downgradient and north of the landfill expansion

Screen Interval: **14 ft. to 15 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **Feb-20**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑164	97	96	96	89 to 139		110 ± 5.500		9
pH (STU)	↑7.5	6.9	↓6.3	↓6.3	6.6 to 7.4		7 ± 0.100		9
Temperature (Deg C)		6.1	12.1	↑12.7	5.3 to 12.1		9.4 ± 0.970		9
Water Level Depth (Feet)		4.82	5.35	6.13	4.6 to 9.4		6.8 ± 0.580		9
Water Level Elevation (Feet)		165.11	164.58	163.8	160.53 to 165.33		160 ± 0.580		9
Water Level Reference Point (Feet)		169.93	169.93	169.93	169.93 to 169.93		170 ± 0.000		9
Eh (mV)		313	↓211	249	235 to 417		310 ± 20.000		9
Dissolved Oxygen (mg/L)		9.3	8.1	8.3	3.4 to 10.5		8.1 ± 0.700		9
Well Depth (Feet)				19.64	19.64 to 19.64		20 ± 0.000		2
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.005 U to 0.005		0.005 ± 0.000		9
Calcium (mg/L)		9	8.9	10	8.1 to 11		9.2 ± 0.320		9
Copper (mg/L)		0.003 U	0.003 U	0.003 U	0.003 U to 0.003 U		0.003 ± 0.000		9
Iron (mg/L)		0.2	0.23	0.084	0.07 to 0.32		0.2 ± 0.027		9
Magnesium (mg/L)		3.8	3.8	4.1	3.1 to 4.1		3.6 ± 0.087		9
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U to 0.05 U		0.05 ± 0.000		9
Potassium (mg/L)		↓0.62	↓0.63	↓0.65	0.7 to 1.5		0.93 ± 0.097		9
Sodium (mg/L)		4.4	4.3	4.3	4 to 5.6		4.9 ± 0.180		9
Boron (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U to 0.05 U		0.05 ± 0.000		5
Total Kjeldahl Nitrogen (mg/L)		0.2 U	0.2 U	0.2 U	0.2 U to 0.57		0.27 ± 0.038		9
Ammonia (N) (mg/L)		0.5 U	0.5 U	0.5 U	0.5 U to 0.5 U		0.5 ± 0.000		9
Nitrite/Nitrate - (N) (mg/L)		0.074	0.089	↑0.17	0.05 U to 0.16		0.075 ± 0.011		9
Total Dissolved Solids (mg/L)		68	78	81	42 to 103		83 ± 5.600		9
Total Suspended Solids (mg/L)		↑4.5	2.5 U	2.5 U	2.5 U to 4.3		3 ± 0.230		9
Sulfate (mg/L)		3.6	3.5	3.2	2 U to 7.3		4.5 ± 0.550		9
Sulfide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U to 0.1 U		0.1 ± 0.000		9
Alkalinity (CaCO3) (mg/L)		↓34	↓35	↓37	39 to 52		44 ± 1.400		9
Organic Carbon (mg/L)		1 U	1 U	1 U	1 U to 2 U		1.7 ± 0.170		9
Chloride (mg/L)		↑5.4	↑5.6	↑5	2.8 to 4.4		3.7 ± 0.190		9
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U to 0.1 U		0.1 ± 0.000		9
Turbidity (field) (NTU)		4	1	3	0.3 to 11.1		4.3 ± 1.300		9

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

---

**Comments**













---

Q2= 4 - 2023  
Q3= 7 - 2023  
Q4= 10 - 2023

U = Not Detected above the laboratory reporting limit.

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level





**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




MW-04-09B  
Juniper Ridge Landfill

**Well Description**

MW04-102 monitors groundwater in the overburden downgradient of the landfill and upgradient of Stormwater Detention Pond-1.

Screen Interval: **10 ft. to 15 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **01/18/2005**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		317	210	211	193	320	230 ± 2.800		55
pH (STU)		8.3	7.7	7.4	6.2	8.4	7.8 ± 0.057		55
Temperature (Deg C)		7.3	14.4	16.5	4	20.1	12 ± 0.570		55
Water Level Depth (Feet)		7	7.6	7.3	4.8	9.92	6.6 ± 0.150		55
Water Level Elevation (Feet)		163.22	162.62	162.92	160.3	167.62	160 ± 0.170		55
Water Level Reference Point (Feet)		170.22	170.22	170.22	170.22	170.22	170 ± 0.000		55
Eh (mV)		278	230	234	-8	476	300 ± 11.000		55
Dissolved Oxygen (mg/L)		6.2	4	4.8	1	7.5	3.8 ± 0.190		55
Well Depth (Feet)				18	17.84	18.05	18 ± 0.016		17
Arsenic (mg/L)		0.0078	0.005 U	0.005 U	0.001 U	0.017	0.0053 ± 0.000		55
Calcium (mg/L)		30	30	27	23.5	31.2	26 ± 0.230		55
Iron (mg/L)		0.05 U	0.073	0.05 U	0.02 U	0.19	0.054 ± 0.005		55
Magnesium (mg/L)		7.9	7.5	7.1	6.3	8.1	7 ± 0.053		55
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	0.09	0.041 ± 0.002		55
Potassium (mg/L)		1.6	1.5	1.6	1.2	3.2	1.8 ± 0.050		55
Sodium (mg/L)		7.5	6.9	7	6.3	11	7.7 ± 0.130		55
Total Kjeldahl Nitrogen (mg/L)		0.5 U	0.2 U	0.2 U	0.2 U	3.8	0.47 ± 0.068		55
Nitrite/Nitrate - (N) (mg/L)		0.099	0.12	0.17	0.05 U	2 U	0.2 ± 0.082		24
Total Dissolved Solids (mg/L)		127	129	125	91	151	130 ± 1.300		55
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U	5	3.6 ± 0.098		55
Sulfate (mg/L)		11	10	9.6	5.7	14.5	11 ± 0.290		55
Bicarbonate Alkalinity (CaCO3) (mg/L)		100	99	110	73	110	100 ± 0.680		55
Organic Carbon (mg/L)		1 U	1 U	1 U	0.5	5.3	1.8 ± 0.120		55
Chloride (mg/L)		1.3	1.4	1.5	1 U	3.5	1.7 ± 0.078		55
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.03 U	0.2 U	0.11 ± 0.008		34
Turbidity (field) (NTU)		1.2	0.9	1.9	0	8.1	1.6 ± 0.190		55

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**













Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




MW04-102  
Juniper Ridge Landfill

**Well Description**

MW04-105 monitors groundwater in the overburden downgradient of the landfill and Stormwater Detention Pond-1.

Screen Interval: **14.8 ft. to 19.8 ft.**  
 Sampled: **1 Time Annually(field parameters only)**  
 Sampled Since: **01/17/2005**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)				216	207	to 703	350 ± 17.000		37
pH (STU)				6.8	6.1	to 7.7	6.9 ± 0.057		37
Temperature (Deg C)				14.6	6.7	to 23.8	12 ± 0.560		37
Water Level Depth (Feet)				8.7	5.8	to 9.2	7.5 ± 0.130		37
Water Level Elevation (Feet)				156.89	156.39	to 159.79	160 ± 0.130		37
Water Level Reference Point (Feet)				165.59	165.59	to 165.59	170 ± 0.000		37
Eh (mV)				188	-7	to 447	300 ± 14.000		37
Dissolved Oxygen (mg/L)				↓0.2	0.3	to 4	1.2 ± 0.170		37
Well Depth (Feet)				22.85	22.75	to 22.85	23 ± 0.010		17
Turbidity (field) (NTU)				1.4	0	to 3.7	0.99 ± 0.150		37

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**













Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




MW04-105  
Juniper Ridge Landfill

**Well Description**

MW04-109R is located to the south of Cell #5 of the landfill and near Manhole #5. This well monitors water quality within the overburden downgradient of the landfill.

Screen Interval: **15 ft. to 20 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **12/08/2009**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		458	353	337	237	to 662	430 ± 11.000		54
pH (STU)		7.5	6.6	6.5	5.5	to 7.9	6.7 ± 0.050		54
Temperature (Deg C)		9.8	16	17.3	4.7	to 21.9	13 ± 0.640		54
Water Level Depth (Feet)		6.3	6.73	7.2	5.67	to 11.72	7.8 ± 0.240		54
Water Level Elevation (Feet)		153.83	153.4	152.93	151.51	to 155.07	150 ± 0.100		54
Water Level Reference Point (Feet)		160.13	160.13	160.13	160.13	to 164.59	160 ± 0.270		55
Eh (mV)		334	111	166	-478	to 419	270 ± 20.000		54
Dissolved Oxygen (mg/L)		3.3	0.6	0.8	0.1 U	to 4.3	1 ± 0.110		54
Well Depth (Feet)				27.98	22.85	to 27.98	24 ± 0.410		17
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.001 U	to 0.033	0.0088 ± 0.001		54
Calcium (mg/L)		60	57	49	32	to 81.2	58 ± 1.300		54
Iron (mg/L)		0.05 U	↑0.11	0.05 U	0.02 U	to 0.06	0.044 ± 0.002		54
Magnesium (mg/L)		12	12	11	9.4	to 25.4	13 ± 0.430		54
Manganese (mg/L)		0.27	↑6	↑3.6	0.02	to 1.4	0.44 ± 0.064		54
Potassium (mg/L)		2.2	2.2	1.7	1.7	to 5.4	2.2 ± 0.074		54
Sodium (mg/L)		6.9	7.1	6.3	6.1	to 70	13 ± 1.700		54
Total Kjeldahl Nitrogen (mg/L)		0.2 U	0.26	0.2	0.2 U	to 1 U	0.39 ± 0.022		54
Nitrite/Nitrate - (N) (mg/L)		0.066	0.05 U	0.064	0.05 U	to 2 U	0.19 ± 0.083		24
Total Dissolved Solids (mg/L)		228	251	211	194	to 650	270 ± 9.300		54
Total Suspended Solids (mg/L)		2.5	2.5 U	2.5 U	2.5 U	to 4 U	3.5 ± 0.096		54
Sulfate (mg/L)		7.1	5.5	4.7	2.2	to 55	11 ± 1.500		54
Bicarbonate Alkalinity (CaCO3) (mg/L)		190	190	180	140	to 276	210 ± 3.200		54
Organic Carbon (mg/L)		2	1.8	1.9	1.2	to 54	3.6 ± 0.970		54
Chloride (mg/L)		5.3	3.1	1.5	1 U	to 92.8	9.5 ± 2.000		54
Bromide (mg/L)		0.13	0.13	0.1	0.03 U	to 0.25	0.15 ± 0.010		34
Turbidity (field) (NTU)		0.6	1.3	1.1	0	to 2.9	0.78 ± 0.120		54

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

**MW04-109 & MW04-109R**

Juniper Ridge Landfill













**MW04-109 & MW04-109R**

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level





**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**MW04-109 & MW04-109R**  
Juniper Ridge Landfill

**Well Description**

MW06-01 monitors overburden groundwater downgradient and east of the landfill expansion.

Screen Interval: **10 ft. to 20 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **Apr-18**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑176	↑221	↑215		67 to 162		100 ± 7.000		16
pH (STU)		6.8	6.6	6.9	6.1 to 8.1		7 ± 0.160		16
Temperature (Deg C)		8.1	15.9	14.2	6.4 to 18.1		10 ± 0.770		16
Water Level Depth (Feet)		F1	F1	↓0.04	0.18 to 3.25		1.6 ± 0.300		11
Water Level Elevation (Feet)				↑166.091	162.881 to 165.951		160 ± 0.300		11
Water Level Reference Point (Feet)		166.131	166.131	166.131	166.131 to 166.131		170 ± 0.000		14
Eh (mV)		455	496	390	219 to 508		370 ± 16.000		16
Dissolved Oxygen (mg/L)		9.3	8.3	3.5	1.8 to 13		7.6 ± 0.890		16
Well Depth (Feet)				22.13	22.13 to 22.14		22 ± 0.003		4
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.005 U to 0.005 U		0.005 ± 0.000		16
Calcium (mg/L)		↑26	↑26	↑26	8.4 to 23		12 ± 1.200		16
Copper (mg/L)			0.003 U	0.003 U	0.003 U to 0.003 U		0.003 ± 0.000		4
Iron (mg/L)		0.05 U	0.05 U	0.051	0.05 U to 0.66		0.088 ± 0.038		16
Magnesium (mg/L)		↑7.6	↑7.6	↑7.3	2.4 to 6.4		3.5 ± 0.330		16
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U to 0.05 U		0.05 ± 0.000		16
Potassium (mg/L)		0.79	0.71	0.82	0.4 to 1.7		0.62 ± 0.084		16
Sodium (mg/L)		4.7	4.8	5.2	2.5 to 5.9		3.4 ± 0.220		16
Boron (mg/L)			0.05 U	0.05 U	0.05 U to 0.05 U		0.05 ± 0.000		3
Total Kjeldahl Nitrogen (mg/L)		0.2 U	0.2 U	0.2 U	0.2 U to 0.25 U		0.24 ± 0.006		16
Ammonia (N) (mg/L)			0.5 U	0.5 U	0.5 U to 0.5 U		0.5 ± 0.000		3
Nitrite/Nitrate - (N) (mg/L)		0.27	0.25	0.23	0.05 U to 0.34		0.16 ± 0.020		16
Total Dissolved Solids (mg/L)		121	137	↑142	50 to 140		81 ± 7.200		16
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U to 4 U		2.6 ± 0.094		16
Sulfate (mg/L)		2.8	2.7	2.6	2 U to 9.2		3.1 ± 0.420		16
Sulfide (mg/L)			0.1 U	0.1 U	0.1 U to 0.1 U		0.1 ± 0.000		3
Bicarbonate Alkalinity (CaCO3) (mg/L)		↑78			23 to 69		37 ± 3.900		10
Alkalinity (CaCO3) (mg/L)			↑83	↑84	31 to 67		43 ± 7.000		6
Organic Carbon (mg/L)		1 U	1 U	1 U	1 U to 4.9		2 ± 0.220		16
Chloride (mg/L)		13	13	11	1.3 to 13		8.2 ± 0.780		16
Bromide (mg/L)		0.19	↑0.24	↑0.23	0.1 U to 0.2		0.11 ± 0.007		16
Turbidity (field) (NTU)		0.2	0.2	0.1	0.1 to 3.5		0.77 ± 0.280		16

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

---













**Comments**

---

Q2= 4 - 2023  
Q3= 7 - 2023  
Q4= 10 - 2023

U = Not Detected above the laboratory reporting limit.  
F1 = Well was flowing

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**MW06-01**  
Juniper Ridge Landfill

**Well Description**

MW-08-01 monitors bedrock groundwater downgradient of and north of the landfill expansion.

Screen Interval: **117 ft. to 127 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **2/9/2021**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑ 318	223	235	235	183	to 243	210 ± 7.500		8
pH (STU)	8	7.9	7.6	7.6	7.1	to 8.4	7.6 ± 0.170		8
Temperature (Deg C)	11.9	16	13.3	13.3	5.7	to 17.4	11 ± 1.200		8
Water Level Depth (Feet)	22.15	22.25	22.4	22.4	14.68	to 22.45	18 ± 1.300		8
Water Level Elevation (Feet)	153.86	153.76	153.61	153.61	153.56	to 161.33	160 ± 1.300		8
Water Level Reference Point (Feet)	176.01	176.01	176.01	176.01	176.01	to 176.01	180 ± 0.000		8
Eh (mV)	291	↓ 120	190	190	134	to 343	220 ± 29.000		8
Dissolved Oxygen (mg/L)	2.5	1.7	1.7	1.7	0.9	to 4.5	1.8 ± 0.400		8
Arsenic (mg/L)	↑ 0.0078	0.005 U	0.005 U	0.005 U	0.005 U	to 0.005	0.005 ± 0.000		8
Calcium (mg/L)	↑ 24	↑ 24	23	23	11	to 23	16 ± 1.400		8
Copper (mg/L)	0.003 U	0.003 U	0.003 U	0.003 U	0.003 U	to 0.005	0.0033 ± 0.000		8
Iron (mg/L)	0.05 U	0.05 U	0.069	0.069	0.05 U	to 0.4	0.19 ± 0.057		8
Magnesium (mg/L)	↑ 5.4	↑ 5.3	↑ 4.9	↑ 4.9	2.8	to 4.5	3.4 ± 0.220		8
Manganese (mg/L)	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	to 0.05 U	0.05 ± 0.000		8
Potassium (mg/L)	1.7	1.6	1.6	1.6	1.1	to 2.7	1.6 ± 0.220		8
Sodium (mg/L)	↓ 17	↓ 16	↓ 15	↓ 15	18	to 35	27 ± 2.100		8
Boron (mg/L)	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	to 0.05 U	0.05 ± 0.000		8
Total Kjeldahl Nitrogen (mg/L)	↑ 0.5 U	0.2 U	0.2 U	0.2 U	0.2 U	to 0.38	0.25 ± 0.021		8
Ammonia (N) (mg/L)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	to 0.5 U	0.5 ± 0.000		8
Nitrite/Nitrate - (N) (mg/L)	0.53	0.36	0.25	0.25	0.05 U	to 1.3	0.22 ± 0.150		8
Total Dissolved Solids (mg/L)	132	↓ 126	140	140	130	to 179	150 ± 5.600		8
Total Suspended Solids (mg/L)	3.5	2.5 U	13	13	2.5 U	to 31	7 ± 3.500		8
Sulfate (mg/L)	15	13	14	14	12	to 19	16 ± 0.980		8
Sulfide (mg/L)	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	to 0.3 U	0.13 ± 0.025		8
Alkalinity (CaCO3) (mg/L)	90	89	↑ 98	↑ 98	86	to 96	91 ± 1.200		8
Organic Carbon (mg/L)	1 U	1 U	1 U	1 U	1 U	to 2 U	1.6 ± 0.180		8
Chloride (mg/L)	5.4	4.5	5.6	5.6	2.9	to 7.3	5 ± 0.550		8
Bromide (mg/L)	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	to 0.1 U	0.1 ± 0.000		8
Turbidity (field) (NTU)	1.3	3.2	6.1	6.1	0.5	to 13	4.6 ± 1.400		8

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Data Group: 24













Printed: 4/23/2024 10:53



Q2= 4 - 2023  
Q3= 7 - 2023  
Q4= 10 - 2023

U = Not Detected above the laboratory reporting limit.

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**MW-08-01**  
Juniper Ridge Landfill

**Well Description**

MW09-901 is located to the south of Cell #5 and detention pond #2 of the landfill. This well monitors water quality within the overburden downgradient of the landfill.

Screen Interval: **15 ft. to 20 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **12/08/2009**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑487	349	342		178	to 482	310 ± 12.000		40
pH (STU)	7.3	6.5	6.2		6.2	to 8.4	7.2 ± 0.097		40
Temperature (Deg C)	8.9	15.5	17.1		4.6	to 20.4	13 ± 0.610		40
Water Level Depth (Feet)	6.57	7.35	↓5.7		5.89	to 11.92	8.8 ± 0.250		40
Water Level Elevation (Feet)	158.53	157.75	↑159.4		153.18	to 159.21	160 ± 0.250		40
Water Level Reference Point (Feet)	165.1	165.1	165.1		165.1	to 165.1	170 ± 0.000		40
Eh (mV)	343	166	202		20	to 464	320 ± 14.000		40
Dissolved Oxygen (mg/L)	2.7	0.4	0.4		0.1 U	to 5.4	2.1 ± 0.260		40
Well Depth (Feet)				22.78	22.73	to 22.82	23 ± 0.009		13
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.002 U	to 0.019	0.0072 ± 0.001		40
Calcium (mg/L)		51	51	29	18.8	to 58	37 ± 1.900		40
Iron (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	to 0.18	0.05 ± 0.004		40
Magnesium (mg/L)	↑17	15	9.4		5.4	to 16	10 ± 0.500		40
Manganese (mg/L)	0.05 U	0.075	0.14		0.02 U	to 0.39	0.061 ± 0.009		40
Potassium (mg/L)	2	1.8	↓1		1.4	to 2.6	2 ± 0.058		40
Sodium (mg/L)	12	9.6	6.7		4.9	to 17.4	9.2 ± 0.450		40
Total Kjeldahl Nitrogen (mg/L)	0.2 U	0.2 U	0.2 U		0.2 U	to 1.5	0.38 ± 0.034		40
Nitrite/Nitrate - (N) (mg/L)	0.53	0.077	0.05		0.05 U	to 2 U	0.31 ± 0.085		24
Total Dissolved Solids (mg/L)	241	243	203		103	to 270	180 ± 7.700		40
Total Suspended Solids (mg/L)	2.5 U	2.5	2.5 U		2.5 U	to 4	3.4 ± 0.120		40
Sulfate (mg/L)	12	12	10		4.6	to 47	12 ± 1.000		40
Bicarbonate Alkalinity (CaCO3) (mg/L)	180	170	170		75	to 180	140 ± 6.000		40
Organic Carbon (mg/L)	1.6	3.3	1.4		0.7 U	to 39	2.7 ± 0.930		40
Chloride (mg/L)	14	6.8	4.5		1 U	to 14	4.9 ± 0.490		40
Bromide (mg/L)	0.23	0.25	0.18		0.1 U	to 0.32	0.18 ± 0.014		30
Turbidity (field) (NTU)	0.9	1.7	1		0	to 10.1	1.8 ± 0.270		40

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**



**MW09-901**













Juniper Ridge Landfill

**MW09-901**

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**MW09-901**  
Juniper Ridge Landfill

**Well Description**

MW-204 monitors the overburden water quality downgradient from the landfill.

Screen Interval: **13.8 ft. to 18.8 ft.**  
 Sampled: **1 Time Annually(field parameters only)**  
 Sampled Since: **11/13/90**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)				!	160	to 357	230 ± 8.000		40
pH (STU)				!	5.7	to 7.5	6.7 ± 0.058		40
Temperature (Deg C)				!	4.2	to 18	12 ± 0.480		40
Water Level Depth (Feet)				!	8.35	to 11.5	9.4 ± 0.093		40
Water Level Reference Point (Feet)				164.75	164.75	to 164.75	160 ± 0.000		40
Eh (mV)				!	176	to 491	310 ± 12.000		39
Dissolved Oxygen (mg/L)				!	0.3	to 5	1.2 ± 0.150		40
Flow Rate (cfs)				!	No historical data for Flow Rate.				
Well Depth (Feet)				24.47	24.4	to 24.49	24 ± 0.006		18
Turbidity (field) (NTU)				!	0	to 6.7	1.7 ± 0.260		40

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L













↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Q4= 10 - 2023

! = The sampling location was damaged or destroyed.

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**MW-204**  
Juniper Ridge Landfill

**Well Description**

MW-206 monitors overburden water quality upgradient of the landfill.

Screen Interval: **15 ft. to 20 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **04/27/93**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		233	136	140	89	323	150 ± 4.200		57
pH (STU)		8.2	8.5	8.1	6.4	8.6	7.8 ± 0.065		57
Temperature (Deg C)		8.2	9.8	11.8	4.1	17.5	11 ± 0.410		57
Water Level Depth (Feet)		5.6	9.1	6.4	3.08	14.9	6.9 ± 0.370		57
Water Level Elevation (Feet)		199.07	195.57	198.27	189.77	201.59	200 ± 0.370		57
Water Level Reference Point (Feet)		204.67	204.67	204.67	204.67	204.67	200 ± 0.000		57
Eh (mV)		308	189	195	-334	464	280 ± 15.000		57
Dissolved Oxygen (mg/L)		7.5	7.6	6.7	0.4	9.9	6.3 ± 0.250		57
Well Depth (Feet)				23.1	23.02	23.15	23 ± 0.010		17
Arsenic (mg/L)		0.009	0.005 U	0.005 U	0.001	0.022	0.0072 ± 0.000		57
Calcium (mg/L)		18	19	17	13	27.2	16 ± 0.270		57
Copper (mg/L)		0.003 U	0.011	0.003 U	0.001 U	0.011	0.0028 ± 0.001		30
Iron (mg/L)		0.05 U	0.61	0.05 U	0.02 U	1.2	0.12 ± 0.027		57
Magnesium (mg/L)		5.4	5.1	4.6	4	6.9	4.8 ± 0.060		57
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	0.32	0.043 ± 0.005		57
Potassium (mg/L)		0.73	0.7	0.81	0.3	2.5	0.85 ± 0.048		57
Sodium (mg/L)		4.6	4.4	4.6	4	8	5.1 ± 0.100		57
Boron (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 ± 0.000		5
Total Kjeldahl Nitrogen (mg/L)		0.5 U	0.2 U	0.2 U	0.15 U	2.4	0.52 ± 0.064		57
Ammonia (N) (mg/L)		1	0.5 U	0.5 U	0.1 U	2	0.3 ± 0.063		33
Nitrite/Nitrate - (N) (mg/L)		0.11	0.1	0.075	0.05 U	2 U	0.25 ± 0.080		24
Total Dissolved Solids (mg/L)		85	100	92	23	102	89 ± 1.600		57
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U	37	4.8 ± 0.620		57
Sulfate (mg/L)		2 U	↑4.3	2.3	0.2	4.1	1.8 ± 0.087		57
Sulfide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 ± 0.000		10
Alkalinity (CaCO3) (mg/L)		72	↓66	↑73	68	72	70 ± 0.750		5
Organic Carbon (mg/L)		1 U	1 U	1 U	0.5 U	6.6	1.7 ± 0.110		57
Chloride (mg/L)		2.4	2.5	2.6	0.9	3.6	1.9 ± 0.077		57
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	1.2	0.15 ± 0.037		30
Turbidity (field) (NTU)		1.2	1.5	1.7	0	11.2	2.1 ± 0.320		57

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













---

**Comments**

---

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**MW-206**  
Juniper Ridge Landfill

**Well Description**

MW-223A monitors the bedrock water quality downgradient of the landfill.

Screen Interval: **28 ft. to 33 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **11/12/90**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑ 675	577	594	594	79	651	400 ± 21.000		57
pH (STU)		7.7	7.4	7.3	6.3	7.8	7.4 ± 0.038		57
Temperature (Deg C)		7.8	11.2	13.6	4.5	16.2	10 ± 0.400		57
Water Level Depth (Feet)		3.23	4.1	4.72	0.14	5	1.9 ± 0.150		57
Water Level Elevation (Feet)		173.31	172.44	171.82	171.54	176.4	170 ± 0.150		57
Water Level Reference Point (Feet)		176.54	176.54	176.54	176.54	176.54	180 ± 0.000		57
Eh (mV)		358	90	128	-345	445	290 ± 15.000		57
Dissolved Oxygen (mg/L)		2.1	0.1	0.2	0.1 U	4	1.6 ± 0.130		57
Well Depth (Feet)				35.57	35.42	35.65	36 ± 0.015		18
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.001 U	0.034	0.0062 ± 0.001		57
Calcium (mg/L)		110	110	76	23	120	66 ± 3.700		57
Iron (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	0.08	0.044 ± 0.002		57
Magnesium (mg/L)		12	12	8.5	3.1	12	7.3 ± 0.400		57
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	0.05	0.037 ± 0.002		57
Potassium (mg/L)		1.1	1.1	0.73	0.4	1.9	0.81 ± 0.031		57
Sodium (mg/L)		6.2	6.4	4.6	2.7	9.8	4.6 ± 0.170		57
Total Kjeldahl Nitrogen (mg/L)		0.2 U	0.2 U	0.2 U	0.15 U	0.61	0.38 ± 0.016		57
Nitrite/Nitrate - (N) (mg/L)		1.1	1.2	1.1	0.17	2 U	0.64 ± 0.066		24
Total Dissolved Solids (mg/L)		364	408	377	36	460	250 ± 13.000		57
Total Suspended Solids (mg/L)		↑ 9	2.5 U	2.5 U	2.5 U	4 U	3.6 ± 0.092		57
Sulfate (mg/L)		17	19	17	3.4	59	11 ± 1.200		57
Bicarbonate Alkalinity (CaCO3) (mg/L)		260	270	270	86	270	160 ± 7.600		57
Organic Carbon (mg/L)		1	1	1 U	0.5 U	44	2.4 ± 0.750		57
Chloride (mg/L)		24	26	26	1.9	57.6	24 ± 2.100		57
Bromide (mg/L)		0.11	0.12	0.13	0.1 U	0.23	0.14 ± 0.008		30
Turbidity (field) (NTU)		0.9	1	1	0	2.9	0.78 ± 0.110		57

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**



# MW-223A













Juniper Ridge Landfill

# MW-223A

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




MW-223A  
Juniper Ridge Landfill

**Well Description**

MW-223B monitors the overburden water quality downgradient of the landfill.

Screen Interval: **12.6 ft. to 17.6 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **11/12/90**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑ 611	483	503		158 to 596		350 ± 15.000		57
pH (STU)		7.4	6.9	6.9	6.7 to 7.8		7.2 ± 0.037		57
Temperature (Deg C)		7.2	10.7	13.3	3.8 to 17.7		10 ± 0.440		57
Water Level Depth (Feet)		4.35	4.81	6	1.95 to 6.05		3.2 ± 0.130		57
Water Level Elevation (Feet)		171.58	171.12	169.93	169.88 to 173.98		170 ± 0.130		57
Water Level Reference Point (Feet)		175.93	175.93	175.93	175.93 to 175.93		180 ± 0.000		57
Eh (mV)		348	174	121	-402 to 446		280 ± 17.000		57
Dissolved Oxygen (mg/L)		2.2	0.1	0.2	0.1 U to 3.6		1.1 ± 0.094		57
Well Depth (Feet)				20.1	19.93 to 20.1		20 ± 0.014		18
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.001 U to 0.017		0.0057 ± 0.001		57
Calcium (mg/L)		80	79	76	24 to 80		47 ± 2.100		57
Iron (mg/L)		0.05 U	0.05 U	0.35	0.02 U to 0.58		0.1 ± 0.016		57
Magnesium (mg/L)		↑ 19	↑ 19	18	6.2 to 18		12 ± 0.490		57
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U to 0.09		0.04 ± 0.002		57
Potassium (mg/L)		1.1	0.93	1.2	0.3 to 2		0.82 ± 0.036		57
Sodium (mg/L)		6.3	5.9	↑ 7.9	3.2 to 6.4		4.9 ± 0.090		57
Total Kjeldahl Nitrogen (mg/L)		0.2 U	0.2 U	0.3	0.15 U to 2.5 U		0.5 ± 0.050		57
Nitrite/Nitrate - (N) (mg/L)		0.67	0.75	0.46	0.15 to 2 U		0.58 ± 0.070		24
Total Dissolved Solids (mg/L)		317	↑ 356	304	93 to 350		210 ± 8.800		57
Total Suspended Solids (mg/L)		2.5 U	2.5 U	7.3	2.5 U to 12		3.7 ± 0.170		57
Sulfate (mg/L)		15	16	15	2.2 to 53		8.2 ± 0.990		57
Bicarbonate Alkalinity (CaCO3) (mg/L)		210	210	↑ 220	92 to 210		140 ± 4.400		57
Organic Carbon (mg/L)		1 U	1 U	1 U	0.5 U to 47		2.6 ± 0.800		57
Chloride (mg/L)		32	31	29	1.3 to 55.7		23 ± 2.100		57
Bromide (mg/L)		0.15	0.15	0.12	0.03 to 4.13		0.27 ± 0.120		32
Turbidity (field) (NTU)		1.2	1	1.4	0 to 7.7		1.1 ± 0.170		57

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

**MW-223B**













Juniper Ridge Landfill

**MW-223B**

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**MW-223B**  
Juniper Ridge Landfill

**Well Description**

MW-227 monitors water quality in the overburden downgradient of the landfill.

Screen Interval: **15 ft. to 20 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **11/13/90**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		279	172	173	122	to 284	180 ± 2.600		57
pH (STU)		7.8	8.2	7.8	6.2	to 8.9	8 ± 0.060		57
Temperature (Deg C)		8	11.5	12.9	3.1	to 16.8	11 ± 0.440		57
Water Level Depth (Feet)		4.7	4.5	4.7	3.64	to 7.14	4.7 ± 0.100		57
Water Level Elevation (Feet)		159.53	159.73	159.53	157.09	to 160.59	160 ± 0.100		57
Water Level Reference Point (Feet)		164.23	164.23	164.23	164.23	to 164.23	160 ± 0.000		57
Eh (mV)		299	127	191	-455	to 411	280 ± 16.000		57
Dissolved Oxygen (mg/L)		4.1	0.9	0.6	0.1 U	to 5.4	1.7 ± 0.170		57
Well Depth (Feet)				22.32	22.2	to 22.35	22 ± 0.009		18
Arsenic (mg/L)		0.0086	<b>0.011</b>	↓0.005 U	0.007	to 0.024	0.014 ± 0.000		57
Calcium (mg/L)		26	26	24	19.8	to 26	22 ± 0.230		57
Iron (mg/L)		0.05 U	0.13	0.05 U	0.02 U	to 0.19	0.056 ± 0.004		57
Magnesium (mg/L)		5.7	5.9	5.7	4.9	to 6	5.4 ± 0.039		57
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	to 0.15	0.041 ± 0.003		57
Potassium (mg/L)		1.2	1.1	1.2	0.6	to 1.9	1.1 ± 0.025		57
Sodium (mg/L)		5.5	5.4	5.8	3.1	to 11	5.7 ± 0.150		57
Total Kjeldahl Nitrogen (mg/L)		0.2 U	0.2 U	0.2 U	0.15 U	to 0.635	0.36 ± 0.016		57
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.087	0.05 U	0.05 U	to 2 U	0.18 ± 0.083		24
Total Dissolved Solids (mg/L)		113	135	103	74	to 222	110 ± 2.700		57
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U	to 10	3.8 ± 0.140		57
Sulfate (mg/L)		12	11	10	1.6	to 17.3	11 ± 0.320		57
Bicarbonate Alkalinity (CaCO3) (mg/L)		80	80	82	75	to 90	80 ± 0.410		57
Organic Carbon (mg/L)		1 U	1 U	1 U	0.5 U	to 14	2 ± 0.250		57
Chloride (mg/L)		1.3	1.3	1.3	1 U	to 22.9	2 ± 0.380		57
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.2 U	0.12 ± 0.007		30
Turbidity (field) (NTU)		1.5	1.3	1.5	0	to 5.3	1.6 ± 0.180		57

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

# MW-227













Juniper Ridge Landfill

# MW-227

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**MW-227**  
Juniper Ridge Landfill



**Well Description**

MW-301 monitors the water quality within the bedrock downgradient of the landfill.

Screen Interval: **162.7 ft. to 182.7 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **11/25/96**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		333	242	243	82 to 340		210 ± 5.900		56
pH (STU)		8.4	8.2	8.3	6.2 to 8.4		7.7 ± 0.070		56
Temperature (Deg C)		10.1	13.7	12.8	3.7 to 19.1		12 ± 0.470		56
Water Level Depth (Feet)		0.1	0.85	3.1	0.02 to 5.2		2.3 ± 0.270		52
Water Level Elevation (Feet)		165.81	165.06	162.81	161.16 to 165.91		160 ± 0.240		54
Water Level Reference Point (Feet)		165.91	165.91	165.91	165.91 to 166.36		170 ± 0.030		56
Eh (mV)		145	↓29	63	41 to 471		280 ± 13.000		56
Dissolved Oxygen (mg/L)		0.2	0.1	0.2	0.1 to 5		1 ± 0.150		56
Well Depth (Feet)				185.11	179.61 to 185.15		180 ± 0.330		18
Arsenic (mg/L)		0.0067	0.005 U	0.005 U	0.001 to 0.018		0.0057 ± 0.000		56
Calcium (mg/L)		27	26	25	14.9 to 31.4		20 ± 0.500		56
Iron (mg/L)		0.074	0.1	0.073	0.02 to 1.59		0.19 ± 0.033		56
Magnesium (mg/L)		6.5	6.2	6.2	3.9 to 7.1		5.1 ± 0.110		56
Manganese (mg/L)		0.064	0.094	0.069	0.02 U to 0.18		0.049 ± 0.004		56
Potassium (mg/L)		0.79	0.77	0.82	0.4 to 1.7		0.78 ± 0.024		56
Sodium (mg/L)		14	13	15	10.1 to 15		12 ± 0.150		56
Total Kjeldahl Nitrogen (mg/L)		0.5 U	0.2 U	0.2 U	0.15 U to 0.6		0.36 ± 0.016		56
Nitrite/Nitrate - (N) (mg/L)		0.054	0.062	0.061	0.05 U to 2 U		0.18 ± 0.083		24
Total Dissolved Solids (mg/L)		149	168	152	88 to 171		130 ± 2.500		56
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U to 21		5.6 ± 0.620		56
Sulfate (mg/L)		17	17	18	3.9 to 19		14 ± 0.420		56
Bicarbonate Alkalinity (CaCO3) (mg/L)		73	75	83	70 to 91		76 ± 0.450		56
Organic Carbon (mg/L)		1 U	1 U	1 U	0.5 U to 16		2.1 ± 0.290		56
Chloride (mg/L)		22	23	24	1.1 to 26		8.3 ± 1.100		56
Bromide (mg/L)		0.1 U	0.1 U	0.11	0.1 U to 0.2 U		0.12 ± 0.007		29
Turbidity (field) (NTU)		0.8	2.1	0.7	0 to 17.8		2.5 ± 0.370		56

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

# MW-301













Juniper Ridge Landfill

# MW-301

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




MW-301  
Juniper Ridge Landfill

**Well Description**

MW12-303R was installed in September 2012 to replace MW-303. MW12-303R monitors the background water quality at the site upgradient of the landfill.

Screen Interval: **30.4 ft. to 40.4 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **10/23/12**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		474	284	286	33	to 1711	310 ± 36.000		57
pH (STU)		7.2	6.1	6.5	5.7	to 7.2	6.5 ± 0.050		57
Temperature (Deg C)		11.2	12.6	13.8	6.7	to 17.5	11 ± 0.340		57
Water Level Depth (Feet)		28	28.5	29.1	19.75	to 33.4	27 ± 0.450		57
Water Level Elevation (Feet)		180.89	180.39	179.79	175.49	to 188.12	180 ± 0.410		57
Water Level Reference Point (Feet)		208.89	208.89	208.89	207.87	to 208.89	210 ± 0.067		58
Eh (mV)		348	296	221	1	to 497	320 ± 11.000		57
Dissolved Oxygen (mg/L)		6.5	2.7	2	0.2	to 8	3.1 ± 0.290		57
Well Depth (Feet)				43.4	43.32	to 46.93	45 ± 0.420		18
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.001 U	to 0.036	0.0062 ± 0.001		57
Calcium (mg/L)		42	34	32	2.8	to 160	31 ± 3.400		57
Iron (mg/L)		0.68	0.14	0.16	0.02 U	to 2.29	0.12 ± 0.041		57
Magnesium (mg/L)		20	8.3	7.8	1.78	to 22	7.3 ± 0.540		57
Manganese (mg/L)		<b>0.49</b>	0.061	0.072	0.02 U	to 3.13	0.17 ± 0.059		57
Potassium (mg/L)		1.6	1.6	1.6	0.2	to 5.7	1.8 ± 0.180		57
Sodium (mg/L)		13	16	14	3.1	to 110	19 ± 2.700		57
Total Kjeldahl Nitrogen (mg/L)		0.5 U	0.24	0.32	0.15 U	to 2	0.53 ± 0.047		57
Nitrite/Nitrate - (N) (mg/L)		1.3	0.61	0.39	0.05 U	to 12	1.6 ± 0.510		25
Total Dissolved Solids (mg/L)		242	200	187	35	to 1016	200 ± 21.000		57
Total Suspended Solids (mg/L)		22	3	8	2.5 U	to 130	7.7 ± 2.300		57
Sulfate (mg/L)		25	22	25	0.8	to 430	17 ± 7.600		57
Bicarbonate Alkalinity (CaCO3) (mg/L)		150	100	110	22	to 162	86 ± 5.500		57
Organic Carbon (mg/L)		2.2	4.3	4.5	0.5 U	to 34	3.5 ± 0.670		57
Chloride (mg/L)		12	14	12	1.3	to 220	28 ± 5.000		57
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.03 U	to 2.4	0.28 ± 0.073		32
Turbidity (field) (NTU)		6.2	3	4	0	to 37.5	3 ± 0.760		57

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

# MW-303 & MW12-303R













Juniper Ridge Landfill

# MW-303 & MW12-303R

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




MW-303 & MW12-303R  
Juniper Ridge Landfill

**Well Description**

MW-401A monitors bedrock water quality downgradient of the landfill and former leachate pond.

Screen Interval: **98.8 ft. to 108.8 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **07/29/04**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		140	149	161	73 to 303		130 ± 3.800		56
pH (STU)		7.5	8.1	7.2	6.6 to 8.6		7.8 ± 0.068		56
Temperature (Deg C)		7.9	10.7	10.7	6.6 to 17.8		9.6 ± 0.270		56
Water Level Depth (Feet)		2.42	3.02	4.28	0.87 to 8.72		4.6 ± 0.310		56
Water Level Elevation (Feet)		154.41	153.81	152.55	148.11 to 155.96		150 ± 0.310		56
Water Level Reference Point (Feet)		156.83	156.83	156.83	156.83 to 156.83		160 ± 0.000		56
Eh (mV)		288	397	380	152 to 516		320 ± 12.000		56
Dissolved Oxygen (mg/L)		4.5	4.6	1.2	1.2 to 11.1		5.3 ± 0.190		56
Well Depth (Feet)				111.96	111.92 to 112.21		110 ± 0.021		18
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.001 U to 0.018		0.0059 ± 0.000		56
Calcium (mg/L)		21	21	20	11 to 21		15 ± 0.250		56
Iron (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U to 0.07		0.042 ± 0.002		56
Magnesium (mg/L)		↑5.5	5.2	5.1	3.7 to 5.4		4.3 ± 0.052		56
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U to 0.05 U		0.038 ± 0.002		56
Potassium (mg/L)		0.81	0.76	0.84	0.3 to 1.8		0.74 ± 0.029		56
Sodium (mg/L)		4.3	4.1	4.7	3.2 to 5.2		4 ± 0.061		56
Total Kjeldahl Nitrogen (mg/L)		0.5 U	0.2 U	0.2 U	0.2 U to 1.1		0.39 ± 0.023		56
Nitrite/Nitrate - (N) (mg/L)		0.12	0.11	0.098	0.05 U to 1 U		0.17 ± 0.043		24
Total Dissolved Solids (mg/L)		99	↑118	109	68 to 116		91 ± 1.300		56
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U to 7		3.6 ± 0.110		56
Sulfate (mg/L)		3.7	4	4.3	2 U to 16		3.8 ± 0.250		56
Bicarbonate Alkalinity (CaCO3) (mg/L)		58	60	↑66	51 to 64		59 ± 0.420		56
Organic Carbon (mg/L)		1 U	1 U	1 U	0.5 U to 9.6		2 ± 0.210		56
Chloride (mg/L)		11	13	13	1 to 21		3.1 ± 0.390		56
Bromide (mg/L)		0.1 U	0.1 U	0.11	0.1 U to 0.2 U		0.11 ± 0.006		30
Turbidity (field) (NTU)		0.3	0.2	0.2	0 to 4.9		0.54 ± 0.110		56

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

# MW-401A

Juniper Ridge Landfill













# MW-401A

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level





**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




MW-401A  
Juniper Ridge Landfill

**Well Description**

MW-401B is located downgradient of the landfill and former leachate pond and monitors groundwater quality in the overburden.

Screen Interval: **10 ft. to 20 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **07/29/04**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		271	274	311	180 to 699		350 ± 14.000		56
pH (STU)		6.9	6.4	6.3	5.9 to 7.7		6.8 ± 0.051		56
Temperature (Deg C)		7	9.3	11.3	5.9 to 16.1		9.4 ± 0.280		56
Water Level Depth (Feet)		6.63	6.89	7.03	6.2 to 8.85		7 ± 0.075		56
Water Level Elevation (Feet)		150.69	150.43	150.29	148.47 to 151.12		150 ± 0.075		56
Water Level Reference Point (Feet)		157.32	157.32	157.32	157.32 to 157.32		160 ± 0.000		56
Eh (mV)		200	191	197	-33 to 417		180 ± 12.000		56
Dissolved Oxygen (mg/L)		0.1	0.3	0.2	0.1 to 5		0.85 ± 0.120		56
Well Depth (Feet)				23.9	23.03 to 23.9		23 ± 0.044		18
Arsenic (mg/L)		<b>0.011</b>	0.005 U	0.005 U	0.002 to 0.058		0.015 ± 0.001		56
Calcium (mg/L)		42	42	38	25.3 to 100		41 ± 1.900		56
Iron (mg/L)		1.2	1.2	1.2	0.19 to 19		2.5 ± 0.410		56
Magnesium (mg/L)		12	11	11	8 to 36		12 ± 0.620		56
Manganese (mg/L)		0.12	0.13	0.12	0.05 to 2.9		0.32 ± 0.070		56
Potassium (mg/L)		1.3	1.2	1.4	0.9 to 3.2		1.4 ± 0.064		56
Sodium (mg/L)		11	9.8	11	9.7 to 33		15 ± 0.760		56
Total Kjeldahl Nitrogen (mg/L)		0.5 U	0.2 U	0.2 U	0.2 U to 3.2		0.45 ± 0.055		56
Nitrite/Nitrate - (N) (mg/L)		0.051	0.06	0.05 U	0.05 U to 1 U		0.14 ± 0.046		24
Total Dissolved Solids (mg/L)		180	189	193	142 to 488		220 ± 8.900		56
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U to 36		4.7 ± 0.640		56
Sulfate (mg/L)		10	10	11	5.3 to 69.2		17 ± 1.600		56
Bicarbonate Alkalinity (CaCO3) (mg/L)		150	140	160	108 to 245		150 ± 4.100		56
Organic Carbon (mg/L)		1.1	1 U	1 U	0.7 U to 49		3.6 ± 0.920		56
Chloride (mg/L)		5.4	5.4	3.9	1 U to 40.5		13 ± 1.100		56
Bromide (mg/L)		0.16	0.19	↑ 0.25	0.1 U to 0.24		0.18 ± 0.007		30
Turbidity (field) (NTU)		0.2	0.3	0.1	0 to 6.7		1.1 ± 0.170		56

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

**MW-401B**













Juniper Ridge Landfill

**MW-401B**

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



MW-401B  
Juniper Ridge Landfill

# MW-402A

Juniper Ridge Landfill

# MW-402A

annual stats 2023 G2

## Well Description

MW-402A monitors water quality within the bedrock downgradient of the landfill.

Screen Interval: **95.5 ft. to 105.5 ft.**


Sampled: **3 Times Annually**

Sampled Since: **07/29/04**

Material Screened: **Bedrock**

Well Condition: **Good**

Sampling Method: **Low Flow**



## Chemical Summary

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		113	130	128	58 to 197		120 ± 2.400		56
pH (STU)		7.4	7.6	7.5	7.1 to 9.5		8.2 ± 0.067		56
Temperature (Deg C)		8.9	12.5	11.5	5.2 to 14.7		10 ± 0.330		56
Water Level Depth (Feet)	↑ 2.35	0.18	0.08		0 to 2.08		0.22 ± 0.088		24
Water Level Elevation (Feet)	↓ 149.85	152.02	152.12		150.12 to 152.2		150 ± 0.085		25
Water Level Reference Point (Feet)		152.2	152.2	152.2	152.2 to 152.2		150 ± 0.000		55
Eh (mV)		262	444	336	106 to 460		310 ± 11.000		56
Dissolved Oxygen (mg/L)		2.4	4.4	2.6	1.8 to 9.2		4.1 ± 0.170		56
Well Depth (Feet)				108.39	108.19 to 108.55		110 ± 0.020		18
Arsenic (mg/L)		<u>0.018</u>	<u>0.015</u>	↓ <u>0.011</u>	0.012 to 0.028		0.019 ± 0.001		56
Calcium (mg/L)		13	14	13	7.7 to 14		11 ± 0.180		56
Iron (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U to 0.26		0.044 ± 0.004		56
Magnesium (mg/L)		3.4	3.3	3.2	2.6 to 3.6		3 ± 0.031		56
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U to 0.05 U		0.038 ± 0.002		56
Potassium (mg/L)		0.68	0.62	0.69	0.3 to 1.3		0.67 ± 0.025		56
Sodium (mg/L)		9.1	8.8	9.6	7.4 to 11		8.8 ± 0.110		56
Total Kjeldahl Nitrogen (mg/L)		0.5 U	0.2 U	0.2 U	0.15 U to 1		0.37 ± 0.021		56
Nitrite/Nitrate - (N) (mg/L)		0.093	0.091	0.093	0.05 U to 2 U		0.18 ± 0.083		24
Total Dissolved Solids (mg/L)		78	94	55	45 to 100		83 ± 1.300		56
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U to 4 U		3.5 ± 0.093		56
Sulfate (mg/L)		7.9	8	8.3	3 to 11		6.9 ± 0.270		56
Bicarbonate Alkalinity (CaCO3) (mg/L)		53	54	59	46 to 60		54 ± 0.380		56
Organic Carbon (mg/L)		1 U	1 U	1 U	0.5 U to 8.1		1.9 ± 0.160		56
Chloride (mg/L)		2	2.1	2.1	0.8 to 3.1		1.7 ± 0.055		56
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U to 0.2 U		0.11 ± 0.006		30
Turbidity (field) (NTU)		0.3	0.4	0.3	0 to 3.7		0.45 ± 0.087		56

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

### Applicable Limits:

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

## Comments

Data Group: 24

Printed: 4/23/2024 10:54



**MW-402A**













Juniper Ridge Landfill

**MW-402A**

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**MW-402A**  
Juniper Ridge Landfill

**Well Description**

MW-402B monitors water quality within the overburden downgradient of the landfill.

Screen Interval: **12 ft. to 22 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **07/29/04**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		130	139	148	96	to 246	150 ± 2.700		56
pH (STU)	↓ 6.9		8.1	8.1	7	to 9.2	8.3 ± 0.062		56
Temperature (Deg C)	7.6		10.2	11.5	5.2	to 13.8	9.3 ± 0.270		56
Water Level Depth (Feet)	2.78		3.3	3.6	2.18	to 5.82	3.5 ± 0.120		56
Water Level Elevation (Feet)	149.96		149.44	149.14	146.92	to 150.56	150 ± 0.120		56
Water Level Reference Point (Feet)	152.74		152.74	152.74	152.74	to 152.74	150 ± 0.000		56
Eh (mV)	193		394	343	11	to 467	250 ± 13.000		56
Dissolved Oxygen (mg/L)	0.2		0.5	0.5	0.1	to 6.8	0.76 ± 0.130		56
Well Depth (Feet)				25.15	25.12	to 25.2	25 ± 0.006		18
Arsenic (mg/L)	<b>0.02</b>		<b>0.016</b>	<b>0.015</b>	0.0099	to 0.031	0.018 ± 0.001		56
Calcium (mg/L)	17		17	15	13	to 22	15 ± 0.190		56
Iron (mg/L)	↑ 0.3		0.05 U	0.05 U	0.02 U	to 0.22	0.046 ± 0.005		56
Magnesium (mg/L)	5.4		5.2	4.8	4.5	to 7.4	5 ± 0.057		56
Manganese (mg/L)	0.05 U		0.05 U	0.05 U	0.02 U	to 0.05	0.039 ± 0.002		56
Potassium (mg/L)	0.7		0.64	0.68	0.4	to 2.2	0.72 ± 0.037		56
Sodium (mg/L)	8.9		8.4	8.8	7.6	to 12	8.6 ± 0.120		56
Total Kjeldahl Nitrogen (mg/L)	0.5 U		0.2 U	0.2 U	0.2 U	to 0.61	0.36 ± 0.015		56
Nitrite/Nitrate - (N) (mg/L)	0.05 U		0.054	0.05 U	0.05 U	to 2 U	0.17 ± 0.084		24
Total Dissolved Solids (mg/L)	81		102	91	64	to 124	94 ± 1.400		56
Total Suspended Solids (mg/L)	24		7	2.5 U	2.5 U	to 35	4.4 ± 0.580		56
Sulfate (mg/L)	8.7		9	9.4	2.3	to 44.9	9.1 ± 0.690		56
Bicarbonate Alkalinity (CaCO3) (mg/L)	67		66	74	34	to 85	67 ± 0.790		56
Organic Carbon (mg/L)	1 U		1 U	1 U	0.5 U	to 6.1	1.8 ± 0.140		56
Chloride (mg/L)	1.3		1.4	1.5	1	to 26.5	2.5 ± 0.530		56
Bromide (mg/L)	0.1 U		0.1 U	0.1 U	0.1 U	to 0.2 U	0.11 ± 0.006		30
Turbidity (field) (NTU)	0.2		0.2	0.2	0	to 3.5	0.49 ± 0.110		56

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**



**MW-402B**













Juniper Ridge Landfill

**MW-402B**

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




MW-402B  
Juniper Ridge Landfill

**Well Description**

MW-501 monitors bedrock groundwater downgradient and east of the landfill expansion.

Screen Interval: **57 ft. to 67 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **Apr-18**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		232	249	287	157	to 367	240 ± 14.000		16
pH (STU)		7.2	6.9	7.1	6	to 8.8	7.2 ± 0.170		16
Temperature (Deg C)		10	↑17.2	12.9	6.5	to 15.5	9.7 ± 0.590		16
Water Level Depth (Feet)		F1	F1	F1	No historical data for Water Level Depth.				
Water Level Reference Point (Feet)		166.19	166.19	166.19	166.19	to 166.19	170 ± 0.000		16
Eh (mV)		409	503	295	200	to 553	360 ± 21.000		16
Dissolved Oxygen (mg/L)		6.5	6.7	3.5	0.9	to 13.3	5.2 ± 0.740		16
Well Depth (Feet)				47.6	47.6	to 47.6	48 ± 0.000		4
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.005 U	to 0.009	0.0058 ± 0.000		16
Calcium (mg/L)		42	41	42	21	to 60	36 ± 2.600		16
Copper (mg/L)		0.003 U	0.003 U	0.003 U	0.003 U	to 0.003 U	0.003 ± 0.000		7
Iron (mg/L)		0.071	0.05 U	0.063	0.05 U	to 0.17	0.058 ± 0.008		16
Magnesium (mg/L)		8.9	8.2	8.2	4.7	to 9.2	6.5 ± 0.330		16
Manganese (mg/L)		0.19	0.069	0.085	0.05 U	to 0.21	0.063 ± 0.010		16
Potassium (mg/L)		0.94	0.87	0.95	0.6	to 2.4	0.93 ± 0.110		16
Sodium (mg/L)		5.6	5.7	6	3.5	to 6.7	4.8 ± 0.240		16
Boron (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U	to 0.05 U	0.05 ± 0.000		6
Total Kjeldahl Nitrogen (mg/L)		0.2 U	0.2 U	0.26	0.2 U	to 0.42	0.26 ± 0.013		16
Ammonia (N) (mg/L)		0.5 U	0.5 U	0.5 U	0.5 U	to 0.5 U	0.5 ± 0.000		7
Nitrite/Nitrate - (N) (mg/L)		0.44	0.39	0.25	0.077	to 0.57	0.29 ± 0.029		16
Total Dissolved Solids (mg/L)		163	186	181	105	to 247	170 ± 9.300		16
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U	to 4 U	2.6 ± 0.094		16
Sulfate (mg/L)		4.3	5.7	4.5	2 U	to 47	6.2 ± 2.800		16
Sulfide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.1 U	0.1 ± 0.000		7
Alkalinity (CaCO3) (mg/L)		↑120	↑120	↑120	83	to 110	96 ± 2.900		9
Organic Carbon (mg/L)		1 U	1 U	1 U	1 U	to 22	3.3 ± 1.300		16
Chloride (mg/L)		14	13	12	2.4	to 24	13 ± 1.300		16
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.12	0.1 ± 0.001		16
Turbidity (field) (NTU)		0.3	0.3	0.5	0.1	to 3.9	0.7 ± 0.290		16

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**













Data Group: 24

Printed: 4/23/2024 10:54



Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023      F1 = Well was flowing  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**MW-501**  
Juniper Ridge Landfill

**Well Description**

MW-502 monitors bedrock groundwater downgradient and east of the landfill expansion.

Screen Interval: **38 ft. to 43 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **Feb-20**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		335	335	369	256 to 389		320 ± 13.000		9
pH (STU)	↓6.6	7.3	7.3	7.3	7.3 to 8.4		7.7 ± 0.130		9
Temperature (Deg C)	9	17.7	14.3		7.2 to 18.7		12 ± 1.400		9
Water Level Depth (Feet)	F1	0.04	F1		0.04 to 0.9		0.33 ± 0.160		5
Water Level Elevation (Feet)			160.54		159.68 to 160.54		160 ± 0.160		5
Water Level Reference Point (Feet)			160.58		160.58 to 160.58		160 ± 0.000		5
Eh (mV)	↑414	↑492	364		249 to 404		320 ± 18.000		9
Dissolved Oxygen (mg/L)	↑7.8	4	3.2		1.7 to 5.8		3 ± 0.430		9
Well Depth (Feet)				46.38	46.38 to 46.38		46 ± 0.000		2
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.005 U to 0.005 U		0.005 ± 0.000		9
Calcium (mg/L)		50	49	53	34 to 69		49 ± 4.600		9
Copper (mg/L)		0.003 U	0.003 U	0.003 U	0.003 U to 0.003 U		0.003 ± 0.000		9
Iron (mg/L)		0.056	0.05 U	0.05 U	0.05 U to 0.13		0.059 ± 0.009		9
Magnesium (mg/L)		8.6	7.9	8.4	6.3 to 10		8.3 ± 0.500		9
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U to 0.2		0.08 ± 0.020		9
Potassium (mg/L)		1.2	1	1.1	0.9 to 2		1.3 ± 0.120		9
Sodium (mg/L)		5.7	5.3	5.5	4.8 to 6.3		5.6 ± 0.190		9
Boron (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U to 0.05 U		0.05 ± 0.000		5
Total Kjeldahl Nitrogen (mg/L)		0.2 U	0.2 U	0.2 U	0.2 U to 0.75		0.32 ± 0.061		9
Ammonia (N) (mg/L)		0.5 U	0.5 U	0.5 U	0.5 U to 0.5 U		0.5 ± 0.000		9
Nitrite/Nitrate - (N) (mg/L)		0.23	↑0.26	0.2	0.05 U to 0.23		0.13 ± 0.020		9
Total Dissolved Solids (mg/L)		179	214	196	166 to 250		210 ± 11.000		9
Total Suspended Solids (mg/L)		3	4	2.5 U	2.5 U to 4 U		2.7 ± 0.170		9
Sulfate (mg/L)		4.3	4.3	3.9	2 U to 4.9		4 ± 0.290		9
Sulfide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U to 0.1 U		0.1 ± 0.000		9
Alkalinity (CaCO3) (mg/L)		130	150	140	110 to 200		150 ± 12.000		9
Organic Carbon (mg/L)		1 U	1 U	1 U	1 U to 2 U		1.7 ± 0.170		9
Chloride (mg/L)		19	18	17	13 to 21		17 ± 0.960		9
Bromide (mg/L)		0.18	0.2	0.18	0.14 to 0.33		0.23 ± 0.025		9
Turbidity (field) (NTU)		0.2	0.6	0.2	0.1 to 1.2		0.47 ± 0.120		9

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

---













**Comments**

---

Q2= 4 - 2023  
Q3= 7 - 2023  
Q4= 10 - 2023

U = Not Detected above the laboratory reporting limit.  
F1 = Well was flowing

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**MW-502**  
Juniper Ridge Landfill



**Well Description**

MW-503 monitors bedrock groundwater downgradient of and north of the landfill expansion.

Screen Interval: **60 ft. to 70 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **2/9/2021**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		213	200	↑240	138 to 224		200 ± 9.300		8
pH (STU)		7.6	7.3	7.6	6.6 to 7.9		7.4 ± 0.130		8
Temperature (Deg C)		↓5.7	↑12.4	↑14.8	6.5 to 12.3		9.8 ± 0.670		8
Water Level Depth (Feet)		F1	F1	0	No historical data for Water Level Depth.				
Water Level Elevation (Feet)				163.715	No historical data for Water Level Elevation.				
Water Level Reference Point (Feet)				163.715	No historical data for Water Level Reference Point.				
Eh (mV)		↑415	↑590	352	233 to 398		330 ± 19.000		8
Dissolved Oxygen (mg/L)		↑6.5	4.4	3.6	1.2 to 5.3		2.6 ± 0.470		8
Well Depth (Feet)				73.02	73.02 to 73.02		73 ± 0.000		2
Arsenic (mg/L)		↑0.0052	0.005 U	0.005 U	0.005 U to 0.005		0.005 ± 0.000		8
Calcium (mg/L)		34	31	33	25 to 37		30 ± 1.200		8
Copper (mg/L)		0.003 U	0.003 U	0.003 U	0.003 U to 0.0041		0.0031 ± 0.000		8
Iron (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U to 0.05 U		0.05 ± 0.000		8
Magnesium (mg/L)		8.5	7.6	8	6.5 to 9.4		7.5 ± 0.300		8
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U to 0.05 U		0.05 ± 0.000		8
Potassium (mg/L)		1.1	0.95	1	0.8 to 2		1.1 ± 0.150		8
Sodium (mg/L)		6.2	6	6.8	4.9 to 7.3		5.8 ± 0.320		8
Boron (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U to 0.05 U		0.05 ± 0.000		8
Total Kjeldahl Nitrogen (mg/L)		0.2 U	0.2 U	0.2 U	0.2 U to 0.58		0.29 ± 0.048		8
Ammonia (N) (mg/L)		0.5 U	0.5 U	0.5 U	0.5 U to 0.5 U		0.5 ± 0.000		8
Nitrite/Nitrate - (N) (mg/L)		0.11	0.13	↓0.083	0.09 to 0.15		0.12 ± 0.008		8
Total Dissolved Solids (mg/L)		↓135	↓134	141	140 to 250		160 ± 13.000		8
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U to 4 U		2.7 ± 0.190		8
Sulfate (mg/L)		7.2	7.7	6.9	6.8 to 12		8.2 ± 0.600		8
Sulfide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U to 0.1 U		0.1 ± 0.000		8
Alkalinity (CaCO3) (mg/L)		110	94	110	83 to 120		96 ± 4.500		8
Organic Carbon (mg/L)		1 U	1 U	1 U	1 U to 2 U		1.6 ± 0.180		8
Chloride (mg/L)		7.6	10	6.9	6.1 to 17		12 ± 1.500		8
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U to 0.1 U		0.1 ± 0.000		8
Turbidity (field) (NTU)		0.2	0.2	0.3	0.2 to 1.1		0.51 ± 0.130		8

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













---

**Comments**

---

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023      F1 = Well was flowing  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




MW-503  
Juniper Ridge Landfill

**Well Description**

MW-504 monitors bedrock groundwater downgradient of and north of the landfill expansion.

Screen Interval: **71.5 ft. to 81.5 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **2/9/2021**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		103	131	126	103 to 139		120 ± 5.200		7
pH (STU)	↓7.3	7.7	7.8	7.8	7.4 to 8.4		7.9 ± 0.140		7
Temperature (Deg C)	7.4	↑19.4	13.2	13.2	5.9 to 14.6		10 ± 1.100		7
Water Level Depth (Feet)	26.25	26.1	↑26.8	26.8	18 to 26.5		21 ± 1.400		7
Water Level Elevation (Feet)	149.359	149.509	↓148.809	148.809	149.109 to 157.609		160 ± 1.400		7
Water Level Reference Point (Feet)	175.609	175.609	175.609	175.609	175.609 to 175.609		180 ± 0.000		8
Eh (mV)	↑361	↑465	214	214	156 to 339		250 ± 27.000		7
Dissolved Oxygen (mg/L)	6.8	↑8.1	5.9	5.9	2.8 to 7.3		5.5 ± 0.740		7
Arsenic (mg/L)	↑0.01	0.005 U	0.005 U	0.005 U	0.005 U to 0.006		0.0053 ± 0.000		7
Calcium (mg/L)	16	14	15	15	12 to 16		14 ± 0.470		7
Copper (mg/L)	0.003 U	0.003 U	0.003 U	0.003 U	0.003 U to 0.015		0.0047 ± 0.002		7
Iron (mg/L)	0.11	0.05 U	0.05 U	0.05 U	0.05 U to 6		0.94 ± 0.840		7
Magnesium (mg/L)	5.2	4.4	4.5	4.5	3.6 to 5.8		4.4 ± 0.270		7
Manganese (mg/L)	0.051	0.05 U	0.05 U	0.05 U	0.05 U to 0.89		0.19 ± 0.120		7
Potassium (mg/L)	1	↓0.78	↓0.81	0.81	0.9 to 2		1.3 ± 0.160		7
Sodium (mg/L)	7	↓6	↓5.7	5.7	6.1 to 12		7.9 ± 0.860		7
Boron (mg/L)	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U to 0.05 U		0.05 ± 0.000		7
Total Kjeldahl Nitrogen (mg/L)	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U to 1.8		0.64 ± 0.260		7
Ammonia (N) (mg/L)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U to 0.5 U		0.5 ± 0.000		7
Nitrite/Nitrate - (N) (mg/L)	0.09	0.064	0.091	0.091	0.05 U to 0.22		0.092 ± 0.022		7
Total Dissolved Solids (mg/L)	77	87	88	88	15 to 112		87 ± 12.000		7
Total Suspended Solids (mg/L)	26	↓2.5 U	↓2.5 U	2.5 U	3.7 to 110		27 ± 15.000		7
Sulfate (mg/L)	6	5.9	6.4	6.4	5.4 to 14		7.1 ± 1.200		7
Sulfide (mg/L)	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U to 0.2 U		0.11 ± 0.014		7
Alkalinity (CaCO3) (mg/L)	59	58	↑66	66	58 to 65		62 ± 1.100		7
Organic Carbon (mg/L)	1 U	1 U	1 U	1 U	1 U to 2 U		1.7 ± 0.180		7
Chloride (mg/L)	1.3	1.3	1.2	1.2	1.1 to 3.2		1.5 ± 0.290		7
Bromide (mg/L)	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U to 0.1 U		0.1 ± 0.000		7
Turbidity (field) (NTU)	0.8	↓0.5	3.4	3.4	0.6 to 3.9		2.6 ± 0.530		7

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**











Data Group: 24

Printed: 4/23/2024 10:54



Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023


Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**Well Description**

MW-505 monitors bedrock groundwater downgradient of and north of the landfill expansion.

Screen Interval: **72.2 ft. to 82.2 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **2/10/2021**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↓210	225	221	221	212 to 329		260 ± 14.000		8
pH (STU)	7.7	7.2	7.8	7.8	6.9 to 7.9		7.5 ± 0.120		8
Temperature (Deg C)	6.3	11	10.7	10.7	5.1 to 13.3		10 ± 1.000		8
Water Level Depth (Feet)	14.11	14.63	15.65	15.65	11.78 to 18.53		15 ± 0.910		8
Water Level Elevation (Feet)	185.906	185.386	184.366	184.366	181.486 to 188.236		190 ± 0.910		8
Water Level Reference Point (Feet)	200.016	200.016	200.016	200.016	200.016 to 200.016		200 ± 0.000		8
Eh (mV)	121	↑396	239	239	25 to 346		130 ± 44.000		8
Dissolved Oxygen (mg/L)	0.6	↑4.3	0.4	0.4	0.3 to 2.2		1.1 ± 0.250		8
Well Depth (Feet)				84.8	84.8 to 84.8		85 ± 0.000		2
Arsenic (mg/L)	↑ <b>0.011</b>	↑0.0067	↑0.0083	↑0.0083	0.005 U to 0.006		0.0052 ± 0.000		8
Calcium (mg/L)	21	21	20	20	17 to 22		20 ± 0.530		8
Copper (mg/L)	0.003 U	0.003 U	0.003 U	0.003 U	0.003 U to 0.0032		0.003 ± 0.000		8
Iron (mg/L)	0.45	0.21	0.13	0.13	0.1 to 0.9		0.29 ± 0.093		8
Magnesium (mg/L)	↑7.5	↑7.4	↑7.3	↑7.3	5.9 to 7		6.6 ± 0.150		8
Manganese (mg/L)	↓0.18	↓0.17	↓0.16	↓0.16	0.25 to 0.73		0.44 ± 0.064		8
Potassium (mg/L)	1.3	1.1	1.1	1.1	1 to 1.9		1.3 ± 0.097		8
Sodium (mg/L)	↓20	↓18	↓18	↓18	21 to 55		32 ± 3.700		8
Boron (mg/L)	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U to 0.05 U		0.05 ± 0.000		8
Total Kjeldahl Nitrogen (mg/L)	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U to 0.29		0.24 ± 0.012		8
Ammonia (N) (mg/L)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U to 0.5 U		0.5 ± 0.000		8
Nitrite/Nitrate - (N) (mg/L)	0.05 U	0.067	0.05 U	0.05 U	0.05 U to 0.16		0.068 ± 0.013		8
Total Dissolved Solids (mg/L)	141	136	137	137	63 to 237		180 ± 18.000		8
Total Suspended Solids (mg/L)	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U to 4		3 ± 0.230		8
Sulfate (mg/L)	↓24	↓22	↓21	↓21	28 to 55		42 ± 3.000		8
Sulfide (mg/L)	0.17	0.16	0.13	0.13	0.1 U to 0.61		0.27 ± 0.059		8
Alkalinity (CaCO3) (mg/L)	91	92	90	90	88 to 110		95 ± 2.400		8
Organic Carbon (mg/L)	1.4	↓1.2	1.3	1.3	1.3 to 3.5		2.1 ± 0.230		8
Chloride (mg/L)	↓2.5	↓2.3	↓2.1	↓2.1	3.3 to 22		9.5 ± 2.100		8
Bromide (mg/L)	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U to 0.1 U		0.1 ± 0.000		8
Turbidity (field) (NTU)	0.4	0.5	0.4	0.4	0.3 to 6.4		1.9 ± 0.810		8

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

---













**Comments**

---

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level





**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




MW-505  
Juniper Ridge Landfill

**Well Description**

MW-506 monitors bedrock groundwater downgradient of and northwest of the landfill expansion.

Screen Interval: **50 ft. to 60 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **2/18/2021**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↓481	↓329		↓319	496	to 837	660 ± 47.000		8
pH (STU)		8.1	7.7		7.5	7.2 to 8.8	7.8 ± 0.180		8
Temperature (Deg C)		8.9	13.8		13.6	5.1 to 16.8	11 ± 1.300		8
Water Level Depth (Feet)	↑33.56		29.55		27.3	25.5 to 31.1	28 ± 0.580		9
Water Level Elevation (Feet)	↓165.198		169.208		171.458	167.658 to 173.258	170 ± 0.580		9
Water Level Reference Point (Feet)		198.758	198.758		198.758	198.758 to 198.758	200 ± 0.000		9
Eh (mV)		117	38		36	28 to 254	110 ± 31.000		8
Dissolved Oxygen (mg/L)		3.8	1.8		1.6	0.9 to 4.7	2.5 ± 0.430		8
Well Depth (Feet)					64.75	64.75 to 64.75	65 ± 0.000		2
Arsenic (mg/L)		↑0.01	0.0061		0.0059	0.005 U to 0.0094	0.007 ± 0.001		8
Calcium (mg/L)		↓17	↓16		↓15	19 to 34	25 ± 1.800		8
Copper (mg/L)		↑0.015	0.003 U		0.0046	0.003 U to 0.0052	0.0035 ± 0.000		8
Iron (mg/L)		↑2.1	0.29		0.12	0.11 to 0.8	0.4 ± 0.088		8
Magnesium (mg/L)		7.7	7.4		7	7 to 8.7	7.7 ± 0.190		8
Manganese (mg/L)		↓0.31	↓0.2		↓0.16	0.32 to 1.1	0.69 ± 0.099		8
Potassium (mg/L)		1.4	↓0.96		↓0.86	1.1 to 2.6	1.6 ± 0.180		8
Sodium (mg/L)		↓59	↓49		↓46	79 to 200	120 ± 13.000		8
Boron (mg/L)		0.05 U	0.05 U		0.05 U	0.05 U to 0.069	0.054 ± 0.003		8
Total Kjeldahl Nitrogen (mg/L)		0.92	0.2 U		0.27	0.2 U to 3.8	1.1 ± 0.460		8
Ammonia (N) (mg/L)		0.5 U	0.5 U		0.5 U	0.5 U to 0.5 U	0.5 ± 0.000		8
Nitrite/Nitrate - (N) (mg/L)		↑0.27	0.058		0.05 U	0.05 U to 0.17	0.068 ± 0.015		8
Total Dissolved Solids (mg/L)		↓235	↓264		↓193	270 to 802	490 ± 58.000		8
Total Suspended Solids (mg/L)		75	16		6.3	2.5 U to 130	38 ± 15.000		8
Sulfate (mg/L)		53	42		33	2 U to 340	150 ± 34.000		8
Sulfide (mg/L)		0.18	0.23		0.25	0.1 U to 1.5	0.59 ± 0.170		8
Alkalinity (CaCO3) (mg/L)		130	130		130	120 to 140	140 ± 2.600		8
Organic Carbon (mg/L)		8.6	↓2.8		↓3.9	5.7 to 25	14 ± 2.000		8
Chloride (mg/L)		↓6.1	↓4.2		↓4	7.1 to 57	24 ± 6.200		8
Bromide (mg/L)		0.1 U	0.1 U		0.1 U	0.1 U to 0.5 U	0.18 ± 0.053		8
Turbidity (field) (NTU)		8.2	2.7		4.1	0.8 to 15.2	6.9 ± 1.600		8

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

---













**Comments**

---

Q2= 4 - 2023  
Q3= 7 - 2023  
Q4= 10 - 2023

U = Not Detected above the laboratory reporting limit.

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**


- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



MW-506  
Juniper Ridge Landfill

**Well Description**

MW-507 monitors bedrock groundwater downgradient and west of the landfill expansion.



Screen Interval:

Sampled: **2 Times Annually**

Sampled Since: **Apr-18**

Material Screened: **Bedrock (Open Borehole)**

Well Condition: **Good**

Sampling Method: **Low Flow**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		178	129	219	90 to 324		240 ± 23.000		9
pH (STU)	↑8		7.3	6.7	6.6 to 7.8		7.1 ± 0.150		9
Temperature (Deg C)		7.2	11.3	11.9	4.1 to 13.9		10 ± 1.000		9
Water Level Depth (Feet)		2.3	2.8	3.4	2.14 to 7.52		4.4 ± 0.620		9
Water Level Elevation (Feet)		174.53	174.03	173.43	169.31 to 174.69		170 ± 0.620		9
Water Level Reference Point (Feet)		176.83	176.83	176.83	176.83 to 176.83		180 ± 0.000		9
Eh (mV)		284	↓206	260	230 to 427		290 ± 19.000		9
Dissolved Oxygen (mg/L)		5.1	↑6.6	↑7.1	2 to 6.3		4.5 ± 0.510		9
Well Depth (Feet)				35	35 to 35		35 ± 0.000		1
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.005 U to 0.007		0.0052 ± 0.000		9
Calcium (mg/L)		17	22	31	16 to 52		34 ± 3.600		9
Copper (mg/L)		0.003 U	0.003 U	0.003 U	0.003 U to 0.003 U		0.003 ± 0.000		7
Iron (mg/L)		0.2	↑0.97	0.31	0.05 U to 0.86		0.32 ± 0.100		9
Magnesium (mg/L)		2.4	2.6	4	2.2 to 6.6		4.4 ± 0.480		9
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U to 0.05 U		0.05 ± 0.000		9
Potassium (mg/L)		↓0.48	↓0.46	0.59	0.5 to 1.1		0.67 ± 0.077		9
Sodium (mg/L)		↓2	↓2.4	3.3	2.5 to 6.4		3.9 ± 0.400		9
Boron (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U to 0.05 U		0.05 ± 0.000		5
Total Kjeldahl Nitrogen (mg/L)		0.2 U	0.2 U	0.22	0.2 U to 0.37		0.25 ± 0.016		9
Ammonia (N) (mg/L)		0.5 U	0.5 U	0.5 U	0.5 U to 0.5 U		0.5 ± 0.000		7
Nitrite/Nitrate - (N) (mg/L)		0.051	0.096	0.064	0.05 U to 0.21		0.078 ± 0.017		9
Total Dissolved Solids (mg/L)		↓65	89	132	69 to 451		190 ± 36.000		9
Total Suspended Solids (mg/L)		2.5	2.5 U	2.5 U	2.5 U to 4.7		2.9 ± 0.270		9
Sulfate (mg/L)		3.3	3.6	3.2	2 U to 4.3		3.3 ± 0.210		9
Sulfide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U to 0.1 U		0.1 ± 0.000		7
Alkalinity (CaCO3) (mg/L)		48	59	85	47 to 110		77 ± 5.900		9
Organic Carbon (mg/L)		1 U	1 U	1 U	1 U to 2 U		1.7 ± 0.170		9
Chloride (mg/L)		1.7	4	15	1.2 to 43		25 ± 4.700		9
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U to 0.1 U		0.1 ± 0.000		9
Turbidity (field) (NTU)		1	5.7	1	0.3 to 6.1		2.9 ± 0.620		9

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













---

**Comments**

---

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**MW-507**  
Juniper Ridge Landfill

**Well Description**

MW-508 monitors bedrock groundwater downgradient of and southwest of the landfill expansion.

Screen Interval: **26 ft. to 36 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **10/5/2022**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↓281	↓305	↓303	↓312	334	to 334	330 ± 0.000		1
pH (STU)	↑8.4	↓7.5	↓7.4	↓5.5	7.7	to 7.7	7.7 ± 0.000		1
Temperature (Deg C)	↓5.7	↑9.7	↑14.3	↑12.3	9	to 9	9 ± 0.000		1
Water Level Depth (Feet)	↓0.37	↑1.86	↑2.15	↑2.23	1.8	to 1.8	1.8 ± 0.000		1
Water Level Elevation (Feet)	↑188.9	↑188.07	↓187.12	↓187.04	187.47	to 187.47	190 ± 0.000		1
Water Level Reference Point (Feet)	189.27	189.27	189.27	189.27	189.27	to 189.27	190 ± 0.000		1
Eh (mV)	↑355	↑464	↑446	↑424	215	to 215	220 ± 0.000		1
Dissolved Oxygen (mg/L)	↑3.4	↑4.2	↑3.6	↑4.4	1.9	to 1.9	1.9 ± 0.000		1
Well Depth (Feet)	38.78			38.78	38.78	to 38.78	39 ± 0.000		1
Arsenic (mg/L)	0.005 U	↑0.0059	0.005 U	0.005 U	0.005 U	to 0.005 U	0.005 ± 0.000		1
Calcium (mg/L)	↓51	↓51	↓44	↓46	54	to 54	54 ± 0.000		1
Copper (mg/L)	0.003 U	0.003 U	0.003 U	0.003 U	0.003 U	to 0.003 U	0.003 ± 0.000		1
Iron (mg/L)	↓0.18	↓0.076	↓0.06	↓0.05 U	0.21	to 0.21	0.21 ± 0.000		1
Magnesium (mg/L)	5.6	↑5.8	↓5.2	↓5.3	5.6	to 5.6	5.6 ± 0.000		1
Manganese (mg/L)	↑0.082	0.05 U	0.05 U	0.05 U	0.05	to 0.05	0.05 ± 0.000		1
Potassium (mg/L)	↓0.95	↓1	↓0.79	↓0.87	1.1	to 1.1	1.1 ± 0.000		1
Sodium (mg/L)	↑7.6	7.3	↓6.5	7.3	7.3	to 7.3	7.3 ± 0.000		1
Boron (mg/L)	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	to 0.05 U	0.05 ± 0.000		1
Total Kjeldahl Nitrogen (mg/L)	↓0.2 U	↓0.2 U	↓0.2 U	↓0.2 U	0.48	to 0.48	0.48 ± 0.000		1
Ammonia (N) (mg/L)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	to 0.5 U	0.5 ± 0.000		1
Nitrite/Nitrate - (N) (mg/L)	↓0.26	↓0.23	↓0.24	↓0.18	0.42	to 0.42	0.42 ± 0.000		1
Total Dissolved Solids (mg/L)	↑209	↑202	↑185	↑179	150	to 150	150 ± 0.000		1
Total Suspended Solids (mg/L)	↑20	↓3	↓2.5 U	↓2.5 U	4 U	to 4 U	4 ± 0.000		1
Sulfate (mg/L)	↓12	↓12	↓11	↓11	16	to 16	16 ± 0.000		1
Sulfide (mg/L)	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	to 0.1 U	0.1 ± 0.000		1
Alkalinity (CaCO3) (mg/L)	110	110	110	110	110	to 110	110 ± 0.000		1
Organic Carbon (mg/L)	1 U	1 U	1 U	1 U	1 U	to 1 U	1 ± 0.000		1
Chloride (mg/L)	↓26	↓24	↓23	↓19	29	to 29	29 ± 0.000		1
Bromide (mg/L)	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	to 0.1 U	0.1 ± 0.000		1
Turbidity (field) (NTU)	↓0.5	↓0.5	↓0.4	↓0.4	1.7	to 1.7	1.7 ± 0.000		1

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.



---













**Comments**

---

Q1= 1 - 2023  
Q2= 4 - 2023  
Q3= 7 - 2023  
Q4= 10 - 2023

U = Not Detected above the laboratory reporting limit.  
F = The sampling location was frozen.

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




MW-508  
Juniper Ridge Landfill

**Well Description**

OW-06-03 monitors overburden groundwater downgradient and east of the landfill expansion.

Screen Interval: **10 ft. to 15 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **Apr-18**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		775	D	D	193	to 1035	570 ± 79.000		10
pH (STU)		↑ 7.8	D	D	5.6	to 6.4	6 ± 0.071		10
Temperature (Deg C)		6.8	D	D	6.2	to 16.4	10 ± 1.100		10
Water Level Depth (Feet)		25.2	D	↑ 25.68	20.5	to 25.5	24 ± 0.450		11
Water Level Elevation (Feet)		180.84	D	↓ 180.36	180.54	to 185.54	180 ± 0.450		11
Water Level Reference Point (Feet)		206.04	206.04	206.04	206.04	to 206.04	210 ± 0.000		13
Eh (mV)		180	D	D	87	to 401	190 ± 34.000		10
Dissolved Oxygen (mg/L)		0.9	D	D	0.5	to 6	2 ± 0.500		10
Well Depth (Feet)				25.8	25.8	to 25.81	26 ± 0.003		4
Arsenic (mg/L)			D		0.005 U	to 0.01	0.0075 ± 0.003		2
Calcium (mg/L)			D		17	to 78	48 ± 31.000		2
Copper (mg/L)			D		0.003 U	to 0.003 U	0.003 ± 0.000		2
Iron (mg/L)			D		0.32	to 23	12 ± 11.000		2
Magnesium (mg/L)			D		4.4	to 6.5	5.5 ± 1.100		2
Manganese (mg/L)			D		0.65	to 8.7	4.7 ± 4.000		2
Potassium (mg/L)			D		1.1	to 3.7	2.4 ± 1.300		2
Sodium (mg/L)			D		4.7	to 6.6	5.7 ± 0.950		2
Boron (mg/L)			D		0.05 U	to 0.05 U	0.05 ± 0.000		1
Total Kjeldahl Nitrogen (mg/L)			D		0.25 U	to 8.4	4.3 ± 4.100		2
Ammonia (N) (mg/L)			D		0.5 U	to 6.7	3.6 ± 3.100		2
Nitrite/Nitrate - (N) (mg/L)			D		0.05 U	to 0.1	0.075 ± 0.025		2
Total Dissolved Solids (mg/L)			D		84	to 491	290 ± 200.000		2
Total Suspended Solids (mg/L)			D		2.5 U	to 16	9.3 ± 6.800		2
Sulfate (mg/L)			D		2.1	to 12	7.1 ± 5.000		2
Sulfide (mg/L)			D		0.1 U	to 5 U	2.6 ± 2.500		2
Alkalinity (CaCO3) (mg/L)			D		65	to 270	170 ± 100.000		2
Organic Carbon (mg/L)			D		2	to 68	35 ± 33.000		2
Chloride (mg/L)			D		1.6	to 6.3	4 ± 2.400		2
Bromide (mg/L)			D		0.51	to 0.58	0.55 ± 0.035		2
Turbidity (field) (NTU)		5.1	D	D	2.7	to 43.8	11 ± 3.800		10

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

---

**Comments**













---

\*Only field parameters are collected during the summer and fall sampling events.

Q2= 4 - 2023  
Q3= 7 - 2023  
Q4= 10 - 2023

D = The sampling location was dry.

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**OW-06-03**  
Juniper Ridge Landfill

**Well Description**

OW-601A monitors bedrock groundwater downgradient and east of the landfill expansion.

Screen Interval: **88 ft. to 98 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **Apr-18**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑545	424		↑459	311	to 434	380 ± 9.500		16
pH (STU)		6.9	7.5	6.7	5.9	to 7.7	7 ± 0.100		16
Temperature (Deg C)		7.2	15.1	14.5	6.4	to 17.7	11 ± 0.710		16
Water Level Depth (Feet)		37.3	37.7	38.35	35.6	to 42.6	39 ± 0.570		16
Water Level Elevation (Feet)		180.64	180.24	179.59	175.34	to 182.34	180 ± 0.570		16
Water Level Reference Point (Feet)		217.94	217.94	217.94	217.94	to 217.94	220 ± 0.000		16
Eh (mV)		305	↓107	247	164	to 402	260 ± 18.000		16
Dissolved Oxygen (mg/L)		1.9	1.6	3.3	0.9	to 7.9	2.8 ± 0.480		16
Well Depth (Feet)				79.02	79.02	to 79.02	79 ± 0.000		4
Arsenic (mg/L)			0.005 U		0.005 U	to 0.005	0.005 ± 0.000		9
Calcium (mg/L)			↑55		36	to 52	42 ± 1.700		9
Copper (mg/L)			0.003 U		0.003 U	to 0.004	0.0032 ± 0.000		5
Iron (mg/L)			0.05 U		0.05 U	to 0.97	0.3 ± 0.120		9
Magnesium (mg/L)			↑15		8.8	to 13	11 ± 0.440		9
Manganese (mg/L)			0.05 U		0.05 U	to 0.29	0.15 ± 0.031		9
Potassium (mg/L)			1.8		1.8	to 2.8	2.2 ± 0.120		9
Sodium (mg/L)			14		6.6	to 25	13 ± 2.100		9
Boron (mg/L)			0.05 U		0.05 U	to 0.05 U	0.05 ± 0.000		2
Total Kjeldahl Nitrogen (mg/L)			0.2 U		0.2 U	to 0.86	0.33 ± 0.077		8
Ammonia (N) (mg/L)			0.5 U		0.5 U	to 0.5 U	0.5 ± 0.000		4
Nitrite/Nitrate - (N) (mg/L)			0.58		0.18	to 0.62	0.35 ± 0.051		8
Total Dissolved Solids (mg/L)			261		180	to 264	220 ± 9.400		8
Total Suspended Solids (mg/L)			2.5 U		2.5 U	to 7100	930 ± 880.000		8
Sulfate (mg/L)			8.2		2.1	to 25	10 ± 2.500		8
Sulfide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		4
Alkalinity (CaCO3) (mg/L)			170		120	to 170	140 ± 8.700		6
Organic Carbon (mg/L)			1 U		1 U	to 42	6.9 ± 5.000		8
Chloride (mg/L)			↑31		16	to 27	22 ± 1.400		8
Bromide (mg/L)			0.21		0.13	to 1.1	0.29 ± 0.120		8
Turbidity (field) (NTU)		↓0.9	2.4	↓0.6	1.5	to 1355	91 ± 84.000		16

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













---

**Comments**

---

\*Field parameters only are monitored in the spring and fall.

Q2= 4 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q3= 7 - 2023		DWA	GW	Health-Based Drinking Water Advisory
Q4= 10 - 2023		LHA	GW	EPA Lifetime Health Advisory
		MCL	GW	Maximum Contaminant Level



**LEGEND**  
 □ - Below reporting Limit, Associate value is the reporting limit.  
 ◇ - Estimated Value (J-flagged).




**OW-601A**  
 Juniper Ridge Landfill



**Well Description**

OW-601B monitors overburden groundwater downgradient and east of the landfill expansion.

Screen Interval: **51 ft. to 61 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **Apr-18**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑427	337	359	359	296	to 403	350 ± 7.300		16
pH (STU)	6.3	6.4	6.1	6.1	5.9	to 6.8	6.3 ± 0.067		16
Temperature (Deg C)	8.3	↑25	13.2	13.2	7.7	to 14.7	11 ± 0.540		16
Water Level Depth (Feet)	37.2	37.45	38.3	38.3	35.55	to 42.55	39 ± 0.570		16
Water Level Elevation (Feet)	180.3	180.05	179.2	179.2	174.95	to 181.95	180 ± 0.570		16
Water Level Reference Point (Feet)	217.5	217.5	217.5	217.5	217.5	to 217.5	220 ± 0.000		16
Eh (mV)	370	↓162	283	283	220	to 406	310 ± 14.000		16
Dissolved Oxygen (mg/L)	5.3	2.4	3.3	3.3	1.4	to 5.5	3.1 ± 0.240		16
Arsenic (mg/L)			0.005 U	0.005 U	0.005 U	to 0.007	0.0054 ± 0.000		8
Calcium (mg/L)			42	42	34	to 44	38 ± 1.100		8
Copper (mg/L)			0.003 U	0.003 U	0.003 U	to 0.003 U	0.003 ± 0.000		4
Iron (mg/L)			0.05 U	0.05 U	0.05 U	to 0.74	0.23 ± 0.081		8
Magnesium (mg/L)			13	13	11	to 14	13 ± 0.320		8
Manganese (mg/L)			0.05 U	0.05 U	0.05 U	to 1	0.26 ± 0.130		8
Potassium (mg/L)			1.2	1.2	1.2	to 2	1.6 ± 0.110		8
Sodium (mg/L)			7.5	7.5	6.8	to 8.7	7.8 ± 0.240		8
Boron (mg/L)			0.05 U	0.05 U	0.05 U	to 0.05 U	0.05 ± 0.000		2
Total Kjeldahl Nitrogen (mg/L)			0.2 U	0.2 U	0.2 U	to 0.25 U	0.24 ± 0.006		8
Ammonia (N) (mg/L)			0.5 U	0.5 U	0.5 U	to 0.5 U	0.5 ± 0.000		4
Nitrite/Nitrate - (N) (mg/L)			↑0.64	0.64	0.23	to 0.58	0.43 ± 0.049		8
Total Dissolved Solids (mg/L)			229	229	184	to 277	230 ± 11.000		8
Total Suspended Solids (mg/L)			2.5 U	2.5 U	2.5 U	to 16	6.3 ± 1.700		8
Sulfate (mg/L)			2.5	2.5	2 U	to 10 U	3.6 ± 0.940		8
Sulfide (mg/L)			0.1 U	0.1 U	0.1 U	to 0.1 U	0.1 ± 0.000		4
Alkalinity (CaCO3) (mg/L)			120	120	88	to 120	110 ± 4.600		6
Organic Carbon (mg/L)			1 U	1 U	1 U	to 55	8.5 ± 6.600		8
Chloride (mg/L)			41	41	22	to 61	39 ± 4.500		8
Bromide (mg/L)			0.21	0.21	0.16	to 0.5 U	0.26 ± 0.037		8
Turbidity (field) (NTU)	↓0.6	2.6	1	1	1	to 7.6	3.3 ± 0.500		16

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Data Group: 24

Printed: 4/23/2024 10:54



# OW-601B

Juniper Ridge Landfill













\*Field parameters only are monitored in the spring and fall.

# OW-601B

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**OW-601B**  
Juniper Ridge Landfill

**Well Description**

OW-602A monitors bedrock groundwater downgradient and east of the landfill expansion.

Screen Interval: **52 ft. to 62 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **Apr-18**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑436	↑356	↑362		93 to 336		200 ± 22.000		16
pH (STU)		7.1	6.9	6.5	6.2 to 8.2		6.9 ± 0.120		16
Temperature (Deg C)		8.1	12	11.1	5.2 to 17.5		9.3 ± 0.670		16
Water Level Depth (Feet)		35.7	36	36.6	29.92 to 39.9		36 ± 0.710		16
Water Level Elevation (Feet)		177.47	177.17	176.57	173.27 to 183.25		180 ± 0.710		16
Water Level Reference Point (Feet)		213.17	213.17	213.17	213.17 to 213.17		210 ± 0.000		16
Eh (mV)		311	↓108	187	183 to 467		300 ± 19.000		16
Dissolved Oxygen (mg/L)		↓0.6	0.8	0.9	0.8 to 12.9		6.5 ± 1.000		16
Well Depth (Feet)				50	50 to 240		190 ± 47.000		4
Arsenic (mg/L)			0.005 U		0.005 U to 0.008		0.0054 ± 0.000		8
Calcium (mg/L)			↑52		13 to 50		23 ± 4.600		8
Copper (mg/L)			0.003 U		0.003 U to 0.003 U		0.003 ± 0.000		4
Iron (mg/L)			0.05 U		0.05 U to 0.1		0.056 ± 0.006		8
Magnesium (mg/L)			↑12		2.8 to 11		5 ± 1.000		8
Manganese (mg/L)			0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		8
Potassium (mg/L)			0.73		0.4 to 1.3		0.59 ± 0.110		8
Sodium (mg/L)			5.3		2.5 to 5.8		3.3 ± 0.400		8
Boron (mg/L)			0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		2
Total Kjeldahl Nitrogen (mg/L)			0.2 U		0.2 U to 0.72		0.31 ± 0.060		8
Ammonia (N) (mg/L)			0.5 U		0.5 U to 0.5 U		0.5 ± 0.000		4
Nitrite/Nitrate - (N) (mg/L)			0.43		0.05 U to 0.9		0.3 ± 0.120		8
Total Dissolved Solids (mg/L)			↑221		59 to 214		110 ± 18.000		8
Total Suspended Solids (mg/L)			2.5 U		2.5 U to 2.5 U		2.5 ± 0.000		8
Sulfate (mg/L)			3.6		2.4 to 4.6		3.6 ± 0.310		8
Sulfide (mg/L)			0.1 U		0.1 U to 0.1 U		0.1 ± 0.000		4
Alkalinity (CaCO3) (mg/L)			↑170		44 to 140		72 ± 17.000		6
Organic Carbon (mg/L)			1.1		1 U to 36		6.1 ± 4.300		8
Chloride (mg/L)			18		2.3 to 20		11 ± 2.000		8
Bromide (mg/L)			0.26		0.1 U to 0.33		0.14 ± 0.029		8
Turbidity (field) (NTU)		1	2.1	1.1	0.5 to 3.7		1.5 ± 0.220		16

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

---

**Comments**













---

\*Field parameters only are monitored in the spring and fall.

Q2= 4 - 2023  
Q3= 7 - 2023  
Q4= 10 - 2023

U = Not Detected above the laboratory reporting limit.

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**OW-602A**  
Juniper Ridge Landfill

**Well Description**

OW-603B monitors overburden groundwater downgradient and east of the landfill expansion.

Screen Interval: **34 ft. to 44 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **Apr-18**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		D	I	D	122 to 302		180 ± 22.000		8
pH (STU)		D	I	D	5.7 to 7.1		6.3 ± 0.150		8
Temperature (Deg C)		D	I	D	6.3 to 19.7		11 ± 1.700		8
Water Level Depth (Feet)		28.08	I	28.7	20.44 to 28.75		26 ± 0.780		11
Water Level Elevation (Feet)		179.99	I	179.37	179.32 to 187.63		180 ± 0.780		11
Water Level Reference Point (Feet)		208.07	208.07	208.07	208.07 to 208.07		210 ± 0.000		16
Eh (mV)		D	I	D	304 to 415		370 ± 15.000		8
Dissolved Oxygen (mg/L)		D	I	D	0.1 to 7.5		3.9 ± 1.100		8
Well Depth (Feet)				28.82	28.82 to 28.84		29 ± 0.005		4
Arsenic (mg/L)			I		0.005 U to 0.017		0.0075 ± 0.002		6
Calcium (mg/L)			I		12 to 34		20 ± 3.700		6
Copper (mg/L)			I		0.003 U to 0.003 U		0.003 ± 0.000		2
Iron (mg/L)			I		0.05 to 19		3.5 ± 3.100		6
Magnesium (mg/L)			I		4.5 to 11		6.9 ± 1.100		6
Manganese (mg/L)			I		0.11 to 0.93		0.42 ± 0.140		6
Potassium (mg/L)			I		1 to 3.7		1.7 ± 0.400		6
Sodium (mg/L)			I		3.9 to 8.5		5.5 ± 0.680		6
Boron (mg/L)			I		No historical data for Boron.				
Total Kjeldahl Nitrogen (mg/L)			I		0.25 U to 11		2.6 ± 2.100		5
Ammonia (N) (mg/L)			I		0.5 U to 0.5 U		0.5 ± 0.000		2
Nitrite/Nitrate - (N) (mg/L)			I		0.054 to 0.28		0.12 ± 0.040		5
Total Dissolved Solids (mg/L)			I		99 to 161		120 ± 12.000		5
Total Suspended Solids (mg/L)			I		2.5 U to 1500		310 ± 300.000		5
Sulfate (mg/L)			I		2.1 to 2.9		2.4 ± 0.140		5
Sulfide (mg/L)			I		0.1 U to 0.1 U		0.1 ± 0.000		2
Alkalinity (CaCO3) (mg/L)			I		58 to 120		83 ± 14.000		4
Organic Carbon (mg/L)			I		2 U to 4		2.4 ± 0.400		5
Chloride (mg/L)			I		1.2 to 2.5		1.9 ± 0.220		5
Bromide (mg/L)			I		0.1 U to 1.1		0.33 ± 0.190		5
Turbidity (field) (NTU)		D	I	D	2.2 to 430		66 ± 52.000		8

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L







↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

\*Field parameters only are monitored in the spring and fall.

Q2= 4 - 2023	I = The sampling location yielded insufficient quantity to collect a sample.	Abbrev.	Type	Standard
Q3= 7 - 2023		DWA	GW	Health-Based Drinking Water Advisory
Q4= 10 - 2023	D = The sampling location was dry.	LHA	GW	EPA Lifetime Health Advisory
		MCL	GW	Maximum Contaminant Level






**Well Description**

OW-604A monitors bedrock groundwater downgradient and east of the landfill expansion.

Screen Interval: **39 ft. to 49 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **Apr-18**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑411	↑315	↑336		78 to 280		170 ± 16.000		16
pH (STU)		6.8	6.3	6.2	5.9 to 7.8		6.4 ± 0.120		16
Temperature (Deg C)		6.6	14.8	15.3	6.2 to 16.9		12 ± 0.970		16
Water Level Depth (Feet)		22.5	22.75	23.4	14.3 to 25.9		22 ± 0.810		16
Water Level Elevation (Feet)		176.3	176.05	175.4	172.9 to 184.5		180 ± 0.810		16
Water Level Reference Point (Feet)		198.8	198.8	198.8	198.8 to 198.8		200 ± 0.000		16
Eh (mV)		380	↓217	↓208	234 to 548		340 ± 21.000		16
Dissolved Oxygen (mg/L)		3.5	3.5	3.1	0.1 U to 7.5		4.5 ± 0.480		16
Well Depth (Feet)				36.8	33.71 to 36.8		35 ± 0.760		4
Arsenic (mg/L)			0.005 U		0.005 U to 0.007		0.0053 ± 0.000		8
Calcium (mg/L)			↑48		8.9 to 38		17 ± 3.500		8
Copper (mg/L)			0.003 U		0.003 U to 0.003 U		0.003 ± 0.000		4
Iron (mg/L)			0.05 U		0.05 U to 0.05		0.05 ± 0.000		8
Magnesium (mg/L)			9		2.3 to 9		4.4 ± 0.810		8
Manganese (mg/L)			0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		8
Potassium (mg/L)			1.1		0.5 to 3.1		0.89 ± 0.320		8
Sodium (mg/L)			6		2.7 to 9.8		4.5 ± 0.810		8
Boron (mg/L)			0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		2
Total Kjeldahl Nitrogen (mg/L)			↓0.2 U		0.25 U to 0.62		0.33 ± 0.051		8
Ammonia (N) (mg/L)			0.5 U		0.5 U to 0.5 U		0.5 ± 0.000		4
Nitrite/Nitrate - (N) (mg/L)			3.2		0.16 to 4		1.1 ± 0.490		8
Total Dissolved Solids (mg/L)			↑216		62 to 190		100 ± 16.000		8
Total Suspended Solids (mg/L)			2.5 U		2.5 U to 3		2.6 ± 0.063		8
Sulfate (mg/L)			↑6.9		2.4 to 3.5		2.8 ± 0.150		8
Sulfide (mg/L)			0.1 U		0.1 U to 0.1 U		0.1 ± 0.000		4
Alkalinity (CaCO3) (mg/L)			↑140		36 to 110		61 ± 12.000		6
Organic Carbon (mg/L)			1.7		1 U to 2 U		1.9 ± 0.130		8
Chloride (mg/L)			↑12		1.1 to 11		3.7 ± 1.200		8
Bromide (mg/L)			0.1 U		0.1 U to 0.12		0.1 ± 0.003		8
Turbidity (field) (NTU)		↓0.7	↓0.9	1.5	1.2 to 10.9		3.2 ± 0.600		16

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













---

**Comments**

---

\*Field parameters only are monitored in the spring and fall.

Q2= 4 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q3= 7 - 2023		DWA	GW	Health-Based Drinking Water Advisory
Q4= 10 - 2023		LHA	GW	EPA Lifetime Health Advisory
		MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**OW-604A**  
Juniper Ridge Landfill

**Well Description**

OW-605A monitors bedrock groundwater downgradient and east of the landfill expansion.

Screen Interval: **60 ft. to 260 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **Apr-2018**  
 Material Screened: **Bedrock (Open Borehole)**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↓83	↑267	↑272		134 to 237		180 ± 13.000		9
pH (STU)		7.4	6.4	6.7	6.4 to 7.7		7.1 ± 0.130		9
Temperature (Deg C)		8.8	13.4	↑15.2	7.5 to 14.4		11 ± 0.840		9
Water Level Depth (Feet)	↓20.65	21.6	↓21.4		21.5 to 25.25		24 ± 0.460		9
Water Level Elevation (Feet)	↑166.11	165.16	↑165.36		161.51 to 165.26		160 ± 0.460		9
Water Level Reference Point (Feet)		186.76	186.76	186.76	186.76 to 186.76		190 ± 0.000		9
Eh (mV)		295	382	↓203	230 to 397		290 ± 21.000		9
Dissolved Oxygen (mg/L)		3.6	2.4	↓1.2	1.3 to 7.5		4.1 ± 0.960		9
Well Depth (Feet)				155	155 to 260		210 ± 53.000		2
Arsenic (mg/L)			0.005 U		0.005 U to 0.005		0.005 ± 0.000		7
Calcium (mg/L)			38		17 to 39		24 ± 3.500		7
Copper (mg/L)			0.003 U		0.003 U to 0.015		0.0054 ± 0.002		5
Iron (mg/L)			↑8.9		0.1 to 1.4		0.45 ± 0.180		7
Magnesium (mg/L)			9		3.8 to 9.1		5.7 ± 0.780		7
Manganese (mg/L)			0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		7
Potassium (mg/L)			0.72		0.4 to 0.89		0.54 ± 0.064		7
Sodium (mg/L)			6		3.4 to 6.3		4.6 ± 0.450		7
Boron (mg/L)			0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		3
Total Kjeldahl Nitrogen (mg/L)			0.2 U		0.2 U to 0.25 U		0.24 ± 0.009		7
Ammonia (N) (mg/L)			0.5 U		0.5 U to 0.5 U		0.5 ± 0.000		5
Nitrite/Nitrate - (N) (mg/L)			0.15		0.086 to 0.23		0.14 ± 0.022		7
Total Dissolved Solids (mg/L)			↑179		61 to 151		110 ± 11.000		7
Total Suspended Solids (mg/L)			8		2.5 U to 35		7.3 ± 4.600		7
Sulfate (mg/L)			2 U		2 U to 3.4		2.6 ± 0.230		7
Sulfide (mg/L)			0.1 U		0.1 U to 0.1 U		0.1 ± 0.000		5
Alkalinity (CaCO3) (mg/L)			↑120		27 to 100		62 ± 9.800		7
Organic Carbon (mg/L)			1 U		1 U to 2 U		1.9 ± 0.140		7
Chloride (mg/L)			↑16		9.4 to 13		11 ± 0.530		7
Bromide (mg/L)			↑0.13		0.1 U to 0.1		0.1 ± 0.000		7
Turbidity (field) (NTU)		1.2	0.3	0.4	0.2 to 8.9		4 ± 1.100		9

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













---

**Comments**

---

\*Field parameters only are monitored in the spring and fall.

Q2= 4 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q3= 7 - 2023		DWA	GW	Health-Based Drinking Water Advisory
Q4= 10 - 2023		LHA	GW	EPA Lifetime Health Advisory
		MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**OW-605A**  
Juniper Ridge Landfill

**Well Description**

OW-606A monitors bedrock groundwater downgradient and east of the landfill expansion.

Screen Interval: **40 ft. to 240 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **Apr-2018**  
 Material Screened: **Bedrock (Open Borehole)**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		310	354	356	167	to 427	310 ± 24.000		9
pH (STU)		7.4	7.8	7.8	7.4	to 8.4	7.9 ± 0.110		9
Temperature (Deg C)		10.2	12.7	8.4	5.5	to 13	9.6 ± 0.770		9
Water Level Depth (Feet)		F1	F1	F1	3.95	to 3.95	4 ± 0.000		1
Water Level Reference Point (Feet)		159.62	159.62	159.62	159.62	to 159.62	160 ± 0.000		1
Eh (mV)		331	↑485	↑484	248	to 395	320 ± 19.000		9
Dissolved Oxygen (mg/L)		↑8.3	4.6	↓2.6	3	to 4.6	3.8 ± 0.180		9
Well Depth (Feet)				60	60	to 240	150 ± 90.000		2
Arsenic (mg/L)			0.005 U		0.005 U	to 0.005	0.005 ± 0.000		7
Calcium (mg/L)			47		38	to 47	42 ± 1.200		7
Copper (mg/L)			0.003 U		0.003 U	to 0.003 U	0.003 ± 0.000		5
Iron (mg/L)			0.24		0.05 U	to 3.5	0.61 ± 0.490		7
Magnesium (mg/L)			11		8.4	to 11	9.3 ± 0.350		7
Manganese (mg/L)			0.05 U		0.05 U	to 0.11	0.061 ± 0.009		7
Potassium (mg/L)			1.2		1	to 1.6	1.2 ± 0.078		7
Sodium (mg/L)			9.5		8.3	to 10	9 ± 0.260		7
Boron (mg/L)			0.05 U		0.05 U	to 0.05 U	0.05 ± 0.000		3
Total Kjeldahl Nitrogen (mg/L)			↑0.3		0.2 U	to 0.25 U	0.24 ± 0.009		7
Ammonia (N) (mg/L)			0.5 U		0.5 U	to 0.5 U	0.5 ± 0.000		5
Nitrite/Nitrate - (N) (mg/L)			0.3		0.26	to 0.49	0.36 ± 0.034		7
Total Dissolved Solids (mg/L)			223		195	to 234	210 ± 6.600		7
Total Suspended Solids (mg/L)			2.5 U		2.5 U	to 16	4.4 ± 1.900		7
Sulfate (mg/L)			7.7		7.6	to 36	12 ± 4.000		7
Sulfide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		5
Alkalinity (CaCO3) (mg/L)			↑130		91	to 110	100 ± 3.300		7
Organic Carbon (mg/L)			1 U		1 U	to 2 U	1.9 ± 0.140		7
Chloride (mg/L)			↓35		36	to 44	39 ± 1.400		7
Bromide (mg/L)			↑0.16		0.1 U	to 0.13	0.11 ± 0.005		7
Turbidity (field) (NTU)		0.2	0.8	0.3	0.2	to 3.1	1 ± 0.350		9

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Data Group: 24

Printed: 4/23/2024 10:54





# OW-606A

Juniper Ridge Landfill













\*Field parameters only are monitored in the spring and fall.

# OW-606A

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023      F1 = Well was flowing  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**OW-606A**  
Juniper Ridge Landfill

**Well Description**

OW-606B monitors overburden/bedrock groundwater downgradient of and northwest of the landfill expansion.

Screen Interval: **7 ft. to 12.7 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **2/9/2021**  
 Material Screened: **Overburden/Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↓151	171	178	178	155 to 291		200 ± 18.000		8
pH (STU)	7.5	↑7.8	7.7	7.7	6.9 to 7.7		7.3 ± 0.100		8
Temperature (Deg C)	7	13.1	13.5	13.5	5.5 to 17.1		12 ± 1.300		8
Water Level Depth (Feet)	3.44	3.6	4.02	4.02	3.03 to 4.29		3.5 ± 0.160		8
Water Level Elevation (Feet)	162.436	162.276	161.856	161.856	161.586 to 162.846		160 ± 0.160		8
Water Level Reference Point (Feet)	165.876	165.876	165.876	165.876	165.876 to 165.876		170 ± 0.000		9
Eh (mV)	↑369	↑476	↑466	↑466	162 to 362		310 ± 24.000		8
Dissolved Oxygen (mg/L)	↑10.8	↑4.9	↑4.7	↑4.7	1.2 to 3.9		2.8 ± 0.340		8
Well Depth (Feet)				17	17 to 17		17 ± 0.000		2
Arsenic (mg/L)			0.005 U		0.005 U to 0.005 U		0.005 ± 0.000		6
Calcium (mg/L)			22		19 to 28		23 ± 1.200		6
Copper (mg/L)			0.003 U		0.003 U to 0.003 U		0.003 ± 0.000		6
Iron (mg/L)			0.15		0.09 to 1.4		0.5 ± 0.200		6
Magnesium (mg/L)			4.8		4.2 to 5.7		5 ± 0.220		6
Manganese (mg/L)			0.05 U		0.05 U to 0.58		0.14 ± 0.088		6
Potassium (mg/L)			↓1.2		1.5 to 2.1		1.7 ± 0.092		6
Sodium (mg/L)			↓4.7		5.1 to 21		8.6 ± 2.500		6
Boron (mg/L)			0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		6
Total Kjeldahl Nitrogen (mg/L)			0.2 U		0.2 U to 0.33		0.25 ± 0.020		6
Ammonia (N) (mg/L)			0.5 U		0.5 U to 0.5 U		0.5 ± 0.000		6
Nitrite/Nitrate - (N) (mg/L)			0.12		0.05 U to 0.12		0.093 ± 0.010		6
Total Dissolved Solids (mg/L)			↓114		118 to 286		160 ± 26.000		6
Total Suspended Solids (mg/L)			14		6.3 to 880		180 ± 140.000		6
Sulfate (mg/L)			↓4.5		5.3 to 33		11 ± 4.500		6
Sulfide (mg/L)			0.1 U		0.1 U to 0.5 U		0.19 ± 0.066		6
Alkalinity (CaCO3) (mg/L)			65		60 to 120		75 ± 9.200		6
Organic Carbon (mg/L)			1 U		1 U to 2 U		1.8 ± 0.170		6
Chloride (mg/L)			↓12		14 to 18		15 ± 0.560		6
Bromide (mg/L)			0.11		0.1 U to 0.12		0.11 ± 0.003		6
Turbidity (field) (NTU)	0.3	0.3	0.6	0.6	0.3 to 9.2		2.8 ± 1.200		8

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













---

**Comments**

---

\*Field parameters only are monitored in the spring and fall.

Q2= 4 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q3= 7 - 2023		DWA	GW	Health-Based Drinking Water Advisory
Q4= 10 - 2023		LHA	GW	EPA Lifetime Health Advisory
		MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**OW-606B**  
Juniper Ridge Landfill

**Well Description**

OW-607B monitors overburden groundwater downgradient of and north of the landfill expansion.

Screen Interval: **41 ft. to 51 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **2/9/2021**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		140	162	143	129	to 172	150 ± 5.100		8
pH (STU)		7.3	<b>↑ 7.9</b>	<b>↑ 7.9</b>	7.1	to 7.8	7.5 ± 0.100		8
Temperature (Deg C)		9	19.8	13.3	4.9	to 22.5	12 ± 2.000		8
Water Level Depth (Feet)		19.35	19.25	20.3	8.2	to 20.8	14 ± 1.700		8
Water Level Elevation (Feet)		155.827	155.927	154.877	154.377	to 166.977	160 ± 1.700		8
Water Level Reference Point (Feet)		175.177	175.177	175.177	175.177	to 175.177	180 ± 0.000		8
Eh (mV)		255	<b>↑ 356</b>	165	86	to 349	220 ± 33.000		8
Dissolved Oxygen (mg/L)		<b>↑ 3.9</b>	2.7	2.4	0.5	to 3.3	1.9 ± 0.380		8
Arsenic (mg/L)			0.0066		0.005 U	to 0.009	0.0072 ± 0.001		6
Calcium (mg/L)			19		15	to 19	18 ± 0.600		6
Copper (mg/L)			0.003 U		0.003 U	to 0.003 U	0.003 ± 0.000		6
Iron (mg/L)			0.05 U		0.05 U	to 0.18	0.077 ± 0.021		6
Magnesium (mg/L)			6		5.2	to 6	5.5 ± 0.140		6
Manganese (mg/L)			0.05		0.05 U	to 0.09	0.057 ± 0.007		6
Potassium (mg/L)			1.2		0.9	to 1.5	1.1 ± 0.095		6
Sodium (mg/L)			5		4.2	to 5.3	4.6 ± 0.210		6
Boron (mg/L)			0.05 U		0.05 U	to 0.05 U	0.05 ± 0.000		6
Total Kjeldahl Nitrogen (mg/L)			0.2 U		0.2 U	to 0.25 U	0.23 ± 0.011		6
Ammonia (N) (mg/L)			0.5 U		0.5 U	to 0.5 U	0.5 ± 0.000		6
Nitrite/Nitrate - (N) (mg/L)			0.085		0.05 U	to 0.088	0.067 ± 0.006		6
Total Dissolved Solids (mg/L)			90		89	to 111	100 ± 3.200		6
Total Suspended Solids (mg/L)			2.5 U		2.5 U	to 32	7.8 ± 4.800		6
Sulfate (mg/L)			5		3.3	to 6	4.7 ± 0.420		6
Sulfide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		6
Alkalinity (CaCO3) (mg/L)			69		38	to 81	64 ± 5.700		6
Organic Carbon (mg/L)			1 U		1 U	to 2 U	1.8 ± 0.170		6
Chloride (mg/L)			1.3		1.3	to 2.6	1.7 ± 0.200		6
Bromide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		6
Turbidity (field) (NTU)		1.2	1.2	3	0.3	to 14.5	4.4 ± 2.000		8

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Data Group: 24

Printed: 4/23/2024 10:54



**OW-607B**

Juniper Ridge Landfill













\*Field parameters only are monitored in the spring and fall.

**OW-607B**

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**OW-607B**  
Juniper Ridge Landfill



**Well Description**

OW-608A monitors bedrock groundwater downgradient and north of the landfill expansion.

Screen Interval: **60 ft. to 260 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **Apr-2018**  
 Material Screened: **Bedrock (Open Borehole)**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑265	170	204	204	127	to 205	180 ± 8.300		9
pH (STU)	↑8.7	8.1	7.9	7.9	7.8	to 8.6	8.2 ± 0.097		9
Temperature (Deg C)		8.2	9.4	9.8	7.5	to 15.5	12 ± 1.000		9
Water Level Depth (Feet)		37.45	37.7	37.75	35.72	to 38	37 ± 0.230		9
Water Level Elevation (Feet)		159.16	158.91	158.86	158.61	to 160.89	160 ± 0.230		9
Water Level Reference Point (Feet)		196.61	196.61	196.61	196.61	to 196.61	200 ± 0.000		9
Eh (mV)		8	49	160	5	to 320	90 ± 38.000		9
Dissolved Oxygen (mg/L)		0.2	0.6	0.4	0.2	to 6.4	1.3 ± 0.690		9
Arsenic (mg/L)			0.005 U		0.005 U	to 0.008	0.0056 ± 0.000		7
Calcium (mg/L)			20		10	to 21	17 ± 1.500		7
Copper (mg/L)			0.003 U		0.003 U	to 0.003 U	0.003 ± 0.000		5
Iron (mg/L)			5.1		0.53	to 7.4	4.1 ± 0.860		7
Magnesium (mg/L)			6.4		4.7	to 6.7	5.8 ± 0.270		7
Manganese (mg/L)			0.05 U		0.05 U	to 0.16	0.07 ± 0.016		7
Potassium (mg/L)			0.93		0.9	to 1.4	1 ± 0.068		7
Sodium (mg/L)			14		12	to 15	14 ± 0.430		7
Boron (mg/L)			0.05 U		0.05 U	to 0.05 U	0.05 ± 0.000		3
Total Kjeldahl Nitrogen (mg/L)			0.2 U		0.2 U	to 0.37	0.25 ± 0.021		7
Ammonia (N) (mg/L)			0.5 U		0.5 U	to 0.5 U	0.5 ± 0.000		5
Nitrite/Nitrate - (N) (mg/L)			0.05 U		0.05 U	to 0.077	0.056 ± 0.004		7
Total Dissolved Solids (mg/L)			122		95	to 132	120 ± 5.000		7
Total Suspended Solids (mg/L)			7		2.5 U	to 15	8.9 ± 1.700		7
Sulfate (mg/L)			5.2		2 U	to 7.2	5.4 ± 0.680		7
Sulfide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		5
Alkalinity (CaCO3) (mg/L)			94		72	to 130	93 ± 7.300		7
Organic Carbon (mg/L)			1 U		1 U	to 2 U	1.9 ± 0.140		7
Chloride (mg/L)			1.5		1.2	to 4.1	2.1 ± 0.380		7
Bromide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		7
Turbidity (field) (NTU)		2.5	2.5	1.2	1.2	to 12.5	8.2 ± 1.200		9

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Data Group: 24

Printed: 4/23/2024 10:54



# OW-608A

Juniper Ridge Landfill













\*Field parameters only are monitored in the spring and fall.

# OW-608A

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**OW-608A**  
Juniper Ridge Landfill

**Well Description**

OW-608B monitors overburden groundwater downgradient of and northwest of the landfill expansion.

Screen Interval: **33.5 ft. to 43.5 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **2/10/2021**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑ 315	↓ 211		255	219	to 272	250 ± 6.600		8
pH (STU)	↑ 8.6	↑ 8.6		7.5	6.8	to 8.4	7.9 ± 0.180		8
Temperature (Deg C)		8.5	14.8	12.5	5.6	to 15.5	11 ± 1.300		8
Water Level Depth (Feet)		6.9	6.45	8.45	4.35	to 9	6.7 ± 0.550		8
Water Level Elevation (Feet)		194.504	194.954	192.954	192.404	to 197.054	190 ± 0.550		8
Water Level Reference Point (Feet)		201.404	201.404	201.404	201.404	to 201.404	200 ± 0.000		8
Eh (mV)		221	35	246	12	to 284	120 ± 36.000		8
Dissolved Oxygen (mg/L)	↑ 2.1	0.4	0.5		0.2	to 1.4	0.63 ± 0.150		8
Well Depth (Feet)				46.09	46.09	to 46.09	46 ± 0.000		2
Arsenic (mg/L)			↑ 0.0093		0.0067	to 0.009	0.0083 ± 0.000		6
Calcium (mg/L)			16		15	to 17	16 ± 0.370		6
Copper (mg/L)			0.003 U		0.003 U	to 0.007	0.0037 ± 0.001		6
Iron (mg/L)			0.05 U		0.05 U	to 0.88	0.25 ± 0.140		6
Magnesium (mg/L)			8.8		7.7	to 8.9	8.5 ± 0.240		6
Manganese (mg/L)			0.055		0.05 U	to 0.24	0.14 ± 0.026		6
Potassium (mg/L)			0.91		0.9	to 1.4	1.1 ± 0.070		6
Sodium (mg/L)			↓ 19		22	to 33	28 ± 1.500		6
Boron (mg/L)			0.05 U		0.05 U	to 0.05 U	0.05 ± 0.000		6
Total Kjeldahl Nitrogen (mg/L)			0.2 U		0.2 U	to 0.25 U	0.23 ± 0.010		6
Ammonia (N) (mg/L)			0.5 U		0.5 U	to 0.5 U	0.5 ± 0.000		6
Nitrite/Nitrate - (N) (mg/L)			0.06		0.05 U	to 0.066	0.054 ± 0.003		6
Total Dissolved Solids (mg/L)			↓ 120		142	to 223	170 ± 12.000		6
Total Suspended Solids (mg/L)			2.5 U		2.5 U	to 31	7.5 ± 4.700		6
Sulfate (mg/L)			↓ 8.6		21	to 41	32 ± 3.400		6
Sulfide (mg/L)			0.1 U		0.1 U	to 0.5 U	0.17 ± 0.067		6
Alkalinity (CaCO3) (mg/L)			100		97	to 110	100 ± 1.900		6
Organic Carbon (mg/L)			1 U		1 U	to 2 U	1.8 ± 0.170		6
Chloride (mg/L)			↓ 1.4		1.9	to 6	3.4 ± 0.670		6
Bromide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		6
Turbidity (field) (NTU)		1.2	1.5	1	0.8	to 5.1	2.9 ± 0.520		8

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













---

**Comments**

---

\*Field parameters only are monitored in the spring and fall.

Q2= 4 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q3= 7 - 2023		DWA	GW	Health-Based Drinking Water Advisory
Q4= 10 - 2023		LHA	GW	EPA Lifetime Health Advisory
		MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**OW-608B**  
Juniper Ridge Landfill

Sevee & Maher Engineers, Inc.

**Well Description**

OW-609B monitors overburden groundwater downgradient of and northwest of the landfill expansion.

Screen Interval: **39 ft. to 49 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **2/10/2021**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		227	266	309	226	to 477	360 ± 32.000		8
pH (STU)		7.4	7.3	7.4	6.8	to 7.8	7.4 ± 0.130		8
Temperature (Deg C)		7.8	11.9	10.9	6.2	to 12.5	9.6 ± 0.820		8
Water Level Depth (Feet)		15.34	12.7	13.2	6.3	to 18.65	15 ± 1.400		8
Water Level Elevation (Feet)		197.587	200.227	199.727	194.277	to 206.627	200 ± 1.400		8
Water Level Reference Point (Feet)		212.927	212.927	212.927	212.927	to 212.927	210 ± 0.000		8
Eh (mV)		231	164	108	71	to 315	190 ± 30.000		8
Dissolved Oxygen (mg/L)		3.3	3.4	0.5	0.3	to 7	1.7 ± 0.830		8
Well Depth (Feet)				51.61	51.61	to 51.61	52 ± 0.000		2
Arsenic (mg/L)			0.005 U		0.005 U	to 0.008	0.0061 ± 0.001		7
Calcium (mg/L)			17		17	to 25	21 ± 1.200		7
Copper (mg/L)			0.003 U		0.003 U	to 0.004	0.0031 ± 0.000		7
Iron (mg/L)			↓0.25		0.28	to 0.71	0.44 ± 0.057		7
Magnesium (mg/L)			7		1.9	to 7.9	5.3 ± 1.100		7
Manganese (mg/L)			0.17		0.09	to 0.51	0.34 ± 0.054		7
Potassium (mg/L)			1.3		1.1	to 1.5	1.4 ± 0.055		7
Sodium (mg/L)			<b>32</b>		23	to 81	50 ± 7.900		7
Boron (mg/L)			0.05 U		0.05 U	to 0.05 U	0.05 ± 0.000		7
Total Kjeldahl Nitrogen (mg/L)			0.2 U		0.2 U	to 0.84	0.38 ± 0.100		6
Ammonia (N) (mg/L)			0.5 U		0.5 U	to 0.5 U	0.5 ± 0.000		6
Nitrite/Nitrate - (N) (mg/L)			↑0.5 U		0.05 U	to 0.068	0.056 ± 0.004		6
Total Dissolved Solids (mg/L)			219		209	to 543	320 ± 48.000		6
Total Suspended Solids (mg/L)			↓3		3.7	to 15	7.3 ± 1.700		6
Sulfate (mg/L)			27		21	to 97	56 ± 11.000		6
Sulfide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		6
Alkalinity (CaCO3) (mg/L)			94		71	to 120	100 ± 9.400		6
Organic Carbon (mg/L)			1.7		1.5	to 5.5	2.8 ± 0.590		6
Chloride (mg/L)			↓13		23	to 51	35 ± 3.700		6
Bromide (mg/L)			0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		6
Turbidity (field) (NTU)		7.2	4.7	2.8	1.2	to 32.4	9 ± 3.600		8

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

---













**Comments**

---

\*Field parameters only are monitored in the spring and fall.

Q2= 4 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q3= 7 - 2023		DWA	GW	Health-Based Drinking Water Advisory
Q4= 10 - 2023		LHA	GW	EPA Lifetime Health Advisory
		MCL	GW	Maximum Contaminant Level





**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**OW-609B**  
Juniper Ridge Landfill

**Well Description**

OW-610A monitors bedrock groundwater downgradient of and southwest of the landfill expansion.

Screen Interval: **26.7 ft. to 36.7 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **10/5/22**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑466	↑521	↓363	↓350	410	to 410	410 ± 0.000		1
pH (STU)	↑7.7	↑8.2	↑7.2	↑7.2	6.9	to 6.9	6.9 ± 0.000		1
Temperature (Deg C)	↓5	↓7.4	↑12.5	↑12.7	10.9	to 10.9	11 ± 0.000		1
Water Level Depth (Feet)	↓6.32	↓5.75	↓5.65	↓6.2	7.27	to 7.27	7.3 ± 0.000		1
Water Level Elevation (Feet)	↑173.93	↑174.9	↑174.6	↑174.05	172.98	to 172.98	170 ± 0.000		1
Water Level Reference Point (Feet)	180.25	180.25	180.25	180.25	180.25	to 180.25	180 ± 0.000		1
Eh (mV)	↓126	↑230	↓87	↑254	174	to 174	170 ± 0.000		1
Dissolved Oxygen (mg/L)	↑2.9	0.3	↓0.2	0.3	0.3	to 0.3	0.3 ± 0.000		1
Well Depth (Feet)	39.52			39.52	39.52	to 39.52	40 ± 0.000		1
Arsenic (mg/L)	0.005 U	↑0.0051	0.005 U		0.005 U	to 0.005 U	0.005 ± 0.000		1
Calcium (mg/L)	74	↑77	↓67		74	to 74	74 ± 0.000		1
Copper (mg/L)	0.003 U	0.003 U	0.003 U		0.003 U	to 0.003 U	0.003 ± 0.000		1
Iron (mg/L)	↑0.063	0.05 U	0.05 U		0.05 U	to 0.05 U	0.05 ± 0.000		1
Magnesium (mg/L)	↑6.7	↑7.4	↓5.1		5.9	to 5.9	5.9 ± 0.000		1
Manganese (mg/L)	↓ <b>1.9</b>	↓ <b>1.6</b>	↓ <b>1.6</b>		2.7	to 2.7	2.7 ± 0.000		1
Potassium (mg/L)	↑1	↑1.2	↓0.84		0.98	to 0.98	0.98 ± 0.000		1
Sodium (mg/L)	↓5.8	↓6.2	↓5		6.3	to 6.3	6.3 ± 0.000		1
Boron (mg/L)	0.05 U	0.05 U	0.05 U		0.05 U	to 0.05 U	0.05 ± 0.000		1
Total Kjeldahl Nitrogen (mg/L)	↓0.21	↓0.2 U	↓0.2 U		0.27	to 0.27	0.27 ± 0.000		1
Ammonia (N) (mg/L)	0.5 U	0.5 U	0.5 U		0.5 U	to 0.5 U	0.5 ± 0.000		1
Nitrite/Nitrate - (N) (mg/L)	↓0.073	↓0.05 U	↓0.073		0.13	to 0.13	0.13 ± 0.000		1
Total Dissolved Solids (mg/L)	↑286	↑265	↑237		210	to 210	210 ± 0.000		1
Total Suspended Solids (mg/L)	↓2.5 U	↓2.5 U	↓2.5 U		4 U	to 4 U	4 ± 0.000		1
Sulfate (mg/L)	↑2.9	↑2.9	↑3.1		2 U	to 2 U	2 ± 0.000		1
Sulfide (mg/L)	0.1 U	0.1 U	0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		1
Alkalinity (CaCO3) (mg/L)	↑200	180	↓150		180	to 180	180 ± 0.000		1
Organic Carbon (mg/L)	↑2.2	↓1.7	↓1.6		2.1	to 2.1	2.1 ± 0.000		1
Chloride (mg/L)	↑28	↑27	↑27		25	to 25	25 ± 0.000		1
Bromide (mg/L)	0.1 U	0.1 U	0.1 U		0.1 U	to 0.1 U	0.1 ± 0.000		1
Turbidity (field) (NTU)	↑2.8	↓2.1	↓1.7	↓1	2.2	to 2.2	2.2 ± 0.000		1

**underlined/bold** - values exceed a regulatory standard listed below. Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**  
 Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.















---

**Comments**

---

\*Field parameters only are monitored in the spring and fall.

Q2= 4 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q3= 7 - 2023		DWA	GW	Health-Based Drinking Water Advisory
Q4= 10 - 2023		LHA	GW	EPA Lifetime Health Advisory
		MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**OW-610A**  
Juniper Ridge Landfill

**Well Description**

OW-611A monitors bedrock groundwater downgradient and west of the landfill expansion.

Screen Interval: **20 ft. to 220 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **Apr-2018**  
 Material Screened: **Bedrock (Open Borehole)**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑553	466	458	458	370 to 502		430 ± 17.000		9
pH (STU)	↑7.7	6.9	6.8	6.8	6.6 to 7.2		6.9 ± 0.060		9
Temperature (Deg C)		7	11.5	9.8	7 to 13.4		10 ± 0.720		9
Water Level Depth (Feet)		9.2	9.69	10.5	7.54 to 11.03		9.4 ± 0.390		9
Water Level Elevation (Feet)		175.95	175.46	174.65	174.12 to 177.61		180 ± 0.390		9
Water Level Reference Point (Feet)		185.15	185.15	185.15	185.15 to 185.15		190 ± 0.000		9
Eh (mV)		272	↑406	↑451	227 to 388		300 ± 20.000		9
Dissolved Oxygen (mg/L)		↑7.5	4.3	4.1	2 to 5.6		4 ± 0.350		9
Well Depth (Feet)				220	220 to 220		220 ± 0.000		2
Arsenic (mg/L)			0.005 U		0.005 U to 0.007		0.0053 ± 0.000		7
Calcium (mg/L)			↑67		52 to 66		58 ± 1.900		7
Copper (mg/L)			0.003 U		0.003 U to 0.003 U		0.003 ± 0.000		5
Iron (mg/L)			↑1.6		0.05 U to 0.65		0.22 ± 0.077		7
Magnesium (mg/L)			7.2		5 to 7.3		5.9 ± 0.290		7
Manganese (mg/L)			0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		7
Potassium (mg/L)			1.1		0.8 to 1.5		1 ± 0.087		7
Sodium (mg/L)			↑20		12 to 18		14 ± 0.840		7
Boron (mg/L)			0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		3
Total Kjeldahl Nitrogen (mg/L)			0.2 U		0.2 U to 0.32		0.26 ± 0.014		7
Ammonia (N) (mg/L)			0.5 U		0.5 U to 0.5 U		0.5 ± 0.000		5
Nitrite/Nitrate - (N) (mg/L)			↑1.1		0.33 to 0.85		0.52 ± 0.061		7
Total Dissolved Solids (mg/L)			289		233 to 301		270 ± 8.900		7
Total Suspended Solids (mg/L)			2.5 U		2.5 U to 2.5 U		2.5 ± 0.000		7
Sulfate (mg/L)			19		13 to 40		19 ± 3.600		7
Sulfide (mg/L)			0.1 U		0.1 U to 0.1 U		0.1 ± 0.000		5
Alkalinity (CaCO3) (mg/L)			↑150		110 to 140		130 ± 4.200		7
Organic Carbon (mg/L)			1 U		1 U to 2 U		1.9 ± 0.140		7
Chloride (mg/L)			48		31 to 48		42 ± 2.200		7
Bromide (mg/L)			0.1		0.1 U to 0.1 U		0.1 ± 0.000		7
Turbidity (field) (NTU)		1.2	0.5	0.5	0.4 to 5.5		2.8 ± 0.550		9

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













---

**Comments**

---

\*Field parameters only are monitored in the spring and fall.

Q2= 4 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q3= 7 - 2023		DWA	GW	Health-Based Drinking Water Advisory
Q4= 10 - 2023		LHA	GW	EPA Lifetime Health Advisory
		MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**OW-611A**  
Juniper Ridge Landfill

**Well Description**

P-04-02R monitors the water quality in the overburden downgradient of the landfill, between the former leachate pond and the landfill toe. P-04-02R replaced well P-04-02 in 2015. Survey info received on 2/1/2019

Screen Interval: **27.13 ft. to 32.13 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **7/15/15**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		280	216	223	166	to 772	320 ± 21.000		51
pH (STU)		7.6	7.6	7.4	6.2	to 8.5	7.6 ± 0.072		51
Temperature (Deg C)		10.1	12.9	14.2	4.6	to 18.8	12 ± 0.450		51
Water Level Depth (Feet)		12.2	12.46	12.8	6.65	to 27.17	11 ± 0.520		51
Water Level Elevation (Feet)		158.52	158.26	157.92	141.57	to 162.09	160 ± 0.480		51
Water Level Reference Point (Feet)		170.72	170.72	170.72	168.74	to 170.72	170 ± 0.140		53
Eh (mV)		299	191	146	50	to 483	300 ± 13.000		49
Dissolved Oxygen (mg/L)		3.3	1.3	0.5	0.2	to 7.1	2.5 ± 0.240		51
Well Depth (Feet)				38.02	27.9	to 39.98	37 ± 0.680		15
Arsenic (mg/L)		0.0059	0.005 U	0.005 U	0.001 U	to 0.016	0.0064 ± 0.000		56
Calcium (mg/L)		19	23	23	11	to 37	25 ± 0.620		56
Iron (mg/L)		0.16	1	0.16	0.02 U	to 1.52	0.17 ± 0.044		56
Magnesium (mg/L)		↓3.7	4.9	5.2	4.1	to 10.2	7.1 ± 0.160		56
Manganese (mg/L)		0.05 U	0.08	0.05 U	0.02 U	to 0.21	0.052 ± 0.005		56
Potassium (mg/L)		1.3	1.6	1.5	1.1	to 3.5	1.7 ± 0.056		56
Sodium (mg/L)		17	19	<b>23</b>	6.5	to 112	36 ± 3.900		56
Total Kjeldahl Nitrogen (mg/L)		0.5 U	0.2 U	0.2 U	0.2 U	to 1 U	0.4 ± 0.024		49
Nitrite/Nitrate - (N) (mg/L)		0.15	0.15	0.11	0.05 U	to 2 U	0.19 ± 0.085		23
Total Dissolved Solids (mg/L)		114	170	153	113	to 456	200 ± 13.000		51
Total Suspended Solids (mg/L)		5	11	↑43	2.5 U	to 26	5.3 ± 0.640		51
Sulfate (mg/L)		↓8.2	12	15	8.9	to 158	38 ± 5.700		51
Bicarbonate Alkalinity (CaCO3) (mg/L)		89	110	120	63	to 178	110 ± 3.500		51
Organic Carbon (mg/L)		3	2	1.4	0.5 U	to 32.5	3.7 ± 0.870		51
Chloride (mg/L)		1 U	1.2	1.4	1 U	to 42.5	4.6 ± 0.930		51
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.4 U	0.13 ± 0.018		23
Turbidity (field) (NTU)		1.5	2.1	3.7	0	to 80.6	5.1 ± 2.000		51

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L













↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**



Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**P-04-02 & P-04-02R**  
Juniper Ridge Landfill

**Well Description**

P-04-04 monitors the water quality in the overburden downgradient of the landfill, between the former leachate pond and landfill toe.

Screen Interval: **27.21 ft. to 32.21 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **02/05/04**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		289	201	201	148	to 405	190 ± 4.700		59
pH (STU)		7.9	7.8	7.7	6.2	to 8.4	7.8 ± 0.056		59
Temperature (Deg C)		9.7	13.1	13.6	3.4	to 19.5	12 ± 0.420		59
Water Level Depth (Feet)		9.35	9.93	10.1	7.5	to 29.17	9.9 ± 0.430		59
Water Level Elevation (Feet)		159.9	159.32	159.15	140.18	to 161.85	160 ± 0.430		59
Water Level Reference Point (Feet)		169.25	169.25	169.25	169.25	to 169.35	170 ± 0.007		59
Eh (mV)		296	197	125	115	to 520	320 ± 11.000		57
Dissolved Oxygen (mg/L)		5.6	2.8	1.1	1	to 7.7	3.8 ± 0.220		59
Well Depth (Feet)				32.35	32.21	to 37.11	33 ± 0.370		18
Arsenic (mg/L)		0.0059	0.005 U	0.005 U	0.001	to 0.014	0.0068 ± 0.000		59
Calcium (mg/L)		28	28	26	11	to 58.1	23 ± 0.680		59
Iron (mg/L)		0.05 U	0.052	0.05 U	0.02 U	to 0.93	0.057 ± 0.015		59
Magnesium (mg/L)		6.8	6.2	6.4	4.8	to 6.9	5.5 ± 0.055		59
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.02 U	to 0.12	0.04 ± 0.003		59
Potassium (mg/L)		1.4	1.3	1.5	0.9	to 4.6	1.5 ± 0.062		59
Sodium (mg/L)		4.7	4.5	5.4	3.6	to 73	6.4 ± 1.200		59
Total Kjeldahl Nitrogen (mg/L)		0.5 U	0.2 U	0.2 U	0.17	to 0.9	0.4 ± 0.020		57
Nitrite/Nitrate - (N) (mg/L)		0.16	0.2	0.17	0.05 U	to 2 U	0.22 ± 0.081		24
Total Dissolved Solids (mg/L)		115	147	120	92	to 287	120 ± 3.300		59
Total Suspended Solids (mg/L)		2.5 U	2.5 U	2.5 U	2.5 U	to 21	3.9 ± 0.310		59
Sulfate (mg/L)		8.9	8.4	7.8	4.1	to 28.8	9.1 ± 0.530		59
Bicarbonate Alkalinity (CaCO3) (mg/L)		77	75	80	72	to 153	81 ± 1.500		59
Organic Carbon (mg/L)		1 U	1 U	1 U	0.5 U	to 18	1.9 ± 0.290		59
Chloride (mg/L)		↑12	↑13	↑14	0.9	to 11	3.3 ± 0.360		59
Bromide (mg/L)		0.1 U	0.1	0.11	0.1 U	to 0.2 U	0.11 ± 0.006		30
Turbidity (field) (NTU)		0.9	1.6	2.6	0	to 162	4 ± 2.700		59

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













**Comments**

Juniper Ridge Landfill

annual stats 2023 G2

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




P-04-04  
Juniper Ridge Landfill

**Well Description**

P-04-07A monitors bedrock groundwater downgradient of and southwest of the landfill expansion

Screen Interval: **19.7 ft. to 24.7 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **10/3/2022**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↓ 245	↓ 259	↓ 259	↓ 256	280 to 280		280 ± 0.000		1
pH (STU)	↑ 7.8	↑ 6.9	6.7	↓ 6.6	6.7 to 6.7		6.7 ± 0.000		1
Temperature (Deg C)	↓ 5.6	↓ 8.8	↑ 10.8	↑ 12.1	9.2 to 9.2		9.2 ± 0.000		1
Water Level Depth (Feet)	↓ 1.06	↓ 2.11	↓ 2.12	↓ 2.98	3.63 to 3.63		3.6 ± 0.000		1
Water Level Elevation (Feet)	↑ 176.06	↑ 175.36	↑ 175	↑ 174.14	173.49 to 173.49		170 ± 0.000		1
Water Level Reference Point (Feet)	177.12	177.12	177.12	177.12	177.12 to 177.12		180 ± 0.000		1
Eh (mV)	↑ 372	↑ 474	↑ 445	↑ 325	265 to 265		270 ± 0.000		1
Dissolved Oxygen (mg/L)	↑ 3.2	↑ 4.5	↑ 4.2	↑ 2	1.3 to 1.3		1.3 ± 0.000		1
Well Depth (Feet)	↓ 28.17			28.22	28.22 to 28.22		28 ± 0.000		1
Arsenic (mg/L)	0.005 U	↑ 0.006	0.005 U		0.005 U to 0.005 U		0.005 ± 0.000		1
Calcium (mg/L)	42	↓ 41	↓ 37		42 to 42		42 ± 0.000		1
Copper (mg/L)	0.003 U	0.003 U	0.003 U		0.003 U to 0.003 U		0.003 ± 0.000		1
Iron (mg/L)	0.05 U	0.05 U	↑ 0.16		0.05 U to 0.05 U		0.05 ± 0.000		1
Magnesium (mg/L)	↑ 5.5	↑ 5.7	↓ 5		5.2 to 5.2		5.2 ± 0.000		1
Manganese (mg/L)	0.05 U	0.05 U	0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		1
Potassium (mg/L)	↑ 0.81	↑ 0.85	↓ 0.72		0.79 to 0.79		0.79 ± 0.000		1
Sodium (mg/L)	↑ 8.7	↑ 8	7.5		7.5 to 7.5		7.5 ± 0.000		1
Boron (mg/L)	0.05 U	0.05 U	0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		1
Total Kjeldahl Nitrogen (mg/L)	0.2 U	0.2 U	0.2 U		0.2 U to 0.2 U		0.2 ± 0.000		1
Ammonia (N) (mg/L)	0.5 U	0.5 U	0.5 U		0.5 U to 0.5 U		0.5 ± 0.000		1
Nitrite/Nitrate - (N) (mg/L)	↓ 0.13	↓ 0.16	↓ 0.17		0.21 to 0.21		0.21 ± 0.000		1
Total Dissolved Solids (mg/L)	↑ 195	↑ 173	↑ 160		130 to 130		130 ± 0.000		1
Total Suspended Solids (mg/L)	↑ 5.5	↓ 3.5	↓ 2.5 U		4 U to 4 U		4 ± 0.000		1
Sulfate (mg/L)	↓ 8.4	↓ 8.6	↓ 8.6		9.4 to 9.4		9.4 ± 0.000		1
Sulfide (mg/L)	0.1 U	0.1 U	0.1 U		0.1 U to 0.1 U		0.1 ± 0.000		1
Alkalinity (CaCO3) (mg/L)	↓ 93	↓ 90	↓ 91		96 to 96		96 ± 0.000		1
Organic Carbon (mg/L)	1 U	1 U	1 U		1 U to 1 U		1 ± 0.000		1
Chloride (mg/L)	↓ 26	↓ 25	↓ 23		27 to 27		27 ± 0.000		1
Bromide (mg/L)	0.1 U	0.1 U	0.1 U		0.1 U to 0.1 U		0.1 ± 0.000		1
Turbidity (field) (NTU)	↓ 0.2	↓ 0.8	↓ 1.2	↓ 0.5	2 to 2		2 ± 0.000		1

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













---

**Comments**

---

\*Field parameters only are monitored in the spring and fall.

Q1= 1 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q2= 4 - 2023	F = The sampling location was frozen.	DWA	GW	Health-Based Drinking Water Advisory
Q3= 7 - 2023		LHA	GW	EPA Lifetime Health Advisory
Q4= 10 - 2023		MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**P-04-07A**  
Juniper Ridge Landfill



**Well Description**

P-04-07B monitors bedrock groundwater downgradient of and southwest of the landfill expansion.

Screen Interval: **12 ft. to 13 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **10/3/2022**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	↑478	↑504	↑507	↑526	177 to 476		330 ± 150.000		2
pH (STU)	↑7.5	7.1	7	7	6.8 to 7.2		7 ± 0.200		2
Temperature (Deg C)	↓4.4	9.1	↑13	↑13	6.9 to 9.1		8 ± 1.100		2
Water Level Depth (Feet)	↓1.03	↓1.72	↓1.98	↓2.83	3.51 to 3.51		3.5 ± 0.000		1
Water Level Elevation (Feet)	↑176.12	↑175.64	↑175.17	↑174.32	173.64 to 173.64		170 ± 0.000		1
Water Level Reference Point (Feet)	177.15	177.15	177.15	177.15	177.15 to 177.15		180 ± 0.000		1
Eh (mV)	365	↑482	↑421	335	269 to 390		330 ± 61.000		2
Dissolved Oxygen (mg/L)	↓0.2	↓1.6	↓1.6	↓0.6	1.8 to 4		2.9 ± 1.100		2
Well Depth (Feet)	16.45			↑16.54	16.45 to 16.45		16 ± 0.000		1
Arsenic (mg/L)	0.005 U	0.005 U	0.005 U		0.005 U to 0.005 U		0.005 ± 0.000		1
Calcium (mg/L)	63	↑74	↑71		63 to 63		63 ± 0.000		1
Copper (mg/L)	0.003 U	0.003 U	0.003 U		0.003 U to 0.003 U		0.003 ± 0.000		1
Iron (mg/L)	0.05 U	0.05 U	0.05 U		0.05 to 0.05		0.05 ± 0.000		1
Magnesium (mg/L)	↑7.2	↑8.2	↑7.8		6.8 to 6.8		6.8 ± 0.000		1
Manganese (mg/L)	0.05 U	0.05 U	0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		1
Potassium (mg/L)	↑1.3	↑1.2	1.1		1.1 to 1.1		1.1 ± 0.000		1
Sodium (mg/L)	↑ <b>38</b>	↓ <b>24</b>	↓20		27 to 27		27 ± 0.000		1
Boron (mg/L)	0.05 U	0.05 U	0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		1
Total Kjeldahl Nitrogen (mg/L)	↓0.24	↓0.2 U	↓0.2 U		0.55 to 0.55		0.55 ± 0.000		1
Ammonia (N) (mg/L)	0.5 U	0.5 U	0.5 U		0.5 U to 0.5 U		0.5 ± 0.000		1
Nitrite/Nitrate - (N) (mg/L)	↓0.45	↓0.48	↓0.47		0.58 to 0.58		0.58 ± 0.000		1
Total Dissolved Solids (mg/L)	↑328	↑327	↑325		290 to 290		290 ± 0.000		1
Total Suspended Solids (mg/L)	↓7	↓2.5 U	↓2.5 U		7.6 to 7.6		7.6 ± 0.000		1
Sulfate (mg/L)	↑23	↑20	↑21		19 to 19		19 ± 0.000		1
Sulfide (mg/L)	0.1 U	0.1 U	0.1 U		0.1 U to 0.1 U		0.1 ± 0.000		1
Alkalinity (CaCO3) (mg/L)	↑160	↑150	↑150		140 to 140		140 ± 0.000		1
Organic Carbon (mg/L)	1 U	1 U	1 U		1 U to 1 U		1 ± 0.000		1
Chloride (mg/L)	↑63	↑63	↑63		59 to 59		59 ± 0.000		1
Bromide (mg/L)	↓0.1 U	↓0.1 U	↓0.1 U		0.2 U to 0.2 U		0.2 ± 0.000		1
Turbidity (field) (NTU)	↓0.3	↓0.3	1.2	0.5	0.5 to 4.3		2.4 ± 1.900		2

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













---

**Comments**

---

\*Field parameters only are monitored in the spring and fall.

Q1= 1 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q2= 4 - 2023	F = The sampling location was frozen.	DWA	GW	Health-Based Drinking Water Advisory
Q3= 7 - 2023		LHA	GW	EPA Lifetime Health Advisory
Q4= 10 - 2023		MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**P-04-07B**  
Juniper Ridge Landfill

**Well Description**

P-04-11A monitors overburden groundwater downgradient of and north of the landfill expansion.

Screen Interval: **48.5 ft. to 49.5 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **2/10/2021**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		114	↑136	124	75 to 126		110 ± 6.200		8
pH (STU)		7.7	7	6.5	5.9 to 7.8		7 ± 0.210		8
Temperature (Deg C)		6.9	11.6	10.4	5.3 to 15.7		10 ± 1.300		8
Water Level Depth (Feet)		13.58	13.41	15.98	9.95 to 17.87		14 ± 1.000		8
Water Level Elevation (Feet)		182.787	182.957	180.387	175.86 to 186.417		180 ± 1.200		8
Water Level Reference Point (Feet)		196.367	196.367	196.367	187.08 to 196.367		200 ± 1.200		8
Eh (mV)		171	↑428	↑472	140 to 392		270 ± 34.000		8
Dissolved Oxygen (mg/L)		↓0.6	4.3	4.6	1.3 to 6.9		3.9 ± 0.650		8
Well Depth (Feet)				52.66	52.66 to 52.66		53 ± 0.000		2
Arsenic (mg/L)			<b>0.011</b>		0.005 U to 0.015		0.011 ± 0.001		7
Calcium (mg/L)			↑15		10 to 13		12 ± 0.420		7
Copper (mg/L)			0.003 U		0.003 U to 0.0075		0.0036 ± 0.001		7
Iron (mg/L)			0.05 U		0.05 U to 1.2		0.3 ± 0.170		7
Magnesium (mg/L)			↑3.5		2.3 to 2.9		2.7 ± 0.089		7
Manganese (mg/L)			0.05 U		0.05 U to 0.06		0.051 ± 0.001		7
Potassium (mg/L)			0.79		0.7 to 1.3		0.96 ± 0.092		7
Sodium (mg/L)			↓5.5		9.4 to 13		11 ± 0.430		7
Boron (mg/L)			0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		7
Total Kjeldahl Nitrogen (mg/L)			0.2 U		0.2 U to 6.1		1.1 ± 0.830		7
Ammonia (N) (mg/L)			0.5 U		0.5 U to 0.5 U		0.5 ± 0.000		7
Nitrite/Nitrate - (N) (mg/L)			0.28		0.1 to 0.34		0.19 ± 0.028		7
Total Dissolved Solids (mg/L)			↓88		95 to 120		100 ± 3.300		7
Total Suspended Solids (mg/L)			2.5 U		2.5 U to 65		13 ± 8.800		7
Sulfate (mg/L)			↓3.5		3.8 to 5		4.4 ± 0.140		7
Sulfide (mg/L)			0.1 U		0.1 U to 0.1 U		0.1 ± 0.000		7
Alkalinity (CaCO3) (mg/L)			61		59 to 75		67 ± 1.900		7
Organic Carbon (mg/L)			1 U		1 U to 2 U		1.7 ± 0.180		7
Chloride (mg/L)			1.9		1.5 to 2.3		1.8 ± 0.120		7
Bromide (mg/L)			0.1 U		0.1 U to 0.1 U		0.1 ± 0.000		7
Turbidity (field) (NTU)		0.5	1.1	0.8	0.2 to 3.3		1.4 ± 0.430		8

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

---

**Comments**













---

\*Field parameters only are monitored in the spring and fall.

Q2= 4 - 2023  
Q3= 7 - 2023  
Q4= 10 - 2023

U = Not Detected above the laboratory reporting limit.

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**P-04-11A**  
Juniper Ridge Landfill

**Well Description**

P-04-11B monitors overburden groundwater downgradient of and north of the landfill expansion.

Screen Interval: **9 ft. to 10 ft.**  
 Sampled: **3 Times Annually\***  
 Sampled Since: **2/10/2021**  
 Material Screened: **Overburden**  
 Well Condition: **Good**  
 Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		48	53	↑56	48 to 54		51 ± 0.880		6
pH (STU)	↑7.6		5.9	7.1	5.9 to 7.3		6.6 ± 0.230		6
Temperature (Deg C)		4.3	14.1	13.1	2.8 to 18		10 ± 2.300		6
Water Level Depth (Feet)		12.03	12.15	↓7.6	7.92 to 12.17		10 ± 0.760		6
Water Level Elevation (Feet)		184.337	184.217	↑188.767	175.08 to 188.447		180 ± 2.000		6
Water Level Reference Point (Feet)		196.367	196.367	196.367	187.14 to 196.367		200 ± 1.200		8
Eh (mV)			377	↑450	285 to 434		360 ± 25.000		6
Dissolved Oxygen (mg/L)	↑10.9		8	6.5	3.2 to 8.7		5.7 ± 0.910		6
Well Depth (Feet)				13.03	13.03 to 13.03		13 ± 0.000		2
Arsenic (mg/L)			0.005 U		0.005 U to 0.005 U		0.005 ± 0.000		6
Calcium (mg/L)			↑3.3		2.5 to 3.2		3 ± 0.120		6
Copper (mg/L)			0.003 U		0.003 U to 0.003 U		0.003 ± 0.000		6
Iron (mg/L)			↑1.4		0.13 to 0.29		0.17 ± 0.025		6
Magnesium (mg/L)			↑1.5		1 to 1.2		1.1 ± 0.033		6
Manganese (mg/L)			0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		6
Potassium (mg/L)			0.57		0.3 to 0.87		0.41 ± 0.093		6
Sodium (mg/L)			4.1		3.6 to 5.8		4.3 ± 0.310		6
Boron (mg/L)			0.05 U		0.05 U to 0.05 U		0.05 ± 0.000		6
Total Kjeldahl Nitrogen (mg/L)			0.2 U		0.2 U to 0.31		0.25 ± 0.014		6
Ammonia (N) (mg/L)			0.5 U		0.5 U to 0.5 U		0.5 ± 0.000		6
Nitrite/Nitrate - (N) (mg/L)			0.061		0.05 U to 0.096		0.065 ± 0.008		6
Total Dissolved Solids (mg/L)			↓50		52 to 67		61 ± 2.000		6
Total Suspended Solids (mg/L)			37		16 to 47		30 ± 5.900		6
Sulfate (mg/L)			3.3		2 to 3.6		3 ± 0.220		6
Sulfide (mg/L)			0.1 U		0.1 U to 0.1 U		0.1 ± 0.000		6
Alkalinity (CaCO3) (mg/L)			11		7.9 to 13		11 ± 0.720		6
Organic Carbon (mg/L)			1 U		1 U to 2 U		1.8 ± 0.170		6
Chloride (mg/L)			5.1		4.7 to 8.9		6.2 ± 0.700		6
Bromide (mg/L)			0.1 U		0.1 U to 0.1 U		0.1 ± 0.000		6
Turbidity (field) (NTU)		0.4	1.8	0.7	0.4 to 8.1		3.7 ± 1.200		6

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

---

**Comments**

---













\*Field parameters only are monitored in the spring and fall.

Q2= 4 - 2023  
Q3= 7 - 2023  
Q4= 10 - 2023

U = Not Detected above the laboratory reporting limit.

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level





**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**P-04-11B**  
Juniper Ridge Landfill

**Well Description**

P-206A monitors bedrock water quality upgradient of the landfill.

Screen Interval: **85.5 ft. to 90.5 ft.**  
 Sampled: **3 Times Annually**  
 Sampled Since: **7/31/2013**  
 Material Screened: **Bedrock**  
 Well Condition: **Good**  
 Sampling Method: **Grab**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		314	222	277	120 to 317		200 ± 9.400		29
pH (STU)		7.1	6.6	6.4	6.3 to 11.8		7.6 ± 0.170		29
Temperature (Deg C)		9.4	15.8	10.4	4.6 to 19.5		11 ± 0.740		29
Water Level Depth (Feet)		23.3	24.2	24.6	19.9 to 34.7		25 ± 0.610		30
Water Level Elevation (Feet)		181.21	180.31	179.91	169.81 to 184.61		180 ± 0.610		30
Water Level Reference Point (Feet)		204.51	204.51	204.51	204.51 to 204.51		200 ± 0.000		30
Eh (mV)		347	230	299	63 to 352		200 ± 16.000		29
Dissolved Oxygen (mg/L)		3.3	2.6	5.5	0.6 to 6.8		3.3 ± 0.240		29
Well Depth (Feet)				93.43	93.15 to 93.5		93 ± 0.034		9
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.005 U to 0.022		0.008 ± 0.001		27
Calcium (mg/L)		25	25	26	11.1 to 27		19 ± 1.000		27
Copper (mg/L)			↑0.0053	0.003 U	0.003 U to 0.003		0.003 ± 0.000		2
Iron (mg/L)		0.25	0.14	0.25	0.07 to 16.8		2 ± 0.720		27
Magnesium (mg/L)		8.5	7.8	8	3.1 to 8.6		5.5 ± 0.330		27
Manganese (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U to 0.31		0.11 ± 0.012		27
Potassium (mg/L)		1	0.93	1	0.8 to 1.6		1.1 ± 0.035		27
Sodium (mg/L)		7.3	6.8	8.1	6.7 to 11		8.4 ± 0.220		27
Boron (mg/L)			0.05 U	0.05 U	0.05 U to 0.05 U		0.05 ± 0.000		2
Total Kjeldahl Nitrogen (mg/L)		0.5 U	0.2 U	0.2 U	0.2 U to 0.6		0.33 ± 0.028		20
Ammonia (N) (mg/L)			0.5 U	0.5 U	0.5 U to 0.5 U		0.5 ± 0.000		2
Nitrite/Nitrate - (N) (mg/L)		0.42	0.38	0.22	0.05 U to 0.7		0.18 ± 0.042		23
Total Dissolved Solids (mg/L)		130	↑169	145	95 to 158		130 ± 3.400		20
Total Suspended Solids (mg/L)		3	2.5 U	2.5 U	2.5 U to 57		11 ± 3.000		20
Sulfate (mg/L)		3.9	↑5.4	↑5.3	2 U to 4.8		2.6 ± 0.150		27
Sulfide (mg/L)			0.1 U	0.1 U	0.1 U to 0.1 U		0.1 ± 0.000		2
Bicarbonate Alkalinity (CaCO3) (mg/L)		77			61 to 88		74 ± 1.900		18
Alkalinity (CaCO3) (mg/L)			75	↑86	66 to 80		73 ± 7.000		2
Organic Carbon (mg/L)		1.6	1 U	1 U	1 U to 2 U		1.9 ± 0.082		20
Chloride (mg/L)		20	22	22	3.3 to 24		16 ± 1.400		27
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U to 0.2 U		0.12 ± 0.009		20
Turbidity (field) (NTU)		0.8	2	3.4	0.8 to 9.3		3.4 ± 0.480		29

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













---

**Comments**

---

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.  
Q3= 7 - 2023  
Q4= 10 - 2023

Abbrev.	Type	Standard
DWA	GW	Health-Based Drinking Water Advisory
LHA	GW	EPA Lifetime Health Advisory
MCL	GW	Maximum Contaminant Level




**LEGEND**  
 □ - Below reporting Limit, Associate value is the reporting limit.  
 ◇ - Estimated Value (J-flagged).



P-206A  
 Juniper Ridge Landfill

**Well Description**

PWS10-1 is a pore water sampling location along the unnamed tributary to Pushaw stream. PWS10-1 is downgradient of the landfill.



Screen Interval:  
 Sampled: **3 Times Annually**  
 Sampled Since: **04/26/2010**  
 Material Screened:  
 Well Condition: **NA**  
 Sampling Method: **Low Flow**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		174	175	201	67	to 438	200 ± 13.000		39
pH (STU)		6.2	6.5	6.1	5.3	to 7.2	6.2 ± 0.071		39
Temperature (Deg C)		10.7	21.7	16.5	2.7	to 25	13 ± 1.100		39
Eh (mV)		224	195	219	-38	to 818	220 ± 24.000		39
Dissolved Oxygen (mg/L)		1.9	0.6	1.4	0	to 9.5	2.4 ± 0.370		39
Arsenic (mg/L)		0.005 U	0.0079	0.005 U	0.002 U	to 0.019	0.0074 ± 0.001		39
Calcium (mg/L)		26	27	33	6.8	to 38.1	21 ± 1.400		39
Iron (mg/L)		1.8	18	8.4	0.07	to 30.3	4.3 ± 0.840		39
Magnesium (mg/L)		7.2	6.1	9	2.3	to 12.7	6.5 ± 0.440		39
Manganese (mg/L)		<b>0.39</b>	<b>↑4.8</b>	<b>0.76</b>	0.05 U	to 2.6	0.49 ± 0.099		39
Potassium (mg/L)		1.4	1.9	<b>↑3.2</b>	0.4	to 2.8	1.2 ± 0.091		39
Sodium (mg/L)		5.9	5.7	<b>↑11</b>	2.8	to 10	7.2 ± 0.250		39
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.1	0.14	0.05 U	to 2 U	0.19 ± 0.083		24
Total Phosphorus Mixed Forms (PO4 and		0.05	0.09	<b>↑0.81</b>	0.03	to 0.52	0.12 ± 0.017		39
Total Dissolved Solids (mg/L)		116	160	141	87	to 197	140 ± 5.400		39
Total Suspended Solids (mg/L)		12	27	240	2.5 U	to 786	51 ± 20.000		39
Sulfate (mg/L)		9.6	2 U	4.9	1	to 15	4.1 ± 0.500		39
Bicarbonate Alkalinity (CaCO3) (mg/L)		83	62	100	21	to 130	77 ± 5.000		39
Organic Carbon (mg/L)		<b>↓2.5</b>	27	27	3.8	to 35	13 ± 1.300		39
Chloride (mg/L)		3.9	6.5	5.9	2.4	to 22.9	9.3 ± 0.670		39
Bromide (mg/L)		0.1 U	0.1 U	0.1	0.1 U	to 0.2 U	0.11 ± 0.006		30
Turbidity (field) (NTU)		1.5	3.1	2.1	0.2	to 20	3.8 ± 0.630		39

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Q2= 4 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q3= 7 - 2023		DWA	GW	Health-Based Drinking Water Advisory
Q4= 10 - 2023		LHA	GW	EPA Lifetime Health Advisory
		MCL	GW	Maximum Contaminant Level



**LEGEND**


- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**PWS10-1**  
Juniper Ridge Landfill

**Well Description**

PWS10-2 is a pore water sampling location along the unnamed tributary to Pushaw stream. PWS10-2 is downgradient of the landfill.



Screen Interval:

Sampled: **3 Times Annually**

Sampled Since: **04/26/2010**

Material Screened:

Well Condition: **NA**

Sampling Method: **Low Flow**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		96	199	142	63 to 276		110 ± 6.700		38
pH (STU)		7.1	6.5	↑7.7	5.4 to 7.6		6.5 ± 0.110		38
Temperature (Deg C)		12.3	23.4	16.1	1.3 to 26.7		13 ± 1.200		38
Eh (mV)		423	↑509	366	-5 to 492		250 ± 20.000		38
Dissolved Oxygen (mg/L)		6.3	2.5	8.1	0.2 to 11.3		4.2 ± 0.500		38
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.002 U to 0.015		0.0059 ± 0.000		38
Calcium (mg/L)		7.2	12	7.2	5.3 to 29		11 ± 0.690		38
Iron (mg/L)		0.59	3	1.9	0.05 U to 13.8		2.2 ± 0.390		38
Magnesium (mg/L)		1.9	3.3	1.9	1.2 to 4.7		2.6 ± 0.160		38
Manganese (mg/L)		<b>0.32</b>	<b>0.42</b>	0.29	0.02 U to 0.94		0.17 ± 0.031		38
Potassium (mg/L)		0.59	1.3	↑2.5	0.3 U to 2.4		0.94 ± 0.087		38
Sodium (mg/L)		5.6	4.7	4	1.6 to 8.3		4.4 ± 0.250		38
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.071	0.052	0.05 U to 2 U		0.19 ± 0.087		23
Total Phosphorus Mixed Forms (PO4 and		0.04	0.11	0.11	0.02 to 0.22		0.057 ± 0.006		38
Total Dissolved Solids (mg/L)		51	116	81	38 to 119		85 ± 3.000		38
Total Suspended Solids (mg/L)		7.5	24	240	2.5 U to 327		29 ± 9.800		38
Sulfate (mg/L)		3	2 U	2 U	1.6 to 19		5.3 ± 0.660		38
Bicarbonate Alkalinity (CaCO3) (mg/L)		21	39	31	9.3 to 64		30 ± 2.200		38
Organic Carbon (mg/L)		7.3	22	26	2.6 to 26		11 ± 0.900		38
Chloride (mg/L)		10	6.9	4.4	2.8 to 19.8		7.3 ± 0.620		38
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U to 0.2 U		0.11 ± 0.007		29
Turbidity (field) (NTU)		1	4.2	2.5	0.3 to 6.5		2.7 ± 0.250		38

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**













Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Q2= 4 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q3= 7 - 2023		DWA	GW	Health-Based Drinking Water Advisory
Q4= 10 - 2023		LHA	GW	EPA Lifetime Health Advisory
		MCL	GW	Maximum Contaminant Level





**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**PWS10-2**  
Juniper Ridge Landfill



**Well Description**

PWS10-3 is a pore water sampling location along the unnamed tributary to Pushaw stream. PWS10-3 is downgradient of the landfill.



Screen Interval:  
 Sampled: **3 Times Annually**  
 Sampled Since: **04/26/2010**  
 Material Screened:  
 Well Condition: **NA**  
 Sampling Method: **Low Flow**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		76	133	76	42	to 222	110 ± 8.100		36
pH (STU)		6.7	6	6.6	5	to 7.4	6.1 ± 0.100		36
Temperature (Deg C)		9.5	21.3	15.3	2.7	to 26.8	13 ± 1.200		36
Eh (mV)		436	421	418	-7	to 540	260 ± 21.000		36
Dissolved Oxygen (mg/L)		3.7	0.8	3.8	0.3	to 10.3	4.2 ± 0.500		36
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.002 U	to 0.011	0.0056 ± 0.000		36
Calcium (mg/L)		7.6	14	6.9	3	to 25	9.7 ± 0.840		36
Iron (mg/L)		1.5	9.4	1.2	0.17	to 20.8	3.6 ± 0.740		36
Magnesium (mg/L)		2.4	3.7	2.1	0.7	to 5	2.8 ± 0.170		36
Manganese (mg/L)		0.05 U	<b>1.5</b>	0.05 U	0.02	to 2.8	0.34 ± 0.087		36
Potassium (mg/L)		0.84	1.1	0.3 U	0.1	to 2.6	0.7 ± 0.086		36
Sodium (mg/L)		7	6.6	5	0.5	to 8.6	4.2 ± 0.250		36
Nitrite/Nitrate - (N) (mg/L)		0.067	0.072	0.05 U	0.05 U	to 2 U	0.28 ± 0.110		21
Total Phosphorus Mixed Forms (PO4 and		0.24	0.33	0.04 U	0.03	to 0.5	0.11 ± 0.018		36
Total Dissolved Solids (mg/L)		67	↑ 163	87	29	to 141	95 ± 4.000		36
Total Suspended Solids (mg/L)		110	15	2.5 U	2.5 U	to 489	39 ± 14.000		36
Sulfate (mg/L)		2.3	2 U	2 U	0.6 U	to 47.3	4.6 ± 1.300		36
Bicarbonate Alkalinity (CaCO3) (mg/L)		30	41	25	5.8	to 87	32 ± 3.400		36
Organic Carbon (mg/L)		11	31	18	2 U	to 41	15 ± 1.500		36
Chloride (mg/L)		9.9	11	5.8	1 U	to 15	4.6 ± 0.480		36
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.2 U	0.11 ± 0.006		27
Turbidity (field) (NTU)		2.4	5.3	1.7	0.6	to 18.3	3.8 ± 0.540		36

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Q2= 4 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q3= 7 - 2023		DWA	GW	Health-Based Drinking Water Advisory
Q4= 10 - 2023		LHA	GW	EPA Lifetime Health Advisory
		MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**PWS10-3**  
Juniper Ridge Landfill

**Well Description**

PWS-4 is a pore water sampling location along the unnamed tributary to Pushaw Stream. PWS-4 is downgradient of the landfill expansion.

Screen Interval:


Sampled: **3 Times Annually**

Sampled Since: **1/24/2023**

Material Screened:

Well Condition:

Sampling Method: **Low Flow**



**Chemical Summary**

Indicator Parameters	2023				Historical (-)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	255	192	152	170	No historical data for Specific Conductance.				
pH (STU)	6.5	7.1	6.7	6.7	No historical data for pH.				
Temperature (Deg C)	2.3	8.6	18.6	17	No historical data for Temperature.				
Water Level Depth (Feet)	A	No historical data for Water Level Depth.							
Water Level Reference Point (Feet)	A	No historical data for Water Level Reference Point.							
Eh (mV)	151	162	96	113	No historical data for Eh.				
Dissolved Oxygen (mg/L)	0.3	2.9	2.6	3.3	No historical data for Dissolved Oxygen.				
Well Depth (Feet)	A	No historical data for Well Depth.							
Arsenic (mg/L)	0.005 U	<b>0.011</b>	0.005 U	0.005 U	No historical data for Arsenic.				
Calcium (mg/L)	10	11	21	19	No historical data for Calcium.				
Copper (mg/L)	0.003 U	0.003 U	0.003 U	0.003 U	No historical data for Copper.				
Iron (mg/L)	2.8	4.8	1.9	1.2	No historical data for Iron.				
Magnesium (mg/L)	3.5	3.1	4.8	5	No historical data for Magnesium.				
Manganese (mg/L)	<b>0.83</b>	<b>2.1</b>	0.26	<b>0.35</b>	No historical data for Manganese.				
Potassium (mg/L)	0.3 U	0.41	1.2	1.1	No historical data for Potassium.				
Sodium (mg/L)	5.8	7.1	5.3	6.3	No historical data for Sodium.				
Boron (mg/L)	0.05 U	0.05 U	0.05 U	0.05 U	No historical data for Boron.				
Total Kjeldahl Nitrogen (mg/L)	0.56	0.45	0.5	0.37	No historical data for Total Kjeldahl Nitrogen.				
Ammonia (N) (mg/L)	0.5 U	0.5 U	0.5 U	0.5 U	No historical data for Ammonia (N).				
Nitrite/Nitrate - (N) (mg/L)	0.088	0.053	0.05 U	0.092	No historical data for Nitrite/Nitrate - (N).				
Total Phosphorus Mixed Forms (PO4 and Organic) (mg/L)	0.09	0.07	0.06	0.04 U	No historical data for Total Phosphorus Mixed Forms (PO4 and Organic).				
Total Dissolved Solids (mg/L)	102	92	122	121	No historical data for Total Dissolved Solids.				
Total Suspended Solids (mg/L)	98	7	26	18	No historical data for Total Suspended Solids.				
Sulfate (mg/L)	5.6	4.8	2 U	2 U	No historical data for Sulfate.				
Sulfide (mg/L)	0.1 U	0.5 U	0.1 U	0.1 U	No historical data for Sulfide.				
Alkalinity (CaCO3) (mg/L)	29	37	71	70	No historical data for Alkalinity (CaCO3).				
Organic Carbon (mg/L)	7.1	9.7	14	8.2	No historical data for Organic Carbon.				
Biochemical Oxygen Demand (mg/L)			2 U		No historical data for Biochemical Oxygen Demand.				
Chloride (mg/L)	9.6	4.5	5.8	11	No historical data for Chloride.				
Bromide (mg/L)	0.1 U	0.1 U	0.1	0.14	No historical data for Bromide.				
Turbidity (field) (NTU)	12.5	5.6	10.1	8.5	No historical data for Turbidity (field).				

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Sulfate DWA=500 mg/L, Ammonia (N) LHA=30 mg/L, Boron LHA=6 mg/L, Sodium DWA=20 mg/L, Manganese LHA=0.3 mg/L, Copper MCL=1.3 mg/L, Arsenic MCL=0.01 mg/L













↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

---

**Comments**

---

Q1= 1 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q2= 4 - 2023	A = The sampling location was inaccessible.	DWA	GW	Health-Based Drinking Water Advisory
Q3= 7 - 2023		LHA	GW	EPA Lifetime Health Advisory
Q4= 10 - 2023		MCL	GW	Maximum Contaminant Level



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**PWS-4**  
Juniper Ridge Landfill


**Well Description**

SW-1 is located downgradient of the landfill and monitors surface water quality in an unnamed tributary to Pushaw Stream.

Sampled: **3 Times Annually**

Sampled Since: **11/13/90**

Sampling Method: **Grab**



**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		111	162	195	56	to 345	130 ± 9.100		56
pH (STU)		6.3	6.5	6.7	5.8	to 8.2	6.8 ± 0.071		56
Temperature (Deg C)		10.7	23	21.9	2.9	to 27.5	15 ± 0.930		56
Eh (mV)		301	319	335	100	to 549	330 ± 12.000		56
Dissolved Oxygen (mg/L)		3.9	2.4	2.3	0.7	to 15.1	5.6 ± 0.320		56
Flow Rate (cfs)		↑0.0223	↑0.0223	↓0.0022	0.0045	to 0.0089	0.0063 ± 0.001		3
Arsenic (mg/L)		0.005 U	0.0055	0.005 U	0.001	to 0.012	0.0048 ± 0.000		56
Calcium (mg/L)		14	28	24	3.1	to 48	14 ± 1.400		56
Iron (mg/L)		0.69	<b>11</b>	<b>4.3</b>	0.07	to 19.4	2.1 ± 0.450		56
Magnesium (mg/L)		4.1	7.3	6.7	1.19	to 11	3.9 ± 0.340		56
Manganese (mg/L)		0.32	↑2.4	0.4	0.02 U	to 1.8	0.27 ± 0.052		56
Potassium (mg/L)		2	1.9	3.1	0.1	to 5	1.2 ± 0.130		56
Sodium (mg/L)		5.9	7.2	7.2	2.9	to 10.6	6.2 ± 0.230		56
Nitrite/Nitrate - (N) (mg/L)		0.069	0.08	0.05 U	0.05 U	to 2 U	0.2 ± 0.082		24
Total Phosphorus Mixed Forms (PO4 and		0.06	0.23	0.36	0.01 U	to 0.95	0.1 ± 0.022		56
Total Dissolved Solids (mg/L)		92	173	143	59	to 235	110 ± 6.000		56
Total Suspended Solids (mg/L)		14	180	91	2.5 U	to 1490	65 ± 29.000		56
Sulfate (mg/L)		8.5	2 U	3.6	0.2	to 15	4 ± 0.490		56
Bicarbonate Alkalinity (CaCO3) (mg/L)		49	69	82	10.6	to 170	47 ± 5.000		56
Organic Carbon (mg/L)		9.9	27	23	4.5	to 49	13 ± 0.890		56
Biochemical Oxygen Demand (mg/L)		7.6	16	14	1 U	to 20	4.9 ± 0.470		56
Chloride (mg/L)		4.9	7.5	6	2.2	to 27.6	8.8 ± 0.630		56
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.2 U	0.12 ± 0.006		30
Turbidity (field) (NTU)		0.9	2.3	5.2	0.4	to 20.1	3.1 ± 0.470		56

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**

Chloride MFCCC=230 mg/L, Ammonia (N) MFCCC=1.4 mg/L, Iron MFCCC=1 mg/L, Copper MFCCC=0.00236 mg/L, Arsenic MFCCC=0.15 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.













**Comments**

Q2= 4 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q3= 7 - 2023		MFCCC	SW	MEDEP Freshwater Criterion Continuous Concentration
Q4= 10 - 2023				

Data Group: 24

Printed: 4/23/2024 10:54





**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**SW-1**  
Juniper Ridge Landfill



**Well Description**

SW-2 is located upgradient of the landfill and monitors surface water quality in an unnamed tributary to Pushaw Stream.



Sampled: **3 Times Annually**  
 Sampled Since: **11/13/90**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		58	86	79	46	to 130	76 ± 2.300		55
pH (STU)		6.1	5.9	6.2	5.7	to 8.5	6.7 ± 0.077		57
Temperature (Deg C)		9.2	22.2	19.5	3.1	to 29.6	15 ± 1.000		57
Eh (mV)		433	468	361	203	to 516	360 ± 9.800		57
Dissolved Oxygen (mg/L)		5.2	1.3	2.9	0.9	to 13.7	5.5 ± 0.280		57
Flow Rate (cfs)			0.0223	0.0045	0.0017	to 14	2.6 ± 0.460		43
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.001 U	to 0.011	0.0042 ± 0.000		57
Calcium (mg/L)		5.6	8.5	6.7	2.4	to 11	5.9 ± 0.250		57
Iron (mg/L)		0.25	<b>↑3.3</b>	<b>1.1</b>	0.07	to 3.1	0.77 ± 0.088		57
Magnesium (mg/L)		2.1	2.7	2.1	1	to 3.3	2.1 ± 0.066		57
Manganese (mg/L)		0.05 U	<b>↑0.47</b>	0.08	0.02 U	to 0.35	0.082 ± 0.010		57
Potassium (mg/L)		0.64	0.65	0.3 U	0.1 U	to 1.7	0.54 ± 0.045		57
Sodium (mg/L)		6.6	7.1	5.1	2.9	to 11.1	5.3 ± 0.200		57
Nitrite/Nitrate - (N) (mg/L)		0.05 U	0.05 U	0.05 U	0.05 U	to 2 U	0.18 ± 0.083		24
Total Phosphorus Mixed Forms (PO4 and		0.04 U	0.09	0.06	0.01	to 0.43	0.047 ± 0.007		57
Total Dissolved Solids (mg/L)		<b>↓51</b>	131	91	53	to 131	81 ± 2.300		57
Total Suspended Solids (mg/L)		2.5 U	2.5	2.5 U	2.5 U	to 89	10 ± 2.100		57
Sulfate (mg/L)		2 U	2 U	2 U	0.1 U	to 9.2	2 ± 0.190		57
Bicarbonate Alkalinity (CaCO3) (mg/L)		17	25	24	8.5	to 46	19 ± 1.100		57
Organic Carbon (mg/L)		9.3	28	19	6.3	to 30	15 ± 0.730		57
Biochemical Oxygen Demand (mg/L)		2 U	6	2	1 U	to 42	4.4 ± 0.710		57
Chloride (mg/L)		11	8.2	6	2.1	to 21.6	8.3 ± 0.570		57
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.2 U	0.11 ± 0.006		30
Turbidity (field) (NTU)		0.9	2.6	3.1	0	to 8.2	2.1 ± 0.200		57

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**













Chloride MFCCC=230 mg/L, Ammonia (N) MFCCC=1.4 mg/L, Iron MFCCC=1 mg/L, Copper MFCCC=0.00236 mg/L, Arsenic MFCCC=0.15 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Q2= 4 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q3= 7 - 2023		MFCCC	SW	MEDEP Freshwater Criterion Continuous Concentration
Q4= 10 - 2023				





**LEGEND**


- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**SW-2**  
Juniper Ridge Landfill

**Well Description**

SW-3 is located downgradient of the landfill and monitors surface water quality in an unnamed tributary of Pushaw Stream.



Sampled: **3 Times Annually**  
 Sampled Since: **05/26/94**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		72	75	91	46	to 149	86 ± 3.000		58
pH (STU)		6.4	6.6	7.2	5.5	to 8.8	7.2 ± 0.085		58
Temperature (Deg C)		10.6	23.2	14.2	1.8	to 27.4	14 ± 0.880		58
Eh (mV)		428	455	415	170	to 507	340 ± 9.400		58
Dissolved Oxygen (mg/L)		7.6	3.3	↑ 17.1	1.9	to 12.6	5.8 ± 0.320		58
Flow Rate (cfs)			0.0334	↓ 0.0045	0.0067	to 19	6.9 ± 0.590		42
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.001 U	to 0.008	0.0039 ± 0.000		57
Calcium (mg/L)		5	9	8.4	3.2	to 12	7 ± 0.330		57
Iron (mg/L)		0.55	<b>2.2</b>	<b>1.5</b>	0.17	to 3.5	0.86 ± 0.093		57
Magnesium (mg/L)		1.3	2.4	2.2	0.97	to 3.1	1.9 ± 0.073		57
Manganese (mg/L)		0.14	0.23	0.57	0.02 U	to 1	0.16 ± 0.025		57
Potassium (mg/L)		0.51	0.89	1.1	0.2	to 2.4	0.73 ± 0.060		57
Sodium (mg/L)		7.8	4	5.3	2.4	to 12	5 ± 0.230		57
Nitrite/Nitrate - (N) (mg/L)		0.064	0.061	0.23	0.05 U	to 2 U	0.2 ± 0.083		24
Total Phosphorus Mixed Forms (PO4 and		0.04 U	0.06	0.05	0.01 U	to 0.09	0.036 ± 0.002		57
Total Dissolved Solids (mg/L)		51	100	75	36	to 139	76 ± 2.500		57
Total Suspended Solids (mg/L)		2.5	5	↑ 30	2.5 U	to 17	4.4 ± 0.370		57
Sulfate (mg/L)		2	2 U	2.5	0.4	to 14	2.9 ± 0.340		57
Bicarbonate Alkalinity (CaCO3) (mg/L)		14	27	29	10	to 43	22 ± 1.200		57
Organic Carbon (mg/L)		7.7	18	13	6.4	to 19	12 ± 0.420		57
Biochemical Oxygen Demand (mg/L)		2 U	3	2 U	1 U	to 7	3.6 ± 0.250		57
Chloride (mg/L)		11	4.8	5.8	2	to 20	7.7 ± 0.510		57
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.2 U	0.11 ± 0.006		30
Turbidity (field) (NTU)		0.8	1.5	0.4	0	to 9.6	1.7 ± 0.190		58

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**













Chloride MFCCC=230 mg/L, Ammonia (N) MFCCC=1.4 mg/L, Iron MFCCC=1 mg/L, Copper MFCCC=0.00236 mg/L, Arsenic MFCCC=0.15 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Q2= 4 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q3= 7 - 2023		MFCCC	SW	MEDEP Freshwater Criterion Continuous Concentration
Q4= 10 - 2023				





**LEGEND**


- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**SW-3**  
Juniper Ridge Landfill

**Well Description**

SW23-4 is located downgradient of the landfill expansion and monitors surface water quality in an unnamed tributary to Pushaw Stream.



Sampled: **3 Times Annually**  
 Sampled Since: **1/24/2023**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical ( - )				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)	227	91	154	112	No historical data for Specific Conductance.				
pH (STU)	7.1	7.6	6.6	6.9	No historical data for pH.				
Temperature (Deg C)	3.2	13.5	18.8	17.1	No historical data for Temperature.				
Water Level Depth (Feet)	A	No historical data for Water Level Depth.							
Water Level Reference Point (Feet)	A	No historical data for Water Level Reference Point.							
Eh (mV)	352	288	154	173	No historical data for Eh.				
Dissolved Oxygen (mg/L)	10.6	8.2	2.2	5.2	No historical data for Dissolved Oxygen.				
Well Depth (Feet)	A	No historical data for Well Depth.							
Arsenic (mg/L)	0.005 U	0.005 U	0.01	0.005 U	No historical data for Arsenic.				
Calcium (mg/L)	7.6	11	21	13	No historical data for Calcium.				
Copper (mg/L)	0.0008	0.003 U	0.003 U	0.003 U	No historical data for Copper.				
Iron (mg/L)	0.45	0.84	0.57	0.63	No historical data for Iron.				
Magnesium (mg/L)	2	2.9	4.6	3.6	No historical data for Magnesium.				
Manganese (mg/L)	0.05 U	0.05 U	0.15	0.05 U	No historical data for Manganese.				
Potassium (mg/L)	0.77	1.1	1.2	1.1	No historical data for Potassium.				
Sodium (mg/L)	6.5	7.7	5.5	4.5	No historical data for Sodium.				
Boron (mg/L)	0.05 U	0.05 U	0.05 U	0.05 U	No historical data for Boron.				
Total Kjeldahl Nitrogen (mg/L)	0.28	0.44	0.52	0.41	No historical data for Total Kjeldahl Nitrogen.				
Ammonia (N) (mg/L)	0.5 U	0.5 U	0.5 U	0.5 U	No historical data for Ammonia (N).				
Nitrite/Nitrate - (N) (mg/L)	0.092	0.079	0.061	0.08	No historical data for Nitrite/Nitrate - (N).				
Total Phosphorus Mixed Forms (PO4 and Organic) (mg/L)	0.04 U	0.04	0.04 U	0.04 U	No historical data for Total Phosphorus Mixed Forms (PO4 and Organic).				
Total Dissolved Solids (mg/L)	78	89	119	86	No historical data for Total Dissolved Solids.				
Total Suspended Solids (mg/L)	2.5	5	4	8.3	No historical data for Total Suspended Solids.				
Sulfate (mg/L)	5.6	6.8	2 U	2.6	No historical data for Sulfate.				
Sulfide (mg/L)	0.1 U	0.1 U	0.1 U	0.1 U	No historical data for Sulfide.				
Alkalinity (CaCO3) (mg/L)	15	26	68	42	No historical data for Alkalinity (CaCO3).				
Organic Carbon (mg/L)	6.7	9.2	14	7.2	No historical data for Organic Carbon.				
Biochemical Oxygen Demand (mg/L)	2 U	2 U	2 U	2 U	No historical data for Biochemical Oxygen Demand.				
Chloride (mg/L)	11	4.8	5.9	7.6	No historical data for Chloride.				
Bromide (mg/L)	0.1 U	0.1 U	0.11	0.11	No historical data for Bromide.				
Turbidity (field) (NTU)	1.7	6.5	6.5	7.3	No historical data for Turbidity (field).				

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













**Applicable Limits:**

Chloride MFCCC=230 mg/L, Ammonia (N) MFCCC=1.4 mg/L, Iron MFCCC=1 mg/L, Copper MFCCC=0.00236 mg/L, Arsenic MFCCC=0.15 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

Comments

Q1= 1 - 2023	U = Not Detected above the laboratory reporting limit.	Abbrev.	Type	Standard
Q2= 4 - 2023	A = The sampling location was inaccessible.	MFCCC	SW	MEDEP Freshwater Criterion Continuous Concentration
Q3= 7 - 2023				
Q4= 10 - 2023				



**LEGEND**


- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**SW23-4**  
Juniper Ridge Landfill

**Well Description**

SW-DP1 is located in Detention Pond #1 which is situated to the north of the former leachate pond.



Sampled: **3 Times Annually**  
 Sampled Since: **05/03/04**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		47	84	82	34	to 439	140 ± 10.000		57
pH (STU)		6.3	7.6	7.2	6.3	to 9.4	7.5 ± 0.094		57
Temperature (Deg C)		12.5	26.6	18.5	1.9	to 31.1	17 ± 0.980		57
Eh (mV)		388	405	324	200	to 486	330 ± 9.300		57
Dissolved Oxygen (mg/L)		7.3	6.6	11.1	0.8	to 12.5	6.7 ± 0.290		57
Arsenic (mg/L)		0.005 U	0.0096	0.005 U	0.001 U	to 0.013	0.0045 ± 0.000		57
Calcium (mg/L)		7.7	12	8.7	3.8	to 40	18 ± 1.100		57
Iron (mg/L)		0.98	<b>↑ 8.5</b>	0.14	0.05	to 6.4	0.71 ± 0.140		57
Magnesium (mg/L)		1	4	1.3	0.4	to 7.6	2.6 ± 0.200		57
Manganese (mg/L)		0.061	0.38	0.05 U	0.02	to 0.88	0.12 ± 0.021		57
Potassium (mg/L)		1.2	2.3	0.48	0.3 U	to 25	2.7 ± 0.550		57
Sodium (mg/L)		1.1	1.6	1.6	0.8	to 27	4.2 ± 0.660		57
Nitrite/Nitrate - (N) (mg/L)		0.089	0.064	0.05 U	0.05 U	to 2 U	0.22 ± 0.084		24
Total Phosphorus Mixed Forms (PO4 and		0.14	0.23	0.04 U	0.01 U	to 0.24	0.058 ± 0.006		57
Total Dissolved Solids (mg/L)		58	161	48	44	to 262	100 ± 6.600		57
Total Suspended Solids (mg/L)		19	62	29	2.5 U	to 115	13 ± 2.400		57
Sulfate (mg/L)		5.8	4	8.3	0.2	to 44	11 ± 1.200		57
Bicarbonate Alkalinity (CaCO3) (mg/L)		15	34	30	7.2	to 170	47 ± 3.800		57
Organic Carbon (mg/L)		3	3.5	7	2 U	to 13.3	3.9 ± 0.360		57
Chloride (mg/L)		1.5	1.1	1 U	1 U	to 79	6.5 ± 1.400		57
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 1.1	0.15 ± 0.033		30
Turbidity (field) (NTU)		0.9	0.7	1.8	0	to 28.1	3.3 ± 0.660		57

**underlined/bold** - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.

**Applicable Limits:**













Chloride MFCCC=230 mg/L, Ammonia (N) MFCCC=1.4 mg/L, Iron MFCCC=1 mg/L, Copper MFCCC=0.00236 mg/L, Arsenic MFCCC=0.15 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.      Abbrev.    Type    Standard  
 Q3= 7 - 2023      MFCCC      SW      MEDEP Freshwater Criterion Continuous  
 Q4= 10 - 2023      Concentration





**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).




**SW-DP1**  
Juniper Ridge Landfill



**Well Description**

SW-DP6 is located in Detention Pond #6, which is situated to the south of the landfill and west of the leachate storage tank.



Sampled: **3 Times Annually**  
 Sampled Since: **10/27/2009**

Sampling Method: **Grab**

**Chemical Summary**

Indicator Parameters	2023				Historical (1/1/2004 - 12/31/2022)				
	Q1	Q2	Q3	Q4	Min	Max	Mean	SE	n
Specific Conductance (µmhos/cm @25°C)		55	↑465	160	36	to 427	120 ± 14.000		40
pH (STU)		6.3	8.1	7	6.1	to 8.4	7.2 ± 0.094		40
Temperature (Deg C)		11.9	26.9	26.3	2.4	to 29.6	16 ± 1.300		40
Eh (mV)		394	416	345	212	to 547	360 ± 12.000		40
Dissolved Oxygen (mg/L)		8.5	7.1	6.7	3.9	to 11.7	6.8 ± 0.330		40
Arsenic (mg/L)		0.005 U	0.005 U	0.005 U	0.002 U	to 0.011	0.0052 ± 0.000		40
Calcium (mg/L)		7.8	↑74	14	3.8	to 63.3	13 ± 1.800		40
Iron (mg/L)		0.42	0.26	0.68	0.1	to 3.05	0.96 ± 0.120		40
Magnesium (mg/L)		1.1	↑8.6	2.8	0.7	to 7.3	1.7 ± 0.190		40
Manganese (mg/L)		0.13	0.05 U	0.26	0.05 U	to 0.96	0.14 ± 0.031		40
Potassium (mg/L)		1.1	1.3	1.8	0.7	to 3.4	1.6 ± 0.098		40
Sodium (mg/L)		2	↑9.4	3.2	1.1	to 7.5	3.1 ± 0.270		40
Nitrite/Nitrate - (N) (mg/L)		0.052	0.096	0.14	0.05 U	to 2 U	0.18 ± 0.083		24
Total Phosphorus Mixed Forms (PO4 and		0.04	0.04 U	↑0.16	0.03	to 0.15	0.06 ± 0.005		40
Total Dissolved Solids (mg/L)		43	↑356	186	38	to 323	89 ± 8.400		40
Total Suspended Solids (mg/L)		8	2.5 U	48	2.5 U	to 54	12 ± 2.000		40
Sulfate (mg/L)		14	↑200	41	2 U	to 155	18 ± 3.800		40
Bicarbonate Alkalinity (CaCO3) (mg/L)		9	16	17	6	to 75	22 ± 2.700		40
Organic Carbon (mg/L)		3.5	5.3	5	2.1	to 11.9	5.1 ± 0.320		40
Chloride (mg/L)		2	13	6.7	1 U	to 22.3	6.7 ± 0.890		40
Bromide (mg/L)		0.1 U	0.1 U	0.1 U	0.1 U	to 0.2 U	0.11 ± 0.006		30
Turbidity (field) (NTU)		1.2	1.2	2.7	0	to 12	2.5 ± 0.370		40

underlined/bold - values exceed a regulatory standard listed below.

Note that a value associated with a "U" qualifier is a detection or reporting limit provided by the laboratory. If a detection limit is greater than a standard, the result cannot be said to exceed the standard.













**Applicable Limits:**

Chloride MFCCC=230 mg/L, Ammonia (N) MFCCC=1.4 mg/L, Iron MFCCC=1 mg/L, Copper MFCCC=0.00236 mg/L, Arsenic MFCCC=0.15 mg/L

↑ indicates a value greater than the historical maximum value; ↓ indicates a value less than the historical minimum value.

**Comments**

Q2= 4 - 2023      U = Not Detected above the laboratory reporting limit.      Abbrev.    Type    Standard  
 Q3= 7 - 2023      MFCCC      SW      MEDEP Freshwater Criterion Continuous  
 Q4= 10 - 2023      Concentration



**LEGEND**

- - Below reporting Limit, Associate value is the reporting limit.
- ◇ - Estimated Value (J-flagged).



**SW-DP6**  
Juniper Ridge Landfill

**APPENDIX F**

**MANN-KENDALL TREND ANALYSIS RESULTS**

# Summary of Mann-Kendall Trend Analysis

Juniper Ridge Landfill

5-yr trend

Confidence Coefficient = 0.95 Level of Significance = 0.05

1/1/2019 - 12/31/2023



LOCATION	Increasing Trends	Decreasing Trends	No Trends
DP-4		pH, Spec Cond	DO, Eh, Temp, TURB (fld), Water Depth, Water Elev., MP Elev, Well Depth
LF-COMP	TURB (fld)	DO, Eh	ALK (fld), pH, Spec Cond, Temp
LF-UD-5and6	Cl, Spec Cond, TURB (fld)	DO, Eh	ALK (fld), As, HCO3, Bromide, Ca, Flow Rate, Fe, Mg, Mn, NO2/NO3 - N, OC, pH, K, Na, SO4, Temp, TDS, P, TSS
LP-COMP	Spec Cond, TURB (fld)	DO, Eh	ALK (fld), pH, Temp
LP-UD-2	ALK (fld), HCO3, Ca, Spec Cond, Temp, TDS, TURB (fld)	Cl, DO, pH	As, Bromide, Eh, Flow Rate, Fe, Mg, Mn, NO2/NO3 - N, OC, K, Na, SO4, P, TSS
LT-C4LR	NH3 - N, As, HCO3, Cr, Ni, TKN	Ca, Cl, DO, Mg, SO4, TSS	ALK, Al, Sb, Ba, Be, BOD5, Bromide, Cd, Hard(CaMg), COD, Co, Cu, CN, Eh, Fe, Pb, Mn, Hg, NO3 - N, NO2/NO3 - N, OC, pH, K, Se, Ag, Na, Spec Cond, S=, Temp, Tl, Sn, TDS, TURB (fld), V, Zn
MW04-102	Ca, Temp	Eh, SO4	As, HCO3, Bromide, Cl, DO, Fe, Mg, Mn, NO2/NO3 - N, OC, pH, K, Na, Spec Cond, TDS, TKN, TSS, TURB (fld), Water Depth, Water Elev., MP Elev
MW04-105			DO, Eh, pH, Spec Cond, Temp, TURB (fld), Water Depth, Water Elev., MP Elev, Well Depth
MW04-109R	OC	HCO3, Bromide, Ca, Eh, Mg, Spec Cond, SO4, TDS	As, Cl, DO, Fe, Mn, NO2/NO3 - N, pH, K, Na, Temp, TKN, TSS, TURB (fld), Water Depth, Water Elev., MP Elev
MW06-01	HCO3, Bromide, Ca, Cl, Mg, NO2/NO3 - N, Na, Spec Cond, TDS	DO, TURB (fld)	As, Eh, Fe, Mn, OC, pH, K, SO4, Temp, TKN, TSS, Water Depth, Water Elev., MP Elev
MW09-901	OC	Eh, pH, Na, SO4	As, HCO3, Bromide, Ca, Cl, DO, Fe, Mg, Mn, NO2/NO3 - N, K, Spec Cond, Temp, TDS, TKN, TSS, TURB (fld), Water Depth, Water Elev., MP Elev
MW12-303R	Fe, Temp, TSS	Bromide, Ca, Eh, OC, K, SO4, TDS, TKN	As, HCO3, Cl, DO, Mg, Mn, NO2/NO3 - N, pH, Na, Spec Cond, TURB (fld), Water Depth, Water Elev., MP Elev
MW-204			MP Elev, Well Depth
MW-206	Cl	DO, Eh, NO2/NO3 - N, TURB (fld)	As, Bromide, Ca, Fe, Mg, Mn, OC, pH, K, Na, Spec Cond, SO4, Temp, TDS, TKN, TSS, Water Depth, Water Elev., MP Elev
MW-223A	HCO3, Ca, Mg, NO2/NO3 - N, Spec Cond, TDS, Water Depth	Cl, DO, Eh, Water Elev.	As, Bromide, Fe, Mn, OC, pH, K, Na, SO4, Temp, TKN, TSS, TURB (fld), MP Elev
MW-223B	HCO3, Ca, Mg, K, SO4, TDS, Water Depth	Cl, DO, Eh, pH, Water Elev.	As, Bromide, Fe, Mn, Methane, NO2/NO3 - N, OC, Na, Spec Cond, Temp, TKN, TSS, TURB (fld), MP Elev
MW-227	Ca, Water Depth	As, Eh, pH, SO4, Water Elev.	HCO3, Bromide, Cl, DO, Fe, Mg, Mn, NO2/NO3 - N, OC, K, Na, Spec Cond, Temp, TDS, TKN, TSS, TURB (fld), MP Elev
MW-301	Mn	Eh	As, HCO3, Bromide, Ca, Cl, DO, Fe, Mg, NO2/NO3 - N, OC, pH, K, Na, Spec Cond, SO4, Temp, TDS, TKN, TSS, TURB (fld), Water Depth, Water Elev., MP Elev
MW-401A	Ca, Cl, Mg, K, Spec Cond, TDS	As, DO, SO4, TURB (fld)	HCO3, Bromide, Eh, Fe, Mn, NO2/NO3 - N, OC, pH, Na, Temp, TKN, TSS, Water Depth, Water Elev., MP Elev
MW-401B	Ca, Mg, K	As, Cl, pH, SO4, TURB (fld)	HCO3, Bromide, DO, Eh, Fe, Mn, NO2/NO3 - N, OC, Na, Spec Cond, Temp, TDS, TKN, TSS, Water Depth, Water Elev., MP Elev
MW-402A	Ca, Cl	As, pH, SO4	HCO3, Bromide, DO, Eh, Fe, Mg, Mn, NO2/NO3 - N, OC, K, Na, Spec Cond, Temp, TDS, TKN, TSS, TURB (fld), Water Depth, Water Elev., MP Elev

LOCATION	Increasing Trends	Decreasing Trends	No Trends
MW-402B	Ca	pH, TURB (fld)	As, HCO3, Bromide, Cl, DO, Eh, Fe, Mg, Mn, NO2/NO3 - N, OC, K, Na, Spec Cond, SO4, Temp, TDS, TKN, TSS, Water Depth, Water Elev., MP Elev
MW-501	Mn, SO4		As, Bromide, Ca, Cl, DO, Eh, Fe, Mg, NO2/NO3 - N, OC, pH, K, Na, Spec Cond, Temp, TDS, TKN, TSS, TURB (fld), MP Elev
OW-06-03	Water Depth	Water Elev.	DO, Eh, pH, Spec Cond, Temp, TURB (fld), MP Elev
OW-601A	Ca, Spec Cond	Eh	As, Bromide, Cl, DO, Fe, Mg, Mn, NO2/NO3 - N, OC, pH, K, Na, SO4, Temp, TDS, TKN, TSS, TURB (fld), Water Depth, Water Elev., MP Elev
OW-601B	Ca	Eh, Fe, TURB (fld)	As, Bromide, Cl, DO, Mg, Mn, NO2/NO3 - N, OC, pH, K, Na, Spec Cond, SO4, Temp, TDS, TKN, TSS, Water Depth, Water Elev., MP Elev
OW-602A	Ca, Cl, Mg, K, Na, Spec Cond, TDS	DO, Eh, pH	As, Bromide, Fe, Mn, NO2/NO3 - N, OC, SO4, Temp, TKN, TSS, TURB (fld), Water Depth, Water Elev., MP Elev
OW-603B			Water Depth, Water Elev., MP Elev
OW-604A	Ca, Cl, Mg, NO2/NO3 - N, Spec Cond, TDS	DO, Eh, TURB (fld)	As, Bromide, Fe, Mn, OC, pH, K, Na, SO4, Temp, TKN, TSS, Water Depth, Water Elev., MP Elev
P-04-02R	Fe, NO2/NO3 - N, TSS	As, HCO3, Cl, DO, Eh, Mg, pH, K, Na, Spec Cond, SO4, TDS	Bromide, Ca, Mn, OC, Temp, TKN, TURB (fld), Water Depth, Water Elev., MP Elev
P-04-04	Ca, Cl, Mg, NO2/NO3 - N, Spec Cond, TDS	DO, Eh, pH	As, HCO3, Bromide, Fe, Mn, OC, K, Na, SO4, Temp, TKN, TSS, TURB (fld), Water Depth, Water Elev., MP Elev
P-206A	Ca, Eh, Mg, NO2/NO3 - N, SO4	As, Mn, pH, K, Na, TSS	HCO3, Bromide, Cl, DO, Fe, OC, Spec Cond, Temp, TDS, TKN, TURB (fld), Water Depth, Water Elev., MP Elev
PWS10-1	K, P	Cl	As, HCO3, Bromide, Ca, DO, Eh, Fe, Mg, Mn, Methane, NO2/NO3 - N, OC, pH, Na, Spec Cond, SO4, Temp, TDS, TSS, TURB (fld)
PWS10-2		SO4	As, HCO3, Bromide, Ca, Cl, DO, Eh, Fe, Mg, Mn, Methane, NO2/NO3 - N, OC, pH, K, Na, Spec Cond, Temp, TDS, P, TSS, TURB (fld)
PWS10-3			As, HCO3, Bromide, Ca, Cl, DO, Eh, Fe, Mg, Mn, Methane, NO2/NO3 - N, OC, pH, K, Na, Spec Cond, SO4, Temp, TDS, P, TSS, TURB (fld)
SW-1	BOD5, K, P, TSS	DO	As, HCO3, Bromide, Ca, Cl, Eh, Fe, Mg, Mn, NO2/NO3 - N, OC, pH, Na, Spec Cond, SO4, Temp, TDS, TURB (fld)
SW-2	HCO3	Cl, DO	As, BOD5, Bromide, Ca, Eh, Fe, Mg, Mn, NO2/NO3 - N, OC, pH, K, Na, Spec Cond, SO4, Temp, TDS, P, TSS, TURB (fld)
SW-3	Eh, NO2/NO3 - N, TSS	pH	As, HCO3, BOD5, Bromide, Ca, Cl, DO, Fe, Mg, Mn, OC, K, Na, Spec Cond, SO4, Temp, TDS, P, TURB (fld)
SW-DP1	TSS	Cl, DO	As, HCO3, Bromide, Ca, Eh, Fe, Mg, Mn, NO2/NO3 - N, OC, pH, K, Na, Spec Cond, SO4, Temp, TDS, P, TURB (fld)
SW-DP6	HCO3, NO2/NO3 - N	DO	As, Bromide, Ca, Cl, Eh, Fe, Mg, Mn, OC, pH, K, Na, Spec Cond, SO4, Temp, TDS, P, TSS, TURB (fld)

LOCATION	Increasing Trends	Decreasing Trends	No Trends
----------	-------------------	-------------------	-----------

**Parameter Abbreviations:**

- Ag - Silver
- Al - Aluminum
- ALK - Alkalinity (CaCO3)
- ALK (fld) - Alkalinity (CaCO3) (field)
- As - Arsenic
- Ba - Barium
- Be - Beryllium
- BOD5 - Biochemical Oxygen Demand
- Bromide - Bromide
- Ca - Calcium
- Cd - Cadmium
- Cl - Chloride
- CN - Cyanide
- Co - Cobalt
- COD - Chemical Oxygen Demand
- Cr - Chromium
- Cu - Copper
- DO - Dissolved Oxygen
- Eh - Eh
- Fe - Iron
- Flow Rate - Flow Rate
- Hard(CaMg) - Ca-mg Hardness (CaCO3)
- HCO3 - Bicarbonate Alkalinity (CaCO3)
- Hg - Mercury
- K - Potassium
- Methane - Methane
- Mg - Magnesium
- Mn - Manganese
- MP Elev - Water Level Reference Point
- Na - Sodium
- NH3 - N - Ammonia (N)
- Ni - Nickel
- NO2/NO3 - N - Nitrite/Nitrate - (N)
- NO3 - N - Nitrate (N)
- OC - Organic Carbon
- P - Total Phosphorus Mixed Forms (PO4 and Organic) As Phosphorus
- Pb - Lead
- pH - pH
- S= - Sulfide
- Sb - Antimony
- Se - Selenium
- Sn - Tin
- SO4 - Sulfate
- Spec Cond - Specific Conductance
- TDS - Total Dissolved Solids
- Temp - Temperature
- TKN - Total Kjeldahl Nitrogen
- Tl - Thallium
- TSS - Total Suspended Solids
- TURB (fld) - Turbidity (field)
- V - Vanadium
- Water Depth - Water Level Depth
- Water Elev. - Water Level Elevation
- Well Depth - Well Depth
- Zn - Zinc

LOCATION	Increasing Trends	Decreasing Trends	No Trends
----------	-------------------	-------------------	-----------


Calculations are performed on ProUCL Version 5.2.  
 Values below the detection limit are passed to ProUCL as a value of zero.  
 Field duplicate samples are excluded from the analysis.  
 Data sets with less than 3 data points are not analyzed.

## APPENDIX G


### STIFF AND PIPER DIAGRAMS




# Stiff Diagram - July 2023 Leachate




# Stiff Diagram - July 2023 Upgradient Groundwater




# Stiff Diagram - July 2023 Downgradient Groundwater (Cells 1-10)




# Stiff Diagram - July 2023 Downgradient Groundwater (Expansion Cells)





# Stiff Diagram - July 2023 Downgradient Groundwater (Expansion Cells)




# Stiff Diagram - July 2023 Downgradient Groundwater (Expansion Cells)



# Piper Diagram - July 2023 Upgradient Groundwater




# Piper Diagram - July 2023 Downgradient Groundwater (Cells 1-10)





# Piper Diagram - July 2023 Downgradient Groundwater (Expansion Cells)



**APPENDIX H**

**2023 AND HISTORICAL GAS MEASUREMENT DATA**

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



Date	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide													
	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.													
<b>DP-4</b>																			
4/21/2014	0.1 US	0.1 US	0	0	20.7	0													
7/30/2014	0.1 US	0.1 US	0	0	20.2	0													
10/21/2014	0.1 US	0.1 US	0	0	20.9	0													
4/29/2015	0.1 US	0.1 US	0	0	21.5	0													
7/14/2015	0.1 US	0.1 US	0	0	20.7	0													
10/27/2015	0.1 US	0.1 US	0	0	21.3	0													
4/6/2016	0.1 US	0.1 US	0	0	19.5	0													
7/25/2016	0.1 US	0.1 US	0	0	20.4	0													
10/25/2016	0.1 US	0.1 US	0	0	20.7	0													
4/18/2017	0.1 US	0.1 US	0	0	20.9	0													
7/25/2017	0.1 US	0.1 US	0	0	20.9	0													
10/23/2017	0.1 US	0.1 US	0	0	20.7	0													
4/3/2018	0.1 US	0.1 US	0	0	21	0													
7/16/2018	0.1 US	0.1 US	0	0	20.5	0													
10/1/2018	0.1 US	0.1 US	0	0	21.1	0													
4/23/2019	0.1 US	0.1 US	0	0	20.9	0													
7/15/2019	0.1 US	0.1 US	0	0	20.9	0													
10/28/2019	0.1 US	0.1 US	0	0	20.9	0													
4/27/2020	0.1 US	0.1 US	0	0	20.9	0													
7/20/2020	0.1 US	0.1 US	0	0	20.9	0													
10/26/2020	0.1 US	0.1 US	0	0	20.9	0													
4/5/2021	0.1 US	0.1 US	0	0	20.9	0													
7/12/2021	0.1 US	0.1 US	0	0	20.9	0													
10/4/2021	0.1 US	0.1 US	0	0	20.9	0													
4/25/2022	0.1 US	0.1 US	0	0	20.9	0													
7/18/2022	0.1 US	0.1 US	0	0	20.9	0													
10/3/2022	0.1 US	0.1 US	0	0	20.9	0													
4/17/2023	0.1 US	0.1 US	0	0	20.9	0													
7/10/2023	0.1 US	0.1 US	0	0	20.9	0													
10/3/2023	0.1 US	0.1 US	0	0	20.9	0													
<b>LT-C4L &amp; LT-C4LR</b>																			
4/21/2014	0.1 US	0.1 US	0	0	20.8	0													
7/30/2014	0.1 US	0.1 US	0	0	20.1	0													
10/21/2014	0.1 US	0.1 US	0	0	20.8	0													
4/29/2015	0.1 US	0.1 US	0	0	22.4	0													
7/14/2015	0.1 US	0.1 US	0	0	20.6	0													
10/27/2015	0.1 US	0.1 US	0	0	21.3	0													
4/6/2016	0.1 US	0.1 US	0	0	19.6	0													
7/26/2016	0.1 US	0.1 US	0	0	20.3	0													
10/25/2016	0.1 US	0.1 US	0	0	20.6	0													
4/18/2017	0.1 US	0.1 US	0	0	20.9	0													
7/25/2017	0.1 US	0.1 US	0	0	20.9	0													
10/24/2017	0.1 US	0.1 US	0	0	20.7	0													
4/3/2018	0.1 US	0.1 US	0	0	20.9	0													
7/16/2018	0.1 US	0.1 US	0	0	20.1	0													
10/1/2018	0.1 US	0.1 US	0	0	21.1	0													
4/23/2019	0.1 US	0.1 US	0	0	20.9	0													

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



(LT-C4L & LT-C4LR)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide												
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												
4/27/2020	0.1 US	0.1 US	0	0	20.9	0												
7/20/2020	0.1 US	0.1 US	0	0	20.9	0												
10/26/2020	0.1 US	0.1 US	0	0	20.9	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
4/25/2022	0.1 US	0.1 US	0	0	20.9	0												
7/19/2022	0.1 US	0.1 US	0	0	20.9	0												
10/3/2022	0.1 US	0.1 US	0	0	20.9	0												
4/17/2023	0.1 US	0.1 US	0	0	20.9	0												
7/11/2023	0.1 US	0.1 US	0	0	20.9	0												
10/3/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>LF-LD-11</b>																		
7/19/2022	0.1 US	0.1 US	0	0	19.1	0												
10/6/2022	0.1 US	0.1 US	0	0	20.9	0												
4/18/2023	0.1 US	0.1 US	0	0	20.9	0												
7/11/2023	0.1 US	0.1 US	0	0	20.9	0												
10/3/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>LF-LD-12</b>																		
7/19/2022	0.1 US	0.1 US	0	0	20.9	0												
10/6/2022	0.1 US	0.1 US	0	0	20.9	0												
4/18/2023	0.1 US	0.1 US	0	0	20.9	0												
7/11/2023	0.1 US	0.1 US	0	0	20.9	0												
10/3/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>LF-LD-13</b>																		
7/19/2022	0.1 US	0.1 US	0	0	20.9	0												
10/6/2022	0.1 US	0.1 US	0	0	20.9	0												
4/18/2023	0.1 US	0.1 US	0	0	20.9	0												
7/11/2023	0.1 US	0.1 US	0	0	20.9	0												
10/3/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>LF-LD-14</b>																		
10/6/2022	0.1 US	0.1 US	0	0	20.9	0												
4/18/2023	0.1 US	0.1 US	0	0	20.9	0												
7/11/2023	0.1 US	0.1 US	0	0	20.9	0												
10/3/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>LF-UD</b>																		
4/22/2014	0.1 US	0.1 US	0	0	20.3	0												
7/30/2014	0.1 US	0.1 US	0	0	20.5	0												
10/21/2014	0.1 US	0.1 US	0	0	20.9	0												
4/28/2015	0.1 US	0.1 US	0	0	24.8	0												
7/14/2015	0.1 US	0.1 US	0	0	20.1	0												
10/27/2015	0.1 US	0.1 US	0	0	22	0												
4/5/2016	0.1 US	0.1 US	0	0	20.3	0												
7/26/2016	0.1 US	0.1 US	0	0	20.7	0												

REPORT PREPARED: 3/21/2024 06:53

FOR: Juniper Ridge Landfill

DATE RANGE: 4/21/2014 - 10/5/2023

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



Page 3 of 26

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(LF-UD)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide												
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.												
10/25/2016	0.1 US	0.1 US	0	0	20.6	0												
4/18/2017	0.1 US	0.1 US	0	0	20.9	0												
7/25/2017	0.1 US	0.1 US	0	0	20.9	0												
10/24/2017	0.1 US	0.1 US	0	0	20.6	0												
4/3/2018	0.1 US	0.1 US	0	0	21	0												
7/16/2018	0.1 US	0.1 US	0	0	17.2	0												
10/2/2018	0.1 US	0.1 US	0	0	20.9	0												
4/23/2019	0.1 US	0.1 US	0	0	20.9	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												
4/27/2020	0.1 US	0.1 US	0	0	20.9	0												
7/20/2020	0.1 US	0.1 US	0	0	20.9	0												
10/26/2020	0.1 US	0.1 US	0	0	20.8	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
4/25/2022	0.1 US	0.1 US	0	0	20.9	0												
7/19/2022	0.1 US	0.1 US	0	0	17.9	0												
4/17/2023	0.1 US	0.1 US	0	0	20.9	0												
7/11/2023	0.1 US	0.1 US	0	0	20.9	0												
10/3/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>LF-UD-5and6</b>																		
7/19/2022	0.1 US	0.1 US	0	0	20.9	0												
10/6/2022	0.1 US	0.1 US	0	0	20.9	0												
4/18/2023	0.1 US	0.1 US	0	0	20.9	0												
7/11/2023	0.1 US	0.1 US	0	0	20.9	0												
10/3/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>LF-UD-6</b>																		
4/18/2023	0.1 US	0.1 US	0	0	20.9	0												
7/11/2023	0.1 US	0.1 US	0	0	20.9	0												
10/3/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>LF-UD-8</b>																		
7/19/2022	0.1 US	0.1 US	0	0	20.9	0												
10/6/2022	0.1 US	0.1 US	0	0	20.9	0												
4/18/2023	0.1 US	0.1 US	0	0	20.9	0												
7/11/2023	0.1 US	0.1 US	0	0	20.9	0												
10/3/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>LF-UD-9</b>																		
7/19/2022	0.1 US	0.1 US	0	0	20.9	0												
10/6/2022	0.1 US	0.1 US	0	0	20.9	0												
4/18/2023	0.1 US	0.1 US	0	0	20.9	0												
7/11/2023	0.1 US	0.1 US	0	0	20.9	0												
10/3/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>LF-UD-10</b>																		
7/19/2022	0.1 US	0.1 US	0	0	20.9	0												
10/6/2022	0.1 US	0.1 US	0	0	20.9	0												

REPORT PREPARED: 3/21/2024 06:53

FOR: Juniper Ridge Landfill

DATE RANGE: 4/21/2014 - 10/5/2023

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



Page 4 of 26

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(LF-UD-10)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
4/18/2023	0.1 US	0.1 US	0	0	20.9	0											
7/11/2023	0.1 US	0.1 US	0	0	20.9	0											
10/3/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>LF-UD-12+13+14</b>																	
4/18/2023	0.1 US	0.1 US	0	0	20.9	0											
7/11/2023	0.1 US	0.1 US	0	0	20.9	0											
10/3/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>LP-LD</b>																	
4/22/2014	0.1 US	0.1 US	0	0	20.3	0											
7/30/2014	0.1 US	0.1 US	0	0	20.5	0											
10/21/2014	0.1 US	0.1 US	0	0	20.9	0											
4/28/2015	0.1 US	0.1 US	0	0	22.1	0											
7/14/2015	0.1 US	0.1 US	0	0	20.6	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/5/2016	0.1 US	0.1 US	0	0	20.3	0											
7/26/2016	0.1 US	0.1 US	0	0	18.9	0											
10/25/2016	0.1 US	0.1 US	0	0	20.6	0											
4/18/2017	0.1 US	0.1 US	0	0	20.9	0											
7/25/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.7	0											
4/3/2018	0.1 US	0.1 US	0	0	21.1	0											
7/16/2018	0.1 US	0.1 US	0	0	20	0											
10/2/2018	0.1 US	0.1 US	0	0	21.1	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/19/2022	0.1 US	0.1 US	0	0	20.9	0											
10/6/2022	0.1 US	0.1 US	0	0	20.9	0											
4/17/2023	0.1 US	0.1 US	0	0	20.9	0											
7/12/2023	0.1 US	0.1 US	0	0	20.9	0											
10/3/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>LP-UD</b>																	
4/22/2014	0.1 US	0.1 US	0	0	20.3	0											
7/30/2014	0.1 US	0.1 US	0	0	20.5	0											
10/21/2014	0.1 US	0.1 US	0	0	21.1	0											
4/28/2015	0.1 US	0.1 US	0	0	22.1	0											
7/14/2015	0.1 US	0.1 US	0	0	20.8	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/5/2016	0.1 US	0.1 US	0	0	20.3	0											
7/26/2016	0.1 US	0.1 US	0	0	20.4	0											
10/25/2016	0.1 US	0.1 US	0	0	20.7	0											

REPORT PREPARED: 3/21/2024 06:53

FOR: Juniper Ridge Landfill

DATE RANGE: 4/21/2014 - 10/5/2023

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



Page 5 of 26

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(LP-UD)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide												
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.												
4/18/2017	0.1 US	0.1 US	0	0	20.9	0												
7/25/2017	0.1 US	0.1 US	0	0	20.9	0												
10/24/2017	0.1 US	0.1 US	0	0	20.6	0												
4/3/2018	0.1 US	0.1 US	0	0	21.1	0												
7/16/2018	0.1 US	0.1 US	0	0	20	0												
10/2/2018	0.1 US	0.1 US	0	0	21.1	0												
4/23/2019	0.1 US	0.1 US	0	0	20.9	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												
4/27/2020	0.1 US	0.1 US	0	0	20.9	0												
7/20/2020	0.1 US	0.1 US	0	0	20.9	0												
10/26/2020	0.1 US	0.1 US	0	0	20.9	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
4/25/2022	0.1 US	0.1 US	0	0	20.9	0												
7/19/2022	0.1 US	0.1 US	0	0	20.7	0												
10/6/2022	0.1 US	0.1 US	0	0	20.9	0												
4/18/2023	0.1 US	0.1 US	0	0	20.9	0												
7/11/2023	0.1 US	0.1 US	0	0	20.9	0												
10/3/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>MW-04-09A</b>																		
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/6/2021	0.1 US	0.1 US	0	0	20.9	0												
7/20/2022	0.1 US	0.1 US	0	0	20.9	0												
10/5/2022	0.1 US	0.1 US	0	0	20.9	0												
4/19/2023	0.1 US	0.1 US	0	0	20.9	0												
7/12/2023	0.1 US	0.1 US	0	0	20.9	0												
10/4/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>MW-04-09B</b>																		
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/6/2021	0.1 US	0.1 US	0	0	20.9	0												
7/20/2022	0.1 US	0.1 US	0	0	20.9	0												
10/5/2022	0.1 US	0.1 US	0	0	20.9	0												
4/19/2023	0.1 US	0.1 US	0	0	20.9	0												
7/12/2023	0.1 US	0.1 US	0	0	20.9	0												
10/4/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>MW04-102</b>																		
4/21/2014	0.1 US	0.1 US	0	0	20.7	0												
7/30/2014	0.1 US	0.1 US	0	0	20.5	0												
10/21/2014	0.1 US	0.1 US	0	0	20.9	0												
4/29/2015	0.1 US	0.1 US	0	0	22.4	0												
7/14/2015	0.1 US	0.1 US	0	0	20.8	0												
10/27/2015	0.1 US	0.1 US	0	0	21.5	0												
4/5/2016	0.1 US	0.1 US	0	0	20.6	0												
7/26/2016	0.1 US	0.1 US	0	0	20.4	0												
10/25/2016	0.1 US	0.1 US	0	0	20.6	0												
4/19/2017	0.1 US	0.1 US	0	0	20.2	0												

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



(MW04-102)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide												
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.												
7/25/2017	0.1 US	0.1 US	0	0	20.9	0												
10/25/2017	0.1 US	0.1 US	0	0	20.7	0												
4/3/2018	0.1 US	0.1 US	0	0	21	0												
7/16/2018	0.1 US	0.1 US	0	0	20.5	0												
10/1/2018	0.1 US	0.1 US	0	0	21.1	0												
4/23/2019	0.1 US	0.1 US	0	0	20.9	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												
4/27/2020	0.1 US	0.1 US	0	0	20.9	0												
7/20/2020	0.1 US	0.1 US	0	0	20.9	0												
10/26/2020	0.1 US	0.1 US	0	0	20.9	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
4/25/2022	0.1 US	0.1 US	0	0	20.9	0												
7/18/2022	0.1 US	0.1 US	0	0	20.9	0												
10/3/2022	0.1 US	0.1 US	0	0	20.9	0												
4/17/2023	0.1 US	0.1 US	0	0	20.9	0												
7/10/2023	0.1 US	0.1 US	0	0	20.9	0												
10/2/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>MW04-105</b>																		
4/21/2014	0.1 US	0.1 US	0	0	20.7	0												
7/30/2014	0.1 US	0.1 US	0	0	20.2	0												
10/21/2014	0.1 US	0.1 US	0	0	20.9	0												
4/28/2015	0.1 US	0.1 US	0	0	20.9	0												
7/14/2015	0.1 US	0.1 US	0	0	20.6	0												
10/27/2015	0.1 US	0.1 US	0	0	21.3	0												
4/5/2016	0.1 US	0.1 US	0	0	20.6	0												
7/26/2016	0.1 US	0.1 US	0	0	20.5	0												
10/25/2016	0.1 US	0.1 US	0	0	20.7	0												
4/19/2017	0.1 US	0.1 US	0	0	20.4	0												
7/25/2017	0.1 US	0.1 US	0	0	20.9	0												
10/23/2017	0.1 US	0.1 US	0	0	20.7	0												
4/3/2018	0.1 US	0.1 US	0	0	21	0												
7/16/2018	0.1 US	0.1 US	0	0	20.6	0												
10/1/2018	0.1 US	0.1 US	0	0	21	0												
4/23/2019	0.1 US	0.1 US	0	0	20.9	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												
4/27/2020	0.1 US	0.1 US	0	0	20.8	0												
7/20/2020	0.1 US	0.1 US	0	0	20.9	0												
10/26/2020	0.1 US	0.1 US	0	0	20.9	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
4/25/2022	0.1 US	0.1 US	0	0	20.9	0												
7/18/2022	0.1 US	0.1 US	0	0	20.9	0												
10/3/2022	0.1 US	0.1 US	0	0	20.9	0												
4/17/2023	0.1 US	0.1 US	0	0	20.9	0												



DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



(MW04-105)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
7/10/2023	0.1 US	0.1 US	0	0	20.9	0											
10/2/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW04-109 &amp; MW04-109R</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.7	0											
7/30/2014	0.1 US	0.1 US	0	0	20.5	0											
10/21/2014	0.1 US	0.1 US	0	0	20.9	0											
4/28/2015	0.1 US	0.1 US	0	0	20.7	0											
7/14/2015	0.1 US	0.1 US	0	0	20.6	0											
10/27/2015	0.1 US	0.1 US	0	0	21.5	0											
4/5/2016	0.1 US	0.1 US	0	0	20.6	0											
7/26/2016	0.1 US	0.1 US	0	0	20.5	0											
10/25/2016	0.1 US	0.1 US	0	0	20.7	0											
4/18/2017	0.1 US	0.1 US	0	0	20.9	0											
7/25/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.6	0											
4/3/2018	0.1 US	0.1 US	0	0	21.1	0											
7/16/2018	0.1 US	0.1 US	0	0	20.4	0											
10/2/2018	0.1 US	0.1 US	0	0	21	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/3/2022	0.1 US	0.1 US	0	0	20.9	0											
4/18/2023	0.1 US	0.1 US	0	0	20.9	0											
7/11/2023	0.1 US	0.1 US	0	0	20.9	0											
10/3/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW06-01</b>																	
4/22/2019	0.1 US																
4/23/2019		0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/29/2020	M	M	M	M	M	M											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/28/2022	0.1 US	0.1 US	0	0	20.9	0											
7/20/2022	0.1 US	0.1 US	0	0	20.9	0											
10/5/2022	0.1 US	0.1 US	0	0	20.9	0											
4/19/2023	0.1 US	0.1 US	0	0	20.9	0											

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



(MW06-01)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
7/12/2023	0.1 US	0.1 US	0	0	20.9	0											
10/4/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-08-01</b>																	
7/20/2022	0.1 US	0.1 US	0	0	20.9	0											
10/5/2022	0.1 US	0.1 US	0	0	20.9	0											
4/17/2023	0.1 US	0.1 US	0	0	20.9	0											
7/13/2023	0.1 US	0.1 US	0	0	20.9	0											
10/5/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW09-901</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.7	0											
7/30/2014	0.1 US	0.1 US	0	0	20.7	0											
10/21/2014	0.1 US	0.1 US	0	0	20.9	0											
4/28/2015	0.1 US	0.1 US	0	0	21.2	0											
7/14/2015	0.1 US	0.1 US	0	0	20.6	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/5/2016	0.1 US	0.1 US	0	0	20.6	0											
7/26/2016	0.1 US	0.1 US	0	0	20	0											
10/25/2016	0.1 US	0.1 US	0	0	20.7	0											
4/18/2017	0.1 US	0.1 US	0	0	20.8	0											
7/25/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.6	0											
4/3/2018	0.1 US	0.1 US	0	0	21.1	0											
7/16/2018	0.1 US	0.1 US	0	0	20.4	0											
10/2/2018	0.1 US	0.1 US	0	0	21	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/28/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/3/2022	0.1 US	0.1 US	0	0	20.9	0											
4/18/2023	0.1 US	0.1 US	0	0	20.9	0											
7/11/2023	0.1 US	0.1 US	0	0	20.9	0											
10/3/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-204</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.7	0											
7/30/2014	0.1 US	0.1 US	0	0	20.3	0											
10/21/2014	0.1 US	0.1 US	0	0	20.9	0											
4/29/2015	0.1 US	0.1 US	0	0	21.4	0											
7/14/2015	0.1 US	0.1 US	0	0	20.8	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/6/2016	0.1 US	0.1 US	0	0	19.5	0											
7/26/2016	0.1 US	0.1 US	0	0	20.4	0											

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



(MW-204)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
10/25/2016	0.1 US	0.1 US	0	0	20.6	0											
4/18/2017	0.1 US	0.1 US	0	0	20.9	0											
7/25/2017	0.1 US	0.1 US	0	0	20.4	0											
10/23/2017	0.1 US	0.1 US	0	0	20.7	0											
4/3/2018	0.1 US	0.1 US	0	0	20.9	0											
7/16/2018	0.1 US	0.1 US	0	0	20.6	0											
10/1/2018	0.1 US	0.1 US	0	0	19.8	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.8	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/3/2022	0.1 US	0.1 US	0	0	20.9	0											
4/17/2023	0.1 US	0.1 US	0	0	20.9	0											
7/10/2023	0.1 US	0.1 US	0	0	20.9	0											
10/3/2023	!	!	!	!	!	!											
<b>MW-206</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.6	0											
7/29/2014	0.1 US	0.1 US	0	0	20.2	0											
10/20/2014	0.1 US	0.1 US	0	0	20.9	0											
4/27/2015	0.1 US	0.1 US	0	0	21.9	0											
7/13/2015	0.1 US	0.1 US	0	0	21	0											
10/26/2015	0.1 US	0.1 US	0	0	21	0											
4/4/2016	0.1 US	0.1 US	0	0	20.8	0											
7/26/2016	0.1 US	0.1 US	0	0	20.5	0											
10/24/2016	0.1 US	0.1 US	0	0	20.7	0											
4/17/2017	0.1 US	0.1 US	0	0	21.2	0											
7/24/2017	0.1 US	0.1 US	0	0	20.9	0											
10/23/2017	0.1 US	0.1 US	0	0	20.7	0											
4/2/2018	0.1 US	0.1 US	0	0	20.8	0											
7/16/2018	0.1 US	0.1 US	0	0	20.3	0											
10/1/2018	0.1 US	0.1 US	0	0	20.9	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.8	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.8	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											

REPORT PREPARED: 3/21/2024 06:54

FOR: Juniper Ridge Landfill

DATE RANGE: 4/21/2014 - 10/5/2023

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



Page 10 of 26

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(MW-206)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
10/3/2022	0.1 US	0.1 US	0	0	20.9	0											
4/17/2023	0.1 US	0.1 US	0	0	20.9	0											
7/10/2023	0.1 US	0.1 US	0	0	20.9	0											
10/2/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW11-207R</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.3	0											
7/29/2014	0.1 US	0.1 US	0	0	20.4	0											
10/20/2014	0.1 US	0.1 US	0	0	20.9	0											
4/27/2015	0.1 US	0.1 US	0	0	22.4	0											
7/13/2015	0.1 US	0.1 US	0	0	20.9	0											
10/26/2015	0.1 US	0.1 US	0	0	21.5	0											
4/4/2016	0.1 US	0.1 US	0	0	20.3	0											
7/26/2016	0.1 US	0.1 US	0	0	20.5	0											
10/24/2016	0.1 US	0.1 US	0	0	20.5	0											
4/17/2017	0.1 US	0.1 US	0	0	21.4	0											
7/24/2017	0.1 US	0.1 US	0	0	20.9	0											
10/23/2017	0.1 US	0.1 US	0	0	20.8	0											
4/2/2018	0.1 US	0.1 US	0	0	20.9	0											
7/16/2018	11	11	11	11	11	11											
<b>MW-223A</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.7	0											
7/30/2014	0.1 US	0.1 US	0	0	20.1	0											
10/21/2014	0.1 US	0.1 US	0	0	20.9	0											
4/28/2015	0.1 US	0.1 US	0	0	20.7	0											
7/14/2015	0.1 US	0.1 US	0	0	20.6	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/5/2016	0.1 US	0.1 US	0	0	20.6	0											
7/26/2016	0.1 US	0.1 US	0	0	20	0											
10/25/2016	0.1 US	0.1 US	0	0	20.6	0											
4/18/2017	0.1 US	0.1 US	0	0	20.9	0											
7/25/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.6	0											
4/3/2018	0.1 US	0.1 US	0	0	21.1	0											
7/16/2018	0.1 US	0.1 US	0	0	20.2	0											
10/2/2018	0.1 US	0.1 US	0	0	21.1	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/28/2020	0.1 US	0.1 US	0	0	20.8	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/3/2022	0.1 US	0.1 US	0	0	20.9	0											
4/18/2023	0.1 US	0.1 US	0	0	20.9	0											

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



(MW-223A)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
7/11/2023	0.1 US	0.1 US	0	0	20.9	0											
10/3/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-223B</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.7	0											
7/30/2014	0.1 US	0.1 US	0	0	20.1	0											
10/21/2014	0.1 US	0.1 US	0	0	20.9	0											
4/28/2015	0.1 US	0.1 US	0	0	20.7	0											
7/14/2015	0.1 US	0.1 US	0	0	20.6	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/5/2016	0.1 US	0.1 US	0	0	20.6	0											
7/26/2016	0.1 US	0.1 US	0	0	20.3	0											
10/25/2016	0.1 US	0.1 US	0	0	20.6	0											
4/18/2017	0.1 US	0.1 US	0	0	21	0											
7/25/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.6	0											
4/3/2018	0.1 US	0.1 US	0	0	21.1	0											
7/16/2018	0.1 US	0.1 US	0	0	20.2	0											
10/2/2018	0.1 US	0.1 US	0	0	21.2	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/28/2020	0.1 US	0.1 US	0	0	20.8	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/3/2022	0.1 US	0.1 US	0	0	20.9	0											
4/18/2023	0.1 US	0.1 US	0	0	20.9	0											
7/11/2023	0.1 US	0.1 US	0	0	20.9	0											
10/3/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-227</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.7	0											
7/30/2014	0.1 US	0.1 US	0	0	20.1	0											
10/21/2014	0.1 US	0.1 US	0	0	20.9	0											
4/28/2015	0.1 US	0.1 US	0	0	20.8	0											
7/14/2015	0.1 US	0.1 US	0	0	20.7	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/5/2016	0.1 US	0.1 US	0	0	20.7	0											
7/26/2016	0.1 US	0.1 US	0	0	20.3	0											
10/25/2016	0.1 US	0.1 US	0	0	20.6	0											
4/18/2017	0.1 US	0.1 US	0	0	20.9	0											
7/25/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.6	0											
4/3/2018	0.1 US	0.1 US	0	0	21	0											
7/16/2018	0.1 US	0.1 US	0	0	20.3	0											

REPORT PREPARED: 3/21/2024 06:54

FOR: Juniper Ridge Landfill

DATE RANGE: 4/21/2014 - 10/5/2023

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



(MW-227) Date	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
10/2/2018	0.1 US	0.1 US	0	0	21.1	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/28/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/3/2022	0.1 US	0.1 US	0	0	20.9	0											
4/18/2023	0.1 US	0.1 US	0	0	20.9	0											
7/11/2023	0.1 US	0.1 US	0	0	20.9	0											
10/3/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-301</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.7	0											
7/30/2014	0.1 US	0.1 US	0	0	20.3	0											
10/20/2014	0.1 US	0.1 US	0	0	20.9	0											
4/29/2015	0.1 US	0.1 US	0	0	21	0											
7/14/2015	0.1 US	0.1 US	0	0	20.6	0											
10/27/2015	0.1 US	0.1 US	0	0	21.5	0											
4/6/2016	0.1 US	0.1 US	0	0	19.6	0											
7/27/2016	0.1 US	0.1 US	0	0	18.7	0											
10/25/2016	0.1 US	0.1 US	0	0	20.7	0											
4/19/2017	0.1 US	0.1 US	0	0	20.1	0											
7/25/2017	0.1 US	0.1 US	0	0	20.9	0											
10/25/2017	0.1 US	0.1 US	0	0	20.6	0											
4/3/2018	0.1 US	0.1 US	0	0	21	0											
7/16/2018	0.1 US	0.1 US	0	0	20.6	0											
10/1/2018	0.1 US	0.1 US	0	0	21.2	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/3/2022	0.1 US	0.1 US	0	0	20.9	0											
4/17/2023	0.1 US	0.1 US	0	0	20.9	0											
7/10/2023	0.1 US	0.1 US	0	0	20.9	0											
10/2/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-302 &amp; MW-302R</b>																	

REPORT PREPARED: 3/21/2024 06:54

FOR: Juniper Ridge Landfill

DATE RANGE: 4/21/2014 - 10/5/2023

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



Page 13 of 26

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(MW-302 & MW-302R) Date	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
4/21/2014	0.1 US	0.1 US	0	0	20.7	0											
7/29/2014	0.1 US	0.1 US	0	0	20.3	0											
10/20/2014	0.1 US	0.1 US	0	0	20.9	0											
4/27/2015	0.1 US	0.1 US	0	0	21.9	0											
7/13/2015	0.1 US	0.1 US	0	0	20.9	0											
10/26/2015	0.1 US	0.1 US	0	0	21.3	0											
4/4/2016	0.1 US	0.1 US	0	0	20.6	0											
7/25/2016	0.1 US	0.1 US	0	0	20.5	0											
10/24/2016	0.1 US	0.1 US	0	0	20.6	0											
4/17/2017	0.1 US	0.1 US	0	0	21.3	0											
7/24/2017	0.1 US	0.1 US	0	0	20.9	0											
10/23/2017	0.1 US	0.1 US	0	0	20.7	0											
4/2/2018	0.1 US	0.1 US	0	0	20.8	0											
7/16/2018	0.1 US	0.1 US	0	0	20.5	0											
10/1/2018	0.1 US	0.1 US	0	0	19.8	0											
4/22/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/3/2022	DE	DE	DE	DE	DE	DE											
<b>MW-303 &amp; MW12-303R</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.7	0											
7/29/2014	0.1 US	0.1 US	0	0	20.2	0											
10/20/2014	0.1 US	0.1 US	0	0	20.9	0											
4/27/2015	0.1 US	0.1 US	0	0	21.9	0											
7/13/2015	0.1 US	0.1 US	0	0	21	0											
10/26/2015	0.1 US	0.1 US	0	0	21	0											
4/4/2016	0.1 US	0.1 US	0	0	20.6	0											
7/25/2016	0.1 US	0.1 US	0	0	20.4	0											
10/24/2016	0.1 US	0.1 US	0	0	20.6	0											
4/17/2017	0.1 US	0.1 US	0	0	21.3	0											
7/24/2017	0.1 US	0.1 US	0	0	20.9	0											
10/23/2017	0.1 US	0.1 US	0	0	20.7	0											
4/2/2018	0.1 US	0.1 US	0	0	21	0											
7/16/2018	0.1 US	0.1 US	0	0	20.9	0											
10/1/2018	0.1 US	0.1 US	0	0	20.9	0											
4/22/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.7	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



(MW-303 & MW12-303R) Date	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/3/2022	0.1 US	0.1 US	0	0	20.9	0											
4/17/2023	0.1 US	0.1 US	0	0	20.9	0											
7/10/2023	0.1 US	0.1 US	0	0	20.9	0											
10/2/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-304A</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.5	0											
7/29/2014	0.1 US	0.1 US	0	0	20.4	0											
10/20/2014	0.1 US	0.1 US	0	0	20.9	0											
4/27/2015	0.1 US	0.1 US	0	0	21.9	0											
7/13/2015	0.1 US	0.1 US	0	0	20.6	0											
10/26/2015	0.1 US	0.1 US	0	0	21.3	0											
4/4/2016	0.1 US	0.1 US	0	0	20	0											
7/25/2016	0.1 US	0.1 US	0	0	20.7	0											
10/24/2016	0.1 US	0.1 US	0	0	20.5	0											
4/17/2017	0.1 US	0.1 US	0	0	21.4	0											
7/24/2017	0.1 US	0.1 US	0	0	20.9	0											
10/23/2017	0.1 US	0.1 US	0	0	20.7	0											
4/2/2018	0.1 US	0.1 US	0	0	20.9	0											
7/16/2018	11	11	11	11	11	11											
<b>MW-401A</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.5	0											
7/29/2014	0.1 US	0.1 US	0	0	20.4	0											
10/20/2014	0.1 US	0.1 US	0	0	20.9	0											
4/27/2015	0.1 US	0.1 US	0	0	20.9	0											
7/13/2015	0.1 US	0.1 US	0	0	20.9	0											
10/26/2015	0.1 US	0.1 US	0	0	21.3	0											
4/6/2016	0.1 US	0.1 US	0	0	19.5	0											
7/25/2016	0.1 US	0.1 US	0	0	20.2	0											
10/24/2016	0.1 US	0.1 US	0	0	20.6	0											
4/17/2017	0.1 US	0.1 US	0	0	21.2	0											
7/24/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.6	0											
4/2/2018	0.1 US	0.1 US	0	0	20.9	0											
7/16/2018	0.1 US	0.1 US	0	0	20.4	0											
10/1/2018	0.1 US	0.1 US	0	0	21.1	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											



DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



(MW-401A)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/3/2022	0.1 US	0.1 US	0	0	20.9	0											
4/17/2023	0.1 US	0.1 US	0	0	20.9	0											
7/10/2023	0.1 US	0.1 US	0	0	20.9	0											
10/2/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-401B</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.5	0											
7/29/2014	0.1 US	0.1 US	0	0	20.4	0											
10/20/2014	0.1 US	0.1 US	0	0	20.9	0											
4/27/2015	0.1 US	0.1 US	0	0	20.9	0											
7/13/2015	0.1 US	0.1 US	0	0	20.9	0											
10/26/2015	0.1 US	0.1 US	0	0	21.3	0											
4/6/2016	0.1 US	0.1 US	0	0	19.5	0											
7/25/2016	0.1 US	0.1 US	0	0	20.3	0											
10/24/2016	0.1 US	0.1 US	0	0	20.6	0											
4/17/2017	0.1 US	0.1 US	0	0	21.2	0											
7/24/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.7	0											
4/2/2018	0.1 US	0.1 US	0	0	20.9	0											
7/16/2018	0.1 US	0.1 US	0	0	20.4	0											
10/1/2018	0.1 US	0.1 US	0	0	21.1	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/3/2022	0.1 US	0.1 US	0	0	20.9	0											
4/17/2023	0.1 US	0.1 US	0	0	20.9	0											
7/10/2023	0.1 US	0.1 US	0	0	20.9	0											
10/2/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-402A</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.6	0											
7/30/2014	0.1 US	0.1 US	0	0	20.7	0											
10/22/2014	0.1 US	0.1 US	0	0	21	0											
4/29/2015	0.1 US	0.1 US	0	0	21.3	0											
7/15/2015	0.1 US	0.1 US	0	0	20.9	0											
10/28/2015	0.1 US	0.1 US	0	0	21.9	0											
4/6/2016	0.1 US	0.1 US	0	0	20	0											
7/27/2016	0.1 US	0.1 US	0	0	19.9	0											
10/26/2016	0.1 US	0.1 US	0	0	20.7	0											

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



(MW-402A)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide												
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.												
4/19/2017	0.1 US	0.1 US	0	0	21.2	0												
7/26/2017	0.1 US	0.1 US	0	0	20.9	0												
10/24/2017	0.1 US	0.1 US	0	0	20.6	0												
4/4/2018	0.1 US	0.1 US	0	0	20.5	0												
7/16/2018	0.1 US	0.1 US	0	0	20.5	0												
10/1/2018	0.1 US	0.1 US	0	0	21	0												
4/23/2019	0.1 US	0.1 US	0	0	20.9	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												
4/27/2020	0.1 US	0.1 US	0	0	20.8	0												
7/20/2020	0.1 US	0.1 US	0	0	20.8	0												
10/26/2020	0.1 US	0.1 US	0	0	20.9	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
4/25/2022	0.1 US	0.1 US	0	0	20.9	0												
7/18/2022	0.1 US	0.1 US	0	0	20.9	0												
10/3/2022	0.1 US	0.1 US	0	0	20.9	0												
4/17/2023	0.1 US	0.1 US	0	0	20.9	0												
7/10/2023	0.1 US	0.1 US	0	0	20.9	0												
10/2/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>MW-402B</b>																		
4/21/2014	0.1 US	0.1 US	0	0	20.6	0												
7/30/2014	0.1 US	0.1 US	0	0	20.7	0												
10/22/2014	0.1 US	0.1 US	0	0	21	0												
4/29/2015	0.1 US	0.1 US	0	0	21.3	0												
7/15/2015	0.1 US	0.1 US	0	0	20.9	0												
10/28/2015	0.1 US	0.1 US	0	0	21.9	0												
4/6/2016	0.1 US	0.1 US	0	0	20	0												
7/27/2016	0.1 US	0.1 US	0	0	19.9	0												
10/26/2016	0.1 US	0.1 US	0	0	20.7	0												
4/19/2017	0.1 US	0.1 US	0	0	19.9	0												
7/26/2017	0.1 US	0.1 US	0	0	20.9	0												
10/24/2017	0.1 US	0.1 US	0	0	20.6	0												
4/4/2018	0.1 US	0.1 US	0	0	20.6	0												
7/16/2018	0.1 US	0.1 US	0	0	20.5	0												
10/1/2018	0.1 US	0.1 US	0	0	21	0												
4/23/2019	0.1 US	0.1 US	0	0	20.9	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												
4/27/2020	0.1 US	0.1 US	0	0	20.9	0												
7/20/2020	0.1 US	0.1 US	0	0	20.9	0												
10/26/2020	0.1 US	0.1 US	0	0	20.8	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
4/25/2022	0.1 US	0.1 US	0	0	20.9	0												
7/18/2022	0.1 US	0.1 US	0	0	20.9	0												
10/3/2022	0.1 US	0.1 US	0	0	20.9	0												

REPORT PREPARED: 3/21/2024 06:54

FOR: Juniper Ridge Landfill

DATE RANGE: 4/21/2014 - 10/5/2023

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



Page 17 of 26

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(MW-402B)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
4/17/2023	0.1 US	0.1 US	0	0	20.9	0											
7/10/2023	0.1 US	0.1 US	0	0	20.9	0											
10/2/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-501</b>																	
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/29/2020	M	M	M	M	M	M											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/28/2022	0.1 US	0.1 US	0	0	20.9	0											
7/20/2022	0.1 US	0.1 US	0	0	20.9	0											
10/5/2022	0.1 US	0.1 US	0	0	20.9	0											
4/19/2023	0.1 US	0.1 US	0	0	20.9	0											
7/12/2023	0.1 US	0.1 US	0	0	20.9	0											
10/4/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-502</b>																	
7/13/2021	0.1 US	0.1 US	0	0	20.9	0											
10/6/2021	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/5/2022	0.1 US	0.1 US	0	0	20.9	0											
4/19/2023	0.1 US	0.1 US	0	0	20.9	0											
7/12/2023	0.1 US	0.1 US	0	0	20.9	0											
10/4/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-503</b>																	
7/20/2022	0.1 US	0.1 US	0	0	20.9	0											
10/5/2022	0.1 US	0.1 US	0	0	20.9	0											
4/20/2023	0.1 US	0.1 US	0	0	20.9	0											
7/13/2023	0.1 US	0.1 US	0	0	20.9	0											
10/4/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-504</b>																	
4/20/2023	0.1 US	0.1 US	0	0	20.9	0											
7/13/2023	0.1 US	0.1 US	0	0	20.9	0											
10/5/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-505</b>																	
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/5/2022	0.1 US	0.1 US	0	0	20.9	0											
4/20/2023	0.1 US	0.1 US	0	0	20.9	0											
7/13/2023	0.1 US	0.1 US	0	0	20.9	0											
10/4/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-506</b>																	
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/5/2022	0.1 US	0.1 US	0	0	20.9	0											

REPORT PREPARED: 3/21/2024 06:54

FOR: Juniper Ridge Landfill

DATE RANGE: 4/21/2014 - 10/5/2023

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



Page 18 of 26

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(MW-506)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
4/18/2023	0.1 US	0.1 US	0	0	20.9	0											
7/11/2023	0.1 US	0.1 US	0	0	20.9	0											
10/4/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-507</b>																	
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/6/2021	0.1 US	0.1 US	0	0	20.9	0											
7/20/2022	0.1 US	0.1 US	0	0	20.9	0											
10/5/2022	0.1 US	0.1 US	0	0	20.9	0											
4/19/2023	0.1 US	0.1 US	0	0	20.9	0											
7/13/2023	0.1 US	0.1 US	0	0	20.9	0											
10/5/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>MW-508</b>																	
4/19/2023	0.1 US	0.1 US	0	0	20.9	0											
7/13/2023	0.1 US	0.1 US	0	0	20.9	0											
10/4/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>OW-06-03</b>																	
4/23/2019	0.1 US	0.1 US	0	0	15.6	0											
7/15/2019	0.1 US	0.1 US	0	0	20.4	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/29/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	13	0.1 US	0	0	13.2	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/28/2022	0.1 US	0.1 US	0	0	20.9	0											
7/20/2022	0.1 US	0.1 US	0	0	20.9	0											
4/20/2023	0.1 US	0.1 US	0	0	20.9	0											
7/12/2023	0.1 US	0.1 US	0	0	20.9	0											
10/4/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>OW-601A</b>																	
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/29/2020	M	M	M	M	M	M											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.8	0											
7/12/2021	0.1 US	0.1 US	0	0	20.8	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/28/2022	0.1 US	0.1 US	0	0	20.9	0											
7/21/2022	0.1 US	0.1 US	0	0	20.9	0											
10/6/2022	0.1 US	0.1 US	0	0	20.9	0											
4/20/2023	0.1 US	0.1 US	0	0	20.9	0											
7/12/2023	0.1 US	0.1 US	0	0	20.9	0											
10/5/2023	0.1 US	0.1 US	0	0	20.9	0											

REPORT PREPARED: 3/21/2024 06:54

FOR: Juniper Ridge Landfill

DATE RANGE: 4/21/2014 - 10/5/2023

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



Page 19 of 26

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(OW-601B)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide												
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.												
<b>OW-601B</b>																		
4/23/2019	0.1 US	0.1 US	0	0	20.9	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												
4/29/2020	M	M	M	M	M	M												
7/20/2020	0.1 US	0.1 US	0	0	20.9	0												
10/26/2020	0.1 US	0.1 US	0	0	20.9	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
4/28/2022	0.1 US	0.1 US	0	0	20.9	0												
7/21/2022	0.1 US	0.1 US	0	0	20.9	0												
10/6/2022	0.1 US	0.1 US	0	0	20.9	0												
4/20/2023	0.1 US	0.1 US	0	0	20.9	0												
7/12/2023	0.1 US	0.1 US	0	0	20.9	0												
10/5/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>OW-602A</b>																		
4/23/2019	0.1 US	0.1 US	0	0	20.9	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												
4/29/2020	M	M	M	M	M	M												
7/20/2020	0.1 US	0.1 US	0	0	20.9	0												
10/26/2020	0.1 US	0.1 US	0	0	20.9	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
4/28/2022	0.1 US	0.1 US	0	0	20.9	0												
7/21/2022	0.1 US	0.1 US	0	0	20.9	0												
10/6/2022	0.1 US	0.1 US	0	0	20.9	0												
4/20/2023	0.1 US	0.1 US	0	0	20.9	0												
7/12/2023	0.1 US	0.1 US	0	0	20.9	0												
10/4/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>OW-602B</b>																		
7/19/2022	0.1 US	0.1 US	0	0	20.9	0												
<b>OW-603B</b>																		
4/23/2019	0.1 US	0.1 US	0	0	8.6	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												
4/29/2020	0.1 US	0.1 US	0	0	20.9	0												
7/20/2020	0.1 US	0.1 US	0	0	4.7	0												
10/26/2020	0.1 US	0.1 US	0	0	20.8	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
4/28/2022	0.1 US	0.1 US	0	0	20.9	0												
7/21/2022	0.1 US	0.1 US	0	0	20.9	0												
10/6/2022	0.1 US	0.1 US	0	0	20.9	0												

REPORT PREPARED: 3/21/2024 06:54

FOR: Juniper Ridge Landfill

DATE RANGE: 4/21/2014 - 10/5/2023

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



(OW-603B)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
4/20/2023	0.1 US	0.1 US	0	0	20.9	0											
7/12/2023	0.1 US	0.1 US	0	0	20.9	0											
10/4/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>OW-604A</b>																	
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/29/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/28/2022	0.1 US	0.1 US	0	0	20.9	0											
7/21/2022	0.1 US	0.1 US	0	0	20.9	0											
10/6/2022	0.1 US	0.1 US	0	0	20.9	0											
4/20/2023	0.1 US	0.1 US	0	0	20.9	0											
7/12/2023	0.1 US	0.1 US	0	0	20.9	0											
10/4/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>OW-605A</b>																	
7/13/2021	0.1 US	0.1 US	0	0	20.9	0											
10/6/2021	0.1 US	0.1 US	0	0	20.9	0											
7/19/2022	0.1 US	0.1 US	0	0	20.9	0											
10/5/2022	0.1 US	0.1 US	0	0	20.9	0											
4/20/2023	0.1 US	0.1 US	0	0	20.9	0											
7/12/2023	0.1 US	0.1 US	0	0	20.9	0											
10/4/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>OW-606A</b>																	
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
10/6/2021	0.1 US	0.1 US	0	0	20.9	0											
7/19/2022	0.1 US	0.1 US	0	0	20.9	0											
10/5/2022	0.1 US	0.1 US	0	0	20.9	0											
4/19/2023	0.1 US	0.1 US	0	0	20.9	0											
7/12/2023	0.1 US	0.1 US	0	0	20.9	0											
10/4/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>OW-606B</b>																	
7/12/2021	0.1 US	0.1 US	0	0	20.9	0											
7/19/2022	0.1 US	0.1 US	0	0	20.9	0											
10/5/2022	0.1 US	0.1 US	0	0	20.9	0											
4/19/2023	0.1 US	0.1 US	0	0	20.9	0											
7/12/2023	0.1 US	0.1 US	0	0	20.9	0											
10/5/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>OW-607B</b>																	
4/20/2023	0.1 US	0.1 US	0	0	20.9	0											
7/13/2023	0.1 US	0.1 US	0	0	20.9	0											
10/5/2023	0.1 US	0.1 US	0	0	20.9	0											

REPORT PREPARED: 3/21/2024 06:54

FOR: Juniper Ridge Landfill

DATE RANGE: 4/21/2014 - 10/5/2023

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



Page 21 of 26

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(OW-608A)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide												
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.												
<b>OW-608A</b>																		
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/6/2021	0.1 US	0.1 US	0	0	20.9	0												
7/18/2022	0.1 US	0.1 US	0	0	20.9	0												
10/5/2022	0.1 US	0.1 US	0	0	20.9	0												
4/19/2023	0.1 US	0.1 US	0	0	20.9	0												
7/13/2023	0.1 US	0.1 US	0	0	20.9	0												
10/5/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>OW-608B</b>																		
10/5/2022	0.1 US	0.1 US	0	0	20.9	0												
4/19/2023	0.1 US	0.1 US	0	0	20.9	0												
7/13/2023	0.1 US	0.1 US	0	0	20.9	0												
10/5/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>OW-609B</b>																		
7/18/2022	0.1 US	0.1 US	0	0	20.9	0												
10/5/2022	0.1 US	0.1 US	0	0	20.9	0												
4/18/2023	0.1 US	0.1 US	0	0	20.9	0												
7/11/2023	0.1 US	0.1 US	0	0	20.9	0												
10/4/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>OW-610A</b>																		
4/18/2023	0.1 US	0.1 US	0	0	20.9	0												
7/13/2023	0.1 US	0.1 US	0	0	20.9	0												
10/5/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>OW-611A</b>																		
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/6/2021	0.1 US	0.1 US	0	0	20.9	0												
7/20/2022	0.1 US	0.1 US	0	0	20.9	0												
10/5/2022	0.1 US	0.1 US	0	0	20.9	0												
4/20/2023	0.1 US	0.1 US	0	0	20.9	0												
7/13/2023	0.1 US	0.1 US	0	0	20.9	0												
10/5/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>P-04-02 &amp; P-04-02R</b>																		
7/15/2015	0.1 US	0.1 US	0	0	20.8	0												
10/28/2015	0.1 US	0.1 US	0	0	21.9	0												
4/6/2016	0.1 US	0.1 US	0	0	21	0												
7/27/2016	0.1 US	0.1 US	0	0	19.6	0												
10/26/2016	0.1 US	0.1 US	0	0	20.8	0												
4/19/2017	0.1 US	0.1 US	0	0	20.2	0												
7/26/2017	0.1 US	0.1 US	0	0	20.9	0												
10/25/2017	0.1 US	0.1 US	0	0	20.7	0												
4/3/2018	0.1 US	0.1 US	0	0	21	0												
7/16/2018	0.1 US	0.1 US	0	0	20.3	0												
10/1/2018	0.1 US	0.1 US	0	0	21.1	0												
4/22/2019	0.1 US	0.1 US	0	0	20.9	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												

REPORT PREPARED: 3/21/2024 06:54

FOR: Juniper Ridge Landfill

DATE RANGE: 4/21/2014 - 10/5/2023

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



<b>(P-04-02 &amp; P-04-02R)</b>		Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.												
4/27/2020	0.1 US	0.1 US	0	0	20.9	0												
7/20/2020	0.1 US	0.1 US	0	0	20.9	0												
10/26/2020	0.1 US	0.1 US	0	0	20.9	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
4/25/2022	0.1 US	0.1 US	0	0	20.9	0												
7/19/2022	0.1 US	0.1 US	0	0	20.9	0												
10/3/2022	0.1 US	0.1 US	0	0	20.9	0												
4/17/2023	0.1 US	0.1 US	0	0	20.9	0												
7/10/2023	0.1 US	0.1 US	0	0	20.9	0												
10/2/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>P-04-04</b>																		
4/21/2014	0.1 US	0.1 US	0	0	20.7	0												
7/30/2014	0.1 US	0.1 US	0	0	20.6	0												
10/22/2014	0.1 US	0.1 US	0	0	20.9	0												
4/29/2015	0.1 US	0.1 US	0	0	21.7	0												
7/15/2015	0.1 US	0.1 US	0	0	20.8	0												
10/28/2015	0.1 US	0.1 US	0	0	21.9	0												
4/6/2016	0.1 US	0.1 US	0	0	21	0												
7/27/2016	0.1 US	0.1 US	0	0	19.6	0												
10/26/2016	0.1 US	0.1 US	0	0	20.8	0												
4/19/2017	0.1 US	0.1 US	0	0	21.2	0												
7/26/2017	0.1 US	0.1 US	0	0	20.9	0												
10/25/2017	0.1 US	0.1 US	0	0	20.6	0												
4/3/2018	0.1 US	0.1 US	0	0	21	0												
7/16/2018	0.1 US	0.1 US	0	0	20.3	0												
10/1/2018	0.1 US	0.1 US	0	0	21.1	0												
4/22/2019	0.1 US	0.1 US	0	0	20.9	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												
4/27/2020	0.1 US	0.1 US	0	0	20.9	0												
7/20/2020	0.1 US	0.1 US	0	0	20.9	0												
10/26/2020	0.1 US	0.1 US	0	0	20.9	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
4/25/2022	0.1 US	0.1 US	0	0	20.9	0												
7/19/2022	0.1 US	0.1 US	0	0	20.9	0												
10/3/2022	0.1 US	0.1 US	0	0	20.9	0												
4/17/2023	0.1 US	0.1 US	0	0	20.9	0												
7/10/2023	0.1 US	0.1 US	0	0	20.9	0												
10/2/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>P-04-07A</b>																		
4/19/2023	0.1 US	0.1 US	0	0	20.9	0												
7/13/2023	0.1 US	0.1 US	0	0	20.9	0												
10/5/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>P-04-07B</b>																		



REPORT PREPARED: 3/21/2024 06:54

FOR: Juniper Ridge Landfill

DATE RANGE: 4/21/2014 - 10/5/2023

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



(P-04-07B)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide												
	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.												
4/19/2023	0.1 US	0.1 US	0	0	20.9	0												
7/13/2023	0.1 US	0.1 US	0	0	20.9	0												
10/5/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>P-04-11A</b>																		
7/20/2022	0.1 US	0.1 US	0	0	20.9	0												
10/5/2022	0.1 US	0.1 US	0	0	20.9	0												
4/20/2023	0.1 US	0.1 US	0	0	20.9	0												
7/12/2023	0.1 US	0.1 US	0	0	20.9	0												
10/5/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>P-04-11B</b>																		
7/20/2022	0.1 US	0.1 US	0	0	20.9	0												
10/5/2022	0.1 US	0.1 US	0	0	20.9	0												
4/20/2023	0.1 US	0.1 US	0	0	20.9	0												
7/12/2023	0.1 US	0.1 US	0	0	20.9	0												
10/5/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>P-206A</b>																		
4/21/2014	0.1 US	0.1 US	0	0	20.7	0												
7/29/2014	0.1 US	0.1 US	0	0	20.6	0												
10/20/2014	0.1 US	0.1 US	0	0	20.9	0												
4/27/2015	0.1 US	0.1 US	0	0	21.9	0												
7/13/2015	0.1 US	0.1 US	0	0	21	0												
10/26/2015	0.1 US	0.1 US	0	0	21	0												
4/4/2016	0.1 US	0.1 US	0	0	20.8	0												
7/25/2016	0.1 US	0.1 US	0	0	20.5	0												
10/24/2016	0.1 US	0.1 US	0	0	20.7	0												
4/17/2017	0.1 US	0.1 US	0	0	21.2	0												
7/24/2017	0.1 US	0.1 US	0	0	20.9	0												
10/23/2017	0.1 US	0.1 US	0	0	20.7	0												
4/2/2018	0.1 US	0.1 US	0	0	20.8	0												
7/16/2018	0.1 US	0.1 US	0	0	20.3	0												
10/1/2018	0.1 US	0.1 US	0	0	20.9	0												
4/22/2019	0.1 US	0.1 US	0	0	20.9	0												
7/15/2019	0.1 US	0.1 US	0	0	20.9	0												
10/28/2019	0.1 US	0.1 US	0	0	20.9	0												
4/27/2020	0.1 US	0.1 US	0	0	20.8	0												
7/20/2020	0.1 US	0.1 US	0	0	20.9	0												
10/26/2020	0.1 US	0.1 US	0	0	20.9	0												
4/5/2021	0.1 US	0.1 US	0	0	20.9	0												
7/12/2021	0.1 US	0.1 US	0	0	20.9	0												
10/4/2021	0.1 US	0.1 US	0	0	20.9	0												
4/25/2022	0.1 US	0.1 US	0	0	20.9	0												
7/18/2022	0.1 US	0.1 US	0	0	20.9	0												
10/3/2022	0.1 US	0.1 US	0	0	20.9	0												
4/17/2023	0.1 US	0.1 US	0	0	20.9	0												
7/10/2023	0.1 US	0.1 US	0	0	20.9	0												
10/2/2023	0.1 US	0.1 US	0	0	20.9	0												
<b>W Property Line A</b>																		

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



(W Property Line A)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
4/21/2014	0.1 US	0.1 US	0	0	20.6	0											
7/30/2014	0.1 US	0.1 US	0	0	20.7	0											
10/20/2014	0.1 US	0.1 US	0	0	20.9	0											
4/27/2015	0.1 US	0.1 US	0	0	21.4	0											
7/15/2015	0.1 US	0.1 US	0	0	20.9	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/4/2016	0.1 US	0.1 US	0	0	20.6	0											
7/25/2016	0.1 US	0.1 US	0	0	20.2	0											
10/25/2016	0.1 US	0.1 US	0	0	20.7	0											
4/18/2017	0.1 US	0.1 US	0	0	20.8	0											
7/26/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.6	0											
4/4/2018	0.1 US	0.1 US	0	0	20.8	0											
7/16/2018	0.1 US	0.1 US	0	0	20.5	0											
10/1/2018	0.1 US	0.1 US	0	0	21.1	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/13/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/3/2022	0.1 US	0.1 US	0	0	20.9	0											
4/17/2023	0.1 US	0.1 US	0	0	20.9	0											
7/12/2023	0.1 US	0.1 US	0	0	20.9	0											
10/2/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>W Property Line B</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.7	0											
7/30/2014	0.1 US	0.1 US	0	0	20.6	0											
10/20/2014	0.1 US	0.1 US	0	0	20.9	0											
4/27/2015	0.1 US	0.1 US	0	0	21.4	0											
7/15/2015	0.1 US	0.1 US	0	0	20.9	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/4/2016	0.1 US	0.1 US	0	0	20.6	0											
7/25/2016	0.1 US	0.1 US	0	0	20.1	0											
10/25/2016	0.1 US	0.1 US	0	0	20.7	0											
4/18/2017	0.1 US	0.1 US	0	0	20.8	0											
7/26/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.7	0											
4/4/2018	0.1 US	0.1 US	0	0	20.7	0											
7/16/2018	0.1 US	0.1 US	0	0	20.4	0											
10/1/2018	0.1 US	0.1 US	0	0	21.1	0											
4/23/2019	0.1 US	0.1 US	0	0	20.9	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.8	0											

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



(W Property Line B)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide											
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/13/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/3/2022	0.1 US	0.1 US	0	0	20.9	0											
4/17/2023	0.1 US	0.1 US	0	0	20.9	0											
7/12/2023	0.1 US	0.1 US	0	0	20.9	0											
10/2/2023	0.1 US	0.1 US	0	0	20.9	0											
<b>S Property Line</b>																	
4/21/2014	0.1 US	0.1 US	0	0	20.6	0											
7/30/2014	0.1 US	0.1 US	0	0	20.6	0											
10/20/2014	0.1 US	0.1 US	0	0	20.9	0											
4/27/2015	0.1 US	0.1 US	0	0	21.3	0											
7/15/2015	0.1 US	0.1 US	0	0	20.8	0											
10/27/2015	0.1 US	0.1 US	0	0	21.3	0											
4/4/2016	0.1 US	0.1 US	0	0	20.6	0											
7/25/2016	0.1 US	0.1 US	0	0	20	0											
10/25/2016	0.1 US	0.1 US	0	0	20.7	0											
4/18/2017	0.1 US	0.1 US	0	0	20.8	0											
7/26/2017	0.1 US	0.1 US	0	0	20.9	0											
10/24/2017	0.1 US	0.1 US	0	0	20.7	0											
4/4/2018	0.1 US	0.1 US	0	0	20.8	0											
7/16/2018	0.1 US	0.1 US	0	0	20.5	0											
10/1/2018	0.1 US	0.1 US	0	0	21	0											
4/23/2019	0.1 US	0.1 US	0	0	20.7	0											
7/15/2019	0.1 US	0.1 US	0	0	20.9	0											
10/28/2019	0.1 US	0.1 US	0	0	20.9	0											
4/27/2020	0.1 US	0.1 US	0	0	20.9	0											
7/20/2020	0.1 US	0.1 US	0	0	20.9	0											
10/26/2020	0.1 US	0.1 US	0	0	20.9	0											
4/5/2021	0.1 US	0.1 US	0	0	20.9	0											
7/13/2021	0.1 US	0.1 US	0	0	20.9	0											
10/4/2021	0.1 US	0.1 US	0	0	20.9	0											
4/25/2022	0.1 US	0.1 US	0	0	20.9	0											
7/18/2022	0.1 US	0.1 US	0	0	20.9	0											
10/3/2022	0.1 US	0.1 US	0	0	20.9	0											
4/17/2023	0.1 US	0.1 US	0	0	20.9	0											
7/12/2023	0.1 US	0.1 US	0	0	20.9	0											
10/2/2023	0.1 US	0.1 US	0	0	20.9	0											

REPORT PREPARED: 3/21/2024 06:54  
FOR: Juniper Ridge Landfill  
DATE RANGE: 4/21/2014 - 10/5/2023

DATA SUMMARY TABLE  
Methane - H2S - Oxygen - CO2 - Report



Page 26 of 26

SEVEE & MAHER ENGINEERS, INC.  
4 BLANCHARD ROAD  
CUMBERLAND CENTER, ME 04021

(S Property Line)	Methane Equivalent	Methane Equivalent (Ambient)	Hydrogen Sulfide (Ambient)	Hydrogen Sulfide	Oxygen	Carbon Dioxide
Date	% Vol.	% Vol.	ppm	ppm	% Vol.	% Vol.

**Notes:** TYPE - Sample Type Qualifier where D = Duplicate Sample.

**Concentration Qualifier Notes:**

- ! - The sampling location was damaged or destroyed.
- !1 - The sampling location was damaged or destroyed, and has been discontinued.
- DE - Decommissioned Location
- M - Results are missing or not reliable due to a meter malfunction.
- US - Not Detected above the reported reporting limit determined by interpreted instrument specification.

**ATTACHMENT G**  
**Landfill Gas Monitoring Evaluation**

**JUNIPER RIDGE LANDFILL**  
**2023 ANNUAL GAS MONITORING**  
**EVALUATION**



Operated by NEWSME Landfill Operations, LLC  
2828 Bennoch Road, Old Town, Maine 04468 • (207) 394-4372

## **TABLE OF CONTENTS**

<u>Section No.</u>	<u>Title</u>	<u>Page No.</u>
1.0	INTRODUCTION .....	1
2.0	WELL FIELD ACTIVITY .....	1
2.1	Active, New, and Discontinued Well Heads.....	1
2.2	Changes and Anomalies in Well Field .....	5
3.0	LANDFILL GAS COMPOSITION .....	5
4.0	LANDFILL GAS FLOW .....	7
5.0	ENERGY GENERATED BY METHANE COMBUSTION .....	8
6.0	SUMMARY .....	10

## **LIST OF TABLES**

<u>Table No.</u>	<u>Title</u>	<u>Page No.</u>
2-1	Well Heads Monitored at JRL, 2023.....	2
4-1	Volumetric Flow of Landfill Gas at JRL, 2022 & 2023 .....	7
5-1	Energy Generated by CH <sub>4</sub> Combustion at JRL, 2022 & 2023 .....	9

## **LIST OF FIGURES**

<u>Figure No.</u>	<u>Title</u>	<u>Page No.</u>
3-1	Monthly Average CH <sub>4</sub> and O <sub>2</sub> Concentrations at JRL, 2022 & 2023 .....	6
4-1	Monthly Average Landfill Gas Flow Rate at JRL, 2022 & 2023 .....	8
5-1	Monthly Energy Generated by CH <sub>4</sub> Combustion at the JRL Flare, 2022 & 2023 .....	9
5-2	Avg. Daily Energy Generated by CH <sub>4</sub> Combustion at JRL, 2022 & 2023 .....	10

## **1.0 INTRODUCTION**

In accordance with the Maine Department of Environmental Protection (MEDEP) Chapter 401, Solid Waste Management Rules, Section 401.4.D(4)(d), an evaluation of the gas monitoring results for Juniper Ridge Landfill's (JRL) past year, including a comparison of the past year's results to the previous year's results is provided below.

Throughout 2023, the following regular landfill gas (LFG) monitoring activities occurred at JRL: (1) well-tuning of LFG collection trenches and wells (well heads), (2) continuous flow and temperature measurement at the landfill gas combustion flare, and (3) landfill gas composition measurement during well-tuning activities at the landfill gas combustion flare.

Additionally, JRL is subject to 40 Code of Federal Regulations (CFR) Part 60 Subpart XXX (the New Source Performance Standards [NSPS] for Municipal Solid Waste [MSW] landfills) and the operational standards of 40 CFR Part 63 Subpart AAAA (the National Emission Standard for Hazardous Air Pollutants [NESHAP] for MSW landfills). Reports completed in accordance with NSPS requirements are submitted separately to the MEDEP Bureau of Air Quality.

On March 26, 2020, NESHAP Subpart AAAA was updated with changes required to take effect by September 2021. JRL began complying with the changes as of the issuance date of air emission license A-921-70-H-A (1/6/2021), including the increased default LFG operating temperature limit of 145 degrees Fahrenheit (°F).

## **2.0 WELL FIELD ACTIVITY**

During 2023, well field activities consisted of the addition of new infrastructure, as well as discontinuing older infrastructure due to malfunction, insufficient methane production or redundancy. Anomalies associated with routine operation of the well field were also monitored. A summary is provided below.

### **2.1 Active, New, and Discontinued Well Heads**

At the beginning of 2023, the JRL well field consisted of approximately 205 active collection devices. During 2023, 1 gas collection trench, 3 vertical wells and 1 other additional odor collector were discontinued or replaced. Prior to discontinuing vertical wells, JRL first sought MEDEP approval. Prior to discontinuing gas collection trenches, which are designed as temporary collectors, JRL first notified MEDEP. Table 2-1 shows all well heads that were monitored during 2023, as well as their status as of the end of the year. By the end of 2023, approximately 254 gas collection devices remained active.



**Table 2-1 Well Heads Monitored at JRL, 2023**

ID	Type	Status	ID	Type	Status
GW-33R-2	Gas Well	Active	JR-GW-75	Gas Well	Active
GW-43	Gas Well	Active	JR-GW-78	Gas Well	Active
JR-GW--I	Gas Well	Active	JR-GW-79	Gas Well	Active
JR-GW--L	Gas Well	Active	JR-GW-80	Gas Well	Active
JR-GW--S	Gas Well	Active	JR-GW-81	Gas Well	Active
JR-GW--U	Gas Well	Active	JR-GW-82	Gas Well	Active
JR-GW--V	Gas Well	Active	JR-GW-83	Gas Well	Active
JR-GW-05	Gas Well	Active	JR-GW-84	Gas Well	Active
JR-GW-09	Gas Well	Active	JR-GW-85	Gas Well	Active
JR-GW-11	Gas Well	Active	JR-GW-86	Gas Well	Active
JR-GW-13	Gas Well	Active	JR-GW-87	Gas Well	Active
JR-GW-18	Gas Well	Active	JR-GW-88	Gas Well	Active
JR-GW-26	Gas Well	Active	JR-GW-89	Gas Well	Active
JR-GW-28	Gas Well	Active	JR-GW-90	Gas Well	Active
JR-GW-29	Gas Well	Active	JR-GW-91	Gas Well	Active
JR-GW-34	Gas Well	Active	JR-GW-95	Gas Well	Active
JR-GW-35	Gas Well	Active	JR-GW-96	Gas Well	Active
JR-GW-37	Gas Well	Active	JR-GW-97	Gas Well	Active
JR-GW-38	Gas Well	Active	JR-GW-98	Gas Well	Active
JR-GW-40	Gas Well	Active	JR-GW-99	Gas Well	Active
JR-GW-41	Gas Well	Active	JR-GW-H2	Gas Well	Active
JR-GW-42	Gas Well	Active	JR-GW07R	Gas Well	Active
JR-GW-44	Gas Well	Active	JR-GW100	Gas Well	Active
JR-GW-46	Gas Well	Active	JR-GW101	Gas Well	Active
JR-GW-47	Gas Well	Active	JR-GW102	Gas Well	Active
JR-GW-48	Gas Well	Active	JR-GW104	Gas Well	Active
JR-GW-49	Gas Well	Active	JR-GW105	Gas Well	Active
JR-GW-52	Gas Well	Active	JR-GW107	Gas Well	Active
JR-GW-53	Gas Well	Active	JR-GW108	Gas Well	Active
JR-GW-55	Gas Well	Active	JR-GW109	Gas Well	Active
JR-GW-56	Gas Well	Active	JR-GW110	Gas Well	Active
JR-GW-58	Gas Well	Active	JR-GW111	Gas Well	Active
JR-GW-61	Gas Well	Active	JR-GW112	Gas Well	Active
JR-GW-62	Gas Well	Active	JR-GW113	Gas Well	Active
JR-GW-64	Gas Well	Active	JR-GW114	Gas Well	Active
JR-GW-65	Gas Well	Active	JR-GW115	Gas Well	Active
JR-GW-66	Gas Well	Active	JR-GW117	Gas Well	Active
JR-GW-68	Gas Well	Active	JR-GW118	Gas Well	Active
JR-GW-70	Gas Well	Active	JR-GW119	Gas Well	Active
JR-GW-71	Gas Well	Active	JR-GW120	Gas Well	Active
JR-GW-72	Gas Well	Active	JR-GW121	Gas Well	Active

**Table 2-1 Well Heads Monitored at JRL, 2023 Cont.**

ID	Type	Status	ID	Type	Status
JR-GW122	Gas Well	Active	JR-GW20R	Gas Well	Active
JR-GW123	Gas Well	Active	JR-GW23R	Gas Well	Active
JR-GW125	Gas Well	Active	JR-GW24R	Gas Well	Active
JR-GW126	Gas Well	Active	JR-GW25R	Gas Well	Active
JR-GW127	Gas Well	Active	JR-GW30R	Gas Well	Active
JR-GW128	Gas Well	Active	JR-GW32R	Gas Well	Active
JR-GW130	Gas Well	Active	JR-GW33R	Gas Well	Active
JR-GW131	Gas Well	Active	JR-GW42B	Gas Well	Active
JR-GW132	Gas Well	Active	JR-GW42R	Gas Well	Active
JR-GW134	Gas Well	Active	JR-GW50B	Gas Well	Active
JR-GW135	Gas Well	Active	JR-GW50R	Gas Well	Active
JR-GW139	Gas Well	Active	JR-GW51B	Gas Well	Active
JR-GW142	Gas Well	Active	JR-GW51R	Gas Well	Active
JR-GW146	Gas Well	Active	JR-GW58B	Gas Well	Active
JR-GW15R	Gas Well	Active	JR-GW59B	Gas Well	Active
JR-GW16R	Gas Well	Active	JR-GW59R	Gas Well	Active
JR-GW173	Gas Well	Active	JR-GW60B	Gas Well	Active
JR-GW175	Gas Well	Active	JR-GW60R	Gas Well	Active
JR-GW176	Gas Well	Active	JR-GW68B	Gas Well	Active
JR-GW177	Gas Well	Active	JR-GW68R	Gas Well	Active
JR-GW182	Gas Well	Active	JR-GW69B	Gas Well	Active
JR-GW183	Gas Well	Active	JR-GW69R	Gas Well	Active
JR-GW184	Gas Well	Active	JR-GW76B	Gas Well	Active
JR-GW185	Gas Well	Active	JR-GW77R	Gas Well	Active
JR-GW186	Gas Well	Active	JR-GW78B	Gas Well	Active
JR-GW187	Gas Well	Active	JR-GW79B	Gas Well	Active
JR-GW188	Gas Well	Active	JR-GW92R	Gas Well	Active
JR-GW189	Gas Well	Active	JR-GW93R	Gas Well	Active
JR-GW190	Gas Well	Active	JR-GW94R	Gas Well	Active
JR-GW191	Gas Well	Active	JR-OP011	Other	Active
JR-GW192	Gas Well	Active	JR-OP012	Other	Active
JR-GW193	Gas Well	Active	JR-OP013	Other	Active
JR-GW194	Gas Well	Active	JR-OP014	Other	Active
JR-GW195	Gas Well	Active	JR-OP101	Other	Active
JR-GW197	Gas Well	Active	JR-OP12A	Other	Active
JR-GW198	Gas Well	Active	JR-OP901	Other	Active
JR-GW199	Gas Well	Active	JR1206S	Horizontal	Active
JR-GW200	Gas Well	Active	JR1207S	Horizontal	Active
JR-GW201	Gas Well	Active	JR1208S	Horizontal	Active
JR-GW202	Gas Well	Active	JRCT1001	Horizontal	Active
JR-GW204	Gas Well	Active	JRCT1004	Horizontal	Active
JR-GW206	Gas Well	Active	JRCT1005	Horizontal	Active

**Table 2-1 Well Heads Monitored at JRL, 2023 Cont.**

ID	Type	Status	ID	Type	Status
JRCT1008	Horizontal	Active	JRCT1310	Horizontal	Active
JRCT1009	Horizontal	Active	JRCT1311	Horizontal	Active
JRCT1010	Horizontal	Active	JRCT1312	Horizontal	Active
JRCT1011	Horizontal	Active	JRCT1401	Horizontal	Active
JRCT1101	Horizontal	Active	JRCT1402	Horizontal	Active
JRCT1102	Horizontal	Active	JRCT1403	Horizontal	Active
JRCT1103	Horizontal	Active	JRCT1404	Horizontal	Active
JRCT1104	Horizontal	Active	JRCT1405	Horizontal	Active
JRCT1105	Horizontal	Active	JRCT1406	Horizontal	Active
JRCT1106	Horizontal	Active	JRCT1407	Horizontal	Active
JRCT1107	Horizontal	Active	JRCT1408	Horizontal	Active
JRCT1108	Horizontal	Active	JRCT1409	Horizontal	Active
JRCT1109	Horizontal	Active	JRCT1410	Horizontal	Active
JRCT1110	Horizontal	Active	JRCT1411	Horizontal	Active
JRCT1111	Horizontal	Active	JRCT1412	Horizontal	Active
JRCT1112	Horizontal	Active	JRCT1413	Horizontal	Active
JRCT1113	Horizontal	Active	JRCT1414	Horizontal	Active
JRCT1114	Horizontal	Active	JRCT1415	Horizontal	Active
JRCT1115	Horizontal	Active	JRCT1416	Horizontal	Active
JRCT1116	Horizontal	Active	JRCT1417	Horizontal	Active
JRCT1117	Horizontal	Active	JRCT1418	Horizontal	Active
JRCT1118	Horizontal	Active	JRCT1420	Horizontal	Active
JRCT1120	Horizontal	Active	JRCT1421	Horizontal	Active
JRCT1124	Horizontal	Active	JRGCT1501	Horizontal	Active
JRCT1202	Horizontal	Active	JRGCT1502	Horizontal	Active
JRCT1203	Horizontal	Active	JRGCT1503	Horizontal	Active
JRCT1204	Horizontal	Active	JRGCT1504	Horizontal	Active
JRCT1211	Horizontal	Active	JRGCT502	Horizontal	Active
JRCT1212	Horizontal	Active	JRGCT503	Horizontal	Active
JRCT1213	Horizontal	Active	JRGCT505	Horizontal	Active
JRCT1301	Horizontal	Active	JRGCT508	Horizontal	Active
JRCT1302	Horizontal	Active	JRGCT601	Horizontal	Active
JRCT1303	Horizontal	Active	JRGCT709	Horizontal	Active
JRCT1304L	Horizontal	Active	JRGW-116	Gas Well	Active
JRCT1304S	Horizontal	Active	JRGW22R2	Gas Well	Active
JRCT1305L	Horizontal	Active	JRGW59R2	Gas Well	Active
JRCT1305S	Horizontal	Active	JROP11NE	Other	Active
JRCT1306L	Horizontal	Active	JROPCAP1	Other	Active
JRCT1306S	Horizontal	Active	JR-GW-03	Gas Well	Active
JRCT1307	Horizontal	Active	JR-GW-04	Gas Well	Active
JRCT1308	Horizontal	Active	JR-GW-74	Gas Well	Active
JRCT1309	Horizontal	Active	JR-GW-76	Gas Well	Active

**Table 2-1 Well Heads Monitored at JRL, 2023 Cont.**

ID	Type	Status	ID	Type	Status
JR1207L	Horizontal	Active	JR-GW-93	Gas Well	Discontinued
JRGCT511	Horizontal	Active	JR-GW-94	Gas Well	Discontinued
JRGCT606	Horizontal	Active	JRGCT604	Horizontal	Discontinued
JRGCT607	Horizontal	Active	JR-LC-SE	Other	Discontinued
JR-GW-92	Gas Well	Discontinued			

**2.2 Changes and Anomalies in the Well Field**

The facility was operated in accordance with NSPS requirements during the entirety of 2023. As discussed in Section 2.1, numerous collection trenches and wells were added and discontinued throughout 2023 as part of routine operations. Readings in excess of NESHAP thresholds for temperature and pressure were promptly addressed, and follow-ups were completed in accordance with NESHAP requirements. Excess readings were provided in separate reports to the MEDEP.

Due to the types of waste currently/previiously disposed of at JRL (primarily construction debris, construction debris processing residuals, sludge, and ash), which tend to have higher decomposition temperatures than typical household waste, operating some of JRL’s well heads according to NESHAP guidelines (with default gas temperature of 145 °F (62.8 °C)) has not always been possible. With that in mind, upon careful review by JRL staff and the MEDEP, several Higher Operating Value (HOV) allowances have been granted for temperature, up to 150 °F, to allow for proper gas collection to occur at these locations. JRL will continue to submit HOV requests as necessary to ensure continued compliance and a successful operation.

**3.0 LANDFILL GAS COMPOSITION**

During well-tuning activities, the composition of the landfill gas supplied to the flare was measured and concentrations of methane, carbon dioxide, and oxygen (CH<sub>4</sub>, CO<sub>2</sub>, O<sub>2</sub> respectively), and balance gas were recorded. During 2023, JRL staff operated the well field with the intent of: maintaining a target methane concentration in the range of 43%-48% (by volume) in the gas supplied to the flare, for both odor control and greenhouse gas reduction; and maintaining an oxygen concentration at satisfactory low levels (i.e. < 5%) in order to maintain high efficiency in the vacuum system and prevent possible landfill complications associated with oxygen infiltration. Balance gas levels are also monitored, as a confirmation of landfill collection efficiency and oxygen infiltration prevention. The concentration of carbon dioxide at the flare is not of great concern but is measured in addition to the more important levels of methane and oxygen.

Since gas composition is not measured daily, monthly average gas compositions at the flare were computed from routine measurements that occurred during well-tuning activities. The monthly average concentrations of methane and oxygen are shown in Figure 3-1. As can be seen, the concentration of CH<sub>4</sub> remained within the target range of 43%-48% for a majority of 2023. The average CH<sub>4</sub> concentration for 2023 was 44.5%, a 1 percent decrease from the 2022 average concentration of 44.9%. This decrease is minimal and likely attributed to minor adjustments made by the professional well tuner to control odors on-site and continue to maintain adequate gas for the future renewable natural gas project. The average oxygen concentration during 2023 was 0.6%, identical to the 2022 average also 0.6%.




Figure 3-1 Monthly Average Landfill Gas Composition at JRL, 2022 & 2023


#### 4.0 LANDFILL GAS FLOW

The flow of landfill gas supplied to the JRL flare and the Thiopaq® gas treatment system was measured and recorded on a continuous basis using a thermal flow meter. This data was then compiled for 2023 (and 2022 for comparison) and is summarized as total monthly flow and average flow in Table 4-1 and Figure 4-1. The average flow rate was calculated by taking the total monthly flow (in units of MMSCF)/(number of days in the month\*1440 minutes/ 1 day). The result is an average flow rate (in units of SCFM) for any given month.

The total flow during 2023 was 1,430 million standard cubic feet (MMSCF), an increase of approximately 21% from the total flow of 1,179 MMSCF in 2022. This increase is likely attributed to changes in waste mix (larger amounts of Bypass MSW and Sludge), which have generated additional gas flows, an encouraging catalyst for the future renewable natural gas project schedule to come online in 2024.

**Table 4-1 Volumetric Flow of Landfill Gas at JRL, 2022 & 2023**

Month	Total Monthly Flow (MMSCF)		Monthly Average Flow Rate (SCFM)	
	2022	2023	2022	2023
Jan	116.9	117.0	2,618	2,622
Feb	108.3	113.1	2,687	2,805
Mar	101.8	125.8	2,280	2,819
Apr	88.1	113.0	2,039	2,616
May	97.1	108.6	2,174	2,433
Jun	89.8	102.7	2,080	2,377
Jul	97.9	121.4	2,194	2,720
Aug	97.5	119.1	2,185	2,668
Sep	98.8	122.6	2,287	2,838
Oct	105.8	131.5	2,369	2,946
Nov	81.7	130.4	1,890	3,019
Dec	95.7	124.3	2,145	2,786
<b>Totals</b>	<b>1,179</b>	<b>1,430</b>		
<b>Average</b>			<b>2,246</b>	<b>2,721</b>



**Figure 4-1 Monthly Average Landfill Gas Flow Rate at JRL, 2022 & 2023**


## **5.0 ENERGY GENERATED BY METHANE COMBUSTION**

JRL has a candlestick type flare which burns the methane (CH<sub>4</sub>) present in the landfill gas. Methane has an approximate heating value of 1,005 BTU/SCF (BTU per standard cubic foot). Using this heating value, along with the methane concentrations and landfill gas flows presented in the previous sections, the energy generated by the combustion of methane in the JRL flare was calculated.

Table 5-1 shows the monthly totals of energy generated by CH<sub>4</sub> combustion, along with the average daily combustion energy for 2022 and 2023. Figures 5-1 and 5-2 further portray LFG energy combustion during its destruction through the use of the flare. The calculated total energy converted to heat by combustion at JRL during 2023 was approximately 639,124 MMBTUs, compared to approximately 530,107 MMBTUs in 2022, an increase of approximately 21%. This change is a direct result of higher gas flows combusted in 2023, which is further described in Section 4.0.

**Table 5-1 Energy Generated by CH<sub>4</sub> Combustion at JRL, 2022 & 2023**

Month	Monthly Total (MMBTUs)		Daily Average (MMBTUs/day)	
	2022	2023	2022	2023
January	49,096	48,882	1,584	1,577
February	47,335	48,599	1,691	1,736
March	44,991	53,798	1,451	1,735
April	38,002	48,119	1,267	1,604
May	44,811	46,446	1,446	1,498
June	41,600	46,981	1,387	1,566
July	44,432	55,411	1,433	1,787
August	44,347	55,171	1,431	1,780
September	46,640	57,906	1,555	1,930
October	48,815	62,192	1,575	2,006
November	37,407	59,507	1,247	1,984
December	42,631	56,111	1,375	1,810
<b>Totals</b>	<b>530,107</b>	<b>639,124</b>		
<b>Average</b>			<b>1,453</b>	<b>1,751</b>



**Figure 5-1 Monthly Energy Generated by CH<sub>4</sub> Combustion at the JRL Flare, 2022 & 2023**






Figure 5-2 Avg. Daily Energy Generated by CH<sub>4</sub> Combustion at the JRL Flare, 2022 & 2023

## 6.0 SUMMARY

Throughout 2023, routine landfill gas (LFG) monitoring took place at JRL, in accordance with NESHAP requirements. At the beginning of 2023, the JRL well field consisted of approximately 205 active collection devices. By the end of 2023, approximately 254 gas collection devices remained active.

The average CH<sub>4</sub> concentration for 2023 was 44.5%, a 1 percent decrease from the 2022 average concentration of 44.9%. This decrease is minimal and likely attributed to minor adjustments made by the professional well tuner to control odors on-site and continue to maintain adequate gas for the future renewable natural gas project. The average oxygen concentration during 2023 was 0.6%, identical to the 2022 average also 0.6%.

The total flow during 2023 was 1,430 million standard cubic feet (MMSCF), an increase of approximately 21% from the total flow of 1,179 MMSCF in 2022.

The calculated total energy converted to heat by combustion at JRL during 2023 was approximately 639,124 MMBTUs, compared to approximately 530,107 MMBTUs in 2022, an increase of approximately 21%. This change is a direct result of higher gas flows combusted in 2023.

**ATTACHMENT H**

**Landfill Air Monitoring Evaluation**

**JUNIPER RIDGE LANDFILL**

**2023 ANNUAL AIR MONITORING EVALUATION**



Operated by NEWSME Landfill Operations, LLC  
2828 Bennoch Road, Old Town, Maine 04468 • (207) 394-4372

## **TABLE OF CONTENTS**

<u>Section No.</u>	<u>Title</u>	<u>Page No.</u>
1.0	INTRODUCTION.....	1
2.0	STATIONARY H <sub>2</sub> S MONITORING RESULTS.....	2
3.0	ODOR COMPLAINTS.....	7
4.0	CH <sub>4</sub> SURFACE SCANS.....	9
5.0	SUMMARY.....	10

## **LIST OF TABLES**

<u>Table No.</u>	<u>Title</u>	<u>Page No.</u>
2-1	Annual SPM H <sub>2</sub> S Averages, 2022 & 2023.....	3
2-2	Annual highest two readings at each SPM, 2022 & 2023.....	7
3-1	Summary of Complaints at Juniper Ridge Landfill, 2022 & 2023.....	8
4-1	Readings above 500 ppm found during CH <sub>4</sub> Surface Scans, 2022 & 2023.....	9

## **LIST OF FIGURES**

<u>Figure No.</u>	<u>Title</u>	<u>Page No.</u>
1-1	Juniper Ridge Landfill H <sub>2</sub> S Single Point Monitoring Locations.....	1
2-1	Annual Avg. H <sub>2</sub> S readings at all four SPM locations, 2022 & 2023.....	4
2-2	Annual Avg. H <sub>2</sub> S readings at all four SPM locations with percentages of non-detects at 1 ppb based on wind rose data, 2022 & 2023.....	4
2-3	Monthly Avg. H <sub>2</sub> S readings at the Access Road SPM, 2022 & 2023.....	5
2-4	Monthly Avg. H <sub>2</sub> S readings at the 552 West Old Town Road SPM, 2022 & 2023.....	5
2-5	Monthly Avg. H <sub>2</sub> S readings at the Old Stagecoach Road SPM, 2022 & 2023.....	6
2-6	Monthly Avg. H <sub>2</sub> S readings at the West Coiley Road SPM, 2022 & 2023.....	6

## 1.0 INTRODUCTION

In accordance with the Maine Department of Environmental Protection (MEDEP) Chapter 401, Solid Waste Management Rules, Section 401.D(4)(e), NEWSME Landfill Operations, LLC has evaluated and summarized air monitoring results for 2023 and compared them to 2022 results. Two types of air monitoring activities occurred at the Juniper Ridge Landfill (JRL) during 2023; (1) hydrogen sulfide ( $H_2S$ ) monitoring at stationary continuous monitors; and (2) quarterly methane ( $CH_4$ ) emission surface scans on the landfill's intermediate cover. The air monitoring was completed in general accordance with the procedures specified in the current JRL Operations Manual.

$H_2S$  monitors are Honeywell® Analytics MDA Single Point Monitors (SPM) utilizing EP hydrides Chemcassettes® also provided by Honeywell®. Readings were taken at 15-minute intervals and data-logged. Monitors are located at four different off-site locations surrounding the landfill as shown in Figure 1-1.



Figure 1-1 Juniper Ridge Landfill  $H_2S$  Single Point Monitoring Locations

Methane scans were completed using a Micro FID® (flame ionizing detector) or similar mobile device (QED SEM-5000) and completed once every quarter by taking measurements along an approximate 30-meter spacing grid on the intermediate cover system. Measurements were also collected at cover penetrations in the pattern (i.e., gas collection piping, etc.) and at noticeable punctures, cracks, or holes in the intermediate cover.

Additionally, odor complaints from the 24-hour JRL odor complaint hotline for 2023 were summarized and compared to 2022 results.

## **2.0 STATIONARY H<sub>2</sub>S MONITORING RESULTS**

Using the four Honeywell Analytics SPMs located off-site (on the Access Road, West Coiley Road, 552 West Old Town Road (Route 43), and Old Stagecoach Road), real-time data is collected and recorded at 15-minute intervals. If at any time off-site monitors detect concentrations greater than 15 parts per billion (ppb), then scale house personnel are alerted by automated telephone messages. Personnel then report any alert to supervisory staff, who are responsible for reporting H<sub>2</sub>S readings greater than 15 ppb in the facility's Monthly Status Report and to the Old Town Code Enforcement Officer if H<sub>2</sub>S levels exceed 30 ppb.

The Honeywell Chemcassette® tapes utilized in the SPMs at JRL are capable of continuously detecting hydrogen sulfide levels down to 2 ppb and quantitatively measuring down to 4 ppb. The quantitation limit (4 ppb) is the lowest numerical value that can be determined with suitable precision and accuracy and the detection limit (2 ppb) is the lowest numerical value that can be reasonably estimated by the instrument (typically half the quantitation limit). The summarized data provided below is an average of readings, including non-detect (values less than 2 ppb) readings taken at each instrument, therefore the average values (monthly and annually) are typically less than the detection limit of the Chemcassettes®.

In 2023, data logged readings, along with SPM maintenance records and associated weather data from an on-site weather station were provided to the MEDEP on a periodic basis. SPM maintenance includes Chemcassette® change outs, which generally occur every 6 weeks, along with recommended maintenance performed by the manufacturer.

The annual average H<sub>2</sub>S calculated values at the Access Road, 552 West Old Town Road, the Old Stagecoach Road, and the West Coiley Road SPMs are presented in Table 2-1 & Figure 2-1. Due to the vast number of non-detect readings, also known as zero readings, the average H<sub>2</sub>S values for all four meters were below the detection limit of 2 ppb for both 2022 and 2023.

**Table 2-1 Annual SPM H<sub>2</sub>S Averages, 2022 & 2023**

<b>Juniper Ridge Landfill 2022 Annual SPM H<sub>2</sub>S Averages</b>					
<b>Location</b>	<b>Bangor Wind Rose %<sup>1</sup></b>	<b>Bangor Wind Rose % plus 50% calm<sup>2</sup></b>	<b>Non-Detect Readings</b>	<b>Average in ppb (Non-Detect = 0 ppb)</b>	<b>Average in ppb (Non-Detect = 1 ppb<sup>3</sup>)</b>
Access Road	12.3%	20.9%	34,661	0.015	0.137
552 West Old Town Road	3.7%	12.3%	31,593	0.298	0.331
Old Stagecoach Road	7.2%	15.8%	29,884	0.438	0.500
West Coiley Road	13.3%	21.9%	28,440	0.532	0.640
<b>Total Number of Readings in 2022: 34,746</b>					
<b>Juniper Ridge Landfill 2023 Annual SPM H<sub>2</sub>S Averages</b>					
<b>Location</b>	<b>Bangor Wind Rose %<sup>1</sup></b>	<b>Bangor Wind Rose % plus 50% calm<sup>2</sup></b>	<b>Non-Detect Readings</b>	<b>Average in ppb (Non-Detect = 0 ppb)</b>	<b>Average in ppb (Non-Detect = 1 ppb<sup>3</sup>)</b>
Access Road	9.8%	18.9%	34,458	0.025	0.122
552 West Old Town Road	5.9%	15.0%	30,633	0.424	0.476
Old Stagecoach Road	9.7%	18.8%	34,738	0.002	0.099
West Coiley Road	16.3%	25.4%	28,171	0.480	0.612
<b>Total Number of Readings in 2023: 34,746</b>					


<sup>1</sup> Bangor Wind Rose percentage of time wind in direction of SPM.

<sup>2</sup> Bangor Wind Rose percentage of time wind in direction of SPM plus 50% of Calm.


<sup>3</sup> Used 1 ppb instead of 0 for non-detect readings when the wind was in the direction of meter and 50% of time when the wind was calm; percentages are shown for each SPM in the second column.

In addition, the annual average H<sub>2</sub>S values at these meters were also calculated using the most recent local wind direction and duration data from the Bangor International Airport Weather Station. Non-detect readings were replaced with a conservative estimate of half the detection limit of the SPM's, 1 ppb, for the percentage of time wind was in the direction of each meter, along with half of the total calm wind rose data. This data evaluation technique was developed in cooperation with the City of Old Town during the review of the JRL Expansion Application. These results are also presented in Table 2-1 and shown in Figure 2-2.

When comparing the 2022 and 2023 Annual SPM H<sub>2</sub>S averages of the four SPMs located around JRL, three of four SPMs saw a decrease during 2023. This was likely attributed to improvements made to the gas collection system and slightly lower volumes of sludge accepted at the site throughout the year. Overall, the average off-site H<sub>2</sub>S levels remained very low during both 2022 and 2023. Monthly average H<sub>2</sub>S calculated values for each location are shown in Figures 2-3 through 2-6 and should be used for comparative analysis only due to their low averages, below the quantitative and detection limits of the instruments. These averages were plotted via a simple average of the monthly readings, non-detect (zero) readings were not edited.



**Figure 2-1 Annual Avg. H<sub>2</sub>S readings at all four SPM locations, 2022 & 2023**



**Figure 2-2 Annual Avg. H<sub>2</sub>S readings at all four SPM locations with percentages of non-detects at 1 ppb based on wind rose data, 2022 & 2023**






Figure 2-3 Monthly Avg. H<sub>2</sub>S readings at the Access Road SPM, 2022 & 2023






Figure 2-4 Monthly Avg. H<sub>2</sub>S readings at the 552 West Old Town Road SPM, 2022 & 2023



**Figure 2-5 Monthly Avg. H<sub>2</sub>S readings at the Old Stagecoach Road SPM, 2022 & 2023**



**Figure 2-6 Monthly Avg. H<sub>2</sub>S readings at the West Coiley Road SPM, 2022 & 2023**

Instantaneous peak readings were identified during 2022 and 2023, to determine if any short duration H<sub>2</sub>S episodes occurred. They are provided below in Table 2-2.

**Table 2-2 Annual highest two readings at each SPM, 2022 & 2023**

Juniper Ridge Landfill					
Hydrogen Sulfide Single Point Monitor					
Highest Two Annual Readings					
Year	Location	Date	Highest Reading (ppb)	Date	2 <sup>nd</sup> Highest Reading (ppb)
2022	Access Road	1/25/2022 18:32	13.24	1/25/2022 18:47	12.13
2022	552 West Old Town Road	12/22/2022 9:23	32.71	12/22/2022 9:08	31.59
2022	Old Stagecoach Road	3/25/2022 22:04	20.14	3/25/2022 22:19	15.24
2022	West Coiley Road	2/23/2022 6:00	20.36	2/23/2022 6:15	7.68
2023	Access Road	12/24/2023 18:26	12.46	12/24/2023 18:11	12.35
2023	552 West Old Town Road	12/1/2023 20:55	28.70	10/11/2023 8:53	25.25
2023	Old Stagecoach Road	9/16/2023 16:38	18.02	9/16/2023 16:23	17.91
2023	West Coiley Road	11/18/2023 19:07	8.23	12/6/2023 18:07	8.12

Throughout 2023, there were 20 H<sub>2</sub>S readings above 15 ppb at the four off-site SPM's. 18 of those reading occurred at the 552 West Old Town Road SPM, most during a few hour period on 12/01/23. This compares to 13 H<sub>2</sub>S readings above 15 ppb (which occurred periodically for 6 days) during 2022. Occurrences were noted as required in the JRL Monthly Status Reports. Of the 20 H<sub>2</sub>S readings, none recorded above 30 ppb requiring Old Town Code Enforcement to be notified. JRL staff took immediate action to get the identified issues resolved.

On-site landfill gas management systems continue to function well in preventing off-site migration of H<sub>2</sub>S.

### **3.0 ODOR COMPLAINTS**

Complaints recorded via the 24-hour JRL complaint hotline are provided for 2022 and 2023 in Table 3-1 below. Detailed complaint logs were submitted as part of the facility's monthly reports to the MEDEP during 2023. During 2023, the JRL complaint hotline received a total of 56 landfill related complaints. 49 of which were related to odor, 2 noise, 1 birds, and 4 other. Of the 49 odor complaints, 44 were confirmed as likely coming from the landfill.

This is an increase from 2022, which received a total of 35 landfill related complaints. 30

of which were related to odor, 3 noise, and 2 other. Of the 30 odor complaints, 28 were confirmed as likely coming from the landfill. 2 additional non-enforceable complaints were received during 2022. Both had nothing to do with landfill operations and therefore were not included in the 2023 totals. Site visits were conducted if requested, to allow for complaint validity. Close attention was paid to complaints, which helped determine operational effectiveness of all odor control measures and/or systems. Changes were made to those measures and/or systems as necessary.

In 2023, 12 different individuals called in the 49 odor complaints. This compares to 10 individuals who called in 30 odor complaints during 2022.

**Table 3-1 Summary of Complaints at Juniper Ridge Landfill, 2022 & 2023**

2023 MONTH	OBJECT OF COMPLAINT						MONTH TOTAL
	ODOR	NOISE	LIGHTS	DUST	BIRDS	OTHER	
JAN.	4	0	0	0	0	0	4
FEB.	2	0	0	0	0	0	2
MAR.	1	0	0	0	0	0	1
APR.	0	0	0	0	1	1	2
MAY	0	0	0	0	0	3	3
JUN.	2	2	0	0	0	0	4
JUL.	2	0	0	0	0	0	2
AUG.	1	0	0	0	0	0	1
SEP.	9	0	0	0	0	0	9
OCT.	6	0	0	0	0	0	6
NOV.	6	0	0	0	0	0	6
DEC.	16	0	0	0	0	0	16
<b>TOTALS</b>	<b>49</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>56</b>

2022 MONTH	OBJECT OF COMPLAINT						MONTH TOTAL
	ODOR	NOISE	LIGHTS	DUST	BIRDS	OTHER	
JAN.	5	0	0	0	0	0	5
FEB.	1	0	0	0	0	0	1
MAR.	1	0	0	0	0	0	1
APR.	0	1	0	0	0	0	1
MAY	0	0	0	0	0	0	0
JUN.	0	0	0	0	0	0	0
JUL.	0	1	0	0	0	0	1
AUG.	2	0	0	0	0	0	2
SEP.	3	0	0	0	0	0	3
OCT.	2	1	0	0	0	0	3
NOV.	6	0	0	0	0	1	7
DEC.	10	0	0	0	0	1	11
<b>TOTALS</b>	<b>30</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>35</b>

#### 4.0 CH<sub>4</sub> SURFACE SCANS

Landfill methane (CH<sub>4</sub>) emission surface scans are performed to determine the effectiveness of intermediate landfill cover and landfill gas collections systems in controlling landfill gas migration. Quarterly surface scans were completed on the landfill intermediate cover at JRL during 2023 in accordance with the JRL Operations Manual and the requirements of the New Source Performance Standards (NSPS) for municipal solid waste (MSW) landfills contained in 40 Code of Federal Regulations (CFR) Part 60, Subpart WWW. Copies of the 2023 surface scans are kept on file and uploaded to Sanborn Head and Associates' Landfill Gas Management Suite (LFGMS).

Surface scans were completed in general accordance with the procedures outlined in NSPS, specifically Section 60.753(d) which states that each owner or operator of an MSW landfill with a gas collection and control system shall: *“Operate the collection system so that the methane concentration is less than 500 parts per million above background at the surface of the landfill. To determine if this level is exceeded, the owner or operator shall conduct surface testing around the perimeter of the collection area and along a pattern that traverses the landfill at 30-meter intervals and where visual observations indicate elevated concentrations of landfill gas, such as distressed vegetation and cracks or seeps in the cover. The owner or operator may establish an alternative traversing pattern that ensures equivalent coverage...”*

Surface scans were completed using a Micro FID<sup>®</sup> (flame ionizing detector) or similar device (QED SEM-5000 portable methane detector, which NEWSME purchased in 2019). The Micro FID<sup>®</sup> device has a detection limit of 0.5 parts per million (ppm) and a concentration range of 0.5 to 50,000 ppm, while the QED SEM-5000 portable methane detector has the same detection limit but has a concentration range of 0.5 ppm to 100% methane. During 2023, a total of 9 readings above 500 ppm were detected during initial quarterly surface scans. This compares to 5 reading above 500 ppm which were detected in 2022. A quarterly breakdown is provided in Table 4-1. These readings and their locations were documented, with copies provided to the site supervisor, and necessary corrective actions were taken. Follow-up scans were performed 10 days and 30 days after the initial readings in excess of 500 ppm, or any subsequent reading in excess of 500 ppm.

**Table 4-1 Readings above 500 ppm found during CH<sub>4</sub> Surface Scans, 2022 & 2023**

Surface Scan Readings above 500 ppm					
	Q1	Q2	Q3	Q4	TOTAL
2023	1	3	0	5	9
2022	3	1	0	1	5

All areas with readings above 500ppm were resolved on the first initial rescan and follow-up. These results demonstrate the effectiveness of the synthetic and soil intermediate cover system. Damage to gas piping cover boots and areas requiring more intermediate cover, were the primary causes of readings above 500 ppm in 2023. Some items were addressed immediately and others as soon as practical.

## **5.0 SUMMARY**

Two types of air monitoring activities occurred at the Juniper Ridge Landfill (JRL) during 2023; (1) hydrogen sulfide H<sub>2</sub>S monitoring with stationary continuous monitors and, (2) quarterly methane emission surface scans on the landfill intermediate cover.

When comparing the 2022 and 2023 Annual SPM H<sub>2</sub>S averages of the four SPMs located around JRL, three of four SPMs saw a decrease during 2023. This was likely attributed to improvements made to the gas collection system and slightly lower volumes of sludge accepted at the site throughout the year. Overall, the average off-site H<sub>2</sub>S levels remained very low during both 2022 and 2023.

Throughout 2023, there were 20 H<sub>2</sub>S readings above 15 ppb at the four off-site SPM's. 18 of those reading occurred at the 552 West Old Town Road SPM, most during a few hour period on 12/01/23. This compares to 13 H<sub>2</sub>S readings above 15 ppb (which occurred periodically for 6 days) during 2022. Occurrences were noted as required in the JRL Monthly Status Reports. Of the 20 H<sub>2</sub>S readings, none recorded above 30 ppb requiring Old Town Code Enforcement to be notified. JRL staff took immediate action to get the identified issues resolved. On-site landfill gas management systems continue to function well in preventing off-site migration of H<sub>2</sub>S

During 2023, the JRL complaint hotline received a total of 56 landfill related complaints. 49 of which were related to odor, 2 noise, 1 birds, and 4 other. Of the 49 odor complaints, 44 were confirmed as likely coming from the landfill. This is an increase from 2022, which received a total of 35 landfill related complaints. 30 of which were related to odor, 3 noise, and 2 other. Of the 30 odor complaints, 28 were confirmed as likely coming from the landfill.

During 2023, a total of 9 readings above 500 ppm were detected during initial quarterly surface scans, compared to 5 which were detected during 2022. Repairs were promptly corrected. Follow-up readings confirmed the issues were resolved.

**ATTACHMENT I**

**Geotechnical Monitoring Report**



RICHARD E. WARDWELL, P.E., Ph.D.  
Geotechnical and Groundwater Engineer  
19 Old Lake Rd, Lake George, NY 12845

(518) 668-2406 office  
arrew1@gmail.com

**2023 Annual Geotechnical Landfill Inspection Report  
Juniper Ridge Landfill  
Old Town, Maine**

**April 2024**

Report to:

BGS/NEWSME Landfill Operations, LLC  
Hampden, Maine

Casella Waste Systems, Inc.  
Westbrook, Maine

Richard E. Wardwell, P.E., Ph.D.  
Lake George, NY 12845



## EXECUTIVE SUMMARY

This 2023 Annual Landfill Geotechnical Monitoring Report for the Juniper Ridge Landfill (JRL) summarizes the geotechnical conditions of the facility over the past year. These conditions were ascertained from monitoring that was performed to assure that the field behavior of the landfill continues to be consistent with parameters and assumptions used in the facility design. This report describes the geotechnical activities performed in accordance with the current Geotechnical Monitoring Plan (Appendix N of the Operations Manual) and Stability and Settlement Monitoring Plan (Section 3.1.5 of the Design Report), prepared and included as part of the JRL Expansion Application (SME 2015a) for a new solid waste license, as approved by the Board of Environmental Protection under Solid Waste License #S-020700-WD-BI-N and Natural Resources Protection Act #L-19015-TG-D-N dated 06/01/2017.

The geotechnical monitoring at JRL during 2023 emphasized weekly stability and settlement observations of the landfill surface made during operations, and independent geotechnical observations of the landfill surface and slope topography conducted on September 6, 2023. Other specific monitoring activities in 2023 included: (a) comparisons of semi-annual topographic surveys, (b) review of waste types, quantities, and location of waste placement, and (c) evaluation of fluid pressure data measured by an electronic transducers placed on the base of Cells 11 to 15 to indicate the leachate head on the liner and to track whether or not the leachate collection system performance is consistent with design assumptions.

This document supplements previous monitoring reports made through 2010 (REW 2005a, 2006, 2007a, 2008a, 2009, 2010), and subsequent landfill inspection reports from the last twelve years (REW 2011 to 2023). All monitoring data indicates that settlement and stability of the landfill waste is consistent with design parameters and assumptions. Information provided by the Cells 11 to 15 transducers demonstrate that the fluid levels in the leachate collection layer are at minimal levels, verifying that this drainage layer is performing as designed. No changes to the Geotechnical Monitoring Plan are proposed for geotechnical monitoring during 2024.

**Table of Contents**

Executive Summary ..... 1  
1. Introduction..... 3  
2. History of Landfill Development & Monitoring ..... 3  
    2.1 Fort James Operation..... 3  
    2.2 State of Maine Purchase and Operations..... 5  
    2.3 Overview of Past Geotechnical Monitoring ..... 5  
3. 2023 Waste Placement and Operation ..... 6  
4. 2023 Geotechnical Landfill Monitoring ..... 6  
    4.1 Landfill Observations ..... 6  
    4.2 Annual Inspection..... 7  
    4.3 Fluid Pressure Measurements ..... 8  
    4.4 Surveys ..... 8  
    4.5 Modifications to the Geotechnical Monitoring Plan ..... 8  
5. Summary ..... 8

**Appendices**

- Appendix A – Summary of Wastes Accepted at Juniper Ridge Landfill Report 2023
- Appendix B – JRL Estimate of Landfill Capacity December 31, 2023
- Appendix C – Weekly/Monthly Landfill Inspection Form
- Appendix D – Checklist: Annual Geotechnical Landfill Inspection
- Appendix E – Cells 11 to 15 Fluid Pressure Data
- Appendix F – Site Photographs

**List of Figure**

Figure 1: Site Topographic Plan (6/23/23) ..... 4

**2023 Annual Landfill Geotechnical Monitoring Report  
Juniper Ridge Landfill Facility  
Old Town, Maine**

**1. INTRODUCTION**

This 2023 Annual Landfill Geotechnical Monitoring Report has been prepared for the State of Maine’s Juniper Ridge Landfill (JRL), a facility that is owned by the State of Maine Bureau of General Services (BGS) and operated by NEWSME Landfill Operations, LLC. (NEWSME), a subsidiary of Casella Waste Systems Inc. (CWSI). The landfill site plan (Figure 1), is based on an aerial topographic survey performed on June 23, 2023.


This report describes the geotechnical activities performed in accordance with the current Geotechnical Monitoring Plan (Appendix N of the Operations Manual) and Stability and Settlement Monitoring Plan (Section 3.1.5 of the Design Report), prepared and included as part of the JRL Expansion Application (SME 2015a,b) for a new solid waste license, as approved by the Board of Environmental Protection under Solid Waste License #S-020700-WD-BI-N and Natural Resources Protection Act #L-19015-TG-D-N dated 06/01/2017. This report presents the results of this monitoring that verifies the consistency of the landfill’s geotechnical performance with design parameters and assumptions, and with the goals of the JRL Expansion Operations Manual (NEWSME 2023).

**2. HISTORY OF LANDFILL DEVELOPMENT & MONITORING**

JRL was initially developed by Fort James Operating Company (FJC), a subsidiary of Georgia-Pacific Corporation, for its private use in the disposal of treatment plant sludges and other wastes from its mill in Old Town, Maine. In 2004, the State of Maine, through the State Planning Office (SPO), agreed to purchase the landfill for disposal of other approved in-state wastes including: construction and demolition debris (CDD), oversized bulky waste (OBW), front end processing residue (FEPR), ash from waste incinerators, other ashes from industrial incinerators, bypass municipal solid waste (bypass MSW), and other miscellaneous wastes. This section discusses the history of landfill development at the site.

**2.1 Fort James Operation**

Approximately 68 acres of a 780-acre property was licensed by FJC as a secure landfill, and operated by FJC from 1996 until 2004 when the State of Maine purchased the landfill. During this period, JRL, then called the West Old Town Landfill (WOTL), was used mainly for disposal of combined sludge from FJC’s primary and secondary treatment plant in Old Town and fly ash from a biomass boiler at Eastern Paper’s mill in Lincoln. Placement of the sludge began in December 1996 along the western portion of Cell 1. By 2001, operations had moved to the east into Cell 2. Details relating to the geotechnical behavior of FJC’s sludge during the sequential landfill development is presented in previous reports (REW 2007a,b).



(ref: 06/23/23 aerial topographic survey)

Project No: 1751	Title: Site Plan Juniper Ridge Landfill		By: REW
	Project: 2023 Annual Landfill Geotechnical Monitoring Report		Checked: REW
Figure No: 1	Client: State of Maine BGS/NEWSME Landfill Operations LLC, Old Town, Maine		Date: March 2024
			Scale: ~1" = 375'

Richard E. Wardwell, P.E., Ph.D.  
Geotechnical & Groundwater Engineering  
19 Old Lake Road  
Lake George, NY 12845

## **2.2 State of Maine Purchase and Operations**

In February 2004, the State of Maine, through the SPO, purchased the landfill from FJC. It selected CWSI through its subsidiary NEWSME, to operate the disposal of in-state wastes. Approximately 50,000 tons of sludge from FJC's Old Town mill were initially placed in landfill Cells 1 & 2 before the mill closed in 2006. To improve deposit stability, CWSI stabilized the existing sludge at the site by mixing it with approved in-state waste streams, i.e. CDD, OBW, FEPR, incinerator ash, bypass MSW, and other miscellaneous wastes. A detailed description of the test plots constructed to determine the geotechnical behavior of this waste and the sludge stabilization program were presented in previous annual monitoring reports (REW 2005a, 2006, 2007a, 2008a, 2009, 2010, 2011) and an annual geotechnical landfill inspection report (REW 2012).

Once the sludge stabilization program was completed by mid-2006, landfill operations moved into Cell 3A/B, followed sequentially with Cells 4-10 under MEDEP Solid Waste License #S-020700-WD-N-A. Deposited in these cells was a mixture of in-state wastes, which included but not limited to various percentages of CDD, MSW (Cells 3-10 only), bypass MSW, OBW, MSW incinerator ash and other ashes, CDD wood fines for cover, contaminated soils, WWTP/POTW sludge, lime mud and grit, oil spill debris, pulp mill waste, other approved miscellaneous special wastes.

In mid-2015, with the help of SME, BGS/NEWSME submitted JRL Expansion Application (SME 2015a,b) to the MEDEP. On June 6, 2017, that application was approved by the BEP under Solid Waste License #S-020700-WD-BI-N and Natural Resources Protection Act #L-19015-TG-D-N. During 2018, the first cell (Cell 11) of a 6-cell, 54 acre landfill expansion was constructed. As a result, a mixture of similar in-state wastes as described above for Cells 3-10, (excluding MSW for Expansion Cells 11-16) was approved. Based on performance to date, this mixture of wastes is stable at slopes up to 2.5H:1V. While the mixture from these waste streams is still highly compressible and subject to gas generation, the in-state waste mixture is more stable and less compressible than the waste-stabilized sludge based on more than 13 years of operational experience.

## **2.3 Overview of Past Geotechnical Monitoring**

Once the stability of the waste-stabilized sludge was resolved (see MEDEP 2008; REW 2008b; 2008 GMR, REW 2009; 2010 GMR, REW 2011), the previous program (REW 2007b) was modified to represent the monitoring needs associated with current waste mixtures placed in a landfill founded on a firm soil (see 2011 GMR, REW 2012). Specifically, reliance on the extensive measurements of in-situ instruments was shifted to observation methodologies that are used to assure that the geotechnical performance of the landfill remained consistent with design analyses. This approach has been in service since 2010 and now applied to the most recent GMP included in the JRL Expansion Operations Manual (NEWSME 2023).



### **3. 2023 WASTE PLACEMENT AND OPERATION**

In 2023, a majority of waste was placed in the landfill capacity of Cells 13 and 14 (see Appendix F site photos #11, 12, and 14-21). Lesser amounts were also placed as soft layer material in the newly constructed Cell 15 (photos #12-14, and 19-21), on the northern part of Cell 9 (photos #7, 8, 29, and 30), and the side slope of Cell 10 (photos #1-3 and 31-34), in preparation for Stage 1 Final Cover to be installed. As summarized in Appendix A herein, waste composition during this period was dominated by forms of CDD, bypass MSW, OBW, MSW incinerator ash and other ashes, CDD wood fines for cover, contaminated soils, WWTP/POTW sludge, oil spill debris, pulp mill waste, and other approved miscellaneous special wastes. By mid-year (when the aerial photography was made), approximately 100 feet of the mixed waste was in place in Cell 14, raising its grade to an average elevation of approximately 300 ft. mean sea level (msl). Likewise, by mid-year, waste had also been placed in Cell 13, raising its grade to an average elevation of roughly 340 msl. During the summer and fall of 2023, waste placement continued into Cells 13 and 14 and moved into Cell 15.

The remaining landfill capacity in Cells 1-15 at the end of 2023 is summarized in Appendix B. As the capacity of these cells is exhausted, expansion will continue in two additional landfill cells (i.e. Cells 16 to 17) located north of the existing operations. It is expected that future expansion cells will receive similar types and quantities of wastes placed in previous years during the operation of Cells 11 through 15.

### **4. 2023 GEOTECHNICAL LANDFILL MONITORING**

During 2023, various monitoring was performed at JRL to ensure compliance with JRL's Solid Waste License #S-020700-WD-BI-N and Natural Resources Protection Act #L-19015-TG-D-N. Results of this monitoring verifies the consistency of the landfill's geotechnical performance with design parameters and assumptions, and with the goals of the JRL Expansion Operations Manual (NEWSME 2023). Specifically, geotechnical monitoring during this past year included: (1) visual observation of landfill slope stability, settlement, and general landfill conditions, (2) assessment of site aerial topographic surveys; (3) a review of waste types, quantities, location of waste placement, and filling sequences, and (4) evaluation of fluid levels in the leachate collection layers of Cells 11 to 15.

#### **4.1 Landfill Observations**

During 2023, performance of JRL was verified by routine weekly visual site inspections of the landfill during normal operations. A sample copy of the weekly/monthly inspection forms is presented in Appendix C (with copies of any specific inspection available upon request). Observations made during these inspections help confirm the corroboration of landfill performance with the design conditions used in the geotechnical analysis. In part, the revised stability and settlement analyses completed for the landfill design (REW 2005b, SME 2015b) were verified in the field by monitoring the type, quantity, rate, location, and condition of waste placement in accordance with the JRL Expansion Operations Manual (NEWSME 2023).

## 4.2 Annual Inspection

To supplement weekly operational observations, an annual geotechnical inspection of the landfill area (performed on September 6, 2023) focused on the overall condition of the landfill that specifically looked for evidence of cracking, localized depressions, erosion, leachate breakout on sideslopes, areas of ponded water, stressed vegetation, and toe heaving. As previously mentioned, normal operations were taking place in Cells 9, 13, 14, and 15. Synthetic Intermediate Cover Material (SICM) and, in small areas, earthen intermediate cover has been placed over the inactive portions of the landfill.

Geotechnical observations were made to confirm that waste placement procedures, sideslope construction, cover performance, and other construction/filling practices are consistent with the JRL Expansion Operations Manual (NEWSME 2023). An observation report, using the checklist presented in the current GMP, was filled out and is included in Appendix D of this report.

Inspection elements for assessment of geotechnical performance included:

### Active Areas

- waste lift thickness
- active filling area slope angle
- final waste slope angle
- identification of areas with visible ponding, seepage, or indications of mass snow burial

### Inactive Areas with Intermediate Cover (SICM or earthen material)

- overall surface and/or intermediate cover condition
- evidence of surface cracking
- localized surficial depressions in waste or cover surface
- erosion of cover material
- erosion of ditch linings
- leachate breakout on sideslopes
- areas of ponded water
- toe heaving
- grass kills
- gas venting

Geotechnical performance observations indicated that the landfill slopes were stable and that differential waste settlement was minor and can be managed to tolerable levels during final cover design. The active waste placement in Cells 9, 13, 14, and 15 is performing as anticipated. At the time of the inspection, there were no indications of inconsistencies between site activities and JRL Expansion Operations Manual (NEWSME 2023).

### **4.3 Fluid Pressure Measurements**

In accordance with the Board Order for the landfill expansion, a fluid pressure transducer was installed in the leachate collection layer of Cells 11 to 15 (at the locations shown on Figure 1) to confirm system design by measuring fluid levels in this drainage layer. These instruments were placed at the bottom of the 12-inch sand layer of the leachate collection system that overlies the geocomposite layer of the containment liner.

To help determine the degree that the hydraulic head within the leachate collection layer is minimized, daily instrument readings were recorded during 2023 as presented in Appendix E. The small values demonstrate that the levels are minimal, verifying that the leachate collection at these locations in Cell 11 to 15 are performing in accordance with design.

### **4.4 Surveys**

A topographic survey of the landfill surface was completed on June 23, 2023 using aerial photogrammetric methods. A spot check of surface elevations indicates that the waste slope angles are consistent with the project design and JRL Expansion Operations Manual (NEWSME 2023). Elevation contours for covered areas were visually examined for depressions, heaving, and ditch slope continuity. Consistent with site observations, these observations indicate that the landfill is performing as anticipated during design with no noticeable excessive differential settlements or instabilities. Exclusive of the excavation area in Cells 1 & 2, comparisons with the aerial survey made in June 2023 show no discernable differences in the overall topography of the landfill surface that would indicate large differential settlements or slope instabilities.

### **4.5 Modifications to the Geotechnical Monitoring Plan**

As addressed the last three years, the current GMP (included as part of the JRL Expansion Operations Manual, NEWSME 2023), includes weekly routine inspections and an evaluation of fluid levels in the leachate collection layer of JRL expansion cells (i.e. Cells 11 to 17). No other modifications to the GMP are proposed for 2023.

## **5. SUMMARY**

Geotechnical monitoring of JRL was performed to verify that the operations and field behavior of the facility is consistent with design analyses and geotechnical plans. Consistent with the modifications in 2008 and 2010, field observations of landfill activities were emphasized in assuring consistency with the JRL Expansion Operations Manual (NEWSME 2023) and, in the process, confirmed that there were no indications of potential slope instabilities or excessive differential settlements that might impact the performance of the facility.

In accordance with the current GMP (which is included as part of the JRL Expansion Operations Manual, NEWSME 2023), routine weekly visual site inspections of the landfill were made during normal operations in 2023. In addition, an aerial topographic survey of the facility was conducted on June 23, 2023, and an annual geotechnical inspection was performed on September



6, 2023. This monitoring documented that the landfill is performing as anticipated with no excessive deformations, slope movements, unexplained ponded water, or leachate breakouts. Site observations made of the inactive areas and the operational activity in Cells 1 to 3 and 12 to 15 indicate that the landfill is performing as anticipated during design. Measurements of the fluid levels in the leachate collection system at the base of Cells 11 to 15 (as measured by the in-place transducers) indicate that the head on the liner system is minimal and is performing in accordance with design.

## References

MEDEP (2008), *JRL Instrumentation*, email to REW authorizing abandonment of remaining electronic instrument, June 19.

NEWSME (2023), *2023 JRL Expansion Operations Manual, Old Town Landfill*, report prepared NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine.

REW (2005a), *Test Plot Construction and Monitoring Results, 2005 Geotechnical Monitoring Report, West Old Town Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, August.

REW (2005b), *Updated Geotechnical Stability Analyses, Condition 9, 2004 MDEP Solid Waste Order*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, October.

REW (2006), *Updated 2005 Geotechnical Monitoring Report, West Old Town Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, March.

REW (2007a), *2006 Geotechnical Monitoring Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, March.

REW (2007b), *2007 Geotechnical Monitoring Plan, West Old Town Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, May.

REW (2008a), *2007 Geotechnical Monitoring Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2008b), *JRL Instrumentation*, email send to MDEP, May 20.

REW (2009), *2008 Geotechnical Monitoring Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2010), *2009 Geotechnical Monitoring Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2011), *2010 Geotechnical Monitoring Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, March.

REW (2012), *2011 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2013), *2012 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, North Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2014), *2013 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2015), *2014 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2016), *2015 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Bethesda, MD for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, March.

REW (2017), *2016 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Lake George, NY for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, March.

REW (2018), *2017 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Lake George, NY for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, March.

REW (2019), *2018 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Lake George, NY for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2020), *2019 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Lake George, NY for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2021), *2020 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Lake George, NY for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2022), *2021 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Lake George, NY for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

REW (2023), *2022 Annual Geotechnical Landfill Inspection Report, Juniper Ridge Landfill*, report prepared by R.E. Wardwell, Lake George, NY for SPO/NEWSME Landfill Operations, Old Town, Maine and Casella Waste Systems, Inc., Saco, Maine, April.

SME (2015a), *Juniper Ridge Landfill Expansion Application Geotechnical Monitoring Plan*, JRL Expansion Application, Volume IV - Operations Manual, Appendix N, Geotechnical Monitoring Plan (2015) submitted by State of Maine Bureau of General Services (as Owner), and NEWSME Landfill Operations, LLC (as Operator), July.

SME (2015b), *Juniper Ridge Landfill Expansion Application Stability and Settlement Analysis*, JRL Expansion Application, Volume III-Design Report, Section 3.1.5, Stability and Settlement Monitoring Plan (2015), submitted by State of Maine Bureau of General Services (as Owner), and NEWSME Landfill Operations, LLC (as Operator), July.

# **APPENDIX A**

## **Summary of Wastes Accepted at Juniper Ridge Landfill Report 2023**

Summary of Wastes Accepted at Juniper Ridge Landfill Report Year 2023				
Waste Type #	Waste Types	Total (tons)	Origin	% Total Waste
1	Bypass MSW <sup>5</sup>	266,452	Maine	31.9
2	CDD/MSW Processing Residue - OBW (Disposed of in the Original 2004 Permitted Footprint)	10,679	Maine	1.3
3	CDD/MSW Processing Residue - OBW (Disposed of in the Expansion Permitted Footprint) <sup>4</sup>	67,994	Maine	8.1
4	Recycled/Reused CDD Processing Fines <sup>1</sup>	50,774	Maine	6.1
5	Mixed CDD	347,016	Maine	41.6
6	Recycled/Reused Wood from CDD <sup>2</sup>	248	Maine	0.0
7	Residue/Trash from Single Stream	8,239	Maine	1.0
	<b>Special Wastes Types</b>			
8	Burn Pile Ash and/or Hot Loads Area Ash	339	Maine	0.0
9	Burnt Structure Debris/Ash	350	Maine	0.0
10	Catch Basin Grit & Street Sweeping	559	Maine	0.1
11	Coal, Oil & Multi-fuel Boiler Ash	1,355	Maine	0.2
12	Contaminated Soil & Debris	4,095	Maine	0.5
13	Industrial (Miscellaneous)	131	Maine	0.0
14	Industrial WWTP Sludge	9,086	Maine	1.1
15	Leather Scraps	51	Maine	0.0
16	Lime Mud/Grit	1,168	Maine	0.1
17	MSW Incinerator Ash	2,619	Maine	0.3
18	Municipal WWTP/POTW Sludge	57,090	Maine	6.8
19	Non-Friable Asbestos	670	Maine	0.1
20	Non-Hazardous Chemical Related	723	Maine	0.1
21	Oil Spill Debris	2,191	Maine	0.3
22	Polyethylene & Cellulose Trimmings	145	Maine	0.0
23	Pulp Mill Waste	538	Maine	0.1
24	Sandblast Grit	244	Maine	0.0
25	Spoiled Foods	328	Maine	0.0
26	Sulfur Scrubbing Residues	699	Maine	0.1
27	Water/Air Filtration Media	7	Maine	0.0
28	WWTP Grit Screenings	574	Maine	0.1
<b>SUBTOTAL WASTE TYPES 1-7</b>		<b>751,402</b>	<b>Maine</b>	<b>90.1</b>
<b>SUBTOTAL WASTE TYPES 8-28</b>		<b>82,961</b>	<b>Maine</b>	<b>9.9</b>
<b>GRAND TOTAL WASTE RECEIVED<sup>3</sup></b>		<b>834,363</b>	<b>Maine</b>	

1. Materials recycled/reused as alternative daily cover (ADC).

2. Wood from CDD was received at the Juniper Ridge Landfill wood storage facility then chipped and recycled/reused as ADC.

3. Total does not include construction materials. In 2023, 40,446.44 tons of Construction Fines were delivered from Resource in Lewiston. These fines were manufactured to meet construction specifications for the Stage 1 Final Cover and side slope grading requirements prior to installing synthetic intermediate cover. Total derived from sum of higher significant digit numbers, not rounded whole numbers as provided in the above table.

4. The previous limit of 65,000 tons per year, set by expansion license #S-020700-WD-BI-N, was modified through solid waste minor revision #S-020700-WD-CM-M. The minor revision approved the methodology and process used to determine JRL's annual OBW limit of 85,000 tons in the Expansion area for 2023. The approval was granted on 04-25-23.

5. CRM/MRC 61,279.69 tons, ecomaine 5,981.54 tons, PERC 185,328.99, MMWAC 13,861.54 tons.

# **APPENDIX B**

## **JRL Estimate of Landfill Capacity December 31, 2023**

**Juniper Ridge Landfill**  
**Estimate of Remaining Capacity as of December 31, 2023**


	Values	Units	Source	
Landfill Capacity Remaining in Cells 1-10 as of December 31, 2022	720,538	cy	Calculated 2022 capacity evaluation	MSE Berm used for final waste surface for Cells 1-10 as permitted
Landfill Capacity Remaining in Cells 11-17 as of December 31, 2022	5,611,634	cy	Calculated 2022 capacity evaluation	
Remaining Site Capacity as of June 23, 2023 in landfill Cells 1-10	556,900	cy	June 23, 2023 Site Survey	MSE Berm used for final waste surface for Cells 1-10
Remaining Site Capacity as of June 23, 2023 in Expansion Cells 11 thru 17	5,356,400	cy	June 23, 2023 Site Survey	
Tons Placed in Landfill Cells 1-10 (tons) between June 24, 2023 and December 31, 2023.	44,211.88	tons	JRL Records	Wendy Plissey 02-13-2024
Tons Placed in Expansion Landfill Cells 11-17 (tons) between June 24, 2023 and December 31, 2023.	412,448.30	tons	JRL Records	Wendy Plissey 02-13-2024
Compaction Factor Three Year Running Average through June 2023	0.82	ton/cy	JRL Records	
Calculated Capacity Used in Cells 1-10 between June 24, 2023 and December 31, 2023 (CY)	53,917	cy	Calculation	
Calculated Capacity Used in Cells 1-10 in 2023	217,555	cy	Calculation;	Compaction factor change from 0.83 to 0.82.
Compaction used in Cells 11-17 between June 24, 2023 and December 31, 2023	0.82	ton/cy	JRL	
Calculated Capacity Used in Cells 11-17 between June 24, 2023 and December 31, 2023 (CY)	502,986	cy	Calculation	
Calculated Capacity Used in Cells 11-17 in 2023	758,220	cy	Calculation	
Estimated Remaining Cell 1 thru Cell 10 Capacity as of December 31, 2023	<u>502,983</u>	cy	Calculation	Includes MSE Berm Capacity
Estimated Remaining Cell 1 thru Cell 15 Capacity as of December 31, 2023	<u>2,129,897</u>	cy	Calculation	Based on Cell 1 thru 15 Capacity Remaining reported as of 6-23-2023 minus capacity consumed to end of 2023.
Estimated Remaining Site Capacity in Cells 11-17 as of December 31, 2023	<u>4,853,414</u>	cy	Calculation	
<b>Tons Disposed of in Landfill Cells 1 thru 10</b>	<b>80,087</b>	<b>Tons</b>	Provided by JRL	} Provided by NEWSME
<b>Tons Disposed of in Landfill Cells 11 thru 15</b>	<b>754,276</b>	<b>Tons</b>	Provided by JRL	
<b>Total Reported Tons Disposed of in Entire Landfill Cells 1 thru 15</b>	<b>834,363</b>	<b>Tons</b>	Provided by JRL	



# **Appendix C**

## **Weekly/Monthly Landfill Inspection Form**

### WEEKLY/MONTHLY INSPECTION FORM

<b>Site Name/Company</b>	Juniper Ridge Landfill/NEWSME Landfill Operations, LLC
<b>Location</b>	2828 Bennoch Road, Alton, Maine
<b>Date of Visit</b>	08-10-2023
<b>Inspector Name/Signature</b>	Miguel S. Pizanti 

Note: For weekly inspections, only Table 1 and Table 3 need to be completed. For monthly inspections, Tables 1, 2 and 3 need to be completed.

**Table 1  
Inspection of Active Areas at the Facility**

Active Areas at the Facility			
<b>Leachate</b>	Is leachate observed on the ground, or leaking from tanks or piping, with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
<b>Access Roads</b>	Are industrial materials, residue or trash observed on roads where vehicles enter or exit the active landfill with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
<b>MSW and CDD (windblown debris)</b>	Is MSW and/or CDD on ground, tracking, blowing or whirling with evidence of or the potential to impact stormwater?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Comments (see below)
<b>Borrow Pit</b>	Is there evidence of tracking or erosion from site soil borrow areas with potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
<b>Mobile Equipment</b>	Is mobile equipment leaking oil or other liquids with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)

Active Areas at the Facility	
Comments	<i>Some trash and sediment in stormwater conveyance ditches near landfill access roads. Need to be cleaned out.</i>

**Table 2**  
**Inspection of Stabilized Areas at the Facility**

Stabilized Active Areas at the Facility			
<b>Leachate</b>	Is leachate observed on the ground, or leaking from tanks or piping, with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
<b>Access Roads</b>	Are industrial materials, residue or trash observed on roads where vehicles enter or exit the active landfill with evidence of or the potential to impact stormwater?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Comments (see below)
<b>MSW and CDD (windblown debris)</b>	Is MSW and/or CDD on ground, tracking, blowing or whirling with evidence of or the potential to impact stormwater?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Comments (see below)
Comments	<i>see comments above. Also other stormwater conveyance ditches need to be cleaned of trash and sediment.</i>		

**Table 3**  
**Inspection of Stormwater BMPs, Conveyances and Outfalls**

<b>BMP</b>	<b>Describe where any of the following were observed:</b> <ul style="list-style-type: none"> <li>• Any evidence that the BMP is not functioning properly.</li> </ul>
Detention Pond 1	<i>Good</i>
Geomembrane Lined Storage Pond	<i>Good</i>
Detention Pond 2	<i>Good</i>
Detention Pond 6	<i>good</i>
Litter Fence	<i>litter fence along east access road has some holes in it. Working but could eventually use repair.</i>
Lechate Storage Tank Containment Area	<i>good</i>
Leachate Storage Tank Containment Area Riprap Outlet	<i>good</i>
Leachate Loading Rack Catch Basin	<i>good</i>
Detention Pond 9	<i>good</i>
2,000-Gallon Underground Storage Tank	<i>good</i>
Detention Pond 5	<i>good</i>
Outfall No. 1	<i>good</i>
Outfall No. 2	<i>good</i>
Outfall No. 3	<i>good</i>

**Table 3**  
**Inspection of Stormwater BMPs, Conveyances and Outfalls**

BMP	Describe where any of the following were observed: • Any evidence that the BMP is not functioning properly.
Outfall No. 4	good
Outfall No. 5	good
Outfall No. 6	good
Outfall No. 7	good


**Table 4**  
**New Potential Pollutant Source and/or Recommendations for Additional BMPs**

Reference	Description	Schedule

**Certification**

<input checked="" type="checkbox"/> Site is in compliance with SWPPP and MSGP. <input type="checkbox"/> Site is not in compliance with SWPPP and MSGP and either structural control measure maintenance, additional controls, or modifications to the SWPPP are required.	
<i>I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.</i>	
Name: <i>Jeffrey Pelletier</i>	Telephone: <i>207-249-8025</i>
Signature: <i>[Signature]</i>	Date: <i>08-10-23</i>

**CORRECTIVE ACTION REPORT**

Site Name/Company: <i>JRL Land fill</i>	
Location: <i>Old Town, ME</i>	
Contact Name: <i>Luigi Pizzuti</i>	Contact Signature: 
Date of Discovery: <i>08-10-2023</i>	
Date of Corrective Action Initiation: <i>08-10-2023</i>	
Date of Corrective Action Completion: <i>08-18-2023</i>	
Condition Requiring Corrective Action	<i>Clean out trash and sediment from east side road drainage conveyances</i>
Immediate Measures Taken to Control	<i>Trash removed and drainage conveyances cleaned.</i>
Measures Taken to Prevent Re-Occurrence	<i>Keep up with maintenance of drainage conveyances.</i>

Corrective actions must be completed within 14 days of the discovery of the condition. SWPPP modifications must be completed within 14 days of the completion of the corrective action. In the case of a spill, fill out Appendix E - Spill Report in addition to this form.

**If it is not feasible to complete the corrective action within 14 days, please describe the reason and proposed schedule for completion:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

If corrective actions cannot be completed within 45 days of discovery, MEDEP must be notified.

## ROUTINE INSPECTION REPORT

<b>Site Name/Company</b>	Juniper Ridge Landfill/NEWSME Landfill Operations, LLC
<b>Location</b>	2828 Bennoch Road, Alton, Maine
<b>Date of Visit</b>	11-18-23
<b>Inspector Name/Signature</b>	Jeffrey Pelletier / <i>Jeffrey Pelletier</i>
<b>Weather</b>	Raining

Does this inspection qualify as the one required annual inspection conducted during qualifying storm event?  Yes  No

Are there any new discharges or pollutants at the site?  Yes  No

**Table 1  
Inspection of Potential Pollutant Sources (PPS)**

Description	
<b>Industrial Activity or Area</b>	<p><b>Describe where any of the following were observed:</b></p> <ul style="list-style-type: none"> <li>• Any discharges present at the time of inspection;</li> <li>• Any evidence of pollutants entering the drain system or outfalls;</li> <li>• The condition of the outfalls, including any restricted flow;</li> <li>• Industrial materials, residue or trash on the ground;</li> <li>• Leaks or spills from industrial equipment, drums, barrels, tanks or other containers;</li> <li>• Offsite tracking of industrial or waste materials or sediment; and</li> <li>• Tracking or blowing of raw, final, or waste materials.</li> </ul>
<b>Scale House and Scale</b>	Scale Area Clean & orderly
<b>Soil Stockpile Areas</b>	Good, piles recently mulched & seeded
<b>Borrow Pit</b>	Good, Area recently mulched & seeded
<b>Wood Waste Handling Area</b>	Began chipping wood pile. Contained to area. Overall looks good
<b>Maintenance Building</b>	Overall looks good & well organized.

**Table 1**  
**Inspection of Potential Pollutant Sources (PPS)**

Rubb Building	LOOKS good
LFG Treatment Facility	LOOKS good
RNG Facility	Under construction but Archea is doing a good job to minimize stormwater impacts. Good
Leachate Storage Tank	No evidence of leaks, looks good
Leachate Loading Rack	No evidence of leaks, LOOKS good
Leachate Collection System	Good, system seems to be working as intended
Gravel Laydown Area	well organized
Employee Parking Area	Good, no issues
1,500-Gallon Gasoline Tank	Good, no signs of leaks, containment empty,
2,500-Gallon Diesel Delivery Truck	Good, no signs of leaks
Access Roads	Good, recently graded on South end, paving access road scheduled

Light litter along couple areas along the Landfill perimeter road. Scoria.



**Table 2**  
**Inspection of Structural Control Measures and Outfalls**

<b>BMP</b>	<b>Describe where any of the following were observed:</b> <ul style="list-style-type: none"> <li>• Any evidence that the BMP is not functioning properly;</li> <li>• Any evidence of erosion; and</li> <li>• Industrial materials, residue, or trash.</li> </ul>
Detention Pond 1	Good, recently upgraded
Geomembrane Lined Storage Pond	Good, functioning properly
Detention Pond 2	Good, functioning properly
Detention Pond 6	Good, functioning properly
Litter Fence	Good
Leachate Storage Tank Containment Area	Good, empty no signs of leaks
Leachate Storage Tank Containment Area Riprap Outlet	Good, functioning properly
Leachate Loading Rack Catch Basin	Good, functioning properly
Detention Pond 9	Good, functioning properly
2,000-Gallon Underground Storage Tank	Good, functioning properly, no signs of leaks
Detention Pond 10	Good, functioning properly
Detention Pond 11	Good, functioning properly
RNG Facility Stormwater Pond	Good, functioning properly

**Table 2**  
**Inspection of Structural Control Measures and Outfalls**

Outfall No. 1	good, pretty clear flow today, working as intended
Outfall No. 2	good, pretty clear flow today, working as intended
Outfall No. 4	good, no flow yet today but looks good.
Outfall No. 5	good, clear flow today, working as intended
Outfall No. 6	good, pretty clear flow, working as intended
Outfall No. 7	good, pretty clear flow, working as intended

**Table 3**  
**Corrective Actions Required for PPS(s) and/or Existing Structural Control Measures**

Reference	Description/Schedule	Date Completed
See Attached		


**Table 4**  
**Recommendation for New PPS(s) and/or Structural Control Measures**

Reference	Description/Schedule	Date Completed

**Table 5**  
**Modifications Required to SWPPP or Site Plan**

Reference	Description

**Certification**

<input checked="" type="checkbox"/> Site is in compliance with SWPPP and MSGP.	
<input type="checkbox"/> Site is not in compliance with SWPPP and MSGP and either structural control measure maintenance, additional controls, or modifications to the SWPPP are required.	
<i>I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.</i>	
Name: Jeffrey Pelletier	Telephone: 207-249-8025
Signature: 	Date: 11-18-23

**CORRECTIVE ACTION REPORT**

Site Name/Company: <i>Juniper Ridge Landfill</i>	
Location: <i>2828 Bannock Road, ALTON, ME</i>	
Contact Name: <i>Jeffrey Pelletier</i>	Contact Signature: <i>[Signature]</i>
Date of Discovery: <i>11-18-23</i>	
Date of Corrective Action Initiation: <i>11-20-23</i>	
Date of Corrective Action Completion: <i>11-28-23</i>	
Condition Requiring Corrective Action	<i>Light litter along a couple Areas along the landfill perimeter road and the road near the entrance of Cell 15</i>
Immediate Measures Taken to Control	<i>Informed Site Supervisor / Environmental Analyst. Pickups Scheduled.</i>
Measures Taken to Prevent Re-Occurrence	<i>Stay on top of litter patrols.</i>

Corrective actions must be completed within 14 days of the discovery of the condition. SWPPP modifications must be completed within 14 days of the completion of the corrective action. In the case of a spill, fill out Appendix E – Spill Report in addition to this form.

**If it is not feasible to complete the corrective action within 14 days, please describe the reason and proposed schedule for completion:** \_\_\_\_\_

\_\_\_\_\_

If corrective actions cannot be completed within 45 days of discovery, MEDEP must be notified.

## **Appendix D**

# **Checklist: Annual Geotechnical Landfill Inspection**

**Table D-1**  
**Checklist: Annual Geotechnical Inspection**  
**2023 Annual Geotechnical Landfill Monitoring Report, Juniper Ridge Landfill, Old Town, Maine**

Observation Date: 9/6/2023

Monitor Name: Richard E. Wardwell

Weather: mostly sunny, temperatures in mid 70's

Observation			Description (location, direction, appearance, etc.)	Proposed Action
Area	Sat.	Unsat		
<b>Active Area</b>				
location description	-	-	Cell 14 and Cell 15 (photos #10-14, 16-21, 30, 46);	n/a
slope stability	X			
waste lift thickness	X			
active slope angle	X		~2½:1 to 3:1	
erosion	X		none observed (N/O)	
leachate breakout	X		(N/O)	
ponded water	X		N/O	
toe heaving	X		N/O	
overall condition	X		stable slope appearance	
<b>Inactive Area (Synthetic)</b>				
location description	-	-	Synthetic Interim Cover Material (SICM) over most slopes except lower west slope	n/a
slope stability	X		isolated surface bulge associated with SICM anchor	
cracking	X		N/O	
erosion	X		N/O	
leachate breakout	X		N/O	
ponded water	X		N/O	
toe heaving	X		N/O	
overall condition	X		stable SICM slope appearance (see Photos #1-14, 17-29, 33-41, 44, 47-53)	
<b>Interim Soil Cover</b>				
location description	-	-	lower westerly slopes	n/a
overall surface condition	X		good grass/soil cover (see Photos #31-35, 40-43)	
cracking	X		N/O	
erosion of cover material	X		N/O	
erosion of ditch linings	X		N/O	
leachate breakout	X		N/O	
ponded water	X		N/O	
toe heaving	X		N/O	
grass kills	X		N/O	
gas venting	X		N/O	
overall condition	X		good stable condition (see Photos #31-35, 40-43)	

# **Appendix E**

## **Cells 11 to 15 Fluid Pressure Data**

JRL Cell Floor Transducer Readings Q1-2023

Date	Cell 11	Cell 12	Cell13	Cell14	Cell15
1/1/2023	0.0731	0.0248	0.0406	0.0316	
1/2/2023	0.0739	0.0241	0.0391	0.0309	
1/3/2023	0.0736	0.0247	0.0389	0.0307	
1/4/2023	0.0730	0.0236	0.0383	0.0303	
1/5/2023	0.0730	0.0242	0.0382	0.0297	
1/6/2023	0.0735	0.0245	0.0384	0.0301	
1/7/2023	0.0740	0.0238	0.0381	0.0306	
1/8/2023	0.0735	0.0238	0.0375	0.0295	
1/9/2023	0.0741	0.0245	0.0380	0.0295	
1/10/2023	0.0729	0.0228	0.0368	0.0294	
1/11/2023	0.0731	0.0226	0.0359	0.0284	
1/12/2023	0.0739	0.0235	0.0367	0.0289	
1/13/2023	0.0741	0.0248	0.0380	0.0306	
1/14/2023	0.0734	0.0234	0.0369	0.0297	
1/15/2023	0.0725	0.0230	0.0362	0.0285	
1/16/2023	0.0742	0.0253	0.0385	0.0303	
1/17/2023	0.0717	0.0237	0.0372	0.0303	
1/18/2023	0.0744	0.0233	0.0369	0.0305	
1/19/2023	0.0737	0.0233	0.0369	0.0306	
1/20/2023	0.0737	0.0223	0.0359	0.0291	
1/21/2023	0.0727	0.0214	0.0348	0.0289	
1/22/2023	0.0737	0.0226	0.0354	0.0293	
1/23/2023	0.0750	0.0242	0.0377	0.0296	
1/24/2023	0.0733	0.0219	0.0354	0.0294	
1/25/2023	0.0715	0.0217	0.0351	0.0290	
1/26/2023	0.0725	0.0242	0.0374	0.0302	
1/27/2023	0.0721	0.0213	0.0346	0.0290	
1/28/2023	0.0738	0.0225	0.0355	0.0294	
1/29/2023	0.0744	0.0237	0.0369	0.0303	
1/30/2023	0.0738	0.0228	0.0363	0.0296	
1/31/2023	0.0734	0.0220	0.0354	0.0291	
2/1/2023	0.0740	0.0213	0.0340	0.0277	
2/2/2023	0.0751	0.0231	0.0353	0.0282	
2/3/2023	0.0707	0.0202	0.0348	0.0290	
2/4/2023	0.0695	0.0192	0.0333	0.0280	
2/5/2023	0.0038	0.0202	-0.0297	0.0251	
2/6/2023	0.0732	0.0218	0.0350	0.0283	
2/7/2023	0.0737	0.0228	0.0362	0.0288	
2/8/2023	0.0746	0.0226	0.0360	0.0294	
2/9/2023	0.0740	0.0231	0.0355	0.0297	
2/10/2023	0.0753	0.0242	0.0372	0.0301	
2/11/2023	0.0742	0.0224	0.0355	0.0297	
2/12/2023	0.0755	0.0233	0.0355	0.0292	
2/13/2023	0.0759	0.0236	0.0364	0.0294	
2/14/2023	0.0738	0.0217	0.0346	0.0290	
2/15/2023	0.0755	0.0236	0.0357	0.0300	

Date	Cell 11	Cell 12	Cell13	Cell14	Cell15
2/16/2023	0.0744	0.0235	0.0361	0.0309	
2/17/2023	0.0722	0.0235	0.0368	0.0298	
2/18/2023	0.0731	0.0215	0.0338	0.0286	
2/19/2023	0.0752	0.0233	0.0354	0.0299	
2/20/2023	0.0756	0.0246	0.0374	0.0306	
2/21/2023	0.0752	0.0228	0.0357	0.0295	
2/22/2023	0.0740	0.0224	0.0349	0.0296	
2/23/2023	0.0744	0.0223	0.0347	0.0281	
2/24/2023	0.0724	0.0215	0.0341	0.0281	
2/25/2023	0.0744	0.0220	0.0342	0.0281	
2/26/2023	0.0755	0.0229	0.0355	0.0279	
2/27/2023	0.0746	0.0220	0.0349	0.0281	
2/28/2023	0.0760	0.0222	0.0353	0.0290	
3/1/2023	0.0751	0.0229	0.0362	0.0293	
3/2/2023	0.0760	0.0241	0.0376	0.0298	
3/3/2023	0.0750	0.0231	0.0365	0.0295	
3/4/2023	0.0761	0.0236	0.0370	0.0294	
3/5/2023	0.0760	0.0249	0.0387	0.0313	
3/6/2023	0.0767	0.0260	0.0406	0.0330	
3/7/2023	0.0766	0.0236	0.0373	0.0302	
3/8/2023	0.0766	0.0241	0.0375	0.0305	
3/9/2023	0.0758	0.0239	0.0373	0.0306	
3/10/2023	0.0763	0.0243	0.0378	0.0303	
3/11/2023	0.0763	0.0233	0.0371	0.0295	
3/12/2023	0.0762	0.0232	0.0368	0.0297	
3/13/2023	0.0767	0.0234	0.0370	0.0302	
3/14/2023	0.0762	0.0235	0.0379	0.0286	
3/15/2023	0.0767	0.0237	0.0376	0.0297	
3/16/2023	0.0767	0.0241	0.0380	0.0313	
3/17/2023	0.0766	0.0239	0.0376	0.0305	
3/18/2023	0.0768	0.0243	0.0385	0.0311	
3/19/2023	0.0758	0.0225	0.0368	0.0302	
3/20/2023	0.0758	0.0225	0.0362	0.0296	
3/21/2023	0.0763	0.0235	0.0374	0.0306	
3/22/2023	0.0760	0.0235	0.0373	0.0305	
3/23/2023	0.0762	0.0254	0.0397	0.0313	
3/24/2023	0.0770	0.0239	0.0379	0.0313	
3/25/2023	0.0761	0.0236	0.0375	0.0307	
3/26/2023	0.0771	0.0248	0.0390	0.0309	
3/27/2023	0.0120	-0.0381	-0.0251	0.0297	
3/28/2023	0.0768	0.0239	0.0371	0.0305	
3/29/2023	0.0767	0.0238	0.0369	0.0303	
3/30/2023	0.0763	0.0232	0.0366	0.0311	
3/31/2023	0.0769	0.0234	0.0365	0.0302	



JRL Cell Floor Transducer Readings Q2 -2023

Date	Cell 11	Cell 12	Cell13	Cell14	Cell15	Date	Cell 11	Cell 12	Cell13	Cell14	Cell15
4/1/2023	0.0767	0.0256	0.0398	0.0310		5/18/2023	0.0731	0.0230	0.0381	0.0306	
4/2/2023	0.0734	0.0229	0.0367	0.0313		5/19/2023	0.0756	0.0226	0.0375	0.0304	
4/3/2023	0.0760	0.0220	0.0349	0.0294		5/20/2023	0.0758	0.0240	0.0389	0.0308	
4/4/2023	0.0764	0.0234	0.0366	0.0305		5/21/2023	0.0738	0.0242	0.0400	0.0315	
4/5/2023	0.0742	0.0225	0.0352	0.0296		5/22/2023	0.0726	0.0233	0.0383	0.0303	
4/6/2023	0.0763	0.0242	0.0372	0.0304		5/23/2023	0.0754	0.0234	0.0385	0.0302	
4/7/2023	0.0764	0.0235	0.0368	0.0315		5/24/2023	0.0754	0.0243	0.0396	0.0304	
4/8/2023	0.0763	0.0236	0.0368	0.0311		5/25/2023	0.0747	0.0244	0.0397	0.0307	
4/9/2023	0.0765	0.0239	0.0363	0.0303		5/26/2023	0.0745	0.0244	0.0396	0.0309	
4/10/2023	0.0768	0.0242	0.0374	0.0301		5/27/2023	0.0744	0.0246	0.0400	0.0311	
4/11/2023	0.0762	0.0251	0.0381	0.0302		5/28/2023	0.0715	0.0251	0.0412	0.0316	
4/12/2023	0.0760	0.0249	0.0381	0.0321		5/29/2023	0.0707	0.0232	0.0386	0.0302	
4/13/2023	0.0771	0.0239	0.0368	0.0304		5/30/2023	0.0734	0.0236	0.0388	0.0304	
4/14/2023	0.0758	0.0235	0.0365	0.0308		5/31/2023	0.0689	0.0240	0.0394	0.0306	
4/15/2023	0.0765	0.0237	0.0367	0.0312		6/1/2023	0.0670	0.0248	0.0406	0.0315	
4/16/2023	0.0767	0.0245	0.0376	0.0307		6/2/2023	0.0646	0.0240	0.0397	0.0308	
4/17/2023	0.0763	0.0245	0.0377	0.0317		6/3/2023	0.0646	0.0234	0.0383	0.0288	
4/18/2023	0.0766	0.0237	0.0370	0.0310		6/4/2023	0.0675	0.0247	0.0397	0.0299	
4/19/2023	0.0769	0.0234	0.0365	0.0308		6/5/2023	0.0679	0.0256	0.0409	0.0316	
4/20/2023	0.0764	0.0236	0.0366	0.0313		6/6/2023	0.0684	0.0261	0.0413	0.0329	
4/21/2023	0.0757	0.0233	0.0363	0.0303		6/7/2023	0.0669	0.0242	0.0393	0.0321	
4/22/2023	0.0768	0.0233	0.0363	0.0310		6/8/2023	0.0665	0.0241	0.0391	0.0321	
4/23/2023	0.0765	0.0236	0.0366	0.0314		6/9/2023	0.0643	0.0242	0.0393	0.0321	
4/24/2023	0.0772	0.0236	0.0366	0.0309		6/10/2023	0.0593	0.0243	0.0392	0.0324	
4/25/2023	0.0767	0.0239	0.0367	0.0308		6/11/2023	0.0468	0.0242	0.0392	0.0324	
4/26/2023	0.0771	0.0241	0.0371	0.0308		6/12/2023	0.0483	0.0245	0.0394	0.0325	
4/27/2023	0.0770	0.0240	0.0370	0.0308		6/13/2023	0.0536	0.0246	0.0399	0.0328	
4/28/2023	0.0767	0.0237	0.0368	0.0309		6/14/2023	0.0522	0.0248	0.0401	0.0325	
4/29/2023	0.0770	0.0236	0.0365	0.0312		6/15/2023	0.0413	0.0240	0.0392	0.0324	
4/30/2023	0.0766	0.0241	0.0380	0.0316		6/16/2023	0.0282	0.0241	0.0391	0.0324	
5/1/2023	0.0755	0.0235	0.0380	0.0327		6/17/2023	0.0428	0.0249	0.0399	0.0320	
5/2/2023	0.0772	0.0236	0.0375	0.0322		6/18/2023	0.0242	0.0239	0.0388	0.0319	
5/3/2023	0.0763	0.0228	0.0368	0.0312		6/19/2023	0.0149	0.0237	0.0381	0.0321	
5/4/2023	0.0758	0.0231	0.0368	0.0306		6/20/2023	0.0144	0.0238	0.0383	0.0325	
5/5/2023	0.0761	0.0240	0.0378	0.0313		6/21/2023	0.0287	0.0239	0.0386	0.0325	
5/6/2023	0.0768	0.0253	0.0393	0.0323		6/22/2023	0.0385	0.0241	0.0388	0.0324	
5/7/2023	0.0769	0.0251	0.0398	0.0324		6/23/2023	0.0385	0.0245	0.0397	0.0328	
5/8/2023	0.0762	0.0247	0.0394	0.0324		6/24/2023	0.0352	0.0250	0.0397	0.0331	
5/9/2023	0.0769	0.0239	0.0381	0.0317		6/25/2023	0.0055	0.0244	0.0395	0.0327	
5/10/2023	0.0768	0.0246	0.0393	0.0320		6/26/2023	0.0003	0.0247	0.0396	0.0326	
5/11/2023	0.0768	0.0246	0.0394	0.0321		6/27/2023	0.0000	0.0248	0.0398	0.0333	
5/12/2023	0.0762	0.0250	0.0400	0.0321		6/28/2023	0.0000	0.0247	0.0393	0.0340	
5/13/2023	0.0738	0.0245	0.0395	0.0324		6/29/2023	0.0000	0.0243	0.0389	0.0337	
5/14/2023	0.0758	0.0248	0.0395	0.0324		6/30/2023	0.0000	0.0242	0.0388	0.0333	
5/15/2023	0.0762	0.0254	0.0408	0.0316							
5/16/2023	0.0763	0.0255	0.0421	0.0321							
5/17/2023	0.0733	0.0239	0.0392	0.0314							

JRL Cell Floor Transducer Readings Q3 -2023

Date	Cell 11	Cell 12	Cell13	Cell14	Cell15	Date	Cell 11	Cell 12	Cell13	Cell14	Cell15
7/1/2023	0.0000	0.0244	0.0391	0.0333		8/17/2023	0.000	0.025	0.040	0.034	
7/2/2023	0.0000	0.0251	0.0397	0.0340		8/18/2023	0.000	0.025	0.040	0.034	
7/3/2023	0.0000	0.0250	0.0400	0.0342		8/19/2023	0.000	0.025	0.040	0.034	
7/4/2023	0.0000	0.0247	0.0397	0.0339		8/20/2023	0.000	0.025	0.040	0.034	
7/5/2023	0.0000	0.0243	0.0393	0.0340		8/21/2023	0.000	0.025	0.040	0.033	
7/6/2023	0.0000	0.0246	0.0397	0.0338		8/22/2023	0.000	0.024	0.039	0.033	
7/7/2023	0.0000	0.0245	0.0393	0.0337		8/23/2023	0.000	0.024	0.039	0.033	
7/8/2023	0.0000	0.0242	0.0393	0.0336		8/24/2023	0.000	0.024	0.039	0.033	
7/9/2023	0.0000	0.0247	0.0397	0.0338		8/25/2023	0.000	0.024	0.039	0.033	
7/10/2023	0.0000	0.0250	0.0400	0.0344		8/26/2023	0.000	0.025	0.040	0.033	
7/11/2023	0.0000	0.0248	0.0400	0.0341		8/27/2023	0.000	0.025	0.041	0.034	
7/12/2023	0.0000	0.0243	0.0393	0.0336		8/28/2023	0.000	0.025	0.040	0.033	
7/13/2023	0.0000	0.0245	0.0400	0.0342		8/29/2023	0.000	0.025	0.040	0.033	
7/14/2023	0.0000	0.0243	0.0398	0.0339		8/30/2023	0.000	0.025	0.040	0.033	
7/15/2023	0.0000	0.0250	0.0403	0.0343		8/31/2023	0.000	0.024	0.039	0.033	
7/16/2023	0.0000	0.0251	0.0405	0.0348		9/1/2023	-0.0698	-0.0383	0.0309	0.0309	0.0021
7/17/2023	0.0000	0.0246	0.0399	0.0345		9/2/2023	0.0000	0.0247	0.0341	0.0341	0.0000
7/18/2023	0.0000	0.0248	0.0397	0.0344		9/3/2023	0.0000	0.0247	0.0344	0.0344	0.0000
7/19/2023	0.0000	0.0247	0.0401	0.0341		9/4/2023	0.0000	0.0246	0.0343	0.0343	0.0000
7/20/2023	0.0000	0.0248	0.0400	0.0339		9/5/2023	0.0000	0.0251	0.0346	0.0346	0.0713
7/21/2023	0.0000	0.0246	0.0398	0.0335		9/6/2023	0.0000	0.0252	0.0347	0.0347	-0.0304
7/22/2023	0.0000	0.0243	0.0394	0.0327		9/7/2023	0.0000	0.0245	0.0342	0.0342	0.2819
7/23/2023	0.0000	0.0240	0.0393	0.0326		9/8/2023	0.0000	0.0244	0.0343	0.0343	0.1773
7/24/2023	0.0000	0.0240	0.0392	0.0326		9/9/2023	0.0000	0.0243	0.0339	0.0339	0.4320
7/25/2023	0.0000	0.0242	0.0394	0.0326		9/10/2023	0.0000	0.0245	0.0339	0.0339	0.7181
7/26/2023	0.0000	0.0245	0.0400	0.0329		9/11/2023	0.0000	0.0249	0.0344	0.0344	0.7655
7/27/2023	0.0000	0.0253	0.0407	0.0336		9/12/2023	0.0000	0.0247	0.0342	0.0342	0.6520
7/28/2023	0.0000	0.0246	0.0399	0.0329		9/13/2023	0.0000	0.0247	0.0345	0.0345	0.0000
7/29/2023	0.0000	0.0252	0.0404	0.0333		9/14/2023	0.0000	0.0241	0.0337	0.0337	0.0024
7/30/2023	0.0000	0.0248	0.0402	0.0333		9/15/2023	0.0000	0.0245	0.0331	0.0331	0.0000
7/31/2023	0.0000	0.0242	0.0394	0.0329		9/16/2023	0.0000	0.0299	0.0361	0.0361	0.6667
8/1/2023	0.000	0.024	0.039	0.033		9/17/2023	0.0000	0.0245	0.0342	0.0342	0.0000
8/2/2023	0.000	0.025	0.040	0.034		9/18/2023	0.0000	0.0247	0.0345	0.0345	0.0009
8/3/2023	0.000	0.025	0.040	0.034		9/19/2023	0.0000	0.0259	0.0345	0.0345	0.0042
8/4/2023	0.000	0.025	0.040	0.034		9/20/2023	0.0000	0.0239	0.0338	0.0338	0.0014
8/5/2023	0.000	0.024	0.039	0.034		9/21/2023	0.0000	0.0236	0.0328	0.0328	0.0000
8/6/2023	0.000	0.025	0.040	0.034		9/22/2023	0.0000	0.0234	0.0313	0.0313	0.0003
8/7/2023	0.000	0.024	0.039	0.034		9/23/2023	0.0000	0.0241	0.0302	0.0302	0.0000
8/8/2023	0.000	0.024	0.039	0.034		9/24/2023	0.0000	0.0245	0.0293	0.0293	0.0000
8/9/2023	0.000	0.025	0.040	0.034		9/25/2023	0.0000	0.0230	0.0276	0.0276	0.0003
8/10/2023	0.000	0.025	0.040	0.034		9/26/2023	0.0000	0.0241	0.0278	0.0278	0.0000
8/11/2023	0.000	0.025	0.040	0.034		9/27/2023	0.0000	0.0240	0.0279	0.0279	0.0000
8/12/2023	0.000	0.024	0.039	0.034		9/28/2023	0.0000	0.0241	0.0280	0.0280	0.0005
8/13/2023	0.000	0.024	0.040	0.034		9/29/2023	0.0000	0.0241	0.0314	0.0314	0.000721
8/14/2023	0.000	0.024	0.040	0.034		9/30/2023	0.0000	0.0243	0.0323	0.0323	0.000691
8/15/2023	0.000	0.025	0.040	0.034							
8/16/2023	0.000	0.025	0.041	0.035							

JRL Cell Floor Transducer Readings Q4-2023

Date	Cell 11	Cell 12	Cell13	Cell14	Cell15	Date	Cell 11	Cell 12	Cell13	Cell14	Cell15
10/1/2023	0.0000	0.0241	0.0397	0.0324	0.0007	11/17/2023	0.0000	0.0245	0.0415	0.0000	0.0009
10/2/2023	0.0000	0.0246	0.0400	0.0327	0.0001	11/18/2023	0.0000	0.0247	0.0427	0.0000	0.0006
10/3/2023	0.0000	0.0245	0.0402	0.0331	0.0004	11/19/2023	0.0000	0.0231	0.0411	0.0000	0.0005
10/4/2023	0.0000	0.0239	0.0396	0.0330	0.0008	11/20/2023	0.0000	0.0237	0.0414	0.0000	0.0008
10/5/2023	0.0000	0.0245	0.0400	0.0336	0.0005	11/21/2023	0.0000	0.0235	0.0410	0.0000	0.0006
10/6/2023	0.0000	0.0247	0.0401	0.0338	0.0002	11/22/2023	0.0000	0.0254	0.0434	0.0000	0.0001
10/7/2023	0.0000	0.0262	0.0415	0.0363	0.0000	11/23/2023	0.0000	0.0240	0.0418	0.0000	0.0004
10/8/2023	-0.0661	0.0245	-0.0264	0.0360	-0.0584	11/24/2023	0.0000	0.0236	0.0411	0.0000	0.0008
10/9/2023	0.0000	0.0246	0.0398	0.0349	0.0020	11/25/2023	0.0000	0.0225	0.0401	0.0000	0.0003
10/10/2023	0.0000	0.0239	0.0395	0.0209	0.0020	11/26/2023	0.0000	0.0237	0.0414	0.0000	0.0003
10/11/2023	0.0000	0.0243	0.0403	0.0000	0.0017	11/27/2023	0.0000	0.0252	0.0439	0.0000	0.0010
10/12/2023	0.0000	0.0246	0.0407	0.0000	0.0011	11/28/2023	0.0000	0.0237	0.0428	0.0000	0.0009
10/13/2023	0.0000	0.0247	0.0407	0.0000	0.0008	11/29/2023	0.0000	0.0224	0.0410	0.0000	0.0013
10/14/2023	0.0000	0.0251	0.0414	0.0000	0.0004	11/30/2023	0.0000	0.0233	0.0417	0.0000	0.0013
10/15/2023	0.0000	0.0247	0.0414	0.0000	0.0002	12/1/2023	0.000	0.023	0.043	0.000	0.002
10/16/2023	0.0000	0.0238	0.0405	0.0000	0.0012	12/2/2023	0.000	0.024	0.043	0.000	0.001
10/17/2023	0.0000	0.0237	0.0401	0.0000	0.0014	12/3/2023	0.001	0.024	0.043	0.000	0.001
10/18/2023	0.0000	0.0240	0.0403	0.0000	0.0013	12/4/2023	0.001	0.023	0.042	0.000	0.001
10/19/2023	0.0000	0.0241	0.0400	0.0000	0.0008	12/5/2023	0.001	0.022	0.041	0.000	0.001
10/20/2023	0.0000	0.0247	0.0399	0.0000	0.0006	12/6/2023	0.015	0.023	0.041	0.000	0.001
10/21/2023	0.0000	0.0269	0.0422	0.0000	0.0000	12/7/2023	0.012	0.023	0.042	0.000	0.001
10/22/2023	0.0000	0.0251	0.0377	0.0000	0.0010	12/8/2023	0.001	0.022	0.041	0.000	0.001
10/23/2023	0.0000	0.0237	0.0372	0.0000	0.0015	12/9/2023	0.015	0.022	0.041	0.000	0.000
10/24/2023	0.0000	0.0235	0.0392	0.0000	0.0006	12/10/2023	0.028	0.025	0.044	0.000	0.001
10/25/2023	0.0000	0.0241	0.0397	0.0000	0.0002	12/11/2023	0.019	0.025	0.044	0.000	0.002
10/26/2023	0.0000	0.0245	0.0405	0.0000	0.0002	12/12/2023	0.014	0.022	0.041	0.000	0.002
10/27/2023	0.0000	0.0248	0.0408	0.0000	0.0001	12/13/2023	0.017	0.023	0.042	0.000	0.001
10/28/2023	0.0000	0.0242	0.0405	0.0000	0.0003	12/14/2023	0.021	0.023	0.043	0.000	0.001
10/29/2023	0.0000	0.0235	0.0396	0.0000	0.0002	12/15/2023	0.028	0.024	0.044	0.000	0.001
10/30/2023	0.0000	0.0240	0.0401	0.0000	0.0000	12/16/2023	0.009	0.022	0.042	0.000	0.001
10/31/2023	0.0000	0.0229	0.0389	0.0000	0.0000	12/17/2023	0.037	0.024	0.045	0.000	0.001
11/1/2023	0.0000	0.0233	0.0397	0.0000	0.0001	12/18/2023	0.059	-0.040	-0.025	0.000	-0.056
11/2/2023	0.0000	0.0226	0.0391	0.0000	0.0000	12/19/2023	0.013	0.000	0.000	0.000	-0.058
11/3/2023	0.0000	0.0239	0.0399	0.0000	0.0002	12/20/2023	0.023	0.000	0.000	0.000	0.001
11/4/2023	0.0000	0.0241	0.0407	0.0000	0.0000	12/21/2023	0.026	0.000	0.000	0.000	0.001
11/5/2023	0.0000	0.0239	0.0408	0.0000	0.0000	12/22/2023	0.030	0.000	0.000	0.000	0.000
11/6/2023	0.0000	0.0232	0.0400	0.0000	0.0000	12/23/2023	0.040	0.009	-0.045	0.000	0.000
11/7/2023	0.0000	0.0250	0.0421	0.0000	0.0001	12/24/2023	0.044	0.023	0.044	0.000	0.000
11/8/2023	0.0000	0.0242	0.0412	0.0000	0.0002	12/25/2023	0.043	0.024	0.044	0.000	0.000
11/9/2023	0.0000	0.0235	0.0406	0.0000	0.0001	12/26/2023	0.046	0.024	0.045	0.000	0.001
11/10/2023	0.0000	0.0237	0.0409	0.0000	0.0002	12/27/2023	0.051	0.024	0.045	0.000	0.001
11/11/2023	0.0000	0.0231	0.0401	0.0000	0.0003	12/28/2023	0.054	0.025	0.046	0.000	0.001
11/12/2023	0.0000	0.0232	0.0401	0.0000	0.0001	12/29/2023	0.053	0.024	0.046	0.000	0.001
11/13/2023	0.0000	0.0236	0.0408	0.0000	0.0000	12/30/2023	0.049	0.024	0.046	0.000	0.001
11/14/2023	0.0000	0.0228	0.0401	0.0000	0.0001	12/31/2023	0.028	0.023	0.045	0.000	0.001
11/15/2023	0.0000	0.0236	0.0408	0.0000	0.0003						
11/16/2023	0.0000	0.0238	0.0415	0.0000	0.0003						

**Appendix F**  
**Site Photographs**



1. southeast corner of Cell 10 looking westerly along southern slope of Cell 10



2. looking westerly toward closure activities on southern slope of Cell 10





3. top of Cell 10 looking southerly down south slope of Cell 10



4. looking northwesterly along the easterly facing slope of Cells 10/11





5. looking northwesterly along the easterly facing mid-slope of Cells 10/11



6. top of the south end of Cell 10 looking easterly down northeasterly slope of Cell 10





7. top of Cell 9 looking northwesterly along the northeasterly slope of Cell 11



8. mid-height of Cell 9 looking northwesterly along the northeasterly facing slope of Cells 11/12





9. mid-height of Cell 11 looking southerly along upper easterly slope of Cell 11



10. top of Cell 12 looking southeasterly along the easterly upper slope of Cells 12/11





11. top of Cell 12 looking northeasterly along the easterly upper slope of Cells 12/13/14



12. top of Cell 7 looking northwesterly towards the operational Cell 15 with the northwesterly slope of Cells 1/2/3 to the left and the southwesterly slope of Cells 12/13/14 to the right





13. looking westerly along the northwest slope of Cells 1/2/3 and Cell 15 operations



14. top of Cell 13/14 looking southwesterly down its SICM covered slope across to the northeasterly facing slope of Cells 1/2/3





15. on the northern slope of Cell 14 looking across the northwestern facing slope



16. looking north-northeasterly down the north corner of Cell 14





17. looking northeasterly down the north corner of Cell 14



18. looking southeasterly along the geom-covered northeasterly slope of Cells 14/13





19. on the southwesterly slope of Cell 13/14 looking southeasterly towards the northwesterly slope of Cells 1/2/3



20. on the southwesterly slope of Cell 13/14 looking south towards the active Cell 15





21. on the southwesterly slope of Cell 13/14 looking south towards the next area of Cell 16 construction



22. on top of the southwest corner of Cells 1/2, looking down towards the west ridge line





23. mid-height of southwest corner of Cells 1/2, looking down northwesterly slope of Cell 1  
(note right: supplemental waste placed to bring the settled northern slope of Cells 1/2/3 back to final grade)



24. looking northwesterly down the mid-level of the northwest ridge





25. mid-height of southwest ridge line, looking southeasterly along the mid to upper slope of Cells 1/2/3A



26. looking southeasterly along the lower slope of Cells 1/2/3A/4





27. looking west southwesterly down the westerly slope of Cells 3A/4



28. on landfill top looking southeasterly towards slopes of Cells 4/5





29. looking northwesterly towards upper slopes of Cells 4/3A/2/1



30. active grading waste placement on top of Cell 9





31. looking easterly along at the southeast landfill slope of Cell 10



32. looking upwards towards the closure grading of the southerly facing slope at toe of Cell 10





33. looking southwesterly along the southeasterly slope of Cell 10



34. looking southeasterly along the southerly slope of Cell 8





35. looking westerly along the southerly facing slope of Cells 6/5/4



36. looking northerly at southerly slope of Cells 6/5/4





37. looking southeasterly along toe of Cells 4/5/6



38. looking northerly towards southwesterly slopes of Cells 5/4/3





39.looking northerly towards the westerly facing slopes of Cells 4/3A/2



40. looking easterly up the slopes of Cells 2/3A





41. looking easterly up the slopes of Cells 1/2/3A



42. looking northerly along the slopes of Cells 1/2





43. at the northwest landfill corner, looking easterly up the east/west ridge line of Cells 1/2



44. east/west ridge line detail





45. at the southwest boundary of Cell 15, looking easterly to the northwest slope and ridge line for Cells 1/2/3A



46. at the southwest corner of Cell 15, looking at Cell 15 foundation and the slopes of Cells 1/2/3/7/12/13/14





47. looking along the east/west boundary of Cell 15 and the southwesterly slopes of Cells 12/13/14



48. looking northerly at the northwesterly slope of Cell 14





49. at the northeast corner of Cell 14 looking southeasterly at the toe of its easterly slope



50. at the northeast corner of Cell 14 looking northerly along the toe of slope





51. on the southeasterly access road, looking southeasterly along the eastern toe of Cells 14/13/12



52. along the southeast access road, looking southeasterly along the eastern slopes of Cells 13/12/11





53. along the southeast access road, looking southeasterly along the eastern slopes of Cells 11/10



ta-da:  
THE END



**ATTACHMENT J**

**Updated Closure and Post-Closure Cost  
Estimates**

April 25, 2024

Jeffrey Pelletier  
Environmental Compliance Manager  
NEWSME Landfill Operations LLC  
358 Emerson Mill Rd  
Hampden, ME 04444

Subject: Update of Opinion of Capital Closure and Post-Closure Costs  
Calendar Year 2024  
Juniper Ridge Landfill  
Old Town, Maine

Dear Jeffrey:

As requested by NEWSME Landfill Operations LLC (NEWSME), Sevee & Maher Engineers, Inc. (SME) has updated our opinion of capital closure and post-closure costs for the Juniper Ridge Landfill (JRL) in Old Town, Maine for calendar year 2024. The capital closure cost is for those cells that, as of the end of the calendar year 2023, have been constructed, but have not received final cover. Constructed cells include Cells 1 through 15; closure includes 9 acres of the Stage 1 Closure Cap. In total, these landfill cells have approximately 97.3 acres of area requiring future closure. Our opinion of the capital closure cost to close the remaining 97.3 acres is \$35,883,100. This cost is based on a per-acre closure cost presented in Table 1, for a final cover consistent with the final waste grades and cover components requirements of Maine Department of Environmental Protection (MEDEP) Solid Waste Management Rules (SWMRs).

The post-closure monitoring and maintenance cost for the site is \$32,427,300 for the items presented in Table 2. The post-closure costs assume a 30-year post-closure period and are based on 2024 dollars.

Our opinion of closure and post-closure costs is based on the following assumptions.

1. The closure of the individual cells will consist of placing final cover over the areas of the developed landfill which have not received final cover. Note that operational costs such as placement and removal of intermediate cover, and operational waste grading are not included in the final cover costs presented herein. The cost to install an active gas collection system as part of closure is included. It is assumed that the current systems will continue to operate during the post-closure period.
2. The final cover of these cells will consist of the components as proposed in the Stage 1 and Stage 2 Final Cover design reports, which are consistent with the current SWMRs. SME's opinion of closure costs is based on our current understanding of site conditions and unit costs as bid in February 2024 for NEWSME's Stage 2 Final Cover project which reflect cover construction on 2.5H to 1V and 3H to 1V sideslopes.

3. The post-closure costs include landfill inspection, water quality monitoring, leachate management, general site maintenance, gas treatment and maintenance, and engineering for the entire facility. These post-closure costs are based on our current understanding of site conditions, and projections of both leachate and landfill gas quantity and quality, and costs associated with treatment and disposal. Actual post-closure costs will vary and are dependent upon the actual nature of site conditions at the time of closure, long-term management decisions of NEWSME and the Regulators, and other factors not evident at this time.

If there are any questions concerning our opinion of costs presented in this letter, please feel free to contact us.

Sincerely,

SEVEE & MAHER ENGINEERS, INC.



Lisa Turner, P.E., L.S.S.  
Project Manager

Attachments

- |         |   |
|---------|---|
| Table 1 | Opinion of Final Cover Costs for Juniper Ridge Landfill Developed Landfill Area as of December 2023                             |
| Table 2 | Opinion of Post-Closure Monitoring and Maintenance Costs for Juniper Ridge Landfill Developed Landfill Area as of December 2023 |

cc: Wayne Boyd, NEWSME

TABLE 1

OPINION OF FINAL COVER COSTS FOR JUNIPER RIDGE LANDFILL  
DEVELOPED LANDFILL AREA  
AS OF DECEMBER 2023

JUNIPER RIDGE LANDFILL PER-ACRE FINAL COVER COSTS (GAS COLLECTION NEEDED)				
ITEM	UNIT	QUANTITY	UNIT COST <sup>(1)</sup>	TOTAL
Mobilization	L.S.	1	\$18,600	\$18,600
Erosion Control	L.S.	1	\$13,700	\$13,700
Active Gas System	L.S.	1	\$24,300	\$24,300
Site Grading of 6" Bedding Sand	C.Y.	810	\$29.50	\$23,895
12" Compacted Till	C.Y.	1,620	\$27.00	\$43,740
Geosynthetic Clay Liner	SQ.FT.	43,560	\$0.89	\$38,770
40-mil Textured Geomembrane	SQ.FT.	43,560	\$0.75	\$32,670
250-mil Drainage Geocomposite	SQ.FT.	43,560	\$0.72	\$31,410
18" Vegetative Cover	C.Y.	2,430	\$26.00	\$63,180
Seed & Mulch	L.S.	1	\$17,200	\$17,200
Engineer/Const. Monitoring	L.S.	1	\$27,800	\$27,800
			<b>Total</b>	<b>\$335,265</b>

Notes:

1. Unit costs based upon Third Party Construction Cost (Stage 2 Final Cover bid dated February 2024).

	Acres	Closure Cost
Total Area of Cells 1-17	121.5	
Area of Cells to be constructed (16 & 17)	-15.2	
Area of completed final cover	-9.0	
Total area requiring final cover	97.3	\$ 32,621,000
10 Percent Contingency		\$ 3,262,100
<b>TOTAL</b>		<b>\$ 35,883,100</b>

TABLE 2

OPINION OF POST-CLOSURE MONITORING AND MAINTENANCE COSTS FOR JUNIPER RIDGE LANDFILL  
DEVELOPED LANDFILL AREA AS OF DECEMBER 2023

ITEM	OPINION OF AVERAGE YEARLY COSTS	TOTAL COST FOR 30 YEAR PERIOD	ASSUMPTIONS
<b>Leachate Collection, Transport and Disposal</b>			
A. Electrical Costs to Operate Pump Stations	\$ 1,900	\$57,000	Assumes a 15 hp (75 percent efficiency) pump pumping for 765 hours per year with electrical costs of \$0.18 /kWhr.
B. Disposal Costs for Leachate Years 1-30	\$ 584,430	\$17,532,900	Leachate generation is estimated for a 30 year period beginning with 26.5 Million gallons at year 1 and decreasing to 0.40 Million gallons at year 30. Transportation cost of \$0.0248/gal and disposal cost of \$0.075/gal.
C. Annual Leachate Testing	\$ 8,000	\$240,000	Annual cost for pretreatment testing.
	<b>Subtotal</b>	<b>\$17,829,900</b>	
<b>Post Closure Water Quality Monitoring</b>			
A.1 Sample methane and detection parameters at 24 Wells, 11 Underdrains, 2 Leachate Collection, 1 Leak Detection, 7 Surface Waters and 3 Pore Waters for three rounds.	\$ 44,100	\$220,500	Assumes three rounds of monitoring for detection parameters for years 1-5.
A.2 Sample methane and detection parameters at 24 Wells, 11 Underdrains, 2 Leachate Collection, 1 Leak Detection, 7 Surface Waters and 3 Pore Waters for two rounds.	\$ 29,400	\$147,000	Assumes two rounds of monitoring for detection parameters for years 6-10.
A.3 Sample methane and detection parameters at 24 Wells, 11 Underdrains, 2 Leachate Collection, 1 Leak Detection, 7 Surface Waters and 3 Pore Waters for one round.	\$ 14,700	\$294,000	Assumes one round of monitoring for detection parameters for years 11-30.
B.1 Analyses of 52 Samples 3 Times per Year	\$ 60,300	\$301,500	Assumes 24 wells, 11 underdrains, 2 leachate collection, 1 leak detection, 7 surface, 3 pore water and 4 QA/QC, for years 1-5.
B.2 Analyses of 52 Samples 2 Times per Year	\$ 40,200	\$201,000	Assumes 24 wells, 11 underdrains, 2 leachate collection, 1 leak detection, 7 surface, 3 pore water and 4 QA/QC, for years 6-10.
B.3 Analyses of 52 Samples 1 Time per Year	\$ 20,100	\$402,000	Assumes 24 wells, 11 underdrains, 2 leachate collection, 1 leak detection, 7 surface, 3 pore water and 4 QA/QC, for years 11-30.
C. Compile Data and Submit to MEDEP	\$ 5,400	\$162,000	Assumes report prepared and submitted to MEDEP after each sampling round.
<b>Annual Cost Years 1-5</b>	\$ 109,800		
<b>Annual Cost Years 6-10</b>	\$ 75,000		
<b>Annual Cost Years 11-30</b>	\$ 40,200		
	<b>Subtotal</b>	<b>\$1,728,000</b>	
<b>Landfill Inspection</b>			
A. Monthly Site Walk & Report Generation	\$ 6,273	\$188,200	Assumes 9 hr., quarterly inspections @ \$170/hr.
<b>Subtotal</b>	<b>\$ 6,273</b>	<b>\$188,200</b>	
<b>Active Landfill Gas Extraction System - Annual basis, years 1-30</b>			
A. Gas Collection Equipment Replacement	\$ 12,200	\$366,000	General equipment replacement including well heads, condensate pumps etc.
B. Flare Maintenance	\$ 6,300	\$189,000	Replacement of flare parts such as flame arrestor media etc.
C. Blower Maintenance	\$ 6,300	\$189,000	Routine inspection and maintenance of blower & control system.
D. System Operation and Inspection	\$ 6,000	\$180,000	General system operation & maintenance.
E. Well Tuning	\$ 12,400	\$372,000	Well tuning once per month.
F. Compliance Monitoring and Reporting	\$ 20,900	\$627,000	Includes Compliance Air Monitoring and Reporting.
G. Electrical Costs to Operate Blowers, Heat & Control Panel Years 1-30	\$ 79,000	\$2,370,000	Electricity for blowers assumes varying horsepower requirement as gas decreases @\$0.18/kWhr.
H. Landfill Gas Treatment Costs Years 1-30	\$ 115,000	\$3,450,000	Includes treatment cost for H2S removal to 1,000 ppm using Thiopaq system at a cost of \$2,200 per ton.
<b>Subtotal</b>	<b>\$ 258,100</b>	<b>\$7,743,000</b>	
<b>Landfill Maintenance</b>			
A. Cover Maintenance Including Annual Mowing & Erosion Repair	\$ 9,500	\$285,000	Assumes 3 man crew 10 days/ year.
B.1 Pump Stations Inspections	\$ 14,040	\$421,200	Assumes 4.5 hr./ week @ \$55 per hour.
B.2 Pump Replacement Every Five Years (Not Annual Cost)	\$ 42,000	\$252,000	Assumes replacing 15 on-site pumps every 5 years at \$3,000 a piece.
C. General Site Maintenance	\$ 10,000	\$300,000	Assumes snow plowing 20 storms per year @ \$500 per storm.
D. Leachate Line Cleaning	\$ 30,000	\$600,000	Assumes leachate line cleaning once per year for years 1-10, then every other year, for years 11-30.
<b>Subtotal</b>	<b>\$ 105,540</b>	<b>\$1,858,200</b>	
<b>Professional Services</b>			
A. Engineering Services	\$ 4,400	\$132,000	General Services
<b>Subtotal</b>	<b>\$ 4,400</b>	<b>\$132,000</b>	
<b>Subtotal</b>		<b>\$ 29,479,300</b>	
<b>10% Contingency</b>		<b>\$ 2,948,000</b>	
<b>TOTAL</b>		<b>\$ 32,427,300</b>	

**ATTACHMENT K**  
**MSW Diversion**

## JRL 2023 Annual Report

### Compliance with Condition 5 of #S-020700-WD-BC-A

#### (Casella MSW Landfilling Diversion)

Best efforts by Casella to divert MSW from landfilling at JRL to the greatest extent practicable:

***5.A: A list and description of all diversion options evaluated and/or pursued by Casella, including currently operating Maine waste-to-energy facilities as options:***

#### Diversion of MSW through Recycling

1. Casella's Zero-Sort program delivering MSW recyclables collected in Maine to the Casella processing facility in Lewiston.
2. Casella's cardboard recycling program wherein source separated cardboard is collected, baled, and marketed to end use recyclers.
3. Operation of the Casella Zero-Sort processing facility in Lewiston, Maine. Outreach to municipalities and businesses to encourage participation in Casella's Zero-Sort recycling program.

#### Diversion of MSW to Maine Incinerators and Processing Facilities

##### ecomaine:

Casella's Pine Tree Waste hauling companies collect and deliver Maine MSW and recycling materials to the ecomaine incinerator and single stream recycling facility.

##### MMWAC:

Casella's Pine Tree Waste hauling companies collect and deliver Maine MSW to the MMWAC incinerator.

##### PERC:

In 2020 an agreement was reached with PERC to annually deliver at least 100,400 tons of Maine MSW. Delivering additional Maine MSW is allowable if necessary. This is a good portion of the expected annual throughput of the PERC facility plans to accept.

##### COASTAL RESOURCE MANAGEMENT:

In 2018 an agreement was reached with CRM to deliver 40,000 tons annually of Maine municipal solid waste to CRM's recycling and processing facility in Hampden, in addition to deliveries of collected material from Municipal Review Committee (MRC) communities by Pine Tree Waste. The facility hasn't operated since May of 2020.



## SWAP AGREEMENT:

A collective agreement was reached between Pine Tree Waste, Inc., NEWSME Landfill Operations, LLC, Waste Management Disposal Services of Maine, Inc., Municipal Review Committee, Inc., and Coastal Resources of Maine, LLC, pursuant to which bypass MSW collected from some MRC communities, primarily within the greater Bangor area, would be delivered to JRL rather than being delivered to the Crossroads Landfill, and an equivalent amount of MSW originating in Maine that otherwise would be delivered by Pine Tree to JRL would instead be delivered by Pine Tree to the Crossroads Landfill.

## Diversion by Disposal at Other Landfills

Casella's Pine Tree Waste hauling companies (Bethel, Columbia, Fairfield, Hermon, Houlton, Mechanic Falls, Old Orchard Beach, Sanford, Scarborough, Waterville, and West Bath) collect Maine MSW and deliver to landfills other than Juniper Ridge: Bath, Brunswick, Fort Fairfield / Presque Isle (RWS), and Norridgewock, Maine, Lawrence Station, New Brunswick, and Berlin, New Hampshire.

### ***5.B: A narrative detailing the specific efforts made by Casella to implement diversion options:***

See narrative description in 5.A above.

### ***5.C: A narrative describing the results of Casella's evaluation/pursuit of MSW diversion options, including the volume of waste and diversion destination of MSW successfully diverted and/or the specific reasons that MSW was not diverted to other destination options.***

## Maine MSW Recyclables Delivered to Casella Zero-Sort in Lewiston, ME

- Number of Maine municipalities participating in Casella's Zero-Sort program in calendar year 2023: 49
- Number of Maine businesses participating in Casella's Zero-Sort program in calendar year 2023: approx. 3,251
- Tons of Maine MSW recyclables processed in Casella's Zero-Sort program in calendar year 2023: 22,925 tons

## Casella cardboard recycling

Fiber brokered and baled directly from Maine municipalities or Maine businesses in calendar year 2023:

- Brokered: 54,578 tons
- Baled: 16,485 tons

## Maine MSW Delivered to Maine Incinerators and Processing Facilities in 2023

ecomaine:

- Single-stream recyclables: 14,830 tons
- MSW: 64,852 tons

MMWAC:

- Lewiston Zero-Sort processing residue: 101 tons
- MSW: 38,026 tons

PERC:

- MSW: 120,911 tons

CRM:

- MSW: 0 tons

Maine MSW Delivered to Landfills Other than Juniper Ridge in 2023

Bath Landfill:

- MSW: 1,389 tons

Brunswick Landfill:

- MSW: 0 tons

Fort Fairfield / Presque Isle Landfill (RWS):

- MSW: 10,704 tons

Norridgewock Landfill:

- MSW: 57,603 tons

Southwest New Brunswick Service Commission (Lawrence Station, NB):

- MSW: 6,914 tons

Total Maine MSW diverted from disposal at JRL in 2023 through efforts described above

- 395,396 tons

Total Maine, non-bypass MSW disposed at JRL in 2023

- 0 tons

MSW DIVERSION FROM JUNIPER RIDGE LANDFILL	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
<b>Maine MSW Recyclables Delivered to Casella Zero-Sort Facilities:</b>										
Number of Maine municipalities participating in Casella Zero-Sort program:	52	62	64	63	59	43	44	43	53	49
Number of Maine businesses participating in Casella Zero-Sort program:	3,200	3,482	3,381	3,343	3,375	3,305	3,602	3,539	3,494	3,251
Tons of Maine MSW recyclables processed in Casella Zero-Sort program	25,026	28,688	35,851	30,263	30,376	28,876	28,302	31,484	24,946	22,925
<b>Cardboard recycling: Fiber from Maine municipalities, businesses, or transfer</b>										
Brokered:	37,385	53,244	55,903	47,613	53,445	54,126	46,442	22,055	37,007	54,578
Collected / Baled:	12,840	29,071	27,288	25,953	21,945	22,450	13,807	17,118	18,022	16,485
<b>Maine MSW delivered by Casella to Maine incinerators or Processing Facilities</b>										
a. ecomaine:										
i.    Lewiston Zero-Sort processing residue:	97	329	-	-	-	-	-	-	-	-
ii.   Single-stream recyclables:	42,506	11,430	11,934	11,697	11,127	10,149	12,694	13,708	14,032	14,830
iii.  MSW:		41,130	45,837	48,295	48,047	49,073	55,030	60,872	49,198	64,852
b. MMWAC:										
i.    Lewiston Zero-Sort processing residue:	-	1,742	2,777	3,080	484	-	-	-	179	101
ii.   MSW:	147	32,212	35,384	37,707	36,949	38,961	37,171	38,854	37,351	38,026
c. PERC:										
i.    Lewiston Zero-Sort processing residue:	-	-	-	-	2,608	1,343	-	-	-	-
ii.   MSW:	89,902	89,054	79,443	76,477	96,124	114,008	116,209	189,709	187,083	120,911
d. CRM <sup>1</sup>										
						8,037	7,155	-	-	-
<b>Maine MSW delivered by Casella to Maine landfills other than Juniper Ridge</b>										
a.  Bath Landfill:	388	6,097	5,740	5,445	4,747	3,210	1,199	1,402	1,377	1,389
i.    Lewiston Zero-Sort processing residue:	-	-	-	-	603	-	-	-	-	-
b.  Brunswick Landfill:	10,144	528	3,474	6,715	9,303	14,661	8,474	365	-	-
c.  Fort Fairfield Landfill:	7,249	10,500	11,204	10,828	13,682	16,069	12,468	12,789	12,981	10,704
d.  Norridgewock Landfill:	2,495	2,720	2,549	2,264	16,865	40,562	7,503	22,852	14,675	57,603
<b>Maine MSW delivered by Casella to New Hampshire Landfills (tons):</b>										
a.  Berlin Landfill						11,804	11,830	-	-	-
<b>Maine MSW delivered by Casella to Canada Landfill (tons):</b>										
a.  Southwest New Brunswick Service Commission	-	-	-	-	-	-	-	4,183	11,089	6,914
<b>Total Maine MSW diverted from disposal at JRL through efforts described above (tons):</b>	<b>228,179</b>	<b>306,745</b>	<b>317,384</b>	<b>306,337</b>	<b>346,305</b>	<b>413,329</b>	<b>358,284</b>	<b>415,391</b>	<b>407,941</b>	<b>395,396</b>
<b>Total Non-Bypass Maine MSW disposed at JRL (tons):</b>	<b>36,878</b>	<b>57,521</b>	<b>69,934</b>	<b>77,673</b>	<b>82,805</b>	<b>79,910</b>	<b>55,470</b>	<b>-</b>	<b>-</b>	<b>-</b>
1 A portion of the volume noted as MSW to CRM was previously reported as recycling, due to CRM's ability to process co-mingled MSW and recycling										