

Price Schedule

BEHIND THE EAR TYPES - The total price shall be for a single hearing aid or two hearing aids and appropriate case. List model numbers/name and full range of the instrument has a T-coil or T-coil capability. For digital aids, indicate whether a remote control is required. For conventional aids, indicate whether it is a linear or compression circuit L = Linear, C = Compression.										
DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<p><b>Opn 1 miniRITE-T</b> - Premium Digital miniRITE with Telecoil (Receiver-In-Ear style BTE), Made for iPhone®, 312 battery, 64 processing channels,16 fitting bands, Frequency range up to 10000 Hz, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief),DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Tactile double push button for volume and programs. Volume Control, Telecoil and autophone, FM compatible via telecoil, Options: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-500-125	V5257	\$2,395.00	63.883%	\$865.00	\$100.00	12	36
<p><b>Opn 1 miniRITE-T</b> - Binaural, Premium Digital miniRITE with Telecoil (Receiver-In-Ear style BTE), Made for iPhone®, 312 battery, 64 processing channels,16 fitting bands, Frequency range up to 10000 Hz, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief),DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Tactile double push button for volume and programs. Volume Control, Telecoil and autophone, FM compatible via telecoil, Options: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-500-125	V5261	\$4,790.00	63.883%	\$1,730.00	\$100.00	12	36

Price Schedule

<p><b>Opn 1 Plus Power BTE</b> - Premium Digital Power Plus BTE, Made for iPhone®, 312 battery, 64 processing channels,16 fitting bands, Frequency range up to 10000 Hz, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Tactile double push button for volume and programs. Volume Control, Telecoil and autophone, FM compatible, two-color LED indicator, Options: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, Corda Molds \$30</p>	25-106 dB	Oticon, Inc	001-500-100	V5257	\$2,395.00	63.883%	\$865.00	\$100.00	12	36
<p><b>Opn 1 Plus Power BTE</b> - Binaural, Premium Digital Power Plus BTE, Made for iPhone®, 312 battery, 64 processing channels,16 fitting bands, Frequency range up to 10000 Hz, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Tactile double push button for volume and programs. Volume Control, Telecoil and autophone, FM compatible, two-color LED indicator, Options: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, Corda Molds \$30</p>	25-106 dB	Oticon, Inc	001-500-100	V5261	\$4,790.00	63.883%	\$1,730.00	\$100.00	12	36
<p><b>Opn 1 miniRITE</b> - Premium Digital miniRITE (Receiver-In-Ear style BTE), Made for iPhone®, 312 battery, Rechargeable battery option, 64 processing channels,16 fitting bands, Frequency range up to 10000 Hz, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief),DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Tactile double push button for volume and programs. Volume Control, Options: Rechargeable battery kit \$200, Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-500-016	V5257	\$2,395.00	63.883%	\$865.00	\$100.00	12	36

Price Schedule

<p><b>Opn 1 miniRITE</b> - Binaural, Premium Digital miniRITE (Receiver-In-Ear style BTE), Made for iPhone®, 312 battery, Rechargeable battery option, 64 processing channels,16 fitting bands, Frequency range up to 10000 Hz, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief),DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Tactile double push button for volume and programs. Volume Control, Options: Rechargeable battery kit \$200, Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-500-016	V5261	\$4,790.00	63.883%	\$1,730.00	\$100.00	12	36
<p><b>Opn 3 miniRITE-T</b> - Advanced Digital miniRITE with Telecoil (Receiver-In-Ear style BTE), Made for iPhone®, 312 battery, 48 processing channels, 12 fitting bands, Frequency range up to 8000 Hz, Adaptive directionality system, Binaural wireless technology, advanced Noise Management system, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control. Telecoil and autophone, FM compatible via telecoil, Options: Remote Control \$123.25, TV Adaptor \$127.50, ConnnectClip \$169.00, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-410-125	V5257	\$1,195.00	70.795%	\$349.00	\$100.00	12	36
<p><b>Opn 3 miniRITE-T</b> - Binaural, Advanced Digital miniRITE with Telecoil (Receiver-In-Ear style BTE), Made for iPhone®, 312 battery, 48 processing channels, 12 fitting bands, Frequency range up to 8000 Hz, Adaptive directionality system, Binaural wireless technology, advanced Noise Management system, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control. Telecoil and autophone, FM compatible via telecoil, Options: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-410-125	V5261	\$2,390.00	70.795%	\$698.00	\$100.00	12	36

Price Schedule

<p><b>Opn 3 Plus Power BTE</b> - Advanced Digital Power BTE, Made for iPhone®, 312 battery, 48 processing channels, 12 fitting bands, Frequency range up to 8000 Hz, Adaptive directionality system, Binaural wireless technology, advanced Noise Management system, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume Control, Telecoil, FM compatible, two-color LED indicator, Options: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, Corda Molds \$30</p>	25-106 dB	Oticon, Inc	001-410-100	V5257	\$1,195.00	70.795%	\$349.00	\$100.00	12	36
<p><b>Opn 3 Plus Power BTE</b> - Binaural, Advanced Digital Power BTE, Made for iPhone®, 312 battery, 48 processing channels, 12 fitting bands, Frequency range up to 8000 Hz, Adaptive directionality system, Binaural wireless technology, advanced Noise Management system, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume Control, Telecoil, FM compatible, two-color LED indicator. Options: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, Corda Molds \$30</p>	25-106 dB	Oticon, Inc	001-410-100	V5261	\$2,390.00	70.795%	\$698.00	\$100.00	12	36
<p><b>Opn 3 miniRITE</b> - Advanced Digital miniRITE (Receiver-In-Ear style BTE), Made for iPhone®, 312 battery, Rechargeable battery option, 48 processing channels, 12 fitting bands, Frequency range up to 8000 Hz, Adaptive directionality system, Binaural wireless technology, advanced Noise Management system, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Rechargeable battery kit \$250, Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-410-016	V5257	\$1,195.00	70.795%	\$349.00	\$100.00	12	36
<p><b>Opn 3 miniRITE</b> - Binaural, Advanced Digital miniRITE (Receiver-In-Ear style BTE), Made for iPhone®, 312 battery, Rechargeable battery option, 48 processing channels, 12 fitting bands, Frequency range up to 8000 Hz, Adaptive directionality system, Binaural wireless technology, advanced Noise Management system, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Rechargeable battery kit \$250, Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-410-016	V5261	\$2,390.00	70.795%	\$698.00	\$100.00	12	36

Price Schedule

<p><b>Opn 2 miniRITE-T</b> - Premium Digital miniRITE with Telecoil (Receiver-In-Ear style BTE), Made for iPhone®, 312 battery, 48 processing channels, 14 fitting bands, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Frequency range up to 10000 Hz, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief),DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume Control, Telecoil and autophone, FM compatible via telecoil, Options: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-400-125	V5257	\$1,795.00	74.986%	\$449.00	\$100.00	12	36
<p><b>Opn 2 miniRITE-T</b> - Binaural, Premium Digital miniRITE with Telecoil (Receiver-In-Ear style BTE), Made for iPhone®, 312 battery, 48 processing channels, 14 fitting bands, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Frequency range up to 10000 Hz, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief),DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume Control, Telecoil and autophone, FM compatible via telecoil, Options: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-400-125	V5261	\$3,590.00	74.986%	\$898.00	\$100.00	12	36
<p><b>Opn 2 Plus Power BTE</b> - Premium Digital Power Plus BTE, Made for iPhone®, 312 battery, 48 processing channels, 14 fitting bands, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Frequency range up to 10000 Hz, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume Control, Telecoil and autophone, FM compatible, two-color LED indicator, Options: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, Corda Molds \$30</p>	25-106 dB	Oticon, Inc	001-400-100	V5257	\$1,795.00	74.986%	\$449.00	\$100.00	12	36

Price Schedule

<p><b>Opn 2 Plus Power BTE</b> - Binaural, Premium Digital Power Plus BTE, Made for iPhone®, 312 battery, 48 processing channels, 14 fitting bands, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Frequency range up to 10000 Hz, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume Control, Telecoil and autophone, FM compatible, two-color LED indicator, Options: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, Corda Molds \$30</p>	25-106 dB	Oticon, Inc	001-400-100	V5261	\$3,590.00	74.986%	\$898.00	\$100.00	12	36
<p><b>Opn 2 miniRITE</b> - Premium Digital miniRITE (Receiver-In-Ear style BTE), Made for iPhone®, 312 battery, Rechargeable battery option, 48 processing channels, 14 fitting bands, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Frequency range up to 10000 Hz, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief),DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume Control, Options: Rechargeable battery kit \$200, Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-400-016	V5257	\$1,795.00	74.986%	\$449.00	\$100.00	12	36
<p><b>Opn 2 miniRITE</b> - Binaural, Premium Digital miniRITE (Receiver-In-Ear style BTE), Made for iPhone®, 312 battery, Rechargeable battery option, 48 processing channels, 14 fitting bands, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Frequency range up to 10000 Hz, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief),DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume Control, Options: Rechargeable battery kit \$200, Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-400-016	V5261	\$3,590.00	74.986%	\$898.00	\$100.00	12	36

Price Schedule

<b>Alta2 Pro Power Plus BTE</b> - Premium Digital Power Plus BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30	20-105 dB	Oticon, Inc	001-334-100	V5257	\$1,595.00	71.850%	\$449.00	\$100.00	12	36
<b>Alta2 Pro Power Plus BTE</b> - Binaural, Premium Digital Power Plus BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30	20-105 dB	Oticon, Inc	001-334-100	V5261	\$3,190.00	71.850%	\$898.00	\$100.00	12	36
<b>Alta2 Pro designRITE</b> - Premium Digital designRITE (Receiver-In-Ear style BTE), 10A battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control only through Streamer accessory, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	0-80 dB	Oticon, Inc	001-334-074	V5257	\$1,595.00	71.850%	\$449.00	\$100.00	12	36
<b>Alta2 Pro designRITE</b> - Binaural, Premium Digital designRITE (Receiver-In-Ear style BTE), 10A battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control only through Streamer accessory, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	0-80 dB	Oticon, Inc	001-334-074	V5261	\$3,190.00	71.850%	\$898.00	\$100.00	12	36
<b>Alta2 Pro BTE</b> - Premium Digital BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30	0-85 dB	Oticon, Inc	001-334-031	V5257	\$1,595.00	71.850%	\$449.00	\$100.00	12	36

Price Schedule

<p><b>Alta2 Pro BTE</b> - Binaural, Premium Digital BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-85 dB	Oticon, Inc	001-334-031	V5261	\$3,190.00	71.850%	\$898.00	\$100.00	12	36
<p><b>Alta2 Pro miniBTE</b> - Premium Digital miniBTE, 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-85 dB	Oticon, Inc	001-334-027	V5257	\$1,595.00	71.850%	\$449.00	\$100.00	12	36
<p><b>Alta2 Pro miniBTE</b> - Binaural, Premium Digital miniBTE, 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-85 dB	Oticon, Inc	001-334-027	V5261	\$3,190.00	71.850%	\$898.00	\$100.00	12	36
<p><b>Alta2 Pro miniRITE</b> - Premium Digital miniRITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	0-105 dB	Oticon, Inc	001-334-016	V5257	\$1,595.00	71.850%	\$449.00	\$100.00	12	36
<p><b>Alta2 Pro miniRITE</b> - Binaural, Premium Digital miniRITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	0-105 dB	Oticon, Inc	001-334-016	V5261	\$3,190.00	71.850%	\$898.00	\$100.00	12	36



Price Schedule

<p><b>Alta2 Pro Power BTE</b> - Premium Digital Power BTE, 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-100 dB	Oticon, Inc	001-334-012	V5257	\$1,595.00	71.850%	\$449.00	\$100.00	12	36
<p><b>Alta2 Pro Power BTE</b> - Binaural, Premium Digital Power BTE, 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-100 dB	Oticon, Inc	001-334-012	V5261	\$3,190.00	71.850%	\$898.00	\$100.00	12	36
<p><b>Alta2 Pro RITE</b> - Premium Digital RITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	0-105 dB	Oticon, Inc	001-334-009	V5257	\$1,595.00	71.850%	\$449.00	\$100.00	12	36
<p><b>Alta2 Pro RITE</b> - Binaural, Premium Digital RITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	0-105 dB	Oticon, Inc	001-334-009	V5261	\$3,190.00	71.850%	\$898.00	\$100.00	12	36
<p><b>Alta2 Power Plus BTE</b> - Premium Digital Power Plus BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-105 dB	Oticon, Inc	001-311-100	V5257	\$1,295.00	69.189%	\$399.00	\$100.00	12	36

Price Schedule

<p><b>Alta2 Power Plus BTE</b> - Binaural, Premium Digital Power Plus BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-105 dB	Oticon, Inc	001-311-100	V5261	\$2,590.00	69.189%	\$798.00	\$100.00	12	36
<p><b>Alta2 BTE</b> - Premium Digital BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-85 dB	Oticon, Inc	001-311-031	V5257	\$1,295.00	69.189%	\$399.00	\$100.00	12	36
<p><b>Alta2 BTE</b> - Binaural, Premium Digital BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-85 dB	Oticon, Inc	001-311-031	V5261	\$2,590.00	69.189%	\$798.00	\$100.00	12	36
<p><b>Alta2 miniBTE</b> - Premium Digital miniBTE, 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-85 dB	Oticon, Inc	001-311-027	V5257	\$1,295.00	69.189%	\$399.00	\$100.00	12	36
<p><b>Alta2 miniBTE</b> - Binaural, Premium Digital miniBTE, 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-85 dB	Oticon, Inc	001-311-027	V5261	\$2,590.00	69.189%	\$798.00	\$100.00	12	36

Price Schedule

<p><b>Alta2 miniRITE</b>- Premium Digital miniRITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-311-016	V5257	\$1,295.00	69.189%	\$399.00	\$100.00	12	36
<p><b>Alta2 miniRITE</b> - Binaural, Premium Digital miniRITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-311-016	V5261	\$2,590.00	69.189%	\$798.00	\$100.00	12	36
<p><b>Alta2 Power BTE</b> - Premium Digital Power BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-100 dB	Oticon, Inc	001-311-012	V5257	\$1,295.00	69.189%	\$399.00	\$100.00	12	36
<p><b>Alta2 Power BTE</b> - Binaural, Premium Digital Power BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-100 dB	Oticon, Inc	001-311-012	V5261	\$2,590.00	69.189%	\$798.00	\$100.00	12	36
<p><b>Alta2 RITE</b> - Premium Digital RITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-311-009	V5257	\$1,295.00	69.189%	\$399.00	\$100.00	12	36

Price Schedule

<p><b>Alta2 RITE</b> - Binaural, Premium Digital RITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-311-009	V5261	\$2,590.00	69.189%	\$798.00	\$100.00	12	36
<p><b>Nera2 Power Plus BTE</b> - Advanced Digital Power Plus BTE, 13 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-105 dB	Oticon, Inc	001-163-100	V5257	\$750.00	66.667%	\$250.00	\$100.00	12	36
<p><b>Nera2 Power Plus BTE</b> - Binaural, Advanced Digital Power Plus BTE, 13 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-105 dB	Oticon, Inc	001-163-100	V5261	\$1,500.00	66.667%	\$500.00	\$100.00	12	36
<p><b>Nera2 miniRITE</b> - Advanced Digital miniRITE (Receiver-In-Ear style BTE), 312 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-163-074	V5257	\$750.00	66.667%	\$250.00	\$100.00	12	36
<p><b>Nera2 miniRITE</b> - Binaural, Advanced Digital miniRITE (Receiver-In-Ear style BTE), 312 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-163-074	V5261	\$1,500.00	66.667%	\$500.00	\$100.00	12	36

Price Schedule

<b>Nera2 Pro BTE</b> - Advanced Digital BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30	0-85 dB	Oticon, Inc	001-163-031	V5257	\$950.00	63.263%	\$349.00	\$100.00	12	36
<b>Nera2 Pro BTE</b> - Binaural, Advanced Digital BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30	0-85 dB	Oticon, Inc	001-163-031	V5261	\$1,900.00	63.263%	\$698.00	\$100.00	12	36
<b>Nera2 Pro miniBTE</b> - Advanced Digital miniBTE, 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	0-85 dB	Oticon, Inc	001-163-027	V5257	\$950.00	63.263%	\$349.00	\$100.00	12	36
<b>Nera2 Pro miniBTE</b> - Binaural, Advanced Digital miniBTE, 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	0-85 dB	Oticon, Inc	001-163-027	V5261	\$1,900.00	63.263%	\$698.00	\$100.00	12	36
<b>Nera2 Pro miniRITE</b> - Advanced Digital miniRITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30	0-105 dB	Oticon, Inc	001-163-016	V5257	\$950.00	63.263%	\$349.00	\$100.00	12	36

Price Schedule

<p><b>Nera2 Pro miniRITE</b> - Binaural, Advanced Digital miniRITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-163-016	V5261	\$1,900.00	63.263%	\$698.00	\$100.00	12	36
<p><b>Nera2 Pro designRITE</b> - Advanced Digital designRITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control with Streamer accessory only, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds \$30</p>	0-80 dB	Oticon, Inc	001-163-012	V5257	\$950.00	63.263%	\$349.00	\$100.00	12	36
<p><b>Nera2 Pro designRITE</b> - Binaural, Advanced Digital designRITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control with Streamer accessory only, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds \$30</p>	0-80 dB	Oticon, Inc	001-163-012	V5261	\$1,900.00	63.263%	\$698.00	\$100.00	12	36
<p><b>Nera2 Pro RITE</b> - Advanced Digital RITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	0-105 dB	Oticon, Inc	001-163-009	V5257	\$950.00	63.263%	\$349.00	\$100.00	12	36
<p><b>Nera2 Pro RITE</b> - Binaural, Advanced Digital RITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	0-105 dB	Oticon, Inc	001-163-009	V5261	\$1,900.00	63.263%	\$698.00	\$100.00	12	36

Price Schedule

<p><b>Nera2 Pro Power BTE</b> - Advanced Digital Power BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-100 dB	Oticon, Inc	001-151-100	V5257	\$950.00	63.263%	\$349.00	\$100.00	12	36
<p><b>Nera2 Pro Power BTE</b> - Binaural, Advanced Digital Power BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-100 dB	Oticon, Inc	001-151-100	V5261	\$1,900.00	63.263%	\$698.00	\$100.00	12	36
<p><b>Nera2 Pro Power Plus BTE</b> - Advanced Digital Power Plus BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-105 dB	Oticon, Inc	001-151-031	V5257	\$950.00	63.263%	\$349.00	\$100.00	12	36
<p><b>Nera2 Pro Power Plus BTE</b> - Binaural, Advanced Digital Power Plus BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-105 dB	Oticon, Inc	001-151-031	V5261	\$1,900.00	63.263%	\$698.00	\$100.00	12	36
<p><b>Nera2 BTE</b> - Advanced Digital BTE, 13 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-85 dB	Oticon, Inc	001-151-027	V5257	\$750.00	66.667%	\$250.00	\$100.00	12	36

Price Schedule

<p><b>Nera2 BTE</b> - Binaural, Advanced Digital BTE, 13 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-85 dB	Oticon, Inc	001-151-027	V5261	\$1,500.00	66.667%	\$500.00	\$100.00	12	36
<p><b>Nera2 RITE</b> - Advanced Digital RITE (Receiver-In-Ear style BTE), 312 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-151-016	V5257	\$750.00	66.667%	\$250.00	\$100.00	12	36
<p><b>Nera2 RITE</b> - Binaural, Advanced Digital RITE (Receiver-In-Ear style BTE), 312 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-151-016	V5261	\$1,500.00	66.667%	\$500.00	\$100.00	12	36
<p><b>Nera2 Power BTE</b> - Advanced Digital Power BTE, 13 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-100 dB	Oticon, Inc	001-151-012	V5257	\$750.00	66.667%	\$250.00	\$100.00	12	36
<p><b>Nera2 Power BTE</b> - Binaural, Advanced Digital Power BTE, 13 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-100 dB	Oticon, Inc	001-151-012	V5261	\$1,500.00	66.667%	\$500.00	\$100.00	12	36



Price Schedule

<p><b>Nera2 miniBTE</b> - Advanced Digital miniBTE, 13 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-85 dB	Oticon, Inc	001-151-009	V5257	\$750.00	66.667%	\$250.00	\$100.00	12	36
<p><b>Nera2 miniBTE</b> - Binaural, Advanced Digital miniBTE, 13 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-85 dB	Oticon, Inc	001-151-009	V5261	\$1,500.00	66.667%	\$500.00	\$100.00	12	36
<p><b>Ria2 Pro Power Plus BTE</b> - Essential Digital Power Plus BTE, 13 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0 or NAL-NL1 fitting rationales, Volume control, tcoil and autophone, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	20-105 dB	Oticon, Inc	001-112-100	V5257	\$625.00	64.000%	\$225.00	\$100.00	12	36
<p><b>Ria2 Pro Power Plus BTE</b> - Binaural, Essential Digital Power Plus BTE, 13 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0 or NAL-NL1 fitting rationales, Volume control, tcoil and autophone, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	20-105 dB	Oticon, Inc	001-112-100	V5261	\$1,250.00	64.000%	\$450.00	\$100.00	12	36
<p><b>Ria2 Pro designRITE</b> - Essential Digital designRITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0 or NAL-NL1 fitting rationales, Volume control with Streamer accessory only, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds \$30</p>	0-80 dB	Oticon, Inc	001-112-074	V5257	\$625.00	64.000%	\$225.00	\$100.00	12	36

Price Schedule

<b>Ria2 Pro designRITE</b> - Binaural, Essential Digital designRITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0 or NAL-NL1 fitting rationales, Volume control with Streamer accessory only, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds \$30	0-80 dB	Oticon, Inc	001-112-074	V5261	\$1,250.00	64.000%	\$450.00	\$100.00	12	36
<b>Ria2 Pro BTE</b> - Essential Digital BTE, 13 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0 or NAL-NL1 fitting rationales, Volume control, tcoil and autophone, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30	0-85 dB	Oticon, Inc	001-112-031	V5257	\$625.00	64.000%	\$225.00	\$100.00	12	36
<b>Ria2 Pro BTE</b> - Binaural, Essential Digital BTE, 13 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0 or NAL-NL1 fitting rationales, Volume control, tcoil and autophone, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30	0-85 dB	Oticon, Inc	001-112-031	V5261	\$1,250.00	64.000%	\$450.00	\$100.00	12	36
<b>Ria2 Pro miniBTE</b> - Essential Digital miniBTE, 312 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30	0-85 dB	Oticon, Inc	001-112-027	V5257	\$625.00	64.000%	\$225.00	\$100.00	12	36
<b>Ria2 Pro miniBTE</b> - Binaural, Essential Digital miniBTE, 312 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30	0-85 dB	Oticon, Inc	001-112-027	V5261	\$1,250.00	64.000%	\$450.00	\$100.00	12	36

Price Schedule

<p><b>Ria2 Pro miniRITE - Essential Digital miniRITE</b> (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-112-016	V5257	\$625.00	64.000%	\$225.00	\$100.00	12	36
<p><b>Ria2 Pro miniRITE - Binaural, Essential Digital miniRITE</b> (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-112-016	V5261	\$1,250.00	64.000%	\$450.00	\$100.00	12	36
<p><b>Ria2 Pro Power BTE - Essential Digital Power BTE</b>, 13 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0 or NAL-NL1 fitting rationales, Volume control, tcoil and autophone, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-100 dB	Oticon, Inc	001-112-012	V5257	\$625.00	64.000%	\$225.00	\$100.00	12	36
<p><b>Ria2 Pro Power BTE - Binaural, Essential Digital Power BTE</b>, 13 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0 or NAL-NL1 fitting rationales, Volume control, tcoil and autophone, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-100 dB	Oticon, Inc	001-112-012	V5261	\$1,250.00	64.000%	\$450.00	\$100.00	12	36

Price Schedule

<p><b>Ria2 Pro RITE - Essential Digital RITE (Receiver-In-Ear style BTE)</b>, 312 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0 or NAL-NL1 fitting rationales, Volume control, tcoil and autophone, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-112-009	V5257	\$625.00	64.000%	\$225.00	\$100.00	12	36
<p><b>Ria2 Pro RITE - Binaural, Essential Digital RITE (Receiver-In-Ear style BTE)</b>, 312 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0 or NAL-NL1 fitting rationales, Volume control, tcoil and autophone, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-112-009	V5261	\$1,250.00	64.000%	\$450.00	\$100.00	12	36
<p><b>Ria2 Power Plus BTE - Entry Digital Plus Power BTE</b>, 13 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-105 dB	Oticon, Inc	001-106-100	V5257	\$425.00	53.177%	\$199.00	\$100.00	12	36
<p><b>Ria2 Power Plus BTE - Binaural, Entry Digital Plus Power BTE</b>, 13 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	20-105 dB	Oticon, Inc	001-106-100	V5261	\$850.00	53.177%	\$398.00	\$100.00	12	36
<p><b>Ria2 BTE - Entry Digital BTE</b>, 13 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-85 dB	Oticon, Inc	001-106-031	V5257	\$425.00	53.177%	\$199.00	\$100.00	12	36

Price Schedule

<b>Ria2 BTE</b> - Binaural, Entry Digital BTE, 13 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30	0-85 dB	Oticon, Inc	001-106-031	V5261	\$850.00	53.177%	\$398.00	\$100.00	12	36
<b>Ria2 miniBTE</b> - Entry Digital mini BTE, 312 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30	0-85 dB	Oticon, Inc	001-106-027	V5257	\$425.00	53.177%	\$199.00	\$100.00	12	36
<b>Ria2 miniBTE</b> - Binaural, Entry Digital mini BTE, 312 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30	0-85 dB	Oticon, Inc	001-106-027	V5261	\$850.00	53.177%	\$398.00	\$100.00	12	36
<b>Ria2 miniRITE</b> - Entry Digital miniRITE (Receiver-In-Ear style BTE), 312 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30	0-105 dB	Oticon, Inc	001-106-016	V5257	\$425.00	53.177%	\$199.00	\$100.00	12	36
<b>Ria2 miniRITE</b> - Binaural, Entry Digital miniRITE (Receiver-In-Ear style BTE), 312 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30	0-105 dB	Oticon, Inc	001-106-016	V5261	\$850.00	53.177%	\$398.00	\$100.00	12	36

Price Schedule

<p><b>Ria2 Power BTE</b> - Entry Digital Power BTE, 13 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	20-100 dB	Oticon, Inc	001-106-012	V5257	\$425.00	53.177%	\$199.00	\$100.00	12	36
<p><b>Ria2 Power BTE</b> - Binaural, Entry Digital Power BTE, 13 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	20-100 dB	Oticon, Inc	001-106-012	V5261	\$850.00	53.177%	\$398.00	\$100.00	12	36
<p><b>Ria2 RITE</b> - Entry Digital RITE (Receiver-In-Ear style BTE), 312 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-106-009	V5257	\$425.00	53.177%	\$199.00	\$100.00	12	36
<p><b>Ria2 RITE</b> - Binaural, Entry Digital RITE (Receiver-In-Ear style BTE), 312 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-105 dB	Oticon, Inc	001-106-009	V5261	\$850.00	53.177%	\$398.00	\$100.00	12	36
<p><b>Sensei Pro SP BTE</b> - Premium Digital <u>Pediatric</u> Super Power BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED Indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	20-110 dB	Oticon, Inc	001-063-014	V5257	\$1,100.00	68.273%	\$349.00	\$100.00	12	36

Price Schedule

<p><b>Sensei Pro SP BTE</b> - Binaural, Premium Digital <b>Pediatric</b> Super Power BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED Indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	20-110 dB	Oticon, Inc	001-063-014	V5261	\$2,200.00	68.273%	\$698.00	\$100.00	12	36
<p><b>Sensei SP BTE</b> - Advanced Digital <b>Pediatric</b> Super BTE, 13 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	20-110 dB	Oticon, Inc	001-062-014	V5257	\$775.00	74.323%	\$199.00	\$100.00	12	36
<p><b>Sensei SP BTE</b> - Binaural, Advanced Digital <b>Pediatric</b> Super BTE, 13 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	20-110 dB	Oticon, Inc	001-062-014	V5261	\$1,550.00	74.323%	\$398.00	\$100.00	12	36
<p><b>Sensei Pro BTE 13</b> - Premium Digital <b>Pediatric</b> BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED Indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-90 dB	Oticon, Inc	001-053-031	V5257	\$695.00	49.784%	\$349.00	\$100.00	12	36

Price Schedule

<p><b>Sensei Pro BTE 13</b> - Binaural, Premium Digital <b>Pediatric</b> BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED Indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-90 dB	Oticon, Inc	001-053-031	V5261	\$1,390.00	49.784%	\$698.00	\$100.00	12	36
<p><b>Sensei Pro BTE 312</b> - Premium Digital <b>Pediatric</b> BTE, 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED Indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-75 dB	Oticon, Inc	001-053-015	V5257	\$695.00	49.784%	\$349.00	\$100.00	12	36
<p><b>Sensei Pro BTE 312</b> - Binaural, Premium Digital <b>Pediatric</b> BTE, 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED Indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-75 dB	Oticon, Inc	001-053-015	V5261	\$1,390.00	49.784%	\$698.00	\$100.00	12	36
<p><b>Sensei Pro RITE</b> - Premium Digital <b>Pediatric</b> RITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED Indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-100 dB	Oticon, Inc	001-053-009	V5257	\$695.00	49.784%	\$349.00	\$100.00	12	36



Price Schedule

<p><b>Sensei Pro RITE</b> - Binaural, Premium Digital <b>Pediatric</b> RITE (Receiver-In-Ear style BTE), 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED Indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-100 dB	Oticon, Inc	001-053-009	V5261	\$1,390.00	49.784%	\$698.00	\$100.00	12	36
<p><b>Sensei BTE 13</b> - Advanced Digital <b>Pediatric</b> BTE, 13 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-90 dB	Oticon, Inc	001-052-031	V5257	\$395.00	49.620%	\$199.00	\$100.00	12	36
<p><b>Sensei BTE 13</b> - Binaural, Advanced Digital <b>Pediatric</b> BTE, 13 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-90 dB	Oticon, Inc	001-052-031	V5261	\$790.00	49.620%	\$398.00	\$100.00	12	36
<p><b>Sensei BTE 312</b> - Advanced Digital <b>Pediatric</b> BTE, 312 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-75 dB	Oticon, Inc	001-052-015	V5257	\$395.00	49.620%	\$199.00	\$100.00	12	36

Price Schedule

<p><b>Sensei BTE 312</b> - Binaural, Advanced Digital <b>Pediatric</b> BTE, 312 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, Corda Molds \$30</p>	0-75 dB	Oticon, Inc	001-052-015	V5261	\$790.00	49.620%	\$398.00	\$100.00	12	36
<p><b>Sensei RITE</b> - Advanced Digital <b>Pediatric</b> RITE (Receiver-In-Ear style BTE), 312 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-100 dB	Oticon, Inc	001-052-009	V5257	\$395.00	49.620%	\$199.00	\$100.00	12	36
<p><b>Sensei RITE</b> - Binaural, Advanced Digital <b>Pediatric</b> RITE (Receiver-In-Ear style BTE), 312 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility, LED indicator, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50, RITE Molds or RITE miniFIT Power Mold \$30</p>	0-100 dB	Oticon, Inc	001-052-009	V5261	\$790.00	49.620%	\$398.00	\$100.00	12	36
<p><b>Dynamo SP10 BTE</b> – Premium Digital Super Power BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 9 fitting bands, Adaptation Manager, Frequency range up to 6500 Hz, DSL v5.0, NAL-NL2 or NAL-RP fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility</p>	20-110 dB	Oticon, Inc	001-034-014	V5257	\$1,995.00	77.494%	\$449.00	\$100.00	12	36
<p><b>Dynamo SP10 BTE</b> – Binaural Premium Digital Super Power BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 9 fitting bands, Adaptation Manager, Frequency range up to 6500 Hz, DSL v5.0, NAL-NL2 or NAL-RP fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility</p>	20-110 dB	Oticon, Inc	001-034-014	V5261	\$3,990.00	77.494%	\$898.00	\$100.00	12	36
<p><b>Dynamo SP8 BTE</b> – Advanced Digital Super Power BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 6500 Hz, DSL v5.0, NAL-NL2 or NAL-RP fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility</p>	20-110 dB	Oticon, Inc	001-033-014	V5257	\$1,295.00	73.050%	\$349.00	\$100.00	12	36

Price Schedule

<b>Dynamo SP8 BTE</b> – Binaural Advanced Digital Super Power BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 6500 Hz, DSL v5.0, NAL-NL2 or NAL-RP fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility	20-110 dB	Oticon, Inc	001-033-014	V5261	\$2,590.00	73.050%	\$698.00	\$100.00	12	36
<b>Dynamo SP6 BTE</b> – Essential Digital Super Power BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 6 fitting bands, Adaptation Manager, Frequency range up to 6500 Hz, DSL v5.0, NAL-NL2 or NAL-RP fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility	20-110 dB	Oticon, Inc	001-032-014	V5257	\$795.00	62.390%	\$299.00	\$100.00	12	36
<b>Dynamo SP6 BTE</b> – Binaural Essential Digital Super Power BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 6 fitting bands, Adaptation Manager, Frequency range up to 6500 Hz, DSL v5.0, NAL-NL2 or NAL-RP fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility	20-110 dB	Oticon, Inc	001-032-014	V5261	\$1,590.00	62.390%	\$598.00	\$100.00	12	36
<b>Dynamno SP4 BTE</b> -- Entry Digital Super Power BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 6500 Hz, DSL v5.0, NAL-NL2 or NAL-RP fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility	20-110 dB	Oticon, Inc	001-031-014	V5257	\$595.00	62.185%	\$225.00	\$100.00	12	36
<b>Dynamno SP4 BTE</b> – Binaural Entry Digital Super Power BTE, 13 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 6500 Hz, DSL v5.0, NAL-NL2 or NAL-RP fitting rationales, Volume control, telecoil and auto telecoil, DAI and FM Compatibility	20-110 dB	Oticon, Inc	001-031-014	V5261	\$1,190.00	62.185%	\$450.00	\$100.00	12	36
<b>Sumo DM</b> - Basic Digital Super Power BTE, 675 battery, 8 channels, 8 fitting bands, 3 programs, an Automatic Feedback Manager and Adaptation Manager, and programmable telecoil, bone conduction modification available, Options:	50-115 dB	Oticon, Inc	001-010-035	V5257	\$775.00	48.516%	\$399.00	\$100.00	12	36
<b>Sumo DM</b> - Binaural, Basic Digital Super Power BTE, 675 battery, 8 channels, 8 fitting bands, 3 programs, an Automatic Feedback Manager and Adaptation Manager, and programmable telecoil, bone conduction modification available, Options:	50-115 dB	Oticon, Inc	001-010-035	V5261	\$1,550.00	48.516%	\$798.00	\$100.00	12	36

**FEATURES = Digital (full digital signal processing with two or three channels, etc.), List CROS and BiCros on separate price lines.**

Price Schedule

IN THE EAR TYPES – Prices shall be for a single hearing aid or two hearing aids and case. List model number for the full range of instruments. Include all features. Indicate Class D power or Class B power.										
FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<b>Opn 1 Full Shell</b> - Premium Digital Full Shell (In-The-Ear), Made for iPhone®, 13 or 312 battery, 64 processing channels, 16 fitting bands, Frequency range up to 10000 Hz, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Options: Volume Control, Telecoil and autophone, Accessories: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00	0-100 dB	Oticon, Inc	188700-FS	V5256	\$2,395.00	63.883%	\$865.00	\$100.00	12	36
<b>Opn 1 Full Shell</b> - Binaural, Premium Digital Full Shell (In-The-Ear), Made for iPhone®, 13 or 312 battery, 64 processing channels, 16 fitting bands, Frequency range up to 10000 Hz, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Options: Volume Control, Telecoil and autophone, Accessories: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00	0-100 dB	Oticon, Inc	188700-FS	V5260	\$4,790.00	63.883%	\$1,730.00	\$100.00	12	36
<b>Opn 3 Full Shell</b> - Advanced Digital Full Shell (In-The-Ear), Made for iPhone®, 13 or 312 battery, 48 processing channels, 12 fitting bands, Frequency range up to 8000 Hz, Adaptive directionality system, Binaural wireless technology, advanced Noise Management system, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Options: Volume Control, Telecoil and autophone, Accessories: Remote Control \$123.25, TV Adaptor	0-100 dB	Oticon, Inc	188696-FS	V5256	\$1,195.00	70.795%	\$349.00	\$100.00	12	36

Price Schedule

FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<p><b>Opn 3 Full Shell</b> - Binaural, Advanced Digital Full Shell (In-The-Ear), Made for iPhone®, 13 or 312 battery, 48 processing channels, 12 fitting bands, Frequency range up to 8000 Hz, Adaptive directionality system, Binaural wireless technology, advanced Noise Management system, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Options: Volume Control, Telecoil and autophone, Accessories: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00</p>	0-100 dB	Oticon, Inc	188696-FS	V5260	\$2,390.00	70.795%	\$698.00	\$100.00	12	36
<p><b>Opn 2 Full Shell</b> - Premium Digital Full Shell (In-The-Ear), Made for iPhone®, 13 or 312 battery, 48 processing channels, 14 fitting bands, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Frequency range up to 10000 Hz, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief),DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Options: Volume Control, Telecoil and autophone, Accessories: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00</p>	0-100 dB	Oticon, Inc	188692-FS	V5256	\$1,795.00	74.986%	\$449.00	\$100.00	12	36
<p><b>Opn 2 Full Shell</b> - Binaural, Premium Digital Full Shell (In-The-Ear), Made for iPhone®, 13 or 312 battery, 48 processing channels, 14 fitting bands, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Frequency range up to 10000 Hz, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief),DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Options: Volume Control, Telecoil and autophone, Accessories: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00</p>	0-100 dB	Oticon, Inc	188692-FS	V5260	\$3,590.00	74.986%	\$898.00	\$100.00	12	36

Price Schedule

FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<b>Alta2 Pro Full Shell</b> - Premium Digital Full Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-334-006	V5256	\$1,595.00	71.850%	\$449.00	\$100.00	12	36
<b>Alta2 Pro Full Shell</b> - Binaural, Premium Digital Full Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-334-006	V5260	\$3,190.00	71.850%	\$898.00	\$100.00	12	36
<b>Alta2 Full Shell</b> - Premium Digital Full Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-311-006	V5256	\$1,295.00	69.189%	\$399.00	\$100.00	12	36
<b>Alta2 Full Shell</b> - Binaural, Premium Digital Full Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-311-006	V5260	\$2,590.00	69.189%	\$798.00	\$100.00	12	36

Price Schedule

FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<b>Nera2 Pro Full Shell</b> - Advanced Digital Full Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-163-006	V5256	\$950.00	63.263%	\$349.00	\$100.00	12	36
<b>Nera2 Pro Full Shell</b> - Binaural, Advanced Digital Full Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-163-006	V5260	\$1,900.00	63.263%	\$698.00	\$100.00	12	36
<b>Nera2 Full Shell</b> - Advanced Digital Full Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-151-006	V5256	\$750.00	66.667%	\$250.00	\$100.00	12	36
<b>Nera2 Full Shell</b> - Binaural, Advanced Digital Full Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-151-006	V5260	\$1,500.00	66.667%	\$500.00	\$100.00	12	36

Price Schedule

FULL SHELL CONCHA MODEL DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<b>Ria2 Pro Full Shell</b> - Entry Digital Full Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-112-006	V5256	\$625.00	64.000%	\$225.00	\$100.00	12	36
<b>Ria2 Pro Full Shell</b> - Binaural, Essential Digital Full Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0 or NAL-NL1 fitting rationales, Volume control, tcoil and autophone, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-112-006	V5260	\$1,250.00	64.000%	\$450.00	\$100.00	12	36
<b>Ria2 Full Shell</b> - Essential Digital Full Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0 or NAL-NL1 fitting rationales, Volume control, tcoil and autophone, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-106-006	V5256	\$425.00	53.177%	\$199.00	\$100.00	12	36
<b>Ria2 Full Shell</b> - Binaural, Entry Digital Full Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-106-006	V5260	\$850.00	53.177%	\$398.00	\$100.00	12	36

**FEATURES = Digital (full digital signal processing with two or three channels, etc.), List CROS and BiCros on separate price lines.**



Price Schedule

IN THE EAR TYPES – Prices shall be for a single hearing aid, or two hearing aids and case. List model number for the full range of instruments. Include all features. Indicate Class D power or Class B power.										
HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFAC TURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<b>Opn 1 Half Shell</b> - Premium Digital Half Shell (In-The-Ear), Made for iPhone®, 13 or 312 battery, 64 processing channels,16 fitting bands, Frequency range up to 10000 Hz, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief),DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Options: Volume Control, Telecoil and autophone, Accessories: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00	0-100 dB	Oticon, Inc	188700-HS	V5256	\$2,395.00	63.883%	\$865.00	\$100.00	12	36
<b>Opn 1 Half Shell</b> - Binaural, Premium Digital Half Shell (In-The-Ear), Made for iPhone®, 13 or 312 battery, 64 processing channels,16 fitting bands, Frequency range up to 10000 Hz, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief),DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Options: Volume Control, Telecoil and autophone, Accessories: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00	0-100 dB	Oticon, Inc	188700-HS	V5260	\$4,790.00	63.883%	\$1,730.00	\$100.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFAC TURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<b>Opn 3 Half Shell</b> - Advanced Digital Half Shell (In-The-Ear), Made for iPhone®, 13 or 312 battery, 48 processing channels, 12 fitting bands, Frequency range up to 8000 Hz, Adaptive directionality system, Binaural wireless technology, advanced Noise Management system, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Options: Volume Control, Telecoil and autophone, Accessories: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00	0-100 dB	Oticon, Inc	188696-HS	V5256	\$1,195.00	70.795%	\$349.00	\$100.00	12	36
<b>Opn 3 Half Shell</b> - Binaural, Advanced Digital Half Shell (In-The-Ear), Made for iPhone®, 13 or 312 battery, 48 processing channels, 12 fitting bands, Frequency range up to 8000 Hz, Adaptive directionality system, Binaural wireless technology, advanced Noise Management system, Binaural Synchronization and coordination of features, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief), DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Options: Volume Control, Telecoil and autophone, Accessories: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00	0-100 dB	Oticon, Inc	188696-HS	V5260	\$2,390.00	70.795%	\$698.00	\$100.00	12	36
<b>Opn 2 Half Shell</b> - Premium Digital Half Shell (In-The-Ear), Made for iPhone®, 13 or 312 battery, 48 processing channels, 14 fitting bands, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Frequency range up to 10000 Hz, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief),DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Options: Volume Control, Telecoil and autophone, Accessories: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00	0-100 dB	Oticon, Inc	188692-HS	V5256	\$1,795.00	74.986%	\$449.00	\$100.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFAC TURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<p><b>Opn 2 Half Shell</b> - Binaural, Premium Digital Half Shell (In-The-Ear), Made for iPhone®, 13 or 312 battery, 48 processing channels, 14 fitting bands, Open Sound Navigator (dynamic adaptive directionality system) Binaural wireless technology, Spatial Noise Management, Transient Noise Management, Binaural Synchronization and coordination of features, Frequency range up to 10000 Hz, Tinnitus Support System (integrated sound generator can be enabled as part of a tinnitus management program to provide tinnitus relief),DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Options: Volume Control, Telecoil and autophone, Accessories: Remote Control \$123.25, TV Adaptor \$127.50, ConnectClip \$169.00</p>	0-100 dB	Oticon, Inc	188692-HS	V5260	\$3,590.00	74.986%	\$898.00	\$100.00	12	36
<p><b>Alta2 Pro Half Shell</b> - Premium Digital Half Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	20-90 dB	Oticon, Inc	001-334-004	V5256	\$1,595.00	71.850%	\$449.00	\$100.00	12	36
<p><b>Alta2 Pro Half Shell</b> - Binaural, Premium Digital Half Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 10 fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, , DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50</p>	20-90 dB	Oticon, Inc	001-334-004	V5260	\$3,190.00	71.850%	\$898.00	\$100.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFAC TURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<b>Alta2 Half Shell</b> - Premium Digital Half Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-311-004	V5256	\$1,295.00	69.189%	\$399.00	\$100.00	12	36
<b>Alta2 Half Shell</b> - Binaural, Premium Digital Half Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, Speech-Weighted Modulation Noise Management, 10 Fitting bands, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-311-004	V5260	\$2,590.00	69.189%	\$798.00	\$100.00	12	36
<b>Nera2 Half Shell</b> - Advanced Digital Half Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-163-004	V5256	\$750.00	66.667%	\$250.00	\$100.00	12	36
<b>Nera2 Half Shell</b> - Binaural, Advanced Digital Half Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Multi-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-163-004	V5260	\$1,500.00	66.667%	\$500.00	\$100.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFAC TURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<b>Nera2 Pro Half Shell</b> - Advanced Digital Half Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-151-004	V5256	\$950.00	63.263%	\$349.00	\$100.00	12	36
<b>Nera2 Pro Half Shell</b> - Binaural, Advanced Digital Half Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Coordination, Single-band Adaptive Directionality, TriState Noise Management, 8 fitting bands, 16 frequency channels, Adaptation Manager, Frequency range up to 10000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-151-004	V5260	\$1,900.00	63.263%	\$698.00	\$100.00	12	36
<b>Ria2 Pro Half Shell</b> - Essential Digital Half Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0 or NAL-NL1 fitting rationales, Volume control, tcoil and autophone, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-112-004	V5256	\$625.00	64.000%	\$225.00	\$100.00	12	36
<b>Ria2 Pro Half Shell</b> - Binaural, Essential Digital Half Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Synchronization, Single-Band Adaptive Directionality, Modulation Noise Management, 6 channels, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0 or NAL-NL1 fitting rationales, Volume control, tcoil and autophone, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-112-004	V5260	\$1,250.00	64.000%	\$450.00	\$100.00	12	36

Price Schedule

HALF SHELL CONCHA DESCRIPTION & FEATURES (See below)	db RANGE	MANUFAC TURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)
<b>Ria2 Half Shell</b> - Entry Digital Half Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-106-004	V5256	\$425.00	53.177%	\$199.00	\$100.00	12	36
<b>Ria2 Half Shell</b> - Binaural, Entry Digital Half Shell ITE (In-The-Ear), 13 or 312 battery, Binaural Coordination, Single-Band Adaptive Directionality, Noise Management, 4 fitting bands, Adaptation Manager, Frequency range up to 8000 Hz, DSL v5.0, NAL-NL2 or NAL-NL1 fitting rationales, Volume control, telecoil and auto telecoil, Options: Remote control \$123.25, TV Adaptor \$127.50, Remote Microphone \$148.75, Phone Adaptor \$85, Streamer Pro \$161.50	20-90 dB	Oticon, Inc	001-106-004	V5260	\$850.00	53.177%	\$398.00	\$100.00	12	36

FEATURES = Digital (full digital signal processing with two or three channels, etc.)

Price Schedule

IN THE EAR TYPES – Prices shall be for a single hearing aid or two hearing aids and case. List model number for the full range of instruments. Include all features. Indicate Class D power or Class B power.										
LOW PROFILE DESCRIPTION & FEATURES (See below)	db RANGE	MANUFACTURER	MODEL NUMBER (19 Characters or less)	HCPCS CODE(S)	EQUIPMENT PUBLISHED LIST PRICE	EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE	EQUIPMENT TOTAL PRICE	FIXED NON - WARRANTY REPAIR PRICE	NON - WARRANTY REPAIR PERIOD (MONTHS)	WARRANTY REPAIR PERIOD (MONTHS)

FEATURES = Digital (full digital signal processing with two or three channels, etc.)

Price Schedule

<b>Personal Frequency Modulations (FM) Systems – Prices shall be for either a single instrument or complete FM system with antenna type built into the microphone cords, which may be powered by disposable alkaline batteries or rechargeable batteries.</b>										
<b>PFM (FM) Systems DESCRIPTION &amp; FEATURES (See below)</b>	<b>db RANGE</b>	<b>MANUFACTURER</b>	<b>MODEL NUMBER (19 Characters or less)</b>	<b>HCPCS CODE(S)</b>	<b>EQUIPMENT PUBLISHED LIST PRICE</b>	<b>EQUIPMENT PERCENT DISCOUNT OFF LIST PRICE</b>	<b>EQUIPMENT TOTAL PRICE</b>	<b>FIXED NON - WARRANTY REPAIR PRICE</b>	<b>NON - WARRANTY REPAIR PERIOD (MONTHS)</b>	<b>WARRANTY REPAIR PERIOD (MONTHS)</b>
<b>Amigo R12G2</b> - Multi-channel dedicated FM wireless receiver to easily connect to (via an adapter battery door) Opn BTE13 PP, Siya BTE PP and Siya BTE & Alta2/Nera2/Ria2 BTE13 PP, LED indicator, channel seek button, wireless synchronization		Oticon, Inc	001-055-023-R12	V5285	\$649.00	25.000%	\$486.75	\$100.00	12	36
<b>Amigo R2</b> - Universal Multi-channel wireless receiver to easily connect to hearing aids via an FM Adaptor, LED indicator, channel seek, programmable switch, Options: Bone conduction modification		Oticon, Inc	001-055-023	V5285	\$649.00	25.000%	\$486.75	\$100.00	12	36
<b>Amigo R5</b> - Body-worn wireless multi-channel FM receiver, instant LED confirmation, Channel and volume settings can be locked in order to prevent unwanted tampering, multiple options for headphones, Direct Audio Input (DAI) and cochlear implant connection, optional neckloop that enables FM functionality through the user's hearing aid telecoil., Options:		Oticon, Inc	001-056-023	V5285	\$449.00	25.000%	\$336.75	\$100.00	12	36
<b>Amigo Arc</b> - Versatile neckloop wireless receiver offering easy FM access to universal teleloop systems. Users of telecoil-equipped instruments can benefit from it, as can people with auditory processing difficulties, who would use headphones to access the FM signal., Options:		Oticon, Inc	001-054-023	V5283	\$599.00	25.000%	\$449.25	\$100.00	12	36
<b>Amigo Star</b> - Assitive Listening Devices, Wireles ear-level FM receiver, LED indicator, channel selection, Options:		Oticon, Inc	001-055-062	V5284	\$599.00	25.000%	\$449.25	\$100.00	12	36
<b>Amigo T30</b> - Body-worn wireless FM transmitters, 8.5 kHz bandwidth, Multi-channel, Wireless synchronization, One touch mute, Auxiliary audio input, Built-in antenna, Options:		Oticon, Inc	001-055-052	V5290	\$649.00	25.000%	\$486.75	\$100.00	12	36
<b>Amigo T5</b> - Body-worn multi-channel FM Transmitter, LEDconfirmation of the signal transmission, microphone muting, low battery, Options:		Oticon, Inc	001-056-022	V5288	\$349.00	25.000%	\$261.75	\$100.00	12	36

FEATURES = Digital (full digital signal processing with two or three channels, etc.)