State of Maine



Master Agreement

Effective Date: 03/10/17			Expiration Date: 03/31/20
Master Agreement Description: Mag	anual Parts Washer Master A	greement	
Buyer Information William Allen	207-624-7871	ext. NULL	WJE.Allen@maine.gov
Issuer Information			
Jessica Norton	207-624-8226	ext.	Jessica.h.norton@MAINE.GOV
Requestor Information Jessica Norton	207-624-8226	ext.	Jessica.h.norton@MAINE.GOV
Authorized Departments			
17D MOTOR TRANSPORT			
	Vendor Informa	ation	
Vander Line #1.4			
Vendor Line #: 1 Vendor ID	Vendor Name		
VC1000082902	SERVICE LINE INC		
	Alias/DBA		
Vendor Address Information PO BOX 481			
REEDSBURG, WI 53959 US			
Vendor Contact Information Troy Teuchtler			
608-524-0204 ext. 28			
tt@renegadepartswashers.com			

Commodity Information

Vendor Line #: 1

Vendor Name: SERVICE LINE INC

Commodity Line #: 1

Commodity Code: 07549

Commodity Description: Manual Parts Washer w/Work Light and Concentrate

Commodity Specifications: As per the specifications attached and made part of this Master Agreement **Commodity Extended Description:** TMB4000-110v Parts Washer per attached quote, Includes Work Light and 5 gal. Parts Washer Concentrate, & shipping

Quantity 0.00000	UOM	Unit Price \$0.00
Delivery Days 14	Free on Board FOB Dest, Freight Prepaid	
Contract Amount \$0.00	Service Start Date	Service End Date
Catalog Name Service Line	Discount 0.0000 %	
	Discount Start Date 03/10/17	Discount End Date 03/31/20

Bureau of Business Management – Division of Procurement Services State of Maine – Department of Administrative and Financial Services 9 State House Station Augusta, Maine 04333-0009 Contract Number MA 170310*104

Tel. (207) 624-7340 Fax.# (207) 287-6578

EXTENSION OF ANNUAL CONTRACT

Commodity Item: Manual Parts Washer

Contractor: Service Line Inc.

Contract Period Extended To: 03/31/20

New Lower Pricing:	NIA	4	
New Lower Pricing:	NIF	+	

Extension Clause: The State reserves the right to extend this contract for a period of one year, with the consent of the contractor.

Agreement to Extend Contract:

In accordance with the above referenced Extension Clause, the undersigned agrees to continue in effect said Contract <u>No # MA 170310*104</u> through <u>March 31, 2020</u> with all terms, conditions remaining as shown in the original contract.

Quarterly Report: The Division of Purchases **requires a quarterly report of sales** be faxed to 207-287-6578, Attention Bill Allen, within 30 days of the end of each calendar quarter. It will be the responsibility of the vendor to produce a quarterly report. The report must include the dollar value of goods purchased, broken down by Department as well as the total dollar value of purchases made by all Departments.

By: (Print Name) Troy B. Teven Her
J. (Thirthand) A.
By: (Signature) / whether
E-mail Address: tt@renegadepartswashers.com

Date: 2-12-2019

Please enter the total dollar value the State has spent on this contract from 03/10/18 to present:



N C	YENDOR CUSTOMER	SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER NAME	MANUFACTURER PART NUMBER		ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAYS
١	/C1000082902	TMB4000-110v	Service Line Inc	Renegade	TMB4000-110v	07549	TMB4000-110v Parts Washer per attached quote	Includes Work Light and 5 gal. Parts Washer Concentrate	ea	\$2,800.78	, 14

PART III APPENDICES

Appendix A

STATE OF MAINE DEPARTMENT OF ADMINISTRATIVE AND FINANCIAL SERVICES DIVISION OF PURCHASES BID COVER PAGE

Tel: 800-774-7900 / 608-524-	Fax:608-524-1446	E-mail:
0204	147.000-324-1440	dbarney@renegadepartswashers
		com
Headquarters Street Address: 232	20 ZINGA DRIVE	
Headquarters City/State/Zip: REI	EDSBURG, WI 53959	
(provide information requested h	alow if different from above)	
(provide information requested b	210 H	
Lead Point of Contact for Bid - N	lame/Title: Troy Teuchtler	
Lead Point of Contact for Bid - N	210 H	E-mail:
Lead Point of Contact for Bid - N	lame/Title: Troy Teuchtler	
Lead Point of Contact for Bid - N Tel: 800-774-7900 / 608-524-	ame/Title: Troy Teuchtler Fax: 608-524-1446	E-mail: tt@renegadepartswashers.com
Lead Point of Contact for Bid - N Tel: 800-774-7900 / 608-524- 0204 EXT. 28	ame/Title: Troy Teuchtler Fax: 608-524-1446	

- This bid and the pricing structure contained herein will remain firm for a period of 180 days from the date and time of the bid opening.
- No personnel currently employed by the Department or any other State agency participated, either directly or indirectly, in any activities relating to the preparation of the Bidder's proposal.
- No attempt has been made or will be made by the Bidder to induce any other person or firm to submit or not to submit a proposal.
- The undersigned is authorized to enter into contractual obligations on behalf of the above-named organization.

Debarment, Performance, and Non-Collusion Certification

By signing this document I certify to the best of my knowledge and belief that the aforementioned organization, its principals, and any subcontractors named in this proposal:

- a. Are not presently debarred, suspended, proposed for debarment, and declared ineligible or voluntarily excluded from bidding or working on contracts issued by any governmental agency.
- b. Have not within three years of submitting the proposal for this contract been convicted of or had a civil judgment rendered against them for:
 - *i. fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a federal, state or local government transaction or contract.*
 - *ii.* violating Federal or State antitrust statutes or committing embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
 - *iii.* are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or Local) with commission of any of the offenses enumerated in paragraph (b) of this certification; and
 - iv. have not within a three (3) year period preceding this proposal had one or more federal, state or local government transactions terminated for cause or default.
- c. Have not entered into a prior understanding, agreement, or connection with any corporation, firm, or person submitting a response for the same materials, supplies, equipment, or services and this proposal is in all respects fair and without collusion or fraud. The above mentioned entities understand and agree that collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards.
- Failure to provide this certification may result in the disqualification of the Bidder's proposal, at the discretion of the Department.

To the best of my knowledge all information provided in the enclosed proposal, both programmatic and financial, is complete and accurate at the time of submission.

Name: TRENT BARNEY	Title: GIENERAL MANAGIER
Authorized Signature:	Date: 2/20/2017
WAM Dora	

STATE OF MAINE DEPARTMENT OF ADMINISTRATIVE AND FINANCIAL SERVICES DIVISION OF PURCHASES

Municipality Political Subdivision and School District Participation Certification

RFQ # 17D1702020000000000484

Manual Parts Washer Master Agreement

The Division of Purchases is committed to providing purchasing opportunities for **municipalities**, **political subdivisions and school districts** in Maine by allowing them access, through our vendors, to our contract pricing. A bidder's willingness to extend contract pricing to these entities will be taken into consideration in making awards.

Will you accept orders from political subdivisions and school districts in Maine at the prices quoted?

X_Yes

_ Yes with conditions as follows:

No

Name of Company: SERVICE LINE INC. Address: 2320 ZINGA DRIVE, REEDSBURG, WI 53959

th MBarr Signature:

Date: 02/20/2017

STATE OF MAINE DEPARTMENT OF ADMINISTRATIVE AND FINANCIAL SERVICES DIVISION OF PURCHASES

DETAILED SPECIFICATIONS

RFO # 17D1702020000000000484

Manual Parts Washer Master Agreement

The purpose and intent of these specifications is to describe a heavy duty manual parts washer mounted on casters for ease of moving. The washer must be of latest design and manufacture and in current production. All standard features advertised shall be included whether asked for or not within these specifications.

Please complete the checklist for technical specifications set forth below. Each Bidder must indicate whether it can meet the technical specifications by inserting an "X" next to each specification. The "X" will demonstrate that the Bidder's offering meets the technical specification. If a Bidder cannot meet a technical specification, then the Bidder must give an explanation for each exception and for equipment that is not available or that will be dealer installed. All explanations must be provided in detail on separate pages along with the justification as to why the alternative equipment or deliverables will be as good as the equipment or deliverables described in the detailed specifications for desired items. A copy of the vendor specification proposal must be provided. Following these instructions is essential for proper bid evaluation. If a Bidder fails to provide requested information or if information on a quote is found to be false or misleading, the quote will be rejected as unresponsive.

The award will be made on a best value basis to the vendor that either meets or most closely meets the specifications, while taking price and delivery into consideration.

The following abbreviations must be used:

- X Standard or as specified
- N/A Not Available
- **DI** Dealer Installed
- AE Approved equal process

Item 1. Features:

- X_1 1.1 Heavy duty high volume centrifugal wash pump, minimum 11.4 GPM.
- X 1.2 Minimum 1.1 KW heater for maximum solution temperature of 150 (one hundred fifty) degrees.
- 1.3 Minimum sump capacity of 20 (twenty) gallons.
- \times 1.4 Polyethylene constructed unit, minimum of $\frac{1}{2}$ (one half) inch thickness.
- 1.5 Automatic low water level shut down.
- 1.6 Heavy duty casters for portability.
 1.7 Power spray gun, with adjustable fountain nozzle.

State of Maine RFO # 17D1702020000000000484 Rev. 10/2015

- 1.8 Must have a sink insert filtration system.
 - 1.9 Tank will be equipped with oil separator.
- 1.10 Minimum 75 (seventy-five) micron in line solution filtration.
- 1.11 Unit will have a magnetic tool bar.
- 1.12 Unit will have a scrub pad holder with scrub pads.
- 1.13 Load capacity will be minimum of 500 (five- hundred) pounds.
- 1.14 Unit will come with 1(one) 5(five) gallon container of parts wash detergent concentrate. The detergent concentrate shall be non-toxic and meet OSHA & EPA standards.
- 1.15 Parts washer will have a 110 (one-hundred ten) volt plug in for wall outlet.
- X 1.16 Unit will come with an adjustable work light mounted to the basin.

Item 2. Warranty:

- 2.1 Manufacturers standard warranty will apply.
- 2.2 Please state terms and conditions of warranty with bid proposal.
 - 2.3 Manufacturers warranty will start with MDOT Fleet Services inservice date.

Item 3. General:

- X 3.1 Bidders shall supply a detailed specification sheet with their bid proposals listing exactly what is being offered (not a reference to a web site or a standard brochure).
- + 3.2 Vendor shall supply two (2) copies each of the Operators Manual and Parts Manual (one (1) copy of each may be a CD).
- X 3.3 These specifications are a minimum and bids will be evaluated based on price, warranty, manufacturers performance data, delivery schedule (delivery schedule may effect the award), parts availability and other items deemed appropriate.
- X 3.4 Vendor may ask for training at a later date, but within eight (8) weeks of delivery (unless other arrangements are required and agreed upon by the vendor and MDOT Fleet Services).
- X 3.5 Maine DOT reserves the right to pre-inspect the equipment before delivery.
- * 3.6 All bid pricing will include shipping and delivery to:
 - Maine DOT Fleet Service, 66 Industrial Dr. Augusta, Maine, 04330.
 - X 3.7 Upon delivery of unit or units all necessary paper work such as billing invoices shall accompany unit or units.

We affirm that we are bidding the exact specifications set forth in this BID.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/07/2016

Reviewed on 03/07/2016

1 Identification

- · Product Identifier
- · Trade name: Renegade Detergent Concentrate Parts Wash
- *Relevant identified uses of the substance or mixture and uses advised against:* For use in automatic style parts washers
- **Product Description** Detergent Concentrate
- Application of the substance / the mixture: For use in manual style parts washers
- Details of the Supplier of the Safety Data Sheet:
 Manufacturer/Supplier: Service Line Inc.
 2320 Zinga Drive Reedsburg, WI 53959
 Phone: 608-524-0204
 Fax: 608-524-1446
 www.renegadepartswashers.com
 Emergency telephone number: 1-800-228-5635 x054
- 2 Hazard(s) Identification

· Classification of the substance or mixture:

GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

GHS07

Skin Irrit. 2	H315 Causes skin irritation.	
Skin Sens. 1	H317 May cause an allergic skin reaction.	
Aquatic Acute 2	H401 Toxic to aquatic life.	

· Label elements:

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



- · Signal word: Danger
- *Hazard-determining components of labeling:* Tomamine® E-14-5 Surfactant d-limonene



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/07/2016

Trade name: Renegade Detergent Concentrate

Reviewed on 03/07/2016

Sulfuric acid, mon	o-C10-16-alkyl esters, sodium salts
 Hazard statemen 	ts:
H315 Causes skin	irritation.
H318 Causes seri	ous eye damage.
H317 May cause a	an allergic skin reaction.
H401 Toxic to aqu	atic life.
H411 Toxic to aqu	atic life with long lasting effects.
· Precautionary sta	atements:
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves.
P280	Wear eye protection / face protection.
P273	Avoid release to the environment.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.
P305+P351+P338	B If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P363	Wash contaminated clothing before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.
P391	Collect spillage.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· Classification sy	stem:

• NFPA ratings (scale 0 - 4)

Health = 2 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 2	Health = 2
FIRE 0	Fire = 0
REACTIVITY 0	Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

* 3 Composition/Inf	ormation on Ingredients	
· Non-hazardous cor	nponents:	
7732-18-5 Water, di	stilled water, deionized water	15-35%
Chemical character Description: Mixture Dangerous Compo	e: consisting of non-regulated material.	
CAS: 29911-28-2	Glycol Ether DPnB Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	25-50%
		(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/07/2016

Reviewed on 03/07/2016

Trade name: Renegade Detergent Concentrate

CAS: 5989-27-5	d-limonene	15-35%
RTECS: GW 6360000	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; (1) Skin Irrit. 2, H315; Skin Sens. 1, H317; Flam. Liq. 4, H227	
	Tomamine® E-14-5 Surfactant	15-35%
	 Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315 	
CAS: 34398-01-1	Poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- surfactant	2-12%
	Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2B, H320	-
CAS: 64972-19-6	B-alanine, N-(2-carboxyethyl)-N-[3-(decyloxyl)propyl]-, monosodium salt	2-12%
	Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	
CAS: 68585-47-7	Sulfuric acid, mono-C10-16-alkyl esters, sodium salts	2-12%
	🔶 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315	-
CAS: 68585-34-2	Sodium Lauryl Ether Sulfate	≤ 2.5%
	Acute Tox. 4, H302; Acute Tox. 4, H312; Eye Irrit. 2A, H319	
4 First-Aid Measure	es	

Description of first aid measures: Constant information:

General information:

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media:
- · Suitable extinguishing agents:
- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters:

· Protective equipment:

Mouth respiratory protective device.

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/07/2016

Reviewed on 03/07/2016

Trade name: Renegade Detergent Concentrate

6 Accidental Release Measures

- *Personal precautions, protective equipment and emergency procedures:* Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Ensure adequate ventilation.

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Reference to other sections:
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

· Handling

· Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities:
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- Control parameters:

• Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

5989-27-5 d-limonene

TWA Short-term value: 10 mg/m³

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

- Exposure controls:
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

- Avoid contact with the skin.
- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/07/2016

Reviewed on 03/07/2016

Page 5/10

Trade name: Renegade Detergent Concentrate

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

-

• Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

 Information on basic physical and environmentation General Information 	chemical properties	
 Appearance: Form: Color: Odor: Odor threshold: 	Liquid Light green Citrus Not determined.	
· pH-value:	7.2	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined.	
· Flash point:	None	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Not determined	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapor pressure @ 20 °C (68 °F):	23 hPa (17 mm Hg)	(Cor



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/07/2016

Reviewed on 03/07/2016

Trade name: Renegade Detergent Concentrate

· Density:		
Relative density:	8.39_pounds/gallon	
Vapor density:	Not_determined.	
Evaporation rate:	Not_determined.	
 Solubility in / Miscibility with: 		
Water:	Soluble.	
· Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

• Solvent content:	
Organic solvents:	12.7 %
Water:	15.7 %
VOC content:	12.7 %
 Other information: 	No further relevant information available.

0 Stability and Reactivity

· *Reactivity:* No further relevant information available.

- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Toxicological Information

·	Information	on	toxicological effects:	
---	-------------	----	------------------------	--

· Acute toxicity:

Oral

· LD/LC50 values that are relevant for classification:

29911-28-2 Glycol Ether DPnB		
Oral	LD50 >3700 mg/kg (rat)	

Dermal LD50 >2000 mg/kg (rat)

5989-27-5 d-limonene

LD50 4400 mg/kg (rat) Remarks: Behavioral: Change in motor activity (specific assay). Respiratory disorder Skin and Appendages: Other: Hair

Dermal LD50 >5000 mg/kg (rabbit)

Tomamine® E-14-5 Surfactant

Oral LD50 1,000-2,000 mg/kg (rat)

34398-01-1 Poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- surfactant

Oral LD50 1400 mg/kg (rat)

68585-47-7 Sulfuric acid, mono-C10-16-alkyl esters, sodium salts

Oral LD50 2,000 mg/kg (rat)

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/07/2016

Reviewed on 03/07/2016

Trade name: Renegade Detergent Concentrate

- Primary irritant effect:
- On the skin:

Irritant to skin and mucous membranes.

May cause an allergic skin reaction.

• On the eye:

Strong irritant with the danger of severe eye injury.

Causes serious eye irritation.

• Sensitization: Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

 5989-27-5
 d-limonene

 3

 · NTP (National Toxicology Program):

 None of the ingredients are listed.

 · OSHA-Ca (Occupational Safety & Health Administration):

 None of the ingredients are listed.

 12 Ecological Information

· Toxicity:

· Aquatic toxicity:

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

29911-28-2 Glycol Ether DPnB

EC50 >1000 mg/l (daphnia)

5989-27-5 d-limonene

EC50 0.36 mg/l (daphnia) (OECD Test Guideline 202)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · *Bioaccumulative potential:* No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Poisonous for fish and plankton in water bodies.

- Toxic for aquatic organisms
- Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects: No further relevant information available.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/07/2016

Reviewed on 03/07/2016

Trade name: Renegade Detergent Concentrate

13 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system . Observe all federal, state and local environmental regulations when disposing of this material.

· Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

14 Transport Information

- · UN-Number:
- · DOT, ADR, ADN, IMDG, IATA
- UN proper shipping name:
- · DOT, ADR, ADN, IMDG, IATA
- Transport hazard class(es):
- · DOT, ADR, ADN, IMDG, IATA
- · Class:
- Packing group:
- · DOT, ADR, IMDG, IATA
- · Environmental hazards:
- Not applicable. Not applicable.
- Special precautions for user: Not
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not
- · UN "Model Regulation":

Not applicable. Non-Regulated Material

Non-Regulated Material

Non-Regulated Material

Non-Regulated Material

Non-Regulated Material

5 Regulatory Information

- Safety, health and environmental regulations/legislation specific for the substance or mixture:
- SARA (Superfund Amendments and Reauthorization):
 Section 355 (extremely hazardous substances):

None of the ingredients are listed.

- Section 313 (Specific toxic chemical listings):
- None of the ingredients are listed.

• TSCA (Toxic Substances Control Act):

•		
29911-28-2	Glycol Ether DPnB	
5989-27-5	d-limonene	
34398-01-1	Poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- surfactant	
64972-19-6	B-alanine, N-(2-carboxyethyl)-N-[3-(decyloxyl)propyl]-, monosodium salt	
68585-47-7	Sulfuric acid, mono-C10-16-alkyl esters, sodium salts	
68585-34-2	Sodium Lauryl Ether Sulfate	
70592-80-2	Amine oxides, C10-16-alkyldimethy	
64-17-5	Ethanol	
7732-18-5	Water, distilled water, deionized water	
California Proposition 65:		
· Chemicals known to cause cancer:		

None of the ingredients are listed.



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/07/2016

Trade name: Renegade Detergent Concentrate

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

Reviewed on 03/07/2016

· Chemicals	known to cause reproductive toxicity for males:	
None of the	e ingredients are listed.	
· Chemicals	known to cause developmental toxicity:	
64-17-5 Et	hanol	
· New Jerse	y Right-to-Know List:	
64-17-5 Et		
· New Jerse	y Special Hazardous Substance List:	
64-17-5 Et	hanol	CA, MU, TE, F
· Pennsylva	nia Special Hazardous Substance List:	
None of the	e ingredients are listed.	
· Carcinoge	nic categories:	
-	ronmental Protection Agency):	
None of the	e ingredients are listed.	
· TLV (Three	shold Limit Value established by ACGIH):	
64-17-5 Et	hanol	A
NIOSH-Ca	(National Institute for Occupational Safety and Health):	
None of the	e ingredients are listed.	
Hazard pic	GHS07 GHS09	
· Signal wor	r d: Danger	
Tomamine d-limonene		
· Hazard sta	d, mono-C10-16-alkyl esters, sodium salts	
	es skin irritation.	
	es serious eye damage.	
	cause an allergic skin reaction. to aquatic life.	
	to aquatic file.	
	nary statements:	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.	
P280	Wear protective gloves.	

- P280 Wear eye protection / face protection.
- P273 Avoid release to the environment.
- Wash thoroughly after handling. P264
- P272 Contaminated work clothing must not be allowed out of the workplace.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/07/2016

Reviewed on 03/07/2016

Page 10/10

Trade name: Renegade Detergent Concentrate

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

- P321Specific treatment (see supplementary first aid instructions on this Safety Data Sneet).P363Wash contaminated clothing before reuse.P332+P313If skin irritation occurs: Get medical advice/attention.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P391 Collect spillage.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 03/07/2016 / 2

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flam. Liq. 4: Flammable liquids, Hazard Category 4 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Acute 2: Hazardous to the aquatic environment - AcuteHazard, Category 2 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106



OWNER'S MANUAL TMB 4000

WARRANTY

Service Line Inc. warrants the cleaning station listed in this manual to be free from all defects in material and workmanship for a period of (1) year from the date purchased by original end user,

Provided: (a) they are given normal and proper use, care and maintained as listed in this manual; all electrical and installations must be made in accordance with Service Line's specifications.

The following items are not covered by this warranty:

Pump and Heating Elements (if damage is caused by low water supply, or usage of non-approved detergent in unit).

This warranty does not cover any components that come in contact with cleaning solution if the detergent used is not approved by Service Line Inc. in writing prior to using it in this unit.

All warranty items must be returned to Service Line Inc. prepaid freight. Service Line Inc. does not reimburse any labor, and is only responsible for defective part.

THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION AND WARRANTIES CONTAINED HEREIN. THE WARRANTIES EXPRESSED HEREIN ARE IN LIEU OF ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED. ANY IMPLIED WARRANTY OF MERCHANTABILITY AND IMPLIED WARRANTY FITNESS FOR A PARTICULAR PURPOSE OR APPLICATION ARE HEREBY EXCLUDED. BUYER'S REMEDY IS LIMITED TO, AND SERVICE LINE INC.'S MAXIMUM LIABILITY SHALL NOT EXCEED EITHER, (a) REPAIR OR REPLACEMENT OF THE DEFECTIVE PART OF PRODUCT OR, AT SERVICE LINE INC.'S OPTION, (b) RETURN OF THE PRODUCT AND REFUND OF THE PURCHASE PRICE. SUCH REMEDY SHALL BE THE ENTIRE AND ONLY REMEDY.

Some states do not allow exclusion or limitation of incidental or consequential damages, so the above limitation may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Service Line Inc. reserves the right under its "Product Improvement" policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications.

REV. 06-25-1997 / Amended 01-01-2014

Page 19

Service Line Inc. parts washer products and the editorial content, graphics, and products of Service Line Inc. unless otherwise noted, are the property of Service Line Inc. The information presented in this manual is copyrighted as collective work. Any authorized reproduction, by any means, mechanical or electronic, without the express written permission of Service Line Inc. is strictly prohibited. Copyright © 2012, Service Line Inc. All Rights Reserved