

MODIFICATION

**State of Maine**



**Master Agreement**

**Effective Date:** 11/10/14

**Expiration Date:** 07/31/19

**Master Agreement Description:** NASPO ValuePoint LED Emergency Light Bars #81371

**Buyer Information**

Donny Crockett 207-624-7336 ext. Donny.Crockett@maine.gov

**Issuer Information**

JAYE PARKER 207-626-3831 ext. jaye-ellen.parker@maine.gov

**Requestor Information**

Paula Cummins 207-624-9990 ext. Paula.Cummins@MAINE.GOV

**Authorized Departments**

ALL

**Vendor Information**

**Vendor Line #:** 1

**Vendor ID**

VC0000201967

**Vendor Name**

STAR HEADLIGHT & LANTERN CO

**Alias/DBA**

**Vendor Address Information**

455 ROCHESTER STREET

AVON, NY 14414

US

**Vendor Contact Information**

PAT CUNNINGHAM

585-330-7829 ext.

patcunningham@reagan.com

**Payment Discount Terms**

**Discount 1:** % 0 Days

**Discount 2:** % 0 Days

**Discount 3:** % 0 Days

**Discount 4:** % 0 Days

## Commodity Information

**Vendor Line #:** 1

**Vendor Name:** STAR HEADLIGHT & LANTERN CO

**Commodity Line #:** 1

**Commodity Code:** 05557

**Commodity Description:** LED Emergency Light Bars, Sirens and Accessories

**Commodity Specifications:** LED Emergency Light Bars, Sirens and Accessories

**Commodity Extended Description:** NASPO ValuePoint LED Emergency Light Bars #81371 with Star Headlight

**Quantity**

0.00000

**UOM**

**Unit Price**

\$0.00

**Delivery Days**

**Free on Board**

**Contract Amount**

\$0.00

**Service Start Date**

11/10/14

**Service End Date**

07/31/19

**Catalog Name**

**Discount**

0.0000 %

**Discount Start Date**

**Discount End Date**

### **Commodity Terms and Conditions**

**Vendor Line #:** 1

**Commodity Line #:** 1

**T&C #:** 165

**T&C Name:** Payment Terms

**T&C Details:** Net 30

### Terms and Conditions

#### **Agreement Terms and Conditions**

**T&C #:** 165

**T&C Name:** Payment Terms

**T&C Details:** Net 30

**AMENDMENT NO. 4 TO WSCA-NASPO MASTER AGREEMENT NO. 81371**

**THIS AMENDMENT** is by and between the State of Minnesota, acting through its commissioner of Administration ("State"), and Star Headlight and Lantern Co. dba Star Warning Systems/Star Vehicle Products 455 Rochester St. Avon, NY 14414 ("Contract Vendor").

**WHEREAS**, the State has a Contract with the Contract Vendor identified as Minnesota WSCA-NASPO Master Agreement No. 81371, August 1, 2014 to July 31, 2018 ("Contract"), to provide LED Emergency Light Bars, Siren Warning Accessories, and Other Related Accessories; and

**WHEREAS**, Minn. Stat. § 16C.03, subd. 5, affords the commissioner of Administration, or delegate pursuant to Minn. Stat. § 16C.03, subd. 16, the authority to amend contracts; and

**WHEREAS**, the terms of the Contract allow the State to amend the Contract as specified herein, upon the mutual agreement of the Office of State Procurement and the Contract Vendor in a fully executed amendment to the Contract.



**NOW, THEREFORE**, it is agreed by the parties to amend the Contract as follows:

1. That Contract No. 81371 is extended through July 31, 2019.
2. The Star Headlight and Lantern Co. dba Star Warning Systems/Star Vehicle Products NASPO Master Agreement Price list dated February 16, 2016 Amendment no. 2 is DELETED and REPLACED with Amendment No. 4 Exhibit A Star Headlight and Lantern Co. dba Star Warning Systems/Star Vehicle Products NASPO Master Agreement Price list dated July 12, 2018. Pricing is fixed and must be at or lower than that detailed on Amendment No. 4 Exhibit A.
3. The Contract vendor shall provide LED Emergency Light Bars, Siren Warning Accessories, and Other Related Accessories at the prices set forth in Amendment No. 4 Exhibit A Star Headlight and Lantern Co. dba Star Warning Systems/Star Vehicle Products NASPO Master Agreement Price list dated July 12, 2018, which is incorporated by reference and kept on file at the Minnesota Department of Administration, Office of State Procurement (OSP), 50 Sherburne Avenue, Suite 112, St. Paul, MN 55155. Amendment No.4 Exhibit A will be effective upon execution of the amendment through the expiration of the contract.
4. All other discounts, terms, conditions, and specifications remain unchanged.

This Amendment is effective beginning August 1, 2018, or upon the date that the final required signatures are obtained, whichever occurs later, and shall remain in effect through contract expiration, or until the Contract is canceled, whichever occurs first.

Except as herein amended, the provisions of the original Contract between the parties hereto are expressly reaffirmed and remain in full force and effect.

IN WITNESS WHEREOF, the parties have caused this Amendment to be duly executed intending to be bound thereby.

<p><b>1. STAR HEADLIGHT AND LANTERN CO. dba STAR WARNING SYSTEMS/STAR VEHICLE PRODUCTS</b></p> <p>The Contractor certifies that the appropriate person(s) have executed this Amendment on behalf of the Contractor as required by applicable articles, bylaws, resolutions, or ordinances.</p> <p>By: <u></u> Signature <u>Christopher D. Jacobs</u> Printed Name Title: <u>President / CEO</u> Date: <u>7/20/18</u> By: _____ Signature Printed Name Title: _____ Date: _____</p>	<p><b>2. OFFICE OF STATE PROCUREMENT</b> In accordance with Minn. Stat. § 16C.03, subd. 3.</p> <p>By: <u></u> Title: <u>Acquisition Management Specialist/Buyer</u> Date: <u>7/23/18</u></p> <p><b>3. COMMISSIONER OF ADMINISTRATION</b> Or delegated representative.</p> <p>By: _____ Date: <u>Original signed</u></p> <p><b>JUL 23 2018</b></p> <p><b>By Lucas J. Jannett</b></p>
---	---

ORIGINAL



Materials Management Division
112 Administration Building
50 Sherburne Avenue
St. Paul, MN 55155
Voice: 651.296.2600
Fax: 651.297.3996

NOTIFICATION OF MINNESOTA WSCA-NASPO MASTER AGREEMENT (CONTRACT) AWARD

To: Mr. Jeff Sabo
Star Headlight and Lantern Co.
dba Star Warning Systems/Star Vehicle
Products
455 Rochester St.
Avon, NY 14414

CONTRACT NO: 000000000000000000081371 (81371)
CONTRACT PERIOD: August 1, 2014
Through July 31, 2016
EXTENSION OPTION: Up to 36 Months

You are hereby notified that your response to our Solicitation, which opened January 22, 2014, is accepted. This Contract Award includes all or part of the following products or services, as further specified in Exhibit A: LED Emergency Light Bars, Siren Warning Accessories, and Other Related Accessories.

The following documents, in order of precedence, are incorporated herein by reference and constitute the entire Contract between you and the State: (1) A Participating Entity's Participating Addendum ("PA"); (2) Minnesota WSCA-NASPO Master Agreement, together with Exhibit A and any attachments or amendments; (3) the State's Solicitation; and (4) the accepted portions of your response. In the event of a conflict in language among any of these documents, the terms and conditions set forth and/or referenced in this Notification and any later executed documents shall prevail over conflicting terms and conditions contained in the earlier documents, in their original form or as amended. As stated in the Solicitation, "Participating States reserve the right to add state specific terms and conditions in their Participating Addendum as allowed by the Master Agreement" and "Participating Entities will have the option to participate and further refine their Terms and Conditions through a Participating Addendum." As a point of clarification, any Master Agreement Terms and Conditions modified in an executed Participating Addendum will apply only to the state that executed the Participating Addendum.

Form with three sections: 1. STAR HEADLIGHT AND LANTERN CO. dba STAR WARNING SYSTEMS/STAR VEHICLE PRODUCTS. 2. MATERIALS MANAGEMENT DIVISION. 3. COMMISSIONER OF ADMINISTRATION. Includes signature lines and dates.

STATE OF MINNESOTA  
MATERIALS MANAGEMENT DIVISION

PRICE CONTRACT  
EXHIBIT A

As stated in the Notification of MINNESOTA WSCA-NASPO MASTER AGREEMENT (CONTRACT) Award, this Contract incorporates the terms, conditions and specifications of the Solicitation at the Discounts listed below.

**TERMS:** NET 30

**DELIVERY:** Unless otherwise mutually agreed, in-stock items must be delivered within five (5) business days after receipt of order and non-stock items must be delivered within fifteen (15) business days after receipt of order. Delivery requirements for custom made items will be negotiated at time of order placement

<u>Manufacturer Name</u>	<u>Manufacturer Price List</u>	<u>Percent Discount off of Price List</u>	<u>Freight Terms</u>
Star Headlight and Lantern Co	Star Warning Systems 3/2013	40%	Freight Prepaid
dba	Star Signal Vehicle Products 8/2013	40%	and Allowed
Star Warning Systems/Star Vehicle Products			

<u>Quantity Breaks</u>	<u>Additional percent discount per order</u>
None	N/A

**PARTICIPATING ADDENDUM  
WSCA-NASPO COOPERATIVE PURCHASING PROGRAM  
LED Emergency Light Bars, Sirens and Accessories  
Administered by the State of Minnesota hereinafter "Lead State")**

MASTER AGREEMENT  
Star Warning Systems / Star Vehicle  
Master Agreement No: 81371  
(hereinafter "Contractor")

And

State of Maine  
(hereinafter "Participating State/Entity")

Page 1 of 4

1. Scope: This addendum covers the LED Emergency Light Bars, Sirens and Accessories led by the State of Minnesota for use by state agencies and other entities located in the Participating **State/Entity** authorized by that state's statutes to utilize **state/entity** contracts with the prior approval of the state's chief procurement official.

2. Participation: Use of specific WSCA-NASPO cooperative contracts by agencies, political subdivisions and other entities (including cooperatives) authorized by an individual state's statutes to use **state/entity** contracts are subject to the prior approval of the respective State Chief Procurement Official. Issues of interpretation and eligibility for participation are solely within the authority of the State Chief Procurement Official.

3. Participating State Modifications or Additions to Master Agreement:

(These modifications or additions apply only to actions and relationships within the Participating Entity.)

i. **EQUAL EMPLOYMENT OPPORTUNITY.** During the performance of this contract, the Contractor agrees as follows.

A. The Contractor will not discriminate against any employee or applicant for employment because of race, color, religious creed, sex, national origin, ancestry, age, physical or mental disability, or sexual orientation, unless related to a bona fide occupational qualification. The Contractor shall take affirmative action to ensure that applicants are employed and employees are treated during their employment, without regard to their race, color, religion, sex, age, national origin, physical or mental disability, or sexual orientation.

Such action shall include, but not be limited to, the following: employment, upgrading, demotions, transfers, recruitment or recruitment advertising; layoffs or terminations; rates of pay or other forms of compensation; and selection for training, including apprenticeship.

B. The Contractor will, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religious creed, sex, national origin, ancestry, age, physical or mental disability, or sexual orientation.

C. The Contractor will send to each labor union or representative of the workers with which he has a collective or bargaining agreement, or other contract or understanding, whereby he is furnished with labor for the performances of his contract, a notice, to be provided by the contracting department or agency, advising the said labor union or workers' representative of the Contractor's commitment under this section and shall post copies of the notice in conspicuous places available to employees and to applicants for employment.

**PARTICIPATING ADDENDUM  
WSCA-NASPO COOPERATIVE PURCHASING PROGRAM  
LED Emergency Light Bars, Sirens and Accessories  
Administered by the State of Minnesota hereinafter "Lead State"**

**MASTER AGREEMENT  
Star Warning Systems / Star Vehicle  
Master Agreement No: 81371  
(hereinafter "Contractor")**

And

State of Maine  
(hereinafter "Participating State/Entity")

Page 2 of 4

D. The Contractor will cause the foregoing provisions to be inserted in all contracts for any work covered by this agreement so that such provisions will be binding upon each subcontractor.

E. Contractors and subcontractors with contracts in excess of \$50,000 will also pursue in good faith affirmative action programs.

- ii. **GOVERNING LAW** This Agreement shall be governed in all respects by the laws, statutes, and regulations of the United States of America and of the State of Maine. Any legal proceeding against the State regarding this Agreement shall be brought in State of Maine administrative or judicial forums. The Contractor consents to personal jurisdiction in the State of Maine.
- iii. **STATE HELD HARMLESS** The contractor shall release, protect, indemnify and hold WSCA-NASPO and the respective states and their officers, agencies, employees, harmless from and against any damage, cost or liability, including reasonable attorney's fees for any or all injuries to persons, property or claims for money damages arising from acts or omissions of the contractor, his employees or subcontractors or volunteers.
- iv. **NON-APPROPRIATION** Notwithstanding any other provision of this Agreement, if the State does not receive sufficient funds to fund this Agreement and other obligations of the State, if funds are de-appropriated, or if the State does not receive legal authority to expend funds from the Maine State Legislature or Maine courts, then the State is not obligated to make payment under this Agreement.

4. **Reserved**

5. **Primary Contacts:** The primary contact individuals for this Participating Addendum are as follows (or their named successors):

<u>Contractor</u>	
Name	Jan Mol
Address	455 Rochester St. , Avon, NY 14414
Telephone	585-749-7532
Fax	888-473-2797
E-mail	janmol@star1889.com



**PARTICIPATING ADDENDUM  
 WSCA-NASPO COOPERATIVE PURCHASING PROGRAM  
 LED Emergency Light Bars, Sirens and Accessories  
 Administered by the State of Minnesota hereinafter "Lead State")**

**MASTER AGREEMENT  
 Star Warning Systems / Star Vehicle  
 Master Agreement No: 81371  
 (hereinafter "Contractor")**

And

State of Maine  
 (hereinafter "Participating State/Entity")

Page 3 of 4

Name	Terry DeMerchant
Address	State of Maine Division of Purchases, 9 State House Station, Augusta ME 04333-0009
Telephone	207-624-7334
Fax	207-287-0878
E-mail	Terry.L.DeMerchant@maine.gov

6. Subcontractors: The Contractor's Authorized Distributors, in the State of ~~Minnesota~~ <sup>MAINE MWL 11/4/14</sup>, are approved to provide sales and service. The Authorized Distributors' participation will be in accordance with the terms and conditions set forth in the Master Agreement and this Participating Addendum.

7. Orders: Any Order placed by a Participating Entity or Purchasing Entity for a Product and/or Service available from this Master Agreement shall be deemed to be a sale under (and governed by the prices and other terms and conditions) of the Master Agreement.

IN WITNESS WHEREOF, the parties have executed this Addendum as of the date of execution by both parties below.

Participating State: Maine	Contractor: Star Warning
By: <i>Mark W. Lutte</i>	By: STAR HEADLIGHT & LANTERN CO, INC
Name: Mark Lutte	Name: PAT CUNNINGHAM
Title: Director of the Division of Purchases	Title: SALES MANAGER
Date: 11/4/2014	Date: NOV. 1, 2014

[Additional signatures as required by Participating State]



**PARTICIPATING ADDENDUM  
WSCA-NASPO COOPERATIVE PURCHASING PROGRAM  
LED Emergency Light Bars, Sirens and Accessories  
Administered by the State of Minnesota hereinafter "Lead State")**

MASTER AGREEMENT  
Star Warning Systems / Star Vehicle  
Master Agreement No: 81371  
(hereinafter "Contractor")

And

State of Maine  
(hereinafter "Participating State/Entity")

Page 4 of 4

For questions on executing a participating addendum, please contact:

WSCA-NASPO

Cooperative Development Coordinator	Tim Hay
Telephone	503-428-5705
E-mail	<a href="mailto:thay@wsca-naspo.org">thay@wsca-naspo.org</a>

**[Please email fully executed PDF copy of this document to  
[PA@wsca-naspo.org](mailto:PA@wsca-naspo.org) to support documentation of participation and  
posting in appropriate data bases]**



**NASPO (WSCA) Contract 81371 Prices  
LED Light bars, Sirens, and Warning Accessories**

**"We Manufacture What We Sell"**

**ALL PRODUCTS "MADE IN THE U.S.A."**

**Star Headlight & Lantern Co., Inc.**

**455 Rochester Street**

**Avon, NY 14414**

**585-226-9787**

***www.star1889.com***

**IMPORTANT NOTE:**

**Products listed in BOLD on Price List below are primary products and will have timely delivery. For other items request delivery at time of order.**

<b>Star X-Fire® LED Beacons</b>			
* = Dome colors: A, B, C, G, R		List	NASPO
266TCFL-*	X-FIRE BEACON; AMBER; 9-32VDC ; 2 HOLE FLANGE; TALL AMBER DOME; 8 LED'S; HARD WIRED	129.12	77.47
266TCL-*	X-FIRE BEACON; AMBER; 9-32VDC ; 3 HOLE FLANGE; TALL AMBER DOME; 8 LED'S; HARD WIRED	129.12	77.47
266TCLFL-*	X-FIRE BEACON; AMBER; 9-32VDC ; 1" NPT PIPE MOUNT; TALL AMBER DOME; 8 LED'S; HARD WIRED	129.12	77.47
266TCLM-*	X-FIRE BEACON; AMBER; 9-16VDC CERAMIC. MAG; TALL AMBER DOME; 8 LED'S; PATTERN SELECT CIG. PLUG.	146.02	87.61
266TCLV-*	X-FIRE BEACON; AMBER; 9-16VDC VAC. MAG; TALL AMBER DOME; 8 LED'S; PATTERN SELECT CIG. PLUG.	179.82	107.89
266TSFL-*	X-FIRE BEACON; AMBER; 9-32VDC ; 2 HOLE FLANGE; SHORT AMBER DOME; 8 LED'S; HARD WIRED	129.12	77.47
266TSL-*	X-FIRE BEACON; AMBER; 9-32VDC ; 3 HOLE FLANGE; SHORT AMBER DOME; 8 LED'S; HARD WIRED	129.12	77.47
266TSLFL-*	X-FIRE BEACON; AMBER; 9-32VDC ; 1" NPT PIPE MOUNT; SHORT AMBER DOME; 8 LED'S; HARD WIRED	129.12	77.47
266TSLM-*	X-FIRE BEACON; AMBER; 9-16VDC CERAMIC. MAG; SHORT AMBER DOME; 8 LED'S; PATTERN SELECT CIG. PLUG.	146.02	87.61
266TSLV-*	X-FIRE BEACON; AMBER; 9-16VDC VAC. MAG; SHORT AMBER DOME; 8 LED'S; PATTERN SELECT CIG. PLUG.	179.82	107.89
<b>Star Halo® LED Beacons</b>			
* = Dome colors: A, B, C, G, R			
Model Number	Description		
255H8TAL-*	Ultra high intensity LEDs, tall lens, dust cover, perm. mount, 10-30V	190.29	114.17
255H8TALV-*	Ultra high intensity LEDs, tall lens, dust cover, vacuum mag. mount, 10-16V	230.52	138.31
255H8TCL-*	Ultra high intensity LEDs, tall lens, perm. mount, 10-30V	179.82	107.89
255H8TCFL-*	Ultra high intensity LEDs, tall lens, flange mount, 10-30V	179.82	107.89
255H8TCLM-*	Ultra high intensity LEDs, tall lens, mag. mount, 10-16V	190.29	114.17
255H8TCLV-*	Ultra high intensity LEDs, tall lens, vacuum mag. mount, 10-16V	222.07	133.24
255H8TSL-*	Ultra high intensity LEDs, short lens, perm. mount, 10-30V	179.82	107.89
255H8TSFL-*	Ultra high intensity LEDs, short lens, flange mount, 10-30V	179.82	107.89
255H8TSLM-*	Ultra high intensity LEDs, short lens, mag. mount, 10-16V	190.29	114.17
255H8TSLV-*	Ultra high intensity LEDs, short lens, vacuum mag. mount, 10-16V	222.07	133.24
255HTCL-*	High intensity LEDs, tall lens, perm. mount, 10-30V	154.47	92.68
255HTCFL-*	High intensity LEDs, tall lens, flange mount, 10-30V	154.47	92.68
255HTCLM-*	High intensity LEDs, tall lens, mag. mount, 10-16V	169.00	101.40
255HTCLV-*	High intensity LEDs, tall lens, vacuum mag. mount, 10-16V	200.77	120.46
255HTSL-*	High intensity LEDs, short lens, perm. mount, 10-30V	154.46	92.68
255HTSFL-*	High intensity LEDs, short lens, flange mount, 10-30V	154.46	92.68
255HTSLM-*	High intensity LEDs, short lens, mag. mount, 10-16V	169.00	101.40
255HTSLV-*	High intensity LEDs, short lens, vacuum mag. mount, 10-16V	200.77	120.46
257H8TAL-*	Ultra high intensity LEDs, tall lens, dust cover, perm. mount, 10-30V	207.53	124.52
257H8TALV-*	Ultra high intensity LEDs, tall lens, dust cover, vacuum mag. mount, 10-16V	263.30	157.98
257H8TCL-*	Ultra high intensity LEDs, tall lens, perm. mount, 10-30V	198.88	119.33
257H8TCLV-*	Ultra high intensity LEDs, tall lens, vacuum mag. mount, 10-16V	254.18	152.51
257H8TSL-*	Ultra high intensity LEDs, short lens, perm. mount, 10-30V	198.74	119.24
257H8TSLV-*	Ultra high intensity LEDs, short lens, vacuum mag. mount, 10-16V	254.18	152.51
257HTCL-*	High intensity LEDs, tall lens, perm. mount, 10-30V	172.72	103.63
257HTCLV-*	High intensity LEDs, tall lens, vacuum mag. mount, 10-16V	228.49	137.09
257HTSL-*	High intensity LEDs, short lens, perm. mount, 10-30V	172.72	103.63
257HTSLV-*	High intensity LEDs, short lens, vacuum mag. mount, 10-16V	228.49	137.09
251H8TAL-*	Ultra high intensity LEDs, tall lens, dust cover, perm. mount, 10-30V	234.57	140.74
251H8TAL-BG-*	Ultra high intensity LEDs, tall lens, dust cover, branch guard, perm. mount, 10-30V	258.23	154.94
251H8TCL-*	Ultra high intensity LEDs, tall lens, perm. mount, 10-30V	223.76	134.26
251H8TCL-BG-*	Ultra high intensity LEDs, tall lens, branch guard, perm. mount, 10-30V	247.42	148.45
251H8TSL-*	Ultra high intensity LEDs, short lens, perm. mount, 10-30V	223.76	134.26
251H8TSL-BG-*	Ultra high intensity LEDs, short lens, branch guard, perm. mount, 10-30V	247.42	148.45
251HTAL-*	High intensity LEDs, tall lens, dust cover, perm. mount, 10-30V	220.38	132.23
251HTAL-BG-*	High intensity LEDs, tall lens, dust cover, branch guard, perm. mount, 10-30V	249.11	149.47
251HTCL-*	High intensity LEDs, tall lens, perm. mount, 10-30V	214.97	128.98
251HTCL-BG-*	High intensity LEDs, tall lens, branch guard, perm. mount, 10-30V	238.29	142.97
251HTSL-*	High intensity LEDs, short lens, perm. mount, 10-30V	214.97	128.98
251HTSL-BG-*	High intensity LEDs, short lens, branch guard, perm. mount, 10-30V	238.29	142.97
BB274-251DK	Target tech adaptor Kit, includes bottom dish, case spinning, gasket, and hardware	68.61	41.17
BB274-251K	Target tech adaptor kit, includes case spinning, J bolts, rubber bottom gasket, and hardware	50.70	30.42
200AH8L-*	Ultra high intensity LEDs, perm. mount, 10-30V	264.32	158.59
200AHL-*	High intensity LEDs, perm. mount, 10-30V	243.02	145.81
200BH8L-*	Ultra high intensity LEDs, perm. mount, 3/4" pipe mount, 10-30V	282.23	169.34
200BHL-*	High intensity LEDs, perm. mount, 3/4" pipe mount, 10-30V	259.58	155.75
200CFH8L-*	Ultra high intensity LEDs, perm. mount, three hole flange base, 10-30V	243.70	146.22
200CFHL-*	High intensity LEDs, perm. mount, three hole flange base, 10-30V	221.39	132.83
200CH8L-*	Ultra high intensity LEDs, perm. mount, 10-30V	232.54	139.52
200CHL-*	High intensity LEDs, perm. mount, 10-30V	213.62	128.17

<b>Star Halo® LED Beacons (continued)</b>			
<b>* = Dome colors: A, B, C, G, R</b>			
<b>** = LED colors: A/B, A/G, A/R, A/W, G/R, R/W</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
200SH8L-*	Ultra high intensity LEDs, perm. mount, ½" pipe mount, 10-30V	221.39	132.83
200SH8LM-*	Ultra high intensity LEDs, mag. mount, 10-16V	237.28	142.37
200SHL-*	High intensity LEDs, perm. mount, ½" pipe mount, 10-30V	210.24	126.14
200SHLM-*	High intensity LEDs, mag. mount, 10-16V	225.78	135.47
240H8AFL-*	Ultra high intensity LEDs, dust cover, flange base, 1" pipe mount, 10-30V	221.39	132.83
240H8AL-*	Ultra high intensity LEDs, dust cover, perm. mount, 1" pipe mount, 10-30V	212.26	127.36
240H8ALM-*	Ultra high intensity LEDs, dust cover, mag. mount, 10-16V	228.15	136.89
240H8CFL-*	Ultra high intensity LEDs, tall lens, flange base, 1" pipe mount, 10-30V	203.48	122.09
240H8CGL-*	Ultra high intensity LEDs, tall lens, perm. mount, G-plate, 10-30V	221.39	132.83
240H8CL-*	Ultra high intensity LEDs, tall lens, perm. mount, 1" pipe mount, 10-30V	194.35	116.61
240H8CLM-*	Ultra high intensity LEDs, tall lens, mag. mount, 10-16V	210.24	126.14
240H8SFL-*	Ultra high intensity LEDs, short lens, flange base, 1" pipe mount, 10-30V	203.48	122.09
240H8SGL-*	Ultra high intensity LEDs, short lens, perm. mount, G-plate, 10-30V	221.39	132.83
240H8SL-*	Ultra high intensity LEDs, short lens, perm. mount, 1" pipe mount, 10-30V	194.35	116.61
240H8SLM-*	Ultra high intensity LEDs, short lens, mag. mount, 10-16V	210.24	126.14
240HCFL-*	High intensity LEDs, tall lens, flange base, 1" pipe mount, 10-30V	196.38	117.83
240HCGL-*	High intensity LEDs, tall lens, perm. mount, G-plate, 10-30V	207.87	124.72
240HCL-*	High intensity LEDs, tall lens, perm. mount, 1" pipe mount, 10-30V	187.59	112.55
240HCLM-*	High intensity LEDs, tall lens, mag. mount, 10-16V	196.38	117.83
240HSFL-*	High intensity LEDs, short lens, flange base, 1" pipe mount, 10-30V	187.59	112.55
240HSGL-*	High intensity LEDs, short lens, perm. mount, G-plate, 10-30V	207.87	124.72
240HSL-*	High intensity LEDs, short lens, perm. mount, 1" pipe mount, 10-30V	178.46	107.08
240HSLM-*	High intensity LEDs, short lens, mag. mount, 10-16V	187.59	112.55
200AHDL-**	Dual-color, dust cover, clear lens, perm. mount, 10-30V	288.65	173.19
200SHDL-**	Dual-color, die cast base, clear lens, perm. mount, ½" pipe mount, 10-30V	242.01	145.21
200SHDLM-**	Dual-color, die cast base, clear lens, mag. mount, 10-16V	257.56	154.54
258HTDAL-**	Dual-color, tall clear lens, dust cover, polycarbonate base, three hole perm. mount, 1" pipe mount, 10-30V	206.86	124.12
258HTDALV-**	Dual-color, tall clear lens, dust cover, polycarbonate base, vacuum mag. mount, 10-16V	253.50	152.10
258HTDCL-**	Dual-color, tall clear lens, polycarbonate base, three hole perm. mount, 1" pipe mount, 10-30V	196.72	118.03
258HTDCLV-**	Dual-color, tall clear lens, polycarbonate base, vacuum mag. mount, 10-16V	243.02	145.81
258HTDSL-**	Dual-color, short clear lens, polycarbonate base, three hole perm. mount, 1" pipe mount, 10-30V	196.72	118.03
258HTDSL V-**	Dual-color, short clear lens, polycarbonate base, vacuum mag. mount, 10-16V	243.02	145.81
<b>LED Beacons</b>			
<b>* = Dome colors: A, B, C, G, R</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
200ZHL-12V-*	Die cast base, perm. mount, 10-16V	135.20	81.12
200ZHLM-12V-*	Die case base, mag. mount, 10-16V	153.11	91.87
200ZHRL-*	Rotating pattern, die cast base, perm. mount, 10-30V	152.10	91.26
200ZHRLM-*	Rotating pattern, die cast base, mag. mount, 10-16V	167.99	100.79
256TCL-*	<b>Tall lens, three hole perm. mount, 1" pipe mount, 10-30V</b>	<b>74.02</b>	<b>44.41</b>
256TCFL-*	<b>Tall lens, flange mount, 10-30V</b>	<b>74.02</b>	<b>44.41</b>
256TCLM-*	<b>Tall lens, mag. mount, 10-16V</b>	<b>90.92</b>	<b>54.55</b>
256TCLV-*	<b>Tall lens, vacuum mag. mount, 10-16V</b>	<b>124.72</b>	<b>74.83</b>
256TSL-*	<b>Short lens, three hole perm. mount, 1" pipe mount, 10-30V</b>	<b>74.02</b>	<b>44.41</b>
256TSFL-*	<b>Short lens, flange mount, 10-30V</b>	<b>74.02</b>	<b>44.41</b>
256TSLM-*	<b>Short lens, mag. mount, 10-16V</b>	<b>90.92</b>	<b>54.55</b>
256TSLV-*	<b>Short lens, vacuum mag. mount, 10-16V</b>	<b>124.72</b>	<b>74.83</b>

<b>LED Beacons (Continued)</b>			
<b>* = Dome colors: A, B, C, G, R</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
240CFL-*	Tall lens, flange base, perm. mount, 10-30V	90.25	54.15
240SFL-*	Short lens, flange base, perm. mount, 10-30V	90.25	54.15
<b>Compact LED Beacons</b>			
<b>* = Dome colors: A, B, C, G, R</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
200ZL-*	360° beacon, die cast base, perm. mount, ½" pipe mount, 10-16V	82.81	49.69
200ZL-110-*	360° beacon, die cast base, perm. mount, ½" pipe mount, 10-110V	99.71	59.83
200ZLM-*	360° beacon, die cast base, mag. mount, 10-16V	98.70	59.22
201ZL-*	360° beacon, perm. mount, ½" pipe mount, 10-16V	67.94	40.76
201ZL-110-*	360° beacon, perm. mount, ½" pipe mount, 10-110V	81.46	48.88
201ZLM-*	360° beacon, mag. mount, 10-16V	83.49	50.09
203MVL-*	360° beacon, flange base, perm. mount, ½" pipe mount, 10-16V	61.52	36.91
203MVL-110-*	360° beacon, flange base, perm. mount, ½" pipe mount, 10-110V	71.99	43.19
203MVL-110-*	360° beacon, mag. mount, 10-16V	77.40	46.44
204MVL-*	360° beacon, flange base, perm. mount, ½" pipe mount, 10-16V	65.57	39.34
204MVL-110-*	360° beacon, flange base, perm. mount, ½" pipe mount, 10-110V	76.05	45.63
<b>Strobe Beacons</b>			
<b>* = Dome colors: A, B, C, G, R</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
200A-12V-*	S/D/Q flash, tall lens, dust cover, perm. mount, 12-24V	186.58	111.95
200ADH-12V-*	High power, double flash, tall lens, dust cover, perm. mount, 12-24V	236.60	141.96
200AQH-12V-*	High power, quad flash, tall lens, dust cover, perm. mount, 12-24V	250.12	150.07
200B-12V-*	S/D/Q flash, tall lens, dust cover, perm. mount, 12-24V	196.38	117.83
200BDH-12V-*	High power, double flash, tall lens, dust cover, perm. mount, 12-24V	236.60	141.96
200BQH-12V-*	High power, quad flash, tall lens, dust cover, perm. mount, 12-24V	252.82	151.69
200C-12V-*	S/D/Q flash, perm. mount, 12-24V	162.58	97.55
200CF-12V-*	S/D/Q flash, flange base, perm. mount, 12-24V	157.85	94.71
200E-*	Single flash, high/low, perm. mount, or ¾" mount, 117V	182.86	109.72
250A-12V-*	S/D/Q flash, tall lens, dust cover, die cast base, perm. mount, 12-24V	176.10	105.66
250ADH-12V-*	High power, double flash, tall lens, dust cover, die cast base, perm. mount, 12-24V	216.66	130.00
250AH-12V-*	S/D/Q, high power, tall lens, dust cover, die cast base, perm. mount, 12-24V	203.48	122.09
250AQH-12V-*	High power, quad flash, tall lens, dust cover, die cast base, perm. mount, 12-24V	224.43	134.66
250C-12V-*	S/D/Q flash, tall lens, die cast base, perm. mount, 12-24V	166.97	100.18
250CDH-12V-*	High power, double flash, tall lens, die cast base, perm. mount, 12-24V	206.86	124.12
250CH-12V-*	S/D/Q, high power, tall lens, die cast base, perm. mount, 12-24V	194.01	116.41
250CQH-12V-*	High power, quad flash, tall lens, die cast base, perm. mount, 12-24V	213.62	128.17
250S-12V-*	S/D/Q flash, short lens, die cast base, perm. mount, 12-24V	157.85	94.71
250SDH-12V-*	High power, double flash, short lens, die cast base, perm. mount, 12-24V	198.41	119.05
250SH-12V-*	S/D/Q, high power, short lens, die cast base, perm. mount, 12-24V	185.22	111.13
250SQH-12V-*	High power, quad flash, short lens, die cast base, perm. mount, 12-24V	205.17	123.10

<b>Strobe Beacons (continued)</b>			
<b>* = Dome colors: A, B, C, G, R</b>			
Add \$10.00 for AC voltage option (not available for all lights)			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
255HTC-*	D/Q flash, tall twist on/off lens, photocell, flange base, perm. mount, 12-24V	129.12	77.47
255HTCM-*	D/Q flash, tall twist on/off lens, photocell, flange base, mag. mount, 12V	144.33	86.60
255HTCV-*	D/Q flash, tall twist on/off lens, photocell, flange base, vacuum mag. mount, 12V	184.21	110.53
255TC-*	S/D/Q flash, tall twist on/off lens, flange base, perm. mount, 12-48V	83.82	50.29
255TCM-*	S/D/Q flash, tall twist on/off lens, flange base, mag. mount, 12V	99.37	59.62
255TCV-*	S/D/Q flash, tall twist on/off lens, flange base, vacuum mag. mount, 12V	138.92	83.35
255TS-*	S/D/Q flash, short twist on/off lens, flange base, perm. mount, 12-48V	83.82	50.29
255TSM-*	S/D/Q flash, short twist on/off lens, flange base, mag. mount, 12V	99.37	59.62
255TSV-*	S/D/Q flash, short twist on/off lens, flange base, vacuum mag. mount, 12V	138.92	83.35
200S-12V-*	S/D/Q flash, medium profile, die cast base, perm. mount, 12-24V	134.86	80.92
200SM-12V-*	S/D/Q flash, medium profile, die cast base, mag. mount, 12V	150.75	90.45
240C-12V-*	Single/double/quad flash, tall lens, die cast base, perm. mount, 1" pipe mount, 12-24V	127.09	76.25
240C-U-*	Single flash, tall lens, die cast base, perm. mount, 1" pipe mount, 12-48V	127.09	76.25
240CF-12V-*	Single/double/quad flash, tall lens, die cast base flange perm. mount, 1" pipe mount, 12-24V	127.09	76.25
240CF-U-*	Single flash, tall lens, die cast base, perm. mount, 1" pipe mount, 12-48V	127.09	76.25
240CFD-U-*	Double flash, tall lens, die cast base, perm. mount, 1" pipe mount, 12-48V	127.09	76.25
240CM-12V-*	Single/double/quad flash, tall lens, die cast base, mag. mount, 12V	142.64	85.58
240S-12V-*	Single/double/quad flash, short lens, die cast base, perm. mount, 1" pipe mount, 12-24V	127.09	76.25
240S-U-*	Single flash, short lens, die cast base, perm. mount, 1" pipe mount, 12-48V	127.09	76.25
240SF-12V-*	Single/double/quad flash, short lens, die cast base flange perm. mount, 1" pipe mount, 12-24V	127.09	76.25
240SF-U-*	Single flash, short lens, die cast base, perm. mount, 1" pipe mount, 12-48V	127.09	76.25
240SFD-U-*	Double flash, short lens, die cast base, perm. mount, 1" pipe mount, 12-48V	127.09	76.25
240SM-12V-*	Single/double/quad flash, short lens, die cast base, mag. mount, 12V	142.64	85.58
242CFL-12V-*	Double/quad flash, tall lens, photocell, die cast base, flange perm. mount, 1" pipe mount, 12-24V	136.55	81.93
242CL-12V-*	Double/quad flash, tall lens, photocell, die cast base, perm. mount, 1" pipe mount, 12-24V	138.24	82.94
242CLM-12V-*	Double/quad flash, tall lens, photocell, die cast base, mag. mount, 12V	154.13	92.48
242SFL-12V-*	Double/quad flash, short lens, photocell, die cast flange perm. mount, 1" pipe mount, 12-24V	136.55	81.93
242SL-12V-*	Double/quad flash, short lens, photocell, die cast base, perm. mount, 1" pipe mount, 12-24V	138.24	82.94
242SLM-12V-*	Double/quad flash, short lens, photocell, die cast base, mag. mount, 12V	154.13	92.48
241S-12V-*	Single/double/quad flash, perm. mount, 1" pipe mount, 12-24V	127.09	76.25
241SF-12V-*	Single/double/quad flash, flange perm. mount, 1" pipe mount, 12-24V	129.79	77.87
241SM-12V-*	Single/double/quad flash, mag. mount, 12V	142.64	85.58
211R-12V-*	Single flash, rubber base, perm. mount on two studs on 4 1/4" centers, 12V	86.19	51.71
211RM-12V-*	Single flash, rubber base, mag. mount, 12V	103.09	61.85
211RMQ-12V-*	Quad flash, rubber base, mag. mount, 12V	107.82	64.69
211RQ-12V-*	Quad flash, rubber base, perm. mount on two studs on 4 1/4" centers, 12V	90.25	54.15
200Z-12V-*	Single flash, die cast base, perm. mount, 1/2" pipe mount, 12V	68.95	41.37
200ZM-12V-*	Single flash, die cast base, mag. mount, 12V	86.19	51.71
200ZMQ-12V-*	Quad flash, die cast base, mag. mount, 12V	92.95	55.77
200ZQ-12V-*	Quad flash, die cast base, perm. mount, 1/2" pipe mount, 12V	76.39	45.83
201Z-12V-*	Single flash, snap on lens, perm. mount, 1/2" pipe mount, 12V	57.46	34.48
201ZM-12V-*	Single flash, snap on lens, mag. mount, 12V	68.95	41.37
201ZMQ-12V-*	Quad flash, snap on lens, mag. mount, 12V	74.36	44.62
201ZQ-12V-*	Quad flash, snap on lens, perm. mount, 1/2" pipe mount, 12V	62.19	37.31
203MV-*	Low profile, twist off/on lens, perm. mount, 10-72V	68.28	40.97
203MVM-*	Low profile, twist off/on lens, mag. mount, 10-72V	81.12	48.67
204MV-*	Low profile, twist off/on lens, perm. mount, 10-110V	73.34	44.00

<b>Strobe Beacons (continued)</b>			
<b>* = Dome colors: A, B, C, G, R</b>			
Add \$10.00 for AC voltage option (not available for all lights)			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
200J-1-12V-*	Single flash, outer dome, medium profile, perm. mount, ½" pipe mount, 12V	93.29	55.97
200J-12V-*	Single flash, medium profile, perm. mount, ½" pipe mount, 12V	84.16	50.50
200JQ-1-*	Quad flash, outer dome, medium profile, perm. mount, ½" pipe mount, 12V	100.05	60.03
200JQ-12V-*	Quad flash, medium profile, perm. mount, ½" pipe mount, 12V	91.60	54.96
200U-*	Single flash, medium profile, perm. mount, ½" pipe mount, 110V	153.45	92.07
200U-1-*	Single flash, outer dome, medium profile, perm. mount, ½" pipe mount, 110V	194.35	116.61
735PS-*	Single flash, portable strobe, 360° lens, Safety Orange plastic base, perm. mount, requires (2) 6V batteries	158.86	95.32
735PSM-*	Single flash, portable strobe, 360° lens, Safety Orange plastic base, mag. mount, requires (2) 6V batteries	180.15	108.09
845S-12V-*	Single flash, unidirectional, self contained, Amber or Red only, 12V	256.88	154.13
845SQ-12V-*	Quad flash, unidirectional, self contained, Amber or Red only, 12-24V	256.88	154.13
<b>Revolving and Flashing Beacons</b>			
<b>* = Dome colors: A, B, C, G, R, M</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
450A-12V-*	Standard duty, rotating, open base, perm. mount, 12V	97.01	58.21
450AH-12V-*	Halogen, high intensity, rotating, open base, perm. mount, 12V	102.08	61.25
450B-12V-*	Standard duty, rotating, enclosed base, perm. mount, 12V	99.37	59.62
450BH-12V-*	Halogen, high intensity, rotating, enclosed base, perm. mount, 12V	106.47	63.88
455BH-12V-*	Standard duty, rotating, enclosed base, perm. mount, 12V	127.08	76.25
455BHF-12V-*	Halogen, high intensity, rotating, enclosed base, perm. mount, 12V	127.08	76.25
455BHV-12V-*	Halogen, high intensity, rotating, vacuum mag. mount, 12V	152.44	91.46
20RH-12V-*	Halogen, high intensity, rotating, die cast base, perm. mount, 12V	75.37	45.22
20RHF-12V-*	Halogen, high intensity, fast rotator, die cast base, perm. mount, 12V	71.66	43.00
20RHM-12V-*	Halogen, high intensity, rotating, die cast base, mag. mount, 12V	90.58	54.35
20RI-12V-*	Incandescent, standard duty, die cast base, perm. mount, 12V	69.29	41.57
20RIF-12V-*	Incandescent flashing, standard duty, die cast base, perm. mount, 12V	69.29	41.57
20RIM-12V-*	Incandescent, standard duty, die cast base, mag. mount, 12V	85.18	51.11
<b>Halogen Dash Lights and Accessories</b>			
<b>* = Dome colors: A, B, C, G, R, M</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
1188H-*	Hotshot II, halogen, perm. mount, 12V	92.61	55.57
1188HM-*	Hotshot II, halogen, mag. mount, 12V	93.96	56.38
1166HM*	Teardrop, halogen, mag. mount, 12V	101.40	60.84
1166IM-*	Teardrop, incandescent, mag. mount, 12V	99.37	59.62
274-874	Dash bracket, suction cups	45.29	27.17
274-878	Multiple flash adaptor, mirror array for 1188H series	33.80	20.28
<b>Flashing Beacons Very Low Profile</b>			
<b>* = Dome colors: A, B, C, G, R</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
20ZI-12V-*	Flashing, incandescent, die cast base, perm. mount, 12V	50.36	30.22
20ZIM-12V-*	Flashing, incandescent, die cast base, mag. mount, 12V	53.40	32.04
21ZI-12V-*	Flashing, incandescent, polycarbonate base, perm. mount, 12V	39.88	23.93
21ZIM-12V-*	Flashing, incandescent, polycarbonate base, mag. mount, 12V	65.91	39.55



<b>Flashing Beacons Very Low Profile (Continued)</b>			
<b>* = Dome colors: A, B, C, G, R</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
20FI-1-12V-*	Flashing, incandescent, clear outer dome, die cast base, retaining ring, mag. mount, 12V	79.09	47.45
20FI-*	Flashing, incandescent, die cast base, retaining ring, perm. mount, 12V	70.98	42.59
735-FI-SB-PC-*	Portable strobe, steady burn/flashing/on/off, Safety Orange case, 6V - steady burn	81.46	48.88
<b>LED Lights</b>			
<b>* = LED colors: A, B, G, R, W</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>Jobber</b>
ULB9E-**	Eight mid power LEDs, cig. plug, 10-16V	126.75	76.05
ULB9E-1-**	Eight mid power LEDs, 12' cable, 10-16V	126.75	76.05
RLKULB9E-1-**	Flashing light kit, dual head, rear mounting, 12' cable, sync. capability, 10-16V	248.09	148.85
ULB9LDC-**	Dual color, Lineum X™, cig .plug, 10-16V	243.02	145.81
ULB9LDC-1-**	Dual color, Lineum X™, 12' cable, 10-16V	243.02	145.81
ULB9S-**	Starburst flashing, cig. plug, 10-16V	223.76	134.26
ULB9S-1-**	Starburst flashing, 12' cable, sync. capability, 10-16V	223.76	134.26
FLKULB9S-**	Starburst flashing, dual head, with cig. plug, 10-16V	442.10	265.26
RLKULB9S-1-**	Starburst flashing light kit, dual head, rear mounting, 12' cable, sync. capability, 10-16V	442.10	265.26
DLIT3E-*	Three LED MicroStar™, wide spread, Black bezel, flush mount, 10-16V	58.14	34.88
DLIT3S-*	Three LED Micro Star™, spot, Black bezel, flush mount 10-16V	58.14	34.88
DLITE-**	MicroStar™, wide spread, Black bezel, flush mount, 10-30V	99.37	59.62
DLITE-9-**	Two MicroStar™ lights in ambulance insert, wide spread, black bezel, flush mount, 10-30V	198.74	119.24
DLITS-**	MicroStar™, spot, Black bezel, flush mount 10-30V	99.37	59.62
274-DLIT3-U	DLIT3 universal mounting bracket	16.90	10.14
274-DLIT-LPB4	Quad license plate bracket kit for DLIT's	54.08	32.45
274-DLIT-RL	MicroStar™, licence plate bracket kit	30.42	18.25
274-DLIT-U	MicroStar™, universal bracket kit	16.90	10.14
BB274-FISUV-DLIT3	Ford Interceptor SUV front grille bracket kit for DLIT3 lights	27.04	16.22
DLS306-*	Mini-Comet™, spherical, Black bezel, 10-30V	116.27	69.76
DLS306C-*	Mini-Comet™, spherical, Chrome bezel, 10-30V	126.75	76.05
DLX3-*	Versa Star®, three LED array, Black bezel, flush or bracket mount, 10-16V	74.02	44.41
DLX3H-A	Versa Star®, high power, three LED array, Black bezel, Amber only, flush or bracket mount, 10-16V	82.47	49.48
DLX4-**	Versa Star®, four LED array, Black bezel, flush or bracket mount, 10-30V	88.89	53.33
DLX4C-**	Versa Star®, four LED array, Chrome bezel, flush or bracket mount, 10-30V	99.37	59.62
DLX6-**	Versa Star®, six LED array, Black bezel, bracket mount, 10-30V	126.75	76.05
DLX6C-**	Versa Star®, six LED array, Chrome bezel, bracket mount, 10-30V	137.57	82.54
DLX6F-**	Versa Star®, six LED array, Black bezel, flush mount, 10-30V	95.32	57.19
DLX6FC-**	Versa Star®, six LED array, Chrome bezel, flush mount, 10-30V	105.79	63.47
DLX4-HK-**	Versa Star®, four LED array, Black bezel, flashback hood, cig. plug, 10-16V	167.31	100.39
DLX4-HK-1-**	Versa Star®, four LED array, Black bezel, flashback hood, hardwire, 10-30V	167.31	100.39
DLX4-HK2-**	Versa Star®, dual four LED array, Black bezel, flashback hood, cig. plug, 10-16V	333.94	200.36
DLX4-HK2-1-**	Versa Star®, dual four LED array, Black bezel, flashback hood, hardwire, 10-30V	333.94	200.36
DLX6-HK-**	Versa Star®, six LED array, Black bezel, flashback hood, cig. plug, 10-16V	201.11	120.67
DLX6-HK-1-**	Versa Star®, six LED array, Black bezel, flashback hood, hardwire, 10-30V	201.11	120.67
DLX6-HK2-**	Versa Star®, dual six LED array, Black bezel, flashback hood, cig. plug, 10-16V	401.88	241.13
DLX6-HK2-1-**	Versa Star®, dual six LED array, Black bezel, flashback hood, hardwire, 10-30V	401.88	241.13

<b>LED Lights (continued)</b>			
<b>* = LED colors: A, B, G, R, W</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
274-DLX4-6-1X2	Versa Star® mounting bracket, one row of two LED lights	20.28	12.17
274-DLX4-6-2X1	Versa Star® mounting bracket, two rows of one LED lights	20.28	12.17
274-DLX4-6-45	Versa Star® mounting bracket, 45° angle	20.28	12.17
274-DLX4-6-HK	Versa Star® mounting bracket, DLX4-HK and DLX6-HK headliner	20.28	12.17
274-DLX4-6-RL	Versa Star® mounting bracket, license plate	27.04	16.22
274-DLX4-6-T	Versa Star® mounting bracket, trunk	20.28	12.17
274-DLX4-6-U	Versa Star® mounting bracket, universal	16.90	10.14
274-DLX4-6-W	Versa Star® mounting bracket, window	20.28	12.17
BB274-DLX46LPM	Versa Star® mounting bracket, adjustable license plate bracket	27.04	16.22
BB274-DLX4-6-RHK	Versa Star® mounting bracket, rear window of a pickup truck, mounts to the hanger clips	20.28	12.17
BB274-DLX4-6-RSB	Ford Interceptor SUV spoiler bracket kit, fits 2012-2016 models	59.15	35.49
BB274-DLX4-6-SLP	Versa Star® mounting bracket, rear window of a pickup truck	20.28	12.17
BB274-DLX6-BAIL	Versa Star® mounting bracket, bail bracket	21.97	13.18
BB274-DLX-VC	Versa Star® mounting bracket, visor clip	32.79	19.67
BB274-FISUV-GRL	Ford Interceptor SUV front grille bracket kit, mounts DLX3, DLX4, DLX6F (lights not included)	55.79	33.47
BB274-FISUV-VER	Ford Interceptor SUV headlight bracket kit, mounts DLX3, DLX4, DLX6F in the headlight of 2016 Police Ford Interce	23.66	14.20
<b>DLXT-121-**</b>	<b>Single head, perimeter standard warning, Black rectangular bezel, 10-16V</b>	<b>74.02</b>	<b>44.41</b>
DLXT-121C**	Single head, perimeter standard warning, Chrome rectangular bezel, 10-16V	77.40	46.44
DLXT-124**	Single head, perimeter standard warning, Black oval bezel, 10-16V	74.02	44.41
DLXT-124C**	Single head, perimeter standard warning, Chrome oval bezel, 10-16V	77.40	46.44
DLXT-241-**	Single head, perimeter standard warning, Black rectangular bezel, 24V	90.25	54.15
DLXT-241C**	Single head, perimeter standard warning, Chrome rectangular bezel, 24V	94.98	56.99
DLXT-244**	Single head, perimeter standard warning, Black oval bezel, 24V	90.25	54.15
DLXT-244C**	Single head, perimeter standard warning, Chrome oval bezel, 24V	94.98	56.99
DLXT-2CUST	Double head, perimeter standard warning, Black rectangular bezel, 10-16V	148.04	88.82
DLXT-2CUST	Double head, perimeter standard warning, Black rectangular bezel, 24V	180.49	108.29
DLXT-2CUST	Double head, perimeter standard warning, Chrome rectangular bezel, 10-16V	154.80	92.88
DLXT-2CUST	Double head, perimeter standard warning, Chrome rectangular bezel, 24V	189.96	113.98
DLXT-3CUST	Triple head, perimeter standard warning, Black rectangular bezel, 10-16V	222.07	133.24
DLXT-3CUST	Triple head, perimeter standard warning, Black rectangular bezel, 24V	270.75	162.45
DLXT-3CUST	Triple head, perimeter standard warning, Chrome rectangular bezel, 10-16V	232.20	139.32
DLXT-3CUST	Triple head, perimeter standard warning, Chrome rectangular bezel, 24V	284.94	170.96
<b>DLHT-121-**</b>	<b>Single head, hazard turn, Black rectangular bezel, 10-16V</b>	<b>79.09</b>	<b>47.45</b>
DLHT-121CAA	Single head, hazard turn, Chrome rectangular bezel, Amber, 10-16V	83.82	50.29
DLHT-124**	Single head, hazard turn, Black oval bezel, Amber, 10-16V	79.09	47.45
DLHT-124CAA	Single head, hazard turn, Chrome oval bezel, 10-16V	83.82	50.29
DLHT-241**	Single head, hazard turn, Black rectangular bezel, 24V	90.25	54.15
DLHT-241CAA	Single head, hazard turn, Chrome rectangular bezel, 24V	94.98	56.99
DLHT-244**	Single head, hazard turn, Black oval bezel, Amber, 24V	90.25	54.15
DLHT-244CAA	Single head, hazard turn, Chrome oval bezel, Amber, 24V	94.98	56.99
<b>DLTT-121-**</b>	<b>Single head, auxiliary stop/tail/turn, Black rectangular bezel, 10-16V</b>	<b>79.09</b>	<b>47.45</b>
DLTT-121CAA	Single head, auxiliary stop/tail/turn, Chrome rectangular bezel, 10-16V	83.82	50.29
DLTT-124**	Single head, auxiliary stop/tail/turn, Black oval bezel, 10-16V	79.09	47.45
DLTT-124CAA	Single head, auxiliary stop/tail/turn, Chrome oval bezel, 10-16V	83.82	50.29
DLTT-241**	Single head, auxiliary stop/tail/turn, Black rectangular bezel, 24V	90.25	54.15
DLTT-241CAA	Single head, auxiliary stop/tail/turn, Chrome rectangular bezel, 24V	94.98	56.99
DLTT-244**	Single head, auxiliary stop/tail/turn, Black oval bezel, 24V	90.25	54.15
DLTT-244CAA	Single head, auxiliary stop/tail/turn, Chrome oval bezel, 24V	94.98	56.99
<b>DLNT-121-**</b>	<b>Single head, steady burn, Black rectangular bezel, 10-16V</b>	<b>67.94</b>	<b>40.76</b>
DLNT-121S-RR-16	Single switch, Black bezel, 10-16V	72.33	43.40
DLNT-121SC**-16	Single switch, Chrome bezel, 10-16V	77.06	46.24
DLNT-122S**-16	Double switch, Black bezel, 10-16V	144.33	86.60
DLNT-122SC**-16	Double switch, Chrome bezel, 10-16V	149.06	89.44

<b>LED Lights (continued)</b>			
* = LED colors: A, B, C, G, R			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
274-DLXT-1X2	DLXT mounting bracket, one row of two LED lights	30.42	18.25
274-DLXT-2X1	DLXT mounting bracket, two rows of one LED light	16.90	10.14
274-DLXT-45	DLXT mounting bracket, 45° angle	16.90	10.14
274-DLXT-RL	DLXT mounting bracket, license plate	23.66	14.20
274-DLXT-T	DLXT mounting bracket, trunk	16.90	10.14
274-DLXT-U	DLXT mounting bracket, universal	16.90	10.14
274-DLXT-W	DLXT mounting bracket, window	23.66	14.20
BB274-DLXT-LPB	DLXT mounting bracket, six (three on each side) on license plate	36.17	21.70
DLHTHR-1-*	4" round, bezel, hazard turn, 10-30V	127.76	76.66
DLHTHR-4-*	4" round, grommet, hazard turn, 10-30V	127.76	76.66
DLNTHR-1-*	4" round, bezel, steady burn, 10-30V	84.50	50.70
DLNTHR-4-*	4" round, grommet, steady burn, 10-30V	84.50	50.70
DLNTHR-5CW	4" round, chrome ring, steady burn, 10-30V, white LED, clear lens	84.50	50.70
<b>DLXTHR-1-*</b>	<b>4" round, bezel, flashing, 10-30V</b>	<b>105.79</b>	<b>63.47</b>
DLXTHR-2-*	4" round, connector, flashing, 10-30V	105.79	63.47
DLXTHR-3-*	4" round, tractor housing, flashing, 10-30V	105.79	63.47
DLXTHR-3K-**	4" round kit, tractor housing, flashing, 10-30V	211.59	126.95
<b>DLXTHR-4-*</b>	<b>4" round, grommet, flashing, 10-30V</b>	<b>84.50</b>	<b>50.70</b>
DLXTHR-5CA	4" round, chrome ring, flashing, 10-30V, warm white LED, amber lens	95.32	57.19
DLXTHR-7-*	4" round, window bezel, flashing, 10-30V	84.50	50.70
DLXTHR-8-*	4" round, grommet and connector, flashing, 10-30V	127.76	76.66
DLHTHU-1-*	6" oval, bezel, hazard turn, 10-30V	127.76	76.66
DLHTHU-4-*	6" oval, grommet, hazard turn, 10-30V	127.76	76.66
DLNTHU-1-*	6" oval, bezel, steady burn, 10-30V	84.50	50.70
<b>DLXTHU-1-*</b>	<b>6" oval, bezel, flashing, 10-30V</b>	<b>95.32</b>	<b>57.19</b>
DLXTHU-2-*	6" oval, connector, flashing, 10-30V	105.79	63.47
<b>DLXTHU-4-*</b>	<b>6" oval, grommet, flashing, 10-30V</b>	<b>84.50</b>	<b>50.70</b>
DLXTHU-7-*	6" oval, window bezel, flashing, 10-30V	84.50	50.70
DLXTHU-8-*	6" oval, grommet and connector, flashing, 10-30V	127.76	76.66
DLXTHU-9-*	6" oval, ambulance insert, flashing, 10-30V	127.76	76.66
LDH-361-S-*	Par 36, steady burn, sealed beam, spot optics, 10-30V	135.54	81.32
LDH-361-T-*	Par 36, steady burn, sealed beam, trapezoidal optics, 10-30V	135.54	81.32
LDH-362-E-*	Par 36, steady burn, swivel mount, wide spread optics, 10-30V	169.34	101.60
LDH-362-S-*	Par 36, steady burn, swivel mount, spot optics, 10-30V	169.34	101.60
LDH-362-T-*	Par 36, steady burn, swivel mount, trapezoidal optics, 10-30V	169.34	101.60
LDH-363M-S-*	Par 36, steady burn, rubber tractor housing, spot optics, mag. mount, 10-16V	183.53	110.12
LDH-363M-T-*	Par 36, steady burn, rubber tractor housing, trapezoidal optics, mag. mount, 10-16V	183.53	110.12
LDH-363-E-*	Par 36, steady burn, rubber tractor housing, wide spread optics, 10-30V	176.10	105.66
LDH-363-S-*	Par 36, steady burn, rubber tractor housing, spot optics, 10-30V	176.10	105.66
LDH-363-T-*	Par 36, steady burn, rubber tractor housing, trapezoidal optics, 10-30V	176.10	105.66
LDH-364-E-*	Par 36, steady burn, rubber grommet mount, wide spread optics, 10-30V	171.70	103.02
LDH-364-S-*	Par 36, steady burn, rubber grommet mount, spot optics, 10-30V	169.34	101.60
LDH-364-T-*	Par 36, steady burn, rubber grommet mount, trapezoidal optics, 10-30V	169.34	101.60
LDHF362-E-*	Par 36, flashing, swivel mount, wide spread optics, 10-30V	180.49	108.29
LDHF362-S-*	Par 36, flashing, swivel mount, spot optics, 10-30V	180.49	108.29
LDHF362-T-*	Par 36, flashing, swivel mount, trapezoidal optics, 10-30V	180.49	108.29
LDHF363-E-*	Par 36, flashing, rubber tractor mount, wide spread optics, 10-30V	191.98	115.19
LDHF363-SE-*	Amber LED horizontal spread, Rubber tractor housing with extended lens, 10-30V	191.98	115.19
LDHF363-T-*	Par 36, flashing, rubber tractor mount, trapezoidal optics, 10-30V	191.98	115.19
LDHF364-E-*	Par 36, flashing, rubber grommet mount, wide spread optics, 10-30V	184.89	110.93
LDHF364-T-*	Par 36, flashing, rubber grommet mount, trapezoidal optics, 10-30V	184.89	110.93
LDHT362-T-*	Par 36, hazard turn, swivel mount, spot optics, 10-30V	234.57	140.74
LDHT363-T-*	Par 36, hazard turn, rubber tractor housing, spot optics, 10-30V	234.57	140.74
LDHT364-T-*	Par 36, hazard turn, rubber grommet mount, spot optics, 10-30V	234.57	140.74

<b>LED Lights (continued)</b>			
<b>* = LED colors: A, B, C, G, R</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
DL15-12-**	11" LED dash light, suction cup mount, cig. plug, 10-16V	448.86	269.32
DL15-12W-**	11" LED deck light, weatherproof, 12' cable, perm. mount, 10-16V	448.86	269.32
DL15-6-*	6" LED dash light, suction cup mount, cig. plug, 10-16V	257.89	154.73
DL15-6GMB-*	6" LED dash light kit, grille mount, 12' cable, 10-16V	263.98	158.39
DL15-6MMB-*	6" LED dash light kit, mirror mount, cig. plug, 10-16V	263.98	158.39
DL15-6W-*	6" LED deck light, weatherproof, 12' cable, perm. mount, 10-16V	257.89	154.73
DL15-6W-1K-**	6" LED deck light kit, weatherproof, 12' cable, perm. mount, 10-16V	598.26	358.96
BBK6VER-1-FISUV	Ford Interceptor SUV spoiler bracket kit with six BKDLX6F-** heads	845.00	507.00
BBK6VER-1-TA	Chevy Tahoe SUV spoiler bracket kit with six BKDLX6F-** heads	845.00	507.00
VL22-**	LED visor light, Auto-Tilt™, 10-16V only available in Blue, and Red/Blue	232.54	139.52
<b>Star Constellation™</b>			
<b>*=LED colors: A, B, C, G, R</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
BK200ZHRL-*	Star Constellation™, Halo® rotating beacon, die cast base, 18" cable and connector, 10-30V	160.55	96.33
BK200ZHRLP-*	Star Constellation™, Halo® rotating beacon, die cast base, ¾" pipe mount, 18" cable and connector, 10-30V	160.55	96.33
BK255H8TCL-*	Star Constellation™, Halo® beacon, tall lens, 18" cable and connector, 10-30V	188.27	112.96
BK255H8TSL-*	Star Constellation™, Halo® beacon, short lens, 18" cable and connector, 10-30V	188.27	112.96
BK9016LED-*	Star Constellation™, Mini-bar, 30" cable and connector, 10-30V	527.62	316.57
BK9100LED-*	Star Constellation™, Contour™, mini-bar, 30" cable and connector, 10-30V	323.47	194.08
BKDLIT3E	Star Constellation™, MicroStar™, wide spread, four wire	66.57	39.94
BKDLIT3S	Star Constellation™, MicroStar™, spot spread, four wire	66.57	39.94
BKDLITE-**	Star Constellation™, MicroStar™, wide spread, 6" cable and connector, 10-30V	107.82	64.69
BKDLITS-**	Star Constellation™, MicroStar™, spot, 6" cable and connector, 10-30V	107.82	64.69
BKDL306-*	Star Constellation™, Mini-Comet™, omni-directional, black bezel, 10-30V	133.17	79.90
BKDLX3-*	Star Constellation™, three LED array, black bezel, 6" cable and connector, 10-16V	88.22	52.93
BKDLX4-**	Star Constellation™, four LED array, black bezel, 6" cable and connector, 10-30V	97.34	58.40
BKDLX6F-**	Star Constellation™, six LED array, black bezel, 6" cable and connector, 10-30V	103.77	62.26
BKDLXT-121-**	Star Constellation™, thinline, perimeter, 6" cable and connector, black rectangular bezel, 10-30V	101.06	60.64
BKDLXTHR-1-*	Star Constellation™, 4" round, 6" cable and connector, 10-30V	122.69	73.61
BKDLXTHU-1-*	Star Constellation™, 6" oval, 6" cable and connector, 10-30V	122.69	73.61
BKLD418-2	Star Constellation™, 6 outlet junction box controller	53.07	31.84
BKLDHF311-*10	Star Constellation™, spherical in-line, 18" head side cable, 10' cable and connector, 12-24V	160.55	96.33
BKSWH-346-5	Star Constellation™, 5' cable and connector, 105°C	32.79	19.67
BKSWH-346-10	Star Constellation™, 10' cable and connector, 105°C	38.19	22.91
BKSWH-346-18	Star Constellation™, 18' cable and connectors, 105°C	54.42	32.65
BKSWH-346-19	Star Constellation™, 19' cable and connectors, 105°C	57.80	34.68
BKSWH-346-23	Star Constellation™, 23' cable and connectors, 105°C	63.21	37.93
BKSWH-346-24	Star Constellation™, 24' cable and connectors, 105°C	66.92	40.15
BKSWH-357-18	Star Constellation™, 18' cable and connector, 125°C	47.32	28.39
BKSWH-357-23	Star Constellation™, 23' cable and connector, 125°C	52.05	31.23
BKSWH-361-10	Star Constellation™, 10' cable and connector, 125°C	40.56	24.34
BKSWH-361-14	Star Constellation™, 14' cable and connector, 125°C	47.32	28.39
BKSWH-361-16	Star Constellation™, 16' cable and connector, 125°C	55.43	33.26
BKSWH-361-18	Star Constellation™, 18' cable and connector, 125°C	60.84	36.50
BKSWH-361-21	Star Constellation™, 21' cable and connector, 125°C	70.30	42.18
BKSWH-361-21FD	Star Constellation™, 21' , high temperature cable and connector, for Ford Interceptor SUV	31.77	19.06
BKSWH-361-FD-S	Star Constellation™, 46' , high temperature cable and connector, for Ford Interceptor SUV	63.54	38.12

<b>Remote Flashing Led Kits</b>			
* = LED colors: A, B, C, G, R			
Model Number	Description	List	NASPO
LDHF301*-10	Hide-a-Star, In-line, directional head, undercover flashing kit, 10' cable, 1" hole mount, 12-24V	152.10	91.26
LDHF301*-30	Hide-a-Star, In-line, directional head, undercover flashing kit, 30' cable, 1" hole mount, 12-24V	169.34	101.60
LDHF311*-10	Hide-a-Star, In-line, spherical head, undercover flashing kit, 10' cable, 1" hole mount, 12-24V	152.10	91.26
LDHF311*-30	Hide-a-Star, In-line, spherical head, undercover flashing kit, 30' cable, 1" hole mount, 12-24V	169.34	101.60
LDK302**	Hide-a-Star, In-line, two directional head kit, undercover flashing kit, 12-24V	316.03	189.62
LDK304**	Hide-a-Star, In-line, two directional head kit, undercover flashing kit, 12-24V	620.57	372.34
LDK312**	Hide-a-Star, In-line, two spherical head kit, undercover flashing kit, 12-24V	316.03	189.62
LDK314**	Hide-a-Star, In-line, two spherical head kit, undercover flashing kit, 12-24V	620.57	372.34
<b>Remote Kits and Packs</b>			
Model Number	Description	List	NASPO
RSK244P	Four head strobe kit, four phantom strobe tubes, cables, switch	427.57	256.54
RSK310P	Two head strobe kit, quad flash, two phantom strobe tubes, cables, switch	279.86	167.92
RSK966P	Six head strobe, six phantom strobe heads, cables, switch, 60 watt	520.52	312.31
RSK996P	Six head strobe, six phantom strobe heads, cables, switch, 90 watt	533.36	320.02
RP244	Four head strobe power supply, selectable flash patterns, diagnostics, 75 watt	230.52	138.31
RP310	Two head double/quad flash strobe power supply, 24 watt	159.54	95.72
RP966	Six head selectable flash patterns, remote strobe power supply, 60 watt	283.24	169.94
RP996	Six head selectable flash patterns, remote strobe power supply, 90 watt	299.13	179.48
<b>Remote Heads</b>			
* = Colors: A, B, C, G, R			
Model Number	Description	List	NASPO
SH3904*	4" round strobe head	76.05	45.63
SH3920*	Oval strobe head	76.05	45.63
SH3922*	Aerodynamic, surface mount strobe head	76.05	45.63
SH3930*	Par 36 round strobe head	85.18	51.11
SH3930E*	Par 36 round strobe head, extended lens	92.27	55.36
SH3940*	360° dummy strobe head, standard 180° cable	135.20	81.12
SH3970*	7" round strobe head, weatherproof connector	70.64	42.38
SH4500*	Mini rectangular strobe head	73.68	44.21
SH4501*	Rectangular strobe head	121.68	73.01
SH4601*	360°, 4" dummy strobe head, standard 180° cable	121.68	73.01
SH4602*	360°, 6" dummy strobe head, standard 180° cable	93.96	56.38
ST413P	Colored phantom strobe tube (A, B, R)	43.26	25.96
ST415P*	Clear phantom flash tube, mount bracket	43.26	25.96
<b>LED Traffic Directors</b>			
LED color: A			
Model Number	Description	List	NASPO
TDLIN-36-15	36", Lineum X™ Traffic Director, 15' of cable, 12V	562.43	337.46
TDLIN-36-30	36", Lineum X™ Traffic Director, 30' of cable, 12V	612.46	367.48
TDLIN-47-15	47", Lineum X™ Traffic Director, 15' of cable, 12V	581.02	348.61
TDLIN-47-30	47", Lineum X™ Traffic Director, 30' of cable, 12V	631.38	378.83
TDLIN-47-45	47", Lineum X™ Traffic Director, 45' of cable, 12V	706.76	424.06
TDLIN-47-60	47", Lineum X™ Traffic Director, 60' of cable, 12V	753.06	451.84
TDLIN24-47-30	47", Lineum X™ Traffic Director, 30' of cable, 24V	980.20	588.12
TD93-36-15	36", eight light Traffic Director, 15' cable and control unit, 12V	562.43	337.46
TD93-36-30	36" eight light Traffic Director, 30' cable and control unit, 12V	612.46	367.48
TD93-47-15	47" eight light Traffic Director, 15' cable and control unit, 12V	581.02	348.61
TD93-47-30	47" eight light Traffic Director, 30' cable and control unit, 12V	631.38	378.83
TD93-47-45	47" eight light Traffic Director, 45' cable and control unit, 12V	706.76	424.06
TD93-47-60	47" eight light Traffic Director, 60' cable and control unit, 12V	753.06	451.84
TD93DLXT-47-15	48" length, 15' of cable, 10-16V	846.01	507.61
TD93DLXT-47-30	48" length, 30' of cable, 10-16V	896.04	537.62
TD93DLXT-47-45	48" length, 45' of cable, 10-16V	946.06	567.64
TD93DLXT-47-60	48" length, 60' of cable, 10-16V	996.42	597.85
TD93DLXTARO2-48	48" length, eight LED heads, four on each side, 15' of cable, 10-16V	1,466.24	879.74
TD93DLXTARO2-60	60" length, eight LED heads, four on each side, 15' of cable, 10-16V	1,601.44	960.86
TD93DLXTARO2-72	72" length, eight LED heads, four on each side, 15' of cable, 10-16V	1,736.64	1,041.98
TD93DLXTARO2-84	84" length, eight LED heads, four on each side, 15' of cable, 10-16V	1,872.18	1,123.31
TD93DLXTARO2-96	96" length, eight LED heads, four on each side, 15' of cable, 10-16V	2,007.38	1,204.43

<b>LED Traffic Directors (Continued)</b>			
<b>* = LED colors: A, B, C, G, R</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
TD93DLXTARO2-S	Split Traffic Director, arrows w/eight LED heads, 15' of cable, 10-16V	1,747.80	1,048.68
TD93DLXTARO-48	48" length, four LED heads, 15' of cable, 10-16V	1,184.35	710.61
TD93DLXTARO-60	60" length, four LED heads, 15' of cable, 10-16V	1,319.55	791.73
TD93DLXTARO-72	72" length, four LED heads, 15' of cable, 10-16V	1,455.09	873.05
TD93DLXTARO-84	84" length, four LED heads, 15' of cable, 10-16V	1,590.29	954.17
TD93DLXTARO-96	96" length, four LED heads, 15' of cable, 10-16V	1,725.49	1,035.29
TD93DLXTARO-S	Split Traffic Director, arrows w/four LED heads, 15' of cable, 10-16V	1,353.35	812.01
SWH-271-ARO-15	15' cable	79.43	47.66
SWH-271-ARO-22	22' cable	84.50	50.70
SWH-271-ARO-30	30' cable	138.24	82.94
SWH-271-ARO-45	45' cable	197.05	118.23
SWH-271-ARO-60	60' cable	256.54	153.92
TDDL15-36	36", Starburst optics, standard 15' cable, 10-16V	823.71	494.23
TDDL15-42	42", Starburst optics, standard 15' cable, 10-16V	841.96	505.18
TDDL15-42TA	42", Starburst optics for Chevy Tahoe, standard 22' cable	841.96	505.18
TDDL15-47	48", Starburst optics, standard 15' cable, 10-16V	841.96	505.18
TDDL15-47CV	48", Starburst optics for Ford Crown Victoria, standard 15' cable, 10-16V	841.96	505.18
DL15-30W-*	28", combination warning and Traffic Director, 10-16V	845.00	507.00
DL15-30W-ARB	28", combination warning and Traffic Director (Amber, Red, Blue), 10-16V	845.00	507.00
<b>DLQS-4-CUST</b>	<b>Four head DLIT stick, 10-16V</b>	<b>384.64</b>	<b>230.78</b>
<b>DLQS-6-CUST</b>	<b>Six head DLIT stick, built in Traffic Director function, 10-16V</b>	<b>559.73</b>	<b>335.84</b>
<b>DLQS-8-CUST</b>	<b>Eight head DLIT stick, built in Traffic Director function, 10-16V</b>	<b>735.15</b>	<b>441.09</b>
TCS-1	Stop/Slow traffic control sign	307.92	184.75
TCS-1REF	Stop/Slow traffic control sign, M.U.T.C.D. reflective tape	355.24	213.14
TCS-2	Stop/Stop traffic control sign	223.42	134.05
TCS-2REF	Stop/Stop traffic control sign, M.U.T.C.D. reflective tape	270.74	162.44
TCS-6	6' extension pole for TCS-1 and TCS-2	90.25	54.15
ULB44-TD-**	Starburst, interior mount Star Phantom <sup>®</sup> , Traffic Director, 10-16V	1,116.41	669.85
ULB44-TD-1-**	Starburst, interior mount Star Phantom <sup>®</sup> , Traffic Director, stick only, 10-16V	891.64	534.98
ULB48-TD-**	Lineum X™ Phantom <sup>®</sup> , Traffic Director, dual color, 10-16V	1,127.57	676.54
TDC-3	Traffic director controller eight output	135.20	81.12
TD77-2	Traffic director control box	225.44	135.26

<b>Star Phantom® LED Lightbars</b>			
<b>* = LED colors: A, B, C, G, R</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
ULB44-**	Starburst Phantom™, interior, front windshield mount, cig. plug, 10-16V	890.97	534.58
ULB44-1-**	Starburst Phantom™, interior, front windshield mount, hardwire, 10-16V	890.97	534.58
ULB44-2-**	Starburst Phantom™, interior, Impala front windshield mount, cig. plug, 10-16V	890.97	534.58
ULB44-3-**	Starburst Phantom™, interior, Impala rear mount, cig. plug, 10-16V	890.97	534.58
ULB44-DLP-**	Starburst Phantom™, interior, directional LED take down, hardwire, 10-16V	947.41	568.45
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
ULB14-**	Starburst Half Phantom™, interior undercover, vehicle specific mounting bracket kit, cig. plug, 10-16V	417.77	250.66
ULB24-**	Starburst Split Phantom™, interior undercover, vehicles with overhead consoles, cig. plug, 10-16V	834.86	500.92
ULB24-CA-**	Starburst Split Phantom™, interior undercover, vehicles with overhead consoles, cig. plug, CA Title 13, 10-16V	834.86	500.92
ULB24-DLP-**	Starburst Split Phantom™, interior undercover, vehicles with overhead consoles, directional LED, hardwire, 10-16V	890.97	534.58
ULB18-**	Lineum X™, Half Phantom™, dual color, 10-16V	631.72	379.03
ULB28-**	Lineum X™, Split Phantom™, dual color, 10-16V	1,073.49	644.09
ULB28-CH	Dodge Charger Lineum X™, Split Phantom™, dual color, 10-16V	1,073.49	644.09
ULB28-FIS-**	Ford Interceptor Sedan Lineum X™, Split Phantom™, dual color, 10-16V	1,073.49	644.09
ULB28-FISUV-**	Ford Interceptor SUV Lineum X™, Split Phantom™, dual color, 10-16V	1,073.49	644.09
ULB34-1-FISUV	Rear window light, six Starburst heads, 30" long, for Ford Interceptor SUV, 10-16V	408.30	244.98
ULB34-1-TA	Rear window light, six Starburst heads, 30" long, for Tahoe/Suburban, 10-16V	408.30	244.98
<b>ULB38-TD-FISUV</b>	<b>Rear window light, six Lineum Dual Color heads, 30" long, for Ford Interceptor SUV, 10-16V</b>	<b>665.52</b>	<b>399.31</b>
<b>ULB38-TD-TA</b>	<b>Rear window light, six Lineum Dual Color heads, 30" long, for Tahoe/Suburban, 10-16V</b>	<b>665.52</b>	<b>399.31</b>
<b>Star Phantom® LED Lightbar Mount Kits</b>			
<b>Vehicle Specific Mounting Kits for Half Phantoms™ (with ULB10, ULB14, and ULB18 - included in price)</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
274-ULB10-CH	2006-2010 Dodge Charger, 2005-2008 Dodge Magnum	72.33	43.40
274-ULB10-CH11	2011-2017 Dodge Charger	72.33	43.40
274-ULB10-CP	2011-2017 Chevrolet Caprice	72.33	43.40
274-ULB10-CV	2006-2011 Ford Crown Victoria	72.33	43.40
274-ULB10-DU	2010-2017 Dodge Durango	72.33	43.40
274-ULB10-EX	2012-2017 Interceptor SUV, 2004-2014 Ford F150, 2006-2016 Ford Explorer, 2007-2013 Ford Expedition	72.33	43.40
274-ULB10-FI	2015-2017 Ford F150	72.33	43.40
274-ULB10-IM	2006-2013 Chevrolet Impala	72.33	43.40
274-ULB10-INT	2012-2017 Ford Interceptor Sedan	72.33	43.40
274-ULB10-RM	2009-2017 Dodge Ram	72.33	43.40
274-ULB10-TA	2007-2017 Chevrolet Tahoe, 2007-2017 Chevrolet Suburban, 2007-2017 Chevrolet Yukon	72.33	43.40
274-ULB10-U1	Universal mounting	72.33	43.40
274-ULB21-CH	2006-2010 Dodge Charger, 2005-2008 Dodge Magnum	148.72	89.23
274-ULB21-CH11	2011-2016 Dodge Charger	148.72	89.23
274-ULB21-CP	2011-2016 Chevrolet Caprice	148.72	89.23
274-ULB21-CV	2006-2011 Ford Crown Victoria	148.72	89.23
274-ULB21-DU	2010-2016 Dodge Durango	148.72	89.23
274-ULB21-EX	2012-2016 Interceptor SUV, 2004-2016 Ford F150, 2006-2016 Ford Explorer, 2007-2013 Ford Expedition	148.72	89.23
274-ULB10-FI	2015-2016 Ford F150	148.72	89.23
274-ULB21-IM	2006-2013 Chevrolet Impala	148.72	89.23
274-ULB21-INT	2012-2016 Ford Interceptor Sedan	148.72	89.23
274-ULB21-RM	2009-2016 Dodge Ram	148.72	89.23
274-ULB21-TA	2007-2016 Chevrolet Tahoe, 2007-2016 Chevrolet Suburban, 2007-2016 Chevrolet Yukon	148.72	89.23
274-ULB21-U1	Universal mounting	148.72	89.23

<b>LED Mini Bars</b>			
<b>* = Dome colors: A, B, C, G, R</b>			
<b>LED colors: A, B, C, G, R</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
9018DLED-*	16" Omega™, Lineum™, dual-color, warning light, perm. mount, 10-16V	1,154.61	692.77
	upcharge per head when upgrading from 12 to 18 LEDs	15.55	9.33
9018LED-*	16" Omega™, Lineum™, dual-color, warning light, perm. mount, 10-16V	846.35	507.81
	upcharge per head when upgrading from 6 to 9 LEDs	10.82	6.49
9018TBLED-*	16" Omega™, Lineum™, split color - top/bottom, perm. mount, 10-16V	884.21	530.53
	upcharge per head when upgrading from 6 to 9 LEDs	10.82	6.49
<b>9100LED-*</b>	<b>Star Contour™, M-Tech Plus®, perm. mount, 10-30V</b>	<b>317.04</b>	<b>190.22</b>
9100LEDM-*	Star Contour™, M-Tech Plus®, mag. mount, 10-16V	327.52	196.51
<b>9100LEDV-*</b>	<b>Star Contour™, M-Tech Plus®, vacuum mag. mount, 10-16V</b>	<b>352.87</b>	<b>211.72</b>
9100LED-T13-A	Star Contour™, M-Tech Plus®, California Title 13, permanent mount, (Amber only), 9-32V	338.00	202.80
9100LEDV-T13-A	Star Contour™, M-Tech Plus®, California Title 13, vacuum magnet mount, (Amber only), 9-32V	374.17	224.50
9016LED-*	16" Starbeam™, M-Tech Plus®, 360° warning light, perm. mount, 10-30V	519.17	311.50
9016LEDM-*	16" Starbeam™, M-Tech Plus®, 360° warning light, mag. mount, 10-16V	552.97	331.78
9016LEDV-*	16" Starbeam™, M-Tech Plus®, 360° warning light, vacuum mag. mount, 10-16V	618.54	371.12
7100DLED-*	Mini-Laser®, Lineum™, dual-color, perm. mount, 10-16V	1,353.35	812.01
7100LED-*	Mini-Laser®, Lineum™, single color, perm. mount, 10-16V	1,046.45	627.87
7100LED-TB-*	Mini-Laser®, Lineum™, split color - top/bottom, perm. mount, 10-16V	1,082.61	649.57
9200H8L-*	Dual, ultra high intensity LEDs, perm. mount, 10-30V	295.75	177.45
9200H8LM-*	Dual, ultra high intensity LEDs, mag. mount, 10-16V	317.04	190.22
9200H8LV-*	Dual, ultra high intensity LEDs, vacuum mag. mount, 10-16V	359.29	215.57
9200HL-*	Dual, high intensity LEDs, perm. mount, 10-30V	274.79	164.87
9200HLM-*	Dual, high intensity LEDs, mag. mount, 10-16V	295.75	177.45
9200HLV-*	Dual, high intensity LEDs, vacuum mag. mount, 10-16V	338.00	202.80
9202L-*	C2 LED mini-bar, perm. mount, 10-30V	189.95	113.97
9202LM-*	C2 LED mini-bar, mag. mount, 10-16V	219.02	131.41
9202LV-*	C2 LED mini-bar, vacuum mag. mount, 10-16V	303.18	181.91
<b>Strobe Mini Bars</b>			
<b>* = Dome colors: A, B, C, G, R</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
9200S-*	Double/quad flash, (2) 360° strobe heads, (2) V-mirrors, perm. mount, 12-24V	250.80	150.48
9200S-BOY	Double/quad flash, (2) 360° strobe heads, (2) V-mirrors, perm. mount, 12-24V, Amber/Clear inner domes, Clear outer	250.80	150.48
9200SM-*	Double/quad flash, (2) 360° strobe heads, (2) V-mirrors, cig. plug, mag. mount, 12V	279.86	167.92
9200SM-BOY	Double/quad flash, (2) 360° strobe heads, (2) V-mirrors, cig. plug, mag. mount, 12V, Amber/Clear inner domes, Clear	279.86	167.92
9200SV-*	Double/quad flash, (2) 360° strobe heads, (2) V-mirrors, cig. plug, vacuum mag. mount, 12V	364.03	218.42
9200SV-BOY	Double/quad flash, (2) 360° strobe heads, (2) V-mirrors, cig. plug, vacuum mag. mount, 12V, Amber/Clear inner domes	364.03	218.42
9200H-*	(2) halogen rotators, (2) V-mirrors, perm. mount, 12V	146.01	87.61
9200HM-*	(2) halogen rotators, (2) V-mirrors, mag. mount, cig. plug, 12V	171.36	102.82
9200HV-*	(2) halogen rotators, (2) V-mirrors, vacuum mag. mount, cig. plug, 12V	258.90	155.34
<b>LED Lightbars</b>			
<b>* = LED colors: A, B, C, G, R</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
1400LED-AA	44", Amber single color Phazer lightbar, long single (6) LED heads, short single (3) LED heads, Clear domes	1,687.97	1,012.78
1421DLED-RBCA	44", Red/Blue dual-color Phazer lightbar with scene lighting, alleys, Traffic Director, long single (6) LED heads, long	2,429.54	1,457.72
1421LED-RB	44", Red/Blue single color Phazer lightbar with starburst alleys, starburst takedown pursuits, traffic director, long single	1,856.97	1,114.18
1423LED-RB	44", Red/Blue Phazer lightbar with Traffic Director, dual-color alleys, takedown pursuits, intersection clearing lights, i	2,218.29	#VALUE!



<b>LED Lightbars (Continued)</b>			
* = LED colors: A, B, C, G, R			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
1510LED-AA	51" Amber Phazer tow lightbar with Starburst worklights, Starburst stop/tail/turn lights, long single (6) LED heads, sh	2,059.77	1,235.86
1521DLED-RBCA	51" Red/Blue dual-color Phazer lightbar with scene lighting, alleys, Traffic Director, long single (6) LED heads, long	2,535.00	1,521.00
1521LED-RB	51", Red/Blue single color Phazer lightbar with Starburst alleys, starburst takedown pursuits, Traffic Director, long si	2,271.02	1,362.61
1523LED-RB	51", Red/Blue lightbar with Traffic Director, dual color alleys, takedown pursuits, intersection clearing lights, long single (6) LED heads, long dual-color 12 LED heads, short single (3) LED heads, short dual-color	2,376.82	1,426.09
<b>1422-RB</b>	<b>44" Red/Blue with dual front colors, Front Flood, L &amp; R Alley, Red/Blue Traffic Director</b>	<b>1,521.00</b>	<b>912.60</b>
<b>1422-BB</b>	<b>44" Blue/Blue with dual front colors, Front Flood, L &amp; R Alley, Blue Traffic Director</b>	<b>1,521.00</b>	<b>912.60</b>
<b>1522-RB</b>	<b>51" Red/Blue with dual front colors, Front Flood, L &amp; R Alley, Red/Blue Traffic Director</b>	<b>1,690.00</b>	<b>1,014.00</b>
<b>1522-BB</b>	<b>51" Blue/Blue with dual front colors, Front Flood, L &amp; R Alley, Blue Traffic Director</b>	<b>1,690.00</b>	<b>1,014.00</b>
<b>1421DLED-RBCA</b>	<b>44" Red/Blue with dual front/rear colors, Front Flood, L &amp; R Alley, Amber Traffic Director</b>	<b>2,429.54</b>	<b>1,457.73</b>
<b>1421DLED-BBCA</b>	<b>44" Blue/Blue with dual front/rear colors, Front Flood, L &amp; R Alley, Amber Traffic Director</b>	<b>2,427.85</b>	<b>1,456.71</b>
<b>1521DLED-RBCA</b>	<b>51" Red/Blue with dual front/rear colors, Front Flood, L &amp; R Alley, Amber Traffic Director</b>	<b>2,535.00</b>	<b>1,521.00</b>
<b>1521DLED-BBCA</b>	<b>51" Blue/Blue with dual front/rear colors, Front Flood, L &amp; R Alley, Amber Traffic Director</b>	<b>2,535.00</b>	<b>1,521.00</b>
LBC-CAN	Lightbar control can module	338.00	202.80
1550-TB8-Y	58", 8 PC Amber LED, Towbar, stop/tail/turn lights, worklights, Clear domes	1,478.75	887.25
1550-TB10-Y	58", 10 PC Amber LED, Towbar, stop/tail/turn lights, worklights, Clear domes	1,584.54	950.72
1550-TB12-Y	58", 12 PC Amber LED, Towbar, stop/tail/turn lights, worklights, Clear domes	1,636.93	982.16
1550-TB4-YR	58", 8 PC Amber/4 Red LED, Towbar, stop/tail/turn lights, worklights, Clear domes	1,636.93	982.16
1550-TB8-YR	58", 4 PC Amber/8 Red LED, Towbar, stop/tail/turn lights, worklights, Clear domes	1,636.93	982.16
7232LED-*	22" Laser®, (1) M-Tech Plus® head	675.32	405.19
7460LED-*	46" Laser®, (2) M-Tech Plus® heads with scene lighting	1,795.79	1,077.47
7461LED-*	46" Laser®, Police Package, (2) M-Tech Plus® heads with scene lighting, (2) LED alleys, (2) front DLX6 takedown/pursuits	2,007.04	1,204.22
7462LED-*	46" Laser®, Police Package, (2) M-Tech Plus® heads, (2) LED alleys, (2) LED takedown/pursuits	2,059.43	1,235.66
7464LED-*	46" Laser®, M-Tech Plus® heads, (2) V-mirrors	1,742.73	1,045.64
7564LED-TOW-*	52" Laser®, M-Tech Plus® heads, (2) stop/tail/turn lights, (2) worklights	1,953.98	1,172.39
7565LED-TOW-*	52" Laser®, (2) M-Tech Plus® heads with scene lighting, (2) stop/tail/turn lights, (2) worklights	2,110.47	1,266.28
2360LED-*	36" Razor®, (2) M-Tech Plus® heads with scene lighting	1,214.77	728.86
2364LED-*	36" Razor®, (2) M-Tech Plus® heads	1,056.25	633.75
2460LED-*	46" Razor®, (2) M-Tech Plus® heads with scene lighting, (2) V-mirrors	1,267.50	760.50
2461LED-*	46" Razor®, (2) M-Tech Plus® heads with scene lighting, (2) front DLX6 LED takedown/pursuits, (2) LED alleys	1,584.54	950.72
2462LED-*	46" Razor®, (2) M-Tech Plus® heads, (2) halogen takedown/pursuits, (2) LED alleys	1,478.75	887.25
2463LED-*	46" Razor®, (2) M-Tech Plus® heads, (2) V-mirrors, (2) Starburst LED takedown/pursuits	1,162.04	697.22
2464LED-*	46" Razor®, (2) M-Tech Plus® heads, (2) V-mirrors	1,108.98	665.39
2464LED-TOW	46" Razor®, (2) worklights, (2) Red Batwing stop/tail/turn LED lights, Clear domes	1,436.50	861.90
2565LED-TOW	56" Razor®, (2) M-Tech Plus® heads with rear scene lighting, (2) LED worklights, (2) Red Batwing stop/tail/turn lights	1,901.25	1,140.75
5364LED-*	36" Sabre®, (2) M-Tech Plus® heads	1,056.25	633.75
5462LED-*	46" Sabre®, (2) M-Tech Plus® heads, (4) take down/pursuits, (2) alleys, LED intersection clearing, (2) V-mirrors	1,531.48	918.89
5464LED-*	46" Sabre®, (2) M-Tech Plus® heads, (2) V-mirrors	1,124.19	674.51
5564LED-*	56" Sabre®, (2) M-Tech Plus® heads, (2) V-mirrors	1,319.89	791.93
6032LED-*	20" Aerostar®, (2) M-Tech Plus® heads	541.48	324.89
6032LEDM-*	20" Aerostar®, (2) M-Tech Plus® heads, mag. mount	582.37	349.42
6218LED	24" Aerostar Minibar, nine Lineum LED heads, 10-16V	1,094.44	656.66
6464LED-*	48" Aerostar®, (2) M-Tech Plus® heads	1,127.57	676.54
6564LED-*	56" Aerostar®, (2) M-Tech Plus® heads	1,240.80	744.48
9404H8L-*	48" Starbar®, (4) Halo® eight LEDs, (2) diamond mirrors, (2) V-mirrors	938.29	562.97
9404HL-*	48" Starbar®, (4) Halo® four LEDs, (2) diamond mirrors, (2) V-mirrors	882.52	529.51
<b>Strobe Lightbars</b>			
Dome colors: A, B, C, G, R			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
2300SL	36" Razor®, (4) 7" linear strobes, (4) 4.5" linear strobes	1,967.16	1,180.30
2400SL	46" Razor®, (4) 7" linear strobes, (6) 4.5" linear strobes	2,998.06	1,798.84
2420SL	46" Razor®, (4) 7" linear strobes, (4) 4.5" linear strobes, (2) alleys, (2) front take down/pursuits, (2) rear flashers	2,724.28	1,634.57
2500SL	56" Razor®, (4) 7" linear strobes, (8) 4.5" linear strobes	3,204.24	1,922.54
5300S	36" Sabre®, (2) 360° remote strobe heads, (1) two head strobe pack, (2) large V-mirrors	843.31	505.99
5400S	46" Sabre®, (4) 360° remote strobe heads, (2) two head strobe pack, (3) medium double V-mirrors	1,243.50	746.10
5510S	56" Sabre®, (4) 360° remote strobe heads, (2) double V-mirrors, (2) rear directional halogen flood lights, (2) two head strobe packs, (2) lower stop/tail/turns	1,442.25	865.35
5610S	66" Sabre®, (4) 360° remote strobe heads, (1) halogen rotator, (2) double V-mirrors, (2) small V-mirrors, (2) rear directional halogen flood lights, (2) lower stop/tail/turns	1,513.56	908.14

<b>Strobe Lightbars (Continued)</b>			
Dome colors: A, B, C, G, R			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
5300SL	36" Sabre <sup>®</sup> , (4) 7" linear strobes, (4) 4.5" linear strobes, (2) four head strobe packs	1,933.36	1,160.02
5510SL	46" Sabre <sup>®</sup> , (4) 7" linear strobes, (4) 4.5" linear strobes, (2) four head strobe packs, (2) directional halogen floor lights, (2) lower stop/tail/turn lights	2,271.36	1,362.82
5610SL	56" Sabre <sup>®</sup> , (4) 7" linear strobes, (4) 4.5" linear strobes, (2) four head strobe packs, (1) halogen rotator, (2) small V-mirrors, (2) rear directional halogen flood lights, (2) lower stop/tail/turn lights	2,399.80	1,439.88
8300S	36" Star Interceptor <sup>®</sup> , (2) 360° remote strobe heads, (1) two head strobe pack, (2) medium V-mirrors	761.51	456.91
8400S	46" Star Interceptor <sup>®</sup> , (4) 360° remote strobe heads, (2) two head strobe packs, (2) double V-mirrors	1,085.66	651.40
8401S	46" Star Interceptor <sup>®</sup> , (4) 360° remote strobe heads, (2) two head strobe packs, (3) double V-mirrors, lower directional arrow assembly	1,387.83	832.70
8510S	56" Star Interceptor <sup>®</sup> , (4) 360° remote strobe heads, (2) double V-mirrors, rear directional halogen flood lights, (2) two head strobe packs, (2) lower stop/tail/turn lights	1,525.73	915.44
8610S	66" Star Interceptor <sup>®</sup> , (4) 360° remote strobe heads, (1) halogen rotator, (2) double V-mirrors, (2) medium V-mirrors, (2) directional halogen flood lights, (2) two head strobe packs, (2) lower stop/tail/turns	1,627.13	976.28
8300SL	36" Star Interceptor <sup>®</sup> , (4) 7" linear strobes, (4) 4.5" linear strobes, (2) four head strobe packs	1,933.36	1,160.02
8610SL	66" Star Interceptor <sup>®</sup> , (4) 7" linear strobes, (4) 4.5" linear strobes, (1) halogen rotator, (2) medium V-mirrors, (2) rear directional halogen flood lights, (2) four head strobe packs, (2) lower stop/tail/turns	2,883.14	1,729.88
6020S	20" Aerostar <sup>®</sup> , (2) 360° remote strobe heads, (1) wall mirror/strobe pack, (1) 12" dome section	588.12	352.87
6222S	24" Aerostar <sup>®</sup> , (2) 360° remote strobe heads, (1) two head strobe pack, (1) 16" dome section, (1) medium double V-mirror	608.40	365.04
6444S	44" Aerostar <sup>®</sup> , (4) 360° remote strobe heads, (2) medium double V-mirrors, (2) two head strobe packs, (2) 16" dome sections	922.40	553.44
9300S	36" Starbar <sup>®</sup> , (2) 360° remote strobe packs, (2) V-mirrors, (2) wall mirrors, (1) two head strobe pack	578.99	347.39
9400S	48" Starbar <sup>®</sup> , (2) 360° remote strobe packs, (2) V-mirrors, (2) wall mirrors, (1) two head strobe pack	629.69	377.81
9404S	48" Starbar <sup>®</sup> , (4) 360° remote strobe packs, (3) double V-mirrors, (1) two head strobe pack	1,116.75	670.05
9411S	48" Starbar <sup>®</sup> , (2) 360° remote strobe packs, (2) V-mirrors, (2) wall mirrors, (2) stop/tail/turns, (3) ID marker lights, (2) rear directional halogen flood lights, (1) two head strobe pack	1,267.50	760.50
9500S	58" Starbar <sup>®</sup> , (6) 360° remote strobe heads, (2) double V-mirrors, (2) V-mirrors	1,462.53	877.52
9512S	58" Starbar <sup>®</sup> , (4) 360° remote strobe heads, (2) double V-mirrors, (2) stop/tail/turns, (3) ID marker lights, (2) rear directional halogen flood lights, (2) two head strobe pack	1,622.40	973.44
<b>Halogen Lightbars</b>			
Dome colors: A, B, C, G, R			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
5300H	36" Sabre <sup>®</sup> , (2) halogen rotators, (2) fast halogen rotators, (2) Z-mirrors	763.88	458.33
5400H	46" Sabre <sup>®</sup> , (2) halogen rotators, (2) fast halogen rotators, (2) medium V-mirrors, (2) Z-mirrors	797.68	478.61
5401H	46" Sabre <sup>®</sup> , (2) halogen rotators, (2) fast halogen rotators, (2) medium V-mirrors, (2) Z-mirrors, lower LED directional arrow assembly	1,521.00	912.60
8300H	36" Interceptor <sup>®</sup> , (2) halogen rotators, (2) fast halogen rotators, (2) Z-mirrors	650.65	390.39
8400H	46" Interceptor <sup>®</sup> , (2) halogen rotators, (2) fast halogen rotators, (2) double V-mirrors, (2) Z-mirrors	735.15	441.09
8401H	46" Interceptor <sup>®</sup> , (2) halogen rotators, (2) fast halogen rotators, (1) double V-mirror, (2) Z-mirrors, lower directional arrow assembly w/colored lenses	1,068.08	640.85
8402HSL	46" Interceptor <sup>®</sup> , (2) halogen rotators, (2) fast halogen rotators, (2) large V-mirrors, (2) medium V-mirrors, (4) 4.5" linear strobe heads, (1) four head strobe pack	1,385.80	831.48
8510H	56" Interceptor <sup>®</sup> , (2) halogen rotators, (2) fast halogen rotators, (2) Z-mirrors, (2) wall mirrors, (2) rear directional flood lights, (2) lower stop/tail/turns, lower directional arrow assembly w/colored lenses	1,098.50	659.10
8521H	56" Interceptor <sup>®</sup> , (2) halogen rotators, (4) fast halogen rotators, (2) Z-mirrors, (2) wall mirrors, (2) rear directional flood lights, (2) lower stop/tail/turns, lower directional arrow assembly w/colored lenses	1,859.00	1,115.40
8610H	66" Interceptor <sup>®</sup> , (3) halogen rotators, (3) fast halogen rotators, (2) Z-mirrors, (2) medium V-mirrors, (2) lower stop/tail/turns, (2) rear directional flood lights	1,859.00	1,115.40

<b>Halogen Lightbars (Continued)</b>			
Dome colors: A, B, C, G, R			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
6020H	20" Aerostar <sup>®</sup> , (2) halogen rotators, (1) wall mirror, (1) 12" dome section	338.00	202.80
6020HM	20" Aerostar <sup>®</sup> , (2) halogen rotators, (1) wall mirror, (1) 12" dome section, mag. mount, cig. plug	378.56	227.14
6222H	24" Aerostar <sup>®</sup> , (2) halogen rotators, (1) double V-mirror, (1) 16" dome section	636.45	381.87
6304H	40" Aerostar <sup>®</sup> , (4) halogen rotators, (2) wall mirrors, (2) 12" dome section	709.80	425.88
6414H	44" Aerostar <sup>®</sup> , (4) halogen rotators, (2) front flashers, (2) rear flashers, (2) wall mirrors, (2) 16" dome sections	883.53	530.12
6420H	48" Aerostar <sup>®</sup> , (4) halogen rotators, (2) medium double V-mirrors, (2) 16" dome sections	774.02	464.41
6423H	48" Aerostar <sup>®</sup> , (4) halogen rotators, (2) front flashers, (2) rear flashers, (2) alley lights, (3) 12" dome sections	1,082.27	649.36
6430H	48" Aerostar <sup>®</sup> , (5) halogen rotators, (2) V-mirrors, (2) wall mirrors, (3) 12" dome sections	1,034.62	620.77
6444H	44" Aerostar <sup>®</sup> , (4) halogen rotators, (2) double V-mirrors, (1) 16" dome section	676.00	405.60
6448H	48" Aerostar <sup>®</sup> , (4) halogen rotators, (2) wall mirrors, (2) front flashers, (2) rear flashers, (2) 16" dome sections	1,199.90	719.94
6500H	52" Aerostar <sup>®</sup> , (5) halogen rotators, (2) V-mirrors, (2) wall mirrors, (3) 12" dome sections	839.59	503.75
6500HSL	52" Aerostar <sup>®</sup> , (3) halogen rotators, (4) 4.5" linear strobe heads, (1) four head strobe pack, (2) V-mirrors	1,588.60	953.16
6506H	52" Aerostar <sup>®</sup> , (2) halogen rotators, (2) V-mirrors, (2) stop/tail/turn lights, (3) D.O.T. marker lights, (2) 16" end dome sections	1,098.50	659.10
6511H	56" Aerostar <sup>®</sup> , (4) halogen rotators, (2) rear worklights, (2) front flashers, (2) stop/tail/turn lights, (3) D.O.T. marker lights, (2) 16" end dome sections	1,284.40	770.64
6530H	56" Aerostar <sup>®</sup> , (5) halogen rotators, (2) V-mirrors, (2) double V-mirrors, (2) 16" dome sections, (1) 12" dome section	1,268.18	760.91
6531H	56" Aerostar <sup>®</sup> , (5) halogen rotators, (2) front flashers, (2) rear worklights, (2) V-mirrors, (2) stop/tail/turn lights, (2) 16" dome sections, (1) 12" dome section	1,595.36	957.22
6550H	52" Aerostar <sup>®</sup> , (2) halogen rotators, (2) double V-mirror, (2) 16" dome section	913.95	548.37
6556H	56" Aerostar <sup>®</sup> , (4) halogen rotators, (1) wall mirror, (2) front flashers, (2) stop/tail/turn lights, (2) 16" dome sections, (1) 12" dome section	1,464.22	878.53
6603H	64" Aerostar <sup>®</sup> , (3) halogen rotators, (4) V-mirrors, (6) wall mirror arrays, (3) 16" dome sections	1,034.96	620.98
6606H	64" Aerostar <sup>®</sup> , (6) halogen rotators, (3) double V-mirrors, (3) 16" dome sections	1,165.09	699.05
			0.00
9300H	36" Starbar <sup>®</sup> , (2) Starbeam halogen rotators, (2) V-mirrors, (2) wall mirrors	608.40	365.04
9400H	48" Starbar <sup>®</sup> , (2) Starbeam halogen rotators, (2) V-mirrors, (2) wall mirrors	706.42	423.85
9404H	48" Starbar <sup>®</sup> , (4) Starbeam halogen rotators, (2) V-mirrors, (2) large wall mirrors	849.39	509.63
9411H	48" Starbar <sup>®</sup> , (2) Starbeam halogen rotators, (2) V-mirrors, (2) wall mirrors, (2) stop/tail/turn lights, (3) ID marker lights, (2) rear directional halogen flood lights	1,095.12	657.07
9500H	58" Starbar <sup>®</sup> , (6) Starbeam halogen rotators, (2) V-mirrors, (2) wall mirrors	897.05	538.23
9511H	58" Starbar <sup>®</sup> , (2) Starbeam halogen rotators, (2) V-mirrors, (2) wall mirrors, (2) stop/tail/turn lights, (3) ID marker lights, (2) rear directional halogen flood lights	1,234.04	740.42
9512H	58" Starbar <sup>®</sup> , (4) Starbeam halogen rotators, (2) V-mirrors, (2) wall mirrors, (2) stop/tail/turn lights, (3) ID marker lights, (2) rear directional halogen flood lights	1,385.80	831.48
9512HS	58" Starbar <sup>®</sup> , (2) halogen rotators, (2) 360° remote strobe heads, (2) double V-mirrors, (2) stop/tail/turn lights, (3) ID marker lights, (2) rear directional halogen flood lights, (1) two head strobe pack	1,517.62	910.57
<b>Lightbar Mount Kits</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
920-35	Ford E-Series (van), Jeep Cherokee ('97 - '07)	30.80	18.48
920-35CH	Dodge Charger ('08 - '15)	30.80	18.48
920-35CTB	GMC Envoy ('02 - '05)	30.80	18.48
920-35CVLP	Ford Crown Victoria ('92 - '11)	30.80	18.48
920-35D	Dodge Avenger, Dodge Dart ('08 - '14)	30.80	18.48
920-35D1	Ford Explorer ('03 - '15)	30.80	18.48
920-35F	Dodge Dakota, Toyota Tundra, Toyota Hilux, Toyota Tacoma	30.80	18.48
920-35FX1	4.6" Flexible bracket	30.76	18.46
920-35FX2	6.2" Flexible bracket	30.76	18.46
920-35FX3	8.4" Flexible bracket	42.25	25.35

<b>Lightbar Mount Kits (Continued)</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
920-35F1	Ford F-Series (150), ('07 - '15)	30.80	18.48
920-35F2	Ford F-Series (250, 350, 450, 550), ('07 - '15)	34.14	20.48
920-35F3	Ford Edge, Ford Escape, Ford Taurus Interceptor (sedan), ('11 - '13)	34.14	20.48
920-35F5	Ford Interceptor (Explorer), ('12 - '15)	34.14	20.48
920-35F6	Ford E-450 ('03 - '09)	34.14	20.48
920-35F9	Ford F-Series (250, 350, 450), ('03 - '15)	34.14	20.48
920-35FT	Ford Expedition ('03 - '15)	30.76	18.46
920-35GM	Dodge Dakota (Reg. Ext. Crew), Jeep Grand Cherokee, Jeep Liberty, Pontiac Grand Prix	30.76	18.46
920-35GM5	Chevrolet Suburban, Chevrolet Tahoe ('07 - '14)	30.76	18.46
920-35GM6	Chevrolet Colorado, GMC Canyon ('04 - '12)	30.76	18.46
920-35GM7	Chevrolet Caprice ('11 - '15)	30.76	18.46
920-35I6	Chevrolet Impala ('06 - '13)	30.76	18.46
920-35IZ	Isuzu Delivery Truck Chassis ('00 - '04)	50.70	30.42
920-35M1	Dodge Charger ('05-'07),	30.76	18.46
920-35RM2	Dodge Ram Pickup Reg. ('03-'07)	30.76	18.46
920-35RM3	Dodge Ram Pickup Crew 1500, 2500, 3500 ('08-'15)	30.76	18.46
920-35RM5	Dodge Ram Pickup Crew ('03-'07)	30.76	18.46
920-35-S105	Chevrolet - Avalanche, C/K Pickup (1500, 2500, 3500), Silverado/Sierra, Trailblazer, Dodge Durango, GMC Trucks	30.76	18.46
<b>Star Alarms® Back-Up Alarms</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
66-087	87 db, reverse speaker, compact heavy duty plastic housing, 12-36V	45.29	27.17
66-097	97 db, reverse speaker, compact heavy duty plastic housing, 12-36V	45.29	27.17
66-097-12	97 db, reverse speaker, compact heavy duty plastic housing, 12V only	45.29	27.17
66-102	102 db, reverse speaker, compact heavy duty plastic housing, 12-36V	45.29	27.17
66-107-12	107 db, reverse speaker, compact heavy duty plastic housing, 12V only	45.29	27.17
66-107-24	107 db, reverse speaker, compact heavy duty plastic housing, 24V only	45.29	27.17
66-097DT	97 db, reverse speaker, dual tone, compact heavy duty plastic housing, 12-36V	45.29	27.17
66-102DT	102 db, reverse speaker, dual tone, compact heavy duty plastic housing, 12V only	45.29	27.17
66-707A	77-97 db, reverse speaker, auto adjust, compact heavy duty plastic housing, 12-24V	62.53	37.52
66-802A	82-102 db, reverse speaker, auto adjust, compact heavy duty plastic housing, 12-24V	62.53	37.52
66-807A	87-107 db, reverse speaker, auto adjust, compact heavy duty plastic housing, 12V only	62.53	37.52
66-807A-24	87-107 db, reverse speaker, auto adjust, compact heavy duty plastic housing, 24V only	62.53	37.52
66-802S	87 or 102 db, reverse speaker, selectable, compact heavy duty plastic housing, 12-36V	62.53	37.52
66-907S	97 or 107 db, reverse speaker, selectable, compact heavy duty plastic housing, 12V only	62.53	37.52
66-097DF	97 db, reverse speaker, dual function, compact heavy duty plastic housing, 12-36V	59.15	35.49
66L-087	87 db, reverse speaker, attached lugs, compact heavy duty plastic housing, 12-36V	45.29	27.17
66L-097	97 db, reverse speaker, attached lugs, compact heavy duty plastic housing, 12-36V	45.29	27.17
66L-097-12	97 db, reverse speaker, attached lugs, compact heavy duty plastic housing, 12V only	45.29	27.17
66L-102	102 db, reverse speaker, attached lugs, compact heavy duty plastic housing, 12-36V	45.29	27.17
66L-107-12	107 db, reverse speaker, attached lugs, compact heavy duty plastic housing, 12V only	45.29	27.17
66L-107-24	107 db, reverse speaker, attached lugs, compact heavy duty plastic housing, 24V only	51.71	31.03
66L-097DT	97 db, reverse speaker, attached lugs, dual tone, compact heavy duty plastic housing, 12-36V	62.53	37.52
66L-102DT	102 db, reverse speaker, attached lugs, dual tone, compact heavy duty plastic housing, 12V only	62.53	37.52
66L-707A	77-97 db, reverse speaker, attached lugs, auto adjust, compact heavy duty plastic housing, 12-24V	62.53	37.52
66L-802A	82-102 db, reverse speaker, attached lugs, auto adjust, compact heavy duty plastic housing, 12-24V	62.53	37.52
66L-807A	87-107 db, reverse speaker, attached lugs, auto adjust, compact heavy duty plastic housing, 12V only	62.53	37.52

<b>Star Alarms® Back-Up Alarms (continued)</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
66-087SS	87 db, reverse speaker, Star Spectrum™, multi frequency tone, compact heavy duty plastic housing, 12-36V	79.09	47.45
66-092SS	92 db, reverse speaker, Star Spectrum™, multi frequency tone, compact heavy duty plastic housing, 12-36V	79.09	47.45
66-097SS	97 db, reverse speaker, Star Spectrum™, multi frequency tone, compact heavy duty plastic housing, 12-36V	79.09	47.45
66-087SSNS	87 db, reverse speaker, Star Spectrum™, night silent spectrum tone, compact heavy duty plastic housing, 12-36V	79.09	47.45
66-097SSNS	97 db, reverse speaker, Star Spectrum™, night silent, spectrum tone, compact heavy duty plastic housing, 12-36V	79.09	47.45
66-087NS	87 db, reverse speaker, Star Spectrum™, night silent, compact heavy duty plastic housing, 12-36V	79.09	47.45
66-097NS	97 db, reverse speaker, Star Spectrum™, night silent, compact heavy duty plastic housing, 12-36V	79.09	47.45
66-102NS	102 db, reverse speaker, Star Spectrum™, night silent, compact heavy duty plastic housing, 12-36V	79.09	47.45
66L-097SS	97 db, reverse speaker, Star Spectrum™, lugs only, night silent, compact heavy duty plastic housing, 12-36V	79.09	47.45
68-112	112 db, reverse speaker, wire leads, compact heavy duty nylon filled housing, 12-24V	89.23	53.54
68C-112	112 db, reverse speaker, 12" wire cable, compact heavy duty nylon filled housing, 12-24V	91.26	54.76
68L-112	112 db, reverse speaker, lugs only, compact heavy duty nylon filled housing, 12-24V	91.26	54.76
61-107-12	107 db, compact cast aluminum, 12V only	80.11	48.07
61-112	112 db, compact cast aluminum, 12V only	91.60	54.96
64-087	87 db, attached wire leads, compact heavy duty plastic housing, 12-36V	30.42	18.25
64-097	97 db, attached wire leads, compact heavy duty plastic housing, 12-36V	33.12	19.87
64-097-12	97 db, attached wire leads, compact heavy duty plastic housing, 12V only	33.12	19.87
64-102	102 db, attached wire leads, compact heavy duty plastic housing, 12-36V	33.12	19.87
64-107-12	107 db, attached wire leads, compact heavy duty plastic housing, 12V only	33.12	19.87
64-107-24	107 db, attached wire leads, compact heavy duty plastic housing, 24V only	33.12	19.87
64G-087	87 db, wire lugs and self grounding strap, compact heavy duty plastic housing, 12-36V	30.42	18.25
64G-097	97 db, wire lugs and self grounding strap, compact heavy duty plastic housing, 12-36V	34.14	20.48
64G-102	102 db, wire lugs and self grounding strap, compact heavy duty plastic housing, 12-36V	34.14	20.48
64G-107-12	107 db, wire lugs and self grounding strap, compact heavy duty plastic housing, 12V only	34.14	20.48
63-087	87 db, 4" round w/grommet, attached wire leads, compact heavy duty plastic housing, 12-36V	39.55	23.73
63-097	97 db, 4" round w/grommet, attached wire leads, compact heavy duty plastic housing, 12-36V	39.55	23.73
63-097-12	97 db, 4" round w/grommet, attached wire leads, compact heavy duty plastic housing, 12V only	39.55	23.73
63-102	102 db, 4" round w/grommet, attached wire leads, compact heavy duty plastic housing, 12-36V	39.55	23.73
63-107-12	107 db, 4" round w/grommet, attached wire leads, compact heavy duty plastic housing, 12V only	39.55	23.73
63-107-24	107 db, 4" round w/grommet, attached wire leads, compact heavy duty plastic housing, 24V only	39.55	23.73
63-097DT	97 db, dual tone, compact heavy duty plastic housing, 12-36V	40.90	24.54
63-102DT	102 db, dual tone, compact heavy duty plastic housing, 12-36V	40.90	24.54
60-087	87 db, single tone, compact cast aluminum, 12-36V	41.57	24.94
60-097	97 db, single tone, compact cast aluminum, 12-36V	42.25	25.35
60-102	102 db, single tone, compact cast aluminum, 12-36V	42.25	25.35
60-107-12	107 db, single tone, compact cast aluminum, 12V only	42.25	25.35
60-107-24	107 db, single tone, compact cast aluminum, 24V only	43.94	26.36
60-097DT	97 db, dual tone, compact cast aluminum, 12-36V	54.42	32.65
60-102DT	102 db, dual tone, compact cast aluminum, 12-36V	56.45	33.87
60-707A	77-97 db, auto adjust, compact heavy duty plastic housing, 12-24V	66.92	40.15
60-802A	82-102 db, auto adjust, compact heavy duty plastic housing, 12-24V	71.66	43.00
60-807A	87-107 db, auto adjust, compact heavy duty plastic housing, 12V only	71.66	43.00
BB6-097-10	97 db, bulk pack - 10 pieces, self-grounding strap	252.82	151.69
BB6-097-30	97 db, bulk pack - 30 pieces, dividers, self-grounding strap	710.81	426.49

<b>Switch Panels and Switch Boxes</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
SB4020	(1) 40 amp switch, (5) 20 amp switches, 2' wire harness	169.00	101.40
SB4020-15	(1) 40 amp switch, (5) 20 amp switches, 15' wire harness	202.80	121.68
SB4020T	(1) 40 amp switch, (5) 20 amp switches, nine position terminal block	178.13	106.88
SB4040	(4) 20 amp switch, (1) three mode 40 amps max, progressive slide switch, 2' wire harness, adjustable jumper	236.60	141.96
SB4040-15	(4) 20 amp switch, (1) three mode 40 amps max, progressive slide switch, 15' wire harness	253.50	152.10
SB4425T	(1) on/off master power switch, (4) 40 amp switches, (5) 20 amp switches, twelve position terminal block	336.99	202.19
SB1515	Enclosed switch box, (4) 20 amp switches	109.85	65.91
SP1515	Switch panel, (4) 20 amp switches	118.30	70.98
SB3015	Enclosed switch box, (1) 30 amp switch, (3) 20 amp switches	109.85	65.91
SP3015	Switch panel, (1) 30 amp switch, (3) 20 amp switches	118.30	70.98
SP3860-1	On/Off	30.42	18.25
SP3860-2	On/Off, On/Off	35.49	21.29
SP3860-2H	On/Off, High/Low	59.15	35.49
SP3860-2MH	On/Off, Momentary	59.15	35.49
SP3860-3	On/Off, On/Off, On/Off	77.74	46.64
SP3860-3H	On/Off, High/Low, On/Off	77.74	46.64
SP3860-4	On/Off, On/Off, On/Off, On/Off	84.50	50.70
SP3860-4H	On/Off, High/Low, On/Off, On/Off	84.50	50.70
SP3860-5	On/Off, On/Off, On/Off, On/Off, On/Off	92.95	55.77
SW-11	Replacement, 30 amp on/off lighted rocker switch for SB3015	20.62	12.37
SW-20	Replacement, rocker switch for FM696 flasher box	11.49	6.89
SW-40	Replacement, 20 amp on/off lighted rocker switch for SP and SB series switch boxes and panels	12.84	7.70
<b>Starflash™ Flasher Modules and Heads</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
FM3662	Two or four halogen flasher, alternating pattern, solid state, 2.4 fps, 12V	70.98	42.59
FM3666	Alternating mechanical headlight flasher, 12V	53.07	31.84
FM3667	back-up/brake light flasher, solid state, 1.2 fps, 12V	91.94	55.16
FM3669C	1-12 flasher module, custom pattern, daytime running light compatibility, 0.8 to 3.6 fps, 12V	93.96	56.38
FM6901	Alternating headlight flasher, 1.9 fps, 12V	63.21	37.93
FM6902	Alternating headlight flasher, 2.9 fps, 12V	68.95	41.37
FM6903	Simultaneous headlight flasher, 2.9 fps, 12V	72.33	43.40
FM6904	Triple flashes left, then right, then simultaneous, 2.9 fps	68.95	41.37
FM6905	Headlight flasher module exclusive to Ford Crown Victoria Police Packages, 0.8 to 3.6 fps, 10-16V	134.52	80.71
FM6906	Headlight flasher module exclusive to Chevrolet Impala Police Packages, 3.0 fps, 12V	134.52	80.71
FM6907	Headlight flasher module exclusive to Caprice Police Packages 2011 and newer, 3.0 fps, 12V	134.52	80.71
FM6908	Isolated high beam headlight flasher for Chrysler vehicles, 0.8 to 3.6 fps, 12V	134.52	80.71
FM6909	Headlight flasher module exclusive to Chevy Tahoe Police Packages 2007 and newer, 9-16V	134.52	80.71

<b>Accessories</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
BB274-BEACONMMB	1" NPT beacon mirror bracket west coast style, for 1" NPT threaded beacons	30.42	18.25
BB274-7100MMB	West coast style mirror bracket for the 7100 lightbar	16.90	10.14
BB274-MINIBAR-RSR	Universal Minibar bracket for 9100, 9200, 9016, 9018 series Minibars	33.80	20.28
BB274-DLXTHU-LPB	DLXTHU/DLXT license plate bracket mounts 2 units	42.25	25.35
BB274-343K	Adjustable beacon bracket	150.41	90.25
BBK-FDCH	Steering Wheel interface circuit for Ford Interceptor SUV, Sedan, and Dodge Charger	111.87	67.12
BB-BEACON	Beacon Buddy™, beacon base assembly	50.70	30.42
BB-DSB-F150	Beacon Buddy™, rear, driver side, short, beacon for F150	283.92	170.35
BB-DS-F150	Beacon Buddy™, driver side short post, for F150 pick-up truck	211.25	126.75
BB-DSM-F150	Beacon Buddy™, rear, driver side, short, mini-bar for F150	304.20	182.52
BB-DTB-CHV	Beacon Buddy™, driver side tall post, with beacon plate for Chevy pick-up truck	321.10	192.66
BB-DTB-F150	Beacon Buddy™, driver side tall post, with beacon plate for F150 pick-up truck	321.10	192.66
BB-DT-CHV	Beacon Buddy™, driver side tall post, for Chevy pick-up truck	257.89	154.73
BB-DT-F150	Beacon Buddy™, driver side tall post, for F150 pick-up truck	257.89	154.73
BB-DTM-CHV	Beacon Buddy™, driver side, tall post, mini-bar for Chevy pick-up	342.39	205.43
BB-DTM-F150	Beacon Buddy™, driver side, tall post, mini-bar for F150	342.39	205.43
BB-MINIBAR	Beacon Buddy™, mini-bar base assembly	104.78	62.87
BB-PSB-F150	Beacon Buddy™, rear, passenger, short, beacon for F150	283.92	170.35
BB-PS-F150	Beacon Buddy™, rear, passenger side, short post for F150	211.25	126.75
BB-PSM-F150	Beacon Buddy™, rear passenger, short, mini-bar for F150	304.20	182.52
BB-PTB-CHV	Beacon Buddy™, passenger side, tall post, beacon for a Chevy pick-up	321.10	192.66
BB-PTB-F150	Beacon Buddy™, passenger side, tall post, beacon for F150	321.10	192.66
BB-PT-CHV	Beacon Buddy™, passenger side, tall post for a Chevy pick-up	257.89	154.73
BB-PT-F150	Beacon Buddy™, passenger side, tall post for a F150 pick-up	257.89	154.73
BB-PTM-CHV	Beacon Buddy™, passenger side, tall post, mini-bar for a Chevy pick-up	342.39	205.43
BB-PTM-F150	Beacon Buddy™, passenger side, tall post, mini-bar for F150	342.39	205.43
274-SL	Self levelling bracket	179.14	107.48
274-SL1	Self levelling bracket for mini-bars	117.29	70.37
SR10	Horizontal mount, three unit organizer	52.39	31.43
SR12	Horizontal mount, four unit organizer	56.11	33.67
SR7	Vertical mount, two unit organizer	40.22	24.13
SR9	Vertical mount, three unit organizer	44.62	26.77
121BX	Heavy duty enclosed mounting box for one 6" oval light head	114.24	68.54
122BX	Heavy duty enclosed mounting box for two 6" oval light heads	147.03	88.22
123BX	Heavy duty enclosed mounting box for three 6" oval light heads	197.73	118.64
131BX	Light duty enclosed mounting box for one 6" oval light head	46.31	27.79
132BX	Light duty enclosed mounting box for two 6" oval light heads	68.95	41.37
133BX	Light duty enclosed mounting box for three 6" oval light heads	105.79	63.47
141BX	Light duty enclosed mounting box for one 4" round light head	46.31	27.79
142BX	Light duty enclosed mounting box for two 4" round light heads	68.95	41.37
143BX	Light duty enclosed mounting box for three 4" round light heads	105.79	63.47
63-642	Any directional back-up alarm switch	52.39	31.43
63-643	Uni-directional back-up alarm switch	44.27	26.56

<b>Accessories (Worklights)</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
510	Clear, 4411 sealed beam, 3000cp	55.77	33.46
511	Clear, 4411 sealed beam, clear polycarbonate lens	55.09	33.05
510-1	Clear, toggle switch	39.21	23.53
510-1M	Clear, mag. mount, cig. plug, toggle switch	76.05	45.63
510-4509	Clear, 4509 high intensity sealed beam, 3000cp	58.47	35.08
510-M	Clear, mag. mount, cig. plug	70.98	42.59
510-TK	Two stop/tail light tow kit, mag. mount, 20' cord	191.98	115.19
511-1M	Clear, mag. mount, cig. plug, toggle switch, lens shield	63.21	37.93
<b>Accessories (Stainless Steel Guards and Mounting)</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
274-40C	Tall guard for 240 series	46.31	27.79
274-40S	Short guard for 240 series	46.31	27.79
274-55TC	Tall guard for 255TC series	44.62	26.77
274-55TS	Short guard for 255TS series	44.62	26.77
274-MMB	Mirror mount bracket, ½" pipe mount	35.15	21.09
274-MMB1S	1" NPT truck mirror mount bracket for short strobes	57.46	34.48
274-MMB1T	1" NPT truck mirror mount bracket for tall strobes	57.46	34.48
274-MMBS	½" NPT truck mirror mount bracket	35.15	21.09
274-MMBT	½" NPT truck mirror mount bracket	35.15	21.09
274-SL255	Self leveling bracket for 255 series	99.37	59.62
<b>Strobe Tube and Bulb Guide</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
129	5 pin helical strobe tube	25.35	15.21
129-DH	Flash tube, double flash	40.56	24.34
129-R	Squat flash tube for 241 Series and 845S	28.73	17.24
129-Z	Strobe tube	21.97	13.18
LST129-4	4.5" linear strobe tube	26.70	16.02
LST129-7	7" and 9" linear strobe head	30.42	18.25
ST3901-*	Strobe head, weatherproof connector (* = A, B, C, R)	54.42	32.65
ST3901-12	Replacement strobe	54.42	32.65
ST3901-7	Strobe tube assembly head for mini-bars and lightbars	54.42	32.65
ST413P*	Amber phantom strobe tube, amp connector, (* = A, R, B)	43.26	25.96
ST413P*-W	Amber phantom strobe tube, weatherproof connector, (* = A, R, B)	43.26	25.96
ST415PC	Clear hide-a-way strobe head, amp connector	43.26	25.96
ST415PC-W	Clear hide-a-way strobe head, weatherproof connector	43.26	25.96
2073-1142	18.4 watt bulb, incandescent, double contact	5.75	3.45
2073-1157	Stop/tail/turn bulb	3.04	1.82
2073-1195	Single contact bulb, bayonet base, 35 watt, 12V	4.06	2.44
2073-4411	Screw terminal lamp GE 300, candle power screw terminal, 12.8V	14.20	8.52
2073-4509	Lamp GE product code	39.88	23.93
2073-59013	20 watt, halogen spot for Starbar® and alley lights	28.73	17.24
2073-795X	50 watt halogen bulb, single contact, 12V	14.53	8.72
2073-797	50 watt, bi-pin bulb for 1169H	9.13	5.48
2073-94	13.3 watt incandescent, double contact bulb for Sabre® and Interceptor® Traffic Director	10.14	6.08
2073-FTEFG	35 watt bulb for Razor® alley light, 12V	28.73	17.24
2073-H20-W24	Halogen lamp, 18 watt, double contact, 24V	14.87	8.92
2073-H27	Double contact bulb fits Interceptor® lower level and alley, Aerostar® new style alley and Hotshot	14.53	8.72
2073-H27-24V	27 watt, halogen lamp, 24V	14.53	8.72
2073-H3-1 (12V)	Halogen bulb for 505HM and grille/deck lights, 55 watt, 12V	8.11	4.87
2073-H3-1 (24V)	Halogen bulb for 505HM, 24V	15.89	9.53
2073-H50-W24	Single contact halogen bulb, 50 watt, fits 24V rotators, 24V	14.87	8.92
2073-H50S	Special 50 watt short halogen bulb for Sabre® rotator	19.27	11.56



<b>Sirens</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
LCS600	Hand held multi-function microphone, 100 watt	297.78	178.67
LCS652-013	Four mode economy siren, two auxiliary power switches, without P.A., 100 watt	201.11	120.67
LCS653-013	Four mode undercover siren, two auxiliary power switches, without P.A., 100 watt	282.23	169.34
LCS653-1-013	Three mode undercover siren, one auxiliary power switches, without P.A., 100 watt	282.23	169.34
LCS770	Six mode siren, P.A., backlit, seven switch functions, 100/200 watt	643.89	386.33
<b>LCS771</b>	<b>Light control siren, six rocker switches, one slide switch, with detachable microphone, 100/200 watt, 10-16V</b>	<b>526.27</b>	<b>315.76</b>
LCS771-28	Light control siren, six rocker switches, one slide switch, with detachable microphone, 100/200 watt, 28V	625.30	375.18
<b>LCS771-LM</b>	<b>Light control siren, six rocker switches, one slide switch, no microphone, 100/200 watt, 10-16V</b>	<b>507.00</b>	<b>304.20</b>
LCS790	Light control siren, 200 watt	789.57	473.74
LCS800-008	Unistar Command Center™, less flange	900.09	540.05
LCS800-DM8	Unistar Command Center™, less flange with detachable microphone	945.05	567.03
LCS800-F8	Unistar Command Center™, flange	900.09	540.05
<b>LCS850-8</b>	<b>Unistar Command Center™, less flange</b>	<b>1,125.54</b>	<b>675.32</b>
LCS850-DM8	Unistar Command Center™, less flange with detachable microphone	1,170.49	702.29
LCS850-F8	Unistar Command Center™, flange, Traffic Director controller	1,125.54	675.32
LCS850MG12	Unistar Command Center™, siren with amp, less flange, dual tone, 200 watt	1,409.80	845.88
LCS850MG-F12	Unistar Command Center™, siren with amp, head with flange, dual tone, 200 watt	1,409.80	845.88
<b>LCS869</b>	<b>Mi- Control™, small nine button siren control, small hand held control with amp, six siren, two light functions</b>	<b>383.63</b>	<b>230.18</b>
<b>LCS880-016</b>	<b>Unistar Command Center™, hand held</b>	<b>652.00</b>	<b>391.20</b>
SS650-013	four mode economy siren, without P.A., 100 watt	176.10	105.66
SS651-013	four mode undercover siren, without P.A., 100 watt	194.35	116.61
SS651MT-013	four mode motorcycle siren with control unit, without P.A., 100 watt	395.12	237.07
SS670-013	Compact six mode siren, P.A., backlit, 100 watt	237.28	142.37
SS700-016	Six mode siren, P.A., backlit, 100/200 watt	291.36	174.82
SS730	Six mode remote siren, P.A., backlit, 100/200 watt	562.09	337.25
SS741MG-11	Six mode dual amp siren, P.A., 100/200 watt	674.65	404.79
SS741MG-DM11	Six mode dual amp siren, detachable microphone, P.A., 100/200 watt	713.52	428.11
SS867	Small seven button hand held siren control unit with amp, six siren functions, 100 watt	349.83	209.90
<b>Speakers</b>			
<b>Model Number</b>	<b>Description</b>	<b>List</b>	<b>NASPO</b>
D-10	Wide angle sound distribution, Fibreglass housing, 100 watt	228.83	137.30
D-30	Concealed, narrow space mounting, steel housing, 100 watt	222.07	133.24
<b>D-44</b>	<b>Cyclone™ speaker, 100 watt</b>	<b>255.19</b>	<b>153.11</b>
<b>D-44-16</b>	<b>Universal "L" bracket, '04-'05 Dodge Durango, '01 Ford Taurus, '02-'09 Ford Explorer, '04-'09 GMC Envoy, '02-'13 Chevrolet Avalanche, '02-'09 Chevrolet Suburban, '04-'06 Chevrolet Tahoe, 100 watt Cyclone™ speaker</b>	<b>275.47</b>	<b>165.28</b>
D-44-17	Center mount bracket, '03-'11 Ford Crown Victoria, 100 watt Cyclone™ speaker	275.47	165.28
D-44-18	'07-'15 Chevrolet Suburban, '07-'15 Chevrolet Tahoe, 100 watt Cyclone™ speaker	275.47	165.28
D-44-19	'06-'13 Chevrolet Impala, 100 watt Cyclone™ speaker	275.47	165.28
D-44-20	'06-'13 Dodge Charger, 100 watt Cyclone™ speaker	275.47	165.28
<b>D-44-21</b>	<b>Universal two piece adjustable bracket, 100 watt Cyclone™ speaker</b>	<b>275.47</b>	<b>165.28</b>
D-44-22L	'08-'09 Ford F-Series Super Duty, driver side, 100 watt Cyclone™ speaker	275.47	165.28
D-44-22R	'08-'09 Ford F-Series Super Duty, passenger side, 100 watt Cyclone™ speaker	275.47	165.28
D-44-23	'08-'15 E-350/450, 100 watt Cyclone™ speaker	275.47	165.28
D-44-24	'07-'15 Ford Expedition, 100 watt Cyclone™ speaker	275.47	165.28
D-44-27	'11-'15 Dodge Charger, 100 watt Cyclone™ speaker	275.47	165.28
D-44-28	'10-'15 Ford Taurus, 100 watt Cyclone™ speaker	275.47	165.28
D-44-29	'11-'15 Ford F350, 100 watt Cyclone™ speaker	275.47	165.28
D-44-30	'11-'15 Dodge 4500, 100 watt Cyclone™ speaker	275.47	165.28
D-44-31	'11-'15 Chevrolet Caprice, 100 watt Cyclone™ speaker	275.47	165.28
D-44-32	'11-'15 dual bracket for Dodge Charger, 100 watt (each) Cyclone™ speaker	550.26	330.16
D-44-33	'10-'15 Dodge Durango, 100 watt Cyclone™ speaker	275.47	165.28
D-44-34	'10-'15 dual bracket for Inspector SUV, 100 watt (each) Cyclone™ speaker	550.26	330.16
D-44-35	'15 Chevy Tahoe, Suburban Cyclone™ speaker	275.47	165.28
D-44-FIS	'10-'15 Ford Interceptor Sedan, Cyclone speaker™ w/SPBRK-28 installed, direct Plug-n-Play, 100 watt	285.27	171.16
D-44-FISUV	'10-'15 Ford Interceptor SUV, Cyclone speaker™ w/SPBRK-28 installed, direct Plug-n-Play, 100 watt	285.27	171.16
D-60	ABS plastic housing, 100 watt	220.38	132.23
D-60C	High visibility, high gloss electro polished aluminum housing, 100 watt	288.31	172.99
D-60LP	Low profile mounting, ABS plastic housing, 100 watt	218.35	131.01
D-60RBB	Compact for motorcycles, ABS plastic housing, 100 watt	241.67	145.00
D-60RBS	Compact for motorcycles, high glass electro polished aluminum housing, 100 watt	241.67	145.00