

Fenceline Air Monitoring Summary

Client:	Sunoco LP
Location:	Sunoco Oil Terminal, 175 Front Street, Portland, Maine
Reporting Period:	2024 Quarter 4 (9/19/24 – 12/26/24)

On behalf of Sunoco LP (Sunoco), AECOM Technical Services, Inc. (AECOM) has prepared this data summary for the bi-weekly fenceline air sampling conducted during the indicated sampling period at the Sunoco Oil Terminal facility located at 175 Front Street in Portland, Maine. The fenceline air monitoring was conducted in accordance with the Fenceline Air Monitoring Plan and amendment developed by AECOM (March 2024) and Amendment 01 (November 2024) and based on the requirements of *Chapter 171: Control of Petroleum Storage Facilities, promulgated by the Maine Department of Environmental Protection (Maine DEP)*.

Fenceline air monitoring commenced on July 25, 2024, under control of Gulf Oil LP (Gulf Oil). Gulf transferred ownership of the 175 Front Street facility to Sunoco on August 29, 2024. This Quarterly Fenceline Air Monitoring Summary focuses on the data collected during the report period and includes project-to-date average concentrations since the project commenced.

Scope of Work

Fenceline air monitoring was conducted during the reporting period to evaluate ambient air conditions at the Sunoco facility property line (fenceline). The fenceline air monitoring procedure includes the following:

- Diffusive passive samplers are deployed at 12 locations for a sampling period of 14 days. Sampling is conducted in accordance with the Project Operating Procedure (POP): *Diffusive Passive Sampler Handling: Field Deployment and Shipment*, provided as part of the Fenceline Air Monitoring Plan.
- The collected samples are analyzed for benzene, toluene, ethylbenzene, and xylenes (BTEX) using thermal desorption/gas chromatograph (GC)/mass spectrometry (MS) techniques, in accordance with EPA Test Method 325B: *Volatile Organic Compounds from Fugitive and Area Sources: Sampler Preparation and Analysis*.
- Wind speed, wind direction, temperature, and barometric pressure (BP) data is sourced from a nearby weather station at Portland International Jetport (PWM) for the sampling period to: provide data to the analytical laboratory to enable calculation of concentrations under field conditions; create wind roses for each sampling period; and determine the prevailing wind speed and wind direction during periods of elevated concentrations.

Fenceline Monitoring Summary

The fenceline air monitoring samples were collected approximately every 14 days between September 19, 2024, and December 26, 2024, and were shipped to Eurofins analytical laboratory for BTEX analysis. The following tables, figure, and attachments include the summaries and results from the reporting period:

- **Table 1:** Fenceline Air Monitoring Sampling Period Summary
- **Table 2:** Passive Sampler Location Coordinates
- **Figure 1:** Site Map Identifying Sampling Locations
- **Attachment 1:** Quarterly Results Summary
- **Attachment 2:** Sample Event Wind Roses and Field Observations
- **Attachment 3:** Analytical Reports

Table 1: Fenceline Air Monitoring Sampling Period Summary

Sample Period	Sample Duration (Days)	Wind Conditions	Average Temperature and Barometric Pressure		Comments
9/19/2024 – 10/3/2024	14	Calm 19.6% or predominately from the NNW-ESE and 2-20+ mph	58.8°F & 30.09 "Hg	NA	
10/3/2024 – 10/17/2024	14	Calm 14.4% or predominately from the W-NW and 2-20+ mph	51.0°F & 29.91 "Hg	NA	
10/17/2024 – 10/31/2024	14	Calm 24.4% or predominately from the S/W and 2-20+ mph	50.1°F & 30.21 "Hg	NA	
10/31/2024 – 11/14/2024	14	Calm 10.8% or predominately from the SW-NNW and 2-20+ mph	48.4°F & 30.08 "Hg	NA	
11/14/2024 – 11/27/2024	13	Calm 9.7% or predominately from W-NE and 2-20+ mph	41.9°F & 29.73 "Hg		Sample collection performed 1 day early due to the Thanksgiving holiday.
11/27/2024 – 12/12/2024	15	Calm 14.1% or predominately from the WSW-W and 2-20+ mph	32.7°F & 29.87 "Hg		Sample collection delayed 1 day to resume Thursday schedule.
12/12/2024 – 12/26/2024	14	Calm 12.7% or predominately from the WSW-N and 2-20+ mph	28.4°F & 30.33 "Hg	NA	

Definitions:

Calm – wind speeds less than 2.0 mph
 °F – degrees Fahrenheit
 "Hg – inches mercury
 mph – miles per hour
 NA – not applicable, no notable comments

Notes:

NA

Figure 1: Site Map Identifying Sampling Locations




Table 2: Passive Sampler Location Coordinates

Passive Sampler Identification	Latitude	Longitude
PS-1	43.6529556	-70.2370750
PS-2	43.6523972	-70.2364639
PS-3	43.6517472	-70.2364056
PS-4	43.6512556	-70.2370750
PS-5	43.6507889	-70.2376167
PS-6	43.6503278	-70.2381444
PS-7	43.6503222	-70.2389833
PS-8	43.6509167	-70.2395694
PS-9	43.6516690	-70.2402920
PS-10	43.6525639	-70.2397333
PS-11	43.6523833	-70.2385750
PS-12	43.6526889	-70.2380639

Definitions:

PS – Passive Sampler

Attachment 1: Quarterly Results Summary

	Benzene ug/m3		Ethylbenzene ug/m3		m&p-Xylene ug/m3		o-Xylene ug/m3		Toluene ug/m3	
Sample Code	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
PS-01-SA-20241003	1.2		0.52	J	1.8		0.64		4.3	
PS-02-SA-20241003	1.0		0.62		2.3		0.78		3.5	
PS-03-SA-20241003	0.68		0.35	J	1.2		0.43	J	2.0	
PS-04-SA-20241003	1.8		1.5		5.8		2.0		7.8	
PS-05-SA-20241003	1.3		0.88		3.3		1.1		5.4	
PS-06-SA-20241003	1.1		0.74		2.5		0.92		4.7	
PS-07-SA-20241003	1.2		0.62		2.2		0.79		4.6	
PS-07-DU-20241003	1.3		0.62		2.1		0.83		4.5	
PS-08-SA-20241003	1.2		0.72		2.4		0.93		4.4	
PS-09-SA-20241003	0.78		0.35	J	1.3		0.45	J	2.3	
PS-10-SA-20241003	0.91		0.43	J	1.4		0.56		2.9	
PS-11-SA-20241003	1.5		0.98		3.6		1.2		6.0	
PS-11-FB-20241003	< 0.19	ND	< 0.27	ND	< 0.27	ND	< 0.27	ND	< 0.24	ND
PS-12-SA-20241003	2.4		1.1		3.9		1.3		10	
PS-01-SA-20241017	1.8		0.84		2.8		0.99		5.9	
PS-01-DU-20241017	1.7		0.69		2.2		0.80		5.5	
PS-02-SA-20241017	2.1		1.8		6.4		2.2		8.0	
PS-03-SA-20241017	1.6		1.2		4.1		1.4		5.8	
PS-04-SA-20241017	1.5		1.1		3.8		1.3		5.4	
PS-05-SA-20241017	1.1		0.63		2.0		0.72		3.5	
PS-06-SA-20241017	1.1		0.70		2.2		0.85		4.0	
PS-07-SA-20241017	0.76		0.44	J	1.4		0.53	J	2.3	
PS-08-SA-20241017	0.61		0.31	J	0.96		0.35	J	1.7	
PS-09-SA-20241017	0.52		< 0.27	ND	0.65		< 0.27	ND	1.3	
PS-10-SA-20241017	0.72		0.27	J	0.86		0.33	J	1.8	
PS-10-FB-20241017	< 0.19	ND	< 0.27	ND	< 0.27	ND	< 0.27	ND	< 0.24	ND
PS-11-SA-20241017	1.0		0.45	J	1.4		0.52	J	3.0	
PS-12-SA-20241017	1.5		0.64		2.1		0.73		5.0	
PS-01-SA-20241031	2.1		1.1		3.7		1.3		7.0	
PS-02-SA-20241031	2.0		1.8		6.4		2.3		7.3	
PS-03-SA-20241031	1.0		0.61		2.0		0.75		3.2	
PS-03-FB-20241031	< 0.19	ND	< 0.28	ND	< 0.28	ND	< 0.28	ND	< 0.24	ND
PS-04-SA-20241031	1.4		0.95		3.2		1.2		4.7	
PS-05-SA-20241031	0.97		0.54	J	1.8		0.65		3.0	
PS-06-SA-20241031	0.99		0.56		1.8		0.68		3.2	
PS-07-SA-20241031	0.97		0.54	J	1.8		0.69		2.9	
PS-08-SA-20241031	0.98		0.51	J	1.7		0.62		3.0	
PS-08-DU-20241031	0.99		0.54	J	1.8		0.65		3.0	
PS-09-SA-20241031	0.74		0.31	J	0.98		0.38	J	1.9	
PS-10-SA-20241031	0.79		0.32	J	1.0		0.38	J	2.0	
PS-11-SA-20241031	1.2		0.60		2.0		0.70		3.8	
PS-12-SA-20241031	1.5		0.65		2.1		0.79		4.8	
PS-01-SA-20241114	1.6		0.73		2.4		0.83		5.1	
PS-02-SA-20241114	1.6		1.4		4.6		1.4		4.8	
PS-03-SA-20241114	1.3		0.68		2.4		0.88		4.1	
PS-04-SA-20241114	1.6		1.3		4.5		1.6		6.0	
PS-05-SA-20241114	1.0		0.54	J	1.7		0.61		3.5	
PS-06-SA-20241114	1.0		0.54	J	1.9		0.68		3.0	
PS-07-SA-20241114	0.91		0.40	J	1.3		0.47	J	2.2	
PS-08-SA-20241114	0.48		< 0.28	ND	0.46	J	< 0.28	ND	0.91	
PS-09-SA-20241114	0.50		< 0.28	ND	0.40	J	< 0.28	ND	0.87	
PS-09-DU-20241114	0.57		< 0.28	ND	0.42	J	< 0.28	ND	0.85	
PS-10-SA-20241114	0.59		< 0.28	ND	0.51	J	< 0.28	ND	1.0	
PS-11-SA-20241114	0.76		< 0.28	ND	0.81		< 0.28	ND	1.7	
PS-12-SA-20241114	0.88		0.33	J	1.0		0.31	J	2.2	
PS-12-FB-20241114	< 0.19	ND	< 0.28	ND	< 0.28	ND	< 0.28	ND	< 0.24	ND
PS-01-SA-20241127	0.67		< 0.30	ND	0.67	PC	< 0.30	ND	1.4	
PS-01-FB-20241127	< 0.21	ND	< 0.30	ND	< 0.30	ND,PC	< 0.30	ND	< 0.27	ND
PS-02-SA-20241127	1.4		0.72		2.4	PC	0.86		3.9	
PS-03-SA-20241127	1.8		1.1		3.5	PC	1.3		5.0	

	Benzene ug/m3		Ethylbenzene ug/m3		m&p-Xylene ug/m3		o-Xylene ug/m3		Toluene ug/m3	
Sample Code	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
PS-04-SA-20241127	1.4		0.86		2.9	PC	1.1		4.1	
PS-05-SA-20241127	1.1		0.61		1.9	PC	0.70		3.3	
PS-06-SA-20241127	1.1		0.56	J	1.9	PC	0.71		3.5	
PS-07-SA-20241127	0.97		0.47	J	1.4	PC	0.54	J	2.4	
PS-08-SA-20241127	0.89		0.39	J	1.2	PC	0.46	J	2.0	
PS-09-SA-20241127	0.54		< 0.30	ND	0.47	J,PC	< 0.30	ND	0.94	
PS-10-SA-20241127	0.60		< 0.30	ND	0.49	J,PC	< 0.30	ND	0.96	
PS-10-DU-20241127	0.54		< 0.30	ND	0.35	J,PC	< 0.30	ND	0.80	
PS-11-SA-20241127	0.65		< 0.30	ND	0.67	PC	< 0.30	ND	1.2	
PS-12-SA-20241127	0.83		< 0.30	ND	1.0	PC	0.37	J	1.8	
PS-01-SA-20241212	1.0		0.40	J	1.5		0.51	J	2.3	
PS-02-SA-20241212	1.6		1.0		4.5		1.4		4.8	
PS-03-SA-20241212	1.1		0.56		2.2		0.75		2.5	
PS-04-SA-20241212	1.1		0.59		2.4		0.80		2.8	
PS-04-FB-20241212	< 0.18	ND	< 0.26	ND	< 0.26	ND	< 0.26	ND	< 0.23	ND
PS-05-SA-20241212	0.92		0.42	J	1.5		0.54		2.1	
PS-06-SA-20241212	0.86		0.37	J	1.2		0.46	J	2.0	
PS-07-SA-20241212	0.77		0.27	J	0.85		0.32	J	1.5	
PS-08-SA-20241212	0.71		< 0.26	ND	0.72		< 0.26	ND	1.4	
PS-09-SA-20241212	0.56		< 0.26	ND	0.35	J	< 0.26	ND	0.72	
PS-10-SA-20241212	0.60		< 0.26	ND	0.34	J	< 0.26	ND	0.72	
PS-11-SA-20241212	0.70		< 0.26	ND	0.65		< 0.26	ND	1.3	
PS-11-DU-20241212	0.69		< 0.26	ND	0.65		< 0.26	ND	1.3	
PS-12-SA-20241212	0.75		< 0.26	ND	0.65		< 0.26	ND	1.4	
PS-01-SA-20241226	1.1		0.38	J	1.3		0.47	J	2.9	
PS-02-SA-20241226	1.1		0.60		2.5		0.82		3.1	
PS-02-DU-20241226	1.2		0.64		2.6		0.85		3.1	
PS-03-SA-20241226	0.88		0.45	J	1.8		0.59		2.3	
PS-04-SA-20241226	1.0		0.68		2.8		0.94		3.2	
PS-05-SA-20241226	0.99		0.44	J	1.6		0.57		2.4	
PS-06-SA-20241226	0.83		0.63		2.4		0.91		2.6	
PS-06-FB-20241226	< 0.19	ND	< 0.28	ND	< 0.28	ND	< 0.28	ND	< 0.25	ND
PS-07-SA-20241226	0.67		< 0.28	ND	0.80		0.29	J	1.5	
PS-08-SA-20241226	0.53		< 0.28	ND	0.37	J	< 0.28	ND	0.78	
PS-09-SA-20241226	0.49		< 0.28	ND	< 0.28	ND	< 0.28	ND	0.57	
PS-10-SA-20241226	0.52		< 0.28	ND	< 0.28	ND	< 0.28	ND	0.67	
PS-11-SA-20241226	0.70		< 0.28	ND	0.54	J	< 0.28	ND	1.3	
PS-12-SA-20241226	0.71		< 0.28	ND	0.64		< 0.28	ND	1.6	
Summary Statistics	Benzene ug/m3		Ethylbenzene ug/m3		m&p-Xylene ug/m3		o-Xylene ug/m3		Toluene ug/m3	
Quarterly Maximum	2.4		1.8		6.4		2.3		10	
Quarterly Average	1.1		0.58		1.9		0.7		3.2	
Rolling Annual Maximum	3.9		3		12		3.7		13	
Rolling Annual Average	1.3		0.7		2.3		0.84		4	

Quarterly (10/1/24-12/31/24)

Rolling annual (8/8/2024-12/31/24)

J: Estimated value. The analyte was detected between the method detection limit and the reporting limit

ND: That analyte was not present above the method detection level

PC: Field duplicate(s) exceed 30% RPD

PS: Passive Sampler

SA: Routine Sample


FB: Field Blank

DU: Duplicate

Attachment 2: Sample Event Wind Roses and Field Observations

Sample Period: 9/19/2024 – 10/3/2024


Windrose Plot for [PWM] PORTLAND INTL JET
Obs Between: 19 Sep 2024 01:51 PM - 03 Oct 2024 12:51 PM America/New_York

**Field Observations:**

- Petroleum-type odor detected between PS-1 and PS-2 during sample collection.
- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

Sample Period: 10/3/2024 – 10/17/2024


Windrose Plot for [PWM] PORTLAND INTL JET
Obs Between: 03 Oct 2024 01:51 AM - 17 Oct 2024 12:51 AM America/New_York

**Field Observations:**

- Petroleum-type odor detected between PS-1 and PS-2 during sample collection.
- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

Sample Period: 10/17/2024 – 10/31/2024


Windrose Plot for [PWM] PORTLAND INTL JET
Obs Between: 17 Oct 2024 01:51 AM - 31 Oct 2024 12:39 AM America/New_York

**Field Observations:**

- Petroleum-type odor detected at PS-2 during sample collection.
- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

Sample Period: 10/31/2024 – 11/14/2024


Windrose Plot for [PWM] PORTLAND INTL JET
Obs Between: 31 Oct 2024 01:51 AM - 14 Nov 2024 12:51 AM America/New_York

**Field Observations:**

- Petroleum-type odor detected at PS-2 during sample collection.
- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

Sample Period: 11/14/2024 – 11/27/2024


Windrose Plot for [PWM] PORTLAND INTL JET
Obs Between: 14 Nov 2024 01:51 AM - 27 Nov 2024 12:51 AM America/New_York

**Field Observations:**

- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

Sample Period: 11/27/2024 – 12/12/2024


Windrose Plot for [PWM] PORTLAND INTL JET
Obs Between: 27 Nov 2024 01:51 AM - 12 Dec 2024 12:51 AM America/New_York

**Field Observations:**

- Light petroleum-type odor detected at PS-8 during sample collection.
- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

Sample Period: 12/12/2024 – 12/26/2024

Windrose Plot for [PWM] PORTLAND INTL JET
Obs Between: 12 Dec 2024 01:51 AM - 26 Dec 2024 12:51 AM America/New_York

**Field Observations:**

- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

Attachment 3: Analytical Reports

10/11/2024

Ms. Melissa McLaughlin
AECOM Environment
250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunocolp
Project #:
Workorder #: 2410121

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 10/5/2024 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Joel Tillman at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Joel Tillman
Project Manager

WORK ORDER #: 2410121

Work Order Summary

CLIENT:	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824	BILL TO:	Accounts Payable-Chelmsford AECOM Environment 250 Apollo Drive Chelmsford, MA 01824
PHONE:	978.905.2100	P.O. #	1633908
FAX:	978.905.2101	PROJECT #	Sunocolp
DATE RECEIVED:	10/05/2024	CONTACT:	Joel Tillman
DATE COMPLETED:	10/11/2024		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	2024-01-07-05-SA-BTX	EPA Method 325B
02A	2024-01-07-05-DU-BTX	EPA Method 325B
03A	2024-02-08-05-SA-BTX	EPA Method 325B
04A	2024-03-09-05-SA-BTX	EPA Method 325B
05A	2024-04-10-05-SA-BTX	EPA Method 325B
06A	2024-05-11-05-SA-BTX	EPA Method 325B
07A	2024-05-11-05-FB-BTX	EPA Method 325B
08A	2024-06-12-05-SA-BTX	EPA Method 325B
09A	2024-07-01-05-SA-BTX	EPA Method 325B
10A	2024-08-02-05-SA-BTX	EPA Method 325B
11A	2024-09-03-05-SA-BTX	EPA Method 325B
12A	2024-10-04-05-SA-BTX	EPA Method 325B
13A	2024-11-05-05-SA-BTX	EPA Method 325B
14A	2024-12-06-05-SA-BTX	EPA Method 325B
15A	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B
16C	CCV	EPA Method 325B

CERTIFIED BY:



Technical Director

DATE: 10/11/24

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2703122, NH NELAP-209223-B, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-12695, WA NELAP-C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-20

Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000

LABORATORY NARRATIVE
ATM EPA 325B
AECOM Environment
Workorder# 2410121

Fourteen Carbopack X AC-PA samples were received on October 05, 2024. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

There were no analytical discrepancies.

Definition of Data Qualifying Flags

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

- B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).
- J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.
- E - Exceeds instrument calibration range.
- S - Saturated peak.
- Q - Exceeds quality control limits.
- U - Compound analyzed for but not detected above the MDL value.
- I - Internal Standard recovery outside acceptance limits
- P - Field Duplicate(s) exceed 30%RPD
- Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.
- Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.
- L - Recovery of bracketing CCV(s) exceeded acceptance limits.
- H - Sample analyzed outside of method hold time.
- D - Sample duration outside 14+/-1 days
- Fe - Field Error or discrepancy
- Te - Tube Error or discrepancy
- CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

- a-File was requantified
- b-File was quantified by a second column and detector
- r1-File was requantified for the purpose of reissue

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-01-07-05-SA-BTX

Lab ID#: 2410121-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.49	4.6
Ethyl Benzene	0.55	0.62
m,p-Xylene	0.55	2.2
o-Xylene	0.55	0.79

Client Sample ID: 2024-01-07-05-DU-BTX

Lab ID#: 2410121-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.3
Toluene	0.49	4.5
Ethyl Benzene	0.55	0.62
m,p-Xylene	0.55	2.1
o-Xylene	0.55	0.83

Client Sample ID: 2024-02-08-05-SA-BTX

Lab ID#: 2410121-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.49	4.4
Ethyl Benzene	0.55	0.72
m,p-Xylene	0.55	2.4
o-Xylene	0.55	0.93

Client Sample ID: 2024-03-09-05-SA-BTX

Lab ID#: 2410121-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.78
Toluene	0.49	2.3

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-03-09-05-SA-BTX

Lab ID#: 2410121-04A

Ethyl Benzene	0.55	0.35 J
m,p-Xylene	0.55	1.3
o-Xylene	0.55	0.45 J

Client Sample ID: 2024-04-10-05-SA-BTX

Lab ID#: 2410121-05A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.91
Toluene	0.49	2.9
Ethyl Benzene	0.55	0.43 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.56

Client Sample ID: 2024-05-11-05-SA-BTX

Lab ID#: 2410121-06A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.5
Toluene	0.49	6.0
Ethyl Benzene	0.55	0.98
m,p-Xylene	0.55	3.6
o-Xylene	0.55	1.2

Client Sample ID: 2024-05-11-05-FB-BTX

Lab ID#: 2410121-07A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U
Ethyl Benzene	0.55	0.27 U
m,p-Xylene	0.55	0.27 U
o-Xylene	0.55	0.27 U

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-06-12-05-SA-BTX

Lab ID#: 2410121-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	2.4
Toluene	0.49	10
Ethyl Benzene	0.55	1.1
m,p-Xylene	0.55	3.9
o-Xylene	0.55	1.3

Client Sample ID: 2024-07-01-05-SA-BTX

Lab ID#: 2410121-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.49	4.3
Ethyl Benzene	0.55	0.52 J
m,p-Xylene	0.55	1.8
o-Xylene	0.55	0.64

Client Sample ID: 2024-08-02-05-SA-BTX

Lab ID#: 2410121-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	3.5
Ethyl Benzene	0.55	0.62
m,p-Xylene	0.55	2.3
o-Xylene	0.55	0.78

Client Sample ID: 2024-09-03-05-SA-BTX

Lab ID#: 2410121-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.68
Toluene	0.49	2.0

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-09-03-05-SA-BTX

Lab ID#: 2410121-11A

Ethyl Benzene	0.55	0.35 J
m,p-Xylene	0.55	1.2
o-Xylene	0.55	0.43 J

Client Sample ID: 2024-10-04-05-SA-BTX

Lab ID#: 2410121-12A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.8
Toluene	0.49	7.8
Ethyl Benzene	0.55	1.5
m,p-Xylene	0.55	5.8
o-Xylene	0.55	2.0

Client Sample ID: 2024-11-05-05-SA-BTX

Lab ID#: 2410121-13A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.3
Toluene	0.49	5.4
Ethyl Benzene	0.55	0.88
m,p-Xylene	0.55	3.3
o-Xylene	0.55	1.1

Client Sample ID: 2024-12-06-05-SA-BTX

Lab ID#: 2410121-14A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	4.7
Ethyl Benzene	0.55	0.74
m,p-Xylene	0.55	2.5
o-Xylene	0.55	0.92



Air Toxics

Client Sample ID: 2024-01-07-05-SA-BTX

Lab ID#: 2410121-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100818	Date of Collection: 10/3/24 12:47:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/8/24 05:46 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.49	4.6
Ethyl Benzene	0.55	0.62
m,p-Xylene	0.55	2.2
o-Xylene	0.55	0.79

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-01-07-05-DU-BTX

Lab ID#: 2410121-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100819	Date of Collection: 10/3/24 12:46:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/8/24 06:15 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.3
Toluene	0.49	4.5
Ethyl Benzene	0.55	0.62
m,p-Xylene	0.55	2.1
o-Xylene	0.55	0.83

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-02-08-05-SA-BTX

Lab ID#: 2410121-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100820	Date of Collection: 10/3/24 12:52:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/8/24 06:44 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.49	4.4
Ethyl Benzene	0.55	0.72
m,p-Xylene	0.55	2.4
o-Xylene	0.55	0.93

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-03-09-05-SA-BTX

Lab ID#: 2410121-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100821	Date of Collection: 10/3/24 12:57:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/8/24 07:13 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.78
Toluene	0.49	2.3
Ethyl Benzene	0.55	0.35 J
m,p-Xylene	0.55	1.3
o-Xylene	0.55	0.45 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-04-10-05-SA-BTX

Lab ID#: 2410121-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100822	Date of Collection: 10/3/24 1:03:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/8/24 07:42 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.91
Toluene	0.49	2.9
Ethyl Benzene	0.55	0.43 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.56

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-05-11-05-SA-BTX

Lab ID#: 2410121-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100823	Date of Collection: 10/3/24 1:10:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/8/24 08:11 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.5
Toluene	0.49	6.0
Ethyl Benzene	0.55	0.98
m,p-Xylene	0.55	3.6
o-Xylene	0.55	1.2

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-05-11-05-FB-BTX

Lab ID#: 2410121-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100817	Date of Collection: 10/3/24 1:11:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/8/24 05:17 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U
Ethyl Benzene	0.55	0.27 U
m,p-Xylene	0.55	0.27 U
o-Xylene	0.55	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-06-12-05-SA-BTX

Lab ID#: 2410121-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100824	Date of Collection: 10/3/24 1:14:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/8/24 08:40 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	2.4
Toluene	0.49	10
Ethyl Benzene	0.55	1.1
m,p-Xylene	0.55	3.9
o-Xylene	0.55	1.3

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-07-01-05-SA-BTX

Lab ID#: 2410121-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100825	Date of Collection: 10/3/24 1:19:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/8/24 09:09 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.49	4.3
Ethyl Benzene	0.55	0.52 J
m,p-Xylene	0.55	1.8
o-Xylene	0.55	0.64

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-08-02-05-SA-BTX

Lab ID#: 2410121-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100827	Date of Collection: 10/3/24 1:26:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/8/24 10:06 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	3.5
Ethyl Benzene	0.55	0.62
m,p-Xylene	0.55	2.3
o-Xylene	0.55	0.78

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-09-03-05-SA-BTX

Lab ID#: 2410121-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100828	Date of Collection: 10/3/24 1:30:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/8/24 10:35 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.68
Toluene	0.49	2.0
Ethyl Benzene	0.55	0.35 J
m,p-Xylene	0.55	1.2
o-Xylene	0.55	0.43 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-10-04-05-SA-BTX

Lab ID#: 2410121-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100829	Date of Collection: 10/3/24 1:33:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/8/24 11:03 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.8
Toluene	0.49	7.8
Ethyl Benzene	0.55	1.5
m,p-Xylene	0.55	5.8
o-Xylene	0.55	2.0

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-11-05-05-SA-BTX

Lab ID#: 2410121-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100830	Date of Collection: 10/3/24 1:37:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/8/24 11:32 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.3
Toluene	0.49	5.4
Ethyl Benzene	0.55	0.88
m,p-Xylene	0.55	3.3
o-Xylene	0.55	1.1

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-12-06-05-SA-BTX

Lab ID#: 2410121-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100831	Date of Collection: 10/3/24 1:40:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/9/24 12:00 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	4.7
Ethyl Benzene	0.55	0.74
m,p-Xylene	0.55	2.5
o-Xylene	0.55	0.92

Container Type: Carbopack X AC-PA

Client Sample ID: Lab Blank

Lab ID#: 2410121-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100804	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/8/24 10:44 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable

Client Sample ID: CCV

Lab ID#: 2410121-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100815	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/8/24 04:18 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	86
Toluene	93
Ethyl Benzene	102
m,p-Xylene	111
o-Xylene	106

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2410121-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100826	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/8/24 09:38 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	88
Toluene	93
Ethyl Benzene	102
m,p-Xylene	111
o-Xylene	106

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2410121-16C

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10100837	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/9/24 02:47 AM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	87
Toluene	97
Ethyl Benzene	94
m,p-Xylene	97
o-Xylene	98

Container Type: NA - Not Applicable

Method : EPA Method 325B-BTEX (ug/m3) 14-day

CAS Number	Compound	Rpt. Limit (ug/m3)
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

10/28/2024

Ms. Melissa McLaughlin
AECOM Environment
250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco LP
Project #:
Workorder #: 2410467

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 10/19/2024 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Joel Tillman at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Joel Tillman
Project Manager

WORK ORDER #: 2410467

Work Order Summary

CLIENT: PHONE: FAX: DATE RECEIVED: DATE COMPLETED:	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824 978.905.2100 978.905.2101 10/19/2024 10/28/2024	BILL TO: P.O. # PROJECT # CONTACT:	Accounts Payable-Chelmsford AECOM Environment 250 Apollo Drive Chelmsford, MA 01824 1633908 Sunoco LP Joel Tillman
---	---	---	--

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	2024-01-07-06-SA-BTCX	EPA Method 325B
02A	2024-02-08-06-SA-BTCX	EPA Method 325B
03A	2024-03-09-06-SA-BTCX	EPA Method 325B
04A	2024-04-10-06-SA-BTCX	EPA Method 325B
05A	2024-04-10-06-FB-BTCX	EPA Method 325B
06A	2024-05-11-06-SA-BTCX	EPA Method 325B
07A	2024-06-12-06-SA-BTCX	EPA Method 325B
08A	2024-07-01-06-SA-BTCX	EPA Method 325B
09A	2024-07-01-06-DU-BTCX	EPA Method 325B
10A	2024-08-02-06-SA-BTCX	EPA Method 325B
11A	2024-09-03-06-SA-BTCX	EPA Method 325B
12A	2024-10-04-06-SA-BTCX	EPA Method 325B
13A	2024-11-05-06-SA-BTCX	EPA Method 325B
14A	2024-12-06-06-SA-BTCX	EPA Method 325B
15A	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B
16C	CCV	EPA Method 325B
16D	CCV	EPA Method 325B

CERTIFIED BY:



Technical Director

DATE: 10/28/24

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2703122, NH NELAP-209223-B, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-12695, WA NELAP-C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-20

Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000

LABORATORY NARRATIVE
ATM EPA 325B
AECOM Environment
Workorder# 2410467

Fourteen Carbopack X AC-PA samples were received on October 19, 2024. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

There were no analytical discrepancies.

Definition of Data Qualifying Flags

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

- B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).
- J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.
- E - Exceeds instrument calibration range.
- S - Saturated peak.
- Q - Exceeds quality control limits.
- U - Compound analyzed for but not detected above the MDL value.
- I - Internal Standard recovery outside acceptance limits
- P - Field Duplicate(s) exceed 30%RPD
- Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.
- Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.
- L - Recovery of bracketing CCV(s) exceeded acceptance limits.
- H - Sample analyzed outside of method hold time.
- D - Sample duration outside 14+/-1 days
- Fe - Field Error or discrepancy
- Te - Tube Error or discrepancy
- CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

- a-File was requantified
- b-File was quantified by a second column and detector
- r1-File was requantified for the purpose of reissue

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-01-07-06-SA-BTCX

Lab ID#: 2410467-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.76
Toluene	0.49	2.3
Ethyl Benzene	0.55	0.44 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.53 J

Client Sample ID: 2024-02-08-06-SA-BTCX

Lab ID#: 2410467-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.61
Toluene	0.49	1.7
Ethyl Benzene	0.55	0.31 J
m,p-Xylene	0.55	0.96
o-Xylene	0.55	0.35 J

Client Sample ID: 2024-03-09-06-SA-BTCX

Lab ID#: 2410467-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.52
Toluene	0.49	1.3
Ethyl Benzene	0.55	0.27 U
m,p-Xylene	0.55	0.65
o-Xylene	0.55	0.27 U

Client Sample ID: 2024-04-10-06-SA-BTCX

Lab ID#: 2410467-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.72
Toluene	0.49	1.8

Summary of Detected Compounds

EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-04-10-06-SA-BTCX

Lab ID#: 2410467-04A

Ethyl Benzene	0.55	0.27 J
m,p-Xylene	0.55	0.86
o-Xylene	0.55	0.33 J

Client Sample ID: 2024-04-10-06-FB-BTCX

Lab ID#: 2410467-05A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U
Ethyl Benzene	0.55	0.27 U
m,p-Xylene	0.55	0.27 U
o-Xylene	0.55	0.27 U

Client Sample ID: 2024-05-11-06-SA-BTCX

Lab ID#: 2410467-06A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	3.0
Ethyl Benzene	0.55	0.45 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.52 J

Client Sample ID: 2024-06-12-06-SA-BTCX

Lab ID#: 2410467-07A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.5
Toluene	0.49	5.0
Ethyl Benzene	0.55	0.64
m,p-Xylene	0.55	2.1
o-Xylene	0.55	0.73

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-07-01-06-SA-BTCX

Lab ID#: 2410467-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.8
Toluene	0.49	5.9
Ethyl Benzene	0.55	0.84
m,p-Xylene	0.55	2.8
o-Xylene	0.55	0.99

Client Sample ID: 2024-07-01-06-DU-BTCX

Lab ID#: 2410467-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.7
Toluene	0.49	5.5
Ethyl Benzene	0.55	0.69
m,p-Xylene	0.55	2.2
o-Xylene	0.55	0.80

Client Sample ID: 2024-08-02-06-SA-BTCX

Lab ID#: 2410467-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	2.1
Toluene	0.49	8.0
Ethyl Benzene	0.55	1.8
m,p-Xylene	0.55	6.4
o-Xylene	0.55	2.2

Client Sample ID: 2024-09-03-06-SA-BTCX

Lab ID#: 2410467-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.6
Toluene	0.49	5.8

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-09-03-06-SA-BTCX

Lab ID#: 2410467-11A

Ethyl Benzene	0.55	1.2
m,p-Xylene	0.55	4.1
o-Xylene	0.55	1.4

Client Sample ID: 2024-10-04-06-SA-BTCX

Lab ID#: 2410467-12A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.5
Toluene	0.49	5.4
Ethyl Benzene	0.55	1.1
m,p-Xylene	0.55	3.8
o-Xylene	0.55	1.3

Client Sample ID: 2024-11-05-06-SA-BTCX

Lab ID#: 2410467-13A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	3.5
Ethyl Benzene	0.55	0.63
m,p-Xylene	0.55	2.0
o-Xylene	0.55	0.72

Client Sample ID: 2024-12-06-06-SA-BTCX

Lab ID#: 2410467-14A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	4.0
Ethyl Benzene	0.55	0.70
m,p-Xylene	0.55	2.2
o-Xylene	0.55	0.85



Air Toxics

Client Sample ID: 2024-01-07-06-SA-BTCX

Lab ID#: 2410467-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102224	Date of Collection: 10/17/24 1:08:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/22/24 10:01 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.76
Toluene	0.49	2.3
Ethyl Benzene	0.55	0.44 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.53 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-02-08-06-SA-BTCX

Lab ID#: 2410467-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102225	Date of Collection: 10/17/24 1:15:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/22/24 10:31 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.61
Toluene	0.49	1.7
Ethyl Benzene	0.55	0.31 J
m,p-Xylene	0.55	0.96
o-Xylene	0.55	0.35 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-03-09-06-SA-BTCX

Lab ID#: 2410467-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102227	Date of Collection: 10/17/24 1:20:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/22/24 11:25 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.52
Toluene	0.49	1.3
Ethyl Benzene	0.55	0.27 U
m,p-Xylene	0.55	0.65
o-Xylene	0.55	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-04-10-06-SA-BTCX

Lab ID#: 2410467-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102228	Date of Collection: 10/17/24 1:25:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/22/24 11:55 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.72
Toluene	0.49	1.8
Ethyl Benzene	0.55	0.27 J
m,p-Xylene	0.55	0.86
o-Xylene	0.55	0.33 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-04-10-06-FB-BTCX

Lab ID#: 2410467-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102223	Date of Collection: 10/17/24 1:25:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/22/24 09:31 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U
Ethyl Benzene	0.55	0.27 U
m,p-Xylene	0.55	0.27 U
o-Xylene	0.55	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-05-11-06-SA-BTCX

Lab ID#: 2410467-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102229	Date of Collection: 10/17/24 1:34:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/23/24 12:24 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	3.0
Ethyl Benzene	0.55	0.45 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.52 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-06-12-06-SA-BTCX

Lab ID#: 2410467-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102230	Date of Collection: 10/17/24 1:38:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/23/24 12:54 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.5
Toluene	0.49	5.0
Ethyl Benzene	0.55	0.64
m,p-Xylene	0.55	2.1
o-Xylene	0.55	0.73

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-07-01-06-SA-BTCX

Lab ID#: 2410467-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102231	Date of Collection: 10/17/24 1:43:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/23/24 01:23 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.8
Toluene	0.49	5.9
Ethyl Benzene	0.55	0.84
m,p-Xylene	0.55	2.8
o-Xylene	0.55	0.99

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-07-01-06-DU-BTCX

Lab ID#: 2410467-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102232	Date of Collection: 10/17/24 1:43:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/23/24 01:53 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.7
Toluene	0.49	5.5
Ethyl Benzene	0.55	0.69
m,p-Xylene	0.55	2.2
o-Xylene	0.55	0.80

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-08-02-06-SA-BTCX

Lab ID#: 2410467-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102233	Date of Collection: 10/17/24 2:20:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/23/24 02:22 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	2.1
Toluene	0.49	8.0
Ethyl Benzene	0.55	1.8
m,p-Xylene	0.55	6.4
o-Xylene	0.55	2.2

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-09-03-06-SA-BTCX

Lab ID#: 2410467-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102234	Date of Collection: 10/17/24 2:26:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/23/24 02:52 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.6
Toluene	0.49	5.8
Ethyl Benzene	0.55	1.2
m,p-Xylene	0.55	4.1
o-Xylene	0.55	1.4

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-10-04-06-SA-BTCX

Lab ID#: 2410467-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102235	Date of Collection: 10/17/24 2:33:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/23/24 03:22 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.5
Toluene	0.49	5.4
Ethyl Benzene	0.55	1.1
m,p-Xylene	0.55	3.8
o-Xylene	0.55	1.3

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-11-05-06-SA-BTCX

Lab ID#: 2410467-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102236	Date of Collection: 10/17/24 2:38:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/23/24 03:52 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	3.5
Ethyl Benzene	0.55	0.63
m,p-Xylene	0.55	2.0
o-Xylene	0.55	0.72

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-12-06-06-SA-BTCX

Lab ID#: 2410467-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102238	Date of Collection: 10/17/24 2:43:00 PM
Dil. Factor:	1.02	Date of Analysis: 10/23/24 04:46 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	4.0
Ethyl Benzene	0.55	0.70
m,p-Xylene	0.55	2.2
o-Xylene	0.55	0.85

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2410467-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102204	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/22/24 11:41 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2410467-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102215	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/22/24 05:35 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	98
Toluene	99
Ethyl Benzene	100
m,p-Xylene	101
o-Xylene	100

Container Type: NA - Not Applicable

Client Sample ID: CCV

Lab ID#: 2410467-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102226	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/22/24 10:56 PM
		Date of Extraction: NA

Compound	%Recovery
-----------------	------------------

Benzene	97
Toluene	101
Ethyl Benzene	105
m,p-Xylene	107
o-Xylene	108

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2410467-16C

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102237	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/23/24 04:17 AM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	98
Toluene	101
Ethyl Benzene	104
m,p-Xylene	108
o-Xylene	107

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2410467-16D

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80102245	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/23/24 07:41 AM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	101
Toluene	102
Ethyl Benzene	105
m,p-Xylene	107
o-Xylene	107

Container Type: NA - Not Applicable

Method : EPA Method 325B-BTEX (ug/m3) 14-day

CAS Number	Compound	Rpt. Limit (ug/m3)
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

11/7/2024

Ms. Melissa McLaughlin
AECOM Environment
250 Apollo Drive

Chelmsford MA 01824

Project Name: SUNOCO LP

Project #:

Workorder #: 2411025

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 11/2/2024 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Joel Tillman at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Joel Tillman

Project Manager

WORK ORDER #: 2411025

Work Order Summary

CLIENT: PHONE: FAX: DATE RECEIVED: DATE COMPLETED:	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824 978.905.2100 978.905.2101 11/02/2024 11/07/2024	BILL TO: P.O. # PROJECT # CONTACT:	Accounts Payable-Chelmsford AECOM Environment 250 Apollo Drive Chelmsford, MA 01824 1633908 SUNOCO LP Joel Tillman
---	---	---	--

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	2024-01-07-07-SA-BTX	EPA Method 325B
02A	2024-02-08-07-SA-BTX	EPA Method 325B
03A	2024-02-08-07-DU-BTX	EPA Method 325B
04A	2024-03-09-07-SA-BTX	EPA Method 325B
05A	2024-04-10-07-SA-BTX	EPA Method 325B
06A	2024-05-11-07-SA-BTX	EPA Method 325B
07A	2024-06-12-07-SA-BTX	EPA Method 325B
08A	2024-07-01-07-SA-BTX	EPA Method 325B
09A	2024-08-02-07-SA-BTX	EPA Method 325B
10A	2024-09-03-07-SA-BTX	EPA Method 325B
11A	2024-09-03-07-FB-BTX	EPA Method 325B
12A	2024-10-04-07-SA-BTX	EPA Method 325B
13A	2024-11-05-07-SA-BTX	EPA Method 325B
14A	2024-12-06-07-SA-BTX	EPA Method 325B
15A	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B

CERTIFIED BY:



Technical Director

DATE: 11/07/24

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2703122, NH NELAP-209223-B, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-12695, WA NELAP-C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-20

Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000

LABORATORY NARRATIVE
ATM EPA 325B
AECOM Environment
Workorder# 2411025

Fourteen Carbopack X AC-PA samples were received on November 02, 2024. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

There were no analytical discrepancies.

Definition of Data Qualifying Flags

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).

J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the MDL value.

I - Internal Standard recovery outside acceptance limits

P - Field Duplicate(s) exceed 30%RPD

Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

PI - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.

L - Recovery of bracketing CCV(s) exceeded acceptance limits.

H - Sample analyzed outside of method hold time.

D - Sample duration outside 14+/-1 days

Fe - Field Error or discrepancy

Te - Tube Error or discrepancy

CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-01-07-07-SA-BTX

Lab ID#: 2411025-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.97
Toluene	0.49	2.9
Ethyl Benzene	0.55	0.54 J
m,p-Xylene	0.55	1.8
o-Xylene	0.55	0.69

Client Sample ID: 2024-02-08-07-SA-BTX

Lab ID#: 2411025-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.98
Toluene	0.49	3.0
Ethyl Benzene	0.55	0.51 J
m,p-Xylene	0.55	1.7
o-Xylene	0.55	0.62

Client Sample ID: 2024-02-08-07-DU-BTX

Lab ID#: 2411025-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.99
Toluene	0.49	3.0
Ethyl Benzene	0.55	0.54 J
m,p-Xylene	0.55	1.8
o-Xylene	0.55	0.65

Client Sample ID: 2024-03-09-07-SA-BTX

Lab ID#: 2411025-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.74
Toluene	0.49	1.9

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-03-09-07-SA-BTX

Lab ID#: 2411025-04A

Ethyl Benzene	0.55	0.31 J
m,p-Xylene	0.55	0.98
o-Xylene	0.55	0.38 J

Client Sample ID: 2024-04-10-07-SA-BTX

Lab ID#: 2411025-05A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.79
Toluene	0.49	2.0
Ethyl Benzene	0.55	0.32 J
m,p-Xylene	0.55	1.0
o-Xylene	0.55	0.38 J

Client Sample ID: 2024-05-11-07-SA-BTX

Lab ID#: 2411025-06A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.49	3.8
Ethyl Benzene	0.55	0.60
m,p-Xylene	0.55	2.0
o-Xylene	0.55	0.70

Client Sample ID: 2024-06-12-07-SA-BTX

Lab ID#: 2411025-07A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.5
Toluene	0.49	4.8
Ethyl Benzene	0.55	0.65
m,p-Xylene	0.55	2.1
o-Xylene	0.55	0.79

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-07-01-07-SA-BTX

Lab ID#: 2411025-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	2.1
Toluene	0.49	7.0
Ethyl Benzene	0.55	1.1
m,p-Xylene	0.55	3.7
o-Xylene	0.55	1.3

Client Sample ID: 2024-08-02-07-SA-BTX

Lab ID#: 2411025-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	2.0
Toluene	0.49	7.3
Ethyl Benzene	0.55	1.8
m,p-Xylene	0.55	6.4
o-Xylene	0.55	2.3

Client Sample ID: 2024-09-03-07-SA-BTX

Lab ID#: 2411025-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	3.2
Ethyl Benzene	0.55	0.61
m,p-Xylene	0.55	2.0
o-Xylene	0.55	0.75

Client Sample ID: 2024-09-03-07-FB-BTX

Lab ID#: 2411025-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U

Summary of Detected Compounds

EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-09-03-07-FB-BTX

Lab ID#: 2411025-11A

Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.28 U
o-Xylene	0.55	0.28 U

Client Sample ID: 2024-10-04-07-SA-BTX

Lab ID#: 2411025-12A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.4
Toluene	0.49	4.7
Ethyl Benzene	0.55	0.95
m,p-Xylene	0.55	3.2
o-Xylene	0.55	1.2

Client Sample ID: 2024-11-05-07-SA-BTX

Lab ID#: 2411025-13A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.97
Toluene	0.49	3.0
Ethyl Benzene	0.55	0.54 J
m,p-Xylene	0.55	1.8
o-Xylene	0.55	0.65

Client Sample ID: 2024-12-06-07-SA-BTX

Lab ID#: 2411025-14A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.99
Toluene	0.49	3.2
Ethyl Benzene	0.55	0.56
m,p-Xylene	0.55	1.8
o-Xylene	0.55	0.68



Air Toxics

Client Sample ID: 2024-01-07-07-SA-BTX

Lab ID#: 2411025-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110606	Date of Collection: 10/31/24 10:55:00 A
Dil. Factor:	1.03	Date of Analysis: 11/6/24 12:07 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.97
Toluene	0.49	2.9
Ethyl Benzene	0.55	0.54 J
m,p-Xylene	0.55	1.8
o-Xylene	0.55	0.69

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-02-08-07-SA-BTX

Lab ID#: 2411025-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110607	Date of Collection: 10/31/24 11:03:00 A
Dil. Factor:	1.03	Date of Analysis: 11/6/24 12:38 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.98
Toluene	0.49	3.0
Ethyl Benzene	0.55	0.51 J
m,p-Xylene	0.55	1.7
o-Xylene	0.55	0.62

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-02-08-07-DU-BTX

Lab ID#: 2411025-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110608	Date of Collection: 10/31/24 11:03:00 A
Dil. Factor:	1.03	Date of Analysis: 11/6/24 01:09 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.99
Toluene	0.49	3.0
Ethyl Benzene	0.55	0.54 J
m,p-Xylene	0.55	1.8
o-Xylene	0.55	0.65

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-03-09-07-SA-BTX

Lab ID#: 2411025-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110609	Date of Collection: 10/31/24 11:08:00 A
Dil. Factor:	1.03	Date of Analysis: 11/6/24 01:39 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.74
Toluene	0.49	1.9
Ethyl Benzene	0.55	0.31 J
m,p-Xylene	0.55	0.98
o-Xylene	0.55	0.38 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-04-10-07-SA-BTX

Lab ID#: 2411025-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110610	Date of Collection: 10/31/24 11:15:00 A
Dil. Factor:	1.03	Date of Analysis: 11/6/24 02:10 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.79
Toluene	0.49	2.0
Ethyl Benzene	0.55	0.32 J
m,p-Xylene	0.55	1.0
o-Xylene	0.55	0.38 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-05-11-07-SA-BTX

Lab ID#: 2411025-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110611	Date of Collection: 10/31/24 11:22:00 A
Dil. Factor:	1.03	Date of Analysis: 11/6/24 02:41 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.49	3.8
Ethyl Benzene	0.55	0.60
m,p-Xylene	0.55	2.0
o-Xylene	0.55	0.70

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-06-12-07-SA-BTX

Lab ID#: 2411025-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110612	Date of Collection: 10/31/24 11:26:00 A
Dil. Factor:	1.03	Date of Analysis: 11/6/24 03:12 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.5
Toluene	0.49	4.8
Ethyl Benzene	0.55	0.65
m,p-Xylene	0.55	2.1
o-Xylene	0.55	0.79

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-07-01-07-SA-BTX

Lab ID#: 2411025-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110613	Date of Collection: 10/31/24 11:32:00 A
Dil. Factor:	1.03	Date of Analysis: 11/6/24 03:43 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	2.1
Toluene	0.49	7.0
Ethyl Benzene	0.55	1.1
m,p-Xylene	0.55	3.7
o-Xylene	0.55	1.3

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-08-02-07-SA-BTX

Lab ID#: 2411025-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110614	Date of Collection: 10/31/24 11:37:00 A
Dil. Factor:	1.03	Date of Analysis: 11/6/24 04:14 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	2.0
Toluene	0.49	7.3
Ethyl Benzene	0.55	1.8
m,p-Xylene	0.55	6.4
o-Xylene	0.55	2.3

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-09-03-07-SA-BTX

Lab ID#: 2411025-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110616	Date of Collection: 10/31/24 11:42:00 A
Dil. Factor:	1.03	Date of Analysis: 11/6/24 05:13 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	3.2
Ethyl Benzene	0.55	0.61
m,p-Xylene	0.55	2.0
o-Xylene	0.55	0.75

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-09-03-07-FB-BTX

Lab ID#: 2411025-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110605	Date of Collection: 10/31/24 11:42:00 A
Dil. Factor:	1.03	Date of Analysis: 11/6/24 11:36 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.28 U
o-Xylene	0.55	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-10-04-07-SA-BTX

Lab ID#: 2411025-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110617	Date of Collection: 10/31/24 11:50:00 A
Dil. Factor:	1.03	Date of Analysis: 11/6/24 05:44 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.4
Toluene	0.49	4.7
Ethyl Benzene	0.55	0.95
m,p-Xylene	0.55	3.2
o-Xylene	0.55	1.2

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-11-05-07-SA-BTX

Lab ID#: 2411025-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110618	Date of Collection: 10/31/24 11:54:00 A
Dil. Factor:	1.03	Date of Analysis: 11/6/24 06:15 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.97
Toluene	0.49	3.0
Ethyl Benzene	0.55	0.54 J
m,p-Xylene	0.55	1.8
o-Xylene	0.55	0.65

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-12-06-07-SA-BTX

Lab ID#: 2411025-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110619	Date of Collection: 10/31/24 11:58:00 A
Dil. Factor:	1.03	Date of Analysis: 11/6/24 06:45 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.99
Toluene	0.49	3.2
Ethyl Benzene	0.55	0.56
m,p-Xylene	0.55	1.8
o-Xylene	0.55	0.68

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2411025-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110604	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/6/24 10:47 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2411025-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110615	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/6/24 04:43 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	94
Toluene	97
Ethyl Benzene	101
m,p-Xylene	105
o-Xylene	103

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2411025-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f110626	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/6/24 10:19 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	96
Toluene	99
Ethyl Benzene	101
m,p-Xylene	103
o-Xylene	102

Container Type: NA - Not Applicable

Method : EPA Method 325B-BTEX (ug/m3) 14-day

CAS Number	Compound	Rpt. Limit (ug/m3)
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

11/25/2024

Ms. Melissa McLaughlin

AECOM Environment

250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco LP

Project #: 60737155

Workorder #: 2411379

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 11/16/2024 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank

Project Manager

WORK ORDER #: 2411379

Work Order Summary

CLIENT:	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824	BILL TO:	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720
PHONE:	978.905.2100	P.O. #	1680852
FAX:	978.905.2101	PROJECT #	60737155 Sunoco LP
DATE RECEIVED:	11/16/2024	CONTACT:	Shannon Eubank
DATE COMPLETED:	11/25/2024		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	2024-01-07-08-SA-BTX	EPA Method 325B
02A	2024-02-08-08-SA-BTX	EPA Method 325B
03A	2024-03-09-08-SA-BTX	EPA Method 325B
04A	2024-03-09-08-DU-BTX	EPA Method 325B
05A	2024-04-10-08-SA-BTX	EPA Method 325B
06A	2024-05-11-08-SA-BTX	EPA Method 325B
07A	2024-06-12-08-SA-BTX	EPA Method 325B
08A	2024-06-12-08-FB-BTX	EPA Method 325B
09A	2024-07-01-08-SA-BTX	EPA Method 325B
10A	2024-08-02-08-SA-BTX	EPA Method 325B
11A	2024-09-03-08-SA-BTX	EPA Method 325B
12A	2024-10-04-08-SA-BTX	EPA Method 325B
13A	2024-11-05-08-SA-BTX	EPA Method 325B
14A	2024-12-06-08-SA-BTX	EPA Method 325B
15A	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B
16C	CCV	EPA Method 325B

CERTIFIED BY:



Technical Director

DATE: 11/25/24

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2703122, NH NELAP-209223-B, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-12695, WA NELAP-C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-20

Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000

LABORATORY NARRATIVE
ATM EPA 325B
AECOM Environment
Workorder# 2411379

Fourteen Carbopack X AC-PA samples were received on November 16, 2024. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

There were no analytical discrepancies.

Definition of Data Qualifying Flags

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).

J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the MDL value.

I - Internal Standard recovery outside acceptance limits

P - Field Duplicate(s) exceed 30%RPD

Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

PI - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.

L - Recovery of bracketing CCV(s) exceeded acceptance limits.

H - Sample analyzed outside of method hold time.

D - Sample duration outside 14+/-1 days

Fe - Field Error or discrepancy

Te - Tube Error or discrepancy

CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-01-07-08-SA-BTX

Lab ID#: 2411379-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.91
Toluene	0.49	2.2
Ethyl Benzene	0.56	0.40 J
m,p-Xylene	0.56	1.3
o-Xylene	0.56	0.47 J

Client Sample ID: 2024-02-08-08-SA-BTX

Lab ID#: 2411379-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.48
Toluene	0.49	0.91
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.46 J
o-Xylene	0.56	0.28 U

Client Sample ID: 2024-03-09-08-SA-BTX

Lab ID#: 2411379-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.50
Toluene	0.49	0.87
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.40 J
o-Xylene	0.56	0.28 U

Client Sample ID: 2024-03-09-08-DU-BTX

Lab ID#: 2411379-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.57
Toluene	0.49	0.85

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-03-09-08-DU-BTX

Lab ID#: 2411379-04A

Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.42 J
o-Xylene	0.56	0.28 U

Client Sample ID: 2024-04-10-08-SA-BTX

Lab ID#: 2411379-05A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.59
Toluene	0.49	1.0
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.51 J
o-Xylene	0.56	0.28 U

Client Sample ID: 2024-05-11-08-SA-BTX

Lab ID#: 2411379-06A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.76
Toluene	0.49	1.7
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.81
o-Xylene	0.56	0.28 U

Client Sample ID: 2024-06-12-08-SA-BTX

Lab ID#: 2411379-07A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.88
Toluene	0.49	2.2
Ethyl Benzene	0.56	0.33 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.31 J

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-06-12-08-FB-BTX

Lab ID#: 2411379-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.28 U
o-Xylene	0.56	0.28 U

Client Sample ID: 2024-07-01-08-SA-BTX

Lab ID#: 2411379-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.6
Toluene	0.49	5.1
Ethyl Benzene	0.56	0.73
m,p-Xylene	0.56	2.4
o-Xylene	0.56	0.83

Client Sample ID: 2024-08-02-08-SA-BTX

Lab ID#: 2411379-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.6
Toluene	0.49	4.8
Ethyl Benzene	0.56	1.4
m,p-Xylene	0.56	4.6
o-Xylene	0.56	1.4

Client Sample ID: 2024-09-03-08-SA-BTX

Lab ID#: 2411379-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.3
Toluene	0.49	4.1

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-09-03-08-SA-BTX

Lab ID#: 2411379-11A

Ethyl Benzene	0.56	0.68
m,p-Xylene	0.56	2.4
o-Xylene	0.56	0.88

Client Sample ID: 2024-10-04-08-SA-BTX

Lab ID#: 2411379-12A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.6
Toluene	0.49	6.0
Ethyl Benzene	0.56	1.3
m,p-Xylene	0.56	4.5
o-Xylene	0.56	1.6

Client Sample ID: 2024-11-05-08-SA-BTX

Lab ID#: 2411379-13A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	3.5
Ethyl Benzene	0.56	0.54 J
m,p-Xylene	0.56	1.7
o-Xylene	0.56	0.61

Client Sample ID: 2024-12-06-08-SA-BTX

Lab ID#: 2411379-14A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	3.0
Ethyl Benzene	0.56	0.54 J
m,p-Xylene	0.56	1.9
o-Xylene	0.56	0.68



Air Toxics

Client Sample ID: 2024-01-07-08-SA-BTX

Lab ID#: 2411379-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111928	Date of Collection: 11/14/24 11:34:00 A
Dil. Factor:	1.03	Date of Analysis: 11/19/24 11:54 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.91
Toluene	0.49	2.2
Ethyl Benzene	0.56	0.40 J
m,p-Xylene	0.56	1.3
o-Xylene	0.56	0.47 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-02-08-08-SA-BTX

Lab ID#: 2411379-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111929	Date of Collection: 11/14/24 11:42:00 A
Dil. Factor:	1.03	Date of Analysis: 11/20/24 12:25 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.48
Toluene	0.49	0.91
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.46 J
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-03-09-08-SA-BTX

Lab ID#: 2411379-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111930	Date of Collection: 11/14/24 11:48:00 A
Dil. Factor:	1.03	Date of Analysis: 11/20/24 12:55 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.50
Toluene	0.49	0.87
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.40 J
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-03-09-08-DU-BTX

Lab ID#: 2411379-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111931	Date of Collection: 11/14/24 11:48:00 A
Dil. Factor:	1.03	Date of Analysis: 11/20/24 01:26 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.57
Toluene	0.49	0.85
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.42 J
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-04-10-08-SA-BTX

Lab ID#: 2411379-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111932	Date of Collection: 11/14/24 11:57:00 A
Dil. Factor:	1.03	Date of Analysis: 11/20/24 01:57 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.59
Toluene	0.49	1.0
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.51 J
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-05-11-08-SA-BTX

Lab ID#: 2411379-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111933	Date of Collection: 11/14/24 12:09:00 P
Dil. Factor:	1.03	Date of Analysis: 11/20/24 02:28 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.76
Toluene	0.49	1.7
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.81
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-06-12-08-SA-BTX

Lab ID#: 2411379-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111934	Date of Collection: 11/14/24 12:15:00 P
Dil. Factor:	1.03	Date of Analysis: 11/20/24 02:59 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.88
Toluene	0.49	2.2
Ethyl Benzene	0.56	0.33 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.31 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-06-12-08-FB-BTX

Lab ID#: 2411379-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111927	Date of Collection: 11/14/24 12:15:00 P
Dil. Factor:	1.03	Date of Analysis: 11/19/24 11:23 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.28 U
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-07-01-08-SA-BTX

Lab ID#: 2411379-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111935	Date of Collection: 11/14/24 12:48:00 P
Dil. Factor:	1.03	Date of Analysis: 11/20/24 03:30 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.6
Toluene	0.49	5.1
Ethyl Benzene	0.56	0.73
m,p-Xylene	0.56	2.4
o-Xylene	0.56	0.83

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-08-02-08-SA-BTX

Lab ID#: 2411379-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111936	Date of Collection: 11/14/24 12:54:00 P
Dil. Factor:	1.03	Date of Analysis: 11/20/24 04:01 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.6
Toluene	0.49	4.8
Ethyl Benzene	0.56	1.4
m,p-Xylene	0.56	4.6
o-Xylene	0.56	1.4

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-09-03-08-SA-BTX

Lab ID#: 2411379-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111938	Date of Collection: 11/14/24 1:01:00 PM
Dil. Factor:	1.03	Date of Analysis: 11/20/24 05:00 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.3
Toluene	0.49	4.1
Ethyl Benzene	0.56	0.68
m,p-Xylene	0.56	2.4
o-Xylene	0.56	0.88

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-10-04-08-SA-BTX

Lab ID#: 2411379-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111939	Date of Collection: 11/14/24 1:07:00 PM
Dil. Factor:	1.03	Date of Analysis: 11/20/24 05:31 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.6
Toluene	0.49	6.0
Ethyl Benzene	0.56	1.3
m,p-Xylene	0.56	4.5
o-Xylene	0.56	1.6

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-11-05-08-SA-BTX

Lab ID#: 2411379-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111940	Date of Collection: 11/14/24 1:12:00 PM
Dil. Factor:	1.03	Date of Analysis: 11/20/24 06:02 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	3.5
Ethyl Benzene	0.56	0.54 J
m,p-Xylene	0.56	1.7
o-Xylene	0.56	0.61

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-12-06-08-SA-BTX

Lab ID#: 2411379-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111941	Date of Collection: 11/14/24 1:17:00 PM
Dil. Factor:	1.03	Date of Analysis: 11/20/24 06:33 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	3.0
Ethyl Benzene	0.56	0.54 J
m,p-Xylene	0.56	1.9
o-Xylene	0.56	0.68

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2411379-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111904	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/19/24 11:19 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2411379-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111926	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/19/24 10:53 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	99
Toluene	95
Ethyl Benzene	104
m,p-Xylene	111
o-Xylene	108

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2411379-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111937	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/20/24 04:29 AM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	104
Toluene	97
Ethyl Benzene	98
m,p-Xylene	105
o-Xylene	104

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2411379-16C

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f111942	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/20/24 07:01 AM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	94
Toluene	91
Ethyl Benzene	97
m,p-Xylene	102
o-Xylene	100

Container Type: NA - Not Applicable

Method : EPA Method 325B-BTEX (ug/m3) 14-day

CAS Number	Compound	Rpt. Limit (ug/m3)
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

12/9/2024

Ms. Melissa McLaughlin

AECOM Environment

250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco LP

Project #: 60737155

Workorder #: 2412015

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 11/29/2024 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank

Project Manager

WORK ORDER #: 2412015

Work Order Summary

CLIENT:	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824	BILL TO:	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720
PHONE:	978.905.2100	P.O. #	1680852
FAX:	978.905.2101	PROJECT #	60737155 Sunoco LP
DATE RECEIVED:	11/29/2024	CONTACT:	Shannon Eubank
DATE COMPLETED:	12/09/2024		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	2024-01-07-09-SA-BTX	EPA Method 325B
02A	2024-02-08-09-SA-BTX	EPA Method 325B
03A	2024-03-09-09-SA-BTX	EPA Method 325B
04A	2024-04-10-09-SA-BTX	EPA Method 325B
05A	2024-04-10-09-DU-BTX	EPA Method 325B
06A	2024-05-11-09-SA-BTX	EPA Method 325B
07A	2024-06-12-09-SA-BTX	EPA Method 325B
08A	2024-07-01-09-SA-BTX	EPA Method 325B
09A	2024-07-01-09-FB-BTX	EPA Method 325B
10A	2024-08-02-09-SA-BTX	EPA Method 325B
11A	2024-09-03-09-SA-BTX	EPA Method 325B
12A	2024-10-04-09-SA-BTX	EPA Method 325B
13A	2024-11-05-09-SA-BTX	EPA Method 325B
14A	2024-12-06-09-SA-BTX	EPA Method 325B
15A	Lab Blank	EPA Method 325B
15B	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B
16C	CCV	EPA Method 325B

CERTIFIED BY:



Technical Director

DATE: 12/09/24

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2703122, NH NELAP-209223-B, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-12695, WA NELAP-C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-20

Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000

LABORATORY NARRATIVE
ATM EPA 325B
AECOM Environment
Workorder# 2412015

Fourteen Carbopack X AC-PA samples were received on December 02, 2024. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

All samples were collected over a 13-day period.

The field duplicate pair 2024-04-10-09-SA-BTX and 2024-04-10-09-DU-BTX exceeded the method required 30%RPD criterion with a precision of 34 %RPD for m,p-Xylene. As required by the method, associated sample results from the monitoring period are qualified to indicate method precision was not met. The data qualifier "Pc" was applied to indicate that the sample concentrations of the sample and its duplicate were less than 2 times the reporting limit which likely influenced the measured precision.

Definition of Data Qualifying Flags

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).

J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the MDL value.

I - Internal Standard recovery outside acceptance limits

P - Field Duplicate(s) exceed 30%RPD

Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

PI - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.

L - Recovery of bracketing CCV(s) exceeded acceptance limits.

H - Sample analyzed outside of method hold time.

D - Sample duration outside 14+/-1 days

Fe - Field Error or discrepancy

Te - Tube Error or discrepancy

CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

- a-File was requantified

- b-File was quantified by a second column and detector

- r1-File was requantified for the purpose of reissue

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-01-07-09-SA-BTX

Lab ID#: 2412015-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.97
Toluene	0.53	2.4
Ethyl Benzene	0.60	0.47 J
m,p-Xylene	0.60	1.4 PC
o-Xylene	0.60	0.54 J

Client Sample ID: 2024-02-08-09-SA-BTX

Lab ID#: 2412015-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.89
Toluene	0.53	2.0
Ethyl Benzene	0.60	0.39 J
m,p-Xylene	0.60	1.2 PC
o-Xylene	0.60	0.46 J

Client Sample ID: 2024-03-09-09-SA-BTX

Lab ID#: 2412015-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.54
Toluene	0.53	0.94
Ethyl Benzene	0.60	0.30 U
m,p-Xylene	0.60	0.47 JPC
o-Xylene	0.60	0.30 U

Client Sample ID: 2024-04-10-09-SA-BTX

Lab ID#: 2412015-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.60
Toluene	0.53	0.96

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-04-10-09-SA-BTX

Lab ID#: 2412015-04A

Ethyl Benzene	0.60	0.30 U
m,p-Xylene	0.60	0.49 JPC
o-Xylene	0.60	0.30 U

Client Sample ID: 2024-04-10-09-DU-BTX

Lab ID#: 2412015-05A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.54
Toluene	0.53	0.80
Ethyl Benzene	0.60	0.30 U
m,p-Xylene	0.60	0.35 JPC
o-Xylene	0.60	0.30 U

Client Sample ID: 2024-05-11-09-SA-BTX

Lab ID#: 2412015-06A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.65
Toluene	0.53	1.2
Ethyl Benzene	0.60	0.30 U
m,p-Xylene	0.60	0.67 PC
o-Xylene	0.60	0.30 U

Client Sample ID: 2024-06-12-09-SA-BTX

Lab ID#: 2412015-07A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.83
Toluene	0.53	1.8
Ethyl Benzene	0.60	0.30 U
m,p-Xylene	0.60	1.0 PC
o-Xylene	0.60	0.37 J

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-07-01-09-SA-BTX

Lab ID#: 2412015-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.67
Toluene	0.53	1.4
Ethyl Benzene	0.60	0.30 U
m,p-Xylene	0.60	0.67 PC
o-Xylene	0.60	0.30 U

Client Sample ID: 2024-07-01-09-FB-BTX

Lab ID#: 2412015-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.21 U
Toluene	0.53	0.27 U
Ethyl Benzene	0.60	0.30 U
m,p-Xylene	0.60	0.30 UPC
o-Xylene	0.60	0.30 U

Client Sample ID: 2024-08-02-09-SA-BTX

Lab ID#: 2412015-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	1.4
Toluene	0.53	3.9
Ethyl Benzene	0.60	0.72
m,p-Xylene	0.60	2.4 PC
o-Xylene	0.60	0.86

Client Sample ID: 2024-09-03-09-SA-BTX

Lab ID#: 2412015-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	1.8
Toluene	0.53	5.0

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-09-03-09-SA-BTX

Lab ID#: 2412015-11A

Ethyl Benzene	0.60	1.1
m,p-Xylene	0.60	3.5 PC
o-Xylene	0.60	1.3

Client Sample ID: 2024-10-04-09-SA-BTX

Lab ID#: 2412015-12A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	1.4
Toluene	0.53	4.1
Ethyl Benzene	0.60	0.86
m,p-Xylene	0.60	2.9 PC
o-Xylene	0.60	1.1

Client Sample ID: 2024-11-05-09-SA-BTX

Lab ID#: 2412015-13A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	1.1
Toluene	0.53	3.3
Ethyl Benzene	0.60	0.61
m,p-Xylene	0.60	1.9 PC
o-Xylene	0.60	0.70

Client Sample ID: 2024-12-06-09-SA-BTX

Lab ID#: 2412015-14A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	1.1
Toluene	0.53	3.5
Ethyl Benzene	0.60	0.56 J
m,p-Xylene	0.60	1.9 PC
o-Xylene	0.60	0.71



Air Toxics

Client Sample ID: 2024-01-07-09-SA-BTX

Lab ID#: 2412015-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120529	Date of Collection: 11/27/24 10:45:00 A
Dil. Factor:	1.03	Date of Analysis: 12/5/24 11:35 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.97
Toluene	0.53	2.4
Ethyl Benzene	0.60	0.47 J
m,p-Xylene	0.60	1.4 PC
o-Xylene	0.60	0.54 J

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-02-08-09-SA-BTX

Lab ID#: 2412015-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120530	Date of Collection: 11/27/24 10:50:00 A
Dil. Factor:	1.03	Date of Analysis: 12/6/24 12:04 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.89
Toluene	0.53	2.0
Ethyl Benzene	0.60	0.39 J
m,p-Xylene	0.60	1.2 PC
o-Xylene	0.60	0.46 J

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-03-09-09-SA-BTX

Lab ID#: 2412015-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120531	Date of Collection: 11/27/24 10:55:00 A
Dil. Factor:	1.03	Date of Analysis: 12/6/24 12:34 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.54
Toluene	0.53	0.94
Ethyl Benzene	0.60	0.30 U
m,p-Xylene	0.60	0.47 JPC
o-Xylene	0.60	0.30 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-04-10-09-SA-BTX

Lab ID#: 2412015-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120532	Date of Collection: 11/27/24 11:04:00 A
Dil. Factor:	1.03	Date of Analysis: 12/6/24 01:03 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.60
Toluene	0.53	0.96
Ethyl Benzene	0.60	0.30 U
m,p-Xylene	0.60	0.49 JPC
o-Xylene	0.60	0.30 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-04-10-09-DU-BTX

Lab ID#: 2412015-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120533	Date of Collection: 11/27/24 11:04:00 A
Dil. Factor:	1.03	Date of Analysis: 12/6/24 01:33 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.54
Toluene	0.53	0.80
Ethyl Benzene	0.60	0.30 U
m,p-Xylene	0.60	0.35 JPC
o-Xylene	0.60	0.30 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-05-11-09-SA-BTX

Lab ID#: 2412015-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120534	Date of Collection: 11/27/24 11:16:00 A
Dil. Factor:	1.03	Date of Analysis: 12/6/24 02:02 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.65
Toluene	0.53	1.2
Ethyl Benzene	0.60	0.30 U
m,p-Xylene	0.60	0.67 PC
o-Xylene	0.60	0.30 U

U = The analyte was not present above the Method Detection Limit.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-06-12-09-SA-BTX

Lab ID#: 2412015-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120535	Date of Collection: 11/27/24 11:21:00 A
Dil. Factor:	1.03	Date of Analysis: 12/6/24 02:33 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.83
Toluene	0.53	1.8
Ethyl Benzene	0.60	0.30 U
m,p-Xylene	0.60	1.0 PC
o-Xylene	0.60	0.37 J

U = The analyte was not present above the Method Detection Limit.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-07-01-09-SA-BTX

Lab ID#: 2412015-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120536	Date of Collection: 11/27/24 11:28:00 A
Dil. Factor:	1.03	Date of Analysis: 12/6/24 03:02 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.67
Toluene	0.53	1.4
Ethyl Benzene	0.60	0.30 U
m,p-Xylene	0.60	0.67 PC
o-Xylene	0.60	0.30 U

U = The analyte was not present above the Method Detection Limit.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-07-01-09-FB-BTX

Lab ID#: 2412015-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120528	Date of Collection: 11/27/24 11:28:00 A
Dil. Factor:	1.03	Date of Analysis: 12/5/24 11:05 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	0.21 U
Toluene	0.53	0.27 U
Ethyl Benzene	0.60	0.30 U
m,p-Xylene	0.60	0.30 UPC
o-Xylene	0.60	0.30 U

U = The analyte was not present above the Method Detection Limit.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-08-02-09-SA-BTX

Lab ID#: 2412015-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120537	Date of Collection: 11/27/24 11:33:00 A
Dil. Factor:	1.03	Date of Analysis: 12/6/24 03:32 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	1.4
Toluene	0.53	3.9
Ethyl Benzene	0.60	0.72
m,p-Xylene	0.60	2.4 PC
o-Xylene	0.60	0.86

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-09-03-09-SA-BTX

Lab ID#: 2412015-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120539	Date of Collection: 11/27/24 11:38:00 A
Dil. Factor:	1.03	Date of Analysis: 12/6/24 04:26 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	1.8
Toluene	0.53	5.0
Ethyl Benzene	0.60	1.1
m,p-Xylene	0.60	3.5 PC
o-Xylene	0.60	1.3

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-10-04-09-SA-BTX

Lab ID#: 2412015-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120540	Date of Collection: 11/27/24 11:44:00 A
Dil. Factor:	1.03	Date of Analysis: 12/6/24 04:56 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	1.4
Toluene	0.53	4.1
Ethyl Benzene	0.60	0.86
m,p-Xylene	0.60	2.9 PC
o-Xylene	0.60	1.1

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-11-05-09-SA-BTX

Lab ID#: 2412015-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120541	Date of Collection: 11/27/24 11:49:00 A
Dil. Factor:	1.03	Date of Analysis: 12/6/24 05:26 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	1.1
Toluene	0.53	3.3
Ethyl Benzene	0.60	0.61
m,p-Xylene	0.60	1.9 PC
o-Xylene	0.60	0.70

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-12-06-09-SA-BTX

Lab ID#: 2412015-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120542	Date of Collection: 11/27/24 11:55:00 A
Dil. Factor:	1.03	Date of Analysis: 12/6/24 05:55 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.41	1.1
Toluene	0.53	3.5
Ethyl Benzene	0.60	0.56 J
m,p-Xylene	0.60	1.9 PC
o-Xylene	0.60	0.71

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2412015-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120504A	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/5/24 10:46 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.40	0.20 U
Toluene	0.51	0.26 U
Ethyl Benzene	0.58	0.29 U
m,p-Xylene	0.58	0.29 U
o-Xylene	0.58	0.29 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2412015-15B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120527	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/5/24 10:36 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.40	0.20 U
Toluene	0.51	0.26 U
Ethyl Benzene	0.58	0.29 U
m,p-Xylene	0.58	0.29 U
o-Xylene	0.58	0.29 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2412015-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120526	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/5/24 10:11 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	104
Toluene	109
Ethyl Benzene	109
m,p-Xylene	110
o-Xylene	110

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2412015-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120538	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/6/24 03:57 AM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	102
Toluene	107
Ethyl Benzene	106
m,p-Xylene	109
o-Xylene	109

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2412015-16C

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80120543	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/6/24 06:20 AM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	105
Toluene	112
Ethyl Benzene	112
m,p-Xylene	116
o-Xylene	116

Container Type: NA - Not Applicable

Method : EPA Method 325B-BTEX (ug/m3) 14-day

CAS Number	Compound	Rpt. Limit (ug/m3)
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

12/20/2024

Ms. Melissa McLaughlin

AECOM Environment

250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco LP

Project #: 60737155

Workorder #: 2412373


Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 12/14/2024 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank

Project Manager

WORK ORDER #: 2412373

Work Order Summary

CLIENT: PHONE: FAX: DATE RECEIVED: DATE COMPLETED:	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824 978.905.2100 978.905.2101 12/14/2024 12/20/2024	BILL TO: P.O. # PROJECT # CONTACT:	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720 1680852 06.42 60737155 Sunoco LP Shannon Eubank
---	---	---	--

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	2024-01-07-10-SA-BTX	EPA Method 325B
02A	2024-02-08-10-SA-BTX	EPA Method 325B
03A	2024-03-09-10-SA-BTX	EPA Method 325B
04A	2024-04-10-10-SA-BTX	EPA Method 325B
05A	2024-05-11-10-SA-BTX	EPA Method 325B
06A	2024-05-11-10-DU-BTX	EPA Method 325B
07A	2024-06-12-10-SA-BTX	EPA Method 325B
08A	2024-07-01-10-SA-BTX	EPA Method 325B
09A	2024-08-02-10-SA-BTX	EPA Method 325B
10A	2024-09-03-10-SA-BTX	EPA Method 325B
11A	2024-10-04-10-SA-BTX	EPA Method 325B
12A	2024-10-04-10-FB-BTX	EPA Method 325B
13A	2024-11-05-10-SA-BTX	EPA Method 325B
14A	2024-12-06-10-SA-BTX	EPA Method 325B
15A	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B

CERTIFIED BY:



Technical Director

DATE: 12/20/24

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2703122, NH NELAP-209223-B, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-12695, WA NELAP-C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-20

Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000

LABORATORY NARRATIVE
ATM EPA 325B
AECOM Environment
Workorder# 2412373

Fourteen Carbopack X AC-PA samples were received on December 14, 2024. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

All samples were collected over a 15-day period.

Definition of Data Qualifying Flags

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).

J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the MDL value.

I - Internal Standard recovery outside acceptance limits

P - Field Duplicate(s) exceed 30%RPD

Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.

L - Recovery of bracketing CCV(s) exceeded acceptance limits.

H - Sample analyzed outside of method hold time.

D - Sample duration outside 14+/-1 days

Fe - Field Error or discrepancy

Te - Tube Error or discrepancy

CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-01-07-10-SA-BTX

Lab ID#: 2412373-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.77
Toluene	0.46	1.5
Ethyl Benzene	0.52	0.27 J
m,p-Xylene	0.52	0.85
o-Xylene	0.52	0.32 J

Client Sample ID: 2024-02-08-10-SA-BTX

Lab ID#: 2412373-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.71
Toluene	0.46	1.4
Ethyl Benzene	0.52	0.26 U
m,p-Xylene	0.52	0.72
o-Xylene	0.52	0.26 U

Client Sample ID: 2024-03-09-10-SA-BTX

Lab ID#: 2412373-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.56
Toluene	0.46	0.72
Ethyl Benzene	0.52	0.26 U
m,p-Xylene	0.52	0.35 J
o-Xylene	0.52	0.26 U

Client Sample ID: 2024-04-10-10-SA-BTX

Lab ID#: 2412373-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.60
Toluene	0.46	0.72

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-04-10-10-SA-BTX

Lab ID#: 2412373-04A

Ethyl Benzene	0.52	0.26 U
m,p-Xylene	0.52	0.34 J
o-Xylene	0.52	0.26 U

Client Sample ID: 2024-05-11-10-SA-BTX

Lab ID#: 2412373-05A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.70
Toluene	0.46	1.3
Ethyl Benzene	0.52	0.26 U
m,p-Xylene	0.52	0.65
o-Xylene	0.52	0.26 U

Client Sample ID: 2024-05-11-10-DU-BTX

Lab ID#: 2412373-06A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.69
Toluene	0.46	1.3
Ethyl Benzene	0.52	0.26 U
m,p-Xylene	0.52	0.65
o-Xylene	0.52	0.26 U

Client Sample ID: 2024-06-12-10-SA-BTX

Lab ID#: 2412373-07A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.75
Toluene	0.46	1.4
Ethyl Benzene	0.52	0.26 U
m,p-Xylene	0.52	0.65
o-Xylene	0.52	0.26 U

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-07-01-10-SA-BTX

Lab ID#: 2412373-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	1.0
Toluene	0.46	2.3
Ethyl Benzene	0.52	0.40 J
m,p-Xylene	0.52	1.5
o-Xylene	0.52	0.51 J

Client Sample ID: 2024-08-02-10-SA-BTX

Lab ID#: 2412373-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	1.6
Toluene	0.46	4.8
Ethyl Benzene	0.52	1.0
m,p-Xylene	0.52	4.5
o-Xylene	0.52	1.4

Client Sample ID: 2024-09-03-10-SA-BTX

Lab ID#: 2412373-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	1.1
Toluene	0.46	2.5
Ethyl Benzene	0.52	0.56
m,p-Xylene	0.52	2.2
o-Xylene	0.52	0.75

Client Sample ID: 2024-10-04-10-SA-BTX

Lab ID#: 2412373-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	1.1
Toluene	0.46	2.8

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-10-04-10-SA-BTX

Lab ID#: 2412373-11A

Ethyl Benzene	0.52	0.59
m,p-Xylene	0.52	2.4
o-Xylene	0.52	0.80

Client Sample ID: 2024-10-04-10-FB-BTX

Lab ID#: 2412373-12A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.18 U
Toluene	0.46	0.23 U
Ethyl Benzene	0.52	0.26 U
m,p-Xylene	0.52	0.26 U
o-Xylene	0.52	0.26 U

Client Sample ID: 2024-11-05-10-SA-BTX

Lab ID#: 2412373-13A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.92
Toluene	0.46	2.1
Ethyl Benzene	0.52	0.42 J
m,p-Xylene	0.52	1.5
o-Xylene	0.52	0.54

Client Sample ID: 2024-12-06-10-SA-BTX

Lab ID#: 2412373-14A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.86
Toluene	0.46	2.0
Ethyl Benzene	0.52	0.37 J
m,p-Xylene	0.52	1.2
o-Xylene	0.52	0.46 J



Air Toxics

Client Sample ID: 2024-01-07-10-SA-BTX

Lab ID#: 2412373-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121906	Date of Collection: 12/12/24 11:08:00 A
Dil. Factor:	1.04	Date of Analysis: 12/19/24 01:05 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.77
Toluene	0.46	1.5
Ethyl Benzene	0.52	0.27 J
m,p-Xylene	0.52	0.85
o-Xylene	0.52	0.32 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-02-08-10-SA-BTX

Lab ID#: 2412373-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121907	Date of Collection: 12/12/24 11:13:00 A
Dil. Factor:	1.04	Date of Analysis: 12/19/24 01:36 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.71
Toluene	0.46	1.4
Ethyl Benzene	0.52	0.26 U
m,p-Xylene	0.52	0.72
o-Xylene	0.52	0.26 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-03-09-10-SA-BTX

Lab ID#: 2412373-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121908	Date of Collection: 12/12/24 11:20:00 A
Dil. Factor:	1.04	Date of Analysis: 12/19/24 02:07 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.56
Toluene	0.46	0.72
Ethyl Benzene	0.52	0.26 U
m,p-Xylene	0.52	0.35 J
o-Xylene	0.52	0.26 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-04-10-10-SA-BTX

Lab ID#: 2412373-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121909	Date of Collection: 12/12/24 11:26:00 A
Dil. Factor:	1.04	Date of Analysis: 12/19/24 02:38 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.60
Toluene	0.46	0.72
Ethyl Benzene	0.52	0.26 U
m,p-Xylene	0.52	0.34 J
o-Xylene	0.52	0.26 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-05-11-10-SA-BTX

Lab ID#: 2412373-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121910	Date of Collection: 12/12/24 11:32:00 A
Dil. Factor:	1.04	Date of Analysis: 12/19/24 03:08 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.70
Toluene	0.46	1.3
Ethyl Benzene	0.52	0.26 U
m,p-Xylene	0.52	0.65
o-Xylene	0.52	0.26 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-05-11-10-DU-BTX

Lab ID#: 2412373-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121911	Date of Collection: 12/12/24 11:32:00 A
Dil. Factor:	1.04	Date of Analysis: 12/19/24 03:39 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.69
Toluene	0.46	1.3
Ethyl Benzene	0.52	0.26 U
m,p-Xylene	0.52	0.65
o-Xylene	0.52	0.26 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-06-12-10-SA-BTX

Lab ID#: 2412373-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121912	Date of Collection: 12/12/24 11:37:00 A
Dil. Factor:	1.04	Date of Analysis: 12/19/24 04:10 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.75
Toluene	0.46	1.4
Ethyl Benzene	0.52	0.26 U
m,p-Xylene	0.52	0.65
o-Xylene	0.52	0.26 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-07-01-10-SA-BTX

Lab ID#: 2412373-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121913	Date of Collection: 12/12/24 11:43:00 A
Dil. Factor:	1.04	Date of Analysis: 12/19/24 04:41 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	1.0
Toluene	0.46	2.3
Ethyl Benzene	0.52	0.40 J
m,p-Xylene	0.52	1.5
o-Xylene	0.52	0.51 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-08-02-10-SA-BTX

Lab ID#: 2412373-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121914	Date of Collection: 12/12/24 11:47:00 A
Dil. Factor:	1.04	Date of Analysis: 12/19/24 05:12 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	1.6
Toluene	0.46	4.8
Ethyl Benzene	0.52	1.0
m,p-Xylene	0.52	4.5
o-Xylene	0.52	1.4

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-09-03-10-SA-BTX

Lab ID#: 2412373-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121916	Date of Collection: 12/12/24 11:53:00 A
Dil. Factor:	1.04	Date of Analysis: 12/19/24 06:12 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	1.1
Toluene	0.46	2.5
Ethyl Benzene	0.52	0.56
m,p-Xylene	0.52	2.2
o-Xylene	0.52	0.75

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-10-04-10-SA-BTX

Lab ID#: 2412373-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121917	Date of Collection: 12/12/24 11:59:00 A
Dil. Factor:	1.04	Date of Analysis: 12/19/24 06:42 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	1.1
Toluene	0.46	2.8
Ethyl Benzene	0.52	0.59
m,p-Xylene	0.52	2.4
o-Xylene	0.52	0.80

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-10-04-10-FB-BTX

Lab ID#: 2412373-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121905	Date of Collection: 12/12/24 11:59:00 A
Dil. Factor:	1.04	Date of Analysis: 12/19/24 12:34 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.18 U
Toluene	0.46	0.23 U
Ethyl Benzene	0.52	0.26 U
m,p-Xylene	0.52	0.26 U
o-Xylene	0.52	0.26 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-11-05-10-SA-BTX

Lab ID#: 2412373-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121918	Date of Collection: 12/12/24 12:13:00 P
Dil. Factor:	1.04	Date of Analysis: 12/19/24 07:13 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.92
Toluene	0.46	2.1
Ethyl Benzene	0.52	0.42 J
m,p-Xylene	0.52	1.5
o-Xylene	0.52	0.54

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-12-06-10-SA-BTX

Lab ID#: 2412373-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121919	Date of Collection: 12/12/24 12:30:00 P
Dil. Factor:	1.04	Date of Analysis: 12/19/24 07:44 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.35	0.86
Toluene	0.46	2.0
Ethyl Benzene	0.52	0.37 J
m,p-Xylene	0.52	1.2
o-Xylene	0.52	0.46 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2412373-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121904A	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/19/24 11:45 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.34	0.17 U
Toluene	0.44	0.22 U
Ethyl Benzene	0.50	0.25 U
m,p-Xylene	0.50	0.25 U
o-Xylene	0.50	0.25 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2412373-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121915	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/19/24 05:41 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	86
Toluene	90
Ethyl Benzene	89
m,p-Xylene	92
o-Xylene	90

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2412373-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f121926	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/19/24 11:18 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	90
Toluene	95
Ethyl Benzene	93
m,p-Xylene	96
o-Xylene	95

Container Type: NA - Not Applicable

Method : EPA Method 325B-BTEX (ug/m3) 14-day

CAS Number	Compound	Rpt. Limit (ug/m3)
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

1/7/2025

Ms. Melissa McLaughlin

AECOM Environment

250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco LP

Project #: 60737155

Workorder #: 2412706

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 12/30/2024 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank

Project Manager

WORK ORDER #: 2412706

Work Order Summary

CLIENT:	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824	BILL TO:	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720
PHONE:	978.905.2100	P.O. #	1680852 06.42
FAX:	978.905.2101	PROJECT #	60737155 Sunoco LP
DATE RECEIVED:	12/30/2024	CONTACT:	Shannon Eubank
DATE COMPLETED:	01/07/2025		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	2024-01-07-11-SA-BTX	EPA Method 325B
02A	2024-02-08-11-SA-BTX	EPA Method 325B
03A	2024-03-09-11-SA-BTX	EPA Method 325B
04A	2024-04-10-11-SA-BTX	EPA Method 325B
05A	2024-05-11-11-SA-BTX	EPA Method 325B
06A	2024-06-12-11-SA-BTX	EPA Method 325B
07A	2024-07-01-11-SA-BTX	EPA Method 325B
08A	2024-08-02-11-SA-BTX	EPA Method 325B
09A	2024-08-02-11-DU-BTX	EPA Method 325B
10A	2024-09-03-11-SA-BTX	EPA Method 325B
11A	2024-10-04-11-SA-BTX	EPA Method 325B
12A	2024-11-05-11-SA-BTX	EPA Method 325B
13A	2024-12-06-11-SA-BTX	EPA Method 325B
14A	2024-12-06-11-FB-BTX	EPA Method 325B
15A	Lab Blank	EPA Method 325B
15B	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B
16C	CCV	EPA Method 325B

CERTIFIED BY:



Technical Director

DATE: 01/07/25

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2836569, NH NELAP-209224-A, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-13180, WA NELAP-C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-21

Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000

LABORATORY NARRATIVE
ATM EPA 325B
AECOM Environment
Workorder# 2412706

Fourteen Carbopack X AC-PA samples were received on December 30, 2024. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

There were no analytical discrepancies.

Definition of Data Qualifying Flags

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

- B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).
- J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.
- E - Exceeds instrument calibration range.
- S - Saturated peak.
- Q - Exceeds quality control limits.
- U - Compound analyzed for but not detected above the MDL value.
- I - Internal Standard recovery outside acceptance limits
- P - Field Duplicate(s) exceed 30%RPD
- Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.
- Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.
- L - Recovery of bracketing CCV(s) exceeded acceptance limits.
- H - Sample analyzed outside of method hold time.
- D - Sample duration outside 14+/-1 days
- Fe - Field Error or discrepancy
- Te - Tube Error or discrepancy
- CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

- a-File was requantified
- b-File was quantified by a second column and detector
- r1-File was requantified for the purpose of reissue

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-01-07-11-SA-BTX

Lab ID#: 2412706-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.67
Toluene	0.50	1.5
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.80
o-Xylene	0.57	0.29 J

Client Sample ID: 2024-02-08-11-SA-BTX

Lab ID#: 2412706-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.53
Toluene	0.50	0.78
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.37 J
o-Xylene	0.57	0.28 U

Client Sample ID: 2024-03-09-11-SA-BTX

Lab ID#: 2412706-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.49
Toluene	0.50	0.57
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U

Client Sample ID: 2024-04-10-11-SA-BTX

Lab ID#: 2412706-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.52
Toluene	0.50	0.67

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-04-10-11-SA-BTX

Lab ID#: 2412706-04A

Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U

Client Sample ID: 2024-05-11-11-SA-BTX

Lab ID#: 2412706-05A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.70
Toluene	0.50	1.3
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.54 J
o-Xylene	0.57	0.28 U

Client Sample ID: 2024-06-12-11-SA-BTX

Lab ID#: 2412706-06A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.71
Toluene	0.50	1.6
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.64
o-Xylene	0.57	0.28 U

Client Sample ID: 2024-07-01-11-SA-BTX

Lab ID#: 2412706-07A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.1
Toluene	0.50	2.9
Ethyl Benzene	0.57	0.38 J
m,p-Xylene	0.57	1.3
o-Xylene	0.57	0.47 J

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-08-02-11-SA-BTX

Lab ID#: 2412706-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.1
Toluene	0.50	3.1
Ethyl Benzene	0.57	0.60
m,p-Xylene	0.57	2.5
o-Xylene	0.57	0.82

Client Sample ID: 2024-08-02-11-DU-BTX

Lab ID#: 2412706-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.2
Toluene	0.50	3.1
Ethyl Benzene	0.57	0.64
m,p-Xylene	0.57	2.6
o-Xylene	0.57	0.85

Client Sample ID: 2024-09-03-11-SA-BTX

Lab ID#: 2412706-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.88
Toluene	0.50	2.3
Ethyl Benzene	0.57	0.45 J
m,p-Xylene	0.57	1.8
o-Xylene	0.57	0.59

Client Sample ID: 2024-10-04-11-SA-BTX

Lab ID#: 2412706-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.0
Toluene	0.50	3.2

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-10-04-11-SA-BTX

Lab ID#: 2412706-11A

Ethyl Benzene	0.57	0.68
m,p-Xylene	0.57	2.8
o-Xylene	0.57	0.94

Client Sample ID: 2024-11-05-11-SA-BTX

Lab ID#: 2412706-12A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.99
Toluene	0.50	2.4
Ethyl Benzene	0.57	0.44 J
m,p-Xylene	0.57	1.6
o-Xylene	0.57	0.57

Client Sample ID: 2024-12-06-11-SA-BTX

Lab ID#: 2412706-13A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.83
Toluene	0.50	2.6
Ethyl Benzene	0.57	0.63
m,p-Xylene	0.57	2.4
o-Xylene	0.57	0.91

Client Sample ID: 2024-12-06-11-FB-BTX

Lab ID#: 2412706-14A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.19 U
Toluene	0.50	0.25 U
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U



Air Toxics

Client Sample ID: 2024-01-07-11-SA-BTX

Lab ID#: 2412706-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010329	Date of Collection: 12/26/24 10:42:00 A
Dil. Factor:	1.05	Date of Analysis: 1/4/25 12:11 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.67
Toluene	0.50	1.5
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.80
o-Xylene	0.57	0.29 J

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-02-08-11-SA-BTX

Lab ID#: 2412706-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010330	Date of Collection: 12/26/24 10:49:00 A
Dil. Factor:	1.05	Date of Analysis: 1/4/25 12:42 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.53
Toluene	0.50	0.78
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.37 J
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-03-09-11-SA-BTX

Lab ID#: 2412706-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010331	Date of Collection: 12/26/24 10:55:00 A
Dil. Factor:	1.05	Date of Analysis: 1/4/25 01:13 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.49
Toluene	0.50	0.57
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-04-10-11-SA-BTX

Lab ID#: 2412706-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010332	Date of Collection: 12/26/24 11:01:00 A
Dil. Factor:	1.05	Date of Analysis: 1/4/25 01:44 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.52
Toluene	0.50	0.67
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-05-11-11-SA-BTX

Lab ID#: 2412706-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010333	Date of Collection: 12/26/24 11:06:00 A
Dil. Factor:	1.05	Date of Analysis: 1/4/25 02:15 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.70
Toluene	0.50	1.3
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.54 J
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-06-12-11-SA-BTX

Lab ID#: 2412706-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010334	Date of Collection: 12/26/24 11:10:00 A
Dil. Factor:	1.05	Date of Analysis: 1/4/25 02:46 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.71
Toluene	0.50	1.6
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.64
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-07-01-11-SA-BTX

Lab ID#: 2412706-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010335	Date of Collection: 12/26/24 11:16:00 A
Dil. Factor:	1.05	Date of Analysis: 1/4/25 03:17 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.1
Toluene	0.50	2.9
Ethyl Benzene	0.57	0.38 J
m,p-Xylene	0.57	1.3
o-Xylene	0.57	0.47 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-08-02-11-SA-BTX

Lab ID#: 2412706-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010336	Date of Collection: 12/26/24 11:20:00 A
Dil. Factor:	1.05	Date of Analysis: 1/4/25 03:48 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.1
Toluene	0.50	3.1
Ethyl Benzene	0.57	0.60
m,p-Xylene	0.57	2.5
o-Xylene	0.57	0.82

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-08-02-11-DU-BTX

Lab ID#: 2412706-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010337	Date of Collection: 12/26/24 11:20:00 A
Dil. Factor:	1.05	Date of Analysis: 1/4/25 04:19 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.2
Toluene	0.50	3.1
Ethyl Benzene	0.57	0.64
m,p-Xylene	0.57	2.6
o-Xylene	0.57	0.85

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-09-03-11-SA-BTX

Lab ID#: 2412706-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010339	Date of Collection: 12/26/24 11:28:00 A
Dil. Factor:	1.05	Date of Analysis: 1/4/25 05:18 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.88
Toluene	0.50	2.3
Ethyl Benzene	0.57	0.45 J
m,p-Xylene	0.57	1.8
o-Xylene	0.57	0.59

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-10-04-11-SA-BTX

Lab ID#: 2412706-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010340	Date of Collection: 12/26/24 11:36:00 A
Dil. Factor:	1.05	Date of Analysis: 1/4/25 05:48 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.0
Toluene	0.50	3.2
Ethyl Benzene	0.57	0.68
m,p-Xylene	0.57	2.8
o-Xylene	0.57	0.94

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-11-05-11-SA-BTX

Lab ID#: 2412706-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010341	Date of Collection: 12/26/24 11:45:00 A
Dil. Factor:	1.05	Date of Analysis: 1/4/25 06:19 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.99
Toluene	0.50	2.4
Ethyl Benzene	0.57	0.44 J
m,p-Xylene	0.57	1.6
o-Xylene	0.57	0.57

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-12-06-11-SA-BTX

Lab ID#: 2412706-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010342	Date of Collection: 12/26/24 11:51:00 A
Dil. Factor:	1.05	Date of Analysis: 1/4/25 06:50 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.83
Toluene	0.50	2.6
Ethyl Benzene	0.57	0.63
m,p-Xylene	0.57	2.4
o-Xylene	0.57	0.91

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-12-06-11-FB-BTX

Lab ID#: 2412706-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010328	Date of Collection: 12/26/24 11:51:00 A
Dil. Factor:	1.05	Date of Analysis: 1/3/25 11:40 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.19 U
Toluene	0.50	0.25 U
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2412706-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name: f010304
Dil. Factor: 1.00

Date of Collection: NA
Date of Analysis: 1/3/25 11:06 AM
Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2412706-15B

EPA METHOD 325B GC/MS FULL SCAN

File Name: f010327
Dil. Factor: 1.00

Date of Collection: NA
Date of Analysis: 1/3/25 11:10 PM
Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2412706-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010326	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 1/3/25 10:42 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	86
Toluene	90
Ethyl Benzene	88
m,p-Xylene	90
o-Xylene	88

Container Type: NA - Not Applicable

Client Sample ID: CCV

Lab ID#: 2412706-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010338	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 1/4/25 04:47 AM
		Date of Extraction: NA

Compound	%Recovery
-----------------	------------------

Benzene	90
Toluene	89
Ethyl Benzene	85
m,p-Xylene	86
o-Xylene	86

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2412706-16C

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f010344	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 1/4/25 07:46 AM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	89
Toluene	89
Ethyl Benzene	86
m,p-Xylene	88
o-Xylene	88

Container Type: NA - Not Applicable

Method : EPA Method 325B-BTEX (ug/m3) 14-day

CAS Number	Compound	Rpt. Limit (ug/m3)
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54