

QUARTER 1, 2025 FENCELINE MONITORING REPORT FOR THE SPRAGUE OPERATING RESOURCES SOUTH PORTLAND MAINE TERMINAL

Prepared For:

Sprague Operating Resources LLC

185 International Drive
Portsmouth, New
Hampshire 03801

Facility:

Sprague Operating Resources LLC

59 Main Street,
South Portland, ME 04106

Prepared By:

Montrose Air Quality Services LLC

45 Route 46 East, Suite 601
Pine Brook, NJ 07058

Report Number: **047AA-027968-RT-833**

Date: **April 24, 2025**

Revision 1: **June 27, 2025**

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit									
	E	Concentration exceeds the calibration range. The analyte result is an estimated value									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20241224	C56903	1.28		4.17	P	21.7	P	6.85	P	3.92	P
SPRSPO-2-S-20241224	C38921	1.06		1.21	P	5.41	P	1.75	P	3.39	P
SPRSPO-3-S-20241224	B10057	1.48		4.39	P	24	P	7.41	P	3.91	P
SPRSPO-4-S-20241224	B14165	1.36		1.12	P	4.87	P	1.61	P	3.21	P
SPRSPO-5-S-20241224	B40254	1.14		1.13	P	4.57	P	1.48	P	2.49	P
SPRSPO-5-D-20241224	C24095	0.972		2.69	P	15	P	4.87	P	2.26	P
SPRSPO-5-B-20241224	B43565	0.194	ND	0.283	ND,P	0.283	ND,P	0.283	ND,P	0.251	ND,P
SPRSPO-6-S-20241224	B17481	1.16		2.46	P	11.4	P	3.25	P	2.12	P
SPRSPO-7-S-20241224	B50778	0.893		3.07	P	14.4	P	4.33	P	1.65	P
SPRSPO-8-S-20241224	C16082	1.06		3.1	P	15.2	P	4.48	P	2.11	P
SPRSPO-9-S-20241224	C33499	0.984		2.49	P	12	P	3.6	P	1.88	P
SPRSPO-10-S-20241224	B52717	1.04		2.02	P	10.3	P	3.46	P	2.13	P
SPRSPO-11-S-20241224	C01991	1		1.97	P	9.63	P	3.28	P	1.93	P
SPRSPO-12-S-20241224	C43900	1.14		3.48	P	17	P	4.84	P	2.56	P
SPRSPO-13-S-20241224	C53626	0.93		2.27	P	12.3	P	4.1	P	1.97	P
SPRSPO-13-D-20241224	B50988	1.16		3.19	P	16.2	P	5.09	P	2.69	P
SPRSPO-13-B-20241224	B34584	0.194	ND	0.283	ND,P	0.283	ND,P	0.283	ND,P	0.25	ND,P
SPRSPO-14-S-20241224	C38503	1.12		3.39	P	18.7	P	6.41	P	2.7	P
SPRSPO-15-S-20241224	C38547	1.26		4.2	P	22.1	P	6.85	P	3.73	P
SPRSPO-16-S-20241224	B50980	1.48		3.67	P	18.6	P	6.27	P	3.64	P
SPRSPO-1-S-20250107	C33018	1.1		25.2	P	123	E,P	34.4	P	7.87	P
SPRSPO-2-S-20250107	B37634	0.904		9.53	P	45.2	P	14.8	P	3.36	P
SPRSPO-3-S-20250107	B16973	1.15		25	P	115	E,P	32.1	P	6.95	P
SPRSPO-4-S-20250107	C01320	1		16.5	P	81.2	E,P	23.7	P	4	P
SPRSPO-5-S-20250107	B14728	0.857		18.1	P	92.4	E,P	28	P	3.53	P
SPRSPO-5-D-20250107	C16117	0.876		31.2	P	155	E,P	46.7	P	5.81	P
SPRSPO-5-B-20250107	B43596	0.195	ND	0.283	ND,P	0.283	ND,P	0.283	ND,P	0.273	J,P
SPRSPO-6-S-20250107	C43299	0.869		14.9	P	66.4	P	17.7	P	8.02	P
SPRSPO-7-S-20250107	B46998	0.934		28	P	132	E,P	35.5	P	5.47	P
SPRSPO-8-S-20250107	B52799	0.888		20.5	P	94.1	E,P	24.2	P	6.09	P
SPRSPO-9-S-20250107	C34198	0.865		21.4	P	98.7	E,P	25.4	P	6.93	P
SPRSPO-10-S-20250107	C43304	0.869		19	P	89.3	E,P	25.4	P	5.15	P

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit									
	E	Concentration exceeds the calibration range. The analyte result is an estimated value									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-11-S-20250107	B17457	0.887		14.8	P	66.5	P	19.3	P	5.16	P
SPRSPO-12-S-20250107	C53643	0.986		21.8	P	100	E,P	26.7	P	9.35	P
SPRSPO-13-S-20250107	B35954	0.968		25.9	P	124	E,P	36.1	P	5.48	P
SPRSPO-13-D-20250107	B38603	0.959		18.6	P	85.4	E,P	23.3	P	6.78	P
SPRSPO-13-B-20250107	B46339	0.195	ND	0.284	ND,P	0.967	P	0.284	ND,P	0.251	ND,P
SPRSPO-14-S-20250107	B34511	0.952		23.9	P	115	E,P	32.2	P	4.86	P
SPRSPO-15-S-20250107	B18309	1.14		18	P	81.7	E,P	21.4	P	8.75	P
SPRSPO-16-S-20250107	B29716	1.09		23.1	P	109	E,P	32.1	P	6.35	P
SPRSPO-1-S-20250121	B43051	1.03		13.3	P	52.1	P	15.1	P	2.61	
SPRSPO-2-S-20250121	C24112	0.901		4.5	P	19.5	P	7.06	P	2.17	
SPRSPO-3-S-20250121	B48140	0.958		3.69	P	16.2	P	5.94	P	2.18	
SPRSPO-4-S-20250121	B19317	1.4		9.87	P	36.7	P	10.2	P	5.34	
SPRSPO-5-S-20250121	B18779	1.01		12.3	P	50.4	P	16	P	3.32	
SPRSPO-5-D-20250121	C33500	0.976		14.9	P	65.3	P	21.1	P	3.14	
SPRSPO-5-B-20250121	B27293	0.195	ND	0.284	ND,P	0.284	ND,P	0.284	ND,P	0.252	ND
SPRSPO-6-S-20250121	C40523	0.719		3.67	P	16.8	P	6.16	P	1.7	
SPRSPO-7-S-20250121	B52718	0.764		13	P	52.7	P	14.7	P	1.64	
SPRSPO-8-S-20250121	C35788	0.687		10.7	P	43.2	P	12.5	P	1.24	
SPRSPO-9-S-20250121	C20399	0.719		11.4	P	44.5	P	12.6	P	1.5	
SPRSPO-10-S-20250121	B35991	0.739		4.45	P	19.4	P	6.76	P	1.03	
SPRSPO-11-S-20250121	B14648	0.794		3.87	P	16.6	P	5.99	P	1.25	
SPRSPO-12-S-20250121	B44260	0.902		10.2	P	39.8	P	11.2	P	1.99	
SPRSPO-13-S-20250121	C33442	0.825		14.6	P	60.2	P	17.7	P	1.92	
SPRSPO-13-D-20250121	C43639	0.816		3.65	P	16.8	P	6.06	P	1.58	
SPRSPO-13-B-20250121	B34525	0.195	ND	0.284	ND,P	0.284	ND,P	0.284	ND,P	0.252	ND
SPRSPO-14-S-20250121	B40397	0.936		12.5	P	48.9	P	14.4	P	2.28	
SPRSPO-15-S-20250121	C16282	0.855		3.62	P	16.4	P	6.35	P	1.85	
SPRSPO-16-S-20250121	C43591	0.924		3.91	P	17.8	P	6.25	P	2.07	
SPRSPO-1-S-20250204	C01579	1.11		1.45	P	7.27	P	2.38	P	2.65	
SPRSPO-2-S-20250204	B27789	1.08		3.82	P	25.5	P	8.27	P	3.18	
SPRSPO-3-S-20250204	C55329	1.12		1.59	P	9.81	P	3.08	P	2.63	

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit									
	E	Concentration exceeds the calibration range. The analyte result is an estimated value									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-4-S-20250204	B21003	1.18		1.4	P	8.06	P	2.63	P	2.58	
SPRSPO-5-S-20250204	C35891	0.866		0.968	P	4.89	P	1.73	P	1.72	
SPRSPO-5-D-20250204	C16151	1.04		2.64	P	16.2	P	5.51	P	2.28	
SPRSPO-5-B-20250204	B37646	0.196	ND	0.285	ND,P	0.285	ND,P	0.285	ND,P	0.252	ND
SPRSPO-6-S-20250204	C38872	0.995		3.05	P	21.1	P	7.19	P	2.21	
SPRSPO-7-S-20250204	C55519	0.923		2.86	P	20.9	P	7.38	P	2.1	
SPRSPO-8-S-20250204	C55559	0.838		3.51	P	19.8	P	8.58	P	1.9	
SPRSPO-9-S-20250204	C39024	0.917		3.68	P	27.7	P	10	P	2.22	
SPRSPO-10-S-20250204	C56902	0.894		1.13	P	7.93	P	2.67	P	1.76	
SPRSPO-11-S-20250204	B16964	0.881		1.11	P	6.22	P	1.98	P	1.41	
SPRSPO-12-S-20250204	B16349	0.977		3.18	P	20.9	P	6.52	P	2.26	
SPRSPO-13-S-20250204	B31072	1.08		1.29	P	5.77	P	2.42	P	2.22	
SPRSPO-13-D-20250204	B47903	1.08		1	P	6.57	P	2.27	P	1.92	
SPRSPO-13-B-20250204	B29731	0.196	ND	0.285	ND,P	0.285	ND,P	0.285	ND,P	0.252	ND
SPRSPO-14-S-20250204	C40601	1.23		3.55	P	23.9	P	7.66	P	3.09	
SPRSPO-15-S-20250204	B50722	1.1		3.66	P	25.1	P	7.97	P	2.87	
SPRSPO-16-S-20250204	B16818	1.43		3.29	P	22.7	P	7.5	P	3.77	
SPRSPO-1-S-20250218	C17188	1.59		1.48	Pc	4.67		1.72	Pc	4.58	
SPRSPO-2-S-20250218	C55702	1.23		0.676	Pc	2.23		0.892	Pc	3.61	
SPRSPO-3-S-20250218	B45090	1.2		0.597	Pc	1.76		0.71	Pc	3.18	
SPRSPO-4-S-20250218	B27266	1.11		0.521	J,Pc	1.4		0.569	J,Pc	2.85	
SPRSPO-5-S-20250218	B42298	1		0.442	J,Pc	1.27		0.552	J,Pc	2.6	
SPRSPO-5-D-20250218	B31340	0.992		0.312	J,Pc	0.999		0.401	J,Pc	2.35	
SPRSPO-5-B-20250218	B27227	0.195	ND	0.283	ND,Pc	0.283	ND	0.283	ND,Pc	0.251	ND
SPRSPO-6-S-20250218	B17490	1.03		0.489	J,Pc	1.41		0.609	Pc	2.79	
SPRSPO-7-S-20250218	C40537	0.841		0.427	J,Pc	1.25		0.529	J,Pc	2.23	
SPRSPO-8-S-20250218	B47064	0.894		0.283	ND,Pc	0.822		0.343	J,Pc	1.53	
SPRSPO-9-S-20250218	B48633	1.01		0.414	J,Pc	1.2		0.515	J,Pc	1.94	
SPRSPO-10-S-20250218	B50633	0.874		0.516	J,Pc	1.51		0.638	Pc	1.97	
SPRSPO-11-S-20250218	C01863	0.919		0.565	J,Pc	1.72		0.708	Pc	2.3	
SPRSPO-12-S-20250218	C37018	1.05		0.703	Pc	2.03		0.837	Pc	2.88	

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit									
	E	Concentration exceeds the calibration range. The analyte result is an estimated value									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-13-S-20250218	C43694	0.989		0.641	Pc	2.16		0.897	Pc	2.57	
SPRSPO-13-D-20250218	B46299	1		0.629	Pc	1.82		0.763	Pc	2.49	
SPRSPO-13-B-20250218	C55449	0.195	ND	0.283	ND,Pc	0.283	ND	0.283	ND,Pc	0.251	ND
SPRSPO-14-S-20250218	B38592	1.06		0.537	J,Pc	1.71		0.697	Pc	2.52	
SPRSPO-15-S-20250218	B32897	1.26		0.66	Pc	2.12		0.824	Pc	3.07	
SPRSPO-16-S-20250218	B42755	1.39		0.726	Pc	2.24		0.896	Pc	3.56	
SPRSPO-1-S-20250304	C34157	1.17		1.18		4.33	P	1.63	Pc	4.33	P
SPRSPO-2-S-20250304	C01799	1.08		0.664		2.18	P	0.843	Pc	4.34	P
SPRSPO-3-S-20250304	C39269	0.975		0.514	J	1.89	P	0.757	Pc	3.38	P
SPRSPO-4-S-20250304	C02012	0.935		0.358	J	1.15	P	0.431	J,Pc	2.09	P
SPRSPO-5-S-20250304	B53272	0.819		0.522	J	1.65	P	0.667	Pc	3.26	P
SPRSPO-5-D-20250304	B39477	0.804		0.444	J	1.26	P	0.454	J,Pc	2.38	P
SPRSPO-5-B-20250304	C37034	0.193	ND	0.281	ND	0.281	ND,P	0.281	ND,Pc	0.249	ND,P
SPRSPO-6-S-20250304	C24205	0.745		0.364	J	1.09	P	0.454	J,Pc	2.65	P
SPRSPO-7-S-20250304	B30657	0.724		0.358	J	1.08	P	0.448	J,Pc	2.36	P
SPRSPO-8-S-20250304	B32838	0.827		0.36	J	1.04	P	0.398	J,Pc	2.1	P
SPRSPO-9-S-20250304	C16077	0.855		0.498	J	1.44	P	0.601	J,Pc	2.41	P
SPRSPO-10-S-20250304	C34142	0.682		0.51	J	1.91	P	0.75	Pc	2.84	P
SPRSPO-11-S-20250304	B46197	0.755		0.963		1.38	P	0.621	Pc	2.94	P
SPRSPO-12-S-20250304	B46124	0.928		0.642		2.01	P	0.808	Pc	3.66	P
SPRSPO-13-S-20250304	B27847	0.886		0.687		2.08	P	0.806	Pc	3.9	P
SPRSPO-13-D-20250304	C00627	0.86		0.518	J	1.41	P	0.6	J,Pc	2.97	P
SPRSPO-13-B-20250304	B15511	0.193	ND	0.281	ND	0.281	ND,P	0.281	ND,Pc	0.249	ND,P
SPRSPO-14-S-20250304	B34531	0.901		0.488	J	1.51	P	0.588	J,Pc	2.18	P
SPRSPO-15-S-20250304	B46684	1.04		0.715		2.27	P	0.857	Pc	3.71	P
SPRSPO-16-S-20250304	B27332	1.12		0.763		2.19	P	0.781	Pc	3.9	P

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit									
	E	Concentration exceeds the calibration range. The analyte result is an estimated value									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag
Quarter 1, 2025 Maximum		1.59		28.00		132.00		36.10		9.35	
Quarter 1, 2025 Average		1.01		5.88		27.32		8.12		3.20	
Rolling Annual Maximum ¹		2.74		28.00		132.00		36.10		16.40	
Rolling Annual Average ²		—		—		—		—		—	

¹ Rolling Annual Maximum based on Quarter 3 and Quarter 4, 2024 and Quarter 1, 2025 data only.

² Rolling Annual Average will be populated when four quarters of data have been collected.

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-1-S-20241224	1	Benzene	Sample	1.28	ug/m3	0.194	ug/m3		Y	12/24/2024	10:05	1/7/2025	09:15
SPRSPO-1-S-20241224	1	Ethylbenzene	Sample	4.17	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:05	1/7/2025	09:15
SPRSPO-1-S-20241224	1	m-/p-Xylenes	Sample	21.7	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:05	1/7/2025	09:15
SPRSPO-1-S-20241224	1	o-Xylene	Sample	6.85	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:05	1/7/2025	09:15
SPRSPO-1-S-20241224	1	Toluene	Sample	3.92	ug/m3	0.251	ug/m3	P	Y	12/24/2024	10:05	1/7/2025	09:15
SPRSPO-2-S-20241224	2	Benzene	Sample	1.06	ug/m3	0.194	ug/m3		Y	12/24/2024	10:10	1/7/2025	09:20
SPRSPO-2-S-20241224	2	Ethylbenzene	Sample	1.21	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:10	1/7/2025	09:20
SPRSPO-2-S-20241224	2	m-/p-Xylenes	Sample	5.41	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:10	1/7/2025	09:20
SPRSPO-2-S-20241224	2	o-Xylene	Sample	1.75	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:10	1/7/2025	09:20
SPRSPO-2-S-20241224	2	Toluene	Sample	3.39	ug/m3	0.251	ug/m3	P	Y	12/24/2024	10:10	1/7/2025	09:20
SPRSPO-3-S-20241224	3	Benzene	Sample	1.48	ug/m3	0.194	ug/m3		Y	12/24/2024	10:20	1/7/2025	09:30
SPRSPO-3-S-20241224	3	Ethylbenzene	Sample	4.39	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:20	1/7/2025	09:30
SPRSPO-3-S-20241224	3	m-/p-Xylenes	Sample	24	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:20	1/7/2025	09:30
SPRSPO-3-S-20241224	3	o-Xylene	Sample	7.41	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:20	1/7/2025	09:30
SPRSPO-3-S-20241224	3	Toluene	Sample	3.91	ug/m3	0.251	ug/m3	P	Y	12/24/2024	10:20	1/7/2025	09:30
SPRSPO-4-S-20241224	4	Benzene	Sample	1.36	ug/m3	0.194	ug/m3		Y	12/24/2024	10:25	1/7/2025	09:35
SPRSPO-4-S-20241224	4	Ethylbenzene	Sample	1.12	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:25	1/7/2025	09:35
SPRSPO-4-S-20241224	4	m-/p-Xylenes	Sample	4.87	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:25	1/7/2025	09:35
SPRSPO-4-S-20241224	4	o-Xylene	Sample	1.61	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:25	1/7/2025	09:35
SPRSPO-4-S-20241224	4	Toluene	Sample	3.21	ug/m3	0.251	ug/m3	P	Y	12/24/2024	10:25	1/7/2025	09:35
SPRSPO-5-S-20241224	5	Benzene	Sample	1.14	ug/m3	0.194	ug/m3		Y	12/24/2024	10:30	1/7/2025	09:40
SPRSPO-5-S-20241224	5	Ethylbenzene	Sample	1.13	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:30	1/7/2025	09:40
SPRSPO-5-S-20241224	5	m-/p-Xylenes	Sample	4.57	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:30	1/7/2025	09:40
SPRSPO-5-S-20241224	5	o-Xylene	Sample	1.48	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:30	1/7/2025	09:40
SPRSPO-5-S-20241224	5	Toluene	Sample	2.49	ug/m3	0.251	ug/m3	P	Y	12/24/2024	10:30	1/7/2025	09:40
SPRSPO-5-D-20241224	5	Benzene	Duplicate	0.972	ug/m3	0.194	ug/m3		Y	12/24/2024	10:30	1/7/2025	09:40
SPRSPO-5-D-20241224	5	Ethylbenzene	Duplicate	2.69	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:30	1/7/2025	09:40
SPRSPO-5-D-20241224	5	m-/p-Xylenes	Duplicate	15	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:30	1/7/2025	09:40
SPRSPO-5-D-20241224	5	o-Xylene	Duplicate	4.87	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:30	1/7/2025	09:40
SPRSPO-5-D-20241224	5	Toluene	Duplicate	2.26	ug/m3	0.251	ug/m3	P	Y	12/24/2024	10:30	1/7/2025	09:40
SPRSPO-5-B-20241224	5	Benzene	Blank	<0.194	ug/m3	0.194	ug/m3	ND	N	12/24/2024	10:30	1/7/2025	09:40
SPRSPO-5-B-20241224	5	Ethylbenzene	Blank	<0.283	ug/m3	0.283	ug/m3	ND,P	N	12/24/2024	10:30	1/7/2025	09:40

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-5-B-20241224	5	m-/p-Xylenes	Blank	<0.283	ug/m3	0.283	ug/m3	ND,P	N	12/24/2024	10:30	1/7/2025	09:40
SPRSPO-5-B-20241224	5	o-Xylene	Blank	<0.283	ug/m3	0.283	ug/m3	ND,P	N	12/24/2024	10:30	1/7/2025	09:40
SPRSPO-5-B-20241224	5	Toluene	Blank	<0.251	ug/m3	0.251	ug/m3	ND,P	N	12/24/2024	10:30	1/7/2025	09:40
SPRSPO-6-S-20241224	6	Benzene	Sample	1.16	ug/m3	0.194	ug/m3		Y	12/24/2024	10:40	1/7/2025	09:50
SPRSPO-6-S-20241224	6	Ethylbenzene	Sample	2.46	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:40	1/7/2025	09:50
SPRSPO-6-S-20241224	6	m-/p-Xylenes	Sample	11.4	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:40	1/7/2025	09:50
SPRSPO-6-S-20241224	6	o-Xylene	Sample	3.25	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:40	1/7/2025	09:50
SPRSPO-6-S-20241224	6	Toluene	Sample	2.12	ug/m3	0.251	ug/m3	P	Y	12/24/2024	10:40	1/7/2025	09:50
SPRSPO-7-S-20241224	7	Benzene	Sample	0.893	ug/m3	0.194	ug/m3		Y	12/24/2024	10:45	1/7/2025	09:55
SPRSPO-7-S-20241224	7	Ethylbenzene	Sample	3.07	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:45	1/7/2025	09:55
SPRSPO-7-S-20241224	7	m-/p-Xylenes	Sample	14.4	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:45	1/7/2025	09:55
SPRSPO-7-S-20241224	7	o-Xylene	Sample	4.33	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:45	1/7/2025	09:55
SPRSPO-7-S-20241224	7	Toluene	Sample	1.65	ug/m3	0.251	ug/m3	P	Y	12/24/2024	10:45	1/7/2025	09:55
SPRSPO-8-S-20241224	8	Benzene	Sample	1.06	ug/m3	0.194	ug/m3		Y	12/24/2024	10:50	1/7/2025	10:05
SPRSPO-8-S-20241224	8	Ethylbenzene	Sample	3.1	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:50	1/7/2025	10:05
SPRSPO-8-S-20241224	8	m-/p-Xylenes	Sample	15.2	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:50	1/7/2025	10:05
SPRSPO-8-S-20241224	8	o-Xylene	Sample	4.48	ug/m3	0.283	ug/m3	P	Y	12/24/2024	10:50	1/7/2025	10:05
SPRSPO-8-S-20241224	8	Toluene	Sample	2.11	ug/m3	0.25	ug/m3	P	Y	12/24/2024	10:50	1/7/2025	10:05
SPRSPO-9-S-20241224	9	Benzene	Sample	0.984	ug/m3	0.194	ug/m3		Y	12/24/2024	11:00	1/7/2025	10:15
SPRSPO-9-S-20241224	9	Ethylbenzene	Sample	2.49	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:00	1/7/2025	10:15
SPRSPO-9-S-20241224	9	m-/p-Xylenes	Sample	12	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:00	1/7/2025	10:15
SPRSPO-9-S-20241224	9	o-Xylene	Sample	3.6	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:00	1/7/2025	10:15
SPRSPO-9-S-20241224	9	Toluene	Sample	1.88	ug/m3	0.25	ug/m3	P	Y	12/24/2024	11:00	1/7/2025	10:15
SPRSPO-10-S-20241224	10	Benzene	Sample	1.04	ug/m3	0.194	ug/m3		Y	12/24/2024	11:05	1/7/2025	10:25
SPRSPO-10-S-20241224	10	Ethylbenzene	Sample	2.02	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:05	1/7/2025	10:25
SPRSPO-10-S-20241224	10	m-/p-Xylenes	Sample	10.3	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:05	1/7/2025	10:25
SPRSPO-10-S-20241224	10	o-Xylene	Sample	3.46	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:05	1/7/2025	10:25
SPRSPO-10-S-20241224	10	Toluene	Sample	2.13	ug/m3	0.25	ug/m3	P	Y	12/24/2024	11:05	1/7/2025	10:25
SPRSPO-11-S-20241224	11	Benzene	Sample	1	ug/m3	0.194	ug/m3		Y	12/24/2024	11:15	1/7/2025	10:35
SPRSPO-11-S-20241224	11	Ethylbenzene	Sample	1.97	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:15	1/7/2025	10:35
SPRSPO-11-S-20241224	11	m-/p-Xylenes	Sample	9.63	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:15	1/7/2025	10:35
SPRSPO-11-S-20241224	11	o-Xylene	Sample	3.28	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:15	1/7/2025	10:35

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-11-S-20241224	11	Toluene	Sample	1.93	ug/m3	0.25	ug/m3	P	Y	12/24/2024	11:15	1/7/2025	10:35
SPRSPO-12-S-20241224	12	Benzene	Sample	1.14	ug/m3	0.194	ug/m3		Y	12/24/2024	11:25	1/7/2025	10:45
SPRSPO-12-S-20241224	12	Ethylbenzene	Sample	3.48	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:25	1/7/2025	10:45
SPRSPO-12-S-20241224	12	m-/p-Xylenes	Sample	17	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:25	1/7/2025	10:45
SPRSPO-12-S-20241224	12	o-Xylene	Sample	4.84	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:25	1/7/2025	10:45
SPRSPO-12-S-20241224	12	Toluene	Sample	2.56	ug/m3	0.25	ug/m3	P	Y	12/24/2024	11:25	1/7/2025	10:45
SPRSPO-13-S-20241224	13	Benzene	Sample	0.93	ug/m3	0.194	ug/m3		Y	12/24/2024	11:30	1/7/2025	10:50
SPRSPO-13-S-20241224	13	Ethylbenzene	Sample	2.27	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:30	1/7/2025	10:50
SPRSPO-13-S-20241224	13	m-/p-Xylenes	Sample	12.3	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:30	1/7/2025	10:50
SPRSPO-13-S-20241224	13	o-Xylene	Sample	4.1	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:30	1/7/2025	10:50
SPRSPO-13-S-20241224	13	Toluene	Sample	1.97	ug/m3	0.25	ug/m3	P	Y	12/24/2024	11:30	1/7/2025	10:50
SPRSPO-13-D-20241224	13	Benzene	Duplicate	1.16	ug/m3	0.194	ug/m3		Y	12/24/2024	11:30	1/7/2025	10:50
SPRSPO-13-D-20241224	13	Ethylbenzene	Duplicate	3.19	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:30	1/7/2025	10:50
SPRSPO-13-D-20241224	13	m-/p-Xylenes	Duplicate	16.2	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:30	1/7/2025	10:50
SPRSPO-13-D-20241224	13	o-Xylene	Duplicate	5.09	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:30	1/7/2025	10:50
SPRSPO-13-D-20241224	13	Toluene	Duplicate	2.69	ug/m3	0.25	ug/m3	P	Y	12/24/2024	11:30	1/7/2025	10:50
SPRSPO-13-B-20241224	13	Benzene	Blank	<0.194	ug/m3	0.194	ug/m3	ND	N	12/24/2024	11:30	1/7/2025	10:50
SPRSPO-13-B-20241224	13	Ethylbenzene	Blank	<0.283	ug/m3	0.283	ug/m3	ND,P	N	12/24/2024	11:30	1/7/2025	10:50
SPRSPO-13-B-20241224	13	m-/p-Xylenes	Blank	<0.283	ug/m3	0.283	ug/m3	ND,P	N	12/24/2024	11:30	1/7/2025	10:50
SPRSPO-13-B-20241224	13	o-Xylene	Blank	<0.283	ug/m3	0.283	ug/m3	ND,P	N	12/24/2024	11:30	1/7/2025	10:50
SPRSPO-13-B-20241224	13	Toluene	Blank	<0.25	ug/m3	0.25	ug/m3	ND,P	N	12/24/2024	11:30	1/7/2025	10:50
SPRSPO-14-S-20241224	14	Benzene	Sample	1.12	ug/m3	0.194	ug/m3		Y	12/24/2024	11:40	1/7/2025	11:00
SPRSPO-14-S-20241224	14	Ethylbenzene	Sample	3.39	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:40	1/7/2025	11:00
SPRSPO-14-S-20241224	14	m-/p-Xylenes	Sample	18.7	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:40	1/7/2025	11:00
SPRSPO-14-S-20241224	14	o-Xylene	Sample	6.41	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:40	1/7/2025	11:00
SPRSPO-14-S-20241224	14	Toluene	Sample	2.7	ug/m3	0.25	ug/m3	P	Y	12/24/2024	11:40	1/7/2025	11:00
SPRSPO-15-S-20241224	15	Benzene	Sample	1.26	ug/m3	0.194	ug/m3		Y	12/24/2024	11:50	1/7/2025	11:10
SPRSPO-15-S-20241224	15	Ethylbenzene	Sample	4.2	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:50	1/7/2025	11:10
SPRSPO-15-S-20241224	15	m-/p-Xylenes	Sample	22.1	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:50	1/7/2025	11:10
SPRSPO-15-S-20241224	15	o-Xylene	Sample	6.85	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:50	1/7/2025	11:10
SPRSPO-15-S-20241224	15	Toluene	Sample	3.73	ug/m3	0.25	ug/m3	P	Y	12/24/2024	11:50	1/7/2025	11:10
SPRSPO-16-S-20241224	16	Benzene	Sample	1.48	ug/m3	0.194	ug/m3		Y	12/24/2024	11:55	1/7/2025	11:15

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-16-S-20241224	16	Ethylbenzene	Sample	3.67	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:55	1/7/2025	11:15
SPRSPO-16-S-20241224	16	m-/p-Xylenes	Sample	18.6	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:55	1/7/2025	11:15
SPRSPO-16-S-20241224	16	o-Xylene	Sample	6.27	ug/m3	0.283	ug/m3	P	Y	12/24/2024	11:55	1/7/2025	11:15
SPRSPO-16-S-20241224	16	Toluene	Sample	3.64	ug/m3	0.25	ug/m3	P	Y	12/24/2024	11:55	1/7/2025	11:15
SPRSPO-1-S-20250107	1	Benzene	Sample	1.1	ug/m3	0.195	ug/m3		Y	1/7/2025	09:15	1/21/2025	09:50
SPRSPO-1-S-20250107	1	Ethylbenzene	Sample	25.2	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:15	1/21/2025	09:50
SPRSPO-1-S-20250107	1	m-/p-Xylenes	Sample	123	ug/m3	0.283	ug/m3	E,P	Y	1/7/2025	09:15	1/21/2025	09:50
SPRSPO-1-S-20250107	1	o-Xylene	Sample	34.4	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:15	1/21/2025	09:50
SPRSPO-1-S-20250107	1	Toluene	Sample	7.87	ug/m3	0.251	ug/m3	P	Y	1/7/2025	09:15	1/21/2025	09:50
SPRSPO-2-S-20250107	2	Benzene	Sample	0.904	ug/m3	0.195	ug/m3		Y	1/7/2025	09:20	1/21/2025	09:55
SPRSPO-2-S-20250107	2	Ethylbenzene	Sample	9.53	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:20	1/21/2025	09:55
SPRSPO-2-S-20250107	2	m-/p-Xylenes	Sample	45.2	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:20	1/21/2025	09:55
SPRSPO-2-S-20250107	2	o-Xylene	Sample	14.8	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:20	1/21/2025	09:55
SPRSPO-2-S-20250107	2	Toluene	Sample	3.36	ug/m3	0.251	ug/m3	P	Y	1/7/2025	09:20	1/21/2025	09:55
SPRSPO-3-S-20250107	3	Benzene	Sample	1.15	ug/m3	0.195	ug/m3		Y	1/7/2025	09:30	1/21/2025	10:00
SPRSPO-3-S-20250107	3	Ethylbenzene	Sample	25	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:30	1/21/2025	10:00
SPRSPO-3-S-20250107	3	m-/p-Xylenes	Sample	115	ug/m3	0.283	ug/m3	E,P	Y	1/7/2025	09:30	1/21/2025	10:00
SPRSPO-3-S-20250107	3	o-Xylene	Sample	32.1	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:30	1/21/2025	10:00
SPRSPO-3-S-20250107	3	Toluene	Sample	6.95	ug/m3	0.251	ug/m3	P	Y	1/7/2025	09:30	1/21/2025	10:00
SPRSPO-4-S-20250107	4	Benzene	Sample	1	ug/m3	0.195	ug/m3		Y	1/7/2025	09:35	1/21/2025	10:05
SPRSPO-4-S-20250107	4	Ethylbenzene	Sample	16.5	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:35	1/21/2025	10:05
SPRSPO-4-S-20250107	4	m-/p-Xylenes	Sample	81.2	ug/m3	0.283	ug/m3	E,P	Y	1/7/2025	09:35	1/21/2025	10:05
SPRSPO-4-S-20250107	4	o-Xylene	Sample	23.7	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:35	1/21/2025	10:05
SPRSPO-4-S-20250107	4	Toluene	Sample	4	ug/m3	0.251	ug/m3	P	Y	1/7/2025	09:35	1/21/2025	10:05
SPRSPO-5-S-20250107	5	Benzene	Sample	0.857	ug/m3	0.195	ug/m3		Y	1/7/2025	09:40	1/21/2025	10:10
SPRSPO-5-S-20250107	5	Ethylbenzene	Sample	18.1	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:40	1/21/2025	10:10
SPRSPO-5-S-20250107	5	m-/p-Xylenes	Sample	92.4	ug/m3	0.283	ug/m3	E,P	Y	1/7/2025	09:40	1/21/2025	10:10
SPRSPO-5-S-20250107	5	o-Xylene	Sample	28	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:40	1/21/2025	10:10
SPRSPO-5-S-20250107	5	Toluene	Sample	3.53	ug/m3	0.251	ug/m3	P	Y	1/7/2025	09:40	1/21/2025	10:10
SPRSPO-5-D-20250107	5	Benzene	Duplicate	0.876	ug/m3	0.195	ug/m3		Y	1/7/2025	09:40	1/21/2025	10:10
SPRSPO-5-D-20250107	5	Ethylbenzene	Duplicate	31.2	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:40	1/21/2025	10:10
SPRSPO-5-D-20250107	5	m-/p-Xylenes	Duplicate	155	ug/m3	0.283	ug/m3	E,P	Y	1/7/2025	09:40	1/21/2025	10:10
SPRSPO-5-D-20250107	5	o-Xylene	Duplicate	46.7	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:40	1/21/2025	10:10
SPRSPO-5-D-20250107	5	Toluene	Duplicate	5.81	ug/m3	0.251	ug/m3	P	Y	1/7/2025	09:40	1/21/2025	10:10
SPRSPO-5-B-20250107	5	Benzene	Blank	<0.195	ug/m3	0.195	ug/m3	ND	N	1/7/2025	09:40	1/21/2025	10:10

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-5-B-20250107	5	Ethylbenzene	Blank	<0.283	ug/m3	0.283	ug/m3	ND,P	N	1/7/2025	09:40	1/21/2025	10:10
SPRSPO-5-B-20250107	5	m-/p-Xylenes	Blank	<0.283	ug/m3	0.283	ug/m3	ND,P	N	1/7/2025	09:40	1/21/2025	10:10
SPRSPO-5-B-20250107	5	o-Xylene	Blank	<0.283	ug/m3	0.283	ug/m3	ND,P	N	1/7/2025	09:40	1/21/2025	10:10
SPRSPO-5-B-20250107	5	Toluene	Blank	0.273	ug/m3	0.251	ug/m3	J,P	Y	1/7/2025	09:40	1/21/2025	10:10
SPRSPO-6-S-20250107	6	Benzene	Sample	0.869	ug/m3	0.195	ug/m3		Y	1/7/2025	09:50	1/21/2025	10:20
SPRSPO-6-S-20250107	6	Ethylbenzene	Sample	14.9	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:50	1/21/2025	10:20
SPRSPO-6-S-20250107	6	m-/p-Xylenes	Sample	66.4	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:50	1/21/2025	10:20
SPRSPO-6-S-20250107	6	o-Xylene	Sample	17.7	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:50	1/21/2025	10:20
SPRSPO-6-S-20250107	6	Toluene	Sample	8.02	ug/m3	0.251	ug/m3	P	Y	1/7/2025	09:50	1/21/2025	10:20
SPRSPO-7-S-20250107	7	Benzene	Sample	0.934	ug/m3	0.195	ug/m3		Y	1/7/2025	09:55	1/21/2025	10:25
SPRSPO-7-S-20250107	7	Ethylbenzene	Sample	28	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:55	1/21/2025	10:25
SPRSPO-7-S-20250107	7	m-/p-Xylenes	Sample	132	ug/m3	0.283	ug/m3	E,P	Y	1/7/2025	09:55	1/21/2025	10:25
SPRSPO-7-S-20250107	7	o-Xylene	Sample	35.5	ug/m3	0.283	ug/m3	P	Y	1/7/2025	09:55	1/21/2025	10:25
SPRSPO-7-S-20250107	7	Toluene	Sample	5.47	ug/m3	0.251	ug/m3	P	Y	1/7/2025	09:55	1/21/2025	10:25
SPRSPO-8-S-20250107	8	Benzene	Sample	0.888	ug/m3	0.195	ug/m3		Y	1/7/2025	10:05	1/21/2025	10:35
SPRSPO-8-S-20250107	8	Ethylbenzene	Sample	20.5	ug/m3	0.283	ug/m3	P	Y	1/7/2025	10:05	1/21/2025	10:35
SPRSPO-8-S-20250107	8	m-/p-Xylenes	Sample	94.1	ug/m3	0.283	ug/m3	E,P	Y	1/7/2025	10:05	1/21/2025	10:35
SPRSPO-8-S-20250107	8	o-Xylene	Sample	24.2	ug/m3	0.283	ug/m3	P	Y	1/7/2025	10:05	1/21/2025	10:35
SPRSPO-8-S-20250107	8	Toluene	Sample	6.09	ug/m3	0.251	ug/m3	P	Y	1/7/2025	10:05	1/21/2025	10:35
SPRSPO-9-S-20250107	9	Benzene	Sample	0.865	ug/m3	0.195	ug/m3		Y	1/7/2025	10:15	1/21/2025	10:45
SPRSPO-9-S-20250107	9	Ethylbenzene	Sample	21.4	ug/m3	0.283	ug/m3	P	Y	1/7/2025	10:15	1/21/2025	10:45
SPRSPO-9-S-20250107	9	m-/p-Xylenes	Sample	98.7	ug/m3	0.283	ug/m3	E,P	Y	1/7/2025	10:15	1/21/2025	10:45
SPRSPO-9-S-20250107	9	o-Xylene	Sample	25.4	ug/m3	0.283	ug/m3	P	Y	1/7/2025	10:15	1/21/2025	10:45
SPRSPO-9-S-20250107	9	Toluene	Sample	6.93	ug/m3	0.251	ug/m3	P	Y	1/7/2025	10:15	1/21/2025	10:45
SPRSPO-10-S-20250107	10	Benzene	Sample	0.869	ug/m3	0.195	ug/m3		Y	1/7/2025	10:25	1/21/2025	10:50
SPRSPO-10-S-20250107	10	Ethylbenzene	Sample	19	ug/m3	0.283	ug/m3	P	Y	1/7/2025	10:25	1/21/2025	10:50
SPRSPO-10-S-20250107	10	m-/p-Xylenes	Sample	89.3	ug/m3	0.283	ug/m3	E,P	Y	1/7/2025	10:25	1/21/2025	10:50
SPRSPO-10-S-20250107	10	o-Xylene	Sample	25.4	ug/m3	0.283	ug/m3	P	Y	1/7/2025	10:25	1/21/2025	10:50
SPRSPO-10-S-20250107	10	Toluene	Sample	5.15	ug/m3	0.251	ug/m3	P	Y	1/7/2025	10:25	1/21/2025	10:50
SPRSPO-11-S-20250107	11	Benzene	Sample	0.887	ug/m3	0.195	ug/m3		Y	1/7/2025	10:35	1/21/2025	11:00
SPRSPO-11-S-20250107	11	Ethylbenzene	Sample	14.8	ug/m3	0.283	ug/m3	P	Y	1/7/2025	10:35	1/21/2025	11:00
SPRSPO-11-S-20250107	11	m-/p-Xylenes	Sample	66.5	ug/m3	0.283	ug/m3	P	Y	1/7/2025	10:35	1/21/2025	11:00
SPRSPO-11-S-20250107	11	o-Xylene	Sample	19.3	ug/m3	0.283	ug/m3	P	Y	1/7/2025	10:35	1/21/2025	11:00
SPRSPO-11-S-20250107	11	Toluene	Sample	5.16	ug/m3	0.251	ug/m3	P	Y	1/7/2025	10:35	1/21/2025	11:00
SPRSPO-12-S-20250107	12	Benzene	Sample	0.986	ug/m3	0.195	ug/m3		Y	1/7/2025	10:45	1/21/2025	11:05
SPRSPO-12-S-20250107	12	Ethylbenzene	Sample	21.8	ug/m3	0.284	ug/m3	P	Y	1/7/2025	10:45	1/21/2025	11:05

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-12-S-20250107	12	m-/p-Xylenes	Sample	100	ug/m3	0.284	ug/m3	E,P	Y	1/7/2025	10:45	1/21/2025	11:05
SPRSPO-12-S-20250107	12	o-Xylene	Sample	26.7	ug/m3	0.284	ug/m3	P	Y	1/7/2025	10:45	1/21/2025	11:05
SPRSPO-12-S-20250107	12	Toluene	Sample	9.35	ug/m3	0.251	ug/m3	P	Y	1/7/2025	10:45	1/21/2025	11:05
SPRSPO-13-S-20250107	13	Benzene	Sample	0.968	ug/m3	0.195	ug/m3		Y	1/7/2025	10:50	1/21/2025	11:10
SPRSPO-13-S-20250107	13	Ethylbenzene	Sample	25.9	ug/m3	0.284	ug/m3	P	Y	1/7/2025	10:50	1/21/2025	11:10
SPRSPO-13-S-20250107	13	m-/p-Xylenes	Sample	124	ug/m3	0.284	ug/m3	E,P	Y	1/7/2025	10:50	1/21/2025	11:10
SPRSPO-13-S-20250107	13	o-Xylene	Sample	36.1	ug/m3	0.284	ug/m3	P	Y	1/7/2025	10:50	1/21/2025	11:10
SPRSPO-13-S-20250107	13	Toluene	Sample	5.48	ug/m3	0.251	ug/m3	P	Y	1/7/2025	10:50	1/21/2025	11:10
SPRSPO-13-D-20250107	13	Benzene	Duplicate	0.959	ug/m3	0.195	ug/m3		Y	1/7/2025	10:50	1/21/2025	11:10
SPRSPO-13-D-20250107	13	Ethylbenzene	Duplicate	18.6	ug/m3	0.284	ug/m3	P	Y	1/7/2025	10:50	1/21/2025	11:10
SPRSPO-13-D-20250107	13	m-/p-Xylenes	Duplicate	85.4	ug/m3	0.284	ug/m3	E,P	Y	1/7/2025	10:50	1/21/2025	11:10
SPRSPO-13-D-20250107	13	o-Xylene	Duplicate	23.3	ug/m3	0.284	ug/m3	P	Y	1/7/2025	10:50	1/21/2025	11:10
SPRSPO-13-D-20250107	13	Toluene	Duplicate	6.78	ug/m3	0.251	ug/m3	P	Y	1/7/2025	10:50	1/21/2025	11:10
SPRSPO-13-B-20250107	13	Benzene	Blank	<0.195	ug/m3	0.195	ug/m3	ND	N	1/7/2025	10:50	1/21/2025	11:10
SPRSPO-13-B-20250107	13	Ethylbenzene	Blank	<0.284	ug/m3	0.284	ug/m3	ND,P	N	1/7/2025	10:50	1/21/2025	11:10
SPRSPO-13-B-20250107	13	m-/p-Xylenes	Blank	0.967	ug/m3	0.284	ug/m3	P	Y	1/7/2025	10:50	1/21/2025	11:10
SPRSPO-13-B-20250107	13	o-Xylene	Blank	<0.284	ug/m3	0.284	ug/m3	ND,P	N	1/7/2025	10:50	1/21/2025	11:10
SPRSPO-13-B-20250107	13	Toluene	Blank	<0.251	ug/m3	0.251	ug/m3	ND,P	N	1/7/2025	10:50	1/21/2025	11:10
SPRSPO-14-S-20250107	14	Benzene	Sample	0.952	ug/m3	0.195	ug/m3		Y	1/7/2025	11:00	1/21/2025	11:20
SPRSPO-14-S-20250107	14	Ethylbenzene	Sample	23.9	ug/m3	0.284	ug/m3	P	Y	1/7/2025	11:00	1/21/2025	11:20
SPRSPO-14-S-20250107	14	m-/p-Xylenes	Sample	115	ug/m3	0.284	ug/m3	E,P	Y	1/7/2025	11:00	1/21/2025	11:20
SPRSPO-14-S-20250107	14	o-Xylene	Sample	32.2	ug/m3	0.284	ug/m3	P	Y	1/7/2025	11:00	1/21/2025	11:20
SPRSPO-14-S-20250107	14	Toluene	Sample	4.86	ug/m3	0.251	ug/m3	P	Y	1/7/2025	11:00	1/21/2025	11:20
SPRSPO-15-S-20250107	15	Benzene	Sample	1.14	ug/m3	0.195	ug/m3		Y	1/7/2025	11:10	1/21/2025	11:30
SPRSPO-15-S-20250107	15	Ethylbenzene	Sample	18	ug/m3	0.284	ug/m3	P	Y	1/7/2025	11:10	1/21/2025	11:30
SPRSPO-15-S-20250107	15	m-/p-Xylenes	Sample	81.7	ug/m3	0.284	ug/m3	E,P	Y	1/7/2025	11:10	1/21/2025	11:30
SPRSPO-15-S-20250107	15	o-Xylene	Sample	21.4	ug/m3	0.284	ug/m3	P	Y	1/7/2025	11:10	1/21/2025	11:30
SPRSPO-15-S-20250107	15	Toluene	Sample	8.75	ug/m3	0.251	ug/m3	P	Y	1/7/2025	11:10	1/21/2025	11:30
SPRSPO-16-S-20250107	16	Benzene	Sample	1.09	ug/m3	0.195	ug/m3		Y	1/7/2025	11:15	1/21/2025	11:35
SPRSPO-16-S-20250107	16	Ethylbenzene	Sample	23.1	ug/m3	0.284	ug/m3	P	Y	1/7/2025	11:15	1/21/2025	11:35
SPRSPO-16-S-20250107	16	m-/p-Xylenes	Sample	109	ug/m3	0.284	ug/m3	E,P	Y	1/7/2025	11:15	1/21/2025	11:35
SPRSPO-16-S-20250107	16	o-Xylene	Sample	32.1	ug/m3	0.284	ug/m3	P	Y	1/7/2025	11:15	1/21/2025	11:35
SPRSPO-16-S-20250107	16	Toluene	Sample	6.35	ug/m3	0.251	ug/m3	P	Y	1/7/2025	11:15	1/21/2025	11:35
SPRSPO-1-S-20250121	1	Benzene	Sample	1.03	ug/m3	0.195	ug/m3		Y	1/21/2025	09:50	2/4/2025	10:15
SPRSPO-1-S-20250121	1	Ethylbenzene	Sample	13.3	ug/m3	0.285	ug/m3	P	Y	1/21/2025	09:50	2/4/2025	10:15
SPRSPO-1-S-20250121	1	o-Xylene	Sample	15.1	ug/m3	0.285	ug/m3	P	Y	1/21/2025	09:50	2/4/2025	10:15

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-1-S-20250121	1	Toluene	Sample	2.61	ug/m3	0.252	ug/m3		Y	1/21/2025	09:50	2/4/2025	10:15
SPRSPO-1-S-20250121	1	m-/p-Xylenes	Sample	52.1	ug/m3	0.285	ug/m3	P	Y	1/21/2025	09:50	2/4/2025	10:15
SPRSPO-2-S-20250121	2	Benzene	Sample	0.901	ug/m3	0.195	ug/m3		Y	1/21/2025	09:55	2/4/2025	10:25
SPRSPO-2-S-20250121	2	Ethylbenzene	Sample	4.5	ug/m3	0.284	ug/m3	P	Y	1/21/2025	09:55	2/4/2025	10:25
SPRSPO-2-S-20250121	2	o-Xylene	Sample	7.06	ug/m3	0.284	ug/m3	P	Y	1/21/2025	09:55	2/4/2025	10:25
SPRSPO-2-S-20250121	2	Toluene	Sample	2.17	ug/m3	0.252	ug/m3		Y	1/21/2025	09:55	2/4/2025	10:25
SPRSPO-2-S-20250121	2	m-/p-Xylenes	Sample	19.5	ug/m3	0.284	ug/m3	P	Y	1/21/2025	09:55	2/4/2025	10:25
SPRSPO-3-S-20250121	3	Benzene	Sample	0.958	ug/m3	0.195	ug/m3		Y	1/21/2025	10:00	2/4/2025	10:35
SPRSPO-3-S-20250121	3	Ethylbenzene	Sample	3.69	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:00	2/4/2025	10:35
SPRSPO-3-S-20250121	3	o-Xylene	Sample	5.94	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:00	2/4/2025	10:35
SPRSPO-3-S-20250121	3	Toluene	Sample	2.18	ug/m3	0.252	ug/m3		Y	1/21/2025	10:00	2/4/2025	10:35
SPRSPO-3-S-20250121	3	m-/p-Xylenes	Sample	16.2	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:00	2/4/2025	10:35
SPRSPO-4-S-20250121	4	Benzene	Sample	1.4	ug/m3	0.195	ug/m3		Y	1/21/2025	10:05	2/4/2025	10:40
SPRSPO-4-S-20250121	4	Ethylbenzene	Sample	9.87	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:05	2/4/2025	10:40
SPRSPO-4-S-20250121	4	o-Xylene	Sample	10.2	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:05	2/4/2025	10:40
SPRSPO-4-S-20250121	4	Toluene	Sample	5.34	ug/m3	0.252	ug/m3		Y	1/21/2025	10:05	2/4/2025	10:40
SPRSPO-4-S-20250121	4	m-/p-Xylenes	Sample	36.7	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:05	2/4/2025	10:40
SPRSPO-5-S-20250121	5	Benzene	Sample	1.01	ug/m3	0.195	ug/m3		Y	1/21/2025	10:10	2/4/2025	10:45
SPRSPO-5-S-20250121	5	Ethylbenzene	Sample	12.3	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:10	2/4/2025	10:45
SPRSPO-5-S-20250121	5	o-Xylene	Sample	16	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:10	2/4/2025	10:45
SPRSPO-5-S-20250121	5	Toluene	Sample	3.32	ug/m3	0.252	ug/m3		Y	1/21/2025	10:10	2/4/2025	10:45
SPRSPO-5-S-20250121	5	m-/p-Xylenes	Sample	50.4	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:10	2/4/2025	10:45
SPRSPO-5-D-20250121	5	Benzene	Duplicate	0.976	ug/m3	0.195	ug/m3		Y	1/21/2025	10:10	2/4/2025	10:45
SPRSPO-5-D-20250121	5	Ethylbenzene	Duplicate	14.9	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:10	2/4/2025	10:45
SPRSPO-5-D-20250121	5	o-Xylene	Duplicate	21.1	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:10	2/4/2025	10:45
SPRSPO-5-D-20250121	5	Toluene	Duplicate	3.14	ug/m3	0.252	ug/m3		Y	1/21/2025	10:10	2/4/2025	10:45
SPRSPO-5-D-20250121	5	m-/p-Xylenes	Duplicate	65.3	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:10	2/4/2025	10:45
SPRSPO-5-B-20250121	5	Benzene	Blank	<0.195	ug/m3	0.195	ug/m3	ND	N	1/21/2025	10:10	2/4/2025	10:45
SPRSPO-5-B-20250121	5	Ethylbenzene	Blank	<0.284	ug/m3	0.284	ug/m3	ND,P	N	1/21/2025	10:10	2/4/2025	10:45
SPRSPO-5-B-20250121	5	o-Xylene	Blank	<0.284	ug/m3	0.284	ug/m3	ND,P	N	1/21/2025	10:10	2/4/2025	10:45
SPRSPO-5-B-20250121	5	Toluene	Blank	<0.252	ug/m3	0.252	ug/m3	ND	N	1/21/2025	10:10	2/4/2025	10:45
SPRSPO-5-B-20250121	5	m-/p-Xylenes	Blank	<0.284	ug/m3	0.284	ug/m3	ND,P	N	1/21/2025	10:10	2/4/2025	10:45
SPRSPO-6-S-20250121	6	Benzene	Sample	0.719	ug/m3	0.195	ug/m3		Y	1/21/2025	10:20	2/4/2025	10:50
SPRSPO-6-S-20250121	6	Ethylbenzene	Sample	3.67	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:20	2/4/2025	10:50
SPRSPO-6-S-20250121	6	o-Xylene	Sample	6.16	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:20	2/4/2025	10:50
SPRSPO-6-S-20250121	6	Toluene	Sample	1.7	ug/m3	0.252	ug/m3		Y	1/21/2025	10:20	2/4/2025	10:50

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-6-S-20250121	6	m-/p-Xylenes	Sample	16.8	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:20	2/4/2025	10:50
SPRSPO-7-S-20250121	7	Benzene	Sample	0.764	ug/m3	0.195	ug/m3		Y	1/21/2025	10:25	2/4/2025	10:55
SPRSPO-7-S-20250121	7	Ethylbenzene	Sample	13	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:25	2/4/2025	10:55
SPRSPO-7-S-20250121	7	o-Xylene	Sample	14.7	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:25	2/4/2025	10:55
SPRSPO-7-S-20250121	7	Toluene	Sample	1.64	ug/m3	0.252	ug/m3		Y	1/21/2025	10:25	2/4/2025	10:55
SPRSPO-7-S-20250121	7	m-/p-Xylenes	Sample	52.7	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:25	2/4/2025	10:55
SPRSPO-8-S-20250121	8	Benzene	Sample	0.687	ug/m3	0.195	ug/m3		Y	1/21/2025	10:35	2/4/2025	11:05
SPRSPO-8-S-20250121	8	Ethylbenzene	Sample	10.7	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:35	2/4/2025	11:05
SPRSPO-8-S-20250121	8	o-Xylene	Sample	12.5	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:35	2/4/2025	11:05
SPRSPO-8-S-20250121	8	Toluene	Sample	1.24	ug/m3	0.252	ug/m3		Y	1/21/2025	10:35	2/4/2025	11:05
SPRSPO-8-S-20250121	8	m-/p-Xylenes	Sample	43.2	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:35	2/4/2025	11:05
SPRSPO-9-S-20250121	9	Benzene	Sample	0.719	ug/m3	0.195	ug/m3		Y	1/21/2025	10:45	2/4/2025	11:15
SPRSPO-9-S-20250121	9	Ethylbenzene	Sample	11.4	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:45	2/4/2025	11:15
SPRSPO-9-S-20250121	9	o-Xylene	Sample	12.6	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:45	2/4/2025	11:15
SPRSPO-9-S-20250121	9	Toluene	Sample	1.5	ug/m3	0.252	ug/m3		Y	1/21/2025	10:45	2/4/2025	11:15
SPRSPO-9-S-20250121	9	m-/p-Xylenes	Sample	44.5	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:45	2/4/2025	11:15
SPRSPO-10-S-20250121	10	Benzene	Sample	0.739	ug/m3	0.195	ug/m3		Y	1/21/2025	10:50	2/4/2025	11:25
SPRSPO-10-S-20250121	10	Ethylbenzene	Sample	4.45	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:50	2/4/2025	11:25
SPRSPO-10-S-20250121	10	o-Xylene	Sample	6.76	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:50	2/4/2025	11:25
SPRSPO-10-S-20250121	10	Toluene	Sample	1.03	ug/m3	0.252	ug/m3		Y	1/21/2025	10:50	2/4/2025	11:25
SPRSPO-10-S-20250121	10	m-/p-Xylenes	Sample	19.4	ug/m3	0.284	ug/m3	P	Y	1/21/2025	10:50	2/4/2025	11:25
SPRSPO-11-S-20250121	11	Benzene	Sample	0.794	ug/m3	0.195	ug/m3		Y	1/21/2025	11:00	2/4/2025	11:35
SPRSPO-11-S-20250121	11	Ethylbenzene	Sample	3.87	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:00	2/4/2025	11:35
SPRSPO-11-S-20250121	11	o-Xylene	Sample	5.99	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:00	2/4/2025	11:35
SPRSPO-11-S-20250121	11	Toluene	Sample	1.25	ug/m3	0.252	ug/m3		Y	1/21/2025	11:00	2/4/2025	11:35
SPRSPO-11-S-20250121	11	m-/p-Xylenes	Sample	16.6	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:00	2/4/2025	11:35
SPRSPO-12-S-20250121	12	Benzene	Sample	0.902	ug/m3	0.195	ug/m3		Y	1/21/2025	11:05	2/4/2025	11:45
SPRSPO-12-S-20250121	12	Ethylbenzene	Sample	10.2	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:05	2/4/2025	11:45
SPRSPO-12-S-20250121	12	o-Xylene	Sample	11.2	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:05	2/4/2025	11:45
SPRSPO-12-S-20250121	12	Toluene	Sample	1.99	ug/m3	0.252	ug/m3		Y	1/21/2025	11:05	2/4/2025	11:45
SPRSPO-12-S-20250121	12	m-/p-Xylenes	Sample	39.8	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:05	2/4/2025	11:45
SPRSPO-13-S-20250121	13	Benzene	Sample	0.825	ug/m3	0.195	ug/m3		Y	1/21/2025	11:10	2/4/2025	11:50
SPRSPO-13-S-20250121	13	Ethylbenzene	Sample	14.6	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:10	2/4/2025	11:50
SPRSPO-13-S-20250121	13	o-Xylene	Sample	17.7	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:10	2/4/2025	11:50
SPRSPO-13-S-20250121	13	Toluene	Sample	1.92	ug/m3	0.252	ug/m3		Y	1/21/2025	11:10	2/4/2025	11:50
SPRSPO-13-S-20250121	13	m-/p-Xylenes	Sample	60.2	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:10	2/4/2025	11:50

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-13-D-20250121	13	Benzene	Duplicate	0.816	ug/m3	0.195	ug/m3		Y	1/21/2025	11:10	2/4/2025	11:50
SPRSPO-13-D-20250121	13	Ethylbenzene	Duplicate	3.65	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:10	2/4/2025	11:50
SPRSPO-13-D-20250121	13	o-Xylene	Duplicate	6.06	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:10	2/4/2025	11:50
SPRSPO-13-D-20250121	13	Toluene	Duplicate	1.58	ug/m3	0.252	ug/m3		Y	1/21/2025	11:10	2/4/2025	11:50
SPRSPO-13-D-20250121	13	m-/p-Xylenes	Duplicate	16.8	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:10	2/4/2025	11:50
SPRSPO-13-B-20250121	13	Benzene	Blank	<0.195	ug/m3	0.195	ug/m3	ND	N	1/21/2025	11:10	2/4/2025	11:50
SPRSPO-13-B-20250121	13	Ethylbenzene	Blank	<0.284	ug/m3	0.284	ug/m3	ND,P	N	1/21/2025	11:10	2/4/2025	11:50
SPRSPO-13-B-20250121	13	o-Xylene	Blank	<0.284	ug/m3	0.284	ug/m3	ND,P	N	1/21/2025	11:10	2/4/2025	11:50
SPRSPO-13-B-20250121	13	Toluene	Blank	<0.252	ug/m3	0.252	ug/m3	ND	N	1/21/2025	11:10	2/4/2025	11:50
SPRSPO-13-B-20250121	13	m-/p-Xylenes	Blank	<0.284	ug/m3	0.284	ug/m3	ND,P	N	1/21/2025	11:10	2/4/2025	11:50
SPRSPO-14-S-20250121	14	Benzene	Sample	0.936	ug/m3	0.195	ug/m3		Y	1/21/2025	11:20	2/4/2025	12:00
SPRSPO-14-S-20250121	14	Ethylbenzene	Sample	12.5	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:20	2/4/2025	12:00
SPRSPO-14-S-20250121	14	o-Xylene	Sample	14.4	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:20	2/4/2025	12:00
SPRSPO-14-S-20250121	14	Toluene	Sample	2.28	ug/m3	0.252	ug/m3		Y	1/21/2025	11:20	2/4/2025	12:00
SPRSPO-14-S-20250121	14	m-/p-Xylenes	Sample	48.9	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:20	2/4/2025	12:00
SPRSPO-15-S-20250121	15	Benzene	Sample	0.855	ug/m3	0.195	ug/m3		Y	1/21/2025	11:30	2/4/2025	12:10
SPRSPO-15-S-20250121	15	Ethylbenzene	Sample	3.62	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:30	2/4/2025	12:10
SPRSPO-15-S-20250121	15	o-Xylene	Sample	6.35	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:30	2/4/2025	12:10
SPRSPO-15-S-20250121	15	Toluene	Sample	1.85	ug/m3	0.252	ug/m3		Y	1/21/2025	11:30	2/4/2025	12:10
SPRSPO-15-S-20250121	15	m-/p-Xylenes	Sample	16.4	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:30	2/4/2025	12:10
SPRSPO-16-S-20250121	16	Benzene	Sample	0.924	ug/m3	0.195	ug/m3		Y	1/21/2025	11:35	2/4/2025	12:15
SPRSPO-16-S-20250121	16	Ethylbenzene	Sample	3.91	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:35	2/4/2025	12:15
SPRSPO-16-S-20250121	16	o-Xylene	Sample	6.25	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:35	2/4/2025	12:15
SPRSPO-16-S-20250121	16	Toluene	Sample	2.07	ug/m3	0.252	ug/m3		Y	1/21/2025	11:35	2/4/2025	12:15
SPRSPO-16-S-20250121	16	m-/p-Xylenes	Sample	17.8	ug/m3	0.284	ug/m3	P	Y	1/21/2025	11:35	2/4/2025	12:15
SPRSPO-1-S-20250204	1	Benzene	Sample	1.11	ug/m3	0.196	ug/m3		Y	2/4/2025	10:15	2/18/2025	10:00
SPRSPO-1-S-20250204	1	Ethylbenzene	Sample	1.45	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:15	2/18/2025	10:00
SPRSPO-1-S-20250204	1	m-/p-Xylenes	Sample	7.27	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:15	2/18/2025	10:00
SPRSPO-1-S-20250204	1	o-Xylene	Sample	2.38	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:15	2/18/2025	10:00
SPRSPO-1-S-20250204	1	Toluene	Sample	2.65	ug/m3	0.252	ug/m3		Y	2/4/2025	10:15	2/18/2025	10:00
SPRSPO-2-S-20250204	2	Benzene	Sample	1.08	ug/m3	0.196	ug/m3		Y	2/4/2025	10:25	2/18/2025	10:10
SPRSPO-2-S-20250204	2	Ethylbenzene	Sample	3.82	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:25	2/18/2025	10:10
SPRSPO-2-S-20250204	2	m-/p-Xylenes	Sample	25.5	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:25	2/18/2025	10:10
SPRSPO-2-S-20250204	2	o-Xylene	Sample	8.27	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:25	2/18/2025	10:10
SPRSPO-2-S-20250204	2	Toluene	Sample	3.18	ug/m3	0.252	ug/m3		Y	2/4/2025	10:25	2/18/2025	10:10
SPRSPO-3-S-20250204	3	Benzene	Sample	1.12	ug/m3	0.196	ug/m3		Y	2/4/2025	10:35	2/18/2025	10:15

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-3-S-20250204	3	Ethylbenzene	Sample	1.59	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:35	2/18/2025	10:15
SPRSPO-3-S-20250204	3	m-/p-Xylenes	Sample	9.81	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:35	2/18/2025	10:15
SPRSPO-3-S-20250204	3	o-Xylene	Sample	3.08	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:35	2/18/2025	10:15
SPRSPO-3-S-20250204	3	Toluene	Sample	2.63	ug/m3	0.252	ug/m3		Y	2/4/2025	10:35	2/18/2025	10:15
SPRSPO-4-S-20250204	4	Benzene	Sample	1.18	ug/m3	0.196	ug/m3		Y	2/4/2025	10:40	2/18/2025	10:20
SPRSPO-4-S-20250204	4	Ethylbenzene	Sample	1.4	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:40	2/18/2025	10:20
SPRSPO-4-S-20250204	4	m-/p-Xylenes	Sample	8.06	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:40	2/18/2025	10:20
SPRSPO-4-S-20250204	4	o-Xylene	Sample	2.63	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:40	2/18/2025	10:20
SPRSPO-4-S-20250204	4	Toluene	Sample	2.58	ug/m3	0.252	ug/m3		Y	2/4/2025	10:40	2/18/2025	10:20
SPRSPO-5-S-20250204	5	Benzene	Sample	0.866	ug/m3	0.196	ug/m3		Y	2/4/2025	10:45	2/18/2025	10:30
SPRSPO-5-S-20250204	5	Ethylbenzene	Sample	0.968	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:45	2/18/2025	10:30
SPRSPO-5-S-20250204	5	m-/p-Xylenes	Sample	4.89	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:45	2/18/2025	10:30
SPRSPO-5-S-20250204	5	o-Xylene	Sample	1.73	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:45	2/18/2025	10:30
SPRSPO-5-S-20250204	5	Toluene	Sample	1.72	ug/m3	0.252	ug/m3		Y	2/4/2025	10:45	2/18/2025	10:30
SPRSPO-5-D-20250204	5	Benzene	Duplicate	1.04	ug/m3	0.196	ug/m3		Y	2/4/2025	10:45	2/18/2025	10:30
SPRSPO-5-D-20250204	5	Ethylbenzene	Duplicate	2.64	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:45	2/18/2025	10:30
SPRSPO-5-D-20250204	5	m-/p-Xylenes	Duplicate	16.2	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:45	2/18/2025	10:30
SPRSPO-5-D-20250204	5	o-Xylene	Duplicate	5.51	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:45	2/18/2025	10:30
SPRSPO-5-D-20250204	5	Toluene	Duplicate	2.28	ug/m3	0.252	ug/m3		Y	2/4/2025	10:45	2/18/2025	10:30
SPRSPO-5-B-20250204	5	Benzene	Blank	<0.196	ug/m3	0.196	ug/m3	ND	N	2/4/2025	10:45	2/18/2025	10:30
SPRSPO-5-B-20250204	5	Ethylbenzene	Blank	<0.285	ug/m3	0.285	ug/m3	ND,P	N	2/4/2025	10:45	2/18/2025	10:30
SPRSPO-5-B-20250204	5	m-/p-Xylenes	Blank	<0.285	ug/m3	0.285	ug/m3	ND,P	N	2/4/2025	10:45	2/18/2025	10:30
SPRSPO-5-B-20250204	5	o-Xylene	Blank	<0.285	ug/m3	0.285	ug/m3	ND,P	N	2/4/2025	10:45	2/18/2025	10:30
SPRSPO-5-B-20250204	5	Toluene	Blank	<0.252	ug/m3	0.252	ug/m3	ND	N	2/4/2025	10:45	2/18/2025	10:30
SPRSPO-6-S-20250204	6	Benzene	Sample	0.995	ug/m3	0.196	ug/m3		Y	2/4/2025	10:50	2/18/2025	10:40
SPRSPO-6-S-20250204	6	Ethylbenzene	Sample	3.05	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:50	2/18/2025	10:40
SPRSPO-6-S-20250204	6	m-/p-Xylenes	Sample	21.1	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:50	2/18/2025	10:40
SPRSPO-6-S-20250204	6	o-Xylene	Sample	7.19	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:50	2/18/2025	10:40
SPRSPO-6-S-20250204	6	Toluene	Sample	2.21	ug/m3	0.252	ug/m3		Y	2/4/2025	10:50	2/18/2025	10:40
SPRSPO-7-S-20250204	7	Benzene	Sample	0.923	ug/m3	0.196	ug/m3		Y	2/4/2025	10:55	2/18/2025	10:45
SPRSPO-7-S-20250204	7	Ethylbenzene	Sample	2.86	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:55	2/18/2025	10:45
SPRSPO-7-S-20250204	7	m-/p-Xylenes	Sample	20.9	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:55	2/18/2025	10:45
SPRSPO-7-S-20250204	7	o-Xylene	Sample	7.38	ug/m3	0.285	ug/m3	P	Y	2/4/2025	10:55	2/18/2025	10:45
SPRSPO-7-S-20250204	7	Toluene	Sample	2.1	ug/m3	0.252	ug/m3		Y	2/4/2025	10:55	2/18/2025	10:45
SPRSPO-8-S-20250204	8	Benzene	Sample	0.838	ug/m3	0.196	ug/m3		Y	2/4/2025	11:05	2/18/2025	10:55
SPRSPO-8-S-20250204	8	Ethylbenzene	Sample	3.51	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:05	2/18/2025	10:55

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-8-S-20250204	8	m-/p-Xylenes	Sample	19.8	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:05	2/18/2025	10:55
SPRSPO-8-S-20250204	8	o-Xylene	Sample	8.58	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:05	2/18/2025	10:55
SPRSPO-8-S-20250204	8	Toluene	Sample	1.9	ug/m3	0.252	ug/m3		Y	2/4/2025	11:05	2/18/2025	10:55
SPRSPO-9-S-20250204	9	Benzene	Sample	0.917	ug/m3	0.196	ug/m3		Y	2/4/2025	11:15	2/18/2025	11:15
SPRSPO-9-S-20250204	9	Ethylbenzene	Sample	3.68	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:15	2/18/2025	11:15
SPRSPO-9-S-20250204	9	m-/p-Xylenes	Sample	27.7	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:15	2/18/2025	11:15
SPRSPO-9-S-20250204	9	o-Xylene	Sample	10	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:15	2/18/2025	11:15
SPRSPO-9-S-20250204	9	Toluene	Sample	2.22	ug/m3	0.252	ug/m3		Y	2/4/2025	11:15	2/18/2025	11:15
SPRSPO-10-S-20250204	10	Benzene	Sample	0.894	ug/m3	0.196	ug/m3		Y	2/4/2025	11:25	2/18/2025	11:25
SPRSPO-10-S-20250204	10	Ethylbenzene	Sample	1.13	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:25	2/18/2025	11:25
SPRSPO-10-S-20250204	10	m-/p-Xylenes	Sample	7.93	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:25	2/18/2025	11:25
SPRSPO-10-S-20250204	10	o-Xylene	Sample	2.67	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:25	2/18/2025	11:25
SPRSPO-10-S-20250204	10	Toluene	Sample	1.76	ug/m3	0.252	ug/m3		Y	2/4/2025	11:25	2/18/2025	11:25
SPRSPO-11-S-20250204	11	Benzene	Sample	0.881	ug/m3	0.196	ug/m3		Y	2/4/2025	11:35	2/18/2025	11:35
SPRSPO-11-S-20250204	11	Ethylbenzene	Sample	1.11	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:35	2/18/2025	11:35
SPRSPO-11-S-20250204	11	m-/p-Xylenes	Sample	6.22	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:35	2/18/2025	11:35
SPRSPO-11-S-20250204	11	o-Xylene	Sample	1.98	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:35	2/18/2025	11:35
SPRSPO-11-S-20250204	11	Toluene	Sample	1.41	ug/m3	0.252	ug/m3		Y	2/4/2025	11:35	2/18/2025	11:35
SPRSPO-12-S-20250204	12	Benzene	Sample	0.977	ug/m3	0.196	ug/m3		Y	2/4/2025	11:45	2/18/2025	11:45
SPRSPO-12-S-20250204	12	Ethylbenzene	Sample	3.18	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:45	2/18/2025	11:45
SPRSPO-12-S-20250204	12	m-/p-Xylenes	Sample	20.9	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:45	2/18/2025	11:45
SPRSPO-12-S-20250204	12	o-Xylene	Sample	6.52	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:45	2/18/2025	11:45
SPRSPO-12-S-20250204	12	Toluene	Sample	2.26	ug/m3	0.252	ug/m3		Y	2/4/2025	11:45	2/18/2025	11:45
SPRSPO-13-S-20250204	13	Benzene	Sample	1.08	ug/m3	0.196	ug/m3		Y	2/4/2025	11:50	2/18/2025	11:50
SPRSPO-13-S-20250204	13	Ethylbenzene	Sample	1.29	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:50	2/18/2025	11:50
SPRSPO-13-S-20250204	13	m-/p-Xylenes	Sample	5.77	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:50	2/18/2025	11:50
SPRSPO-13-S-20250204	13	o-Xylene	Sample	2.42	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:50	2/18/2025	11:50
SPRSPO-13-S-20250204	13	Toluene	Sample	2.22	ug/m3	0.252	ug/m3		Y	2/4/2025	11:50	2/18/2025	11:50
SPRSPO-13-D-20250204	13	Benzene	Duplicate	1.08	ug/m3	0.196	ug/m3		Y	2/4/2025	11:50	2/18/2025	11:50
SPRSPO-13-D-20250204	13	Ethylbenzene	Duplicate	1	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:50	2/18/2025	11:50
SPRSPO-13-D-20250204	13	m-/p-Xylenes	Duplicate	6.57	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:50	2/18/2025	11:50
SPRSPO-13-D-20250204	13	o-Xylene	Duplicate	2.27	ug/m3	0.285	ug/m3	P	Y	2/4/2025	11:50	2/18/2025	11:50
SPRSPO-13-D-20250204	13	Toluene	Duplicate	1.92	ug/m3	0.252	ug/m3		Y	2/4/2025	11:50	2/18/2025	11:50
SPRSPO-13-B-20250204	13	Benzene	Blank	<0.196	ug/m3	0.196	ug/m3	ND	N	2/4/2025	11:50	2/18/2025	11:50
SPRSPO-13-B-20250204	13	Ethylbenzene	Blank	<0.285	ug/m3	0.285	ug/m3	ND,P	N	2/4/2025	11:50	2/18/2025	11:50
SPRSPO-13-B-20250204	13	m-/p-Xylenes	Blank	<0.285	ug/m3	0.285	ug/m3	ND,P	N	2/4/2025	11:50	2/18/2025	11:50

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-13-B-20250204	13	o-Xylene	Blank	<0.285	ug/m3	0.285	ug/m3	ND,P	N	2/4/2025	11:50	2/18/2025	11:50
SPRSPO-13-B-20250204	13	Toluene	Blank	<0.252	ug/m3	0.252	ug/m3	ND	N	2/4/2025	11:50	2/18/2025	11:50
SPRSPO-14-S-20250204	14	Benzene	Sample	1.23	ug/m3	0.196	ug/m3		Y	2/4/2025	12:00	2/18/2025	12:00
SPRSPO-14-S-20250204	14	Ethylbenzene	Sample	3.55	ug/m3	0.285	ug/m3	P	Y	2/4/2025	12:00	2/18/2025	12:00
SPRSPO-14-S-20250204	14	m-/p-Xylenes	Sample	23.9	ug/m3	0.285	ug/m3	P	Y	2/4/2025	12:00	2/18/2025	12:00
SPRSPO-14-S-20250204	14	o-Xylene	Sample	7.66	ug/m3	0.285	ug/m3	P	Y	2/4/2025	12:00	2/18/2025	12:00
SPRSPO-14-S-20250204	14	Toluene	Sample	3.09	ug/m3	0.252	ug/m3		Y	2/4/2025	12:00	2/18/2025	12:00
SPRSPO-15-S-20250204	15	Benzene	Sample	1.1	ug/m3	0.196	ug/m3		Y	2/4/2025	12:10	2/18/2025	12:10
SPRSPO-15-S-20250204	15	Ethylbenzene	Sample	3.66	ug/m3	0.285	ug/m3	P	Y	2/4/2025	12:10	2/18/2025	12:10
SPRSPO-15-S-20250204	15	m-/p-Xylenes	Sample	25.1	ug/m3	0.285	ug/m3	P	Y	2/4/2025	12:10	2/18/2025	12:10
SPRSPO-15-S-20250204	15	o-Xylene	Sample	7.97	ug/m3	0.285	ug/m3	P	Y	2/4/2025	12:10	2/18/2025	12:10
SPRSPO-15-S-20250204	15	Toluene	Sample	2.87	ug/m3	0.252	ug/m3		Y	2/4/2025	12:10	2/18/2025	12:10
SPRSPO-16-S-20250204	16	Benzene	Sample	1.43	ug/m3	0.196	ug/m3		Y	2/4/2025	12:15	2/18/2025	12:20
SPRSPO-16-S-20250204	16	Ethylbenzene	Sample	3.29	ug/m3	0.285	ug/m3	P	Y	2/4/2025	12:15	2/18/2025	12:20
SPRSPO-16-S-20250204	16	m-/p-Xylenes	Sample	22.7	ug/m3	0.285	ug/m3	P	Y	2/4/2025	12:15	2/18/2025	12:20
SPRSPO-16-S-20250204	16	o-Xylene	Sample	7.5	ug/m3	0.285	ug/m3	P	Y	2/4/2025	12:15	2/18/2025	12:20
SPRSPO-16-S-20250204	16	Toluene	Sample	3.77	ug/m3	0.252	ug/m3		Y	2/4/2025	12:15	2/18/2025	12:20
SPRSPO-1-S-20250218	1	Benzene	Sample	1.59	ug/m3	0.195	ug/m3		Y	2/18/2025	10:00	3/4/2025	09:35
SPRSPO-1-S-20250218	1	Ethylbenzene	Sample	1.48	ug/m3	0.284	ug/m3	Pc	Y	2/18/2025	10:00	3/4/2025	09:35
SPRSPO-1-S-20250218	1	m-/p-Xylenes	Sample	4.67	ug/m3	0.284	ug/m3		Y	2/18/2025	10:00	3/4/2025	09:35
SPRSPO-1-S-20250218	1	o-Xylene	Sample	1.72	ug/m3	0.284	ug/m3	Pc	Y	2/18/2025	10:00	3/4/2025	09:35
SPRSPO-1-S-20250218	1	Toluene	Sample	4.58	ug/m3	0.251	ug/m3		Y	2/18/2025	10:00	3/4/2025	09:35
SPRSPO-2-S-20250218	2	Benzene	Sample	1.23	ug/m3	0.195	ug/m3		Y	2/18/2025	10:10	3/4/2025	09:45
SPRSPO-2-S-20250218	2	Ethylbenzene	Sample	0.676	ug/m3	0.284	ug/m3	Pc	Y	2/18/2025	10:10	3/4/2025	09:45
SPRSPO-2-S-20250218	2	m-/p-Xylenes	Sample	2.23	ug/m3	0.284	ug/m3		Y	2/18/2025	10:10	3/4/2025	09:45
SPRSPO-2-S-20250218	2	o-Xylene	Sample	0.892	ug/m3	0.284	ug/m3	Pc	Y	2/18/2025	10:10	3/4/2025	09:45
SPRSPO-2-S-20250218	2	Toluene	Sample	3.61	ug/m3	0.251	ug/m3		Y	2/18/2025	10:10	3/4/2025	09:45
SPRSPO-3-S-20250218	3	Benzene	Sample	1.2	ug/m3	0.195	ug/m3		Y	2/18/2025	10:15	3/4/2025	09:55
SPRSPO-3-S-20250218	3	Ethylbenzene	Sample	0.597	ug/m3	0.283	ug/m3	Pc	Y	2/18/2025	10:15	3/4/2025	09:55
SPRSPO-3-S-20250218	3	m-/p-Xylenes	Sample	1.76	ug/m3	0.283	ug/m3		Y	2/18/2025	10:15	3/4/2025	09:55
SPRSPO-3-S-20250218	3	o-Xylene	Sample	0.71	ug/m3	0.283	ug/m3	Pc	Y	2/18/2025	10:15	3/4/2025	09:55
SPRSPO-3-S-20250218	3	Toluene	Sample	3.18	ug/m3	0.251	ug/m3		Y	2/18/2025	10:15	3/4/2025	09:55
SPRSPO-4-S-20250218	4	Benzene	Sample	1.11	ug/m3	0.195	ug/m3		Y	2/18/2025	10:20	3/4/2025	10:00
SPRSPO-4-S-20250218	4	Ethylbenzene	Sample	0.521	ug/m3	0.283	ug/m3	J,Pc	Y	2/18/2025	10:20	3/4/2025	10:00
SPRSPO-4-S-20250218	4	m-/p-Xylenes	Sample	1.4	ug/m3	0.283	ug/m3		Y	2/18/2025	10:20	3/4/2025	10:00
SPRSPO-4-S-20250218	4	o-Xylene	Sample	0.569	ug/m3	0.283	ug/m3	J,Pc	Y	2/18/2025	10:20	3/4/2025	10:00

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-4-S-20250218	4	Toluene	Sample	2.85	ug/m3	0.251	ug/m3		Y	2/18/2025	10:20	3/4/2025	10:00
SPRSPO-5-S-20250218	5	Benzene	Sample	1	ug/m3	0.195	ug/m3		Y	2/18/2025	10:30	3/4/2025	10:10
SPRSPO-5-S-20250218	5	Ethylbenzene	Sample	0.442	ug/m3	0.283	ug/m3	J,Pc	Y	2/18/2025	10:30	3/4/2025	10:10
SPRSPO-5-S-20250218	5	m-/p-Xylenes	Sample	1.27	ug/m3	0.283	ug/m3		Y	2/18/2025	10:30	3/4/2025	10:10
SPRSPO-5-S-20250218	5	o-Xylene	Sample	0.552	ug/m3	0.283	ug/m3	J,Pc	Y	2/18/2025	10:30	3/4/2025	10:10
SPRSPO-5-S-20250218	5	Toluene	Sample	2.6	ug/m3	0.251	ug/m3		Y	2/18/2025	10:30	3/4/2025	10:10
SPRSPO-5-D-20250218	5	Benzene	Duplicate	0.992	ug/m3	0.195	ug/m3		Y	2/18/2025	10:30	3/4/2025	10:10
SPRSPO-5-D-20250218	5	Ethylbenzene	Duplicate	0.312	ug/m3	0.283	ug/m3	J,Pc	Y	2/18/2025	10:30	3/4/2025	10:10
SPRSPO-5-D-20250218	5	m-/p-Xylenes	Duplicate	0.999	ug/m3	0.283	ug/m3		Y	2/18/2025	10:30	3/4/2025	10:10
SPRSPO-5-D-20250218	5	o-Xylene	Duplicate	0.401	ug/m3	0.283	ug/m3	J,Pc	Y	2/18/2025	10:30	3/4/2025	10:10
SPRSPO-5-D-20250218	5	Toluene	Duplicate	2.35	ug/m3	0.251	ug/m3		Y	2/18/2025	10:30	3/4/2025	10:10
SPRSPO-5-B-20250218	5	Benzene	Blank	<0.195	ug/m3	0.195	ug/m3	ND	N	2/18/2025	10:30	3/4/2025	10:10
SPRSPO-5-B-20250218	5	Ethylbenzene	Blank	<0.283	ug/m3	0.283	ug/m3	ND,Pc	N	2/18/2025	10:30	3/4/2025	10:10
SPRSPO-5-B-20250218	5	m-/p-Xylenes	Blank	<0.283	ug/m3	0.283	ug/m3	ND	N	2/18/2025	10:30	3/4/2025	10:10
SPRSPO-5-B-20250218	5	o-Xylene	Blank	<0.283	ug/m3	0.283	ug/m3	ND,Pc	N	2/18/2025	10:30	3/4/2025	10:10
SPRSPO-5-B-20250218	5	Toluene	Blank	<0.251	ug/m3	0.251	ug/m3	ND	N	2/18/2025	10:30	3/4/2025	10:10
SPRSPO-6-S-20250218	6	Benzene	Sample	1.03	ug/m3	0.195	ug/m3		Y	2/18/2025	10:40	3/4/2025	10:25
SPRSPO-6-S-20250218	6	Ethylbenzene	Sample	0.489	ug/m3	0.283	ug/m3	J,Pc	Y	2/18/2025	10:40	3/4/2025	10:25
SPRSPO-6-S-20250218	6	m-/p-Xylenes	Sample	1.41	ug/m3	0.283	ug/m3		Y	2/18/2025	10:40	3/4/2025	10:25
SPRSPO-6-S-20250218	6	o-Xylene	Sample	0.609	ug/m3	0.283	ug/m3	Pc	Y	2/18/2025	10:40	3/4/2025	10:25
SPRSPO-6-S-20250218	6	Toluene	Sample	2.79	ug/m3	0.251	ug/m3		Y	2/18/2025	10:40	3/4/2025	10:25
SPRSPO-7-S-20250218	7	Benzene	Sample	0.841	ug/m3	0.195	ug/m3		Y	2/18/2025	10:45	3/4/2025	10:30
SPRSPO-7-S-20250218	7	Ethylbenzene	Sample	0.427	ug/m3	0.283	ug/m3	J,Pc	Y	2/18/2025	10:45	3/4/2025	10:30
SPRSPO-7-S-20250218	7	m-/p-Xylenes	Sample	1.25	ug/m3	0.283	ug/m3		Y	2/18/2025	10:45	3/4/2025	10:30
SPRSPO-7-S-20250218	7	o-Xylene	Sample	0.529	ug/m3	0.283	ug/m3	J,Pc	Y	2/18/2025	10:45	3/4/2025	10:30
SPRSPO-7-S-20250218	7	Toluene	Sample	2.23	ug/m3	0.251	ug/m3		Y	2/18/2025	10:45	3/4/2025	10:30
SPRSPO-8-S-20250218	8	Benzene	Sample	0.894	ug/m3	0.195	ug/m3		Y	2/18/2025	10:55	3/4/2025	10:45
SPRSPO-8-S-20250218	8	Ethylbenzene	Sample	<0.283	ug/m3	0.283	ug/m3	ND,Pc	N	2/18/2025	10:55	3/4/2025	10:45
SPRSPO-8-S-20250218	8	m-/p-Xylenes	Sample	0.822	ug/m3	0.283	ug/m3		Y	2/18/2025	10:55	3/4/2025	10:45
SPRSPO-8-S-20250218	8	o-Xylene	Sample	0.343	ug/m3	0.283	ug/m3	J,Pc	Y	2/18/2025	10:55	3/4/2025	10:45
SPRSPO-8-S-20250218	8	Toluene	Sample	1.53	ug/m3	0.251	ug/m3		Y	2/18/2025	10:55	3/4/2025	10:45
SPRSPO-9-S-20250218	9	Benzene	Sample	1.01	ug/m3	0.195	ug/m3		Y	2/18/2025	11:15	3/4/2025	10:55
SPRSPO-9-S-20250218	9	Ethylbenzene	Sample	0.414	ug/m3	0.283	ug/m3	J,Pc	Y	2/18/2025	11:15	3/4/2025	10:55
SPRSPO-9-S-20250218	9	m-/p-Xylenes	Sample	1.2	ug/m3	0.283	ug/m3		Y	2/18/2025	11:15	3/4/2025	10:55
SPRSPO-9-S-20250218	9	o-Xylene	Sample	0.515	ug/m3	0.283	ug/m3	J,Pc	Y	2/18/2025	11:15	3/4/2025	10:55
SPRSPO-9-S-20250218	9	Toluene	Sample	1.94	ug/m3	0.251	ug/m3		Y	2/18/2025	11:15	3/4/2025	10:55

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-10-S-20250218	10	Benzene	Sample	0.874	ug/m3	0.195	ug/m3		Y	2/18/2025	11:25	3/4/2025	11:05
SPRSPO-10-S-20250218	10	Ethylbenzene	Sample	0.516	ug/m3	0.283	ug/m3	J,Pc	Y	2/18/2025	11:25	3/4/2025	11:05
SPRSPO-10-S-20250218	10	m-/p-Xylenes	Sample	1.51	ug/m3	0.283	ug/m3		Y	2/18/2025	11:25	3/4/2025	11:05
SPRSPO-10-S-20250218	10	o-Xylene	Sample	0.638	ug/m3	0.283	ug/m3	Pc	Y	2/18/2025	11:25	3/4/2025	11:05
SPRSPO-10-S-20250218	10	Toluene	Sample	1.97	ug/m3	0.251	ug/m3		Y	2/18/2025	11:25	3/4/2025	11:05
SPRSPO-11-S-20250218	11	Benzene	Sample	0.919	ug/m3	0.195	ug/m3		Y	2/18/2025	11:35	3/4/2025	11:10
SPRSPO-11-S-20250218	11	Ethylbenzene	Sample	0.565	ug/m3	0.284	ug/m3	J,Pc	Y	2/18/2025	11:35	3/4/2025	11:10
SPRSPO-11-S-20250218	11	m-/p-Xylenes	Sample	1.72	ug/m3	0.284	ug/m3		Y	2/18/2025	11:35	3/4/2025	11:10
SPRSPO-11-S-20250218	11	o-Xylene	Sample	0.708	ug/m3	0.284	ug/m3	Pc	Y	2/18/2025	11:35	3/4/2025	11:10
SPRSPO-11-S-20250218	11	Toluene	Sample	2.3	ug/m3	0.251	ug/m3		Y	2/18/2025	11:35	3/4/2025	11:10
SPRSPO-12-S-20250218	12	Benzene	Sample	1.05	ug/m3	0.195	ug/m3		Y	2/18/2025	11:45	3/4/2025	11:20
SPRSPO-12-S-20250218	12	Ethylbenzene	Sample	0.703	ug/m3	0.284	ug/m3	Pc	Y	2/18/2025	11:45	3/4/2025	11:20
SPRSPO-12-S-20250218	12	m-/p-Xylenes	Sample	2.03	ug/m3	0.284	ug/m3		Y	2/18/2025	11:45	3/4/2025	11:20
SPRSPO-12-S-20250218	12	o-Xylene	Sample	0.837	ug/m3	0.284	ug/m3	Pc	Y	2/18/2025	11:45	3/4/2025	11:20
SPRSPO-12-S-20250218	12	Toluene	Sample	2.88	ug/m3	0.251	ug/m3		Y	2/18/2025	11:45	3/4/2025	11:20
SPRSPO-13-S-20250218	13	Benzene	Sample	0.989	ug/m3	0.195	ug/m3		Y	2/18/2025	11:50	3/4/2025	11:30
SPRSPO-13-S-20250218	13	Ethylbenzene	Sample	0.641	ug/m3	0.283	ug/m3	Pc	Y	2/18/2025	11:50	3/4/2025	11:30
SPRSPO-13-S-20250218	13	m-/p-Xylenes	Sample	2.16	ug/m3	0.283	ug/m3		Y	2/18/2025	11:50	3/4/2025	11:30
SPRSPO-13-S-20250218	13	o-Xylene	Sample	0.897	ug/m3	0.283	ug/m3	Pc	Y	2/18/2025	11:50	3/4/2025	11:30
SPRSPO-13-S-20250218	13	Toluene	Sample	2.57	ug/m3	0.251	ug/m3		Y	2/18/2025	11:50	3/4/2025	11:30
SPRSPO-13-D-20250218	13	Benzene	Duplicate	1	ug/m3	0.195	ug/m3		Y	2/18/2025	11:50	3/4/2025	11:30
SPRSPO-13-D-20250218	13	Ethylbenzene	Duplicate	0.629	ug/m3	0.283	ug/m3	Pc	Y	2/18/2025	11:50	3/4/2025	11:30
SPRSPO-13-D-20250218	13	m-/p-Xylenes	Duplicate	1.82	ug/m3	0.283	ug/m3		Y	2/18/2025	11:50	3/4/2025	11:30
SPRSPO-13-D-20250218	13	o-Xylene	Duplicate	0.763	ug/m3	0.283	ug/m3	Pc	Y	2/18/2025	11:50	3/4/2025	11:30
SPRSPO-13-D-20250218	13	Toluene	Duplicate	2.49	ug/m3	0.251	ug/m3		Y	2/18/2025	11:50	3/4/2025	11:30
SPRSPO-13-B-20250218	13	Benzene	Blank	<0.195	ug/m3	0.195	ug/m3	ND	N	2/18/2025	11:50	3/4/2025	11:30
SPRSPO-13-B-20250218	13	Ethylbenzene	Blank	<0.283	ug/m3	0.283	ug/m3	ND,Pc	N	2/18/2025	11:50	3/4/2025	11:30
SPRSPO-13-B-20250218	13	m-/p-Xylenes	Blank	<0.283	ug/m3	0.283	ug/m3	ND	N	2/18/2025	11:50	3/4/2025	11:30
SPRSPO-13-B-20250218	13	o-Xylene	Blank	<0.283	ug/m3	0.283	ug/m3	ND,Pc	N	2/18/2025	11:50	3/4/2025	11:30
SPRSPO-13-B-20250218	13	Toluene	Blank	<0.251	ug/m3	0.251	ug/m3	ND	N	2/18/2025	11:50	3/4/2025	11:30
SPRSPO-14-S-20250218	14	Benzene	Sample	1.06	ug/m3	0.195	ug/m3		Y	2/18/2025	12:00	3/4/2025	11:40
SPRSPO-14-S-20250218	14	Ethylbenzene	Sample	0.537	ug/m3	0.283	ug/m3	J,Pc	Y	2/18/2025	12:00	3/4/2025	11:40
SPRSPO-14-S-20250218	14	m-/p-Xylenes	Sample	1.71	ug/m3	0.283	ug/m3		Y	2/18/2025	12:00	3/4/2025	11:40
SPRSPO-14-S-20250218	14	o-Xylene	Sample	0.697	ug/m3	0.283	ug/m3	Pc	Y	2/18/2025	12:00	3/4/2025	11:40
SPRSPO-14-S-20250218	14	Toluene	Sample	2.52	ug/m3	0.251	ug/m3		Y	2/18/2025	12:00	3/4/2025	11:40
SPRSPO-15-S-20250218	15	Benzene	Sample	1.26	ug/m3	0.195	ug/m3		Y	2/18/2025	12:10	3/4/2025	11:50

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-15-S-20250218	15	Ethylbenzene	Sample	0.66	ug/m3	0.283	ug/m3	Pc	Y	2/18/2025	12:10	3/4/2025	11:50
SPRSPO-15-S-20250218	15	m-/p-Xylenes	Sample	2.12	ug/m3	0.283	ug/m3		Y	2/18/2025	12:10	3/4/2025	11:50
SPRSPO-15-S-20250218	15	o-Xylene	Sample	0.824	ug/m3	0.283	ug/m3	Pc	Y	2/18/2025	12:10	3/4/2025	11:50
SPRSPO-15-S-20250218	15	Toluene	Sample	3.07	ug/m3	0.251	ug/m3		Y	2/18/2025	12:10	3/4/2025	11:50
SPRSPO-16-S-20250218	16	Benzene	Sample	1.39	ug/m3	0.195	ug/m3		Y	2/18/2025	12:20	3/4/2025	12:00
SPRSPO-16-S-20250218	16	Ethylbenzene	Sample	0.726	ug/m3	0.283	ug/m3	Pc	Y	2/18/2025	12:20	3/4/2025	12:00
SPRSPO-16-S-20250218	16	m-/p-Xylenes	Sample	2.24	ug/m3	0.283	ug/m3		Y	2/18/2025	12:20	3/4/2025	12:00
SPRSPO-16-S-20250218	16	o-Xylene	Sample	0.896	ug/m3	0.283	ug/m3	Pc	Y	2/18/2025	12:20	3/4/2025	12:00
SPRSPO-16-S-20250218	16	Toluene	Sample	3.56	ug/m3	0.251	ug/m3		Y	2/18/2025	12:20	3/4/2025	12:00
SPRSPO-1-S-20250304	1	Benzene	Sample	1.17	ug/m3	0.193	ug/m3		Y	3/4/2025	09:35	3/18/2025	09:00
SPRSPO-1-S-20250304	1	Ethylbenzene	Sample	1.18	ug/m3	0.281	ug/m3		Y	3/4/2025	09:35	3/18/2025	09:00
SPRSPO-1-S-20250304	1	m-/p-Xylenes	Sample	4.33	ug/m3	0.281	ug/m3	P	Y	3/4/2025	09:35	3/18/2025	09:00
SPRSPO-1-S-20250304	1	o-Xylene	Sample	1.63	ug/m3	0.281	ug/m3	Pc	Y	3/4/2025	09:35	3/18/2025	09:00
SPRSPO-1-S-20250304	1	Toluene	Sample	4.33	ug/m3	0.249	ug/m3	P	Y	3/4/2025	09:35	3/18/2025	09:00
SPRSPO-2-S-20250304	2	Benzene	Sample	1.08	ug/m3	0.193	ug/m3		Y	3/4/2025	09:45	3/18/2025	09:10
SPRSPO-2-S-20250304	2	Ethylbenzene	Sample	0.664	ug/m3	0.281	ug/m3		Y	3/4/2025	09:45	3/18/2025	09:10
SPRSPO-2-S-20250304	2	m-/p-Xylenes	Sample	2.18	ug/m3	0.281	ug/m3	P	Y	3/4/2025	09:45	3/18/2025	09:10
SPRSPO-2-S-20250304	2	o-Xylene	Sample	0.843	ug/m3	0.281	ug/m3	Pc	Y	3/4/2025	09:45	3/18/2025	09:10
SPRSPO-2-S-20250304	2	Toluene	Sample	4.34	ug/m3	0.249	ug/m3	P	Y	3/4/2025	09:45	3/18/2025	09:10
SPRSPO-3-S-20250304	3	Benzene	Sample	0.975	ug/m3	0.193	ug/m3		Y	3/4/2025	09:55	3/18/2025	09:20
SPRSPO-3-S-20250304	3	Ethylbenzene	Sample	0.514	ug/m3	0.281	ug/m3	J	Y	3/4/2025	09:55	3/18/2025	09:20
SPRSPO-3-S-20250304	3	m-/p-Xylenes	Sample	1.89	ug/m3	0.281	ug/m3	P	Y	3/4/2025	09:55	3/18/2025	09:20
SPRSPO-3-S-20250304	3	o-Xylene	Sample	0.757	ug/m3	0.281	ug/m3	Pc	Y	3/4/2025	09:55	3/18/2025	09:20
SPRSPO-3-S-20250304	3	Toluene	Sample	3.38	ug/m3	0.249	ug/m3	P	Y	3/4/2025	09:55	3/18/2025	09:20
SPRSPO-4-S-20250304	4	Benzene	Sample	0.935	ug/m3	0.193	ug/m3		Y	3/4/2025	10:00	3/18/2025	09:25
SPRSPO-4-S-20250304	4	Ethylbenzene	Sample	0.358	ug/m3	0.281	ug/m3	J	Y	3/4/2025	10:00	3/18/2025	09:25
SPRSPO-4-S-20250304	4	m-/p-Xylenes	Sample	1.15	ug/m3	0.281	ug/m3	P	Y	3/4/2025	10:00	3/18/2025	09:25
SPRSPO-4-S-20250304	4	o-Xylene	Sample	0.431	ug/m3	0.281	ug/m3	J,Pc	Y	3/4/2025	10:00	3/18/2025	09:25
SPRSPO-4-S-20250304	4	Toluene	Sample	2.09	ug/m3	0.249	ug/m3	P	Y	3/4/2025	10:00	3/18/2025	09:25
SPRSPO-5-S-20250304	5	Benzene	Sample	0.819	ug/m3	0.193	ug/m3		Y	3/4/2025	10:10	3/18/2025	09:30
SPRSPO-5-S-20250304	5	Ethylbenzene	Sample	0.522	ug/m3	0.281	ug/m3	J	Y	3/4/2025	10:10	3/18/2025	09:30
SPRSPO-5-S-20250304	5	m-/p-Xylenes	Sample	1.65	ug/m3	0.281	ug/m3	P	Y	3/4/2025	10:10	3/18/2025	09:30
SPRSPO-5-S-20250304	5	o-Xylene	Sample	0.667	ug/m3	0.281	ug/m3	Pc	Y	3/4/2025	10:10	3/18/2025	09:30
SPRSPO-5-S-20250304	5	Toluene	Sample	3.26	ug/m3	0.249	ug/m3	P	Y	3/4/2025	10:10	3/18/2025	09:30
SPRSPO-5-D-20250304	5	Benzene	Duplicate	0.804	ug/m3	0.193	ug/m3		Y	3/4/2025	10:10	3/18/2025	09:30
SPRSPO-5-D-20250304	5	Ethylbenzene	Duplicate	0.444	ug/m3	0.281	ug/m3	J	Y	3/4/2025	10:10	3/18/2025	09:30

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-5-D-20250304	5	m-/p-Xylenes	Duplicate	1.26	ug/m3	0.281	ug/m3	P	Y	3/4/2025	10:10	3/18/2025	09:30
SPRSPO-5-D-20250304	5	o-Xylene	Duplicate	0.454	ug/m3	0.281	ug/m3	J,Pc	Y	3/4/2025	10:10	3/18/2025	09:30
SPRSPO-5-D-20250304	5	Toluene	Duplicate	2.38	ug/m3	0.249	ug/m3	P	Y	3/4/2025	10:10	3/18/2025	09:30
SPRSPO-5-B-20250304	5	Benzene	Blank	<0.193	ug/m3	0.193	ug/m3	ND	N	3/4/2025	10:10	3/18/2025	09:30
SPRSPO-5-B-20250304	5	Ethylbenzene	Blank	<0.281	ug/m3	0.281	ug/m3	ND	N	3/4/2025	10:10	3/18/2025	09:30
SPRSPO-5-B-20250304	5	m-/p-Xylenes	Blank	<0.281	ug/m3	0.281	ug/m3	ND,P	N	3/4/2025	10:10	3/18/2025	09:30
SPRSPO-5-B-20250304	5	o-Xylene	Blank	<0.281	ug/m3	0.281	ug/m3	ND,Pc	N	3/4/2025	10:10	3/18/2025	09:30
SPRSPO-5-B-20250304	5	Toluene	Blank	<0.249	ug/m3	0.249	ug/m3	ND,P	N	3/4/2025	10:10	3/18/2025	09:30
SPRSPO-6-S-20250304	6	Benzene	Sample	0.745	ug/m3	0.193	ug/m3		Y	3/4/2025	10:25	3/18/2025	09:45
SPRSPO-6-S-20250304	6	Ethylbenzene	Sample	0.364	ug/m3	0.281	ug/m3	J	Y	3/4/2025	10:25	3/18/2025	09:45
SPRSPO-6-S-20250304	6	m-/p-Xylenes	Sample	1.09	ug/m3	0.281	ug/m3	P	Y	3/4/2025	10:25	3/18/2025	09:45
SPRSPO-6-S-20250304	6	o-Xylene	Sample	0.454	ug/m3	0.281	ug/m3	J,Pc	Y	3/4/2025	10:25	3/18/2025	09:45
SPRSPO-6-S-20250304	6	Toluene	Sample	2.65	ug/m3	0.249	ug/m3	P	Y	3/4/2025	10:25	3/18/2025	09:45
SPRSPO-7-S-20250304	7	Benzene	Sample	0.724	ug/m3	0.193	ug/m3		Y	3/4/2025	10:30	3/18/2025	09:50
SPRSPO-7-S-20250304	7	Ethylbenzene	Sample	0.358	ug/m3	0.281	ug/m3	J	Y	3/4/2025	10:30	3/18/2025	09:50
SPRSPO-7-S-20250304	7	m-/p-Xylenes	Sample	1.08	ug/m3	0.281	ug/m3	P	Y	3/4/2025	10:30	3/18/2025	09:50
SPRSPO-7-S-20250304	7	o-Xylene	Sample	0.448	ug/m3	0.281	ug/m3	J,Pc	Y	3/4/2025	10:30	3/18/2025	09:50
SPRSPO-7-S-20250304	7	Toluene	Sample	2.36	ug/m3	0.249	ug/m3	P	Y	3/4/2025	10:30	3/18/2025	09:50
SPRSPO-8-S-20250304	8	Benzene	Sample	0.827	ug/m3	0.193	ug/m3		Y	3/4/2025	10:45	3/18/2025	10:05
SPRSPO-8-S-20250304	8	Ethylbenzene	Sample	0.36	ug/m3	0.281	ug/m3	J	Y	3/4/2025	10:45	3/18/2025	10:05
SPRSPO-8-S-20250304	8	m-/p-Xylenes	Sample	1.04	ug/m3	0.281	ug/m3	P	Y	3/4/2025	10:45	3/18/2025	10:05
SPRSPO-8-S-20250304	8	o-Xylene	Sample	0.398	ug/m3	0.281	ug/m3	J,Pc	Y	3/4/2025	10:45	3/18/2025	10:05
SPRSPO-8-S-20250304	8	Toluene	Sample	2.1	ug/m3	0.249	ug/m3	P	Y	3/4/2025	10:45	3/18/2025	10:05
SPRSPO-9-S-20250304	9	Benzene	Sample	0.855	ug/m3	0.193	ug/m3		Y	3/4/2025	10:55	3/18/2025	10:15
SPRSPO-9-S-20250304	9	Ethylbenzene	Sample	0.498	ug/m3	0.281	ug/m3	J	Y	3/4/2025	10:55	3/18/2025	10:15
SPRSPO-9-S-20250304	9	m-/p-Xylenes	Sample	1.44	ug/m3	0.281	ug/m3	P	Y	3/4/2025	10:55	3/18/2025	10:15
SPRSPO-9-S-20250304	9	o-Xylene	Sample	0.601	ug/m3	0.281	ug/m3	J,Pc	Y	3/4/2025	10:55	3/18/2025	10:15
SPRSPO-9-S-20250304	9	Toluene	Sample	2.41	ug/m3	0.249	ug/m3	P	Y	3/4/2025	10:55	3/18/2025	10:15
SPRSPO-10-S-20250304	10	Benzene	Sample	0.682	ug/m3	0.193	ug/m3		Y	3/4/2025	11:05	3/18/2025	10:25
SPRSPO-10-S-20250304	10	Ethylbenzene	Sample	0.51	ug/m3	0.281	ug/m3	J	Y	3/4/2025	11:05	3/18/2025	10:25
SPRSPO-10-S-20250304	10	m-/p-Xylenes	Sample	1.91	ug/m3	0.281	ug/m3	P	Y	3/4/2025	11:05	3/18/2025	10:25
SPRSPO-10-S-20250304	10	o-Xylene	Sample	0.75	ug/m3	0.281	ug/m3	Pc	Y	3/4/2025	11:05	3/18/2025	10:25
SPRSPO-10-S-20250304	10	Toluene	Sample	2.84	ug/m3	0.249	ug/m3	P	Y	3/4/2025	11:05	3/18/2025	10:25
SPRSPO-11-S-20250304	11	Benzene	Sample	0.755	ug/m3	0.193	ug/m3		Y	3/4/2025	11:10	3/18/2025	10:35
SPRSPO-11-S-20250304	11	Ethylbenzene	Sample	0.963	ug/m3	0.281	ug/m3		Y	3/4/2025	11:10	3/18/2025	10:35
SPRSPO-11-S-20250304	11	m-/p-Xylenes	Sample	1.38	ug/m3	0.281	ug/m3	P	Y	3/4/2025	11:10	3/18/2025	10:35

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-11-S-20250304	11	o-Xylene	Sample	0.621	ug/m3	0.281	ug/m3	Pc	Y	3/4/2025	11:10	3/18/2025	10:35
SPRSPO-11-S-20250304	11	Toluene	Sample	2.94	ug/m3	0.249	ug/m3	P	Y	3/4/2025	11:10	3/18/2025	10:35
SPRSPO-12-S-20250304	12	Benzene	Sample	0.928	ug/m3	0.193	ug/m3		Y	3/4/2025	11:20	3/18/2025	10:45
SPRSPO-12-S-20250304	12	Ethylbenzene	Sample	0.642	ug/m3	0.281	ug/m3		Y	3/4/2025	11:20	3/18/2025	10:45
SPRSPO-12-S-20250304	12	m-/p-Xylenes	Sample	2.01	ug/m3	0.281	ug/m3	P	Y	3/4/2025	11:20	3/18/2025	10:45
SPRSPO-12-S-20250304	12	o-Xylene	Sample	0.808	ug/m3	0.281	ug/m3	Pc	Y	3/4/2025	11:20	3/18/2025	10:45
SPRSPO-12-S-20250304	12	Toluene	Sample	3.66	ug/m3	0.249	ug/m3	P	Y	3/4/2025	11:20	3/18/2025	10:45
SPRSPO-13-S-20250304	13	Benzene	Sample	0.886	ug/m3	0.193	ug/m3		Y	3/4/2025	11:30	3/18/2025	11:00
SPRSPO-13-S-20250304	13	Ethylbenzene	Sample	0.687	ug/m3	0.281	ug/m3		Y	3/4/2025	11:30	3/18/2025	11:00
SPRSPO-13-S-20250304	13	m-/p-Xylenes	Sample	2.08	ug/m3	0.281	ug/m3	P	Y	3/4/2025	11:30	3/18/2025	11:00
SPRSPO-13-S-20250304	13	o-Xylene	Sample	0.806	ug/m3	0.281	ug/m3	Pc	Y	3/4/2025	11:30	3/18/2025	11:00
SPRSPO-13-S-20250304	13	Toluene	Sample	3.9	ug/m3	0.249	ug/m3	P	Y	3/4/2025	11:30	3/18/2025	11:00
SPRSPO-13-D-20250304	13	Benzene	Duplicate	0.86	ug/m3	0.193	ug/m3		Y	3/4/2025	11:30	3/18/2025	11:00
SPRSPO-13-D-20250304	13	Ethylbenzene	Duplicate	0.518	ug/m3	0.281	ug/m3	J	Y	3/4/2025	11:30	3/18/2025	11:00
SPRSPO-13-D-20250304	13	m-/p-Xylenes	Duplicate	1.41	ug/m3	0.281	ug/m3	P	Y	3/4/2025	11:30	3/18/2025	11:00
SPRSPO-13-D-20250304	13	o-Xylene	Duplicate	0.6	ug/m3	0.281	ug/m3	J,Pc	Y	3/4/2025	11:30	3/18/2025	11:00
SPRSPO-13-D-20250304	13	Toluene	Duplicate	2.97	ug/m3	0.249	ug/m3	P	Y	3/4/2025	11:30	3/18/2025	11:00
SPRSPO-13-B-20250304	13	Benzene	Blank	<0.193	ug/m3	0.193	ug/m3	ND	N	3/4/2025	11:30	3/18/2025	11:00
SPRSPO-13-B-20250304	13	Ethylbenzene	Blank	<0.281	ug/m3	0.281	ug/m3	ND	N	3/4/2025	11:30	3/18/2025	11:00
SPRSPO-13-B-20250304	13	m-/p-Xylenes	Blank	<0.281	ug/m3	0.281	ug/m3	ND,P	N	3/4/2025	11:30	3/18/2025	11:00
SPRSPO-13-B-20250304	13	o-Xylene	Blank	<0.281	ug/m3	0.281	ug/m3	ND,Pc	N	3/4/2025	11:30	3/18/2025	11:00
SPRSPO-13-B-20250304	13	Toluene	Blank	<0.249	ug/m3	0.249	ug/m3	ND,P	N	3/4/2025	11:30	3/18/2025	11:00
SPRSPO-14-S-20250304	14	Benzene	Sample	0.901	ug/m3	0.193	ug/m3		Y	3/4/2025	11:40	3/18/2025	11:10
SPRSPO-14-S-20250304	14	Ethylbenzene	Sample	0.488	ug/m3	0.281	ug/m3	J	Y	3/4/2025	11:40	3/18/2025	11:10
SPRSPO-14-S-20250304	14	m-/p-Xylenes	Sample	1.51	ug/m3	0.281	ug/m3	P	Y	3/4/2025	11:40	3/18/2025	11:10
SPRSPO-14-S-20250304	14	o-Xylene	Sample	0.588	ug/m3	0.281	ug/m3	J,Pc	Y	3/4/2025	11:40	3/18/2025	11:10
SPRSPO-14-S-20250304	14	Toluene	Sample	2.18	ug/m3	0.249	ug/m3	P	Y	3/4/2025	11:40	3/18/2025	11:10
SPRSPO-15-S-20250304	15	Benzene	Sample	1.04	ug/m3	0.193	ug/m3		Y	3/4/2025	11:50	3/18/2025	11:20
SPRSPO-15-S-20250304	15	Ethylbenzene	Sample	0.715	ug/m3	0.281	ug/m3		Y	3/4/2025	11:50	3/18/2025	11:20
SPRSPO-15-S-20250304	15	m-/p-Xylenes	Sample	2.27	ug/m3	0.281	ug/m3	P	Y	3/4/2025	11:50	3/18/2025	11:20
SPRSPO-15-S-20250304	15	o-Xylene	Sample	0.857	ug/m3	0.281	ug/m3	Pc	Y	3/4/2025	11:50	3/18/2025	11:20
SPRSPO-15-S-20250304	15	Toluene	Sample	3.71	ug/m3	0.249	ug/m3	P	Y	3/4/2025	11:50	3/18/2025	11:20
SPRSPO-16-S-20250304	16	Benzene	Sample	1.12	ug/m3	0.193	ug/m3		Y	3/4/2025	12:00	3/18/2025	11:30
SPRSPO-16-S-20250304	16	Ethylbenzene	Sample	0.763	ug/m3	0.281	ug/m3		Y	3/4/2025	12:00	3/18/2025	11:30
SPRSPO-16-S-20250304	16	m-/p-Xylenes	Sample	2.19	ug/m3	0.281	ug/m3	P	Y	3/4/2025	12:00	3/18/2025	11:30
SPRSPO-16-S-20250304	16	o-Xylene	Sample	0.781	ug/m3	0.281	ug/m3	Pc	Y	3/4/2025	12:00	3/18/2025	11:30

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-16-S-20250304	16	Toluene	Sample	3.9	ug/m3	0.249	ug/m3	P	Y	3/4/2025	12:00	3/18/2025	11:30

FLM DATA FLAG ABBREVIATIONS - EPA METHOD 325B

FLAG	EXPLANATION
J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND	The analyte was not present above the Method Detection Limit
P	Field duplicate(s) exceed 30%RPD
Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit
E	Concentration exceeds the calibration range. The analyte result is an estimated value

Note: Meteorological data flagged ND was not available from the airport. Missing data can be due to instrument maintenance, instrument malfunction, data transmission issues, or other factors resulting in missing data.

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (12/24/24 10:00 to 1/7/25 10:00)**

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
12/24/24 10:00	4.4	309	-3.0	1019
12/24/24 11:00	4.0	322	-2.2	1019
12/24/24 12:00	3.6	325	-1.0	1019
12/24/24 13:00	3.4	329	-0.9	1019
12/24/24 14:00	3.0	345	-1.5	1020
12/24/24 15:00	1.8	273	-2.7	1020
12/24/24 16:00	0.8	73	-3.8	1021
12/24/24 17:00	3.3	149	-3.4	1022
12/24/24 18:00	3.1	352	-3.2	1022
12/24/24 19:00	4.2	343	-3.6	1023
12/24/24 20:00	4.7	147	-4.0	1023
12/24/24 21:00	4.1	155	-5.6	1023
12/24/24 22:00	3.5	187	-6.5	1023
12/24/24 23:00	3.0	254	-7.1	1023
12/25/24 0:00	1.7	145	-8.0	1024
12/25/24 1:00	1.3	208	-8.0	1024
12/25/24 2:00	0.9	110	-8.6	1025
12/25/24 3:00	2.0	244	-9.1	1025
12/25/24 4:00	3.4	309	-9.2	1025
12/25/24 5:00	4.1	309	-9.9	1025
12/25/24 6:00	4.0	315	-8.9	1026
12/25/24 7:00	4.4	335	-7.3	1026
12/25/24 8:00	4.1	306	-5.3	1026
12/25/24 9:00	5.3	319	-3.9	1026
12/25/24 10:00	4.7	316	-3.0	1025
12/25/24 11:00	5.2	322	-2.0	1025
12/25/24 12:00	5.2	149	-2.0	1025
12/25/24 13:00	4.6	185	-2.0	1025
12/25/24 14:00	4.4	185	-2.0	1025
12/25/24 15:00	3.3	220	-2.4	1026
12/25/24 16:00	3.1	289	-2.0	1027
12/25/24 17:00	3.3	15	-2.0	1027
12/25/24 18:00	2.9	20	-2.0	1027
12/25/24 19:00	2.4	53	-2.0	1027
12/25/24 20:00	2.0	90	-2.0	1027
12/25/24 21:00	1.6	34	-2.0	1027
12/25/24 22:00	2.2	22	-2.2	1027
12/25/24 23:00	1.9	15	-3.0	1027
12/26/24 0:00	ND	ND	ND	ND
12/26/24 1:00	1.5	360	-3.8	1028
12/26/24 2:00	1.5	350	-5.6	1028
12/26/24 3:00	ND	ND	ND	ND
12/26/24 4:00	1.5	10	-7.1	1029

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (12/24/24 10:00 to 1/7/25 10:00)**

12/26/24 5:00	1.5	360	-7.1	1029
12/26/24 6:00	ND	ND	ND	ND
12/26/24 7:00	0.8	180	-5.3	1030
12/26/24 8:00	1.4	215	-3.8	1030
12/26/24 9:00	1.9	321	-2.3	1030
12/26/24 10:00	1.1	170	-0.7	1028
12/26/24 11:00	2.0	305	0.8	1028
12/26/24 12:00	1.4	184	1.3	1027
12/26/24 13:00	0.6	38	1.0	1027
12/26/24 14:00	ND	ND	0.6	1027
12/26/24 15:00	ND	ND	-2.1	1028
12/26/24 16:00	ND	ND	-3.2	1028
12/26/24 17:00	0.9	142	-4.5	1029
12/26/24 18:00	1.1	181	-6.4	1029
12/26/24 19:00	0.5	89	-6.5	1029
12/26/24 20:00	1.4	224	-7.0	1029
12/26/24 21:00	0.3	60	-8.0	1028
12/26/24 22:00	1.8	260	-8.4	1028
12/26/24 23:00	1.1	170	-8.4	1028
12/27/24 0:00	2.2	292	-8.7	1028
12/27/24 1:00	1.5	232	-8.6	1028
12/27/24 2:00	0.3	55	-9.0	1028
12/27/24 3:00	1.0	169	-9.6	1028
12/27/24 4:00	2.0	196	-10.0	1028
12/27/24 5:00	1.1	169	-9.7	1029
12/27/24 6:00	0.7	112	-9.9	1028
12/27/24 7:00	1.1	172	-7.8	1029
12/27/24 8:00	0.5	93	-5.2	1029
12/27/24 9:00	ND	ND	-2.8	1028
12/27/24 10:00	0.6	37	-0.4	1027
12/27/24 11:00	1.3	128	1.8	1026
12/27/24 12:00	2.1	182	2.1	1025
12/27/24 13:00	2.4	152	2.0	1025
12/27/24 14:00	2.2	180	1.9	1025
12/27/24 15:00	ND	ND	0.6	1025
12/27/24 16:00	ND	ND	-1.4	1025
12/27/24 17:00	ND	ND	-2.4	1025
12/27/24 18:00	0.2	36	-3.3	1025
12/27/24 19:00	0.2	36	-3.3	1025
12/27/24 20:00	0.8	167	-3.3	1024
12/27/24 21:00	1.1	213	-4.1	1024
12/27/24 22:00	1.3	234	-4.0	1023
12/27/24 23:00	2.1	295	-4.1	1023
12/28/24 0:00	1.1	212	-4.2	1023
12/28/24 1:00	0.3	68	-4.1	1023
12/28/24 2:00	0.9	118	-4.0	1023

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (12/24/24 10:00 to 1/7/25 10:00)**

12/28/24 3:00	1.5	312	-4.0	1023
12/28/24 4:00	1.6	255	-4.0	1023
12/28/24 5:00	1.4	242	-3.9	1023
12/28/24 6:00	0.8	148	-3.2	1023
12/28/24 7:00	0.8	106	-2.7	1023
12/28/24 8:00	0.6	137	-2.0	1024
12/28/24 9:00	0.2	31	-1.1	1023
12/28/24 10:00	ND	ND	-0.6	1023
12/28/24 11:00	0.2	6	0.8	1022
12/28/24 12:00	0.2	8	1.0	1021
12/28/24 13:00	1.1	65	1.1	1021
12/28/24 14:00	0.8	38	1.0	1021
12/28/24 15:00	ND	ND	1.0	1021
12/28/24 16:00	ND	ND	1.2	1021
12/28/24 17:00	ND	ND	1.0	1021
12/28/24 18:00	0.3	70	1.0	1021
12/28/24 19:00	0.2	4	1.0	1020
12/28/24 20:00	0.3	69	1.0	1020
12/28/24 21:00	0.4	67	1.0	1020
12/28/24 22:00	0.2	19	1.0	1020
12/28/24 23:00	ND	ND	0.9	1020
12/29/24 0:00	ND	ND	1.0	1020
12/29/24 1:00	0.2	22	0.9	1020
12/29/24 2:00	0.2	17	0.8	1020
12/29/24 3:00	0.3	68	0.9	1020
12/29/24 4:00	0.8	134	0.4	1020
12/29/24 5:00	0.7	89	0.0	1020
12/29/24 6:00	ND	ND	0.0	1020
12/29/24 7:00	ND	ND	0.5	1020
12/29/24 8:00	ND	ND	1.0	1020
12/29/24 9:00	0.3	35	1.0	1019
12/29/24 10:00	0.7	79	1.7	1018
12/29/24 11:00	1.4	133	2.6	1018
12/29/24 12:00	0.6	78	3.1	1017
12/29/24 13:00	1.7	59	3.2	1016
12/29/24 14:00	1.4	57	3.0	1016
12/29/24 15:00	0.7	17	3.0	1016
12/29/24 16:00	0.7	180	3.0	1015
12/29/24 17:00	0.8	46	3.0	1015
12/29/24 18:00	1.5	31	3.0	1014
12/29/24 19:00	1.7	243	3.0	1013
12/29/24 20:00	1.8	283	2.8	1013
12/29/24 21:00	0.7	116	3.0	1012
12/29/24 22:00	0.8	156	2.7	1011
12/29/24 23:00	1.3	181	2.1	1010
12/30/24 0:00	0.5	97	2.0	1009

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (12/24/24 10:00 to 1/7/25 10:00)**

12/30/24 1:00	ND	ND	2.9	1008
12/30/24 2:00	ND	ND	3.0	1007
12/30/24 3:00	1.2	77	4.9	1006
12/30/24 4:00	3.9	159	8.0	1005
12/30/24 5:00	4.1	172	8.5	1005
12/30/24 6:00	4.9	167	9.0	1004
12/30/24 7:00	5.5	165	9.7	1003
12/30/24 8:00	4.6	174	9.2	1003
12/30/24 9:00	5.8	171	9.0	1001
12/30/24 10:00	7.3	167	9.7	999
12/30/24 11:00	5.7	172	9.1	997
12/30/24 12:00	5.2	182	9.1	996
12/30/24 13:00	6.0	187	8.9	996
12/30/24 14:00	4.5	198	8.1	997
12/30/24 15:00	3.5	199	8.3	997
12/30/24 16:00	3.4	197	8.6	998
12/30/24 17:00	3.5	214	8.1	999
12/30/24 18:00	1.7	198	7.9	1000
12/30/24 19:00	1.6	178	5.5	1001
12/30/24 20:00	2.2	218	5.9	1002
12/30/24 21:00	2.2	226	4.6	1002
12/30/24 22:00	2.5	209	4.3	1002
12/30/24 23:00	2.3	225	4.0	1002
12/31/24 0:00	1.9	235	3.9	1003
12/31/24 1:00	2.2	216	3.4	1003
12/31/24 2:00	2.9	212	2.9	1004
12/31/24 3:00	1.6	180	2.5	1004
12/31/24 4:00	1.0	137	1.8	1005
12/31/24 5:00	1.3	125	1.5	1006
12/31/24 6:00	3.1	205	2.4	1007
12/31/24 7:00	3.6	209	3.3	1008
12/31/24 8:00	3.9	232	5.4	1009
12/31/24 9:00	4.0	237	6.7	1009
12/31/24 10:00	3.7	251	7.9	1008
12/31/24 11:00	3.6	272	8.9	1008
12/31/24 12:00	2.2	249	9.2	1008
12/31/24 13:00	0.8	131	9.4	1008
12/31/24 14:00	2.3	155	8.1	1009
12/31/24 15:00	2.6	177	5.7	1009
12/31/24 16:00	2.3	185	4.5	1010
12/31/24 17:00	1.4	167	3.3	1010
12/31/24 18:00	0.2	18	2.2	1010
12/31/24 19:00	0.7	113	0.6	1010
12/31/24 20:00	0.9	178	-0.6	1009
12/31/24 21:00	0.6	109	-1.0	1008
12/31/24 22:00	0.7	16	-0.3	1008

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (12/24/24 10:00 to 1/7/25 10:00)**

12/31/24 23:00	2.6	43	1.8	1006
1/1/25 0:00	3.1	38	3.1	1005
1/1/25 1:00	4.2	56	4.0	1005
1/1/25 2:00	3.8	47	3.9	1004
1/1/25 3:00	3.1	138	3.6	1004
1/1/25 4:00	4.0	39	3.7	1003
1/1/25 5:00	8.0	54	4.0	1000
1/1/25 6:00	10.3	59	4.1	998
1/1/25 7:00	8.0	50	4.0	997
1/1/25 8:00	6.8	52	4.1	996
1/1/25 9:00	6.4	44	4.5	995
1/1/25 10:00	4.3	154	4.9	994
1/1/25 11:00	4.4	343	4.0	993
1/1/25 12:00	4.7	338	4.0	992
1/1/25 13:00	4.4	323	4.0	992
1/1/25 14:00	4.2	312	3.2	992
1/1/25 15:00	4.0	309	3.0	992
1/1/25 16:00	3.7	293	3.0	993
1/1/25 17:00	2.8	287	3.0	992
1/1/25 18:00	2.3	247	3.0	992
1/1/25 19:00	1.6	214	3.0	991
1/1/25 20:00	0.6	83	3.0	991
1/1/25 21:00	1.0	129	3.0	991
1/1/25 22:00	4.3	263	4.0	991
1/1/25 23:00	5.0	267	3.7	991
1/2/25 0:00	5.7	260	3.4	991
1/2/25 1:00	7.0	262	3.0	991
1/2/25 2:00	6.6	264	3.0	992
1/2/25 3:00	7.3	264	3.0	992
1/2/25 4:00	8.7	261	3.0	993
1/2/25 5:00	ND	ND	ND	ND
1/2/25 6:00	ND	ND	ND	ND
1/2/25 7:00	7.2	263	2.0	995
1/2/25 8:00	8.0	263	2.0	996
1/2/25 9:00	8.4	271	2.0	996
1/2/25 10:00	10.3	278	2.6	996
1/2/25 11:00	10.8	270	3.0	996
1/2/25 12:00	10.5	281	3.0	996
1/2/25 13:00	10.9	282	3.0	997
1/2/25 14:00	10.6	277	2.6	998
1/2/25 15:00	10.5	282	2.0	998
1/2/25 16:00	8.4	271	2.0	999
1/2/25 17:00	8.7	272	1.5	999
1/2/25 18:00	7.1	264	1.0	999
1/2/25 19:00	7.2	263	1.0	999
1/2/25 20:00	8.2	268	1.0	998

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (12/24/24 10:00 to 1/7/25 10:00)**

1/2/25 21:00	8.4	266	0.9	998
1/2/25 22:00	7.2	261	0.0	999
1/2/25 23:00	7.2	265	0.4	998
1/3/25 0:00	8.5	267	0.4	999
1/3/25 1:00	8.7	272	0.0	999
1/3/25 2:00	8.2	269	0.0	999
1/3/25 3:00	7.1	268	-0.6	999
1/3/25 4:00	7.1	269	-1.0	1000
1/3/25 5:00	7.6	274	-1.0	1000
1/3/25 6:00	5.9	264	-1.0	1000
1/3/25 7:00	6.3	262	-0.5	1000
1/3/25 8:00	9.4	270	0.6	1000
1/3/25 9:00	8.1	274	1.0	1000
1/3/25 10:00	9.2	278	1.8	999
1/3/25 11:00	8.7	268	2.0	998
1/3/25 12:00	9.4	270	2.0	998
1/3/25 13:00	8.8	269	2.0	999
1/3/25 14:00	7.8	262	1.8	999
1/3/25 15:00	5.5	260	0.9	999
1/3/25 16:00	4.5	252	0.0	999
1/3/25 17:00	4.2	247	-0.7	1000
1/3/25 18:00	3.5	244	-1.0	1000
1/3/25 19:00	3.3	243	-1.2	1000
1/3/25 20:00	3.4	239	-2.0	1000
1/3/25 21:00	2.2	235	-2.6	999
1/3/25 22:00	2.8	243	-3.0	999
1/3/25 23:00	2.1	245	-3.4	999
1/4/25 0:00	2.7	288	-4.7	999
1/4/25 1:00	2.5	285	-5.3	999
1/4/25 2:00	3.0	289	-5.9	999
1/4/25 3:00	2.7	285	-6.1	999
1/4/25 4:00	3.1	284	-6.0	1000
1/4/25 5:00	2.9	284	-6.5	1000
1/4/25 6:00	3.1	290	-6.0	1001
1/4/25 7:00	3.8	279	-5.5	1001
1/4/25 8:00	5.6	274	-5.0	1002
1/4/25 9:00	5.9	298	-4.4	1001
1/4/25 10:00	6.2	309	-3.6	1001
1/4/25 11:00	6.9	298	-3.1	1000
1/4/25 12:00	6.9	299	-3.0	1000
1/4/25 13:00	7.7	279	-3.5	1001
1/4/25 14:00	7.8	280	-4.3	1002
1/4/25 15:00	6.6	278	-5.0	1002
1/4/25 16:00	5.8	273	-5.9	1003
1/4/25 17:00	4.2	279	-6.0	1003
1/4/25 18:00	3.8	303	-6.5	1003

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (12/24/24 10:00 to 1/7/25 10:00)**


1/4/25 19:00	3.1	216	-7.0	1004
1/4/25 20:00	1.6	27	-7.8	1004
1/4/25 21:00	1.3	48	-8.0	1005
1/4/25 22:00	0.5	10	-7.9	1005
1/4/25 23:00	0.7	137	-7.9	1005
1/5/25 0:00	2.1	331	-7.8	1005
1/5/25 1:00	2.9	265	-7.0	1005
1/5/25 2:00	3.1	265	-7.0	1005
1/5/25 3:00	3.2	275	-7.0	1005
1/5/25 4:00	1.9	195	-7.1	1005
1/5/25 5:00	1.9	191	-7.0	1006
1/5/25 6:00	2.4	287	-8.2	1006
1/5/25 7:00	2.8	254	-6.8	1007
1/5/25 8:00	0.8	112	-6.3	1007
1/5/25 9:00	3.0	175	-4.7	1007
1/5/25 10:00	6.0	306	-3.5	1006
1/5/25 11:00	6.9	306	-3.4	1005
1/5/25 12:00	7.2	319	-4.0	1005
1/5/25 13:00	7.3	319	-4.4	1006
1/5/25 14:00	6.1	335	-6.3	1007
1/5/25 15:00	5.0	328	-7.6	1008
1/5/25 16:00	5.3	338	-9.0	1008
1/5/25 17:00	4.5	334	-9.8	1009
1/5/25 18:00	3.7	303	-10.8	1009
1/5/25 19:00	2.8	317	-11.0	1010
1/5/25 20:00	3.2	313	-11.0	1010
1/5/25 21:00	3.1	273	-11.6	1010
1/5/25 22:00	2.6	272	-12.0	1010
1/5/25 23:00	2.3	277	-11.9	1010
1/6/25 0:00	2.8	281	-11.9	1010
1/6/25 1:00	2.3	227	-11.8	1010
1/6/25 2:00	1.6	213	-12.0	1009
1/6/25 3:00	ND	ND	-12.0	1009
1/6/25 4:00	1.9	203	-12.0	1009
1/6/25 5:00	2.3	303	-12.0	1008
1/6/25 6:00	3.4	293	-11.0	1009
1/6/25 7:00	2.7	286	-9.2	1008
1/6/25 8:00	5.7	282	-8.3	1007
1/6/25 9:00	4.9	278	-7.9	1006
1/6/25 10:00	4.2	281	-6.6	1005
1/6/25 11:00	3.9	286	-5.5	1003
1/6/25 12:00	3.0	274	-4.0	1002
1/6/25 13:00	2.6	256	-3.5	1001
1/6/25 14:00	2.2	268	-3.2	1001
1/6/25 15:00	2.0	243	-4.8	1001
1/6/25 16:00	2.6	262	-6.0	1000

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (12/24/24 10:00 to 1/7/25 10:00)**

1/6/25 17:00	3.5	330	-6.0	1000
1/6/25 18:00	4.2	330	-6.6	999
1/6/25 19:00	4.6	342	-7.0	999
1/6/25 20:00	4.1	284	-7.8	998
1/6/25 21:00	6.0	338	-8.7	998
1/6/25 22:00	5.0	337	-9.7	998
1/6/25 23:00	3.4	338	-10.6	997
1/7/25 0:00	1.6	236	-11.0	997
1/7/25 1:00	0.8	125	-11.2	997
1/7/25 2:00	1.4	189	-12.0	996
1/7/25 3:00	ND	ND	-12.2	996
1/7/25 4:00	1.1	200	-12.3	996
1/7/25 5:00	1.9	248	-12.9	996
1/7/25 6:00	2.0	228	-11.8	996
1/7/25 7:00	0.6	94	-10.1	996
1/7/25 8:00	2.0	208	-7.5	996
1/7/25 9:00	5.2	308	-5.5	996
1/7/25 10:00	7.1	322	-3.7	995

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (12/24/24 10:00 to 1/7/25 10:00)

PWM Wind Rose 12/24/24 10:00 - 1/7/25 10:00



SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (1/7/25 9:00 to 1/21/25 10:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
1/7/25 9:00	5.2	308	-5.5	996
1/7/25 10:00	7.1	322	-3.7	995
1/7/25 11:00	8.9	320	-4.0	995
1/7/25 12:00	8.6	327	-3.1	995
1/7/25 13:00	8.0	323	-3.0	996
1/7/25 14:00	8.8	319	-4.0	997
1/7/25 15:00	7.8	319	-4.1	998
1/7/25 16:00	6.6	304	-5.6	999
1/7/25 17:00	6.1	303	-6.0	1000
1/7/25 18:00	5.9	292	-6.2	1000
1/7/25 19:00	6.5	298	-6.0	1000
1/7/25 20:00	5.6	290	-6.2	1000
1/7/25 21:00	4.4	284	-6.9	1001
1/7/25 22:00	3.4	286	-7.0	1000
1/7/25 23:00	3.5	275	-7.0	1000
1/8/25 0:00	3.8	283	-7.6	1000
1/8/25 1:00	2.3	253	-7.6	1000
1/8/25 2:00	4.7	287	-7.5	1000
1/8/25 3:00	5.0	288	-7.1	1000
1/8/25 4:00	5.3	288	-6.9	1000
1/8/25 5:00	4.9	293	-7.0	1000
1/8/25 6:00	4.4	274	-7.0	999
1/8/25 7:00	4.8	270	-7.0	999
1/8/25 8:00	4.8	267	-6.6	998
1/8/25 9:00	4.9	292	-4.9	997
1/8/25 10:00	5.5	314	-3.7	996
1/8/25 11:00	7.1	299	-3.3	995
1/8/25 12:00	6.7	302	-4.0	994
1/8/25 13:00	6.6	320	-4.2	994
1/8/25 14:00	6.7	316	-5.5	995
1/8/25 15:00	7.0	291	-7.0	995
1/8/25 16:00	7.7	297	-8.0	995
1/8/25 17:00	6.1	295	-8.7	995
1/8/25 18:00	5.6	294	-9.1	995
1/8/25 19:00	5.2	300	-9.0	995
1/8/25 20:00	5.3	308	-9.0	994
1/8/25 21:00	5.2	305	-9.1	994
1/8/25 22:00	3.8	316	-9.0	993
1/8/25 23:00	4.5	309	-8.9	993
1/9/25 0:00	5.2	302	-8.1	993
1/9/25 1:00	5.1	304	-7.9	993
1/9/25 2:00	6.5	302	-7.0	992
1/9/25 3:00	6.2	304	-7.0	992

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (1/7/25 9:00 to 1/21/25 10:00)**

1/9/25 4:00	7.7	314	-7.0	992
1/9/25 5:00	8.3	314	-7.0	993
1/9/25 6:00	10.4	315	-6.9	993
1/9/25 7:00	8.8	316	-6.0	994
1/9/25 8:00	7.3	321	-5.3	994
1/9/25 9:00	8.3	322	-5.9	994
1/9/25 10:00	9.6	319	-4.7	994
1/9/25 11:00	9.3	321	-3.2	994
1/9/25 12:00	10.0	317	-3.0	994
1/9/25 13:00	9.4	313	-3.6	995
1/9/25 14:00	8.8	318	-4.0	996
1/9/25 15:00	6.5	330	-4.1	996
1/9/25 16:00	8.1	325	-4.4	997
1/9/25 17:00	7.3	323	-4.0	998
1/9/25 18:00	8.4	320	-4.0	999
1/9/25 19:00	8.0	320	-4.0	999
1/9/25 20:00	8.8	310	-4.0	999
1/9/25 21:00	6.1	293	-6.0	1000
1/9/25 22:00	4.8	301	-5.8	1000
1/9/25 23:00	6.1	302	-6.0	1001
1/10/25 0:00	5.7	304	-5.9	1001
1/10/25 1:00	5.2	315	-4.5	1002
1/10/25 2:00	5.0	312	-4.5	1002
1/10/25 3:00	3.6	299	-5.7	1003
1/10/25 4:00	1.3	182	-6.7	1003
1/10/25 5:00	1.1	142	-7.7	1004
1/10/25 6:00	1.3	204	-7.7	1005
1/10/25 7:00	1.6	253	-5.1	1005
1/10/25 8:00	2.7	286	-2.3	1005
1/10/25 9:00	4.2	338	-0.6	1005
1/10/25 10:00	4.0	319	0.7	1005
1/10/25 11:00	4.5	312	1.2	1004
1/10/25 12:00	3.9	325	2.1	1004
1/10/25 13:00	5.1	334	2.0	1004
1/10/25 14:00	5.1	311	-5.0	1004
1/10/25 15:00	4.2	349	-1.3	1004
1/10/25 16:00	4.1	293	-2.0	1004
1/10/25 17:00	1.3	86	-2.7	1005
1/10/25 18:00	0.7	9	-4.2	1005
1/10/25 19:00	2.9	47	-3.9	1005
1/10/25 20:00	1.9	50	-4.4	1005
1/10/25 21:00	2.3	313	-6.4	1006
1/10/25 22:00	2.4	93	-5.3	1005
1/10/25 23:00	2.1	152	-5.0	1004
1/11/25 0:00	2.6	277	-5.0	1004
1/11/25 1:00	1.6	76	-4.4	1003

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (1/7/25 9:00 to 1/21/25 10:00)**

1/11/25 2:00	1.9	153	-5.0	1002
1/11/25 3:00	1.6	29	-5.0	1001
1/11/25 4:00	2.3	188	-5.0	1001
1/11/25 5:00	2.3	352	-5.0	1001
1/11/25 6:00	2.9	346	-5.0	1000
1/11/25 7:00	3.2	280	-5.2	1000
1/11/25 8:00	3.3	323	-5.8	999
1/11/25 9:00	3.2	349	-4.9	998
1/11/25 10:00	2.9	356	-3.9	997
1/11/25 11:00	2.9	319	-3.0	996
1/11/25 12:00	3.5	182	-2.0	995
1/11/25 13:00	4.2	288	-2.0	995
1/11/25 14:00	4.2	285	-2.8	996
1/11/25 15:00	3.8	330	-3.1	996
1/11/25 16:00	4.1	334	-3.0	997
1/11/25 17:00	4.5	332	-3.0	997
1/11/25 18:00	4.6	331	-3.0	998
1/11/25 19:00	4.5	329	-3.1	998
1/11/25 20:00	4.2	326	-3.2	999
1/11/25 21:00	5.3	328	-3.0	1000
1/11/25 22:00	5.7	326	-3.9	1000
1/11/25 23:00	6.2	324	-4.0	1001
1/12/25 0:00	6.3	327	-4.0	1002
1/12/25 1:00	6.1	327	-4.0	1003
1/12/25 2:00	5.5	328	-4.0	1004
1/12/25 3:00	5.3	332	-4.8	1005
1/12/25 4:00	4.9	326	-6.0	1006
1/12/25 5:00	3.5	302	-6.1	1007
1/12/25 6:00	1.3	191	-6.1	1008
1/12/25 7:00	1.7	282	-5.6	1009
1/12/25 8:00	3.1	283	-2.9	1010
1/12/25 9:00	3.6	348	-1.6	1010
1/12/25 10:00	3.3	318	-1.0	1010
1/12/25 11:00	3.9	310	-0.2	1010
1/12/25 12:00	4.3	329	0.9	1010
1/12/25 13:00	3.6	311	1.1	1010
1/12/25 14:00	2.0	250	1.0	1011
1/12/25 15:00	0.8	160	-1.1	1011
1/12/25 16:00	ND	ND	-2.7	1012
1/12/25 17:00	0.5	41	-3.4	1012
1/12/25 18:00	0.6	109	-5.5	1012
1/12/25 19:00	0.6	93	-5.8	1013
1/12/25 20:00	0.7	143	-5.8	1013
1/12/25 21:00	0.7	134	-6.2	1012
1/12/25 22:00	1.3	256	-6.0	1012
1/12/25 23:00	1.2	231	-6.5	1012

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (1/7/25 9:00 to 1/21/25 10:00)**

1/13/25 0:00	1.3	205	-5.6	1012
1/13/25 1:00	1.9	313	-4.3	1012
1/13/25 2:00	0.8	121	-5.1	1012
1/13/25 3:00	1.9	201	-4.4	1012
1/13/25 4:00	0.9	41	-4.1	1011
1/13/25 5:00	1.2	274	-5.2	1012
1/13/25 6:00	1.1	242	-6.3	1012
1/13/25 7:00	0.2	67	-4.2	1012
1/13/25 8:00	ND	ND	-2.0	1012
1/13/25 9:00	0.4	17	-0.8	1011
1/13/25 10:00	2.2	170	0.4	1010
1/13/25 11:00	2.0	192	0.8	1009
1/13/25 12:00	1.9	176	1.0	1008
1/13/25 13:00	1.8	164	1.0	1007
1/13/25 14:00	0.7	62	1.0	1007
1/13/25 15:00	1.3	149	0.9	1007
1/13/25 16:00	ND	ND	0.7	1007
1/13/25 17:00	1.4	175	0.4	1006
1/13/25 18:00	1.4	184	0.0	1006
1/13/25 19:00	1.4	149	-0.1	1006
1/13/25 20:00	0.2	22	-1.0	1006
1/13/25 21:00	2.3	273	-1.0	1005
1/13/25 22:00	1.1	164	-1.5	1005
1/13/25 23:00	ND	ND	-1.9	1005
1/14/25 0:00	0.3	56	-1.6	1004
1/14/25 1:00	2.5	244	-1.0	1005
1/14/25 2:00	4.0	273	-1.1	1004
1/14/25 3:00	3.7	274	-2.0	1004
1/14/25 4:00	3.4	278	-2.1	1004
1/14/25 5:00	3.6	272	-2.8	1005
1/14/25 6:00	4.6	271	-2.4	1005
1/14/25 7:00	3.0	259	-1.3	1005
1/14/25 8:00	3.5	272	0.0	1005
1/14/25 9:00	5.4	287	1.3	1005
1/14/25 10:00	5.0	289	2.0	1004
1/14/25 11:00	4.6	305	2.1	1003
1/14/25 12:00	4.3	327	1.1	1003
1/14/25 13:00	4.5	294	1.0	1003
1/14/25 14:00	5.6	305	-0.2	1004
1/14/25 15:00	5.6	306	-1.0	1004
1/14/25 16:00	5.4	304	-1.6	1005
1/14/25 17:00	5.5	303	-2.0	1005
1/14/25 18:00	5.6	294	-2.0	1005
1/14/25 19:00	4.5	298	-3.0	1005
1/14/25 20:00	2.8	268	-3.2	1005
1/14/25 21:00	2.9	276	-4.5	1005

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (1/7/25 9:00 to 1/21/25 10:00)**

1/14/25 22:00	3.1	280	-5.5	1006
1/14/25 23:00	2.3	242	-5.8	1005
1/15/25 0:00	1.4	208	-7.2	1006
1/15/25 1:00	ND	ND	-7.6	1006
1/15/25 2:00	1.4	182	-7.6	1007
1/15/25 3:00	2.8	245	-7.0	1007
1/15/25 4:00	2.0	253	-8.1	1008
1/15/25 5:00	1.1	166	-8.8	1009
1/15/25 6:00	1.3	248	-8.9	1009
1/15/25 7:00	2.6	329	-6.1	1010
1/15/25 8:00	4.8	338	-4.1	1011
1/15/25 9:00	7.0	341	-3.1	1011
1/15/25 10:00	7.2	340	-3.0	1011
1/15/25 11:00	7.1	330	-3.0	1010
1/15/25 12:00	6.9	339	-2.6	1010
1/15/25 13:00	5.9	327	-2.2	1010
1/15/25 14:00	5.7	341	-3.1	1011
1/15/25 15:00	4.0	340	-4.7	1012
1/15/25 16:00	4.4	341	-5.8	1012
1/15/25 17:00	3.6	337	-6.2	1013
1/15/25 18:00	2.4	317	-7.2	1013
1/15/25 19:00	0.3	57	-7.8	1013
1/15/25 20:00	1.9	288	-8.7	1014
1/15/25 21:00	0.6	131	-8.8	1013
1/15/25 22:00	0.8	136	-9.6	1013
1/15/25 23:00	1.3	151	-11.4	1013
1/16/25 0:00	0.9	169	-12.3	1013
1/16/25 1:00	0.7	122	-12.4	1013
1/16/25 2:00	1.6	234	-13.5	1013
1/16/25 3:00	1.4	226	-14.0	1013
1/16/25 4:00	0.7	113	-13.8	1013
1/16/25 5:00	0.9	157	-14.0	1013
1/16/25 6:00	1.3	212	-14.3	1013
1/16/25 7:00	0.4	62	-10.9	1012
1/16/25 8:00	1.8	218	-7.8	1012
1/16/25 9:00	2.3	228	-5.1	1012
1/16/25 10:00	3.9	211	-3.9	1010
1/16/25 11:00	3.1	201	-3.2	1009
1/16/25 12:00	2.3	133	-2.9	1008
1/16/25 13:00	1.9	162	-2.7	1008
1/16/25 14:00	1.2	179	-2.6	1008
1/16/25 15:00	1.6	187	-4.0	1008
1/16/25 16:00	0.8	91	-4.2	1008
1/16/25 17:00	ND	ND	-5.6	1008
1/16/25 18:00	ND	ND	-6.6	1008
1/16/25 19:00	0.3	59	-7.5	1008

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (1/7/25 9:00 to 1/21/25 10:00)**

1/16/25 20:00	1.0	184	-7.3	1008
1/16/25 21:00	1.7	348	-7.1	1008
1/16/25 22:00	1.3	270	-7.1	1008
1/16/25 23:00	0.9	137	-6.9	1007
1/17/25 0:00	1.1	211	-7.0	1008
1/17/25 1:00	2.3	273	-7.7	1008
1/17/25 2:00	2.3	348	-8.2	1008
1/17/25 3:00	2.2	343	-8.0	1009
1/17/25 4:00	2.2	306	-7.7	1010
1/17/25 5:00	1.2	213	-8.1	1011
1/17/25 6:00	1.4	270	-8.9	1012
1/17/25 7:00	1.1	212	-6.8	1012
1/17/25 8:00	1.9	306	-4.8	1013
1/17/25 9:00	1.0	153	-3.2	1013
1/17/25 10:00	0.3	45	-1.9	1013
1/17/25 11:00	0.7	48	-1.1	1013
1/17/25 12:00	1.5	75	-0.3	1013
1/17/25 13:00	2.2	133	0.1	1014
1/17/25 14:00	2.5	197	-0.6	1014
1/17/25 15:00	2.9	182	-1.8	1015
1/17/25 16:00	1.5	187	-2.1	1015
1/17/25 17:00	0.3	44	-2.6	1016
1/17/25 18:00	1.4	183	-3.2	1016
1/17/25 19:00	0.8	114	-3.7	1016
1/17/25 20:00	1.8	223	-3.4	1017
1/17/25 21:00	2.1	215	-3.0	1017
1/17/25 22:00	1.9	217	-3.0	1016
1/17/25 23:00	2.2	205	-3.0	1016
1/18/25 0:00	2.0	202	-3.0	1016
1/18/25 1:00	1.9	212	-2.7	1016
1/18/25 2:00	1.9	194	-2.0	1016
1/18/25 3:00	2.1	213	-1.0	1015
1/18/25 4:00	3.0	216	0.3	1015
1/18/25 5:00	4.6	203	1.9	1015
1/18/25 6:00	5.0	201	2.0	1014
1/18/25 7:00	5.2	208	2.8	1015
1/18/25 8:00	5.5	202	3.2	1015
1/18/25 9:00	5.6	199	4.0	1014
1/18/25 10:00	5.5	191	4.0	1013
1/18/25 11:00	6.2	192	4.2	1011
1/18/25 12:00	5.6	190	4.9	1010
1/18/25 13:00	6.6	187	4.4	1010
1/18/25 14:00	6.8	190	4.0	1009
1/18/25 15:00	6.8	185	4.0	1009
1/18/25 16:00	4.9	182	4.0	1009
1/18/25 17:00	5.0	185	4.0	1008

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (1/7/25 9:00 to 1/21/25 10:00)**


1/18/25 18:00	4.6	175	4.0	1007
1/18/25 19:00	2.9	160	4.1	1006
1/18/25 20:00	1.4	112	4.1	1005
1/18/25 21:00	0.5	19	4.1	1004
1/18/25 22:00	ND	ND	4.0	1003
1/18/25 23:00	1.1	142	3.3	1002
1/19/25 0:00	2.6	308	3.1	1003
1/19/25 1:00	1.6	315	2.8	1003
1/19/25 2:00	1.8	309	2.0	1003
1/19/25 3:00	2.2	297	1.8	1003
1/19/25 4:00	1.1	156	1.0	1003
1/19/25 5:00	2.5	252	-0.5	1004
1/19/25 6:00	1.0	145	-0.9	1005
1/19/25 7:00	2.1	312	1.1	1006
1/19/25 8:00	2.6	298	3.7	1006
1/19/25 9:00	4.1	145	4.7	1007
1/19/25 10:00	4.1	340	4.9	1006
1/19/25 11:00	3.4	327	4.4	1006
1/19/25 12:00	2.9	340	4.6	1006
1/19/25 13:00	2.9	115	4.3	1006
1/19/25 14:00	3.7	17	3.5	1005
1/19/25 15:00	2.7	86	3.0	1005
1/19/25 16:00	4.7	20	1.7	1004
1/19/25 17:00	4.6	250	-0.6	1004
1/19/25 18:00	5.3	250	-1.2	1004
1/19/25 19:00	5.6	240	-2.1	1004
1/19/25 20:00	7.1	324	-3.0	1002
1/19/25 21:00	7.2	357	-3.2	1002
1/19/25 22:00	6.4	319	-4.0	1001
1/19/25 23:00	6.7	357	-4.0	1001
1/20/25 0:00	6.7	343	-4.2	1001
1/20/25 1:00	6.6	332	-5.9	1001
1/20/25 2:00	7.6	328	-6.6	1002
1/20/25 3:00	8.5	326	-7.1	1004
1/20/25 4:00	7.6	327	-8.0	1005
1/20/25 5:00	4.8	328	-8.0	1007
1/20/25 6:00	6.2	323	-8.0	1009
1/20/25 7:00	4.3	330	-8.4	1011
1/20/25 8:00	4.8	321	-7.5	1012
1/20/25 9:00	5.8	325	-7.0	1013
1/20/25 10:00	4.7	306	-6.4	1014
1/20/25 11:00	5.5	301	-5.6	1014
1/20/25 12:00	10.5	302	-5.5	1014
1/20/25 13:00	9.1	305	-6.0	1015
1/20/25 14:00	7.9	309	-6.2	1017
1/20/25 15:00	6.5	312	-7.5	1019

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (1/7/25 9:00 to 1/21/25 10:00)**

1/20/25 16:00	7.4	305	-8.9	1021
1/20/25 17:00	5.6	294	-10.9	1022
1/20/25 18:00	3.9	288	-12.2	1023
1/20/25 19:00	2.6	273	-12.2	1024
1/20/25 20:00	1.0	119	-12.8	1025
1/20/25 21:00	0.5	71	-15.0	1026
1/20/25 22:00	ND	ND	-16.2	1026
1/20/25 23:00	1.5	182	-16.1	1026
1/21/25 0:00	0.6	103	-16.3	1027
1/21/25 1:00	1.0	135	-16.4	1027
1/21/25 2:00	2.4	239	-15.9	1027
1/21/25 3:00	3.2	253	-14.2	1027
1/21/25 4:00	2.6	242	-15.0	1027
1/21/25 5:00	2.1	219	-15.0	1028
1/21/25 6:00	1.9	261	-15.4	1028
1/21/25 7:00	2.9	247	-12.9	1029
1/21/25 8:00	3.3	253	-11.7	1029
1/21/25 9:00	5.1	271	-9.8	1029
1/21/25 10:00	4.5	271	-8.6	1028

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (1/7/25 9:00 to 1/21/25 10:00)

PWM Wind Rose 1/7/25 9:00 - 1/21/25 10:00



SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (1/21/25 10:00 to 2/4/25 11:00)**

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
1/21/25 10:00	4.5	271	-8.6	1028
1/21/25 11:00	5.2	270	-8.0	1027
1/21/25 12:00	5.3	269	-8.0	1025
1/21/25 13:00	4.8	267	-8.0	1025
1/21/25 14:00	3.3	257	-8.0	1025
1/21/25 15:00	3.2	223	-8.8	1025
1/21/25 16:00	2.4	221	-9.5	1026
1/21/25 17:00	1.7	231	-10.7	1027
1/21/25 18:00	2.2	249	-11.7	1027
1/21/25 19:00	2.1	276	-13.0	1028
1/21/25 20:00	1.4	193	-13.4	1028
1/21/25 21:00	2.7	280	-14.2	1028
1/21/25 22:00	1.2	191	-14.6	1027
1/21/25 23:00	2.3	277	-16.1	1027
1/22/25 0:00	2.7	283	-17.0	1027
1/22/25 1:00	2.3	275	-16.9	1027
1/22/25 2:00	2.9	282	-17.0	1028
1/22/25 3:00	0.9	145	-17.6	1028
1/22/25 4:00	0.8	142	-19.1	1029
1/22/25 5:00	1.8	225	-19.6	1029
1/22/25 6:00	1.8	232	-20.8	1029
1/22/25 7:00	2.2	304	-18.6	1029
1/22/25 8:00	1.7	280	-14.1	1029
1/22/25 9:00	1.6	247	-11.0	1029
1/22/25 10:00	1.0	191	-8.7	1028
1/22/25 11:00	1.5	191	-8.0	1028
1/22/25 12:00	2.0	252	-7.4	1028
1/22/25 13:00	2.1	235	-7.0	1028
1/22/25 14:00	2.9	281	-7.2	1028
1/22/25 15:00	2.6	254	-7.8	1028
1/22/25 16:00	0.9	132	-9.0	1029
1/22/25 17:00	1.3	181	-9.6	1029
1/22/25 18:00	0.3	41	-11.1	1029
1/22/25 19:00	0.8	136	-10.9	1029
1/22/25 20:00	1.6	215	-10.9	1029
1/22/25 21:00	1.1	166	-10.4	1028
1/22/25 22:00	0.5	101	-11.5	1028
1/22/25 23:00	0.2	24	-11.2	1027
1/23/25 0:00	2.2	240	-11.0	1027
1/23/25 1:00	2.1	256	-10.8	1027
1/23/25 2:00	2.0	252	-10.4	1026
1/23/25 3:00	1.8	234	-10.0	1026
1/23/25 4:00	1.5	233	-10.0	1026

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (1/21/25 10:00 to 2/4/25 11:00)**

1/23/25 5:00	1.5	197	-10.0	1025
1/23/25 6:00	1.6	191	-9.4	1025
1/23/25 7:00	1.9	218	-8.6	1024
1/23/25 8:00	3.7	210	-7.5	1024
1/23/25 9:00	3.8	212	-7.0	1023
1/23/25 10:00	3.9	226	-6.3	1022
1/23/25 11:00	2.7	228	-5.3	1020
1/23/25 12:00	3.8	220	-4.0	1018
1/23/25 13:00	3.7	216	-4.0	1017
1/23/25 14:00	2.3	207	-3.6	1016
1/23/25 15:00	2.7	220	-3.3	1015
1/23/25 16:00	2.5	215	-4.1	1015
1/23/25 17:00	1.6	163	-5.6	1015
1/23/25 18:00	2.5	211	-6.0	1015
1/23/25 19:00	2.0	229	-6.4	1014
1/23/25 20:00	0.6	93	-7.4	1014
1/23/25 21:00	1.1	186	-9.1	1014
1/23/25 22:00	1.2	207	-11.4	1013
1/23/25 23:00	2.8	280	-11.1	1013
1/24/25 0:00	2.6	280	-12.1	1013
1/24/25 1:00	1.5	191	-11.9	1013
1/24/25 2:00	1.9	283	-12.4	1013
1/24/25 3:00	1.2	206	-11.5	1013
1/24/25 4:00	2.9	277	-11.0	1014
1/24/25 5:00	2.8	279	-11.0	1014
1/24/25 6:00	3.1	280	-11.1	1015
1/24/25 7:00	2.2	273	-9.7	1015
1/24/25 8:00	2.7	284	-7.0	1015
1/24/25 9:00	3.1	291	-4.3	1015
1/24/25 10:00	3.6	294	-2.9	1015
1/24/25 11:00	5.6	312	-2.4	1014
1/24/25 12:00	5.1	307	-2.7	1014
1/24/25 13:00	6.1	297	-2.0	1015
1/24/25 14:00	6.2	292	-2.9	1016
1/24/25 15:00	6.1	290	-3.7	1016
1/24/25 16:00	3.5	305	-6.3	1017
1/24/25 17:00	3.0	308	-7.1	1018
1/24/25 18:00	4.0	306	-7.2	1019
1/24/25 19:00	3.1	306	-7.9	1019
1/24/25 20:00	2.8	309	-8.8	1020
1/24/25 21:00	0.8	97	-9.9	1020
1/24/25 22:00	1.0	165	-12.1	1020
1/24/25 23:00	0.3	63	-12.7	1020
1/25/25 0:00	0.3	69	-13.8	1020
1/25/25 1:00	1.3	220	-15.1	1021
1/25/25 2:00	0.3	58	-16.3	1021

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (1/21/25 10:00 to 2/4/25 11:00)**

1/25/25 3:00	1.0	165	-16.9	1021
1/25/25 4:00	0.6	145	-17.3	1022
1/25/25 5:00	0.6	95	-17.4	1022
1/25/25 6:00	1.9	284	-17.5	1022
1/25/25 7:00	1.9	286	-14.4	1022
1/25/25 8:00	3.0	286	-9.9	1022
1/25/25 9:00	3.7	281	-7.2	1022
1/25/25 10:00	5.6	280	-5.4	1021
1/25/25 11:00	5.6	261	-4.1	1020
1/25/25 12:00	6.2	263	-4.0	1019
1/25/25 13:00	5.0	270	-4.0	1019
1/25/25 14:00	4.0	258	-4.0	1019
1/25/25 15:00	2.9	254	-4.0	1019
1/25/25 16:00	1.1	158	-5.3	1019
1/25/25 17:00	1.1	140	-6.1	1018
1/25/25 18:00	ND	ND	-7.5	1018
1/25/25 19:00	1.7	173	-7.4	1018
1/25/25 20:00	2.9	217	-6.8	1017
1/25/25 21:00	2.2	220	-7.0	1017
1/25/25 22:00	1.4	189	-7.5	1017
1/25/25 23:00	2.7	218	-7.9	1017
1/26/25 0:00	3.2	216	-8.0	1016
1/26/25 1:00	2.4	234	-8.0	1016
1/26/25 2:00	2.8	219	-8.0	1015
1/26/25 3:00	1.3	185	-7.1	1015
1/26/25 4:00	3.0	218	-6.4	1013
1/26/25 5:00	2.5	237	-7.0	1013
1/26/25 6:00	1.6	157	-6.8	1012
1/26/25 7:00	2.4	230	-5.9	1012
1/26/25 8:00	3.4	237	-4.3	1011
1/26/25 9:00	4.2	270	-0.8	1011
1/26/25 10:00	5.6	265	1.8	1010
1/26/25 11:00	7.1	265	2.6	1009
1/26/25 12:00	7.9	260	3.1	1009
1/26/25 13:00	7.0	281	2.4	1009
1/26/25 14:00	4.6	267	2.1	1010
1/26/25 15:00	4.4	257	1.9	1010
1/26/25 16:00	4	267	1.0	1011
1/26/25 17:00	2.7	234	-0.1	1012
1/26/25 18:00	2.3	179	-2.4	1013
1/26/25 19:00	2.6	227	-2.0	1013
1/26/25 20:00	2.5	232	-2.0	1013
1/26/25 21:00	3.0	204	-2.4	1012
1/26/25 22:00	3.1	223	-2.5	1012
1/26/25 23:00	2.9	227	-3.0	1012
1/27/25 0:00	2.6	218	-3.3	1012

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (1/21/25 10:00 to 2/4/25 11:00)**

1/27/25 1:00	2.4	213	-3.2	1011
1/27/25 2:00	2.6	208	-3.5	1010
1/27/25 3:00	3.7	215	-4.0	1010
1/27/25 4:00	3.5	222	-4.0	1009
1/27/25 5:00	2.8	228	-4.3	1009
1/27/25 6:00	4.5	225	-4.4	1009
1/27/25 7:00	5.1	230	-3.7	1008
1/27/25 8:00	5	234	-2.4	1008
1/27/25 9:00	5.2	242	-1.4	1007
1/27/25 10:00	5.6	237	-0.1	1005
1/27/25 11:00	5.9	238	1.0	1004
1/27/25 12:00	6.2	227	1.7	1002
1/27/25 13:00	6.3	227	2.4	1001
1/27/25 14:00	5.4	221	3.0	1000
1/27/25 15:00	5.5	209	2.1	999
1/27/25 16:00	5	199	1.5	998
1/27/25 17:00	5.6	210	2.0	997
1/27/25 18:00	6.0	204	1.4	997
1/27/25 19:00	5.7	205	1.0	996
1/27/25 20:00	5.8	212	1.0	995
1/27/25 21:00	6.3	213	0.9	993
1/27/25 22:00	6.1	218	0.1	993
1/27/25 23:00	6	212	0.0	992
1/28/25 0:00	4.2	205	0.0	991
1/28/25 1:00	3.3	208	0.0	990
1/28/25 2:00	4.9	220	1.0	989
1/28/25 3:00	4.6	218	0.6	989
1/28/25 4:00	4.1	219	0.0	988
1/28/25 5:00	4.3	210	0.0	988
1/28/25 6:00	4.5	214	0.0	988
1/28/25 7:00	4.7	234	0.7	989
1/28/25 8:00	7.4	284	1.0	990
1/28/25 9:00	9.0	287	0.1	991
1/28/25 10:00	11.2	306	-1.9	993
1/28/25 11:00	11.0	291	-2.7	995
1/28/25 12:00	11.7	299	-3.8	996
1/28/25 13:00	9.5	310	-4.0	997
1/28/25 14:00	6.5	312	-4.8	998
1/28/25 15:00	4.8	314	-6.4	999
1/28/25 16:00	3.5	276	-7.0	1001
1/28/25 17:00	2.5	253	-7.2	1002
1/28/25 18:00	2.2	249	-8.0	1002
1/28/25 19:00	1.6	203	-7.9	1003
1/28/25 20:00	1.4	166	-7.5	1003
1/28/25 21:00	0.9	135	-7.0	1002
1/28/25 22:00	ND	ND	-7.2	1002

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (1/21/25 10:00 to 2/4/25 11:00)**

1/28/25 23:00	0.3	39	-7.0	1000
1/29/25 0:00	1.3	150	-7.4	999
1/29/25 1:00	2	229	-7.9	999
1/29/25 2:00	1.5	187	-7.9	998
1/29/25 3:00	1.4	79	-7.1	996
1/29/25 4:00	1.7	32	-7.0	995
1/29/25 5:00	3.0	37	-7.0	994
1/29/25 6:00	3.6	24	-7.0	993
1/29/25 7:00	3.2	284	-7.5	992
1/29/25 8:00	2.8	343	-7.0	991
1/29/25 9:00	3.2	329	-6.7	991
1/29/25 10:00	2.0	284	-5.7	990
1/29/25 11:00	0.5	86	-4.5	989
1/29/25 12:00	0.2	14	-3.5	988
1/29/25 13:00	1.8	156	-2.5	988
1/29/25 14:00	1.2	56	-2.0	989
1/29/25 15:00	1.2	10	-2.7	990
1/29/25 16:00	1.6	220	-4.0	992
1/29/25 17:00	2.5	280	-3.1	994
1/29/25 18:00	6.1	314	-3.4	996
1/29/25 19:00	6.5	312	-4.7	998
1/29/25 20:00	6.0	330	-6.4	1000
1/29/25 21:00	5.4	325	-7.8	1002
1/29/25 22:00	5.0	308	-9.7	1004
1/29/25 23:00	5.6	300	-9.0	1005
1/30/25 0:00	3.4	285	-10.6	1006
1/30/25 1:00	3.1	246	-10.6	1008
1/30/25 2:00	4.1	267	-10.7	1008
1/30/25 3:00	5.8	265	-10.8	1010
1/30/25 4:00	7.2	280	-10.8	1011
1/30/25 5:00	5.8	272	-11.0	1012
1/30/25 6:00	3.6	270	-11.4	1014
1/30/25 7:00	5.8	282	-11.2	1015
1/30/25 8:00	6.5	281	-10.5	1015
1/30/25 9:00	4.8	280	-8.7	1016
1/30/25 10:00	6.0	283	-7.8	1016
1/30/25 11:00	7.0	282	-6.9	1016
1/30/25 12:00	6.5	275	-6.8	1016
1/30/25 13:00	5.2	270	-6.2	1017
1/30/25 14:00	5.3	277	-6.3	1017
1/30/25 15:00	2.9	250	-7.0	1017
1/30/25 16:00	0.6	84	-7.7	1018
1/30/25 17:00	2	215	-7.8	1019
1/30/25 18:00	2	204	-8.4	1020
1/30/25 19:00	1.9	203	-8.0	1020
1/30/25 20:00	2.9	229	-8.0	1020

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (1/21/25 10:00 to 2/4/25 11:00)**

1/30/25 21:00	2.7	218	-8.0	1019
1/30/25 22:00	1.7	196	-7.5	1019
1/30/25 23:00	2.7	231	-6.5	1018
1/31/25 0:00	3.4	224	-6.0	1017
1/31/25 1:00	2.3	226	-5.7	1017
1/31/25 2:00	3.9	226	-3.5	1015
1/31/25 3:00	5.5	213	-2.6	1014
1/31/25 4:00	4.6	215	-3.0	1014
1/31/25 5:00	2.9	223	-3.0	1013
1/31/25 6:00	1.6	261	-3.0	1012
1/31/25 7:00	1.1	152	-2.0	1012
1/31/25 8:00	2.0	201	-1.3	1011
1/31/25 9:00	2.1	260	-0.9	1010
1/31/25 10:00	1.6	196	0.8	1009
1/31/25 11:00	1.9	256	1.5	1008
1/31/25 12:00	1.0	190	1.8	1007
1/31/25 13:00	1.2	111	1.0	1006
1/31/25 14:00	1.1	63	1.0	1006
1/31/25 15:00	2.3	81	1.0	1005
1/31/25 16:00	1.8	45	0.8	1005
1/31/25 17:00	2.2	41	0.4	1005
1/31/25 18:00	2.7	53	-0.9	1005
1/31/25 19:00	3.0	182	-1.9	1005
1/31/25 20:00	2.9	88	-1.9	1004
1/31/25 21:00	2.9	186	-1.9	1003
1/31/25 22:00	3.4	17	-2.0	1003
1/31/25 23:00	3.0	54	-1.9	1003
2/1/25 0:00	3.6	12	-1.9	1003
2/1/25 1:00	4.1	118	-2.0	1004
2/1/25 2:00	4.0	26	-2.0	1004
2/1/25 3:00	4.2	51	-2.6	1004
2/1/25 4:00	5.4	83	-3.7	1006
2/1/25 5:00	4.8	57	-5.5	1007
2/1/25 6:00	5.7	23	-6.9	1009
2/1/25 7:00	5.2	26	-7.1	1010
2/1/25 8:00	4.6	31	-8.0	1012
2/1/25 9:00	5.4	152	-7.6	1013
2/1/25 10:00	3.8	120	-6.6	1014
2/1/25 11:00	4.4	332	-4.6	1014
2/1/25 12:00	7.1	320	-4.0	1016
2/1/25 13:00	7.6	322	-4.1	1017
2/1/25 14:00	7.0	327	-5.4	1019
2/1/25 15:00	6.5	327	-6.6	1021
2/1/25 16:00	5.0	310	-7.6	1023
2/1/25 17:00	6.1	320	-8.4	1025
2/1/25 18:00	5.4	329	-9.6	1026

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (1/21/25 10:00 to 2/4/25 11:00)**


2/1/25 19:00	5.3	339	-11.4	1028
2/1/25 20:00	4.5	333	-12.3	1029
2/1/25 21:00	4.5	344	-13.5	1029
2/1/25 22:00	3	332	-14.0	1030
2/1/25 23:00	3.8	351	-15.0	1031
2/2/25 0:00	4.0	342	-15.6	1031
2/2/25 1:00	1.8	225	-15.8	1032
2/2/25 2:00	0.2	23	-16.9	1033
2/2/25 3:00	0.3	60	-17.4	1033
2/2/25 4:00	0.3	56	-17.8	1034
2/2/25 5:00	1.4	181	-18.8	1035
2/2/25 6:00	1.4	180	-18.9	1035
2/2/25 7:00	1.8	274	-16.5	1035
2/2/25 8:00	0.9	140	-12.7	1036
2/2/25 9:00	ND	ND	-10.9	1035
2/2/25 10:00	0.5	42	-8.9	1034
2/2/25 11:00	0.6	19	-8.5	1033
2/2/25 12:00	2.2	80	-8.0	1032
2/2/25 13:00	1.0	99	-7.9	1031
2/2/25 14:00	0.9	49	-7.7	1031
2/2/25 15:00	0.3	19	-7.9	1030
2/2/25 16:00	1.3	14	-7.9	1029
2/2/25 17:00	2.3	254	-8.0	1029
2/2/25 18:00	2.0	30	-8.0	1027
2/2/25 19:00	1.9	25	-8.0	1026
2/2/25 20:00	2.1	162	-7.6	1025
2/2/25 21:00	1.8	27	-7.6	1024
2/2/25 22:00	1.6	313	-7.9	1024
2/2/25 23:00	1.6	343	-7.9	1022
2/3/25 0:00	2.0	338	-7.9	1021
2/3/25 1:00	2.0	329	-7.5	1020
2/3/25 2:00	2.2	316	-7.8	1019
2/3/25 3:00	2.6	309	-8.0	1018
2/3/25 4:00	2.7	315	-7.1	1018
2/3/25 5:00	2.9	319	-7.0	1018
2/3/25 6:00	1.3	212	-7.0	1017
2/3/25 7:00	1.0	171	-6.6	1017
2/3/25 8:00	1.2	169	-4.0	1017
2/3/25 9:00	2.4	258	-1.7	1016
2/3/25 10:00	0.8	84	-0.2	1015
2/3/25 11:00	1.2	73	1.2	1013
2/3/25 12:00	3.3	116	0.8	1011
2/3/25 13:00	4.7	176	1.0	1011
2/3/25 14:00	5.0	194	1.0	1010
2/3/25 15:00	3.3	204	2.0	1009
2/3/25 16:00	3.3	191	2.0	1008

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (1/21/25 10:00 to 2/4/25 11:00)**

2/3/25 17:00	2.9	196	2.0	1007
2/3/25 18:00	3.8	196	2.0	1005
2/3/25 19:00	3.8	207	2.7	1003
2/3/25 20:00	3.2	241	2.6	1003
2/3/25 21:00	1.8	209	2.0	1003
2/3/25 22:00	1.1	133	1.9	1002
2/3/25 23:00	1.1	147	1.7	1001
2/4/25 0:00	2.8	298	1.9	1002
2/4/25 1:00	2.1	303	2.0	1002
2/4/25 2:00	1.7	245	1.9	1002
2/4/25 3:00	1.9	237	1.9	1002
2/4/25 4:00	2.1	288	0.9	1003
2/4/25 5:00	3.6	343	-0.5	1004
2/4/25 6:00	4.0	328	-1.1	1005
2/4/25 7:00	3.5	306	-1.1	1005
2/4/25 8:00	6.9	297	0.5	1005
2/4/25 9:00	5.3	285	0.7	1005
2/4/25 10:00	7.3	298	1.7	1005
2/4/25 11:00	10.2	310	1.2	1006

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (1/21/25 10:00 to 2/4/25 11:00)

PWM Wind Rose 1/21/25 10:00 - 2/4/25 11:00



SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (2/4/25 10:00 to 2/18/25 11:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
2/4/25 10:00	7.3	298	1.7	1005
2/4/25 11:00	10.2	310	1.2	1006
2/4/25 12:00	10.5	314	0.9	1007
2/4/25 13:00	9.9	313	-0.3	1008
2/4/25 14:00	8.0	314	-1.5	1009
2/4/25 15:00	10.4	311	-2.9	1011
2/4/25 16:00	9.6	311	-4.7	1013
2/4/25 17:00	5.6	326	-6.0	1015
2/4/25 18:00	5.0	317	-6.8	1016
2/4/25 19:00	5.7	314	-7.0	1017
2/4/25 20:00	5.4	308	-7.9	1018
2/4/25 21:00	4.5	295	-8.7	1018
2/4/25 22:00	2.5	241	-9.3	1018
2/4/25 23:00	2.0	227	-10.1	1019
2/5/25 0:00	1.8	229	-10.4	1019
2/5/25 1:00	2.1	246	-11.7	1020
2/5/25 2:00	1.4	204	-12.7	1020
2/5/25 3:00	0.9	169	-13.5	1021
2/5/25 4:00	0.9	135	-13.8	1021
2/5/25 5:00	2.2	240	-14.2	1022
2/5/25 6:00	2.1	251	-14.1	1023
2/5/25 7:00	3.1	289	-12.2	1024
2/5/25 8:00	4.3	301	-10.5	1025
2/5/25 9:00	4.5	311	-8.8	1025
2/5/25 10:00	4.7	323	-8.0	1025
2/5/25 11:00	4.4	324	-7.6	1024
2/5/25 12:00	4.5	313	-7.0	1024
2/5/25 13:00	3.6	315	-6.2	1024
2/5/25 14:00	3.4	324	-6.0	1024
2/5/25 15:00	3.1	312	-7.3	1025
2/5/25 16:00	3.1	264	-7.5	1025
2/5/25 17:00	3.1	263	-8.7	1026
2/5/25 18:00	2.8	258	-9.4	1026
2/5/25 19:00	1.8	203	-11.5	1027
2/5/25 20:00	0.5	58	-12.3	1026
2/5/25 21:00	1.7	234	-13.1	1027
2/5/25 22:00	0.5	116	-13.8	1027
2/5/25 23:00	0.7	113	-14.8	1026
2/6/25 0:00	1.2	208	-15.9	1026
2/6/25 1:00	0.9	121	-17.0	1025
2/6/25 2:00	1.0	169	-16.9	1025
2/6/25 3:00	1.5	205	-17.6	1025
2/6/25 4:00	0.8	123	-17.3	1024

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (2/4/25 10:00 to 2/18/25 11:00)**

2/6/25 5:00	1.2	165	-17.0	1025
2/6/25 6:00	1.9	325	-16.4	1024
2/6/25 7:00	1.4	302	-13.1	1022
2/6/25 8:00	2.4	155	-10.4	1021
2/6/25 9:00	2.7	252	-9.4	1019
2/6/25 10:00	2.5	345	-10.9	1017
2/6/25 11:00	2.7	340	-9.4	1015
2/6/25 12:00	2.9	348	-9.0	1013
2/6/25 13:00	3.2	344	-8.3	1011
2/6/25 14:00	2.4	335	-8.0	1010
2/6/25 15:00	2.4	335	-7.9	1008
2/6/25 16:00	2.6	333	-8.0	1006
2/6/25 17:00	3.0	325	-8.0	1005
2/6/25 18:00	3.6	313	-8.0	1004
2/6/25 19:00	2.7	313	-8.0	1003
2/6/25 20:00	2.9	304	-7.3	1002
2/6/25 21:00	1.9	268	-7.0	1001
2/6/25 22:00	2.4	236	-7.0	1000
2/6/25 23:00	2.5	232	-6.4	1000
2/7/25 0:00	2.9	264	-4.1	1000
2/7/25 1:00	2.5	239	-4.0	1000
2/7/25 2:00	1.2	165	-4.0	999
2/7/25 3:00	2.6	200	-4.0	999
2/7/25 4:00	2.5	240	-3.7	999
2/7/25 5:00	3.3	249	-2.2	1000
2/7/25 6:00	3.4	255	-1.2	1000
2/7/25 7:00	4.8	227	0.4	1001
2/7/25 8:00	6.6	253	1.5	1001
2/7/25 9:00	8.5	279	1.1	1003
2/7/25 10:00	7.9	277	1.3	1003
2/7/25 11:00	8.6	284	1.1	1003
2/7/25 12:00	9.1	284	0.9	1005
2/7/25 13:00	7.1	317	0.2	1006
2/7/25 14:00	8.1	307	-0.4	1008
2/7/25 15:00	6.3	301	-1.4	1009
2/7/25 16:00	4.5	282	-2.2	1011
2/7/25 17:00	4.7	274	-2.6	1012
2/7/25 18:00	3.6	316	-4.2	1013
2/7/25 19:00	2.9	301	-4.6	1014
2/7/25 20:00	2.9	226	-4.1	1014
2/7/25 21:00	4.2	259	-4.0	1015
2/7/25 22:00	2.1	215	-5.6	1016
2/7/25 23:00	2.2	228	-6.1	1016
2/8/25 0:00	2.7	233	-6.0	1017
2/8/25 1:00	2.6	225	-6.0	1017
2/8/25 2:00	2.8	229	-6.0	1018

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (2/4/25 10:00 to 2/18/25 11:00)**

2/8/25 3:00	2.1	269	-6.6	1018
2/8/25 4:00	1.0	127	-7.9	1019
2/8/25 5:00	0.3	3	-10.0	1019
2/8/25 6:00	1.0	163	-10.1	1021
2/8/25 7:00	0.5	45	-6.6	1021
2/8/25 8:00	1.9	215	-4.0	1021
2/8/25 9:00	2.8	262	-2.7	1021
2/8/25 10:00	3.6	266	-2.0	1021
2/8/25 11:00	3.7	255	-1.7	1020
2/8/25 12:00	4.6	278	-1.8	1019
2/8/25 13:00	4.9	297	-1.6	1019
2/8/25 14:00	4.0	264	-1.0	1019
2/8/25 15:00	3.2	251	-1.1	1019
2/8/25 16:00	2.5	230	-2.0	1020
2/8/25 17:00	2.2	219	-2.4	1019
2/8/25 18:00	1.7	166	-3.0	1018
2/8/25 19:00	0.5	64	-2.8	1017
2/8/25 20:00	0.9	127	-3.5	1017
2/8/25 21:00	2.5	289	-3.0	1017
2/8/25 22:00	1.8	215	-4.0	1015
2/8/25 23:00	3.1	154	-4.9	1014
2/9/25 0:00	3.7	25	-5.5	1013
2/9/25 1:00	4.1	27	-5.9	1012
2/9/25 2:00	4.1	21	-6.0	1011
2/9/25 3:00	4.4	23	-5.9	1010
2/9/25 4:00	5.2	46	-6.0	1011
2/9/25 5:00	6.2	219	-6.0	1011
2/9/25 6:00	6.5	150	-6.0	1011
2/9/25 7:00	5.9	80	-6.8	1012
2/9/25 8:00	5.5	115	-6.0	1012
2/9/25 9:00	5.5	219	-5.1	1012
2/9/25 10:00	5.6	320	-4.0	1012
2/9/25 11:00	4.7	317	-3.8	1013
2/9/25 12:00	4.4	340	-3.4	1013
2/9/25 13:00	3.5	179	-2.6	1014
2/9/25 14:00	2.2	80	-2.6	1015
2/9/25 15:00	ND	ND	-2.8	1016
2/9/25 16:00	0.2	19	-3.1	1017
2/9/25 17:00	1.9	163	-3.9	1018
2/9/25 18:00	1.7	203	-4.0	1019
2/9/25 19:00	ND	ND	-4.0	1019
2/9/25 20:00	ND	ND	-5.7	1019
2/9/25 21:00	1.5	229	-6.7	1019
2/9/25 22:00	1.3	123	-8.0	1019
2/9/25 23:00	1.7	206	-7.8	1020
2/10/25 0:00	1.9	249	-7.1	1020

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (2/4/25 10:00 to 2/18/25 11:00)**

2/10/25 1:00	1.8	230	-6.7	1020
2/10/25 2:00	2.2	239	-6.7	1020
2/10/25 3:00	2.0	271	-8.6	1020
2/10/25 4:00	3.0	283	-9.1	1020
2/10/25 5:00	2.5	273	-9.8	1021
2/10/25 6:00	1.6	171	-9.0	1021
2/10/25 7:00	2.8	288	-6.9	1022
2/10/25 8:00	3.1	302	-3.2	1022
2/10/25 9:00	3.7	284	-2.0	1022
2/10/25 10:00	4.7	285	-1.9	1021
2/10/25 11:00	5.7	278	-2.0	1021
2/10/25 12:00	6.9	285	-1.9	1020
2/10/25 13:00	7.1	292	-2.1	1021
2/10/25 14:00	7.5	304	-3.0	1021
2/10/25 15:00	6.2	309	-3.9	1022
2/10/25 16:00	4.6	318	-5.2	1023
2/10/25 17:00	4.0	322	-6.0	1023
2/10/25 18:00	4.9	317	-7.0	1024
2/10/25 19:00	4.2	316	-7.4	1025
2/10/25 20:00	3.5	293	-9.3	1025
2/10/25 21:00	1.7	279	-10.2	1025
2/10/25 22:00	1.4	247	-12.2	1025
2/10/25 23:00	0.0	0	-13.4	1025
2/11/25 0:00	0.9	142	-15.1	1025
2/11/25 1:00	0.3	61	-15.5	1025
2/11/25 2:00	0.8	150	-16.7	1025
2/11/25 3:00	1.8	297	-17.5	1025
2/11/25 4:00	1.6	199	-17.4	1025
2/11/25 5:00	1.0	165	-18.1	1025
2/11/25 6:00	0.9	143	-17.6	1025
2/11/25 7:00	2.4	296	-14.3	1025
2/11/25 8:00	3.7	264	-7.8	1024
2/11/25 9:00	4.5	271	-4.0	1024
2/11/25 10:00	5.0	247	-2.1	1023
2/11/25 11:00	4.3	246	-1.9	1022
2/11/25 12:00	5.7	239	-1.1	1021
2/11/25 13:00	5.0	246	-0.9	1020
2/11/25 14:00	4.5	239	-0.9	1020
2/11/25 15:00	3.9	217	-1.5	1020
2/11/25 16:00	4.1	217	-2.0	1020
2/11/25 17:00	2.5	215	-2.6	1021
2/11/25 18:00	2.6	237	-3.0	1021
2/11/25 19:00	2.6	229	-3.0	1022
2/11/25 20:00	2.7	246	-3.0	1022
2/11/25 21:00	2.5	240	-4.4	1022
2/11/25 22:00	2.1	22	-4.9	1023

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (2/4/25 10:00 to 2/18/25 11:00)**

2/11/25 23:00	2.4	46	-6.2	1023
2/12/25 0:00	1.5	30	-7.0	1023
2/12/25 1:00	2.0	89	-7.7	1024
2/12/25 2:00	3.2	19	-8.2	1024
2/12/25 3:00	4.0	25	-8.1	1025
2/12/25 4:00	3.7	33	-9.0	1025
2/12/25 5:00	3.5	25	-9.3	1026
2/12/25 6:00	4.2	29	-9.4	1027
2/12/25 7:00	4.8	37	-8.4	1027
2/12/25 8:00	4.7	44	-7.2	1027
2/12/25 9:00	3.2	38	-7.0	1028
2/12/25 10:00	2.6	33	-6.1	1028
2/12/25 11:00	2.5	59	-5.0	1027
2/12/25 12:00	2.0	77	-4.9	1026
2/12/25 13:00	2.2	92	-5.1	1026
2/12/25 14:00	2.2	61	-4.8	1027
2/12/25 15:00	1.8	49	-4.0	1028
2/12/25 16:00	2.3	94	-4.4	1028
2/12/25 17:00	2.6	86	-4.0	1028
2/12/25 18:00	2.8	89	-4.0	1028
2/12/25 19:00	2.9	113	-3.3	1028
2/12/25 20:00	3.4	100	-3.0	1027
2/12/25 21:00	3.5	98	-3.0	1027
2/12/25 22:00	4.3	104	-2.7	1026
2/12/25 23:00	4.5	105	-2.0	1026
2/13/25 0:00	5.1	105	-2.0	1025
2/13/25 1:00	5.8	103	-2.0	1024
2/13/25 2:00	7.1	105	-1.8	1023
2/13/25 3:00	7.1	111	-1.9	1022
2/13/25 4:00	6.7	103	-1.9	1020
2/13/25 5:00	7.1	100	-1.8	1019
2/13/25 6:00	6.4	101	-1.0	1018
2/13/25 7:00	6.2	109	-0.9	1016
2/13/25 8:00	7.0	109	0.0	1014
2/13/25 9:00	5.3	95	0.0	1012
2/13/25 10:00	5.3	79	0.8	1009
2/13/25 11:00	4.0	158	-1.2	1005
2/13/25 12:00	5.5	343	-2.1	1003
2/13/25 13:00	6.4	342	-2.9	1002
2/13/25 14:00	5.3	338	-3.0	1001
2/13/25 15:00	4.4	330	-3.0	1001
2/13/25 16:00	2.9	329	-3.0	1002
2/13/25 17:00	2.4	302	-3.0	1002
2/13/25 18:00	1.7	248	-3.0	1003
2/13/25 19:00	0.7	93	-3.2	1003
2/13/25 20:00	1.9	309	-3.8	1004

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (2/4/25 10:00 to 2/18/25 11:00)**

2/13/25 21:00	2.1	232	-1.4	1006
2/13/25 22:00	4.4	290	-1.2	1007
2/13/25 23:00	6.8	274	-1.4	1009
2/14/25 0:00	8.1	277	-2.0	1010
2/14/25 1:00	6.8	284	-3.1	1011
2/14/25 2:00	5.6	272	-3.6	1013
2/14/25 3:00	6.5	287	-4.8	1014
2/14/25 4:00	4.8	298	-6.6	1015
2/14/25 5:00	6.9	294	-6.7	1017
2/14/25 6:00	7.8	308	-6.1	1019
2/14/25 7:00	9.2	303	-5.5	1020
2/14/25 8:00	11.5	298	-5.1	1021
2/14/25 9:00	14.6	296	-4.2	1022
2/14/25 10:00	13.0	301	-4.0	1022
2/14/25 11:00	9.2	314	-3.0	1022
2/14/25 12:00	10.0	309	-3.0	1023
2/14/25 13:00	11.3	306	-3.0	1023
2/14/25 14:00	10.0	297	-3.0	1024
2/14/25 15:00	6.3	308	-3.7	1025
2/14/25 16:00	4.9	299	-5.1	1026
2/14/25 17:00	4.9	305	-6.0	1027
2/14/25 18:00	4.1	282	-6.1	1028
2/14/25 19:00	4.0	291	-6.9	1029
2/14/25 20:00	4.3	298	-7.0	1029
2/14/25 21:00	3.5	301	-7.3	1029
2/14/25 22:00	1.1	179	-8.2	1029
2/14/25 23:00	1.1	134	-10.1	1029
2/15/25 0:00	0.8	127	-10.9	1030
2/15/25 1:00	0.5	98	-12.1	1030
2/15/25 2:00	0.8	135	-12.6	1030
2/15/25 3:00	0.9	123	-14.3	1030
2/15/25 4:00	ND	ND	-13.9	1031
2/15/25 5:00	1.2	158	-13.4	1030
2/15/25 6:00	1.4	188	-13.3	1030
2/15/25 7:00	1.1	201	-10.4	1030
2/15/25 8:00	1.3	227	-7.9	1029
2/15/25 9:00	0.3	38	-5.7	1029
2/15/25 10:00	1.9	260	-4.3	1028
2/15/25 11:00	1.4	204	-3.1	1026
2/15/25 12:00	1.3	207	-2.6	1025
2/15/25 13:00	2.1	173	-2.4	1025
2/15/25 14:00	3.1	172	-3.0	1024
2/15/25 15:00	2.5	185	-3.0	1023
2/15/25 16:00	0.8	107	-3.0	1023
2/15/25 17:00	2.4	199	-3.6	1023
2/15/25 18:00	1.5	191	-5.0	1023

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (2/4/25 10:00 to 2/18/25 11:00)**


2/15/25 19:00	0.2	32	-5.5	1022
2/15/25 20:00	ND	ND	-5.9	1021
2/15/25 21:00	ND	ND	-5.9	1020
2/15/25 22:00	1.9	324	-5.9	1020
2/15/25 23:00	1.1	149	-6.0	1019
2/16/25 0:00	2.5	27	-5.9	1018
2/16/25 1:00	2.8	30	-6.0	1017
2/16/25 2:00	3.4	26	-5.8	1016
2/16/25 3:00	3.5	20	-5.5	1016
2/16/25 4:00	4.2	29	-5.9	1015
2/16/25 5:00	5.9	41	-5.3	1013
2/16/25 6:00	6.1	44	-5.9	1012
2/16/25 7:00	6.7	43	-5.9	1010
2/16/25 8:00	8.0	52	-5.9	1008
2/16/25 9:00	7.0	49	-6.0	1006
2/16/25 10:00	6.4	46	-6.0	1004
2/16/25 11:00	6.9	40	-5.2	1001
2/16/25 12:00	6.5	31	-5.3	998
2/16/25 13:00	6.6	32	-6.0	995
2/16/25 14:00	6.6	25	-6.0	993
2/16/25 15:00	6.9	26	-6.0	988
2/16/25 16:00	6.3	215	-6.8	986
2/16/25 17:00	7.4	319	-8.0	983
2/16/25 18:00	7.1	279	-8.0	980
2/16/25 19:00	6.3	347	-8.1	978
2/16/25 20:00	6.3	329	-8.0	977
2/16/25 21:00	5.9	303	-8.0	979
2/16/25 22:00	4.0	288	-7.0	980
2/16/25 23:00	1.5	155	-7.1	981
2/17/25 0:00	1.1	113	-7.4	981
2/17/25 1:00	8.1	276	-4.1	983
2/17/25 2:00	8.6	268	-5.3	985
2/17/25 3:00	7.6	266	-6.6	986
2/17/25 4:00	7.7	265	-7.0	987
2/17/25 5:00	7.6	257	-7.0	988
2/17/25 6:00	7.2	260	-7.0	989
2/17/25 7:00	8.4	266	-7.0	990
2/17/25 8:00	11.3	273	-7.0	990
2/17/25 9:00	9.0	270	-6.2	991
2/17/25 10:00	9.4	272	-5.7	992
2/17/25 11:00	10.7	269	-5.3	992
2/17/25 12:00	10.9	270	-4.1	993
2/17/25 13:00	11.5	272	-3.7	994
2/17/25 14:00	10.3	274	-3.9	994
2/17/25 15:00	9.9	274	-4.1	995
2/17/25 16:00	9.2	270	-5.0	996

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (2/4/25 10:00 to 2/18/25 11:00)**

2/17/25 17:00	10.7	278	-6.0	997
2/17/25 18:00	11.2	281	-6.6	998
2/17/25 19:00	9.4	273	-6.6	999
2/17/25 20:00	9.1	271	-7.0	999
2/17/25 21:00	7.6	275	-7.0	999
2/17/25 22:00	7.9	270	-7.1	999
2/17/25 23:00	10.0	279	-8.0	1000
2/18/25 0:00	9.8	279	-8.0	1000
2/18/25 1:00	8.3	276	-8.2	1000
2/18/25 2:00	9.5	273	-8.3	1001
2/18/25 3:00	9.2	273	-9.0	1002
2/18/25 4:00	7.5	274	-9.0	1003
2/18/25 5:00	9.1	273	-9.2	1003
2/18/25 6:00	9.5	279	-9.2	1004
2/18/25 7:00	11.2	284	-9.0	1004
2/18/25 8:00	10.8	284	-8.3	1005
2/18/25 9:00	9.3	278	-7.3	1005
2/18/25 10:00	9.7	278	-6.7	1005
2/18/25 11:00	9.9	277	-6.0	1005

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (2/4/25 10:00 to 2/18/25 11:00)

PWM Wind Rose 2/4/25 10:00 - 2/18/25 11:00



SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (2/18/25 10:00 to 3/4/25 11:00)**

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
2/18/25 10:00	9.7	278	-6.7	1005
2/18/25 11:00	9.9	277	-6.0	1005
2/18/25 12:00	9.4	280	-6.0	1005
2/18/25 13:00	9.7	279	-5.4	1006
2/18/25 14:00	8.7	281	-5.8	1007
2/18/25 15:00	7.9	291	-6.1	1008
2/18/25 16:00	5.2	320	-7.1	1009
2/18/25 17:00	6.2	304	-8.2	1010
2/18/25 18:00	7.1	301	-8.8	1011
2/18/25 19:00	5.5	310	-9.4	1012
2/18/25 20:00	4.4	308	-10.5	1012
2/18/25 21:00	4.2	294	-11.2	1013
2/18/25 22:00	4.1	286	-11.5	1013
2/18/25 23:00	3.4	286	-12.0	1013
2/19/25 0:00	2.3	258	-11.9	1013
2/19/25 1:00	2.1	268	-13.1	1013
2/19/25 2:00	0.9	137	-13.9	1014
2/19/25 3:00	2.5	280	-14.4	1014
2/19/25 4:00	2.2	279	-14.2	1015
2/19/25 5:00	2.7	274	-14.4	1015
2/19/25 6:00	2.6	269	-13.3	1016
2/19/25 7:00	3.1	281	-12.1	1016
2/19/25 8:00	2.7	291	-9.7	1017
2/19/25 9:00	4.7	315	-7.7	1017
2/19/25 10:00	4.8	311	-6.4	1017
2/19/25 11:00	4.0	329	-4.5	1016
2/19/25 12:00	2.6	298	-3.0	1015
2/19/25 13:00	1.8	203	-2.0	1015
2/19/25 14:00	3.4	274	-2.0	1015
2/19/25 15:00	3.5	268	-2.3	1015
2/19/25 16:00	3.0	263	-3.2	1015
2/19/25 17:00	2.8	261	-4.3	1015
2/19/25 18:00	2.6	278	-6.2	1015
2/19/25 19:00	2.7	284	-6.9	1016
2/19/25 20:00	2.5	303	-8.1	1016
2/19/25 21:00	1.8	276	-9.5	1015
2/19/25 22:00	0.5	83	-9.8	1015
2/19/25 23:00	0.5	93	-11.5	1015
2/20/25 0:00	1.7	268	-12.7	1015
2/20/25 1:00	0.8	174	-12.6	1015
2/20/25 2:00	0.9	153	-14.0	1014
2/20/25 3:00	1.7	334	-13.9	1014
2/20/25 4:00	1.6	260	-13.7	1014

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (2/18/25 10:00 to 3/4/25 11:00)**

2/20/25 5:00	1.9	323	-15.5	1013
2/20/25 6:00	2.2	289	-14.5	1013
2/20/25 7:00	1.3	214	-12.0	1013
2/20/25 8:00	0.4	59	-7.5	1012
2/20/25 9:00	0.7	41	-5.3	1011
2/20/25 10:00	1.0	76	-4.4	1010
2/20/25 11:00	2.2	85	-3.8	1008
2/20/25 12:00	1.8	83	-3.0	1008
2/20/25 13:00	1.9	108	-3.0	1007
2/20/25 14:00	2.5	100	-3.0	1006
2/20/25 15:00	2.0	149	-3.0	1006
2/20/25 16:00	0.9	118	-3.0	1006
2/20/25 17:00	2.1	258	-3.9	1005
2/20/25 18:00	1.0	145	-4.3	1004
2/20/25 19:00	0.2	24	-4.4	1004
2/20/25 20:00	2.8	305	-3.6	1004
2/20/25 21:00	5.0	338	-3.0	1005
2/20/25 22:00	5.5	336	-3.5	1005
2/20/25 23:00	5.5	323	-4.0	1005
2/21/25 0:00	6.4	323	-4.0	1005
2/21/25 1:00	7.0	333	-4.0	1005
2/21/25 2:00	6.1	335	-4.0	1006
2/21/25 3:00	5.4	332	-4.4	1007
2/21/25 4:00	5.5	327	-5.0	1007
2/21/25 5:00	3.6	322	-5.0	1008
2/21/25 6:00	3.3	315	-5.0	1009
2/21/25 7:00	4.6	307	-4.0	1010
2/21/25 8:00	6.6	321	-3.2	1010
2/21/25 9:00	6.1	326	-2.2	1010
2/21/25 10:00	7.2	330	-0.6	1010
2/21/25 11:00	6.7	320	-0.6	1010
2/21/25 12:00	ND	ND	ND	ND
2/21/25 13:00	8.8	325	-0.8	1011
2/21/25 14:00	8.1	325	-1.0	1012
2/21/25 15:00	6.3	328	-1.9	1013
2/21/25 16:00	4.7	347	-3.4	1014
2/21/25 17:00	5.2	331	-4.1	1015
2/21/25 18:00	4.8	321	-5.2	1016
2/21/25 19:00	5.0	318	-6.1	1017
2/21/25 20:00	2.6	299	-7.3	1018
2/21/25 21:00	2.2	283	-7.4	1018
2/21/25 22:00	1.2	259	-8.0	1018
2/21/25 23:00	2.3	302	-9.8	1018
2/22/25 0:00	1.9	297	-9.6	1018
2/22/25 1:00	1.6	248	-10.1	1019
2/22/25 2:00	0.8	118	-12.5	1019

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (2/18/25 10:00 to 3/4/25 11:00)**

2/22/25 3:00	2.0	181	-12.4	1020
2/22/25 4:00	3.5	295	-11.8	1020
2/22/25 5:00	2.5	261	-12.0	1021
2/22/25 6:00	2.6	276	-11.2	1021
2/22/25 7:00	3.5	286	-8.4	1021
2/22/25 8:00	4.3	298	-6.9	1021
2/22/25 9:00	3.9	292	-5.7	1021
2/22/25 10:00	3.3	312	-3.9	1020
2/22/25 11:00	3.4	304	-2.7	1019
2/22/25 12:00	1.7	247	-0.6	1018
2/22/25 13:00	2.2	260	0.6	1017
2/22/25 14:00	3.0	243	0.8	1017
2/22/25 15:00	2.3	145	-1.0	1017
2/22/25 16:00	1.4	231	-1.3	1016
2/22/25 17:00	2.6	250	-1.7	1017
2/22/25 18:00	2.4	246	-2.0	1016
2/22/25 19:00	1.6	200	-3.4	1016
2/22/25 20:00	1.9	207	-4.1	1016
2/22/25 21:00	2.0	199	-4.1	1016
2/22/25 22:00	2.2	228	-4.0	1015
2/22/25 23:00	2.7	230	-3.1	1014
2/23/25 0:00	3.3	219	-3.0	1014
2/23/25 1:00	2.5	212	-3.0	1013
2/23/25 2:00	2.0	213	-3.1	1012
2/23/25 3:00	1.5	167	-3.3	1012
2/23/25 4:00	0.7	87	-3.7	1012
2/23/25 5:00	2.2	218	-3.2	1012
2/23/25 6:00	3.1	231	-2.4	1012
2/23/25 7:00	3.3	250	-1.1	1012
2/23/25 8:00	4.4	272	0.2	1012
2/23/25 9:00	5.5	281	1.5	1012
2/23/25 10:00	4.5	288	2.0	1012
2/23/25 11:00	4.8	305	2.2	1011
2/23/25 12:00	3.2	306	3.3	1011
2/23/25 13:00	4.5	291	3.3	1012
2/23/25 14:00	5.5	302	2.8	1012
2/23/25 15:00	3.5	332	2.0	1013
2/23/25 16:00	3.2	317	1.6	1014
2/23/25 17:00	2.3	336	1.0	1014
2/23/25 18:00	1.9	339	0.5	1015
2/23/25 19:00	1.1	192	-1.1	1015
2/23/25 20:00	1.1	158	-1.9	1016
2/23/25 21:00	0.5	47	-2.6	1016
2/23/25 22:00	0.2	15	-2.8	1016
2/23/25 23:00	0.2	8	-3.0	1016
2/24/25 0:00	0.3	70	-3.9	1016

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (2/18/25 10:00 to 3/4/25 11:00)**

2/24/25 1:00	0.9	161	-5.2	1016
2/24/25 2:00	ND	ND	-5.5	1017
2/24/25 3:00	ND	ND	-4.6	1017
2/24/25 4:00	0.2	37	-4.0	1017
2/24/25 5:00	0.4	38	-3.9	1017
2/24/25 6:00	0.8	80	-3.1	1017
2/24/25 7:00	1.0	120	-1.5	1018
2/24/25 8:00	0.5	66	0.0	1017
2/24/25 9:00	1.6	143	1.1	1017
2/24/25 10:00	3.3	185	2.0	1017
2/24/25 11:00	4.7	180	2.1	1015
2/24/25 12:00	4.7	164	2.8	1014
2/24/25 13:00	4.9	172	2.1	1013
2/24/25 14:00	5.1	179	2.7	1013
2/24/25 15:00	4.3	174	2.0	1012
2/24/25 16:00	3.9	171	2.2	1011
2/24/25 17:00	4.4	181	3.0	1010
2/24/25 18:00	6.3	191	3.0	1010
2/24/25 19:00	6.1	196	3.0	1009
2/24/25 20:00	5.5	200	3.0	1009
2/24/25 21:00	4.8	196	3.0	1008
2/24/25 22:00	4.4	197	3.0	1007
2/24/25 23:00	5.0	194	3.0	1007
2/25/25 0:00	4.4	198	3.0	1006
2/25/25 1:00	2.2	172	3.0	1006
2/25/25 2:00	1.2	126	2.1	1006
2/25/25 3:00	3.1	225	2.6	1006
2/25/25 4:00	2.3	213	3.0	1006
2/25/25 5:00	1.7	222	2.6	1006
2/25/25 6:00	3.0	215	3.0	1006
2/25/25 7:00	2.9	235	3.7	1007
2/25/25 8:00	2.2	220	5.0	1007
2/25/25 9:00	2.2	233	6.2	1006
2/25/25 10:00	1.4	144	7.4	1005
2/25/25 11:00	3.1	180	7.4	1005
2/25/25 12:00	3.4	155	6.5	1004
2/25/25 13:00	3.7	164	6.0	1003
2/25/25 14:00	2.5	166	5.3	1003
2/25/25 15:00	1.5	114	4.8	1003
2/25/25 16:00	0.8	96	4.0	1003
2/25/25 17:00	1.4	72	3.5	1003
2/25/25 18:00	1.9	178	3.6	1003
2/25/25 19:00	0.3	61	3.0	1002
2/25/25 20:00	0.9	63	2.7	1002
2/25/25 21:00	1.7	154	2.7	1001
2/25/25 22:00	1.7	266	2.2	1001

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (2/18/25 10:00 to 3/4/25 11:00)**

2/25/25 23:00	2.0	276	1.5	1001
2/26/25 0:00	0.7	116	0.3	1000
2/26/25 1:00	0.5	57	-1.0	1000
2/26/25 2:00	1.7	202	-0.9	1000
2/26/25 3:00	1.4	179	-1.0	1000
2/26/25 4:00	2.5	291	-1.1	1001
2/26/25 5:00	2.9	288	-0.6	1001
2/26/25 6:00	2.1	242	0.9	1002
2/26/25 7:00	2.6	316	3.9	1002
2/26/25 8:00	4.2	326	6.5	1002
2/26/25 9:00	4.8	314	7.8	1002
2/26/25 10:00	6.9	308	8.1	1003
2/26/25 11:00	7.0	281	7.8	1003
2/26/25 12:00	6.8	318	7.1	1004
2/26/25 13:00	5.5	317	7.0	1004
2/26/25 14:00	6.8	308	6.9	1005
2/26/25 15:00	6.1	320	6.5	1007
2/26/25 16:00	4.4	311	5.0	1008
2/26/25 17:00	1.5	152	3.4	1010
2/26/25 18:00	1.6	186	2.3	1010
2/26/25 19:00	0.8	118	0.4	1011
2/26/25 20:00	0.4	61	-1.5	1012
2/26/25 21:00	ND	ND	-1.9	1013
2/26/25 22:00	0.2	19	-1.9	1014
2/26/25 23:00	0.2	31	-2.6	1014
2/27/25 0:00	0.2	35	-2.9	1014
2/27/25 1:00	ND	ND	-3.4	1014
2/27/25 2:00	0.3	72	-3.8	1013
2/27/25 3:00	ND	ND	-3.5	1013
2/27/25 4:00	ND	ND	-3.0	1014
2/27/25 5:00	1.3	59	-0.8	1014
2/27/25 6:00	3.1	124	1.6	1013
2/27/25 7:00	3.4	109	1.5	1011
2/27/25 8:00	3.9	124	1.4	1010
2/27/25 9:00	3.7	145	1.9	1008
2/27/25 10:00	3.6	125	2.1	1006
2/27/25 11:00	5.6	108	2.6	1002
2/27/25 12:00	2.8	98	2.7	1000
2/27/25 13:00	3.0	134	2.8	998
2/27/25 14:00	2.7	235	3.1	997
2/27/25 15:00	4.0	295	1.0	997
2/27/25 16:00	3.2	300	0.7	997
2/27/25 17:00	2.0	283	0.0	997
2/27/25 18:00	0.6	60	0.8	996
2/27/25 19:00	0.9	125	1.0	996
2/27/25 20:00	1.5	170	1.0	996

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (2/18/25 10:00 to 3/4/25 11:00)**

2/27/25 21:00	0.6	106	1.0	995
2/27/25 22:00	2.6	230	1.6	994
2/27/25 23:00	3.0	238	2.1	994
2/28/25 0:00	3.3	272	2.0	994
2/28/25 1:00	2.3	273	1.5	994
2/28/25 2:00	2.0	244	2.0	994
2/28/25 3:00	1.0	141	1.0	994
2/28/25 4:00	3.2	227	1.0	994
2/28/25 5:00	3.2	223	1.0	994
2/28/25 6:00	3.8	238	2.3	995
2/28/25 7:00	5.6	265	4.1	995
2/28/25 8:00	7.5	275	5.3	995
2/28/25 9:00	8.9	310	2.5	997
2/28/25 10:00	10.1	313	3.0	998
2/28/25 11:00	8.6	318	3.0	998
2/28/25 12:00	6.4	282	2.9	999
2/28/25 13:00	5.4	315	2.9	1000
2/28/25 14:00	6.0	337	1.9	1001
2/28/25 15:00	6.1	333	0.9	1002
2/28/25 16:00	3.8	315	-0.4	1004
2/28/25 17:00	2.9	218	-1.2	1005
2/28/25 18:00	2.3	71	-1.9	1005
2/28/25 19:00	3.2	42	-2.0	1006
2/28/25 20:00	3.7	55	-2.0	1005
2/28/25 21:00	3.6	81	-2.7	1006
2/28/25 22:00	3.1	95	-2.9	1006
2/28/25 23:00	2.7	104	-2.0	1006
3/1/25 0:00	3.4	122	-0.7	1005
3/1/25 1:00	4.0	149	0.9	1004
3/1/25 2:00	3.5	177	1.2	1002
3/1/25 3:00	3.0	181	1.7	1001
3/1/25 4:00	2.1	140	1.4	1000
3/1/25 5:00	2.0	115	2.1	999
3/1/25 6:00	3.7	299	-1.1	999
3/1/25 7:00	2.9	304	-1.8	998
3/1/25 8:00	2.3	295	-0.5	997
3/1/25 9:00	2.1	303	0.9	996
3/1/25 10:00	3.5	293	1.0	996
3/1/25 11:00	2.9	299	0.9	995
3/1/25 12:00	0.3	16	2.3	993
3/1/25 13:00	1.9	133	5.1	992
3/1/25 14:00	2.5	233	5.5	992
3/1/25 15:00	3.7	306	3.0	992
3/1/25 16:00	4.2	275	3.1	993
3/1/25 17:00	8.8	285	2.5	995
3/1/25 18:00	4.4	267	2.0	995

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (2/18/25 10:00 to 3/4/25 11:00)**


3/1/25 19:00	7.3	269	1.4	996
3/1/25 20:00	9.5	283	-0.6	997
3/1/25 21:00	6.9	317	-2.7	999
3/1/25 22:00	8.6	315	-5.2	1000
3/1/25 23:00	6.9	311	-7.1	1002
3/2/25 0:00	7.0	307	-8.0	1003
3/2/25 1:00	5.8	308	-8.9	1003
3/2/25 2:00	4.7	299	-9.6	1005
3/2/25 3:00	6.0	291	-9.9	1005
3/2/25 4:00	6.4	298	-10.8	1006
3/2/25 5:00	4.1	284	-11.0	1007
3/2/25 6:00	6.9	299	-10.9	1008
3/2/25 7:00	6.4	304	-9.4	1009
3/2/25 8:00	7.0	289	-8.6	1009
3/2/25 9:00	6.0	304	-7.3	1009
3/2/25 10:00	7.3	302	-6.4	1009
3/2/25 11:00	7.9	304	-5.6	1009
3/2/25 12:00	7.7	315	-4.7	1009
3/2/25 13:00	6.3	331	-4.3	1009
3/2/25 14:00	7.5	313	-4.6	1010
3/2/25 15:00	6.6	315	-5.8	1011
3/2/25 16:00	6.5	309	-6.8	1012
3/2/25 17:00	5.8	310	-8.0	1014
3/2/25 18:00	5.3	323	-8.9	1015
3/2/25 19:00	4.1	327	-9.6	1016
3/2/25 20:00	3.3	343	-10.7	1016
3/2/25 21:00	2.5	337	-11.1	1017
3/2/25 22:00	4.3	348	-12.2	1017
3/2/25 23:00	3.0	335	-13.0	1018
3/3/25 0:00	2.6	333	-13.1	1018
3/3/25 1:00	1.1	207	-13.8	1018
3/3/25 2:00	1.2	218	-14.0	1019
3/3/25 3:00	0.5	87	-14.0	1019
3/3/25 4:00	1.0	201	-15.2	1020
3/3/25 5:00	1.6	200	-15.9	1020
3/3/25 6:00	1.7	237	-13.6	1021
3/3/25 7:00	2.9	246	-11.3	1021
3/3/25 8:00	2.5	289	-10.2	1021
3/3/25 9:00	2.5	274	-8.2	1021
3/3/25 10:00	3.9	304	-7.1	1020
3/3/25 11:00	3.0	316	-5.8	1019
3/3/25 12:00	2.0	228	-4.1	1018
3/3/25 13:00	1.5	221	-3.5	1018
3/3/25 14:00	1.6	217	-2.6	1018
3/3/25 15:00	3.3	185	-3.9	1018
3/3/25 16:00	2.8	184	-4.4	1018

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (2/18/25 10:00 to 3/4/25 11:00)**

3/3/25 17:00	0.0	360	-5.6	1019
3/3/25 18:00	ND	ND	ND	ND
3/3/25 19:00	3.1	310	-7.1	1020
3/3/25 20:00	ND	ND	-7.1	1021
3/3/25 21:00	ND	ND	ND	ND
3/3/25 22:00	ND	ND	-7.1	1020
3/3/25 23:00	ND	ND	-6.6	1020
3/4/25 0:00	ND	ND	ND	ND
3/4/25 1:00	2.6	240	-6.6	1020
3/4/25 2:00	2.6	220	-6.1	1020
3/4/25 3:00	ND	ND	ND	ND
3/4/25 4:00	2.1	270	-5.0	1020
3/4/25 5:00	1.5	220	-5.0	1020
3/4/25 6:00	ND	ND	ND	ND
3/4/25 7:00	1.6	198	-3.6	1019
3/4/25 8:00	2.2	244	-2.0	1019
3/4/25 9:00	3.2	227	0.7	1018
3/4/25 10:00	3.6	206	2.7	1017
3/4/25 11:00	4.2	176	3.5	1016

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (2/18/25 10:00 to 3/4/25 11:00)

PWM Wind Rose 2/18/25 10:00 - 3/4/25 11:00



SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (3/4/25 10:00 to 3/18/25 10:00)**

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
3/4/25 10:00	3.6	206	2.7	1017
3/4/25 11:00	4.2	176	3.5	1016
3/4/25 12:00	3.6	179	4.7	1015
3/4/25 13:00	4.6	221	6.0	1014
3/4/25 14:00	2.7	190	4.7	1014
3/4/25 15:00	2.4	193	4.1	1013
3/4/25 16:00	1.6	181	4.0	1013
3/4/25 17:00	1.0	118	3.9	1013
3/4/25 18:00	1.0	106	3.4	1013
3/4/25 19:00	1.5	146	3.3	1013
3/4/25 20:00	1.1	116	4.0	1013
3/4/25 21:00	2.6	191	4.0	1013
3/4/25 22:00	3.3	190	4.0	1012
3/4/25 23:00	2.8	197	4.0	1012
3/5/25 0:00	1.3	140	4.0	1011
3/5/25 1:00	ND	ND	3.5	1011
3/5/25 2:00	0.5	53	2.5	1011
3/5/25 3:00	0.9	80	2.1	1011
3/5/25 4:00	1.9	190	2.4	1011
3/5/25 5:00	1.9	159	3.1	1011
3/5/25 6:00	0.5	59	3.3	1011
3/5/25 7:00	1.3	148	4.0	1011
3/5/25 8:00	1.6	154	4.3	1011
3/5/25 9:00	ND	ND	4.1	1010
3/5/25 10:00	1.3	114	4.8	1009
3/5/25 11:00	2.2	179	5.9	1008
3/5/25 12:00	2.1	166	6.0	1007
3/5/25 13:00	2.4	183	6.0	1007
3/5/25 14:00	3.6	183	6.0	1006
3/5/25 15:00	4.5	179	6.1	1005
3/5/25 16:00	4.2	187	6.7	1004
3/5/25 17:00	4.1	181	6.5	1004
3/5/25 18:00	4.2	179	6.7	1003
3/5/25 19:00	4.2	180	6.0	1003
3/5/25 20:00	4.5	168	6.2	1001
3/5/25 21:00	3.5	151	5.9	1000
3/5/25 22:00	5.9	157	6.5	997
3/5/25 23:00	7.1	156	7.0	995
3/6/25 0:00	7.6	161	7.0	993
3/6/25 1:00	7.3	171	7.0	992
3/6/25 2:00	6.1	175	7.4	991
3/6/25 3:00	5.3	176	7.6	990
3/6/25 4:00	5.3	178	7.7	988

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (3/4/25 10:00 to 3/18/25 10:00)**

3/6/25 5:00	5.5	181	7.9	988
3/6/25 6:00	6.3	188	7.5	988
3/6/25 7:00	4.7	184	7.1	987
3/6/25 8:00	3.3	193	7.0	987
3/6/25 9:00	2.7	165	7.3	987
3/6/25 10:00	2.6	169	7.1	986
3/6/25 11:00	2.5	183	7.7	986
3/6/25 12:00	2.5	157	7.9	985
3/6/25 13:00	3.5	169	7.6	985
3/6/25 14:00	1.7	130	6.9	985
3/6/25 15:00	1.8	128	6.0	985
3/6/25 16:00	1.2	112	5.5	985
3/6/25 17:00	0.8	76	5.0	985
3/6/25 18:00	0.8	48	4.4	985
3/6/25 19:00	3.1	293	4.4	984
3/6/25 20:00	3.8	279	5.3	984
3/6/25 21:00	4.2	275	4.6	984
3/6/25 22:00	4.1	278	-2.9	984
3/6/25 23:00	5.0	291	2.7	ND
3/7/25 0:00	4.8	275	1.3	ND
3/7/25 1:00	4.4	295	1.0	ND
3/7/25 2:00	6.2	303	0.7	ND
3/7/25 3:00	9.0	299	-0.6	ND
3/7/25 4:00	10.0	304	-1.9	ND
3/7/25 5:00	10.5	304	-2.8	ND
3/7/25 6:00	10.4	299	-3.6	ND
3/7/25 7:00	10.1	303	-3.1	ND
3/7/25 8:00	10.1	297	-1.2	987
3/7/25 9:00	10.2	295	0.5	987
3/7/25 10:00	13.7	302	1.9	987
3/7/25 11:00	12.9	296	2.9	986
3/7/25 12:00	10.4	307	4.0	986
3/7/25 13:00	10.9	294	4.0	987
3/7/25 14:00	11.6	286	4.0	988
3/7/25 15:00	12.0	280	3.0	989
3/7/25 16:00	11.0	283	1.5	991
3/7/25 17:00	8.1	281	1.0	992
3/7/25 18:00	6.9	275	1.0	992
3/7/25 19:00	7.3	271	0.9	993
3/7/25 20:00	7.3	270	-0.1	994
3/7/25 21:00	8.4	279	-1.0	994
3/7/25 22:00	8.3	278	-1.0	994
3/7/25 23:00	7.2	275	-1.0	994
3/8/25 0:00	5.1	266	-1.0	994
3/8/25 1:00	3.5	236	-1.8	994
3/8/25 2:00	3.8	237	-2.0	994

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (3/4/25 10:00 to 3/18/25 10:00)**

3/8/25 3:00	4.2	226	-2.0	993
3/8/25 4:00	4.2	229	-2.0	993
3/8/25 5:00	3.5	222	-2.0	993
3/8/25 6:00	5.1	224	-1.0	993
3/8/25 7:00	5.9	242	0.5	992
3/8/25 8:00	6.0	255	1.0	992
3/8/25 9:00	10.1	274	1.4	992
3/8/25 10:00	9.6	269	2.0	991
3/8/25 11:00	11.4	285	1.4	991
3/8/25 12:00	13.0	283	1.1	991
3/8/25 13:00	11.6	288	0.1	992
3/8/25 14:00	11.6	297	-1.1	993
3/8/25 15:00	7.3	313	-2.6	994
3/8/25 16:00	8.6	304	-3.0	996
3/8/25 17:00	7.0	288	-3.0	997
3/8/25 18:00	6.9	291	-2.3	997
3/8/25 19:00	7.6	308	-2.0	998
3/8/25 20:00	6.1	305	-2.0	999
3/8/25 21:00	6.8	297	-1.4	999
3/8/25 22:00	8.1	299	-1.1	1000
3/8/25 23:00	7.2	295	-2.0	1000
3/9/25 0:00	6.9	299	-2.1	1001
3/9/25 1:00	ND	ND	ND	ND
3/9/25 2:00	ND	ND	ND	ND
3/9/25 3:00	4.6	278	-2.5	1002
3/9/25 4:00	3.1	235	-2.4	1003
3/9/25 5:00	2.9	264	-3.2	1003
3/9/25 6:00	3.9	279	-3.3	1004
3/9/25 7:00	3.0	267	-2.4	1005
3/9/25 8:00	3.3	255	-1.7	1006
3/9/25 9:00	4.6	261	-0.5	1005
3/9/25 10:00	5.8	255	1.0	1005
3/9/25 11:00	5.4	263	2.0	1004
3/9/25 12:00	5.2	270	2.7	1004
3/9/25 13:00	6.4	269	2.8	1003
3/9/25 14:00	6.3	268	3.7	1002
3/9/25 15:00	7.3	279	4.0	1002
3/9/25 16:00	5.8	262	4.0	1002
3/9/25 17:00	6.2	271	3.4	1003
3/9/25 18:00	5.2	267	3.0	1003
3/9/25 19:00	4.7	273	2.1	1004
3/9/25 20:00	2.9	296	0.1	1005
3/9/25 21:00	2.6	267	0.2	1006
3/9/25 22:00	1.9	221	-1.3	1006
3/9/25 23:00	2.6	211	-1.0	1006
3/10/25 0:00	2.9	218	-1.0	1005

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (3/4/25 10:00 to 3/18/25 10:00)**

3/10/25 1:00	2.9	202	-0.9	1005
3/10/25 2:00	2.7	208	-0.8	1005
3/10/25 3:00	2.9	199	0.8	1003
3/10/25 4:00	1.2	173	1.0	1003
3/10/25 5:00	0.5	60	1.0	1003
3/10/25 6:00	2.3	216	0.0	1003
3/10/25 7:00	2.6	217	0.0	1002
3/10/25 8:00	2.6	226	1.3	1003
3/10/25 9:00	3.2	322	3.3	1004
3/10/25 10:00	3.8	303	5.0	1005
3/10/25 11:00	3.6	315	6.9	1005
3/10/25 12:00	3.1	302	8.6	1004
3/10/25 13:00	5.0	286	10.0	1004
3/10/25 14:00	6.1	287	11.0	1005
3/10/25 15:00	6.0	290	11.2	1005
3/10/25 16:00	4.0	94	8.2	1005
3/10/25 17:00	3.6	99	6.4	1006
3/10/25 18:00	3.6	135	4.3	1008
3/10/25 19:00	2.4	156	3.0	1009
3/10/25 20:00	1.8	156	2.8	1009
3/10/25 21:00	1.2	94	2.1	1010
3/10/25 22:00	1.1	89	0.9	1010
3/10/25 23:00	0.6	15	0.3	1010
3/11/25 0:00	0.2	30	-0.6	1009
3/11/25 1:00	0.5	100	-2.1	1010
3/11/25 2:00	0.5	38	-1.6	1009
3/11/25 3:00	0.6	16	-1.4	1009
3/11/25 4:00	0.9	115	-1.2	1008
3/11/25 5:00	1.8	282	-1.3	1008
3/11/25 6:00	2.0	112	0.2	1008
3/11/25 7:00	1.9	216	1.1	1007
3/11/25 8:00	0.3	72	2.8	1007
3/11/25 9:00	2.0	191	5.2	1007
3/11/25 10:00	2.9	246	6.1	1006
3/11/25 11:00	3.8	215	8.1	1005
3/11/25 12:00	3.5	191	9.8	1004
3/11/25 13:00	5.2	166	10.7	1002
3/11/25 14:00	7.2	185	9.0	1002
3/11/25 15:00	7.4	190	9.4	1001
3/11/25 16:00	7.1	188	10.0	1000
3/11/25 17:00	6.6	192	9.0	999
3/11/25 18:00	6.4	191	8.6	999
3/11/25 19:00	7.0	191	8.0	999
3/11/25 20:00	6.4	190	8.0	1000
3/11/25 21:00	7.0	193	8.0	1000
3/11/25 22:00	3.9	207	8.2	1000

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (3/4/25 10:00 to 3/18/25 10:00)**

3/11/25 23:00	3.4	235	10.0	1001
3/12/25 0:00	3.9	254	10.0	1001
3/12/25 1:00	3.2	335	7.4	1003
3/12/25 2:00	3.2	304	5.7	1004
3/12/25 3:00	4.1	330	5.7	1005
3/12/25 4:00	2.7	300	3.9	1006
3/12/25 5:00	3.0	275	2.8	1008
3/12/25 6:00	5.0	311	2.3	1010
3/12/25 7:00	5.2	351	1.2	1011
3/12/25 8:00	6.0	341	1.0	1013
3/12/25 9:00	6.2	312	1.6	1014
3/12/25 10:00	5.0	146	2.9	1014
3/12/25 11:00	4.8	238	3.8	1014
3/12/25 12:00	4.4	274	4.0	1014
3/12/25 13:00	4.2	331	4.7	1014
3/12/25 14:00	3.2	274	5.6	1013
3/12/25 15:00	3.7	284	5.9	1013
3/12/25 16:00	4.0	284	5.1	1013
3/12/25 17:00	3.7	280	4.5	1014
3/12/25 18:00	3.4	256	3.4	1015
3/12/25 19:00	2.6	300	3.0	1015
3/12/25 20:00	2.2	180	2.8	1016
3/12/25 21:00	2.6	28	2.0	1017
3/12/25 22:00	0.3	6	1.3	1017
3/12/25 23:00	0.9	22	0.4	1017
3/13/25 0:00	1.9	29	-0.9	1018
3/13/25 1:00	1.5	36	-1.1	1018
3/13/25 2:00	2.1	36	-1.0	1018
3/13/25 3:00	4.0	52	-0.5	1018
3/13/25 4:00	3.7	58	-1.0	1018
3/13/25 5:00	3.6	61	-1.3	1019
3/13/25 6:00	4.1	57	-1.9	1020
3/13/25 7:00	3.9	53	-1.6	1020
3/13/25 8:00	4.1	54	-1.0	1021
3/13/25 9:00	3.8	49	-0.7	1022
3/13/25 10:00	3.8	43	1.0	1022
3/13/25 11:00	3.5	71	2.6	1022
3/13/25 12:00	4.1	87	3.1	1021
3/13/25 13:00	4.6	128	3.0	1021
3/13/25 14:00	5.5	145	3.0	1021
3/13/25 15:00	5.9	141	2.8	1020
3/13/25 16:00	5.4	148	2.4	1020
3/13/25 17:00	5.0	146	2.0	1020
3/13/25 18:00	3.7	148	1.7	1021
3/13/25 19:00	1.4	111	0.8	1021
3/13/25 20:00	ND	ND	0.0	1021

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (3/4/25 10:00 to 3/18/25 10:00)**

3/13/25 21:00	ND	ND	-0.9	1021
3/13/25 22:00	ND	ND	-1.1	1021
3/13/25 23:00	0.6	167	-2.5	1020
3/14/25 0:00	0.7	122	-3.2	1020
3/14/25 1:00	1.2	229	-3.0	1020
3/14/25 2:00	1.4	262	-3.5	1019
3/14/25 3:00	1.4	203	-3.7	1019
3/14/25 4:00	0.5	89	-4.2	1019
3/14/25 5:00	0.2	64	-4.7	1020
3/14/25 6:00	0.3	31	-4.8	1020
3/14/25 7:00	0.5	93	-3.9	1020
3/14/25 8:00	0.2	31	-0.9	1020
3/14/25 9:00	1.3	179	2.7	1020
3/14/25 10:00	1.9	147	4.8	1020
3/14/25 11:00	2.7	156	6.0	1020
3/14/25 12:00	3.8	165	6.8	1019
3/14/25 13:00	3.8	157	6.8	1018
3/14/25 14:00	3.7	157	7.0	1018
3/14/25 15:00	3.9	166	7.0	1018
3/14/25 16:00	4.0	170	6.9	1017
3/14/25 17:00	3.2	168	6.2	1018
3/14/25 18:00	2.7	163	4.2	1017
3/14/25 19:00	1.7	162	2.9	1018
3/14/25 20:00	0.2	17	2.8	1018
3/14/25 21:00	ND	ND	2.1	1018
3/14/25 22:00	ND	ND	0.9	1018
3/14/25 23:00	ND	ND	0.6	1018
3/15/25 0:00	ND	ND	-0.3	1018
3/15/25 1:00	ND	ND	0.9	1018
3/15/25 2:00	ND	ND	1.2	1018
3/15/25 3:00	ND	ND	2.0	1017
3/15/25 4:00	0.7	66	2.0	1017
3/15/25 5:00	1.1	127	2.0	1018
3/15/25 6:00	0.5	57	2.0	1018
3/15/25 7:00	ND	ND	1.5	1018
3/15/25 8:00	2.1	172	2.7	1019
3/15/25 9:00	3.4	213	5.1	1019
3/15/25 10:00	3.4	167	7.1	1019
3/15/25 11:00	4.6	153	6.5	1018
3/15/25 12:00	5.3	168	6.3	1018
3/15/25 13:00	5.4	165	6.0	1018
3/15/25 14:00	5.4	169	5.9	1017
3/15/25 15:00	4.6	171	6.0	1017
3/15/25 16:00	4.4	176	6.0	1016
3/15/25 17:00	4.1	173	4.4	1016
3/15/25 18:00	3.8	174	4.0	1016

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (3/4/25 10:00 to 3/18/25 10:00)**

3/15/25 19:00	3.5	165	4.0	1016
3/15/25 20:00	3.6	175	4.1	1015
3/15/25 21:00	2.9	178	4.1	1015
3/15/25 22:00	1.7	153	4.1	1016
3/15/25 23:00	0.9	78	3.4	1016
3/16/25 0:00	0.8	77	4.2	1016
3/16/25 1:00	2.3	133	5.5	1016
3/16/25 2:00	4.4	192	6.0	1016
3/16/25 3:00	3.9	195	5.9	1016
3/16/25 4:00	3.4	190	6.0	1015
3/16/25 5:00	3.0	190	5.4	1016
3/16/25 6:00	2.2	176	5.6	1016
3/16/25 7:00	2.3	170	5.9	1016
3/16/25 8:00	2.3	180	6.0	1016
3/16/25 9:00	2.9	190	6.4	1016
3/16/25 10:00	3.4	191	7.6	1016
3/16/25 11:00	4.2	172	8.5	1015
3/16/25 12:00	3.8	186	8.0	1015
3/16/25 13:00	3.2	182	8.6	1014
3/16/25 14:00	3.8	189	9.4	1013
3/16/25 15:00	4.3	173	9.7	1013
3/16/25 16:00	3.9	167	9.9	1012
3/16/25 17:00	4.6	178	10.2	1011
3/16/25 18:00	4.7	178	10.0	1011
3/16/25 19:00	6.2	178	9.9	1010
3/16/25 20:00	6.8	188	9.6	1010
3/16/25 21:00	6.7	186	9.1	1010
3/16/25 22:00	5.3	185	9.7	1010
3/16/25 23:00	5.6	179	9.8	1009
3/17/25 0:00	6.4	182	9.4	1008
3/17/25 1:00	6.4	181	9.6	1008
3/17/25 2:00	6.8	190	9.1	1007
3/17/25 3:00	2.7	169	10.5	1007
3/17/25 4:00	3.5	173	11.0	1007
3/17/25 5:00	1.1	83	10.3	1007
3/17/25 6:00	1.6	122	9.5	1007
3/17/25 7:00	0.4	43	9.3	1006
3/17/25 8:00	0.3	20	9.5	1006
3/17/25 9:00	0.5	34	9.8	1006
3/17/25 10:00	2.1	124	9.3	1006
3/17/25 11:00	3.7	174	10.2	1005
3/17/25 12:00	2.5	217	10.4	1006
3/17/25 13:00	1.0	152	13.3	1005
3/17/25 14:00	1.9	239	13.1	1005
3/17/25 15:00	2.2	47	11.2	1004
3/17/25 16:00	2.5	72	10.2	1005


SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (3/4/25 10:00 to 3/18/25 10:00)

3/17/25 17:00	4.7	248	8.8	1006
3/17/25 18:00	5.1	337	7.4	1007
3/17/25 19:00	5.6	346	6.3	1007
3/17/25 20:00	6.5	341	5.8	1008
3/17/25 21:00	5.3	351	5.0	1009
3/17/25 22:00	5.7	353	4.1	1009
3/17/25 23:00	4.3	352	4.0	1009
3/18/25 0:00	5.0	346	4.0	1010
3/18/25 1:00	6.3	349	3.2	1010
3/18/25 2:00	5.3	344	3.0	1011
3/18/25 3:00	5.3	341	2.9	1011
3/18/25 4:00	5.0	345	2.3	1012
3/18/25 5:00	5.6	340	2.0	1013
3/18/25 6:00	5.2	347	2.0	1014
3/18/25 7:00	4.2	357	1.9	1014
3/18/25 8:00	5.2	322	2.1	1015
3/18/25 9:00	6.6	117	3.0	1015
3/18/25 10:00	7.6	255	4.2	1015

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (3/4/25 10:00 to 3/18/25 10:00)

PWM Wind Rose 3/4/25 10:00 - 3/18/25 10:00



SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Terminal Fenceline Perimeter Length = 2,392 m

Monitor Location Method: EPA Method 325A Option 2

Terminal Fenceline Area = 46.6 Acres

Spacing Between Monitors: 199.3 m ($\pm$ 26.3 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 1	BTEX	43.637950°	-70.285460°	to Site 16: 218.8 to Site 2: 202.7	Site 1 is on the southern terminal fenceline, near the main entrance to the terminal and approximately 43 m NW of Main St. The northern boundary of the South Portland LLC Terminal lies approximately 60 m to the South of Site 1.
Site 2	BTEX	43.639290°	-70.284476°	to Site 1: 181.3 to Site 3: 202.7	Site 2 is located on the fenceline at the southeastern corner of the terminal, approximately 37 m from the shoreline of the Fore River.
Site 3	BTEX	43.640276°	-70.284490°	to Site 2: 180.8 to Site 4: 199.0	Site 3 is adjacent to a dock area. To allow safe access, it is located 3.7 m from the shoreline of the Fore River.
Site 4	BTEX	43.640989°	-70.285184°	to Site 3: 109.6 to Site 5: 89.4	Site 4 is an additional site and is located halfway between 3 & 5 due to a licensed emission unit (Truck Offloading Area) that is located between Sites 3 and 5 and is <50 m from the terminal fenceline. Site 4 is located within 2.6 m of the Fore River shore and is adjacent to one of the three terminal docks. Site 4 is approximately 35 m southeast of a second terminal dock. (Site 3 is adjacent to the third terminal dock.)
Site 5	BTEX	43.641558°	-70.285786°	to Site 4: 199.0 to Site 6: 199.6	Site 5 is situated 10 m inland from the Fore River shoreline for safe access. Site 3 is 80.6 m North of the dock area, 50 m south of railroad tracks. The Veterans Memorial Bridge is located 86 m to the NW and North of Site 5.
Site 6	BTEX	43.641583°	-70.287779°	to Site 5: 199.6 to Site 7: 180.0	Site 6 is located at the northern fenceline of the terminal. Site 6 is situated 4 m south of railroad tracks and 21 m south of the west approach ramp of the Veterans Memorial Bridge.
Site 7	BTEX	43.640745°	-70.289139°	to Site 6: 180.0 to Site 8: 219.3	Site 7 is on the Northern fenceline. Two licensed emission units (Tanks 5 and 7) are located 35 m and 25 m to the SE and SW of Site 7, respectively. Railroad tracks are located 10 m to the North of Site 7. The western approach ramp of the Veterans Memorial Bridge is located 50 m to the North of Site 7.

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Terminal Fenceline Perimeter Length = 2,392 m

Monitor Location Method: EPA Method 325A Option 2

Terminal Fenceline Area = 46.6 Acres

Spacing Between Monitors: 199.3 m ($\pm$ 26.3 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 8	BTEX	43.639781°	-70.290884°	to Site 7: 219.3 to Site 9: 207.8	Site 8 is on the western fenceline. The terminal area immediately to the NE of Site 8 has trees and dense vegetation. Railroad tracks are located 50 m to the North and NW of Site 8. The western approach ramp of the Veterans Memorial Bridge is located 75 m to the North and NW of Site 8. Two businesses with fleets of heavy construction vehicles (cranes, concrete trucks) are located immediately to the SW of Site 8.
Site 9	BTEX	43.638338°	-70.290283°	to Site 8: 207.8 to Site 10: 199.8	Site 9 is on the fenceline. Emissions Unit Tank 13 is located 24 m south of Site 9. A Truck Offloading Emissions Unit is located 65m west of Site 9.
Site 10	BTEX	43.637879°	-70.291297°	to Site 9: 99.8 to Site 11: 99.8	Site 10 is an additional site and is located halfway between 9 & 11 due to licensed emission unit Tank 14 located <50 m from fenceline. Site 10 is situated on the fenceline.
Site 11	BTEX	43.637296°	-70.291508°	to Site 10: 199.8 to Site 12: 185.8	Site 11 is on the terminal southwestern fenceline. Licensed Emissions Unit Tank 14 is located 30m NE of Site 8. US Highway Rt. 1 is located 16m SW of Site 11.
Site 12	BTEX	43.636804°	-70.290017°	to Site 11: 185.8 to Site 13: 199.1	Site 12 is on the terminal southwestern fenceline. Licensed Emissions Unit Tank 105 is located 33 m North of Site 12. Two businesses with fleets of construction vehicles and tractor-trailer trucks are located immediately to the South of Site 12. US Highway Rt. 1 is located 70 m SW of Site 12.
Site13	BTEX	43.637474°	-70.289678°	to Site 12: 93.0 to Site 14: 106.1	Site 13 is an additional site and is located halfway between 12 & 14 due to licensed emission unit Tank 105 located <50 m from fenceline. Site 13 is situated on the fenceline.
Site14	BTEX	43.637696°	-70.289076°	to Site 13: 199.1 to Site 15: 199.5	Site 14 is on the southern terminal fenceline adjacent to Lincoln St. Licensed Emissions Unit Tank 112 is located 33 m North of Site 14.

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Terminal Fenceline Perimeter Length = 2,392 m

Monitor Location Method: EPA Method 325A Option 2

Terminal Fenceline Area = 46.6 Acres

Spacing Between Monitors: 199.3 m ($\pm$ 26.3 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site15	BTEX	43.637229°	-70.288012°	to Site 14: 107.4 to Site 16: 91.7	Site 15 is an additional site and is located halfway between 14 & 16 due to licensed emission unit (Truck Offloading Area) located between Sites 14 and 16 and <50 m from fenceline. Site 15 is situated on the fenceline.
Site16	BTEX	43.637133°	-70.286826°	to Site 105: 199.5 to Site 1: 218.8	Site 16 is on the southern terminal fenceline adjacent to the intersection of Lincoln and Jackson. Streets. Licensed Emissions Unit Tank 101 is located 7 m to the north of Site 16.

Aerial View of the Sprague South Portland Terminal Fenceline Sampling Locations

