

Fenceline Air Monitoring Summary

Client:	Sunoco LP
Location:	Sunoco Oil Terminal, 175 Front Street, Portland, Maine
Reporting Period:	2025 Quarter 1 (12/26/24 – 3/20/25)

On behalf of Sunoco LP (Sunoco), AECOM Technical Services, Inc. (AECOM) has prepared this data summary for the bi-weekly fenceline air sampling conducted during the indicated sampling period at the Sunoco Oil Terminal facility located at 175 Front Street in Portland, Maine. The fenceline air monitoring was conducted in accordance with the Fenceline Air Monitoring Plan and amendment developed by AECOM (March 2024) and Amendment 01 (November 2024) and based on the requirements of *Chapter 171: Control of Petroleum Storage Facilities, promulgated by the Maine Department of Environmental Protection (Maine DEP)*.

Fenceline air monitoring commenced on July 25, 2024, under control of Gulf Oil LP (Gulf Oil). Gulf transferred ownership of the 175 Front Street facility to Sunoco on August 29, 2024. This Quarterly Fenceline Air Monitoring Summary focuses on the data collected during the report period and includes project-to-date average concentrations since the project commenced.

Scope of Work

Fenceline air monitoring was conducted during the reporting period to evaluate ambient air conditions at the Sunoco facility property line (fenceline). The fenceline air monitoring procedure includes the following:

- Diffusive passive samplers are deployed at 12 locations for a sampling period of 14 days. Sampling is conducted in accordance with the Project Operating Procedure (POP): *Diffusive Passive Sampler Handling: Field Deployment and Shipment*, provided as part of the Fenceline Air Monitoring Plan.
- The collected samples are analyzed for benzene, toluene, ethylbenzene, and xylenes (BTEX) using thermal desorption/gas chromatograph (GC)/mass spectrometry (MS) techniques, in accordance with EPA Test Method 325B: *Volatile Organic Compounds from Fugitive and Area Sources: Sampler Preparation and Analysis*.
- Wind speed, wind direction, temperature, and barometric pressure (BP) data is sourced from a nearby weather station at Portland International Jetport (PWM) for the sampling period to: provide data to the analytical laboratory to enable calculation of concentrations under field conditions; create wind roses for each sampling period; and determine the prevailing wind speed and wind direction during periods of elevated concentrations.

Fenceline Monitoring Summary

The fenceline air monitoring samples were collected approximately every 14 days between December 26, 2024, and March 20, 2025, and were shipped to Eurofins analytical laboratory for BTEX analysis. The following tables, figure, and attachments include the summaries and results from the reporting period:

- **Table 1:** Fenceline Air Monitoring Sampling Period Summary
- **Table 2:** Passive Sampler Location Coordinates
- **Figure 1:** Site Map Identifying Sampling Locations
- **Attachment 1:** Quarterly Results Summary
- **Attachment 2:** Sample Event Wind Roses and Field Observations
- **Attachment 3:** Analytical Reports

Table 1: Fenceline Air Monitoring Sampling Period Summary

Sample Period	Sample Duration (Days)	Wind Conditions	Average Temperature and Barometric Pressure		Comments
12/26/2024 – 1/9/2025	14	Calm 21.8% or predominately from the W-WNW and 2-20+ mph	30.1°F & 29.84 "Hg	NA	
1/9/2025 – 1/23/2025	14	Calm 18.7% or predominately from the NW and 2-20+ mph	24.4°F & 29.89 "Hg	NA	
1/23/2025 – 2/6/2025	14	Calm 10.5% or predominately from the SW-NW and 2-20+ mph	22.0°F & 29.98 "Hg	NA	
2/6/2025 – 2/20/2025	14	Calm 8.9% or predominately from the W-WNW and 2-20+ mph	21.6°F & 30.03 "Hg	NA	
2/20/2025 – 3/6/2025	14	Calm 15.6% or predominately from the NW and 2-20+ mph	29.4°F & 29.89 "Hg	NA	
3/6/2025 – 3/20/2025	14	Calm 14.5% or predominately from the S/W-WNW and 2-20+ mph	39.5°F & 29.81 "Hg	NA	

Definitions:

Calm – wind speeds less than 2.0 mph

°F – degrees Fahrenheit

"Hg – inches mercury

mph – miles per hour

NA – not applicable, no notable comments

Notes:

NA

Figure 1: Site Map Identifying Sampling Locations




Table 2: Passive Sampler Location Coordinates

Passive Sampler Identification	Latitude	Longitude
PS-1	43.6529556	-70.2370750
PS-2	43.6523972	-70.2364639
PS-3	43.6517472	-70.2364056
PS-4	43.6512556	-70.2370750
PS-5	43.6507889	-70.2376167
PS-6	43.6503278	-70.2381444
PS-7	43.6503222	-70.2389833
PS-8	43.6509167	-70.2395694
PS-9	43.6516690	-70.2402920
PS-10	43.6525639	-70.2397333
PS-11	43.6523833	-70.2385750
PS-12	43.6526889	-70.2380639

Definitions:

PS – Passive Sampler

Attachment 1: Quarterly Results Summary

Sample Code	Benzene ug/m3		Ethylbenzene ug/m3		m&p-Xylene ug/m3		o-Xylene ug/m3		Toluene ug/m3	
	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
PS-01-SA-20250109	1.0	P	0.31	J,PC	0.96	PC	0.34	J,PC	1.8	P
PS-02-SA-20250109	1.4	P	0.64	PC	2.3	PC	0.80	PC	3.0	P
PS-03-SA-20250109	1.2	P	0.57	PC	2.2	PC	0.75	PC	2.6	P
PS-03-DU-20250109	0.42	P	< 0.28	ND,PC	< 0.28	ND,PC	< 0.28	ND,PC	0.57	P
PS-04-SA-20250109	1.0	P	0.47	J,PC	1.6	PC	0.57	PC	2.3	P
PS-05-SA-20250109	0.39	P	< 0.28	ND,PC	< 0.28	ND,PC	< 0.28	ND,PC	0.45	J,P
PS-06-SA-20250109	0.98	P	0.37	J,PC	1.2	PC	0.41	J,PC	2.0	P
PS-07-SA-20250109	0.84	P	< 0.28	ND,PC	0.66	PC	< 0.28	ND,PC	1.2	P
PS-07-FB-20250109	< 0.19	ND,P	< 0.28	ND,PC	< 0.28	ND,PC	< 0.28	ND,PC	< 0.25	ND,P
PS-08-SA-20250109	0.93	P	< 0.28	ND,PC	0.78	PC	0.29	J,PC	1.5	P
PS-09-SA-20250109	0.31	J,P	< 0.28	ND,PC	< 0.28	ND,PC	< 0.28	ND,PC	< 0.25	ND,P
PS-10-SA-20250109	0.79	P	< 0.28	ND,PC	< 0.28	ND,PC	< 0.28	ND,PC	0.64	P
PS-11-SA-20250109	0.98	P	< 0.28	ND,PC	0.55	J,PC	< 0.28	ND,PC	1.2	P
PS-12-SA-20250109	0.83	P	< 0.28	ND,PC	0.68	PC	< 0.28	ND,PC	1.2	P
PS-01-SA-20250123	1.1		0.39	J	1.3		0.48		2.8	
PS-01-DU-20250123	1.1		0.40	J	1.4		0.51	J	2.8	
PS-02-SA-20250123	1.2		0.62		2.5		0.80		2.9	
PS-03-SA-20250123	1.0		0.49	J	1.9		0.67		2.5	
PS-04-SA-20250123	1.2		0.60		2.3		0.80		3.0	
PS-05-SA-20250123	0.93		0.37	J	1.2		0.44	J	2.2	
PS-06-SA-20250123	0.98		0.40	J	1.2		0.47	J	2.4	
PS-07-SA-20250123	0.86		< 0.28	ND	0.78		0.30	J	1.6	
PS-08-SA-20250123	0.70		< 0.28	ND	0.52	J	< 0.28	ND	1.2	
PS-09-SA-20250123	0.65		< 0.28	ND	0.36	J	< 0.28	ND	0.80	
PS-09-FB-20250123	< 0.20	ND	< 0.28	ND	< 0.28	ND	< 0.28	ND	< 0.25	ND
PS-10-SA-20250123	0.79		< 0.28	ND	0.42	J	< 0.28	ND	0.93	
PS-11-SA-20250123	0.76		< 0.28	ND	0.62		< 0.28	ND	1.5	
PS-12-SA-20250123	0.85		< 0.28	ND	0.79		0.29	J	1.8	
PS-01-SA-20250206	1.2		0.43	J	1.4		0.52	J	3.0	
PS-02-SA-20250206	1.3		0.72		2.9		0.97		3.4	
PS-03-SA-20250206	1.1		0.50	J	1.8		0.64		2.6	
PS-04-SA-20250206	1.0		0.41	J	1.4		0.51	J	2.3	
PS-05-SA-20250206	0.98		0.36	J	1.1		0.42	J	2.2	
PS-06-SA-20250206	0.93		0.35	J	1.0		0.41	J	2.2	
PS-07-SA-20250206	0.85		< 0.28	ND	0.69		< 0.28	ND	1.4	
PS-08-SA-20250206	0.76		< 0.28	ND	0.65		< 0.28	ND	1.3	
PS-08-FB-20250206	< 0.20	ND	< 0.28	ND	< 0.28	ND	< 0.28	ND	< 0.25	ND
PS-09-SA-20250206	0.67		< 0.28	ND	0.34	J	< 0.28	ND	0.84	
PS-10-SA-20250206	0.74		< 0.28	ND	0.35	J	< 0.28	ND	0.86	
PS-11-SA-20250206	0.80		< 0.28	ND	0.56	J	< 0.28	ND	1.4	
PS-12-SA-20250206	0.95		< 0.28	ND	0.80		0.31	J	2.0	
PS-12-DU-20250206	0.94		< 0.28	ND	0.83		0.32	J	2.0	
PS-01-SA-20250220	0.90		< 0.28	ND	0.65		< 0.28	ND	1.5	
PS-01-DU-20250220	0.90		< 0.28	ND	0.65		< 0.28	ND	1.5	
PS-02-SA-20250220	1.2		0.53	J	1.9		0.64		2.9	
PS-03-SA-20250220	0.96		0.40	J	1.4		0.48	J	2.1	
PS-04-SA-20250220	1.0		0.41	J	1.4		0.47	J	2.3	
PS-05-SA-20250220	0.90		0.30	J	0.92		0.32	J	1.7	
PS-06-SA-20250220	0.84		0.29	J	0.84		0.31	J	2.0	
PS-07-SA-20250220	0.78		< 0.28	ND	0.60		< 0.28	ND	1.2	
PS-08-SA-20250220	0.90		0.37	J	1.1		0.39	J	2.4	
PS-09-SA-20250220	0.64		< 0.28	ND	< 0.28	ND	< 0.28	ND	0.67	
PS-09-FB-20250220	< 0.20	ND	< 0.28	ND	< 0.28	ND	< 0.28	ND	< 0.25	ND
PS-10-SA-20250220	0.84		< 0.28	ND	< 0.28	ND	< 0.28	ND	0.77	
PS-11-SA-20250220	0.74		< 0.28	ND	0.62		< 0.28	ND	1.2	
PS-12-SA-20250220	0.84		< 0.28	ND	0.56	J	< 0.28	ND	1.4	
PS-01-SA-20250306	1.4		0.41	J	1.4		0.54	J	2.9	
PS-02-SA-20250306	1.3		0.58		2.0		0.70		3.0	
PS-02-DU-20250306	1.2		0.53	J	1.9		0.66		2.8	
PS-03-SA-20250306	1.1		0.50	J	1.7		0.64		2.8	
PS-04-SA-20250306	0.99		< 0.28	ND	0.91		0.41	J	2.3	
PS-05-SA-20250306	0.97		0.34	J	0.96		0.37	J	2.0	
PS-06-SA-20250306	0.88		0.32	J	1.0		0.37	J	2.0	
PS-07-SA-20250306	0.76		< 0.28	ND	0.63		< 0.28	ND	1.1	
PS-08-SA-20250306	0.87		0.34	J	1.0		0.41	J	1.8	
PS-09-SA-20250306	0.79		< 0.28	ND	0.42	J	< 0.28	ND	0.92	
PS-10-SA-20250306	0.82		< 0.28	ND	0.42	J	< 0.28	ND	0.94	

Sample Code	Benzene ug/m3		Ethylbenzene ug/m3		m&p-Xylene ug/m3		o-Xylene ug/m3		Toluene ug/m3	
	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
PS-10-FB-20250306	< 0.19	ND	< 0.28	ND	< 0.28	ND	< 0.28	ND	< 0.25	ND
PS-11-SA-20250306	1.0		0.31	J	1.0		0.37	J	2.0	
PS-12-SA-20250306	1.1		0.34	J	1.1		0.40	J	2.2	
PS-01-SA-20250320	1.2		0.42	J	1.5		0.52	J	2.5	
PS-02-SA-20250320	1.0		0.45	J	1.6		0.56		2.2	
PS-03-SA-20250320	0.74		0.29	J	0.97		0.34	J	1.4	
PS-03-DU-20250320	0.74		0.28	J	1.0		0.35	J	1.4	
PS-04-SA-20250320	1.0		0.48	J	1.8		0.62		2.4	
PS-05-SA-20250320	0.81		0.28	J	0.89		0.32	J	1.6	
PS-06-SA-20250320	0.82		0.32	J	0.99		0.36	J	1.8	
PS-07-SA-20250320	0.89		0.37	J	1.0		0.37	J	1.6	
PS-08-SA-20250320	1.0		0.57		1.8		0.64		2.8	
PS-09-SA-20250320	0.63		< 0.28	ND	0.55	J	< 0.28	ND	1.0	
PS-10-SA-20250320	0.78		< 0.28	ND	0.50	J	< 0.28	ND	1.0	
PS-11-SA-20250320	1.0		0.35	J	1.2		0.42	J	2.2	
PS-11-FB-20250320	< 0.19	ND	< 0.28	ND	< 0.28	ND	< 0.28	ND	< 0.25	ND
PS-12-SA-20250320	1.3		0.51	J	1.9		0.66		2.9	
Summary Statistics	Benzene ug/m3		Ethylbenzene ug/m3		m&p-Xylene ug/m3		o-Xylene ug/m3		Toluene ug/m3	
Quarterly Maximum	1.4		0.72		2.9		0.97		3.4	
Quarterly Average	0.93		0.36		1.1		0.42		1.8	
Rolling Annual Maximum	3.9		3		12		3.7		13	
Rolling Annual Average	1.2		0.58		1.9		0.69		3.2	

Quarterly (1/1/25-3/31/25)

Rolling annual (8/8/24-3/31/25)

J: Estimated value. The analyte was detected between the method detection limit and the reporting limit

ND: That analyte was not present above the method detection level

P: Field duplicate(s) exceed 30% RPD

PC: Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit

PS: Passive Sampler

SA: Routine Sample


FB: Field Blank

DU: Duplicate

Attachment 2: Sample Event Wind Roses and Field Observations

Sample Period: 12/26/2024 – 1/9/2025


Windrose Plot for [PWM] PORTLAND INTL JET
Obs Between: 26 Dec 2024 01:51 AM - 09 Jan 2025 12:51 AM America/New_York

**Field Observations:**

- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

Sample Period: 1/9/2025 – 1/23/2025


Windrose Plot for [PWM] PORTLAND INTL JET
Obs Between: 09 Jan 2025 01:51 PM - 23 Jan 2025 12:51 PM America/New_York

**Field Observations:**

- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

Sample Period: 1/23/2025 – 2/6/2025


Windrose Plot for [PWM] PORTLAND INTL JET
Obs Between: 23 Jan 2025 01:51 PM - 06 Feb 2025 12:51 PM America/New_York

**Field Observations:**

- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

Sample Period: 2/6/2025 – 2/20/2025


Windrose Plot for [PWM] PORTLAND INTL JET
Obs Between: 06 Feb 2025 01:51 PM - 20 Feb 2025 12:51 PM America/New_York

**Field Observations:**

- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

Sample Period: 2/20/2025 – 3/6/2025


Windrose Plot for [PWM] PORTLAND INTL JET
Obs Between: 20 Feb 2025 01:51 PM - 06 Mar 2025 12:51 PM America/New_York

**Field Observations:**

- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

Sample Period: 3/6/2025 – 3/20/2025

Windrose Plot for [PWM] PORTLAND INTL JET
Obs Between: 06 Mar 2025 01:51 PM - 20 Mar 2025 12:51 PM America/New_York

**Field Observations:**

- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

Attachment 3: Analytical Reports

Analytical Report

1/24/2025

Ms. Melissa McLaughlin

AECOM Environment

250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco LP

Project #: 60737155

Workorder #: 2501335

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 1/16/2025 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank

Project Manager

WORK ORDER #: 2501335

Work Order Summary

CLIENT: PHONE: FAX: DATE RECEIVED: DATE COMPLETED:	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824 978.905.2100 978.905.2101 01/16/2025 01/24/2025	BILL TO: P.O. # PROJECT # CONTACT:	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720 1680852 06.42 60737155 Sunoco LP Shannon Eubank
---	---	---	--

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	2024-01-07-12-SA-BTX	EPA Method 325B
02A	2024-01-07-12-FB-BTX	EPA Method 325B
03A	2024-02-08-12-SA-BTX	EPA Method 325B
04A	2024-03-09-12-SA-BTX	EPA Method 325B
05A	2024-04-10-12-SA-BTX	EPA Method 325B
06A	2024-05-11-12-SA-BTX	EPA Method 325B
07A	2024-06-12-12-SA-BTX	EPA Method 325B
08A	2024-07-01-12-SA-BTX	EPA Method 325B
09A	2024-08-02-12-SA-BTX	EPA Method 325B
10A	2024-09-03-12-SA-BTX	EPA Method 325B
11A	2024-09-03-12-DU-BTX	EPA Method 325B
12A	2024-10-04-12-SA-BTX	EPA Method 325B
13A	2024-11-05-12-SA-BTX	EPA Method 325B
14A	2024-12-06-12-SA-BTX	EPA Method 325B
15A	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B
16C	CCV	EPA Method 325B

CERTIFIED BY:



Technical Director

DATE: 01/24/25

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2836569, NH NELAP-209224-A, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-13180, WA NELAP-C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-21

Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000

LABORATORY NARRATIVE
ATM EPA 325B
AECOM Environment
Workorder# 2501335

Fourteen Carbopack X AC-PA samples were received on January 16, 2025. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

The field duplicate pair 2024-09-03-12-SA-BTX and 2024-09-03-12-DU-BTX exceeded the method required 30%RPD criterion for Benzene and Toluene. As required by the method, associated sample results from the monitoring period are qualified with a "P" flag to indicate method precision was not met.

The field duplicate pair 2024-09-03-12-SA-BTX and 2024-09-03-12-DU-BTX exceeded the method required 30%RPD criterion with a precision of 69 %RPD for Ethyl Benzene, 155 %RPD for m,p-Xylene, and 91 %RPD for o-Xylene. In order to evaluate field precision against method criterion of $\leq 30\%RPD$, the %RPD was calculated using the MDL value for sample 2024-09-03-12-DU-BTX. As required by the method, associated sample results from the monitoring period are qualified to indicate method precision was not met. The data qualifier "Pc" was applied to indicate that the sample concentrations of the sample and/or its duplicate were less than 2 times the reporting limit which likely influenced the measured precision.

Definition of Data Qualifying Flags

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).

J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the MDL value.

I - Internal Standard recovery outside acceptance limits

P - Field Duplicate(s) exceed 30%RPD

Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.

L - Recovery of bracketing CCV(s) exceeded acceptance limits.

H - Sample analyzed outside of method hold time.

D - Sample duration outside 14+/-1 days
Fe - Field Error or discrepancy
Te - Tube Error or discrepancy
CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

- a-File was requantified
- b-File was quantified by a second column and detector
- r1-File was requantified for the purpose of reissue

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-01-07-12-SA-BTX

Lab ID#: 2501335-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.84 P
Toluene	0.50	1.2 P
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.66 PC
o-Xylene	0.56	0.28 UPC

Client Sample ID: 2024-01-07-12-FB-BTX

Lab ID#: 2501335-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.19 UP
Toluene	0.50	0.25 UP
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.28 UPC
o-Xylene	0.56	0.28 UPC

Client Sample ID: 2024-02-08-12-SA-BTX

Lab ID#: 2501335-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.93 P
Toluene	0.50	1.5 P
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.78 PC
o-Xylene	0.56	0.29 JPC

Client Sample ID: 2024-03-09-12-SA-BTX

Lab ID#: 2501335-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.31 JP
Toluene	0.50	0.25 UP

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-03-09-12-SA-BTX

Lab ID#: 2501335-04A

Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.28 UPC
o-Xylene	0.56	0.28 UPC

Client Sample ID: 2024-04-10-12-SA-BTX

Lab ID#: 2501335-05A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.79 P
Toluene	0.50	0.64 P
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.28 UPC
o-Xylene	0.56	0.28 UPC

Client Sample ID: 2024-05-11-12-SA-BTX

Lab ID#: 2501335-06A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.98 P
Toluene	0.50	1.2 P
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.55 JPC
o-Xylene	0.56	0.28 UPC

Client Sample ID: 2024-06-12-12-SA-BTX

Lab ID#: 2501335-07A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.83 P
Toluene	0.50	1.2 P
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.68 PC
o-Xylene	0.56	0.28 UPC

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-07-01-12-SA-BTX

Lab ID#: 2501335-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.0 P
Toluene	0.50	1.8 P
Ethyl Benzene	0.56	0.31 JPC
m,p-Xylene	0.56	0.96 PC
o-Xylene	0.56	0.34 JPC

Client Sample ID: 2024-08-02-12-SA-BTX

Lab ID#: 2501335-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.4 P
Toluene	0.50	3.0 P
Ethyl Benzene	0.56	0.64 PC
m,p-Xylene	0.56	2.3 PC
o-Xylene	0.56	0.80 PC

Client Sample ID: 2024-09-03-12-SA-BTX

Lab ID#: 2501335-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.2 P
Toluene	0.50	2.6 P
Ethyl Benzene	0.56	0.57 PC
m,p-Xylene	0.56	2.2 PC
o-Xylene	0.56	0.75 PC

Client Sample ID: 2024-09-03-12-DU-BTX

Lab ID#: 2501335-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.42 P
Toluene	0.50	0.57 P

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2024-09-03-12-DU-BTX

Lab ID#: 2501335-11A

Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.28 UPC
o-Xylene	0.56	0.28 UPC

Client Sample ID: 2024-10-04-12-SA-BTX

Lab ID#: 2501335-12A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.0 P
Toluene	0.50	2.3 P
Ethyl Benzene	0.56	0.47 JPC
m,p-Xylene	0.56	1.6 PC
o-Xylene	0.56	0.57 PC

Client Sample ID: 2024-11-05-12-SA-BTX

Lab ID#: 2501335-13A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.39 P
Toluene	0.50	0.45 JP
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.28 UPC
o-Xylene	0.56	0.28 UPC

Client Sample ID: 2024-12-06-12-SA-BTX

Lab ID#: 2501335-14A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.98 P
Toluene	0.50	2.0 P
Ethyl Benzene	0.56	0.37 JPC
m,p-Xylene	0.56	1.2 PC
o-Xylene	0.56	0.41 JPC



Air Toxics

Client Sample ID: 2024-01-07-12-SA-BTX

Lab ID#: 2501335-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011714	Date of Collection: 1/9/25 11:01:00 AM
Dil. Factor:	1.05	Date of Analysis: 1/17/25 03:12 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.84 P
Toluene	0.50	1.2 P
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.66 PC
o-Xylene	0.56	0.28 UPC

P = Field Duplicate(s) exceed 30%RPD

U = The analyte was not present above the Method Detection Limit.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-01-07-12-FB-BTX

Lab ID#: 2501335-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011713	Date of Collection: 1/9/25 11:01:00 AM
Dil. Factor:	1.05	Date of Analysis: 1/17/25 02:43 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.19 UP
Toluene	0.50	0.25 UP
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.28 UPC
o-Xylene	0.56	0.28 UPC

U = The analyte was not present above the Method Detection Limit.

P = Field Duplicate(s) exceed 30%RPD

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-02-08-12-SA-BTX

Lab ID#: 2501335-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011715	Date of Collection: 1/9/25 11:09:00 AM
Dil. Factor:	1.05	Date of Analysis: 1/17/25 03:41 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.93 P
Toluene	0.50	1.5 P
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.78 PC
o-Xylene	0.56	0.29 JPC

P = Field Duplicate(s) exceed 30%RPD

U = The analyte was not present above the Method Detection Limit.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-03-09-12-SA-BTX

Lab ID#: 2501335-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011716	Date of Collection: 1/9/25 11:17:00 AM
Dil. Factor:	1.05	Date of Analysis: 1/17/25 04:11 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.31 JP
Toluene	0.50	0.25 UP
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.28 UPC
o-Xylene	0.56	0.28 UPC

J = Estimated value.

P = Field Duplicate(s) exceed 30%RPD

U = The analyte was not present above the Method Detection Limit.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbotack X AC-PA



Air Toxics

Client Sample ID: 2024-04-10-12-SA-BTX

Lab ID#: 2501335-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011717	Date of Collection: 1/9/25 11:24:00 AM
Dil. Factor:	1.05	Date of Analysis: 1/17/25 04:39 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.79 P
Toluene	0.50	0.64 P
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.28 UPC
o-Xylene	0.56	0.28 UPC

P = Field Duplicate(s) exceed 30%RPD

U = The analyte was not present above the Method Detection Limit.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-05-11-12-SA-BTX

Lab ID#: 2501335-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011718	Date of Collection: 1/9/25 11:31:00 AM
Dil. Factor:	1.05	Date of Analysis: 1/17/25 05:08 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.98 P
Toluene	0.50	1.2 P
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.55 JPC
o-Xylene	0.56	0.28 UPC

P = Field Duplicate(s) exceed 30%RPD

U = The analyte was not present above the Method Detection Limit.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

J = Estimated value.

Container Type: Carbotack X AC-PA



Air Toxics

Client Sample ID: 2024-06-12-12-SA-BTX

Lab ID#: 2501335-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011719	Date of Collection: 1/9/25 11:36:00 AM
Dil. Factor:	1.05	Date of Analysis: 1/17/25 05:37 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.83 P
Toluene	0.50	1.2 P
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.68 PC
o-Xylene	0.56	0.28 UPC

P = Field Duplicate(s) exceed 30%RPD

U = The analyte was not present above the Method Detection Limit.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-07-01-12-SA-BTX

Lab ID#: 2501335-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011720	Date of Collection: 1/9/25 11:43:00 AM
Dil. Factor:	1.05	Date of Analysis: 1/17/25 06:06 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.0 P
Toluene	0.50	1.8 P
Ethyl Benzene	0.56	0.31 JPC
m,p-Xylene	0.56	0.96 PC
o-Xylene	0.56	0.34 JPC

P = Field Duplicate(s) exceed 30%RPD

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-08-02-12-SA-BTX

Lab ID#: 2501335-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011721	Date of Collection: 1/9/25 11:51:00 AM
Dil. Factor:	1.05	Date of Analysis: 1/17/25 06:35 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.4 P
Toluene	0.50	3.0 P
Ethyl Benzene	0.56	0.64 PC
m,p-Xylene	0.56	2.3 PC
o-Xylene	0.56	0.80 PC

P = Field Duplicate(s) exceed 30%RPD

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-09-03-12-SA-BTX

Lab ID#: 2501335-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011722	Date of Collection: 1/9/25 12:00:00 PM
Dil. Factor:	1.05	Date of Analysis: 1/17/25 07:04 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.2 P
Toluene	0.50	2.6 P
Ethyl Benzene	0.56	0.57 PC
m,p-Xylene	0.56	2.2 PC
o-Xylene	0.56	0.75 PC

P = Field Duplicate(s) exceed 30%RPD

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-09-03-12-DU-BTX

Lab ID#: 2501335-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011724	Date of Collection: 1/9/25 12:00:00 PM
Dil. Factor:	1.05	Date of Analysis: 1/17/25 07:58 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.42 P
Toluene	0.50	0.57 P
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.28 UPC
o-Xylene	0.56	0.28 UPC

P = Field Duplicate(s) exceed 30%RPD

U = The analyte was not present above the Method Detection Limit.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-10-04-12-SA-BTX

Lab ID#: 2501335-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011725	Date of Collection: 1/9/25 12:12:00 PM
Dil. Factor:	1.05	Date of Analysis: 1/17/25 08:27 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.0 P
Toluene	0.50	2.3 P
Ethyl Benzene	0.56	0.47 JPC
m,p-Xylene	0.56	1.6 PC
o-Xylene	0.56	0.57 PC

P = Field Duplicate(s) exceed 30%RPD

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2024-11-05-12-SA-BTX

Lab ID#: 2501335-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011726	Date of Collection: 1/9/25 12:21:00 PM
Dil. Factor:	1.05	Date of Analysis: 1/17/25 08:56 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.39 P
Toluene	0.50	0.45 JP
Ethyl Benzene	0.56	0.28 UPC
m,p-Xylene	0.56	0.28 UPC
o-Xylene	0.56	0.28 UPC

P = Field Duplicate(s) exceed 30%RPD

J = Estimated value.

U = The analyte was not present above the Method Detection Limit.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carboxpack X AC-PA



Air Toxics

Client Sample ID: 2024-12-06-12-SA-BTX

Lab ID#: 2501335-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011727	Date of Collection: 1/9/25 12:28:00 PM
Dil. Factor:	1.05	Date of Analysis: 1/17/25 09:25 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.98 P
Toluene	0.50	2.0 P
Ethyl Benzene	0.56	0.37 JPC
m,p-Xylene	0.56	1.2 PC
o-Xylene	0.56	0.41 JPC

P = Field Duplicate(s) exceed 30%RPD

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2501335-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011705	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 1/17/25 10:53 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2501335-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011712	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 1/17/25 02:15 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	94
Toluene	84
Ethyl Benzene	93
m,p-Xylene	92
o-Xylene	91

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2501335-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011723	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 1/17/25 07:30 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	86
Toluene	78
Ethyl Benzene	85
m,p-Xylene	88
o-Xylene	81

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2501335-16C

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10011734	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 1/18/25 12:34 AM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	90
Toluene	81
Ethyl Benzene	84
m,p-Xylene	84
o-Xylene	81

Container Type: NA - Not Applicable

Method : EPA Method 325B-BTEX (ug/m3) 14-day

CAS Number	Compound	Rpt. Limit (ug/m3)
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

Analytical Report

2/5/2025

Ms. Melissa McLaughlin

AECOM Environment

250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco LP

Project #: 60737155

Workorder #: 2501584


Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 1/29/2025 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank

Project Manager

WORK ORDER #: 2501584

Work Order Summary

CLIENT:	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824	BILL TO:	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720
PHONE:	978.905.2100	P.O. #	1680852 06.42
FAX:	978.905.2101	PROJECT #	60737155 Sunoco LP
DATE RECEIVED:	01/29/2025	CONTACT:	Shannon Eubank
DATE COMPLETED:	02/05/2025		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	2025-01-07-13-SA-BTX	EPA Method 325B
02A	2025-02-08-13-SA-BTX	EPA Method 325B
03A	2025-03-09-13-SA-BTX	EPA Method 325B
04A	2025-03-09-13-FB-BTX	EPA Method 325B
05A	2025-04-10-13-SA-BTX	EPA Method 325B
06A	2025-05-11-13-SA-BTX	EPA Method 325B
07A	2025-06-12-13-SA-BTX	EPA Method 325B
08A	2025-07-01-13-SA-BTX	EPA Method 325B
09A	2025-07-01-13-DU-BTX	EPA Method 325B
10A	2025-08-02-13-SA-BTX	EPA Method 325B
11A	2025-09-03-13-SA-BTX	EPA Method 325B
12A	2025-10-04-13-SA-BTX	EPA Method 325B
13A	2025-11-05-13-SA-BTX	EPA Method 325B
14A	2025-12-06-13-SA-BTX	EPA Method 325B
15A	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B

CERTIFIED BY:



Technical Director

DATE: 02/05/25

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2836569, NH NELAP-209224-A, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-13180, WA NELAP-C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-21

Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000

LABORATORY NARRATIVE
ATM EPA 325B
AECOM Environment
Workorder# 2501584

Fourteen Carbopack X AC-PA samples were received on January 29, 2025. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

Receiving Notes

The sample shipping container was received without a custody seal. The client was notified, and analysis of samples proceeded.

Analytical Notes

There were no analytical discrepancies.

Definition of Data Qualifying Flags

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).

J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the MDL value.

I - Internal Standard recovery outside acceptance limits

P - Field Duplicate(s) exceed 30%RPD

Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.

L - Recovery of bracketing CCV(s) exceeded acceptance limits.

H - Sample analyzed outside of method hold time.

D - Sample duration outside 14+/-1 days

Fe - Field Error or discrepancy

Te - Tube Error or discrepancy

CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-01-07-13-SA-BTX

Lab ID#: 2501584-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.86
Toluene	0.50	1.6
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.78
o-Xylene	0.57	0.30 J

Client Sample ID: 2025-02-08-13-SA-BTX

Lab ID#: 2501584-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.70
Toluene	0.50	1.2
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.52 J
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-03-09-13-SA-BTX

Lab ID#: 2501584-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.65
Toluene	0.50	0.80
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.36 J
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-03-09-13-FB-BTX

Lab ID#: 2501584-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.20 U
Toluene	0.50	0.25 U

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-03-09-13-FB-BTX

Lab ID#: 2501584-04A

Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-04-10-13-SA-BTX

Lab ID#: 2501584-05A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.79
Toluene	0.50	0.93
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.42 J
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-05-11-13-SA-BTX

Lab ID#: 2501584-06A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.76
Toluene	0.50	1.5
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.62
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-06-12-13-SA-BTX

Lab ID#: 2501584-07A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.85
Toluene	0.50	1.8
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.79
o-Xylene	0.57	0.29 J

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-07-01-13-SA-BTX

Lab ID#: 2501584-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.1
Toluene	0.50	2.8
Ethyl Benzene	0.57	0.39 J
m,p-Xylene	0.57	1.3
o-Xylene	0.57	0.48 J

Client Sample ID: 2025-07-01-13-DU-BTX

Lab ID#: 2501584-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.1
Toluene	0.50	2.8
Ethyl Benzene	0.57	0.40 J
m,p-Xylene	0.57	1.4
o-Xylene	0.57	0.51 J

Client Sample ID: 2025-08-02-13-SA-BTX

Lab ID#: 2501584-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.2
Toluene	0.50	2.9
Ethyl Benzene	0.57	0.62
m,p-Xylene	0.57	2.5
o-Xylene	0.57	0.80

Client Sample ID: 2025-09-03-13-SA-BTX

Lab ID#: 2501584-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.0
Toluene	0.50	2.5

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-09-03-13-SA-BTX

Lab ID#: 2501584-11A

Ethyl Benzene	0.57	0.49 J
m,p-Xylene	0.57	1.9
o-Xylene	0.57	0.67

Client Sample ID: 2025-10-04-13-SA-BTX

Lab ID#: 2501584-12A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.2
Toluene	0.50	3.0
Ethyl Benzene	0.57	0.60
m,p-Xylene	0.57	2.3
o-Xylene	0.57	0.80

Client Sample ID: 2025-11-05-13-SA-BTX

Lab ID#: 2501584-13A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.93
Toluene	0.50	2.2
Ethyl Benzene	0.57	0.37 J
m,p-Xylene	0.57	1.2
o-Xylene	0.57	0.44 J

Client Sample ID: 2025-12-06-13-SA-BTX

Lab ID#: 2501584-14A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.98
Toluene	0.50	2.4
Ethyl Benzene	0.57	0.40 J
m,p-Xylene	0.57	1.2
o-Xylene	0.57	0.47 J



Air Toxics

Client Sample ID: 2025-01-07-13-SA-BTX

Lab ID#: 2501584-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013006	Date of Collection: 1/23/25 11:38:00 AM
Dil. Factor:	1.05	Date of Analysis: 1/30/25 12:24 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.86
Toluene	0.50	1.6
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.78
o-Xylene	0.57	0.30 J

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-02-08-13-SA-BTX

Lab ID#: 2501584-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013007	Date of Collection: 1/23/25 11:43:00 AM
Dil. Factor:	1.05	Date of Analysis: 1/30/25 12:55 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.70
Toluene	0.50	1.2
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.52 J
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-03-09-13-SA-BTX

Lab ID#: 2501584-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013008	Date of Collection: 1/23/25 11:52:00 AM
Dil. Factor:	1.05	Date of Analysis: 1/30/25 01:26 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.65
Toluene	0.50	0.80
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.36 J
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-03-09-13-FB-BTX

Lab ID#: 2501584-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013005	Date of Collection: 1/23/25 11:52:00 AM
Dil. Factor:	1.05	Date of Analysis: 1/30/25 11:53 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.20 U
Toluene	0.50	0.25 U
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-04-10-13-SA-BTX

Lab ID#: 2501584-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013009	Date of Collection: 1/23/25 12:01:00 PM
Dil. Factor:	1.05	Date of Analysis: 1/30/25 01:57 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.79
Toluene	0.50	0.93
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.42 J
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-05-11-13-SA-BTX

Lab ID#: 2501584-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013010	Date of Collection: 1/23/25 12:08:00 PM
Dil. Factor:	1.05	Date of Analysis: 1/30/25 02:28 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.76
Toluene	0.50	1.5
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.62
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-06-12-13-SA-BTX

Lab ID#: 2501584-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013011	Date of Collection: 1/23/25 12:12:00 PM
Dil. Factor:	1.05	Date of Analysis: 1/30/25 02:59 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.85
Toluene	0.50	1.8
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.79
o-Xylene	0.57	0.29 J

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-07-01-13-SA-BTX

Lab ID#: 2501584-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013012	Date of Collection: 1/23/25 12:20:00 PM
Dil. Factor:	1.05	Date of Analysis: 1/30/25 03:29 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.1
Toluene	0.50	2.8
Ethyl Benzene	0.57	0.39 J
m,p-Xylene	0.57	1.3
o-Xylene	0.57	0.48 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-07-01-13-DU-BTX

Lab ID#: 2501584-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013013	Date of Collection: 1/23/25 12:20:00 PM
Dil. Factor:	1.05	Date of Analysis: 1/30/25 04:00 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.1
Toluene	0.50	2.8
Ethyl Benzene	0.57	0.40 J
m,p-Xylene	0.57	1.4
o-Xylene	0.57	0.51 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-08-02-13-SA-BTX

Lab ID#: 2501584-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013014	Date of Collection: 1/23/25 12:26:00 PM
Dil. Factor:	1.05	Date of Analysis: 1/30/25 04:31 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.2
Toluene	0.50	2.9
Ethyl Benzene	0.57	0.62
m,p-Xylene	0.57	2.5
o-Xylene	0.57	0.80

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-09-03-13-SA-BTX

Lab ID#: 2501584-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013016	Date of Collection: 1/23/25 12:33:00 PM
Dil. Factor:	1.05	Date of Analysis: 1/30/25 05:31 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.0
Toluene	0.50	2.5
Ethyl Benzene	0.57	0.49 J
m,p-Xylene	0.57	1.9
o-Xylene	0.57	0.67

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-10-04-13-SA-BTX

Lab ID#: 2501584-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013017	Date of Collection: 1/23/25 12:40:00 PM
Dil. Factor:	1.05	Date of Analysis: 1/30/25 06:02 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.2
Toluene	0.50	3.0
Ethyl Benzene	0.57	0.60
m,p-Xylene	0.57	2.3
o-Xylene	0.57	0.80

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-11-05-13-SA-BTX

Lab ID#: 2501584-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013018	Date of Collection: 1/23/25 12:47:00 PM
Dil. Factor:	1.05	Date of Analysis: 1/30/25 06:33 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.93
Toluene	0.50	2.2
Ethyl Benzene	0.57	0.37 J
m,p-Xylene	0.57	1.2
o-Xylene	0.57	0.44 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-12-06-13-SA-BTX

Lab ID#: 2501584-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013019	Date of Collection: 1/23/25 12:53:00 PM
Dil. Factor:	1.05	Date of Analysis: 1/30/25 07:03 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.98
Toluene	0.50	2.4
Ethyl Benzene	0.57	0.40 J
m,p-Xylene	0.57	1.2
o-Xylene	0.57	0.47 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2501584-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013004	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 1/30/25 10:51 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2501584-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013015	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 1/30/25 05:00 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	97
Toluene	99
Ethyl Benzene	99
m,p-Xylene	99
o-Xylene	100

Container Type: NA - Not Applicable

Client Sample ID: CCV

Lab ID#: 2501584-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f013026	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 1/30/25 10:38 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	95
Toluene	96
Ethyl Benzene	93
m,p-Xylene	95
o-Xylene	94

Container Type: NA - Not Applicable

Method : EPA Method 325B-BTEX (ug/m3) 14-day

CAS Number	Compound	Rpt. Limit (ug/m3)
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

Analytical Report

2/14/2025

Ms. Melissa McLaughlin

AECOM Environment

250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco Fenceline

Project #: 60737155

Workorder #: 2502100

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 2/7/2025 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank

Project Manager

WORK ORDER #: 2502100

Work Order Summary

CLIENT:	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824	BILL TO:	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720
PHONE:	978.905.2100	P.O. #	1680852 06.42
FAX:	978.905.2101	PROJECT #	60737155 Sunoco Fenceline
DATE RECEIVED:	02/07/2025	CONTACT:	Shannon Eubank
DATE COMPLETED:	02/14/2025		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	2025-01-07-14-SA-BTX	EPA Method 325B
02A	2025-02-08-14-SA-BTX	EPA Method 325B
03A	2025-02-08-14-FB-BTX	EPA Method 325B
04A	2025-03-09-14-SA-BTX	EPA Method 325B
05A	2025-04-10-14-SA-BTX	EPA Method 325B
06A	2025-05-11-14-SA-BTX	EPA Method 325B
07A	2025-06-12-14-SA-BTX	EPA Method 325B
08A	2025-06-12-14-DU-BTX	EPA Method 325B
09A	2025-07-01-14-SA-BTX	EPA Method 325B
10A	2025-08-02-14-SA-BTX	EPA Method 325B
11A	2025-09-03-14-SA-BTX	EPA Method 325B
12A	2025-10-04-14-SA-BTX	EPA Method 325B
13A	2025-11-05-14-SA-BTX	EPA Method 325B
14A	2025-12-06-14-SA-BTX	EPA Method 325B
15A	Lab Blank	EPA Method 325B
15B	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B
16C	CCV	EPA Method 325B
16D	CCV	EPA Method 325B

CERTIFIED BY:



Technical Director

DATE: 02/14/25

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2836569, NH NELAP-209224-A, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-13180, WA NELAP-C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-21

Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000

LABORATORY NARRATIVE
ATM EPA 325B
AECOM Environment
Workorder# 2502100

Fourteen Carbopack X AC-PA samples were received on February 07, 2025. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

Receiving Notes

Sample 2025-06-12-14-DU-BTX was received with loose storage caps. Caps were affixed to the sampling end, but not fully tightened. All sample tubes were received securely in their storage vials. After notification to the client, sample analysis proceeded.

Analytical Notes

There were no analytical discrepancies.

Definition of Data Qualifying Flags

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).

J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the MDL value.

I - Internal Standard recovery outside acceptance limits

P - Field Duplicate(s) exceed 30%RPD

Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.

L - Recovery of bracketing CCV(s) exceeded acceptance limits.

H - Sample analyzed outside of method hold time.

D - Sample duration outside 14+/-1 days

Fe - Field Error or discrepancy

Te - Tube Error or discrepancy

CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-01-07-14-SA-BTX

Lab ID#: 2502100-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.85
Toluene	0.51	1.4
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.69
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-02-08-14-SA-BTX

Lab ID#: 2502100-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.76
Toluene	0.51	1.3
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.65
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-02-08-14-FB-BTX

Lab ID#: 2502100-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.20 U
Toluene	0.51	0.25 U
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-03-09-14-SA-BTX

Lab ID#: 2502100-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.67
Toluene	0.51	0.84

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-03-09-14-SA-BTX

Lab ID#: 2502100-04A

Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.34 J
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-04-10-14-SA-BTX

Lab ID#: 2502100-05A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.74
Toluene	0.51	0.86
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.35 J
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-05-11-14-SA-BTX

Lab ID#: 2502100-06A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.80
Toluene	0.51	1.4
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.56 J
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-06-12-14-SA-BTX

Lab ID#: 2502100-07A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.95
Toluene	0.51	2.0
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.80
o-Xylene	0.57	0.31 J

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-06-12-14-DU-BTX

Lab ID#: 2502100-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.94
Toluene	0.51	2.0
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.83
o-Xylene	0.57	0.32 J

Client Sample ID: 2025-07-01-14-SA-BTX

Lab ID#: 2502100-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.2
Toluene	0.51	3.0
Ethyl Benzene	0.57	0.43 J
m,p-Xylene	0.57	1.4
o-Xylene	0.57	0.52 J

Client Sample ID: 2025-08-02-14-SA-BTX

Lab ID#: 2502100-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.3
Toluene	0.51	3.4
Ethyl Benzene	0.57	0.72
m,p-Xylene	0.57	2.9
o-Xylene	0.57	0.97

Client Sample ID: 2025-09-03-14-SA-BTX

Lab ID#: 2502100-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.1
Toluene	0.51	2.6

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-09-03-14-SA-BTX

Lab ID#: 2502100-11A

Ethyl Benzene	0.57	0.50 J
m,p-Xylene	0.57	1.8
o-Xylene	0.57	0.64

Client Sample ID: 2025-10-04-14-SA-BTX

Lab ID#: 2502100-12A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.0
Toluene	0.51	2.3
Ethyl Benzene	0.57	0.41 J
m,p-Xylene	0.57	1.4
o-Xylene	0.57	0.51 J

Client Sample ID: 2025-11-05-14-SA-BTX

Lab ID#: 2502100-13A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.98
Toluene	0.51	2.2
Ethyl Benzene	0.57	0.36 J
m,p-Xylene	0.57	1.1
o-Xylene	0.57	0.42 J

Client Sample ID: 2025-12-06-14-SA-BTX

Lab ID#: 2502100-14A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.93
Toluene	0.51	2.2
Ethyl Benzene	0.57	0.35 J
m,p-Xylene	0.57	1.0
o-Xylene	0.57	0.41 J



Air Toxics

Client Sample ID: 2025-01-07-14-SA-BTX

Lab ID#: 2502100-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021025	Date of Collection: 2/6/25 9:00:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/10/25 08:45 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.85
Toluene	0.51	1.4
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.69
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-02-08-14-SA-BTX

Lab ID#: 2502100-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021026	Date of Collection: 2/6/25 9:05:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/10/25 09:16 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.76
Toluene	0.51	1.3
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.65
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-02-08-14-FB-BTX

Lab ID#: 2502100-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021024	Date of Collection: 2/6/25 9:05:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/10/25 08:16 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.20 U
Toluene	0.51	0.25 U
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-03-09-14-SA-BTX

Lab ID#: 2502100-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021029	Date of Collection: 2/6/25 9:11:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/10/25 10:35 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.67
Toluene	0.51	0.84
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.34 J
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-04-10-14-SA-BTX

Lab ID#: 2502100-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021030	Date of Collection: 2/6/25 9:18:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/10/25 11:04 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.74
Toluene	0.51	0.86
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.35 J
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-05-11-14-SA-BTX

Lab ID#: 2502100-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021031	Date of Collection: 2/6/25 9:26:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/10/25 11:34 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.80
Toluene	0.51	1.4
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.56 J
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-06-12-14-SA-BTX

Lab ID#: 2502100-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021032	Date of Collection: 2/6/25 9:31:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/11/25 12:04 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.95
Toluene	0.51	2.0
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.80
o-Xylene	0.57	0.31 J

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-06-12-14-DU-BTX

Lab ID#: 2502100-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021033	Date of Collection: 2/6/25 9:31:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/11/25 12:33 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.94
Toluene	0.51	2.0
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.83
o-Xylene	0.57	0.32 J

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-07-01-14-SA-BTX

Lab ID#: 2502100-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021034	Date of Collection: 2/6/25 9:38:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/11/25 01:03 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.2
Toluene	0.51	3.0
Ethyl Benzene	0.57	0.43 J
m,p-Xylene	0.57	1.4
o-Xylene	0.57	0.52 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-08-02-14-SA-BTX

Lab ID#: 2502100-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021035	Date of Collection: 2/6/25 9:43:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/11/25 01:32 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.3
Toluene	0.51	3.4
Ethyl Benzene	0.57	0.72
m,p-Xylene	0.57	2.9
o-Xylene	0.57	0.97

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-09-03-14-SA-BTX

Lab ID#: 2502100-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021036	Date of Collection: 2/6/25 9:51:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/11/25 02:03 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.1
Toluene	0.51	2.6
Ethyl Benzene	0.57	0.50 J
m,p-Xylene	0.57	1.8
o-Xylene	0.57	0.64

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-10-04-14-SA-BTX

Lab ID#: 2502100-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021037	Date of Collection: 2/6/25 9:56:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/11/25 02:33 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.0
Toluene	0.51	2.3
Ethyl Benzene	0.57	0.41 J
m,p-Xylene	0.57	1.4
o-Xylene	0.57	0.51 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-11-05-14-SA-BTX

Lab ID#: 2502100-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021038	Date of Collection: 2/6/25 10:01:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/11/25 03:02 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.98
Toluene	0.51	2.2
Ethyl Benzene	0.57	0.36 J
m,p-Xylene	0.57	1.1
o-Xylene	0.57	0.42 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-12-06-14-SA-BTX

Lab ID#: 2502100-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021040	Date of Collection: 2/6/25 10:07:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/11/25 03:56 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.93
Toluene	0.51	2.2
Ethyl Benzene	0.57	0.35 J
m,p-Xylene	0.57	1.0
o-Xylene	0.57	0.41 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2502100-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021005	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 2/10/25 10:38 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2502100-15B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021028	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 2/10/25 10:06 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2502100-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021016	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 2/10/25 04:19 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	104
Toluene	106
Ethyl Benzene	106
m,p-Xylene	106
o-Xylene	106

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2502100-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021027	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 2/10/25 09:41 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	102
Toluene	106
Ethyl Benzene	105
m,p-Xylene	105
o-Xylene	105

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2502100-16C

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021039	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 2/11/25 03:27 AM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	101
Toluene	105
Ethyl Benzene	104
m,p-Xylene	105
o-Xylene	105

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2502100-16D

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80021047	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 2/11/25 07:20 AM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	104
Toluene	108
Ethyl Benzene	106
m,p-Xylene	107
o-Xylene	106

Container Type: NA - Not Applicable

Method : EPA Method 325B-BTEX (ug/m3) 14-day

CAS Number	Compound	Rpt. Limit (ug/m3)
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

Analytical Report

2/28/2025

Ms. Melissa McLaughlin

AECOM Environment

250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco Fenceline

Project #: 60737155

Workorder #: 2502508

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 2/24/2025 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank

Project Manager

WORK ORDER #: 2502508

Work Order Summary

CLIENT:	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824	BILL TO:	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720
PHONE:	978.905.2100	P.O. #	1680852 06.42
FAX:	978.905.2101	PROJECT #	60737155 Sunoco Fenceline
DATE RECEIVED:	02/24/2025	CONTACT:	Shannon Eubank
DATE COMPLETED:	02/28/2025		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	2025-01-07-15-SA-BTX	EPA Method 325B
02A	2025-02-08-15-SA-BTX	EPA Method 325B
03A	2025-03-09-15-SA-BTX	EPA Method 325B
04A	2025-03-09-15-FB-BTX	EPA Method 325B
05A	2025-04-10-15-SA-BTX	EPA Method 325B
06A	2025-05-11-15-SA-BTX	EPA Method 325B
07A	2025-06-12-15-SA-BTX	EPA Method 325B
08A	2025-07-01-15-SA-BTX	EPA Method 325B
09A	2025-07-01-15-DU-BTX	EPA Method 325B
10A	2025-08-02-15-SA-BTX	EPA Method 325B
11A	2025-09-03-15-SA-BTX	EPA Method 325B
12A	2025-10-04-15-SA-BTX	EPA Method 325B
13A	2025-11-05-15-SA-BTX	EPA Method 325B
14A	2025-12-06-15-SA-BTX	EPA Method 325B
15A	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B

CERTIFIED BY:



Technical Director

DATE: 02/28/25

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2836569, NH NELAP-209224-A, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-13180, WA NELAP-C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-21

Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000

LABORATORY NARRATIVE
ATM EPA 325B
AECOM Environment
Workorder# 2502508

Fourteen Carbopack X AC-PA samples were received on February 24, 2025. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

There were no analytical discrepancies.

Definition of Data Qualifying Flags

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).

J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the MDL value.

I - Internal Standard recovery outside acceptance limits

P - Field Duplicate(s) exceed 30%RPD

Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.

L - Recovery of bracketing CCV(s) exceeded acceptance limits.

H - Sample analyzed outside of method hold time.

D - Sample duration outside 14+/-1 days

Fe - Field Error or discrepancy

Te - Tube Error or discrepancy

CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-01-07-15-SA-BTX

Lab ID#: 2502508-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.78
Toluene	0.51	1.2
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.60
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-02-08-15-SA-BTX

Lab ID#: 2502508-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.90
Toluene	0.51	2.4
Ethyl Benzene	0.57	0.37 J
m,p-Xylene	0.57	1.1
o-Xylene	0.57	0.39 J

Client Sample ID: 2025-03-09-15-SA-BTX

Lab ID#: 2502508-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.64
Toluene	0.51	0.67
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-03-09-15-FB-BTX

Lab ID#: 2502508-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.20 U
Toluene	0.51	0.25 U

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-03-09-15-FB-BTX

Lab ID#: 2502508-04A

Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-04-10-15-SA-BTX

Lab ID#: 2502508-05A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.84
Toluene	0.51	0.77
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-05-11-15-SA-BTX

Lab ID#: 2502508-06A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.74
Toluene	0.51	1.2
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.62
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-06-12-15-SA-BTX

Lab ID#: 2502508-07A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.84
Toluene	0.51	1.4
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.56 J
o-Xylene	0.57	0.28 U

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-07-01-15-SA-BTX

Lab ID#: 2502508-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.90
Toluene	0.51	1.5
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.65
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-07-01-15-DU-BTX

Lab ID#: 2502508-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.90
Toluene	0.51	1.5
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.65
o-Xylene	0.57	0.28 U

Client Sample ID: 2025-08-02-15-SA-BTX

Lab ID#: 2502508-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.2
Toluene	0.51	2.9
Ethyl Benzene	0.57	0.53 J
m,p-Xylene	0.57	1.9
o-Xylene	0.57	0.64

Client Sample ID: 2025-09-03-15-SA-BTX

Lab ID#: 2502508-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.96
Toluene	0.51	2.1

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-09-03-15-SA-BTX

Lab ID#: 2502508-11A

Ethyl Benzene	0.57	0.40 J
m,p-Xylene	0.57	1.4
o-Xylene	0.57	0.48 J

Client Sample ID: 2025-10-04-15-SA-BTX

Lab ID#: 2502508-12A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.0
Toluene	0.51	2.3
Ethyl Benzene	0.57	0.41 J
m,p-Xylene	0.57	1.4
o-Xylene	0.57	0.47 J

Client Sample ID: 2025-11-05-15-SA-BTX

Lab ID#: 2502508-13A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.90
Toluene	0.51	1.7
Ethyl Benzene	0.57	0.30 J
m,p-Xylene	0.57	0.92
o-Xylene	0.57	0.32 J

Client Sample ID: 2025-12-06-15-SA-BTX

Lab ID#: 2502508-14A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.84
Toluene	0.51	2.0
Ethyl Benzene	0.57	0.29 J
m,p-Xylene	0.57	0.84
o-Xylene	0.57	0.31 J



Air Toxics

Client Sample ID: 2025-01-07-15-SA-BTX

Lab ID#: 2502508-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022606	Date of Collection: 2/20/25 11:36:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/26/25 12:14 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.78
Toluene	0.51	1.2
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.60
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-02-08-15-SA-BTX

Lab ID#: 2502508-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022607	Date of Collection: 2/20/25 11:40:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/26/25 12:45 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.90
Toluene	0.51	2.4
Ethyl Benzene	0.57	0.37 J
m,p-Xylene	0.57	1.1
o-Xylene	0.57	0.39 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-03-09-15-SA-BTX

Lab ID#: 2502508-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022608	Date of Collection: 2/20/25 11:51:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/26/25 01:16 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.64
Toluene	0.51	0.67
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-03-09-15-FB-BTX

Lab ID#: 2502508-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022605	Date of Collection: 2/20/25 11:51:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/26/25 11:43 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.20 U
Toluene	0.51	0.25 U
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-04-10-15-SA-BTX

Lab ID#: 2502508-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022609	Date of Collection: 2/20/25 11:57:00 AM
Dil. Factor:	1.06	Date of Analysis: 2/26/25 01:47 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.84
Toluene	0.51	0.77
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.28 U
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-05-11-15-SA-BTX

Lab ID#: 2502508-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022610	Date of Collection: 2/20/25 12:03:00 PM
Dil. Factor:	1.06	Date of Analysis: 2/26/25 02:17 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.74
Toluene	0.51	1.2
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.62
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-06-12-15-SA-BTX

Lab ID#: 2502508-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022611	Date of Collection: 2/20/25 12:05:00 PM
Dil. Factor:	1.06	Date of Analysis: 2/26/25 02:48 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.84
Toluene	0.51	1.4
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.56 J
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-07-01-15-SA-BTX

Lab ID#: 2502508-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022612	Date of Collection: 2/20/25 12:11:00 PM
Dil. Factor:	1.06	Date of Analysis: 2/26/25 03:19 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.90
Toluene	0.51	1.5
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.65
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-07-01-15-DU-BTX

Lab ID#: 2502508-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022613	Date of Collection: 2/20/25 12:11:00 PM
Dil. Factor:	1.06	Date of Analysis: 2/26/25 03:50 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.90
Toluene	0.51	1.5
Ethyl Benzene	0.57	0.28 U
m,p-Xylene	0.57	0.65
o-Xylene	0.57	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-08-02-15-SA-BTX

Lab ID#: 2502508-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022614	Date of Collection: 2/20/25 12:16:00 PM
Dil. Factor:	1.06	Date of Analysis: 2/26/25 04:21 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.2
Toluene	0.51	2.9
Ethyl Benzene	0.57	0.53 J
m,p-Xylene	0.57	1.9
o-Xylene	0.57	0.64

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-09-03-15-SA-BTX

Lab ID#: 2502508-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022616	Date of Collection: 2/20/25 12:21:00 PM
Dil. Factor:	1.06	Date of Analysis: 2/26/25 05:20 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.96
Toluene	0.51	2.1
Ethyl Benzene	0.57	0.40 J
m,p-Xylene	0.57	1.4
o-Xylene	0.57	0.48 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-10-04-15-SA-BTX

Lab ID#: 2502508-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022617	Date of Collection: 2/20/25 12:27:00 PM
Dil. Factor:	1.06	Date of Analysis: 2/26/25 05:51 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.0
Toluene	0.51	2.3
Ethyl Benzene	0.57	0.41 J
m,p-Xylene	0.57	1.4
o-Xylene	0.57	0.47 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-11-05-15-SA-BTX

Lab ID#: 2502508-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022618	Date of Collection: 2/20/25 12:31:00 PM
Dil. Factor:	1.06	Date of Analysis: 2/26/25 06:22 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.90
Toluene	0.51	1.7
Ethyl Benzene	0.57	0.30 J
m,p-Xylene	0.57	0.92
o-Xylene	0.57	0.32 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-12-06-15-SA-BTX

Lab ID#: 2502508-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022619	Date of Collection: 2/20/25 12:37:00 PM
Dil. Factor:	1.06	Date of Analysis: 2/26/25 06:53 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.84
Toluene	0.51	2.0
Ethyl Benzene	0.57	0.29 J
m,p-Xylene	0.57	0.84
o-Xylene	0.57	0.31 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2502508-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022604	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 2/26/25 10:56 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2502508-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022615	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 2/26/25 04:50 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	93
Toluene	94
Ethyl Benzene	94
m,p-Xylene	95
o-Xylene	93

Container Type: NA - Not Applicable

Client Sample ID: CCV

Lab ID#: 2502508-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f022626	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 2/26/25 10:27 PM
		Date of Extraction: NA

Compound	%Recovery
-----------------	------------------

Benzene	90
Toluene	94
Ethyl Benzene	91
m,p-Xylene	94
o-Xylene	91

Container Type: NA - Not Applicable

Method : EPA Method 325B-BTEX (ug/m3) 14-day

CAS Number	Compound	Rpt. Limit (ug/m3)
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

Analytical Report

3/17/2025

Ms. Melissa McLaughlin

AECOM Environment

250 Apollo Drive

Chelmsford MA 01824

Project Name: SUNOCO LP

Project #: 60737155

Workorder #: 2503199

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 3/10/2025 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank

Project Manager

WORK ORDER #: 2503199

Work Order Summary

CLIENT: PHONE: FAX: DATE RECEIVED: DATE COMPLETED:	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824 978.905.2100 978.905.2101 03/10/2025 03/17/2025	BILL TO: P.O. # PROJECT # CONTACT:	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720 1680852 06.42 60737155 SUNOCO LP Shannon Eubank
---	---	---	--

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	2025-01-07-16-SA-BTX	EPA Method 325B
02A	2025-02-08-16-SA-BTX	EPA Method 325B
03A	2025-03-09-16-SA-BTX	EPA Method 325B
04A	2025-04-10-16-SA-BTX	EPA Method 325B
05A	2025-04-10-16-FB-BTX	EPA Method 325B
06A	2025-05-11-16-SA-BTX	EPA Method 325B
07A	2025-06-12-16-SA-BTX	EPA Method 325B
08A	2025-07-01-16-SA-BTX	EPA Method 325B
09A	2025-08-02-16-SA-BTX	EPA Method 325B
10A	2025-08-02-16-DU-BTX	EPA Method 325B
11A	2025-09-03-16-SA-BTX	EPA Method 325B
12A	2025-10-04-16-SA-BTX	EPA Method 325B
13A	2025-11-05-16-SA-BTX	EPA Method 325B
14A	2025-12-06-16-SA-BTX	EPA Method 325B
15A	Lab Blank	EPA Method 325B
15B	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B
16C	CCV	EPA Method 325B

CERTIFIED BY:



Technical Director

DATE: 03/17/25

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2836569, NH NELAP-209224-A, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-13180, WA NELAP-C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-21

Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000

LABORATORY NARRATIVE
ATM EPA 325B
AECOM Environment
Workorder# 2503199

Fourteen Carbopack X AC-PA samples were received on March 10, 2025. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

There were no analytical discrepancies.

Definition of Data Qualifying Flags

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).

J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the MDL value.

I - Internal Standard recovery outside acceptance limits

P - Field Duplicate(s) exceed 30%RPD

Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.

L - Recovery of bracketing CCV(s) exceeded acceptance limits.

H - Sample analyzed outside of method hold time.

D - Sample duration outside 14+/-1 days

Fe - Field Error or discrepancy

Te - Tube Error or discrepancy

CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-01-07-16-SA-BTX

Lab ID#: 2503199-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.76
Toluene	0.50	1.1
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.63
o-Xylene	0.56	0.28 U

Client Sample ID: 2025-02-08-16-SA-BTX

Lab ID#: 2503199-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.87
Toluene	0.50	1.8
Ethyl Benzene	0.56	0.34 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.41 J

Client Sample ID: 2025-03-09-16-SA-BTX

Lab ID#: 2503199-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.79
Toluene	0.50	0.92
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.42 J
o-Xylene	0.56	0.28 U

Client Sample ID: 2025-04-10-16-SA-BTX

Lab ID#: 2503199-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.82
Toluene	0.50	0.94

Summary of Detected Compounds

EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-04-10-16-SA-BTX

Lab ID#: 2503199-04A

Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.42 J
o-Xylene	0.56	0.28 U

Client Sample ID: 2025-04-10-16-FB-BTX

Lab ID#: 2503199-05A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.19 U
Toluene	0.50	0.25 U
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.28 U
o-Xylene	0.56	0.28 U

Client Sample ID: 2025-05-11-16-SA-BTX

Lab ID#: 2503199-06A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.0
Toluene	0.50	2.0
Ethyl Benzene	0.56	0.31 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.37 J

Client Sample ID: 2025-06-12-16-SA-BTX

Lab ID#: 2503199-07A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.1
Toluene	0.50	2.2
Ethyl Benzene	0.56	0.34 J
m,p-Xylene	0.56	1.1
o-Xylene	0.56	0.40 J

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-07-01-16-SA-BTX

Lab ID#: 2503199-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.4
Toluene	0.50	2.9
Ethyl Benzene	0.56	0.41 J
m,p-Xylene	0.56	1.4
o-Xylene	0.56	0.54 J

Client Sample ID: 2025-08-02-16-SA-BTX

Lab ID#: 2503199-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.3
Toluene	0.50	3.0
Ethyl Benzene	0.56	0.58
m,p-Xylene	0.56	2.0
o-Xylene	0.56	0.70

Client Sample ID: 2025-08-02-16-DU-BTX

Lab ID#: 2503199-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.2
Toluene	0.50	2.8
Ethyl Benzene	0.56	0.53 J
m,p-Xylene	0.56	1.9
o-Xylene	0.56	0.66

Client Sample ID: 2025-09-03-16-SA-BTX

Lab ID#: 2503199-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.1
Toluene	0.50	2.8

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: 2025-09-03-16-SA-BTX

Lab ID#: 2503199-11A

Ethyl Benzene	0.56	0.50 J
m,p-Xylene	0.56	1.7
o-Xylene	0.56	0.64

Client Sample ID: 2025-10-04-16-SA-BTX

Lab ID#: 2503199-12A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.99
Toluene	0.50	2.3
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.91
o-Xylene	0.56	0.41 J

Client Sample ID: 2025-11-05-16-SA-BTX

Lab ID#: 2503199-13A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.97
Toluene	0.50	2.0
Ethyl Benzene	0.56	0.34 J
m,p-Xylene	0.56	0.96
o-Xylene	0.56	0.37 J

Client Sample ID: 2025-12-06-16-SA-BTX

Lab ID#: 2503199-14A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.88
Toluene	0.50	2.0
Ethyl Benzene	0.56	0.32 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.37 J



Air Toxics

Client Sample ID: 2025-01-07-16-SA-BTX

Lab ID#: 2503199-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031430	Date of Collection: 3/6/25 10:31:00 AM
Dil. Factor:	1.05	Date of Analysis: 3/15/25 12:36 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.76
Toluene	0.50	1.1
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.63
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-02-08-16-SA-BTX

Lab ID#: 2503199-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031431	Date of Collection: 3/6/25 10:36:00 AM
Dil. Factor:	1.05	Date of Analysis: 3/15/25 01:04 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.87
Toluene	0.50	1.8
Ethyl Benzene	0.56	0.34 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.41 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-03-09-16-SA-BTX

Lab ID#: 2503199-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031432	Date of Collection: 3/6/25 10:43:00 AM
Dil. Factor:	1.05	Date of Analysis: 3/15/25 01:33 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.79
Toluene	0.50	0.92
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.42 J
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-04-10-16-SA-BTX

Lab ID#: 2503199-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031433	Date of Collection: 3/6/25 11:48:00 AM
Dil. Factor:	1.05	Date of Analysis: 3/15/25 02:02 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.82
Toluene	0.50	0.94
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.42 J
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-04-10-16-FB-BTX

Lab ID#: 2503199-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031429	Date of Collection: 3/6/25 11:48:00 AM
Dil. Factor:	1.05	Date of Analysis: 3/15/25 12:07 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.19 U
Toluene	0.50	0.25 U
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.28 U
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-05-11-16-SA-BTX

Lab ID#: 2503199-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031434	Date of Collection: 3/6/25 11:52:00 AM
Dil. Factor:	1.05	Date of Analysis: 3/15/25 02:31 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.0
Toluene	0.50	2.0
Ethyl Benzene	0.56	0.31 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.37 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-06-12-16-SA-BTX

Lab ID#: 2503199-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031435	Date of Collection: 3/6/25 10:56:00 AM
Dil. Factor:	1.05	Date of Analysis: 3/15/25 02:59 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.1
Toluene	0.50	2.2
Ethyl Benzene	0.56	0.34 J
m,p-Xylene	0.56	1.1
o-Xylene	0.56	0.40 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-07-01-16-SA-BTX

Lab ID#: 2503199-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031436	Date of Collection: 3/6/25 11:00:00 AM
Dil. Factor:	1.05	Date of Analysis: 3/15/25 03:29 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.4
Toluene	0.50	2.9
Ethyl Benzene	0.56	0.41 J
m,p-Xylene	0.56	1.4
o-Xylene	0.56	0.54 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-08-02-16-SA-BTX

Lab ID#: 2503199-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031437	Date of Collection: 3/6/25 11:04:00 AM
Dil. Factor:	1.05	Date of Analysis: 3/15/25 03:58 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.3
Toluene	0.50	3.0
Ethyl Benzene	0.56	0.58
m,p-Xylene	0.56	2.0
o-Xylene	0.56	0.70

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-08-02-16-DU-BTX

Lab ID#: 2503199-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031438	Date of Collection: 3/6/25 11:04:00 AM
Dil. Factor:	1.05	Date of Analysis: 3/15/25 04:27 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.2
Toluene	0.50	2.8
Ethyl Benzene	0.56	0.53 J
m,p-Xylene	0.56	1.9
o-Xylene	0.56	0.66

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-09-03-16-SA-BTX

Lab ID#: 2503199-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031440	Date of Collection: 3/6/25 11:11:00 AM
Dil. Factor:	1.05	Date of Analysis: 3/15/25 05:22 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	1.1
Toluene	0.50	2.8
Ethyl Benzene	0.56	0.50 J
m,p-Xylene	0.56	1.7
o-Xylene	0.56	0.64

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-10-04-16-SA-BTX

Lab ID#: 2503199-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031441	Date of Collection: 3/6/25 11:15:00 AM
Dil. Factor:	1.05	Date of Analysis: 3/15/25 05:50 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.99
Toluene	0.50	2.3
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.91
o-Xylene	0.56	0.41 J

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-11-05-16-SA-BTX

Lab ID#: 2503199-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031442	Date of Collection: 3/6/25 11:24:00 AM
Dil. Factor:	1.05	Date of Analysis: 3/15/25 06:19 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.97
Toluene	0.50	2.0
Ethyl Benzene	0.56	0.34 J
m,p-Xylene	0.56	0.96
o-Xylene	0.56	0.37 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: 2025-12-06-16-SA-BTX

Lab ID#: 2503199-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031443	Date of Collection: 3/6/25 11:27:00 AM
Dil. Factor:	1.05	Date of Analysis: 3/15/25 06:48 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.39	0.88
Toluene	0.50	2.0
Ethyl Benzene	0.56	0.32 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.37 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2503199-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031405	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/14/25 12:10 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2503199-15B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031428	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/14/25 11:39 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2503199-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031427	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/14/25 11:12 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	89
Toluene	93
Ethyl Benzene	94
m,p-Xylene	95
o-Xylene	99

Container Type: NA - Not Applicable

Client Sample ID: CCV

Lab ID#: 2503199-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031439	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/15/25 04:54 AM
		Date of Extraction: NA

Compound	%Recovery
-----------------	------------------

Benzene	90
Toluene	91
Ethyl Benzene	91
m,p-Xylene	94
o-Xylene	96

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2503199-16C

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10031444	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/15/25 07:15 AM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	87
Toluene	94
Ethyl Benzene	89
m,p-Xylene	90
o-Xylene	93

Container Type: NA - Not Applicable

Method : EPA Method 325B-BTEX (ug/m3) 14-day

CAS Number	Compound	Rpt. Limit (ug/m3)
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

Analytical Report

3/28/2025

Ms. Melissa McLaughlin

AECOM Environment

250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco Fenceline

Project #: 60737155

Workorder #: 2503518

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 3/21/2025 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,

A handwritten signature in black ink that reads "Shannon Eubank". The signature is written in a cursive, flowing style.

Shannon Eubank

Project Manager

WORK ORDER #: 2503518

Work Order Summary

CLIENT:	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824	BILL TO:	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720
PHONE:	978.905.2100	P.O. #	1680852 06.42
FAX:	978.905.2101	PROJECT #	60737155 Sunoco Fenceline
DATE RECEIVED:	03/21/2025	CONTACT:	Shannon Eubank
DATE COMPLETED:	03/28/2025		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	PS-07-SA-20250320	EPA Method 325B
02A	PS-08-SA-20250320	EPA Method 325B
03A	PS-09-SA-20250320	EPA Method 325B
04A	PS-10-SA-20250320	EPA Method 325B
05A	PS-11-SA-20250320	EPA Method 325B
06A	PS-11-FB-20250320	EPA Method 325B
07A	PS-12-SA-20250320	EPA Method 325B
08A	PS-01-SA-20250320	EPA Method 325B
09A	PS-02-SA-20250320	EPA Method 325B
10A	PS-03-SA-20250320	EPA Method 325B
11A	PS-03-DU-20250320	EPA Method 325B
12A	PS-04-SA-20250320	EPA Method 325B
13A	PS-05-SA-20250320	EPA Method 325B
14A	PS-06-SA-20250320	EPA Method 325B
15A	Lab Blank	EPA Method 325B
15B	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B
16C	CCV	EPA Method 325B

CERTIFIED BY:



Technical Director

DATE: 03/28/25

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2836569, NH NELAP-209224-A, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-13180, WA NELAP-C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-21

Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000

LABORATORY NARRATIVE
ATM EPA 325B
AECOM Environment
Workorder# 2503518

Fourteen Carbopack X AC-PA samples were received on March 21, 2025. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

There were no analytical discrepancies.

Definition of Data Qualifying Flags

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).

J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the MDL value.

I - Internal Standard recovery outside acceptance limits

P - Field Duplicate(s) exceed 30%RPD

Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

PI - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.

L - Recovery of bracketing CCV(s) exceeded acceptance limits.

H - Sample analyzed outside of method hold time.

D - Sample duration outside 14+/-1 days

Fe - Field Error or discrepancy

Te - Tube Error or discrepancy

CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-07-SA-20250320

Lab ID#: 2503518-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.89
Toluene	0.50	1.6
Ethyl Benzene	0.56	0.37 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.37 J

Client Sample ID: PS-08-SA-20250320

Lab ID#: 2503518-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.50	2.8
Ethyl Benzene	0.56	0.57
m,p-Xylene	0.56	1.8
o-Xylene	0.56	0.64

Client Sample ID: PS-09-SA-20250320

Lab ID#: 2503518-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.63
Toluene	0.50	1.0
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.55 J
o-Xylene	0.56	0.28 U

Client Sample ID: PS-10-SA-20250320

Lab ID#: 2503518-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.78
Toluene	0.50	1.0

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-10-SA-20250320

Lab ID#: 2503518-04A

Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.50 J
o-Xylene	0.56	0.28 U

Client Sample ID: PS-11-SA-20250320

Lab ID#: 2503518-05A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.50	2.2
Ethyl Benzene	0.56	0.35 J
m,p-Xylene	0.56	1.2
o-Xylene	0.56	0.42 J

Client Sample ID: PS-11-FB-20250320

Lab ID#: 2503518-06A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.50	0.25 U
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.28 U
o-Xylene	0.56	0.28 U

Client Sample ID: PS-12-SA-20250320

Lab ID#: 2503518-07A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.3
Toluene	0.50	2.9
Ethyl Benzene	0.56	0.51 J
m,p-Xylene	0.56	1.9
o-Xylene	0.56	0.66

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-01-SA-20250320

Lab ID#: 2503518-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.50	2.5
Ethyl Benzene	0.56	0.42 J
m,p-Xylene	0.56	1.5
o-Xylene	0.56	0.52 J

Client Sample ID: PS-02-SA-20250320

Lab ID#: 2503518-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.50	2.2
Ethyl Benzene	0.56	0.45 J
m,p-Xylene	0.56	1.6
o-Xylene	0.56	0.56

Client Sample ID: PS-03-SA-20250320

Lab ID#: 2503518-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.74
Toluene	0.50	1.4
Ethyl Benzene	0.56	0.29 J
m,p-Xylene	0.56	0.97
o-Xylene	0.56	0.34 J

Client Sample ID: PS-03-DU-20250320

Lab ID#: 2503518-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.74
Toluene	0.50	1.4

Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-03-DU-20250320

Lab ID#: 2503518-11A

Ethyl Benzene	0.56	0.28 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.35 J

Client Sample ID: PS-04-SA-20250320

Lab ID#: 2503518-12A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.50	2.4
Ethyl Benzene	0.56	0.48 J
m,p-Xylene	0.56	1.8
o-Xylene	0.56	0.62

Client Sample ID: PS-05-SA-20250320

Lab ID#: 2503518-13A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.81
Toluene	0.50	1.6
Ethyl Benzene	0.56	0.28 J
m,p-Xylene	0.56	0.89
o-Xylene	0.56	0.32 J

Client Sample ID: PS-06-SA-20250320

Lab ID#: 2503518-14A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.82
Toluene	0.50	1.8
Ethyl Benzene	0.56	0.32 J
m,p-Xylene	0.56	0.99
o-Xylene	0.56	0.36 J



Air Toxics

Client Sample ID: PS-07-SA-20250320

Lab ID#: 2503518-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032630	Date of Collection: 3/20/25 11:15:00 AM
Dil. Factor:	1.04	Date of Analysis: 3/27/25 12:58 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.89
Toluene	0.50	1.6
Ethyl Benzene	0.56	0.37 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.37 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-08-SA-20250320

Lab ID#: 2503518-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032631	Date of Collection: 3/20/25 11:21:00 AM
Dil. Factor:	1.04	Date of Analysis: 3/27/25 01:27 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.50	2.8
Ethyl Benzene	0.56	0.57
m,p-Xylene	0.56	1.8
o-Xylene	0.56	0.64

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-09-SA-20250320

Lab ID#: 2503518-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032632	Date of Collection: 3/20/25 11:28:00 AM
Dil. Factor:	1.04	Date of Analysis: 3/27/25 01:57 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.63
Toluene	0.50	1.0
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.55 J
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-10-SA-20250320

Lab ID#: 2503518-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032633	Date of Collection: 3/20/25 11:30:00 AM
Dil. Factor:	1.04	Date of Analysis: 3/27/25 02:26 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.78
Toluene	0.50	1.0
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.50 J
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-11-SA-20250320

Lab ID#: 2503518-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032634	Date of Collection: 3/20/25 11:36:00 AM
Dil. Factor:	1.04	Date of Analysis: 3/27/25 02:56 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.50	2.2
Ethyl Benzene	0.56	0.35 J
m,p-Xylene	0.56	1.2
o-Xylene	0.56	0.42 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-11-FB-20250320

Lab ID#: 2503518-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032629	Date of Collection: 3/20/25 11:36:00 AM
Dil. Factor:	1.04	Date of Analysis: 3/27/25 12:28 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.50	0.25 U
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.28 U
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-12-SA-20250320

Lab ID#: 2503518-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032635	Date of Collection: 3/20/25 11:40:00 AM
Dil. Factor:	1.04	Date of Analysis: 3/27/25 03:26 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.3
Toluene	0.50	2.9
Ethyl Benzene	0.56	0.51 J
m,p-Xylene	0.56	1.9
o-Xylene	0.56	0.66

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-01-SA-20250320

Lab ID#: 2503518-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032636	Date of Collection: 3/20/25 11:46:00 AM
Dil. Factor:	1.04	Date of Analysis: 3/27/25 03:56 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.50	2.5
Ethyl Benzene	0.56	0.42 J
m,p-Xylene	0.56	1.5
o-Xylene	0.56	0.52 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-02-SA-20250320

Lab ID#: 2503518-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032637	Date of Collection: 3/20/25 11:51:00 AM
Dil. Factor:	1.04	Date of Analysis: 3/27/25 04:25 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.50	2.2
Ethyl Benzene	0.56	0.45 J
m,p-Xylene	0.56	1.6
o-Xylene	0.56	0.56

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-03-SA-20250320

Lab ID#: 2503518-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032639	Date of Collection: 3/20/25 11:56:00 AM
Dil. Factor:	1.04	Date of Analysis: 3/27/25 05:20 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.74
Toluene	0.50	1.4
Ethyl Benzene	0.56	0.29 J
m,p-Xylene	0.56	0.97
o-Xylene	0.56	0.34 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-03-DU-20250320

Lab ID#: 2503518-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032640	Date of Collection: 3/20/25 11:56:00 AM
Dil. Factor:	1.04	Date of Analysis: 3/27/25 05:49 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.74
Toluene	0.50	1.4
Ethyl Benzene	0.56	0.28 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.35 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-04-SA-20250320

Lab ID#: 2503518-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032641	Date of Collection: 3/20/25 12:03:00 PM
Dil. Factor:	1.04	Date of Analysis: 3/27/25 06:19 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.50	2.4
Ethyl Benzene	0.56	0.48 J
m,p-Xylene	0.56	1.8
o-Xylene	0.56	0.62

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-05-SA-20250320

Lab ID#: 2503518-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032642	Date of Collection: 3/20/25 12:08:00 PM
Dil. Factor:	1.04	Date of Analysis: 3/27/25 06:48 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.81
Toluene	0.50	1.6
Ethyl Benzene	0.56	0.28 J
m,p-Xylene	0.56	0.89
o-Xylene	0.56	0.32 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-06-SA-20250320

Lab ID#: 2503518-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032643	Date of Collection: 3/20/25 12:12:00 PM
Dil. Factor:	1.04	Date of Analysis: 3/27/25 07:18 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.82
Toluene	0.50	1.8
Ethyl Benzene	0.56	0.32 J
m,p-Xylene	0.56	0.99
o-Xylene	0.56	0.36 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2503518-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032604	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/26/25 12:02 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2503518-15B

EPA METHOD 325B GC/MS FULL SCAN

File Name: 80032627
Dil. Factor: 1.00

Date of Collection: NA
Date of Analysis: 3/26/25 11:30 PM
Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2503518-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032626	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/26/25 11:05 PM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	95
Toluene	98
Ethyl Benzene	102
m,p-Xylene	105
o-Xylene	104

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2503518-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032638	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/27/25 04:51 AM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	97
Toluene	101
Ethyl Benzene	106
m,p-Xylene	109
o-Xylene	110

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2503518-16C

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80032644	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/27/25 07:43 AM
		Date of Extraction: NA

Compound	%Recovery
----------	-----------

Benzene	96
Toluene	101
Ethyl Benzene	104
m,p-Xylene	107
o-Xylene	108

Container Type: NA - Not Applicable

Method : EPA Method 325B-BTEX (ug/m3) 14-day

CAS Number	Compound	Rpt. Limit (ug/m3)
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54