

QUARTER 3, 2025 FENCELINE MONITORING REPORT FOR THE SPRAGUE OPERATING RESOURCES SOUTH PORTLAND MAINE TERMINAL

Prepared For:

Sprague Operating Resources LLC

185 International Drive
Portsmouth, New
Hampshire 03801

Facility:

Sprague Operating Resources LLC
59 Main Street,
South Portland, ME 04106

Prepared By:

Montrose Air Quality Services LLC
45 Route 46 East, Suite 601
Pine Brook, NJ 07058

Report Number: **047AA-027968-RT-1052**

Date: **November 12, 2025**

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20250624	C57480	2.15		1.59		5.82		2.24		8.64	
SPRSPO-1-D-20250624	B49544	2.22		1.52		4.69		1.78		8.29	
SPRSPO-1-B-20250624	C55754	0.186	ND	0.271	ND	0.271	ND	0.271	ND	0.24	ND
SPRSPO-2-S-20250624	C43713	1.49		1.08		3.38		1.2		5.31	
SPRSPO-3-S-20250624	B19091	2.71		0.686		2.03		0.769		3.9	
SPRSPO-4-S-20250624	C55448	1.07		0.675		2.12		0.828		3.67	
SPRSPO-5-S-20250624	C57734	0.846		0.552	J	1.92		0.756		3.08	
SPRSPO-6-S-20250624	C01512	2.55		0.531	J	1.39		0.567		3.22	
SPRSPO-7-S-20250624	B40269	1.27		0.653		1.65		0.682		4.54	
SPRSPO-8-S-20250624	C16139	0.809		0.498	J	1.25		0.538	J	2.3	
SPRSPO-9-S-20250624	B45069	2.04		0.612		1.63		0.664		3.06	
SPRSPO-10-S-20250624	C60235	0.817		0.59		1.94		0.785		2.9	
SPRSPO-11-S-20250624	C01555	1.2		0.689		1.48		0.627		2.86	
SPRSPO-12-S-20250624	B43681	1.44		0.954		2.45		0.981		4.3	
SPRSPO-13-S-20250624	C00589	1.49		1.09		2.93		1.18		4.63	
SPRSPO-13-D-20250624	B37461	1.23		0.939		2.82		1.09		4.29	
SPRSPO-13-B-20250624	C16131	0.186	ND	0.271	ND	0.271	ND	0.271	ND	0.24	ND
SPRSPO-14-S-20250624	C59917	1.36		1.16		3.85		1.57		5.11	
SPRSPO-15-S-20250624	B20687	1.91		1.4		3.57		1.37		6.57	
SPRSPO-16-S-20250624	B20970	2.13		1.5		3.76		1.44		7.15	
SPRSPO-1-S-20250708	B16380	1.87		1.94		4.95		2.01	P	9.48	
SPRSPO-1-D-20250708	B49755	1.58		1.59		4.99		1.97	P	8.1	
SPRSPO-1-B-20250708	C37463	0.186	ND	0.271	ND	0.271	ND	0.271	ND,P	0.239	ND
SPRSPO-2-S-20250708	B50962	1.37		1.05		3.5		1.36	P	5.81	
SPRSPO-3-S-20250708	C00798	1.25		0.975		2.77		1.19	P	5.04	
SPRSPO-4-S-20250708	C16079	0.887		0.659		1.99		0.759	P	3.62	
SPRSPO-5-S-20250708	C43383	0.837		0.702		2.51		0.98	P	3.45	
SPRSPO-6-S-20250708	B48066	0.896		0.661		2.17		0.973	P	4.22	
SPRSPO-7-S-20250708	C31394	0.756		0.508	J	1.64		0.628	P	4.05	
SPRSPO-8-S-20250708	C43196	0.562		0.406	J	1.32		0.55	J,P	2.06	
SPRSPO-9-S-20250708	B46163	0.828		0.897		2.67		1.09	P	3.46	
SPRSPO-10-S-20250708	C40610	0.73		0.861		1.97		0.848	P	2.92	
SPRSPO-11-S-20250708	B48052	1		0.623		1.89		0.873	P	2.98	
SPRSPO-12-S-20250708	C38552	0.908		0.858		2.25		1.04	P	3.78	

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-13-S-20250708	C43669	0.97		0.915		3.09		1.3	P	3.87	
SPRSPO-13-D-20250708	C40171	0.925		0.743		2.32		0.885	P	3.55	
SPRSPO-13-B-20250708	C00552	0.202	J	0.271	ND	0.271	ND	0.271	ND,P	0.239	ND
SPRSPO-14-S-20250708	C37048	1.08		1.35		3.44		1.43	P	4.58	
SPRSPO-15-S-20250708	C55683	1.43		1.26		4.44		1.72	P	6.55	
SPRSPO-16-S-20250708	C16151	1.74		1.48		3.99		1.58	P	6.67	
SPRSPO-1-S-20250722	C34214	1.61		1.15		3.34		1.23		5.41	
SPRSPO-1-D-20250722	C01604	1.58		1.32		3.81		1.48		5.42	
SPRSPO-1-B-20250722	B15544	0.187	ND	0.272	ND	0.272	ND	0.272	ND	0.241	ND
SPRSPO-2-S-20250722	C55495	1.25		0.904		2.92		1.09		3.9	
SPRSPO-3-S-20250722	C40613	1.03		0.612		1.62		0.582		2.91	
SPRSPO-4-S-20250722	B33523	1.05		0.631		1.99		0.791		3.04	
SPRSPO-5-S-20250722	C57432	1.12		0.611		2.23		0.843		3.07	
SPRSPO-6-S-20250722	C55717	0.979		0.621		2.08		0.841		3.68	
SPRSPO-7-S-20250722	C43614	0.981		0.562		1.59		0.609		3.54	
SPRSPO-8-S-20250722	C56863	0.814		0.373	J	1.19		0.447	J	1.72	
SPRSPO-9-S-20250722	C38558	0.932		0.618		1.64		0.62		2.55	
SPRSPO-10-S-20250722	C00787	1.04		0.756		2.34		0.966		2.83	
SPRSPO-11-S-20250722	C40622	1.02		0.599		1.55		0.584		2.42	
SPRSPO-12-S-20250722	C34139	1.36		1.07		3.14		1.22		3.88	
SPRSPO-13-S-20250722	B15553	1.39		1.27		2.97		1.24		4.02	
SPRSPO-13-D-20250722	C55362	1.34		1		3.71		1.51		4.01	
SPRSPO-13-B-20250722	B19844	0.187	ND	0.272	ND	0.272	ND	0.272	ND	0.241	ND
SPRSPO-14-S-20250722	C01346	1.32		1.02		3.26		1.29		4.08	
SPRSPO-15-S-20250722	C55560	1.68		1.48		5.57		2.15		6.71	
SPRSPO-16-S-20250722	C53573	1.81		1.4		4.54		1.79		5.93	
SPRSPO-1-S-20250805	C24211	1.37		1.44		5.21		1.77		6.11	
SPRSPO-1-D-20250805	B21088	1.5		1.47		4.75		1.59		6.23	
SPRSPO-1-B-20250805	B31696	0.186	ND	0.271	ND	0.271	ND	0.271	ND	0.24	ND
SPRSPO-2-S-20250805	C55754	1.36		1.32		4.62		1.49		5.61	
SPRSPO-3-S-20250805	C37970	1.34		1.28		4.96		1.63		5.05	
SPRSPO-4-S-20250805	B45050	1		0.872		3.04		1.02		3.73	
SPRSPO-5-S-20250805	B52808	0.848		0.768		2.4		0.809		3.58	

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-6-S-20250805	C01555	0.712		0.749		2.02		0.704		3.94	
SPRSPO-7-S-20250805	C55303	0.689		0.584		1.9		0.615		3.18	
SPRSPO-8-S-20250805	C57480	0.551		0.477	J	1.78		0.584		1.73	
SPRSPO-9-S-20250805	B44938	0.657		0.825		2.38		0.86		2.45	
SPRSPO-10-S-20250805	B38439	0.589		0.652		1.61		0.566		1.93	
SPRSPO-11-S-20250805	C55307	0.598		0.492	J	1.97		0.673		1.7	
SPRSPO-12-S-20250805	B45065	0.886		0.928		2.75		0.973		2.97	
SPRSPO-13-S-20250805	C38918	0.883		0.956		2.96		1.06		3.05	
SPRSPO-13-D-20250805	B49544	0.867		0.872		2.76		1		2.95	
SPRSPO-13-B-20250805	C35870	0.186	ND	0.271	ND	0.271	ND	0.271	ND	0.24	ND
SPRSPO-14-S-20250805	C59965	0.908		1.11		4.21		1.47		3.77	
SPRSPO-15-S-20250805	B47121	1.18		1.06		3.56		1.26		4.58	
SPRSPO-16-S-20250805	C57808	1.14		1.12		4.2		1.48		4.69	
SPRSPO-1-S-20250819	C40168	3.58		4.97		18.2		6.34		19.5	
SPRSPO-1-D-20250819	B52707	3.18		3.98		16.1		5.94		17.1	
SPRSPO-1-B-20250819	C70596	0.187	ND	0.273	ND	0.273	ND	0.273	ND	0.241	ND
SPRSPO-2-S-20250819	C24122	2.56		3.36		13.4		4.98		15	
SPRSPO-3-S-20250819	B20800	2.72		3.56		13.8		5		15.6	
SPRSPO-4-S-20250819	B17319	2		2.31		9.16		3.31		10.8	
SPRSPO-5-S-20250819	B24751	2.77		3.75		15.5		5.74		16.8	
SPRSPO-6-S-20250819	C01542	1.96		2.53		10.2		3.73		12.6	
SPRSPO-7-S-20250819	C53696	2.16		2.91		11.7		4.37		13.8	
SPRSPO-8-S-20250819	C31370	2.61		2.94		10.3		3.42		15.2	
SPRSPO-9-S-20250819	B44195	3.02		2.92		10.3		3.78		15.5	
SPRSPO-10-S-20250819	C00620	2.27		2.62		9.15		3.06		12.5	
SPRSPO-11-S-20250819	B15121	2.48		3.1		10.6		3.54		14.7	
SPRSPO-12-S-20250819	B48565	2.41		1.97		6.87		2.35		10.5	
SPRSPO-13-S-20250819	B46132	2.73		3.15		10.6		3.6		15.2	
SPRSPO-13-D-20250819	B29972	2.52		2.58		9.36		3.23		13.1	
SPRSPO-13-B-20250819	C43680	0.187	ND	0.273	ND	0.273	ND	0.273	ND	0.241	ND
SPRSPO-14-S-20250819	B52899	2.73		3.02		10.9		3.81		14.8	
SPRSPO-15-S-20250819	C01492	3.47		3.97		14.4		5.08		20.6	
SPRSPO-16-S-20250819	C40177	2.29		2.23		8		2.78		10.9	

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20250902	B50689	2.62		1.96		5.49		1.79		7.46	
SPRSPO-1-D-20250902	C35851	2.34		2.05		5.69		1.81		7.78	
SPRSPO-1-B-20250902	B35597	0.188	ND	0.274	ND	0.274	ND	0.274	ND	0.242	ND
SPRSPO-2-S-20250902	B52737	1.56		1.21		3.78		1.22		5.63	
SPRSPO-3-S-20250902	B53240	1.33		1.22		3.57		1.15		4.65	
SPRSPO-4-S-20250902	C61699	1.16		1.05		3.47		1.07		4.1	
SPRSPO-5-S-20250902	B46299	1.47		1.3		3.12		1		4.39	
SPRSPO-6-S-20250902	C40607	0.855		0.841		2.24		0.738		3.46	
SPRSPO-7-S-20250902	C69701	1.01		0.794		2.62		0.904		4.23	
SPRSPO-8-S-20250902	B43905	1.45		0.614		1.94		0.791		3.11	
SPRSPO-9-S-20250902	B44259	1.41		0.91		2.73		0.884		3.22	
SPRSPO-10-S-20250902	C20464	1.71		1.41		3.21		1.05		3.79	
SPRSPO-11-S-20250902	B49449	1.76		1.04		2.5		0.849		3.52	
SPRSPO-12-S-20250902	C01882	1.34		1.19		2.87		1.02		3.79	
SPRSPO-13-S-20250902	C01680	1.2		1.02		3.01		1.06		3.74	
SPRSPO-13-D-20250902	B52666	1.09		1.08		3.14		0.859		3.21	
SPRSPO-13-B-20250902	C43555	0.188	ND	0.274	ND	0.274	ND	0.274	ND	0.242	ND
SPRSPO-14-S-20250902	C00822	1.47		1.43		3.66		1.17		4.34	
SPRSPO-15-S-20250902	C24239	1.86		1.71		5.25		1.7		5.79	
SPRSPO-16-S-20250902	B30904	1.85		1.46		3.91		1.32		5.24	
SPRSPO-1-S-20250916	B50918	1.66		1.36		3.78		1.32		5.62	
SPRSPO-1-D-20250916	B43917	1.5		1.67		4.33		1.53		5.86	
SPRSPO-1-B-20250916	C38871	0.187	ND	0.273	ND	0.273	ND	0.273	ND	0.722	
SPRSPO-2-S-20250916	C55385	0.969		0.767		1.91		0.675		3.63	
SPRSPO-3-S-20250916	B14770	1.26		0.934		1.89		0.729		3.9	
SPRSPO-4-S-20250916	C33461	0.946		0.759		1.55		0.595	J	3.32	
SPRSPO-5-S-20250916	B46269	0.838		0.684		1.48		0.578	J	3.11	
SPRSPO-6-S-20250916	B49499	0.705		0.459	J	1.05		0.385	J	2.65	
SPRSPO-7-S-20250916	C40527	0.702		0.408	J	1		0.356	J	2.58	
SPRSPO-8-S-20250916	C01556	0.994		0.329	J	0.733		0.276	J	1.76	
SPRSPO-9-S-20250916	C40160	0.741		0.529	J	0.977		0.342	J	1.92	
SPRSPO-10-S-20250916	B48681	0.941		0.329	J	0.865		0.333	J	1.88	
SPRSPO-11-S-20250916	B18706	0.893		0.457	J	1.02		0.392	J	1.85	

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-12-S-20250916	B34454	1		0.86		1.84		0.655		3.1	
SPRSPO-13-S-20250916	C20401	0.784		0.705		1.48		0.564	J	2.55	
SPRSPO-13-D-20250916	C35761	0.749		0.61		1.46		0.505	J	2.62	
SPRSPO-13-B-20250916	B42339	0.187	ND	0.273	ND	0.273	ND	0.273	ND	0.241	ND
SPRSPO-14-S-20250916	C56826	0.767		0.666		1.63		0.562	J	3.02	
SPRSPO-15-S-20250916	B44982	1.17		1.22		3.02		1.16		4.99	
SPRSPO-16-S-20250916	C53589	1.19		0.931		2.31		0.831		4.03	
Quarter 3, 2025 Maximum		3.58		4.97		18.2		6.34		20.6	
Quarter 3, 2025 Average		1.41		1.23		3.93		1.43		5.50	
Rolling Annual Maximum		3.58		28.0		132		36.1		20.6	
Rolling Annual Average		1.07		2.10		8.78		2.76		3.78	

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-1-S-20250624	1	Benzene	Sample	2.15	ug/m3	0.186	ug/m3		Y	6/24/2025	09:10	7/8/2025	09:05
SPRSPO-1-S-20250624	1	Ethylbenzene	Sample	1.59	ug/m3	0.271	ug/m3		Y	6/24/2025	09:10	7/8/2025	09:05
SPRSPO-1-S-20250624	1	m-/p-Xylenes	Sample	5.82	ug/m3	0.271	ug/m3		Y	6/24/2025	09:10	7/8/2025	09:05
SPRSPO-1-S-20250624	1	o-Xylene	Sample	2.24	ug/m3	0.271	ug/m3		Y	6/24/2025	09:10	7/8/2025	09:05
SPRSPO-1-S-20250624	1	Toluene	Sample	8.64	ug/m3	0.24	ug/m3		Y	6/24/2025	09:10	7/8/2025	09:05
SPRSPO-1-D-20250624	1	Benzene	Duplicate	2.22	ug/m3	0.186	ug/m3		Y	6/24/2025	09:10	7/8/2025	09:05
SPRSPO-1-D-20250624	1	Ethylbenzene	Duplicate	1.52	ug/m3	0.271	ug/m3		Y	6/24/2025	09:10	7/8/2025	09:05
SPRSPO-1-D-20250624	1	m-/p-Xylenes	Duplicate	4.69	ug/m3	0.271	ug/m3		Y	6/24/2025	09:10	7/8/2025	09:05
SPRSPO-1-D-20250624	1	o-Xylene	Duplicate	1.78	ug/m3	0.271	ug/m3		Y	6/24/2025	09:10	7/8/2025	09:05
SPRSPO-1-D-20250624	1	Toluene	Duplicate	8.29	ug/m3	0.24	ug/m3		Y	6/24/2025	09:10	7/8/2025	09:05
SPRSPO-1-B-20250624	1	Benzene	Blank	<0.186	ug/m3	0.186	ug/m3	ND	N	6/24/2025	09:10	7/8/2025	09:05
SPRSPO-1-B-20250624	1	Ethylbenzene	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	6/24/2025	09:10	7/8/2025	09:05
SPRSPO-1-B-20250624	1	m-/p-Xylenes	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	6/24/2025	09:10	7/8/2025	09:05
SPRSPO-1-B-20250624	1	o-Xylene	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	6/24/2025	09:10	7/8/2025	09:05
SPRSPO-1-B-20250624	1	Toluene	Blank	<0.24	ug/m3	0.24	ug/m3	ND	N	6/24/2025	09:10	7/8/2025	09:05
SPRSPO-2-S-20250624	2	Benzene	Sample	1.49	ug/m3	0.186	ug/m3		Y	6/24/2025	09:20	7/8/2025	09:15
SPRSPO-2-S-20250624	2	Ethylbenzene	Sample	1.08	ug/m3	0.271	ug/m3		Y	6/24/2025	09:20	7/8/2025	09:15
SPRSPO-2-S-20250624	2	m-/p-Xylenes	Sample	3.38	ug/m3	0.271	ug/m3		Y	6/24/2025	09:20	7/8/2025	09:15
SPRSPO-2-S-20250624	2	o-Xylene	Sample	1.2	ug/m3	0.271	ug/m3		Y	6/24/2025	09:20	7/8/2025	09:15
SPRSPO-2-S-20250624	2	Toluene	Sample	5.31	ug/m3	0.24	ug/m3		Y	6/24/2025	09:20	7/8/2025	09:15
SPRSPO-3-S-20250624	3	Benzene	Sample	2.71	ug/m3	0.186	ug/m3		Y	6/24/2025	09:30	7/8/2025	09:25
SPRSPO-3-S-20250624	3	Ethylbenzene	Sample	0.686	ug/m3	0.271	ug/m3		Y	6/24/2025	09:30	7/8/2025	09:25
SPRSPO-3-S-20250624	3	m-/p-Xylenes	Sample	2.03	ug/m3	0.271	ug/m3		Y	6/24/2025	09:30	7/8/2025	09:25
SPRSPO-3-S-20250624	3	o-Xylene	Sample	0.769	ug/m3	0.271	ug/m3		Y	6/24/2025	09:30	7/8/2025	09:25
SPRSPO-3-S-20250624	3	Toluene	Sample	3.9	ug/m3	0.24	ug/m3		Y	6/24/2025	09:30	7/8/2025	09:25
SPRSPO-4-S-20250624	4	Benzene	Sample	1.07	ug/m3	0.186	ug/m3		Y	6/24/2025	09:40	7/8/2025	09:35
SPRSPO-4-S-20250624	4	Ethylbenzene	Sample	0.675	ug/m3	0.271	ug/m3		Y	6/24/2025	09:40	7/8/2025	09:35
SPRSPO-4-S-20250624	4	m-/p-Xylenes	Sample	2.12	ug/m3	0.271	ug/m3		Y	6/24/2025	09:40	7/8/2025	09:35
SPRSPO-4-S-20250624	4	o-Xylene	Sample	0.828	ug/m3	0.271	ug/m3		Y	6/24/2025	09:40	7/8/2025	09:35
SPRSPO-4-S-20250624	4	Toluene	Sample	3.67	ug/m3	0.24	ug/m3		Y	6/24/2025	09:40	7/8/2025	09:35
SPRSPO-5-S-20250624	5	Benzene	Sample	0.846	ug/m3	0.186	ug/m3		Y	6/24/2025	09:50	7/8/2025	09:45
SPRSPO-5-S-20250624	5	Ethylbenzene	Sample	0.552	ug/m3	0.271	ug/m3	J	Y	6/24/2025	09:50	7/8/2025	09:45

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-5-S-20250624	5	m-/p-Xylenes	Sample	1.92	ug/m3	0.271	ug/m3		Y	6/24/2025	09:50	7/8/2025	09:45
SPRSPO-5-S-20250624	5	o-Xylene	Sample	0.756	ug/m3	0.271	ug/m3		Y	6/24/2025	09:50	7/8/2025	09:45
SPRSPO-5-S-20250624	5	Toluene	Sample	3.08	ug/m3	0.24	ug/m3		Y	6/24/2025	09:50	7/8/2025	09:45
SPRSPO-6-S-20250624	6	Benzene	Sample	2.55	ug/m3	0.186	ug/m3		Y	6/24/2025	10:00	7/8/2025	09:55
SPRSPO-6-S-20250624	6	Ethylbenzene	Sample	0.531	ug/m3	0.271	ug/m3	J	Y	6/24/2025	10:00	7/8/2025	09:55
SPRSPO-6-S-20250624	6	m-/p-Xylenes	Sample	1.39	ug/m3	0.271	ug/m3		Y	6/24/2025	10:00	7/8/2025	09:55
SPRSPO-6-S-20250624	6	o-Xylene	Sample	0.567	ug/m3	0.271	ug/m3		Y	6/24/2025	10:00	7/8/2025	09:55
SPRSPO-6-S-20250624	6	Toluene	Sample	3.22	ug/m3	0.24	ug/m3		Y	6/24/2025	10:00	7/8/2025	09:55
SPRSPO-7-S-20250624	7	Benzene	Sample	1.27	ug/m3	0.186	ug/m3		Y	6/24/2025	10:10	7/8/2025	10:05
SPRSPO-7-S-20250624	7	Ethylbenzene	Sample	0.653	ug/m3	0.271	ug/m3		Y	6/24/2025	10:10	7/8/2025	10:05
SPRSPO-7-S-20250624	7	m-/p-Xylenes	Sample	1.65	ug/m3	0.271	ug/m3		Y	6/24/2025	10:10	7/8/2025	10:05
SPRSPO-7-S-20250624	7	o-Xylene	Sample	0.682	ug/m3	0.271	ug/m3		Y	6/24/2025	10:10	7/8/2025	10:05
SPRSPO-7-S-20250624	7	Toluene	Sample	4.54	ug/m3	0.24	ug/m3		Y	6/24/2025	10:10	7/8/2025	10:05
SPRSPO-8-S-20250624	8	Benzene	Sample	0.809	ug/m3	0.186	ug/m3		Y	6/24/2025	10:20	7/8/2025	10:20
SPRSPO-8-S-20250624	8	Ethylbenzene	Sample	0.498	ug/m3	0.271	ug/m3	J	Y	6/24/2025	10:20	7/8/2025	10:20
SPRSPO-8-S-20250624	8	m-/p-Xylenes	Sample	1.25	ug/m3	0.271	ug/m3		Y	6/24/2025	10:20	7/8/2025	10:20
SPRSPO-8-S-20250624	8	o-Xylene	Sample	0.538	ug/m3	0.271	ug/m3	J	Y	6/24/2025	10:20	7/8/2025	10:20
SPRSPO-8-S-20250624	8	Toluene	Sample	2.3	ug/m3	0.24	ug/m3		Y	6/24/2025	10:20	7/8/2025	10:20
SPRSPO-9-S-20250624	9	Benzene	Sample	2.04	ug/m3	0.186	ug/m3		Y	6/24/2025	10:30	7/8/2025	10:30
SPRSPO-9-S-20250624	9	Ethylbenzene	Sample	0.612	ug/m3	0.271	ug/m3		Y	6/24/2025	10:30	7/8/2025	10:30
SPRSPO-9-S-20250624	9	m-/p-Xylenes	Sample	1.63	ug/m3	0.271	ug/m3		Y	6/24/2025	10:30	7/8/2025	10:30
SPRSPO-9-S-20250624	9	o-Xylene	Sample	0.664	ug/m3	0.271	ug/m3		Y	6/24/2025	10:30	7/8/2025	10:30
SPRSPO-9-S-20250624	9	Toluene	Sample	3.06	ug/m3	0.24	ug/m3		Y	6/24/2025	10:30	7/8/2025	10:30
SPRSPO-10-S-20250624	10	Benzene	Sample	0.817	ug/m3	0.186	ug/m3		Y	6/24/2025	10:40	7/8/2025	10:40
SPRSPO-10-S-20250624	10	Ethylbenzene	Sample	0.59	ug/m3	0.271	ug/m3		Y	6/24/2025	10:40	7/8/2025	10:40
SPRSPO-10-S-20250624	10	m-/p-Xylenes	Sample	1.94	ug/m3	0.271	ug/m3		Y	6/24/2025	10:40	7/8/2025	10:40
SPRSPO-10-S-20250624	10	o-Xylene	Sample	0.785	ug/m3	0.271	ug/m3		Y	6/24/2025	10:40	7/8/2025	10:40
SPRSPO-10-S-20250624	10	Toluene	Sample	2.9	ug/m3	0.24	ug/m3		Y	6/24/2025	10:40	7/8/2025	10:40
SPRSPO-11-S-20250624	11	Benzene	Sample	1.2	ug/m3	0.186	ug/m3		Y	6/24/2025	10:50	7/8/2025	10:50
SPRSPO-11-S-20250624	11	Ethylbenzene	Sample	0.689	ug/m3	0.271	ug/m3		Y	6/24/2025	10:50	7/8/2025	10:50
SPRSPO-11-S-20250624	11	m-/p-Xylenes	Sample	1.48	ug/m3	0.271	ug/m3		Y	6/24/2025	10:50	7/8/2025	10:50
SPRSPO-11-S-20250624	11	o-Xylene	Sample	0.627	ug/m3	0.271	ug/m3		Y	6/24/2025	10:50	7/8/2025	10:50

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-11-S-20250624	11	Toluene	Sample	2.86	ug/m3	0.24	ug/m3		Y	6/24/2025	10:50	7/8/2025	10:50
SPRSPO-12-S-20250624	12	Benzene	Sample	1.44	ug/m3	0.186	ug/m3		Y	6/24/2025	11:00	7/8/2025	11:00
SPRSPO-12-S-20250624	12	Ethylbenzene	Sample	0.954	ug/m3	0.271	ug/m3		Y	6/24/2025	11:00	7/8/2025	11:00
SPRSPO-12-S-20250624	12	m-/p-Xylenes	Sample	2.45	ug/m3	0.271	ug/m3		Y	6/24/2025	11:00	7/8/2025	11:00
SPRSPO-12-S-20250624	12	o-Xylene	Sample	0.981	ug/m3	0.271	ug/m3		Y	6/24/2025	11:00	7/8/2025	11:00
SPRSPO-12-S-20250624	12	Toluene	Sample	4.3	ug/m3	0.24	ug/m3		Y	6/24/2025	11:00	7/8/2025	11:00
SPRSPO-13-S-20250624	13	Benzene	Sample	1.49	ug/m3	0.186	ug/m3		Y	6/24/2025	11:10	7/8/2025	11:10
SPRSPO-13-S-20250624	13	Ethylbenzene	Sample	1.09	ug/m3	0.271	ug/m3		Y	6/24/2025	11:10	7/8/2025	11:10
SPRSPO-13-S-20250624	13	m-/p-Xylenes	Sample	2.93	ug/m3	0.271	ug/m3		Y	6/24/2025	11:10	7/8/2025	11:10
SPRSPO-13-S-20250624	13	o-Xylene	Sample	1.18	ug/m3	0.271	ug/m3		Y	6/24/2025	11:10	7/8/2025	11:10
SPRSPO-13-S-20250624	13	Toluene	Sample	4.63	ug/m3	0.24	ug/m3		Y	6/24/2025	11:10	7/8/2025	11:10
SPRSPO-13-D-20250624	13	Benzene	Duplicate	1.23	ug/m3	0.186	ug/m3		Y	6/24/2025	11:10	7/8/2025	11:10
SPRSPO-13-D-20250624	13	Ethylbenzene	Duplicate	0.939	ug/m3	0.271	ug/m3		Y	6/24/2025	11:10	7/8/2025	11:10
SPRSPO-13-D-20250624	13	m-/p-Xylenes	Duplicate	2.82	ug/m3	0.271	ug/m3		Y	6/24/2025	11:10	7/8/2025	11:10
SPRSPO-13-D-20250624	13	o-Xylene	Duplicate	1.09	ug/m3	0.271	ug/m3		Y	6/24/2025	11:10	7/8/2025	11:10
SPRSPO-13-D-20250624	13	Toluene	Duplicate	4.29	ug/m3	0.24	ug/m3		Y	6/24/2025	11:10	7/8/2025	11:10
SPRSPO-13-B-20250624	13	Benzene	Blank	<0.186	ug/m3	0.186	ug/m3	ND	N	6/24/2025	11:10	7/8/2025	11:10
SPRSPO-13-B-20250624	13	Ethylbenzene	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	6/24/2025	11:10	7/8/2025	11:10
SPRSPO-13-B-20250624	13	m-/p-Xylenes	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	6/24/2025	11:10	7/8/2025	11:10
SPRSPO-13-B-20250624	13	o-Xylene	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	6/24/2025	11:10	7/8/2025	11:10
SPRSPO-13-B-20250624	13	Toluene	Blank	<0.24	ug/m3	0.24	ug/m3	ND	N	6/24/2025	11:10	7/8/2025	11:10
SPRSPO-14-S-20250624	14	Benzene	Sample	1.36	ug/m3	0.186	ug/m3		Y	6/24/2025	11:30	7/8/2025	11:20
SPRSPO-14-S-20250624	14	Ethylbenzene	Sample	1.16	ug/m3	0.271	ug/m3		Y	6/24/2025	11:30	7/8/2025	11:20
SPRSPO-14-S-20250624	14	m-/p-Xylenes	Sample	3.85	ug/m3	0.271	ug/m3		Y	6/24/2025	11:30	7/8/2025	11:20
SPRSPO-14-S-20250624	14	o-Xylene	Sample	1.57	ug/m3	0.271	ug/m3		Y	6/24/2025	11:30	7/8/2025	11:20
SPRSPO-14-S-20250624	14	Toluene	Sample	5.11	ug/m3	0.24	ug/m3		Y	6/24/2025	11:30	7/8/2025	11:20
SPRSPO-15-S-20250624	15	Benzene	Sample	1.91	ug/m3	0.186	ug/m3		Y	6/24/2025	11:40	7/8/2025	11:30
SPRSPO-15-S-20250624	15	Ethylbenzene	Sample	1.4	ug/m3	0.271	ug/m3		Y	6/24/2025	11:40	7/8/2025	11:30
SPRSPO-15-S-20250624	15	m-/p-Xylenes	Sample	3.57	ug/m3	0.271	ug/m3		Y	6/24/2025	11:40	7/8/2025	11:30
SPRSPO-15-S-20250624	15	o-Xylene	Sample	1.37	ug/m3	0.271	ug/m3		Y	6/24/2025	11:40	7/8/2025	11:30
SPRSPO-15-S-20250624	15	Toluene	Sample	6.57	ug/m3	0.24	ug/m3		Y	6/24/2025	11:40	7/8/2025	11:30
SPRSPO-16-S-20250624	16	Benzene	Sample	2.13	ug/m3	0.186	ug/m3		Y	6/24/2025	11:50	7/8/2025	11:40

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-16-S-20250624	16	Ethylbenzene	Sample	1.5	ug/m3	0.271	ug/m3		Y	6/24/2025	11:50	7/8/2025	11:40
SPRSPO-16-S-20250624	16	m-/p-Xylenes	Sample	3.76	ug/m3	0.271	ug/m3		Y	6/24/2025	11:50	7/8/2025	11:40
SPRSPO-16-S-20250624	16	o-Xylene	Sample	1.44	ug/m3	0.271	ug/m3		Y	6/24/2025	11:50	7/8/2025	11:40
SPRSPO-16-S-20250624	16	Toluene	Sample	7.15	ug/m3	0.24	ug/m3		Y	6/24/2025	11:50	7/8/2025	11:40
SPRSPO-1-S-20250708	1	Benzene	Sample	1.87	ug/m3	0.186	ug/m3		Y	7/8/2025	09:05	7/22/2025	10:15
SPRSPO-1-S-20250708	1	Ethylbenzene	Sample	1.94	ug/m3	0.271	ug/m3		Y	7/8/2025	09:05	7/22/2025	10:15
SPRSPO-1-S-20250708	1	m-/p-Xylenes	Sample	4.95	ug/m3	0.271	ug/m3		Y	7/8/2025	09:05	7/22/2025	10:15
SPRSPO-1-S-20250708	1	o-Xylene	Sample	2.01	ug/m3	0.271	ug/m3	P	Y	7/8/2025	09:05	7/22/2025	10:15
SPRSPO-1-S-20250708	1	Toluene	Sample	9.48	ug/m3	0.239	ug/m3		Y	7/8/2025	09:05	7/22/2025	10:15
SPRSPO-1-D-20250708	1	Benzene	Duplicate	1.58	ug/m3	0.186	ug/m3		Y	7/8/2025	09:05	7/22/2025	10:15
SPRSPO-1-D-20250708	1	Ethylbenzene	Duplicate	1.59	ug/m3	0.271	ug/m3		Y	7/8/2025	09:05	7/22/2025	10:15
SPRSPO-1-D-20250708	1	m-/p-Xylenes	Duplicate	4.99	ug/m3	0.271	ug/m3		Y	7/8/2025	09:05	7/22/2025	10:15
SPRSPO-1-D-20250708	1	o-Xylene	Duplicate	1.97	ug/m3	0.271	ug/m3	P	Y	7/8/2025	09:05	7/22/2025	10:15
SPRSPO-1-D-20250708	1	Toluene	Duplicate	8.1	ug/m3	0.239	ug/m3		Y	7/8/2025	09:05	7/22/2025	10:15
SPRSPO-1-B-20250708	1	Benzene	Blank	<0.186	ug/m3	0.186	ug/m3	ND	N	7/8/2025	09:05	7/22/2025	10:15
SPRSPO-1-B-20250708	1	Ethylbenzene	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	7/8/2025	09:05	7/22/2025	10:15
SPRSPO-1-B-20250708	1	m-/p-Xylenes	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	7/8/2025	09:05	7/22/2025	10:15
SPRSPO-1-B-20250708	1	o-Xylene	Blank	<0.271	ug/m3	0.271	ug/m3	ND,P	N	7/8/2025	09:05	7/22/2025	10:15
SPRSPO-1-B-20250708	1	Toluene	Blank	<0.239	ug/m3	0.239	ug/m3	ND	N	7/8/2025	09:05	7/22/2025	10:15
SPRSPO-2-S-20250708	2	Benzene	Sample	1.37	ug/m3	0.186	ug/m3		Y	7/8/2025	09:10	7/22/2025	10:25
SPRSPO-2-S-20250708	2	Ethylbenzene	Sample	1.05	ug/m3	0.271	ug/m3		Y	7/8/2025	09:10	7/22/2025	10:25
SPRSPO-2-S-20250708	2	m-/p-Xylenes	Sample	3.5	ug/m3	0.271	ug/m3		Y	7/8/2025	09:10	7/22/2025	10:25
SPRSPO-2-S-20250708	2	o-Xylene	Sample	1.36	ug/m3	0.271	ug/m3	P	Y	7/8/2025	09:10	7/22/2025	10:25
SPRSPO-2-S-20250708	2	Toluene	Sample	5.81	ug/m3	0.239	ug/m3		Y	7/8/2025	09:10	7/22/2025	10:25
SPRSPO-3-S-20250708	3	Benzene	Sample	1.25	ug/m3	0.186	ug/m3		Y	7/8/2025	09:25	7/22/2025	10:35
SPRSPO-3-S-20250708	3	Ethylbenzene	Sample	0.975	ug/m3	0.271	ug/m3		Y	7/8/2025	09:25	7/22/2025	10:35
SPRSPO-3-S-20250708	3	m-/p-Xylenes	Sample	2.77	ug/m3	0.271	ug/m3		Y	7/8/2025	09:25	7/22/2025	10:35
SPRSPO-3-S-20250708	3	o-Xylene	Sample	1.19	ug/m3	0.271	ug/m3	P	Y	7/8/2025	09:25	7/22/2025	10:35
SPRSPO-3-S-20250708	3	Toluene	Sample	5.04	ug/m3	0.239	ug/m3		Y	7/8/2025	09:25	7/22/2025	10:35
SPRSPO-4-S-20250708	4	Benzene	Sample	0.887	ug/m3	0.186	ug/m3		Y	7/8/2025	09:35	7/22/2025	10:45
SPRSPO-4-S-20250708	4	Ethylbenzene	Sample	0.659	ug/m3	0.271	ug/m3		Y	7/8/2025	09:35	7/22/2025	10:45
SPRSPO-4-S-20250708	4	m-/p-Xylenes	Sample	1.99	ug/m3	0.271	ug/m3		Y	7/8/2025	09:35	7/22/2025	10:45

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-4-S-20250708	4	o-Xylene	Sample	0.759	ug/m3	0.271	ug/m3	P	Y	7/8/2025	09:35	7/22/2025	10:45
SPRSPO-4-S-20250708	4	Toluene	Sample	3.62	ug/m3	0.239	ug/m3		Y	7/8/2025	09:35	7/22/2025	10:45
SPRSPO-5-S-20250708	5	Benzene	Sample	0.837	ug/m3	0.186	ug/m3		Y	7/8/2025	09:45	7/22/2025	10:55
SPRSPO-5-S-20250708	5	Ethylbenzene	Sample	0.702	ug/m3	0.271	ug/m3		Y	7/8/2025	09:45	7/22/2025	10:55
SPRSPO-5-S-20250708	5	m-/p-Xylenes	Sample	2.51	ug/m3	0.271	ug/m3		Y	7/8/2025	09:45	7/22/2025	10:55
SPRSPO-5-S-20250708	5	o-Xylene	Sample	0.98	ug/m3	0.271	ug/m3	P	Y	7/8/2025	09:45	7/22/2025	10:55
SPRSPO-5-S-20250708	5	Toluene	Sample	3.45	ug/m3	0.239	ug/m3		Y	7/8/2025	09:45	7/22/2025	10:55
SPRSPO-6-S-20250708	6	Benzene	Sample	0.896	ug/m3	0.186	ug/m3		Y	7/8/2025	09:55	7/22/2025	11:00
SPRSPO-6-S-20250708	6	Ethylbenzene	Sample	0.661	ug/m3	0.271	ug/m3		Y	7/8/2025	09:55	7/22/2025	11:00
SPRSPO-6-S-20250708	6	m-/p-Xylenes	Sample	2.17	ug/m3	0.271	ug/m3		Y	7/8/2025	09:55	7/22/2025	11:00
SPRSPO-6-S-20250708	6	o-Xylene	Sample	0.973	ug/m3	0.271	ug/m3	P	Y	7/8/2025	09:55	7/22/2025	11:00
SPRSPO-6-S-20250708	6	Toluene	Sample	4.22	ug/m3	0.239	ug/m3		Y	7/8/2025	09:55	7/22/2025	11:00
SPRSPO-7-S-20250708	7	Benzene	Sample	0.756	ug/m3	0.186	ug/m3		Y	7/8/2025	10:05	7/22/2025	11:10
SPRSPO-7-S-20250708	7	Ethylbenzene	Sample	0.508	ug/m3	0.271	ug/m3	J	Y	7/8/2025	10:05	7/22/2025	11:10
SPRSPO-7-S-20250708	7	m-/p-Xylenes	Sample	1.64	ug/m3	0.271	ug/m3		Y	7/8/2025	10:05	7/22/2025	11:10
SPRSPO-7-S-20250708	7	o-Xylene	Sample	0.628	ug/m3	0.271	ug/m3	P	Y	7/8/2025	10:05	7/22/2025	11:10
SPRSPO-7-S-20250708	7	Toluene	Sample	4.05	ug/m3	0.239	ug/m3		Y	7/8/2025	10:05	7/22/2025	11:10
SPRSPO-8-S-20250708	8	Benzene	Sample	0.562	ug/m3	0.186	ug/m3		Y	7/8/2025	10:15	7/22/2025	11:20
SPRSPO-8-S-20250708	8	Ethylbenzene	Sample	0.406	ug/m3	0.271	ug/m3	J	Y	7/8/2025	10:15	7/22/2025	11:20
SPRSPO-8-S-20250708	8	m-/p-Xylenes	Sample	1.32	ug/m3	0.271	ug/m3		Y	7/8/2025	10:15	7/22/2025	11:20
SPRSPO-8-S-20250708	8	o-Xylene	Sample	0.55	ug/m3	0.271	ug/m3	J,P	Y	7/8/2025	10:15	7/22/2025	11:20
SPRSPO-8-S-20250708	8	Toluene	Sample	2.06	ug/m3	0.239	ug/m3		Y	7/8/2025	10:15	7/22/2025	11:20
SPRSPO-9-S-20250708	9	Benzene	Sample	0.828	ug/m3	0.186	ug/m3		Y	7/8/2025	10:25	7/22/2025	11:30
SPRSPO-9-S-20250708	9	Ethylbenzene	Sample	0.897	ug/m3	0.271	ug/m3		Y	7/8/2025	10:25	7/22/2025	11:30
SPRSPO-9-S-20250708	9	m-/p-Xylenes	Sample	2.67	ug/m3	0.271	ug/m3		Y	7/8/2025	10:25	7/22/2025	11:30
SPRSPO-9-S-20250708	9	o-Xylene	Sample	1.09	ug/m3	0.271	ug/m3	P	Y	7/8/2025	10:25	7/22/2025	11:30
SPRSPO-9-S-20250708	9	Toluene	Sample	3.46	ug/m3	0.239	ug/m3		Y	7/8/2025	10:25	7/22/2025	11:30
SPRSPO-10-S-20250708	10	Benzene	Sample	0.73	ug/m3	0.186	ug/m3		Y	7/8/2025	10:35	7/22/2025	11:40
SPRSPO-10-S-20250708	10	Ethylbenzene	Sample	0.861	ug/m3	0.271	ug/m3		Y	7/8/2025	10:35	7/22/2025	11:40
SPRSPO-10-S-20250708	10	m-/p-Xylenes	Sample	1.97	ug/m3	0.271	ug/m3		Y	7/8/2025	10:35	7/22/2025	11:40
SPRSPO-10-S-20250708	10	o-Xylene	Sample	0.848	ug/m3	0.271	ug/m3	P	Y	7/8/2025	10:35	7/22/2025	11:40
SPRSPO-10-S-20250708	10	Toluene	Sample	2.92	ug/m3	0.239	ug/m3		Y	7/8/2025	10:35	7/22/2025	11:40

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-11-S-20250708	11	Benzene	Sample	1	ug/m3	0.186	ug/m3		Y	7/8/2025	10:45	7/22/2025	11:50
SPRSPO-11-S-20250708	11	Ethylbenzene	Sample	0.623	ug/m3	0.271	ug/m3		Y	7/8/2025	10:45	7/22/2025	11:50
SPRSPO-11-S-20250708	11	m-/p-Xylenes	Sample	1.89	ug/m3	0.271	ug/m3		Y	7/8/2025	10:45	7/22/2025	11:50
SPRSPO-11-S-20250708	11	o-Xylene	Sample	0.873	ug/m3	0.271	ug/m3	P	Y	7/8/2025	10:45	7/22/2025	11:50
SPRSPO-11-S-20250708	11	Toluene	Sample	2.98	ug/m3	0.239	ug/m3		Y	7/8/2025	10:45	7/22/2025	11:50
SPRSPO-12-S-20250708	12	Benzene	Sample	0.908	ug/m3	0.186	ug/m3		Y	7/8/2025	10:55	7/22/2025	12:00
SPRSPO-12-S-20250708	12	Ethylbenzene	Sample	0.858	ug/m3	0.271	ug/m3		Y	7/8/2025	10:55	7/22/2025	12:00
SPRSPO-12-S-20250708	12	m-/p-Xylenes	Sample	2.25	ug/m3	0.271	ug/m3		Y	7/8/2025	10:55	7/22/2025	12:00
SPRSPO-12-S-20250708	12	o-Xylene	Sample	1.04	ug/m3	0.271	ug/m3	P	Y	7/8/2025	10:55	7/22/2025	12:00
SPRSPO-12-S-20250708	12	Toluene	Sample	3.78	ug/m3	0.239	ug/m3		Y	7/8/2025	10:55	7/22/2025	12:00
SPRSPO-13-S-20250708	13	Benzene	Sample	0.97	ug/m3	0.186	ug/m3		Y	7/8/2025	11:10	7/22/2025	12:10
SPRSPO-13-S-20250708	13	Ethylbenzene	Sample	0.915	ug/m3	0.271	ug/m3		Y	7/8/2025	11:10	7/22/2025	12:10
SPRSPO-13-S-20250708	13	m-/p-Xylenes	Sample	3.09	ug/m3	0.271	ug/m3		Y	7/8/2025	11:10	7/22/2025	12:10
SPRSPO-13-S-20250708	13	o-Xylene	Sample	1.3	ug/m3	0.271	ug/m3	P	Y	7/8/2025	11:10	7/22/2025	12:10
SPRSPO-13-S-20250708	13	Toluene	Sample	3.87	ug/m3	0.239	ug/m3		Y	7/8/2025	11:10	7/22/2025	12:10
SPRSPO-13-D-20250708	13	Benzene	Duplicate	0.925	ug/m3	0.186	ug/m3		Y	7/8/2025	11:10	7/22/2025	12:10
SPRSPO-13-D-20250708	13	Ethylbenzene	Duplicate	0.743	ug/m3	0.271	ug/m3		Y	7/8/2025	11:10	7/22/2025	12:10
SPRSPO-13-D-20250708	13	m-/p-Xylenes	Duplicate	2.32	ug/m3	0.271	ug/m3		Y	7/8/2025	11:10	7/22/2025	12:10
SPRSPO-13-D-20250708	13	o-Xylene	Duplicate	0.885	ug/m3	0.271	ug/m3	P	Y	7/8/2025	11:10	7/22/2025	12:10
SPRSPO-13-D-20250708	13	Toluene	Duplicate	3.55	ug/m3	0.239	ug/m3		Y	7/8/2025	11:10	7/22/2025	12:10
SPRSPO-13-B-20250708	13	Benzene	Blank	0.202	ug/m3	0.186	ug/m3	J	Y	7/8/2025	11:10	7/22/2025	12:10
SPRSPO-13-B-20250708	13	Ethylbenzene	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	7/8/2025	11:10	7/22/2025	12:10
SPRSPO-13-B-20250708	13	m-/p-Xylenes	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	7/8/2025	11:10	7/22/2025	12:10
SPRSPO-13-B-20250708	13	o-Xylene	Blank	<0.271	ug/m3	0.271	ug/m3	ND,P	N	7/8/2025	11:10	7/22/2025	12:10
SPRSPO-13-B-20250708	13	Toluene	Blank	<0.239	ug/m3	0.239	ug/m3	ND	N	7/8/2025	11:10	7/22/2025	12:10
SPRSPO-14-S-20250708	14	Benzene	Sample	1.08	ug/m3	0.186	ug/m3		Y	7/8/2025	11:20	7/22/2025	12:20
SPRSPO-14-S-20250708	14	Ethylbenzene	Sample	1.35	ug/m3	0.271	ug/m3		Y	7/8/2025	11:20	7/22/2025	12:20
SPRSPO-14-S-20250708	14	m-/p-Xylenes	Sample	3.44	ug/m3	0.271	ug/m3		Y	7/8/2025	11:20	7/22/2025	12:20
SPRSPO-14-S-20250708	14	o-Xylene	Sample	1.43	ug/m3	0.271	ug/m3	P	Y	7/8/2025	11:20	7/22/2025	12:20
SPRSPO-14-S-20250708	14	Toluene	Sample	4.58	ug/m3	0.239	ug/m3		Y	7/8/2025	11:20	7/22/2025	12:20
SPRSPO-15-S-20250708	15	Benzene	Sample	1.43	ug/m3	0.186	ug/m3		Y	7/8/2025	11:30	7/22/2025	12:30
SPRSPO-15-S-20250708	15	Ethylbenzene	Sample	1.26	ug/m3	0.271	ug/m3		Y	7/8/2025	11:30	7/22/2025	12:30

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-15-S-20250708	15	m-/p-Xylenes	Sample	4.44	ug/m3	0.271	ug/m3		Y	7/8/2025	11:30	7/22/2025	12:30
SPRSPO-15-S-20250708	15	o-Xylene	Sample	1.72	ug/m3	0.271	ug/m3	P	Y	7/8/2025	11:30	7/22/2025	12:30
SPRSPO-15-S-20250708	15	Toluene	Sample	6.55	ug/m3	0.239	ug/m3		Y	7/8/2025	11:30	7/22/2025	12:30
SPRSPO-16-S-20250708	16	Benzene	Sample	1.74	ug/m3	0.186	ug/m3		Y	7/8/2025	11:40	7/22/2025	12:40
SPRSPO-16-S-20250708	16	Ethylbenzene	Sample	1.48	ug/m3	0.271	ug/m3		Y	7/8/2025	11:40	7/22/2025	12:40
SPRSPO-16-S-20250708	16	m-/p-Xylenes	Sample	3.99	ug/m3	0.271	ug/m3		Y	7/8/2025	11:40	7/22/2025	12:40
SPRSPO-16-S-20250708	16	o-Xylene	Sample	1.58	ug/m3	0.271	ug/m3	P	Y	7/8/2025	11:40	7/22/2025	12:40
SPRSPO-16-S-20250708	16	Toluene	Sample	6.67	ug/m3	0.239	ug/m3		Y	7/8/2025	11:40	7/22/2025	12:40
SPRSPO-1-S-20250722	1	Benzene	Sample	1.61	ug/m3	0.187	ug/m3		Y	7/22/2025	10:15	8/5/2025	09:10
SPRSPO-1-S-20250722	1	Ethylbenzene	Sample	1.15	ug/m3	0.272	ug/m3		Y	7/22/2025	10:15	8/5/2025	09:10
SPRSPO-1-S-20250722	1	m-/p-Xylenes	Sample	3.34	ug/m3	0.272	ug/m3		Y	7/22/2025	10:15	8/5/2025	09:10
SPRSPO-1-S-20250722	1	o-Xylene	Sample	1.23	ug/m3	0.272	ug/m3		Y	7/22/2025	10:15	8/5/2025	09:10
SPRSPO-1-S-20250722	1	Toluene	Sample	5.41	ug/m3	0.241	ug/m3		Y	7/22/2025	10:15	8/5/2025	09:10
SPRSPO-1-D-20250722	1	Benzene	Duplicate	1.58	ug/m3	0.187	ug/m3		Y	7/22/2025	10:15	8/5/2025	09:10
SPRSPO-1-D-20250722	1	Ethylbenzene	Duplicate	1.32	ug/m3	0.272	ug/m3		Y	7/22/2025	10:15	8/5/2025	09:10
SPRSPO-1-D-20250722	1	m-/p-Xylenes	Duplicate	3.81	ug/m3	0.272	ug/m3		Y	7/22/2025	10:15	8/5/2025	09:10
SPRSPO-1-D-20250722	1	o-Xylene	Duplicate	1.48	ug/m3	0.272	ug/m3		Y	7/22/2025	10:15	8/5/2025	09:10
SPRSPO-1-D-20250722	1	Toluene	Duplicate	5.42	ug/m3	0.241	ug/m3		Y	7/22/2025	10:15	8/5/2025	09:10
SPRSPO-1-B-20250722	1	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	7/22/2025	10:15	8/5/2025	09:10
SPRSPO-1-B-20250722	1	Ethylbenzene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	7/22/2025	10:15	8/5/2025	09:10
SPRSPO-1-B-20250722	1	m-/p-Xylenes	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	7/22/2025	10:15	8/5/2025	09:10
SPRSPO-1-B-20250722	1	o-Xylene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	7/22/2025	10:15	8/5/2025	09:10
SPRSPO-1-B-20250722	1	Toluene	Blank	<0.241	ug/m3	0.241	ug/m3	ND	N	7/22/2025	10:15	8/5/2025	09:10
SPRSPO-2-S-20250722	2	Benzene	Sample	1.25	ug/m3	0.187	ug/m3		Y	7/22/2025	10:25	8/5/2025	09:20
SPRSPO-2-S-20250722	2	Ethylbenzene	Sample	0.904	ug/m3	0.272	ug/m3		Y	7/22/2025	10:25	8/5/2025	09:20
SPRSPO-2-S-20250722	2	m-/p-Xylenes	Sample	2.92	ug/m3	0.272	ug/m3		Y	7/22/2025	10:25	8/5/2025	09:20
SPRSPO-2-S-20250722	2	o-Xylene	Sample	1.09	ug/m3	0.272	ug/m3		Y	7/22/2025	10:25	8/5/2025	09:20
SPRSPO-2-S-20250722	2	Toluene	Sample	3.9	ug/m3	0.241	ug/m3		Y	7/22/2025	10:25	8/5/2025	09:20
SPRSPO-3-S-20250722	3	Benzene	Sample	1.03	ug/m3	0.187	ug/m3		Y	7/22/2025	10:35	8/5/2025	09:30
SPRSPO-3-S-20250722	3	Ethylbenzene	Sample	0.612	ug/m3	0.272	ug/m3		Y	7/22/2025	10:35	8/5/2025	09:30
SPRSPO-3-S-20250722	3	m-/p-Xylenes	Sample	1.62	ug/m3	0.272	ug/m3		Y	7/22/2025	10:35	8/5/2025	09:30
SPRSPO-3-S-20250722	3	o-Xylene	Sample	0.582	ug/m3	0.272	ug/m3		Y	7/22/2025	10:35	8/5/2025	09:30

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-3-S-20250722	3	Toluene	Sample	2.91	ug/m3	0.241	ug/m3		Y	7/22/2025	10:35	8/5/2025	09:30
SPRSPO-4-S-20250722	4	Benzene	Sample	1.05	ug/m3	0.187	ug/m3		Y	7/22/2025	10:45	8/5/2025	09:40
SPRSPO-4-S-20250722	4	Ethylbenzene	Sample	0.631	ug/m3	0.272	ug/m3		Y	7/22/2025	10:45	8/5/2025	09:40
SPRSPO-4-S-20250722	4	m-/p-Xylenes	Sample	1.99	ug/m3	0.272	ug/m3		Y	7/22/2025	10:45	8/5/2025	09:40
SPRSPO-4-S-20250722	4	o-Xylene	Sample	0.791	ug/m3	0.272	ug/m3		Y	7/22/2025	10:45	8/5/2025	09:40
SPRSPO-4-S-20250722	4	Toluene	Sample	3.04	ug/m3	0.241	ug/m3		Y	7/22/2025	10:45	8/5/2025	09:40
SPRSPO-5-S-20250722	5	Benzene	Sample	1.12	ug/m3	0.187	ug/m3		Y	7/22/2025	10:55	8/5/2025	09:50
SPRSPO-5-S-20250722	5	Ethylbenzene	Sample	0.611	ug/m3	0.272	ug/m3		Y	7/22/2025	10:55	8/5/2025	09:50
SPRSPO-5-S-20250722	5	m-/p-Xylenes	Sample	2.23	ug/m3	0.272	ug/m3		Y	7/22/2025	10:55	8/5/2025	09:50
SPRSPO-5-S-20250722	5	o-Xylene	Sample	0.843	ug/m3	0.272	ug/m3		Y	7/22/2025	10:55	8/5/2025	09:50
SPRSPO-5-S-20250722	5	Toluene	Sample	3.07	ug/m3	0.241	ug/m3		Y	7/22/2025	10:55	8/5/2025	09:50
SPRSPO-6-S-20250722	6	Benzene	Sample	0.979	ug/m3	0.187	ug/m3		Y	7/22/2025	11:00	8/5/2025	10:00
SPRSPO-6-S-20250722	6	Ethylbenzene	Sample	0.621	ug/m3	0.272	ug/m3		Y	7/22/2025	11:00	8/5/2025	10:00
SPRSPO-6-S-20250722	6	m-/p-Xylenes	Sample	2.08	ug/m3	0.272	ug/m3		Y	7/22/2025	11:00	8/5/2025	10:00
SPRSPO-6-S-20250722	6	o-Xylene	Sample	0.841	ug/m3	0.272	ug/m3		Y	7/22/2025	11:00	8/5/2025	10:00
SPRSPO-6-S-20250722	6	Toluene	Sample	3.68	ug/m3	0.241	ug/m3		Y	7/22/2025	11:00	8/5/2025	10:00
SPRSPO-7-S-20250722	7	Benzene	Sample	0.981	ug/m3	0.187	ug/m3		Y	7/22/2025	11:10	8/5/2025	10:10
SPRSPO-7-S-20250722	7	Ethylbenzene	Sample	0.562	ug/m3	0.272	ug/m3		Y	7/22/2025	11:10	8/5/2025	10:10
SPRSPO-7-S-20250722	7	m-/p-Xylenes	Sample	1.59	ug/m3	0.272	ug/m3		Y	7/22/2025	11:10	8/5/2025	10:10
SPRSPO-7-S-20250722	7	o-Xylene	Sample	0.609	ug/m3	0.272	ug/m3		Y	7/22/2025	11:10	8/5/2025	10:10
SPRSPO-7-S-20250722	7	Toluene	Sample	3.54	ug/m3	0.241	ug/m3		Y	7/22/2025	11:10	8/5/2025	10:10
SPRSPO-8-S-20250722	8	Benzene	Sample	0.814	ug/m3	0.187	ug/m3		Y	7/22/2025	11:20	8/5/2025	10:20
SPRSPO-8-S-20250722	8	Ethylbenzene	Sample	0.373	ug/m3	0.272	ug/m3	J	Y	7/22/2025	11:20	8/5/2025	10:20
SPRSPO-8-S-20250722	8	m-/p-Xylenes	Sample	1.19	ug/m3	0.272	ug/m3		Y	7/22/2025	11:20	8/5/2025	10:20
SPRSPO-8-S-20250722	8	o-Xylene	Sample	0.447	ug/m3	0.272	ug/m3	J	Y	7/22/2025	11:20	8/5/2025	10:20
SPRSPO-8-S-20250722	8	Toluene	Sample	1.72	ug/m3	0.241	ug/m3		Y	7/22/2025	11:20	8/5/2025	10:20
SPRSPO-9-S-20250722	9	Benzene	Sample	0.932	ug/m3	0.187	ug/m3		Y	7/22/2025	11:30	8/5/2025	10:30
SPRSPO-9-S-20250722	9	Ethylbenzene	Sample	0.618	ug/m3	0.272	ug/m3		Y	7/22/2025	11:30	8/5/2025	10:30
SPRSPO-9-S-20250722	9	m-/p-Xylenes	Sample	1.64	ug/m3	0.272	ug/m3		Y	7/22/2025	11:30	8/5/2025	10:30
SPRSPO-9-S-20250722	9	o-Xylene	Sample	0.62	ug/m3	0.272	ug/m3		Y	7/22/2025	11:30	8/5/2025	10:30
SPRSPO-9-S-20250722	9	Toluene	Sample	2.55	ug/m3	0.241	ug/m3		Y	7/22/2025	11:30	8/5/2025	10:30
SPRSPO-10-S-20250722	10	Benzene	Sample	1.04	ug/m3	0.187	ug/m3		Y	7/22/2025	11:40	8/5/2025	10:40

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-10-S-20250722	10	Ethylbenzene	Sample	0.756	ug/m3	0.272	ug/m3		Y	7/22/2025	11:40	8/5/2025	10:40
SPRSPO-10-S-20250722	10	m-/p-Xylenes	Sample	2.34	ug/m3	0.272	ug/m3		Y	7/22/2025	11:40	8/5/2025	10:40
SPRSPO-10-S-20250722	10	o-Xylene	Sample	0.966	ug/m3	0.272	ug/m3		Y	7/22/2025	11:40	8/5/2025	10:40
SPRSPO-10-S-20250722	10	Toluene	Sample	2.83	ug/m3	0.241	ug/m3		Y	7/22/2025	11:40	8/5/2025	10:40
SPRSPO-11-S-20250722	11	Benzene	Sample	1.02	ug/m3	0.187	ug/m3		Y	7/22/2025	11:50	8/5/2025	10:50
SPRSPO-11-S-20250722	11	Ethylbenzene	Sample	0.599	ug/m3	0.272	ug/m3		Y	7/22/2025	11:50	8/5/2025	10:50
SPRSPO-11-S-20250722	11	m-/p-Xylenes	Sample	1.55	ug/m3	0.272	ug/m3		Y	7/22/2025	11:50	8/5/2025	10:50
SPRSPO-11-S-20250722	11	o-Xylene	Sample	0.584	ug/m3	0.272	ug/m3		Y	7/22/2025	11:50	8/5/2025	10:50
SPRSPO-11-S-20250722	11	Toluene	Sample	2.42	ug/m3	0.241	ug/m3		Y	7/22/2025	11:50	8/5/2025	10:50
SPRSPO-12-S-20250722	12	Benzene	Sample	1.36	ug/m3	0.187	ug/m3		Y	7/22/2025	12:00	8/5/2025	11:00
SPRSPO-12-S-20250722	12	Ethylbenzene	Sample	1.07	ug/m3	0.272	ug/m3		Y	7/22/2025	12:00	8/5/2025	11:00
SPRSPO-12-S-20250722	12	m-/p-Xylenes	Sample	3.14	ug/m3	0.272	ug/m3		Y	7/22/2025	12:00	8/5/2025	11:00
SPRSPO-12-S-20250722	12	o-Xylene	Sample	1.22	ug/m3	0.272	ug/m3		Y	7/22/2025	12:00	8/5/2025	11:00
SPRSPO-12-S-20250722	12	Toluene	Sample	3.88	ug/m3	0.241	ug/m3		Y	7/22/2025	12:00	8/5/2025	11:00
SPRSPO-13-S-20250722	13	Benzene	Sample	1.39	ug/m3	0.187	ug/m3		Y	7/22/2025	12:10	8/5/2025	11:10
SPRSPO-13-S-20250722	13	Ethylbenzene	Sample	1.27	ug/m3	0.272	ug/m3		Y	7/22/2025	12:10	8/5/2025	11:10
SPRSPO-13-S-20250722	13	m-/p-Xylenes	Sample	2.97	ug/m3	0.272	ug/m3		Y	7/22/2025	12:10	8/5/2025	11:10
SPRSPO-13-S-20250722	13	o-Xylene	Sample	1.24	ug/m3	0.272	ug/m3		Y	7/22/2025	12:10	8/5/2025	11:10
SPRSPO-13-S-20250722	13	Toluene	Sample	4.02	ug/m3	0.241	ug/m3		Y	7/22/2025	12:10	8/5/2025	11:10
SPRSPO-13-D-20250722	13	Benzene	Duplicate	1.34	ug/m3	0.187	ug/m3		Y	7/22/2025	12:10	8/5/2025	11:10
SPRSPO-13-D-20250722	13	Ethylbenzene	Duplicate	1	ug/m3	0.272	ug/m3		Y	7/22/2025	12:10	8/5/2025	11:10
SPRSPO-13-D-20250722	13	m-/p-Xylenes	Duplicate	3.71	ug/m3	0.272	ug/m3		Y	7/22/2025	12:10	8/5/2025	11:10
SPRSPO-13-D-20250722	13	o-Xylene	Duplicate	1.51	ug/m3	0.272	ug/m3		Y	7/22/2025	12:10	8/5/2025	11:10
SPRSPO-13-D-20250722	13	Toluene	Duplicate	4.01	ug/m3	0.241	ug/m3		Y	7/22/2025	12:10	8/5/2025	11:10
SPRSPO-13-B-20250722	13	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	7/22/2025	12:10	8/5/2025	11:10
SPRSPO-13-B-20250722	13	Ethylbenzene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	7/22/2025	12:10	8/5/2025	11:10
SPRSPO-13-B-20250722	13	m-/p-Xylenes	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	7/22/2025	12:10	8/5/2025	11:10
SPRSPO-13-B-20250722	13	o-Xylene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	7/22/2025	12:10	8/5/2025	11:10
SPRSPO-13-B-20250722	13	Toluene	Blank	<0.241	ug/m3	0.241	ug/m3	ND	N	7/22/2025	12:10	8/5/2025	11:10
SPRSPO-14-S-20250722	14	Benzene	Sample	1.32	ug/m3	0.187	ug/m3		Y	7/22/2025	12:20	8/5/2025	11:20
SPRSPO-14-S-20250722	14	Ethylbenzene	Sample	1.02	ug/m3	0.272	ug/m3		Y	7/22/2025	12:20	8/5/2025	11:20
SPRSPO-14-S-20250722	14	m-/p-Xylenes	Sample	3.26	ug/m3	0.272	ug/m3		Y	7/22/2025	12:20	8/5/2025	11:20

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-14-S-20250722	14	o-Xylene	Sample	1.29	ug/m3	0.272	ug/m3		Y	7/22/2025	12:20	8/5/2025	11:20
SPRSPO-14-S-20250722	14	Toluene	Sample	4.08	ug/m3	0.241	ug/m3		Y	7/22/2025	12:20	8/5/2025	11:20
SPRSPO-15-S-20250722	15	Benzene	Sample	1.68	ug/m3	0.187	ug/m3		Y	7/22/2025	12:30	8/5/2025	11:30
SPRSPO-15-S-20250722	15	Ethylbenzene	Sample	1.48	ug/m3	0.272	ug/m3		Y	7/22/2025	12:30	8/5/2025	11:30
SPRSPO-15-S-20250722	15	m-/p-Xylenes	Sample	5.57	ug/m3	0.272	ug/m3		Y	7/22/2025	12:30	8/5/2025	11:30
SPRSPO-15-S-20250722	15	o-Xylene	Sample	2.15	ug/m3	0.272	ug/m3		Y	7/22/2025	12:30	8/5/2025	11:30
SPRSPO-15-S-20250722	15	Toluene	Sample	6.71	ug/m3	0.241	ug/m3		Y	7/22/2025	12:30	8/5/2025	11:30
SPRSPO-16-S-20250722	16	Benzene	Sample	1.81	ug/m3	0.187	ug/m3		Y	7/22/2025	12:40	8/5/2025	11:40
SPRSPO-16-S-20250722	16	Ethylbenzene	Sample	1.4	ug/m3	0.272	ug/m3		Y	7/22/2025	12:40	8/5/2025	11:40
SPRSPO-16-S-20250722	16	m-/p-Xylenes	Sample	4.54	ug/m3	0.272	ug/m3		Y	7/22/2025	12:40	8/5/2025	11:40
SPRSPO-16-S-20250722	16	o-Xylene	Sample	1.79	ug/m3	0.272	ug/m3		Y	7/22/2025	12:40	8/5/2025	11:40
SPRSPO-16-S-20250722	16	Toluene	Sample	5.93	ug/m3	0.241	ug/m3		Y	7/22/2025	12:40	8/5/2025	11:40
SPRSPO-1-S-20250805	1	Benzene	Sample	1.37	ug/m3	0.186	ug/m3		Y	8/5/2025	09:10	8/19/2025	09:00
SPRSPO-1-S-20250805	1	Ethylbenzene	Sample	1.44	ug/m3	0.271	ug/m3		Y	8/5/2025	09:10	8/19/2025	09:00
SPRSPO-1-S-20250805	1	m-/p-Xylenes	Sample	5.21	ug/m3	0.271	ug/m3		Y	8/5/2025	09:10	8/19/2025	09:00
SPRSPO-1-S-20250805	1	o-Xylene	Sample	1.77	ug/m3	0.271	ug/m3		Y	8/5/2025	09:10	8/19/2025	09:00
SPRSPO-1-S-20250805	1	Toluene	Sample	6.11	ug/m3	0.24	ug/m3		Y	8/5/2025	09:10	8/19/2025	09:00
SPRSPO-1-D-20250805	1	Benzene	Duplicate	1.5	ug/m3	0.186	ug/m3		Y	8/5/2025	09:10	8/19/2025	09:00
SPRSPO-1-D-20250805	1	Ethylbenzene	Duplicate	1.47	ug/m3	0.271	ug/m3		Y	8/5/2025	09:10	8/19/2025	09:00
SPRSPO-1-D-20250805	1	m-/p-Xylenes	Duplicate	4.75	ug/m3	0.271	ug/m3		Y	8/5/2025	09:10	8/19/2025	09:00
SPRSPO-1-D-20250805	1	o-Xylene	Duplicate	1.59	ug/m3	0.271	ug/m3		Y	8/5/2025	09:10	8/19/2025	09:00
SPRSPO-1-D-20250805	1	Toluene	Duplicate	6.23	ug/m3	0.24	ug/m3		Y	8/5/2025	09:10	8/19/2025	09:00
SPRSPO-1-B-20250805	1	Benzene	Blank	<0.186	ug/m3	0.186	ug/m3	ND	N	8/5/2025	09:10	8/19/2025	09:00
SPRSPO-1-B-20250805	1	Ethylbenzene	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	8/5/2025	09:10	8/19/2025	09:00
SPRSPO-1-B-20250805	1	m-/p-Xylenes	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	8/5/2025	09:10	8/19/2025	09:00
SPRSPO-1-B-20250805	1	o-Xylene	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	8/5/2025	09:10	8/19/2025	09:00
SPRSPO-1-B-20250805	1	Toluene	Blank	<0.24	ug/m3	0.24	ug/m3	ND	N	8/5/2025	09:10	8/19/2025	09:00
SPRSPO-2-S-20250805	2	Benzene	Sample	1.36	ug/m3	0.186	ug/m3		Y	8/5/2025	09:20	8/19/2025	09:10
SPRSPO-2-S-20250805	2	Ethylbenzene	Sample	1.32	ug/m3	0.271	ug/m3		Y	8/5/2025	09:20	8/19/2025	09:10
SPRSPO-2-S-20250805	2	m-/p-Xylenes	Sample	4.62	ug/m3	0.271	ug/m3		Y	8/5/2025	09:20	8/19/2025	09:10
SPRSPO-2-S-20250805	2	o-Xylene	Sample	1.49	ug/m3	0.271	ug/m3		Y	8/5/2025	09:20	8/19/2025	09:10
SPRSPO-2-S-20250805	2	Toluene	Sample	5.61	ug/m3	0.24	ug/m3		Y	8/5/2025	09:20	8/19/2025	09:10

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-3-S-20250805	3	Benzene	Sample	1.34	ug/m3	0.186	ug/m3		Y	8/5/2025	09:30	8/19/2025	09:20
SPRSPO-3-S-20250805	3	Ethylbenzene	Sample	1.28	ug/m3	0.271	ug/m3		Y	8/5/2025	09:30	8/19/2025	09:20
SPRSPO-3-S-20250805	3	m-/p-Xylenes	Sample	4.96	ug/m3	0.271	ug/m3		Y	8/5/2025	09:30	8/19/2025	09:20
SPRSPO-3-S-20250805	3	o-Xylene	Sample	1.63	ug/m3	0.271	ug/m3		Y	8/5/2025	09:30	8/19/2025	09:20
SPRSPO-3-S-20250805	3	Toluene	Sample	5.05	ug/m3	0.24	ug/m3		Y	8/5/2025	09:30	8/19/2025	09:20
SPRSPO-4-S-20250805	4	Benzene	Sample	1	ug/m3	0.186	ug/m3		Y	8/5/2025	09:40	8/19/2025	09:30
SPRSPO-4-S-20250805	4	Ethylbenzene	Sample	0.872	ug/m3	0.271	ug/m3		Y	8/5/2025	09:40	8/19/2025	09:30
SPRSPO-4-S-20250805	4	m-/p-Xylenes	Sample	3.04	ug/m3	0.271	ug/m3		Y	8/5/2025	09:40	8/19/2025	09:30
SPRSPO-4-S-20250805	4	o-Xylene	Sample	1.02	ug/m3	0.271	ug/m3		Y	8/5/2025	09:40	8/19/2025	09:30
SPRSPO-4-S-20250805	4	Toluene	Sample	3.73	ug/m3	0.24	ug/m3		Y	8/5/2025	09:40	8/19/2025	09:30
SPRSPO-5-S-20250805	5	Benzene	Sample	0.848	ug/m3	0.186	ug/m3		Y	8/5/2025	09:50	8/19/2025	09:40
SPRSPO-5-S-20250805	5	Ethylbenzene	Sample	0.768	ug/m3	0.271	ug/m3		Y	8/5/2025	09:50	8/19/2025	09:40
SPRSPO-5-S-20250805	5	m-/p-Xylenes	Sample	2.4	ug/m3	0.271	ug/m3		Y	8/5/2025	09:50	8/19/2025	09:40
SPRSPO-5-S-20250805	5	o-Xylene	Sample	0.809	ug/m3	0.271	ug/m3		Y	8/5/2025	09:50	8/19/2025	09:40
SPRSPO-5-S-20250805	5	Toluene	Sample	3.58	ug/m3	0.24	ug/m3		Y	8/5/2025	09:50	8/19/2025	09:40
SPRSPO-6-S-20250805	6	Benzene	Sample	0.712	ug/m3	0.186	ug/m3		Y	8/5/2025	10:00	8/19/2025	09:50
SPRSPO-6-S-20250805	6	Ethylbenzene	Sample	0.749	ug/m3	0.271	ug/m3		Y	8/5/2025	10:00	8/19/2025	09:50
SPRSPO-6-S-20250805	6	m-/p-Xylenes	Sample	2.02	ug/m3	0.271	ug/m3		Y	8/5/2025	10:00	8/19/2025	09:50
SPRSPO-6-S-20250805	6	o-Xylene	Sample	0.704	ug/m3	0.271	ug/m3		Y	8/5/2025	10:00	8/19/2025	09:50
SPRSPO-6-S-20250805	6	Toluene	Sample	3.94	ug/m3	0.24	ug/m3		Y	8/5/2025	10:00	8/19/2025	09:50
SPRSPO-7-S-20250805	7	Benzene	Sample	0.689	ug/m3	0.186	ug/m3		Y	8/5/2025	10:10	8/19/2025	10:00
SPRSPO-7-S-20250805	7	Ethylbenzene	Sample	0.584	ug/m3	0.271	ug/m3		Y	8/5/2025	10:10	8/19/2025	10:00
SPRSPO-7-S-20250805	7	m-/p-Xylenes	Sample	1.9	ug/m3	0.271	ug/m3		Y	8/5/2025	10:10	8/19/2025	10:00
SPRSPO-7-S-20250805	7	o-Xylene	Sample	0.615	ug/m3	0.271	ug/m3		Y	8/5/2025	10:10	8/19/2025	10:00
SPRSPO-7-S-20250805	7	Toluene	Sample	3.18	ug/m3	0.24	ug/m3		Y	8/5/2025	10:10	8/19/2025	10:00
SPRSPO-8-S-20250805	8	Benzene	Sample	0.551	ug/m3	0.186	ug/m3		Y	8/5/2025	10:20	8/19/2025	10:10
SPRSPO-8-S-20250805	8	Ethylbenzene	Sample	0.477	ug/m3	0.271	ug/m3	J	Y	8/5/2025	10:20	8/19/2025	10:10
SPRSPO-8-S-20250805	8	m-/p-Xylenes	Sample	1.78	ug/m3	0.271	ug/m3		Y	8/5/2025	10:20	8/19/2025	10:10
SPRSPO-8-S-20250805	8	o-Xylene	Sample	0.584	ug/m3	0.271	ug/m3		Y	8/5/2025	10:20	8/19/2025	10:10
SPRSPO-8-S-20250805	8	Toluene	Sample	1.73	ug/m3	0.24	ug/m3		Y	8/5/2025	10:20	8/19/2025	10:10
SPRSPO-9-S-20250805	9	Benzene	Sample	0.657	ug/m3	0.186	ug/m3		Y	8/5/2025	10:30	8/19/2025	10:20
SPRSPO-9-S-20250805	9	Ethylbenzene	Sample	0.825	ug/m3	0.271	ug/m3		Y	8/5/2025	10:30	8/19/2025	10:20

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-9-S-20250805	9	m-/p-Xylenes	Sample	2.38	ug/m3	0.271	ug/m3		Y	8/5/2025	10:30	8/19/2025	10:20
SPRSPO-9-S-20250805	9	o-Xylene	Sample	0.86	ug/m3	0.271	ug/m3		Y	8/5/2025	10:30	8/19/2025	10:20
SPRSPO-9-S-20250805	9	Toluene	Sample	2.45	ug/m3	0.24	ug/m3		Y	8/5/2025	10:30	8/19/2025	10:20
SPRSPO-10-S-20250805	10	Benzene	Sample	0.589	ug/m3	0.186	ug/m3		Y	8/5/2025	10:40	8/19/2025	10:30
SPRSPO-10-S-20250805	10	Ethylbenzene	Sample	0.652	ug/m3	0.271	ug/m3		Y	8/5/2025	10:40	8/19/2025	10:30
SPRSPO-10-S-20250805	10	m-/p-Xylenes	Sample	1.61	ug/m3	0.271	ug/m3		Y	8/5/2025	10:40	8/19/2025	10:30
SPRSPO-10-S-20250805	10	o-Xylene	Sample	0.566	ug/m3	0.271	ug/m3		Y	8/5/2025	10:40	8/19/2025	10:30
SPRSPO-10-S-20250805	10	Toluene	Sample	1.93	ug/m3	0.24	ug/m3		Y	8/5/2025	10:40	8/19/2025	10:30
SPRSPO-11-S-20250805	11	Benzene	Sample	0.598	ug/m3	0.186	ug/m3		Y	8/5/2025	10:50	8/19/2025	10:40
SPRSPO-11-S-20250805	11	Ethylbenzene	Sample	0.492	ug/m3	0.271	ug/m3	J	Y	8/5/2025	10:50	8/19/2025	10:40
SPRSPO-11-S-20250805	11	m-/p-Xylenes	Sample	1.97	ug/m3	0.271	ug/m3		Y	8/5/2025	10:50	8/19/2025	10:40
SPRSPO-11-S-20250805	11	o-Xylene	Sample	0.673	ug/m3	0.271	ug/m3		Y	8/5/2025	10:50	8/19/2025	10:40
SPRSPO-11-S-20250805	11	Toluene	Sample	1.7	ug/m3	0.24	ug/m3		Y	8/5/2025	10:50	8/19/2025	10:40
SPRSPO-12-S-20250805	12	Benzene	Sample	0.886	ug/m3	0.186	ug/m3		Y	8/5/2025	11:00	8/19/2025	10:50
SPRSPO-12-S-20250805	12	Ethylbenzene	Sample	0.928	ug/m3	0.271	ug/m3		Y	8/5/2025	11:00	8/19/2025	10:50
SPRSPO-12-S-20250805	12	m-/p-Xylenes	Sample	2.75	ug/m3	0.271	ug/m3		Y	8/5/2025	11:00	8/19/2025	10:50
SPRSPO-12-S-20250805	12	o-Xylene	Sample	0.973	ug/m3	0.271	ug/m3		Y	8/5/2025	11:00	8/19/2025	10:50
SPRSPO-12-S-20250805	12	Toluene	Sample	2.97	ug/m3	0.24	ug/m3		Y	8/5/2025	11:00	8/19/2025	10:50
SPRSPO-13-S-20250805	13	Benzene	Sample	0.883	ug/m3	0.186	ug/m3		Y	8/5/2025	11:10	8/19/2025	11:00
SPRSPO-13-S-20250805	13	Ethylbenzene	Sample	0.956	ug/m3	0.271	ug/m3		Y	8/5/2025	11:10	8/19/2025	11:00
SPRSPO-13-S-20250805	13	m-/p-Xylenes	Sample	2.96	ug/m3	0.271	ug/m3		Y	8/5/2025	11:10	8/19/2025	11:00
SPRSPO-13-S-20250805	13	o-Xylene	Sample	1.06	ug/m3	0.271	ug/m3		Y	8/5/2025	11:10	8/19/2025	11:00
SPRSPO-13-S-20250805	13	Toluene	Sample	3.05	ug/m3	0.24	ug/m3		Y	8/5/2025	11:10	8/19/2025	11:00
SPRSPO-13-D-20250805	13	Benzene	Duplicate	0.867	ug/m3	0.186	ug/m3		Y	8/5/2025	11:10	8/19/2025	11:00
SPRSPO-13-D-20250805	13	Ethylbenzene	Duplicate	0.872	ug/m3	0.271	ug/m3		Y	8/5/2025	11:10	8/19/2025	11:00
SPRSPO-13-D-20250805	13	m-/p-Xylenes	Duplicate	2.76	ug/m3	0.271	ug/m3		Y	8/5/2025	11:10	8/19/2025	11:00
SPRSPO-13-D-20250805	13	o-Xylene	Duplicate	1	ug/m3	0.271	ug/m3		Y	8/5/2025	11:10	8/19/2025	11:00
SPRSPO-13-D-20250805	13	Toluene	Duplicate	2.95	ug/m3	0.24	ug/m3		Y	8/5/2025	11:10	8/19/2025	11:00
SPRSPO-13-B-20250805	13	Benzene	Blank	<0.186	ug/m3	0.186	ug/m3	ND	N	8/5/2025	11:10	8/19/2025	11:00
SPRSPO-13-B-20250805	13	Ethylbenzene	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	8/5/2025	11:10	8/19/2025	11:00
SPRSPO-13-B-20250805	13	m-/p-Xylenes	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	8/5/2025	11:10	8/19/2025	11:00
SPRSPO-13-B-20250805	13	o-Xylene	Blank	<0.271	ug/m3	0.271	ug/m3	ND	N	8/5/2025	11:10	8/19/2025	11:00

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-13-B-20250805	13	Toluene	Blank	<0.24	ug/m3	0.24	ug/m3	ND	N	8/5/2025	11:10	8/19/2025	11:00
SPRSPO-14-S-20250805	14	Benzene	Sample	0.908	ug/m3	0.186	ug/m3		Y	8/5/2025	11:20	8/19/2025	11:10
SPRSPO-14-S-20250805	14	Ethylbenzene	Sample	1.11	ug/m3	0.271	ug/m3		Y	8/5/2025	11:20	8/19/2025	11:10
SPRSPO-14-S-20250805	14	m-/p-Xylenes	Sample	4.21	ug/m3	0.271	ug/m3		Y	8/5/2025	11:20	8/19/2025	11:10
SPRSPO-14-S-20250805	14	o-Xylene	Sample	1.47	ug/m3	0.271	ug/m3		Y	8/5/2025	11:20	8/19/2025	11:10
SPRSPO-14-S-20250805	14	Toluene	Sample	3.77	ug/m3	0.24	ug/m3		Y	8/5/2025	11:20	8/19/2025	11:10
SPRSPO-15-S-20250805	15	Benzene	Sample	1.18	ug/m3	0.186	ug/m3		Y	8/5/2025	11:30	8/19/2025	11:20
SPRSPO-15-S-20250805	15	Ethylbenzene	Sample	1.06	ug/m3	0.271	ug/m3		Y	8/5/2025	11:30	8/19/2025	11:20
SPRSPO-15-S-20250805	15	m-/p-Xylenes	Sample	3.56	ug/m3	0.271	ug/m3		Y	8/5/2025	11:30	8/19/2025	11:20
SPRSPO-15-S-20250805	15	o-Xylene	Sample	1.26	ug/m3	0.271	ug/m3		Y	8/5/2025	11:30	8/19/2025	11:20
SPRSPO-15-S-20250805	15	Toluene	Sample	4.58	ug/m3	0.24	ug/m3		Y	8/5/2025	11:30	8/19/2025	11:20
SPRSPO-16-S-20250805	16	Benzene	Sample	1.14	ug/m3	0.186	ug/m3		Y	8/5/2025	11:40	8/19/2025	11:30
SPRSPO-16-S-20250805	16	Ethylbenzene	Sample	1.12	ug/m3	0.271	ug/m3		Y	8/5/2025	11:40	8/19/2025	11:30
SPRSPO-16-S-20250805	16	m-/p-Xylenes	Sample	4.2	ug/m3	0.271	ug/m3		Y	8/5/2025	11:40	8/19/2025	11:30
SPRSPO-16-S-20250805	16	o-Xylene	Sample	1.48	ug/m3	0.271	ug/m3		Y	8/5/2025	11:40	8/19/2025	11:30
SPRSPO-16-S-20250805	16	Toluene	Sample	4.69	ug/m3	0.24	ug/m3		Y	8/5/2025	11:40	8/19/2025	11:30
SPRSPO-1-S-20250819	1	Benzene	Sample	3.58	ug/m3	0.187	ug/m3		Y	8/19/2025	09:00	9/2/2025	09:15
SPRSPO-1-S-20250819	1	Ethylbenzene	Sample	4.97	ug/m3	0.273	ug/m3		Y	8/19/2025	09:00	9/2/2025	09:15
SPRSPO-1-S-20250819	1	m-/p-Xylenes	Sample	18.2	ug/m3	0.273	ug/m3		Y	8/19/2025	09:00	9/2/2025	09:15
SPRSPO-1-S-20250819	1	o-Xylene	Sample	6.34	ug/m3	0.273	ug/m3		Y	8/19/2025	09:00	9/2/2025	09:15
SPRSPO-1-S-20250819	1	Toluene	Sample	19.5	ug/m3	0.241	ug/m3		Y	8/19/2025	09:00	9/2/2025	09:15
SPRSPO-1-D-20250819	1	Benzene	Duplicate	3.18	ug/m3	0.187	ug/m3		Y	8/19/2025	09:00	9/2/2025	09:15
SPRSPO-1-D-20250819	1	Ethylbenzene	Duplicate	3.98	ug/m3	0.273	ug/m3		Y	8/19/2025	09:00	9/2/2025	09:15
SPRSPO-1-D-20250819	1	m-/p-Xylenes	Duplicate	16.1	ug/m3	0.273	ug/m3		Y	8/19/2025	09:00	9/2/2025	09:15
SPRSPO-1-D-20250819	1	o-Xylene	Duplicate	5.94	ug/m3	0.273	ug/m3		Y	8/19/2025	09:00	9/2/2025	09:15
SPRSPO-1-D-20250819	1	Toluene	Duplicate	17.1	ug/m3	0.241	ug/m3		Y	8/19/2025	09:00	9/2/2025	09:15
SPRSPO-1-B-20250819	1	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	8/19/2025	09:00	9/2/2025	09:15
SPRSPO-1-B-20250819	1	Ethylbenzene	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	8/19/2025	09:00	9/2/2025	09:15
SPRSPO-1-B-20250819	1	m-/p-Xylenes	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	8/19/2025	09:00	9/2/2025	09:15
SPRSPO-1-B-20250819	1	o-Xylene	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	8/19/2025	09:00	9/2/2025	09:15
SPRSPO-1-B-20250819	1	Toluene	Blank	<0.241	ug/m3	0.241	ug/m3	ND	N	8/19/2025	09:00	9/2/2025	09:15
SPRSPO-2-S-20250819	2	Benzene	Sample	2.56	ug/m3	0.187	ug/m3		Y	8/19/2025	09:10	9/2/2025	09:25

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-2-S-20250819	2	Ethylbenzene	Sample	3.36	ug/m3	0.273	ug/m3		Y	8/19/2025	09:10	9/2/2025	09:25
SPRSPO-2-S-20250819	2	m-/p-Xylenes	Sample	13.4	ug/m3	0.273	ug/m3		Y	8/19/2025	09:10	9/2/2025	09:25
SPRSPO-2-S-20250819	2	o-Xylene	Sample	4.98	ug/m3	0.273	ug/m3		Y	8/19/2025	09:10	9/2/2025	09:25
SPRSPO-2-S-20250819	2	Toluene	Sample	15	ug/m3	0.241	ug/m3		Y	8/19/2025	09:10	9/2/2025	09:25
SPRSPO-3-S-20250819	3	Benzene	Sample	2.72	ug/m3	0.187	ug/m3		Y	8/19/2025	09:20	9/2/2025	09:35
SPRSPO-3-S-20250819	3	Ethylbenzene	Sample	3.56	ug/m3	0.273	ug/m3		Y	8/19/2025	09:20	9/2/2025	09:35
SPRSPO-3-S-20250819	3	m-/p-Xylenes	Sample	13.8	ug/m3	0.273	ug/m3		Y	8/19/2025	09:20	9/2/2025	09:35
SPRSPO-3-S-20250819	3	o-Xylene	Sample	5	ug/m3	0.273	ug/m3		Y	8/19/2025	09:20	9/2/2025	09:35
SPRSPO-3-S-20250819	3	Toluene	Sample	15.6	ug/m3	0.241	ug/m3		Y	8/19/2025	09:20	9/2/2025	09:35
SPRSPO-4-S-20250819	4	Benzene	Sample	2	ug/m3	0.187	ug/m3		Y	8/19/2025	09:30	9/2/2025	09:45
SPRSPO-4-S-20250819	4	Ethylbenzene	Sample	2.31	ug/m3	0.273	ug/m3		Y	8/19/2025	09:30	9/2/2025	09:45
SPRSPO-4-S-20250819	4	m-/p-Xylenes	Sample	9.16	ug/m3	0.273	ug/m3		Y	8/19/2025	09:30	9/2/2025	09:45
SPRSPO-4-S-20250819	4	o-Xylene	Sample	3.31	ug/m3	0.273	ug/m3		Y	8/19/2025	09:30	9/2/2025	09:45
SPRSPO-4-S-20250819	4	Toluene	Sample	10.8	ug/m3	0.241	ug/m3		Y	8/19/2025	09:30	9/2/2025	09:45
SPRSPO-5-S-20250819	5	Benzene	Sample	2.77	ug/m3	0.187	ug/m3		Y	8/19/2025	09:40	9/2/2025	09:55
SPRSPO-5-S-20250819	5	Ethylbenzene	Sample	3.75	ug/m3	0.273	ug/m3		Y	8/19/2025	09:40	9/2/2025	09:55
SPRSPO-5-S-20250819	5	m-/p-Xylenes	Sample	15.5	ug/m3	0.273	ug/m3		Y	8/19/2025	09:40	9/2/2025	09:55
SPRSPO-5-S-20250819	5	o-Xylene	Sample	5.74	ug/m3	0.273	ug/m3		Y	8/19/2025	09:40	9/2/2025	09:55
SPRSPO-5-S-20250819	5	Toluene	Sample	16.8	ug/m3	0.241	ug/m3		Y	8/19/2025	09:40	9/2/2025	09:55
SPRSPO-6-S-20250819	6	Benzene	Sample	1.96	ug/m3	0.187	ug/m3		Y	8/19/2025	09:50	9/2/2025	10:05
SPRSPO-6-S-20250819	6	Ethylbenzene	Sample	2.53	ug/m3	0.273	ug/m3		Y	8/19/2025	09:50	9/2/2025	10:05
SPRSPO-6-S-20250819	6	m-/p-Xylenes	Sample	10.2	ug/m3	0.273	ug/m3		Y	8/19/2025	09:50	9/2/2025	10:05
SPRSPO-6-S-20250819	6	o-Xylene	Sample	3.73	ug/m3	0.273	ug/m3		Y	8/19/2025	09:50	9/2/2025	10:05
SPRSPO-6-S-20250819	6	Toluene	Sample	12.6	ug/m3	0.241	ug/m3		Y	8/19/2025	09:50	9/2/2025	10:05
SPRSPO-7-S-20250819	7	Benzene	Sample	2.16	ug/m3	0.187	ug/m3		Y	8/19/2025	10:00	9/2/2025	10:15
SPRSPO-7-S-20250819	7	Ethylbenzene	Sample	2.91	ug/m3	0.273	ug/m3		Y	8/19/2025	10:00	9/2/2025	10:15
SPRSPO-7-S-20250819	7	m-/p-Xylenes	Sample	11.7	ug/m3	0.273	ug/m3		Y	8/19/2025	10:00	9/2/2025	10:15
SPRSPO-7-S-20250819	7	o-Xylene	Sample	4.37	ug/m3	0.273	ug/m3		Y	8/19/2025	10:00	9/2/2025	10:15
SPRSPO-7-S-20250819	7	Toluene	Sample	13.8	ug/m3	0.241	ug/m3		Y	8/19/2025	10:00	9/2/2025	10:15
SPRSPO-8-S-20250819	8	Benzene	Sample	2.61	ug/m3	0.187	ug/m3		Y	8/19/2025	10:10	9/2/2025	10:25
SPRSPO-8-S-20250819	8	Ethylbenzene	Sample	2.94	ug/m3	0.273	ug/m3		Y	8/19/2025	10:10	9/2/2025	10:25
SPRSPO-8-S-20250819	8	m-/p-Xylenes	Sample	10.3	ug/m3	0.273	ug/m3		Y	8/19/2025	10:10	9/2/2025	10:25

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-8-S-20250819	8	o-Xylene	Sample	3.42	ug/m3	0.273	ug/m3		Y	8/19/2025	10:10	9/2/2025	10:25
SPRSPO-8-S-20250819	8	Toluene	Sample	15.2	ug/m3	0.241	ug/m3		Y	8/19/2025	10:10	9/2/2025	10:25
SPRSPO-9-S-20250819	9	Benzene	Sample	3.02	ug/m3	0.187	ug/m3		Y	8/19/2025	10:20	9/2/2025	10:35
SPRSPO-9-S-20250819	9	Ethylbenzene	Sample	2.92	ug/m3	0.273	ug/m3		Y	8/19/2025	10:20	9/2/2025	10:35
SPRSPO-9-S-20250819	9	m-/p-Xylenes	Sample	10.3	ug/m3	0.273	ug/m3		Y	8/19/2025	10:20	9/2/2025	10:35
SPRSPO-9-S-20250819	9	o-Xylene	Sample	3.78	ug/m3	0.273	ug/m3		Y	8/19/2025	10:20	9/2/2025	10:35
SPRSPO-9-S-20250819	9	Toluene	Sample	15.5	ug/m3	0.241	ug/m3		Y	8/19/2025	10:20	9/2/2025	10:35
SPRSPO-10-S-20250819	10	Benzene	Sample	2.27	ug/m3	0.187	ug/m3		Y	8/19/2025	10:30	9/2/2025	10:45
SPRSPO-10-S-20250819	10	Ethylbenzene	Sample	2.62	ug/m3	0.273	ug/m3		Y	8/19/2025	10:30	9/2/2025	10:45
SPRSPO-10-S-20250819	10	m-/p-Xylenes	Sample	9.15	ug/m3	0.273	ug/m3		Y	8/19/2025	10:30	9/2/2025	10:45
SPRSPO-10-S-20250819	10	o-Xylene	Sample	3.06	ug/m3	0.273	ug/m3		Y	8/19/2025	10:30	9/2/2025	10:45
SPRSPO-10-S-20250819	10	Toluene	Sample	12.5	ug/m3	0.241	ug/m3		Y	8/19/2025	10:30	9/2/2025	10:45
SPRSPO-11-S-20250819	11	Benzene	Sample	2.48	ug/m3	0.187	ug/m3		Y	8/19/2025	10:40	9/2/2025	10:55
SPRSPO-11-S-20250819	11	Ethylbenzene	Sample	3.1	ug/m3	0.273	ug/m3		Y	8/19/2025	10:40	9/2/2025	10:55
SPRSPO-11-S-20250819	11	m-/p-Xylenes	Sample	10.6	ug/m3	0.273	ug/m3		Y	8/19/2025	10:40	9/2/2025	10:55
SPRSPO-11-S-20250819	11	o-Xylene	Sample	3.54	ug/m3	0.273	ug/m3		Y	8/19/2025	10:40	9/2/2025	10:55
SPRSPO-11-S-20250819	11	Toluene	Sample	14.7	ug/m3	0.241	ug/m3		Y	8/19/2025	10:40	9/2/2025	10:55
SPRSPO-12-S-20250819	12	Benzene	Sample	2.41	ug/m3	0.187	ug/m3		Y	8/19/2025	10:50	9/2/2025	11:05
SPRSPO-12-S-20250819	12	Ethylbenzene	Sample	1.97	ug/m3	0.273	ug/m3		Y	8/19/2025	10:50	9/2/2025	11:05
SPRSPO-12-S-20250819	12	m-/p-Xylenes	Sample	6.87	ug/m3	0.273	ug/m3		Y	8/19/2025	10:50	9/2/2025	11:05
SPRSPO-12-S-20250819	12	o-Xylene	Sample	2.35	ug/m3	0.273	ug/m3		Y	8/19/2025	10:50	9/2/2025	11:05
SPRSPO-12-S-20250819	12	Toluene	Sample	10.5	ug/m3	0.241	ug/m3		Y	8/19/2025	10:50	9/2/2025	11:05
SPRSPO-13-S-20250819	13	Benzene	Sample	2.73	ug/m3	0.187	ug/m3		Y	8/19/2025	11:00	9/2/2025	11:15
SPRSPO-13-S-20250819	13	Ethylbenzene	Sample	3.15	ug/m3	0.273	ug/m3		Y	8/19/2025	11:00	9/2/2025	11:15
SPRSPO-13-S-20250819	13	m-/p-Xylenes	Sample	10.6	ug/m3	0.273	ug/m3		Y	8/19/2025	11:00	9/2/2025	11:15
SPRSPO-13-S-20250819	13	o-Xylene	Sample	3.6	ug/m3	0.273	ug/m3		Y	8/19/2025	11:00	9/2/2025	11:15
SPRSPO-13-S-20250819	13	Toluene	Sample	15.2	ug/m3	0.241	ug/m3		Y	8/19/2025	11:00	9/2/2025	11:15
SPRSPO-13-D-20250819	13	Benzene	Duplicate	2.52	ug/m3	0.187	ug/m3		Y	8/19/2025	11:00	9/2/2025	11:15
SPRSPO-13-D-20250819	13	Ethylbenzene	Duplicate	2.58	ug/m3	0.273	ug/m3		Y	8/19/2025	11:00	9/2/2025	11:15
SPRSPO-13-D-20250819	13	m-/p-Xylenes	Duplicate	9.36	ug/m3	0.273	ug/m3		Y	8/19/2025	11:00	9/2/2025	11:15
SPRSPO-13-D-20250819	13	o-Xylene	Duplicate	3.23	ug/m3	0.273	ug/m3		Y	8/19/2025	11:00	9/2/2025	11:15
SPRSPO-13-D-20250819	13	Toluene	Duplicate	13.1	ug/m3	0.241	ug/m3		Y	8/19/2025	11:00	9/2/2025	11:15

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-13-B-20250819	13	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	8/19/2025	11:00	9/2/2025	11:15
SPRSPO-13-B-20250819	13	Ethylbenzene	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	8/19/2025	11:00	9/2/2025	11:15
SPRSPO-13-B-20250819	13	m-/p-Xylenes	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	8/19/2025	11:00	9/2/2025	11:15
SPRSPO-13-B-20250819	13	o-Xylene	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	8/19/2025	11:00	9/2/2025	11:15
SPRSPO-13-B-20250819	13	Toluene	Blank	<0.241	ug/m3	0.241	ug/m3	ND	N	8/19/2025	11:00	9/2/2025	11:15
SPRSPO-14-S-20250819	14	Benzene	Sample	2.73	ug/m3	0.187	ug/m3		Y	8/19/2025	11:10	9/2/2025	11:25
SPRSPO-14-S-20250819	14	Ethylbenzene	Sample	3.02	ug/m3	0.273	ug/m3		Y	8/19/2025	11:10	9/2/2025	11:25
SPRSPO-14-S-20250819	14	m-/p-Xylenes	Sample	10.9	ug/m3	0.273	ug/m3		Y	8/19/2025	11:10	9/2/2025	11:25
SPRSPO-14-S-20250819	14	o-Xylene	Sample	3.81	ug/m3	0.273	ug/m3		Y	8/19/2025	11:10	9/2/2025	11:25
SPRSPO-14-S-20250819	14	Toluene	Sample	14.8	ug/m3	0.241	ug/m3		Y	8/19/2025	11:10	9/2/2025	11:25
SPRSPO-15-S-20250819	15	Benzene	Sample	3.47	ug/m3	0.187	ug/m3		Y	8/19/2025	11:20	9/2/2025	11:35
SPRSPO-15-S-20250819	15	Ethylbenzene	Sample	3.97	ug/m3	0.273	ug/m3		Y	8/19/2025	11:20	9/2/2025	11:35
SPRSPO-15-S-20250819	15	m-/p-Xylenes	Sample	14.4	ug/m3	0.273	ug/m3		Y	8/19/2025	11:20	9/2/2025	11:35
SPRSPO-15-S-20250819	15	o-Xylene	Sample	5.08	ug/m3	0.273	ug/m3		Y	8/19/2025	11:20	9/2/2025	11:35
SPRSPO-15-S-20250819	15	Toluene	Sample	20.6	ug/m3	0.241	ug/m3		Y	8/19/2025	11:20	9/2/2025	11:35
SPRSPO-16-S-20250819	16	Benzene	Sample	2.29	ug/m3	0.187	ug/m3		Y	8/19/2025	11:30	9/2/2025	11:45
SPRSPO-16-S-20250819	16	Ethylbenzene	Sample	2.23	ug/m3	0.273	ug/m3		Y	8/19/2025	11:30	9/2/2025	11:45
SPRSPO-16-S-20250819	16	m-/p-Xylenes	Sample	8	ug/m3	0.273	ug/m3		Y	8/19/2025	11:30	9/2/2025	11:45
SPRSPO-16-S-20250819	16	o-Xylene	Sample	2.78	ug/m3	0.273	ug/m3		Y	8/19/2025	11:30	9/2/2025	11:45
SPRSPO-16-S-20250819	16	Toluene	Sample	10.9	ug/m3	0.241	ug/m3		Y	8/19/2025	11:30	9/2/2025	11:45
SPRSPO-1-S-20250902	1	Benzene	Sample	2.62	ug/m3	0.188	ug/m3		Y	9/2/2025	09:15	9/16/2025	09:00
SPRSPO-1-S-20250902	1	Ethylbenzene	Sample	1.96	ug/m3	0.274	ug/m3		Y	9/2/2025	09:15	9/16/2025	09:00
SPRSPO-1-S-20250902	1	m-/p-Xylenes	Sample	5.49	ug/m3	0.274	ug/m3		Y	9/2/2025	09:15	9/16/2025	09:00
SPRSPO-1-S-20250902	1	o-Xylene	Sample	1.79	ug/m3	0.274	ug/m3		Y	9/2/2025	09:15	9/16/2025	09:00
SPRSPO-1-S-20250902	1	Toluene	Sample	7.46	ug/m3	0.242	ug/m3		Y	9/2/2025	09:15	9/16/2025	09:00
SPRSPO-1-D-20250902	1	Benzene	Duplicate	2.34	ug/m3	0.188	ug/m3		Y	9/2/2025	09:15	9/16/2025	09:00
SPRSPO-1-D-20250902	1	Ethylbenzene	Duplicate	2.05	ug/m3	0.274	ug/m3		Y	9/2/2025	09:15	9/16/2025	09:00
SPRSPO-1-D-20250902	1	m-/p-Xylenes	Duplicate	5.69	ug/m3	0.274	ug/m3		Y	9/2/2025	09:15	9/16/2025	09:00
SPRSPO-1-D-20250902	1	o-Xylene	Duplicate	1.81	ug/m3	0.274	ug/m3		Y	9/2/2025	09:15	9/16/2025	09:00
SPRSPO-1-D-20250902	1	Toluene	Duplicate	7.78	ug/m3	0.242	ug/m3		Y	9/2/2025	09:15	9/16/2025	09:00
SPRSPO-1-B-20250902	1	Benzene	Blank	<0.188	ug/m3	0.188	ug/m3	ND	N	9/2/2025	09:15	9/16/2025	09:00
SPRSPO-1-B-20250902	1	Ethylbenzene	Blank	<0.274	ug/m3	0.274	ug/m3	ND	N	9/2/2025	09:15	9/16/2025	09:00

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-1-B-20250902	1	m-/p-Xylenes	Blank	<0.274	ug/m3	0.274	ug/m3	ND	N	9/2/2025	09:15	9/16/2025	09:00
SPRSPO-1-B-20250902	1	o-Xylene	Blank	<0.274	ug/m3	0.274	ug/m3	ND	N	9/2/2025	09:15	9/16/2025	09:00
SPRSPO-1-B-20250902	1	Toluene	Blank	<0.242	ug/m3	0.242	ug/m3	ND	N	9/2/2025	09:15	9/16/2025	09:00
SPRSPO-2-S-20250902	2	Benzene	Sample	1.56	ug/m3	0.188	ug/m3		Y	9/2/2025	09:25	9/16/2025	09:10
SPRSPO-2-S-20250902	2	Ethylbenzene	Sample	1.21	ug/m3	0.274	ug/m3		Y	9/2/2025	09:25	9/16/2025	09:10
SPRSPO-2-S-20250902	2	m-/p-Xylenes	Sample	3.78	ug/m3	0.274	ug/m3		Y	9/2/2025	09:25	9/16/2025	09:10
SPRSPO-2-S-20250902	2	o-Xylene	Sample	1.22	ug/m3	0.274	ug/m3		Y	9/2/2025	09:25	9/16/2025	09:10
SPRSPO-2-S-20250902	2	Toluene	Sample	5.63	ug/m3	0.242	ug/m3		Y	9/2/2025	09:25	9/16/2025	09:10
SPRSPO-3-S-20250902	3	Benzene	Sample	1.33	ug/m3	0.188	ug/m3		Y	9/2/2025	09:35	9/16/2025	09:20
SPRSPO-3-S-20250902	3	Ethylbenzene	Sample	1.22	ug/m3	0.274	ug/m3		Y	9/2/2025	09:35	9/16/2025	09:20
SPRSPO-3-S-20250902	3	m-/p-Xylenes	Sample	3.57	ug/m3	0.274	ug/m3		Y	9/2/2025	09:35	9/16/2025	09:20
SPRSPO-3-S-20250902	3	o-Xylene	Sample	1.15	ug/m3	0.274	ug/m3		Y	9/2/2025	09:35	9/16/2025	09:20
SPRSPO-3-S-20250902	3	Toluene	Sample	4.65	ug/m3	0.242	ug/m3		Y	9/2/2025	09:35	9/16/2025	09:20
SPRSPO-4-S-20250902	4	Benzene	Sample	1.16	ug/m3	0.188	ug/m3		Y	9/2/2025	09:45	9/16/2025	09:30
SPRSPO-4-S-20250902	4	Ethylbenzene	Sample	1.05	ug/m3	0.274	ug/m3		Y	9/2/2025	09:45	9/16/2025	09:30
SPRSPO-4-S-20250902	4	m-/p-Xylenes	Sample	3.47	ug/m3	0.274	ug/m3		Y	9/2/2025	09:45	9/16/2025	09:30
SPRSPO-4-S-20250902	4	o-Xylene	Sample	1.07	ug/m3	0.274	ug/m3		Y	9/2/2025	09:45	9/16/2025	09:30
SPRSPO-4-S-20250902	4	Toluene	Sample	4.1	ug/m3	0.242	ug/m3		Y	9/2/2025	09:45	9/16/2025	09:30
SPRSPO-5-S-20250902	5	Benzene	Sample	1.47	ug/m3	0.188	ug/m3		Y	9/2/2025	09:55	9/16/2025	09:40
SPRSPO-5-S-20250902	5	Ethylbenzene	Sample	1.3	ug/m3	0.274	ug/m3		Y	9/2/2025	09:55	9/16/2025	09:40
SPRSPO-5-S-20250902	5	m-/p-Xylenes	Sample	3.12	ug/m3	0.274	ug/m3		Y	9/2/2025	09:55	9/16/2025	09:40
SPRSPO-5-S-20250902	5	o-Xylene	Sample	1	ug/m3	0.274	ug/m3		Y	9/2/2025	09:55	9/16/2025	09:40
SPRSPO-5-S-20250902	5	Toluene	Sample	4.39	ug/m3	0.242	ug/m3		Y	9/2/2025	09:55	9/16/2025	09:40
SPRSPO-6-S-20250902	6	Benzene	Sample	0.855	ug/m3	0.188	ug/m3		Y	9/2/2025	10:05	9/16/2025	09:50
SPRSPO-6-S-20250902	6	Ethylbenzene	Sample	0.841	ug/m3	0.274	ug/m3		Y	9/2/2025	10:05	9/16/2025	09:50
SPRSPO-6-S-20250902	6	m-/p-Xylenes	Sample	2.24	ug/m3	0.274	ug/m3		Y	9/2/2025	10:05	9/16/2025	09:50
SPRSPO-6-S-20250902	6	o-Xylene	Sample	0.738	ug/m3	0.274	ug/m3		Y	9/2/2025	10:05	9/16/2025	09:50
SPRSPO-6-S-20250902	6	Toluene	Sample	3.46	ug/m3	0.242	ug/m3		Y	9/2/2025	10:05	9/16/2025	09:50
SPRSPO-7-S-20250902	7	Benzene	Sample	1.01	ug/m3	0.188	ug/m3		Y	9/2/2025	10:15	9/16/2025	10:00
SPRSPO-7-S-20250902	7	Ethylbenzene	Sample	0.794	ug/m3	0.274	ug/m3		Y	9/2/2025	10:15	9/16/2025	10:00
SPRSPO-7-S-20250902	7	m-/p-Xylenes	Sample	2.62	ug/m3	0.274	ug/m3		Y	9/2/2025	10:15	9/16/2025	10:00
SPRSPO-7-S-20250902	7	o-Xylene	Sample	0.904	ug/m3	0.274	ug/m3		Y	9/2/2025	10:15	9/16/2025	10:00

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-7-S-20250902	7	Toluene	Sample	4.23	ug/m3	0.242	ug/m3		Y	9/2/2025	10:15	9/16/2025	10:00
SPRSPO-8-S-20250902	8	Benzene	Sample	1.45	ug/m3	0.188	ug/m3		Y	9/2/2025	10:25	9/16/2025	10:10
SPRSPO-8-S-20250902	8	Ethylbenzene	Sample	0.614	ug/m3	0.274	ug/m3		Y	9/2/2025	10:25	9/16/2025	10:10
SPRSPO-8-S-20250902	8	m-/p-Xylenes	Sample	1.94	ug/m3	0.274	ug/m3		Y	9/2/2025	10:25	9/16/2025	10:10
SPRSPO-8-S-20250902	8	o-Xylene	Sample	0.791	ug/m3	0.274	ug/m3		Y	9/2/2025	10:25	9/16/2025	10:10
SPRSPO-8-S-20250902	8	Toluene	Sample	3.11	ug/m3	0.242	ug/m3		Y	9/2/2025	10:25	9/16/2025	10:10
SPRSPO-9-S-20250902	9	Benzene	Sample	1.41	ug/m3	0.188	ug/m3		Y	9/2/2025	10:35	9/16/2025	10:20
SPRSPO-9-S-20250902	9	Ethylbenzene	Sample	0.91	ug/m3	0.274	ug/m3		Y	9/2/2025	10:35	9/16/2025	10:20
SPRSPO-9-S-20250902	9	m-/p-Xylenes	Sample	2.73	ug/m3	0.274	ug/m3		Y	9/2/2025	10:35	9/16/2025	10:20
SPRSPO-9-S-20250902	9	o-Xylene	Sample	0.884	ug/m3	0.274	ug/m3		Y	9/2/2025	10:35	9/16/2025	10:20
SPRSPO-9-S-20250902	9	Toluene	Sample	3.22	ug/m3	0.242	ug/m3		Y	9/2/2025	10:35	9/16/2025	10:20
SPRSPO-10-S-20250902	10	Benzene	Sample	1.71	ug/m3	0.188	ug/m3		Y	9/2/2025	10:45	9/16/2025	10:30
SPRSPO-10-S-20250902	10	Ethylbenzene	Sample	1.41	ug/m3	0.274	ug/m3		Y	9/2/2025	10:45	9/16/2025	10:30
SPRSPO-10-S-20250902	10	m-/p-Xylenes	Sample	3.21	ug/m3	0.274	ug/m3		Y	9/2/2025	10:45	9/16/2025	10:30
SPRSPO-10-S-20250902	10	o-Xylene	Sample	1.05	ug/m3	0.274	ug/m3		Y	9/2/2025	10:45	9/16/2025	10:30
SPRSPO-10-S-20250902	10	Toluene	Sample	3.79	ug/m3	0.242	ug/m3		Y	9/2/2025	10:45	9/16/2025	10:30
SPRSPO-11-S-20250902	11	Benzene	Sample	1.76	ug/m3	0.188	ug/m3		Y	9/2/2025	10:55	9/16/2025	10:40
SPRSPO-11-S-20250902	11	Ethylbenzene	Sample	1.04	ug/m3	0.274	ug/m3		Y	9/2/2025	10:55	9/16/2025	10:40
SPRSPO-11-S-20250902	11	m-/p-Xylenes	Sample	2.5	ug/m3	0.274	ug/m3		Y	9/2/2025	10:55	9/16/2025	10:40
SPRSPO-11-S-20250902	11	o-Xylene	Sample	0.849	ug/m3	0.274	ug/m3		Y	9/2/2025	10:55	9/16/2025	10:40
SPRSPO-11-S-20250902	11	Toluene	Sample	3.52	ug/m3	0.242	ug/m3		Y	9/2/2025	10:55	9/16/2025	10:40
SPRSPO-12-S-20250902	12	Benzene	Sample	1.34	ug/m3	0.188	ug/m3		Y	9/2/2025	11:05	9/16/2025	10:50
SPRSPO-12-S-20250902	12	Ethylbenzene	Sample	1.19	ug/m3	0.274	ug/m3		Y	9/2/2025	11:05	9/16/2025	10:50
SPRSPO-12-S-20250902	12	m-/p-Xylenes	Sample	2.87	ug/m3	0.274	ug/m3		Y	9/2/2025	11:05	9/16/2025	10:50
SPRSPO-12-S-20250902	12	o-Xylene	Sample	1.02	ug/m3	0.274	ug/m3		Y	9/2/2025	11:05	9/16/2025	10:50
SPRSPO-12-S-20250902	12	Toluene	Sample	3.79	ug/m3	0.242	ug/m3		Y	9/2/2025	11:05	9/16/2025	10:50
SPRSPO-13-S-20250902	13	Benzene	Sample	1.2	ug/m3	0.188	ug/m3		Y	9/2/2025	11:15	9/16/2025	11:00
SPRSPO-13-S-20250902	13	Ethylbenzene	Sample	1.02	ug/m3	0.274	ug/m3		Y	9/2/2025	11:15	9/16/2025	11:00
SPRSPO-13-S-20250902	13	m-/p-Xylenes	Sample	3.01	ug/m3	0.274	ug/m3		Y	9/2/2025	11:15	9/16/2025	11:00
SPRSPO-13-S-20250902	13	o-Xylene	Sample	1.06	ug/m3	0.274	ug/m3		Y	9/2/2025	11:15	9/16/2025	11:00
SPRSPO-13-S-20250902	13	Toluene	Sample	3.74	ug/m3	0.242	ug/m3		Y	9/2/2025	11:15	9/16/2025	11:00
SPRSPO-13-D-20250902	13	Benzene	Duplicate	1.09	ug/m3	0.188	ug/m3		Y	9/2/2025	11:15	9/16/2025	11:00

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-13-D-20250902	13	Ethylbenzene	Duplicate	1.08	ug/m3	0.274	ug/m3		Y	9/2/2025	11:15	9/16/2025	11:00
SPRSPO-13-D-20250902	13	m-/p-Xylenes	Duplicate	3.14	ug/m3	0.274	ug/m3		Y	9/2/2025	11:15	9/16/2025	11:00
SPRSPO-13-D-20250902	13	o-Xylene	Duplicate	0.859	ug/m3	0.274	ug/m3		Y	9/2/2025	11:15	9/16/2025	11:00
SPRSPO-13-D-20250902	13	Toluene	Duplicate	3.21	ug/m3	0.242	ug/m3		Y	9/2/2025	11:15	9/16/2025	11:00
SPRSPO-13-B-20250902	13	Benzene	Blank	<0.188	ug/m3	0.188	ug/m3	ND	N	9/2/2025	11:15	9/16/2025	11:00
SPRSPO-13-B-20250902	13	Ethylbenzene	Blank	<0.274	ug/m3	0.274	ug/m3	ND	N	9/2/2025	11:15	9/16/2025	11:00
SPRSPO-13-B-20250902	13	m-/p-Xylenes	Blank	<0.274	ug/m3	0.274	ug/m3	ND	N	9/2/2025	11:15	9/16/2025	11:00
SPRSPO-13-B-20250902	13	o-Xylene	Blank	<0.274	ug/m3	0.274	ug/m3	ND	N	9/2/2025	11:15	9/16/2025	11:00
SPRSPO-13-B-20250902	13	Toluene	Blank	<0.242	ug/m3	0.242	ug/m3	ND	N	9/2/2025	11:15	9/16/2025	11:00
SPRSPO-14-S-20250902	14	Benzene	Sample	1.47	ug/m3	0.188	ug/m3		Y	9/2/2025	11:25	9/16/2025	11:10
SPRSPO-14-S-20250902	14	Ethylbenzene	Sample	1.43	ug/m3	0.274	ug/m3		Y	9/2/2025	11:25	9/16/2025	11:10
SPRSPO-14-S-20250902	14	m-/p-Xylenes	Sample	3.66	ug/m3	0.274	ug/m3		Y	9/2/2025	11:25	9/16/2025	11:10
SPRSPO-14-S-20250902	14	o-Xylene	Sample	1.17	ug/m3	0.274	ug/m3		Y	9/2/2025	11:25	9/16/2025	11:10
SPRSPO-14-S-20250902	14	Toluene	Sample	4.34	ug/m3	0.242	ug/m3		Y	9/2/2025	11:25	9/16/2025	11:10
SPRSPO-15-S-20250902	15	Benzene	Sample	1.86	ug/m3	0.188	ug/m3		Y	9/2/2025	11:35	9/16/2025	11:20
SPRSPO-15-S-20250902	15	Ethylbenzene	Sample	1.71	ug/m3	0.274	ug/m3		Y	9/2/2025	11:35	9/16/2025	11:20
SPRSPO-15-S-20250902	15	m-/p-Xylenes	Sample	5.25	ug/m3	0.274	ug/m3		Y	9/2/2025	11:35	9/16/2025	11:20
SPRSPO-15-S-20250902	15	o-Xylene	Sample	1.7	ug/m3	0.274	ug/m3		Y	9/2/2025	11:35	9/16/2025	11:20
SPRSPO-15-S-20250902	15	Toluene	Sample	5.79	ug/m3	0.242	ug/m3		Y	9/2/2025	11:35	9/16/2025	11:20
SPRSPO-16-S-20250902	16	Benzene	Sample	1.85	ug/m3	0.188	ug/m3		Y	9/2/2025	11:45	9/16/2025	11:30
SPRSPO-16-S-20250902	16	Ethylbenzene	Sample	1.46	ug/m3	0.274	ug/m3		Y	9/2/2025	11:45	9/16/2025	11:30
SPRSPO-16-S-20250902	16	m-/p-Xylenes	Sample	3.91	ug/m3	0.274	ug/m3		Y	9/2/2025	11:45	9/16/2025	11:30
SPRSPO-16-S-20250902	16	o-Xylene	Sample	1.32	ug/m3	0.274	ug/m3		Y	9/2/2025	11:45	9/16/2025	11:30
SPRSPO-16-S-20250902	16	Toluene	Sample	5.24	ug/m3	0.242	ug/m3		Y	9/2/2025	11:45	9/16/2025	11:30
SPRSPO-1-S-20250916	1	Benzene	Sample	1.66	ug/m3	0.187	ug/m3		Y	9/16/2025	09:00	9/30/2025	09:45
SPRSPO-1-S-20250916	1	Ethylbenzene	Sample	1.36	ug/m3	0.273	ug/m3		Y	9/16/2025	09:00	9/30/2025	09:45
SPRSPO-1-S-20250916	1	m-/p-Xylenes	Sample	3.78	ug/m3	0.273	ug/m3		Y	9/16/2025	09:00	9/30/2025	09:45
SPRSPO-1-S-20250916	1	o-Xylene	Sample	1.32	ug/m3	0.273	ug/m3		Y	9/16/2025	09:00	9/30/2025	09:45
SPRSPO-1-S-20250916	1	Toluene	Sample	5.62	ug/m3	0.241	ug/m3		Y	9/16/2025	09:00	9/30/2025	09:45
SPRSPO-1-D-20250916	1	Benzene	Duplicate	1.5	ug/m3	0.187	ug/m3		Y	9/16/2025	09:00	9/30/2025	09:45
SPRSPO-1-D-20250916	1	Ethylbenzene	Duplicate	1.67	ug/m3	0.273	ug/m3		Y	9/16/2025	09:00	9/30/2025	09:45
SPRSPO-1-D-20250916	1	m-/p-Xylenes	Duplicate	4.33	ug/m3	0.273	ug/m3		Y	9/16/2025	09:00	9/30/2025	09:45

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-1-D-20250916	1	o-Xylene	Duplicate	1.53	ug/m3	0.273	ug/m3		Y	9/16/2025	09:00	9/30/2025	09:45
SPRSPO-1-D-20250916	1	Toluene	Duplicate	5.86	ug/m3	0.241	ug/m3		Y	9/16/2025	09:00	9/30/2025	09:45
SPRSPO-1-B-20250916	1	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	9/16/2025	09:00	9/30/2025	09:45
SPRSPO-1-B-20250916	1	Ethylbenzene	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	9/16/2025	09:00	9/30/2025	09:45
SPRSPO-1-B-20250916	1	m-/p-Xylenes	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	9/16/2025	09:00	9/30/2025	09:45
SPRSPO-1-B-20250916	1	o-Xylene	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	9/16/2025	09:00	9/30/2025	09:45
SPRSPO-1-B-20250916	1	Toluene	Blank	0.722	ug/m3	0.241	ug/m3		Y	9/16/2025	09:00	9/30/2025	09:45
SPRSPO-2-S-20250916	2	Benzene	Sample	0.969	ug/m3	0.187	ug/m3		Y	9/16/2025	09:10	9/30/2025	09:55
SPRSPO-2-S-20250916	2	Ethylbenzene	Sample	0.767	ug/m3	0.273	ug/m3		Y	9/16/2025	09:10	9/30/2025	09:55
SPRSPO-2-S-20250916	2	m-/p-Xylenes	Sample	1.91	ug/m3	0.273	ug/m3		Y	9/16/2025	09:10	9/30/2025	09:55
SPRSPO-2-S-20250916	2	o-Xylene	Sample	0.675	ug/m3	0.273	ug/m3		Y	9/16/2025	09:10	9/30/2025	09:55
SPRSPO-2-S-20250916	2	Toluene	Sample	3.63	ug/m3	0.241	ug/m3		Y	9/16/2025	09:10	9/30/2025	09:55
SPRSPO-3-S-20250916	3	Benzene	Sample	1.26	ug/m3	0.187	ug/m3		Y	9/16/2025	09:20	9/30/2025	10:05
SPRSPO-3-S-20250916	3	Ethylbenzene	Sample	0.934	ug/m3	0.273	ug/m3		Y	9/16/2025	09:20	9/30/2025	10:05
SPRSPO-3-S-20250916	3	m-/p-Xylenes	Sample	1.89	ug/m3	0.273	ug/m3		Y	9/16/2025	09:20	9/30/2025	10:05
SPRSPO-3-S-20250916	3	o-Xylene	Sample	0.729	ug/m3	0.273	ug/m3		Y	9/16/2025	09:20	9/30/2025	10:05
SPRSPO-3-S-20250916	3	Toluene	Sample	3.9	ug/m3	0.241	ug/m3		Y	9/16/2025	09:20	9/30/2025	10:05
SPRSPO-4-S-20250916	4	Benzene	Sample	0.946	ug/m3	0.187	ug/m3		Y	9/16/2025	09:30	9/30/2025	10:15
SPRSPO-4-S-20250916	4	Ethylbenzene	Sample	0.759	ug/m3	0.273	ug/m3		Y	9/16/2025	09:30	9/30/2025	10:15
SPRSPO-4-S-20250916	4	m-/p-Xylenes	Sample	1.55	ug/m3	0.273	ug/m3		Y	9/16/2025	09:30	9/30/2025	10:15
SPRSPO-4-S-20250916	4	o-Xylene	Sample	0.595	ug/m3	0.273	ug/m3	J	Y	9/16/2025	09:30	9/30/2025	10:15
SPRSPO-4-S-20250916	4	Toluene	Sample	3.32	ug/m3	0.241	ug/m3		Y	9/16/2025	09:30	9/30/2025	10:15
SPRSPO-5-S-20250916	5	Benzene	Sample	0.838	ug/m3	0.187	ug/m3		Y	9/16/2025	09:40	9/30/2025	10:25
SPRSPO-5-S-20250916	5	Ethylbenzene	Sample	0.684	ug/m3	0.273	ug/m3		Y	9/16/2025	09:40	9/30/2025	10:25
SPRSPO-5-S-20250916	5	m-/p-Xylenes	Sample	1.48	ug/m3	0.273	ug/m3		Y	9/16/2025	09:40	9/30/2025	10:25
SPRSPO-5-S-20250916	5	o-Xylene	Sample	0.578	ug/m3	0.273	ug/m3	J	Y	9/16/2025	09:40	9/30/2025	10:25
SPRSPO-5-S-20250916	5	Toluene	Sample	3.11	ug/m3	0.241	ug/m3		Y	9/16/2025	09:40	9/30/2025	10:25
SPRSPO-6-S-20250916	6	Benzene	Sample	0.705	ug/m3	0.187	ug/m3		Y	9/16/2025	09:50	9/30/2025	10:40
SPRSPO-6-S-20250916	6	Ethylbenzene	Sample	0.459	ug/m3	0.273	ug/m3	J	Y	9/16/2025	09:50	9/30/2025	10:40
SPRSPO-6-S-20250916	6	m-/p-Xylenes	Sample	1.05	ug/m3	0.273	ug/m3		Y	9/16/2025	09:50	9/30/2025	10:40
SPRSPO-6-S-20250916	6	o-Xylene	Sample	0.385	ug/m3	0.273	ug/m3	J	Y	9/16/2025	09:50	9/30/2025	10:40
SPRSPO-6-S-20250916	6	Toluene	Sample	2.65	ug/m3	0.241	ug/m3		Y	9/16/2025	09:50	9/30/2025	10:40

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-7-S-20250916	7	Benzene	Sample	0.702	ug/m3	0.187	ug/m3		Y	9/16/2025	10:00	9/30/2025	10:50
SPRSPO-7-S-20250916	7	Ethylbenzene	Sample	0.408	ug/m3	0.273	ug/m3	J	Y	9/16/2025	10:00	9/30/2025	10:50
SPRSPO-7-S-20250916	7	m-/p-Xylenes	Sample	1	ug/m3	0.273	ug/m3		Y	9/16/2025	10:00	9/30/2025	10:50
SPRSPO-7-S-20250916	7	o-Xylene	Sample	0.356	ug/m3	0.273	ug/m3	J	Y	9/16/2025	10:00	9/30/2025	10:50
SPRSPO-7-S-20250916	7	Toluene	Sample	2.58	ug/m3	0.241	ug/m3		Y	9/16/2025	10:00	9/30/2025	10:50
SPRSPO-8-S-20250916	8	Benzene	Sample	0.994	ug/m3	0.187	ug/m3		Y	9/16/2025	10:10	9/30/2025	11:00
SPRSPO-8-S-20250916	8	Ethylbenzene	Sample	0.329	ug/m3	0.273	ug/m3	J	Y	9/16/2025	10:10	9/30/2025	11:00
SPRSPO-8-S-20250916	8	m-/p-Xylenes	Sample	0.733	ug/m3	0.273	ug/m3		Y	9/16/2025	10:10	9/30/2025	11:00
SPRSPO-8-S-20250916	8	o-Xylene	Sample	0.276	ug/m3	0.273	ug/m3	J	Y	9/16/2025	10:10	9/30/2025	11:00
SPRSPO-8-S-20250916	8	Toluene	Sample	1.76	ug/m3	0.241	ug/m3		Y	9/16/2025	10:10	9/30/2025	11:00
SPRSPO-9-S-20250916	9	Benzene	Sample	0.741	ug/m3	0.187	ug/m3		Y	9/16/2025	10:20	9/30/2025	11:10
SPRSPO-9-S-20250916	9	Ethylbenzene	Sample	0.529	ug/m3	0.273	ug/m3	J	Y	9/16/2025	10:20	9/30/2025	11:10
SPRSPO-9-S-20250916	9	m-/p-Xylenes	Sample	0.977	ug/m3	0.273	ug/m3		Y	9/16/2025	10:20	9/30/2025	11:10
SPRSPO-9-S-20250916	9	o-Xylene	Sample	0.342	ug/m3	0.273	ug/m3	J	Y	9/16/2025	10:20	9/30/2025	11:10
SPRSPO-9-S-20250916	9	Toluene	Sample	1.92	ug/m3	0.241	ug/m3		Y	9/16/2025	10:20	9/30/2025	11:10
SPRSPO-10-S-20250916	10	Benzene	Sample	0.941	ug/m3	0.187	ug/m3		Y	9/16/2025	10:30	9/30/2025	11:20
SPRSPO-10-S-20250916	10	Ethylbenzene	Sample	0.329	ug/m3	0.273	ug/m3	J	Y	9/16/2025	10:30	9/30/2025	11:20
SPRSPO-10-S-20250916	10	m-/p-Xylenes	Sample	0.865	ug/m3	0.273	ug/m3		Y	9/16/2025	10:30	9/30/2025	11:20
SPRSPO-10-S-20250916	10	o-Xylene	Sample	0.333	ug/m3	0.273	ug/m3	J	Y	9/16/2025	10:30	9/30/2025	11:20
SPRSPO-10-S-20250916	10	Toluene	Sample	1.88	ug/m3	0.241	ug/m3		Y	9/16/2025	10:30	9/30/2025	11:20
SPRSPO-11-S-20250916	11	Benzene	Sample	0.893	ug/m3	0.187	ug/m3		Y	9/16/2025	10:40	9/30/2025	11:30
SPRSPO-11-S-20250916	11	Ethylbenzene	Sample	0.457	ug/m3	0.273	ug/m3	J	Y	9/16/2025	10:40	9/30/2025	11:30
SPRSPO-11-S-20250916	11	m-/p-Xylenes	Sample	1.02	ug/m3	0.273	ug/m3		Y	9/16/2025	10:40	9/30/2025	11:30
SPRSPO-11-S-20250916	11	o-Xylene	Sample	0.392	ug/m3	0.273	ug/m3	J	Y	9/16/2025	10:40	9/30/2025	11:30
SPRSPO-11-S-20250916	11	Toluene	Sample	1.85	ug/m3	0.241	ug/m3		Y	9/16/2025	10:40	9/30/2025	11:30
SPRSPO-12-S-20250916	12	Benzene	Sample	1	ug/m3	0.187	ug/m3		Y	9/16/2025	10:50	9/30/2025	11:40
SPRSPO-12-S-20250916	12	Ethylbenzene	Sample	0.86	ug/m3	0.273	ug/m3		Y	9/16/2025	10:50	9/30/2025	11:40
SPRSPO-12-S-20250916	12	m-/p-Xylenes	Sample	1.84	ug/m3	0.273	ug/m3		Y	9/16/2025	10:50	9/30/2025	11:40
SPRSPO-12-S-20250916	12	o-Xylene	Sample	0.655	ug/m3	0.273	ug/m3		Y	9/16/2025	10:50	9/30/2025	11:40
SPRSPO-12-S-20250916	12	Toluene	Sample	3.1	ug/m3	0.241	ug/m3		Y	9/16/2025	10:50	9/30/2025	11:40
SPRSPO-13-S-20250916	13	Benzene	Sample	0.784	ug/m3	0.187	ug/m3		Y	9/16/2025	11:00	9/30/2025	11:50
SPRSPO-13-S-20250916	13	Ethylbenzene	Sample	0.705	ug/m3	0.273	ug/m3		Y	9/16/2025	11:00	9/30/2025	11:50

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-13-S-20250916	13	m-/p-Xylenes	Sample	1.48	ug/m3	0.273	ug/m3		Y	9/16/2025	11:00	9/30/2025	11:50
SPRSPO-13-S-20250916	13	o-Xylene	Sample	0.564	ug/m3	0.273	ug/m3	J	Y	9/16/2025	11:00	9/30/2025	11:50
SPRSPO-13-S-20250916	13	Toluene	Sample	2.55	ug/m3	0.241	ug/m3		Y	9/16/2025	11:00	9/30/2025	11:50
SPRSPO-13-D-20250916	13	Benzene	Duplicate	0.749	ug/m3	0.187	ug/m3		Y	9/16/2025	11:00	9/30/2025	11:50
SPRSPO-13-D-20250916	13	Ethylbenzene	Duplicate	0.61	ug/m3	0.273	ug/m3		Y	9/16/2025	11:00	9/30/2025	11:50
SPRSPO-13-D-20250916	13	m-/p-Xylenes	Duplicate	1.46	ug/m3	0.273	ug/m3		Y	9/16/2025	11:00	9/30/2025	11:50
SPRSPO-13-D-20250916	13	o-Xylene	Duplicate	0.505	ug/m3	0.273	ug/m3	J	Y	9/16/2025	11:00	9/30/2025	11:50
SPRSPO-13-D-20250916	13	Toluene	Duplicate	2.62	ug/m3	0.241	ug/m3		Y	9/16/2025	11:00	9/30/2025	11:50
SPRSPO-13-B-20250916	13	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	9/16/2025	11:00	9/30/2025	11:50
SPRSPO-13-B-20250916	13	Ethylbenzene	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	9/16/2025	11:00	9/30/2025	11:50
SPRSPO-13-B-20250916	13	m-/p-Xylenes	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	9/16/2025	11:00	9/30/2025	11:50
SPRSPO-13-B-20250916	13	o-Xylene	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	9/16/2025	11:00	9/30/2025	11:50
SPRSPO-13-B-20250916	13	Toluene	Blank	<0.241	ug/m3	0.241	ug/m3	ND	N	9/16/2025	11:00	9/30/2025	11:50
SPRSPO-14-S-20250916	14	Benzene	Sample	0.767	ug/m3	0.187	ug/m3		Y	9/16/2025	11:10	9/30/2025	12:00
SPRSPO-14-S-20250916	14	Ethylbenzene	Sample	0.666	ug/m3	0.273	ug/m3		Y	9/16/2025	11:10	9/30/2025	12:00
SPRSPO-14-S-20250916	14	m-/p-Xylenes	Sample	1.63	ug/m3	0.273	ug/m3		Y	9/16/2025	11:10	9/30/2025	12:00
SPRSPO-14-S-20250916	14	o-Xylene	Sample	0.562	ug/m3	0.273	ug/m3	J	Y	9/16/2025	11:10	9/30/2025	12:00
SPRSPO-14-S-20250916	14	Toluene	Sample	3.02	ug/m3	0.241	ug/m3		Y	9/16/2025	11:10	9/30/2025	12:00
SPRSPO-15-S-20250916	15	Benzene	Sample	1.17	ug/m3	0.187	ug/m3		Y	9/16/2025	11:20	9/30/2025	12:10
SPRSPO-15-S-20250916	15	Ethylbenzene	Sample	1.22	ug/m3	0.273	ug/m3		Y	9/16/2025	11:20	9/30/2025	12:10
SPRSPO-15-S-20250916	15	m-/p-Xylenes	Sample	3.02	ug/m3	0.273	ug/m3		Y	9/16/2025	11:20	9/30/2025	12:10
SPRSPO-15-S-20250916	15	o-Xylene	Sample	1.16	ug/m3	0.273	ug/m3		Y	9/16/2025	11:20	9/30/2025	12:10
SPRSPO-15-S-20250916	15	Toluene	Sample	4.99	ug/m3	0.241	ug/m3		Y	9/16/2025	11:20	9/30/2025	12:10
SPRSPO-16-S-20250916	16	Benzene	Sample	1.19	ug/m3	0.187	ug/m3		Y	9/16/2025	11:30	9/30/2025	12:20
SPRSPO-16-S-20250916	16	Ethylbenzene	Sample	0.931	ug/m3	0.273	ug/m3		Y	9/16/2025	11:30	9/30/2025	12:20
SPRSPO-16-S-20250916	16	m-/p-Xylenes	Sample	2.31	ug/m3	0.273	ug/m3		Y	9/16/2025	11:30	9/30/2025	12:20
SPRSPO-16-S-20250916	16	o-Xylene	Sample	0.831	ug/m3	0.273	ug/m3		Y	9/16/2025	11:30	9/30/2025	12:20
SPRSPO-16-S-20250916	16	Toluene	Sample	4.03	ug/m3	0.241	ug/m3		Y	9/16/2025	11:30	9/30/2025	12:20

FLM DATA FLAG ABBREVIATIONS - EPA METHOD 325B**FLAG EXPLANATION**

ND	The analyte was not present above the Method Detection Limit

J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

P	Field duplicate(s) exceed 30%RPD

Note: Meteorological data flagged ND was not available from the airport. Missing data can be due to instrument maintenance, instrument malfunction, data transmission issues, or other factors resulting in missing data.

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (6/24/25 9:00 to 7/8/25 10:00)**

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
6/24/25 9:00	3.9	278	32.2	1012
6/24/25 10:00	3.5	261	33.3	1012
6/24/25 11:00	3.4	243	34.2	1012
6/24/25 12:00	3.7	238	35.0	1011
6/24/25 13:00	4.4	251	35.9	1011
6/24/25 14:00	4.2	256	36.5	1010
6/24/25 15:00	4.3	275	36.6	1010
6/24/25 16:00	3.5	326	36.1	1009
6/24/25 17:00	3.8	309	36.4	1009
6/24/25 18:00	3.6	323	34.8	1009
6/24/25 19:00	4.4	264	25.8	1011
6/24/25 20:00	1.6	299	26.0	1011
6/24/25 21:00	3.3	283	25.8	1011
6/24/25 22:00	3.7	288	26.0	1011
6/24/25 23:00	2.2	291	25.7	1011
6/25/25 0:00	2.6	270	25.5	1010
6/25/25 1:00	2.4	253	24.8	1011
6/25/25 2:00	2.5	276	24.0	1011
6/25/25 3:00	1.5	279	24.0	1010
6/25/25 4:00	0.2	349	23.6	1011
6/25/25 5:00	1.6	305	23.3	1011
6/25/25 6:00	3.1	292	25.1	1011
6/25/25 7:00	3.0	301	26.8	1012
6/25/25 8:00	3.1	324	28.0	1012
6/25/25 9:00	4.1	321	27.3	1012
6/25/25 10:00	2.0	287	25.2	1013
6/25/25 11:00	0.9	289	26.1	1013
6/25/25 12:00	2.9	217	29.2	1013
6/25/25 13:00	3.5	311	31.0	1012
6/25/25 14:00	3.0	239	31.4	1012
6/25/25 15:00	3.8	319	32.0	1012
6/25/25 16:00	3.1	282	31.9	1011
6/25/25 17:00	3.4	186	28.6	1011
6/25/25 18:00	2.4	230	28.2	1011
6/25/25 19:00	2.5	203	27.3	1012
6/25/25 20:00	1.8	260	26.9	1013
6/25/25 21:00	3.3	289	26.0	1014
6/25/25 22:00	5.1	356	24.3	1015
6/25/25 23:00	3.7	356	22.8	1015
6/26/25 0:00	2.7	351	21.1	1016
6/26/25 1:00	2.5	346	20.7	1016
6/26/25 2:00	2.2	70	19.5	1016
6/26/25 3:00	2.6	36	18.1	1017

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (6/24/25 9:00 to 7/8/25 10:00)**

6/26/25 4:00	4.3	34	17.9	1017
6/26/25 5:00	4.3	47	17.9	1018
6/26/25 6:00	4.6	50	17.8	1019
6/26/25 7:00	4.9	53	18.1	1019
6/26/25 8:00	4.1	44	18.9	1019
6/26/25 9:00	3.7	49	19.8	1020
6/26/25 10:00	3.6	105	20.5	1020
6/26/25 11:00	4.3	98	20.6	1020
6/26/25 12:00	3.8	133	18.6	1020
6/26/25 13:00	3.0	144	18.0	1020
6/26/25 14:00	2.5	172	17.9	1020
6/26/25 15:00	2.3	180	16.9	1020
6/26/25 16:00	2.7	182	16.0	1019
6/26/25 17:00	1.6	225	16.6	1019
6/26/25 18:00	2.4	189	16.9	1019
6/26/25 19:00	2.4	208	16.2	1019
6/26/25 20:00	2.1	220	15.9	1019
6/26/25 21:00	1.9	217	15.9	1019
6/26/25 22:00	1.3	240	14.2	1020
6/26/25 23:00	ND	ND	13.6	1020
6/27/25 0:00	ND	ND	12.7	1021
6/27/25 1:00	0.8	355	12.2	1021
6/27/25 2:00	1.5	337	11.9	1021
6/27/25 3:00	0.9	333	11.4	1021
6/27/25 4:00	0.2	353	10.9	1021
6/27/25 5:00	0.5	347	10.9	1022
6/27/25 6:00	1.5	254	12.9	1023
6/27/25 7:00	1.5	234	15.6	1023
6/27/25 8:00	1.7	102	18.1	1023
6/27/25 9:00	2.9	73	20.2	1023
6/27/25 10:00	3.2	86	21.0	1024
6/27/25 11:00	3.7	91	21.0	1023
6/27/25 12:00	3.8	90	21.8	1023
6/27/25 13:00	4.1	136	22.2	1023
6/27/25 14:00	4.3	172	22.0	1023
6/27/25 15:00	4.5	166	21.9	1023
6/27/25 16:00	4.5	171	21.1	1022
6/27/25 17:00	4.5	180	19.6	1022
6/27/25 18:00	3.6	184	19.0	1022
6/27/25 19:00	4.0	180	18.2	1022
6/27/25 20:00	3.2	177	17.3	1021
6/27/25 21:00	3.4	177	17.0	1021
6/27/25 22:00	3.0	179	17.0	1021
6/27/25 23:00	3.3	177	17.0	1021
6/28/25 0:00	3.0	175	16.9	1021
6/28/25 1:00	3.6	178	16.9	1020

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (6/24/25 9:00 to 7/8/25 10:00)**

6/28/25 2:00	3.5	178	16.6	1020
6/28/25 3:00	3.3	172	15.9	1019
6/28/25 4:00	3.1	158	15.9	1019
6/28/25 5:00	3.6	167	15.9	1019
6/28/25 6:00	2.7	164	14.6	1019
6/28/25 7:00	3.1	187	13.3	1019
6/28/25 8:00	2.7	163	12.0	1019
6/28/25 9:00	2.5	115	12.4	1019
6/28/25 10:00	3.7	112	13.1	1018
6/28/25 11:00	4.3	97	13.0	1018
6/28/25 12:00	4.5	89	13.3	1017
6/28/25 13:00	3.3	131	15.4	1016
6/28/25 14:00	3.6	157	15.9	1015
6/28/25 15:00	2.4	171	15.9	1015
6/28/25 16:00	2.4	156	16.1	1014
6/28/25 17:00	0.7	221	16.6	1014
6/28/25 18:00	2.7	50	16.0	1013
6/28/25 19:00	2.6	77	14.8	1013
6/28/25 20:00	1.5	112	14.7	1013
6/28/25 21:00	1.3	133	15.0	1013
6/28/25 22:00	1.5	97	15.0	1013
6/28/25 23:00	2.2	43	14.8	1013
6/29/25 0:00	1.0	40	14.6	1012
6/29/25 1:00	2.0	60	14.1	1012
6/29/25 2:00	1.5	56	14.0	1011
6/29/25 3:00	1.2	180	14.5	1011
6/29/25 4:00	0.8	248	15.0	1011
6/29/25 5:00	ND	ND	14.9	1012
6/29/25 6:00	ND	ND	14.9	1012
6/29/25 7:00	0.5	257	15.7	1012
6/29/25 8:00	0.7	280	16.1	1012
6/29/25 9:00	1.6	263	17.0	1011
6/29/25 10:00	1.8	276	17.4	1011
6/29/25 11:00	2.6	307	20.0	1012
6/29/25 12:00	2.7	298	22.0	1011
6/29/25 13:00	3.3	326	23.6	1011
6/29/25 14:00	3.2	260	22.6	1011
6/29/25 15:00	3.6	196	21.4	1010
6/29/25 16:00	2.6	197	22.0	1011
6/29/25 17:00	2.6	209	23.0	1011
6/29/25 18:00	2.2	190	22.0	1011
6/29/25 19:00	1.2	233	22.0	1011
6/29/25 20:00	0.2	343	21.3	1011
6/29/25 21:00	ND	ND	20.9	1012
6/29/25 22:00	ND	ND	20.6	1012
6/29/25 23:00	0.3	329	20.3	1012

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (6/24/25 9:00 to 7/8/25 10:00)**

6/30/25 0:00	1.3	293	18.8	1013
6/30/25 1:00	0.4	334	17.9	1012
6/30/25 2:00	1.1	305	17.2	1013
6/30/25 3:00	1.5	274	16.6	1013
6/30/25 4:00	1.5	280	15.7	1013
6/30/25 5:00	1.9	280	15.3	1014
6/30/25 6:00	1.9	282	16.7	1014
6/30/25 7:00	1.7	283	19.1	1014
6/30/25 8:00	0.4	343	21.6	1014
6/30/25 9:00	1.1	261	23.2	1014
6/30/25 10:00	2.1	221	24.2	1014
6/30/25 11:00	2.8	209	24.9	1013
6/30/25 12:00	4.3	161	25.3	1013
6/30/25 13:00	4.4	168	25.9	1012
6/30/25 14:00	5.2	167	25.0	1012
6/30/25 15:00	4.4	170	24.5	1012
6/30/25 16:00	4.7	177	24.1	1012
6/30/25 17:00	4.6	184	23.6	1011
6/30/25 18:00	4.5	193	22.9	1011
6/30/25 19:00	3.6	190	21.7	1011
6/30/25 20:00	2.0	190	20.8	1011
6/30/25 21:00	1.7	187	19.4	1011
6/30/25 22:00	1.5	127	18.3	1011
6/30/25 23:00	1.5	156	17.8	1010
7/1/25 0:00	1.5	158	17.9	1010
7/1/25 1:00	2.4	195	17.9	1010
7/1/25 2:00	1.9	206	17.9	1009
7/1/25 3:00	1.3	132	17.9	1008
7/1/25 4:00	1.6	143	17.2	1008
7/1/25 5:00	1.7	163	17.5	1008
7/1/25 6:00	1.7	175	18.1	1008
7/1/25 7:00	2.3	176	18.7	1007
7/1/25 8:00	2.9	175	19.4	1007
7/1/25 9:00	3.0	168	21.4	1006
7/1/25 10:00	2.5	191	23.3	1006
7/1/25 11:00	2.7	183	25.1	1005
7/1/25 12:00	3.8	179	26.1	1004
7/1/25 13:00	4.3	211	28.4	1004
7/1/25 14:00	4.8	180	27.0	1003
7/1/25 15:00	4.2	195	27.8	1003
7/1/25 16:00	3.7	170	27.6	1002
7/1/25 17:00	2.9	182	27.7	1002
7/1/25 18:00	2.8	187	27.6	1002
7/1/25 19:00	2.3	195	26.1	1002
7/1/25 20:00	1.3	242	24.4	1002
7/1/25 21:00	1.0	244	23.9	1003

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (6/24/25 9:00 to 7/8/25 10:00)**

7/1/25 22:00	1.1	310	24.4	1004
7/1/25 23:00	3.8	231	25.8	1004
7/2/25 0:00	2.9	235	25.3	1003
7/2/25 1:00	3.4	235	24.0	1003
7/2/25 2:00	2.7	239	23.9	1003
7/2/25 3:00	2.0	258	23.9	1003
7/2/25 4:00	3.3	269	23.4	1004
7/2/25 5:00	2.5	285	23.2	1004
7/2/25 6:00	1.4	241	22.9	1005
7/2/25 7:00	2.0	293	23.6	1005
7/2/25 8:00	3.4	275	25.1	1005
7/2/25 9:00	2.9	270	27.4	1006
7/2/25 10:00	3.0	270	27.3	1006
7/2/25 11:00	2.5	271	28.4	1006
7/2/25 12:00	2.4	245	29.0	1006
7/2/25 13:00	2.8	249	29.7	1006
7/2/25 14:00	3.7	234	29.6	1005
7/2/25 15:00	4.1	191	28.9	1005
7/2/25 16:00	4.2	180	28.3	1005
7/2/25 17:00	3.9	194	28.0	1004
7/2/25 18:00	3.0	186	28.0	1004
7/2/25 19:00	2.5	199	28.0	1005
7/2/25 20:00	2.0	194	26.2	1005
7/2/25 21:00	1.7	223	25.0	1006
7/2/25 22:00	2.2	251	24.6	1006
7/2/25 23:00	1.5	283	22.3	1006
7/3/25 0:00	1.3	278	21.7	1005
7/3/25 1:00	1.4	300	20.2	1005
7/3/25 2:00	ND	ND	18.8	1006
7/3/25 3:00	1.4	310	18.7	1006
7/3/25 4:00	2.1	287	18.1	1006
7/3/25 5:00	0.6	320	18.4	1006
7/3/25 6:00	1.1	244	20.1	1006
7/3/25 7:00	1.4	315	21.8	1006
7/3/25 8:00	1.5	15	23.9	1006
7/3/25 9:00	1.9	134	25.9	1006
7/3/25 10:00	4.3	156	26.9	1005
7/3/25 11:00	4.5	156	27.0	1005
7/3/25 12:00	4.7	181	27.0	1005
7/3/25 13:00	4.9	238	24.5	1005
7/3/25 14:00	1.1	284	20.5	1005
7/3/25 15:00	2.7	287	24.0	1004
7/3/25 16:00	5.3	283	26.0	1004
7/3/25 17:00	4.3	270	26.8	1004
7/3/25 18:00	6.3	320	24.9	1005
7/3/25 19:00	3.6	216	22.0	1006

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (6/24/25 9:00 to 7/8/25 10:00)**

7/3/25 20:00	3.5	352	20.9	1006
7/3/25 21:00	2.0	281	20.0	1007
7/3/25 22:00	1.4	329	19.3	1008
7/3/25 23:00	1.5	198	18.8	1008
7/4/25 0:00	1.3	274	18.6	1008
7/4/25 1:00	2.4	256	17.9	1008
7/4/25 2:00	2.8	265	16.8	1009
7/4/25 3:00	2.6	274	15.8	1009
7/4/25 4:00	3.2	282	15.2	1009
7/4/25 5:00	2.6	281	15.1	1010
7/4/25 6:00	2.0	288	16.5	1010
7/4/25 7:00	3.1	315	18.4	1011
7/4/25 8:00	4.0	321	20.0	1011
7/4/25 9:00	4.8	307	21.0	1012
7/4/25 10:00	5.5	341	21.3	1012
7/4/25 11:00	4.9	325	22.0	1012
7/4/25 12:00	4.6	316	21.9	1012
7/4/25 13:00	6.0	320	23.3	1012
7/4/25 14:00	7.3	312	23.0	1013
7/4/25 15:00	7.8	322	23.5	1013
7/4/25 16:00	7.2	307	23.7	1013
7/4/25 17:00	6.1	313	23.2	1013
7/4/25 18:00	5.2	318	22.8	1014
7/4/25 19:00	4.2	305	22.1	1014
7/4/25 20:00	3.4	282	19.8	1015
7/4/25 21:00	2.8	273	18.8	1016
7/4/25 22:00	2.7	257	18.0	1016
7/4/25 23:00	2.7	259	17.2	1016
7/5/25 0:00	2.9	270	16.4	1016
7/5/25 1:00	2.8	279	15.8	1017
7/5/25 2:00	2.1	269	14.9	1017
7/5/25 3:00	1.5	275	14.1	1017
7/5/25 4:00	2.4	275	13.2	1016
7/5/25 5:00	2.6	263	14.1	1017
7/5/25 6:00	1.7	291	16.3	1017
7/5/25 7:00	2.6	277	17.9	1017
7/5/25 8:00	3.0	288	20.0	1018
7/5/25 9:00	2.7	305	22.6	1018
7/5/25 10:00	3.3	286	24.6	1018
7/5/25 11:00	3.7	209	24.1	1017
7/5/25 12:00	4.7	194	24.8	1017
7/5/25 13:00	4.4	190	25.3	1017
7/5/25 14:00	4.4	192	24.4	1017
7/5/25 15:00	4.3	188	24.1	1016
7/5/25 16:00	3.9	176	23.4	1016
7/5/25 17:00	3.8	193	22.5	1015

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (6/24/25 9:00 to 7/8/25 10:00)**


7/5/25 18:00	2.8	189	22.0	1015
7/5/25 19:00	3.0	196	22.0	1015
7/5/25 20:00	2.6	193	21.3	1015
7/5/25 21:00	2.0	201	20.4	1015
7/5/25 22:00	1.9	220	19.9	1015
7/5/25 23:00	1.3	240	20.0	1014
7/6/25 0:00	2.4	221	20.7	1013
7/6/25 1:00	2.4	222	20.5	1013
7/6/25 2:00	2.1	222	19.5	1012
7/6/25 3:00	2.9	220	19.0	1012
7/6/25 4:00	2.9	229	19.0	1012
7/6/25 5:00	2.8	236	19.8	1012
7/6/25 6:00	2.8	230	20.7	1012
7/6/25 7:00	3.4	239	22.3	1012
7/6/25 8:00	3.3	249	23.9	1012
7/6/25 9:00	3.5	245	25.9	1012
7/6/25 10:00	4.0	246	28.6	1011
7/6/25 11:00	4.4	248	30.4	1011
7/6/25 12:00	3.9	249	31.7	1011
7/6/25 13:00	4.4	259	32.3	1010
7/6/25 14:00	5.1	249	32.7	1010
7/6/25 15:00	3.6	220	32.7	1010
7/6/25 16:00	4.5	162	31.7	1009
7/6/25 17:00	3.8	166	30.3	1009
7/6/25 18:00	3.6	173	29.1	1009
7/6/25 19:00	2.8	178	26.5	1009
7/6/25 20:00	2.3	192	25.2	1009
7/6/25 21:00	1.4	224	24.7	1010
7/6/25 22:00	2.6	211	25.8	1010
7/6/25 23:00	2.7	214	24.5	1010
7/7/25 0:00	2.9	222	25.9	1010
7/7/25 1:00	3.5	230	25.9	1010
7/7/25 2:00	2.6	227	25.4	1010
7/7/25 3:00	1.8	224	24.2	1010
7/7/25 4:00	1.6	224	23.2	1010
7/7/25 5:00	2.2	211	22.9	1011
7/7/25 6:00	2.8	223	23.4	1011
7/7/25 7:00	3.5	218	24.7	1011
7/7/25 8:00	3.7	228	26.7	1011
7/7/25 9:00	3.7	218	27.7	1011
7/7/25 10:00	3.4	188	28.0	1011
7/7/25 11:00	4.1	175	28.0	1011
7/7/25 12:00	4.2	178	28.2	1011
7/7/25 13:00	4.9	183	27.7	1010
7/7/25 14:00	3.2	190	27.2	1010
7/7/25 15:00	3.4	167	27.7	1010

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (6/24/25 9:00 to 7/8/25 10:00)**

7/7/25 16:00	3.0	178	27.0	1009
7/7/25 17:00	4.0	189	27.0	1009
7/7/25 18:00	3.4	190	26.0	1009
7/7/25 19:00	3.3	184	25.7	1009
7/7/25 20:00	2.6	185	25.0	1010
7/7/25 21:00	3.1	188	24.2	1010
7/7/25 22:00	3.3	186	23.3	1010
7/7/25 23:00	1.7	202	23.1	1010
7/8/25 0:00	1.3	231	22.6	1010
7/8/25 1:00	1.7	229	21.0	1010
7/8/25 2:00	1.9	239	21.1	1010
7/8/25 3:00	2.0	213	22.0	1009
7/8/25 4:00	1.3	247	21.3	1009
7/8/25 5:00	0.9	260	21.3	1009
7/8/25 6:00	1.6	247	22.0	1010
7/8/25 7:00	1.4	249	24.3	1010
7/8/25 8:00	1.8	137	25.8	1010
7/8/25 9:00	2.3	150	27.4	1010
7/8/25 10:00	2.9	97	27.5	1010

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (6/24/25 9:00 to 7/8/25 10:00)

PWM Wind Rose 6/24/25 9:00 - 7/8/25 10:00



SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (7/8/25 9:00 to 7/22/25 11:00)**

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
7/8/25 9:00	2.3	150	27.4	1010
7/8/25 10:00	2.9	97	27.5	1010
7/8/25 11:00	3.6	66	28.3	1010
7/8/25 12:00	2.6	93	26.1	1010
7/8/25 13:00	3.0	67	27.0	1011
7/8/25 14:00	4.7	69	27.2	1011
7/8/25 15:00	5.0	94	24.1	1011
7/8/25 16:00	4.1	93	22.6	1012
7/8/25 17:00	3.9	88	20.7	1012
7/8/25 18:00	2.8	80	19.5	1012
7/8/25 19:00	2.8	82	18.8	1013
7/8/25 20:00	1.8	93	18.0	1014
7/8/25 21:00	2.1	78	18.1	1014
7/8/25 22:00	1.9	140	18.0	1014
7/8/25 23:00	1.5	75	18.0	1014
7/9/25 0:00	0.2	296	18.0	1014
7/9/25 1:00	1.2	85	18.0	1014
7/9/25 2:00	ND	ND	18.0	1014
7/9/25 3:00	0.7	253	18.1	1014
7/9/25 4:00	1.5	75	18.0	1013
7/9/25 5:00	1.8	114	18.0	1014
7/9/25 6:00	2.0	42	18.0	1014
7/9/25 7:00	1.5	173	18.6	1014
7/9/25 8:00	1.0	210	19.4	1015
7/9/25 9:00	0.4	293	20.2	1015
7/9/25 10:00	1.5	183	21.0	1015
7/9/25 11:00	2.7	88	21.4	1015
7/9/25 12:00	3.2	88	21.0	1015
7/9/25 13:00	2.5	86	21.9	1014
7/9/25 14:00	2.4	86	23.4	1014
7/9/25 15:00	2.6	117	23.2	1014
7/9/25 16:00	2.4	110	23.1	1014
7/9/25 17:00	3.4	173	21.9	1013
7/9/25 18:00	2.6	168	20.9	1013
7/9/25 19:00	2.7	184	19.2	1013
7/9/25 20:00	1.9	191	18.7	1014
7/9/25 21:00	1.5	188	18.3	1014
7/9/25 22:00	1.3	192	18.3	1014
7/9/25 23:00	0.6	360	18.0	1014
7/10/25 0:00	0.8	160	18.0	1014
7/10/25 1:00	1.3	170	18.0	1014
7/10/25 2:00	0.8	260	17.9	1014
7/10/25 3:00	1.7	123	17.9	1014

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (7/8/25 9:00 to 7/22/25 11:00)**

7/10/25 4:00	1.7	125	18.0	1014
7/10/25 5:00	1.7	104	17.7	1014
7/10/25 6:00	2.5	126	17.0	1014
7/10/25 7:00	2.7	103	17.0	1014
7/10/25 8:00	2.8	99	17.0	1014
7/10/25 9:00	2.8	118	17.0	1015
7/10/25 10:00	2.6	136	17.0	1015
7/10/25 11:00	2.1	105	17.9	1015
7/10/25 12:00	2.7	81	18.3	1015
7/10/25 13:00	3.3	80	18.4	1015
7/10/25 14:00	3.3	93	17.6	1015
7/10/25 15:00	2.7	92	17.6	1015
7/10/25 16:00	2.7	61	18.8	1014
7/10/25 17:00	2.5	96	19.0	1014
7/10/25 18:00	2.9	103	19.0	1014
7/10/25 19:00	3.1	108	17.5	1014
7/10/25 20:00	2.9	106	16.0	1015
7/10/25 21:00	3.1	99	16.0	1014
7/10/25 22:00	1.9	81	16.0	1014
7/10/25 23:00	1.1	211	15.9	1015
7/11/25 0:00	1.7	74	15.9	1015
7/11/25 1:00	0.8	225	15.9	1015
7/11/25 2:00	1.6	87	15.9	1014
7/11/25 3:00	0.2	316	16.0	1014
7/11/25 4:00	0.5	328	16.5	1014
7/11/25 5:00	1.1	190	16.7	1014
7/11/25 6:00	1.1	232	16.9	1015
7/11/25 7:00	2.1	193	17.2	1014
7/11/25 8:00	2.4	183	18.2	1014
7/11/25 9:00	2.4	150	19.6	1015
7/11/25 10:00	4.5	92	18.7	1015
7/11/25 11:00	3.8	95	18.5	1015
7/11/25 12:00	4.0	93	19.5	1015
7/11/25 13:00	3.6	121	21.0	1015
7/11/25 14:00	2.8	158	21.9	1015
7/11/25 15:00	3.3	152	22.0	1014
7/11/25 16:00	4.6	170	19.9	1014
7/11/25 17:00	3.4	168	19.1	1014
7/11/25 18:00	3.8	154	19.0	1015
7/11/25 19:00	2.7	161	18.6	1015
7/11/25 20:00	2.4	181	18.0	1016
7/11/25 21:00	1.7	93	18.0	1016
7/11/25 22:00	1.4	163	18.0	1016
7/11/25 23:00	1.4	216	18.0	1016
7/12/25 0:00	1.6	199	18.0	1016
7/12/25 1:00	2.1	172	17.3	1016

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (7/8/25 9:00 to 7/22/25 11:00)**

7/12/25 2:00	1.5	ND	17.5	1016
7/12/25 3:00	1.1	235	17.9	1016
7/12/25 4:00	1.9	123	17.1	1016
7/12/25 5:00	2.2	94	17.0	1016
7/12/25 6:00	2.2	69	17.0	1016
7/12/25 7:00	1.4	123	17.1	1017
7/12/25 8:00	1.8	49	17.4	1017
7/12/25 9:00	1.8	61	18.1	1017
7/12/25 10:00	2.3	105	19.1	1018
7/12/25 11:00	2.4	83	19.4	1018
7/12/25 12:00	3.7	154	21.0	1018
7/12/25 13:00	3.8	168	21.2	1018
7/12/25 14:00	4.0	158	22.0	1018
7/12/25 15:00	4.1	168	21.3	1018
7/12/25 16:00	4.7	158	20.4	1017
7/12/25 17:00	3.6	170	19.0	1017
7/12/25 18:00	3.5	165	19.0	1017
7/12/25 19:00	3.2	168	19.0	1018
7/12/25 20:00	3.3	160	18.0	1018
7/12/25 21:00	3.0	160	18.0	1018
7/12/25 22:00	2.9	155	18.0	1019
7/12/25 23:00	2.9	157	17.7	1019
7/13/25 0:00	2.2	143	17.3	1018
7/13/25 1:00	2.4	162	17.0	1018
7/13/25 2:00	2.7	161	17.0	1018
7/13/25 3:00	2.2	165	17.0	1017
7/13/25 4:00	1.9	167	17.6	1018
7/13/25 5:00	2.3	191	17.4	1018
7/13/25 6:00	2.3	182	17.3	1018
7/13/25 7:00	2.8	192	17.6	1018
7/13/25 8:00	2.8	181	18.0	1018
7/13/25 9:00	2.9	190	19.0	1018
7/13/25 10:00	3.2	164	20.9	1018
7/13/25 11:00	3.7	147	22.1	1018
7/13/25 12:00	4.5	165	22.0	1018
7/13/25 13:00	4.5	167	21.6	1017
7/13/25 14:00	5.0	167	21.7	1017
7/13/25 15:00	5.6	169	21.7	1016
7/13/25 16:00	5.5	185	20.8	1016
7/13/25 17:00	4.3	184	20.7	1016
7/13/25 18:00	4.0	185	20.7	1016
7/13/25 19:00	4.3	179	19.6	1016
7/13/25 20:00	4.2	182	19.0	1016
7/13/25 21:00	3.6	176	18.6	1017
7/13/25 22:00	3.0	180	18.0	1017
7/13/25 23:00	3.0	181	18.0	1017

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (7/8/25 9:00 to 7/22/25 11:00)**

7/14/25 0:00	2.5	184	18.0	1016
7/14/25 1:00	3.2	186	18.0	1016
7/14/25 2:00	3.1	191	18.0	1016
7/14/25 3:00	2.2	204	18.0	1016
7/14/25 4:00	1.9	186	18.0	1015
7/14/25 5:00	2.1	189	18.1	1015
7/14/25 6:00	3.2	184	18.0	1015
7/14/25 7:00	2.7	187	18.2	1016
7/14/25 8:00	2.7	184	19.5	1015
7/14/25 9:00	2.8	170	22.0	1015
7/14/25 10:00	4.3	174	23.9	1015
7/14/25 11:00	5.1	187	23.8	1015
7/14/25 12:00	5.5	179	23.8	1015
7/14/25 13:00	5.4	171	23.6	1014
7/14/25 14:00	5.0	177	22.6	1014
7/14/25 15:00	6.2	185	23.0	1014
7/14/25 16:00	6.1	181	23.6	1013
7/14/25 17:00	5.1	187	23.3	1013
7/14/25 18:00	4.5	184	23.1	1013
7/14/25 19:00	3.7	184	22.1	1014
7/14/25 20:00	2.6	221	21.3	1014
7/14/25 21:00	3.1	140	20.9	1014
7/14/25 22:00	3.0	203	20.3	1014
7/14/25 23:00	2.0	256	20.0	1013
7/15/25 0:00	1.2	299	20.7	1013
7/15/25 1:00	0.6	321	21.0	1013
7/15/25 2:00	ND	ND	21.0	1013
7/15/25 3:00	0.8	145	21.0	1013
7/15/25 4:00	1.5	118	20.3	1014
7/15/25 5:00	0.5	260	19.3	1014
7/15/25 6:00	0.5	300	20.2	1015
7/15/25 7:00	1.5	175	21.9	1015
7/15/25 8:00	ND	ND	24.3	1015
7/15/25 9:00	0.0	360	26.0	1015
7/15/25 10:00	1.9	107	27.0	1015
7/15/25 11:00	3.1	94	28.1	1014
7/15/25 12:00	3.0	160	28.6	1014
7/15/25 13:00	4.0	169	29.0	1014
7/15/25 14:00	3.7	169	29.0	1014
7/15/25 15:00	3.5	170	29.0	1014
7/15/25 16:00	4.0	169	27.8	1013
7/15/25 17:00	3.5	175	26.9	1013
7/15/25 18:00	2.9	188	26.7	1014
7/15/25 19:00	2.1	168	26.0	1014
7/15/25 20:00	1.8	196	24.7	1014
7/15/25 21:00	1.3	157	22.6	1014

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (7/8/25 9:00 to 7/22/25 11:00)**

7/15/25 22:00	1.0	150	21.9	1014
7/15/25 23:00	1.0	223	21.0	1013
7/16/25 0:00	ND	ND	20.9	1014
7/16/25 1:00	1.3	295	20.9	1014
7/16/25 2:00	1.5	290	20.9	1014
7/16/25 3:00	1.4	284	20.2	1014
7/16/25 4:00	1.3	305	19.6	1014
7/16/25 5:00	1.0	310	19.4	1014
7/16/25 6:00	0.2	290	20.9	1014
7/16/25 7:00	ND	ND	23.1	1014
7/16/25 8:00	1.5	90	25.7	1014
7/16/25 9:00	2.1	112	27.3	1014
7/16/25 10:00	2.6	99	28.1	1013
7/16/25 11:00	3.4	166	28.5	1013
7/16/25 12:00	3.1	151	29.7	1013
7/16/25 13:00	3.8	160	31.1	1013
7/16/25 14:00	4.8	158	30.7	1013
7/16/25 15:00	4.3	163	30.3	1012
7/16/25 16:00	4.3	175	28.6	1011
7/16/25 17:00	4.2	180	28.0	1011
7/16/25 18:00	3.9	176	26.1	1011
7/16/25 19:00	3.9	189	24.1	1011
7/16/25 20:00	3.0	177	23.4	1010
7/16/25 21:00	1.6	176	22.9	1011
7/16/25 22:00	1.9	125	22.2	1011
7/16/25 23:00	1.5	151	21.9	1010
7/17/25 0:00	0.5	150	21.6	1010
7/17/25 1:00	1.0	244	20.9	1010
7/17/25 2:00	1.0	254	21.0	1010
7/17/25 3:00	ND	ND	21.0	1009
7/17/25 4:00	1.0	247	21.0	1009
7/17/25 5:00	1.0	247	21.0	1008
7/17/25 6:00	1.7	192	22.0	1008
7/17/25 7:00	2.5	173	22.9	1008
7/17/25 8:00	2.8	187	23.5	1008
7/17/25 9:00	4.0	190	25.6	1008
7/17/25 10:00	4.0	173	27.6	1007
7/17/25 11:00	5.0	170	27.3	1006
7/17/25 12:00	5.6	168	27.7	1005
7/17/25 13:00	5.8	175	27.2	1005
7/17/25 14:00	4.0	171	26.3	1004
7/17/25 15:00	4.3	170	25.5	1003
7/17/25 16:00	3.3	184	25.7	1002
7/17/25 17:00	2.7	166	26.6	1002
7/17/25 18:00	3.2	175	27.4	1001
7/17/25 19:00	3.1	174	24.4	1001

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (7/8/25 9:00 to 7/22/25 11:00)**

7/17/25 20:00	2.9	171	23.3	1001
7/17/25 21:00	4.4	206	24.7	1001
7/17/25 22:00	4.9	241	25.9	1001
7/17/25 23:00	3.8	255	25.9	1002
7/18/25 0:00	3.6	252	25.3	1002
7/18/25 1:00	5.7	272	24.8	1002
7/18/25 2:00	6.5	289	23.4	1003
7/18/25 3:00	5.1	303	22.7	1004
7/18/25 4:00	4.6	314	21.9	1005
7/18/25 5:00	4.0	322	21.9	1006
7/18/25 6:00	3.7	309	21.9	1007
7/18/25 7:00	5.2	313	22.5	1008
7/18/25 8:00	7.4	321	23.1	1009
7/18/25 9:00	8.6	334	22.9	1010
7/18/25 10:00	8.8	338	22.9	1011
7/18/25 11:00	7.9	344	23.5	1012
7/18/25 12:00	7.6	340	24.5	1013
7/18/25 13:00	7.9	330	25.8	1012
7/18/25 14:00	7.5	324	25.9	1013
7/18/25 15:00	6.8	318	26.0	1013
7/18/25 16:00	6.9	311	26.0	1013
7/18/25 17:00	6.2	325	26.0	1013
7/18/25 18:00	5.0	321	25.0	1014
7/18/25 19:00	4.6	323	23.7	1015
7/18/25 20:00	3.2	344	21.7	1015
7/18/25 21:00	2.2	344	20.6	1015
7/18/25 22:00	2.4	314	18.2	1016
7/18/25 23:00	2.0	290	17.7	1016
7/19/25 0:00	0.2	355	16.6	1016
7/19/25 1:00	0.7	317	15.6	1017
7/19/25 2:00	1.0	310	14.3	1017
7/19/25 3:00	0.8	324	13.1	1017
7/19/25 4:00	0.2	351	13.3	1017
7/19/25 5:00	2.2	280	12.8	1017
7/19/25 6:00	1.4	284	14.2	1017
7/19/25 7:00	1.9	285	17.1	1017
7/19/25 8:00	0.8	328	20.7	1017
7/19/25 9:00	1.5	251	22.7	1017
7/19/25 10:00	1.2	273	23.8	1016
7/19/25 11:00	3.9	177	24.4	1016
7/19/25 12:00	4.3	172	24.3	1015
7/19/25 13:00	4.5	172	24.4	1015
7/19/25 14:00	5.5	156	24.1	1014
7/19/25 15:00	4.9	169	23.5	1014
7/19/25 16:00	5.2	185	23.0	1013
7/19/25 17:00	4.5	171	23.5	1013

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (7/8/25 9:00 to 7/22/25 11:00)**

7/19/25 18:00	4.8	187	22.8	1012
7/19/25 19:00	3.7	186	21.4	1012
7/19/25 20:00	2.8	191	20.3	1012
7/19/25 21:00	1.7	190	19.1	1012
7/19/25 22:00	ND	ND	18.9	1012
7/19/25 23:00	1.5	160	18.0	1012
7/20/25 0:00	1.4	180	17.8	1011
7/20/25 1:00	1.7	224	18.6	1010
7/20/25 2:00	1.5	230	18.9	1010
7/20/25 3:00	1.7	215	18.9	1009
7/20/25 4:00	1.5	247	18.9	1009
7/20/25 5:00	2.3	195	18.9	1009
7/20/25 6:00	2.3	189	19.0	1009
7/20/25 7:00	2.4	201	20.5	1008
7/20/25 8:00	2.9	190	22.2	1008
7/20/25 9:00	3.4	196	24.2	1007
7/20/25 10:00	4.8	186	25.3	1007
7/20/25 11:00	4.9	187	25.1	1006
7/20/25 12:00	4.8	167	26.6	1005
7/20/25 13:00	6.0	181	25.6	1004
7/20/25 14:00	6.8	186	25.1	1003
7/20/25 15:00	4.2	134	21.2	1004
7/20/25 16:00	2.6	131	21.0	1004
7/20/25 17:00	2.5	53	21.0	1003
7/20/25 18:00	1.9	40	19.2	1004
7/20/25 19:00	2.4	87	19.7	1004
7/20/25 20:00	2.5	224	19.6	1004
7/20/25 21:00	1.4	351	19.1	1004
7/20/25 22:00	2.3	317	18.8	1004
7/20/25 23:00	2.9	322	18.9	1005
7/21/25 0:00	2.7	303	18.1	1004
7/21/25 1:00	3.1	283	17.7	1004
7/21/25 2:00	4.1	301	17.0	1004
7/21/25 3:00	2.6	295	16.5	1004
7/21/25 4:00	2.5	296	16.2	1004
7/21/25 5:00	2.2	325	15.9	1005
7/21/25 6:00	3.7	309	16.7	1006
7/21/25 7:00	5.3	317	17.8	1006
7/21/25 8:00	6.3	320	19.0	1007
7/21/25 9:00	7.9	325	19.9	1008
7/21/25 10:00	8.4	325	20.8	1008
7/21/25 11:00	7.6	322	21.3	1009
7/21/25 12:00	6.1	333	22.0	1009
7/21/25 13:00	9.1	318	22.1	1009
7/21/25 14:00	8.1	324	22.8	1009
7/21/25 15:00	7.8	327	22.6	1009


SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (7/8/25 9:00 to 7/22/25 11:00)

7/21/25 16:00	6.8	327	22.7	1010
7/21/25 17:00	7.9	332	22.1	1010
7/21/25 18:00	6.9	328	21.8	1011
7/21/25 19:00	5.5	332	20.3	1012
7/21/25 20:00	4.8	326	18.5	1012
7/21/25 21:00	3.9	339	17.3	1013
7/21/25 22:00	2.9	340	16.0	1013
7/21/25 23:00	2.6	317	15.7	1014
7/22/25 0:00	2.1	287	14.5	1014
7/22/25 1:00	2.5	279	13.3	1015
7/22/25 2:00	2.7	273	12.4	1015
7/22/25 3:00	4.0	301	12.4	1015
7/22/25 4:00	2.8	294	12.0	1015
7/22/25 5:00	1.5	208	11.7	1016
7/22/25 6:00	1.8	297	13.6	1016
7/22/25 7:00	3.1	316	16.3	1017
7/22/25 8:00	4.3	336	18.1	1017
7/22/25 9:00	2.7	341	20.0	1018
7/22/25 10:00	2.2	257	21.2	1018
7/22/25 11:00	2.1	110	21.9	1018

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (7/8/25 9:00 to 7/22/25 11:00)

PWM Wind Rose 7/8/25 9:00 - 7/22/25 11:00



SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (7/22/25 10:00 to 8/5/25 10:00)**

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
7/22/25 10:00	2.2	257	21.2	1018
7/22/25 11:00	2.1	110	21.9	1018
7/22/25 12:00	2.2	184	22.7	1017
7/22/25 13:00	2.9	171	22.4	1017
7/22/25 14:00	4.4	169	23.0	1017
7/22/25 15:00	5.0	164	23.0	1017
7/22/25 16:00	4.3	176	22.6	1017
7/22/25 17:00	3.2	188	22.1	1017
7/22/25 18:00	4.2	168	22.0	1017
7/22/25 19:00	3.4	192	20.5	1018
7/22/25 20:00	2.7	203	18.7	1018
7/22/25 21:00	2.0	212	17.8	1019
7/22/25 22:00	0.2	343	17.4	1019
7/22/25 23:00	1.0	306	16.6	1020
7/23/25 0:00	1.5	224	16.7	1020
7/23/25 1:00	1.0	290	15.8	1020
7/23/25 2:00	0.4	330	14.4	1020
7/23/25 3:00	1.3	273	13.9	1020
7/23/25 4:00	ND	ND	13.1	1020
7/23/25 5:00	0.7	345	12.7	1021
7/23/25 6:00	1.1	270	14.5	1021
7/23/25 7:00	2.4	297	17.0	1022
7/23/25 8:00	1.9	329	19.9	1022
7/23/25 9:00	1.5	222	21.9	1022
7/23/25 10:00	2.1	117	22.7	1022
7/23/25 11:00	2.6	85	23.7	1021
7/23/25 12:00	3.7	106	24.1	1021
7/23/25 13:00	4.3	158	24.0	1020
7/23/25 14:00	5.4	169	23.5	1020
7/23/25 15:00	5.2	183	23.5	1020
7/23/25 16:00	5.1	177	23.0	1020
7/23/25 17:00	6.0	187	22.8	1020
7/23/25 18:00	5.5	186	21.9	1019
7/23/25 19:00	4.8	192	20.8	1019
7/23/25 20:00	4.2	192	20.0	1019
7/23/25 21:00	4.6	194	19.1	1020
7/23/25 22:00	4.0	195	18.9	1020
7/23/25 23:00	3.8	196	18.4	1019
7/24/25 0:00	2.9	192	17.9	1019
7/24/25 1:00	1.9	210	17.9	1018
7/24/25 2:00	1.5	225	17.9	1018
7/24/25 3:00	1.9	220	17.9	1018
7/24/25 4:00	2.1	205	17.2	1017

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (7/22/25 10:00 to 8/5/25 10:00)**

7/24/25 5:00	2.6	213	16.9	1017
7/24/25 6:00	2.7	212	17.9	1017
7/24/25 7:00	3.6	214	19.8	1017
7/24/25 8:00	3.9	227	22.2	1017
7/24/25 9:00	3.2	213	24.2	1016
7/24/25 10:00	3.8	223	26.7	1016
7/24/25 11:00	4.1	202	28.0	1016
7/24/25 12:00	4.5	176	28.0	1015
7/24/25 13:00	5.5	181	28.0	1014
7/24/25 14:00	5.4	183	28.0	1013
7/24/25 15:00	5.3	188	27.6	1012
7/24/25 16:00	6.1	186	26.3	1011
7/24/25 17:00	5.0	183	25.8	1011
7/24/25 18:00	5.1	181	24.4	1011
7/24/25 19:00	4.4	182	22.7	1011
7/24/25 20:00	3.2	188	21.1	1011
7/24/25 21:00	2.9	191	21.5	1011
7/24/25 22:00	2.5	198	21.2	1011
7/24/25 23:00	1.9	224	21.0	1010
7/25/25 0:00	2.4	199	21.0	1010
7/25/25 1:00	2.3	206	21.0	1009
7/25/25 2:00	2.3	214	21.0	1009
7/25/25 3:00	2.1	225	21.7	1008
7/25/25 4:00	0.8	300	22.4	1008
7/25/25 5:00	2.5	241	22.9	1008
7/25/25 6:00	2.6	242	23.5	1008
7/25/25 7:00	3.9	239	25.2	1008
7/25/25 8:00	4.0	239	27.0	1008
7/25/25 9:00	3.8	238	28.0	1007
7/25/25 10:00	3.8	245	28.9	1007
7/25/25 11:00	3.9	268	28.8	1007
7/25/25 12:00	3.7	256	28.2	1006
7/25/25 13:00	6.1	275	29.9	1006
7/25/25 14:00	5.4	270	31.1	1006
7/25/25 15:00	5.0	299	31.3	1006
7/25/25 16:00	6.3	305	31.3	1006
7/25/25 17:00	5.9	323	29.0	1007
7/25/25 18:00	4.7	331	27.2	1008
7/25/25 19:00	3.8	344	26.7	1009
7/25/25 20:00	4.7	336	25.8	1010
7/25/25 21:00	4.5	330	24.1	1011
7/25/25 22:00	5.2	345	23.6	1011
7/25/25 23:00	4.8	343	22.7	1012
7/26/25 0:00	3.8	344	21.5	1013
7/26/25 1:00	2.5	331	19.9	1013
7/26/25 2:00	2.8	328	18.6	1014

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (7/22/25 10:00 to 8/5/25 10:00)**

7/26/25 3:00	2.8	326	17.4	1014
7/26/25 4:00	3.1	321	16.7	1015
7/26/25 5:00	2.8	309	15.9	1016
7/26/25 6:00	3.0	321	17.2	1016
7/26/25 7:00	3.8	329	19.6	1017
7/26/25 8:00	4.0	339	22.2	1017
7/26/25 9:00	4.0	289	23.8	1017
7/26/25 10:00	3.7	50	25.4	1017
7/26/25 11:00	3.1	102	25.8	1017
7/26/25 12:00	2.5	88	26.3	1017
7/26/25 13:00	3.4	176	26.8	1016
7/26/25 14:00	4.4	167	26.1	1016
7/26/25 15:00	4.7	188	25.6	1016
7/26/25 16:00	4.4	189	24.8	1016
7/26/25 17:00	4.7	188	24.0	1015
7/26/25 18:00	4.0	186	23.2	1015
7/26/25 19:00	3.1	195	21.8	1015
7/26/25 20:00	3.4	207	20.9	1016
7/26/25 21:00	2.7	211	20.4	1016
7/26/25 22:00	2.7	216	19.7	1016
7/26/25 23:00	2.0	217	19.6	1016
7/27/25 0:00	2.0	209	19.2	1015
7/27/25 1:00	1.1	266	18.5	1015
7/27/25 2:00	0.9	278	17.5	1015
7/27/25 3:00	0.3	346	16.6	1014
7/27/25 4:00	0.8	288	15.9	1014
7/27/25 5:00	0.6	307	15.9	1014
7/27/25 6:00	2.1	197	17.1	1014
7/27/25 7:00	2.6	198	18.5	1014
7/27/25 8:00	3.3	210	20.6	1013
7/27/25 9:00	4.4	217	22.0	1013
7/27/25 10:00	4.5	213	23.3	1013
7/27/25 11:00	4.5	220	22.9	1012
7/27/25 12:00	4.7	212	22.5	1012
7/27/25 13:00	5.1	196	22.5	1012
7/27/25 14:00	4.5	201	19.1	1011
7/27/25 15:00	4.9	183	17.8	1011
7/27/25 16:00	4.5	190	17.6	1010
7/27/25 17:00	2.6	198	18.0	1010
7/27/25 18:00	3.0	190	17.6	1010
7/27/25 19:00	3.1	198	18.0	1010
7/27/25 20:00	2.2	178	18.0	1010
7/27/25 21:00	0.1	360	18.0	1011
7/27/25 22:00	ND	ND	18.0	1011
7/27/25 23:00	1.5	ND	18.0	1010
7/28/25 0:00	1.0	40	18.0	1010

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (7/22/25 10:00 to 8/5/25 10:00)**

7/28/25 1:00	1.1	151	18.0	1010
7/28/25 2:00	1.0	209	17.1	1010
7/28/25 3:00	0.5	264	17.0	1011
7/28/25 4:00	1.5	117	17.0	1011
7/28/25 5:00	1.5	110	16.9	1012
7/28/25 6:00	1.1	206	17.0	1012
7/28/25 7:00	1.7	173	17.7	1012
7/28/25 8:00	1.9	199	18.0	1012
7/28/25 9:00	1.2	271	19.3	1013
7/28/25 10:00	0.5	294	22.4	1013
7/28/25 11:00	1.4	290	26.4	1012
7/28/25 12:00	3.3	197	29.0	1012
7/28/25 13:00	3.2	154	27.3	1012
7/28/25 14:00	3.7	177	27.3	1012
7/28/25 15:00	4.3	183	27.0	1012
7/28/25 16:00	4.4	181	26.5	1011
7/28/25 17:00	4.0	186	26.0	1011
7/28/25 18:00	3.8	190	25.4	1011
7/28/25 19:00	2.6	198	24.5	1011
7/28/25 20:00	2.4	200	23.1	1011
7/28/25 21:00	2.6	205	22.3	1012
7/28/25 22:00	1.9	203	21.9	1012
7/28/25 23:00	1.3	211	20.3	1012
7/29/25 0:00	0.8	235	19.7	1012
7/29/25 1:00	ND	ND	18.8	1011
7/29/25 2:00	1.9	227	18.7	1011
7/29/25 3:00	0.6	297	18.7	1010
7/29/25 4:00	1.5	265	18.5	1010
7/29/25 5:00	1.4	232	18.9	1010
7/29/25 6:00	1.7	198	19.6	1010
7/29/25 7:00	1.6	258	23.0	1011
7/29/25 8:00	1.4	298	26.9	1011
7/29/25 9:00	2.3	273	29.5	1011
7/29/25 10:00	2.7	281	31.5	1011
7/29/25 11:00	3.3	272	32.2	1010
7/29/25 12:00	2.6	286	33.0	1010
7/29/25 13:00	3.0	314	33.0	1010
7/29/25 14:00	3.8	304	32.6	1010
7/29/25 15:00	4.3	326	33.7	1010
7/29/25 16:00	4.5	327	33.6	1010
7/29/25 17:00	5.0	323	33.0	1010
7/29/25 18:00	3.9	320	32.2	1010
7/29/25 19:00	3.1	317	30.2	1010
7/29/25 20:00	3.3	317	27.9	1011
7/29/25 21:00	2.3	343	26.9	1011
7/29/25 22:00	1.5	301	26.1	1012

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (7/22/25 10:00 to 8/5/25 10:00)**

7/29/25 23:00	1.5	310	24.0	1012
7/30/25 0:00	0.9	320	22.4	1012
7/30/25 1:00	ND	ND	21.7	1012
7/30/25 2:00	1.5	340	21.3	1012
7/30/25 3:00	2.1	301	20.2	1012
7/30/25 4:00	0.5	340	19.9	1012
7/30/25 5:00	1.8	285	19.1	1012
7/30/25 6:00	0.8	325	19.9	1012
7/30/25 7:00	0.7	344	22.7	1013
7/30/25 8:00	0.5	299	25.0	1013
7/30/25 9:00	0.9	225	26.0	1013
7/30/25 10:00	2.6	102	26.7	1013
7/30/25 11:00	2.9	117	27.6	1012
7/30/25 12:00	3.8	106	27.6	1012
7/30/25 13:00	3.4	117	27.7	1012
7/30/25 14:00	4.0	168	28.0	1011
7/30/25 15:00	4.0	161	27.4	1011
7/30/25 16:00	3.7	156	27.1	1011
7/30/25 17:00	3.0	164	26.0	1010
7/30/25 18:00	2.3	164	24.1	1010
7/30/25 19:00	2.0	77	23.3	1010
7/30/25 20:00	1.0	230	22.0	1011
7/30/25 21:00	1.3	230	22.2	1011
7/30/25 22:00	ND	ND	21.7	1012
7/30/25 23:00	0.6	252	21.1	1012
7/31/25 0:00	1.2	356	21.2	1012
7/31/25 1:00	0.7	300	21.6	1012
7/31/25 2:00	0.6	353	21.5	1012
7/31/25 3:00	0.9	348	21.4	1012
7/31/25 4:00	1.6	316	21.0	1013
7/31/25 5:00	1.8	353	20.9	1013
7/31/25 6:00	1.7	355	21.0	1014
7/31/25 7:00	3.2	288	21.8	1014
7/31/25 8:00	3.2	81	21.9	1015
7/31/25 9:00	3.2	25	21.9	1016
7/31/25 10:00	3.7	218	21.3	1016
7/31/25 11:00	4.3	184	21.7	1017
7/31/25 12:00	3.6	320	20.9	1017
7/31/25 13:00	3.5	347	20.1	1017
7/31/25 14:00	3.6	116	19.9	1017
7/31/25 15:00	1.4	163	18.9	1017
7/31/25 16:00	0.9	270	18.7	1018
7/31/25 17:00	2.1	98	17.5	1017
7/31/25 18:00	1.4	131	16.7	1017
7/31/25 19:00	0.8	256	16.0	1018
7/31/25 20:00	ND	ND	16.0	1019

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (7/22/25 10:00 to 8/5/25 10:00)**

7/31/25 21:00	0.5	167	16.0	1019
7/31/25 22:00	1.0	175	16.0	1019
7/31/25 23:00	2.1	311	16.0	1019
8/1/25 0:00	1.4	89	15.9	1019
8/1/25 1:00	0.6	320	15.5	1019
8/1/25 2:00	0.5	340	14.7	1019
8/1/25 3:00	1.2	297	14.8	1019
8/1/25 4:00	2.1	345	15.5	1019
8/1/25 5:00	1.7	342	14.7	1019
8/1/25 6:00	1.9	335	15.6	1020
8/1/25 7:00	3.5	255	16.4	1020
8/1/25 8:00	3.9	25	18.0	1020
8/1/25 9:00	3.2	39	19.3	1020
8/1/25 10:00	3.4	63	20.6	1020
8/1/25 11:00	3.8	57	21.8	1020
8/1/25 12:00	4.5	83	22.4	1020
8/1/25 13:00	5.6	93	21.9	1020
8/1/25 14:00	4.4	96	22.0	1020
8/1/25 15:00	2.7	112	22.0	1020
8/1/25 16:00	3.3	163	22.0	1019
8/1/25 17:00	3.6	190	21.4	1019
8/1/25 18:00	3.2	192	20.3	1020
8/1/25 19:00	2.3	196	18.7	1020
8/1/25 20:00	1.8	210	17.6	1020
8/1/25 21:00	1.6	275	16.8	1020
8/1/25 22:00	1.8	275	16.6	1020
8/1/25 23:00	2.2	266	15.5	1020
8/2/25 0:00	1.9	269	15.0	1020
8/2/25 1:00	1.5	306	13.8	1020
8/2/25 2:00	1.5	310	13.9	1020
8/2/25 3:00	1.5	319	13.3	1020
8/2/25 4:00	1.7	300	13.3	1020
8/2/25 5:00	2.1	307	12.9	1020
8/2/25 6:00	ND	ND	13.8	1021
8/2/25 7:00	1.6	167	15.9	1021
8/2/25 8:00	2.7	254	19.0	1022
8/2/25 9:00	3.5	51	21.6	1021
8/2/25 10:00	3.5	212	22.9	1021
8/2/25 11:00	1.8	245	23.4	1021
8/2/25 12:00	1.0	348	24.2	1020
8/2/25 13:00	3.0	295	24.7	1020
8/2/25 14:00	3.5	284	24.5	1019
8/2/25 15:00	4.5	182	23.2	1019
8/2/25 16:00	4.7	176	23.0	1019
8/2/25 17:00	5.5	192	22.3	1019
8/2/25 18:00	4.4	194	21.5	1019

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (7/22/25 10:00 to 8/5/25 10:00)**


8/2/25 19:00	3.7	206	20.6	1019
8/2/25 20:00	3.3	202	18.9	1019
8/2/25 21:00	2.7	213	17.9	1019
8/2/25 22:00	1.1	269	17.2	1019
8/2/25 23:00	1.3	244	16.4	1019
8/3/25 0:00	1.5	238	15.7	1019
8/3/25 1:00	0.8	298	14.5	1018
8/3/25 2:00	2.2	278	13.8	1018
8/3/25 3:00	1.0	273	13.8	1018
8/3/25 4:00	1.5	270	12.8	1018
8/3/25 5:00	1.9	277	12.8	1018
8/3/25 6:00	1.4	273	14.2	1018
8/3/25 7:00	1.6	279	16.8	1018
8/3/25 8:00	0.6	329	19.9	1018
8/3/25 9:00	0.9	284	21.9	1018
8/3/25 10:00	1.7	201	23.9	1018
8/3/25 11:00	3.1	167	25.0	1018
8/3/25 12:00	4.3	171	25.6	1017
8/3/25 13:00	5.5	163	26.2	1017
8/3/25 14:00	5.4	184	26.5	1016
8/3/25 15:00	5.5	181	26.2	1016
8/3/25 16:00	5.0	175	25.3	1015
8/3/25 17:00	4.4	183	23.8	1015
8/3/25 18:00	4.0	184	22.8	1015
8/3/25 19:00	4.2	188	21.8	1015
8/3/25 20:00	3.8	197	21.0	1016
8/3/25 21:00	3.4	203	20.9	1016
8/3/25 22:00	2.3	208	20.5	1016
8/3/25 23:00	1.4	253	19.0	1016
8/4/25 0:00	0.7	216	17.9	1015
8/4/25 1:00	0.8	360	16.9	1015
8/4/25 2:00	1.4	213	16.1	1015
8/4/25 3:00	1.1	213	15.8	1015
8/4/25 4:00	0.9	297	14.9	1016
8/4/25 5:00	1.8	284	14.2	1016
8/4/25 6:00	0.7	332	15.2	1016
8/4/25 7:00	1.0	308	17.6	1017
8/4/25 8:00	1.5	309	20.6	1017
8/4/25 9:00	1.6	310	23.9	1017
8/4/25 10:00	0.6	338	26.5	1017
8/4/25 11:00	0.8	298	27.6	1017
8/4/25 12:00	2.7	209	27.4	1017
8/4/25 13:00	3.7	158	27.3	1017
8/4/25 14:00	3.7	170	27.6	1016
8/4/25 15:00	3.3	181	27.8	1017
8/4/25 16:00	3.4	187	27.0	1017

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (7/22/25 10:00 to 8/5/25 10:00)**

8/4/25 17:00	3.3	192	26.3	1017
8/4/25 18:00	2.6	189	25.3	1017
8/4/25 19:00	2.3	193	23.6	1017
8/4/25 20:00	1.3	233	22.7	1018
8/4/25 21:00	2.7	218	22.3	1019
8/4/25 22:00	0.4	350	21.9	1020
8/4/25 23:00	2.1	244	20.8	1020
8/5/25 0:00	3.9	26	21.9	1021
8/5/25 1:00	4.2	35	21.5	1021
8/5/25 2:00	3.1	31	20.5	1022
8/5/25 3:00	3.3	24	19.9	1022
8/5/25 4:00	3.0	20	18.9	1022
8/5/25 5:00	2.9	18	18.2	1023
8/5/25 6:00	1.8	55	17.9	1024
8/5/25 7:00	3.6	85	18.9	1025
8/5/25 8:00	3.7	22	19.2	1025
8/5/25 9:00	3.2	61	20.8	1025
8/5/25 10:00	2.7	111	21.7	1026

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (7/22/25 10:00 to 8/5/25 10:00)

PWM Wind Rose 722/25 10:00 - 8/5/25 10:00



SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (8/5/25 9:00 to 8/19/25 10:00)**

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
8/5/25 9:00	3.2	61	20.8	1025
8/5/25 10:00	2.7	111	21.7	1026
8/5/25 11:00	2.6	60	22.8	1026
8/5/25 12:00	2.9	64	23.0	1026
8/5/25 13:00	3.0	97	23.0	1026
8/5/25 14:00	2.8	119	23.9	1026
8/5/25 15:00	2.2	136	24.2	1025
8/5/25 16:00	3.6	175	23.3	1025
8/5/25 17:00	3.4	160	22.4	1025
8/5/25 18:00	2.6	154	21.5	1025
8/5/25 19:00	1.7	193	20.2	1025
8/5/25 20:00	1.0	260	18.9	1026
8/5/25 21:00	0.8	262	18.5	1026
8/5/25 22:00	ND	ND	18.5	1026
8/5/25 23:00	1.5	280	17.3	1026
8/6/25 0:00	1.3	306	16.5	1027
8/6/25 1:00	1.1	307	16.6	1027
8/6/25 2:00	1.5	312	15.9	1026
8/6/25 3:00	0.3	185	15.8	1026
8/6/25 4:00	1.3	313	16.4	1027
8/6/25 5:00	1.7	293	16.9	1027
8/6/25 6:00	1.3	210	17.7	1028
8/6/25 7:00	2.5	71	18.6	1028
8/6/25 8:00	2.6	49	19.9	1029
8/6/25 9:00	2.4	71	20.9	1029
8/6/25 10:00	2.3	93	20.9	1029
8/6/25 11:00	3.1	97	21.7	1029
8/6/25 12:00	3.0	92	22.0	1029
8/6/25 13:00	3.0	88	22.8	1029
8/6/25 14:00	3.7	111	23.9	1028
8/6/25 15:00	3.9	147	23.7	1028
8/6/25 16:00	3.3	174	23.1	1028
8/6/25 17:00	3.0	155	22.2	1028
8/6/25 18:00	2.3	169	21.2	1027
8/6/25 19:00	2.0	189	19.4	1027
8/6/25 20:00	1.9	201	18.4	1027
8/6/25 21:00	1.6	219	17.9	1028
8/6/25 22:00	1.5	218	17.7	1028
8/6/25 23:00	1.5	232	17.6	1027
8/7/25 0:00	1.0	250	17.2	1027
8/7/25 1:00	1.4	360	16.8	1027
8/7/25 2:00	ND	ND	16.3	1027
8/7/25 3:00	0.4	200	16.2	1026

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (8/5/25 9:00 to 8/19/25 10:00)

8/7/25 4:00	ND	ND	15.6	1026
8/7/25 5:00	ND	ND	15.0	1026
8/7/25 6:00	ND	ND	15.8	1026
8/7/25 7:00	ND	ND	17.1	1027
8/7/25 8:00	ND	ND	18.1	1027
8/7/25 9:00	ND	ND	19.8	1026
8/7/25 10:00	0.4	307	22.7	1026
8/7/25 11:00	2.2	262	25.6	1026
8/7/25 12:00	1.8	242	26.5	1025
8/7/25 13:00	4.1	173	26.7	1025
8/7/25 14:00	4.5	185	24.8	1024
8/7/25 15:00	5.4	178	24.6	1023
8/7/25 16:00	6.0	186	24.0	1023
8/7/25 17:00	5.2	189	23.3	1023
8/7/25 18:00	3.7	192	22.6	1023
8/7/25 19:00	3.1	194	21.4	1023
8/7/25 20:00	2.5	200	20.3	1023
8/7/25 21:00	2.1	201	19.5	1023
8/7/25 22:00	2.2	200	18.6	1023
8/7/25 23:00	1.2	273	18.9	1023
8/8/25 0:00	0.5	318	18.8	1023
8/8/25 1:00	1.0	278	18.1	1023
8/8/25 2:00	1.0	260	16.5	1022
8/8/25 3:00	0.4	360	15.4	1022
8/8/25 4:00	ND	ND	14.2	1022
8/8/25 5:00	1.6	253	14.8	1022
8/8/25 6:00	ND	ND	15.1	1022
8/8/25 7:00	ND	ND	17.7	1022
8/8/25 8:00	0.9	300	20.3	1022
8/8/25 9:00	1.3	276	22.7	1022
8/8/25 10:00	1.8	217	24.7	1022
8/8/25 11:00	4.0	176	26.1	1022
8/8/25 12:00	5.0	178	26.2	1022
8/8/25 13:00	6.4	186	26.3	1022
8/8/25 14:00	5.3	185	26.2	1021
8/8/25 15:00	4.9	182	25.9	1021
8/8/25 16:00	6.7	185	24.4	1021
8/8/25 17:00	6.6	192	22.8	1021
8/8/25 18:00	5.2	189	22.2	1021
8/8/25 19:00	3.9	191	20.8	1021
8/8/25 20:00	3.2	194	19.4	1021
8/8/25 21:00	1.9	220	19.0	1022
8/8/25 22:00	1.3	221	18.6	1022
8/8/25 23:00	0.4	314	17.8	1022
8/9/25 0:00	1.0	217	16.5	1022
8/9/25 1:00	1.5	150	16.2	1021

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (8/5/25 9:00 to 8/19/25 10:00)**

8/9/25 2:00	ND	ND	15.7	1021
8/9/25 3:00	0.5	ND	16.0	1021
8/9/25 4:00	1.1	235	15.8	1021
8/9/25 5:00	ND	ND	15.1	1021
8/9/25 6:00	ND	ND	15.5	1021
8/9/25 7:00	2.1	212	17.9	1022
8/9/25 8:00	2.0	188	20.1	1022
8/9/25 9:00	3.0	169	21.9	1022
8/9/25 10:00	4.2	159	23.0	1022
8/9/25 11:00	4.2	169	23.8	1022
8/9/25 12:00	4.6	184	24.5	1021
8/9/25 13:00	5.1	168	24.4	1021
8/9/25 14:00	5.6	160	23.8	1020
8/9/25 15:00	4.0	167	23.4	1020
8/9/25 16:00	3.6	171	22.9	1020
8/9/25 17:00	4.1	168	22.1	1020
8/9/25 18:00	3.1	178	21.4	1020
8/9/25 19:00	3.1	173	19.8	1020
8/9/25 20:00	2.4	180	18.9	1020
8/9/25 21:00	2.0	197	18.2	1021
8/9/25 22:00	1.6	213	18.0	1021
8/9/25 23:00	ND	ND	17.9	1021
8/10/25 0:00	1.1	290	17.2	1021
8/10/25 1:00	ND	ND	16.8	1020
8/10/25 2:00	ND	ND	16.5	1020
8/10/25 3:00	0.2	300	15.9	1020
8/10/25 4:00	0.8	280	15.9	1020
8/10/25 5:00	ND	ND	15.5	1020
8/10/25 6:00	0.4	325	16.0	1020
8/10/25 7:00	0.8	295	17.7	1020
8/10/25 8:00	0.8	293	20.2	1021
8/10/25 9:00	0.5	145	22.2	1021
8/10/25 10:00	1.1	187	24.5	1021
8/10/25 11:00	2.6	144	26.3	1020
8/10/25 12:00	2.6	162	27.1	1020
8/10/25 13:00	3.7	152	28.0	1020
8/10/25 14:00	3.9	160	27.5	1019
8/10/25 15:00	3.7	156	27.2	1019
8/10/25 16:00	4.3	155	26.1	1019
8/10/25 17:00	3.9	170	25.1	1019
8/10/25 18:00	3.4	182	23.4	1019
8/10/25 19:00	2.6	186	22.4	1019
8/10/25 20:00	2.4	180	21.7	1019
8/10/25 21:00	1.7	193	21.0	1019
8/10/25 22:00	1.2	212	20.9	1019
8/10/25 23:00	0.5	283	20.0	1019

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (8/5/25 9:00 to 8/19/25 10:00)**

8/11/25 0:00	0.6	303	19.0	1019
8/11/25 1:00	ND	ND	18.8	1018
8/11/25 2:00	ND	ND	18.2	1018
8/11/25 3:00	1.5	10	18.1	1018
8/11/25 4:00	1.5	345	17.9	1018
8/11/25 5:00	0.9	356	17.9	1018
8/11/25 6:00	ND	ND	18.4	1019
8/11/25 7:00	ND	ND	21.2	1019
8/11/25 8:00	0.8	200	24.0	1019
8/11/25 9:00	1.5	68	26.9	1019
8/11/25 10:00	1.4	169	28.8	1019
8/11/25 11:00	2.0	74	31.6	1019
8/11/25 12:00	3.2	120	32.2	1018
8/11/25 13:00	4.5	112	31.8	1017
8/11/25 14:00	4.3	163	31.1	1017
8/11/25 15:00	3.7	164	30.1	1017
8/11/25 16:00	3.7	185	29.0	1017
8/11/25 17:00	3.4	182	28.6	1016
8/11/25 18:00	2.8	179	27.8	1016
8/11/25 19:00	2.6	183	26.0	1016
8/11/25 20:00	1.9	191	24.0	1016
8/11/25 21:00	0.4	316	23.6	1016
8/11/25 22:00	0.3	318	22.3	1016
8/11/25 23:00	1.5	210	21.4	1016
8/12/25 0:00	ND	ND	21.0	1016
8/12/25 1:00	ND	ND	20.3	1015
8/12/25 2:00	ND	ND	19.3	1015
8/12/25 3:00	ND	ND	18.9	1015
8/12/25 4:00	ND	ND	18.9	1014
8/12/25 5:00	2.1	280	18.5	1015
8/12/25 6:00	0.9	293	19.1	1015
8/12/25 7:00	1.6	298	21.9	1015
8/12/25 8:00	1.7	313	25.6	1015
8/12/25 9:00	1.6	317	28.3	1015
8/12/25 10:00	1.4	144	31.1	1015
8/12/25 11:00	2.2	189	32.1	1014
8/12/25 12:00	3.8	164	32.2	1013
8/12/25 13:00	4.1	164	32.8	1013
8/12/25 14:00	5.1	167	31.9	1012
8/12/25 15:00	4.7	169	31.0	1012
8/12/25 16:00	4.1	180	30.5	1012
8/12/25 17:00	4.2	185	29.2	1011
8/12/25 18:00	3.8	178	28.4	1011
8/12/25 19:00	3.3	187	25.6	1011
8/12/25 20:00	3.2	195	24.0	1011
8/12/25 21:00	2.9	200	23.9	1011

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (8/5/25 9:00 to 8/19/25 10:00)**

8/12/25 22:00	2.0	193	22.9	1011
8/12/25 23:00	1.5	200	22.2	1011
8/13/25 0:00	ND	ND	20.8	1011
8/13/25 1:00	ND	ND	19.9	1010
8/13/25 2:00	ND	ND	19.0	1010
8/13/25 3:00	0.5	320	18.9	1010
8/13/25 4:00	0.5	330	18.9	1010
8/13/25 5:00	1.5	275	18.4	1009
8/13/25 6:00	0.8	290	18.6	1010
8/13/25 7:00	1.6	286	21.9	1010
8/13/25 8:00	0.7	318	24.6	1009
8/13/25 9:00	1.4	206	27.2	1009
8/13/25 10:00	2.7	142	28.3	1009
8/13/25 11:00	4.1	153	27.8	1009
8/13/25 12:00	5.1	157	27.2	1008
8/13/25 13:00	4.9	167	26.6	1008
8/13/25 14:00	5.4	167	27.1	1007
8/13/25 15:00	6.4	181	26.9	1006
8/13/25 16:00	6.2	185	26.6	1006
8/13/25 17:00	5.4	182	24.7	1006
8/13/25 18:00	4.3	185	23.3	1006
8/13/25 19:00	2.5	192	23.0	1006
8/13/25 20:00	1.6	230	23.2	1006
8/13/25 21:00	1.9	216	23.7	1007
8/13/25 22:00	3.0	214	23.9	1007
8/13/25 23:00	2.8	228	23.9	1006
8/14/25 0:00	2.5	260	23.7	1007
8/14/25 1:00	1.9	226	23.2	1007
8/14/25 2:00	1.9	232	22.9	1006
8/14/25 3:00	1.8	290	22.5	1006
8/14/25 4:00	0.7	306	22.6	1006
8/14/25 5:00	1.1	273	21.9	1007
8/14/25 6:00	1.6	287	22.0	1007
8/14/25 7:00	0.5	343	23.5	1008
8/14/25 8:00	1.1	310	26.1	1009
8/14/25 9:00	3.0	39	28.3	1009
8/14/25 10:00	2.2	137	29.1	1009
8/14/25 11:00	2.9	137	29.5	1009
8/14/25 12:00	3.2	102	29.8	1009
8/14/25 13:00	3.5	120	29.2	1009
8/14/25 14:00	4.0	170	28.8	1009
8/14/25 15:00	3.5	268	22.9	1010
8/14/25 16:00	2.5	257	25.0	1010
8/14/25 17:00	2.8	292	25.8	1010
8/14/25 18:00	2.8	287	24.7	1011
8/14/25 19:00	2.6	286	24.6	1011

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (8/5/25 9:00 to 8/19/25 10:00)**

8/14/25 20:00	2.5	336	24.0	1012
8/14/25 21:00	3.0	338	24.2	1013
8/14/25 22:00	3.5	333	23.9	1014
8/14/25 23:00	3.5	328	23.0	1014
8/15/25 0:00	3.4	334	22.4	1014
8/15/25 1:00	2.8	338	21.3	1015
8/15/25 2:00	2.5	323	19.2	1015
8/15/25 3:00	3.8	332	19.6	1015
8/15/25 4:00	3.6	113	20.4	1016
8/15/25 5:00	4.4	115	19.7	1017
8/15/25 6:00	4.2	25	19.3	1018
8/15/25 7:00	3.5	18	19.7	1019
8/15/25 8:00	4.3	32	21.3	1020
8/15/25 9:00	4.8	51	22.0	1020
8/15/25 10:00	5.0	55	23.1	1020
8/15/25 11:00	3.4	81	24.1	1020
8/15/25 12:00	3.0	103	25.2	1020
8/15/25 13:00	3.3	90	26.0	1020
8/15/25 14:00	3.6	161	26.1	1019
8/15/25 15:00	3.9	174	25.9	1019
8/15/25 16:00	4.0	184	25.3	1019
8/15/25 17:00	3.7	176	24.1	1019
8/15/25 18:00	2.8	179	23.3	1019
8/15/25 19:00	2.4	186	21.8	1019
8/15/25 20:00	2.2	199	20.6	1019
8/15/25 21:00	1.2	244	19.6	1020
8/15/25 22:00	0.3	338	17.9	1020
8/15/25 23:00	ND	ND	16.5	1020
8/16/25 0:00	ND	ND	16.0	1019
8/16/25 1:00	1.5	290	14.9	1019
8/16/25 2:00	ND	ND	14.6	1019
8/16/25 3:00	0.1	360	14.0	1019
8/16/25 4:00	ND	ND	13.0	1019
8/16/25 5:00	ND	ND	13.3	1020
8/16/25 6:00	ND	ND	14.3	1020
8/16/25 7:00	ND	ND	17.7	1019
8/16/25 8:00	1.5	197	21.6	1019
8/16/25 9:00	1.5	223	23.6	1018
8/16/25 10:00	2.9	165	24.4	1018
8/16/25 11:00	3.7	171	26.8	1018
8/16/25 12:00	4.7	170	26.9	1017
8/16/25 13:00	5.6	180	26.1	1017
8/16/25 14:00	6.4	177	25.2	1016
8/16/25 15:00	6.6	184	24.2	1016
8/16/25 16:00	5.9	176	24.0	1015
8/16/25 17:00	4.9	180	23.5	1015

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (8/5/25 9:00 to 8/19/25 10:00)**


8/16/25 18:00	5.4	191	22.3	1015
8/16/25 19:00	4.1	190	21.1	1014
8/16/25 20:00	3.3	196	20.5	1014
8/16/25 21:00	2.4	189	19.9	1014
8/16/25 22:00	1.8	186	19.0	1014
8/16/25 23:00	1.6	144	18.4	1013
8/17/25 0:00	0.2	360	18.1	1013
8/17/25 1:00	ND	ND	17.8	1012
8/17/25 2:00	ND	ND	17.0	1011
8/17/25 3:00	ND	ND	16.9	1011
8/17/25 4:00	1.5	250	16.5	1010
8/17/25 5:00	1.5	215	16.7	1010
8/17/25 6:00	0.6	311	17.1	1010
8/17/25 7:00	1.4	226	18.9	1010
8/17/25 8:00	1.6	226	21.8	1009
8/17/25 9:00	1.6	245	24.9	1009
8/17/25 10:00	2.2	188	26.6	1008
8/17/25 11:00	3.9	161	27.4	1008
8/17/25 12:00	4.2	165	28.0	1007
8/17/25 13:00	5.1	163	27.8	1006
8/17/25 14:00	5.3	168	27.2	1006
8/17/25 15:00	6.1	181	28.3	1005
8/17/25 16:00	5.6	178	28.6	1005
8/17/25 17:00	4.6	178	26.7	1006
8/17/25 18:00	7.3	27	22.2	1008
8/17/25 19:00	5.6	26	21.1	1009
8/17/25 20:00	5.5	22	20.3	1010
8/17/25 21:00	5.4	20	19.2	1011
8/17/25 22:00	6.9	17	18.9	1012
8/17/25 23:00	5.8	52	17.5	1013
8/18/25 0:00	4.2	19	16.6	1014
8/18/25 1:00	3.8	17	15.9	1015
8/18/25 2:00	3.9	15	15.3	1015
8/18/25 3:00	3.5	89	14.0	1016
8/18/25 4:00	4.0	255	13.0	1016
8/18/25 5:00	3.6	216	12.6	1017
8/18/25 6:00	3.5	357	12.6	1018
8/18/25 7:00	4.5	359	14.3	1019
8/18/25 8:00	6.1	253	15.9	1019
8/18/25 9:00	6.3	213	16.9	1019
8/18/25 10:00	6.6	246	18.1	1020
8/18/25 11:00	5.7	255	19.0	1019
8/18/25 12:00	4.2	186	20.6	1019
8/18/25 13:00	3.9	183	21.7	1019
8/18/25 14:00	3.5	264	22.4	1019
8/18/25 15:00	2.7	209	22.9	1018

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (8/5/25 9:00 to 8/19/25 10:00)**

8/18/25 16:00	3.2	118	23.0	1019
8/18/25 17:00	2.6	311	22.9	1019
8/18/25 18:00	2.4	204	21.3	1019
8/18/25 19:00	2.0	200	18.0	1020
8/18/25 20:00	1.1	203	16.9	1020
8/18/25 21:00	ND	ND	15.4	1021
8/18/25 22:00	1.9	290	14.4	1021
8/18/25 23:00	1.5	298	14.0	1021
8/19/25 0:00	1.7	352	13.3	1021
8/19/25 1:00	0.6	358	13.8	1022
8/19/25 2:00	ND	ND	13.3	1022
8/19/25 3:00	1.0	82	13.1	1022
8/19/25 4:00	2.0	65	12.2	1022
8/19/25 5:00	1.6	181	11.4	1022
8/19/25 6:00	2.3	30	11.9	1023
8/19/25 7:00	2.4	42	14.9	1023
8/19/25 8:00	3.2	48	16.1	1023
8/19/25 9:00	3.1	73	17.0	1023
8/19/25 10:00	3.4	91	17.8	1023

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (8/5/25 9:00 to 8/19/25 10:00)

PWM Wind Rose 8/5/25 9:00 - 8/19/25 10:00



SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (8/19/25 9:00 to 9/2/25 11:00)**

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
8/19/25 9:00	3.1	73	17.0	1023
8/19/25 10:00	3.4	91	17.8	1023
8/19/25 11:00	3.5	87	18.9	1023
8/19/25 12:00	3.8	90	19.9	1022
8/19/25 13:00	4.5	93	20.3	1022
8/19/25 14:00	3.1	153	20.6	1022
8/19/25 15:00	4.5	174	20.7	1021
8/19/25 16:00	5.1	154	19.7	1021
8/19/25 17:00	4.0	178	18.7	1021
8/19/25 18:00	3.3	182	18.0	1020
8/19/25 19:00	2.7	190	17.1	1020
8/19/25 20:00	2.2	189	16.9	1020
8/19/25 21:00	1.8	195	16.9	1020
8/19/25 22:00	1.4	218	16.9	1020
8/19/25 23:00	1.2	247	16.9	1020
8/20/25 0:00	ND	ND	16.8	1020
8/20/25 1:00	1.4	250	16.0	1020
8/20/25 2:00	1.7	250	15.9	1019
8/20/25 3:00	1.8	279	15.7	1019
8/20/25 4:00	1.5	285	15.9	1019
8/20/25 5:00	1.5	228	15.6	1019
8/20/25 6:00	1.5	163	15.2	1019
8/20/25 7:00	ND	ND	15.5	1019
8/20/25 8:00	1.1	198	15.9	1019
8/20/25 9:00	0.4	265	16.5	1019
8/20/25 10:00	0.6	310	17.0	1020
8/20/25 11:00	0.6	270	17.9	1020
8/20/25 12:00	2.8	115	18.2	1020
8/20/25 13:00	3.2	157	18.7	1020
8/20/25 14:00	2.5	158	18.4	1019
8/20/25 15:00	2.4	183	18.2	1019
8/20/25 16:00	2.7	171	18.0	1019
8/20/25 17:00	2.2	164	18.1	1019
8/20/25 18:00	2.1	133	17.9	1019
8/20/25 19:00	2.0	115	16.5	1019
8/20/25 20:00	1.8	115	15.4	1019
8/20/25 21:00	1.5	113	14.0	1020
8/20/25 22:00	ND	ND	12.9	1019
8/20/25 23:00	1.9	326	11.6	1019
8/21/25 0:00	0.8	330	11.1	1019
8/21/25 1:00	0.5	347	10.9	1019
8/21/25 2:00	1.2	336	9.8	1018
8/21/25 3:00	0.9	333	9.2	1018

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (8/19/25 9:00 to 9/2/25 11:00)**

8/21/25 4:00	1.6	353	8.9	1018
8/21/25 5:00	1.0	353	8.9	1018
8/21/25 6:00	1.3	345	9.5	1018
8/21/25 7:00	1.6	23	12.9	1018
8/21/25 8:00	2.7	58	15.9	1018
8/21/25 9:00	3.0	55	17.4	1018
8/21/25 10:00	3.1	89	18.5	1018
8/21/25 11:00	3.6	88	19.9	1018
8/21/25 12:00	4.0	93	20.6	1017
8/21/25 13:00	4.6	102	21.0	1017
8/21/25 14:00	4.5	95	21.1	1016
8/21/25 15:00	4.0	101	21.0	1016
8/21/25 16:00	4.8	85	19.4	1015
8/21/25 17:00	4.1	90	18.8	1015
8/21/25 18:00	4.2	94	17.5	1014
8/21/25 19:00	2.9	100	16.1	1014
8/21/25 20:00	2.4	81	14.6	1014
8/21/25 21:00	1.9	113	13.8	1014
8/21/25 22:00	1.7	344	12.7	1013
8/21/25 23:00	2.8	347	11.9	1013
8/22/25 0:00	1.6	338	12.1	1013
8/22/25 1:00	1.9	316	11.2	1012
8/22/25 2:00	1.9	286	10.9	1012
8/22/25 3:00	2.5	299	10.8	1011
8/22/25 4:00	2.3	327	11.6	1011
8/22/25 5:00	0.8	358	11.7	1011
8/22/25 6:00	1.3	336	12.1	1011
8/22/25 7:00	2.4	326	16.0	1012
8/22/25 8:00	2.8	331	19.9	1012
8/22/25 9:00	4.7	219	22.9	1012
8/22/25 10:00	4.7	156	25.0	1012
8/22/25 11:00	5.2	22	26.2	1012
8/22/25 12:00	4.5	45	26.9	1012
8/22/25 13:00	3.8	62	26.8	1012
8/22/25 14:00	3.9	90	27.3	1011
8/22/25 15:00	3.9	101	27.6	1011
8/22/25 16:00	3.5	94	27.3	1011
8/22/25 17:00	3.6	148	26.5	1011
8/22/25 18:00	3.6	187	22.5	1011
8/22/25 19:00	3.4	182	20.3	1012
8/22/25 20:00	3.0	199	19.0	1013
8/22/25 21:00	2.1	194	18.2	1013
8/22/25 22:00	1.7	195	17.9	1014
8/22/25 23:00	1.1	246	17.4	1014
8/23/25 0:00	1.8	200	16.9	1014
8/23/25 1:00	ND	ND	15.2	1014

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (8/19/25 9:00 to 9/2/25 11:00)**

8/23/25 2:00	1.1	260	15.6	1014
8/23/25 3:00	0.0	360	14.9	1014
8/23/25 4:00	0.6	318	13.0	1014
8/23/25 5:00	0.6	ND	13.0	1014
8/23/25 6:00	0.8	300	14.0	1015
8/23/25 7:00	1.9	193	16.6	1015
8/23/25 8:00	2.1	202	18.9	1015
8/23/25 9:00	2.4	197	21.7	1015
8/23/25 10:00	2.3	231	23.6	1015
8/23/25 11:00	2.4	211	26.5	1014
8/23/25 12:00	4.7	165	26.2	1014
8/23/25 13:00	6.0	164	26.0	1013
8/23/25 14:00	6.6	170	25.9	1013
8/23/25 15:00	6.8	177	25.9	1012
8/23/25 16:00	7.6	190	24.2	1012
8/23/25 17:00	6.9	186	23.4	1012
8/23/25 18:00	6.0	189	22.5	1012
8/23/25 19:00	5.4	187	21.2	1012
8/23/25 20:00	6.3	190	21.0	1012
8/23/25 21:00	6.2	189	20.5	1013
8/23/25 22:00	5.0	190	20.3	1013
8/23/25 23:00	4.6	190	19.2	1013
8/24/25 0:00	3.1	196	19.0	1014
8/24/25 1:00	2.0	206	18.5	1014
8/24/25 2:00	1.9	215	17.9	1014
8/24/25 3:00	3.3	201	17.9	1013
8/24/25 4:00	3.0	182	16.9	1013
8/24/25 5:00	2.1	201	16.6	1013
8/24/25 6:00	2.5	200	16.8	1013
8/24/25 7:00	3.4	190	17.9	1013
8/24/25 8:00	4.3	189	19.7	1013
8/24/25 9:00	5.0	189	21.4	1013
8/24/25 10:00	6.1	186	22.1	1013
8/24/25 11:00	6.7	193	22.2	1013
8/24/25 12:00	6.7	191	22.9	1012
8/24/25 13:00	6.3	185	23.6	1012
8/24/25 14:00	7.1	189	23.9	1011
8/24/25 15:00	7.4	186	23.8	1011
8/24/25 16:00	7.3	179	22.5	1011
8/24/25 17:00	5.3	195	21.7	1011
8/24/25 18:00	5.1	190	21.0	1010
8/24/25 19:00	5.0	189	20.0	1010
8/24/25 20:00	5.0	190	20.0	1011
8/24/25 21:00	4.8	191	19.7	1011
8/24/25 22:00	3.8	185	19.0	1010
8/24/25 23:00	3.0	181	19.0	1010

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (8/19/25 9:00 to 9/2/25 11:00)**

8/25/25 0:00	3.1	184	19.0	1010
8/25/25 1:00	3.2	187	18.9	1010
8/25/25 2:00	2.4	194	18.9	1009
8/25/25 3:00	1.8	175	18.9	1009
8/25/25 4:00	2.0	153	18.0	1008
8/25/25 5:00	1.9	154	17.9	1008
8/25/25 6:00	1.7	163	17.9	1007
8/25/25 7:00	1.8	167	17.9	1007
8/25/25 8:00	2.0	159	18.7	1007
8/25/25 9:00	2.1	169	20.3	1007
8/25/25 10:00	2.3	184	21.4	1007
8/25/25 11:00	2.9	144	22.7	1006
8/25/25 12:00	3.6	138	23.2	1006
8/25/25 13:00	3.9	140	24.1	1005
8/25/25 14:00	4.3	140	24.4	1005
8/25/25 15:00	3.7	145	23.4	1004
8/25/25 16:00	3.9	177	22.6	1004
8/25/25 17:00	3.5	169	20.8	1005
8/25/25 18:00	3.4	167	19.1	1005
8/25/25 19:00	2.5	177	19.0	1005
8/25/25 20:00	2.0	157	18.5	1005
8/25/25 21:00	1.8	170	18.0	1006
8/25/25 22:00	1.7	238	17.9	1006
8/25/25 23:00	1.6	244	17.5	1006
8/26/25 0:00	0.8	304	16.9	1006
8/26/25 1:00	0.3	359	17.0	1006
8/26/25 2:00	0.5	352	16.6	1006
8/26/25 3:00	0.0	338	15.7	1007
8/26/25 4:00	0.9	283	15.0	1007
8/26/25 5:00	1.7	287	14.1	1007
8/26/25 6:00	2.0	274	14.4	1008
8/26/25 7:00	3.2	282	16.8	1008
8/26/25 8:00	4.6	271	18.9	1008
8/26/25 9:00	4.1	262	21.4	1009
8/26/25 10:00	3.9	276	22.8	1009
8/26/25 11:00	5.1	268	23.9	1009
8/26/25 12:00	5.4	280	24.7	1009
8/26/25 13:00	6.1	271	25.8	1009
8/26/25 14:00	6.3	294	25.2	1009
8/26/25 15:00	4.8	276	24.5	1009
8/26/25 16:00	5.4	273	24.7	1010
8/26/25 17:00	5.0	278	23.1	1010
8/26/25 18:00	4.3	279	22.7	1010
8/26/25 19:00	3.8	280	21.0	1011
8/26/25 20:00	1.8	259	19.5	1011
8/26/25 21:00	0.8	283	18.3	1012

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (8/19/25 9:00 to 9/2/25 11:00)**

8/26/25 22:00	1.0	299	17.0	1012
8/26/25 23:00	1.9	289	16.1	1012
8/27/25 0:00	1.8	275	14.4	1012
8/27/25 1:00	ND	ND	13.4	1012
8/27/25 2:00	1.0	316	12.4	1012
8/27/25 3:00	0.7	309	11.6	1012
8/27/25 4:00	0.5	322	11.0	1012
8/27/25 5:00	1.5	286	11.0	1012
8/27/25 6:00	ND	ND	11.1	1013
8/27/25 7:00	1.5	286	14.1	1013
8/27/25 8:00	1.8	316	18.1	1013
8/27/25 9:00	2.5	301	19.5	1013
8/27/25 10:00	1.1	242	21.2	1012
8/27/25 11:00	1.6	296	22.6	1012
8/27/25 12:00	2.3	284	23.2	1011
8/27/25 13:00	5.0	166	21.0	1011
8/27/25 14:00	2.7	241	18.5	1011
8/27/25 15:00	1.0	284	17.2	1012
8/27/25 16:00	2.4	220	17.0	1012
8/27/25 17:00	2.6	238	17.0	1012
8/27/25 18:00	1.8	232	16.5	1012
8/27/25 19:00	2.6	264	16.0	1013
8/27/25 20:00	2.6	312	15.6	1014
8/27/25 21:00	2.3	307	15.9	1014
8/27/25 22:00	1.5	281	14.7	1014
8/27/25 23:00	1.5	302	13.2	1015
8/28/25 0:00	1.8	273	12.5	1015
8/28/25 1:00	2.4	279	11.7	1015
8/28/25 2:00	2.5	274	11.9	1015
8/28/25 3:00	2.1	270	11.5	1015
8/28/25 4:00	2.0	274	10.7	1016
8/28/25 5:00	1.5	281	9.6	1016
8/28/25 6:00	1.6	260	10.1	1016
8/28/25 7:00	2.0	278	11.8	1017
8/28/25 8:00	1.6	284	15.1	1017
8/28/25 9:00	0.9	312	18.5	1017
8/28/25 10:00	2.0	236	21.0	1017
8/28/25 11:00	3.6	190	21.8	1017
8/28/25 12:00	5.9	165	21.7	1016
8/28/25 13:00	5.7	167	22.0	1016
8/28/25 14:00	6.6	167	22.0	1015
8/28/25 15:00	5.5	168	21.8	1015
8/28/25 16:00	6.4	182	21.1	1015
8/28/25 17:00	4.8	173	21.0	1015
8/28/25 18:00	4.9	188	19.3	1015
8/28/25 19:00	3.7	182	18.0	1015

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (8/19/25 9:00 to 9/2/25 11:00)**

8/28/25 20:00	3.4	183	17.9	1015
8/28/25 21:00	3.0	186	17.9	1015
8/28/25 22:00	2.9	196	17.8	1015
8/28/25 23:00	2.4	205	17.8	1015
8/29/25 0:00	1.9	190	16.9	1014
8/29/25 1:00	2.0	172	16.2	1014
8/29/25 2:00	2.0	188	15.9	1014
8/29/25 3:00	2.1	190	15.9	1014
8/29/25 4:00	2.0	187	15.0	1013
8/29/25 5:00	1.6	196	14.8	1013
8/29/25 6:00	1.6	200	15.2	1013
8/29/25 7:00	3.0	189	17.1	1013
8/29/25 8:00	3.8	202	18.1	1013
8/29/25 9:00	4.5	203	17.5	1013
8/29/25 10:00	2.5	172	17.0	1013
8/29/25 11:00	4.5	179	18.9	1013
8/29/25 12:00	4.7	185	19.1	1012
8/29/25 13:00	5.8	184	20.6	1012
8/29/25 14:00	5.9	192	20.4	1011
8/29/25 15:00	3.3	197	17.8	1011
8/29/25 16:00	2.6	202	17.8	1011
8/29/25 17:00	2.2	175	17.1	1011
8/29/25 18:00	1.4	226	17.1	1011
8/29/25 19:00	2.0	190	16.7	1010
8/29/25 20:00	1.0	217	15.9	1010
8/29/25 21:00	1.8	291	15.9	1010
8/29/25 22:00	0.9	327	15.7	1010
8/29/25 23:00	1.5	295	14.9	1010
8/30/25 0:00	1.3	328	14.5	1010
8/30/25 1:00	0.3	353	13.9	1009
8/30/25 2:00	1.7	289	13.9	1009
8/30/25 3:00	1.6	271	13.6	1009
8/30/25 4:00	1.5	277	12.9	1009
8/30/25 5:00	1.5	281	12.2	1009
8/30/25 6:00	1.9	272	12.6	1010
8/30/25 7:00	2.6	281	13.9	1011
8/30/25 8:00	3.6	284	15.8	1011
8/30/25 9:00	3.1	297	17.5	1011
8/30/25 10:00	4.0	301	19.0	1011
8/30/25 11:00	3.8	322	19.5	1011
8/30/25 12:00	3.2	279	20.5	1011
8/30/25 13:00	2.7	292	20.7	1011
8/30/25 14:00	3.3	210	20.8	1011
8/30/25 15:00	3.3	169	19.0	1011
8/30/25 16:00	2.6	155	18.9	1012
8/30/25 17:00	2.1	249	19.2	1012

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (8/19/25 9:00 to 9/2/25 11:00)**


8/30/25 18:00	1.5	255	18.1	1013
8/30/25 19:00	0.6	243	17.7	1013
8/30/25 20:00	0.5	294	16.6	1014
8/30/25 21:00	0.5	248	15.7	1015
8/30/25 22:00	1.7	294	14.8	1015
8/30/25 23:00	0.2	334	13.9	1015
8/31/25 0:00	1.3	262	12.0	1015
8/31/25 1:00	0.3	356	11.5	1016
8/31/25 2:00	0.7	326	11.1	1016
8/31/25 3:00	2.5	290	10.2	1016
8/31/25 4:00	1.7	278	10.3	1017
8/31/25 5:00	1.9	288	9.3	1017
8/31/25 6:00	1.5	282	10.0	1018
8/31/25 7:00	1.9	288	12.4	1018
8/31/25 8:00	2.4	316	15.5	1019
8/31/25 9:00	2.8	303	18.7	1019
8/31/25 10:00	3.3	297	21.0	1020
8/31/25 11:00	2.4	294	21.8	1019
8/31/25 12:00	2.1	291	23.1	1019
8/31/25 13:00	3.1	282	24.4	1019
8/31/25 14:00	3.3	209	24.1	1018
8/31/25 15:00	2.3	195	24.5	1018
8/31/25 16:00	4.5	163	23.5	1018
8/31/25 17:00	4.1	180	21.9	1019
8/31/25 18:00	2.9	189	21.1	1019
8/31/25 19:00	2.0	230	19.0	1020
8/31/25 20:00	0.5	305	17.3	1020
8/31/25 21:00	ND	ND	16.5	1021
8/31/25 22:00	ND	ND	15.0	1021
8/31/25 23:00	1.5	285	14.8	1021
9/1/25 0:00	0.7	331	14.0	1021
9/1/25 1:00	1.1	300	13.8	1021
9/1/25 2:00	1.1	313	13.9	1021
9/1/25 3:00	1.3	296	12.7	1021
9/1/25 4:00	1.3	299	13.3	1022
9/1/25 5:00	1.5	294	12.2	1022
9/1/25 6:00	1.3	303	12.8	1022
9/1/25 7:00	1.6	294	14.6	1023
9/1/25 8:00	2.5	313	18.5	1023
9/1/25 9:00	3.2	29	22.0	1023
9/1/25 10:00	3.5	59	23.4	1023
9/1/25 11:00	3.5	88	24.0	1023
9/1/25 12:00	4.2	101	24.0	1023
9/1/25 13:00	4.3	116	24.3	1023
9/1/25 14:00	4.2	129	24.7	1023
9/1/25 15:00	3.8	162	23.9	1022

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (8/19/25 9:00 to 9/2/25 11:00)**

9/1/25 16:00	4.0	169	23.0	1022
9/1/25 17:00	2.3	169	22.3	1022
9/1/25 18:00	2.3	188	20.9	1022
9/1/25 19:00	1.7	193	18.8	1022
9/1/25 20:00	ND	ND	17.9	1022
9/1/25 21:00	ND	ND	17.0	1022
9/1/25 22:00	ND	ND	16.3	1022
9/1/25 23:00	1.2	300	16.6	1022
9/2/25 0:00	ND	ND	16.1	1021
9/2/25 1:00	1.1	337	15.7	1021
9/2/25 2:00	1.8	260	15.2	1021
9/2/25 3:00	ND	ND	14.9	1020
9/2/25 4:00	0.8	335	14.4	1020
9/2/25 5:00	ND	ND	14.0	1020
9/2/25 6:00	0.8	325	13.9	1020
9/2/25 7:00	0.8	283	14.7	1020
9/2/25 8:00	0.6	320	18.6	1020
9/2/25 9:00	1.2	248	21.6	1020
9/2/25 10:00	1.6	178	23.7	1019
9/2/25 11:00	3.0	81	24.8	1019

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (8/19/25 9:00 to 9/2/25 11:00)

PWM Wind Rose 8/19/25 9:00 - 9/2/25 11:00



SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/2/25 9:00 to 9/16/25 10:00)**

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
9/2/25 9:00	1.2	248	21.6	1020
9/2/25 10:00	1.6	178	23.7	1019
9/2/25 11:00	3.0	81	24.8	1019
9/2/25 12:00	3.9	91	25.6	1018
9/2/25 13:00	4.0	153	24.9	1018
9/2/25 14:00	4.7	168	23.7	1017
9/2/25 15:00	4.3	169	23.1	1017
9/2/25 16:00	4.4	164	22.5	1016
9/2/25 17:00	4.3	162	21.6	1016
9/2/25 18:00	3.2	188	20.4	1016
9/2/25 19:00	2.5	184	18.4	1016
9/2/25 20:00	1.5	208	17.8	1016
9/2/25 21:00	ND	ND	16.6	1016
9/2/25 22:00	ND	ND	14.6	1015
9/2/25 23:00	1.5	250	14.0	1015
9/3/25 0:00	1.7	261	13.6	1015
9/3/25 1:00	1.5	70	12.8	1014
9/3/25 2:00	ND	ND	12.5	1014
9/3/25 3:00	ND	ND	11.9	1013
9/3/25 4:00	ND	ND	11.9	1013
9/3/25 5:00	ND	ND	11.9	1012
9/3/25 6:00	1.4	295	11.2	1013
9/3/25 7:00	1.5	275	13.9	1013
9/3/25 8:00	1.6	206	17.0	1013
9/3/25 9:00	1.9	210	19.4	1012
9/3/25 10:00	2.6	191	21.2	1012
9/3/25 11:00	4.3	154	21.9	1012
9/3/25 12:00	5.5	167	22.1	1011
9/3/25 13:00	6.8	164	22.0	1011
9/3/25 14:00	6.5	168	22.0	1010
9/3/25 15:00	5.9	166	21.4	1010
9/3/25 16:00	6.1	176	20.9	1009
9/3/25 17:00	5.1	176	20.5	1009
9/3/25 18:00	4.2	175	19.1	1009
9/3/25 19:00	2.5	170	18.0	1009
9/3/25 20:00	1.8	153	16.9	1010
9/3/25 21:00	1.3	160	16.8	1010
9/3/25 22:00	ND	ND	16.4	1010
9/3/25 23:00	ND	ND	15.9	1010
9/4/25 0:00	2.0	178	16.1	1010
9/4/25 1:00	1.5	212	16.7	1010
9/4/25 2:00	1.8	212	15.9	1010
9/4/25 3:00	1.6	224	15.1	1010

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/2/25 9:00 to 9/16/25 10:00)**

9/4/25 4:00	1.5	283	13.4	1010
9/4/25 5:00	1.7	288	12.1	1010
9/4/25 6:00	0.5	305	11.9	1010
9/4/25 7:00	ND	ND	14.0	1011
9/4/25 8:00	ND	ND	16.3	1011
9/4/25 9:00	1.3	220	19.0	1011
9/4/25 10:00	3.2	166	21.5	1011
9/4/25 11:00	3.9	179	22.1	1011
9/4/25 12:00	5.8	166	22.1	1010
9/4/25 13:00	5.7	169	22.2	1010
9/4/25 14:00	6.3	166	21.8	1010
9/4/25 15:00	6.3	166	21.5	1009
9/4/25 16:00	5.9	159	21.0	1009
9/4/25 17:00	5.6	164	20.2	1009
9/4/25 18:00	4.5	169	18.8	1009
9/4/25 19:00	2.9	160	17.9	1009
9/4/25 20:00	2.4	139	17.8	1009
9/4/25 21:00	2.5	154	17.8	1009
9/4/25 22:00	2.5	178	17.9	1009
9/4/25 23:00	3.6	194	17.9	1009
9/5/25 0:00	3.6	194	17.8	1010
9/5/25 1:00	3.6	195	17.9	1010
9/5/25 2:00	3.1	195	17.9	1010
9/5/25 3:00	3.8	184	17.9	1010
9/5/25 4:00	3.4	186	17.9	1010
9/5/25 5:00	4.0	185	17.9	1010
9/5/25 6:00	3.5	190	17.9	1011
9/5/25 7:00	2.9	198	18.0	1011
9/5/25 8:00	3.3	189	18.6	1011
9/5/25 9:00	3.2	187	18.7	1012
9/5/25 10:00	3.9	190	19.6	1012
9/5/25 11:00	4.2	189	19.9	1012
9/5/25 12:00	4.6	194	20.0	1011
9/5/25 13:00	4.3	190	21.5	1011
9/5/25 14:00	5.0	182	21.3	1010
9/5/25 15:00	5.2	172	21.7	1010
9/5/25 16:00	4.2	176	21.9	1010
9/5/25 17:00	4.2	174	21.0	1009
9/5/25 18:00	3.7	176	20.6	1009
9/5/25 19:00	3.0	177	19.3	1009
9/5/25 20:00	3.8	193	20.1	1010
9/5/25 21:00	3.1	194	20.9	1010
9/5/25 22:00	3.5	193	20.8	1010
9/5/25 23:00	3.4	188	19.2	1010
9/6/25 0:00	3.6	194	18.9	1010
9/6/25 1:00	3.1	198	18.3	1010

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/2/25 9:00 to 9/16/25 10:00)**

9/6/25 2:00	3.0	194	18.0	1010
9/6/25 3:00	3.1	198	18.0	1010
9/6/25 4:00	1.6	223	17.6	1010
9/6/25 5:00	0.8	282	17.3	1011
9/6/25 6:00	2.1	199	18.2	1012
9/6/25 7:00	2.0	216	18.9	1012
9/6/25 8:00	3.0	199	19.4	1012
9/6/25 9:00	3.7	203	21.0	1012
9/6/25 10:00	3.6	179	21.9	1012
9/6/25 11:00	3.5	184	23.2	1011
9/6/25 12:00	4.3	165	24.0	1011
9/6/25 13:00	6.0	177	24.1	1010
9/6/25 14:00	5.6	189	23.6	1009
9/6/25 15:00	5.9	186	21.6	1008
9/6/25 16:00	4.9	186	21.3	1008
9/6/25 17:00	3.6	209	20.9	1010
9/6/25 18:00	2.3	218	20.9	1010
9/6/25 19:00	2.5	210	20.4	1011
9/6/25 20:00	3.4	254	17.9	1011
9/6/25 21:00	2.3	92	17.1	1011
9/6/25 22:00	2.1	167	17.0	1012
9/6/25 23:00	1.9	300	16.9	1013
9/7/25 0:00	2.4	344	16.9	1013
9/7/25 1:00	2.0	99	16.5	1013
9/7/25 2:00	2.5	45	16.0	1013
9/7/25 3:00	2.5	58	15.9	1013
9/7/25 4:00	2.0	68	15.9	1013
9/7/25 5:00	1.6	18	15.0	1014
9/7/25 6:00	1.6	39	14.9	1014
9/7/25 7:00	2.7	73	14.9	1014
9/7/25 8:00	2.7	83	14.5	1015
9/7/25 9:00	2.9	96	14.3	1015
9/7/25 10:00	2.5	85	14.2	1015
9/7/25 11:00	2.4	97	14.9	1015
9/7/25 12:00	2.1	111	15.1	1014
9/7/25 13:00	1.8	130	15.8	1014
9/7/25 14:00	0.8	287	16.0	1014
9/7/25 15:00	1.4	239	16.5	1014
9/7/25 16:00	1.7	196	16.3	1013
9/7/25 17:00	1.1	256	16.9	1013
9/7/25 18:00	2.5	185	16.0	1014
9/7/25 19:00	2.0	186	15.0	1014
9/7/25 20:00	1.9	222	14.2	1015
9/7/25 21:00	2.4	213	14.8	1015
9/7/25 22:00	2.2	249	15.3	1016
9/7/25 23:00	1.7	210	15.4	1016

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/2/25 9:00 to 9/16/25 10:00)**

9/8/25 0:00	0.8	195	14.0	1017
9/8/25 1:00	1.5	225	12.9	1017
9/8/25 2:00	1.1	290	12.4	1018
9/8/25 3:00	1.1	312	11.6	1018
9/8/25 4:00	1.5	290	10.7	1018
9/8/25 5:00	1.4	294	9.6	1019
9/8/25 6:00	1.7	273	9.4	1020
9/8/25 7:00	2.1	285	10.7	1020
9/8/25 8:00	2.6	303	13.7	1021
9/8/25 9:00	1.6	309	16.6	1021
9/8/25 10:00	2.9	334	17.9	1022
9/8/25 11:00	1.7	258	19.1	1022
9/8/25 12:00	1.8	236	20.3	1022
9/8/25 13:00	2.2	294	20.7	1022
9/8/25 14:00	3.5	158	19.3	1021
9/8/25 15:00	4.0	155	18.8	1021
9/8/25 16:00	4.2	173	18.0	1022
9/8/25 17:00	4.0	175	18.0	1022
9/8/25 18:00	3.3	187	17.6	1022
9/8/25 19:00	2.0	199	16.2	1022
9/8/25 20:00	ND	ND	13.9	1023
9/8/25 21:00	0.9	360	12.9	1023
9/8/25 22:00	0.6	300	11.9	1024
9/8/25 23:00	1.5	352	11.5	1024
9/9/25 0:00	0.4	307	10.8	1025
9/9/25 1:00	1.0	335	9.9	1025
9/9/25 2:00	1.2	309	9.0	1025
9/9/25 3:00	1.9	297	8.1	1025
9/9/25 4:00	1.4	318	8.1	1025
9/9/25 5:00	1.9	306	7.4	1025
9/9/25 6:00	0.6	328	7.8	1026
9/9/25 7:00	0.6	340	10.4	1027
9/9/25 8:00	1.1	353	13.5	1027
9/9/25 9:00	1.8	111	16.9	1027
9/9/25 10:00	2.6	87	18.1	1027
9/9/25 11:00	2.8	93	18.9	1027
9/9/25 12:00	3.5	97	20.2	1027
9/9/25 13:00	4.4	91	20.2	1026
9/9/25 14:00	4.2	88	20.1	1026
9/9/25 15:00	3.7	107	20.7	1025
9/9/25 16:00	3.4	138	19.8	1025
9/9/25 17:00	3.5	157	18.4	1025
9/9/25 18:00	2.7	171	17.0	1025
9/9/25 19:00	2.1	173	15.5	1025
9/9/25 20:00	ND	ND	13.7	1025
9/9/25 21:00	ND	ND	12.9	1025

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/2/25 9:00 to 9/16/25 10:00)**

9/9/25 22:00	0.4	334	11.8	1025
9/9/25 23:00	1.1	315	11.2	1025
9/10/25 0:00	1.5	290	9.9	1025
9/10/25 1:00	1.5	300	9.3	1025
9/10/25 2:00	1.8	299	8.5	1025
9/10/25 3:00	0.6	321	8.1	1025
9/10/25 4:00	1.7	296	8.0	1025
9/10/25 5:00	1.5	307	7.3	1024
9/10/25 6:00	1.3	343	8.6	1024
9/10/25 7:00	1.7	334	8.8	1025
9/10/25 8:00	0.2	360	10.8	1025
9/10/25 9:00	1.2	171	13.7	1024
9/10/25 10:00	2.4	63	16.8	1024
9/10/25 11:00	3.6	59	18.0	1023
9/10/25 12:00	3.2	96	18.9	1023
9/10/25 13:00	4.6	89	19.0	1022
9/10/25 14:00	4.8	101	19.0	1022
9/10/25 15:00	4.4	97	19.0	1020
9/10/25 16:00	4.1	87	18.4	1020
9/10/25 17:00	3.1	84	17.8	1019
9/10/25 18:00	2.6	88	16.5	1019
9/10/25 19:00	1.5	90	15.0	1019
9/10/25 20:00	0.9	355	13.8	1018
9/10/25 21:00	1.3	332	12.3	1018
9/10/25 22:00	1.7	293	11.4	1017
9/10/25 23:00	2.2	289	10.1	1017
9/11/25 0:00	0.4	342	9.6	1017
9/11/25 1:00	0.5	337	9.6	1016
9/11/25 2:00	2.3	282	8.5	1016
9/11/25 3:00	1.9	296	8.4	1015
9/11/25 4:00	1.3	293	8.9	1015
9/11/25 5:00	2.1	282	8.8	1015
9/11/25 6:00	2.0	275	9.0	1015
9/11/25 7:00	0.9	324	11.3	1015
9/11/25 8:00	2.8	328	15.6	1015
9/11/25 9:00	4.2	343	19.4	1016
9/11/25 10:00	4.5	349	22.1	1016
9/11/25 11:00	4.2	244	23.8	1015
9/11/25 12:00	4.7	347	24.9	1015
9/11/25 13:00	4.1	308	26.2	1015
9/11/25 14:00	5.0	240	26.1	1014
9/11/25 15:00	4.8	331	26.0	1014
9/11/25 16:00	4.2	333	24.8	1014
9/11/25 17:00	2.7	340	24.2	1015
9/11/25 18:00	2.4	348	23.0	1015
9/11/25 19:00	2.4	348	20.3	1015

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/2/25 9:00 to 9/16/25 10:00)**

9/11/25 20:00	3.2	338	19.0	1016
9/11/25 21:00	3.9	337	18.5	1017
9/11/25 22:00	3.9	342	18.1	1017
9/11/25 23:00	4.4	343	17.4	1018
9/12/25 0:00	3.2	333	15.7	1018
9/12/25 1:00	3.3	332	14.8	1018
9/12/25 2:00	2.3	337	13.3	1019
9/12/25 3:00	1.6	349	12.6	1019
9/12/25 4:00	0.3	300	11.9	1020
9/12/25 5:00	2.0	351	11.8	1020
9/12/25 6:00	1.9	345	11.3	1021
9/12/25 7:00	2.1	119	12.9	1022
9/12/25 8:00	3.1	38	15.4	1022
9/12/25 9:00	3.0	55	16.9	1022
9/12/25 10:00	2.9	96	17.9	1022
9/12/25 11:00	2.2	116	18.7	1022
9/12/25 12:00	2.5	138	19.2	1021
9/12/25 13:00	3.7	171	19.6	1021
9/12/25 14:00	4.6	159	19.4	1021
9/12/25 15:00	3.6	167	19.1	1020
9/12/25 16:00	3.9	187	18.6	1020
9/12/25 17:00	3.5	188	17.9	1020
9/12/25 18:00	3.4	193	16.6	1020
9/12/25 19:00	2.3	202	15.4	1020
9/12/25 20:00	1.8	216	14.1	1020
9/12/25 21:00	1.6	248	13.6	1020
9/12/25 22:00	1.5	254	12.8	1020
9/12/25 23:00	1.7	252	12.1	1020
9/13/25 0:00	1.3	265	11.9	1020
9/13/25 1:00	1.3	282	10.9	1020
9/13/25 2:00	1.5	145	10.1	1020
9/13/25 3:00	0.4	ND	10.2	1019
9/13/25 4:00	1.5	217	10.4	1019
9/13/25 5:00	1.8	232	11.9	1019
9/13/25 6:00	2.0	242	11.9	1019
9/13/25 7:00	2.3	237	13.5	1019
9/13/25 8:00	2.3	217	15.2	1019
9/13/25 9:00	2.1	215	17.8	1018
9/13/25 10:00	4.1	193	18.8	1018
9/13/25 11:00	5.1	183	20.2	1017
9/13/25 12:00	5.3	176	20.8	1017
9/13/25 13:00	5.0	175	19.3	1017
9/13/25 14:00	5.6	175	19.0	1016
9/13/25 15:00	4.5	181	18.5	1016
9/13/25 16:00	4.9	184	18.0	1015
9/13/25 17:00	4.0	184	17.9	1015

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/2/25 9:00 to 9/16/25 10:00)**


9/13/25 18:00	2.7	190	17.0	1015
9/13/25 19:00	1.8	184	16.5	1015
9/13/25 20:00	0.5	297	15.6	1015
9/13/25 21:00	ND	ND	14.0	1015
9/13/25 22:00	ND	ND	13.2	1015
9/13/25 23:00	1.5	343	11.9	1015
9/14/25 0:00	ND	ND	12.4	1014
9/14/25 1:00	ND	330	12.8	1014
9/14/25 2:00	1.5	295	12.7	1013
9/14/25 3:00	1.0	304	12.9	1013
9/14/25 4:00	ND	ND	13.0	1013
9/14/25 5:00	0.6	350	12.9	1013
9/14/25 6:00	1.7	340	13.0	1013
9/14/25 7:00	1.9	287	13.9	1014
9/14/25 8:00	1.4	337	16.0	1014
9/14/25 9:00	0.8	216	18.5	1014
9/14/25 10:00	2.0	108	20.0	1014
9/14/25 11:00	2.2	150	21.9	1014
9/14/25 12:00	3.0	101	23.0	1014
9/14/25 13:00	3.1	98	23.0	1014
9/14/25 14:00	3.2	100	23.9	1014
9/14/25 15:00	3.5	139	23.7	1014
9/14/25 16:00	3.2	175	22.5	1014
9/14/25 17:00	2.7	168	21.8	1015
9/14/25 18:00	2.2	172	19.9	1015
9/14/25 19:00	1.5	150	17.4	1016
9/14/25 20:00	ND	ND	16.5	1016
9/14/25 21:00	0.5	310	15.9	1017
9/14/25 22:00	0.7	320	15.2	1017
9/14/25 23:00	0.6	333	14.3	1018
9/15/25 0:00	0.9	321	13.9	1018
9/15/25 1:00	1.1	336	13.7	1019
9/15/25 2:00	2.6	257	13.2	1019
9/15/25 3:00	3.2	27	14.9	1019
9/15/25 4:00	3.1	56	14.8	1020
9/15/25 5:00	3.0	220	13.9	1021
9/15/25 6:00	1.9	312	13.8	1021
9/15/25 7:00	2.0	290	15.1	1022
9/15/25 8:00	2.9	33	17.4	1023
9/15/25 9:00	2.6	51	18.8	1023
9/15/25 10:00	3.3	62	20.8	1023
9/15/25 11:00	3.7	96	21.3	1023
9/15/25 12:00	3.3	101	22.0	1023
9/15/25 13:00	3.3	139	22.3	1023
9/15/25 14:00	4.0	167	22.1	1023
9/15/25 15:00	4.2	162	21.3	1022

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/2/25 9:00 to 9/16/25 10:00)**

9/15/25 16:00	3.6	169	20.9	1022
9/15/25 17:00	3.9	186	19.4	1022
9/15/25 18:00	2.8	182	17.9	1023
9/15/25 19:00	1.8	197	16.8	1023
9/15/25 20:00	0.9	245	15.9	1023
9/15/25 21:00	ND	ND	13.9	1023
9/15/25 22:00	0.2	ND	13.4	1023
9/15/25 23:00	ND	ND	12.7	1023
9/16/25 0:00	0.3	280	11.8	1023
9/16/25 1:00	1.5	283	11.6	1023
9/16/25 2:00	ND	ND	11.0	1023
9/16/25 3:00	ND	ND	10.8	1023
9/16/25 4:00	1.5	290	10.5	1022
9/16/25 5:00	0.4	323	9.9	1022
9/16/25 6:00	1.0	302	10.1	1023
9/16/25 7:00	1.2	320	12.0	1023
9/16/25 8:00	ND	ND	15.3	1024
9/16/25 9:00	1.0	218	18.6	1024
9/16/25 10:00	2.5	110	19.1	1024

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (9/2/25 9:00 to 9/16/25 10:00)

PWM Wind Rose 9/2/25 9:00 - 9/16/25 10:00



SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/16/25 9:00 to 9/30/25 11:00)**

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
9/16/25 9:00	ND	ND	15.3	1024
9/16/25 10:00	1.0	218	18.6	1024
9/16/25 11:00	2.5	110	19.1	1024
9/16/25 12:00	2.3	95	20.8	1023
9/16/25 13:00	2.8	96	22.2	1023
9/16/25 14:00	3.5	94	23.0	1023
9/16/25 15:00	3.8	158	22.9	1023
9/16/25 16:00	4.0	170	21.9	1022
9/16/25 17:00	3.6	196	21.0	1022
9/16/25 18:00	2.7	194	19.3	1022
9/16/25 19:00	1.8	189	18.7	1022
9/16/25 20:00	0.7	ND	17.0	1022
9/16/25 21:00	ND	ND	15.7	1022
9/16/25 22:00	ND	ND	14.5	1022
9/16/25 23:00	1.5	275	14.0	1022
9/17/25 0:00	1.2	294	13.6	1022
9/17/25 1:00	1.0	285	13.3	1021
9/17/25 2:00	1.5	285	12.7	1021
9/17/25 3:00	1.5	290	12.1	1021
9/17/25 4:00	0.8	288	11.1	1021
9/17/25 5:00	0.6	220	10.9	1021
9/17/25 6:00	1.3	297	9.5	1021
9/17/25 7:00	1.3	295	9.6	1021
9/17/25 8:00	1.2	304	10.6	1021
9/17/25 9:00	0.5	330	13.6	1020
9/17/25 10:00	0.5	170	16.2	1020
9/17/25 11:00	1.5	58	17.9	1020
9/17/25 12:00	1.7	157	19.2	1020
9/17/25 13:00	2.1	142	21.1	1020
9/17/25 14:00	2.7	173	21.8	1019
9/17/25 15:00	3.6	162	21.3	1019
9/17/25 16:00	3.1	171	20.9	1018
9/17/25 17:00	2.7	168	20.0	1017
9/17/25 18:00	2.8	176	18.6	1017
9/17/25 19:00	1.9	176	17.6	1017
9/17/25 20:00	1.5	160	15.9	1017
9/17/25 21:00	1.6	158	14.3	1016
9/17/25 22:00	1.0	167	14.7	1016
9/17/25 23:00	1.2	293	13.9	1016
9/18/25 0:00	1.6	314	13.9	1015
9/18/25 1:00	1.7	309	13.9	1015
9/18/25 2:00	ND	ND	13.8	1015
9/18/25 3:00	1.6	290	13.9	1014

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/16/25 9:00 to 9/30/25 11:00)**

9/18/25 4:00	1.5	309	13.9	1014
9/18/25 5:00	2.3	260	13.9	1013
9/18/25 6:00	1.1	360	13.9	1013
9/18/25 7:00	ND	ND	13.9	1013
9/18/25 8:00	0.9	316	14.7	1012
9/18/25 9:00	1.5	300	16.9	1012
9/18/25 10:00	1.0	95	19.2	1012
9/18/25 11:00	1.8	151	21.4	1012
9/18/25 12:00	3.3	91	21.5	1012
9/18/25 13:00	3.1	146	22.2	1011
9/18/25 14:00	3.3	172	22.8	1010
9/18/25 15:00	4.2	156	22.8	1009
9/18/25 16:00	4.5	182	22.1	1009
9/18/25 17:00	4.4	186	21.5	1008
9/18/25 18:00	3.7	189	20.7	1008
9/18/25 19:00	3.3	191	18.8	1008
9/18/25 20:00	2.1	191	17.9	1008
9/18/25 21:00	2.5	211	17.8	1008
9/18/25 22:00	2.6	209	16.9	1008
9/18/25 23:00	2.3	221	16.9	1008
9/19/25 0:00	0.9	292	16.7	1008
9/19/25 1:00	0.3	343	15.7	1007
9/19/25 2:00	1.6	301	15.0	1007
9/19/25 3:00	1.2	311	14.5	1007
9/19/25 4:00	1.5	312	14.8	1007
9/19/25 5:00	2.4	284	14.4	1007
9/19/25 6:00	1.5	291	14.0	1008
9/19/25 7:00	0.3	346	13.4	1008
9/19/25 8:00	0.5	344	15.6	1009
9/19/25 9:00	2.6	309	18.6	1009
9/19/25 10:00	3.8	328	21.7	1010
9/19/25 11:00	5.3	341	23.1	1010
9/19/25 12:00	4.9	322	23.4	1010
9/19/25 13:00	5.2	325	23.9	1010
9/19/25 14:00	5.5	298	24.3	1010
9/19/25 15:00	5.3	335	24.5	1010
9/19/25 16:00	5.2	333	24.3	1010
9/19/25 17:00	6.0	349	23.4	1011
9/19/25 18:00	6.5	349	22.3	1012
9/19/25 19:00	3.8	348	20.0	1013
9/19/25 20:00	4.0	350	17.7	1014
9/19/25 21:00	5.0	352	16.5	1015
9/19/25 22:00	5.7	352	15.7	1016
9/19/25 23:00	4.0	331	14.2	1017
9/20/25 0:00	3.6	349	13.3	1018
9/20/25 1:00	2.1	288	11.9	1018

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/16/25 9:00 to 9/30/25 11:00)**

9/20/25 2:00	1.8	358	11.3	1019
9/20/25 3:00	1.7	349	10.8	1019
9/20/25 4:00	2.6	344	9.0	1020
9/20/25 5:00	2.8	342	7.9	1020
9/20/25 6:00	1.8	125	7.3	1021
9/20/25 7:00	1.3	265	7.4	1022
9/20/25 8:00	1.3	350	8.4	1023
9/20/25 9:00	2.6	118	12.1	1023
9/20/25 10:00	2.5	50	13.2	1023
9/20/25 11:00	1.3	169	14.2	1023
9/20/25 12:00	2.0	244	16.3	1023
9/20/25 13:00	2.5	280	17.6	1023
9/20/25 14:00	3.7	204	17.5	1023
9/20/25 15:00	4.0	169	17.0	1022
9/20/25 16:00	4.7	165	17.0	1022
9/20/25 17:00	3.8	183	16.8	1022
9/20/25 18:00	3.0	177	16.2	1023
9/20/25 19:00	2.4	185	14.5	1023
9/20/25 20:00	2.1	202	12.9	1023
9/20/25 21:00	1.6	226	12.6	1024
9/20/25 22:00	2.1	252	11.4	1024
9/20/25 23:00	1.2	316	9.6	1025
9/21/25 0:00	0.9	332	8.3	1025
9/21/25 1:00	0.3	345	7.6	1025
9/21/25 2:00	1.2	322	7.0	1025
9/21/25 3:00	1.3	314	6.4	1025
9/21/25 4:00	1.7	298	5.6	1025
9/21/25 5:00	1.9	326	4.5	1025
9/21/25 6:00	0.6	344	6.2	1026
9/21/25 7:00	2.5	297	3.9	1026
9/21/25 8:00	2.2	334	6.8	1026
9/21/25 9:00	1.5	243	10.8	1027
9/21/25 10:00	1.2	144	13.1	1027
9/21/25 11:00	1.8	82	15.5	1027
9/21/25 12:00	2.6	78	17.7	1026
9/21/25 13:00	1.9	196	18.8	1026
9/21/25 14:00	3.0	185	19.1	1025
9/21/25 15:00	4.8	158	19.9	1024
9/21/25 16:00	5.4	158	18.7	1024
9/21/25 17:00	5.4	159	17.9	1023
9/21/25 18:00	5.2	174	17.0	1023
9/21/25 19:00	2.5	178	15.4	1023
9/21/25 20:00	1.6	182	13.8	1023
9/21/25 21:00	1.7	190	13.0	1022
9/21/25 22:00	1.6	206	12.6	1022
9/21/25 23:00	1.5	235	12.1	1021

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/16/25 9:00 to 9/30/25 11:00)**

9/22/25 0:00	1.5	270	11.2	1021
9/22/25 1:00	1.9	279	10.0	1021
9/22/25 2:00	0.8	325	9.2	1021
9/22/25 3:00	ND	ND	8.1	1021
9/22/25 4:00	ND	ND	7.4	1020
9/22/25 5:00	1.2	282	7.1	1020
9/22/25 6:00	1.7	278	7.1	1020
9/22/25 7:00	0.4	140	6.4	1020
9/22/25 8:00	1.5	223	8.5	1020
9/22/25 9:00	1.5	238	12.3	1020
9/22/25 10:00	3.1	224	15.7	1019
9/22/25 11:00	4.0	225	17.1	1019
9/22/25 12:00	4.8	176	18.3	1018
9/22/25 13:00	6.1	172	19.0	1018
9/22/25 14:00	5.9	184	19.0	1017
9/22/25 15:00	6.0	175	18.6	1016
9/22/25 16:00	6.3	170	18.2	1015
9/22/25 17:00	5.8	176	17.9	1015
9/22/25 18:00	4.4	179	17.8	1014
9/22/25 19:00	3.3	185	16.9	1014
9/22/25 20:00	2.5	184	15.9	1014
9/22/25 21:00	2.1	201	15.9	1014
9/22/25 22:00	1.7	208	15.9	1013
9/22/25 23:00	1.5	220	15.7	1013
9/23/25 0:00	1.7	233	15.2	1012
9/23/25 1:00	2.9	210	15.8	1012
9/23/25 2:00	2.6	215	14.9	1012
9/23/25 3:00	3.1	220	14.9	1012
9/23/25 4:00	1.7	251	14.4	1012
9/23/25 5:00	1.4	233	13.9	1011
9/23/25 6:00	1.3	265	13.6	1011
9/23/25 7:00	ND	ND	12.6	1011
9/23/25 8:00	1.5	210	14.2	1012
9/23/25 9:00	1.7	222	16.4	1012
9/23/25 10:00	1.3	258	18.6	1012
9/23/25 11:00	0.4	303	21.4	1012
9/23/25 12:00	2.1	111	23.1	1012
9/23/25 13:00	2.6	147	23.4	1011
9/23/25 14:00	3.2	95	21.7	1011
9/23/25 15:00	1.4	199	20.7	1011
9/23/25 16:00	0.6	356	19.5	1011
9/23/25 17:00	1.0	195	19.4	1011
9/23/25 18:00	ND	ND	18.9	1012
9/23/25 19:00	0.8	205	18.9	1012
9/23/25 20:00	1.9	212	18.6	1013
9/23/25 21:00	1.6	218	18.0	1013

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (9/16/25 9:00 to 9/30/25 11:00)

9/23/25 22:00	1.3	310	17.9	1013
9/23/25 23:00	1.8	321	17.9	1014
9/24/25 0:00	0.8	287	17.9	1014
9/24/25 1:00	0.8	333	17.9	1014
9/24/25 2:00	0.5	346	17.4	1014
9/24/25 3:00	ND	ND	17.1	1014
9/24/25 4:00	ND	ND	16.9	1015
9/24/25 5:00	0.6	340	16.3	1015
9/24/25 6:00	1.9	347	16.2	1015
9/24/25 7:00	1.9	130	15.9	1016
9/24/25 8:00	2.1	49	16.1	1017
9/24/25 9:00	3.3	26	17.5	1017
9/24/25 10:00	3.7	33	17.3	1018
9/24/25 11:00	3.4	37	17.0	1018
9/24/25 12:00	2.9	58	17.0	1019
9/24/25 13:00	4.6	74	16.6	1019
9/24/25 14:00	6.3	95	16.0	1019
9/24/25 15:00	6.2	88	16.0	1019
9/24/25 16:00	7.9	90	15.5	1019
9/24/25 17:00	6.3	87	15.0	1019
9/24/25 18:00	5.7	84	14.3	1020
9/24/25 19:00	5.0	79	14.0	1020
9/24/25 20:00	4.2	80	14.0	1020
9/24/25 21:00	3.6	76	14.0	1020
9/24/25 22:00	3.2	72	14.0	1020
9/24/25 23:00	3.6	80	14.0	1020
9/25/25 0:00	3.2	80	14.0	1020
9/25/25 1:00	3.1	73	14.7	1019
9/25/25 2:00	3.4	72	14.9	1019
9/25/25 3:00	3.6	85	14.9	1018
9/25/25 4:00	4.0	89	15.5	1018
9/25/25 5:00	3.3	95	15.8	1017
9/25/25 6:00	3.8	105	15.9	1017
9/25/25 7:00	4.6	116	15.9	1016
9/25/25 8:00	3.9	111	15.9	1016
9/25/25 9:00	4.7	118	16.0	1016
9/25/25 10:00	4.7	120	16.0	1015
9/25/25 11:00	4.9	125	16.6	1014
9/25/25 12:00	5.2	122	16.8	1013
9/25/25 13:00	4.4	131	17.0	1012
9/25/25 14:00	5.0	139	17.0	1011
9/25/25 15:00	5.7	148	17.9	1010
9/25/25 16:00	5.6	158	18.0	1008
9/25/25 17:00	5.4	169	18.0	1007
9/25/25 18:00	3.8	182	18.0	1006
9/25/25 19:00	3.6	179	18.0	1005

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/16/25 9:00 to 9/30/25 11:00)**

9/25/25 20:00	5.3	172	19.0	1003
9/25/25 21:00	6.5	189	19.0	1003
9/25/25 22:00	4.9	188	19.0	1002
9/25/25 23:00	4.9	187	19.0	1001
9/26/25 0:00	5.1	189	19.0	1000
9/26/25 1:00	4.3	198	19.0	1000
9/26/25 2:00	2.4	229	19.6	999
9/26/25 3:00	2.2	296	19.6	1000
9/26/25 4:00	2.6	277	18.9	1000
9/26/25 5:00	1.8	253	18.1	1000
9/26/25 6:00	1.7	275	17.5	1001
9/26/25 7:00	2.4	269	17.8	1001
9/26/25 8:00	0.7	315	17.2	1003
9/26/25 9:00	1.9	266	18.6	1003
9/26/25 10:00	2.7	268	20.5	1004
9/26/25 11:00	3.9	300	22.4	1004
9/26/25 12:00	4.2	306	23.6	1005
9/26/25 13:00	3.1	318	24.6	1005
9/26/25 14:00	2.5	297	25.3	1004
9/26/25 15:00	3.0	318	26.1	1004
9/26/25 16:00	2.2	304	26.3	1004
9/26/25 17:00	2.7	277	26.1	1004
9/26/25 18:00	2.8	203	24.4	1004
9/26/25 19:00	2.3	189	21.7	1005
9/26/25 20:00	1.0	270	19.7	1005
9/26/25 21:00	0.8	298	18.3	1006
9/26/25 22:00	2.2	297	17.6	1006
9/26/25 23:00	2.5	292	17.5	1007
9/27/25 0:00	1.8	320	16.8	1007
9/27/25 1:00	1.1	323	16.2	1008
9/27/25 2:00	1.0	313	15.8	1008
9/27/25 3:00	1.8	285	15.2	1008
9/27/25 4:00	1.5	267	14.3	1009
9/27/25 5:00	1.7	305	13.7	1009
9/27/25 6:00	1.2	312	13.3	1010
9/27/25 7:00	1.6	177	13.0	1011
9/27/25 8:00	0.3	360	15.1	1012
9/27/25 9:00	1.3	157	17.5	1012
9/27/25 10:00	1.8	98	18.6	1013
9/27/25 11:00	1.6	154	19.2	1013
9/27/25 12:00	2.5	180	20.8	1013
9/27/25 13:00	3.8	191	21.0	1013
9/27/25 14:00	4.2	184	21.0	1012
9/27/25 15:00	4.9	177	20.3	1012
9/27/25 16:00	4.8	185	19.0	1012
9/27/25 17:00	3.4	182	18.0	1012

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/16/25 9:00 to 9/30/25 11:00)**


9/27/25 18:00	3.4	186	17.9	1012
9/27/25 19:00	3.3	192	17.0	1012
9/27/25 20:00	1.6	239	16.9	1012
9/27/25 21:00	0.4	311	16.5	1013
9/27/25 22:00	0.6	300	15.9	1013
9/27/25 23:00	1.5	196	16.5	1013
9/28/25 0:00	1.5	212	16.9	1013
9/28/25 1:00	1.7	202	16.9	1013
9/28/25 2:00	1.2	197	16.9	1012
9/28/25 3:00	1.0	252	16.9	1012
9/28/25 4:00	1.0	260	16.6	1012
9/28/25 5:00	1.8	226	16.6	1012
9/28/25 6:00	1.6	232	16.9	1012
9/28/25 7:00	1.5	250	16.4	1012
9/28/25 8:00	2.8	199	16.9	1012
9/28/25 9:00	2.5	219	17.4	1012
9/28/25 10:00	2.9	248	19.4	1013
9/28/25 11:00	3.6	222	22.3	1012
9/28/25 12:00	3.9	227	24.7	1012
9/28/25 13:00	4.0	228	26.7	1011
9/28/25 14:00	4.2	243	27.9	1011
9/28/25 15:00	5.3	250	28.6	1010
9/28/25 16:00	5.3	255	28.9	1010
9/28/25 17:00	4.4	244	28.7	1010
9/28/25 18:00	2.4	195	25.4	1011
9/28/25 19:00	1.8	183	22.2	1012
9/28/25 20:00	2.8	331	23.0	1013
9/28/25 21:00	2.5	329	21.8	1014
9/28/25 22:00	2.7	331	20.6	1015
9/28/25 23:00	2.1	327	18.5	1016
9/29/25 0:00	2.3	332	17.9	1016
9/29/25 1:00	3.3	345	19.0	1017
9/29/25 2:00	3.5	332	17.6	1018
9/29/25 3:00	2.5	325	16.7	1018
9/29/25 4:00	2.1	275	14.1	1018
9/29/25 5:00	1.6	301	12.2	1019
9/29/25 6:00	2.1	283	12.0	1019
9/29/25 7:00	0.6	300	11.2	1020
9/29/25 8:00	1.2	304	12.5	1020
9/29/25 9:00	2.0	230	15.9	1021
9/29/25 10:00	2.1	263	19.7	1020
9/29/25 11:00	2.9	239	22.7	1020
9/29/25 12:00	3.7	230	24.3	1020
9/29/25 13:00	4.4	233	25.3	1019
9/29/25 14:00	4.6	225	25.9	1019
9/29/25 15:00	4.1	213	25.7	1018

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/16/25 9:00 to 9/30/25 11:00)**

9/29/25 16:00	3.3	187	23.8	1017
9/29/25 17:00	3.5	188	23.0	1017
9/29/25 18:00	2.9	199	22.6	1016
9/29/25 19:00	2.7	206	21.0	1016
9/29/25 20:00	2.2	189	18.6	1017
9/29/25 21:00	1.1	285	17.9	1017
9/29/25 22:00	0.6	319	17.3	1016
9/29/25 23:00	ND	ND	15.6	1016
9/30/25 0:00	0.7	337	15.3	1016
9/30/25 1:00	1.6	279	15.5	1016
9/30/25 2:00	3.2	280	14.7	1016
9/30/25 3:00	2.1	304	14.2	1016
9/30/25 4:00	0.3	270	13.3	1015
9/30/25 5:00	1.9	270	12.9	1015
9/30/25 6:00	1.9	281	13.7	1015
9/30/25 7:00	0.6	335	13.3	1016
9/30/25 8:00	2.2	230	13.5	1017
9/30/25 9:00	4.1	51	16.6	1018
9/30/25 10:00	2.8	48	18.3	1018
9/30/25 11:00	4.7	59	19.4	1018

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (9/16/25 9:00 to 9/30/25 11:00)

PWM Wind Rose 9/16/25 9:00 - 9/30/25 11:00



SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Terminal Fenceline Perimeter Length = 2,392 m

Monitor Location Method: EPA Method 325A Option 2

Terminal Fenceline Area = 46.6 Acres

Spacing Between Monitors: 199.3 m ($\pm$ 26.3 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 1	BTEX	43.637950°	-70.285460°	to Site 16: 218.8 to Site 2: 202.7	Site 1 is on the southern terminal fenceline, near the main entrance to the terminal and approximately 43 m NW of Main St. The northern boundary of the South Portland LLC Terminal lies approximately 60 m to the South of Site 1.
Site 2	BTEX	43.639290°	-70.284476°	to Site 1: 181.3 to Site 3: 202.7	Site 2 is located on the fenceline at the southeastern corner of the terminal, approximately 37 m from the shoreline of the Fore River.
Site 3	BTEX	43.640276°	-70.284490°	to Site 2: 180.8 to Site 4: 199.0	Site 3 is adjacent to a dock area. To allow safe access, it is located 3.7 m from the shoreline of the Fore River.
Site 4	BTEX	43.640989°	-70.285184°	to Site 3: 109.6 to Site 5: 89.4	Site 4 is an additional site and is located halfway between 3 & 5 due to a licensed emission unit (Truck Offloading Area) that is located between Sites 3 and 5 and is <50 m from the terminal fenceline. Site 4 is located within 2.6 m of the Fore River shore and is adjacent to one of the three terminal docks. Site 4 is approximately 35 m southeast of a second terminal dock. (Site 3 is adjacent to the third terminal dock.)
Site 5	BTEX	43.641558°	-70.285786°	to Site 4: 199.0 to Site 6: 199.6	Site 5 is situated 10 m inland from the Fore River shoreline for safe access. Site 3 is 80.6 m North of the dock area, 50 m south of railroad tracks. The Veterans Memorial Bridge is located 86 m to the NW and North of Site 5.
Site 6	BTEX	43.641583°	-70.287779°	to Site 5: 199.6 to Site 7: 180.0	Site 6 is located at the northern fenceline of the terminal. Site 6 is situated 4 m south of railroad tracks and 21 m south of the west approach ramp of the Veterans Memorial Bridge.
Site 7	BTEX	43.640745°	-70.289139°	to Site 6: 180.0 to Site 8: 219.3	Site 7 is on the Northern fenceline. Two licensed emission units (Tanks 5 and 7) are located 35 m and 25 m to the SE and SW of Site 7, respectively. Railroad tracks are located 10 m to the North of Site 7. The western approach ramp of the Veterans Memorial Bridge is located 50 m to the North of Site 7.

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Terminal Fenceline Perimeter Length = 2,392 m

Monitor Location Method: EPA Method 325A Option 2

Terminal Fenceline Area = 46.6 Acres

Spacing Between Monitors: 199.3 m ($\pm$ 26.3 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 8	BTEX	43.639781°	-70.290884°	to Site 7: 219.3 to Site 9: 207.8	Site 8 is on the western fenceline. The terminal area immediately to the NE of Site 8 has trees and dense vegetation. Railroad tracks are located 50 m to the North and NW of Site 8. The western approach ramp of the Veterans Memorial Bridge is located 75 m to the North and NW of Site 8. Two businesses with fleets of heavy construction vehicles (cranes, concrete trucks) are located immediately to the SW of Site 8.
Site 9	BTEX	43.638338°	-70.290283°	to Site 8: 207.8 to Site 10: 199.8	Site 9 is on the fenceline. Emissions Unit Tank 13 is located 24 m south of Site 9. A Truck Offloading Emissions Unit is located 65m west of Site 9.
Site 10	BTEX	43.637879°	-70.291297°	to Site 9: 99.8 to Site 11: 99.8	Site 10 is an additional site and is located halfway between 9 & 11 due to licensed emission unit Tank 14 located <50 m from fenceline. Site 10 is situated on the fenceline.
Site 11	BTEX	43.637296°	-70.291508°	to Site 10: 199.8 to Site 12: 185.8	Site 11 is on the terminal southwestern fenceline. Licensed Emissions Unit Tank 14 is located 30m NE of Site 8. US Highway Rt. 1 is located 16m SW of Site 11.
Site 12	BTEX	43.636804°	-70.290017°	to Site 11: 185.8 to Site 13: 199.1	Site 12 is on the terminal southwestern fenceline. Licensed Emissions Unit Tank 105 is located 33 m North of Site 12. Two businesses with fleets of construction vehicles and tractor-trailer trucks are located immediately to the South of Site 12. US Highway Rt. 1 is located 70 m SW of Site 12.
Site13	BTEX	43.637474°	-70.289678°	to Site 12: 93.0 to Site 14: 106.1	Site 13 is an additional site and is located halfway between 12 & 14 due to licensed emission unit Tank 105 located <50 m from fenceline. Site 13 is situated on the fenceline.
Site14	BTEX	43.637696°	-70.289076°	to Site 13: 199.1 to Site 15: 199.5	Site 14 is on the southern terminal fenceline adjacent to Lincoln St. Licensed Emissions Unit Tank 112 is located 33 m North of Site 14.

SPRAGUE SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Terminal Fenceline Perimeter Length = 2,392 m

Monitor Location Method: EPA Method 325A Option 2

Terminal Fenceline Area = 46.6 Acres

Spacing Between Monitors: 199.3 m ($\pm$ 26.3 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site15	BTEX	43.637229°	-70.288012°	to Site 14: 107.4 to Site 16: 91.7	Site 15 is an additional site and is located halfway between 14 & 16 due to licensed emission unit (Truck Offloading Area) located between Sites 14 and 16 and <50 m from fenceline. Site 15 is situated on the fenceline.
Site16	BTEX	43.637133°	-70.286826°	to Site 105: 199.5 to Site 1: 218.8	Site 16 is on the southern terminal fenceline adjacent to the intersection of Lincoln and Jackson. Streets. Licensed Emissions Unit Tank 101 is located 7 m to the north of Site 16.

Aerial View of the Sprague South Portland Terminal Fenceline Sampling Locations



APPENDIX A – LAB RESULTS

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 25 Sprague - South Portland

Client Project# PROJ-027968

Samples Received: 7/14/2025

Analytical Report 2025GA301

EPA Method 325B Analysis

Report Issue Date: 7/23/2025

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



QA Review by Isabel Obando Marrero, Data Reviewer



Matt Cavanaugh
mcavanaugh@montrose-env.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	11
Chromatograms	14
Initial Calibration	78
Sample Custody	81
Chain of Custody	82

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GA301-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Enthalpy Analytical on July 14, 2025 at 23.7 °C, which is above the method recommended 23.0 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20250624	C57480	Sample
SPRSPO-1-D-20250624	B49544	Duplicate
SPRSPO-1-B-20250624	C55754	Blank
SPRSPO-2-S-20250624	C43713	Sample
SPRSPO-3-S-20250624	B19091	Sample
SPRSPO-4-S-20250624	C55448	Sample
SPRSPO-5-S-20250624	C57734	Sample
SPRSPO-6-S-20250624	C01512	Sample
SPRSPO-7-S-20250624	B40269	Sample
SPRSPO-8-S-20250624	C16139	Sample
SPRSPO-9-S-20250624	B45069	Sample
SPRSPO-10-S-20250624	C60235	Sample
SPRSPO-11-S-20250624	C01555	Sample
SPRSPO-12-S-20250624	B43681	Sample
SPRSPO-13-S-20250624	C00589	Sample
SPRSPO-13-D-20250624	B37461	Duplicate
SPRSPO-13-B-20250624	C16131	Blank
SPRSPO-14-S-20250624	C59917	Sample
SPRSPO-15-S-20250624	B20687	Sample
SPRSPO-16-S-20250624	B20970	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GA301-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (E050525A_CC252679) met all 30% RSD criteria. The initial calibration verification met 30% difference criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

5. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

6. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA301-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20250624	C57480	2.15		8.64		1.59		5.82		2.24	
SPRSPO-1-D-20250624	B49544	2.22		8.29		1.52		4.69		1.78	
SPRSPO-1-B-20250624	C55754	0.186	ND	0.240	ND	0.271	ND	0.271	ND	0.271	ND
SPRSPO-2-S-20250624	C43713	1.49		5.31		1.08		3.38		1.20	
SPRSPO-3-S-20250624	B19091	2.71		3.90		0.686		2.03		0.769	
SPRSPO-4-S-20250624	C55448	1.07		3.67		0.675		2.12		0.828	
SPRSPO-5-S-20250624	C57734	0.846		3.08		0.552	J	1.92		0.756	
SPRSPO-6-S-20250624	C01512	2.55		3.22		0.531	J	1.39		0.567	
SPRSPO-7-S-20250624	B40269	1.27		4.54		0.653		1.65		0.682	
SPRSPO-8-S-20250624	C16139	0.809		2.30		0.498	J	1.25		0.538	J
SPRSPO-9-S-20250624	B45069	2.04		3.06		0.612		1.63		0.664	
SPRSPO-10-S-20250624	C60235	0.817		2.90		0.590		1.94		0.785	
SPRSPO-11-S-20250624	C01555	1.20		2.86		0.689		1.48		0.627	
SPRSPO-12-S-20250624	B43681	1.44		4.30		0.954		2.45		0.981	
SPRSPO-13-S-20250624	C00589	1.49		4.63		1.09		2.93		1.18	
SPRSPO-13-D-20250624	B37461	1.23		4.29		0.939		2.82		1.09	
SPRSPO-13-B-20250624	C16131	0.186	ND	0.240	ND	0.271	ND	0.271	ND	0.271	ND
SPRSPO-14-S-20250624	C59917	1.36		5.11		1.16		3.85		1.57	
SPRSPO-15-S-20250624	B20687	1.91		6.57		1.40		3.57		1.37	
SPRSPO-16-S-20250624	B20970	2.13		7.15		1.50		3.76		1.44	

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA301-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250624	C57480	2.15	0.675	28.9	71.7	0.667	20155	0.186	0.367	0.0583	0.115		E2501728.d	2025-07-16 15:04	0.835	8.110	273307	612738	54.2	8.052	-0.4%
SPRSPO-1-D-20250624	B49544	2.22	0.696	29.9	71.7	0.667	20155	0.186	0.367	0.0583	0.115		E2501729.d	2025-07-16 15:30	0.835	8.110	268574	583706	54.2	8.052	-5.1%
SPRSPO-1-B-20250624	C55754	0.186	0.0583		71.7	0.667	20155	0.186	0.367	0.0583	0.115	ND	E2501727.d	2025-07-16 14:39	0.835	8.110	7962	613305	54.2	8.052	-0.3%
SPRSPO-2-S-20250624	C43713	1.49	0.467	20.0	71.6	0.667	20155	0.186	0.367	0.0583	0.115		E2501730.d	2025-07-16 15:55	0.835	8.110	177865	575878	54.2	8.045	-6.4%
SPRSPO-3-S-20250624	B19091	2.71	0.849	36.4	71.6	0.667	20155	0.186	0.367	0.0583	0.115		E2501731.d	2025-07-16 16:21	0.835	8.110	320686	571235	54.2	8.052	-7.1%
SPRSPO-4-S-20250624	C55448	1.07	0.336	14.4	71.6	0.667	20155	0.186	0.367	0.0583	0.115		E2501732.d	2025-07-16 16:46	0.835	8.110	125473	564162	54.2	8.052	-8.3%
SPRSPO-5-S-20250624	C57734	0.846	0.265	11.4	71.6	0.667	20155	0.186	0.367	0.0583	0.115		E2501733.d	2025-07-16 17:12	0.835	8.110	98926	564798	54.2	8.045	-8.2%
SPRSPO-6-S-20250624	C01512	2.55	0.798	34.2	71.6	0.667	20155	0.186	0.367	0.0583	0.115		E2501734.d	2025-07-16 17:38	0.835	8.110	297908	564783	54.2	8.052	-8.2%
SPRSPO-7-S-20250624	B40269	1.27	0.398	17.1	71.6	0.667	20155	0.186	0.367	0.0583	0.115		E2501735.d	2025-07-16 18:04	0.835	8.110	147745	561178	54.2	8.052	-8.8%
SPRSPO-8-S-20250624	C16139	0.809	0.253	10.9	71.6	0.667	20160	0.186	0.367	0.0583	0.115		E2501736.d	2025-07-16 18:30	0.835	8.110	93748	559842	54.2	8.052	-9.0%
SPRSPO-9-S-20250624	B45069	2.04	0.639	27.4	71.6	0.667	20160	0.186	0.367	0.0583	0.115		E2501737.d	2025-07-16 18:55	0.835	8.110	239305	566009	54.2	8.052	-8.0%
SPRSPO-10-S-20250624	C60235	0.817	0.256	11.0	71.6	0.667	20160	0.186	0.367	0.0583	0.115		E2501739.d	2025-07-16 19:47	0.835	8.110	98329	580994	54.2	8.052	-5.5%
SPRSPO-11-S-20250624	C01555	1.20	0.376	16.1	71.6	0.667	20160	0.186	0.367	0.0583	0.115		E2501740.d	2025-07-16 20:12	0.835	8.109	142074	571489	54.2	8.052	-7.1%
SPRSPO-12-S-20250624	B43681	1.44	0.451	19.3	71.6	0.667	20160	0.186	0.367	0.0583	0.115		E2501741.d	2025-07-16 20:38	0.835	8.110	173901	583732	54.2	8.052	-5.1%
SPRSPO-13-S-20250624	C00589	1.49	0.466	20.0	71.6	0.667	20160	0.186	0.367	0.0583	0.115		E2501742.d	2025-07-16 21:03	0.835	8.110	180837	586364	54.2	8.052	-4.7%
SPRSPO-13-D-20250624	B37461	1.23	0.386	16.6	71.6	0.667	20160	0.186	0.367	0.0583	0.115		E2501743.d	2025-07-16 21:29	0.835	8.110	150672	590320	54.2	8.052	-4.0%
SPRSPO-13-B-20250624	C16131	0.186	0.0583		71.6	0.667	20160	0.186	0.367	0.0583	0.115	ND	E2501744.d	2025-07-16 21:54	0.835	8.109	6956	591597	54.2	8.052	-3.8%
SPRSPO-14-S-20250624	C59917	1.36	0.426	18.3	71.6	0.667	20150	0.186	0.368	0.0583	0.115		E2501745.d	2025-07-16 22:21	0.835	8.109	166011	589291	54.2	8.052	-4.2%
SPRSPO-15-S-20250624	B20687	1.91	0.597	25.6	71.6	0.667	20150	0.186	0.368	0.0583	0.115		E2501746.d	2025-07-16 22:46	0.835	8.110	234120	593151	54.2	8.052	-3.6%
SPRSPO-16-S-20250624	B20970	2.13	0.667	28.6	71.6	0.667	20150	0.186	0.368	0.0583	0.115		E2501747.d	2025-07-16 23:12	0.835	8.110	261489	592864	54.2	8.052	-3.6%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250624	C57480	8.64	2.30	90.1	71.7	0.517	20155	0.240	0.512	0.0637	0.136		E2501728.d	2025-07-16 15:04	0.939	10.846	921735	687629	63.2	10.746	2.8%
SPRSPO-1-D-20250624	B49544	8.29	2.20	86.4	71.7	0.517	20155	0.240	0.512	0.0637	0.136		E2501729.d	2025-07-16 15:30	0.939	10.846	849777	661351	63.2	10.753	-1.1%
SPRSPO-1-B-20250624	C55754	0.240	0.0637		71.7	0.517	20155	0.240	0.512	0.0637	0.136	ND	E2501727.d	2025-07-16 14:39	0.939	10.846	10415	700706	63.2	10.753	4.8%
SPRSPO-2-S-20250624	C43713	5.31	1.41	55.3	71.6	0.517	20155	0.240	0.512	0.0637	0.136		E2501730.d	2025-07-16 15:55	0.939	10.846	529896	643985	63.2	10.753	-3.7%
SPRSPO-3-S-20250624	B19091	3.90	1.04	40.7	71.6	0.517	20155	0.240	0.512	0.0637	0.136		E2501731.d	2025-07-16 16:21	0.939	10.846	382621	632299	63.2	10.753	-5.4%
SPRSPO-4-S-20250624	C55448	3.67	0.973	38.2	71.6	0.517	20155	0.240	0.512	0.0637	0.136		E2501732.d	2025-07-16 16:46	0.939	10.846	349764	615392	63.2	10.753	-8.0%
SPRSPO-5-S-20250624	C57734	3.08	0.817	32.1	71.6	0.517	20155	0.240	0.512	0.0637	0.136		E2501733.d	2025-07-16 17:12	0.939	10.846	294409	617152	63.2	10.753	-7.7%
SPRSPO-6-S-20250624	C01512	3.22	0.855	33.6	71.6	0.517	20155	0.240	0.512	0.0637	0.136		E2501734.d	2025-07-16 17:38	0.939	10.846	310923	622453	63.2	10.753	-6.9%
SPRSPO-7-S-20250624	B40269	4.54	1.21	47.4	71.6	0.517	20155	0.240	0.512	0.0637	0.136		E2501735.d	2025-07-16 18:04	0.939	10.846	433740	615549	63.2	10.753	-7.9%
SPRSPO-8-S-20250624	C16139	2.30	0.612	24.0	71.6	0.517	20160	0.240	0.512	0.0636	0.136		E2501736.d	2025-07-16 18:30	0.939	10.846	218688	612070	63.2	10.753	-8.5%
SPRSPO-9-S-20250624	B45069	3.06	0.813	31.9	71.6	0.517	20160	0.240	0.512	0.0636	0.136		E2501737.d	2025-07-16 18:55	0.939	10.846	289132	609110	63.2	10.753	-8.9%
SPRSPO-10-S-20250624	C60235	2.90	0.770	30.2	71.6	0.517	20160	0.240	0.512	0.0636	0.136		E2501739.d	2025-07-16 19:47	0.939	10.846	284763	633226	63.2	10.753	-5.3%
SPRSPO-11-S-20250624	C01555	2.86	0.760	29.9	71.6	0.517	20160	0.240	0.512	0.0636	0.136		E2501740.d	2025-07-16 20:12	0.939	10.846	277840	625833	63.2	10.753	-6.4%
SPRSPO-12-S-20250624	B43681	4.30	1.14	44.9	71.6	0.517	20160	0.240	0.512	0.0636	0.136		E2501741.d	2025-07-16 20:38	0.939	10.846	424218	635318	63.2	10.753	-5.0%
SPRSPO-13-S-20250624	C00589	4.63	1.23	48.3	71.6	0.517	20160	0.240	0.512	0.0636	0.136		E2501742.d	2025-07-16 21:03	0.939	10.846	457066	635997	63.2	10.753	-4.9%
SPRSPO-13-D-20250624	B37461	4.29	1.14	44.8	71.6	0.517	20160	0.240	0.512	0.0636	0.136		E2501743.d	2025-07-16 21:29	0.939	10.846	425704	639365	63.2	10.753	-4.4%
SPRSPO-13-B-20250624	C16131	0.240	0.0636		71.6	0.517	20160	0.240	0.512	0.0636	0.136	ND	E2501744.d	2025-07-16 21:54	0.939	10.846	7187	651774	63.2	10.753	-2.5%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA301-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20250624	C59917	5.11	1.36	53.3	71.6	0.517	20150	0.240	0.512	0.0637	0.136		E2501745.d	2025-07-16 22:21	0.939	10.846	516431	651504	63.2	10.753	-2.6%
SPRSPO-15-S-20250624	B20687	6.57	1.74	68.4	71.6	0.517	20150	0.240	0.512	0.0637	0.136		E2501746.d	2025-07-16 22:46	0.939	10.846	662169	650562	63.2	10.753	-2.7%
SPRSPO-16-S-20250624	B20970	7.15	1.90	74.5	71.6	0.517	20150	0.240	0.512	0.0637	0.136		E2501747.d	2025-07-16 23:12	0.939	10.846	729986	658723	63.2	10.753	-1.5%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250624	C57480	1.59	0.367	14.7	71.7	0.458	20155	0.271	0.556	0.0625	0.128		E2501728.d	2025-07-16 15:04	1.192	13.038	190619	687629	63.2	10.746	2.8%
SPRSPO-1-D-20250624	B49544	1.52	0.350	14.0	71.7	0.458	20155	0.271	0.556	0.0625	0.128		E2501729.d	2025-07-16 15:30	1.192	13.038	175146	661351	63.2	10.753	-1.1%
SPRSPO-1-B-20250624	C55754	0.271	0.0625		71.7	0.458	20155	0.271	0.556	0.0625	0.128	ND	E2501727.d	2025-07-16 14:39	1.192	13.045	1008	700706	63.2	10.753	4.8%
SPRSPO-2-S-20250624	C43713	1.08	0.248	9.92	71.6	0.458	20155	0.271	0.556	0.0625	0.128		E2501730.d	2025-07-16 15:55	1.192	13.038	120586	643985	63.2	10.753	-3.7%
SPRSPO-3-S-20250624	B19091	0.686	0.158	6.32	71.6	0.458	20155	0.271	0.556	0.0625	0.128		E2501731.d	2025-07-16 16:21	1.192	13.038	75487	632299	63.2	10.753	-5.4%
SPRSPO-4-S-20250624	C55448	0.675	0.156	6.23	71.6	0.458	20155	0.271	0.556	0.0625	0.128		E2501732.d	2025-07-16 16:46	1.192	13.038	72328	615392	63.2	10.753	-8.0%
SPRSPO-5-S-20250624	C57734	0.552	0.127	5.09	71.6	0.458	20155	0.271	0.556	0.0625	0.128	J	E2501733.d	2025-07-16 17:12	1.192	13.038	59301	617152	63.2	10.753	-7.7%
SPRSPO-6-S-20250624	C01512	0.531	0.122	4.90	71.6	0.458	20155	0.271	0.556	0.0625	0.128	J	E2501734.d	2025-07-16 17:38	1.192	13.038	57597	622453	63.2	10.753	-6.9%
SPRSPO-7-S-20250624	B40269	0.653	0.151	6.03	71.6	0.458	20155	0.271	0.556	0.0625	0.128		E2501735.d	2025-07-16 18:04	1.192	13.038	70044	615549	63.2	10.753	-7.9%
SPRSPO-8-S-20250624	C16139	0.498	0.115	4.59	71.6	0.458	20160	0.271	0.556	0.0624	0.128	J	E2501736.d	2025-07-16 18:30	1.192	13.038	53088	612070	63.2	10.753	-8.5%
SPRSPO-9-S-20250624	B45069	0.612	0.141	5.65	71.6	0.458	20160	0.271	0.556	0.0624	0.128		E2501737.d	2025-07-16 18:55	1.192	13.038	64943	609110	63.2	10.753	-8.9%
SPRSPO-10-S-20250624	C60235	0.590	0.136	5.44	71.6	0.458	20160	0.271	0.556	0.0624	0.128		E2501739.d	2025-07-16 19:47	1.192	13.038	65070	633226	63.2	10.753	-5.3%
SPRSPO-11-S-20250624	C01555	0.689	0.159	6.36	71.6	0.458	20160	0.271	0.556	0.0624	0.128		E2501740.d	2025-07-16 20:12	1.192	13.038	75134	625833	63.2	10.753	-6.4%
SPRSPO-12-S-20250624	B43681	0.954	0.220	8.80	71.6	0.458	20160	0.271	0.556	0.0624	0.128		E2501741.d	2025-07-16 20:38	1.192	13.038	105591	635318	63.2	10.753	-5.0%
SPRSPO-13-S-20250624	C00589	1.09	0.251	10.0	71.6	0.458	20160	0.271	0.556	0.0624	0.128		E2501742.d	2025-07-16 21:03	1.192	13.038	120646	635997	63.2	10.753	-4.9%
SPRSPO-13-D-20250624	B37461	0.939	0.216	8.67	71.6	0.458	20160	0.271	0.556	0.0624	0.128		E2501743.d	2025-07-16 21:29	1.192	13.038	104598	639365	63.2	10.753	-4.4%
SPRSPO-13-B-20250624	C16131	0.271	0.0624		71.6	0.458	20160	0.271	0.556	0.0624	0.128	ND	E2501744.d	2025-07-16 21:54	1.192	13.045	992	651774	63.2	10.753	-2.5%
SPRSPO-14-S-20250624	C59917	1.16	0.267	10.7	71.6	0.458	20150	0.271	0.556	0.0625	0.128		E2501745.d	2025-07-16 22:21	1.192	13.038	131347	651504	63.2	10.753	-2.6%
SPRSPO-15-S-20250624	B20687	1.40	0.323	12.9	71.6	0.458	20150	0.271	0.556	0.0625	0.128		E2501746.d	2025-07-16 22:46	1.192	13.038	158616	650562	63.2	10.753	-2.7%
SPRSPO-16-S-20250624	B20970	1.50	0.346	13.8	71.6	0.458	20150	0.271	0.556	0.0625	0.128		E2501747.d	2025-07-16 23:12	1.192	13.038	172113	658723	63.2	10.753	-1.5%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250624	C57480	5.82	1.34	53.7	71.7	0.458	20155	0.271	0.525	0.0625	0.121		E2501728.d	2025-07-16 15:04	0.917	13.217	535642	687629	63.2	10.746	2.8%
SPRSPO-1-D-20250624	B49544	4.69	1.08	43.3	71.7	0.458	20155	0.271	0.525	0.0625	0.121		E2501729.d	2025-07-16 15:30	0.917	13.217	415257	661351	63.2	10.753	-1.1%
SPRSPO-1-B-20250624	C55754	0.271	0.0625		71.7	0.458	20155	0.271	0.525	0.0625	0.121	ND	E2501727.d	2025-07-16 14:39	0.917	13.217	1284	700706	63.2	10.753	4.8%
SPRSPO-2-S-20250624	C43713	3.38	0.778	31.1	71.6	0.458	20155	0.271	0.525	0.0625	0.121		E2501730.d	2025-07-16 15:55	0.917	13.217	291147	643985	63.2	10.753	-3.7%
SPRSPO-3-S-20250624	B19091	2.03	0.469	18.8	71.6	0.458	20155	0.271	0.525	0.0625	0.121		E2501731.d	2025-07-16 16:21	0.917	13.217	172288	632299	63.2	10.753	-5.4%
SPRSPO-4-S-20250624	C55448	2.12	0.490	19.6	71.6	0.458	20155	0.271	0.525	0.0625	0.121		E2501732.d	2025-07-16 16:46	0.917	13.217	175074	615392	63.2	10.753	-8.0%
SPRSPO-5-S-20250624	C57734	1.92	0.442	17.7	71.6	0.458	20155	0.271	0.525	0.0625	0.121		E2501733.d	2025-07-16 17:12	0.917	13.210	158444	617152	63.2	10.753	-7.7%
SPRSPO-6-S-20250624	C01512	1.39	0.320	12.8	71.6	0.458	20155	0.271	0.525	0.0625	0.121		E2501734.d	2025-07-16 17:38	0.917	13.217	115824	622453	63.2	10.753	-6.9%
SPRSPO-7-S-20250624	B40269	1.65	0.380	15.2	71.6	0.458	20155	0.271	0.525	0.0625	0.121		E2501735.d	2025-07-16 18:04	0.917	13.217	135764	615549	63.2	10.753	-7.9%
SPRSPO-8-S-20250624	C16139	1.25	0.289	11.6	71.6	0.458	20160	0.271	0.525	0.0624	0.121		E2501736.d	2025-07-16 18:30	0.917	13.217	102834	612070	63.2	10.753	-8.5%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA301-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20250624	B45069	1.63	0.375	15.0	71.6	0.458	20160	0.271	0.525	0.0624	0.121		E2501737.d	2025-07-16 18:55	0.917	13.217	132602	609110	63.2	10.753	-8.9%
SPRSPO-10-S-20250624	C60235	1.94	0.446	17.9	71.6	0.458	20160	0.271	0.525	0.0624	0.121		E2501739.d	2025-07-16 19:47	0.917	13.217	164330	633226	63.2	10.753	-5.3%
SPRSPO-11-S-20250624	C01555	1.48	0.342	13.7	71.6	0.458	20160	0.271	0.525	0.0624	0.121		E2501740.d	2025-07-16 20:12	0.917	13.217	124458	625833	63.2	10.753	-6.4%
SPRSPO-12-S-20250624	B43681	2.45	0.565	22.6	71.6	0.458	20160	0.271	0.525	0.0624	0.121		E2501741.d	2025-07-16 20:38	0.917	13.217	208640	635318	63.2	10.753	-5.0%
SPRSPO-13-S-20250624	C00589	2.93	0.674	27.0	71.6	0.458	20160	0.271	0.525	0.0624	0.121		E2501742.d	2025-07-16 21:03	0.917	13.217	249311	635997	63.2	10.753	-4.9%
SPRSPO-13-D-20250624	B37461	2.82	0.650	26.0	71.6	0.458	20160	0.271	0.525	0.0624	0.121		E2501743.d	2025-07-16 21:29	0.917	13.217	241688	639365	63.2	10.753	-4.4%
SPRSPO-13-B-20250624	C16131	0.271	0.0624		71.6	0.458	20160	0.271	0.525	0.0624	0.121	ND	E2501744.d	2025-07-16 21:54	0.917	13.231	862	651774	63.2	10.753	-2.5%
SPRSPO-14-S-20250624	C59917	3.85	0.886	35.5	71.6	0.458	20150	0.271	0.526	0.0625	0.121		E2501745.d	2025-07-16 22:21	0.917	13.217	335407	651504	63.2	10.753	-2.6%
SPRSPO-15-S-20250624	B20687	3.57	0.824	33.0	71.6	0.458	20150	0.271	0.526	0.0625	0.121		E2501746.d	2025-07-16 22:46	0.917	13.217	311326	650562	63.2	10.753	-2.7%
SPRSPO-16-S-20250624	B20970	3.76	0.867	34.7	71.6	0.458	20150	0.271	0.526	0.0625	0.121		E2501747.d	2025-07-16 23:12	0.917	13.217	331665	658723	63.2	10.753	-1.5%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250624	C57480	2.24	0.515	20.6	71.7	0.458	20155	0.271	0.548	0.0625	0.126		E2501728.d	2025-07-16 15:04	0.903	13.719	202613	687629	63.2	10.746	2.8%
SPRSPO-1-D-20250624	B49544	1.78	0.410	16.4	71.7	0.458	20155	0.271	0.548	0.0625	0.126		E2501729.d	2025-07-16 15:30	0.903	13.718	155082	661351	63.2	10.753	-1.1%
SPRSPO-1-B-20250624	C55754	0.271	0.0625		71.7	0.458	20155	0.271	0.548	0.0625	0.126	ND	E2501727.d	2025-07-16 14:39	0.903	14.163	0	700706	63.2	10.753	4.8%
SPRSPO-2-S-20250624	C43713	1.20	0.276	11.1	71.6	0.458	20155	0.271	0.548	0.0625	0.126		E2501730.d	2025-07-16 15:55	0.903	13.719	101835	643985	63.2	10.753	-3.7%
SPRSPO-3-S-20250624	B19091	0.769	0.177	7.10	71.6	0.458	20155	0.271	0.548	0.0625	0.126		E2501731.d	2025-07-16 16:21	0.903	13.718	64135	632299	63.2	10.753	-5.4%
SPRSPO-4-S-20250624	C55448	0.828	0.191	7.64	71.6	0.458	20155	0.271	0.548	0.0625	0.126		E2501732.d	2025-07-16 16:46	0.903	13.718	67177	615392	63.2	10.753	-8.0%
SPRSPO-5-S-20250624	C57734	0.756	0.174	6.97	71.6	0.458	20155	0.271	0.548	0.0625	0.126		E2501733.d	2025-07-16 17:12	0.903	13.718	61489	617152	63.2	10.753	-7.7%
SPRSPO-6-S-20250624	C01512	0.567	0.131	5.23	71.6	0.458	20155	0.271	0.548	0.0625	0.126		E2501734.d	2025-07-16 17:38	0.903	13.718	46495	622453	63.2	10.753	-6.9%
SPRSPO-7-S-20250624	B40269	0.682	0.157	6.29	71.6	0.458	20155	0.271	0.548	0.0625	0.126		E2501735.d	2025-07-16 18:04	0.903	13.718	55369	615549	63.2	10.753	-7.9%
SPRSPO-8-S-20250624	C16139	0.538	0.124	4.97	71.6	0.458	20160	0.271	0.548	0.0624	0.126	J	E2501736.d	2025-07-16 18:30	0.903	13.718	43428	612070	63.2	10.753	-8.5%
SPRSPO-9-S-20250624	B45069	0.664	0.153	6.12	71.6	0.458	20160	0.271	0.548	0.0624	0.126		E2501737.d	2025-07-16 18:55	0.903	13.718	53311	609110	63.2	10.753	-8.9%
SPRSPO-10-S-20250624	C60235	0.785	0.181	7.24	71.6	0.458	20160	0.271	0.548	0.0624	0.126		E2501739.d	2025-07-16 19:47	0.903	13.718	65537	633226	63.2	10.753	-5.3%
SPRSPO-11-S-20250624	C01555	0.627	0.144	5.78	71.6	0.458	20160	0.271	0.548	0.0624	0.126		E2501740.d	2025-07-16 20:12	0.903	13.718	51723	625833	63.2	10.753	-6.4%
SPRSPO-12-S-20250624	B43681	0.981	0.226	9.05	71.6	0.458	20160	0.271	0.548	0.0624	0.126		E2501741.d	2025-07-16 20:38	0.903	13.718	82139	635318	63.2	10.753	-5.0%
SPRSPO-13-S-20250624	C00589	1.18	0.272	10.9	71.6	0.458	20160	0.271	0.548	0.0624	0.126		E2501742.d	2025-07-16 21:03	0.903	13.718	99106	635997	63.2	10.753	-4.9%
SPRSPO-13-D-20250624	B37461	1.09	0.251	10.1	71.6	0.458	20160	0.271	0.548	0.0624	0.126		E2501743.d	2025-07-16 21:29	0.903	13.718	91953	639365	63.2	10.753	-4.4%
SPRSPO-13-B-20250624	C16131	0.271	0.0624		71.6	0.458	20160	0.271	0.548	0.0624	0.126	ND	E2501744.d	2025-07-16 21:54	0.903	13.718	378	651774	63.2	10.753	-2.5%
SPRSPO-14-S-20250624	C59917	1.57	0.361	14.4	71.6	0.458	20150	0.271	0.548	0.0625	0.126		E2501745.d	2025-07-16 22:21	0.903	13.718	134377	651504	63.2	10.753	-2.6%
SPRSPO-15-S-20250624	B20687	1.37	0.315	12.6	71.6	0.458	20150	0.271	0.548	0.0625	0.126		E2501746.d	2025-07-16 22:46	0.903	13.718	117299	650562	63.2	10.753	-2.7%
SPRSPO-16-S-20250624	B20970	1.44	0.333	13.3	71.6	0.458	20150	0.271	0.548	0.0625	0.126		E2501747.d	2025-07-16 23:12	0.903	13.718	125342	658723	63.2	10.753	-1.5%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA301-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20250624	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20250624	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20250624	3.1%	Pass	4.2%	Pass	4.6%	Pass	21%	Pass	23%	Pass
	SPRSPO-13-D-20250624	19%	Pass	7.6%	Pass	15%	Pass	3.6%	Pass	8.0%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA301-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2501725.d	C61562	Cal	0.835	0.877	0.835	-4.8%	19%		Pass	
2025GA301 Method Blank-1	E2501726.d	B50904	Blank		0.877	0.835			0.88%	Pass	ND
M325B CCV 5 REC	E2501738.d	C61562	Check	0.891	0.877	0.835	1.6%		-5.7%	Pass	
M325B CCV 5	E2501748.d	B49559	Check	0.888	0.877	0.835	1.2%		-2.5%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2501725.d	C61562	Cal	0.939	0.989	0.939	-5.0%	23%		Pass	
2025GA301 Method Blank-1	E2501726.d	B50904	Blank		0.989	0.939			3.4%	Pass	ND
M325B CCV 5 REC	E2501738.d	C61562	Check	0.994	0.989	0.939	0.50%		-5.1%	Pass	
M325B CCV 5	E2501748.d	B49559	Check	0.990	0.989	0.939	0.061%		-2.1%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2501725.d	C61562	Cal	1.192	1.195	1.192	-0.20%	23%		Pass	
2025GA301 Method Blank-1	E2501726.d	B50904	Blank		1.195	1.192			3.4%	Pass	ND
M325B CCV 5 REC	E2501738.d	C61562	Check	1.248	1.195	1.192	4.4%		-5.1%	Pass	
M325B CCV 5	E2501748.d	B49559	Check	1.192	1.195	1.192	-0.23%		-2.1%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2501725.d	C61562	Cal	0.917	1.037	0.917	-12%	23%		Pass	
2025GA301 Method Blank-1	E2501726.d	B50904	Blank		1.037	0.917			3.4%	Pass	ND
M325B CCV 5 REC	E2501738.d	C61562	Check	0.928	1.037	0.917	-11%		-5.1%	Pass	
M325B CCV 5	E2501748.d	B49559	Check	0.846	1.037	0.917	-19%		-2.1%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2501725.d	C61562	Cal	0.903	0.950	0.903	-5.0%	23%		Pass	
2025GA301 Method Blank-1	E2501726.d	B50904	Blank		0.950	0.903			3.4%	Pass	ND
M325B CCV 5 REC	E2501738.d	C61562	Check	0.969	0.950	0.903	2.0%		-5.1%	Pass	
M325B CCV 5	E2501748.d	B49559	Check	0.900	0.950	0.903	-5.3%		-2.1%	Pass	

Chromatograms



Name 2025GA301 Method Blank-1
Comment B50904
Data File E2501726.d
Acq. Date-Time 7/16/2025 2:13:30 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	620,487	
Benzene	benzene-d6 (IS)	8.103	8.110	7,872	
Toluene-d8 (IS)		10.746	10.753	691,450	
Toluene	Toluene-d8 (IS)	10.846	10.846	12,641	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	2,285	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	2,249	
o-Xylene	Toluene-d8 (IS)	13.697	13.718	1,516	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501726.d




+ Scan (10.703-10.832 min, 19 scans) E2501726.d

**Toluene**


+ EIC (91.1) Scan E2501726.d




+ Scan (10.800-10.881 min, 11 scans) E2501726.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501726.d




+ Scan (12.998-13.064 min, 9 scans) E2501726.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501726.d




+ Scan (13.167-13.258 min, 12 scans) E2501726.d




o-Xylene

+ EIC (91.1) Scan E2501726.d




+ Scan (13.690-13.752 min, 8 scans) E2501726.d





Name SPRSPO-1-B-20250624
Comment C55754
Data File E2501727.d
Acq. Date-Time 7/16/2025 2:39:00 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	613,305	
Benzene	benzene-d6 (IS)	8.110	8.110	7,962	
Toluene-d8 (IS)		10.753	10.753	700,706	
Toluene	Toluene-d8 (IS)	10.846	10.846	10,415	
Ethylbenzene	Toluene-d8 (IS)	13.045	13.038	1,008	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	1,284	
o-Xylene	Toluene-d8 (IS)	14.163	13.718	ND	m

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501727.d




+ Scan (10.710-10.832 min, 18 scans) E2501727.d

**Toluene**


+ EIC (91.1) Scan E2501727.d




+ Scan (10.812-10.878 min, 9 scans) E2501727.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501727.d




+ Scan (13.014-13.066 min, 7 scans) E2501727.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501727.d




+ Scan (13.200-13.258 min, 8 scans) E2501727.d




o-Xylene

+ EIC (91.1) Scan E2501727.d




+ Scan (14.163-14.163 min, 1 scans) E2501727.d





Name SPRSPO-1-S-20250624
Comment C57480
Data File E2501728.d
Acq. Date-Time 7/16/2025 3:04:37 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	612,738	
Benzene	benzene-d6 (IS)	8.110	8.110	273,307	
Toluene-d8 (IS)		10.746	10.753	687,629	
Toluene	Toluene-d8 (IS)	10.846	10.846	921,735	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	190,619	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	535,642	
o-Xylene	Toluene-d8 (IS)	13.719	13.718	202,613	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501728.d




+ Scan (10.703-10.860 min, 22 scans) E2501728.d

**Toluene**


+ EIC (91.1) Scan E2501728.d




+ Scan (10.803-10.932 min, 19 scans) E2501728.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501728.d




+ Scan (12.995-13.091 min, 14 scans) E2501728.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501728.d




+ Scan (13.165-13.296 min, 19 scans) E2501728.d




o-Xylene

+ EIC (91.1) Scan E2501728.d




+ Scan (13.683-13.812 min, 19 scans) E2501728.d





Name SPRSPO-1-D-20250624
Comment B49544
Data File E2501729.d
Acq. Date-Time 7/16/2025 3:30:18 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	583,706	
Benzene	benzene-d6 (IS)	8.110	8.110	268,574	
Toluene-d8 (IS)		10.753	10.753	661,351	
Toluene	Toluene-d8 (IS)	10.846	10.846	849,777	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	175,146	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	415,257	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	155,082	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501729.d




+ Scan (10.695-10.846 min, 22 scans) E2501729.d

**Toluene**


+ EIC (91.1) Scan E2501729.d




+ Scan (10.803-10.925 min, 18 scans) E2501729.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501729.d




+ Scan (12.998-13.095 min, 14 scans) E2501729.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501729.d




+ Scan (13.176-13.303 min, 18 scans) E2501729.d




o-Xylene

+ EIC (91.1) Scan E2501729.d




+ Scan (13.683-13.754 min, 10 scans) E2501729.d





Name SPRSPO-2-S-20250624
Comment C43713
Data File E2501730.d
Acq. Date-Time 7/16/2025 3:55:50 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	575,878	
Benzene	benzene-d6 (IS)	8.110	8.110	177,865	
Toluene-d8 (IS)		10.753	10.753	643,985	
Toluene	Toluene-d8 (IS)	10.846	10.846	529,896	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	120,586	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	291,147	
o-Xylene	Toluene-d8 (IS)	13.719	13.718	101,835	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501730.d




+ Scan (10.696-10.825 min, 19 scans) E2501730.d

**Toluene**


+ EIC (91.1) Scan E2501730.d




+ Scan (10.803-10.932 min, 19 scans) E2501730.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501730.d




+ Scan (13.003-13.074 min, 9 scans) E2501730.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501730.d




+ Scan (13.175-13.274 min, 13 scans) E2501730.d




o-Xylene

+ EIC (91.1) Scan E2501730.d




+ Scan (13.676-13.759 min, 12 scans) E2501730.d





Name SPRSPO-3-S-20250624
Comment B19091
Data File E2501731.d
Acq. Date-Time 7/16/2025 4:21:24 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	571,235	
Benzene	benzene-d6 (IS)	8.110	8.110	320,686	
Toluene-d8 (IS)		10.753	10.753	632,299	
Toluene	Toluene-d8 (IS)	10.846	10.846	382,621	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	75,487	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	172,288	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	64,135	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501731.d




+ Scan (10.696-10.832 min, 20 scans) E2501731.d

**Toluene**


+ EIC (91.1) Scan E2501731.d




+ Scan (10.803-10.939 min, 19 scans) E2501731.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501731.d




+ Scan (12.998-13.091 min, 13 scans) E2501731.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501731.d




+ Scan (13.180-13.303 min, 17 scans) E2501731.d




o-Xylene

+ EIC (91.1) Scan E2501731.d




+ Scan (13.683-13.760 min, 10 scans) E2501731.d





Name SPRSPO-4-S-20250624
Comment C55448
Data File E2501732.d
Acq. Date-Time 7/16/2025 4:46:59 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	564,162	
Benzene	benzene-d6 (IS)	8.110	8.110	125,473	
Toluene-d8 (IS)		10.753	10.753	615,392	
Toluene	Toluene-d8 (IS)	10.846	10.846	349,764	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	72,328	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	175,074	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	67,177	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501732.d




+ Scan (10.696-10.839 min, 21 scans) E2501732.d

**Toluene**


+ EIC (91.1) Scan E2501732.d




+ Scan (10.803-10.925 min, 18 scans) E2501732.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501732.d




+ Scan (12.996-13.080 min, 11 scans) E2501732.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501732.d




+ Scan (13.175-13.309 min, 18 scans) E2501732.d




o-Xylene

+ EIC (91.1) Scan E2501732.d




+ Scan (13.678-13.752 min, 10 scans) E2501732.d





Name SPRSPO-5-S-20250624
Comment C57734
Data File E2501733.d
Acq. Date-Time 7/16/2025 5:12:29 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	564,798	
Benzene	benzene-d6 (IS)	8.110	8.110	98,926	
Toluene-d8 (IS)		10.753	10.753	617,152	
Toluene	Toluene-d8 (IS)	10.846	10.846	294,409	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	59,301	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	158,444	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	61,489	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501733.d




+ Scan (10.703-10.839 min, 20 scans) E2501733.d

**Toluene**


+ EIC (91.1) Scan E2501733.d




+ Scan (10.803-10.924 min, 17 scans) E2501733.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501733.d




+ Scan (13.005-13.085 min, 11 scans) E2501733.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501733.d




+ Scan (13.176-13.272 min, 13 scans) E2501733.d




o-Xylene

+ EIC (91.1) Scan E2501733.d




+ Scan (13.680-13.757 min, 11 scans) E2501733.d





Name SPRSPO-6-S-20250624
Comment C01512
Data File E2501734.d
Acq. Date-Time 7/16/2025 5:38:47 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	564,783	
Benzene	benzene-d6 (IS)	8.110	8.110	297,908	
Toluene-d8 (IS)		10.753	10.753	622,453	
Toluene	Toluene-d8 (IS)	10.846	10.846	310,923	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	57,597	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	115,824	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	46,495	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501734.d




+ Scan (10.695-10.824 min, 19 scans) E2501734.d

**Toluene**


+ EIC (91.1) Scan E2501734.d




+ Scan (10.803-10.932 min, 19 scans) E2501734.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501734.d




+ Scan (13.003-13.073 min, 9 scans) E2501734.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501734.d




+ Scan (13.175-13.316 min, 19 scans) E2501734.d




o-Xylene

+ EIC (91.1) Scan E2501734.d




+ Scan (13.684-13.768 min, 12 scans) E2501734.d





Name SPRSPO-7-S-20250624
Comment B40269
Data File E2501735.d
Acq. Date-Time 7/16/2025 6:04:18 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	561,178	
Benzene	benzene-d6 (IS)	8.110	8.110	147,745	
Toluene-d8 (IS)		10.753	10.753	615,549	
Toluene	Toluene-d8 (IS)	10.846	10.846	433,740	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	70,044	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	135,764	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	55,369	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501735.d




+ Scan (10.696-10.832 min, 20 scans) E2501735.d

**Toluene**


+ EIC (91.1) Scan E2501735.d




+ Scan (10.796-10.925 min, 19 scans) E2501735.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501735.d




+ Scan (13.003-13.078 min, 10 scans) E2501735.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501735.d




+ Scan (13.176-13.274 min, 14 scans) E2501735.d




o-Xylene

+ EIC (91.1) Scan E2501735.d




+ Scan (13.683-13.765 min, 12 scans) E2501735.d





Name SPRSPO-8-S-20250624
Comment C16139
Data File E2501736.d
Acq. Date-Time 7/16/2025 6:30:03 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	559,842	
Benzene	benzene-d6 (IS)	8.110	8.110	93,748	
Toluene-d8 (IS)		10.753	10.753	612,070	
Toluene	Toluene-d8 (IS)	10.846	10.846	218,688	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	53,088	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	102,834	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	43,428	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501736.d




+ Scan (10.703-10.839 min, 20 scans) E2501736.d

**Toluene**


+ EIC (91.1) Scan E2501736.d




+ Scan (10.803-10.896 min, 14 scans) E2501736.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501736.d




+ Scan (12.997-13.081 min, 12 scans) E2501736.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501736.d




+ Scan (13.181-13.281 min, 13 scans) E2501736.d




o-Xylene

+ EIC (91.1) Scan E2501736.d




+ Scan (13.683-13.760 min, 10 scans) E2501736.d





Name SPRSPO-9-S-20250624
Comment B45069
Data File E2501737.d
Acq. Date-Time 7/16/2025 6:55:40 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	566,009	
Benzene	benzene-d6 (IS)	8.110	8.110	239,305	
Toluene-d8 (IS)		10.753	10.753	609,110	
Toluene	Toluene-d8 (IS)	10.846	10.846	289,132	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	64,943	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	132,602	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	53,311	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501737.d




+ Scan (10.703-10.832 min, 19 scans) E2501737.d

**Toluene**


+ EIC (91.1) Scan E2501737.d




+ Scan (10.803-10.901 min, 14 scans) E2501737.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501737.d




+ Scan (13.004-13.073 min, 9 scans) E2501737.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501737.d




+ Scan (13.167-13.287 min, 17 scans) E2501737.d




o-Xylene

+ EIC (91.1) Scan E2501737.d




+ Scan (13.676-13.759 min, 11 scans) E2501737.d





Name SPRSPO-10-S-20250624
Comment C60235
Data File E2501739.d
Acq. Date-Time 7/16/2025 7:47:05 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	580,994	
Benzene	benzene-d6 (IS)	8.110	8.110	98,329	
Toluene-d8 (IS)		10.753	10.753	633,226	
Toluene	Toluene-d8 (IS)	10.846	10.846	284,763	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	65,070	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	164,330	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	65,537	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501739.d




+ Scan (10.695-10.832 min, 20 scans) E2501739.d

**Toluene**


+ EIC (91.1) Scan E2501739.d




+ Scan (10.803-10.889 min, 13 scans) E2501739.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501739.d




+ Scan (13.009-13.072 min, 8 scans) E2501739.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501739.d




+ Scan (13.181-13.278 min, 14 scans) E2501739.d




o-Xylene

+ EIC (91.1) Scan E2501739.d




+ Scan (13.683-13.753 min, 9 scans) E2501739.d





Name SPRSPO-11-S-20250624
Comment C01555
Data File E2501740.d
Acq. Date-Time 7/16/2025 8:12:38 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	571,489	
Benzene	benzene-d6 (IS)	8.109	8.110	142,074	
Toluene-d8 (IS)		10.753	10.753	625,833	
Toluene	Toluene-d8 (IS)	10.846	10.846	277,840	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	75,134	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	124,458	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	51,723	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501740.d




+ Scan (10.702-10.838 min, 20 scans) E2501740.d

**Toluene**


+ EIC (91.1) Scan E2501740.d




+ Scan (10.803-10.924 min, 18 scans) E2501740.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501740.d




+ Scan (12.999-13.083 min, 12 scans) E2501740.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501740.d




+ Scan (13.170-13.301 min, 18 scans) E2501740.d




o-Xylene

+ EIC (91.1) Scan E2501740.d




+ Scan (13.683-13.754 min, 10 scans) E2501740.d





Name SPRSPO-12-S-20250624
Comment B43681
Data File E2501741.d
Acq. Date-Time 7/16/2025 8:38:08 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	583,732	
Benzene	benzene-d6 (IS)	8.110	8.110	173,901	
Toluene-d8 (IS)		10.753	10.753	635,318	
Toluene	Toluene-d8 (IS)	10.846	10.846	424,218	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	105,591	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	208,640	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	82,139	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501741.d




+ Scan (10.695-10.832 min, 20 scans) E2501741.d

**Toluene**


+ EIC (91.1) Scan E2501741.d




+ Scan (10.803-10.939 min, 20 scans) E2501741.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501741.d




+ Scan (13.002-13.088 min, 13 scans) E2501741.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501741.d




+ Scan (13.177-13.309 min, 18 scans) E2501741.d




o-Xylene

+ EIC (91.1) Scan E2501741.d




+ Scan (13.675-13.754 min, 11 scans) E2501741.d





Name SPRSPO-13-S-20250624
Comment C00589
Data File E2501742.d
Acq. Date-Time 7/16/2025 9:03:35 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	586,364	
Benzene	benzene-d6 (IS)	8.110	8.110	180,837	
Toluene-d8 (IS)		10.753	10.753	635,997	
Toluene	Toluene-d8 (IS)	10.846	10.846	457,066	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	120,646	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	249,311	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	99,106	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501742.d




+ Scan (10.710-10.839 min, 19 scans) E2501742.d

**Toluene**


+ EIC (91.1) Scan E2501742.d




+ Scan (10.803-10.925 min, 18 scans) E2501742.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501742.d




+ Scan (13.003-13.074 min, 10 scans) E2501742.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501742.d




+ Scan (13.167-13.294 min, 18 scans) E2501742.d




o-Xylene

+ EIC (91.1) Scan E2501742.d




+ Scan (13.678-13.753 min, 10 scans) E2501742.d





Name SPRSPO-13-D-20250624
Comment B37461
Data File E2501743.d
Acq. Date-Time 7/16/2025 9:29:19 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	590,320	
Benzene	benzene-d6 (IS)	8.110	8.110	150,672	
Toluene-d8 (IS)		10.753	10.753	639,365	
Toluene	Toluene-d8 (IS)	10.846	10.846	425,704	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	104,598	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	241,688	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	91,953	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501743.d




+ Scan (10.703-10.839 min, 20 scans) E2501743.d

**Toluene**


+ EIC (91.1) Scan E2501743.d




+ Scan (10.803-10.910 min, 15 scans) E2501743.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501743.d




+ Scan (13.002-13.074 min, 10 scans) E2501743.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501743.d




+ Scan (13.167-13.288 min, 18 scans) E2501743.d




o-Xylene

+ EIC (91.1) Scan E2501743.d




+ Scan (13.682-13.761 min, 11 scans) E2501743.d





Name SPRSPO-13-B-20250624
Comment C16131
Data File E2501744.d
Acq. Date-Time 7/16/2025 9:54:45 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	591,597	
Benzene	benzene-d6 (IS)	8.109	8.110	6,956	
Toluene-d8 (IS)		10.753	10.753	651,774	
Toluene	Toluene-d8 (IS)	10.846	10.846	7,187	
Ethylbenzene	Toluene-d8 (IS)	13.045	13.038	992	
m-/p-Xylenes	Toluene-d8 (IS)	13.231	13.217	862	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	378	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501744.d




+ Scan (10.703-10.839 min, 20 scans) E2501744.d

**Toluene**


+ EIC (91.1) Scan E2501744.d




+ Scan (10.810-10.874 min, 8 scans) E2501744.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501744.d




+ Scan (13.012-13.051 min, 5 scans) E2501744.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501744.d




+ Scan (13.203-13.245 min, 6 scans) E2501744.d




o-Xylene

+ EIC (91.1) Scan E2501744.d




+ Scan (13.704-13.729 min, 4 scans) E2501744.d





Name SPRSPO-14-S-20250624
Comment C59917
Data File E2501745.d
Acq. Date-Time 7/16/2025 10:21:05 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	589,291	
Benzene	benzene-d6 (IS)	8.109	8.110	166,011	
Toluene-d8 (IS)		10.753	10.753	651,504	
Toluene	Toluene-d8 (IS)	10.846	10.846	516,431	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	131,347	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	335,407	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	134,377	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501745.d




+ Scan (10.703-10.839 min, 20 scans) E2501745.d

**Toluene**


+ EIC (91.1) Scan E2501745.d




+ Scan (10.803-10.939 min, 20 scans) E2501745.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501745.d




+ Scan (13.002-13.075 min, 10 scans) E2501745.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501745.d




+ Scan (13.169-13.285 min, 16 scans) E2501745.d




o-Xylene

+ EIC (91.1) Scan E2501745.d




+ Scan (13.682-13.782 min, 14 scans) E2501745.d





Name SPRSPO-15-S-20250624
Comment B20687
Data File E2501746.d
Acq. Date-Time 7/16/2025 10:46:32 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	593,151	
Benzene	benzene-d6 (IS)	8.110	8.110	234,120	
Toluene-d8 (IS)		10.753	10.753	650,562	
Toluene	Toluene-d8 (IS)	10.846	10.846	662,169	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	158,616	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	311,326	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	117,299	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501746.d




+ Scan (10.703-10.824 min, 18 scans) E2501746.d

**Toluene**


+ EIC (91.1) Scan E2501746.d




+ Scan (10.803-10.918 min, 17 scans) E2501746.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501746.d




+ Scan (12.995-13.088 min, 14 scans) E2501746.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501746.d




+ Scan (13.167-13.289 min, 18 scans) E2501746.d




o-Xylene

+ EIC (91.1) Scan E2501746.d




+ Scan (13.683-13.789 min, 14 scans) E2501746.d





Name SPRSPO-16-S-20250624
Comment B20970
Data File E2501747.d
Acq. Date-Time 7/16/2025 11:12:10 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.052	8.052	592,864	
Benzene	benzene-d6 (IS)	8.110	8.110	261,489	
Toluene-d8 (IS)		10.753	10.753	658,723	
Toluene	Toluene-d8 (IS)	10.846	10.846	729,986	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	172,113	
m-/p-Xylenes	Toluene-d8 (IS)	13.217	13.217	331,665	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	125,342	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2501747.d




+ Scan (10.696-10.832 min, 20 scans) E2501747.d

**Toluene**


+ EIC (91.1) Scan E2501747.d




+ Scan (10.796-10.925 min, 19 scans) E2501747.d

**Ethylbenzene**


+ EIC (91.1) Scan E2501747.d




+ Scan (13.002-13.079 min, 10 scans) E2501747.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2501747.d




+ Scan (13.160-13.310 min, 22 scans) E2501747.d




o-Xylene

+ EIC (91.1) Scan E2501747.d



+ Scan (13.684-13.753 min, 9 scans) E2501747.d



Initial Calibration



Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA301-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679	Benzene	1	E2500043.d	4.94	48593	54.2	531168	1.004	0.14
E050525A_CC252679	Benzene	2	E2500044.d	10.06	88289	54.2	525272	0.905	0.032
E050525A_CC252679	Benzene	3	E2500045.d	20.12	167722	54.2	519365	0.869	-0.0086
E050525A_CC252679	Benzene	4	E2500046.d	40.25	314317	54.2	495891	0.853	-0.027
E050525A_CC252679	Benzene	5	E2500047.d	100.62	771973	54.2	516636	0.804	-0.083
E050525A_CC252679	Benzene	6	E2500048.d	201.24	1566630	54.2	517234	0.815	-0.07
E050525A_CC252679	Benzene	7	E2500049.d	603.73	5084416	54.2	514456	0.887	0.011
						Avg:	517146	0.877	
						%RSD:	2.1%	7.6%	
E050525A_CC252679	Toluene	1	E2500043.d	5.34	57611	63.2	569179	1.198	0.21
E050525A_CC252679	Toluene	2	E2500044.d	10.88	96506	63.2	555358	1.009	0.02
E050525A_CC252679	Toluene	3	E2500045.d	21.76	183454	63.2	550972	0.967	-0.023
E050525A_CC252679	Toluene	4	E2500046.d	43.52	328667	63.2	514484	0.927	-0.063
E050525A_CC252679	Toluene	5	E2500047.d	108.80	817722	63.2	541924	0.876	-0.11
E050525A_CC252679	Toluene	6	E2500048.d	217.60	1753197	63.2	536168	0.949	-0.04
E050525A_CC252679	Toluene	7	E2500049.d	652.80	5564266	63.2	538797	0.999	0.01
						Avg:	543840	0.989	
						%RSD:	3.2%	10.3%	
E050525A_CC252679	Ethylbenzene	1	E2500043.d	5.13	60169	63.2	569179	1.301	0.089
E050525A_CC252679	Ethylbenzene	2	E2500044.d	10.46	105835	63.2	555358	1.151	-0.037
E050525A_CC252679	Ethylbenzene	3	E2500045.d	20.92	208215	63.2	550972	1.141	-0.045
E050525A_CC252679	Ethylbenzene	4	E2500046.d	41.83	392499	63.2	514484	1.152	-0.036
E050525A_CC252679	Ethylbenzene	5	E2500047.d	104.58	995735	63.2	541924	1.110	-0.071
E050525A_CC252679	Ethylbenzene	6	E2500048.d	209.16	2327735	63.2	536168	1.311	0.097
E050525A_CC252679	Ethylbenzene	7	E2500049.d	627.49	6406466	63.2	538797	1.197	0.0018
						Avg:	543840	1.195	
						%RSD:	3.2%	6.7%	
E050525A_CC252679	m-/p-Xylenes	1	E2500043.d	4.85	58394	63.2	569179	1.337	0.29
E050525A_CC252679	m-/p-Xylenes	2	E2500044.d	9.88	88399	63.2	555358	1.018	-0.019
E050525A_CC252679	m-/p-Xylenes	3	E2500045.d	19.75	172744	63.2	550972	1.003	-0.034
E050525A_CC252679	m-/p-Xylenes	4	E2500046.d	39.51	305031	63.2	514484	0.948	-0.086
E050525A_CC252679	m-/p-Xylenes	5	E2500047.d	98.77	730099	63.2	541924	0.862	-0.17
E050525A_CC252679	m-/p-Xylenes	6	E2500048.d	197.54	1739458	63.2	536168	1.037	-4.1E-05
E050525A_CC252679	m-/p-Xylenes	7	E2500049.d	592.63	5345328	63.2	538797	1.057	0.019
						Avg:	543840	1.037	
						%RSD:	3.2%	14.2%	
E050525A_CC252679	o-Xylene	1	E2500043.d	5.05	50277	63.2	569179	1.104	0.16
E050525A_CC252679	o-Xylene	2	E2500044.d	10.30	81187	63.2	555358	0.896	-0.056
E050525A_CC252679	o-Xylene	3	E2500045.d	20.60	161444	63.2	550972	0.898	-0.054

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA301-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679	o-Xylene	4	E2500046.d	41.21	299918	63.2	514484	0.894	-0.059
E050525A_CC252679	o-Xylene	5	E2500047.d	103.02	797704	63.2	541924	0.903	-0.05
E050525A_CC252679	o-Xylene	6	E2500048.d	206.03	1692581	63.2	536168	0.968	0.019
E050525A_CC252679	o-Xylene	7	E2500049.d	618.10	5206672	63.2	538797	0.988	0.04
						Avg:	543840	0.950	
						%RSD:	3.2%	8.2%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679	Benzene	ICV	E2500050.d	64.90	531194	54.2	505187	0.878	0.1%
E050525A_CC252679	Toluene	ICV	E2500050.d	77.40	626119	63.2	533535	0.958	-3.2%
E050525A_CC252679	Ethylbenzene	ICV	E2500050.d	87.14	736386	63.2	533535	1.001	-16.0%
E050525A_CC252679	m-/p-Xylenes	ICV	E2500050.d	90.70	588321	63.2	533535	0.768	-26.0%
E050525A_CC252679	o-Xylene	ICV	E2500050.d	89.27	625693	63.2	533535	0.830	-13.0%

Sample Custody



• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

2025GA301

#1

**This Is The Last Page
Of This Report.**

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 26 Sprague - South Portland

Client Project# PROJ-027968

Samples Received: 7/29/2025

Analytical Report 2025GA302

EPA Method 325B Analysis

Report Issue Date: 8/5/2025

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



QA Review by Isabel Olando Marrero, Data Reviewer



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	11
Chromatograms	14
Initial Calibration	78
Sample Custody	81
Chain of Custody	82

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GA302-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Enthalpy Analytical on July 29, 2025 at 24.8 °C, which is above the method recommended 23.0 °C,. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20250708	B16380	Sample
SPRSPO-1-D-20250708	B49755	Duplicate
SPRSPO-1-B-20250708	C37463	Blank
SPRSPO-2-S-20250708	B50962	Sample
SPRSPO-3-S-20250708	C00798	Sample
SPRSPO-4-S-20250708	C16079	Sample
SPRSPO-5-S-20250708	C43383	Sample
SPRSPO-6-S-20250708	B48066	Sample
SPRSPO-7-S-20250708	C31394	Sample
SPRSPO-8-S-20250708	C43196	Sample
SPRSPO-9-S-20250708	B46163	Sample
SPRSPO-10-S-20250708	C40610	Sample
SPRSPO-11-S-20250708	B48052	Sample
SPRSPO-12-S-20250708	C38552	Sample
SPRSPO-13-S-20250708	C43669	Sample
SPRSPO-13-D-20250708	C40171	Duplicate
SPRSPO-13-B-20250708	C00552	Blank
SPRSPO-14-S-20250708	C37048	Sample
SPRSPO-15-S-20250708	C55683	Sample
SPRSPO-16-S-20250708	C16151	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-TD35 is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GA302-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (P041125A_CC252679_R1) met all 30% RSD criteria. The initial calibration verification met 30% difference criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

5. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

The primary sample SPRSPO-13-S-20250708 (tube ID C43669) and its corresponding duplicate SPRSPO-13-D-20250708 (tube ID C40171) failed to meet the 30% difference criterion for o-Xylene as specified by the method. All samples in the data set have been flagged "P" for o-Xylene to denote this failure.

6. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA302-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20250708	B16380	1.87		9.48		1.94		4.95		2.01	P
SPRSPO-1-D-20250708	B49755	1.58		8.10		1.59		4.99		1.97	P
SPRSPO-1-B-20250708	C37463	0.186	ND	0.239	ND	0.271	ND	0.271	ND	0.271	ND,P
SPRSPO-2-S-20250708	B50962	1.37		5.81		1.05		3.50		1.36	P
SPRSPO-3-S-20250708	C00798	1.25		5.04		0.975		2.77		1.19	P
SPRSPO-4-S-20250708	C16079	0.887		3.62		0.659		1.99		0.759	P
SPRSPO-5-S-20250708	C43383	0.837		3.45		0.702		2.51		0.980	P
SPRSPO-6-S-20250708	B48066	0.896		4.22		0.661		2.17		0.973	P
SPRSPO-7-S-20250708	C31394	0.756		4.05		0.508	J	1.64		0.628	P
SPRSPO-8-S-20250708	C43196	0.562		2.06		0.406	J	1.32		0.550	J,P
SPRSPO-9-S-20250708	B46163	0.828		3.46		0.897		2.67		1.09	P
SPRSPO-10-S-20250708	C40610	0.730		2.92		0.861		1.97		0.848	P
SPRSPO-11-S-20250708	B48052	1.00		2.98		0.623		1.89		0.873	P
SPRSPO-12-S-20250708	C38552	0.908		3.78		0.858		2.25		1.04	P
SPRSPO-13-S-20250708	C43669	0.970		3.87		0.915		3.09		1.30	P
SPRSPO-13-D-20250708	C40171	0.925		3.55		0.743		2.32		0.885	P
SPRSPO-13-B-20250708	C00552	0.202	J	0.239	ND	0.271	ND	0.271	ND	0.271	ND,P
SPRSPO-14-S-20250708	C37048	1.08		4.58		1.35		3.44		1.43	P
SPRSPO-15-S-20250708	C55683	1.43		6.55		1.26		4.44		1.72	P
SPRSPO-16-S-20250708	C16151	1.74		6.67		1.48		3.99		1.58	P

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

P: Field duplicate(s) exceed 30%RPD

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA302-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250708	B16380	1.87	0.585	25.1	69.4	0.665	20230	0.186	0.369	0.0582	0.115		P2504805.D	2025-07-30 17:25	0.805	8.408	154947	692184	90.3	8.355	-2.0%
SPRSPO-1-D-20250708	B49755	1.58	0.496	21.3	69.4	0.665	20230	0.186	0.369	0.0582	0.115		P2504806.D	2025-07-30 18:02	0.805	8.414	131239	691177	90.3	8.349	-2.1%
SPRSPO-1-B-20250708	C37463	0.186	0.0582		69.4	0.665	20230	0.186	0.369	0.0582	0.115	ND	P2504803.D	2025-07-30 16:10	0.805	8.426	3430	698877	90.3	8.355	-1.0%
SPRSPO-2-S-20250708	B50962	1.37	0.429	18.4	69.4	0.665	20235	0.186	0.369	0.0582	0.115		P2504807.D	2025-07-30 18:39	0.805	8.414	116071	706955	90.3	8.355	0.1%
SPRSPO-3-S-20250708	C00798	1.25	0.393	16.9	69.4	0.665	20230	0.186	0.369	0.0582	0.115		P2504808.D	2025-07-30 19:17	0.805	8.408	106790	709825	90.3	8.355	0.5%
SPRSPO-4-S-20250708	C16079	0.887	0.278	11.9	69.4	0.665	20230	0.186	0.369	0.0582	0.115		P2504809.D	2025-07-30 19:54	0.805	8.408	75704	711324	90.3	8.355	0.7%
SPRSPO-5-S-20250708	C43383	0.837	0.262	11.3	69.4	0.665	20230	0.186	0.369	0.0582	0.115		P2504810.D	2025-07-30 20:31	0.805	8.408	68730	684485	90.3	8.349	-3.1%
SPRSPO-6-S-20250708	B48066	0.896	0.281	12.1	69.4	0.665	20225	0.186	0.369	0.0582	0.116		P2504811.D	2025-07-30 21:09	0.805	8.397	74032	689074	90.3	8.355	-2.4%
SPRSPO-7-S-20250708	C31394	0.756	0.237	10.2	69.4	0.665	20225	0.186	0.369	0.0582	0.116		P2504812.D	2025-07-30 21:46	0.805	8.408	62638	691402	90.3	8.355	-2.1%
SPRSPO-8-S-20250708	C43196	0.562	0.176	7.56	69.4	0.665	20225	0.186	0.369	0.0582	0.116		P2504814.D	2025-07-30 23:01	0.805	8.396	48422	718352	90.3	8.349	1.7%
SPRSPO-9-S-20250708	B46163	0.828	0.259	11.1	69.3	0.665	20225	0.186	0.369	0.0582	0.116		P2504815.D	2025-07-30 23:38	0.805	8.402	71271	717756	90.3	8.349	1.6%
SPRSPO-10-S-20250708	C40610	0.730	0.229	9.82	69.3	0.665	20225	0.186	0.369	0.0582	0.116		P2504816.D	2025-07-31 00:16	0.805	8.402	63330	723412	90.3	8.349	2.4%
SPRSPO-11-S-20250708	B48052	1.00	0.313	13.4	69.3	0.665	20225	0.186	0.369	0.0582	0.116		P2504817.D	2025-07-31 00:53	0.805	8.408	84684	706533	90.3	8.349	0.1%
SPRSPO-12-S-20250708	C38552	0.908	0.284	12.2	69.3	0.665	20225	0.186	0.369	0.0582	0.116		P2504818.D	2025-07-31 01:30	0.805	8.408	77616	713027	90.3	8.349	1.0%
SPRSPO-13-S-20250708	C43669	0.970	0.304	13.1	69.3	0.665	20220	0.186	0.369	0.0582	0.116		P2504819.D	2025-07-31 02:07	0.805	8.397	84950	730251	90.3	8.343	3.4%
SPRSPO-13-D-20250708	C40171	0.925	0.290	12.4	69.3	0.665	20220	0.186	0.369	0.0582	0.116		P2504820.D	2025-07-31 02:45	0.805	8.408	80849	729391	90.3	8.355	3.3%
SPRSPO-13-B-20250708	C00552	0.202	0.0633	2.72	69.3	0.665	20220	0.186	0.369	0.0582	0.116	J	P2504804.D	2025-07-30 16:47	0.805	8.414	16570	684129	90.3	8.349	-3.1%
SPRSPO-14-S-20250708	C37048	1.08	0.337	14.5	69.3	0.665	20220	0.186	0.369	0.0582	0.116		P2504821.D	2025-07-31 03:22	0.805	8.414	92930	719962	90.3	8.349	2.0%
SPRSPO-15-S-20250708	C55683	1.43	0.447	19.2	69.3	0.665	20220	0.186	0.369	0.0582	0.116		P2504822.D	2025-07-31 03:59	0.805	8.408	125930	736691	90.3	8.349	4.3%
SPRSPO-16-S-20250708	C16151	1.74	0.544	23.4	69.3	0.665	20220	0.186	0.369	0.0582	0.116		P2504823.D	2025-07-31 04:37	0.805	8.408	148314	712376	90.3	8.349	0.9%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250708	B16380	9.48	2.52	99.1	69.4	0.516	20230	0.239	0.514	0.0636	0.136		P2504805.D	2025-07-30 17:25	0.761	11.008	604767	845088	105.3	10.913	-1.3%
SPRSPO-1-D-20250708	B49755	8.10	2.15	84.6	69.4	0.516	20230	0.239	0.514	0.0636	0.136		P2504806.D	2025-07-30 18:02	0.761	11.008	546676	894260	105.3	10.913	4.4%
SPRSPO-1-B-20250708	C37463	0.239	0.0636		69.4	0.516	20230	0.239	0.514	0.0636	0.136	ND	P2504803.D	2025-07-30 16:10	0.761	11.002	11458	830909	105.3	10.919	-3.0%
SPRSPO-2-S-20250708	B50962	5.81	1.54	60.7	69.4	0.516	20235	0.239	0.514	0.0635	0.136		P2504807.D	2025-07-30 18:39	0.761	11.008	376189	857846	105.3	10.913	0.1%
SPRSPO-3-S-20250708	C00798	5.04	1.34	52.6	69.4	0.516	20230	0.239	0.514	0.0636	0.136		P2504808.D	2025-07-30 19:17	0.761	11.014	325216	855782	105.3	10.919	-0.1%
SPRSPO-4-S-20250708	C16079	3.62	0.960	37.8	69.4	0.516	20230	0.239	0.514	0.0636	0.136		P2504809.D	2025-07-30 19:54	0.761	11.014	227276	832718	105.3	10.919	-2.8%
SPRSPO-5-S-20250708	C43383	3.45	0.916	36.0	69.4	0.516	20230	0.239	0.514	0.0636	0.136		P2504810.D	2025-07-30 20:31	0.761	11.008	220308	846128	105.3	10.919	-1.2%
SPRSPO-6-S-20250708	B48066	4.22	1.12	44.1	69.4	0.516	20225	0.239	0.514	0.0636	0.136		P2504811.D	2025-07-30 21:09	0.761	11.008	275488	864729	105.3	10.913	0.9%
SPRSPO-7-S-20250708	C31394	4.05	1.08	42.3	69.4	0.516	20225	0.239	0.514	0.0636	0.136		P2504812.D	2025-07-30 21:46	0.761	11.008	260084	850476	105.3	10.913	-0.7%
SPRSPO-8-S-20250708	C43196	2.06	0.547	21.5	69.4	0.516	20225	0.239	0.514	0.0636	0.136		P2504814.D	2025-07-30 23:01	0.761	11.008	137066	882782	105.3	10.913	3.1%
SPRSPO-9-S-20250708	B46163	3.46	0.917	36.1	69.3	0.516	20225	0.239	0.514	0.0636	0.136		P2504815.D	2025-07-30 23:38	0.761	11.002	226562	869236	105.3	10.913	1.5%
SPRSPO-10-S-20250708	C40610	2.92	0.776	30.5	69.3	0.516	20225	0.239	0.514	0.0636	0.136		P2504816.D	2025-07-31 00:16	0.761	11.008	190374	863529	105.3	10.913	0.8%
SPRSPO-11-S-20250708	B48052	2.98	0.792	31.2	69.3	0.516	20225	0.239	0.514	0.0636	0.136		P2504817.D	2025-07-31 00:53	0.761	11.008	197112	875828	105.3	10.913	2.2%
SPRSPO-12-S-20250708	C38552	3.78	1.00	39.4	69.3	0.516	20225	0.239	0.514	0.0636	0.136		P2504818.D	2025-07-31 01:30	0.761	11.008	251807	883594	105.3	10.913	3.1%
SPRSPO-13-S-20250708	C43669	3.87	1.03	40.4	69.3	0.516	20220	0.239	0.514	0.0636	0.136		P2504819.D	2025-07-31 02:07	0.761	11.008	254882	873317	105.3	10.913	1.9%
SPRSPO-13-D-20250708	C40171	3.55	0.942	37.0	69.3	0.516	20220	0.239	0.514	0.0636	0.136		P2504820.D	2025-07-31 02:45	0.761	11.008	240126	897644	105.3	10.913	4.8%
SPRSPO-13-B-20250708	C00552	0.239	0.0636		69.3	0.516	20220	0.239	0.514	0.0636	0.136	ND	P2504804.D	2025-07-30 16:47	0.761	11.020	8966	824949	105.3	10.919	-3.7%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA302-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20250708	C37048	4.58	1.22	47.8	69.3	0.516	20220	0.239	0.514	0.0636	0.136		P2504821.D	2025-07-31 03:22	0.761	11.008	305093	883359	105.3	10.913	3.1%
SPRSPO-15-S-20250708	C55683	6.55	1.74	68.4	69.3	0.516	20220	0.239	0.514	0.0636	0.136		P2504822.D	2025-07-31 03:59	0.761	11.008	446066	902576	105.3	10.913	5.4%
SPRSPO-16-S-20250708	C16151	6.67	1.77	69.6	69.3	0.516	20220	0.239	0.514	0.0636	0.136		P2504823.D	2025-07-31 04:37	0.761	11.008	446971	888716	105.3	10.913	3.7%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250708	B16380	1.94	0.446	17.9	69.4	0.457	20230	0.271	0.558	0.0624	0.129		P2504805.D	2025-07-30 17:25	0.851	13.139	122127	845088	105.3	10.913	-1.3%
SPRSPO-1-D-20250708	B49755	1.59	0.365	14.7	69.4	0.457	20230	0.271	0.558	0.0624	0.129		P2504806.D	2025-07-30 18:02	0.851	13.139	105876	894260	105.3	10.913	4.4%
SPRSPO-1-B-20250708	C37463	0.271	0.0624		69.4	0.457	20230	0.271	0.558	0.0624	0.129	ND	P2504803.D	2025-07-30 16:10	0.851	13.139	1882	830909	105.3	10.919	-3.0%
SPRSPO-2-S-20250708	B50962	1.05	0.243	9.73	69.4	0.457	20235	0.271	0.558	0.0623	0.129		P2504807.D	2025-07-30 18:39	0.851	13.145	67486	857846	105.3	10.913	0.1%
SPRSPO-3-S-20250708	C00798	0.975	0.225	9.01	69.4	0.457	20230	0.271	0.558	0.0624	0.129		P2504808.D	2025-07-30 19:17	0.851	13.145	62313	855782	105.3	10.919	-0.1%
SPRSPO-4-S-20250708	C16079	0.659	0.152	6.08	69.4	0.457	20230	0.271	0.558	0.0624	0.129		P2504809.D	2025-07-30 19:54	0.851	13.139	40948	832718	105.3	10.919	-2.8%
SPRSPO-5-S-20250708	C43383	0.702	0.162	6.49	69.4	0.457	20230	0.271	0.558	0.0624	0.129		P2504810.D	2025-07-30 20:31	0.851	13.133	44354	846128	105.3	10.919	-1.2%
SPRSPO-6-S-20250708	B48066	0.661	0.152	6.10	69.4	0.457	20225	0.271	0.558	0.0624	0.129		P2504811.D	2025-07-30 21:09	0.851	13.133	42638	864729	105.3	10.913	0.9%
SPRSPO-7-S-20250708	C31394	0.508	0.117	4.69	69.4	0.457	20225	0.271	0.558	0.0624	0.129	J	P2504812.D	2025-07-30 21:46	0.851	13.133	32226	850476	105.3	10.913	-0.7%
SPRSPO-8-S-20250708	C43196	0.406	0.0936	3.75	69.4	0.457	20225	0.271	0.558	0.0624	0.129	J	P2504814.D	2025-07-30 23:01	0.851	13.133	26774	882782	105.3	10.913	3.1%
SPRSPO-9-S-20250708	B46163	0.897	0.207	8.28	69.3	0.457	20225	0.271	0.558	0.0624	0.129		P2504815.D	2025-07-30 23:38	0.851	13.133	58175	869236	105.3	10.913	1.5%
SPRSPO-10-S-20250708	C40610	0.861	0.198	7.95	69.3	0.457	20225	0.271	0.558	0.0624	0.129		P2504816.D	2025-07-31 00:16	0.851	13.139	55493	863529	105.3	10.913	0.8%
SPRSPO-11-S-20250708	B48052	0.623	0.144	5.76	69.3	0.457	20225	0.271	0.558	0.0624	0.129		P2504817.D	2025-07-31 00:53	0.851	13.139	40762	875828	105.3	10.913	2.2%
SPRSPO-12-S-20250708	C38552	0.858	0.198	7.93	69.3	0.457	20225	0.271	0.558	0.0624	0.129		P2504818.D	2025-07-31 01:30	0.851	13.133	56600	883594	105.3	10.913	3.1%
SPRSPO-13-S-20250708	C43669	0.915	0.211	8.45	69.3	0.457	20220	0.271	0.559	0.0624	0.129		P2504819.D	2025-07-31 02:07	0.851	13.133	59665	873317	105.3	10.913	1.9%
SPRSPO-13-D-20250708	C40171	0.743	0.171	6.86	69.3	0.457	20220	0.271	0.559	0.0624	0.129		P2504820.D	2025-07-31 02:45	0.851	13.133	49747	897644	105.3	10.913	4.8%
SPRSPO-13-B-20250708	C00552	0.271	0.0624		69.3	0.457	20220	0.271	0.559	0.0624	0.129	ND	P2504804.D	2025-07-30 16:47	0.851	13.145	2614	824949	105.3	10.919	-3.7%
SPRSPO-14-S-20250708	C37048	1.35	0.312	12.5	69.3	0.457	20220	0.271	0.559	0.0624	0.129		P2504821.D	2025-07-31 03:22	0.851	13.139	89154	883359	105.3	10.913	3.1%
SPRSPO-15-S-20250708	C55683	1.26	0.290	11.6	69.3	0.457	20220	0.271	0.559	0.0624	0.129		P2504822.D	2025-07-31 03:59	0.851	13.133	84749	902576	105.3	10.913	5.4%
SPRSPO-16-S-20250708	C16151	1.48	0.341	13.7	69.3	0.457	20220	0.271	0.559	0.0624	0.129		P2504823.D	2025-07-31 04:37	0.851	13.139	98148	888716	105.3	10.913	3.7%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250708	B16380	4.95	1.14	45.8	69.4	0.457	20230	0.271	0.527	0.0624	0.121		P2504805.D	2025-07-30 17:25	0.651	13.311	239030	845088	105.3	10.913	-1.3%
SPRSPO-1-D-20250708	B49755	4.99	1.15	46.1	69.4	0.457	20230	0.271	0.527	0.0624	0.121		P2504806.D	2025-07-30 18:02	0.651	13.311	254702	894260	105.3	10.913	4.4%
SPRSPO-1-B-20250708	C37463	0.271	0.0624		69.4	0.457	20230	0.271	0.527	0.0624	0.121	ND	P2504803.D	2025-07-30 16:10	0.651	13.317	286	830909	105.3	10.919	-3.0%
SPRSPO-2-S-20250708	B50962	3.50	0.806	32.3	69.4	0.457	20235	0.271	0.527	0.0623	0.121		P2504807.D	2025-07-30 18:39	0.651	13.317	171350	857846	105.3	10.913	0.1%
SPRSPO-3-S-20250708	C00798	2.77	0.639	25.6	69.4	0.457	20230	0.271	0.527	0.0624	0.121		P2504808.D	2025-07-30 19:17	0.651	13.311	135459	855782	105.3	10.919	-0.1%
SPRSPO-4-S-20250708	C16079	1.99	0.459	18.4	69.4	0.457	20230	0.271	0.527	0.0624	0.121		P2504809.D	2025-07-30 19:54	0.651	13.311	94693	832718	105.3	10.919	-2.8%
SPRSPO-5-S-20250708	C43383	2.51	0.578	23.2	69.4	0.457	20230	0.271	0.527	0.0624	0.121		P2504810.D	2025-07-30 20:31	0.651	13.311	121266	846128	105.3	10.919	-1.2%
SPRSPO-6-S-20250708	B48066	2.17	0.501	20.1	69.4	0.457	20225	0.271	0.527	0.0624	0.122		P2504811.D	2025-07-30 21:09	0.651	13.305	107228	864729	105.3	10.913	0.9%
SPRSPO-7-S-20250708	C31394	1.64	0.378	15.2	69.4	0.457	20225	0.271	0.527	0.0624	0.122		P2504812.D	2025-07-30 21:46	0.651	13.311	79744	850476	105.3	10.913	-0.7%
SPRSPO-8-S-20250708	C43196	1.32	0.305	12.2	69.4	0.457	20225	0.271	0.527	0.0624	0.122		P2504814.D	2025-07-30 23:01	0.651	13.311	66640	882782	105.3	10.913	3.1%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA302-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20250708	B46163	2.67	0.616	24.7	69.3	0.457	20225	0.271	0.527	0.0624	0.122		P2504815.D	2025-07-30 23:38	0.651	13.305	132553	869236	105.3	10.913	1.5%
SPRSPO-10-S-20250708	C40610	1.97	0.454	18.2	69.3	0.457	20225	0.271	0.527	0.0624	0.122		P2504816.D	2025-07-31 00:16	0.651	13.311	97162	863529	105.3	10.913	0.8%
SPRSPO-11-S-20250708	B48052	1.89	0.435	17.4	69.3	0.457	20225	0.271	0.527	0.0624	0.122		P2504817.D	2025-07-31 00:53	0.651	13.305	94321	875828	105.3	10.913	2.2%
SPRSPO-12-S-20250708	C38552	2.25	0.518	20.8	69.3	0.457	20225	0.271	0.527	0.0624	0.122		P2504818.D	2025-07-31 01:30	0.651	13.311	113491	883594	105.3	10.913	3.1%
SPRSPO-13-S-20250708	C43669	3.09	0.713	28.6	69.3	0.457	20220	0.271	0.527	0.0624	0.122		P2504819.D	2025-07-31 02:07	0.651	13.305	154104	873317	105.3	10.913	1.9%
SPRSPO-13-D-20250708	C40171	2.32	0.535	21.4	69.3	0.457	20220	0.271	0.527	0.0624	0.122		P2504820.D	2025-07-31 02:45	0.651	13.311	118880	897644	105.3	10.913	4.8%
SPRSPO-13-B-20250708	C00552	0.271	0.0624		69.3	0.457	20220	0.271	0.527	0.0624	0.122	ND	P2504804.D	2025-07-30 16:47	0.651	13.317	963	824949	105.3	10.919	-3.7%
SPRSPO-14-S-20250708	C37048	3.44	0.792	31.7	69.3	0.457	20220	0.271	0.527	0.0624	0.122		P2504821.D	2025-07-31 03:22	0.651	13.311	173214	883359	105.3	10.913	3.1%
SPRSPO-15-S-20250708	C55683	4.44	1.02	41.0	69.3	0.457	20220	0.271	0.527	0.0624	0.122		P2504822.D	2025-07-31 03:59	0.651	13.311	228912	902576	105.3	10.913	5.4%
SPRSPO-16-S-20250708	C16151	3.99	0.919	36.8	69.3	0.457	20220	0.271	0.527	0.0624	0.122		P2504823.D	2025-07-31 04:37	0.651	13.311	202242	888716	105.3	10.913	3.7%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250708	B16380	2.01	0.463	18.6	69.4	0.457	20230	0.271	0.550	0.0624	0.127	P	P2504805.D	2025-07-30 17:25	0.639	13.804	95257	845088	105.3	10.913	-1.3%
SPRSPO-1-D-20250708	B49755	1.97	0.454	18.2	69.4	0.457	20230	0.271	0.550	0.0624	0.127	P	P2504806.D	2025-07-30 18:02	0.639	13.804	98756	894260	105.3	10.913	4.4%
SPRSPO-1-B-20250708	C37463	0.271	0.0624		69.4	0.457	20230	0.271	0.550	0.0624	0.127	ND,P	P2504803.D	2025-07-30 16:10	0.639	13.809	261	830909	105.3	10.919	-3.0%
SPRSPO-2-S-20250708	B50962	1.36	0.314	12.6	69.4	0.457	20235	0.271	0.550	0.0623	0.127	P	P2504807.D	2025-07-30 18:39	0.639	13.804	65511	857846	105.3	10.913	0.1%
SPRSPO-3-S-20250708	C00798	1.19	0.274	11.0	69.4	0.457	20230	0.271	0.550	0.0624	0.127	P	P2504808.D	2025-07-30 19:17	0.639	13.798	57040	855782	105.3	10.919	-0.1%
SPRSPO-4-S-20250708	C16079	0.759	0.175	7.02	69.4	0.457	20230	0.271	0.550	0.0624	0.127	P	P2504809.D	2025-07-30 19:54	0.639	13.804	35452	832718	105.3	10.919	-2.8%
SPRSPO-5-S-20250708	C43383	0.980	0.226	9.05	69.4	0.457	20230	0.271	0.550	0.0624	0.127	P	P2504810.D	2025-07-30 20:31	0.639	13.798	46484	846128	105.3	10.919	-1.2%
SPRSPO-6-S-20250708	B48066	0.973	0.224	8.99	69.4	0.457	20225	0.271	0.550	0.0624	0.127	P	P2504811.D	2025-07-30 21:09	0.639	13.798	47166	864729	105.3	10.913	0.9%
SPRSPO-7-S-20250708	C31394	0.628	0.145	5.80	69.4	0.457	20225	0.271	0.550	0.0624	0.127	P	P2504812.D	2025-07-30 21:46	0.639	13.798	29959	850476	105.3	10.913	-0.7%
SPRSPO-8-S-20250708	C43196	0.550	0.127	5.08	69.4	0.457	20225	0.271	0.550	0.0624	0.127	J,P	P2504814.D	2025-07-30 23:01	0.639	13.797	27197	882782	105.3	10.913	3.1%
SPRSPO-9-S-20250708	B46163	1.09	0.252	10.1	69.3	0.457	20225	0.271	0.550	0.0624	0.127	P	P2504815.D	2025-07-30 23:38	0.639	13.798	53223	869236	105.3	10.913	1.5%
SPRSPO-10-S-20250708	C40610	0.848	0.196	7.84	69.3	0.457	20225	0.271	0.550	0.0624	0.127	P	P2504816.D	2025-07-31 00:16	0.639	13.798	41063	863529	105.3	10.913	0.8%
SPRSPO-11-S-20250708	B48052	0.873	0.201	8.07	69.3	0.457	20225	0.271	0.550	0.0624	0.127	P	P2504817.D	2025-07-31 00:53	0.639	13.798	42872	875828	105.3	10.913	2.2%
SPRSPO-12-S-20250708	C38552	1.04	0.239	9.57	69.3	0.457	20225	0.271	0.550	0.0624	0.127	P	P2504818.D	2025-07-31 01:30	0.639	13.798	51338	883594	105.3	10.913	3.1%
SPRSPO-13-S-20250708	C43669	1.30	0.299	12.0	69.3	0.457	20220	0.271	0.550	0.0624	0.127	P	P2504819.D	2025-07-31 02:07	0.639	13.798	63475	873317	105.3	10.913	1.9%
SPRSPO-13-D-20250708	C40171	0.885	0.204	8.17	69.3	0.457	20220	0.271	0.550	0.0624	0.127	P	P2504820.D	2025-07-31 02:45	0.639	13.797	44511	897644	105.3	10.913	4.8%
SPRSPO-13-B-20250708	C00552	0.271	0.0624		69.3	0.457	20220	0.271	0.550	0.0624	0.127	ND,P	P2504804.D	2025-07-30 16:47	0.639	13.952	615	824949	105.3	10.919	-3.7%
SPRSPO-14-S-20250708	C37048	1.43	0.329	13.2	69.3	0.457	20220	0.271	0.550	0.0624	0.127	P	P2504821.D	2025-07-31 03:22	0.639	13.804	70587	883359	105.3	10.913	3.1%
SPRSPO-15-S-20250708	C55683	1.72	0.397	15.9	69.3	0.457	20220	0.271	0.550	0.0624	0.127	P	P2504822.D	2025-07-31 03:59	0.639	13.798	87055	902576	105.3	10.913	5.4%
SPRSPO-16-S-20250708	C16151	1.58	0.363	14.6	69.3	0.457	20220	0.271	0.550	0.0624	0.127	P	P2504823.D	2025-07-31 04:37	0.639	13.804	78503	888716	105.3	10.913	3.7%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
P: Field duplicate(s) exceed 30%RPD

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA302-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20250708	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20250708	0.202	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20250708	16%	Pass	16%	Pass	20%	Pass	0.69%	Pass	2.0%	Pass
	SPRSPO-13-D-20250708	4.8%	Pass	8.7%	Pass	21%	Pass	29%	Pass	38%	Fail

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA302-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2504801.D	C20535	Cal	0.805	0.896	0.805	-10%	-8.4%		Pass	
2025GA302 Method Blank-1	P2504802.D	B46355	Blank		0.896	0.805			-1.6%	Pass	ND
M325B CCV 5	P2504813.D	C34233	Check	0.805	0.896	0.805	-10%		1.9%	Pass	
M325B CCV 5	P2504824.D	C57735	Check	0.815	0.896	0.805	-9.0%		4.5%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2504801.D	C20535	Cal	0.761	0.887	0.761	-14%	-10%		Pass	
2025GA302 Method Blank-1	P2504802.D	B46355	Blank		0.887	0.761			-0.045%	Pass	J
M325B CCV 5	P2504813.D	C34233	Check	0.754	0.887	0.761	-15%		3.3%	Pass	
M325B CCV 5	P2504824.D	C57735	Check	0.771	0.887	0.761	-13%		7.7%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2504801.D	C20535	Cal	0.851	1.034	0.851	-18%	-10%		Pass	
2025GA302 Method Blank-1	P2504802.D	B46355	Blank		1.034	0.851			-0.045%	Pass	ND
M325B CCV 5	P2504813.D	C34233	Check	0.865	1.034	0.851	-16%		3.3%	Pass	
M325B CCV 5	P2504824.D	C57735	Check	0.892	1.034	0.851	-14%		7.7%	Pass	

m-/p-Xylenes Calibration and Blanks


Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2504801.D	C20535	Cal	0.651	0.792	0.651	-18%	-10%		Pass	
2025GA302 Method Blank-1	P2504802.D	B46355	Blank		0.792	0.651			-0.045%	Pass	ND
M325B CCV 5	P2504813.D	C34233	Check	0.667	0.792	0.651	-16%		3.3%	Pass	
M325B CCV 5	P2504824.D	C57735	Check	0.740	0.792	0.651	-6.5%		7.7%	Pass	

o-Xylene Calibration and Blanks





Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2504801.D	C20535	Cal	0.639	0.833	0.639	-23%	-10%		Pass	
2025GA302 Method Blank-1	P2504802.D	B46355	Blank		0.833	0.639			-0.045%	Pass	ND
M325B CCV 5	P2504813.D	C34233	Check	0.685	0.833	0.639	-18%		3.3%	Pass	
M325B CCV 5	P2504824.D	C57735	Check	0.720	0.833	0.639	-14%		7.7%	Pass	

Chromatograms

Name 2025GA302 Method Blank-1
Comment B46355
Data File P2504802.D
Acq. Date-Time 7/30/2025 3:33:01 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1


Sample Chromatogram

Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.355	8.367	695,072	
Benzene	benzene-d6 (IS)	8.396	8.426	11,780	
Toluene-d8 (IS)		10.913	10.931	856,231	
Toluene	Toluene-d8 (IS)	11.008	11.020	18,190	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	4,082	
m-/p-Xylenes	Toluene-d8 (IS)	13.334	13.341	4,202	
o-Xylene	Toluene-d8 (IS)	13.797	13.809	1,402	


benzene-d6 (IS)**Benzene**

Toluene-d8 (IS)


+ EIC (98.1) Scan P2504802.D




+ Scan (10.871-11.055 min, 31 scans) P2504802.D

**Toluene**


+ EIC (91.1) Scan P2504802.D




+ Scan (10.969-11.077 min, 18 scans) P2504802.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504802.D




+ Scan (13.109-13.183 min, 13 scans) P2504802.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504802.D




+ Scan (13.290-13.385 min, 16 scans) P2504802.D




o-Xylene

+ EIC (91.1) Scan P2504802.D




+ Scan (13.791-13.825 min, 6 scans) P2504802.D





Name SPRSPO-1-B-20250708
Comment C37463
Data File P2504803.D
Acq. Date-Time 7/30/2025 4:10:21 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.355	8.367	698,877	
Benzene	benzene-d6 (IS)	8.426	8.426	3,430	
Toluene-d8 (IS)		10.919	10.931	830,909	
Toluene	Toluene-d8 (IS)	11.002	11.020	11,458	
Ethylbenzene	Toluene-d8 (IS)	13.139	13.151	1,882	
m-/p-Xylenes	Toluene-d8 (IS)	13.317	13.341	286	
o-Xylene	Toluene-d8 (IS)	13.809	13.809	261	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504803.D




+ Scan (10.871-11.020 min, 26 scans) P2504803.D

**Toluene**


+ EIC (91.1) Scan P2504803.D




+ Scan (10.973-11.061 min, 15 scans) P2504803.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504803.D




+ Scan (13.117-13.173 min, 9 scans) P2504803.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504803.D




+ Scan (13.306-13.327 min, 3 scans) P2504803.D




o-Xylene

+ EIC (91.1) Scan P2504803.D




+ Scan (13.804-13.821 min, 4 scans) P2504803.D





Name SPRSPO-13-B-20250708
Comment C00552
Data File P2504804.D
Acq. Date-Time 7/30/2025 4:47:41 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.367	684,129	
Benzene	benzene-d6 (IS)	8.414	8.426	16,570	
Toluene-d8 (IS)		10.919	10.931	824,949	
Toluene	Toluene-d8 (IS)	11.020	11.020	8,966	
Ethylbenzene	Toluene-d8 (IS)	13.145	13.151	2,614	
m-/p-Xylenes	Toluene-d8 (IS)	13.317	13.341	963	
o-Xylene	Toluene-d8 (IS)	13.952	13.809	615	m

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504804.D




+ Scan (10.870-11.032 min, 28 scans) P2504804.D

**Toluene**


+ EIC (91.1) Scan P2504804.D




+ Scan (10.982-11.048 min, 11 scans) P2504804.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504804.D




+ Scan (13.122-13.173 min, 8 scans) P2504804.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504804.D




+ Scan (13.301-13.345 min, 7 scans) P2504804.D




o-Xylene

+ EIC (91.1) Scan P2504804.D




+ Scan (13.921-13.961 min, 7 scans) P2504804.D





Name SPRSPO-1-S-20250708
Comment B16380
Data File P2504805.D
Acq. Date-Time 7/30/2025 5:25:00 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.355	8.367	692,184	
Benzene	benzene-d6 (IS)	8.408	8.426	154,947	
Toluene-d8 (IS)		10.913	10.931	845,088	
Toluene	Toluene-d8 (IS)	11.008	11.020	604,767	
Ethylbenzene	Toluene-d8 (IS)	13.139	13.151	122,127	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	239,030	
o-Xylene	Toluene-d8 (IS)	13.804	13.809	95,257	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504805.D




+ Scan (10.872-11.055 min, 31 scans) P2504805.D

**Toluene**


+ EIC (91.1) Scan P2504805.D




+ Scan (10.964-11.156 min, 33 scans) P2504805.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504805.D




+ Scan (13.097-13.252 min, 27 scans) P2504805.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504805.D




+ Scan (13.265-13.477 min, 36 scans) P2504805.D




o-Xylene

+ EIC (91.1) Scan P2504805.D




+ Scan (13.763-13.904 min, 24 scans) P2504805.D





Name SPRSPO-1-D-20250708
Comment B49755
Data File P2504806.D
Acq. Date-Time 7/30/2025 6:02:21 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.367	691,177	
Benzene	benzene-d6 (IS)	8.414	8.426	131,239	
Toluene-d8 (IS)		10.913	10.931	894,260	
Toluene	Toluene-d8 (IS)	11.008	11.020	546,676	
Ethylbenzene	Toluene-d8 (IS)	13.139	13.151	105,876	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	254,702	
o-Xylene	Toluene-d8 (IS)	13.804	13.809	98,756	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504806.D




+ Scan (10.864-11.056 min, 33 scans) P2504806.D

**Toluene**


+ EIC (91.1) Scan P2504806.D




+ Scan (10.967-11.157 min, 32 scans) P2504806.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504806.D




+ Scan (13.100-13.221 min, 20 scans) P2504806.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504806.D




+ Scan (13.264-13.477 min, 37 scans) P2504806.D




o-Xylene

+ EIC (91.1) Scan P2504806.D




+ Scan (13.768-13.869 min, 18 scans) P2504806.D





Name SPRSPO-2-S-20250708
Comment B50962
Data File P2504807.D
Acq. Date-Time 7/30/2025 6:39:41 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.355	8.367	706,955	
Benzene	benzene-d6 (IS)	8.414	8.426	116,071	
Toluene-d8 (IS)		10.913	10.931	857,846	
Toluene	Toluene-d8 (IS)	11.008	11.020	376,189	
Ethylbenzene	Toluene-d8 (IS)	13.145	13.151	67,486	
m-/p-Xylenes	Toluene-d8 (IS)	13.317	13.341	171,350	
o-Xylene	Toluene-d8 (IS)	13.804	13.809	65,511	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504807.D




+ Scan (10.872-11.056 min, 32 scans) P2504807.D

**Toluene**


+ EIC (91.1) Scan P2504807.D




+ Scan (10.967-11.145 min, 31 scans) P2504807.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504807.D




+ Scan (13.110-13.196 min, 14 scans) P2504807.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504807.D




+ Scan (13.279-13.434 min, 26 scans) P2504807.D




o-Xylene

+ EIC (91.1) Scan P2504807.D




+ Scan (13.770-13.897 min, 21 scans) P2504807.D





Name SPRSPO-3-S-20250708
Comment C00798
Data File P2504808.D
Acq. Date-Time 7/30/2025 7:17:00 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.355	8.367	709,825	
Benzene	benzene-d6 (IS)	8.408	8.426	106,790	
Toluene-d8 (IS)		10.919	10.931	855,782	
Toluene	Toluene-d8 (IS)	11.014	11.020	325,216	
Ethylbenzene	Toluene-d8 (IS)	13.145	13.151	62,313	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	135,459	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	57,040	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504808.D




+ Scan (10.866-11.062 min, 33 scans) P2504808.D

**Toluene**


+ EIC (91.1) Scan P2504808.D




+ Scan (10.967-11.127 min, 28 scans) P2504808.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504808.D




+ Scan (13.102-13.222 min, 21 scans) P2504808.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504808.D




+ Scan (13.276-13.507 min, 39 scans) P2504808.D




o-Xylene

+ EIC (91.1) Scan P2504808.D




+ Scan (13.770-13.893 min, 21 scans) P2504808.D





Name SPRSPO-4-S-20250708
Comment C16079
Data File P2504809.D
Acq. Date-Time 7/30/2025 7:54:20 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.355	8.367	711,324	
Benzene	benzene-d6 (IS)	8.408	8.426	75,704	
Toluene-d8 (IS)		10.919	10.931	832,718	
Toluene	Toluene-d8 (IS)	11.014	11.020	227,276	
Ethylbenzene	Toluene-d8 (IS)	13.139	13.151	40,948	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	94,693	
o-Xylene	Toluene-d8 (IS)	13.804	13.809	35,452	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504809.D




+ Scan (10.873-11.032 min, 27 scans) P2504809.D

**Toluene**


+ EIC (91.1) Scan P2504809.D




+ Scan (10.959-11.121 min, 28 scans) P2504809.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504809.D




+ Scan (13.104-13.216 min, 19 scans) P2504809.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504809.D




+ Scan (13.275-13.436 min, 28 scans) P2504809.D




o-Xylene

+ EIC (91.1) Scan P2504809.D




+ Scan (13.768-13.863 min, 15 scans) P2504809.D





Name SPRSPO-5-S-20250708
Comment C43383
Data File P2504810.D
Acq. Date-Time 7/30/2025 8:31:41 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.367	684,485	
Benzene	benzene-d6 (IS)	8.408	8.426	68,730	
Toluene-d8 (IS)		10.919	10.931	846,128	
Toluene	Toluene-d8 (IS)	11.008	11.020	220,308	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	44,354	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	121,266	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	46,484	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504810.D




+ Scan (10.869-11.026 min, 27 scans) P2504810.D

**Toluene**


+ EIC (91.1) Scan P2504810.D




+ Scan (10.961-11.109 min, 26 scans) P2504810.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504810.D




+ Scan (13.101-13.222 min, 21 scans) P2504810.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504810.D




+ Scan (13.268-13.440 min, 29 scans) P2504810.D




o-Xylene

+ EIC (91.1) Scan P2504810.D




+ Scan (13.768-13.892 min, 21 scans) P2504810.D



Name SPRSPO-6-S-20250708
Comment B48066
Data File P2504811.D
Acq. Date-Time 7/30/2025 9:09:01 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram


+ TIC Scan P2504811.D (SPRSPO-6-S-20250708)




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.355	8.367	689,074	
Benzene	benzene-d6 (IS)	8.397	8.426	74,032	
Toluene-d8 (IS)		10.913	10.931	864,729	
Toluene	Toluene-d8 (IS)	11.008	11.020	275,488	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	42,638	
m-/p-Xylenes	Toluene-d8 (IS)	13.305	13.341	107,228	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	47,166	

benzene-d6 (IS)

+ EIC (84.1) Scan P2504811.D




+ Scan (8.355-8.355 min, 1 scans) P2504811.D




Benzene

+ EIC (78.1) Scan P2504811.D




+ Scan (8.397-8.397 min, 1 scans) P2504811.D




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504811.D




+ Scan (10.867-11.056 min, 32 scans) P2504811.D

**Toluene**


+ EIC (91.1) Scan P2504811.D




+ Scan (10.959-11.121 min, 28 scans) P2504811.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504811.D




+ Scan (13.103-13.240 min, 23 scans) P2504811.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504811.D




+ Scan (13.271-13.451 min, 30 scans) P2504811.D




o-Xylene

+ EIC (91.1) Scan P2504811.D




+ Scan (13.769-13.881 min, 18 scans) P2504811.D





Name SPRSPO-7-S-20250708
Comment C31394
Data File P2504812.D
Acq. Date-Time 7/30/2025 9:46:35 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.355	8.367	691,402	
Benzene	benzene-d6 (IS)	8.408	8.426	62,638	
Toluene-d8 (IS)		10.913	10.931	850,476	
Toluene	Toluene-d8 (IS)	11.008	11.020	260,084	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	32,226	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	79,744	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	29,959	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504812.D




+ Scan (10.872-11.062 min, 32 scans) P2504812.D

**Toluene**


+ EIC (91.1) Scan P2504812.D




+ Scan (10.962-11.121 min, 27 scans) P2504812.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504812.D




+ Scan (13.104-13.234 min, 22 scans) P2504812.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504812.D




+ Scan (13.277-13.430 min, 26 scans) P2504812.D




o-Xylene

+ EIC (91.1) Scan P2504812.D




+ Scan (13.774-13.869 min, 15 scans) P2504812.D





Name SPRSPO-8-S-20250708
Comment C43196
Data File P2504814.D
Acq. Date-Time 7/30/2025 11:01:22 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.367	718,352	
Benzene	benzene-d6 (IS)	8.396	8.426	48,422	
Toluene-d8 (IS)		10.913	10.931	882,782	
Toluene	Toluene-d8 (IS)	11.008	11.020	137,066	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	26,774	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	66,640	
o-Xylene	Toluene-d8 (IS)	13.797	13.809	27,197	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504814.D




+ Scan (10.859-11.055 min, 34 scans) P2504814.D

**Toluene**


+ EIC (91.1) Scan P2504814.D




+ Scan (10.963-11.119 min, 26 scans) P2504814.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504814.D




+ Scan (13.109-13.185 min, 12 scans) P2504814.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504814.D




+ Scan (13.270-13.441 min, 29 scans) P2504814.D




o-Xylene

+ EIC (91.1) Scan P2504814.D




+ Scan (13.758-13.839 min, 14 scans) P2504814.D





Name SPRSPO-9-S-20250708
Comment B46163
Data File P2504815.D
Acq. Date-Time 7/30/2025 11:38:41 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.367	717,756	
Benzene	benzene-d6 (IS)	8.402	8.426	71,271	
Toluene-d8 (IS)		10.913	10.931	869,236	
Toluene	Toluene-d8 (IS)	11.002	11.020	226,562	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	58,175	
m-/p-Xylenes	Toluene-d8 (IS)	13.305	13.341	132,553	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	53,223	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504815.D




+ Scan (10.868-11.056 min, 32 scans) P2504815.D

**Toluene**


+ EIC (91.1) Scan P2504815.D




+ Scan (10.961-11.127 min, 29 scans) P2504815.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504815.D




+ Scan (13.104-13.216 min, 19 scans) P2504815.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504815.D




+ Scan (13.265-13.440 min, 29 scans) P2504815.D




o-Xylene

+ EIC (91.1) Scan P2504815.D




+ Scan (13.767-13.881 min, 20 scans) P2504815.D





Name SPRSPO-10-S-20250708
Comment C40610
Data File P2504816.D
Acq. Date-Time 7/31/2025 12:16:01 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.367	723,412	
Benzene	benzene-d6 (IS)	8.402	8.426	63,330	
Toluene-d8 (IS)		10.913	10.931	863,529	
Toluene	Toluene-d8 (IS)	11.008	11.020	190,374	
Ethylbenzene	Toluene-d8 (IS)	13.139	13.151	55,493	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	97,162	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	41,063	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504816.D




+ Scan (10.868-11.050 min, 31 scans) P2504816.D

**Toluene**


+ EIC (91.1) Scan P2504816.D




+ Scan (10.963-11.139 min, 30 scans) P2504816.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504816.D




+ Scan (13.093-13.216 min, 21 scans) P2504816.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504816.D




+ Scan (13.270-13.447 min, 29 scans) P2504816.D




o-Xylene

+ EIC (91.1) Scan P2504816.D




+ Scan (13.765-13.857 min, 15 scans) P2504816.D




Name SPRSPO-11-S-20250708
Comment B48052
Data File P2504817.D
Acq. Date-Time 7/31/2025 12:53:19 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.367	706,533	
Benzene	benzene-d6 (IS)	8.408	8.426	84,684	
Toluene-d8 (IS)		10.913	10.931	875,828	
Toluene	Toluene-d8 (IS)	11.008	11.020	197,112	
Ethylbenzene	Toluene-d8 (IS)	13.139	13.151	40,762	
m-/p-Xylenes	Toluene-d8 (IS)	13.305	13.341	94,321	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	42,872	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504817.D




+ Scan (10.860-11.026 min, 29 scans) P2504817.D

**Toluene**


+ EIC (91.1) Scan P2504817.D




+ Scan (10.967-11.109 min, 25 scans) P2504817.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504817.D




+ Scan (13.102-13.186 min, 15 scans) P2504817.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504817.D




+ Scan (13.264-13.452 min, 32 scans) P2504817.D




o-Xylene

+ EIC (91.1) Scan P2504817.D




+ Scan (13.774-13.874 min, 17 scans) P2504817.D





Name SPRSPO-12-S-20250708
Comment C38552
Data File P2504818.D
Acq. Date-Time 7/31/2025 1:30:37 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.367	713,027	
Benzene	benzene-d6 (IS)	8.408	8.426	77,616	
Toluene-d8 (IS)		10.913	10.931	883,594	
Toluene	Toluene-d8 (IS)	11.008	11.020	251,807	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	56,600	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	113,491	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	51,338	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504818.D




+ Scan (10.866-11.061 min, 33 scans) P2504818.D

**Toluene**


+ EIC (91.1) Scan P2504818.D




+ Scan (10.963-11.115 min, 26 scans) P2504818.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504818.D




+ Scan (13.104-13.221 min, 19 scans) P2504818.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504818.D




+ Scan (13.269-13.430 min, 28 scans) P2504818.D




o-Xylene

+ EIC (91.1) Scan P2504818.D




+ Scan (13.762-13.875 min, 20 scans) P2504818.D





Name SPRSPO-13-S-20250708
Comment C43669
Data File P2504819.D
Acq. Date-Time 7/31/2025 2:07:56 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.367	730,251	
Benzene	benzene-d6 (IS)	8.397	8.426	84,950	
Toluene-d8 (IS)		10.913	10.931	873,317	
Toluene	Toluene-d8 (IS)	11.008	11.020	254,882	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	59,665	
m-/p-Xylenes	Toluene-d8 (IS)	13.305	13.341	154,104	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	63,475	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504819.D




+ Scan (10.862-11.020 min, 27 scans) P2504819.D

**Toluene**


+ EIC (91.1) Scan P2504819.D




+ Scan (10.962-11.115 min, 26 scans) P2504819.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504819.D




+ Scan (13.097-13.240 min, 25 scans) P2504819.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504819.D




+ Scan (13.270-13.435 min, 27 scans) P2504819.D




o-Xylene

+ EIC (91.1) Scan P2504819.D




+ Scan (13.765-13.886 min, 20 scans) P2504819.D





Name SPRSPO-13-D-20250708
Comment C40171
Data File P2504820.D
Acq. Date-Time 7/31/2025 2:45:15 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.355	8.367	729,391	
Benzene	benzene-d6 (IS)	8.408	8.426	80,849	
Toluene-d8 (IS)		10.913	10.931	897,644	
Toluene	Toluene-d8 (IS)	11.008	11.020	240,126	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	49,747	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	118,880	
o-Xylene	Toluene-d8 (IS)	13.797	13.809	44,511	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504820.D




+ Scan (10.871-11.061 min, 32 scans) P2504820.D

**Toluene**


+ EIC (91.1) Scan P2504820.D




+ Scan (10.966-11.121 min, 27 scans) P2504820.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504820.D




+ Scan (13.109-13.198 min, 16 scans) P2504820.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504820.D




+ Scan (13.271-13.435 min, 28 scans) P2504820.D




o-Xylene

+ EIC (91.1) Scan P2504820.D




+ Scan (13.770-13.857 min, 15 scans) P2504820.D





Name SPRSPO-14-S-20250708
Comment C37048
Data File P2504821.D
Acq. Date-Time 7/31/2025 3:22:31 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.367	719,962	
Benzene	benzene-d6 (IS)	8.414	8.426	92,930	
Toluene-d8 (IS)		10.913	10.931	883,359	
Toluene	Toluene-d8 (IS)	11.008	11.020	305,093	
Ethylbenzene	Toluene-d8 (IS)	13.139	13.151	89,154	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	173,214	
o-Xylene	Toluene-d8 (IS)	13.804	13.809	70,587	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504821.D




+ Scan (10.869-11.056 min, 32 scans) P2504821.D

**Toluene**


+ EIC (91.1) Scan P2504821.D




+ Scan (10.962-11.157 min, 33 scans) P2504821.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504821.D




+ Scan (13.097-13.231 min, 23 scans) P2504821.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504821.D




+ Scan (13.269-13.489 min, 38 scans) P2504821.D




o-Xylene

+ EIC (91.1) Scan P2504821.D




+ Scan (13.768-13.863 min, 16 scans) P2504821.D




Name SPRSPO-15-S-20250708
Comment C55683
Data File P2504822.D
Acq. Date-Time 7/31/2025 3:59:50 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.367	736,691	
Benzene	benzene-d6 (IS)	8.408	8.426	125,930	
Toluene-d8 (IS)		10.913	10.931	902,576	
Toluene	Toluene-d8 (IS)	11.008	11.020	446,066	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	84,749	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	228,912	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	87,055	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504822.D




+ Scan (10.866-11.056 min, 32 scans) P2504822.D

**Toluene**


+ EIC (91.1) Scan P2504822.D




+ Scan (10.967-11.115 min, 25 scans) P2504822.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504822.D




+ Scan (13.098-13.234 min, 23 scans) P2504822.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504822.D




+ Scan (13.270-13.471 min, 34 scans) P2504822.D




o-Xylene

+ EIC (91.1) Scan P2504822.D




+ Scan (13.756-13.893 min, 24 scans) P2504822.D





Name SPRSPO-16-S-20250708
Comment C16151
Data File P2504823.D
Acq. Date-Time 7/31/2025 4:37:08 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.367	712,376	
Benzene	benzene-d6 (IS)	8.408	8.426	148,314	
Toluene-d8 (IS)		10.913	10.931	888,716	
Toluene	Toluene-d8 (IS)	11.008	11.020	446,971	
Ethylbenzene	Toluene-d8 (IS)	13.139	13.151	98,148	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	202,242	
o-Xylene	Toluene-d8 (IS)	13.804	13.809	78,503	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2504823.D




+ Scan (10.870-11.050 min, 31 scans) P2504823.D

**Toluene**


+ EIC (91.1) Scan P2504823.D




+ Scan (10.961-11.145 min, 32 scans) P2504823.D

**Ethylbenzene**


+ EIC (91.1) Scan P2504823.D




+ Scan (13.102-13.238 min, 23 scans) P2504823.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2504823.D




+ Scan (13.264-13.477 min, 37 scans) P2504823.D




o-Xylene

+ EIC (91.1) Scan P2504823.D



+ Scan (13.769-13.875 min, 18 scans) P2504823.D



Initial Calibration



Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA302-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
P041125A_CC252679_R1	Benzene	1	P2502258.D	4.96	47440	90.3	798559	1.081	0.21
P041125A_CC252679_R1	Benzene	2	P2502259.D	9.92	81580	90.3	784474	0.946	0.056
P041125A_CC252679_R1	Benzene	3	P2502260.D	19.85	154990	90.3	766291	0.920	0.027
P041125A_CC252679_R1	Benzene	4	P2502261.D	39.70	307006	90.3	776135	0.900	0.0043
P041125A_CC252679_R1	Benzene	5	P2502262.D	99.25	682063	90.3	768529	0.807	-0.099
P041125A_CC252679_R1	Benzene	6	P2502263.D	198.49	1383026	90.3	766391	0.821	-0.084
P041125A_CC252679_R1	Benzene	7	P2502264.D	595.47	3847989	90.3	733331	0.796	-0.11
						Avg:	770530	0.896	
						%RSD:	2.6%	11.2%	
P041125A_CC252679_R1	Toluene	1	P2502258.D	5.37	53462	105.3	981002	1.069	0.21
P041125A_CC252679_R1	Toluene	2	P2502259.D	10.73	93718	105.3	977723	0.940	0.061
P041125A_CC252679_R1	Toluene	3	P2502260.D	21.46	177517	105.3	952641	0.914	0.031
P041125A_CC252679_R1	Toluene	4	P2502261.D	42.92	366700	105.3	958584	0.938	0.058
P041125A_CC252679_R1	Toluene	5	P2502262.D	107.31	751020	105.3	937774	0.786	-0.11
P041125A_CC252679_R1	Toluene	6	P2502263.D	214.62	1544431	105.3	950212	0.797	-0.1
P041125A_CC252679_R1	Toluene	7	P2502264.D	643.86	4297415	105.3	923104	0.761	-0.14
						Avg:	954434	0.887	
						%RSD:	2.2%	12.5%	
P041125A_CC252679_R1	Ethylbenzene	1	P2502258.D	5.16	56966	105.3	981002	1.185	0.15
P041125A_CC252679_R1	Ethylbenzene	2	P2502259.D	10.32	108870	105.3	977723	1.137	0.1
P041125A_CC252679_R1	Ethylbenzene	3	P2502260.D	20.63	213920	105.3	952641	1.146	0.11
P041125A_CC252679_R1	Ethylbenzene	4	P2502261.D	41.26	422263	105.3	958584	1.124	0.088
P041125A_CC252679_R1	Ethylbenzene	5	P2502262.D	103.15	801782	105.3	937774	0.873	-0.16
P041125A_CC252679_R1	Ethylbenzene	6	P2502263.D	206.30	1736097	105.3	950212	0.932	-0.098
P041125A_CC252679_R1	Ethylbenzene	7	P2502264.D	618.90	4543663	105.3	923104	0.837	-0.19
						Avg:	954434	1.034	
						%RSD:	2.2%	14.2%	
P041125A_CC252679_R1	m-/p-Xylenes	1	P2502258.D	4.87	38899	105.3	981002	0.857	0.083
P041125A_CC252679_R1	m-/p-Xylenes	2	P2502259.D	9.74	73807	105.3	977723	0.816	0.03
P041125A_CC252679_R1	m-/p-Xylenes	3	P2502260.D	19.48	153415	105.3	952641	0.870	0.099
P041125A_CC252679_R1	m-/p-Xylenes	4	P2502261.D	38.97	310930	105.3	958584	0.876	0.11
P041125A_CC252679_R1	m-/p-Xylenes	5	P2502262.D	97.42	591523	105.3	937774	0.682	-0.14
P041125A_CC252679_R1	m-/p-Xylenes	6	P2502263.D	194.84	1339681	105.3	950212	0.762	-0.038
P041125A_CC252679_R1	m-/p-Xylenes	7	P2502264.D	584.52	3480142	105.3	923104	0.679	-0.14
						Avg:	954434	0.792	
						%RSD:	2.2%	10.8%	
P041125A_CC252679_R1	o-Xylene	1	P2502258.D	5.08	44039	105.3	981002	0.930	0.12
P041125A_CC252679_R1	o-Xylene	2	P2502259.D	10.16	84765	105.3	977723	0.898	0.078
P041125A_CC252679_R1	o-Xylene	3	P2502260.D	20.32	174712	105.3	952641	0.950	0.14

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA302-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
P041125A_CC252679_R1	o-Xylene	4	P2502261.D	40.64	330869	105.3	958584	0.894	0.073
P041125A_CC252679_R1	o-Xylene	5	P2502262.D	101.61	648711	105.3	937774	0.717	-0.14
P041125A_CC252679_R1	o-Xylene	6	P2502263.D	203.21	1413541	105.3	950212	0.771	-0.075
P041125A_CC252679_R1	o-Xylene	7	P2502264.D	609.64	3599376	105.3	923104	0.673	-0.19
						Avg:	954434	0.833	
						%RSD:	2.2%	13.3%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
P041125A_CC252679_R1	Benzene	ICV	P2502265.D	64.22	465786	90.3	753743	0.869	-3.0%
P041125A_CC252679_R1	Toluene	ICV	P2502265.D	76.59	610878	105.3	957560	0.877	-1.1%
P041125A_CC252679_R1	Ethylbenzene	ICV	P2502265.D	86.22	753297	105.3	957560	0.961	-7.1%
P041125A_CC252679_R1	m-/p-Xylenes	ICV	P2502265.D	89.75	613496	105.3	957560	0.752	-5.1%
P041125A_CC252679_R1	o-Xylene	ICV	P2502265.D	88.34	625434	105.3	957560	0.778	-6.6%

M325B PDF Report ver.20250630

Sample Custody

- ☐ Standard Turn Around Time (10 business days)
- ☐ Rush Turn Around Time
- All TATs Subject to Approval by Enthalpy Analytical, Inc.
- Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name: <u>Sprague So Portland</u>			Client Name: <u>Montrose Air</u>			PO#:			
Site Address: <u>39 Main St</u>			Project Number: <u>027968</u>			Sample Event #			
City: <u>So Portland</u>			Project Manager: <u>Haig Brochu</u>			Sorbent:			
State: <u>Me</u>			Email Address:						
Zip: <u>04106</u>			Telephone #: <u>207-441-0025</u>						
Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	B16380	S	7/8/25	905	7/22/25	1015	HFB		
1	B49755	D	"	905	"	1015	HFB		
1	C37463	B	"	905	"	1015	"		
2	B50962	S	"	910	"	1025	"		
3	C00798	S	"	925	"	1035	"		
4	C16079	S	"	935	"	1045	"		
5	C43383	S	"	945	"	1055	"		
6	B48066	S	7/8/25	955	7/22/25	1100	HFB		
7	C31394	S	"	1005	"	1110	"		
8	C43196	S	"	1015	"	1120	"		
9	B46163	S	"	1025	"	1130	"		
10	C40610	S	"	1035	"	1140	"		
11	B48052	S	"	1045	"	1150	"		
12	C38552	S	"	1055	"	1200	"		
13	C43669	S	"	1110	"	1210	"		
13	C40171	D	7/8/25	1110	7/22/25	1210	HFB		
13	C00552	B	"	1110	"	1210	"		
14	C37048	S	"	1120	"	1220	"		
15	C55683	S	"	1130	"	1230	"		
16	C16151	S	7/8/25	1140	7/22/25	1240	HFB		
Relinquished By (printed):			Relinquished By (signature):			Relinquished Date:		Relinquished Time:	
Haig Brochu						7/22/2025		1730	
Received By (printed):			Received By (signature):			Receipt Date:		Receipt Time:	
Daniel Simpson						7/29/25		11:51AM	
Sample Condition Upon Receipt:			Compound List:			Custody Seal Intact? Y/N:		Delivery tracking #	
Good						Y			
Le Temp:		Blank Temp:				Add Custody Seal # below:			
24.8		Fluke 4							
						24615273			

**This Is The Last Page
Of This Report.**

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 27 Sprague - South Portland

Client Project# PROJ-027968

Samples Received: 8/11/2025

Analytical Report 2025GA303

EPA Method 325B Analysis

Report Issue Date: 8/19/2025

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



QA Review by Isabel Obando Marrero, Data Reviewer



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	11
Chromatograms	14
Initial Calibration	78
Sample Custody	81
Chain of Custody	82

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GA303-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Enthalpy Analytical on August 11, 2025 at 25.6 °C, which is above the method recommended 23.0 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20250722	C34214	Sample
SPRSPO-1-D-20250722	C01604	Duplicate
SPRSPO-1-B-20250722	B15544	Blank
SPRSPO-2-S-20250722	C55495	Sample
SPRSPO-3-S-20250722	C40613	Sample
SPRSPO-4-S-20250722	B33523	Sample
SPRSPO-5-S-20250722	C57432	Sample
SPRSPO-6-S-20250722	C55717	Sample
SPRSPO-7-S-20250722	C43614	Sample
SPRSPO-8-S-20250722	C56863	Sample
SPRSPO-9-S-20250722	C38558	Sample
SPRSPO-10-S-20250722	C00787	Sample
SPRSPO-11-S-20250722	C40622	Sample
SPRSPO-12-S-20250722	C34139	Sample
SPRSPO-13-S-20250722	B15553	Sample
SPRSPO-13-D-20250722	C55362	Duplicate
SPRSPO-13-B-20250722	B19844	Blank
SPRSPO-14-S-20250722	C01346	Sample
SPRSPO-15-S-20250722	C55560	Sample
SPRSPO-16-S-20250722	C53573	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GA303-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (E050525A_CC252679_QT_CC185154) met all 30% RSD criteria. The initial calibration verification met 30% difference criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

5. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

6. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA303-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20250722	C34214	1.61		5.41		1.15		3.34		1.23	
SPRSPO-1-D-20250722	C01604	1.58		5.42		1.32		3.81		1.48	
SPRSPO-1-B-20250722	B15544	0.187	ND	0.241	ND	0.272	ND	0.272	ND	0.272	ND
SPRSPO-2-S-20250722	C55495	1.25		3.90		0.904		2.92		1.09	
SPRSPO-3-S-20250722	C40613	1.03		2.91		0.612		1.62		0.582	
SPRSPO-4-S-20250722	B33523	1.05		3.04		0.631		1.99		0.791	
SPRSPO-5-S-20250722	C57432	1.12		3.07		0.611		2.23		0.843	
SPRSPO-6-S-20250722	C55717	0.979		3.68		0.621		2.08		0.841	
SPRSPO-7-S-20250722	C43614	0.981		3.54		0.562		1.59		0.609	
SPRSPO-8-S-20250722	C56863	0.814		1.72		0.373	J	1.19		0.447	J
SPRSPO-9-S-20250722	C38558	0.932		2.55		0.618		1.64		0.620	
SPRSPO-10-S-20250722	C00787	1.04		2.83		0.756		2.34		0.966	
SPRSPO-11-S-20250722	C40622	1.02		2.42		0.599		1.55		0.584	
SPRSPO-12-S-20250722	C34139	1.36		3.88		1.07		3.14		1.22	
SPRSPO-13-S-20250722	B15553	1.39		4.02		1.27		2.97		1.24	
SPRSPO-13-D-20250722	C55362	1.34		4.01		1.00		3.71		1.51	
SPRSPO-13-B-20250722	B19844	0.187	ND	0.241	ND	0.272	ND	0.272	ND	0.272	ND
SPRSPO-14-S-20250722	C01346	1.32		4.08		1.02		3.26		1.29	
SPRSPO-15-S-20250722	C55560	1.68		6.71		1.48		5.57		2.15	
SPRSPO-16-S-20250722	C53573	1.81		5.93		1.40		4.54		1.79	

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA303-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250722	C34214	1.61	0.506	21.6	70.7	0.666	20095	0.187	0.369	0.0585	0.116		E2502472.d	2025-08-12 08:58	0.989	8.102	185184	469364	54.2	8.045	-5.1%
SPRSPO-1-D-20250722	C01604	1.58	0.496	21.2	70.7	0.666	20095	0.187	0.369	0.0585	0.116		E2502473.d	2025-08-12 09:24	0.989	8.102	181320	468460	54.2	8.045	-5.3%
SPRSPO-1-B-20250722	B15544	0.187	0.0585		70.7	0.666	20095	0.187	0.369	0.0585	0.116	ND	E2502471.d	2025-08-12 08:33	0.989	8.103	17215	471577	54.2	8.045	-4.7%
SPRSPO-2-S-20250722	C55495	1.25	0.392	16.8	70.7	0.666	20095	0.187	0.369	0.0585	0.116		E2502474.d	2025-08-12 09:49	0.989	8.103	143870	469899	54.2	8.045	-5.0%
SPRSPO-3-S-20250722	C40613	1.03	0.321	13.7	70.7	0.666	20095	0.187	0.369	0.0585	0.116		E2502475.d	2025-08-12 10:15	0.989	8.103	116688	465751	54.2	8.045	-5.9%
SPRSPO-4-S-20250722	B33523	1.05	0.327	14.0	70.7	0.666	20095	0.187	0.369	0.0585	0.116		E2502476.d	2025-08-12 10:40	0.989	8.102	119565	468059	54.2	8.045	-5.4%
SPRSPO-5-S-20250722	C57432	1.12	0.352	15.0	70.7	0.666	20095	0.187	0.369	0.0585	0.116		E2502477.d	2025-08-12 11:06	0.989	8.103	127805	465768	54.2	8.045	-5.9%
SPRSPO-6-S-20250722	C55717	0.979	0.307	13.1	70.7	0.666	20100	0.187	0.369	0.0585	0.116		E2502478.d	2025-08-12 11:32	0.989	8.102	112050	468372	54.2	8.045	-5.3%
SPRSPO-7-S-20250722	C43614	0.981	0.307	13.1	70.7	0.666	20100	0.187	0.369	0.0585	0.116		E2502479.d	2025-08-12 11:58	0.989	8.110	112924	471131	54.2	8.045	-4.8%
SPRSPO-8-S-20250722	C56863	0.814	0.255	10.9	70.7	0.666	20100	0.187	0.369	0.0585	0.116		E2502480.d	2025-08-12 12:23	0.989	8.102	93759	471173	54.2	8.045	-4.8%
SPRSPO-9-S-20250722	C38558	0.932	0.292	12.5	70.7	0.666	20100	0.187	0.369	0.0585	0.116		E2502481.d	2025-08-12 12:49	0.989	8.102	106862	469196	54.2	8.045	-5.2%
SPRSPO-10-S-20250722	C00787	1.04	0.327	14.0	70.7	0.666	20100	0.187	0.369	0.0585	0.116		E2502483.d	2025-08-12 13:40	0.989	8.102	119601	469317	54.2	8.045	-5.1%
SPRSPO-11-S-20250722	C40622	1.02	0.320	13.7	70.7	0.666	20100	0.187	0.369	0.0585	0.116		E2502484.d	2025-08-12 14:06	0.989	8.103	116788	467672	54.2	8.045	-5.5%
SPRSPO-12-S-20250722	C34139	1.36	0.427	18.2	70.7	0.666	20100	0.187	0.369	0.0585	0.116		E2502485.d	2025-08-12 14:31	0.989	8.102	155963	468225	54.2	8.045	-5.4%
SPRSPO-13-S-20250722	B15553	1.39	0.436	18.7	70.7	0.666	20100	0.187	0.369	0.0585	0.116		E2502486.d	2025-08-12 14:57	0.989	8.102	159690	469044	54.2	8.045	-5.2%
SPRSPO-13-D-20250722	C55362	1.34	0.420	18.0	70.7	0.666	20100	0.187	0.369	0.0585	0.116		E2502487.d	2025-08-12 15:22	0.989	8.102	152551	465050	54.2	8.045	-6.0%
SPRSPO-13-B-20250722	B19844	0.187	0.0585		70.7	0.666	20100	0.187	0.369	0.0585	0.116	ND	E2502488.d	2025-08-12 15:49	0.989	8.102	9904	468275	54.2	8.045	-5.4%
SPRSPO-14-S-20250722	C01346	1.32	0.413	17.6	70.7	0.666	20100	0.187	0.369	0.0585	0.116		E2502489.d	2025-08-12 16:14	0.989	8.102	150024	465800	54.2	8.045	-5.9%
SPRSPO-15-S-20250722	C55560	1.68	0.525	22.4	70.7	0.666	20100	0.187	0.369	0.0585	0.116		E2502490.d	2025-08-12 16:40	0.989	8.103	191320	467265	54.2	8.045	-5.6%
SPRSPO-16-S-20250722	C53573	1.81	0.566	24.2	70.7	0.666	20100	0.187	0.369	0.0585	0.116		E2502491.d	2025-08-12 17:05	0.989	8.103	206301	466999	54.2	8.045	-5.6%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250722	C34214	5.41	1.44	56.2	70.7	0.517	20095	0.241	0.514	0.0639	0.136		E2502472.d	2025-08-12 08:58	1.152	10.839	547122	534420	63.2	10.746	-4.0%
SPRSPO-1-D-20250722	C01604	5.42	1.44	56.3	70.7	0.517	20095	0.241	0.514	0.0639	0.136		E2502473.d	2025-08-12 09:24	1.152	10.839	545271	531396	63.2	10.746	-4.5%
SPRSPO-1-B-20250722	B15544	0.241	0.0639		70.7	0.517	20095	0.241	0.514	0.0639	0.136	ND	E2502471.d	2025-08-12 08:33	1.152	10.839	13057	533839	63.2	10.746	-4.1%
SPRSPO-2-S-20250722	C55495	3.90	1.03	40.5	70.7	0.517	20095	0.241	0.514	0.0639	0.136		E2502474.d	2025-08-12 09:49	1.152	10.839	393657	533384	63.2	10.746	-4.2%
SPRSPO-3-S-20250722	C40613	2.91	0.774	30.3	70.7	0.517	20095	0.241	0.514	0.0639	0.136		E2502475.d	2025-08-12 10:15	1.152	10.839	291678	528375	63.2	10.746	-5.1%
SPRSPO-4-S-20250722	B33523	3.04	0.807	31.6	70.7	0.517	20095	0.241	0.514	0.0639	0.136		E2502476.d	2025-08-12 10:40	1.152	10.839	310219	538982	63.2	10.746	-3.2%
SPRSPO-5-S-20250722	C57432	3.07	0.816	31.9	70.7	0.517	20095	0.241	0.514	0.0639	0.136		E2502477.d	2025-08-12 11:06	1.152	10.846	311793	535940	63.2	10.746	-3.7%
SPRSPO-6-S-20250722	C55717	3.68	0.977	38.2	70.7	0.517	20100	0.241	0.514	0.0639	0.136		E2502478.d	2025-08-12 11:32	1.152	10.846	372140	533771	63.2	10.746	-4.1%
SPRSPO-7-S-20250722	C43614	3.54	0.941	36.8	70.7	0.517	20100	0.241	0.514	0.0639	0.136		E2502479.d	2025-08-12 11:58	1.152	10.846	361126	537944	63.2	10.746	-3.3%
SPRSPO-8-S-20250722	C56863	1.72	0.457	17.9	70.7	0.517	20100	0.241	0.514	0.0639	0.136		E2502480.d	2025-08-12 12:23	1.152	10.846	174605	535358	63.2	10.746	-3.8%
SPRSPO-9-S-20250722	C38558	2.55	0.678	26.5	70.7	0.517	20100	0.241	0.514	0.0639	0.136		E2502481.d	2025-08-12 12:49	1.152	10.839	261275	539929	63.2	10.746	-3.0%
SPRSPO-10-S-20250722	C00787	2.83	0.751	29.4	70.7	0.517	20100	0.241	0.514	0.0639	0.136		E2502483.d	2025-08-12 13:40	1.152	10.846	286903	535609	63.2	10.746	-3.8%
SPRSPO-11-S-20250722	C40622	2.42	0.642	25.1	70.7	0.517	20100	0.241	0.514	0.0639	0.136		E2502484.d	2025-08-12 14:06	1.152	10.846	247034	539240	63.2	10.746	-3.1%
SPRSPO-12-S-20250722	C34139	3.88	1.03	40.4	70.7	0.517	20100	0.241	0.514	0.0639	0.136		E2502485.d	2025-08-12 14:31	1.152	10.846	398164	540992	63.2	10.745	-2.8%
SPRSPO-13-S-20250722	B15553	4.02	1.07	41.8	70.7	0.517	20100	0.241	0.514	0.0639	0.136		E2502486.d	2025-08-12 14:57	1.152	10.838	406694	533838	63.2	10.745	-4.1%
SPRSPO-13-D-20250722	C55362	4.01	1.07	41.7	70.7	0.517	20100	0.241	0.514	0.0639	0.136		E2502487.d	2025-08-12 15:22	1.152	10.846	408325	536872	63.2	10.746	-3.5%
SPRSPO-13-B-20250722	B19844	0.241	0.0639		70.7	0.517	20100	0.241	0.514	0.0639	0.136	ND	E2502488.d	2025-08-12 15:49	1.152	10.846	11090	538024	63.2	10.746	-3.3%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA303-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20250722	C01346	4.08	1.08	42.4	70.7	0.517	20100	0.241	0.514	0.0639	0.136		E2502489.d	2025-08-12 16:14	1.152	10.846	413450	534590	63.2	10.745	-3.9%
SPRSPO-15-S-20250722	C55560	6.71	1.78	69.8	70.7	0.517	20100	0.241	0.514	0.0639	0.136		E2502490.d	2025-08-12 16:40	1.152	10.839	678197	533273	63.2	10.746	-4.2%
SPRSPO-16-S-20250722	C53573	5.93	1.57	61.6	70.7	0.517	20100	0.241	0.514	0.0639	0.136		E2502491.d	2025-08-12 17:05	1.152	10.839	601050	535074	63.2	10.746	-3.9%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250722	C34214	1.15	0.265	10.6	70.7	0.457	20095	0.272	0.558	0.0627	0.129		E2502472.d	2025-08-12 08:58	1.207	13.031	108020	534420	63.2	10.746	-4.0%
SPRSPO-1-D-20250722	C01604	1.32	0.303	12.1	70.7	0.457	20095	0.272	0.558	0.0627	0.129		E2502473.d	2025-08-12 09:24	1.207	13.031	122840	531396	63.2	10.746	-4.5%
SPRSPO-1-B-20250722	B15544	0.272	0.0627		70.7	0.457	20095	0.272	0.558	0.0627	0.129	ND	E2502471.d	2025-08-12 08:33	1.207	13.038	2260	533839	63.2	10.746	-4.1%
SPRSPO-2-S-20250722	C55495	0.904	0.208	8.31	70.7	0.457	20095	0.272	0.558	0.0627	0.129		E2502474.d	2025-08-12 09:49	1.207	13.031	84661	533384	63.2	10.746	-4.2%
SPRSPO-3-S-20250722	C40613	0.612	0.141	5.62	70.7	0.457	20095	0.272	0.558	0.0627	0.129		E2502475.d	2025-08-12 10:15	1.207	13.031	56735	528375	63.2	10.746	-5.1%
SPRSPO-4-S-20250722	B33523	0.631	0.145	5.80	70.7	0.457	20095	0.272	0.558	0.0627	0.129		E2502476.d	2025-08-12 10:40	1.207	13.031	59686	538982	63.2	10.746	-3.2%
SPRSPO-5-S-20250722	C57432	0.611	0.141	5.62	70.7	0.457	20095	0.272	0.558	0.0627	0.129		E2502477.d	2025-08-12 11:06	1.207	13.031	57499	535940	63.2	10.746	-3.7%
SPRSPO-6-S-20250722	C55717	0.621	0.143	5.70	70.7	0.457	20100	0.272	0.558	0.0627	0.129		E2502478.d	2025-08-12 11:32	1.207	13.031	58172	533771	63.2	10.746	-4.1%
SPRSPO-7-S-20250722	C43614	0.562	0.129	5.16	70.7	0.457	20100	0.272	0.558	0.0627	0.129		E2502479.d	2025-08-12 11:58	1.207	13.038	53048	537944	63.2	10.746	-3.3%
SPRSPO-8-S-20250722	C56863	0.373	0.0861	3.43	70.7	0.457	20100	0.272	0.558	0.0627	0.129	J	E2502480.d	2025-08-12 12:23	1.207	13.038	35113	535358	63.2	10.746	-3.8%
SPRSPO-9-S-20250722	C38558	0.618	0.142	5.68	70.7	0.457	20100	0.272	0.558	0.0627	0.129		E2502481.d	2025-08-12 12:49	1.207	13.031	58582	539929	63.2	10.746	-3.0%
SPRSPO-10-S-20250722	C00787	0.756	0.174	6.95	70.7	0.457	20100	0.272	0.558	0.0627	0.129		E2502483.d	2025-08-12 13:40	1.207	13.031	71140	535609	63.2	10.746	-3.8%
SPRSPO-11-S-20250722	C40622	0.599	0.138	5.51	70.7	0.457	20100	0.272	0.558	0.0627	0.129		E2502484.d	2025-08-12 14:06	1.207	13.038	56750	539240	63.2	10.746	-3.1%
SPRSPO-12-S-20250722	C34139	1.07	0.245	9.79	70.7	0.457	20100	0.272	0.558	0.0627	0.129		E2502485.d	2025-08-12 14:31	1.207	13.038	101198	540992	63.2	10.745	-2.8%
SPRSPO-13-S-20250722	B15553	1.27	0.293	11.7	70.7	0.457	20100	0.272	0.558	0.0627	0.129		E2502486.d	2025-08-12 14:57	1.207	13.038	119322	533838	63.2	10.745	-4.1%
SPRSPO-13-D-20250722	C55362	1.00	0.231	9.23	70.7	0.457	20100	0.272	0.558	0.0627	0.129		E2502487.d	2025-08-12 15:22	1.207	13.031	94653	536872	63.2	10.746	-3.5%
SPRSPO-13-B-20250722	B19844	0.272	0.0627		70.7	0.457	20100	0.272	0.558	0.0627	0.129	ND	E2502488.d	2025-08-12 15:49	1.207	13.031	1703	538024	63.2	10.746	-3.3%
SPRSPO-14-S-20250722	C01346	1.02	0.235	9.37	70.7	0.457	20100	0.272	0.558	0.0627	0.129		E2502489.d	2025-08-12 16:14	1.207	13.037	95736	534590	63.2	10.745	-3.9%
SPRSPO-15-S-20250722	C55560	1.48	0.341	13.6	70.7	0.457	20100	0.272	0.558	0.0627	0.129		E2502490.d	2025-08-12 16:40	1.207	13.031	138753	533273	63.2	10.746	-4.2%
SPRSPO-16-S-20250722	C53573	1.40	0.322	12.8	70.7	0.457	20100	0.272	0.558	0.0627	0.129		E2502491.d	2025-08-12 17:05	1.207	13.031	131113	535074	63.2	10.746	-3.9%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250722	C34214	3.34	0.770	30.7	70.7	0.457	20095	0.272	0.527	0.0627	0.122		E2502472.d	2025-08-12 08:58	0.913	13.210	237129	534420	63.2	10.746	-4.0%
SPRSPO-1-D-20250722	C01604	3.81	0.877	35.0	70.7	0.457	20095	0.272	0.527	0.0627	0.122		E2502473.d	2025-08-12 09:24	0.913	13.210	268667	531396	63.2	10.746	-4.5%
SPRSPO-1-B-20250722	B15544	0.272	0.0627		70.7	0.457	20095	0.272	0.527	0.0627	0.122	ND	E2502471.d	2025-08-12 08:33	0.913	13.210	2102	533839	63.2	10.746	-4.1%
SPRSPO-2-S-20250722	C55495	2.92	0.673	26.8	70.7	0.457	20095	0.272	0.527	0.0627	0.122		E2502474.d	2025-08-12 09:49	0.913	13.210	206853	533384	63.2	10.746	-4.2%
SPRSPO-3-S-20250722	C40613	1.62	0.374	14.9	70.7	0.457	20095	0.272	0.527	0.0627	0.122		E2502475.d	2025-08-12 10:15	0.913	13.210	113878	528375	63.2	10.746	-5.1%
SPRSPO-4-S-20250722	B33523	1.99	0.458	18.2	70.7	0.457	20095	0.272	0.527	0.0627	0.122		E2502476.d	2025-08-12 10:40	0.913	13.210	142135	538982	63.2	10.746	-3.2%
SPRSPO-5-S-20250722	C57432	2.23	0.514	20.5	70.7	0.457	20095	0.272	0.527	0.0627	0.122		E2502477.d	2025-08-12 11:06	0.913	13.210	158894	535940	63.2	10.746	-3.7%
SPRSPO-6-S-20250722	C55717	2.08	0.479	19.1	70.7	0.457	20100	0.272	0.527	0.0627	0.122		E2502478.d	2025-08-12 11:32	0.913	13.210	147364	533771	63.2	10.746	-4.1%
SPRSPO-7-S-20250722	C43614	1.59	0.366	14.6	70.7	0.457	20100	0.272	0.527	0.0627	0.122		E2502479.d	2025-08-12 11:58	0.913	13.210	113414	537944	63.2	10.746	-3.3%
SPRSPO-8-S-20250722	C56863	1.19	0.275	11.0	70.7	0.457	20100	0.272	0.527	0.0627	0.122		E2502480.d	2025-08-12 12:23	0.913	13.210	84905	535358	63.2	10.746	-3.8%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA303-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20250722	C38558	1.64	0.379	15.1	70.7	0.457	20100	0.272	0.527	0.0627	0.122		E2502481.d	2025-08-12 12:49	0.913	13.210	117904	539929	63.2	10.746	-3.0%
SPRSPO-10-S-20250722	C00787	2.34	0.539	21.5	70.7	0.457	20100	0.272	0.527	0.0627	0.122		E2502483.d	2025-08-12 13:40	0.913	13.210	166321	535609	63.2	10.746	-3.8%
SPRSPO-11-S-20250722	C40622	1.55	0.357	14.2	70.7	0.457	20100	0.272	0.527	0.0627	0.122		E2502484.d	2025-08-12 14:06	0.913	13.210	110866	539240	63.2	10.746	-3.1%
SPRSPO-12-S-20250722	C34139	3.14	0.724	28.9	70.7	0.457	20100	0.272	0.527	0.0627	0.122		E2502485.d	2025-08-12 14:31	0.913	13.210	225639	540992	63.2	10.745	-2.8%
SPRSPO-13-S-20250722	B15553	2.97	0.685	27.3	70.7	0.457	20100	0.272	0.527	0.0627	0.122		E2502486.d	2025-08-12 14:57	0.913	13.209	210753	533838	63.2	10.745	-4.1%
SPRSPO-13-D-20250722	C55362	3.71	0.855	34.1	70.7	0.457	20100	0.272	0.527	0.0627	0.122		E2502487.d	2025-08-12 15:22	0.913	13.210	264726	536872	63.2	10.746	-3.5%
SPRSPO-13-B-20250722	B19844	0.272	0.0627		70.7	0.457	20100	0.272	0.527	0.0627	0.122	ND	E2502488.d	2025-08-12 15:49	0.913	13.210	2339	538024	63.2	10.746	-3.3%
SPRSPO-14-S-20250722	C01346	3.26	0.752	30.0	70.7	0.457	20100	0.272	0.527	0.0627	0.122		E2502489.d	2025-08-12 16:14	0.913	13.209	231810	534590	63.2	10.745	-3.9%
SPRSPO-15-S-20250722	C55560	5.57	1.28	51.2	70.7	0.457	20100	0.272	0.527	0.0627	0.122		E2502490.d	2025-08-12 16:40	0.913	13.210	394504	533273	63.2	10.746	-4.2%
SPRSPO-16-S-20250722	C53573	4.54	1.05	41.7	70.7	0.457	20100	0.272	0.527	0.0627	0.122		E2502491.d	2025-08-12 17:05	0.913	13.210	322511	535074	63.2	10.746	-3.9%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250722	C34214	1.23	0.284	11.3	70.7	0.457	20095	0.272	0.550	0.0627	0.127		E2502472.d	2025-08-12 08:58	0.902	13.711	86406	534420	63.2	10.746	-4.0%
SPRSPO-1-D-20250722	C01604	1.48	0.341	13.6	70.7	0.457	20095	0.272	0.550	0.0627	0.127		E2502473.d	2025-08-12 09:24	0.902	13.711	103099	531396	63.2	10.746	-4.5%
SPRSPO-1-B-20250722	B15544	0.272	0.0627		70.7	0.457	20095	0.272	0.550	0.0627	0.127	ND	E2502471.d	2025-08-12 08:33	0.902	13.718	993	533839	63.2	10.746	-4.1%
SPRSPO-2-S-20250722	C55495	1.09	0.251	10.0	70.7	0.457	20095	0.272	0.550	0.0627	0.127		E2502474.d	2025-08-12 09:49	0.902	13.711	76381	533384	63.2	10.746	-4.2%
SPRSPO-3-S-20250722	C40613	0.582	0.134	5.35	70.7	0.457	20095	0.272	0.550	0.0627	0.127		E2502475.d	2025-08-12 10:15	0.902	13.711	40387	528375	63.2	10.746	-5.1%
SPRSPO-4-S-20250722	B33523	0.791	0.182	7.27	70.7	0.457	20095	0.272	0.550	0.0627	0.127		E2502476.d	2025-08-12 10:40	0.902	13.711	55946	538982	63.2	10.746	-3.2%
SPRSPO-5-S-20250722	C57432	0.843	0.194	7.74	70.7	0.457	20095	0.272	0.550	0.0627	0.127		E2502477.d	2025-08-12 11:06	0.902	13.711	59258	535940	63.2	10.746	-3.7%
SPRSPO-6-S-20250722	C55717	0.841	0.194	7.73	70.7	0.457	20100	0.272	0.550	0.0627	0.127		E2502478.d	2025-08-12 11:32	0.902	13.711	58945	533771	63.2	10.746	-4.1%
SPRSPO-7-S-20250722	C43614	0.609	0.140	5.59	70.7	0.457	20100	0.272	0.550	0.0627	0.127		E2502479.d	2025-08-12 11:58	0.902	13.711	42970	537944	63.2	10.746	-3.3%
SPRSPO-8-S-20250722	C56863	0.447	0.103	4.11	70.7	0.457	20100	0.272	0.550	0.0627	0.127	J	E2502480.d	2025-08-12 12:23	0.902	13.711	31436	535358	63.2	10.746	-3.8%
SPRSPO-9-S-20250722	C38558	0.620	0.143	5.70	70.7	0.457	20100	0.272	0.550	0.0627	0.127		E2502481.d	2025-08-12 12:49	0.902	13.711	43940	539929	63.2	10.746	-3.0%
SPRSPO-10-S-20250722	C00787	0.966	0.223	8.88	70.7	0.457	20100	0.272	0.550	0.0627	0.127		E2502483.d	2025-08-12 13:40	0.902	13.711	67886	535609	63.2	10.746	-3.8%
SPRSPO-11-S-20250722	C40622	0.584	0.135	5.37	70.7	0.457	20100	0.272	0.550	0.0627	0.127		E2502484.d	2025-08-12 14:06	0.902	13.711	41322	539240	63.2	10.746	-3.1%
SPRSPO-12-S-20250722	C34139	1.22	0.281	11.2	70.7	0.457	20100	0.272	0.550	0.0627	0.127		E2502485.d	2025-08-12 14:31	0.902	13.711	86451	540992	63.2	10.745	-2.8%
SPRSPO-13-S-20250722	B15553	1.24	0.285	11.4	70.7	0.457	20100	0.272	0.550	0.0627	0.127		E2502486.d	2025-08-12 14:57	0.902	13.711	86666	533838	63.2	10.745	-4.1%
SPRSPO-13-D-20250722	C55362	1.51	0.347	13.9	70.7	0.457	20100	0.272	0.550	0.0627	0.127		E2502487.d	2025-08-12 15:22	0.902	13.711	106209	536872	63.2	10.746	-3.5%
SPRSPO-13-B-20250722	B19844	0.272	0.0627		70.7	0.457	20100	0.272	0.550	0.0627	0.127	ND	E2502488.d	2025-08-12 15:49	0.902	13.711	883	538024	63.2	10.746	-3.3%
SPRSPO-14-S-20250722	C01346	1.29	0.298	11.9	70.7	0.457	20100	0.272	0.550	0.0627	0.127		E2502489.d	2025-08-12 16:14	0.902	13.711	90746	534590	63.2	10.745	-3.9%
SPRSPO-15-S-20250722	C55560	2.15	0.497	19.8	70.7	0.457	20100	0.272	0.550	0.0627	0.127		E2502490.d	2025-08-12 16:40	0.902	13.711	150841	533273	63.2	10.746	-4.2%
SPRSPO-16-S-20250722	C53573	1.79	0.413	16.5	70.7	0.457	20100	0.272	0.550	0.0627	0.127		E2502491.d	2025-08-12 17:05	0.902	13.711	125764	535074	63.2	10.746	-3.9%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA303-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20250722	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20250722	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20250722	1.9%	Pass	0.23%	Pass	13%	Pass	13%	Pass	18%	Pass
	SPRSPO-13-D-20250722	3.7%	Pass	0.17%	Pass	24%	Pass	22%	Pass	20%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA303-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2502469.d	C71464	Cal	0.989	0.877	0.989	13%	-4.3%		Pass	
2025GA303 Method Blank-1	E2502470.d	C01439	Blank		0.877	0.989			-2.9%	Pass	ND
M325B CCV 5	E2502482.d	C71504	Check	0.973	0.877	0.989	11%		-4.4%	Pass	
M325B CCV 5	E2502492.d	C71469	Check	0.981	0.877	0.989	12%		-5.3%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2502469.d	C71464	Cal	1.152	0.989	1.152	16%	2.3%		Pass	
2025GA303 Method Blank-1	E2502470.d	C01439	Blank		0.989	1.152			-1.6%	Pass	ND
M325B CCV 5	E2502482.d	C71504	Check	1.136	0.989	1.152	15%		-2.3%	Pass	
M325B CCV 5	E2502492.d	C71469	Check	1.125	0.989	1.152	14%		-2.8%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2502469.d	C71464	Cal	1.207	1.195	1.207	1.0%	2.3%		Pass	
2025GA303 Method Blank-1	E2502470.d	C01439	Blank		1.195	1.207			-1.6%	Pass	ND
M325B CCV 5	E2502482.d	C71504	Check	1.233	1.195	1.207	3.2%		-2.3%	Pass	
M325B CCV 5	E2502492.d	C71469	Check	1.225	1.195	1.207	2.5%		-2.8%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2502469.d	C71464	Cal	0.913	1.037	0.913	-12%	2.3%		Pass	
2025GA303 Method Blank-1	E2502470.d	C01439	Blank		1.037	0.913			-1.6%	Pass	ND
M325B CCV 5	E2502482.d	C71504	Check	0.937	1.037	0.913	-9.7%		-2.3%	Pass	
M325B CCV 5	E2502492.d	C71469	Check	0.924	1.037	0.913	-11%		-2.8%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2502469.d	C71464	Cal	0.902	0.950	0.902	-5.1%	2.3%		Pass	
2025GA303 Method Blank-1	E2502470.d	C01439	Blank		0.950	0.902			-1.6%	Pass	ND
M325B CCV 5	E2502482.d	C71504	Check	0.907	0.950	0.902	-4.5%		-2.3%	Pass	
M325B CCV 5	E2502492.d	C71469	Check	0.918	0.950	0.902	-3.3%		-2.8%	Pass	

Chromatograms



Name 2025GA303 Method Blank-1
Comment C01439
Data File E2502470.d
Acq. Date-Time 8/12/2025 8:07:51 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	480,485	
Benzene	benzene-d6 (IS)	8.102	8.110	9,113	
Toluene-d8 (IS)		10.746	10.753	547,463	
Toluene	Toluene-d8 (IS)	10.839	10.846	14,843	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	2,826	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	2,763	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	1,584	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502470.d




+ Scan (10.696-10.832 min, 20 scans) E2502470.d

**Toluene**


+ EIC (91.1) Scan E2502470.d




+ Scan (10.804-10.882 min, 11 scans) E2502470.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502470.d




+ Scan (13.010-13.066 min, 7 scans) E2502470.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502470.d




+ Scan (13.174-13.257 min, 11 scans) E2502470.d




o-Xylene

+ EIC (91.1) Scan E2502470.d




+ Scan (13.691-13.754 min, 8 scans) E2502470.d





Name SPRSPO-1-B-20250722
Comment B15544
Data File E2502471.d
Acq. Date-Time 8/12/2025 8:33:11 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	471,577	
Benzene	benzene-d6 (IS)	8.103	8.110	17,215	
Toluene-d8 (IS)		10.746	10.753	533,839	
Toluene	Toluene-d8 (IS)	10.839	10.846	13,057	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	2,260	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	2,102	
o-Xylene	Toluene-d8 (IS)	13.718	13.718	993	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502471.d




+ Scan (10.696-10.817 min, 18 scans) E2502471.d

**Toluene**


+ EIC (91.1) Scan E2502471.d




+ Scan (10.804-10.880 min, 10 scans) E2502471.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502471.d




+ Scan (13.004-13.067 min, 9 scans) E2502471.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502471.d




+ Scan (13.185-13.252 min, 9 scans) E2502471.d




o-Xylene

+ EIC (91.1) Scan E2502471.d




+ Scan (13.697-13.742 min, 7 scans) E2502471.d





Name SPRSPO-1-S-20250722
Comment C34214
Data File E2502472.d
Acq. Date-Time 8/12/2025 8:58:45 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	469,364	
Benzene	benzene-d6 (IS)	8.102	8.110	185,184	
Toluene-d8 (IS)		10.746	10.753	534,420	
Toluene	Toluene-d8 (IS)	10.839	10.846	547,122	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	108,020	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	237,129	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	86,406	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502472.d




+ Scan (10.695-10.817 min, 18 scans) E2502472.d

**Toluene**


+ EIC (91.1) Scan E2502472.d




+ Scan (10.796-10.960 min, 24 scans) E2502472.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502472.d




+ Scan (12.997-13.088 min, 13 scans) E2502472.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502472.d




+ Scan (13.168-13.288 min, 17 scans) E2502472.d




o-Xylene

+ EIC (91.1) Scan E2502472.d




+ Scan (13.668-13.774 min, 15 scans) E2502472.d





Name SPRSPO-1-D-20250722
Comment C01604
Data File E2502473.d
Acq. Date-Time 8/12/2025 9:24:09 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	468,460	
Benzene	benzene-d6 (IS)	8.102	8.110	181,320	
Toluene-d8 (IS)		10.746	10.753	531,396	
Toluene	Toluene-d8 (IS)	10.839	10.846	545,271	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	122,840	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	268,667	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	103,099	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502473.d




+ Scan (10.703-10.824 min, 18 scans) E2502473.d

**Toluene**


+ EIC (91.1) Scan E2502473.d




+ Scan (10.796-10.939 min, 21 scans) E2502473.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502473.d




+ Scan (12.991-13.095 min, 14 scans) E2502473.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502473.d




+ Scan (13.167-13.332 min, 24 scans) E2502473.d




o-Xylene

+ EIC (91.1) Scan E2502473.d




+ Scan (13.675-13.754 min, 12 scans) E2502473.d





Name SPRSPO-2-S-20250722
Comment C55495
Data File E2502474.d
Acq. Date-Time 8/12/2025 9:49:46 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	469,899	
Benzene	benzene-d6 (IS)	8.103	8.110	143,870	
Toluene-d8 (IS)		10.746	10.753	533,384	
Toluene	Toluene-d8 (IS)	10.839	10.846	393,657	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	84,661	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	206,853	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	76,381	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502474.d




+ Scan (10.703-10.825 min, 18 scans) E2502474.d

**Toluene**


+ EIC (91.1) Scan E2502474.d




+ Scan (10.796-10.946 min, 21 scans) E2502474.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502474.d




+ Scan (12.993-13.081 min, 13 scans) E2502474.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502474.d




+ Scan (13.169-13.288 min, 16 scans) E2502474.d




o-Xylene

+ EIC (91.1) Scan E2502474.d




+ Scan (13.677-13.766 min, 12 scans) E2502474.d





Name SPRSPO-3-S-20250722
Comment C40613
Data File E2502475.d
Acq. Date-Time 8/12/2025 10:15:21 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	465,751	
Benzene	benzene-d6 (IS)	8.103	8.110	116,688	
Toluene-d8 (IS)		10.746	10.753	528,375	
Toluene	Toluene-d8 (IS)	10.839	10.846	291,678	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	56,735	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	113,878	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	40,387	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502475.d




+ Scan (10.703-10.832 min, 19 scans) E2502475.d

**Toluene**


+ EIC (91.1) Scan E2502475.d




+ Scan (10.796-10.929 min, 19 scans) E2502475.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502475.d




+ Scan (13.002-13.081 min, 12 scans) E2502475.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502475.d




+ Scan (13.175-13.273 min, 13 scans) E2502475.d




o-Xylene

+ EIC (91.1) Scan E2502475.d




+ Scan (13.668-13.769 min, 15 scans) E2502475.d





Name SPRSPO-4-S-20250722
Comment B33523
Data File E2502476.d
Acq. Date-Time 8/12/2025 10:40:51 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	468,059	
Benzene	benzene-d6 (IS)	8.102	8.110	119,565	
Toluene-d8 (IS)		10.746	10.753	538,982	
Toluene	Toluene-d8 (IS)	10.839	10.846	310,219	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	59,686	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	142,135	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	55,946	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502476.d




+ Scan (10.703-10.839 min, 20 scans) E2502476.d

**Toluene**


+ EIC (91.1) Scan E2502476.d




+ Scan (10.796-10.939 min, 21 scans) E2502476.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502476.d




+ Scan (12.995-13.073 min, 11 scans) E2502476.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502476.d




+ Scan (13.170-13.287 min, 16 scans) E2502476.d




o-Xylene

+ EIC (91.1) Scan E2502476.d




+ Scan (13.676-13.789 min, 15 scans) E2502476.d





Name SPRSPO-5-S-20250722
Comment C57432
Data File E2502477.d
Acq. Date-Time 8/12/2025 11:06:19 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	465,768	
Benzene	benzene-d6 (IS)	8.103	8.110	127,805	
Toluene-d8 (IS)		10.746	10.753	535,940	
Toluene	Toluene-d8 (IS)	10.846	10.846	311,793	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	57,499	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	158,894	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	59,258	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502477.d




+ Scan (10.703-10.825 min, 18 scans) E2502477.d

**Toluene**


+ EIC (91.1) Scan E2502477.d




+ Scan (10.803-10.925 min, 18 scans) E2502477.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502477.d




+ Scan (12.992-13.081 min, 12 scans) E2502477.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502477.d




+ Scan (13.175-13.331 min, 21 scans) E2502477.d




o-Xylene

+ EIC (91.1) Scan E2502477.d




+ Scan (13.672-13.754 min, 12 scans) E2502477.d





Name SPRSPO-6-S-20250722
Comment C55717
Data File E2502478.d
Acq. Date-Time 8/12/2025 11:32:40 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	468,372	
Benzene	benzene-d6 (IS)	8.102	8.110	112,050	
Toluene-d8 (IS)		10.746	10.753	533,771	
Toluene	Toluene-d8 (IS)	10.846	10.846	372,140	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	58,172	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	147,364	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	58,945	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502478.d




+ Scan (10.703-10.824 min, 18 scans) E2502478.d

**Toluene**


+ EIC (91.1) Scan E2502478.d




+ Scan (10.789-10.939 min, 22 scans) E2502478.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502478.d




+ Scan (12.999-13.077 min, 11 scans) E2502478.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502478.d




+ Scan (13.170-13.295 min, 17 scans) E2502478.d




o-Xylene

+ EIC (91.1) Scan E2502478.d




+ Scan (13.673-13.794 min, 17 scans) E2502478.d





Name SPRSPO-7-S-20250722
Comment C43614
Data File E2502479.d
Acq. Date-Time 8/12/2025 11:58:08 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	471,131	
Benzene	benzene-d6 (IS)	8.110	8.110	112,924	
Toluene-d8 (IS)		10.746	10.753	537,944	
Toluene	Toluene-d8 (IS)	10.846	10.846	361,126	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	53,048	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	113,414	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	42,970	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502479.d




+ Scan (10.703-10.824 min, 18 scans) E2502479.d

**Toluene**


+ EIC (91.1) Scan E2502479.d




+ Scan (10.791-10.925 min, 19 scans) E2502479.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502479.d




+ Scan (12.997-13.105 min, 15 scans) E2502479.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502479.d




+ Scan (13.175-13.288 min, 16 scans) E2502479.d




o-Xylene

+ EIC (91.1) Scan E2502479.d




+ Scan (13.676-13.793 min, 16 scans) E2502479.d





Name SPRSPO-8-S-20250722
Comment C56863
Data File E2502480.d
Acq. Date-Time 8/12/2025 12:23:38 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	471,173	
Benzene	benzene-d6 (IS)	8.102	8.110	93,759	
Toluene-d8 (IS)		10.746	10.753	535,358	
Toluene	Toluene-d8 (IS)	10.846	10.846	174,605	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	35,113	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	84,905	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	31,436	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502480.d




+ Scan (10.703-10.832 min, 19 scans) E2502480.d

**Toluene**


+ EIC (91.1) Scan E2502480.d




+ Scan (10.796-10.889 min, 12 scans) E2502480.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502480.d




+ Scan (13.000-13.074 min, 11 scans) E2502480.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502480.d




+ Scan (13.167-13.300 min, 19 scans) E2502480.d




o-Xylene

+ EIC (91.1) Scan E2502480.d




+ Scan (13.681-13.754 min, 11 scans) E2502480.d





Name SPRSPO-9-S-20250722
Comment C38558
Data File E2502481.d
Acq. Date-Time 8/12/2025 12:49:08 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	469,196	
Benzene	benzene-d6 (IS)	8.102	8.110	106,862	
Toluene-d8 (IS)		10.746	10.753	539,929	
Toluene	Toluene-d8 (IS)	10.839	10.846	261,275	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	58,582	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	117,904	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	43,940	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502481.d




+ Scan (10.703-10.832 min, 19 scans) E2502481.d

**Toluene**


+ EIC (91.1) Scan E2502481.d




+ Scan (10.796-10.932 min, 19 scans) E2502481.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502481.d




+ Scan (12.998-13.081 min, 12 scans) E2502481.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502481.d




+ Scan (13.167-13.326 min, 23 scans) E2502481.d




o-Xylene

+ EIC (91.1) Scan E2502481.d




+ Scan (13.676-13.747 min, 10 scans) E2502481.d





Name SPRSPO-10-S-20250722
Comment C00787
Data File E2502483.d
Acq. Date-Time 8/12/2025 1:40:19 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	469,317	
Benzene	benzene-d6 (IS)	8.102	8.110	119,601	
Toluene-d8 (IS)		10.746	10.753	535,609	
Toluene	Toluene-d8 (IS)	10.846	10.846	286,903	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	71,140	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	166,321	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	67,886	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502483.d




+ Scan (10.703-10.832 min, 19 scans) E2502483.d

**Toluene**


+ EIC (91.1) Scan E2502483.d




+ Scan (10.790-10.939 min, 21 scans) E2502483.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502483.d




+ Scan (12.991-13.083 min, 13 scans) E2502483.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502483.d




+ Scan (13.168-13.292 min, 17 scans) E2502483.d




o-Xylene

+ EIC (91.1) Scan E2502483.d




+ Scan (13.678-13.774 min, 13 scans) E2502483.d





Name SPRSPO-11-S-20250722
Comment C40622
Data File E2502484.d
Acq. Date-Time 8/12/2025 2:06:00 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	467,672	
Benzene	benzene-d6 (IS)	8.103	8.110	116,788	
Toluene-d8 (IS)		10.746	10.753	539,240	
Toluene	Toluene-d8 (IS)	10.846	10.846	247,034	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	56,750	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	110,866	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	41,322	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502484.d




+ Scan (10.703-10.832 min, 19 scans) E2502484.d

**Toluene**


+ EIC (91.1) Scan E2502484.d




+ Scan (10.789-10.917 min, 18 scans) E2502484.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502484.d




+ Scan (12.995-13.074 min, 11 scans) E2502484.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502484.d




+ Scan (13.174-13.288 min, 16 scans) E2502484.d




o-Xylene

+ EIC (91.1) Scan E2502484.d




+ Scan (13.673-13.752 min, 11 scans) E2502484.d





Name SPRSPO-12-S-20250722
Comment C34139
Data File E2502485.d
Acq. Date-Time 8/12/2025 2:31:36 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	468,225	
Benzene	benzene-d6 (IS)	8.102	8.110	155,963	
Toluene-d8 (IS)		10.745	10.753	540,992	
Toluene	Toluene-d8 (IS)	10.846	10.846	398,164	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	101,198	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	225,639	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	86,451	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502485.d




+ Scan (10.702-10.831 min, 19 scans) E2502485.d

**Toluene**


+ EIC (91.1) Scan E2502485.d




+ Scan (10.788-10.939 min, 22 scans) E2502485.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502485.d




+ Scan (12.985-13.100 min, 16 scans) E2502485.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502485.d




+ Scan (13.170-13.288 min, 16 scans) E2502485.d




o-Xylene

+ EIC (91.1) Scan E2502485.d




+ Scan (13.676-13.754 min, 11 scans) E2502485.d





Name SPRSPO-13-S-20250722
Comment B15553
Data File E2502486.d
Acq. Date-Time 8/12/2025 2:57:08 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	469,044	
Benzene	benzene-d6 (IS)	8.102	8.110	159,690	
Toluene-d8 (IS)		10.745	10.753	533,838	
Toluene	Toluene-d8 (IS)	10.838	10.846	406,694	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	119,322	
m-/p-Xylenes	Toluene-d8 (IS)	13.209	13.217	210,753	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	86,666	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502486.d




+ Scan (10.702-10.824 min, 18 scans) E2502486.d

**Toluene**


+ EIC (91.1) Scan E2502486.d




+ Scan (10.796-10.960 min, 24 scans) E2502486.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502486.d




+ Scan (12.995-13.130 min, 19 scans) E2502486.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502486.d




+ Scan (13.174-13.317 min, 21 scans) E2502486.d




o-Xylene

+ EIC (91.1) Scan E2502486.d




+ Scan (13.676-13.768 min, 13 scans) E2502486.d





Name SPRSPO-13-D-20250722
Comment C55362
Data File E2502487.d
Acq. Date-Time 8/12/2025 3:22:46 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	465,050	
Benzene	benzene-d6 (IS)	8.102	8.110	152,551	
Toluene-d8 (IS)		10.746	10.753	536,872	
Toluene	Toluene-d8 (IS)	10.846	10.846	408,325	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	94,653	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	264,726	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	106,209	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502487.d




+ Scan (10.703-10.832 min, 19 scans) E2502487.d

**Toluene**


+ EIC (91.1) Scan E2502487.d




+ Scan (10.796-10.925 min, 19 scans) E2502487.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502487.d




+ Scan (12.995-13.076 min, 11 scans) E2502487.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502487.d




+ Scan (13.168-13.285 min, 16 scans) E2502487.d




o-Xylene

+ EIC (91.1) Scan E2502487.d




+ Scan (13.670-13.776 min, 15 scans) E2502487.d





Name SPRSPO-13-B-20250722
Comment B19844
Data File E2502488.d
Acq. Date-Time 8/12/2025 3:49:06 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	468,275	
Benzene	benzene-d6 (IS)	8.102	8.110	9,904	
Toluene-d8 (IS)		10.746	10.753	538,024	
Toluene	Toluene-d8 (IS)	10.846	10.846	11,090	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	1,703	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	2,339	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	883	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502488.d




+ Scan (10.703-10.832 min, 19 scans) E2502488.d

**Toluene**


+ EIC (91.1) Scan E2502488.d




+ Scan (10.809-10.879 min, 10 scans) E2502488.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502488.d




+ Scan (13.010-13.063 min, 7 scans) E2502488.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502488.d




+ Scan (13.183-13.270 min, 12 scans) E2502488.d




o-Xylene

+ EIC (91.1) Scan E2502488.d




+ Scan (13.691-13.740 min, 7 scans) E2502488.d





Name SPRSPO-14-S-20250722
Comment C01346
Data File E2502489.d
Acq. Date-Time 8/12/2025 4:14:37 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	465,800	
Benzene	benzene-d6 (IS)	8.102	8.110	150,024	
Toluene-d8 (IS)		10.745	10.753	534,590	
Toluene	Toluene-d8 (IS)	10.846	10.846	413,450	
Ethylbenzene	Toluene-d8 (IS)	13.037	13.038	95,736	
m-/p-Xylenes	Toluene-d8 (IS)	13.209	13.217	231,810	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	90,746	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502489.d




+ Scan (10.702-10.831 min, 19 scans) E2502489.d

**Toluene**


+ EIC (91.1) Scan E2502489.d




+ Scan (10.788-10.924 min, 20 scans) E2502489.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502489.d




+ Scan (12.999-13.079 min, 11 scans) E2502489.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502489.d




+ Scan (13.166-13.315 min, 21 scans) E2502489.d




o-Xylene

+ EIC (91.1) Scan E2502489.d




+ Scan (13.678-13.773 min, 13 scans) E2502489.d





Name SPRSPO-15-S-20250722
Comment C55560
Data File E2502490.d
Acq. Date-Time 8/12/2025 4:40:18 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	467,265	
Benzene	benzene-d6 (IS)	8.103	8.110	191,320	
Toluene-d8 (IS)		10.746	10.753	533,273	
Toluene	Toluene-d8 (IS)	10.839	10.846	678,197	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	138,753	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	394,504	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	150,841	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502490.d




+ Scan (10.703-10.825 min, 18 scans) E2502490.d

**Toluene**


+ EIC (91.1) Scan E2502490.d




+ Scan (10.796-10.961 min, 24 scans) E2502490.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502490.d




+ Scan (12.996-13.088 min, 13 scans) E2502490.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502490.d




+ Scan (13.167-13.303 min, 20 scans) E2502490.d




o-Xylene

+ EIC (91.1) Scan E2502490.d




+ Scan (13.673-13.804 min, 19 scans) E2502490.d





Name SPRSPO-16-S-20250722
Comment C53573
Data File E2502491.d
Acq. Date-Time 8/12/2025 5:05:54 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	466,999	
Benzene	benzene-d6 (IS)	8.103	8.110	206,301	
Toluene-d8 (IS)		10.746	10.753	535,074	
Toluene	Toluene-d8 (IS)	10.839	10.846	601,050	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	131,113	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	322,511	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	125,764	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502491.d




+ Scan (10.703-10.832 min, 19 scans) E2502491.d

**Toluene**


+ EIC (91.1) Scan E2502491.d




+ Scan (10.796-10.968 min, 25 scans) E2502491.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502491.d




+ Scan (12.988-13.081 min, 14 scans) E2502491.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502491.d




+ Scan (13.167-13.310 min, 21 scans) E2502491.d




o-Xylene

+ EIC (91.1) Scan E2502491.d



+ Scan (13.669-13.788 min, 16 scans) E2502491.d



Initial Calibration



Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA303-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679_QT_CC185154	Benzene	1	E2500043.d	4.94	48593	54.2	531168	1.004	0.14
E050525A_CC252679_QT_CC185154	Benzene	2	E2500044.d	10.06	88289	54.2	525272	0.905	0.032
E050525A_CC252679_QT_CC185154	Benzene	3	E2500045.d	20.12	167722	54.2	519365	0.869	-0.0086
E050525A_CC252679_QT_CC185154	Benzene	4	E2500046.d	40.25	314317	54.2	495891	0.853	-0.027
E050525A_CC252679_QT_CC185154	Benzene	5	E2500047.d	100.62	771973	54.2	516636	0.804	-0.083
E050525A_CC252679_QT_CC185154	Benzene	6	E2500048.d	201.24	1566630	54.2	517234	0.815	-0.07
E050525A_CC252679_QT_CC185154	Benzene	7	E2500049.d	603.73	5084416	54.2	514456	0.887	0.011
E050525A_CC252679_QT_CC185154	Benzene	QT		120.51		54.2			
						Avg:	517146	0.877	
						%RSD:	2.1%	7.6%	
E050525A_CC252679_QT_CC185154	Toluene	1	E2500043.d	5.34	57611	63.2	569179	1.198	0.21
E050525A_CC252679_QT_CC185154	Toluene	2	E2500044.d	10.88	96506	63.2	555358	1.009	0.02
E050525A_CC252679_QT_CC185154	Toluene	3	E2500045.d	21.76	183454	63.2	550972	0.967	-0.023
E050525A_CC252679_QT_CC185154	Toluene	4	E2500046.d	43.52	328667	63.2	514484	0.927	-0.063
E050525A_CC252679_QT_CC185154	Toluene	5	E2500047.d	108.80	817722	63.2	541924	0.876	-0.11
E050525A_CC252679_QT_CC185154	Toluene	6	E2500048.d	217.60	1753197	63.2	536168	0.949	-0.04
E050525A_CC252679_QT_CC185154	Toluene	7	E2500049.d	652.80	5564266	63.2	538797	0.999	0.01
E050525A_CC252679_QT_CC185154	Toluene	QT		105.84		63.2			
						Avg:	543840	0.989	
						%RSD:	3.2%	10.3%	
E050525A_CC252679_QT_CC185154	Ethylbenzene	1	E2500043.d	5.13	60169	63.2	569179	1.301	0.089
E050525A_CC252679_QT_CC185154	Ethylbenzene	2	E2500044.d	10.46	105835	63.2	555358	1.151	-0.037
E050525A_CC252679_QT_CC185154	Ethylbenzene	3	E2500045.d	20.92	208215	63.2	550972	1.141	-0.045
E050525A_CC252679_QT_CC185154	Ethylbenzene	4	E2500046.d	41.83	392499	63.2	514484	1.152	-0.036
E050525A_CC252679_QT_CC185154	Ethylbenzene	5	E2500047.d	104.58	995735	63.2	541924	1.110	-0.071
E050525A_CC252679_QT_CC185154	Ethylbenzene	6	E2500048.d	209.16	2327735	63.2	536168	1.311	0.097
E050525A_CC252679_QT_CC185154	Ethylbenzene	7	E2500049.d	627.49	6406466	63.2	538797	1.197	0.0018
E050525A_CC252679_QT_CC185154	Ethylbenzene	QT		110.01		63.2			
						Avg:	543840	1.195	
						%RSD:	3.2%	6.7%	

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA303-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	1	E2500043.d	4.85	58394	63.2	569179	1.337	0.29
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	2	E2500044.d	9.88	88399	63.2	555358	1.018	-0.019
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	3	E2500045.d	19.75	172744	63.2	550972	1.003	-0.034
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	4	E2500046.d	39.51	305031	63.2	514484	0.948	-0.086
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	5	E2500047.d	98.77	730099	63.2	541924	0.862	-0.17
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	6	E2500048.d	197.54	1739458	63.2	536168	1.037	-4.1E-05
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	7	E2500049.d	592.63	5345328	63.2	538797	1.057	0.019
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	QT		123.29		63.2			
						Avg:	543840	1.037	
						%RSD:	3.2%	14.2%	
E050525A_CC252679_QT_CC185154	o-Xylene	1	E2500043.d	5.05	50277	63.2	569179	1.104	0.16
E050525A_CC252679_QT_CC185154	o-Xylene	2	E2500044.d	10.30	81187	63.2	555358	0.896	-0.056
E050525A_CC252679_QT_CC185154	o-Xylene	3	E2500045.d	20.60	161444	63.2	550972	0.898	-0.054
E050525A_CC252679_QT_CC185154	o-Xylene	4	E2500046.d	41.21	299918	63.2	514484	0.894	-0.059
E050525A_CC252679_QT_CC185154	o-Xylene	5	E2500047.d	103.02	797704	63.2	541924	0.903	-0.05
E050525A_CC252679_QT_CC185154	o-Xylene	6	E2500048.d	206.03	1692581	63.2	536168	0.968	0.019
E050525A_CC252679_QT_CC185154	o-Xylene	7	E2500049.d	618.10	5206672	63.2	538797	0.988	0.04
E050525A_CC252679_QT_CC185154	o-Xylene	QT		114.65		63.2			
						Avg:	543840	0.950	
						%RSD:	3.2%	8.2%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679_QT_CC185154	Benzene	ICV	E2500050.d	64.90	531194	54.2	505187	0.878	0.1%
E050525A_CC252679_QT_CC185154	Toluene	ICV	E2500050.d	77.40	626119	63.2	533535	0.958	-3.2%
E050525A_CC252679_QT_CC185154	Ethylbenzene	ICV	E2500050.d	87.14	736386	63.2	533535	1.001	-16.0%
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	ICV	E2500050.d	90.70	588321	63.2	533535	0.768	-26.0%
E050525A_CC252679_QT_CC185154	o-Xylene	ICV	E2500050.d	89.27	625693	63.2	533535	0.830	-13.0%

M325B PDF Report ver.20250630

Sample Custody






EPA Method 325 A/B
Field Test Data Sheet and
Chain of Custody Record

Page # 1 of # 1

- ☐ Standard Turn Around Time (10 business days)
- ☐ Rush Turn Around Time
- All TATs Subject to Approval by Enthalpy Analytical, Inc.
- Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name: <u>Sprague So Portland</u>		Client Name: <u>Montrose Air</u>		PO#:					
Site Address: <u>39 Main Street</u>		Project Number: <u># 027968</u>		Sample Event #					
City: <u>South Portland</u>		Project Manager: <u>Harry Brachw</u>		Sorbent:					
State: <u>Maine</u>		Email Address: <u>harrybrachw@montrose-env.com</u>							
Zip: <u>04106</u>		Telephone #: <u>207.441.0025</u>							
Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1 C	34214	S	7/22/25	1015	8/5/25	910	HPB		
1 C	01604	D		1015		910			
1 B	15544	B		1015		910			
2 C	15595	S		1025		920			
3 C	40613	S		1035		930			
4 B	33523	S		1045		940			
5 C	57432	S		1055		950			
6 C	55717	S		1100		1000			
7 C	43614	S		1110		1010			
8 C	56863	S		1120		1020			
9 C	38558	S		1130		1030			
10 C	00787	S		1140		1040			
11 C	40622	S		1150		1050			
12 C	34139	S		1200		1100			
13 B	15553	S		1210		1110			
13 C	55362	D		1210		1110			
13 B	19844	B		1210		1110			
14 C	01346	S		1220		1120			
15 C	55560	S		1230		1130			
16 C	53573	S	7/22/25	1240	8/5/25	1140	HPB		
Relinquished By (printed):			Relinquished By (signature):			Relinquished Date:		Relinquished Time:	
Harry Brachw						8/5/2025		1645	
Received By (printed):			Received By (signature):			Receipt Date:		Receipt Time:	
Daniel Simons						8/11/25		10:21 AM	
Sample Condition Upon Receipt:			Compound List:			Custody Seal intact? Y/N:		Delivery tracking #	
Good			site # 2 C 55495			Y			
Ice Temp:		Blank Temp:				Add Custody Seal # below:			
25.6		Fluke 4							
Comments:									
DEC. 155495. 005 8/11/25									
800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.enthalpy.com									

**This Is The Last Page
Of This Report.**

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 28 Sprague - South Portland

Client Project# PROJ-027968

Samples Received: 8/25/2025

Analytical Report 2025GA304

EPA Method 325B Analysis

Report Issue Date: 9/3/2025

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



QA Review by Isabel Obando Marrero, Data Reviewer



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	11
Chromatograms	14
Initial Calibration	78
Sample Custody	81
Chain of Custody	82

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GA304-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Enthalpy Analytical on August 25, 2025 at 24.5 °C, which is above the method recommended 23.0 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20250805	C24211	Sample
SPRSPO-1-D-20250805	B21088	Duplicate
SPRSPO-1-B-20250805	B31696	Blank
SPRSPO-2-S-20250805	C55754	Sample
SPRSPO-3-S-20250805	C37970	Sample
SPRSPO-4-S-20250805	B45050	Sample
SPRSPO-5-S-20250805	B52808	Sample
SPRSPO-6-S-20250805	C01555	Sample
SPRSPO-7-S-20250805	C55303	Sample
SPRSPO-8-S-20250805	C57480	Sample
SPRSPO-9-S-20250805	B44938	Sample
SPRSPO-10-S-20250805	B38439	Sample
SPRSPO-11-S-20250805	C55307	Sample
SPRSPO-12-S-20250805	B45065	Sample
SPRSPO-13-S-20250805	C38918	Sample
SPRSPO-13-D-20250805	B49544	Duplicate
SPRSPO-13-B-20250805	C35870	Blank
SPRSPO-14-S-20250805	C59965	Sample
SPRSPO-15-S-20250805	B47121	Sample
SPRSPO-16-S-20250805	C57808	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GA304-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (E050525A_CC252679_QT_CC185154) met all 30% RSD criteria. The initial calibration verification met 30% difference criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

5. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

6. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA304-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20250805	C24211	1.37		6.11		1.44		5.21		1.77	
SPRSPO-1-D-20250805	B21088	1.50		6.23		1.47		4.75		1.59	
SPRSPO-1-B-20250805	B31696	0.186	ND	0.240	ND	0.271	ND	0.271	ND	0.271	ND
SPRSPO-2-S-20250805	C55754	1.36		5.61		1.32		4.62		1.49	
SPRSPO-3-S-20250805	C37970	1.34		5.05		1.28		4.96		1.63	
SPRSPO-4-S-20250805	B45050	1.00		3.73		0.872		3.04		1.02	
SPRSPO-5-S-20250805	B52808	0.848		3.58		0.768		2.40		0.809	
SPRSPO-6-S-20250805	C01555	0.712		3.94		0.749		2.02		0.704	
SPRSPO-7-S-20250805	C55303	0.689		3.18		0.584		1.90		0.615	
SPRSPO-8-S-20250805	C57480	0.551		1.73		0.477	J	1.78		0.584	
SPRSPO-9-S-20250805	B44938	0.657		2.45		0.825		2.38		0.860	
SPRSPO-10-S-20250805	B38439	0.589		1.93		0.652		1.61		0.566	
SPRSPO-11-S-20250805	C55307	0.598		1.70		0.492	J	1.97		0.673	
SPRSPO-12-S-20250805	B45065	0.886		2.97		0.928		2.75		0.973	
SPRSPO-13-S-20250805	C38918	0.883		3.05		0.956		2.96		1.06	
SPRSPO-13-D-20250805	B49544	0.867		2.95		0.872		2.76		1.00	
SPRSPO-13-B-20250805	C35870	0.186	ND	0.240	ND	0.271	ND	0.271	ND	0.271	ND
SPRSPO-14-S-20250805	C59965	0.908		3.77		1.11		4.21		1.47	
SPRSPO-15-S-20250805	B47121	1.18		4.58		1.06		3.56		1.26	
SPRSPO-16-S-20250805	C57808	1.14		4.69		1.12		4.20		1.48	

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA304-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250805	C24211	1.37	0.430	18.4	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502875.d	2025-08-25 15:55	1.030	8.102	167211	477137	54.2	8.045	-1.1%
SPRSPO-1-D-20250805	B21088	1.50	0.469	20.1	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502876.d	2025-08-25 16:21	1.030	8.102	187121	490022	54.2	8.045	1.6%
SPRSPO-1-B-20250805	B31696	0.186	0.0583		70.6	0.666	20150	0.186	0.368	0.0583	0.115	ND	E2502874.d	2025-08-25 15:29	1.030	8.102	5700	485182	54.2	8.045	0.6%
SPRSPO-2-S-20250805	C55754	1.36	0.426	18.2	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502877.d	2025-08-25 16:46	1.030	8.103	166102	479180	54.2	8.045	-0.7%
SPRSPO-3-S-20250805	C37970	1.34	0.419	17.9	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502878.d	2025-08-25 17:12	1.030	8.102	163614	479933	54.2	8.045	-0.5%
SPRSPO-4-S-20250805	B45050	1.00	0.314	13.5	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502879.d	2025-08-25 17:38	1.030	8.102	123201	481865	54.2	8.045	-0.1%
SPRSPO-5-S-20250805	B52808	0.848	0.266	11.4	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502880.d	2025-08-25 18:04	1.030	8.102	108358	500946	54.2	8.045	3.8%
SPRSPO-6-S-20250805	C01555	0.712	0.223	9.56	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502881.d	2025-08-25 18:30	1.030	8.102	88015	484510	54.2	8.045	0.4%
SPRSPO-7-S-20250805	C55303	0.689	0.216	9.25	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502882.d	2025-08-25 18:56	1.030	8.102	86347	491166	54.2	8.045	1.8%
SPRSPO-8-S-20250805	C57480	0.551	0.172	7.39	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502883.d	2025-08-25 19:22	1.030	8.102	70129	499393	54.2	8.045	3.5%
SPRSPO-9-S-20250805	B44938	0.657	0.206	8.81	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502884.d	2025-08-25 19:47	1.030	8.102	81490	486597	54.2	8.045	0.9%
SPRSPO-10-S-20250805	B38439	0.589	0.185	7.91	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502886.d	2025-08-25 20:39	1.030	8.103	74384	494886	54.2	8.045	2.6%
SPRSPO-11-S-20250805	C55307	0.598	0.187	8.02	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502887.d	2025-08-25 21:04	1.030	8.102	75762	496828	54.2	8.045	3.0%
SPRSPO-12-S-20250805	B45065	0.886	0.277	11.9	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502888.d	2025-08-25 21:30	1.030	8.102	111820	494928	54.2	8.045	2.6%
SPRSPO-13-S-20250805	C38918	0.883	0.277	11.9	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502889.d	2025-08-25 21:56	1.030	8.102	112389	498773	54.2	8.045	3.4%
SPRSPO-13-D-20250805	B49544	0.867	0.272	11.6	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502890.d	2025-08-25 22:21	1.030	8.102	110084	497719	54.2	8.045	3.2%
SPRSPO-13-B-20250805	C35870	0.186	0.0583		70.6	0.666	20150	0.186	0.368	0.0583	0.115	ND	E2502891.d	2025-08-25 22:48	1.030	8.102	4631	504795	54.2	8.045	4.6%
SPRSPO-14-S-20250805	C59965	0.908	0.285	12.2	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502892.d	2025-08-25 23:13	1.030	8.103	116315	502027	54.2	8.045	4.1%
SPRSPO-15-S-20250805	B47121	1.18	0.370	15.8	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502893.d	2025-08-25 23:39	1.030	8.103	151144	501931	54.2	8.045	4.1%
SPRSPO-16-S-20250805	C57808	1.14	0.356	15.2	70.6	0.666	20150	0.186	0.368	0.0583	0.115		E2502894.d	2025-08-26 00:05	1.030	8.103	146134	504302	54.2	8.045	4.5%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250805	C24211	6.11	1.62	63.7	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502875.d	2025-08-25 15:55	1.112	10.839	598397	533827	63.2	10.746	-0.4%
SPRSPO-1-D-20250805	B21088	6.23	1.65	64.9	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502876.d	2025-08-25 16:21	1.112	10.839	614340	537903	63.2	10.746	0.4%
SPRSPO-1-B-20250805	B31696	0.240	0.0637		70.6	0.517	20150	0.240	0.513	0.0637	0.136	ND	E2502874.d	2025-08-25 15:29	1.112	10.839	8548	555877	63.2	10.746	3.7%
SPRSPO-2-S-20250805	C55754	5.61	1.49	58.4	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502877.d	2025-08-25 16:46	1.112	10.839	567390	551545	63.2	10.746	2.9%
SPRSPO-3-S-20250805	C37970	5.05	1.34	52.6	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502878.d	2025-08-25 17:12	1.112	10.839	508565	548996	63.2	10.746	2.4%
SPRSPO-4-S-20250805	B45050	3.73	0.991	38.9	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502879.d	2025-08-25 17:38	1.112	10.839	375754	548730	63.2	10.746	2.4%
SPRSPO-5-S-20250805	B52808	3.58	0.951	37.3	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502880.d	2025-08-25 18:04	1.112	10.839	363850	554094	63.2	10.746	3.4%
SPRSPO-6-S-20250805	C01555	3.94	1.05	41.1	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502881.d	2025-08-25 18:30	1.112	10.839	383902	531011	63.2	10.745	-0.9%
SPRSPO-7-S-20250805	C55303	3.18	0.843	33.1	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502882.d	2025-08-25 18:56	1.112	10.838	315039	540953	63.2	10.745	0.9%
SPRSPO-8-S-20250805	C57480	1.73	0.458	18.0	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502883.d	2025-08-25 19:22	1.112	10.839	187111	591215	63.2	10.746	10.3%
SPRSPO-9-S-20250805	B44938	2.45	0.650	25.5	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502884.d	2025-08-25 19:47	1.112	10.839	241925	539242	63.2	10.746	0.6%
SPRSPO-10-S-20250805	B38439	1.93	0.513	20.1	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502886.d	2025-08-25 20:39	1.112	10.839	196723	555496	63.2	10.746	3.6%
SPRSPO-11-S-20250805	C55307	1.70	0.452	17.7	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502887.d	2025-08-25 21:04	1.112	10.839	171604	549092	63.2	10.746	2.5%
SPRSPO-12-S-20250805	B45065	2.97	0.789	31.0	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502888.d	2025-08-25 21:30	1.112	10.838	296494	543899	63.2	10.745	1.5%
SPRSPO-13-S-20250805	C38918	3.05	0.810	31.8	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502889.d	2025-08-25 21:56	1.112	10.839	307949	550421	63.2	10.746	2.7%
SPRSPO-13-D-20250805	B49544	2.95	0.784	30.8	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502890.d	2025-08-25 22:21	1.112	10.839	298436	550954	63.2	10.746	2.8%
SPRSPO-13-B-20250805	C35870	0.240	0.0637		70.6	0.517	20150	0.240	0.513	0.0637	0.136	ND	E2502891.d	2025-08-25 22:48	1.112	10.839	9085	586795	63.2	10.746	9.5%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA304-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV R/R	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20250805	C59965	3.77	1.00	39.3	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502892.d	2025-08-25 23:13	1.112	10.839	385443	556960	63.2	10.746	3.9%
SPRSPO-15-S-20250805	B47121	4.58	1.22	47.7	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502893.d	2025-08-25 23:39	1.112	10.839	465253	553923	63.2	10.746	3.4%
SPRSPO-16-S-20250805	C57808	4.69	1.25	48.8	70.6	0.517	20150	0.240	0.513	0.0637	0.136		E2502894.d	2025-08-26 00:05	1.112	10.839	480061	558078	63.2	10.746	4.1%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV R/R	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250805	C24211	1.44	0.331	13.2	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502875.d	2025-08-25 15:55	1.134	13.031	126828	533827	63.2	10.746	-0.4%
SPRSPO-1-D-20250805	B21088	1.47	0.339	13.6	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502876.d	2025-08-25 16:21	1.134	13.031	131075	537903	63.2	10.746	0.4%
SPRSPO-1-B-20250805	B31696	0.271	0.0625		70.6	0.457	20150	0.271	0.557	0.0625	0.128	ND	E2502874.d	2025-08-25 15:29	1.134	13.031	1310	555877	63.2	10.746	3.7%
SPRSPO-2-S-20250805	C55754	1.32	0.303	12.1	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502877.d	2025-08-25 16:46	1.134	13.031	120070	551545	63.2	10.746	2.9%
SPRSPO-3-S-20250805	C37970	1.28	0.295	11.8	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502878.d	2025-08-25 17:12	1.134	13.031	116227	548996	63.2	10.746	2.4%
SPRSPO-4-S-20250805	B45050	0.872	0.201	8.03	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502879.d	2025-08-25 17:38	1.134	13.031	79131	548730	63.2	10.746	2.4%
SPRSPO-5-S-20250805	B52808	0.768	0.177	7.08	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502880.d	2025-08-25 18:04	1.134	13.031	70395	554094	63.2	10.746	3.4%
SPRSPO-6-S-20250805	C01555	0.749	0.173	6.90	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502881.d	2025-08-25 18:30	1.134	13.031	65826	531011	63.2	10.745	-0.9%
SPRSPO-7-S-20250805	C55303	0.584	0.134	5.38	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502882.d	2025-08-25 18:56	1.134	13.030	52216	540953	63.2	10.745	0.9%
SPRSPO-8-S-20250805	C57480	0.477	0.110	4.39	70.6	0.457	20150	0.271	0.557	0.0625	0.128	J	E2502883.d	2025-08-25 19:22	1.134	13.031	46628	591215	63.2	10.746	10.3%
SPRSPO-9-S-20250805	B44938	0.825	0.190	7.60	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502884.d	2025-08-25 19:47	1.134	13.031	73559	539242	63.2	10.746	0.6%
SPRSPO-10-S-20250805	B38439	0.652	0.150	6.01	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502886.d	2025-08-25 20:39	1.134	13.031	59951	555496	63.2	10.746	3.6%
SPRSPO-11-S-20250805	C55307	0.492	0.113	4.53	70.6	0.457	20150	0.271	0.557	0.0625	0.128	J	E2502887.d	2025-08-25 21:04	1.134	13.031	44651	549092	63.2	10.746	2.5%
SPRSPO-12-S-20250805	B45065	0.928	0.214	8.55	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502888.d	2025-08-25 21:30	1.134	13.030	83469	543899	63.2	10.745	1.5%
SPRSPO-13-S-20250805	C38918	0.956	0.220	8.81	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502889.d	2025-08-25 21:56	1.134	13.031	87033	550421	63.2	10.746	2.7%
SPRSPO-13-D-20250805	B49544	0.872	0.201	8.03	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502890.d	2025-08-25 22:21	1.134	13.031	79467	550954	63.2	10.746	2.8%
SPRSPO-13-B-20250805	C35870	0.271	0.0625		70.6	0.457	20150	0.271	0.557	0.0625	0.128	ND	E2502891.d	2025-08-25 22:48	1.134	13.031	1290	586795	63.2	10.746	9.5%
SPRSPO-14-S-20250805	C59965	1.11	0.256	10.2	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502892.d	2025-08-25 23:13	1.134	13.031	102420	556960	63.2	10.746	3.9%
SPRSPO-15-S-20250805	B47121	1.06	0.243	9.73	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502893.d	2025-08-25 23:39	1.134	13.031	96808	553923	63.2	10.746	3.4%
SPRSPO-16-S-20250805	C57808	1.12	0.258	10.3	70.6	0.457	20150	0.271	0.557	0.0625	0.128		E2502894.d	2025-08-26 00:05	1.134	13.031	103359	558078	63.2	10.746	4.1%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV R/R	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250805	C24211	5.21	1.20	48.0	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502875.d	2025-08-25 15:55	0.812	13.210	329080	533827	63.2	10.746	-0.4%
SPRSPO-1-D-20250805	B21088	4.75	1.09	43.8	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502876.d	2025-08-25 16:21	0.812	13.210	302378	537903	63.2	10.746	0.4%
SPRSPO-1-B-20250805	B31696	0.271	0.0625		70.6	0.457	20150	0.271	0.526	0.0625	0.121	ND	E2502874.d	2025-08-25 15:29	0.812	13.210	1473	555877	63.2	10.746	3.7%
SPRSPO-2-S-20250805	C55754	4.62	1.07	42.6	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502877.d	2025-08-25 16:46	0.812	13.210	301876	551545	63.2	10.746	2.9%
SPRSPO-3-S-20250805	C37970	4.96	1.14	45.7	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502878.d	2025-08-25 17:12	0.812	13.210	322625	548996	63.2	10.746	2.4%
SPRSPO-4-S-20250805	B45050	3.04	0.701	28.0	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502879.d	2025-08-25 17:38	0.812	13.210	197521	548730	63.2	10.746	2.4%
SPRSPO-5-S-20250805	B52808	2.40	0.553	22.1	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502880.d	2025-08-25 18:04	0.812	13.210	157340	554094	63.2	10.746	3.4%
SPRSPO-6-S-20250805	C01555	2.02	0.465	18.6	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502881.d	2025-08-25 18:30	0.812	13.210	126854	531011	63.2	10.745	-0.9%
SPRSPO-7-S-20250805	C55303	1.90	0.438	17.5	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502882.d	2025-08-25 18:56	0.812	13.209	121620	540953	63.2	10.745	0.9%
SPRSPO-8-S-20250805	C57480	1.78	0.410	16.4	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502883.d	2025-08-25 19:22	0.812	13.210	124450	591215	63.2	10.746	10.3%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA304-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20250805	B44938	2.38	0.549	21.9	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502884.d	2025-08-25 19:47	0.812	13.210	151929	539242	63.2	10.746	0.6%
SPRSPO-10-S-20250805	B38439	1.61	0.371	14.8	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502886.d	2025-08-25 20:39	0.812	13.210	105971	555496	63.2	10.746	3.6%
SPRSPO-11-S-20250805	C55307	1.97	0.453	18.1	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502887.d	2025-08-25 21:04	0.812	13.210	127806	549092	63.2	10.746	2.5%
SPRSPO-12-S-20250805	B45065	2.75	0.633	25.3	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502888.d	2025-08-25 21:30	0.812	13.209	176890	543899	63.2	10.745	1.5%
SPRSPO-13-S-20250805	C38918	2.96	0.682	27.3	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502889.d	2025-08-25 21:56	0.812	13.210	192791	550421	63.2	10.746	2.7%
SPRSPO-13-D-20250805	B49544	2.76	0.637	25.5	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502890.d	2025-08-25 22:21	0.812	13.210	180196	550954	63.2	10.746	2.8%
SPRSPO-13-B-20250805	C35870	0.271	0.0625		70.6	0.457	20150	0.271	0.526	0.0625	0.121	ND	E2502891.d	2025-08-25 22:48	0.812	13.202	607	586795	63.2	10.746	9.5%
SPRSPO-14-S-20250805	C59965	4.21	0.970	38.8	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502892.d	2025-08-25 23:13	0.812	13.210	277517	556960	63.2	10.746	3.9%
SPRSPO-15-S-20250805	B47121	3.56	0.821	32.8	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502893.d	2025-08-25 23:39	0.812	13.210	233623	553923	63.2	10.746	3.4%
SPRSPO-16-S-20250805	C57808	4.20	0.969	38.7	70.6	0.457	20150	0.271	0.526	0.0625	0.121		E2502894.d	2025-08-26 00:05	0.812	13.210	277655	558078	63.2	10.746	4.1%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250805	C24211	1.77	0.408	16.3	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502875.d	2025-08-25 15:55	0.845	13.711	116440	533827	63.2	10.746	-0.4%
SPRSPO-1-D-20250805	B21088	1.59	0.366	14.6	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502876.d	2025-08-25 16:21	0.845	13.711	105236	537903	63.2	10.746	0.4%
SPRSPO-1-B-20250805	B31696	0.271	0.0625		70.6	0.457	20150	0.271	0.549	0.0625	0.126	ND	E2502874.d	2025-08-25 15:29	0.845	13.711	1258	555877	63.2	10.746	3.7%
SPRSPO-2-S-20250805	C55754	1.49	0.344	13.7	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502877.d	2025-08-25 16:46	0.845	13.711	101405	551545	63.2	10.746	2.9%
SPRSPO-3-S-20250805	C37970	1.63	0.377	15.1	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502878.d	2025-08-25 17:12	0.845	13.711	110601	548996	63.2	10.746	2.4%
SPRSPO-4-S-20250805	B45050	1.02	0.235	9.39	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502879.d	2025-08-25 17:38	0.845	13.711	68926	548730	63.2	10.746	2.4%
SPRSPO-5-S-20250805	B52808	0.809	0.186	7.45	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502880.d	2025-08-25 18:04	0.845	13.711	55251	554094	63.2	10.746	3.4%
SPRSPO-6-S-20250805	C01555	0.704	0.162	6.48	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502881.d	2025-08-25 18:30	0.845	13.711	46038	531011	63.2	10.745	-0.9%
SPRSPO-7-S-20250805	C55303	0.615	0.142	5.67	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502882.d	2025-08-25 18:56	0.845	13.711	41022	540953	63.2	10.745	0.9%
SPRSPO-8-S-20250805	C57480	0.584	0.135	5.38	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502883.d	2025-08-25 19:22	0.845	13.711	42542	591215	63.2	10.746	10.3%
SPRSPO-9-S-20250805	B44938	0.860	0.198	7.93	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502884.d	2025-08-25 19:47	0.845	13.711	57163	539242	63.2	10.746	0.6%
SPRSPO-10-S-20250805	B38439	0.566	0.130	5.22	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502886.d	2025-08-25 20:39	0.845	13.711	38752	555496	63.2	10.746	3.6%
SPRSPO-11-S-20250805	C55307	0.673	0.155	6.20	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502887.d	2025-08-25 21:04	0.845	13.711	45550	549092	63.2	10.746	2.5%
SPRSPO-12-S-20250805	B45065	0.973	0.224	8.96	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502888.d	2025-08-25 21:30	0.845	13.711	65209	543899	63.2	10.745	1.5%
SPRSPO-13-S-20250805	C38918	1.06	0.244	9.75	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502889.d	2025-08-25 21:56	0.845	13.711	71805	550421	63.2	10.746	2.7%
SPRSPO-13-D-20250805	B49544	1.00	0.231	9.23	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502890.d	2025-08-25 22:21	0.845	13.711	68015	550954	63.2	10.746	2.8%
SPRSPO-13-B-20250805	C35870	0.271	0.0625		70.6	0.457	20150	0.271	0.549	0.0625	0.126	ND	E2502891.d	2025-08-25 22:48	0.845	13.711	73	586795	63.2	10.746	9.5%
SPRSPO-14-S-20250805	C59965	1.47	0.339	13.6	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502892.d	2025-08-25 23:13	0.845	13.711	101091	556960	63.2	10.746	3.9%
SPRSPO-15-S-20250805	B47121	1.26	0.291	11.6	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502893.d	2025-08-25 23:39	0.845	13.711	86248	553923	63.2	10.746	3.4%
SPRSPO-16-S-20250805	C57808	1.48	0.341	13.6	70.6	0.457	20150	0.271	0.549	0.0625	0.126		E2502894.d	2025-08-26 00:05	0.845	13.711	101716	558078	63.2	10.746	4.1%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA304-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20250805	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20250805	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20250805	8.6%	Pass	1.9%	Pass	2.5%	Pass	9.2%	Pass	11%	Pass
	SPRSPO-13-D-20250805	1.9%	Pass	3.2%	Pass	9.2%	Pass	6.9%	Pass	5.5%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA304-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	E2502872.d	C68611	Cal	1.030	0.877	1.030	17%	-6.7%		Pass	
2025GA304 Method Blank-1	E2502873.d	B48572	Blank		0.877	1.030			3.1%	Pass	ND
M325B CCV 5	E2502885.d	C70783	Check	0.973	0.877	1.030	11%		2.0%	Pass	
M325B CCV 5	E2502895.d	B27830	Check	0.973	0.877	1.030	11%		5.0%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	E2502872.d	C68611	Cal	1.112	0.989	1.112	12%	-1.5%		Pass	
2025GA304 Method Blank-1	E2502873.d	B48572	Blank		0.989	1.112			3.6%	Pass	ND
M325B CCV 5	E2502885.d	C70783	Check	1.125	0.989	1.112	14%		2.5%	Pass	
M325B CCV 5	E2502895.d	B27830	Check	1.129	0.989	1.112	14%		3.9%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	E2502872.d	C68611	Cal	1.134	1.195	1.134	-5.1%	-1.5%		Pass	
2025GA304 Method Blank-1	E2502873.d	B48572	Blank		1.195	1.134			3.6%	Pass	ND
M325B CCV 5	E2502885.d	C70783	Check	1.171	1.195	1.134	-2.0%		2.5%	Pass	
M325B CCV 5	E2502895.d	B27830	Check	1.180	1.195	1.134	-1.2%		3.9%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	E2502872.d	C68611	Cal	0.812	1.037	0.812	-22%	-1.5%		Pass	
2025GA304 Method Blank-1	E2502873.d	B48572	Blank		1.037	0.812			3.6%	Pass	ND
M325B CCV 5	E2502885.d	C70783	Check	0.817	1.037	0.812	-21%		2.5%	Pass	
M325B CCV 5	E2502895.d	B27830	Check	0.791	1.037	0.812	-24%		3.9%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	E2502872.d	C68611	Cal	0.845	0.950	0.845	-11%	-1.5%		Pass	
2025GA304 Method Blank-1	E2502873.d	B48572	Blank		0.950	0.845			3.6%	Pass	ND
M325B CCV 5	E2502885.d	C70783	Check	0.813	0.950	0.845	-14%		2.5%	Pass	
M325B CCV 5	E2502895.d	B27830	Check	0.760	0.950	0.845	-20%		3.9%	Pass	

Chromatograms



Name 2025GA304 Method Blank-1
Comment B48572
Data File E2502873.d
Acq. Date-Time 8/25/2025 3:04:06 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	497,409	
Benzene	benzene-d6 (IS)	8.102	8.110	15,282	
Toluene-d8 (IS)		10.746	10.753	555,415	
Toluene	Toluene-d8 (IS)	10.839	10.846	10,028	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	1,542	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	1,849	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	620	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502873.d




+ Scan (10.688-10.824 min, 20 scans) E2502873.d

**Toluene**


+ EIC (91.1) Scan E2502873.d




+ Scan (10.796-10.872 min, 11 scans) E2502873.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502873.d




+ Scan (13.010-13.077 min, 9 scans) E2502873.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502873.d




+ Scan (13.177-13.252 min, 10 scans) E2502873.d




o-Xylene

+ EIC (91.1) Scan E2502873.d




+ Scan (13.690-13.725 min, 4 scans) E2502873.d





Name SPRSPO-1-B-20250805
Comment B31696
Data File E2502874.d
Acq. Date-Time 8/25/2025 3:29:48 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	485,182	
Benzene	benzene-d6 (IS)	8.102	8.110	5,700	
Toluene-d8 (IS)		10.746	10.753	555,877	
Toluene	Toluene-d8 (IS)	10.839	10.846	8,548	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	1,310	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	1,473	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	1,258	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502874.d




+ Scan (10.696-10.839 min, 21 scans) E2502874.d

**Toluene**


+ EIC (91.1) Scan E2502874.d




+ Scan (10.791-10.878 min, 12 scans) E2502874.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502874.d




+ Scan (13.002-13.052 min, 7 scans) E2502874.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502874.d




+ Scan (13.190-13.259 min, 9 scans) E2502874.d




o-Xylene

+ EIC (91.1) Scan E2502874.d




+ Scan (13.678-13.740 min, 9 scans) E2502874.d





Name SPRSPO-1-S-20250805
Comment C24211
Data File E2502875.d
Acq. Date-Time 8/25/2025 3:55:28 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	477,137	
Benzene	benzene-d6 (IS)	8.102	8.110	167,211	
Toluene-d8 (IS)		10.746	10.753	533,827	
Toluene	Toluene-d8 (IS)	10.839	10.846	598,397	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	126,828	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	329,080	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	116,440	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502875.d




+ Scan (10.695-10.832 min, 20 scans) E2502875.d

**Toluene**


+ EIC (91.1) Scan E2502875.d




+ Scan (10.796-10.925 min, 19 scans) E2502875.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502875.d




+ Scan (12.988-13.109 min, 18 scans) E2502875.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502875.d




+ Scan (13.168-13.331 min, 22 scans) E2502875.d




o-Xylene

+ EIC (91.1) Scan E2502875.d




+ Scan (13.671-13.768 min, 14 scans) E2502875.d





Name SPRSPO-1-D-20250805
Comment B21088
Data File E2502876.d
Acq. Date-Time 8/25/2025 4:21:12 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	490,022	
Benzene	benzene-d6 (IS)	8.102	8.110	187,121	
Toluene-d8 (IS)		10.746	10.753	537,903	
Toluene	Toluene-d8 (IS)	10.839	10.846	614,340	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	131,075	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	302,378	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	105,236	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502876.d




+ Scan (10.703-10.832 min, 19 scans) E2502876.d

**Toluene**


+ EIC (91.1) Scan E2502876.d




+ Scan (10.796-10.925 min, 19 scans) E2502876.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502876.d




+ Scan (12.995-13.086 min, 13 scans) E2502876.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502876.d




+ Scan (13.172-13.345 min, 24 scans) E2502876.d




o-Xylene

+ EIC (91.1) Scan E2502876.d




+ Scan (13.677-13.754 min, 11 scans) E2502876.d





Name SPRSPO-2-S-20250805
Comment C55754
Data File E2502877.d
Acq. Date-Time 8/25/2025 4:46:57 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	479,180	
Benzene	benzene-d6 (IS)	8.103	8.110	166,102	
Toluene-d8 (IS)		10.746	10.753	551,545	
Toluene	Toluene-d8 (IS)	10.839	10.846	567,390	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	120,070	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	301,876	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	101,405	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502877.d




+ Scan (10.696-10.832 min, 20 scans) E2502877.d

**Toluene**


+ EIC (91.1) Scan E2502877.d




+ Scan (10.796-10.918 min, 18 scans) E2502877.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502877.d




+ Scan (12.995-13.091 min, 14 scans) E2502877.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502877.d




+ Scan (13.168-13.328 min, 22 scans) E2502877.d




o-Xylene

+ EIC (91.1) Scan E2502877.d




+ Scan (13.676-13.759 min, 11 scans) E2502877.d





Name SPRSPO-3-S-20250805
Comment C37970
Data File E2502878.d
Acq. Date-Time 8/25/2025 5:12:42 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	479,933	
Benzene	benzene-d6 (IS)	8.102	8.110	163,614	
Toluene-d8 (IS)		10.746	10.753	548,996	
Toluene	Toluene-d8 (IS)	10.839	10.846	508,565	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	116,227	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	322,625	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	110,601	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502878.d




+ Scan (10.695-10.839 min, 21 scans) E2502878.d

**Toluene**


+ EIC (91.1) Scan E2502878.d




+ Scan (10.796-10.925 min, 19 scans) E2502878.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502878.d




+ Scan (12.988-13.097 min, 16 scans) E2502878.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502878.d




+ Scan (13.167-13.317 min, 22 scans) E2502878.d




o-Xylene

+ EIC (91.1) Scan E2502878.d




+ Scan (13.675-13.803 min, 18 scans) E2502878.d





Name SPRSPO-4-S-20250805
Comment B45050
Data File E2502879.d
Acq. Date-Time 8/25/2025 5:38:26 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	481,865	
Benzene	benzene-d6 (IS)	8.102	8.110	123,201	
Toluene-d8 (IS)		10.746	10.753	548,730	
Toluene	Toluene-d8 (IS)	10.839	10.846	375,754	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	79,131	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	197,521	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	68,926	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502879.d




+ Scan (10.695-10.824 min, 19 scans) E2502879.d

**Toluene**


+ EIC (91.1) Scan E2502879.d




+ Scan (10.796-10.910 min, 16 scans) E2502879.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502879.d




+ Scan (12.995-13.087 min, 13 scans) E2502879.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502879.d




+ Scan (13.174-13.326 min, 22 scans) E2502879.d




o-Xylene

+ EIC (91.1) Scan E2502879.d




+ Scan (13.676-13.761 min, 11 scans) E2502879.d





Name SPRSPO-5-S-20250805
Comment B52808
Data File E2502880.d
Acq. Date-Time 8/25/2025 6:04:08 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	500,946	
Benzene	benzene-d6 (IS)	8.102	8.110	108,358	
Toluene-d8 (IS)		10.746	10.753	554,094	
Toluene	Toluene-d8 (IS)	10.839	10.846	363,850	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	70,395	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	157,340	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	55,251	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502880.d




+ Scan (10.695-10.824 min, 19 scans) E2502880.d

**Toluene**


+ EIC (91.1) Scan E2502880.d




+ Scan (10.796-10.939 min, 21 scans) E2502880.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502880.d




+ Scan (12.988-13.079 min, 13 scans) E2502880.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502880.d




+ Scan (13.174-13.295 min, 16 scans) E2502880.d




o-Xylene

+ EIC (91.1) Scan E2502880.d




+ Scan (13.673-13.768 min, 13 scans) E2502880.d





Name SPRSPO-6-S-20250805
Comment C01555
Data File E2502881.d
Acq. Date-Time 8/25/2025 6:30:44 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	484,510	
Benzene	benzene-d6 (IS)	8.102	8.110	88,015	
Toluene-d8 (IS)		10.745	10.753	531,011	
Toluene	Toluene-d8 (IS)	10.839	10.846	383,902	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	65,826	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	126,854	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	46,038	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502881.d




+ Scan (10.695-10.839 min, 21 scans) E2502881.d

**Toluene**


+ EIC (91.1) Scan E2502881.d




+ Scan (10.796-10.937 min, 20 scans) E2502881.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502881.d




+ Scan (13.002-13.080 min, 11 scans) E2502881.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502881.d




+ Scan (13.172-13.317 min, 21 scans) E2502881.d




o-Xylene

+ EIC (91.1) Scan E2502881.d




+ Scan (13.676-13.753 min, 10 scans) E2502881.d





Name SPRSPO-7-S-20250805
Comment C55303
Data File E2502882.d
Acq. Date-Time 8/25/2025 6:56:23 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	491,166	
Benzene	benzene-d6 (IS)	8.102	8.110	86,347	
Toluene-d8 (IS)		10.745	10.753	540,953	
Toluene	Toluene-d8 (IS)	10.838	10.846	315,039	
Ethylbenzene	Toluene-d8 (IS)	13.030	13.038	52,216	
m-/p-Xylenes	Toluene-d8 (IS)	13.209	13.217	121,620	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	41,022	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502882.d




+ Scan (10.695-10.824 min, 19 scans) E2502882.d

**Toluene**


+ EIC (91.1) Scan E2502882.d




+ Scan (10.796-10.939 min, 21 scans) E2502882.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502882.d




+ Scan (12.999-13.073 min, 10 scans) E2502882.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502882.d




+ Scan (13.174-13.303 min, 19 scans) E2502882.d




o-Xylene

+ EIC (91.1) Scan E2502882.d




+ Scan (13.675-13.768 min, 14 scans) E2502882.d





Name SPRSPO-8-S-20250805
Comment C57480
Data File E2502883.d
Acq. Date-Time 8/25/2025 7:22:06 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	499,393	
Benzene	benzene-d6 (IS)	8.102	8.110	70,129	
Toluene-d8 (IS)		10.746	10.753	591,215	
Toluene	Toluene-d8 (IS)	10.839	10.846	187,111	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	46,628	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	124,450	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	42,542	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502883.d




+ Scan (10.695-10.839 min, 21 scans) E2502883.d

**Toluene**


+ EIC (91.1) Scan E2502883.d




+ Scan (10.803-10.916 min, 16 scans) E2502883.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502883.d




+ Scan (12.998-13.080 min, 11 scans) E2502883.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502883.d




+ Scan (13.175-13.267 min, 13 scans) E2502883.d




o-Xylene

+ EIC (91.1) Scan E2502883.d




+ Scan (13.683-13.775 min, 12 scans) E2502883.d





Name SPRSPO-9-S-20250805
Comment B44938
Data File E2502884.d
Acq. Date-Time 8/25/2025 7:47:46 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	486,597	
Benzene	benzene-d6 (IS)	8.102	8.110	81,490	
Toluene-d8 (IS)		10.746	10.753	539,242	
Toluene	Toluene-d8 (IS)	10.839	10.846	241,925	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	73,559	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	151,929	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	57,163	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502884.d




+ Scan (10.696-10.832 min, 20 scans) E2502884.d

**Toluene**


+ EIC (91.1) Scan E2502884.d




+ Scan (10.803-10.925 min, 18 scans) E2502884.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502884.d




+ Scan (12.996-13.080 min, 11 scans) E2502884.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502884.d




+ Scan (13.174-13.274 min, 14 scans) E2502884.d




o-Xylene

+ EIC (91.1) Scan E2502884.d




+ Scan (13.676-13.784 min, 15 scans) E2502884.d





Name SPRSPO-10-S-20250805
Comment B38439
Data File E2502886.d
Acq. Date-Time 8/25/2025 8:39:10 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	494,886	
Benzene	benzene-d6 (IS)	8.103	8.110	74,384	
Toluene-d8 (IS)		10.746	10.753	555,496	
Toluene	Toluene-d8 (IS)	10.839	10.846	196,723	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	59,951	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	105,971	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	38,752	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502886.d




+ Scan (10.696-10.832 min, 20 scans) E2502886.d

**Toluene**


+ EIC (91.1) Scan E2502886.d




+ Scan (10.796-10.902 min, 15 scans) E2502886.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502886.d




+ Scan (12.995-13.119 min, 17 scans) E2502886.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502886.d




+ Scan (13.167-13.289 min, 18 scans) E2502886.d




o-Xylene

+ EIC (91.1) Scan E2502886.d




+ Scan (13.678-13.747 min, 10 scans) E2502886.d





Name SPRSPO-11-S-20250805
Comment C55307
Data File E2502887.d
Acq. Date-Time 8/25/2025 9:04:45 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	496,828	
Benzene	benzene-d6 (IS)	8.102	8.110	75,762	
Toluene-d8 (IS)		10.746	10.753	549,092	
Toluene	Toluene-d8 (IS)	10.839	10.846	171,604	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	44,651	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	127,806	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	45,550	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502887.d




+ Scan (10.695-10.824 min, 19 scans) E2502887.d

**Toluene**


+ EIC (91.1) Scan E2502887.d




+ Scan (10.799-10.939 min, 20 scans) E2502887.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502887.d




+ Scan (12.995-13.072 min, 10 scans) E2502887.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502887.d




+ Scan (13.172-13.287 min, 16 scans) E2502887.d




o-Xylene

+ EIC (91.1) Scan E2502887.d




+ Scan (13.676-13.768 min, 12 scans) E2502887.d





Name SPRSPO-12-S-20250805
Comment B45065
Data File E2502888.d
Acq. Date-Time 8/25/2025 9:30:24 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	494,928	
Benzene	benzene-d6 (IS)	8.102	8.110	111,820	
Toluene-d8 (IS)		10.745	10.753	543,899	
Toluene	Toluene-d8 (IS)	10.838	10.846	296,494	
Ethylbenzene	Toluene-d8 (IS)	13.030	13.038	83,469	
m-/p-Xylenes	Toluene-d8 (IS)	13.209	13.217	176,890	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	65,209	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502888.d




+ Scan (10.695-10.810 min, 17 scans) E2502888.d

**Toluene**


+ EIC (91.1) Scan E2502888.d




+ Scan (10.795-10.917 min, 18 scans) E2502888.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502888.d




+ Scan (12.990-13.073 min, 12 scans) E2502888.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502888.d




+ Scan (13.168-13.295 min, 18 scans) E2502888.d




o-Xylene

+ EIC (91.1) Scan E2502888.d




+ Scan (13.672-13.755 min, 12 scans) E2502888.d





Name SPRSPO-13-S-20250805
Comment C38918
Data File E2502889.d
Acq. Date-Time 8/25/2025 9:56:05 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	498,773	
Benzene	benzene-d6 (IS)	8.102	8.110	112,389	
Toluene-d8 (IS)		10.746	10.753	550,421	
Toluene	Toluene-d8 (IS)	10.839	10.846	307,949	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	87,033	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	192,791	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	71,805	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502889.d




+ Scan (10.695-10.824 min, 19 scans) E2502889.d

**Toluene**


+ EIC (91.1) Scan E2502889.d




+ Scan (10.796-10.903 min, 16 scans) E2502889.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502889.d




+ Scan (12.997-13.085 min, 12 scans) E2502889.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502889.d




+ Scan (13.174-13.337 min, 23 scans) E2502889.d




o-Xylene

+ EIC (91.1) Scan E2502889.d




+ Scan (13.674-13.754 min, 11 scans) E2502889.d





Name SPRSPO-13-D-20250805
Comment B49544
Data File E2502890.d
Acq. Date-Time 8/25/2025 10:21:47 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	497,719	
Benzene	benzene-d6 (IS)	8.102	8.110	110,084	
Toluene-d8 (IS)		10.746	10.753	550,954	
Toluene	Toluene-d8 (IS)	10.839	10.846	298,436	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	79,467	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	180,196	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	68,015	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502890.d




+ Scan (10.695-10.832 min, 20 scans) E2502890.d

**Toluene**


+ EIC (91.1) Scan E2502890.d




+ Scan (10.796-10.937 min, 20 scans) E2502890.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502890.d




+ Scan (12.995-13.070 min, 10 scans) E2502890.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502890.d




+ Scan (13.169-13.274 min, 14 scans) E2502890.d




o-Xylene

+ EIC (91.1) Scan E2502890.d




+ Scan (13.675-13.776 min, 15 scans) E2502890.d





Name SPRSPO-13-B-20250805
Comment C35870
Data File E2502891.d
Acq. Date-Time 8/25/2025 10:48:17 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	504,795	
Benzene	benzene-d6 (IS)	8.102	8.110	4,631	
Toluene-d8 (IS)		10.746	10.753	586,795	
Toluene	Toluene-d8 (IS)	10.839	10.846	9,085	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	1,290	
m-/p-Xylenes	Toluene-d8 (IS)	13.202	13.217	607	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	73	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502891.d




+ Scan (10.695-10.831 min, 20 scans) E2502891.d

**Toluene**


+ EIC (91.1) Scan E2502891.d




+ Scan (10.806-10.867 min, 9 scans) E2502891.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502891.d




+ Scan (13.012-13.059 min, 7 scans) E2502891.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502891.d




+ Scan (13.193-13.224 min, 5 scans) E2502891.d




o-Xylene

+ EIC (91.1) Scan E2502891.d




+ Scan (13.704-13.717 min, 2 scans) E2502891.d





Name SPRSPO-14-S-20250805
Comment C59965
Data File E2502892.d
Acq. Date-Time 8/25/2025 11:13:56 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	502,027	
Benzene	benzene-d6 (IS)	8.103	8.110	116,315	
Toluene-d8 (IS)		10.746	10.753	556,960	
Toluene	Toluene-d8 (IS)	10.839	10.846	385,443	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	102,420	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	277,517	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	101,091	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502892.d




+ Scan (10.696-10.825 min, 19 scans) E2502892.d

**Toluene**


+ EIC (91.1) Scan E2502892.d




+ Scan (10.796-10.918 min, 18 scans) E2502892.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502892.d




+ Scan (12.995-13.072 min, 11 scans) E2502892.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502892.d




+ Scan (13.160-13.289 min, 19 scans) E2502892.d




o-Xylene

+ EIC (91.1) Scan E2502892.d




+ Scan (13.676-13.767 min, 12 scans) E2502892.d





Name SPRSPO-15-S-20250805
Comment B47121
Data File E2502893.d
Acq. Date-Time 8/25/2025 11:39:34 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	501,931	
Benzene	benzene-d6 (IS)	8.103	8.110	151,144	
Toluene-d8 (IS)		10.746	10.753	553,923	
Toluene	Toluene-d8 (IS)	10.839	10.846	465,253	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	96,808	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	233,623	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	86,248	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502893.d




+ Scan (10.696-10.839 min, 21 scans) E2502893.d

**Toluene**


+ EIC (91.1) Scan E2502893.d




+ Scan (10.796-10.932 min, 20 scans) E2502893.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502893.d




+ Scan (12.992-13.080 min, 12 scans) E2502893.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502893.d




+ Scan (13.174-13.288 min, 15 scans) E2502893.d




o-Xylene

+ EIC (91.1) Scan E2502893.d




+ Scan (13.676-13.774 min, 13 scans) E2502893.d





Name SPRSPO-16-S-20250805
Comment C57808
Data File E2502894.d
Acq. Date-Time 8/26/2025 12:05:16 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	504,302	
Benzene	benzene-d6 (IS)	8.103	8.110	146,134	
Toluene-d8 (IS)		10.746	10.753	558,078	
Toluene	Toluene-d8 (IS)	10.839	10.846	480,061	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	103,359	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	277,655	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	101,716	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2502894.d




+ Scan (10.696-10.825 min, 19 scans) E2502894.d

**Toluene**


+ EIC (91.1) Scan E2502894.d




+ Scan (10.796-10.932 min, 20 scans) E2502894.d

**Ethylbenzene**


+ EIC (91.1) Scan E2502894.d




+ Scan (12.996-13.077 min, 11 scans) E2502894.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2502894.d




+ Scan (13.167-13.329 min, 22 scans) E2502894.d




o-Xylene

+ EIC (91.1) Scan E2502894.d



+ Scan (13.676-13.782 min, 15 scans) E2502894.d



Initial Calibration



Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA304-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679_QT_CC185154	Benzene	1	E2500043.d	4.94	48593	54.2	531168	1.004	0.14
E050525A_CC252679_QT_CC185154	Benzene	2	E2500044.d	10.06	88289	54.2	525272	0.905	0.032
E050525A_CC252679_QT_CC185154	Benzene	3	E2500045.d	20.12	167722	54.2	519365	0.869	-0.0086
E050525A_CC252679_QT_CC185154	Benzene	4	E2500046.d	40.25	314317	54.2	495891	0.853	-0.027
E050525A_CC252679_QT_CC185154	Benzene	5	E2500047.d	100.62	771973	54.2	516636	0.804	-0.083
E050525A_CC252679_QT_CC185154	Benzene	6	E2500048.d	201.24	1566630	54.2	517234	0.815	-0.07
E050525A_CC252679_QT_CC185154	Benzene	7	E2500049.d	603.73	5084416	54.2	514456	0.887	0.011
E050525A_CC252679_QT_CC185154	Benzene	QT		120.51		54.2			
						Avg:	517146	0.877	
						%RSD:	2.1%	7.6%	
E050525A_CC252679_QT_CC185154	Toluene	1	E2500043.d	5.34	57611	63.2	569179	1.198	0.21
E050525A_CC252679_QT_CC185154	Toluene	2	E2500044.d	10.88	96506	63.2	555358	1.009	0.02
E050525A_CC252679_QT_CC185154	Toluene	3	E2500045.d	21.76	183454	63.2	550972	0.967	-0.023
E050525A_CC252679_QT_CC185154	Toluene	4	E2500046.d	43.52	328667	63.2	514484	0.927	-0.063
E050525A_CC252679_QT_CC185154	Toluene	5	E2500047.d	108.80	817722	63.2	541924	0.876	-0.11
E050525A_CC252679_QT_CC185154	Toluene	6	E2500048.d	217.60	1753197	63.2	536168	0.949	-0.04
E050525A_CC252679_QT_CC185154	Toluene	7	E2500049.d	652.80	5564266	63.2	538797	0.999	0.01
E050525A_CC252679_QT_CC185154	Toluene	QT		105.84		63.2			
						Avg:	543840	0.989	
						%RSD:	3.2%	10.3%	
E050525A_CC252679_QT_CC185154	Ethylbenzene	1	E2500043.d	5.13	60169	63.2	569179	1.301	0.089
E050525A_CC252679_QT_CC185154	Ethylbenzene	2	E2500044.d	10.46	105835	63.2	555358	1.151	-0.037
E050525A_CC252679_QT_CC185154	Ethylbenzene	3	E2500045.d	20.92	208215	63.2	550972	1.141	-0.045
E050525A_CC252679_QT_CC185154	Ethylbenzene	4	E2500046.d	41.83	392499	63.2	514484	1.152	-0.036
E050525A_CC252679_QT_CC185154	Ethylbenzene	5	E2500047.d	104.58	995735	63.2	541924	1.110	-0.071
E050525A_CC252679_QT_CC185154	Ethylbenzene	6	E2500048.d	209.16	2327735	63.2	536168	1.311	0.097
E050525A_CC252679_QT_CC185154	Ethylbenzene	7	E2500049.d	627.49	6406466	63.2	538797	1.197	0.0018
E050525A_CC252679_QT_CC185154	Ethylbenzene	QT		110.01		63.2			
						Avg:	543840	1.195	
						%RSD:	3.2%	6.7%	

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA304-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	1	E2500043.d	4.85	58394	63.2	569179	1.337	0.29
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	2	E2500044.d	9.88	88399	63.2	555358	1.018	-0.019
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	3	E2500045.d	19.75	172744	63.2	550972	1.003	-0.034
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	4	E2500046.d	39.51	305031	63.2	514484	0.948	-0.086
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	5	E2500047.d	98.77	730099	63.2	541924	0.862	-0.17
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	6	E2500048.d	197.54	1739458	63.2	536168	1.037	-4.1E-05
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	7	E2500049.d	592.63	5345328	63.2	538797	1.057	0.019
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	QT		123.29		63.2			
						Avg:	543840	1.037	
						%RSD:	3.2%	14.2%	
E050525A_CC252679_QT_CC185154	o-Xylene	1	E2500043.d	5.05	50277	63.2	569179	1.104	0.16
E050525A_CC252679_QT_CC185154	o-Xylene	2	E2500044.d	10.30	81187	63.2	555358	0.896	-0.056
E050525A_CC252679_QT_CC185154	o-Xylene	3	E2500045.d	20.60	161444	63.2	550972	0.898	-0.054
E050525A_CC252679_QT_CC185154	o-Xylene	4	E2500046.d	41.21	299918	63.2	514484	0.894	-0.059
E050525A_CC252679_QT_CC185154	o-Xylene	5	E2500047.d	103.02	797704	63.2	541924	0.903	-0.05
E050525A_CC252679_QT_CC185154	o-Xylene	6	E2500048.d	206.03	1692581	63.2	536168	0.968	0.019
E050525A_CC252679_QT_CC185154	o-Xylene	7	E2500049.d	618.10	5206672	63.2	538797	0.988	0.04
E050525A_CC252679_QT_CC185154	o-Xylene	QT		114.65		63.2			
						Avg:	543840	0.950	
						%RSD:	3.2%	8.2%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679_QT_CC185154	Benzene	ICV	E2500050.d	64.90	531194	54.2	505187	0.878	0.1%
E050525A_CC252679_QT_CC185154	Toluene	ICV	E2500050.d	77.40	626119	63.2	533535	0.958	-3.2%
E050525A_CC252679_QT_CC185154	Ethylbenzene	ICV	E2500050.d	87.14	736386	63.2	533535	1.001	-16.0%
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	ICV	E2500050.d	90.70	588321	63.2	533535	0.768	-26.0%
E050525A_CC252679_QT_CC185154	o-Xylene	ICV	E2500050.d	89.27	625693	63.2	533535	0.830	-13.0%

M325B PDF Report ver.20250822

Sample Custody



EPA Method 325 A/B
Field Test Data Sheet and
Chain of Custody Record

Page # 1 of # 1

☐ Standard Turn Around Time (10 business days)

☐ Rush Turn Around Time

• All TATs Subject to Approval by Enthalpy Analytical, Inc

• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name: <u>Sprague So Portland</u>		Client Name: <u>Montruse Air</u>		PO#:					
Site Address: <u>39 Main St</u>		Project Number: <u>027968</u>		Sample Event #					
City: <u>So Portland</u>		Project Manager: <u>Haig Brochu</u>		Sorbent:					
State: <u>Me</u>		Email Address:							
Zip: <u>04106</u>		Telephone #: <u>207-441-0025</u>							
Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C 24211	S	8/5/25	910	8/19/25	900	HFB		
1	B 21088	D		910		900			
1	B 31696	B		910		900			
2	C 55754	S		920		910			
3	C 37970	S		930		920			
4	B 45050	S		940		930			
5	B 52808	S		950		940			
6	C 01555	S	8/5/25	1000	8/19/25	950	HFB		
7	C 55303	S		1010		1000			
8	C 57480	S		1020		1010			
9	B 44938	S		1030		1020			
10	B 38439	S		1040		1030			
11	C 55307	S		1050		1040			
12	B 45065	S		1100		1050			
13	C 38918	S		1110		1100			
13	B 49544	D	8/5/25	1110	8/19/25	1100	HFB		
13	C 35870	B		1110		1100			
14	C 59965	S		1120		1110			
15	B 47121	S		1130		1120			
16	C 57808	S	8/5/25	1140	8/19/25	1130	HFB		
Relinquished By (printed): <u>Haig Brochu</u>		Relinquished By (signature): <u>[Signature]</u>		Relinquished Date: <u>8/19/2025</u>		Relinquished Time: <u>1645</u>			
Received By (printed): <u>Daniel Simpson</u>		Received By (signature): <u>[Signature]</u>		Receipt Date: <u>8/25/25</u>		Receipt Time: <u>11:12 AM</u>			
Sample Condition Upon Receipt: <u>Good</u>		Compound List:		Custody Seal intact? Y/N: <u>Y</u>		Delivery tracking #			
Ice Temp: <u>24.5</u>	Blank Temp: <u>FLUKE 4</u>			Add Custody Seal # below: <u>24A01468</u>					
Comments:									

**This Is The Last Page
Of This Report.**

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 29 Sprague - South Portland

Client Project# PROJ-027968

Samples Received: 9/10/2025

Analytical Report 2025GA305

EPA Method 325B Analysis

Report Issue Date: 9/19/2025

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:


QA Review by Isabel Obando Marrero, Data Reviewer



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	11
Chromatograms	15
Initial Calibration	79
Sample Custody	82
Chain of Custody	83

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GA305-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Enthalpy Analytical on September 10, 2025 at 22.3 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20250819	C40168	Sample
SPRSPO-1-D-20250819	B52707	Duplicate
SPRSPO-1-B-20250819	C70596	Blank
SPRSPO-2-S-20250819	C24122	Sample
SPRSPO-3-S-20250819	B20800	Sample
SPRSPO-4-S-20250819	B17319	Sample
SPRSPO-5-S-20250819	B24751	Sample
SPRSPO-6-S-20250819	C01542	Sample
SPRSPO-7-S-20250819	C53696	Sample
SPRSPO-8-S-20250819	C31370	Sample
SPRSPO-9-S-20250819	B44195	Sample
SPRSPO-10-S-20250819	C00620	Sample
SPRSPO-11-S-20250819	B15121	Sample
SPRSPO-12-S-20250819	B48565	Sample
SPRSPO-13-S-20250819	B46132	Sample
SPRSPO-13-D-20250819	B29972	Duplicate
SPRSPO-13-B-20250819	C43680	Blank
SPRSPO-14-S-20250819	B52899	Sample
SPRSPO-15-S-20250819	C01492	Sample
SPRSPO-16-S-20250819	C40177	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-TD35 is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GA305-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (P041125A_CC252679_R1_QT_CC185154) met all 30% RSD criteria. The initial calibration verification met 30% difference criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

5. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

6. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA305-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20250819	C40168	3.58		19.5		4.97		18.2		6.34	
SPRSPO-1-D-20250819	B52707	3.18		17.1		3.98		16.1		5.94	
SPRSPO-1-B-20250819	C70596	0.187	ND	0.241	ND	0.273	ND	0.273	ND	0.273	ND
SPRSPO-2-S-20250819	C24122	2.56		15.0		3.36		13.4		4.98	
SPRSPO-3-S-20250819	B20800	2.72		15.6		3.56		13.8		5.00	
SPRSPO-4-S-20250819	B17319	2.00		10.8		2.31		9.16		3.31	
SPRSPO-5-S-20250819	B24751	2.77		16.8		3.75		15.5		5.74	
SPRSPO-6-S-20250819	C01542	1.96		12.6		2.53		10.2		3.73	
SPRSPO-7-S-20250819	C53696	2.16		13.8		2.91		11.7		4.37	
SPRSPO-8-S-20250819	C31370	2.61		15.2		2.94		10.3		3.42	
SPRSPO-9-S-20250819	B44195	3.02		15.5		2.92		10.3		3.78	
SPRSPO-10-S-20250819	C00620	2.27		12.5		2.62		9.15		3.06	
SPRSPO-11-S-20250819	B15121	2.48		14.7		3.10		10.6		3.54	
SPRSPO-12-S-20250819	B48565	2.41		10.5		1.97		6.87		2.35	
SPRSPO-13-S-20250819	B46132	2.73		15.2		3.15		10.6		3.60	
SPRSPO-13-D-20250819	B29972	2.52		13.1		2.58		9.36		3.23	
SPRSPO-13-B-20250819	C43680	0.187	ND	0.241	ND	0.273	ND	0.273	ND	0.273	ND
SPRSPO-14-S-20250819	B52899	2.73		14.8		3.02		10.9		3.81	
SPRSPO-15-S-20250819	C01492	3.47		20.6		3.97		14.4		5.08	
SPRSPO-16-S-20250819	C40177	2.29		10.9		2.23		8.00		2.78	

ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA305-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250819	C40168	3.58	1.12	47.8	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505792.D	2025-09-12 16:38	0.994	8.402	433881	823683	90.3	8.349	-1.2%
SPRSPO-1-D-20250819	B52707	3.18	0.995	42.4	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505793.D	2025-09-12 17:16	0.994	8.402	386974	827969	90.3	8.349	-0.7%
SPRSPO-1-B-20250819	C70596	0.187	0.0586		64.3	0.662	20175	0.187	0.372	0.0586	0.116	ND	P2505790.D	2025-09-12 15:22	0.994	8.408	16687	835119	90.3	8.349	0.1%
SPRSPO-2-S-20250819	C24122	2.56	0.803	34.2	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505794.D	2025-09-12 17:54	0.994	8.396	308509	818290	90.3	8.343	-1.9%
SPRSPO-3-S-20250819	B20800	2.72	0.852	36.3	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505795.D	2025-09-12 18:32	0.994	8.397	332981	832581	90.3	8.343	-0.2%
SPRSPO-4-S-20250819	B17319	2.00	0.625	26.7	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505796.D	2025-09-12 19:10	0.994	8.403	243067	827912	90.3	8.343	-0.7%
SPRSPO-5-S-20250819	B24751	2.77	0.866	36.9	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505797.D	2025-09-12 19:48	0.994	8.402	329856	810993	90.3	8.343	-2.8%
SPRSPO-6-S-20250819	C01542	1.96	0.613	26.2	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505798.D	2025-09-12 20:26	0.994	8.391	237377	824205	90.3	8.343	-1.2%
SPRSPO-7-S-20250819	C53696	2.16	0.675	28.8	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505799.D	2025-09-12 21:04	0.994	8.402	259882	819599	90.3	8.343	-1.7%
SPRSPO-8-S-20250819	C31370	2.61	0.817	34.9	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505833.D	2025-09-14 12:24	0.769	8.408	278600	938816	90.3	8.361	6.5%
SPRSPO-9-S-20250819	B44195	3.02	0.947	40.4	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505834.D	2025-09-14 13:00	0.769	8.408	320457	932291	90.3	8.355	5.7%
SPRSPO-10-S-20250819	C00620	2.27	0.712	30.4	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505835.D	2025-09-14 13:35	0.769	8.414	244648	946490	90.3	8.355	7.3%
SPRSPO-11-S-20250819	B15121	2.48	0.776	33.1	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505836.D	2025-09-14 14:11	0.769	8.408	265929	943460	90.3	8.355	7.0%
SPRSPO-12-S-20250819	B48565	2.41	0.754	32.1	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505837.D	2025-09-14 14:47	0.769	8.408	257649	941475	90.3	8.355	6.8%
SPRSPO-13-S-20250819	B46132	2.73	0.855	36.5	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505838.D	2025-09-14 15:22	0.769	8.414	291631	939284	90.3	8.355	6.5%
SPRSPO-13-D-20250819	B29972	2.52	0.790	33.7	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505839.D	2025-09-14 15:58	0.769	8.414	271507	946701	90.3	8.361	7.3%
SPRSPO-13-B-20250819	C43680	0.187	0.0586		64.3	0.662	20175	0.187	0.372	0.0586	0.116	ND	P2505791.D	2025-09-12 16:00	0.994	8.396	4277	834827	90.3	8.343	0.1%
SPRSPO-14-S-20250819	B52899	2.73	0.854	36.4	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505840.D	2025-09-14 16:34	0.769	8.414	287351	926742	90.3	8.355	5.1%
SPRSPO-15-S-20250819	C01492	3.47	1.09	46.4	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505841.D	2025-09-14 17:10	0.769	8.414	366036	926330	90.3	8.361	5.0%
SPRSPO-16-S-20250819	C40177	2.29	0.718	30.6	64.3	0.662	20175	0.187	0.372	0.0586	0.116		P2505842.D	2025-09-14 17:45	0.769	8.408	235216	902139	90.3	8.361	2.3%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250819	C40168	19.5	5.19	202	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505792.D	2025-09-12 16:38	1.039	11.002	1964689	983366	105.3	10.907	-3.6%
SPRSPO-1-D-20250819	B52707	17.1	4.54	177	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505793.D	2025-09-12 17:16	1.039	11.002	1723599	986353	105.3	10.907	-3.3%
SPRSPO-1-B-20250819	C70596	0.241	0.0640		64.3	0.514	20175	0.241	0.518	0.0640	0.137	ND	P2505790.D	2025-09-12 15:22	1.039	11.008	6908	1002735	105.3	10.907	-1.7%
SPRSPO-2-S-20250819	C24122	15.0	3.98	156	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505794.D	2025-09-12 17:54	1.039	10.996	1519979	990194	105.3	10.907	-2.9%
SPRSPO-3-S-20250819	B20800	15.6	4.15	162	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505795.D	2025-09-12 18:32	1.039	10.996	1570639	981598	105.3	10.901	-3.7%
SPRSPO-4-S-20250819	B17319	10.8	2.87	112	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505796.D	2025-09-12 19:10	1.039	10.996	1096293	991535	105.3	10.901	-2.8%
SPRSPO-5-S-20250819	B24751	16.8	4.47	175	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505797.D	2025-09-12 19:48	1.039	10.996	1686035	978420	105.3	10.907	-4.1%
SPRSPO-6-S-20250819	C01542	12.6	3.34	130	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505798.D	2025-09-12 20:26	1.039	10.996	1302097	1011459	105.3	10.901	-0.8%
SPRSPO-7-S-20250819	C53696	13.8	3.66	143	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505799.D	2025-09-12 21:04	1.039	10.996	1371901	973291	105.3	10.907	-4.6%
SPRSPO-8-S-20250819	C31370	15.2	4.03	157	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505833.D	2025-09-14 12:24	0.813	11.008	1382331	1138251	105.3	10.913	9.6%
SPRSPO-9-S-20250819	B44195	15.5	4.12	161	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505834.D	2025-09-14 13:00	0.813	11.014	1398572	1125454	105.3	10.913	8.4%
SPRSPO-10-S-20250819	C00620	12.5	3.32	129	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505835.D	2025-09-14 13:35	0.813	11.008	1109181	1109819	105.3	10.919	6.9%
SPRSPO-11-S-20250819	B15121	14.7	3.91	153	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505836.D	2025-09-14 14:11	0.813	11.008	1322207	1121449	105.3	10.919	8.0%
SPRSPO-12-S-20250819	B48565	10.5	2.79	109	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505837.D	2025-09-14 14:47	0.813	11.008	929259	1104624	105.3	10.919	6.4%
SPRSPO-13-S-20250819	B46132	15.2	4.04	158	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505838.D	2025-09-14 15:22	0.813	11.008	1348142	1107077	105.3	10.919	6.6%
SPRSPO-13-D-20250819	B29972	13.1	3.49	136	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505839.D	2025-09-14 15:58	0.813	11.008	1191503	1133810	105.3	10.919	9.2%
SPRSPO-13-B-20250819	C43680	0.241	0.0640		64.3	0.514	20175	0.241	0.518	0.0640	0.137	ND	P2505791.D	2025-09-12 16:00	1.039	11.002	10956	1015146	105.3	10.907	-0.5%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA305-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20250819	B52899	14.8	3.92	153	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505840.D	2025-09-14 16:34	0.813	11.008	1323651	1120215	105.3	10.919	7.9%
SPRSPO-15-S-20250819	C01492	20.6	5.48	214	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505841.D	2025-09-14 17:10	0.813	11.008	1848148	1119236	105.3	10.913	7.8%
SPRSPO-16-S-20250819	C40177	10.9	2.89	113	64.3	0.514	20175	0.241	0.518	0.0640	0.137		P2505842.D	2025-09-14 17:45	0.813	11.008	960529	1101714	105.3	10.919	6.1%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250819	C40168	4.97	1.15	45.6	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505792.D	2025-09-12 16:38	1.023	13.127	435542	983366	105.3	10.907	-3.6%
SPRSPO-1-D-20250819	B52707	3.98	0.917	36.5	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505793.D	2025-09-12 17:16	1.023	13.127	349984	986353	105.3	10.907	-3.3%
SPRSPO-1-B-20250819	C70596	0.273	0.0628		64.3	0.455	20175	0.273	0.562	0.0628	0.130	ND	P2505790.D	2025-09-12 15:22	1.023	13.133	2472	1002735	105.3	10.907	-1.7%
SPRSPO-2-S-20250819	C24122	3.36	0.774	30.8	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505794.D	2025-09-12 17:54	1.023	13.127	296319	990194	105.3	10.907	-2.9%
SPRSPO-3-S-20250819	B20800	3.56	0.820	32.6	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505795.D	2025-09-12 18:32	1.023	13.121	311507	981598	105.3	10.901	-3.7%
SPRSPO-4-S-20250819	B17319	2.31	0.532	21.2	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505796.D	2025-09-12 19:10	1.023	13.127	203973	991535	105.3	10.901	-2.8%
SPRSPO-5-S-20250819	B24751	3.75	0.864	34.4	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505797.D	2025-09-12 19:48	1.023	13.127	327036	978420	105.3	10.907	-4.1%
SPRSPO-6-S-20250819	C01542	2.53	0.583	23.2	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505798.D	2025-09-12 20:26	1.023	13.127	228038	1011459	105.3	10.901	-0.8%
SPRSPO-7-S-20250819	C53696	2.91	0.670	26.7	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505799.D	2025-09-12 21:04	1.023	13.127	252282	973291	105.3	10.907	-4.6%
SPRSPO-8-S-20250819	C31370	2.94	0.677	26.9	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505833.D	2025-09-14 12:24	0.910	13.133	264867	1138251	105.3	10.913	9.6%
SPRSPO-9-S-20250819	B44195	2.92	0.674	26.8	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505834.D	2025-09-14 13:00	0.910	13.133	260898	1125454	105.3	10.913	8.4%
SPRSPO-10-S-20250819	C00620	2.62	0.604	24.0	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505835.D	2025-09-14 13:35	0.910	13.133	230551	1109819	105.3	10.919	6.9%
SPRSPO-11-S-20250819	B15121	3.10	0.715	28.5	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505836.D	2025-09-14 14:11	0.910	13.133	275923	1121449	105.3	10.919	8.0%
SPRSPO-12-S-20250819	B48565	1.97	0.453	18.0	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505837.D	2025-09-14 14:47	0.910	13.139	172216	1104624	105.3	10.919	6.4%
SPRSPO-13-S-20250819	B46132	3.15	0.726	28.9	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505838.D	2025-09-14 15:22	0.910	13.133	276260	1107077	105.3	10.919	6.6%
SPRSPO-13-D-20250819	B29972	2.58	0.594	23.6	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505839.D	2025-09-14 15:58	0.910	13.139	231740	1133810	105.3	10.919	9.2%
SPRSPO-13-B-20250819	C43680	0.273	0.0628		64.3	0.455	20175	0.273	0.562	0.0628	0.130	ND	P2505791.D	2025-09-12 16:00	1.023	13.127	2104	1015146	105.3	10.907	-0.5%
SPRSPO-14-S-20250819	B52899	3.02	0.695	27.7	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505840.D	2025-09-14 16:34	0.910	13.139	267838	1120215	105.3	10.919	7.9%
SPRSPO-15-S-20250819	C01492	3.97	0.916	36.4	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505841.D	2025-09-14 17:10	0.910	13.139	352579	1119236	105.3	10.913	7.8%
SPRSPO-16-S-20250819	C40177	2.23	0.515	20.5	64.3	0.455	20175	0.273	0.562	0.0628	0.130		P2505842.D	2025-09-14 17:45	0.910	13.139	195120	1101714	105.3	10.919	6.1%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250819	C40168	18.2	4.20	167	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505792.D	2025-09-12 16:38	0.685	13.299	1068612	983366	105.3	10.907	-3.6%
SPRSPO-1-D-20250819	B52707	16.1	3.72	148	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505793.D	2025-09-12 17:16	0.685	13.299	949258	986353	105.3	10.907	-3.3%
SPRSPO-1-B-20250819	C70596	0.273	0.0628		64.3	0.455	20175	0.273	0.531	0.0628	0.122	ND	P2505790.D	2025-09-12 15:22	0.685	13.293	1458	1002735	105.3	10.907	-1.7%
SPRSPO-2-S-20250819	C24122	13.4	3.08	122	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505794.D	2025-09-12 17:54	0.685	13.299	788816	990194	105.3	10.907	-2.9%
SPRSPO-3-S-20250819	B20800	13.8	3.18	127	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505795.D	2025-09-12 18:32	0.685	13.299	808836	981598	105.3	10.901	-3.7%
SPRSPO-4-S-20250819	B17319	9.16	2.11	84.0	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505796.D	2025-09-12 19:10	0.685	13.299	541869	991535	105.3	10.901	-2.8%
SPRSPO-5-S-20250819	B24751	15.5	3.56	142	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505797.D	2025-09-12 19:48	0.685	13.299	901777	978420	105.3	10.907	-4.1%
SPRSPO-6-S-20250819	C01542	10.2	2.36	93.9	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505798.D	2025-09-12 20:26	0.685	13.299	617595	1011459	105.3	10.901	-0.8%
SPRSPO-7-S-20250819	C53696	11.7	2.69	107	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505799.D	2025-09-12 21:04	0.685	13.299	678109	973291	105.3	10.907	-4.6%
SPRSPO-8-S-20250819	C31370	10.3	2.37	94.3	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505833.D	2025-09-14 12:24	0.699	13.305	713120	1138251	105.3	10.913	9.6%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA305-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20250819	B44195	10.3	2.38	94.8	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505834.D	2025-09-14 13:00	0.699	13.311	708260	1125454	105.3	10.913	8.4%
SPRSPO-10-S-20250819	C00620	9.15	2.11	83.9	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505835.D	2025-09-14 13:35	0.699	13.305	618755	1109819	105.3	10.919	6.9%
SPRSPO-11-S-20250819	B15121	10.6	2.44	96.9	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505836.D	2025-09-14 14:11	0.699	13.311	721854	1121449	105.3	10.919	8.0%
SPRSPO-12-S-20250819	B48565	6.87	1.58	63.0	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505837.D	2025-09-14 14:47	0.699	13.311	462466	1104624	105.3	10.919	6.4%
SPRSPO-13-S-20250819	B46132	10.6	2.45	97.6	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505838.D	2025-09-14 15:22	0.699	13.311	717515	1107077	105.3	10.919	6.6%
SPRSPO-13-D-20250819	B29972	9.36	2.16	85.8	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505839.D	2025-09-14 15:58	0.699	13.311	646052	1133810	105.3	10.919	9.2%
SPRSPO-13-B-20250819	C43680	0.273	0.0628		64.3	0.455	20175	0.273	0.531	0.0628	0.122	ND	P2505791.D	2025-09-12 16:00	0.685	13.394	245	1015146	105.3	10.907	-0.5%
SPRSPO-14-S-20250819	B52899	10.9	2.52	100	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505840.D	2025-09-14 16:34	0.699	13.311	745763	1120215	105.3	10.919	7.9%
SPRSPO-15-S-20250819	C01492	14.4	3.31	132	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505841.D	2025-09-14 17:10	0.699	13.311	979596	1119236	105.3	10.913	7.8%
SPRSPO-16-S-20250819	C40177	8.00	1.84	73.3	64.3	0.455	20175	0.273	0.531	0.0628	0.122		P2505842.D	2025-09-14 17:45	0.699	13.311	536504	1101714	105.3	10.919	6.1%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250819	C40168	6.34	1.46	58.2	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505792.D	2025-09-12 16:38	0.670	13.792	363886	983366	105.3	10.907	-3.6%
SPRSPO-1-D-20250819	B52707	5.94	1.37	54.4	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505793.D	2025-09-12 17:16	0.670	13.792	341759	986353	105.3	10.907	-3.3%
SPRSPO-1-B-20250819	C70596	0.273	0.0628		64.3	0.455	20175	0.273	0.554	0.0628	0.128	ND	P2505790.D	2025-09-12 15:22	0.670	13.810	422	1002735	105.3	10.907	-1.7%
SPRSPO-2-S-20250819	C24122	4.98	1.15	45.6	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505794.D	2025-09-12 17:54	0.670	13.792	287543	990194	105.3	10.907	-2.9%
SPRSPO-3-S-20250819	B20800	5.00	1.15	45.8	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505795.D	2025-09-12 18:32	0.670	13.786	286247	981598	105.3	10.901	-3.7%
SPRSPO-4-S-20250819	B17319	3.31	0.764	30.4	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505796.D	2025-09-12 19:10	0.670	13.792	191791	991535	105.3	10.901	-2.8%
SPRSPO-5-S-20250819	B24751	5.74	1.32	52.7	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505797.D	2025-09-12 19:48	0.670	13.792	327847	978420	105.3	10.907	-4.1%
SPRSPO-6-S-20250819	C01542	3.73	0.860	34.2	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505798.D	2025-09-12 20:26	0.670	13.786	220316	1011459	105.3	10.901	-0.8%
SPRSPO-7-S-20250819	C53696	4.37	1.01	40.0	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505799.D	2025-09-12 21:04	0.670	13.791	247917	973291	105.3	10.907	-4.6%
SPRSPO-8-S-20250819	C31370	3.42	0.787	31.3	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505833.D	2025-09-14 12:24	0.744	13.798	252053	1138251	105.3	10.913	9.6%
SPRSPO-9-S-20250819	B44195	3.78	0.871	34.7	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505834.D	2025-09-14 13:00	0.744	13.798	275777	1125454	105.3	10.913	8.4%
SPRSPO-10-S-20250819	C00620	3.06	0.705	28.1	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505835.D	2025-09-14 13:35	0.744	13.798	220225	1109819	105.3	10.919	6.9%
SPRSPO-11-S-20250819	B15121	3.54	0.815	32.4	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505836.D	2025-09-14 14:11	0.744	13.798	257103	1121449	105.3	10.919	8.0%
SPRSPO-12-S-20250819	B48565	2.35	0.541	21.5	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505837.D	2025-09-14 14:47	0.744	13.798	167986	1104624	105.3	10.919	6.4%
SPRSPO-13-S-20250819	B46132	3.60	0.830	33.0	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505838.D	2025-09-14 15:22	0.744	13.798	258446	1107077	105.3	10.919	6.6%
SPRSPO-13-D-20250819	B29972	3.23	0.745	29.6	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505839.D	2025-09-14 15:58	0.744	13.804	237475	1133810	105.3	10.919	9.2%
SPRSPO-13-B-20250819	C43680	0.273	0.0628		64.3	0.455	20175	0.273	0.554	0.0628	0.128	ND	P2505791.D	2025-09-12 16:00	0.670	14.231	0	1015146	105.3	10.907	-0.5%
SPRSPO-14-S-20250819	B52899	3.81	0.878	34.9	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505840.D	2025-09-14 16:34	0.744	13.798	276562	1120215	105.3	10.919	7.9%
SPRSPO-15-S-20250819	C01492	5.08	1.17	46.6	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505841.D	2025-09-14 17:10	0.744	13.797	368915	1119236	105.3	10.913	7.8%
SPRSPO-16-S-20250819	C40177	2.78	0.640	25.5	64.3	0.455	20175	0.273	0.554	0.0628	0.128		P2505842.D	2025-09-14 17:45	0.744	13.798	198295	1101714	105.3	10.919	6.1%

ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA305-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20250819	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20250819	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20250819	12%	Pass	13%	Pass	22%	Pass	12%	Pass	6.6%	Pass
	SPRSPO-13-D-20250819	7.9%	Pass	15%	Pass	20%	Pass	13%	Pass	11%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA305-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2505788.D	C01357	Cal	0.994		0.994	11%	8.2%		Pass	
2025GA305 Method Blank-1	P2505789.D	B43044	Blank			0.994			1.1%	Pass	ND
M325B CCV 5	P2505800.D	B17594	Check	0.982		0.994	9.6%		2.2%	Pass	
M325B CCV 5	P2505832.D	B16364	Cal	0.769		0.769	-14%	14%	5.7%	Pass	
M325B CCV 5 REC	P2505843.D	B16364	Check	0.792		0.769	-12%		6.7%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2505788.D	C01357	Cal	1.039		1.039	17%	6.8%		Pass	
2025GA305 Method Blank-1	P2505789.D	B43044	Blank			1.039			-3.0%	Pass	ND
M325B CCV 5	P2505800.D	B17594	Check	1.083		1.039	22%		-0.49%	Pass	
M325B CCV 5	P2505832.D	B16364	Cal	0.813		0.813	-8.3%	8.8%	1.8%	Pass	
M325B CCV 5 REC	P2505843.D	B16364	Check	0.821		0.813	-7.4%		8.0%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2505788.D	C01357	Cal	1.023		1.023	-0.97%	6.8%		Pass	
2025GA305 Method Blank-1	P2505789.D	B43044	Blank			1.023			-3.0%	Pass	ND
M325B CCV 5	P2505800.D	B17594	Check	0.980		1.023	-5.2%		-0.49%	Pass	
M325B CCV 5	P2505832.D	B16364	Cal	0.910		0.910	-12%	8.8%	1.8%	Pass	
M325B CCV 5 REC	P2505843.D	B16364	Check	0.925		0.910	-10%		8.0%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2505788.D	C01357	Cal	0.685		0.685	-14%	6.8%		Pass	
2025GA305 Method Blank-1	P2505789.D	B43044	Blank			0.685			-3.0%	Pass	ND
M325B CCV 5	P2505800.D	B17594	Check	0.595		0.685	-25%		-0.49%	Pass	
M325B CCV 5	P2505832.D	B16364	Cal	0.699		0.699	-12%	8.8%	1.8%	Pass	
M325B CCV 5 REC	P2505843.D	B16364	Check	0.721		0.699	-9.0%		8.0%	Pass	

o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2505788.D	C01357	Cal	0.670		0.670	-20%	6.8%		Pass	
2025GA305 Method Blank-1	P2505789.D	B43044	Blank			0.670			-3.0%	Pass	ND
M325B CCV 5	P2505800.D	B17594	Check	0.607		0.670	-27%		-0.49%	Pass	

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA305-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2505832.D	B16364	Cal	0.744		0.744	-11%	8.8%	1.8%	Pass	
M325B CCV 5 REC	P2505843.D	B16364	Check	0.714		0.744	-14%		8.0%	Pass	

Chromatograms



Name 2025GA305 Method Blank-1
Comment B43044
Data File P2505789.D
Acq. Date-Time 9/12/2025 2:45:02 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.367	842,990	
Benzene	benzene-d6 (IS)	8.385	8.426	10,845	
Toluene-d8 (IS)		10.907	10.931	988,952	
Toluene	Toluene-d8 (IS)	11.002	11.020	10,719	
Ethylbenzene	Toluene-d8 (IS)	13.121	13.151	3,581	
m-/p-Xylenes	Toluene-d8 (IS)	13.317	13.341	2,301	
o-Xylene	Toluene-d8 (IS)	13.774	13.809	2,942	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505789.D




+ Scan (10.861-11.008 min, 25 scans) P2505789.D

**Toluene**


+ EIC (91.1) Scan P2505789.D




+ Scan (10.945-11.073 min, 21 scans) P2505789.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505789.D




+ Scan (13.098-13.151 min, 9 scans) P2505789.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505789.D




+ Scan (13.293-13.328 min, 6 scans) P2505789.D




o-Xylene

+ EIC (91.1) Scan P2505789.D




+ Scan (13.766-13.810 min, 8 scans) P2505789.D





Name SPRSPO-1-B-20250819
Comment C70596
Data File P2505790.D
Acq. Date-Time 9/12/2025 3:22:55 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.367	835,119	
Benzene	benzene-d6 (IS)	8.408	8.426	16,687	
Toluene-d8 (IS)		10.907	10.931	1,002,735	
Toluene	Toluene-d8 (IS)	11.008	11.020	6,908	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	2,472	
m-/p-Xylenes	Toluene-d8 (IS)	13.293	13.341	1,458	
o-Xylene	Toluene-d8 (IS)	13.810	13.809	422	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505790.D




+ Scan (10.860-11.020 min, 27 scans) P2505790.D

**Toluene**


+ EIC (91.1) Scan P2505790.D




+ Scan (10.974-11.056 min, 14 scans) P2505790.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505790.D




+ Scan (13.115-13.150 min, 6 scans) P2505790.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505790.D




+ Scan (13.282-13.323 min, 6 scans) P2505790.D




o-Xylene

+ EIC (91.1) Scan P2505790.D




+ Scan (13.799-13.818 min, 3 scans) P2505790.D





Name SPRSPO-13-B-20250819
Comment C43680
Data File P2505791.D
Acq. Date-Time 9/12/2025 4:00:51 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.367	834,827	
Benzene	benzene-d6 (IS)	8.396	8.426	4,277	
Toluene-d8 (IS)		10.907	10.931	1,015,146	
Toluene	Toluene-d8 (IS)	11.002	11.020	10,956	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.151	2,104	
m-/p-Xylenes	Toluene-d8 (IS)	13.394	13.341	245	
o-Xylene	Toluene-d8 (IS)	14.231	13.809	ND	m

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505791.D




+ Scan (10.860-11.038 min, 31 scans) P2505791.D

**Toluene**


+ EIC (91.1) Scan P2505791.D




+ Scan (10.970-11.043 min, 12 scans) P2505791.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505791.D




+ Scan (13.097-13.156 min, 10 scans) P2505791.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505791.D




+ Scan (13.388-13.400 min, 3 scans) P2505791.D




o-Xylene

+ EIC (91.1) Scan P2505791.D




+ Scan (14.231-14.231 min, 1 scans) P2505791.D




Name SPRSPO-1-S-20250819
Comment C40168
Data File P2505792.D
Acq. Date-Time 9/12/2025 4:38:45 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.367	823,683	
Benzene	benzene-d6 (IS)	8.402	8.426	433,881	
Toluene-d8 (IS)		10.907	10.931	983,366	
Toluene	Toluene-d8 (IS)	11.002	11.020	1,964,689	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.151	435,542	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.341	1,068,612	
o-Xylene	Toluene-d8 (IS)	13.792	13.809	363,886	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505792.D




+ Scan (10.866-11.008 min, 24 scans) P2505792.D

**Toluene**


+ EIC (91.1) Scan P2505792.D




+ Scan (10.950-11.103 min, 26 scans) P2505792.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505792.D




+ Scan (13.089-13.228 min, 24 scans) P2505792.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505792.D




+ Scan (13.252-13.465 min, 37 scans) P2505792.D




o-Xylene

+ EIC (91.1) Scan P2505792.D




+ Scan (13.751-13.869 min, 20 scans) P2505792.D





Name SPRSPO-1-D-20250819
Comment B52707
Data File P2505793.D
Acq. Date-Time 9/12/2025 5:16:39 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.367	827,969	
Benzene	benzene-d6 (IS)	8.402	8.426	386,974	
Toluene-d8 (IS)		10.907	10.931	986,353	
Toluene	Toluene-d8 (IS)	11.002	11.020	1,723,599	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.151	349,984	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.341	949,258	
o-Xylene	Toluene-d8 (IS)	13.792	13.809	341,759	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505793.D




+ Scan (10.854-11.014 min, 27 scans) P2505793.D

**Toluene**


+ EIC (91.1) Scan P2505793.D




+ Scan (10.951-11.103 min, 26 scans) P2505793.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505793.D




+ Scan (13.086-13.236 min, 25 scans) P2505793.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505793.D




+ Scan (13.259-13.477 min, 37 scans) P2505793.D




o-Xylene

+ EIC (91.1) Scan P2505793.D




+ Scan (13.750-13.869 min, 21 scans) P2505793.D





Name SPRSPO-2-S-20250819
Comment C24122
Data File P2505794.D
Acq. Date-Time 9/12/2025 5:54:34 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.367	818,290	
Benzene	benzene-d6 (IS)	8.396	8.426	308,509	
Toluene-d8 (IS)		10.907	10.931	990,194	
Toluene	Toluene-d8 (IS)	10.996	11.020	1,519,979	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.151	296,319	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.341	788,816	
o-Xylene	Toluene-d8 (IS)	13.792	13.809	287,543	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505794.D




+ Scan (10.855-11.008 min, 26 scans) P2505794.D

**Toluene**


+ EIC (91.1) Scan P2505794.D




+ Scan (10.949-11.145 min, 33 scans) P2505794.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505794.D




+ Scan (13.083-13.240 min, 27 scans) P2505794.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505794.D




+ Scan (13.258-13.465 min, 36 scans) P2505794.D




o-Xylene

+ EIC (91.1) Scan P2505794.D




+ Scan (13.747-13.869 min, 21 scans) P2505794.D




Name SPRSPO-3-S-20250819
Comment B20800
Data File P2505795.D
Acq. Date-Time 9/12/2025 6:32:30 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.367	832,581	
Benzene	benzene-d6 (IS)	8.397	8.426	332,981	
Toluene-d8 (IS)		10.901	10.931	981,598	
Toluene	Toluene-d8 (IS)	10.996	11.020	1,570,639	
Ethylbenzene	Toluene-d8 (IS)	13.121	13.151	311,507	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.341	808,836	
o-Xylene	Toluene-d8 (IS)	13.786	13.809	286,247	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505795.D




+ Scan (10.856-11.044 min, 32 scans) P2505795.D

**Toluene**


+ EIC (91.1) Scan P2505795.D




+ Scan (10.949-11.133 min, 31 scans) P2505795.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505795.D




+ Scan (13.086-13.240 min, 26 scans) P2505795.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505795.D




+ Scan (13.252-13.471 min, 38 scans) P2505795.D




o-Xylene

+ EIC (91.1) Scan P2505795.D




+ Scan (13.757-13.875 min, 20 scans) P2505795.D




Name SPRSPO-4-S-20250819
Comment B17319
Data File P2505796.D
Acq. Date-Time 9/12/2025 7:10:23 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.367	827,912	
Benzene	benzene-d6 (IS)	8.403	8.426	243,067	
Toluene-d8 (IS)		10.901	10.931	991,535	
Toluene	Toluene-d8 (IS)	10.996	11.020	1,096,293	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.151	203,973	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.341	541,869	
o-Xylene	Toluene-d8 (IS)	13.792	13.809	191,791	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505796.D




+ Scan (10.861-11.044 min, 31 scans) P2505796.D

**Toluene**


+ EIC (91.1) Scan P2505796.D




+ Scan (10.951-11.133 min, 31 scans) P2505796.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505796.D




+ Scan (13.092-13.196 min, 17 scans) P2505796.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505796.D




+ Scan (13.258-13.459 min, 34 scans) P2505796.D




o-Xylene

+ EIC (91.1) Scan P2505796.D




+ Scan (13.756-13.857 min, 17 scans) P2505796.D





Name SPRSPO-5-S-20250819
Comment B24751
Data File P2505797.D
Acq. Date-Time 9/12/2025 7:48:17 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.367	810,993	
Benzene	benzene-d6 (IS)	8.402	8.426	329,856	
Toluene-d8 (IS)		10.907	10.931	978,420	
Toluene	Toluene-d8 (IS)	10.996	11.020	1,686,035	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.151	327,036	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.341	901,777	
o-Xylene	Toluene-d8 (IS)	13.792	13.809	327,847	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505797.D




+ Scan (10.854-10.996 min, 25 scans) P2505797.D

**Toluene**


+ EIC (91.1) Scan P2505797.D




+ Scan (10.955-11.144 min, 32 scans) P2505797.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505797.D




+ Scan (13.085-13.240 min, 27 scans) P2505797.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505797.D




+ Scan (13.252-13.483 min, 39 scans) P2505797.D




o-Xylene

+ EIC (91.1) Scan P2505797.D




+ Scan (13.750-13.869 min, 21 scans) P2505797.D





Name SPRSPO-6-S-20250819
Comment C01542
Data File P2505798.D
Acq. Date-Time 9/12/2025 8:26:11 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.367	824,205	
Benzene	benzene-d6 (IS)	8.391	8.426	237,377	
Toluene-d8 (IS)		10.901	10.931	1,011,459	
Toluene	Toluene-d8 (IS)	10.996	11.020	1,302,097	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.151	228,038	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.341	617,595	
o-Xylene	Toluene-d8 (IS)	13.786	13.809	220,316	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505798.D




+ Scan (10.854-11.032 min, 31 scans) P2505798.D

**Toluene**


+ EIC (91.1) Scan P2505798.D




+ Scan (10.950-11.133 min, 31 scans) P2505798.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505798.D




+ Scan (13.090-13.198 min, 19 scans) P2505798.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505798.D




+ Scan (13.259-13.430 min, 29 scans) P2505798.D




o-Xylene

+ EIC (91.1) Scan P2505798.D




+ Scan (13.751-13.895 min, 24 scans) P2505798.D





Name SPRSPO-7-S-20250819
Comment C53696
Data File P2505799.D
Acq. Date-Time 9/12/2025 9:04:22 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.367	819,599	
Benzene	benzene-d6 (IS)	8.402	8.426	259,882	
Toluene-d8 (IS)		10.907	10.931	973,291	
Toluene	Toluene-d8 (IS)	10.996	11.020	1,371,901	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.151	252,282	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.341	678,109	
o-Xylene	Toluene-d8 (IS)	13.791	13.809	247,917	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505799.D




+ Scan (10.860-11.020 min, 27 scans) P2505799.D

**Toluene**


+ EIC (91.1) Scan P2505799.D




+ Scan (10.950-11.138 min, 32 scans) P2505799.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505799.D




+ Scan (13.087-13.239 min, 26 scans) P2505799.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505799.D




+ Scan (13.251-13.457 min, 35 scans) P2505799.D




o-Xylene

+ EIC (91.1) Scan P2505799.D




+ Scan (13.751-13.863 min, 19 scans) P2505799.D





Name SPRSPO-8-S-20250819
Comment C31370; Recollect
Data File P2505833.D
Acq. Date-Time 9/14/2025 12:24:25 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.361	8.367	938,816	
Benzene	benzene-d6 (IS)	8.408	8.426	278,600	
Toluene-d8 (IS)		10.913	10.931	1,138,251	
Toluene	Toluene-d8 (IS)	11.008	11.020	1,382,331	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	264,867	
m-/p-Xylenes	Toluene-d8 (IS)	13.305	13.341	713,120	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	252,053	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505833.D




+ Scan (10.872-11.097 min, 38 scans) P2505833.D

**Toluene**


+ EIC (91.1) Scan P2505833.D




+ Scan (10.963-11.157 min, 33 scans) P2505833.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505833.D




+ Scan (13.097-13.240 min, 25 scans) P2505833.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505833.D




+ Scan (13.270-13.471 min, 35 scans) P2505833.D




o-Xylene

+ EIC (91.1) Scan P2505833.D




+ Scan (13.763-13.905 min, 24 scans) P2505833.D





Name SPRSPO-9-S-20250819
Comment B44195; Recollect
Data File P2505834.D
Acq. Date-Time 9/14/2025 1:00:05 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.355	8.367	932,291	
Benzene	benzene-d6 (IS)	8.408	8.426	320,457	
Toluene-d8 (IS)		10.913	10.931	1,125,454	
Toluene	Toluene-d8 (IS)	11.014	11.020	1,398,572	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	260,898	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	708,260	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	275,777	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505834.D




+ Scan (10.868-11.049 min, 31 scans) P2505834.D

**Toluene**


+ EIC (91.1) Scan P2505834.D




+ Scan (10.957-11.127 min, 29 scans) P2505834.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505834.D




+ Scan (13.099-13.216 min, 19 scans) P2505834.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505834.D




+ Scan (13.269-13.465 min, 33 scans) P2505834.D




o-Xylene

+ EIC (91.1) Scan P2505834.D




+ Scan (13.758-13.904 min, 25 scans) P2505834.D





Name SPRSPO-10-S-20250819
Comment C00620; Recollect
Data File P2505835.D
Acq. Date-Time 9/14/2025 1:35:48 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.355	8.367	946,490	
Benzene	benzene-d6 (IS)	8.414	8.426	244,648	
Toluene-d8 (IS)		10.919	10.931	1,109,819	
Toluene	Toluene-d8 (IS)	11.008	11.020	1,109,181	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	230,551	
m-/p-Xylenes	Toluene-d8 (IS)	13.305	13.341	618,755	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	220,225	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505835.D




+ Scan (10.863-11.026 min, 28 scans) P2505835.D

**Toluene**


+ EIC (91.1) Scan P2505835.D




+ Scan (10.955-11.144 min, 33 scans) P2505835.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505835.D




+ Scan (13.098-13.246 min, 25 scans) P2505835.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505835.D




+ Scan (13.264-13.471 min, 35 scans) P2505835.D




o-Xylene

+ EIC (91.1) Scan P2505835.D




+ Scan (13.762-13.893 min, 22 scans) P2505835.D





Name SPRSPO-11-S-20250819
Comment B15121; Recollect
Data File P2505836.D
Acq. Date-Time 9/14/2025 2:11:30 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.355	8.367	943,460	
Benzene	benzene-d6 (IS)	8.408	8.426	265,929	
Toluene-d8 (IS)		10.919	10.931	1,121,449	
Toluene	Toluene-d8 (IS)	11.008	11.020	1,322,207	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	275,923	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	721,854	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	257,103	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505836.D




+ Scan (10.873-11.020 min, 25 scans) P2505836.D

**Toluene**


+ EIC (91.1) Scan P2505836.D




+ Scan (10.961-11.156 min, 33 scans) P2505836.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505836.D




+ Scan (13.099-13.261 min, 27 scans) P2505836.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505836.D




+ Scan (13.263-13.489 min, 39 scans) P2505836.D




o-Xylene

+ EIC (91.1) Scan P2505836.D




+ Scan (13.762-13.905 min, 24 scans) P2505836.D





Name SPRSPO-12-S-20250819
Comment B48565; Recollect
Data File P2505837.D
Acq. Date-Time 9/14/2025 2:47:16 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.355	8.367	941,475	
Benzene	benzene-d6 (IS)	8.408	8.426	257,649	
Toluene-d8 (IS)		10.919	10.931	1,104,624	
Toluene	Toluene-d8 (IS)	11.008	11.020	929,259	
Ethylbenzene	Toluene-d8 (IS)	13.139	13.151	172,216	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	462,466	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	167,986	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505837.D




+ Scan (10.868-11.026 min, 27 scans) P2505837.D

**Toluene**


+ EIC (91.1) Scan P2505837.D




+ Scan (10.962-11.151 min, 32 scans) P2505837.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505837.D




+ Scan (13.103-13.244 min, 24 scans) P2505837.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505837.D




+ Scan (13.258-13.489 min, 40 scans) P2505837.D




o-Xylene

+ EIC (91.1) Scan P2505837.D




+ Scan (13.764-13.909 min, 24 scans) P2505837.D





Name SPRSPO-13-S-20250819
Comment B46132; Recollect
Data File P2505838.D
Acq. Date-Time 9/14/2025 3:22:58 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.355	8.367	939,284	
Benzene	benzene-d6 (IS)	8.414	8.426	291,631	
Toluene-d8 (IS)		10.919	10.931	1,107,077	
Toluene	Toluene-d8 (IS)	11.008	11.020	1,348,142	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.151	276,260	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	717,515	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	258,446	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505838.D




+ Scan (10.871-11.067 min, 34 scans) P2505838.D

**Toluene**


+ EIC (91.1) Scan P2505838.D




+ Scan (10.967-11.156 min, 32 scans) P2505838.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505838.D




+ Scan (13.098-13.246 min, 25 scans) P2505838.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505838.D




+ Scan (13.269-13.477 min, 36 scans) P2505838.D




o-Xylene

+ EIC (91.1) Scan P2505838.D




+ Scan (13.756-13.905 min, 26 scans) P2505838.D





Name SPRSPO-13-D-20250819
Comment B29972; Recollect
Data File P2505839.D
Acq. Date-Time 9/14/2025 3:58:41 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.361	8.367	946,701	
Benzene	benzene-d6 (IS)	8.414	8.426	271,507	
Toluene-d8 (IS)		10.919	10.931	1,133,810	
Toluene	Toluene-d8 (IS)	11.008	11.020	1,191,503	
Ethylbenzene	Toluene-d8 (IS)	13.139	13.151	231,740	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	646,052	
o-Xylene	Toluene-d8 (IS)	13.804	13.809	237,475	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505839.D




+ Scan (10.868-11.032 min, 28 scans) P2505839.D

**Toluene**


+ EIC (91.1) Scan P2505839.D




+ Scan (10.963-11.151 min, 32 scans) P2505839.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505839.D




+ Scan (13.096-13.238 min, 24 scans) P2505839.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505839.D




+ Scan (13.270-13.460 min, 33 scans) P2505839.D




o-Xylene

+ EIC (91.1) Scan P2505839.D




+ Scan (13.763-13.881 min, 20 scans) P2505839.D





Name SPRSPO-14-S-20250819
Comment B52899; Recollect
Data File P2505840.D
Acq. Date-Time 9/14/2025 4:34:22 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.355	8.367	926,742	
Benzene	benzene-d6 (IS)	8.414	8.426	287,351	
Toluene-d8 (IS)		10.919	10.931	1,120,215	
Toluene	Toluene-d8 (IS)	11.008	11.020	1,323,651	
Ethylbenzene	Toluene-d8 (IS)	13.139	13.151	267,838	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	745,763	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	276,562	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505840.D




+ Scan (10.866-11.061 min, 33 scans) P2505840.D

**Toluene**


+ EIC (91.1) Scan P2505840.D




+ Scan (10.963-11.144 min, 31 scans) P2505840.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505840.D




+ Scan (13.100-13.234 min, 23 scans) P2505840.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505840.D




+ Scan (13.270-13.474 min, 34 scans) P2505840.D




o-Xylene

+ EIC (91.1) Scan P2505840.D




+ Scan (13.763-13.898 min, 23 scans) P2505840.D





Name SPRSPO-15-S-20250819
Comment C01492; Recollect
Data File P2505841.D
Acq. Date-Time 9/14/2025 5:10:03 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.361	8.367	926,330	
Benzene	benzene-d6 (IS)	8.414	8.426	366,036	
Toluene-d8 (IS)		10.913	10.931	1,119,236	
Toluene	Toluene-d8 (IS)	11.008	11.020	1,848,148	
Ethylbenzene	Toluene-d8 (IS)	13.139	13.151	352,579	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	979,596	
o-Xylene	Toluene-d8 (IS)	13.797	13.809	368,915	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505841.D




+ Scan (10.872-11.091 min, 37 scans) P2505841.D

**Toluene**


+ EIC (91.1) Scan P2505841.D




+ Scan (10.954-11.156 min, 35 scans) P2505841.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505841.D




+ Scan (13.093-13.233 min, 23 scans) P2505841.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505841.D




+ Scan (13.267-13.475 min, 35 scans) P2505841.D




o-Xylene

+ EIC (91.1) Scan P2505841.D




+ Scan (13.763-13.910 min, 25 scans) P2505841.D





Name SPRSPO-16-S-20250819
Comment C40177; Recollect
Data File P2505842.D
Acq. Date-Time 9/14/2025 5:45:43 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.361	8.367	902,139	
Benzene	benzene-d6 (IS)	8.408	8.426	235,216	
Toluene-d8 (IS)		10.919	10.931	1,101,714	
Toluene	Toluene-d8 (IS)	11.008	11.020	960,529	
Ethylbenzene	Toluene-d8 (IS)	13.139	13.151	195,120	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.341	536,504	
o-Xylene	Toluene-d8 (IS)	13.798	13.809	198,295	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2505842.D




+ Scan (10.872-11.061 min, 32 scans) P2505842.D

**Toluene**


+ EIC (91.1) Scan P2505842.D




+ Scan (10.961-11.151 min, 33 scans) P2505842.D

**Ethylbenzene**


+ EIC (91.1) Scan P2505842.D




+ Scan (13.099-13.210 min, 19 scans) P2505842.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2505842.D




+ Scan (13.264-13.477 min, 37 scans) P2505842.D




o-Xylene

+ EIC (91.1) Scan P2505842.D



+ Scan (13.763-13.899 min, 23 scans) P2505842.D



Initial Calibration



Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA305-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
P041125A_CC252679_R1_QT_CC185154	Benzene	1	P2502258.D	4.96	47440	90.3	798559	1.081	0.21
P041125A_CC252679_R1_QT_CC185154	Benzene	2	P2502259.D	9.92	81580	90.3	784474	0.946	0.056
P041125A_CC252679_R1_QT_CC185154	Benzene	3	P2502260.D	19.85	154990	90.3	766291	0.920	0.027
P041125A_CC252679_R1_QT_CC185154	Benzene	4	P2502261.D	39.70	307006	90.3	776135	0.900	0.0043
P041125A_CC252679_R1_QT_CC185154	Benzene	5	P2502262.D	99.25	682063	90.3	768529	0.807	-0.099
P041125A_CC252679_R1_QT_CC185154	Benzene	6	P2502263.D	198.49	1383026	90.3	766391	0.821	-0.084
P041125A_CC252679_R1_QT_CC185154	Benzene	7	P2502264.D	595.47	3847989	90.3	733331	0.796	-0.11
P041125A_CC252679_R1_QT_CC185154	Benzene	QT		120.51		90.3			
						Avg:	770530	0.896	
						%RSD:	2.6%	11.2%	
P041125A_CC252679_R1_QT_CC185154	Toluene	1	P2502258.D	5.37	53462	105.3	981002	1.069	0.21
P041125A_CC252679_R1_QT_CC185154	Toluene	2	P2502259.D	10.73	93718	105.3	977723	0.940	0.061
P041125A_CC252679_R1_QT_CC185154	Toluene	3	P2502260.D	21.46	177517	105.3	952641	0.914	0.031
P041125A_CC252679_R1_QT_CC185154	Toluene	4	P2502261.D	42.92	366700	105.3	958584	0.938	0.058
P041125A_CC252679_R1_QT_CC185154	Toluene	5	P2502262.D	107.31	751020	105.3	937774	0.786	-0.11
P041125A_CC252679_R1_QT_CC185154	Toluene	6	P2502263.D	214.62	1544431	105.3	950212	0.797	-0.1
P041125A_CC252679_R1_QT_CC185154	Toluene	7	P2502264.D	643.86	4297415	105.3	923104	0.761	-0.14
P041125A_CC252679_R1_QT_CC185154	Toluene	QT		105.84		105.3			
						Avg:	954434	0.887	
						%RSD:	2.2%	12.5%	
P041125A_CC252679_R1_QT_CC185154	Ethylbenzene	1	P2502258.D	5.16	56966	105.3	981002	1.185	0.15
P041125A_CC252679_R1_QT_CC185154	Ethylbenzene	2	P2502259.D	10.32	108870	105.3	977723	1.137	0.1
P041125A_CC252679_R1_QT_CC185154	Ethylbenzene	3	P2502260.D	20.63	213920	105.3	952641	1.146	0.11
P041125A_CC252679_R1_QT_CC185154	Ethylbenzene	4	P2502261.D	41.26	422263	105.3	958584	1.124	0.088
P041125A_CC252679_R1_QT_CC185154	Ethylbenzene	5	P2502262.D	103.15	801782	105.3	937774	0.873	-0.16
P041125A_CC252679_R1_QT_CC185154	Ethylbenzene	6	P2502263.D	206.30	1736097	105.3	950212	0.932	-0.098
P041125A_CC252679_R1_QT_CC185154	Ethylbenzene	7	P2502264.D	618.90	4543663	105.3	923104	0.837	-0.19
P041125A_CC252679_R1_QT_CC185154	Ethylbenzene	QT		110.01		105.3			
						Avg:	954434	1.034	
						%RSD:	2.2%	14.2%	

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA305-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
P041125A_CC252679_R1_QT_CC185154	m-/p-Xylenes	1	P2502258.D	4.87	38899	105.3	981002	0.857	0.083
P041125A_CC252679_R1_QT_CC185154	m-/p-Xylenes	2	P2502259.D	9.74	73807	105.3	977723	0.816	0.03
P041125A_CC252679_R1_QT_CC185154	m-/p-Xylenes	3	P2502260.D	19.48	153415	105.3	952641	0.870	0.099
P041125A_CC252679_R1_QT_CC185154	m-/p-Xylenes	4	P2502261.D	38.97	310930	105.3	958584	0.876	0.11
P041125A_CC252679_R1_QT_CC185154	m-/p-Xylenes	5	P2502262.D	97.42	591523	105.3	937774	0.682	-0.14
P041125A_CC252679_R1_QT_CC185154	m-/p-Xylenes	6	P2502263.D	194.84	1339681	105.3	950212	0.762	-0.038
P041125A_CC252679_R1_QT_CC185154	m-/p-Xylenes	7	P2502264.D	584.52	3480142	105.3	923104	0.679	-0.14
P041125A_CC252679_R1_QT_CC185154	m-/p-Xylenes	QT		123.29		105.3			
						Avg:	954434	0.792	
						%RSD:	2.2%	10.8%	
P041125A_CC252679_R1_QT_CC185154	o-Xylene	1	P2502258.D	5.08	44039	105.3	981002	0.930	0.12
P041125A_CC252679_R1_QT_CC185154	o-Xylene	2	P2502259.D	10.16	84765	105.3	977723	0.898	0.078
P041125A_CC252679_R1_QT_CC185154	o-Xylene	3	P2502260.D	20.32	174712	105.3	952641	0.950	0.14
P041125A_CC252679_R1_QT_CC185154	o-Xylene	4	P2502261.D	40.64	330869	105.3	958584	0.894	0.073
P041125A_CC252679_R1_QT_CC185154	o-Xylene	5	P2502262.D	101.61	648711	105.3	937774	0.717	-0.14
P041125A_CC252679_R1_QT_CC185154	o-Xylene	6	P2502263.D	203.21	1413541	105.3	950212	0.771	-0.075
P041125A_CC252679_R1_QT_CC185154	o-Xylene	7	P2502264.D	609.64	3599376	105.3	923104	0.673	-0.19
P041125A_CC252679_R1_QT_CC185154	o-Xylene	QT		114.65		105.3			
						Avg:	954434	0.833	
						%RSD:	2.2%	13.3%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
P041125A_CC252679_R1_QT_CC185154	Benzene	ICV	P2502265.D	64.22	465786	90.3	753743	0.869	-3.0%
P041125A_CC252679_R1_QT_CC185154	Toluene	ICV	P2502265.D	76.59	610878	105.3	957560	0.877	-1.1%
P041125A_CC252679_R1_QT_CC185154	Ethylbenzene	ICV	P2502265.D	86.22	753297	105.3	957560	0.961	-7.1%
P041125A_CC252679_R1_QT_CC185154	m-/p-Xylenes	ICV	P2502265.D	89.75	613496	105.3	957560	0.752	-5.1%
P041125A_CC252679_R1_QT_CC185154	o-Xylene	ICV	P2502265.D	88.34	625434	105.3	957560	0.778	-6.6%

M325B PDF Report ver.20250822

Sample Custody



- ☐ Standard Turn Around Time (10 business days)
- ☐ Rush Turn Around Time
- All TATs Subject to Approval by Enthalpy Analytical, Inc.
- Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

[illegible]

Comments:	
800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4382 • FAX (919) 850-9012 • www.enthalpy.com	

**This Is The Last Page
Of This Report.**

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 30 Sprague - South Portland

Client Project# PROJ-027968

Samples Received: 9/25/2025

Analytical Report 2025GA306

EPA Method 325B Analysis

Report Issue Date: 10/7/2025

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



QA REVIEW PERFORMED BY

Brianna Berry
QA Associate I



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	11
Chromatograms	14
Initial Calibration	78
Sample Custody	81
Chain of Custody	82

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GA306-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Enthalpy Analytical on September 25, 2025 at 22.3 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20250902	B50689	Sample
SPRSPO-1-D-20250902	C35851	Duplicate
SPRSPO-1-B-20250902	B35597	Blank
SPRSPO-2-S-20250902	B52737	Sample
SPRSPO-3-S-20250902	B53240	Sample
SPRSPO-4-S-20250902	C61699	Sample
SPRSPO-5-S-20250902	B46299	Sample
SPRSPO-6-S-20250902	C40607	Sample
SPRSPO-7-S-20250902	C69701	Sample
SPRSPO-8-S-20250902	B43905	Sample
SPRSPO-9-S-20250902	B44259	Sample
SPRSPO-10-S-20250902	C20464	Sample
SPRSPO-11-S-20250902	B49449	Sample
SPRSPO-12-S-20250902	C01882	Sample
SPRSPO-13-S-20250902	C01680	Sample
SPRSPO-13-D-20250902	B52666	Duplicate
SPRSPO-13-B-20250902	C43555	Blank
SPRSPO-14-S-20250902	C00822	Sample
SPRSPO-15-S-20250902	C24239	Sample
SPRSPO-16-S-20250902	B30904	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GA306-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (E050525A_CC252679_QT_CC185154) met all 30% RSD criteria. The initial calibration verification met 30% difference criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

5. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

6. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA306-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20250902	B50689	2.62		7.46		1.96		5.49		1.79	
SPRSPO-1-D-20250902	C35851	2.34		7.78		2.05		5.69		1.81	
SPRSPO-1-B-20250902	B35597	0.188	ND	0.242	ND	0.274	ND	0.274	ND	0.274	ND
SPRSPO-2-S-20250902	B52737	1.56		5.63		1.21		3.78		1.22	
SPRSPO-3-S-20250902	B53240	1.33		4.65		1.22		3.57		1.15	
SPRSPO-4-S-20250902	C61699	1.16		4.10		1.05		3.47		1.07	
SPRSPO-5-S-20250902	B46299	1.47		4.39		1.30		3.12		1.00	
SPRSPO-6-S-20250902	C40607	0.855		3.46		0.841		2.24		0.738	
SPRSPO-7-S-20250902	C69701	1.01		4.23		0.794		2.62		0.904	
SPRSPO-8-S-20250902	B43905	1.45		3.11		0.614		1.94		0.791	
SPRSPO-9-S-20250902	B44259	1.41		3.22		0.910		2.73		0.884	
SPRSPO-10-S-20250902	C20464	1.71		3.79		1.41		3.21		1.05	
SPRSPO-11-S-20250902	B49449	1.76		3.52		1.04		2.50		0.849	
SPRSPO-12-S-20250902	C01882	1.34		3.79		1.19		2.87		1.02	
SPRSPO-13-S-20250902	C01680	1.20		3.74		1.02		3.01		1.06	
SPRSPO-13-D-20250902	B52666	1.09		3.21		1.08		3.14		0.859	
SPRSPO-13-B-20250902	C43555	0.188	ND	0.242	ND	0.274	ND	0.274	ND	0.274	ND
SPRSPO-14-S-20250902	C00822	1.47		4.34		1.43		3.66		1.17	
SPRSPO-15-S-20250902	C24239	1.86		5.79		1.71		5.25		1.70	
SPRSPO-16-S-20250902	B30904	1.85		5.24		1.46		3.91		1.32	

ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA306-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250902	B50689	2.62	0.821	34.9	62.0	0.661	20145	0.188	0.371	0.0588	0.116		E2503755.d	2025-09-27 02:33	0.982	8.103	373984	591073	54.2	8.038	-1.0%
SPRSPO-1-D-20250902	C35851	2.34	0.732	31.1	62.0	0.661	20145	0.188	0.371	0.0588	0.116		E2503756.d	2025-09-27 02:59	0.982	8.095	325729	577489	54.2	8.038	-3.3%
SPRSPO-1-B-20250902	B35597	0.188	0.0588		62.0	0.661	20145	0.188	0.371	0.0588	0.116	ND	E2503754.d	2025-09-27 02:07	0.982	8.095	8300	595861	54.2	8.038	-0.2%
SPRSPO-2-S-20250902	B52737	1.56	0.490	20.8	62.0	0.661	20145	0.188	0.371	0.0588	0.116		E2503757.d	2025-09-27 03:25	0.982	8.102	222114	588955	54.2	8.045	-1.4%
SPRSPO-3-S-20250902	B53240	1.33	0.418	17.7	62.0	0.661	20145	0.188	0.371	0.0588	0.116		E2503758.d	2025-09-27 03:51	0.982	8.095	189032	587409	54.2	8.038	-1.6%
SPRSPO-4-S-20250902	C61699	1.16	0.363	15.4	62.0	0.661	20145	0.188	0.371	0.0588	0.116		E2503759.d	2025-09-27 04:17	0.982	8.102	164035	587084	54.2	8.038	-1.7%
SPRSPO-5-S-20250902	B46299	1.47	0.460	19.5	62.0	0.661	20145	0.188	0.371	0.0588	0.116		E2503760.d	2025-09-27 04:43	0.982	8.095	208844	589680	54.2	8.038	-1.2%
SPRSPO-6-S-20250902	C40607	0.855	0.268	11.4	61.9	0.661	20145	0.188	0.371	0.0588	0.116		E2503761.d	2025-09-27 05:08	0.982	8.102	124561	603465	54.2	8.038	1.1%
SPRSPO-7-S-20250902	C69701	1.01	0.315	13.4	61.9	0.661	20145	0.188	0.371	0.0588	0.116		E2503762.d	2025-09-27 05:34	0.982	8.103	145848	601284	54.2	8.038	0.7%
SPRSPO-8-S-20250902	B43905	1.45	0.455	19.3	61.9	0.661	20145	0.188	0.371	0.0588	0.116		E2503763.d	2025-09-27 06:00	0.982	8.095	205887	587368	54.2	8.038	-1.6%
SPRSPO-9-S-20250902	B44259	1.41	0.443	18.8	61.9	0.661	20145	0.188	0.371	0.0588	0.116		E2503764.d	2025-09-27 06:25	0.982	8.095	200930	588811	54.2	8.038	-1.4%
SPRSPO-10-S-20250902	C20464	1.71	0.535	22.7	61.9	0.661	20145	0.188	0.371	0.0588	0.116		E2503766.d	2025-09-27 07:17	0.982	8.102	247285	600212	54.2	8.038	0.5%
SPRSPO-11-S-20250902	B49449	1.76	0.552	23.4	61.9	0.661	20145	0.188	0.371	0.0588	0.116		E2503767.d	2025-09-27 07:43	0.982	8.095	253283	595755	54.2	8.038	-0.2%
SPRSPO-12-S-20250902	C01882	1.34	0.419	17.8	61.9	0.661	20145	0.188	0.371	0.0588	0.116		E2503768.d	2025-09-27 08:09	0.982	8.095	192007	595490	54.2	8.038	-0.3%
SPRSPO-13-S-20250902	C01680	1.20	0.376	16.0	61.9	0.661	20145	0.188	0.371	0.0588	0.116		E2503769.d	2025-09-27 08:35	0.982	8.095	171824	592848	54.2	8.038	-0.7%
SPRSPO-13-D-20250902	B52666	1.09	0.342	14.5	61.9	0.661	20145	0.188	0.371	0.0588	0.116		E2503770.d	2025-09-27 09:01	0.982	8.095	154525	586291	54.2	8.038	-1.8%
SPRSPO-13-B-20250902	C43555	0.188	0.0588		61.9	0.661	20145	0.188	0.371	0.0588	0.116	ND	E2503771.d	2025-09-27 09:26	0.982	8.095	7042	589723	54.2	8.038	-1.2%
SPRSPO-14-S-20250902	C00822	1.47	0.461	19.6	61.9	0.661	20145	0.188	0.371	0.0588	0.116		E2503772.d	2025-09-27 09:52	0.982	8.103	207328	584092	54.2	8.038	-2.2%
SPRSPO-15-S-20250902	C24239	1.86	0.583	24.8	61.9	0.661	20145	0.188	0.371	0.0588	0.116		E2503773.d	2025-09-27 10:18	0.982	8.095	198964	443235	54.2	8.038	-25.8%
SPRSPO-16-S-20250902	B30904	1.85	0.579	24.6	61.9	0.661	20145	0.188	0.371	0.0588	0.116		E2503774.d	2025-09-27 10:44	0.982	8.102	194337	436029	54.2	8.038	-27.0%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250902	B50689	7.46	1.98	77.1	62.0	0.513	20145	0.242	0.517	0.0643	0.137		E2503755.d	2025-09-27 02:33	1.196	10.839	892218	611431	63.2	10.739	0.2%
SPRSPO-1-D-20250902	C35851	7.78	2.06	80.3	62.0	0.513	20145	0.242	0.517	0.0643	0.137		E2503756.d	2025-09-27 02:59	1.196	10.839	896030	589222	63.2	10.746	-3.4%
SPRSPO-1-B-20250902	B35597	0.242	0.0643		62.0	0.513	20145	0.242	0.517	0.0643	0.137	ND	E2503754.d	2025-09-27 02:07	1.196	10.839	9754	600295	63.2	10.738	-1.6%
SPRSPO-2-S-20250902	B52737	5.63	1.50	58.2	62.0	0.513	20145	0.242	0.517	0.0643	0.137		E2503757.d	2025-09-27 03:25	1.196	10.839	672363	610624	63.2	10.738	0.1%
SPRSPO-3-S-20250902	B53240	4.65	1.23	48.0	62.0	0.513	20145	0.242	0.517	0.0643	0.137		E2503758.d	2025-09-27 03:51	1.196	10.839	541376	595701	63.2	10.738	-2.3%
SPRSPO-4-S-20250902	C61699	4.10	1.09	42.4	62.0	0.513	20145	0.242	0.517	0.0643	0.137		E2503759.d	2025-09-27 04:17	1.196	10.839	482387	600995	63.2	10.738	-1.5%
SPRSPO-5-S-20250902	B46299	4.39	1.17	45.4	62.0	0.513	20145	0.242	0.517	0.0643	0.137		E2503760.d	2025-09-27 04:43	1.196	10.839	519687	604681	63.2	10.738	-0.9%
SPRSPO-6-S-20250902	C40607	3.46	0.918	35.7	61.9	0.513	20145	0.242	0.517	0.0643	0.137		E2503761.d	2025-09-27 05:08	1.196	10.838	411619	608965	63.2	10.745	-0.2%
SPRSPO-7-S-20250902	C69701	4.23	1.12	43.7	61.9	0.513	20145	0.242	0.517	0.0643	0.137		E2503762.d	2025-09-27 05:34	1.196	10.839	509706	616599	63.2	10.739	1.1%
SPRSPO-8-S-20250902	B43905	3.11	0.825	32.1	61.9	0.513	20145	0.242	0.517	0.0643	0.137		E2503763.d	2025-09-27 06:00	1.196	10.839	370554	609758	63.2	10.739	0.0%
SPRSPO-9-S-20250902	B44259	3.22	0.856	33.3	61.9	0.513	20145	0.242	0.517	0.0643	0.137		E2503764.d	2025-09-27 06:25	1.196	10.839	384150	609352	63.2	10.746	-0.1%
SPRSPO-10-S-20250902	C20464	3.79	1.01	39.1	61.9	0.513	20145	0.242	0.517	0.0643	0.137		E2503766.d	2025-09-27 07:17	1.196	10.839	452211	610476	63.2	10.738	0.1%
SPRSPO-11-S-20250902	B49449	3.52	0.934	36.3	61.9	0.513	20145	0.242	0.517	0.0643	0.137		E2503767.d	2025-09-27 07:43	1.196	10.839	415963	604811	63.2	10.746	-0.8%
SPRSPO-12-S-20250902	C01882	3.79	1.01	39.1	61.9	0.513	20145	0.242	0.517	0.0643	0.137		E2503768.d	2025-09-27 08:09	1.196	10.839	450024	607454	63.2	10.739	-0.4%
SPRSPO-13-S-20250902	C01680	3.74	0.992	38.6	61.9	0.513	20145	0.242	0.517	0.0643	0.137		E2503769.d	2025-09-27 08:35	1.196	10.839	440364	602542	63.2	10.738	-1.2%
SPRSPO-13-D-20250902	B52666	3.21	0.854	33.2	61.9	0.513	20145	0.242	0.517	0.0643	0.137		E2503770.d	2025-09-27 09:01	1.196	10.839	378791	602585	63.2	10.739	-1.2%
SPRSPO-13-B-20250902	C43555	0.242	0.0643		61.9	0.513	20145	0.242	0.517	0.0643	0.137	ND	E2503771.d	2025-09-27 09:26	1.196	10.839	8104	606590	63.2	10.739	-0.6%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA306-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20250902	C00822	4.34	1.15	44.8	61.9	0.513	20145	0.242	0.517	0.0643	0.137		E2503772.d	2025-09-27 09:52	1.196	10.839	513888	605985	63.2	10.739	-0.7%
SPRSPO-15-S-20250902	C24239	5.79	1.54	59.8	61.9	0.513	20145	0.242	0.517	0.0643	0.137		E2503773.d	2025-09-27 10:18	1.196	10.839	535252	472514	63.2	10.738	-22.5%
SPRSPO-16-S-20250902	B30904	5.24	1.39	54.1	61.9	0.513	20145	0.242	0.517	0.0643	0.137		E2503774.d	2025-09-27 10:44	1.196	10.838	487329	475710	63.2	10.745	-22.0%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250902	B50689	1.96	0.452	17.9	62.0	0.454	20145	0.274	0.562	0.0631	0.129		E2503755.d	2025-09-27 02:33	1.110	13.031	192375	611431	63.2	10.739	0.2%
SPRSPO-1-D-20250902	C35851	2.05	0.472	18.7	62.0	0.454	20145	0.274	0.562	0.0631	0.129		E2503756.d	2025-09-27 02:59	1.110	13.031	193941	589222	63.2	10.746	-3.4%
SPRSPO-1-B-20250902	B35597	0.274	0.0631		62.0	0.454	20145	0.274	0.562	0.0631	0.129	ND	E2503754.d	2025-09-27 02:07	1.110	13.023	1646	600295	63.2	10.738	-1.6%
SPRSPO-2-S-20250902	B52737	1.21	0.280	11.1	62.0	0.454	20145	0.274	0.562	0.0631	0.129		E2503757.d	2025-09-27 03:25	1.110	13.031	119063	610624	63.2	10.738	0.1%
SPRSPO-3-S-20250902	B53240	1.22	0.281	11.1	62.0	0.454	20145	0.274	0.562	0.0631	0.129		E2503758.d	2025-09-27 03:51	1.110	13.031	116605	595701	63.2	10.738	-2.3%
SPRSPO-4-S-20250902	C61699	1.05	0.242	9.59	62.0	0.454	20145	0.274	0.562	0.0631	0.129		E2503759.d	2025-09-27 04:17	1.110	13.030	101323	600995	63.2	10.738	-1.5%
SPRSPO-5-S-20250902	B46299	1.30	0.300	11.9	62.0	0.454	20145	0.274	0.562	0.0631	0.129		E2503760.d	2025-09-27 04:43	1.110	13.031	126500	604681	63.2	10.738	-0.9%
SPRSPO-6-S-20250902	C40607	0.841	0.194	7.69	61.9	0.454	20145	0.274	0.562	0.0631	0.129		E2503761.d	2025-09-27 05:08	1.110	13.030	82276	608965	63.2	10.745	-0.2%
SPRSPO-7-S-20250902	C69701	0.794	0.183	7.25	61.9	0.454	20145	0.274	0.562	0.0631	0.129		E2503762.d	2025-09-27 05:34	1.110	13.031	78610	616599	63.2	10.739	1.1%
SPRSPO-8-S-20250902	B43905	0.614	0.142	5.61	61.9	0.453	20145	0.274	0.562	0.0631	0.129		E2503763.d	2025-09-27 06:00	1.110	13.031	60153	609758	63.2	10.739	0.0%
SPRSPO-9-S-20250902	B44259	0.910	0.210	8.31	61.9	0.453	20145	0.274	0.562	0.0631	0.129		E2503764.d	2025-09-27 06:25	1.110	13.031	89013	609352	63.2	10.746	-0.1%
SPRSPO-10-S-20250902	C20464	1.41	0.325	12.9	61.9	0.453	20145	0.274	0.562	0.0631	0.129		E2503766.d	2025-09-27 07:17	1.110	13.031	138064	610476	63.2	10.738	0.1%
SPRSPO-11-S-20250902	B49449	1.04	0.239	9.49	61.9	0.453	20145	0.274	0.562	0.0631	0.129		E2503767.d	2025-09-27 07:43	1.110	13.031	100932	604811	63.2	10.746	-0.8%
SPRSPO-12-S-20250902	C01882	1.19	0.273	10.8	61.9	0.453	20145	0.274	0.562	0.0631	0.129		E2503768.d	2025-09-27 08:09	1.110	13.031	115707	607454	63.2	10.739	-0.4%
SPRSPO-13-S-20250902	C01680	1.02	0.236	9.35	61.9	0.453	20145	0.274	0.562	0.0631	0.129		E2503769.d	2025-09-27 08:35	1.110	13.031	99064	602542	63.2	10.738	-1.2%
SPRSPO-13-D-20250902	B52666	1.08	0.250	9.91	61.9	0.453	20145	0.274	0.562	0.0631	0.129		E2503770.d	2025-09-27 09:01	1.110	13.031	104942	602585	63.2	10.739	-1.2%
SPRSPO-13-B-20250902	C43555	0.274	0.0631		61.9	0.453	20145	0.274	0.562	0.0631	0.129	ND	E2503771.d	2025-09-27 09:26	1.110	13.038	1397	606590	63.2	10.739	-0.6%
SPRSPO-14-S-20250902	C00822	1.43	0.330	13.1	61.9	0.453	20145	0.274	0.562	0.0631	0.129		E2503772.d	2025-09-27 09:52	1.110	13.031	139227	605985	63.2	10.739	-0.7%
SPRSPO-15-S-20250902	C24239	1.71	0.393	15.6	61.9	0.453	20145	0.274	0.562	0.0631	0.129		E2503773.d	2025-09-27 10:18	1.110	13.031	129518	472514	63.2	10.738	-22.5%
SPRSPO-16-S-20250902	B30904	1.46	0.337	13.3	61.9	0.453	20145	0.274	0.562	0.0631	0.129		E2503774.d	2025-09-27 10:44	1.110	13.030	111546	475710	63.2	10.745	-22.0%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250902	B50689	5.49	1.27	50.2	62.0	0.454	20145	0.274	0.530	0.0631	0.122		E2503755.d	2025-09-27 02:33	0.899	13.210	436346	611431	63.2	10.739	0.2%
SPRSPO-1-D-20250902	C35851	5.69	1.31	52.0	62.0	0.454	20145	0.274	0.530	0.0631	0.122		E2503756.d	2025-09-27 02:59	0.899	13.203	435839	589222	63.2	10.746	-3.4%
SPRSPO-1-B-20250902	B35597	0.274	0.0631		62.0	0.454	20145	0.274	0.530	0.0631	0.122	ND	E2503754.d	2025-09-27 02:07	0.899	13.023	0	600295	63.2	10.738	-1.6%
SPRSPO-2-S-20250902	B52737	3.78	0.870	34.5	62.0	0.454	20145	0.274	0.530	0.0631	0.122		E2503757.d	2025-09-27 03:25	0.899	13.210	299642	610624	63.2	10.738	0.1%
SPRSPO-3-S-20250902	B53240	3.57	0.823	32.6	62.0	0.454	20145	0.274	0.530	0.0631	0.122		E2503758.d	2025-09-27 03:51	0.899	13.210	276361	595701	63.2	10.738	-2.3%
SPRSPO-4-S-20250902	C61699	3.47	0.801	31.7	62.0	0.454	20145	0.274	0.530	0.0631	0.122		E2503759.d	2025-09-27 04:17	0.899	13.210	271427	600995	63.2	10.738	-1.5%
SPRSPO-5-S-20250902	B46299	3.12	0.718	28.5	62.0	0.454	20145	0.274	0.530	0.0631	0.122		E2503760.d	2025-09-27 04:43	0.899	13.210	244907	604681	63.2	10.738	-0.9%
SPRSPO-6-S-20250902	C40607	2.24	0.515	20.4	61.9	0.454	20145	0.274	0.530	0.0631	0.122		E2503761.d	2025-09-27 05:08	0.899	13.209	176891	608965	63.2	10.745	-0.2%
SPRSPO-7-S-20250902	C69701	2.62	0.604	23.9	61.9	0.454	20145	0.274	0.530	0.0631	0.122		E2503762.d	2025-09-27 05:34	0.899	13.210	209982	616599	63.2	10.739	1.1%
SPRSPO-8-S-20250902	B43905	1.94	0.447	17.7	61.9	0.453	20145	0.274	0.530	0.0631	0.122		E2503763.d	2025-09-27 06:00	0.899	13.203	153744	609758	63.2	10.739	0.0%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA306-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20250902	B44259	2.73	0.630	25.0	61.9	0.453	20145	0.274	0.530	0.0631	0.122		E2503764.d	2025-09-27 06:25	0.899	13.210	216402	609352	63.2	10.746	-0.1%
SPRSPO-10-S-20250902	C20464	3.21	0.740	29.4	61.9	0.453	20145	0.274	0.530	0.0631	0.122		E2503766.d	2025-09-27 07:17	0.899	13.210	254915	610476	63.2	10.738	0.1%
SPRSPO-11-S-20250902	B49449	2.50	0.576	22.8	61.9	0.453	20145	0.274	0.530	0.0631	0.122		E2503767.d	2025-09-27 07:43	0.899	13.203	196555	604811	63.2	10.746	-0.8%
SPRSPO-12-S-20250902	C01882	2.87	0.661	26.2	61.9	0.453	20145	0.274	0.530	0.0631	0.122		E2503768.d	2025-09-27 08:09	0.899	13.210	226383	607454	63.2	10.739	-0.4%
SPRSPO-13-S-20250902	C01680	3.01	0.695	27.5	61.9	0.453	20145	0.274	0.530	0.0631	0.122		E2503769.d	2025-09-27 08:35	0.899	13.203	236073	602542	63.2	10.738	-1.2%
SPRSPO-13-D-20250902	B52666	3.14	0.723	28.6	61.9	0.453	20145	0.274	0.530	0.0631	0.122		E2503770.d	2025-09-27 09:01	0.899	13.210	245563	602585	63.2	10.739	-1.2%
SPRSPO-13-B-20250902	C43555	0.274	0.0631		61.9	0.453	20145	0.274	0.530	0.0631	0.122	ND	E2503771.d	2025-09-27 09:26	0.899	13.210	964	606590	63.2	10.739	-0.6%
SPRSPO-14-S-20250902	C00822	3.66	0.842	33.4	61.9	0.453	20145	0.274	0.531	0.0631	0.122		E2503772.d	2025-09-27 09:52	0.899	13.210	287924	605985	63.2	10.739	-0.7%
SPRSPO-15-S-20250902	C24239	5.25	1.21	47.9	61.9	0.453	20145	0.274	0.531	0.0631	0.122		E2503773.d	2025-09-27 10:18	0.899	13.210	322108	472514	63.2	10.738	-22.5%
SPRSPO-16-S-20250902	B30904	3.91	0.900	35.7	61.9	0.453	20145	0.274	0.531	0.0631	0.122		E2503774.d	2025-09-27 10:44	0.899	13.209	241526	475710	63.2	10.745	-22.0%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250902	B50689	1.79	0.412	16.3	62.0	0.454	20145	0.274	0.553	0.0631	0.128		E2503755.d	2025-09-27 02:33	0.954	13.711	150810	611431	63.2	10.739	0.2%
SPRSPO-1-D-20250902	C35851	1.81	0.417	16.5	62.0	0.454	20145	0.274	0.553	0.0631	0.128		E2503756.d	2025-09-27 02:59	0.954	13.711	147095	589222	63.2	10.746	-3.4%
SPRSPO-1-B-20250902	B35597	0.274	0.0631		62.0	0.454	20145	0.274	0.553	0.0631	0.128	ND	E2503754.d	2025-09-27 02:07	0.954	13.711	685	600295	63.2	10.738	-1.6%
SPRSPO-2-S-20250902	B52737	1.22	0.281	11.1	62.0	0.454	20145	0.274	0.553	0.0631	0.128		E2503757.d	2025-09-27 03:25	0.954	13.711	102776	610624	63.2	10.738	0.1%
SPRSPO-3-S-20250902	B53240	1.15	0.265	10.5	62.0	0.454	20145	0.274	0.553	0.0631	0.128		E2503758.d	2025-09-27 03:51	0.954	13.711	94678	595701	63.2	10.738	-2.3%
SPRSPO-4-S-20250902	C61699	1.07	0.247	9.81	62.0	0.454	20145	0.274	0.553	0.0631	0.128		E2503759.d	2025-09-27 04:17	0.954	13.711	89046	600995	63.2	10.738	-1.5%
SPRSPO-5-S-20250902	B46299	1.00	0.231	9.15	62.0	0.454	20145	0.274	0.553	0.0631	0.128		E2503760.d	2025-09-27 04:43	0.954	13.711	83546	604681	63.2	10.738	-0.9%
SPRSPO-6-S-20250902	C40607	0.738	0.170	6.74	61.9	0.454	20145	0.274	0.553	0.0631	0.128		E2503761.d	2025-09-27 05:08	0.954	13.711	62000	608965	63.2	10.745	-0.2%
SPRSPO-7-S-20250902	C69701	0.904	0.208	8.26	61.9	0.454	20145	0.274	0.553	0.0631	0.128		E2503762.d	2025-09-27 05:34	0.954	13.711	76914	616599	63.2	10.739	1.1%
SPRSPO-8-S-20250902	B43905	0.791	0.182	7.22	61.9	0.453	20145	0.274	0.553	0.0631	0.128		E2503763.d	2025-09-27 06:00	0.954	13.711	66524	609758	63.2	10.739	0.0%
SPRSPO-9-S-20250902	B44259	0.884	0.204	8.08	61.9	0.453	20145	0.274	0.553	0.0631	0.128		E2503764.d	2025-09-27 06:25	0.954	13.711	74351	609352	63.2	10.746	-0.1%
SPRSPO-10-S-20250902	C20464	1.05	0.243	9.63	61.9	0.453	20145	0.274	0.553	0.0631	0.128		E2503766.d	2025-09-27 07:17	0.954	13.711	88798	610476	63.2	10.738	0.1%
SPRSPO-11-S-20250902	B49449	0.849	0.196	7.76	61.9	0.453	20145	0.274	0.553	0.0631	0.128		E2503767.d	2025-09-27 07:43	0.954	13.711	70857	604811	63.2	10.746	-0.8%
SPRSPO-12-S-20250902	C01882	1.02	0.235	9.33	61.9	0.453	20145	0.274	0.553	0.0631	0.128		E2503768.d	2025-09-27 08:09	0.954	13.711	85643	607454	63.2	10.739	-0.4%
SPRSPO-13-S-20250902	C01680	1.06	0.244	9.67	61.9	0.453	20145	0.274	0.553	0.0631	0.128		E2503769.d	2025-09-27 08:35	0.954	13.711	88051	602542	63.2	10.738	-1.2%
SPRSPO-13-D-20250902	B52666	0.859	0.198	7.85	61.9	0.453	20145	0.274	0.553	0.0631	0.128		E2503770.d	2025-09-27 09:01	0.954	13.711	71419	602585	63.2	10.739	-1.2%
SPRSPO-13-B-20250902	C43555	0.274	0.0631		61.9	0.453	20145	0.274	0.553	0.0631	0.128	ND	E2503771.d	2025-09-27 09:26	0.954	13.711	719	606590	63.2	10.739	-0.6%
SPRSPO-14-S-20250902	C00822	1.17	0.270	10.7	61.9	0.453	20145	0.274	0.553	0.0631	0.128		E2503772.d	2025-09-27 09:52	0.954	13.711	97953	605985	63.2	10.739	-0.7%
SPRSPO-15-S-20250902	C24239	1.70	0.392	15.5	61.9	0.453	20145	0.274	0.553	0.0631	0.128		E2503773.d	2025-09-27 10:18	0.954	13.711	110865	472514	63.2	10.738	-22.5%
SPRSPO-16-S-20250902	B30904	1.32	0.305	12.1	61.9	0.453	20145	0.274	0.553	0.0631	0.128		E2503774.d	2025-09-27 10:44	0.954	13.711	86814	475710	63.2	10.745	-22.0%

ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA306-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20250902	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20250902	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20250902	11%	Pass	4.1%	Pass	4.5%	Pass	3.6%	Pass	1.2%	Pass
	SPRSPO-13-D-20250902	9.5%	Pass	15%	Pass	5.8%	Pass	3.9%	Pass	21%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA306-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2503752.d	C70146	Cal	0.982		0.982	12%	15%		Pass	
2025GA306 Method Blank-1	E2503753.d	C40628	Blank			0.982			-4.0%	Pass	ND
M325B CCV 5 REC	E2503765.d	C70146	Check	0.998		0.982	14%		-6.7%	Pass	
M325B CCV 5 REC	E2503775.d	C70017	Check	0.992		0.982	13%		-31%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2503752.d	C70146	Cal	1.196		1.196	21%	12%		Pass	
2025GA306 Method Blank-1	E2503753.d	C40628	Blank			1.196			-3.7%	Pass	ND
M325B CCV 5 REC	E2503765.d	C70146	Check	1.208		1.196	22%		-6.7%	Pass	
M325B CCV 5 REC	E2503775.d	C70017	Check	1.231		1.196	24%		-28%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2503752.d	C70146	Cal	1.110		1.110	-7.1%	12%		Pass	
2025GA306 Method Blank-1	E2503753.d	C40628	Blank			1.110			-3.7%	Pass	ND
M325B CCV 5 REC	E2503765.d	C70146	Check	1.377		1.110	15%		-6.7%	Pass	
M325B CCV 5 REC	E2503775.d	C70017	Check	1.394		1.110	17%		-28%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2503752.d	C70146	Cal	0.899		0.899	-13%	12%		Pass	
2025GA306 Method Blank-1	E2503753.d	C40628	Blank			0.899			-3.7%	Pass	ND
M325B CCV 5 REC	E2503765.d	C70146	Check	1.101		0.899	6.1%		-6.7%	Pass	
M325B CCV 5 REC	E2503775.d	C70017	Check	1.141		0.899	10%		-28%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2503752.d	C70146	Cal	0.954		0.954	0.43%	12%		Pass	
2025GA306 Method Blank-1	E2503753.d	C40628	Blank			0.954			-3.7%	Pass	ND
M325B CCV 5 REC	E2503765.d	C70146	Check	1.138		0.954	20%		-6.7%	Pass	
M325B CCV 5 REC	E2503775.d	C70017	Check	1.210		0.954	27%		-28%	Pass	

Chromatograms



Name 2025GA306 Method Blank-1
Comment C40628
Data File E2503753.d
Acq. Date-Time 9/27/2025 1:42:02 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	573,218	
Benzene	benzene-d6 (IS)	8.095	8.110	8,362	
Toluene-d8 (IS)		10.739	10.753	587,491	
Toluene	Toluene-d8 (IS)	10.839	10.846	13,939	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	2,573	
m-/p-Xylenes	Toluene-d8 (IS)	13.224	13.217	1,477	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	973	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503753.d




+ Scan (10.696-10.860 min, 24 scans) E2503753.d

**Toluene**


+ EIC (91.1) Scan E2503753.d




+ Scan (10.803-10.867 min, 9 scans) E2503753.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503753.d




+ Scan (13.009-13.057 min, 6 scans) E2503753.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503753.d




+ Scan (13.188-13.249 min, 8 scans) E2503753.d




o-Xylene

+ EIC (91.1) Scan E2503753.d




+ Scan (13.687-13.739 min, 7 scans) E2503753.d





Name SPRSPO-1-B-20250902
Comment B35597
Data File E2503754.d
Acq. Date-Time 9/27/2025 2:07:51 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	595,861	
Benzene	benzene-d6 (IS)	8.095	8.110	8,300	
Toluene-d8 (IS)		10.738	10.753	600,295	
Toluene	Toluene-d8 (IS)	10.839	10.846	9,754	
Ethylbenzene	Toluene-d8 (IS)	13.023	13.038	1,646	
m-/p-Xylenes	Toluene-d8 (IS)	13.023	13.217	ND	m
o-Xylene	Toluene-d8 (IS)	13.711	13.718	685	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503754.d




+ Scan (10.695-10.874 min, 26 scans) E2503754.d

**Toluene**


+ EIC (91.1) Scan E2503754.d




+ Scan (10.806-10.867 min, 9 scans) E2503754.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503754.d




+ Scan (13.009-13.055 min, 7 scans) E2503754.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503754.d




+ Scan (13.023-13.023 min, 1 scans) E2503754.d




o-Xylene

+ EIC (91.1) Scan E2503754.d




+ Scan (13.704-13.760 min, 8 scans) E2503754.d





Name SPRSPO-1-S-20250902
Comment B50689
Data File E2503755.d
Acq. Date-Time 9/27/2025 2:33:33 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	591,073	
Benzene	benzene-d6 (IS)	8.103	8.110	373,984	
Toluene-d8 (IS)		10.739	10.753	611,431	
Toluene	Toluene-d8 (IS)	10.839	10.846	892,218	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	192,375	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	436,346	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	150,810	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503755.d




+ Scan (10.696-10.867 min, 25 scans) E2503755.d

**Toluene**


+ EIC (91.1) Scan E2503755.d




+ Scan (10.789-10.932 min, 21 scans) E2503755.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503755.d




+ Scan (12.995-13.088 min, 13 scans) E2503755.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503755.d




+ Scan (13.165-13.296 min, 19 scans) E2503755.d




o-Xylene

+ EIC (91.1) Scan E2503755.d




+ Scan (13.676-13.757 min, 11 scans) E2503755.d





Name SPRSPO-1-D-20250902
Comment C35851
Data File E2503756.d
Acq. Date-Time 9/27/2025 2:59:20 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	577,489	
Benzene	benzene-d6 (IS)	8.095	8.110	325,729	
Toluene-d8 (IS)		10.746	10.753	589,222	
Toluene	Toluene-d8 (IS)	10.839	10.846	896,030	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	193,941	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	435,839	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	147,095	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503756.d




+ Scan (10.688-10.817 min, 19 scans) E2503756.d

**Toluene**


+ EIC (91.1) Scan E2503756.d




+ Scan (10.789-10.925 min, 20 scans) E2503756.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503756.d




+ Scan (12.989-13.090 min, 14 scans) E2503756.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503756.d




+ Scan (13.160-13.287 min, 17 scans) E2503756.d




o-Xylene

+ EIC (91.1) Scan E2503756.d




+ Scan (13.673-13.758 min, 12 scans) E2503756.d





Name SPRSPO-2-S-20250902
Comment B52737
Data File E2503757.d
Acq. Date-Time 9/27/2025 3:25:57 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.045	8.052	588,955	
Benzene	benzene-d6 (IS)	8.102	8.110	222,114	
Toluene-d8 (IS)		10.738	10.753	610,624	
Toluene	Toluene-d8 (IS)	10.839	10.846	672,363	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	119,063	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	299,642	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	102,776	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503757.d




+ Scan (10.695-10.867 min, 25 scans) E2503757.d

**Toluene**


+ EIC (91.1) Scan E2503757.d




+ Scan (10.789-10.918 min, 19 scans) E2503757.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503757.d




+ Scan (12.991-13.074 min, 12 scans) E2503757.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503757.d




+ Scan (13.167-13.310 min, 19 scans) E2503757.d




o-Xylene

+ EIC (91.1) Scan E2503757.d




+ Scan (13.668-13.782 min, 15 scans) E2503757.d





Name SPRSPO-3-S-20250902
Comment B53240
Data File E2503758.d
Acq. Date-Time 9/27/2025 3:51:36 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	587,409	
Benzene	benzene-d6 (IS)	8.095	8.110	189,032	
Toluene-d8 (IS)		10.738	10.753	595,701	
Toluene	Toluene-d8 (IS)	10.839	10.846	541,376	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	116,605	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	276,361	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	94,678	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503758.d




+ Scan (10.695-10.860 min, 24 scans) E2503758.d

**Toluene**


+ EIC (91.1) Scan E2503758.d




+ Scan (10.789-10.917 min, 19 scans) E2503758.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503758.d




+ Scan (12.991-13.095 min, 15 scans) E2503758.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503758.d




+ Scan (13.167-13.300 min, 18 scans) E2503758.d




o-Xylene

+ EIC (91.1) Scan E2503758.d




+ Scan (13.668-13.754 min, 13 scans) E2503758.d





Name SPRSPO-4-S-20250902
Comment C61699
Data File E2503759.d
Acq. Date-Time 9/27/2025 4:17:19 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	587,084	
Benzene	benzene-d6 (IS)	8.102	8.110	164,035	
Toluene-d8 (IS)		10.738	10.753	600,995	
Toluene	Toluene-d8 (IS)	10.839	10.846	482,387	
Ethylbenzene	Toluene-d8 (IS)	13.030	13.038	101,323	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	271,427	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	89,046	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503759.d




+ Scan (10.695-10.874 min, 26 scans) E2503759.d

**Toluene**


+ EIC (91.1) Scan E2503759.d




+ Scan (10.788-10.903 min, 17 scans) E2503759.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503759.d




+ Scan (12.987-13.080 min, 13 scans) E2503759.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503759.d




+ Scan (13.168-13.281 min, 16 scans) E2503759.d




o-Xylene

+ EIC (91.1) Scan E2503759.d




+ Scan (13.676-13.756 min, 11 scans) E2503759.d





Name SPRSPO-5-S-20250902
Comment B46299
Data File E2503760.d
Acq. Date-Time 9/27/2025 4:43:03 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	589,680	
Benzene	benzene-d6 (IS)	8.095	8.110	208,844	
Toluene-d8 (IS)		10.738	10.753	604,681	
Toluene	Toluene-d8 (IS)	10.839	10.846	519,687	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	126,500	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	244,907	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	83,546	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503760.d




+ Scan (10.696-10.860 min, 24 scans) E2503760.d

**Toluene**


+ EIC (91.1) Scan E2503760.d




+ Scan (10.789-10.918 min, 19 scans) E2503760.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503760.d




+ Scan (12.988-13.074 min, 13 scans) E2503760.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503760.d




+ Scan (13.167-13.306 min, 19 scans) E2503760.d




o-Xylene

+ EIC (91.1) Scan E2503760.d




+ Scan (13.661-13.747 min, 13 scans) E2503760.d





Name SPRSPO-6-S-20250902
Comment C40607
Data File E2503761.d
Acq. Date-Time 9/27/2025 5:08:43 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	603,465	
Benzene	benzene-d6 (IS)	8.102	8.110	124,561	
Toluene-d8 (IS)		10.745	10.753	608,965	
Toluene	Toluene-d8 (IS)	10.838	10.846	411,619	
Ethylbenzene	Toluene-d8 (IS)	13.030	13.038	82,276	
m-/p-Xylenes	Toluene-d8 (IS)	13.209	13.217	176,891	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	62,000	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503761.d




+ Scan (10.688-10.817 min, 19 scans) E2503761.d

**Toluene**


+ EIC (91.1) Scan E2503761.d




+ Scan (10.788-10.910 min, 18 scans) E2503761.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503761.d




+ Scan (12.987-13.065 min, 11 scans) E2503761.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503761.d




+ Scan (13.168-13.282 min, 16 scans) E2503761.d




o-Xylene

+ EIC (91.1) Scan E2503761.d




+ Scan (13.675-13.747 min, 10 scans) E2503761.d





Name SPRSPO-7-S-20250902
Comment C69701
Data File E2503762.d
Acq. Date-Time 9/27/2025 5:34:22 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	601,284	
Benzene	benzene-d6 (IS)	8.103	8.110	145,848	
Toluene-d8 (IS)		10.739	10.753	616,599	
Toluene	Toluene-d8 (IS)	10.839	10.846	509,706	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	78,610	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	209,982	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	76,914	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503762.d




+ Scan (10.696-10.868 min, 25 scans) E2503762.d

**Toluene**


+ EIC (91.1) Scan E2503762.d




+ Scan (10.789-10.918 min, 19 scans) E2503762.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503762.d




+ Scan (12.991-13.081 min, 13 scans) E2503762.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503762.d




+ Scan (13.167-13.282 min, 16 scans) E2503762.d




o-Xylene

+ EIC (91.1) Scan E2503762.d




+ Scan (13.661-13.766 min, 15 scans) E2503762.d





Name SPRSPO-8-S-20250902
Comment B43905
Data File E2503763.d
Acq. Date-Time 9/27/2025 6:00:01 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	587,368	
Benzene	benzene-d6 (IS)	8.095	8.110	205,887	
Toluene-d8 (IS)		10.739	10.753	609,758	
Toluene	Toluene-d8 (IS)	10.839	10.846	370,554	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	60,153	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	153,744	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	66,524	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503763.d




+ Scan (10.696-10.867 min, 25 scans) E2503763.d

**Toluene**


+ EIC (91.1) Scan E2503763.d




+ Scan (10.789-10.896 min, 15 scans) E2503763.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503763.d




+ Scan (12.997-13.067 min, 10 scans) E2503763.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503763.d




+ Scan (13.167-13.272 min, 14 scans) E2503763.d




o-Xylene

+ EIC (91.1) Scan E2503763.d




+ Scan (13.666-13.763 min, 14 scans) E2503763.d





Name SPRSPO-9-S-20250902
Comment B44259
Data File E2503764.d
Acq. Date-Time 9/27/2025 6:25:49 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	588,811	
Benzene	benzene-d6 (IS)	8.095	8.110	200,930	
Toluene-d8 (IS)		10.746	10.753	609,352	
Toluene	Toluene-d8 (IS)	10.839	10.846	384,150	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	89,013	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	216,402	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	74,351	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503764.d




+ Scan (10.688-10.839 min, 22 scans) E2503764.d

**Toluene**


+ EIC (91.1) Scan E2503764.d




+ Scan (10.789-10.925 min, 20 scans) E2503764.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503764.d




+ Scan (12.996-13.081 min, 12 scans) E2503764.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503764.d




+ Scan (13.167-13.287 min, 17 scans) E2503764.d




o-Xylene

+ EIC (91.1) Scan E2503764.d




+ Scan (13.670-13.761 min, 13 scans) E2503764.d





Name SPRSPO-10-S-20250902
Comment C20464
Data File E2503766.d
Acq. Date-Time 9/27/2025 7:17:36 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	600,212	
Benzene	benzene-d6 (IS)	8.102	8.110	247,285	
Toluene-d8 (IS)		10.738	10.753	610,476	
Toluene	Toluene-d8 (IS)	10.839	10.846	452,211	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	138,064	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	254,915	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	88,798	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503766.d




+ Scan (10.695-10.860 min, 24 scans) E2503766.d

**Toluene**


+ EIC (91.1) Scan E2503766.d




+ Scan (10.789-10.910 min, 18 scans) E2503766.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503766.d




+ Scan (12.992-13.116 min, 17 scans) E2503766.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503766.d




+ Scan (13.168-13.267 min, 14 scans) E2503766.d




o-Xylene

+ EIC (91.1) Scan E2503766.d




+ Scan (13.671-13.761 min, 13 scans) E2503766.d





Name SPRSPO-11-S-20250902
Comment B49449
Data File E2503767.d
Acq. Date-Time 9/27/2025 7:43:17 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	595,755	
Benzene	benzene-d6 (IS)	8.095	8.110	253,283	
Toluene-d8 (IS)		10.746	10.753	604,811	
Toluene	Toluene-d8 (IS)	10.839	10.846	415,963	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	100,932	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	196,555	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	70,857	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503767.d




+ Scan (10.688-10.824 min, 20 scans) E2503767.d

**Toluene**


+ EIC (91.1) Scan E2503767.d




+ Scan (10.789-10.915 min, 18 scans) E2503767.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503767.d




+ Scan (12.994-13.080 min, 12 scans) E2503767.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503767.d




+ Scan (13.167-13.310 min, 20 scans) E2503767.d




o-Xylene

+ EIC (91.1) Scan E2503767.d




+ Scan (13.676-13.780 min, 14 scans) E2503767.d





Name SPRSPO-12-S-20250902
Comment C01882
Data File E2503768.d
Acq. Date-Time 9/27/2025 8:09:49 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	595,490	
Benzene	benzene-d6 (IS)	8.095	8.110	192,007	
Toluene-d8 (IS)		10.739	10.753	607,454	
Toluene	Toluene-d8 (IS)	10.839	10.846	450,024	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	115,707	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	226,383	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	85,643	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503768.d




+ Scan (10.696-10.875 min, 26 scans) E2503768.d

**Toluene**


+ EIC (91.1) Scan E2503768.d




+ Scan (10.789-10.931 min, 20 scans) E2503768.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503768.d




+ Scan (12.988-13.095 min, 16 scans) E2503768.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503768.d




+ Scan (13.168-13.302 min, 18 scans) E2503768.d




o-Xylene

+ EIC (91.1) Scan E2503768.d




+ Scan (13.668-13.747 min, 12 scans) E2503768.d





Name SPRSPO-13-S-20250902
Comment C01680
Data File E2503769.d
Acq. Date-Time 9/27/2025 8:35:33 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	592,848	
Benzene	benzene-d6 (IS)	8.095	8.110	171,824	
Toluene-d8 (IS)		10.738	10.753	602,542	
Toluene	Toluene-d8 (IS)	10.839	10.846	440,364	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	99,064	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	236,073	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	88,051	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503769.d




+ Scan (10.695-10.860 min, 24 scans) E2503769.d

**Toluene**


+ EIC (91.1) Scan E2503769.d




+ Scan (10.789-10.918 min, 19 scans) E2503769.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503769.d




+ Scan (12.990-13.066 min, 11 scans) E2503769.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503769.d




+ Scan (13.167-13.287 min, 16 scans) E2503769.d




o-Xylene

+ EIC (91.1) Scan E2503769.d




+ Scan (13.676-13.776 min, 14 scans) E2503769.d





Name SPRSPO-13-D-20250902
Comment B52666
Data File E2503770.d
Acq. Date-Time 9/27/2025 9:01:14 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	586,291	
Benzene	benzene-d6 (IS)	8.095	8.110	154,525	
Toluene-d8 (IS)		10.739	10.753	602,585	
Toluene	Toluene-d8 (IS)	10.839	10.846	378,791	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	104,942	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	245,563	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	71,419	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503770.d




+ Scan (10.703-10.868 min, 24 scans) E2503770.d

**Toluene**


+ EIC (91.1) Scan E2503770.d




+ Scan (10.790-10.925 min, 19 scans) E2503770.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503770.d




+ Scan (12.995-13.073 min, 11 scans) E2503770.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503770.d




+ Scan (13.163-13.280 min, 16 scans) E2503770.d




o-Xylene

+ EIC (91.1) Scan E2503770.d




+ Scan (13.676-13.746 min, 10 scans) E2503770.d





Name SPRSPO-13-B-20250902
Comment C43555
Data File E2503771.d
Acq. Date-Time 9/27/2025 9:26:59 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	589,723	
Benzene	benzene-d6 (IS)	8.095	8.110	7,042	
Toluene-d8 (IS)		10.739	10.753	606,590	
Toluene	Toluene-d8 (IS)	10.839	10.846	8,104	
Ethylbenzene	Toluene-d8 (IS)	13.038	13.038	1,397	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	964	m
o-Xylene	Toluene-d8 (IS)	13.711	13.718	719	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503771.d




+ Scan (10.696-10.868 min, 25 scans) E2503771.d

**Toluene**


+ EIC (91.1) Scan E2503771.d




+ Scan (10.805-10.866 min, 8 scans) E2503771.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503771.d




+ Scan (13.007-13.062 min, 8 scans) E2503771.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503771.d




+ Scan (13.177-13.253 min, 10 scans) E2503771.d




o-Xylene

+ EIC (91.1) Scan E2503771.d




+ Scan (13.683-13.726 min, 6 scans) E2503771.d





Name SPRSPO-14-S-20250902
Comment C00822
Data File E2503772.d
Acq. Date-Time 9/27/2025 9:52:38 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	584,092	
Benzene	benzene-d6 (IS)	8.103	8.110	207,328	
Toluene-d8 (IS)		10.739	10.753	605,985	
Toluene	Toluene-d8 (IS)	10.839	10.846	513,888	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	139,227	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	287,924	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	97,953	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503772.d




+ Scan (10.696-10.846 min, 22 scans) E2503772.d

**Toluene**


+ EIC (91.1) Scan E2503772.d




+ Scan (10.789-10.925 min, 20 scans) E2503772.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503772.d




+ Scan (12.990-13.117 min, 18 scans) E2503772.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503772.d




+ Scan (13.166-13.296 min, 19 scans) E2503772.d




o-Xylene

+ EIC (91.1) Scan E2503772.d




+ Scan (13.671-13.761 min, 13 scans) E2503772.d





Name SPRSPO-15-S-20250902
Comment C24239
Data File E2503773.d
Acq. Date-Time 9/27/2025 10:18:20 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	443,235	
Benzene	benzene-d6 (IS)	8.095	8.110	198,964	
Toluene-d8 (IS)		10.738	10.753	472,514	
Toluene	Toluene-d8 (IS)	10.839	10.846	535,252	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	129,518	
m-/p-Xylenes	Toluene-d8 (IS)	13.210	13.217	322,108	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	110,865	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503773.d




+ Scan (10.696-10.874 min, 25 scans) E2503773.d

**Toluene**


+ EIC (91.1) Scan E2503773.d




+ Scan (10.789-10.925 min, 20 scans) E2503773.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503773.d




+ Scan (12.990-13.073 min, 11 scans) E2503773.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503773.d




+ Scan (13.167-13.317 min, 22 scans) E2503773.d




o-Xylene

+ EIC (91.1) Scan E2503773.d




+ Scan (13.676-13.767 min, 12 scans) E2503773.d





Name SPRSPO-16-S-20250902
Comment B30904
Data File E2503774.d
Acq. Date-Time 9/27/2025 10:44:03 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	436,029	
Benzene	benzene-d6 (IS)	8.102	8.110	194,337	
Toluene-d8 (IS)		10.745	10.753	475,710	
Toluene	Toluene-d8 (IS)	10.838	10.846	487,329	
Ethylbenzene	Toluene-d8 (IS)	13.030	13.038	111,546	
m-/p-Xylenes	Toluene-d8 (IS)	13.209	13.217	241,526	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	86,814	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2503774.d




+ Scan (10.688-10.824 min, 19 scans) E2503774.d

**Toluene**


+ EIC (91.1) Scan E2503774.d




+ Scan (10.795-10.910 min, 17 scans) E2503774.d

**Ethylbenzene**


+ EIC (91.1) Scan E2503774.d




+ Scan (12.995-13.094 min, 14 scans) E2503774.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2503774.d




+ Scan (13.163-13.295 min, 19 scans) E2503774.d




o-Xylene

+ EIC (91.1) Scan E2503774.d



+ Scan (13.675-13.766 min, 13 scans) E2503774.d



Initial Calibration



Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA306-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679_QT_CC185154	Benzene	1	E2500043.d	4.94	48593	54.2	531168	1.004	0.14
E050525A_CC252679_QT_CC185154	Benzene	2	E2500044.d	10.06	88289	54.2	525272	0.905	0.032
E050525A_CC252679_QT_CC185154	Benzene	3	E2500045.d	20.12	167722	54.2	519365	0.869	-0.0086
E050525A_CC252679_QT_CC185154	Benzene	4	E2500046.d	40.25	314317	54.2	495891	0.853	-0.027
E050525A_CC252679_QT_CC185154	Benzene	5	E2500047.d	100.62	771973	54.2	516636	0.804	-0.083
E050525A_CC252679_QT_CC185154	Benzene	6	E2500048.d	201.24	1566630	54.2	517234	0.815	-0.07
E050525A_CC252679_QT_CC185154	Benzene	7	E2500049.d	603.73	5084416	54.2	514456	0.887	0.011
E050525A_CC252679_QT_CC185154	Benzene	QT		120.51		54.2			
						Avg:	517146	0.877	
						%RSD:	2.1%	7.6%	
E050525A_CC252679_QT_CC185154	Toluene	1	E2500043.d	5.34	57611	63.2	569179	1.198	0.21
E050525A_CC252679_QT_CC185154	Toluene	2	E2500044.d	10.88	96506	63.2	555358	1.009	0.02
E050525A_CC252679_QT_CC185154	Toluene	3	E2500045.d	21.76	183454	63.2	550972	0.967	-0.023
E050525A_CC252679_QT_CC185154	Toluene	4	E2500046.d	43.52	328667	63.2	514484	0.927	-0.063
E050525A_CC252679_QT_CC185154	Toluene	5	E2500047.d	108.80	817722	63.2	541924	0.876	-0.11
E050525A_CC252679_QT_CC185154	Toluene	6	E2500048.d	217.60	1753197	63.2	536168	0.949	-0.04
E050525A_CC252679_QT_CC185154	Toluene	7	E2500049.d	652.80	5564266	63.2	538797	0.999	0.01
E050525A_CC252679_QT_CC185154	Toluene	QT		105.84		63.2			
						Avg:	543840	0.989	
						%RSD:	3.2%	10.3%	
E050525A_CC252679_QT_CC185154	Ethylbenzene	1	E2500043.d	5.13	60169	63.2	569179	1.301	0.089
E050525A_CC252679_QT_CC185154	Ethylbenzene	2	E2500044.d	10.46	105835	63.2	555358	1.151	-0.037
E050525A_CC252679_QT_CC185154	Ethylbenzene	3	E2500045.d	20.92	208215	63.2	550972	1.141	-0.045
E050525A_CC252679_QT_CC185154	Ethylbenzene	4	E2500046.d	41.83	392499	63.2	514484	1.152	-0.036
E050525A_CC252679_QT_CC185154	Ethylbenzene	5	E2500047.d	104.58	995735	63.2	541924	1.110	-0.071
E050525A_CC252679_QT_CC185154	Ethylbenzene	6	E2500048.d	209.16	2327735	63.2	536168	1.311	0.097
E050525A_CC252679_QT_CC185154	Ethylbenzene	7	E2500049.d	627.49	6406466	63.2	538797	1.197	0.0018
E050525A_CC252679_QT_CC185154	Ethylbenzene	QT		110.01		63.2			
						Avg:	543840	1.195	
						%RSD:	3.2%	6.7%	

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA306-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	1	E2500043.d	4.85	58394	63.2	569179	1.337	0.29
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	2	E2500044.d	9.88	88399	63.2	555358	1.018	-0.019
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	3	E2500045.d	19.75	172744	63.2	550972	1.003	-0.034
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	4	E2500046.d	39.51	305031	63.2	514484	0.948	-0.086
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	5	E2500047.d	98.77	730099	63.2	541924	0.862	-0.17
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	6	E2500048.d	197.54	1739458	63.2	536168	1.037	-4.1E-05
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	7	E2500049.d	592.63	5345328	63.2	538797	1.057	0.019
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	QT		123.29		63.2			
						Avg:	543840	1.037	
						%RSD:	3.2%	14.2%	
E050525A_CC252679_QT_CC185154	o-Xylene	1	E2500043.d	5.05	50277	63.2	569179	1.104	0.16
E050525A_CC252679_QT_CC185154	o-Xylene	2	E2500044.d	10.30	81187	63.2	555358	0.896	-0.056
E050525A_CC252679_QT_CC185154	o-Xylene	3	E2500045.d	20.60	161444	63.2	550972	0.898	-0.054
E050525A_CC252679_QT_CC185154	o-Xylene	4	E2500046.d	41.21	299918	63.2	514484	0.894	-0.059
E050525A_CC252679_QT_CC185154	o-Xylene	5	E2500047.d	103.02	797704	63.2	541924	0.903	-0.05
E050525A_CC252679_QT_CC185154	o-Xylene	6	E2500048.d	206.03	1692581	63.2	536168	0.968	0.019
E050525A_CC252679_QT_CC185154	o-Xylene	7	E2500049.d	618.10	5206672	63.2	538797	0.988	0.04
E050525A_CC252679_QT_CC185154	o-Xylene	QT		114.65		63.2			
						Avg:	543840	0.950	
						%RSD:	3.2%	8.2%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679_QT_CC185154	Benzene	ICV	E2500050.d	64.90	531194	54.2	505187	0.878	0.1%
E050525A_CC252679_QT_CC185154	Toluene	ICV	E2500050.d	77.40	626119	63.2	533535	0.958	-3.2%
E050525A_CC252679_QT_CC185154	Ethylbenzene	ICV	E2500050.d	87.14	736386	63.2	533535	1.001	-16.0%
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	ICV	E2500050.d	90.70	588321	63.2	533535	0.768	-26.0%
E050525A_CC252679_QT_CC185154	o-Xylene	ICV	E2500050.d	89.27	625693	63.2	533535	0.830	-13.0%

M325B PDF Report ver.20250917

Sample Custody





Page # 1 of # 1

- Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

202SGA306

Page

#1

of

#1

Site Name:

Sprague South Portland

Client Name:

Monterose Air

PO#:

Site Address:

39 Main Street

Project Number:

#027968

Sample Event #

City:

South Portland

Project Manager:

Игорь Влоски

Sorbent:

State

Maria

Email Address:

shadbrock@Montrose-env.com

Zip:

04/06

Telephone #:

207-441-0025

Relinquished By (printed):		Relinquished By (signature):		Relinquished Date:		Relinquished Time:	
Harry Brown				9/16/2025		1700	
Received By (printed):		Received By (signature):		Receipt Date:		Receipt Time:	
Paige Grandman				9-25-25		12:40 pm	
Sample Condition Upon Receipt:		Compound List:		Custody Seal intact? Y/N:		Delivery tracking #	
Good				Y			
Ice Temp:	Blank Temp:			Add Custody Seal # below:			
	22.3	Fluke4		24411713			

**This Is The Last Page
Of This Report.**

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 31 Sprague - South Portland

Client Project# PROJ-027968

Samples Received: 10/8/2025

Analytical Report 2025GA307

EPA Method 325B Analysis

Report Issue Date: 10/17/2025

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:


QA Review by Isabel Obando Marrero, Data Reviewer



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	11
Chromatograms	15
Initial Calibration	79
Sample Custody	82
Chain of Custody	83

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GA307-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Enthalpy Analytical on October 8, 2025 at 22.6 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20250916	B50918	Sample
SPRSPO-1-D-20250916	B43917	Duplicate
SPRSPO-1-B-20250916	C38871	Blank
SPRSPO-2-S-20250916	C55385	Sample
SPRSPO-3-S-20250916	B14770	Sample
SPRSPO-4-S-20250916	C33461	Sample
SPRSPO-5-S-20250916	B46269	Sample
SPRSPO-6-S-20250916	B49499	Sample
SPRSPO-7-S-20250916	C40527	Sample
SPRSPO-8-S-20250916	C01556	Sample
SPRSPO-9-S-20250916	C40160	Sample
SPRSPO-10-S-20250916	B48681	Sample
SPRSPO-11-S-20250916	B18706	Sample
SPRSPO-12-S-20250916	B34454	Sample
SPRSPO-13-S-20250916	C20401	Sample
SPRSPO-13-D-20250916	C35761	Duplicate
SPRSPO-13-B-20250916	B42339	Blank
SPRSPO-14-S-20250916	C56826	Sample
SPRSPO-15-S-20250916	B44982	Sample
SPRSPO-16-S-20250916	C53589	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GA307-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (M082025A_CC185154) met all 30% RSD criteria. The initial calibration verification met $\pm 30\%$ recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

5. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

6. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in $\mu\text{g}/\text{m}^3$ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA307-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20250916	B50918	1.66		5.62		1.36		3.78		1.32	
SPRSPO-1-D-20250916	B43917	1.50		5.86		1.67		4.33		1.53	
SPRSPO-1-B-20250916	C38871	0.187	ND	0.722		0.273	ND	0.273	ND	0.273	ND
SPRSPO-2-S-20250916	C55385	0.969		3.63		0.767		1.91		0.675	
SPRSPO-3-S-20250916	B14770	1.26		3.90		0.934		1.89		0.729	
SPRSPO-4-S-20250916	C33461	0.946		3.32		0.759		1.55		0.595	J
SPRSPO-5-S-20250916	B46269	0.838		3.11		0.684		1.48		0.578	J
SPRSPO-6-S-20250916	B49499	0.705		2.65		0.459	J	1.05		0.385	J
SPRSPO-7-S-20250916	C40527	0.702		2.58		0.408	J	1.00		0.356	J
SPRSPO-8-S-20250916	C01556	0.994		1.76		0.329	J	0.733		0.276	J
SPRSPO-9-S-20250916	C40160	0.741		1.92		0.529	J	0.977		0.342	J
SPRSPO-10-S-20250916	B48681	0.941		1.88		0.329	J	0.865		0.333	J
SPRSPO-11-S-20250916	B18706	0.893		1.85		0.457	J	1.02		0.392	J
SPRSPO-12-S-20250916	B34454	1.00		3.10		0.860		1.84		0.655	
SPRSPO-13-S-20250916	C20401	0.784		2.55		0.705		1.48		0.564	J
SPRSPO-13-D-20250916	C35761	0.749		2.62		0.610		1.46		0.505	J
SPRSPO-13-B-20250916	B42339	0.187	ND	0.241	ND	0.273	ND	0.273	ND	0.273	ND
SPRSPO-14-S-20250916	C56826	0.767		3.02		0.666		1.63		0.562	J
SPRSPO-15-S-20250916	B44982	1.17		4.99		1.22		3.02		1.16	
SPRSPO-16-S-20250916	C53589	1.19		4.03		0.931		2.31		0.831	

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA307-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250916	B50918	1.66	0.519	22.1	62.5	0.661	20205	0.187	0.444	0.0586	0.139		M2504113.d	2025-10-10 06:06	0.928	8.181	199686	537345	55.2	8.124	-0.6%
SPRSPO-1-D-20250916	B43917	1.50	0.471	20.1	62.5	0.661	20205	0.187	0.444	0.0586	0.139		M2504114.d	2025-10-10 06:33	0.928	8.181	179235	531784	55.2	8.124	-1.7%
SPRSPO-1-B-20250916	C38871	0.187	0.0586		62.5	0.661	20205	0.187	0.444	0.0586	0.139	ND	M2504112.d	2025-10-10 05:40	0.928	8.181	13901	534274	55.2	8.117	-1.2%
SPRSPO-2-S-20250916	C55385	0.969	0.304	12.9	62.5	0.661	20205	0.187	0.444	0.0586	0.139		M2504115.d	2025-10-10 06:59	0.928	8.181	116717	536809	55.2	8.117	-0.7%
SPRSPO-3-S-20250916	B14770	1.26	0.396	16.9	62.5	0.661	20205	0.187	0.444	0.0586	0.139		M2504116.d	2025-10-10 07:26	0.928	8.181	150185	529672	55.2	8.124	-2.1%
SPRSPO-4-S-20250916	C33461	0.946	0.296	12.6	62.5	0.661	20205	0.187	0.444	0.0586	0.139		M2504117.d	2025-10-10 07:52	0.928	8.181	112955	532193	55.2	8.124	-1.6%
SPRSPO-5-S-20250916	B46269	0.838	0.262	11.2	62.5	0.661	20205	0.187	0.444	0.0586	0.139		M2504118.d	2025-10-10 08:19	0.928	8.181	102173	543910	55.2	8.117	0.6%
SPRSPO-6-S-20250916	B49499	0.705	0.221	9.42	62.5	0.661	20210	0.187	0.443	0.0586	0.139		M2504119.d	2025-10-10 08:46	0.928	8.181	84885	536694	55.2	8.124	-0.8%
SPRSPO-7-S-20250916	C40527	0.702	0.220	9.38	62.5	0.661	20210	0.187	0.443	0.0586	0.139		M2504120.d	2025-10-10 09:13	0.928	8.181	84561	536627	55.2	8.117	-0.8%
SPRSPO-8-S-20250916	C01556	0.994	0.311	13.3	62.5	0.661	20210	0.187	0.443	0.0586	0.139		M2504121.d	2025-10-10 09:40	0.928	8.181	119324	535219	55.2	8.124	-1.0%
SPRSPO-9-S-20250916	C40160	0.741	0.232	9.90	62.5	0.661	20210	0.187	0.443	0.0586	0.139		M2504123.d	2025-10-10 10:33	0.928	8.181	88758	533617	55.2	8.117	-1.3%
SPRSPO-10-S-20250916	B48681	0.941	0.295	12.6	62.5	0.661	20210	0.187	0.443	0.0586	0.139		M2504124.d	2025-10-10 11:00	0.928	8.181	111701	529133	55.2	8.117	-2.2%
SPRSPO-11-S-20250916	B18706	0.893	0.280	11.9	62.5	0.661	20210	0.187	0.443	0.0586	0.139		M2504125.d	2025-10-10 11:28	0.928	8.181	106491	531409	55.2	8.124	-1.7%
SPRSPO-12-S-20250916	B34454	1.00	0.314	13.4	62.5	0.661	20210	0.187	0.443	0.0586	0.139		M2504126.d	2025-10-10 11:55	0.928	8.181	118159	525445	55.2	8.117	-2.8%
SPRSPO-13-S-20250916	C20401	0.784	0.245	10.5	62.5	0.661	20210	0.187	0.443	0.0586	0.139		M2504127.d	2025-10-10 12:22	0.928	8.181	92975	528825	55.2	8.117	-2.2%
SPRSPO-13-D-20250916	C35761	0.749	0.235	10.0	62.5	0.661	20210	0.187	0.443	0.0586	0.139		M2504128.d	2025-10-10 12:49	0.928	8.181	89575	533212	55.2	8.124	-1.4%
SPRSPO-13-B-20250916	B42339	0.187	0.0586		62.5	0.661	20210	0.187	0.443	0.0586	0.139	ND	M2504129.d	2025-10-10 13:16	0.928	8.181	7172	529495	55.2	8.117	-2.1%
SPRSPO-14-S-20250916	C56826	0.767	0.240	10.2	62.5	0.661	20210	0.187	0.443	0.0586	0.139		M2504130.d	2025-10-10 13:43	0.928	8.181	90930	528602	55.2	8.124	-2.3%
SPRSPO-15-S-20250916	B44982	1.17	0.368	15.7	62.5	0.661	20210	0.187	0.443	0.0586	0.139		M2504131.d	2025-10-10 14:11	0.928	8.181	139481	529525	55.2	8.124	-2.1%
SPRSPO-16-S-20250916	C53589	1.19	0.374	15.9	62.5	0.661	20210	0.187	0.443	0.0586	0.139		M2504132.d	2025-10-10 14:38	0.928	8.181	140909	526271	55.2	8.124	-2.7%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250916	B50918	5.62	1.49	58.2	62.5	0.513	20205	0.241	0.502	0.0641	0.133		M2504113.d	2025-10-10 06:06	1.079	10.910	557367	578357	65.2	10.817	-0.7%
SPRSPO-1-D-20250916	B43917	5.86	1.56	60.8	62.5	0.513	20205	0.241	0.502	0.0641	0.133		M2504114.d	2025-10-10 06:33	1.079	10.910	584103	580890	65.2	10.817	-0.3%
SPRSPO-1-B-20250916	C38871	0.722	0.192	7.48	62.5	0.513	20205	0.241	0.502	0.0641	0.133		M2504112.d	2025-10-10 05:40	1.079	10.911	71285	575862	65.2	10.817	-1.1%
SPRSPO-2-S-20250916	C55385	3.63	0.964	37.6	62.5	0.513	20205	0.241	0.502	0.0641	0.133		M2504115.d	2025-10-10 06:59	1.079	10.910	359320	576867	65.2	10.817	-1.0%
SPRSPO-3-S-20250916	B14770	3.90	1.04	40.4	62.5	0.513	20205	0.241	0.502	0.0641	0.133		M2504116.d	2025-10-10 07:26	1.079	10.910	381204	569965	65.2	10.817	-2.2%
SPRSPO-4-S-20250916	C33461	3.32	0.882	34.4	62.5	0.513	20205	0.241	0.502	0.0641	0.133		M2504117.d	2025-10-10 07:52	1.079	10.910	326925	573634	65.2	10.817	-1.5%
SPRSPO-5-S-20250916	B46269	3.11	0.826	32.2	62.5	0.513	20205	0.241	0.502	0.0641	0.133		M2504118.d	2025-10-10 08:19	1.079	10.910	308390	577756	65.2	10.817	-0.8%
SPRSPO-6-S-20250916	B49499	2.65	0.703	27.4	62.5	0.513	20210	0.241	0.502	0.0640	0.133		M2504119.d	2025-10-10 08:46	1.079	10.910	261715	576041	65.2	10.817	-1.1%
SPRSPO-7-S-20250916	C40527	2.58	0.684	26.7	62.5	0.513	20210	0.241	0.502	0.0640	0.133		M2504120.d	2025-10-10 09:13	1.079	10.910	254128	574709	65.2	10.817	-1.3%
SPRSPO-8-S-20250916	C01556	1.76	0.469	18.3	62.5	0.513	20210	0.241	0.502	0.0640	0.133		M2504121.d	2025-10-10 09:40	1.079	10.918	174447	576224	65.2	10.817	-1.1%
SPRSPO-9-S-20250916	C40160	1.92	0.509	19.9	62.5	0.513	20210	0.241	0.502	0.0640	0.133		M2504123.d	2025-10-10 10:33	1.079	10.911	189835	576845	65.2	10.817	-1.0%
SPRSPO-10-S-20250916	B48681	1.88	0.500	19.5	62.5	0.513	20210	0.241	0.502	0.0640	0.133		M2504124.d	2025-10-10 11:00	1.079	10.910	183749	568531	65.2	10.817	-2.4%
SPRSPO-11-S-20250916	B18706	1.85	0.490	19.1	62.5	0.513	20210	0.241	0.502	0.0640	0.133		M2504125.d	2025-10-10 11:28	1.079	10.911	181150	571827	65.2	10.817	-1.8%
SPRSPO-12-S-20250916	B34454	3.10	0.823	32.1	62.5	0.513	20210	0.241	0.502	0.0640	0.133		M2504126.d	2025-10-10 11:55	1.079	10.910	300149	564315	65.2	10.817	-3.1%
SPRSPO-13-S-20250916	C20401	2.55	0.678	26.5	62.5	0.513	20210	0.241	0.502	0.0640	0.133		M2504127.d	2025-10-10 12:22	1.079	10.910	249174	569024	65.2	10.817	-2.3%
SPRSPO-13-D-20250916	C35761	2.62	0.696	27.2	62.5	0.513	20210	0.241	0.502	0.0640	0.133		M2504128.d	2025-10-10 12:49	1.079	10.910	255741	568788	65.2	10.817	-2.4%
SPRSPO-13-B-20250916	B42339	0.241	0.0640		62.5	0.513	20210	0.241	0.502	0.0640	0.133	ND	M2504129.d	2025-10-10 13:16	1.079	10.910	8887	577899	65.2	10.817	-0.8%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA307-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20250916	C56826	3.02	0.803	31.3	62.5	0.513	20210	0.241	0.502	0.0640	0.133		M2504130.d	2025-10-10 13:43	1.079	10.910	293887	566585	65.2	10.817	-2.7%
SPRSPO-15-S-20250916	B44982	4.99	1.33	51.8	62.5	0.513	20210	0.241	0.502	0.0640	0.133		M2504131.d	2025-10-10 14:11	1.079	10.911	488205	569824	65.2	10.817	-2.2%
SPRSPO-16-S-20250916	C53589	4.03	1.07	41.8	62.5	0.513	20210	0.241	0.502	0.0640	0.133		M2504132.d	2025-10-10 14:38	1.079	10.917	391908	566970	65.2	10.817	-2.7%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250916	B50918	1.36	0.314	12.5	62.5	0.454	20205	0.273	0.590	0.0628	0.136		M2504113.d	2025-10-10 06:06	1.246	13.102	138008	578357	65.2	10.817	-0.7%
SPRSPO-1-D-20250916	B43917	1.67	0.385	15.3	62.5	0.454	20205	0.273	0.590	0.0628	0.136		M2504114.d	2025-10-10 06:33	1.246	13.102	170315	580890	65.2	10.817	-0.3%
SPRSPO-1-B-20250916	C38871	0.273	0.0628		62.5	0.454	20205	0.273	0.590	0.0628	0.136	ND	M2504112.d	2025-10-10 05:40	1.246	13.102	11076	575862	65.2	10.817	-1.1%
SPRSPO-2-S-20250916	C55385	0.767	0.177	7.03	62.5	0.454	20205	0.273	0.590	0.0628	0.136		M2504115.d	2025-10-10 06:59	1.246	13.102	77598	576867	65.2	10.817	-1.0%
SPRSPO-3-S-20250916	B14770	0.934	0.215	8.56	62.5	0.454	20205	0.273	0.590	0.0628	0.136		M2504116.d	2025-10-10 07:26	1.246	13.102	93292	569965	65.2	10.817	-2.2%
SPRSPO-4-S-20250916	C33461	0.759	0.175	6.95	62.5	0.454	20205	0.273	0.590	0.0628	0.136		M2504117.d	2025-10-10 07:52	1.246	13.102	76288	573634	65.2	10.817	-1.5%
SPRSPO-5-S-20250916	B46269	0.684	0.158	6.27	62.5	0.454	20205	0.273	0.590	0.0628	0.136		M2504118.d	2025-10-10 08:19	1.246	13.102	69257	577756	65.2	10.817	-0.8%
SPRSPO-6-S-20250916	B49499	0.459	0.106	4.21	62.5	0.454	20210	0.273	0.590	0.0628	0.136	J	M2504119.d	2025-10-10 08:46	1.246	13.102	46414	576041	65.2	10.817	-1.1%
SPRSPO-7-S-20250916	C40527	0.408	0.0939	3.74	62.5	0.454	20210	0.273	0.590	0.0628	0.136	J	M2504120.d	2025-10-10 09:13	1.246	13.102	41084	574709	65.2	10.817	-1.3%
SPRSPO-8-S-20250916	C01556	0.329	0.0759	3.02	62.5	0.454	20210	0.273	0.590	0.0628	0.136	J	M2504121.d	2025-10-10 09:40	1.246	13.102	33293	576224	65.2	10.817	-1.1%
SPRSPO-9-S-20250916	C40160	0.529	0.122	4.85	62.5	0.454	20210	0.273	0.590	0.0628	0.136	J	M2504123.d	2025-10-10 10:33	1.246	13.102	53483	576845	65.2	10.817	-1.0%
SPRSPO-10-S-20250916	B48681	0.329	0.0757	3.01	62.5	0.454	20210	0.273	0.590	0.0628	0.136	J	M2504124.d	2025-10-10 11:00	1.246	13.102	32760	568531	65.2	10.817	-2.4%
SPRSPO-11-S-20250916	B18706	0.457	0.105	4.19	62.5	0.454	20210	0.273	0.590	0.0628	0.136	J	M2504125.d	2025-10-10 11:28	1.246	13.102	45809	571827	65.2	10.817	-1.8%
SPRSPO-12-S-20250916	B34454	0.860	0.198	7.88	62.5	0.454	20210	0.273	0.590	0.0628	0.136		M2504126.d	2025-10-10 11:55	1.246	13.102	85088	564315	65.2	10.817	-3.1%
SPRSPO-13-S-20250916	C20401	0.705	0.162	6.46	62.5	0.454	20210	0.273	0.590	0.0628	0.136		M2504127.d	2025-10-10 12:22	1.246	13.102	70332	569024	65.2	10.817	-2.3%
SPRSPO-13-D-20250916	C35761	0.610	0.141	5.59	62.5	0.454	20210	0.273	0.590	0.0628	0.136		M2504128.d	2025-10-10 12:49	1.246	13.102	60814	568788	65.2	10.817	-2.4%
SPRSPO-13-B-20250916	B42339	0.273	0.0628		62.5	0.454	20210	0.273	0.590	0.0628	0.136	ND	M2504129.d	2025-10-10 13:16	1.246	13.102	1817	577899	65.2	10.817	-0.8%
SPRSPO-14-S-20250916	C56826	0.666	0.153	6.11	62.5	0.454	20210	0.273	0.590	0.0628	0.136		M2504130.d	2025-10-10 13:43	1.246	13.102	66181	566585	65.2	10.817	-2.7%
SPRSPO-15-S-20250916	B44982	1.22	0.280	11.1	62.5	0.454	20210	0.273	0.590	0.0628	0.136		M2504131.d	2025-10-10 14:11	1.246	13.102	121463	569824	65.2	10.817	-2.2%
SPRSPO-16-S-20250916	C53589	0.931	0.215	8.54	62.5	0.454	20210	0.273	0.590	0.0628	0.136		M2504132.d	2025-10-10 14:38	1.246	13.102	92614	566970	65.2	10.817	-2.7%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250916	B50918	3.78	0.871	34.7	62.5	0.454	20205	0.273	0.661	0.0628	0.152		M2504113.d	2025-10-10 06:06	0.973	13.281	299253	578357	65.2	10.817	-0.7%
SPRSPO-1-D-20250916	B43917	4.33	0.999	39.7	62.5	0.454	20205	0.273	0.661	0.0628	0.152		M2504114.d	2025-10-10 06:33	0.973	13.274	344549	580890	65.2	10.817	-0.3%
SPRSPO-1-B-20250916	C38871	0.273	0.0628		62.5	0.454	20205	0.273	0.661	0.0628	0.152	ND	M2504112.d	2025-10-10 05:40	0.973	13.274	21275	575862	65.2	10.817	-1.1%
SPRSPO-2-S-20250916	C55385	1.91	0.441	17.6	62.5	0.454	20205	0.273	0.661	0.0628	0.152		M2504115.d	2025-10-10 06:59	0.973	13.281	151115	576867	65.2	10.817	-1.0%
SPRSPO-3-S-20250916	B14770	1.89	0.436	17.3	62.5	0.454	20205	0.273	0.661	0.0628	0.152		M2504116.d	2025-10-10 07:26	0.973	13.274	147544	569965	65.2	10.817	-2.2%
SPRSPO-4-S-20250916	C33461	1.55	0.357	14.2	62.5	0.454	20205	0.273	0.661	0.0628	0.152		M2504117.d	2025-10-10 07:52	0.973	13.281	121604	573634	65.2	10.817	-1.5%
SPRSPO-5-S-20250916	B46269	1.48	0.340	13.5	62.5	0.454	20205	0.273	0.661	0.0628	0.152		M2504118.d	2025-10-10 08:19	0.973	13.274	116697	577756	65.2	10.817	-0.8%
SPRSPO-6-S-20250916	B49499	1.05	0.241	9.58	62.5	0.454	20210	0.273	0.661	0.0628	0.152		M2504119.d	2025-10-10 08:46	0.973	13.274	82389	576041	65.2	10.817	-1.1%
SPRSPO-7-S-20250916	C40527	1.00	0.231	9.21	62.5	0.454	20210	0.273	0.661	0.0628	0.152		M2504120.d	2025-10-10 09:13	0.973	13.274	78958	574709	65.2	10.817	-1.3%
SPRSPO-8-S-20250916	C01556	0.733	0.169	6.72	62.5	0.454	20210	0.273	0.661	0.0628	0.152		M2504121.d	2025-10-10 09:40	0.973	13.274	57820	576224	65.2	10.817	-1.1%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA307-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20250916	C40160	0.977	0.225	8.96	62.5	0.454	20210	0.273	0.661	0.0628	0.152		M2504123.d	2025-10-10 10:33	0.973	13.274	77142	576845	65.2	10.817	-1.0%
SPRSPO-10-S-20250916	B48681	0.865	0.199	7.94	62.5	0.454	20210	0.273	0.661	0.0628	0.152		M2504124.d	2025-10-10 11:00	0.973	13.274	67335	568531	65.2	10.817	-2.4%
SPRSPO-11-S-20250916	B18706	1.02	0.235	9.37	62.5	0.454	20210	0.273	0.661	0.0628	0.152		M2504125.d	2025-10-10 11:28	0.973	13.274	79929	571827	65.2	10.817	-1.8%
SPRSPO-12-S-20250916	B34454	1.84	0.423	16.8	62.5	0.454	20210	0.273	0.661	0.0628	0.152		M2504126.d	2025-10-10 11:55	0.973	13.281	141859	564315	65.2	10.817	-3.1%
SPRSPO-13-S-20250916	C20401	1.48	0.342	13.6	62.5	0.454	20210	0.273	0.661	0.0628	0.152		M2504127.d	2025-10-10 12:22	0.973	13.274	115441	569024	65.2	10.817	-2.3%
SPRSPO-13-D-20250916	C35761	1.46	0.336	13.4	62.5	0.454	20210	0.273	0.661	0.0628	0.152		M2504128.d	2025-10-10 12:49	0.973	13.274	113366	568788	65.2	10.817	-2.4%
SPRSPO-13-B-20250916	B42339	0.273	0.0628		62.5	0.454	20210	0.273	0.661	0.0628	0.152	ND	M2504129.d	2025-10-10 13:16	0.973	13.281	1004	577899	65.2	10.817	-0.8%
SPRSPO-14-S-20250916	C56826	1.63	0.377	15.0	62.5	0.454	20210	0.273	0.661	0.0628	0.152		M2504130.d	2025-10-10 13:43	0.973	13.274	126739	566585	65.2	10.817	-2.7%
SPRSPO-15-S-20250916	B44982	3.02	0.696	27.7	62.5	0.454	20210	0.273	0.661	0.0628	0.152		M2504131.d	2025-10-10 14:11	0.973	13.282	235505	569824	65.2	10.817	-2.2%
SPRSPO-16-S-20250916	C53589	2.31	0.533	21.2	62.5	0.454	20210	0.273	0.661	0.0628	0.152		M2504132.d	2025-10-10 14:38	0.973	13.274	179565	566970	65.2	10.817	-2.7%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20250916	B50918	1.32	0.303	12.1	62.5	0.454	20205	0.273	0.615	0.0628	0.142		M2504113.d	2025-10-10 06:06	1.010	13.776	108127	578357	65.2	10.817	-0.7%
SPRSPO-1-D-20250916	B43917	1.53	0.352	14.0	62.5	0.454	20205	0.273	0.615	0.0628	0.142		M2504114.d	2025-10-10 06:33	1.010	13.776	126167	580890	65.2	10.817	-0.3%
SPRSPO-1-B-20250916	C38871	0.273	0.0628		62.5	0.454	20205	0.273	0.615	0.0628	0.142	ND	M2504112.d	2025-10-10 05:40	1.010	13.776	5735	575862	65.2	10.817	-1.1%
SPRSPO-2-S-20250916	C55385	0.675	0.155	6.19	62.5	0.454	20205	0.273	0.615	0.0628	0.142		M2504115.d	2025-10-10 06:59	1.010	13.776	55280	576867	65.2	10.817	-1.0%
SPRSPO-3-S-20250916	B14770	0.729	0.168	6.69	62.5	0.454	20205	0.273	0.615	0.0628	0.142		M2504116.d	2025-10-10 07:26	1.010	13.776	59029	569965	65.2	10.817	-2.2%
SPRSPO-4-S-20250916	C33461	0.595	0.137	5.46	62.5	0.454	20205	0.273	0.615	0.0628	0.142	J	M2504117.d	2025-10-10 07:52	1.010	13.776	48481	573634	65.2	10.817	-1.5%
SPRSPO-5-S-20250916	B46269	0.578	0.133	5.30	62.5	0.454	20205	0.273	0.615	0.0628	0.142	J	M2504118.d	2025-10-10 08:19	1.010	13.776	47400	577756	65.2	10.817	-0.8%
SPRSPO-6-S-20250916	B49499	0.385	0.0888	3.53	62.5	0.454	20210	0.273	0.614	0.0628	0.142	J	M2504119.d	2025-10-10 08:46	1.010	13.776	31515	576041	65.2	10.817	-1.1%
SPRSPO-7-S-20250916	C40527	0.356	0.0821	3.27	62.5	0.454	20210	0.273	0.614	0.0628	0.142	J	M2504120.d	2025-10-10 09:13	1.010	13.776	29086	574709	65.2	10.817	-1.3%
SPRSPO-8-S-20250916	C01556	0.276	0.0637	2.53	62.5	0.454	20210	0.273	0.614	0.0628	0.142	J	M2504121.d	2025-10-10 09:40	1.010	13.776	22620	576224	65.2	10.817	-1.1%
SPRSPO-9-S-20250916	C40160	0.342	0.0787	3.13	62.5	0.454	20210	0.273	0.614	0.0628	0.142	J	M2504123.d	2025-10-10 10:33	1.010	13.776	27994	576845	65.2	10.817	-1.0%
SPRSPO-10-S-20250916	B48681	0.333	0.0768	3.05	62.5	0.454	20210	0.273	0.614	0.0628	0.142	J	M2504124.d	2025-10-10 11:00	1.010	13.776	26901	568531	65.2	10.817	-2.4%
SPRSPO-11-S-20250916	B18706	0.392	0.0904	3.60	62.5	0.454	20210	0.273	0.614	0.0628	0.142	J	M2504125.d	2025-10-10 11:28	1.010	13.776	31848	571827	65.2	10.817	-1.8%
SPRSPO-12-S-20250916	B34454	0.655	0.151	6.01	62.5	0.454	20210	0.273	0.614	0.0628	0.142		M2504126.d	2025-10-10 11:55	1.010	13.776	52538	564315	65.2	10.817	-3.1%
SPRSPO-13-S-20250916	C20401	0.564	0.130	5.17	62.5	0.454	20210	0.273	0.614	0.0628	0.142	J	M2504127.d	2025-10-10 12:22	1.010	13.776	45562	569024	65.2	10.817	-2.3%
SPRSPO-13-D-20250916	C35761	0.505	0.116	4.63	62.5	0.454	20210	0.273	0.614	0.0628	0.142	J	M2504128.d	2025-10-10 12:49	1.010	13.776	40790	568788	65.2	10.817	-2.4%
SPRSPO-13-B-20250916	B42339	0.273	0.0628		62.5	0.454	20210	0.273	0.614	0.0628	0.142	ND	M2504129.d	2025-10-10 13:16	1.010	13.776	326	577899	65.2	10.817	-0.8%
SPRSPO-14-S-20250916	C56826	0.562	0.130	5.15	62.5	0.454	20210	0.273	0.614	0.0628	0.142	J	M2504130.d	2025-10-10 13:43	1.010	13.776	45242	566585	65.2	10.817	-2.7%
SPRSPO-15-S-20250916	B44982	1.16	0.268	10.7	62.5	0.454	20210	0.273	0.614	0.0628	0.142		M2504131.d	2025-10-10 14:11	1.010	13.776	94150	569824	65.2	10.817	-2.2%
SPRSPO-16-S-20250916	C53589	0.831	0.191	7.62	62.5	0.454	20210	0.273	0.614	0.0628	0.142		M2504132.d	2025-10-10 14:38	1.010	13.776	66895	566970	65.2	10.817	-2.7%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA307-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20250916	ND	Pass	0.722	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20250916	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20250916	9.8%	Pass	4.2%	Pass	21%	Pass	14%	Pass	15%	Pass
	SPRSPO-13-D-20250916	4.6%	Pass	2.6%	Pass	14%	Pass	1.8%	Pass	11%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA307-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2504086.d	C57817	Cal	0.928		0.928	-11%	-2.1%		Pass	
M325B CCV 5	M2504110.d	C61595	Check	0.964		0.928	-8.0%		-1.8%	Pass	
2025GA307 Method Blank-1	M2504111.d	B50778	Blank			0.928			-1.1%	Pass	ND
M325B CCV 5 REC	M2504122.d	C53641	Check	0.985		0.928	-5.9%		-2.2%	Pass	
M325B CCV 5 REC	M2504133.d	B48697	Check	0.995		0.928	-5.0%		-3.1%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2504086.d	C57817	Cal	1.079		1.079	-17%	1.5%		Pass	
M325B CCV 5	M2504110.d	C61595	Check	0.983		1.079	-25%		-0.53%	Pass	
2025GA307 Method Blank-1	M2504111.d	B50778	Blank			1.079			-0.89%	Pass	ND
M325B CCV 5 REC	M2504122.d	C53641	Check	1.162		1.079	-11%		-3.4%	Pass	
M325B CCV 5 REC	M2504133.d	B48697	Check	1.158		1.079	-11%		-2.7%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2504086.d	C57817	Cal	1.246		1.246	-4.1%	1.5%		Pass	
M325B CCV 5	M2504110.d	C61595	Check	1.107		1.246	-15%		-0.53%	Pass	
2025GA307 Method Blank-1	M2504111.d	B50778	Blank			1.246			-0.89%	Pass	ND
M325B CCV 5 REC	M2504122.d	C53641	Check	1.277		1.246	-1.7%		-3.4%	Pass	
M325B CCV 5 REC	M2504133.d	B48697	Check	1.219		1.246	-6.1%		-2.7%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2504086.d	C57817	Cal	0.973		0.973	8.9%	1.5%		Pass	
M325B CCV 5	M2504110.d	C61595	Check	0.859		0.973	-3.9%		-0.53%	Pass	
2025GA307 Method Blank-1	M2504111.d	B50778	Blank			0.973			-0.89%	Pass	ND
M325B CCV 5 REC	M2504122.d	C53641	Check	0.951		0.973	6.4%		-3.4%	Pass	
M325B CCV 5 REC	M2504133.d	B48697	Check	0.888		0.973	-0.58%		-2.7%	Pass	

o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2504086.d	C57817	Cal	1.010		1.010	12%	1.5%		Pass	
M325B CCV 5	M2504110.d	C61595	Check	0.884		1.010	-2.3%		-0.53%	Pass	
2025GA307 Method Blank-1	M2504111.d	B50778	Blank			1.010			-0.89%	Pass	ND

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA307-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	M2504122.d	C53641	Check	0.940		1.010	3.9%		-3.4%	Pass	
M325B CCV 5 REC	M2504133.d	B48697	Check	0.928		1.010	2.5%		-2.7%	Pass	

Chromatograms



Name 2025GA307 Method Blank-1
Comment B50778
Data File M2504111.d
Acq. Date-Time 10/10/2025 5:13:42 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	535,049	
Benzene	Benzene-d6 (IS)	8.181	8.181	9,969	
Toluene-d8 (IS)		10.817	10.817	577,325	
Toluene	Toluene-d8 (IS)	10.911	10.910	22,439	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	5,214	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	3,596	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	1,812	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504111.d




+ Scan (10.767-10.903 min, 20 scans) M2504111.d

**Toluene**


+ EIC (91.1) Scan M2504111.d




+ Scan (10.876-10.996 min, 16 scans) M2504111.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504111.d




+ Scan (13.069-13.138 min, 10 scans) M2504111.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504111.d




+ Scan (13.239-13.339 min, 14 scans) M2504111.d




o-Xylene

+ EIC (91.1) Scan M2504111.d




+ Scan (13.748-13.802 min, 7 scans) M2504111.d





Name SPRSPO-1-B-20250916
Comment C38871
Data File M2504112.d
Acq. Date-Time 10/10/2025 5:40:14 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	534,274	
Benzene	Benzene-d6 (IS)	8.181	8.181	13,901	
Toluene-d8 (IS)		10.817	10.817	575,862	
Toluene	Toluene-d8 (IS)	10.911	10.910	71,285	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	11,076	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	21,275	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	5,735	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504112.d




+ Scan (10.767-10.903 min, 20 scans) M2504112.d

**Toluene**


+ EIC (91.1) Scan M2504112.d




+ Scan (10.868-10.996 min, 19 scans) M2504112.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504112.d




+ Scan (13.062-13.138 min, 11 scans) M2504112.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504112.d




+ Scan (13.231-13.346 min, 17 scans) M2504112.d




o-Xylene

+ EIC (91.1) Scan M2504112.d




+ Scan (13.749-13.823 min, 10 scans) M2504112.d





Name SPRSPO-1-S-20250916
Comment B50918
Data File M2504113.d
Acq. Date-Time 10/10/2025 6:06:41 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	537,345	
Benzene	Benzene-d6 (IS)	8.181	8.181	199,686	
Toluene-d8 (IS)		10.817	10.817	578,357	
Toluene	Toluene-d8 (IS)	10.910	10.910	557,367	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	138,008	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	299,253	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	108,127	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504113.d




+ Scan (10.767-10.896 min, 19 scans) M2504113.d

**Toluene**


+ EIC (91.1) Scan M2504113.d




+ Scan (10.867-11.003 min, 20 scans) M2504113.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504113.d




+ Scan (13.066-13.188 min, 18 scans) M2504113.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504113.d




+ Scan (13.232-13.403 min, 24 scans) M2504113.d




o-Xylene

+ EIC (91.1) Scan M2504113.d




+ Scan (13.740-13.868 min, 17 scans) M2504113.d





Name SPRSPO-1-D-20250916
Comment B43917
Data File M2504114.d
Acq. Date-Time 10/10/2025 6:33:17 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	531,784	
Benzene	Benzene-d6 (IS)	8.181	8.181	179,235	
Toluene-d8 (IS)		10.817	10.817	580,890	
Toluene	Toluene-d8 (IS)	10.910	10.910	584,103	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	170,315	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	344,549	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	126,167	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504114.d




+ Scan (10.767-10.903 min, 20 scans) M2504114.d

**Toluene**


+ EIC (91.1) Scan M2504114.d




+ Scan (10.867-10.996 min, 19 scans) M2504114.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504114.d




+ Scan (13.060-13.181 min, 17 scans) M2504114.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504114.d




+ Scan (13.231-13.396 min, 24 scans) M2504114.d




o-Xylene

+ EIC (91.1) Scan M2504114.d




+ Scan (13.737-13.861 min, 17 scans) M2504114.d





Name SPRSPO-2-S-20250916
Comment C55385
Data File M2504115.d
Acq. Date-Time 10/10/2025 6:59:50 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	536,809	
Benzene	Benzene-d6 (IS)	8.181	8.181	116,717	
Toluene-d8 (IS)		10.817	10.817	576,867	
Toluene	Toluene-d8 (IS)	10.910	10.910	359,320	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	77,598	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	151,115	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	55,280	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504115.d




+ Scan (10.768-10.910 min, 20 scans) M2504115.d

**Toluene**


+ EIC (91.1) Scan M2504115.d




+ Scan (10.867-10.975 min, 16 scans) M2504115.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504115.d




+ Scan (13.065-13.152 min, 12 scans) M2504115.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504115.d




+ Scan (13.239-13.410 min, 24 scans) M2504115.d




o-Xylene

+ EIC (91.1) Scan M2504115.d




+ Scan (13.740-13.860 min, 17 scans) M2504115.d





Name SPRSPO-3-S-20250916
Comment B14770
Data File M2504116.d
Acq. Date-Time 10/10/2025 7:26:22 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	529,672	
Benzene	Benzene-d6 (IS)	8.181	8.181	150,185	
Toluene-d8 (IS)		10.817	10.817	569,965	
Toluene	Toluene-d8 (IS)	10.910	10.910	381,204	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	93,292	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	147,544	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	59,029	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504116.d




+ Scan (10.767-10.896 min, 19 scans) M2504116.d

**Toluene**


+ EIC (91.1) Scan M2504116.d




+ Scan (10.867-10.996 min, 19 scans) M2504116.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504116.d




+ Scan (13.067-13.181 min, 16 scans) M2504116.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504116.d




+ Scan (13.231-13.389 min, 23 scans) M2504116.d




o-Xylene

+ EIC (91.1) Scan M2504116.d




+ Scan (13.742-13.851 min, 15 scans) M2504116.d





Name SPRSPO-4-S-20250916
Comment C33461
Data File M2504117.d
Acq. Date-Time 10/10/2025 7:52:53 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	532,193	
Benzene	Benzene-d6 (IS)	8.181	8.181	112,955	
Toluene-d8 (IS)		10.817	10.817	573,634	
Toluene	Toluene-d8 (IS)	10.910	10.910	326,925	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	76,288	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	121,604	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	48,481	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504117.d




+ Scan (10.767-10.896 min, 19 scans) M2504117.d

**Toluene**


+ EIC (91.1) Scan M2504117.d




+ Scan (10.867-10.982 min, 17 scans) M2504117.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504117.d




+ Scan (13.059-13.195 min, 20 scans) M2504117.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504117.d




+ Scan (13.228-13.417 min, 26 scans) M2504117.d




o-Xylene

+ EIC (91.1) Scan M2504117.d




+ Scan (13.741-13.847 min, 15 scans) M2504117.d





Name SPRSPO-5-S-20250916
Comment B46269
Data File M2504118.d
Acq. Date-Time 10/10/2025 8:19:34 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	543,910	
Benzene	Benzene-d6 (IS)	8.181	8.181	102,173	
Toluene-d8 (IS)		10.817	10.817	577,756	
Toluene	Toluene-d8 (IS)	10.910	10.910	308,390	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	69,257	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	116,697	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	47,400	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504118.d




+ Scan (10.767-10.903 min, 20 scans) M2504118.d

**Toluene**


+ EIC (91.1) Scan M2504118.d




+ Scan (10.867-11.004 min, 20 scans) M2504118.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504118.d




+ Scan (13.060-13.188 min, 18 scans) M2504118.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504118.d




+ Scan (13.234-13.391 min, 22 scans) M2504118.d




o-Xylene

+ EIC (91.1) Scan M2504118.d




+ Scan (13.740-13.855 min, 17 scans) M2504118.d





Name SPRSPO-6-S-20250916
Comment B49499
Data File M2504119.d
Acq. Date-Time 10/10/2025 8:46:17 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	536,694	
Benzene	Benzene-d6 (IS)	8.181	8.181	84,885	
Toluene-d8 (IS)		10.817	10.817	576,041	
Toluene	Toluene-d8 (IS)	10.910	10.910	261,715	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	46,414	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	82,389	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	31,515	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504119.d




+ Scan (10.767-10.910 min, 21 scans) M2504119.d

**Toluene**


+ EIC (91.1) Scan M2504119.d




+ Scan (10.867-11.004 min, 20 scans) M2504119.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504119.d




+ Scan (13.067-13.173 min, 15 scans) M2504119.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504119.d




+ Scan (13.239-13.396 min, 22 scans) M2504119.d




o-Xylene

+ EIC (91.1) Scan M2504119.d




+ Scan (13.737-13.833 min, 14 scans) M2504119.d





Name SPRSPO-7-S-20250916
Comment C40527
Data File M2504120.d
Acq. Date-Time 10/10/2025 9:13:04 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	536,627	
Benzene	Benzene-d6 (IS)	8.181	8.181	84,561	
Toluene-d8 (IS)		10.817	10.817	574,709	
Toluene	Toluene-d8 (IS)	10.910	10.910	254,128	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	41,084	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	78,958	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	29,086	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504120.d




+ Scan (10.767-10.896 min, 19 scans) M2504120.d

**Toluene**


+ EIC (91.1) Scan M2504120.d




+ Scan (10.867-10.996 min, 19 scans) M2504120.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504120.d




+ Scan (13.067-13.169 min, 14 scans) M2504120.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504120.d




+ Scan (13.240-13.412 min, 24 scans) M2504120.d




o-Xylene

+ EIC (91.1) Scan M2504120.d




+ Scan (13.741-13.832 min, 12 scans) M2504120.d





Name SPRSPO-8-S-20250916
Comment C01556
Data File M2504121.d
Acq. Date-Time 10/10/2025 9:40:02 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	535,219	
Benzene	Benzene-d6 (IS)	8.181	8.181	119,324	
Toluene-d8 (IS)		10.817	10.817	576,224	
Toluene	Toluene-d8 (IS)	10.918	10.910	174,447	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	33,293	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	57,820	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	22,620	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504121.d




+ Scan (10.774-10.903 min, 19 scans) M2504121.d

**Toluene**


+ EIC (91.1) Scan M2504121.d




+ Scan (10.867-11.004 min, 20 scans) M2504121.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504121.d




+ Scan (13.062-13.145 min, 12 scans) M2504121.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504121.d




+ Scan (13.231-13.360 min, 19 scans) M2504121.d




o-Xylene

+ EIC (91.1) Scan M2504121.d




+ Scan (13.744-13.842 min, 14 scans) M2504121.d





Name SPRSPO-9-S-20250916
Comment C40160
Data File M2504123.d
Acq. Date-Time 10/10/2025 10:33:59 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	533,617	
Benzene	Benzene-d6 (IS)	8.181	8.181	88,758	
Toluene-d8 (IS)		10.817	10.817	576,845	
Toluene	Toluene-d8 (IS)	10.911	10.910	189,835	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	53,483	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	77,142	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	27,994	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504123.d




+ Scan (10.767-10.903 min, 20 scans) M2504123.d

**Toluene**


+ EIC (91.1) Scan M2504123.d




+ Scan (10.868-10.989 min, 18 scans) M2504123.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504123.d




+ Scan (13.067-13.162 min, 13 scans) M2504123.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504123.d




+ Scan (13.239-13.386 min, 20 scans) M2504123.d




o-Xylene

+ EIC (91.1) Scan M2504123.d




+ Scan (13.740-13.811 min, 10 scans) M2504123.d





Name SPRSPO-10-S-20250916
Comment B48681
Data File M2504124.d
Acq. Date-Time 10/10/2025 11:00:59 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	529,133	
Benzene	Benzene-d6 (IS)	8.181	8.181	111,701	
Toluene-d8 (IS)		10.817	10.817	568,531	
Toluene	Toluene-d8 (IS)	10.910	10.910	183,749	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	32,760	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	67,335	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	26,901	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504124.d




+ Scan (10.767-10.910 min, 21 scans) M2504124.d

**Toluene**


+ EIC (91.1) Scan M2504124.d




+ Scan (10.869-10.989 min, 17 scans) M2504124.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504124.d




+ Scan (13.067-13.172 min, 14 scans) M2504124.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504124.d




+ Scan (13.238-13.346 min, 16 scans) M2504124.d




o-Xylene

+ EIC (91.1) Scan M2504124.d




+ Scan (13.744-13.819 min, 11 scans) M2504124.d





Name SPRSPO-11-S-20250916
Comment B18706
Data File M2504125.d
Acq. Date-Time 10/10/2025 11:28:02 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	531,409	
Benzene	Benzene-d6 (IS)	8.181	8.181	106,491	
Toluene-d8 (IS)		10.817	10.817	571,827	
Toluene	Toluene-d8 (IS)	10.911	10.910	181,150	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	45,809	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	79,929	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	31,848	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504125.d




+ Scan (10.767-10.903 min, 20 scans) M2504125.d

**Toluene**


+ EIC (91.1) Scan M2504125.d




+ Scan (10.868-10.989 min, 18 scans) M2504125.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504125.d




+ Scan (13.061-13.174 min, 16 scans) M2504125.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504125.d




+ Scan (13.239-13.380 min, 20 scans) M2504125.d




o-Xylene

+ EIC (91.1) Scan M2504125.d




+ Scan (13.740-13.832 min, 13 scans) M2504125.d





Name SPRSPO-12-S-20250916
Comment B34454
Data File M2504126.d
Acq. Date-Time 10/10/2025 11:55:10 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	525,445	
Benzene	Benzene-d6 (IS)	8.181	8.181	118,159	
Toluene-d8 (IS)		10.817	10.817	564,315	
Toluene	Toluene-d8 (IS)	10.910	10.910	300,149	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	85,088	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	141,859	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	52,538	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504126.d




+ Scan (10.767-10.910 min, 21 scans) M2504126.d

**Toluene**


+ EIC (91.1) Scan M2504126.d




+ Scan (10.867-11.003 min, 20 scans) M2504126.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504126.d




+ Scan (13.062-13.167 min, 14 scans) M2504126.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504126.d




+ Scan (13.238-13.389 min, 22 scans) M2504126.d




o-Xylene

+ EIC (91.1) Scan M2504126.d




+ Scan (13.740-13.855 min, 16 scans) M2504126.d





Name SPRSPO-13-S-20250916
Comment C20401
Data File M2504127.d
Acq. Date-Time 10/10/2025 12:22:21 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	528,825	
Benzene	Benzene-d6 (IS)	8.181	8.181	92,975	
Toluene-d8 (IS)		10.817	10.817	569,024	
Toluene	Toluene-d8 (IS)	10.910	10.910	249,174	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	70,332	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	115,441	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	45,562	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504127.d




+ Scan (10.767-10.896 min, 19 scans) M2504127.d

**Toluene**


+ EIC (91.1) Scan M2504127.d




+ Scan (10.867-10.996 min, 19 scans) M2504127.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504127.d




+ Scan (13.064-13.160 min, 14 scans) M2504127.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504127.d




+ Scan (13.239-13.403 min, 23 scans) M2504127.d




o-Xylene

+ EIC (91.1) Scan M2504127.d




+ Scan (13.741-13.858 min, 16 scans) M2504127.d





Name SPRSPO-13-D-20250916
Comment C35761
Data File M2504128.d
Acq. Date-Time 10/10/2025 12:49:35 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	533,212	
Benzene	Benzene-d6 (IS)	8.181	8.181	89,575	
Toluene-d8 (IS)		10.817	10.817	568,788	
Toluene	Toluene-d8 (IS)	10.910	10.910	255,741	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	60,814	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	113,366	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	40,790	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504128.d




+ Scan (10.767-10.896 min, 19 scans) M2504128.d

**Toluene**


+ EIC (91.1) Scan M2504128.d




+ Scan (10.867-10.996 min, 19 scans) M2504128.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504128.d




+ Scan (13.064-13.188 min, 18 scans) M2504128.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504128.d




+ Scan (13.239-13.353 min, 15 scans) M2504128.d




o-Xylene

+ EIC (91.1) Scan M2504128.d




+ Scan (13.742-13.831 min, 12 scans) M2504128.d





Name SPRSPO-13-B-20250916
Comment B42339
Data File M2504129.d
Acq. Date-Time 10/10/2025 1:16:46 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	529,495	
Benzene	Benzene-d6 (IS)	8.181	8.181	7,172	
Toluene-d8 (IS)		10.817	10.817	577,899	
Toluene	Toluene-d8 (IS)	10.910	10.910	8,887	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	1,817	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	1,004	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	326	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504129.d




+ Scan (10.767-10.910 min, 21 scans) M2504129.d

**Toluene**


+ EIC (91.1) Scan M2504129.d




+ Scan (10.882-10.950 min, 10 scans) M2504129.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504129.d




+ Scan (13.074-13.128 min, 7 scans) M2504129.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504129.d




+ Scan (13.247-13.338 min, 12 scans) M2504129.d




o-Xylene

+ EIC (91.1) Scan M2504129.d




+ Scan (13.749-13.790 min, 6 scans) M2504129.d





Name SPRSPO-14-S-20250916
Comment C56826
Data File M2504130.d
Acq. Date-Time 10/10/2025 1:43:53 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	528,602	
Benzene	Benzene-d6 (IS)	8.181	8.181	90,930	
Toluene-d8 (IS)		10.817	10.817	566,585	
Toluene	Toluene-d8 (IS)	10.910	10.910	293,887	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	66,181	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	126,739	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	45,242	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504130.d




+ Scan (10.767-10.896 min, 19 scans) M2504130.d

**Toluene**


+ EIC (91.1) Scan M2504130.d




+ Scan (10.867-10.989 min, 18 scans) M2504130.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504130.d




+ Scan (13.067-13.145 min, 11 scans) M2504130.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504130.d




+ Scan (13.231-13.371 min, 20 scans) M2504130.d




o-Xylene

+ EIC (91.1) Scan M2504130.d




+ Scan (13.743-13.819 min, 11 scans) M2504130.d





Name SPRSPO-15-S-20250916
Comment B44982
Data File M2504131.d
Acq. Date-Time 10/10/2025 2:11:08 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	529,525	
Benzene	Benzene-d6 (IS)	8.181	8.181	139,481	
Toluene-d8 (IS)		10.817	10.817	569,824	
Toluene	Toluene-d8 (IS)	10.911	10.910	488,205	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	121,463	
m-/p-Xylenes	Toluene-d8 (IS)	13.282	13.281	235,505	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	94,150	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504131.d




+ Scan (10.767-10.896 min, 19 scans) M2504131.d

**Toluene**


+ EIC (91.1) Scan M2504131.d




+ Scan (10.868-11.004 min, 20 scans) M2504131.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504131.d




+ Scan (13.061-13.167 min, 15 scans) M2504131.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504131.d




+ Scan (13.234-13.382 min, 21 scans) M2504131.d




o-Xylene

+ EIC (91.1) Scan M2504131.d




+ Scan (13.740-13.869 min, 18 scans) M2504131.d





Name SPRSPO-16-S-20250916
Comment C53589
Data File M2504132.d
Acq. Date-Time 10/10/2025 2:38:37 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	526,271	
Benzene	Benzene-d6 (IS)	8.181	8.181	140,909	
Toluene-d8 (IS)		10.817	10.817	566,970	
Toluene	Toluene-d8 (IS)	10.917	10.910	391,908	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	92,614	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	179,565	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	66,895	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504132.d




+ Scan (10.774-10.903 min, 19 scans) M2504132.d

**Toluene**


+ EIC (91.1) Scan M2504132.d




+ Scan (10.863-11.011 min, 21 scans) M2504132.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504132.d




+ Scan (13.059-13.159 min, 14 scans) M2504132.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504132.d




+ Scan (13.238-13.409 min, 24 scans) M2504132.d




o-Xylene

+ EIC (91.1) Scan M2504132.d



+ Scan (13.736-13.854 min, 17 scans) M2504132.d



Initial Calibration



Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GA307-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M082025A_CC185154	Benzene	1	M2502696.d	5.92	75684	55.2	561222	1.258	0.2
M082025A_CC185154	Benzene	2	M2502697.d	11.85	130422	55.2	554079	1.098	0.048
M082025A_CC185154	Benzene	3	M2502698.d	23.69	252996	55.2	547539	1.077	0.029
M082025A_CC185154	Benzene	4	M2502699.d	47.38	478157	55.2	558431	0.998	-0.047
M082025A_CC185154	Benzene	5	M2502700.d	118.45	1160774	55.2	550881	0.983	-0.062
M082025A_CC185154	Benzene	6	M2502701.d	236.90	2358143	55.2	552162	0.996	-0.049
M082025A_CC185154	Benzene	7	M2502702.d	710.71	6445351	55.2	544275	0.920	-0.12
						Avg:	552656	1.047	
						%RSD:	1.1%	10.5%	
M082025A_CC185154	Toluene	1	M2502696.d	5.20	76938	65.2	585441	1.646	0.26
M082025A_CC185154	Toluene	2	M2502697.d	10.40	129237	65.2	571775	1.416	0.087
M082025A_CC185154	Toluene	3	M2502698.d	20.81	248343	65.2	570207	1.364	0.047
M082025A_CC185154	Toluene	4	M2502699.d	41.61	471151	65.2	580345	1.271	-0.024
M082025A_CC185154	Toluene	5	M2502700.d	104.04	1088596	65.2	577595	1.181	-0.094
M082025A_CC185154	Toluene	6	M2502701.d	208.07	2080525	65.2	562329	1.159	-0.11
M082025A_CC185154	Toluene	7	M2502702.d	624.22	5928219	65.2	571127	1.084	-0.17
						Avg:	574117	1.303	
						%RSD:	1.3%	14.7%	
M082025A_CC185154	Ethylbenzene	1	M2502696.d	5.41	76728	65.2	585441	1.580	0.22
M082025A_CC185154	Ethylbenzene	2	M2502697.d	10.81	133657	65.2	571775	1.409	0.084
M082025A_CC185154	Ethylbenzene	3	M2502698.d	21.63	280841	65.2	570207	1.484	0.14
M082025A_CC185154	Ethylbenzene	4	M2502699.d	43.25	512834	65.2	580345	1.332	0.025
M082025A_CC185154	Ethylbenzene	5	M2502700.d	108.13	1132412	65.2	577595	1.182	-0.09
M082025A_CC185154	Ethylbenzene	6	M2502701.d	216.25	2033394	65.2	562329	1.090	-0.16
M082025A_CC185154	Ethylbenzene	7	M2502702.d	648.76	5791459	65.2	571127	1.019	-0.22
						Avg:	574117	1.299	
						%RSD:	1.3%	16.1%	
M082025A_CC185154	m-/p-Xylenes	1	M2502696.d	6.06	58088	65.2	585441	1.067	0.19
M082025A_CC185154	m-/p-Xylenes	2	M2502697.d	12.12	100125	65.2	571775	0.942	0.054
M082025A_CC185154	m-/p-Xylenes	3	M2502698.d	24.24	210310	65.2	570207	0.992	0.11
M082025A_CC185154	m-/p-Xylenes	4	M2502699.d	48.47	389245	65.2	580345	0.902	0.0094
M082025A_CC185154	m-/p-Xylenes	5	M2502700.d	121.18	857683	65.2	577595	0.799	-0.11
M082025A_CC185154	m-/p-Xylenes	6	M2502701.d	242.36	1626714	65.2	562329	0.778	-0.13
M082025A_CC185154	m-/p-Xylenes	7	M2502702.d	727.08	4935623	65.2	571127	0.775	-0.13
						Avg:	574117	0.893	
						%RSD:	1.3%	12.8%	
M082025A_CC185154	o-Xylene	1	M2502696.d	5.63	56197	65.2	585441	1.110	0.23
M082025A_CC185154	o-Xylene	2	M2502697.d	11.27	96596	65.2	571775	0.977	0.079
M082025A_CC185154	o-Xylene	3	M2502698.d	22.54	196421	65.2	570207	0.996	0.1

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GA307-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M082025A_CC185154	o-Xylene	4	M2502699.d	45.08	378598	65.2	580345	0.943	0.042
M082025A_CC185154	o-Xylene	5	M2502700.d	112.70	779998	65.2	577595	0.781	-0.14
M082025A_CC185154	o-Xylene	6	M2502701.d	225.39	1518937	65.2	562329	0.781	-0.14
M082025A_CC185154	o-Xylene	7	M2502702.d	676.17	4437830	65.2	571127	0.749	-0.17
						Avg:	574117	0.905	
						%RSD:	1.3%	15.1%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M082025A_CC185154	Benzene	ICV	M2502706.d	62.78	542642	55.2	563908	0.847	-19.0%
M082025A_CC185154	Toluene	ICV	M2502706.d	74.87	673232	65.2	604286	0.970	-26.0%
M082025A_CC185154	Ethylbenzene	ICV	M2502706.d	84.29	829737	65.2	604286	1.062	-18.0%
M082025A_CC185154	m-/p-Xylenes	ICV	M2502706.d	87.74	723541	65.2	604286	0.889	-0.5%
M082025A_CC185154	o-Xylene	ICV	M2502706.d	86.36	650799	65.2	604286	0.813	-10.0%

M325B PDF Report ver.20250917

Sample Custody



EPA Method 325 A/B
Field Test Data Sheet and
Chain of Custody Record
Page # 1 of # 1

- ☐ Standard Turn Around Time (10 business days)
- ☐ Rush Turn Around Time
- All TATs Subject to Approval by Enthalpy Analytical, Inc.
- Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Page # 1 of # 1

Site Name: Sprague South Portland

Client Name: Montrose Ahr

PO#:

Site Address: 39 Main Street

Project Number: # 027968

Sample Event #

City: South Port Island

Project Manager: Henry Brown

Sorbent:

State Maine

Email Address: hughbrockw@montrose-envi.com

Zip: 04106

Telephone #: 207-441-0025

[illegible]

Relinquished By (printed):

Relinquished By (signature):	

Relinquished Date:

Relinquished Time:

Henry Brown

9/30/2025

1635

Recieved By (printed):

Recieved By (signature):	

Receipt Date:

Receipt Time:

Kaitlyn Caminich

Received By (Signature):
Kaitlyn Carmichael

10/8/25

12:00 PM

Sample Condition Upon Receipt:

Compound List:

Custody Seal intact? Y/N:

Delivery tracking #

Good

Temp:

Blank Temp:

Blank Temp:	22.6	Flnke 4

Add Custody Seal # below:

Add Custody Seal # below:
24609387

Comments:

**This Is The Last Page
Of This Report.**