

QUARTER 4, 2025 FENCELINE MONITORING REPORT FOR GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL

Prepared For:

Global Companies LLC

800 South Street, Suite 500

Waltham, MA 02453

Facility:

Global Companies LLC

1 Clark Road

South Portland, ME 04106

Prepared By:

Montrose Air Quality Services LLC

45 Route 46 East, Suite 601

Pine Brook, NJ 07058

Report Number: **047AA-031333-RT-1144**

Date: **February 12, 2026**

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

The State of Maine promulgated the Chapter 171 regulatory rule, which establishes control, operating, inspection, testing, monitoring recordkeeping, and licensure requirements for petroleum storage facilities pursuant to 38 M.R.S. Section 590(1). Chapter 171 applies to petroleum storage facilities licensed or required to obtain an air emission license pursuant to either Major and Minor Source Air Emission License Regulations, 06-096 C.M.R. ch. 115 or Part 70 Air Emission License Regulation, 06-096 C.M.R. Ch. 140. The Global South Portland Terminal operates under Air Emission License A-432-71-S-R/M issued by the State of Maine Department of Environmental Protection Bureau of Air Quality. The License was issued pursuant to Major and Minor Source Air Emission License Regulations, 06-096 C.M.R. Ch. 115 and is subject to the requirements of Ch. 171. Accordingly, fenceline monitoring for benzene, ethylbenzene, toluene, and xylenes (BTEX) and analyses of the samples in accordance with Appendix A to 40 C.F.R. Part 63.658, i.e., EPA Methods 325A and 325B as amended on 11/14/2018, is required.

The Global Companies LLC South Portland Terminal FLM program began on 8/21/24, in accordance with Chapter 171 Section 6B and the Global Companies LLC So. Portland Terminal Chpt. 171 Fenceline Monitoring Plan, Rev 1, dated 8/9/24 and submitted to MEDEP on 8/20/24.

Reporting Requirements of Section 8, Chapter 171 and Corresponding Report Section		
	Requirement	Report Section
A	Facility name and address	Cover Page
B	Year and reporting quarter	Cover Page
C	For each passive monitor:	
	Latitude and longitude location coordinates	Site Coordinates Page
	Sampler name	FLM Results Page (Numbered name by location, in Sample Location column)
	Identification of type of sampler	FLM Results
D	The beginning and ending dates for each sampling period.	FLM Results
E	Individual sample results in units of micrograms per cubic meter for each monitor for each sampling period that ends during the reporting period. Results below the method detection limit shall be flagged as such and reported at the method detection limit.	FLM Results
F	Meteorological data collected during each sampling period, including wind speed and direction.	Meteorological Data Pages

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING - SUMMARY

Flags:	ND	The analyte was not present above the Method Detection Limit									
	B	Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte									
	D	Sample duration outside 14 +/- 1 days									
	Fe	Field Error. See report narrative for details									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit									
	Z	Sample was not analyzed. See the report narrative for details									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20250917	B44419	0.915		0.288	J,Pc	0.664		0.273	ND	1.75	
GLBSP-2-S-20250917	C59950	0.719		0.422	J,Pc	1.38		0.526	J	2.03	
GLBSP-3-S-20250917	C70561	0.767		0.395	J,Pc	1.27		0.491	J	2.03	
GLBSP-4-S-20250917	C31389	0.803		0.309	J,Pc	0.696		0.273	ND	1.72	
GLBSP-5-S-20250917	B39486	0.746		0.408	J,Pc	1.05		0.403	J	2.02	
GLBSP-5-D-20250917	C43898	0.835		0.62	Pc	1.31		0.488	J	2.44	
GLBSP-5-B-20250917	C53605	0.188	ND	0.273	ND,Pc	0.273	ND	0.273	ND	0.242	ND
GLBSP-6-S-20250917	B16966	1.05		0.326	J,Pc	0.769		0.288	J	1.9	
GLBSP-7-S-20250917	C33272	1.22		0.667	Pc	1.48		0.538	J	2.57	
GLBSP-8-S-20250917	B49485	0.795		0.431	J,Pc	1.07		0.415	J	1.94	
GLBSP-9-S-20250917	B46076	0.727		0.492	J,Pc	1.02		0.39	J	1.78	
GLBSP-10-S-20250917	C35883	0.678		0.376	J,Pc	0.962		0.346	J	1.67	
GLBSP-11-S-20250917	C20556	0.665		0.385	J,Pc	1.19		0.46	J	1.81	
GLBSP-12-S-20250917	C57820	0.576		0.296	J,Pc	0.97		0.366	J	1.47	
GLBSP-13-S-20250917	C43595	0.784		0.506	J,Pc	1.35		0.479	J	2	
GLBSP-14-S-20250917	B29740	0.924		0.523	J,Pc	1.3		0.482	J	2	
GLBSP-14-D-20250917	B52755	0.875		0.528	J,Pc	1.27		0.491	J	2.13	
GLBSP-14-B-20250917	B47818	0.188	ND	0.273	ND,Pc	0.273	ND	0.273	ND	0.242	ND
GLBSP-15-S-20250917	C01494	0.76		0.417	J,Pc	0.942		0.355	J	1.54	
GLBSP-16-S-20250917	B20293	0.967		0.621	Pc	1.34		0.485	J	2.1	
GLBSP-17-S-20250917	C56809	0.498		0.277	J,Pc	0.888		0.335	J	1.37	
GLBSP-1-S-20251001	B31144	1.03		0.733		2.62		0.976		4.06	
GLBSP-2-S-20251001	C40588	0.965		0.855		2.54		0.891		3.99	
GLBSP-3-S-20251001	C00697	1.04		1.01		3.08		1.16		5.06	
GLBSP-4-S-20251001	B38444	1.18		0.641		1.91		0.666		5.3	
GLBSP-5-S-20251001	C14018	1.07		1.03		2.54		0.934		4.49	
GLBSP-5-D-20251001	B52681	1.23		0.897		3.22		1.18		5.37	
GLBSP-5-B-20251001	C32869	0.189	ND	0.275	ND	0.275	ND	0.275	ND	0.244	ND

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING - SUMMARY

Flags:	ND	The analyte was not present above the Method Detection Limit									
	B	Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte									
	D	Sample duration outside 14 +/- 1 days									
	Fe	Field Error. See report narrative for details									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit									
	Z	Sample was not analyzed. See the report narrative for details									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-6-S-20251001	C36969	1.04		0.886		2.97		1.1		5.11	
GLBSP-7-S-20251001	C40689	1.6		1.19		4.01		1.48		6.18	
GLBSP-8-S-20251001	B49568	1.13		0.958		3.14		1.16		5.14	
GLBSP-9-S-20251001	B45007	1.2		1.06		2.92		1.09		5.1	
GLBSP-10-S-20251001	C55694	0.868		0.692		2.51		0.896		4.26	
GLBSP-11-S-20251001	C33469	1		1.11		3.69		1.39		5.28	
GLBSP-12-S-20251001	B45055	0.925		0.806		2.53		0.923		3.96	
GLBSP-13-S-20251001	C01364	1.11		0.821		2.8		0.99		4.4	
GLBSP-14-S-20251001	C34147	1.12		1.06		3.26		1.19		4.75	
GLBSP-14-D-20251001	B30672	1.23		1.14		3.31		1.2		5	
GLBSP-14-B-20251001	C69497	0.189	ND	0.275	ND	0.275	ND	0.275	ND	0.244	ND
GLBSP-15-S-20251001	C55458	0.952		1.04		3.49		1.3		4.8	
GLBSP-16-S-20251001	C69431	0.804		0.707		2.67		0.953		3.72	
GLBSP-17-S-20251001	C01463	0.825		0.738		2.25		0.799		3.59	
GLBSP-1-S-20251015	C70907	1.55		1.7		5.94		2.03		11.7	
GLBSP-2-S-20251015	C70200	1.68		1.71		5.64		1.86		10.2	
GLBSP-3-S-20251015	C40633	2.03		2.37		6.28		2.01		14.6	
GLBSP-4-S-20251015	C56790	1.61		1.68		5.26		1.68		10.4	
GLBSP-5-S-20251015	C43708	2.04		2.03		5.3		1.81		11	
GLBSP-5-D-20251015	C43701	1.76		1.85		5.58		1.91		12.5	
GLBSP-5-B-20251015	C70191	0.19	ND	0.277	ND	0.277	ND	0.277	ND	0.245	ND
GLBSP-6-S-20251015	C59925	1.56		1.8		6.07		1.96		12.8	
GLBSP-7-S-20251015	C55413	2.02		2.11		7		2.27		13.8	
GLBSP-8-S-20251015	C68627	1.84		1.88		6.42		2.11		13.1	
GLBSP-9-S-20251015	C40185	1.43		1.63		3.9		1.38		8.57	
GLBSP-10-S-20251015	C43215	2.15		2.5		5.89		1.93		14.5	
GLBSP-11-S-20251015	C37420	2.11		2.45		6.59		2.18		15.6	
GLBSP-12-S-20251015	C43677	2.16		2.27		6.99		2.35		14.8	

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING - SUMMARY

Flags:	ND	The analyte was not present above the Method Detection Limit									
	B	Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte									
	D	Sample duration outside 14 +/- 1 days									
	Fe	Field Error. See report narrative for details									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit									
	Z	Sample was not analyzed. See the report narrative for details									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag
GLBSP-13-S-20251015	C59942	1.41		1.64		5.47		1.77		9	
GLBSP-14-S-20251015	C53650	1.7		2.49		5.72		2.08		10.7	
GLBSP-14-D-20251015	C20499	1.82		1.99		5.01		1.73		9.79	
GLBSP-14-B-20251015	C69619	0.19	ND	0.277	ND	0.277	ND	0.277	ND	0.245	ND
GLBSP-15-S-20251015	C61634	1.67		1.88		6.41		2.21		11.8	
GLBSP-16-S-20251015	C55465	1.21		1.4		4.9		1.68		9.06	
GLBSP-17-S-20251015	C57746	1.42		1.55		5.2		1.81		8.96	
GLBSP-1-S-20251029	C40124	1.17	P	1.28		3.71		1.51		4.02	P
GLBSP-2-S-20251029	C01699	1.28	P	0.692		1.49		0.583	J	2.97	B,P
GLBSP-3-S-20251029	C70573	1.43	P	0.905		2.85		1.25		3.93	P
GLBSP-4-S-20251029	B14648	1.23	P	1.2		3.17		1.42		4.14	P
GLBSP-5-S-20251029	B48573	1.13	P	1.01		2.91		1.29		3.45	P
GLBSP-5-D-20251029	B48054	1.75	P	1.12		2.64		1.07		8.14	P
GLBSP-5-B-20251029	B15749	0.43	J,P	0.278	ND	0.278	ND	0.278	ND	0.513	P
GLBSP-6-S-20251029	C68610	1.06	P	0.763		2.59		1.14		3.34	B,P
GLBSP-7-S-20251029	C68623	1.23	P	0.774		2.39		0.909		3.24	B,P
GLBSP-8-S-20251029	C17182	1.24	P	0.895		2.58		1.14		3.2	B,P
GLBSP-9-S-20251029	C40153	1.15	P	1.21		2.6		1.05		3.43	B,P
GLBSP-10-S-20251029	C43638	0.969	P	0.919		2.21		0.961		3.08	B,P
GLBSP-11-S-20251029	C43324	0.896	P	0.967		3.26		1.38		3.12	B,P
GLBSP-12-S-20251029	C68595	1.28	P	1.05		3.12		1.19		14.7	P
GLBSP-13-S-20251029	C24261	1.17	P	1.18		3.47		1.49		4.01	P
GLBSP-14-S-20251029	B18733	1.26	P	1.38		3.44		1.39		4.34	P
GLBSP-14-D-20251029	C33257	1.2	P	1.57		3.67		1.52		4.26	P
GLBSP-14-B-20251029	C35870	0.465	P	0.318	J	0.595	J	0.278	ND	1.15	P
GLBSP-15-S-20251029	C53574	0.899	P	1.08		3.2		1.34		3.32	B,P
GLBSP-16-S-20251029	C43211	1.02	P	0.985		2.46		0.951		3.18	B,P
GLBSP-17-S-20251029	C57734	0.94	P	0.857		2.86		1.17		4.43	P

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING - SUMMARY

Flags:	ND	The analyte was not present above the Method Detection Limit									
	B	Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte									
	D	Sample duration outside 14 +/- 1 days									
	Fe	Field Error. See report narrative for details									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit									
	Z	Sample was not analyzed. See the report narrative for details									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20251112	C33422	1.06		0.908		2.96		1.12		3.08	
GLBSP-2-S-20251112	B46119	1.15		0.802		2.11		0.826		3.02	
GLBSP-3-S-20251112	C16131	1.35		0.892		2.91		1.25		3.78	
GLBSP-4-S-20251112	C56791	1.31		0.983		4.14		1.67		5.23	
GLBSP-5-S-20251112	B18404	1.41		0.944		2.9		1.14		3.97	
GLBSP-5-D-20251112	C43363	1.68		0.959		2.72		1.09		4.6	
GLBSP-5-B-20251112	B27971	0.203	ND	0.295	ND	0.295	ND	0.295	ND	0.261	ND
GLBSP-7-S-20251112	C31358	1.69		0.807		2.14		0.873		3.8	
GLBSP-8-S-20251112	C40167	1.35		1.02		2.97		1.11		3.6	
GLBSP-9-S-20251112	C43207	1.14		0.633		1.78		0.702		2.63	
GLBSP-10-S-20251112	C56886	1.21		0.738		2.31		0.929		3.29	
GLBSP-11-S-20251112	C33469	1.09		0.713		2.23		0.877		2.89	
GLBSP-12-S-20251112	C40132	1.17		0.695		1.89		0.681		2.66	
GLBSP-13-S-20251112	C01854	1.43		1.21		3.25		1.23		4.01	
GLBSP-14-S-20251112	C32746	1.27		0.943		2.73		1.03		3.34	
GLBSP-14-D-20251112	C01303	1.25		0.962		3.05		1.25		3.47	
GLBSP-14-B-20251112	C39020	0.227	J	0.296	ND	0.338	J	0.296	ND	0.626	
GLBSP-15-S-20251112	C17124	1.69		0.748		1.94		0.739		3.3	
GLBSP-16-S-20251112	C53601	0.95		0.593	J	1.8		0.722		2.18	
GLBSP-17-S-20251112	C57423	0.911		0.538	J	1.86		0.694		2.09	
GLBSP-1-S-20251125	C67357	0.789		0.351	J,Pc	1.07		0.419	J	1.63	
GLBSP-2-S-20251125	C71650	0.912		0.414	J,Pc	1.29		0.515	J	2.01	
GLBSP-3-S-20251125	C69715	0.91		0.439	J,Pc	1.38		0.528	J	2.05	
GLBSP-4-S-20251125	B46098	0.847		0.344	J,Pc	0.913		0.347	J	1.88	
GLBSP-5-S-20251125	C32866	1.13		0.546	J,Pc	1.06		0.393	J	2.2	
GLBSP-5-D-20251125	C70201	0.916		0.401	J,Pc	1.22		0.464	J	2.15	
GLBSP-5-B-20251125	C43337	0.195	ND	0.284	ND,Pc	0.284	ND	0.284	ND	0.252	ND
GLBSP-7-S-20251125	C61490	1.27		0.493	J,Pc	1.53		0.594	J	2.59	

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING - SUMMARY

Flags:	ND	The analyte was not present above the Method Detection Limit									
	B	Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte									
	D	Sample duration outside 14 +/- 1 days									
	Fe	Field Error. See report narrative for details									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit									
	Z	Sample was not analyzed. See the report narrative for details									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-8-S-20251125	B43124	0.951		0.441	J,Pc	1.15		0.467	J	2.16	
GLBSP-9-S-20251125	B51064	0.944		0.294	J,Pc	0.716		0.285	ND	1.69	
GLBSP-10-S-20251125	C43913	0.836		0.351	J,Pc	1.08		0.413	J	1.92	
GLBSP-11-S-20251125	B29387	0.799		0.34	J,Pc	0.85		0.322	J	1.71	
GLBSP-12-S-20251125	C70140	0.96		0.412	J,Pc	1.21		0.478	J	2	
GLBSP-13-S-20251125	C71717	1.03		0.684	Pc	2.21		0.825		2.33	
GLBSP-14-S-20251125	C37056	0.949		0.459	J,Pc	1.05		0.405	J	2.02	
GLBSP-14-D-20251125	C01396	1.02		0.471	J,Pc	1.14		0.443	J	2.16	
GLBSP-14-B-20251125	C69595	0.196	ND	0.285	ND,Pc	0.285	ND	0.285	ND	0.252	ND
GLBSP-15-S-20251125	C71655	0.825		0.306	J,Pc	0.914		0.383	J	1.71	
GLBSP-16-S-20251125	C71680	0.799		0.329	J,Pc	1.01		0.399	J	1.5	
GLBSP-17-S-20251125	C57696	0.655		0.285	ND,Pc	0.838		0.326	J	1.78	
GLBSP-1-S-20251209	C70578	0.99		0.303	ND,Pc	0.802	Pc	0.303	ND,Pc	5.56	P
GLBSP-2-S-20251209	C17142	0.794		0.303	ND,Pc	0.427	J,Pc	0.303	ND,Pc	1.38	P
GLBSP-3-S-20251209	C57536	0.741		0.303	ND,Pc	0.682	J,Pc	0.303	ND,Pc	1.3	P
GLBSP-4-S-20251209	C01937	0.856		0.303	ND,Pc	0.484	J,Pc	0.303	ND,Pc	1.57	P
GLBSP-5-S-20251209	C35777	0.678		0.303	ND,Pc	0.429	J,Pc	0.303	ND,Pc	1.05	P
GLBSP-5-D-20251209	C01485	0.79		0.303	ND,Pc	0.489	J,Pc	0.303	ND,Pc	1.26	P
GLBSP-5-B-20251209	B53234	0.208	ND	0.303	ND,Pc	0.303	ND,Pc	0.303	ND,Pc	0.268	ND,P
GLBSP-6-S-20251209	B46962	0.843		0.303	ND,Pc	0.386	J,Pc	0.303	ND,Pc	1.65	P
GLBSP-7-S-20251209	B49438	1.07		0.332	J,Pc	0.723	J,Pc	0.303	ND,Pc	2.61	P
GLBSP-8-S-20251209	C61499	0.831		0.304	ND,Pc	0.719	J,Pc	0.304	ND,Pc	1.73	P
GLBSP-9-S-20251209	C55346	0.823		0.303	ND,Pc	0.516	J,Pc	0.303	ND,Pc	1.85	P
GLBSP-10-S-20251209	C55767	0.918		0.303	ND,Pc	0.696	J,Pc	0.303	ND,Pc	2.53	P
GLBSP-11-S-20251209	C24097	0.84		0.303	ND,Pc	0.632	J,Pc	0.303	ND,Pc	1.59	P
GLBSP-12-S-20251209	C56863	0.929		0.471	J,Pc	0.809	Pc	0.329	J,Pc	2.25	P
GLBSP-13-S-20251209	C57399	1.21		0.562	J,Pc	1.32	Pc	0.49	J,Pc	5.16	P
GLBSP-14-S-20251209	C33484	0.921		0.303	J,Pc	0.806	Pc	0.303	ND,Pc	1.62	P

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING - SUMMARY

Flags:	ND	The analyte was not present above the Method Detection Limit									
	B	Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte									
	D	Sample duration outside 14 +/- 1 days									
	Fe	Field Error. See report narrative for details									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit									
	Z	Sample was not analyzed. See the report narrative for details									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-14-D-20251209	C71692	1.08		0.506	J,Pc	1.32	Pc	0.507	J,Pc	4.73	P
GLBSP-14-B-20251209	C20587	0.208	ND	0.303	ND,Pc	0.303	ND,Pc	0.303	ND,Pc	0.268	ND,P
GLBSP-15-S-20251209	C61654	0.599		0.303	ND,Pc	0.45	J,Pc	0.303	ND,Pc	1.65	P
GLBSP-16-S-20251209	C43623	0.634		0.303	ND,Pc	0.348	J,Pc	0.303	ND,Pc	1.43	P
GLBSP-17-S-20251209	C35816	0.587		0.303	ND,Pc	0.322	J,Pc	0.303	ND,Pc	2.21	P
Quarter 4, 2025 Maximum		2.16		2.5		7		2.35		15.6	
Quarter 4, 2025 Average		1.106		0.837		2.42		0.907		4.31	
Rolling Annual Maximum		3.37		29.0		124		37.6		28.4	
Rolling Annual Average		1.15		2.01		7.59		2.44		4.06	

GLOBAL PARTNERS – SOUTH PORTLAND TERMINAL
FLM MONITORING RESULTS
SAMPLE EVENTS 9-17-25 THROUGH 12-22-25

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-1-S-20250917	1	Benzene	Sample	0.915	ug/m3	0.188	ug/m3		Y	9/17/2025	09:30	10/1/2025	09:45
GLBSP-1-S-20250917	1	Ethylbenzene	Sample	0.288	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	09:30	10/1/2025	09:45
GLBSP-1-S-20250917	1	m-/p-Xylenes	Sample	0.664	ug/m3	0.273	ug/m3		Y	9/17/2025	09:30	10/1/2025	09:45
GLBSP-1-S-20250917	1	o-Xylene	Sample	<0.273	ug/m3	0.273	ug/m3	ND	N	9/17/2025	09:30	10/1/2025	09:45
GLBSP-1-S-20250917	1	Toluene	Sample	1.75	ug/m3	0.242	ug/m3		Y	9/17/2025	09:30	10/1/2025	09:45
GLBSP-2-S-20250917	2	Benzene	Sample	0.719	ug/m3	0.188	ug/m3		Y	9/17/2025	09:40	10/1/2025	09:55
GLBSP-2-S-20250917	2	Ethylbenzene	Sample	0.422	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	09:40	10/1/2025	09:55
GLBSP-2-S-20250917	2	m-/p-Xylenes	Sample	1.38	ug/m3	0.273	ug/m3		Y	9/17/2025	09:40	10/1/2025	09:55
GLBSP-2-S-20250917	2	o-Xylene	Sample	0.526	ug/m3	0.273	ug/m3	J	Y	9/17/2025	09:40	10/1/2025	09:55
GLBSP-2-S-20250917	2	Toluene	Sample	2.03	ug/m3	0.242	ug/m3		Y	9/17/2025	09:40	10/1/2025	09:55
GLBSP-3-S-20250917	3	Benzene	Sample	0.767	ug/m3	0.188	ug/m3		Y	9/17/2025	09:50	10/1/2025	10:05
GLBSP-3-S-20250917	3	Ethylbenzene	Sample	0.395	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	09:50	10/1/2025	10:05
GLBSP-3-S-20250917	3	m-/p-Xylenes	Sample	1.27	ug/m3	0.273	ug/m3		Y	9/17/2025	09:50	10/1/2025	10:05
GLBSP-3-S-20250917	3	o-Xylene	Sample	0.491	ug/m3	0.273	ug/m3	J	Y	9/17/2025	09:50	10/1/2025	10:05
GLBSP-3-S-20250917	3	Toluene	Sample	2.03	ug/m3	0.242	ug/m3		Y	9/17/2025	09:50	10/1/2025	10:05
GLBSP-4-S-20250917	4	Benzene	Sample	0.803	ug/m3	0.188	ug/m3		Y	9/17/2025	10:00	10/1/2025	10:15
GLBSP-4-S-20250917	4	Ethylbenzene	Sample	0.309	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	10:00	10/1/2025	10:15
GLBSP-4-S-20250917	4	m-/p-Xylenes	Sample	0.696	ug/m3	0.273	ug/m3		Y	9/17/2025	10:00	10/1/2025	10:15
GLBSP-4-S-20250917	4	o-Xylene	Sample	<0.273	ug/m3	0.273	ug/m3	ND	N	9/17/2025	10:00	10/1/2025	10:15
GLBSP-4-S-20250917	4	Toluene	Sample	1.72	ug/m3	0.242	ug/m3		Y	9/17/2025	10:00	10/1/2025	10:15
GLBSP-5-S-20250917	5	Benzene	Sample	0.746	ug/m3	0.188	ug/m3		Y	9/17/2025	10:10	10/1/2025	10:30
GLBSP-5-S-20250917	5	Ethylbenzene	Sample	0.408	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	10:10	10/1/2025	10:30
GLBSP-5-S-20250917	5	m-/p-Xylenes	Sample	1.05	ug/m3	0.273	ug/m3		Y	9/17/2025	10:10	10/1/2025	10:30
GLBSP-5-S-20250917	5	o-Xylene	Sample	0.403	ug/m3	0.273	ug/m3	J	Y	9/17/2025	10:10	10/1/2025	10:30
GLBSP-5-S-20250917	5	Toluene	Sample	2.02	ug/m3	0.242	ug/m3		Y	9/17/2025	10:10	10/1/2025	10:30
GLBSP-5-D-20250917	5	Benzene	Duplicate	0.835	ug/m3	0.188	ug/m3		Y	9/17/2025	10:10	10/1/2025	10:30
GLBSP-5-D-20250917	5	Ethylbenzene	Duplicate	0.62	ug/m3	0.273	ug/m3	Pc	Y	9/17/2025	10:10	10/1/2025	10:30
GLBSP-5-D-20250917	5	m-/p-Xylenes	Duplicate	1.31	ug/m3	0.273	ug/m3		Y	9/17/2025	10:10	10/1/2025	10:30
GLBSP-5-D-20250917	5	o-Xylene	Duplicate	0.488	ug/m3	0.273	ug/m3	J	Y	9/17/2025	10:10	10/1/2025	10:30
GLBSP-5-D-20250917	5	Toluene	Duplicate	2.44	ug/m3	0.242	ug/m3		Y	9/17/2025	10:10	10/1/2025	10:30
GLBSP-5-B-20250917	5	Benzene	Blank	<0.188	ug/m3	0.188	ug/m3	ND	N	9/17/2025	10:10	10/1/2025	10:30
GLBSP-5-B-20250917	5	Ethylbenzene	Blank	<0.273	ug/m3	0.273	ug/m3	ND,Pc	N	9/17/2025	10:10	10/1/2025	10:30

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-5-B-20250917	5	m-/p-Xylenes	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	9/17/2025	10:10	10/1/2025	10:30
GLBSP-5-B-20250917	5	o-Xylene	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	9/17/2025	10:10	10/1/2025	10:30
GLBSP-5-B-20250917	5	Toluene	Blank	<0.242	ug/m3	0.242	ug/m3	ND	N	9/17/2025	10:10	10/1/2025	10:30
GLBSP-6-S-20250917	6	Benzene	Sample	1.05	ug/m3	0.188	ug/m3		Y	9/17/2025	10:20	10/1/2025	10:40
GLBSP-6-S-20250917	6	Ethylbenzene	Sample	0.326	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	10:20	10/1/2025	10:40
GLBSP-6-S-20250917	6	m-/p-Xylenes	Sample	0.769	ug/m3	0.273	ug/m3		Y	9/17/2025	10:20	10/1/2025	10:40
GLBSP-6-S-20250917	6	o-Xylene	Sample	0.288	ug/m3	0.273	ug/m3	J	Y	9/17/2025	10:20	10/1/2025	10:40
GLBSP-6-S-20250917	6	Toluene	Sample	1.9	ug/m3	0.242	ug/m3		Y	9/17/2025	10:20	10/1/2025	10:40
GLBSP-7-S-20250917	7	Benzene	Sample	1.22	ug/m3	0.188	ug/m3		Y	9/17/2025	10:30	10/1/2025	10:50
GLBSP-7-S-20250917	7	Ethylbenzene	Sample	0.667	ug/m3	0.273	ug/m3	Pc	Y	9/17/2025	10:30	10/1/2025	10:50
GLBSP-7-S-20250917	7	m-/p-Xylenes	Sample	1.48	ug/m3	0.273	ug/m3		Y	9/17/2025	10:30	10/1/2025	10:50
GLBSP-7-S-20250917	7	o-Xylene	Sample	0.538	ug/m3	0.273	ug/m3	J	Y	9/17/2025	10:30	10/1/2025	10:50
GLBSP-7-S-20250917	7	Toluene	Sample	2.57	ug/m3	0.242	ug/m3		Y	9/17/2025	10:30	10/1/2025	10:50
GLBSP-8-S-20250917	8	Benzene	Sample	0.795	ug/m3	0.188	ug/m3		Y	9/17/2025	10:40	10/1/2025	11:00
GLBSP-8-S-20250917	8	Ethylbenzene	Sample	0.431	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	10:40	10/1/2025	11:00
GLBSP-8-S-20250917	8	m-/p-Xylenes	Sample	1.07	ug/m3	0.273	ug/m3		Y	9/17/2025	10:40	10/1/2025	11:00
GLBSP-8-S-20250917	8	o-Xylene	Sample	0.415	ug/m3	0.273	ug/m3	J	Y	9/17/2025	10:40	10/1/2025	11:00
GLBSP-8-S-20250917	8	Toluene	Sample	1.94	ug/m3	0.242	ug/m3		Y	9/17/2025	10:40	10/1/2025	11:00
GLBSP-9-S-20250917	9	Benzene	Sample	0.727	ug/m3	0.188	ug/m3		Y	9/17/2025	10:50	10/1/2025	11:10
GLBSP-9-S-20250917	9	Ethylbenzene	Sample	0.492	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	10:50	10/1/2025	11:10
GLBSP-9-S-20250917	9	m-/p-Xylenes	Sample	1.02	ug/m3	0.273	ug/m3		Y	9/17/2025	10:50	10/1/2025	11:10
GLBSP-9-S-20250917	9	o-Xylene	Sample	0.39	ug/m3	0.273	ug/m3	J	Y	9/17/2025	10:50	10/1/2025	11:10
GLBSP-9-S-20250917	9	Toluene	Sample	1.78	ug/m3	0.242	ug/m3		Y	9/17/2025	10:50	10/1/2025	11:10
GLBSP-10-S-20250917	10	Benzene	Sample	0.678	ug/m3	0.188	ug/m3		Y	9/17/2025	11:00	10/1/2025	11:20
GLBSP-10-S-20250917	10	Ethylbenzene	Sample	0.376	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	11:00	10/1/2025	11:20
GLBSP-10-S-20250917	10	m-/p-Xylenes	Sample	0.962	ug/m3	0.273	ug/m3		Y	9/17/2025	11:00	10/1/2025	11:20
GLBSP-10-S-20250917	10	o-Xylene	Sample	0.346	ug/m3	0.273	ug/m3	J	Y	9/17/2025	11:00	10/1/2025	11:20
GLBSP-10-S-20250917	10	Toluene	Sample	1.67	ug/m3	0.242	ug/m3		Y	9/17/2025	11:00	10/1/2025	11:20
GLBSP-11-S-20250917	11	Benzene	Sample	0.665	ug/m3	0.188	ug/m3		Y	9/17/2025	11:10	10/1/2025	11:30
GLBSP-11-S-20250917	11	Ethylbenzene	Sample	0.385	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	11:10	10/1/2025	11:30
GLBSP-11-S-20250917	11	m-/p-Xylenes	Sample	1.19	ug/m3	0.273	ug/m3		Y	9/17/2025	11:10	10/1/2025	11:30
GLBSP-11-S-20250917	11	o-Xylene	Sample	0.46	ug/m3	0.273	ug/m3	J	Y	9/17/2025	11:10	10/1/2025	11:30

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-11-S-20250917	11	Toluene	Sample	1.81	ug/m3	0.242	ug/m3		Y	9/17/2025	11:10	10/1/2025	11:30
GLBSP-12-S-20250917	12	Benzene	Sample	0.576	ug/m3	0.188	ug/m3		Y	9/17/2025	11:20	10/1/2025	11:40
GLBSP-12-S-20250917	12	Ethylbenzene	Sample	0.296	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	11:20	10/1/2025	11:40
GLBSP-12-S-20250917	12	m-/p-Xylenes	Sample	0.97	ug/m3	0.273	ug/m3		Y	9/17/2025	11:20	10/1/2025	11:40
GLBSP-12-S-20250917	12	o-Xylene	Sample	0.366	ug/m3	0.273	ug/m3	J	Y	9/17/2025	11:20	10/1/2025	11:40
GLBSP-12-S-20250917	12	Toluene	Sample	1.47	ug/m3	0.242	ug/m3		Y	9/17/2025	11:20	10/1/2025	11:40
GLBSP-13-S-20250917	13	Benzene	Sample	0.784	ug/m3	0.188	ug/m3		Y	9/17/2025	11:30	10/1/2025	11:50
GLBSP-13-S-20250917	13	Ethylbenzene	Sample	0.506	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	11:30	10/1/2025	11:50
GLBSP-13-S-20250917	13	m-/p-Xylenes	Sample	1.35	ug/m3	0.273	ug/m3		Y	9/17/2025	11:30	10/1/2025	11:50
GLBSP-13-S-20250917	13	o-Xylene	Sample	0.479	ug/m3	0.273	ug/m3	J	Y	9/17/2025	11:30	10/1/2025	11:50
GLBSP-13-S-20250917	13	Toluene	Sample	2	ug/m3	0.242	ug/m3		Y	9/17/2025	11:30	10/1/2025	11:50
GLBSP-14-S-20250917	14	Benzene	Sample	0.924	ug/m3	0.188	ug/m3		Y	9/17/2025	11:40	10/1/2025	12:00
GLBSP-14-S-20250917	14	Ethylbenzene	Sample	0.523	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	11:40	10/1/2025	12:00
GLBSP-14-S-20250917	14	m-/p-Xylenes	Sample	1.3	ug/m3	0.273	ug/m3		Y	9/17/2025	11:40	10/1/2025	12:00
GLBSP-14-S-20250917	14	o-Xylene	Sample	0.482	ug/m3	0.273	ug/m3	J	Y	9/17/2025	11:40	10/1/2025	12:00
GLBSP-14-S-20250917	14	Toluene	Sample	2	ug/m3	0.242	ug/m3		Y	9/17/2025	11:40	10/1/2025	12:00
GLBSP-14-D-20250917	14	Benzene	Duplicate	0.875	ug/m3	0.188	ug/m3		Y	9/17/2025	11:40	10/1/2025	12:00
GLBSP-14-D-20250917	14	Ethylbenzene	Duplicate	0.528	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	11:40	10/1/2025	12:00
GLBSP-14-D-20250917	14	m-/p-Xylenes	Duplicate	1.27	ug/m3	0.273	ug/m3		Y	9/17/2025	11:40	10/1/2025	12:00
GLBSP-14-D-20250917	14	o-Xylene	Duplicate	0.491	ug/m3	0.273	ug/m3	J	Y	9/17/2025	11:40	10/1/2025	12:00
GLBSP-14-D-20250917	14	Toluene	Duplicate	2.13	ug/m3	0.242	ug/m3		Y	9/17/2025	11:40	10/1/2025	12:00
GLBSP-14-B-20250917	14	Benzene	Blank	<0.188	ug/m3	0.188	ug/m3	ND	N	9/17/2025	11:40	10/1/2025	12:00
GLBSP-14-B-20250917	14	Ethylbenzene	Blank	<0.273	ug/m3	0.273	ug/m3	ND,Pc	N	9/17/2025	11:40	10/1/2025	12:00
GLBSP-14-B-20250917	14	m-/p-Xylenes	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	9/17/2025	11:40	10/1/2025	12:00
GLBSP-14-B-20250917	14	o-Xylene	Blank	<0.273	ug/m3	0.273	ug/m3	ND	N	9/17/2025	11:40	10/1/2025	12:00
GLBSP-14-B-20250917	14	Toluene	Blank	<0.242	ug/m3	0.242	ug/m3	ND	N	9/17/2025	11:40	10/1/2025	12:00
GLBSP-15-S-20250917	15	Benzene	Sample	0.76	ug/m3	0.188	ug/m3		Y	9/17/2025	11:50	10/1/2025	12:10
GLBSP-15-S-20250917	15	Ethylbenzene	Sample	0.417	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	11:50	10/1/2025	12:10
GLBSP-15-S-20250917	15	m-/p-Xylenes	Sample	0.942	ug/m3	0.273	ug/m3		Y	9/17/2025	11:50	10/1/2025	12:10
GLBSP-15-S-20250917	15	o-Xylene	Sample	0.355	ug/m3	0.273	ug/m3	J	Y	9/17/2025	11:50	10/1/2025	12:10
GLBSP-15-S-20250917	15	Toluene	Sample	1.54	ug/m3	0.242	ug/m3		Y	9/17/2025	11:50	10/1/2025	12:10
GLBSP-16-S-20250917	16	Benzene	Sample	0.967	ug/m3	0.188	ug/m3		Y	9/17/2025	12:00	10/1/2025	12:20

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-16-S-20250917	16	Ethylbenzene	Sample	0.621	ug/m3	0.273	ug/m3	Pc	Y	9/17/2025	12:00	10/1/2025	12:20
GLBSP-16-S-20250917	16	m-/p-Xylenes	Sample	1.34	ug/m3	0.273	ug/m3		Y	9/17/2025	12:00	10/1/2025	12:20
GLBSP-16-S-20250917	16	o-Xylene	Sample	0.485	ug/m3	0.273	ug/m3	J	Y	9/17/2025	12:00	10/1/2025	12:20
GLBSP-16-S-20250917	16	Toluene	Sample	2.1	ug/m3	0.242	ug/m3		Y	9/17/2025	12:00	10/1/2025	12:20
GLBSP-17-S-20250917	17	Benzene	Sample	0.498	ug/m3	0.188	ug/m3		Y	9/17/2025	12:10	10/1/2025	12:30
GLBSP-17-S-20250917	17	Ethylbenzene	Sample	0.277	ug/m3	0.273	ug/m3	J,Pc	Y	9/17/2025	12:10	10/1/2025	12:30
GLBSP-17-S-20250917	17	m-/p-Xylenes	Sample	0.888	ug/m3	0.273	ug/m3		Y	9/17/2025	12:10	10/1/2025	12:30
GLBSP-17-S-20250917	17	o-Xylene	Sample	0.335	ug/m3	0.273	ug/m3	J	Y	9/17/2025	12:10	10/1/2025	12:30
GLBSP-17-S-20250917	17	Toluene	Sample	1.37	ug/m3	0.242	ug/m3		Y	9/17/2025	12:10	10/1/2025	12:30
GLBSP-1-S-20251001	1	Benzene	Sample	1.03	ug/m3	0.189	ug/m3		Y	10/1/2025	09:45	10/15/2025	09:30
GLBSP-1-S-20251001	1	Ethylbenzene	Sample	0.733	ug/m3	0.275	ug/m3		Y	10/1/2025	09:45	10/15/2025	09:30
GLBSP-1-S-20251001	1	m-/p-Xylenes	Sample	2.62	ug/m3	0.275	ug/m3		Y	10/1/2025	09:45	10/15/2025	09:30
GLBSP-1-S-20251001	1	o-Xylene	Sample	0.976	ug/m3	0.275	ug/m3		Y	10/1/2025	09:45	10/15/2025	09:30
GLBSP-1-S-20251001	1	Toluene	Sample	4.06	ug/m3	0.243	ug/m3		Y	10/1/2025	09:45	10/15/2025	09:30
GLBSP-2-S-20251001	2	Benzene	Sample	0.965	ug/m3	0.189	ug/m3		Y	10/1/2025	09:55	10/15/2025	09:40
GLBSP-2-S-20251001	2	Ethylbenzene	Sample	0.855	ug/m3	0.275	ug/m3		Y	10/1/2025	09:55	10/15/2025	09:40
GLBSP-2-S-20251001	2	m-/p-Xylenes	Sample	2.54	ug/m3	0.275	ug/m3		Y	10/1/2025	09:55	10/15/2025	09:40
GLBSP-2-S-20251001	2	o-Xylene	Sample	0.891	ug/m3	0.275	ug/m3		Y	10/1/2025	09:55	10/15/2025	09:40
GLBSP-2-S-20251001	2	Toluene	Sample	3.99	ug/m3	0.243	ug/m3		Y	10/1/2025	09:55	10/15/2025	09:40
GLBSP-3-S-20251001	3	Benzene	Sample	1.04	ug/m3	0.189	ug/m3		Y	10/1/2025	10:05	10/15/2025	09:50
GLBSP-3-S-20251001	3	Ethylbenzene	Sample	1.01	ug/m3	0.275	ug/m3		Y	10/1/2025	10:05	10/15/2025	09:50
GLBSP-3-S-20251001	3	m-/p-Xylenes	Sample	3.08	ug/m3	0.275	ug/m3		Y	10/1/2025	10:05	10/15/2025	09:50
GLBSP-3-S-20251001	3	o-Xylene	Sample	1.16	ug/m3	0.275	ug/m3		Y	10/1/2025	10:05	10/15/2025	09:50
GLBSP-3-S-20251001	3	Toluene	Sample	5.06	ug/m3	0.243	ug/m3		Y	10/1/2025	10:05	10/15/2025	09:50
GLBSP-4-S-20251001	4	Benzene	Sample	1.18	ug/m3	0.189	ug/m3		Y	10/1/2025	10:15	10/15/2025	10:00
GLBSP-4-S-20251001	4	Ethylbenzene	Sample	0.641	ug/m3	0.275	ug/m3		Y	10/1/2025	10:15	10/15/2025	10:00
GLBSP-4-S-20251001	4	m-/p-Xylenes	Sample	1.91	ug/m3	0.275	ug/m3		Y	10/1/2025	10:15	10/15/2025	10:00
GLBSP-4-S-20251001	4	o-Xylene	Sample	0.666	ug/m3	0.275	ug/m3		Y	10/1/2025	10:15	10/15/2025	10:00
GLBSP-4-S-20251001	4	Toluene	Sample	5.3	ug/m3	0.243	ug/m3		Y	10/1/2025	10:15	10/15/2025	10:00
GLBSP-5-S-20251001	5	Benzene	Sample	1.07	ug/m3	0.189	ug/m3		Y	10/1/2025	10:30	10/15/2025	10:10
GLBSP-5-S-20251001	5	Ethylbenzene	Sample	1.03	ug/m3	0.275	ug/m3		Y	10/1/2025	10:30	10/15/2025	10:10
GLBSP-5-S-20251001	5	m-/p-Xylenes	Sample	2.54	ug/m3	0.275	ug/m3		Y	10/1/2025	10:30	10/15/2025	10:10

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-5-S-20251001	5	o-Xylene	Sample	0.934	ug/m3	0.275	ug/m3		Y	10/1/2025	10:30	10/15/2025	10:10
GLBSP-5-S-20251001	5	Toluene	Sample	4.49	ug/m3	0.244	ug/m3		Y	10/1/2025	10:30	10/15/2025	10:10
GLBSP-5-D-20251001	5	Benzene	Duplicate	1.23	ug/m3	0.189	ug/m3		Y	10/1/2025	10:30	10/15/2025	10:10
GLBSP-5-D-20251001	5	Ethylbenzene	Duplicate	0.897	ug/m3	0.275	ug/m3		Y	10/1/2025	10:30	10/15/2025	10:10
GLBSP-5-D-20251001	5	m-/p-Xylenes	Duplicate	3.22	ug/m3	0.275	ug/m3		Y	10/1/2025	10:30	10/15/2025	10:10
GLBSP-5-D-20251001	5	o-Xylene	Duplicate	1.18	ug/m3	0.275	ug/m3		Y	10/1/2025	10:30	10/15/2025	10:10
GLBSP-5-D-20251001	5	Toluene	Duplicate	5.37	ug/m3	0.244	ug/m3		Y	10/1/2025	10:30	10/15/2025	10:10
GLBSP-5-B-20251001	5	Benzene	Blank	<0.189	ug/m3	0.189	ug/m3	ND	N	10/1/2025	10:30	10/15/2025	10:10
GLBSP-5-B-20251001	5	Ethylbenzene	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	10/1/2025	10:30	10/15/2025	10:10
GLBSP-5-B-20251001	5	m-/p-Xylenes	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	10/1/2025	10:30	10/15/2025	10:10
GLBSP-5-B-20251001	5	o-Xylene	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	10/1/2025	10:30	10/15/2025	10:10
GLBSP-5-B-20251001	5	Toluene	Blank	<0.244	ug/m3	0.244	ug/m3	ND	N	10/1/2025	10:30	10/15/2025	10:10
GLBSP-6-S-20251001	6	Benzene	Sample	1.04	ug/m3	0.189	ug/m3		Y	10/1/2025	10:40	10/15/2025	10:20
GLBSP-6-S-20251001	6	Ethylbenzene	Sample	0.886	ug/m3	0.275	ug/m3		Y	10/1/2025	10:40	10/15/2025	10:20
GLBSP-6-S-20251001	6	m-/p-Xylenes	Sample	2.97	ug/m3	0.275	ug/m3		Y	10/1/2025	10:40	10/15/2025	10:20
GLBSP-6-S-20251001	6	o-Xylene	Sample	1.1	ug/m3	0.275	ug/m3		Y	10/1/2025	10:40	10/15/2025	10:20
GLBSP-6-S-20251001	6	Toluene	Sample	5.11	ug/m3	0.244	ug/m3		Y	10/1/2025	10:40	10/15/2025	10:20
GLBSP-7-S-20251001	7	Benzene	Sample	1.6	ug/m3	0.189	ug/m3		Y	10/1/2025	10:50	10/15/2025	10:30
GLBSP-7-S-20251001	7	Ethylbenzene	Sample	1.19	ug/m3	0.275	ug/m3		Y	10/1/2025	10:50	10/15/2025	10:30
GLBSP-7-S-20251001	7	m-/p-Xylenes	Sample	4.01	ug/m3	0.275	ug/m3		Y	10/1/2025	10:50	10/15/2025	10:30
GLBSP-7-S-20251001	7	o-Xylene	Sample	1.48	ug/m3	0.275	ug/m3		Y	10/1/2025	10:50	10/15/2025	10:30
GLBSP-7-S-20251001	7	Toluene	Sample	6.18	ug/m3	0.244	ug/m3		Y	10/1/2025	10:50	10/15/2025	10:30
GLBSP-8-S-20251001	8	Benzene	Sample	1.13	ug/m3	0.189	ug/m3		Y	10/1/2025	11:00	10/15/2025	10:40
GLBSP-8-S-20251001	8	Ethylbenzene	Sample	0.958	ug/m3	0.275	ug/m3		Y	10/1/2025	11:00	10/15/2025	10:40
GLBSP-8-S-20251001	8	m-/p-Xylenes	Sample	3.14	ug/m3	0.275	ug/m3		Y	10/1/2025	11:00	10/15/2025	10:40
GLBSP-8-S-20251001	8	o-Xylene	Sample	1.16	ug/m3	0.275	ug/m3		Y	10/1/2025	11:00	10/15/2025	10:40
GLBSP-8-S-20251001	8	Toluene	Sample	5.14	ug/m3	0.244	ug/m3		Y	10/1/2025	11:00	10/15/2025	10:40
GLBSP-9-S-20251001	9	Benzene	Sample	1.2	ug/m3	0.189	ug/m3		Y	10/1/2025	11:10	10/15/2025	10:50
GLBSP-9-S-20251001	9	Ethylbenzene	Sample	1.06	ug/m3	0.275	ug/m3		Y	10/1/2025	11:10	10/15/2025	10:50
GLBSP-9-S-20251001	9	m-/p-Xylenes	Sample	2.92	ug/m3	0.275	ug/m3		Y	10/1/2025	11:10	10/15/2025	10:50
GLBSP-9-S-20251001	9	o-Xylene	Sample	1.09	ug/m3	0.275	ug/m3		Y	10/1/2025	11:10	10/15/2025	10:50
GLBSP-9-S-20251001	9	Toluene	Sample	5.1	ug/m3	0.244	ug/m3		Y	10/1/2025	11:10	10/15/2025	10:50

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-10-S-20251001	10	Benzene	Sample	0.868	ug/m3	0.189	ug/m3		Y	10/1/2025	11:20	10/15/2025	11:00
GLBSP-10-S-20251001	10	Ethylbenzene	Sample	0.692	ug/m3	0.275	ug/m3		Y	10/1/2025	11:20	10/15/2025	11:00
GLBSP-10-S-20251001	10	m-/p-Xylenes	Sample	2.51	ug/m3	0.275	ug/m3		Y	10/1/2025	11:20	10/15/2025	11:00
GLBSP-10-S-20251001	10	o-Xylene	Sample	0.896	ug/m3	0.275	ug/m3		Y	10/1/2025	11:20	10/15/2025	11:00
GLBSP-10-S-20251001	10	Toluene	Sample	4.26	ug/m3	0.244	ug/m3		Y	10/1/2025	11:20	10/15/2025	11:00
GLBSP-11-S-20251001	11	Benzene	Sample	1	ug/m3	0.189	ug/m3		Y	10/1/2025	11:30	10/15/2025	11:10
GLBSP-11-S-20251001	11	Ethylbenzene	Sample	1.11	ug/m3	0.275	ug/m3		Y	10/1/2025	11:30	10/15/2025	11:10
GLBSP-11-S-20251001	11	m-/p-Xylenes	Sample	3.69	ug/m3	0.275	ug/m3		Y	10/1/2025	11:30	10/15/2025	11:10
GLBSP-11-S-20251001	11	o-Xylene	Sample	1.39	ug/m3	0.275	ug/m3		Y	10/1/2025	11:30	10/15/2025	11:10
GLBSP-11-S-20251001	11	Toluene	Sample	5.28	ug/m3	0.244	ug/m3		Y	10/1/2025	11:30	10/15/2025	11:10
GLBSP-12-S-20251001	12	Benzene	Sample	0.925	ug/m3	0.189	ug/m3		Y	10/1/2025	11:40	10/15/2025	11:20
GLBSP-12-S-20251001	12	Ethylbenzene	Sample	0.806	ug/m3	0.275	ug/m3		Y	10/1/2025	11:40	10/15/2025	11:20
GLBSP-12-S-20251001	12	m-/p-Xylenes	Sample	2.53	ug/m3	0.275	ug/m3		Y	10/1/2025	11:40	10/15/2025	11:20
GLBSP-12-S-20251001	12	o-Xylene	Sample	0.923	ug/m3	0.275	ug/m3		Y	10/1/2025	11:40	10/15/2025	11:20
GLBSP-12-S-20251001	12	Toluene	Sample	3.96	ug/m3	0.244	ug/m3		Y	10/1/2025	11:40	10/15/2025	11:20
GLBSP-13-S-20251001	13	Benzene	Sample	1.11	ug/m3	0.189	ug/m3		Y	10/1/2025	11:50	10/15/2025	11:30
GLBSP-13-S-20251001	13	Ethylbenzene	Sample	0.821	ug/m3	0.275	ug/m3		Y	10/1/2025	11:50	10/15/2025	11:30
GLBSP-13-S-20251001	13	m-/p-Xylenes	Sample	2.8	ug/m3	0.275	ug/m3		Y	10/1/2025	11:50	10/15/2025	11:30
GLBSP-13-S-20251001	13	o-Xylene	Sample	0.99	ug/m3	0.275	ug/m3		Y	10/1/2025	11:50	10/15/2025	11:30
GLBSP-13-S-20251001	13	Toluene	Sample	4.4	ug/m3	0.244	ug/m3		Y	10/1/2025	11:50	10/15/2025	11:30
GLBSP-14-S-20251001	14	Benzene	Sample	1.12	ug/m3	0.189	ug/m3		Y	10/1/2025	12:00	10/15/2025	11:40
GLBSP-14-S-20251001	14	Ethylbenzene	Sample	1.06	ug/m3	0.275	ug/m3		Y	10/1/2025	12:00	10/15/2025	11:40
GLBSP-14-S-20251001	14	m-/p-Xylenes	Sample	3.26	ug/m3	0.275	ug/m3		Y	10/1/2025	12:00	10/15/2025	11:40
GLBSP-14-S-20251001	14	o-Xylene	Sample	1.19	ug/m3	0.275	ug/m3		Y	10/1/2025	12:00	10/15/2025	11:40
GLBSP-14-S-20251001	14	Toluene	Sample	4.75	ug/m3	0.244	ug/m3		Y	10/1/2025	12:00	10/15/2025	11:40
GLBSP-14-D-20251001	14	Benzene	Duplicate	1.23	ug/m3	0.189	ug/m3		Y	10/1/2025	12:00	10/15/2025	11:40
GLBSP-14-D-20251001	14	Ethylbenzene	Duplicate	1.14	ug/m3	0.275	ug/m3		Y	10/1/2025	12:00	10/15/2025	11:40
GLBSP-14-D-20251001	14	m-/p-Xylenes	Duplicate	3.31	ug/m3	0.275	ug/m3		Y	10/1/2025	12:00	10/15/2025	11:40
GLBSP-14-D-20251001	14	o-Xylene	Duplicate	1.2	ug/m3	0.275	ug/m3		Y	10/1/2025	12:00	10/15/2025	11:40
GLBSP-14-D-20251001	14	Toluene	Duplicate	5	ug/m3	0.244	ug/m3		Y	10/1/2025	12:00	10/15/2025	11:40
GLBSP-14-B-20251001	14	Benzene	Blank	<0.189	ug/m3	0.189	ug/m3	ND	N	10/1/2025	12:00	10/15/2025	11:40
GLBSP-14-B-20251001	14	Ethylbenzene	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	10/1/2025	12:00	10/15/2025	11:40

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-14-B-20251001	14	m-/p-Xylenes	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	10/1/2025	12:00	10/15/2025	11:40
GLBSP-14-B-20251001	14	o-Xylene	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	10/1/2025	12:00	10/15/2025	11:40
GLBSP-14-B-20251001	14	Toluene	Blank	<0.244	ug/m3	0.244	ug/m3	ND	N	10/1/2025	12:00	10/15/2025	11:40
GLBSP-15-S-20251001	15	Benzene	Sample	0.952	ug/m3	0.189	ug/m3		Y	10/1/2025	12:10	10/15/2025	11:50
GLBSP-15-S-20251001	15	Ethylbenzene	Sample	1.04	ug/m3	0.275	ug/m3		Y	10/1/2025	12:10	10/15/2025	11:50
GLBSP-15-S-20251001	15	m-/p-Xylenes	Sample	3.49	ug/m3	0.275	ug/m3		Y	10/1/2025	12:10	10/15/2025	11:50
GLBSP-15-S-20251001	15	o-Xylene	Sample	1.3	ug/m3	0.275	ug/m3		Y	10/1/2025	12:10	10/15/2025	11:50
GLBSP-15-S-20251001	15	Toluene	Sample	4.8	ug/m3	0.244	ug/m3		Y	10/1/2025	12:10	10/15/2025	11:50
GLBSP-16-S-20251001	16	Benzene	Sample	0.804	ug/m3	0.189	ug/m3		Y	10/1/2025	12:20	10/15/2025	12:00
GLBSP-16-S-20251001	16	Ethylbenzene	Sample	0.707	ug/m3	0.275	ug/m3		Y	10/1/2025	12:20	10/15/2025	12:00
GLBSP-16-S-20251001	16	m-/p-Xylenes	Sample	2.67	ug/m3	0.275	ug/m3		Y	10/1/2025	12:20	10/15/2025	12:00
GLBSP-16-S-20251001	16	o-Xylene	Sample	0.953	ug/m3	0.275	ug/m3		Y	10/1/2025	12:20	10/15/2025	12:00
GLBSP-16-S-20251001	16	Toluene	Sample	3.72	ug/m3	0.244	ug/m3		Y	10/1/2025	12:20	10/15/2025	12:00
GLBSP-17-S-20251001	17	Benzene	Sample	0.825	ug/m3	0.189	ug/m3		Y	10/1/2025	12:30	10/15/2025	12:10
GLBSP-17-S-20251001	17	Ethylbenzene	Sample	0.738	ug/m3	0.275	ug/m3		Y	10/1/2025	12:30	10/15/2025	12:10
GLBSP-17-S-20251001	17	m-/p-Xylenes	Sample	2.25	ug/m3	0.275	ug/m3		Y	10/1/2025	12:30	10/15/2025	12:10
GLBSP-17-S-20251001	17	o-Xylene	Sample	0.799	ug/m3	0.275	ug/m3		Y	10/1/2025	12:30	10/15/2025	12:10
GLBSP-17-S-20251001	17	Toluene	Sample	3.59	ug/m3	0.244	ug/m3		Y	10/1/2025	12:30	10/15/2025	12:10
GLBSP-1-S-20251015	1	Benzene	Sample	1.55	ug/m3	0.19	ug/m3		Y	10/15/2025	09:30	10/29/2025	09:15
GLBSP-1-S-20251015	1	Ethylbenzene	Sample	1.7	ug/m3	0.277	ug/m3		Y	10/15/2025	09:30	10/29/2025	09:15
GLBSP-1-S-20251015	1	m-/p-Xylenes	Sample	5.94	ug/m3	0.277	ug/m3		Y	10/15/2025	09:30	10/29/2025	09:15
GLBSP-1-S-20251015	1	o-Xylene	Sample	2.03	ug/m3	0.277	ug/m3		Y	10/15/2025	09:30	10/29/2025	09:15
GLBSP-1-S-20251015	1	Toluene	Sample	11.7	ug/m3	0.245	ug/m3		Y	10/15/2025	09:30	10/29/2025	09:15
GLBSP-2-S-20251015	2	Benzene	Sample	1.68	ug/m3	0.19	ug/m3		Y	10/15/2025	09:40	10/29/2025	09:25
GLBSP-2-S-20251015	2	Ethylbenzene	Sample	1.71	ug/m3	0.277	ug/m3		Y	10/15/2025	09:40	10/29/2025	09:25
GLBSP-2-S-20251015	2	m-/p-Xylenes	Sample	5.64	ug/m3	0.277	ug/m3		Y	10/15/2025	09:40	10/29/2025	09:25
GLBSP-2-S-20251015	2	o-Xylene	Sample	1.86	ug/m3	0.277	ug/m3		Y	10/15/2025	09:40	10/29/2025	09:25
GLBSP-2-S-20251015	2	Toluene	Sample	10.2	ug/m3	0.245	ug/m3		Y	10/15/2025	09:40	10/29/2025	09:25
GLBSP-3-S-20251015	3	Benzene	Sample	2.03	ug/m3	0.19	ug/m3		Y	10/15/2025	09:50	10/29/2025	09:35
GLBSP-3-S-20251015	3	Ethylbenzene	Sample	2.37	ug/m3	0.277	ug/m3		Y	10/15/2025	09:50	10/29/2025	09:35
GLBSP-3-S-20251015	3	m-/p-Xylenes	Sample	6.28	ug/m3	0.277	ug/m3		Y	10/15/2025	09:50	10/29/2025	09:35
GLBSP-3-S-20251015	3	o-Xylene	Sample	2.01	ug/m3	0.277	ug/m3		Y	10/15/2025	09:50	10/29/2025	09:35

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-3-S-20251015	3	Toluene	Sample	14.6	ug/m3	0.245	ug/m3		Y	10/15/2025	09:50	10/29/2025	09:35
GLBSP-4-S-20251015	4	Benzene	Sample	1.61	ug/m3	0.19	ug/m3		Y	10/15/2025	10:00	10/29/2025	09:45
GLBSP-4-S-20251015	4	Ethylbenzene	Sample	1.68	ug/m3	0.277	ug/m3		Y	10/15/2025	10:00	10/29/2025	09:45
GLBSP-4-S-20251015	4	m-/p-Xylenes	Sample	5.26	ug/m3	0.277	ug/m3		Y	10/15/2025	10:00	10/29/2025	09:45
GLBSP-4-S-20251015	4	o-Xylene	Sample	1.68	ug/m3	0.277	ug/m3		Y	10/15/2025	10:00	10/29/2025	09:45
GLBSP-4-S-20251015	4	Toluene	Sample	10.4	ug/m3	0.245	ug/m3		Y	10/15/2025	10:00	10/29/2025	09:45
GLBSP-5-S-20251015	5	Benzene	Sample	2.04	ug/m3	0.19	ug/m3		Y	10/15/2025	10:10	10/29/2025	09:55
GLBSP-5-S-20251015	5	Ethylbenzene	Sample	2.03	ug/m3	0.277	ug/m3		Y	10/15/2025	10:10	10/29/2025	09:55
GLBSP-5-S-20251015	5	m-/p-Xylenes	Sample	5.3	ug/m3	0.277	ug/m3		Y	10/15/2025	10:10	10/29/2025	09:55
GLBSP-5-S-20251015	5	o-Xylene	Sample	1.81	ug/m3	0.277	ug/m3		Y	10/15/2025	10:10	10/29/2025	09:55
GLBSP-5-S-20251015	5	Toluene	Sample	11	ug/m3	0.245	ug/m3		Y	10/15/2025	10:10	10/29/2025	09:55
GLBSP-5-D-20251015	5	Benzene	Duplicate	1.76	ug/m3	0.19	ug/m3		Y	10/15/2025	10:10	10/29/2025	09:55
GLBSP-5-D-20251015	5	Ethylbenzene	Duplicate	1.85	ug/m3	0.277	ug/m3		Y	10/15/2025	10:10	10/29/2025	09:55
GLBSP-5-D-20251015	5	m-/p-Xylenes	Duplicate	5.58	ug/m3	0.277	ug/m3		Y	10/15/2025	10:10	10/29/2025	09:55
GLBSP-5-D-20251015	5	o-Xylene	Duplicate	1.91	ug/m3	0.277	ug/m3		Y	10/15/2025	10:10	10/29/2025	09:55
GLBSP-5-D-20251015	5	Toluene	Duplicate	12.5	ug/m3	0.245	ug/m3		Y	10/15/2025	10:10	10/29/2025	09:55
GLBSP-5-B-20251015	5	Benzene	Blank	<0.19	ug/m3	0.19	ug/m3	ND	N	10/15/2025	10:10	10/29/2025	09:55
GLBSP-5-B-20251015	5	Ethylbenzene	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	10/15/2025	10:10	10/29/2025	09:55
GLBSP-5-B-20251015	5	m-/p-Xylenes	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	10/15/2025	10:10	10/29/2025	09:55
GLBSP-5-B-20251015	5	o-Xylene	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	10/15/2025	10:10	10/29/2025	09:55
GLBSP-5-B-20251015	5	Toluene	Blank	<0.245	ug/m3	0.245	ug/m3	ND	N	10/15/2025	10:10	10/29/2025	09:55
GLBSP-6-S-20251015	6	Benzene	Sample	1.56	ug/m3	0.19	ug/m3		Y	10/15/2025	10:20	10/29/2025	10:10
GLBSP-6-S-20251015	6	Ethylbenzene	Sample	1.8	ug/m3	0.277	ug/m3		Y	10/15/2025	10:20	10/29/2025	10:10
GLBSP-6-S-20251015	6	m-/p-Xylenes	Sample	6.07	ug/m3	0.277	ug/m3		Y	10/15/2025	10:20	10/29/2025	10:10
GLBSP-6-S-20251015	6	o-Xylene	Sample	1.96	ug/m3	0.277	ug/m3		Y	10/15/2025	10:20	10/29/2025	10:10
GLBSP-6-S-20251015	6	Toluene	Sample	12.8	ug/m3	0.245	ug/m3		Y	10/15/2025	10:20	10/29/2025	10:10
GLBSP-7-S-20251015	7	Benzene	Sample	2.02	ug/m3	0.19	ug/m3		Y	10/15/2025	10:30	10/29/2025	10:20
GLBSP-7-S-20251015	7	Ethylbenzene	Sample	2.11	ug/m3	0.277	ug/m3		Y	10/15/2025	10:30	10/29/2025	10:20
GLBSP-7-S-20251015	7	m-/p-Xylenes	Sample	7	ug/m3	0.277	ug/m3		Y	10/15/2025	10:30	10/29/2025	10:20
GLBSP-7-S-20251015	7	o-Xylene	Sample	2.27	ug/m3	0.277	ug/m3		Y	10/15/2025	10:30	10/29/2025	10:20
GLBSP-7-S-20251015	7	Toluene	Sample	13.8	ug/m3	0.245	ug/m3		Y	10/15/2025	10:30	10/29/2025	10:20
GLBSP-8-S-20251015	8	Benzene	Sample	1.84	ug/m3	0.19	ug/m3		Y	10/15/2025	10:40	10/29/2025	10:30

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-8-S-20251015	8	Ethylbenzene	Sample	1.88	ug/m3	0.277	ug/m3		Y	10/15/2025	10:40	10/29/2025	10:30
GLBSP-8-S-20251015	8	m-/p-Xylenes	Sample	6.42	ug/m3	0.277	ug/m3		Y	10/15/2025	10:40	10/29/2025	10:30
GLBSP-8-S-20251015	8	o-Xylene	Sample	2.11	ug/m3	0.277	ug/m3		Y	10/15/2025	10:40	10/29/2025	10:30
GLBSP-8-S-20251015	8	Toluene	Sample	13.1	ug/m3	0.245	ug/m3		Y	10/15/2025	10:40	10/29/2025	10:30
GLBSP-9-S-20251015	9	Benzene	Sample	1.43	ug/m3	0.19	ug/m3		Y	10/15/2025	10:50	10/29/2025	10:40
GLBSP-9-S-20251015	9	Ethylbenzene	Sample	1.63	ug/m3	0.277	ug/m3		Y	10/15/2025	10:50	10/29/2025	10:40
GLBSP-9-S-20251015	9	m-/p-Xylenes	Sample	3.9	ug/m3	0.277	ug/m3		Y	10/15/2025	10:50	10/29/2025	10:40
GLBSP-9-S-20251015	9	o-Xylene	Sample	1.38	ug/m3	0.277	ug/m3		Y	10/15/2025	10:50	10/29/2025	10:40
GLBSP-9-S-20251015	9	Toluene	Sample	8.57	ug/m3	0.245	ug/m3		Y	10/15/2025	10:50	10/29/2025	10:40
GLBSP-10-S-20251015	10	Benzene	Sample	2.15	ug/m3	0.19	ug/m3		Y	10/15/2025	11:00	10/29/2025	10:50
GLBSP-10-S-20251015	10	Ethylbenzene	Sample	2.5	ug/m3	0.277	ug/m3		Y	10/15/2025	11:00	10/29/2025	10:50
GLBSP-10-S-20251015	10	m-/p-Xylenes	Sample	5.89	ug/m3	0.277	ug/m3		Y	10/15/2025	11:00	10/29/2025	10:50
GLBSP-10-S-20251015	10	o-Xylene	Sample	1.93	ug/m3	0.277	ug/m3		Y	10/15/2025	11:00	10/29/2025	10:50
GLBSP-10-S-20251015	10	Toluene	Sample	14.5	ug/m3	0.245	ug/m3		Y	10/15/2025	11:00	10/29/2025	10:50
GLBSP-11-S-20251015	11	Benzene	Sample	2.11	ug/m3	0.19	ug/m3		Y	10/15/2025	11:10	10/29/2025	11:00
GLBSP-11-S-20251015	11	Ethylbenzene	Sample	2.45	ug/m3	0.277	ug/m3		Y	10/15/2025	11:10	10/29/2025	11:00
GLBSP-11-S-20251015	11	m-/p-Xylenes	Sample	6.59	ug/m3	0.277	ug/m3		Y	10/15/2025	11:10	10/29/2025	11:00
GLBSP-11-S-20251015	11	o-Xylene	Sample	2.18	ug/m3	0.277	ug/m3		Y	10/15/2025	11:10	10/29/2025	11:00
GLBSP-11-S-20251015	11	Toluene	Sample	15.6	ug/m3	0.245	ug/m3		Y	10/15/2025	11:10	10/29/2025	11:00
GLBSP-12-S-20251015	12	Benzene	Sample	2.16	ug/m3	0.19	ug/m3		Y	10/15/2025	11:20	10/29/2025	11:10
GLBSP-12-S-20251015	12	Ethylbenzene	Sample	2.27	ug/m3	0.277	ug/m3		Y	10/15/2025	11:20	10/29/2025	11:10
GLBSP-12-S-20251015	12	m-/p-Xylenes	Sample	6.99	ug/m3	0.277	ug/m3		Y	10/15/2025	11:20	10/29/2025	11:10
GLBSP-12-S-20251015	12	o-Xylene	Sample	2.35	ug/m3	0.277	ug/m3		Y	10/15/2025	11:20	10/29/2025	11:10
GLBSP-12-S-20251015	12	Toluene	Sample	14.8	ug/m3	0.245	ug/m3		Y	10/15/2025	11:20	10/29/2025	11:10
GLBSP-13-S-20251015	13	Benzene	Sample	1.41	ug/m3	0.19	ug/m3		Y	10/15/2025	11:30	10/29/2025	11:20
GLBSP-13-S-20251015	13	Ethylbenzene	Sample	1.64	ug/m3	0.277	ug/m3		Y	10/15/2025	11:30	10/29/2025	11:20
GLBSP-13-S-20251015	13	m-/p-Xylenes	Sample	5.47	ug/m3	0.277	ug/m3		Y	10/15/2025	11:30	10/29/2025	11:20
GLBSP-13-S-20251015	13	o-Xylene	Sample	1.77	ug/m3	0.277	ug/m3		Y	10/15/2025	11:30	10/29/2025	11:20
GLBSP-13-S-20251015	13	Toluene	Sample	9	ug/m3	0.245	ug/m3		Y	10/15/2025	11:30	10/29/2025	11:20
GLBSP-14-S-20251015	14	Benzene	Sample	1.7	ug/m3	0.19	ug/m3		Y	10/15/2025	11:40	10/29/2025	11:30
GLBSP-14-S-20251015	14	Ethylbenzene	Sample	2.49	ug/m3	0.277	ug/m3		Y	10/15/2025	11:40	10/29/2025	11:30
GLBSP-14-S-20251015	14	m-/p-Xylenes	Sample	5.72	ug/m3	0.277	ug/m3		Y	10/15/2025	11:40	10/29/2025	11:30

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-14-S-20251015	14	o-Xylene	Sample	2.08	ug/m3	0.277	ug/m3		Y	10/15/2025	11:40	10/29/2025	11:30
GLBSP-14-S-20251015	14	Toluene	Sample	10.7	ug/m3	0.245	ug/m3		Y	10/15/2025	11:40	10/29/2025	11:30
GLBSP-14-D-20251015	14	Benzene	Duplicate	1.82	ug/m3	0.19	ug/m3		Y	10/15/2025	11:40	10/29/2025	11:30
GLBSP-14-D-20251015	14	Ethylbenzene	Duplicate	1.99	ug/m3	0.277	ug/m3		Y	10/15/2025	11:40	10/29/2025	11:30
GLBSP-14-D-20251015	14	m-/p-Xylenes	Duplicate	5.01	ug/m3	0.277	ug/m3		Y	10/15/2025	11:40	10/29/2025	11:30
GLBSP-14-D-20251015	14	o-Xylene	Duplicate	1.73	ug/m3	0.277	ug/m3		Y	10/15/2025	11:40	10/29/2025	11:30
GLBSP-14-D-20251015	14	Toluene	Duplicate	9.79	ug/m3	0.245	ug/m3		Y	10/15/2025	11:40	10/29/2025	11:30
GLBSP-14-B-20251015	14	Benzene	Blank	<0.19	ug/m3	0.19	ug/m3	ND	N	10/15/2025	11:40	10/29/2025	11:30
GLBSP-14-B-20251015	14	Ethylbenzene	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	10/15/2025	11:40	10/29/2025	11:30
GLBSP-14-B-20251015	14	m-/p-Xylenes	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	10/15/2025	11:40	10/29/2025	11:30
GLBSP-14-B-20251015	14	o-Xylene	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	10/15/2025	11:40	10/29/2025	11:30
GLBSP-14-B-20251015	14	Toluene	Blank	<0.245	ug/m3	0.245	ug/m3	ND	N	10/15/2025	11:40	10/29/2025	11:30
GLBSP-15-S-20251015	15	Benzene	Sample	1.67	ug/m3	0.19	ug/m3		Y	10/15/2025	11:50	10/29/2025	11:40
GLBSP-15-S-20251015	15	Ethylbenzene	Sample	1.88	ug/m3	0.277	ug/m3		Y	10/15/2025	11:50	10/29/2025	11:40
GLBSP-15-S-20251015	15	m-/p-Xylenes	Sample	6.41	ug/m3	0.277	ug/m3		Y	10/15/2025	11:50	10/29/2025	11:40
GLBSP-15-S-20251015	15	o-Xylene	Sample	2.21	ug/m3	0.277	ug/m3		Y	10/15/2025	11:50	10/29/2025	11:40
GLBSP-15-S-20251015	15	Toluene	Sample	11.8	ug/m3	0.245	ug/m3		Y	10/15/2025	11:50	10/29/2025	11:40
GLBSP-16-S-20251015	16	Benzene	Sample	1.21	ug/m3	0.19	ug/m3		Y	10/15/2025	12:00	10/29/2025	11:50
GLBSP-16-S-20251015	16	Ethylbenzene	Sample	1.4	ug/m3	0.277	ug/m3		Y	10/15/2025	12:00	10/29/2025	11:50
GLBSP-16-S-20251015	16	m-/p-Xylenes	Sample	4.9	ug/m3	0.277	ug/m3		Y	10/15/2025	12:00	10/29/2025	11:50
GLBSP-16-S-20251015	16	o-Xylene	Sample	1.68	ug/m3	0.277	ug/m3		Y	10/15/2025	12:00	10/29/2025	11:50
GLBSP-16-S-20251015	16	Toluene	Sample	9.06	ug/m3	0.245	ug/m3		Y	10/15/2025	12:00	10/29/2025	11:50
GLBSP-17-S-20251015	17	Benzene	Sample	1.42	ug/m3	0.19	ug/m3		Y	10/15/2025	12:10	10/29/2025	12:00
GLBSP-17-S-20251015	17	Ethylbenzene	Sample	1.55	ug/m3	0.277	ug/m3		Y	10/15/2025	12:10	10/29/2025	12:00
GLBSP-17-S-20251015	17	m-/p-Xylenes	Sample	5.2	ug/m3	0.277	ug/m3		Y	10/15/2025	12:10	10/29/2025	12:00
GLBSP-17-S-20251015	17	o-Xylene	Sample	1.81	ug/m3	0.277	ug/m3		Y	10/15/2025	12:10	10/29/2025	12:00
GLBSP-17-S-20251015	17	Toluene	Sample	8.96	ug/m3	0.245	ug/m3		Y	10/15/2025	12:10	10/29/2025	12:00
GLBSP-1-S-20251029	1	Benzene	Sample	1.17	ug/m3	0.191	ug/m3	P	Y	10/29/2025	09:15	11/12/2025	08:50
GLBSP-1-S-20251029	1	Ethylbenzene	Sample	1.28	ug/m3	0.278	ug/m3		Y	10/29/2025	09:15	11/12/2025	08:50
GLBSP-1-S-20251029	1	m-/p-Xylenes	Sample	3.71	ug/m3	0.278	ug/m3		Y	10/29/2025	09:15	11/12/2025	08:50
GLBSP-1-S-20251029	1	o-Xylene	Sample	1.51	ug/m3	0.278	ug/m3		Y	10/29/2025	09:15	11/12/2025	08:50
GLBSP-1-S-20251029	1	Toluene	Sample	4.02	ug/m3	0.246	ug/m3	P	Y	10/29/2025	09:15	11/12/2025	08:50

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-2-S-20251029	2	Benzene	Sample	1.28	ug/m3	0.191	ug/m3	P	Y	10/29/2025	09:25	11/12/2025	09:00
GLBSP-2-S-20251029	2	Ethylbenzene	Sample	0.692	ug/m3	0.278	ug/m3		Y	10/29/2025	09:25	11/12/2025	09:00
GLBSP-2-S-20251029	2	m-/p-Xylenes	Sample	1.49	ug/m3	0.278	ug/m3		Y	10/29/2025	09:25	11/12/2025	09:00
GLBSP-2-S-20251029	2	o-Xylene	Sample	0.583	ug/m3	0.278	ug/m3	J	Y	10/29/2025	09:25	11/12/2025	09:00
GLBSP-2-S-20251029	2	Toluene	Sample	2.97	ug/m3	0.246	ug/m3	B,P	Y	10/29/2025	09:25	11/12/2025	09:00
GLBSP-3-S-20251029	3	Benzene	Sample	1.43	ug/m3	0.191	ug/m3	P	Y	10/29/2025	09:35	11/12/2025	09:10
GLBSP-3-S-20251029	3	Ethylbenzene	Sample	0.905	ug/m3	0.278	ug/m3		Y	10/29/2025	09:35	11/12/2025	09:10
GLBSP-3-S-20251029	3	m-/p-Xylenes	Sample	2.85	ug/m3	0.278	ug/m3		Y	10/29/2025	09:35	11/12/2025	09:10
GLBSP-3-S-20251029	3	o-Xylene	Sample	1.25	ug/m3	0.278	ug/m3		Y	10/29/2025	09:35	11/12/2025	09:10
GLBSP-3-S-20251029	3	Toluene	Sample	3.93	ug/m3	0.246	ug/m3	P	Y	10/29/2025	09:35	11/12/2025	09:10
GLBSP-4-S-20251029	4	Benzene	Sample	1.23	ug/m3	0.191	ug/m3	P	Y	10/29/2025	09:45	11/12/2025	09:20
GLBSP-4-S-20251029	4	Ethylbenzene	Sample	1.2	ug/m3	0.278	ug/m3		Y	10/29/2025	09:45	11/12/2025	09:20
GLBSP-4-S-20251029	4	m-/p-Xylenes	Sample	3.17	ug/m3	0.278	ug/m3		Y	10/29/2025	09:45	11/12/2025	09:20
GLBSP-4-S-20251029	4	o-Xylene	Sample	1.42	ug/m3	0.278	ug/m3		Y	10/29/2025	09:45	11/12/2025	09:20
GLBSP-4-S-20251029	4	Toluene	Sample	4.14	ug/m3	0.246	ug/m3	P	Y	10/29/2025	09:45	11/12/2025	09:20
GLBSP-5-S-20251029	5	Benzene	Sample	1.13	ug/m3	0.191	ug/m3	P	Y	10/29/2025	09:55	11/12/2025	09:30
GLBSP-5-S-20251029	5	Ethylbenzene	Sample	1.01	ug/m3	0.278	ug/m3		Y	10/29/2025	09:55	11/12/2025	09:30
GLBSP-5-S-20251029	5	m-/p-Xylenes	Sample	2.91	ug/m3	0.278	ug/m3		Y	10/29/2025	09:55	11/12/2025	09:30
GLBSP-5-S-20251029	5	o-Xylene	Sample	1.29	ug/m3	0.278	ug/m3		Y	10/29/2025	09:55	11/12/2025	09:30
GLBSP-5-S-20251029	5	Toluene	Sample	3.45	ug/m3	0.246	ug/m3	P	Y	10/29/2025	09:55	11/12/2025	09:30
GLBSP-5-D-20251029	5	Benzene	Duplicate	1.75	ug/m3	0.191	ug/m3	P	Y	10/29/2025	09:55	11/12/2025	09:30
GLBSP-5-D-20251029	5	Ethylbenzene	Duplicate	1.12	ug/m3	0.278	ug/m3		Y	10/29/2025	09:55	11/12/2025	09:30
GLBSP-5-D-20251029	5	m-/p-Xylenes	Duplicate	2.64	ug/m3	0.278	ug/m3		Y	10/29/2025	09:55	11/12/2025	09:30
GLBSP-5-D-20251029	5	o-Xylene	Duplicate	1.07	ug/m3	0.278	ug/m3		Y	10/29/2025	09:55	11/12/2025	09:30
GLBSP-5-D-20251029	5	Toluene	Duplicate	8.14	ug/m3	0.246	ug/m3	P	Y	10/29/2025	09:55	11/12/2025	09:30
GLBSP-5-B-20251029	5	Benzene	Blank	0.43	ug/m3	0.191	ug/m3	J,P	Y	10/29/2025	09:55	11/12/2025	09:30
GLBSP-5-B-20251029	5	Ethylbenzene	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	10/29/2025	09:55	11/12/2025	09:30
GLBSP-5-B-20251029	5	m-/p-Xylenes	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	10/29/2025	09:55	11/12/2025	09:30
GLBSP-5-B-20251029	5	o-Xylene	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	10/29/2025	09:55	11/12/2025	09:30
GLBSP-5-B-20251029	5	Toluene	Blank	0.513	ug/m3	0.246	ug/m3	P	Y	10/29/2025	09:55	11/12/2025	09:30
GLBSP-6-S-20251029	6	Benzene	Sample	1.06	ug/m3	0.191	ug/m3	P	Y	10/29/2025	10:10	11/12/2025	09:40
GLBSP-6-S-20251029	6	Ethylbenzene	Sample	0.763	ug/m3	0.278	ug/m3		Y	10/29/2025	10:10	11/12/2025	09:40

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-6-S-20251029	6	m-/p-Xylenes	Sample	2.59	ug/m3	0.278	ug/m3		Y	10/29/2025	10:10	11/12/2025	09:40
GLBSP-6-S-20251029	6	o-Xylene	Sample	1.14	ug/m3	0.278	ug/m3		Y	10/29/2025	10:10	11/12/2025	09:40
GLBSP-6-S-20251029	6	Toluene	Sample	3.34	ug/m3	0.246	ug/m3	B,P	Y	10/29/2025	10:10	11/12/2025	09:40
GLBSP-7-S-20251029	7	Benzene	Sample	1.23	ug/m3	0.191	ug/m3	P	Y	10/29/2025	10:20	11/12/2025	09:50
GLBSP-7-S-20251029	7	Ethylbenzene	Sample	0.774	ug/m3	0.278	ug/m3		Y	10/29/2025	10:20	11/12/2025	09:50
GLBSP-7-S-20251029	7	m-/p-Xylenes	Sample	2.39	ug/m3	0.278	ug/m3		Y	10/29/2025	10:20	11/12/2025	09:50
GLBSP-7-S-20251029	7	o-Xylene	Sample	0.909	ug/m3	0.278	ug/m3		Y	10/29/2025	10:20	11/12/2025	09:50
GLBSP-7-S-20251029	7	Toluene	Sample	3.24	ug/m3	0.246	ug/m3	B,P	Y	10/29/2025	10:20	11/12/2025	09:50
GLBSP-8-S-20251029	8	Benzene	Sample	1.24	ug/m3	0.191	ug/m3	P	Y	10/29/2025	10:30	11/12/2025	10:00
GLBSP-8-S-20251029	8	Ethylbenzene	Sample	0.895	ug/m3	0.278	ug/m3		Y	10/29/2025	10:30	11/12/2025	10:00
GLBSP-8-S-20251029	8	m-/p-Xylenes	Sample	2.58	ug/m3	0.278	ug/m3		Y	10/29/2025	10:30	11/12/2025	10:00
GLBSP-8-S-20251029	8	o-Xylene	Sample	1.14	ug/m3	0.278	ug/m3		Y	10/29/2025	10:30	11/12/2025	10:00
GLBSP-8-S-20251029	8	Toluene	Sample	3.2	ug/m3	0.246	ug/m3	B,P	Y	10/29/2025	10:30	11/12/2025	10:00
GLBSP-9-S-20251029	9	Benzene	Sample	1.15	ug/m3	0.191	ug/m3	P	Y	10/29/2025	10:40	11/12/2025	10:10
GLBSP-9-S-20251029	9	Ethylbenzene	Sample	1.21	ug/m3	0.278	ug/m3		Y	10/29/2025	10:40	11/12/2025	10:10
GLBSP-9-S-20251029	9	m-/p-Xylenes	Sample	2.6	ug/m3	0.278	ug/m3		Y	10/29/2025	10:40	11/12/2025	10:10
GLBSP-9-S-20251029	9	o-Xylene	Sample	1.05	ug/m3	0.278	ug/m3		Y	10/29/2025	10:40	11/12/2025	10:10
GLBSP-9-S-20251029	9	Toluene	Sample	3.43	ug/m3	0.246	ug/m3	B,P	Y	10/29/2025	10:40	11/12/2025	10:10
GLBSP-10-S-20251029	10	Benzene	Sample	0.969	ug/m3	0.191	ug/m3	P	Y	10/29/2025	10:50	11/12/2025	10:20
GLBSP-10-S-20251029	10	Ethylbenzene	Sample	0.919	ug/m3	0.278	ug/m3		Y	10/29/2025	10:50	11/12/2025	10:20
GLBSP-10-S-20251029	10	m-/p-Xylenes	Sample	2.21	ug/m3	0.278	ug/m3		Y	10/29/2025	10:50	11/12/2025	10:20
GLBSP-10-S-20251029	10	o-Xylene	Sample	0.961	ug/m3	0.278	ug/m3		Y	10/29/2025	10:50	11/12/2025	10:20
GLBSP-10-S-20251029	10	Toluene	Sample	3.08	ug/m3	0.246	ug/m3	B,P	Y	10/29/2025	10:50	11/12/2025	10:20
GLBSP-11-S-20251029	11	Benzene	Sample	0.896	ug/m3	0.191	ug/m3	P	Y	10/29/2025	11:00	11/12/2025	10:30
GLBSP-11-S-20251029	11	Ethylbenzene	Sample	0.967	ug/m3	0.278	ug/m3		Y	10/29/2025	11:00	11/12/2025	10:30
GLBSP-11-S-20251029	11	m-/p-Xylenes	Sample	3.26	ug/m3	0.278	ug/m3		Y	10/29/2025	11:00	11/12/2025	10:30
GLBSP-11-S-20251029	11	o-Xylene	Sample	1.38	ug/m3	0.278	ug/m3		Y	10/29/2025	11:00	11/12/2025	10:30
GLBSP-11-S-20251029	11	Toluene	Sample	3.12	ug/m3	0.246	ug/m3	B,P	Y	10/29/2025	11:00	11/12/2025	10:30
GLBSP-12-S-20251029	12	Benzene	Sample	1.28	ug/m3	0.191	ug/m3	P	Y	10/29/2025	11:10	11/12/2025	10:40
GLBSP-12-S-20251029	12	Ethylbenzene	Sample	1.05	ug/m3	0.278	ug/m3		Y	10/29/2025	11:10	11/12/2025	10:40
GLBSP-12-S-20251029	12	m-/p-Xylenes	Sample	3.12	ug/m3	0.278	ug/m3		Y	10/29/2025	11:10	11/12/2025	10:40
GLBSP-12-S-20251029	12	o-Xylene	Sample	1.19	ug/m3	0.278	ug/m3		Y	10/29/2025	11:10	11/12/2025	10:40

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-12-S-20251029	12	Toluene	Sample	14.7	ug/m3	0.246	ug/m3	P	Y	10/29/2025	11:10	11/12/2025	10:40
GLBSP-13-S-20251029	13	Benzene	Sample	1.17	ug/m3	0.191	ug/m3	P	Y	10/29/2025	11:20	11/12/2025	10:50
GLBSP-13-S-20251029	13	Ethylbenzene	Sample	1.18	ug/m3	0.278	ug/m3		Y	10/29/2025	11:20	11/12/2025	10:50
GLBSP-13-S-20251029	13	m-/p-Xylenes	Sample	3.47	ug/m3	0.278	ug/m3		Y	10/29/2025	11:20	11/12/2025	10:50
GLBSP-13-S-20251029	13	o-Xylene	Sample	1.49	ug/m3	0.278	ug/m3		Y	10/29/2025	11:20	11/12/2025	10:50
GLBSP-13-S-20251029	13	Toluene	Sample	4.01	ug/m3	0.246	ug/m3	P	Y	10/29/2025	11:20	11/12/2025	10:50
GLBSP-14-S-20251029	14	Benzene	Sample	1.26	ug/m3	0.191	ug/m3	P	Y	10/29/2025	11:30	11/12/2025	11:00
GLBSP-14-S-20251029	14	Ethylbenzene	Sample	1.38	ug/m3	0.278	ug/m3		Y	10/29/2025	11:30	11/12/2025	11:00
GLBSP-14-S-20251029	14	m-/p-Xylenes	Sample	3.44	ug/m3	0.278	ug/m3		Y	10/29/2025	11:30	11/12/2025	11:00
GLBSP-14-S-20251029	14	o-Xylene	Sample	1.39	ug/m3	0.278	ug/m3		Y	10/29/2025	11:30	11/12/2025	11:00
GLBSP-14-S-20251029	14	Toluene	Sample	4.34	ug/m3	0.246	ug/m3	P	Y	10/29/2025	11:30	11/12/2025	11:00
GLBSP-14-D-20251029	14	Benzene	Duplicate	1.2	ug/m3	0.191	ug/m3	P	Y	10/29/2025	11:30	11/12/2025	11:00
GLBSP-14-D-20251029	14	Ethylbenzene	Duplicate	1.57	ug/m3	0.278	ug/m3		Y	10/29/2025	11:30	11/12/2025	11:00
GLBSP-14-D-20251029	14	m-/p-Xylenes	Duplicate	3.67	ug/m3	0.278	ug/m3		Y	10/29/2025	11:30	11/12/2025	11:00
GLBSP-14-D-20251029	14	o-Xylene	Duplicate	1.52	ug/m3	0.278	ug/m3		Y	10/29/2025	11:30	11/12/2025	11:00
GLBSP-14-D-20251029	14	Toluene	Duplicate	4.26	ug/m3	0.246	ug/m3	P	Y	10/29/2025	11:30	11/12/2025	11:00
GLBSP-14-B-20251029	14	Benzene	Blank	0.465	ug/m3	0.191	ug/m3	P	Y	10/29/2025	11:30	11/12/2025	11:00
GLBSP-14-B-20251029	14	Ethylbenzene	Blank	0.318	ug/m3	0.278	ug/m3	J	Y	10/29/2025	11:30	11/12/2025	11:00
GLBSP-14-B-20251029	14	m-/p-Xylenes	Blank	0.595	ug/m3	0.278	ug/m3	J	Y	10/29/2025	11:30	11/12/2025	11:00
GLBSP-14-B-20251029	14	o-Xylene	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	10/29/2025	11:30	11/12/2025	11:00
GLBSP-14-B-20251029	14	Toluene	Blank	1.15	ug/m3	0.246	ug/m3	P	Y	10/29/2025	11:30	11/12/2025	11:00
GLBSP-15-S-20251029	15	Benzene	Sample	0.899	ug/m3	0.191	ug/m3	P	Y	10/29/2025	11:40	11/12/2025	11:10
GLBSP-15-S-20251029	15	Ethylbenzene	Sample	1.08	ug/m3	0.278	ug/m3		Y	10/29/2025	11:40	11/12/2025	11:10
GLBSP-15-S-20251029	15	m-/p-Xylenes	Sample	3.2	ug/m3	0.278	ug/m3		Y	10/29/2025	11:40	11/12/2025	11:10
GLBSP-15-S-20251029	15	o-Xylene	Sample	1.34	ug/m3	0.278	ug/m3		Y	10/29/2025	11:40	11/12/2025	11:10
GLBSP-15-S-20251029	15	Toluene	Sample	3.32	ug/m3	0.246	ug/m3	B,P	Y	10/29/2025	11:40	11/12/2025	11:10
GLBSP-16-S-20251029	16	Benzene	Sample	1.02	ug/m3	0.191	ug/m3	P	Y	10/29/2025	11:50	11/12/2025	11:20
GLBSP-16-S-20251029	16	Ethylbenzene	Sample	0.985	ug/m3	0.278	ug/m3		Y	10/29/2025	11:50	11/12/2025	11:20
GLBSP-16-S-20251029	16	m-/p-Xylenes	Sample	2.46	ug/m3	0.278	ug/m3		Y	10/29/2025	11:50	11/12/2025	11:20
GLBSP-16-S-20251029	16	o-Xylene	Sample	0.951	ug/m3	0.278	ug/m3		Y	10/29/2025	11:50	11/12/2025	11:20
GLBSP-16-S-20251029	16	Toluene	Sample	3.18	ug/m3	0.246	ug/m3	B,P	Y	10/29/2025	11:50	11/12/2025	11:20
GLBSP-17-S-20251029	17	Benzene	Sample	0.94	ug/m3	0.191	ug/m3	P	Y	10/29/2025	12:00	11/12/2025	11:30

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-17-S-20251029	17	Ethylbenzene	Sample	0.857	ug/m3	0.278	ug/m3		Y	10/29/2025	12:00	11/12/2025	11:30
GLBSP-17-S-20251029	17	m-/p-Xylenes	Sample	2.86	ug/m3	0.278	ug/m3		Y	10/29/2025	12:00	11/12/2025	11:30
GLBSP-17-S-20251029	17	o-Xylene	Sample	1.17	ug/m3	0.278	ug/m3		Y	10/29/2025	12:00	11/12/2025	11:30
GLBSP-17-S-20251029	17	Toluene	Sample	4.43	ug/m3	0.246	ug/m3	P	Y	10/29/2025	12:00	11/12/2025	11:30
GLBSP-1-S-20251112	1	Benzene	Sample	1.06	ug/m3	0.203	ug/m3		Y	11/12/2025	08:50	11/25/2025	16:14
GLBSP-1-S-20251112	1	o-Xylene	Sample	1.12	ug/m3	0.295	ug/m3		Y	11/12/2025	08:50	11/25/2025	16:14
GLBSP-1-S-20251112	1	Toluene	Sample	3.08	ug/m3	0.261	ug/m3		Y	11/12/2025	08:50	11/25/2025	16:14
GLBSP-1-S-20251112	1	Ethylbenzene	Sample	0.908	ug/m3	0.295	ug/m3		Y	11/12/2025	08:50	11/25/2025	16:14
GLBSP-1-S-20251112	1	m-/p-Xylenes	Sample	2.96	ug/m3	0.295	ug/m3		Y	11/12/2025	08:50	11/25/2025	16:14
GLBSP-2-S-20251112	2	Benzene	Sample	1.15	ug/m3	0.203	ug/m3		Y	11/12/2025	09:00	11/25/2025	16:20
GLBSP-2-S-20251112	2	o-Xylene	Sample	0.826	ug/m3	0.295	ug/m3		Y	11/12/2025	09:00	11/25/2025	16:20
GLBSP-2-S-20251112	2	Toluene	Sample	3.02	ug/m3	0.261	ug/m3		Y	11/12/2025	09:00	11/25/2025	16:20
GLBSP-2-S-20251112	2	Ethylbenzene	Sample	0.802	ug/m3	0.295	ug/m3		Y	11/12/2025	09:00	11/25/2025	16:20
GLBSP-2-S-20251112	2	m-/p-Xylenes	Sample	2.11	ug/m3	0.295	ug/m3		Y	11/12/2025	09:00	11/25/2025	16:20
GLBSP-3-S-20251112	3	Benzene	Sample	1.35	ug/m3	0.203	ug/m3		Y	11/12/2025	09:10	11/25/2025	16:29
GLBSP-3-S-20251112	3	o-Xylene	Sample	1.25	ug/m3	0.295	ug/m3		Y	11/12/2025	09:10	11/25/2025	16:29
GLBSP-3-S-20251112	3	Toluene	Sample	3.78	ug/m3	0.261	ug/m3		Y	11/12/2025	09:10	11/25/2025	16:29
GLBSP-3-S-20251112	3	Ethylbenzene	Sample	0.892	ug/m3	0.295	ug/m3		Y	11/12/2025	09:10	11/25/2025	16:29
GLBSP-3-S-20251112	3	m-/p-Xylenes	Sample	2.91	ug/m3	0.295	ug/m3		Y	11/12/2025	09:10	11/25/2025	16:29
GLBSP-4-S-20251112	4	Benzene	Sample	1.31	ug/m3	0.203	ug/m3		Y	11/12/2025	09:20	11/25/2025	16:35
GLBSP-4-S-20251112	4	o-Xylene	Sample	1.67	ug/m3	0.295	ug/m3		Y	11/12/2025	09:20	11/25/2025	16:35
GLBSP-4-S-20251112	4	Toluene	Sample	5.23	ug/m3	0.261	ug/m3		Y	11/12/2025	09:20	11/25/2025	16:35
GLBSP-4-S-20251112	4	Ethylbenzene	Sample	0.983	ug/m3	0.295	ug/m3		Y	11/12/2025	09:20	11/25/2025	16:35
GLBSP-4-S-20251112	4	m-/p-Xylenes	Sample	4.14	ug/m3	0.295	ug/m3		Y	11/12/2025	09:20	11/25/2025	16:35
GLBSP-5-S-20251112	5	Benzene	Sample	1.41	ug/m3	0.203	ug/m3		Y	11/12/2025	09:30	11/25/2025	16:42
GLBSP-5-S-20251112	5	o-Xylene	Sample	1.14	ug/m3	0.295	ug/m3		Y	11/12/2025	09:30	11/25/2025	16:42
GLBSP-5-S-20251112	5	Toluene	Sample	3.97	ug/m3	0.261	ug/m3		Y	11/12/2025	09:30	11/25/2025	16:42
GLBSP-5-S-20251112	5	Ethylbenzene	Sample	0.944	ug/m3	0.295	ug/m3		Y	11/12/2025	09:30	11/25/2025	16:42
GLBSP-5-S-20251112	5	m-/p-Xylenes	Sample	2.9	ug/m3	0.295	ug/m3		Y	11/12/2025	09:30	11/25/2025	16:42
GLBSP-5-D-20251112	5	Benzene	Duplicate	1.68	ug/m3	0.203	ug/m3		Y	11/12/2025	09:30	11/25/2025	16:42
GLBSP-5-D-20251112	5	o-Xylene	Duplicate	1.09	ug/m3	0.295	ug/m3		Y	11/12/2025	09:30	11/25/2025	16:42
GLBSP-5-D-20251112	5	Toluene	Duplicate	4.6	ug/m3	0.261	ug/m3		Y	11/12/2025	09:30	11/25/2025	16:42

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-5-D-20251112	5	Ethylbenzene	Duplicate	0.959	ug/m3	0.295	ug/m3		Y	11/12/2025	09:30	11/25/2025	16:42
GLBSP-5-D-20251112	5	m-/p-Xylenes	Duplicate	2.72	ug/m3	0.295	ug/m3		Y	11/12/2025	09:30	11/25/2025	16:42
GLBSP-5-B-20251112	5	Benzene	Blank	<0.203	ug/m3	0.203	ug/m3	ND	N	11/12/2025	09:30	11/25/2025	16:42
GLBSP-5-B-20251112	5	o-Xylene	Blank	<0.295	ug/m3	0.295	ug/m3	ND	N	11/12/2025	09:30	11/25/2025	16:42
GLBSP-5-B-20251112	5	Toluene	Blank	<0.261	ug/m3	0.261	ug/m3	ND	N	11/12/2025	09:30	11/25/2025	16:42
GLBSP-5-B-20251112	5	Ethylbenzene	Blank	<0.295	ug/m3	0.295	ug/m3	ND	N	11/12/2025	09:30	11/25/2025	16:42
GLBSP-5-B-20251112	5	m-/p-Xylenes	Blank	<0.295	ug/m3	0.295	ug/m3	ND	N	11/12/2025	09:30	11/25/2025	16:42
GLBSP-7-S-20251112	7	Benzene	Sample	1.69	ug/m3	0.203	ug/m3		Y	11/12/2025	09:50	11/25/2025	16:53
GLBSP-7-S-20251112	7	o-Xylene	Sample	0.873	ug/m3	0.296	ug/m3		Y	11/12/2025	09:50	11/25/2025	16:53
GLBSP-7-S-20251112	7	Toluene	Sample	3.8	ug/m3	0.261	ug/m3		Y	11/12/2025	09:50	11/25/2025	16:53
GLBSP-7-S-20251112	7	Ethylbenzene	Sample	0.807	ug/m3	0.296	ug/m3		Y	11/12/2025	09:50	11/25/2025	16:53
GLBSP-7-S-20251112	7	m-/p-Xylenes	Sample	2.14	ug/m3	0.296	ug/m3		Y	11/12/2025	09:50	11/25/2025	16:53
GLBSP-8-S-20251112	8	Benzene	Sample	1.35	ug/m3	0.203	ug/m3		Y	11/12/2025	10:00	11/25/2025	16:56
GLBSP-8-S-20251112	8	o-Xylene	Sample	1.11	ug/m3	0.296	ug/m3		Y	11/12/2025	10:00	11/25/2025	16:56
GLBSP-8-S-20251112	8	Toluene	Sample	3.6	ug/m3	0.262	ug/m3		Y	11/12/2025	10:00	11/25/2025	16:56
GLBSP-8-S-20251112	8	Ethylbenzene	Sample	1.02	ug/m3	0.296	ug/m3		Y	11/12/2025	10:00	11/25/2025	16:56
GLBSP-8-S-20251112	8	m-/p-Xylenes	Sample	2.97	ug/m3	0.296	ug/m3		Y	11/12/2025	10:00	11/25/2025	16:56
GLBSP-9-S-20251112	9	Benzene	Sample	1.14	ug/m3	0.203	ug/m3		Y	11/12/2025	10:10	11/25/2025	17:03
GLBSP-9-S-20251112	9	o-Xylene	Sample	0.702	ug/m3	0.296	ug/m3		Y	11/12/2025	10:10	11/25/2025	17:03
GLBSP-9-S-20251112	9	Toluene	Sample	2.63	ug/m3	0.262	ug/m3		Y	11/12/2025	10:10	11/25/2025	17:03
GLBSP-9-S-20251112	9	Ethylbenzene	Sample	0.633	ug/m3	0.296	ug/m3		Y	11/12/2025	10:10	11/25/2025	17:03
GLBSP-9-S-20251112	9	m-/p-Xylenes	Sample	1.78	ug/m3	0.296	ug/m3		Y	11/12/2025	10:10	11/25/2025	17:03
GLBSP-10-S-20251112	10	Benzene	Sample	1.21	ug/m3	0.203	ug/m3		Y	11/12/2025	10:20	11/25/2025	17:11
GLBSP-10-S-20251112	10	o-Xylene	Sample	0.929	ug/m3	0.296	ug/m3		Y	11/12/2025	10:20	11/25/2025	17:11
GLBSP-10-S-20251112	10	Toluene	Sample	3.29	ug/m3	0.262	ug/m3		Y	11/12/2025	10:20	11/25/2025	17:11
GLBSP-10-S-20251112	10	Ethylbenzene	Sample	0.738	ug/m3	0.296	ug/m3		Y	11/12/2025	10:20	11/25/2025	17:11
GLBSP-10-S-20251112	10	m-/p-Xylenes	Sample	2.31	ug/m3	0.296	ug/m3		Y	11/12/2025	10:20	11/25/2025	17:11
GLBSP-11-S-20251112	11	Benzene	Sample	1.09	ug/m3	0.203	ug/m3		Y	11/12/2025	10:30	11/25/2025	17:19
GLBSP-11-S-20251112	11	o-Xylene	Sample	0.877	ug/m3	0.296	ug/m3		Y	11/12/2025	10:30	11/25/2025	17:19
GLBSP-11-S-20251112	11	Toluene	Sample	2.89	ug/m3	0.262	ug/m3		Y	11/12/2025	10:30	11/25/2025	17:19
GLBSP-11-S-20251112	11	Ethylbenzene	Sample	0.713	ug/m3	0.296	ug/m3		Y	11/12/2025	10:30	11/25/2025	17:19
GLBSP-11-S-20251112	11	m-/p-Xylenes	Sample	2.23	ug/m3	0.296	ug/m3		Y	11/12/2025	10:30	11/25/2025	17:19

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-12-S-20251112	12	Benzene	Sample	1.17	ug/m3	0.203	ug/m3		Y	11/12/2025	10:40	11/25/2025	17:26
GLBSP-12-S-20251112	12	o-Xylene	Sample	0.681	ug/m3	0.296	ug/m3		Y	11/12/2025	10:40	11/25/2025	17:26
GLBSP-12-S-20251112	12	Toluene	Sample	2.66	ug/m3	0.262	ug/m3		Y	11/12/2025	10:40	11/25/2025	17:26
GLBSP-12-S-20251112	12	Ethylbenzene	Sample	0.695	ug/m3	0.296	ug/m3		Y	11/12/2025	10:40	11/25/2025	17:26
GLBSP-12-S-20251112	12	m-/p-Xylenes	Sample	1.89	ug/m3	0.296	ug/m3		Y	11/12/2025	10:40	11/25/2025	17:26
GLBSP-13-S-20251112	13	Benzene	Sample	1.43	ug/m3	0.203	ug/m3		Y	11/12/2025	10:50	11/25/2025	17:37
GLBSP-13-S-20251112	13	o-Xylene	Sample	1.23	ug/m3	0.296	ug/m3		Y	11/12/2025	10:50	11/25/2025	17:37
GLBSP-13-S-20251112	13	Toluene	Sample	4.01	ug/m3	0.262	ug/m3		Y	11/12/2025	10:50	11/25/2025	17:37
GLBSP-13-S-20251112	13	Ethylbenzene	Sample	1.21	ug/m3	0.296	ug/m3		Y	11/12/2025	10:50	11/25/2025	17:37
GLBSP-13-S-20251112	13	m-/p-Xylenes	Sample	3.25	ug/m3	0.296	ug/m3		Y	11/12/2025	10:50	11/25/2025	17:37
GLBSP-14-S-20251112	14	Benzene	Sample	1.27	ug/m3	0.203	ug/m3		Y	11/12/2025	11:00	11/25/2025	17:45
GLBSP-14-S-20251112	14	o-Xylene	Sample	1.03	ug/m3	0.296	ug/m3		Y	11/12/2025	11:00	11/25/2025	17:45
GLBSP-14-S-20251112	14	Toluene	Sample	3.34	ug/m3	0.262	ug/m3		Y	11/12/2025	11:00	11/25/2025	17:45
GLBSP-14-S-20251112	14	Ethylbenzene	Sample	0.943	ug/m3	0.296	ug/m3		Y	11/12/2025	11:00	11/25/2025	17:45
GLBSP-14-S-20251112	14	m-/p-Xylenes	Sample	2.73	ug/m3	0.296	ug/m3		Y	11/12/2025	11:00	11/25/2025	17:45
GLBSP-14-D-20251112	14	Benzene	Duplicate	1.25	ug/m3	0.203	ug/m3		Y	11/12/2025	11:00	11/25/2025	17:45
GLBSP-14-D-20251112	14	o-Xylene	Duplicate	1.25	ug/m3	0.296	ug/m3		Y	11/12/2025	11:00	11/25/2025	17:45
GLBSP-14-D-20251112	14	Toluene	Duplicate	3.47	ug/m3	0.262	ug/m3		Y	11/12/2025	11:00	11/25/2025	17:45
GLBSP-14-D-20251112	14	Ethylbenzene	Duplicate	0.962	ug/m3	0.296	ug/m3		Y	11/12/2025	11:00	11/25/2025	17:45
GLBSP-14-D-20251112	14	m-/p-Xylenes	Duplicate	3.05	ug/m3	0.296	ug/m3		Y	11/12/2025	11:00	11/25/2025	17:45
GLBSP-14-B-20251112	14	Benzene	Blank	0.227	ug/m3	0.203	ug/m3	J	Y	11/12/2025	11:00	11/25/2025	17:45
GLBSP-14-B-20251112	14	o-Xylene	Blank	<0.296	ug/m3	0.296	ug/m3	ND	N	11/12/2025	11:00	11/25/2025	17:45
GLBSP-14-B-20251112	14	Toluene	Blank	0.626	ug/m3	0.262	ug/m3		Y	11/12/2025	11:00	11/25/2025	17:45
GLBSP-14-B-20251112	14	Ethylbenzene	Blank	<0.296	ug/m3	0.296	ug/m3	ND	N	11/12/2025	11:00	11/25/2025	17:45
GLBSP-14-B-20251112	14	m-/p-Xylenes	Blank	0.338	ug/m3	0.296	ug/m3	J	Y	11/12/2025	11:00	11/25/2025	17:45
GLBSP-15-S-20251112	15	Benzene	Sample	1.69	ug/m3	0.203	ug/m3		Y	11/12/2025	11:10	11/25/2025	17:50
GLBSP-15-S-20251112	15	o-Xylene	Sample	0.739	ug/m3	0.296	ug/m3		Y	11/12/2025	11:10	11/25/2025	17:50
GLBSP-15-S-20251112	15	Toluene	Sample	3.3	ug/m3	0.262	ug/m3		Y	11/12/2025	11:10	11/25/2025	17:50
GLBSP-15-S-20251112	15	Ethylbenzene	Sample	0.748	ug/m3	0.296	ug/m3		Y	11/12/2025	11:10	11/25/2025	17:50
GLBSP-15-S-20251112	15	m-/p-Xylenes	Sample	1.94	ug/m3	0.296	ug/m3		Y	11/12/2025	11:10	11/25/2025	17:50
GLBSP-16-S-20251112	16	Benzene	Sample	0.95	ug/m3	0.203	ug/m3		Y	11/12/2025	11:20	11/25/2025	17:55
GLBSP-16-S-20251112	16	o-Xylene	Sample	0.722	ug/m3	0.296	ug/m3		Y	11/12/2025	11:20	11/25/2025	17:55

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-16-S-20251112	16	Toluene	Sample	2.18	ug/m3	0.262	ug/m3		Y	11/12/2025	11:20	11/25/2025	17:55
GLBSP-16-S-20251112	16	Ethylbenzene	Sample	0.593	ug/m3	0.296	ug/m3	J	Y	11/12/2025	11:20	11/25/2025	17:55
GLBSP-16-S-20251112	16	m-/p-Xylenes	Sample	1.8	ug/m3	0.296	ug/m3		Y	11/12/2025	11:20	11/25/2025	17:55
GLBSP-17-S-20251112	17	Benzene	Sample	0.911	ug/m3	0.203	ug/m3		Y	11/12/2025	11:30	11/25/2025	17:59
GLBSP-17-S-20251112	17	o-Xylene	Sample	0.694	ug/m3	0.296	ug/m3		Y	11/12/2025	11:30	11/25/2025	17:59
GLBSP-17-S-20251112	17	Toluene	Sample	2.09	ug/m3	0.262	ug/m3		Y	11/12/2025	11:30	11/25/2025	17:59
GLBSP-17-S-20251112	17	Ethylbenzene	Sample	0.538	ug/m3	0.296	ug/m3	J	Y	11/12/2025	11:30	11/25/2025	17:59
GLBSP-17-S-20251112	17	m-/p-Xylenes	Sample	1.86	ug/m3	0.296	ug/m3		Y	11/12/2025	11:30	11/25/2025	17:59
GLBSP-1-S-20251125	1	Benzene	Sample	0.789	ug/m3	0.195	ug/m3		Y	11/25/2025	16:14	12/9/2025	14:01
GLBSP-1-S-20251125	1	Ethylbenzene	Sample	0.351	ug/m3	0.284	ug/m3	J,Pc	Y	11/25/2025	16:14	12/9/2025	14:01
GLBSP-1-S-20251125	1	o-Xylene	Sample	0.419	ug/m3	0.284	ug/m3	J	Y	11/25/2025	16:14	12/9/2025	14:01
GLBSP-1-S-20251125	1	Toluene	Sample	1.63	ug/m3	0.252	ug/m3		Y	11/25/2025	16:14	12/9/2025	14:01
GLBSP-1-S-20251125	1	m-/p-Xylenes	Sample	1.07	ug/m3	0.284	ug/m3		Y	11/25/2025	16:14	12/9/2025	14:01
GLBSP-2-S-20251125	2	Benzene	Sample	0.912	ug/m3	0.195	ug/m3		Y	11/25/2025	16:20	12/9/2025	14:04
GLBSP-2-S-20251125	2	Ethylbenzene	Sample	0.414	ug/m3	0.284	ug/m3	J,Pc	Y	11/25/2025	16:20	12/9/2025	14:04
GLBSP-2-S-20251125	2	o-Xylene	Sample	0.515	ug/m3	0.284	ug/m3	J	Y	11/25/2025	16:20	12/9/2025	14:04
GLBSP-2-S-20251125	2	Toluene	Sample	2.01	ug/m3	0.252	ug/m3		Y	11/25/2025	16:20	12/9/2025	14:04
GLBSP-2-S-20251125	2	m-/p-Xylenes	Sample	1.29	ug/m3	0.284	ug/m3		Y	11/25/2025	16:20	12/9/2025	14:04
GLBSP-3-S-20251125	3	Benzene	Sample	0.91	ug/m3	0.195	ug/m3		Y	11/25/2025	16:29	12/9/2025	14:06
GLBSP-3-S-20251125	3	Ethylbenzene	Sample	0.439	ug/m3	0.284	ug/m3	J,Pc	Y	11/25/2025	16:29	12/9/2025	14:06
GLBSP-3-S-20251125	3	o-Xylene	Sample	0.528	ug/m3	0.284	ug/m3	J	Y	11/25/2025	16:29	12/9/2025	14:06
GLBSP-3-S-20251125	3	Toluene	Sample	2.05	ug/m3	0.252	ug/m3		Y	11/25/2025	16:29	12/9/2025	14:06
GLBSP-3-S-20251125	3	m-/p-Xylenes	Sample	1.38	ug/m3	0.284	ug/m3		Y	11/25/2025	16:29	12/9/2025	14:06
GLBSP-4-S-20251125	4	Benzene	Sample	0.847	ug/m3	0.195	ug/m3		Y	11/25/2025	16:35	12/9/2025	14:18
GLBSP-4-S-20251125	4	Ethylbenzene	Sample	0.344	ug/m3	0.284	ug/m3	J,Pc	Y	11/25/2025	16:35	12/9/2025	14:18
GLBSP-4-S-20251125	4	o-Xylene	Sample	0.347	ug/m3	0.284	ug/m3	J	Y	11/25/2025	16:35	12/9/2025	14:18
GLBSP-4-S-20251125	4	Toluene	Sample	1.88	ug/m3	0.252	ug/m3		Y	11/25/2025	16:35	12/9/2025	14:18
GLBSP-4-S-20251125	4	m-/p-Xylenes	Sample	0.913	ug/m3	0.284	ug/m3		Y	11/25/2025	16:35	12/9/2025	14:18
GLBSP-5-S-20251125	5	Benzene	Sample	1.13	ug/m3	0.195	ug/m3		Y	11/25/2025	16:42	12/9/2025	14:24
GLBSP-5-S-20251125	5	Ethylbenzene	Sample	0.546	ug/m3	0.284	ug/m3	J,Pc	Y	11/25/2025	16:42	12/9/2025	14:24
GLBSP-5-S-20251125	5	o-Xylene	Sample	0.393	ug/m3	0.284	ug/m3	J	Y	11/25/2025	16:42	12/9/2025	14:24
GLBSP-5-S-20251125	5	Toluene	Sample	2.2	ug/m3	0.252	ug/m3		Y	11/25/2025	16:42	12/9/2025	14:24

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-5-S-20251125	5	m-/p-Xylenes	Sample	1.06	ug/m3	0.284	ug/m3		Y	11/25/2025	16:42	12/9/2025	14:24
GLBSP-5-D-20251125	5	Benzene	Duplicate	0.916	ug/m3	0.195	ug/m3		Y	11/25/2025	16:42	12/9/2025	14:24
GLBSP-5-D-20251125	5	Ethylbenzene	Duplicate	0.401	ug/m3	0.284	ug/m3	J,Pc	Y	11/25/2025	16:42	12/9/2025	14:24
GLBSP-5-D-20251125	5	o-Xylene	Duplicate	0.464	ug/m3	0.284	ug/m3	J	Y	11/25/2025	16:42	12/9/2025	14:24
GLBSP-5-D-20251125	5	Toluene	Duplicate	2.15	ug/m3	0.252	ug/m3		Y	11/25/2025	16:42	12/9/2025	14:24
GLBSP-5-D-20251125	5	m-/p-Xylenes	Duplicate	1.22	ug/m3	0.284	ug/m3		Y	11/25/2025	16:42	12/9/2025	14:24
GLBSP-5-B-20251125	5	Benzene	Blank	<0.195	ug/m3	0.195	ug/m3	ND	N	11/25/2025	16:42	12/9/2025	14:24
GLBSP-5-B-20251125	5	Ethylbenzene	Blank	<0.284	ug/m3	0.284	ug/m3	ND,Pc	N	11/25/2025	16:42	12/9/2025	14:24
GLBSP-5-B-20251125	5	o-Xylene	Blank	<0.284	ug/m3	0.284	ug/m3	ND	N	11/25/2025	16:42	12/9/2025	14:24
GLBSP-5-B-20251125	5	Toluene	Blank	<0.252	ug/m3	0.252	ug/m3	ND	N	11/25/2025	16:42	12/9/2025	14:24
GLBSP-5-B-20251125	5	m-/p-Xylenes	Blank	<0.284	ug/m3	0.284	ug/m3	ND	N	11/25/2025	16:42	12/9/2025	14:24
GLBSP-7-S-20251125	7	Benzene	Sample	1.27	ug/m3	0.195	ug/m3		Y	11/25/2025	16:53	12/9/2025	14:30
GLBSP-7-S-20251125	7	Ethylbenzene	Sample	0.493	ug/m3	0.284	ug/m3	J,Pc	Y	11/25/2025	16:53	12/9/2025	14:30
GLBSP-7-S-20251125	7	o-Xylene	Sample	0.594	ug/m3	0.284	ug/m3	J	Y	11/25/2025	16:53	12/9/2025	14:30
GLBSP-7-S-20251125	7	Toluene	Sample	2.59	ug/m3	0.252	ug/m3		Y	11/25/2025	16:53	12/9/2025	14:30
GLBSP-7-S-20251125	7	m-/p-Xylenes	Sample	1.53	ug/m3	0.284	ug/m3		Y	11/25/2025	16:53	12/9/2025	14:30
GLBSP-8-S-20251125	8	Benzene	Sample	0.951	ug/m3	0.195	ug/m3		Y	11/25/2025	16:56	12/9/2025	14:32
GLBSP-8-S-20251125	8	Ethylbenzene	Sample	0.441	ug/m3	0.285	ug/m3	J,Pc	Y	11/25/2025	16:56	12/9/2025	14:32
GLBSP-8-S-20251125	8	o-Xylene	Sample	0.467	ug/m3	0.285	ug/m3	J	Y	11/25/2025	16:56	12/9/2025	14:32
GLBSP-8-S-20251125	8	Toluene	Sample	2.16	ug/m3	0.252	ug/m3		Y	11/25/2025	16:56	12/9/2025	14:32
GLBSP-8-S-20251125	8	m-/p-Xylenes	Sample	1.15	ug/m3	0.285	ug/m3		Y	11/25/2025	16:56	12/9/2025	14:32
GLBSP-9-S-20251125	9	Benzene	Sample	0.944	ug/m3	0.195	ug/m3		Y	11/25/2025	17:03	12/9/2025	14:36
GLBSP-9-S-20251125	9	Ethylbenzene	Sample	0.294	ug/m3	0.285	ug/m3	J,Pc	Y	11/25/2025	17:03	12/9/2025	14:36
GLBSP-9-S-20251125	9	o-Xylene	Sample	<0.285	ug/m3	0.285	ug/m3	ND	N	11/25/2025	17:03	12/9/2025	14:36
GLBSP-9-S-20251125	9	Toluene	Sample	1.69	ug/m3	0.252	ug/m3		Y	11/25/2025	17:03	12/9/2025	14:36
GLBSP-9-S-20251125	9	m-/p-Xylenes	Sample	0.716	ug/m3	0.285	ug/m3		Y	11/25/2025	17:03	12/9/2025	14:36
GLBSP-10-S-20251125	10	Benzene	Sample	0.836	ug/m3	0.195	ug/m3		Y	11/25/2025	17:11	12/9/2025	14:38
GLBSP-10-S-20251125	10	Ethylbenzene	Sample	0.351	ug/m3	0.285	ug/m3	J,Pc	Y	11/25/2025	17:11	12/9/2025	14:38
GLBSP-10-S-20251125	10	o-Xylene	Sample	0.413	ug/m3	0.285	ug/m3	J	Y	11/25/2025	17:11	12/9/2025	14:38
GLBSP-10-S-20251125	10	Toluene	Sample	1.92	ug/m3	0.252	ug/m3		Y	11/25/2025	17:11	12/9/2025	14:38
GLBSP-10-S-20251125	10	m-/p-Xylenes	Sample	1.08	ug/m3	0.285	ug/m3		Y	11/25/2025	17:11	12/9/2025	14:38
GLBSP-11-S-20251125	11	Benzene	Sample	0.799	ug/m3	0.195	ug/m3		Y	11/25/2025	17:19	12/9/2025	14:43

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-11-S-20251125	11	Ethylbenzene	Sample	0.34	ug/m3	0.285	ug/m3	J,Pc	Y	11/25/2025	17:19	12/9/2025	14:43
GLBSP-11-S-20251125	11	o-Xylene	Sample	0.322	ug/m3	0.285	ug/m3	J	Y	11/25/2025	17:19	12/9/2025	14:43
GLBSP-11-S-20251125	11	Toluene	Sample	1.71	ug/m3	0.252	ug/m3		Y	11/25/2025	17:19	12/9/2025	14:43
GLBSP-11-S-20251125	11	m-/p-Xylenes	Sample	0.85	ug/m3	0.285	ug/m3		Y	11/25/2025	17:19	12/9/2025	14:43
GLBSP-12-S-20251125	12	Benzene	Sample	0.96	ug/m3	0.195	ug/m3		Y	11/25/2025	17:26	12/9/2025	14:50
GLBSP-12-S-20251125	12	Ethylbenzene	Sample	0.412	ug/m3	0.285	ug/m3	J,Pc	Y	11/25/2025	17:26	12/9/2025	14:50
GLBSP-12-S-20251125	12	o-Xylene	Sample	0.478	ug/m3	0.285	ug/m3	J	Y	11/25/2025	17:26	12/9/2025	14:50
GLBSP-12-S-20251125	12	Toluene	Sample	2	ug/m3	0.252	ug/m3		Y	11/25/2025	17:26	12/9/2025	14:50
GLBSP-12-S-20251125	12	m-/p-Xylenes	Sample	1.21	ug/m3	0.285	ug/m3		Y	11/25/2025	17:26	12/9/2025	14:50
GLBSP-13-S-20251125	13	Benzene	Sample	1.03	ug/m3	0.195	ug/m3		Y	11/25/2025	17:37	12/9/2025	15:10
GLBSP-13-S-20251125	13	Ethylbenzene	Sample	0.684	ug/m3	0.285	ug/m3	Pc	Y	11/25/2025	17:37	12/9/2025	15:10
GLBSP-13-S-20251125	13	o-Xylene	Sample	0.825	ug/m3	0.285	ug/m3		Y	11/25/2025	17:37	12/9/2025	15:10
GLBSP-13-S-20251125	13	Toluene	Sample	2.33	ug/m3	0.252	ug/m3		Y	11/25/2025	17:37	12/9/2025	15:10
GLBSP-13-S-20251125	13	m-/p-Xylenes	Sample	2.21	ug/m3	0.285	ug/m3		Y	11/25/2025	17:37	12/9/2025	15:10
GLBSP-14-S-20251125	14	Benzene	Sample	0.949	ug/m3	0.196	ug/m3		Y	11/25/2025	17:45	12/9/2025	15:00
GLBSP-14-S-20251125	14	Ethylbenzene	Sample	0.459	ug/m3	0.285	ug/m3	J,Pc	Y	11/25/2025	17:45	12/9/2025	15:00
GLBSP-14-S-20251125	14	o-Xylene	Sample	0.405	ug/m3	0.285	ug/m3	J	Y	11/25/2025	17:45	12/9/2025	15:00
GLBSP-14-S-20251125	14	Toluene	Sample	2.02	ug/m3	0.252	ug/m3		Y	11/25/2025	17:45	12/9/2025	15:00
GLBSP-14-S-20251125	14	m-/p-Xylenes	Sample	1.05	ug/m3	0.285	ug/m3		Y	11/25/2025	17:45	12/9/2025	15:00
GLBSP-14-D-20251125	14	Benzene	Duplicate	1.02	ug/m3	0.196	ug/m3		Y	11/25/2025	17:45	12/9/2025	15:00
GLBSP-14-D-20251125	14	Ethylbenzene	Duplicate	0.471	ug/m3	0.285	ug/m3	J,Pc	Y	11/25/2025	17:45	12/9/2025	15:00
GLBSP-14-D-20251125	14	o-Xylene	Duplicate	0.443	ug/m3	0.285	ug/m3	J	Y	11/25/2025	17:45	12/9/2025	15:00
GLBSP-14-D-20251125	14	Toluene	Duplicate	2.16	ug/m3	0.252	ug/m3		Y	11/25/2025	17:45	12/9/2025	15:00
GLBSP-14-D-20251125	14	m-/p-Xylenes	Duplicate	1.14	ug/m3	0.285	ug/m3		Y	11/25/2025	17:45	12/9/2025	15:00
GLBSP-14-B-20251125	14	Benzene	Blank	<0.196	ug/m3	0.196	ug/m3	ND	N	11/25/2025	17:45	12/9/2025	15:00
GLBSP-14-B-20251125	14	Ethylbenzene	Blank	<0.285	ug/m3	0.285	ug/m3	ND,Pc	N	11/25/2025	17:45	12/9/2025	15:00
GLBSP-14-B-20251125	14	o-Xylene	Blank	<0.285	ug/m3	0.285	ug/m3	ND	N	11/25/2025	17:45	12/9/2025	15:00
GLBSP-14-B-20251125	14	Toluene	Blank	<0.252	ug/m3	0.252	ug/m3	ND	N	11/25/2025	17:45	12/9/2025	15:00
GLBSP-14-B-20251125	14	m-/p-Xylenes	Blank	<0.285	ug/m3	0.285	ug/m3	ND	N	11/25/2025	17:45	12/9/2025	15:00
GLBSP-15-S-20251125	15	Benzene	Sample	0.825	ug/m3	0.196	ug/m3		Y	11/25/2025	17:50	12/9/2025	15:03
GLBSP-15-S-20251125	15	Ethylbenzene	Sample	0.306	ug/m3	0.285	ug/m3	J,Pc	Y	11/25/2025	17:50	12/9/2025	15:03
GLBSP-15-S-20251125	15	o-Xylene	Sample	0.383	ug/m3	0.285	ug/m3	J	Y	11/25/2025	17:50	12/9/2025	15:03

GLOBAL PARTNERS SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-15-S-20251125	15	Toluene	Sample	1.71	ug/m3	0.252	ug/m3		Y	11/25/2025	17:50	12/9/2025	15:03
GLBSP-15-S-20251125	15	m-/p-Xylenes	Sample	0.914	ug/m3	0.285	ug/m3		Y	11/25/2025	17:50	12/9/2025	15:03
GLBSP-16-S-20251125	16	Benzene	Sample	0.799	ug/m3	0.196	ug/m3		Y	11/25/2025	17:55	12/9/2025	15:05
GLBSP-16-S-20251125	16	Ethylbenzene	Sample	0.329	ug/m3	0.285	ug/m3	J,Pc	Y	11/25/2025	17:55	12/9/2025	15:05
GLBSP-16-S-20251125	16	o-Xylene	Sample	0.399	ug/m3	0.285	ug/m3	J	Y	11/25/2025	17:55	12/9/2025	15:05
GLBSP-16-S-20251125	16	Toluene	Sample	1.5	ug/m3	0.252	ug/m3		Y	11/25/2025	17:55	12/9/2025	15:05
GLBSP-16-S-20251125	16	m-/p-Xylenes	Sample	1.01	ug/m3	0.285	ug/m3		Y	11/25/2025	17:55	12/9/2025	15:05
GLBSP-17-S-20251125	17	Benzene	Sample	0.655	ug/m3	0.196	ug/m3		Y	11/25/2025	17:59	12/9/2025	15:15
GLBSP-17-S-20251125	17	Ethylbenzene	Sample	<0.285	ug/m3	0.285	ug/m3	ND,Pc	N	11/25/2025	17:59	12/9/2025	15:15
GLBSP-17-S-20251125	17	o-Xylene	Sample	0.326	ug/m3	0.285	ug/m3	J	Y	11/25/2025	17:59	12/9/2025	15:15
GLBSP-17-S-20251125	17	Toluene	Sample	1.78	ug/m3	0.252	ug/m3		Y	11/25/2025	17:59	12/9/2025	15:15
GLBSP-17-S-20251125	17	m-/p-Xylenes	Sample	0.838	ug/m3	0.285	ug/m3		Y	11/25/2025	17:59	12/9/2025	15:15
GLBSP-1-S-20251209	1	Benzene	Sample	0.99	ug/m3	0.208	ug/m3		Y	12/9/2025	14:01	12/22/2025	15:26
GLBSP-1-S-20251209	1	Ethylbenzene	Sample	<0.303	ug/m3	0.303	ug/m3	ND,Pc	N	12/9/2025	14:01	12/22/2025	15:26
GLBSP-1-S-20251209	1	m-/p-Xylenes	Sample	0.802	ug/m3	0.303	ug/m3	Pc	Y	12/9/2025	14:01	12/22/2025	15:26
GLBSP-1-S-20251209	1	o-Xylene	Sample	<0.303	ug/m3	0.303	ug/m3	ND,Pc	N	12/9/2025	14:01	12/22/2025	15:26
GLBSP-1-S-20251209	1	Toluene	Sample	5.56	ug/m3	0.268	ug/m3	P	Y	12/9/2025	14:01	12/22/2025	15:26
GLBSP-2-S-20251209	2	Benzene	Sample	0.794	ug/m3	0.208	ug/m3		Y	12/9/2025	14:04	12/22/2025	15:28
GLBSP-2-S-20251209	2	Ethylbenzene	Sample	<0.303	ug/m3	0.303	ug/m3	ND,Pc	N	12/9/2025	14:04	12/22/2025	15:28
GLBSP-2-S-20251209	2	m-/p-Xylenes	Sample	0.427	ug/m3	0.303	ug/m3	J,Pc	Y	12/9/2025	14:04	12/22/2025	15:28
GLBSP-2-S-20251209	2	o-Xylene	Sample	<0.303	ug/m3	0.303	ug/m3	ND,Pc	N	12/9/2025	14:04	12/22/2025	15:28
GLBSP-2-S-20251209	2	Toluene	Sample	1.38	ug/m3	0.268	ug/m3	P	Y	12/9/2025	14:04	12/22/2025	15:28

FLM DATA FLAG ABBREVIATIONS - EPA METHOD 325B	
FLAG	EXPLANATION
ND	The analyte was not present above the Method Detection Limit
B	Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte
D	Sample duration outside 14 +/- 1 days
Fe	Field Error. See report narrative for details
J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
P	Field duplicate(s) exceed 30%RPD
Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit
Z	Sample was not analyzed. See the report narrative for details
Note: Meteorological data flagged ND was not available from the airport. Missing data can be due to instrument maintenance, instrument malfunction, data transmission issues, or other factors resulting in missing data.	

GLOBAL PARTNERS – SOUTH PORTLAND TERMINAL
METEOROLOGICAL DATA
9-17-25 THROUGH 12-22-25

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (9/17/25 10:00 to 10/1/25 11:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
9/17/25 10:00	1.5	58	17.9	1020
9/17/25 11:00	2.0	130	19.2	1020
9/17/25 12:00	2.1	144	21.1	1020
9/17/25 13:00	2.7	172	21.8	1019
9/17/25 14:00	3.6	162	21.3	1019
9/17/25 15:00	3.1	171	20.9	1018
9/17/25 16:00	2.7	169	20.0	1017
9/17/25 17:00	2.8	175	18.6	1017
9/17/25 18:00	1.9	176	17.6	1017
9/17/25 19:00	1.5	160	15.9	1017
9/17/25 20:00	1.6	158	14.3	1016
9/17/25 21:00	1.0	167	14.7	1016
9/17/25 22:00	1.2	292	13.9	1016
9/17/25 23:00	1.6	317	13.9	1015
9/18/25 0:00	1.7	308	13.9	1015
9/18/25 1:00	ND	ND	13.8	1015
9/18/25 2:00	1.6	291	13.9	1014
9/18/25 3:00	1.8	301	13.9	1014
9/18/25 4:00	2.3	287	13.9	1013
9/18/25 5:00	ND	ND	13.9	1013
9/18/25 6:00	ND	ND	13.9	1013
9/18/25 7:00	1.1	305	14.7	1012
9/18/25 8:00	1.5	300	16.9	1012
9/18/25 9:00	1.0	95	19.2	1012
9/18/25 10:00	2.1	124	21.4	1012
9/18/25 11:00	3.3	92	21.5	1012
9/18/25 12:00	3.1	145	22.2	1011
9/18/25 13:00	3.3	169	22.8	1010
9/18/25 14:00	4.2	156	22.8	1009
9/18/25 15:00	4.5	182	22.1	1009
9/18/25 16:00	4.4	185	21.5	1008
9/18/25 17:00	3.7	190	20.7	1008
9/18/25 18:00	3.3	191	18.8	1008
9/18/25 19:00	2.1	191	17.9	1008
9/18/25 20:00	2.5	211	17.8	1008
9/18/25 21:00	2.6	209	16.9	1008
9/18/25 22:00	2.3	221	16.9	1008
9/18/25 23:00	1.5	247	16.7	1008
9/19/25 0:00	1.5	275	15.7	1007
9/19/25 1:00	2.3	276	15.0	1007
9/19/25 2:00	2.0	280	14.5	1007

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (9/17/25 10:00 to 10/1/25 11:00)

9/19/25 3:00	2.2	280	14.8	1007
9/19/25 4:00	2.4	283	14.4	1007
9/19/25 5:00	1.9	275	14.0	1008
9/19/25 6:00	0.8	250	13.4	1008
9/19/25 7:00	1.8	280	15.6	1009
9/19/25 8:00	2.6	312	18.6	1009
9/19/25 9:00	3.8	328	21.7	1010
9/19/25 10:00	5.3	341	23.1	1010
9/19/25 11:00	4.9	321	23.4	1010
9/19/25 12:00	5.2	325	23.9	1010
9/19/25 13:00	5.5	333	24.3	1010
9/19/25 14:00	5.3	335	24.5	1010
9/19/25 15:00	5.2	334	24.3	1010
9/19/25 16:00	6.0	349	23.4	1011
9/19/25 17:00	6.5	349	22.3	1012
9/19/25 18:00	3.8	348	20.0	1013
9/19/25 19:00	4.0	350	17.7	1014
9/19/25 20:00	5.0	352	16.5	1015
9/19/25 21:00	5.7	352	15.7	1016
9/19/25 22:00	4.0	331	14.2	1017
9/19/25 23:00	3.6	348	13.3	1018
9/20/25 0:00	2.1	359	11.9	1018
9/20/25 1:00	2.0	358	11.3	1019
9/20/25 2:00	1.7	348	10.8	1019
9/20/25 3:00	2.6	344	9.0	1020
9/20/25 4:00	2.8	343	7.9	1020
9/20/25 5:00	1.8	17	7.3	1021
9/20/25 6:00	1.3	354	7.4	1022
9/20/25 7:00	1.3	350	8.4	1023
9/20/25 8:00	2.6	28	12.1	1023
9/20/25 9:00	2.5	51	13.2	1023
9/20/25 10:00	1.7	84	14.2	1023
9/20/25 11:00	2.0	294	16.3	1023
9/20/25 12:00	2.6	316	17.6	1023
9/20/25 13:00	3.7	171	17.5	1023
9/20/25 14:00	4.0	165	17.0	1022
9/20/25 15:00	4.7	164	17.0	1022
9/20/25 16:00	3.8	182	16.8	1022
9/20/25 17:00	3.0	178	16.2	1023
9/20/25 18:00	2.4	184	14.5	1023
9/20/25 19:00	2.1	202	12.9	1023
9/20/25 20:00	1.6	225	12.6	1024
9/20/25 21:00	2.1	251	11.4	1024
9/20/25 22:00	1.9	290	9.6	1025

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (9/17/25 10:00 to 10/1/25 11:00)

9/20/25 23:00	1.7	303	8.3	1025
9/21/25 0:00	0.5	300	7.6	1025
9/21/25 1:00	2.1	296	7.0	1025
9/21/25 2:00	1.5	307	6.4	1025
9/21/25 3:00	1.7	298	5.6	1025
9/21/25 4:00	1.9	325	4.5	1025
9/21/25 5:00	1.5	317	6.2	1026
9/21/25 6:00	2.5	296	3.9	1026
9/21/25 7:00	2.2	334	6.8	1026
9/21/25 8:00	1.5	360	10.8	1027
9/21/25 9:00	1.6	71	13.1	1027
9/21/25 10:00	1.8	81	15.5	1027
9/21/25 11:00	2.6	75	17.7	1026
9/21/25 12:00	2.1	195	18.8	1026
9/21/25 13:00	3.0	187	19.1	1025
9/21/25 14:00	4.8	158	19.9	1024
9/21/25 15:00	5.4	158	18.7	1024
9/21/25 16:00	5.4	159	17.9	1023
9/21/25 17:00	5.2	173	17.0	1023
9/21/25 18:00	2.5	178	15.4	1023
9/21/25 19:00	1.6	182	13.8	1023
9/21/25 20:00	1.7	189	13.0	1022
9/21/25 21:00	1.6	205	12.6	1022
9/21/25 22:00	1.5	235	12.1	1021
9/21/25 23:00	1.5	270	11.2	1021
9/22/25 0:00	1.9	279	10.0	1021
9/22/25 1:00	1.5	290	9.2	1021
9/22/25 2:00	ND	ND	8.1	1021
9/22/25 3:00	ND	ND	7.4	1020
9/22/25 4:00	1.2	284	7.1	1020
9/22/25 5:00	1.7	277	7.1	1020
9/22/25 6:00	0.4	140	6.4	1020
9/22/25 7:00	1.5	223	8.5	1020
9/22/25 8:00	1.5	237	12.3	1020
9/22/25 9:00	3.1	222	15.7	1019
9/22/25 10:00	4.0	226	17.1	1019
9/22/25 11:00	4.8	174	18.3	1018
9/22/25 12:00	6.1	171	19.0	1018
9/22/25 13:00	5.9	185	19.0	1017
9/22/25 14:00	6.0	174	18.6	1016
9/22/25 15:00	6.3	170	18.2	1015
9/22/25 16:00	5.8	176	17.9	1015
9/22/25 17:00	4.4	179	17.8	1014
9/22/25 18:00	3.3	185	16.9	1014

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (9/17/25 10:00 to 10/1/25 11:00)**

9/22/25 19:00	2.5	184	15.9	1014
9/22/25 20:00	2.1	199	15.9	1014
9/22/25 21:00	1.7	206	15.9	1013
9/22/25 22:00	1.5	220	15.7	1013
9/22/25 23:00	1.8	216	15.2	1012
9/23/25 0:00	2.9	210	15.8	1012
9/23/25 1:00	2.6	215	14.9	1012
9/23/25 2:00	3.1	220	14.9	1012
9/23/25 3:00	1.9	238	14.4	1012
9/23/25 4:00	1.7	203	13.9	1011
9/23/25 5:00	1.7	232	13.6	1011
9/23/25 6:00	ND	ND	12.6	1011
9/23/25 7:00	1.5	209	14.2	1012
9/23/25 8:00	1.7	222	16.4	1012
9/23/25 9:00	1.4	226	18.6	1012
9/23/25 10:00	1.0	105	21.4	1012
9/23/25 11:00	2.3	59	23.1	1012
9/23/25 12:00	3.2	96	23.4	1011
9/23/25 13:00	3.2	95	21.7	1011
9/23/25 14:00	1.7	62	20.7	1011
9/23/25 15:00	1.5	330	19.5	1011
9/23/25 16:00	1.0	195	19.4	1011
9/23/25 17:00	ND	ND	18.9	1012
9/23/25 18:00	1.5	49	18.9	1012
9/23/25 19:00	1.9	11	18.6	1013
9/23/25 20:00	1.8	1	18.0	1013
9/23/25 21:00	1.7	287	17.9	1013
9/23/25 22:00	1.8	321	17.9	1014
9/23/25 23:00	1.3	321	17.9	1014
9/24/25 0:00	1.1	321	17.9	1014
9/24/25 1:00	1.5	305	17.4	1014
9/24/25 2:00	ND	ND	17.1	1014
9/24/25 3:00	ND	ND	16.9	1015
9/24/25 4:00	1.5	310	16.3	1015
9/24/25 5:00	1.9	346	16.2	1015
9/24/25 6:00	2.1	13	15.9	1016
9/24/25 7:00	2.1	13	16.1	1017
9/24/25 8:00	3.3	26	17.5	1017
9/24/25 9:00	3.7	33	17.3	1018
9/24/25 10:00	3.4	37	17.0	1018
9/24/25 11:00	2.9	58	17.0	1019
9/24/25 12:00	4.6	77	16.6	1019
9/24/25 13:00	6.3	95	16.0	1019
9/24/25 14:00	6.2	88	16.0	1019

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (9/17/25 10:00 to 10/1/25 11:00)

9/24/25 15:00	7.9	90	15.5	1019
9/24/25 16:00	6.3	87	15.0	1019
9/24/25 17:00	5.7	84	14.3	1020
9/24/25 18:00	5.0	79	14.0	1020
9/24/25 19:00	4.2	80	14.0	1020
9/24/25 20:00	3.6	77	14.0	1020
9/24/25 21:00	3.2	73	14.0	1020
9/24/25 22:00	3.6	81	14.0	1020
9/24/25 23:00	3.2	80	14.0	1020
9/25/25 0:00	3.1	73	14.7	1019
9/25/25 1:00	3.4	72	14.9	1019
9/25/25 2:00	3.6	85	14.9	1018
9/25/25 3:00	4.0	90	15.5	1018
9/25/25 4:00	3.3	95	15.8	1017
9/25/25 5:00	3.8	105	15.9	1017
9/25/25 6:00	4.6	116	15.9	1016
9/25/25 7:00	3.9	111	15.9	1016
9/25/25 8:00	4.7	118	16.0	1016
9/25/25 9:00	4.7	120	16.0	1015
9/25/25 10:00	4.9	125	16.6	1014
9/25/25 11:00	5.2	122	16.8	1013
9/25/25 12:00	4.4	131	17.0	1012
9/25/25 13:00	5.0	140	17.0	1011
9/25/25 14:00	5.7	148	17.9	1010
9/25/25 15:00	5.6	158	18.0	1008
9/25/25 16:00	5.4	169	18.0	1007
9/25/25 17:00	3.8	182	18.0	1006
9/25/25 18:00	3.6	179	18.0	1005
9/25/25 19:00	5.3	171	19.0	1003
9/25/25 20:00	6.5	189	19.0	1003
9/25/25 21:00	4.9	188	19.0	1002
9/25/25 22:00	4.9	187	19.0	1001
9/25/25 23:00	5.1	189	19.0	1000
9/26/25 0:00	4.3	197	19.0	1000
9/26/25 1:00	2.4	224	19.6	999
9/26/25 2:00	3.1	270	19.6	1000
9/26/25 3:00	2.6	277	18.9	1000
9/26/25 4:00	2.0	243	18.1	1000
9/26/25 5:00	2.0	262	17.5	1001
9/26/25 6:00	2.4	266	17.8	1001
9/26/25 7:00	1.8	246	17.2	1003
9/26/25 8:00	2.3	245	18.6	1003
9/26/25 9:00	2.7	268	20.5	1004
9/26/25 10:00	3.9	302	22.4	1004

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (9/17/25 10:00 to 10/1/25 11:00)

9/26/25 11:00	4.2	306	23.6	1005
9/26/25 12:00	3.1	317	24.6	1005
9/26/25 13:00	2.8	296	25.3	1004
9/26/25 14:00	3.0	316	26.1	1004
9/26/25 15:00	2.5	298	26.3	1004
9/26/25 16:00	2.9	267	26.1	1004
9/26/25 17:00	2.8	197	24.4	1004
9/26/25 18:00	2.3	188	21.7	1005
9/26/25 19:00	1.8	202	19.7	1005
9/26/25 20:00	1.5	235	18.3	1006
9/26/25 21:00	2.5	293	17.6	1006
9/26/25 22:00	2.5	291	17.5	1007
9/26/25 23:00	2.6	303	16.8	1007
9/27/25 0:00	1.9	298	16.2	1008
9/27/25 1:00	1.6	279	15.8	1008
9/27/25 2:00	1.8	287	15.2	1008
9/27/25 3:00	1.5	269	14.3	1009
9/27/25 4:00	2.1	292	13.7	1009
9/27/25 5:00	1.8	279	13.3	1010
9/27/25 6:00	1.6	334	13.0	1011
9/27/25 7:00	0.4	360	15.1	1012
9/27/25 8:00	1.8	73	17.5	1012
9/27/25 9:00	2.0	60	18.6	1013
9/27/25 10:00	1.8	132	19.2	1013
9/27/25 11:00	2.7	164	20.8	1013
9/27/25 12:00	3.8	191	21.0	1013
9/27/25 13:00	4.2	184	21.0	1012
9/27/25 14:00	4.9	176	20.3	1012
9/27/25 15:00	4.8	185	19.0	1012
9/27/25 16:00	3.4	181	18.0	1012
9/27/25 17:00	3.4	186	17.9	1012
9/27/25 18:00	3.3	192	17.0	1012
9/27/25 19:00	2.1	188	16.9	1012
9/27/25 20:00	1.5	190	16.5	1013
9/27/25 21:00	1.5	210	15.9	1013
9/27/25 22:00	1.5	196	16.5	1013
9/27/25 23:00	1.5	212	16.9	1013
9/28/25 0:00	1.7	202	16.9	1013
9/28/25 1:00	1.2	197	16.9	1012
9/28/25 2:00	1.4	207	16.9	1012
9/28/25 3:00	1.3	210	16.6	1012
9/28/25 4:00	2.1	207	16.6	1012
9/28/25 5:00	2.0	202	16.9	1012
9/28/25 6:00	2.1	201	16.4	1012

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (9/17/25 10:00 to 10/1/25 11:00)

9/28/25 7:00	2.8	198	16.9	1012
9/28/25 8:00	2.5	216	17.4	1012
9/28/25 9:00	2.9	245	19.4	1013
9/28/25 10:00	3.6	222	22.3	1012
9/28/25 11:00	3.9	226	24.7	1012
9/28/25 12:00	4.0	230	26.7	1011
9/28/25 13:00	4.2	242	27.9	1011
9/28/25 14:00	5.3	250	28.6	1010
9/28/25 15:00	5.3	256	28.9	1010
9/28/25 16:00	4.4	244	28.7	1010
9/28/25 17:00	2.7	175	25.4	1011
9/28/25 18:00	2.1	111	22.2	1012
9/28/25 19:00	2.8	328	23.0	1013
9/28/25 20:00	2.5	326	21.8	1014
9/28/25 21:00	2.7	329	20.6	1015
9/28/25 22:00	2.9	313	18.5	1016
9/28/25 23:00	2.9	325	17.9	1016
9/29/25 0:00	3.3	343	19.0	1017
9/29/25 1:00	3.5	336	17.6	1018
9/29/25 2:00	2.5	326	16.7	1018
9/29/25 3:00	2.1	277	14.1	1018
9/29/25 4:00	2.2	283	12.2	1019
9/29/25 5:00	2.1	284	12.0	1019
9/29/25 6:00	0.8	270	11.2	1020
9/29/25 7:00	1.6	285	12.5	1020
9/29/25 8:00	2.0	265	15.9	1021
9/29/25 9:00	2.1	265	19.7	1020
9/29/25 10:00	2.9	236	22.7	1020
9/29/25 11:00	3.7	231	24.3	1020
9/29/25 12:00	4.4	233	25.3	1019
9/29/25 13:00	4.6	225	25.9	1019
9/29/25 14:00	4.1	213	25.7	1018
9/29/25 15:00	3.3	187	23.8	1017
9/29/25 16:00	3.5	188	23.0	1017
9/29/25 17:00	2.9	198	22.6	1016
9/29/25 18:00	2.7	205	21.0	1016
9/29/25 19:00	2.2	189	18.6	1017
9/29/25 20:00	2.3	209	17.9	1017
9/29/25 21:00	1.9	237	17.3	1016
9/29/25 22:00	ND	ND	15.6	1016
9/29/25 23:00	1.5	280	15.3	1016
9/30/25 0:00	1.6	279	15.5	1016
9/30/25 1:00	3.2	280	14.7	1016
9/30/25 2:00	2.7	284	14.2	1016


GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (9/17/25 10:00 to 10/1/25 11:00)

9/30/25 3:00	0.3	270	13.3	1015
9/30/25 4:00	1.9	307	12.9	1015
9/30/25 5:00	1.9	283	13.7	1015
9/30/25 6:00	1.0	310	13.3	1016
9/30/25 7:00	2.2	347	13.5	1017
9/30/25 8:00	4.1	52	16.6	1018
9/30/25 9:00	2.8	48	18.3	1018
9/30/25 10:00	4.7	59	19.4	1018
9/30/25 11:00	4.2	67	20.7	1018
9/30/25 12:00	3.4	104	21.0	1018
9/30/25 13:00	3.8	91	21.5	1017
9/30/25 14:00	3.9	118	20.8	1017
9/30/25 15:00	2.7	136	20.2	1016
9/30/25 16:00	3.3	164	19.1	1016
9/30/25 17:00	2.2	179	17.7	1017
9/30/25 18:00	1.3	196	15.9	1017
9/30/25 19:00	1.5	315	13.6	1018
9/30/25 20:00	2.4	355	12.2	1019
9/30/25 21:00	3.8	7	13.0	1019
9/30/25 22:00	2.8	0	12.2	1020
9/30/25 23:00	3.6	349	11.0	1020
10/1/25 0:00	2.6	12	10.3	1020
10/1/25 1:00	2.9	15	9.8	1020
10/1/25 2:00	2.5	11	9.0	1020
10/1/25 3:00	2.0	21	8.7	1020
10/1/25 4:00	2.6	5	7.7	1020
10/1/25 5:00	2.8	359	7.6	1020
10/1/25 6:00	3.8	358	7.9	1020
10/1/25 7:00	5.2	0	9.0	1021
10/1/25 8:00	5.9	9	11.0	1021
10/1/25 9:00	5.2	5	12.6	1021
10/1/25 10:00	5.8	23	14.3	1021
10/1/25 11:00	5.7	2	15.6	1021

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (9/17/25 10:00 to 10/1/25 11:00)

PWM Wind Rose 9/17/25 10:00 - 10/1/25 11:00



GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (10/1/25 10:00 to 10/15/25 11:00)**

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
10/1/25 10:00	5.8	23	14.3	1021
10/1/25 11:00	5.7	2	15.6	1021
10/1/25 12:00	5.3	1	16.5	1021
10/1/25 13:00	5.8	2	17.3	1020
10/1/25 14:00	6.7	9	17.6	1020
10/1/25 15:00	5.7	10	17.5	1020
10/1/25 16:00	5.7	9	17.2	1020
10/1/25 17:00	5.4	24	16.3	1020
10/1/25 18:00	4.3	30	14.3	1021
10/1/25 19:00	3.5	22	12.9	1022
10/1/25 20:00	3.7	26	11.9	1023
10/1/25 21:00	3.6	24	11.1	1024
10/1/25 22:00	3.8	28	10.4	1025
10/1/25 23:00	3.1	29	9.0	1026
10/2/25 0:00	1.3	353	7.8	1026
10/2/25 1:00	3.1	357	6.9	1027
10/2/25 2:00	2.5	8	6.9	1027
10/2/25 3:00	1.6	3	6.9	1027
10/2/25 4:00	2.3	355	5.3	1028
10/2/25 5:00	3.6	344	5.5	1028
10/2/25 6:00	2.7	350	5.4	1029
10/2/25 7:00	2.2	343	7.0	1029
10/2/25 8:00	3.6	0	9.7	1030
10/2/25 9:00	3.8	27	12.1	1030
10/2/25 10:00	3.8	53	13.3	1030
10/2/25 11:00	3.0	78	13.7	1030
10/2/25 12:00	2.4	95	14.3	1029
10/2/25 13:00	2.3	303	16.4	1029
10/2/25 14:00	2.7	250	16.5	1028
10/2/25 15:00	3.5	164	15.6	1028
10/2/25 16:00	3.9	178	14.0	1028
10/2/25 17:00	3.2	189	12.7	1028
10/2/25 18:00	3.1	196	11.8	1028
10/2/25 19:00	2.3	210	10.9	1028
10/2/25 20:00	2.1	222	10.7	1028
10/2/25 21:00	1.8	240	9.2	1028
10/2/25 22:00	1.5	240	8.3	1028
10/2/25 23:00	1.8	246	7.9	1027
10/3/25 0:00	1.5	231	7.9	1027
10/3/25 1:00	2.4	214	7.9	1026
10/3/25 2:00	2.1	215	7.7	1026

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (10/1/25 10:00 to 10/15/25 11:00)**

10/3/25 3:00	1.4	230	6.5	1025
10/3/25 4:00	1.6	223	6.1	1025
10/3/25 5:00	1.5	284	4.9	1025
10/3/25 6:00	1.5	230	4.2	1025
10/3/25 7:00	1.5	230	6.2	1024
10/3/25 8:00	1.5	232	8.8	1024
10/3/25 9:00	2.0	267	12.5	1024
10/3/25 10:00	1.8	281	15.4	1023
10/3/25 11:00	1.7	234	17.4	1022
10/3/25 12:00	1.7	227	19.2	1022
10/3/25 13:00	3.0	167	20.2	1021
10/3/25 14:00	4.1	165	20.0	1020
10/3/25 15:00	4.4	171	18.9	1019
10/3/25 16:00	3.5	174	18.3	1018
10/3/25 17:00	2.6	163	17.2	1018
10/3/25 18:00	1.7	165	15.0	1018
10/3/25 19:00	ND	ND	13.2	1018
10/3/25 20:00	ND	ND	12.3	1018
10/3/25 21:00	ND	ND	11.3	1018
10/3/25 22:00	0.8	270	10.7	1017
10/3/25 23:00	1.5	283	10.3	1017
10/4/25 0:00	2.2	273	9.9	1017
10/4/25 1:00	2.0	279	9.7	1017
10/4/25 2:00	2.4	276	10.6	1017
10/4/25 3:00	0.8	270	9.2	1017
10/4/25 4:00	1.9	287	8.4	1017
10/4/25 5:00	2.4	291	8.8	1017
10/4/25 6:00	1.4	298	9.8	1018
10/4/25 7:00	1.9	268	11.6	1018
10/4/25 8:00	2.1	279	13.9	1018
10/4/25 9:00	2.4	282	18.2	1019
10/4/25 10:00	1.5	285	21.6	1019
10/4/25 11:00	2.7	235	24.5	1018
10/4/25 12:00	3.5	219	26.0	1017
10/4/25 13:00	3.9	171	26.0	1016
10/4/25 14:00	4.1	168	26.2	1016
10/4/25 15:00	3.9	172	26.4	1016
10/4/25 16:00	3.6	169	24.4	1016
10/4/25 17:00	1.7	155	22.8	1017
10/4/25 18:00	1.4	146	19.4	1017
10/4/25 19:00	0.0	200	17.3	1018
10/4/25 20:00	2.1	345	16.3	1018
10/4/25 21:00	1.8	288	14.3	1019
10/4/25 22:00	1.6	277	14.3	1019

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (10/1/25 10:00 to 10/15/25 11:00)

10/4/25 23:00	1.7	350	13.9	1020
10/5/25 0:00	1.8	358	13.4	1020
10/5/25 1:00	1.8	296	12.6	1021
10/5/25 2:00	1.8	298	12.2	1021
10/5/25 3:00	1.5	302	11.7	1021
10/5/25 4:00	1.7	311	11.0	1021
10/5/25 5:00	1.2	307	10.5	1022
10/5/25 6:00	1.4	297	10.5	1022
10/5/25 7:00	1.5	340	11.5	1023
10/5/25 8:00	1.5	347	15.5	1023
10/5/25 9:00	1.0	55	18.3	1024
10/5/25 10:00	1.5	110	20.7	1023
10/5/25 11:00	2.2	106	23.1	1023
10/5/25 12:00	1.6	153	24.7	1023
10/5/25 13:00	2.7	172	25.7	1022
10/5/25 14:00	4.2	184	24.5	1021
10/5/25 15:00	4.3	183	23.5	1021
10/5/25 16:00	3.8	179	22.8	1021
10/5/25 17:00	3.4	189	20.7	1021
10/5/25 18:00	2.7	188	18.6	1021
10/5/25 19:00	1.7	181	17.7	1021
10/5/25 20:00	2.3	200	16.9	1021
10/5/25 21:00	1.3	204	16.7	1021
10/5/25 22:00	1.5	225	16.2	1021
10/5/25 23:00	1.5	200	14.8	1021
10/6/25 0:00	2.1	198	14.2	1021
10/6/25 1:00	1.5	250	14.1	1020
10/6/25 2:00	ND	ND	13.1	1020
10/6/25 3:00	ND	ND	12.6	1020
10/6/25 4:00	ND	ND	12.5	1020
10/6/25 5:00	ND	ND	12.5	1020
10/6/25 6:00	ND	ND	12.2	1020
10/6/25 7:00	ND	ND	13.5	1021
10/6/25 8:00	1.6	222	17.1	1021
10/6/25 9:00	2.1	223	20.0	1021
10/6/25 10:00	2.4	243	23.9	1021
10/6/25 11:00	2.9	248	26.9	1020
10/6/25 12:00	2.9	257	28.6	1020
10/6/25 13:00	3.6	197	28.7	1019
10/6/25 14:00	4.7	156	27.4	1018
10/6/25 15:00	4.4	167	26.9	1018
10/6/25 16:00	4.9	179	25.6	1018
10/6/25 17:00	4.2	183	23.3	1017
10/6/25 18:00	3.6	188	21.5	1017

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (10/1/25 10:00 to 10/15/25 11:00)**

10/6/25 19:00	2.5	199	19.2	1017
10/6/25 20:00	1.8	202	18.3	1018
10/6/25 21:00	2.4	198	18.0	1018
10/6/25 22:00	3.0	207	18.9	1017
10/6/25 23:00	2.2	212	18.0	1017
10/7/25 0:00	2.1	224	17.8	1017
10/7/25 1:00	1.9	220	17.0	1017
10/7/25 2:00	2.2	222	16.6	1017
10/7/25 3:00	2.0	214	15.9	1017
10/7/25 4:00	1.7	208	15.2	1017
10/7/25 5:00	2.6	207	14.9	1016
10/7/25 6:00	2.3	208	13.9	1016
10/7/25 7:00	2.0	206	14.7	1016
10/7/25 8:00	2.6	218	16.8	1017
10/7/25 9:00	3.1	223	19.7	1017
10/7/25 10:00	3.1	191	21.8	1016
10/7/25 11:00	4.6	160	21.9	1016
10/7/25 12:00	4.7	169	22.4	1015
10/7/25 13:00	5.8	174	22.4	1014
10/7/25 14:00	5.0	179	23.1	1013
10/7/25 15:00	4.5	185	22.8	1013
10/7/25 16:00	4.6	188	22.7	1013
10/7/25 17:00	4.5	185	21.5	1012
10/7/25 18:00	4.4	188	20.7	1012
10/7/25 19:00	2.8	180	19.1	1012
10/7/25 20:00	4.0	193	20.3	1012
10/7/25 21:00	4.5	185	19.8	1012
10/7/25 22:00	4.4	187	19.0	1012
10/7/25 23:00	2.9	180	18.4	1011
10/8/25 0:00	3.7	186	18.0	1010
10/8/25 1:00	4.7	188	18.0	1010
10/8/25 2:00	4.8	190	18.0	1009
10/8/25 3:00	3.4	188	18.0	1009
10/8/25 4:00	3.6	186	18.0	1008
10/8/25 5:00	3.2	190	18.0	1008
10/8/25 6:00	3.1	185	18.0	1008
10/8/25 7:00	2.8	190	17.2	1008
10/8/25 8:00	2.3	196	17.5	1007
10/8/25 9:00	4.8	322	16.8	1008
10/8/25 10:00	6.2	341	14.7	1009
10/8/25 11:00	5.6	358	13.9	1009
10/8/25 12:00	6.4	339	14.0	1010
10/8/25 13:00	4.9	340	14.3	1011
10/8/25 14:00	6.4	336	15.9	1011

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (10/1/25 10:00 to 10/15/25 11:00)

10/8/25 15:00	6.4	346	16.5	1012
10/8/25 16:00	6.4	340	16.4	1013
10/8/25 17:00	6.0	337	15.5	1014
10/8/25 18:00	4.1	331	13.9	1015
10/8/25 19:00	4.4	332	13.0	1016
10/8/25 20:00	3.9	328	12.2	1016
10/8/25 21:00	5.2	332	11.7	1017
10/8/25 22:00	6.2	328	10.9	1018
10/8/25 23:00	5.0	345	9.9	1019
10/9/25 0:00	5.0	340	8.9	1019
10/9/25 1:00	6.0	335	8.8	1020
10/9/25 2:00	5.0	328	7.9	1021
10/9/25 3:00	4.1	337	7.1	1021
10/9/25 4:00	2.5	332	6.7	1022
10/9/25 5:00	3.4	335	5.9	1023
10/9/25 6:00	3.8	330	5.7	1024
10/9/25 7:00	4.7	321	6.3	1025
10/9/25 8:00	6.0	335	7.6	1025
10/9/25 9:00	7.2	336	8.2	1026
10/9/25 10:00	7.2	327	9.6	1027
10/9/25 11:00	5.9	324	11.4	1027
10/9/25 12:00	6.2	334	12.0	1027
10/9/25 13:00	6.3	336	12.9	1026
10/9/25 14:00	5.8	334	13.0	1026
10/9/25 15:00	6.5	343	13.2	1026
10/9/25 16:00	5.4	340	13.0	1026
10/9/25 17:00	4.2	341	11.8	1027
10/9/25 18:00	2.5	308	9.3	1027
10/9/25 19:00	2.6	326	8.3	1028
10/9/25 20:00	3.5	330	7.9	1029
10/9/25 21:00	2.9	324	7.0	1029
10/9/25 22:00	2.1	304	5.2	1030
10/9/25 23:00	2.2	311	3.4	1030
10/10/25 0:00	1.8	319	3.0	1030
10/10/25 1:00	1.6	280	2.4	1031
10/10/25 2:00	2.0	290	1.9	1030
10/10/25 3:00	1.3	286	1.4	1030
10/10/25 4:00	2.2	283	0.5	1030
10/10/25 5:00	1.6	285	0.2	1030
10/10/25 6:00	1.7	276	0.1	1031
10/10/25 7:00	1.9	275	0.9	1031
10/10/25 8:00	2.3	279	4.4	1031
10/10/25 9:00	2.5	279	8.1	1031
10/10/25 10:00	2.7	227	11.1	1031

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (10/1/25 10:00 to 10/15/25 11:00)**

10/10/25 11:00	3.7	171	12.0	1030
10/10/25 12:00	4.6	171	12.7	1029
10/10/25 13:00	4.5	174	13.0	1027
10/10/25 14:00	5.1	166	13.0	1026
10/10/25 15:00	5.5	182	13.0	1026
10/10/25 16:00	5.2	186	12.9	1025
10/10/25 17:00	4.5	189	12.0	1025
10/10/25 18:00	3.5	196	11.0	1025
10/10/25 19:00	3.6	195	10.9	1024
10/10/25 20:00	3.6	203	11.1	1024
10/10/25 21:00	2.1	218	10.2	1024
10/10/25 22:00	2.2	217	8.9	1024
10/10/25 23:00	2.7	223	8.9	1023
10/11/25 0:00	2.4	233	7.9	1023
10/11/25 1:00	1.9	253	7.2	1024
10/11/25 2:00	2.3	230	6.9	1023
10/11/25 3:00	2.0	237	6.3	1023
10/11/25 4:00	1.8	227	5.9	1023
10/11/25 5:00	1.7	230	5.2	1023
10/11/25 6:00	1.3	210	4.2	1023
10/11/25 7:00	ND	ND	4.5	1023
10/11/25 8:00	1.5	226	7.2	1023
10/11/25 9:00	1.9	277	10.4	1023
10/11/25 10:00	2.1	280	13.7	1023
10/11/25 11:00	1.9	243	16.1	1023
10/11/25 12:00	3.0	190	16.5	1022
10/11/25 13:00	4.5	172	16.7	1022
10/11/25 14:00	4.2	159	17.0	1021
10/11/25 15:00	4.6	171	16.3	1021
10/11/25 16:00	4.9	176	15.3	1021
10/11/25 17:00	4.0	179	14.0	1021
10/11/25 18:00	2.4	172	13.0	1022
10/11/25 19:00	ND	ND	11.7	1022
10/11/25 20:00	ND	ND	10.2	1022
10/11/25 21:00	ND	ND	9.1	1023
10/11/25 22:00	0.5	340	8.4	1023
10/11/25 23:00	1.5	297	7.8	1023
10/12/25 0:00	1.2	305	7.1	1023
10/12/25 1:00	1.7	300	6.9	1023
10/12/25 2:00	2.0	340	7.5	1023
10/12/25 3:00	1.4	356	7.9	1022
10/12/25 4:00	2.0	27	7.9	1022
10/12/25 5:00	2.5	17	7.4	1022
10/12/25 6:00	1.7	29	7.0	1023

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (10/1/25 10:00 to 10/15/25 11:00)


10/12/25 7:00	2.4	20	7.0	1024
10/12/25 8:00	3.0	25	7.9	1024
10/12/25 9:00	2.5	29	9.2	1024
10/12/25 10:00	5.0	44	11.4	1024
10/12/25 11:00	6.0	49	12.7	1025
10/12/25 12:00	5.4	53	13.4	1024
10/12/25 13:00	6.0	61	14.5	1023
10/12/25 14:00	6.8	70	14.1	1023
10/12/25 15:00	6.7	70	14.0	1023
10/12/25 16:00	5.3	64	13.9	1023
10/12/25 17:00	5.5	60	13.9	1023
10/12/25 18:00	5.8	59	13.9	1023
10/12/25 19:00	6.0	58	13.5	1023
10/12/25 20:00	6.5	55	13.0	1023
10/12/25 21:00	6.0	49	12.9	1023
10/12/25 22:00	5.5	46	12.9	1023
10/12/25 23:00	5.1	37	12.1	1023
10/13/25 0:00	5.7	38	11.9	1022
10/13/25 1:00	5.1	42	11.9	1022
10/13/25 2:00	6.3	40	11.9	1022
10/13/25 3:00	5.6	41	11.7	1021
10/13/25 4:00	5.7	36	10.9	1021
10/13/25 5:00	6.2	28	10.9	1022
10/13/25 6:00	5.3	31	10.3	1022
10/13/25 7:00	5.5	30	9.9	1023
10/13/25 8:00	5.8	34	9.9	1023
10/13/25 9:00	6.1	36	10.1	1023
10/13/25 10:00	6.4	38	10.3	1023
10/13/25 11:00	6.7	39	10.4	1023
10/13/25 12:00	7.0	46	11.0	1022
10/13/25 13:00	7.5	45	11.0	1022
10/13/25 14:00	6.9	47	11.3	1022
10/13/25 15:00	6.6	53	11.8	1022
10/13/25 16:00	6.4	44	11.9	1021
10/13/25 17:00	6.0	34	11.0	1021
10/13/25 18:00	4.9	33	10.9	1021
10/13/25 19:00	5.2	35	10.9	1021
10/13/25 20:00	5.0	33	10.9	1021
10/13/25 21:00	4.2	28	10.9	1021
10/13/25 22:00	4.8	23	10.9	1021
10/13/25 23:00	5.0	27	11.3	1020
10/14/25 0:00	4.1	30	10.9	1020
10/14/25 1:00	4.3	15	10.9	1020
10/14/25 2:00	3.9	17	10.9	1019

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (10/1/25 10:00 to 10/15/25 11:00)**

10/14/25 3:00	3.8	20	10.9	1019
10/14/25 4:00	4.0	14	10.9	1018
10/14/25 5:00	4.6	351	10.5	1018
10/14/25 6:00	4.5	5	10.9	1018
10/14/25 7:00	5.5	6	10.6	1018
10/14/25 8:00	4.9	7	10.9	1018
10/14/25 9:00	4.4	7	11.7	1018
10/14/25 10:00	4.3	18	12.8	1018
10/14/25 11:00	4.0	33	13.7	1018
10/14/25 12:00	2.8	79	15.2	1017
10/14/25 13:00	3.0	67	16.0	1016
10/14/25 14:00	3.5	79	16.3	1016
10/14/25 15:00	2.8	100	16.0	1015
10/14/25 16:00	1.8	98	15.6	1015
10/14/25 17:00	1.5	104	14.0	1015
10/14/25 18:00	1.5	161	13.8	1015
10/14/25 19:00	1.7	305	13.0	1015
10/14/25 20:00	2.4	296	12.9	1015
10/14/25 21:00	1.0	355	12.8	1014
10/14/25 22:00	1.5	220	12.7	1014
10/14/25 23:00	1.6	257	12.8	1014
10/15/25 0:00	0.8	255	11.9	1013
10/15/25 1:00	1.9	265	10.2	1012
10/15/25 2:00	2.1	270	9.6	1012
10/15/25 3:00	2.6	277	8.5	1011
10/15/25 4:00	ND	ND	8.9	1010
10/15/25 5:00	1.5	244	8.7	1010
10/15/25 6:00	1.1	240	7.7	1010
10/15/25 7:00	1.8	288	8.0	1010
10/15/25 8:00	2.0	283	10.6	1010
10/15/25 9:00	1.8	295	12.6	1010
10/15/25 10:00	2.5	305	13.9	1010
10/15/25 11:00	4.3	325	16.1	1009

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (10/1/25 10:00 to 10/15/25 11:00)

PWM Wind Rose 10/1/25 10:00 - 10/15/25 11:00



GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (10/15/25 10:00 to 10/29/25 11:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
10/15/25 10:00	2.5	305	13.9	1010
10/15/25 11:00	4.3	325	16.1	1009
10/15/25 12:00	7.8	319	15.9	1009
10/15/25 13:00	6.8	330	14.8	1008
10/15/25 14:00	7.8	344	13.6	1009
10/15/25 15:00	8.2	344	12.4	1009
10/15/25 16:00	8.5	344	11.3	1009
10/15/25 17:00	6.0	354	9.9	1010
10/15/25 18:00	5.7	339	9.0	1010
10/15/25 19:00	5.6	342	9.2	1010
10/15/25 20:00	5.2	331	9.9	1010
10/15/25 21:00	4.5	328	9.1	1010
10/15/25 22:00	4.7	330	9.1	1010
10/15/25 23:00	5.4	328	9.0	1009
10/16/25 0:00	5.1	336	8.9	1009
10/16/25 1:00	5.7	333	8.9	1008
10/16/25 2:00	6.0	329	8.7	1008
10/16/25 3:00	6.2	324	7.8	1008
10/16/25 4:00	5.2	324	7.0	1008
10/16/25 5:00	4.7	320	6.9	1007
10/16/25 6:00	5.1	318	6.9	1007
10/16/25 7:00	6.3	317	6.9	1007
10/16/25 8:00	7.3	320	7.4	1007
10/16/25 9:00	7.1	331	8.1	1007
10/16/25 10:00	8.0	329	9.0	1007
10/16/25 11:00	7.3	335	10.5	1007
10/16/25 12:00	7.5	351	11.2	1006
10/16/25 13:00	6.8	343	11.0	1006
10/16/25 14:00	9.2	345	11.4	1006
10/16/25 15:00	8.9	338	11.3	1007
10/16/25 16:00	8.9	343	10.3	1007
10/16/25 17:00	8.4	346	9.9	1008
10/16/25 18:00	5.7	346	9.5	1008
10/16/25 19:00	7.3	349	9.0	1009
10/16/25 20:00	6.5	345	9.0	1009
10/16/25 21:00	6.8	347	8.9	1009
10/16/25 22:00	6.8	339	8.9	1009
10/16/25 23:00	6.8	345	8.9	1009
10/17/25 0:00	5.4	347	8.6	1009
10/17/25 1:00	4.8	4	8.4	1009
10/17/25 2:00	4.7	1	7.8	1009

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (10/15/25 10:00 to 10/29/25 11:00)

10/17/25 3:00	4.5	352	7.0	1009
10/17/25 4:00	5.3	335	6.9	1010
10/17/25 5:00	4.0	339	6.6	1011
10/17/25 6:00	4.0	330	6.8	1011
10/17/25 7:00	3.0	342	6.5	1011
10/17/25 8:00	4.5	350	8.8	1011
10/17/25 9:00	5.7	5	11.5	1011
10/17/25 10:00	6.9	7	12.4	1011
10/17/25 11:00	6.1	14	13.7	1011
10/17/25 12:00	6.0	10	15.3	1010
10/17/25 13:00	6.4	348	16.3	1010
10/17/25 14:00	4.8	11	16.8	1009
10/17/25 15:00	4.5	5	16.9	1009
10/17/25 16:00	4.2	5	16.9	1009
10/17/25 17:00	2.3	4	15.2	1009
10/17/25 18:00	1.8	24	12.9	1009
10/17/25 19:00	1.9	34	11.0	1010
10/17/25 20:00	3.1	18	10.7	1010
10/17/25 21:00	1.9	35	9.3	1011
10/17/25 22:00	1.5	301	7.8	1011
10/17/25 23:00	2.6	346	7.0	1011
10/18/25 0:00	2.8	303	5.8	1011
10/18/25 1:00	2.9	309	4.5	1011
10/18/25 2:00	1.7	323	4.8	1011
10/18/25 3:00	1.0	265	4.1	1011
10/18/25 4:00	ND	ND	3.3	1012
10/18/25 5:00	1.5	280	2.9	1012
10/18/25 6:00	1.0	290	1.9	1013
10/18/25 7:00	1.5	265	1.9	1013
10/18/25 8:00	1.5	280	5.8	1014
10/18/25 9:00	1.7	333	9.6	1014
10/18/25 10:00	1.8	14	12.3	1014
10/18/25 11:00	2.4	334	14.0	1014
10/18/25 12:00	2.6	315	15.7	1013
10/18/25 13:00	2.7	212	16.1	1012
10/18/25 14:00	4.1	165	14.3	1012
10/18/25 15:00	4.2	160	13.4	1012
10/18/25 16:00	3.1	180	12.8	1012
10/18/25 17:00	2.2	195	11.9	1013
10/18/25 18:00	1.8	189	11.1	1013
10/18/25 19:00	1.7	186	10.1	1013
10/18/25 20:00	1.8	217	9.9	1014
10/18/25 21:00	1.8	204	9.3	1013
10/18/25 22:00	ND	ND	7.7	1014

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (10/15/25 10:00 to 10/29/25 11:00)**

10/18/25 23:00	1.5	110	7.3	1015
10/19/25 0:00	1.5	85	7.0	1015
10/19/25 1:00	ND	ND	6.5	1015
10/19/25 2:00	1.5	280	6.3	1014
10/19/25 3:00	1.6	283	5.9	1014
10/19/25 4:00	ND	ND	5.9	1014
10/19/25 5:00	1.5	310	5.7	1014
10/19/25 6:00	0.2	ND	5.4	1014
10/19/25 7:00	1.5	280	5.4	1015
10/19/25 8:00	0.8	320	8.2	1015
10/19/25 9:00	1.8	ND	12.1	1015
10/19/25 10:00	2.9	159	14.9	1015
10/19/25 11:00	3.4	170	15.9	1015
10/19/25 12:00	4.0	160	16.7	1015
10/19/25 13:00	4.3	174	16.1	1014
10/19/25 14:00	4.7	171	16.1	1014
10/19/25 15:00	5.2	171	16.0	1014
10/19/25 16:00	5.2	168	15.1	1013
10/19/25 17:00	4.2	168	13.7	1013
10/19/25 18:00	3.2	165	13.0	1013
10/19/25 19:00	3.1	167	12.9	1014
10/19/25 20:00	2.9	163	12.0	1013
10/19/25 21:00	3.1	164	11.9	1013
10/19/25 22:00	3.2	166	12.6	1013
10/19/25 23:00	3.6	170	12.9	1013
10/20/25 0:00	2.6	161	12.5	1013
10/20/25 1:00	3.2	154	12.8	1013
10/20/25 2:00	3.6	153	13.0	1013
10/20/25 3:00	4.1	150	13.0	1012
10/20/25 4:00	3.7	144	13.2	1012
10/20/25 5:00	4.4	144	13.8	1011
10/20/25 6:00	4.6	135	13.9	1010
10/20/25 7:00	5.6	144	13.9	1009
10/20/25 8:00	8.1	145	14.9	1009
10/20/25 9:00	8.2	144	14.9	1009
10/20/25 10:00	7.9	140	15.0	1008
10/20/25 11:00	8.9	141	15.4	1007
10/20/25 12:00	8.2	140	15.8	1006
10/20/25 13:00	8.1	134	14.8	1005
10/20/25 14:00	7.9	137	14.0	1004
10/20/25 15:00	6.4	153	14.7	1004
10/20/25 16:00	7.6	146	15.2	1003
10/20/25 17:00	5.8	149	14.4	1002
10/20/25 18:00	3.9	164	13.8	1003

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (10/15/25 10:00 to 10/29/25 11:00)

10/20/25 19:00	3.0	173	13.1	1003
10/20/25 20:00	3.5	165	12.9	1003
10/20/25 21:00	3.1	172	12.9	1003
10/20/25 22:00	2.7	175	12.3	1003
10/20/25 23:00	2.7	181	12.0	1003
10/21/25 0:00	2.8	188	11.9	1003
10/21/25 1:00	3.2	199	11.8	1002
10/21/25 2:00	3.0	199	11.1	1002
10/21/25 3:00	2.9	204	10.9	1002
10/21/25 4:00	3.6	205	10.9	1002
10/21/25 5:00	3.2	207	10.6	1003
10/21/25 6:00	3.6	218	10.0	1003
10/21/25 7:00	3.9	228	9.8	1003
10/21/25 8:00	4.1	231	10.8	1004
10/21/25 9:00	3.6	250	12.4	1004
10/21/25 10:00	5.5	269	14.2	1005
10/21/25 11:00	4.9	270	15.6	1005
10/21/25 12:00	4.8	276	16.6	1005
10/21/25 13:00	3.9	264	17.0	1005
10/21/25 14:00	3.2	279	17.3	1005
10/21/25 15:00	3.7	264	17.6	1005
10/21/25 16:00	3.8	238	17.2	1006
10/21/25 17:00	3.4	192	14.9	1006
10/21/25 18:00	2.3	182	12.6	1007
10/21/25 19:00	1.6	182	11.0	1007
10/21/25 20:00	1.5	200	10.2	1007
10/21/25 21:00	ND	ND	9.0	1008
10/21/25 22:00	ND	ND	7.5	1008
10/21/25 23:00	3.1	ND	7.9	1008
10/22/25 0:00	1.5	290	7.1	1008
10/22/25 1:00	ND	ND	7.2	1007
10/22/25 2:00	2.4	193	8.6	1007
10/22/25 3:00	2.2	222	9.2	1007
10/22/25 4:00	ND	ND	7.2	1007
10/22/25 5:00	ND	ND	7.7	1006
10/22/25 6:00	1.5	303	7.9	1006
10/22/25 7:00	1.7	343	8.7	1005
10/22/25 8:00	1.9	30	9.9	1004
10/22/25 9:00	2.2	76	11.9	1003
10/22/25 10:00	2.9	278	11.1	1002
10/22/25 11:00	1.9	212	12.5	1001
10/22/25 12:00	2.7	189	13.4	1000
10/22/25 13:00	3.8	194	14.0	1000
10/22/25 14:00	4.0	184	14.2	1000

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (10/15/25 10:00 to 10/29/25 11:00)**

10/22/25 15:00	3.8	174	14.1	1000
10/22/25 16:00	4.5	222	13.4	1001
10/22/25 17:00	2.2	251	11.2	1002
10/22/25 18:00	2.1	243	10.9	1002
10/22/25 19:00	2.2	247	9.7	1003
10/22/25 20:00	1.7	237	8.5	1003
10/22/25 21:00	2.1	229	7.7	1004
10/22/25 22:00	2.0	214	6.9	1004
10/22/25 23:00	1.9	223	7.9	1004
10/23/25 0:00	2.3	192	8.2	1004
10/23/25 1:00	1.5	300	7.9	1004
10/23/25 2:00	1.5	230	7.5	1005
10/23/25 3:00	1.6	191	7.0	1005
10/23/25 4:00	1.5	230	6.8	1005
10/23/25 5:00	1.8	220	6.9	1006
10/23/25 6:00	2.4	206	6.9	1006
10/23/25 7:00	2.3	225	6.9	1006
10/23/25 8:00	2.4	212	8.1	1007
10/23/25 9:00	3.6	235	9.6	1007
10/23/25 10:00	3.9	239	11.4	1007
10/23/25 11:00	4.3	222	12.7	1007
10/23/25 12:00	4.4	221	13.7	1007
10/23/25 13:00	4.8	220	14.1	1007
10/23/25 14:00	3.8	252	14.2	1007
10/23/25 15:00	3.1	246	14.4	1007
10/23/25 16:00	3.3	236	14.2	1007
10/23/25 17:00	2.4	219	13.2	1008
10/23/25 18:00	1.7	184	11.0	1008
10/23/25 19:00	1.3	184	9.2	1009
10/23/25 20:00	1.6	234	8.9	1009
10/23/25 21:00	1.7	232	8.8	1010
10/23/25 22:00	1.8	221	7.9	1010
10/23/25 23:00	2.0	254	7.5	1010
10/24/25 0:00	1.7	224	7.2	1010
10/24/25 1:00	1.5	240	6.5	1010
10/24/25 2:00	1.8	286	5.3	1011
10/24/25 3:00	0.8	263	5.1	1011
10/24/25 4:00	1.1	275	5.4	1011
10/24/25 5:00	1.8	254	3.9	1012
10/24/25 6:00	0.4	250	3.2	1013
10/24/25 7:00	0.7	270	2.7	1013
10/24/25 8:00	1.5	286	5.9	1014
10/24/25 9:00	1.8	299	9.5	1015
10/24/25 10:00	2.4	346	12.4	1015

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (10/15/25 10:00 to 10/29/25 11:00)

10/24/25 11:00	1.7	322	13.4	1015
10/24/25 12:00	2.4	299	13.5	1015
10/24/25 13:00	2.3	224	13.4	1014
10/24/25 14:00	2.4	235	13.8	1014
10/24/25 15:00	3.4	179	13.3	1014
10/24/25 16:00	2.8	174	12.2	1014
10/24/25 17:00	2.4	203	11.0	1015
10/24/25 18:00	2.1	223	11.0	1016
10/24/25 19:00	1.8	226	10.8	1016
10/24/25 20:00	1.9	238	10.2	1016
10/24/25 21:00	2.4	270	9.2	1017
10/24/25 22:00	1.8	307	7.8	1017
10/24/25 23:00	2.8	306	6.5	1017
10/25/25 0:00	2.3	305	6.3	1018
10/25/25 1:00	1.7	297	5.0	1018
10/25/25 2:00	2.6	313	4.2	1019
10/25/25 3:00	2.2	280	4.2	1019
10/25/25 4:00	1.9	310	4.4	1020
10/25/25 5:00	1.6	278	5.7	1020
10/25/25 6:00	2.0	285	5.3	1021
10/25/25 7:00	2.6	287	5.2	1021
10/25/25 8:00	1.6	309	6.4	1022
10/25/25 9:00	2.1	320	8.2	1023
10/25/25 10:00	2.7	321	8.9	1023
10/25/25 11:00	2.2	340	10.6	1023
10/25/25 12:00	3.6	339	11.8	1023
10/25/25 13:00	4.0	320	11.4	1023
10/25/25 14:00	2.5	276	11.0	1023
10/25/25 15:00	3.1	299	11.0	1023
10/25/25 16:00	1.9	329	11.0	1023
10/25/25 17:00	1.7	332	10.2	1023
10/25/25 18:00	1.6	321	8.3	1024
10/25/25 19:00	2.6	307	7.7	1024
10/25/25 20:00	2.3	331	7.9	1025
10/25/25 21:00	2.0	310	7.4	1025
10/25/25 22:00	1.5	270	7.6	1025
10/25/25 23:00	2.1	295	7.1	1024
10/26/25 0:00	1.1	288	6.8	1025
10/26/25 1:00	1.9	264	6.2	1025
10/26/25 2:00	1.9	278	5.9	1024
10/26/25 3:00	0.6	310	5.9	1024
10/26/25 4:00	1.3	286	5.8	1024
10/26/25 5:00	1.5	292	5.8	1025
10/26/25 6:00	2.1	269	5.9	1025


GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (10/15/25 10:00 to 10/29/25 11:00)**

10/26/25 7:00	1.5	274	5.9	1025
10/26/25 8:00	2.3	299	6.6	1025
10/26/25 9:00	3.1	330	7.9	1026
10/26/25 10:00	4.0	340	10.0	1025
10/26/25 11:00	3.4	337	10.6	1025
10/26/25 12:00	4.6	304	11.1	1025
10/26/25 13:00	4.4	314	11.1	1024
10/26/25 14:00	4.4	343	11.2	1024
10/26/25 15:00	3.9	328	10.2	1024
10/26/25 16:00	4.2	346	10.9	1024
10/26/25 17:00	5.1	350	9.5	1024
10/26/25 18:00	2.6	349	7.9	1025
10/26/25 19:00	2.8	347	7.9	1025
10/26/25 20:00	3.2	347	6.8	1025
10/26/25 21:00	2.2	324	5.5	1026
10/26/25 22:00	2.8	330	6.0	1026
10/26/25 23:00	2.8	299	5.9	1025
10/27/25 0:00	2.4	281	5.2	1025
10/27/25 1:00	2.4	279	4.5	1025
10/27/25 2:00	3.2	297	3.7	1025
10/27/25 3:00	2.3	311	3.8	1024
10/27/25 4:00	2.0	329	4.0	1025
10/27/25 5:00	1.9	287	2.6	1025
10/27/25 6:00	3.0	303	4.0	1025
10/27/25 7:00	3.1	308	5.6	1025
10/27/25 8:00	3.1	319	6.4	1026
10/27/25 9:00	3.6	332	7.6	1026
10/27/25 10:00	4.9	345	9.7	1025
10/27/25 11:00	5.1	2	10.5	1025
10/27/25 12:00	4.7	16	10.5	1024
10/27/25 13:00	4.4	12	10.9	1024
10/27/25 14:00	3.7	30	10.7	1024
10/27/25 15:00	2.9	1	11.3	1024
10/27/25 16:00	3.9	26	10.9	1024
10/27/25 17:00	4.3	13	9.4	1024
10/27/25 18:00	2.9	355	8.2	1025
10/27/25 19:00	2.7	338	7.9	1025
10/27/25 20:00	2.9	332	7.9	1025
10/27/25 21:00	2.8	334	6.9	1025
10/27/25 22:00	3.4	309	5.7	1025
10/27/25 23:00	3.6	316	5.7	1025
10/28/25 0:00	3.4	310	4.2	1026
10/28/25 1:00	3.6	323	5.9	1026
10/28/25 2:00	3.8	342	6.5	1026

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (10/15/25 10:00 to 10/29/25 11:00)**

10/28/25 3:00	4.4	356	6.3	1025
10/28/25 4:00	4.5	359	5.9	1025
10/28/25 5:00	2.3	340	5.2	1026
10/28/25 6:00	3.7	341	4.3	1027
10/28/25 7:00	4.2	353	4.6	1027
10/28/25 8:00	5.4	358	6.6	1027
10/28/25 9:00	5.0	12	8.4	1027
10/28/25 10:00	5.9	18	10.0	1027
10/28/25 11:00	5.5	22	11.6	1027
10/28/25 12:00	4.5	38	12.0	1026
10/28/25 13:00	4.9	37	12.7	1025
10/28/25 14:00	4.4	38	13.0	1025
10/28/25 15:00	4.1	66	12.8	1024
10/28/25 16:00	4.4	69	12.0	1024
10/28/25 17:00	3.6	64	10.9	1024
10/28/25 18:00	3.0	78	9.2	1024
10/28/25 19:00	2.5	35	8.5	1024
10/28/25 20:00	2.5	18	7.0	1023
10/28/25 21:00	2.7	8	6.2	1024
10/28/25 22:00	2.6	16	6.0	1024
10/28/25 23:00	3.1	13	5.6	1023
10/29/25 0:00	2.8	3	3.9	1023
10/29/25 1:00	2.5	359	3.9	1022
10/29/25 2:00	3.0	3	4.0	1022
10/29/25 3:00	3.2	14	4.7	1022
10/29/25 4:00	3.3	11	4.0	1021
10/29/25 5:00	3.2	9	3.9	1021
10/29/25 6:00	3.2	353	3.9	1021
10/29/25 7:00	4.1	3	4.2	1021
10/29/25 8:00	4.2	13	5.7	1021
10/29/25 9:00	4.8	17	6.3	1021
10/29/25 10:00	5.0	20	7.9	1021
10/29/25 11:00	5.1	31	9.4	1021

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (10/15/25 10:00 to 10/29/25 11:00)



GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (10/29/25 9:00 to 11/12/25 11:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
10/29/25 9:00	4.8	17	6.3	1021
10/29/25 10:00	5.0	20	7.9	1021
10/29/25 11:00	5.1	31	9.4	1021
10/29/25 12:00	4.9	56	10.3	1020
10/29/25 13:00	5.4	68	11.0	1019
10/29/25 14:00	4.5	67	11.3	1019
10/29/25 15:00	4.0	64	11.4	1019
10/29/25 16:00	3.4	71	10.8	1019
10/29/25 17:00	2.4	62	9.2	1019
10/29/25 18:00	1.6	114	7.9	1019
10/29/25 19:00	1.5	253	6.7	1020
10/29/25 20:00	1.5	303	6.7	1020
10/29/25 21:00	1.5	345	5.7	1020
10/29/25 22:00	1.5	330	4.3	1020
10/29/25 23:00	1.6	303	2.9	1020
10/30/25 0:00	1.6	286	2.0	1020
10/30/25 1:00	2.0	333	1.9	1020
10/30/25 2:00	1.4	307	2.3	1019
10/30/25 3:00	1.5	343	3.0	1019
10/30/25 4:00	2.1	331	3.9	1018
10/30/25 5:00	2.0	349	3.9	1018
10/30/25 6:00	1.5	349	4.7	1017
10/30/25 7:00	1.7	353	5.6	1018
10/30/25 8:00	2.5	351	5.9	1018
10/30/25 9:00	2.2	29	6.6	1018
10/30/25 10:00	2.1	39	7.1	1017
10/30/25 11:00	2.7	25	7.2	1016
10/30/25 12:00	3.0	32	8.2	1015
10/30/25 13:00	4.0	49	8.9	1014
10/30/25 14:00	4.5	49	8.9	1012
10/30/25 15:00	4.6	69	10.1	1011
10/30/25 16:00	6.1	84	10.9	1010
10/30/25 17:00	6.3	88	10.9	1010
10/30/25 18:00	6.7	89	10.9	1009
10/30/25 19:00	7.6	87	10.9	1007
10/30/25 20:00	7.7	81	10.9	1006
10/30/25 21:00	7.4	81	11.1	1004
10/30/25 22:00	7.9	86	11.9	1002
10/30/25 23:00	8.4	79	11.9	1000
10/31/25 0:00	8.3	76	11.9	997
10/31/25 1:00	8.2	79	11.9	995

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (10/29/25 9:00 to 11/12/25 11:00)**

10/31/25 2:00	7.2	66	12.1	993
10/31/25 3:00	8.5	56	12.6	989
10/31/25 4:00	7.0	75	12.7	986
10/31/25 5:00	6.2	118	13.5	984
10/31/25 6:00	7.0	148	13.9	982
10/31/25 7:00	7.4	162	14.0	981
10/31/25 8:00	6.4	188	14.0	980
10/31/25 9:00	7.3	216	14.8	981
10/31/25 10:00	6.7	212	15.6	981
10/31/25 11:00	7.4	231	16.4	980
10/31/25 12:00	7.0	245	17.6	980
10/31/25 13:00	7.5	237	17.5	980
10/31/25 14:00	7.9	245	15.9	980
10/31/25 15:00	7.5	246	14.3	981
10/31/25 16:00	8.1	245	12.8	982
10/31/25 17:00	7.6	255	11.3	982
10/31/25 18:00	6.5	258	10.8	983
10/31/25 19:00	6.3	242	10.3	983
10/31/25 20:00	6.1	250	9.8	984
10/31/25 21:00	6.7	250	9.9	984
10/31/25 22:00	7.5	258	9.9	984
10/31/25 23:00	8.8	261	9.2	985
11/1/25 0:00	9.0	267	8.7	985
11/1/25 1:00	9.1	269	7.9	987
11/1/25 2:00	8.4	267	7.6	988
11/1/25 3:00	6.4	269	7.0	989
11/1/25 4:00	9.1	270	7.2	990
11/1/25 5:00	9.4	265	7.9	992
11/1/25 6:00	7.8	267	7.9	994
11/1/25 7:00	6.1	267	7.9	996
11/1/25 8:00	5.5	260	8.0	998
11/1/25 9:00	8.0	264	9.1	999
11/1/25 10:00	9.4	278	10.4	1000
11/1/25 11:00	9.8	285	11.1	1001
11/1/25 12:00	8.5	285	11.9	1001
11/1/25 13:00	7.3	276	11.9	1002
11/1/25 14:00	7.1	275	11.9	1003
11/1/25 15:00	7.6	284	11.4	1004
11/1/25 16:00	8.3	286	9.9	1006
11/1/25 17:00	6.2	278	8.1	1007
11/1/25 18:00	4.9	289	6.3	1009
11/1/25 19:00	3.0	306	5.3	1010
11/1/25 20:00	4.8	308	5.0	1011
11/1/25 21:00	4.1	296	4.2	1012

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (10/29/25 9:00 to 11/12/25 11:00)

11/1/25 22:00	3.3	284	3.3	1013
11/1/25 23:00	3.4	278	2.7	1013
11/2/25 0:00	2.5	261	2.7	1014
11/2/25 1:00	3.1	316	2.4	1015
11/2/25 2:00	3.5	309	1.9	1015
11/2/25 3:00	2.0	256	0.6	1016
11/2/25 4:00	2.6	246	-0.8	1017
11/2/25 5:00	2.1	271	-1.4	1018
11/2/25 6:00	1.5	201	-1.4	1018
11/2/25 7:00	1.5	270	1.0	1019
11/2/25 8:00	ND	ND	4.5	1020
11/2/25 9:00	1.5	228	7.4	1020
11/2/25 10:00	2.1	221	8.5	1020
11/2/25 11:00	2.5	249	9.1	1020
11/2/25 12:00	2.9	245	10.2	1019
11/2/25 13:00	5.5	294	10.9	1019
11/2/25 14:00	2.6	338	10.9	1019
11/2/25 15:00	3.7	187	9.2	1019
11/2/25 16:00	2.2	191	7.5	1020
11/2/25 17:00	1.9	256	6.5	1021
11/2/25 18:00	3.1	286	4.7	1021
11/2/25 19:00	2.2	307	4.1	1022
11/2/25 20:00	ND	ND	3.0	1022
11/2/25 21:00	0.0	ND	1.4	1022
11/2/25 22:00	ND	ND	0.2	1022
11/2/25 23:00	1.9	326	-1.1	1022
11/3/25 0:00	1.1	271	-1.5	1022
11/3/25 1:00	1.7	282	-2.1	1022
11/3/25 2:00	1.6	287	-2.2	1022
11/3/25 3:00	1.8	300	-2.3	1021
11/3/25 4:00	1.8	284	-2.5	1021
11/3/25 5:00	1.7	286	-2.4	1021
11/3/25 6:00	1.3	287	-2.3	1020
11/3/25 7:00	1.5	290	-1.7	1020
11/3/25 8:00	1.5	285	0.7	1019
11/3/25 9:00	ND	ND	4.3	1019
11/3/25 10:00	1.5	227	6.9	1018
11/3/25 11:00	1.9	198	8.5	1016
11/3/25 12:00	3.3	189	9.9	1015
11/3/25 13:00	2.9	189	10.6	1013
11/3/25 14:00	4.2	187	10.9	1012
11/3/25 15:00	5.1	187	10.9	1010
11/3/25 16:00	5.2	188	10.9	1009
11/3/25 17:00	5.4	187	11.0	1008

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (10/29/25 9:00 to 11/12/25 11:00)

11/3/25 18:00	6.5	187	11.0	1007
11/3/25 19:00	6.4	186	10.9	1006
11/3/25 20:00	5.7	198	10.2	1004
11/3/25 21:00	5.2	220	8.9	1003
11/3/25 22:00	3.0	237	7.2	1001
11/3/25 23:00	2.2	236	7.2	1000
11/4/25 0:00	3.9	259	7.6	999
11/4/25 1:00	5.3	263	7.0	999
11/4/25 2:00	4.1	263	6.6	999
11/4/25 3:00	5.0	270	5.9	998
11/4/25 4:00	5.6	270	6.2	999
11/4/25 5:00	5.1	269	6.9	999
11/4/25 6:00	7.0	296	6.9	1001
11/4/25 7:00	7.5	305	8.1	1002
11/4/25 8:00	9.6	306	9.3	1003
11/4/25 9:00	11.3	298	10.9	1003
11/4/25 10:00	10.6	299	11.3	1004
11/4/25 11:00	12.1	301	11.3	1004
11/4/25 12:00	12.1	297	10.9	1005
11/4/25 13:00	13.3	300	10.9	1005
11/4/25 14:00	13.4	305	10.9	1006
11/4/25 15:00	11.5	297	10.0	1007
11/4/25 16:00	7.8	287	8.2	1009
11/4/25 17:00	6.1	274	8.0	1010
11/4/25 18:00	4.6	273	7.2	1010
11/4/25 19:00	4.8	279	7.0	1011
11/4/25 20:00	3.9	278	6.7	1011
11/4/25 21:00	4.4	280	6.8	1012
11/4/25 22:00	3.0	255	6.4	1012
11/4/25 23:00	3.0	259	5.4	1012
11/5/25 0:00	1.8	218	4.8	1013
11/5/25 1:00	2.1	226	4.8	1013
11/5/25 2:00	2.2	219	4.1	1014
11/5/25 3:00	1.7	238	2.4	1014
11/5/25 4:00	2.0	218	1.1	1014
11/5/25 5:00	3.1	227	2.9	1014
11/5/25 6:00	2.6	228	2.9	1014
11/5/25 7:00	3.0	244	4.3	1014
11/5/25 8:00	3.3	238	6.0	1014
11/5/25 9:00	3.1	247	7.0	1014
11/5/25 10:00	2.2	236	7.5	1013
11/5/25 11:00	2.1	151	8.1	1011
11/5/25 12:00	1.8	120	9.1	1010
11/5/25 13:00	4.0	166	9.3	1008

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (10/29/25 9:00 to 11/12/25 11:00)**

11/5/25 14:00	3.4	158	8.9	1006
11/5/25 15:00	2.5	138	8.2	1005
11/5/25 16:00	2.4	135	8.3	1003
11/5/25 17:00	2.7	97	8.1	1002
11/5/25 18:00	2.6	95	8.7	1000
11/5/25 19:00	1.8	94	8.9	998
11/5/25 20:00	2.2	353	8.4	996
11/5/25 21:00	2.0	327	7.7	995
11/5/25 22:00	2.8	316	6.5	993
11/5/25 23:00	3.2	312	6.0	993
11/6/25 0:00	3.3	312	5.9	993
11/6/25 1:00	4.2	322	5.9	993
11/6/25 2:00	7.6	318	5.9	994
11/6/25 3:00	8.4	317	5.9	996
11/6/25 4:00	7.4	306	5.8	998
11/6/25 5:00	8.1	310	5.9	999
11/6/25 6:00	5.9	301	4.8	1001
11/6/25 7:00	6.4	295	5.9	1003
11/6/25 8:00	6.0	299	7.2	1004
11/6/25 9:00	7.0	313	8.1	1005
11/6/25 10:00	7.1	313	8.2	1006
11/6/25 11:00	8.1	322	7.1	1006
11/6/25 12:00	6.8	313	7.6	1007
11/6/25 13:00	9.2	301	8.8	1008
11/6/25 14:00	9.4	304	7.8	1009
11/6/25 15:00	7.6	305	6.9	1010
11/6/25 16:00	6.5	299	5.7	1011
11/6/25 17:00	6.1	287	4.6	1012
11/6/25 18:00	6.1	289	3.8	1013
11/6/25 19:00	3.2	276	3.2	1013
11/6/25 20:00	3.2	281	2.2	1014
11/6/25 21:00	3.0	272	2.1	1014
11/6/25 22:00	4.8	272	2.7	1014
11/6/25 23:00	4.2	272	1.9	1014
11/7/25 0:00	4.5	267	1.9	1014
11/7/25 1:00	2.5	280	1.1	1014
11/7/25 2:00	2.0	260	0.4	1014
11/7/25 3:00	1.8	237	-1.1	1014
11/7/25 4:00	2.2	224	-1.4	1014
11/7/25 5:00	2.6	226	-1.2	1014
11/7/25 6:00	2.7	235	-1.1	1015
11/7/25 7:00	2.0	265	1.0	1015
11/7/25 8:00	2.2	258	3.5	1015
11/7/25 9:00	2.4	249	4.5	1015

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (10/29/25 9:00 to 11/12/25 11:00)

11/7/25 10:00	2.5	244	5.4	1014
11/7/25 11:00	3.4	219	5.9	1013
11/7/25 12:00	3.4	247	7.0	1012
11/7/25 13:00	3.7	245	7.5	1011
11/7/25 14:00	4.0	179	7.7	1010
11/7/25 15:00	3.6	180	7.0	1009
11/7/25 16:00	4.3	173	7.5	1008
11/7/25 17:00	5.3	172	8.1	1006
11/7/25 18:00	6.2	185	9.3	1005
11/7/25 19:00	5.7	188	9.9	1004
11/7/25 20:00	5.8	191	10.1	1003
11/7/25 21:00	5.8	198	10.6	1002
11/7/25 22:00	5.0	195	10.9	1002
11/7/25 23:00	3.6	193	10.8	1001
11/8/25 0:00	3.1	190	10.9	1000
11/8/25 1:00	2.8	201	10.9	999
11/8/25 2:00	2.8	209	10.9	999
11/8/25 3:00	2.5	205	10.9	999
11/8/25 4:00	2.5	216	10.9	999
11/8/25 5:00	3.1	209	10.8	999
11/8/25 6:00	2.4	220	10.9	999
11/8/25 7:00	3.3	213	10.9	1000
11/8/25 8:00	3.9	214	11.0	1000
11/8/25 9:00	3.8	230	11.9	1000
11/8/25 10:00	4.0	228	12.5	1001
11/8/25 11:00	3.5	235	13.2	1001
11/8/25 12:00	4.6	259	14.8	1001
11/8/25 13:00	5.4	298	15.1	1001
11/8/25 14:00	4.6	327	14.6	1002
11/8/25 15:00	5.4	312	13.7	1003
11/8/25 16:00	3.8	317	11.3	1005
11/8/25 17:00	1.7	340	9.9	1006
11/8/25 18:00	2.5	341	7.8	1008
11/8/25 19:00	2.5	340	6.7	1008
11/8/25 20:00	1.7	329	5.1	1009
11/8/25 21:00	1.0	353	3.1	1010
11/8/25 22:00	1.8	360	2.0	1011
11/8/25 23:00	1.5	3	1.9	1011
11/9/25 0:00	1.1	34	1.6	1012
11/9/25 1:00	1.9	37	2.7	1012
11/9/25 2:00	2.0	3	2.8	1013
11/9/25 3:00	2.6	18	2.9	1014
11/9/25 4:00	2.8	40	2.9	1014
11/9/25 5:00	2.4	13	3.2	1014

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (10/29/25 9:00 to 11/12/25 11:00)

11/9/25 6:00	2.4	26	3.0	1015
11/9/25 7:00	3.0	25	2.9	1015
11/9/25 8:00	3.3	44	3.9	1015
11/9/25 9:00	3.4	19	4.3	1015
11/9/25 10:00	2.8	17	4.2	1016
11/9/25 11:00	3.9	41	5.8	1015
11/9/25 12:00	4.9	43	5.9	1015
11/9/25 13:00	4.8	45	6.9	1014
11/9/25 14:00	4.3	30	6.9	1014
11/9/25 15:00	4.1	46	7.2	1014
11/9/25 16:00	7.5	89	8.9	1013
11/9/25 17:00	6.7	89	9.9	1012
11/9/25 18:00	7.1	81	9.9	1012
11/9/25 19:00	7.1	96	9.9	1011
11/9/25 20:00	7.2	101	9.9	1010
11/9/25 21:00	7.3	97	9.9	1009
11/9/25 22:00	8.4	83	9.9	1008
11/9/25 23:00	8.8	75	9.9	1007
11/10/25 0:00	6.4	65	10.1	1006
11/10/25 1:00	5.1	56	10.9	1006
11/10/25 2:00	4.0	34	10.9	1005
11/10/25 3:00	4.6	45	9.9	1004
11/10/25 4:00	3.8	4	8.3	1003
11/10/25 5:00	3.9	345	7.8	1003
11/10/25 6:00	3.3	310	6.9	1004
11/10/25 7:00	3.3	334	6.9	1004
11/10/25 8:00	3.1	325	7.0	1004
11/10/25 9:00	2.6	322	7.3	1004
11/10/25 10:00	3.9	317	8.0	1003
11/10/25 11:00	2.7	357	8.0	1002
11/10/25 12:00	2.5	344	8.5	1001
11/10/25 13:00	3.2	356	9.0	999
11/10/25 14:00	2.9	7	9.0	999
11/10/25 15:00	2.3	21	8.9	998
11/10/25 16:00	2.9	33	8.9	997
11/10/25 17:00	3.6	55	8.9	995
11/10/25 18:00	2.0	341	9.0	994
11/10/25 19:00	2.8	340	9.0	992
11/10/25 20:00	3.1	305	9.0	992
11/10/25 21:00	3.6	274	9.0	992
11/10/25 22:00	2.6	268	8.6	991
11/10/25 23:00	4.3	258	8.4	991
11/11/25 0:00	4.4	249	5.6	992
11/11/25 1:00	3.5	254	3.8	993


GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (10/29/25 9:00 to 11/12/25 11:00)**

11/11/25 2:00	4.3	261	2.9	993
11/11/25 3:00	3.8	262	2.0	994
11/11/25 4:00	2.9	256	1.0	994
11/11/25 5:00	2.6	226	1.0	995
11/11/25 6:00	2.8	233	0.9	995
11/11/25 7:00	3.2	252	1.2	995
11/11/25 8:00	4.6	252	2.0	995
11/11/25 9:00	5.1	259	2.9	994
11/11/25 10:00	5.4	249	2.9	994
11/11/25 11:00	5.4	254	2.1	993
11/11/25 12:00	5.9	267	2.0	993
11/11/25 13:00	6.9	260	2.1	993
11/11/25 14:00	5.9	268	1.6	993
11/11/25 15:00	5.5	266	0.9	992
11/11/25 16:00	5.8	266	0.9	993
11/11/25 17:00	5.1	262	0.9	994
11/11/25 18:00	6.5	270	0.4	995
11/11/25 19:00	6.4	276	0.0	996
11/11/25 20:00	6.5	272	0.4	997
11/11/25 21:00	5.9	273	-0.2	997
11/11/25 22:00	5.4	271	-0.4	998
11/11/25 23:00	5.7	266	-0.1	998
11/12/25 0:00	6.9	264	0.2	1000
11/12/25 1:00	4.9	260	0.8	1001
11/12/25 2:00	5.4	257	0.9	1002
11/12/25 3:00	5.3	258	0.9	1003
11/12/25 4:00	4.6	261	0.9	1003
11/12/25 5:00	2.8	254	0.9	1004
11/12/25 6:00	2.5	216	0.3	1004
11/12/25 7:00	3.5	216	0.8	1005
11/12/25 8:00	4.1	213	1.7	1005
11/12/25 9:00	3.3	224	2.8	1004
11/12/25 10:00	4.2	218	3.9	1004
11/12/25 11:00	4.2	242	4.1	1003

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (10/29/25 9:00 to 11/12/25 11:00)

PWM Wind Rose 10/29/25 9:00 - 11/12/25 11:00



GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (11/12/25 9:00 to 11/25/25 17:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
11/12/25 9:00	3.3	224	2.8	1004
11/12/25 10:00	4.2	218	3.9	1004
11/12/25 11:00	4.2	242	4.1	1003
11/12/25 12:00	2.7	237	4.6	1002
11/12/25 13:00	2.7	240	5.3	1001
11/12/25 14:00	3.4	248	5.0	1001
11/12/25 15:00	3.4	253	4.5	1001
11/12/25 16:00	2.8	247	3.9	1001
11/12/25 17:00	2.2	232	3.4	1001
11/12/25 18:00	2.5	222	3.1	1001
11/12/25 19:00	3.3	239	2.9	1001
11/12/25 20:00	3.0	237	2.7	1001
11/12/25 21:00	1.8	236	1.9	1001
11/12/25 22:00	2.8	259	2.1	1001
11/12/25 23:00	1.8	263	1.9	1001
11/13/25 0:00	2.0	271	1.9	1001
11/13/25 1:00	2.1	290	1.8	1001
11/13/25 2:00	2.3	295	2.0	1001
11/13/25 3:00	1.8	344	2.0	1002
11/13/25 4:00	1.8	333	2.0	1002
11/13/25 5:00	1.7	17	2.0	1003
11/13/25 6:00	1.2	26	1.1	1003
11/13/25 7:00	1.5	240	2.3	1004
11/13/25 8:00	2.2	321	3.5	1004
11/13/25 9:00	1.6	314	4.3	1004
11/13/25 10:00	2.9	312	5.6	1004
11/13/25 11:00	2.9	350	6.6	1004
11/13/25 12:00	3.8	339	7.0	1004
11/13/25 13:00	3.5	339	6.9	1004
11/13/25 14:00	3.2	358	6.3	1004
11/13/25 15:00	3.2	317	5.9	1005
11/13/25 16:00	3.1	282	4.4	1005
11/13/25 17:00	3.0	289	3.9	1006
11/13/25 18:00	3.1	293	3.9	1007
11/13/25 19:00	3.3	294	3.9	1007
11/13/25 20:00	2.8	304	3.6	1008
11/13/25 21:00	2.7	282	2.9	1008
11/13/25 22:00	3.2	290	2.1	1008
11/13/25 23:00	2.6	295	1.0	1008
11/14/25 0:00	2.1	278	1.1	1008
11/14/25 1:00	1.9	295	0.2	1008

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (11/12/25 9:00 to 11/25/25 17:00)

11/14/25 2:00	2.6	290	0.8	1009
11/14/25 3:00	2.3	308	0.8	1009
11/14/25 4:00	2.5	281	0.9	1009
11/14/25 5:00	2.9	287	0.5	1010
11/14/25 6:00	2.2	282	0.5	1010
11/14/25 7:00	1.6	264	1.2	1011
11/14/25 8:00	2.7	282	2.4	1011
11/14/25 9:00	3.5	312	4.9	1011
11/14/25 10:00	4.5	301	5.2	1011
11/14/25 11:00	4.1	298	4.8	1010
11/14/25 12:00	3.6	310	6.0	1010
11/14/25 13:00	4.8	308	6.1	1009
11/14/25 14:00	4.9	314	5.9	1009
11/14/25 15:00	4.6	320	4.9	1009
11/14/25 16:00	4.2	309	3.9	1009
11/14/25 17:00	3.6	324	3.9	1009
11/14/25 18:00	2.9	331	2.9	1009
11/14/25 19:00	2.3	341	2.2	1009
11/14/25 20:00	2.9	334	2.3	1008
11/14/25 21:00	2.9	327	1.9	1008
11/14/25 22:00	2.9	346	1.5	1008
11/14/25 23:00	2.3	309	0.7	1008
11/15/25 0:00	2.4	332	0.7	1008
11/15/25 1:00	2.2	312	-0.4	1008
11/15/25 2:00	2.0	250	-1.1	1008
11/15/25 3:00	2.5	278	-2.3	1007
11/15/25 4:00	2.4	260	-1.5	1007
11/15/25 5:00	2.1	265	-2.8	1007
11/15/25 6:00	2.0	317	-3.5	1006
11/15/25 7:00	1.8	317	-1.9	1006
11/15/25 8:00	1.9	306	1.5	1005
11/15/25 9:00	3.8	297	2.8	1005
11/15/25 10:00	3.8	309	3.9	1004
11/15/25 11:00	3.8	294	5.0	1003
11/15/25 12:00	3.8	283	5.6	1001
11/15/25 13:00	3.9	290	6.2	1000
11/15/25 14:00	3.7	285	6.1	1000
11/15/25 15:00	2.0	294	5.3	999
11/15/25 16:00	1.1	290	1.9	999
11/15/25 17:00	1.1	303	-0.2	998
11/15/25 18:00	0.8	285	-0.6	997
11/15/25 19:00	0.6	273	-1.5	996
11/15/25 20:00	0.7	259	-1.5	995
11/15/25 21:00	0.7	298	0.0	994

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (11/12/25 9:00 to 11/25/25 17:00)

11/15/25 22:00	0.8	296	0.4	992
11/15/25 23:00	1.2	222	1.5	991
11/16/25 0:00	1.2	89	0.1	989
11/16/25 1:00	0.7	55	0.5	987
11/16/25 2:00	0.8	50	0.8	986
11/16/25 3:00	1.2	11	1.1	984
11/16/25 4:00	1.4	344	1.2	983
11/16/25 5:00	1.5	346	2.7	982
11/16/25 6:00	2.1	330	2.4	981
11/16/25 7:00	2.0	313	2.3	981
11/16/25 8:00	2.6	298	2.3	981
11/16/25 9:00	3.0	297	2.7	981
11/16/25 10:00	3.1	306	3.6	981
11/16/25 11:00	3.8	303	4.6	981
11/16/25 12:00	3.4	296	4.7	981
11/16/25 13:00	4.5	296	4.6	982
11/16/25 14:00	4.7	291	4.7	983
11/16/25 15:00	4.4	307	3.9	983
11/16/25 16:00	5.0	298	3.6	984
11/16/25 17:00	4.2	296	3.1	985
11/16/25 18:00	5.0	289	2.4	986
11/16/25 19:00	4.9	286	2.2	986
11/16/25 20:00	4.1	290	1.8	986
11/16/25 21:00	4.3	283	2.1	986
11/16/25 22:00	4.7	272	2.0	986
11/16/25 23:00	5.2	270	1.7	987
11/17/25 0:00	4.7	267	1.7	987
11/17/25 1:00	4.6	270	1.3	987
11/17/25 2:00	4.9	271	1.2	987
11/17/25 3:00	4.6	277	1.2	987
11/17/25 4:00	5.9	280	0.7	988
11/17/25 5:00	5.5	283	0.3	988
11/17/25 6:00	5.3	284	0.3	989
11/17/25 7:00	5.4	284	0.9	990
11/17/25 8:00	6.7	288	1.4	991
11/17/25 9:00	6.0	291	1.7	992
11/17/25 10:00	7.4	289	2.1	992
11/17/25 11:00	7.2	288	2.4	993
11/17/25 12:00	6.5	291	2.7	994
11/17/25 13:00	7.3	292	3.0	994
11/17/25 14:00	7.3	293	3.1	995
11/17/25 15:00	6.5	294	2.6	997
11/17/25 16:00	6.9	292	1.9	998
11/17/25 17:00	5.9	286	1.8	999

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (11/12/25 9:00 to 11/25/25 17:00)

11/17/25 18:00	5.3	286	1.6	1000
11/17/25 19:00	4.3	290	1.2	1001
11/17/25 20:00	5.3	285	1.2	1002
11/17/25 21:00	4.4	280	1.2	1003
11/17/25 22:00	4.7	282	1.1	1003
11/17/25 23:00	5.0	278	1.2	1004
11/18/25 0:00	4.2	266	1.1	1005
11/18/25 1:00	3.6	271	0.8	1005
11/18/25 2:00	3.3	281	0.2	1006
11/18/25 3:00	3.5	274	0.0	1006
11/18/25 4:00	3.7	277	0.3	1007
11/18/25 5:00	4.0	283	0.2	1007
11/18/25 6:00	3.2	272	0.3	1008
11/18/25 7:00	4.3	292	1.0	1009
11/18/25 8:00	6.5	288	2.8	1010
11/18/25 9:00	6.4	285	3.8	1010
11/18/25 10:00	6.4	284	4.8	1011
11/18/25 11:00	5.6	294	5.6	1011
11/18/25 12:00	7.4	291	6.8	1011
11/18/25 13:00	7.3	299	6.9	1011
11/18/25 14:00	6.7	287	6.9	1012
11/18/25 15:00	5.4	312	5.9	1012
11/18/25 16:00	4.5	284	3.7	1013
11/18/25 17:00	3.1	280	2.6	1014
11/18/25 18:00	1.9	264	2.2	1015
11/18/25 19:00	2.3	252	1.8	1015
11/18/25 20:00	1.6	249	-0.8	1015
11/18/25 21:00	1.5	0	-1.6	1016
11/18/25 22:00	0.9	340	-2.7	1016
11/18/25 23:00	1.5	240	-3.4	1016
11/19/25 0:00	1.5	320	-4.3	1017
11/19/25 1:00	1.8	327	-4.8	1017
11/19/25 2:00	1.7	323	-4.6	1017
11/19/25 3:00	2.0	282	-5.2	1017
11/19/25 4:00	1.7	280	-5.2	1017
11/19/25 5:00	2.0	281	-6.3	1018
11/19/25 6:00	1.8	286	-6.0	1018
11/19/25 7:00	1.8	296	-4.8	1019
11/19/25 8:00	1.6	283	-1.6	1019
11/19/25 9:00	1.9	318	1.9	1020
11/19/25 10:00	2.8	335	3.8	1019
11/19/25 11:00	4.1	308	4.9	1019
11/19/25 12:00	4.4	301	5.9	1018
11/19/25 13:00	4.6	299	6.0	1018

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (11/12/25 9:00 to 11/25/25 17:00)**

11/19/25 14:00	3.2	318	6.0	1018
11/19/25 15:00	3.0	296	5.3	1019
11/19/25 16:00	1.7	258	3.6	1019
11/19/25 17:00	1.8	252	1.8	1020
11/19/25 18:00	1.0	310	0.2	1020
11/19/25 19:00	ND	ND	-0.8	1021
11/19/25 20:00	1.5	285	-1.8	1021
11/19/25 21:00	1.4	290	-2.7	1021
11/19/25 22:00	ND	ND	-2.6	1021
11/19/25 23:00	1.7	327	-2.7	1021
11/20/25 0:00	1.5	316	-2.5	1021
11/20/25 1:00	1.5	283	-4.1	1022
11/20/25 2:00	ND	ND	-4.8	1022
11/20/25 3:00	0.8	330	-4.4	1022
11/20/25 4:00	1.4	328	-5.5	1022
11/20/25 5:00	1.8	332	-5.7	1022
11/20/25 6:00	2.2	340	-5.2	1022
11/20/25 7:00	2.0	341	-3.5	1023
11/20/25 8:00	2.0	342	-1.3	1023
11/20/25 9:00	1.5	7	2.0	1023
11/20/25 10:00	1.9	355	3.4	1022
11/20/25 11:00	1.5	360	4.5	1021
11/20/25 12:00	1.8	83	5.4	1021
11/20/25 13:00	2.8	99	5.3	1020
11/20/25 14:00	2.4	112	4.7	1020
11/20/25 15:00	1.9	112	3.6	1020
11/20/25 16:00	1.7	143	2.1	1020
11/20/25 17:00	ND	ND	0.9	1020
11/20/25 18:00	ND	ND	-0.4	1020
11/20/25 19:00	1.5	300	-1.9	1020
11/20/25 20:00	ND	ND	-2.1	1020
11/20/25 21:00	0.6	292	-2.7	1019
11/20/25 22:00	1.1	290	-3.5	1019
11/20/25 23:00	1.5	285	-3.8	1019
11/21/25 0:00	1.5	293	-4.5	1019
11/21/25 1:00	ND	ND	-4.3	1018
11/21/25 2:00	ND	ND	-4.2	1017
11/21/25 3:00	0.3	270	-4.4	1017
11/21/25 4:00	ND	ND	-4.6	1016
11/21/25 5:00	1.5	280	-4.2	1016
11/21/25 6:00	0.0	ND	-4.4	1016
11/21/25 7:00	1.1	300	-3.4	1016
11/21/25 8:00	1.7	245	0.1	1016
11/21/25 9:00	2.7	204	3.5	1015

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (11/12/25 9:00 to 11/25/25 17:00)

11/21/25 10:00	3.6	205	6.0	1014
11/21/25 11:00	4.0	197	6.7	1012
11/21/25 12:00	4.9	212	7.2	1011
11/21/25 13:00	3.8	225	6.4	1011
11/21/25 14:00	3.6	224	6.0	1010
11/21/25 15:00	3.3	221	6.0	1010
11/21/25 16:00	3.3	220	5.5	1010
11/21/25 17:00	3.0	231	4.6	1009
11/21/25 18:00	2.9	243	3.9	1009
11/21/25 19:00	3.5	234	3.2	1009
11/21/25 20:00	2.8	248	3.2	1009
11/21/25 21:00	2.9	240	3.3	1009
11/21/25 22:00	2.5	252	3.4	1008
11/21/25 23:00	2.1	257	2.2	1008
11/22/25 0:00	2.4	245	2.5	1008
11/22/25 1:00	2.4	250	2.9	1008
11/22/25 2:00	2.0	246	2.9	1008
11/22/25 3:00	2.5	242	2.9	1008
11/22/25 4:00	2.4	257	3.0	1008
11/22/25 5:00	2.5	267	3.5	1008
11/22/25 6:00	2.7	280	2.8	1008
11/22/25 7:00	2.1	341	2.2	1008
11/22/25 8:00	1.6	289	3.2	1008
11/22/25 9:00	1.4	318	4.7	1008
11/22/25 10:00	1.8	333	5.1	1008
11/22/25 11:00	1.7	307	6.2	1007
11/22/25 12:00	1.5	360	7.3	1007
11/22/25 13:00	2.4	321	8.5	1006
11/22/25 14:00	4.2	330	8.0	1006
11/22/25 15:00	4.7	320	7.3	1007
11/22/25 16:00	5.5	315	5.9	1008
11/22/25 17:00	5.2	307	4.2	1009
11/22/25 18:00	4.0	313	3.3	1010
11/22/25 19:00	2.3	327	2.2	1011
11/22/25 20:00	2.2	309	0.6	1011
11/22/25 21:00	1.6	292	-0.3	1011
11/22/25 22:00	1.5	264	-2.0	1012
11/22/25 23:00	1.9	280	-2.4	1012
11/23/25 0:00	1.9	243	-3.9	1012
11/23/25 1:00	ND	ND	-3.9	1012
11/23/25 2:00	ND	ND	-4.2	1012
11/23/25 3:00	1.2	270	-5.1	1012
11/23/25 4:00	ND	ND	-5.9	1012
11/23/25 5:00	1.5	250	-6.1	1012

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (11/12/25 9:00 to 11/25/25 17:00)**


11/23/25 6:00	0.0	ND	-6.3	1013
11/23/25 7:00	ND	ND	-4.4	1012
11/23/25 8:00	ND	ND	-0.4	1012
11/23/25 9:00	ND	ND	1.4	1012
11/23/25 10:00	2.1	285	2.7	1012
11/23/25 11:00	2.1	212	3.0	1011
11/23/25 12:00	2.5	239	3.7	1010
11/23/25 13:00	2.4	252	3.9	1010
11/23/25 14:00	2.3	223	4.0	1009
11/23/25 15:00	2.0	220	3.7	1009
11/23/25 16:00	1.8	210	2.9	1010
11/23/25 17:00	2.3	234	2.9	1010
11/23/25 18:00	2.5	242	2.3	1010
11/23/25 19:00	1.9	238	1.7	1010
11/23/25 20:00	1.5	238	0.6	1010
11/23/25 21:00	1.5	247	-0.5	1010
11/23/25 22:00	1.5	303	-1.5	1010
11/23/25 23:00	ND	ND	-2.1	1010
11/24/25 0:00	2.4	277	-2.4	1010
11/24/25 1:00	2.0	280	-2.1	1010
11/24/25 2:00	ND	ND	-1.6	1011
11/24/25 3:00	1.8	292	-1.9	1011
11/24/25 4:00	2.0	290	-1.1	1011
11/24/25 5:00	2.5	286	-1.1	1012
11/24/25 6:00	1.8	282	-0.2	1013
11/24/25 7:00	1.6	298	0.6	1014
11/24/25 8:00	1.9	286	2.1	1015
11/24/25 9:00	2.6	287	4.0	1016
11/24/25 10:00	3.4	300	5.8	1016
11/24/25 11:00	4.1	309	6.3	1016
11/24/25 12:00	4.5	313	7.7	1016
11/24/25 13:00	4.4	325	7.0	1016
11/24/25 14:00	5.1	310	7.0	1017
11/24/25 15:00	4.6	317	6.6	1018
11/24/25 16:00	3.7	336	4.8	1019
11/24/25 17:00	2.1	338	3.1	1020
11/24/25 18:00	1.7	273	1.4	1020
11/24/25 19:00	1.6	161	-0.4	1021
11/24/25 20:00	1.8	149	-0.9	1021
11/24/25 21:00	1.9	281	-2.5	1021
11/24/25 22:00	1.9	284	-2.7	1021
11/24/25 23:00	1.6	257	-2.4	1021
11/25/25 0:00	1.9	230	-0.9	1021
11/25/25 1:00	1.9	217	-0.1	1021

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (11/12/25 9:00 to 11/25/25 17:00)

11/25/25 2:00	2.0	225	0.9	1021
11/25/25 3:00	2.8	211	0.9	1020
11/25/25 4:00	2.5	224	0.9	1020
11/25/25 5:00	1.7	236	0.9	1020
11/25/25 6:00	2.1	209	1.4	1020
11/25/25 7:00	2.9	206	1.9	1020
11/25/25 8:00	3.1	208	2.3	1020
11/25/25 9:00	2.9	195	3.0	1020
11/25/25 10:00	2.8	208	4.2	1019
11/25/25 11:00	3.7	205	6.6	1019
11/25/25 12:00	3.7	216	8.1	1018
11/25/25 13:00	3.0	221	9.0	1017
11/25/25 14:00	3.5	215	9.1	1017
11/25/25 15:00	3.4	214	8.7	1017
11/25/25 16:00	1.8	192	7.9	1017
11/25/25 17:00	2.0	200	7.9	1017

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING
Portland International Jet Airport (PWM) Meteorological Data (11/12/25 9:00 to 11/25/25 17:00)



GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (11/25/25 16:00 to 12/9/25 14:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
11/25/25 16:00	1.8	192	7.9	1017
11/25/25 17:00	2.0	200	7.9	1017
11/25/25 18:00	2.7	195	7.9	1016
11/25/25 19:00	2.7	199	7.9	1016
11/25/25 20:00	2.8	197	8.1	1016
11/25/25 21:00	3.8	194	8.6	1015
11/25/25 22:00	3.8	193	8.0	1015
11/25/25 23:00	3.4	183	7.9	1014
11/26/25 0:00	3.9	180	7.9	1012
11/26/25 1:00	2.7	173	8.1	1011
11/26/25 2:00	3.8	177	8.9	1010
11/26/25 3:00	2.4	203	8.9	1009
11/26/25 4:00	1.7	204	9.0	1008
11/26/25 5:00	1.7	25	8.9	1007
11/26/25 6:00	1.5	34	8.9	1007
11/26/25 7:00	1.9	356	8.9	1006
11/26/25 8:00	2.5	300	8.1	1006
11/26/25 9:00	2.8	278	8.0	1007
11/26/25 10:00	2.3	296	8.4	1006
11/26/25 11:00	1.8	312	9.2	1005
11/26/25 12:00	1.7	276	10.3	1005
11/26/25 13:00	1.4	267	10.9	1004
11/26/25 14:00	0.4	40	10.9	1004
11/26/25 15:00	1.6	106	10.6	1003
11/26/25 16:00	1.9	107	9.5	1003
11/26/25 17:00	2.2	79	8.9	1003
11/26/25 18:00	1.9	48	8.6	1003
11/26/25 19:00	2.4	67	8.2	1002
11/26/25 20:00	2.7	56	8.0	1001
11/26/25 21:00	2.3	52	8.0	1000
11/26/25 22:00	2.0	55	8.0	999
11/26/25 23:00	1.5	323	8.0	999
11/27/25 0:00	1.7	297	8.1	998
11/27/25 1:00	2.7	298	8.0	998
11/27/25 2:00	3.5	303	7.9	999
11/27/25 3:00	4.4	277	7.5	1000
11/27/25 4:00	4.6	277	5.6	1001
11/27/25 5:00	4.0	261	4.0	1002
11/27/25 6:00	3.0	254	3.5	1003
11/27/25 7:00	5.5	253	4.0	1003
11/27/25 8:00	5.2	250	5.1	1004

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (11/25/25 16:00 to 12/9/25 14:00)

11/27/25 9:00	5.1	253	6.0	1005
11/27/25 10:00	5.8	267	6.3	1005
11/27/25 11:00	6.8	266	6.9	1005
11/27/25 12:00	6.2	255	6.7	1004
11/27/25 13:00	5.9	263	7.0	1004
11/27/25 14:00	5.2	275	6.9	1004
11/27/25 15:00	4.2	269	6.0	1005
11/27/25 16:00	3.2	251	5.0	1005
11/27/25 17:00	3.4	246	4.9	1005
11/27/25 18:00	3.1	248	4.4	1005
11/27/25 19:00	2.4	230	3.7	1005
11/27/25 20:00	2.1	219	2.9	1004
11/27/25 21:00	2.3	218	2.8	1005
11/27/25 22:00	1.9	219	2.4	1004
11/27/25 23:00	3.3	230	1.9	1004
11/28/25 0:00	2.9	230	1.9	1004
11/28/25 1:00	3.5	237	1.5	1003
11/28/25 2:00	2.6	240	0.8	1003
11/28/25 3:00	3.2	241	0.3	1003
11/28/25 4:00	2.7	246	-0.5	1002
11/28/25 5:00	2.1	225	-1.0	1002
11/28/25 6:00	2.2	208	-1.0	1002
11/28/25 7:00	1.6	204	-1.1	1002
11/28/25 8:00	2.8	208	0.8	1002
11/28/25 9:00	4.2	227	2.6	1002
11/28/25 10:00	5.5	241	4.0	1001
11/28/25 11:00	6.4	257	4.9	1000
11/28/25 12:00	6.6	265	3.8	1001
11/28/25 13:00	5.9	243	4.0	1001
11/28/25 14:00	6.6	252	3.6	1001
11/28/25 15:00	5.8	250	2.0	1002
11/28/25 16:00	4.4	243	1.0	1003
11/28/25 17:00	3.0	252	0.8	1004
11/28/25 18:00	2.6	255	0.3	1005
11/28/25 19:00	3.5	263	0.6	1006
11/28/25 20:00	4.5	258	0.4	1007
11/28/25 21:00	3.5	255	-0.6	1008
11/28/25 22:00	3.2	244	-1.0	1009
11/28/25 23:00	4.4	260	-1.0	1010
11/29/25 0:00	4.7	259	-1.0	1011
11/29/25 1:00	4.4	258	-1.1	1012
11/29/25 2:00	3.2	249	-1.1	1013
11/29/25 3:00	2.7	241	-1.1	1014
11/29/25 4:00	3.6	259	-1.2	1015

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (11/25/25 16:00 to 12/9/25 14:00)

11/29/25 5:00	3.5	266	-1.1	1016
11/29/25 6:00	3.7	269	-1.7	1017
11/29/25 7:00	3.9	261	-1.1	1018
11/29/25 8:00	3.7	263	0.5	1018
11/29/25 9:00	5.6	285	1.8	1019
11/29/25 10:00	6.8	290	2.5	1020
11/29/25 11:00	7.4	279	3.2	1020
11/29/25 12:00	8.0	300	3.8	1021
11/29/25 13:00	8.0	307	3.9	1022
11/29/25 14:00	7.2	286	3.3	1023
11/29/25 15:00	6.8	315	2.3	1025
11/29/25 16:00	5.2	316	1.1	1026
11/29/25 17:00	3.8	321	0.3	1027
11/29/25 18:00	2.3	321	-1.2	1028
11/29/25 19:00	2.5	302	-2.2	1029
11/29/25 20:00	2.1	293	-3.1	1030
11/29/25 21:00	1.4	291	-3.1	1030
11/29/25 22:00	1.8	338	-3.3	1030
11/29/25 23:00	1.8	326	-3.6	1030
11/30/25 0:00	0.3	190	-4.4	1030
11/30/25 1:00	ND	ND	-5.6	1030
11/30/25 2:00	1.5	290	-6.2	1031
11/30/25 3:00	1.5	315	-5.3	1030
11/30/25 4:00	1.7	320	-4.1	1030
11/30/25 5:00	1.5	340	-3.4	1030
11/30/25 6:00	1.6	344	-2.7	1029
11/30/25 7:00	0.9	ND	-2.0	1028
11/30/25 8:00	1.7	323	-0.8	1028
11/30/25 9:00	3.2	160	2.9	1027
11/30/25 10:00	3.9	186	4.1	1025
11/30/25 11:00	4.9	171	5.2	1023
11/30/25 12:00	5.6	171	5.8	1022
11/30/25 13:00	6.9	169	5.5	1020
11/30/25 14:00	5.7	196	4.8	1019
11/30/25 15:00	4.3	180	5.4	1017
11/30/25 16:00	5.3	180	6.0	1016
11/30/25 17:00	5.2	189	6.9	1014
11/30/25 18:00	4.4	216	6.9	1014
11/30/25 19:00	4.5	216	6.6	1013
11/30/25 20:00	2.8	247	5.9	1012
11/30/25 21:00	2.2	212	5.0	1012
11/30/25 22:00	1.7	249	3.8	1011
11/30/25 23:00	2.3	256	3.9	1011
12/1/25 0:00	1.7	214	3.0	1011

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (11/25/25 16:00 to 12/9/25 14:00)**

12/1/25 1:00	1.8	231	2.0	1011
12/1/25 2:00	2.4	214	1.9	1012
12/1/25 3:00	2.9	217	1.8	1012
12/1/25 4:00	3.5	236	1.5	1012
12/1/25 5:00	3.5	234	0.9	1013
12/1/25 6:00	2.8	240	0.9	1014
12/1/25 7:00	3.1	235	1.2	1015
12/1/25 8:00	4.2	280	2.4	1016
12/1/25 9:00	7.2	311	2.9	1018
12/1/25 10:00	7.4	303	3.3	1019
12/1/25 11:00	7.8	299	3.9	1019
12/1/25 12:00	7.1	320	3.3	1019
12/1/25 13:00	5.9	315	3.2	1020
12/1/25 14:00	5.4	341	2.8	1020
12/1/25 15:00	4.1	339	1.1	1021
12/1/25 16:00	4.4	3	-1.0	1022
12/1/25 17:00	2.9	347	-1.9	1023
12/1/25 18:00	2.0	1	-2.5	1024
12/1/25 19:00	2.1	20	-3.1	1024
12/1/25 20:00	2.0	25	-3.9	1025
12/1/25 21:00	2.2	24	-4.3	1024
12/1/25 22:00	2.4	36	-4.4	1024
12/1/25 23:00	2.6	25	-6.0	1024
12/2/25 0:00	2.8	23	-5.9	1023
12/2/25 1:00	2.4	358	-5.9	1023
12/2/25 2:00	2.1	354	-5.2	1023
12/2/25 3:00	2.4	20	-4.1	1022
12/2/25 4:00	2.4	13	-4.1	1021
12/2/25 5:00	2.3	360	-4.1	1020
12/2/25 6:00	2.8	350	-4.1	1020
12/2/25 7:00	2.6	353	-4.1	1020
12/2/25 8:00	2.8	352	-4.1	1019
12/2/25 9:00	3.1	334	-4.2	1018
12/2/25 10:00	3.4	353	-4.1	1016
12/2/25 11:00	3.1	344	-3.8	1015
12/2/25 12:00	3.2	342	-3.1	1015
12/2/25 13:00	3.6	359	-3.1	1013
12/2/25 14:00	3.2	2	-3.1	1012
12/2/25 15:00	3.2	353	-3.6	1011
12/2/25 16:00	2.8	13	-3.4	1010
12/2/25 17:00	3.6	13	-3.1	1008
12/2/25 18:00	3.9	2	-3.1	1007
12/2/25 19:00	4.3	4	-3.1	1006
12/2/25 20:00	5.2	5	-3.1	1005

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (11/25/25 16:00 to 12/9/25 14:00)

12/2/25 21:00	5.5	6	-3.1	1004
12/2/25 22:00	6.6	359	-3.0	1003
12/2/25 23:00	6.5	360	-3.0	1002
12/3/25 0:00	6.4	360	-2.4	1001
12/3/25 1:00	6.9	353	-2.0	1002
12/3/25 2:00	5.8	340	-1.4	1003
12/3/25 3:00	6.5	340	-1.1	1003
12/3/25 4:00	4.2	326	-1.1	1004
12/3/25 5:00	3.6	324	-1.4	1005
12/3/25 6:00	4.8	333	-1.1	1007
12/3/25 7:00	6.0	328	-1.1	1008
12/3/25 8:00	4.9	330	-1.0	1009
12/3/25 9:00	4.2	330	0.1	1010
12/3/25 10:00	4.7	330	1.0	1011
12/3/25 11:00	4.2	317	1.2	1011
12/3/25 12:00	3.6	315	1.9	1011
12/3/25 13:00	3.6	324	1.9	1011
12/3/25 14:00	3.3	325	2.0	1012
12/3/25 15:00	1.5	302	1.2	1012
12/3/25 16:00	0.5	195	-1.7	1012
12/3/25 17:00	1.5	290	-2.7	1013
12/3/25 18:00	0.3	ND	-3.1	1013
12/3/25 19:00	1.7	276	-3.4	1013
12/3/25 20:00	0.8	230	-3.5	1013
12/3/25 21:00	ND	ND	-3.6	1013
12/3/25 22:00	1.6	225	-3.1	1012
12/3/25 23:00	2.0	209	-2.2	1012
12/4/25 0:00	0.9	190	-2.2	1011
12/4/25 1:00	1.3	229	-1.9	1011
12/4/25 2:00	2.2	228	-1.2	1011
12/4/25 3:00	2.4	231	-2.0	1010
12/4/25 4:00	2.1	231	-2.1	1009
12/4/25 5:00	3.4	230	-2.1	1009
12/4/25 6:00	3.2	230	-1.5	1009
12/4/25 7:00	3.3	230	-1.1	1008
12/4/25 8:00	3.8	237	-0.9	1007
12/4/25 9:00	4.1	242	0.1	1007
12/4/25 10:00	4.5	242	0.9	1006
12/4/25 11:00	4.2	244	1.2	1006
12/4/25 12:00	4.2	242	2.4	1005
12/4/25 13:00	5.7	286	2.2	1005
12/4/25 14:00	4.1	316	-0.4	1006
12/4/25 15:00	6.5	286	0.1	1007
12/4/25 16:00	9.3	301	-1.3	1009

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (11/25/25 16:00 to 12/9/25 14:00)

12/4/25 17:00	10.3	310	-4.6	1012
12/4/25 18:00	7.4	313	-7.1	1014
12/4/25 19:00	7.4	311	-7.8	1015
12/4/25 20:00	10.6	309	-8.6	1017
12/4/25 21:00	8.4	301	-10.5	1018
12/4/25 22:00	8.2	296	-11.7	1019
12/4/25 23:00	5.9	292	-12.3	1020
12/5/25 0:00	4.6	302	-12.9	1021
12/5/25 1:00	4.1	291	-13.2	1021
12/5/25 2:00	3.8	290	-13.9	1022
12/5/25 3:00	2.4	302	-14.4	1022
12/5/25 4:00	2.6	301	-14.9	1022
12/5/25 5:00	1.8	249	-14.6	1023
12/5/25 6:00	ND	ND	-15.4	1023
12/5/25 7:00	2.1	237	-14.9	1024
12/5/25 8:00	2.0	274	-13.5	1024
12/5/25 9:00	2.7	243	-11.5	1024
12/5/25 10:00	1.4	253	-9.4	1023
12/5/25 11:00	2.4	197	-8.5	1022
12/5/25 12:00	2.2	182	-7.1	1021
12/5/25 13:00	2.9	192	-6.3	1020
12/5/25 14:00	2.8	191	-6.0	1019
12/5/25 15:00	2.8	194	-6.0	1018
12/5/25 16:00	1.8	221	-6.9	1018
12/5/25 17:00	2.1	259	-7.3	1018
12/5/25 18:00	2.2	254	-7.5	1017
12/5/25 19:00	1.8	256	-8.2	1016
12/5/25 20:00	1.8	251	-9.1	1016
12/5/25 21:00	1.3	300	-10.9	1016
12/5/25 22:00	1.9	300	-12.3	1015
12/5/25 23:00	1.5	230	-11.5	1014
12/6/25 0:00	1.7	270	-10.8	1014
12/6/25 1:00	1.5	340	-9.2	1013
12/6/25 2:00	1.5	303	-9.1	1013
12/6/25 3:00	1.0	324	-9.0	1012
12/6/25 4:00	1.5	316	-8.1	1012
12/6/25 5:00	1.6	349	-7.4	1012
12/6/25 6:00	1.8	341	-7.1	1012
12/6/25 7:00	2.1	27	-7.1	1011
12/6/25 8:00	1.9	348	-7.5	1011
12/6/25 9:00	1.9	357	-7.7	1011
12/6/25 10:00	1.7	354	-7.1	1011
12/6/25 11:00	1.8	1	-6.4	1010
12/6/25 12:00	0.4	ND	-5.4	1009

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (11/25/25 16:00 to 12/9/25 14:00)

12/6/25 13:00	1.5	90	-4.1	1008
12/6/25 14:00	1.5	100	-3.2	1007
12/6/25 15:00	1.5	360	-3.1	1007
12/6/25 16:00	ND	ND	-3.1	1007
12/6/25 17:00	ND	ND	-3.1	1008
12/6/25 18:00	1.8	220	-3.9	1008
12/6/25 19:00	1.6	277	-3.7	1008
12/6/25 20:00	1.7	327	-4.0	1008
12/6/25 21:00	2.0	283	-4.5	1008
12/6/25 22:00	1.6	280	-5.0	1009
12/6/25 23:00	1.6	286	-6.4	1009
12/7/25 0:00	1.9	278	-6.5	1009
12/7/25 1:00	2.3	292	-7.4	1010
12/7/25 2:00	1.9	298	-8.0	1011
12/7/25 3:00	2.8	282	-6.8	1011
12/7/25 4:00	3.1	297	-6.3	1012
12/7/25 5:00	1.7	309	-7.1	1013
12/7/25 6:00	2.2	290	-7.2	1014
12/7/25 7:00	1.5	313	-8.2	1014
12/7/25 8:00	1.9	303	-5.4	1015
12/7/25 9:00	2.7	2	-2.3	1016
12/7/25 10:00	1.4	4	-0.7	1016
12/7/25 11:00	1.9	282	0.2	1015
12/7/25 12:00	1.7	215	1.0	1015
12/7/25 13:00	3.2	174	0.9	1014
12/7/25 14:00	1.8	180	1.0	1014
12/7/25 15:00	1.6	199	0.9	1013
12/7/25 16:00	1.5	202	0.9	1013
12/7/25 17:00	1.5	205	0.9	1013
12/7/25 18:00	ND	ND	0.2	1012
12/7/25 19:00	1.5	270	-0.3	1011
12/7/25 20:00	2.0	268	-0.5	1011
12/7/25 21:00	1.8	261	0.0	1010
12/7/25 22:00	2.2	239	0.7	1009
12/7/25 23:00	2.0	229	-0.5	1009
12/8/25 0:00	2.7	226	-1.1	1008
12/8/25 1:00	6.6	283	-1.1	1009
12/8/25 2:00	7.0	307	-2.5	1011
12/8/25 3:00	6.3	332	-4.3	1012
12/8/25 4:00	6.4	332	-6.0	1013
12/8/25 5:00	4.5	326	-7.0	1015
12/8/25 6:00	4.4	337	-8.1	1016
12/8/25 7:00	3.7	303	-8.5	1017
12/8/25 8:00	5.7	314	-7.6	1018

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING


Portland International Jet Airport (PWM) Meteorological Data (11/25/25 16:00 to 12/9/25 14:00)

12/8/25 9:00	5.9	314	-6.9	1019
12/8/25 10:00	5.5	330	-7.0	1019
12/8/25 11:00	6.4	334	-6.9	1020
12/8/25 12:00	7.1	330	-7.0	1019
12/8/25 13:00	6.7	319	-7.0	1019
12/8/25 14:00	6.1	323	-7.0	1020
12/8/25 15:00	5.4	333	-7.2	1020
12/8/25 16:00	3.3	337	-8.4	1021
12/8/25 17:00	3.3	339	-9.1	1021
12/8/25 18:00	2.4	340	-10.0	1022
12/8/25 19:00	2.0	314	-12.2	1022
12/8/25 20:00	2.1	305	-12.2	1022
12/8/25 21:00	2.0	277	-12.3	1022
12/8/25 22:00	2.2	274	-13.7	1021
12/8/25 23:00	2.4	283	-14.2	1021
12/9/25 0:00	1.0	267	-14.7	1021
12/9/25 1:00	1.5	287	-16.2	1020
12/9/25 2:00	1.5	280	-16.5	1020
12/9/25 3:00	1.9	295	-17.8	1020
12/9/25 4:00	2.2	289	-18.3	1020
12/9/25 5:00	1.6	278	-18.5	1020
12/9/25 6:00	2.1	283	-18.5	1020
12/9/25 7:00	2.1	285	-18.0	1020
12/9/25 8:00	1.8	287	-15.0	1021
12/9/25 9:00	1.2	287	-11.8	1020
12/9/25 10:00	1.5	310	-8.6	1020
12/9/25 11:00	1.6	215	-7.8	1019
12/9/25 12:00	2.1	203	-6.8	1018
12/9/25 13:00	2.5	202	-6.0	1017
12/9/25 14:00	2.7	219	-6.0	1016

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (11/25/25 16:00 to 12/9/25 14:00)

PWM Wind Rose 11/25/25 16:00 - 12/9/25 14:00



GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (12/9/25 14:00 to 12/22/25 15:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
12/9/25 14:00	2.7	219	-6.0	1016
12/9/25 15:00	2.2	205	-6.0	1016
12/9/25 16:00	2.3	202	-6.6	1015
12/9/25 17:00	2.0	206	-6.5	1015
12/9/25 18:00	2.7	208	-6.4	1014
12/9/25 19:00	1.9	218	-7.1	1013
12/9/25 20:00	1.5	240	-7.1	1012
12/9/25 21:00	3.5	219	-4.7	1011
12/9/25 22:00	3.9	217	-4.1	1011
12/9/25 23:00	3.5	223	-4.1	1010
12/10/25 0:00	2.2	243	-4.1	1008
12/10/25 1:00	2.8	228	-4.1	1007
12/10/25 2:00	3.0	237	-4.0	1007
12/10/25 3:00	2.7	227	-4.0	1006
12/10/25 4:00	1.9	242	-4.0	1006
12/10/25 5:00	1.5	280	-4.0	1005
12/10/25 6:00	1.5	273	-4.0	1005
12/10/25 7:00	1.5	250	-3.2	1005
12/10/25 8:00	ND	ND	-3.1	1004
12/10/25 9:00	1.5	310	-2.1	1004
12/10/25 10:00	1.5	200	-0.8	1002
12/10/25 11:00	2.1	219	0.7	1001
12/10/25 12:00	1.5	162	1.0	999
12/10/25 13:00	1.0	120	1.9	997
12/10/25 14:00	2.2	4	1.4	996
12/10/25 15:00	1.9	10	0.9	995
12/10/25 16:00	1.9	331	0.7	994
12/10/25 17:00	2.3	319	0.0	993
12/10/25 18:00	1.9	279	0.0	992
12/10/25 19:00	1.8	277	0.0	991
12/10/25 20:00	1.7	268	0.3	990
12/10/25 21:00	1.5	238	1.0	989
12/10/25 22:00	2.2	215	1.1	989
12/10/25 23:00	3.0	222	1.9	988
12/11/25 0:00	3.2	224	1.9	987
12/11/25 1:00	3.0	231	1.9	987
12/11/25 2:00	3.4	228	1.9	987
12/11/25 3:00	2.6	221	1.8	987
12/11/25 4:00	2.7	229	1.1	987
12/11/25 5:00	3.4	242	0.9	987
12/11/25 6:00	5.0	243	1.2	987

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (12/9/25 14:00 to 12/22/25 15:00)**

12/11/25 7:00	6.2	266	2.0	989
12/11/25 8:00	6.9	270	1.7	990
12/11/25 9:00	8.2	273	0.9	991
12/11/25 10:00	8.3	270	1.1	991
12/11/25 11:00	8.5	278	0.9	991
12/11/25 12:00	8.8	268	0.9	992
12/11/25 13:00	9.3	277	-0.1	992
12/11/25 14:00	9.4	267	-1.3	993
12/11/25 15:00	9.3	267	-2.7	994
12/11/25 16:00	7.8	265	-3.5	994
12/11/25 17:00	8.8	267	-4.1	995
12/11/25 18:00	8.2	264	-4.3	995
12/11/25 19:00	7.4	276	-5.7	996
12/11/25 20:00	7.1	273	-6.1	997
12/11/25 21:00	6.8	274	-6.7	997
12/11/25 22:00	6.1	267	-7.1	997
12/11/25 23:00	5.6	265	-7.1	997
12/12/25 0:00	6.2	263	-7.0	998
12/12/25 1:00	7.4	271	-7.0	998
12/12/25 2:00	6.8	261	-7.9	999
12/12/25 3:00	6.4	259	-8.0	1000
12/12/25 4:00	6.8	259	-8.0	1000
12/12/25 5:00	5.2	260	-7.9	1001
12/12/25 6:00	4.6	247	-8.0	1001
12/12/25 7:00	4.5	246	-8.0	1001
12/12/25 8:00	7.0	254	-7.0	1001
12/12/25 9:00	9.2	264	-5.9	1002
12/12/25 10:00	7.4	269	-4.9	1002
12/12/25 11:00	9.7	274	-3.4	1002
12/12/25 12:00	8.3	273	-3.0	1002
12/12/25 13:00	8.9	265	-2.4	1003
12/12/25 14:00	9.3	275	-2.0	1004
12/12/25 15:00	9.1	279	-2.3	1005
12/12/25 16:00	6.9	274	-3.0	1006
12/12/25 17:00	4.4	266	-3.0	1007
12/12/25 18:00	4.3	276	-3.6	1008
12/12/25 19:00	4.2	274	-3.4	1009
12/12/25 20:00	2.5	270	-3.6	1009
12/12/25 21:00	1.9	263	-4.4	1010
12/12/25 22:00	2.3	266	-4.7	1010
12/12/25 23:00	2.1	258	-5.4	1011
12/13/25 0:00	2.3	224	-6.3	1012
12/13/25 1:00	2.1	248	-7.2	1012
12/13/25 2:00	1.8	240	-8.2	1013

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (12/9/25 14:00 to 12/22/25 15:00)**

12/13/25 3:00	1.8	232	-9.0	1014
12/13/25 4:00	1.5	223	-10.0	1014
12/13/25 5:00	2.4	232	-8.5	1015
12/13/25 6:00	1.9	230	-7.4	1015
12/13/25 7:00	2.0	225	-8.2	1015
12/13/25 8:00	ND	ND	-6.6	1016
12/13/25 9:00	1.5	270	-5.3	1016
12/13/25 10:00	1.8	245	-3.7	1015
12/13/25 11:00	2.6	242	-1.6	1014
12/13/25 12:00	3.1	212	-0.3	1013
12/13/25 13:00	2.1	217	0.1	1013
12/13/25 14:00	2.5	221	0.9	1012
12/13/25 15:00	3.9	223	-0.1	1012
12/13/25 16:00	2.6	208	-0.7	1012
12/13/25 17:00	2.9	204	-0.9	1012
12/13/25 18:00	2.9	227	-1.1	1012
12/13/25 19:00	2.7	225	-1.1	1012
12/13/25 20:00	3.3	214	-1.1	1012
12/13/25 21:00	2.6	233	-1.1	1012
12/13/25 22:00	2.5	236	-1.1	1012
12/13/25 23:00	1.9	236	-1.1	1012
12/14/25 0:00	1.4	273	-1.3	1012
12/14/25 1:00	1.5	290	-2.1	1012
12/14/25 2:00	ND	ND	-2.1	1012
12/14/25 3:00	1.5	250	-2.1	1012
12/14/25 4:00	2.1	293	-2.3	1012
12/14/25 5:00	1.5	360	-2.9	1011
12/14/25 6:00	1.6	10	-3.1	1011
12/14/25 7:00	1.6	9	-2.9	1011
12/14/25 8:00	2.1	20	-2.1	1011
12/14/25 9:00	3.1	14	-2.1	1012
12/14/25 10:00	3.7	16	-2.0	1011
12/14/25 11:00	4.5	10	-3.0	1010
12/14/25 12:00	5.0	3	-3.0	1009
12/14/25 13:00	5.2	357	-3.1	1009
12/14/25 14:00	6.2	357	-3.0	1009
12/14/25 15:00	5.1	1	-3.0	1009
12/14/25 16:00	4.1	358	-3.3	1009
12/14/25 17:00	5.8	350	-3.6	1009
12/14/25 18:00	6.8	345	-4.0	1010
12/14/25 19:00	6.8	340	-4.8	1011
12/14/25 20:00	5.8	346	-6.0	1011
12/14/25 21:00	5.9	351	-6.6	1010
12/14/25 22:00	6.3	350	-7.6	1010

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (12/9/25 14:00 to 12/22/25 15:00)**

12/14/25 23:00	5.6	336	-9.1	1010
12/15/25 0:00	5.6	330	-9.7	1010
12/15/25 1:00	6.8	324	-10.1	1010
12/15/25 2:00	7.1	321	-10.3	1010
12/15/25 3:00	6.5	319	-10.1	1010
12/15/25 4:00	6.2	320	-10.7	1010
12/15/25 5:00	4.6	299	-11.8	1011
12/15/25 6:00	4.1	290	-12.0	1012
12/15/25 7:00	4.6	300	-11.7	1013
12/15/25 8:00	4.3	302	-10.0	1014
12/15/25 9:00	3.8	300	-8.0	1014
12/15/25 10:00	4.6	275	-7.0	1013
12/15/25 11:00	5.1	264	-6.8	1013
12/15/25 12:00	4.1	249	-7.0	1012
12/15/25 13:00	3.2	266	-6.2	1012
12/15/25 14:00	5.3	293	-5.4	1012
12/15/25 15:00	4.8	296	-5.8	1012
12/15/25 16:00	5.9	303	-6.8	1013
12/15/25 17:00	4.4	295	-7.3	1014
12/15/25 18:00	2.7	296	-7.9	1014
12/15/25 19:00	3.6	281	-7.6	1014
12/15/25 20:00	3.3	275	-7.1	1014
12/15/25 21:00	2.9	275	-7.2	1015
12/15/25 22:00	2.6	266	-7.1	1015
12/15/25 23:00	2.8	267	-7.1	1015
12/16/25 0:00	2.5	263	-7.1	1015
12/16/25 1:00	2.1	241	-7.1	1015
12/16/25 2:00	1.9	237	-7.1	1015
12/16/25 3:00	1.5	170	-7.1	1016
12/16/25 4:00	2.1	245	-6.5	1016
12/16/25 5:00	1.8	252	-7.6	1017
12/16/25 6:00	2.6	260	-7.0	1018
12/16/25 7:00	1.9	244	-6.9	1018
12/16/25 8:00	2.0	238	-6.0	1018
12/16/25 9:00	2.6	267	-3.8	1018
12/16/25 10:00	3.2	261	-1.8	1018
12/16/25 11:00	2.1	239	0.0	1018
12/16/25 12:00	2.7	217	0.8	1017
12/16/25 13:00	4.2	229	0.9	1016
12/16/25 14:00	3.6	221	0.9	1016
12/16/25 15:00	2.8	205	0.5	1016
12/16/25 16:00	1.7	213	-1.3	1016
12/16/25 17:00	1.9	206	-2.1	1016
12/16/25 18:00	2.0	222	-2.1	1016

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (12/9/25 14:00 to 12/22/25 15:00)**

12/16/25 19:00	2.3	210	-2.1	1016
12/16/25 20:00	3.4	219	-1.9	1015
12/16/25 21:00	3.2	218	-1.5	1014
12/16/25 22:00	3.0	218	-2.1	1014
12/16/25 23:00	3.5	211	-2.0	1013
12/17/25 0:00	4.0	206	-2.0	1012
12/17/25 1:00	3.2	203	-2.0	1012
12/17/25 2:00	3.9	202	-2.1	1011
12/17/25 3:00	3.4	214	-2.1	1010
12/17/25 4:00	3.4	216	-2.7	1009
12/17/25 5:00	3.3	212	-3.1	1008
12/17/25 6:00	3.9	214	-3.1	1008
12/17/25 7:00	3.5	222	-3.1	1007
12/17/25 8:00	5.0	221	-2.1	1007
12/17/25 9:00	5.5	224	-1.6	1006
12/17/25 10:00	5.2	213	0.7	1005
12/17/25 11:00	5.3	221	1.7	1004
12/17/25 12:00	4.5	230	2.5	1003
12/17/25 13:00	5.5	221	3.0	1003
12/17/25 14:00	4.3	217	3.2	1002
12/17/25 15:00	3.3	217	4.0	1003
12/17/25 16:00	2.6	228	3.8	1003
12/17/25 17:00	2.2	215	2.9	1005
12/17/25 18:00	2.7	220	2.9	1006
12/17/25 19:00	3.2	216	3.5	1007
12/17/25 20:00	3.5	233	3.6	1008
12/17/25 21:00	3.2	240	3.9	1010
12/17/25 22:00	3.5	262	3.6	1012
12/17/25 23:00	3.6	282	2.9	1013
12/18/25 0:00	6.4	303	4.0	1014
12/18/25 1:00	4.5	298	3.2	1015
12/18/25 2:00	3.2	266	2.3	1017
12/18/25 3:00	2.7	227	0.9	1018
12/18/25 4:00	1.8	221	-1.6	1020
12/18/25 5:00	1.5	312	-3.6	1021
12/18/25 6:00	1.4	267	-4.7	1022
12/18/25 7:00	2.1	260	-4.4	1023
12/18/25 8:00	1.8	272	-2.0	1024
12/18/25 9:00	ND	ND	1.3	1024
12/18/25 10:00	2.2	190	3.9	1024
12/18/25 11:00	4.2	188	4.0	1024
12/18/25 12:00	3.8	191	5.3	1023
12/18/25 13:00	4.7	181	6.0	1023
12/18/25 14:00	5.2	182	6.0	1022

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (12/9/25 14:00 to 12/22/25 15:00)**

12/18/25 15:00	4.4	184	4.9	1022
12/18/25 16:00	3.1	175	4.0	1022
12/18/25 17:00	3.6	185	4.8	1021
12/18/25 18:00	4.0	198	4.9	1021
12/18/25 19:00	4.3	194	5.2	1021
12/18/25 20:00	4.4	198	4.9	1020
12/18/25 21:00	2.8	197	5.0	1019
12/18/25 22:00	2.0	198	5.0	1018
12/18/25 23:00	1.0	205	4.7	1017
12/19/25 0:00	0.9	ND	3.4	1015
12/19/25 1:00	ND	ND	3.1	1014
12/19/25 2:00	3.3	178	6.0	1013
12/19/25 3:00	3.2	180	6.9	1011
12/19/25 4:00	3.2	188	6.9	1009
12/19/25 5:00	3.6	186	7.4	1008
12/19/25 6:00	4.3	182	7.9	1006
12/19/25 7:00	4.9	171	8.4	1005
12/19/25 8:00	6.5	180	9.0	1003
12/19/25 9:00	5.9	175	9.1	1001
12/19/25 10:00	6.2	171	9.2	999
12/19/25 11:00	7.1	169	10.2	995
12/19/25 12:00	10.4	159	11.0	990
12/19/25 13:00	10.7	175	12.0	986
12/19/25 14:00	10.2	175	11.4	984
12/19/25 15:00	9.2	182	11.7	982
12/19/25 16:00	8.9	230	10.1	983
12/19/25 17:00	5.8	259	7.8	984
12/19/25 18:00	3.8	256	6.6	986
12/19/25 19:00	4.2	247	5.9	988
12/19/25 20:00	5.5	258	5.5	989
12/19/25 21:00	6.5	259	4.3	990
12/19/25 22:00	8.3	267	2.8	992
12/19/25 23:00	8.5	264	2.0	994
12/20/25 0:00	8.4	269	1.8	996
12/20/25 1:00	10.4	262	1.1	998
12/20/25 2:00	7.8	267	0.9	1000
12/20/25 3:00	7.7	266	0.0	1001
12/20/25 4:00	7.9	275	-0.2	1003
12/20/25 5:00	7.3	274	-1.0	1005
12/20/25 6:00	5.9	289	-1.1	1008
12/20/25 7:00	4.9	285	-2.1	1011
12/20/25 8:00	5.5	286	-1.1	1012
12/20/25 9:00	5.2	303	-0.5	1014
12/20/25 10:00	4.6	328	0.5	1014

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING**Portland International Jet Airport (PWM) Meteorological Data (12/9/25 14:00 to 12/22/25 15:00)**

12/20/25 11:00	2.7	343	1.1	1014
12/20/25 12:00	2.9	237	1.7	1015
12/20/25 13:00	3.7	228	1.9	1015
12/20/25 14:00	3.5	262	1.5	1015
12/20/25 15:00	2.9	253	1.0	1016
12/20/25 16:00	2.4	276	0.1	1016
12/20/25 17:00	2.2	178	0.4	1016
12/20/25 18:00	2.6	187	0.9	1016
12/20/25 19:00	1.9	208	0.8	1015
12/20/25 20:00	2.2	198	0.9	1014
12/20/25 21:00	2.5	219	0.6	1013
12/20/25 22:00	5.2	192	2.1	1012
12/20/25 23:00	6.6	192	2.9	1010
12/21/25 0:00	6.2	199	2.9	1008
12/21/25 1:00	4.6	215	2.5	1009
12/21/25 2:00	5.3	205	2.0	1008
12/21/25 3:00	4.2	212	2.0	1007
12/21/25 4:00	3.5	212	2.0	1006
12/21/25 5:00	3.8	209	2.3	1006
12/21/25 6:00	3.6	209	3.0	1006
12/21/25 7:00	3.7	210	3.0	1006
12/21/25 8:00	3.6	218	3.2	1006
12/21/25 9:00	4.8	223	4.5	1006
12/21/25 10:00	5.5	242	6.4	1005
12/21/25 11:00	8.8	271	6.9	1005
12/21/25 12:00	8.5	261	6.7	1005
12/21/25 13:00	8.1	276	6.0	1006
12/21/25 14:00	7.8	320	4.8	1008
12/21/25 15:00	7.7	320	2.7	1010
12/21/25 16:00	5.7	316	1.0	1012
12/21/25 17:00	5.8	315	-0.7	1013
12/21/25 18:00	6.5	304	-1.0	1014
12/21/25 19:00	6.2	303	-1.0	1015
12/21/25 20:00	6.5	297	-1.1	1016
12/21/25 21:00	5.4	296	-1.8	1016
12/21/25 22:00	5.3	310	-2.0	1017
12/21/25 23:00	6.6	309	-2.4	1018
12/22/25 0:00	6.8	307	-3.3	1018
12/22/25 1:00	6.8	312	-4.1	1019
12/22/25 2:00	6.3	299	-5.6	1020
12/22/25 3:00	5.2	300	-6.4	1021
12/22/25 4:00	6.2	296	-7.0	1021
12/22/25 5:00	5.8	310	-7.1	1022
12/22/25 6:00	6.8	309	-7.1	1023

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING


Portland International Jet Airport (PWM) Meteorological Data (12/9/25 14:00 to 12/22/25 15:00)

12/22/25 7:00	5.6	305	-7.1	1024
12/22/25 8:00	6.3	300	-7.1	1025
12/22/25 9:00	5.7	319	-6.2	1026
12/22/25 10:00	5.0	318	-5.5	1025
12/22/25 11:00	5.2	309	-4.0	1025
12/22/25 12:00	4.4	315	-3.1	1024
12/22/25 13:00	4.6	318	-3.0	1024
12/22/25 14:00	3.7	334	-3.0	1024
12/22/25 15:00	2.7	354	-3.4	1024

GLOBAL SOUTH PORTLAND MAINE TERMINAL FENCELINE MONITORING

Portland International Jet Airport (PWM) Meteorological Data (12/9/25 14:00 to 12/22/25 15:00)

PWM Wind Rose 12/9/25 14:00 - 12/22/25 15:00



GLOBAL PARTNERS - SOUTH PORTLAND TERMINAL
SITE COORIDNATES

GLOBAL PARTNERS SOUTH PORTLAND MAINE SITE COORDINATES

Terminal Fenceline Perimeter Length = 1,979 m

Monitor Location Method: EPA Method 325A Option 2

Terminal Fenceline Area = 38.3 Acres

Spacing Between Monitors: 164.9 m ($\pm$ 12.5 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 1	BTEX	43.633939°	-70.276140°	to Site 17: 179.8 to Site 2:150.0	The distance between the closest emission units and Site 1 and fenceline is >50 m.
Site 2	BTEX	43.634640°	-70.276201°	75.0 (to Site 1) 75.0 (to Site 3)	Site 2 is an additional site and is located halfway between Site 1 and 3 due to emission unit's (Tanks #15 & #2) being located between Sites 1 & 3 and Tanks #15 & #2 are both <50 m from the fenceline. Site 2 is ~3 m inside fenceline because pipes block access to fenceline.
Site 3	BTEX	43.635247°	-70.276307°	to Site 2: 150.0 to Site 4:151.8	Site 3 is located in the immediate area of 3 licensed emission units (Tanks #'s 1, 9 & 2) that are < 50 m from the fenceline.
Site 4	BTEX	43.635925°	-70.276487°	75.9 (to Site 3) 75.9 (to Site 5)	Site 4 is an additional site and is located halfway between Sites 3 & 5 due to emission unit (Tank #8) being located between Sites 3 & 5 and Tank #8 is <50 m from the fenceline.
Site 5	BTEX	43.636461°	-70.276348°	to Site 4: 151.8 to Site 6: 165.1	Site 5 is located in the immediate area of 1 licensed emission unit (Tanks #'8) that is < 50 m from the fenceline.
Site 6	BTEX	43.636362°	-70.275929°	38.8 (to Site 5) 126.3 (to Site 7)	Site 6 is an additional site and is adjacent to dock area (Facility is licensed to transfer product from terminal to maritime vessels).
Site 7	BTEX	43.635556°	-70.275067°	to Site 6: 165.1 to Site 8:165.5	Site 7 is located in the area of 3 licensed emission units (Tanks #'s 1, 9 & 3) that are < 50 m from the fenceline. Site 7 is located 5.3m inside the fenceline because the fenceline cannot be safely accessed in this area, which has a steep grade down to the shore of the Fore River that is surfaced with riprap rock.
Site 8	BTEX	43.635126°	-70.274480°	69.8 (to Site 7) 96.7 (to Site 9)	Site 8 is an additional site and is Site due to emissions unit (Boiler house #1) located within 50 m of fenceline between Sites 7 and 9. Due to inaccessible terrain and pipe obstructions, Site 8 is the only accessible location available approximately halfway between Sites 7 and 9.

GLOBAL PARTNERS SOUTH PORTLAND MAINE SITE COORDINATES

Terminal Fenceline Perimeter Length = 1,979 m

Monitor Location Method: EPA Method 325A Option 2

Terminal Fenceline Area = 38.3 Acres

Spacing Between Monitors: 164.9 m ($\pm$ 12.5 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 9	BTEX	43.634739°	-70.273370°	to Site 8: 165.5 to Site 10: 169.7	The distance between the closest emission units and Site 9 and fenceline is >50 m. Site 9 is located on a narrow spit of raised land that separates Barberry Creek and the Fore River. Site 9 is 4 m inside the fenceline because large pipes routed along this narrow spit of land block access to the fenceline.
Site 10	BTEX	43.634070°	-70.271446°	to Site 9: 169.7 to Site 11: 153.8	Site 10 is located 3.5 m inside the fenceline because large pipes block access to the fenceline in this area.
Site 11	BTEX	43.633027°	-70.272374°	to Site 10: 153.8 to Site 12: 167.1	Site 11 is at the fenceline in the immediate area where licensed emissions units Boiler House #2 and Tank #4 are located. Both of these emissions units are < 50 m from the fenceline.
Site 12	BTEX	43.631874°	-70.273756°	to Site 11: 167.1 to Site 13: 175.0	Site 12 is located 9.2 m inside the fenceline because large pipes block any closer access to the fenceline in this area. Site 12 is approximately 46 m NE of Tank #5, a licensed emissions source located within 50 m of the facility fenceline.
Site 13	BTEX	43.631209°	-70.274374°	to Site 12: 175.0 to Site 14: 157.2	Site 13 is an additional site and is placed between Sites 12 and 14, due to licensed emissions unit Tank #6 located between Sites 12 and 14 and within 50 m from fenceline.
Site 14	BTEX	43.630640°	-70.275009°	to Site 13: 157.2 to Site 15: 164.9	The distance between the closest tanks and Site 14 and fenceline is >50 m.
Site 15	BTEX	43.629853°	-70.276208°	to Site 14: 164.9 to Site 16: 179.2	The distance between the closest tanks and Site 15 and fenceline is >50 m.
Site 16	BTEX	43.631282°	-70.276184°	to Site 15: 179.2 to Site 17: 179.8	Site 16 is located where emissions unit Tank #16 is located. Tank #16 is <50 m from the fenceline.

GLOBAL PARTNERS SOUTH PORTLAND MAINE SITE COORDINATES

Terminal Fenceline Perimeter Length = 1,979 m

Monitor Location Method: EPA Method 325A Option 2

Terminal Fenceline Area = 38.3 Acres

Spacing Between Monitors: 164.9 m ($\pm$ 12.5 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 17	BTEX	43.632907°	-70.276441°	to Site 16: 179.8 to Site 1: 150.0	The distance between the closest emission units and Site 17 and fenceline is >50 m.

Aerial View of the Global Partners South Portland Terminal and FLM Locations



APPENDIX A – LAB RESULTS

Global - South Portland

1 Clark Rd.
South Portland, ME 04106

Sampling Event 31 Global - South Portland

Client Project# PROJ-031333

Samples Received: 10/8/2025

Analytical Report 2025GB401

EPA Method 325B Analysis

Report Issue Date: 10/17/2025

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



QA REVIEW PERFORMED BY

Brianna Berry
QA Associate I



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	12
Chromatograms	15
Initial Calibration	82
Sample Custody	85
Chain of Custody	86

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GB401-1
Client ID.	PROJ-031333 Site: Global - South Portland

1. Custody

The samples were received at Enthalpy Analytical on October 8, 2025 at 22.4 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
GLBSP-1-S-20250917	B44419	Sample
GLBSP-2-S-20250917	C59950	Sample
GLBSP-3-S-20250917	C70561	Sample
GLBSP-4-S-20250917	C31389	Sample
GLBSP-5-S-20250917	B39486	Sample
GLBSP-5-D-20250917	C43898	Duplicate
GLBSP-5-B-20250917	C53605	Blank
GLBSP-6-S-20250917	B16966	Sample
GLBSP-7-S-20250917	C33272	Sample
GLBSP-8-S-20250917	B49485	Sample
GLBSP-9-S-20250917	B46076	Sample
GLBSP-10-S-20250917	C35883	Sample
GLBSP-11-S-20250917	C20556	Sample
GLBSP-12-S-20250917	C57820	Sample
GLBSP-13-S-20250917	C43595	Sample
GLBSP-14-S-20250917	B29740	Sample
GLBSP-14-D-20250917	B52755	Duplicate
GLBSP-14-B-20250917	B47818	Blank
GLBSP-15-S-20250917	C01494	Sample
GLBSP-16-S-20250917	B20293	Sample
GLBSP-17-S-20250917	C56809	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GB401-1
Client ID.	PROJ-031333 Site: Global - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (M082025A_CC185154) met all 30% RSD criteria. The initial calibration verification met $\pm 30\%$ recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

5. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

The primary sample GLBSP-5-S-20250917 (tube ID B39486) and its corresponding duplicate GLBSP-5-D-20250917 (tube ID C43898) failed to meet the 30% difference criterion for Ethylbenzene as specified by the method. However, the concentrations of the analyte in both the sample and the duplicate were less than two times the reporting limit of the instrument's calibration curve. Therefore, the percent difference observed may not suggest the data set has been negatively affected. All samples in the data set have been flagged "Pc" for Ethylbenzene to denote this failure.

6. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in $\mu\text{g}/\text{m}^3$ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB401-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20250917	B44419	0.915		1.75		0.288	J,Pc	0.664		0.273	ND
GLBSP-2-S-20250917	C59950	0.719		2.03		0.422	J,Pc	1.38		0.526	J
GLBSP-3-S-20250917	C70561	0.767		2.03		0.395	J,Pc	1.27		0.491	J
GLBSP-4-S-20250917	C31389	0.803		1.72		0.309	J,Pc	0.696		0.273	ND
GLBSP-5-S-20250917	B39486	0.746		2.02		0.408	J,Pc	1.05		0.403	J
GLBSP-5-D-20250917	C43898	0.835		2.44		0.620	Pc	1.31		0.488	J
GLBSP-5-B-20250917	C53605	0.188	ND	0.242	ND	0.273	ND,Pc	0.273	ND	0.273	ND
GLBSP-6-S-20250917	B16966	1.05		1.90		0.326	J,Pc	0.769		0.288	J
GLBSP-7-S-20250917	C33272	1.22		2.57		0.667	Pc	1.48		0.538	J
GLBSP-8-S-20250917	B49485	0.795		1.94		0.431	J,Pc	1.07		0.415	J
GLBSP-9-S-20250917	B46076	0.727		1.78		0.492	J,Pc	1.02		0.390	J
GLBSP-10-S-20250917	C35883	0.678		1.67		0.376	J,Pc	0.962		0.346	J
GLBSP-11-S-20250917	C20556	0.665		1.81		0.385	J,Pc	1.19		0.460	J
GLBSP-12-S-20250917	C57820	0.576		1.47		0.296	J,Pc	0.970		0.366	J
GLBSP-13-S-20250917	C43595	0.784		2.00		0.506	J,Pc	1.35		0.479	J
GLBSP-14-S-20250917	B29740	0.924		2.00		0.523	J,Pc	1.30		0.482	J
GLBSP-14-D-20250917	B52755	0.875		2.13		0.528	J,Pc	1.27		0.491	J
GLBSP-14-B-20250917	B47818	0.188	ND	0.242	ND	0.273	ND,Pc	0.273	ND	0.273	ND
GLBSP-15-S-20250917	C01494	0.760		1.54		0.417	J,Pc	0.942		0.355	J
GLBSP-16-S-20250917	B20293	0.967		2.10		0.621	Pc	1.34		0.485	J
GLBSP-17-S-20250917	C56809	0.498		1.37		0.277	J,Pc	0.888		0.335	J

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB401-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20250917	B44419	0.915	0.286	12.2	62.2	0.661	20175	0.188	0.444	0.0587	0.139		M2504090.d	2025-10-09 19:54	0.928	8.181	109759	536012	55.2	8.117	-0.9%
GLBSP-2-S-20250917	C59950	0.719	0.225	9.59	62.2	0.661	20175	0.188	0.444	0.0587	0.139		M2504091.d	2025-10-09 20:21	0.928	8.181	86165	534961	55.2	8.124	-1.1%
GLBSP-3-S-20250917	C70561	0.767	0.240	10.2	62.2	0.661	20175	0.188	0.444	0.0587	0.139		M2504092.d	2025-10-09 20:48	0.928	8.181	92359	537980	55.2	8.124	-0.5%
GLBSP-4-S-20250917	C31389	0.803	0.252	10.7	62.2	0.661	20175	0.188	0.444	0.0587	0.139		M2504093.d	2025-10-09 21:15	0.928	8.181	95754	532310	55.2	8.117	-1.6%
GLBSP-5-S-20250917	B39486	0.746	0.234	9.94	62.2	0.661	20180	0.188	0.444	0.0587	0.139		M2504094.d	2025-10-09 21:41	0.928	8.181	89065	533405	55.2	8.124	-1.4%
GLBSP-5-D-20250917	C43898	0.835	0.262	11.1	62.2	0.661	20180	0.188	0.444	0.0587	0.139		M2504095.d	2025-10-09 22:08	0.928	8.181	100139	535363	55.2	8.124	-1.0%
GLBSP-5-B-20250917	C53605	0.188	0.0587		62.2	0.661	20180	0.188	0.444	0.0587	0.139	ND	M2504089.d	2025-10-09 19:27	0.928	8.174	11422	535699	55.2	8.117	-1.0%
GLBSP-6-S-20250917	B16966	1.05	0.328	14.0	62.1	0.661	20180	0.188	0.444	0.0587	0.139		M2504096.d	2025-10-09 22:35	0.928	8.181	126402	538914	55.2	8.117	-0.4%
GLBSP-7-S-20250917	C33272	1.22	0.382	16.2	62.1	0.661	20180	0.188	0.444	0.0587	0.139		M2504097.d	2025-10-09 23:02	0.928	8.181	146538	537161	55.2	8.124	-0.7%
GLBSP-8-S-20250917	B49485	0.795	0.249	10.6	62.1	0.661	20180	0.188	0.444	0.0587	0.139		M2504098.d	2025-10-09 23:29	0.928	8.181	95753	538114	55.2	8.124	-0.5%
GLBSP-9-S-20250917	B46076	0.727	0.228	9.69	62.1	0.661	20180	0.188	0.444	0.0587	0.139		M2504100.d	2025-10-10 00:22	0.928	8.181	87188	535697	55.2	8.124	-1.0%
GLBSP-10-S-20250917	C35883	0.678	0.212	9.03	62.1	0.661	20180	0.188	0.444	0.0587	0.139		M2504101.d	2025-10-10 00:49	0.928	8.181	81260	535527	55.2	8.124	-1.0%
GLBSP-11-S-20250917	C20556	0.665	0.208	8.87	62.1	0.661	20180	0.188	0.444	0.0587	0.139		M2504102.d	2025-10-10 01:15	0.928	8.181	79734	535136	55.2	8.124	-1.1%
GLBSP-12-S-20250917	C57820	0.576	0.180	7.67	62.1	0.661	20180	0.188	0.444	0.0587	0.139		M2504103.d	2025-10-10 01:42	0.928	8.181	69216	536981	55.2	8.117	-0.7%
GLBSP-13-S-20250917	C43595	0.784	0.246	10.5	62.1	0.661	20180	0.188	0.444	0.0587	0.139		M2504104.d	2025-10-10 02:08	0.928	8.181	93431	531870	55.2	8.124	-1.7%
GLBSP-14-S-20250917	B29740	0.924	0.289	12.3	62.1	0.661	20180	0.188	0.444	0.0587	0.139		M2504105.d	2025-10-10 02:35	0.928	8.181	112241	542411	55.2	8.117	0.3%
GLBSP-14-D-20250917	B52755	0.875	0.274	11.7	62.1	0.661	20180	0.188	0.444	0.0587	0.139		M2504106.d	2025-10-10 03:01	0.928	8.181	104697	534114	55.2	8.124	-1.2%
GLBSP-14-B-20250917	B47818	0.188	0.0587		62.1	0.661	20180	0.188	0.444	0.0587	0.139	ND	M2504088.d	2025-10-09 19:00	0.928	8.174	14313	537694	55.2	8.117	-0.6%
GLBSP-15-S-20250917	C01494	0.760	0.238	10.1	62.1	0.661	20180	0.188	0.444	0.0587	0.139		M2504107.d	2025-10-10 03:27	0.928	8.181	91267	536388	55.2	8.124	-0.8%
GLBSP-16-S-20250917	B20293	0.967	0.303	12.9	62.1	0.661	20180	0.188	0.444	0.0587	0.139		M2504108.d	2025-10-10 03:54	0.928	8.181	116045	535673	55.2	8.124	-1.0%
GLBSP-17-S-20250917	C56809	0.498	0.156	6.64	62.1	0.661	20180	0.188	0.444	0.0587	0.139		M2504109.d	2025-10-10 04:20	0.928	8.181	59630	534509	55.2	8.117	-1.2%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20250917	B44419	1.75	0.465	18.1	62.2	0.513	20175	0.242	0.503	0.0642	0.134		M2504090.d	2025-10-09 19:54	1.079	10.910	173654	579207	65.2	10.817	-0.6%
GLBSP-2-S-20250917	C59950	2.03	0.538	21.0	62.2	0.513	20175	0.242	0.503	0.0642	0.134		M2504091.d	2025-10-09 20:21	1.079	10.910	199623	575452	65.2	10.817	-1.2%
GLBSP-3-S-20250917	C70561	2.03	0.540	21.0	62.2	0.513	20175	0.242	0.503	0.0642	0.134		M2504092.d	2025-10-09 20:48	1.079	10.910	199196	572484	65.2	10.817	-1.7%
GLBSP-4-S-20250917	C31389	1.72	0.458	17.8	62.2	0.513	20175	0.242	0.503	0.0642	0.134		M2504093.d	2025-10-09 21:15	1.079	10.910	169643	574894	65.2	10.817	-1.3%
GLBSP-5-S-20250917	B39486	2.02	0.535	20.9	62.2	0.513	20180	0.242	0.503	0.0642	0.133		M2504094.d	2025-10-09 21:41	1.079	10.910	199266	577341	65.2	10.817	-0.9%
GLBSP-5-D-20250917	C43898	2.44	0.649	25.3	62.2	0.513	20180	0.242	0.503	0.0642	0.133		M2504095.d	2025-10-09 22:08	1.079	10.910	240840	575451	65.2	10.817	-1.2%
GLBSP-5-B-20250917	C53605	0.242	0.0642		62.2	0.513	20180	0.242	0.503	0.0642	0.133	ND	M2504089.d	2025-10-09 19:27	1.079	10.910	13043	578883	65.2	10.817	-0.6%
GLBSP-6-S-20250917	B16966	1.90	0.504	19.6	62.1	0.513	20180	0.242	0.503	0.0642	0.133		M2504096.d	2025-10-09 22:35	1.079	10.911	188276	579132	65.2	10.817	-0.6%
GLBSP-7-S-20250917	C33272	2.57	0.684	26.6	62.1	0.513	20180	0.242	0.503	0.0642	0.133		M2504097.d	2025-10-09 23:02	1.079	10.911	254328	576724	65.2	10.817	-1.0%
GLBSP-8-S-20250917	B49485	1.94	0.514	20.0	62.1	0.513	20180	0.242	0.503	0.0642	0.133		M2504098.d	2025-10-09 23:29	1.079	10.918	192580	581046	65.2	10.817	-0.3%
GLBSP-9-S-20250917	B46076	1.78	0.472	18.4	62.1	0.513	20180	0.242	0.503	0.0642	0.133		M2504100.d	2025-10-10 00:22	1.079	10.910	176057	577922	65.2	10.817	-0.8%
GLBSP-10-S-20250917	C35883	1.67	0.443	17.3	62.1	0.513	20180	0.242	0.503	0.0642	0.133		M2504101.d	2025-10-10 00:49	1.079	10.910	164741	576424	65.2	10.817	-1.0%
GLBSP-11-S-20250917	C20556	1.81	0.482	18.8	62.1	0.513	20180	0.242	0.503	0.0642	0.133		M2504102.d	2025-10-10 01:15	1.079	10.910	178271	573608	65.2	10.817	-1.5%
GLBSP-12-S-20250917	C57820	1.47	0.391	15.2	62.1	0.513	20180	0.242	0.503	0.0642	0.133		M2504103.d	2025-10-10 01:42	1.079	10.910	144454	572698	65.2	10.817	-1.7%
GLBSP-13-S-20250917	C43595	2.00	0.531	20.7	62.1	0.513	20180	0.242	0.503	0.0642	0.133		M2504104.d	2025-10-10 02:08	1.079	10.910	197162	576196	65.2	10.817	-1.1%
GLBSP-14-S-20250917	B29740	2.00	0.531	20.7	62.1	0.513	20180	0.242	0.503	0.0642	0.133		M2504105.d	2025-10-10 02:35	1.079	10.910	198295	578640	65.2	10.817	-0.7%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB401-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-14-D-20250917	B52755	2.13	0.565	22.0	62.1	0.513	20180	0.242	0.503	0.0642	0.133		M2504106.d	2025-10-10 03:01	1.079	10.910	208609	572572	65.2	10.817	-1.7%
GLBSP-14-B-20250917	B47818	0.242	0.0642		62.1	0.513	20180	0.242	0.503	0.0642	0.133	ND	M2504088.d	2025-10-09 19:00	1.079	10.911	9358	582653	65.2	10.817	0.0%
GLBSP-15-S-20250917	C01494	1.54	0.410	16.0	62.1	0.513	20180	0.242	0.503	0.0642	0.133		M2504107.d	2025-10-10 03:27	1.079	10.911	152035	574785	65.2	10.817	-1.3%
GLBSP-16-S-20250917	B20293	2.10	0.556	21.7	62.1	0.513	20180	0.242	0.503	0.0642	0.133		M2504108.d	2025-10-10 03:54	1.079	10.910	204683	570386	65.2	10.817	-2.1%
GLBSP-17-S-20250917	C56809	1.37	0.363	14.1	62.1	0.513	20180	0.242	0.503	0.0642	0.133		M2504109.d	2025-10-10 04:20	1.079	10.910	133790	571997	65.2	10.817	-1.8%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20250917	B44419	0.288	0.0663	2.63	62.2	0.454	20175	0.273	0.591	0.0630	0.136	J,Pc	M2504090.d	2025-10-09 19:54	1.246	13.102	29182	579207	65.2	10.817	-0.6%
GLBSP-2-S-20250917	C59950	0.422	0.0972	3.86	62.2	0.454	20175	0.273	0.591	0.0630	0.136	J,Pc	M2504091.d	2025-10-09 20:21	1.246	13.102	42455	575452	65.2	10.817	-1.2%
GLBSP-3-S-20250917	C70561	0.395	0.0910	3.62	62.2	0.454	20175	0.273	0.591	0.0630	0.136	J,Pc	M2504092.d	2025-10-09 20:48	1.246	13.102	39582	572484	65.2	10.817	-1.7%
GLBSP-4-S-20250917	C31389	0.309	0.0712	2.83	62.2	0.454	20175	0.273	0.591	0.0630	0.136	J,Pc	M2504093.d	2025-10-09 21:15	1.246	13.102	31073	574894	65.2	10.817	-1.3%
GLBSP-5-S-20250917	B39486	0.408	0.0941	3.74	62.2	0.454	20180	0.273	0.591	0.0629	0.136	J,Pc	M2504094.d	2025-10-09 21:41	1.246	13.102	41257	577341	65.2	10.817	-0.9%
GLBSP-5-D-20250917	C43898	0.620	0.143	5.68	62.2	0.454	20180	0.273	0.591	0.0629	0.136	Pc	M2504095.d	2025-10-09 22:08	1.246	13.102	62465	575451	65.2	10.817	-1.2%
GLBSP-5-B-20250917	C53605	0.273	0.0629		62.2	0.454	20180	0.273	0.591	0.0629	0.136	ND,Pc	M2504089.d	2025-10-09 19:27	1.246	13.102	1831	578883	65.2	10.817	-0.6%
GLBSP-6-S-20250917	B16966	0.326	0.0752	2.99	62.1	0.454	20180	0.273	0.591	0.0629	0.136	J,Pc	M2504096.d	2025-10-09 22:35	1.246	13.103	33069	579132	65.2	10.817	-0.6%
GLBSP-7-S-20250917	C33272	0.667	0.154	6.10	62.1	0.454	20180	0.273	0.591	0.0629	0.136	Pc	M2504097.d	2025-10-09 23:02	1.246	13.102	67313	576724	65.2	10.817	-1.0%
GLBSP-8-S-20250917	B49485	0.431	0.0993	3.95	62.1	0.454	20180	0.273	0.591	0.0629	0.136	J,Pc	M2504098.d	2025-10-09 23:29	1.246	13.102	43846	581046	65.2	10.817	-0.3%
GLBSP-9-S-20250917	B46076	0.492	0.113	4.50	62.1	0.454	20180	0.273	0.591	0.0629	0.136	J,Pc	M2504100.d	2025-10-10 00:22	1.246	13.102	49782	577922	65.2	10.817	-0.8%
GLBSP-10-S-20250917	C35883	0.376	0.0866	3.44	62.1	0.454	20180	0.273	0.591	0.0629	0.136	J,Pc	M2504101.d	2025-10-10 00:49	1.246	13.102	37927	576424	65.2	10.817	-1.0%
GLBSP-11-S-20250917	C20556	0.385	0.0887	3.52	62.1	0.454	20180	0.273	0.591	0.0629	0.136	J,Pc	M2504102.d	2025-10-10 01:15	1.246	13.102	38648	573608	65.2	10.817	-1.5%
GLBSP-12-S-20250917	C57820	0.296	0.0682	2.71	62.1	0.454	20180	0.273	0.591	0.0629	0.136	J,Pc	M2504103.d	2025-10-10 01:42	1.246	13.102	29680	572698	65.2	10.817	-1.7%
GLBSP-13-S-20250917	C43595	0.506	0.117	4.63	62.1	0.454	20180	0.273	0.591	0.0629	0.136	J,Pc	M2504104.d	2025-10-10 02:08	1.246	13.102	51069	576196	65.2	10.817	-1.1%
GLBSP-14-S-20250917	B29740	0.523	0.121	4.79	62.1	0.454	20180	0.273	0.591	0.0629	0.136	J,Pc	M2504105.d	2025-10-10 02:35	1.246	13.102	53002	578640	65.2	10.817	-0.7%
GLBSP-14-D-20250917	B52755	0.528	0.122	4.84	62.1	0.454	20180	0.273	0.591	0.0629	0.136	J,Pc	M2504106.d	2025-10-10 03:01	1.246	13.102	52960	572572	65.2	10.817	-1.7%
GLBSP-14-B-20250917	B47818	0.273	0.0629		62.1	0.454	20180	0.273	0.591	0.0629	0.136	ND,Pc	M2504088.d	2025-10-09 19:00	1.246	13.102	1371	582653	65.2	10.817	0.0%
GLBSP-15-S-20250917	C01494	0.417	0.0961	3.82	62.1	0.454	20180	0.273	0.591	0.0629	0.136	J,Pc	M2504107.d	2025-10-10 03:27	1.246	13.102	41935	574785	65.2	10.817	-1.3%
GLBSP-16-S-20250917	B20293	0.621	0.143	5.69	62.1	0.454	20180	0.273	0.591	0.0629	0.136	Pc	M2504108.d	2025-10-10 03:54	1.246	13.102	62029	570386	65.2	10.817	-2.1%
GLBSP-17-S-20250917	C56809	0.277	0.0638	2.53	62.1	0.454	20180	0.273	0.591	0.0629	0.136	J,Pc	M2504109.d	2025-10-10 04:20	1.246	13.102	27711	571997	65.2	10.817	-1.8%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20250917	B44419	0.664	0.153	6.08	62.2	0.454	20175	0.273	0.662	0.0630	0.153		M2504090.d	2025-10-09 19:54	0.973	13.281	52549	579207	65.2	10.817	-0.6%
GLBSP-2-S-20250917	C59950	1.38	0.317	12.6	62.2	0.454	20175	0.273	0.662	0.0630	0.153		M2504091.d	2025-10-09 20:21	0.973	13.281	108240	575452	65.2	10.817	-1.2%
GLBSP-3-S-20250917	C70561	1.27	0.292	11.6	62.2	0.454	20175	0.273	0.662	0.0630	0.153		M2504092.d	2025-10-09 20:48	0.973	13.281	99039	572484	65.2	10.817	-1.7%
GLBSP-4-S-20250917	C31389	0.696	0.160	6.37	62.2	0.454	20175	0.273	0.662	0.0630	0.153		M2504093.d	2025-10-09 21:15	0.973	13.281	54669	574894	65.2	10.817	-1.3%
GLBSP-5-S-20250917	B39486	1.05	0.242	9.60	62.2	0.454	20180	0.273	0.662	0.0629	0.153		M2504094.d	2025-10-09 21:41	0.973	13.274	82726	577341	65.2	10.817	-0.9%
GLBSP-5-D-20250917	C43898	1.31	0.301	11.9	62.2	0.454	20180	0.273	0.662	0.0629	0.153		M2504095.d	2025-10-09 22:08	0.973	13.281	102627	575451	65.2	10.817	-1.2%
GLBSP-5-B-20250917	C53605	0.273	0.0629		62.2	0.454	20180	0.273	0.662	0.0629	0.153	ND	M2504089.d	2025-10-09 19:27	0.973	13.274	523	578883	65.2	10.817	-0.6%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB401-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m ³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m ³)	LOQ (ug/m ³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-6-S-20250917	B16966	0.769	0.177	7.04	62.1	0.454	20180	0.273	0.662	0.0629	0.153		M2504096.d	2025-10-09 22:35	0.973	13.274	60878	579132	65.2	10.817	-0.6%
GLBSP-7-S-20250917	C33272	1.48	0.340	13.5	62.1	0.454	20180	0.273	0.662	0.0629	0.153		M2504097.d	2025-10-09 23:02	0.973	13.282	116254	576724	65.2	10.817	-1.0%
GLBSP-8-S-20250917	B49485	1.07	0.246	9.79	62.1	0.454	20180	0.273	0.662	0.0629	0.153		M2504098.d	2025-10-09 23:29	0.973	13.274	84906	581046	65.2	10.817	-0.3%
GLBSP-9-S-20250917	B46076	1.02	0.235	9.35	62.1	0.454	20180	0.273	0.662	0.0629	0.153		M2504100.d	2025-10-10 00:22	0.973	13.281	80642	577922	65.2	10.817	-0.8%
GLBSP-10-S-20250917	C35883	0.962	0.222	8.80	62.1	0.454	20180	0.273	0.662	0.0629	0.153		M2504101.d	2025-10-10 00:49	0.973	13.281	75731	576424	65.2	10.817	-1.0%
GLBSP-11-S-20250917	C20556	1.19	0.275	10.9	62.1	0.454	20180	0.273	0.662	0.0629	0.153		M2504102.d	2025-10-10 01:15	0.973	13.274	93561	573608	65.2	10.817	-1.5%
GLBSP-12-S-20250917	C57820	0.970	0.224	8.88	62.1	0.454	20180	0.273	0.662	0.0629	0.153		M2504103.d	2025-10-10 01:42	0.973	13.281	75908	572698	65.2	10.817	-1.7%
GLBSP-13-S-20250917	C43595	1.35	0.311	12.3	62.1	0.454	20180	0.273	0.662	0.0629	0.153		M2504104.d	2025-10-10 02:08	0.973	13.281	106137	576196	65.2	10.817	-1.1%
GLBSP-14-S-20250917	B29740	1.30	0.300	11.9	62.1	0.454	20180	0.273	0.662	0.0629	0.153		M2504105.d	2025-10-10 02:35	0.973	13.281	102978	578640	65.2	10.817	-0.7%
GLBSP-14-D-20250917	B52755	1.27	0.293	11.6	62.1	0.454	20180	0.273	0.662	0.0629	0.153		M2504106.d	2025-10-10 03:01	0.973	13.281	99429	572572	65.2	10.817	-1.7%
GLBSP-14-B-20250917	B47818	0.273	0.0629		62.1	0.454	20180	0.273	0.662	0.0629	0.153	ND	M2504088.d	2025-10-09 19:00	0.973	13.282	780	582653	65.2	10.817	0.0%
GLBSP-15-S-20250917	C01494	0.942	0.217	8.62	62.1	0.454	20180	0.273	0.662	0.0629	0.153		M2504107.d	2025-10-10 03:27	0.973	13.282	73946	574785	65.2	10.817	-1.3%
GLBSP-16-S-20250917	B20293	1.34	0.308	12.2	62.1	0.454	20180	0.273	0.662	0.0629	0.153		M2504108.d	2025-10-10 03:54	0.973	13.281	104085	570386	65.2	10.817	-2.1%
GLBSP-17-S-20250917	C56809	0.888	0.205	8.12	62.1	0.454	20180	0.273	0.662	0.0629	0.153		M2504109.d	2025-10-10 04:20	0.973	13.281	69358	571997	65.2	10.817	-1.8%

o-Xylene

Sample Code	Tube ID	Conc (ug/m ³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m ³)	LOQ (ug/m ³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20250917	B44419	0.273	0.0630		62.2	0.454	20175	0.273	0.616	0.0630	0.142	ND	M2504090.d	2025-10-09 19:54	1.010	13.776	21020	579207	65.2	10.817	-0.6%
GLBSP-2-S-20250917	C59950	0.526	0.121	4.81	62.2	0.454	20175	0.273	0.616	0.0630	0.142	J	M2504091.d	2025-10-09 20:21	1.010	13.775	42896	575452	65.2	10.817	-1.2%
GLBSP-3-S-20250917	C70561	0.491	0.113	4.49	62.2	0.454	20175	0.273	0.616	0.0630	0.142	J	M2504092.d	2025-10-09 20:48	1.010	13.776	39813	572484	65.2	10.817	-1.7%
GLBSP-4-S-20250917	C31389	0.273	0.0630		62.2	0.454	20175	0.273	0.616	0.0630	0.142	ND	M2504093.d	2025-10-09 21:15	1.010	13.776	20600	574894	65.2	10.817	-1.3%
GLBSP-5-S-20250917	B39486	0.403	0.0929	3.69	62.2	0.454	20180	0.273	0.616	0.0629	0.142	J	M2504094.d	2025-10-09 21:41	1.010	13.776	32997	577341	65.2	10.817	-0.9%
GLBSP-5-D-20250917	C43898	0.488	0.112	4.47	62.2	0.454	20180	0.273	0.616	0.0629	0.142	J	M2504095.d	2025-10-09 22:08	1.010	13.776	39816	575451	65.2	10.817	-1.2%
GLBSP-5-B-20250917	C53605	0.273	0.0629		62.2	0.454	20180	0.273	0.616	0.0629	0.142	ND	M2504089.d	2025-10-09 19:27	1.010	13.783	301	578883	65.2	10.817	-0.6%
GLBSP-6-S-20250917	B16966	0.288	0.0664	2.64	62.1	0.454	20180	0.273	0.616	0.0629	0.142	J	M2504096.d	2025-10-09 22:35	1.010	13.776	23654	579132	65.2	10.817	-0.6%
GLBSP-7-S-20250917	C33272	0.538	0.124	4.93	62.1	0.454	20180	0.273	0.616	0.0629	0.142	J	M2504097.d	2025-10-09 23:02	1.010	13.776	44002	576724	65.2	10.817	-1.0%
GLBSP-8-S-20250917	B49485	0.415	0.0957	3.80	62.1	0.454	20180	0.273	0.616	0.0629	0.142	J	M2504098.d	2025-10-09 23:29	1.010	13.776	34221	581046	65.2	10.817	-0.3%
GLBSP-9-S-20250917	B46076	0.390	0.0899	3.57	62.1	0.454	20180	0.273	0.616	0.0629	0.142	J	M2504100.d	2025-10-10 00:22	1.010	13.776	31959	577922	65.2	10.817	-0.8%
GLBSP-10-S-20250917	C35883	0.346	0.0798	3.17	62.1	0.454	20180	0.273	0.616	0.0629	0.142	J	M2504101.d	2025-10-10 00:49	1.010	13.776	28314	576424	65.2	10.817	-1.0%
GLBSP-11-S-20250917	C20556	0.460	0.106	4.21	62.1	0.454	20180	0.273	0.616	0.0629	0.142	J	M2504102.d	2025-10-10 01:15	1.010	13.776	37410	573608	65.2	10.817	-1.5%
GLBSP-12-S-20250917	C57820	0.366	0.0843	3.35	62.1	0.454	20180	0.273	0.616	0.0629	0.142	J	M2504103.d	2025-10-10 01:42	1.010	13.776	29723	572698	65.2	10.817	-1.7%
GLBSP-13-S-20250917	C43595	0.479	0.110	4.39	62.1	0.454	20180	0.273	0.616	0.0629	0.142	J	M2504104.d	2025-10-10 02:08	1.010	13.776	39159	576196	65.2	10.817	-1.1%
GLBSP-14-S-20250917	B29740	0.482	0.111	4.42	62.1	0.454	20180	0.273	0.616	0.0629	0.142	J	M2504105.d	2025-10-10 02:35	1.010	13.776	39577	578640	65.2	10.817	-0.7%
GLBSP-14-D-20250917	B52755	0.491	0.113	4.50	62.1	0.454	20180	0.273	0.616	0.0629	0.142	J	M2504106.d	2025-10-10 03:01	1.010	13.775	39882	572572	65.2	10.817	-1.7%
GLBSP-14-B-20250917	B47818	0.273	0.0629		62.1	0.454	20180	0.273	0.616	0.0629	0.142	ND	M2504088.d	2025-10-09 19:00	1.010	13.776	389	582653	65.2	10.817	0.0%
GLBSP-15-S-20250917	C01494	0.355	0.0819	3.25	62.1	0.454	20180	0.273	0.616	0.0629	0.142	J	M2504107.d	2025-10-10 03:27	1.010	13.776	28973	574785	65.2	10.817	-1.3%
GLBSP-16-S-20250917	B20293	0.485	0.112	4.44	62.1	0.454	20180	0.273	0.616	0.0629	0.142	J	M2504108.d	2025-10-10 03:54	1.010	13.775	39254	570386	65.2	10.817	-2.1%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB401-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-17-S-20250917	C56809	0.335	0.0772	3.06	62.1	0.454	20180	0.273	0.616	0.0629	0.142	J	M2504109.d	2025-10-10 04:20	1.010	13.776	27158	571997	65.2	10.817	-1.8%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB401-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	GLBSP-5-B-20250917	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	GLBSP-14-B-20250917	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	GLBSP-5-D-20250917	11%	Pass	19%	Pass	41%	Fail	22%	Pass	19%	Pass
	GLBSP-14-D-20250917	5.4%	Pass	6.1%	Pass	0.98%	Pass	2.5%	Pass	1.8%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB401-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2504086.d	C57817	Cal	0.928		0.928	-11%	-2.1%		Pass	
2025GB401 Method Blank-1	M2504087.d	C57798	Blank			0.928			0.72%	Pass	ND
M325B CCV 5 REC	M2504099.d	C39269	Check	0.979		0.928	-6.5%		-1.3%	Pass	
M325B CCV 5	M2504110.d	C61595	Check	0.964		0.928	-8.0%		-1.8%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2504086.d	C57817	Cal	1.079		1.079	-17%	1.5%		Pass	
2025GB401 Method Blank-1	M2504087.d	C57798	Blank			1.079			1.1%	Pass	ND
M325B CCV 5 REC	M2504099.d	C39269	Check	1.153		1.079	-11%		-1.2%	Pass	
M325B CCV 5	M2504110.d	C61595	Check	0.983		1.079	-25%		-0.53%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2504086.d	C57817	Cal	1.246		1.246	-4.1%	1.5%		Pass	
2025GB401 Method Blank-1	M2504087.d	C57798	Blank			1.246			1.1%	Pass	ND
M325B CCV 5 REC	M2504099.d	C39269	Check	1.252		1.246	-3.6%		-1.2%	Pass	
M325B CCV 5	M2504110.d	C61595	Check	1.107		1.246	-15%		-0.53%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2504086.d	C57817	Cal	0.973		0.973	8.9%	1.5%		Pass	
2025GB401 Method Blank-1	M2504087.d	C57798	Blank			0.973			1.1%	Pass	ND
M325B CCV 5 REC	M2504099.d	C39269	Check	0.957		0.973	7.1%		-1.2%	Pass	
M325B CCV 5	M2504110.d	C61595	Check	0.859		0.973	-3.9%		-0.53%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2504086.d	C57817	Cal	1.010		1.010	12%	1.5%		Pass	
2025GB401 Method Blank-1	M2504087.d	C57798	Blank			1.010			1.1%	Pass	ND
M325B CCV 5 REC	M2504099.d	C39269	Check	0.981		1.010	8.3%		-1.2%	Pass	
M325B CCV 5	M2504110.d	C61595	Check	0.884		1.010	-2.3%		-0.53%	Pass	

Chromatograms



Name 2025GB401 Method Blank-1
Comment C57798
Data File M2504087.d
Acq. Date-Time 10/9/2025 6:34:03 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	544,777	
Benzene	Benzene-d6 (IS)	8.174	8.181	5,622	
Toluene-d8 (IS)		10.817	10.817	588,714	
Toluene	Toluene-d8 (IS)	10.910	10.910	10,225	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	2,118	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	1,064	
o-Xylene	Toluene-d8 (IS)	13.783	13.776	651	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504087.d




+ Scan (10.767-10.896 min, 19 scans) M2504087.d

**Toluene**


+ EIC (91.1) Scan M2504087.d




+ Scan (10.878-10.975 min, 14 scans) M2504087.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504087.d




+ Scan (13.070-13.137 min, 9 scans) M2504087.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504087.d




+ Scan (13.255-13.329 min, 10 scans) M2504087.d




o-Xylene

+ EIC (91.1) Scan M2504087.d




+ Scan (13.747-13.797 min, 7 scans) M2504087.d





Name GLBSP-14-B-20250917
Comment B47818
Data File M2504088.d
Acq. Date-Time 10/9/2025 7:00:49 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	537,694	
Benzene	Benzene-d6 (IS)	8.174	8.181	14,313	
Toluene-d8 (IS)		10.817	10.817	582,653	
Toluene	Toluene-d8 (IS)	10.911	10.910	9,358	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	1,371	
m-/p-Xylenes	Toluene-d8 (IS)	13.282	13.281	780	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	389	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504088.d




+ Scan (10.767-10.911 min, 21 scans) M2504088.d

**Toluene**


+ EIC (91.1) Scan M2504088.d




+ Scan (10.882-10.954 min, 11 scans) M2504088.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504088.d




+ Scan (13.064-13.128 min, 9 scans) M2504088.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504088.d




+ Scan (13.254-13.316 min, 8 scans) M2504088.d




o-Xylene

+ EIC (91.1) Scan M2504088.d




+ Scan (13.758-13.791 min, 5 scans) M2504088.d





Name GLBSP-5-B-20250917
Comment C53605
Data File M2504089.d
Acq. Date-Time 10/9/2025 7:27:45 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	535,699	
Benzene	Benzene-d6 (IS)	8.174	8.181	11,422	
Toluene-d8 (IS)		10.817	10.817	578,883	
Toluene	Toluene-d8 (IS)	10.910	10.910	13,043	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	1,831	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	523	
o-Xylene	Toluene-d8 (IS)	13.783	13.776	301	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504089.d




+ Scan (10.767-10.903 min, 20 scans) M2504089.d

**Toluene**


+ EIC (91.1) Scan M2504089.d




+ Scan (10.869-10.957 min, 12 scans) M2504089.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504089.d




+ Scan (13.063-13.127 min, 9 scans) M2504089.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504089.d




+ Scan (13.243-13.310 min, 10 scans) M2504089.d




o-Xylene

+ EIC (91.1) Scan M2504089.d




+ Scan (13.754-13.794 min, 6 scans) M2504089.d





Name GLBSP-1-S-20250917
Comment B44419
Data File M2504090.d
Acq. Date-Time 10/9/2025 7:54:37 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	536,012	
Benzene	Benzene-d6 (IS)	8.181	8.181	109,759	
Toluene-d8 (IS)		10.817	10.817	579,207	
Toluene	Toluene-d8 (IS)	10.910	10.910	173,654	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	29,182	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	52,549	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	21,020	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504090.d




+ Scan (10.767-10.910 min, 21 scans) M2504090.d

**Toluene**


+ EIC (91.1) Scan M2504090.d




+ Scan (10.867-10.989 min, 18 scans) M2504090.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504090.d




+ Scan (13.068-13.145 min, 10 scans) M2504090.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504090.d




+ Scan (13.232-13.367 min, 19 scans) M2504090.d




o-Xylene

+ EIC (91.1) Scan M2504090.d




+ Scan (13.744-13.859 min, 16 scans) M2504090.d





Name GLBSP-2-S-20250917
Comment C59950
Data File M2504091.d
Acq. Date-Time 10/9/2025 8:21:34 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	534,961	
Benzene	Benzene-d6 (IS)	8.181	8.181	86,165	
Toluene-d8 (IS)		10.817	10.817	575,452	
Toluene	Toluene-d8 (IS)	10.910	10.910	199,623	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	42,455	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	108,240	
o-Xylene	Toluene-d8 (IS)	13.775	13.776	42,896	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504091.d




+ Scan (10.767-10.910 min, 21 scans) M2504091.d

**Toluene**


+ EIC (91.1) Scan M2504091.d




+ Scan (10.867-10.996 min, 19 scans) M2504091.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504091.d




+ Scan (13.063-13.151 min, 12 scans) M2504091.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504091.d




+ Scan (13.239-13.374 min, 19 scans) M2504091.d




o-Xylene

+ EIC (91.1) Scan M2504091.d




+ Scan (13.732-13.845 min, 16 scans) M2504091.d





Name GLBSP-3-S-20250917
Comment C70561
Data File M2504092.d
Acq. Date-Time 10/9/2025 8:48:20 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	537,980	
Benzene	Benzene-d6 (IS)	8.181	8.181	92,359	
Toluene-d8 (IS)		10.817	10.817	572,484	
Toluene	Toluene-d8 (IS)	10.910	10.910	199,196	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	39,582	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	99,039	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	39,813	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504092.d




+ Scan (10.767-10.903 min, 20 scans) M2504092.d

**Toluene**


+ EIC (91.1) Scan M2504092.d




+ Scan (10.868-10.996 min, 19 scans) M2504092.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504092.d




+ Scan (13.067-13.167 min, 14 scans) M2504092.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504092.d




+ Scan (13.226-13.389 min, 23 scans) M2504092.d




o-Xylene

+ EIC (91.1) Scan M2504092.d




+ Scan (13.742-13.826 min, 12 scans) M2504092.d





Name GLBSP-4-S-20250917
Comment C31389
Data File M2504093.d
Acq. Date-Time 10/9/2025 9:15:11 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	532,310	
Benzene	Benzene-d6 (IS)	8.181	8.181	95,754	
Toluene-d8 (IS)		10.817	10.817	574,894	
Toluene	Toluene-d8 (IS)	10.910	10.910	169,643	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	31,073	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	54,669	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	20,600	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504093.d




+ Scan (10.767-10.903 min, 20 scans) M2504093.d

**Toluene**


+ EIC (91.1) Scan M2504093.d




+ Scan (10.869-10.982 min, 16 scans) M2504093.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504093.d




+ Scan (13.059-13.159 min, 14 scans) M2504093.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504093.d




+ Scan (13.242-13.346 min, 15 scans) M2504093.d




o-Xylene

+ EIC (91.1) Scan M2504093.d




+ Scan (13.742-13.819 min, 11 scans) M2504093.d





Name GLBSP-5-S-20250917
Comment B39486
Data File M2504094.d
Acq. Date-Time 10/9/2025 9:41:58 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	533,405	
Benzene	Benzene-d6 (IS)	8.181	8.181	89,065	
Toluene-d8 (IS)		10.817	10.817	577,341	
Toluene	Toluene-d8 (IS)	10.910	10.910	199,266	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	41,257	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	82,726	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	32,997	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504094.d




+ Scan (10.767-10.903 min, 20 scans) M2504094.d

**Toluene**


+ EIC (91.1) Scan M2504094.d




+ Scan (10.867-11.039 min, 25 scans) M2504094.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504094.d




+ Scan (13.066-13.149 min, 12 scans) M2504094.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504094.d




+ Scan (13.238-13.353 min, 16 scans) M2504094.d




o-Xylene

+ EIC (91.1) Scan M2504094.d




+ Scan (13.740-13.845 min, 14 scans) M2504094.d





Name GLBSP-5-D-20250917
Comment C43898
Data File M2504095.d
Acq. Date-Time 10/9/2025 10:08:47 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	535,363	
Benzene	Benzene-d6 (IS)	8.181	8.181	100,139	
Toluene-d8 (IS)		10.817	10.817	575,451	
Toluene	Toluene-d8 (IS)	10.910	10.910	240,840	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	62,465	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	102,627	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	39,816	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504095.d




+ Scan (10.767-10.896 min, 19 scans) M2504095.d

**Toluene**


+ EIC (91.1) Scan M2504095.d




+ Scan (10.868-11.004 min, 20 scans) M2504095.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504095.d




+ Scan (13.062-13.188 min, 18 scans) M2504095.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504095.d




+ Scan (13.236-13.378 min, 20 scans) M2504095.d




o-Xylene

+ EIC (91.1) Scan M2504095.d




+ Scan (13.740-13.819 min, 12 scans) M2504095.d





Name GLBSP-6-S-20250917
Comment B16966
Data File M2504096.d
Acq. Date-Time 10/9/2025 10:35:35 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	538,914	
Benzene	Benzene-d6 (IS)	8.181	8.181	126,402	
Toluene-d8 (IS)		10.817	10.817	579,132	
Toluene	Toluene-d8 (IS)	10.911	10.910	188,276	
Ethylbenzene	Toluene-d8 (IS)	13.103	13.102	33,069	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	60,878	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	23,654	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504096.d




+ Scan (10.767-10.911 min, 21 scans) M2504096.d

**Toluene**


+ EIC (91.1) Scan M2504096.d




+ Scan (10.868-11.004 min, 20 scans) M2504096.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504096.d




+ Scan (13.067-13.174 min, 15 scans) M2504096.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504096.d




+ Scan (13.241-13.366 min, 17 scans) M2504096.d




o-Xylene

+ EIC (91.1) Scan M2504096.d




+ Scan (13.743-13.819 min, 11 scans) M2504096.d





Name GLBSP-7-S-20250917
Comment C33272
Data File M2504097.d
Acq. Date-Time 10/9/2025 11:02:27 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	537,161	
Benzene	Benzene-d6 (IS)	8.181	8.181	146,538	
Toluene-d8 (IS)		10.817	10.817	576,724	
Toluene	Toluene-d8 (IS)	10.911	10.910	254,328	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	67,313	
m-/p-Xylenes	Toluene-d8 (IS)	13.282	13.281	116,254	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	44,002	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504097.d




+ Scan (10.767-10.896 min, 19 scans) M2504097.d

**Toluene**


+ EIC (91.1) Scan M2504097.d




+ Scan (10.868-10.982 min, 17 scans) M2504097.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504097.d




+ Scan (13.067-13.181 min, 16 scans) M2504097.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504097.d




+ Scan (13.239-13.375 min, 19 scans) M2504097.d




o-Xylene

+ EIC (91.1) Scan M2504097.d




+ Scan (13.742-13.833 min, 13 scans) M2504097.d





Name GLBSP-8-S-20250917
Comment B49485
Data File M2504098.d
Acq. Date-Time 10/9/2025 11:29:05 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	538,114	
Benzene	Benzene-d6 (IS)	8.181	8.181	95,753	
Toluene-d8 (IS)		10.817	10.817	581,046	
Toluene	Toluene-d8 (IS)	10.918	10.910	192,580	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	43,846	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	84,906	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	34,221	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504098.d




+ Scan (10.774-10.910 min, 20 scans) M2504098.d

**Toluene**


+ EIC (91.1) Scan M2504098.d




+ Scan (10.868-11.004 min, 19 scans) M2504098.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504098.d




+ Scan (13.059-13.152 min, 13 scans) M2504098.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504098.d




+ Scan (13.231-13.377 min, 21 scans) M2504098.d




o-Xylene

+ EIC (91.1) Scan M2504098.d




+ Scan (13.742-13.840 min, 14 scans) M2504098.d





Name GLBSP-9-S-20250917
Comment B46076
Data File M2504100.d
Acq. Date-Time 10/10/2025 12:22:21 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	535,697	
Benzene	Benzene-d6 (IS)	8.181	8.181	87,188	
Toluene-d8 (IS)		10.817	10.817	577,922	
Toluene	Toluene-d8 (IS)	10.910	10.910	176,057	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	49,782	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	80,642	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	31,959	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504100.d




+ Scan (10.767-10.896 min, 19 scans) M2504100.d

**Toluene**


+ EIC (91.1) Scan M2504100.d




+ Scan (10.867-10.989 min, 18 scans) M2504100.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504100.d




+ Scan (13.062-13.158 min, 13 scans) M2504100.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504100.d




+ Scan (13.236-13.381 min, 20 scans) M2504100.d




o-Xylene

+ EIC (91.1) Scan M2504100.d




+ Scan (13.746-13.819 min, 11 scans) M2504100.d





Name GLBSP-10-S-20250917
Comment C35883
Data File M2504101.d
Acq. Date-Time 10/10/2025 12:49:00 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	535,527	
Benzene	Benzene-d6 (IS)	8.181	8.181	81,260	
Toluene-d8 (IS)		10.817	10.817	576,424	
Toluene	Toluene-d8 (IS)	10.910	10.910	164,741	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	37,927	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	75,731	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	28,314	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504101.d




+ Scan (10.767-10.910 min, 21 scans) M2504101.d

**Toluene**


+ EIC (91.1) Scan M2504101.d




+ Scan (10.867-10.996 min, 19 scans) M2504101.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504101.d




+ Scan (13.062-13.158 min, 13 scans) M2504101.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504101.d




+ Scan (13.231-13.396 min, 23 scans) M2504101.d




o-Xylene

+ EIC (91.1) Scan M2504101.d




+ Scan (13.740-13.830 min, 13 scans) M2504101.d





Name GLBSP-11-S-20250917
Comment C20556
Data File M2504102.d
Acq. Date-Time 10/10/2025 1:15:38 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	535,136	
Benzene	Benzene-d6 (IS)	8.181	8.181	79,734	
Toluene-d8 (IS)		10.817	10.817	573,608	
Toluene	Toluene-d8 (IS)	10.910	10.910	178,271	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	38,648	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	93,561	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	37,410	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504102.d




+ Scan (10.767-10.903 min, 20 scans) M2504102.d

**Toluene**


+ EIC (91.1) Scan M2504102.d




+ Scan (10.867-10.989 min, 18 scans) M2504102.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504102.d




+ Scan (13.067-13.165 min, 13 scans) M2504102.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504102.d




+ Scan (13.239-13.390 min, 21 scans) M2504102.d




o-Xylene

+ EIC (91.1) Scan M2504102.d




+ Scan (13.741-13.831 min, 12 scans) M2504102.d





Name GLBSP-12-S-20250917
Comment C57820
Data File M2504103.d
Acq. Date-Time 10/10/2025 1:42:14 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	536,981	
Benzene	Benzene-d6 (IS)	8.181	8.181	69,216	
Toluene-d8 (IS)		10.817	10.817	572,698	
Toluene	Toluene-d8 (IS)	10.910	10.910	144,454	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	29,680	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	75,908	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	29,723	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504103.d




+ Scan (10.767-10.896 min, 19 scans) M2504103.d

**Toluene**


+ EIC (91.1) Scan M2504103.d




+ Scan (10.867-11.003 min, 19 scans) M2504103.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504103.d




+ Scan (13.068-13.145 min, 11 scans) M2504103.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504103.d




+ Scan (13.238-13.360 min, 17 scans) M2504103.d




o-Xylene

+ EIC (91.1) Scan M2504103.d




+ Scan (13.747-13.821 min, 11 scans) M2504103.d





Name GLBSP-13-S-20250917
Comment C43595
Data File M2504104.d
Acq. Date-Time 10/10/2025 2:08:44 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	531,870	
Benzene	Benzene-d6 (IS)	8.181	8.181	93,431	
Toluene-d8 (IS)		10.817	10.817	576,196	
Toluene	Toluene-d8 (IS)	10.910	10.910	197,162	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	51,069	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	106,137	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	39,159	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504104.d




+ Scan (10.767-10.903 min, 20 scans) M2504104.d

**Toluene**


+ EIC (91.1) Scan M2504104.d




+ Scan (10.867-11.018 min, 22 scans) M2504104.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504104.d




+ Scan (13.062-13.156 min, 13 scans) M2504104.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504104.d




+ Scan (13.237-13.396 min, 23 scans) M2504104.d




o-Xylene

+ EIC (91.1) Scan M2504104.d




+ Scan (13.747-13.819 min, 11 scans) M2504104.d





Name GLBSP-14-S-20250917
Comment B29740
Data File M2504105.d
Acq. Date-Time 10/10/2025 2:35:07 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	542,411	
Benzene	Benzene-d6 (IS)	8.181	8.181	112,241	
Toluene-d8 (IS)		10.817	10.817	578,640	
Toluene	Toluene-d8 (IS)	10.910	10.910	198,295	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	53,002	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	102,978	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	39,577	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504105.d




+ Scan (10.767-10.910 min, 21 scans) M2504105.d

**Toluene**


+ EIC (91.1) Scan M2504105.d




+ Scan (10.867-10.996 min, 19 scans) M2504105.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504105.d




+ Scan (13.062-13.171 min, 15 scans) M2504105.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504105.d




+ Scan (13.229-13.387 min, 22 scans) M2504105.d




o-Xylene

+ EIC (91.1) Scan M2504105.d




+ Scan (13.743-13.857 min, 16 scans) M2504105.d





Name GLBSP-14-D-20250917
Comment B52755
Data File M2504106.d
Acq. Date-Time 10/10/2025 3:01:36 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	534,114	
Benzene	Benzene-d6 (IS)	8.181	8.181	104,697	
Toluene-d8 (IS)		10.817	10.817	572,572	
Toluene	Toluene-d8 (IS)	10.910	10.910	208,609	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	52,960	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	99,429	
o-Xylene	Toluene-d8 (IS)	13.775	13.776	39,882	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504106.d




+ Scan (10.767-10.910 min, 21 scans) M2504106.d

**Toluene**


+ EIC (91.1) Scan M2504106.d




+ Scan (10.867-10.989 min, 17 scans) M2504106.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504106.d




+ Scan (13.066-13.163 min, 14 scans) M2504106.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504106.d




+ Scan (13.231-13.352 min, 17 scans) M2504106.d




o-Xylene

+ EIC (91.1) Scan M2504106.d




+ Scan (13.736-13.847 min, 16 scans) M2504106.d





Name GLBSP-15-S-20250917
Comment C01494
Data File M2504107.d
Acq. Date-Time 10/10/2025 3:27:56 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	536,388	
Benzene	Benzene-d6 (IS)	8.181	8.181	91,267	
Toluene-d8 (IS)		10.817	10.817	574,785	
Toluene	Toluene-d8 (IS)	10.911	10.910	152,035	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	41,935	
m-/p-Xylenes	Toluene-d8 (IS)	13.282	13.281	73,946	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	28,973	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504107.d




+ Scan (10.767-10.896 min, 19 scans) M2504107.d

**Toluene**


+ EIC (91.1) Scan M2504107.d




+ Scan (10.868-11.004 min, 20 scans) M2504107.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504107.d




+ Scan (13.068-13.160 min, 13 scans) M2504107.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504107.d




+ Scan (13.239-13.360 min, 17 scans) M2504107.d




o-Xylene

+ EIC (91.1) Scan M2504107.d




+ Scan (13.745-13.827 min, 12 scans) M2504107.d





Name GLBSP-16-S-20250917
Comment B20293
Data File M2504108.d
Acq. Date-Time 10/10/2025 3:54:24 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	535,673	
Benzene	Benzene-d6 (IS)	8.181	8.181	116,045	
Toluene-d8 (IS)		10.817	10.817	570,386	
Toluene	Toluene-d8 (IS)	10.910	10.910	204,683	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	62,029	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	104,085	
o-Xylene	Toluene-d8 (IS)	13.775	13.776	39,254	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504108.d




+ Scan (10.767-10.896 min, 19 scans) M2504108.d

**Toluene**


+ EIC (91.1) Scan M2504108.d




+ Scan (10.867-10.996 min, 19 scans) M2504108.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504108.d




+ Scan (13.066-13.195 min, 18 scans) M2504108.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504108.d




+ Scan (13.240-13.386 min, 20 scans) M2504108.d




o-Xylene

+ EIC (91.1) Scan M2504108.d




+ Scan (13.743-13.847 min, 14 scans) M2504108.d





Name GLBSP-17-S-20250917
Comment C56809
Data File M2504109.d
Acq. Date-Time 10/10/2025 4:20:50 AM
Acq. Method File M325B-MTD
Tube Sorbent Carpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	534,509	
Benzene	Benzene-d6 (IS)	8.181	8.181	59,630	
Toluene-d8 (IS)		10.817	10.817	571,997	
Toluene	Toluene-d8 (IS)	10.910	10.910	133,790	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	27,711	
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.281	69,358	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	27,158	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2504109.d




+ Scan (10.767-10.903 min, 20 scans) M2504109.d

**Toluene**


+ EIC (91.1) Scan M2504109.d




+ Scan (10.868-11.004 min, 19 scans) M2504109.d

**Ethylbenzene**


+ EIC (91.1) Scan M2504109.d




+ Scan (13.059-13.174 min, 16 scans) M2504109.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2504109.d




+ Scan (13.240-13.373 min, 18 scans) M2504109.d




o-Xylene

+ EIC (91.1) Scan M2504109.d



+ Scan (13.747-13.832 min, 12 scans) M2504109.d



Initial Calibration

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB401-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M082025A_CC185154	Benzene	1	M2502696.d	5.92	75684	55.2	561222	1.258	0.2
M082025A_CC185154	Benzene	2	M2502697.d	11.85	130422	55.2	554079	1.098	0.048
M082025A_CC185154	Benzene	3	M2502698.d	23.69	252996	55.2	547539	1.077	0.029
M082025A_CC185154	Benzene	4	M2502699.d	47.38	478157	55.2	558431	0.998	-0.047
M082025A_CC185154	Benzene	5	M2502700.d	118.45	1160774	55.2	550881	0.983	-0.062
M082025A_CC185154	Benzene	6	M2502701.d	236.90	2358143	55.2	552162	0.996	-0.049
M082025A_CC185154	Benzene	7	M2502702.d	710.71	6445351	55.2	544275	0.920	-0.12
						Avg:	552656	1.047	
						%RSD:	1.1%	10.5%	
M082025A_CC185154	Toluene	1	M2502696.d	5.20	76938	65.2	585441	1.646	0.26
M082025A_CC185154	Toluene	2	M2502697.d	10.40	129237	65.2	571775	1.416	0.087
M082025A_CC185154	Toluene	3	M2502698.d	20.81	248343	65.2	570207	1.364	0.047
M082025A_CC185154	Toluene	4	M2502699.d	41.61	471151	65.2	580345	1.271	-0.024
M082025A_CC185154	Toluene	5	M2502700.d	104.04	1088596	65.2	577595	1.181	-0.094
M082025A_CC185154	Toluene	6	M2502701.d	208.07	2080525	65.2	562329	1.159	-0.11
M082025A_CC185154	Toluene	7	M2502702.d	624.22	5928219	65.2	571127	1.084	-0.17
						Avg:	574117	1.303	
						%RSD:	1.3%	14.7%	
M082025A_CC185154	Ethylbenzene	1	M2502696.d	5.41	76728	65.2	585441	1.580	0.22
M082025A_CC185154	Ethylbenzene	2	M2502697.d	10.81	133657	65.2	571775	1.409	0.084
M082025A_CC185154	Ethylbenzene	3	M2502698.d	21.63	280841	65.2	570207	1.484	0.14
M082025A_CC185154	Ethylbenzene	4	M2502699.d	43.25	512834	65.2	580345	1.332	0.025
M082025A_CC185154	Ethylbenzene	5	M2502700.d	108.13	1132412	65.2	577595	1.182	-0.09
M082025A_CC185154	Ethylbenzene	6	M2502701.d	216.25	2033394	65.2	562329	1.090	-0.16
M082025A_CC185154	Ethylbenzene	7	M2502702.d	648.76	5791459	65.2	571127	1.019	-0.22
						Avg:	574117	1.299	
						%RSD:	1.3%	16.1%	
M082025A_CC185154	m-/p-Xylenes	1	M2502696.d	6.06	58088	65.2	585441	1.067	0.19
M082025A_CC185154	m-/p-Xylenes	2	M2502697.d	12.12	100125	65.2	571775	0.942	0.054
M082025A_CC185154	m-/p-Xylenes	3	M2502698.d	24.24	210310	65.2	570207	0.992	0.11
M082025A_CC185154	m-/p-Xylenes	4	M2502699.d	48.47	389245	65.2	580345	0.902	0.0094
M082025A_CC185154	m-/p-Xylenes	5	M2502700.d	121.18	857683	65.2	577595	0.799	-0.11
M082025A_CC185154	m-/p-Xylenes	6	M2502701.d	242.36	1626714	65.2	562329	0.778	-0.13
M082025A_CC185154	m-/p-Xylenes	7	M2502702.d	727.08	4935623	65.2	571127	0.775	-0.13
						Avg:	574117	0.893	
						%RSD:	1.3%	12.8%	
M082025A_CC185154	o-Xylene	1	M2502696.d	5.63	56197	65.2	585441	1.110	0.23
M082025A_CC185154	o-Xylene	2	M2502697.d	11.27	96596	65.2	571775	0.977	0.079
M082025A_CC185154	o-Xylene	3	M2502698.d	22.54	196421	65.2	570207	0.996	0.1

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB401-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M082025A_CC185154	o-Xylene	4	M2502699.d	45.08	378598	65.2	580345	0.943	0.042
M082025A_CC185154	o-Xylene	5	M2502700.d	112.70	779998	65.2	577595	0.781	-0.14
M082025A_CC185154	o-Xylene	6	M2502701.d	225.39	1518937	65.2	562329	0.781	-0.14
M082025A_CC185154	o-Xylene	7	M2502702.d	676.17	4437830	65.2	571127	0.749	-0.17
						Avg:	574117	0.905	
						%RSD:	1.3%	15.1%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M082025A_CC185154	Benzene	ICV	M2502706.d	62.78	542642	55.2	563908	0.847	-19.0%
M082025A_CC185154	Toluene	ICV	M2502706.d	74.87	673232	65.2	604286	0.970	-26.0%
M082025A_CC185154	Ethylbenzene	ICV	M2502706.d	84.29	829737	65.2	604286	1.062	-18.0%
M082025A_CC185154	m-/p-Xylenes	ICV	M2502706.d	87.74	723541	65.2	604286	0.889	-0.5%
M082025A_CC185154	o-Xylene	ICV	M2502706.d	86.36	650799	65.2	604286	0.813	-10.0%

M325B PDF Report ver.20250917

Sample Custody



EPA Method 325 A/B
Field Test Data Sheet and
Chain of Custody Record
Page # 1 of # 1

- ☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name: <u>Global Partners</u>	Client Name: <u>Montrose Air</u>	PO#:
Site Address: <u>1 Clark Road</u>	Project Number: <u># 031333</u>	Sample Event #
City: <u>South Portland</u>	Project Manager: <u>Hary Brown</u>	Sorbent:
State: <u>Maine</u>	Email Address: <u>harybrown@montrose-air.com</u>	
Zip: <u>04106</u>	Telephone #: <u>207-441-0025</u>	

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	B 44419	S	9/17/25	930	10/1/25	945	FB		
2	C 59950	S		940		955			
3	C 70561	S		950		1005			
4	C 31389	S		1000		1015			
5	B 39486	S		1010		1030			
5	C 43898	D		1010		1030			
5	C 53605	B		1010		1030			
6	B 16966	S		1020		1040			
7	C 33272	S		1030		1050			
8	B 49485	S		1040		1100			
9	B 46076	S		1050		1110			
10	C 35883	S		1100		1120			
11	C 20556	S		1110		1130			
12	C 57820	S		1120		1140			
13	C 43595	S		1130		1150			
14	B 29740	S		1140		1200			
14	B 52755	D		1140		1200			
14	B 47818	B		1140		1200			
15	C 01494	S		1150		1210			
16	B 20293	S		1200		1220			
17	C 56809	S	9/17/25	1210	10/1/25	1230	FB		

Relinquished By (printed): <u>Hary Brown</u>	Relinquished By (signature): 	Relinquished Date: <u>10/1/2025</u>	Relinquished Time: <u>1715</u>
Received By (printed): <u>Kaitlyn Caminiti</u>	Received By (signature): 	Receipt Date: <u>10/8/25</u>	Receipt Time: <u>12:30PM</u>
Sample Condition Upon Receipt: <u>Good</u>	Compound List:	Custody Seal intact? Y/N: <u>Y</u>	Delivery tracking #
Temp: <u>22.4</u>	Blank Temp: <u>Fluke 4</u>	Add Custody Seal # below: <u>24609400</u>	

Comments:

**This Is The Last Page
Of This Report.**

Global - South Portland

1 Clark Rd.
South Portland, ME 04106

Sampling Event 32 Global - South Portland

Client Project# PROJ-031333
Samples Received: 10/20/2025

Analytical Report 2025GB402

EPA Method 325B Analysis

Report Issue Date: 10/29/2025

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



QA Review by Isabel Obando Marrero, Data Reviewer



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	12
Chromatograms	16
Initial Calibration	83
Sample Custody	86
Chain of Custody	87

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GB402-1
Client ID.	PROJ-031333 Site: Global - South Portland

1. Custody

The samples were received at Enthalpy Analytical on October 20, 2025 at 20.1 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
GLBSP-1-S-20251001	B31144	Sample
GLBSP-2-S-20251001	C40588	Sample
GLBSP-3-S-20251001	C00697	Sample
GLBSP-4-S-20251001	B38444	Sample
GLBSP-5-S-20251001	C14018	Sample
GLBSP-5-D-20251001	B52681	Duplicate
GLBSP-5-B-20251001	C32869	Blank
GLBSP-6-S-20251001	C36969	Sample
GLBSP-7-S-20251001	C40689	Sample
GLBSP-8-S-20251001	B49568	Sample
GLBSP-9-S-20251001	B45007	Sample
GLBSP-10-S-20251001	C55694	Sample
GLBSP-11-S-20251001	C33469	Sample
GLBSP-12-S-20251001	B45055	Sample
GLBSP-13-S-20251001	C01364	Sample
GLBSP-14-S-20251001	C34147	Sample
GLBSP-14-D-20251001	B30672	Duplicate
GLBSP-14-B-20251001	C69497	Blank
GLBSP-15-S-20251001	C55458	Sample
GLBSP-16-S-20251001	C69431	Sample
GLBSP-17-S-20251001	C01463	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-TD35 is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GB402-1
Client ID.	PROJ-031333 Site: Global - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (P093025A_CC185154_R2) met all 30% RSD criteria. The initial calibration verification met $\pm 30\%$ recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

5. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

6. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in $\mu\text{g}/\text{m}^3$ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB402-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20251001	B31144	1.03		4.06		0.733		2.62		0.976	
GLBSP-2-S-20251001	C40588	0.965		3.99		0.855		2.54		0.891	
GLBSP-3-S-20251001	C00697	1.04		5.06		1.01		3.08		1.16	
GLBSP-4-S-20251001	B38444	1.18		5.30		0.641		1.91		0.666	
GLBSP-5-S-20251001	C14018	1.07		4.49		1.03		2.54		0.934	
GLBSP-5-D-20251001	B52681	1.23		5.37		0.897		3.22		1.18	
GLBSP-5-B-20251001	C32869	0.189	ND	0.244	ND	0.275	ND	0.275	ND	0.275	ND
GLBSP-6-S-20251001	C36969	1.04		5.11		0.886		2.97		1.10	
GLBSP-7-S-20251001	C40689	1.60		6.18		1.19		4.01		1.48	
GLBSP-8-S-20251001	B49568	1.13		5.14		0.958		3.14		1.16	
GLBSP-9-S-20251001	B45007	1.20		5.10		1.06		2.92		1.09	
GLBSP-10-S-20251001	C55694	0.868		4.26		0.692		2.51		0.896	
GLBSP-11-S-20251001	C33469	1.00		5.28		1.11		3.69		1.39	
GLBSP-12-S-20251001	B45055	0.925		3.96		0.806		2.53		0.923	
GLBSP-13-S-20251001	C01364	1.11		4.40		0.821		2.80		0.990	
GLBSP-14-S-20251001	C34147	1.12		4.75		1.06		3.26		1.19	
GLBSP-14-D-20251001	B30672	1.23		5.00		1.14		3.31		1.20	
GLBSP-14-B-20251001	C69497	0.189	ND	0.244	ND	0.275	ND	0.275	ND	0.275	ND
GLBSP-15-S-20251001	C55458	0.952		4.80		1.04		3.49		1.30	
GLBSP-16-S-20251001	C69431	0.804		3.72		0.707		2.67		0.953	
GLBSP-17-S-20251001	C01463	0.825		3.59		0.738		2.25		0.799	

ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB402-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251001	B31144	1.03	0.322	13.6	55.9	0.657	20145	0.189	0.447	0.0592	0.140		P2506560.D	2025-10-20 18:20	1.052	8.403	106454	671579	90.3	8.343	-0.4%
GLBSP-2-S-20251001	C40588	0.965	0.302	12.8	55.9	0.657	20145	0.189	0.447	0.0592	0.140		P2506561.D	2025-10-20 18:57	1.052	8.397	101016	679295	90.3	8.343	0.8%
GLBSP-3-S-20251001	C00697	1.04	0.327	13.8	55.9	0.657	20145	0.189	0.447	0.0592	0.140		P2506562.D	2025-10-20 19:35	1.052	8.403	107643	668555	90.3	8.343	-0.8%
GLBSP-4-S-20251001	B38444	1.18	0.369	15.6	55.9	0.657	20145	0.189	0.447	0.0592	0.140		P2506563.D	2025-10-20 20:12	1.052	8.396	118485	653063	90.3	8.343	-3.1%
GLBSP-5-S-20251001	C14018	1.07	0.334	14.1	55.9	0.657	20140	0.189	0.447	0.0592	0.140		P2506564.D	2025-10-20 20:49	1.052	8.396	109539	666627	90.3	8.343	-1.1%
GLBSP-5-D-20251001	B52681	1.23	0.385	16.3	55.9	0.657	20140	0.189	0.447	0.0592	0.140		P2506565.D	2025-10-20 21:26	1.052	8.396	122169	644480	90.3	8.343	-4.4%
GLBSP-5-B-20251001	C32869	0.189	0.0592		55.9	0.657	20140	0.189	0.447	0.0592	0.140	ND	P2506558.D	2025-10-20 17:05	1.052	8.343	8696	692888	90.3	8.343	2.8%
GLBSP-6-S-20251001	C36969	1.04	0.326	13.8	55.9	0.657	20140	0.189	0.447	0.0592	0.140		P2506566.D	2025-10-20 22:04	1.052	8.396	106483	664075	90.3	8.343	-1.5%
GLBSP-7-S-20251001	C40689	1.60	0.502	21.2	55.9	0.657	20140	0.189	0.447	0.0592	0.140		P2506567.D	2025-10-20 22:41	1.052	8.397	167420	677906	90.3	8.343	0.6%
GLBSP-8-S-20251001	B49568	1.13	0.354	14.9	55.9	0.657	20140	0.189	0.447	0.0592	0.140		P2506568.D	2025-10-20 23:18	1.052	8.396	118035	678522	90.3	8.343	0.7%
GLBSP-9-S-20251001	B45007	1.20	0.375	15.8	55.9	0.657	20140	0.189	0.447	0.0592	0.140		P2506570.D	2025-10-21 00:33	1.052	8.397	122296	662622	90.3	8.343	-1.7%
GLBSP-10-S-20251001	C55694	0.868	0.272	11.5	55.9	0.657	20140	0.189	0.447	0.0592	0.140		P2506571.D	2025-10-21 01:11	1.052	8.397	91028	681009	90.3	8.337	1.0%
GLBSP-11-S-20251001	C33469	1.00	0.313	13.2	55.9	0.657	20140	0.189	0.447	0.0592	0.140		P2506581.D	2025-10-21 10:33	1.052	8.402	115508	750047	90.3	8.349	11.3%
GLBSP-12-S-20251001	B45055	0.925	0.290	12.2	55.9	0.657	20140	0.189	0.447	0.0592	0.140		P2506573.D	2025-10-21 02:26	1.052	8.397	97139	681472	90.3	8.343	1.1%
GLBSP-13-S-20251001	C01364	1.11	0.346	14.6	55.9	0.657	20140	0.189	0.447	0.0592	0.140		P2506574.D	2025-10-21 03:03	1.052	8.397	114484	672158	90.3	8.343	-0.3%
GLBSP-14-S-20251001	C34147	1.12	0.352	14.9	55.9	0.657	20140	0.189	0.447	0.0592	0.140		P2506575.D	2025-10-21 03:40	1.052	8.408	117705	679461	90.3	8.343	0.8%
GLBSP-14-D-20251001	B30672	1.23	0.384	16.2	55.9	0.657	20140	0.189	0.447	0.0592	0.140		P2506576.D	2025-10-21 04:18	1.052	8.402	128763	680779	90.3	8.343	1.0%
GLBSP-14-B-20251001	C69497	0.189	0.0592		55.9	0.657	20140	0.189	0.447	0.0592	0.140	ND	P2506559.D	2025-10-20 17:43	1.052	8.343	8166	676285	90.3	8.349	0.3%
GLBSP-15-S-20251001	C55458	0.952	0.298	12.6	55.9	0.657	20140	0.189	0.447	0.0592	0.140		P2506577.D	2025-10-21 04:55	1.052	8.396	98698	673097	90.3	8.343	-0.1%
GLBSP-16-S-20251001	C69431	0.804	0.252	10.6	55.9	0.657	20140	0.189	0.447	0.0592	0.140		P2506578.D	2025-10-21 05:33	1.052	8.396	84317	680513	90.3	8.343	1.0%
GLBSP-17-S-20251001	C01463	0.825	0.258	10.9	55.9	0.657	20140	0.189	0.447	0.0592	0.140		P2506579.D	2025-10-21 06:10	1.052	8.402	83649	658457	90.3	8.343	-2.3%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251001	B31144	4.06	1.08	41.7	55.9	0.510	20145	0.243	0.506	0.0647	0.134		P2506560.D	2025-10-20 18:20	1.121	11.002	334972	754509	105.3	10.907	6.8%
GLBSP-2-S-20251001	C40588	3.99	1.06	40.9	55.9	0.510	20145	0.243	0.506	0.0647	0.134		P2506561.D	2025-10-20 18:57	1.121	11.002	329906	756926	105.3	10.907	7.2%
GLBSP-3-S-20251001	C00697	5.06	1.34	51.9	55.9	0.510	20145	0.243	0.506	0.0647	0.134		P2506562.D	2025-10-20 19:35	1.121	11.002	406839	736294	105.3	10.907	4.2%
GLBSP-4-S-20251001	B38444	5.30	1.41	54.5	55.9	0.510	20145	0.243	0.506	0.0647	0.134		P2506563.D	2025-10-20 20:12	1.121	11.002	417405	720021	105.3	10.907	1.9%
GLBSP-5-S-20251001	C14018	4.49	1.19	46.1	55.9	0.510	20140	0.244	0.506	0.0647	0.134		P2506564.D	2025-10-20 20:49	1.121	11.002	361892	736868	105.3	10.907	4.3%
GLBSP-5-D-20251001	B52681	5.37	1.43	55.1	55.9	0.510	20140	0.244	0.506	0.0647	0.134		P2506565.D	2025-10-20 21:26	1.121	10.996	427132	727679	105.3	10.907	3.0%
GLBSP-5-B-20251001	C32869	0.244	0.0647		55.9	0.510	20140	0.244	0.506	0.0647	0.134	ND	P2506558.D	2025-10-20 17:05	1.121	11.002	8602	761914	105.3	10.907	7.9%
GLBSP-6-S-20251001	C36969	5.11	1.36	52.4	55.9	0.510	20140	0.244	0.506	0.0647	0.134		P2506566.D	2025-10-20 22:04	1.121	11.002	410385	735542	105.3	10.907	4.1%
GLBSP-7-S-20251001	C40689	6.18	1.64	63.4	55.9	0.510	20140	0.244	0.506	0.0647	0.134		P2506567.D	2025-10-20 22:41	1.121	10.996	513255	760013	105.3	10.907	7.6%
GLBSP-8-S-20251001	B49568	5.14	1.36	52.7	55.9	0.510	20140	0.244	0.506	0.0647	0.134		P2506568.D	2025-10-20 23:18	1.121	10.996	415924	740922	105.3	10.907	4.9%
GLBSP-9-S-20251001	B45007	5.10	1.35	52.3	55.9	0.510	20140	0.244	0.506	0.0647	0.134		P2506570.D	2025-10-21 00:33	1.121	10.996	421003	755584	105.3	10.901	7.0%
GLBSP-10-S-20251001	C55694	4.26	1.13	43.7	55.9	0.510	20140	0.244	0.506	0.0647	0.134		P2506571.D	2025-10-21 01:11	1.121	10.996	347912	748276	105.3	10.907	5.9%
GLBSP-11-S-20251001	C33469	5.28	1.40	54.2	55.9	0.510	20140	0.244	0.506	0.0647	0.134		P2506581.D	2025-10-21 10:33	1.121	11.008	467520	811016	105.3	10.913	14.8%
GLBSP-12-S-20251001	B45055	3.96	1.05	40.6	55.9	0.510	20140	0.244	0.506	0.0647	0.134		P2506573.D	2025-10-21 02:26	1.121	10.996	325864	753615	105.3	10.901	6.7%
GLBSP-13-S-20251001	C01364	4.40	1.17	45.1	55.9	0.510	20140	0.244	0.506	0.0647	0.134		P2506574.D	2025-10-21 03:03	1.121	11.002	352911	734635	105.3	10.907	4.0%
GLBSP-14-S-20251001	C34147	4.75	1.26	48.8	55.9	0.510	20140	0.244	0.506	0.0647	0.134		P2506575.D	2025-10-21 03:40	1.121	11.002	389796	750753	105.3	10.907	6.3%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB402-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-14-D-20251001	B30672	5.00	1.33	51.4	55.9	0.510	20140	0.244	0.506	0.0647	0.134		P2506576.D	2025-10-21 04:18	1.121	11.002	411037	751845	105.3	10.907	6.4%
GLBSP-14-B-20251001	C69497	0.244	0.0647		55.9	0.510	20140	0.244	0.506	0.0647	0.134	ND	P2506559.D	2025-10-20 17:43	1.121	11.002	2634	752012	105.3	10.907	6.5%
GLBSP-15-S-20251001	C55458	4.80	1.27	49.2	55.9	0.510	20140	0.244	0.506	0.0647	0.134		P2506577.D	2025-10-21 04:55	1.121	11.002	385881	736420	105.3	10.907	4.3%
GLBSP-16-S-20251001	C69431	3.72	0.988	38.2	55.9	0.510	20140	0.244	0.506	0.0647	0.134		P2506578.D	2025-10-21 05:33	1.121	11.002	300391	738910	105.3	10.907	4.6%
GLBSP-17-S-20251001	C01463	3.59	0.954	36.9	55.9	0.510	20140	0.244	0.506	0.0647	0.134		P2506579.D	2025-10-21 06:10	1.121	11.002	288450	734554	105.3	10.907	4.0%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251001	B31144	0.733	0.169	6.66	55.9	0.451	20145	0.275	0.594	0.0634	0.137		P2506560.D	2025-10-20 18:20	1.178	13.127	56220	754509	105.3	10.907	6.8%
GLBSP-2-S-20251001	C40588	0.855	0.197	7.77	55.9	0.451	20145	0.275	0.594	0.0634	0.137		P2506561.D	2025-10-20 18:57	1.178	13.133	65779	756926	105.3	10.907	7.2%
GLBSP-3-S-20251001	C00697	1.01	0.234	9.22	55.9	0.451	20145	0.275	0.594	0.0634	0.137		P2506562.D	2025-10-20 19:35	1.178	13.127	75959	736294	105.3	10.907	4.2%
GLBSP-4-S-20251001	B38444	0.641	0.148	5.82	55.9	0.451	20145	0.275	0.594	0.0634	0.137		P2506563.D	2025-10-20 20:12	1.178	13.133	46881	720021	105.3	10.907	1.9%
GLBSP-5-S-20251001	C14018	1.03	0.238	9.40	55.9	0.451	20140	0.275	0.594	0.0634	0.137		P2506564.D	2025-10-20 20:49	1.178	13.127	77476	736868	105.3	10.907	4.3%
GLBSP-5-D-20251001	B52681	0.897	0.207	8.14	55.9	0.451	20140	0.275	0.594	0.0634	0.137		P2506565.D	2025-10-20 21:26	1.178	13.127	66291	727679	105.3	10.907	3.0%
GLBSP-5-B-20251001	C32869	0.275	0.0634		55.9	0.451	20140	0.275	0.594	0.0634	0.137	ND	P2506558.D	2025-10-20 17:05	1.178	13.127	1204	761914	105.3	10.907	7.9%
GLBSP-6-S-20251001	C36969	0.886	0.204	8.05	55.9	0.451	20140	0.275	0.594	0.0634	0.137		P2506566.D	2025-10-20 22:04	1.178	13.127	66240	735542	105.3	10.907	4.1%
GLBSP-7-S-20251001	C40689	1.19	0.275	10.8	55.9	0.451	20140	0.275	0.594	0.0634	0.137		P2506567.D	2025-10-20 22:41	1.178	13.127	92211	760013	105.3	10.907	7.6%
GLBSP-8-S-20251001	B49568	0.958	0.221	8.70	55.9	0.451	20140	0.275	0.594	0.0634	0.137		P2506568.D	2025-10-20 23:18	1.178	13.127	72150	740922	105.3	10.907	4.9%
GLBSP-9-S-20251001	B45007	1.06	0.244	9.63	55.9	0.451	20140	0.275	0.594	0.0634	0.137		P2506570.D	2025-10-21 00:33	1.178	13.127	81448	755584	105.3	10.901	7.0%
GLBSP-10-S-20251001	C55694	0.692	0.159	6.28	55.9	0.451	20140	0.275	0.594	0.0634	0.137		P2506571.D	2025-10-21 01:11	1.178	13.127	52586	748276	105.3	10.907	5.9%
GLBSP-11-S-20251001	C33469	1.11	0.256	10.1	55.9	0.451	20140	0.275	0.594	0.0634	0.137		P2506581.D	2025-10-21 10:33	1.178	13.133	91505	811016	105.3	10.913	14.8%
GLBSP-12-S-20251001	B45055	0.806	0.186	7.32	55.9	0.451	20140	0.275	0.594	0.0634	0.137		P2506573.D	2025-10-21 02:26	1.178	13.127	61740	753615	105.3	10.901	6.7%
GLBSP-13-S-20251001	C01364	0.821	0.189	7.46	55.9	0.451	20140	0.275	0.594	0.0634	0.137		P2506574.D	2025-10-21 03:03	1.178	13.127	61296	734635	105.3	10.907	4.0%
GLBSP-14-S-20251001	C34147	1.06	0.245	9.65	55.9	0.451	20140	0.275	0.594	0.0634	0.137		P2506575.D	2025-10-21 03:40	1.178	13.127	81077	750753	105.3	10.907	6.3%
GLBSP-14-D-20251001	B30672	1.14	0.262	10.3	55.9	0.451	20140	0.275	0.594	0.0634	0.137		P2506576.D	2025-10-21 04:18	1.178	13.133	86979	751845	105.3	10.907	6.4%
GLBSP-14-B-20251001	C69497	0.275	0.0634		55.9	0.451	20140	0.275	0.594	0.0634	0.137	ND	P2506559.D	2025-10-20 17:43	1.178	13.139	443	752012	105.3	10.907	6.5%
GLBSP-15-S-20251001	C55458	1.04	0.239	9.42	55.9	0.451	20140	0.275	0.594	0.0634	0.137		P2506577.D	2025-10-21 04:55	1.178	13.127	77598	736420	105.3	10.907	4.3%
GLBSP-16-S-20251001	C69431	0.707	0.163	6.42	55.9	0.451	20140	0.275	0.594	0.0634	0.137		P2506578.D	2025-10-21 05:33	1.178	13.127	53068	738910	105.3	10.907	4.6%
GLBSP-17-S-20251001	C01463	0.738	0.170	6.70	55.9	0.451	20140	0.275	0.594	0.0634	0.137		P2506579.D	2025-10-21 06:10	1.178	13.133	55053	734554	105.3	10.907	4.0%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251001	B31144	2.62	0.604	23.8	55.9	0.451	20145	0.275	0.666	0.0634	0.153		P2506560.D	2025-10-20 18:20	0.862	13.305	147123	754509	105.3	10.907	6.8%
GLBSP-2-S-20251001	C40588	2.54	0.585	23.1	55.9	0.451	20145	0.275	0.666	0.0634	0.153		P2506561.D	2025-10-20 18:57	0.862	13.299	143028	756926	105.3	10.907	7.2%
GLBSP-3-S-20251001	C00697	3.08	0.710	28.0	55.9	0.451	20145	0.275	0.666	0.0634	0.153		P2506562.D	2025-10-20 19:35	0.862	13.305	168685	736294	105.3	10.907	4.2%
GLBSP-4-S-20251001	B38444	1.91	0.441	17.4	55.9	0.451	20145	0.275	0.666	0.0634	0.153		P2506563.D	2025-10-20 20:12	0.862	13.299	102493	720021	105.3	10.907	1.9%
GLBSP-5-S-20251001	C14018	2.54	0.585	23.0	55.9	0.451	20140	0.275	0.666	0.0634	0.154		P2506564.D	2025-10-20 20:49	0.862	13.305	139071	736868	105.3	10.907	4.3%
GLBSP-5-D-20251001	B52681	3.22	0.742	29.3	55.9	0.451	20140	0.275	0.666	0.0634	0.154		P2506565.D	2025-10-20 21:26	0.862	13.299	174299	727679	105.3	10.907	3.0%
GLBSP-5-B-20251001	C32869	0.275	0.0634		55.9	0.451	20140	0.275	0.666	0.0634	0.154	ND	P2506558.D	2025-10-20 17:05	0.862	13.311	416	761914	105.3	10.907	7.9%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB402-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-6-S-20251001	C36969	2.97	0.685	27.0	55.9	0.451	20140	0.275	0.666	0.0634	0.154		P2506566.D	2025-10-20 22:04	0.862	13.299	162463	735542	105.3	10.907	4.1%
GLBSP-7-S-20251001	C40689	4.01	0.924	36.4	55.9	0.451	20140	0.275	0.666	0.0634	0.154		P2506567.D	2025-10-20 22:41	0.862	13.299	226476	760013	105.3	10.907	7.6%
GLBSP-8-S-20251001	B49568	3.14	0.724	28.5	55.9	0.451	20140	0.275	0.666	0.0634	0.154		P2506568.D	2025-10-20 23:18	0.862	13.299	173037	740922	105.3	10.907	4.9%
GLBSP-9-S-20251001	B45007	2.92	0.672	26.5	55.9	0.451	20140	0.275	0.666	0.0634	0.154		P2506570.D	2025-10-21 00:33	0.862	13.299	163783	755584	105.3	10.901	7.0%
GLBSP-10-S-20251001	C55694	2.51	0.579	22.8	55.9	0.451	20140	0.275	0.666	0.0634	0.154		P2506571.D	2025-10-21 01:11	0.862	13.299	139827	748276	105.3	10.907	5.9%
GLBSP-11-S-20251001	C33469	3.69	0.851	33.5	55.9	0.451	20140	0.275	0.666	0.0634	0.154		P2506581.D	2025-10-21 10:33	0.862	13.305	222672	811016	105.3	10.913	14.8%
GLBSP-12-S-20251001	B45055	2.53	0.583	23.0	55.9	0.451	20140	0.275	0.666	0.0634	0.154		P2506573.D	2025-10-21 02:26	0.862	13.299	141822	753615	105.3	10.901	6.7%
GLBSP-13-S-20251001	C01364	2.80	0.644	25.4	55.9	0.451	20140	0.275	0.666	0.0634	0.154		P2506574.D	2025-10-21 03:03	0.862	13.299	152690	734635	105.3	10.907	4.0%
GLBSP-14-S-20251001	C34147	3.26	0.750	29.6	55.9	0.451	20140	0.275	0.666	0.0634	0.154		P2506575.D	2025-10-21 03:40	0.862	13.305	181739	750753	105.3	10.907	6.3%
GLBSP-14-D-20251001	B30672	3.31	0.763	30.1	55.9	0.451	20140	0.275	0.666	0.0634	0.154		P2506576.D	2025-10-21 04:18	0.862	13.305	185033	751845	105.3	10.907	6.4%
GLBSP-14-B-20251001	C69497	0.275	0.0634		55.9	0.451	20140	0.275	0.666	0.0634	0.154	ND	P2506559.D	2025-10-20 17:43	0.862	13.317	652	752012	105.3	10.907	6.5%
GLBSP-15-S-20251001	C55458	3.49	0.805	31.7	55.9	0.451	20140	0.275	0.666	0.0634	0.154		P2506577.D	2025-10-21 04:55	0.862	13.305	191365	736420	105.3	10.907	4.3%
GLBSP-16-S-20251001	C69431	2.67	0.615	24.2	55.9	0.451	20140	0.275	0.666	0.0634	0.154		P2506578.D	2025-10-21 05:33	0.862	13.305	146721	738910	105.3	10.907	4.6%
GLBSP-17-S-20251001	C01463	2.25	0.519	20.5	55.9	0.451	20140	0.275	0.666	0.0634	0.154		P2506579.D	2025-10-21 06:10	0.862	13.311	123118	734554	105.3	10.907	4.0%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251001	B31144	0.976	0.225	8.86	55.9	0.451	20145	0.275	0.619	0.0634	0.143		P2506560.D	2025-10-20 18:20	0.907	13.792	57585	754509	105.3	10.907	6.8%
GLBSP-2-S-20251001	C40588	0.891	0.205	8.09	55.9	0.451	20145	0.275	0.619	0.0634	0.143		P2506561.D	2025-10-20 18:57	0.907	13.792	52765	756926	105.3	10.907	7.2%
GLBSP-3-S-20251001	C00697	1.16	0.267	10.5	55.9	0.451	20145	0.275	0.619	0.0634	0.143		P2506562.D	2025-10-20 19:35	0.907	13.792	66671	736294	105.3	10.907	4.2%
GLBSP-4-S-20251001	B38444	0.666	0.154	6.05	55.9	0.451	20145	0.275	0.619	0.0634	0.143		P2506563.D	2025-10-20 20:12	0.907	13.792	37534	720021	105.3	10.907	1.9%
GLBSP-5-S-20251001	C14018	0.934	0.215	8.48	55.9	0.451	20140	0.275	0.619	0.0634	0.143		P2506564.D	2025-10-20 20:49	0.907	13.792	53822	736868	105.3	10.907	4.3%
GLBSP-5-D-20251001	B52681	1.18	0.271	10.7	55.9	0.451	20140	0.275	0.619	0.0634	0.143		P2506565.D	2025-10-20 21:26	0.907	13.792	66943	727679	105.3	10.907	3.0%
GLBSP-5-B-20251001	C32869	0.275	0.0634		55.9	0.451	20140	0.275	0.619	0.0634	0.143	ND	P2506558.D	2025-10-20 17:05	0.907	14.225	0	761914	105.3	10.907	7.9%
GLBSP-6-S-20251001	C36969	1.10	0.254	10.00	55.9	0.451	20140	0.275	0.619	0.0634	0.143		P2506566.D	2025-10-20 22:04	0.907	13.792	63346	735542	105.3	10.907	4.1%
GLBSP-7-S-20251001	C40689	1.48	0.342	13.5	55.9	0.451	20140	0.275	0.619	0.0634	0.143		P2506567.D	2025-10-20 22:41	0.907	13.792	88125	760013	105.3	10.907	7.6%
GLBSP-8-S-20251001	B49568	1.16	0.266	10.5	55.9	0.451	20140	0.275	0.619	0.0634	0.143		P2506568.D	2025-10-20 23:18	0.907	13.792	66943	740922	105.3	10.907	4.9%
GLBSP-9-S-20251001	B45007	1.09	0.252	9.93	55.9	0.451	20140	0.275	0.619	0.0634	0.143		P2506570.D	2025-10-21 00:33	0.907	13.792	64631	755584	105.3	10.901	7.0%
GLBSP-10-S-20251001	C55694	0.896	0.207	8.14	55.9	0.451	20140	0.275	0.619	0.0634	0.143		P2506571.D	2025-10-21 01:11	0.907	13.792	52460	748276	105.3	10.907	5.9%
GLBSP-11-S-20251001	C33469	1.39	0.321	12.6	55.9	0.451	20140	0.275	0.619	0.0634	0.143		P2506581.D	2025-10-21 10:33	0.907	13.798	88229	811016	105.3	10.913	14.8%
GLBSP-12-S-20251001	B45055	0.923	0.213	8.38	55.9	0.451	20140	0.275	0.619	0.0634	0.143		P2506573.D	2025-10-21 02:26	0.907	13.792	54412	753615	105.3	10.901	6.7%
GLBSP-13-S-20251001	C01364	0.990	0.228	8.99	55.9	0.451	20140	0.275	0.619	0.0634	0.143		P2506574.D	2025-10-21 03:03	0.907	13.792	56865	734635	105.3	10.907	4.0%
GLBSP-14-S-20251001	C34147	1.19	0.274	10.8	55.9	0.451	20140	0.275	0.619	0.0634	0.143		P2506575.D	2025-10-21 03:40	0.907	13.791	69905	750753	105.3	10.907	6.3%
GLBSP-14-D-20251001	B30672	1.20	0.277	10.9	55.9	0.451	20140	0.275	0.619	0.0634	0.143		P2506576.D	2025-10-21 04:18	0.907	13.792	70643	751845	105.3	10.907	6.4%
GLBSP-14-B-20251001	C69497	0.275	0.0634		55.9	0.451	20140	0.275	0.619	0.0634	0.143	ND	P2506559.D	2025-10-20 17:43	0.907	13.792	234	752012	105.3	10.907	6.5%
GLBSP-15-S-20251001	C55458	1.30	0.300	11.8	55.9	0.451	20140	0.275	0.619	0.0634	0.143		P2506577.D	2025-10-21 04:55	0.907	13.792	74858	736420	105.3	10.907	4.3%
GLBSP-16-S-20251001	C69431	0.953	0.220	8.66	55.9	0.451	20140	0.275	0.619	0.0634	0.143		P2506578.D	2025-10-21 05:33	0.907	13.792	55087	738910	105.3	10.907	4.6%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB402-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-17-S-20251001	C01463	0.799	0.184	7.26	55.9	0.451	20140	0.275	0.619	0.0634	0.143		P2506579.D	2025-10-21 06:10	0.907	13.792	45916	734554	105.3	10.907	4.0%

ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB402-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	GLBSP-5-B-20251001	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	GLBSP-14-B-20251001	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	GLBSP-5-D-20251001	14%	Pass	18%	Pass	14%	Pass	24%	Pass	23%	Pass
	GLBSP-14-D-20251001	8.8%	Pass	5.2%	Pass	6.9%	Pass	1.7%	Pass	0.90%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB402-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2506556.D	C55412	Cal	1.052		1.052	-4.9%	-6.2%		Pass	
2025GB402 Method Blank-1	P2506557.D	C68580	Blank			1.052			1.3%	Pass	ND
M325B CCV 5	P2506569.D	C43716	Check	1.061		1.052	-4.0%		-0.21%	Pass	
M325B CCV 5 REC	P2506580.D	C69592	Check	1.072		1.052	-3.0%		7.1%	Pass	
M325B CCV 5 REC	P2506582.D	C55412	Check	1.048		1.052	-5.3%		17%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2506556.D	C55412	Cal	1.121		1.121	4.0%	-15%		Pass	
2025GB402 Method Blank-1	P2506557.D	C68580	Blank			1.121			6.6%	Pass	ND
M325B CCV 5	P2506569.D	C43716	Check	1.147		1.121	6.4%		6.3%	Pass	
M325B CCV 5 REC	P2506580.D	C69592	Check	1.136		1.121	5.4%		14%	Pass	
M325B CCV 5 REC	P2506582.D	C55412	Check	1.125		1.121	4.4%		15%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2506556.D	C55412	Cal	1.178		1.178	9.7%	-15%		Pass	
2025GB402 Method Blank-1	P2506557.D	C68580	Blank			1.178			6.6%	Pass	ND
M325B CCV 5	P2506569.D	C43716	Check	1.239		1.178	15%		6.3%	Pass	
M325B CCV 5 REC	P2506580.D	C69592	Check	1.212		1.178	13%		14%	Pass	
M325B CCV 5 REC	P2506582.D	C55412	Check	1.130		1.178	5.1%		15%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2506556.D	C55412	Cal	0.862		0.862	18%	-15%		Pass	
2025GB402 Method Blank-1	P2506557.D	C68580	Blank			0.862			6.6%	Pass	ND
M325B CCV 5	P2506569.D	C43716	Check	0.840		0.862	15%		6.3%	Pass	
M325B CCV 5 REC	P2506580.D	C69592	Check	0.868		0.862	19%		14%	Pass	
M325B CCV 5 REC	P2506582.D	C55412	Check	0.831		0.862	14%		15%	Pass	

o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	P2506556.D	C55412	Cal	0.907		0.907	13%	-16%		Pass	
2025GB402 Method Blank-1	P2506557.D	C68580	Blank			0.907			6.6%	Pass	ND
M325B CCV 5	P2506569.D	C43716	Check	0.857		0.907	6.7%		6.3%	Pass	

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB402-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	P2506580.D	C69592	Check	0.919		0.907	14%		14%	Pass	
M325B CCV 5 REC	P2506582.D	C55412	Check	0.830		0.907	3.3%		15%	Pass	

Chromatograms



Name Method Blank-1
Comment C68580
Data File P2506557.D
Acq. Date-Time 10/20/2025 4:28:28 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	683,048	
Benzene	benzene-d6 (IS)	8.397	8.408	4,916	
Toluene-d8 (IS)		10.907	10.913	752,931	
Toluene	Toluene-d8 (IS)	11.002	11.008	7,224	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	2,060	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.311	1,785	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	986	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506557.D




+ Scan (10.855-11.056 min, 34 scans) P2506557.D

**Toluene**


+ EIC (91.1) Scan P2506557.D




+ Scan (10.955-11.079 min, 21 scans) P2506557.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506557.D




+ Scan (13.104-13.179 min, 12 scans) P2506557.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506557.D




+ Scan (13.281-13.382 min, 18 scans) P2506557.D




o-Xylene

+ EIC (91.1) Scan P2506557.D




+ Scan (13.765-13.837 min, 12 scans) P2506557.D





Name GLBSP-5-B-20251001
Comment C32869
Data File P2506558.D
Acq. Date-Time 10/20/2025 5:05:46 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	692,888	
Benzene	benzene-d6 (IS)	8.343	8.408	8,696	
Toluene-d8 (IS)		10.907	10.913	761,914	
Toluene	Toluene-d8 (IS)	11.002	11.008	8,602	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	1,204	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.311	416	m
o-Xylene	Toluene-d8 (IS)	14.225	13.798	ND	m

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506558.D




+ Scan (10.861-11.038 min, 30 scans) P2506558.D

**Toluene**


+ EIC (91.1) Scan P2506558.D




+ Scan (10.964-11.103 min, 23 scans) P2506558.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506558.D




+ Scan (13.104-13.162 min, 9 scans) P2506558.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506558.D




+ Scan (13.287-13.340 min, 9 scans) P2506558.D




o-Xylene

+ EIC (91.1) Scan P2506558.D




+ Scan (14.225-14.225 min, 1 scans) P2506558.D





Name GLBSP-14-B-20251001
Comment C69497
Data File P2506559.D
Acq. Date-Time 10/20/2025 5:43:03 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.355	676,285	
Benzene	benzene-d6 (IS)	8.343	8.408	8,166	
Toluene-d8 (IS)		10.907	10.913	752,012	
Toluene	Toluene-d8 (IS)	11.002	11.008	2,634	
Ethylbenzene	Toluene-d8 (IS)	13.139	13.139	443	
m-/p-Xylenes	Toluene-d8 (IS)	13.317	13.311	652	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	234	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506559.D




+ Scan (10.855-11.056 min, 34 scans) P2506559.D

**Toluene**


+ EIC (91.1) Scan P2506559.D




+ Scan (10.957-11.071 min, 19 scans) P2506559.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506559.D




+ Scan (13.110-13.162 min, 8 scans) P2506559.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506559.D




+ Scan (13.264-13.353 min, 15 scans) P2506559.D




o-Xylene

+ EIC (91.1) Scan P2506559.D




+ Scan (13.780-13.814 min, 5 scans) P2506559.D





Name GLBSP-1-S-20251001
Comment B31144
Data File P2506560.D
Acq. Date-Time 10/20/2025 6:20:22 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	671,579	
Benzene	benzene-d6 (IS)	8.403	8.408	106,454	
Toluene-d8 (IS)		10.907	10.913	754,509	
Toluene	Toluene-d8 (IS)	11.002	11.008	334,972	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	56,220	
m-/p-Xylenes	Toluene-d8 (IS)	13.305	13.311	147,123	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	57,585	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506560.D




+ Scan (10.854-11.050 min, 34 scans) P2506560.D

**Toluene**


+ EIC (91.1) Scan P2506560.D




+ Scan (10.956-11.115 min, 27 scans) P2506560.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506560.D




+ Scan (13.094-13.227 min, 22 scans) P2506560.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506560.D




+ Scan (13.266-13.451 min, 31 scans) P2506560.D




o-Xylene

+ EIC (91.1) Scan P2506560.D




+ Scan (13.752-13.887 min, 23 scans) P2506560.D





Name GLBSP-2-S-20251001
Comment C40588
Data File P2506561.D
Acq. Date-Time 10/20/2025 6:57:42 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	679,295	
Benzene	benzene-d6 (IS)	8.397	8.408	101,016	
Toluene-d8 (IS)		10.907	10.913	756,926	
Toluene	Toluene-d8 (IS)	11.002	11.008	329,906	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.139	65,779	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.311	143,028	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	52,765	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506561.D




+ Scan (10.860-11.050 min, 32 scans) P2506561.D

**Toluene**


+ EIC (91.1) Scan P2506561.D




+ Scan (10.950-11.115 min, 28 scans) P2506561.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506561.D




+ Scan (13.094-13.209 min, 19 scans) P2506561.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506561.D




+ Scan (13.266-13.447 min, 30 scans) P2506561.D




o-Xylene

+ EIC (91.1) Scan P2506561.D




+ Scan (13.758-13.887 min, 22 scans) P2506561.D





Name GLBSP-3-S-20251001
Comment C00697
Data File P2506562.D
Acq. Date-Time 10/20/2025 7:35:01 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	668,555	
Benzene	benzene-d6 (IS)	8.403	8.408	107,643	
Toluene-d8 (IS)		10.907	10.913	736,294	
Toluene	Toluene-d8 (IS)	11.002	11.008	406,839	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	75,959	
m-/p-Xylenes	Toluene-d8 (IS)	13.305	13.311	168,685	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	66,671	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506562.D




+ Scan (10.859-11.014 min, 27 scans) P2506562.D

**Toluene**


+ EIC (91.1) Scan P2506562.D




+ Scan (10.956-11.103 min, 25 scans) P2506562.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506562.D




+ Scan (13.094-13.216 min, 21 scans) P2506562.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506562.D




+ Scan (13.264-13.454 min, 33 scans) P2506562.D




o-Xylene

+ EIC (91.1) Scan P2506562.D




+ Scan (13.757-13.893 min, 23 scans) P2506562.D





Name GLBSP-4-S-20251001
Comment B38444
Data File P2506563.D
Acq. Date-Time 10/20/2025 8:12:19 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	653,063	
Benzene	benzene-d6 (IS)	8.396	8.408	118,485	
Toluene-d8 (IS)		10.907	10.913	720,021	
Toluene	Toluene-d8 (IS)	11.002	11.008	417,405	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.139	46,881	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.311	102,493	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	37,534	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506563.D




+ Scan (10.860-11.020 min, 27 scans) P2506563.D

**Toluene**


+ EIC (91.1) Scan P2506563.D




+ Scan (10.949-11.115 min, 29 scans) P2506563.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506563.D




+ Scan (13.091-13.210 min, 20 scans) P2506563.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506563.D




+ Scan (13.257-13.465 min, 36 scans) P2506563.D




o-Xylene

+ EIC (91.1) Scan P2506563.D




+ Scan (13.757-13.898 min, 24 scans) P2506563.D





Name GLBSP-5-S-20251001
Comment C14018
Data File P2506564.D
Acq. Date-Time 10/20/2025 8:49:37 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	666,627	
Benzene	benzene-d6 (IS)	8.396	8.408	109,539	
Toluene-d8 (IS)		10.907	10.913	736,868	
Toluene	Toluene-d8 (IS)	11.002	11.008	361,892	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	77,476	
m-/p-Xylenes	Toluene-d8 (IS)	13.305	13.311	139,071	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	53,822	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506564.D




+ Scan (10.854-11.020 min, 29 scans) P2506564.D

**Toluene**


+ EIC (91.1) Scan P2506564.D




+ Scan (10.952-11.115 min, 28 scans) P2506564.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506564.D




+ Scan (13.092-13.240 min, 25 scans) P2506564.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506564.D




+ Scan (13.259-13.453 min, 33 scans) P2506564.D




o-Xylene

+ EIC (91.1) Scan P2506564.D




+ Scan (13.759-13.904 min, 25 scans) P2506564.D





Name GLBSP-5-D-20251001
Comment B52681
Data File P2506565.D
Acq. Date-Time 10/20/2025 9:26:56 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	644,480	
Benzene	benzene-d6 (IS)	8.396	8.408	122,169	
Toluene-d8 (IS)		10.907	10.913	727,679	
Toluene	Toluene-d8 (IS)	10.996	11.008	427,132	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	66,291	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.311	174,299	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	66,943	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506565.D




+ Scan (10.856-11.008 min, 26 scans) P2506565.D

**Toluene**


+ EIC (91.1) Scan P2506565.D




+ Scan (10.950-11.139 min, 32 scans) P2506565.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506565.D




+ Scan (13.091-13.234 min, 25 scans) P2506565.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506565.D




+ Scan (13.263-13.513 min, 42 scans) P2506565.D




o-Xylene

+ EIC (91.1) Scan P2506565.D




+ Scan (13.756-13.904 min, 26 scans) P2506565.D





Name GLBSP-6-S-20251001
Comment C36969
Data File P2506566.D
Acq. Date-Time 10/20/2025 10:04:13 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	664,075	
Benzene	benzene-d6 (IS)	8.396	8.408	106,483	
Toluene-d8 (IS)		10.907	10.913	735,542	
Toluene	Toluene-d8 (IS)	11.002	11.008	410,385	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	66,240	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.311	162,463	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	63,346	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506566.D




+ Scan (10.860-11.020 min, 28 scans) P2506566.D

**Toluene**


+ EIC (91.1) Scan P2506566.D




+ Scan (10.943-11.115 min, 30 scans) P2506566.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506566.D




+ Scan (13.092-13.240 min, 25 scans) P2506566.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506566.D




+ Scan (13.263-13.483 min, 38 scans) P2506566.D




o-Xylene

+ EIC (91.1) Scan P2506566.D




+ Scan (13.757-13.899 min, 24 scans) P2506566.D





Name GLBSP-7-S-20251001
Comment C40689
Data File P2506567.D
Acq. Date-Time 10/20/2025 10:41:32 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	677,906	
Benzene	benzene-d6 (IS)	8.397	8.408	167,420	
Toluene-d8 (IS)		10.907	10.913	760,013	
Toluene	Toluene-d8 (IS)	10.996	11.008	513,255	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	92,211	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.311	226,476	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	88,125	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506567.D




+ Scan (10.855-11.020 min, 28 scans) P2506567.D

**Toluene**


+ EIC (91.1) Scan P2506567.D




+ Scan (10.943-11.133 min, 32 scans) P2506567.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506567.D




+ Scan (13.092-13.210 min, 19 scans) P2506567.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506567.D




+ Scan (13.264-13.439 min, 29 scans) P2506567.D




o-Xylene

+ EIC (91.1) Scan P2506567.D




+ Scan (13.753-13.899 min, 25 scans) P2506567.D





Name GLBSP-8-S-20251001
Comment B49568
Data File P2506568.D
Acq. Date-Time 10/20/2025 11:18:50 PM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	678,522	
Benzene	benzene-d6 (IS)	8.396	8.408	118,035	
Toluene-d8 (IS)		10.907	10.913	740,922	
Toluene	Toluene-d8 (IS)	10.996	11.008	415,924	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	72,150	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.311	173,037	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	66,943	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506568.D




+ Scan (10.860-11.020 min, 27 scans) P2506568.D

**Toluene**


+ EIC (91.1) Scan P2506568.D




+ Scan (10.949-11.133 min, 32 scans) P2506568.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506568.D




+ Scan (13.091-13.228 min, 23 scans) P2506568.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506568.D




+ Scan (13.252-13.483 min, 40 scans) P2506568.D




o-Xylene

+ EIC (91.1) Scan P2506568.D




+ Scan (13.756-13.863 min, 19 scans) P2506568.D





Name GLBSP-9-S-20251001
Comment B45007
Data File P2506570.D
Acq. Date-Time 10/21/2025 12:33:25 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	662,622	
Benzene	benzene-d6 (IS)	8.397	8.408	122,296	
Toluene-d8 (IS)		10.901	10.913	755,584	
Toluene	Toluene-d8 (IS)	10.996	11.008	421,003	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	81,448	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.311	163,783	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	64,631	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506570.D




+ Scan (10.848-11.044 min, 34 scans) P2506570.D

**Toluene**


+ EIC (91.1) Scan P2506570.D




+ Scan (10.955-11.139 min, 32 scans) P2506570.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506570.D




+ Scan (13.093-13.228 min, 22 scans) P2506570.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506570.D




+ Scan (13.258-13.451 min, 33 scans) P2506570.D




o-Xylene

+ EIC (91.1) Scan P2506570.D




+ Scan (13.753-13.905 min, 26 scans) P2506570.D





Name GLBSP-10-S-20251001
Comment C55694
Data File P2506571.D
Acq. Date-Time 10/21/2025 1:11:33 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.337	8.355	681,009	
Benzene	benzene-d6 (IS)	8.397	8.408	91,028	
Toluene-d8 (IS)		10.907	10.913	748,276	
Toluene	Toluene-d8 (IS)	10.996	11.008	347,912	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	52,586	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.311	139,827	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	52,460	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506571.D




+ Scan (10.859-11.020 min, 28 scans) P2506571.D

**Toluene**


+ EIC (91.1) Scan P2506571.D




+ Scan (10.950-11.145 min, 33 scans) P2506571.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506571.D




+ Scan (13.087-13.240 min, 26 scans) P2506571.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506571.D




+ Scan (13.258-13.477 min, 37 scans) P2506571.D




o-Xylene

+ EIC (91.1) Scan P2506571.D




+ Scan (13.756-13.899 min, 24 scans) P2506571.D





Name GLBSP-12-S-20251001
Comment B45055
Data File P2506573.D
Acq. Date-Time 10/21/2025 2:26:11 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	681,472	
Benzene	benzene-d6 (IS)	8.397	8.408	97,139	
Toluene-d8 (IS)		10.901	10.913	753,615	
Toluene	Toluene-d8 (IS)	10.996	11.008	325,864	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	61,740	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.311	141,822	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	54,412	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506573.D




+ Scan (10.854-11.038 min, 32 scans) P2506573.D

**Toluene**


+ EIC (91.1) Scan P2506573.D




+ Scan (10.952-11.145 min, 33 scans) P2506573.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506573.D




+ Scan (13.091-13.228 min, 24 scans) P2506573.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506573.D




+ Scan (13.264-13.477 min, 36 scans) P2506573.D




o-Xylene

+ EIC (91.1) Scan P2506573.D




+ Scan (13.753-13.893 min, 24 scans) P2506573.D





Name GLBSP-13-S-20251001
Comment C01364
Data File P2506574.D
Acq. Date-Time 10/21/2025 3:03:30 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	672,158	
Benzene	benzene-d6 (IS)	8.397	8.408	114,484	
Toluene-d8 (IS)		10.907	10.913	734,635	
Toluene	Toluene-d8 (IS)	11.002	11.008	352,911	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	61,296	
m-/p-Xylenes	Toluene-d8 (IS)	13.299	13.311	152,690	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	56,865	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506574.D




+ Scan (10.863-11.020 min, 27 scans) P2506574.D

**Toluene**


+ EIC (91.1) Scan P2506574.D




+ Scan (10.950-11.115 min, 28 scans) P2506574.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506574.D




+ Scan (13.095-13.227 min, 22 scans) P2506574.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506574.D




+ Scan (13.259-13.448 min, 32 scans) P2506574.D




o-Xylene

+ EIC (91.1) Scan P2506574.D




+ Scan (13.757-13.893 min, 23 scans) P2506574.D





Name GLBSP-14-S-20251001
Comment C34147
Data File P2506575.D
Acq. Date-Time 10/21/2025 3:40:47 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	679,461	
Benzene	benzene-d6 (IS)	8.408	8.408	117,705	
Toluene-d8 (IS)		10.907	10.913	750,753	
Toluene	Toluene-d8 (IS)	11.002	11.008	389,796	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	81,077	
m-/p-Xylenes	Toluene-d8 (IS)	13.305	13.311	181,739	
o-Xylene	Toluene-d8 (IS)	13.791	13.798	69,905	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506575.D




+ Scan (10.854-11.055 min, 34 scans) P2506575.D

**Toluene**


+ EIC (91.1) Scan P2506575.D




+ Scan (10.955-11.103 min, 25 scans) P2506575.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506575.D




+ Scan (13.092-13.233 min, 24 scans) P2506575.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506575.D




+ Scan (13.257-13.489 min, 40 scans) P2506575.D




o-Xylene

+ EIC (91.1) Scan P2506575.D




+ Scan (13.751-13.898 min, 25 scans) P2506575.D




Name GLBSP-14-D-20251001
Comment B30672
Data File P2506576.D
Acq. Date-Time 10/21/2025 4:18:27 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	680,779	
Benzene	benzene-d6 (IS)	8.402	8.408	128,763	
Toluene-d8 (IS)		10.907	10.913	751,845	
Toluene	Toluene-d8 (IS)	11.002	11.008	411,037	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.139	86,979	
m-/p-Xylenes	Toluene-d8 (IS)	13.305	13.311	185,033	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	70,643	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506576.D




+ Scan (10.861-11.049 min, 32 scans) P2506576.D

**Toluene**


+ EIC (91.1) Scan P2506576.D




+ Scan (10.957-11.109 min, 26 scans) P2506576.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506576.D




+ Scan (13.091-13.198 min, 19 scans) P2506576.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506576.D




+ Scan (13.264-13.447 min, 31 scans) P2506576.D




o-Xylene

+ EIC (91.1) Scan P2506576.D




+ Scan (13.757-13.893 min, 23 scans) P2506576.D




Name GLBSP-15-S-20251001
Comment C55458
Data File P2506577.D
Acq. Date-Time 10/21/2025 4:55:45 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	673,097	
Benzene	benzene-d6 (IS)	8.396	8.408	98,698	
Toluene-d8 (IS)		10.907	10.913	736,420	
Toluene	Toluene-d8 (IS)	11.002	11.008	385,881	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	77,598	
m-/p-Xylenes	Toluene-d8 (IS)	13.305	13.311	191,365	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	74,858	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506577.D




+ Scan (10.860-11.020 min, 27 scans) P2506577.D

**Toluene**


+ EIC (91.1) Scan P2506577.D




+ Scan (10.951-11.109 min, 27 scans) P2506577.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506577.D




+ Scan (13.086-13.228 min, 24 scans) P2506577.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506577.D




+ Scan (13.264-13.483 min, 37 scans) P2506577.D




o-Xylene

+ EIC (91.1) Scan P2506577.D




+ Scan (13.757-13.898 min, 24 scans) P2506577.D




Name GLBSP-16-S-20251001
Comment C69431
Data File P2506578.D
Acq. Date-Time 10/21/2025 5:33:03 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	680,513	
Benzene	benzene-d6 (IS)	8.396	8.408	84,317	
Toluene-d8 (IS)		10.907	10.913	738,910	
Toluene	Toluene-d8 (IS)	11.002	11.008	300,391	
Ethylbenzene	Toluene-d8 (IS)	13.127	13.139	53,068	
m-/p-Xylenes	Toluene-d8 (IS)	13.305	13.311	146,721	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	55,087	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506578.D




+ Scan (10.860-11.044 min, 31 scans) P2506578.D

**Toluene**


+ EIC (91.1) Scan P2506578.D




+ Scan (10.955-11.115 min, 27 scans) P2506578.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506578.D




+ Scan (13.085-13.234 min, 26 scans) P2506578.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506578.D




+ Scan (13.258-13.477 min, 38 scans) P2506578.D




o-Xylene

+ EIC (91.1) Scan P2506578.D




+ Scan (13.756-13.899 min, 25 scans) P2506578.D





Name GLBSP-17-S-20251001
Comment C01463
Data File P2506579.D
Acq. Date-Time 10/21/2025 6:10:22 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.343	8.355	658,457	
Benzene	benzene-d6 (IS)	8.402	8.408	83,649	
Toluene-d8 (IS)		10.907	10.913	734,554	
Toluene	Toluene-d8 (IS)	11.002	11.008	288,450	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.139	55,053	
m-/p-Xylenes	Toluene-d8 (IS)	13.311	13.311	123,118	
o-Xylene	Toluene-d8 (IS)	13.792	13.798	45,916	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506579.D




+ Scan (10.862-11.055 min, 33 scans) P2506579.D

**Toluene**


+ EIC (91.1) Scan P2506579.D




+ Scan (10.950-11.109 min, 27 scans) P2506579.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506579.D




+ Scan (13.085-13.234 min, 26 scans) P2506579.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506579.D




+ Scan (13.257-13.453 min, 34 scans) P2506579.D




o-Xylene

+ EIC (91.1) Scan P2506579.D




+ Scan (13.759-13.904 min, 25 scans) P2506579.D





Name GLBSP-11-S-20251001
Comment C33469; Recollect
Data File P2506581.D
Acq. Date-Time 10/21/2025 10:33:05 AM
Acq. Method File M325B-TD35
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.349	8.355	750,047	
Benzene	benzene-d6 (IS)	8.402	8.408	115,508	
Toluene-d8 (IS)		10.913	10.913	811,016	
Toluene	Toluene-d8 (IS)	11.008	11.008	467,520	
Ethylbenzene	Toluene-d8 (IS)	13.133	13.139	91,505	
m-/p-Xylenes	Toluene-d8 (IS)	13.305	13.311	222,672	
o-Xylene	Toluene-d8 (IS)	13.798	13.798	88,229	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan P2506581.D




+ Scan (10.866-11.061 min, 33 scans) P2506581.D

**Toluene**


+ EIC (91.1) Scan P2506581.D




+ Scan (10.955-11.109 min, 26 scans) P2506581.D

**Ethylbenzene**


+ EIC (91.1) Scan P2506581.D




+ Scan (13.090-13.246 min, 27 scans) P2506581.D

**m-/p-Xylenes**

+ EIC (91.1) Scan P2506581.D




+ Scan (13.270-13.492 min, 37 scans) P2506581.D




o-Xylene

+ EIC (91.1) Scan P2506581.D



+ Scan (13.752-13.899 min, 25 scans) P2506581.D



Initial Calibration

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB402-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
P093025A_CC185154_R2	Benzene	1	P2506085.D	5.91	64651	90.3	768442	1.285	0.16
P093025A_CC185154_R2	Benzene	2	P2506086.D	11.82	111517	90.3	752674	1.131	0.023
P093025A_CC185154_R2	Benzene	3	P2506087.D	23.65	215473	90.3	729427	1.128	0.02
P093025A_CC185154_R2	Benzene	4	P2506095.D	47.56	405873	90.3	701017	1.099	-0.0063
P093025A_CC185154_R2	Benzene	5	P2506089.D	119.18	964609	90.3	703835	1.038	-0.061
P093025A_CC185154_R2	Benzene	6	P2506090.D	238.37	1915545	90.3	695486	1.043	-0.057
P093025A_CC185154_R2	Benzene	7	P2506091.D	715.10	5477615	90.3	679667	1.018	-0.08
						Avg:	718650	1.106	
						%RSD:	4.5%	8.2%	
P093025A_CC185154_R2	Toluene	1	P2506085.D	5.19	48699	105.3	897005	1.101	0.021
P093025A_CC185154_R2	Toluene	2	P2506086.D	10.39	84071	105.3	860101	0.991	-0.081
P093025A_CC185154_R2	Toluene	3	P2506087.D	20.77	185931	105.3	842946	1.118	0.037
P093025A_CC185154_R2	Toluene	4	P2506095.D	41.77	385227	105.3	810249	1.198	0.11
P093025A_CC185154_R2	Toluene	5	P2506089.D	104.68	919060	105.3	815253	1.134	0.052
P093025A_CC185154_R2	Toluene	6	P2506090.D	209.36	1631100	105.3	802898	1.022	-0.052
P093025A_CC185154_R2	Toluene	7	P2506091.D	628.07	4644465	105.3	794175	0.980	-0.09
						Avg:	831804	1.078	
						%RSD:	4.4%	7.6%	
P093025A_CC185154_R2	Ethylbenzene	1	P2506085.D	5.40	54916	105.3	897005	1.194	0.11
P093025A_CC185154_R2	Ethylbenzene	2	P2506086.D	10.79	83189	105.3	860101	0.943	-0.12
P093025A_CC185154_R2	Ethylbenzene	3	P2506087.D	21.59	198026	105.3	842946	1.146	0.066
P093025A_CC185154_R2	Ethylbenzene	4	P2506095.D	43.42	409411	105.3	810249	1.225	0.14
P093025A_CC185154_R2	Ethylbenzene	5	P2506089.D	108.79	1057900	105.3	815253	1.256	0.17
P093025A_CC185154_R2	Ethylbenzene	6	P2506090.D	217.59	1426107	105.3	802898	0.860	-0.2
P093025A_CC185154_R2	Ethylbenzene	7	P2506091.D	652.76	4419836	105.3	794175	0.898	-0.16
						Avg:	831804	1.075	
						%RSD:	4.4%	15.7%	
P093025A_CC185154_R2	m-/p-Xylenes	1	P2506085.D	6.05	41289	105.3	897005	0.801	0.099
P093025A_CC185154_R2	m-/p-Xylenes	2	P2506086.D	12.10	53230	105.3	860101	0.539	-0.26
P093025A_CC185154_R2	m-/p-Xylenes	3	P2506087.D	24.19	136855	105.3	842946	0.707	-0.031
P093025A_CC185154_R2	m-/p-Xylenes	4	P2506095.D	48.66	346397	105.3	810249	0.925	0.27
P093025A_CC185154_R2	m-/p-Xylenes	5	P2506089.D	121.93	886042	105.3	815253	0.939	0.29
P093025A_CC185154_R2	m-/p-Xylenes	6	P2506090.D	243.85	994122	105.3	802898	0.535	-0.27
P093025A_CC185154_R2	m-/p-Xylenes	7	P2506091.D	731.56	3644285	105.3	794175	0.660	-0.094
						Avg:	831804	0.729	
						%RSD:	4.4%	22.9%	
P093025A_CC185154_R2	o-Xylene	1	P2506085.D	5.62	39868	105.3	897005	0.832	0.036
P093025A_CC185154_R2	o-Xylene	2	P2506086.D	11.25	53201	105.3	860101	0.579	-0.28
P093025A_CC185154_R2	o-Xylene	3	P2506087.D	22.50	145789	105.3	842946	0.809	0.0078

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB402-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
P093025A_CC185154_R2	o-Xylene	4	P2506095.D	45.25	360272	105.3	810249	1.035	0.29
P093025A_CC185154_R2	o-Xylene	5	P2506089.D	113.39	870379	105.3	815253	0.991	0.23
P093025A_CC185154_R2	o-Xylene	6	P2506090.D	226.78	990221	105.3	802898	0.573	-0.29
						Avg:	838075	0.803	
						%RSD:	4.3%	24.5%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
P093025A_CC185154_R2	Benzene	ICV	P2506092.D	62.86	413323	90.3	669753	0.886	-20.0%
P093025A_CC185154_R2	Toluene	ICV	P2506092.D	74.97	513254	105.3	776193	0.929	-14.0%
P093025A_CC185154_R2	Ethylbenzene	ICV	P2506092.D	84.40	624609	105.3	776193	1.004	-6.6%
P093025A_CC185154_R2	m-/p-Xylenes	ICV	P2506092.D	87.86	506723	105.3	776193	0.782	7.3%
P093025A_CC185154_R2	o-Xylene	ICV	P2506092.D	86.47	513283	105.3	776193	0.805	0.3%

M325B PDF Report ver.20250917

Sample Custody



EPA Method 325 A/B

Field Test Data Sheet and
Chain of Custody Record

Page 1 of 1

☐ Standard Turn Around Time (10 business days)☐ Rush Turn Around Time

• All TATs Subject to Approval by Enthalpy Analytical, Inc.

• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

2025 G B402
2025 G B402
Date 10/20/25

Site Name:	Global Partners	Client Name:	Montrose Air	PO#:	
Site Address:	1 Clark Road	Project Number:	# 031333	Sample Event #	
City:	South Portland	Project Manager:	Harry Brochu	Sorbent:	
State:	Maine	Email Address:	harrybrochu@montrose-env.com		
Zip:	04106	Telephone #:	207-441-0025		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	B 31144	S	10/1/25	945	10/15/25	930	HPB		
2	C 40588	S		955		940			
3	C 00697	S		1005		950			
4	B 38444	S		1015		1000			
5	C 14018	S		1030		1010			
5	B 52681	D		1030		1010			
5	C 32869	B		1030		1010			
6	C 36969	S		1040		1020			
7	C 40689	S		1050		1030			
8	D C 49568	S		1100		1040			
9	B 45007	S		1110		1050			
10	C 55694	S		1120		1100			
11	C 33469	S		1130		1110			
12	B 45055	S		1140		1120			
13	C 01364	S		1150		1130			
14	C 34147	S		1200		1140			
14	B 30672	D		1200		1140			
14	C 69497	B		1200		1140			
15	C 55458	S		1210		1150			
16	C 69431	S		1220		1200			
17	C 01463	S	10/1/25	1230	10/15/25	1210	HPB		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Harry Brochu		10/15/2025	1710
Received By (printed):	Received By (signature):	Receipt Date:	Receipt Time:
David Taylor		10/20/25	10:00
Sample Condition Upon Receipt:	Compound List:	Custody Seal intact? Y/N:	Delivery tracking #
Good		Y	
Ice Temp:	Blank Temp:	Add Custody Seal # below:	
	20.1 F/14.4	24609418	

Comments: ① EE: incorrect tube ID, should be B49568. AGM 10/20/25

**This Is The Last Page
Of This Report.**

Global - South Portland

1 Clark Rd.
South Portland, ME 04106

Sampling Event 33 Global - South Portland

Client Project# PROJ-031333

Samples Received: 11/5/2025

Analytical Report 2025GB403

EPA Method 325B Analysis

Report Issue Date: 11/14/2025

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



QA REVIEW PERFORMED BY
Brianna Berry
QA Associate I



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	12
Chromatograms	15
Initial Calibration	82
Sample Custody	85
Chain of Custody	86

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GB403-1
Client ID.	PROJ-031333 Site: Global - South Portland

1. Custody

The samples were received at Enthalpy Analytical on November 5, 2025 at 18.1 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
GLBSP-1-S-20251015	C70907	Sample
GLBSP-2-S-20251015	C70200	Sample
GLBSP-3-S-20251015	C40633	Sample
GLBSP-4-S-20251015	C56790	Sample
GLBSP-5-S-20251015	C43708	Sample
GLBSP-5-D-20251015	C43701	Duplicate
GLBSP-5-B-20251015	C70191	Blank
GLBSP-6-S-20251015	C59925	Sample
GLBSP-7-S-20251015	C55413	Sample
GLBSP-8-S-20251015	C68627	Sample
GLBSP-9-S-20251015	C40185	Sample
GLBSP-10-S-20251015	C43215	Sample
GLBSP-11-S-20251015	C37420	Sample
GLBSP-12-S-20251015	C43677	Sample
GLBSP-13-S-20251015	C59942	Sample
GLBSP-14-S-20251015	C53650	Sample
GLBSP-14-D-20251015	C20499	Duplicate
GLBSP-14-B-20251015	C69619	Blank
GLBSP-15-S-20251015	C61634	Sample
GLBSP-16-S-20251015	C55465	Sample
GLBSP-17-S-20251015	C57746	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GB403-1
Client ID.	PROJ-031333 Site: Global - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (E050525A_CC252679_QT_CC185154) met all 30% RSD criteria. The initial calibration verification met $\pm 30\%$ recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

5. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

6. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in $\mu\text{g}/\text{m}^3$ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB403-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20251015	C70907	1.55		11.7		1.70		5.94		2.03	
GLBSP-2-S-20251015	C70200	1.68		10.2		1.71		5.64		1.86	
GLBSP-3-S-20251015	C40633	2.03		14.6		2.37		6.28		2.01	
GLBSP-4-S-20251015	C56790	1.61		10.4		1.68		5.26		1.68	
GLBSP-5-S-20251015	C43708	2.04		11.0		2.03		5.30		1.81	
GLBSP-5-D-20251015	C43701	1.76		12.5		1.85		5.58		1.91	
GLBSP-5-B-20251015	C70191	0.190	ND	0.245	ND	0.277	ND	0.277	ND	0.277	ND
GLBSP-6-S-20251015	C59925	1.56		12.8		1.80		6.07		1.96	
GLBSP-7-S-20251015	C55413	2.02		13.8		2.11		7.00		2.27	
GLBSP-8-S-20251015	C68627	1.84		13.1		1.88		6.42		2.11	
GLBSP-9-S-20251015	C40185	1.43		8.57		1.63		3.90		1.38	
GLBSP-10-S-20251015	C43215	2.15		14.5		2.50		5.89		1.93	
GLBSP-11-S-20251015	C37420	2.11		15.6		2.45		6.59		2.18	
GLBSP-12-S-20251015	C43677	2.16		14.8		2.27		6.99		2.35	
GLBSP-13-S-20251015	C59942	1.41		9.00		1.64		5.47		1.77	
GLBSP-14-S-20251015	C53650	1.70		10.7		2.49		5.72		2.08	
GLBSP-14-D-20251015	C20499	1.82		9.79		1.99		5.01		1.73	
GLBSP-14-B-20251015	C69619	0.190	ND	0.245	ND	0.277	ND	0.277	ND	0.277	ND
GLBSP-15-S-20251015	C61634	1.67		11.8		1.88		6.41		2.21	
GLBSP-16-S-20251015	C55465	1.21		9.06		1.40		4.90		1.68	
GLBSP-17-S-20251015	C57746	1.42		8.96		1.55		5.20		1.81	

ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB403-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251015	C70907	1.55	0.485	20.4	49.4	0.653	20145	0.190	0.376	0.0596	0.118		E2504746.d	2025-11-05 16:07	0.983	8.095	179688	486518	54.2	8.038	-3.9%
GLBSP-2-S-20251015	C70200	1.68	0.525	22.0	49.4	0.653	20145	0.190	0.376	0.0596	0.118		E2504747.d	2025-11-05 16:33	0.983	8.095	188934	472728	54.2	8.038	-6.7%
GLBSP-3-S-20251015	C40633	2.03	0.636	26.7	49.4	0.653	20145	0.190	0.376	0.0596	0.118		E2504748.d	2025-11-05 16:58	0.983	8.095	240035	495718	54.2	8.038	-2.1%
GLBSP-4-S-20251015	C56790	1.61	0.506	21.2	49.4	0.653	20145	0.190	0.376	0.0596	0.118		E2504749.d	2025-11-05 17:24	0.983	8.095	186625	484573	54.2	8.038	-4.3%
GLBSP-5-S-20251015	C43708	2.04	0.638	26.8	49.4	0.653	20145	0.190	0.376	0.0596	0.118		E2504750.d	2025-11-05 17:49	0.983	8.095	234653	482657	54.2	8.038	-4.7%
GLBSP-5-D-20251015	C43701	1.76	0.552	23.2	49.4	0.653	20145	0.190	0.376	0.0596	0.118		E2504751.d	2025-11-05 18:15	0.983	8.095	204926	487358	54.2	8.038	-3.8%
GLBSP-5-B-20251015	C70191	0.190	0.0596		49.4	0.653	20145	0.190	0.376	0.0596	0.118	ND	E2504745.d	2025-11-05 15:41	0.983	8.095	8577	491347	54.2	8.038	-3.0%
GLBSP-6-S-20251015	C59925	1.56	0.489	20.5	49.4	0.653	20150	0.190	0.376	0.0596	0.118		E2504752.d	2025-11-05 18:41	0.983	8.095	182445	490053	54.2	8.038	-3.2%
GLBSP-7-S-20251015	C55413	2.02	0.634	26.6	49.4	0.653	20150	0.190	0.376	0.0596	0.118		E2504753.d	2025-11-05 19:07	0.983	8.095	238134	493246	54.2	8.038	-2.6%
GLBSP-8-S-20251015	C68627	1.84	0.577	24.2	49.4	0.653	20150	0.190	0.376	0.0596	0.118		E2504754.d	2025-11-05 19:32	0.983	8.095	219493	499851	54.2	8.038	-1.3%
GLBSP-9-S-20251015	C40185	1.43	0.448	18.8	49.4	0.653	20150	0.190	0.376	0.0596	0.118		E2504755.d	2025-11-05 19:58	0.983	8.095	168531	494339	54.2	8.038	-2.4%
GLBSP-10-S-20251015	C43215	2.15	0.675	28.3	49.4	0.653	20150	0.190	0.376	0.0596	0.118		E2504757.d	2025-11-05 20:49	0.983	8.095	252710	491654	54.2	8.038	-2.9%
GLBSP-11-S-20251015	C37420	2.11	0.662	27.8	49.3	0.653	20150	0.190	0.376	0.0596	0.118		E2504758.d	2025-11-05 21:14	0.983	8.095	251500	499037	54.2	8.038	-1.5%
GLBSP-12-S-20251015	C43677	2.16	0.677	28.4	49.3	0.653	20150	0.190	0.376	0.0596	0.118		E2504759.d	2025-11-05 21:40	0.983	8.095	261207	506470	54.2	8.038	0.0%
GLBSP-13-S-20251015	C59942	1.41	0.442	18.5	49.3	0.653	20150	0.190	0.376	0.0596	0.118		E2504760.d	2025-11-05 22:05	0.983	8.095	172011	511174	54.2	8.038	0.9%
GLBSP-14-S-20251015	C53650	1.70	0.534	22.4	49.3	0.652	20150	0.190	0.376	0.0596	0.118		E2504761.d	2025-11-05 22:31	0.983	8.095	212362	522271	54.2	8.038	3.1%
GLBSP-14-D-20251015	C20499	1.82	0.571	24.0	49.3	0.652	20150	0.190	0.376	0.0596	0.118		E2504762.d	2025-11-05 22:57	0.983	8.095	222138	510721	54.2	8.038	0.8%
GLBSP-14-B-20251015	C69619	0.190	0.0596		49.3	0.652	20150	0.190	0.376	0.0596	0.118	ND	E2504763.d	2025-11-05 23:23	0.983	8.095	8963	526586	54.2	8.038	4.0%
GLBSP-15-S-20251015	C61634	1.67	0.524	22.0	49.3	0.652	20150	0.190	0.376	0.0596	0.118		E2504764.d	2025-11-05 23:48	0.983	8.095	206280	516479	54.2	8.038	2.0%
GLBSP-16-S-20251015	C55465	1.21	0.378	15.9	49.3	0.652	20150	0.190	0.376	0.0596	0.118		E2504765.d	2025-11-06 00:14	0.983	8.095	145534	505175	54.2	8.038	-0.3%
GLBSP-17-S-20251015	C57746	1.42	0.446	18.7	49.3	0.652	20150	0.190	0.376	0.0596	0.118		E2504766.d	2025-11-06 00:39	0.983	8.095	169867	500164	54.2	8.038	-1.2%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251015	C70907	11.7	3.10	119	49.4	0.506	20145	0.245	0.523	0.0651	0.139		E2504746.d	2025-11-05 16:07	0.914	10.832	845868	490094	63.2	10.739	-4.3%
GLBSP-2-S-20251015	C70200	10.2	2.71	104	49.4	0.506	20145	0.245	0.523	0.0651	0.139		E2504747.d	2025-11-05 16:33	0.914	10.839	726604	483144	63.2	10.739	-5.7%
GLBSP-3-S-20251015	C40633	14.6	3.89	149	49.4	0.506	20145	0.245	0.523	0.0651	0.139		E2504748.d	2025-11-05 16:58	0.914	10.839	1093705	505929	63.2	10.738	-1.2%
GLBSP-4-S-20251015	C56790	10.4	2.76	106	49.4	0.506	20145	0.245	0.523	0.0651	0.139		E2504749.d	2025-11-05 17:24	0.914	10.839	758705	494108	63.2	10.739	-3.5%
GLBSP-5-S-20251015	C43708	11.0	2.91	112	49.4	0.506	20145	0.245	0.523	0.0651	0.139		E2504750.d	2025-11-05 17:49	0.914	10.839	807741	498829	63.2	10.738	-2.6%
GLBSP-5-D-20251015	C43701	12.5	3.32	128	49.4	0.506	20145	0.245	0.523	0.0651	0.139		E2504751.d	2025-11-05 18:15	0.914	10.839	924488	500698	63.2	10.739	-2.3%
GLBSP-5-B-20251015	C70191	0.245	0.0651		49.4	0.506	20145	0.245	0.523	0.0651	0.139	ND	E2504745.d	2025-11-05 15:41	0.914	10.839	12895	507621	63.2	10.739	-0.9%
GLBSP-6-S-20251015	C59925	12.8	3.41	131	49.4	0.506	20150	0.245	0.523	0.0651	0.139		E2504752.d	2025-11-05 18:41	0.914	10.839	943805	497881	63.2	10.738	-2.8%
GLBSP-7-S-20251015	C55413	13.8	3.67	141	49.4	0.506	20150	0.245	0.523	0.0651	0.139		E2504753.d	2025-11-05 19:07	0.914	10.839	1034461	506943	63.2	10.738	-1.0%
GLBSP-8-S-20251015	C68627	13.1	3.47	133	49.4	0.506	20150	0.245	0.523	0.0651	0.139		E2504754.d	2025-11-05 19:32	0.914	10.839	990343	512900	63.2	10.738	0.1%
GLBSP-9-S-20251015	C40185	8.57	2.28	87.4	49.4	0.506	20150	0.245	0.523	0.0651	0.139		E2504755.d	2025-11-05 19:58	0.914	10.839	639211	505323	63.2	10.739	-1.4%
GLBSP-10-S-20251015	C43215	14.5	3.84	148	49.4	0.506	20150	0.245	0.523	0.0651	0.139		E2504757.d	2025-11-05 20:49	0.914	10.839	1071072	501538	63.2	10.739	-2.1%
GLBSP-11-S-20251015	C37420	15.6	4.13	159	49.3	0.506	20150	0.245	0.523	0.0651	0.139		E2504758.d	2025-11-05 21:14	0.914	10.839	1170006	509221	63.2	10.738	-0.6%
GLBSP-12-S-20251015	C43677	14.8	3.92	151	49.3	0.506	20150	0.245	0.523	0.0651	0.139		E2504759.d	2025-11-05 21:40	0.914	10.839	1138982	522483	63.2	10.739	2.0%
GLBSP-13-S-20251015	C59942	9.00	2.39	91.8	49.3	0.506	20150	0.245	0.523	0.0651	0.139		E2504760.d	2025-11-05 22:05	0.914	10.839	705952	531288	63.2	10.739	3.7%
GLBSP-14-S-20251015	C53650	10.7	2.85	109	49.3	0.506	20150	0.245	0.523	0.0651	0.139		E2504761.d	2025-11-05 22:31	0.914	10.839	840677	530944	63.2	10.739	3.6%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB403-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-14-D-20251015	C20499	9.79	2.60	99.9	49.3	0.506	20150	0.245	0.523	0.0651	0.139		E2504762.d	2025-11-05 22:57	0.914	10.839	758370	524499	63.2	10.738	2.4%
GLBSP-14-B-20251015	C69619	0.245	0.0651		49.3	0.506	20150	0.245	0.523	0.0651	0.139	ND	E2504763.d	2025-11-05 23:23	0.914	10.839	4802	536813	63.2	10.738	4.8%
GLBSP-15-S-20251015	C61634	11.8	3.12	120	49.3	0.506	20150	0.245	0.523	0.0651	0.139		E2504764.d	2025-11-05 23:48	0.914	10.839	925626	533013	63.2	10.739	4.0%
GLBSP-16-S-20251015	C55465	9.06	2.40	92.4	49.3	0.506	20150	0.245	0.523	0.0651	0.139		E2504765.d	2025-11-06 00:14	0.914	10.839	701044	524342	63.2	10.738	2.4%
GLBSP-17-S-20251015	C57746	8.96	2.38	91.5	49.3	0.506	20150	0.245	0.523	0.0651	0.139		E2504766.d	2025-11-06 00:39	0.914	10.839	680314	514150	63.2	10.739	0.4%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251015	C70907	1.70	0.391	15.3	49.4	0.448	20145	0.277	0.569	0.0638	0.131		E2504746.d	2025-11-05 16:07	1.065	13.031	126689	490094	63.2	10.739	-4.3%
GLBSP-2-S-20251015	C70200	1.71	0.394	15.4	49.4	0.448	20145	0.277	0.569	0.0638	0.131		E2504747.d	2025-11-05 16:33	1.065	13.031	125579	483144	63.2	10.739	-5.7%
GLBSP-3-S-20251015	C40633	2.37	0.546	21.4	49.4	0.448	20145	0.277	0.569	0.0638	0.131		E2504748.d	2025-11-05 16:58	1.065	13.031	182516	505929	63.2	10.738	-1.2%
GLBSP-4-S-20251015	C56790	1.68	0.388	15.2	49.4	0.448	20145	0.277	0.569	0.0638	0.131		E2504749.d	2025-11-05 17:24	1.065	13.031	126467	494108	63.2	10.739	-3.5%
GLBSP-5-S-20251015	C43708	2.03	0.468	18.3	49.4	0.448	20145	0.277	0.569	0.0638	0.131		E2504750.d	2025-11-05 17:49	1.065	13.030	154152	498829	63.2	10.738	-2.6%
GLBSP-5-D-20251015	C43701	1.85	0.426	16.7	49.4	0.448	20145	0.277	0.569	0.0638	0.131		E2504751.d	2025-11-05 18:15	1.065	13.031	140817	500698	63.2	10.739	-2.3%
GLBSP-5-B-20251015	C70191	0.277	0.0638		49.4	0.448	20145	0.277	0.569	0.0638	0.131	ND	E2504745.d	2025-11-05 15:41	1.065	13.024	1472	507621	63.2	10.739	-0.9%
GLBSP-6-S-20251015	C59925	1.80	0.414	16.2	49.4	0.448	20150	0.277	0.568	0.0638	0.131		E2504752.d	2025-11-05 18:41	1.065	13.031	136290	497881	63.2	10.738	-2.8%
GLBSP-7-S-20251015	C55413	2.11	0.487	19.1	49.4	0.448	20150	0.277	0.568	0.0638	0.131		E2504753.d	2025-11-05 19:07	1.065	13.031	163047	506943	63.2	10.738	-1.0%
GLBSP-8-S-20251015	C68627	1.88	0.432	16.9	49.4	0.448	20150	0.277	0.568	0.0638	0.131		E2504754.d	2025-11-05 19:32	1.065	13.031	146464	512900	63.2	10.738	0.1%
GLBSP-9-S-20251015	C40185	1.63	0.376	14.7	49.4	0.448	20150	0.277	0.568	0.0638	0.131		E2504755.d	2025-11-05 19:58	1.065	13.031	125389	505323	63.2	10.739	-1.4%
GLBSP-10-S-20251015	C43215	2.50	0.575	22.5	49.4	0.448	20150	0.277	0.568	0.0638	0.131		E2504757.d	2025-11-05 20:49	1.065	13.031	190617	501538	63.2	10.739	-2.1%
GLBSP-11-S-20251015	C37420	2.45	0.564	22.1	49.3	0.448	20150	0.277	0.568	0.0638	0.131		E2504758.d	2025-11-05 21:14	1.065	13.031	189608	509221	63.2	10.738	-0.6%
GLBSP-12-S-20251015	C43677	2.27	0.522	20.5	49.3	0.448	20150	0.277	0.568	0.0638	0.131		E2504759.d	2025-11-05 21:40	1.065	13.031	180268	522483	63.2	10.739	2.0%
GLBSP-13-S-20251015	C59942	1.64	0.378	14.8	49.3	0.448	20150	0.277	0.568	0.0638	0.131		E2504760.d	2025-11-05 22:05	1.065	13.031	132768	531288	63.2	10.739	3.7%
GLBSP-14-S-20251015	C53650	2.49	0.574	22.5	49.3	0.448	20150	0.277	0.568	0.0638	0.131		E2504761.d	2025-11-05 22:31	1.065	13.031	201193	530944	63.2	10.739	3.6%
GLBSP-14-D-20251015	C20499	1.99	0.459	18.0	49.3	0.448	20150	0.277	0.568	0.0638	0.131		E2504762.d	2025-11-05 22:57	1.065	13.031	158961	524499	63.2	10.738	2.4%
GLBSP-14-B-20251015	C69619	0.277	0.0638		49.3	0.448	20150	0.277	0.568	0.0638	0.131	ND	E2504763.d	2025-11-05 23:23	1.065	13.023	189	536813	63.2	10.738	4.8%
GLBSP-15-S-20251015	C61634	1.88	0.433	17.0	49.3	0.448	20150	0.277	0.568	0.0638	0.131		E2504764.d	2025-11-05 23:48	1.065	13.031	152457	533013	63.2	10.739	4.0%
GLBSP-16-S-20251015	C55465	1.40	0.322	12.6	49.3	0.448	20150	0.277	0.568	0.0638	0.131		E2504765.d	2025-11-06 00:14	1.065	13.031	111669	524342	63.2	10.738	2.4%
GLBSP-17-S-20251015	C57746	1.55	0.358	14.0	49.3	0.448	20150	0.277	0.568	0.0638	0.131		E2504766.d	2025-11-06 00:39	1.065	13.031	121536	514150	63.2	10.739	0.4%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251015	C70907	5.94	1.37	53.6	49.4	0.448	20145	0.277	0.537	0.0638	0.124		E2504746.d	2025-11-05 16:07	0.901	13.203	374806	490094	63.2	10.739	-4.3%
GLBSP-2-S-20251015	C70200	5.64	1.30	50.9	49.4	0.448	20145	0.277	0.537	0.0638	0.124		E2504747.d	2025-11-05 16:33	0.901	13.203	350765	483144	63.2	10.739	-5.7%
GLBSP-3-S-20251015	C40633	6.28	1.45	56.7	49.4	0.448	20145	0.277	0.537	0.0638	0.124		E2504748.d	2025-11-05 16:58	0.901	13.203	409065	505929	63.2	10.738	-1.2%
GLBSP-4-S-20251015	C56790	5.26	1.21	47.5	49.4	0.448	20145	0.277	0.537	0.0638	0.124		E2504749.d	2025-11-05 17:24	0.901	13.203	334496	494108	63.2	10.739	-3.5%
GLBSP-5-S-20251015	C43708	5.30	1.22	47.9	49.4	0.448	20145	0.277	0.537	0.0638	0.124		E2504750.d	2025-11-05 17:49	0.901	13.202	340484	498829	63.2	10.738	-2.6%
GLBSP-5-D-20251015	C43701	5.58	1.29	50.4	49.4	0.448	20145	0.277	0.537	0.0638	0.124		E2504751.d	2025-11-05 18:15	0.901	13.203	359853	500698	63.2	10.739	-2.3%
GLBSP-5-B-20251015	C70191	0.277	0.0638		49.4	0.448	20145	0.277	0.537	0.0638	0.124	ND	E2504745.d	2025-11-05 15:41	0.901	13.203	1609	507621	63.2	10.739	-0.9%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB403-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-6-S-20251015	C59925	6.07	1.40	54.8	49.4	0.448	20150	0.277	0.537	0.0638	0.124		E2504752.d	2025-11-05 18:41	0.901	13.203	388977	497881	63.2	10.738	-2.8%
GLBSP-7-S-20251015	C55413	7.00	1.61	63.2	49.4	0.448	20150	0.277	0.537	0.0638	0.124		E2504753.d	2025-11-05 19:07	0.901	13.203	456865	506943	63.2	10.738	-1.0%
GLBSP-8-S-20251015	C68627	6.42	1.48	58.0	49.4	0.448	20150	0.277	0.537	0.0638	0.124		E2504754.d	2025-11-05 19:32	0.901	13.203	424249	512900	63.2	10.738	0.1%
GLBSP-9-S-20251015	C40185	3.90	0.900	35.2	49.4	0.448	20150	0.277	0.537	0.0638	0.124		E2504755.d	2025-11-05 19:58	0.901	13.203	253969	505323	63.2	10.739	-1.4%
GLBSP-10-S-20251015	C43215	5.89	1.36	53.2	49.4	0.448	20150	0.277	0.537	0.0638	0.124		E2504757.d	2025-11-05 20:49	0.901	13.203	380374	501538	63.2	10.739	-2.1%
GLBSP-11-S-20251015	C37420	6.59	1.52	59.5	49.3	0.448	20150	0.277	0.537	0.0638	0.124		E2504758.d	2025-11-05 21:14	0.901	13.203	431816	509221	63.2	10.738	-0.6%
GLBSP-12-S-20251015	C43677	6.99	1.61	63.1	49.3	0.448	20150	0.277	0.537	0.0638	0.124		E2504759.d	2025-11-05 21:40	0.901	13.203	470115	522483	63.2	10.739	2.0%
GLBSP-13-S-20251015	C59942	5.47	1.26	49.4	49.3	0.448	20150	0.277	0.537	0.0638	0.124		E2504760.d	2025-11-05 22:05	0.901	13.203	374013	531288	63.2	10.739	3.7%
GLBSP-14-S-20251015	C53650	5.72	1.32	51.6	49.3	0.448	20150	0.277	0.537	0.0638	0.124		E2504761.d	2025-11-05 22:31	0.901	13.203	390928	530944	63.2	10.739	3.6%
GLBSP-14-D-20251015	C20499	5.01	1.15	45.2	49.3	0.448	20150	0.277	0.537	0.0638	0.124		E2504762.d	2025-11-05 22:57	0.901	13.203	338366	524499	63.2	10.738	2.4%
GLBSP-14-B-20251015	C69619	0.277	0.0638		49.3	0.448	20150	0.277	0.537	0.0638	0.124	ND	E2504763.d	2025-11-05 23:23	0.901	13.231	1229	536813	63.2	10.738	4.8%
GLBSP-15-S-20251015	C61634	6.41	1.48	57.8	49.3	0.448	20150	0.277	0.537	0.0638	0.124		E2504764.d	2025-11-05 23:48	0.901	13.203	439748	533013	63.2	10.739	4.0%
GLBSP-16-S-20251015	C55465	4.90	1.13	44.2	49.3	0.448	20150	0.277	0.537	0.0638	0.124		E2504765.d	2025-11-06 00:14	0.901	13.203	330471	524342	63.2	10.738	2.4%
GLBSP-17-S-20251015	C57746	5.20	1.20	47.0	49.3	0.448	20150	0.277	0.537	0.0638	0.124		E2504766.d	2025-11-06 00:39	0.901	13.203	344471	514150	63.2	10.739	0.4%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251015	C70907	2.03	0.467	18.3	49.4	0.448	20145	0.277	0.560	0.0638	0.129		E2504746.d	2025-11-05 16:07	0.963	13.704	136653	490094	63.2	10.739	-4.3%
GLBSP-2-S-20251015	C70200	1.86	0.429	16.8	49.4	0.448	20145	0.277	0.560	0.0638	0.129		E2504747.d	2025-11-05 16:33	0.963	13.704	123683	483144	63.2	10.739	-5.7%
GLBSP-3-S-20251015	C40633	2.01	0.462	18.1	49.4	0.448	20145	0.277	0.560	0.0638	0.129		E2504748.d	2025-11-05 16:58	0.963	13.704	139540	505929	63.2	10.738	-1.2%
GLBSP-4-S-20251015	C56790	1.68	0.387	15.2	49.4	0.448	20145	0.277	0.560	0.0638	0.129		E2504749.d	2025-11-05 17:24	0.963	13.704	114229	494108	63.2	10.739	-3.5%
GLBSP-5-S-20251015	C43708	1.81	0.417	16.3	49.4	0.448	20145	0.277	0.560	0.0638	0.129		E2504750.d	2025-11-05 17:49	0.963	13.711	124078	498829	63.2	10.738	-2.6%
GLBSP-5-D-20251015	C43701	1.91	0.439	17.2	49.4	0.448	20145	0.277	0.560	0.0638	0.129		E2504751.d	2025-11-05 18:15	0.963	13.704	131266	500698	63.2	10.739	-2.3%
GLBSP-5-B-20251015	C70191	0.277	0.0638		49.4	0.448	20145	0.277	0.560	0.0638	0.129	ND	E2504745.d	2025-11-05 15:41	0.963	13.769	277	507621	63.2	10.739	-0.9%
GLBSP-6-S-20251015	C59925	1.96	0.452	17.7	49.4	0.448	20150	0.277	0.560	0.0638	0.129		E2504752.d	2025-11-05 18:41	0.963	13.704	134373	497881	63.2	10.738	-2.8%
GLBSP-7-S-20251015	C55413	2.27	0.523	20.5	49.4	0.448	20150	0.277	0.560	0.0638	0.129		E2504753.d	2025-11-05 19:07	0.963	13.704	158358	506943	63.2	10.738	-1.0%
GLBSP-8-S-20251015	C68627	2.11	0.487	19.1	49.4	0.448	20150	0.277	0.560	0.0638	0.129		E2504754.d	2025-11-05 19:32	0.963	13.704	149236	512900	63.2	10.738	0.1%
GLBSP-9-S-20251015	C40185	1.38	0.319	12.5	49.4	0.448	20150	0.277	0.560	0.0638	0.129		E2504755.d	2025-11-05 19:58	0.963	13.704	96255	505323	63.2	10.739	-1.4%
GLBSP-10-S-20251015	C43215	1.93	0.446	17.5	49.4	0.448	20150	0.277	0.560	0.0638	0.129		E2504757.d	2025-11-05 20:49	0.963	13.704	133473	501538	63.2	10.739	-2.1%
GLBSP-11-S-20251015	C37420	2.18	0.502	19.6	49.3	0.448	20150	0.277	0.560	0.0638	0.129		E2504758.d	2025-11-05 21:14	0.963	13.704	152507	509221	63.2	10.738	-0.6%
GLBSP-12-S-20251015	C43677	2.35	0.540	21.2	49.3	0.448	20150	0.277	0.560	0.0638	0.129		E2504759.d	2025-11-05 21:40	0.963	13.704	168593	522483	63.2	10.739	2.0%
GLBSP-13-S-20251015	C59942	1.77	0.407	16.0	49.3	0.448	20150	0.277	0.560	0.0638	0.129		E2504760.d	2025-11-05 22:05	0.963	13.704	129244	531288	63.2	10.739	3.7%
GLBSP-14-S-20251015	C53650	2.08	0.480	18.8	49.3	0.448	20150	0.277	0.560	0.0638	0.129		E2504761.d	2025-11-05 22:31	0.963	13.704	152026	530944	63.2	10.739	3.6%
GLBSP-14-D-20251015	C20499	1.73	0.398	15.6	49.3	0.448	20150	0.277	0.560	0.0638	0.129		E2504762.d	2025-11-05 22:57	0.963	13.704	124516	524499	63.2	10.738	2.4%
GLBSP-14-B-20251015	C69619	0.277	0.0638		49.3	0.448	20150	0.277	0.560	0.0638	0.129	ND	E2504763.d	2025-11-05 23:23	0.963	13.711	474	536813	63.2	10.738	4.8%
GLBSP-15-S-20251015	C61634	2.21	0.508	19.9	49.3	0.448	20150	0.277	0.560	0.0638	0.129		E2504764.d	2025-11-05 23:48	0.963	13.704	161719	533013	63.2	10.739	4.0%
GLBSP-16-S-20251015	C55465	1.68	0.387	15.2	49.3	0.448	20150	0.277	0.560	0.0638	0.129		E2504765.d	2025-11-06 00:14	0.963	13.704	121244	524342	63.2	10.738	2.4%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB403-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-17-S-20251015	C57746	1.81	0.417	16.3	49.3	0.448	20150	0.277	0.560	0.0638	0.129		E2504766.d	2025-11-06 00:39	0.963	13.704	127871	514150	63.2	10.739	0.4%

ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB403-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	GLBSP-5-B-20251015	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	GLBSP-14-B-20251015	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	GLBSP-5-D-20251015	14%	Pass	13%	Pass	9.4%	Pass	5.2%	Pass	5.3%	Pass
	GLBSP-14-D-20251015	6.7%	Pass	9.1%	Pass	22%	Pass	13%	Pass	19%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB403-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2504743.d	B50866	Cal	0.983		0.983	12%	-2.1%		Pass	
2025GB403 Method Blank-1	E2504744.d	C69416	Blank			0.983			-2.0%	Pass	ND
M325B CCV 5	E2504756.d	B46095	Check	0.989		0.983	13%		-1.8%	Pass	
M325B CCV 5	E2504767.d	C61742	Check	0.999		0.983	14%		1.1%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2504743.d	B50866	Cal	0.914		0.914	-7.6%	-5.8%		Pass	
2025GB403 Method Blank-1	E2504744.d	C69416	Blank			0.914			-2.5%	Pass	ND
M325B CCV 5	E2504756.d	B46095	Check	0.873		0.914	-12%		-0.20%	Pass	
M325B CCV 5	E2504767.d	C61742	Check	0.847		0.914	-14%		4.2%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2504743.d	B50866	Cal	1.065		1.065	-11%	-5.8%		Pass	
2025GB403 Method Blank-1	E2504744.d	C69416	Blank			1.065			-2.5%	Pass	ND
M325B CCV 5	E2504756.d	B46095	Check	0.963		1.065	-19%		-0.20%	Pass	
M325B CCV 5	E2504767.d	C61742	Check	0.974		1.065	-18%		4.2%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2504743.d	B50866	Cal	0.901		0.901	-13%	-5.8%		Pass	
2025GB403 Method Blank-1	E2504744.d	C69416	Blank			0.901			-2.5%	Pass	ND
M325B CCV 5	E2504756.d	B46095	Check	0.800		0.901	-23%		-0.20%	Pass	
M325B CCV 5	E2504767.d	C61742	Check	0.812		0.901	-22%		4.2%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2504743.d	B50866	Cal	0.963		0.963	1.3%	-5.8%		Pass	
2025GB403 Method Blank-1	E2504744.d	C69416	Blank			0.963			-2.5%	Pass	ND
M325B CCV 5	E2504756.d	B46095	Check	0.868		0.963	-8.6%		-0.20%	Pass	
M325B CCV 5	E2504767.d	C61742	Check	0.878		0.963	-7.6%		4.2%	Pass	

Chromatograms



Name 2025GB403 Method Blank-1
Comment C69416
Data File E2504744.d
Acq. Date-Time 11/5/2025 3:16:15 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	496,491	
Benzene	benzene-d6 (IS)	8.095	8.110	7,280	
Toluene-d8 (IS)		10.739	10.753	499,323	
Toluene	Toluene-d8 (IS)	10.832	10.846	6,690	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	1,139	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	475	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	786	m

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504744.d




+ Scan (10.688-10.825 min, 20 scans) E2504744.d

**Toluene**


+ EIC (91.1) Scan E2504744.d




+ Scan (10.804-10.860 min, 7 scans) E2504744.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504744.d




+ Scan (13.009-13.047 min, 6 scans) E2504744.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504744.d




+ Scan (13.188-13.215 min, 4 scans) E2504744.d




o-Xylene

+ EIC (91.1) Scan E2504744.d




+ Scan (13.690-13.724 min, 4 scans) E2504744.d





Name GLBSP-5-B-20251015
Comment C70191
Data File E2504745.d
Acq. Date-Time 11/5/2025 3:41:52 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	491,347	
Benzene	benzene-d6 (IS)	8.095	8.110	8,577	
Toluene-d8 (IS)		10.739	10.753	507,621	
Toluene	Toluene-d8 (IS)	10.839	10.846	12,895	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	1,472	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	1,609	
o-Xylene	Toluene-d8 (IS)	13.769	13.718	277	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504745.d




+ Scan (10.696-10.825 min, 19 scans) E2504745.d

**Toluene**


+ EIC (91.1) Scan E2504745.d




+ Scan (10.803-10.908 min, 14 scans) E2504745.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504745.d




+ Scan (13.010-13.052 min, 5 scans) E2504745.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504745.d




+ Scan (13.181-13.244 min, 9 scans) E2504745.d




o-Xylene

+ EIC (91.1) Scan E2504745.d




+ Scan (13.736-13.772 min, 5 scans) E2504745.d





Name GLBSP-1-S-20251015
Comment C70907
Data File E2504746.d
Acq. Date-Time 11/5/2025 4:07:28 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	486,518	
Benzene	benzene-d6 (IS)	8.095	8.110	179,688	
Toluene-d8 (IS)		10.739	10.753	490,094	
Toluene	Toluene-d8 (IS)	10.832	10.846	845,868	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	126,689	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	374,806	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	136,653	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504746.d




+ Scan (10.689-10.832 min, 21 scans) E2504746.d

**Toluene**


+ EIC (91.1) Scan E2504746.d




+ Scan (10.789-10.931 min, 20 scans) E2504746.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504746.d




+ Scan (12.988-13.109 min, 16 scans) E2504746.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504746.d




+ Scan (13.164-13.282 min, 17 scans) E2504746.d




o-Xylene

+ EIC (91.1) Scan E2504746.d




+ Scan (13.666-13.783 min, 17 scans) E2504746.d





Name GLBSP-2-S-20251015
Comment C70200
Data File E2504747.d
Acq. Date-Time 11/5/2025 4:33:00 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	472,728	
Benzene	benzene-d6 (IS)	8.095	8.110	188,934	
Toluene-d8 (IS)		10.739	10.753	483,144	
Toluene	Toluene-d8 (IS)	10.839	10.846	726,604	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	125,579	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	350,765	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	123,683	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504747.d




+ Scan (10.696-10.817 min, 18 scans) E2504747.d

**Toluene**


+ EIC (91.1) Scan E2504747.d




+ Scan (10.782-10.918 min, 20 scans) E2504747.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504747.d




+ Scan (12.995-13.072 min, 10 scans) E2504747.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504747.d




+ Scan (13.167-13.294 min, 18 scans) E2504747.d




o-Xylene

+ EIC (91.1) Scan E2504747.d




+ Scan (13.671-13.781 min, 15 scans) E2504747.d





Name GLBSP-3-S-20251015
Comment C40633
Data File E2504748.d
Acq. Date-Time 11/5/2025 4:58:31 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	495,718	
Benzene	benzene-d6 (IS)	8.095	8.110	240,035	
Toluene-d8 (IS)		10.738	10.753	505,929	
Toluene	Toluene-d8 (IS)	10.839	10.846	1,093,705	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	182,516	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	409,065	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	139,540	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504748.d




+ Scan (10.695-10.824 min, 19 scans) E2504748.d

**Toluene**


+ EIC (91.1) Scan E2504748.d




+ Scan (10.781-10.917 min, 20 scans) E2504748.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504748.d




+ Scan (12.993-13.095 min, 15 scans) E2504748.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504748.d




+ Scan (13.160-13.331 min, 24 scans) E2504748.d




o-Xylene

+ EIC (91.1) Scan E2504748.d




+ Scan (13.666-13.754 min, 13 scans) E2504748.d





Name GLBSP-4-S-20251015
Comment C56790
Data File E2504749.d
Acq. Date-Time 11/5/2025 5:24:01 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	484,573	
Benzene	benzene-d6 (IS)	8.095	8.110	186,625	
Toluene-d8 (IS)		10.739	10.753	494,108	
Toluene	Toluene-d8 (IS)	10.839	10.846	758,705	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	126,467	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	334,496	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	114,229	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504749.d




+ Scan (10.696-10.817 min, 18 scans) E2504749.d

**Toluene**


+ EIC (91.1) Scan E2504749.d




+ Scan (10.782-10.925 min, 21 scans) E2504749.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504749.d




+ Scan (12.990-13.081 min, 13 scans) E2504749.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504749.d




+ Scan (13.162-13.301 min, 19 scans) E2504749.d




o-Xylene

+ EIC (91.1) Scan E2504749.d




+ Scan (13.675-13.768 min, 12 scans) E2504749.d





Name GLBSP-5-S-20251015
Comment C43708
Data File E2504750.d
Acq. Date-Time 11/5/2025 5:49:29 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	482,657	
Benzene	benzene-d6 (IS)	8.095	8.110	234,653	
Toluene-d8 (IS)		10.738	10.753	498,829	
Toluene	Toluene-d8 (IS)	10.839	10.846	807,741	
Ethylbenzene	Toluene-d8 (IS)	13.030	13.038	154,152	
m-/p-Xylenes	Toluene-d8 (IS)	13.202	13.217	340,484	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	124,078	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504750.d




+ Scan (10.695-10.831 min, 20 scans) E2504750.d

**Toluene**


+ EIC (91.1) Scan E2504750.d




+ Scan (10.781-10.924 min, 21 scans) E2504750.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504750.d




+ Scan (12.987-13.109 min, 18 scans) E2504750.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504750.d




+ Scan (13.163-13.294 min, 18 scans) E2504750.d




o-Xylene

+ EIC (91.1) Scan E2504750.d




+ Scan (13.675-13.761 min, 12 scans) E2504750.d





Name GLBSP-5-D-20251015
Comment C43701
Data File E2504751.d
Acq. Date-Time 11/5/2025 6:15:06 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	487,358	
Benzene	benzene-d6 (IS)	8.095	8.110	204,926	
Toluene-d8 (IS)		10.739	10.753	500,698	
Toluene	Toluene-d8 (IS)	10.839	10.846	924,488	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	140,817	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	359,853	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	131,266	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504751.d




+ Scan (10.696-10.832 min, 20 scans) E2504751.d

**Toluene**


+ EIC (91.1) Scan E2504751.d




+ Scan (10.789-10.932 min, 21 scans) E2504751.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504751.d




+ Scan (12.981-13.073 min, 12 scans) E2504751.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504751.d




+ Scan (13.167-13.295 min, 18 scans) E2504751.d




o-Xylene

+ EIC (91.1) Scan E2504751.d




+ Scan (13.668-13.789 min, 17 scans) E2504751.d





Name GLBSP-6-S-20251015
Comment C59925
Data File E2504752.d
Acq. Date-Time 11/5/2025 6:41:33 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	490,053	
Benzene	benzene-d6 (IS)	8.095	8.110	182,445	
Toluene-d8 (IS)		10.738	10.753	497,881	
Toluene	Toluene-d8 (IS)	10.839	10.846	943,805	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	136,290	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	388,977	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	134,373	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504752.d




+ Scan (10.695-10.817 min, 18 scans) E2504752.d

**Toluene**


+ EIC (91.1) Scan E2504752.d




+ Scan (10.781-10.918 min, 20 scans) E2504752.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504752.d




+ Scan (12.988-13.094 min, 14 scans) E2504752.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504752.d




+ Scan (13.168-13.310 min, 20 scans) E2504752.d




o-Xylene

+ EIC (91.1) Scan E2504752.d




+ Scan (13.668-13.768 min, 15 scans) E2504752.d





Name GLBSP-7-S-20251015
Comment C55413
Data File E2504753.d
Acq. Date-Time 11/5/2025 7:07:03 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	493,246	
Benzene	benzene-d6 (IS)	8.095	8.110	238,134	
Toluene-d8 (IS)		10.738	10.753	506,943	
Toluene	Toluene-d8 (IS)	10.839	10.846	1,034,461	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	163,047	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	456,865	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	158,358	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504753.d




+ Scan (10.695-10.810 min, 17 scans) E2504753.d

**Toluene**


+ EIC (91.1) Scan E2504753.d




+ Scan (10.789-10.932 min, 21 scans) E2504753.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504753.d




+ Scan (12.989-13.074 min, 12 scans) E2504753.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504753.d




+ Scan (13.160-13.339 min, 25 scans) E2504753.d




o-Xylene

+ EIC (91.1) Scan E2504753.d




+ Scan (13.663-13.783 min, 17 scans) E2504753.d





Name GLBSP-8-S-20251015
Comment C68627
Data File E2504754.d
Acq. Date-Time 11/5/2025 7:32:37 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	499,851	
Benzene	benzene-d6 (IS)	8.095	8.110	219,493	
Toluene-d8 (IS)		10.738	10.753	512,900	
Toluene	Toluene-d8 (IS)	10.839	10.846	990,343	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	146,464	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	424,249	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	149,236	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504754.d




+ Scan (10.695-10.810 min, 17 scans) E2504754.d

**Toluene**


+ EIC (91.1) Scan E2504754.d




+ Scan (10.781-10.932 min, 22 scans) E2504754.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504754.d




+ Scan (12.988-13.079 min, 13 scans) E2504754.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504754.d




+ Scan (13.168-13.329 min, 22 scans) E2504754.d




o-Xylene

+ EIC (91.1) Scan E2504754.d




+ Scan (13.670-13.747 min, 11 scans) E2504754.d





Name GLBSP-9-S-20251015
Comment C40185
Data File E2504755.d
Acq. Date-Time 11/5/2025 7:58:03 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	494,339	
Benzene	benzene-d6 (IS)	8.095	8.110	168,531	
Toluene-d8 (IS)		10.739	10.753	505,323	
Toluene	Toluene-d8 (IS)	10.839	10.846	639,211	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	125,389	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	253,969	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	96,255	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504755.d




+ Scan (10.696-10.817 min, 18 scans) E2504755.d

**Toluene**


+ EIC (91.1) Scan E2504755.d




+ Scan (10.782-10.925 min, 21 scans) E2504755.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504755.d




+ Scan (12.982-13.081 min, 13 scans) E2504755.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504755.d




+ Scan (13.162-13.296 min, 19 scans) E2504755.d




o-Xylene

+ EIC (91.1) Scan E2504755.d




+ Scan (13.672-13.783 min, 15 scans) E2504755.d





Name GLBSP-10-S-20251015
Comment C43215
Data File E2504757.d
Acq. Date-Time 11/5/2025 8:49:06 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	491,654	
Benzene	benzene-d6 (IS)	8.095	8.110	252,710	
Toluene-d8 (IS)		10.739	10.753	501,538	
Toluene	Toluene-d8 (IS)	10.839	10.846	1,071,072	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	190,617	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	380,374	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	133,473	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504757.d




+ Scan (10.696-10.810 min, 17 scans) E2504757.d

**Toluene**


+ EIC (91.1) Scan E2504757.d




+ Scan (10.782-10.925 min, 21 scans) E2504757.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504757.d




+ Scan (12.988-13.088 min, 14 scans) E2504757.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504757.d




+ Scan (13.164-13.294 min, 18 scans) E2504757.d




o-Xylene

+ EIC (91.1) Scan E2504757.d




+ Scan (13.654-13.788 min, 19 scans) E2504757.d





Name GLBSP-11-S-20251015
Comment C37420
Data File E2504758.d
Acq. Date-Time 11/5/2025 9:14:34 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	499,037	
Benzene	benzene-d6 (IS)	8.095	8.110	251,500	
Toluene-d8 (IS)		10.738	10.753	509,221	
Toluene	Toluene-d8 (IS)	10.839	10.846	1,170,006	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	189,608	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	431,816	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	152,507	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504758.d




+ Scan (10.695-10.824 min, 19 scans) E2504758.d

**Toluene**


+ EIC (91.1) Scan E2504758.d




+ Scan (10.781-10.932 min, 22 scans) E2504758.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504758.d




+ Scan (12.992-13.078 min, 12 scans) E2504758.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504758.d




+ Scan (13.164-13.310 min, 20 scans) E2504758.d




o-Xylene

+ EIC (91.1) Scan E2504758.d




+ Scan (13.669-13.768 min, 14 scans) E2504758.d





Name GLBSP-12-S-20251015
Comment C43677
Data File E2504759.d
Acq. Date-Time 11/5/2025 9:40:04 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	506,470	
Benzene	benzene-d6 (IS)	8.095	8.110	261,207	
Toluene-d8 (IS)		10.739	10.753	522,483	
Toluene	Toluene-d8 (IS)	10.839	10.846	1,138,982	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	180,268	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	470,115	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	168,593	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504759.d




+ Scan (10.696-10.817 min, 18 scans) E2504759.d

**Toluene**


+ EIC (91.1) Scan E2504759.d




+ Scan (10.782-10.918 min, 20 scans) E2504759.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504759.d




+ Scan (12.988-13.088 min, 14 scans) E2504759.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504759.d




+ Scan (13.161-13.317 min, 22 scans) E2504759.d




o-Xylene

+ EIC (91.1) Scan E2504759.d




+ Scan (13.669-13.775 min, 14 scans) E2504759.d





Name GLBSP-13-S-20251015
Comment C59942
Data File E2504760.d
Acq. Date-Time 11/5/2025 10:05:41 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	511,174	
Benzene	benzene-d6 (IS)	8.095	8.110	172,011	
Toluene-d8 (IS)		10.739	10.753	531,288	
Toluene	Toluene-d8 (IS)	10.839	10.846	705,952	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	132,768	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	374,013	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	129,244	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504760.d




+ Scan (10.696-10.810 min, 17 scans) E2504760.d

**Toluene**


+ EIC (91.1) Scan E2504760.d




+ Scan (10.784-10.910 min, 18 scans) E2504760.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504760.d




+ Scan (12.984-13.074 min, 13 scans) E2504760.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504760.d




+ Scan (13.162-13.310 min, 21 scans) E2504760.d




o-Xylene

+ EIC (91.1) Scan E2504760.d




+ Scan (13.669-13.775 min, 14 scans) E2504760.d





Name GLBSP-14-S-20251015
Comment C53650
Data File E2504761.d
Acq. Date-Time 11/5/2025 10:31:08 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	522,271	
Benzene	benzene-d6 (IS)	8.095	8.110	212,362	
Toluene-d8 (IS)		10.739	10.753	530,944	
Toluene	Toluene-d8 (IS)	10.839	10.846	840,677	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	201,193	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	390,928	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	152,026	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504761.d




+ Scan (10.696-10.824 min, 19 scans) E2504761.d

**Toluene**


+ EIC (91.1) Scan E2504761.d




+ Scan (10.789-10.932 min, 21 scans) E2504761.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504761.d




+ Scan (12.982-13.117 min, 19 scans) E2504761.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504761.d




+ Scan (13.164-13.308 min, 20 scans) E2504761.d




o-Xylene

+ EIC (91.1) Scan E2504761.d




+ Scan (13.670-13.754 min, 12 scans) E2504761.d





Name GLBSP-14-D-20251015
Comment C20499
Data File E2504762.d
Acq. Date-Time 11/5/2025 10:57:35 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	510,721	
Benzene	benzene-d6 (IS)	8.095	8.110	222,138	
Toluene-d8 (IS)		10.738	10.753	524,499	
Toluene	Toluene-d8 (IS)	10.839	10.846	758,370	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	158,961	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	338,366	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	124,516	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504762.d




+ Scan (10.695-10.810 min, 17 scans) E2504762.d

**Toluene**


+ EIC (91.1) Scan E2504762.d




+ Scan (10.784-10.925 min, 20 scans) E2504762.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504762.d




+ Scan (12.985-13.087 min, 14 scans) E2504762.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504762.d




+ Scan (13.161-13.324 min, 23 scans) E2504762.d




o-Xylene

+ EIC (91.1) Scan E2504762.d




+ Scan (13.671-13.779 min, 15 scans) E2504762.d





Name GLBSP-14-B-20251015
Comment C69619
Data File E2504763.d
Acq. Date-Time 11/5/2025 11:23:04 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	526,586	
Benzene	benzene-d6 (IS)	8.095	8.110	8,963	
Toluene-d8 (IS)		10.738	10.753	536,813	
Toluene	Toluene-d8 (IS)	10.839	10.846	4,802	
Ethylbenzene	Toluene-d8 (IS)	13.023	13.038	189	
m-/p-Xylenes	Toluene-d8 (IS)	13.231	13.217	1,229	
o-Xylene	Toluene-d8 (IS)	13.711	13.718	474	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504763.d




+ Scan (10.695-10.824 min, 19 scans) E2504763.d

**Toluene**


+ EIC (91.1) Scan E2504763.d




+ Scan (10.810-10.866 min, 8 scans) E2504763.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504763.d




+ Scan (13.017-13.038 min, 3 scans) E2504763.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504763.d




+ Scan (13.181-13.243 min, 9 scans) E2504763.d




o-Xylene

+ EIC (91.1) Scan E2504763.d




+ Scan (13.678-13.725 min, 6 scans) E2504763.d





Name GLBSP-15-S-20251015
Comment C61634
Data File E2504764.d
Acq. Date-Time 11/5/2025 11:48:39 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	516,479	
Benzene	benzene-d6 (IS)	8.095	8.110	206,280	
Toluene-d8 (IS)		10.739	10.753	533,013	
Toluene	Toluene-d8 (IS)	10.839	10.846	925,626	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	152,457	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	439,748	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	161,719	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504764.d




+ Scan (10.696-10.825 min, 19 scans) E2504764.d

**Toluene**


+ EIC (91.1) Scan E2504764.d




+ Scan (10.782-10.932 min, 22 scans) E2504764.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504764.d




+ Scan (12.987-13.086 min, 14 scans) E2504764.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504764.d




+ Scan (13.160-13.296 min, 18 scans) E2504764.d




o-Xylene

+ EIC (91.1) Scan E2504764.d




+ Scan (13.668-13.761 min, 13 scans) E2504764.d





Name GLBSP-16-S-20251015
Comment C55465
Data File E2504765.d
Acq. Date-Time 11/6/2025 12:14:24 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	505,175	
Benzene	benzene-d6 (IS)	8.095	8.110	145,534	
Toluene-d8 (IS)		10.738	10.753	524,342	
Toluene	Toluene-d8 (IS)	10.839	10.846	701,044	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	111,669	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	330,471	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	121,244	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504765.d




+ Scan (10.695-10.832 min, 20 scans) E2504765.d

**Toluene**


+ EIC (91.1) Scan E2504765.d




+ Scan (10.781-10.925 min, 21 scans) E2504765.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504765.d




+ Scan (12.990-13.066 min, 10 scans) E2504765.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504765.d




+ Scan (13.163-13.301 min, 19 scans) E2504765.d




o-Xylene

+ EIC (91.1) Scan E2504765.d




+ Scan (13.661-13.747 min, 13 scans) E2504765.d





Name GLBSP-17-S-20251015
Comment C57746
Data File E2504766.d
Acq. Date-Time 11/6/2025 12:39:59 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	500,164	
Benzene	benzene-d6 (IS)	8.095	8.110	169,867	
Toluene-d8 (IS)		10.739	10.753	514,150	
Toluene	Toluene-d8 (IS)	10.839	10.846	680,314	
Ethylbenzene	Toluene-d8 (IS)	13.031	13.038	121,536	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	344,471	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	127,871	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2504766.d




+ Scan (10.696-10.817 min, 18 scans) E2504766.d

**Toluene**


+ EIC (91.1) Scan E2504766.d




+ Scan (10.789-10.918 min, 18 scans) E2504766.d

**Ethylbenzene**


+ EIC (91.1) Scan E2504766.d




+ Scan (12.988-13.074 min, 12 scans) E2504766.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2504766.d




+ Scan (13.162-13.309 min, 20 scans) E2504766.d




o-Xylene

+ EIC (91.1) Scan E2504766.d



+ Scan (13.661-13.761 min, 15 scans) E2504766.d



Initial Calibration

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB403-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679_QT_CC185154	Benzene	1	E2500043.d	4.94	48593	54.2	531168	1.004	0.14
E050525A_CC252679_QT_CC185154	Benzene	2	E2500044.d	10.06	88289	54.2	525272	0.905	0.032
E050525A_CC252679_QT_CC185154	Benzene	3	E2500045.d	20.12	167722	54.2	519365	0.869	-0.0086
E050525A_CC252679_QT_CC185154	Benzene	4	E2500046.d	40.25	314317	54.2	495891	0.853	-0.027
E050525A_CC252679_QT_CC185154	Benzene	5	E2500047.d	100.62	771973	54.2	516636	0.804	-0.083
E050525A_CC252679_QT_CC185154	Benzene	6	E2500048.d	201.24	1566630	54.2	517234	0.815	-0.07
E050525A_CC252679_QT_CC185154	Benzene	7	E2500049.d	603.73	5084416	54.2	514456	0.887	0.011
E050525A_CC252679_QT_CC185154	Benzene	QT		120.51		54.2			
						Avg:	517146	0.877	
						%RSD:	2.1%	7.6%	
E050525A_CC252679_QT_CC185154	Toluene	1	E2500043.d	5.34	57611	63.2	569179	1.198	0.21
E050525A_CC252679_QT_CC185154	Toluene	2	E2500044.d	10.88	96506	63.2	555358	1.009	0.02
E050525A_CC252679_QT_CC185154	Toluene	3	E2500045.d	21.76	183454	63.2	550972	0.967	-0.023
E050525A_CC252679_QT_CC185154	Toluene	4	E2500046.d	43.52	328667	63.2	514484	0.927	-0.063
E050525A_CC252679_QT_CC185154	Toluene	5	E2500047.d	108.80	817722	63.2	541924	0.876	-0.11
E050525A_CC252679_QT_CC185154	Toluene	6	E2500048.d	217.60	1753197	63.2	536168	0.949	-0.04
E050525A_CC252679_QT_CC185154	Toluene	7	E2500049.d	652.80	5564266	63.2	538797	0.999	0.01
E050525A_CC252679_QT_CC185154	Toluene	QT		105.84		63.2			
						Avg:	543840	0.989	
						%RSD:	3.2%	10.3%	
E050525A_CC252679_QT_CC185154	Ethylbenzene	1	E2500043.d	5.13	60169	63.2	569179	1.301	0.089
E050525A_CC252679_QT_CC185154	Ethylbenzene	2	E2500044.d	10.46	105835	63.2	555358	1.151	-0.037
E050525A_CC252679_QT_CC185154	Ethylbenzene	3	E2500045.d	20.92	208215	63.2	550972	1.141	-0.045
E050525A_CC252679_QT_CC185154	Ethylbenzene	4	E2500046.d	41.83	392499	63.2	514484	1.152	-0.036
E050525A_CC252679_QT_CC185154	Ethylbenzene	5	E2500047.d	104.58	995735	63.2	541924	1.110	-0.071
E050525A_CC252679_QT_CC185154	Ethylbenzene	6	E2500048.d	209.16	2327735	63.2	536168	1.311	0.097
E050525A_CC252679_QT_CC185154	Ethylbenzene	7	E2500049.d	627.49	6406466	63.2	538797	1.197	0.0018
E050525A_CC252679_QT_CC185154	Ethylbenzene	QT		110.01		63.2			
						Avg:	543840	1.195	
						%RSD:	3.2%	6.7%	

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB403-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	1	E2500043.d	4.85	58394	63.2	569179	1.337	0.29
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	2	E2500044.d	9.88	88399	63.2	555358	1.018	-0.019
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	3	E2500045.d	19.75	172744	63.2	550972	1.003	-0.034
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	4	E2500046.d	39.51	305031	63.2	514484	0.948	-0.086
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	5	E2500047.d	98.77	730099	63.2	541924	0.862	-0.17
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	6	E2500048.d	197.54	1739458	63.2	536168	1.037	-4.1E-05
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	7	E2500049.d	592.63	5345328	63.2	538797	1.057	0.019
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	QT		123.29		63.2			
						Avg:	543840	1.037	
						%RSD:	3.2%	14.2%	
E050525A_CC252679_QT_CC185154	o-Xylene	1	E2500043.d	5.05	50277	63.2	569179	1.104	0.16
E050525A_CC252679_QT_CC185154	o-Xylene	2	E2500044.d	10.30	81187	63.2	555358	0.896	-0.056
E050525A_CC252679_QT_CC185154	o-Xylene	3	E2500045.d	20.60	161444	63.2	550972	0.898	-0.054
E050525A_CC252679_QT_CC185154	o-Xylene	4	E2500046.d	41.21	299918	63.2	514484	0.894	-0.059
E050525A_CC252679_QT_CC185154	o-Xylene	5	E2500047.d	103.02	797704	63.2	541924	0.903	-0.05
E050525A_CC252679_QT_CC185154	o-Xylene	6	E2500048.d	206.03	1692581	63.2	536168	0.968	0.019
E050525A_CC252679_QT_CC185154	o-Xylene	7	E2500049.d	618.10	5206672	63.2	538797	0.988	0.04
E050525A_CC252679_QT_CC185154	o-Xylene	QT		114.65		63.2			
						Avg:	543840	0.950	
						%RSD:	3.2%	8.2%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679_QT_CC185154	Benzene	ICV	E2500050.d	64.90	531194	54.2	505187	0.878	0.1%
E050525A_CC252679_QT_CC185154	Toluene	ICV	E2500050.d	77.40	626119	63.2	533535	0.958	-3.2%
E050525A_CC252679_QT_CC185154	Ethylbenzene	ICV	E2500050.d	87.14	736386	63.2	533535	1.001	-16.0%
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	ICV	E2500050.d	90.70	588321	63.2	533535	0.768	-26.0%
E050525A_CC252679_QT_CC185154	o-Xylene	ICV	E2500050.d	89.27	625693	63.2	533535	0.830	-13.0%

M325B PDF Report ver.20250917

Sample Custody



EPA Method 325 A/B
Field Test Data Sheet and
Chain of Custody Record

Page # 1 of # 1

- ☐ Standard Turn Around Time (10 business days)
- ☐ Rush Turn Around Time
- All TATs Subject to Approval by Enthalpy Analytical, Inc.
- Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name: <u>Global Partners</u>				Client Name: <u>Montrose Avn</u>				PO#:	
Site Address: <u>1 Clark Road</u>				Project Number: <u>#031333</u>				Sample Event #	
City: <u>South Portland</u>				Project Manager: <u>Hary Brochu</u>				Sorbent:	
State: <u>Maine</u>				Email Address: <u>harybrochu@montrose-env.com</u>					
Zip: <u>04106</u>				Telephone #: <u>207.441.0025</u>					
Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C 70907	S	10/15/25	930	10/29/25	915	HPB		
2	C 70200	S		940		925			
3	C 40633	S		950		935			
4	C 56790	S		1000		945			
5	C 43708	S		1010		955			
5	C 43701	D		1010		955			
5	C 70191	B		1010		955			
6	C 59925	S		1020		1010			
7	C 55413	S		1030		1020			
8	C 68627	S		1040		1030			
9	C 40185	S		1050		1040			
10	C 43215	S		1100		1050			
11	C 37420	S		1110		1100			
12	C 43677	S		1120		1110			
13	C 59942	S		1130		1120			
14	C 53650	S		1140		1130			
14	C 20499	D		1140		1130			
14	C 69619	B		1140		1130			
15	C 61634	S		1150		1140			
16	C 55465	S		1200		1150			
17	C 57746	S	10/15/25	1210	10/29/25	1200	HPB		
Relinquished By (printed): <u>Hary Brochu</u>			Relinquished By (signature): <u>[Signature]</u>			Relinquished Date: <u>10/29/2025</u>		Relinquished Time: <u>1725</u>	
Received By (printed): <u>Kaitlyn Caminiti</u>			Received By (signature): <u>[Signature]</u>			Receipt Date: <u>11/5/25</u>		Receipt Time: <u>11:00AM</u>	
Sample Condition Upon Receipt: <u>Good</u>			Compound List:			Custody Seal intact? Y/N: <u>Y</u>		Delivery tracking #	
Ambient Temp: <u>18.1</u> Blank Temp: <u>Fluke 4</u>						Add Custody Seal # below: <u>24H11872</u>			
Comments:									

**This Is The Last Page
Of This Report.**

Global - South Portland

1 Clark Rd.
South Portland, ME 04106

Sampling Event 34 Global - South Portland

Client Project# PROJ-031333
Samples Received: 11/17/2025

Analytical Report 2025GB404

EPA Method 325B Analysis

Report Issue Date: 11/26/2025

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:


QA Review by Isabel Obando Marrero, Data Reviewer



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	12
Chromatograms	15
Initial Calibration	82
Sample Custody	85
Chain of Custody	86

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GB404-1
Client ID.	PROJ-031333 Site: Global - South Portland

1. Custody

The samples were received at Enthalpy Analytical on November 17, 2025 at 19.5 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
GLBSP-1-S-20251029	C40124	Sample
GLBSP-2-S-20251029	C01699	Sample
GLBSP-3-S-20251029	C70573	Sample
GLBSP-4-S-20251029	B14648	Sample
GLBSP-5-S-20251029	B48573	Sample
GLBSP-5-D-20251029	B48054	Duplicate
GLBSP-5-B-20251029	B15749	Blank
GLBSP-6-S-20251029	C68610	Sample
GLBSP-7-S-20251029	C68623	Sample
GLBSP-8-S-20251029	C17182	Sample
GLBSP-9-S-20251029	C40153	Sample
GLBSP-10-S-20251029	C43638	Sample
GLBSP-11-S-20251029	C43324	Sample
GLBSP-12-S-20251029	C68595	Sample
GLBSP-13-S-20251029	C24261	Sample
GLBSP-14-S-20251029	B18733	Sample
GLBSP-14-D-20251029	C33257	Duplicate
GLBSP-14-B-20251029	C35870	Blank
GLBSP-15-S-20251029	C53574	Sample
GLBSP-16-S-20251029	C43211	Sample
GLBSP-17-S-20251029	C57734	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GB404-1
Client ID.	PROJ-031333 Site: Global - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (M082025A_CC185154) met all 30% RSD criteria. The initial calibration verification met $\pm 30\%$ recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

5. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

Toluene was detected in field blank GLBSP-14-B-20251029 (Tube ID C35870) at a concentration greater than one-third of the concentration of one or more samples, all of which have been flagged "B." The source of the low-level contamination is not known but could be the result of artifacts on the tube, media/sample handling, analytical bias, or a combination thereof.

The primary sample GLBSP-5-S-20251029 (Tube ID B48573) and its corresponding duplicate GLBSP-5-D-20251029 (tube ID B48054) failed to meet the 30% difference criterion for Benzene and Toluene as specified by the method. All samples in the data set have been flagged "P" for Benzene and Toluene to denote this failure.

6. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in $\mu\text{g}/\text{m}^3$ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB404-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20251029	C40124	1.17	P	4.02	P	1.28		3.71		1.51	
GLBSP-2-S-20251029	C01699	1.28	P	2.97	B,P	0.692		1.49		0.583	J
GLBSP-3-S-20251029	C70573	1.43	P	3.93	P	0.905		2.85		1.25	
GLBSP-4-S-20251029	B14648	1.23	P	4.14	P	1.20		3.17		1.42	
GLBSP-5-S-20251029	B48573	1.13	P	3.45	P	1.01		2.91		1.29	
GLBSP-5-D-20251029	B48054	1.75	P	8.14	P	1.12		2.64		1.07	
GLBSP-5-B-20251029	B15749	0.430	J,P	0.513	P	0.278	ND	0.278	ND	0.278	ND
GLBSP-6-S-20251029	C68610	1.06	P	3.34	B,P	0.763		2.59		1.14	
GLBSP-7-S-20251029	C68623	1.23	P	3.24	B,P	0.774		2.39		0.909	
GLBSP-8-S-20251029	C17182	1.24	P	3.20	B,P	0.895		2.58		1.14	
GLBSP-9-S-20251029	C40153	1.15	P	3.43	B,P	1.21		2.60		1.05	
GLBSP-10-S-20251029	C43638	0.969	P	3.08	B,P	0.919		2.21		0.961	
GLBSP-11-S-20251029	C43324	0.896	P	3.12	B,P	0.967		3.26		1.38	
GLBSP-12-S-20251029	C68595	1.28	P	14.7	P	1.05		3.12		1.19	
GLBSP-13-S-20251029	C24261	1.17	P	4.01	P	1.18		3.47		1.49	
GLBSP-14-S-20251029	B18733	1.26	P	4.34	P	1.38		3.44		1.39	
GLBSP-14-D-20251029	C33257	1.20	P	4.26	P	1.57		3.67		1.52	
GLBSP-14-B-20251029	C35870	0.465	P	1.15	P	0.318	J	0.595	J	0.278	ND
GLBSP-15-S-20251029	C53574	0.899	P	3.32	B,P	1.08		3.20		1.34	
GLBSP-16-S-20251029	C43211	1.02	P	3.18	B,P	0.985		2.46		0.951	
GLBSP-17-S-20251029	C57734	0.940	P	4.43	P	0.857		2.86		1.17	

B: Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte
J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
P: Field duplicate(s) exceed 30%RPD

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB404-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251029	C40124	1.17	0.368	15.4	44.3	0.649	20195	0.191	0.452	0.0597	0.141	P	M2505043.d	2025-11-24 18:14	0.874	8.174	133224	546788	55.2	8.117	-1.8%
GLBSP-2-S-20251029	C01699	1.28	0.400	16.7	44.3	0.649	20195	0.191	0.452	0.0597	0.141	P	M2505044.d	2025-11-24 18:40	0.874	8.174	144513	545907	55.2	8.116	-2.0%
GLBSP-3-S-20251029	C70573	1.43	0.447	18.7	44.3	0.649	20195	0.191	0.452	0.0597	0.141	P	M2505045.d	2025-11-24 19:07	0.874	8.181	157265	530879	55.2	8.117	-4.7%
GLBSP-4-S-20251029	B14648	1.23	0.384	16.1	44.3	0.649	20195	0.191	0.452	0.0597	0.141	P	M2505046.d	2025-11-24 19:34	0.874	8.174	141361	556055	55.2	8.117	-0.1%
GLBSP-5-S-20251029	B48573	1.13	0.353	14.8	44.3	0.649	20195	0.191	0.452	0.0597	0.141	P	M2505047.d	2025-11-24 20:01	0.874	8.181	130778	559828	55.2	8.117	0.5%
GLBSP-5-D-20251029	B48054	1.75	0.549	23.0	44.3	0.649	20195	0.191	0.452	0.0597	0.141	P	M2505048.d	2025-11-24 20:27	0.874	8.181	204056	560937	55.2	8.117	0.7%
GLBSP-5-B-20251029	B15749	0.430	0.135	5.64	44.3	0.649	20195	0.191	0.452	0.0597	0.141	J,P	M2505042.d	2025-11-24 17:48	0.874	8.181	48554	544420	55.2	8.117	-2.2%
GLBSP-6-S-20251029	C68610	1.06	0.332	13.9	44.3	0.649	20190	0.191	0.452	0.0597	0.142	P	M2505049.d	2025-11-24 20:55	0.874	8.174	123746	563058	55.2	8.117	1.1%
GLBSP-7-S-20251029	C68623	1.23	0.387	16.2	44.3	0.649	20190	0.191	0.452	0.0597	0.142	P	M2505050.d	2025-11-24 21:21	0.874	8.174	145943	569627	55.2	8.117	2.3%
GLBSP-8-S-20251029	C17182	1.24	0.387	16.2	44.3	0.649	20190	0.191	0.452	0.0597	0.142	P	M2505051.d	2025-11-24 21:48	0.874	8.181	143322	559251	55.2	8.117	0.4%
GLBSP-9-S-20251029	C40153	1.15	0.361	15.1	44.3	0.649	20190	0.191	0.452	0.0597	0.142	P	M2505053.d	2025-11-24 22:42	0.874	8.181	135770	567291	55.2	8.117	1.9%
GLBSP-10-S-20251029	C43638	0.969	0.303	12.7	44.3	0.649	20190	0.191	0.452	0.0597	0.142	P	M2505054.d	2025-11-24 23:09	0.874	8.174	112368	559113	55.2	8.117	0.4%
GLBSP-11-S-20251029	C43324	0.896	0.281	11.7	44.3	0.649	20190	0.191	0.452	0.0597	0.142	P	M2505055.d	2025-11-24 23:36	0.874	8.181	104042	559685	55.2	8.117	0.5%
GLBSP-12-S-20251029	C68595	1.28	0.400	16.7	44.2	0.649	20190	0.191	0.452	0.0597	0.142	P	M2505056.d	2025-11-25 00:02	0.874	8.181	148592	561343	55.2	8.117	0.8%
GLBSP-13-S-20251029	C24261	1.17	0.365	15.3	44.2	0.649	20190	0.191	0.452	0.0597	0.142	P	M2505057.d	2025-11-25 00:29	0.874	8.181	136465	563837	55.2	8.117	1.3%
GLBSP-14-S-20251029	B18733	1.26	0.394	16.5	44.2	0.649	20190	0.191	0.452	0.0597	0.142	P	M2505058.d	2025-11-25 00:56	0.874	8.181	144936	555671	55.2	8.124	-0.2%
GLBSP-14-D-20251029	C33257	1.20	0.375	15.7	44.2	0.649	20190	0.191	0.452	0.0597	0.142	P	M2505059.d	2025-11-25 01:23	0.874	8.174	138615	558137	55.2	8.124	0.2%
GLBSP-14-B-20251029	C35870	0.465	0.146	6.09	44.2	0.649	20190	0.191	0.452	0.0597	0.142	P	M2505041.d	2025-11-24 17:21	0.874	8.174	52606	545785	55.2	8.117	-2.0%
GLBSP-15-S-20251029	C53574	0.899	0.282	11.8	44.2	0.649	20190	0.191	0.452	0.0597	0.142	P	M2505060.d	2025-11-25 01:50	0.874	8.174	103841	556656	55.2	8.124	0.0%
GLBSP-16-S-20251029	C43211	1.02	0.319	13.4	44.2	0.649	20190	0.191	0.452	0.0597	0.142	P	M2505061.d	2025-11-25 02:16	0.874	8.181	117055	553451	55.2	8.117	-0.6%
GLBSP-17-S-20251029	C57734	0.940	0.294	12.3	44.2	0.649	20190	0.191	0.452	0.0597	0.142	P	M2505062.d	2025-11-25 02:43	0.874	8.181	109566	561873	55.2	8.124	0.9%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251029	C40124	4.02	1.07	40.9	44.3	0.504	20195	0.246	0.511	0.0652	0.136	P	M2505043.d	2025-11-24 18:14	1.065	10.910	361853	540650	65.2	10.817	-2.2%
GLBSP-2-S-20251029	C01699	2.97	0.787	30.2	44.3	0.504	20195	0.246	0.511	0.0652	0.136	B,P	M2505044.d	2025-11-24 18:40	1.065	10.910	265470	538218	65.2	10.817	-2.6%
GLBSP-3-S-20251029	C70573	3.93	1.04	39.9	44.3	0.504	20195	0.246	0.511	0.0652	0.136	P	M2505045.d	2025-11-24 19:07	1.065	10.910	341467	522981	65.2	10.817	-5.4%
GLBSP-4-S-20251029	B14648	4.14	1.10	42.1	44.3	0.504	20195	0.246	0.511	0.0652	0.136	P	M2505046.d	2025-11-24 19:34	1.065	10.910	367117	532966	65.2	10.817	-3.6%
GLBSP-5-S-20251029	B48573	3.45	0.917	35.1	44.3	0.504	20195	0.246	0.511	0.0652	0.136	P	M2505047.d	2025-11-24 20:01	1.065	10.911	315053	548419	65.2	10.817	-0.8%
GLBSP-5-D-20251029	B48054	8.14	2.16	82.8	44.3	0.504	20195	0.246	0.511	0.0652	0.136	P	M2505048.d	2025-11-24 20:27	1.065	10.911	733451	541700	65.2	10.810	-2.0%
GLBSP-5-B-20251029	B15749	0.513	0.136	5.22	44.3	0.504	20195	0.246	0.511	0.0652	0.136	P	M2505042.d	2025-11-24 17:48	1.065	10.910	45818	537178	65.2	10.817	-2.8%
GLBSP-6-S-20251029	C68610	3.34	0.887	34.0	44.3	0.504	20190	0.246	0.511	0.0652	0.136	B,P	M2505049.d	2025-11-24 20:55	1.065	10.911	303464	545991	65.2	10.817	-1.2%
GLBSP-7-S-20251029	C68623	3.24	0.860	32.9	44.3	0.504	20190	0.246	0.511	0.0652	0.136	B,P	M2505050.d	2025-11-24 21:21	1.065	10.910	296063	549953	65.2	10.810	-0.5%
GLBSP-8-S-20251029	C17182	3.20	0.849	32.5	44.3	0.504	20190	0.246	0.511	0.0652	0.136	B,P	M2505051.d	2025-11-24 21:48	1.065	10.910	298339	560756	65.2	10.817	1.4%
GLBSP-9-S-20251029	C40153	3.43	0.910	34.9	44.3	0.504	20190	0.246	0.511	0.0652	0.136	B,P	M2505053.d	2025-11-24 22:42	1.065	10.910	311697	546665	65.2	10.817	-1.1%
GLBSP-10-S-20251029	C43638	3.08	0.819	31.4	44.3	0.504	20190	0.246	0.511	0.0653	0.136	B,P	M2505054.d	2025-11-24 23:09	1.065	10.910	276183	538713	65.2	10.817	-2.5%
GLBSP-11-S-20251029	C43324	3.12	0.829	31.8	44.3	0.504	20190	0.246	0.511	0.0653	0.136	B,P	M2505055.d	2025-11-24 23:36	1.065	10.910	283696	546174	65.2	10.817	-1.2%
GLBSP-12-S-20251029	C68595	14.7	3.90	150	44.2	0.504	20190	0.246	0.511	0.0653	0.136	P	M2505056.d	2025-11-25 00:02	1.065	10.911	1329496	543939	65.2	10.810	-1.6%
GLBSP-13-S-20251029	C24261	4.01	1.06	40.8	44.2	0.504	20190	0.246	0.511	0.0653	0.136	P	M2505057.d	2025-11-25 00:29	1.065	10.911	363274	544892	65.2	10.817	-1.4%
GLBSP-14-S-20251029	B18733	4.34	1.15	44.2	44.2	0.504	20190	0.246	0.511	0.0653	0.136	P	M2505058.d	2025-11-25 00:56	1.065	10.910	384360	532468	65.2	10.817	-3.7%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB404-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-14-D-20251029	C33257	4.26	1.13	43.3	44.2	0.504	20190	0.246	0.511	0.0653	0.136	P	M2505059.d	2025-11-25 01:23	1.065	10.910	383277	541072	65.2	10.817	-2.1%
GLBSP-14-B-20251029	C35870	1.15	0.305	11.7	44.2	0.504	20190	0.246	0.511	0.0653	0.136	P	M2505041.d	2025-11-24 17:21	1.065	10.910	102898	537877	65.2	10.817	-2.7%
GLBSP-15-S-20251029	C53574	3.32	0.881	33.7	44.2	0.504	20190	0.246	0.511	0.0653	0.136	B,P	M2505060.d	2025-11-25 01:50	1.065	10.910	297899	539988	65.2	10.817	-2.3%
GLBSP-16-S-20251029	C43211	3.18	0.846	32.4	44.2	0.504	20190	0.246	0.511	0.0653	0.136	B,P	M2505061.d	2025-11-25 02:16	1.065	10.911	283239	534810	65.2	10.810	-3.2%
GLBSP-17-S-20251029	C57734	4.43	1.18	45.1	44.2	0.504	20190	0.246	0.511	0.0653	0.136	P	M2505062.d	2025-11-25 02:43	1.065	10.911	405686	550709	65.2	10.817	-0.4%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251029	C40124	1.28	0.294	11.5	44.3	0.446	20195	0.278	0.601	0.0640	0.138		M2505043.d	2025-11-24 18:14	1.130	13.102	107580	540650	65.2	10.817	-2.2%
GLBSP-2-S-20251029	C01699	0.692	0.160	6.23	44.3	0.446	20195	0.278	0.601	0.0640	0.138		M2505044.d	2025-11-24 18:40	1.130	13.102	58136	538218	65.2	10.817	-2.6%
GLBSP-3-S-20251029	C70573	0.905	0.209	8.15	44.3	0.446	20195	0.278	0.601	0.0640	0.138		M2505045.d	2025-11-24 19:07	1.130	13.102	73851	522981	65.2	10.817	-5.4%
GLBSP-4-S-20251029	B14648	1.20	0.276	10.8	44.3	0.446	20195	0.278	0.601	0.0640	0.138		M2505046.d	2025-11-24 19:34	1.130	13.102	99664	532966	65.2	10.817	-3.6%
GLBSP-5-S-20251029	B48573	1.01	0.232	9.07	44.3	0.446	20195	0.278	0.601	0.0640	0.138		M2505047.d	2025-11-24 20:01	1.130	13.095	86191	548419	65.2	10.817	-0.8%
GLBSP-5-D-20251029	B48054	1.12	0.258	10.1	44.3	0.446	20195	0.278	0.601	0.0640	0.138		M2505048.d	2025-11-24 20:27	1.130	13.102	94811	541700	65.2	10.810	-2.0%
GLBSP-5-B-20251029	B15749	0.278	0.0640		44.3	0.446	20195	0.278	0.601	0.0640	0.138	ND	M2505042.d	2025-11-24 17:48	1.130	13.102	7914	537178	65.2	10.817	-2.8%
GLBSP-6-S-20251029	C68610	0.763	0.176	6.87	44.3	0.446	20190	0.278	0.601	0.0640	0.138		M2505049.d	2025-11-24 20:55	1.130	13.102	64989	545991	65.2	10.817	-1.2%
GLBSP-7-S-20251029	C68623	0.774	0.178	6.96	44.3	0.446	20190	0.278	0.601	0.0640	0.138		M2505050.d	2025-11-24 21:21	1.130	13.102	66377	549953	65.2	10.810	-0.5%
GLBSP-8-S-20251029	C17182	0.895	0.206	8.06	44.3	0.446	20190	0.278	0.601	0.0640	0.138		M2505051.d	2025-11-24 21:48	1.130	13.102	78321	560756	65.2	10.817	1.4%
GLBSP-9-S-20251029	C40153	1.21	0.279	10.9	44.3	0.446	20190	0.278	0.601	0.0640	0.138		M2505053.d	2025-11-24 22:42	1.130	13.102	103286	546665	65.2	10.817	-1.1%
GLBSP-10-S-20251029	C43638	0.919	0.212	8.27	44.3	0.446	20190	0.278	0.601	0.0640	0.138		M2505054.d	2025-11-24 23:09	1.130	13.095	77195	538713	65.2	10.817	-2.5%
GLBSP-11-S-20251029	C43324	0.967	0.223	8.71	44.3	0.446	20190	0.278	0.601	0.0640	0.138		M2505055.d	2025-11-24 23:36	1.130	13.102	82424	546174	65.2	10.817	-1.2%
GLBSP-12-S-20251029	C68595	1.05	0.243	9.47	44.2	0.446	20190	0.278	0.601	0.0640	0.138		M2505056.d	2025-11-25 00:02	1.130	13.102	89294	543939	65.2	10.810	-1.6%
GLBSP-13-S-20251029	C24261	1.18	0.272	10.6	44.2	0.446	20190	0.278	0.601	0.0640	0.138		M2505057.d	2025-11-25 00:29	1.130	13.102	100318	544892	65.2	10.817	-1.4%
GLBSP-14-S-20251029	B18733	1.38	0.318	12.4	44.2	0.446	20190	0.278	0.601	0.0640	0.138		M2505058.d	2025-11-25 00:56	1.130	13.102	114773	532468	65.2	10.817	-3.7%
GLBSP-14-D-20251029	C33257	1.57	0.362	14.1	44.2	0.446	20190	0.278	0.601	0.0640	0.138		M2505059.d	2025-11-25 01:23	1.130	13.102	132688	541072	65.2	10.817	-2.1%
GLBSP-14-B-20251029	C35870	0.318	0.0732	2.86	44.2	0.446	20190	0.278	0.601	0.0640	0.138	J	M2505041.d	2025-11-24 17:21	1.130	13.102	26669	537877	65.2	10.817	-2.7%
GLBSP-15-S-20251029	C53574	1.08	0.248	9.69	44.2	0.446	20190	0.278	0.601	0.0640	0.138		M2505060.d	2025-11-25 01:50	1.130	13.102	90712	539988	65.2	10.817	-2.3%
GLBSP-16-S-20251029	C43211	0.985	0.227	8.87	44.2	0.446	20190	0.278	0.601	0.0640	0.138		M2505061.d	2025-11-25 02:16	1.130	13.102	82194	534810	65.2	10.810	-3.2%
GLBSP-17-S-20251029	C57734	0.857	0.198	7.71	44.2	0.446	20190	0.278	0.601	0.0640	0.138		M2505062.d	2025-11-25 02:43	1.130	13.102	73625	550709	65.2	10.817	-0.4%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251029	C40124	3.71	0.855	33.4	44.3	0.446	20195	0.278	0.673	0.0640	0.155		M2505043.d	2025-11-24 18:14	0.917	13.274	254051	540650	65.2	10.817	-2.2%
GLBSP-2-S-20251029	C01699	1.49	0.344	13.5	44.3	0.446	20195	0.278	0.673	0.0640	0.155		M2505044.d	2025-11-24 18:40	0.917	13.274	101882	538218	65.2	10.817	-2.6%
GLBSP-3-S-20251029	C70573	2.85	0.657	25.7	44.3	0.446	20195	0.278	0.673	0.0640	0.155		M2505045.d	2025-11-24 19:07	0.917	13.274	188967	522981	65.2	10.817	-5.4%
GLBSP-4-S-20251029	B14648	3.17	0.729	28.5	44.3	0.446	20195	0.278	0.673	0.0640	0.155		M2505046.d	2025-11-24 19:34	0.917	13.274	213701	532966	65.2	10.817	-3.6%
GLBSP-5-S-20251029	B48573	2.91	0.671	26.2	44.3	0.446	20195	0.278	0.673	0.0640	0.155		M2505047.d	2025-11-24 20:01	0.917	13.274	202218	548419	65.2	10.817	-0.8%
GLBSP-5-D-20251029	B48054	2.64	0.609	23.8	44.3	0.446	20195	0.278	0.673	0.0640	0.155		M2505048.d	2025-11-24 20:27	0.917	13.274	181464	541700	65.2	10.810	-2.0%
GLBSP-5-B-20251029	B15749	0.278	0.0640		44.3	0.446	20195	0.278	0.673	0.0640	0.155	ND	M2505042.d	2025-11-24 17:48	0.917	13.274	5768	537178	65.2	10.817	-2.8%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB404-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-6-S-20251029	C68610	2.59	0.596	23.3	44.3	0.446	20190	0.278	0.673	0.0640	0.155		M2505049.d	2025-11-24 20:55	0.917	13.274	178919	545991	65.2	10.817	-1.2%
GLBSP-7-S-20251029	C68623	2.39	0.551	21.5	44.3	0.446	20190	0.278	0.673	0.0640	0.155		M2505050.d	2025-11-24 21:21	0.917	13.274	166406	549953	65.2	10.810	-0.5%
GLBSP-8-S-20251029	C17182	2.58	0.595	23.2	44.3	0.446	20190	0.278	0.673	0.0640	0.155		M2505051.d	2025-11-24 21:48	0.917	13.274	183328	560756	65.2	10.817	1.4%
GLBSP-9-S-20251029	C40153	2.60	0.599	23.4	44.3	0.446	20190	0.278	0.673	0.0640	0.155		M2505053.d	2025-11-24 22:42	0.917	13.274	179910	546665	65.2	10.817	-1.1%
GLBSP-10-S-20251029	C43638	2.21	0.509	19.9	44.3	0.446	20190	0.278	0.673	0.0640	0.155		M2505054.d	2025-11-24 23:09	0.917	13.274	150799	538713	65.2	10.817	-2.5%
GLBSP-11-S-20251029	C43324	3.26	0.751	29.3	44.3	0.446	20190	0.278	0.673	0.0640	0.155		M2505055.d	2025-11-24 23:36	0.917	13.274	225392	546174	65.2	10.817	-1.2%
GLBSP-12-S-20251029	C68595	3.12	0.720	28.1	44.2	0.446	20190	0.278	0.673	0.0640	0.155		M2505056.d	2025-11-25 00:02	0.917	13.274	215191	543939	65.2	10.810	-1.6%
GLBSP-13-S-20251029	C24261	3.47	0.799	31.2	44.2	0.446	20190	0.278	0.673	0.0640	0.155		M2505057.d	2025-11-25 00:29	0.917	13.274	239329	544892	65.2	10.817	-1.4%
GLBSP-14-S-20251029	B18733	3.44	0.792	30.9	44.2	0.446	20190	0.278	0.673	0.0640	0.155		M2505058.d	2025-11-25 00:56	0.917	13.274	231750	532468	65.2	10.817	-3.7%
GLBSP-14-D-20251029	C33257	3.67	0.846	33.0	44.2	0.446	20190	0.278	0.673	0.0640	0.155		M2505059.d	2025-11-25 01:23	0.917	13.274	251473	541072	65.2	10.817	-2.1%
GLBSP-14-B-20251029	C35870	0.595	0.137	5.36	44.2	0.446	20190	0.278	0.673	0.0640	0.155	J	M2505041.d	2025-11-24 17:21	0.917	13.274	40531	537877	65.2	10.817	-2.7%
GLBSP-15-S-20251029	C53574	3.20	0.737	28.8	44.2	0.446	20190	0.278	0.673	0.0640	0.155		M2505060.d	2025-11-25 01:50	0.917	13.274	218595	539988	65.2	10.817	-2.3%
GLBSP-16-S-20251029	C43211	2.46	0.566	22.1	44.2	0.446	20190	0.278	0.673	0.0640	0.155		M2505061.d	2025-11-25 02:16	0.917	13.274	166410	534810	65.2	10.810	-3.2%
GLBSP-17-S-20251029	C57734	2.86	0.658	25.7	44.2	0.446	20190	0.278	0.673	0.0640	0.155		M2505062.d	2025-11-25 02:43	0.917	13.274	199132	550709	65.2	10.817	-0.4%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251029	C40124	1.51	0.348	13.6	44.3	0.446	20195	0.278	0.626	0.0640	0.144		M2505043.d	2025-11-24 18:14	0.889	13.776	100332	540650	65.2	10.817	-2.2%
GLBSP-2-S-20251029	C01699	0.583	0.134	5.25	44.3	0.446	20195	0.278	0.626	0.0640	0.144	J	M2505044.d	2025-11-24 18:40	0.889	13.775	38532	538218	65.2	10.817	-2.6%
GLBSP-3-S-20251029	C70573	1.25	0.288	11.3	44.3	0.446	20195	0.278	0.626	0.0640	0.144		M2505045.d	2025-11-24 19:07	0.889	13.776	80287	522981	65.2	10.817	-5.4%
GLBSP-4-S-20251029	B14648	1.42	0.326	12.8	44.3	0.446	20195	0.278	0.626	0.0640	0.144		M2505046.d	2025-11-24 19:34	0.889	13.775	92700	532966	65.2	10.817	-3.6%
GLBSP-5-S-20251029	B48573	1.29	0.297	11.6	44.3	0.446	20195	0.278	0.626	0.0640	0.144		M2505047.d	2025-11-24 20:01	0.889	13.776	86800	548419	65.2	10.817	-0.8%
GLBSP-5-D-20251029	B48054	1.07	0.246	9.60	44.3	0.446	20195	0.278	0.626	0.0640	0.144		M2505048.d	2025-11-24 20:27	0.889	13.776	70915	541700	65.2	10.810	-2.0%
GLBSP-5-B-20251029	B15749	0.278	0.0640		44.3	0.446	20195	0.278	0.626	0.0640	0.144	ND	M2505042.d	2025-11-24 17:48	0.889	13.776	3648	537178	65.2	10.817	-2.8%
GLBSP-6-S-20251029	C68610	1.14	0.263	10.3	44.3	0.446	20190	0.278	0.626	0.0640	0.144		M2505049.d	2025-11-24 20:55	0.889	13.776	76607	545991	65.2	10.817	-1.2%
GLBSP-7-S-20251029	C68623	0.909	0.209	8.18	44.3	0.446	20190	0.278	0.626	0.0640	0.144		M2505050.d	2025-11-24 21:21	0.889	13.776	61327	549953	65.2	10.810	-0.5%
GLBSP-8-S-20251029	C17182	1.14	0.263	10.3	44.3	0.446	20190	0.278	0.626	0.0640	0.144		M2505051.d	2025-11-24 21:48	0.889	13.776	78457	560756	65.2	10.817	1.4%
GLBSP-9-S-20251029	C40153	1.05	0.243	9.49	44.3	0.446	20190	0.278	0.626	0.0640	0.144		M2505053.d	2025-11-24 22:42	0.889	13.776	70778	546665	65.2	10.817	-1.1%
GLBSP-10-S-20251029	C43638	0.961	0.221	8.65	44.3	0.446	20190	0.278	0.626	0.0640	0.144		M2505054.d	2025-11-24 23:09	0.889	13.776	63529	538713	65.2	10.817	-2.5%
GLBSP-11-S-20251029	C43324	1.38	0.319	12.5	44.3	0.446	20190	0.278	0.626	0.0640	0.144		M2505055.d	2025-11-24 23:36	0.889	13.776	92778	546174	65.2	10.817	-1.2%
GLBSP-12-S-20251029	C68595	1.19	0.274	10.7	44.2	0.446	20190	0.278	0.626	0.0640	0.144		M2505056.d	2025-11-25 00:02	0.889	13.776	79327	543939	65.2	10.810	-1.6%
GLBSP-13-S-20251029	C24261	1.49	0.343	13.4	44.2	0.446	20190	0.278	0.626	0.0640	0.144		M2505057.d	2025-11-25 00:29	0.889	13.776	99629	544892	65.2	10.817	-1.4%
GLBSP-14-S-20251029	B18733	1.39	0.320	12.5	44.2	0.446	20190	0.278	0.626	0.0640	0.144		M2505058.d	2025-11-25 00:56	0.889	13.776	90699	532468	65.2	10.817	-3.7%
GLBSP-14-D-20251029	C33257	1.52	0.350	13.7	44.2	0.446	20190	0.278	0.626	0.0640	0.144		M2505059.d	2025-11-25 01:23	0.889	13.776	100862	541072	65.2	10.817	-2.1%
GLBSP-14-B-20251029	C35870	0.278	0.0640		44.2	0.446	20190	0.278	0.626	0.0640	0.144	ND	M2505041.d	2025-11-24 17:21	0.889	13.776	17005	537877	65.2	10.817	-2.7%
GLBSP-15-S-20251029	C53574	1.34	0.308	12.0	44.2	0.446	20190	0.278	0.626	0.0640	0.144		M2505060.d	2025-11-25 01:50	0.889	13.776	88500	539988	65.2	10.817	-2.3%
GLBSP-16-S-20251029	C43211	0.951	0.219	8.56	44.2	0.446	20190	0.278	0.626	0.0640	0.144		M2505061.d	2025-11-25 02:16	0.889	13.776	62418	534810	65.2	10.810	-3.2%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB404-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-17-S-20251029	C57734	1.17	0.269	10.5	44.2	0.446	20190	0.278	0.626	0.0640	0.144		M2505062.d	2025-11-25 02:43	0.889	13.776	78888	550709	65.2	10.817	-0.4%

B: Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte
J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
P: Field duplicate(s) exceed 30%RPD

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB404-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	GLBSP-5-B-20251029	0.430	Pass	0.513	Pass	ND	Pass	ND	Pass	ND	Pass
	GLBSP-14-B-20251029	0.465	Pass	1.15	Fail	0.318	Pass	0.595	Pass	ND	Pass
Duplicates (difference)	GLBSP-5-D-20251029	44%	Fail	81%	Fail	11%	Pass	9.6%	Pass	19%	Pass
	GLBSP-14-D-20251029	4.9%	Pass	1.9%	Pass	13%	Pass	6.6%	Pass	9.0%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB404-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2505039.d	C55501	Cal	0.874		0.874	-17%	0.76%		Pass	
2025GB404 Method Blank-1	M2505040.d	B20846	Blank			0.874			0.13%	Pass	J
M325B CCV 5 REC	M2505052.d	C71644	Check	0.918		0.874	-12%		-0.50%	Pass	
M325B CCV 5 REC	M2505063.d	B44209	Check	0.884		0.874	-16%		-0.83%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2505039.d	C55501	Cal	1.065		1.065	-18%	-3.7%		Pass	
2025GB404 Method Blank-1	M2505040.d	B20846	Blank			1.065			0.66%	Pass	J
M325B CCV 5 REC	M2505052.d	C71644	Check	1.067		1.065	-18%		-2.8%	Pass	
M325B CCV 5 REC	M2505063.d	B44209	Check	1.037		1.065	-20%		-1.2%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2505039.d	C55501	Cal	1.130		1.130	-13%	-3.7%		Pass	
2025GB404 Method Blank-1	M2505040.d	B20846	Blank			1.130			0.66%	Pass	ND
M325B CCV 5 REC	M2505052.d	C71644	Check	1.108		1.130	-15%		-2.8%	Pass	
M325B CCV 5 REC	M2505063.d	B44209	Check	1.086		1.130	-16%		-1.2%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2505039.d	C55501	Cal	0.917		0.917	2.7%	-3.7%		Pass	
2025GB404 Method Blank-1	M2505040.d	B20846	Blank			0.917			0.66%	Pass	ND
M325B CCV 5 REC	M2505052.d	C71644	Check	0.930		0.917	4.1%		-2.8%	Pass	
M325B CCV 5 REC	M2505063.d	B44209	Check	0.899		0.917	0.62%		-1.2%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2505039.d	C55501	Cal	0.889		0.889	-1.8%	-3.7%		Pass	
2025GB404 Method Blank-1	M2505040.d	B20846	Blank			0.889			0.66%	Pass	ND
M325B CCV 5 REC	M2505052.d	C71644	Check	0.868		0.889	-4.1%		-2.8%	Pass	
M325B CCV 5 REC	M2505063.d	B44209	Check	0.865		0.889	-4.5%		-1.2%	Pass	

Chromatograms



Name 2025GB404 Method Blank-1
Comment B20846; Recollect
Data File M2505040.d
Acq. Date-Time 11/24/2025 4:54:50 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	557,575	
Benzene	Benzene-d6 (IS)	8.174	8.181	27,583	
Toluene-d8 (IS)		10.817	10.817	556,429	
Toluene	Toluene-d8 (IS)	10.910	10.910	41,317	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	7,173	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	6,736	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	3,209	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505040.d




+ Scan (10.760-10.910 min, 22 scans) M2505040.d

**Toluene**


+ EIC (91.1) Scan M2505040.d




+ Scan (10.867-10.980 min, 16 scans) M2505040.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505040.d




+ Scan (13.063-13.162 min, 14 scans) M2505040.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505040.d




+ Scan (13.240-13.381 min, 19 scans) M2505040.d




o-Xylene

+ EIC (91.1) Scan M2505040.d




+ Scan (13.745-13.810 min, 9 scans) M2505040.d





Name GLBSP-14-B-20251029
Comment C35870; Recollect
Data File M2505041.d
Acq. Date-Time 11/24/2025 5:21:01 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	545,785	
Benzene	Benzene-d6 (IS)	8.174	8.181	52,606	
Toluene-d8 (IS)		10.817	10.817	537,877	
Toluene	Toluene-d8 (IS)	10.910	10.910	102,898	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	26,669	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	40,531	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	17,005	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505041.d




+ Scan (10.760-10.910 min, 22 scans) M2505041.d

**Toluene**


+ EIC (91.1) Scan M2505041.d




+ Scan (10.868-10.989 min, 17 scans) M2505041.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505041.d




+ Scan (13.062-13.150 min, 12 scans) M2505041.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505041.d




+ Scan (13.239-13.366 min, 17 scans) M2505041.d




o-Xylene

+ EIC (91.1) Scan M2505041.d




+ Scan (13.742-13.819 min, 11 scans) M2505041.d





Name GLBSP-5-B-20251029
Comment B15749; Recollect
Data File M2505042.d
Acq. Date-Time 11/24/2025 5:48:05 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	544,420	
Benzene	Benzene-d6 (IS)	8.181	8.181	48,554	
Toluene-d8 (IS)		10.817	10.817	537,178	
Toluene	Toluene-d8 (IS)	10.910	10.910	45,818	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	7,914	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	5,768	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	3,648	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505042.d




+ Scan (10.760-10.903 min, 21 scans) M2505042.d

**Toluene**


+ EIC (91.1) Scan M2505042.d




+ Scan (10.868-10.982 min, 16 scans) M2505042.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505042.d




+ Scan (13.066-13.157 min, 13 scans) M2505042.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505042.d




+ Scan (13.246-13.338 min, 12 scans) M2505042.d




o-Xylene


+ EIC (91.1) Scan M2505042.d







+ Scan (13.737-13.826 min, 13 scans) M2505042.d



Name GLBSP-1-S-20251029
Comment C40124; Recollect
Data File M2505043.d
Acq. Date-Time 11/24/2025 6:14:25 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1


Sample Chromatogram

Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	546,788	
Benzene	Benzene-d6 (IS)	8.174	8.181	133,224	
Toluene-d8 (IS)		10.817	10.817	540,650	
Toluene	Toluene-d8 (IS)	10.910	10.910	361,853	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	107,580	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	254,051	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	100,332	


Benzene-d6 (IS)**Benzene**

Toluene-d8 (IS)


+ EIC (98.1) Scan M2505043.d




+ Scan (10.760-10.903 min, 21 scans) M2505043.d

**Toluene**


+ EIC (91.1) Scan M2505043.d




+ Scan (10.867-11.004 min, 20 scans) M2505043.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505043.d




+ Scan (13.055-13.195 min, 20 scans) M2505043.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505043.d




+ Scan (13.234-13.389 min, 22 scans) M2505043.d




o-Xylene

+ EIC (91.1) Scan M2505043.d




+ Scan (13.726-13.862 min, 20 scans) M2505043.d





Name GLBSP-2-S-20251029
Comment C01699; Recollect
Data File M2505044.d
Acq. Date-Time 11/24/2025 6:40:47 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.116	8.124	545,907	
Benzene	Benzene-d6 (IS)	8.174	8.181	144,513	
Toluene-d8 (IS)		10.817	10.817	538,218	
Toluene	Toluene-d8 (IS)	10.910	10.910	265,470	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	58,136	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	101,882	
o-Xylene	Toluene-d8 (IS)	13.775	13.776	38,532	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505044.d




+ Scan (10.761-10.903 min, 20 scans) M2505044.d

**Toluene**


+ EIC (91.1) Scan M2505044.d




+ Scan (10.867-10.996 min, 18 scans) M2505044.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505044.d




+ Scan (13.059-13.188 min, 19 scans) M2505044.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505044.d




+ Scan (13.238-13.396 min, 23 scans) M2505044.d




o-Xylene

+ EIC (91.1) Scan M2505044.d




+ Scan (13.740-13.846 min, 15 scans) M2505044.d





Name GLBSP-3-S-20251029
Comment C70573; Recollect
Data File M2505045.d
Acq. Date-Time 11/24/2025 7:07:32 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	530,879	
Benzene	Benzene-d6 (IS)	8.181	8.181	157,265	
Toluene-d8 (IS)		10.817	10.817	522,981	
Toluene	Toluene-d8 (IS)	10.910	10.910	341,467	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	73,851	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	188,967	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	80,287	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505045.d




+ Scan (10.760-10.903 min, 21 scans) M2505045.d

**Toluene**


+ EIC (91.1) Scan M2505045.d




+ Scan (10.865-10.982 min, 17 scans) M2505045.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505045.d




+ Scan (13.059-13.181 min, 18 scans) M2505045.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505045.d




+ Scan (13.238-13.446 min, 30 scans) M2505045.d




o-Xylene

+ EIC (91.1) Scan M2505045.d




+ Scan (13.733-13.869 min, 20 scans) M2505045.d





Name GLBSP-4-S-20251029
Comment B14648
Data File M2505046.d
Acq. Date-Time 11/24/2025 7:34:35 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	556,055	
Benzene	Benzene-d6 (IS)	8.174	8.181	141,361	
Toluene-d8 (IS)		10.817	10.817	532,966	
Toluene	Toluene-d8 (IS)	10.910	10.910	367,117	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	99,664	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	213,701	
o-Xylene	Toluene-d8 (IS)	13.775	13.776	92,700	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505046.d




+ Scan (10.760-10.910 min, 22 scans) M2505046.d

**Toluene**


+ EIC (91.1) Scan M2505046.d




+ Scan (10.860-11.003 min, 21 scans) M2505046.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505046.d




+ Scan (13.062-13.188 min, 18 scans) M2505046.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505046.d




+ Scan (13.232-13.446 min, 30 scans) M2505046.d




o-Xylene

+ EIC (91.1) Scan M2505046.d




+ Scan (13.740-13.851 min, 15 scans) M2505046.d





Name GLBSP-5-S-20251029
Comment B48573
Data File M2505047.d
Acq. Date-Time 11/24/2025 8:01:26 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	559,828	
Benzene	Benzene-d6 (IS)	8.181	8.181	130,778	
Toluene-d8 (IS)		10.817	10.817	548,419	
Toluene	Toluene-d8 (IS)	10.911	10.910	315,053	
Ethylbenzene	Toluene-d8 (IS)	13.095	13.102	86,191	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	202,218	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	86,800	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505047.d




+ Scan (10.760-10.903 min, 21 scans) M2505047.d

**Toluene**


+ EIC (91.1) Scan M2505047.d




+ Scan (10.860-10.996 min, 20 scans) M2505047.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505047.d




+ Scan (13.060-13.210 min, 21 scans) M2505047.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505047.d




+ Scan (13.233-13.396 min, 23 scans) M2505047.d




o-Xylene

+ EIC (91.1) Scan M2505047.d




+ Scan (13.733-13.862 min, 19 scans) M2505047.d





Name GLBSP-5-D-20251029
Comment B48054
Data File M2505048.d
Acq. Date-Time 11/24/2025 8:27:59 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	560,937	
Benzene	Benzene-d6 (IS)	8.181	8.181	204,056	
Toluene-d8 (IS)		10.810	10.817	541,700	
Toluene	Toluene-d8 (IS)	10.911	10.910	733,451	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	94,811	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	181,464	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	70,915	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505048.d




+ Scan (10.767-10.946 min, 26 scans) M2505048.d

**Toluene**


+ EIC (91.1) Scan M2505048.d




+ Scan (10.860-10.989 min, 19 scans) M2505048.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505048.d




+ Scan (13.057-13.181 min, 18 scans) M2505048.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505048.d




+ Scan (13.234-13.396 min, 23 scans) M2505048.d




o-Xylene

+ EIC (91.1) Scan M2505048.d




+ Scan (13.740-13.833 min, 14 scans) M2505048.d





Name GLBSP-6-S-20251029
Comment C68610
Data File M2505049.d
Acq. Date-Time 11/24/2025 8:55:01 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	563,058	
Benzene	Benzene-d6 (IS)	8.174	8.181	123,746	
Toluene-d8 (IS)		10.817	10.817	545,991	
Toluene	Toluene-d8 (IS)	10.911	10.910	303,464	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	64,989	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	178,919	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	76,607	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505049.d




+ Scan (10.760-10.911 min, 22 scans) M2505049.d

**Toluene**


+ EIC (91.1) Scan M2505049.d




+ Scan (10.868-10.996 min, 19 scans) M2505049.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505049.d




+ Scan (13.060-13.157 min, 13 scans) M2505049.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505049.d




+ Scan (13.234-13.389 min, 22 scans) M2505049.d




o-Xylene

+ EIC (91.1) Scan M2505049.d




+ Scan (13.740-13.869 min, 19 scans) M2505049.d





Name GLBSP-7-S-20251029
Comment C68623
Data File M2505050.d
Acq. Date-Time 11/24/2025 9:21:51 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	569,627	
Benzene	Benzene-d6 (IS)	8.174	8.181	145,943	
Toluene-d8 (IS)		10.810	10.817	549,953	
Toluene	Toluene-d8 (IS)	10.910	10.910	296,063	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	66,377	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	166,406	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	61,327	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505050.d




+ Scan (10.767-10.939 min, 25 scans) M2505050.d

**Toluene**


+ EIC (91.1) Scan M2505050.d




+ Scan (10.861-10.996 min, 19 scans) M2505050.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505050.d




+ Scan (13.052-13.157 min, 15 scans) M2505050.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505050.d




+ Scan (13.238-13.389 min, 22 scans) M2505050.d




o-Xylene

+ EIC (91.1) Scan M2505050.d




+ Scan (13.738-13.869 min, 19 scans) M2505050.d





Name GLBSP-8-S-20251029
Comment C17182
Data File M2505051.d
Acq. Date-Time 11/24/2025 9:48:40 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	559,251	
Benzene	Benzene-d6 (IS)	8.181	8.181	143,322	
Toluene-d8 (IS)		10.817	10.817	560,756	
Toluene	Toluene-d8 (IS)	10.910	10.910	298,339	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	78,321	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	183,328	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	78,457	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505051.d




+ Scan (10.760-10.903 min, 21 scans) M2505051.d

**Toluene**


+ EIC (91.1) Scan M2505051.d




+ Scan (10.867-10.989 min, 18 scans) M2505051.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505051.d




+ Scan (13.060-13.188 min, 18 scans) M2505051.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505051.d




+ Scan (13.231-13.396 min, 24 scans) M2505051.d




o-Xylene

+ EIC (91.1) Scan M2505051.d




+ Scan (13.740-13.854 min, 17 scans) M2505051.d





Name GLBSP-9-S-20251029
Comment C40153
Data File M2505053.d
Acq. Date-Time 11/24/2025 10:42:55 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	567,291	
Benzene	Benzene-d6 (IS)	8.181	8.181	135,770	
Toluene-d8 (IS)		10.817	10.817	546,665	
Toluene	Toluene-d8 (IS)	10.910	10.910	311,697	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	103,286	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	179,910	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	70,778	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505053.d




+ Scan (10.760-10.910 min, 22 scans) M2505053.d

**Toluene**


+ EIC (91.1) Scan M2505053.d




+ Scan (10.860-11.003 min, 21 scans) M2505053.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505053.d




+ Scan (13.066-13.183 min, 17 scans) M2505053.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505053.d




+ Scan (13.238-13.396 min, 22 scans) M2505053.d




o-Xylene

+ EIC (91.1) Scan M2505053.d




+ Scan (13.740-13.868 min, 17 scans) M2505053.d





Name GLBSP-10-S-20251029
Comment C43638
Data File M2505054.d
Acq. Date-Time 11/24/2025 11:09:36 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	559,113	
Benzene	Benzene-d6 (IS)	8.174	8.181	112,368	
Toluene-d8 (IS)		10.817	10.817	538,713	
Toluene	Toluene-d8 (IS)	10.910	10.910	276,183	
Ethylbenzene	Toluene-d8 (IS)	13.095	13.102	77,195	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	150,799	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	63,529	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505054.d




+ Scan (10.760-10.903 min, 21 scans) M2505054.d

**Toluene**


+ EIC (91.1) Scan M2505054.d




+ Scan (10.860-10.989 min, 19 scans) M2505054.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505054.d




+ Scan (13.063-13.200 min, 19 scans) M2505054.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505054.d




+ Scan (13.239-13.403 min, 23 scans) M2505054.d




o-Xylene

+ EIC (91.1) Scan M2505054.d




+ Scan (13.740-13.847 min, 16 scans) M2505054.d





Name GLBSP-11-S-20251029
Comment C43324
Data File M2505055.d
Acq. Date-Time 11/24/2025 11:36:20 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	559,685	
Benzene	Benzene-d6 (IS)	8.181	8.181	104,042	
Toluene-d8 (IS)		10.817	10.817	546,174	
Toluene	Toluene-d8 (IS)	10.910	10.910	283,696	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	82,424	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	225,392	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	92,778	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505055.d




+ Scan (10.760-10.903 min, 21 scans) M2505055.d

**Toluene**


+ EIC (91.1) Scan M2505055.d




+ Scan (10.860-11.003 min, 21 scans) M2505055.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505055.d




+ Scan (13.063-13.160 min, 14 scans) M2505055.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505055.d




+ Scan (13.233-13.424 min, 26 scans) M2505055.d




o-Xylene

+ EIC (91.1) Scan M2505055.d




+ Scan (13.740-13.838 min, 14 scans) M2505055.d





Name GLBSP-12-S-20251029
Comment C68595
Data File M2505056.d
Acq. Date-Time 11/25/2025 12:02:59 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	561,343	
Benzene	Benzene-d6 (IS)	8.181	8.181	148,592	
Toluene-d8 (IS)		10.810	10.817	543,939	
Toluene	Toluene-d8 (IS)	10.911	10.910	1,329,496	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	89,294	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	215,191	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	79,327	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505056.d




+ Scan (10.767-10.946 min, 26 scans) M2505056.d

**Toluene**


+ EIC (91.1) Scan M2505056.d




+ Scan (10.860-11.004 min, 21 scans) M2505056.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505056.d




+ Scan (13.060-13.181 min, 17 scans) M2505056.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505056.d




+ Scan (13.231-13.396 min, 24 scans) M2505056.d




o-Xylene

+ EIC (91.1) Scan M2505056.d




+ Scan (13.733-13.855 min, 17 scans) M2505056.d





Name GLBSP-13-S-20251029
Comment C24261
Data File M2505057.d
Acq. Date-Time 11/25/2025 12:29:45 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	563,837	
Benzene	Benzene-d6 (IS)	8.181	8.181	136,465	
Toluene-d8 (IS)		10.817	10.817	544,892	
Toluene	Toluene-d8 (IS)	10.911	10.910	363,274	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	100,318	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	239,329	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	99,629	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505057.d




+ Scan (10.760-10.911 min, 22 scans) M2505057.d

**Toluene**


+ EIC (91.1) Scan M2505057.d




+ Scan (10.860-11.004 min, 21 scans) M2505057.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505057.d




+ Scan (13.061-13.196 min, 19 scans) M2505057.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505057.d




+ Scan (13.231-13.410 min, 26 scans) M2505057.d




o-Xylene

+ EIC (91.1) Scan M2505057.d




+ Scan (13.736-13.855 min, 17 scans) M2505057.d





Name GLBSP-14-S-20251029
Comment B18733
Data File M2505058.d
Acq. Date-Time 11/25/2025 12:56:27 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	555,671	
Benzene	Benzene-d6 (IS)	8.181	8.181	144,936	
Toluene-d8 (IS)		10.817	10.817	532,468	
Toluene	Toluene-d8 (IS)	10.910	10.910	384,360	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	114,773	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	231,750	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	90,699	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505058.d




+ Scan (10.760-10.903 min, 21 scans) M2505058.d

**Toluene**


+ EIC (91.1) Scan M2505058.d




+ Scan (10.860-10.996 min, 20 scans) M2505058.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505058.d




+ Scan (13.062-13.160 min, 14 scans) M2505058.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505058.d




+ Scan (13.238-13.401 min, 23 scans) M2505058.d




o-Xylene

+ EIC (91.1) Scan M2505058.d




+ Scan (13.736-13.847 min, 16 scans) M2505058.d





Name GLBSP-14-D-20251029
Comment C33257
Data File M2505059.d
Acq. Date-Time 11/25/2025 1:23:11 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	558,137	
Benzene	Benzene-d6 (IS)	8.174	8.181	138,615	
Toluene-d8 (IS)		10.817	10.817	541,072	
Toluene	Toluene-d8 (IS)	10.910	10.910	383,277	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	132,688	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	251,473	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	100,862	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505059.d




+ Scan (10.760-10.903 min, 21 scans) M2505059.d

**Toluene**


+ EIC (91.1) Scan M2505059.d




+ Scan (10.862-10.996 min, 19 scans) M2505059.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505059.d




+ Scan (13.059-13.174 min, 17 scans) M2505059.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505059.d




+ Scan (13.234-13.400 min, 23 scans) M2505059.d




o-Xylene

+ EIC (91.1) Scan M2505059.d




+ Scan (13.740-13.854 min, 17 scans) M2505059.d





Name GLBSP-15-S-20251029
Comment C53574
Data File M2505060.d
Acq. Date-Time 11/25/2025 1:50:01 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	556,656	
Benzene	Benzene-d6 (IS)	8.174	8.181	103,841	
Toluene-d8 (IS)		10.817	10.817	539,988	
Toluene	Toluene-d8 (IS)	10.910	10.910	297,899	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	90,712	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	218,595	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	88,500	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505060.d




+ Scan (10.760-10.910 min, 22 scans) M2505060.d

**Toluene**


+ EIC (91.1) Scan M2505060.d




+ Scan (10.860-11.004 min, 20 scans) M2505060.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505060.d




+ Scan (13.062-13.169 min, 15 scans) M2505060.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505060.d




+ Scan (13.234-13.396 min, 23 scans) M2505060.d




o-Xylene

+ EIC (91.1) Scan M2505060.d




+ Scan (13.733-13.862 min, 18 scans) M2505060.d





Name GLBSP-16-S-20251029
Comment C43211
Data File M2505061.d
Acq. Date-Time 11/25/2025 2:16:48 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.124	553,451	
Benzene	Benzene-d6 (IS)	8.181	8.181	117,055	
Toluene-d8 (IS)		10.810	10.817	534,810	
Toluene	Toluene-d8 (IS)	10.911	10.910	283,239	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	82,194	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	166,410	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	62,418	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505061.d




+ Scan (10.767-10.939 min, 25 scans) M2505061.d

**Toluene**


+ EIC (91.1) Scan M2505061.d




+ Scan (10.860-10.989 min, 19 scans) M2505061.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505061.d




+ Scan (13.060-13.188 min, 19 scans) M2505061.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505061.d




+ Scan (13.239-13.411 min, 25 scans) M2505061.d




o-Xylene

+ EIC (91.1) Scan M2505061.d




+ Scan (13.741-13.847 min, 15 scans) M2505061.d





Name GLBSP-17-S-20251029
Comment C57734
Data File M2505062.d
Acq. Date-Time 11/25/2025 2:43:36 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.124	8.124	561,873	
Benzene	Benzene-d6 (IS)	8.181	8.181	109,566	
Toluene-d8 (IS)		10.817	10.817	550,709	
Toluene	Toluene-d8 (IS)	10.911	10.910	405,686	
Ethylbenzene	Toluene-d8 (IS)	13.102	13.102	73,625	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.281	199,132	
o-Xylene	Toluene-d8 (IS)	13.776	13.776	78,888	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505062.d




+ Scan (10.767-10.903 min, 20 scans) M2505062.d

**Toluene**


+ EIC (91.1) Scan M2505062.d




+ Scan (10.868-10.989 min, 18 scans) M2505062.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505062.d




+ Scan (13.048-13.174 min, 18 scans) M2505062.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505062.d




+ Scan (13.240-13.389 min, 21 scans) M2505062.d




o-Xylene

+ EIC (91.1) Scan M2505062.d



+ Scan (13.737-13.861 min, 17 scans) M2505062.d



Initial Calibration

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB404-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M082025A_CC185154	Benzene	1	M2502696.d	5.92	75684	55.2	561222	1.258	0.2
M082025A_CC185154	Benzene	2	M2502697.d	11.85	130422	55.2	554079	1.098	0.048
M082025A_CC185154	Benzene	3	M2502698.d	23.69	252996	55.2	547539	1.077	0.029
M082025A_CC185154	Benzene	4	M2502699.d	47.38	478157	55.2	558431	0.998	-0.047
M082025A_CC185154	Benzene	5	M2502700.d	118.45	1160774	55.2	550881	0.983	-0.062
M082025A_CC185154	Benzene	6	M2502701.d	236.90	2358143	55.2	552162	0.996	-0.049
M082025A_CC185154	Benzene	7	M2502702.d	710.71	6445351	55.2	544275	0.920	-0.12
						Avg:	552656	1.047	
						%RSD:	1.1%	10.5%	
M082025A_CC185154	Toluene	1	M2502696.d	5.20	76938	65.2	585441	1.646	0.26
M082025A_CC185154	Toluene	2	M2502697.d	10.40	129237	65.2	571775	1.416	0.087
M082025A_CC185154	Toluene	3	M2502698.d	20.81	248343	65.2	570207	1.364	0.047
M082025A_CC185154	Toluene	4	M2502699.d	41.61	471151	65.2	580345	1.271	-0.024
M082025A_CC185154	Toluene	5	M2502700.d	104.04	1088596	65.2	577595	1.181	-0.094
M082025A_CC185154	Toluene	6	M2502701.d	208.07	2080525	65.2	562329	1.159	-0.11
M082025A_CC185154	Toluene	7	M2502702.d	624.22	5928219	65.2	571127	1.084	-0.17
						Avg:	574117	1.303	
						%RSD:	1.3%	14.7%	
M082025A_CC185154	Ethylbenzene	1	M2502696.d	5.41	76728	65.2	585441	1.580	0.22
M082025A_CC185154	Ethylbenzene	2	M2502697.d	10.81	133657	65.2	571775	1.409	0.084
M082025A_CC185154	Ethylbenzene	3	M2502698.d	21.63	280841	65.2	570207	1.484	0.14
M082025A_CC185154	Ethylbenzene	4	M2502699.d	43.25	512834	65.2	580345	1.332	0.025
M082025A_CC185154	Ethylbenzene	5	M2502700.d	108.13	1132412	65.2	577595	1.182	-0.09
M082025A_CC185154	Ethylbenzene	6	M2502701.d	216.25	2033394	65.2	562329	1.090	-0.16
M082025A_CC185154	Ethylbenzene	7	M2502702.d	648.76	5791459	65.2	571127	1.019	-0.22
						Avg:	574117	1.299	
						%RSD:	1.3%	16.1%	
M082025A_CC185154	m-/p-Xylenes	1	M2502696.d	6.06	58088	65.2	585441	1.067	0.19
M082025A_CC185154	m-/p-Xylenes	2	M2502697.d	12.12	100125	65.2	571775	0.942	0.054
M082025A_CC185154	m-/p-Xylenes	3	M2502698.d	24.24	210310	65.2	570207	0.992	0.11
M082025A_CC185154	m-/p-Xylenes	4	M2502699.d	48.47	389245	65.2	580345	0.902	0.0094
M082025A_CC185154	m-/p-Xylenes	5	M2502700.d	121.18	857683	65.2	577595	0.799	-0.11
M082025A_CC185154	m-/p-Xylenes	6	M2502701.d	242.36	1626714	65.2	562329	0.778	-0.13
M082025A_CC185154	m-/p-Xylenes	7	M2502702.d	727.08	4935623	65.2	571127	0.775	-0.13
						Avg:	574117	0.893	
						%RSD:	1.3%	12.8%	
M082025A_CC185154	o-Xylene	1	M2502696.d	5.63	56197	65.2	585441	1.110	0.23
M082025A_CC185154	o-Xylene	2	M2502697.d	11.27	96596	65.2	571775	0.977	0.079
M082025A_CC185154	o-Xylene	3	M2502698.d	22.54	196421	65.2	570207	0.996	0.1

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB404-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M082025A_CC185154	o-Xylene	4	M2502699.d	45.08	378598	65.2	580345	0.943	0.042
M082025A_CC185154	o-Xylene	5	M2502700.d	112.70	779998	65.2	577595	0.781	-0.14
M082025A_CC185154	o-Xylene	6	M2502701.d	225.39	1518937	65.2	562329	0.781	-0.14
M082025A_CC185154	o-Xylene	7	M2502702.d	676.17	4437830	65.2	571127	0.749	-0.17
						Avg:	574117	0.905	
						%RSD:	1.3%	15.1%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M082025A_CC185154	Benzene	ICV	M2502706.d	62.78	542642	55.2	563908	0.847	-19.0%
M082025A_CC185154	Toluene	ICV	M2502706.d	74.87	673232	65.2	604286	0.970	-26.0%
M082025A_CC185154	Ethylbenzene	ICV	M2502706.d	84.29	829737	65.2	604286	1.062	-18.0%
M082025A_CC185154	m-/p-Xylenes	ICV	M2502706.d	87.74	723541	65.2	604286	0.889	-0.5%
M082025A_CC185154	o-Xylene	ICV	M2502706.d	86.36	650799	65.2	604286	0.813	-10.0%

M325B PDF Report ver.20250917

Sample Custody



EPA Method 325 A/B
Field Test Data Sheet and
Chain of Custody Record

- ☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

2025GB405

Page # 1 of # 1

Site Name:	Global Partners	Client Name:	Montrose Amr	PO#:	
Site Address:	1 Clark Road	Project Number:	# 031333	Sample Event #	
City:	South Portland	Project Manager:	Haig Brochu	Sorbent:	
State:	Maine	Email Address:	haigbrochu@Montrose-env.com		
Zip:	04106	Telephone #:	207.441.0025		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C 40124	S	10/29/25	915	11/12/25	850	HB		
2	C 01699	S		920		900			
3	C 70573	S		935		910			
4	B 14648	S		945		920			
5	B 48573	S		955		930			
5	B 48054	D		955		930			
5	B 15749	B		955		930			
6	C 68610	S		1010		940			
7	C 68623	D S		1020		950			
8	C 17182	S		1030		1000			
9	C 40153	S		1040		1010			
10	C 43638	S		1050		1020			
11	C 43324	S		1100		1030			
12	C 68595	S		1110		1040			
13	C 24261	S		1120		1050			
14	B 18733	S		1130		1100			
14	C 33257	D		1130		1100			
14	C 35870	B		1130		1100			
15	C 53574	S		1140		1110			
16	C 43211	S		1150		1120			
17	C 57734	D S	10/29/25	1200	11/12/25	1130	HB		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Haig Brochu		11/12/2025	1655
Received By (printed):	Received By (signature):	Receipt Date:	Receipt Time:
David Taylor		11/17/25	11:02 AM
Sample Condition Upon Receipt:	Compound List:	Custody Seal intact? Y/N:	Delivery tracking #
Good		Yes	
Ice Temp:	Blank Temp:	Add Custody Seal # below:	
	19.5 Fivkey	24609620	

Comments: ① Tubes 7-17 are all assumed base on previous jobs, we are getting confirmation from site 11/17

**This Is The Last Page
Of This Report.**

Global - South Portland

1 Clark Rd.
South Portland, ME 04106

Sampling Event 35 Global - South Portland

Client Project# PROJ-031333

Samples Received: 12/1/2025

Analytical Report 2025GB405

EPA Method 325B Analysis

Report Issue Date: 12/16/2025

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:


QA Review by Isabel Obando Marrero, Data Reviewer



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	12
Chromatograms	15
Initial Calibration	79
Sample Custody	82
Chain of Custody	83

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GB405-1
Client ID.	PROJ-031333 Site: Global - South Portland

1. Custody

The samples were received at Enthalpy Analytical on December 1, 2025 at 17.1 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
GLBSP-1-S-20251112	C33422	Sample
GLBSP-2-S-20251112	B46119	Sample
GLBSP-3-S-20251112	C16131	Sample
GLBSP-4-S-20251112	C56791	Sample
GLBSP-5-S-20251112	B18404	Sample
GLBSP-5-D-20251112	C43363	Duplicate
GLBSP-5-B-20251112	B27971	Blank
GLBSP-7-S-20251112	C31358	Sample
GLBSP-8-S-20251112	C40167	Sample
GLBSP-9-S-20251112	C43207	Sample
GLBSP-10-S-20251112	C56886	Sample
GLBSP-11-S-20251112	C33469	Sample
GLBSP-12-S-20251112	C40132	Sample
GLBSP-13-S-20251112	C01854	Sample
GLBSP-14-S-20251112	C32746	Sample
GLBSP-14-D-20251112	C01303	Duplicate
GLBSP-14-B-20251112	C39020	Blank
GLBSP-15-S-20251112	C17124	Sample
GLBSP-16-S-20251112	C53601	Sample
GLBSP-17-S-20251112	C57423	Sample

Table 2 - Sample Inventory – not analyzed

Sample ID	Tube ID	Sample Type
GLBSP-6-S-20251112	C35775	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarboxpackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GB405-1
Client ID.	PROJ-031333 Site: Global - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (E050525A_CC252679_QT_CC185154) met all 30% RSD criteria. The initial calibration verification met $\pm 30\%$ recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

5. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

6. Reporting Notes

It was noted on the COC that sample GLBSP-6-S-20251112 (tube ID C35775) was lost in the field. For this reason, the sample was not analyzed. It has been reported with a null value and flagged "Z" and "Fe" to denote this occurrence.

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in $\mu\text{g}/\text{m}^3$ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB405-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20251112	C33422	1.06		3.08		0.908		2.96		1.12	
GLBSP-2-S-20251112	B46119	1.15		3.02		0.802		2.11		0.826	
GLBSP-3-S-20251112	C16131	1.35		3.78		0.892		2.91		1.25	
GLBSP-4-S-20251112	C56791	1.31		5.23		0.983		4.14		1.67	
GLBSP-5-S-20251112	B18404	1.41		3.97		0.944		2.90		1.14	
GLBSP-5-D-20251112	C43363	1.68		4.60		0.959		2.72		1.09	
GLBSP-5-B-20251112	B27971	0.203	ND	0.261	ND	0.295	ND	0.295	ND	0.295	ND
GLBSP-7-S-20251112	C31358	1.69		3.80		0.807		2.14		0.873	
GLBSP-8-S-20251112	C40167	1.35		3.60		1.02		2.97		1.11	
GLBSP-9-S-20251112	C43207	1.14		2.63		0.633		1.78		0.702	
GLBSP-10-S-20251112	C56886	1.21		3.29		0.738		2.31		0.929	
GLBSP-11-S-20251112	C33469	1.09		2.89		0.713		2.23		0.877	
GLBSP-12-S-20251112	C40132	1.17		2.66		0.695		1.89		0.681	
GLBSP-13-S-20251112	C01854	1.43		4.01		1.21		3.25		1.23	
GLBSP-14-S-20251112	C32746	1.27		3.34		0.943		2.73		1.03	
GLBSP-14-D-20251112	C01303	1.25		3.47		0.962		3.05		1.25	
GLBSP-14-B-20251112	C39020	0.227	J	0.626		0.296	ND	0.338	J	0.296	ND
GLBSP-15-S-20251112	C17124	1.69		3.30		0.748		1.94		0.739	
GLBSP-16-S-20251112	C53601	0.950		2.18		0.593	J	1.80		0.722	
GLBSP-17-S-20251112	C57423	0.911		2.09		0.538	J	1.86		0.694	
GLBSP-6-S-20251112	C35775		Fe,Z		Fe,Z		Fe,Z		Fe,Z		Fe,Z

Fe: Field Error. See report narrative for details

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

Z: Sample was not analyzed. See the report narrative for details

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB405-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251112	C33422	1.06	0.333	13.1	35.3	0.643	19164	0.203	0.400	0.0635	0.125		E2505580.d	2025-12-09 22:11	0.822	8.095	74028	371836	54.2	8.038	4.4%
GLBSP-2-S-20251112	B46119	1.15	0.360	14.2	35.3	0.643	19160	0.203	0.400	0.0635	0.125		E2505581.d	2025-12-09 22:36	0.822	8.095	84459	392769	54.2	8.038	10.3%
GLBSP-3-S-20251112	C16131	1.35	0.424	16.7	35.4	0.643	19159	0.203	0.400	0.0635	0.125		E2505582.d	2025-12-09 23:01	0.822	8.095	99833	393809	54.2	8.038	10.6%
GLBSP-4-S-20251112	C56791	1.31	0.411	16.2	35.4	0.643	19155	0.203	0.401	0.0635	0.125		E2505583.d	2025-12-09 23:26	0.822	8.095	97239	395642	54.2	8.031	11.1%
GLBSP-5-S-20251112	B18404	1.41	0.442	17.4	35.4	0.643	19152	0.203	0.401	0.0635	0.125		E2505584.d	2025-12-09 23:51	0.822	8.095	105812	400477	54.2	8.038	12.4%
GLBSP-5-D-20251112	C43363	1.68	0.527	20.7	35.4	0.643	19152	0.203	0.401	0.0635	0.125		E2505585.d	2025-12-10 00:16	0.822	8.095	120096	381394	54.2	8.038	7.1%
GLBSP-5-B-20251112	B27971	0.203	0.0635		35.4	0.643	19152	0.203	0.401	0.0635	0.125	ND	E2505579.d	2025-12-09 21:45	0.822	8.095	10114	391009	54.2	8.038	9.8%
GLBSP-7-S-20251112	C31358	1.69	0.528	20.8	35.4	0.643	19143	0.203	0.401	0.0636	0.126		E2505586.d	2025-12-10 00:41	0.822	8.095	127307	403691	54.2	8.038	13.3%
GLBSP-8-S-20251112	C40167	1.35	0.422	16.6	35.4	0.643	19136	0.203	0.401	0.0636	0.126		E2505587.d	2025-12-10 01:06	0.822	8.095	99860	396017	54.2	8.038	11.2%
GLBSP-9-S-20251112	C43207	1.14	0.357	14.0	35.4	0.643	19133	0.203	0.401	0.0636	0.126		E2505588.d	2025-12-10 01:31	0.822	8.095	83714	393224	54.2	8.038	10.4%
GLBSP-10-S-20251112	C56886	1.21	0.379	14.9	35.4	0.643	19131	0.203	0.401	0.0636	0.126		E2505590.d	2025-12-10 02:21	0.822	8.095	81377	359672	54.2	8.038	1.0%
GLBSP-11-S-20251112	C33469	1.09	0.341	13.4	35.4	0.643	19129	0.203	0.401	0.0636	0.126		E2505591.d	2025-12-10 02:47	0.822	8.095	75084	369098	54.2	8.038	3.6%
GLBSP-12-S-20251112	C40132	1.17	0.366	14.4	35.4	0.643	19126	0.203	0.401	0.0636	0.126		E2505592.d	2025-12-10 03:11	0.822	8.095	78643	360060	54.2	8.038	1.1%
GLBSP-13-S-20251112	C01854	1.43	0.449	17.6	35.4	0.643	19127	0.203	0.401	0.0636	0.126		E2505593.d	2025-12-10 03:37	0.822	8.095	88574	330764	54.2	8.031	-7.1%
GLBSP-14-S-20251112	C32746	1.27	0.397	15.6	35.4	0.643	19125	0.203	0.401	0.0636	0.126		E2505594.d	2025-12-10 04:02	0.822	8.095	80872	341874	54.2	8.031	-4.0%
GLBSP-14-D-20251112	C01303	1.25	0.391	15.4	35.4	0.643	19125	0.203	0.401	0.0636	0.126		E2505595.d	2025-12-10 04:27	0.822	8.095	72414	310496	54.2	8.038	-12.8%
GLBSP-14-B-20251112	C39020	0.227	0.0710	2.79	35.4	0.643	19125	0.203	0.401	0.0636	0.126	J	E2505596.d	2025-12-10 04:52	0.822	8.095	13703	323392	54.2	8.038	-9.2%
GLBSP-15-S-20251112	C17124	1.69	0.529	20.8	35.4	0.643	19120	0.203	0.401	0.0636	0.126		E2505597.d	2025-12-10 05:17	0.822	8.095	98820	313324	54.2	8.038	-12.0%
GLBSP-16-S-20251112	C53601	0.950	0.297	11.7	35.4	0.643	19115	0.203	0.401	0.0637	0.126		E2505598.d	2025-12-10 05:42	0.822	8.095	57043	321630	54.2	8.031	-9.7%
GLBSP-17-S-20251112	C57423	0.911	0.285	11.2	35.4	0.643	19109	0.203	0.402	0.0637	0.126		E2505599.d	2025-12-10 06:07	0.822	8.095	60277	354555	54.2	8.038	-0.5%
GLBSP-6-S-20251112	C35775				35.4		19139					Fe,Z									

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251112	C33422	3.08	0.818	29.5	35.3	0.499	19164	0.261	0.558	0.0694	0.148		E2505580.d	2025-12-09 22:11	0.943	10.832	169076	384290	63.2	10.738	3.0%
GLBSP-2-S-20251112	B46119	3.02	0.803	28.9	35.3	0.499	19160	0.261	0.558	0.0694	0.148		E2505581.d	2025-12-09 22:36	0.943	10.839	174142	403117	63.2	10.738	8.1%
GLBSP-3-S-20251112	C16131	3.78	1.00	36.1	35.4	0.499	19159	0.261	0.558	0.0694	0.148		E2505582.d	2025-12-09 23:01	0.943	10.831	232828	431690	63.2	10.738	15.7%
GLBSP-4-S-20251112	C56791	5.23	1.39	50.1	35.4	0.499	19155	0.261	0.558	0.0694	0.148		E2505583.d	2025-12-09 23:26	0.943	10.832	304438	407355	63.2	10.738	9.2%
GLBSP-5-S-20251112	B18404	3.97	1.05	38.0	35.4	0.499	19152	0.261	0.558	0.0694	0.148		E2505584.d	2025-12-09 23:51	0.943	10.839	236149	416595	63.2	10.739	11.7%
GLBSP-5-D-20251112	C43363	4.60	1.22	44.0	35.4	0.499	19152	0.261	0.558	0.0694	0.148		E2505585.d	2025-12-10 00:16	0.943	10.832	254785	387852	63.2	10.739	4.0%
GLBSP-5-B-20251112	B27971	0.261	0.0694		35.4	0.499	19152	0.261	0.558	0.0694	0.148	ND	E2505579.d	2025-12-09 21:45	0.943	10.831	12836	397737	63.2	10.738	6.6%
GLBSP-7-S-20251112	C31358	3.80	1.01	36.4	35.4	0.499	19143	0.261	0.558	0.0694	0.148		E2505586.d	2025-12-10 00:41	0.943	10.832	226157	416610	63.2	10.739	11.7%
GLBSP-8-S-20251112	C40167	3.60	0.957	34.4	35.4	0.499	19136	0.262	0.559	0.0695	0.148		E2505587.d	2025-12-10 01:06	0.943	10.839	206656	401997	63.2	10.738	7.8%
GLBSP-9-S-20251112	C43207	2.63	0.700	25.2	35.4	0.499	19133	0.262	0.559	0.0695	0.148		E2505588.d	2025-12-10 01:31	0.943	10.832	152564	406040	63.2	10.739	8.9%
GLBSP-10-S-20251112	C56886	3.29	0.873	31.4	35.4	0.499	19131	0.262	0.559	0.0695	0.148		E2505590.d	2025-12-10 02:21	0.943	10.832	176681	377029	63.2	10.738	1.1%
GLBSP-11-S-20251112	C33469	2.89	0.766	27.6	35.4	0.499	19129	0.262	0.559	0.0695	0.148		E2505591.d	2025-12-10 02:47	0.943	10.839	157790	383509	63.2	10.739	2.8%
GLBSP-12-S-20251112	C40132	2.66	0.707	25.4	35.4	0.499	19126	0.262	0.559	0.0695	0.148		E2505592.d	2025-12-10 03:11	0.943	10.832	140130	369050	63.2	10.738	-1.1%
GLBSP-13-S-20251112	C01854	4.01	1.07	38.3	35.4	0.499	19127	0.262	0.559	0.0695	0.148		E2505593.d	2025-12-10 03:37	0.943	10.832	197640	345341	63.2	10.739	-7.4%
GLBSP-14-S-20251112	C32746	3.34	0.886	31.9	35.4	0.499	19125	0.262	0.559	0.0695	0.148		E2505594.d	2025-12-10 04:02	0.943	10.832	168626	354615	63.2	10.739	-4.9%
GLBSP-14-D-20251112	C01303	3.47	0.923	33.2	35.4	0.499	19125	0.262	0.559	0.0695	0.148		E2505595.d	2025-12-10 04:27	0.943	10.832	161536	326128	63.2	10.739	-12.6%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB405-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m ³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m ³)	LOQ (ug/m ³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-14-B-20251112	C39020	0.626	0.166	5.98	35.4	0.499	19125	0.262	0.559	0.0695	0.148		E2505596.d	2025-12-10 04:52	0.943	10.839	31458	352282	63.2	10.738	-5.6%
GLBSP-15-S-20251112	C17124	3.30	0.877	31.5	35.4	0.499	19120	0.262	0.559	0.0695	0.148		E2505597.d	2025-12-10 05:17	0.943	10.832	156017	331459	63.2	10.739	-11.1%
GLBSP-16-S-20251112	C53601	2.18	0.579	20.8	35.4	0.499	19115	0.262	0.559	0.0695	0.148		E2505598.d	2025-12-10 05:42	0.943	10.832	104030	334787	63.2	10.738	-10.2%
GLBSP-17-S-20251112	C57423	2.09	0.555	20.0	35.4	0.499	19109	0.262	0.559	0.0696	0.149		E2505599.d	2025-12-10 06:07	0.943	10.832	105573	354338	63.2	10.739	-5.0%
GLBSP-6-S-20251112	C35775				35.4		19139					Fe,Z									

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m ³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m ³)	LOQ (ug/m ³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251112	C33422	0.908	0.209	7.69	35.3	0.442	19164	0.295	0.606	0.0680	0.140		E2505580.d	2025-12-09 22:11	1.016	13.023	47533	384290	63.2	10.738	3.0%
GLBSP-2-S-20251112	B46119	0.802	0.185	6.79	35.3	0.442	19160	0.295	0.606	0.0681	0.140		E2505581.d	2025-12-09 22:36	1.016	13.024	44044	403117	63.2	10.738	8.1%
GLBSP-3-S-20251112	C16131	0.892	0.205	7.55	35.4	0.442	19159	0.295	0.606	0.0681	0.140		E2505582.d	2025-12-09 23:01	1.016	13.023	52405	431690	63.2	10.738	15.7%
GLBSP-4-S-20251112	C56791	0.983	0.226	8.32	35.4	0.442	19155	0.295	0.606	0.0681	0.140		E2505583.d	2025-12-09 23:26	1.016	13.024	54497	407355	63.2	10.738	9.2%
GLBSP-5-S-20251112	B18404	0.944	0.218	7.99	35.4	0.442	19152	0.295	0.606	0.0681	0.140		E2505584.d	2025-12-09 23:51	1.016	13.024	53540	416595	63.2	10.739	11.7%
GLBSP-5-D-20251112	C43363	0.959	0.221	8.11	35.4	0.442	19152	0.295	0.606	0.0681	0.140		E2505585.d	2025-12-10 00:16	1.016	13.024	50604	387852	63.2	10.739	4.0%
GLBSP-5-B-20251112	B27971	0.295	0.0681		35.4	0.442	19152	0.295	0.606	0.0681	0.140	ND	E2505579.d	2025-12-09 21:45	1.016	13.030	2955	397737	63.2	10.738	6.6%
GLBSP-7-S-20251112	C31358	0.807	0.186	6.82	35.4	0.442	19143	0.296	0.607	0.0681	0.140		E2505586.d	2025-12-10 00:41	1.016	13.024	45722	416610	63.2	10.739	11.7%
GLBSP-8-S-20251112	C40167	1.02	0.236	8.66	35.4	0.442	19136	0.296	0.607	0.0681	0.140		E2505587.d	2025-12-10 01:06	1.016	13.023	56030	401997	63.2	10.738	7.8%
GLBSP-9-S-20251112	C43207	0.633	0.146	5.35	35.4	0.442	19133	0.296	0.607	0.0682	0.140		E2505588.d	2025-12-10 01:31	1.016	13.024	34968	406040	63.2	10.739	8.9%
GLBSP-10-S-20251112	C56886	0.738	0.170	6.23	35.4	0.442	19131	0.296	0.607	0.0682	0.140		E2505590.d	2025-12-10 02:21	1.016	13.023	37813	377029	63.2	10.738	1.1%
GLBSP-11-S-20251112	C33469	0.713	0.164	6.03	35.4	0.442	19129	0.296	0.607	0.0682	0.140		E2505591.d	2025-12-10 02:47	1.016	13.024	37178	383509	63.2	10.739	2.8%
GLBSP-12-S-20251112	C40132	0.695	0.160	5.87	35.4	0.442	19126	0.296	0.607	0.0682	0.140		E2505592.d	2025-12-10 03:11	1.016	13.023	34858	369050	63.2	10.738	-1.1%
GLBSP-13-S-20251112	C01854	1.21	0.279	10.2	35.4	0.442	19127	0.296	0.607	0.0682	0.140		E2505593.d	2025-12-10 03:37	1.016	13.024	56879	345341	63.2	10.739	-7.4%
GLBSP-14-S-20251112	C32746	0.943	0.217	7.97	35.4	0.442	19125	0.296	0.607	0.0682	0.140		E2505594.d	2025-12-10 04:02	1.016	13.024	45459	354615	63.2	10.739	-4.9%
GLBSP-14-D-20251112	C01303	0.962	0.222	8.13	35.4	0.442	19125	0.296	0.607	0.0682	0.140		E2505595.d	2025-12-10 04:27	1.016	13.024	42625	326128	63.2	10.739	-12.6%
GLBSP-14-B-20251112	C39020	0.296	0.0682		35.4	0.442	19125	0.296	0.607	0.0682	0.140	ND	E2505596.d	2025-12-10 04:52	1.016	13.023	8321	352282	63.2	10.738	-5.6%
GLBSP-15-S-20251112	C17124	0.748	0.172	6.32	35.4	0.442	19120	0.296	0.607	0.0682	0.140		E2505597.d	2025-12-10 05:17	1.016	13.024	33679	331459	63.2	10.739	-11.1%
GLBSP-16-S-20251112	C53601	0.593	0.137	5.01	35.4	0.442	19115	0.296	0.608	0.0682	0.140	J	E2505598.d	2025-12-10 05:42	1.016	13.024	26988	334787	63.2	10.738	-10.2%
GLBSP-17-S-20251112	C57423	0.538	0.124	4.54	35.4	0.442	19109	0.296	0.608	0.0682	0.140	J	E2505599.d	2025-12-10 06:07	1.016	13.024	25902	354338	63.2	10.739	-5.0%
GLBSP-6-S-20251112	C35775				35.4		19139					Fe,Z									

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m ³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m ³)	LOQ (ug/m ³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251112	C33422	2.96	0.682	25.0	35.3	0.442	19164	0.295	0.572	0.0680	0.132		E2505580.d	2025-12-09 22:11	0.780	13.203	118853	384290	63.2	10.738	3.0%
GLBSP-2-S-20251112	B46119	2.11	0.486	17.9	35.3	0.442	19160	0.295	0.573	0.0681	0.132		E2505581.d	2025-12-09 22:36	0.780	13.203	88897	403117	63.2	10.738	8.1%
GLBSP-3-S-20251112	C16131	2.91	0.671	24.6	35.4	0.442	19159	0.295	0.573	0.0681	0.132		E2505582.d	2025-12-09 23:01	0.780	13.202	131389	431690	63.2	10.738	15.7%
GLBSP-4-S-20251112	C56791	4.14	0.954	35.0	35.4	0.442	19155	0.295	0.573	0.0681	0.132		E2505583.d	2025-12-09 23:26	0.780	13.203	176307	407355	63.2	10.738	9.2%
GLBSP-5-S-20251112	B18404	2.90	0.667	24.5	35.4	0.442	19152	0.295	0.573	0.0681	0.132		E2505584.d	2025-12-09 23:51	0.780	13.203	126092	416595	63.2	10.739	11.7%
GLBSP-5-D-20251112	C43363	2.72	0.627	23.0	35.4	0.442	19152	0.295	0.573	0.0681	0.132		E2505585.d	2025-12-10 00:16	0.780	13.203	110298	387852	63.2	10.739	4.0%
GLBSP-5-B-20251112	B27971	0.295	0.0681		35.4	0.442	19152	0.295	0.573	0.0681	0.132	ND	E2505579.d	2025-12-09 21:45	0.780	13.195	2876	397737	63.2	10.738	6.6%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB405-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-7-S-20251112	C31358	2.14	0.493	18.1	35.4	0.442	19143	0.296	0.573	0.0681	0.132		E2505586.d	2025-12-10 00:41	0.780	13.203	93014	416610	63.2	10.739	11.7%
GLBSP-8-S-20251112	C40167	2.97	0.684	25.1	35.4	0.442	19136	0.296	0.573	0.0681	0.132		E2505587.d	2025-12-10 01:06	0.780	13.203	124551	401997	63.2	10.738	7.8%
GLBSP-9-S-20251112	C43207	1.78	0.411	15.1	35.4	0.442	19133	0.296	0.573	0.0682	0.132		E2505588.d	2025-12-10 01:31	0.780	13.203	75521	406040	63.2	10.739	8.9%
GLBSP-10-S-20251112	C56886	2.31	0.532	19.5	35.4	0.442	19131	0.296	0.573	0.0682	0.132		E2505590.d	2025-12-10 02:21	0.780	13.203	90859	377029	63.2	10.738	1.1%
GLBSP-11-S-20251112	C33469	2.23	0.515	18.9	35.4	0.442	19129	0.296	0.573	0.0682	0.132		E2505591.d	2025-12-10 02:47	0.780	13.203	89419	383509	63.2	10.739	2.8%
GLBSP-12-S-20251112	C40132	1.89	0.435	15.9	35.4	0.442	19126	0.296	0.574	0.0682	0.132		E2505592.d	2025-12-10 03:11	0.780	13.203	72657	369050	63.2	10.738	-1.1%
GLBSP-13-S-20251112	C01854	3.25	0.750	27.5	35.4	0.442	19127	0.296	0.574	0.0682	0.132		E2505593.d	2025-12-10 03:37	0.780	13.203	117248	345341	63.2	10.739	-7.4%
GLBSP-14-S-20251112	C32746	2.73	0.629	23.1	35.4	0.442	19125	0.296	0.574	0.0682	0.132		E2505594.d	2025-12-10 04:02	0.780	13.203	101066	354615	63.2	10.739	-4.9%
GLBSP-14-D-20251112	C01303	3.05	0.702	25.8	35.4	0.442	19125	0.296	0.574	0.0682	0.132		E2505595.d	2025-12-10 04:27	0.780	13.203	103733	326128	63.2	10.739	-12.6%
GLBSP-14-B-20251112	C39020	0.338	0.0778	2.85	35.4	0.442	19125	0.296	0.574	0.0682	0.132	J	E2505596.d	2025-12-10 04:52	0.780	13.203	12410	352282	63.2	10.738	-5.6%
GLBSP-15-S-20251112	C17124	1.94	0.447	16.4	35.4	0.442	19120	0.296	0.574	0.0682	0.132		E2505597.d	2025-12-10 05:17	0.780	13.203	67107	331459	63.2	10.739	-11.1%
GLBSP-16-S-20251112	C53601	1.80	0.415	15.2	35.4	0.442	19115	0.296	0.574	0.0682	0.132		E2505598.d	2025-12-10 05:42	0.780	13.203	62917	334787	63.2	10.738	-10.2%
GLBSP-17-S-20251112	C57423	1.86	0.428	15.7	35.4	0.442	19109	0.296	0.574	0.0682	0.132		E2505599.d	2025-12-10 06:07	0.780	13.203	68655	354338	63.2	10.739	-5.0%
GLBSP-6-S-20251112	C35775				35.4		19139					Fe,Z									

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251112	C33422	1.12	0.258	9.48	35.3	0.442	19164	0.295	0.597	0.0680	0.138		E2505580.d	2025-12-09 22:11	0.767	13.704	44232	384290	63.2	10.738	3.0%
GLBSP-2-S-20251112	B46119	0.826	0.190	6.99	35.3	0.442	19160	0.295	0.597	0.0681	0.138		E2505581.d	2025-12-09 22:36	0.767	13.704	34216	403117	63.2	10.738	8.1%
GLBSP-3-S-20251112	C16131	1.25	0.289	10.6	35.4	0.442	19159	0.295	0.597	0.0681	0.138		E2505582.d	2025-12-09 23:01	0.767	13.704	55665	431690	63.2	10.738	15.7%
GLBSP-4-S-20251112	C56791	1.67	0.386	14.2	35.4	0.442	19155	0.295	0.597	0.0681	0.138		E2505583.d	2025-12-09 23:26	0.767	13.704	70095	407355	63.2	10.738	9.2%
GLBSP-5-S-20251112	B18404	1.14	0.263	9.64	35.4	0.442	19152	0.295	0.597	0.0681	0.138		E2505584.d	2025-12-09 23:51	0.767	13.704	48756	416595	63.2	10.739	11.7%
GLBSP-5-D-20251112	C43363	1.09	0.251	9.20	35.4	0.442	19152	0.295	0.597	0.0681	0.138		E2505585.d	2025-12-10 00:16	0.767	13.704	43318	387852	63.2	10.739	4.0%
GLBSP-5-B-20251112	B27971	0.295	0.0681		35.4	0.442	19152	0.295	0.597	0.0681	0.138	ND	E2505579.d	2025-12-09 21:45	0.767	13.697	1020	397737	63.2	10.738	6.6%
GLBSP-7-S-20251112	C31358	0.873	0.201	7.38	35.4	0.442	19143	0.296	0.598	0.0681	0.138		E2505586.d	2025-12-10 00:41	0.767	13.704	37356	416610	63.2	10.739	11.7%
GLBSP-8-S-20251112	C40167	1.11	0.256	9.38	35.4	0.442	19136	0.296	0.598	0.0681	0.138		E2505587.d	2025-12-10 01:06	0.767	13.704	45782	401997	63.2	10.738	7.8%
GLBSP-9-S-20251112	C43207	0.702	0.162	5.93	35.4	0.442	19133	0.296	0.598	0.0682	0.138		E2505588.d	2025-12-10 01:31	0.767	13.704	29236	406040	63.2	10.739	8.9%
GLBSP-10-S-20251112	C56886	0.929	0.214	7.85	35.4	0.442	19131	0.296	0.598	0.0682	0.138		E2505590.d	2025-12-10 02:21	0.767	13.704	35939	377029	63.2	10.738	1.1%
GLBSP-11-S-20251112	C33469	0.877	0.202	7.41	35.4	0.442	19129	0.296	0.598	0.0682	0.138		E2505591.d	2025-12-10 02:47	0.767	13.704	34529	383509	63.2	10.739	2.8%
GLBSP-12-S-20251112	C40132	0.681	0.157	5.76	35.4	0.442	19126	0.296	0.598	0.0682	0.138		E2505592.d	2025-12-10 03:11	0.767	13.704	25800	369050	63.2	10.738	-1.1%
GLBSP-13-S-20251112	C01854	1.23	0.284	10.4	35.4	0.442	19127	0.296	0.598	0.0682	0.138		E2505593.d	2025-12-10 03:37	0.767	13.704	43666	345341	63.2	10.739	-7.4%
GLBSP-14-S-20251112	C32746	1.03	0.236	8.67	35.4	0.442	19125	0.296	0.598	0.0682	0.138		E2505594.d	2025-12-10 04:02	0.767	13.704	37311	354615	63.2	10.739	-4.9%
GLBSP-14-D-20251112	C01303	1.25	0.288	10.6	35.4	0.442	19125	0.296	0.598	0.0682	0.138		E2505595.d	2025-12-10 04:27	0.767	13.704	41882	326128	63.2	10.739	-12.6%
GLBSP-14-B-20251112	C39020	0.296	0.0682		35.4	0.442	19125	0.296	0.598	0.0682	0.138	ND	E2505596.d	2025-12-10 04:52	0.767	13.704	5035	352282	63.2	10.738	-5.6%
GLBSP-15-S-20251112	C17124	0.739	0.170	6.25	35.4	0.442	19120	0.296	0.598	0.0682	0.138		E2505597.d	2025-12-10 05:17	0.767	13.704	25139	331459	63.2	10.739	-11.1%
GLBSP-16-S-20251112	C53601	0.722	0.166	6.10	35.4	0.442	19115	0.296	0.599	0.0682	0.138		E2505598.d	2025-12-10 05:42	0.767	13.704	24802	334787	63.2	10.738	-10.2%
GLBSP-17-S-20251112	C57423	0.694	0.160	5.86	35.4	0.442	19109	0.296	0.599	0.0682	0.138		E2505599.d	2025-12-10 06:07	0.767	13.704	25225	354338	63.2	10.739	-5.0%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB405-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-6-S-20251112	C35775				35.4		19139							Fe,Z							

Fe: Field Error. See report narrative for details
J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
Z: Sample was not analyzed. See the report narrative for details

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB405-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	GLBSP-5-B-20251112	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	GLBSP-14-B-20251112	0.227	Pass	0.626	Pass	ND	Pass	0.338	Pass	ND	Pass
Duplicates (difference)	GLBSP-5-D-20251112	18%	Pass	15%	Pass	1.5%	Pass	6.2%	Pass	4.7%	Pass
	GLBSP-14-D-20251112	1.4%	Pass	4.1%	Pass	1.9%	Pass	11%	Pass	20%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB405-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	E2505577.d	C69800	Cal	0.822		0.822	-6.2%	-31%		Pass	
2025GB405 Method Blank-1	E2505578.d	B20250	Blank			0.822			2.3%	Pass	J
M325B CCV 5 REC	E2505589.d	C43246	Check	0.966		0.822	10%		13%	Pass	
M325B CCV 5 REC	E2505600.d	C43246	Check	0.961		0.822	9.6%		-13%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	E2505577.d	C69800	Cal	0.943		0.943	-4.7%	-31%		Pass	
2025GB405 Method Blank-1	E2505578.d	B20250	Blank			0.943			3.1%	Pass	J
M325B CCV 5 REC	E2505589.d	C43246	Check	1.197		0.943	21%		10%	Pass	
M325B CCV 5 REC	E2505600.d	C43246	Check	1.216		0.943	23%		-21%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	E2505577.d	C69800	Cal	1.016		1.016	-15%	-31%		Pass	
2025GB405 Method Blank-1	E2505578.d	B20250	Blank			1.016			3.1%	Pass	ND
M325B CCV 5 REC	E2505589.d	C43246	Check	1.310		1.016	9.6%		10%	Pass	
M325B CCV 5 REC	E2505600.d	C43246	Check	1.318		1.016	10%		-21%	Pass	

m-/p-Xylenes Calibration and Blanks


Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	E2505577.d	C69800	Cal	0.780		0.780	-25%	-31%		Pass	
2025GB405 Method Blank-1	E2505578.d	B20250	Blank			0.780			3.1%	Pass	ND
M325B CCV 5 REC	E2505589.d	C43246	Check	1.068		0.780	3.0%		10%	Pass	
M325B CCV 5 REC	E2505600.d	C43246	Check	1.055		0.780	1.7%		-21%	Pass	

o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	E2505577.d	C69800	Cal	0.767		0.767	-19%	-31%		Pass	
2025GB405 Method Blank-1	E2505578.d	B20250	Blank			0.767			3.1%	Pass	ND
M325B CCV 5 REC	E2505589.d	C43246	Check	1.101		0.767	16%		10%	Pass	
M325B CCV 5 REC	E2505600.d	C43246	Check	1.109		0.767	17%		-21%	Pass	

Chromatograms


Name 2025GB405 Method Blank-1
Comment B20250; Recollect
Data File E2505578.d
Acq. Date-Time 12/9/2025 9:20:57 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram


Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	364,297	
Benzene	benzene-d6 (IS)	8.095	8.110	17,783	
Toluene-d8 (IS)		10.739	10.753	384,453	
Toluene	Toluene-d8 (IS)	10.832	10.846	17,328	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	3,679	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	3,793	
o-Xylene	Toluene-d8 (IS)	14.084	13.718	ND	m

benzene-d6 (IS)


+ EIC (84.1) Scan E2505578.d




+ Scan (8.038-8.038 min, 1 scans) E2505578.d

**Benzene**

+ EIC (78.1) Scan E2505578.d




+ Scan (8.095-8.095 min, 1 scans) E2505578.d




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505578.d




+ Scan (10.688-10.817 min, 19 scans) E2505578.d

**Toluene**


+ EIC (91.1) Scan E2505578.d




+ Scan (10.796-10.868 min, 11 scans) E2505578.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505578.d




+ Scan (12.997-13.055 min, 8 scans) E2505578.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505578.d




+ Scan (13.171-13.253 min, 12 scans) E2505578.d




o-Xylene

+ EIC (91.1) Scan E2505578.d




+ Scan (14.084-14.084 min, 1 scans) E2505578.d





Name GLBSP-5-B-20251112
Comment B27971; Recollect
Data File E2505579.d
Acq. Date-Time 12/9/2025 9:45:52 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	391,009	
Benzene	benzene-d6 (IS)	8.095	8.110	10,114	
Toluene-d8 (IS)		10.738	10.753	397,737	
Toluene	Toluene-d8 (IS)	10.831	10.846	12,836	
Ethylbenzene	Toluene-d8 (IS)	13.030	13.038	2,955	
m-/p-Xylenes	Toluene-d8 (IS)	13.195	13.217	2,876	
o-Xylene	Toluene-d8 (IS)	13.697	13.718	1,020	m

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505579.d




+ Scan (10.695-10.817 min, 18 scans) E2505579.d

**Toluene**


+ EIC (91.1) Scan E2505579.d




+ Scan (10.805-10.874 min, 10 scans) E2505579.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505579.d




+ Scan (12.995-13.052 min, 9 scans) E2505579.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505579.d




+ Scan (13.138-13.248 min, 16 scans) E2505579.d




o-Xylene

+ EIC (91.1) Scan E2505579.d




+ Scan (13.677-13.717 min, 5 scans) E2505579.d





Name GLBSP-1-S-20251112
Comment C33422; Recollect
Data File E2505580.d
Acq. Date-Time 12/9/2025 10:11:08 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	371,836	
Benzene	benzene-d6 (IS)	8.095	8.110	74,028	
Toluene-d8 (IS)		10.738	10.753	384,290	
Toluene	Toluene-d8 (IS)	10.832	10.846	169,076	
Ethylbenzene	Toluene-d8 (IS)	13.023	13.038	47,533	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	118,853	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	44,232	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505580.d




+ Scan (10.695-10.824 min, 19 scans) E2505580.d

**Toluene**


+ EIC (91.1) Scan E2505580.d




+ Scan (10.793-10.917 min, 18 scans) E2505580.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505580.d




+ Scan (12.995-13.071 min, 11 scans) E2505580.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505580.d




+ Scan (13.167-13.288 min, 16 scans) E2505580.d




o-Xylene

+ EIC (91.1) Scan E2505580.d




+ Scan (13.671-13.747 min, 11 scans) E2505580.d





Name GLBSP-2-S-20251112
Comment B46119; Recollect
Data File E2505581.d
Acq. Date-Time 12/9/2025 10:36:04 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	392,769	
Benzene	benzene-d6 (IS)	8.095	8.110	84,459	
Toluene-d8 (IS)		10.738	10.753	403,117	
Toluene	Toluene-d8 (IS)	10.839	10.846	174,142	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	44,044	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	88,897	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	34,216	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505581.d




+ Scan (10.696-10.824 min, 19 scans) E2505581.d

**Toluene**


+ EIC (91.1) Scan E2505581.d




+ Scan (10.790-10.896 min, 15 scans) E2505581.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505581.d




+ Scan (12.985-13.081 min, 14 scans) E2505581.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505581.d




+ Scan (13.168-13.265 min, 13 scans) E2505581.d




o-Xylene

+ EIC (91.1) Scan E2505581.d




+ Scan (13.675-13.736 min, 8 scans) E2505581.d





Name GLBSP-3-S-20251112
Comment C16131; Recollect
Data File E2505582.d
Acq. Date-Time 12/9/2025 11:01:13 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	393,809	
Benzene	benzene-d6 (IS)	8.095	8.110	99,833	
Toluene-d8 (IS)		10.738	10.753	431,690	
Toluene	Toluene-d8 (IS)	10.831	10.846	232,828	
Ethylbenzene	Toluene-d8 (IS)	13.023	13.038	52,405	
m-/p-Xylenes	Toluene-d8 (IS)	13.202	13.217	131,389	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	55,665	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505582.d




+ Scan (10.688-10.824 min, 20 scans) E2505582.d

**Toluene**


+ EIC (91.1) Scan E2505582.d




+ Scan (10.790-10.910 min, 17 scans) E2505582.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505582.d




+ Scan (12.980-13.080 min, 15 scans) E2505582.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505582.d




+ Scan (13.160-13.279 min, 16 scans) E2505582.d




o-Xylene

+ EIC (91.1) Scan E2505582.d




+ Scan (13.675-13.753 min, 11 scans) E2505582.d





Name GLBSP-4-S-20251112
Comment C56791; Recollect
Data File E2505583.d
Acq. Date-Time 12/9/2025 11:26:18 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.031	8.052	395,642	
Benzene	benzene-d6 (IS)	8.095	8.110	97,239	
Toluene-d8 (IS)		10.738	10.753	407,355	
Toluene	Toluene-d8 (IS)	10.832	10.846	304,438	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	54,497	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	176,307	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	70,095	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505583.d




+ Scan (10.696-10.824 min, 17 scans) E2505583.d

**Toluene**


+ EIC (91.1) Scan E2505583.d




+ Scan (10.789-10.910 min, 18 scans) E2505583.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505583.d




+ Scan (12.991-13.069 min, 11 scans) E2505583.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505583.d




+ Scan (13.160-13.269 min, 16 scans) E2505583.d




o-Xylene

+ EIC (91.1) Scan E2505583.d




+ Scan (13.667-13.746 min, 11 scans) E2505583.d





Name GLBSP-5-S-20251112
Comment B18404; Recollect
Data File E2505584.d
Acq. Date-Time 12/9/2025 11:51:29 PM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	400,477	
Benzene	benzene-d6 (IS)	8.095	8.110	105,812	
Toluene-d8 (IS)		10.739	10.753	416,595	
Toluene	Toluene-d8 (IS)	10.839	10.846	236,149	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	53,540	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	126,092	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	48,756	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505584.d




+ Scan (10.696-10.817 min, 17 scans) E2505584.d

**Toluene**


+ EIC (91.1) Scan E2505584.d




+ Scan (10.789-10.896 min, 16 scans) E2505584.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505584.d




+ Scan (12.988-13.069 min, 12 scans) E2505584.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505584.d




+ Scan (13.169-13.288 min, 16 scans) E2505584.d




o-Xylene

+ EIC (91.1) Scan E2505584.d




+ Scan (13.671-13.740 min, 10 scans) E2505584.d





Name GLBSP-5-D-20251112
Comment C43363; Recollect
Data File E2505585.d
Acq. Date-Time 12/10/2025 12:16:32 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	381,394	
Benzene	benzene-d6 (IS)	8.095	8.110	120,096	
Toluene-d8 (IS)		10.739	10.753	387,852	
Toluene	Toluene-d8 (IS)	10.832	10.846	254,785	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	50,604	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	110,298	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	43,318	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505585.d




+ Scan (10.688-10.817 min, 18 scans) E2505585.d

**Toluene**


+ EIC (91.1) Scan E2505585.d




+ Scan (10.796-10.900 min, 15 scans) E2505585.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505585.d




+ Scan (12.988-13.075 min, 13 scans) E2505585.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505585.d




+ Scan (13.164-13.282 min, 16 scans) E2505585.d




o-Xylene

+ EIC (91.1) Scan E2505585.d




+ Scan (13.664-13.747 min, 12 scans) E2505585.d





Name GLBSP-7-S-20251112
Comment C31358; Recollect
Data File E2505586.d
Acq. Date-Time 12/10/2025 12:41:26 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	403,691	
Benzene	benzene-d6 (IS)	8.095	8.110	127,307	
Toluene-d8 (IS)		10.739	10.753	416,610	
Toluene	Toluene-d8 (IS)	10.832	10.846	226,157	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	45,722	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	93,014	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	37,356	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505586.d




+ Scan (10.688-10.817 min, 19 scans) E2505586.d

**Toluene**


+ EIC (91.1) Scan E2505586.d




+ Scan (10.797-10.908 min, 15 scans) E2505586.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505586.d




+ Scan (12.995-13.067 min, 10 scans) E2505586.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505586.d




+ Scan (13.167-13.274 min, 15 scans) E2505586.d




o-Xylene

+ EIC (91.1) Scan E2505586.d




+ Scan (13.674-13.754 min, 11 scans) E2505586.d





Name GLBSP-8-S-20251112
Comment C40167; Recollect
Data File E2505587.d
Acq. Date-Time 12/10/2025 1:06:41 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	396,017	
Benzene	benzene-d6 (IS)	8.095	8.110	99,860	
Toluene-d8 (IS)		10.738	10.753	401,997	
Toluene	Toluene-d8 (IS)	10.839	10.846	206,656	
Ethylbenzene	Toluene-d8 (IS)	13.023	13.038	56,030	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	124,551	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	45,782	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505587.d




+ Scan (10.688-10.824 min, 20 scans) E2505587.d

**Toluene**


+ EIC (91.1) Scan E2505587.d




+ Scan (10.790-10.895 min, 14 scans) E2505587.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505587.d




+ Scan (12.988-13.102 min, 16 scans) E2505587.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505587.d




+ Scan (13.160-13.279 min, 17 scans) E2505587.d




o-Xylene

+ EIC (91.1) Scan E2505587.d




+ Scan (13.668-13.747 min, 12 scans) E2505587.d





Name GLBSP-9-S-20251112
Comment C43207; Recollect
Data File E2505588.d
Acq. Date-Time 12/10/2025 1:31:36 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	393,224	
Benzene	benzene-d6 (IS)	8.095	8.110	83,714	
Toluene-d8 (IS)		10.739	10.753	406,040	
Toluene	Toluene-d8 (IS)	10.832	10.846	152,564	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	34,968	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	75,521	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	29,236	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505588.d




+ Scan (10.688-10.810 min, 18 scans) E2505588.d

**Toluene**


+ EIC (91.1) Scan E2505588.d




+ Scan (10.797-10.874 min, 10 scans) E2505588.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505588.d




+ Scan (12.996-13.065 min, 9 scans) E2505588.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505588.d




+ Scan (13.169-13.260 min, 12 scans) E2505588.d




o-Xylene

+ EIC (91.1) Scan E2505588.d




+ Scan (13.668-13.746 min, 11 scans) E2505588.d




Name GLBSP-10-S-20251112
Comment C56886; Recollect
Data File E2505590.d
Acq. Date-Time 12/10/2025 2:21:49 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	359,672	
Benzene	benzene-d6 (IS)	8.095	8.110	81,377	
Toluene-d8 (IS)		10.738	10.753	377,029	
Toluene	Toluene-d8 (IS)	10.832	10.846	176,681	
Ethylbenzene	Toluene-d8 (IS)	13.023	13.038	37,813	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	90,859	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	35,939	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505590.d




+ Scan (10.695-10.817 min, 18 scans) E2505590.d

**Toluene**


+ EIC (91.1) Scan E2505590.d




+ Scan (10.796-10.889 min, 13 scans) E2505590.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505590.d




+ Scan (12.985-13.066 min, 12 scans) E2505590.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505590.d




+ Scan (13.167-13.274 min, 15 scans) E2505590.d




o-Xylene

+ EIC (91.1) Scan E2505590.d




+ Scan (13.661-13.747 min, 12 scans) E2505590.d





Name GLBSP-11-S-20251112
Comment C33469; Recollect
Data File E2505591.d
Acq. Date-Time 12/10/2025 2:47:01 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	369,098	
Benzene	benzene-d6 (IS)	8.095	8.110	75,084	
Toluene-d8 (IS)		10.739	10.753	383,509	
Toluene	Toluene-d8 (IS)	10.839	10.846	157,790	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	37,178	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	89,419	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	34,529	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505591.d




+ Scan (10.696-10.832 min, 20 scans) E2505591.d

**Toluene**


+ EIC (91.1) Scan E2505591.d




+ Scan (10.791-10.899 min, 15 scans) E2505591.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505591.d




+ Scan (12.989-13.061 min, 10 scans) E2505591.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505591.d




+ Scan (13.167-13.258 min, 13 scans) E2505591.d




o-Xylene

+ EIC (91.1) Scan E2505591.d




+ Scan (13.662-13.739 min, 10 scans) E2505591.d





Name GLBSP-12-S-20251112
Comment C40132; Recollect
Data File E2505592.d
Acq. Date-Time 12/10/2025 3:11:58 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	360,060	
Benzene	benzene-d6 (IS)	8.095	8.110	78,643	
Toluene-d8 (IS)		10.738	10.753	369,050	
Toluene	Toluene-d8 (IS)	10.832	10.846	140,130	
Ethylbenzene	Toluene-d8 (IS)	13.023	13.038	34,858	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	72,657	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	25,800	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505592.d




+ Scan (10.695-10.824 min, 18 scans) E2505592.d

**Toluene**


+ EIC (91.1) Scan E2505592.d




+ Scan (10.796-10.895 min, 14 scans) E2505592.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505592.d




+ Scan (12.991-13.064 min, 10 scans) E2505592.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505592.d




+ Scan (13.167-13.280 min, 16 scans) E2505592.d




o-Xylene

+ EIC (91.1) Scan E2505592.d




+ Scan (13.676-13.740 min, 9 scans) E2505592.d





Name GLBSP-13-S-20251112
Comment C01854; Recollect
Data File E2505593.d
Acq. Date-Time 12/10/2025 3:37:04 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.031	8.052	330,764	
Benzene	benzene-d6 (IS)	8.095	8.110	88,574	
Toluene-d8 (IS)		10.739	10.753	345,341	
Toluene	Toluene-d8 (IS)	10.832	10.846	197,640	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	56,879	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	117,248	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	43,666	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505593.d




+ Scan (10.688-10.810 min, 18 scans) E2505593.d

**Toluene**


+ EIC (91.1) Scan E2505593.d




+ Scan (10.790-10.892 min, 14 scans) E2505593.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505593.d




+ Scan (12.995-13.059 min, 9 scans) E2505593.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505593.d




+ Scan (13.163-13.274 min, 16 scans) E2505593.d




o-Xylene

+ EIC (91.1) Scan E2505593.d




+ Scan (13.670-13.746 min, 10 scans) E2505593.d





Name GLBSP-14-S-20251112
Comment C32746; Recollect
Data File E2505594.d
Acq. Date-Time 12/10/2025 4:02:10 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.031	8.052	341,874	
Benzene	benzene-d6 (IS)	8.095	8.110	80,872	
Toluene-d8 (IS)		10.739	10.753	354,615	
Toluene	Toluene-d8 (IS)	10.832	10.846	168,626	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	45,459	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	101,066	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	37,311	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505594.d




+ Scan (10.688-10.825 min, 20 scans) E2505594.d

**Toluene**


+ EIC (91.1) Scan E2505594.d




+ Scan (10.796-10.964 min, 24 scans) E2505594.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505594.d




+ Scan (12.988-13.059 min, 9 scans) E2505594.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505594.d




+ Scan (13.164-13.281 min, 16 scans) E2505594.d




o-Xylene

+ EIC (91.1) Scan E2505594.d




+ Scan (13.672-13.737 min, 9 scans) E2505594.d





Name GLBSP-14-D-20251112
Comment C01303; Recollect
Data File E2505595.d
Acq. Date-Time 12/10/2025 4:27:07 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	310,496	
Benzene	benzene-d6 (IS)	8.095	8.110	72,414	
Toluene-d8 (IS)		10.739	10.753	326,128	
Toluene	Toluene-d8 (IS)	10.832	10.846	161,536	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	42,625	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	103,733	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	41,882	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505595.d




+ Scan (10.688-10.832 min, 21 scans) E2505595.d

**Toluene**


+ EIC (91.1) Scan E2505595.d




+ Scan (10.796-10.907 min, 15 scans) E2505595.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505595.d




+ Scan (12.995-13.059 min, 9 scans) E2505595.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505595.d




+ Scan (13.169-13.264 min, 13 scans) E2505595.d




o-Xylene

+ EIC (91.1) Scan E2505595.d




+ Scan (13.666-13.754 min, 13 scans) E2505595.d





Name GLBSP-14-B-20251112
Comment C39020; Recollect
Data File E2505596.d
Acq. Date-Time 12/10/2025 4:52:21 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	323,392	
Benzene	benzene-d6 (IS)	8.095	8.110	13,703	
Toluene-d8 (IS)		10.738	10.753	352,282	
Toluene	Toluene-d8 (IS)	10.839	10.846	31,458	
Ethylbenzene	Toluene-d8 (IS)	13.023	13.038	8,321	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	12,410	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	5,035	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505596.d




+ Scan (10.696-10.832 min, 19 scans) E2505596.d

**Toluene**


+ EIC (91.1) Scan E2505596.d




+ Scan (10.805-10.895 min, 12 scans) E2505596.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505596.d




+ Scan (12.996-13.051 min, 7 scans) E2505596.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505596.d




+ Scan (13.170-13.252 min, 11 scans) E2505596.d




o-Xylene

+ EIC (91.1) Scan E2505596.d




+ Scan (13.679-13.737 min, 8 scans) E2505596.d





Name GLBSP-15-S-20251112
Comment C17124; Recollect
Data File E2505597.d
Acq. Date-Time 12/10/2025 5:17:20 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	313,324	
Benzene	benzene-d6 (IS)	8.095	8.110	98,820	
Toluene-d8 (IS)		10.739	10.753	331,459	
Toluene	Toluene-d8 (IS)	10.832	10.846	156,017	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	33,679	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	67,107	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	25,139	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505597.d




+ Scan (10.690-10.817 min, 18 scans) E2505597.d

**Toluene**


+ EIC (91.1) Scan E2505597.d




+ Scan (10.796-10.931 min, 19 scans) E2505597.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505597.d




+ Scan (12.992-13.066 min, 10 scans) E2505597.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505597.d




+ Scan (13.161-13.280 min, 16 scans) E2505597.d




o-Xylene

+ EIC (91.1) Scan E2505597.d




+ Scan (13.676-13.739 min, 8 scans) E2505597.d




Name GLBSP-16-S-20251112
Comment C53601; Recollect
Data File E2505598.d
Acq. Date-Time 12/10/2025 5:42:32 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.031	8.052	321,630	
Benzene	benzene-d6 (IS)	8.095	8.110	57,043	
Toluene-d8 (IS)		10.738	10.753	334,787	
Toluene	Toluene-d8 (IS)	10.832	10.846	104,030	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	26,988	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	62,917	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	24,802	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505598.d




+ Scan (10.688-10.817 min, 19 scans) E2505598.d

**Toluene**


+ EIC (91.1) Scan E2505598.d




+ Scan (10.796-10.968 min, 25 scans) E2505598.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505598.d




+ Scan (12.995-13.058 min, 9 scans) E2505598.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505598.d




+ Scan (13.163-13.253 min, 13 scans) E2505598.d




o-Xylene

+ EIC (91.1) Scan E2505598.d




+ Scan (13.675-13.744 min, 10 scans) E2505598.d





Name GLBSP-17-S-20251112
Comment C57423; Recollect
Data File E2505599.d
Acq. Date-Time 12/10/2025 6:07:30 AM
Acq. Method File M325B-MTD
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.038	8.052	354,555	
Benzene	benzene-d6 (IS)	8.095	8.110	60,277	
Toluene-d8 (IS)		10.739	10.753	354,338	
Toluene	Toluene-d8 (IS)	10.832	10.846	105,573	
Ethylbenzene	Toluene-d8 (IS)	13.024	13.038	25,902	
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.217	68,655	
o-Xylene	Toluene-d8 (IS)	13.704	13.718	25,225	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505599.d




+ Scan (10.688-10.825 min, 20 scans) E2505599.d

**Toluene**


+ EIC (91.1) Scan E2505599.d




+ Scan (10.797-10.882 min, 12 scans) E2505599.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505599.d




+ Scan (12.995-13.072 min, 10 scans) E2505599.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505599.d




+ Scan (13.162-13.263 min, 14 scans) E2505599.d




o-Xylene

+ EIC (91.1) Scan E2505599.d



+ Scan (13.669-13.740 min, 9 scans) E2505599.d



Initial Calibration

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB405-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679_QT_CC185154	Benzene	1	E2500043.d	4.94	48593	54.2	531168	1.004	0.14
E050525A_CC252679_QT_CC185154	Benzene	2	E2500044.d	10.06	88289	54.2	525272	0.905	0.032
E050525A_CC252679_QT_CC185154	Benzene	3	E2500045.d	20.12	167722	54.2	519365	0.869	-0.0086
E050525A_CC252679_QT_CC185154	Benzene	4	E2500046.d	40.25	314317	54.2	495891	0.853	-0.027
E050525A_CC252679_QT_CC185154	Benzene	5	E2500047.d	100.62	771973	54.2	516636	0.804	-0.083
E050525A_CC252679_QT_CC185154	Benzene	6	E2500048.d	201.24	1566630	54.2	517234	0.815	-0.07
E050525A_CC252679_QT_CC185154	Benzene	7	E2500049.d	603.73	5084416	54.2	514456	0.887	0.011
E050525A_CC252679_QT_CC185154	Benzene	QT		120.51		54.2			
						Avg:	517146	0.877	
						%RSD:	2.1%	7.6%	
E050525A_CC252679_QT_CC185154	Toluene	1	E2500043.d	5.34	57611	63.2	569179	1.198	0.21
E050525A_CC252679_QT_CC185154	Toluene	2	E2500044.d	10.88	96506	63.2	555358	1.009	0.02
E050525A_CC252679_QT_CC185154	Toluene	3	E2500045.d	21.76	183454	63.2	550972	0.967	-0.023
E050525A_CC252679_QT_CC185154	Toluene	4	E2500046.d	43.52	328667	63.2	514484	0.927	-0.063
E050525A_CC252679_QT_CC185154	Toluene	5	E2500047.d	108.80	817722	63.2	541924	0.876	-0.11
E050525A_CC252679_QT_CC185154	Toluene	6	E2500048.d	217.60	1753197	63.2	536168	0.949	-0.04
E050525A_CC252679_QT_CC185154	Toluene	7	E2500049.d	652.80	5564266	63.2	538797	0.999	0.01
E050525A_CC252679_QT_CC185154	Toluene	QT		105.84		63.2			
						Avg:	543840	0.989	
						%RSD:	3.2%	10.3%	
E050525A_CC252679_QT_CC185154	Ethylbenzene	1	E2500043.d	5.13	60169	63.2	569179	1.301	0.089
E050525A_CC252679_QT_CC185154	Ethylbenzene	2	E2500044.d	10.46	105835	63.2	555358	1.151	-0.037
E050525A_CC252679_QT_CC185154	Ethylbenzene	3	E2500045.d	20.92	208215	63.2	550972	1.141	-0.045
E050525A_CC252679_QT_CC185154	Ethylbenzene	4	E2500046.d	41.83	392499	63.2	514484	1.152	-0.036
E050525A_CC252679_QT_CC185154	Ethylbenzene	5	E2500047.d	104.58	995735	63.2	541924	1.110	-0.071
E050525A_CC252679_QT_CC185154	Ethylbenzene	6	E2500048.d	209.16	2327735	63.2	536168	1.311	0.097
E050525A_CC252679_QT_CC185154	Ethylbenzene	7	E2500049.d	627.49	6406466	63.2	538797	1.197	0.0018
E050525A_CC252679_QT_CC185154	Ethylbenzene	QT		110.01		63.2			
						Avg:	543840	1.195	
						%RSD:	3.2%	6.7%	

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB405-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	1	E2500043.d	4.85	58394	63.2	569179	1.337	0.29
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	2	E2500044.d	9.88	88399	63.2	555358	1.018	-0.019
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	3	E2500045.d	19.75	172744	63.2	550972	1.003	-0.034
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	4	E2500046.d	39.51	305031	63.2	514484	0.948	-0.086
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	5	E2500047.d	98.77	730099	63.2	541924	0.862	-0.17
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	6	E2500048.d	197.54	1739458	63.2	536168	1.037	-4.1E-05
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	7	E2500049.d	592.63	5345328	63.2	538797	1.057	0.019
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	QT		123.29		63.2			
						Avg:	543840	1.037	
						%RSD:	3.2%	14.2%	
E050525A_CC252679_QT_CC185154	o-Xylene	1	E2500043.d	5.05	50277	63.2	569179	1.104	0.16
E050525A_CC252679_QT_CC185154	o-Xylene	2	E2500044.d	10.30	81187	63.2	555358	0.896	-0.056
E050525A_CC252679_QT_CC185154	o-Xylene	3	E2500045.d	20.60	161444	63.2	550972	0.898	-0.054
E050525A_CC252679_QT_CC185154	o-Xylene	4	E2500046.d	41.21	299918	63.2	514484	0.894	-0.059
E050525A_CC252679_QT_CC185154	o-Xylene	5	E2500047.d	103.02	797704	63.2	541924	0.903	-0.05
E050525A_CC252679_QT_CC185154	o-Xylene	6	E2500048.d	206.03	1692581	63.2	536168	0.968	0.019
E050525A_CC252679_QT_CC185154	o-Xylene	7	E2500049.d	618.10	5206672	63.2	538797	0.988	0.04
E050525A_CC252679_QT_CC185154	o-Xylene	QT		114.65		63.2			
						Avg:	543840	0.950	
						%RSD:	3.2%	8.2%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E050525A_CC252679_QT_CC185154	Benzene	ICV	E2500050.d	64.90	531194	54.2	505187	0.878	0.1%
E050525A_CC252679_QT_CC185154	Toluene	ICV	E2500050.d	77.40	626119	63.2	533535	0.958	-3.2%
E050525A_CC252679_QT_CC185154	Ethylbenzene	ICV	E2500050.d	87.14	736386	63.2	533535	1.001	-16.0%
E050525A_CC252679_QT_CC185154	m-/p-Xylenes	ICV	E2500050.d	90.70	588321	63.2	533535	0.768	-26.0%
E050525A_CC252679_QT_CC185154	o-Xylene	ICV	E2500050.d	89.27	625693	63.2	533535	0.830	-13.0%

M325B PDF Report ver.20250917

Sample Custody



EPA Method 325 A/B
Field Test Data Sheet and
Chain of Custody Record

- ☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

405 ②
2025GB405
Page 83 of 84

1 of # 1

Site Name:	Global South Portland	Client Name:	Montrose Air Quality Services, LLC	PO#:	
Site Address:	1 Clark Road	Project Number:	PROJ-031333	Sample Event #	2025GB405
City:	South Portland	Project Manager:	Sabarish Selvarajan	Sorbent:	Carbopak-X
State:	Maine	Email Address:	sabarishselvarajan@montrose-env.com		
Zip:	04106	Telephone #:	973-722-7895		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C33422	S	11/12/25	8:50 AM	11/25/25	4:14 PM	HFB/KR		
2	B46119	S	11/12/25	9:00 AM	11/25/25	4:20 PM	HFB/KR		
3	C16131	S	11/12/25	9:10 AM	11/25/25	4:29 PM	HFB/KR		
4	C56791	S	11/12/25	9:20 AM	11/25/25	4:35 PM	HFB/KR		
5	B18404	S	11/12/25	9:30 AM	11/25/25	4:42 PM	HFB/KR		
5	C43363	D	11/12/25	9:30 AM	11/25/25	4:42 PM	HFB/KR		
5	B27971	B	11/12/25	9:30 AM	11/25/25	4:42 PM	HFB/KR		
6	① C35775	S	11/12/25	9:40 AM	11/25/25	4:39 PM	HFB/KR		
7	C31358	S	11/12/25	9:50 AM	11/25/25	4:53 PM	HFB/KR		
8	C40167	S	11/12/25	10:00 AM	11/25/25	4:56 PM	HFB/KR		
9	C43207	S	11/12/25	10:10 AM	11/25/25	5:03 PM	HFB/KR		
10	C56886	S	11/12/25	10:20 AM	11/25/25	5:11 PM	HFB/KR		
11	C33469	S	11/12/25	10:30 AM	11/25/25	5:19 PM	HFB/KR		
12	C40132	S	11/12/25	10:40 AM	11/25/25	5:26 PM	HFB/KR		
13	C01854	S	11/12/25	10:50 AM	11/25/25	5:37 PM	HFB/KR		
14	C32746	S	11/12/25	11:00 AM	11/25/25	5:45 PM	HFB/KR		
14	C01303	D	11/12/25	11:00 AM	11/25/25	5:45 PM	HFB/KR		
14	C39020	B	11/12/25	11:00 AM	11/25/25	5:45 PM	HFB/KR		
15	C17124	S	11/12/25	11:10 AM	11/25/25	5:50 PM	HFB/KR		
16	C53601	S	11/12/25	11:20 AM	11/25/25	5:55 PM	HFB/KR		
17	C57423	S	11/12/25	11:30 AM	11/25/25	5:59 PM	HFB/KR		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kevin Ruggiero	#VALUE!	11/26/2025	16:45
Received By (printed):	Received By (signature):	Receipt Date:	Receipt Time:
Paige Grandman	Paige Grandman	12-1-25	10:30 am
Sample Condition Upon Receipt:	Compound List:	Custody Seal intact? Y/N:	Delivery tracking #
Good, except see note ①		Y	
.mp:	Blank Temp:	Add Custody Seal # below:	
	12.1 Fluke 4	24GG9842	
Comments: ① Did not receive, did receive BS10 39 from 2025GB407 PEG 12-5-25 ② EE PEG 12-5-25 ③ EE PEG 12-5-25			
800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.enthalpy.com			

**This Is The Last Page
Of This Report.**

Global - South Portland

1 Clark Rd.
South Portland, ME 04106

Sampling Event 36 Global - South Portland

Client Project# PROJ-031333

Samples Received: 12/11/2025

Analytical Report 2025GB406

EPA Method 325B Analysis

Report Issue Date: 12/22/2025

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:


QA Review by Isabel Obando Marrero, Data Reviewer



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	12
Chromatograms	15
Initial Calibration	82
Sample Custody	85
Chain of Custody	86

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GB406-1
Client ID.	PROJ-031333 Site: Global - South Portland

1. Custody

The samples were received at Enthalpy Analytical on December 11, 2025 at 21.4 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
GLBSP-1-S-20251125	C67357	Sample
GLBSP-2-S-20251125	C71650	Sample
GLBSP-3-S-20251125	C69715	Sample
GLBSP-4-S-20251125	B46098	Sample
GLBSP-5-S-20251125	C32866	Sample
GLBSP-5-D-20251125	C70201	Duplicate
GLBSP-5-B-20251125	C43337	Blank
GLBSP-6-S-20251112	C35775	Sample
GLBSP-7-S-20251125	C61490	Sample
GLBSP-8-S-20251125	B43124	Sample
GLBSP-9-S-20251125	B51064	Sample
GLBSP-10-S-20251125	C43913	Sample
GLBSP-11-S-20251125	B29387	Sample
GLBSP-12-S-20251125	C70140	Sample
GLBSP-13-S-20251125	C71717	Sample
GLBSP-14-S-20251125	C37056	Sample
GLBSP-14-D-20251125	C01396	Duplicate
GLBSP-14-B-20251125	C69595	Blank
GLBSP-15-S-20251125	C71655	Sample
GLBSP-16-S-20251125	C71680	Sample
GLBSP-17-S-20251125	C57696	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GB406-1
Client ID.	PROJ-031333 Site: Global - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (M121225A_CC185154) met all 30% RSD criteria. The initial calibration verification met $\pm 30\%$ recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

5. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

The primary sample GLBSP-5-S-20251125 (tube ID C32866) and its corresponding duplicate GLBSP-5-D-20251125 (tube ID C70201) failed to meet the 30% difference criterion for Ethylbenzene as specified by the method. However, the concentrations of the analyte in both the sample and the duplicate were less than two times the reporting limit of the instrument's calibration curve. Therefore, the percent difference observed may not suggest the data set has been negatively affected. All samples in the data set have been flagged "Pc" for Ethylbenzene to denote this failure.

6. Reporting Notes

GLBSP-6-S-20251112 (tube ID C35775) was sampled in the field for 4 weeks which is outside the method-specified window of 14 ± 1 days. This sample has been flagged "Fe" to denote a field sampling error and has been flagged "D" to denote this deviation from the method.

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in $\mu\text{g}/\text{m}^3$ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB406-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20251125	C67357	0.789		1.63		0.351	J,Pc	1.07		0.419	J
GLBSP-2-S-20251125	C71650	0.912		2.01		0.414	J,Pc	1.29		0.515	J
GLBSP-3-S-20251125	C69715	0.910		2.05		0.439	J,Pc	1.38		0.528	J
GLBSP-4-S-20251125	B46098	0.847		1.88		0.344	J,Pc	0.913		0.347	J
GLBSP-5-S-20251125	C32866	1.13		2.20		0.546	J,Pc	1.06		0.393	J
GLBSP-5-D-20251125	C70201	0.916		2.15		0.401	J,Pc	1.22		0.464	J
GLBSP-5-B-20251125	C43337	0.195	ND	0.252	ND	0.284	ND,Pc	0.284	ND	0.284	ND
GLBSP-6-S-20251112	C35775	0.952	D,Fe	2.53	D,Fe	0.510	Pc,D,Fe	1.55	D,Fe	0.627	D,Fe
GLBSP-7-S-20251125	C61490	1.27		2.59		0.493	J,Pc	1.53		0.594	J
GLBSP-8-S-20251125	B43124	0.951		2.16		0.441	J,Pc	1.15		0.467	J
GLBSP-9-S-20251125	B51064	0.944		1.69		0.294	J,Pc	0.716		0.285	ND
GLBSP-10-S-20251125	C43913	0.836		1.92		0.351	J,Pc	1.08		0.413	J
GLBSP-11-S-20251125	B29387	0.799		1.71		0.340	J,Pc	0.850		0.322	J
GLBSP-12-S-20251125	C70140	0.960		2.00		0.412	J,Pc	1.21		0.478	J
GLBSP-13-S-20251125	C71717	1.03		2.33		0.684	Pc	2.21		0.825	
GLBSP-14-S-20251125	C37056	0.949		2.02		0.459	J,Pc	1.05		0.405	J
GLBSP-14-D-20251125	C01396	1.02		2.16		0.471	J,Pc	1.14		0.443	J
GLBSP-14-B-20251125	C69595	0.196	ND	0.252	ND	0.285	ND,Pc	0.285	ND	0.285	ND
GLBSP-15-S-20251125	C71655	0.825		1.71		0.306	J,Pc	0.914		0.383	J
GLBSP-16-S-20251125	C71680	0.799		1.50		0.329	J,Pc	1.01		0.399	J
GLBSP-17-S-20251125	C57696	0.655		1.78		0.285	ND,Pc	0.838		0.326	J

D: Sample duration outside 14 +/- 1 days

Fe: Field Error. See report narrative for details

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB406-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251125	C67357	0.789	0.247	10.1	29.2	0.639	20027	0.195	0.466	0.0611	0.146		M2505441.d	2025-12-13 15:32	0.885	8.174	79278	489786	55.2	8.116	-1.9%
GLBSP-2-S-20251125	C71650	0.912	0.286	11.7	29.2	0.639	20024	0.195	0.466	0.0612	0.146		M2505442.d	2025-12-13 15:57	0.885	8.174	91367	487880	55.2	8.117	-2.3%
GLBSP-3-S-20251125	C69715	0.910	0.285	11.6	29.1	0.639	20017	0.195	0.466	0.0612	0.146		M2505443.d	2025-12-13 16:23	0.885	8.174	90574	485225	55.2	8.116	-2.8%
GLBSP-4-S-20251125	B46098	0.847	0.265	10.8	29.1	0.639	20023	0.195	0.466	0.0612	0.146		M2505444.d	2025-12-13 16:48	0.885	8.174	83681	481169	55.2	8.117	-3.6%
GLBSP-5-S-20251125	C32866	1.13	0.354	14.5	29.1	0.639	20022	0.195	0.466	0.0612	0.146		M2505445.d	2025-12-13 17:13	0.885	8.174	112450	485029	55.2	8.117	-2.9%
GLBSP-5-D-20251125	C70201	0.916	0.287	11.7	29.1	0.639	20022	0.195	0.466	0.0612	0.146		M2505446.d	2025-12-13 17:39	0.885	8.174	91158	485013	55.2	8.117	-2.9%
GLBSP-5-B-20251125	C43337	0.195	0.0612		29.1	0.639	20022	0.195	0.466	0.0612	0.146	ND	M2505440.d	2025-12-13 15:07	0.885	8.174	10162	486055	55.2	8.117	-2.7%
GLBSP-6-S-20251112	C35775	0.952	0.298	23.9	32.2	0.641	39166	0.0995	0.237	0.0312	0.0743	D,Fe	M2505447.d	2025-12-13 18:05	0.885	8.174	186496	486688	55.2	8.117	-2.5%
GLBSP-7-S-20251125	C61490	1.27	0.396	16.2	29.1	0.639	20017	0.195	0.466	0.0612	0.146		M2505448.d	2025-12-13 18:30	0.885	8.174	126566	487672	55.2	8.117	-2.3%
GLBSP-8-S-20251125	B43124	0.951	0.298	12.2	29.1	0.639	20016	0.195	0.466	0.0612	0.146		M2505449.d	2025-12-13 18:56	0.885	8.174	93901	481505	55.2	8.117	-3.6%
GLBSP-9-S-20251125	B51064	0.944	0.296	12.1	29.1	0.639	20013	0.195	0.466	0.0612	0.146		M2505450.d	2025-12-13 19:21	0.885	8.174	93876	485056	55.2	8.117	-2.9%
GLBSP-10-S-20251125	C43913	0.836	0.262	10.7	29.1	0.639	20007	0.195	0.466	0.0612	0.146		M2505452.d	2025-12-13 20:12	0.885	8.174	82501	481253	55.2	8.117	-3.6%
GLBSP-11-S-20251125	B29387	0.799	0.250	10.2	29.1	0.639	20004	0.195	0.466	0.0612	0.146		M2505453.d	2025-12-13 20:37	0.885	8.174	79503	485237	55.2	8.117	-2.8%
GLBSP-12-S-20251125	C70140	0.960	0.301	12.3	29.1	0.639	20004	0.195	0.466	0.0612	0.146		M2505454.d	2025-12-13 21:03	0.885	8.174	94482	479995	55.2	8.117	-3.9%
GLBSP-13-S-20251125	C71717	1.03	0.321	13.1	29.1	0.639	20013	0.195	0.466	0.0612	0.146		M2505455.d	2025-12-13 21:28	0.885	8.174	101624	483375	55.2	8.117	-3.2%
GLBSP-14-S-20251125	C37056	0.949	0.297	12.1	29.1	0.639	19995	0.196	0.466	0.0612	0.146		M2505456.d	2025-12-13 21:53	0.885	8.174	93336	480143	55.2	8.117	-3.8%
GLBSP-14-D-20251125	C01396	1.02	0.319	13.0	29.1	0.639	19995	0.196	0.466	0.0612	0.146		M2505457.d	2025-12-13 22:20	0.885	8.174	100198	480033	55.2	8.117	-3.9%
GLBSP-14-B-20251125	C69595	0.196	0.0612		29.1	0.639	19995	0.196	0.466	0.0612	0.146	ND	M2505458.d	2025-12-13 22:45	0.885	8.174	13346	475834	55.2	8.117	-4.7%
GLBSP-15-S-20251125	C71655	0.825	0.258	10.5	29.1	0.639	19993	0.196	0.466	0.0613	0.146		M2505459.d	2025-12-13 23:10	0.885	8.174	81238	480659	55.2	8.117	-3.7%
GLBSP-16-S-20251125	C71680	0.799	0.250	10.2	29.1	0.639	19990	0.196	0.467	0.0613	0.146		M2505460.d	2025-12-13 23:36	0.885	8.174	78923	482283	55.2	8.117	-3.4%
GLBSP-17-S-20251125	C57696	0.655	0.205	8.37	29.0	0.639	19996	0.196	0.466	0.0612	0.146		M2505461.d	2025-12-14 00:01	0.885	8.174	64625	481540	55.2	8.117	-3.6%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251125	C67357	1.63	0.434	16.2	29.2	0.496	20027	0.252	0.527	0.0668	0.140		M2505441.d	2025-12-13 15:32	1.043	10.896	135889	523099	65.2	10.803	-2.9%
GLBSP-2-S-20251125	C71650	2.01	0.533	19.9	29.2	0.496	20024	0.252	0.527	0.0668	0.140		M2505442.d	2025-12-13 15:57	1.043	10.896	164022	513747	65.2	10.803	-4.6%
GLBSP-3-S-20251125	C69715	2.05	0.545	20.4	29.1	0.496	20017	0.252	0.527	0.0668	0.140		M2505443.d	2025-12-13 16:23	1.043	10.896	170076	520600	65.2	10.803	-3.4%
GLBSP-4-S-20251125	B46098	1.88	0.498	18.6	29.1	0.496	20023	0.252	0.527	0.0668	0.140		M2505444.d	2025-12-13 16:48	1.043	10.896	157056	526276	65.2	10.803	-2.3%
GLBSP-5-S-20251125	C32866	2.20	0.585	21.9	29.1	0.496	20022	0.252	0.527	0.0668	0.140		M2505445.d	2025-12-13 17:13	1.043	10.896	181144	517179	65.2	10.803	-4.0%
GLBSP-5-D-20251125	C70201	2.15	0.570	21.3	29.1	0.496	20022	0.252	0.527	0.0668	0.140		M2505446.d	2025-12-13 17:39	1.043	10.896	171793	503464	65.2	10.803	-6.5%
GLBSP-5-B-20251125	C43337	0.252	0.0668		29.1	0.496	20022	0.252	0.527	0.0668	0.140	ND	M2505440.d	2025-12-13 15:07	1.043	10.896	12585	516821	65.2	10.803	-4.1%
GLBSP-6-S-20251112	C35775	2.53	0.672	49.3	32.2	0.498	39166	0.128	0.269	0.0340	0.0713	D,Fe	M2505447.d	2025-12-13 18:05	1.043	10.896	402801	509981	65.2	10.803	-5.3%
GLBSP-7-S-20251125	C61490	2.59	0.686	25.7	29.1	0.496	20017	0.252	0.527	0.0668	0.140		M2505448.d	2025-12-13 18:30	1.043	10.896	216998	527851	65.2	10.803	-2.0%
GLBSP-8-S-20251125	B43124	2.16	0.574	21.5	29.1	0.496	20016	0.252	0.527	0.0668	0.140		M2505449.d	2025-12-13 18:56	1.043	10.896	176959	514517	65.2	10.803	-4.5%
GLBSP-9-S-20251125	B51064	1.69	0.448	16.8	29.1	0.496	20013	0.252	0.527	0.0668	0.140		M2505450.d	2025-12-13 19:21	1.043	10.896	138963	517951	65.2	10.803	-3.9%
GLBSP-10-S-20251125	C43913	1.92	0.510	19.1	29.1	0.496	20007	0.252	0.527	0.0669	0.140		M2505452.d	2025-12-13 20:12	1.043	10.896	156354	511983	65.2	10.803	-5.0%
GLBSP-11-S-20251125	B29387	1.71	0.454	17.0	29.1	0.496	20004	0.252	0.528	0.0669	0.140		M2505453.d	2025-12-13 20:37	1.043	10.896	139404	513434	65.2	10.803	-4.7%
GLBSP-12-S-20251125	C70140	2.00	0.530	19.8	29.1	0.496	20004	0.252	0.528	0.0669	0.140		M2505454.d	2025-12-13 21:03	1.043	10.896	161063	507823	65.2	10.803	-5.7%
GLBSP-13-S-20251125	C71717	2.33	0.618	23.1	29.1	0.496	20013	0.252	0.527	0.0668	0.140		M2505455.d	2025-12-13 21:28	1.043	10.896	190271	514164	65.2	10.803	-4.6%
GLBSP-14-S-20251125	C37056	2.02	0.536	20.0	29.1	0.496	19995	0.252	0.528	0.0669	0.140		M2505456.d	2025-12-13 21:53	1.043	10.896	163136	508597	65.2	10.803	-5.6%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB406-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-14-D-20251125	C01396	2.16	0.572	21.4	29.1	0.496	19995	0.252	0.528	0.0669	0.140		M2505457.d	2025-12-13 22:20	1.043	10.896	173183	505912	65.2	10.803	-6.1%
GLBSP-14-B-20251125	C69595	0.252	0.0669		29.1	0.496	19995	0.252	0.528	0.0669	0.140	ND	M2505458.d	2025-12-13 22:45	1.043	10.896	10430	509383	65.2	10.803	-5.4%
GLBSP-15-S-20251125	C71655	1.71	0.455	17.0	29.1	0.496	19993	0.252	0.528	0.0669	0.140		M2505459.d	2025-12-13 23:10	1.043	10.896	138597	508907	65.2	10.803	-5.5%
GLBSP-16-S-20251125	C71680	1.50	0.398	14.9	29.1	0.496	19990	0.252	0.528	0.0669	0.140		M2505460.d	2025-12-13 23:36	1.043	10.896	121728	511679	65.2	10.803	-5.0%
GLBSP-17-S-20251125	C57696	1.78	0.473	17.7	29.0	0.496	19996	0.252	0.528	0.0669	0.140		M2505461.d	2025-12-14 00:01	1.043	10.896	144442	510535	65.2	10.803	-5.2%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251125	C67357	0.351	0.0808	3.08	29.2	0.439	20027	0.284	0.619	0.0655	0.143	J,Pc	M2505441.d	2025-12-13 15:32	1.222	13.080	30237	523099	65.2	10.803	-2.9%
GLBSP-2-S-20251125	C71650	0.414	0.0954	3.64	29.2	0.439	20024	0.284	0.619	0.0655	0.143	J,Pc	M2505442.d	2025-12-13 15:57	1.222	13.081	35072	513747	65.2	10.803	-4.6%
GLBSP-3-S-20251125	C69715	0.439	0.101	3.86	29.1	0.439	20017	0.284	0.619	0.0656	0.143	J,Pc	M2505443.d	2025-12-13 16:23	1.222	13.081	37663	520600	65.2	10.803	-3.4%
GLBSP-4-S-20251125	B46098	0.344	0.0793	3.03	29.1	0.439	20023	0.284	0.619	0.0655	0.143	J,Pc	M2505444.d	2025-12-13 16:48	1.222	13.081	29864	526276	65.2	10.803	-2.3%
GLBSP-5-S-20251125	C32866	0.546	0.126	4.80	29.1	0.439	20022	0.284	0.619	0.0655	0.143	J,Pc	M2505445.d	2025-12-13 17:13	1.222	13.081	46561	517179	65.2	10.803	-4.0%
GLBSP-5-D-20251125	C70201	0.401	0.0925	3.53	29.1	0.439	20022	0.284	0.619	0.0655	0.143	J,Pc	M2505446.d	2025-12-13 17:39	1.222	13.081	33290	503464	65.2	10.803	-6.5%
GLBSP-5-B-20251125	C43337	0.284	0.0655		29.1	0.439	20022	0.284	0.619	0.0655	0.143	ND,Pc	M2505440.d	2025-12-13 15:07	1.222	13.081	2672	516821	65.2	10.803	-4.1%
GLBSP-6-S-20251112	C35775	0.510	0.118	8.80	32.2	0.440	39166	0.145	0.316	0.0334	0.0727	Pc,D,Fe	M2505447.d	2025-12-13 18:05	1.222	13.081	84178	509981	65.2	10.803	-5.3%
GLBSP-7-S-20251125	C61490	0.493	0.114	4.34	29.1	0.439	20017	0.284	0.619	0.0656	0.143	J,Pc	M2505448.d	2025-12-13 18:30	1.222	13.081	42906	527851	65.2	10.803	-2.0%
GLBSP-8-S-20251125	B43124	0.441	0.102	3.87	29.1	0.439	20016	0.285	0.619	0.0656	0.143	J,Pc	M2505449.d	2025-12-13 18:56	1.222	13.081	37377	514517	65.2	10.803	-4.5%
GLBSP-9-S-20251125	B51064	0.294	0.0678	2.58	29.1	0.439	20013	0.285	0.620	0.0656	0.143	J,Pc	M2505450.d	2025-12-13 19:21	1.222	13.081	25085	517951	65.2	10.803	-3.9%
GLBSP-10-S-20251125	C43913	0.351	0.0810	3.09	29.1	0.439	20007	0.285	0.620	0.0656	0.143	J,Pc	M2505452.d	2025-12-13 20:12	1.222	13.081	29628	511983	65.2	10.803	-5.0%
GLBSP-11-S-20251125	B29387	0.340	0.0784	2.99	29.1	0.439	20004	0.285	0.620	0.0656	0.143	J,Pc	M2505453.d	2025-12-13 20:37	1.222	13.081	28771	513434	65.2	10.803	-4.7%
GLBSP-12-S-20251125	C70140	0.412	0.0950	3.62	29.1	0.439	20004	0.285	0.620	0.0656	0.143	J,Pc	M2505454.d	2025-12-13 21:03	1.222	13.081	34470	507823	65.2	10.803	-5.7%
GLBSP-13-S-20251125	C71717	0.684	0.158	6.01	29.1	0.439	20013	0.285	0.620	0.0656	0.143	Pc	M2505455.d	2025-12-13 21:28	1.222	13.081	57926	514164	65.2	10.803	-4.6%
GLBSP-14-S-20251125	C37056	0.459	0.106	4.03	29.1	0.439	19995	0.285	0.620	0.0656	0.143	J,Pc	M2505456.d	2025-12-13 21:53	1.222	13.081	38456	508597	65.2	10.803	-5.6%
GLBSP-14-D-20251125	C01396	0.471	0.109	4.14	29.1	0.439	19995	0.285	0.620	0.0656	0.143	J,Pc	M2505457.d	2025-12-13 22:20	1.222	13.081	39238	505912	65.2	10.803	-6.1%
GLBSP-14-B-20251125	C69595	0.285	0.0656		29.1	0.439	19995	0.285	0.620	0.0656	0.143	ND,Pc	M2505458.d	2025-12-13 22:45	1.222	13.081	1802	509383	65.2	10.803	-5.4%
GLBSP-15-S-20251125	C71655	0.306	0.0705	2.68	29.1	0.439	19993	0.285	0.620	0.0656	0.143	J,Pc	M2505459.d	2025-12-13 23:10	1.222	13.081	25616	508907	65.2	10.803	-5.5%
GLBSP-16-S-20251125	C71680	0.329	0.0758	2.88	29.1	0.439	19990	0.285	0.620	0.0657	0.143	J,Pc	M2505460.d	2025-12-13 23:36	1.222	13.081	27672	511679	65.2	10.803	-5.0%
GLBSP-17-S-20251125	C57696	0.285	0.0656		29.0	0.439	19996	0.285	0.620	0.0656	0.143	ND,Pc	M2505461.d	2025-12-14 00:01	1.222	13.081	22691	510535	65.2	10.803	-5.2%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251125	C67357	1.07	0.248	9.45	29.2	0.439	20027	0.284	0.694	0.0655	0.160		M2505441.d	2025-12-13 15:32	0.993	13.260	75338	523099	65.2	10.803	-2.9%
GLBSP-2-S-20251125	C71650	1.29	0.296	11.3	29.2	0.439	20024	0.284	0.694	0.0655	0.160		M2505442.d	2025-12-13 15:57	0.993	13.260	88490	513747	65.2	10.803	-4.6%
GLBSP-3-S-20251125	C69715	1.38	0.317	12.1	29.1	0.439	20017	0.284	0.694	0.0656	0.160		M2505443.d	2025-12-13 16:23	0.993	13.260	95973	520600	65.2	10.803	-3.4%
GLBSP-4-S-20251125	B46098	0.913	0.210	8.02	29.1	0.439	20023	0.284	0.694	0.0655	0.160		M2505444.d	2025-12-13 16:48	0.993	13.260	64330	526276	65.2	10.803	-2.3%
GLBSP-5-S-20251125	C32866	1.06	0.243	9.29	29.1	0.439	20022	0.284	0.694	0.0655	0.160		M2505445.d	2025-12-13 17:13	0.993	13.260	73183	517179	65.2	10.803	-4.0%
GLBSP-5-D-20251125	C70201	1.22	0.281	10.7	29.1	0.439	20022	0.284	0.694	0.0655	0.160		M2505446.d	2025-12-13 17:39	0.993	13.260	82114	503464	65.2	10.803	-6.5%
GLBSP-5-B-20251125	C43337	0.284	0.0655		29.1	0.439	20022	0.284	0.694	0.0655	0.160	ND	M2505440.d	2025-12-13 15:07	0.993	13.260	1113	516821	65.2	10.803	-4.1%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB406-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-6-S-20251112	C35775	1.55	0.358	26.8	32.2	0.440	39166	0.145	0.354	0.0334	0.0815	D,Fe	M2505447.d	2025-12-13 18:05	0.993	13.260	208351	509981	65.2	10.803	-5.3%
GLBSP-7-S-20251125	C61490	1.53	0.354	13.5	29.1	0.439	20017	0.284	0.694	0.0656	0.160		M2505448.d	2025-12-13 18:30	0.993	13.260	108448	527851	65.2	10.803	-2.0%
GLBSP-8-S-20251125	B43124	1.15	0.265	10.1	29.1	0.439	20016	0.285	0.694	0.0656	0.160		M2505449.d	2025-12-13 18:56	0.993	13.260	79167	514517	65.2	10.803	-4.5%
GLBSP-9-S-20251125	B51064	0.716	0.165	6.29	29.1	0.439	20013	0.285	0.694	0.0656	0.160		M2505450.d	2025-12-13 19:21	0.993	13.260	49653	517951	65.2	10.803	-3.9%
GLBSP-10-S-20251125	C43913	1.08	0.248	9.47	29.1	0.439	20007	0.285	0.695	0.0656	0.160		M2505452.d	2025-12-13 20:12	0.993	13.260	73852	511983	65.2	10.803	-5.0%
GLBSP-11-S-20251125	B29387	0.850	0.196	7.47	29.1	0.439	20004	0.285	0.695	0.0656	0.160		M2505453.d	2025-12-13 20:37	0.993	13.260	58418	513434	65.2	10.803	-4.7%
GLBSP-12-S-20251125	C70140	1.21	0.279	10.6	29.1	0.439	20004	0.285	0.695	0.0656	0.160		M2505454.d	2025-12-13 21:03	0.993	13.260	82345	507823	65.2	10.803	-5.7%
GLBSP-13-S-20251125	C71717	2.21	0.510	19.4	29.1	0.439	20013	0.285	0.694	0.0656	0.160		M2505455.d	2025-12-13 21:28	0.993	13.260	152254	514164	65.2	10.803	-4.6%
GLBSP-14-S-20251125	C37056	1.05	0.243	9.26	29.1	0.439	19995	0.285	0.695	0.0656	0.160		M2505456.d	2025-12-13 21:53	0.993	13.260	71749	508597	65.2	10.803	-5.6%
GLBSP-14-D-20251125	C01396	1.14	0.264	10.0	29.1	0.439	19995	0.285	0.695	0.0656	0.160		M2505457.d	2025-12-13 22:20	0.993	13.260	77438	505912	65.2	10.803	-6.1%
GLBSP-14-B-20251125	C69595	0.285	0.0656		29.1	0.439	19995	0.285	0.695	0.0656	0.160	ND	M2505458.d	2025-12-13 22:45	0.993	13.260	933	509383	65.2	10.803	-5.4%
GLBSP-15-S-20251125	C71655	0.914	0.211	8.02	29.1	0.439	19993	0.285	0.695	0.0656	0.160		M2505459.d	2025-12-13 23:10	0.993	13.260	62184	508907	65.2	10.803	-5.5%
GLBSP-16-S-20251125	C71680	1.01	0.233	8.86	29.1	0.439	19990	0.285	0.695	0.0657	0.160		M2505460.d	2025-12-13 23:36	0.993	13.260	69052	511679	65.2	10.803	-5.0%
GLBSP-17-S-20251125	C57696	0.838	0.193	7.36	29.0	0.439	19996	0.285	0.695	0.0656	0.160		M2505461.d	2025-12-14 00:01	0.993	13.260	57226	510535	65.2	10.803	-5.2%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251125	C67357	0.419	0.0965	3.68	29.2	0.439	20027	0.284	0.645	0.0655	0.149	J	M2505441.d	2025-12-13 15:32	0.981	13.754	28984	523099	65.2	10.803	-2.9%
GLBSP-2-S-20251125	C71650	0.515	0.119	4.53	29.2	0.439	20024	0.284	0.645	0.0655	0.149	J	M2505442.d	2025-12-13 15:57	0.981	13.754	35003	513747	65.2	10.803	-4.6%
GLBSP-3-S-20251125	C69715	0.528	0.122	4.64	29.1	0.439	20017	0.284	0.646	0.0656	0.149	J	M2505443.d	2025-12-13 16:23	0.981	13.761	36353	520600	65.2	10.803	-3.4%
GLBSP-4-S-20251125	B46098	0.347	0.0799	3.05	29.1	0.439	20023	0.284	0.645	0.0655	0.149	J	M2505444.d	2025-12-13 16:48	0.981	13.754	24140	526276	65.2	10.803	-2.3%
GLBSP-5-S-20251125	C32866	0.393	0.0906	3.45	29.1	0.439	20022	0.284	0.645	0.0655	0.149	J	M2505445.d	2025-12-13 17:13	0.981	13.754	26891	517179	65.2	10.803	-4.0%
GLBSP-5-D-20251125	C70201	0.464	0.107	4.08	29.1	0.439	20022	0.284	0.645	0.0655	0.149	J	M2505446.d	2025-12-13 17:39	0.981	13.754	30914	503464	65.2	10.803	-6.5%
GLBSP-5-B-20251125	C43337	0.284	0.0655		29.1	0.439	20022	0.284	0.645	0.0655	0.149	ND	M2505440.d	2025-12-13 15:07	0.981	13.769	318	516821	65.2	10.803	-4.1%
GLBSP-6-S-20251112	C35775	0.627	0.145	10.8	32.2	0.440	39166	0.145	0.329	0.0334	0.0758	D,Fe	M2505447.d	2025-12-13 18:05	0.981	13.754	83027	509981	65.2	10.803	-5.3%
GLBSP-7-S-20251125	C61490	0.594	0.137	5.22	29.1	0.439	20017	0.284	0.646	0.0656	0.149	J	M2505448.d	2025-12-13 18:30	0.981	13.761	41448	527851	65.2	10.803	-2.0%
GLBSP-8-S-20251125	B43124	0.467	0.108	4.10	29.1	0.439	20016	0.285	0.646	0.0656	0.149	J	M2505449.d	2025-12-13 18:56	0.981	13.754	31760	514517	65.2	10.803	-4.5%
GLBSP-9-S-20251125	B51064	0.285	0.0656		29.1	0.439	20013	0.285	0.646	0.0656	0.149	ND	M2505450.d	2025-12-13 19:21	0.981	13.761	19470	517951	65.2	10.803	-3.9%
GLBSP-10-S-20251125	C43913	0.413	0.0952	3.63	29.1	0.439	20007	0.285	0.646	0.0656	0.149	J	M2505452.d	2025-12-13 20:12	0.981	13.754	27958	511983	65.2	10.803	-5.0%
GLBSP-11-S-20251125	B29387	0.322	0.0741	2.83	29.1	0.439	20004	0.285	0.646	0.0656	0.149	J	M2505453.d	2025-12-13 20:37	0.981	13.754	21834	513434	65.2	10.803	-4.7%
GLBSP-12-S-20251125	C70140	0.478	0.110	4.19	29.1	0.439	20004	0.285	0.646	0.0656	0.149	J	M2505454.d	2025-12-13 21:03	0.981	13.761	32058	507823	65.2	10.803	-5.7%
GLBSP-13-S-20251125	C71717	0.825	0.190	7.25	29.1	0.439	20013	0.285	0.646	0.0656	0.149	J	M2505455.d	2025-12-13 21:28	0.981	13.761	56075	514164	65.2	10.803	-4.6%
GLBSP-14-S-20251125	C37056	0.405	0.0934	3.56	29.1	0.439	19995	0.285	0.646	0.0656	0.149	J	M2505456.d	2025-12-13 21:53	0.981	13.754	27236	508597	65.2	10.803	-5.6%
GLBSP-14-D-20251125	C01396	0.443	0.102	3.89	29.1	0.439	19995	0.285	0.646	0.0656	0.149	J	M2505457.d	2025-12-13 22:20	0.981	13.754	29624	505912	65.2	10.803	-6.1%
GLBSP-14-B-20251125	C69595	0.285	0.0656		29.1	0.439	19995	0.285	0.646	0.0656	0.149	ND	M2505458.d	2025-12-13 22:45	0.981	13.733	93	509383	65.2	10.803	-5.4%
GLBSP-15-S-20251125	C71655	0.383	0.0882	3.36	29.1	0.439	19993	0.285	0.646	0.0656	0.149	J	M2505459.d	2025-12-13 23:10	0.981	13.761	25716	508907	65.2	10.803	-5.5%
GLBSP-16-S-20251125	C71680	0.399	0.0920	3.50	29.1	0.439	19990	0.285	0.646	0.0657	0.149	J	M2505460.d	2025-12-13 23:36	0.981	13.761	26988	511679	65.2	10.803	-5.0%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB406-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-17-S-20251125	C57696	0.326	0.0752	2.87	29.0	0.439	19996	0.285	0.646	0.0656	0.149	J	M2505461.d	2025-12-14 00:01	0.981	13.761	22019	510535	65.2	10.803	-5.2%

D: Sample duration outside 14 +/- 1 days
Fe: Field Error. See report narrative for details
J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB406-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	GLBSP-5-B-20251125	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	GLBSP-14-B-20251125	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	GLBSP-5-D-20251125	21%	Pass	2.6%	Pass	31%	Fail	14%	Pass	17%	Pass
	GLBSP-14-D-20251125	7.1%	Pass	6.5%	Pass	2.5%	Pass	8.2%	Pass	8.9%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB406-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2505438.d	C01621	Cal	0.885		0.885	-0.16%	-0.89%		Pass	
2025GB406 Method Blank-1	M2505439.d	C70726	Blank			0.885			0.21%	Pass	ND
M325B CCV 5	M2505451.d	C68611	Check	0.908		0.885	2.4%		-3.2%	Pass	
M325B CCV 5	M2505462.d	C24218	Check	0.870		0.885	-1.9%		-4.2%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2505438.d	C01621	Cal	1.043		1.043	-2.2%	1.1%		Pass	
2025GB406 Method Blank-1	M2505439.d	C70726	Blank			1.043			-0.91%	Pass	ND
M325B CCV 5	M2505451.d	C68611	Check	1.088		1.043	2.0%		-5.7%	Pass	
M325B CCV 5	M2505462.d	C24218	Check	1.031		1.043	-3.4%		-4.5%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2505438.d	C01621	Cal	1.222		1.222	-0.51%	1.1%		Pass	
2025GB406 Method Blank-1	M2505439.d	C70726	Blank			1.222			-0.91%	Pass	ND
M325B CCV 5	M2505451.d	C68611	Check	1.319		1.222	7.4%		-5.7%	Pass	
M325B CCV 5	M2505462.d	C24218	Check	1.226		1.222	-0.13%		-4.5%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2505438.d	C01621	Cal	0.993		0.993	-1.7%	1.1%		Pass	
2025GB406 Method Blank-1	M2505439.d	C70726	Blank			0.993			-0.91%	Pass	ND
M325B CCV 5	M2505451.d	C68611	Check	1.121		0.993	11%		-5.7%	Pass	
M325B CCV 5	M2505462.d	C24218	Check	1.036		0.993	2.5%		-4.5%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2505438.d	C01621	Cal	0.981		0.981	-1.1%	1.1%		Pass	
2025GB406 Method Blank-1	M2505439.d	C70726	Blank			0.981			-0.91%	Pass	ND
M325B CCV 5	M2505451.d	C68611	Check	1.095		0.981	10%		-5.7%	Pass	
M325B CCV 5	M2505462.d	C24218	Check	1.022		0.981	3.1%		-4.5%	Pass	

Chromatograms



Name 2025GB406 Method Blank-1
Comment C70726
Data File M2505439.d
Acq. Date-Time 12/13/2025 2:41:43 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.110	8.117	500,433	
Benzene	Benzene-d6 (IS)	8.167	8.174	5,944	
Toluene-d8 (IS)		10.796	10.803	533,800	
Toluene	Toluene-d8 (IS)	10.896	10.896	8,614	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	1,590	
m-/p-Xylenes	Toluene-d8 (IS)	13.267	13.260	1,804	
o-Xylene	Toluene-d8 (IS)	13.761	13.754	769	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505439.d




+ Scan (10.753-10.918 min, 24 scans) M2505439.d

**Toluene**


+ EIC (91.1) Scan M2505439.d




+ Scan (10.851-10.923 min, 10 scans) M2505439.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505439.d




+ Scan (13.056-13.117 min, 9 scans) M2505439.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505439.d




+ Scan (13.229-13.296 min, 9 scans) M2505439.d




o-Xylene

+ EIC (91.1) Scan M2505439.d




+ Scan (13.732-13.771 min, 6 scans) M2505439.d





Name GLBSP-5-B-20251125
Comment C43337
Data File M2505440.d
Acq. Date-Time 12/13/2025 3:07:03 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	486,055	
Benzene	Benzene-d6 (IS)	8.174	8.174	10,162	
Toluene-d8 (IS)		10.803	10.803	516,821	
Toluene	Toluene-d8 (IS)	10.896	10.896	12,585	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	2,672	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	1,113	
o-Xylene	Toluene-d8 (IS)	13.769	13.754	318	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505440.d




+ Scan (10.753-10.896 min, 21 scans) M2505440.d

**Toluene**


+ EIC (91.1) Scan M2505440.d




+ Scan (10.862-10.929 min, 9 scans) M2505440.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505440.d




+ Scan (13.056-13.117 min, 9 scans) M2505440.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505440.d




+ Scan (13.239-13.288 min, 6 scans) M2505440.d




o-Xylene

+ EIC (91.1) Scan M2505440.d




+ Scan (13.740-13.775 min, 5 scans) M2505440.d





Name GLBSP-1-S-20251125
Comment C67357
Data File M2505441.d
Acq. Date-Time 12/13/2025 3:32:26 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.116	8.117	489,786	
Benzene	Benzene-d6 (IS)	8.174	8.174	79,278	
Toluene-d8 (IS)		10.803	10.803	523,099	
Toluene	Toluene-d8 (IS)	10.896	10.896	135,889	
Ethylbenzene	Toluene-d8 (IS)	13.080	13.081	30,237	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	75,338	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	28,984	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505441.d




+ Scan (10.752-10.896 min, 21 scans) M2505441.d

**Toluene**


+ EIC (91.1) Scan M2505441.d




+ Scan (10.853-10.953 min, 15 scans) M2505441.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505441.d




+ Scan (13.038-13.124 min, 12 scans) M2505441.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505441.d




+ Scan (13.219-13.317 min, 14 scans) M2505441.d




o-Xylene

+ EIC (91.1) Scan M2505441.d




+ Scan (13.727-13.800 min, 10 scans) M2505441.d





Name GLBSP-2-S-20251125
Comment C71650
Data File M2505442.d
Acq. Date-Time 12/13/2025 3:57:47 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	487,880	
Benzene	Benzene-d6 (IS)	8.174	8.174	91,367	
Toluene-d8 (IS)		10.803	10.803	513,747	
Toluene	Toluene-d8 (IS)	10.896	10.896	164,022	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	35,072	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	88,490	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	35,003	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505442.d




+ Scan (10.753-10.896 min, 20 scans) M2505442.d

**Toluene**


+ EIC (91.1) Scan M2505442.d




+ Scan (10.855-10.974 min, 16 scans) M2505442.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505442.d




+ Scan (13.047-13.116 min, 9 scans) M2505442.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505442.d




+ Scan (13.220-13.328 min, 15 scans) M2505442.d




o-Xylene

+ EIC (91.1) Scan M2505442.d




+ Scan (13.723-13.790 min, 9 scans) M2505442.d





Name GLBSP-3-S-20251125
Comment C69715
Data File M2505443.d
Acq. Date-Time 12/13/2025 4:23:05 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.116	8.117	485,225	
Benzene	Benzene-d6 (IS)	8.174	8.174	90,574	
Toluene-d8 (IS)		10.803	10.803	520,600	
Toluene	Toluene-d8 (IS)	10.896	10.896	170,076	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	37,663	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	95,973	
o-Xylene	Toluene-d8 (IS)	13.761	13.754	36,353	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505443.d




+ Scan (10.753-10.896 min, 21 scans) M2505443.d

**Toluene**


+ EIC (91.1) Scan M2505443.d




+ Scan (10.860-10.939 min, 11 scans) M2505443.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505443.d




+ Scan (13.045-13.129 min, 11 scans) M2505443.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505443.d




+ Scan (13.219-13.331 min, 16 scans) M2505443.d




o-Xylene

+ EIC (91.1) Scan M2505443.d




+ Scan (13.721-13.823 min, 14 scans) M2505443.d





Name GLBSP-4-S-20251125
Comment B46098
Data File M2505444.d
Acq. Date-Time 12/13/2025 4:48:29 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	481,169	
Benzene	Benzene-d6 (IS)	8.174	8.174	83,681	
Toluene-d8 (IS)		10.803	10.803	526,276	
Toluene	Toluene-d8 (IS)	10.896	10.896	157,056	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	29,864	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	64,330	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	24,140	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505444.d




+ Scan (10.746-10.896 min, 22 scans) M2505444.d

**Toluene**


+ EIC (91.1) Scan M2505444.d




+ Scan (10.853-10.979 min, 17 scans) M2505444.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505444.d




+ Scan (13.052-13.143 min, 13 scans) M2505444.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505444.d




+ Scan (13.219-13.323 min, 14 scans) M2505444.d




o-Xylene

+ EIC (91.1) Scan M2505444.d




+ Scan (13.729-13.790 min, 8 scans) M2505444.d





Name GLBSP-5-S-20251125
Comment C32866
Data File M2505445.d
Acq. Date-Time 12/13/2025 5:13:48 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	485,029	
Benzene	Benzene-d6 (IS)	8.174	8.174	112,450	
Toluene-d8 (IS)		10.803	10.803	517,179	
Toluene	Toluene-d8 (IS)	10.896	10.896	181,144	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	46,561	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	73,183	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	26,891	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505445.d




+ Scan (10.753-10.882 min, 19 scans) M2505445.d

**Toluene**


+ EIC (91.1) Scan M2505445.d




+ Scan (10.854-10.979 min, 17 scans) M2505445.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505445.d




+ Scan (13.045-13.129 min, 11 scans) M2505445.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505445.d




+ Scan (13.220-13.358 min, 19 scans) M2505445.d




o-Xylene

+ EIC (91.1) Scan M2505445.d




+ Scan (13.726-13.797 min, 10 scans) M2505445.d





Name GLBSP-5-D-20251125
Comment C70201
Data File M2505446.d
Acq. Date-Time 12/13/2025 5:39:11 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	485,013	
Benzene	Benzene-d6 (IS)	8.174	8.174	91,158	
Toluene-d8 (IS)		10.803	10.803	503,464	
Toluene	Toluene-d8 (IS)	10.896	10.896	171,793	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	33,290	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	82,114	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	30,914	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505446.d




+ Scan (10.753-10.882 min, 19 scans) M2505446.d

**Toluene**


+ EIC (91.1) Scan M2505446.d




+ Scan (10.853-10.966 min, 16 scans) M2505446.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505446.d




+ Scan (13.052-13.140 min, 13 scans) M2505446.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505446.d




+ Scan (13.217-13.331 min, 16 scans) M2505446.d




o-Xylene

+ EIC (91.1) Scan M2505446.d




+ Scan (13.726-13.790 min, 8 scans) M2505446.d





Name GLBSP-6-S-20251112
Comment C35775
Data File M2505447.d
Acq. Date-Time 12/13/2025 6:05:24 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	486,688	
Benzene	Benzene-d6 (IS)	8.174	8.174	186,496	
Toluene-d8 (IS)		10.803	10.803	509,981	
Toluene	Toluene-d8 (IS)	10.896	10.896	402,801	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	84,178	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	208,351	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	83,027	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505447.d




+ Scan (10.753-10.896 min, 21 scans) M2505447.d

**Toluene**


+ EIC (91.1) Scan M2505447.d




+ Scan (10.853-10.989 min, 20 scans) M2505447.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505447.d




+ Scan (13.046-13.124 min, 10 scans) M2505447.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505447.d




+ Scan (13.217-13.347 min, 18 scans) M2505447.d




o-Xylene

+ EIC (91.1) Scan M2505447.d




+ Scan (13.725-13.813 min, 13 scans) M2505447.d





Name GLBSP-7-S-20251125
Comment C61490
Data File M2505448.d
Acq. Date-Time 12/13/2025 6:30:48 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	487,672	
Benzene	Benzene-d6 (IS)	8.174	8.174	126,566	
Toluene-d8 (IS)		10.803	10.803	527,851	
Toluene	Toluene-d8 (IS)	10.896	10.896	216,998	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	42,906	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	108,448	
o-Xylene	Toluene-d8 (IS)	13.761	13.754	41,448	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505448.d




+ Scan (10.746-10.889 min, 21 scans) M2505448.d

**Toluene**


+ EIC (91.1) Scan M2505448.d




+ Scan (10.856-10.972 min, 16 scans) M2505448.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505448.d




+ Scan (13.047-13.124 min, 11 scans) M2505448.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505448.d




+ Scan (13.214-13.329 min, 16 scans) M2505448.d




o-Xylene

+ EIC (91.1) Scan M2505448.d




+ Scan (13.722-13.831 min, 15 scans) M2505448.d





Name GLBSP-8-S-20251125
Comment B43124
Data File M2505449.d
Acq. Date-Time 12/13/2025 6:56:11 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	481,505	
Benzene	Benzene-d6 (IS)	8.174	8.174	93,901	
Toluene-d8 (IS)		10.803	10.803	514,517	
Toluene	Toluene-d8 (IS)	10.896	10.896	176,959	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	37,377	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	79,167	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	31,760	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505449.d




+ Scan (10.753-10.889 min, 20 scans) M2505449.d

**Toluene**


+ EIC (91.1) Scan M2505449.d




+ Scan (10.860-10.974 min, 16 scans) M2505449.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505449.d




+ Scan (13.040-13.140 min, 14 scans) M2505449.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505449.d




+ Scan (13.219-13.324 min, 14 scans) M2505449.d




o-Xylene

+ EIC (91.1) Scan M2505449.d




+ Scan (13.723-13.826 min, 15 scans) M2505449.d





Name GLBSP-9-S-20251125
Comment B51064
Data File M2505450.d
Acq. Date-Time 12/13/2025 7:21:26 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	485,056	
Benzene	Benzene-d6 (IS)	8.174	8.174	93,876	
Toluene-d8 (IS)		10.803	10.803	517,951	
Toluene	Toluene-d8 (IS)	10.896	10.896	138,963	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	25,085	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	49,653	
o-Xylene	Toluene-d8 (IS)	13.761	13.754	19,470	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505450.d




+ Scan (10.746-10.889 min, 21 scans) M2505450.d

**Toluene**


+ EIC (91.1) Scan M2505450.d




+ Scan (10.860-10.953 min, 13 scans) M2505450.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505450.d




+ Scan (13.046-13.127 min, 11 scans) M2505450.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505450.d




+ Scan (13.224-13.327 min, 15 scans) M2505450.d




o-Xylene

+ EIC (91.1) Scan M2505450.d




+ Scan (13.715-13.802 min, 12 scans) M2505450.d





Name GLBSP-10-S-20251125
Comment C43913
Data File M2505452.d
Acq. Date-Time 12/13/2025 8:12:13 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	481,253	
Benzene	Benzene-d6 (IS)	8.174	8.174	82,501	
Toluene-d8 (IS)		10.803	10.803	511,983	
Toluene	Toluene-d8 (IS)	10.896	10.896	156,354	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	29,628	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	73,852	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	27,958	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505452.d




+ Scan (10.746-10.889 min, 21 scans) M2505452.d

**Toluene**


+ EIC (91.1) Scan M2505452.d




+ Scan (10.853-10.981 min, 17 scans) M2505452.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505452.d




+ Scan (13.046-13.136 min, 12 scans) M2505452.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505452.d




+ Scan (13.224-13.366 min, 20 scans) M2505452.d




o-Xylene

+ EIC (91.1) Scan M2505452.d




+ Scan (13.726-13.802 min, 11 scans) M2505452.d





Name GLBSP-11-S-20251125
Comment B29387
Data File M2505453.d
Acq. Date-Time 12/13/2025 8:37:39 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	485,237	
Benzene	Benzene-d6 (IS)	8.174	8.174	79,503	
Toluene-d8 (IS)		10.803	10.803	513,434	
Toluene	Toluene-d8 (IS)	10.896	10.896	139,404	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	28,771	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	58,418	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	21,834	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505453.d




+ Scan (10.753-10.896 min, 21 scans) M2505453.d

**Toluene**


+ EIC (91.1) Scan M2505453.d




+ Scan (10.855-10.971 min, 16 scans) M2505453.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505453.d




+ Scan (13.047-13.134 min, 12 scans) M2505453.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505453.d




+ Scan (13.225-13.339 min, 16 scans) M2505453.d




o-Xylene

+ EIC (91.1) Scan M2505453.d




+ Scan (13.724-13.794 min, 10 scans) M2505453.d





Name GLBSP-12-S-20251125
Comment C70140
Data File M2505454.d
Acq. Date-Time 12/13/2025 9:03:02 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	479,995	
Benzene	Benzene-d6 (IS)	8.174	8.174	94,482	
Toluene-d8 (IS)		10.803	10.803	507,823	
Toluene	Toluene-d8 (IS)	10.896	10.896	161,063	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	34,470	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	82,345	
o-Xylene	Toluene-d8 (IS)	13.761	13.754	32,058	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505454.d




+ Scan (10.753-10.896 min, 21 scans) M2505454.d

**Toluene**


+ EIC (91.1) Scan M2505454.d




+ Scan (10.853-10.960 min, 16 scans) M2505454.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505454.d




+ Scan (13.052-13.128 min, 11 scans) M2505454.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505454.d




+ Scan (13.225-13.370 min, 20 scans) M2505454.d




o-Xylene

+ EIC (91.1) Scan M2505454.d




+ Scan (13.713-13.797 min, 12 scans) M2505454.d





Name GLBSP-13-S-20251125
Comment C71717
Data File M2505455.d
Acq. Date-Time 12/13/2025 9:28:26 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	483,375	
Benzene	Benzene-d6 (IS)	8.174	8.174	101,624	
Toluene-d8 (IS)		10.803	10.803	514,164	
Toluene	Toluene-d8 (IS)	10.896	10.896	190,271	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	57,926	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	152,254	
o-Xylene	Toluene-d8 (IS)	13.761	13.754	56,075	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505455.d




+ Scan (10.753-10.875 min, 18 scans) M2505455.d

**Toluene**


+ EIC (91.1) Scan M2505455.d




+ Scan (10.853-10.991 min, 20 scans) M2505455.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505455.d




+ Scan (13.039-13.138 min, 14 scans) M2505455.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505455.d




+ Scan (13.217-13.360 min, 21 scans) M2505455.d




o-Xylene

+ EIC (91.1) Scan M2505455.d




+ Scan (13.726-13.797 min, 11 scans) M2505455.d





Name GLBSP-14-S-20251125
Comment C37056
Data File M2505456.d
Acq. Date-Time 12/13/2025 9:53:51 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	480,143	
Benzene	Benzene-d6 (IS)	8.174	8.174	93,336	
Toluene-d8 (IS)		10.803	10.803	508,597	
Toluene	Toluene-d8 (IS)	10.896	10.896	163,136	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	38,456	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	71,749	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	27,236	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505456.d




+ Scan (10.753-10.896 min, 21 scans) M2505456.d

**Toluene**


+ EIC (91.1) Scan M2505456.d




+ Scan (10.854-10.987 min, 18 scans) M2505456.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505456.d




+ Scan (13.041-13.116 min, 10 scans) M2505456.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505456.d




+ Scan (13.225-13.328 min, 14 scans) M2505456.d




o-Xylene

+ EIC (91.1) Scan M2505456.d




+ Scan (13.718-13.804 min, 12 scans) M2505456.d





Name GLBSP-14-D-20251125
Comment C01396
Data File M2505457.d
Acq. Date-Time 12/13/2025 10:20:08 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	480,033	
Benzene	Benzene-d6 (IS)	8.174	8.174	100,198	
Toluene-d8 (IS)		10.803	10.803	505,912	
Toluene	Toluene-d8 (IS)	10.896	10.896	173,183	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	39,238	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	77,438	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	29,624	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505457.d




+ Scan (10.753-10.896 min, 21 scans) M2505457.d

**Toluene**


+ EIC (91.1) Scan M2505457.d




+ Scan (10.853-10.975 min, 18 scans) M2505457.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505457.d




+ Scan (13.040-13.122 min, 11 scans) M2505457.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505457.d




+ Scan (13.219-13.317 min, 13 scans) M2505457.d




o-Xylene

+ EIC (91.1) Scan M2505457.d




+ Scan (13.726-13.797 min, 10 scans) M2505457.d





Name GLBSP-14-B-20251125
Comment C69595
Data File M2505458.d
Acq. Date-Time 12/13/2025 10:45:27 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	475,834	
Benzene	Benzene-d6 (IS)	8.174	8.174	13,346	
Toluene-d8 (IS)		10.803	10.803	509,383	
Toluene	Toluene-d8 (IS)	10.896	10.896	10,430	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	1,802	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	933	
o-Xylene	Toluene-d8 (IS)	13.733	13.754	93	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505458.d




+ Scan (10.753-10.896 min, 21 scans) M2505458.d

**Toluene**


+ EIC (91.1) Scan M2505458.d




+ Scan (10.860-10.928 min, 10 scans) M2505458.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505458.d




+ Scan (13.045-13.113 min, 10 scans) M2505458.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505458.d




+ Scan (13.233-13.296 min, 9 scans) M2505458.d




o-Xylene

+ EIC (91.1) Scan M2505458.d




+ Scan (13.727-13.743 min, 2 scans) M2505458.d





Name GLBSP-15-S-20251125
Comment C71655
Data File M2505459.d
Acq. Date-Time 12/13/2025 11:10:55 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	480,659	
Benzene	Benzene-d6 (IS)	8.174	8.174	81,238	
Toluene-d8 (IS)		10.803	10.803	508,907	
Toluene	Toluene-d8 (IS)	10.896	10.896	138,597	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	25,616	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	62,184	
o-Xylene	Toluene-d8 (IS)	13.761	13.754	25,716	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505459.d




+ Scan (10.753-10.889 min, 20 scans) M2505459.d

**Toluene**


+ EIC (91.1) Scan M2505459.d




+ Scan (10.856-10.948 min, 13 scans) M2505459.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505459.d




+ Scan (13.038-13.115 min, 11 scans) M2505459.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505459.d




+ Scan (13.224-13.324 min, 14 scans) M2505459.d




o-Xylene

+ EIC (91.1) Scan M2505459.d




+ Scan (13.720-13.799 min, 11 scans) M2505459.d





Name GLBSP-16-S-20251125
Comment C71680
Data File M2505460.d
Acq. Date-Time 12/13/2025 11:36:15 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	482,283	
Benzene	Benzene-d6 (IS)	8.174	8.174	78,923	
Toluene-d8 (IS)		10.803	10.803	511,679	
Toluene	Toluene-d8 (IS)	10.896	10.896	121,728	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	27,672	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	69,052	
o-Xylene	Toluene-d8 (IS)	13.761	13.754	26,988	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505460.d




+ Scan (10.753-10.889 min, 20 scans) M2505460.d

**Toluene**


+ EIC (91.1) Scan M2505460.d




+ Scan (10.853-10.951 min, 14 scans) M2505460.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505460.d




+ Scan (13.043-13.128 min, 12 scans) M2505460.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505460.d




+ Scan (13.225-13.317 min, 13 scans) M2505460.d




o-Xylene

+ EIC (91.1) Scan M2505460.d




+ Scan (13.727-13.794 min, 9 scans) M2505460.d





Name GLBSP-17-S-20251125
Comment C57696
Data File M2505461.d
Acq. Date-Time 12/14/2025 12:01:35 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.117	8.117	481,540	
Benzene	Benzene-d6 (IS)	8.174	8.174	64,625	
Toluene-d8 (IS)		10.803	10.803	510,535	
Toluene	Toluene-d8 (IS)	10.896	10.896	144,442	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	22,691	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.260	57,226	
o-Xylene	Toluene-d8 (IS)	13.761	13.754	22,019	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2505461.d




+ Scan (10.753-10.896 min, 21 scans) M2505461.d

**Toluene**


+ EIC (91.1) Scan M2505461.d




+ Scan (10.853-10.960 min, 15 scans) M2505461.d

**Ethylbenzene**


+ EIC (91.1) Scan M2505461.d




+ Scan (13.053-13.123 min, 9 scans) M2505461.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2505461.d




+ Scan (13.224-13.336 min, 15 scans) M2505461.d




o-Xylene

+ EIC (91.1) Scan M2505461.d



+ Scan (13.725-13.789 min, 9 scans) M2505461.d



Initial Calibration

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB406-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M121225A_CC185154	Benzene	1	M2505427.d	5.96	48515	55.2	513694	0.875	-0.013
M121225A_CC185154	Benzene	2	M2505428.d	11.93	102852	55.2	507404	0.939	0.059
M121225A_CC185154	Benzene	3	M2505429.d	23.85	205678	55.2	504384	0.944	0.065
M121225A_CC185154	Benzene	4	M2505430.d	47.70	404512	55.2	499768	0.937	0.057
M121225A_CC185154	Benzene	5	M2505431.d	119.26	974155	55.2	501096	0.900	0.015
M121225A_CC185154	Benzene	6	M2505432.d	238.51	1820631	55.2	498432	0.846	-0.046
M121225A_CC185154	Benzene	7	M2505433.d	715.53	4983545	55.2	502133	0.766	-0.14
						Avg:	503844	0.887	
						%RSD:	1.0%	7.3%	
M121225A_CC185154	Toluene	1	M2505427.d	5.24	46763	65.2	535953	1.086	0.017
M121225A_CC185154	Toluene	2	M2505428.d	10.47	97140	65.2	536707	1.126	0.055
M121225A_CC185154	Toluene	3	M2505429.d	20.95	199821	65.2	534549	1.163	0.09
M121225A_CC185154	Toluene	4	M2505430.d	41.90	396271	65.2	530130	1.163	0.089
M121225A_CC185154	Toluene	5	M2505431.d	104.74	904555	65.2	531294	1.059	-0.0074
M121225A_CC185154	Toluene	6	M2505432.d	209.48	1656753	65.2	527287	0.977	-0.084
M121225A_CC185154	Toluene	7	M2505433.d	628.45	4615004	65.2	533815	0.897	-0.16
						Avg:	532819	1.067	
						%RSD:	0.6%	9.3%	
M121225A_CC185154	Ethylbenzene	1	M2505427.d	5.44	51330	65.2	535953	1.147	-0.066
M121225A_CC185154	Ethylbenzene	2	M2505428.d	10.89	121075	65.2	536707	1.351	0.1
M121225A_CC185154	Ethylbenzene	3	M2505429.d	21.77	240980	65.2	534549	1.349	0.099
M121225A_CC185154	Ethylbenzene	4	M2505430.d	43.54	485510	65.2	530130	1.371	0.12
M121225A_CC185154	Ethylbenzene	5	M2505431.d	108.86	1100323	65.2	531294	1.240	0.0096
M121225A_CC185154	Ethylbenzene	6	M2505432.d	217.72	1988043	65.2	527287	1.129	-0.081
M121225A_CC185154	Ethylbenzene	7	M2505433.d	653.16	5408274	65.2	533815	1.011	-0.18
						Avg:	532819	1.228	
						%RSD:	0.6%	11.2%	
M121225A_CC185154	m-/p-Xylenes	1	M2505427.d	6.10	46170	65.2	535953	0.920	-0.089
M121225A_CC185154	m-/p-Xylenes	2	M2505428.d	12.20	109700	65.2	536707	1.092	0.08
M121225A_CC185154	m-/p-Xylenes	3	M2505429.d	24.40	218724	65.2	534549	1.093	0.081
M121225A_CC185154	m-/p-Xylenes	4	M2505430.d	48.80	449574	65.2	530130	1.133	0.12
M121225A_CC185154	m-/p-Xylenes	5	M2505431.d	122.00	1017661	65.2	531294	1.023	0.012
M121225A_CC185154	m-/p-Xylenes	6	M2505432.d	244.00	1851661	65.2	527287	0.938	-0.072
M121225A_CC185154	m-/p-Xylenes	7	M2505433.d	732.01	5255310	65.2	533815	0.876	-0.13
						Avg:	532819	1.011	
						%RSD:	0.6%	9.9%	
M121225A_CC185154	o-Xylene	1	M2505427.d	5.67	42389	65.2	535953	0.909	-0.084
M121225A_CC185154	o-Xylene	2	M2505428.d	11.35	101376	65.2	536707	1.085	0.094
M121225A_CC185154	o-Xylene	3	M2505429.d	22.69	205704	65.2	534549	1.105	0.11

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB406-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M121225A_CC185154	o-Xylene	4	M2505430.d	45.38	415129	65.2	530130	1.124	0.13
M121225A_CC185154	o-Xylene	5	M2505431.d	113.46	922237	65.2	531294	0.997	0.0055
M121225A_CC185154	o-Xylene	6	M2505432.d	226.92	1641246	65.2	527287	0.894	-0.099
M121225A_CC185154	o-Xylene	7	M2505433.d	680.75	4612723	65.2	533815	0.827	-0.17
						Avg:	532819	0.992	
						%RSD:	0.6%	11.8%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M121225A_CC185154	Benzene	ICV	M2505434.d	443.46	3122138	55.2	499958	0.778	-12.0%
M121225A_CC185154	Toluene	ICV	M2505434.d	454.10	3319071	65.2	529775	0.899	-16.0%
M121225A_CC185154	Ethylbenzene	ICV	M2505434.d	448.99	3721305	65.2	529775	1.020	-17.0%
M121225A_CC185154	m-/p-Xylenes	ICV	M2505434.d	455.97	3137304	65.2	529775	0.846	-16.0%
M121225A_CC185154	o-Xylene	ICV	M2505434.d	456.85	2995399	65.2	529775	0.807	-19.0%

M325B PDF Report ver.20250917

Sample Custody



EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

- ☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Page # 1 of # 1

2025GB406

Site Name:		Global South Portland		Client Name:		Montrose Air Quality Services, LLC		PO#:	
Site Address:		1 Clark Road		Project Number:		PROJ-031333		Sample Event #	
City:		South Portland		Project Manager:		Sabarish Selvarajan		Sorbent: Carbpak-X	
State:		Maine		Email Address:		sabarishselvarajan@montrose-env.com			
Zip:		04106		Telephone #:		973-722-7895			
Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C67357	S	11/25/25	4:14 PM	12/9/25	2:01 PM	KR/SS		
2	C71650	S	11/25/25	4:20 PM	12/9/25	2:04 PM	KR/SS		
3	C69715	S	11/25/25	4:29 PM	12/9/25	2:06 PM	KR/SS		
4	B46098	S	11/25/25	4:35 PM	12/9/25	2:18 PM	KR/SS		
5	C32866	S	11/25/25	4:42 PM	12/9/25	2:24 PM	KR/SS		
5	C70201	D	11/25/25	4:42 PM	12/9/25	2:24 PM	KR/SS		
5	C43337	B	11/25/25	4:42 PM	12/9/25	2:24 PM	KR/SS		
6	C35775	S	11/25/25	4:39 PM	12/9/25	2:26 PM	KR/SS		
7	C61490	S	11/25/25	4:53 PM	12/9/25	2:30 PM	KR/SS		
8	B43124	S	11/25/25	4:56 PM	12/9/25	2:32 PM	KR/SS		
9	B51064	S	11/25/25	5:03 PM	12/9/25	2:36 PM	KR/SS		
10	C43913	S	11/25/25	5:11 PM	12/9/25	2:38 PM	KR/SS		
11	B29387	S	11/25/25	5:19 PM	12/9/25	2:43 PM	KR/SS		
12	C70140	S	11/25/25	5:26 PM	12/9/25	2:50 PM	KR/SS		
13	C71717	S	11/25/25	5:37 PM	12/9/25	3:10 PM	KR/SS		
14	C37056	S	11/25/25	5:45 PM	12/9/25	3:00 PM	KR/SS		
14	C01396	D	11/25/25	5:45 PM	12/9/25	3:00 PM	KR/SS		
14	C69595	B	11/25/25	5:45 PM	12/9/25	3:00 PM	KR/SS		
15	C71655	S	11/25/25	5:50 PM	12/9/25	3:03 PM	KR/SS		
16	C71680	S	11/25/25	5:55 PM	12/9/25	3:05 PM	KR/SS		
17	C57696	S	11/25/25	5:59 PM	12/9/25	3:15 PM	KR/SS		
Relinquished By (printed):			Relinquished By (signature):			Relinquished Date:		Relinquished Time:	
Sabarish Selvarajan			SS			12/10/2025		17:00	
Received By (printed):			Received By (signature):			Receipt Date:		Receipt Time:	
Daniel Simpson			[Signature]			12/11/25		3:22 PM	
Sample Condition Upon Receipt:			Compound List:			Custody Seal intact? Y/N:		Delivery tracking #	
Good						Y			
Temp: 21.4			Blank Temp: 21.4			Fike 4		Add Custody Seal # below: 25D08038	
Comments:									
Location 6 tube C35775 was double sampled from 11/12/25 to 12/9/25									
800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.enthalpy.com									

① Start date is 11/12/25
Start time is 9:40 AM
MJC 12/12/25

**This Is The Last Page
Of This Report.**

Global - South Portland

1 Clark Rd.
South Portland, ME 04106

Sampling Event 37 Global - South Portland

Client Project# PROJ-031333
Samples Received: 12/23/2025

Analytical Report 2025GB407

EPA Method 325B Analysis

Report Issue Date: 1/7/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:


QA Review by Isabel Obando Marrero, Data Reviewer



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	12
Chromatograms	16
Initial Calibration	83
Sample Custody	86
Chain of Custody	87

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GB407-1
Client ID.	PROJ-031333 Site: Global - South Portland

1. Custody

The samples were received at Enthalpy Analytical on December 23, 2025 at 22.1 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
GLBSP-1-S-20251209	C70578	Sample
GLBSP-2-S-20251209	C17142	Sample
GLBSP-3-S-20251209	C57536	Sample
GLBSP-4-S-20251209	C01937	Sample
GLBSP-5-S-20251209	C35777	Sample
GLBSP-5-D-20251209	C01485	Duplicate
GLBSP-5-B-20251209	B53234	Blank
GLBSP-6-S-20251209	B46962	Sample
GLBSP-7-S-20251209	B49438	Sample
GLBSP-8-S-20251209	C61499	Sample
GLBSP-9-S-20251209	C55346	Sample
GLBSP-10-S-20251209	C55767	Sample
GLBSP-11-S-20251209	C24097	Sample
GLBSP-12-S-20251209	C56863	Sample
GLBSP-13-S-20251209	C57399	Sample
GLBSP-14-S-20251209	C33484	Sample
GLBSP-14-D-20251209	C71692	Duplicate
GLBSP-14-B-20251209	C20587	Blank
GLBSP-15-S-20251209	C61654	Sample
GLBSP-16-S-20251209	C43623	Sample
GLBSP-17-S-20251209	C35816	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD-Cryo is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2025GB407-1
Client ID.	PROJ-031333 Site: Global - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (E121025A_CC185154_Cryo) met all 30% RSD criteria. The initial calibration verification met $\pm 30\%$ recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

5. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

The primary sample GLBSP-14-S-20251209 (tube ID C33484) and its corresponding duplicate GLBSP-14-D-20251209 (tube ID C71692) failed to meet the 30% difference criterion for Toluene as specified by the method. All samples in the data set have been flagged "P" for Toluene to denote this failure.

The primary sample GLBSP-14-S-20251209 (tube ID C33484) and its corresponding duplicate GLBSP-14-D-20251209 (tube ID C71692) failed to meet the 30% difference criterion for Ethylbenzene, m/p-Xylenes, and o-Xylene as specified by the method. However, the concentrations of the analyte in both the sample and the duplicate were less than two times the reporting limit of the instrument's calibration curve. Therefore, the percent difference observed may not suggest the data set has been negatively affected. All samples in the data set have been flagged "Pc" for Ethylbenzene, m/p-Xylenes, and o-Xylene to denote this failure.

6. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in $\mu\text{g}/\text{m}^3$ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB407-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20251209	C70578	0.990		5.56	P	0.303	ND,Pc	0.802	Pc	0.303	ND,Pc
GLBSP-2-S-20251209	C17142	0.794		1.38	P	0.303	ND,Pc	0.427	J,Pc	0.303	ND,Pc
GLBSP-3-S-20251209	C57536	0.741		1.30	P	0.303	ND,Pc	0.682	J,Pc	0.303	ND,Pc
GLBSP-4-S-20251209	C01937	0.856		1.57	P	0.303	ND,Pc	0.484	J,Pc	0.303	ND,Pc
GLBSP-5-S-20251209	C35777	0.678		1.05	P	0.303	ND,Pc	0.429	J,Pc	0.303	ND,Pc
GLBSP-5-D-20251209	C01485	0.790		1.26	P	0.303	ND,Pc	0.489	J,Pc	0.303	ND,Pc
GLBSP-5-B-20251209	B53234	0.208	ND	0.268	ND,P	0.303	ND,Pc	0.303	ND,Pc	0.303	ND,Pc
GLBSP-6-S-20251209	B46962	0.843		1.65	P	0.303	ND,Pc	0.386	J,Pc	0.303	ND,Pc
GLBSP-7-S-20251209	B49438	1.07		2.61	P	0.332	J,Pc	0.723	J,Pc	0.303	ND,Pc
GLBSP-8-S-20251209	C61499	0.831		1.73	P	0.304	ND,Pc	0.719	J,Pc	0.304	ND,Pc
GLBSP-9-S-20251209	C55346	0.823		1.85	P	0.303	ND,Pc	0.516	J,Pc	0.303	ND,Pc
GLBSP-10-S-20251209	C55767	0.918		2.53	P	0.303	ND,Pc	0.696	J,Pc	0.303	ND,Pc
GLBSP-11-S-20251209	C24097	0.840		1.59	P	0.303	ND,Pc	0.632	J,Pc	0.303	ND,Pc
GLBSP-12-S-20251209	C56863	0.929		2.25	P	0.471	J,Pc	0.809	Pc	0.329	J,Pc
GLBSP-13-S-20251209	C57399	1.21		5.16	P	0.562	J,Pc	1.32	Pc	0.490	J,Pc
GLBSP-14-S-20251209	C33484	0.921		1.62	P	0.303	J,Pc	0.806	Pc	0.303	ND,Pc
GLBSP-14-D-20251209	C71692	1.08		4.73	P	0.506	J,Pc	1.32	Pc	0.507	J,Pc
GLBSP-14-B-20251209	C20587	0.208	ND	0.268	ND,P	0.303	ND,Pc	0.303	ND,Pc	0.303	ND,Pc
GLBSP-15-S-20251209	C61654	0.599		1.65	P	0.303	ND,Pc	0.450	J,Pc	0.303	ND,Pc
GLBSP-16-S-20251209	C43623	0.634		1.43	P	0.303	ND,Pc	0.348	J,Pc	0.303	ND,Pc
GLBSP-17-S-20251209	C35816	0.587		2.21	P	0.303	ND,Pc	0.322	J,Pc	0.303	ND,Pc

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

P: Field duplicate(s) exceed 30%RPD

Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB407-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251209	C70578	0.990	0.310	11.9	29.6	0.640	18805	0.208	0.495	0.0651	0.155		E2505928.d	2025-12-26 13:01	0.941	15.996	86040	432786	56.3	15.946	-8.4%
GLBSP-2-S-20251209	C17142	0.794	0.249	9.55	29.6	0.640	18804	0.208	0.495	0.0651	0.155		E2505929.d	2025-12-26 13:35	0.941	15.996	70626	442694	56.3	15.946	-6.3%
GLBSP-3-S-20251209	C57536	0.741	0.232	8.91	29.6	0.640	18803	0.208	0.495	0.0651	0.155		E2505930.d	2025-12-26 14:10	0.941	15.996	66722	448369	56.3	15.946	-5.1%
GLBSP-4-S-20251209	C01937	0.856	0.268	10.3	29.6	0.640	18792	0.208	0.496	0.0651	0.155		E2505931.d	2025-12-26 14:45	0.941	16.003	74941	436296	56.3	15.946	-7.7%
GLBSP-5-S-20251209	C35777	0.678	0.212	8.15	29.6	0.640	18796	0.208	0.495	0.0651	0.155		E2505932.d	2025-12-26 15:19	0.941	16.004	56659	416487	56.3	15.946	-11.8%
GLBSP-5-D-20251209	C01485	0.790	0.248	9.50	29.6	0.640	18796	0.208	0.495	0.0651	0.155		E2505933.d	2025-12-26 15:54	0.941	16.003	66758	420693	56.3	15.946	-11.0%
GLBSP-5-B-20251209	B53234	0.208	0.0651		29.6	0.640	18796	0.208	0.495	0.0651	0.155	ND	E2505927.d	2025-12-26 12:26	0.941	15.996	6731	461013	56.3	15.946	-2.4%
GLBSP-6-S-20251209	B46962	0.843	0.264	10.1	29.6	0.640	18795	0.208	0.495	0.0651	0.155		E2505934.d	2025-12-26 16:29	0.941	16.003	70568	416754	56.3	15.946	-11.8%
GLBSP-7-S-20251209	B49438	1.07	0.336	12.9	29.6	0.640	18793	0.208	0.495	0.0651	0.155		E2505935.d	2025-12-26 17:04	0.941	15.996	94603	438943	56.3	15.946	-7.1%
GLBSP-8-S-20251209	C61499	0.831	0.260	9.97	29.6	0.640	18752	0.208	0.497	0.0653	0.156		E2505936.d	2025-12-26 17:39	0.941	15.996	70909	425867	56.3	15.946	-9.9%
GLBSP-9-S-20251209	C55346	0.823	0.258	9.89	29.6	0.640	18792	0.208	0.496	0.0651	0.155		E2505937.d	2025-12-26 18:13	0.941	15.996	71441	432492	56.3	15.939	-8.5%
GLBSP-10-S-20251209	C55767	0.918	0.288	11.0	29.6	0.640	18792	0.208	0.496	0.0651	0.155		E2505939.d	2025-12-26 19:23	0.941	15.996	81522	442312	56.3	15.946	-6.4%
GLBSP-11-S-20251209	C24097	0.840	0.263	10.1	29.6	0.640	18792	0.208	0.496	0.0651	0.155		E2505940.d	2025-12-26 19:58	0.941	16.003	72360	428955	56.3	15.946	-9.2%
GLBSP-12-S-20251209	C56863	0.929	0.291	11.2	29.6	0.640	18789	0.208	0.496	0.0651	0.155		E2505941.d	2025-12-26 20:34	0.941	15.996	81639	437668	56.3	15.946	-7.4%
GLBSP-13-S-20251209	C57399	1.21	0.380	14.6	29.6	0.640	18772	0.208	0.496	0.0652	0.155		E2505942.d	2025-12-26 21:09	0.941	16.003	107275	440948	56.3	15.946	-6.7%
GLBSP-14-S-20251209	C33484	0.921	0.288	11.1	29.6	0.640	18783	0.208	0.496	0.0652	0.155		E2505943.d	2025-12-26 21:43	0.941	15.996	85781	464251	56.3	15.946	-1.7%
GLBSP-14-D-20251209	C71692	1.08	0.339	13.0	29.6	0.640	18783	0.208	0.496	0.0652	0.155		E2505944.d	2025-12-26 22:18	0.941	15.996	96278	443763	56.3	15.946	-6.1%
GLBSP-14-B-20251209	C20587	0.208	0.0652		29.6	0.640	18783	0.208	0.496	0.0652	0.155	ND	E2505945.d	2025-12-26 22:53	0.941	15.996	6496	430113	56.3	15.946	-9.0%
GLBSP-15-S-20251209	C61654	0.599	0.188	7.20	29.6	0.640	18784	0.208	0.496	0.0652	0.155		E2505946.d	2025-12-26 23:28	0.941	15.996	53845	447655	56.3	15.946	-5.3%
GLBSP-16-S-20251209	C43623	0.634	0.198	7.61	29.6	0.640	18784	0.208	0.496	0.0652	0.155		E2505947.d	2025-12-27 00:04	0.941	15.996	57412	451487	56.3	15.946	-4.4%
GLBSP-17-S-20251209	C35816	0.587	0.184	7.05	29.6	0.640	18777	0.208	0.496	0.0652	0.155		E2505948.d	2025-12-27 00:39	0.941	15.996	53470	454488	56.3	15.946	-3.8%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251209	C70578	5.56	1.48	51.9	29.6	0.496	18805	0.268	0.560	0.0711	0.149	P	E2505928.d	2025-12-26 13:01	1.094	18.596	407488	474005	66.1	18.510	-5.2%
GLBSP-2-S-20251209	C17142	1.38	0.367	12.9	29.6	0.496	18804	0.268	0.560	0.0711	0.149	P	E2505929.d	2025-12-26 13:35	1.094	18.597	105818	495612	66.1	18.511	-0.9%
GLBSP-3-S-20251209	C57536	1.30	0.344	12.1	29.6	0.496	18803	0.268	0.560	0.0711	0.149	P	E2505930.d	2025-12-26 14:10	1.094	18.597	96361	480921	66.1	18.511	-3.8%
GLBSP-4-S-20251209	C01937	1.57	0.418	14.7	29.6	0.496	18792	0.268	0.561	0.0711	0.149	P	E2505931.d	2025-12-26 14:45	1.094	18.597	113625	467617	66.1	18.511	-6.5%
GLBSP-5-S-20251209	C35777	1.05	0.278	9.78	29.6	0.496	18796	0.268	0.561	0.0711	0.149	P	E2505932.d	2025-12-26 15:19	1.094	18.597	72544	447882	66.1	18.511	-10.4%
GLBSP-5-D-20251209	C01485	1.26	0.336	11.8	29.6	0.496	18796	0.268	0.561	0.0711	0.149	P	E2505933.d	2025-12-26 15:54	1.094	18.597	93556	478964	66.1	18.511	-4.2%
GLBSP-5-B-20251209	B53234	0.268	0.0711		29.6	0.496	18796	0.268	0.561	0.0711	0.149	ND,P	E2505927.d	2025-12-26 12:26	1.094	18.596	9843	491161	66.1	18.510	-1.8%
GLBSP-6-S-20251209	B46962	1.65	0.438	15.4	29.6	0.496	18795	0.268	0.561	0.0711	0.149	P	E2505934.d	2025-12-26 16:29	1.094	18.596	115181	451647	66.1	18.510	-9.7%
GLBSP-7-S-20251209	B49438	2.61	0.693	24.3	29.6	0.496	18793	0.268	0.561	0.0711	0.149	P	E2505935.d	2025-12-26 17:04	1.094	18.596	187571	465485	66.1	18.510	-6.9%
GLBSP-8-S-20251209	C61499	1.73	0.460	16.1	29.6	0.496	18752	0.269	0.562	0.0713	0.149	P	E2505936.d	2025-12-26 17:39	1.094	18.597	124909	467413	66.1	18.511	-6.5%
GLBSP-9-S-20251209	C55346	1.85	0.492	17.3	29.6	0.496	18792	0.268	0.561	0.0711	0.149	P	E2505937.d	2025-12-26 18:13	1.094	18.596	134105	468213	66.1	18.510	-6.4%
GLBSP-10-S-20251209	C55767	2.53	0.673	23.6	29.6	0.496	18792	0.268	0.561	0.0711	0.149	P	E2505939.d	2025-12-26 19:23	1.094	18.596	189151	483304	66.1	18.510	-3.3%
GLBSP-11-S-20251209	C24097	1.59	0.423	14.9	29.6	0.496	18792	0.268	0.561	0.0711	0.149	P	E2505940.d	2025-12-26 19:58	1.094	18.596	113878	462249	66.1	18.510	-7.6%
GLBSP-12-S-20251209	C56863	2.25	0.598	21.0	29.6	0.496	18789	0.268	0.561	0.0712	0.149	P	E2505941.d	2025-12-26 20:34	1.094	18.596	161994	465834	66.1	18.511	-6.8%
GLBSP-13-S-20251209	C57399	5.16	1.37	48.1	29.6	0.497	18772	0.268	0.561	0.0712	0.149	P	E2505942.d	2025-12-26 21:09	1.094	18.596	375370	471684	66.1	18.511	-5.7%
GLBSP-14-S-20251209	C33484	1.62	0.430	15.1	29.6	0.496	18783	0.268	0.561	0.0712	0.149	P	E2505943.d	2025-12-26 21:43	1.094	18.597	119761	478426	66.1	18.511	-4.3%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB407-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-14-D-20251209	C71692	4.73	1.26	44.1	29.6	0.496	18783	0.268	0.561	0.0712	0.149	P	E2505944.d	2025-12-26 22:18	1.094	18.596	350863	480452	66.1	18.510	-3.9%
GLBSP-14-B-20251209	C20587	0.268	0.0712		29.6	0.496	18783	0.268	0.561	0.0712	0.149	ND,P	E2505945.d	2025-12-26 22:53	1.094	18.604	14165	471162	66.1	18.510	-5.8%
GLBSP-15-S-20251209	C61654	1.65	0.439	15.4	29.6	0.496	18784	0.268	0.561	0.0712	0.149	P	E2505946.d	2025-12-26 23:28	1.094	18.596	123136	482210	66.1	18.510	-3.6%
GLBSP-16-S-20251209	C43623	1.43	0.380	13.4	29.6	0.496	18784	0.268	0.561	0.0712	0.149	P	E2505947.d	2025-12-27 00:04	1.094	18.597	103221	466533	66.1	18.511	-6.7%
GLBSP-17-S-20251209	C35816	2.21	0.586	20.6	29.6	0.497	18777	0.268	0.561	0.0712	0.149	P	E2505948.d	2025-12-27 00:39	1.094	18.596	173803	510131	66.1	18.511	2.0%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251209	C70578	0.303	0.0698		29.6	0.439	18805	0.303	0.658	0.0698	0.152	ND,Pc	E2505928.d	2025-12-26 13:01	1.272	20.666	22689	474005	66.1	18.510	-5.2%
GLBSP-2-S-20251209	C17142	0.303	0.0698		29.6	0.439	18804	0.303	0.658	0.0698	0.152	ND,Pc	E2505929.d	2025-12-26 13:35	1.272	20.667	15031	495612	66.1	18.511	-0.9%
GLBSP-3-S-20251209	C57536	0.303	0.0698		29.6	0.439	18803	0.303	0.658	0.0698	0.152	ND,Pc	E2505930.d	2025-12-26 14:10	1.272	20.667	18345	480921	66.1	18.511	-3.8%
GLBSP-4-S-20251209	C01937	0.303	0.0698		29.6	0.439	18792	0.303	0.659	0.0698	0.152	ND,Pc	E2505931.d	2025-12-26 14:45	1.272	20.667	14198	467617	66.1	18.511	-6.5%
GLBSP-5-S-20251209	C35777	0.303	0.0698		29.6	0.439	18796	0.303	0.659	0.0698	0.152	ND,Pc	E2505932.d	2025-12-26 15:19	1.272	20.667	14006	447882	66.1	18.511	-10.4%
GLBSP-5-D-20251209	C01485	0.303	0.0698		29.6	0.439	18796	0.303	0.659	0.0698	0.152	ND,Pc	E2505933.d	2025-12-26 15:54	1.272	20.667	16135	478964	66.1	18.511	-4.2%
GLBSP-5-B-20251209	B53234	0.303	0.0698		29.6	0.439	18796	0.303	0.659	0.0698	0.152	ND,Pc	E2505927.d	2025-12-26 12:26	1.272	20.674	2431	491161	66.1	18.510	-1.8%
GLBSP-6-S-20251209	B46962	0.303	0.0698		29.6	0.439	18795	0.303	0.659	0.0698	0.152	ND,Pc	E2505934.d	2025-12-26 16:29	1.272	20.667	12060	451647	66.1	18.510	-9.7%
GLBSP-7-S-20251209	B49438	0.332	0.0765	2.74	29.6	0.439	18793	0.303	0.659	0.0698	0.152	J,Pc	E2505935.d	2025-12-26 17:04	1.272	20.659	24573	465485	66.1	18.510	-6.9%
GLBSP-8-S-20251209	C61499	0.304	0.0700		29.6	0.439	18752	0.304	0.660	0.0700	0.152	ND,Pc	E2505936.d	2025-12-26 17:39	1.272	20.667	20796	467413	66.1	18.511	-6.5%
GLBSP-9-S-20251209	C55346	0.303	0.0698		29.6	0.439	18792	0.303	0.659	0.0698	0.152	ND,Pc	E2505937.d	2025-12-26 18:13	1.272	20.666	15791	468213	66.1	18.510	-6.4%
GLBSP-10-S-20251209	C55767	0.303	0.0698		29.6	0.439	18792	0.303	0.659	0.0698	0.152	ND,Pc	E2505939.d	2025-12-26 19:23	1.272	20.667	20171	483304	66.1	18.510	-3.3%
GLBSP-11-S-20251209	C24097	0.303	0.0698		29.6	0.439	18792	0.303	0.659	0.0698	0.152	ND,Pc	E2505940.d	2025-12-26 19:58	1.272	20.667	17140	462249	66.1	18.510	-7.6%
GLBSP-12-S-20251209	C56863	0.471	0.109	3.89	29.6	0.439	18789	0.303	0.659	0.0698	0.152	J,Pc	E2505941.d	2025-12-26 20:34	1.272	20.667	34873	465834	66.1	18.511	-6.8%
GLBSP-13-S-20251209	C57399	0.562	0.129	4.63	29.6	0.439	18772	0.303	0.659	0.0699	0.152	J,Pc	E2505942.d	2025-12-26 21:09	1.272	20.667	42081	471684	66.1	18.511	-5.7%
GLBSP-14-S-20251209	C33484	0.303	0.0699	2.50	29.6	0.439	18783	0.303	0.659	0.0698	0.152	J,Pc	E2505943.d	2025-12-26 21:43	1.272	20.667	23042	478426	66.1	18.511	-4.3%
GLBSP-14-D-20251209	C71692	0.506	0.117	4.17	29.6	0.439	18783	0.303	0.659	0.0698	0.152	J,Pc	E2505944.d	2025-12-26 22:18	1.272	20.666	38617	480452	66.1	18.510	-3.9%
GLBSP-14-B-20251209	C20587	0.303	0.0698		29.6	0.439	18783	0.303	0.659	0.0698	0.152	ND,Pc	E2505945.d	2025-12-26 22:53	1.272	20.667	1529	471162	66.1	18.510	-5.8%
GLBSP-15-S-20251209	C61654	0.303	0.0698		29.6	0.439	18784	0.303	0.659	0.0698	0.152	ND,Pc	E2505946.d	2025-12-26 23:28	1.272	20.667	12041	482210	66.1	18.510	-3.6%
GLBSP-16-S-20251209	C43623	0.303	0.0698		29.6	0.439	18784	0.303	0.659	0.0698	0.152	ND,Pc	E2505947.d	2025-12-27 00:04	1.272	20.667	13226	466533	66.1	18.511	-6.7%
GLBSP-17-S-20251209	C35816	0.303	0.0699		29.6	0.439	18777	0.303	0.659	0.0699	0.152	ND,Pc	E2505948.d	2025-12-27 00:39	1.272	20.667	14077	510131	66.1	18.511	2.0%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251209	C70578	0.802	0.185	6.62	29.6	0.439	18805	0.303	0.738	0.0698	0.170	Pc	E2505928.d	2025-12-26 13:01	1.078	20.831	51206	474005	66.1	18.510	-5.2%
GLBSP-2-S-20251209	C17142	0.427	0.0984	3.53	29.6	0.439	18804	0.303	0.738	0.0698	0.170	J,Pc	E2505929.d	2025-12-26 13:35	1.078	20.831	28531	495612	66.1	18.511	-0.9%
GLBSP-3-S-20251209	C57536	0.682	0.157	5.63	29.6	0.439	18803	0.303	0.738	0.0698	0.170	J,Pc	E2505930.d	2025-12-26 14:10	1.078	20.831	44218	480921	66.1	18.511	-3.8%
GLBSP-4-S-20251209	C01937	0.484	0.112	4.00	29.6	0.439	18792	0.303	0.738	0.0698	0.170	J,Pc	E2505931.d	2025-12-26 14:45	1.078	20.831	30505	467617	66.1	18.511	-6.5%
GLBSP-5-S-20251209	C35777	0.429	0.0990	3.54	29.6	0.439	18796	0.303	0.738	0.0698	0.170	J,Pc	E2505932.d	2025-12-26 15:19	1.078	20.831	25905	447882	66.1	18.511	-10.4%
GLBSP-5-D-20251209	C01485	0.489	0.113	4.04	29.6	0.439	18796	0.303	0.738	0.0698	0.170	J,Pc	E2505933.d	2025-12-26 15:54	1.078	20.831	31550	478964	66.1	18.511	-4.2%
GLBSP-5-B-20251209	B53234	0.303	0.0698		29.6	0.439	18796	0.303	0.738	0.0698	0.170	ND,Pc	E2505927.d	2025-12-26 12:26	1.078	20.838	1717	491161	66.1	18.510	-1.8%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB407-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m ³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m ³)	LOQ (ug/m ³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-6-S-20251209	B46962	0.386	0.0889	3.18	29.6	0.439	18795	0.303	0.738	0.0698	0.170	J,Pc	E2505934.d	2025-12-26 16:29	1.078	20.831	23468	451647	66.1	18.510	-9.7%
GLBSP-7-S-20251209	B49438	0.723	0.167	5.96	29.6	0.439	18793	0.303	0.738	0.0698	0.170	J,Pc	E2505935.d	2025-12-26 17:04	1.078	20.831	45296	465485	66.1	18.510	-6.9%
GLBSP-8-S-20251209	C61499	0.719	0.166	5.92	29.6	0.439	18752	0.304	0.740	0.0700	0.171	J,Pc	E2505936.d	2025-12-26 17:39	1.078	20.831	45165	467413	66.1	18.511	-6.5%
GLBSP-9-S-20251209	C55346	0.516	0.119	4.26	29.6	0.439	18792	0.303	0.738	0.0698	0.170	J,Pc	E2505937.d	2025-12-26 18:13	1.078	20.831	32558	468213	66.1	18.510	-6.4%
GLBSP-10-S-20251209	C55767	0.696	0.160	5.75	29.6	0.439	18792	0.303	0.738	0.0698	0.170	J,Pc	E2505939.d	2025-12-26 19:23	1.078	20.831	45327	483304	66.1	18.510	-3.3%
GLBSP-11-S-20251209	C24097	0.632	0.146	5.21	29.6	0.439	18792	0.303	0.738	0.0698	0.170	J,Pc	E2505940.d	2025-12-26 19:58	1.078	20.831	39327	462249	66.1	18.510	-7.6%
GLBSP-12-S-20251209	C56863	0.809	0.186	6.68	29.6	0.439	18789	0.303	0.738	0.0698	0.170	Pc	E2505941.d	2025-12-26 20:34	1.078	20.831	50761	465834	66.1	18.511	-6.8%
GLBSP-13-S-20251209	C57399	1.32	0.305	10.9	29.6	0.439	18772	0.303	0.739	0.0699	0.170	Pc	E2505942.d	2025-12-26 21:09	1.078	20.831	84053	471684	66.1	18.511	-5.7%
GLBSP-14-S-20251209	C33484	0.806	0.186	6.65	29.6	0.439	18783	0.303	0.739	0.0698	0.170	Pc	E2505943.d	2025-12-26 21:43	1.078	20.832	51887	478426	66.1	18.511	-4.3%
GLBSP-14-D-20251209	C71692	1.32	0.304	10.9	29.6	0.439	18783	0.303	0.739	0.0698	0.170	Pc	E2505944.d	2025-12-26 22:18	1.078	20.831	85383	480452	66.1	18.510	-3.9%
GLBSP-14-B-20251209	C20587	0.303	0.0698		29.6	0.439	18783	0.303	0.739	0.0698	0.170	ND,Pc	E2505945.d	2025-12-26 22:53	1.078	20.824	890	471162	66.1	18.510	-5.8%
GLBSP-15-S-20251209	C61654	0.450	0.104	3.71	29.6	0.439	18784	0.303	0.739	0.0698	0.170	J,Pc	E2505946.d	2025-12-26 23:28	1.078	20.831	29200	482210	66.1	18.510	-3.6%
GLBSP-16-S-20251209	C43623	0.348	0.0803	2.87	29.6	0.439	18784	0.303	0.739	0.0698	0.170	J,Pc	E2505947.d	2025-12-27 00:04	1.078	20.839	21873	466533	66.1	18.511	-6.7%
GLBSP-17-S-20251209	C35816	0.322	0.0742	2.65	29.6	0.439	18777	0.303	0.739	0.0699	0.170	J,Pc	E2505948.d	2025-12-27 00:39	1.078	20.831	22093	510131	66.1	18.511	2.0%

o-Xylene

Sample Code	Tube ID	Conc (ug/m ³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m ³)	LOQ (ug/m ³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20251209	C70578	0.303	0.0698		29.6	0.439	18805	0.303	0.686	0.0698	0.158	ND,Pc	E2505928.d	2025-12-26 13:01	1.072	21.311	18836	474005	66.1	18.510	-5.2%
GLBSP-2-S-20251209	C17142	0.303	0.0698		29.6	0.439	18804	0.303	0.686	0.0698	0.158	ND,Pc	E2505929.d	2025-12-26 13:35	1.072	21.311	12709	495612	66.1	18.511	-0.9%
GLBSP-3-S-20251209	C57536	0.303	0.0698		29.6	0.439	18803	0.303	0.686	0.0698	0.158	ND,Pc	E2505930.d	2025-12-26 14:10	1.072	21.311	15871	480921	66.1	18.511	-3.8%
GLBSP-4-S-20251209	C01937	0.303	0.0698		29.6	0.439	18792	0.303	0.687	0.0698	0.158	ND,Pc	E2505931.d	2025-12-26 14:45	1.072	21.311	11775	467617	66.1	18.511	-6.5%
GLBSP-5-S-20251209	C35777	0.303	0.0698		29.6	0.439	18796	0.303	0.687	0.0698	0.158	ND,Pc	E2505932.d	2025-12-26 15:19	1.072	21.311	8656	447882	66.1	18.511	-10.4%
GLBSP-5-D-20251209	C01485	0.303	0.0698		29.6	0.439	18796	0.303	0.687	0.0698	0.158	ND,Pc	E2505933.d	2025-12-26 15:54	1.072	21.311	11095	478964	66.1	18.511	-4.2%
GLBSP-5-B-20251209	B53234	0.303	0.0698		29.6	0.439	18796	0.303	0.687	0.0698	0.158	ND,Pc	E2505927.d	2025-12-26 12:26	1.072	21.741	0	491161	66.1	18.510	-1.8%
GLBSP-6-S-20251209	B46962	0.303	0.0698		29.6	0.439	18795	0.303	0.687	0.0698	0.158	ND,Pc	E2505934.d	2025-12-26 16:29	1.072	21.311	9799	451647	66.1	18.510	-9.7%
GLBSP-7-S-20251209	B49438	0.303	0.0698		29.6	0.439	18793	0.303	0.687	0.0698	0.158	ND,Pc	E2505935.d	2025-12-26 17:04	1.072	21.311	17443	465485	66.1	18.510	-6.9%
GLBSP-8-S-20251209	C61499	0.304	0.0700		29.6	0.439	18752	0.304	0.688	0.0700	0.159	ND,Pc	E2505936.d	2025-12-26 17:39	1.072	21.311	18097	467413	66.1	18.511	-6.5%
GLBSP-9-S-20251209	C55346	0.303	0.0698		29.6	0.439	18792	0.303	0.687	0.0698	0.158	ND,Pc	E2505937.d	2025-12-26 18:13	1.072	21.311	12061	468213	66.1	18.510	-6.4%
GLBSP-10-S-20251209	C55767	0.303	0.0698		29.6	0.439	18792	0.303	0.687	0.0698	0.158	ND,Pc	E2505939.d	2025-12-26 19:23	1.072	21.311	16699	483304	66.1	18.510	-3.3%
GLBSP-11-S-20251209	C24097	0.303	0.0698		29.6	0.439	18792	0.303	0.687	0.0698	0.158	ND,Pc	E2505940.d	2025-12-26 19:58	1.072	21.311	16413	462249	66.1	18.510	-7.6%
GLBSP-12-S-20251209	C56863	0.329	0.0757	2.71	29.6	0.439	18789	0.303	0.687	0.0698	0.158	J,Pc	E2505941.d	2025-12-26 20:34	1.072	21.311	20501	465834	66.1	18.511	-6.8%
GLBSP-13-S-20251209	C57399	0.490	0.113	4.04	29.6	0.439	18772	0.303	0.687	0.0699	0.158	J,Pc	E2505942.d	2025-12-26 21:09	1.072	21.311	30927	471684	66.1	18.511	-5.7%
GLBSP-14-S-20251209	C33484	0.303	0.0698		29.6	0.439	18783	0.303	0.687	0.0698	0.158	ND,Pc	E2505943.d	2025-12-26 21:43	1.072	21.311	18586	478426	66.1	18.511	-4.3%
GLBSP-14-D-20251209	C71692	0.507	0.117	4.18	29.6	0.439	18783	0.303	0.687	0.0698	0.158	J,Pc	E2505944.d	2025-12-26 22:18	1.072	21.311	32606	480452	66.1	18.510	-3.9%
GLBSP-14-B-20251209	C20587	0.303	0.0698		29.6	0.439	18783	0.303	0.687	0.0698	0.158	ND,Pc	E2505945.d	2025-12-26 22:53	1.072	21.197	0	471162	66.1	18.510	-5.8%
GLBSP-15-S-20251209	C61654	0.303	0.0698		29.6	0.439	18784	0.303	0.687	0.0698	0.158	ND,Pc	E2505946.d	2025-12-26 23:28	1.072	21.311	11655	482210	66.1	18.510	-3.6%
GLBSP-16-S-20251209	C43623	0.303	0.0698		29.6	0.439	18784	0.303	0.687	0.0698	0.158	ND,Pc	E2505947.d	2025-12-27 00:04	1.072	21.311	8020	466533	66.1	18.511	-6.7%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB407-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-17-S-20251209	C35816	0.303	0.0699		29.6	0.439	18777	0.303	0.687	0.0699	0.158	ND,Pc	E2505948.d	2025-12-27 00:39	1.072	21.311	8197	510131	66.1	18.511	2.0%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
P: Field duplicate(s) exceed 30%RPD
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB407-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	GLBSP-5-B-20251209	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	GLBSP-14-B-20251209	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	GLBSP-5-D-20251209	15%	Pass	19%	Pass	ND	Pass	13%	Pass	ND	Pass
	GLBSP-14-D-20251209	16%	Pass	98%	Fail	50%	Fail	48%	Fail	ND	Fail

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB407-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2505925.d	C57095	Cal	0.941		0.941	-6.9%	-1.6%		Pass	
M325B CCV 5 REC	E2505938.d	C57095	Check	0.965		0.941	-4.5%		-21%	Pass	
M325B CCV 5	E2505949.d	C55579	Cal	0.976		0.976	-3.5%	-4.5%	-2.9%	Pass	
2025GB407 Method Blank-1	E2505950.d	C70603	Blank			0.976			4.3%	Pass	ND
M325B CCV 5 REC	E2505951.d	C55579	Check	1.029		0.976	1.8%		-20%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2505925.d	C57095	Cal	1.094		1.094	-7.4%	-7.3%		Pass	
M325B CCV 5 REC	E2505938.d	C57095	Check	1.095		1.094	-7.3%		-19%	Pass	
M325B CCV 5	E2505949.d	C55579	Cal	1.107		1.107	-6.3%	-10%	-3.1%	Pass	
2025GB407 Method Blank-1	E2505950.d	C70603	Blank			1.107			5.1%	Pass	ND
M325B CCV 5 REC	E2505951.d	C55579	Check	1.127		1.107	-4.6%		-15%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2505925.d	C57095	Cal	1.272		1.272	-7.3%	-7.3%		Pass	
M325B CCV 5 REC	E2505938.d	C57095	Check	1.283		1.272	-6.4%		-19%	Pass	
M325B CCV 5	E2505949.d	C55579	Cal	1.300		1.300	-5.2%	-10%	-3.1%	Pass	
2025GB407 Method Blank-1	E2505950.d	C70603	Blank			1.300			5.1%	Pass	ND
M325B CCV 5 REC	E2505951.d	C55579	Check	1.275		1.300	-7.0%		-15%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2505925.d	C57095	Cal	1.078		1.078	-6.2%	-7.3%		Pass	
M325B CCV 5 REC	E2505938.d	C57095	Check	1.082		1.078	-5.9%		-19%	Pass	
M325B CCV 5	E2505949.d	C55579	Cal	1.075		1.075	-6.5%	-10%	-3.1%	Pass	
2025GB407 Method Blank-1	E2505950.d	C70603	Blank			1.075			5.1%	Pass	ND
M325B CCV 5 REC	E2505951.d	C55579	Check	1.043		1.075	-9.2%		-15%	Pass	

o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	E2505925.d	C57095	Cal	1.072		1.072	-8.0%	-7.3%		Pass	
M325B CCV 5 REC	E2505938.d	C57095	Check	1.068		1.072	-8.4%		-19%	Pass	
M325B CCV 5	E2505949.d	C55579	Cal	1.070		1.070	-8.2%	-10%	-3.1%	Pass	

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB407-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
2025GB407 Method Blank-1	E2505950.d	C70603	Blank			1.070			5.1%	Pass	ND
M325B CCV 5 REC	E2505951.d	C55579	Check	1.030		1.070	-12%		-15%	Pass	

Chromatograms



Name GLBSP-5-B-20251209
Comment B53234
Data File E2505927.d
Acq. Date-Time 12/26/2025 12:26:52 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	461,013	
Benzene	Benzene-d6 (IS)	15.996	15.996	6,731	
Toluene-d8 (IS)		18.510	18.511	491,161	
Toluene	Toluene-d8 (IS)	18.596	18.596	9,843	
Ethylbenzene	Toluene-d8 (IS)	20.674	20.667	2,431	m
m-/p-Xylenes	Toluene-d8 (IS)	20.838	20.831	1,717	m
o-Xylene	Toluene-d8 (IS)	21.741	21.311	ND	m

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505927.d




+ Scan (18.468-18.582 min, 16 scans) E2505927.d

**Toluene**


+ EIC (91.1) Scan E2505927.d




+ Scan (18.561-18.639 min, 11 scans) E2505927.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505927.d




+ Scan (20.642-20.692 min, 7 scans) E2505927.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505927.d




+ Scan (20.812-20.879 min, 9 scans) E2505927.d




o-Xylene

+ EIC (91.1) Scan E2505927.d




+ Scan (21.741-21.741 min, 1 scans) E2505927.d





Name GLBSP-1-S-20251209
Comment C70578
Data File E2505928.d
Acq. Date-Time 12/26/2025 1:01:25 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	432,786	
Benzene	Benzene-d6 (IS)	15.996	15.996	86,040	
Toluene-d8 (IS)		18.510	18.511	474,005	
Toluene	Toluene-d8 (IS)	18.596	18.596	407,488	
Ethylbenzene	Toluene-d8 (IS)	20.666	20.667	22,689	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	51,206	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	18,836	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505928.d




+ Scan (18.461-18.589 min, 18 scans) E2505928.d

**Toluene**


+ EIC (91.1) Scan E2505928.d




+ Scan (18.556-18.689 min, 19 scans) E2505928.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505928.d




+ Scan (20.631-20.696 min, 10 scans) E2505928.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505928.d




+ Scan (20.792-20.888 min, 14 scans) E2505928.d




o-Xylene

+ EIC (91.1) Scan E2505928.d




+ Scan (21.276-21.351 min, 10 scans) E2505928.d





Name GLBSP-2-S-20251209
Comment C17142
Data File E2505929.d
Acq. Date-Time 12/26/2025 1:35:58 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	442,694	
Benzene	Benzene-d6 (IS)	15.996	15.996	70,626	
Toluene-d8 (IS)		18.511	18.511	495,612	
Toluene	Toluene-d8 (IS)	18.597	18.596	105,818	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	15,031	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	28,531	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	12,709	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505929.d




+ Scan (18.460-18.604 min, 21 scans) E2505929.d

**Toluene**


+ EIC (91.1) Scan E2505929.d




+ Scan (18.561-18.661 min, 14 scans) E2505929.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505929.d




+ Scan (20.632-20.713 min, 11 scans) E2505929.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505929.d




+ Scan (20.796-20.906 min, 16 scans) E2505929.d




o-Xylene

+ EIC (91.1) Scan E2505929.d




+ Scan (21.277-21.345 min, 9 scans) E2505929.d





Name GLBSP-3-S-20251209
Comment C57536
Data File E2505930.d
Acq. Date-Time 12/26/2025 2:10:32 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	448,369	
Benzene	Benzene-d6 (IS)	15.996	15.996	66,722	
Toluene-d8 (IS)		18.511	18.511	480,921	
Toluene	Toluene-d8 (IS)	18.597	18.596	96,361	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	18,345	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	44,218	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	15,871	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505930.d




+ Scan (18.460-18.597 min, 20 scans) E2505930.d

**Toluene**


+ EIC (91.1) Scan E2505930.d




+ Scan (18.561-18.645 min, 11 scans) E2505930.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505930.d




+ Scan (20.624-20.703 min, 11 scans) E2505930.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505930.d




+ Scan (20.788-20.895 min, 15 scans) E2505930.d




o-Xylene

+ EIC (91.1) Scan E2505930.d




+ Scan (21.284-21.347 min, 9 scans) E2505930.d





Name GLBSP-4-S-20251209
Comment C01937
Data File E2505931.d
Acq. Date-Time 12/26/2025 2:45:07 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	436,296	
Benzene	Benzene-d6 (IS)	16.003	15.996	74,941	
Toluene-d8 (IS)		18.511	18.511	467,617	
Toluene	Toluene-d8 (IS)	18.597	18.596	113,625	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	14,198	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	30,505	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	11,775	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505931.d




+ Scan (18.468-18.597 min, 18 scans) E2505931.d

**Toluene**


+ EIC (91.1) Scan E2505931.d




+ Scan (18.568-18.632 min, 8 scans) E2505931.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505931.d




+ Scan (20.640-20.702 min, 8 scans) E2505931.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505931.d




+ Scan (20.801-20.895 min, 13 scans) E2505931.d




o-Xylene

+ EIC (91.1) Scan E2505931.d




+ Scan (21.277-21.381 min, 14 scans) E2505931.d





Name GLBSP-5-S-20251209
Comment C35777
Data File E2505932.d
Acq. Date-Time 12/26/2025 3:19:47 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	416,487	
Benzene	Benzene-d6 (IS)	16.004	15.996	56,659	
Toluene-d8 (IS)		18.511	18.511	447,882	
Toluene	Toluene-d8 (IS)	18.597	18.596	72,544	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	14,006	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	25,905	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	8,656	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505932.d




+ Scan (18.462-18.604 min, 20 scans) E2505932.d

**Toluene**


+ EIC (91.1) Scan E2505932.d




+ Scan (18.568-18.639 min, 10 scans) E2505932.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505932.d




+ Scan (20.631-20.702 min, 10 scans) E2505932.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505932.d




+ Scan (20.799-20.887 min, 12 scans) E2505932.d




o-Xylene

+ EIC (91.1) Scan E2505932.d




+ Scan (21.280-21.340 min, 9 scans) E2505932.d





Name GLBSP-5-D-20251209
Comment C01485
Data File E2505933.d
Acq. Date-Time 12/26/2025 3:54:23 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	420,693	
Benzene	Benzene-d6 (IS)	16.003	15.996	66,758	
Toluene-d8 (IS)		18.511	18.511	478,964	
Toluene	Toluene-d8 (IS)	18.597	18.596	93,556	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	16,135	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	31,550	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	11,095	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505933.d




+ Scan (18.468-18.589 min, 17 scans) E2505933.d

**Toluene**


+ EIC (91.1) Scan E2505933.d




+ Scan (18.561-18.640 min, 12 scans) E2505933.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505933.d




+ Scan (20.631-20.695 min, 10 scans) E2505933.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505933.d




+ Scan (20.803-20.917 min, 16 scans) E2505933.d




o-Xylene

+ EIC (91.1) Scan E2505933.d




+ Scan (21.283-21.346 min, 8 scans) E2505933.d





Name GLBSP-6-S-20251209
Comment B46962
Data File E2505934.d
Acq. Date-Time 12/26/2025 4:29:15 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	416,754	
Benzene	Benzene-d6 (IS)	16.003	15.996	70,568	
Toluene-d8 (IS)		18.510	18.511	451,647	
Toluene	Toluene-d8 (IS)	18.596	18.596	115,181	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	12,060	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	23,468	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	9,799	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505934.d




+ Scan (18.468-18.596 min, 18 scans) E2505934.d

**Toluene**


+ EIC (91.1) Scan E2505934.d




+ Scan (18.561-18.660 min, 13 scans) E2505934.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505934.d




+ Scan (20.639-20.704 min, 9 scans) E2505934.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505934.d




+ Scan (20.796-20.903 min, 15 scans) E2505934.d




o-Xylene

+ EIC (91.1) Scan E2505934.d




+ Scan (21.275-21.359 min, 11 scans) E2505934.d





Name GLBSP-7-S-20251209
Comment B49438
Data File E2505935.d
Acq. Date-Time 12/26/2025 5:04:06 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	438,943	
Benzene	Benzene-d6 (IS)	15.996	15.996	94,603	
Toluene-d8 (IS)		18.510	18.511	465,485	
Toluene	Toluene-d8 (IS)	18.596	18.596	187,571	
Ethylbenzene	Toluene-d8 (IS)	20.659	20.667	24,573	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	45,296	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	17,443	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505935.d




+ Scan (18.468-18.603 min, 19 scans) E2505935.d

**Toluene**


+ EIC (91.1) Scan E2505935.d




+ Scan (18.561-18.668 min, 14 scans) E2505935.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505935.d




+ Scan (20.634-20.702 min, 10 scans) E2505935.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505935.d




+ Scan (20.803-20.902 min, 13 scans) E2505935.d




o-Xylene

+ EIC (91.1) Scan E2505935.d




+ Scan (21.275-21.339 min, 9 scans) E2505935.d





Name GLBSP-8-S-20251209
Comment C61499
Data File E2505936.d
Acq. Date-Time 12/26/2025 5:39:00 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	425,867	
Benzene	Benzene-d6 (IS)	15.996	15.996	70,909	
Toluene-d8 (IS)		18.511	18.511	467,413	
Toluene	Toluene-d8 (IS)	18.597	18.596	124,909	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	20,796	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	45,165	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	18,097	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505936.d




+ Scan (18.468-18.604 min, 20 scans) E2505936.d

**Toluene**


+ EIC (91.1) Scan E2505936.d




+ Scan (18.564-18.654 min, 13 scans) E2505936.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505936.d




+ Scan (20.636-20.703 min, 10 scans) E2505936.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505936.d




+ Scan (20.788-20.896 min, 16 scans) E2505936.d




o-Xylene

+ EIC (91.1) Scan E2505936.d




+ Scan (21.280-21.345 min, 9 scans) E2505936.d





Name GLBSP-9-S-20251209
Comment C55346
Data File E2505937.d
Acq. Date-Time 12/26/2025 6:13:53 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.939	15.946	432,492	
Benzene	Benzene-d6 (IS)	15.996	15.996	71,441	
Toluene-d8 (IS)		18.510	18.511	468,213	
Toluene	Toluene-d8 (IS)	18.596	18.596	134,105	
Ethylbenzene	Toluene-d8 (IS)	20.666	20.667	15,791	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	32,558	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	12,061	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505937.d




+ Scan (18.464-18.596 min, 19 scans) E2505937.d

**Toluene**


+ EIC (91.1) Scan E2505937.d




+ Scan (18.553-18.650 min, 14 scans) E2505937.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505937.d




+ Scan (20.631-20.709 min, 10 scans) E2505937.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505937.d




+ Scan (20.790-20.923 min, 18 scans) E2505937.d




o-Xylene

+ EIC (91.1) Scan E2505937.d




+ Scan (21.277-21.346 min, 9 scans) E2505937.d





Name GLBSP-10-S-20251209
Comment C55767
Data File E2505939.d
Acq. Date-Time 12/26/2025 7:23:49 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	442,312	
Benzene	Benzene-d6 (IS)	15.996	15.996	81,522	
Toluene-d8 (IS)		18.510	18.511	483,304	
Toluene	Toluene-d8 (IS)	18.596	18.596	189,151	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	20,171	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	45,327	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	16,699	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505939.d




+ Scan (18.468-18.604 min, 19 scans) E2505939.d

**Toluene**


+ EIC (91.1) Scan E2505939.d




+ Scan (18.561-18.682 min, 18 scans) E2505939.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505939.d




+ Scan (20.631-20.695 min, 10 scans) E2505939.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505939.d




+ Scan (20.803-20.903 min, 14 scans) E2505939.d




o-Xylene

+ EIC (91.1) Scan E2505939.d




+ Scan (21.284-21.351 min, 9 scans) E2505939.d





Name GLBSP-11-S-20251209
Comment C24097
Data File E2505940.d
Acq. Date-Time 12/26/2025 7:58:54 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	428,955	
Benzene	Benzene-d6 (IS)	16.003	15.996	72,360	
Toluene-d8 (IS)		18.510	18.511	462,249	
Toluene	Toluene-d8 (IS)	18.596	18.596	113,878	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	17,140	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	39,327	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	16,413	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505940.d




+ Scan (18.465-18.596 min, 19 scans) E2505940.d

**Toluene**


+ EIC (91.1) Scan E2505940.d




+ Scan (18.561-18.661 min, 14 scans) E2505940.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505940.d




+ Scan (20.638-20.695 min, 8 scans) E2505940.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505940.d




+ Scan (20.802-20.895 min, 13 scans) E2505940.d




o-Xylene

+ EIC (91.1) Scan E2505940.d




+ Scan (21.283-21.340 min, 8 scans) E2505940.d





Name GLBSP-12-S-20251209
Comment C56863
Data File E2505941.d
Acq. Date-Time 12/26/2025 8:34:00 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	437,668	
Benzene	Benzene-d6 (IS)	15.996	15.996	81,639	
Toluene-d8 (IS)		18.511	18.511	465,834	
Toluene	Toluene-d8 (IS)	18.596	18.596	161,994	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	34,873	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	50,761	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	20,501	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505941.d




+ Scan (18.469-18.589 min, 17 scans) E2505941.d

**Toluene**


+ EIC (91.1) Scan E2505941.d




+ Scan (18.553-18.675 min, 18 scans) E2505941.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505941.d




+ Scan (20.624-20.735 min, 16 scans) E2505941.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505941.d




+ Scan (20.790-20.903 min, 16 scans) E2505941.d




o-Xylene

+ EIC (91.1) Scan E2505941.d




+ Scan (21.283-21.359 min, 10 scans) E2505941.d





Name GLBSP-13-S-20251209
Comment C57399
Data File E2505942.d
Acq. Date-Time 12/26/2025 9:09:00 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	440,948	
Benzene	Benzene-d6 (IS)	16.003	15.996	107,275	
Toluene-d8 (IS)		18.511	18.511	471,684	
Toluene	Toluene-d8 (IS)	18.596	18.596	375,370	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	42,081	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	84,053	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	30,927	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505942.d




+ Scan (18.469-18.589 min, 17 scans) E2505942.d

**Toluene**


+ EIC (91.1) Scan E2505942.d




+ Scan (18.556-18.675 min, 17 scans) E2505942.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505942.d




+ Scan (20.637-20.737 min, 14 scans) E2505942.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505942.d




+ Scan (20.796-20.896 min, 15 scans) E2505942.d




o-Xylene

+ EIC (91.1) Scan E2505942.d




+ Scan (21.283-21.340 min, 8 scans) E2505942.d





Name GLBSP-14-S-20251209
Comment C33484
Data File E2505943.d
Acq. Date-Time 12/26/2025 9:43:52 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	464,251	
Benzene	Benzene-d6 (IS)	15.996	15.996	85,781	
Toluene-d8 (IS)		18.511	18.511	478,426	
Toluene	Toluene-d8 (IS)	18.597	18.596	119,761	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	23,042	
m-/p-Xylenes	Toluene-d8 (IS)	20.832	20.831	51,887	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	18,586	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505943.d




+ Scan (18.462-18.604 min, 20 scans) E2505943.d

**Toluene**


+ EIC (91.1) Scan E2505943.d




+ Scan (18.554-18.654 min, 14 scans) E2505943.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505943.d




+ Scan (20.637-20.695 min, 8 scans) E2505943.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505943.d




+ Scan (20.803-20.905 min, 14 scans) E2505943.d




o-Xylene

+ EIC (91.1) Scan E2505943.d




+ Scan (21.283-21.354 min, 11 scans) E2505943.d





Name GLBSP-14-D-20251209
Comment C71692
Data File E2505944.d
Acq. Date-Time 12/26/2025 10:18:48 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	443,763	
Benzene	Benzene-d6 (IS)	15.996	15.996	96,278	
Toluene-d8 (IS)		18.510	18.511	480,452	
Toluene	Toluene-d8 (IS)	18.596	18.596	350,863	
Ethylbenzene	Toluene-d8 (IS)	20.666	20.667	38,617	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	85,383	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	32,606	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505944.d




+ Scan (18.469-18.596 min, 18 scans) E2505944.d

**Toluene**


+ EIC (91.1) Scan E2505944.d




+ Scan (18.561-18.668 min, 14 scans) E2505944.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505944.d




+ Scan (20.623-20.709 min, 12 scans) E2505944.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505944.d




+ Scan (20.792-20.902 min, 15 scans) E2505944.d




o-Xylene

+ EIC (91.1) Scan E2505944.d




+ Scan (21.275-21.339 min, 9 scans) E2505944.d





Name GLBSP-14-B-20251209
Comment C20587
Data File E2505945.d
Acq. Date-Time 12/26/2025 10:53:45 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	430,113	
Benzene	Benzene-d6 (IS)	15.996	15.996	6,496	
Toluene-d8 (IS)		18.510	18.511	471,162	
Toluene	Toluene-d8 (IS)	18.604	18.596	14,165	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	1,529	m
m-/p-Xylenes	Toluene-d8 (IS)	20.824	20.831	890	
o-Xylene	Toluene-d8 (IS)	21.197	21.311	ND	m

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505945.d




+ Scan (18.464-18.596 min, 19 scans) E2505945.d

**Toluene**


+ EIC (91.1) Scan E2505945.d




+ Scan (18.568-18.639 min, 11 scans) E2505945.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505945.d




+ Scan (20.628-20.688 min, 9 scans) E2505945.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505945.d




+ Scan (20.802-20.867 min, 10 scans) E2505945.d




o-Xylene

+ EIC (91.1) Scan E2505945.d




+ Scan (21.197-21.197 min, 1 scans) E2505945.d





Name GLBSP-15-S-20251209
Comment C61654
Data File E2505946.d
Acq. Date-Time 12/26/2025 11:28:44 PM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	447,655	
Benzene	Benzene-d6 (IS)	15.996	15.996	53,845	
Toluene-d8 (IS)		18.510	18.511	482,210	
Toluene	Toluene-d8 (IS)	18.596	18.596	123,136	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	12,041	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	29,200	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	11,655	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505946.d




+ Scan (18.467-18.589 min, 18 scans) E2505946.d

**Toluene**


+ EIC (91.1) Scan E2505946.d




+ Scan (18.561-18.650 min, 13 scans) E2505946.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505946.d




+ Scan (20.640-20.705 min, 9 scans) E2505946.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505946.d




+ Scan (20.803-20.886 min, 12 scans) E2505946.d




o-Xylene

+ EIC (91.1) Scan E2505946.d




+ Scan (21.283-21.358 min, 11 scans) E2505946.d





Name GLBSP-16-S-20251209
Comment C43623
Data File E2505947.d
Acq. Date-Time 12/27/2025 12:04:00 AM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	451,487	
Benzene	Benzene-d6 (IS)	15.996	15.996	57,412	
Toluene-d8 (IS)		18.511	18.511	466,533	
Toluene	Toluene-d8 (IS)	18.597	18.596	103,221	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	13,226	
m-/p-Xylenes	Toluene-d8 (IS)	20.839	20.831	21,873	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	8,020	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505947.d




+ Scan (18.468-18.589 min, 18 scans) E2505947.d

**Toluene**


+ EIC (91.1) Scan E2505947.d




+ Scan (18.561-18.675 min, 16 scans) E2505947.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505947.d




+ Scan (20.640-20.701 min, 8 scans) E2505947.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505947.d




+ Scan (20.804-20.888 min, 11 scans) E2505947.d




o-Xylene

+ EIC (91.1) Scan E2505947.d




+ Scan (21.290-21.338 min, 7 scans) E2505947.d





Name GLBSP-17-S-20251209
Comment C35816
Data File E2505948.d
Acq. Date-Time 12/27/2025 12:39:14 AM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.946	15.946	454,488	
Benzene	Benzene-d6 (IS)	15.996	15.996	53,470	
Toluene-d8 (IS)		18.511	18.511	510,131	
Toluene	Toluene-d8 (IS)	18.596	18.596	173,803	
Ethylbenzene	Toluene-d8 (IS)	20.667	20.667	14,077	
m-/p-Xylenes	Toluene-d8 (IS)	20.831	20.831	22,093	
o-Xylene	Toluene-d8 (IS)	21.311	21.311	8,197	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505948.d




+ Scan (18.468-18.604 min, 19 scans) E2505948.d

**Toluene**


+ EIC (91.1) Scan E2505948.d




+ Scan (18.553-18.675 min, 18 scans) E2505948.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505948.d




+ Scan (20.638-20.708 min, 10 scans) E2505948.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505948.d




+ Scan (20.806-20.887 min, 11 scans) E2505948.d




o-Xylene

+ EIC (91.1) Scan E2505948.d




+ Scan (21.290-21.347 min, 7 scans) E2505948.d





Name 2025GB407 Method Blank-1
Comment C70603
Data File E2505950.d
Acq. Date-Time 12/27/2025 9:41:38 AM
Acq. Method File M325B-MTD-Cryo
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.939	15.946	478,374	
Benzene	Benzene-d6 (IS)	15.996	15.996	6,335	
Toluene-d8 (IS)		18.503	18.511	509,062	
Toluene	Toluene-d8 (IS)	18.597	18.596	7,934	
Ethylbenzene	Toluene-d8 (IS)	20.674	20.667	2,412	
m-/p-Xylenes	Toluene-d8 (IS)	20.846	20.831	700	
o-Xylene	Toluene-d8 (IS)	21.741	21.311	ND	m

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan E2505950.d




+ Scan (18.460-18.618 min, 23 scans) E2505950.d

**Toluene**


+ EIC (91.1) Scan E2505950.d




+ Scan (18.555-18.624 min, 9 scans) E2505950.d

**Ethylbenzene**


+ EIC (91.1) Scan E2505950.d




+ Scan (20.618-20.709 min, 12 scans) E2505950.d

**m-/p-Xylenes**

+ EIC (91.1) Scan E2505950.d




+ Scan (20.839-20.872 min, 5 scans) E2505950.d




o-Xylene

+ EIC (91.1) Scan E2505950.d



+ Scan (21.741-21.741 min, 1 scans) E2505950.d



Initial Calibration

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2025GB407-1 EPA Method 325B Analysis

Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E121025A_CC185154_Cryo	Benzene	1	E2505602.d	5.96	54488	56.3	508952	1.012	0.0016
E121025A_CC185154_Cryo	Benzene	2	E2505603.d	11.91	102981	56.3	493698	0.986	-0.024
E121025A_CC185154_Cryo	Benzene	3	E2505604.d	23.83	220862	56.3	475060	1.099	0.087
E121025A_CC185154_Cryo	Benzene	4	E2505605.d	47.65	411566	56.3	476113	1.022	0.011
E121025A_CC185154_Cryo	Benzene	5	E2505606.d	119.14	939055	56.3	472081	0.941	-0.069
E121025A_CC185154_Cryo	Benzene	6	E2505607.d	238.27	1974680	56.3	463108	1.008	-0.0027
E121025A_CC185154_Cryo	Benzene	7	E2505608.d	714.81	6043499	56.3	472836	1.007	-0.0035
						Avg:	480264	1.011	
						%RSD:	3.3%	4.7%	
E121025A_CC185154_Cryo	Toluene	1	E2505602.d	5.23	58491	66.1	572696	1.290	0.092
E121025A_CC185154_Cryo	Toluene	2	E2505603.d	10.46	100469	66.1	548539	1.156	-0.021
E121025A_CC185154_Cryo	Toluene	3	E2505604.d	20.93	216806	66.1	532477	1.285	0.088
E121025A_CC185154_Cryo	Toluene	4	E2505605.d	41.85	401503	66.1	530989	1.194	0.011
E121025A_CC185154_Cryo	Toluene	5	E2505606.d	104.64	890741	66.1	532908	1.055	-0.11
E121025A_CC185154_Cryo	Toluene	6	E2505607.d	209.27	1898442	66.1	523253	1.145	-0.03
E121025A_CC185154_Cryo	Toluene	7	E2505608.d	627.82	5806637	66.1	535802	1.140	-0.034
						Avg:	539523	1.181	
						%RSD:	3.1%	7.1%	
E121025A_CC185154_Cryo	Ethylbenzene	1	E2505602.d	5.44	70676	66.1	572696	1.499	0.093
E121025A_CC185154_Cryo	Ethylbenzene	2	E2505603.d	10.88	116163	66.1	548539	1.286	-0.062
E121025A_CC185154_Cryo	Ethylbenzene	3	E2505604.d	21.75	250902	66.1	532477	1.431	0.043
E121025A_CC185154_Cryo	Ethylbenzene	4	E2505605.d	43.50	495625	66.1	530989	1.418	0.033
E121025A_CC185154_Cryo	Ethylbenzene	5	E2505606.d	108.75	1103347	66.1	532908	1.258	-0.083
E121025A_CC185154_Cryo	Ethylbenzene	6	E2505607.d	217.50	2362920	66.1	523253	1.372	-8E-05
E121025A_CC185154_Cryo	Ethylbenzene	7	E2505608.d	652.50	7082072	66.1	535802	1.338	-0.024
						Avg:	539523	1.372	
						%RSD:	3.1%	6.2%	
E121025A_CC185154_Cryo	m-/p-Xylenes	1	E2505602.d	6.09	67642	66.1	572696	1.280	0.11
E121025A_CC185154_Cryo	m-/p-Xylenes	2	E2505603.d	12.19	111804	66.1	548539	1.105	-0.039
E121025A_CC185154_Cryo	m-/p-Xylenes	3	E2505604.d	24.38	224131	66.1	532477	1.141	-0.0076
E121025A_CC185154_Cryo	m-/p-Xylenes	4	E2505605.d	48.75	467964	66.1	530989	1.194	0.039
E121025A_CC185154_Cryo	m-/p-Xylenes	5	E2505606.d	121.88	1027824	66.1	532908	1.045	-0.091
E121025A_CC185154_Cryo	m-/p-Xylenes	6	E2505607.d	243.76	2244659	66.1	523253	1.163	0.011
E121025A_CC185154_Cryo	m-/p-Xylenes	7	E2505608.d	731.27	6634838	66.1	535802	1.119	-0.027
						Avg:	539523	1.150	
						%RSD:	3.1%	6.5%	
E121025A_CC185154_Cryo	o-Xylene	1	E2505602.d	5.67	64645	66.1	572696	1.316	0.13
E121025A_CC185154_Cryo	o-Xylene	2	E2505603.d	11.33	104948	66.1	548539	1.115	-0.044
E121025A_CC185154_Cryo	o-Xylene	3	E2505604.d	22.67	222427	66.1	532477	1.217	0.044

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2025GB407-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E121025A_CC185154_Cryo	o-Xylene	4	E2505605.d	45.34	438729	66.1	530989	1.204	0.033
E121025A_CC185154_Cryo	o-Xylene	5	E2505606.d	113.35	946515	66.1	532908	1.035	-0.11
E121025A_CC185154_Cryo	o-Xylene	6	E2505607.d	226.69	2095097	66.1	523253	1.167	0.00078
E121025A_CC185154_Cryo	o-Xylene	7	E2505608.d	680.07	6107630	66.1	535802	1.107	-0.05
						Avg:	539523	1.166	
						%RSD:	3.1%	7.8%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E121025A_CC185154_Cryo	Benzene	ICV	E2505609.d	443.87	3332213	56.3	485810	0.870	-14.0%
E121025A_CC185154_Cryo	Toluene	ICV	E2505609.d	454.52	3762504	66.1	537113	1.018	-14.0%
E121025A_CC185154_Cryo	Ethylbenzene	ICV	E2505609.d	449.40	4462570	66.1	537113	1.221	-11.0%
E121025A_CC185154_Cryo	m-/p-Xylenes	ICV	E2505609.d	456.40	3578225	66.1	537113	0.964	-16.0%
E121025A_CC185154_Cryo	o-Xylene	ICV	E2505609.d	457.27	3540808	66.1	537113	0.952	-18.0%

M325B PDF Report ver.20250917

Sample Custody

2225GB467

Page # 1 of # 1

Site Name:		Global South Portland		Client Name: Montrose Air Quality Services, LLC				PO#:	
Site Address:		1 Clark Road		Project Number: PROJ-031333				Sample Event #	
City:		South Portland		Project Manager: Sabarish Selvarajan				Sorbent: Carbopak-X	
State		Maine		Email Address: sabarishselvarajan@montrose-env.com					
Zip:		04106		Telephone #: 973-722-7895					
Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C70578	S	12/9/25	2:01 PM	12/22/25	3:26 PM	SS/SS		
2	C17142	S	12/9/25	2:04 PM	12/22/25	3:28 PM	SS/SS		
3	C57536	S	12/9/25	2:06 PM	12/22/25	3:29 PM	SS/SS		
4	C01937	S	12/9/25	2:18 PM	12/22/25	3:30 PM	SS/SS		
5	C35777	S	12/9/25	2:24 PM	12/22/25	3:40 PM	SS/SS		
5	C01485	D	12/9/25	2:24 PM	12/22/25	3:40 PM	SS/SS		
5	B53234	B	12/9/25	2:24 PM	12/22/25	3:40 PM	SS/SS		
6	B46962	S	12/9/25	2:26 PM	12/22/25	3:41 PM	SS/SS		
7	B49438	S	12/9/25	2:30 PM	12/22/25	3:43 PM	SS/SS		
8	C61499	S	12/9/25	2:32 PM	12/22/25	3:04 PM	SS/SS		
9	C55346	S	12/9/25	2:36 PM	12/22/25	3:48 PM	SS/SS		
10	C55767	S	12/9/25	2:38 PM	12/22/25	3:50 PM	SS/SS		
11	C24097	S	12/9/25	2:43 PM	12/22/25	3:55 PM	SS/SS		
12	C56863	S	12/9/25	2:50 PM	12/22/25	3:59 PM	SS/SS		
13	C57399	S	12/9/25	3:10 PM	12/22/25	4:02 PM	SS/SS		
14	C33484	S	12/9/25	3:00 PM	12/22/25	4:03 PM	SS/SS		
14	C71692	D	12/9/25	3:00 PM	12/22/25	4:03 PM	SS/SS		
14	C20587	B	12/9/25	3:00 PM	12/22/25	4:03 PM	SS/SS		
15	C61654	S	12/9/25	3:03 PM	12/22/25	4:07 PM	SS/SS		
16	C43623	S	12/9/25	3:05 PM	12/22/25	4:09 PM	SS/SS		
17	C35816	S	12/9/25	3:15 PM	12/22/25	4:12 PM	SS/SS		
Relinquished By (printed):		Relinquished By (signature):			Relinquished Date:		Relinquished Time:		
Sabarish Selvarajan		SS			12/22/2025		17:00		
Recieved By (printed):		Recieved By (signature):			Receipt Date:		Receipt Time:		
Daniel Simpson		[Signature]			12/23/25		10:40AM		
Sample Condition Upon Receipt:		Compound List:			Custody Seal intact? Y/N:		Delivery tracking #		
Good					Y				
Ice Temp:	Blank Temp:				Add Custody Seal # below:				
-	22.1	Fluke 4			25D06536				
Comments:									
Tube for sample location 17 and spare/extra tube are from 2026GB101 sample kit. These are marked with blue post it's.									
800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.enthalpy.com									

**This Is The Last Page
Of This Report.**

Appendix B

A field error made by the Montrose field technician occurred in Quarter 4 2025 at the Global Partners South Portland FLM sites. The field error lead to an extended sample collection period at Site location 6. The sample was received at the lab in good condition and analyzed. The results are reported below with a flag noting the field error(s). Section 6, paragraph B(3) of our Chapter 171 states: “A maximum 14-day sampling period shall be used except under extenuating circumstances as described below. Upon approval by the Department, the owner or operator may use a shorter sampling period. When extenuating circumstances do not permit safe deployment or retrieval of passive samplers (e.g., extreme weather, power failure), sampler placement or retrieval earlier or later than the prescribed schedule is allowed but must occur as soon as safe access to sampling sites is possible.” Montrose has initiated a corrective action plan (see Appendix C) to mitigate field errors going forward.

Project	Discrepancy
GLOBAL PARTNERS	The sample below was sampled outside the method-specified window of 14±1 Days. Sample start date 11/12/2025, sample stop date 12/9/2025.

LAB NAME	SAMPLE ID	SAMPLE LOC.	BATCH ID	SAMPLE DATE	SAMPLE TIME	LAB ID	ACQ DATE	ACQ TIME	TEST METHOD	SAMPLE TYPE	COMPOU ND TYPE	CAS NUMBER	COMPOUND NAME	DILUTION FACTOR	RESULT	RESULT UNITS	RESULT2	RESULT UNITS2	RESULT3	RESULT UNITS3	LAB FLAGS
ENT	GLBSP-6-S-20251112	6	M121325A	12/9/2025	14:26	M2505447.d	12/13/2025	18:05	EPA M325B	Sample	Target	71-43-2	Benzene	1	0.0239	ug	0.298	ppbv	0.952	ug/m3	D,Fe
ENT	GLBSP-6-S-20251112	6	M121325A	12/9/2025	14:26	M2505447.d	12/13/2025	18:05	EPA M325B	Sample	Target	100-41-4	Ethylbenzene	1	0.0088	ug	0.118	ppbv	0.51	ug/m3	Pe,D,Fe
ENT	GLBSP-6-S-20251112	6	M121325A	12/9/2025	14:26	M2505447.d	12/13/2025	18:05	EPA M325B	Sample	Target	95-47-6	o-Xylene	1	0.0108	ug	0.145	ppbv	0.627	ug/m3	D,Fe
ENT	GLBSP-6-S-20251112	6	M121325A	12/9/2025	14:26	M2505447.d	12/13/2025	18:05	EPA M325B	Sample	Target	108-88-3	Toluene	1	0.0493	ug	0.672	ppbv	2.53	ug/m3	D,Fe
ENT	GLBSP-6-S-20251112	6	M121325A	12/9/2025	14:26	M2505447.d	12/13/2025	18:05	EPA M325B	Sample	Target	8-38-3/106-42	m-/p-Xylenes	1	0.0268	ug	0.358	ppbv	1.55	ug/m3	D,Fe

Appendix C - Corrective Action Plan

MONTROSE AIR QUALITY SERVICES, LLC

MAINE CH. 171 FENCELINE MONITORING CORRECTIVE ACTION PLAN

PURPOSE	To minimize field sampling errors possible during Maine DEP Ch. 171 petroleum storage terminal fence line sampling for BTEX using EPA Method 325A sample process.		
REASON	Field sampling errors can occur including: a lost individual or multiple samples; a sample for a duration other than provided for in the sampling method; documentation errors; and low duplicate precision.		
ACTION PLAN SPONSOR	Kevin Ruggiero, Operations Manager	DATE	January 26, 2026
STRATEGIC ACTION	MONTROSE PERSONNEL RESPONSIBLE	DATE DUE	COMMENTS
Engage new field personnel	Operations Manager	Interim: 11/23/25; On-going: 2/3/26.	New field personnel that are existing, local full-time Montrose staff will be fully trained and integrated into the monitoring program.
Provide formal video and written training	Project Manager	02/03/26	Montrose has a formal training program on EPA Method 325A field sampling techniques that all personnel involved in the project will be required to take.
Provide in the field training	Project Manager	2/3/26-2/11/26	A Montrose project manager experienced in EPA Method 325A field sampling will provide training in the field for new field personnel. The training will include a comprehensive overview of the sampling methodology as well as monitoring site-specific training needed. The trainer confirms mastery of associated tasks.
Check-ins between the field personnel and project manager to confirm completion of tasks	Field Technician, Project Manager	Each sample day.	Field personnel will be required to check-in with the project manager each sample day to review that all scheduled activities were conducted and identify any non-conformance or corrective actions needed.
Review of sample kit before released for shipping	Field Technician	Prior to leaving client site.	Field personnel required to perform a secondary review of samples prior to leaving the site to identify any non-conformance prior to samples being released.
Tracking of outbound sample shipments to laboratory	Project Manager	As received.	Review of automated FedEx courier tracking notifications of sample shipments from the field to the analytical laboratory for confirmation of sample shipment and receipt.
Review of sample documentation	Project Manager	Within 3 business days of receipt.	
Review of fleet tracking data	Project Manager	Weekly.	Review of vehicle monitoring device to confirm field personnel movements.
Periodic on site field assessments	Project Manager	After end of Q1, 2026.	Periodic in-person observation of field personnel by project manager.
Provide remedial training	Project Manager	As needed.	Review of field sampling activities to identify any additional training needed to remediate any non-conformance events.
Regular meetings with client to discuss recent sampling results	Operations Manager, Project Manager, Data Manager	Once per quarter, scheduled when draft report has been prepared.	Scheduled cadence of status update meetings between Montrose project personnel and client project personnel
Communication of any irregularities with client	Operations Manager, Project Manager, Data Manager	Within 3 business days of discovery.	Promptly notify client of any irregularities in sampling.