



Fenceline Monitoring Report

Sprague Operating Resources LLC

South Portland Maine Terminal

Quarter Data Report

Prepared for: Sprague Operating Resources LLC
185 International Drive
Portsmouth, NH 03801

Facility Sprague Operating Resources LLC
59 Main Street
South Portland, ME 04106

Prepared By: Onterris
45 U.S. Hwy. 46 East
Suite 106
Pine Brook, NJ 07058

Reporting Period: Quarter 1, 2026
Report Date: May 12, 2026

Report Number: 047AA-031333-RT-1177

Sprague South Portland Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag
SPRSPO-1-S-20251222	C69730	0.877		0.985		3.45		1.14		2.56	
SPRSPO-1-D-20251222	C36992	0.815		0.89		2.7		0.888		2.5	
SPRSPO-1-B-20251222	C40563	0.196	ND	0.286	ND	0.286	ND	0.286	ND	0.253	ND
SPRSPO-2-S-20251222	C34170	0.715		0.346	J	0.86		0.334	J	2.42	
SPRSPO-3-S-20251222	C69706	0.782		0.352	J	1.03		0.449	J	2.45	
SPRSPO-4-S-20251222	C57474	0.876		0.346	J	0.834		0.341	J	2.64	
SPRSPO-5-S-20251222	C43929	0.741		0.286	ND	0.447	J	0.286	ND	2.19	
SPRSPO-6-S-20251222	C57171	0.589		0.286	ND	0.415	J	0.286	ND	1.87	
SPRSPO-7-S-20251222	C69735	0.705		0.286	ND	0.4	J	0.286	ND	1.42	
SPRSPO-8-S-20251222	C55554	0.534		0.286	ND	0.386	J	0.286	ND	0.878	
SPRSPO-9-S-20251222	C01422	0.593		0.286	ND	0.437	J	0.286	ND	1.05	
SPRSPO-10-S-20251222	C01850	0.71		0.286	ND	0.373	J	0.286	ND	0.975	
SPRSPO-11-S-20251222	B50636	0.586		0.286	ND	0.373	J	0.286	ND	0.905	
SPRSPO-12-S-20251222	C20428	0.668		0.286	ND	0.486	J	0.286	ND	1.44	
SPRSPO-13-S-20251222	C01880	0.643		0.286	ND	0.596	J	0.286	ND	1.32	
SPRSPO-13-D-20251222	B44194	0.704		0.286	ND	0.478	J	0.286	ND	1.24	
SPRSPO-13-B-20251222	C68613	0.196	ND	0.286	ND	0.286	ND	0.286	ND	0.253	ND
SPRSPO-14-S-20251222	C53568	0.798		0.36	J	0.759		0.307	J	1.75	
SPRSPO-15-S-20251222	C71654	0.743		0.385	J	1		0.425	J	1.9	
SPRSPO-16-S-20251222	C16064	0.882		0.486	J	1.15		0.468	J	2.46	
SPRSPO-1-S-20260105	B43124	1.37		1.01		3		1.04		3.79	
SPRSPO-1-D-20260105	C37055	1.38		1.02		2.92		0.974		3.65	
SPRSPO-1-B-20260105	B44247	0.194	ND	0.282	ND	0.282	ND	0.282	ND	0.249	ND
SPRSPO-2-S-20260105	B27209	1.03		0.455	J	1.2		0.461	J	2.55	
SPRSPO-3-S-20260105	B52743	0.964		0.368	J	0.968		0.386	J	2.3	
SPRSPO-4-S-20260105	C36867	0.984		0.412	J	0.938		0.384	J	2.36	
SPRSPO-5-S-20260105	C55494	0.83		0.282	ND	0.656	J	0.282	ND	1.84	
SPRSPO-6-S-20260105	C01661	0.83		0.281	ND	0.539	J	0.281	ND	1.84	
SPRSPO-7-S-20260105	C71650	0.895		0.282	ND	0.652	J	0.282	ND	1.8	
SPRSPO-8-S-20260105	C57173	0.78		0.282	ND	0.65	J	0.282	ND	1.34	

Sprague South Portland Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag
SPRSPO-9-S-20260105	C57696	0.835		0.326	J	0.946		0.364	J	1.64	
SPRSPO-10-S-20260105	C61408	0.845		0.31	J	0.918		0.358	J	1.58	
SPRSPO-11-S-20260105	C00757	0.806		0.282	ND	0.719		0.286	J	1.44	
SPRSPO-12-S-20260105	C00638	0.995		0.411	J	0.961		0.378	J	2.08	
SPRSPO-13-S-20260105	C32847	0.928		0.423	J	1.05		0.41	J	1.95	
SPRSPO-13-D-20260105	C35703	0.932		0.428	J	1.04		0.436	J	1.96	
SPRSPO-13-B-20260105	C70517	0.194	ND	0.282	ND	0.282	ND	0.282	ND	0.249	ND
SPRSPO-14-S-20260105	C61490	1.05		0.462	J	1.41		0.553	J	2.4	
SPRSPO-15-S-20260105	C27866	1.13		0.6	J	1.87		0.72		3.39	
SPRSPO-16-S-20260105	C43337	1.16		0.529	J	1.49		0.563	J	2.87	
SPRSPO-1-S-20260119	C17145	0.804		0.543	J	1.62	P	0.531	J,Pc	1.56	P
SPRSPO-1-D-20260119	C69776	0.902		0.673		2.26	P	0.754	Pc	2.28	P
SPRSPO-1-B-20260119	B11788	0.184	ND	0.269	ND	0.269	ND,P	0.269	ND,Pc	0.238	ND,P
SPRSPO-2-S-20260119	B49440	0.618		0.269	ND	0.411	J,P	0.269	ND,Pc	1.66	P
SPRSPO-3-S-20260119	B46148	0.639		0.269	ND	0.395	J,P	0.269	ND,Pc	1.66	P
SPRSPO-4-S-20260119	C57105	1.05		0.349	J	0.91	P	0.405	J,Pc	2.86	P
SPRSPO-5-S-20260119	C34164	0.594		0.269	ND	0.301	J,P	0.269	ND,Pc	1.67	P
SPRSPO-6-S-20260119	C53538	0.665		0.269	ND	0.337	J,P	0.269	ND,Pc	1.35	P
SPRSPO-7-S-20260119	C35746	0.638		0.893		2.47	P	0.977	Pc	7.52	P
SPRSPO-8-S-20260119	C69550	0.532		0.268	ND	0.268	ND,P	0.268	ND,Pc	0.605	P
SPRSPO-9-S-20260119	B35574	0.826		0.268	ND	0.268	ND,P	0.268	ND,Pc	0.617	P
SPRSPO-10-S-20260119	C01860	0.524		0.268	ND	0.268	ND,P	0.268	ND,Pc	0.551	P
SPRSPO-11-S-20260119	C20595	0.531		0.268	ND	0.268	ND,P	0.268	ND,Pc	0.553	P
SPRSPO-12-S-20260119	B34552	0.622		0.268	ND	0.387	J,P	0.268	ND,Pc	0.955	P
SPRSPO-13-S-20260119	B50925	0.618		0.268	ND	0.4	J,P	0.268	ND,Pc	0.959	P
SPRSPO-13-D-20260119	C55738	0.632		0.268	ND	0.4	J,P	0.268	ND,Pc	0.974	P
SPRSPO-13-B-20260119	C70029	0.184	ND	0.268	ND	0.268	ND,P	0.268	ND,Pc	0.237	ND,P
SPRSPO-14-S-20260119	C32919	0.696		0.268	ND	0.544	J,P	0.268	ND,Pc	1.25	P
SPRSPO-15-S-20260119	C38948	0.698		0.268	ND	0.62	J,P	0.268	ND,Pc	1.25	P
SPRSPO-16-S-20260119	C71798	0.789		0.354	J	1.02	P	0.403	J,Pc	1.52	P

Sprague South Portland Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag
SPRSPO-1-S-20260203	C01694	1		0.804		2.76		0.927		2.54	
SPRSPO-1-D-20260203	C32727	0.951		0.798		2.69		0.867		2.52	
SPRSPO-1-B-20260203	C57567	0.196	ND	0.285	ND	0.285	ND	0.285	ND	0.252	ND
SPRSPO-2-S-20260203	B18799	0.957		0.383	J	1.17		0.426	J	2.35	
SPRSPO-3-S-20260203	C43920	0.798		0.303	J	0.929		0.361	J	1.62	
SPRSPO-4-S-20260203	C43934	0.834		0.307	J	0.807		0.325	J	1.67	
SPRSPO-5-S-20260203	C55567	0.758		0.285	ND	0.654	J	0.285	ND	1.33	
SPRSPO-6-S-20260203	C31426	0.752		0.285	ND	0.578	J	0.285	ND	1.4	
SPRSPO-7-S-20260203	C55541	0.737		0.285	ND	0.743		0.289	J	1.56	
SPRSPO-8-S-20260203	B52867	0.699		0.285	ND	0.457	J	0.285	ND	0.903	
SPRSPO-9-S-20260203	C70853	1.03		0.285	ND	0.781		0.294	J	1.21	
SPRSPO-10-S-20260203	B35504	0.884		0.285	ND	0.617	J	0.285	ND	1.21	
SPRSPO-11-S-20260203	C55417	0.752		0.285	ND	0.589	J	0.285	ND	1.03	
SPRSPO-12-S-20260203	B16887	1.06		0.347	J	0.908		0.337	J	2.42	
SPRSPO-13-S-20260203	C35705	0.824		0.287	J	0.812		0.303	J	1.35	
SPRSPO-13-D-20260203	C57746	0.822		0.308	J	0.941		0.364	J	1.36	
SPRSPO-13-B-20260203	B20174	0.196	ND	0.285	ND	0.285	ND	0.285	ND	0.271	J
SPRSPO-14-S-20260203	B16334	0.876		0.321	J	0.916		0.349	J	1.69	
SPRSPO-15-S-20260203	C55367	0.965		0.476	J	1.53		0.574	J	2.03	
SPRSPO-16-S-20260203	C57492	1.08		0.57	J	1.84		0.714		2.59	
SPRSPO-1-S-20260217	B18388	0.968		0.862		2.84		0.891		3.24	
SPRSPO-1-D-20260217	C33422	0.911		0.958		3.19		0.988		3.18	
SPRSPO-1-B-20260217	C67343	0.195	ND	0.284	ND	0.284	ND	0.284	ND	0.251	ND
SPRSPO-2-S-20260217	C00722	0.777		0.286	J	0.875		0.326	J	2.65	
SPRSPO-3-S-20260217	C69475	0.882		0.756		2.22		0.808		4.91	
SPRSPO-4-S-20260217	C00590	0.728		0.284	ND	0.728		0.284	ND	2.2	
SPRSPO-5-S-20260217	C69587	0.737		0.284	ND	0.667	J	0.284	ND	2.45	
SPRSPO-6-S-20260217	C55495	0.637		0.284	ND	0.502	J	0.284	ND	2	
SPRSPO-7-S-20260217	C67365	0.627		0.284	ND	0.609	J	0.284	ND	1.71	
SPRSPO-8-S-20260217	C69495	0.539		0.284	ND	0.6	J	0.284	ND	0.942	

Sprague South Portland Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag
SPRSPO-9-S-20260217	C34122	0.62		0.284	ND	0.645	J	0.284	ND	1.34	
SPRSPO-10-S-20260217	B48137	0.67		0.284	ND	0.504	J	0.284	ND	1.34	
SPRSPO-11-S-20260217	C33518	0.611		0.284	ND	0.576	J	0.284	ND	1.3	
SPRSPO-12-S-20260217	C70556	0.813		0.386	J	1.2		0.44	J	2.23	
SPRSPO-13-S-20260217	C68605	0.78		0.337	J	1.07		0.403	J	2.04	
SPRSPO-13-D-20260217	C67283	0.746		0.354	J	1.14		0.428	J	1.94	
SPRSPO-13-B-20260217	C69580	0.195	ND	0.284	ND	0.284	ND	0.284	ND	0.328	J
SPRSPO-14-S-20260217	C70834	0.876		0.377	J	1.2		0.452	J	2.2	
SPRSPO-15-S-20260217	B48128	0.914		0.407	J	1.12		0.413	J	2.37	
SPRSPO-16-S-20260217	B42350	0.917		0.509	J	1.46		0.541	J	2.83	
SPRSPO-1-S-20260303	C43585	0.909		0.829		2.38		0.749		2.49	
SPRSPO-1-D-20260303	C39228	0.899		0.774		2.31		0.72		2.43	
SPRSPO-1-B-20260303	B43902	0.192	ND	0.28	ND	0.28	ND	0.28	ND	0.248	ND
SPRSPO-2-S-20260303	B53223	0.754		0.352	J	0.914		0.331	J	1.73	
SPRSPO-3-S-20260303	C70037	0.713		0.28	ND	0.793		0.3	J	1.43	
SPRSPO-4-S-20260303	C27848	0.78		0.307	J	0.695		0.281	J	1.62	
SPRSPO-5-S-20260303	C43590	0.727		0.385	J	1.16		0.427	J	1.98	
SPRSPO-6-S-20260303	C71546	0.615		0.28	ND	0.428	J	0.28	ND	1.22	
SPRSPO-7-S-20260303	C71484	0.582		0.28	ND	0.55	J	0.28	ND	1.32	
SPRSPO-8-S-20260303	C61442	0.507		0.28	ND	0.553	J	0.28	ND	0.769	
SPRSPO-9-S-20260303	C43543	0.578		0.28	ND	0.536	J	0.28	ND	1.06	
SPRSPO-10-S-20260303	C34132	0.531		0.281	ND	0.448	J	0.281	ND	0.915	
SPRSPO-11-S-20260303	C39121	0.561		0.281	ND	0.517	J	0.281	ND	0.923	
SPRSPO-12-S-20260303	C17113	0.732		0.311	J	0.767		0.306	J	1.47	
SPRSPO-13-S-20260303	C43341	0.779		0.385	J	1.07		0.403	J	2.04	
SPRSPO-13-D-20260303	C17200	0.777		0.36	J	0.955		0.36	J	1.68	
SPRSPO-13-B-20260303	C73569	0.193	ND	0.281	ND	0.281	ND	0.281	ND	0.248	ND
SPRSPO-14-S-20260303	C36922	0.833		0.457	J	1.24		0.476	J	2.05	
SPRSPO-15-S-20260303	C31388	0.855		0.494	J	1.33		0.483	J	2.14	
SPRSPO-16-S-20260303	C70605	0.863		0.454	J	1.47		0.539	J	2.1	

Sprague South Portland Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	P	Field duplicate(s) exceed 30%RPD									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit									
Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag	(ug/m ³)	Flag
SPRSPO-1-S-20260317	C43579	0.697		0.512	J	1.57		0.508	J	2.19	
SPRSPO-1-D-20260317	C69577	0.785		0.586	J	1.87		0.602	J	2.27	
SPRSPO-1-B-20260317	C53586	0.193	ND	0.28	ND	0.28	ND	0.28	ND	0.248	ND
SPRSPO-2-S-20260317	B48690	0.711		0.281	ND	0.637	J	0.281	ND	1.63	
SPRSPO-3-S-20260317	C37018	0.598		0.281	ND	0.777		0.281	ND	1.4	
SPRSPO-4-S-20260317	B43790	0.652		0.281	ND	0.59	J	0.281	ND	1.53	
SPRSPO-5-S-20260317	C70031	0.613		0.281	ND	0.529	J	0.281	ND	1.47	
SPRSPO-6-S-20260317	C61574	0.544		0.281	ND	0.524	J	0.281	ND	1.39	
SPRSPO-7-S-20260317	C37509	0.549		0.333	J	0.691		0.281	ND	1.42	
SPRSPO-8-S-20260317	C36909	0.471		0.281	ND	0.458	J	0.281	ND	0.797	
SPRSPO-9-S-20260317	B17598	0.53		0.281	ND	0.506	J	0.281	ND	1	
SPRSPO-10-S-20260317	B15084	0.52		0.281	ND	0.344	J	0.281	ND	0.889	
SPRSPO-11-S-20260317	B48047	0.528		0.281	ND	0.281	ND	0.281	ND	0.705	
SPRSPO-12-S-20260317	C57551	0.688		0.284	J	0.787		0.293	J	1.35	
SPRSPO-13-S-20260317	B14287	0.662		0.281	ND	0.642	J	0.281	ND	1.33	
SPRSPO-13-D-20260317	C43602	0.677		0.29	J	0.731		0.285	J	1.35	
SPRSPO-13-B-20260317	C01433	0.193	ND	0.281	ND	0.281	ND	0.281	ND	0.248	ND
SPRSPO-14-S-20260317	C43605	0.687		0.323	J	0.873		0.336	J	1.57	
SPRSPO-15-S-20260317	C17273	0.7		0.352	J	1.06		0.451	J	1.87	
SPRSPO-16-S-20260317	B51044	0.713		0.361	J	1.02		0.376	J	1.82	
Quarter 1, 2026 Maximum		1.37		1.01		3.45		1.14		7.52	
Quarter 1, 2026 Average		0.76		0.36		0.90		0.38		1.79	
Rolling Annual Maximum		3.58		4.97		18.2		6.34		20.6	
Rolling Annual Average		1.02		0.75		2.22		0.85		3.51	

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-1-S-20251222	1	Benzene	Sample	0.877	ug/m3	0.196	ug/m3		Y	12/22/2025	13:35	1/5/2026	12:45
SPRSPO-1-S-20251222	1	Ethylbenzene	Sample	0.985	ug/m3	0.286	ug/m3		Y	12/22/2025	13:35	1/5/2026	12:45
SPRSPO-1-S-20251222	1	m-/p-Xylenes	Sample	3.45	ug/m3	0.286	ug/m3		Y	12/22/2025	13:35	1/5/2026	12:45
SPRSPO-1-S-20251222	1	o-Xylene	Sample	1.14	ug/m3	0.286	ug/m3		Y	12/22/2025	13:35	1/5/2026	12:45
SPRSPO-1-S-20251222	1	Toluene	Sample	2.56	ug/m3	0.253	ug/m3		Y	12/22/2025	13:35	1/5/2026	12:45
SPRSPO-1-D-20251222	1	Benzene	Duplicate	0.815	ug/m3	0.196	ug/m3		Y	12/22/2025	13:35	1/5/2026	12:45
SPRSPO-1-D-20251222	1	Ethylbenzene	Duplicate	0.89	ug/m3	0.286	ug/m3		Y	12/22/2025	13:35	1/5/2026	12:45
SPRSPO-1-D-20251222	1	m-/p-Xylenes	Duplicate	2.7	ug/m3	0.286	ug/m3		Y	12/22/2025	13:35	1/5/2026	12:45
SPRSPO-1-D-20251222	1	o-Xylene	Duplicate	0.888	ug/m3	0.286	ug/m3		Y	12/22/2025	13:35	1/5/2026	12:45
SPRSPO-1-D-20251222	1	Toluene	Duplicate	2.5	ug/m3	0.253	ug/m3		Y	12/22/2025	13:35	1/5/2026	12:45
SPRSPO-1-B-20251222	1	Benzene	Blank	<0.196	ug/m3	0.196	ug/m3	ND	N	12/22/2025	13:35	1/5/2026	12:45
SPRSPO-1-B-20251222	1	Ethylbenzene	Blank	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	13:35	1/5/2026	12:45
SPRSPO-1-B-20251222	1	m-/p-Xylenes	Blank	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	13:35	1/5/2026	12:45
SPRSPO-1-B-20251222	1	o-Xylene	Blank	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	13:35	1/5/2026	12:45
SPRSPO-1-B-20251222	1	Toluene	Blank	<0.253	ug/m3	0.253	ug/m3	ND	N	12/22/2025	13:35	1/5/2026	12:45
SPRSPO-2-S-20251222	2	Benzene	Sample	0.715	ug/m3	0.196	ug/m3		Y	12/22/2025	13:39	1/5/2026	12:52
SPRSPO-2-S-20251222	2	Ethylbenzene	Sample	0.346	ug/m3	0.286	ug/m3	J	Y	12/22/2025	13:39	1/5/2026	12:52
SPRSPO-2-S-20251222	2	m-/p-Xylenes	Sample	0.86	ug/m3	0.286	ug/m3		Y	12/22/2025	13:39	1/5/2026	12:52
SPRSPO-2-S-20251222	2	o-Xylene	Sample	0.334	ug/m3	0.286	ug/m3	J	Y	12/22/2025	13:39	1/5/2026	12:52
SPRSPO-2-S-20251222	2	Toluene	Sample	2.42	ug/m3	0.253	ug/m3		Y	12/22/2025	13:39	1/5/2026	12:52
SPRSPO-3-S-20251222	3	Benzene	Sample	0.782	ug/m3	0.196	ug/m3		Y	12/22/2025	13:41	1/5/2026	12:54
SPRSPO-3-S-20251222	3	Ethylbenzene	Sample	0.352	ug/m3	0.286	ug/m3	J	Y	12/22/2025	13:41	1/5/2026	12:54
SPRSPO-3-S-20251222	3	m-/p-Xylenes	Sample	1.03	ug/m3	0.286	ug/m3		Y	12/22/2025	13:41	1/5/2026	12:54
SPRSPO-3-S-20251222	3	o-Xylene	Sample	0.449	ug/m3	0.286	ug/m3	J	Y	12/22/2025	13:41	1/5/2026	12:54
SPRSPO-3-S-20251222	3	Toluene	Sample	2.45	ug/m3	0.253	ug/m3		Y	12/22/2025	13:41	1/5/2026	12:54
SPRSPO-4-S-20251222	4	Benzene	Sample	0.876	ug/m3	0.196	ug/m3		Y	12/22/2025	13:44	1/5/2026	12:55
SPRSPO-4-S-20251222	4	Ethylbenzene	Sample	0.346	ug/m3	0.286	ug/m3	J	Y	12/22/2025	13:44	1/5/2026	12:55
SPRSPO-4-S-20251222	4	m-/p-Xylenes	Sample	0.834	ug/m3	0.286	ug/m3		Y	12/22/2025	13:44	1/5/2026	12:55
SPRSPO-4-S-20251222	4	o-Xylene	Sample	0.341	ug/m3	0.286	ug/m3	J	Y	12/22/2025	13:44	1/5/2026	12:55
SPRSPO-4-S-20251222	4	Toluene	Sample	2.64	ug/m3	0.253	ug/m3		Y	12/22/2025	13:44	1/5/2026	12:55
SPRSPO-5-S-20251222	5	Benzene	Sample	0.741	ug/m3	0.196	ug/m3		Y	12/22/2025	13:47	1/5/2026	12:57
SPRSPO-5-S-20251222	5	Ethylbenzene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	13:47	1/5/2026	12:57

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-5-S-20251222	5	m-/p-Xylenes	Sample	0.447	ug/m3	0.286	ug/m3	J	Y	12/22/2025	13:47	1/5/2026	12:57
SPRSPO-5-S-20251222	5	o-Xylene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	13:47	1/5/2026	12:57
SPRSPO-5-S-20251222	5	Toluene	Sample	2.19	ug/m3	0.253	ug/m3		Y	12/22/2025	13:47	1/5/2026	12:57
SPRSPO-6-S-20251222	6	Benzene	Sample	0.589	ug/m3	0.196	ug/m3		Y	12/22/2025	13:53	1/5/2026	13:03
SPRSPO-6-S-20251222	6	Ethylbenzene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	13:53	1/5/2026	13:03
SPRSPO-6-S-20251222	6	m-/p-Xylenes	Sample	0.415	ug/m3	0.286	ug/m3	J	Y	12/22/2025	13:53	1/5/2026	13:03
SPRSPO-6-S-20251222	6	o-Xylene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	13:53	1/5/2026	13:03
SPRSPO-6-S-20251222	6	Toluene	Sample	1.87	ug/m3	0.253	ug/m3		Y	12/22/2025	13:53	1/5/2026	13:03
SPRSPO-7-S-20251222	7	Benzene	Sample	0.705	ug/m3	0.196	ug/m3		Y	12/22/2025	13:57	1/5/2026	13:07
SPRSPO-7-S-20251222	7	Ethylbenzene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	13:57	1/5/2026	13:07
SPRSPO-7-S-20251222	7	m-/p-Xylenes	Sample	0.4	ug/m3	0.286	ug/m3	J	Y	12/22/2025	13:57	1/5/2026	13:07
SPRSPO-7-S-20251222	7	o-Xylene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	13:57	1/5/2026	13:07
SPRSPO-7-S-20251222	7	Toluene	Sample	1.42	ug/m3	0.253	ug/m3		Y	12/22/2025	13:57	1/5/2026	13:07
SPRSPO-8-S-20251222	8	Benzene	Sample	0.534	ug/m3	0.196	ug/m3		Y	12/22/2025	14:04	1/5/2026	13:10
SPRSPO-8-S-20251222	8	Ethylbenzene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:04	1/5/2026	13:10
SPRSPO-8-S-20251222	8	m-/p-Xylenes	Sample	0.386	ug/m3	0.286	ug/m3	J	Y	12/22/2025	14:04	1/5/2026	13:10
SPRSPO-8-S-20251222	8	o-Xylene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:04	1/5/2026	13:10
SPRSPO-8-S-20251222	8	Toluene	Sample	0.878	ug/m3	0.253	ug/m3		Y	12/22/2025	14:04	1/5/2026	13:10
SPRSPO-9-S-20251222	9	Benzene	Sample	0.593	ug/m3	0.196	ug/m3		Y	12/22/2025	14:31	1/5/2026	13:14
SPRSPO-9-S-20251222	9	Ethylbenzene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:31	1/5/2026	13:14
SPRSPO-9-S-20251222	9	m-/p-Xylenes	Sample	0.437	ug/m3	0.286	ug/m3	J	Y	12/22/2025	14:31	1/5/2026	13:14
SPRSPO-9-S-20251222	9	o-Xylene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:31	1/5/2026	13:14
SPRSPO-9-S-20251222	9	Toluene	Sample	1.05	ug/m3	0.253	ug/m3		Y	12/22/2025	14:31	1/5/2026	13:14
SPRSPO-10-S-20251222	10	Benzene	Sample	0.71	ug/m3	0.196	ug/m3		Y	12/22/2025	14:33	1/5/2026	13:16
SPRSPO-10-S-20251222	10	Ethylbenzene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:33	1/5/2026	13:16
SPRSPO-10-S-20251222	10	m-/p-Xylenes	Sample	0.373	ug/m3	0.286	ug/m3	J	Y	12/22/2025	14:33	1/5/2026	13:16
SPRSPO-10-S-20251222	10	o-Xylene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:33	1/5/2026	13:16
SPRSPO-10-S-20251222	10	Toluene	Sample	0.975	ug/m3	0.253	ug/m3		Y	12/22/2025	14:33	1/5/2026	13:16
SPRSPO-11-S-20251222	11	Benzene	Sample	0.586	ug/m3	0.196	ug/m3		Y	12/22/2025	14:38	1/5/2026	13:20
SPRSPO-11-S-20251222	11	Ethylbenzene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:38	1/5/2026	13:20
SPRSPO-11-S-20251222	11	m-/p-Xylenes	Sample	0.373	ug/m3	0.286	ug/m3	J	Y	12/22/2025	14:38	1/5/2026	13:20
SPRSPO-11-S-20251222	11	o-Xylene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:38	1/5/2026	13:20

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-11-S-20251222	11	Toluene	Sample	0.905	ug/m3	0.253	ug/m3		Y	12/22/2025	14:38	1/5/2026	13:20
SPRSPO-12-S-20251222	12	Benzene	Sample	0.668	ug/m3	0.196	ug/m3		Y	12/22/2025	14:04	1/5/2026	13:25
SPRSPO-12-S-20251222	12	Ethylbenzene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:04	1/5/2026	13:25
SPRSPO-12-S-20251222	12	m-/p-Xylenes	Sample	0.486	ug/m3	0.286	ug/m3	J	Y	12/22/2025	14:04	1/5/2026	13:25
SPRSPO-12-S-20251222	12	o-Xylene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:04	1/5/2026	13:25
SPRSPO-12-S-20251222	12	Toluene	Sample	1.44	ug/m3	0.253	ug/m3		Y	12/22/2025	14:04	1/5/2026	13:25
SPRSPO-13-S-20251222	13	Benzene	Sample	0.643	ug/m3	0.196	ug/m3		Y	12/22/2025	14:46	1/5/2026	13:31
SPRSPO-13-S-20251222	13	Ethylbenzene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:46	1/5/2026	13:31
SPRSPO-13-S-20251222	13	m-/p-Xylenes	Sample	0.596	ug/m3	0.286	ug/m3	J	Y	12/22/2025	14:46	1/5/2026	13:31
SPRSPO-13-S-20251222	13	o-Xylene	Sample	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:46	1/5/2026	13:31
SPRSPO-13-S-20251222	13	Toluene	Sample	1.32	ug/m3	0.253	ug/m3		Y	12/22/2025	14:46	1/5/2026	13:31
SPRSPO-13-D-20251222	13	Benzene	Duplicate	0.704	ug/m3	0.196	ug/m3		Y	12/22/2025	14:46	1/5/2026	13:31
SPRSPO-13-D-20251222	13	Ethylbenzene	Duplicate	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:46	1/5/2026	13:31
SPRSPO-13-D-20251222	13	m-/p-Xylenes	Duplicate	0.478	ug/m3	0.286	ug/m3	J	Y	12/22/2025	14:46	1/5/2026	13:31
SPRSPO-13-D-20251222	13	o-Xylene	Duplicate	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:46	1/5/2026	13:31
SPRSPO-13-D-20251222	13	Toluene	Duplicate	1.24	ug/m3	0.253	ug/m3		Y	12/22/2025	14:46	1/5/2026	13:31
SPRSPO-13-B-20251222	13	Benzene	Blank	<0.196	ug/m3	0.196	ug/m3	ND	N	12/22/2025	14:46	1/5/2026	13:31
SPRSPO-13-B-20251222	13	Ethylbenzene	Blank	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:46	1/5/2026	13:31
SPRSPO-13-B-20251222	13	m-/p-Xylenes	Blank	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:46	1/5/2026	13:31
SPRSPO-13-B-20251222	13	o-Xylene	Blank	<0.286	ug/m3	0.286	ug/m3	ND	N	12/22/2025	14:46	1/5/2026	13:31
SPRSPO-13-B-20251222	13	Toluene	Blank	<0.253	ug/m3	0.253	ug/m3	ND	N	12/22/2025	14:46	1/5/2026	13:31
SPRSPO-14-S-20251222	14	Benzene	Sample	0.798	ug/m3	0.196	ug/m3		Y	12/22/2025	15:00	1/5/2026	13:36
SPRSPO-14-S-20251222	14	Ethylbenzene	Sample	0.36	ug/m3	0.286	ug/m3	J	Y	12/22/2025	15:00	1/5/2026	13:36
SPRSPO-14-S-20251222	14	m-/p-Xylenes	Sample	0.759	ug/m3	0.286	ug/m3		Y	12/22/2025	15:00	1/5/2026	13:36
SPRSPO-14-S-20251222	14	o-Xylene	Sample	0.307	ug/m3	0.286	ug/m3	J	Y	12/22/2025	15:00	1/5/2026	13:36
SPRSPO-14-S-20251222	14	Toluene	Sample	1.75	ug/m3	0.253	ug/m3		Y	12/22/2025	15:00	1/5/2026	13:36
SPRSPO-15-S-20251222	15	Benzene	Sample	0.743	ug/m3	0.196	ug/m3		Y	12/22/2025	15:06	1/5/2026	13:41
SPRSPO-15-S-20251222	15	Ethylbenzene	Sample	0.385	ug/m3	0.286	ug/m3	J	Y	12/22/2025	15:06	1/5/2026	13:41
SPRSPO-15-S-20251222	15	m-/p-Xylenes	Sample	1	ug/m3	0.286	ug/m3		Y	12/22/2025	15:06	1/5/2026	13:41
SPRSPO-15-S-20251222	15	o-Xylene	Sample	0.425	ug/m3	0.286	ug/m3	J	Y	12/22/2025	15:06	1/5/2026	13:41
SPRSPO-15-S-20251222	15	Toluene	Sample	1.9	ug/m3	0.253	ug/m3		Y	12/22/2025	15:06	1/5/2026	13:41
SPRSPO-16-S-20251222	16	Benzene	Sample	0.882	ug/m3	0.196	ug/m3		Y	12/22/2025	15:08	1/5/2026	13:44

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-16-S-20251222	16	Ethylbenzene	Sample	0.486	ug/m3	0.286	ug/m3	J	Y	12/22/2025	15:08	1/5/2026	13:44
SPRSPO-16-S-20251222	16	m-/p-Xylenes	Sample	1.15	ug/m3	0.286	ug/m3		Y	12/22/2025	15:08	1/5/2026	13:44
SPRSPO-16-S-20251222	16	o-Xylene	Sample	0.468	ug/m3	0.286	ug/m3	J	Y	12/22/2025	15:08	1/5/2026	13:44
SPRSPO-16-S-20251222	16	Toluene	Sample	2.46	ug/m3	0.253	ug/m3		Y	12/22/2025	15:08	1/5/2026	13:44
SPRSPO-1-S-20260105	1	Benzene	Sample	1.37	ug/m3	0.194	ug/m3		Y	1/5/2026	12:45	1/19/2026	12:47
SPRSPO-1-S-20260105	1	Ethylbenzene	Sample	1.01	ug/m3	0.282	ug/m3		Y	1/5/2026	12:45	1/19/2026	12:47
SPRSPO-1-S-20260105	1	Toluene	Sample	3.79	ug/m3	0.249	ug/m3		Y	1/5/2026	12:45	1/19/2026	12:47
SPRSPO-1-S-20260105	1	m-/p-Xylenes	Sample	3	ug/m3	0.282	ug/m3		Y	1/5/2026	12:45	1/19/2026	12:47
SPRSPO-1-S-20260105	1	o-Xylene	Sample	1.04	ug/m3	0.282	ug/m3		Y	1/5/2026	12:45	1/19/2026	12:47
SPRSPO-1-D-20260105	1	Benzene	Duplicate	1.38	ug/m3	0.194	ug/m3		Y	1/5/2026	12:45	1/19/2026	12:47
SPRSPO-1-D-20260105	1	Ethylbenzene	Duplicate	1.02	ug/m3	0.282	ug/m3		Y	1/5/2026	12:45	1/19/2026	12:47
SPRSPO-1-D-20260105	1	Toluene	Duplicate	3.65	ug/m3	0.249	ug/m3		Y	1/5/2026	12:45	1/19/2026	12:47
SPRSPO-1-D-20260105	1	m-/p-Xylenes	Duplicate	2.92	ug/m3	0.282	ug/m3		Y	1/5/2026	12:45	1/19/2026	12:47
SPRSPO-1-D-20260105	1	o-Xylene	Duplicate	0.974	ug/m3	0.282	ug/m3		Y	1/5/2026	12:45	1/19/2026	12:47
SPRSPO-1-B-20260105	1	Benzene	Blank	<0.194	ug/m3	0.194	ug/m3	ND	N	1/5/2026	12:45	1/19/2026	12:47
SPRSPO-1-B-20260105	1	Ethylbenzene	Blank	<0.282	ug/m3	0.282	ug/m3	ND	N	1/5/2026	12:45	1/19/2026	12:47
SPRSPO-1-B-20260105	1	Toluene	Blank	<0.249	ug/m3	0.249	ug/m3	ND	N	1/5/2026	12:45	1/19/2026	12:47
SPRSPO-1-B-20260105	1	m-/p-Xylenes	Blank	<0.282	ug/m3	0.282	ug/m3	ND	N	1/5/2026	12:45	1/19/2026	12:47
SPRSPO-1-B-20260105	1	o-Xylene	Blank	<0.282	ug/m3	0.282	ug/m3	ND	N	1/5/2026	12:45	1/19/2026	12:47
SPRSPO-2-S-20260105	2	Benzene	Sample	1.03	ug/m3	0.194	ug/m3		Y	1/5/2026	12:52	1/19/2026	12:53
SPRSPO-2-S-20260105	2	Ethylbenzene	Sample	0.455	ug/m3	0.282	ug/m3	J	Y	1/5/2026	12:52	1/19/2026	12:53
SPRSPO-2-S-20260105	2	Toluene	Sample	2.55	ug/m3	0.249	ug/m3		Y	1/5/2026	12:52	1/19/2026	12:53
SPRSPO-2-S-20260105	2	m-/p-Xylenes	Sample	1.2	ug/m3	0.282	ug/m3		Y	1/5/2026	12:52	1/19/2026	12:53
SPRSPO-2-S-20260105	2	o-Xylene	Sample	0.461	ug/m3	0.282	ug/m3	J	Y	1/5/2026	12:52	1/19/2026	12:53
SPRSPO-3-S-20260105	3	Benzene	Sample	0.964	ug/m3	0.194	ug/m3		Y	1/5/2026	12:54	1/19/2026	12:55
SPRSPO-3-S-20260105	3	Ethylbenzene	Sample	0.368	ug/m3	0.282	ug/m3	J	Y	1/5/2026	12:54	1/19/2026	12:55
SPRSPO-3-S-20260105	3	Toluene	Sample	2.3	ug/m3	0.249	ug/m3		Y	1/5/2026	12:54	1/19/2026	12:55
SPRSPO-3-S-20260105	3	m-/p-Xylenes	Sample	0.968	ug/m3	0.282	ug/m3		Y	1/5/2026	12:54	1/19/2026	12:55
SPRSPO-3-S-20260105	3	o-Xylene	Sample	0.386	ug/m3	0.282	ug/m3	J	Y	1/5/2026	12:54	1/19/2026	12:55
SPRSPO-4-S-20260105	4	Benzene	Sample	0.984	ug/m3	0.194	ug/m3		Y	1/5/2026	12:55	1/19/2026	13:00
SPRSPO-4-S-20260105	4	Ethylbenzene	Sample	0.412	ug/m3	0.282	ug/m3	J	Y	1/5/2026	12:55	1/19/2026	13:00
SPRSPO-4-S-20260105	4	Toluene	Sample	2.36	ug/m3	0.249	ug/m3		Y	1/5/2026	12:55	1/19/2026	13:00

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-4-S-20260105	4	m-/p-Xylenes	Sample	0.938	ug/m3	0.282	ug/m3		Y	1/5/2026	12:55	1/19/2026	13:00
SPRSPO-4-S-20260105	4	o-Xylene	Sample	0.384	ug/m3	0.282	ug/m3	J	Y	1/5/2026	12:55	1/19/2026	13:00
SPRSPO-5-S-20260105	5	Benzene	Sample	0.83	ug/m3	0.194	ug/m3		Y	1/5/2026	12:57	1/19/2026	13:01
SPRSPO-5-S-20260105	5	Ethylbenzene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	1/5/2026	12:57	1/19/2026	13:01
SPRSPO-5-S-20260105	5	Toluene	Sample	1.84	ug/m3	0.249	ug/m3		Y	1/5/2026	12:57	1/19/2026	13:01
SPRSPO-5-S-20260105	5	m-/p-Xylenes	Sample	0.656	ug/m3	0.282	ug/m3	J	Y	1/5/2026	12:57	1/19/2026	13:01
SPRSPO-5-S-20260105	5	o-Xylene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	1/5/2026	12:57	1/19/2026	13:01
SPRSPO-6-S-20260105	6	Benzene	Sample	0.83	ug/m3	0.193	ug/m3		Y	1/5/2026	13:03	1/19/2026	14:18
SPRSPO-6-S-20260105	6	Ethylbenzene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	1/5/2026	13:03	1/19/2026	14:18
SPRSPO-6-S-20260105	6	Toluene	Sample	1.84	ug/m3	0.249	ug/m3		Y	1/5/2026	13:03	1/19/2026	14:18
SPRSPO-6-S-20260105	6	m-/p-Xylenes	Sample	0.539	ug/m3	0.281	ug/m3	J	Y	1/5/2026	13:03	1/19/2026	14:18
SPRSPO-6-S-20260105	6	o-Xylene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	1/5/2026	13:03	1/19/2026	14:18
SPRSPO-7-S-20260105	7	Benzene	Sample	0.895	ug/m3	0.194	ug/m3		Y	1/5/2026	13:07	1/19/2026	13:10
SPRSPO-7-S-20260105	7	Ethylbenzene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	1/5/2026	13:07	1/19/2026	13:10
SPRSPO-7-S-20260105	7	Toluene	Sample	1.8	ug/m3	0.249	ug/m3		Y	1/5/2026	13:07	1/19/2026	13:10
SPRSPO-7-S-20260105	7	m-/p-Xylenes	Sample	0.652	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:07	1/19/2026	13:10
SPRSPO-7-S-20260105	7	o-Xylene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	1/5/2026	13:07	1/19/2026	13:10
SPRSPO-8-S-20260105	8	Benzene	Sample	0.78	ug/m3	0.194	ug/m3		Y	1/5/2026	13:10	1/19/2026	13:14
SPRSPO-8-S-20260105	8	Ethylbenzene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	1/5/2026	13:10	1/19/2026	13:14
SPRSPO-8-S-20260105	8	Toluene	Sample	1.34	ug/m3	0.249	ug/m3		Y	1/5/2026	13:10	1/19/2026	13:14
SPRSPO-8-S-20260105	8	m-/p-Xylenes	Sample	0.65	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:10	1/19/2026	13:14
SPRSPO-8-S-20260105	8	o-Xylene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	1/5/2026	13:10	1/19/2026	13:14
SPRSPO-9-S-20260105	9	Benzene	Sample	0.835	ug/m3	0.194	ug/m3		Y	1/5/2026	13:14	1/19/2026	13:20
SPRSPO-9-S-20260105	9	Ethylbenzene	Sample	0.326	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:14	1/19/2026	13:20
SPRSPO-9-S-20260105	9	Toluene	Sample	1.64	ug/m3	0.249	ug/m3		Y	1/5/2026	13:14	1/19/2026	13:20
SPRSPO-9-S-20260105	9	m-/p-Xylenes	Sample	0.946	ug/m3	0.282	ug/m3		Y	1/5/2026	13:14	1/19/2026	13:20
SPRSPO-9-S-20260105	9	o-Xylene	Sample	0.364	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:14	1/19/2026	13:20
SPRSPO-10-S-20260105	10	Benzene	Sample	0.845	ug/m3	0.194	ug/m3		Y	1/5/2026	13:16	1/19/2026	13:24
SPRSPO-10-S-20260105	10	Ethylbenzene	Sample	0.31	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:16	1/19/2026	13:24
SPRSPO-10-S-20260105	10	Toluene	Sample	1.58	ug/m3	0.249	ug/m3		Y	1/5/2026	13:16	1/19/2026	13:24
SPRSPO-10-S-20260105	10	m-/p-Xylenes	Sample	0.918	ug/m3	0.282	ug/m3		Y	1/5/2026	13:16	1/19/2026	13:24
SPRSPO-10-S-20260105	10	o-Xylene	Sample	0.358	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:16	1/19/2026	13:24

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-11-S-20260105	11	Benzene	Sample	0.806	ug/m3	0.193	ug/m3		Y	1/5/2026	13:20	1/19/2026	13:29
SPRSPO-11-S-20260105	11	Ethylbenzene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	1/5/2026	13:20	1/19/2026	13:29
SPRSPO-11-S-20260105	11	Toluene	Sample	1.44	ug/m3	0.249	ug/m3		Y	1/5/2026	13:20	1/19/2026	13:29
SPRSPO-11-S-20260105	11	m-/p-Xylenes	Sample	0.719	ug/m3	0.282	ug/m3		Y	1/5/2026	13:20	1/19/2026	13:29
SPRSPO-11-S-20260105	11	o-Xylene	Sample	0.286	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:20	1/19/2026	13:29
SPRSPO-12-S-20260105	12	Benzene	Sample	0.995	ug/m3	0.194	ug/m3		Y	1/5/2026	13:25	1/19/2026	13:32
SPRSPO-12-S-20260105	12	Ethylbenzene	Sample	0.411	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:25	1/19/2026	13:32
SPRSPO-12-S-20260105	12	Toluene	Sample	2.08	ug/m3	0.249	ug/m3		Y	1/5/2026	13:25	1/19/2026	13:32
SPRSPO-12-S-20260105	12	m-/p-Xylenes	Sample	0.961	ug/m3	0.282	ug/m3		Y	1/5/2026	13:25	1/19/2026	13:32
SPRSPO-12-S-20260105	12	o-Xylene	Sample	0.378	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:25	1/19/2026	13:32
SPRSPO-13-S-20260105	13	Benzene	Sample	0.928	ug/m3	0.194	ug/m3		Y	1/5/2026	13:31	1/19/2026	13:35
SPRSPO-13-S-20260105	13	Ethylbenzene	Sample	0.423	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:31	1/19/2026	13:35
SPRSPO-13-S-20260105	13	Toluene	Sample	1.95	ug/m3	0.249	ug/m3		Y	1/5/2026	13:31	1/19/2026	13:35
SPRSPO-13-S-20260105	13	m-/p-Xylenes	Sample	1.05	ug/m3	0.282	ug/m3		Y	1/5/2026	13:31	1/19/2026	13:35
SPRSPO-13-S-20260105	13	o-Xylene	Sample	0.41	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:31	1/19/2026	13:35
SPRSPO-13-D-20260105	13	Benzene	Duplicate	0.932	ug/m3	0.194	ug/m3		Y	1/5/2026	13:31	1/19/2026	13:35
SPRSPO-13-D-20260105	13	Ethylbenzene	Duplicate	0.428	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:31	1/19/2026	13:35
SPRSPO-13-D-20260105	13	Toluene	Duplicate	1.96	ug/m3	0.249	ug/m3		Y	1/5/2026	13:31	1/19/2026	13:35
SPRSPO-13-D-20260105	13	m-/p-Xylenes	Duplicate	1.04	ug/m3	0.282	ug/m3		Y	1/5/2026	13:31	1/19/2026	13:35
SPRSPO-13-D-20260105	13	o-Xylene	Duplicate	0.436	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:31	1/19/2026	13:35
SPRSPO-13-B-20260105	13	Benzene	Blank	<0.194	ug/m3	0.194	ug/m3	ND	N	1/5/2026	13:31	1/19/2026	13:35
SPRSPO-13-B-20260105	13	Ethylbenzene	Blank	<0.282	ug/m3	0.282	ug/m3	ND	N	1/5/2026	13:31	1/19/2026	13:35
SPRSPO-13-B-20260105	13	Toluene	Blank	<0.249	ug/m3	0.249	ug/m3	ND	N	1/5/2026	13:31	1/19/2026	13:35
SPRSPO-13-B-20260105	13	m-/p-Xylenes	Blank	<0.282	ug/m3	0.282	ug/m3	ND	N	1/5/2026	13:31	1/19/2026	13:35
SPRSPO-13-B-20260105	13	o-Xylene	Blank	<0.282	ug/m3	0.282	ug/m3	ND	N	1/5/2026	13:31	1/19/2026	13:35
SPRSPO-14-S-20260105	14	Benzene	Sample	1.05	ug/m3	0.193	ug/m3		Y	1/5/2026	13:36	1/19/2026	13:47
SPRSPO-14-S-20260105	14	Ethylbenzene	Sample	0.462	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:36	1/19/2026	13:47
SPRSPO-14-S-20260105	14	Toluene	Sample	2.4	ug/m3	0.249	ug/m3		Y	1/5/2026	13:36	1/19/2026	13:47
SPRSPO-14-S-20260105	14	m-/p-Xylenes	Sample	1.41	ug/m3	0.282	ug/m3		Y	1/5/2026	13:36	1/19/2026	13:47
SPRSPO-14-S-20260105	14	o-Xylene	Sample	0.553	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:36	1/19/2026	13:47
SPRSPO-15-S-20260105	15	Benzene	Sample	1.13	ug/m3	0.193	ug/m3		Y	1/5/2026	13:41	1/19/2026	13:52
SPRSPO-15-S-20260105	15	Ethylbenzene	Sample	0.6	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:41	1/19/2026	13:52

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-15-S-20260105	15	Toluene	Sample	3.39	ug/m3	0.249	ug/m3		Y	1/5/2026	13:41	1/19/2026	13:52
SPRSPO-15-S-20260105	15	m-/p-Xylenes	Sample	1.87	ug/m3	0.282	ug/m3		Y	1/5/2026	13:41	1/19/2026	13:52
SPRSPO-15-S-20260105	15	o-Xylene	Sample	0.72	ug/m3	0.282	ug/m3		Y	1/5/2026	13:41	1/19/2026	13:52
SPRSPO-16-S-20260105	16	Benzene	Sample	1.16	ug/m3	0.193	ug/m3		Y	1/5/2026	13:44	1/19/2026	13:56
SPRSPO-16-S-20260105	16	Ethylbenzene	Sample	0.529	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:44	1/19/2026	13:56
SPRSPO-16-S-20260105	16	Toluene	Sample	2.87	ug/m3	0.249	ug/m3		Y	1/5/2026	13:44	1/19/2026	13:56
SPRSPO-16-S-20260105	16	m-/p-Xylenes	Sample	1.49	ug/m3	0.282	ug/m3		Y	1/5/2026	13:44	1/19/2026	13:56
SPRSPO-16-S-20260105	16	o-Xylene	Sample	0.563	ug/m3	0.282	ug/m3	J	Y	1/5/2026	13:44	1/19/2026	13:56
SPRSPO-1-S-20260119	1	Benzene	Sample	0.804	ug/m3	0.184	ug/m3		Y	1/19/2026	12:47	2/3/2026	11:43
SPRSPO-1-S-20260119	1	Ethylbenzene	Sample	0.543	ug/m3	0.269	ug/m3	J	Y	1/19/2026	12:47	2/3/2026	11:43
SPRSPO-1-S-20260119	1	m-/p-Xylenes	Sample	1.62	ug/m3	0.269	ug/m3	P	Y	1/19/2026	12:47	2/3/2026	11:43
SPRSPO-1-S-20260119	1	o-Xylene	Sample	0.531	ug/m3	0.269	ug/m3	J,Pc	Y	1/19/2026	12:47	2/3/2026	11:43
SPRSPO-1-S-20260119	1	Toluene	Sample	1.56	ug/m3	0.238	ug/m3	P	Y	1/19/2026	12:47	2/3/2026	11:43
SPRSPO-1-D-20260119	1	Benzene	Duplicate	0.902	ug/m3	0.184	ug/m3		Y	1/19/2026	12:47	2/3/2026	11:43
SPRSPO-1-D-20260119	1	Ethylbenzene	Duplicate	0.673	ug/m3	0.269	ug/m3		Y	1/19/2026	12:47	2/3/2026	11:43
SPRSPO-1-D-20260119	1	m-/p-Xylenes	Duplicate	2.26	ug/m3	0.269	ug/m3	P	Y	1/19/2026	12:47	2/3/2026	11:43
SPRSPO-1-D-20260119	1	o-Xylene	Duplicate	0.754	ug/m3	0.269	ug/m3	Pc	Y	1/19/2026	12:47	2/3/2026	11:43
SPRSPO-1-D-20260119	1	Toluene	Duplicate	2.28	ug/m3	0.238	ug/m3	P	Y	1/19/2026	12:47	2/3/2026	11:43
SPRSPO-1-B-20260119	1	Benzene	Blank	<0.184	ug/m3	0.184	ug/m3	ND	N	1/19/2026	12:47	2/3/2026	11:43
SPRSPO-1-B-20260119	1	Ethylbenzene	Blank	<0.269	ug/m3	0.269	ug/m3	ND	N	1/19/2026	12:47	2/3/2026	11:43
SPRSPO-1-B-20260119	1	m-/p-Xylenes	Blank	<0.269	ug/m3	0.269	ug/m3	ND,P	N	1/19/2026	12:47	2/3/2026	11:43
SPRSPO-1-B-20260119	1	o-Xylene	Blank	<0.269	ug/m3	0.269	ug/m3	ND,Pc	N	1/19/2026	12:47	2/3/2026	11:43
SPRSPO-1-B-20260119	1	Toluene	Blank	<0.238	ug/m3	0.238	ug/m3	ND,P	N	1/19/2026	12:47	2/3/2026	11:43
SPRSPO-2-S-20260119	2	Benzene	Sample	0.618	ug/m3	0.184	ug/m3		Y	1/19/2026	12:53	2/3/2026	11:46
SPRSPO-2-S-20260119	2	Ethylbenzene	Sample	<0.269	ug/m3	0.269	ug/m3	ND	N	1/19/2026	12:53	2/3/2026	11:46
SPRSPO-2-S-20260119	2	m-/p-Xylenes	Sample	0.411	ug/m3	0.269	ug/m3	J,P	Y	1/19/2026	12:53	2/3/2026	11:46
SPRSPO-2-S-20260119	2	o-Xylene	Sample	<0.269	ug/m3	0.269	ug/m3	ND,Pc	N	1/19/2026	12:53	2/3/2026	11:46
SPRSPO-2-S-20260119	2	Toluene	Sample	1.66	ug/m3	0.238	ug/m3	P	Y	1/19/2026	12:53	2/3/2026	11:46
SPRSPO-3-S-20260119	3	Benzene	Sample	0.639	ug/m3	0.184	ug/m3		Y	1/19/2026	12:55	2/3/2026	11:53
SPRSPO-3-S-20260119	3	Ethylbenzene	Sample	<0.269	ug/m3	0.269	ug/m3	ND	N	1/19/2026	12:55	2/3/2026	11:53
SPRSPO-3-S-20260119	3	m-/p-Xylenes	Sample	0.395	ug/m3	0.269	ug/m3	J,P	Y	1/19/2026	12:55	2/3/2026	11:53
SPRSPO-3-S-20260119	3	o-Xylene	Sample	<0.269	ug/m3	0.269	ug/m3	ND,Pc	N	1/19/2026	12:55	2/3/2026	11:53

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-3-S-20260119	3	Toluene	Sample	1.66	ug/m3	0.238	ug/m3	P	Y	1/19/2026	12:55	2/3/2026	11:53
SPRSPO-4-S-20260119	4	Benzene	Sample	1.05	ug/m3	0.184	ug/m3		Y	1/19/2026	13:00	2/3/2026	11:57
SPRSPO-4-S-20260119	4	Ethylbenzene	Sample	0.349	ug/m3	0.269	ug/m3	J	Y	1/19/2026	13:00	2/3/2026	11:57
SPRSPO-4-S-20260119	4	m-/p-Xylenes	Sample	0.91	ug/m3	0.269	ug/m3	P	Y	1/19/2026	13:00	2/3/2026	11:57
SPRSPO-4-S-20260119	4	o-Xylene	Sample	0.405	ug/m3	0.269	ug/m3	J,Pc	Y	1/19/2026	13:00	2/3/2026	11:57
SPRSPO-4-S-20260119	4	Toluene	Sample	2.86	ug/m3	0.238	ug/m3	P	Y	1/19/2026	13:00	2/3/2026	11:57
SPRSPO-5-S-20260119	5	Benzene	Sample	0.594	ug/m3	0.184	ug/m3		Y	1/19/2026	13:01	2/3/2026	12:01
SPRSPO-5-S-20260119	5	Ethylbenzene	Sample	<0.269	ug/m3	0.269	ug/m3	ND	N	1/19/2026	13:01	2/3/2026	12:01
SPRSPO-5-S-20260119	5	m-/p-Xylenes	Sample	0.301	ug/m3	0.269	ug/m3	J,P	Y	1/19/2026	13:01	2/3/2026	12:01
SPRSPO-5-S-20260119	5	o-Xylene	Sample	<0.269	ug/m3	0.269	ug/m3	ND,Pc	N	1/19/2026	13:01	2/3/2026	12:01
SPRSPO-5-S-20260119	5	Toluene	Sample	1.67	ug/m3	0.238	ug/m3	P	Y	1/19/2026	13:01	2/3/2026	12:01
SPRSPO-6-S-20260119	6	Benzene	Sample	0.665	ug/m3	0.185	ug/m3		Y	1/19/2026	14:18	2/3/2026	12:05
SPRSPO-6-S-20260119	6	Ethylbenzene	Sample	<0.269	ug/m3	0.269	ug/m3	ND	N	1/19/2026	14:18	2/3/2026	12:05
SPRSPO-6-S-20260119	6	m-/p-Xylenes	Sample	0.337	ug/m3	0.269	ug/m3	J,P	Y	1/19/2026	14:18	2/3/2026	12:05
SPRSPO-6-S-20260119	6	o-Xylene	Sample	<0.269	ug/m3	0.269	ug/m3	ND,Pc	N	1/19/2026	14:18	2/3/2026	12:05
SPRSPO-6-S-20260119	6	Toluene	Sample	1.35	ug/m3	0.238	ug/m3	P	Y	1/19/2026	14:18	2/3/2026	12:05
SPRSPO-7-S-20260119	7	Benzene	Sample	0.638	ug/m3	0.184	ug/m3		Y	1/19/2026	13:10	2/3/2026	12:10
SPRSPO-7-S-20260119	7	Ethylbenzene	Sample	0.893	ug/m3	0.269	ug/m3		Y	1/19/2026	13:10	2/3/2026	12:10
SPRSPO-7-S-20260119	7	m-/p-Xylenes	Sample	2.47	ug/m3	0.269	ug/m3	P	Y	1/19/2026	13:10	2/3/2026	12:10
SPRSPO-7-S-20260119	7	o-Xylene	Sample	0.977	ug/m3	0.269	ug/m3	Pc	Y	1/19/2026	13:10	2/3/2026	12:10
SPRSPO-7-S-20260119	7	Toluene	Sample	7.52	ug/m3	0.238	ug/m3	P	Y	1/19/2026	13:10	2/3/2026	12:10
SPRSPO-8-S-20260119	8	Benzene	Sample	0.532	ug/m3	0.184	ug/m3		Y	1/19/2026	13:14	2/3/2026	12:19
SPRSPO-8-S-20260119	8	Ethylbenzene	Sample	<0.268	ug/m3	0.268	ug/m3	ND	N	1/19/2026	13:14	2/3/2026	12:19
SPRSPO-8-S-20260119	8	m-/p-Xylenes	Sample	<0.268	ug/m3	0.268	ug/m3	ND,P	N	1/19/2026	13:14	2/3/2026	12:19
SPRSPO-8-S-20260119	8	o-Xylene	Sample	<0.268	ug/m3	0.268	ug/m3	ND,Pc	N	1/19/2026	13:14	2/3/2026	12:19
SPRSPO-8-S-20260119	8	Toluene	Sample	0.605	ug/m3	0.237	ug/m3	P	Y	1/19/2026	13:14	2/3/2026	12:19
SPRSPO-9-S-20260119	9	Benzene	Sample	0.826	ug/m3	0.184	ug/m3		Y	1/19/2026	13:20	2/3/2026	12:26
SPRSPO-9-S-20260119	9	Ethylbenzene	Sample	<0.268	ug/m3	0.268	ug/m3	ND	N	1/19/2026	13:20	2/3/2026	12:26
SPRSPO-9-S-20260119	9	m-/p-Xylenes	Sample	<0.268	ug/m3	0.268	ug/m3	ND,P	N	1/19/2026	13:20	2/3/2026	12:26
SPRSPO-9-S-20260119	9	o-Xylene	Sample	<0.268	ug/m3	0.268	ug/m3	ND,Pc	N	1/19/2026	13:20	2/3/2026	12:26
SPRSPO-9-S-20260119	9	Toluene	Sample	0.617	ug/m3	0.237	ug/m3	P	Y	1/19/2026	13:20	2/3/2026	12:26
SPRSPO-10-S-20260119	10	Benzene	Sample	0.524	ug/m3	0.184	ug/m3		Y	1/19/2026	13:24	2/3/2026	12:30

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-10-S-20260119	10	Ethylbenzene	Sample	<0.268	ug/m3	0.268	ug/m3	ND	N	1/19/2026	13:24	2/3/2026	12:30
SPRSPO-10-S-20260119	10	m-/p-Xylenes	Sample	<0.268	ug/m3	0.268	ug/m3	ND,P	N	1/19/2026	13:24	2/3/2026	12:30
SPRSPO-10-S-20260119	10	o-Xylene	Sample	<0.268	ug/m3	0.268	ug/m3	ND,Pc	N	1/19/2026	13:24	2/3/2026	12:30
SPRSPO-10-S-20260119	10	Toluene	Sample	0.551	ug/m3	0.237	ug/m3	P	Y	1/19/2026	13:24	2/3/2026	12:30
SPRSPO-11-S-20260119	11	Benzene	Sample	0.531	ug/m3	0.184	ug/m3		Y	1/19/2026	13:29	2/3/2026	12:37
SPRSPO-11-S-20260119	11	Ethylbenzene	Sample	<0.268	ug/m3	0.268	ug/m3	ND	N	1/19/2026	13:29	2/3/2026	12:37
SPRSPO-11-S-20260119	11	m-/p-Xylenes	Sample	<0.268	ug/m3	0.268	ug/m3	ND,P	N	1/19/2026	13:29	2/3/2026	12:37
SPRSPO-11-S-20260119	11	o-Xylene	Sample	<0.268	ug/m3	0.268	ug/m3	ND,Pc	N	1/19/2026	13:29	2/3/2026	12:37
SPRSPO-11-S-20260119	11	Toluene	Sample	0.553	ug/m3	0.237	ug/m3	P	Y	1/19/2026	13:29	2/3/2026	12:37
SPRSPO-12-S-20260119	12	Benzene	Sample	0.622	ug/m3	0.184	ug/m3		Y	1/19/2026	13:32	2/3/2026	12:45
SPRSPO-12-S-20260119	12	Ethylbenzene	Sample	<0.268	ug/m3	0.268	ug/m3	ND	N	1/19/2026	13:32	2/3/2026	12:45
SPRSPO-12-S-20260119	12	m-/p-Xylenes	Sample	0.387	ug/m3	0.268	ug/m3	J,P	Y	1/19/2026	13:32	2/3/2026	12:45
SPRSPO-12-S-20260119	12	o-Xylene	Sample	<0.268	ug/m3	0.268	ug/m3	ND,Pc	N	1/19/2026	13:32	2/3/2026	12:45
SPRSPO-12-S-20260119	12	Toluene	Sample	0.955	ug/m3	0.237	ug/m3	P	Y	1/19/2026	13:32	2/3/2026	12:45
SPRSPO-13-S-20260119	13	Benzene	Sample	0.618	ug/m3	0.184	ug/m3		Y	1/19/2026	13:35	2/3/2026	12:51
SPRSPO-13-S-20260119	13	Ethylbenzene	Sample	<0.268	ug/m3	0.268	ug/m3	ND	N	1/19/2026	13:35	2/3/2026	12:51
SPRSPO-13-S-20260119	13	m-/p-Xylenes	Sample	0.4	ug/m3	0.268	ug/m3	J,P	Y	1/19/2026	13:35	2/3/2026	12:51
SPRSPO-13-S-20260119	13	o-Xylene	Sample	<0.268	ug/m3	0.268	ug/m3	ND,Pc	N	1/19/2026	13:35	2/3/2026	12:51
SPRSPO-13-S-20260119	13	Toluene	Sample	0.959	ug/m3	0.237	ug/m3	P	Y	1/19/2026	13:35	2/3/2026	12:51
SPRSPO-13-D-20260119	13	Benzene	Duplicate	0.632	ug/m3	0.184	ug/m3		Y	1/19/2026	13:35	2/3/2026	12:51
SPRSPO-13-D-20260119	13	Ethylbenzene	Duplicate	<0.268	ug/m3	0.268	ug/m3	ND	N	1/19/2026	13:35	2/3/2026	12:51
SPRSPO-13-D-20260119	13	m-/p-Xylenes	Duplicate	0.4	ug/m3	0.268	ug/m3	J,P	Y	1/19/2026	13:35	2/3/2026	12:51
SPRSPO-13-D-20260119	13	o-Xylene	Duplicate	<0.268	ug/m3	0.268	ug/m3	ND,Pc	N	1/19/2026	13:35	2/3/2026	12:51
SPRSPO-13-D-20260119	13	Toluene	Duplicate	0.974	ug/m3	0.237	ug/m3	P	Y	1/19/2026	13:35	2/3/2026	12:51
SPRSPO-13-B-20260119	13	Benzene	Blank	<0.184	ug/m3	0.184	ug/m3	ND	N	1/19/2026	13:35	2/3/2026	12:51
SPRSPO-13-B-20260119	13	Ethylbenzene	Blank	<0.268	ug/m3	0.268	ug/m3	ND	N	1/19/2026	13:35	2/3/2026	12:51
SPRSPO-13-B-20260119	13	m-/p-Xylenes	Blank	<0.268	ug/m3	0.268	ug/m3	ND,P	N	1/19/2026	13:35	2/3/2026	12:51
SPRSPO-13-B-20260119	13	o-Xylene	Blank	<0.268	ug/m3	0.268	ug/m3	ND,Pc	N	1/19/2026	13:35	2/3/2026	12:51
SPRSPO-13-B-20260119	13	Toluene	Blank	<0.237	ug/m3	0.237	ug/m3	ND,P	N	1/19/2026	13:35	2/3/2026	12:51
SPRSPO-14-S-20260119	14	Benzene	Sample	0.696	ug/m3	0.184	ug/m3		Y	1/19/2026	13:47	2/3/2026	13:06
SPRSPO-14-S-20260119	14	Ethylbenzene	Sample	<0.268	ug/m3	0.268	ug/m3	ND	N	1/19/2026	13:47	2/3/2026	13:06
SPRSPO-14-S-20260119	14	m-/p-Xylenes	Sample	0.544	ug/m3	0.268	ug/m3	J,P	Y	1/19/2026	13:47	2/3/2026	13:06

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-14-S-20260119	14	o-Xylene	Sample	<0.268	ug/m3	0.268	ug/m3	ND,Pc	N	1/19/2026	13:47	2/3/2026	13:06
SPRSPO-14-S-20260119	14	Toluene	Sample	1.25	ug/m3	0.237	ug/m3	P	Y	1/19/2026	13:47	2/3/2026	13:06
SPRSPO-15-S-20260119	15	Benzene	Sample	0.698	ug/m3	0.184	ug/m3		Y	1/19/2026	13:52	2/3/2026	13:10
SPRSPO-15-S-20260119	15	Ethylbenzene	Sample	<0.268	ug/m3	0.268	ug/m3	ND	N	1/19/2026	13:52	2/3/2026	13:10
SPRSPO-15-S-20260119	15	m-/p-Xylenes	Sample	0.62	ug/m3	0.268	ug/m3	J,P	Y	1/19/2026	13:52	2/3/2026	13:10
SPRSPO-15-S-20260119	15	o-Xylene	Sample	<0.268	ug/m3	0.268	ug/m3	ND,Pc	N	1/19/2026	13:52	2/3/2026	13:10
SPRSPO-15-S-20260119	15	Toluene	Sample	1.25	ug/m3	0.237	ug/m3	P	Y	1/19/2026	13:52	2/3/2026	13:10
SPRSPO-16-S-20260119	16	Benzene	Sample	0.789	ug/m3	0.184	ug/m3		Y	1/19/2026	13:56	2/3/2026	13:15
SPRSPO-16-S-20260119	16	Ethylbenzene	Sample	0.354	ug/m3	0.268	ug/m3	J	Y	1/19/2026	13:56	2/3/2026	13:15
SPRSPO-16-S-20260119	16	m-/p-Xylenes	Sample	1.02	ug/m3	0.268	ug/m3	P	Y	1/19/2026	13:56	2/3/2026	13:15
SPRSPO-16-S-20260119	16	o-Xylene	Sample	0.403	ug/m3	0.268	ug/m3	J,Pc	Y	1/19/2026	13:56	2/3/2026	13:15
SPRSPO-16-S-20260119	16	Toluene	Sample	1.52	ug/m3	0.237	ug/m3	P	Y	1/19/2026	13:56	2/3/2026	13:15
SPRSPO-1-S-20260203	1	Benzene	Sample	1	ug/m3	0.196	ug/m3		Y	2/3/2026	11:43	2/17/2026	10:55
SPRSPO-1-S-20260203	1	Ethylbenzene	Sample	0.804	ug/m3	0.285	ug/m3		Y	2/3/2026	11:43	2/17/2026	10:55
SPRSPO-1-S-20260203	1	m-/p-Xylenes	Sample	2.76	ug/m3	0.285	ug/m3		Y	2/3/2026	11:43	2/17/2026	10:55
SPRSPO-1-S-20260203	1	o-Xylene	Sample	0.927	ug/m3	0.285	ug/m3		Y	2/3/2026	11:43	2/17/2026	10:55
SPRSPO-1-S-20260203	1	Toluene	Sample	2.54	ug/m3	0.252	ug/m3		Y	2/3/2026	11:43	2/17/2026	10:55
SPRSPO-1-D-20260203	1	Benzene	Duplicate	0.951	ug/m3	0.196	ug/m3		Y	2/3/2026	11:43	2/17/2026	10:55
SPRSPO-1-D-20260203	1	Ethylbenzene	Duplicate	0.798	ug/m3	0.285	ug/m3		Y	2/3/2026	11:43	2/17/2026	10:55
SPRSPO-1-D-20260203	1	m-/p-Xylenes	Duplicate	2.69	ug/m3	0.285	ug/m3		Y	2/3/2026	11:43	2/17/2026	10:55
SPRSPO-1-D-20260203	1	o-Xylene	Duplicate	0.867	ug/m3	0.285	ug/m3		Y	2/3/2026	11:43	2/17/2026	10:55
SPRSPO-1-D-20260203	1	Toluene	Duplicate	2.52	ug/m3	0.252	ug/m3		Y	2/3/2026	11:43	2/17/2026	10:55
SPRSPO-1-B-20260203	1	Benzene	Blank	<0.196	ug/m3	0.196	ug/m3	ND	N	2/3/2026	11:43	2/17/2026	10:55
SPRSPO-1-B-20260203	1	Ethylbenzene	Blank	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	11:43	2/17/2026	10:55
SPRSPO-1-B-20260203	1	m-/p-Xylenes	Blank	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	11:43	2/17/2026	10:55
SPRSPO-1-B-20260203	1	o-Xylene	Blank	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	11:43	2/17/2026	10:55
SPRSPO-1-B-20260203	1	Toluene	Blank	<0.252	ug/m3	0.252	ug/m3	ND	N	2/3/2026	11:43	2/17/2026	10:55
SPRSPO-2-S-20260203	2	Benzene	Sample	0.957	ug/m3	0.196	ug/m3		Y	2/3/2026	11:46	2/17/2026	11:00
SPRSPO-2-S-20260203	2	Ethylbenzene	Sample	0.383	ug/m3	0.285	ug/m3	J	Y	2/3/2026	11:46	2/17/2026	11:00
SPRSPO-2-S-20260203	2	m-/p-Xylenes	Sample	1.17	ug/m3	0.285	ug/m3		Y	2/3/2026	11:46	2/17/2026	11:00
SPRSPO-2-S-20260203	2	o-Xylene	Sample	0.426	ug/m3	0.285	ug/m3	J	Y	2/3/2026	11:46	2/17/2026	11:00
SPRSPO-2-S-20260203	2	Toluene	Sample	2.35	ug/m3	0.252	ug/m3		Y	2/3/2026	11:46	2/17/2026	11:00

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-3-S-20260203	3	Benzene	Sample	0.798	ug/m3	0.196	ug/m3		Y	2/3/2026	11:53	2/17/2026	11:05
SPRSPO-3-S-20260203	3	Ethylbenzene	Sample	0.303	ug/m3	0.285	ug/m3	J	Y	2/3/2026	11:53	2/17/2026	11:05
SPRSPO-3-S-20260203	3	m-/p-Xylenes	Sample	0.929	ug/m3	0.285	ug/m3		Y	2/3/2026	11:53	2/17/2026	11:05
SPRSPO-3-S-20260203	3	o-Xylene	Sample	0.361	ug/m3	0.285	ug/m3	J	Y	2/3/2026	11:53	2/17/2026	11:05
SPRSPO-3-S-20260203	3	Toluene	Sample	1.62	ug/m3	0.252	ug/m3		Y	2/3/2026	11:53	2/17/2026	11:05
SPRSPO-4-S-20260203	4	Benzene	Sample	0.834	ug/m3	0.196	ug/m3		Y	2/3/2026	11:57	2/17/2026	11:10
SPRSPO-4-S-20260203	4	Ethylbenzene	Sample	0.307	ug/m3	0.285	ug/m3	J	Y	2/3/2026	11:57	2/17/2026	11:10
SPRSPO-4-S-20260203	4	m-/p-Xylenes	Sample	0.807	ug/m3	0.285	ug/m3		Y	2/3/2026	11:57	2/17/2026	11:10
SPRSPO-4-S-20260203	4	o-Xylene	Sample	0.325	ug/m3	0.285	ug/m3	J	Y	2/3/2026	11:57	2/17/2026	11:10
SPRSPO-4-S-20260203	4	Toluene	Sample	1.67	ug/m3	0.252	ug/m3		Y	2/3/2026	11:57	2/17/2026	11:10
SPRSPO-5-S-20260203	5	Benzene	Sample	0.758	ug/m3	0.196	ug/m3		Y	2/3/2026	12:01	2/17/2026	11:15
SPRSPO-5-S-20260203	5	Ethylbenzene	Sample	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	12:01	2/17/2026	11:15
SPRSPO-5-S-20260203	5	m-/p-Xylenes	Sample	0.654	ug/m3	0.285	ug/m3	J	Y	2/3/2026	12:01	2/17/2026	11:15
SPRSPO-5-S-20260203	5	o-Xylene	Sample	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	12:01	2/17/2026	11:15
SPRSPO-5-S-20260203	5	Toluene	Sample	1.33	ug/m3	0.252	ug/m3		Y	2/3/2026	12:01	2/17/2026	11:15
SPRSPO-6-S-20260203	6	Benzene	Sample	0.752	ug/m3	0.196	ug/m3		Y	2/3/2026	12:05	2/17/2026	11:20
SPRSPO-6-S-20260203	6	Ethylbenzene	Sample	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	12:05	2/17/2026	11:20
SPRSPO-6-S-20260203	6	m-/p-Xylenes	Sample	0.578	ug/m3	0.285	ug/m3	J	Y	2/3/2026	12:05	2/17/2026	11:20
SPRSPO-6-S-20260203	6	o-Xylene	Sample	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	12:05	2/17/2026	11:20
SPRSPO-6-S-20260203	6	Toluene	Sample	1.4	ug/m3	0.252	ug/m3		Y	2/3/2026	12:05	2/17/2026	11:20
SPRSPO-7-S-20260203	7	Benzene	Sample	0.737	ug/m3	0.196	ug/m3		Y	2/3/2026	12:10	2/17/2026	11:25
SPRSPO-7-S-20260203	7	Ethylbenzene	Sample	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	12:10	2/17/2026	11:25
SPRSPO-7-S-20260203	7	m-/p-Xylenes	Sample	0.743	ug/m3	0.285	ug/m3		Y	2/3/2026	12:10	2/17/2026	11:25
SPRSPO-7-S-20260203	7	o-Xylene	Sample	0.289	ug/m3	0.285	ug/m3	J	Y	2/3/2026	12:10	2/17/2026	11:25
SPRSPO-7-S-20260203	7	Toluene	Sample	1.56	ug/m3	0.252	ug/m3		Y	2/3/2026	12:10	2/17/2026	11:25
SPRSPO-8-S-20260203	8	Benzene	Sample	0.699	ug/m3	0.196	ug/m3		Y	2/3/2026	12:19	2/17/2026	11:30
SPRSPO-8-S-20260203	8	Ethylbenzene	Sample	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	12:19	2/17/2026	11:30
SPRSPO-8-S-20260203	8	m-/p-Xylenes	Sample	0.457	ug/m3	0.285	ug/m3	J	Y	2/3/2026	12:19	2/17/2026	11:30
SPRSPO-8-S-20260203	8	o-Xylene	Sample	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	12:19	2/17/2026	11:30
SPRSPO-8-S-20260203	8	Toluene	Sample	0.903	ug/m3	0.252	ug/m3		Y	2/3/2026	12:19	2/17/2026	11:30
SPRSPO-9-S-20260203	9	Benzene	Sample	1.03	ug/m3	0.196	ug/m3		Y	2/3/2026	12:26	2/17/2026	11:35
SPRSPO-9-S-20260203	9	Ethylbenzene	Sample	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	12:26	2/17/2026	11:35

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-9-S-20260203	9	m-/p-Xylenes	Sample	0.781	ug/m3	0.285	ug/m3		Y	2/3/2026	12:26	2/17/2026	11:35
SPRSPO-9-S-20260203	9	o-Xylene	Sample	0.294	ug/m3	0.285	ug/m3	J	Y	2/3/2026	12:26	2/17/2026	11:35
SPRSPO-9-S-20260203	9	Toluene	Sample	1.21	ug/m3	0.252	ug/m3		Y	2/3/2026	12:26	2/17/2026	11:35
SPRSPO-10-S-20260203	10	Benzene	Sample	0.884	ug/m3	0.196	ug/m3		Y	2/3/2026	12:30	2/17/2026	11:40
SPRSPO-10-S-20260203	10	Ethylbenzene	Sample	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	12:30	2/17/2026	11:40
SPRSPO-10-S-20260203	10	m-/p-Xylenes	Sample	0.617	ug/m3	0.285	ug/m3	J	Y	2/3/2026	12:30	2/17/2026	11:40
SPRSPO-10-S-20260203	10	o-Xylene	Sample	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	12:30	2/17/2026	11:40
SPRSPO-10-S-20260203	10	Toluene	Sample	1.21	ug/m3	0.252	ug/m3		Y	2/3/2026	12:30	2/17/2026	11:40
SPRSPO-11-S-20260203	11	Benzene	Sample	0.752	ug/m3	0.196	ug/m3		Y	2/3/2026	12:37	2/17/2026	11:45
SPRSPO-11-S-20260203	11	Ethylbenzene	Sample	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	12:37	2/17/2026	11:45
SPRSPO-11-S-20260203	11	m-/p-Xylenes	Sample	0.589	ug/m3	0.285	ug/m3	J	Y	2/3/2026	12:37	2/17/2026	11:45
SPRSPO-11-S-20260203	11	o-Xylene	Sample	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	12:37	2/17/2026	11:45
SPRSPO-11-S-20260203	11	Toluene	Sample	1.03	ug/m3	0.252	ug/m3		Y	2/3/2026	12:37	2/17/2026	11:45
SPRSPO-12-S-20260203	12	Benzene	Sample	1.06	ug/m3	0.196	ug/m3		Y	2/3/2026	12:45	2/17/2026	11:50
SPRSPO-12-S-20260203	12	Ethylbenzene	Sample	0.347	ug/m3	0.285	ug/m3	J	Y	2/3/2026	12:45	2/17/2026	11:50
SPRSPO-12-S-20260203	12	m-/p-Xylenes	Sample	0.908	ug/m3	0.285	ug/m3		Y	2/3/2026	12:45	2/17/2026	11:50
SPRSPO-12-S-20260203	12	o-Xylene	Sample	0.337	ug/m3	0.285	ug/m3	J	Y	2/3/2026	12:45	2/17/2026	11:50
SPRSPO-12-S-20260203	12	Toluene	Sample	2.42	ug/m3	0.253	ug/m3		Y	2/3/2026	12:45	2/17/2026	11:50
SPRSPO-13-S-20260203	13	Benzene	Sample	0.824	ug/m3	0.196	ug/m3		Y	2/3/2026	12:51	2/17/2026	11:55
SPRSPO-13-S-20260203	13	Ethylbenzene	Sample	0.287	ug/m3	0.285	ug/m3	J	Y	2/3/2026	12:51	2/17/2026	11:55
SPRSPO-13-S-20260203	13	m-/p-Xylenes	Sample	0.812	ug/m3	0.285	ug/m3		Y	2/3/2026	12:51	2/17/2026	11:55
SPRSPO-13-S-20260203	13	o-Xylene	Sample	0.303	ug/m3	0.285	ug/m3	J	Y	2/3/2026	12:51	2/17/2026	11:55
SPRSPO-13-S-20260203	13	Toluene	Sample	1.35	ug/m3	0.253	ug/m3		Y	2/3/2026	12:51	2/17/2026	11:55
SPRSPO-13-D-20260203	13	Benzene	Duplicate	0.822	ug/m3	0.196	ug/m3		Y	2/3/2026	12:51	2/17/2026	11:55
SPRSPO-13-D-20260203	13	Ethylbenzene	Duplicate	0.308	ug/m3	0.285	ug/m3	J	Y	2/3/2026	12:51	2/17/2026	11:55
SPRSPO-13-D-20260203	13	m-/p-Xylenes	Duplicate	0.941	ug/m3	0.285	ug/m3		Y	2/3/2026	12:51	2/17/2026	11:55
SPRSPO-13-D-20260203	13	o-Xylene	Duplicate	0.364	ug/m3	0.285	ug/m3	J	Y	2/3/2026	12:51	2/17/2026	11:55
SPRSPO-13-D-20260203	13	Toluene	Duplicate	1.36	ug/m3	0.253	ug/m3		Y	2/3/2026	12:51	2/17/2026	11:55
SPRSPO-13-B-20260203	13	Benzene	Blank	<0.196	ug/m3	0.196	ug/m3	ND	N	2/3/2026	12:51	2/17/2026	11:55
SPRSPO-13-B-20260203	13	Ethylbenzene	Blank	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	12:51	2/17/2026	11:55
SPRSPO-13-B-20260203	13	m-/p-Xylenes	Blank	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	12:51	2/17/2026	11:55
SPRSPO-13-B-20260203	13	o-Xylene	Blank	<0.285	ug/m3	0.285	ug/m3	ND	N	2/3/2026	12:51	2/17/2026	11:55

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-13-B-20260203	13	Toluene	Blank	0.271	ug/m3	0.253	ug/m3	J	Y	2/3/2026	12:51	2/17/2026	11:55
SPRSPO-14-S-20260203	14	Benzene	Sample	0.876	ug/m3	0.196	ug/m3		Y	2/3/2026	13:06	2/17/2026	12:00
SPRSPO-14-S-20260203	14	Ethylbenzene	Sample	0.321	ug/m3	0.286	ug/m3	J	Y	2/3/2026	13:06	2/17/2026	12:00
SPRSPO-14-S-20260203	14	m-/p-Xylenes	Sample	0.916	ug/m3	0.286	ug/m3		Y	2/3/2026	13:06	2/17/2026	12:00
SPRSPO-14-S-20260203	14	o-Xylene	Sample	0.349	ug/m3	0.286	ug/m3	J	Y	2/3/2026	13:06	2/17/2026	12:00
SPRSPO-14-S-20260203	14	Toluene	Sample	1.69	ug/m3	0.253	ug/m3		Y	2/3/2026	13:06	2/17/2026	12:00
SPRSPO-15-S-20260203	15	Benzene	Sample	0.965	ug/m3	0.196	ug/m3		Y	2/3/2026	13:10	2/17/2026	12:05
SPRSPO-15-S-20260203	15	Ethylbenzene	Sample	0.476	ug/m3	0.286	ug/m3	J	Y	2/3/2026	13:10	2/17/2026	12:05
SPRSPO-15-S-20260203	15	m-/p-Xylenes	Sample	1.53	ug/m3	0.286	ug/m3		Y	2/3/2026	13:10	2/17/2026	12:05
SPRSPO-15-S-20260203	15	o-Xylene	Sample	0.574	ug/m3	0.286	ug/m3	J	Y	2/3/2026	13:10	2/17/2026	12:05
SPRSPO-15-S-20260203	15	Toluene	Sample	2.03	ug/m3	0.253	ug/m3		Y	2/3/2026	13:10	2/17/2026	12:05
SPRSPO-16-S-20260203	16	Benzene	Sample	1.08	ug/m3	0.196	ug/m3		Y	2/3/2026	13:15	2/17/2026	12:10
SPRSPO-16-S-20260203	16	Ethylbenzene	Sample	0.57	ug/m3	0.286	ug/m3	J	Y	2/3/2026	13:15	2/17/2026	12:10
SPRSPO-16-S-20260203	16	m-/p-Xylenes	Sample	1.84	ug/m3	0.286	ug/m3		Y	2/3/2026	13:15	2/17/2026	12:10
SPRSPO-16-S-20260203	16	o-Xylene	Sample	0.714	ug/m3	0.286	ug/m3		Y	2/3/2026	13:15	2/17/2026	12:10
SPRSPO-16-S-20260203	16	Toluene	Sample	2.59	ug/m3	0.253	ug/m3		Y	2/3/2026	13:15	2/17/2026	12:10
SPRSPO-1-S-20260217	1	Benzene	Sample	0.968	ug/m3	0.195	ug/m3		Y	2/17/2026	10:55	3/3/2026	10:19
SPRSPO-1-S-20260217	1	Ethylbenzene	Sample	0.862	ug/m3	0.284	ug/m3		Y	2/17/2026	10:55	3/3/2026	10:19
SPRSPO-1-S-20260217	1	m-/p-Xylenes	Sample	2.84	ug/m3	0.284	ug/m3		Y	2/17/2026	10:55	3/3/2026	10:19
SPRSPO-1-S-20260217	1	o-Xylene	Sample	0.891	ug/m3	0.284	ug/m3		Y	2/17/2026	10:55	3/3/2026	10:19
SPRSPO-1-S-20260217	1	Toluene	Sample	3.24	ug/m3	0.251	ug/m3		Y	2/17/2026	10:55	3/3/2026	10:19
SPRSPO-1-D-20260217	1	Benzene	Duplicate	0.911	ug/m3	0.195	ug/m3		Y	2/17/2026	10:55	3/3/2026	10:19
SPRSPO-1-D-20260217	1	Ethylbenzene	Duplicate	0.958	ug/m3	0.284	ug/m3		Y	2/17/2026	10:55	3/3/2026	10:19
SPRSPO-1-D-20260217	1	m-/p-Xylenes	Duplicate	3.19	ug/m3	0.284	ug/m3		Y	2/17/2026	10:55	3/3/2026	10:19
SPRSPO-1-D-20260217	1	o-Xylene	Duplicate	0.988	ug/m3	0.284	ug/m3		Y	2/17/2026	10:55	3/3/2026	10:19
SPRSPO-1-D-20260217	1	Toluene	Duplicate	3.18	ug/m3	0.251	ug/m3		Y	2/17/2026	10:55	3/3/2026	10:19
SPRSPO-1-B-20260217	1	Benzene	Blank	<0.195	ug/m3	0.195	ug/m3	ND	N	2/17/2026	10:55	3/3/2026	10:19
SPRSPO-1-B-20260217	1	Ethylbenzene	Blank	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	10:55	3/3/2026	10:19
SPRSPO-1-B-20260217	1	m-/p-Xylenes	Blank	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	10:55	3/3/2026	10:19
SPRSPO-1-B-20260217	1	o-Xylene	Blank	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	10:55	3/3/2026	10:19
SPRSPO-1-B-20260217	1	Toluene	Blank	<0.251	ug/m3	0.251	ug/m3	ND	N	2/17/2026	10:55	3/3/2026	10:19
SPRSPO-2-S-20260217	2	Benzene	Sample	0.777	ug/m3	0.195	ug/m3		Y	2/17/2026	11:00	3/3/2026	10:25

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-2-S-20260217	2	Ethylbenzene	Sample	0.286	ug/m3	0.284	ug/m3	J	Y	2/17/2026	11:00	3/3/2026	10:25
SPRSPO-2-S-20260217	2	m-/p-Xylenes	Sample	0.875	ug/m3	0.284	ug/m3		Y	2/17/2026	11:00	3/3/2026	10:25
SPRSPO-2-S-20260217	2	o-Xylene	Sample	0.326	ug/m3	0.284	ug/m3	J	Y	2/17/2026	11:00	3/3/2026	10:25
SPRSPO-2-S-20260217	2	Toluene	Sample	2.65	ug/m3	0.251	ug/m3		Y	2/17/2026	11:00	3/3/2026	10:25
SPRSPO-3-S-20260217	3	Benzene	Sample	0.882	ug/m3	0.195	ug/m3		Y	2/17/2026	11:05	3/3/2026	10:31
SPRSPO-3-S-20260217	3	Ethylbenzene	Sample	0.756	ug/m3	0.284	ug/m3		Y	2/17/2026	11:05	3/3/2026	10:31
SPRSPO-3-S-20260217	3	m-/p-Xylenes	Sample	2.22	ug/m3	0.284	ug/m3		Y	2/17/2026	11:05	3/3/2026	10:31
SPRSPO-3-S-20260217	3	o-Xylene	Sample	0.808	ug/m3	0.284	ug/m3		Y	2/17/2026	11:05	3/3/2026	10:31
SPRSPO-3-S-20260217	3	Toluene	Sample	4.91	ug/m3	0.251	ug/m3		Y	2/17/2026	11:05	3/3/2026	10:31
SPRSPO-4-S-20260217	4	Benzene	Sample	0.728	ug/m3	0.195	ug/m3		Y	2/17/2026	11:10	3/3/2026	10:37
SPRSPO-4-S-20260217	4	Ethylbenzene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:10	3/3/2026	10:37
SPRSPO-4-S-20260217	4	m-/p-Xylenes	Sample	0.728	ug/m3	0.284	ug/m3		Y	2/17/2026	11:10	3/3/2026	10:37
SPRSPO-4-S-20260217	4	o-Xylene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:10	3/3/2026	10:37
SPRSPO-4-S-20260217	4	Toluene	Sample	2.2	ug/m3	0.251	ug/m3		Y	2/17/2026	11:10	3/3/2026	10:37
SPRSPO-5-S-20260217	5	Benzene	Sample	0.737	ug/m3	0.195	ug/m3		Y	2/17/2026	11:15	3/3/2026	10:43
SPRSPO-5-S-20260217	5	Ethylbenzene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:15	3/3/2026	10:43
SPRSPO-5-S-20260217	5	m-/p-Xylenes	Sample	0.667	ug/m3	0.284	ug/m3	J	Y	2/17/2026	11:15	3/3/2026	10:43
SPRSPO-5-S-20260217	5	o-Xylene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:15	3/3/2026	10:43
SPRSPO-5-S-20260217	5	Toluene	Sample	2.45	ug/m3	0.251	ug/m3		Y	2/17/2026	11:15	3/3/2026	10:43
SPRSPO-6-S-20260217	6	Benzene	Sample	0.637	ug/m3	0.195	ug/m3		Y	2/17/2026	11:20	3/3/2026	10:49
SPRSPO-6-S-20260217	6	Ethylbenzene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:20	3/3/2026	10:49
SPRSPO-6-S-20260217	6	m-/p-Xylenes	Sample	0.502	ug/m3	0.284	ug/m3	J	Y	2/17/2026	11:20	3/3/2026	10:49
SPRSPO-6-S-20260217	6	o-Xylene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:20	3/3/2026	10:49
SPRSPO-6-S-20260217	6	Toluene	Sample	2	ug/m3	0.251	ug/m3		Y	2/17/2026	11:20	3/3/2026	10:49
SPRSPO-7-S-20260217	7	Benzene	Sample	0.627	ug/m3	0.195	ug/m3		Y	2/17/2026	11:25	3/3/2026	10:55
SPRSPO-7-S-20260217	7	Ethylbenzene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:25	3/3/2026	10:55
SPRSPO-7-S-20260217	7	m-/p-Xylenes	Sample	0.609	ug/m3	0.284	ug/m3	J	Y	2/17/2026	11:25	3/3/2026	10:55
SPRSPO-7-S-20260217	7	o-Xylene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:25	3/3/2026	10:55
SPRSPO-7-S-20260217	7	Toluene	Sample	1.71	ug/m3	0.251	ug/m3		Y	2/17/2026	11:25	3/3/2026	10:55
SPRSPO-8-S-20260217	8	Benzene	Sample	0.539	ug/m3	0.195	ug/m3		Y	2/17/2026	11:30	3/3/2026	11:01
SPRSPO-8-S-20260217	8	Ethylbenzene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:30	3/3/2026	11:01
SPRSPO-8-S-20260217	8	m-/p-Xylenes	Sample	0.6	ug/m3	0.284	ug/m3	J	Y	2/17/2026	11:30	3/3/2026	11:01

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-8-S-20260217	8	o-Xylene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:30	3/3/2026	11:01
SPRSPO-8-S-20260217	8	Toluene	Sample	0.942	ug/m3	0.251	ug/m3		Y	2/17/2026	11:30	3/3/2026	11:01
SPRSPO-9-S-20260217	9	Benzene	Sample	0.62	ug/m3	0.195	ug/m3		Y	2/17/2026	11:35	3/3/2026	11:07
SPRSPO-9-S-20260217	9	Ethylbenzene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:35	3/3/2026	11:07
SPRSPO-9-S-20260217	9	m-/p-Xylenes	Sample	0.645	ug/m3	0.284	ug/m3	J	Y	2/17/2026	11:35	3/3/2026	11:07
SPRSPO-9-S-20260217	9	o-Xylene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:35	3/3/2026	11:07
SPRSPO-9-S-20260217	9	Toluene	Sample	1.34	ug/m3	0.251	ug/m3		Y	2/17/2026	11:35	3/3/2026	11:07
SPRSPO-10-S-20260217	10	Benzene	Sample	0.67	ug/m3	0.195	ug/m3		Y	2/17/2026	11:40	3/3/2026	11:13
SPRSPO-10-S-20260217	10	Ethylbenzene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:40	3/3/2026	11:13
SPRSPO-10-S-20260217	10	m-/p-Xylenes	Sample	0.504	ug/m3	0.284	ug/m3	J	Y	2/17/2026	11:40	3/3/2026	11:13
SPRSPO-10-S-20260217	10	o-Xylene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:40	3/3/2026	11:13
SPRSPO-10-S-20260217	10	Toluene	Sample	1.34	ug/m3	0.251	ug/m3		Y	2/17/2026	11:40	3/3/2026	11:13
SPRSPO-11-S-20260217	11	Benzene	Sample	0.611	ug/m3	0.195	ug/m3		Y	2/17/2026	11:45	3/3/2026	11:19
SPRSPO-11-S-20260217	11	Ethylbenzene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:45	3/3/2026	11:19
SPRSPO-11-S-20260217	11	m-/p-Xylenes	Sample	0.576	ug/m3	0.284	ug/m3	J	Y	2/17/2026	11:45	3/3/2026	11:19
SPRSPO-11-S-20260217	11	o-Xylene	Sample	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:45	3/3/2026	11:19
SPRSPO-11-S-20260217	11	Toluene	Sample	1.3	ug/m3	0.251	ug/m3		Y	2/17/2026	11:45	3/3/2026	11:19
SPRSPO-12-S-20260217	12	Benzene	Sample	0.813	ug/m3	0.195	ug/m3		Y	2/17/2026	11:50	3/3/2026	11:24
SPRSPO-12-S-20260217	12	Ethylbenzene	Sample	0.386	ug/m3	0.284	ug/m3	J	Y	2/17/2026	11:50	3/3/2026	11:24
SPRSPO-12-S-20260217	12	m-/p-Xylenes	Sample	1.2	ug/m3	0.284	ug/m3		Y	2/17/2026	11:50	3/3/2026	11:24
SPRSPO-12-S-20260217	12	o-Xylene	Sample	0.44	ug/m3	0.284	ug/m3	J	Y	2/17/2026	11:50	3/3/2026	11:24
SPRSPO-12-S-20260217	12	Toluene	Sample	2.23	ug/m3	0.251	ug/m3		Y	2/17/2026	11:50	3/3/2026	11:24
SPRSPO-13-S-20260217	13	Benzene	Sample	0.78	ug/m3	0.195	ug/m3		Y	2/17/2026	11:55	3/3/2026	11:29
SPRSPO-13-S-20260217	13	Ethylbenzene	Sample	0.337	ug/m3	0.284	ug/m3	J	Y	2/17/2026	11:55	3/3/2026	11:29
SPRSPO-13-S-20260217	13	m-/p-Xylenes	Sample	1.07	ug/m3	0.284	ug/m3		Y	2/17/2026	11:55	3/3/2026	11:29
SPRSPO-13-S-20260217	13	o-Xylene	Sample	0.403	ug/m3	0.284	ug/m3	J	Y	2/17/2026	11:55	3/3/2026	11:29
SPRSPO-13-S-20260217	13	Toluene	Sample	2.04	ug/m3	0.251	ug/m3		Y	2/17/2026	11:55	3/3/2026	11:29
SPRSPO-13-D-20260217	13	Benzene	Duplicate	0.746	ug/m3	0.195	ug/m3		Y	2/17/2026	11:55	3/3/2026	11:29
SPRSPO-13-D-20260217	13	Ethylbenzene	Duplicate	0.354	ug/m3	0.284	ug/m3	J	Y	2/17/2026	11:55	3/3/2026	11:29
SPRSPO-13-D-20260217	13	m-/p-Xylenes	Duplicate	1.14	ug/m3	0.284	ug/m3		Y	2/17/2026	11:55	3/3/2026	11:29
SPRSPO-13-D-20260217	13	o-Xylene	Duplicate	0.428	ug/m3	0.284	ug/m3	J	Y	2/17/2026	11:55	3/3/2026	11:29
SPRSPO-13-D-20260217	13	Toluene	Duplicate	1.94	ug/m3	0.251	ug/m3		Y	2/17/2026	11:55	3/3/2026	11:29

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-13-B-20260217	13	Benzene	Blank	<0.195	ug/m3	0.195	ug/m3	ND	N	2/17/2026	11:55	3/3/2026	11:29
SPRSPO-13-B-20260217	13	Ethylbenzene	Blank	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:55	3/3/2026	11:29
SPRSPO-13-B-20260217	13	m-/p-Xylenes	Blank	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:55	3/3/2026	11:29
SPRSPO-13-B-20260217	13	o-Xylene	Blank	<0.284	ug/m3	0.284	ug/m3	ND	N	2/17/2026	11:55	3/3/2026	11:29
SPRSPO-13-B-20260217	13	Toluene	Blank	0.328	ug/m3	0.251	ug/m3	J	Y	2/17/2026	11:55	3/3/2026	11:29
SPRSPO-14-S-20260217	14	Benzene	Sample	0.876	ug/m3	0.195	ug/m3		Y	2/17/2026	12:00	3/3/2026	11:34
SPRSPO-14-S-20260217	14	Ethylbenzene	Sample	0.377	ug/m3	0.284	ug/m3	J	Y	2/17/2026	12:00	3/3/2026	11:34
SPRSPO-14-S-20260217	14	m-/p-Xylenes	Sample	1.2	ug/m3	0.284	ug/m3		Y	2/17/2026	12:00	3/3/2026	11:34
SPRSPO-14-S-20260217	14	o-Xylene	Sample	0.452	ug/m3	0.284	ug/m3	J	Y	2/17/2026	12:00	3/3/2026	11:34
SPRSPO-14-S-20260217	14	Toluene	Sample	2.2	ug/m3	0.251	ug/m3		Y	2/17/2026	12:00	3/3/2026	11:34
SPRSPO-15-S-20260217	15	Benzene	Sample	0.914	ug/m3	0.195	ug/m3		Y	2/17/2026	12:05	3/3/2026	11:39
SPRSPO-15-S-20260217	15	Ethylbenzene	Sample	0.407	ug/m3	0.284	ug/m3	J	Y	2/17/2026	12:05	3/3/2026	11:39
SPRSPO-15-S-20260217	15	m-/p-Xylenes	Sample	1.12	ug/m3	0.284	ug/m3		Y	2/17/2026	12:05	3/3/2026	11:39
SPRSPO-15-S-20260217	15	o-Xylene	Sample	0.413	ug/m3	0.284	ug/m3	J	Y	2/17/2026	12:05	3/3/2026	11:39
SPRSPO-15-S-20260217	15	Toluene	Sample	2.37	ug/m3	0.251	ug/m3		Y	2/17/2026	12:05	3/3/2026	11:39
SPRSPO-16-S-20260217	16	Benzene	Sample	0.917	ug/m3	0.195	ug/m3		Y	2/17/2026	12:10	3/3/2026	11:44
SPRSPO-16-S-20260217	16	Ethylbenzene	Sample	0.509	ug/m3	0.284	ug/m3	J	Y	2/17/2026	12:10	3/3/2026	11:44
SPRSPO-16-S-20260217	16	m-/p-Xylenes	Sample	1.46	ug/m3	0.284	ug/m3		Y	2/17/2026	12:10	3/3/2026	11:44
SPRSPO-16-S-20260217	16	o-Xylene	Sample	0.541	ug/m3	0.284	ug/m3	J	Y	2/17/2026	12:10	3/3/2026	11:44
SPRSPO-16-S-20260217	16	Toluene	Sample	2.83	ug/m3	0.251	ug/m3		Y	2/17/2026	12:10	3/3/2026	11:44
SPRSPO-1-S-20260303	1	Benzene	Sample	0.909	ug/m3	0.192	ug/m3		Y	3/3/2026	10:19	3/17/2026	10:45
SPRSPO-1-S-20260303	1	Ethylbenzene	Sample	0.829	ug/m3	0.28	ug/m3		Y	3/3/2026	10:19	3/17/2026	10:45
SPRSPO-1-S-20260303	1	m-/p-Xylenes	Sample	2.38	ug/m3	0.28	ug/m3		Y	3/3/2026	10:19	3/17/2026	10:45
SPRSPO-1-S-20260303	1	o-Xylene	Sample	0.749	ug/m3	0.28	ug/m3		Y	3/3/2026	10:19	3/17/2026	10:45
SPRSPO-1-S-20260303	1	Toluene	Sample	2.49	ug/m3	0.248	ug/m3		Y	3/3/2026	10:19	3/17/2026	10:45
SPRSPO-1-D-20260303	1	Benzene	Duplicate	0.899	ug/m3	0.192	ug/m3		Y	3/3/2026	10:19	3/17/2026	10:45
SPRSPO-1-D-20260303	1	Ethylbenzene	Duplicate	0.774	ug/m3	0.28	ug/m3		Y	3/3/2026	10:19	3/17/2026	10:45
SPRSPO-1-D-20260303	1	m-/p-Xylenes	Duplicate	2.31	ug/m3	0.28	ug/m3		Y	3/3/2026	10:19	3/17/2026	10:45
SPRSPO-1-D-20260303	1	o-Xylene	Duplicate	0.72	ug/m3	0.28	ug/m3		Y	3/3/2026	10:19	3/17/2026	10:45
SPRSPO-1-D-20260303	1	Toluene	Duplicate	2.43	ug/m3	0.248	ug/m3		Y	3/3/2026	10:19	3/17/2026	10:45
SPRSPO-1-B-20260303	1	Benzene	Blank	<0.192	ug/m3	0.192	ug/m3	ND	N	3/3/2026	10:19	3/17/2026	10:45
SPRSPO-1-B-20260303	1	Ethylbenzene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/3/2026	10:19	3/17/2026	10:45

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-1-B-20260303	1	m-/p-Xylenes	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/3/2026	10:19	3/17/2026	10:45
SPRSPO-1-B-20260303	1	o-Xylene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/3/2026	10:19	3/17/2026	10:45
SPRSPO-1-B-20260303	1	Toluene	Blank	<0.248	ug/m3	0.248	ug/m3	ND	N	3/3/2026	10:19	3/17/2026	10:45
SPRSPO-2-S-20260303	2	Benzene	Sample	0.754	ug/m3	0.192	ug/m3		Y	3/3/2026	10:25	3/17/2026	10:52
SPRSPO-2-S-20260303	2	Ethylbenzene	Sample	0.352	ug/m3	0.28	ug/m3	J	Y	3/3/2026	10:25	3/17/2026	10:52
SPRSPO-2-S-20260303	2	m-/p-Xylenes	Sample	0.914	ug/m3	0.28	ug/m3		Y	3/3/2026	10:25	3/17/2026	10:52
SPRSPO-2-S-20260303	2	o-Xylene	Sample	0.331	ug/m3	0.28	ug/m3	J	Y	3/3/2026	10:25	3/17/2026	10:52
SPRSPO-2-S-20260303	2	Toluene	Sample	1.73	ug/m3	0.248	ug/m3		Y	3/3/2026	10:25	3/17/2026	10:52
SPRSPO-3-S-20260303	3	Benzene	Sample	0.713	ug/m3	0.192	ug/m3		Y	3/3/2026	10:31	3/17/2026	10:58
SPRSPO-3-S-20260303	3	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/3/2026	10:31	3/17/2026	10:58
SPRSPO-3-S-20260303	3	m-/p-Xylenes	Sample	0.793	ug/m3	0.28	ug/m3		Y	3/3/2026	10:31	3/17/2026	10:58
SPRSPO-3-S-20260303	3	o-Xylene	Sample	0.3	ug/m3	0.28	ug/m3	J	Y	3/3/2026	10:31	3/17/2026	10:58
SPRSPO-3-S-20260303	3	Toluene	Sample	1.43	ug/m3	0.248	ug/m3		Y	3/3/2026	10:31	3/17/2026	10:58
SPRSPO-4-S-20260303	4	Benzene	Sample	0.78	ug/m3	0.193	ug/m3		Y	3/3/2026	10:37	3/17/2026	10:55
SPRSPO-4-S-20260303	4	Ethylbenzene	Sample	0.307	ug/m3	0.28	ug/m3	J	Y	3/3/2026	10:37	3/17/2026	10:55
SPRSPO-4-S-20260303	4	m-/p-Xylenes	Sample	0.695	ug/m3	0.28	ug/m3		Y	3/3/2026	10:37	3/17/2026	10:55
SPRSPO-4-S-20260303	4	o-Xylene	Sample	0.281	ug/m3	0.28	ug/m3	J	Y	3/3/2026	10:37	3/17/2026	10:55
SPRSPO-4-S-20260303	4	Toluene	Sample	1.62	ug/m3	0.248	ug/m3		Y	3/3/2026	10:37	3/17/2026	10:55
SPRSPO-5-S-20260303	5	Benzene	Sample	0.727	ug/m3	0.193	ug/m3		Y	3/3/2026	10:43	3/17/2026	11:04
SPRSPO-5-S-20260303	5	Ethylbenzene	Sample	0.385	ug/m3	0.28	ug/m3	J	Y	3/3/2026	10:43	3/17/2026	11:04
SPRSPO-5-S-20260303	5	m-/p-Xylenes	Sample	1.16	ug/m3	0.28	ug/m3		Y	3/3/2026	10:43	3/17/2026	11:04
SPRSPO-5-S-20260303	5	o-Xylene	Sample	0.427	ug/m3	0.28	ug/m3	J	Y	3/3/2026	10:43	3/17/2026	11:04
SPRSPO-5-S-20260303	5	Toluene	Sample	1.98	ug/m3	0.248	ug/m3		Y	3/3/2026	10:43	3/17/2026	11:04
SPRSPO-6-S-20260303	6	Benzene	Sample	0.615	ug/m3	0.193	ug/m3		Y	3/3/2026	10:49	3/17/2026	11:10
SPRSPO-6-S-20260303	6	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/3/2026	10:49	3/17/2026	11:10
SPRSPO-6-S-20260303	6	m-/p-Xylenes	Sample	0.428	ug/m3	0.28	ug/m3	J	Y	3/3/2026	10:49	3/17/2026	11:10
SPRSPO-6-S-20260303	6	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/3/2026	10:49	3/17/2026	11:10
SPRSPO-6-S-20260303	6	Toluene	Sample	1.22	ug/m3	0.248	ug/m3		Y	3/3/2026	10:49	3/17/2026	11:10
SPRSPO-7-S-20260303	7	Benzene	Sample	0.582	ug/m3	0.193	ug/m3		Y	3/3/2026	10:55	3/17/2026	11:12
SPRSPO-7-S-20260303	7	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/3/2026	10:55	3/17/2026	11:12
SPRSPO-7-S-20260303	7	m-/p-Xylenes	Sample	0.55	ug/m3	0.28	ug/m3	J	Y	3/3/2026	10:55	3/17/2026	11:12
SPRSPO-7-S-20260303	7	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/3/2026	10:55	3/17/2026	11:12

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-7-S-20260303	7	Toluene	Sample	1.32	ug/m3	0.248	ug/m3		Y	3/3/2026	10:55	3/17/2026	11:12
SPRSPO-8-S-20260303	8	Benzene	Sample	0.507	ug/m3	0.193	ug/m3		Y	3/3/2026	11:01	3/17/2026	11:17
SPRSPO-8-S-20260303	8	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/3/2026	11:01	3/17/2026	11:17
SPRSPO-8-S-20260303	8	m-/p-Xylenes	Sample	0.553	ug/m3	0.28	ug/m3	J	Y	3/3/2026	11:01	3/17/2026	11:17
SPRSPO-8-S-20260303	8	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/3/2026	11:01	3/17/2026	11:17
SPRSPO-8-S-20260303	8	Toluene	Sample	0.769	ug/m3	0.248	ug/m3		Y	3/3/2026	11:01	3/17/2026	11:17
SPRSPO-9-S-20260303	9	Benzene	Sample	0.578	ug/m3	0.193	ug/m3		Y	3/3/2026	11:07	3/17/2026	11:21
SPRSPO-9-S-20260303	9	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/3/2026	11:07	3/17/2026	11:21
SPRSPO-9-S-20260303	9	m-/p-Xylenes	Sample	0.536	ug/m3	0.28	ug/m3	J	Y	3/3/2026	11:07	3/17/2026	11:21
SPRSPO-9-S-20260303	9	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/3/2026	11:07	3/17/2026	11:21
SPRSPO-9-S-20260303	9	Toluene	Sample	1.06	ug/m3	0.248	ug/m3		Y	3/3/2026	11:07	3/17/2026	11:21
SPRSPO-10-S-20260303	10	Benzene	Sample	0.531	ug/m3	0.193	ug/m3		Y	3/3/2026	11:13	3/17/2026	11:24
SPRSPO-10-S-20260303	10	Ethylbenzene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/3/2026	11:13	3/17/2026	11:24
SPRSPO-10-S-20260303	10	m-/p-Xylenes	Sample	0.448	ug/m3	0.281	ug/m3	J	Y	3/3/2026	11:13	3/17/2026	11:24
SPRSPO-10-S-20260303	10	o-Xylene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/3/2026	11:13	3/17/2026	11:24
SPRSPO-10-S-20260303	10	Toluene	Sample	0.915	ug/m3	0.248	ug/m3		Y	3/3/2026	11:13	3/17/2026	11:24
SPRSPO-11-S-20260303	11	Benzene	Sample	0.561	ug/m3	0.193	ug/m3		Y	3/3/2026	11:19	3/17/2026	11:27
SPRSPO-11-S-20260303	11	Ethylbenzene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/3/2026	11:19	3/17/2026	11:27
SPRSPO-11-S-20260303	11	m-/p-Xylenes	Sample	0.517	ug/m3	0.281	ug/m3	J	Y	3/3/2026	11:19	3/17/2026	11:27
SPRSPO-11-S-20260303	11	o-Xylene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/3/2026	11:19	3/17/2026	11:27
SPRSPO-11-S-20260303	11	Toluene	Sample	0.923	ug/m3	0.248	ug/m3		Y	3/3/2026	11:19	3/17/2026	11:27
SPRSPO-12-S-20260303	12	Benzene	Sample	0.732	ug/m3	0.193	ug/m3		Y	3/3/2026	11:24	3/17/2026	11:30
SPRSPO-12-S-20260303	12	Ethylbenzene	Sample	0.311	ug/m3	0.281	ug/m3	J	Y	3/3/2026	11:24	3/17/2026	11:30
SPRSPO-12-S-20260303	12	m-/p-Xylenes	Sample	0.767	ug/m3	0.281	ug/m3		Y	3/3/2026	11:24	3/17/2026	11:30
SPRSPO-12-S-20260303	12	o-Xylene	Sample	0.306	ug/m3	0.281	ug/m3	J	Y	3/3/2026	11:24	3/17/2026	11:30
SPRSPO-12-S-20260303	12	Toluene	Sample	1.47	ug/m3	0.248	ug/m3		Y	3/3/2026	11:24	3/17/2026	11:30
SPRSPO-13-S-20260303	13	Benzene	Sample	0.779	ug/m3	0.193	ug/m3		Y	3/3/2026	11:29	3/17/2026	11:33
SPRSPO-13-S-20260303	13	Ethylbenzene	Sample	0.385	ug/m3	0.281	ug/m3	J	Y	3/3/2026	11:29	3/17/2026	11:33
SPRSPO-13-S-20260303	13	m-/p-Xylenes	Sample	1.07	ug/m3	0.281	ug/m3		Y	3/3/2026	11:29	3/17/2026	11:33
SPRSPO-13-S-20260303	13	o-Xylene	Sample	0.403	ug/m3	0.281	ug/m3	J	Y	3/3/2026	11:29	3/17/2026	11:33
SPRSPO-13-S-20260303	13	Toluene	Sample	2.04	ug/m3	0.248	ug/m3		Y	3/3/2026	11:29	3/17/2026	11:33
SPRSPO-13-D-20260303	13	Benzene	Duplicate	0.777	ug/m3	0.193	ug/m3		Y	3/3/2026	11:29	3/17/2026	11:33

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-13-D-20260303	13	Ethylbenzene	Duplicate	0.36	ug/m3	0.281	ug/m3	J	Y	3/3/2026	11:29	3/17/2026	11:33
SPRSPO-13-D-20260303	13	m-/p-Xylenes	Duplicate	0.955	ug/m3	0.281	ug/m3		Y	3/3/2026	11:29	3/17/2026	11:33
SPRSPO-13-D-20260303	13	o-Xylene	Duplicate	0.36	ug/m3	0.281	ug/m3	J	Y	3/3/2026	11:29	3/17/2026	11:33
SPRSPO-13-D-20260303	13	Toluene	Duplicate	1.68	ug/m3	0.248	ug/m3		Y	3/3/2026	11:29	3/17/2026	11:33
SPRSPO-13-B-20260303	13	Benzene	Blank	<0.193	ug/m3	0.193	ug/m3	ND	N	3/3/2026	11:29	3/17/2026	11:33
SPRSPO-13-B-20260303	13	Ethylbenzene	Blank	<0.281	ug/m3	0.281	ug/m3	ND	N	3/3/2026	11:29	3/17/2026	11:33
SPRSPO-13-B-20260303	13	m-/p-Xylenes	Blank	<0.281	ug/m3	0.281	ug/m3	ND	N	3/3/2026	11:29	3/17/2026	11:33
SPRSPO-13-B-20260303	13	o-Xylene	Blank	<0.281	ug/m3	0.281	ug/m3	ND	N	3/3/2026	11:29	3/17/2026	11:33
SPRSPO-13-B-20260303	13	Toluene	Blank	<0.248	ug/m3	0.248	ug/m3	ND	N	3/3/2026	11:29	3/17/2026	11:33
SPRSPO-14-S-20260303	14	Benzene	Sample	0.833	ug/m3	0.193	ug/m3		Y	3/3/2026	11:34	3/17/2026	11:41
SPRSPO-14-S-20260303	14	Ethylbenzene	Sample	0.457	ug/m3	0.281	ug/m3	J	Y	3/3/2026	11:34	3/17/2026	11:41
SPRSPO-14-S-20260303	14	m-/p-Xylenes	Sample	1.24	ug/m3	0.281	ug/m3		Y	3/3/2026	11:34	3/17/2026	11:41
SPRSPO-14-S-20260303	14	o-Xylene	Sample	0.476	ug/m3	0.281	ug/m3	J	Y	3/3/2026	11:34	3/17/2026	11:41
SPRSPO-14-S-20260303	14	Toluene	Sample	2.05	ug/m3	0.248	ug/m3		Y	3/3/2026	11:34	3/17/2026	11:41
SPRSPO-15-S-20260303	15	Benzene	Sample	0.855	ug/m3	0.193	ug/m3		Y	3/3/2026	11:39	3/17/2026	11:43
SPRSPO-15-S-20260303	15	Ethylbenzene	Sample	0.494	ug/m3	0.281	ug/m3	J	Y	3/3/2026	11:39	3/17/2026	11:43
SPRSPO-15-S-20260303	15	m-/p-Xylenes	Sample	1.33	ug/m3	0.281	ug/m3		Y	3/3/2026	11:39	3/17/2026	11:43
SPRSPO-15-S-20260303	15	o-Xylene	Sample	0.483	ug/m3	0.281	ug/m3	J	Y	3/3/2026	11:39	3/17/2026	11:43
SPRSPO-15-S-20260303	15	Toluene	Sample	2.14	ug/m3	0.248	ug/m3		Y	3/3/2026	11:39	3/17/2026	11:43
SPRSPO-16-S-20260303	16	Benzene	Sample	0.863	ug/m3	0.193	ug/m3		Y	3/3/2026	11:44	3/17/2026	11:46
SPRSPO-16-S-20260303	16	Ethylbenzene	Sample	0.454	ug/m3	0.281	ug/m3	J	Y	3/3/2026	11:44	3/17/2026	11:46
SPRSPO-16-S-20260303	16	m-/p-Xylenes	Sample	1.47	ug/m3	0.281	ug/m3		Y	3/3/2026	11:44	3/17/2026	11:46
SPRSPO-16-S-20260303	16	o-Xylene	Sample	0.539	ug/m3	0.281	ug/m3	J	Y	3/3/2026	11:44	3/17/2026	11:46
SPRSPO-16-S-20260303	16	Toluene	Sample	2.1	ug/m3	0.248	ug/m3		Y	3/3/2026	11:44	3/17/2026	11:46
SPRSPO-1-S-20260317	1	Benzene	Sample	0.697	ug/m3	0.193	ug/m3		Y	3/17/2026	10:45	3/31/2026	10:58
SPRSPO-1-S-20260317	1	Ethylbenzene	Sample	0.512	ug/m3	0.28	ug/m3	J	Y	3/17/2026	10:45	3/31/2026	10:58
SPRSPO-1-S-20260317	1	m-/p-Xylenes	Sample	1.57	ug/m3	0.28	ug/m3		Y	3/17/2026	10:45	3/31/2026	10:58
SPRSPO-1-S-20260317	1	o-Xylene	Sample	0.508	ug/m3	0.28	ug/m3	J	Y	3/17/2026	10:45	3/31/2026	10:58
SPRSPO-1-S-20260317	1	Toluene	Sample	2.19	ug/m3	0.248	ug/m3		Y	3/17/2026	10:45	3/31/2026	10:58
SPRSPO-1-D-20260317	1	Benzene	Duplicate	0.785	ug/m3	0.193	ug/m3		Y	3/17/2026	10:45	3/31/2026	10:58
SPRSPO-1-D-20260317	1	Ethylbenzene	Duplicate	0.586	ug/m3	0.28	ug/m3	J	Y	3/17/2026	10:45	3/31/2026	10:58
SPRSPO-1-D-20260317	1	m-/p-Xylenes	Duplicate	1.87	ug/m3	0.28	ug/m3		Y	3/17/2026	10:45	3/31/2026	10:58

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-1-D-20260317	1	o-Xylene	Duplicate	0.602	ug/m3	0.28	ug/m3	J	Y	3/17/2026	10:45	3/31/2026	10:58
SPRSPO-1-D-20260317	1	Toluene	Duplicate	2.27	ug/m3	0.248	ug/m3		Y	3/17/2026	10:45	3/31/2026	10:58
SPRSPO-1-B-20260317	1	Benzene	Blank	<0.193	ug/m3	0.193	ug/m3	ND	N	3/17/2026	10:45	3/31/2026	10:58
SPRSPO-1-B-20260317	1	Ethylbenzene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/17/2026	10:45	3/31/2026	10:58
SPRSPO-1-B-20260317	1	m-/p-Xylenes	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/17/2026	10:45	3/31/2026	10:58
SPRSPO-1-B-20260317	1	o-Xylene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/17/2026	10:45	3/31/2026	10:58
SPRSPO-1-B-20260317	1	Toluene	Blank	<0.248	ug/m3	0.248	ug/m3	ND	N	3/17/2026	10:45	3/31/2026	10:58
SPRSPO-2-S-20260317	2	Benzene	Sample	0.711	ug/m3	0.193	ug/m3		Y	3/17/2026	10:52	3/31/2026	11:01
SPRSPO-2-S-20260317	2	Ethylbenzene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	10:52	3/31/2026	11:01
SPRSPO-2-S-20260317	2	m-/p-Xylenes	Sample	0.637	ug/m3	0.281	ug/m3	J	Y	3/17/2026	10:52	3/31/2026	11:01
SPRSPO-2-S-20260317	2	o-Xylene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	10:52	3/31/2026	11:01
SPRSPO-2-S-20260317	2	Toluene	Sample	1.63	ug/m3	0.248	ug/m3		Y	3/17/2026	10:52	3/31/2026	11:01
SPRSPO-3-S-20260317	3	Benzene	Sample	0.598	ug/m3	0.193	ug/m3		Y	3/17/2026	10:58	3/31/2026	11:03
SPRSPO-3-S-20260317	3	Ethylbenzene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	10:58	3/31/2026	11:03
SPRSPO-3-S-20260317	3	m-/p-Xylenes	Sample	0.777	ug/m3	0.281	ug/m3		Y	3/17/2026	10:58	3/31/2026	11:03
SPRSPO-3-S-20260317	3	o-Xylene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	10:58	3/31/2026	11:03
SPRSPO-3-S-20260317	3	Toluene	Sample	1.4	ug/m3	0.248	ug/m3		Y	3/17/2026	10:58	3/31/2026	11:03
SPRSPO-4-S-20260317	4	Benzene	Sample	0.652	ug/m3	0.193	ug/m3		Y	3/17/2026	10:55	3/31/2026	11:06
SPRSPO-4-S-20260317	4	Ethylbenzene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	10:55	3/31/2026	11:06
SPRSPO-4-S-20260317	4	m-/p-Xylenes	Sample	0.59	ug/m3	0.281	ug/m3	J	Y	3/17/2026	10:55	3/31/2026	11:06
SPRSPO-4-S-20260317	4	o-Xylene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	10:55	3/31/2026	11:06
SPRSPO-4-S-20260317	4	Toluene	Sample	1.53	ug/m3	0.248	ug/m3		Y	3/17/2026	10:55	3/31/2026	11:06
SPRSPO-5-S-20260317	5	Benzene	Sample	0.613	ug/m3	0.193	ug/m3		Y	3/17/2026	11:04	3/31/2026	11:08
SPRSPO-5-S-20260317	5	Ethylbenzene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:04	3/31/2026	11:08
SPRSPO-5-S-20260317	5	m-/p-Xylenes	Sample	0.529	ug/m3	0.281	ug/m3	J	Y	3/17/2026	11:04	3/31/2026	11:08
SPRSPO-5-S-20260317	5	o-Xylene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:04	3/31/2026	11:08
SPRSPO-5-S-20260317	5	Toluene	Sample	1.47	ug/m3	0.248	ug/m3		Y	3/17/2026	11:04	3/31/2026	11:08
SPRSPO-6-S-20260317	6	Benzene	Sample	0.544	ug/m3	0.193	ug/m3		Y	3/17/2026	11:10	3/31/2026	11:13
SPRSPO-6-S-20260317	6	Ethylbenzene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:10	3/31/2026	11:13
SPRSPO-6-S-20260317	6	m-/p-Xylenes	Sample	0.524	ug/m3	0.281	ug/m3	J	Y	3/17/2026	11:10	3/31/2026	11:13
SPRSPO-6-S-20260317	6	o-Xylene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:10	3/31/2026	11:13
SPRSPO-6-S-20260317	6	Toluene	Sample	1.39	ug/m3	0.248	ug/m3		Y	3/17/2026	11:10	3/31/2026	11:13

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-7-S-20260317	7	Benzene	Sample	0.549	ug/m3	0.193	ug/m3		Y	3/17/2026	11:12	3/31/2026	11:16
SPRSPO-7-S-20260317	7	Ethylbenzene	Sample	0.333	ug/m3	0.281	ug/m3	J	Y	3/17/2026	11:12	3/31/2026	11:16
SPRSPO-7-S-20260317	7	m-/p-Xylenes	Sample	0.691	ug/m3	0.281	ug/m3		Y	3/17/2026	11:12	3/31/2026	11:16
SPRSPO-7-S-20260317	7	o-Xylene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:12	3/31/2026	11:16
SPRSPO-7-S-20260317	7	Toluene	Sample	1.42	ug/m3	0.248	ug/m3		Y	3/17/2026	11:12	3/31/2026	11:16
SPRSPO-8-S-20260317	8	Benzene	Sample	0.471	ug/m3	0.193	ug/m3		Y	3/17/2026	11:17	3/31/2026	11:20
SPRSPO-8-S-20260317	8	Ethylbenzene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:17	3/31/2026	11:20
SPRSPO-8-S-20260317	8	m-/p-Xylenes	Sample	0.458	ug/m3	0.281	ug/m3	J	Y	3/17/2026	11:17	3/31/2026	11:20
SPRSPO-8-S-20260317	8	o-Xylene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:17	3/31/2026	11:20
SPRSPO-8-S-20260317	8	Toluene	Sample	0.797	ug/m3	0.248	ug/m3		Y	3/17/2026	11:17	3/31/2026	11:20
SPRSPO-9-S-20260317	9	Benzene	Sample	0.53	ug/m3	0.193	ug/m3		Y	3/17/2026	11:21	3/31/2026	11:29
SPRSPO-9-S-20260317	9	Ethylbenzene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:21	3/31/2026	11:29
SPRSPO-9-S-20260317	9	m-/p-Xylenes	Sample	0.506	ug/m3	0.281	ug/m3	J	Y	3/17/2026	11:21	3/31/2026	11:29
SPRSPO-9-S-20260317	9	o-Xylene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:21	3/31/2026	11:29
SPRSPO-9-S-20260317	9	Toluene	Sample	1	ug/m3	0.248	ug/m3		Y	3/17/2026	11:21	3/31/2026	11:29
SPRSPO-10-S-20260317	10	Benzene	Sample	0.52	ug/m3	0.193	ug/m3		Y	3/17/2026	11:24	3/31/2026	11:32
SPRSPO-10-S-20260317	10	Ethylbenzene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:24	3/31/2026	11:32
SPRSPO-10-S-20260317	10	m-/p-Xylenes	Sample	0.344	ug/m3	0.281	ug/m3	J	Y	3/17/2026	11:24	3/31/2026	11:32
SPRSPO-10-S-20260317	10	o-Xylene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:24	3/31/2026	11:32
SPRSPO-10-S-20260317	10	Toluene	Sample	0.889	ug/m3	0.248	ug/m3		Y	3/17/2026	11:24	3/31/2026	11:32
SPRSPO-11-S-20260317	11	Benzene	Sample	0.528	ug/m3	0.193	ug/m3		Y	3/17/2026	11:27	3/31/2026	11:35
SPRSPO-11-S-20260317	11	Ethylbenzene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:27	3/31/2026	11:35
SPRSPO-11-S-20260317	11	m-/p-Xylenes	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:27	3/31/2026	11:35
SPRSPO-11-S-20260317	11	o-Xylene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:27	3/31/2026	11:35
SPRSPO-11-S-20260317	11	Toluene	Sample	0.705	ug/m3	0.248	ug/m3		Y	3/17/2026	11:27	3/31/2026	11:35
SPRSPO-12-S-20260317	12	Benzene	Sample	0.688	ug/m3	0.193	ug/m3		Y	3/17/2026	11:30	3/31/2026	11:38
SPRSPO-12-S-20260317	12	Ethylbenzene	Sample	0.284	ug/m3	0.281	ug/m3	J	Y	3/17/2026	11:30	3/31/2026	11:38
SPRSPO-12-S-20260317	12	m-/p-Xylenes	Sample	0.787	ug/m3	0.281	ug/m3		Y	3/17/2026	11:30	3/31/2026	11:38
SPRSPO-12-S-20260317	12	o-Xylene	Sample	0.293	ug/m3	0.281	ug/m3	J	Y	3/17/2026	11:30	3/31/2026	11:38
SPRSPO-12-S-20260317	12	Toluene	Sample	1.35	ug/m3	0.248	ug/m3		Y	3/17/2026	11:30	3/31/2026	11:38
SPRSPO-13-S-20260317	13	Benzene	Sample	0.662	ug/m3	0.193	ug/m3		Y	3/17/2026	11:33	3/31/2026	11:40
SPRSPO-13-S-20260317	13	Ethylbenzene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:33	3/31/2026	11:40

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-13-S-20260317	13	m-/p-Xylenes	Sample	0.642	ug/m3	0.281	ug/m3	J	Y	3/17/2026	11:33	3/31/2026	11:40
SPRSPO-13-S-20260317	13	o-Xylene	Sample	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:33	3/31/2026	11:40
SPRSPO-13-S-20260317	13	Toluene	Sample	1.33	ug/m3	0.248	ug/m3		Y	3/17/2026	11:33	3/31/2026	11:40
SPRSPO-13-D-20260317	13	Benzene	Duplicate	0.677	ug/m3	0.193	ug/m3		Y	3/17/2026	11:33	3/31/2026	11:40
SPRSPO-13-D-20260317	13	Ethylbenzene	Duplicate	0.29	ug/m3	0.281	ug/m3	J	Y	3/17/2026	11:33	3/31/2026	11:40
SPRSPO-13-D-20260317	13	m-/p-Xylenes	Duplicate	0.731	ug/m3	0.281	ug/m3		Y	3/17/2026	11:33	3/31/2026	11:40
SPRSPO-13-D-20260317	13	o-Xylene	Duplicate	0.285	ug/m3	0.281	ug/m3	J	Y	3/17/2026	11:33	3/31/2026	11:40
SPRSPO-13-D-20260317	13	Toluene	Duplicate	1.35	ug/m3	0.248	ug/m3		Y	3/17/2026	11:33	3/31/2026	11:40
SPRSPO-13-B-20260317	13	Benzene	Blank	<0.193	ug/m3	0.193	ug/m3	ND	N	3/17/2026	11:33	3/31/2026	11:40
SPRSPO-13-B-20260317	13	Ethylbenzene	Blank	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:33	3/31/2026	11:40
SPRSPO-13-B-20260317	13	m-/p-Xylenes	Blank	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:33	3/31/2026	11:40
SPRSPO-13-B-20260317	13	o-Xylene	Blank	<0.281	ug/m3	0.281	ug/m3	ND	N	3/17/2026	11:33	3/31/2026	11:40
SPRSPO-13-B-20260317	13	Toluene	Blank	<0.248	ug/m3	0.248	ug/m3	ND	N	3/17/2026	11:33	3/31/2026	11:40
SPRSPO-14-S-20260317	14	Benzene	Sample	0.687	ug/m3	0.193	ug/m3		Y	3/17/2026	11:41	3/31/2026	12:00
SPRSPO-14-S-20260317	14	Ethylbenzene	Sample	0.323	ug/m3	0.28	ug/m3	J	Y	3/17/2026	11:41	3/31/2026	12:00
SPRSPO-14-S-20260317	14	m-/p-Xylenes	Sample	0.873	ug/m3	0.28	ug/m3		Y	3/17/2026	11:41	3/31/2026	12:00
SPRSPO-14-S-20260317	14	o-Xylene	Sample	0.336	ug/m3	0.28	ug/m3	J	Y	3/17/2026	11:41	3/31/2026	12:00
SPRSPO-14-S-20260317	14	Toluene	Sample	1.57	ug/m3	0.248	ug/m3		Y	3/17/2026	11:41	3/31/2026	12:00
SPRSPO-15-S-20260317	15	Benzene	Sample	0.7	ug/m3	0.192	ug/m3		Y	3/17/2026	11:43	3/31/2026	12:08
SPRSPO-15-S-20260317	15	Ethylbenzene	Sample	0.352	ug/m3	0.28	ug/m3	J	Y	3/17/2026	11:43	3/31/2026	12:08
SPRSPO-15-S-20260317	15	m-/p-Xylenes	Sample	1.06	ug/m3	0.28	ug/m3		Y	3/17/2026	11:43	3/31/2026	12:08
SPRSPO-15-S-20260317	15	o-Xylene	Sample	0.451	ug/m3	0.28	ug/m3	J	Y	3/17/2026	11:43	3/31/2026	12:08
SPRSPO-15-S-20260317	15	Toluene	Sample	1.87	ug/m3	0.248	ug/m3		Y	3/17/2026	11:43	3/31/2026	12:08
SPRSPO-16-S-20260317	16	Benzene	Sample	0.713	ug/m3	0.192	ug/m3		Y	3/17/2026	11:46	3/31/2026	12:10
SPRSPO-16-S-20260317	16	Ethylbenzene	Sample	0.361	ug/m3	0.28	ug/m3	J	Y	3/17/2026	11:46	3/31/2026	12:10
SPRSPO-16-S-20260317	16	m-/p-Xylenes	Sample	1.02	ug/m3	0.28	ug/m3		Y	3/17/2026	11:46	3/31/2026	12:10
SPRSPO-16-S-20260317	16	o-Xylene	Sample	0.376	ug/m3	0.28	ug/m3	J	Y	3/17/2026	11:46	3/31/2026	12:10
SPRSPO-16-S-20260317	16	Toluene	Sample	1.82	ug/m3	0.248	ug/m3		Y	3/17/2026	11:46	3/31/2026	12:10

FLM Data Flag Abbreviations - EPA Method 325B

FLAG	EXPLANATION
ND	The analyte was not present above the Method Detection Limit
J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
P	Field duplicate(s) exceed 30%RPD
Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit
Note: Meteorological data flagged ND was not available from the airport. Missing data can be due to instrument maintenance, instrument malfunction, data transmission issues, or other factors resulting in missing data.	

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (12/22/25 14:00 to 1/5/26 12:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
12/22/25 14:00	3.7	334	-3.0	1024
12/22/25 15:00	2.7	354	-3.4	1024
12/22/25 16:00	1.9	358	-4.8	1025
12/22/25 17:00	1.5	190	-6.3	1025
12/22/25 18:00	ND	ND	-6.3	1025
12/22/25 19:00	1.5	205	-6.9	1024
12/22/25 20:00	ND	ND	-7.7	1024
12/22/25 21:00	1.5	210	-7.5	1024
12/22/25 22:00	2.3	233	-7.1	1023
12/22/25 23:00	2.0	303	-6.1	1023
12/23/25 0:00	1.5	30	-6.1	1023
12/23/25 1:00	1.5	340	-5.9	1023
12/23/25 2:00	1.5	300	-5.5	1023
12/23/25 3:00	1.5	320	-5.0	1023
12/23/25 4:00	1.5	20	-5.0	1023
12/23/25 5:00	ND	ND	-4.6	1023
12/23/25 6:00	1.6	2	-5.7	1023
12/23/25 7:00	1.7	307	-6.0	1023
12/23/25 8:00	ND	ND	-4.5	1023
12/23/25 9:00	1.5	140	-1.4	1023
12/23/25 10:00	1.7	79	0.5	1022
12/23/25 11:00	1.9	54	0.7	1021
12/23/25 12:00	2.0	39	0.7	1020
12/23/25 13:00	2.5	52	0.9	1018
12/23/25 14:00	2.5	73	1.0	1017
12/23/25 15:00	2.9	95	1.2	1017
12/23/25 16:00	2.6	107	0.9	1016
12/23/25 17:00	2.7	115	0.9	1015
12/23/25 18:00	3.1	99	0.0	1015
12/23/25 19:00	3.2	108	0.5	1013
12/23/25 20:00	2.0	154	0.5	1012
12/23/25 21:00	ND	ND	-0.1	1011
12/23/25 22:00	ND	ND	-0.1	1010
12/23/25 23:00	ND	ND	-0.1	1009
12/24/25 0:00	1.8	336	-0.1	1008
12/24/25 1:00	2.9	343	-1.1	1007
12/24/25 2:00	3.6	347	-2.3	1006
12/24/25 3:00	4.5	355	-2.9	1006
12/24/25 4:00	4.8	350	-3.6	1005
12/24/25 5:00	6.2	343	-4.0	1006
12/24/25 6:00	6.8	348	-4.0	1007
12/24/25 7:00	7.6	354	-4.0	1008
12/24/25 8:00	8.1	354	-4.2	1011
12/24/25 9:00	7.9	350	-4.6	1013
12/24/25 10:00	7.2	358	-5.8	1014
12/24/25 11:00	7.0	354	-6.0	1015
12/24/25 12:00	5.9	349	-5.1	1017

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (12/22/25 14:00 to 1/5/26 12:00)

12/24/25 13:00	5.9	357	-5.0	1018
12/24/25 14:00	4.8	354	-5.0	1019
12/24/25 15:00	3.1	356	-4.7	1020
12/24/25 16:00	2.0	356	-6.0	1021
12/24/25 17:00	1.5	13	-6.0	1022
12/24/25 18:00	1.7	7	-6.1	1022
12/24/25 19:00	2.5	30	-5.4	1023
12/24/25 20:00	2.5	32	-6.4	1022
12/24/25 21:00	2.3	296	-7.2	1022
12/24/25 22:00	1.7	318	-7.2	1021
12/24/25 23:00	1.5	270	-7.0	1020
12/25/25 0:00	1.8	347	-7.1	1020
12/25/25 1:00	1.5	300	-7.1	1019
12/25/25 2:00	1.9	279	-7.0	1018
12/25/25 3:00	1.5	230	-6.6	1017
12/25/25 4:00	2.3	235	-6.1	1015
12/25/25 5:00	2.2	201	-6.1	1013
12/25/25 6:00	3.0	213	-5.2	1011
12/25/25 7:00	3.0	219	-4.9	1009
12/25/25 8:00	2.6	260	-4.1	1009
12/25/25 9:00	2.3	238	-4.3	1008
12/25/25 10:00	2.6	247	-4.0	1006
12/25/25 11:00	3.8	276	-2.9	1005
12/25/25 12:00	3.2	291	-1.0	1004
12/25/25 13:00	3.1	333	0.8	1003
12/25/25 14:00	6.8	345	-0.6	1004
12/25/25 15:00	10.6	342	-2.5	1006
12/25/25 16:00	7.3	337	-4.0	1008
12/25/25 17:00	8.0	335	-5.2	1010
12/25/25 18:00	9.3	339	-6.3	1011
12/25/25 19:00	8.8	340	-7.4	1012
12/25/25 20:00	6.4	350	-8.4	1013
12/25/25 21:00	5.2	335	-9.2	1014
12/25/25 22:00	5.1	333	-10.1	1015
12/25/25 23:00	6.6	331	-10.7	1015
12/26/25 0:00	4.9	344	-11.3	1016
12/26/25 1:00	4.5	331	-12.0	1016
12/26/25 2:00	6.1	326	-12.1	1017
12/26/25 3:00	5.8	335	-12.2	1018
12/26/25 4:00	6.9	318	-12.9	1018
12/26/25 5:00	7.2	331	-13.1	1019
12/26/25 6:00	5.0	332	-13.4	1020
12/26/25 7:00	4.0	334	-14.0	1020
12/26/25 8:00	3.9	335	-13.1	1021
12/26/25 9:00	4.5	329	-12.0	1021
12/26/25 10:00	4.8	333	-11.0	1020
12/26/25 11:00	4.5	323	-9.5	1019
12/26/25 12:00	4.2	318	-9.0	1019
12/26/25 13:00	3.9	313	-8.0	1018

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (12/22/25 14:00 to 1/5/26 12:00)

12/26/25 14:00	2.8	332	-8.0	1017
12/26/25 15:00	2.6	339	-8.1	1017
12/26/25 16:00	2.2	352	-8.9	1017
12/26/25 17:00	1.5	17	-9.1	1017
12/26/25 18:00	1.9	352	-10.1	1017
12/26/25 19:00	2.2	348	-11.6	1017
12/26/25 20:00	3.2	356	-11.1	1017
12/26/25 21:00	3.9	22	-11.1	1017
12/26/25 22:00	3.6	13	-11.0	1018
12/26/25 23:00	4.0	7	-11.0	1017
12/27/25 0:00	4.2	17	-11.1	1018
12/27/25 1:00	5.1	28	-12.0	1017
12/27/25 2:00	4.6	24	-12.1	1017
12/27/25 3:00	4.8	17	-12.1	1017
12/27/25 4:00	4.3	7	-12.1	1017
12/27/25 5:00	4.4	15	-12.1	1017
12/27/25 6:00	4.2	16	-12.3	1018
12/27/25 7:00	4.4	14	-12.9	1019
12/27/25 8:00	4.7	16	-12.6	1019
12/27/25 9:00	4.4	9	-12.0	1019
12/27/25 10:00	3.8	354	-11.4	1019
12/27/25 11:00	2.7	1	-10.2	1018
12/27/25 12:00	2.8	322	-8.9	1017
12/27/25 13:00	3.3	308	-7.9	1017
12/27/25 14:00	3.2	323	-7.0	1017
12/27/25 15:00	2.9	310	-7.0	1017
12/27/25 16:00	ND	ND	-7.9	1017
12/27/25 17:00	1.1	300	-9.2	1018
12/27/25 18:00	1.1	297	-10.4	1018
12/27/25 19:00	1.5	291	-11.4	1018
12/27/25 20:00	1.8	324	-12.2	1018
12/27/25 21:00	2.4	290	-13.1	1018
12/27/25 22:00	1.5	250	-13.5	1018
12/27/25 23:00	2.3	286	-15.0	1018
12/28/25 0:00	2.9	285	-14.3	1017
12/28/25 1:00	2.5	281	-15.4	1017
12/28/25 2:00	2.1	280	-14.4	1017
12/28/25 3:00	3.0	286	-14.1	1017
12/28/25 4:00	3.5	284	-12.5	1017
12/28/25 5:00	2.9	283	-12.4	1017
12/28/25 6:00	2.1	268	-12.1	1017
12/28/25 7:00	2.1	292	-11.1	1018
12/28/25 8:00	3.7	279	-9.8	1017
12/28/25 9:00	4.1	283	-6.9	1017
12/28/25 10:00	3.0	287	-4.2	1016
12/28/25 11:00	2.0	294	-1.6	1016
12/28/25 12:00	2.2	305	0.6	1014
12/28/25 13:00	2.0	285	1.2	1014
12/28/25 14:00	1.5	276	2.0	1013

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (12/22/25 14:00 to 1/5/26 12:00)

12/28/25 15:00	1.9	191	0.9	1013
12/28/25 16:00	1.5	188	-1.9	1013
12/28/25 17:00	1.5	201	-2.7	1013
12/28/25 18:00	1.5	247	-3.5	1012
12/28/25 19:00	ND	ND	-3.8	1011
12/28/25 20:00	1.5	230	-3.8	1011
12/28/25 21:00	ND	ND	-4.1	1010
12/28/25 22:00	ND	ND	-3.2	1009
12/28/25 23:00	ND	ND	-2.6	1008
12/29/25 0:00	0.8	310	-2.5	1007
12/29/25 1:00	ND	ND	-2.1	1006
12/29/25 2:00	1.5	360	-1.3	1005
12/29/25 3:00	1.5	110	-0.9	1003
12/29/25 4:00	1.5	10	-0.4	1002
12/29/25 5:00	1.5	20	0.1	1000
12/29/25 6:00	3.9	167	3.6	998
12/29/25 7:00	4.5	161	4.4	997
12/29/25 8:00	4.9	150	4.9	996
12/29/25 9:00	4.1	151	5.2	995
12/29/25 10:00	1.8	139	5.3	993
12/29/25 11:00	2.4	253	4.4	991
12/29/25 12:00	3.0	294	1.4	990
12/29/25 13:00	2.4	230	1.2	988
12/29/25 14:00	1.9	274	2.0	987
12/29/25 15:00	2.5	284	1.4	986
12/29/25 16:00	2.6	297	1.0	985
12/29/25 17:00	2.7	280	1.0	984
12/29/25 18:00	2.5	295	1.0	984
12/29/25 19:00	3.6	261	1.5	983
12/29/25 20:00	4.6	272	2.0	982
12/29/25 21:00	6.5	273	2.3	982
12/29/25 22:00	8.0	270	1.9	982
12/29/25 23:00	8.7	274	1.2	983
12/30/25 0:00	8.5	276	-0.1	983
12/30/25 1:00	8.6	269	-1.2	984
12/30/25 2:00	6.6	265	-2.0	985
12/30/25 3:00	8.1	267	-3.1	986
12/30/25 4:00	9.9	275	-4.1	986
12/30/25 5:00	9.2	267	-5.2	987
12/30/25 6:00	8.8	271	-6.0	988
12/30/25 7:00	8.5	275	-6.7	989
12/30/25 8:00	8.6	275	-7.1	990
12/30/25 9:00	10.1	274	-6.8	991
12/30/25 10:00	10.6	282	-6.5	992
12/30/25 11:00	9.2	269	-6.2	992
12/30/25 12:00	8.7	268	-7.0	992
12/30/25 13:00	9.0	273	-6.7	992
12/30/25 14:00	8.4	268	-6.6	993
12/30/25 15:00	6.7	270	-7.0	993

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (12/22/25 14:00 to 1/5/26 12:00)

12/30/25 16:00	6.4	263	-7.0	993
12/30/25 17:00	7.4	265	-7.0	994
12/30/25 18:00	5.9	264	-7.5	994
12/30/25 19:00	4.8	268	-8.1	995
12/30/25 20:00	5.0	264	-8.1	995
12/30/25 21:00	6.2	270	-8.1	996
12/30/25 22:00	3.7	263	-8.6	997
12/30/25 23:00	3.3	273	-9.0	997
12/31/25 0:00	2.4	253	-9.0	997
12/31/25 1:00	3.6	257	-9.4	997
12/31/25 2:00	3.3	252	-9.0	998
12/31/25 3:00	1.8	223	-10.2	998
12/31/25 4:00	ND	ND	-11.1	999
12/31/25 5:00	2.4	219	-9.2	1000
12/31/25 6:00	2.5	236	-8.8	1001
12/31/25 7:00	3.4	264	-8.2	1001
12/31/25 8:00	3.6	231	-7.1	1002
12/31/25 9:00	5.1	224	-5.6	1002
12/31/25 10:00	6.5	242	-4.0	1002
12/31/25 11:00	6.6	249	-3.1	1001
12/31/25 12:00	6.6	250	-2.1	1001
12/31/25 13:00	6.0	246	-2.0	1001
12/31/25 14:00	5.3	251	-2.0	1001
12/31/25 15:00	4.2	246	-2.0	1001
12/31/25 16:00	2.7	227	-2.7	1002
12/31/25 17:00	1.9	218	-3.1	1002
12/31/25 18:00	2.0	198	-3.1	1002
12/31/25 19:00	3.1	209	-3.1	1003
12/31/25 20:00	2.6	208	-3.1	1003
12/31/25 21:00	1.8	196	-3.7	1002
12/31/25 22:00	2.6	213	-4.1	1002
12/31/25 23:00	2.7	216	-4.1	1001
1/1/26 0:00	2.6	216	-4.1	1000
1/1/26 1:00	2.4	226	-4.1	1000
1/1/26 2:00	2.8	214	-4.0	1000
1/1/26 3:00	2.6	197	-4.1	999
1/1/26 4:00	1.9	197	-4.2	998
1/1/26 5:00	2.0	224	-3.5	997
1/1/26 6:00	2.1	232	-3.1	997
1/1/26 7:00	2.9	282	-4.0	997
1/1/26 8:00	2.4	260	-4.5	996
1/1/26 9:00	2.3	248	-3.8	997
1/1/26 10:00	4.5	279	-2.9	996
1/1/26 11:00	5.7	284	-3.2	996
1/1/26 12:00	6.5	287	-4.3	996
1/1/26 13:00	7.9	302	-6.3	997
1/1/26 14:00	6.0	310	-6.8	997
1/1/26 15:00	7.3	315	-6.5	998
1/1/26 16:00	7.5	296	-7.5	998

Sprague South Portland Maine Terminal Fenceline Monitoring**Portland International Jet Airport (PWM) Meteorological Data (12/22/25 14:00 to 1/5/26 12:00)**

1/1/26 17:00	8.4	292	-8.6	999
1/1/26 18:00	6.3	297	-9.2	1000
1/1/26 19:00	6.8	294	-10.0	1001
1/1/26 20:00	5.3	297	-11.0	1001
1/1/26 21:00	4.2	282	-11.4	1002
1/1/26 22:00	3.7	283	-12.4	1002
1/1/26 23:00	2.1	301	-13.1	1002
1/2/26 0:00	3.3	316	-13.1	1002
1/2/26 1:00	1.5	275	-13.0	1003
1/2/26 2:00	3.1	243	-13.2	1003
1/2/26 3:00	3.8	257	-13.1	1002
1/2/26 4:00	4.6	259	-12.3	1002
1/2/26 5:00	3.4	270	-12.2	1002
1/2/26 6:00	2.4	272	-12.5	1003
1/2/26 7:00	2.7	262	-12.6	1002
1/2/26 8:00	2.9	257	-11.6	1002
1/2/26 9:00	3.8	268	-9.6	1002
1/2/26 10:00	6.2	279	-8.0	1002
1/2/26 11:00	6.6	281	-7.0	1001
1/2/26 12:00	6.8	285	-6.0	1000
1/2/26 13:00	7.7	287	-6.0	1000
1/2/26 14:00	6.4	290	-6.0	999
1/2/26 15:00	5.3	309	-6.1	1000
1/2/26 16:00	4.0	316	-7.2	1000
1/2/26 17:00	1.5	348	-8.2	1001
1/2/26 18:00	2.5	236	-8.2	1001
1/2/26 19:00	3.6	258	-8.1	1002
1/2/26 20:00	2.4	247	-8.6	1002
1/2/26 21:00	2.0	226	-9.2	1002
1/2/26 22:00	2.8	238	-9.1	1002
1/2/26 23:00	3.2	234	-9.1	1003
1/3/26 0:00	3.6	230	-9.6	1002
1/3/26 1:00	3.4	224	-9.9	1003
1/3/26 2:00	3.0	232	-10.4	1003
1/3/26 3:00	3.2	235	-10.5	1003
1/3/26 4:00	3.7	239	-9.1	1004
1/3/26 5:00	4.2	231	-9.1	1005
1/3/26 6:00	2.4	271	-9.1	1005
1/3/26 7:00	3.0	221	-8.9	1006
1/3/26 8:00	3.3	217	-7.7	1007
1/3/26 9:00	3.6	222	-6.6	1007
1/3/26 10:00	4.1	261	-5.3	1007
1/3/26 11:00	6.7	280	-4.2	1007
1/3/26 12:00	6.1	276	-3.3	1006
1/3/26 13:00	7.2	279	-3.4	1006
1/3/26 14:00	7.4	274	-3.0	1007
1/3/26 15:00	6.2	272	-3.0	1008
1/3/26 16:00	3.6	260	-3.6	1008
1/3/26 17:00	2.5	274	-4.6	1009


Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (12/22/25 14:00 to 1/5/26 12:00)

1/3/26 18:00	1.8	232	-4.3	1010
1/3/26 19:00	1.6	229	-4.3	1010
1/3/26 20:00	1.9	265	-4.6	1010
1/3/26 21:00	1.7	280	-4.2	1010
1/3/26 22:00	2.0	315	-4.2	1011
1/3/26 23:00	1.5	339	-5.5	1011
1/4/26 0:00	2.7	33	-6.2	1011
1/4/26 1:00	2.8	28	-7.0	1012
1/4/26 2:00	2.9	33	-7.2	1012
1/4/26 3:00	2.7	33	-8.0	1012
1/4/26 4:00	2.5	26	-8.4	1013
1/4/26 5:00	2.6	27	-8.7	1014
1/4/26 6:00	3.5	50	-9.0	1014
1/4/26 7:00	3.3	26	-9.7	1014
1/4/26 8:00	2.6	4	-10.0	1015
1/4/26 9:00	1.9	17	-10.1	1015
1/4/26 10:00	1.7	23	-8.9	1015
1/4/26 11:00	1.6	337	-7.7	1014
1/4/26 12:00	1.5	230	-6.9	1013
1/4/26 13:00	1.5	355	-6.0	1013
1/4/26 14:00	2.2	27	-5.4	1013
1/4/26 15:00	2.5	357	-6.0	1013
1/4/26 16:00	1.5	150	-6.7	1013
1/4/26 17:00	2.8	346	-7.3	1014
1/4/26 18:00	3.1	348	-7.6	1014
1/4/26 19:00	2.9	343	-8.9	1015
1/4/26 20:00	3.0	328	-9.0	1015
1/4/26 21:00	2.3	323	-9.0	1016
1/4/26 22:00	3.8	319	-8.2	1016
1/4/26 23:00	2.7	321	-8.7	1016
1/5/26 0:00	2.8	306	-9.4	1017
1/5/26 1:00	4.9	328	-10.6	1018
1/5/26 2:00	3.2	319	-11.4	1018
1/5/26 3:00	2.8	317	-12.0	1019
1/5/26 4:00	1.3	330	-12.8	1019
1/5/26 5:00	ND	ND	-13.3	1020
1/5/26 6:00	1.7	327	-13.7	1020
1/5/26 7:00	1.5	250	-14.2	1020
1/5/26 8:00	1.9	252	-12.7	1021
1/5/26 9:00	1.7	283	-11.2	1021
1/5/26 10:00	1.6	285	-10.7	1021
1/5/26 11:00	2.0	259	-9.3	1020
1/5/26 12:00	2.1	242	-8.5	1019

Sprague South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (12/22/25 14:00 to 1/5/26 12:00)

PWM Wind Rose 12/22/25 14:00 - 1/5/26 12:00



Sprague South Portland Maine Terminal Fenceline Monitoring**Portland International Jet Airport (PWM) Meteorological Data (1/5/26 13:00 to 1/19/26 13:00)**

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
1/5/26 13:00	1.9	254	-7.8	1019
1/5/26 14:00	2.3	222	-7.0	1019
1/5/26 15:00	2.6	233	-7.1	1019
1/5/26 16:00	1.7	220	-7.1	1018
1/5/26 17:00	1.8	209	-7.1	1017
1/5/26 18:00	2.1	238	-7.1	1018
1/5/26 19:00	2.4	259	-7.8	1018
1/5/26 20:00	1.5	294	-8.1	1017
1/5/26 21:00	1.8	320	-8.1	1017
1/5/26 22:00	1.7	339	-8.1	1016
1/5/26 23:00	1.5	359	-8.1	1016
1/6/26 0:00	2.0	40	-8.1	1015
1/6/26 1:00	1.9	25	-7.5	1015
1/6/26 2:00	2.0	28	-7.6	1015
1/6/26 3:00	2.0	1	-7.8	1014
1/6/26 4:00	2.6	356	-7.1	1014
1/6/26 5:00	3.3	357	-7.1	1014
1/6/26 6:00	2.8	0	-7.1	1014
1/6/26 7:00	2.4	2	-7.7	1014
1/6/26 8:00	2.4	357	-8.1	1015
1/6/26 9:00	2.8	355	-6.6	1015
1/6/26 10:00	2.1	346	-5.2	1015
1/6/26 11:00	1.7	337	-4.0	1014
1/6/26 12:00	1.8	307	-3.5	1013
1/6/26 13:00	1.9	335	-2.2	1013
1/6/26 14:00	1.5	145	-2.1	1013
1/6/26 15:00	2.6	89	-3.0	1012
1/6/26 16:00	2.5	70	-3.1	1012
1/6/26 17:00	1.7	355	-3.2	1012
1/6/26 18:00	2.0	3	-4.1	1012
1/6/26 19:00	1.8	28	-4.0	1012
1/6/26 20:00	1.8	12	-4.1	1011
1/6/26 21:00	2.4	22	-4.1	1010
1/6/26 22:00	2.5	355	-4.1	1010
1/6/26 23:00	2.3	355	-4.3	1009
1/7/26 0:00	2.9	1	-4.4	1008
1/7/26 1:00	2.6	5	-4.1	1007
1/7/26 2:00	2.5	6	-4.2	1007
1/7/26 3:00	2.8	17	-4.2	1005
1/7/26 4:00	2.8	8	-4.1	1005
1/7/26 5:00	2.8	358	-4.1	1004
1/7/26 6:00	3.7	355	-4.0	1004
1/7/26 7:00	4.2	352	-3.6	1003
1/7/26 8:00	3.9	356	-3.1	1003
1/7/26 9:00	4.3	353	-3.0	1003
1/7/26 10:00	3.6	337	-2.5	1002
1/7/26 11:00	4.6	326	-1.9	1002

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (1/5/26 13:00 to 1/19/26 13:00)

1/7/26 12:00	3.7	330	-1.1	1001
1/7/26 13:00	3.4	323	-0.6	1001
1/7/26 14:00	2.6	334	0.0	1002
1/7/26 15:00	2.3	322	0.4	1002
1/7/26 16:00	2.9	314	0.9	1003
1/7/26 17:00	2.8	306	0.8	1004
1/7/26 18:00	2.8	309	0.8	1005
1/7/26 19:00	2.1	303	-0.1	1006
1/7/26 20:00	2.0	295	-0.5	1006
1/7/26 21:00	2.7	283	-0.7	1007
1/7/26 22:00	2.2	278	-0.4	1007
1/7/26 23:00	2.2	276	-1.1	1007
1/8/26 0:00	2.6	260	-1.0	1008
1/8/26 1:00	2.3	294	-1.6	1009
1/8/26 2:00	2.0	296	-3.1	1010
1/8/26 3:00	1.8	271	-3.6	1011
1/8/26 4:00	2.0	314	-3.4	1012
1/8/26 5:00	2.5	270	-2.3	1013
1/8/26 6:00	2.4	272	-2.4	1013
1/8/26 7:00	ND	ND	-3.8	1014
1/8/26 8:00	2.1	220	-2.5	1015
1/8/26 9:00	1.5	230	0.0	1016
1/8/26 10:00	2.0	295	2.2	1016
1/8/26 11:00	2.0	264	3.6	1017
1/8/26 12:00	2.6	244	4.6	1017
1/8/26 13:00	2.7	269	6.0	1017
1/8/26 14:00	2.9	281	5.9	1017
1/8/26 15:00	2.8	282	5.0	1018
1/8/26 16:00	0.5	110	3.5	1019
1/8/26 17:00	1.5	29	1.0	1020
1/8/26 18:00	1.6	356	0.4	1021
1/8/26 19:00	0.8	310	-1.1	1021
1/8/26 20:00	1.8	289	-2.4	1022
1/8/26 21:00	2.1	282	-3.5	1023
1/8/26 22:00	ND	ND	-4.0	1023
1/8/26 23:00	2.1	285	-4.7	1023
1/9/26 0:00	1.0	10	-5.0	1024
1/9/26 1:00	2.2	297	-6.1	1024
1/9/26 2:00	0.6	270	-5.6	1024
1/9/26 3:00	ND	ND	-6.5	1024
1/9/26 4:00	2.1	300	-7.6	1024
1/9/26 5:00	1.5	283	-7.1	1024
1/9/26 6:00	2.1	303	-6.9	1024
1/9/26 7:00	2.4	290	-6.4	1023
1/9/26 8:00	2.1	283	-4.5	1023
1/9/26 9:00	1.3	294	-2.4	1024
1/9/26 10:00	1.5	295	-0.6	1023
1/9/26 11:00	2.9	200	2.0	1022
1/9/26 12:00	3.8	191	3.2	1020

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (1/5/26 13:00 to 1/19/26 13:00)

1/9/26 13:00	4.2	177	4.0	1019
1/9/26 14:00	4.4	176	4.1	1018
1/9/26 15:00	4.8	188	4.6	1016
1/9/26 16:00	4.8	192	5.0	1015
1/9/26 17:00	4.6	187	5.0	1014
1/9/26 18:00	4.9	188	5.0	1013
1/9/26 19:00	4.5	198	5.2	1012
1/9/26 20:00	3.7	195	5.7	1011
1/9/26 21:00	1.9	171	4.6	1010
1/9/26 22:00	2.5	195	5.1	1009
1/9/26 23:00	4.3	226	6.0	1008
1/10/26 0:00	4.1	220	6.9	1008
1/10/26 1:00	4.9	248	7.2	1009
1/10/26 2:00	5.6	262	7.0	1010
1/10/26 3:00	2.3	272	6.2	1012
1/10/26 4:00	2.0	222	4.3	1014
1/10/26 5:00	1.5	275	1.9	1015
1/10/26 6:00	1.7	115	0.0	1017
1/10/26 7:00	2.2	297	-1.1	1017
1/10/26 8:00	2.3	230	1.5	1018
1/10/26 9:00	1.5	250	3.8	1019
1/10/26 10:00	1.6	253	5.5	1020
1/10/26 11:00	ND	ND	6.2	1019
1/10/26 12:00	1.5	110	7.1	1018
1/10/26 13:00	ND	ND	6.9	1018
1/10/26 14:00	ND	ND	6.4	1019
1/10/26 15:00	1.8	100	5.2	1019
1/10/26 16:00	1.9	103	3.6	1019
1/10/26 17:00	2.0	63	2.8	1019
1/10/26 18:00	ND	ND	2.6	1018
1/10/26 19:00	1.3	87	2.2	1017
1/10/26 20:00	1.8	103	2.0	1016
1/10/26 21:00	1.7	60	2.1	1015
1/10/26 22:00	3.7	113	3.4	1013
1/10/26 23:00	2.7	105	2.9	1012
1/11/26 0:00	4.1	111	2.6	1010
1/11/26 1:00	4.8	91	2.3	1008
1/11/26 2:00	4.4	67	2.7	1007
1/11/26 3:00	4.5	31	2.0	1006
1/11/26 4:00	4.4	11	1.0	1005
1/11/26 5:00	5.0	10	0.9	1005
1/11/26 6:00	4.7	11	0.9	1004
1/11/26 7:00	3.9	337	0.9	1004
1/11/26 8:00	3.1	344	0.9	1004
1/11/26 9:00	3.3	332	0.9	1004
1/11/26 10:00	3.3	340	1.1	1004
1/11/26 11:00	3.2	337	1.1	1002
1/11/26 12:00	2.4	325	1.8	1001
1/11/26 13:00	2.6	316	2.0	1001

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (1/5/26 13:00 to 1/19/26 13:00)

1/11/26 14:00	2.1	30	2.1	1001
1/11/26 15:00	1.8	28	2.3	1001
1/11/26 16:00	1.9	103	1.4	1001
1/11/26 17:00	1.8	159	1.0	1000
1/11/26 18:00	1.9	224	1.0	1000
1/11/26 19:00	3.8	264	1.6	1000
1/11/26 20:00	4.5	273	1.9	1000
1/11/26 21:00	3.8	274	1.0	1000
1/11/26 22:00	4.5	269	0.5	1000
1/11/26 23:00	5.2	269	0.0	1000
1/12/26 0:00	5.1	265	-0.1	1000
1/12/26 1:00	7.1	287	-0.9	1002
1/12/26 2:00	9.4	282	-2.1	1003
1/12/26 3:00	9.4	283	-3.3	1004
1/12/26 4:00	7.0	280	-4.1	1005
1/12/26 5:00	5.0	270	-4.1	1006
1/12/26 6:00	3.5	265	-5.0	1007
1/12/26 7:00	3.0	243	-5.0	1008
1/12/26 8:00	3.8	256	-3.8	1009
1/12/26 9:00	4.1	254	-2.8	1010
1/12/26 10:00	5.1	262	-1.6	1010
1/12/26 11:00	5.6	271	-1.1	1010
1/12/26 12:00	5.9	257	0.3	1010
1/12/26 13:00	6.6	264	0.9	1011
1/12/26 14:00	5.2	275	1.6	1011
1/12/26 15:00	6.2	263	1.5	1011
1/12/26 16:00	4.5	248	0.9	1012
1/12/26 17:00	3.1	234	0.9	1012
1/12/26 18:00	3.2	223	0.9	1012
1/12/26 19:00	3.3	211	0.9	1012
1/12/26 20:00	3.2	208	0.7	1012
1/12/26 21:00	2.9	217	0.9	1012
1/12/26 22:00	3.1	223	0.6	1012
1/12/26 23:00	4.0	221	-0.1	1012
1/13/26 0:00	3.4	215	-0.7	1012
1/13/26 1:00	3.6	221	-1.1	1012
1/13/26 2:00	2.7	244	-1.1	1012
1/13/26 3:00	1.7	238	-1.5	1012
1/13/26 4:00	2.2	237	-1.3	1012
1/13/26 5:00	2.0	246	-1.9	1012
1/13/26 6:00	2.0	237	-2.1	1012
1/13/26 7:00	2.4	245	-1.8	1012
1/13/26 8:00	3.3	244	-0.3	1013
1/13/26 9:00	3.3	246	1.6	1012
1/13/26 10:00	3.7	252	3.3	1012
1/13/26 11:00	3.5	248	4.0	1011
1/13/26 12:00	3.8	261	5.4	1010
1/13/26 13:00	2.9	234	5.6	1009
1/13/26 14:00	2.8	212	5.1	1009

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (1/5/26 13:00 to 1/19/26 13:00)

1/13/26 15:00	4.3	186	4.1	1009
1/13/26 16:00	3.8	188	2.9	1008
1/13/26 17:00	2.1	198	2.7	1008
1/13/26 18:00	1.4	160	1.9	1007
1/13/26 19:00	2.1	182	2.8	1006
1/13/26 20:00	3.9	189	3.9	1005
1/13/26 21:00	4.1	191	3.3	1005
1/13/26 22:00	4.4	190	2.9	1004
1/13/26 23:00	4.2	193	3.0	1003
1/14/26 0:00	4.3	197	3.8	1002
1/14/26 1:00	4.8	203	3.9	1001
1/14/26 2:00	4.0	200	3.9	1001
1/14/26 3:00	4.2	206	3.9	1000
1/14/26 4:00	3.2	215	3.5	1000
1/14/26 5:00	3.4	209	2.9	1000
1/14/26 6:00	3.5	210	2.9	1000
1/14/26 7:00	2.9	211	2.9	1001
1/14/26 8:00	2.9	215	4.7	1001
1/14/26 9:00	3.6	215	6.1	1001
1/14/26 10:00	4.2	209	7.1	1001
1/14/26 11:00	3.4	205	8.1	1000
1/14/26 12:00	3.5	190	8.0	999
1/14/26 13:00	2.7	164	7.3	999
1/14/26 14:00	1.8	172	7.0	999
1/14/26 15:00	1.9	158	6.3	999
1/14/26 16:00	1.5	200	5.9	999
1/14/26 17:00	1.5	200	5.7	1000
1/14/26 18:00	ND	ND	5.0	1000
1/14/26 19:00	ND	ND	4.1	1000
1/14/26 20:00	1.5	360	3.8	999
1/14/26 21:00	1.5	13	3.3	998
1/14/26 22:00	2.1	111	2.9	998
1/14/26 23:00	2.1	78	3.1	998
1/15/26 0:00	2.0	343	3.0	996
1/15/26 1:00	2.2	5	2.9	995
1/15/26 2:00	2.0	50	2.9	994
1/15/26 3:00	1.7	17	3.0	993
1/15/26 4:00	ND	ND	2.9	993
1/15/26 5:00	1.6	45	2.9	992
1/15/26 6:00	1.5	62	2.9	991
1/15/26 7:00	ND	ND	2.9	990
1/15/26 8:00	ND	ND	2.9	990
1/15/26 9:00	ND	ND	3.6	990
1/15/26 10:00	2.1	197	5.4	989
1/15/26 11:00	2.8	214	5.9	988
1/15/26 12:00	3.5	223	6.6	988
1/15/26 13:00	4.3	234	6.9	988
1/15/26 14:00	4.2	226	6.9	988
1/15/26 15:00	3.8	246	6.9	989

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (1/5/26 13:00 to 1/19/26 13:00)

1/15/26 16:00	2.2	260	5.3	989
1/15/26 17:00	1.5	ND	3.1	989
1/15/26 18:00	1.7	173	2.1	989
1/15/26 19:00	3.6	259	2.3	989
1/15/26 20:00	4.3	268	1.6	989
1/15/26 21:00	2.9	258	0.7	989
1/15/26 22:00	3.6	259	-0.5	989
1/15/26 23:00	4.8	262	-1.0	989
1/16/26 0:00	6.0	265	-2.0	989
1/16/26 1:00	6.3	271	-2.8	989
1/16/26 2:00	7.4	271	-3.5	990
1/16/26 3:00	7.2	273	-4.1	990
1/16/26 4:00	5.9	270	-4.1	990
1/16/26 5:00	6.3	269	-4.9	991
1/16/26 6:00	7.1	280	-6.1	992
1/16/26 7:00	8.7	279	-6.8	993
1/16/26 8:00	7.5	281	-7.1	995
1/16/26 9:00	7.8	284	-7.1	996
1/16/26 10:00	7.3	267	-6.8	997
1/16/26 11:00	7.3	268	-6.5	998
1/16/26 12:00	6.9	273	-5.6	999
1/16/26 13:00	6.7	268	-4.2	1000
1/16/26 14:00	7.0	274	-3.4	1002
1/16/26 15:00	6.2	269	-3.1	1004
1/16/26 16:00	4.7	264	-3.7	1007
1/16/26 17:00	3.6	270	-4.1	1009
1/16/26 18:00	2.5	271	-4.7	1011
1/16/26 19:00	1.9	255	-5.3	1012
1/16/26 20:00	2.0	12	-6.5	1013
1/16/26 21:00	1.9	8	-7.4	1014
1/16/26 22:00	1.7	32	-7.0	1015
1/16/26 23:00	1.5	5	-6.1	1016
1/17/26 0:00	1.7	26	-6.1	1017
1/17/26 1:00	1.8	44	-6.1	1017
1/17/26 2:00	2.1	101	-5.2	1017
1/17/26 3:00	1.5	316	-4.9	1017
1/17/26 4:00	2.4	6	-5.5	1017
1/17/26 5:00	1.5	340	-5.1	1017
1/17/26 6:00	1.5	70	-5.1	1017
1/17/26 7:00	1.5	226	-4.3	1018
1/17/26 8:00	1.5	230	-3.4	1017
1/17/26 9:00	1.5	300	-3.1	1017
1/17/26 10:00	ND	ND	-2.3	1017
1/17/26 11:00	1.6	300	-1.9	1016
1/17/26 12:00	1.8	86	-1.1	1014
1/17/26 13:00	1.5	233	-1.0	1014
1/17/26 14:00	1.7	156	-1.1	1014
1/17/26 15:00	1.8	173	-1.1	1013
1/17/26 16:00	ND	ND	-1.1	1012


Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (1/5/26 13:00 to 1/19/26 13:00)

1/17/26 17:00	1.5	256	-1.1	1012
1/17/26 18:00	1.8	266	-1.1	1012
1/17/26 19:00	1.9	268	-1.6	1013
1/17/26 20:00	2.5	274	-3.4	1013
1/17/26 21:00	2.0	284	-4.1	1014
1/17/26 22:00	2.4	272	-4.1	1014
1/17/26 23:00	1.8	289	-4.4	1014
1/18/26 0:00	ND	ND	-5.8	1014
1/18/26 1:00	1.5	355	-5.9	1015
1/18/26 2:00	1.5	250	-5.9	1015
1/18/26 3:00	ND	ND	-6.9	1014
1/18/26 4:00	1.5	340	-7.3	1014
1/18/26 5:00	ND	ND	-6.8	1014
1/18/26 6:00	2.5	168	-5.4	1014
1/18/26 7:00	2.7	287	-4.1	1014
1/18/26 8:00	1.5	260	-3.1	1015
1/18/26 9:00	1.4	234	-2.5	1015
1/18/26 10:00	1.7	216	-1.8	1015
1/18/26 11:00	2.5	277	-0.1	1014
1/18/26 12:00	2.5	272	0.7	1013
1/18/26 13:00	2.0	260	0.9	1013
1/18/26 14:00	1.5	248	0.9	1013
1/18/26 15:00	0.8	120	0.7	1011
1/18/26 16:00	1.3	ND	0.0	1011
1/18/26 17:00	1.5	20	-1.0	1010
1/18/26 18:00	ND	ND	-0.9	1010
1/18/26 19:00	2.5	33	-0.9	1009
1/18/26 20:00	2.4	23	-1.1	1008
1/18/26 21:00	2.7	20	-1.1	1008
1/18/26 22:00	3.4	9	-1.2	1007
1/18/26 23:00	3.0	14	-2.0	1006
1/19/26 0:00	3.1	8	-2.0	1005
1/19/26 1:00	3.3	358	-2.1	1005
1/19/26 2:00	3.6	8	-2.4	1005
1/19/26 3:00	2.9	354	-3.0	1005
1/19/26 4:00	3.0	351	-3.1	1005
1/19/26 5:00	2.3	352	-3.2	1005
1/19/26 6:00	1.9	354	-3.1	1006
1/19/26 7:00	1.8	334	-3.2	1006
1/19/26 8:00	2.0	341	-3.1	1007
1/19/26 9:00	1.5	350	-3.0	1007
1/19/26 10:00	ND	ND	-3.0	1007
1/19/26 11:00	ND	ND	-2.5	1007
1/19/26 12:00	2.5	151	-2.0	1006
1/19/26 13:00	2.9	190	-2.0	1005

Sprague South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (1/5/26 13:00 to 1/19/26 13:00)

PWM Wind Rose 1/5/26 13:00 - 1/19/26 13:00



Sprague South Portland Maine Terminal Fenceline Monitoring**Portland International Jet Airport (PWM) Meteorological Data (1/19/26 13:00 to 2/3/26 12:00)**

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
1/19/26 13:00	2.9	190	-2.0	1005
1/19/26 14:00	2.5	199	-1.5	1005
1/19/26 15:00	2.6	213	-1.1	1005
1/19/26 16:00	2.7	211	-1.1	1006
1/19/26 17:00	2.9	214	-1.8	1006
1/19/26 18:00	5.6	234	-2.1	1007
1/19/26 19:00	6.0	257	-2.8	1008
1/19/26 20:00	5.0	240	-3.8	1008
1/19/26 21:00	2.8	235	-4.6	1009
1/19/26 22:00	2.4	215	-6.1	1010
1/19/26 23:00	4.2	220	-6.1	1010
1/20/26 0:00	3.9	214	-6.1	1010
1/20/26 1:00	3.4	215	-7.0	1011
1/20/26 2:00	3.1	226	-7.3	1012
1/20/26 3:00	1.7	276	-8.4	1012
1/20/26 4:00	2.3	248	-9.0	1013
1/20/26 5:00	2.0	234	-9.0	1013
1/20/26 6:00	2.2	242	-9.7	1014
1/20/26 7:00	1.9	234	-10.4	1014
1/20/26 8:00	3.3	248	-8.3	1014
1/20/26 9:00	3.4	264	-7.1	1015
1/20/26 10:00	4.5	271	-6.1	1015
1/20/26 11:00	5.2	271	-6.0	1015
1/20/26 12:00	5.4	279	-5.7	1015
1/20/26 13:00	5.2	274	-6.0	1015
1/20/26 14:00	5.9	305	-6.6	1016
1/20/26 15:00	4.7	302	-7.1	1017
1/20/26 16:00	5.8	274	-7.8	1018
1/20/26 17:00	3.7	271	-8.3	1020
1/20/26 18:00	2.8	252	-9.1	1021
1/20/26 19:00	3.0	243	-9.8	1022
1/20/26 20:00	3.4	225	-10.4	1023
1/20/26 21:00	3.4	220	-11.1	1024
1/20/26 22:00	3.8	226	-11.1	1024
1/20/26 23:00	3.1	218	-11.9	1025
1/21/26 0:00	4.2	211	-12.1	1025
1/21/26 1:00	4.2	221	-12.1	1026
1/21/26 2:00	3.8	231	-12.1	1026
1/21/26 3:00	3.1	234	-12.7	1027
1/21/26 4:00	3.1	239	-13.1	1027
1/21/26 5:00	3.6	230	-13.1	1028
1/21/26 6:00	3.7	231	-13.2	1028
1/21/26 7:00	3.8	242	-13.1	1029
1/21/26 8:00	4.3	242	-11.8	1029
1/21/26 9:00	3.6	242	-10.1	1029
1/21/26 10:00	3.4	251	-8.4	1028
1/21/26 11:00	2.2	249	-6.6	1027

Sprague South Portland Maine Terminal Fenceline Monitoring**Portland International Jet Airport (PWM) Meteorological Data (1/19/26 13:00 to 2/3/26 12:00)**

1/21/26 12:00	2.2	216	-6.0	1026
1/21/26 13:00	3.4	202	-6.0	1025
1/21/26 14:00	3.8	214	-5.8	1024
1/21/26 15:00	3.6	199	-5.9	1024
1/21/26 16:00	3.4	208	-6.0	1023
1/21/26 17:00	2.7	216	-6.0	1023
1/21/26 18:00	4.3	203	-5.0	1022
1/21/26 19:00	4.5	232	-6.0	1022
1/21/26 20:00	2.4	273	-6.1	1021
1/21/26 21:00	1.5	245	-5.6	1020
1/21/26 22:00	1.6	282	-4.6	1019
1/21/26 23:00	1.7	254	-4.3	1018
1/22/26 0:00	1.5	263	-4.2	1016
1/22/26 1:00	2.1	287	-4.5	1015
1/22/26 2:00	1.9	290	-4.5	1014
1/22/26 3:00	1.9	292	-4.2	1013
1/22/26 4:00	ND	ND	-4.1	1011
1/22/26 5:00	2.2	310	-4.1	1010
1/22/26 6:00	2.1	350	-4.1	1010
1/22/26 7:00	1.8	295	-4.2	1010
1/22/26 8:00	2.3	284	-4.1	1010
1/22/26 9:00	2.3	274	-4.3	1010
1/22/26 10:00	2.0	249	-3.0	1010
1/22/26 11:00	2.6	235	-0.2	1009
1/22/26 12:00	3.5	244	2.8	1008
1/22/26 13:00	5.9	258	4.4	1007
1/22/26 14:00	6.7	255	4.3	1008
1/22/26 15:00	5.4	269	3.9	1008
1/22/26 16:00	4.7	267	3.0	1009
1/22/26 17:00	5.5	250	1.9	1010
1/22/26 18:00	5.7	257	1.5	1011
1/22/26 19:00	5.4	282	0.1	1012
1/22/26 20:00	3.0	287	-1.4	1012
1/22/26 21:00	2.2	258	-1.1	1012
1/22/26 22:00	1.8	219	-1.8	1012
1/22/26 23:00	2.4	214	-1.8	1012
1/23/26 0:00	2.4	229	-2.2	1012
1/23/26 1:00	2.4	214	-3.0	1012
1/23/26 2:00	3.7	256	-3.1	1012
1/23/26 3:00	3.2	252	-3.4	1013
1/23/26 4:00	3.2	261	-4.2	1013
1/23/26 5:00	3.6	256	-4.1	1013
1/23/26 6:00	3.1	251	-5.6	1014
1/23/26 7:00	3.5	248	-6.1	1014
1/23/26 8:00	3.8	253	-5.1	1014
1/23/26 9:00	4.3	255	-3.7	1014
1/23/26 10:00	6.5	258	-3.1	1014
1/23/26 11:00	6.6	261	-2.5	1013
1/23/26 12:00	7.6	279	-2.3	1012

Sprague South Portland Maine Terminal Fenceline Monitoring**Portland International Jet Airport (PWM) Meteorological Data (1/19/26 13:00 to 2/3/26 12:00)**

1/23/26 13:00	7.1	282	-3.2	1012
1/23/26 14:00	6.3	274	-3.9	1013
1/23/26 15:00	6.9	274	-4.1	1013
1/23/26 16:00	7.1	268	-5.0	1014
1/23/26 17:00	5.7	298	-6.6	1015
1/23/26 18:00	6.9	299	-7.1	1015
1/23/26 19:00	6.7	289	-7.4	1016
1/23/26 20:00	6.3	289	-8.1	1017
1/23/26 21:00	6.3	307	-9.3	1018
1/23/26 22:00	5.2	320	-10.9	1019
1/23/26 23:00	5.3	320	-11.8	1020
1/24/26 0:00	6.7	312	-12.4	1021
1/24/26 1:00	6.8	312	-13.1	1022
1/24/26 2:00	7.1	310	-13.7	1023
1/24/26 3:00	6.3	308	-15.0	1024
1/24/26 4:00	7.0	308	-16.2	1025
1/24/26 5:00	5.6	295	-17.1	1026
1/24/26 6:00	5.4	289	-18.0	1027
1/24/26 7:00	5.0	298	-18.1	1028
1/24/26 8:00	4.7	297	-17.4	1029
1/24/26 9:00	3.8	313	-16.4	1030
1/24/26 10:00	4.5	314	-15.2	1030
1/24/26 11:00	4.8	315	-13.9	1030
1/24/26 12:00	3.9	336	-12.8	1029
1/24/26 13:00	3.8	321	-12.1	1029
1/24/26 14:00	5.2	324	-11.2	1029
1/24/26 15:00	4.2	323	-11.5	1030
1/24/26 16:00	3.8	319	-12.8	1031
1/24/26 17:00	2.4	312	-13.8	1032
1/24/26 18:00	2.5	272	-14.5	1033
1/24/26 19:00	3.1	269	-15.9	1033
1/24/26 20:00	3.1	284	-17.2	1033
1/24/26 21:00	2.3	294	-18.0	1034
1/24/26 22:00	2.4	282	-18.0	1034
1/24/26 23:00	1.8	300	-18.6	1035
1/25/26 0:00	1.9	311	-19.0	1035
1/25/26 1:00	2.1	350	-18.7	1035
1/25/26 2:00	1.7	350	-19.1	1035
1/25/26 3:00	2.0	17	-18.7	1035
1/25/26 4:00	1.7	330	-19.9	1035
1/25/26 5:00	1.8	360	-19.2	1035
1/25/26 6:00	2.0	350	-18.8	1036
1/25/26 7:00	2.1	360	-18.1	1036
1/25/26 8:00	2.6	32	-17.1	1035
1/25/26 9:00	2.5	21	-16.9	1035
1/25/26 10:00	1.9	6	-16.1	1035
1/25/26 11:00	ND	ND	-15.6	1033
1/25/26 12:00	2.3	25	-15.0	1032
1/25/26 13:00	2.7	31	-14.3	1031

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (1/19/26 13:00 to 2/3/26 12:00)

1/25/26 14:00	3.6	27	-14.9	1029
1/25/26 15:00	4.0	22	-15.1	1028
1/25/26 16:00	3.9	23	-15.1	1026
1/25/26 17:00	4.6	24	-14.4	1025
1/25/26 18:00	5.6	23	-14.8	1024
1/25/26 19:00	6.2	23	-14.1	1023
1/25/26 20:00	6.3	21	-14.1	1020
1/25/26 21:00	5.6	18	-14.1	1018
1/25/26 22:00	6.2	18	-14.1	1016
1/25/26 23:00	6.0	11	-14.1	1016
1/26/26 0:00	5.9	18	-14.3	1014
1/26/26 1:00	6.8	22	-14.1	1013
1/26/26 2:00	6.9	17	-13.7	1011
1/26/26 3:00	6.4	10	-13.1	1010
1/26/26 4:00	6.4	4	-13.1	1009
1/26/26 5:00	6.0	8	-13.0	1009
1/26/26 6:00	5.9	7	-13.0	1008
1/26/26 7:00	6.5	6	-13.0	1008
1/26/26 8:00	5.6	10	-12.4	1008
1/26/26 9:00	5.3	9	-12.0	1008
1/26/26 10:00	5.6	11	-12.0	1007
1/26/26 11:00	5.4	17	-11.8	1006
1/26/26 12:00	4.8	17	-11.1	1006
1/26/26 13:00	4.8	17	-9.9	1005
1/26/26 14:00	4.8	14	-9.1	1004
1/26/26 15:00	4.8	16	-9.7	1004
1/26/26 16:00	4.3	10	-10.7	1003
1/26/26 17:00	4.0	12	-10.9	1003
1/26/26 18:00	4.1	353	-11.1	1003
1/26/26 19:00	4.5	321	-11.1	1004
1/26/26 20:00	5.4	347	-11.1	1003
1/26/26 21:00	4.9	340	-11.1	1003
1/26/26 22:00	4.8	342	-11.0	1002
1/26/26 23:00	4.4	323	-11.0	1002
1/27/26 0:00	4.1	321	-10.9	1002
1/27/26 1:00	4.8	315	-10.6	1003
1/27/26 2:00	7.4	325	-10.4	1004
1/27/26 3:00	5.2	321	-11.2	1006
1/27/26 4:00	3.6	307	-12.7	1007
1/27/26 5:00	2.6	287	-13.9	1008
1/27/26 6:00	1.9	285	-14.3	1009
1/27/26 7:00	1.7	213	-15.9	1010
1/27/26 8:00	1.9	274	-14.3	1010
1/27/26 9:00	2.1	280	-11.3	1011
1/27/26 10:00	4.3	284	-10.8	1010
1/27/26 11:00	3.5	299	-9.3	1010
1/27/26 12:00	3.4	326	-8.7	1009
1/27/26 13:00	3.4	271	-8.1	1009
1/27/26 14:00	3.9	261	-8.8	1008

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (1/19/26 13:00 to 2/3/26 12:00)

1/27/26 15:00	3.0	266	-9.0	1008
1/27/26 16:00	2.9	268	-9.0	1008
1/27/26 17:00	2.1	247	-9.1	1009
1/27/26 18:00	1.8	209	-9.1	1009
1/27/26 19:00	1.5	210	-10.1	1009
1/27/26 20:00	1.7	253	-11.0	1009
1/27/26 21:00	2.3	271	-12.1	1009
1/27/26 22:00	2.8	313	-12.6	1009
1/27/26 23:00	2.0	284	-13.3	1009
1/28/26 0:00	1.9	277	-13.2	1009
1/28/26 1:00	1.8	272	-13.4	1009
1/28/26 2:00	1.9	294	-14.8	1009
1/28/26 3:00	2.4	287	-15.0	1010
1/28/26 4:00	2.5	291	-15.7	1010
1/28/26 5:00	2.3	278	-16.6	1011
1/28/26 6:00	2.2	278	-17.8	1012
1/28/26 7:00	2.5	278	-16.6	1012
1/28/26 8:00	2.1	279	-14.5	1013
1/28/26 9:00	2.7	279	-11.9	1013
1/28/26 10:00	4.3	279	-9.2	1013
1/28/26 11:00	4.9	291	-8.2	1013
1/28/26 12:00	3.8	295	-7.3	1012
1/28/26 13:00	3.8	318	-6.7	1011
1/28/26 14:00	3.2	322	-6.0	1011
1/28/26 15:00	2.4	338	-6.6	1011
1/28/26 16:00	1.9	339	-6.7	1011
1/28/26 17:00	2.1	340	-7.8	1012
1/28/26 18:00	2.0	304	-9.4	1012
1/28/26 19:00	1.6	294	-9.7	1012
1/28/26 20:00	ND	ND	-11.4	1012
1/28/26 21:00	1.5	287	-12.1	1012
1/28/26 22:00	1.1	297	-13.1	1012
1/28/26 23:00	1.6	283	-13.1	1011
1/29/26 0:00	1.4	278	-13.5	1011
1/29/26 1:00	1.9	285	-13.2	1011
1/29/26 2:00	1.8	298	-13.6	1011
1/29/26 3:00	2.3	300	-14.1	1010
1/29/26 4:00	3.2	313	-15.6	1010
1/29/26 5:00	2.3	312	-14.7	1011
1/29/26 6:00	1.7	283	-15.2	1011
1/29/26 7:00	2.0	287	-16.0	1011
1/29/26 8:00	1.8	282	-13.5	1012
1/29/26 9:00	2.3	291	-12.3	1012
1/29/26 10:00	2.4	305	-9.7	1011
1/29/26 11:00	3.4	305	-7.8	1010
1/29/26 12:00	3.5	317	-6.8	1009
1/29/26 13:00	3.8	320	-6.2	1009
1/29/26 14:00	4.5	324	-6.2	1008
1/29/26 15:00	4.0	314	-6.7	1009

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (1/19/26 13:00 to 2/3/26 12:00)

1/29/26 16:00	4.9	312	-7.1	1009
1/29/26 17:00	3.9	295	-8.4	1010
1/29/26 18:00	3.5	269	-8.9	1010
1/29/26 19:00	3.6	260	-9.1	1010
1/29/26 20:00	4.0	260	-10.0	1010
1/29/26 21:00	3.0	249	-11.0	1010
1/29/26 22:00	3.1	264	-12.0	1009
1/29/26 23:00	2.9	283	-13.1	1009
1/30/26 0:00	4.0	303	-14.4	1009
1/30/26 1:00	2.8	297	-16.1	1009
1/30/26 2:00	3.2	273	-15.2	1009
1/30/26 3:00	3.9	271	-15.2	1008
1/30/26 4:00	3.7	269	-15.1	1008
1/30/26 5:00	3.2	275	-15.6	1008
1/30/26 6:00	3.9	271	-16.0	1009
1/30/26 7:00	3.9	277	-16.0	1009
1/30/26 8:00	4.3	275	-15.9	1009
1/30/26 9:00	4.3	284	-14.4	1009
1/30/26 10:00	4.5	307	-12.9	1009
1/30/26 11:00	4.0	321	-12.1	1009
1/30/26 12:00	3.7	320	-11.5	1009
1/30/26 13:00	3.2	317	-9.6	1009
1/30/26 14:00	3.0	280	-9.1	1009
1/30/26 15:00	3.6	264	-9.0	1009
1/30/26 16:00	3.7	295	-9.9	1010
1/30/26 17:00	3.8	330	-11.3	1011
1/30/26 18:00	4.2	325	-12.5	1012
1/30/26 19:00	3.4	320	-13.8	1013
1/30/26 20:00	3.2	325	-14.1	1014
1/30/26 21:00	2.5	326	-15.5	1014
1/30/26 22:00	2.1	333	-16.2	1014
1/30/26 23:00	2.3	301	-17.0	1015
1/31/26 0:00	1.9	305	-17.0	1015
1/31/26 1:00	1.5	276	-17.6	1015
1/31/26 2:00	1.9	283	-19.3	1015
1/31/26 3:00	2.1	277	-20.8	1016
1/31/26 4:00	1.8	290	-21.1	1016
1/31/26 5:00	1.7	278	-20.3	1016
1/31/26 6:00	1.9	287	-20.9	1016
1/31/26 7:00	1.8	292	-20.7	1017
1/31/26 8:00	2.0	277	-18.0	1017
1/31/26 9:00	2.4	281	-15.2	1017
1/31/26 10:00	2.1	289	-12.1	1017
1/31/26 11:00	2.9	285	-10.4	1017
1/31/26 12:00	3.8	289	-9.0	1016
1/31/26 13:00	3.1	298	-7.6	1015
1/31/26 14:00	2.5	358	-7.0	1015
1/31/26 15:00	3.1	354	-7.0	1015
1/31/26 16:00	2.1	353	-7.9	1016

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (1/19/26 13:00 to 2/3/26 12:00)


1/31/26 17:00	2.1	ND	-9.7	1016
1/31/26 18:00	1.8	344	-11.0	1017
1/31/26 19:00	2.7	347	-12.7	1017
1/31/26 20:00	2.8	12	-11.9	1017
1/31/26 21:00	4.3	348	-13.1	1017
1/31/26 22:00	3.9	5	-13.2	1017
1/31/26 23:00	3.6	5	-14.1	1016
2/1/26 0:00	3.1	24	-14.2	1015
2/1/26 1:00	3.6	4	-15.5	1015
2/1/26 2:00	2.6	354	-16.4	1014
2/1/26 3:00	3.1	9	-16.3	1014
2/1/26 4:00	3.3	356	-16.1	1013
2/1/26 5:00	4.0	4	-16.1	1011
2/1/26 6:00	4.6	1	-15.8	1011
2/1/26 7:00	4.3	2	-15.2	1011
2/1/26 8:00	6.1	358	-14.1	1010
2/1/26 9:00	7.5	2	-12.5	1009
2/1/26 10:00	7.7	3	-11.1	1008
2/1/26 11:00	8.3	7	-9.3	1007
2/1/26 12:00	7.3	3	-7.8	1005
2/1/26 13:00	6.8	359	-6.6	1004
2/1/26 14:00	6.6	357	-5.9	1003
2/1/26 15:00	6.5	357	-4.7	1003
2/1/26 16:00	5.3	359	-4.0	1002
2/1/26 17:00	3.7	345	-4.7	1002
2/1/26 18:00	3.8	334	-4.8	1002
2/1/26 19:00	4.8	337	-5.6	1002
2/1/26 20:00	5.3	337	-6.1	1002
2/1/26 21:00	6.3	338	-6.4	1002
2/1/26 22:00	5.8	336	-7.1	1003
2/1/26 23:00	4.8	326	-7.6	1003
2/2/26 0:00	3.8	322	-8.2	1004
2/2/26 1:00	3.7	323	-8.7	1004
2/2/26 2:00	4.3	329	-8.5	1005
2/2/26 3:00	3.8	330	-9.1	1005
2/2/26 4:00	3.4	331	-9.1	1006
2/2/26 5:00	2.9	339	-9.8	1007
2/2/26 6:00	1.7	356	-10.1	1007
2/2/26 7:00	3.6	340	-9.7	1008
2/2/26 8:00	3.5	331	-8.3	1008
2/2/26 9:00	4.3	331	-6.3	1008
2/2/26 10:00	5.1	325	-4.2	1009
2/2/26 11:00	4.6	313	-2.6	1008
2/2/26 12:00	4.0	306	-1.3	1008
2/2/26 13:00	4.8	298	-0.3	1007
2/2/26 14:00	4.9	319	0.8	1008
2/2/26 15:00	4.5	323	1.0	1008
2/2/26 16:00	3.6	326	-0.1	1009
2/2/26 17:00	3.1	321	-1.3	1009

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (1/19/26 13:00 to 2/3/26 12:00)

2/2/26 18:00	3.7	325	-2.1	1010
2/2/26 19:00	3.6	334	-2.9	1011
2/2/26 20:00	3.6	332	-3.3	1011
2/2/26 21:00	4.0	333	-4.1	1012
2/2/26 22:00	3.7	335	-5.1	1012
2/2/26 23:00	3.0	328	-6.0	1013
2/3/26 0:00	1.7	298	-7.0	1013
2/3/26 1:00	1.5	315	-8.3	1014
2/3/26 2:00	1.8	292	-9.7	1014
2/3/26 3:00	1.8	308	-10.7	1015
2/3/26 4:00	1.8	279	-11.6	1015
2/3/26 5:00	1.8	286	-12.2	1015
2/3/26 6:00	2.1	296	-12.6	1015
2/3/26 7:00	2.3	293	-11.8	1016
2/3/26 8:00	2.5	280	-10.1	1016
2/3/26 9:00	2.1	283	-6.7	1017
2/3/26 10:00	ND	ND	-4.6	1017
2/3/26 11:00	ND	ND	-2.5	1016
2/3/26 12:00	3.1	123	-0.9	1016

PWM Wind Rose 1/19/26 13:00 - 2/3/26 12:00



Sprague South Portland Maine Terminal Fenceline Monitoring**Portland International Jet Airport (PWM) Meteorological Data (2/3/26 12:00 to 2/17/26 11:00)**

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
2/3/26 12:00	3.1	123	-0.9	1016
2/3/26 13:00	3.5	152	-1.0	1016
2/3/26 14:00	3.2	163	-1.0	1015
2/3/26 15:00	3.5	156	-1.8	1015
2/3/26 16:00	2.5	168	-2.0	1015
2/3/26 17:00	1.4	195	-3.2	1016
2/3/26 18:00	1.4	ND	-4.5	1016
2/3/26 19:00	ND	ND	-5.9	1016
2/3/26 20:00	ND	ND	-7.1	1016
2/3/26 21:00	ND	ND	-8.6	1015
2/3/26 22:00	1.5	280	-9.2	1015
2/3/26 23:00	1.5	280	-10.3	1015
2/4/26 0:00	1.4	290	-11.4	1015
2/4/26 1:00	1.9	287	-13.6	1015
2/4/26 2:00	2.4	283	-12.6	1015
2/4/26 3:00	2.6	290	-11.2	1015
2/4/26 4:00	2.6	290	-9.6	1014
2/4/26 5:00	2.8	281	-9.1	1014
2/4/26 6:00	3.2	291	-8.9	1014
2/4/26 7:00	2.8	294	-8.4	1015
2/4/26 8:00	2.6	284	-7.5	1015
2/4/26 9:00	3.0	301	-6.1	1015
2/4/26 10:00	4.8	303	-4.6	1015
2/4/26 11:00	4.6	310	-3.6	1015
2/4/26 12:00	5.4	332	-2.0	1015
2/4/26 13:00	6.1	307	-1.0	1014
2/4/26 14:00	6.8	314	-0.5	1014
2/4/26 15:00	5.6	320	-0.7	1015
2/4/26 16:00	4.9	335	-1.4	1015
2/4/26 17:00	4.0	328	-2.3	1015
2/4/26 18:00	4.1	327	-3.1	1016
2/4/26 19:00	3.1	323	-3.9	1016
2/4/26 20:00	2.1	303	-5.8	1016
2/4/26 21:00	1.7	259	-6.4	1016
2/4/26 22:00	2.2	283	-7.8	1016
2/4/26 23:00	1.6	263	-9.3	1016
2/5/26 0:00	1.8	259	-10.6	1015
2/5/26 1:00	1.5	263	-12.0	1015
2/5/26 2:00	2.0	292	-12.4	1015
2/5/26 3:00	1.9	292	-12.4	1014
2/5/26 4:00	1.9	295	-13.4	1014
2/5/26 5:00	1.7	271	-12.7	1014
2/5/26 6:00	2.2	282	-12.8	1014
2/5/26 7:00	2.2	285	-13.1	1014
2/5/26 8:00	2.3	284	-10.7	1014
2/5/26 9:00	1.8	300	-7.0	1014

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (2/3/26 12:00 to 2/17/26 11:00)

2/5/26 10:00	2.4	329	-3.1	1013
2/5/26 11:00	2.8	332	-2.2	1013
2/5/26 12:00	2.4	322	-1.3	1012
2/5/26 13:00	2.3	1	-0.9	1011
2/5/26 14:00	1.7	42	-0.5	1011
2/5/26 15:00	1.6	91	-1.0	1011
2/5/26 16:00	2.3	170	-1.8	1011
2/5/26 17:00	2.4	200	-3.4	1011
2/5/26 18:00	1.9	7	-3.9	1011
2/5/26 19:00	2.3	10	-3.5	1012
2/5/26 20:00	2.3	22	-4.1	1012
2/5/26 21:00	3.1	36	-4.9	1012
2/5/26 22:00	2.8	24	-6.7	1012
2/5/26 23:00	3.5	22	-7.5	1012
2/6/26 0:00	3.7	32	-8.2	1011
2/6/26 1:00	3.9	34	-9.2	1011
2/6/26 2:00	3.1	19	-10.4	1011
2/6/26 3:00	2.2	18	-11.3	1011
2/6/26 4:00	3.0	9	-12.1	1010
2/6/26 5:00	2.7	8	-12.1	1010
2/6/26 6:00	2.1	344	-12.8	1010
2/6/26 7:00	2.8	4	-12.4	1009
2/6/26 8:00	3.2	16	-11.6	1009
2/6/26 9:00	3.9	11	-10.8	1008
2/6/26 10:00	3.0	3	-8.6	1007
2/6/26 11:00	2.1	2	-6.8	1006
2/6/26 12:00	2.8	64	-6.0	1004
2/6/26 13:00	2.4	77	-5.8	1003
2/6/26 14:00	2.5	72	-5.8	1003
2/6/26 15:00	1.8	75	-5.6	1002
2/6/26 16:00	1.8	50	-6.1	1002
2/6/26 17:00	1.5	360	-6.4	1002
2/6/26 18:00	2.4	38	-6.7	1002
2/6/26 19:00	2.4	30	-7.1	1001
2/6/26 20:00	2.2	25	-7.9	1001
2/6/26 21:00	2.1	23	-8.1	1001
2/6/26 22:00	2.3	21	-8.1	1000
2/6/26 23:00	2.1	17	-8.1	1000
2/7/26 0:00	2.3	17	-8.1	1000
2/7/26 1:00	3.3	1	-8.8	1000
2/7/26 2:00	2.7	3	-9.1	999
2/7/26 3:00	3.2	18	-9.1	999
2/7/26 4:00	3.1	11	-9.3	999
2/7/26 5:00	3.5	12	-10.1	998
2/7/26 6:00	3.3	6	-10.1	998
2/7/26 7:00	3.4	1	-9.9	999
2/7/26 8:00	3.7	4	-9.1	999
2/7/26 9:00	4.3	8	-8.3	999
2/7/26 10:00	4.3	353	-7.8	999

Sprague South Portland Maine Terminal Fenceline Monitoring**Portland International Jet Airport (PWM) Meteorological Data (2/3/26 12:00 to 2/17/26 11:00)**

2/7/26 11:00	4.9	356	-6.9	998
2/7/26 12:00	5.2	354	-6.0	998
2/7/26 13:00	6.0	357	-4.9	998
2/7/26 14:00	6.5	359	-4.4	999
2/7/26 15:00	6.8	360	-4.1	1000
2/7/26 16:00	6.6	357	-4.2	1001
2/7/26 17:00	7.6	335	-6.9	1002
2/7/26 18:00	8.0	335	-8.6	1003
2/7/26 19:00	7.1	326	-9.9	1005
2/7/26 20:00	7.5	324	-11.2	1005
2/7/26 21:00	6.8	321	-12.0	1007
2/7/26 22:00	7.2	321	-12.9	1007
2/7/26 23:00	8.2	323	-13.1	1007
2/8/26 0:00	9.0	321	-13.1	1008
2/8/26 1:00	9.7	323	-13.1	1008
2/8/26 2:00	8.8	320	-13.1	1009
2/8/26 3:00	8.7	321	-13.7	1009
2/8/26 4:00	7.6	321	-14.1	1010
2/8/26 5:00	6.8	322	-14.1	1010
2/8/26 6:00	6.9	325	-14.1	1011
2/8/26 7:00	6.2	325	-14.1	1011
2/8/26 8:00	7.0	324	-13.8	1011
2/8/26 9:00	7.1	329	-12.3	1011
2/8/26 10:00	8.2	327	-10.9	1011
2/8/26 11:00	8.4	320	-9.4	1011
2/8/26 12:00	7.2	324	-8.4	1010
2/8/26 13:00	7.8	328	-7.9	1010
2/8/26 14:00	7.5	323	-7.3	1010
2/8/26 15:00	6.6	330	-7.1	1011
2/8/26 16:00	6.8	328	-7.9	1012
2/8/26 17:00	7.3	325	-8.4	1012
2/8/26 18:00	7.9	327	-9.4	1013
2/8/26 19:00	6.5	331	-10.7	1014
2/8/26 20:00	5.2	326	-11.1	1014
2/8/26 21:00	5.2	331	-12.1	1014
2/8/26 22:00	5.6	324	-12.1	1015
2/8/26 23:00	5.7	318	-12.1	1015
2/9/26 0:00	6.6	313	-12.1	1015
2/9/26 1:00	4.6	315	-12.1	1015
2/9/26 2:00	3.3	316	-12.2	1015
2/9/26 3:00	2.4	267	-12.7	1014
2/9/26 4:00	2.3	265	-12.7	1015
2/9/26 5:00	2.5	240	-13.3	1014
2/9/26 6:00	2.5	279	-13.1	1015
2/9/26 7:00	3.1	282	-12.7	1015
2/9/26 8:00	3.4	301	-10.3	1015
2/9/26 9:00	4.2	305	-7.6	1015
2/9/26 10:00	6.3	324	-4.9	1015
2/9/26 11:00	8.5	318	-3.6	1014

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (2/3/26 12:00 to 2/17/26 11:00)

2/9/26 12:00	7.0	314	-2.8	1014
2/9/26 13:00	7.9	318	-2.0	1013
2/9/26 14:00	9.0	315	-2.0	1013
2/9/26 15:00	9.0	319	-2.0	1013
2/9/26 16:00	8.0	325	-2.3	1013
2/9/26 17:00	7.9	319	-3.1	1013
2/9/26 18:00	5.2	322	-3.9	1014
2/9/26 19:00	4.7	316	-4.6	1014
2/9/26 20:00	6.0	319	-5.6	1015
2/9/26 21:00	5.8	323	-6.1	1015
2/9/26 22:00	4.0	334	-6.7	1015
2/9/26 23:00	3.7	318	-7.5	1015
2/10/26 0:00	3.2	325	-7.9	1015
2/10/26 1:00	2.4	291	-9.1	1016
2/10/26 2:00	1.9	251	-10.4	1016
2/10/26 3:00	ND	ND	-11.7	1016
2/10/26 4:00	1.5	240	-12.3	1016
2/10/26 5:00	1.5	283	-13.1	1016
2/10/26 6:00	2.5	275	-13.9	1017
2/10/26 7:00	1.7	288	-12.7	1017
2/10/26 8:00	2.5	301	-10.9	1017
2/10/26 9:00	2.4	290	-6.3	1017
2/10/26 10:00	2.1	277	-3.2	1016
2/10/26 11:00	1.5	265	-1.4	1015
2/10/26 12:00	1.5	80	-0.2	1014
2/10/26 13:00	3.3	151	-0.9	1014
2/10/26 14:00	3.5	175	-1.7	1013
2/10/26 15:00	3.2	177	-2.0	1012
2/10/26 16:00	2.8	182	-2.0	1012
2/10/26 17:00	2.2	187	-2.0	1011
2/10/26 18:00	1.7	204	-1.6	1010
2/10/26 19:00	ND	ND	-1.2	1009
2/10/26 20:00	2.2	208	-1.5	1008
2/10/26 21:00	1.8	199	-2.1	1008
2/10/26 22:00	2.1	200	-2.1	1007
2/10/26 23:00	4.5	188	-1.7	1006
2/11/26 0:00	5.2	195	-2.1	1004
2/11/26 1:00	4.9	203	-2.1	1003
2/11/26 2:00	3.5	219	-2.1	1002
2/11/26 3:00	2.2	227	-2.1	1001
2/11/26 4:00	1.7	238	-2.4	1000
2/11/26 5:00	1.7	304	-3.0	1000
2/11/26 6:00	1.6	4	-3.0	999
2/11/26 7:00	1.6	332	-2.9	999
2/11/26 8:00	2.3	305	-2.1	999
2/11/26 9:00	3.3	300	-1.1	999
2/11/26 10:00	4.1	306	1.0	999
2/11/26 11:00	4.9	310	1.0	998
2/11/26 12:00	5.2	305	1.4	998

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (2/3/26 12:00 to 2/17/26 11:00)

2/11/26 13:00	4.0	327	1.9	997
2/11/26 14:00	3.8	329	1.9	997
2/11/26 15:00	3.3	348	1.2	997
2/11/26 16:00	2.7	354	0.9	998
2/11/26 17:00	1.6	335	0.0	998
2/11/26 18:00	2.4	344	-1.0	999
2/11/26 19:00	6.0	340	-1.3	1000
2/11/26 20:00	5.8	317	-2.7	1000
2/11/26 21:00	6.0	319	-3.7	1001
2/11/26 22:00	6.0	312	-4.2	1001
2/11/26 23:00	5.7	309	-4.2	1001
2/12/26 0:00	5.0	306	-4.1	1001
2/12/26 1:00	4.7	308	-4.1	1001
2/12/26 2:00	5.5	313	-3.9	1002
2/12/26 3:00	5.9	317	-3.1	1002
2/12/26 4:00	5.3	322	-3.1	1003
2/12/26 5:00	4.6	324	-3.1	1003
2/12/26 6:00	6.3	327	-3.1	1004
2/12/26 7:00	5.5	321	-3.1	1005
2/12/26 8:00	5.9	322	-3.1	1006
2/12/26 9:00	7.5	329	-1.7	1006
2/12/26 10:00	7.1	323	-0.5	1006
2/12/26 11:00	7.5	327	0.6	1006
2/12/26 12:00	6.4	324	1.1	1006
2/12/26 13:00	7.6	319	2.0	1006
2/12/26 14:00	8.0	323	1.9	1006
2/12/26 15:00	7.5	333	1.0	1006
2/12/26 16:00	6.0	333	0.5	1007
2/12/26 17:00	4.2	332	-0.9	1008
2/12/26 18:00	4.5	327	-1.8	1009
2/12/26 19:00	4.4	333	-2.9	1009
2/12/26 20:00	5.6	329	-3.4	1010
2/12/26 21:00	3.6	319	-4.6	1010
2/12/26 22:00	4.5	317	-5.4	1010
2/12/26 23:00	3.7	318	-6.1	1011
2/13/26 0:00	4.2	315	-6.1	1011
2/13/26 1:00	3.7	322	-6.2	1012
2/13/26 2:00	3.8	327	-7.0	1012
2/13/26 3:00	2.1	302	-7.1	1012
2/13/26 4:00	2.0	287	-8.2	1013
2/13/26 5:00	2.2	297	-8.7	1013
2/13/26 6:00	1.8	254	-8.8	1014
2/13/26 7:00	1.7	226	-8.5	1014
2/13/26 8:00	2.3	260	-6.5	1014
2/13/26 9:00	4.7	303	-3.3	1014
2/13/26 10:00	5.6	304	-1.3	1014
2/13/26 11:00	5.7	310	0.1	1014
2/13/26 12:00	6.1	301	1.3	1014
2/13/26 13:00	5.7	327	1.9	1013

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (2/3/26 12:00 to 2/17/26 11:00)


2/13/26 14:00	3.4	339	2.2	1013
2/13/26 15:00	2.6	354	2.2	1013
2/13/26 16:00	1.7	304	1.7	1013
2/13/26 17:00	1.7	214	-0.8	1014
2/13/26 18:00	1.6	216	-2.6	1014
2/13/26 19:00	ND	ND	-3.8	1014
2/13/26 20:00	1.7	279	-4.5	1014
2/13/26 21:00	2.6	280	-5.7	1014
2/13/26 22:00	2.1	220	-6.4	1014
2/13/26 23:00	1.5	310	-7.5	1014
2/14/26 0:00	1.5	340	-7.8	1014
2/14/26 1:00	ND	ND	-8.3	1013
2/14/26 2:00	1.7	290	-9.4	1013
2/14/26 3:00	1.6	313	-11.1	1013
2/14/26 4:00	1.9	298	-11.5	1013
2/14/26 5:00	ND	ND	-12.2	1013
2/14/26 6:00	2.1	280	-12.4	1013
2/14/26 7:00	1.7	297	-11.3	1014
2/14/26 8:00	2.1	281	-7.8	1013
2/14/26 9:00	1.7	277	-4.7	1013
2/14/26 10:00	1.5	295	-2.4	1013
2/14/26 11:00	1.5	288	-1.5	1012
2/14/26 12:00	2.5	290	-1.0	1012
2/14/26 13:00	3.0	289	-0.8	1012
2/14/26 14:00	2.9	288	0.3	1012
2/14/26 15:00	2.5	304	1.4	1012
2/14/26 16:00	2.0	38	0.2	1012
2/14/26 17:00	1.8	113	-1.7	1012
2/14/26 18:00	1.7	310	-2.1	1013
2/14/26 19:00	2.5	303	-3.0	1013
2/14/26 20:00	ND	ND	-4.3	1014
2/14/26 21:00	1.5	235	-6.2	1013
2/14/26 22:00	ND	ND	-7.3	1013
2/14/26 23:00	1.5	230	-8.3	1013
2/15/26 0:00	1.5	240	-6.5	1013
2/15/26 1:00	1.6	238	-7.1	1012
2/15/26 2:00	1.8	247	-6.3	1012
2/15/26 3:00	2.6	258	-6.4	1012
2/15/26 4:00	4.0	352	-5.8	1013
2/15/26 5:00	3.5	17	-5.9	1014
2/15/26 6:00	3.1	343	-6.3	1015
2/15/26 7:00	5.1	338	-6.3	1016
2/15/26 8:00	6.1	339	-6.0	1017
2/15/26 9:00	5.4	344	-5.4	1018
2/15/26 10:00	5.1	343	-4.2	1018
2/15/26 11:00	4.7	344	-3.3	1018
2/15/26 12:00	4.0	346	-2.1	1017
2/15/26 13:00	3.3	336	-0.9	1017
2/15/26 14:00	3.2	310	-0.9	1017

Sprague South Portland Maine Terminal Fenceline Monitoring**Portland International Jet Airport (PWM) Meteorological Data (2/3/26 12:00 to 2/17/26 11:00)**

2/15/26 15:00	2.5	289	-0.6	1017
2/15/26 16:00	2.0	307	-0.9	1018
2/15/26 17:00	1.5	267	-2.2	1018
2/15/26 18:00	1.5	230	-3.3	1019
2/15/26 19:00	ND	ND	-3.3	1019
2/15/26 20:00	1.5	300	-4.7	1019
2/15/26 21:00	ND	ND	-6.8	1019
2/15/26 22:00	1.5	290	-7.2	1019
2/15/26 23:00	ND	ND	-7.5	1020
2/16/26 0:00	1.7	280	-8.4	1020
2/16/26 1:00	1.8	288	-9.3	1020
2/16/26 2:00	1.6	316	-9.5	1020
2/16/26 3:00	1.8	304	-10.9	1019
2/16/26 4:00	2.2	290	-11.1	1020
2/16/26 5:00	2.1	302	-11.1	1020
2/16/26 6:00	1.8	340	-10.2	1020
2/16/26 7:00	2.0	310	-9.6	1021
2/16/26 8:00	2.2	349	-6.2	1021
2/16/26 9:00	1.3	347	-2.7	1021
2/16/26 10:00	1.8	58	-1.2	1021
2/16/26 11:00	2.5	59	-0.3	1020
2/16/26 12:00	2.1	91	1.0	1020
2/16/26 13:00	2.7	82	1.0	1019
2/16/26 14:00	2.6	93	1.0	1019
2/16/26 15:00	2.6	85	1.0	1019
2/16/26 16:00	3.0	102	0.1	1019
2/16/26 17:00	1.5	115	-1.2	1020
2/16/26 18:00	1.5	140	-2.9	1019
2/16/26 19:00	ND	ND	-3.3	1019
2/16/26 20:00	1.7	299	-3.9	1020
2/16/26 21:00	1.5	285	-4.7	1020
2/16/26 22:00	1.5	290	-4.7	1019
2/16/26 23:00	1.5	293	-6.2	1019
2/17/26 0:00	1.9	283	-6.5	1018
2/17/26 1:00	1.5	290	-7.4	1018
2/17/26 2:00	ND	ND	-7.5	1018
2/17/26 3:00	2.4	302	-7.1	1017
2/17/26 4:00	1.5	290	-6.2	1017
2/17/26 5:00	1.8	276	-5.8	1018
2/17/26 6:00	1.5	290	-5.1	1018
2/17/26 7:00	ND	ND	-4.7	1018
2/17/26 8:00	1.5	305	-3.6	1018
2/17/26 9:00	1.4	ND	-2.2	1018
2/17/26 10:00	1.8	199	-0.9	1018
2/17/26 11:00	2.5	195	0.9	1017

Sprague South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (2/3/26 12:00 to 2/17/26 11:00)

PWM Wind Rose 2/3/26 12:00 - 2/17/26 11:00



Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (2/17/26 11:00 to 3/3/26 11:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
2/17/26 11:00	2.5	195	0.9	1017
2/17/26 12:00	3.0	195	1.3	1016
2/17/26 13:00	3.4	179	2.0	1015
2/17/26 14:00	3.2	176	2.0	1015
2/17/26 15:00	3.6	178	2.0	1014
2/17/26 16:00	3.4	186	2.0	1015
2/17/26 17:00	3.0	197	1.3	1014
2/17/26 18:00	2.3	208	1.0	1014
2/17/26 19:00	2.6	209	1.0	1014
2/17/26 20:00	2.9	208	1.9	1014
2/17/26 21:00	1.2	203	1.2	1013
2/17/26 22:00	2.0	207	1.2	1013
2/17/26 23:00	1.7	214	-0.5	1012
2/18/26 0:00	0.5	278	-0.3	1011
2/18/26 1:00	0.6	256	-0.9	1012
2/18/26 2:00	2.4	222	-1.1	1011
2/18/26 3:00	1.5	230	-3.6	1010
2/18/26 4:00	2.6	270	-3.4	1010
2/18/26 5:00	2.1	259	-3.0	1009
2/18/26 6:00	1.8	235	-1.9	1010
2/18/26 7:00	1.9	288	-2.3	1010
2/18/26 8:00	2.9	269	0.8	1009
2/18/26 9:00	3.1	277	2.7	1009
2/18/26 10:00	3.1	290	3.4	1008
2/18/26 11:00	3.1	342	4.6	1007
2/18/26 12:00	3.2	342	5.0	1007
2/18/26 13:00	4.9	335	5.8	1006
2/18/26 14:00	4.7	332	5.9	1006
2/18/26 15:00	5.5	352	4.3	1006
2/18/26 16:00	5.0	1	3.3	1006
2/18/26 17:00	4.3	1	2.0	1007
2/18/26 18:00	3.4	352	0.5	1007
2/18/26 19:00	3.6	340	-0.3	1008
2/18/26 20:00	3.9	339	-1.0	1008
2/18/26 21:00	3.6	335	-1.6	1009
2/18/26 22:00	2.7	335	-2.2	1009
2/18/26 23:00	2.1	324	-3.0	1010
2/19/26 0:00	2.0	330	-3.9	1011
2/19/26 1:00	2.4	330	-4.6	1012
2/19/26 2:00	3.2	331	-3.8	1012
2/19/26 3:00	1.7	356	-4.1	1012
2/19/26 4:00	1.6	295	-5.6	1013
2/19/26 5:00	2.3	278	-6.6	1014
2/19/26 6:00	2.5	300	-7.0	1015
2/19/26 7:00	1.7	340	-6.1	1016
2/19/26 8:00	2.9	315	-3.7	1016
2/19/26 9:00	2.6	299	-1.5	1017

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (2/17/26 11:00 to 3/3/26 11:00)

2/19/26 10:00	1.5	300	1.2	1017
2/19/26 11:00	1.9	299	2.7	1016
2/19/26 12:00	2.3	267	3.8	1016
2/19/26 13:00	4.0	183	3.2	1015
2/19/26 14:00	4.0	184	2.3	1015
2/19/26 15:00	4.5	181	2.0	1015
2/19/26 16:00	3.7	186	2.0	1015
2/19/26 17:00	2.7	176	1.0	1015
2/19/26 18:00	2.2	195	0.2	1016
2/19/26 19:00	2.1	206	-0.8	1016
2/19/26 20:00	2.4	215	-1.1	1016
2/19/26 21:00	2.0	227	-1.1	1016
2/19/26 22:00	1.5	250	-2.0	1016
2/19/26 23:00	ND	ND	-3.1	1016
2/20/26 0:00	ND	ND	-4.6	1016
2/20/26 1:00	ND	ND	-5.7	1015
2/20/26 2:00	1.5	330	-6.4	1015
2/20/26 3:00	ND	ND	-6.9	1014
2/20/26 4:00	1.8	284	-7.3	1014
2/20/26 5:00	1.8	272	-7.8	1014
2/20/26 6:00	1.7	278	-7.8	1014
2/20/26 7:00	2.0	291	-7.4	1014
2/20/26 8:00	1.6	353	-5.4	1014
2/20/26 9:00	ND	ND	-2.6	1013
2/20/26 10:00	ND	ND	-0.8	1013
2/20/26 11:00	ND	ND	0.7	1013
2/20/26 12:00	1.8	84	1.2	1011
2/20/26 13:00	1.9	105	1.0	1010
2/20/26 14:00	2.6	97	1.0	1009
2/20/26 15:00	2.6	80	1.2	1007
2/20/26 16:00	3.0	88	1.1	1007
2/20/26 17:00	3.6	99	1.3	1007
2/20/26 18:00	5.6	89	-0.1	1006
2/20/26 19:00	5.1	79	-1.0	1005
2/20/26 20:00	4.1	80	-1.0	1006
2/20/26 21:00	3.9	74	-1.0	1006
2/20/26 22:00	4.2	41	-1.0	1005
2/20/26 23:00	4.4	37	-1.0	1004
2/21/26 0:00	4.3	32	-1.4	1004
2/21/26 1:00	5.0	16	-1.7	1004
2/21/26 2:00	6.4	21	-3.5	1005
2/21/26 3:00	5.0	16	-4.6	1005
2/21/26 4:00	4.8	12	-6.0	1006
2/21/26 5:00	5.2	19	-6.6	1007
2/21/26 6:00	4.5	7	-7.0	1009
2/21/26 7:00	5.7	15	-7.0	1010
2/21/26 8:00	4.9	12	-6.9	1011
2/21/26 9:00	3.7	10	-5.8	1012
2/21/26 10:00	2.8	1	-4.1	1012

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (2/17/26 11:00 to 3/3/26 11:00)

2/21/26 11:00	2.3	2	-2.6	1013
2/21/26 12:00	2.5	329	-1.5	1013
2/21/26 13:00	3.3	283	-1.0	1013
2/21/26 14:00	3.2	278	-0.7	1014
2/21/26 15:00	4.0	333	0.5	1014
2/21/26 16:00	2.2	341	0.0	1014
2/21/26 17:00	1.5	93	-2.3	1015
2/21/26 18:00	ND	ND	-3.8	1016
2/21/26 19:00	1.1	360	-5.3	1017
2/21/26 20:00	1.5	285	-6.5	1018
2/21/26 21:00	1.7	351	-7.3	1019
2/21/26 22:00	1.6	302	-8.1	1019
2/21/26 23:00	1.8	305	-8.2	1019
2/22/26 0:00	2.6	294	-9.1	1020
2/22/26 1:00	2.2	297	-9.0	1020
2/22/26 2:00	1.7	299	-10.0	1020
2/22/26 3:00	1.5	298	-9.8	1020
2/22/26 4:00	1.7	295	-10.3	1020
2/22/26 5:00	1.9	280	-10.8	1021
2/22/26 6:00	2.0	283	-11.5	1021
2/22/26 7:00	2.2	291	-10.8	1021
2/22/26 8:00	2.2	295	-7.4	1021
2/22/26 9:00	2.7	34	-3.3	1021
2/22/26 10:00	2.4	59	-2.0	1021
2/22/26 11:00	3.0	90	-1.9	1020
2/22/26 12:00	3.4	99	-1.1	1018
2/22/26 13:00	3.2	100	-1.0	1018
2/22/26 14:00	2.8	89	-0.6	1019
2/22/26 15:00	2.8	90	-1.0	1018
2/22/26 16:00	2.3	133	-1.0	1018
2/22/26 17:00	3.1	74	-1.0	1018
2/22/26 18:00	3.9	66	-1.1	1016
2/22/26 19:00	3.8	58	-1.1	1016
2/22/26 20:00	2.8	27	-1.6	1015
2/22/26 21:00	3.9	36	-2.1	1014
2/22/26 22:00	4.7	34	-2.1	1013
2/22/26 23:00	6.0	40	-1.1	1012
2/23/26 0:00	6.7	44	-1.1	1012
2/23/26 1:00	7.1	38	-1.1	1010
2/23/26 2:00	7.8	36	-1.4	1009
2/23/26 3:00	7.9	32	-2.1	1007
2/23/26 4:00	7.7	29	-2.3	1006
2/23/26 5:00	8.2	29	-3.1	1004
2/23/26 6:00	7.5	25	-3.6	1004
2/23/26 7:00	8.8	21	-4.3	1003
2/23/26 8:00	9.7	23	-5.3	1002
2/23/26 9:00	8.1	20	-6.2	1001
2/23/26 10:00	9.3	13	-7.0	1000
2/23/26 11:00	11.1	5	-7.0	998

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (2/17/26 11:00 to 3/3/26 11:00)

2/23/26 12:00	11.0	360	-6.5	995
2/23/26 13:00	11.9	360	-6.0	994
2/23/26 14:00	11.6	1	-5.3	994
2/23/26 15:00	12.4	352	-5.0	993
2/23/26 16:00	11.8	354	-5.0	994
2/23/26 17:00	10.6	347	-4.3	994
2/23/26 18:00	9.6	342	-4.1	995
2/23/26 19:00	9.4	341	-4.1	995
2/23/26 20:00	9.3	334	-4.2	995
2/23/26 21:00	7.6	325	-4.5	996
2/23/26 22:00	8.2	328	-4.5	996
2/23/26 23:00	7.7	324	-4.1	996
2/24/26 0:00	5.6	327	-4.1	996
2/24/26 1:00	6.3	322	-4.1	996
2/24/26 2:00	7.2	314	-5.0	997
2/24/26 3:00	7.3	317	-4.7	998
2/24/26 4:00	7.2	317	-4.7	999
2/24/26 5:00	7.1	325	-4.6	1000
2/24/26 6:00	5.2	315	-5.2	1001
2/24/26 7:00	5.4	320	-4.7	1002
2/24/26 8:00	5.8	327	-4.1	1002
2/24/26 9:00	7.0	336	-3.7	1002
2/24/26 10:00	6.8	327	-3.0	1002
2/24/26 11:00	5.0	328	-2.1	1002
2/24/26 12:00	4.5	308	-1.4	1002
2/24/26 13:00	4.4	326	-1.1	1002
2/24/26 14:00	3.9	336	-1.0	1002
2/24/26 15:00	4.6	354	-1.1	1002
2/24/26 16:00	4.1	340	-2.0	1003
2/24/26 17:00	2.8	346	-3.0	1004
2/24/26 18:00	1.9	336	-3.6	1005
2/24/26 19:00	2.9	315	-5.4	1006
2/24/26 20:00	3.4	286	-6.6	1006
2/24/26 21:00	2.0	295	-7.1	1007
2/24/26 22:00	1.5	260	-8.0	1007
2/24/26 23:00	1.5	280	-9.5	1008
2/25/26 0:00	ND	ND	-10.8	1007
2/25/26 1:00	ND	ND	-12.1	1008
2/25/26 2:00	1.8	306	-13.3	1008
2/25/26 3:00	ND	ND	-13.2	1008
2/25/26 4:00	ND	ND	-13.2	1007
2/25/26 5:00	1.5	280	-13.4	1007
2/25/26 6:00	1.8	244	-12.7	1007
2/25/26 7:00	1.7	336	-11.7	1007
2/25/26 8:00	1.5	350	-9.8	1006
2/25/26 9:00	1.5	90	-7.9	1005
2/25/26 10:00	3.8	162	-3.3	1004
2/25/26 11:00	4.3	178	-1.4	1003
2/25/26 12:00	4.2	240	-2.0	1002

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (2/17/26 11:00 to 3/3/26 11:00)

2/25/26 13:00	4.0	301	-4.5	1001
2/25/26 14:00	3.3	304	-4.0	1000
2/25/26 15:00	2.5	294	-3.0	1000
2/25/26 16:00	2.2	301	-3.1	1000
2/25/26 17:00	1.9	305	-3.0	1001
2/25/26 18:00	1.5	305	-3.0	1001
2/25/26 19:00	1.5	140	-4.4	1001
2/25/26 20:00	1.9	307	-5.6	1002
2/25/26 21:00	1.7	280	-6.0	1002
2/25/26 22:00	1.1	140	-6.8	1002
2/25/26 23:00	1.5	320	-7.7	1002
2/26/26 0:00	2.4	281	-8.1	1002
2/26/26 1:00	2.0	249	-7.8	1002
2/26/26 2:00	1.8	233	-5.1	1002
2/26/26 3:00	1.9	274	-6.4	1002
2/26/26 4:00	1.8	253	-7.4	1002
2/26/26 5:00	2.1	232	-7.0	1003
2/26/26 6:00	2.6	223	-6.3	1004
2/26/26 7:00	3.2	222	-4.3	1005
2/26/26 8:00	3.8	229	-1.6	1006
2/26/26 9:00	5.8	264	0.7	1007
2/26/26 10:00	7.8	277	1.1	1007
2/26/26 11:00	6.9	270	1.9	1007
2/26/26 12:00	6.2	273	2.4	1007
2/26/26 13:00	5.6	271	2.9	1006
2/26/26 14:00	5.5	266	3.0	1007
2/26/26 15:00	6.3	277	2.8	1007
2/26/26 16:00	4.3	269	2.7	1007
2/26/26 17:00	3.3	276	1.4	1008
2/26/26 18:00	2.3	288	-0.1	1008
2/26/26 19:00	3.1	276	-1.2	1009
2/26/26 20:00	3.0	283	-1.5	1010
2/26/26 21:00	3.3	298	-2.2	1010
2/26/26 22:00	2.1	314	-3.0	1011
2/26/26 23:00	3.0	331	-3.5	1011
2/27/26 0:00	2.7	354	-4.4	1012
2/27/26 1:00	1.9	346	-4.8	1013
2/27/26 2:00	2.6	20	-6.1	1013
2/27/26 3:00	1.5	10	-7.3	1013
2/27/26 4:00	1.5	350	-8.2	1014
2/27/26 5:00	1.5	ND	-9.0	1015
2/27/26 6:00	ND	ND	-9.9	1015
2/27/26 7:00	1.5	305	-8.3	1016
2/27/26 8:00	1.5	300	-5.3	1017
2/27/26 9:00	2.2	72	-3.8	1017
2/27/26 10:00	2.8	79	-3.0	1018
2/27/26 11:00	3.3	158	-2.1	1017
2/27/26 12:00	4.7	162	-2.0	1017
2/27/26 13:00	4.4	161	-1.1	1016

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (2/17/26 11:00 to 3/3/26 11:00)

2/27/26 14:00	4.9	179	-0.7	1016
2/27/26 15:00	3.9	180	0.4	1016
2/27/26 16:00	4.8	183	1.0	1015
2/27/26 17:00	3.2	189	0.3	1016
2/27/26 18:00	1.8	193	-0.9	1017
2/27/26 19:00	1.5	360	-2.5	1018
2/27/26 20:00	ND	ND	-3.3	1018
2/27/26 21:00	ND	ND	-4.5	1018
2/27/26 22:00	1.5	290	-5.3	1017
2/27/26 23:00	1.5	300	-5.9	1017
2/28/26 0:00	1.5	310	-6.7	1017
2/28/26 1:00	1.6	286	-7.1	1017
2/28/26 2:00	ND	ND	-7.4	1017
2/28/26 3:00	ND	ND	-8.6	1017
2/28/26 4:00	1.5	290	-8.3	1017
2/28/26 5:00	ND	ND	-8.7	1017
2/28/26 6:00	1.7	274	-9.4	1017
2/28/26 7:00	1.8	182	-6.6	1017
2/28/26 8:00	4.0	197	0.4	1017
2/28/26 9:00	6.5	194	2.2	1016
2/28/26 10:00	5.0	197	4.2	1017
2/28/26 11:00	6.8	183	4.0	1016
2/28/26 12:00	5.9	184	4.0	1014
2/28/26 13:00	5.7	194	3.3	1014
2/28/26 14:00	5.3	196	3.8	1014
2/28/26 15:00	4.2	193	4.0	1013
2/28/26 16:00	4.6	189	4.0	1013
2/28/26 17:00	4.7	194	4.0	1013
2/28/26 18:00	3.3	205	3.4	1014
2/28/26 19:00	2.0	210	2.8	1013
2/28/26 20:00	ND	ND	1.0	1013
2/28/26 21:00	0.8	320	-1.2	1013
2/28/26 22:00	1.5	300	-2.4	1013
2/28/26 23:00	1.6	278	-3.2	1013
3/1/26 0:00	2.1	269	-3.3	1012
3/1/26 1:00	2.1	331	-4.2	1012
3/1/26 2:00	2.3	300	-3.8	1012
3/1/26 3:00	3.2	310	-3.5	1013
3/1/26 4:00	2.0	333	-2.5	1013
3/1/26 5:00	1.6	275	-1.1	1014
3/1/26 6:00	2.6	44	0.1	1014
3/1/26 7:00	3.3	348	0.9	1015
3/1/26 8:00	4.9	360	0.9	1016
3/1/26 9:00	6.9	345	-1.5	1018
3/1/26 10:00	6.0	340	-3.0	1019
3/1/26 11:00	4.5	337	-2.2	1019
3/1/26 12:00	4.8	339	-1.5	1019
3/1/26 13:00	4.5	331	-0.3	1018
3/1/26 14:00	4.9	330	0.7	1018


Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (2/17/26 11:00 to 3/3/26 11:00)

3/1/26 15:00	5.7	331	0.9	1019
3/1/26 16:00	5.7	341	-0.9	1020
3/1/26 17:00	5.9	329	-2.4	1022
3/1/26 18:00	6.4	323	-3.7	1024
3/1/26 19:00	7.3	316	-5.6	1025
3/1/26 20:00	5.2	329	-6.7	1027
3/1/26 21:00	5.3	340	-8.1	1028
3/1/26 22:00	6.0	341	-9.4	1029
3/1/26 23:00	5.2	345	-10.8	1029
3/2/26 0:00	4.5	332	-11.1	1030
3/2/26 1:00	3.8	332	-11.6	1031
3/2/26 2:00	2.0	298	-12.7	1031
3/2/26 3:00	2.1	291	-13.2	1032
3/2/26 4:00	1.5	270	-13.6	1033
3/2/26 5:00	1.5	290	-14.3	1034
3/2/26 6:00	1.5	350	-14.8	1034
3/2/26 7:00	1.7	345	-13.0	1035
3/2/26 8:00	1.9	358	-11.8	1036
3/2/26 9:00	2.6	210	-10.3	1036
3/2/26 10:00	2.4	291	-9.0	1036
3/2/26 11:00	2.7	289	-7.8	1035
3/2/26 12:00	2.7	286	-6.8	1034
3/2/26 13:00	2.3	273	-5.7	1034
3/2/26 14:00	3.4	187	-5.7	1033
3/2/26 15:00	3.4	173	-6.0	1033
3/2/26 16:00	3.6	159	-6.0	1033
3/2/26 17:00	2.5	156	-6.3	1033
3/2/26 18:00	1.9	178	-6.8	1034
3/2/26 19:00	1.6	198	-7.1	1034
3/2/26 20:00	1.6	222	-8.2	1035
3/2/26 21:00	1.9	223	-8.1	1035
3/2/26 22:00	1.5	250	-9.9	1035
3/2/26 23:00	ND	ND	-11.2	1034
3/3/26 0:00	ND	ND	-12.1	1034
3/3/26 1:00	ND	ND	-12.5	1034
3/3/26 2:00	1.8	230	-12.1	1033
3/3/26 3:00	2.3	232	-10.6	1033
3/3/26 4:00	1.7	237	-11.0	1033
3/3/26 5:00	1.5	275	-12.0	1033
3/3/26 6:00	1.5	240	-11.9	1033
3/3/26 7:00	1.8	232	-9.9	1033
3/3/26 8:00	1.7	210	-6.4	1033
3/3/26 9:00	3.8	213	-2.7	1033
3/3/26 10:00	5.3	211	-0.4	1032
3/3/26 11:00	5.2	193	1.0	1031

Sprague South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (2/17/26 11:00 to 3/3/26 11:00)

PWM Wind Rose 2/17/26 11:00 - 3/3/26 11:00



Sprague South Portland Maine Terminal Fenceline Monitoring**Portland International Jet Airport (PWM) Meteorological Data (3/3/26 11:00 to 3/17/26 11:00)**

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
3/3/26 11:00	5.2	193	1.0	1031
3/3/26 12:00	6.1	191	1.0	1030
3/3/26 13:00	5.4	184	1.0	1029
3/3/26 14:00	4.7	189	1.0	1029
3/3/26 15:00	4.8	197	-0.1	1028
3/3/26 16:00	4.4	209	-1.8	1028
3/3/26 17:00	3.4	200	-2.8	1027
3/3/26 18:00	3.1	198	-2.9	1026
3/3/26 19:00	1.9	216	-2.9	1025
3/3/26 20:00	1.3	ND	-2.8	1023
3/3/26 21:00	ND	ND	-3.0	1022
3/3/26 22:00	1.8	302	-2.9	1020
3/3/26 23:00	3.3	317	-2.9	1019
3/4/26 0:00	2.7	305	-2.7	1018
3/4/26 1:00	2.0	298	-2.1	1017
3/4/26 2:00	1.6	266	-2.0	1017
3/4/26 3:00	1.9	269	-2.3	1016
3/4/26 4:00	1.7	249	-3.8	1017
3/4/26 5:00	1.3	254	-5.0	1017
3/4/26 6:00	1.8	241	-5.3	1019
3/4/26 7:00	2.7	288	-4.1	1020
3/4/26 8:00	2.0	291	-1.5	1021
3/4/26 9:00	1.8	290	1.7	1021
3/4/26 10:00	2.0	310	3.8	1021
3/4/26 11:00	1.6	119	4.6	1020
3/4/26 12:00	3.6	180	5.5	1019
3/4/26 13:00	4.7	168	4.3	1018
3/4/26 14:00	3.6	166	5.6	1018
3/4/26 15:00	3.1	191	6.7	1018
3/4/26 16:00	2.9	189	7.0	1018
3/4/26 17:00	2.7	210	7.8	1018
3/4/26 18:00	2.7	246	8.2	1019
3/4/26 19:00	2.0	243	7.0	1019
3/4/26 20:00	2.5	257	5.6	1019
3/4/26 21:00	2.0	236	5.0	1020
3/4/26 22:00	1.7	80	0.4	1020
3/4/26 23:00	1.5	155	-0.8	1020
3/5/26 0:00	ND	ND	-2.1	1020
3/5/26 1:00	1.5	310	-3.2	1020
3/5/26 2:00	1.6	300	-3.5	1020
3/5/26 3:00	2.0	289	-3.7	1020
3/5/26 4:00	1.5	250	-3.5	1021
3/5/26 5:00	2.0	317	-3.2	1021
3/5/26 6:00	1.4	345	-3.8	1022
3/5/26 7:00	1.6	307	-1.7	1023
3/5/26 8:00	2.5	31	2.0	1024
3/5/26 9:00	6.5	50	3.4	1025

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/3/26 11:00 to 3/17/26 11:00)

3/5/26 10:00	6.5	86	2.7	1025
3/5/26 11:00	6.8	98	2.0	1026
3/5/26 12:00	6.7	99	2.0	1027
3/5/26 13:00	7.2	102	1.8	1027
3/5/26 14:00	7.7	102	1.0	1027
3/5/26 15:00	7.4	96	0.0	1028
3/5/26 16:00	7.1	92	-0.3	1028
3/5/26 17:00	8.0	88	-1.0	1029
3/5/26 18:00	7.0	81	-1.1	1029
3/5/26 19:00	6.0	74	-1.1	1030
3/5/26 20:00	5.6	67	-1.6	1030
3/5/26 21:00	5.6	59	-2.1	1031
3/5/26 22:00	4.0	46	-2.3	1031
3/5/26 23:00	5.0	42	-3.1	1031
3/6/26 0:00	5.0	41	-3.6	1030
3/6/26 1:00	4.1	23	-4.8	1030
3/6/26 2:00	3.8	16	-6.0	1030
3/6/26 3:00	4.2	12	-6.0	1029
3/6/26 4:00	4.2	11	-6.1	1029
3/6/26 5:00	4.6	4	-6.6	1030
3/6/26 6:00	4.4	359	-6.7	1030
3/6/26 7:00	3.8	13	-6.3	1031
3/6/26 8:00	4.3	20	-5.2	1031
3/6/26 9:00	4.7	32	-3.4	1030
3/6/26 10:00	5.3	43	-2.0	1030
3/6/26 11:00	4.8	45	-1.1	1030
3/6/26 12:00	4.8	48	-1.0	1030
3/6/26 13:00	4.6	46	-1.0	1030
3/6/26 14:00	4.7	47	-0.9	1030
3/6/26 15:00	3.5	49	-0.1	1030
3/6/26 16:00	2.7	61	0.0	1030
3/6/26 17:00	3.8	92	-0.4	1030
3/6/26 18:00	4.3	93	-0.3	1030
3/6/26 19:00	3.4	86	-0.1	1030
3/6/26 20:00	3.0	101	-0.1	1030
3/6/26 21:00	2.9	94	-0.5	1030
3/6/26 22:00	1.9	82	-0.8	1029
3/6/26 23:00	1.5	47	-1.0	1028
3/7/26 0:00	1.5	17	-1.1	1027
3/7/26 1:00	1.5	354	-1.1	1026
3/7/26 2:00	1.8	321	-1.1	1025
3/7/26 3:00	1.3	313	-1.0	1025
3/7/26 4:00	1.5	17	-1.0	1024
3/7/26 5:00	1.5	306	-1.0	1023
3/7/26 6:00	1.3	282	-1.0	1022
3/7/26 7:00	1.5	273	-0.8	1021
3/7/26 8:00	1.7	258	-0.8	1020
3/7/26 9:00	1.6	236	0.6	1019
3/7/26 10:00	2.4	204	1.2	1018

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/3/26 11:00 to 3/17/26 11:00)

3/7/26 11:00	3.0	205	2.3	1017
3/7/26 12:00	3.6	194	3.0	1015
3/7/26 13:00	3.5	201	3.1	1013
3/7/26 14:00	3.4	190	3.1	1012
3/7/26 15:00	2.9	198	3.0	1011
3/7/26 16:00	1.9	186	3.0	1010
3/7/26 17:00	2.1	180	3.0	1009
3/7/26 18:00	2.4	179	3.4	1007
3/7/26 19:00	2.2	198	3.9	1007
3/7/26 20:00	2.7	201	4.4	1006
3/7/26 21:00	4.2	217	5.0	1005
3/7/26 22:00	4.4	217	5.8	1004
3/7/26 23:00	4.2	213	5.9	1003
3/8/26 0:00	3.1	222	5.9	1002
3/8/26 1:00	4.0	220	6.2	1002
3/8/26 2:00	ND	ND	ND	ND
3/8/26 3:00	3.6	231	6.7	1001
3/8/26 4:00	2.7	233	6.9	1000
3/8/26 5:00	2.6	223	6.9	1000
3/8/26 6:00	3.0	209	6.2	1000
3/8/26 7:00	2.7	213	6.6	1000
3/8/26 8:00	2.9	206	7.0	1000
3/8/26 9:00	2.7	210	7.7	1000
3/8/26 10:00	3.0	222	8.6	1001
3/8/26 11:00	4.3	240	11.8	1000
3/8/26 12:00	6.0	265	13.6	1000
3/8/26 13:00	5.8	258	13.6	1000
3/8/26 14:00	5.6	262	13.8	1000
3/8/26 15:00	6.3	257	13.9	1001
3/8/26 16:00	6.3	255	13.4	1001
3/8/26 17:00	6.2	264	13.2	1002
3/8/26 18:00	4.1	270	12.0	1003
3/8/26 19:00	3.5	258	11.2	1004
3/8/26 20:00	4.6	244	9.7	1005
3/8/26 21:00	3.1	263	8.9	1006
3/8/26 22:00	3.5	268	8.4	1007
3/8/26 23:00	2.2	268	7.5	1007
3/9/26 0:00	2.3	262	5.6	1008
3/9/26 1:00	1.7	243	4.3	1009
3/9/26 2:00	2.3	230	3.4	1010
3/9/26 3:00	3.1	225	3.9	1010
3/9/26 4:00	3.5	224	4.2	1010
3/9/26 5:00	1.5	50	2.2	1010
3/9/26 6:00	1.8	240	1.6	1011
3/9/26 7:00	3.1	230	4.9	1011
3/9/26 8:00	3.3	227	6.7	1012
3/9/26 9:00	2.9	213	9.6	1012
3/9/26 10:00	3.8	194	11.6	1012
3/9/26 11:00	3.9	196	12.2	1012

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/3/26 11:00 to 3/17/26 11:00)

3/9/26 12:00	3.9	194	13.0	1012
3/9/26 13:00	5.2	185	12.9	1011
3/9/26 14:00	7.3	192	12.3	1010
3/9/26 15:00	5.8	194	12.6	1010
3/9/26 16:00	5.4	191	11.9	1009
3/9/26 17:00	4.7	191	10.3	1008
3/9/26 18:00	3.1	193	9.2	1009
3/9/26 19:00	2.2	50	7.0	1009
3/9/26 20:00	2.1	190	5.5	1010
3/9/26 21:00	2.6	212	8.1	1010
3/9/26 22:00	2.4	213	9.5	1010
3/9/26 23:00	2.9	220	8.7	1010
3/10/26 0:00	2.1	225	9.9	1010
3/10/26 1:00	2.3	245	10.8	1010
3/10/26 2:00	1.9	253	9.1	1010
3/10/26 3:00	2.2	225	8.9	1010
3/10/26 4:00	1.5	237	8.4	1010
3/10/26 5:00	1.5	210	5.8	1011
3/10/26 6:00	1.5	198	3.3	1011
3/10/26 7:00	ND	ND	2.6	1011
3/10/26 8:00	1.5	223	7.5	1012
3/10/26 9:00	1.7	243	12.7	1012
3/10/26 10:00	2.0	242	16.5	1012
3/10/26 11:00	2.9	208	18.0	1011
3/10/26 12:00	2.8	183	18.7	1011
3/10/26 13:00	3.3	168	19.0	1010
3/10/26 14:00	4.0	162	19.0	1009
3/10/26 15:00	4.2	170	17.6	1009
3/10/26 16:00	3.9	174	16.9	1009
3/10/26 17:00	3.4	182	16.2	1009
3/10/26 18:00	2.2	145	11.6	1010
3/10/26 19:00	1.6	140	9.0	1010
3/10/26 20:00	1.5	210	7.8	1011
3/10/26 21:00	2.0	225	7.6	1011
3/10/26 22:00	1.8	268	7.5	1012
3/10/26 23:00	1.8	322	7.3	1013
3/11/26 0:00	1.9	326	7.6	1013
3/11/26 1:00	2.5	73	8.4	1014
3/11/26 2:00	3.7	56	8.9	1015
3/11/26 3:00	4.0	49	7.8	1016
3/11/26 4:00	5.1	44	7.2	1016
3/11/26 5:00	5.5	49	6.6	1017
3/11/26 6:00	4.7	36	5.8	1018
3/11/26 7:00	4.1	48	4.9	1018
3/11/26 8:00	4.6	45	4.6	1018
3/11/26 9:00	5.6	45	5.9	1018
3/11/26 10:00	5.6	47	5.9	1018
3/11/26 11:00	6.2	87	6.0	1017
3/11/26 12:00	6.5	79	4.6	1016

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/3/26 11:00 to 3/17/26 11:00)

3/11/26 13:00	7.5	75	3.5	1014
3/11/26 14:00	6.6	78	3.0	1013
3/11/26 15:00	6.5	76	3.0	1012
3/11/26 16:00	6.4	78	3.0	1010
3/11/26 17:00	5.8	71	2.8	1009
3/11/26 18:00	4.1	54	2.4	1008
3/11/26 19:00	3.3	50	2.0	1006
3/11/26 20:00	2.6	19	2.0	1005
3/11/26 21:00	2.6	327	2.0	1004
3/11/26 22:00	2.7	325	2.0	1003
3/11/26 23:00	2.3	336	2.0	1002
3/12/26 0:00	2.3	328	1.9	1001
3/12/26 1:00	1.8	343	1.8	1000
3/12/26 2:00	1.8	39	1.9	998
3/12/26 3:00	1.5	350	1.9	997
3/12/26 4:00	1.6	178	1.9	996
3/12/26 5:00	1.7	19	1.9	995
3/12/26 6:00	3.9	318	1.9	994
3/12/26 7:00	1.5	175	2.0	994
3/12/26 8:00	2.0	255	2.4	995
3/12/26 9:00	1.8	329	3.7	996
3/12/26 10:00	1.6	55	3.5	997
3/12/26 11:00	1.5	187	4.3	998
3/12/26 12:00	0.9	ND	5.9	999
3/12/26 13:00	2.1	274	7.0	999
3/12/26 14:00	2.6	265	6.3	999
3/12/26 15:00	2.1	283	6.0	999
3/12/26 16:00	4.0	315	5.5	1000
3/12/26 17:00	3.7	316	4.1	1001
3/12/26 18:00	4.5	325	2.9	1002
3/12/26 19:00	5.6	319	2.2	1003
3/12/26 20:00	6.4	325	1.4	1004
3/12/26 21:00	6.1	320	0.6	1005
3/12/26 22:00	6.6	330	-1.1	1006
3/12/26 23:00	5.6	333	-2.1	1007
3/13/26 0:00	6.0	334	-2.1	1007
3/13/26 1:00	5.7	323	-2.9	1008
3/13/26 2:00	4.8	314	-3.5	1009
3/13/26 3:00	3.7	307	-3.9	1009
3/13/26 4:00	2.6	299	-4.6	1010
3/13/26 5:00	2.9	278	-4.8	1010
3/13/26 6:00	2.2	275	-4.9	1012
3/13/26 7:00	1.9	280	-4.7	1013
3/13/26 8:00	2.0	304	-2.5	1013
3/13/26 9:00	2.7	266	-1.5	1014
3/13/26 10:00	3.2	277	0.2	1014
3/13/26 11:00	2.2	240	1.5	1014
3/13/26 12:00	2.6	185	2.5	1013
3/13/26 13:00	3.5	180	3.0	1013

Sprague South Portland Maine Terminal Fenceline Monitoring**Portland International Jet Airport (PWM) Meteorological Data (3/3/26 11:00 to 3/17/26 11:00)**


3/13/26 14:00	4.6	182	2.6	1013
3/13/26 15:00	5.6	183	2.0	1012
3/13/26 16:00	5.5	184	2.0	1012
3/13/26 17:00	5.2	187	2.0	1011
3/13/26 18:00	3.9	181	1.9	1011
3/13/26 19:00	3.9	184	1.9	1011
3/13/26 20:00	3.9	194	1.9	1011
3/13/26 21:00	2.3	208	1.9	1011
3/13/26 22:00	4.1	188	1.9	1011
3/13/26 23:00	4.4	186	1.9	1010
3/14/26 0:00	4.1	184	1.9	1010
3/14/26 1:00	4.2	175	0.5	1009
3/14/26 2:00	2.5	131	-1.0	1007
3/14/26 3:00	1.7	129	-0.2	1005
3/14/26 4:00	1.6	118	-0.1	1003
3/14/26 5:00	ND	ND	-0.1	1003
3/14/26 6:00	1.8	232	-0.1	1002
3/14/26 7:00	1.8	246	-0.1	1002
3/14/26 8:00	2.4	248	0.4	1003
3/14/26 9:00	3.3	256	1.5	1003
3/14/26 10:00	4.1	281	2.9	1003
3/14/26 11:00	5.3	274	4.7	1003
3/14/26 12:00	7.9	279	5.8	1003
3/14/26 13:00	7.0	268	6.3	1004
3/14/26 14:00	7.0	266	6.6	1004
3/14/26 15:00	8.4	272	6.9	1005
3/14/26 16:00	8.9	281	6.9	1006
3/14/26 17:00	9.4	277	6.1	1007
3/14/26 18:00	7.5	267	4.5	1010
3/14/26 19:00	7.3	301	3.0	1012
3/14/26 20:00	5.8	297	2.2	1014
3/14/26 21:00	4.7	305	1.8	1016
3/14/26 22:00	6.7	300	1.7	1017
3/14/26 23:00	6.7	284	1.0	1019
3/15/26 0:00	6.8	290	1.0	1020
3/15/26 1:00	5.8	287	0.9	1021
3/15/26 2:00	6.1	293	0.9	1022
3/15/26 3:00	5.4	295	0.4	1023
3/15/26 4:00	3.6	280	-0.3	1024
3/15/26 5:00	3.2	300	-1.4	1026
3/15/26 6:00	2.0	315	-1.0	1028
3/15/26 7:00	1.8	263	-1.1	1029
3/15/26 8:00	2.7	19	-0.4	1030
3/15/26 9:00	3.5	24	0.6	1030
3/15/26 10:00	2.9	38	1.4	1030
3/15/26 11:00	1.8	51	2.2	1031
3/15/26 12:00	2.7	129	2.9	1031
3/15/26 13:00	3.6	133	2.9	1030
3/15/26 14:00	3.9	123	2.0	1030

Sprague South Portland Maine Terminal Fenceline Monitoring**Portland International Jet Airport (PWM) Meteorological Data (3/3/26 11:00 to 3/17/26 11:00)**

3/15/26 15:00	4.5	154	2.0	1030
3/15/26 16:00	4.5	168	1.9	1030
3/15/26 17:00	4.2	154	1.9	1029
3/15/26 18:00	3.2	154	1.9	1030
3/15/26 19:00	2.8	150	1.9	1029
3/15/26 20:00	4.1	152	2.1	1029
3/15/26 21:00	4.1	153	2.9	1028
3/15/26 22:00	4.3	159	2.9	1027
3/15/26 23:00	4.2	158	2.9	1027
3/16/26 0:00	3.8	161	2.9	1025
3/16/26 1:00	3.8	153	2.9	1024
3/16/26 2:00	3.7	141	3.0	1023
3/16/26 3:00	4.0	140	3.0	1022
3/16/26 4:00	4.5	131	3.1	1021
3/16/26 5:00	4.0	117	3.0	1020
3/16/26 6:00	3.2	89	3.0	1018
3/16/26 7:00	2.7	85	3.5	1017
3/16/26 8:00	4.2	94	3.9	1015
3/16/26 9:00	3.7	143	5.4	1013
3/16/26 10:00	2.8	171	5.9	1012
3/16/26 11:00	2.1	157	6.8	1010
3/16/26 12:00	2.8	178	7.3	1008
3/16/26 13:00	3.3	184	7.4	1006
3/16/26 14:00	3.2	183	8.0	1005
3/16/26 15:00	3.8	187	8.0	1004
3/16/26 16:00	4.3	188	8.0	1003
3/16/26 17:00	4.7	181	8.0	1002
3/16/26 18:00	4.6	178	8.7	1002
3/16/26 19:00	6.7	176	9.3	1001
3/16/26 20:00	5.9	172	9.3	1000
3/16/26 21:00	7.3	176	9.2	998
3/16/26 22:00	6.6	174	9.4	996
3/16/26 23:00	6.4	180	9.5	994
3/17/26 0:00	7.7	183	9.3	993
3/17/26 1:00	6.7	176	9.2	991
3/17/26 2:00	7.7	181	9.8	989
3/17/26 3:00	9.2	183	9.1	988
3/17/26 4:00	7.9	192	9.0	987
3/17/26 5:00	6.4	193	8.7	988
3/17/26 6:00	5.9	232	9.4	990
3/17/26 7:00	7.2	251	6.9	992
3/17/26 8:00	7.0	256	4.8	995
3/17/26 9:00	8.1	262	4.2	996
3/17/26 10:00	8.8	246	5.2	997
3/17/26 11:00	7.4	261	5.8	998

Sprague South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (3/3/26 11:00 to 3/17/26 11:00)

PWM Wind Rose 3/3/26 11:00 - 3/17/26 11:00



Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/17/26 11:00 to 3/31/26 11:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
3/17/26 11:00	7.4	261	5.8	998
3/17/26 12:00	7.7	270	5.9	999
3/17/26 13:00	8.9	270	5.6	1000
3/17/26 14:00	7.8	262	5.0	1000
3/17/26 15:00	8.9	271	3.6	1001
3/17/26 16:00	9.9	273	3.3	1002
3/17/26 17:00	9.1	265	2.2	1004
3/17/26 18:00	7.2	265	1.4	1005
3/17/26 19:00	6.9	271	0.2	1007
3/17/26 20:00	7.8	274	-1.0	1009
3/17/26 21:00	6.0	266	-1.7	1010
3/17/26 22:00	6.3	268	-2.1	1011
3/17/26 23:00	6.0	269	-3.1	1013
3/18/26 0:00	6.9	293	-3.8	1014
3/18/26 1:00	8.3	293	-5.0	1016
3/18/26 2:00	5.6	298	-6.5	1017
3/18/26 3:00	4.4	312	-6.9	1018
3/18/26 4:00	3.5	309	-7.1	1019
3/18/26 5:00	2.2	291	-7.1	1020
3/18/26 6:00	1.5	259	-7.6	1021
3/18/26 7:00	2.1	272	-6.9	1023
3/18/26 8:00	4.0	320	-5.9	1023
3/18/26 9:00	2.7	315	-4.3	1025
3/18/26 10:00	3.2	274	-3.7	1026
3/18/26 11:00	2.8	279	-2.9	1026
3/18/26 12:00	2.8	289	-2.1	1026
3/18/26 13:00	2.4	292	-1.3	1025
3/18/26 14:00	4.0	93	-1.0	1025
3/18/26 15:00	4.3	112	-1.4	1025
3/18/26 16:00	4.5	145	-1.6	1026
3/18/26 17:00	4.6	157	-1.8	1027
3/18/26 18:00	4.1	160	-2.0	1027
3/18/26 19:00	2.9	163	-2.6	1027
3/18/26 20:00	1.9	160	-3.1	1028
3/18/26 21:00	1.5	110	-3.3	1028
3/18/26 22:00	1.5	150	-3.4	1028
3/18/26 23:00	ND	ND	-3.1	1027
3/19/26 0:00	1.8	130	-2.7	1027
3/19/26 1:00	1.5	112	-2.6	1027
3/19/26 2:00	1.7	135	-2.4	1026
3/19/26 3:00	1.6	185	-1.5	1026
3/19/26 4:00	1.5	290	-2.3	1026
3/19/26 5:00	1.5	280	-2.2	1026
3/19/26 6:00	ND	ND	-2.3	1025
3/19/26 7:00	1.5	ND	-2.7	1025
3/19/26 8:00	1.8	ND	-1.1	1025
3/19/26 9:00	1.8	ND	-0.9	1025

Sprague South Portland Maine Terminal Fenceline Monitoring**Portland International Jet Airport (PWM) Meteorological Data (3/17/26 11:00 to 3/31/26 11:00)**

3/19/26 10:00	3.3	194	0.2	1025
3/19/26 11:00	4.0	177	0.9	1024
3/19/26 12:00	4.2	184	1.0	1024
3/19/26 13:00	4.2	189	1.6	1023
3/19/26 14:00	5.4	171	2.0	1021
3/19/26 15:00	6.1	170	2.0	1021
3/19/26 16:00	4.8	188	1.6	1020
3/19/26 17:00	4.8	179	1.3	1019
3/19/26 18:00	4.0	188	1.0	1019
3/19/26 19:00	3.1	198	0.9	1019
3/19/26 20:00	1.9	198	0.9	1019
3/19/26 21:00	1.7	197	0.9	1019
3/19/26 22:00	1.8	220	0.3	1018
3/19/26 23:00	2.0	214	0.1	1018
3/20/26 0:00	1.8	210	0.2	1018
3/20/26 1:00	2.0	195	0.0	1017
3/20/26 2:00	1.6	245	-0.9	1016
3/20/26 3:00	2.0	238	-1.3	1016
3/20/26 4:00	2.3	274	-2.3	1016
3/20/26 5:00	2.0	257	-2.2	1016
3/20/26 6:00	2.1	257	-2.4	1016
3/20/26 7:00	1.6	276	-1.8	1017
3/20/26 8:00	1.7	223	1.0	1016
3/20/26 9:00	1.8	196	3.3	1016
3/20/26 10:00	2.4	139	5.1	1015
3/20/26 11:00	4.4	172	6.0	1014
3/20/26 12:00	5.1	169	5.3	1013
3/20/26 13:00	5.6	169	6.0	1012
3/20/26 14:00	5.6	169	4.6	1011
3/20/26 15:00	6.2	160	4.2	1008
3/20/26 16:00	3.8	148	5.6	1007
3/20/26 17:00	2.7	76	4.4	1006
3/20/26 18:00	2.9	42	2.9	1006
3/20/26 19:00	2.1	27	2.9	1006
3/20/26 20:00	2.5	315	2.9	1006
3/20/26 21:00	2.0	295	2.7	1006
3/20/26 22:00	1.8	306	2.1	1006
3/20/26 23:00	1.8	351	1.9	1006
3/21/26 0:00	1.7	23	1.9	1005
3/21/26 1:00	1.8	20	1.9	1005
3/21/26 2:00	2.6	356	1.9	1005
3/21/26 3:00	3.1	358	1.9	1004
3/21/26 4:00	3.0	358	1.9	1004
3/21/26 5:00	2.2	340	1.9	1004
3/21/26 6:00	2.6	349	1.9	1005
3/21/26 7:00	2.6	346	1.9	1006
3/21/26 8:00	2.7	332	2.4	1007
3/21/26 9:00	3.1	343	3.6	1007
3/21/26 10:00	4.8	328	5.4	1008

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/17/26 11:00 to 3/31/26 11:00)

3/21/26 11:00	6.5	323	5.0	1008
3/21/26 12:00	6.1	332	5.2	1008
3/21/26 13:00	6.8	331	6.4	1008
3/21/26 14:00	6.7	319	6.8	1008
3/21/26 15:00	7.5	330	6.9	1009
3/21/26 16:00	7.8	316	6.1	1010
3/21/26 17:00	6.9	320	4.8	1011
3/21/26 18:00	6.7	329	3.2	1011
3/21/26 19:00	4.2	332	1.9	1013
3/21/26 20:00	2.5	343	0.9	1014
3/21/26 21:00	2.4	350	0.6	1014
3/21/26 22:00	2.5	352	0.9	1014
3/21/26 23:00	2.0	11	0.9	1014
3/22/26 0:00	1.6	331	0.6	1014
3/22/26 1:00	2.4	330	0.0	1014
3/22/26 2:00	1.9	268	-0.1	1014
3/22/26 3:00	1.5	270	-0.3	1013
3/22/26 4:00	1.8	184	-0.3	1013
3/22/26 5:00	2.6	215	-0.3	1013
3/22/26 6:00	1.7	232	-0.2	1013
3/22/26 7:00	2.5	149	0.5	1013
3/22/26 8:00	3.9	155	0.7	1012
3/22/26 9:00	3.1	120	0.8	1012
3/22/26 10:00	3.1	118	0.8	1011
3/22/26 11:00	3.1	113	0.0	1010
3/22/26 12:00	3.5	120	0.8	1008
3/22/26 13:00	3.1	129	1.0	1007
3/22/26 14:00	3.1	130	1.9	1006
3/22/26 15:00	2.0	156	2.1	1006
3/22/26 16:00	3.3	115	2.9	1005
3/22/26 17:00	2.1	108	2.9	1004
3/22/26 18:00	2.3	67	2.9	1005
3/22/26 19:00	4.4	33	2.2	1006
3/22/26 20:00	4.1	16	1.5	1006
3/22/26 21:00	4.1	360	0.9	1007
3/22/26 22:00	4.1	359	0.9	1008
3/22/26 23:00	4.4	8	0.9	1009
3/23/26 0:00	4.5	12	0.7	1009
3/23/26 1:00	4.3	13	-0.1	1009
3/23/26 2:00	4.0	21	-0.1	1009
3/23/26 3:00	3.9	19	-0.9	1008
3/23/26 4:00	4.3	15	-1.0	1009
3/23/26 5:00	4.5	19	-1.0	1009
3/23/26 6:00	4.7	18	-1.0	1009
3/23/26 7:00	4.9	19	-1.1	1010
3/23/26 8:00	4.8	10	-1.1	1010
3/23/26 9:00	4.9	11	-1.0	1010
3/23/26 10:00	5.6	11	-0.7	1010
3/23/26 11:00	5.1	14	-0.1	1010

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/17/26 11:00 to 3/31/26 11:00)

3/23/26 12:00	5.8	18	0.6	1010
3/23/26 13:00	5.2	11	0.9	1010
3/23/26 14:00	5.4	9	0.7	1010
3/23/26 15:00	5.0	7	0.2	1011
3/23/26 16:00	5.2	9	0.7	1012
3/23/26 17:00	4.1	5	-0.1	1013
3/23/26 18:00	4.2	2	-0.2	1013
3/23/26 19:00	2.9	12	-1.0	1014
3/23/26 20:00	2.9	4	-1.0	1015
3/23/26 21:00	3.1	15	-1.1	1016
3/23/26 22:00	3.4	14	-1.1	1016
3/23/26 23:00	3.5	7	-1.3	1017
3/24/26 0:00	3.4	354	-1.9	1017
3/24/26 1:00	3.5	341	-2.1	1018
3/24/26 2:00	2.9	323	-2.1	1018
3/24/26 3:00	2.9	326	-2.1	1019
3/24/26 4:00	2.9	327	-2.1	1019
3/24/26 5:00	2.0	320	-2.1	1020
3/24/26 6:00	2.0	315	-2.1	1021
3/24/26 7:00	3.0	313	-1.3	1022
3/24/26 8:00	3.5	333	-0.3	1023
3/24/26 9:00	3.6	326	1.4	1024
3/24/26 10:00	4.1	350	2.6	1024
3/24/26 11:00	4.1	334	3.3	1024
3/24/26 12:00	4.1	304	3.7	1024
3/24/26 13:00	4.3	306	4.1	1023
3/24/26 14:00	3.8	315	4.4	1022
3/24/26 15:00	4.9	176	3.2	1022
3/24/26 16:00	4.8	178	3.1	1022
3/24/26 17:00	5.1	172	2.6	1022
3/24/26 18:00	4.2	184	2.0	1022
3/24/26 19:00	3.9	189	2.0	1021
3/24/26 20:00	3.8	193	1.9	1022
3/24/26 21:00	3.3	196	1.4	1021
3/24/26 22:00	2.4	234	0.8	1020
3/24/26 23:00	2.6	231	0.0	1020
3/25/26 0:00	2.4	249	-0.2	1020
3/25/26 1:00	1.4	287	-1.2	1020
3/25/26 2:00	2.5	274	-1.5	1020
3/25/26 3:00	2.5	288	-1.6	1021
3/25/26 4:00	3.1	275	-0.5	1021
3/25/26 5:00	3.8	260	-0.1	1022
3/25/26 6:00	3.0	250	-0.7	1022
3/25/26 7:00	2.9	252	0.3	1023
3/25/26 8:00	3.6	251	2.3	1023
3/25/26 9:00	4.9	262	3.9	1023
3/25/26 10:00	6.6	282	5.3	1023
3/25/26 11:00	6.2	278	6.7	1023
3/25/26 12:00	5.1	273	7.9	1023

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/17/26 11:00 to 3/31/26 11:00)

3/25/26 13:00	5.9	286	8.0	1023
3/25/26 14:00	5.7	293	8.9	1022
3/25/26 15:00	4.8	266	9.0	1021
3/25/26 16:00	5.6	200	7.8	1021
3/25/26 17:00	4.8	189	6.1	1021
3/25/26 18:00	4.6	178	4.3	1021
3/25/26 19:00	3.4	166	3.2	1021
3/25/26 20:00	4.4	172	3.7	1020
3/25/26 21:00	4.7	178	3.9	1019
3/25/26 22:00	4.2	171	3.9	1018
3/25/26 23:00	3.4	178	4.0	1018
3/26/26 0:00	4.6	200	4.1	1018
3/26/26 1:00	3.9	216	3.0	1017
3/26/26 2:00	2.9	210	2.9	1016
3/26/26 3:00	2.4	204	2.2	1015
3/26/26 4:00	1.7	201	2.5	1014
3/26/26 5:00	3.0	199	2.9	1013
3/26/26 6:00	3.4	205	3.0	1012
3/26/26 7:00	3.2	195	3.7	1011
3/26/26 8:00	2.1	204	3.9	1010
3/26/26 9:00	2.7	238	4.8	1010
3/26/26 10:00	2.8	229	5.3	1009
3/26/26 11:00	2.6	210	6.2	1008
3/26/26 12:00	2.0	208	7.0	1007
3/26/26 13:00	3.0	171	7.2	1006
3/26/26 14:00	3.5	196	8.8	1005
3/26/26 15:00	2.3	175	9.2	1005
3/26/26 16:00	2.4	146	9.3	1004
3/26/26 17:00	2.0	187	10.0	1003
3/26/26 18:00	2.6	150	9.5	1003
3/26/26 19:00	2.5	154	7.3	1002
3/26/26 20:00	2.2	283	6.8	1002
3/26/26 21:00	1.5	330	7.0	1001
3/26/26 22:00	2.0	214	8.0	1001
3/26/26 23:00	2.4	208	7.1	1001
3/27/26 0:00	2.1	193	7.3	999
3/27/26 1:00	1.9	250	7.8	998
3/27/26 2:00	1.8	185	7.7	998
3/27/26 3:00	2.5	353	7.1	999
3/27/26 4:00	5.8	2	7.3	1000
3/27/26 5:00	4.6	357	6.3	1002
3/27/26 6:00	5.4	350	5.2	1004
3/27/26 7:00	7.2	347	4.1	1007
3/27/26 8:00	7.0	337	3.7	1009
3/27/26 9:00	7.0	338	2.4	1011
3/27/26 10:00	6.5	352	2.0	1013
3/27/26 11:00	7.2	322	2.7	1013
3/27/26 12:00	7.6	318	3.3	1014
3/27/26 13:00	7.4	322	3.9	1014

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/17/26 11:00 to 3/31/26 11:00)

3/27/26 14:00	7.4	323	4.2	1015
3/27/26 15:00	7.2	333	4.2	1015
3/27/26 16:00	6.2	347	4.0	1015
3/27/26 17:00	6.0	345	3.1	1015
3/27/26 18:00	5.0	359	1.9	1016
3/27/26 19:00	4.0	350	0.4	1017
3/27/26 20:00	4.0	343	-1.1	1019
3/27/26 21:00	3.4	341	-1.8	1019
3/27/26 22:00	2.9	352	-2.8	1019
3/27/26 23:00	5.4	342	-3.0	1020
3/28/26 0:00	5.4	352	-3.8	1021
3/28/26 1:00	5.7	2	-4.4	1021
3/28/26 2:00	3.8	10	-6.0	1022
3/28/26 3:00	2.7	32	-6.4	1022
3/28/26 4:00	1.7	21	-6.4	1023
3/28/26 5:00	2.3	357	-7.6	1023
3/28/26 6:00	2.4	7	-7.7	1024
3/28/26 7:00	3.7	23	-6.0	1025
3/28/26 8:00	3.3	25	-4.1	1026
3/28/26 9:00	1.9	70	-3.8	1026
3/28/26 10:00	2.5	79	-2.9	1026
3/28/26 11:00	3.2	289	-1.9	1026
3/28/26 12:00	2.6	328	-1.4	1025
3/28/26 13:00	4.5	291	-0.9	1025
3/28/26 14:00	4.1	183	-1.6	1025
3/28/26 15:00	4.4	196	-1.3	1024
3/28/26 16:00	4.6	190	-1.4	1024
3/28/26 17:00	4.0	190	-1.3	1025
3/28/26 18:00	3.8	186	-1.4	1025
3/28/26 19:00	3.3	197	-2.0	1025
3/28/26 20:00	2.0	207	-2.1	1026
3/28/26 21:00	2.3	212	-2.1	1027
3/28/26 22:00	2.0	248	-2.3	1027
3/28/26 23:00	2.1	278	-3.5	1028
3/29/26 0:00	1.9	261	-3.4	1028
3/29/26 1:00	ND	ND	-4.7	1029
3/29/26 2:00	1.5	244	-5.6	1029
3/29/26 3:00	1.1	210	-6.0	1029
3/29/26 4:00	1.6	225	-5.1	1029
3/29/26 5:00	2.5	234	-6.1	1029
3/29/26 6:00	2.3	238	-5.9	1030
3/29/26 7:00	2.2	249	-3.5	1030
3/29/26 8:00	3.5	241	-1.2	1031
3/29/26 9:00	4.6	238	1.1	1031
3/29/26 10:00	4.9	224	2.3	1030
3/29/26 11:00	4.6	241	3.8	1029
3/29/26 12:00	4.6	248	5.1	1028
3/29/26 13:00	5.4	193	5.6	1027
3/29/26 14:00	5.4	165	4.3	1026


Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/17/26 11:00 to 3/31/26 11:00)

3/29/26 15:00	6.0	185	4.5	1026
3/29/26 16:00	6.8	184	4.4	1025
3/29/26 17:00	6.0	195	4.0	1025
3/29/26 18:00	4.4	182	3.7	1025
3/29/26 19:00	3.6	187	2.9	1025
3/29/26 20:00	2.4	194	2.9	1024
3/29/26 21:00	1.6	196	2.9	1024
3/29/26 22:00	2.8	201	2.9	1024
3/29/26 23:00	3.6	197	3.5	1024
3/30/26 0:00	3.4	204	3.7	1023
3/30/26 1:00	3.3	211	3.0	1023
3/30/26 2:00	2.3	215	2.9	1022
3/30/26 3:00	1.5	193	2.5	1022
3/30/26 4:00	1.7	197	2.8	1021
3/30/26 5:00	1.7	183	2.6	1020
3/30/26 6:00	2.6	190	2.6	1019
3/30/26 7:00	3.7	190	3.6	1018
3/30/26 8:00	3.9	196	4.2	1017
3/30/26 9:00	3.9	215	6.7	1016
3/30/26 10:00	4.6	232	8.9	1015
3/30/26 11:00	5.7	257	12.1	1013
3/30/26 12:00	5.9	230	14.7	1012
3/30/26 13:00	6.5	243	16.9	1011
3/30/26 14:00	6.9	252	17.4	1010
3/30/26 15:00	6.7	242	18.1	1009
3/30/26 16:00	5.2	213	17.9	1009
3/30/26 17:00	5.8	248	18.9	1009
3/30/26 18:00	4.4	232	18.8	1009
3/30/26 19:00	3.6	184	12.3	1010
3/30/26 20:00	3.4	197	9.1	1011
3/30/26 21:00	2.0	233	8.4	1011
3/30/26 22:00	1.8	124	7.1	1012
3/30/26 23:00	2.6	163	8.5	1012
3/31/26 0:00	1.6	29	8.6	1012
3/31/26 1:00	1.5	130	8.6	1012
3/31/26 2:00	1.8	128	8.8	1012
3/31/26 3:00	ND	ND	8.3	1013
3/31/26 4:00	1.8	17	8.1	1012
3/31/26 5:00	2.2	78	7.9	1012
3/31/26 6:00	4.9	64	7.8	1013
3/31/26 7:00	5.6	76	7.0	1013
3/31/26 8:00	5.8	72	6.6	1014
3/31/26 9:00	6.8	48	5.3	1014
3/31/26 10:00	5.8	46	4.9	1014
3/31/26 11:00	5.6	54	4.2	1013

Sprague South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (3/17/26 11:00 to 3/31/26 11:00)

PWM Wind Rose 3/17/26 11:00 - 3/31/26 11:00



Sprague South Portland Maine Terminal Fenceline Monitoring

Terminal Fenceline Perimeter Length = 2,392 m

Monitor Location Method: EPA Method 325A Option 2

Terminal Fenceline Area = 46.6 Acres

Spacing Between Monitors: 199.3 m ($\pm$ 26.3 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 1	BTEX	43.637950°	-70.285460°	to Site 16: 218.8	Site 1 is on the southern terminal fenceline, near the main entrance to the terminal and approximately 43 m NW of Main St. The northern boundary of the South Portland LLC Terminal lies approximately 60 m to the South of Site 1.
				to Site 2: 202.7	
Site 2	BTEX	43.639290°	-70.284476°	to Site 1: 181.3	Site 2 is located on the fenceline at the southeastern corner of the terminal, approximately 37 m from the shoreline of the Fore River.
				to Site 3: 202.7	
Site 3	BTEX	43.640276°	-70.284490°	to Site 2: 180.8	Site 3 is adjacent to a dock area. To allow safe access, it is located 3.7 m from the shoreline of the Fore River.
				to Site 4: 199.0	
Site 4	BTEX	43.640989°	-70.285184°	to Site 3: 109.6	Site 4 is an additional site and is located halfway between 3 & 5 due to a licensed emission unit (Truck Offloading Area) that is located between Sites 3 and 5 and is <50 m from the terminal fenceline. Site 4 is located within 2.6 m of the Fore River shore and is adjacent to one of the three terminal docks. Site 4 is approximately 35 m southeast of a second terminal dock. (Site 3 is adjacent to the third terminal dock.)
				to Site 5: 89.4	
Site 5	BTEX	43.641558°	-70.285786°	to Site 4: 199.0	Site 5 is situated 10 m inland from the Fore River shoreline for safe access. Site 3 is 80.6 m North of the dock area, 50 m south of railroad tracks. The Veterans Memorial Bridge is located 86 m to the NW and North of Site 5.
				to Site 6: 199.6	
Site 6	BTEX	43.641583°	-70.287779°	to Site 5: 199.6	Site 6 is located at the northern fenceline of the terminal. Site 6 is situated 4 m south of railroad tracks and 21 m south of the west approach ramp of the Veterans Memorial Bridge.
				to Site 7: 180.0	
Site 7	BTEX	43.640745°	-70.289139°	to Site 6: 180.0	Site 7 is on the Northern fenceline. Two licensed emission units (Tanks 5 and 7) are located 35 m and 25 m to the SE and SW of Site 7, respectively. Railroad tracks are located 10 m to the North of Site 7. The western approach ramp of the Veterans Memorial Bridge is located 50 m to the North of Site 7.
				to Site 8: 219.3	

Sprague South Portland Maine Terminal Fenceline Monitoring

Terminal Fenceline Perimeter Length = 2,392 m

Monitor Location Method: EPA Method 325A Option 2

Terminal Fenceline Area = 46.6 Acres

Spacing Between Monitors: 199.3 m ($\pm$ 26.3 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 8	BTEX	43.639781°	-70.290884°	to Site 7: 219.3	Site 8 is on the western fenceline. The terminal area immediately to the NE of Site 8 has trees and dense vegetation. Railroad tracks are located 50 m to the North and NW of Site 8. The western approach ramp of the Veterans Memorial Bridge is located 75 m to the North and NW of Site 8. Two businesses with fleets of heavy construction vehicles (cranes, concrete trucks) are located immediately to the SW of Site 8.
				to Site 9: 207.8	
Site 9	BTEX	43.638338°	-70.290283°	to Site 8: 207.8	Site 9 is on the fenceline. Emissions Unit Tank 13 is located 24 m south of Site 9. A Truck Offloading Emissions Unit is located 65m west of Site 9.
				to Site 10: 199.8	
Site 10	BTEX	43.637879°	-70.291297°	to Site 9: 99.8	Site 10 is an additional site and is located halfway between 9 & 11 due to licensed emission unit Tank 14 located <50 m from fenceline. Site 10 is situated on the fenceline.
				to Site 11: 99.8	
Site 11	BTEX	43.637296°	-70.291508°	to Site 10: 199.8	Site 11 is on the terminal southwestern fenceline. Licensed Emissions Unit Tank 14 is located 30m NE of Site 8. US Highway Rt. 1 is located 16m SW of Site 11.
				to Site 12: 185.8	
Site 12	BTEX	43.636804°	-70.290017°	to Site 11: 185.8	Site 12 is on the terminal southwestern fenceline. Licensed Emissions Unit Tank 105 is located 33 m North of Site 12. Two businesses with fleets of construction vehicles and tractor-trailer trucks are located immediately to the South of Site 12. US Highway Rt. 1 is located 70 m SW of Site 12.
				to Site 13: 199.1	
Site13	BTEX	43.637474°	-70.289678°	to Site 12: 93.0	Site 13 is an additional site and is located halfway between 12 & 14 due to licensed emission unit Tank 105 located <50 m from fenceline. Site 13 is situated on the fenceline.
				to Site 14: 106.1	
Site14	BTEX	43.637696°	-70.289076°	to Site 13: 199.1	Site 14 is on the southern terminal fenceline adjacent to Lincoln St. Licensed Emissions Unit Tank 112 is located 33 m North of Site 14.
				to Site 15: 199.5	

Sprague South Portland Maine Terminal Fenceline Monitoring

Terminal Fenceline Perimeter Length = 2,392 m

Monitor Location Method: EPA Method 325A Option 2

Terminal Fenceline Area = 46.6 Acres

Spacing Between Monitors: 199.3 m ($\pm$ 26.3 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site15	BTEX	43.637229°	-70.288012°	to Site 14: 107.4	Site 15 is an additional site and is located halfway between 14 & 16 due to licensed emission unit (Truck Offloading Area) located between Sites 14 and 16 and <50 m from fenceline. Site 15 is situated on the fenceline.
				to Site 16: 91.7	
Site16	BTEX	43.637133°	-70.286826°	to Site 105: 199.5	Site 16 is on the southern terminal fenceline adjacent to the intersection of Lincoln and Jackson. Streets. Licensed Emissions Unit Tank 101 is located 7 m to the north of Site 16.
				to Site 1: 218.8	

Aerial View of the Sprague South Portland Terminal Fenceline Sampling Locations



APPENDIX A – LAB RESULTS

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 38 Sprague - South Portland

Client Project# PROJ-027968

Samples Received: 1/6/2026

Analytical Report 2026GA101

EPA Method 325B Analysis

Report Issue Date: 1/16/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



QA Review by Kelly Fitzgerald, Report Writer



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	11
Chromatograms	14
Initial Calibration	78
Sample Custody	81
Chain of Custody	82

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GA101-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Enthalpy Analytical on January 6, 2026 at 16 °C. The samples were received in good condition, but without a Chain of Custody. The COC was received on January 7, 2026. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20251222	C69730	Sample
SPRSPO-1-D-20251222	C36992	Duplicate
SPRSPO-1-B-20251222	C40563	Blank
SPRSPO-2-S-20251222	C34170	Sample
SPRSPO-3-S-20251222	C69706	Sample
SPRSPO-4-S-20251222	C57474	Sample
SPRSPO-5-S-20251222	C43929	Sample
SPRSPO-6-S-20251222	C57171	Sample
SPRSPO-7-S-20251222	C69735	Sample
SPRSPO-8-S-20251222	C55554	Sample
SPRSPO-9-S-20251222	C01422	Sample
SPRSPO-10-S-20251222	C01850	Sample
SPRSPO-11-S-20251222	B50636	Sample
SPRSPO-12-S-20251222	C20428	Sample
SPRSPO-13-S-20251222	C01880	Sample
SPRSPO-13-D-20251222	B44194	Duplicate
SPRSPO-13-B-20251222	C68613	Blank
SPRSPO-14-S-20251222	C53568	Sample
SPRSPO-15-S-20251222	C71654	Sample
SPRSPO-16-S-20251222	C16064	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD-CRYO is not included in this report but may be available upon request.

The sample tube media used for this sampling period was Carboxen 1000. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GA101-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (D121025A_CC185154_Cryo_R3) met all 30% RSD criteria. The initial calibration verification met $\pm 30\%$ recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

5. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

6. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in $\mu\text{g}/\text{m}^3$ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA101-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20251222	C69730	0.877		2.56		0.985		3.45		1.14	
SPRSPO-1-D-20251222	C36992	0.815		2.50		0.890		2.70		0.888	
SPRSPO-1-B-20251222	C40563	0.196	ND	0.253	ND	0.286	ND	0.286	ND	0.286	ND
SPRSPO-2-S-20251222	C34170	0.715		2.42		0.346	J	0.860		0.334	J
SPRSPO-3-S-20251222	C69706	0.782		2.45		0.352	J	1.03		0.449	J
SPRSPO-4-S-20251222	C57474	0.876		2.64		0.346	J	0.834		0.341	J
SPRSPO-5-S-20251222	C43929	0.741		2.19		0.286	ND	0.447	J	0.286	ND
SPRSPO-6-S-20251222	C57171	0.589		1.87		0.286	ND	0.415	J	0.286	ND
SPRSPO-7-S-20251222	C69735	0.705		1.42		0.286	ND	0.400	J	0.286	ND
SPRSPO-8-S-20251222	C55554	0.534		0.878		0.286	ND	0.386	J	0.286	ND
SPRSPO-9-S-20251222	C01422	0.593		1.05		0.286	ND	0.437	J	0.286	ND
SPRSPO-10-S-20251222	C01850	0.710		0.975		0.286	ND	0.373	J	0.286	ND
SPRSPO-11-S-20251222	B50636	0.586		0.905		0.286	ND	0.373	J	0.286	ND
SPRSPO-12-S-20251222	C20428	0.668		1.44		0.286	ND	0.486	J	0.286	ND
SPRSPO-13-S-20251222	C01880	0.643		1.32		0.286	ND	0.596	J	0.286	ND
SPRSPO-13-D-20251222	B44194	0.704		1.24		0.286	ND	0.478	J	0.286	ND
SPRSPO-13-B-20251222	C68613	0.196	ND	0.253	ND	0.286	ND	0.286	ND	0.286	ND
SPRSPO-14-S-20251222	C53568	0.798		1.75		0.360	J	0.759		0.307	J
SPRSPO-15-S-20251222	C71654	0.743		1.90		0.385	J	1.00		0.425	J
SPRSPO-16-S-20251222	C16064	0.882		2.46		0.486	J	1.15		0.468	J

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA101-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20251222	C69730	0.877	0.275	11.2	20.7	0.634	20110	0.196	0.467	0.0614	0.146		D2600098.d	2026-01-07 18:48	1.613	16.046	94760	295934	56.3	15.989	-5.1%
SPRSPO-1-D-20251222	C36992	0.815	0.255	10.4	20.7	0.634	20110	0.196	0.467	0.0614	0.146		D2600099.d	2026-01-07 19:21	1.613	16.046	88760	298221	56.3	15.989	-4.3%
SPRSPO-1-B-20251222	C40563	0.196	0.0614		20.7	0.634	20110	0.196	0.467	0.0614	0.146	ND	D2600096.d	2026-01-07 17:41	1.613	16.046	4841	306874	56.3	15.989	-1.6%
SPRSPO-2-S-20251222	C34170	0.715	0.224	9.12	20.6	0.634	20113	0.196	0.467	0.0614	0.146		D2600100.d	2026-01-07 19:54	1.613	16.046	78506	300579	56.3	15.989	-3.6%
SPRSPO-3-S-20251222	C69706	0.782	0.245	9.98	20.6	0.634	20113	0.196	0.467	0.0614	0.146		D2600101.d	2026-01-07 20:28	1.613	16.046	86374	302329	56.3	15.989	-3.0%
SPRSPO-4-S-20251222	C57474	0.876	0.274	11.2	20.6	0.634	20111	0.196	0.467	0.0614	0.146		D2600102.d	2026-01-07 21:01	1.613	16.046	97062	303654	56.3	15.989	-2.6%
SPRSPO-5-S-20251222	C43929	0.741	0.232	9.45	20.6	0.634	20110	0.196	0.467	0.0614	0.146		D2600103.d	2026-01-07 21:35	1.613	16.046	80627	297851	56.3	15.989	-4.5%
SPRSPO-6-S-20251222	C57171	0.589	0.185	7.51	20.6	0.634	20110	0.196	0.467	0.0614	0.146		D2600104.d	2026-01-07 22:08	1.613	16.046	65383	303968	56.3	15.989	-2.5%
SPRSPO-7-S-20251222	C69735	0.705	0.221	8.99	20.6	0.634	20110	0.196	0.467	0.0614	0.146		D2600105.d	2026-01-07 22:42	1.613	16.046	77592	301324	56.3	15.989	-3.3%
SPRSPO-8-S-20251222	C55554	0.534	0.167	6.80	20.6	0.634	20106	0.196	0.467	0.0614	0.146		D2600106.d	2026-01-07 23:16	1.613	16.046	59133	303667	56.3	15.989	-2.6%
SPRSPO-9-S-20251222	C01422	0.593	0.186	7.55	20.6	0.634	20083	0.196	0.468	0.0615	0.147		D2600108.d	2026-01-08 00:23	1.613	16.046	66091	305796	56.3	15.989	-1.9%
SPRSPO-10-S-20251222	C01850	0.710	0.222	9.03	20.6	0.634	20083	0.196	0.468	0.0615	0.147		D2600109.d	2026-01-08 00:56	1.613	16.046	78772	304519	56.3	15.989	-2.3%
SPRSPO-11-S-20251222	B50636	0.586	0.183	7.46	20.6	0.634	20082	0.196	0.468	0.0615	0.147		D2600110.d	2026-01-08 01:30	1.613	16.046	64279	300960	56.3	15.989	-3.5%
SPRSPO-12-S-20251222	C20428	0.668	0.209	8.52	20.6	0.634	20121	0.196	0.467	0.0614	0.146		D2600111.d	2026-01-08 02:04	1.613	16.046	74646	305936	56.3	15.989	-1.9%
SPRSPO-13-S-20251222	C01880	0.643	0.201	8.19	20.6	0.634	20085	0.196	0.468	0.0615	0.147		D2600112.d	2026-01-08 02:37	1.613	16.046	70534	300845	56.3	15.989	-3.5%
SPRSPO-13-D-20251222	B44194	0.704	0.221	8.97	20.6	0.634	20085	0.196	0.468	0.0615	0.147		D2600113.d	2026-01-08 03:11	1.613	16.046	79330	308961	56.3	15.989	-0.9%
SPRSPO-13-B-20251222	C68613	0.196	0.0615		20.6	0.634	20085	0.196	0.468	0.0615	0.147	ND	D2600097.d	2026-01-07 18:14	1.613	16.046	4119	296746	56.3	15.989	-4.8%
SPRSPO-14-S-20251222	C53568	0.798	0.250	10.2	20.6	0.634	20076	0.196	0.468	0.0615	0.147		D2600114.d	2026-01-08 03:45	1.613	16.046	89257	306878	56.3	15.989	-1.6%
SPRSPO-15-S-20251222	C71654	0.743	0.233	9.45	20.6	0.634	20075	0.196	0.468	0.0615	0.147		D2600115.d	2026-01-08 04:18	1.613	16.046	82284	304055	56.3	15.989	-2.5%
SPRSPO-16-S-20251222	C16064	0.882	0.276	11.2	20.6	0.634	20076	0.196	0.468	0.0615	0.147		D2600116.d	2026-01-08 04:52	1.613	16.046	98549	306582	56.3	15.989	-1.7%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20251222	C69730	2.56	0.679	25.3	20.7	0.492	20110	0.253	0.529	0.0671	0.140		D2600098.d	2026-01-07 18:48	1.815	18.647	213915	307732	66.1	18.554	-8.2%
SPRSPO-1-D-20251222	C36992	2.50	0.664	24.7	20.7	0.492	20110	0.253	0.529	0.0671	0.140		D2600099.d	2026-01-07 19:21	1.815	18.639	211148	310818	66.1	18.553	-7.3%
SPRSPO-1-B-20251222	C40563	0.253	0.0671		20.7	0.492	20110	0.253	0.529	0.0671	0.140	ND	D2600096.d	2026-01-07 17:41	1.815	18.646	5873	312768	66.1	18.553	-6.7%
SPRSPO-2-S-20251222	C34170	2.42	0.642	23.9	20.6	0.492	20113	0.253	0.529	0.0671	0.140		D2600100.d	2026-01-07 19:54	1.815	18.639	205496	312786	66.1	18.554	-6.7%
SPRSPO-3-S-20251222	C69706	2.45	0.649	24.2	20.6	0.492	20113	0.253	0.529	0.0671	0.140		D2600101.d	2026-01-07 20:28	1.815	18.646	206316	310276	66.1	18.553	-7.4%
SPRSPO-4-S-20251222	C57474	2.64	0.700	26.1	20.6	0.492	20111	0.253	0.529	0.0671	0.140		D2600102.d	2026-01-07 21:01	1.815	18.640	221900	309546	66.1	18.554	-7.7%
SPRSPO-5-S-20251222	C43929	2.19	0.580	21.6	20.6	0.492	20110	0.253	0.529	0.0671	0.140		D2600103.d	2026-01-07 21:35	1.815	18.646	183197	308296	66.1	18.553	-8.0%
SPRSPO-6-S-20251222	C57171	1.87	0.496	18.5	20.6	0.492	20110	0.253	0.529	0.0671	0.140		D2600104.d	2026-01-07 22:08	1.815	18.646	155966	307272	66.1	18.553	-8.3%
SPRSPO-7-S-20251222	C69735	1.42	0.378	14.1	20.6	0.492	20110	0.253	0.529	0.0671	0.140		D2600105.d	2026-01-07 22:42	1.815	18.639	120991	312361	66.1	18.553	-6.8%
SPRSPO-8-S-20251222	C55554	0.878	0.233	8.68	20.6	0.492	20106	0.253	0.529	0.0671	0.140		D2600106.d	2026-01-07 23:16	1.815	18.647	74266	311256	66.1	18.554	-7.2%
SPRSPO-9-S-20251222	C01422	1.05	0.278	10.3	20.6	0.492	20083	0.253	0.530	0.0672	0.141		D2600108.d	2026-01-08 00:23	1.815	18.646	88382	310783	66.1	18.553	-7.3%
SPRSPO-10-S-20251222	C01850	0.975	0.259	9.63	20.6	0.492	20083	0.253	0.530	0.0672	0.141		D2600109.d	2026-01-08 00:56	1.815	18.647	83102	314014	66.1	18.553	-6.3%
SPRSPO-11-S-20251222	B50636	0.905	0.240	8.94	20.6	0.492	20082	0.253	0.530	0.0672	0.141		D2600110.d	2026-01-08 01:30	1.815	18.647	76158	310020	66.1	18.554	-7.5%
SPRSPO-12-S-20251222	C20428	1.44	0.381	14.2	20.6	0.492	20121	0.253	0.529	0.0671	0.140		D2600111.d	2026-01-08 02:04	1.815	18.647	121976	312220	66.1	18.553	-6.9%
SPRSPO-13-S-20251222	C01880	1.32	0.351	13.1	20.6	0.492	20085	0.253	0.530	0.0672	0.141		D2600112.d	2026-01-08 02:37	1.815	18.646	112842	314081	66.1	18.553	-6.3%
SPRSPO-13-D-20251222	B44194	1.24	0.328	12.2	20.6	0.492	20085	0.253	0.530	0.0672	0.141		D2600113.d	2026-01-08 03:11	1.815	18.647	107093	319091	66.1	18.553	-4.8%
SPRSPO-13-B-20251222	C68613	0.253	0.0672		20.6	0.492	20085	0.253	0.530	0.0672	0.141	ND	D2600097.d	2026-01-07 18:14	1.815	18.647	6343	311588	66.1	18.554	-7.1%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA101-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20251222	C53568	1.75	0.466	17.3	20.6	0.492	20076	0.253	0.530	0.0672	0.141		D2600114.d	2026-01-08 03:45	1.815	18.646	151887	319225	66.1	18.553	-4.8%
SPRSPO-15-S-20251222	C71654	1.90	0.505	18.8	20.6	0.492	20075	0.253	0.530	0.0672	0.141		D2600115.d	2026-01-08 04:18	1.815	18.639	165861	321286	66.1	18.554	-4.2%
SPRSPO-16-S-20251222	C16064	2.46	0.653	24.3	20.6	0.492	20076	0.253	0.530	0.0672	0.141		D2600116.d	2026-01-08 04:52	1.815	18.639	213102	319269	66.1	18.553	-4.8%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20251222	C69730	0.985	0.227	8.62	20.7	0.435	20110	0.286	0.621	0.0658	0.143		D2600098.d	2026-01-07 18:48	2.073	20.710	83213	307732	66.1	18.554	-8.2%
SPRSPO-1-D-20251222	C36992	0.890	0.205	7.79	20.7	0.435	20110	0.286	0.621	0.0658	0.143		D2600099.d	2026-01-07 19:21	2.073	20.717	76000	310818	66.1	18.553	-7.3%
SPRSPO-1-B-20251222	C40563	0.286	0.0658		20.7	0.435	20110	0.286	0.621	0.0658	0.143	ND	D2600096.d	2026-01-07 17:41	2.073	20.717	2063	312768	66.1	18.553	-6.7%
SPRSPO-2-S-20251222	C34170	0.346	0.0797	3.03	20.6	0.435	20113	0.286	0.621	0.0658	0.143	J	D2600100.d	2026-01-07 19:54	2.073	20.717	29716	312786	66.1	18.554	-6.7%
SPRSPO-3-S-20251222	C69706	0.352	0.0811	3.08	20.6	0.435	20113	0.286	0.621	0.0658	0.143	J	D2600101.d	2026-01-07 20:28	2.073	20.717	30002	310276	66.1	18.553	-7.4%
SPRSPO-4-S-20251222	C57474	0.346	0.0798	3.03	20.6	0.435	20111	0.286	0.621	0.0658	0.143	J	D2600102.d	2026-01-07 21:01	2.073	20.717	29429	309546	66.1	18.554	-7.7%
SPRSPO-5-S-20251222	C43929	0.286	0.0658		20.6	0.435	20110	0.286	0.621	0.0658	0.143	ND	D2600103.d	2026-01-07 21:35	2.073	20.716	14867	308296	66.1	18.553	-8.0%
SPRSPO-6-S-20251222	C57171	0.286	0.0658		20.6	0.435	20110	0.286	0.621	0.0658	0.143	ND	D2600104.d	2026-01-07 22:08	2.073	20.717	14320	307272	66.1	18.553	-8.3%
SPRSPO-7-S-20251222	C69735	0.286	0.0658		20.6	0.435	20110	0.286	0.621	0.0658	0.143	ND	D2600105.d	2026-01-07 22:42	2.073	20.710	11986	312361	66.1	18.553	-6.8%
SPRSPO-8-S-20251222	C55554	0.286	0.0658		20.6	0.435	20106	0.286	0.621	0.0658	0.143	ND	D2600106.d	2026-01-07 23:16	2.073	20.710	12431	311256	66.1	18.554	-7.2%
SPRSPO-9-S-20251222	C01422	0.286	0.0659		20.6	0.435	20083	0.286	0.622	0.0659	0.143	ND	D2600108.d	2026-01-08 00:23	2.073	20.716	16376	310783	66.1	18.553	-7.3%
SPRSPO-10-S-20251222	C01850	0.286	0.0659		20.6	0.435	20083	0.286	0.622	0.0659	0.143	ND	D2600109.d	2026-01-08 00:56	2.073	20.717	14494	314014	66.1	18.553	-6.3%
SPRSPO-11-S-20251222	B50636	0.286	0.0659		20.6	0.435	20082	0.286	0.622	0.0659	0.143	ND	D2600110.d	2026-01-08 01:30	2.073	20.717	14894	310020	66.1	18.554	-7.5%
SPRSPO-12-S-20251222	C20428	0.286	0.0658		20.6	0.435	20121	0.286	0.621	0.0658	0.143	ND	D2600111.d	2026-01-08 02:04	2.073	20.717	22228	312220	66.1	18.553	-6.9%
SPRSPO-13-S-20251222	C01880	0.286	0.0659		20.6	0.435	20085	0.286	0.622	0.0659	0.143	ND	D2600112.d	2026-01-08 02:37	2.073	20.709	21450	314081	66.1	18.553	-6.3%
SPRSPO-13-D-20251222	B44194	0.286	0.0659		20.6	0.435	20085	0.286	0.622	0.0659	0.143	ND	D2600113.d	2026-01-08 03:11	2.073	20.717	17438	319091	66.1	18.553	-4.8%
SPRSPO-13-B-20251222	C68613	0.286	0.0659		20.6	0.435	20085	0.286	0.622	0.0659	0.143	ND	D2600097.d	2026-01-07 18:14	2.073	20.717	994	311588	66.1	18.554	-7.1%
SPRSPO-14-S-20251222	C53568	0.360	0.0830	3.15	20.6	0.435	20076	0.286	0.622	0.0659	0.143	J	D2600114.d	2026-01-08 03:45	2.073	20.709	31519	319225	66.1	18.553	-4.8%
SPRSPO-15-S-20251222	C71654	0.385	0.0888	3.36	20.6	0.435	20075	0.286	0.622	0.0659	0.143	J	D2600115.d	2026-01-08 04:18	2.073	20.717	33919	321286	66.1	18.554	-4.2%
SPRSPO-16-S-20251222	C16064	0.486	0.112	4.24	20.6	0.435	20076	0.286	0.622	0.0659	0.143	J	D2600116.d	2026-01-08 04:52	2.073	20.717	42526	319269	66.1	18.553	-4.8%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20251222	C69730	3.45	0.794	30.2	20.7	0.435	20110	0.286	0.696	0.0658	0.160		D2600098.d	2026-01-07 18:48	1.639	20.882	230275	307732	66.1	18.554	-8.2%
SPRSPO-1-D-20251222	C36992	2.70	0.623	23.7	20.7	0.435	20110	0.286	0.696	0.0658	0.160		D2600099.d	2026-01-07 19:21	1.639	20.881	182393	310818	66.1	18.553	-7.3%
SPRSPO-1-B-20251222	C40563	0.286	0.0658		20.7	0.435	20110	0.286	0.696	0.0658	0.160	ND	D2600096.d	2026-01-07 17:41	1.639	20.910	1277	312768	66.1	18.553	-6.7%
SPRSPO-2-S-20251222	C34170	0.860	0.198	7.53	20.6	0.435	20113	0.286	0.696	0.0658	0.160		D2600100.d	2026-01-07 19:54	1.639	20.882	58397	312786	66.1	18.554	-6.7%
SPRSPO-3-S-20251222	C69706	1.03	0.238	9.03	20.6	0.435	20113	0.286	0.696	0.0658	0.160		D2600101.d	2026-01-07 20:28	1.639	20.881	69523	310276	66.1	18.553	-7.4%
SPRSPO-4-S-20251222	C57474	0.834	0.192	7.30	20.6	0.435	20111	0.286	0.696	0.0658	0.160		D2600102.d	2026-01-07 21:01	1.639	20.882	56013	309546	66.1	18.554	-7.7%
SPRSPO-5-S-20251222	C43929	0.447	0.103	3.92	20.6	0.435	20110	0.286	0.696	0.0658	0.160	J	D2600103.d	2026-01-07 21:35	1.639	20.881	29943	308296	66.1	18.553	-8.0%
SPRSPO-6-S-20251222	C57171	0.415	0.0957	3.63	20.6	0.435	20110	0.286	0.696	0.0658	0.160	J	D2600104.d	2026-01-07 22:08	1.639	20.881	27690	307272	66.1	18.553	-8.3%
SPRSPO-7-S-20251222	C69735	0.400	0.0922	3.50	20.6	0.435	20110	0.286	0.696	0.0658	0.160	J	D2600105.d	2026-01-07 22:42	1.639	20.881	27119	312361	66.1	18.553	-6.8%
SPRSPO-8-S-20251222	C55554	0.386	0.0889	3.37	20.6	0.435	20106	0.286	0.696	0.0658	0.161	J	D2600106.d	2026-01-07 23:16	1.639	20.882	26050	311256	66.1	18.554	-7.2%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA101-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20251222	C01422	0.437	0.101	3.82	20.6	0.435	20083	0.286	0.697	0.0659	0.161	J	D2600108.d	2026-01-08 00:23	1.639	20.881	29455	310783	66.1	18.553	-7.3%
SPRSPO-10-S-20251222	C01850	0.373	0.0860	3.26	20.6	0.435	20083	0.286	0.697	0.0659	0.161	J	D2600109.d	2026-01-08 00:56	1.639	20.881	25403	314014	66.1	18.553	-6.3%
SPRSPO-11-S-20251222	B50636	0.373	0.0860	3.26	20.6	0.435	20082	0.286	0.697	0.0659	0.161	J	D2600110.d	2026-01-08 01:30	1.639	20.882	25089	310020	66.1	18.554	-7.5%
SPRSPO-12-S-20251222	C20428	0.486	0.112	4.26	20.6	0.435	20121	0.286	0.696	0.0658	0.160	J	D2600111.d	2026-01-08 02:04	1.639	20.882	32962	312220	66.1	18.553	-6.9%
SPRSPO-13-S-20251222	C01880	0.596	0.137	5.21	20.6	0.435	20085	0.286	0.697	0.0659	0.161	J	D2600112.d	2026-01-08 02:37	1.639	20.881	40606	314081	66.1	18.553	-6.3%
SPRSPO-13-D-20251222	B44194	0.478	0.110	4.18	20.6	0.435	20085	0.286	0.697	0.0659	0.161	J	D2600113.d	2026-01-08 03:11	1.639	20.881	33045	319091	66.1	18.553	-4.8%
SPRSPO-13-B-20251222	C68613	0.286	0.0659		20.6	0.435	20085	0.286	0.697	0.0659	0.161	ND	D2600097.d	2026-01-07 18:14	1.639	20.882	1537	311588	66.1	18.554	-7.1%
SPRSPO-14-S-20251222	C53568	0.759	0.175	6.63	20.6	0.435	20076	0.286	0.698	0.0659	0.161		D2600114.d	2026-01-08 03:45	1.639	20.881	52485	319225	66.1	18.553	-4.8%
SPRSPO-15-S-20251222	C71654	1.00	0.231	8.76	20.6	0.435	20075	0.286	0.698	0.0659	0.161		D2600115.d	2026-01-08 04:18	1.639	20.882	69824	321286	66.1	18.554	-4.2%
SPRSPO-16-S-20251222	C16064	1.15	0.264	10.0	20.6	0.435	20076	0.286	0.698	0.0659	0.161		D2600116.d	2026-01-08 04:52	1.639	20.882	79407	319269	66.1	18.553	-4.8%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20251222	C69730	1.14	0.262	9.94	20.7	0.435	20110	0.286	0.648	0.0658	0.149		D2600098.d	2026-01-07 18:48	1.622	21.362	75073	307732	66.1	18.554	-8.2%
SPRSPO-1-D-20251222	C36992	0.888	0.205	7.77	20.7	0.435	20110	0.286	0.648	0.0658	0.149		D2600099.d	2026-01-07 19:21	1.622	21.354	59260	310818	66.1	18.553	-7.3%
SPRSPO-1-B-20251222	C40563	0.286	0.0658		20.7	0.435	20110	0.286	0.648	0.0658	0.149	ND	D2600096.d	2026-01-07 17:41	1.622	21.354	0	312768	66.1	18.553	-6.7%
SPRSPO-2-S-20251222	C34170	0.334	0.0770	2.92	20.6	0.435	20113	0.286	0.647	0.0658	0.149	J	D2600100.d	2026-01-07 19:54	1.622	21.354	22453	312786	66.1	18.554	-6.7%
SPRSPO-3-S-20251222	C69706	0.449	0.103	3.93	20.6	0.435	20113	0.286	0.647	0.0658	0.149	J	D2600101.d	2026-01-07 20:28	1.622	21.361	29938	310276	66.1	18.553	-7.4%
SPRSPO-4-S-20251222	C57474	0.341	0.0786	2.99	20.6	0.435	20111	0.286	0.648	0.0658	0.149	J	D2600102.d	2026-01-07 21:01	1.622	21.354	22680	309546	66.1	18.554	-7.7%
SPRSPO-5-S-20251222	C43929	0.286	0.0658		20.6	0.435	20110	0.286	0.648	0.0658	0.149	ND	D2600103.d	2026-01-07 21:35	1.622	21.361	13434	308296	66.1	18.553	-8.0%
SPRSPO-6-S-20251222	C57171	0.286	0.0658		20.6	0.435	20110	0.286	0.648	0.0658	0.149	ND	D2600104.d	2026-01-07 22:08	1.622	21.361	11928	307272	66.1	18.553	-8.3%
SPRSPO-7-S-20251222	C69735	0.286	0.0658		20.6	0.435	20110	0.286	0.648	0.0658	0.149	ND	D2600105.d	2026-01-07 22:42	1.622	21.354	9993	312361	66.1	18.553	-6.8%
SPRSPO-8-S-20251222	C55554	0.286	0.0658		20.6	0.435	20106	0.286	0.648	0.0658	0.149	ND	D2600106.d	2026-01-07 23:16	1.622	21.362	9910	311256	66.1	18.554	-7.2%
SPRSPO-9-S-20251222	C01422	0.286	0.0659		20.6	0.435	20083	0.286	0.648	0.0659	0.149	ND	D2600108.d	2026-01-08 00:23	1.622	21.361	13241	310783	66.1	18.553	-7.3%
SPRSPO-10-S-20251222	C01850	0.286	0.0659		20.6	0.435	20083	0.286	0.648	0.0659	0.149	ND	D2600109.d	2026-01-08 00:56	1.622	21.354	11240	314014	66.1	18.553	-6.3%
SPRSPO-11-S-20251222	B50636	0.286	0.0659		20.6	0.435	20082	0.286	0.648	0.0659	0.149	ND	D2600110.d	2026-01-08 01:30	1.622	21.354	10628	310020	66.1	18.554	-7.5%
SPRSPO-12-S-20251222	C20428	0.286	0.0658		20.6	0.435	20121	0.286	0.647	0.0658	0.149	ND	D2600111.d	2026-01-08 02:04	1.622	21.354	13497	312220	66.1	18.553	-6.9%
SPRSPO-13-S-20251222	C01880	0.286	0.0659		20.6	0.435	20085	0.286	0.648	0.0659	0.149	ND	D2600112.d	2026-01-08 02:37	1.622	21.354	18208	314081	66.1	18.553	-6.3%
SPRSPO-13-D-20251222	B44194	0.286	0.0659		20.6	0.435	20085	0.286	0.648	0.0659	0.149	ND	D2600113.d	2026-01-08 03:11	1.622	21.361	13519	319091	66.1	18.553	-4.8%
SPRSPO-13-B-20251222	C68613	0.286	0.0659		20.6	0.435	20085	0.286	0.648	0.0659	0.149	ND	D2600097.d	2026-01-07 18:14	1.622	21.333	420	311588	66.1	18.554	-7.1%
SPRSPO-14-S-20251222	C53568	0.307	0.0707	2.68	20.6	0.435	20076	0.286	0.649	0.0659	0.149	J	D2600114.d	2026-01-08 03:45	1.622	21.354	20988	319225	66.1	18.553	-4.8%
SPRSPO-15-S-20251222	C71654	0.425	0.0980	3.72	20.6	0.435	20075	0.286	0.649	0.0659	0.149	J	D2600115.d	2026-01-08 04:18	1.622	21.354	29304	321286	66.1	18.554	-4.2%
SPRSPO-16-S-20251222	C16064	0.468	0.108	4.09	20.6	0.435	20076	0.286	0.649	0.0659	0.149	J	D2600116.d	2026-01-08 04:52	1.622	21.361	32028	319269	66.1	18.553	-4.8%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA101-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20251222	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20251222	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20251222	7.3%	Pass	2.3%	Pass	10%	Pass	24%	Pass	25%	Pass
	SPRSPO-13-D-20251222	9.1%	Pass	6.8%	Pass	ND	Pass	22%	Pass	ND	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA101-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	D2600094.d	C61699	Cal	1.613		1.613	-5.0%	2.3%		Pass	
2025GA101 Method Blank-1	D2600095.d	B18477	Blank			1.613			-3.5%	Pass	ND
M325B CCV 5	D2600107.d	C33504	Check	1.568		1.613	-7.7%		-3.6%	Pass	
M325B CCV 5 REC	D2600117.d	C33504	Check	1.575		1.613	-7.2%		-3.3%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	D2600094.d	C61699	Cal	1.815		1.815	-10%	10%		Pass	
2025GA101 Method Blank-1	D2600095.d	B18477	Blank			1.815			-6.9%	Pass	ND
M325B CCV 5	D2600107.d	C33504	Check	1.837		1.815	-9.1%		-7.0%	Pass	
M325B CCV 5 REC	D2600117.d	C33504	Check	1.880		1.815	-7.0%		-6.9%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	D2600094.d	C61699	Cal	2.073		2.073	-12%	10%		Pass	
2025GA101 Method Blank-1	D2600095.d	B18477	Blank			2.073			-6.9%	Pass	ND
M325B CCV 5	D2600107.d	C33504	Check	2.101		2.073	-11%		-7.0%	Pass	
M325B CCV 5 REC	D2600117.d	C33504	Check	2.083		2.073	-12%		-6.9%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	D2600094.d	C61699	Cal	1.639		1.639	-11%	10%		Pass	
2025GA101 Method Blank-1	D2600095.d	B18477	Blank			1.639			-6.9%	Pass	ND
M325B CCV 5	D2600107.d	C33504	Check	1.602		1.639	-12%		-7.0%	Pass	
M325B CCV 5 REC	D2600117.d	C33504	Check	1.602		1.639	-13%		-6.9%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5 REC	D2600094.d	C61699	Cal	1.622		1.622	-13%	10%		Pass	
2025GA101 Method Blank-1	D2600095.d	B18477	Blank			1.622			-6.9%	Pass	ND
M325B CCV 5	D2600107.d	C33504	Check	1.590		1.622	-15%		-7.0%	Pass	
M325B CCV 5 REC	D2600117.d	C33504	Check	1.588		1.622	-15%		-6.9%	Pass	

Chromatograms



Name 2025GA101 Method Blank-1
Comment B18477
Data File D2600095.d
Acq. Date-Time 1/7/2026 5:07:40 PM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	300,796	
Benzene	Benzene-d6 (IS)	16.053	16.046	6,207	
Toluene-d8 (IS)		18.553	18.553	312,213	
Toluene	Toluene-d8 (IS)	18.647	18.647	15,281	
Ethylbenzene	Toluene-d8 (IS)	20.717	20.710	1,912	
m-/p-Xylenes	Toluene-d8 (IS)	20.896	20.881	1,456	
o-Xylene	Toluene-d8 (IS)	21.354	21.354	1,044	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600095.d




+ Scan (18.518-18.639 min, 17 scans) D2600095.d

**Toluene**


+ EIC (91.1) Scan D2600095.d




+ Scan (18.612-18.688 min, 10 scans) D2600095.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600095.d




+ Scan (20.689-20.745 min, 8 scans) D2600095.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600095.d




+ Scan (20.865-20.922 min, 8 scans) D2600095.d




o-Xylene

+ EIC (91.1) Scan D2600095.d




+ Scan (21.340-21.372 min, 5 scans) D2600095.d





Name SPRSPO-1-B-20251222
Comment C40563
Data File D2600096.d
Acq. Date-Time 1/7/2026 5:41:17 PM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	306,874	
Benzene	Benzene-d6 (IS)	16.046	16.046	4,841	
Toluene-d8 (IS)		18.553	18.553	312,768	
Toluene	Toluene-d8 (IS)	18.646	18.647	5,873	
Ethylbenzene	Toluene-d8 (IS)	20.717	20.710	2,063	
m-/p-Xylenes	Toluene-d8 (IS)	20.910	20.881	1,277	
o-Xylene	Toluene-d8 (IS)	21.354	21.354	ND	m

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600096.d




+ Scan (18.510-18.632 min, 18 scans) D2600096.d

**Toluene**


+ EIC (91.1) Scan D2600096.d




+ Scan (18.625-18.667 min, 6 scans) D2600096.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600096.d




+ Scan (20.688-20.752 min, 9 scans) D2600096.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600096.d




+ Scan (20.868-20.922 min, 7 scans) D2600096.d




o-Xylene

+ EIC (91.1) Scan D2600096.d




+ Scan (21.354-21.354 min, 1 scans) D2600096.d





Name SPRSPO-13-B-20251222
Comment C68613
Data File D2600097.d
Acq. Date-Time 1/7/2026 6:14:40 PM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	296,746	
Benzene	Benzene-d6 (IS)	16.046	16.046	4,119	
Toluene-d8 (IS)		18.554	18.553	311,588	
Toluene	Toluene-d8 (IS)	18.647	18.647	6,343	
Ethylbenzene	Toluene-d8 (IS)	20.717	20.710	994	
m-/p-Xylenes	Toluene-d8 (IS)	20.882	20.881	1,537	
o-Xylene	Toluene-d8 (IS)	21.333	21.354	420	m

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600097.d




+ Scan (18.518-18.640 min, 17 scans) D2600097.d

**Toluene**


+ EIC (91.1) Scan D2600097.d




+ Scan (18.625-18.668 min, 7 scans) D2600097.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600097.d




+ Scan (20.704-20.750 min, 6 scans) D2600097.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600097.d




+ Scan (20.862-20.917 min, 8 scans) D2600097.d




o-Xylene

+ EIC (91.1) Scan D2600097.d




+ Scan (21.328-21.359 min, 4 scans) D2600097.d





Name SPRSPO-1-S-20251222
Comment C69730
Data File D2600098.d
Acq. Date-Time 1/7/2026 6:48:04 PM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	295,934	
Benzene	Benzene-d6 (IS)	16.046	16.046	94,760	
Toluene-d8 (IS)		18.554	18.553	307,732	
Toluene	Toluene-d8 (IS)	18.647	18.647	213,915	
Ethylbenzene	Toluene-d8 (IS)	20.710	20.710	83,213	
m-/p-Xylenes	Toluene-d8 (IS)	20.882	20.881	230,275	
o-Xylene	Toluene-d8 (IS)	21.362	21.354	75,073	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600098.d




+ Scan (18.511-18.632 min, 18 scans) D2600098.d

**Toluene**


+ EIC (91.1) Scan D2600098.d




+ Scan (18.606-18.694 min, 12 scans) D2600098.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600098.d




+ Scan (20.677-20.760 min, 12 scans) D2600098.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600098.d




+ Scan (20.832-20.953 min, 17 scans) D2600098.d




o-Xylene

+ EIC (91.1) Scan D2600098.d




+ Scan (21.311-21.396 min, 12 scans) D2600098.d





Name SPRSPO-1-D-20251222
Comment C36992
Data File D2600099.d
Acq. Date-Time 1/7/2026 7:21:27 PM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	298,221	
Benzene	Benzene-d6 (IS)	16.046	16.046	88,760	
Toluene-d8 (IS)		18.553	18.553	310,818	
Toluene	Toluene-d8 (IS)	18.639	18.647	211,148	
Ethylbenzene	Toluene-d8 (IS)	20.717	20.710	76,000	
m-/p-Xylenes	Toluene-d8 (IS)	20.881	20.881	182,393	
o-Xylene	Toluene-d8 (IS)	21.354	21.354	59,260	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600099.d




+ Scan (18.518-18.639 min, 17 scans) D2600099.d

**Toluene**


+ EIC (91.1) Scan D2600099.d




+ Scan (18.596-18.695 min, 14 scans) D2600099.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600099.d




+ Scan (20.669-20.772 min, 14 scans) D2600099.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600099.d




+ Scan (20.841-20.938 min, 13 scans) D2600099.d




o-Xylene

+ EIC (91.1) Scan D2600099.d




+ Scan (21.321-21.391 min, 10 scans) D2600099.d





Name SPRSPO-2-S-20251222
Comment C34170
Data File D2600100.d
Acq. Date-Time 1/7/2026 7:54:53 PM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	300,579	
Benzene	Benzene-d6 (IS)	16.046	16.046	78,506	
Toluene-d8 (IS)		18.554	18.553	312,786	
Toluene	Toluene-d8 (IS)	18.639	18.647	205,496	
Ethylbenzene	Toluene-d8 (IS)	20.717	20.710	29,716	
m-/p-Xylenes	Toluene-d8 (IS)	20.882	20.881	58,397	
o-Xylene	Toluene-d8 (IS)	21.354	21.354	22,453	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600100.d




+ Scan (18.511-18.646 min, 19 scans) D2600100.d

**Toluene**


+ EIC (91.1) Scan D2600100.d




+ Scan (18.599-18.740 min, 20 scans) D2600100.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600100.d




+ Scan (20.674-20.758 min, 12 scans) D2600100.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600100.d




+ Scan (20.831-20.973 min, 20 scans) D2600100.d




o-Xylene

+ EIC (91.1) Scan D2600100.d




+ Scan (21.328-21.396 min, 9 scans) D2600100.d





Name SPRSPO-3-S-20251222
Comment C69706
Data File D2600101.d
Acq. Date-Time 1/7/2026 8:28:21 PM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	302,329	
Benzene	Benzene-d6 (IS)	16.046	16.046	86,374	
Toluene-d8 (IS)		18.553	18.553	310,276	
Toluene	Toluene-d8 (IS)	18.646	18.647	206,316	
Ethylbenzene	Toluene-d8 (IS)	20.717	20.710	30,002	
m-/p-Xylenes	Toluene-d8 (IS)	20.881	20.881	69,523	
o-Xylene	Toluene-d8 (IS)	21.361	21.354	29,938	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600101.d




+ Scan (18.510-18.632 min, 18 scans) D2600101.d

**Toluene**


+ EIC (91.1) Scan D2600101.d




+ Scan (18.605-18.703 min, 13 scans) D2600101.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600101.d




+ Scan (20.677-20.745 min, 9 scans) D2600101.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600101.d




+ Scan (20.840-20.939 min, 13 scans) D2600101.d




o-Xylene

+ EIC (91.1) Scan D2600101.d




+ Scan (21.326-21.402 min, 10 scans) D2600101.d





Name SPRSPO-4-S-20251222
Comment C57474
Data File D2600102.d
Acq. Date-Time 1/7/2026 9:01:48 PM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	303,654	
Benzene	Benzene-d6 (IS)	16.046	16.046	97,062	
Toluene-d8 (IS)		18.554	18.553	309,546	
Toluene	Toluene-d8 (IS)	18.640	18.647	221,900	
Ethylbenzene	Toluene-d8 (IS)	20.717	20.710	29,429	
m-/p-Xylenes	Toluene-d8 (IS)	20.882	20.881	56,013	
o-Xylene	Toluene-d8 (IS)	21.354	21.354	22,680	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600102.d




+ Scan (18.518-18.632 min, 17 scans) D2600102.d

**Toluene**


+ EIC (91.1) Scan D2600102.d




+ Scan (18.607-18.725 min, 17 scans) D2600102.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600102.d




+ Scan (20.682-20.759 min, 10 scans) D2600102.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600102.d




+ Scan (20.844-20.935 min, 13 scans) D2600102.d




o-Xylene

+ EIC (91.1) Scan D2600102.d




+ Scan (21.326-21.389 min, 9 scans) D2600102.d





Name SPRSPO-5-S-20251222
Comment C43929
Data File D2600103.d
Acq. Date-Time 1/7/2026 9:35:16 PM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	297,851	
Benzene	Benzene-d6 (IS)	16.046	16.046	80,627	
Toluene-d8 (IS)		18.553	18.553	308,296	
Toluene	Toluene-d8 (IS)	18.646	18.647	183,197	
Ethylbenzene	Toluene-d8 (IS)	20.716	20.710	14,867	
m-/p-Xylenes	Toluene-d8 (IS)	20.881	20.881	29,943	
o-Xylene	Toluene-d8 (IS)	21.361	21.354	13,434	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600103.d




+ Scan (18.514-18.632 min, 17 scans) D2600103.d

**Toluene**


+ EIC (91.1) Scan D2600103.d




+ Scan (18.605-18.693 min, 12 scans) D2600103.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600103.d




+ Scan (20.677-20.744 min, 9 scans) D2600103.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600103.d




+ Scan (20.853-20.930 min, 10 scans) D2600103.d




o-Xylene

+ EIC (91.1) Scan D2600103.d




+ Scan (21.320-21.389 min, 9 scans) D2600103.d





Name SPRSPO-6-S-20251222
Comment C57171
Data File D2600104.d
Acq. Date-Time 1/7/2026 10:08:50 PM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxipackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	303,968	
Benzene	Benzene-d6 (IS)	16.046	16.046	65,383	
Toluene-d8 (IS)		18.553	18.553	307,272	
Toluene	Toluene-d8 (IS)	18.646	18.647	155,966	
Ethylbenzene	Toluene-d8 (IS)	20.717	20.710	14,320	
m-/p-Xylenes	Toluene-d8 (IS)	20.881	20.881	27,690	
o-Xylene	Toluene-d8 (IS)	21.361	21.354	11,928	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600104.d




+ Scan (18.513-18.646 min, 19 scans) D2600104.d

**Toluene**


+ EIC (91.1) Scan D2600104.d




+ Scan (18.607-18.704 min, 14 scans) D2600104.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600104.d




+ Scan (20.675-20.762 min, 12 scans) D2600104.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600104.d




+ Scan (20.846-20.930 min, 12 scans) D2600104.d




o-Xylene

+ EIC (91.1) Scan D2600104.d




+ Scan (21.326-21.388 min, 9 scans) D2600104.d





Name SPRSPO-7-S-20251222
Comment C69735
Data File D2600105.d
Acq. Date-Time 1/7/2026 10:42:34 PM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	301,324	
Benzene	Benzene-d6 (IS)	16.046	16.046	77,592	
Toluene-d8 (IS)		18.553	18.553	312,361	
Toluene	Toluene-d8 (IS)	18.639	18.647	120,991	
Ethylbenzene	Toluene-d8 (IS)	20.710	20.710	11,986	
m-/p-Xylenes	Toluene-d8 (IS)	20.881	20.881	27,119	
o-Xylene	Toluene-d8 (IS)	21.354	21.354	9,993	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600105.d




+ Scan (18.511-18.642 min, 19 scans) D2600105.d

**Toluene**


+ EIC (91.1) Scan D2600105.d




+ Scan (18.604-18.697 min, 14 scans) D2600105.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600105.d




+ Scan (20.674-20.751 min, 10 scans) D2600105.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600105.d




+ Scan (20.843-20.936 min, 13 scans) D2600105.d




o-Xylene

+ EIC (91.1) Scan D2600105.d




+ Scan (21.326-21.389 min, 9 scans) D2600105.d





Name SPRSPO-8-S-20251222
Comment C55554
Data File D2600106.d
Acq. Date-Time 1/7/2026 11:16:11 PM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	303,667	
Benzene	Benzene-d6 (IS)	16.046	16.046	59,133	
Toluene-d8 (IS)		18.554	18.553	311,256	
Toluene	Toluene-d8 (IS)	18.647	18.647	74,266	
Ethylbenzene	Toluene-d8 (IS)	20.710	20.710	12,431	
m-/p-Xylenes	Toluene-d8 (IS)	20.882	20.881	26,050	
o-Xylene	Toluene-d8 (IS)	21.362	21.354	9,910	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600106.d




+ Scan (18.511-18.647 min, 20 scans) D2600106.d

**Toluene**


+ EIC (91.1) Scan D2600106.d




+ Scan (18.612-18.675 min, 8 scans) D2600106.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600106.d




+ Scan (20.680-20.745 min, 9 scans) D2600106.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600106.d




+ Scan (20.848-20.963 min, 16 scans) D2600106.d




o-Xylene

+ EIC (91.1) Scan D2600106.d




+ Scan (21.327-21.383 min, 8 scans) D2600106.d





Name SPRSPO-9-S-20251222
Comment C01422
Data File D2600108.d
Acq. Date-Time 1/8/2026 12:23:19 AM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxipackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	305,796	
Benzene	Benzene-d6 (IS)	16.046	16.046	66,091	
Toluene-d8 (IS)		18.553	18.553	310,783	
Toluene	Toluene-d8 (IS)	18.646	18.647	88,382	
Ethylbenzene	Toluene-d8 (IS)	20.716	20.710	16,376	
m-/p-Xylenes	Toluene-d8 (IS)	20.881	20.881	29,455	
o-Xylene	Toluene-d8 (IS)	21.361	21.354	13,241	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600108.d




+ Scan (18.515-18.639 min, 18 scans) D2600108.d

**Toluene**


+ EIC (91.1) Scan D2600108.d




+ Scan (18.611-18.675 min, 9 scans) D2600108.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600108.d




+ Scan (20.682-20.751 min, 9 scans) D2600108.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600108.d




+ Scan (20.849-20.927 min, 11 scans) D2600108.d




o-Xylene

+ EIC (91.1) Scan D2600108.d




+ Scan (21.328-21.392 min, 9 scans) D2600108.d





Name SPRSPO-10-S-20251222
Comment C01850
Data File D2600109.d
Acq. Date-Time 1/8/2026 12:56:58 AM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	304,519	
Benzene	Benzene-d6 (IS)	16.046	16.046	78,772	
Toluene-d8 (IS)		18.553	18.553	314,014	
Toluene	Toluene-d8 (IS)	18.647	18.647	83,102	
Ethylbenzene	Toluene-d8 (IS)	20.717	20.710	14,494	
m-/p-Xylenes	Toluene-d8 (IS)	20.881	20.881	25,403	
o-Xylene	Toluene-d8 (IS)	21.354	21.354	11,240	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600109.d




+ Scan (18.518-18.647 min, 19 scans) D2600109.d

**Toluene**


+ EIC (91.1) Scan D2600109.d




+ Scan (18.612-18.675 min, 8 scans) D2600109.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600109.d




+ Scan (20.688-20.739 min, 7 scans) D2600109.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600109.d




+ Scan (20.853-20.931 min, 10 scans) D2600109.d




o-Xylene

+ EIC (91.1) Scan D2600109.d




+ Scan (21.327-21.390 min, 8 scans) D2600109.d





Name SPRSPO-11-S-20251222
Comment B50636
Data File D2600110.d
Acq. Date-Time 1/8/2026 1:30:38 AM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	300,960	
Benzene	Benzene-d6 (IS)	16.046	16.046	64,279	
Toluene-d8 (IS)		18.554	18.553	310,020	
Toluene	Toluene-d8 (IS)	18.647	18.647	76,158	
Ethylbenzene	Toluene-d8 (IS)	20.717	20.710	14,894	
m-/p-Xylenes	Toluene-d8 (IS)	20.882	20.881	25,089	
o-Xylene	Toluene-d8 (IS)	21.354	21.354	10,628	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600110.d




+ Scan (18.512-18.632 min, 17 scans) D2600110.d

**Toluene**


+ EIC (91.1) Scan D2600110.d




+ Scan (18.604-18.697 min, 14 scans) D2600110.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600110.d




+ Scan (20.688-20.741 min, 7 scans) D2600110.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600110.d




+ Scan (20.853-20.931 min, 11 scans) D2600110.d




o-Xylene

+ EIC (91.1) Scan D2600110.d




+ Scan (21.319-21.397 min, 12 scans) D2600110.d





Name SPRSPO-12-S-20251222
Comment C20428
Data File D2600111.d
Acq. Date-Time 1/8/2026 2:04:08 AM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	305,936	
Benzene	Benzene-d6 (IS)	16.046	16.046	74,646	
Toluene-d8 (IS)		18.553	18.553	312,220	
Toluene	Toluene-d8 (IS)	18.647	18.647	121,976	
Ethylbenzene	Toluene-d8 (IS)	20.717	20.710	22,228	
m-/p-Xylenes	Toluene-d8 (IS)	20.882	20.881	32,962	
o-Xylene	Toluene-d8 (IS)	21.354	21.354	13,497	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600111.d




+ Scan (18.518-18.647 min, 19 scans) D2600111.d

**Toluene**


+ EIC (91.1) Scan D2600111.d




+ Scan (18.608-18.687 min, 11 scans) D2600111.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600111.d




+ Scan (20.667-20.750 min, 12 scans) D2600111.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600111.d




+ Scan (20.839-20.932 min, 14 scans) D2600111.d




o-Xylene

+ EIC (91.1) Scan D2600111.d




+ Scan (21.319-21.388 min, 9 scans) D2600111.d





Name SPRSPO-13-S-20251222
Comment C01880
Data File D2600112.d
Acq. Date-Time 1/8/2026 2:37:43 AM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	300,845	
Benzene	Benzene-d6 (IS)	16.046	16.046	70,534	
Toluene-d8 (IS)		18.553	18.553	314,081	
Toluene	Toluene-d8 (IS)	18.646	18.647	112,842	
Ethylbenzene	Toluene-d8 (IS)	20.709	20.710	21,450	
m-/p-Xylenes	Toluene-d8 (IS)	20.881	20.881	40,606	
o-Xylene	Toluene-d8 (IS)	21.354	21.354	18,208	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600112.d




+ Scan (18.513-18.639 min, 18 scans) D2600112.d

**Toluene**


+ EIC (91.1) Scan D2600112.d




+ Scan (18.603-18.699 min, 14 scans) D2600112.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600112.d




+ Scan (20.684-20.744 min, 8 scans) D2600112.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600112.d




+ Scan (20.838-20.960 min, 17 scans) D2600112.d




o-Xylene

+ EIC (91.1) Scan D2600112.d




+ Scan (21.318-21.383 min, 10 scans) D2600112.d





Name SPRSPO-13-D-20251222
Comment B44194
Data File D2600113.d
Acq. Date-Time 1/8/2026 3:11:27 AM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	308,961	
Benzene	Benzene-d6 (IS)	16.046	16.046	79,330	
Toluene-d8 (IS)		18.553	18.553	319,091	
Toluene	Toluene-d8 (IS)	18.647	18.647	107,093	
Ethylbenzene	Toluene-d8 (IS)	20.717	20.710	17,438	
m-/p-Xylenes	Toluene-d8 (IS)	20.881	20.881	33,045	
o-Xylene	Toluene-d8 (IS)	21.361	21.354	13,519	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600113.d




+ Scan (18.512-18.647 min, 19 scans) D2600113.d

**Toluene**


+ EIC (91.1) Scan D2600113.d




+ Scan (18.607-18.718 min, 16 scans) D2600113.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600113.d




+ Scan (20.682-20.756 min, 10 scans) D2600113.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600113.d




+ Scan (20.852-20.932 min, 12 scans) D2600113.d




o-Xylene

+ EIC (91.1) Scan D2600113.d




+ Scan (21.333-21.390 min, 8 scans) D2600113.d





Name SPRSPO-14-S-20251222
Comment C53568
Data File D2600114.d
Acq. Date-Time 1/8/2026 3:45:00 AM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	306,878	
Benzene	Benzene-d6 (IS)	16.046	16.046	89,257	
Toluene-d8 (IS)		18.553	18.553	319,225	
Toluene	Toluene-d8 (IS)	18.646	18.647	151,887	
Ethylbenzene	Toluene-d8 (IS)	20.709	20.710	31,519	
m-/p-Xylenes	Toluene-d8 (IS)	20.881	20.881	52,485	
o-Xylene	Toluene-d8 (IS)	21.354	21.354	20,988	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600114.d




+ Scan (18.518-18.639 min, 17 scans) D2600114.d

**Toluene**


+ EIC (91.1) Scan D2600114.d




+ Scan (18.600-18.702 min, 14 scans) D2600114.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600114.d




+ Scan (20.688-20.767 min, 11 scans) D2600114.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600114.d




+ Scan (20.846-20.932 min, 12 scans) D2600114.d




o-Xylene

+ EIC (91.1) Scan D2600114.d




+ Scan (21.323-21.388 min, 9 scans) D2600114.d





Name SPRSPO-15-S-20251222
Comment C71654
Data File D2600115.d
Acq. Date-Time 1/8/2026 4:18:35 AM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	304,055	
Benzene	Benzene-d6 (IS)	16.046	16.046	82,284	
Toluene-d8 (IS)		18.554	18.553	321,286	
Toluene	Toluene-d8 (IS)	18.639	18.647	165,861	
Ethylbenzene	Toluene-d8 (IS)	20.717	20.710	33,919	
m-/p-Xylenes	Toluene-d8 (IS)	20.882	20.881	69,824	
o-Xylene	Toluene-d8 (IS)	21.354	21.354	29,304	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600115.d




+ Scan (18.511-18.632 min, 18 scans) D2600115.d

**Toluene**


+ EIC (91.1) Scan D2600115.d




+ Scan (18.604-18.682 min, 12 scans) D2600115.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600115.d




+ Scan (20.674-20.745 min, 10 scans) D2600115.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600115.d




+ Scan (20.840-20.937 min, 13 scans) D2600115.d




o-Xylene

+ EIC (91.1) Scan D2600115.d




+ Scan (21.326-21.395 min, 9 scans) D2600115.d





Name SPRSPO-16-S-20251222
Comment C16064
Data File D2600116.d
Acq. Date-Time 1/8/2026 4:52:09 AM
Acq. Method File M325B-MTD-CRYO
Tube Sorbent CarboxpackX
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		15.989	15.989	306,582	
Benzene	Benzene-d6 (IS)	16.046	16.046	98,549	
Toluene-d8 (IS)		18.553	18.553	319,269	
Toluene	Toluene-d8 (IS)	18.639	18.647	213,102	
Ethylbenzene	Toluene-d8 (IS)	20.717	20.710	42,526	
m-/p-Xylenes	Toluene-d8 (IS)	20.882	20.881	79,407	
o-Xylene	Toluene-d8 (IS)	21.361	21.354	32,028	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan D2600116.d




+ Scan (18.511-18.632 min, 18 scans) D2600116.d

**Toluene**


+ EIC (91.1) Scan D2600116.d




+ Scan (18.604-18.702 min, 14 scans) D2600116.d

**Ethylbenzene**


+ EIC (91.1) Scan D2600116.d




+ Scan (20.681-20.751 min, 10 scans) D2600116.d

**m-/p-Xylenes**

+ EIC (91.1) Scan D2600116.d




+ Scan (20.842-20.945 min, 14 scans) D2600116.d




o-Xylene

+ EIC (91.1) Scan D2600116.d



+ Scan (21.318-21.396 min, 11 scans) D2600116.d



Initial Calibration



Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA101-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D121025A_CC185154_Cryo_R3	Benzene	1	D2501780.d	5.96	58763	56.3	315807	1.760	0.036
D121025A_CC185154_Cryo_R3	Benzene	2	D2501781.d	11.91	102339	56.3	314891	1.537	-0.095
D121025A_CC185154_Cryo_R3	Benzene	3	D2501782.d	23.83	232318	56.3	306890	1.790	0.054
D121025A_CC185154_Cryo_R3	Benzene	4	D2501783.d	47.65	433070	56.3	299183	1.711	0.0077
D121025A_CC185154_Cryo_R3	Benzene	5	D2501784.d	119.14	1066055	56.3	294352	1.712	0.0085
D121025A_CC185154_Cryo_R3	Benzene	6	D2501785.d	238.27	2186907	56.3	298200	1.734	0.021
D121025A_CC185154_Cryo_R3	Benzene	7	D2501786.d	714.81	6334047	56.3	303916	1.642	-0.033
						Avg:	304748	1.698	
						%RSD:	2.7%	5.0%	
D121025A_CC185154_Cryo_R3	Toluene	1	D2501780.d	5.23	53149	66.1	310529	2.161	0.069
D121025A_CC185154_Cryo_R3	Toluene	2	D2501781.d	10.46	93233	66.1	315900	1.863	-0.078
D121025A_CC185154_Cryo_R3	Toluene	3	D2501782.d	20.93	203812	66.1	306473	2.099	0.038
D121025A_CC185154_Cryo_R3	Toluene	4	D2501783.d	41.85	391481	66.1	301287	2.051	0.014
D121025A_CC185154_Cryo_R3	Toluene	5	D2501784.d	104.64	941023	66.1	299657	1.983	-0.019
D121025A_CC185154_Cryo_R3	Toluene	6	D2501785.d	209.27	1905787	66.1	298090	2.018	-0.0017
D121025A_CC185154_Cryo_R3	Toluene	7	D2501786.d	627.82	5561799	66.1	296102	1.977	-0.022
						Avg:	304005	2.022	
						%RSD:	2.4%	4.7%	
D121025A_CC185154_Cryo_R3	Ethylbenzene	1	D2501780.d	5.44	53031	66.1	310529	2.075	-0.12
D121025A_CC185154_Cryo_R3	Ethylbenzene	2	D2501781.d	10.88	111751	66.1	315900	2.149	-0.092
D121025A_CC185154_Cryo_R3	Ethylbenzene	3	D2501782.d	21.75	268916	66.1	306473	2.665	0.13
D121025A_CC185154_Cryo_R3	Ethylbenzene	4	D2501783.d	43.50	503244	66.1	301287	2.537	0.071
D121025A_CC185154_Cryo_R3	Ethylbenzene	5	D2501784.d	108.75	1170943	66.1	299657	2.374	0.0025
D121025A_CC185154_Cryo_R3	Ethylbenzene	6	D2501785.d	217.50	2351760	66.1	298090	2.396	0.012
D121025A_CC185154_Cryo_R3	Ethylbenzene	7	D2501786.d	652.50	6960072	66.1	296102	2.380	0.005
						Avg:	304005	2.368	
						%RSD:	2.4%	8.6%	
D121025A_CC185154_Cryo_R3	m-/p-Xylenes	1	D2501780.d	6.09	41988	66.1	310529	1.466	-0.2
D121025A_CC185154_Cryo_R3	m-/p-Xylenes	2	D2501781.d	12.19	96092	66.1	315900	1.649	-0.1
D121025A_CC185154_Cryo_R3	m-/p-Xylenes	3	D2501782.d	24.38	226995	66.1	306473	2.007	0.096
D121025A_CC185154_Cryo_R3	m-/p-Xylenes	4	D2501783.d	48.75	454006	66.1	301287	2.042	0.12
D121025A_CC185154_Cryo_R3	m-/p-Xylenes	5	D2501784.d	121.88	1032192	66.1	299657	1.867	0.02
D121025A_CC185154_Cryo_R3	m-/p-Xylenes	6	D2501785.d	243.76	2052886	66.1	298090	1.867	0.019
D121025A_CC185154_Cryo_R3	m-/p-Xylenes	7	D2501786.d	731.27	6293836	66.1	296102	1.920	0.049
						Avg:	304005	1.831	
						%RSD:	2.4%	11.2%	
D121025A_CC185154_Cryo_R3	o-Xylene	1	D2501780.d	5.67	36476	66.1	310529	1.369	-0.27
D121025A_CC185154_Cryo_R3	o-Xylene	2	D2501781.d	11.33	94300	66.1	315900	1.740	-0.066
D121025A_CC185154_Cryo_R3	o-Xylene	3	D2501782.d	22.67	223352	66.1	306473	2.124	0.14

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA101-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D121025A_CC185154_Cryo_R3	o-Xylene	4	D2501783.d	45.34	419726	66.1	301287	2.030	0.089
D121025A_CC185154_Cryo_R3	o-Xylene	5	D2501784.d	113.35	986285	66.1	299657	1.918	0.029
D121025A_CC185154_Cryo_R3	o-Xylene	6	D2501785.d	226.69	1973468	66.1	298090	1.929	0.035
D121025A_CC185154_Cryo_R3	o-Xylene	7	D2501786.d	680.07	5894340	66.1	296102	1.934	0.038
						Avg:	304005	1.864	
						%RSD:	2.4%	13.3%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D121025A_CC185154_Cryo_R3	Benzene	ICV	D2501787.d	443.87	3899122	56.3	300393	1.647	-3.0%
D121025A_CC185154_Cryo_R3	Toluene	ICV	D2501787.d	454.52	4002109	66.1	300687	1.935	-4.3%
D121025A_CC185154_Cryo_R3	Ethylbenzene	ICV	D2501787.d	449.40	4746406	66.1	300687	2.321	-2.0%
D121025A_CC185154_Cryo_R3	m-/p-Xylenes	ICV	D2501787.d	456.40	3742123	66.1	300687	1.802	-1.6%
D121025A_CC185154_Cryo_R3	o-Xylene	ICV	D2501787.d	457.27	3729018	66.1	300687	1.792	-3.9%

M325B PDF Report ver.20260107

Sample Custody

226 GA 101

Page # 1 of # 1

Site Name:	Sprague South Portland	Client Name:	Montrose Air Quality Services, LLC	PO#:
Site Address:	39 Main Street	Project Number:	PROJ-027968	Sample Event #
City:	South Portland	Project Manager:	Sabarish Selvarajan	Sorbent:
State	Maine	Email Address:	sabarishselvarajan@montrose-env.com	Carbopak-X
Zip:	04106	Telephone #:	973-722-7895	

[illegible]

Relinquished By (printed):		Relinquished By (signature):		Relinquished Date:		Relinquished Time:	
Sabarish Selvarajan		SS		1/5/2026		17:00	
Received By (printed):		Received By (signature):		Receipt Date:		Receipt Time:	
Daniel Simpson				1/7/26		10:00 AM	
Sample Condition Upon Receipt:		Compound List:		Custody Seal Intact? Y/N:		Delivery tracking #	
Good				Y			
Temp:	Blank Temp:			Add Custody Seal # below:			
16.0	Fluke 3			25D06170			
Comments:							
Received Samples on 1/6/26 and received CAC on 1/7/26. DO5 1/16/26							
800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.enthalpy.com							
EA Job No. 2026GA101 Page 82 of 83							

**This Is The Last Page
Of This Report.**

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 39 Sprague - South Portland

Client Project# PROJ-027968

Samples Received: 1/23/2026

Analytical Report 2026GA102

EPA Method 325B Analysis

Report Issue Date: 2/3/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



QA Review by Conor Toomey, QA Associate II



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	11
Chromatograms	14
Initial Calibration	78
Sample Custody	81
Chain of Custody	82

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GA102-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Enthalpy Analytical on January 23, 2026 at 17.3 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20260105	B43124	Sample
SPRSPO-1-D-20260105	C37055	Duplicate
SPRSPO-1-B-20260105	B44247	Blank
SPRSPO-2-S-20260105	B27209	Sample
SPRSPO-3-S-20260105	B52743	Sample
SPRSPO-4-S-20260105	C36867	Sample
SPRSPO-5-S-20260105	C55494	Sample
SPRSPO-6-S-20260105	C01661	Sample
SPRSPO-7-S-20260105	C71650	Sample
SPRSPO-8-S-20260105	C57173	Sample
SPRSPO-9-S-20260105	C57696	Sample
SPRSPO-10-S-20260105	C61408	Sample
SPRSPO-11-S-20260105	C00757	Sample
SPRSPO-12-S-20260105	C00638	Sample
SPRSPO-13-S-20260105	C32847	Sample
SPRSPO-13-D-20260105	C35703	Duplicate
SPRSPO-13-B-20260105	C70517	Blank
SPRSPO-14-S-20260105	C61490	Sample
SPRSPO-15-S-20260105	C27866	Sample
SPRSPO-16-S-20260105	C43337	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GA102-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (F121725A_CC185154) met all 30% RSD criteria. The initial calibration verification met $\pm 30\%$ recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in $\mu\text{g}/\text{m}^3$ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA102-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20260105	B43124	1.37		3.79		1.01		3.00		1.04	
SPRSPO-1-D-20260105	C37055	1.38		3.65		1.02		2.92		0.974	
SPRSPO-1-B-20260105	B44247	0.194	ND	0.249	ND	0.282	ND	0.282	ND	0.282	ND
SPRSPO-2-S-20260105	B27209	1.03		2.55		0.455	J	1.20		0.461	J
SPRSPO-3-S-20260105	B52743	0.964		2.30		0.368	J	0.968		0.386	J
SPRSPO-4-S-20260105	C36867	0.984		2.36		0.412	J	0.938		0.384	J
SPRSPO-5-S-20260105	C55494	0.830		1.84		0.282	ND	0.656	J	0.282	ND
SPRSPO-6-S-20260105	C01661	0.830		1.84		0.281	ND	0.539	J	0.281	ND
SPRSPO-7-S-20260105	C71650	0.895		1.80		0.282	ND	0.652	J	0.282	ND
SPRSPO-8-S-20260105	C57173	0.780		1.34		0.282	ND	0.650	J	0.282	ND
SPRSPO-9-S-20260105	C57696	0.835		1.64		0.326	J	0.946		0.364	J
SPRSPO-10-S-20260105	C61408	0.845		1.58		0.310	J	0.918		0.358	J
SPRSPO-11-S-20260105	C00757	0.806		1.44		0.282	ND	0.719		0.286	J
SPRSPO-12-S-20260105	C00638	0.995		2.08		0.411	J	0.961		0.378	J
SPRSPO-13-S-20260105	C32847	0.928		1.95		0.423	J	1.05		0.410	J
SPRSPO-13-D-20260105	C35703	0.932		1.96		0.428	J	1.04		0.436	J
SPRSPO-13-B-20260105	C70517	0.194	ND	0.249	ND	0.282	ND	0.282	ND	0.282	ND
SPRSPO-14-S-20260105	C61490	1.05		2.40		0.462	J	1.41		0.553	J
SPRSPO-15-S-20260105	C27866	1.13		3.39		0.600	J	1.87		0.720	
SPRSPO-16-S-20260105	C43337	1.16		2.87		0.529	J	1.49		0.563	J

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA102-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260105	B43124	1.37	0.428	17.6	30.9	0.641	20162	0.194	0.462	0.0606	0.145		F2600568.D	2026-01-24 12:03	0.898	7.938	107824	383316	56.3	7.883	-3.9%
SPRSPO-1-D-20260105	C37055	1.38	0.433	17.9	30.9	0.641	20162	0.194	0.462	0.0606	0.145		F2600569.D	2026-01-24 12:29	0.898	7.938	109156	383236	56.3	7.883	-3.9%
SPRSPO-1-B-20260105	B44247	0.194	0.0606		30.9	0.641	20162	0.194	0.462	0.0606	0.145	ND	F2600567.D	2026-01-24 11:38	0.898	7.938	7968	386054	56.3	7.877	-3.2%
SPRSPO-2-S-20260105	B27209	1.03	0.322	13.3	30.9	0.641	20161	0.194	0.462	0.0606	0.145		F2600570.D	2026-01-24 12:54	0.898	7.938	81751	386198	56.3	7.883	-3.2%
SPRSPO-3-S-20260105	B52743	0.964	0.302	12.5	30.9	0.641	20161	0.194	0.462	0.0606	0.145		F2600571.D	2026-01-24 13:20	0.898	7.938	77155	388672	56.3	7.883	-2.5%
SPRSPO-4-S-20260105	C36867	0.984	0.308	12.7	30.9	0.641	20165	0.194	0.462	0.0606	0.145		F2600572.D	2026-01-24 13:45	0.898	7.939	79324	391476	56.3	7.883	-1.8%
SPRSPO-5-S-20260105	C55494	0.830	0.260	10.7	30.9	0.641	20164	0.194	0.462	0.0606	0.145		F2600573.D	2026-01-24 14:10	0.898	7.939	67435	394579	56.3	7.883	-1.1%
SPRSPO-6-S-20260105	C01661	0.830	0.260	10.8	30.9	0.641	20235	0.193	0.460	0.0604	0.144		F2600574.D	2026-01-24 14:37	0.898	7.938	68200	397461	56.3	7.883	-0.3%
SPRSPO-7-S-20260105	C71650	0.895	0.280	11.6	30.9	0.641	20163	0.194	0.462	0.0606	0.145		F2600575.D	2026-01-24 15:02	0.898	7.938	80053	434461	56.3	7.883	8.9%
SPRSPO-8-S-20260105	C57173	0.780	0.244	10.1	30.9	0.641	20164	0.194	0.462	0.0606	0.145		F2600576.D	2026-01-24 15:28	0.898	7.938	65383	406958	56.3	7.883	2.0%
SPRSPO-9-S-20260105	C57696	0.835	0.262	10.8	30.9	0.641	20166	0.194	0.462	0.0606	0.145		F2600578.D	2026-01-24 16:17	0.898	7.938	78686	457485	56.3	7.883	14.7%
SPRSPO-10-S-20260105	C61408	0.845	0.265	10.9	30.9	0.641	20168	0.194	0.462	0.0606	0.145		F2600579.D	2026-01-24 16:43	0.898	7.938	71628	411576	56.3	7.883	3.2%
SPRSPO-11-S-20260105	C00757	0.806	0.253	10.4	30.9	0.641	20169	0.193	0.462	0.0606	0.145		F2600580.D	2026-01-24 17:08	0.898	7.938	75517	454735	56.3	7.883	14.0%
SPRSPO-12-S-20260105	C00638	0.995	0.312	12.9	30.9	0.641	20167	0.194	0.462	0.0606	0.145		F2600581.D	2026-01-24 17:33	0.898	7.938	94449	460898	56.3	7.883	15.6%
SPRSPO-13-S-20260105	C32847	0.928	0.291	12.0	30.9	0.641	20164	0.194	0.462	0.0606	0.145		F2600582.D	2026-01-24 17:59	0.898	7.939	87373	457273	56.3	7.883	14.7%
SPRSPO-13-D-20260105	C35703	0.932	0.292	12.0	30.9	0.641	20164	0.194	0.462	0.0606	0.145		F2600583.D	2026-01-24 18:24	0.898	7.938	90398	470972	56.3	7.883	18.1%
SPRSPO-13-B-20260105	C70517	0.194	0.0606		30.9	0.641	20164	0.194	0.462	0.0606	0.145	ND	F2600584.D	2026-01-24 18:51	0.898	7.938	9216	461362	56.3	7.883	15.7%
SPRSPO-14-S-20260105	C61490	1.05	0.328	13.5	30.9	0.641	20171	0.193	0.461	0.0606	0.145		F2600585.D	2026-01-24 19:16	0.898	7.939	98906	457917	56.3	7.883	14.8%
SPRSPO-15-S-20260105	C27866	1.13	0.354	14.6	30.9	0.641	20171	0.193	0.461	0.0606	0.145		F2600586.D	2026-01-24 19:41	0.898	7.939	98875	424097	56.3	7.883	6.3%
SPRSPO-16-S-20260105	C43337	1.16	0.364	15.0	30.9	0.641	20172	0.193	0.461	0.0606	0.145		F2600587.D	2026-01-24 20:07	0.898	7.938	97070	405589	56.3	7.883	1.7%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260105	B43124	3.79	1.01	38.0	30.9	0.497	20162	0.249	0.522	0.0662	0.139		F2600568.D	2026-01-24 12:03	1.084	10.661	260145	416718	66.1	10.563	-4.1%
SPRSPO-1-D-20260105	C37055	3.65	0.970	36.6	30.9	0.497	20162	0.249	0.522	0.0662	0.139		F2600569.D	2026-01-24 12:29	1.084	10.661	251796	418748	66.1	10.563	-3.7%
SPRSPO-1-B-20260105	B44247	0.249	0.0662		30.9	0.497	20162	0.249	0.522	0.0662	0.139	ND	F2600567.D	2026-01-24 11:38	1.084	10.661	10242	421765	66.1	10.563	-3.0%
SPRSPO-2-S-20260105	B27209	2.55	0.677	25.5	30.9	0.497	20161	0.249	0.522	0.0662	0.139		F2600570.D	2026-01-24 12:54	1.084	10.661	175142	417721	66.1	10.563	-3.9%
SPRSPO-3-S-20260105	B52743	2.30	0.611	23.1	30.9	0.497	20161	0.249	0.522	0.0662	0.139		F2600571.D	2026-01-24 13:20	1.084	10.661	159070	420067	66.1	10.569	-3.4%
SPRSPO-4-S-20260105	C36867	2.36	0.625	23.6	30.9	0.497	20165	0.249	0.522	0.0662	0.139		F2600572.D	2026-01-24 13:45	1.084	10.661	164637	424725	66.1	10.563	-2.3%
SPRSPO-5-S-20260105	C55494	1.84	0.489	18.5	30.9	0.497	20164	0.249	0.522	0.0662	0.139		F2600573.D	2026-01-24 14:10	1.084	10.661	128941	425358	66.1	10.569	-2.1%
SPRSPO-6-S-20260105	C01661	1.84	0.488	18.5	30.9	0.497	20235	0.249	0.521	0.0660	0.138		F2600574.D	2026-01-24 14:37	1.084	10.661	130881	431609	66.1	10.569	-0.7%
SPRSPO-7-S-20260105	C71650	1.80	0.478	18.0	30.9	0.497	20163	0.249	0.522	0.0662	0.139		F2600575.D	2026-01-24 15:02	1.084	10.661	132898	449022	66.1	10.563	3.3%
SPRSPO-8-S-20260105	C57173	1.34	0.355	13.4	30.9	0.497	20164	0.249	0.522	0.0662	0.139		F2600576.D	2026-01-24 15:28	1.084	10.667	96117	436921	66.1	10.569	0.5%
SPRSPO-9-S-20260105	C57696	1.64	0.436	16.5	30.9	0.497	20166	0.249	0.522	0.0662	0.139		F2600578.D	2026-01-24 16:17	1.084	10.661	130111	481596	66.1	10.563	10.8%
SPRSPO-10-S-20260105	C61408	1.58	0.419	15.8	30.9	0.497	20168	0.249	0.522	0.0662	0.139		F2600579.D	2026-01-24 16:43	1.084	10.655	116806	449716	66.1	10.563	3.5%
SPRSPO-11-S-20260105	C00757	1.44	0.383	14.4	30.9	0.497	20169	0.249	0.522	0.0662	0.139		F2600580.D	2026-01-24 17:08	1.084	10.661	106741	450071	66.1	10.563	3.5%
SPRSPO-12-S-20260105	C00638	2.08	0.553	20.9	30.9	0.497	20167	0.249	0.522	0.0662	0.139		F2600581.D	2026-01-24 17:33	1.084	10.661	165398	482753	66.1	10.563	11.1%
SPRSPO-13-S-20260105	C32847	1.95	0.518	19.6	30.9	0.497	20164	0.249	0.522	0.0662	0.139		F2600582.D	2026-01-24 17:59	1.084	10.661	144092	448539	66.1	10.563	3.2%
SPRSPO-13-D-20260105	C35703	1.96	0.521	19.7	30.9	0.497	20164	0.249	0.522	0.0662	0.139		F2600583.D	2026-01-24 18:24	1.084	10.661	157999	489362	66.1	10.569	12.6%
SPRSPO-13-B-20260105	C70517	0.249	0.0662		30.9	0.497	20164	0.249	0.522	0.0662	0.139	ND	F2600584.D	2026-01-24 18:51	1.084	10.661	16305	490506	66.1	10.563	12.9%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA102-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20260105	C61490	2.40	0.638	24.1	30.9	0.497	20171	0.249	0.522	0.0662	0.139		F2600585.D	2026-01-24 19:16	1.084	10.661	190102	480776	66.1	10.563	10.6%
SPRSPO-15-S-20260105	C27866	3.39	0.900	34.0	30.9	0.497	20171	0.249	0.522	0.0662	0.139		F2600586.D	2026-01-24 19:41	1.084	10.661	264795	474560	66.1	10.569	9.2%
SPRSPO-16-S-20260105	C43337	2.87	0.762	28.8	30.9	0.497	20172	0.249	0.522	0.0662	0.139		F2600587.D	2026-01-24 20:07	1.084	10.667	208851	442286	66.1	10.569	1.8%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260105	B43124	1.01	0.232	8.92	30.9	0.440	20162	0.282	0.614	0.0650	0.141		F2600568.D	2026-01-24 12:03	1.231	12.845	69294	416718	66.1	10.563	-4.1%
SPRSPO-1-D-20260105	C37055	1.02	0.236	9.08	30.9	0.440	20162	0.282	0.614	0.0650	0.141		F2600569.D	2026-01-24 12:29	1.231	12.845	70898	418748	66.1	10.563	-3.7%
SPRSPO-1-B-20260105	B44247	0.282	0.0650		30.9	0.440	20162	0.282	0.614	0.0650	0.141	ND	F2600567.D	2026-01-24 11:38	1.231	12.845	749	421765	66.1	10.563	-3.0%
SPRSPO-2-S-20260105	B27209	0.455	0.105	4.04	30.9	0.440	20161	0.282	0.614	0.0650	0.141	J	F2600570.D	2026-01-24 12:54	1.231	12.845	31424	417721	66.1	10.563	-3.9%
SPRSPO-3-S-20260105	B52743	0.368	0.0847	3.26	30.9	0.440	20161	0.282	0.614	0.0650	0.141	J	F2600571.D	2026-01-24 13:20	1.231	12.851	25519	420067	66.1	10.569	-3.4%
SPRSPO-4-S-20260105	C36867	0.412	0.0950	3.66	30.9	0.440	20165	0.282	0.614	0.0650	0.141	J	F2600572.D	2026-01-24 13:45	1.231	12.845	28942	424725	66.1	10.563	-2.3%
SPRSPO-5-S-20260105	C55494	0.282	0.0650		30.9	0.440	20164	0.282	0.614	0.0650	0.141	ND	F2600573.D	2026-01-24 14:10	1.231	12.845	17942	425358	66.1	10.569	-2.1%
SPRSPO-6-S-20260105	C01661	0.281	0.0647		30.9	0.440	20235	0.281	0.612	0.0647	0.141	ND	F2600574.D	2026-01-24 14:37	1.231	12.845	17910	431609	66.1	10.569	-0.7%
SPRSPO-7-S-20260105	C71650	0.282	0.0650		30.9	0.440	20163	0.282	0.614	0.0650	0.141	ND	F2600575.D	2026-01-24 15:02	1.231	12.845	16879	449022	66.1	10.563	3.3%
SPRSPO-8-S-20260105	C57173	0.282	0.0650		30.9	0.440	20164	0.282	0.614	0.0650	0.141	ND	F2600576.D	2026-01-24 15:28	1.231	12.851	15841	436921	66.1	10.569	0.5%
SPRSPO-9-S-20260105	C57696	0.326	0.0750	2.89	30.9	0.440	20166	0.282	0.614	0.0650	0.141	J	F2600578.D	2026-01-24 16:17	1.231	12.845	25913	481596	66.1	10.563	10.8%
SPRSPO-10-S-20260105	C61408	0.310	0.0715	2.75	30.9	0.440	20168	0.282	0.614	0.0649	0.141	J	F2600579.D	2026-01-24 16:43	1.231	12.845	23057	449716	66.1	10.563	3.5%
SPRSPO-11-S-20260105	C00757	0.282	0.0649		30.9	0.440	20169	0.282	0.614	0.0649	0.141	ND	F2600580.D	2026-01-24 17:08	1.231	12.845	19975	450071	66.1	10.563	3.5%
SPRSPO-12-S-20260105	C00638	0.411	0.0947	3.64	30.9	0.440	20167	0.282	0.614	0.0650	0.141	J	F2600581.D	2026-01-24 17:33	1.231	12.845	32780	482753	66.1	10.563	11.1%
SPRSPO-13-S-20260105	C32847	0.423	0.0974	3.75	30.9	0.440	20164	0.282	0.614	0.0650	0.141	J	F2600582.D	2026-01-24 17:59	1.231	12.845	31346	448539	66.1	10.563	3.2%
SPRSPO-13-D-20260105	C35703	0.428	0.0987	3.80	30.9	0.440	20164	0.282	0.614	0.0650	0.141	J	F2600583.D	2026-01-24 18:24	1.231	12.845	34659	489362	66.1	10.569	12.6%
SPRSPO-13-B-20260105	C70517	0.282	0.0650		30.9	0.440	20164	0.282	0.614	0.0650	0.141	ND	F2600584.D	2026-01-24 18:51	1.231	12.845	2643	490506	66.1	10.563	12.9%
SPRSPO-14-S-20260105	C61490	0.462	0.106	4.10	30.9	0.440	20171	0.282	0.614	0.0649	0.141	J	F2600585.D	2026-01-24 19:16	1.231	12.845	36720	480776	66.1	10.563	10.6%
SPRSPO-15-S-20260105	C27866	0.600	0.138	5.33	30.9	0.440	20171	0.282	0.614	0.0649	0.141	J	F2600586.D	2026-01-24 19:41	1.231	12.845	47119	474560	66.1	10.569	9.2%
SPRSPO-16-S-20260105	C43337	0.529	0.122	4.70	30.9	0.440	20172	0.282	0.613	0.0649	0.141	J	F2600587.D	2026-01-24 20:07	1.231	12.851	38723	442286	66.1	10.569	1.8%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260105	B43124	3.00	0.692	26.6	30.9	0.440	20162	0.282	0.688	0.0650	0.159		F2600568.D	2026-01-24 12:03	0.979	13.022	164529	416718	66.1	10.563	-4.1%
SPRSPO-1-D-20260105	C37055	2.92	0.672	25.9	30.9	0.440	20162	0.282	0.688	0.0650	0.159		F2600569.D	2026-01-24 12:29	0.979	13.022	160546	418748	66.1	10.563	-3.7%
SPRSPO-1-B-20260105	B44247	0.282	0.0650		30.9	0.440	20162	0.282	0.688	0.0650	0.159	ND	F2600567.D	2026-01-24 11:38	0.979	13.028	501	421765	66.1	10.563	-3.0%
SPRSPO-2-S-20260105	B27209	1.20	0.276	10.6	30.9	0.440	20161	0.282	0.688	0.0650	0.159		F2600570.D	2026-01-24 12:54	0.979	13.022	65844	417721	66.1	10.563	-3.9%
SPRSPO-3-S-20260105	B52743	0.968	0.223	8.59	30.9	0.440	20161	0.282	0.688	0.0650	0.159		F2600571.D	2026-01-24 13:20	0.979	13.022	53440	420067	66.1	10.569	-3.4%
SPRSPO-4-S-20260105	C36867	0.938	0.216	8.32	30.9	0.440	20165	0.282	0.688	0.0650	0.159		F2600572.D	2026-01-24 13:45	0.979	13.022	52376	424725	66.1	10.563	-2.3%
SPRSPO-5-S-20260105	C55494	0.656	0.151	5.82	30.9	0.440	20164	0.282	0.688	0.0650	0.159	J	F2600573.D	2026-01-24 14:10	0.979	13.022	36688	425358	66.1	10.569	-2.1%
SPRSPO-6-S-20260105	C01661	0.539	0.124	4.80	30.9	0.440	20235	0.281	0.685	0.0647	0.158	J	F2600574.D	2026-01-24 14:37	0.979	13.022	30704	431609	66.1	10.569	-0.7%
SPRSPO-7-S-20260105	C71650	0.652	0.150	5.79	30.9	0.440	20163	0.282	0.688	0.0650	0.159	J	F2600575.D	2026-01-24 15:02	0.979	13.022	38495	449022	66.1	10.563	3.3%
SPRSPO-8-S-20260105	C57173	0.650	0.150	5.76	30.9	0.440	20164	0.282	0.688	0.0650	0.159	J	F2600576.D	2026-01-24 15:28	0.979	13.022	37309	436921	66.1	10.569	0.5%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA102-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20260105	C57696	0.946	0.218	8.39	30.9	0.440	20166	0.282	0.688	0.0650	0.158		F2600578.D	2026-01-24 16:17	0.979	13.022	59873	481596	66.1	10.563	10.8%
SPRSPO-10-S-20260105	C61408	0.918	0.212	8.14	30.9	0.440	20168	0.282	0.688	0.0649	0.158		F2600579.D	2026-01-24 16:43	0.979	13.022	54273	449716	66.1	10.563	3.5%
SPRSPO-11-S-20260105	C00757	0.719	0.166	6.38	30.9	0.440	20169	0.282	0.688	0.0649	0.158		F2600580.D	2026-01-24 17:08	0.979	13.022	42559	450071	66.1	10.563	3.5%
SPRSPO-12-S-20260105	C00638	0.961	0.221	8.52	30.9	0.440	20167	0.282	0.688	0.0650	0.158		F2600581.D	2026-01-24 17:33	0.979	13.022	60942	482753	66.1	10.563	11.1%
SPRSPO-13-S-20260105	C32847	1.05	0.243	9.34	30.9	0.440	20164	0.282	0.688	0.0650	0.159		F2600582.D	2026-01-24 17:59	0.979	13.022	62074	448539	66.1	10.563	3.2%
SPRSPO-13-D-20260105	C35703	1.04	0.241	9.26	30.9	0.440	20164	0.282	0.688	0.0650	0.159		F2600583.D	2026-01-24 18:24	0.979	13.022	67153	489362	66.1	10.569	12.6%
SPRSPO-13-B-20260105	C70517	0.282	0.0650		30.9	0.440	20164	0.282	0.688	0.0650	0.159	ND	F2600584.D	2026-01-24 18:51	0.979	13.028	2491	490506	66.1	10.563	12.9%
SPRSPO-14-S-20260105	C61490	1.41	0.324	12.5	30.9	0.440	20171	0.282	0.688	0.0649	0.158		F2600585.D	2026-01-24 19:16	0.979	13.022	88887	480776	66.1	10.563	10.6%
SPRSPO-15-S-20260105	C27866	1.87	0.432	16.6	30.9	0.440	20171	0.282	0.688	0.0649	0.158		F2600586.D	2026-01-24 19:41	0.979	13.022	116917	474560	66.1	10.569	9.2%
SPRSPO-16-S-20260105	C43337	1.49	0.344	13.2	30.9	0.440	20172	0.282	0.688	0.0649	0.158		F2600587.D	2026-01-24 20:07	0.979	13.022	86719	442286	66.1	10.569	1.8%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260105	B43124	1.04	0.239	9.19	30.9	0.440	20162	0.282	0.640	0.0650	0.147		F2600568.D	2026-01-24 12:03	0.993	13.530	57558	416718	66.1	10.563	-4.1%
SPRSPO-1-D-20260105	C37055	0.974	0.225	8.64	30.9	0.440	20162	0.282	0.640	0.0650	0.147		F2600569.D	2026-01-24 12:29	0.993	13.530	54382	418748	66.1	10.563	-3.7%
SPRSPO-1-B-20260105	B44247	0.282	0.0650		30.9	0.440	20162	0.282	0.640	0.0650	0.147	ND	F2600567.D	2026-01-24 11:38	0.993	13.530	201	421765	66.1	10.563	-3.0%
SPRSPO-2-S-20260105	B27209	0.461	0.106	4.08	30.9	0.440	20161	0.282	0.640	0.0650	0.147	J	F2600570.D	2026-01-24 12:54	0.993	13.530	25645	417721	66.1	10.563	-3.9%
SPRSPO-3-S-20260105	B52743	0.386	0.0890	3.42	30.9	0.440	20161	0.282	0.640	0.0650	0.147	J	F2600571.D	2026-01-24 13:20	0.993	13.530	21623	420067	66.1	10.569	-3.4%
SPRSPO-4-S-20260105	C36867	0.384	0.0884	3.40	30.9	0.440	20165	0.282	0.640	0.0650	0.147	J	F2600572.D	2026-01-24 13:45	0.993	13.530	21729	424725	66.1	10.563	-2.3%
SPRSPO-5-S-20260105	C55494	0.282	0.0650		30.9	0.440	20164	0.282	0.640	0.0650	0.147	ND	F2600573.D	2026-01-24 14:10	0.993	13.530	14176	425358	66.1	10.569	-2.1%
SPRSPO-6-S-20260105	C01661	0.281	0.0647		30.9	0.440	20235	0.281	0.637	0.0647	0.147	ND	F2600574.D	2026-01-24 14:37	0.993	13.530	12728	431609	66.1	10.569	-0.7%
SPRSPO-7-S-20260105	C71650	0.282	0.0650		30.9	0.440	20163	0.282	0.640	0.0650	0.147	ND	F2600575.D	2026-01-24 15:02	0.993	13.530	15919	449022	66.1	10.563	3.3%
SPRSPO-8-S-20260105	C57173	0.282	0.0650		30.9	0.440	20164	0.282	0.640	0.0650	0.147	ND	F2600576.D	2026-01-24 15:28	0.993	13.530	14847	436921	66.1	10.569	0.5%
SPRSPO-9-S-20260105	C57696	0.364	0.0839	3.23	30.9	0.440	20166	0.282	0.640	0.0650	0.147	J	F2600578.D	2026-01-24 16:17	0.993	13.530	23386	481596	66.1	10.563	10.8%
SPRSPO-10-S-20260105	C61408	0.358	0.0826	3.18	30.9	0.440	20168	0.282	0.640	0.0649	0.147	J	F2600579.D	2026-01-24 16:43	0.993	13.524	21497	449716	66.1	10.563	3.5%
SPRSPO-11-S-20260105	C00757	0.286	0.0660	2.54	30.9	0.440	20169	0.282	0.640	0.0649	0.147	J	F2600580.D	2026-01-24 17:08	0.993	13.524	17192	450071	66.1	10.563	3.5%
SPRSPO-12-S-20260105	C00638	0.378	0.0871	3.35	30.9	0.440	20167	0.282	0.640	0.0650	0.147	J	F2600581.D	2026-01-24 17:33	0.993	13.530	24325	482753	66.1	10.563	11.1%
SPRSPO-13-S-20260105	C32847	0.410	0.0945	3.64	30.9	0.440	20164	0.282	0.640	0.0650	0.147	J	F2600582.D	2026-01-24 17:59	0.993	13.524	24524	448539	66.1	10.563	3.2%
SPRSPO-13-D-20260105	C35703	0.436	0.101	3.87	30.9	0.440	20164	0.282	0.640	0.0650	0.147	J	F2600583.D	2026-01-24 18:24	0.993	13.524	28471	489362	66.1	10.569	12.6%
SPRSPO-13-B-20260105	C70517	0.282	0.0650		30.9	0.440	20164	0.282	0.640	0.0650	0.147	ND	F2600584.D	2026-01-24 18:51	0.993	13.530	947	490506	66.1	10.563	12.9%
SPRSPO-14-S-20260105	C61490	0.553	0.128	4.91	30.9	0.440	20171	0.282	0.639	0.0649	0.147	J	F2600585.D	2026-01-24 19:16	0.993	13.524	35485	480776	66.1	10.563	10.6%
SPRSPO-15-S-20260105	C27866	0.720	0.166	6.39	30.9	0.440	20171	0.282	0.639	0.0649	0.147		F2600586.D	2026-01-24 19:41	0.993	13.530	45558	474560	66.1	10.569	9.2%
SPRSPO-16-S-20260105	C43337	0.563	0.130	5.00	30.9	0.440	20172	0.282	0.639	0.0649	0.147	J	F2600587.D	2026-01-24 20:07	0.993	13.530	33230	442286	66.1	10.569	1.8%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA102-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20260105	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20260105	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20260105	1.2%	Pass	3.7%	Pass	1.8%	Pass	2.9%	Pass	6.2%	Pass
	SPRSPO-13-D-20260105	0.45%	Pass	0.50%	Pass	1.3%	Pass	0.85%	Pass	6.2%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA102-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2600565.D	C57530	Cal	0.898	0.904	0.898	-0.61%	-26%		Pass	
2026GA102 Method Blank 1	F2600566.D	C35730	Blank		0.904	0.898			0.89%	Pass	ND
M325B CCV 5 REC	F2600577.D	B50578	Check	0.959	0.904	0.898	6.1%		-8.9%	Pass	
M325B CCV 5 REC	F2600588.D	C24213	Check	0.950	0.904	0.898	5.2%		-8.6%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2600565.D	C57530	Cal	1.084	1.091	1.084	-0.61%	-30%		Pass	
2026GA102 Method Blank 1	F2600566.D	C35730	Blank		1.091	1.084			1.1%	Pass	ND
M325B CCV 5 REC	F2600577.D	B50578	Check	1.176	1.091	1.084	7.8%		-9.6%	Pass	
M325B CCV 5 REC	F2600588.D	C24213	Check	1.170	1.091	1.084	7.3%		-8.0%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2600565.D	C57530	Cal	1.231	1.150	1.231	7.0%	-30%		Pass	
2026GA102 Method Blank 1	F2600566.D	C35730	Blank		1.150	1.231			1.1%	Pass	ND
M325B CCV 5 REC	F2600577.D	B50578	Check	1.212	1.150	1.231	5.4%		-9.6%	Pass	
M325B CCV 5 REC	F2600588.D	C24213	Check	1.288	1.150	1.231	12%		-8.0%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2600565.D	C57530	Cal	0.979	0.940	0.979	4.2%	-30%		Pass	
2026GA102 Method Blank 1	F2600566.D	C35730	Blank		0.940	0.979			1.1%	Pass	ND
M325B CCV 5 REC	F2600577.D	B50578	Check	0.930	0.940	0.979	-1.0%		-9.6%	Pass	
M325B CCV 5 REC	F2600588.D	C24213	Check	1.011	0.940	0.979	7.6%		-8.0%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2600565.D	C57530	Cal	0.993	0.944	0.993	5.2%	-30%		Pass	
2026GA102 Method Blank 1	F2600566.D	C35730	Blank		0.944	0.993			1.1%	Pass	ND
M325B CCV 5 REC	F2600577.D	B50578	Check	0.995	0.944	0.993	5.4%		-9.6%	Pass	
M325B CCV 5 REC	F2600588.D	C24213	Check	1.019	0.944	0.993	7.9%		-8.0%	Pass	

Chromatograms



Name 2026GA102 Method Blank 1
Comment C35730
Data File F2600566.D
Acq. Date-Time 1/24/2026 11:12:53 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	402,373	
Benzene	benzene-d6 (IS)	7.938	7.945	5,508	
Toluene-d8 (IS)		10.563	10.569	439,558	
Toluene	Toluene-d8 (IS)	10.661	10.667	11,089	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	2,479	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	952	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	464	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600566.D




+ Scan (10.520-10.673 min, 26 scans) F2600566.D

**Toluene**


+ EIC (91.1) Scan F2600566.D




+ Scan (10.621-10.727 min, 17 scans) F2600566.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600566.D




+ Scan (12.809-12.881 min, 11 scans) F2600566.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600566.D




+ Scan (12.995-13.075 min, 13 scans) F2600566.D




o-Xylene

+ EIC (91.1) Scan F2600566.D




+ Scan (13.509-13.556 min, 8 scans) F2600566.D





Name SPRSPO-1-B-20260105
Comment B44247
Data File F2600567.D
Acq. Date-Time 1/24/2026 11:38:20 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	386,054	
Benzene	benzene-d6 (IS)	7.938	7.945	7,968	
Toluene-d8 (IS)		10.563	10.569	421,765	
Toluene	Toluene-d8 (IS)	10.661	10.667	10,242	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	749	
m-/p-Xylenes	Toluene-d8 (IS)	13.028	13.028	501	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	201	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600567.D




+ Scan (10.520-10.661 min, 24 scans) F2600567.D

**Toluene**


+ EIC (91.1) Scan F2600567.D




+ Scan (10.626-10.709 min, 13 scans) F2600567.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600567.D




+ Scan (12.823-12.878 min, 9 scans) F2600567.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600567.D




+ Scan (13.005-13.071 min, 11 scans) F2600567.D




o-Xylene

+ EIC (91.1) Scan F2600567.D




+ Scan (13.513-13.554 min, 6 scans) F2600567.D





Name SPRSPO-1-S-20260105
Comment B43124
Data File F2600568.D
Acq. Date-Time 1/24/2026 12:03:48 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	383,316	
Benzene	benzene-d6 (IS)	7.938	7.945	107,824	
Toluene-d8 (IS)		10.563	10.569	416,718	
Toluene	Toluene-d8 (IS)	10.661	10.667	260,145	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	69,294	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	164,529	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	57,558	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600568.D




+ Scan (10.520-10.679 min, 27 scans) F2600568.D

**Toluene**


+ EIC (91.1) Scan F2600568.D




+ Scan (10.618-10.734 min, 20 scans) F2600568.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600568.D




+ Scan (12.809-12.897 min, 14 scans) F2600568.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600568.D




+ Scan (12.979-13.126 min, 25 scans) F2600568.D




o-Xylene

+ EIC (91.1) Scan F2600568.D




+ Scan (13.488-13.610 min, 20 scans) F2600568.D





Name SPRSPO-1-D-20260105
Comment C37055
Data File F2600569.D
Acq. Date-Time 1/24/2026 12:29:13 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	383,236	
Benzene	benzene-d6 (IS)	7.938	7.945	109,156	
Toluene-d8 (IS)		10.563	10.569	418,748	
Toluene	Toluene-d8 (IS)	10.661	10.667	251,796	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	70,898	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	160,546	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	54,382	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600569.D




+ Scan (10.520-10.661 min, 24 scans) F2600569.D

**Toluene**


+ EIC (91.1) Scan F2600569.D




+ Scan (10.618-10.776 min, 26 scans) F2600569.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600569.D




+ Scan (12.802-12.902 min, 17 scans) F2600569.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600569.D




+ Scan (12.980-13.152 min, 28 scans) F2600569.D




o-Xylene

+ EIC (91.1) Scan F2600569.D




+ Scan (13.493-13.594 min, 17 scans) F2600569.D





Name SPRSPO-2-S-20260105
Comment B27209
Data File F2600570.D
Acq. Date-Time 1/24/2026 12:54:34 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	386,198	
Benzene	benzene-d6 (IS)	7.938	7.945	81,751	
Toluene-d8 (IS)		10.563	10.569	417,721	
Toluene	Toluene-d8 (IS)	10.661	10.667	175,142	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	31,424	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	65,844	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	25,645	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600570.D




+ Scan (10.520-10.673 min, 26 scans) F2600570.D

**Toluene**


+ EIC (91.1) Scan F2600570.D




+ Scan (10.618-10.764 min, 24 scans) F2600570.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600570.D




+ Scan (12.802-12.894 min, 15 scans) F2600570.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600570.D




+ Scan (12.986-13.090 min, 18 scans) F2600570.D




o-Xylene

+ EIC (91.1) Scan F2600570.D




+ Scan (13.490-13.572 min, 13 scans) F2600570.D





Name SPRSPO-3-S-20260105
Comment B52743
Data File F2600571.D
Acq. Date-Time 1/24/2026 1:20:04 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	388,672	
Benzene	benzene-d6 (IS)	7.938	7.945	77,155	
Toluene-d8 (IS)		10.569	10.569	420,067	
Toluene	Toluene-d8 (IS)	10.661	10.667	159,070	
Ethylbenzene	Toluene-d8 (IS)	12.851	12.851	25,519	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	53,440	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	21,623	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600571.D




+ Scan (10.520-10.636 min, 20 scans) F2600571.D

**Toluene**


+ EIC (91.1) Scan F2600571.D




+ Scan (10.618-10.770 min, 25 scans) F2600571.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600571.D




+ Scan (12.815-12.892 min, 12 scans) F2600571.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600571.D




+ Scan (12.986-13.103 min, 20 scans) F2600571.D




o-Xylene

+ EIC (91.1) Scan F2600571.D




+ Scan (13.487-13.573 min, 15 scans) F2600571.D





Name SPRSPO-4-S-20260105
Comment C36867
Data File F2600572.D
Acq. Date-Time 1/24/2026 1:45:29 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	391,476	
Benzene	benzene-d6 (IS)	7.939	7.945	79,324	
Toluene-d8 (IS)		10.563	10.569	424,725	
Toluene	Toluene-d8 (IS)	10.661	10.667	164,637	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	28,942	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	52,376	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	21,729	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600572.D




+ Scan (10.520-10.673 min, 26 scans) F2600572.D

**Toluene**


+ EIC (91.1) Scan F2600572.D




+ Scan (10.618-10.734 min, 20 scans) F2600572.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600572.D




+ Scan (12.810-12.894 min, 14 scans) F2600572.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600572.D




+ Scan (12.987-13.084 min, 16 scans) F2600572.D




o-Xylene

+ EIC (91.1) Scan F2600572.D




+ Scan (13.489-13.572 min, 13 scans) F2600572.D





Name SPRSPO-5-S-20260105
Comment C55494
Data File F2600573.D
Acq. Date-Time 1/24/2026 2:10:56 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	394,579	
Benzene	benzene-d6 (IS)	7.939	7.945	67,435	
Toluene-d8 (IS)		10.569	10.569	425,358	
Toluene	Toluene-d8 (IS)	10.661	10.667	128,941	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	17,942	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	36,688	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	14,176	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600573.D




+ Scan (10.520-10.636 min, 20 scans) F2600573.D

**Toluene**


+ EIC (91.1) Scan F2600573.D




+ Scan (10.618-10.771 min, 26 scans) F2600573.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600573.D




+ Scan (12.808-12.881 min, 12 scans) F2600573.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600573.D




+ Scan (12.976-13.101 min, 20 scans) F2600573.D




o-Xylene

+ EIC (91.1) Scan F2600573.D




+ Scan (13.481-13.582 min, 17 scans) F2600573.D





Name SPRSPO-6-S-20260105
Comment C01661
Data File F2600574.D
Acq. Date-Time 1/24/2026 2:37:08 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	397,461	
Benzene	benzene-d6 (IS)	7.938	7.945	68,200	
Toluene-d8 (IS)		10.569	10.569	431,609	
Toluene	Toluene-d8 (IS)	10.661	10.667	130,881	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	17,910	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	30,704	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	12,728	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600574.D




+ Scan (10.520-10.642 min, 21 scans) F2600574.D

**Toluene**


+ EIC (91.1) Scan F2600574.D




+ Scan (10.618-10.758 min, 23 scans) F2600574.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600574.D




+ Scan (12.814-12.887 min, 12 scans) F2600574.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600574.D




+ Scan (12.988-13.083 min, 16 scans) F2600574.D




o-Xylene

+ EIC (91.1) Scan F2600574.D




+ Scan (13.496-13.572 min, 12 scans) F2600574.D





Name SPRSPO-7-S-20260105
Comment C71650
Data File F2600575.D
Acq. Date-Time 1/24/2026 3:02:34 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	434,461	
Benzene	benzene-d6 (IS)	7.938	7.945	80,053	
Toluene-d8 (IS)		10.563	10.569	449,022	
Toluene	Toluene-d8 (IS)	10.661	10.667	132,898	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	16,879	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	38,495	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	15,919	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600575.D




+ Scan (10.520-10.673 min, 26 scans) F2600575.D

**Toluene**


+ EIC (91.1) Scan F2600575.D




+ Scan (10.624-10.740 min, 20 scans) F2600575.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600575.D




+ Scan (12.814-12.882 min, 12 scans) F2600575.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600575.D




+ Scan (12.987-13.089 min, 16 scans) F2600575.D




o-Xylene

+ EIC (91.1) Scan F2600575.D




+ Scan (13.495-13.560 min, 10 scans) F2600575.D





Name SPRSPO-8-S-20260105
Comment C57173
Data File F2600576.D
Acq. Date-Time 1/24/2026 3:28:03 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	406,958	
Benzene	benzene-d6 (IS)	7.938	7.945	65,383	
Toluene-d8 (IS)		10.569	10.569	436,921	
Toluene	Toluene-d8 (IS)	10.667	10.667	96,117	
Ethylbenzene	Toluene-d8 (IS)	12.851	12.851	15,841	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	37,309	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	14,847	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600576.D




+ Scan (10.526-10.673 min, 25 scans) F2600576.D

**Toluene**


+ EIC (91.1) Scan F2600576.D




+ Scan (10.624-10.734 min, 17 scans) F2600576.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600576.D




+ Scan (12.816-12.900 min, 14 scans) F2600576.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600576.D




+ Scan (12.988-13.108 min, 20 scans) F2600576.D




o-Xylene

+ EIC (91.1) Scan F2600576.D




+ Scan (13.494-13.585 min, 15 scans) F2600576.D





Name SPRSPO-9-S-20260105
Comment C57696
Data File F2600578.D
Acq. Date-Time 1/24/2026 4:17:37 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	457,485	
Benzene	benzene-d6 (IS)	7.938	7.945	78,686	
Toluene-d8 (IS)		10.563	10.569	481,596	
Toluene	Toluene-d8 (IS)	10.661	10.667	130,111	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	25,913	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	59,873	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	23,386	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600578.D




+ Scan (10.520-10.679 min, 27 scans) F2600578.D

**Toluene**


+ EIC (91.1) Scan F2600578.D




+ Scan (10.618-10.738 min, 20 scans) F2600578.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600578.D




+ Scan (12.814-12.906 min, 16 scans) F2600578.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600578.D




+ Scan (12.986-13.090 min, 18 scans) F2600578.D




o-Xylene

+ EIC (91.1) Scan F2600578.D




+ Scan (13.487-13.573 min, 14 scans) F2600578.D




Name SPRSPO-10-S-20260105
Comment C61408
Data File F2600579.D
Acq. Date-Time 1/24/2026 4:43:00 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	411,576	
Benzene	benzene-d6 (IS)	7.938	7.945	71,628	
Toluene-d8 (IS)		10.563	10.569	449,716	
Toluene	Toluene-d8 (IS)	10.655	10.667	116,806	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	23,057	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	54,273	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	21,497	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600579.D




+ Scan (10.514-10.636 min, 21 scans) F2600579.D

**Toluene**


+ EIC (91.1) Scan F2600579.D




+ Scan (10.612-10.760 min, 25 scans) F2600579.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600579.D




+ Scan (12.808-12.882 min, 13 scans) F2600579.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600579.D




+ Scan (12.981-13.102 min, 20 scans) F2600579.D




o-Xylene

+ EIC (91.1) Scan F2600579.D




+ Scan (13.487-13.609 min, 20 scans) F2600579.D





Name SPRSPO-11-S-20260105
Comment C00757
Data File F2600580.D
Acq. Date-Time 1/24/2026 5:08:29 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	454,735	
Benzene	benzene-d6 (IS)	7.938	7.945	75,517	
Toluene-d8 (IS)		10.563	10.569	450,071	
Toluene	Toluene-d8 (IS)	10.661	10.667	106,741	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	19,975	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	42,559	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	17,192	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600580.D




+ Scan (10.520-10.679 min, 27 scans) F2600580.D

**Toluene**


+ EIC (91.1) Scan F2600580.D




+ Scan (10.618-10.740 min, 20 scans) F2600580.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600580.D




+ Scan (12.811-12.892 min, 13 scans) F2600580.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600580.D




+ Scan (12.983-13.089 min, 18 scans) F2600580.D




o-Xylene

+ EIC (91.1) Scan F2600580.D




+ Scan (13.493-13.589 min, 16 scans) F2600580.D





Name SPRSPO-12-S-20260105
Comment C00638
Data File F2600581.D
Acq. Date-Time 1/24/2026 5:33:56 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	460,898	
Benzene	benzene-d6 (IS)	7.938	7.945	94,449	
Toluene-d8 (IS)		10.563	10.569	482,753	
Toluene	Toluene-d8 (IS)	10.661	10.667	165,398	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	32,780	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	60,942	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	24,325	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600581.D




+ Scan (10.520-10.673 min, 26 scans) F2600581.D

**Toluene**


+ EIC (91.1) Scan F2600581.D




+ Scan (10.618-10.740 min, 21 scans) F2600581.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600581.D




+ Scan (12.812-12.906 min, 16 scans) F2600581.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600581.D




+ Scan (12.987-13.094 min, 17 scans) F2600581.D




o-Xylene

+ EIC (91.1) Scan F2600581.D




+ Scan (13.488-13.573 min, 13 scans) F2600581.D





Name SPRSPO-13-S-20260105
Comment C32847
Data File F2600582.D
Acq. Date-Time 1/24/2026 5:59:27 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	457,273	
Benzene	benzene-d6 (IS)	7.939	7.945	87,373	
Toluene-d8 (IS)		10.563	10.569	448,539	
Toluene	Toluene-d8 (IS)	10.661	10.667	144,092	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	31,346	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	62,074	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	24,524	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600582.D




+ Scan (10.520-10.673 min, 26 scans) F2600582.D

**Toluene**


+ EIC (91.1) Scan F2600582.D




+ Scan (10.618-10.740 min, 21 scans) F2600582.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600582.D




+ Scan (12.808-12.887 min, 13 scans) F2600582.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600582.D




+ Scan (12.987-13.120 min, 22 scans) F2600582.D




o-Xylene

+ EIC (91.1) Scan F2600582.D




+ Scan (13.493-13.573 min, 13 scans) F2600582.D





Name SPRSPO-13-D-20260105
Comment C35703
Data File F2600583.D
Acq. Date-Time 1/24/2026 6:24:58 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	470,972	
Benzene	benzene-d6 (IS)	7.938	7.945	90,398	
Toluene-d8 (IS)		10.569	10.569	489,362	
Toluene	Toluene-d8 (IS)	10.661	10.667	157,999	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	34,659	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	67,153	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	28,471	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600583.D




+ Scan (10.520-10.643 min, 21 scans) F2600583.D

**Toluene**


+ EIC (91.1) Scan F2600583.D




+ Scan (10.618-10.777 min, 27 scans) F2600583.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600583.D




+ Scan (12.806-12.893 min, 14 scans) F2600583.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600583.D




+ Scan (12.986-13.108 min, 20 scans) F2600583.D




o-Xylene

+ EIC (91.1) Scan F2600583.D




+ Scan (13.490-13.579 min, 15 scans) F2600583.D





Name SPRSPO-13-B-20260105
Comment C70517
Data File F2600584.D
Acq. Date-Time 1/24/2026 6:51:06 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	461,362	
Benzene	benzene-d6 (IS)	7.938	7.945	9,216	
Toluene-d8 (IS)		10.563	10.569	490,506	
Toluene	Toluene-d8 (IS)	10.661	10.667	16,305	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	2,643	
m-/p-Xylenes	Toluene-d8 (IS)	13.028	13.028	2,491	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	947	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600584.D




+ Scan (10.520-10.673 min, 26 scans) F2600584.D

**Toluene**


+ EIC (91.1) Scan F2600584.D




+ Scan (10.618-10.704 min, 15 scans) F2600584.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600584.D




+ Scan (12.818-12.875 min, 9 scans) F2600584.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600584.D




+ Scan (12.995-13.076 min, 13 scans) F2600584.D




o-Xylene

+ EIC (91.1) Scan F2600584.D




+ Scan (13.507-13.548 min, 7 scans) F2600584.D





Name SPRSPO-14-S-20260105
Comment C61490
Data File F2600585.D
Acq. Date-Time 1/24/2026 7:16:28 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	457,917	
Benzene	benzene-d6 (IS)	7.939	7.945	98,906	
Toluene-d8 (IS)		10.563	10.569	480,776	
Toluene	Toluene-d8 (IS)	10.661	10.667	190,102	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	36,720	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	88,887	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	35,485	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600585.D




+ Scan (10.520-10.643 min, 21 scans) F2600585.D

**Toluene**


+ EIC (91.1) Scan F2600585.D




+ Scan (10.612-10.734 min, 20 scans) F2600585.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600585.D




+ Scan (12.809-12.888 min, 13 scans) F2600585.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600585.D




+ Scan (12.983-13.135 min, 25 scans) F2600585.D




o-Xylene

+ EIC (91.1) Scan F2600585.D




+ Scan (13.493-13.579 min, 15 scans) F2600585.D





Name SPRSPO-15-S-20260105
Comment C27866
Data File F2600586.D
Acq. Date-Time 1/24/2026 7:41:58 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	424,097	
Benzene	benzene-d6 (IS)	7.939	7.945	98,875	
Toluene-d8 (IS)		10.569	10.569	474,560	
Toluene	Toluene-d8 (IS)	10.661	10.667	264,795	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	47,119	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	116,917	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	45,558	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600586.D




+ Scan (10.520-10.636 min, 20 scans) F2600586.D

**Toluene**


+ EIC (91.1) Scan F2600586.D




+ Scan (10.618-10.777 min, 27 scans) F2600586.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600586.D




+ Scan (12.808-12.923 min, 19 scans) F2600586.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600586.D




+ Scan (12.981-13.133 min, 25 scans) F2600586.D




o-Xylene

+ EIC (91.1) Scan F2600586.D




+ Scan (13.494-13.597 min, 17 scans) F2600586.D





Name SPRSPO-16-S-20260105
Comment C43337
Data File F2600587.D
Acq. Date-Time 1/24/2026 8:07:21 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	405,589	
Benzene	benzene-d6 (IS)	7.938	7.945	97,070	
Toluene-d8 (IS)		10.569	10.569	442,286	
Toluene	Toluene-d8 (IS)	10.667	10.667	208,851	
Ethylbenzene	Toluene-d8 (IS)	12.851	12.851	38,723	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	86,719	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	33,230	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600587.D




+ Scan (10.526-10.685 min, 27 scans) F2600587.D

**Toluene**


+ EIC (91.1) Scan F2600587.D




+ Scan (10.624-10.734 min, 19 scans) F2600587.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600587.D




+ Scan (12.810-12.898 min, 14 scans) F2600587.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600587.D




+ Scan (12.986-13.101 min, 19 scans) F2600587.D




o-Xylene

+ EIC (91.1) Scan F2600587.D



+ Scan (13.491-13.567 min, 13 scans) F2600587.D



Initial Calibration



Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA102-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	1	F2508171.D	5.96	52606	56.3	529201	0.939	0.039
F121725A_CC185154	Benzene	2	F2508172.D	11.93	90306	56.3	525740	0.811	-0.1
F121725A_CC185154	Benzene	3	F2508173.D	23.85	205594	56.3	535697	0.906	0.0032
F121725A_CC185154	Benzene	4	F2508174.D	47.70	403557	56.3	539152	0.884	-0.022
F121725A_CC185154	Benzene	5	F2508175.D	119.26	1061108	56.3	547207	0.916	0.014
F121725A_CC185154	Benzene	6	F2508176.D	238.51	2220768	56.3	544872	0.963	0.065
F121725A_CC185154	Benzene	7	F2508177.D	715.53	6456657	56.3	561348	0.906	0.0022
						Avg:	540460	0.904	
						%RSD:	2.2%	5.3%	
F121725A_CC185154	Toluene	1	F2508171.D	5.24	53241	66.1	606147	1.108	0.016
F121725A_CC185154	Toluene	2	F2508172.D	10.47	110436	66.1	616680	1.130	0.035
F121725A_CC185154	Toluene	3	F2508173.D	20.95	215705	66.1	622459	1.093	0.0017
F121725A_CC185154	Toluene	4	F2508174.D	41.90	427518	66.1	627442	1.074	-0.015
F121725A_CC185154	Toluene	5	F2508175.D	104.74	1078346	66.1	633720	1.073	-0.016
F121725A_CC185154	Toluene	6	F2508176.D	209.48	2208644	66.1	634907	1.097	0.0055
F121725A_CC185154	Toluene	7	F2508177.D	628.45	6371104	66.1	630656	1.062	-0.027
						Avg:	624573	1.091	
						%RSD:	1.7%	2.1%	
F121725A_CC185154	Ethylbenzene	1	F2508171.D	5.44	52701	66.1	606147	1.055	-0.083
F121725A_CC185154	Ethylbenzene	2	F2508172.D	10.89	103364	66.1	616680	1.017	-0.12
F121725A_CC185154	Ethylbenzene	3	F2508173.D	21.77	249010	66.1	622459	1.214	0.055
F121725A_CC185154	Ethylbenzene	4	F2508174.D	43.54	510214	66.1	627442	1.234	0.073
F121725A_CC185154	Ethylbenzene	5	F2508175.D	108.86	1213007	66.1	633720	1.162	0.0099
F121725A_CC185154	Ethylbenzene	6	F2508176.D	217.72	2518155	66.1	634907	1.204	0.046
F121725A_CC185154	Ethylbenzene	7	F2508177.D	653.16	7272682	66.1	630656	1.166	0.014
						Avg:	624573	1.150	
						%RSD:	1.7%	7.2%	
F121725A_CC185154	m-/p-Xylenes	1	F2508171.D	6.10	45227	66.1	606147	0.808	-0.14
F121725A_CC185154	m-/p-Xylenes	2	F2508172.D	12.20	93766	66.1	616680	0.823	-0.12
F121725A_CC185154	m-/p-Xylenes	3	F2508173.D	24.40	229774	66.1	622459	0.999	0.064
F121725A_CC185154	m-/p-Xylenes	4	F2508174.D	48.80	467094	66.1	627442	1.008	0.072
F121725A_CC185154	m-/p-Xylenes	5	F2508175.D	122.00	1082720	66.1	633720	0.925	-0.015
F121725A_CC185154	m-/p-Xylenes	6	F2508176.D	244.00	2328036	66.1	634907	0.993	0.056
F121725A_CC185154	m-/p-Xylenes	7	F2508177.D	732.01	7137741	66.1	630656	1.021	0.087
						Avg:	624573	0.940	
						%RSD:	1.7%	9.6%	
F121725A_CC185154	o-Xylene	1	F2508171.D	5.67	42268	66.1	606147	0.812	-0.14
F121725A_CC185154	o-Xylene	2	F2508172.D	11.35	85951	66.1	616680	0.812	-0.14
F121725A_CC185154	o-Xylene	3	F2508173.D	22.69	217910	66.1	622459	1.019	0.08

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA102-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	o-Xylene	4	F2508174.D	45.38	446025	66.1	627442	1.035	0.097
F121725A_CC185154	o-Xylene	5	F2508175.D	113.46	1032192	66.1	633720	0.948	0.0051
F121725A_CC185154	o-Xylene	6	F2508176.D	226.92	2179717	66.1	634907	1.000	0.059
F121725A_CC185154	o-Xylene	7	F2508177.D	680.75	6366952	66.1	630656	0.980	0.038
						Avg:	624573	0.944	
						%RSD:	1.7%	10.0%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	ICV	F2508178.D	443.46	3919944	56.3	563465	0.884	-2.2%
F121725A_CC185154	Toluene	ICV	F2508178.D	454.10	4554523	66.1	629158	1.053	-3.5%
F121725A_CC185154	Ethylbenzene	ICV	F2508178.D	448.99	4890504	66.1	629158	1.144	-0.6%
F121725A_CC185154	m-/p-Xylenes	ICV	F2508178.D	455.97	3870637	66.1	629158	0.891	-5.1%
F121725A_CC185154	o-Xylene	ICV	F2508178.D	456.85	3921714	66.1	629158	0.901	-4.5%

M325B PDF Report ver.20260119

Sample Custody



Site Name:	Sprague South Portland	Client Name:	Montrose Air Quality Services, LLC	PO#:	
Site Address:	39 Main Street	Project Number:	PROJ-027968	Sample Event #	2026GA102
City:	South Portland	Project Manager:	Sabarish Selvarajan	Sorbent:	Carbopak-X
State	Maine	Email Address:	sabarishselvarajan@montrose-env.com		
Zip:	04106	Telephone #:	973-722-7895		

[illegible]

Relinquished By (printed):		Relinquished By (signature):		Relinquished Date:		Relinquished Time:	
Sabarish Selvarajan		SS		1/20/2026		17:00	
Received By (printed):		Received By (signature):		Receipt Date:		Receipt Time:	
Daniel Simpson				1/23/26		11:00AM	
Sample Condition Upon Receipt:		Compound List:		Custody Seal intact? Y/N:		Delivery tracking #	
Good				Y			
Temp:	Blank Temp:			Add Custody Seal # below:			
17.3	Fleke 3			25D06915			
Comments: Location 6: later collection due to parked train that blocked off sample location. Had to go around to the highway and jump over the fence. Location 13, duplicate: cap fell in snow, had to clean inside as much as possible and use temporarily until I got back to the truck and swapped cap with that of spare tube.							
800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.enthalpy.com							

**This Is The Last Page
Of This Report.**

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 40 Sprague - South Portland

Client Project# PROJ-027968

Samples Received: 2/4/2026

Analytical Report 2026GA103

EPA Method 325B Analysis

Report Issue Date: 2/17/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	11
Chromatograms	14
Initial Calibration	78
Sample Custody	81
Chain of Custody	82

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GA103-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Enthalpy Analytical on February 4, 2026 at 5.5 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20260119	C17145	Sample
SPRSPO-1-D-20260119	C69776	Duplicate
SPRSPO-1-B-20260119	B11788	Blank
SPRSPO-2-S-20260119	B49440	Sample
SPRSPO-3-S-20260119	B46148	Sample
SPRSPO-4-S-20260119	C57105	Sample
SPRSPO-5-S-20260119	C34164	Sample
SPRSPO-6-S-20260119	C53538	Sample
SPRSPO-7-S-20260119	C35746	Sample
SPRSPO-8-S-20260119	C69550	Sample
SPRSPO-9-S-20260119	B35574	Sample
SPRSPO-10-S-20260119	C01860	Sample
SPRSPO-11-S-20260119	C20595	Sample
SPRSPO-12-S-20260119	B34552	Sample
SPRSPO-13-S-20260119	B50925	Sample
SPRSPO-13-D-20260119	C55738	Duplicate
SPRSPO-13-B-20260119	C70029	Blank
SPRSPO-14-S-20260119	C32919	Sample
SPRSPO-15-S-20260119	C38948	Sample
SPRSPO-16-S-20260119	C71798	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GA103-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (F121725A_CC185154) met all 30% RSD criteria. The initial calibration verification met $\pm 30\%$ recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

The primary sample SPRSPO-1-S-20260119 (tube ID C17145) and its corresponding duplicate SPRSPO-1-D-20260119 (tube ID C69776) failed to meet the 30% difference criterion for m-/p-Xylenes and Toluene as specified by the method. All samples in the data set have been flagged "P" for m-/p-Xylenes and Toluene to denote this failure. Additionally, the primary sample SPRSPO-1-S-20260119 (tube ID C17145) and its corresponding duplicate SPRSPO-1-D-20260119 (tube ID C69776) failed to meet the 30% difference criterion for o-Xylene as specified by the method. However, the concentrations of the analyte in both the sample and the duplicate were less than two times the reporting limit of the instrument's calibration curve. Therefore, the percent difference observed may not suggest the data set has been negatively affected. All samples in the data set have been flagged "Pc" for o-Xylene to denote this failure.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA103-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20260119	C17145	0.804		1.56	P	0.543	J	1.62	P	0.531	J,Pc
SPRSPO-1-D-20260119	C69776	0.902		2.28	P	0.673		2.26	P	0.754	Pc
SPRSPO-1-B-20260119	B11788	0.184	ND	0.238	ND,P	0.269	ND	0.269	ND,P	0.269	ND,Pc
SPRSPO-2-S-20260119	B49440	0.618		1.66	P	0.269	ND	0.411	J,P	0.269	ND,Pc
SPRSPO-3-S-20260119	B46148	0.639		1.66	P	0.269	ND	0.395	J,P	0.269	ND,Pc
SPRSPO-4-S-20260119	C57105	1.05		2.86	P	0.349	J	0.910	P	0.405	J,Pc
SPRSPO-5-S-20260119	C34164	0.594		1.67	P	0.269	ND	0.301	J,P	0.269	ND,Pc
SPRSPO-6-S-20260119	C53538	0.665		1.35	P	0.269	ND	0.337	J,P	0.269	ND,Pc
SPRSPO-7-S-20260119	C35746	0.638		7.52	P	0.893		2.47	P	0.977	Pc
SPRSPO-8-S-20260119	C69550	0.532		0.605	P	0.268	ND	0.268	ND,P	0.268	ND,Pc
SPRSPO-9-S-20260119	B35574	0.826		0.617	P	0.268	ND	0.268	ND,P	0.268	ND,Pc
SPRSPO-10-S-20260119	C01860	0.524		0.551	P	0.268	ND	0.268	ND,P	0.268	ND,Pc
SPRSPO-11-S-20260119	C20595	0.531		0.553	P	0.268	ND	0.268	ND,P	0.268	ND,Pc
SPRSPO-12-S-20260119	B34552	0.622		0.955	P	0.268	ND	0.387	J,P	0.268	ND,Pc
SPRSPO-13-S-20260119	B50925	0.618		0.959	P	0.268	ND	0.400	J,P	0.268	ND,Pc
SPRSPO-13-D-20260119	C55738	0.632		0.974	P	0.268	ND	0.400	J,P	0.268	ND,Pc
SPRSPO-13-B-20260119	C70029	0.184	ND	0.237	ND,P	0.268	ND	0.268	ND,P	0.268	ND,Pc
SPRSPO-14-S-20260119	C32919	0.696		1.25	P	0.268	ND	0.544	J,P	0.268	ND,Pc
SPRSPO-15-S-20260119	C38948	0.698		1.25	P	0.268	ND	0.620	J,P	0.268	ND,Pc
SPRSPO-16-S-20260119	C71798	0.789		1.52	P	0.354	J	1.02	P	0.403	J,Pc

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

P: Field duplicate(s) exceed 30%RPD

Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA103-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj Date/Time	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260119	C17145	0.804	0.252	10.9	14.2	0.630	21536	0.184	0.440	0.0578	0.138		F2600866.D	2026-02-05 14:47	0.916	7.938	90519	510470	56.3	7.877	-0.7%
SPRSPO-1-D-20260119	C69776	0.902	0.283	12.2	14.2	0.630	21536	0.184	0.440	0.0578	0.138		F2600867.D	2026-02-05 15:12	0.916	7.938	100029	503025	56.3	7.883	-2.1%
SPRSPO-1-B-20260119	B11788	0.184	0.0578		14.2	0.630	21536	0.184	0.440	0.0578	0.138	ND	F2600865.D	2026-02-05 14:21	0.916	7.938	10489	512751	56.3	7.877	-0.2%
SPRSPO-2-S-20260119	B49440	0.618	0.193	8.37	14.2	0.630	21533	0.184	0.440	0.0578	0.138		F2600868.D	2026-02-05 15:37	0.916	7.938	68973	506741	56.3	7.877	-1.4%
SPRSPO-3-S-20260119	B46148	0.639	0.200	8.66	14.2	0.630	21538	0.184	0.440	0.0577	0.138		F2600869.D	2026-02-05 16:03	0.916	7.938	71994	511186	56.3	7.883	-0.6%
SPRSPO-4-S-20260119	C57105	1.05	0.329	14.3	14.2	0.630	21537	0.184	0.440	0.0577	0.138		F2600870.D	2026-02-05 16:29	0.916	7.939	116025	500673	56.3	7.877	-2.6%
SPRSPO-5-S-20260119	C34164	0.594	0.186	8.05	14.2	0.630	21540	0.184	0.440	0.0577	0.138		F2600871.D	2026-02-05 16:54	0.916	7.938	65948	503622	56.3	7.877	-2.0%
SPRSPO-6-S-20260119	C53538	0.665	0.208	8.99	14.1	0.630	21467	0.185	0.441	0.0579	0.138		F2600872.D	2026-02-05 17:20	0.916	7.938	73932	505669	56.3	7.877	-1.6%
SPRSPO-7-S-20260119	C35746	0.638	0.200	8.65	14.2	0.630	21540	0.184	0.440	0.0577	0.138		F2600873.D	2026-02-05 17:46	0.916	7.938	71339	507267	56.3	7.877	-1.3%
SPRSPO-8-S-20260119	C69550	0.532	0.167	7.21	14.2	0.630	21545	0.184	0.440	0.0577	0.138		F2600874.D	2026-02-05 18:11	0.916	7.939	58820	501553	56.3	7.877	-2.4%
SPRSPO-9-S-20260119	B35574	0.826	0.259	11.2	14.2	0.630	21546	0.184	0.440	0.0577	0.138		F2600876.D	2026-02-05 19:02	0.916	7.938	91443	501808	56.3	7.877	-2.4%
SPRSPO-10-S-20260119	C01860	0.524	0.164	7.11	14.2	0.630	21546	0.184	0.440	0.0577	0.138		F2600877.D	2026-02-05 19:28	0.916	7.938	57913	501015	56.3	7.877	-2.5%
SPRSPO-11-S-20260119	C20595	0.531	0.166	7.21	14.2	0.630	21548	0.184	0.440	0.0577	0.138		F2600878.D	2026-02-05 19:53	0.916	7.938	58893	502578	56.3	7.877	-2.2%
SPRSPO-12-S-20260119	B34552	0.622	0.195	8.44	14.2	0.630	21553	0.184	0.439	0.0577	0.138		F2600879.D	2026-02-05 20:19	0.916	7.938	68869	502017	56.3	7.877	-2.3%
SPRSPO-13-S-20260119	B50925	0.618	0.193	8.38	14.2	0.630	21556	0.184	0.439	0.0577	0.138		F2600880.D	2026-02-05 20:44	0.916	7.938	68383	501707	56.3	7.877	-2.4%
SPRSPO-13-D-20260119	C55738	0.632	0.198	8.58	14.2	0.630	21556	0.184	0.439	0.0577	0.138		F2600881.D	2026-02-05 21:10	0.916	7.938	69460	498210	56.3	7.877	-3.1%
SPRSPO-13-B-20260119	C70029	0.184	0.0577		14.2	0.630	21556	0.184	0.439	0.0577	0.138	ND	F2600882.D	2026-02-05 21:36	0.916	7.939	8911	502562	56.3	7.877	-2.2%
SPRSPO-14-S-20260119	C32919	0.696	0.218	9.45	14.2	0.630	21559	0.184	0.439	0.0577	0.138		F2600883.D	2026-02-05 22:01	0.916	7.938	76348	496866	56.3	7.877	-3.3%
SPRSPO-15-S-20260119	C38948	0.698	0.218	9.47	14.2	0.630	21558	0.184	0.439	0.0577	0.138		F2600884.D	2026-02-05 22:27	0.916	7.939	76435	496553	56.3	7.877	-3.4%
SPRSPO-16-S-20260119	C71798	0.789	0.247	10.7	14.2	0.630	21559	0.184	0.439	0.0577	0.138		F2600885.D	2026-02-05 22:52	0.916	7.938	86316	495877	56.3	7.877	-3.5%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj Date/Time	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260119	C17145	1.56	0.414	16.4	14.2	0.489	21536	0.238	0.498	0.0631	0.132	P	F2600866.D	2026-02-05 14:47	1.248	10.661	162670	525023	66.1	10.563	-2.2%
SPRSPO-1-D-20260119	C69776	2.28	0.606	24.0	14.2	0.489	21536	0.238	0.498	0.0631	0.132	P	F2600867.D	2026-02-05 15:12	1.248	10.661	238928	526693	66.1	10.563	-1.9%
SPRSPO-1-B-20260119	B11788	0.238	0.0631		14.2	0.489	21536	0.238	0.498	0.0631	0.132	ND,P	F2600865.D	2026-02-05 14:21	1.248	10.655	16489	540872	66.1	10.563	0.7%
SPRSPO-2-S-20260119	B49440	1.66	0.441	17.5	14.2	0.489	21533	0.238	0.498	0.0631	0.132	P	F2600868.D	2026-02-05 15:37	1.248	10.661	173687	526073	66.1	10.563	-2.0%
SPRSPO-3-S-20260119	B46148	1.66	0.441	17.5	14.2	0.489	21538	0.238	0.498	0.0631	0.132	P	F2600869.D	2026-02-05 16:03	1.248	10.661	172585	523106	66.1	10.563	-2.6%
SPRSPO-4-S-20260119	C57105	2.86	0.761	30.1	14.2	0.489	21537	0.238	0.498	0.0631	0.132	P	F2600870.D	2026-02-05 16:29	1.248	10.661	298305	523857	66.1	10.563	-2.4%
SPRSPO-5-S-20260119	C34164	1.67	0.443	17.5	14.2	0.489	21540	0.238	0.498	0.0631	0.132	P	F2600871.D	2026-02-05 16:54	1.248	10.661	173259	522703	66.1	10.569	-2.6%
SPRSPO-6-S-20260119	C53538	1.35	0.358	14.1	14.1	0.489	21467	0.238	0.499	0.0633	0.133	P	F2600872.D	2026-02-05 17:20	1.248	10.661	139249	521135	66.1	10.563	-2.9%
SPRSPO-7-S-20260119	C35746	7.52	2.00	79.1	14.2	0.489	21540	0.238	0.498	0.0631	0.132	P	F2600873.D	2026-02-05 17:46	1.248	10.661	786270	525942	66.1	10.563	-2.0%
SPRSPO-8-S-20260119	C69550	0.605	0.161	6.36	14.2	0.489	21545	0.237	0.497	0.0631	0.132	P	F2600874.D	2026-02-05 18:11	1.248	10.661	62708	521656	66.1	10.563	-2.8%
SPRSPO-9-S-20260119	B35574	0.617	0.164	6.50	14.2	0.489	21546	0.237	0.497	0.0631	0.132	P	F2600876.D	2026-02-05 19:02	1.248	10.661	63698	518827	66.1	10.563	-3.4%
SPRSPO-10-S-20260119	C01860	0.551	0.146	5.81	14.2	0.489	21546	0.237	0.497	0.0631	0.132	P	F2600877.D	2026-02-05 19:28	1.248	10.661	57111	520764	66.1	10.563	-3.0%
SPRSPO-11-S-20260119	C20595	0.553	0.147	5.82	14.2	0.489	21548	0.237	0.497	0.0630	0.132	P	F2600878.D	2026-02-05 19:53	1.248	10.661	57260	520450	66.1	10.563	-3.1%
SPRSPO-12-S-20260119	B34552	0.955	0.254	10.1	14.2	0.489	21553	0.237	0.497	0.0630	0.132	P	F2600879.D	2026-02-05 20:19	1.248	10.661	99001	520956	66.1	10.563	-3.0%
SPRSPO-13-S-20260119	B50925	0.959	0.255	10.1	14.2	0.489	21556	0.237	0.497	0.0630	0.132	P	F2600880.D	2026-02-05 20:44	1.248	10.661	98042	513697	66.1	10.563	-4.3%
SPRSPO-13-D-20260119	C55738	0.974	0.259	10.3	14.2	0.489	21556	0.237	0.497	0.0630	0.132	P	F2600881.D	2026-02-05 21:10	1.248	10.660	100549	518968	66.1	10.569	-3.3%
SPRSPO-13-B-20260119	C70029	0.237	0.0630		14.2	0.489	21556	0.237	0.497	0.0630	0.132	ND,P	F2600882.D	2026-02-05 21:36	1.248	10.661	18765	517905	66.1	10.563	-3.5%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA103-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20260119	C32919	1.25	0.333	13.2	14.2	0.489	21559	0.237	0.497	0.0630	0.132	P	F2600883.D	2026-02-05 22:01	1.248	10.661	128399	515175	66.1	10.563	-4.0%
SPRSPO-15-S-20260119	C38948	1.25	0.331	13.1	14.2	0.489	21558	0.237	0.497	0.0630	0.132	P	F2600884.D	2026-02-05 22:27	1.248	10.661	127626	514628	66.1	10.563	-4.1%
SPRSPO-16-S-20260119	C71798	1.52	0.404	16.0	14.2	0.489	21559	0.237	0.497	0.0630	0.132	P	F2600885.D	2026-02-05 22:52	1.248	10.661	157462	519685	66.1	10.563	-3.2%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260119	C17145	0.543	0.125	5.05	14.2	0.432	21536	0.269	0.585	0.0619	0.135	J	F2600866.D	2026-02-05 14:47	1.219	12.845	48929	525023	66.1	10.563	-2.2%
SPRSPO-1-D-20260119	C69776	0.673	0.155	6.27	14.2	0.432	21536	0.269	0.585	0.0619	0.135		F2600867.D	2026-02-05 15:12	1.219	12.845	60881	526693	66.1	10.563	-1.9%
SPRSPO-1-B-20260119	B11788	0.269	0.0619		14.2	0.432	21536	0.269	0.585	0.0619	0.135	ND	F2600865.D	2026-02-05 14:21	1.219	12.851	2086	540872	66.1	10.563	0.7%
SPRSPO-2-S-20260119	B49440	0.269	0.0619		14.2	0.432	21533	0.269	0.585	0.0619	0.135	ND	F2600868.D	2026-02-05 15:37	1.219	12.845	16128	526073	66.1	10.563	-2.0%
SPRSPO-3-S-20260119	B46148	0.269	0.0619		14.2	0.432	21538	0.269	0.585	0.0619	0.135	ND	F2600869.D	2026-02-05 16:03	1.219	12.845	18172	523106	66.1	10.563	-2.6%
SPRSPO-4-S-20260119	C57105	0.349	0.0804	3.25	14.2	0.432	21537	0.269	0.585	0.0619	0.135	J	F2600870.D	2026-02-05 16:29	1.219	12.845	31394	523857	66.1	10.563	-2.4%
SPRSPO-5-S-20260119	C34164	0.269	0.0619		14.2	0.432	21540	0.269	0.585	0.0619	0.135	ND	F2600871.D	2026-02-05 16:54	1.219	12.845	12590	522703	66.1	10.569	-2.6%
SPRSPO-6-S-20260119	C53538	0.269	0.0621		14.1	0.432	21467	0.269	0.587	0.0621	0.135	ND	F2600872.D	2026-02-05 17:20	1.219	12.845	14410	521135	66.1	10.563	-2.9%
SPRSPO-7-S-20260119	C35746	0.893	0.206	8.32	14.2	0.432	21540	0.269	0.585	0.0619	0.135		F2600873.D	2026-02-05 17:46	1.219	12.845	80694	525942	66.1	10.563	-2.0%
SPRSPO-8-S-20260119	C69550	0.268	0.0619		14.2	0.432	21545	0.268	0.584	0.0619	0.135	ND	F2600874.D	2026-02-05 18:11	1.219	12.845	9736	521656	66.1	10.563	-2.8%
SPRSPO-9-S-20260119	B35574	0.268	0.0619		14.2	0.432	21546	0.268	0.584	0.0619	0.135	ND	F2600876.D	2026-02-05 19:02	1.219	12.845	10630	518827	66.1	10.563	-3.4%
SPRSPO-10-S-20260119	C01860	0.268	0.0619		14.2	0.432	21546	0.268	0.584	0.0619	0.135	ND	F2600877.D	2026-02-05 19:28	1.219	12.845	8586	520764	66.1	10.563	-3.0%
SPRSPO-11-S-20260119	C20595	0.268	0.0619		14.2	0.432	21548	0.268	0.584	0.0619	0.135	ND	F2600878.D	2026-02-05 19:53	1.219	12.845	7928	520450	66.1	10.563	-3.1%
SPRSPO-12-S-20260119	B34552	0.268	0.0618		14.2	0.432	21553	0.268	0.584	0.0618	0.135	ND	F2600879.D	2026-02-05 20:19	1.219	12.845	15165	520956	66.1	10.563	-3.0%
SPRSPO-13-S-20260119	B50925	0.268	0.0618		14.2	0.432	21556	0.268	0.584	0.0618	0.135	ND	F2600880.D	2026-02-05 20:44	1.219	12.845	15261	513697	66.1	10.563	-4.3%
SPRSPO-13-D-20260119	C55738	0.268	0.0618		14.2	0.432	21556	0.268	0.584	0.0618	0.135	ND	F2600881.D	2026-02-05 21:10	1.219	12.845	16716	518968	66.1	10.569	-3.3%
SPRSPO-13-B-20260119	C70029	0.268	0.0618		14.2	0.432	21556	0.268	0.584	0.0618	0.135	ND	F2600882.D	2026-02-05 21:36	1.219	12.845	1740	517905	66.1	10.563	-3.5%
SPRSPO-14-S-20260119	C32919	0.268	0.0618		14.2	0.432	21559	0.268	0.584	0.0618	0.135	ND	F2600883.D	2026-02-05 22:01	1.219	12.845	18013	515175	66.1	10.563	-4.0%
SPRSPO-15-S-20260119	C38948	0.268	0.0618		14.2	0.432	21558	0.268	0.584	0.0618	0.135	ND	F2600884.D	2026-02-05 22:27	1.219	12.845	22702	514628	66.1	10.563	-4.1%
SPRSPO-16-S-20260119	C71798	0.354	0.0817	3.30	14.2	0.432	21559	0.268	0.584	0.0618	0.135	J	F2600885.D	2026-02-05 22:52	1.219	12.845	31654	519685	66.1	10.563	-3.2%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260119	C17145	1.62	0.372	15.0	14.2	0.432	21536	0.269	0.655	0.0619	0.151	P	F2600866.D	2026-02-05 14:47	0.970	13.022	115921	525023	66.1	10.563	-2.2%
SPRSPO-1-D-20260119	C69776	2.26	0.522	21.1	14.2	0.432	21536	0.269	0.655	0.0619	0.151	P	F2600867.D	2026-02-05 15:12	0.970	13.022	162910	526693	66.1	10.563	-1.9%
SPRSPO-1-B-20260119	B11788	0.269	0.0619		14.2	0.432	21536	0.269	0.655	0.0619	0.151	ND,P	F2600865.D	2026-02-05 14:21	0.970	13.016	1339	540872	66.1	10.563	0.7%
SPRSPO-2-S-20260119	B49440	0.411	0.0946	3.82	14.2	0.432	21533	0.269	0.655	0.0619	0.151	J,P	F2600868.D	2026-02-05 15:37	0.970	13.022	29510	526073	66.1	10.563	-2.0%
SPRSPO-3-S-20260119	B46148	0.395	0.0909	3.67	14.2	0.432	21538	0.269	0.655	0.0619	0.151	J,P	F2600869.D	2026-02-05 16:03	0.970	13.022	28211	523106	66.1	10.563	-2.6%
SPRSPO-4-S-20260119	C57105	0.910	0.210	8.47	14.2	0.432	21537	0.269	0.655	0.0619	0.151	P	F2600870.D	2026-02-05 16:29	0.970	13.022	65123	523857	66.1	10.563	-2.4%
SPRSPO-5-S-20260119	C34164	0.301	0.0693	2.80	14.2	0.432	21540	0.269	0.655	0.0619	0.151	J,P	F2600871.D	2026-02-05 16:54	0.970	13.022	21493	522703	66.1	10.569	-2.6%
SPRSPO-6-S-20260119	C53538	0.337	0.0777	3.13	14.1	0.432	21467	0.269	0.657	0.0621	0.152	J,P	F2600872.D	2026-02-05 17:20	0.970	13.022	23926	521135	66.1	10.563	-2.9%
SPRSPO-7-S-20260119	C35746	2.47	0.569	23.0	14.2	0.432	21540	0.269	0.655	0.0619	0.151	P	F2600873.D	2026-02-05 17:46	0.970	13.022	177581	525942	66.1	10.563	-2.0%
SPRSPO-8-S-20260119	C69550	0.268	0.0619		14.2	0.432	21545	0.268	0.655	0.0619	0.151	ND,P	F2600874.D	2026-02-05 18:11	0.970	13.022	18829	521656	66.1	10.563	-2.8%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA103-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj Date/Time	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20260119	B35574	0.268	0.0619		14.2	0.432	21546	0.268	0.655	0.0619	0.151	ND,P	F2600876.D	2026-02-05 19:02	0.970	13.022	14335	518827	66.1	10.563	-3.4%
SPRSPO-10-S-20260119	C01860	0.268	0.0619		14.2	0.432	21546	0.268	0.655	0.0619	0.151	ND,P	F2600877.D	2026-02-05 19:28	0.970	13.022	13374	520764	66.1	10.563	-3.0%
SPRSPO-11-S-20260119	C20595	0.268	0.0619		14.2	0.432	21548	0.268	0.655	0.0619	0.151	ND,P	F2600878.D	2026-02-05 19:53	0.970	13.022	12449	520450	66.1	10.563	-3.1%
SPRSPO-12-S-20260119	B34552	0.387	0.0892	3.61	14.2	0.432	21553	0.268	0.655	0.0618	0.151	J,P	F2600879.D	2026-02-05 20:19	0.970	13.022	27583	520956	66.1	10.563	-3.0%
SPRSPO-13-S-20260119	B50925	0.400	0.0921	3.72	14.2	0.432	21556	0.268	0.655	0.0618	0.151	J,P	F2600880.D	2026-02-05 20:44	0.970	13.022	28071	513697	66.1	10.563	-4.3%
SPRSPO-13-D-20260119	C55738	0.400	0.0921	3.72	14.2	0.432	21556	0.268	0.655	0.0618	0.151	J,P	F2600881.D	2026-02-05 21:10	0.970	13.022	28370	518968	66.1	10.569	-3.3%
SPRSPO-13-B-20260119	C70029	0.268	0.0618		14.2	0.432	21556	0.268	0.655	0.0618	0.151	ND,P	F2600882.D	2026-02-05 21:36	0.970	13.022	1299	517905	66.1	10.563	-3.5%
SPRSPO-14-S-20260119	C32919	0.544	0.125	5.07	14.2	0.432	21559	0.268	0.655	0.0618	0.151	J,P	F2600883.D	2026-02-05 22:01	0.970	13.022	38326	515175	66.1	10.563	-4.0%
SPRSPO-15-S-20260119	C38948	0.620	0.143	5.78	14.2	0.432	21558	0.268	0.655	0.0618	0.151	J,P	F2600884.D	2026-02-05 22:27	0.970	13.022	43657	514628	66.1	10.563	-4.1%
SPRSPO-16-S-20260119	C71798	1.02	0.234	9.47	14.2	0.432	21559	0.268	0.655	0.0618	0.151	P	F2600885.D	2026-02-05 22:52	0.970	13.022	72234	519685	66.1	10.563	-3.2%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj Date/Time	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260119	C17145	0.531	0.122	4.95	14.2	0.432	21536	0.269	0.609	0.0619	0.140	J,Pc	F2600866.D	2026-02-05 14:47	0.980	13.524	38532	525023	66.1	10.563	-2.2%
SPRSPO-1-D-20260119	C69776	0.754	0.174	7.02	14.2	0.432	21536	0.269	0.609	0.0619	0.140	Pc	F2600867.D	2026-02-05 15:12	0.980	13.524	54829	526693	66.1	10.563	-1.9%
SPRSPO-1-B-20260119	B11788	0.269	0.0619		14.2	0.432	21536	0.269	0.609	0.0619	0.140	ND,Pc	F2600865.D	2026-02-05 14:21	0.980	13.530	520	540872	66.1	10.563	0.7%
SPRSPO-2-S-20260119	B49440	0.269	0.0619		14.2	0.432	21533	0.269	0.610	0.0619	0.140	ND,Pc	F2600868.D	2026-02-05 15:37	0.980	13.524	11975	526073	66.1	10.563	-2.0%
SPRSPO-3-S-20260119	B46148	0.269	0.0619		14.2	0.432	21538	0.269	0.609	0.0619	0.140	ND,Pc	F2600869.D	2026-02-05 16:03	0.980	13.530	11792	523106	66.1	10.563	-2.6%
SPRSPO-4-S-20260119	C57105	0.405	0.0934	3.77	14.2	0.432	21537	0.269	0.609	0.0619	0.140	J,Pc	F2600870.D	2026-02-05 16:29	0.980	13.524	29319	523857	66.1	10.563	-2.4%
SPRSPO-5-S-20260119	C34164	0.269	0.0619		14.2	0.432	21540	0.269	0.609	0.0619	0.140	ND,Pc	F2600871.D	2026-02-05 16:54	0.980	13.524	8642	522703	66.1	10.569	-2.6%
SPRSPO-6-S-20260119	C53538	0.269	0.0621		14.1	0.432	21467	0.269	0.611	0.0621	0.141	ND,Pc	F2600872.D	2026-02-05 17:20	0.980	13.530	10256	521135	66.1	10.563	-2.9%
SPRSPO-7-S-20260119	C35746	0.977	0.225	9.10	14.2	0.432	21540	0.269	0.609	0.0619	0.140	Pc	F2600873.D	2026-02-05 17:46	0.980	13.524	71009	525942	66.1	10.563	-2.0%
SPRSPO-8-S-20260119	C69550	0.268	0.0619		14.2	0.432	21545	0.268	0.609	0.0619	0.140	ND,Pc	F2600874.D	2026-02-05 18:11	0.980	13.530	7789	521656	66.1	10.563	-2.8%
SPRSPO-9-S-20260119	B35574	0.268	0.0619		14.2	0.432	21546	0.268	0.609	0.0619	0.140	ND,Pc	F2600876.D	2026-02-05 19:02	0.980	13.524	6219	518827	66.1	10.563	-3.4%
SPRSPO-10-S-20260119	C01860	0.268	0.0619		14.2	0.432	21546	0.268	0.609	0.0619	0.140	ND,Pc	F2600877.D	2026-02-05 19:28	0.980	13.530	5954	520764	66.1	10.563	-3.0%
SPRSPO-11-S-20260119	C20595	0.268	0.0619		14.2	0.432	21548	0.268	0.609	0.0619	0.140	ND,Pc	F2600878.D	2026-02-05 19:53	0.980	13.530	5515	520450	66.1	10.563	-3.1%
SPRSPO-12-S-20260119	B34552	0.268	0.0618		14.2	0.432	21553	0.268	0.609	0.0618	0.140	ND,Pc	F2600879.D	2026-02-05 20:19	0.980	13.524	11436	520956	66.1	10.563	-3.0%
SPRSPO-13-S-20260119	B50925	0.268	0.0618		14.2	0.432	21556	0.268	0.609	0.0618	0.140	ND,Pc	F2600880.D	2026-02-05 20:44	0.980	13.524	11275	513697	66.1	10.563	-4.3%
SPRSPO-13-D-20260119	C55738	0.268	0.0618		14.2	0.432	21556	0.268	0.609	0.0618	0.140	ND,Pc	F2600881.D	2026-02-05 21:10	0.980	13.524	11298	518968	66.1	10.569	-3.3%
SPRSPO-13-B-20260119	C70029	0.268	0.0618		14.2	0.432	21556	0.268	0.609	0.0618	0.140	ND,Pc	F2600882.D	2026-02-05 21:36	0.980	13.530	599	517905	66.1	10.563	-3.5%
SPRSPO-14-S-20260119	C32919	0.268	0.0618		14.2	0.432	21559	0.268	0.609	0.0618	0.140	ND,Pc	F2600883.D	2026-02-05 22:01	0.980	13.530	16235	515175	66.1	10.563	-4.0%
SPRSPO-15-S-20260119	C38948	0.268	0.0618		14.2	0.432	21558	0.268	0.609	0.0618	0.140	ND,Pc	F2600884.D	2026-02-05 22:27	0.980	13.530	16828	514628	66.1	10.563	-4.1%
SPRSPO-16-S-20260119	C71798	0.403	0.0928	3.75	14.2	0.432	21559	0.268	0.609	0.0618	0.140	J,Pc	F2600885.D	2026-02-05 22:52	0.980	13.524	28949	519685	66.1	10.563	-3.2%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

P: Field duplicate(s) exceed 30%RPD

Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA103-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20260119	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20260119	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20260119	11%	Pass	38%	Fail	21%	Pass	33%	Fail	35%	Fail
	SPRSPO-13-D-20260119	2.3%	Pass	1.5%	Pass	ND	Pass	0.039%	Pass	ND	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA103-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2600863.D	C20490	Cal	0.916	0.904	0.916	1.4%	-4.9%		Pass	
2026GA103 Method Blank 1	F2600864.D	C37460	Blank		0.904	0.916			2.9%	Pass	ND
M325B CCV 5	F2600875.D	C36883	Check	0.845	0.904	0.916	-6.5%		-2.2%	Pass	
M325B CCV 5	F2600886.D	C00691	Check	0.951	0.904	0.916	5.2%		-3.9%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2600863.D	C20490	Cal	1.248	1.091	1.248	14%	-14%		Pass	
2026GA103 Method Blank 1	F2600864.D	C37460	Blank		1.091	1.248			2.8%	Pass	J
M325B CCV 5	F2600875.D	C36883	Check	1.186	1.091	1.248	8.7%		-2.9%	Pass	
M325B CCV 5	F2600886.D	C00691	Check	1.196	1.091	1.248	9.6%		-4.2%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2600863.D	C20490	Cal	1.219	1.150	1.219	5.9%	-14%		Pass	
2026GA103 Method Blank 1	F2600864.D	C37460	Blank		1.150	1.219			2.8%	Pass	ND
M325B CCV 5	F2600875.D	C36883	Check	1.146	1.150	1.219	-0.41%		-2.9%	Pass	
M325B CCV 5	F2600886.D	C00691	Check	1.138	1.150	1.219	-1.0%		-4.2%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2600863.D	C20490	Cal	0.970	0.940	0.970	3.2%	-14%		Pass	
2026GA103 Method Blank 1	F2600864.D	C37460	Blank		0.940	0.970			2.8%	Pass	ND
M325B CCV 5	F2600875.D	C36883	Check	0.900	0.940	0.970	-4.3%		-2.9%	Pass	
M325B CCV 5	F2600886.D	C00691	Check	0.833	0.940	0.970	-11%		-4.2%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2600863.D	C20490	Cal	0.980	0.944	0.980	3.9%	-14%		Pass	
2026GA103 Method Blank 1	F2600864.D	C37460	Blank		0.944	0.980			2.8%	Pass	ND
M325B CCV 5	F2600875.D	C36883	Check	0.896	0.944	0.980	-5.1%		-2.9%	Pass	
M325B CCV 5	F2600886.D	C00691	Check	0.879	0.944	0.980	-6.8%		-4.2%	Pass	

Chromatograms



Name 2026GA103 Method Blank 1
Comment C37460
Data File F2600864.D
Acq. Date-Time 2/5/2026 1:56:19 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	528,791	
Benzene	benzene-d6 (IS)	7.938	7.945	11,279	
Toluene-d8 (IS)		10.557	10.569	551,978	
Toluene	Toluene-d8 (IS)	10.655	10.667	27,105	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	4,217	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	2,969	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	2,237	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600864.D




+ Scan (10.520-10.673 min, 26 scans) F2600864.D

**Toluene**


+ EIC (91.1) Scan F2600864.D




+ Scan (10.620-10.716 min, 16 scans) F2600864.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600864.D




+ Scan (12.814-12.874 min, 10 scans) F2600864.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600864.D




+ Scan (12.992-13.080 min, 14 scans) F2600864.D




o-Xylene

+ EIC (91.1) Scan F2600864.D




+ Scan (13.497-13.554 min, 10 scans) F2600864.D





Name SPRSPO-1-B-20260119
Comment B11788
Data File F2600865.D
Acq. Date-Time 2/5/2026 2:21:43 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	512,751	
Benzene	benzene-d6 (IS)	7.938	7.945	10,489	
Toluene-d8 (IS)		10.563	10.569	540,872	
Toluene	Toluene-d8 (IS)	10.655	10.667	16,489	
Ethylbenzene	Toluene-d8 (IS)	12.851	12.851	2,086	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	1,339	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	520	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600865.D




+ Scan (10.514-10.636 min, 21 scans) F2600865.D

**Toluene**


+ EIC (91.1) Scan F2600865.D




+ Scan (10.624-10.697 min, 12 scans) F2600865.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600865.D




+ Scan (12.813-12.875 min, 11 scans) F2600865.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600865.D




+ Scan (12.999-13.082 min, 13 scans) F2600865.D




o-Xylene

+ EIC (91.1) Scan F2600865.D




+ Scan (13.506-13.542 min, 7 scans) F2600865.D





Name SPRSPO-1-S-20260119
Comment C17145
Data File F2600866.D
Acq. Date-Time 2/5/2026 2:47:09 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	510,470	
Benzene	benzene-d6 (IS)	7.938	7.945	90,519	
Toluene-d8 (IS)		10.563	10.569	525,023	
Toluene	Toluene-d8 (IS)	10.661	10.667	162,670	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	48,929	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	115,921	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	38,532	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600866.D




+ Scan (10.520-10.667 min, 25 scans) F2600866.D

**Toluene**


+ EIC (91.1) Scan F2600866.D




+ Scan (10.612-10.728 min, 20 scans) F2600866.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600866.D




+ Scan (12.811-12.887 min, 12 scans) F2600866.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600866.D




+ Scan (12.980-13.145 min, 28 scans) F2600866.D




o-Xylene

+ EIC (91.1) Scan F2600866.D




+ Scan (13.487-13.583 min, 16 scans) F2600866.D





Name SPRSPO-1-D-20260119
Comment C69776
Data File F2600867.D
Acq. Date-Time 2/5/2026 3:12:35 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	503,025	
Benzene	benzene-d6 (IS)	7.938	7.945	100,029	
Toluene-d8 (IS)		10.563	10.569	526,693	
Toluene	Toluene-d8 (IS)	10.661	10.667	238,928	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	60,881	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	162,910	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	54,829	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600867.D




+ Scan (10.520-10.642 min, 21 scans) F2600867.D

**Toluene**


+ EIC (91.1) Scan F2600867.D




+ Scan (10.612-10.734 min, 21 scans) F2600867.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600867.D




+ Scan (12.809-12.894 min, 13 scans) F2600867.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600867.D




+ Scan (12.983-13.107 min, 20 scans) F2600867.D




o-Xylene

+ EIC (91.1) Scan F2600867.D




+ Scan (13.488-13.591 min, 17 scans) F2600867.D




Name SPRSPO-2-S-20260119
Comment B49440
Data File F2600868.D
Acq. Date-Time 2/5/2026 3:37:59 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	506,741	
Benzene	benzene-d6 (IS)	7.938	7.945	68,973	
Toluene-d8 (IS)		10.563	10.569	526,073	
Toluene	Toluene-d8 (IS)	10.661	10.667	173,687	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	16,128	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	29,510	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	11,975	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600868.D




+ Scan (10.520-10.642 min, 21 scans) F2600868.D

**Toluene**


+ EIC (91.1) Scan F2600868.D




+ Scan (10.612-10.740 min, 22 scans) F2600868.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600868.D




+ Scan (12.808-12.890 min, 14 scans) F2600868.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600868.D




+ Scan (12.986-13.095 min, 17 scans) F2600868.D




o-Xylene

+ EIC (91.1) Scan F2600868.D




+ Scan (13.491-13.570 min, 13 scans) F2600868.D





Name SPRSPO-3-S-20260119
Comment B46148
Data File F2600869.D
Acq. Date-Time 2/5/2026 4:03:31 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	511,186	
Benzene	benzene-d6 (IS)	7.938	7.945	71,994	
Toluene-d8 (IS)		10.563	10.569	523,106	
Toluene	Toluene-d8 (IS)	10.661	10.667	172,585	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	18,172	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	28,211	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	11,792	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600869.D




+ Scan (10.520-10.679 min, 27 scans) F2600869.D

**Toluene**


+ EIC (91.1) Scan F2600869.D




+ Scan (10.612-10.740 min, 22 scans) F2600869.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600869.D




+ Scan (12.810-12.909 min, 16 scans) F2600869.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600869.D




+ Scan (12.980-13.094 min, 18 scans) F2600869.D




o-Xylene

+ EIC (91.1) Scan F2600869.D




+ Scan (13.492-13.574 min, 14 scans) F2600869.D





Name SPRSPO-4-S-20260119
Comment C57105
Data File F2600870.D
Acq. Date-Time 2/5/2026 4:29:03 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	500,673	
Benzene	benzene-d6 (IS)	7.939	7.945	116,025	
Toluene-d8 (IS)		10.563	10.569	523,857	
Toluene	Toluene-d8 (IS)	10.661	10.667	298,305	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	31,394	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	65,123	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	29,319	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600870.D




+ Scan (10.520-10.630 min, 19 scans) F2600870.D

**Toluene**


+ EIC (91.1) Scan F2600870.D




+ Scan (10.612-10.734 min, 21 scans) F2600870.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600870.D




+ Scan (12.808-12.887 min, 13 scans) F2600870.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600870.D




+ Scan (12.977-13.124 min, 24 scans) F2600870.D




o-Xylene

+ EIC (91.1) Scan F2600870.D




+ Scan (13.493-13.566 min, 12 scans) F2600870.D





Name SPRSPO-5-S-20260119
Comment C34164
Data File F2600871.D
Acq. Date-Time 2/5/2026 4:54:34 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	503,622	
Benzene	benzene-d6 (IS)	7.938	7.945	65,948	
Toluene-d8 (IS)		10.569	10.569	522,703	
Toluene	Toluene-d8 (IS)	10.661	10.667	173,259	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	12,590	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	21,493	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	8,642	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600871.D




+ Scan (10.520-10.642 min, 21 scans) F2600871.D

**Toluene**


+ EIC (91.1) Scan F2600871.D




+ Scan (10.618-10.771 min, 26 scans) F2600871.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600871.D




+ Scan (12.803-12.882 min, 13 scans) F2600871.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600871.D




+ Scan (12.987-13.107 min, 19 scans) F2600871.D




o-Xylene

+ EIC (91.1) Scan F2600871.D




+ Scan (13.495-13.561 min, 11 scans) F2600871.D





Name SPRSPO-6-S-20260119
Comment C53538
Data File F2600872.D
Acq. Date-Time 2/5/2026 5:20:49 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	505,669	
Benzene	benzene-d6 (IS)	7.938	7.945	73,932	
Toluene-d8 (IS)		10.563	10.569	521,135	
Toluene	Toluene-d8 (IS)	10.661	10.667	139,249	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	14,410	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	23,926	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	10,256	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600872.D




+ Scan (10.520-10.673 min, 26 scans) F2600872.D

**Toluene**


+ EIC (91.1) Scan F2600872.D




+ Scan (10.618-10.734 min, 19 scans) F2600872.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600872.D




+ Scan (12.808-12.883 min, 13 scans) F2600872.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600872.D




+ Scan (12.986-13.101 min, 19 scans) F2600872.D




o-Xylene

+ EIC (91.1) Scan F2600872.D




+ Scan (13.497-13.566 min, 11 scans) F2600872.D




Name SPRSPO-7-S-20260119
Comment C35746
Data File F2600873.D
Acq. Date-Time 2/5/2026 5:46:18 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	507,267	
Benzene	benzene-d6 (IS)	7.938	7.945	71,339	
Toluene-d8 (IS)		10.563	10.569	525,942	
Toluene	Toluene-d8 (IS)	10.661	10.667	786,270	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	80,694	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	177,581	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	71,009	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600873.D




+ Scan (10.520-10.643 min, 21 scans) F2600873.D

**Toluene**


+ EIC (91.1) Scan F2600873.D




+ Scan (10.618-10.734 min, 20 scans) F2600873.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600873.D




+ Scan (12.808-12.929 min, 19 scans) F2600873.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600873.D




+ Scan (12.980-13.139 min, 27 scans) F2600873.D




o-Xylene

+ EIC (91.1) Scan F2600873.D




+ Scan (13.489-13.610 min, 19 scans) F2600873.D





Name SPRSPO-8-S-20260119
Comment C69550
Data File F2600874.D
Acq. Date-Time 2/5/2026 6:11:49 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	501,553	
Benzene	benzene-d6 (IS)	7.939	7.945	58,820	
Toluene-d8 (IS)		10.563	10.569	521,656	
Toluene	Toluene-d8 (IS)	10.661	10.667	62,708	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	9,736	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	18,829	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	7,789	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600874.D




+ Scan (10.520-10.673 min, 26 scans) F2600874.D

**Toluene**


+ EIC (91.1) Scan F2600874.D




+ Scan (10.614-10.732 min, 19 scans) F2600874.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600874.D




+ Scan (12.814-12.876 min, 10 scans) F2600874.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600874.D




+ Scan (12.980-13.089 min, 18 scans) F2600874.D




o-Xylene

+ EIC (91.1) Scan F2600874.D




+ Scan (13.491-13.561 min, 12 scans) F2600874.D





Name SPRSPO-9-S-20260119
Comment B35574
Data File F2600876.D
Acq. Date-Time 2/5/2026 7:02:41 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	501,808	
Benzene	benzene-d6 (IS)	7.938	7.945	91,443	
Toluene-d8 (IS)		10.563	10.569	518,827	
Toluene	Toluene-d8 (IS)	10.661	10.667	63,698	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	10,630	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	14,335	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	6,219	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600876.D




+ Scan (10.520-10.643 min, 21 scans) F2600876.D

**Toluene**


+ EIC (91.1) Scan F2600876.D




+ Scan (10.624-10.722 min, 17 scans) F2600876.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600876.D




+ Scan (12.814-12.891 min, 13 scans) F2600876.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600876.D




+ Scan (12.992-13.096 min, 17 scans) F2600876.D




o-Xylene

+ EIC (91.1) Scan F2600876.D




+ Scan (13.490-13.565 min, 12 scans) F2600876.D




Name SPRSPO-10-S-20260119
Comment C01860
Data File F2600877.D
Acq. Date-Time 2/5/2026 7:28:12 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	501,015	
Benzene	benzene-d6 (IS)	7.938	7.945	57,913	
Toluene-d8 (IS)		10.563	10.569	520,764	
Toluene	Toluene-d8 (IS)	10.661	10.667	57,111	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	8,586	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	13,374	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	5,954	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600877.D




+ Scan (10.520-10.636 min, 20 scans) F2600877.D

**Toluene**


+ EIC (91.1) Scan F2600877.D




+ Scan (10.620-10.716 min, 15 scans) F2600877.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600877.D




+ Scan (12.816-12.880 min, 10 scans) F2600877.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600877.D




+ Scan (12.988-13.081 min, 15 scans) F2600877.D




o-Xylene

+ EIC (91.1) Scan F2600877.D




+ Scan (13.494-13.585 min, 15 scans) F2600877.D




Name SPRSPO-11-S-20260119
Comment C20595
Data File F2600878.D
Acq. Date-Time 2/5/2026 7:53:40 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	502,578	
Benzene	benzene-d6 (IS)	7.938	7.945	58,893	
Toluene-d8 (IS)		10.563	10.569	520,450	
Toluene	Toluene-d8 (IS)	10.661	10.667	57,260	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	7,928	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	12,449	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	5,515	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600878.D




+ Scan (10.520-10.667 min, 25 scans) F2600878.D

**Toluene**


+ EIC (91.1) Scan F2600878.D




+ Scan (10.620-10.737 min, 19 scans) F2600878.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600878.D




+ Scan (12.820-12.881 min, 10 scans) F2600878.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600878.D




+ Scan (12.993-13.102 min, 18 scans) F2600878.D




o-Xylene

+ EIC (91.1) Scan F2600878.D




+ Scan (13.500-13.572 min, 12 scans) F2600878.D




Name SPRSPO-12-S-20260119
Comment B34552
Data File F2600879.D
Acq. Date-Time 2/5/2026 8:19:11 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	502,017	
Benzene	benzene-d6 (IS)	7.938	7.945	68,869	
Toluene-d8 (IS)		10.563	10.569	520,956	
Toluene	Toluene-d8 (IS)	10.661	10.667	99,001	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	15,165	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	27,583	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	11,436	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600879.D




+ Scan (10.520-10.679 min, 27 scans) F2600879.D

**Toluene**


+ EIC (91.1) Scan F2600879.D




+ Scan (10.618-10.740 min, 20 scans) F2600879.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600879.D




+ Scan (12.812-12.888 min, 13 scans) F2600879.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600879.D




+ Scan (12.987-13.120 min, 21 scans) F2600879.D




o-Xylene

+ EIC (91.1) Scan F2600879.D




+ Scan (13.493-13.567 min, 13 scans) F2600879.D




Name SPRSPO-13-S-20260119
Comment B50925
Data File F2600880.D
Acq. Date-Time 2/5/2026 8:44:40 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	501,707	
Benzene	benzene-d6 (IS)	7.938	7.945	68,383	
Toluene-d8 (IS)		10.563	10.569	513,697	
Toluene	Toluene-d8 (IS)	10.661	10.667	98,042	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	15,261	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	28,071	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	11,275	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600880.D




+ Scan (10.520-10.642 min, 21 scans) F2600880.D

**Toluene**


+ EIC (91.1) Scan F2600880.D




+ Scan (10.612-10.728 min, 20 scans) F2600880.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600880.D




+ Scan (12.815-12.894 min, 13 scans) F2600880.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600880.D




+ Scan (12.979-13.096 min, 20 scans) F2600880.D




o-Xylene

+ EIC (91.1) Scan F2600880.D




+ Scan (13.493-13.570 min, 13 scans) F2600880.D





Name SPRSPO-13-D-20260119
Comment C55738
Data File F2600881.D
Acq. Date-Time 2/5/2026 9:10:03 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	498,210	
Benzene	benzene-d6 (IS)	7.938	7.945	69,460	
Toluene-d8 (IS)		10.569	10.569	518,968	
Toluene	Toluene-d8 (IS)	10.660	10.667	100,549	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	16,716	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	28,370	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	11,298	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600881.D




+ Scan (10.520-10.648 min, 22 scans) F2600881.D

**Toluene**


+ EIC (91.1) Scan F2600881.D




+ Scan (10.618-10.752 min, 23 scans) F2600881.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600881.D




+ Scan (12.808-12.881 min, 11 scans) F2600881.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600881.D




+ Scan (12.987-13.088 min, 16 scans) F2600881.D




o-Xylene

+ EIC (91.1) Scan F2600881.D




+ Scan (13.488-13.560 min, 11 scans) F2600881.D





Name SPRSPO-13-B-20260119
Comment C70029
Data File F2600882.D
Acq. Date-Time 2/5/2026 9:36:25 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	502,562	
Benzene	benzene-d6 (IS)	7.939	7.945	8,911	
Toluene-d8 (IS)		10.563	10.569	517,905	
Toluene	Toluene-d8 (IS)	10.661	10.667	18,765	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	1,740	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	1,299	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	599	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600882.D




+ Scan (10.520-10.630 min, 19 scans) F2600882.D

**Toluene**


+ EIC (91.1) Scan F2600882.D




+ Scan (10.620-10.710 min, 15 scans) F2600882.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600882.D




+ Scan (12.808-12.880 min, 12 scans) F2600882.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600882.D




+ Scan (12.988-13.077 min, 14 scans) F2600882.D




o-Xylene

+ EIC (91.1) Scan F2600882.D




+ Scan (13.501-13.573 min, 12 scans) F2600882.D





Name SPRSPO-14-S-20260119
Comment C32919
Data File F2600883.D
Acq. Date-Time 2/5/2026 10:01:49 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	496,866	
Benzene	benzene-d6 (IS)	7.938	7.945	76,348	
Toluene-d8 (IS)		10.563	10.569	515,175	
Toluene	Toluene-d8 (IS)	10.661	10.667	128,399	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	18,013	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	38,326	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	16,235	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600883.D




+ Scan (10.520-10.667 min, 25 scans) F2600883.D

**Toluene**


+ EIC (91.1) Scan F2600883.D




+ Scan (10.612-10.728 min, 19 scans) F2600883.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600883.D




+ Scan (12.803-12.892 min, 14 scans) F2600883.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600883.D




+ Scan (12.992-13.104 min, 18 scans) F2600883.D




o-Xylene

+ EIC (91.1) Scan F2600883.D




+ Scan (13.493-13.599 min, 18 scans) F2600883.D





Name SPRSPO-15-S-20260119
Comment C38948
Data File F2600884.D
Acq. Date-Time 2/5/2026 10:27:20 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	496,553	
Benzene	benzene-d6 (IS)	7.939	7.945	76,435	
Toluene-d8 (IS)		10.563	10.569	514,628	
Toluene	Toluene-d8 (IS)	10.661	10.667	127,626	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	22,702	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	43,657	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	16,828	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600884.D




+ Scan (10.520-10.679 min, 27 scans) F2600884.D

**Toluene**


+ EIC (91.1) Scan F2600884.D




+ Scan (10.618-10.728 min, 19 scans) F2600884.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600884.D




+ Scan (12.814-12.912 min, 16 scans) F2600884.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600884.D




+ Scan (12.982-13.106 min, 20 scans) F2600884.D




o-Xylene

+ EIC (91.1) Scan F2600884.D




+ Scan (13.493-13.576 min, 14 scans) F2600884.D




Name SPRSPO-16-S-20260119
Comment C71798
Data File F2600885.D
Acq. Date-Time 2/5/2026 10:52:47 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	495,877	
Benzene	benzene-d6 (IS)	7.938	7.945	86,316	
Toluene-d8 (IS)		10.563	10.569	519,685	
Toluene	Toluene-d8 (IS)	10.661	10.667	157,462	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	31,654	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	72,234	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	28,949	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2600885.D




+ Scan (10.520-10.667 min, 25 scans) F2600885.D

**Toluene**


+ EIC (91.1) Scan F2600885.D




+ Scan (10.618-10.734 min, 20 scans) F2600885.D

**Ethylbenzene**


+ EIC (91.1) Scan F2600885.D




+ Scan (12.803-12.917 min, 18 scans) F2600885.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2600885.D




+ Scan (12.979-13.134 min, 26 scans) F2600885.D




o-Xylene

+ EIC (91.1) Scan F2600885.D



+ Scan (13.493-13.590 min, 15 scans) F2600885.D



Initial Calibration



Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA103-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	1	F2508171.D	5.96	52606	56.3	529201	0.939	0.039
F121725A_CC185154	Benzene	2	F2508172.D	11.93	90306	56.3	525740	0.811	-0.1
F121725A_CC185154	Benzene	3	F2508173.D	23.85	205594	56.3	535697	0.906	0.0032
F121725A_CC185154	Benzene	4	F2508174.D	47.70	403557	56.3	539152	0.884	-0.022
F121725A_CC185154	Benzene	5	F2508175.D	119.26	1061108	56.3	547207	0.916	0.014
F121725A_CC185154	Benzene	6	F2508176.D	238.51	2220768	56.3	544872	0.963	0.065
F121725A_CC185154	Benzene	7	F2508177.D	715.53	6456657	56.3	561348	0.906	0.0022
						Avg:	540460	0.904	
						%RSD:	2.2%	5.3%	
F121725A_CC185154	Toluene	1	F2508171.D	5.24	53241	66.1	606147	1.108	0.016
F121725A_CC185154	Toluene	2	F2508172.D	10.47	110436	66.1	616680	1.130	0.035
F121725A_CC185154	Toluene	3	F2508173.D	20.95	215705	66.1	622459	1.093	0.0017
F121725A_CC185154	Toluene	4	F2508174.D	41.90	427518	66.1	627442	1.074	-0.015
F121725A_CC185154	Toluene	5	F2508175.D	104.74	1078346	66.1	633720	1.073	-0.016
F121725A_CC185154	Toluene	6	F2508176.D	209.48	2208644	66.1	634907	1.097	0.0055
F121725A_CC185154	Toluene	7	F2508177.D	628.45	6371104	66.1	630656	1.062	-0.027
						Avg:	624573	1.091	
						%RSD:	1.7%	2.1%	
F121725A_CC185154	Ethylbenzene	1	F2508171.D	5.44	52701	66.1	606147	1.055	-0.083
F121725A_CC185154	Ethylbenzene	2	F2508172.D	10.89	103364	66.1	616680	1.017	-0.12
F121725A_CC185154	Ethylbenzene	3	F2508173.D	21.77	249010	66.1	622459	1.214	0.055
F121725A_CC185154	Ethylbenzene	4	F2508174.D	43.54	510214	66.1	627442	1.234	0.073
F121725A_CC185154	Ethylbenzene	5	F2508175.D	108.86	1213007	66.1	633720	1.162	0.0099
F121725A_CC185154	Ethylbenzene	6	F2508176.D	217.72	2518155	66.1	634907	1.204	0.046
F121725A_CC185154	Ethylbenzene	7	F2508177.D	653.16	7272682	66.1	630656	1.166	0.014
						Avg:	624573	1.150	
						%RSD:	1.7%	7.2%	
F121725A_CC185154	m-/p-Xylenes	1	F2508171.D	6.10	45227	66.1	606147	0.808	-0.14
F121725A_CC185154	m-/p-Xylenes	2	F2508172.D	12.20	93766	66.1	616680	0.823	-0.12
F121725A_CC185154	m-/p-Xylenes	3	F2508173.D	24.40	229774	66.1	622459	0.999	0.064
F121725A_CC185154	m-/p-Xylenes	4	F2508174.D	48.80	467094	66.1	627442	1.008	0.072
F121725A_CC185154	m-/p-Xylenes	5	F2508175.D	122.00	1082720	66.1	633720	0.925	-0.015
F121725A_CC185154	m-/p-Xylenes	6	F2508176.D	244.00	2328036	66.1	634907	0.993	0.056
F121725A_CC185154	m-/p-Xylenes	7	F2508177.D	732.01	7137741	66.1	630656	1.021	0.087
						Avg:	624573	0.940	
						%RSD:	1.7%	9.6%	
F121725A_CC185154	o-Xylene	1	F2508171.D	5.67	42268	66.1	606147	0.812	-0.14
F121725A_CC185154	o-Xylene	2	F2508172.D	11.35	85951	66.1	616680	0.812	-0.14
F121725A_CC185154	o-Xylene	3	F2508173.D	22.69	217910	66.1	622459	1.019	0.08

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA103-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves


Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	o-Xylene	4	F2508174.D	45.38	446025	66.1	627442	1.035	0.097
F121725A_CC185154	o-Xylene	5	F2508175.D	113.46	1032192	66.1	633720	0.948	0.0051
F121725A_CC185154	o-Xylene	6	F2508176.D	226.92	2179717	66.1	634907	1.000	0.059
F121725A_CC185154	o-Xylene	7	F2508177.D	680.75	6366952	66.1	630656	0.980	0.038
						Avg:	624573	0.944	
						%RSD:	1.7%	10.0%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	ICV	F2508178.D	443.46	3919944	56.3	563465	0.884	-2.2%
F121725A_CC185154	Toluene	ICV	F2508178.D	454.10	4554523	66.1	629158	1.053	-3.5%
F121725A_CC185154	Ethylbenzene	ICV	F2508178.D	448.99	4890504	66.1	629158	1.144	-0.6%
F121725A_CC185154	m-/p-Xylenes	ICV	F2508178.D	455.97	3870637	66.1	629158	0.891	-5.1%
F121725A_CC185154	o-Xylene	ICV	F2508178.D	456.85	3921714	66.1	629158	0.901	-4.5%

M325B PDF Report ver.20260203

Sample Custody



Site Name: Sprague South Portland				Client Name: Montrose Air Quality Services, LLC				PO#:	
Site Address: 39 Main Street				Project Number: PROJ-027968				Sample Event #: 2026GA103	
City: South Portland				Project Manager: Sabarish Selvarajan				Sorbent: Carbopak-X	
State: Maine				Email Address: sabarishselvarajan@montrose-env.com					
Zip: 04106				Telephone #: 973-722-7895					
Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C17145	S	1/19/26	12:47 PM	2/3/26	11:43 AM	SS/SS		
1	C69776	D	1/19/26	12:47 PM	2/3/26	11:43 AM	SS/SS		
1	B11788	B	1/19/26	12:47 PM	2/3/26	11:43 AM	SS/SS		
2	B49440	S	1/19/26	12:53 PM	2/3/26	11:46 AM	SS/SS		
3	B46148	S	1/19/26	12:55 PM	2/3/26	11:53 AM	SS/SS		
4	C57105	S	1/19/26	1:00 PM	2/3/26	11:57 AM	SS/SS		
5	C34164	S	1/19/26	1:01 PM	2/3/26	12:01 PM	SS/SS		
6	C53538	S	1/19/26	2:18 PM	2/3/26	12:05 PM	SS/SS		
7	C35746	S	1/19/26	1:10 PM	2/3/26	12:10 PM	SS/SS		
8	C69550	S	1/19/26	1:14 PM	2/3/26	12:19 PM	SS/SS		
9	B35574	S	1/19/26	1:20 PM	2/3/26	12:26 PM	SS/SS		
10	C01860	S	1/19/26	1:24 PM	2/3/26	12:30 PM	SS/SS		
11	C20595	S	1/19/26	1:29 PM	2/3/26	12:37 PM	SS/SS		
12	B34552	S	1/19/26	1:32 PM	2/3/26	12:45 PM	SS/SS		
13	B50925	S	1/19/26	1:35 PM	2/3/26	12:51 PM	SS/SS		
13	C55738	D	1/19/26	1:35 PM	2/3/26	12:51 PM	SS/SS		
13	C70029	B	1/19/26	1:35 PM	2/3/26	12:51 PM	SS/SS		
14	C32919	S	1/19/26	1:47 PM	2/3/26	1:06 PM	SS/SS		
15	C38948	S	1/19/26	1:52 PM	2/3/26	1:10 PM	SS/SS		
16	C71798	S	1/19/26	1:56 PM	2/3/26	1:15 PM	SS/SS		
Relinquished By (printed):			Relinquished By (signature):			Relinquished Date:		Relinquished Time:	
Sabarish Selvarajan			SS			2/3/2026		17:00	
Recieved By (printed):			Recieved By (signature):			Receipt Date:		Receipt Time:	
Susan Pierce			Susan Pierce			2/4/2026		11:40AM	
Sample Condition Upon Receipt:			Compound List:			Custody Seal intact? Y/N:		Delivery tracking #	
Good						Y			
Ice Temp:	Blank Temp:	Fluke 3				Add Custody Seal # below:			
	5.5					25E12930			
Comments: ① Location 6: later deployment due to parked train that blocked off sample location. Had to go around to the highway and jump over the fence.									
800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.enthalov.com									

**This Is The Last Page
Of This Report.**

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 41 Sprague - South Portland

Client Project# PROJ-027968

Samples Received: 2/18/2026

Analytical Report 2026GA104

EPA Method 325B Analysis

Report Issue Date: 3/2/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matthew Cavanaugh, Project Manager



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	11
Chromatograms	14
Initial Calibration	78
Sample Custody	81
Chain of Custody	82

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GA104-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Enthalpy Analytical on February 18, 2026 at 13.5 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20260203	C01694	Sample
SPRSPO-1-D-20260203	C32727	Duplicate
SPRSPO-1-B-20260203	C57567	Blank
SPRSPO-2-S-20260203	B18799	Sample
SPRSPO-3-S-20260203	C43920	Sample
SPRSPO-4-S-20260203	C43934	Sample
SPRSPO-5-S-20260203	C55567	Sample
SPRSPO-6-S-20260203	C31426	Sample
SPRSPO-7-S-20260203	C55541	Sample
SPRSPO-8-S-20260203	B52867	Sample
SPRSPO-9-S-20260203	C70853	Sample
SPRSPO-10-S-20260203	B35504	Sample
SPRSPO-11-S-20260203	C55417	Sample
SPRSPO-12-S-20260203	B16887	Sample
SPRSPO-13-S-20260203	C35705	Sample
SPRSPO-13-D-20260203	C57746	Duplicate
SPRSPO-13-B-20260203	B20174	Blank
SPRSPO-14-S-20260203	B16334	Sample
SPRSPO-15-S-20260203	C55367	Sample
SPRSPO-16-S-20260203	C57492	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GA104-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (M012026A_CC185154_R1) met all 30% RSD criteria. The initial calibration verification met $\pm 30\%$ recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in $\mu\text{g}/\text{m}^3$ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA104-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20260203	C01694	1.00		2.54		0.804		2.76		0.927	
SPRSPO-1-D-20260203	C32727	0.951		2.52		0.798		2.69		0.867	
SPRSPO-1-B-20260203	C57567	0.196	ND	0.252	ND	0.285	ND	0.285	ND	0.285	ND
SPRSPO-2-S-20260203	B18799	0.957		2.35		0.383	J	1.17		0.426	J
SPRSPO-3-S-20260203	C43920	0.798		1.62		0.303	J	0.929		0.361	J
SPRSPO-4-S-20260203	C43934	0.834		1.67		0.307	J	0.807		0.325	J
SPRSPO-5-S-20260203	C55567	0.758		1.33		0.285	ND	0.654	J	0.285	ND
SPRSPO-6-S-20260203	C31426	0.752		1.40		0.285	ND	0.578	J	0.285	ND
SPRSPO-7-S-20260203	C55541	0.737		1.56		0.285	ND	0.743		0.289	J
SPRSPO-8-S-20260203	B52867	0.699		0.903		0.285	ND	0.457	J	0.285	ND
SPRSPO-9-S-20260203	C70853	1.03		1.21		0.285	ND	0.781		0.294	J
SPRSPO-10-S-20260203	B35504	0.884		1.21		0.285	ND	0.617	J	0.285	ND
SPRSPO-11-S-20260203	C55417	0.752		1.03		0.285	ND	0.589	J	0.285	ND
SPRSPO-12-S-20260203	B16887	1.06		2.42		0.347	J	0.908		0.337	J
SPRSPO-13-S-20260203	C35705	0.824		1.35		0.287	J	0.812		0.303	J
SPRSPO-13-D-20260203	C57746	0.822		1.36		0.308	J	0.941		0.364	J
SPRSPO-13-B-20260203	B20174	0.196	ND	0.271	J	0.285	ND	0.285	ND	0.285	ND
SPRSPO-14-S-20260203	B16334	0.876		1.69		0.321	J	0.916		0.349	J
SPRSPO-15-S-20260203	C55367	0.965		2.03		0.476	J	1.53		0.574	J
SPRSPO-16-S-20260203	C57492	1.08		2.59		0.570	J	1.84		0.714	

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA104-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj Date/Time	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260203	C01694	1.00	0.314	12.8	21.7	0.635	20112	0.196	0.470	0.0614	0.147		M2600747.d	2026-02-20 07:04	0.987	8.095	84742	376470	56.0	8.038	-1.3%
SPRSPO-1-D-20260203	C32727	0.951	0.298	12.1	21.7	0.635	20112	0.196	0.470	0.0614	0.147		M2600748.d	2026-02-20 07:30	0.987	8.095	80609	376992	56.0	8.038	-1.2%
SPRSPO-1-B-20260203	C57567	0.196	0.0614		21.7	0.635	20112	0.196	0.470	0.0614	0.147	ND	M2600746.d	2026-02-20 06:38	0.987	8.088	5443	378250	56.0	8.038	-0.9%
SPRSPO-2-S-20260203	B18799	0.957	0.300	12.2	21.7	0.635	20114	0.196	0.470	0.0614	0.147		M2600749.d	2026-02-20 07:55	0.987	8.095	80842	375578	56.0	8.038	-1.6%
SPRSPO-3-S-20260203	C43920	0.798	0.250	10.2	21.7	0.635	20112	0.196	0.470	0.0614	0.147		M2600750.d	2026-02-20 08:21	0.987	8.095	68311	380719	56.0	8.038	-0.2%
SPRSPO-4-S-20260203	C43934	0.834	0.261	10.6	21.7	0.635	20113	0.196	0.470	0.0614	0.147		M2600751.d	2026-02-20 08:46	0.987	8.095	71073	378900	56.0	8.038	-0.7%
SPRSPO-5-S-20260203	C55567	0.758	0.238	9.68	21.7	0.635	20114	0.196	0.470	0.0614	0.147		M2600752.d	2026-02-20 09:12	0.987	8.095	64523	378357	56.0	8.038	-0.8%
SPRSPO-6-S-20260203	C31426	0.752	0.235	9.59	21.7	0.635	20115	0.196	0.470	0.0613	0.147		M2600753.d	2026-02-20 09:37	0.987	8.095	64415	381041	56.0	8.038	-0.1%
SPRSPO-7-S-20260203	C55541	0.737	0.231	9.41	21.7	0.635	20115	0.196	0.470	0.0613	0.147		M2600754.d	2026-02-20 10:03	0.987	8.095	63210	381195	56.0	8.038	-0.1%
SPRSPO-8-S-20260203	B52867	0.699	0.219	8.92	21.7	0.635	20111	0.196	0.470	0.0614	0.147		M2600755.d	2026-02-20 10:28	0.987	8.095	59315	377526	56.0	8.038	-1.1%
SPRSPO-9-S-20260203	C70853	1.03	0.324	13.2	21.7	0.635	20109	0.196	0.471	0.0614	0.147		M2600757.d	2026-02-20 11:19	0.987	8.095	87774	377647	56.0	8.038	-1.0%
SPRSPO-10-S-20260203	B35504	0.884	0.277	11.3	21.7	0.635	20110	0.196	0.470	0.0614	0.147		M2600758.d	2026-02-20 11:46	0.987	8.095	75004	377366	56.0	8.038	-1.1%
SPRSPO-11-S-20260203	C55417	0.752	0.236	9.59	21.7	0.635	20108	0.196	0.471	0.0614	0.147		M2600759.d	2026-02-20 12:11	0.987	8.095	63405	375048	56.0	8.038	-1.7%
SPRSPO-12-S-20260203	B16887	1.06	0.332	13.5	21.7	0.635	20105	0.196	0.471	0.0614	0.147		M2600760.d	2026-02-20 12:37	0.987	8.095	89275	375159	56.0	8.038	-1.7%
SPRSPO-13-S-20260203	C35705	0.824	0.258	10.5	21.7	0.635	20104	0.196	0.471	0.0614	0.147		M2600761.d	2026-02-20 13:03	0.987	8.095	69928	377403	56.0	8.038	-1.1%
SPRSPO-13-D-20260203	C57746	0.822	0.258	10.5	21.7	0.635	20104	0.196	0.471	0.0614	0.147		M2600762.d	2026-02-20 13:28	0.987	8.095	69692	377018	56.0	8.038	-1.2%
SPRSPO-13-B-20260203	B20174	0.196	0.0614		21.7	0.635	20104	0.196	0.471	0.0614	0.147	ND	M2600763.d	2026-02-20 13:54	0.987	8.095	6936	377347	56.0	8.038	-1.1%
SPRSPO-14-S-20260203	B16334	0.876	0.274	11.2	21.7	0.635	20094	0.196	0.471	0.0614	0.147		M2600764.d	2026-02-20 14:19	0.987	8.095	73607	374019	56.0	8.038	-2.0%
SPRSPO-15-S-20260203	C55367	0.965	0.302	12.3	21.7	0.635	20095	0.196	0.471	0.0614	0.147		M2600765.d	2026-02-20 14:45	0.987	8.095	81719	377022	56.0	8.038	-1.2%
SPRSPO-16-S-20260203	C57492	1.08	0.337	13.7	21.7	0.635	20095	0.196	0.471	0.0614	0.147		M2600766.d	2026-02-20 15:10	0.987	8.095	91977	379972	56.0	8.038	-0.4%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj Date/Time	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260203	C01694	2.54	0.675	25.2	21.7	0.492	20112	0.252	0.532	0.0670	0.141		M2600747.d	2026-02-20 07:04	1.329	10.817	208146	408710	65.7	10.724	-1.1%
SPRSPO-1-D-20260203	C32727	2.52	0.668	24.9	21.7	0.492	20112	0.252	0.532	0.0670	0.141		M2600748.d	2026-02-20 07:30	1.329	10.817	204939	406248	65.7	10.724	-1.7%
SPRSPO-1-B-20260203	C57567	0.252	0.0670		21.7	0.492	20112	0.252	0.532	0.0670	0.141	ND	M2600746.d	2026-02-20 06:38	1.329	10.817	11178	412985	65.7	10.724	0.0%
SPRSPO-2-S-20260203	B18799	2.35	0.625	23.3	21.7	0.492	20114	0.252	0.532	0.0670	0.141		M2600749.d	2026-02-20 07:55	1.329	10.817	194122	411304	65.7	10.724	-0.4%
SPRSPO-3-S-20260203	C43920	1.62	0.431	16.1	21.7	0.492	20112	0.252	0.532	0.0670	0.141		M2600750.d	2026-02-20 08:21	1.329	10.817	134204	412018	65.7	10.724	-0.3%
SPRSPO-4-S-20260203	C43934	1.67	0.444	16.6	21.7	0.492	20113	0.252	0.532	0.0670	0.141		M2600751.d	2026-02-20 08:46	1.329	10.817	136493	406740	65.7	10.724	-1.5%
SPRSPO-5-S-20260203	C55567	1.33	0.352	13.1	21.7	0.492	20114	0.252	0.532	0.0670	0.141		M2600752.d	2026-02-20 09:12	1.329	10.817	108761	408959	65.7	10.724	-1.0%
SPRSPO-6-S-20260203	C31426	1.40	0.372	13.9	21.7	0.492	20115	0.252	0.532	0.0670	0.141		M2600753.d	2026-02-20 09:37	1.329	10.817	114139	405820	65.7	10.724	-1.8%
SPRSPO-7-S-20260203	C55541	1.56	0.414	15.5	21.7	0.492	20115	0.252	0.532	0.0670	0.141		M2600754.d	2026-02-20 10:03	1.329	10.817	127090	406332	65.7	10.724	-1.6%
SPRSPO-8-S-20260203	B52867	0.903	0.240	8.95	21.7	0.492	20111	0.252	0.532	0.0670	0.141		M2600755.d	2026-02-20 10:28	1.329	10.817	72397	399719	65.7	10.724	-3.2%
SPRSPO-9-S-20260203	C70853	1.21	0.321	12.0	21.7	0.492	20109	0.252	0.532	0.0670	0.141		M2600757.d	2026-02-20 11:19	1.329	10.817	97634	403042	65.7	10.724	-2.4%
SPRSPO-10-S-20260203	B35504	1.21	0.322	12.0	21.7	0.492	20110	0.252	0.532	0.0670	0.141		M2600758.d	2026-02-20 11:46	1.329	10.817	99219	407846	65.7	10.724	-1.3%
SPRSPO-11-S-20260203	C55417	1.03	0.275	10.2	21.7	0.492	20108	0.252	0.532	0.0670	0.141		M2600759.d	2026-02-20 12:11	1.329	10.817	85612	412875	65.7	10.724	-0.1%
SPRSPO-12-S-20260203	B16887	2.42	0.642	23.9	21.7	0.492	20105	0.253	0.533	0.0670	0.141		M2600760.d	2026-02-20 12:37	1.329	10.817	198692	410266	65.7	10.724	-0.7%
SPRSPO-13-S-20260203	C35705	1.35	0.358	13.3	21.7	0.492	20104	0.253	0.533	0.0670	0.141		M2600761.d	2026-02-20 13:03	1.329	10.817	110166	407825	65.7	10.724	-1.3%
SPRSPO-13-D-20260203	C57746	1.36	0.362	13.5	21.7	0.492	20104	0.253	0.533	0.0670	0.141		M2600762.d	2026-02-20 13:28	1.329	10.817	112274	410930	65.7	10.724	-0.5%
SPRSPO-13-B-20260203	B20174	0.271	0.0720	2.68	21.7	0.492	20104	0.253	0.533	0.0670	0.141	J	M2600763.d	2026-02-20 13:54	1.329	10.817	22005	405028	65.7	10.724	-2.0%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA104-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20260203	B16334	1.69	0.449	16.7	21.7	0.492	20094	0.253	0.533	0.0671	0.141		M2600764.d	2026-02-20 14:19	1.329	10.817	138152	408176	65.7	10.724	-1.2%
SPRSPO-15-S-20260203	C55367	2.03	0.539	20.1	21.7	0.492	20095	0.253	0.533	0.0671	0.141		M2600765.d	2026-02-20 14:45	1.329	10.817	167674	412017	65.7	10.724	-0.3%
SPRSPO-16-S-20260203	C57492	2.59	0.687	25.6	21.7	0.492	20095	0.253	0.533	0.0671	0.141		M2600766.d	2026-02-20 15:10	1.329	10.817	214587	413937	65.7	10.724	0.2%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260203	C01694	0.804	0.185	7.05	21.7	0.436	20112	0.285	0.625	0.0658	0.144		M2600747.d	2026-02-20 07:04	1.294	13.002	56745	408710	65.7	10.724	-1.1%
SPRSPO-1-D-20260203	C32727	0.798	0.184	6.99	21.7	0.436	20112	0.285	0.625	0.0658	0.144		M2600748.d	2026-02-20 07:30	1.294	13.002	55952	406248	65.7	10.724	-1.7%
SPRSPO-1-B-20260203	C57567	0.285	0.0658		21.7	0.436	20112	0.285	0.625	0.0658	0.144	ND	M2600746.d	2026-02-20 06:38	1.294	13.002	928	412985	65.7	10.724	0.0%
SPRSPO-2-S-20260203	B18799	0.383	0.0882	3.35	21.7	0.436	20114	0.285	0.625	0.0657	0.144	J	M2600749.d	2026-02-20 07:55	1.294	13.002	27186	411304	65.7	10.724	-0.4%
SPRSPO-3-S-20260203	C43920	0.303	0.0699	2.66	21.7	0.436	20112	0.285	0.625	0.0658	0.144	J	M2600750.d	2026-02-20 08:21	1.294	13.002	21575	412018	65.7	10.724	-0.3%
SPRSPO-4-S-20260203	C43934	0.307	0.0708	2.69	21.7	0.436	20113	0.285	0.625	0.0658	0.144	J	M2600751.d	2026-02-20 08:46	1.294	13.002	21584	406740	65.7	10.724	-1.5%
SPRSPO-5-S-20260203	C55567	0.285	0.0657		21.7	0.436	20114	0.285	0.625	0.0657	0.144	ND	M2600752.d	2026-02-20 09:12	1.294	13.002	15328	408959	65.7	10.724	-1.0%
SPRSPO-6-S-20260203	C31426	0.285	0.0657		21.7	0.436	20115	0.285	0.625	0.0657	0.144	ND	M2600753.d	2026-02-20 09:37	1.294	13.002	15014	405820	65.7	10.724	-1.8%
SPRSPO-7-S-20260203	C55541	0.285	0.0657		21.7	0.436	20115	0.285	0.625	0.0657	0.144	ND	M2600754.d	2026-02-20 10:03	1.294	13.002	17004	406332	65.7	10.724	-1.6%
SPRSPO-8-S-20260203	B52867	0.285	0.0658		21.7	0.436	20111	0.285	0.626	0.0658	0.144	ND	M2600755.d	2026-02-20 10:28	1.294	13.002	11406	399719	65.7	10.724	-3.2%
SPRSPO-9-S-20260203	C70853	0.285	0.0658		21.7	0.436	20109	0.285	0.626	0.0658	0.144	ND	M2600757.d	2026-02-20 11:19	1.294	13.002	17366	403042	65.7	10.724	-2.4%
SPRSPO-10-S-20260203	B35504	0.285	0.0658		21.7	0.436	20110	0.285	0.626	0.0658	0.144	ND	M2600758.d	2026-02-20 11:46	1.294	13.002	14908	407846	65.7	10.724	-1.3%
SPRSPO-11-S-20260203	C55417	0.285	0.0658		21.7	0.436	20108	0.285	0.626	0.0658	0.144	ND	M2600759.d	2026-02-20 12:11	1.294	13.002	13703	412875	65.7	10.724	-0.1%
SPRSPO-12-S-20260203	B16887	0.347	0.0799	3.04	21.7	0.436	20105	0.285	0.626	0.0658	0.144	J	M2600760.d	2026-02-20 12:37	1.294	13.002	24546	410266	65.7	10.724	-0.7%
SPRSPO-13-S-20260203	C35705	0.287	0.0661	2.51	21.7	0.436	20104	0.285	0.626	0.0658	0.144	J	M2600761.d	2026-02-20 13:03	1.294	13.002	20178	407825	65.7	10.724	-1.3%
SPRSPO-13-D-20260203	C57746	0.308	0.0710	2.70	21.7	0.436	20104	0.285	0.626	0.0658	0.144	J	M2600762.d	2026-02-20 13:28	1.294	13.002	21832	410930	65.7	10.724	-0.5%
SPRSPO-13-B-20260203	B20174	0.285	0.0658		21.7	0.436	20104	0.285	0.626	0.0658	0.144	ND	M2600763.d	2026-02-20 13:54	1.294	13.002	2335	405028	65.7	10.724	-2.0%
SPRSPO-14-S-20260203	B16334	0.321	0.0739	2.81	21.7	0.436	20094	0.286	0.626	0.0658	0.144	J	M2600764.d	2026-02-20 14:19	1.294	13.002	22578	408176	65.7	10.724	-1.2%
SPRSPO-15-S-20260203	C55367	0.476	0.110	4.17	21.7	0.436	20095	0.286	0.626	0.0658	0.144	J	M2600765.d	2026-02-20 14:45	1.294	13.002	33833	412017	65.7	10.724	-0.3%
SPRSPO-16-S-20260203	C57492	0.570	0.131	4.99	21.7	0.436	20095	0.286	0.626	0.0658	0.144	J	M2600766.d	2026-02-20 15:10	1.294	13.002	40702	413937	65.7	10.724	0.2%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260203	C01694	2.76	0.636	24.2	21.7	0.436	20112	0.285	0.701	0.0658	0.162		M2600747.d	2026-02-20 07:04	0.958	13.174	144228	408710	65.7	10.724	-1.1%
SPRSPO-1-D-20260203	C32727	2.69	0.619	23.5	21.7	0.436	20112	0.285	0.701	0.0658	0.162		M2600748.d	2026-02-20 07:30	0.958	13.181	139514	406248	65.7	10.724	-1.7%
SPRSPO-1-B-20260203	C57567	0.285	0.0658		21.7	0.436	20112	0.285	0.701	0.0658	0.162	ND	M2600746.d	2026-02-20 06:38	0.958	13.181	815	412985	65.7	10.724	0.0%
SPRSPO-2-S-20260203	B18799	1.17	0.269	10.2	21.7	0.436	20114	0.285	0.701	0.0657	0.162		M2600749.d	2026-02-20 07:55	0.958	13.181	61374	411304	65.7	10.724	-0.4%
SPRSPO-3-S-20260203	C43920	0.929	0.214	8.14	21.7	0.436	20112	0.285	0.701	0.0658	0.162		M2600750.d	2026-02-20 08:21	0.958	13.174	48963	412018	65.7	10.724	-0.3%
SPRSPO-4-S-20260203	C43934	0.807	0.186	7.07	21.7	0.436	20113	0.285	0.701	0.0658	0.162		M2600751.d	2026-02-20 08:46	0.958	13.181	41979	406740	65.7	10.724	-1.5%
SPRSPO-5-S-20260203	C55567	0.654	0.151	5.73	21.7	0.436	20114	0.285	0.701	0.0657	0.162	J	M2600752.d	2026-02-20 09:12	0.958	13.174	34207	408959	65.7	10.724	-1.0%
SPRSPO-6-S-20260203	C31426	0.578	0.133	5.06	21.7	0.436	20115	0.285	0.701	0.0657	0.162	J	M2600753.d	2026-02-20 09:37	0.958	13.174	29982	405820	65.7	10.724	-1.8%
SPRSPO-7-S-20260203	C55541	0.743	0.171	6.51	21.7	0.436	20115	0.285	0.701	0.0657	0.162		M2600754.d	2026-02-20 10:03	0.958	13.181	38587	406332	65.7	10.724	-1.6%
SPRSPO-8-S-20260203	B52867	0.457	0.105	4.01	21.7	0.436	20111	0.285	0.701	0.0658	0.162	J	M2600755.d	2026-02-20 10:28	0.958	13.181	23371	399719	65.7	10.724	-3.2%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA104-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20260203	C70853	0.781	0.180	6.84	21.7	0.436	20109	0.285	0.701	0.0658	0.162		M2600757.d	2026-02-20 11:19	0.958	13.174	40238	403042	65.7	10.724	-2.4%
SPRSPO-10-S-20260203	B35504	0.617	0.142	5.40	21.7	0.436	20110	0.285	0.701	0.0658	0.162	J	M2600758.d	2026-02-20 11:46	0.958	13.174	32146	407846	65.7	10.724	-1.3%
SPRSPO-11-S-20260203	C55417	0.589	0.136	5.16	21.7	0.436	20108	0.285	0.701	0.0658	0.162	J	M2600759.d	2026-02-20 12:11	0.958	13.181	31102	412875	65.7	10.724	-0.1%
SPRSPO-12-S-20260203	B16887	0.908	0.209	7.95	21.7	0.436	20105	0.285	0.701	0.0658	0.162		M2600760.d	2026-02-20 12:37	0.958	13.181	47612	410266	65.7	10.724	-0.7%
SPRSPO-13-S-20260203	C35705	0.812	0.187	7.11	21.7	0.436	20104	0.285	0.701	0.0658	0.162		M2600761.d	2026-02-20 13:03	0.958	13.181	42306	407825	65.7	10.724	-1.3%
SPRSPO-13-D-20260203	C57746	0.941	0.217	8.24	21.7	0.436	20104	0.285	0.701	0.0658	0.162		M2600762.d	2026-02-20 13:28	0.958	13.181	49417	410930	65.7	10.724	-0.5%
SPRSPO-13-B-20260203	B20174	0.285	0.0658		21.7	0.436	20104	0.285	0.701	0.0658	0.162	ND	M2600763.d	2026-02-20 13:54	0.958	13.188	2007	405028	65.7	10.724	-2.0%
SPRSPO-14-S-20260203	B16334	0.916	0.211	8.02	21.7	0.436	20094	0.286	0.702	0.0658	0.162		M2600764.d	2026-02-20 14:19	0.958	13.181	47783	408176	65.7	10.724	-1.2%
SPRSPO-15-S-20260203	C55367	1.53	0.353	13.4	21.7	0.436	20095	0.286	0.702	0.0658	0.162		M2600765.d	2026-02-20 14:45	0.958	13.174	80698	412017	65.7	10.724	-0.3%
SPRSPO-16-S-20260203	C57492	1.84	0.425	16.1	21.7	0.436	20095	0.286	0.702	0.0658	0.162		M2600766.d	2026-02-20 15:10	0.958	13.174	97487	413937	65.7	10.724	0.2%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260203	C01694	0.927	0.214	8.12	21.7	0.436	20112	0.285	0.652	0.0658	0.150		M2600747.d	2026-02-20 07:04	1.011	13.683	51105	408710	65.7	10.724	-1.1%
SPRSPO-1-D-20260203	C32727	0.867	0.200	7.60	21.7	0.436	20112	0.285	0.652	0.0658	0.150		M2600748.d	2026-02-20 07:30	1.011	13.682	47520	406248	65.7	10.724	-1.7%
SPRSPO-1-B-20260203	C57567	0.285	0.0658		21.7	0.436	20112	0.285	0.652	0.0658	0.150	ND	M2600746.d	2026-02-20 06:38	1.011	13.690	420	412985	65.7	10.724	0.0%
SPRSPO-2-S-20260203	B18799	0.426	0.0982	3.73	21.7	0.436	20114	0.285	0.652	0.0657	0.150	J	M2600749.d	2026-02-20 07:55	1.011	13.682	23645	411304	65.7	10.724	-0.4%
SPRSPO-3-S-20260203	C43920	0.361	0.0833	3.17	21.7	0.436	20112	0.285	0.652	0.0658	0.150	J	M2600750.d	2026-02-20 08:21	1.011	13.676	20084	412018	65.7	10.724	-0.3%
SPRSPO-4-S-20260203	C43934	0.325	0.0749	2.85	21.7	0.436	20113	0.285	0.652	0.0658	0.150	J	M2600751.d	2026-02-20 08:46	1.011	13.682	17821	406740	65.7	10.724	-1.5%
SPRSPO-5-S-20260203	C55567	0.285	0.0657		21.7	0.436	20114	0.285	0.652	0.0657	0.150	ND	M2600752.d	2026-02-20 09:12	1.011	13.682	13603	408959	65.7	10.724	-1.0%
SPRSPO-6-S-20260203	C31426	0.285	0.0657		21.7	0.436	20115	0.285	0.652	0.0657	0.150	ND	M2600753.d	2026-02-20 09:37	1.011	13.682	12307	405820	65.7	10.724	-1.8%
SPRSPO-7-S-20260203	C55541	0.289	0.0666	2.53	21.7	0.436	20115	0.285	0.652	0.0657	0.150	J	M2600754.d	2026-02-20 10:03	1.011	13.683	15848	406332	65.7	10.724	-1.6%
SPRSPO-8-S-20260203	B52867	0.285	0.0658		21.7	0.436	20111	0.285	0.652	0.0658	0.150	ND	M2600755.d	2026-02-20 10:28	1.011	13.683	9126	399719	65.7	10.724	-3.2%
SPRSPO-9-S-20260203	C70853	0.294	0.0676	2.57	21.7	0.436	20109	0.285	0.652	0.0658	0.150	J	M2600757.d	2026-02-20 11:19	1.011	13.675	15954	403042	65.7	10.724	-2.4%
SPRSPO-10-S-20260203	B35504	0.285	0.0658		21.7	0.436	20110	0.285	0.652	0.0658	0.150	ND	M2600758.d	2026-02-20 11:46	1.011	13.682	13196	407846	65.7	10.724	-1.3%
SPRSPO-11-S-20260203	C55417	0.285	0.0658		21.7	0.436	20108	0.285	0.652	0.0658	0.150	ND	M2600759.d	2026-02-20 12:11	1.011	13.675	12200	412875	65.7	10.724	-0.1%
SPRSPO-12-S-20260203	B16887	0.337	0.0777	2.95	21.7	0.436	20105	0.285	0.652	0.0658	0.150	J	M2600760.d	2026-02-20 12:37	1.011	13.683	18661	410266	65.7	10.724	-0.7%
SPRSPO-13-S-20260203	C35705	0.303	0.0698	2.65	21.7	0.436	20104	0.285	0.652	0.0658	0.150	J	M2600761.d	2026-02-20 13:03	1.011	13.683	16654	407825	65.7	10.724	-1.3%
SPRSPO-13-D-20260203	C57746	0.364	0.0838	3.18	21.7	0.436	20104	0.285	0.652	0.0658	0.150	J	M2600762.d	2026-02-20 13:28	1.011	13.682	20141	410930	65.7	10.724	-0.5%
SPRSPO-13-B-20260203	B20174	0.285	0.0658		21.7	0.436	20104	0.285	0.652	0.0658	0.150	ND	M2600763.d	2026-02-20 13:54	1.011	13.682	615	405028	65.7	10.724	-2.0%
SPRSPO-14-S-20260203	B16334	0.349	0.0805	3.06	21.7	0.436	20094	0.286	0.652	0.0658	0.150	J	M2600764.d	2026-02-20 14:19	1.011	13.683	19219	408176	65.7	10.724	-1.2%
SPRSPO-15-S-20260203	C55367	0.574	0.132	5.02	21.7	0.436	20095	0.286	0.652	0.0658	0.150	J	M2600765.d	2026-02-20 14:45	1.011	13.683	31844	412017	65.7	10.724	-0.3%
SPRSPO-16-S-20260203	C57492	0.714	0.164	6.25	21.7	0.436	20095	0.286	0.652	0.0658	0.150		M2600766.d	2026-02-20 15:10	1.011	13.683	39815	413937	65.7	10.724	0.2%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA104-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20260203	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20260203	ND	Pass	0.271	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20260203	5.1%	Pass	0.95%	Pass	0.80%	Pass	2.7%	Pass	6.7%	Pass
	SPRSPO-13-D-20260203	0.24%	Pass	1.1%	Pass	7.1%	Pass	15%	Pass	18%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA104-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2600744.d	B12109	Cal	0.987	1.030	0.987	-4.2%	1.7%		Pass	
2026GA104 Method Blank-1	M2600745.d	C71706	Blank		1.030	0.987			-0.19%	Pass	ND
M325B CCV 5	M2600756.d	C40636	Check	0.974	1.030	0.987	-5.5%		0.13%	Pass	
M325B CCV 5 REC	M2600767.d	C69760	Check	0.972	1.030	0.987	-5.7%		0.50%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2600744.d	B12109	Cal	1.329	1.234	1.329	7.7%	4.0%		Pass	
2026GA104 Method Blank-1	M2600745.d	C71706	Blank		1.234	1.329			-0.33%	Pass	ND
M325B CCV 5	M2600756.d	C40636	Check	1.372	1.234	1.329	11%		-2.0%	Pass	
M325B CCV 5 REC	M2600767.d	C69760	Check	1.213	1.234	1.329	-1.7%		0.62%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2600744.d	B12109	Cal	1.294	1.420	1.294	-8.9%	4.0%		Pass	
2026GA104 Method Blank-1	M2600745.d	C71706	Blank		1.420	1.294			-0.33%	Pass	ND
M325B CCV 5	M2600756.d	C40636	Check	1.261	1.420	1.294	-11%		-2.0%	Pass	
M325B CCV 5 REC	M2600767.d	C69760	Check	1.181	1.420	1.294	-17%		0.62%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2600744.d	B12109	Cal	0.958	1.183	0.958	-19%	4.0%		Pass	
2026GA104 Method Blank-1	M2600745.d	C71706	Blank		1.183	0.958			-0.33%	Pass	ND
M325B CCV 5	M2600756.d	C40636	Check	0.918	1.183	0.958	-22%		-2.0%	Pass	
M325B CCV 5 REC	M2600767.d	C69760	Check	0.879	1.183	0.958	-26%		0.62%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	M2600744.d	B12109	Cal	1.011	1.183	1.011	-15%	4.0%		Pass	
2026GA104 Method Blank-1	M2600745.d	C71706	Blank		1.183	1.011			-0.33%	Pass	ND
M325B CCV 5	M2600756.d	C40636	Check	0.957	1.183	1.011	-19%		-2.0%	Pass	
M325B CCV 5 REC	M2600767.d	C69760	Check	0.920	1.183	1.011	-22%		0.62%	Pass	

Chromatograms



Name 2026GA104 Method Blank-1
Comment C71706
Data File M2600745.d
Acq. Date-Time 2/20/2026 6:13:18 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	380,874	
Benzene	Benzene-d6 (IS)	8.095	8.095	3,392	
Toluene-d8 (IS)		10.724	10.724	411,710	
Toluene	Toluene-d8 (IS)	10.817	10.817	10,468	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	960	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	1,100	
o-Xylene	Toluene-d8 (IS)	13.683	13.682	847	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600745.d




+ Scan (10.667-10.803 min, 20 scans) M2600745.d

**Toluene**


+ EIC (91.1) Scan M2600745.d




+ Scan (10.781-10.853 min, 11 scans) M2600745.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600745.d




+ Scan (12.982-13.024 min, 6 scans) M2600745.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600745.d




+ Scan (13.160-13.224 min, 8 scans) M2600745.d




o-Xylene

+ EIC (91.1) Scan M2600745.d




+ Scan (13.654-13.706 min, 8 scans) M2600745.d





Name SPRSPO-1-B-20260203
Comment C57567
Data File M2600746.d
Acq. Date-Time 2/20/2026 6:38:45 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	378,250	
Benzene	Benzene-d6 (IS)	8.088	8.095	5,443	
Toluene-d8 (IS)		10.724	10.724	412,985	
Toluene	Toluene-d8 (IS)	10.817	10.817	11,178	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	928	m
m-/p-Xylenes	Toluene-d8 (IS)	13.181	13.181	815	
o-Xylene	Toluene-d8 (IS)	13.690	13.682	420	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600746.d




+ Scan (10.667-10.803 min, 20 scans) M2600746.d

**Toluene**


+ EIC (91.1) Scan M2600746.d




+ Scan (10.772-10.857 min, 12 scans) M2600746.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600746.d




+ Scan (12.975-13.023 min, 7 scans) M2600746.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600746.d




+ Scan (13.156-13.216 min, 8 scans) M2600746.d




o-Xylene

+ EIC (91.1) Scan M2600746.d




+ Scan (13.647-13.696 min, 7 scans) M2600746.d





Name SPRSPO-1-S-20260203
Comment C01694
Data File M2600747.d
Acq. Date-Time 2/20/2026 7:04:06 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	376,470	
Benzene	Benzene-d6 (IS)	8.095	8.095	84,742	
Toluene-d8 (IS)		10.724	10.724	408,710	
Toluene	Toluene-d8 (IS)	10.817	10.817	208,146	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	56,745	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	144,228	
o-Xylene	Toluene-d8 (IS)	13.683	13.682	51,105	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600747.d




+ Scan (10.674-10.817 min, 21 scans) M2600747.d

**Toluene**


+ EIC (91.1) Scan M2600747.d




+ Scan (10.774-10.903 min, 19 scans) M2600747.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600747.d




+ Scan (12.956-13.057 min, 14 scans) M2600747.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600747.d




+ Scan (13.133-13.332 min, 28 scans) M2600747.d




o-Xylene

+ EIC (91.1) Scan M2600747.d




+ Scan (13.625-13.759 min, 19 scans) M2600747.d





Name SPRSPO-1-D-20260203
Comment C32727
Data File M2600748.d
Acq. Date-Time 2/20/2026 7:30:25 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	376,992	
Benzene	Benzene-d6 (IS)	8.095	8.095	80,609	
Toluene-d8 (IS)		10.724	10.724	406,248	
Toluene	Toluene-d8 (IS)	10.817	10.817	204,939	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	55,952	
m-/p-Xylenes	Toluene-d8 (IS)	13.181	13.181	139,514	
o-Xylene	Toluene-d8 (IS)	13.682	13.682	47,520	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600748.d




+ Scan (10.674-10.817 min, 21 scans) M2600748.d

**Toluene**


+ EIC (91.1) Scan M2600748.d




+ Scan (10.774-10.903 min, 19 scans) M2600748.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600748.d




+ Scan (12.966-13.062 min, 13 scans) M2600748.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600748.d




+ Scan (13.138-13.281 min, 21 scans) M2600748.d




o-Xylene

+ EIC (91.1) Scan M2600748.d




+ Scan (13.647-13.767 min, 16 scans) M2600748.d





Name SPRSPO-2-S-20260203
Comment B18799
Data File M2600749.d
Acq. Date-Time 2/20/2026 7:55:48 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	375,578	
Benzene	Benzene-d6 (IS)	8.095	8.095	80,842	
Toluene-d8 (IS)		10.724	10.724	411,304	
Toluene	Toluene-d8 (IS)	10.817	10.817	194,122	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	27,186	
m-/p-Xylenes	Toluene-d8 (IS)	13.181	13.181	61,374	
o-Xylene	Toluene-d8 (IS)	13.682	13.682	23,645	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600749.d




+ Scan (10.674-10.817 min, 21 scans) M2600749.d

**Toluene**


+ EIC (91.1) Scan M2600749.d




+ Scan (10.781-10.903 min, 18 scans) M2600749.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600749.d




+ Scan (12.967-13.048 min, 11 scans) M2600749.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600749.d




+ Scan (13.141-13.279 min, 19 scans) M2600749.d




o-Xylene

+ EIC (91.1) Scan M2600749.d




+ Scan (13.648-13.718 min, 10 scans) M2600749.d





Name SPRSPO-3-S-20260203
Comment C43920
Data File M2600750.d
Acq. Date-Time 2/20/2026 8:21:15 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	380,719	
Benzene	Benzene-d6 (IS)	8.095	8.095	68,311	
Toluene-d8 (IS)		10.724	10.724	412,018	
Toluene	Toluene-d8 (IS)	10.817	10.817	134,204	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	21,575	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	48,963	
o-Xylene	Toluene-d8 (IS)	13.676	13.682	20,084	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600750.d




+ Scan (10.667-10.817 min, 22 scans) M2600750.d

**Toluene**


+ EIC (91.1) Scan M2600750.d




+ Scan (10.767-10.911 min, 21 scans) M2600750.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600750.d




+ Scan (12.968-13.038 min, 10 scans) M2600750.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600750.d




+ Scan (13.136-13.274 min, 19 scans) M2600750.d




o-Xylene

+ EIC (91.1) Scan M2600750.d




+ Scan (13.647-13.718 min, 11 scans) M2600750.d





Name SPRSPO-4-S-20260203
Comment C43934
Data File M2600751.d
Acq. Date-Time 2/20/2026 8:46:51 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	378,900	
Benzene	Benzene-d6 (IS)	8.095	8.095	71,073	
Toluene-d8 (IS)		10.724	10.724	406,740	
Toluene	Toluene-d8 (IS)	10.817	10.817	136,493	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	21,584	
m-/p-Xylenes	Toluene-d8 (IS)	13.181	13.181	41,979	
o-Xylene	Toluene-d8 (IS)	13.682	13.682	17,821	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600751.d




+ Scan (10.667-10.810 min, 21 scans) M2600751.d

**Toluene**


+ EIC (91.1) Scan M2600751.d




+ Scan (10.777-10.910 min, 18 scans) M2600751.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600751.d




+ Scan (12.967-13.043 min, 10 scans) M2600751.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600751.d




+ Scan (13.145-13.242 min, 13 scans) M2600751.d




o-Xylene

+ EIC (91.1) Scan M2600751.d




+ Scan (13.647-13.733 min, 13 scans) M2600751.d





Name SPRSPO-5-S-20260203
Comment C55567
Data File M2600752.d
Acq. Date-Time 2/20/2026 9:12:18 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	378,357	
Benzene	Benzene-d6 (IS)	8.095	8.095	64,523	
Toluene-d8 (IS)		10.724	10.724	408,959	
Toluene	Toluene-d8 (IS)	10.817	10.817	108,761	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	15,328	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	34,207	
o-Xylene	Toluene-d8 (IS)	13.682	13.682	13,603	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600752.d




+ Scan (10.667-10.803 min, 20 scans) M2600752.d

**Toluene**


+ EIC (91.1) Scan M2600752.d




+ Scan (10.769-10.875 min, 15 scans) M2600752.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600752.d




+ Scan (12.967-13.043 min, 10 scans) M2600752.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600752.d




+ Scan (13.134-13.243 min, 15 scans) M2600752.d




o-Xylene

+ EIC (91.1) Scan M2600752.d




+ Scan (13.637-13.722 min, 12 scans) M2600752.d





Name SPRSPO-6-S-20260203
Comment C31426
Data File M2600753.d
Acq. Date-Time 2/20/2026 9:37:48 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	381,041	
Benzene	Benzene-d6 (IS)	8.095	8.095	64,415	
Toluene-d8 (IS)		10.724	10.724	405,820	
Toluene	Toluene-d8 (IS)	10.817	10.817	114,139	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	15,014	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	29,982	
o-Xylene	Toluene-d8 (IS)	13.682	13.682	12,307	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600753.d




+ Scan (10.668-10.803 min, 19 scans) M2600753.d

**Toluene**


+ EIC (91.1) Scan M2600753.d




+ Scan (10.767-10.903 min, 19 scans) M2600753.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600753.d




+ Scan (12.959-13.038 min, 12 scans) M2600753.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600753.d




+ Scan (13.138-13.238 min, 13 scans) M2600753.d




o-Xylene

+ EIC (91.1) Scan M2600753.d




+ Scan (13.642-13.767 min, 17 scans) M2600753.d





Name SPRSPO-7-S-20260203
Comment C55541
Data File M2600754.d
Acq. Date-Time 2/20/2026 10:03:18 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	381,195	
Benzene	Benzene-d6 (IS)	8.095	8.095	63,210	
Toluene-d8 (IS)		10.724	10.724	406,332	
Toluene	Toluene-d8 (IS)	10.817	10.817	127,090	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	17,004	
m-/p-Xylenes	Toluene-d8 (IS)	13.181	13.181	38,587	
o-Xylene	Toluene-d8 (IS)	13.683	13.682	15,848	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600754.d




+ Scan (10.674-10.803 min, 19 scans) M2600754.d

**Toluene**


+ EIC (91.1) Scan M2600754.d




+ Scan (10.774-10.910 min, 20 scans) M2600754.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600754.d




+ Scan (12.968-13.036 min, 9 scans) M2600754.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600754.d




+ Scan (13.131-13.246 min, 17 scans) M2600754.d




o-Xylene

+ EIC (91.1) Scan M2600754.d




+ Scan (13.647-13.736 min, 12 scans) M2600754.d





Name SPRSPO-8-S-20260203
Comment B52867
Data File M2600755.d
Acq. Date-Time 2/20/2026 10:28:48 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	377,526	
Benzene	Benzene-d6 (IS)	8.095	8.095	59,315	
Toluene-d8 (IS)		10.724	10.724	399,719	
Toluene	Toluene-d8 (IS)	10.817	10.817	72,397	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	11,406	
m-/p-Xylenes	Toluene-d8 (IS)	13.181	13.181	23,371	
o-Xylene	Toluene-d8 (IS)	13.683	13.682	9,126	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600755.d




+ Scan (10.667-10.817 min, 22 scans) M2600755.d

**Toluene**


+ EIC (91.1) Scan M2600755.d




+ Scan (10.781-10.882 min, 15 scans) M2600755.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600755.d




+ Scan (12.970-13.043 min, 10 scans) M2600755.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600755.d




+ Scan (13.133-13.238 min, 14 scans) M2600755.d




o-Xylene

+ EIC (91.1) Scan M2600755.d




+ Scan (13.651-13.710 min, 8 scans) M2600755.d





Name SPRSPO-9-S-20260203
Comment C70853
Data File M2600757.d
Acq. Date-Time 2/20/2026 11:19:50 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	377,647	
Benzene	Benzene-d6 (IS)	8.095	8.095	87,774	
Toluene-d8 (IS)		10.724	10.724	403,042	
Toluene	Toluene-d8 (IS)	10.817	10.817	97,634	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	17,366	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	40,238	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	15,954	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600757.d




+ Scan (10.667-10.803 min, 20 scans) M2600757.d

**Toluene**


+ EIC (91.1) Scan M2600757.d




+ Scan (10.774-10.896 min, 18 scans) M2600757.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600757.d




+ Scan (12.961-13.047 min, 12 scans) M2600757.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600757.d




+ Scan (13.141-13.258 min, 16 scans) M2600757.d




o-Xylene

+ EIC (91.1) Scan M2600757.d




+ Scan (13.647-13.717 min, 9 scans) M2600757.d





Name SPRSPO-10-S-20260203
Comment B35504
Data File M2600758.d
Acq. Date-Time 2/20/2026 11:46:19 AM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	377,366	
Benzene	Benzene-d6 (IS)	8.095	8.095	75,004	
Toluene-d8 (IS)		10.724	10.724	407,846	
Toluene	Toluene-d8 (IS)	10.817	10.817	99,219	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	14,908	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	32,146	
o-Xylene	Toluene-d8 (IS)	13.682	13.682	13,196	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600758.d




+ Scan (10.674-10.817 min, 21 scans) M2600758.d

**Toluene**


+ EIC (91.1) Scan M2600758.d




+ Scan (10.774-10.867 min, 14 scans) M2600758.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600758.d




+ Scan (12.959-13.043 min, 12 scans) M2600758.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600758.d




+ Scan (13.139-13.256 min, 16 scans) M2600758.d




o-Xylene

+ EIC (91.1) Scan M2600758.d




+ Scan (13.640-13.730 min, 12 scans) M2600758.d





Name SPRSPO-11-S-20260203
Comment C55417
Data File M2600759.d
Acq. Date-Time 2/20/2026 12:11:53 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	375,048	
Benzene	Benzene-d6 (IS)	8.095	8.095	63,405	
Toluene-d8 (IS)		10.724	10.724	412,875	
Toluene	Toluene-d8 (IS)	10.817	10.817	85,612	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	13,703	
m-/p-Xylenes	Toluene-d8 (IS)	13.181	13.181	31,102	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	12,200	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600759.d




+ Scan (10.674-10.803 min, 19 scans) M2600759.d

**Toluene**


+ EIC (91.1) Scan M2600759.d




+ Scan (10.774-10.896 min, 18 scans) M2600759.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600759.d




+ Scan (12.968-13.038 min, 10 scans) M2600759.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600759.d




+ Scan (13.147-13.238 min, 13 scans) M2600759.d




o-Xylene

+ EIC (91.1) Scan M2600759.d




+ Scan (13.640-13.725 min, 11 scans) M2600759.d





Name SPRSPO-12-S-20260203
Comment B16887
Data File M2600760.d
Acq. Date-Time 2/20/2026 12:37:25 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	375,159	
Benzene	Benzene-d6 (IS)	8.095	8.095	89,275	
Toluene-d8 (IS)		10.724	10.724	410,266	
Toluene	Toluene-d8 (IS)	10.817	10.817	198,692	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	24,546	
m-/p-Xylenes	Toluene-d8 (IS)	13.181	13.181	47,612	
o-Xylene	Toluene-d8 (IS)	13.683	13.682	18,661	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600760.d




+ Scan (10.674-10.803 min, 19 scans) M2600760.d

**Toluene**


+ EIC (91.1) Scan M2600760.d




+ Scan (10.774-10.875 min, 15 scans) M2600760.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600760.d




+ Scan (12.966-13.062 min, 13 scans) M2600760.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600760.d




+ Scan (13.146-13.260 min, 16 scans) M2600760.d




o-Xylene

+ EIC (91.1) Scan M2600760.d




+ Scan (13.647-13.725 min, 11 scans) M2600760.d





Name SPRSPO-13-S-20260203
Comment C35705
Data File M2600761.d
Acq. Date-Time 2/20/2026 1:03:03 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	377,403	
Benzene	Benzene-d6 (IS)	8.095	8.095	69,928	
Toluene-d8 (IS)		10.724	10.724	407,825	
Toluene	Toluene-d8 (IS)	10.817	10.817	110,166	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	20,178	
m-/p-Xylenes	Toluene-d8 (IS)	13.181	13.181	42,306	
o-Xylene	Toluene-d8 (IS)	13.683	13.682	16,654	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600761.d




+ Scan (10.674-10.810 min, 20 scans) M2600761.d

**Toluene**


+ EIC (91.1) Scan M2600761.d




+ Scan (10.774-10.882 min, 16 scans) M2600761.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600761.d




+ Scan (12.966-13.057 min, 13 scans) M2600761.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600761.d




+ Scan (13.146-13.253 min, 15 scans) M2600761.d




o-Xylene

+ EIC (91.1) Scan M2600761.d




+ Scan (13.648-13.750 min, 14 scans) M2600761.d





Name SPRSPO-13-D-20260203
Comment C57746
Data File M2600762.d
Acq. Date-Time 2/20/2026 1:28:40 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	377,018	
Benzene	Benzene-d6 (IS)	8.095	8.095	69,692	
Toluene-d8 (IS)		10.724	10.724	410,930	
Toluene	Toluene-d8 (IS)	10.817	10.817	112,274	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	21,832	
m-/p-Xylenes	Toluene-d8 (IS)	13.181	13.181	49,417	
o-Xylene	Toluene-d8 (IS)	13.682	13.682	20,141	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600762.d




+ Scan (10.674-10.803 min, 19 scans) M2600762.d

**Toluene**


+ EIC (91.1) Scan M2600762.d




+ Scan (10.774-10.874 min, 14 scans) M2600762.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600762.d




+ Scan (12.970-13.043 min, 10 scans) M2600762.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600762.d




+ Scan (13.145-13.231 min, 12 scans) M2600762.d




o-Xylene

+ EIC (91.1) Scan M2600762.d




+ Scan (13.647-13.718 min, 10 scans) M2600762.d





Name SPRSPO-13-B-20260203
Comment B20174
Data File M2600763.d
Acq. Date-Time 2/20/2026 1:54:11 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	377,347	
Benzene	Benzene-d6 (IS)	8.095	8.095	6,936	
Toluene-d8 (IS)		10.724	10.724	405,028	
Toluene	Toluene-d8 (IS)	10.817	10.817	22,005	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	2,335	
m-/p-Xylenes	Toluene-d8 (IS)	13.188	13.181	2,007	
o-Xylene	Toluene-d8 (IS)	13.682	13.682	615	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600763.d




+ Scan (10.674-10.803 min, 19 scans) M2600763.d

**Toluene**


+ EIC (91.1) Scan M2600763.d




+ Scan (10.785-10.853 min, 10 scans) M2600763.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600763.d




+ Scan (12.970-13.041 min, 10 scans) M2600763.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600763.d




+ Scan (13.149-13.221 min, 10 scans) M2600763.d




o-Xylene

+ EIC (91.1) Scan M2600763.d




+ Scan (13.657-13.690 min, 5 scans) M2600763.d





Name SPRSPO-14-S-20260203
Comment B16334
Data File M2600764.d
Acq. Date-Time 2/20/2026 2:19:47 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	374,019	
Benzene	Benzene-d6 (IS)	8.095	8.095	73,607	
Toluene-d8 (IS)		10.724	10.724	408,176	
Toluene	Toluene-d8 (IS)	10.817	10.817	138,152	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	22,578	
m-/p-Xylenes	Toluene-d8 (IS)	13.181	13.181	47,783	
o-Xylene	Toluene-d8 (IS)	13.683	13.682	19,219	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600764.d




+ Scan (10.667-10.810 min, 21 scans) M2600764.d

**Toluene**


+ EIC (91.1) Scan M2600764.d




+ Scan (10.774-10.910 min, 20 scans) M2600764.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600764.d




+ Scan (12.967-13.054 min, 12 scans) M2600764.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600764.d




+ Scan (13.124-13.251 min, 18 scans) M2600764.d




o-Xylene

+ EIC (91.1) Scan M2600764.d




+ Scan (13.636-13.732 min, 13 scans) M2600764.d





Name SPRSPO-15-S-20260203
Comment C55367
Data File M2600765.d
Acq. Date-Time 2/20/2026 2:45:18 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	377,022	
Benzene	Benzene-d6 (IS)	8.095	8.095	81,719	
Toluene-d8 (IS)		10.724	10.724	412,017	
Toluene	Toluene-d8 (IS)	10.817	10.817	167,674	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	33,833	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	80,698	
o-Xylene	Toluene-d8 (IS)	13.683	13.682	31,844	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600765.d




+ Scan (10.674-10.810 min, 20 scans) M2600765.d

**Toluene**


+ EIC (91.1) Scan M2600765.d




+ Scan (10.774-10.911 min, 20 scans) M2600765.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600765.d




+ Scan (12.966-13.037 min, 10 scans) M2600765.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600765.d




+ Scan (13.139-13.289 min, 21 scans) M2600765.d




o-Xylene

+ EIC (91.1) Scan M2600765.d




+ Scan (13.640-13.719 min, 12 scans) M2600765.d





Name SPRSPO-16-S-20260203
Comment C57492
Data File M2600766.d
Acq. Date-Time 2/20/2026 3:10:54 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	379,972	
Benzene	Benzene-d6 (IS)	8.095	8.095	91,977	
Toluene-d8 (IS)		10.724	10.724	413,937	
Toluene	Toluene-d8 (IS)	10.817	10.817	214,587	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	40,702	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	97,487	
o-Xylene	Toluene-d8 (IS)	13.683	13.682	39,815	

Benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan M2600766.d




+ Scan (10.674-10.817 min, 21 scans) M2600766.d

**Toluene**


+ EIC (91.1) Scan M2600766.d




+ Scan (10.774-10.903 min, 19 scans) M2600766.d

**Ethylbenzene**


+ EIC (91.1) Scan M2600766.d




+ Scan (12.968-13.044 min, 10 scans) M2600766.d

**m-/p-Xylenes**

+ EIC (91.1) Scan M2600766.d




+ Scan (13.135-13.272 min, 19 scans) M2600766.d




o-Xylene

+ EIC (91.1) Scan M2600766.d



+ Scan (13.645-13.769 min, 18 scans) M2600766.d



Initial Calibration



Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA104-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M012026A_CC185154_R1	Benzene	1	M2600319.d	6.00	47291	56.0	381045	1.158	0.12
M012026A_CC185154_R1	Benzene	2	M2600320.d	12.01	83887	56.0	380400	1.029	-0.0015
M012026A_CC185154_R1	Benzene	3	M2600321.d	24.01	168805	56.0	376299	1.046	0.016
M012026A_CC185154_R1	Benzene	4	M2600322.d	48.03	327386	56.0	372850	1.024	-0.006
M012026A_CC185154_R1	Benzene	5	M2600323.d	120.07	782762	56.0	373607	0.977	-0.051
M012026A_CC185154_R1	Benzene	6	M2600324.d	240.14	1563679	56.0	371027	0.983	-0.046
M012026A_CC185154_R1	Benzene	7	M2600325.d	720.42	4754251	56.0	371746	0.994	-0.035
						Avg:	375282	1.030	
						%RSD:	1.1%	6.0%	
M012026A_CC185154_R1	Toluene	1	M2600319.d	5.27	48504	65.7	405524	1.489	0.21
M012026A_CC185154_R1	Toluene	2	M2600320.d	10.55	82026	65.7	395866	1.290	0.046
M012026A_CC185154_R1	Toluene	3	M2600321.d	21.09	168126	65.7	395224	1.324	0.073
M012026A_CC185154_R1	Toluene	4	M2600322.d	42.18	327584	65.7	398897	1.278	0.036
M012026A_CC185154_R1	Toluene	5	M2600323.d	105.46	718794	65.7	394499	1.134	-0.081
M012026A_CC185154_R1	Toluene	6	M2600324.d	210.92	1454148	65.7	394406	1.148	-0.07
M012026A_CC185154_R1	Toluene	7	M2600325.d	632.75	3721714	65.7	397058	0.973	-0.21
						Avg:	397353	1.234	
						%RSD:	1.0%	13.4%	
M012026A_CC185154_R1	Ethylbenzene	1	M2600319.d	5.48	52452	65.7	405524	1.550	0.092
M012026A_CC185154_R1	Ethylbenzene	2	M2600320.d	10.96	97997	65.7	395866	1.483	0.045
M012026A_CC185154_R1	Ethylbenzene	3	M2600321.d	21.92	212293	65.7	395224	1.609	0.13
M012026A_CC185154_R1	Ethylbenzene	4	M2600322.d	43.84	421948	65.7	398897	1.584	0.12
M012026A_CC185154_R1	Ethylbenzene	5	M2600323.d	109.60	868249	65.7	394499	1.318	-0.071
M012026A_CC185154_R1	Ethylbenzene	6	M2600324.d	219.21	1748598	65.7	394406	1.328	-0.065
M012026A_CC185154_R1	Ethylbenzene	7	M2600325.d	657.62	4235151	65.7	397058	1.065	-0.25
						Avg:	397353	1.420	
						%RSD:	1.0%	13.7%	
M012026A_CC185154_R1	m-/p-Xylenes	1	M2600319.d	6.14	46914	65.7	405524	1.237	0.046
M012026A_CC185154_R1	m-/p-Xylenes	2	M2600320.d	12.28	91320	65.7	395866	1.233	0.042
M012026A_CC185154_R1	m-/p-Xylenes	3	M2600321.d	24.57	194398	65.7	395224	1.315	0.11
M012026A_CC185154_R1	m-/p-Xylenes	4	M2600322.d	49.13	385594	65.7	398897	1.292	0.092
M012026A_CC185154_R1	m-/p-Xylenes	5	M2600323.d	122.84	796581	65.7	394499	1.079	-0.088
M012026A_CC185154_R1	m-/p-Xylenes	6	M2600324.d	245.67	1569012	65.7	394406	1.063	-0.1
M012026A_CC185154_R1	m-/p-Xylenes	7	M2600325.d	737.01	4731379	65.7	397058	1.062	-0.1
						Avg:	397353	1.183	
						%RSD:	1.0%	9.4%	
M012026A_CC185154_R1	o-Xylene	1	M2600319.d	5.71	44619	65.7	405524	1.265	0.069
M012026A_CC185154_R1	o-Xylene	2	M2600320.d	11.42	85697	65.7	395866	1.244	0.051
M012026A_CC185154_R1	o-Xylene	3	M2600321.d	22.85	185018	65.7	395224	1.345	0.14

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA104-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M012026A_CC185154_R1	o-Xylene	4	M2600322.d	45.69	379263	65.7	398897	1.366	0.15
M012026A_CC185154_R1	o-Xylene	5	M2600323.d	114.23	761099	65.7	394499	1.109	-0.063
M012026A_CC185154_R1	o-Xylene	6	M2600324.d	228.47	1535238	65.7	394406	1.119	-0.055
M012026A_CC185154_R1	o-Xylene	7	M2600325.d	685.41	3466627	65.7	397058	0.836	-0.29
						Avg:	397353	1.183	
						%RSD:	1.0%	15.4%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M012026A_CC185154_R1	Benzene	ICV	M2600326.d	447.14	2914814	56.0	365974	0.998	-3.2%
M012026A_CC185154_R1	Toluene	ICV	M2600326.d	457.87	3108316	65.7	386128	1.154	-6.4%
M012026A_CC185154_R1	Ethylbenzene	ICV	M2600326.d	452.71	3527812	65.7	386128	1.325	-6.7%
M012026A_CC185154_R1	m-/p-Xylenes	ICV	M2600326.d	459.76	2910282	65.7	386128	1.076	-9.0%
M012026A_CC185154_R1	o-Xylene	ICV	M2600326.d	460.64	2752493	65.7	386128	1.016	-14.0%

M325B PDF Report ver.20260203

Sample Custody

☐ Standard Turn Around Time (10 business days)

☐ Rush Turn Around Time

• All TATs Subject to Approval by Enthalpy Analytical, Inc.

• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

20266 A104 Page # 1 of # 1

Site Name: Sprague South Portland

Client Name: Montrose Air Quality Services, LLC

PO#:

Site Address: 39 Main Street

Project Number: PROJ-027968

Sample Event #	2026GA104
----------------	-----------

City: South Portland

Project Manager: Sabarish Selvarajan

Sorbent: Carbpak-X

State Maine

Email Address: sabarishselvarajan@montrose-env.com

Zip: 04106

Telephone #: 973-722-7895

[illegible]

Relinquished By (printed):

Relinquished By (signature):

Relinquished Date:

Relinquished Time:

BEN CURRY

BC

2/17/2026

17:00

Recieved By (printed):

Recieved By (signature):

Receipt Date:

Receipt Time:

Sample Condition Upon Receipt:

Compound List:

Custody Seal intact? Y/N:

Delivery tracking #

emp:

Blank Temp:

Fluke3

BTEX

Add Custody Seal # below:

Comments:

① COC received 2-19-26, 1 day added to TAT PEG 2-19-26

**This Is The Last Page
Of This Report.**

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 42 Sprague - South Portland

Client Project# PROJ-027968

Samples Received: 3/4/2026

Analytical Report 2026GA105

EPA Method 325B Analysis

Report Issue Date: 3/13/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matthew Cavanaugh, Project Manager



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	11
Chromatograms	14
Initial Calibration	78
Sample Custody	81
Chain of Custody	82

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GA105-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Enthalpy Analytical on March 4, 2026 at 17.6 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20260217	B18388	Sample
SPRSPO-1-D-20260217	C33422	Duplicate
SPRSPO-1-B-20260217	C67343	Blank
SPRSPO-2-S-20260217	C00722	Sample
SPRSPO-3-S-20260217	C69475	Sample
SPRSPO-4-S-20260217	C00590	Sample
SPRSPO-5-S-20260217	C69587	Sample
SPRSPO-6-S-20260217	C55495	Sample
SPRSPO-7-S-20260217	C67365	Sample
SPRSPO-8-S-20260217	C69495	Sample
SPRSPO-9-S-20260217	C34122	Sample
SPRSPO-10-S-20260217	B48137	Sample
SPRSPO-11-S-20260217	C33518	Sample
SPRSPO-12-S-20260217	C70556	Sample
SPRSPO-13-S-20260217	C68605	Sample
SPRSPO-13-D-20260217	C67283	Duplicate
SPRSPO-13-B-20260217	C69580	Blank
SPRSPO-14-S-20260217	C70834	Sample
SPRSPO-15-S-20260217	B48128	Sample
SPRSPO-16-S-20260217	B42350	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GA105-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (F121725A_CC185154) met all 30% RSD criteria. The initial calibration verification met $\pm 30\%$ recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in $\mu\text{g}/\text{m}^3$ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA105-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20260217	B18388	0.968		3.24		0.862		2.84		0.891	
SPRSPO-1-D-20260217	C33422	0.911		3.18		0.958		3.19		0.988	
SPRSPO-1-B-20260217	C67343	0.195	ND	0.251	ND	0.284	ND	0.284	ND	0.284	ND
SPRSPO-2-S-20260217	C00722	0.777		2.65		0.286	J	0.875		0.326	J
SPRSPO-3-S-20260217	C69475	0.882		4.91		0.756		2.22		0.808	
SPRSPO-4-S-20260217	C00590	0.728		2.20		0.284	ND	0.728		0.284	ND
SPRSPO-5-S-20260217	C69587	0.737		2.45		0.284	ND	0.667	J	0.284	ND
SPRSPO-6-S-20260217	C55495	0.637		2.00		0.284	ND	0.502	J	0.284	ND
SPRSPO-7-S-20260217	C67365	0.627		1.71		0.284	ND	0.609	J	0.284	ND
SPRSPO-8-S-20260217	C69495	0.539		0.942		0.284	ND	0.600	J	0.284	ND
SPRSPO-9-S-20260217	C34122	0.620		1.34		0.284	ND	0.645	J	0.284	ND
SPRSPO-10-S-20260217	B48137	0.670		1.34		0.284	ND	0.504	J	0.284	ND
SPRSPO-11-S-20260217	C33518	0.611		1.30		0.284	ND	0.576	J	0.284	ND
SPRSPO-12-S-20260217	C70556	0.813		2.23		0.386	J	1.20		0.440	J
SPRSPO-13-S-20260217	C68605	0.780		2.04		0.337	J	1.07		0.403	J
SPRSPO-13-D-20260217	C67283	0.746		1.94		0.354	J	1.14		0.428	J
SPRSPO-13-B-20260217	C69580	0.195	ND	0.328	J	0.284	ND	0.284	ND	0.284	ND
SPRSPO-14-S-20260217	C70834	0.876		2.20		0.377	J	1.20		0.452	J
SPRSPO-15-S-20260217	B48128	0.914		2.37		0.407	J	1.12		0.413	J
SPRSPO-16-S-20260217	B42350	0.917		2.83		0.509	J	1.46		0.541	J

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA105-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260217	B18388	0.968	0.303	12.4	25.6	0.637	20124	0.195	0.465	0.0611	0.146		F2601445.D	2026-03-04 15:19	0.957	7.938	83851	397586	56.3	7.877	-5.6%
SPRSPO-1-D-20260217	C33422	0.911	0.285	11.7	25.6	0.637	20124	0.195	0.465	0.0611	0.146		F2601446.D	2026-03-04 15:45	0.957	7.938	79286	399672	56.3	7.883	-5.1%
SPRSPO-1-B-20260217	C67343	0.195	0.0611		25.6	0.637	20124	0.195	0.465	0.0611	0.146	ND	F2601444.D	2026-03-04 14:54	0.957	7.939	4526	407147	56.3	7.877	-3.3%
SPRSPO-2-S-20260217	C00722	0.777	0.243	9.96	25.6	0.637	20125	0.195	0.465	0.0611	0.146		F2601447.D	2026-03-04 16:10	0.957	7.938	66852	394840	56.3	7.877	-6.2%
SPRSPO-3-S-20260217	C69475	0.882	0.276	11.3	25.6	0.637	20126	0.195	0.465	0.0611	0.146		F2601448.D	2026-03-04 16:35	0.957	7.938	76024	395683	56.3	7.883	-6.0%
SPRSPO-4-S-20260217	C00590	0.728	0.228	9.34	25.6	0.637	20127	0.195	0.465	0.0611	0.146		F2601449.D	2026-03-04 17:01	0.957	7.939	63295	398982	56.3	7.883	-5.2%
SPRSPO-5-S-20260217	C69587	0.737	0.231	9.46	25.6	0.637	20128	0.195	0.465	0.0611	0.146		F2601450.D	2026-03-04 17:26	0.957	7.939	64635	402278	56.3	7.877	-4.5%
SPRSPO-6-S-20260217	C55495	0.637	0.199	8.16	25.6	0.637	20129	0.195	0.465	0.0611	0.146		F2601451.D	2026-03-04 17:52	0.957	7.938	56317	405962	56.3	7.883	-3.6%
SPRSPO-7-S-20260217	C67365	0.627	0.197	8.05	25.6	0.637	20130	0.195	0.465	0.0611	0.146		F2601452.D	2026-03-04 18:18	0.957	7.938	54112	395694	56.3	7.877	-6.0%
SPRSPO-8-S-20260217	C69495	0.539	0.169	6.91	25.6	0.637	20131	0.195	0.465	0.0611	0.146		F2601453.D	2026-03-04 18:43	0.957	7.938	46931	399879	56.3	7.883	-5.0%
SPRSPO-9-S-20260217	C34122	0.620	0.194	7.95	25.6	0.637	20132	0.195	0.465	0.0610	0.146		F2601455.D	2026-03-04 19:34	0.957	7.939	53745	397845	56.3	7.883	-5.5%
SPRSPO-10-S-20260217	B48137	0.670	0.210	8.59	25.6	0.637	20133	0.195	0.465	0.0610	0.146		F2601456.D	2026-03-04 19:59	0.957	7.938	56858	389469	56.3	7.877	-7.5%
SPRSPO-11-S-20260217	C33518	0.611	0.191	7.84	25.6	0.637	20134	0.195	0.465	0.0610	0.146		F2601457.D	2026-03-04 20:24	0.957	7.938	53175	399291	56.3	7.877	-5.2%
SPRSPO-12-S-20260217	C70556	0.813	0.255	10.4	25.6	0.637	20134	0.195	0.465	0.0610	0.146		F2601458.D	2026-03-04 20:50	0.957	7.938	69723	393393	56.3	7.883	-6.6%
SPRSPO-13-S-20260217	C68605	0.780	0.244	10.0	25.6	0.637	20134	0.195	0.465	0.0610	0.146		F2601459.D	2026-03-04 21:15	0.957	7.939	65447	385142	56.3	7.877	-8.5%
SPRSPO-13-D-20260217	C67283	0.746	0.234	9.57	25.6	0.637	20134	0.195	0.465	0.0610	0.146		F2601460.D	2026-03-04 21:40	0.957	7.938	64484	396474	56.3	7.877	-5.8%
SPRSPO-13-B-20260217	C69580	0.195	0.0610		25.6	0.637	20134	0.195	0.465	0.0610	0.146	ND	F2601461.D	2026-03-04 22:06	0.957	7.932	3986	394442	56.3	7.877	-6.3%
SPRSPO-14-S-20260217	C70834	0.876	0.274	11.2	25.6	0.637	20134	0.195	0.465	0.0610	0.146		F2601462.D	2026-03-04 22:32	0.957	7.938	75868	397413	56.3	7.883	-5.6%
SPRSPO-15-S-20260217	B48128	0.914	0.286	11.7	25.6	0.637	20134	0.195	0.465	0.0610	0.146		F2601463.D	2026-03-04 22:57	0.957	7.938	78272	392941	56.3	7.877	-6.7%
SPRSPO-16-S-20260217	B42350	0.917	0.287	11.8	25.6	0.637	20134	0.195	0.465	0.0610	0.146		F2601464.D	2026-03-04 23:22	0.957	7.938	79387	397209	56.3	7.883	-5.7%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260217	B18388	3.24	0.859	32.2	25.6	0.494	20124	0.251	0.526	0.0667	0.140		F2601445.D	2026-03-04 15:19	1.167	10.661	247251	434822	66.1	10.563	-5.6%
SPRSPO-1-D-20260217	C33422	3.18	0.845	31.7	25.6	0.494	20124	0.251	0.526	0.0667	0.140		F2601446.D	2026-03-04 15:45	1.167	10.661	242223	433176	66.1	10.563	-5.9%
SPRSPO-1-B-20260217	C67343	0.251	0.0667		25.6	0.494	20124	0.251	0.526	0.0667	0.140	ND	F2601444.D	2026-03-04 14:54	1.167	10.655	17879	446577	66.1	10.563	-3.0%
SPRSPO-2-S-20260217	C00722	2.65	0.704	26.4	25.6	0.494	20125	0.251	0.526	0.0667	0.140		F2601447.D	2026-03-04 16:10	1.167	10.661	198379	426023	66.1	10.563	-7.5%
SPRSPO-3-S-20260217	C69475	4.91	1.30	48.8	25.6	0.494	20126	0.251	0.526	0.0667	0.140		F2601448.D	2026-03-04 16:35	1.167	10.661	370280	429400	66.1	10.563	-6.8%
SPRSPO-4-S-20260217	C00590	2.20	0.585	21.9	25.6	0.494	20127	0.251	0.526	0.0667	0.140		F2601449.D	2026-03-04 17:01	1.167	10.661	165636	427560	66.1	10.563	-7.2%
SPRSPO-5-S-20260217	C69587	2.45	0.650	24.4	25.6	0.494	20128	0.251	0.526	0.0667	0.140		F2601450.D	2026-03-04 17:26	1.167	10.661	187703	436408	66.1	10.569	-5.2%
SPRSPO-6-S-20260217	C55495	2.00	0.532	19.9	25.6	0.494	20129	0.251	0.526	0.0667	0.140		F2601451.D	2026-03-04 17:52	1.167	10.661	154893	440059	66.1	10.563	-4.4%
SPRSPO-7-S-20260217	C67365	1.71	0.454	17.0	25.6	0.494	20130	0.251	0.526	0.0667	0.140		F2601452.D	2026-03-04 18:18	1.167	10.661	129856	432566	66.1	10.563	-6.1%
SPRSPO-8-S-20260217	C69495	0.942	0.250	9.38	25.6	0.494	20131	0.251	0.526	0.0667	0.140		F2601453.D	2026-03-04 18:43	1.167	10.661	71493	431572	66.1	10.563	-6.3%
SPRSPO-9-S-20260217	C34122	1.34	0.355	13.3	25.6	0.494	20132	0.251	0.526	0.0667	0.140		F2601455.D	2026-03-04 19:34	1.167	10.661	101427	431041	66.1	10.563	-6.4%
SPRSPO-10-S-20260217	B48137	1.34	0.357	13.4	25.6	0.494	20133	0.251	0.526	0.0667	0.140		F2601456.D	2026-03-04 19:59	1.167	10.661	100281	424155	66.1	10.563	-7.9%
SPRSPO-11-S-20260217	C33518	1.30	0.346	13.0	25.6	0.494	20134	0.251	0.526	0.0667	0.140		F2601457.D	2026-03-04 20:24	1.167	10.661	99485	434410	66.1	10.563	-5.7%
SPRSPO-12-S-20260217	C70556	2.23	0.592	22.2	25.6	0.494	20134	0.251	0.526	0.0667	0.140		F2601458.D	2026-03-04 20:50	1.167	10.661	166940	426134	66.1	10.563	-7.5%
SPRSPO-13-S-20260217	C68605	2.04	0.543	20.4	25.6	0.494	20134	0.251	0.526	0.0667	0.140		F2601459.D	2026-03-04 21:15	1.167	10.661	151850	422411	66.1	10.563	-8.3%
SPRSPO-13-D-20260217	C67283	1.94	0.514	19.3	25.6	0.494	20134	0.251	0.526	0.0667	0.140		F2601460.D	2026-03-04 21:40	1.167	10.661	145418	427405	66.1	10.569	-7.2%
SPRSPO-13-B-20260217	C69580	0.328	0.0871	3.27	25.6	0.494	20134	0.251	0.526	0.0667	0.140	J	F2601461.D	2026-03-04 22:06	1.167	10.661	24494	424694	66.1	10.563	-7.8%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA105-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20260217	C70834	2.20	0.584	21.9	25.6	0.494	20134	0.251	0.526	0.0667	0.140		F2601462.D	2026-03-04 22:32	1.167	10.661	168492	435939	66.1	10.569	-5.3%
SPRSPO-15-S-20260217	B48128	2.37	0.629	23.6	25.6	0.494	20134	0.251	0.526	0.0667	0.140		F2601463.D	2026-03-04 22:57	1.167	10.661	179808	431666	66.1	10.563	-6.3%
SPRSPO-16-S-20260217	B42350	2.83	0.752	28.2	25.6	0.494	20134	0.251	0.526	0.0667	0.140		F2601464.D	2026-03-04 23:22	1.167	10.661	215567	432808	66.1	10.569	-6.0%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260217	B18388	0.862	0.199	7.58	25.6	0.437	20124	0.284	0.618	0.0654	0.142		F2601445.D	2026-03-04 15:19	1.257	12.845	62745	434822	66.1	10.563	-5.6%
SPRSPO-1-D-20260217	C33422	0.958	0.221	8.44	25.6	0.437	20124	0.284	0.618	0.0654	0.142		F2601446.D	2026-03-04 15:45	1.257	12.845	69531	433176	66.1	10.563	-5.9%
SPRSPO-1-B-20260217	C67343	0.284	0.0654		25.6	0.437	20124	0.284	0.618	0.0654	0.142	ND	F2601444.D	2026-03-04 14:54	1.257	12.845	678	446577	66.1	10.563	-3.0%
SPRSPO-2-S-20260217	C00722	0.286	0.0658	2.51	25.6	0.437	20125	0.284	0.618	0.0654	0.142	J	F2601447.D	2026-03-04 16:10	1.257	12.845	20378	426023	66.1	10.563	-7.5%
SPRSPO-3-S-20260217	C69475	0.756	0.174	6.65	25.6	0.437	20126	0.284	0.618	0.0654	0.142		F2601448.D	2026-03-04 16:35	1.257	12.845	54352	429400	66.1	10.563	-6.8%
SPRSPO-4-S-20260217	C00590	0.284	0.0654		25.6	0.437	20127	0.284	0.618	0.0654	0.142	ND	F2601449.D	2026-03-04 17:01	1.257	12.845	19981	427560	66.1	10.563	-7.2%
SPRSPO-5-S-20260217	C69587	0.284	0.0654		25.6	0.437	20128	0.284	0.618	0.0654	0.142	ND	F2601450.D	2026-03-04 17:26	1.257	12.845	17286	436408	66.1	10.569	-5.2%
SPRSPO-6-S-20260217	C55495	0.284	0.0654		25.6	0.437	20129	0.284	0.618	0.0654	0.142	ND	F2601451.D	2026-03-04 17:52	1.257	12.845	13765	440059	66.1	10.563	-4.4%
SPRSPO-7-S-20260217	C67365	0.284	0.0654		25.6	0.437	20130	0.284	0.618	0.0654	0.142	ND	F2601452.D	2026-03-04 18:18	1.257	12.845	14151	432566	66.1	10.563	-6.1%
SPRSPO-8-S-20260217	C69495	0.284	0.0654		25.6	0.437	20131	0.284	0.618	0.0654	0.142	ND	F2601453.D	2026-03-04 18:43	1.257	12.845	13299	431572	66.1	10.563	-6.3%
SPRSPO-9-S-20260217	C34122	0.284	0.0654		25.6	0.437	20132	0.284	0.618	0.0654	0.142	ND	F2601455.D	2026-03-04 19:34	1.257	12.845	15797	431041	66.1	10.563	-6.4%
SPRSPO-10-S-20260217	B48137	0.284	0.0654		25.6	0.437	20133	0.284	0.618	0.0654	0.142	ND	F2601456.D	2026-03-04 19:59	1.257	12.845	13343	424155	66.1	10.563	-7.9%
SPRSPO-11-S-20260217	C33518	0.284	0.0654		25.6	0.437	20134	0.284	0.618	0.0654	0.142	ND	F2601457.D	2026-03-04 20:24	1.257	12.845	15248	434410	66.1	10.563	-5.7%
SPRSPO-12-S-20260217	C70556	0.386	0.0891	3.40	25.6	0.437	20134	0.284	0.618	0.0654	0.142	J	F2601458.D	2026-03-04 20:50	1.257	12.845	27595	426134	66.1	10.563	-7.5%
SPRSPO-13-S-20260217	C68605	0.337	0.0777	2.97	25.6	0.437	20134	0.284	0.618	0.0654	0.142	J	F2601459.D	2026-03-04 21:15	1.257	12.845	23856	422411	66.1	10.563	-8.3%
SPRSPO-13-D-20260217	C67283	0.354	0.0815	3.11	25.6	0.437	20134	0.284	0.618	0.0654	0.142	J	F2601460.D	2026-03-04 21:40	1.257	12.845	25323	427405	66.1	10.569	-7.2%
SPRSPO-13-B-20260217	C69580	0.284	0.0654		25.6	0.437	20134	0.284	0.618	0.0654	0.142	ND	F2601461.D	2026-03-04 22:06	1.257	12.851	1301	424694	66.1	10.563	-7.8%
SPRSPO-14-S-20260217	C70834	0.377	0.0869	3.32	25.6	0.437	20134	0.284	0.618	0.0654	0.142	J	F2601462.D	2026-03-04 22:32	1.257	12.845	27550	435939	66.1	10.569	-5.3%
SPRSPO-15-S-20260217	B48128	0.407	0.0937	3.58	25.6	0.437	20134	0.284	0.618	0.0654	0.142	J	F2601463.D	2026-03-04 22:57	1.257	12.845	29405	431666	66.1	10.563	-6.3%
SPRSPO-16-S-20260217	B42350	0.509	0.117	4.49	25.6	0.437	20134	0.284	0.618	0.0654	0.142	J	F2601464.D	2026-03-04 23:22	1.257	12.845	36931	432808	66.1	10.569	-6.0%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260217	B18388	2.84	0.654	25.0	25.6	0.437	20124	0.284	0.693	0.0654	0.160		F2601445.D	2026-03-04 15:19	0.945	13.022	155391	434822	66.1	10.563	-5.6%
SPRSPO-1-D-20260217	C33422	3.19	0.734	28.1	25.6	0.437	20124	0.284	0.693	0.0654	0.160		F2601446.D	2026-03-04 15:45	0.945	13.022	173899	433176	66.1	10.563	-5.9%
SPRSPO-1-B-20260217	C67343	0.284	0.0654		25.6	0.437	20124	0.284	0.693	0.0654	0.160	ND	F2601444.D	2026-03-04 14:54	0.945	13.022	939	446577	66.1	10.563	-3.0%
SPRSPO-2-S-20260217	C00722	0.875	0.202	7.70	25.6	0.437	20125	0.284	0.693	0.0654	0.160		F2601447.D	2026-03-04 16:10	0.945	13.022	46969	426023	66.1	10.563	-7.5%
SPRSPO-3-S-20260217	C69475	2.22	0.512	19.6	25.6	0.437	20126	0.284	0.693	0.0654	0.160		F2601448.D	2026-03-04 16:35	0.945	13.022	120266	429400	66.1	10.563	-6.8%
SPRSPO-4-S-20260217	C00590	0.728	0.168	6.41	25.6	0.437	20127	0.284	0.693	0.0654	0.160		F2601449.D	2026-03-04 17:01	0.945	13.022	39206	427560	66.1	10.563	-7.2%
SPRSPO-5-S-20260217	C69587	0.667	0.154	5.88	25.6	0.437	20128	0.284	0.693	0.0654	0.160	J	F2601450.D	2026-03-04 17:26	0.945	13.022	36692	436408	66.1	10.569	-5.2%
SPRSPO-6-S-20260217	C55495	0.502	0.116	4.42	25.6	0.437	20129	0.284	0.693	0.0654	0.160	J	F2601451.D	2026-03-04 17:52	0.945	13.022	27853	440059	66.1	10.563	-4.4%
SPRSPO-7-S-20260217	C67365	0.609	0.140	5.37	25.6	0.437	20130	0.284	0.693	0.0654	0.160	J	F2601452.D	2026-03-04 18:18	0.945	13.022	33217	432566	66.1	10.563	-6.1%
SPRSPO-8-S-20260217	C69495	0.600	0.138	5.29	25.6	0.437	20131	0.284	0.693	0.0654	0.160	J	F2601453.D	2026-03-04 18:43	0.945	13.022	32645	431572	66.1	10.563	-6.3%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA105-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj Date/Time	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20260217	C34122	0.645	0.149	5.68	25.6	0.437	20132	0.284	0.693	0.0654	0.160	J	F2601455.D	2026-03-04 19:34	0.945	13.022	35045	431041	66.1	10.563	-6.4%
SPRSPO-10-S-20260217	B48137	0.504	0.116	4.44	25.6	0.437	20133	0.284	0.693	0.0654	0.160	J	F2601456.D	2026-03-04 19:59	0.945	13.022	26936	424155	66.1	10.563	-7.9%
SPRSPO-11-S-20260217	C33518	0.576	0.133	5.08	25.6	0.437	20134	0.284	0.693	0.0654	0.160	J	F2601457.D	2026-03-04 20:24	0.945	13.022	31558	434410	66.1	10.563	-5.7%
SPRSPO-12-S-20260217	C70556	1.20	0.278	10.6	25.6	0.437	20134	0.284	0.693	0.0654	0.160		F2601458.D	2026-03-04 20:50	0.945	13.022	64698	426134	66.1	10.563	-7.5%
SPRSPO-13-S-20260217	C68605	1.07	0.246	9.42	25.6	0.437	20134	0.284	0.693	0.0654	0.160		F2601459.D	2026-03-04 21:15	0.945	13.022	56917	422411	66.1	10.563	-8.3%
SPRSPO-13-D-20260217	C67283	1.14	0.262	10.0	25.6	0.437	20134	0.284	0.693	0.0654	0.160		F2601460.D	2026-03-04 21:40	0.945	13.022	61282	427405	66.1	10.569	-7.2%
SPRSPO-13-B-20260217	C69580	0.284	0.0654		25.6	0.437	20134	0.284	0.693	0.0654	0.160	ND	F2601461.D	2026-03-04 22:06	0.945	13.028	731	424694	66.1	10.563	-7.8%
SPRSPO-14-S-20260217	C70834	1.20	0.276	10.5	25.6	0.437	20134	0.284	0.693	0.0654	0.160		F2601462.D	2026-03-04 22:32	0.945	13.022	65685	435939	66.1	10.569	-5.3%
SPRSPO-15-S-20260217	B48128	1.12	0.259	9.91	25.6	0.437	20134	0.284	0.693	0.0654	0.160		F2601463.D	2026-03-04 22:57	0.945	13.022	61203	431666	66.1	10.563	-6.3%
SPRSPO-16-S-20260217	B42350	1.46	0.336	12.8	25.6	0.437	20134	0.284	0.693	0.0654	0.160		F2601464.D	2026-03-04 23:22	0.945	13.022	79422	432808	66.1	10.569	-6.0%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj Date/Time	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260217	B18388	0.891	0.205	7.84	25.6	0.437	20124	0.284	0.644	0.0654	0.149		F2601445.D	2026-03-04 15:19	0.996	13.524	51428	434822	66.1	10.563	-5.6%
SPRSPO-1-D-20260217	C33422	0.988	0.228	8.70	25.6	0.437	20124	0.284	0.644	0.0654	0.149		F2601446.D	2026-03-04 15:45	0.996	13.524	56821	433176	66.1	10.563	-5.9%
SPRSPO-1-B-20260217	C67343	0.284	0.0654		25.6	0.437	20124	0.284	0.644	0.0654	0.149	ND	F2601444.D	2026-03-04 14:54	0.996	13.524	462	446577	66.1	10.563	-3.0%
SPRSPO-2-S-20260217	C00722	0.326	0.0751	2.87	25.6	0.437	20125	0.284	0.644	0.0654	0.149	J	F2601447.D	2026-03-04 16:10	0.996	13.524	18437	426023	66.1	10.563	-7.5%
SPRSPO-3-S-20260217	C69475	0.808	0.186	7.11	25.6	0.437	20126	0.284	0.644	0.0654	0.148		F2601448.D	2026-03-04 16:35	0.996	13.524	46064	429400	66.1	10.563	-6.8%
SPRSPO-4-S-20260217	C00590	0.284	0.0654		25.6	0.437	20127	0.284	0.644	0.0654	0.148	ND	F2601449.D	2026-03-04 17:01	0.996	13.524	16095	427560	66.1	10.563	-7.2%
SPRSPO-5-S-20260217	C69587	0.284	0.0654		25.6	0.437	20128	0.284	0.644	0.0654	0.148	ND	F2601450.D	2026-03-04 17:26	0.996	13.524	14250	436408	66.1	10.569	-5.2%
SPRSPO-6-S-20260217	C55495	0.284	0.0654		25.6	0.437	20129	0.284	0.644	0.0654	0.148	ND	F2601451.D	2026-03-04 17:52	0.996	13.524	11303	440059	66.1	10.563	-4.4%
SPRSPO-7-S-20260217	C67365	0.284	0.0654		25.6	0.437	20130	0.284	0.644	0.0654	0.148	ND	F2601452.D	2026-03-04 18:18	0.996	13.524	13672	432566	66.1	10.563	-6.1%
SPRSPO-8-S-20260217	C69495	0.284	0.0654		25.6	0.437	20131	0.284	0.644	0.0654	0.148	ND	F2601453.D	2026-03-04 18:43	0.996	13.524	12101	431572	66.1	10.563	-6.3%
SPRSPO-9-S-20260217	C34122	0.284	0.0654		25.6	0.437	20132	0.284	0.644	0.0654	0.148	ND	F2601455.D	2026-03-04 19:34	0.996	13.524	13930	431041	66.1	10.563	-6.4%
SPRSPO-10-S-20260217	B48137	0.284	0.0654		25.6	0.437	20133	0.284	0.644	0.0654	0.148	ND	F2601456.D	2026-03-04 19:59	0.996	13.524	10940	424155	66.1	10.563	-7.9%
SPRSPO-11-S-20260217	C33518	0.284	0.0654		25.6	0.437	20134	0.284	0.644	0.0654	0.148	ND	F2601457.D	2026-03-04 20:24	0.996	13.524	12587	434410	66.1	10.563	-5.7%
SPRSPO-12-S-20260217	C70556	0.440	0.101	3.87	25.6	0.437	20134	0.284	0.644	0.0654	0.148	J	F2601458.D	2026-03-04 20:50	0.996	13.524	24898	426134	66.1	10.563	-7.5%
SPRSPO-13-S-20260217	C68605	0.403	0.0928	3.54	25.6	0.437	20134	0.284	0.644	0.0654	0.148	J	F2601459.D	2026-03-04 21:15	0.996	13.524	22584	422411	66.1	10.563	-8.3%
SPRSPO-13-D-20260217	C67283	0.428	0.0986	3.77	25.6	0.437	20134	0.284	0.644	0.0654	0.148	J	F2601460.D	2026-03-04 21:40	0.996	13.524	24278	427405	66.1	10.569	-7.2%
SPRSPO-13-B-20260217	C69580	0.284	0.0654		25.6	0.437	20134	0.284	0.644	0.0654	0.148	ND	F2601461.D	2026-03-04 22:06	0.996	13.530	399	424694	66.1	10.563	-7.8%
SPRSPO-14-S-20260217	C70834	0.452	0.104	3.98	25.6	0.437	20134	0.284	0.644	0.0654	0.148	J	F2601462.D	2026-03-04 22:32	0.996	13.524	26147	435939	66.1	10.569	-5.3%
SPRSPO-15-S-20260217	B48128	0.413	0.0951	3.64	25.6	0.437	20134	0.284	0.644	0.0654	0.148	J	F2601463.D	2026-03-04 22:57	0.996	13.524	23672	431666	66.1	10.563	-6.3%
SPRSPO-16-S-20260217	B42350	0.541	0.125	4.76	25.6	0.437	20134	0.284	0.644	0.0654	0.148	J	F2601464.D	2026-03-04 23:22	0.996	13.524	31077	432808	66.1	10.569	-6.0%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA105-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20260217	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20260217	ND	Pass	0.328	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20260217	6.1%	Pass	1.7%	Pass	11%	Pass	12%	Pass	10%	Pass
	SPRSPO-13-D-20260217	4.4%	Pass	5.5%	Pass	4.8%	Pass	6.2%	Pass	6.1%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA105-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2601442.D	C56817	Cal	0.957	0.904	0.957	5.9%	-22%		Pass	
2026GA105 Method Blank 1	F2601443.D	C43384	Blank		0.904	0.957			-1.4%	Pass	ND
M325B CCV 5	F2601454.D	C55771	Check	0.953	0.904	0.957	5.5%		-5.2%	Pass	
M325B CCV 5	F2601465.D	C57419	Check	0.958	0.904	0.957	6.0%		-5.3%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2601442.D	C56817	Cal	1.167	1.091	1.167	6.9%	-26%		Pass	
2026GA105 Method Blank 1	F2601443.D	C43384	Blank		1.091	1.167			-2.8%	Pass	ND
M325B CCV 5	F2601454.D	C55771	Check	1.138	1.091	1.167	4.3%		-4.5%	Pass	
M325B CCV 5	F2601465.D	C57419	Check	1.232	1.091	1.167	13%		-6.9%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2601442.D	C56817	Cal	1.257	1.150	1.257	9.3%	-26%		Pass	
2026GA105 Method Blank 1	F2601443.D	C43384	Blank		1.150	1.257			-2.8%	Pass	ND
M325B CCV 5	F2601454.D	C55771	Check	1.189	1.150	1.257	3.4%		-4.5%	Pass	
M325B CCV 5	F2601465.D	C57419	Check	1.314	1.150	1.257	14%		-6.9%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2601442.D	C56817	Cal	0.945	0.940	0.945	0.61%	-26%		Pass	
2026GA105 Method Blank 1	F2601443.D	C43384	Blank		0.940	0.945			-2.8%	Pass	ND
M325B CCV 5	F2601454.D	C55771	Check	0.922	0.940	0.945	-1.9%		-4.5%	Pass	
M325B CCV 5	F2601465.D	C57419	Check	1.014	0.940	0.945	7.9%		-6.9%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2601442.D	C56817	Cal	0.996	0.944	0.996	5.6%	-26%		Pass	
2026GA105 Method Blank 1	F2601443.D	C43384	Blank		0.944	0.996			-2.8%	Pass	ND
M325B CCV 5	F2601454.D	C55771	Check	0.974	0.944	0.996	3.3%		-4.5%	Pass	
M325B CCV 5	F2601465.D	C57419	Check	1.072	0.944	0.996	14%		-6.9%	Pass	

Chromatograms



Name 2026GA105 Method Blank 1
Comment C43384
Data File F2601443.D
Acq. Date-Time 3/4/2026 2:29:05 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	415,132	
Benzene	benzene-d6 (IS)	7.932	7.945	3,989	
Toluene-d8 (IS)		10.563	10.569	447,729	
Toluene	Toluene-d8 (IS)	10.661	10.667	17,232	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	800	
m-/p-Xylenes	Toluene-d8 (IS)	13.041	13.028	776	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	452	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601443.D




+ Scan (10.514-10.630 min, 20 scans) F2601443.D

**Toluene**


+ EIC (91.1) Scan F2601443.D




+ Scan (10.618-10.696 min, 13 scans) F2601443.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601443.D




+ Scan (12.820-12.867 min, 8 scans) F2601443.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601443.D




+ Scan (12.995-13.070 min, 12 scans) F2601443.D




o-Xylene

+ EIC (91.1) Scan F2601443.D




+ Scan (13.497-13.552 min, 9 scans) F2601443.D





Name SPRSPO-1-B-20260217
Comment C67343
Data File F2601444.D
Acq. Date-Time 3/4/2026 2:54:21 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	407,147	
Benzene	benzene-d6 (IS)	7.939	7.945	4,526	
Toluene-d8 (IS)		10.563	10.569	446,577	
Toluene	Toluene-d8 (IS)	10.655	10.667	17,879	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	678	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	939	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	462	m

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601444.D




+ Scan (10.514-10.636 min, 21 scans) F2601444.D

**Toluene**


+ EIC (91.1) Scan F2601444.D




+ Scan (10.618-10.703 min, 14 scans) F2601444.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601444.D




+ Scan (12.827-12.870 min, 8 scans) F2601444.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601444.D




+ Scan (13.002-13.061 min, 10 scans) F2601444.D




o-Xylene

+ EIC (91.1) Scan F2601444.D




+ Scan (13.506-13.552 min, 8 scans) F2601444.D





Name SPRSPO-1-S-20260217
Comment B18388
Data File F2601445.D
Acq. Date-Time 3/4/2026 3:19:40 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	397,586	
Benzene	benzene-d6 (IS)	7.938	7.945	83,851	
Toluene-d8 (IS)		10.563	10.569	434,822	
Toluene	Toluene-d8 (IS)	10.661	10.667	247,251	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	62,745	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	155,391	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	51,428	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601445.D




+ Scan (10.520-10.679 min, 27 scans) F2601445.D

**Toluene**


+ EIC (91.1) Scan F2601445.D




+ Scan (10.618-10.734 min, 20 scans) F2601445.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601445.D




+ Scan (12.810-12.912 min, 17 scans) F2601445.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601445.D




+ Scan (12.981-13.114 min, 22 scans) F2601445.D




o-Xylene

+ EIC (91.1) Scan F2601445.D




+ Scan (13.481-13.597 min, 19 scans) F2601445.D





Name SPRSPO-1-D-20260217
Comment C33422
Data File F2601446.D
Acq. Date-Time 3/4/2026 3:45:02 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	399,672	
Benzene	benzene-d6 (IS)	7.938	7.945	79,286	
Toluene-d8 (IS)		10.563	10.569	433,176	
Toluene	Toluene-d8 (IS)	10.661	10.667	242,223	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	69,531	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	173,899	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	56,821	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601446.D




+ Scan (10.520-10.642 min, 21 scans) F2601446.D

**Toluene**


+ EIC (91.1) Scan F2601446.D




+ Scan (10.612-10.734 min, 21 scans) F2601446.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601446.D




+ Scan (12.804-12.893 min, 14 scans) F2601446.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601446.D




+ Scan (12.978-13.120 min, 24 scans) F2601446.D




o-Xylene

+ EIC (91.1) Scan F2601446.D




+ Scan (13.489-13.591 min, 17 scans) F2601446.D





Name SPRSPO-2-S-20260217
Comment C00722
Data File F2601447.D
Acq. Date-Time 3/4/2026 4:10:27 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	394,840	
Benzene	benzene-d6 (IS)	7.938	7.945	66,852	
Toluene-d8 (IS)		10.563	10.569	426,023	
Toluene	Toluene-d8 (IS)	10.661	10.667	198,379	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	20,378	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	46,969	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	18,437	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601447.D




+ Scan (10.520-10.679 min, 27 scans) F2601447.D

**Toluene**


+ EIC (91.1) Scan F2601447.D




+ Scan (10.618-10.728 min, 19 scans) F2601447.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601447.D




+ Scan (12.810-12.884 min, 12 scans) F2601447.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601447.D




+ Scan (12.981-13.096 min, 19 scans) F2601447.D




o-Xylene

+ EIC (91.1) Scan F2601447.D




+ Scan (13.487-13.585 min, 16 scans) F2601447.D





Name SPRSPO-3-S-20260217
Comment C69475
Data File F2601448.D
Acq. Date-Time 3/4/2026 4:35:47 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	395,683	
Benzene	benzene-d6 (IS)	7.938	7.945	76,024	
Toluene-d8 (IS)		10.563	10.569	429,400	
Toluene	Toluene-d8 (IS)	10.661	10.667	370,280	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	54,352	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	120,266	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	46,064	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601448.D




+ Scan (10.520-10.630 min, 19 scans) F2601448.D

**Toluene**


+ EIC (91.1) Scan F2601448.D




+ Scan (10.612-10.728 min, 20 scans) F2601448.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601448.D




+ Scan (12.804-12.882 min, 12 scans) F2601448.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601448.D




+ Scan (12.980-13.096 min, 20 scans) F2601448.D




o-Xylene

+ EIC (91.1) Scan F2601448.D




+ Scan (13.488-13.570 min, 13 scans) F2601448.D




Name SPRSPO-4-S-20260217
Comment C00590
Data File F2601449.D
Acq. Date-Time 3/4/2026 5:01:03 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	398,982	
Benzene	benzene-d6 (IS)	7.939	7.945	63,295	
Toluene-d8 (IS)		10.563	10.569	427,560	
Toluene	Toluene-d8 (IS)	10.661	10.667	165,636	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	19,981	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	39,206	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	16,095	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601449.D




+ Scan (10.520-10.667 min, 24 scans) F2601449.D

**Toluene**


+ EIC (91.1) Scan F2601449.D




+ Scan (10.618-10.728 min, 19 scans) F2601449.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601449.D




+ Scan (12.808-12.879 min, 12 scans) F2601449.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601449.D




+ Scan (12.980-13.082 min, 17 scans) F2601449.D




o-Xylene

+ EIC (91.1) Scan F2601449.D




+ Scan (13.490-13.572 min, 13 scans) F2601449.D





Name SPRSPO-5-S-20260217
Comment C69587
Data File F2601450.D
Acq. Date-Time 3/4/2026 5:26:23 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	402,278	
Benzene	benzene-d6 (IS)	7.939	7.945	64,635	
Toluene-d8 (IS)		10.569	10.569	436,408	
Toluene	Toluene-d8 (IS)	10.661	10.667	187,703	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	17,286	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	36,692	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	14,250	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601450.D




+ Scan (10.520-10.643 min, 21 scans) F2601450.D

**Toluene**


+ EIC (91.1) Scan F2601450.D




+ Scan (10.618-10.770 min, 25 scans) F2601450.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601450.D




+ Scan (12.808-12.884 min, 13 scans) F2601450.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601450.D




+ Scan (12.983-13.090 min, 17 scans) F2601450.D




o-Xylene

+ EIC (91.1) Scan F2601450.D




+ Scan (13.488-13.576 min, 14 scans) F2601450.D





Name SPRSPO-6-S-20260217
Comment C55495
Data File F2601451.D
Acq. Date-Time 3/4/2026 5:52:35 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	405,962	
Benzene	benzene-d6 (IS)	7.938	7.945	56,317	
Toluene-d8 (IS)		10.563	10.569	440,059	
Toluene	Toluene-d8 (IS)	10.661	10.667	154,893	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	13,765	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	27,853	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	11,303	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601451.D




+ Scan (10.520-10.660 min, 23 scans) F2601451.D

**Toluene**


+ EIC (91.1) Scan F2601451.D




+ Scan (10.618-10.722 min, 18 scans) F2601451.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601451.D




+ Scan (12.808-12.883 min, 13 scans) F2601451.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601451.D




+ Scan (12.986-13.077 min, 14 scans) F2601451.D




o-Xylene

+ EIC (91.1) Scan F2601451.D




+ Scan (13.495-13.571 min, 12 scans) F2601451.D





Name SPRSPO-7-S-20260217
Comment C67365
Data File F2601452.D
Acq. Date-Time 3/4/2026 6:18:00 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	395,694	
Benzene	benzene-d6 (IS)	7.938	7.945	54,112	
Toluene-d8 (IS)		10.563	10.569	432,566	
Toluene	Toluene-d8 (IS)	10.661	10.667	129,856	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	14,151	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	33,217	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	13,672	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601452.D




+ Scan (10.520-10.679 min, 27 scans) F2601452.D

**Toluene**


+ EIC (91.1) Scan F2601452.D




+ Scan (10.614-10.740 min, 21 scans) F2601452.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601452.D




+ Scan (12.806-12.886 min, 13 scans) F2601452.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601452.D




+ Scan (12.979-13.102 min, 21 scans) F2601452.D




o-Xylene

+ EIC (91.1) Scan F2601452.D




+ Scan (13.491-13.585 min, 15 scans) F2601452.D





Name SPRSPO-8-S-20260217
Comment C69495
Data File F2601453.D
Acq. Date-Time 3/4/2026 6:43:23 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	399,879	
Benzene	benzene-d6 (IS)	7.938	7.945	46,931	
Toluene-d8 (IS)		10.563	10.569	431,572	
Toluene	Toluene-d8 (IS)	10.661	10.667	71,493	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	13,299	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	32,645	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	12,101	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601453.D




+ Scan (10.520-10.673 min, 26 scans) F2601453.D

**Toluene**


+ EIC (91.1) Scan F2601453.D




+ Scan (10.624-10.714 min, 15 scans) F2601453.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601453.D




+ Scan (12.808-12.888 min, 14 scans) F2601453.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601453.D




+ Scan (12.989-13.083 min, 15 scans) F2601453.D




o-Xylene

+ EIC (91.1) Scan F2601453.D




+ Scan (13.495-13.561 min, 11 scans) F2601453.D





Name SPRSPO-9-S-20260217
Comment C34122
Data File F2601455.D
Acq. Date-Time 3/4/2026 7:34:05 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	397,845	
Benzene	benzene-d6 (IS)	7.939	7.945	53,745	
Toluene-d8 (IS)		10.563	10.569	431,041	
Toluene	Toluene-d8 (IS)	10.661	10.667	101,427	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	15,797	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	35,045	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	13,930	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601455.D




+ Scan (10.520-10.673 min, 26 scans) F2601455.D

**Toluene**


+ EIC (91.1) Scan F2601455.D




+ Scan (10.624-10.716 min, 16 scans) F2601455.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601455.D




+ Scan (12.802-12.882 min, 13 scans) F2601455.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601455.D




+ Scan (12.987-13.117 min, 21 scans) F2601455.D




o-Xylene

+ EIC (91.1) Scan F2601455.D




+ Scan (13.495-13.583 min, 14 scans) F2601455.D




Name SPRSPO-10-S-20260217
Comment B48137
Data File F2601456.D
Acq. Date-Time 3/4/2026 7:59:22 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	389,469	
Benzene	benzene-d6 (IS)	7.938	7.945	56,858	
Toluene-d8 (IS)		10.563	10.569	424,155	
Toluene	Toluene-d8 (IS)	10.661	10.667	100,281	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	13,343	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	26,936	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	10,940	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601456.D




+ Scan (10.520-10.679 min, 27 scans) F2601456.D

**Toluene**


+ EIC (91.1) Scan F2601456.D




+ Scan (10.624-10.728 min, 17 scans) F2601456.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601456.D




+ Scan (12.814-12.880 min, 10 scans) F2601456.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601456.D




+ Scan (12.987-13.108 min, 20 scans) F2601456.D




o-Xylene

+ EIC (91.1) Scan F2601456.D




+ Scan (13.494-13.577 min, 13 scans) F2601456.D





Name SPRSPO-11-S-20260217
Comment C33518
Data File F2601457.D
Acq. Date-Time 3/4/2026 8:24:44 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	399,291	
Benzene	benzene-d6 (IS)	7.938	7.945	53,175	
Toluene-d8 (IS)		10.563	10.569	434,410	
Toluene	Toluene-d8 (IS)	10.661	10.667	99,485	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	15,248	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	31,558	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	12,587	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601457.D




+ Scan (10.520-10.667 min, 25 scans) F2601457.D

**Toluene**


+ EIC (91.1) Scan F2601457.D




+ Scan (10.618-10.728 min, 19 scans) F2601457.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601457.D




+ Scan (12.808-12.887 min, 13 scans) F2601457.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601457.D




+ Scan (12.987-13.100 min, 18 scans) F2601457.D




o-Xylene

+ EIC (91.1) Scan F2601457.D




+ Scan (13.487-13.569 min, 14 scans) F2601457.D





Name SPRSPO-12-S-20260217
Comment C70556
Data File F2601458.D
Acq. Date-Time 3/4/2026 8:50:05 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	393,393	
Benzene	benzene-d6 (IS)	7.938	7.945	69,723	
Toluene-d8 (IS)		10.563	10.569	426,134	
Toluene	Toluene-d8 (IS)	10.661	10.667	166,940	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	27,595	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	64,698	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	24,898	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601458.D




+ Scan (10.520-10.679 min, 27 scans) F2601458.D

**Toluene**


+ EIC (91.1) Scan F2601458.D




+ Scan (10.618-10.728 min, 19 scans) F2601458.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601458.D




+ Scan (12.808-12.892 min, 14 scans) F2601458.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601458.D




+ Scan (12.980-13.126 min, 23 scans) F2601458.D




o-Xylene

+ EIC (91.1) Scan F2601458.D




+ Scan (13.489-13.585 min, 16 scans) F2601458.D




Name SPRSPO-13-S-20260217
Comment C68605
Data File F2601459.D
Acq. Date-Time 3/4/2026 9:15:26 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	385,142	
Benzene	benzene-d6 (IS)	7.939	7.945	65,447	
Toluene-d8 (IS)		10.563	10.569	422,411	
Toluene	Toluene-d8 (IS)	10.661	10.667	151,850	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	23,856	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	56,917	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	22,584	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601459.D




+ Scan (10.520-10.624 min, 18 scans) F2601459.D

**Toluene**


+ EIC (91.1) Scan F2601459.D




+ Scan (10.613-10.734 min, 20 scans) F2601459.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601459.D




+ Scan (12.810-12.886 min, 12 scans) F2601459.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601459.D




+ Scan (12.985-13.094 min, 18 scans) F2601459.D




o-Xylene

+ EIC (91.1) Scan F2601459.D




+ Scan (13.494-13.566 min, 12 scans) F2601459.D





Name SPRSPO-13-D-20260217
Comment C67283
Data File F2601460.D
Acq. Date-Time 3/4/2026 9:40:47 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	396,474	
Benzene	benzene-d6 (IS)	7.938	7.945	64,484	
Toluene-d8 (IS)		10.569	10.569	427,405	
Toluene	Toluene-d8 (IS)	10.661	10.667	145,418	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	25,323	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	61,282	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	24,278	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601460.D




+ Scan (10.520-10.642 min, 21 scans) F2601460.D

**Toluene**


+ EIC (91.1) Scan F2601460.D




+ Scan (10.618-10.753 min, 23 scans) F2601460.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601460.D




+ Scan (12.808-12.890 min, 14 scans) F2601460.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601460.D




+ Scan (12.982-13.105 min, 20 scans) F2601460.D




o-Xylene

+ EIC (91.1) Scan F2601460.D




+ Scan (13.481-13.591 min, 18 scans) F2601460.D





Name SPRSPO-13-B-20260217
Comment C69580
Data File F2601461.D
Acq. Date-Time 3/4/2026 10:06:56 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	394,442	
Benzene	benzene-d6 (IS)	7.932	7.945	3,986	
Toluene-d8 (IS)		10.563	10.569	424,694	
Toluene	Toluene-d8 (IS)	10.661	10.667	24,494	
Ethylbenzene	Toluene-d8 (IS)	12.851	12.851	1,301	
m-/p-Xylenes	Toluene-d8 (IS)	13.028	13.028	731	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	399	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601461.D




+ Scan (10.520-10.667 min, 25 scans) F2601461.D

**Toluene**


+ EIC (91.1) Scan F2601461.D




+ Scan (10.624-10.703 min, 13 scans) F2601461.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601461.D




+ Scan (12.817-12.881 min, 11 scans) F2601461.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601461.D




+ Scan (13.000-13.059 min, 9 scans) F2601461.D




o-Xylene

+ EIC (91.1) Scan F2601461.D




+ Scan (13.497-13.562 min, 11 scans) F2601461.D





Name SPRSPO-14-S-20260217
Comment C70834
Data File F2601462.D
Acq. Date-Time 3/4/2026 10:32:14 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	397,413	
Benzene	benzene-d6 (IS)	7.938	7.945	75,868	
Toluene-d8 (IS)		10.569	10.569	435,939	
Toluene	Toluene-d8 (IS)	10.661	10.667	168,492	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	27,550	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	65,685	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	26,147	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601462.D




+ Scan (10.520-10.636 min, 20 scans) F2601462.D

**Toluene**


+ EIC (91.1) Scan F2601462.D




+ Scan (10.618-10.764 min, 24 scans) F2601462.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601462.D




+ Scan (12.814-12.889 min, 13 scans) F2601462.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601462.D




+ Scan (12.986-13.102 min, 19 scans) F2601462.D




o-Xylene

+ EIC (91.1) Scan F2601462.D




+ Scan (13.494-13.585 min, 15 scans) F2601462.D





Name SPRSPO-15-S-20260217
Comment B48128
Data File F2601463.D
Acq. Date-Time 3/4/2026 10:57:38 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	392,941	
Benzene	benzene-d6 (IS)	7.938	7.945	78,272	
Toluene-d8 (IS)		10.563	10.569	431,666	
Toluene	Toluene-d8 (IS)	10.661	10.667	179,808	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	29,405	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	61,203	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	23,672	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601463.D




+ Scan (10.520-10.661 min, 24 scans) F2601463.D

**Toluene**


+ EIC (91.1) Scan F2601463.D




+ Scan (10.618-10.722 min, 18 scans) F2601463.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601463.D




+ Scan (12.810-12.895 min, 14 scans) F2601463.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601463.D




+ Scan (12.992-13.101 min, 17 scans) F2601463.D




o-Xylene

+ EIC (91.1) Scan F2601463.D




+ Scan (13.487-13.588 min, 16 scans) F2601463.D





Name SPRSPO-16-S-20260217
Comment B42350
Data File F2601464.D
Acq. Date-Time 3/4/2026 11:22:53 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.883	7.889	397,209	
Benzene	benzene-d6 (IS)	7.938	7.945	79,387	
Toluene-d8 (IS)		10.569	10.569	432,808	
Toluene	Toluene-d8 (IS)	10.661	10.667	215,567	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	36,931	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	79,422	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	31,077	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601464.D




+ Scan (10.514-10.642 min, 22 scans) F2601464.D

**Toluene**


+ EIC (91.1) Scan F2601464.D




+ Scan (10.618-10.734 min, 20 scans) F2601464.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601464.D




+ Scan (12.806-12.896 min, 15 scans) F2601464.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601464.D




+ Scan (12.983-13.119 min, 22 scans) F2601464.D




o-Xylene

+ EIC (91.1) Scan F2601464.D



+ Scan (13.493-13.570 min, 12 scans) F2601464.D



Initial Calibration



Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA105-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	1	F2508171.D	5.96	52606	56.3	529201	0.939	0.039
F121725A_CC185154	Benzene	2	F2508172.D	11.93	90306	56.3	525740	0.811	-0.1
F121725A_CC185154	Benzene	3	F2508173.D	23.85	205594	56.3	535697	0.906	0.0032
F121725A_CC185154	Benzene	4	F2508174.D	47.70	403557	56.3	539152	0.884	-0.022
F121725A_CC185154	Benzene	5	F2508175.D	119.26	1061108	56.3	547207	0.916	0.014
F121725A_CC185154	Benzene	6	F2508176.D	238.51	2220768	56.3	544872	0.963	0.065
F121725A_CC185154	Benzene	7	F2508177.D	715.53	6456657	56.3	561348	0.906	0.0022
						Avg:	540460	0.904	
						%RSD:	2.2%	5.3%	
F121725A_CC185154	Toluene	1	F2508171.D	5.24	53241	66.1	606147	1.108	0.016
F121725A_CC185154	Toluene	2	F2508172.D	10.47	110436	66.1	616680	1.130	0.035
F121725A_CC185154	Toluene	3	F2508173.D	20.95	215705	66.1	622459	1.093	0.0017
F121725A_CC185154	Toluene	4	F2508174.D	41.90	427518	66.1	627442	1.074	-0.015
F121725A_CC185154	Toluene	5	F2508175.D	104.74	1078346	66.1	633720	1.073	-0.016
F121725A_CC185154	Toluene	6	F2508176.D	209.48	2208644	66.1	634907	1.097	0.0055
F121725A_CC185154	Toluene	7	F2508177.D	628.45	6371104	66.1	630656	1.062	-0.027
						Avg:	624573	1.091	
						%RSD:	1.7%	2.1%	
F121725A_CC185154	Ethylbenzene	1	F2508171.D	5.44	52701	66.1	606147	1.055	-0.083
F121725A_CC185154	Ethylbenzene	2	F2508172.D	10.89	103364	66.1	616680	1.017	-0.12
F121725A_CC185154	Ethylbenzene	3	F2508173.D	21.77	249010	66.1	622459	1.214	0.055
F121725A_CC185154	Ethylbenzene	4	F2508174.D	43.54	510214	66.1	627442	1.234	0.073
F121725A_CC185154	Ethylbenzene	5	F2508175.D	108.86	1213007	66.1	633720	1.162	0.0099
F121725A_CC185154	Ethylbenzene	6	F2508176.D	217.72	2518155	66.1	634907	1.204	0.046
F121725A_CC185154	Ethylbenzene	7	F2508177.D	653.16	7272682	66.1	630656	1.166	0.014
						Avg:	624573	1.150	
						%RSD:	1.7%	7.2%	
F121725A_CC185154	m-/p-Xylenes	1	F2508171.D	6.10	45227	66.1	606147	0.808	-0.14
F121725A_CC185154	m-/p-Xylenes	2	F2508172.D	12.20	93766	66.1	616680	0.823	-0.12
F121725A_CC185154	m-/p-Xylenes	3	F2508173.D	24.40	229774	66.1	622459	0.999	0.064
F121725A_CC185154	m-/p-Xylenes	4	F2508174.D	48.80	467094	66.1	627442	1.008	0.072
F121725A_CC185154	m-/p-Xylenes	5	F2508175.D	122.00	1082720	66.1	633720	0.925	-0.015
F121725A_CC185154	m-/p-Xylenes	6	F2508176.D	244.00	2328036	66.1	634907	0.993	0.056
F121725A_CC185154	m-/p-Xylenes	7	F2508177.D	732.01	7137741	66.1	630656	1.021	0.087
						Avg:	624573	0.940	
						%RSD:	1.7%	9.6%	
F121725A_CC185154	o-Xylene	1	F2508171.D	5.67	42268	66.1	606147	0.812	-0.14
F121725A_CC185154	o-Xylene	2	F2508172.D	11.35	85951	66.1	616680	0.812	-0.14
F121725A_CC185154	o-Xylene	3	F2508173.D	22.69	217910	66.1	622459	1.019	0.08

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA105-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	o-Xylene	4	F2508174.D	45.38	446025	66.1	627442	1.035	0.097
F121725A_CC185154	o-Xylene	5	F2508175.D	113.46	1032192	66.1	633720	0.948	0.0051
F121725A_CC185154	o-Xylene	6	F2508176.D	226.92	2179717	66.1	634907	1.000	0.059
F121725A_CC185154	o-Xylene	7	F2508177.D	680.75	6366952	66.1	630656	0.980	0.038
						Avg:	624573	0.944	
						%RSD:	1.7%	10.0%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	ICV	F2508178.D	443.46	3919944	56.3	563465	0.884	-2.2%
F121725A_CC185154	Toluene	ICV	F2508178.D	454.10	4554523	66.1	629158	1.053	-3.5%
F121725A_CC185154	Ethylbenzene	ICV	F2508178.D	448.99	4890504	66.1	629158	1.144	-0.6%
F121725A_CC185154	m-/p-Xylenes	ICV	F2508178.D	455.97	3870637	66.1	629158	0.891	-5.1%
F121725A_CC185154	o-Xylene	ICV	F2508178.D	456.85	3921714	66.1	629158	0.901	-4.5%

M325B PDF Report ver.20260203

Sample Custody

Site Name:	Sprague South Portland	Client Name:	Montrose Air Quality Services, LLC	PO#:	
Site Address:	39 Main Street	Project Number:	PROJ-027968	Sample Event #	2026GA105
City:	South Portland	Project Manager:	Sabarish Selvarajan	Sorbent:	Carbopak-X
State:	Maine	Email Address:	sabarishselvarajan@montrose-env.com		
Zip:	04106	Telephone #:	973-722-7895		

[illegible]

Relinquished By (printed):			Relinquished By (signature):			Relinquished Date:			Relinquished Time:		
Benjamin Curry			BC			3/3/2026			17:00		
Received By (printed):			Received By (signature):			Receipt Date:			Receipt Time:		
Susan Pience			<i>Susan Pience</i>			3/4/2026			10:50 AM		
Sample Condition Upon Receipt:			Compound List:			Custody Seal intact? Y/N:			Delivery tracking #		
Good			BTX			Y					
Ice Temp:		Blank Temp:		Fluke 3		Add Custody Seal # below:					
17.6						25E13302					
Comments:											

**This Is The Last Page
Of This Report.**

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 43 Sprague - South Portland

Client Project# PROJ-027968

Samples Received: 3/18/2026

Analytical Report 2026GA106

EPA Method 325B Analysis

Report Issue Date: 3/25/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matthew Cavanaugh, Project Manager



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative	3
Results	6
Summary of Results	7
Detailed Results	8
QC Data	11
Chromatograms	14
Initial Calibration	78
Sample Custody	81
Chain of Custody	82

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GA106-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Enthalpy Analytical on March 18, 2026 at 8.3 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20260303	C43585	Sample
SPRSPO-1-D-20260303	C39228	Duplicate
SPRSPO-1-B-20260303	B43902	Blank
SPRSPO-2-S-20260303	B53223	Sample
SPRSPO-3-S-20260303	C70037	Sample
SPRSPO-4-S-20260303	C27848	Sample
SPRSPO-5-S-20260303	C43590	Sample
SPRSPO-6-S-20260303	C71546	Sample
SPRSPO-7-S-20260303	C71484	Sample
SPRSPO-8-S-20260303	C61442	Sample
SPRSPO-9-S-20260303	C43543	Sample
SPRSPO-10-S-20260303	C34132	Sample
SPRSPO-11-S-20260303	C39121	Sample
SPRSPO-12-S-20260303	C17113	Sample
SPRSPO-13-S-20260303	C43341	Sample
SPRSPO-13-D-20260303	C17200	Duplicate
SPRSPO-13-B-20260303	C73569	Blank
SPRSPO-14-S-20260303	C36922	Sample
SPRSPO-15-S-20260303	C31388	Sample
SPRSPO-16-S-20260303	C70605	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GA106-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (F121725A_CC185154) met all 30% RSD criteria. The initial calibration verification met $\pm 30\%$ recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in $\mu\text{g}/\text{m}^3$ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA106-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20260303	C43585	0.909		2.49		0.829		2.38		0.749	
SPRSPO-1-D-20260303	C39228	0.899		2.43		0.774		2.31		0.720	
SPRSPO-1-B-20260303	B43902	0.192	ND	0.248	ND	0.280	ND	0.280	ND	0.280	ND
SPRSPO-2-S-20260303	B53223	0.754		1.73		0.352	J	0.914		0.331	J
SPRSPO-3-S-20260303	C70037	0.713		1.43		0.280	ND	0.793		0.300	J
SPRSPO-4-S-20260303	C27848	0.780		1.62		0.307	J	0.695		0.281	J
SPRSPO-5-S-20260303	C43590	0.727		1.98		0.385	J	1.16		0.427	J
SPRSPO-6-S-20260303	C71546	0.615		1.22		0.280	ND	0.428	J	0.280	ND
SPRSPO-7-S-20260303	C71484	0.582		1.32		0.280	ND	0.550	J	0.280	ND
SPRSPO-8-S-20260303	C61442	0.507		0.769		0.280	ND	0.553	J	0.280	ND
SPRSPO-9-S-20260303	C43543	0.578		1.06		0.280	ND	0.536	J	0.280	ND
SPRSPO-10-S-20260303	C34132	0.531		0.915		0.281	ND	0.448	J	0.281	ND
SPRSPO-11-S-20260303	C39121	0.561		0.923		0.281	ND	0.517	J	0.281	ND
SPRSPO-12-S-20260303	C17113	0.732		1.47		0.311	J	0.767		0.306	J
SPRSPO-13-S-20260303	C43341	0.779		2.04		0.385	J	1.07		0.403	J
SPRSPO-13-D-20260303	C17200	0.777		1.68		0.360	J	0.955		0.360	J
SPRSPO-13-B-20260303	C73569	0.193	ND	0.248	ND	0.281	ND	0.281	ND	0.281	ND
SPRSPO-14-S-20260303	C36922	0.833		2.05		0.457	J	1.24		0.476	J
SPRSPO-15-S-20260303	C31388	0.855		2.14		0.494	J	1.33		0.483	J
SPRSPO-16-S-20260303	C70605	0.863		2.10		0.454	J	1.47		0.539	J

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA106-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj Date/Time	CCV R/R	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260303	C43585	0.909	0.285	11.8	38.3	0.645	20126	0.192	0.459	0.0603	0.144		F2601889.D	2026-03-18 15:10	0.913	7.938	98852	516740	56.3	7.877	2.2%
SPRSPO-1-D-20260303	C39228	0.899	0.282	11.7	38.3	0.645	20126	0.192	0.459	0.0603	0.144		F2601890.D	2026-03-18 15:36	0.913	7.938	97046	512672	56.3	7.877	1.4%
SPRSPO-1-B-20260303	B43902	0.192	0.0603		38.3	0.645	20126	0.192	0.459	0.0603	0.144	ND	F2601888.D	2026-03-18 14:45	0.913	7.932	3827	503285	56.3	7.877	-0.5%
SPRSPO-2-S-20260303	B53223	0.754	0.236	9.80	38.3	0.645	20127	0.192	0.459	0.0603	0.144		F2601891.D	2026-03-18 16:01	0.913	7.938	82725	520945	56.3	7.877	3.0%
SPRSPO-3-S-20260303	C70037	0.713	0.223	9.27	38.3	0.645	20127	0.192	0.459	0.0603	0.144		F2601892.D	2026-03-18 16:27	0.913	7.938	77945	519102	56.3	7.877	2.6%
SPRSPO-4-S-20260303	C27848	0.780	0.244	10.1	38.3	0.645	20118	0.193	0.459	0.0603	0.144		F2601893.D	2026-03-18 16:52	0.913	7.938	85609	522018	56.3	7.877	3.2%
SPRSPO-5-S-20260303	C43590	0.727	0.228	9.44	38.3	0.645	20121	0.193	0.459	0.0603	0.144		F2601894.D	2026-03-18 17:17	0.913	7.938	81507	532707	56.3	7.877	5.3%
SPRSPO-6-S-20260303	C71546	0.615	0.193	7.98	38.3	0.645	20121	0.193	0.459	0.0603	0.144		F2601895.D	2026-03-18 17:44	0.913	7.938	69318	535950	56.3	7.877	6.0%
SPRSPO-7-S-20260303	C71484	0.582	0.182	7.55	38.3	0.645	20117	0.193	0.459	0.0603	0.144		F2601896.D	2026-03-18 18:09	0.913	7.938	66490	543337	56.3	7.877	7.4%
SPRSPO-8-S-20260303	C61442	0.507	0.159	6.58	38.3	0.645	20116	0.193	0.459	0.0603	0.144		F2601897.D	2026-03-18 18:34	0.913	7.938	58347	547265	56.3	7.877	8.2%
SPRSPO-9-S-20260303	C43543	0.578	0.181	7.50	38.3	0.645	20114	0.193	0.459	0.0603	0.144		F2601899.D	2026-03-18 19:25	0.913	7.938	68519	563470	56.3	7.877	11.4%
SPRSPO-10-S-20260303	C34132	0.531	0.166	6.90	38.3	0.645	20111	0.193	0.459	0.0603	0.144		F2601900.D	2026-03-18 19:51	0.913	7.938	63054	564376	56.3	7.877	11.6%
SPRSPO-11-S-20260303	C39121	0.561	0.176	7.28	38.3	0.645	20108	0.193	0.459	0.0603	0.144		F2601901.D	2026-03-18 20:16	0.913	7.938	67082	568617	56.3	7.877	12.4%
SPRSPO-12-S-20260303	C17113	0.732	0.229	9.50	38.3	0.645	20106	0.193	0.459	0.0603	0.144		F2601902.D	2026-03-18 20:42	0.913	7.938	87943	571573	56.3	7.877	13.0%
SPRSPO-13-S-20260303	C43341	0.779	0.244	10.1	38.3	0.645	20104	0.193	0.460	0.0603	0.144		F2601903.D	2026-03-18 21:07	0.913	7.938	93089	568333	56.3	7.877	12.4%
SPRSPO-13-D-20260303	C17200	0.777	0.243	10.1	38.3	0.645	20104	0.193	0.460	0.0603	0.144		F2601904.D	2026-03-18 21:32	0.913	7.938	90985	557101	56.3	7.877	10.1%
SPRSPO-13-B-20260303	C73569	0.193	0.0603		38.3	0.645	20104	0.193	0.460	0.0603	0.144	ND	F2601905.D	2026-03-18 21:59	0.913	7.938	3520	549330	56.3	7.877	8.6%
SPRSPO-14-S-20260303	C36922	0.833	0.261	10.8	38.4	0.645	20107	0.193	0.459	0.0603	0.144		F2601906.D	2026-03-18 22:24	0.913	7.938	97402	556343	56.3	7.877	10.0%
SPRSPO-15-S-20260303	C31388	0.855	0.268	11.1	38.4	0.645	20104	0.193	0.460	0.0603	0.144		F2601907.D	2026-03-18 22:49	0.913	7.938	100992	562060	56.3	7.877	11.1%
SPRSPO-16-S-20260303	C70605	0.863	0.270	11.2	38.4	0.645	20102	0.193	0.460	0.0604	0.144		F2601908.D	2026-03-18 23:15	0.913	7.938	99364	547614	56.3	7.877	8.3%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp ("F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj Date/Time	CCV R/R	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260303	C43585	2.49	0.661	25.1	38.3	0.501	20126	0.248	0.519	0.0658	0.138		F2601889.D	2026-03-18 15:10	1.176	10.661	238108	533334	66.1	10.563	0.2%
SPRSPO-1-D-20260303	C39228	2.43	0.646	24.5	38.3	0.501	20126	0.248	0.519	0.0658	0.138		F2601890.D	2026-03-18 15:36	1.176	10.661	232686	533232	66.1	10.563	0.2%
SPRSPO-1-B-20260303	B43902	0.248	0.0658		38.3	0.501	20126	0.248	0.519	0.0658	0.138	ND	F2601888.D	2026-03-18 14:45	1.176	10.661	9414	521688	66.1	10.563	-1.9%
SPRSPO-2-S-20260303	B53223	1.73	0.459	17.4	38.3	0.501	20127	0.248	0.519	0.0658	0.138		F2601891.D	2026-03-18 16:01	1.176	10.661	168583	543806	66.1	10.563	2.2%
SPRSPO-3-S-20260303	C70037	1.43	0.381	14.5	38.3	0.501	20127	0.248	0.519	0.0658	0.138		F2601892.D	2026-03-18 16:27	1.176	10.661	137146	532961	66.1	10.563	0.2%
SPRSPO-4-S-20260303	C27848	1.62	0.429	16.3	38.3	0.501	20118	0.248	0.520	0.0659	0.138		F2601893.D	2026-03-18 16:52	1.176	10.661	156399	540047	66.1	10.563	1.5%
SPRSPO-5-S-20260303	C43590	1.98	0.526	20.0	38.3	0.501	20121	0.248	0.520	0.0659	0.138		F2601894.D	2026-03-18 17:17	1.176	10.661	194203	546452	66.1	10.563	2.7%
SPRSPO-6-S-20260303	C71546	1.22	0.325	12.3	38.3	0.501	20121	0.248	0.520	0.0659	0.138		F2601895.D	2026-03-18 17:44	1.176	10.661	121346	553617	66.1	10.563	4.1%
SPRSPO-7-S-20260303	C71484	1.32	0.350	13.3	38.3	0.501	20117	0.248	0.520	0.0659	0.138		F2601896.D	2026-03-18 18:09	1.176	10.661	133628	564907	66.1	10.563	6.2%
SPRSPO-8-S-20260303	C61442	0.769	0.204	7.75	38.3	0.501	20116	0.248	0.520	0.0659	0.138		F2601897.D	2026-03-18 18:34	1.176	10.661	78011	565633	66.1	10.563	6.3%
SPRSPO-9-S-20260303	C43543	1.06	0.282	10.7	38.3	0.501	20114	0.248	0.520	0.0659	0.138		F2601899.D	2026-03-18 19:25	1.176	10.661	111129	584431	66.1	10.563	9.9%
SPRSPO-10-S-20260303	C34132	0.915	0.243	9.22	38.3	0.501	20111	0.248	0.520	0.0659	0.138		F2601900.D	2026-03-18 19:51	1.176	10.661	95735	583566	66.1	10.563	9.7%
SPRSPO-11-S-20260303	C39121	0.923	0.245	9.30	38.3	0.501	20108	0.248	0.520	0.0659	0.138		F2601901.D	2026-03-18 20:16	1.176	10.661	97029	586404	66.1	10.563	10.2%
SPRSPO-12-S-20260303	C17113	1.47	0.391	14.8	38.3	0.501	20106	0.248	0.520	0.0659	0.138		F2601902.D	2026-03-18 20:42	1.176	10.661	156065	591981	66.1	10.563	11.3%
SPRSPO-13-S-20260303	C43341	2.04	0.541	20.5	38.3	0.501	20104	0.248	0.520	0.0659	0.138		F2601903.D	2026-03-18 21:07	1.176	10.661	215329	589518	66.1	10.563	10.8%
SPRSPO-13-D-20260303	C17200	1.68	0.447	17.0	38.3	0.501	20104	0.248	0.520	0.0659	0.138		F2601904.D	2026-03-18 21:32	1.176	10.661	173728	575880	66.1	10.569	8.2%
SPRSPO-13-B-20260303	C73569	0.248	0.0659		38.3	0.501	20104	0.248	0.520	0.0659	0.138	ND	F2601905.D	2026-03-18 21:59	1.176	10.655	10421	569910	66.1	10.563	7.1%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA106-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20260303	C36922	2.05	0.545	20.7	38.4	0.501	20107	0.248	0.520	0.0659	0.138		F2601906.D	2026-03-18 22:24	1.176	10.655	211147	573954	66.1	10.563	7.9%
SPRSPO-15-S-20260303	C31388	2.14	0.569	21.6	38.4	0.501	20104	0.248	0.520	0.0659	0.138		F2601907.D	2026-03-18 22:49	1.176	10.661	225127	586395	66.1	10.563	10.2%
SPRSPO-16-S-20260303	C70605	2.10	0.558	21.1	38.4	0.501	20102	0.248	0.520	0.0659	0.138		F2601908.D	2026-03-18 23:15	1.176	10.661	211400	561791	66.1	10.563	5.6%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260303	C43585	0.829	0.191	7.39	38.3	0.443	20126	0.280	0.610	0.0646	0.141		F2601889.D	2026-03-18 15:10	1.273	12.845	75973	533334	66.1	10.563	0.2%
SPRSPO-1-D-20260303	C39228	0.774	0.178	6.90	38.3	0.443	20126	0.280	0.610	0.0646	0.141		F2601890.D	2026-03-18 15:36	1.273	12.845	70875	533232	66.1	10.563	0.2%
SPRSPO-1-B-20260303	B43902	0.280	0.0646		38.3	0.443	20126	0.280	0.610	0.0646	0.141	ND	F2601888.D	2026-03-18 14:45	1.273	12.839	604	521688	66.1	10.563	-1.9%
SPRSPO-2-S-20260303	B53223	0.352	0.0811	3.14	38.3	0.443	20127	0.280	0.610	0.0646	0.141	J	F2601891.D	2026-03-18 16:01	1.273	12.845	32887	543806	66.1	10.563	2.2%
SPRSPO-3-S-20260303	C70037	0.280	0.0646		38.3	0.443	20127	0.280	0.610	0.0646	0.141	ND	F2601892.D	2026-03-18 16:27	1.273	12.845	23449	532961	66.1	10.563	0.2%
SPRSPO-4-S-20260303	C27848	0.307	0.0708	2.74	38.3	0.443	20118	0.280	0.611	0.0646	0.141	J	F2601893.D	2026-03-18 16:52	1.273	12.845	28489	540047	66.1	10.563	1.5%
SPRSPO-5-S-20260303	C43590	0.385	0.0887	3.43	38.3	0.443	20121	0.280	0.610	0.0646	0.141	J	F2601894.D	2026-03-18 17:17	1.273	12.845	36130	546452	66.1	10.563	2.7%
SPRSPO-6-S-20260303	C71546	0.280	0.0646		38.3	0.443	20121	0.280	0.610	0.0646	0.141	ND	F2601895.D	2026-03-18 17:44	1.273	12.845	14168	553617	66.1	10.563	4.1%
SPRSPO-7-S-20260303	C71484	0.280	0.0646		38.3	0.443	20117	0.280	0.611	0.0646	0.141	ND	F2601896.D	2026-03-18 18:09	1.273	12.845	18052	564907	66.1	10.563	6.2%
SPRSPO-8-S-20260303	C61442	0.280	0.0646		38.3	0.443	20116	0.280	0.611	0.0646	0.141	ND	F2601897.D	2026-03-18 18:34	1.273	12.845	16242	565633	66.1	10.563	6.3%
SPRSPO-9-S-20260303	C43543	0.280	0.0646		38.3	0.443	20114	0.280	0.611	0.0646	0.141	ND	F2601899.D	2026-03-18 19:25	1.273	12.845	26068	584431	66.1	10.563	9.9%
SPRSPO-10-S-20260303	C34132	0.281	0.0646		38.3	0.443	20111	0.281	0.611	0.0646	0.141	ND	F2601900.D	2026-03-18 19:51	1.273	12.845	18017	583566	66.1	10.563	9.7%
SPRSPO-11-S-20260303	C39121	0.281	0.0647		38.3	0.443	20108	0.281	0.611	0.0647	0.141	ND	F2601901.D	2026-03-18 20:16	1.273	12.845	20120	586404	66.1	10.563	10.2%
SPRSPO-12-S-20260303	C17113	0.311	0.0717	2.77	38.3	0.443	20106	0.281	0.611	0.0647	0.141	J	F2601902.D	2026-03-18 20:42	1.273	12.845	31625	591981	66.1	10.563	11.3%
SPRSPO-13-S-20260303	C43341	0.385	0.0887	3.43	38.3	0.443	20104	0.281	0.611	0.0647	0.141	J	F2601903.D	2026-03-18 21:07	1.273	12.845	38944	589518	66.1	10.563	10.8%
SPRSPO-13-D-20260303	C17200	0.360	0.0829	3.21	38.3	0.443	20104	0.281	0.611	0.0647	0.141	J	F2601904.D	2026-03-18 21:32	1.273	12.845	35560	575880	66.1	10.569	8.2%
SPRSPO-13-B-20260303	C73569	0.281	0.0647		38.3	0.443	20104	0.281	0.611	0.0647	0.141	ND	F2601905.D	2026-03-18 21:59	1.273	12.851	487	569910	66.1	10.563	7.1%
SPRSPO-14-S-20260303	C36922	0.457	0.105	4.07	38.4	0.443	20107	0.281	0.611	0.0647	0.141	J	F2601906.D	2026-03-18 22:24	1.273	12.845	44986	573954	66.1	10.563	7.9%
SPRSPO-15-S-20260303	C31388	0.494	0.114	4.40	38.4	0.443	20104	0.281	0.611	0.0647	0.141	J	F2601907.D	2026-03-18 22:49	1.273	12.845	49667	586395	66.1	10.563	10.2%
SPRSPO-16-S-20260303	C70605	0.454	0.105	4.05	38.4	0.443	20102	0.281	0.611	0.0647	0.141	J	F2601908.D	2026-03-18 23:15	1.273	12.845	43806	561791	66.1	10.563	5.6%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260303	C43585	2.38	0.549	21.2	38.3	0.443	20126	0.280	0.684	0.0646	0.158		F2601889.D	2026-03-18 15:10	1.042	13.022	178655	533334	66.1	10.563	0.2%
SPRSPO-1-D-20260303	C39228	2.31	0.533	20.6	38.3	0.443	20126	0.280	0.684	0.0646	0.158		F2601890.D	2026-03-18 15:36	1.042	13.022	173316	533232	66.1	10.563	0.2%
SPRSPO-1-B-20260303	B43902	0.280	0.0646		38.3	0.443	20126	0.280	0.684	0.0646	0.158	ND	F2601888.D	2026-03-18 14:45	1.042	13.022	620	521688	66.1	10.563	-1.9%
SPRSPO-2-S-20260303	B53223	0.914	0.211	8.15	38.3	0.443	20127	0.280	0.684	0.0646	0.158		F2601891.D	2026-03-18 16:01	1.042	13.022	69850	543806	66.1	10.563	2.2%
SPRSPO-3-S-20260303	C70037	0.793	0.183	7.08	38.3	0.443	20127	0.280	0.684	0.0646	0.158		F2601892.D	2026-03-18 16:27	1.042	13.022	59453	532961	66.1	10.563	0.2%
SPRSPO-4-S-20260303	C27848	0.695	0.160	6.20	38.3	0.443	20118	0.280	0.684	0.0646	0.158		F2601893.D	2026-03-18 16:52	1.042	13.022	52759	540047	66.1	10.563	1.5%
SPRSPO-5-S-20260303	C43590	1.16	0.267	10.3	38.3	0.443	20121	0.280	0.684	0.0646	0.158		F2601894.D	2026-03-18 17:17	1.042	13.022	88863	546452	66.1	10.563	2.7%
SPRSPO-6-S-20260303	C71546	0.428	0.0987	3.82	38.3	0.443	20121	0.280	0.684	0.0646	0.158	J	F2601895.D	2026-03-18 17:44	1.042	13.022	33314	553617	66.1	10.563	4.1%
SPRSPO-7-S-20260303	C71484	0.550	0.127	4.90	38.3	0.443	20117	0.280	0.684	0.0646	0.158	J	F2601896.D	2026-03-18 18:09	1.042	13.022	43628	564907	66.1	10.563	6.2%
SPRSPO-8-S-20260303	C61442	0.553	0.127	4.93	38.3	0.443	20116	0.280	0.684	0.0646	0.158	J	F2601897.D	2026-03-18 18:34	1.042	13.022	43940	565633	66.1	10.563	6.3%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA106-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj Date/Time	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20260303	C43543	0.536	0.123	4.78	38.3	0.443	20114	0.280	0.684	0.0646	0.158	J	F2601899.D	2026-03-18 19:25	1.042	13.022	43997	584431	66.1	10.563	9.9%
SPRSPO-10-S-20260303	C34132	0.448	0.103	3.99	38.3	0.443	20111	0.281	0.685	0.0646	0.158	J	F2601900.D	2026-03-18 19:51	1.042	13.022	36736	583566	66.1	10.563	9.7%
SPRSPO-11-S-20260303	C39121	0.517	0.119	4.61	38.3	0.443	20108	0.281	0.685	0.0647	0.158	J	F2601901.D	2026-03-18 20:16	1.042	13.022	42606	586404	66.1	10.563	10.2%
SPRSPO-12-S-20260303	C17113	0.767	0.177	6.84	38.3	0.443	20106	0.281	0.685	0.0647	0.158		F2601902.D	2026-03-18 20:42	1.042	13.022	63807	591981	66.1	10.563	11.3%
SPRSPO-13-S-20260303	C43341	1.07	0.247	9.55	38.3	0.443	20104	0.281	0.685	0.0647	0.158		F2601903.D	2026-03-18 21:07	1.042	13.022	88753	589518	66.1	10.563	10.8%
SPRSPO-13-D-20260303	C17200	0.955	0.220	8.51	38.3	0.443	20104	0.281	0.685	0.0647	0.158		F2601904.D	2026-03-18 21:32	1.042	13.022	77243	575880	66.1	10.569	8.2%
SPRSPO-13-B-20260303	C73569	0.281	0.0647		38.3	0.443	20104	0.281	0.685	0.0647	0.158	ND	F2601905.D	2026-03-18 21:59	1.042	13.016	652	569910	66.1	10.563	7.1%
SPRSPO-14-S-20260303	C36922	1.24	0.285	11.0	38.4	0.443	20107	0.281	0.685	0.0647	0.158		F2601906.D	2026-03-18 22:24	1.042	13.022	99817	573954	66.1	10.563	7.9%
SPRSPO-15-S-20260303	C31388	1.33	0.307	11.9	38.4	0.443	20104	0.281	0.685	0.0647	0.158		F2601907.D	2026-03-18 22:49	1.042	13.022	109834	586395	66.1	10.563	10.2%
SPRSPO-16-S-20260303	C70605	1.47	0.339	13.1	38.4	0.443	20102	0.281	0.685	0.0647	0.158		F2601908.D	2026-03-18 23:15	1.042	13.022	116161	561791	66.1	10.563	5.6%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min)	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj Date/Time	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260303	C43585	0.749	0.173	6.68	38.3	0.443	20126	0.280	0.636	0.0646	0.147		F2601889.D	2026-03-18 15:10	1.059	13.524	57064	533334	66.1	10.563	0.2%
SPRSPO-1-D-20260303	C39228	0.720	0.166	6.42	38.3	0.443	20126	0.280	0.636	0.0646	0.147		F2601890.D	2026-03-18 15:36	1.059	13.530	54865	533232	66.1	10.563	0.2%
SPRSPO-1-B-20260303	B43902	0.280	0.0646		38.3	0.443	20126	0.280	0.636	0.0646	0.147	ND	F2601888.D	2026-03-18 14:45	1.059	13.530	374	521688	66.1	10.563	-1.9%
SPRSPO-2-S-20260303	B53223	0.331	0.0763	2.95	38.3	0.443	20127	0.280	0.636	0.0646	0.147	J	F2601891.D	2026-03-18 16:01	1.059	13.524	25726	543806	66.1	10.563	2.2%
SPRSPO-3-S-20260303	C70037	0.300	0.0691	2.67	38.3	0.443	20127	0.280	0.636	0.0646	0.147	J	F2601892.D	2026-03-18 16:27	1.059	13.524	22840	532961	66.1	10.563	0.2%
SPRSPO-4-S-20260303	C27848	0.281	0.0647	2.50	38.3	0.443	20118	0.280	0.636	0.0646	0.147	J	F2601893.D	2026-03-18 16:52	1.059	13.524	21671	540047	66.1	10.563	1.5%
SPRSPO-5-S-20260303	C43590	0.427	0.0984	3.81	38.3	0.443	20121	0.280	0.636	0.0646	0.147	J	F2601894.D	2026-03-18 17:17	1.059	13.524	33340	546452	66.1	10.563	2.7%
SPRSPO-6-S-20260303	C71546	0.280	0.0646		38.3	0.443	20121	0.280	0.636	0.0646	0.147	ND	F2601895.D	2026-03-18 17:44	1.059	13.524	14387	553617	66.1	10.563	4.1%
SPRSPO-7-S-20260303	C71484	0.280	0.0646		38.3	0.443	20117	0.280	0.636	0.0646	0.147	ND	F2601896.D	2026-03-18 18:09	1.059	13.524	17525	564907	66.1	10.563	6.2%
SPRSPO-8-S-20260303	C61442	0.280	0.0646		38.3	0.443	20116	0.280	0.636	0.0646	0.147	ND	F2601897.D	2026-03-18 18:34	1.059	13.524	16730	565633	66.1	10.563	6.3%
SPRSPO-9-S-20260303	C43543	0.280	0.0646		38.3	0.443	20114	0.280	0.636	0.0646	0.147	ND	F2601899.D	2026-03-18 19:25	1.059	13.524	17802	584431	66.1	10.563	9.9%
SPRSPO-10-S-20260303	C34132	0.281	0.0646		38.3	0.443	20111	0.281	0.637	0.0646	0.147	ND	F2601900.D	2026-03-18 19:51	1.059	13.524	14153	583566	66.1	10.563	9.7%
SPRSPO-11-S-20260303	C39121	0.281	0.0647		38.3	0.443	20108	0.281	0.637	0.0647	0.147	ND	F2601901.D	2026-03-18 20:16	1.059	13.524	16786	586404	66.1	10.563	10.2%
SPRSPO-12-S-20260303	C17113	0.306	0.0705	2.72	38.3	0.443	20106	0.281	0.637	0.0647	0.147	J	F2601902.D	2026-03-18 20:42	1.059	13.524	25843	591981	66.1	10.563	11.3%
SPRSPO-13-S-20260303	C43341	0.403	0.0930	3.59	38.3	0.443	20104	0.281	0.637	0.0647	0.147	J	F2601903.D	2026-03-18 21:07	1.059	13.524	33957	589518	66.1	10.563	10.8%
SPRSPO-13-D-20260303	C17200	0.360	0.0830	3.21	38.3	0.443	20104	0.281	0.637	0.0647	0.147	J	F2601904.D	2026-03-18 21:32	1.059	13.524	29604	575880	66.1	10.569	8.2%
SPRSPO-13-B-20260303	C73569	0.281	0.0647		38.3	0.443	20104	0.281	0.637	0.0647	0.147	ND	F2601905.D	2026-03-18 21:59	1.059	13.530	241	569910	66.1	10.563	7.1%
SPRSPO-14-S-20260303	C36922	0.476	0.110	4.24	38.4	0.443	20107	0.281	0.637	0.0647	0.147	J	F2601906.D	2026-03-18 22:24	1.059	13.524	39049	573954	66.1	10.563	7.9%
SPRSPO-15-S-20260303	C31388	0.483	0.111	4.30	38.4	0.443	20104	0.281	0.637	0.0647	0.147	J	F2601907.D	2026-03-18 22:49	1.059	13.524	40405	586395	66.1	10.563	10.2%
SPRSPO-16-S-20260303	C70605	0.539	0.124	4.80	38.4	0.443	20102	0.281	0.637	0.0647	0.147	J	F2601908.D	2026-03-18 23:15	1.059	13.524	43225	561791	66.1	10.563	5.6%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit

ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA106-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20260303	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20260303	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20260303	1.1%	Pass	2.3%	Pass	6.9%	Pass	3.0%	Pass	3.9%	Pass
	SPRSPO-13-D-20260303	0.29%	Pass	19%	Pass	6.7%	Pass	12%	Pass	11%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA106-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2601886.D	C59969	Cal	0.913	0.904	0.913	1.0%	-6.4%		Pass	
2026GA106 Method Blank 1	F2601887.D	C37436	Blank		0.904	0.913			0.53%	Pass	ND
M325B CCV 5	F2601898.D	B50696	Check	0.924	0.904	0.913	2.2%		9.9%	Pass	
M325B CCV 5	F2601909.D	C36997	Check	0.920	0.904	0.913	1.9%		7.7%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2601886.D	C59969	Cal	1.176	1.091	1.176	7.7%	-15%		Pass	
2026GA106 Method Blank 1	F2601887.D	C37436	Blank		1.091	1.176			-0.52%	Pass	J
M325B CCV 5	F2601898.D	B50696	Check	1.226	1.091	1.176	12%		8.3%	Pass	
M325B CCV 5	F2601909.D	C36997	Check	1.166	1.091	1.176	6.9%		6.0%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2601886.D	C59969	Cal	1.273	1.150	1.273	11%	-15%		Pass	
2026GA106 Method Blank 1	F2601887.D	C37436	Blank		1.150	1.273			-0.52%	Pass	ND
M325B CCV 5	F2601898.D	B50696	Check	1.288	1.150	1.273	12%		8.3%	Pass	
M325B CCV 5	F2601909.D	C36997	Check	1.187	1.150	1.273	3.2%		6.0%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2601886.D	C59969	Cal	1.042	0.940	1.042	11%	-15%		Pass	
2026GA106 Method Blank 1	F2601887.D	C37436	Blank		0.940	1.042			-0.52%	Pass	ND
M325B CCV 5	F2601898.D	B50696	Check	1.036	0.940	1.042	10%		8.3%	Pass	
M325B CCV 5	F2601909.D	C36997	Check	0.936	0.940	1.042	-0.36%		6.0%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/Fail	Flags
M325B CCV 5	F2601886.D	C59969	Cal	1.059	0.944	1.059	12%	-15%		Pass	
2026GA106 Method Blank 1	F2601887.D	C37436	Blank		0.944	1.059			-0.52%	Pass	ND
M325B CCV 5	F2601898.D	B50696	Check	1.044	0.944	1.059	11%		8.3%	Pass	
M325B CCV 5	F2601909.D	C36997	Check	0.956	0.944	1.059	1.3%		6.0%	Pass	

Chromatograms



Name 2026GA106 Method Blank 1
Comment C37436
Data File F2601887.D
Acq. Date-Time 3/18/2026 2:19:56 PM
Acq. Method File M325B-MTD
Tube Sorbent Carbopack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	508,478	
Benzene	benzene-d6 (IS)	7.932	7.945	3,899	
Toluene-d8 (IS)		10.563	10.569	529,233	
Toluene	Toluene-d8 (IS)	10.655	10.667	36,261	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	1,552	
m-/p-Xylenes	Toluene-d8 (IS)	13.028	13.028	952	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	529	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601887.D




+ Scan (10.514-10.643 min, 22 scans) F2601887.D

**Toluene**


+ EIC (91.1) Scan F2601887.D




+ Scan (10.612-10.722 min, 19 scans) F2601887.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601887.D




+ Scan (12.814-12.877 min, 11 scans) F2601887.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601887.D




+ Scan (12.998-13.063 min, 11 scans) F2601887.D




o-Xylene

+ EIC (91.1) Scan F2601887.D




+ Scan (13.500-13.564 min, 10 scans) F2601887.D





Name SPRSPO-1-B-20260303
Comment B43902
Data File F2601888.D
Acq. Date-Time 3/18/2026 2:45:16 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	503,285	
Benzene	benzene-d6 (IS)	7.932	7.945	3,827	
Toluene-d8 (IS)		10.563	10.569	521,688	
Toluene	Toluene-d8 (IS)	10.661	10.667	9,414	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	604	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	620	m
o-Xylene	Toluene-d8 (IS)	13.530	13.530	374	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601888.D




+ Scan (10.515-10.636 min, 20 scans) F2601888.D

**Toluene**


+ EIC (91.1) Scan F2601888.D




+ Scan (10.618-10.695 min, 12 scans) F2601888.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601888.D




+ Scan (12.821-12.863 min, 6 scans) F2601888.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601888.D




+ Scan (13.004-13.070 min, 11 scans) F2601888.D




o-Xylene

+ EIC (91.1) Scan F2601888.D




+ Scan (13.506-13.551 min, 8 scans) F2601888.D





Name SPRSPO-1-S-20260303
Comment C43585
Data File F2601889.D
Acq. Date-Time 3/18/2026 3:10:44 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	516,740	
Benzene	benzene-d6 (IS)	7.938	7.945	98,852	
Toluene-d8 (IS)		10.563	10.569	533,334	
Toluene	Toluene-d8 (IS)	10.661	10.667	238,108	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	75,973	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	178,655	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	57,064	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601889.D




+ Scan (10.520-10.673 min, 26 scans) F2601889.D

**Toluene**


+ EIC (91.1) Scan F2601889.D




+ Scan (10.612-10.734 min, 21 scans) F2601889.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601889.D




+ Scan (12.808-12.912 min, 17 scans) F2601889.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601889.D




+ Scan (12.986-13.138 min, 26 scans) F2601889.D




o-Xylene

+ EIC (91.1) Scan F2601889.D




+ Scan (13.483-13.616 min, 22 scans) F2601889.D





Name SPRSPO-1-D-20260303
Comment C39228
Data File F2601890.D
Acq. Date-Time 3/18/2026 3:36:14 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	512,672	
Benzene	benzene-d6 (IS)	7.938	7.945	97,046	
Toluene-d8 (IS)		10.563	10.569	533,232	
Toluene	Toluene-d8 (IS)	10.661	10.667	232,686	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	70,875	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	173,316	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	54,865	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601890.D




+ Scan (10.520-10.673 min, 26 scans) F2601890.D

**Toluene**


+ EIC (91.1) Scan F2601890.D




+ Scan (10.613-10.740 min, 21 scans) F2601890.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601890.D




+ Scan (12.808-12.906 min, 16 scans) F2601890.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601890.D




+ Scan (12.986-13.132 min, 24 scans) F2601890.D




o-Xylene

+ EIC (91.1) Scan F2601890.D




+ Scan (13.493-13.585 min, 16 scans) F2601890.D





Name SPRSPO-2-S-20260303
Comment B53223
Data File F2601891.D
Acq. Date-Time 3/18/2026 4:01:43 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	520,945	
Benzene	benzene-d6 (IS)	7.938	7.945	82,725	
Toluene-d8 (IS)		10.563	10.569	543,806	
Toluene	Toluene-d8 (IS)	10.661	10.667	168,583	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	32,887	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	69,850	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	25,726	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601891.D




+ Scan (10.520-10.679 min, 27 scans) F2601891.D

**Toluene**


+ EIC (91.1) Scan F2601891.D




+ Scan (10.612-10.728 min, 20 scans) F2601891.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601891.D




+ Scan (12.811-12.898 min, 14 scans) F2601891.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601891.D




+ Scan (12.986-13.096 min, 18 scans) F2601891.D




o-Xylene

+ EIC (91.1) Scan F2601891.D




+ Scan (13.493-13.590 min, 16 scans) F2601891.D





Name SPRSPO-3-S-20260303
Comment C70037
Data File F2601892.D
Acq. Date-Time 3/18/2026 4:27:12 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	519,102	
Benzene	benzene-d6 (IS)	7.938	7.945	77,945	
Toluene-d8 (IS)		10.563	10.569	532,961	
Toluene	Toluene-d8 (IS)	10.661	10.667	137,146	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	23,449	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	59,453	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	22,840	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601892.D




+ Scan (10.520-10.667 min, 25 scans) F2601892.D

**Toluene**


+ EIC (91.1) Scan F2601892.D




+ Scan (10.618-10.740 min, 21 scans) F2601892.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601892.D




+ Scan (12.814-12.886 min, 12 scans) F2601892.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601892.D




+ Scan (12.986-13.114 min, 21 scans) F2601892.D




o-Xylene

+ EIC (91.1) Scan F2601892.D




+ Scan (13.490-13.571 min, 13 scans) F2601892.D





Name SPRSPO-4-S-20260303
Comment C27848
Data File F2601893.D
Acq. Date-Time 3/18/2026 4:52:38 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	522,018	
Benzene	benzene-d6 (IS)	7.938	7.945	85,609	
Toluene-d8 (IS)		10.563	10.569	540,047	
Toluene	Toluene-d8 (IS)	10.661	10.667	156,399	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	28,489	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	52,759	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	21,671	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601893.D




+ Scan (10.520-10.673 min, 26 scans) F2601893.D

**Toluene**


+ EIC (91.1) Scan F2601893.D




+ Scan (10.612-10.740 min, 21 scans) F2601893.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601893.D




+ Scan (12.808-12.900 min, 15 scans) F2601893.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601893.D




+ Scan (12.986-13.095 min, 17 scans) F2601893.D




o-Xylene

+ EIC (91.1) Scan F2601893.D




+ Scan (13.489-13.573 min, 14 scans) F2601893.D





Name SPRSPO-5-S-20260303
Comment C43590
Data File F2601894.D
Acq. Date-Time 3/18/2026 5:17:56 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	532,707	
Benzene	benzene-d6 (IS)	7.938	7.945	81,507	
Toluene-d8 (IS)		10.563	10.569	546,452	
Toluene	Toluene-d8 (IS)	10.661	10.667	194,203	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	36,130	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	88,863	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	33,340	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601894.D




+ Scan (10.520-10.679 min, 27 scans) F2601894.D

**Toluene**


+ EIC (91.1) Scan F2601894.D




+ Scan (10.618-10.740 min, 21 scans) F2601894.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601894.D




+ Scan (12.809-12.899 min, 14 scans) F2601894.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601894.D




+ Scan (12.981-13.120 min, 23 scans) F2601894.D




o-Xylene

+ EIC (91.1) Scan F2601894.D




+ Scan (13.492-13.602 min, 18 scans) F2601894.D





Name SPRSPO-6-S-20260303
Comment C71546
Data File F2601895.D
Acq. Date-Time 3/18/2026 5:44:07 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	535,950	
Benzene	benzene-d6 (IS)	7.938	7.945	69,318	
Toluene-d8 (IS)		10.563	10.569	553,617	
Toluene	Toluene-d8 (IS)	10.661	10.667	121,346	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	14,168	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	33,314	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	14,387	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601895.D




+ Scan (10.520-10.673 min, 26 scans) F2601895.D

**Toluene**


+ EIC (91.1) Scan F2601895.D




+ Scan (10.618-10.728 min, 18 scans) F2601895.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601895.D




+ Scan (12.814-12.883 min, 11 scans) F2601895.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601895.D




+ Scan (12.988-13.083 min, 16 scans) F2601895.D




o-Xylene

+ EIC (91.1) Scan F2601895.D




+ Scan (13.494-13.585 min, 15 scans) F2601895.D





Name SPRSPO-7-S-20260303
Comment C71484
Data File F2601896.D
Acq. Date-Time 3/18/2026 6:09:35 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	543,337	m
Benzene	benzene-d6 (IS)	7.938	7.945	66,490	
Toluene-d8 (IS)		10.563	10.569	564,907	
Toluene	Toluene-d8 (IS)	10.661	10.667	133,628	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	18,052	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	43,628	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	17,525	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601896.D




+ Scan (10.520-10.630 min, 19 scans) F2601896.D

**Toluene**


+ EIC (91.1) Scan F2601896.D




+ Scan (10.615-10.740 min, 21 scans) F2601896.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601896.D




+ Scan (12.805-12.891 min, 14 scans) F2601896.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601896.D




+ Scan (12.983-13.118 min, 22 scans) F2601896.D




o-Xylene

+ EIC (91.1) Scan F2601896.D




+ Scan (13.490-13.608 min, 19 scans) F2601896.D





Name SPRSPO-8-S-20260303
Comment C61442
Data File F2601897.D
Acq. Date-Time 3/18/2026 6:34:55 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	547,265	m
Benzene	benzene-d6 (IS)	7.938	7.945	58,347	
Toluene-d8 (IS)		10.563	10.569	565,633	
Toluene	Toluene-d8 (IS)	10.661	10.667	78,011	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	16,242	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	43,940	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	16,730	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601897.D




+ Scan (10.520-10.642 min, 21 scans) F2601897.D

**Toluene**


+ EIC (91.1) Scan F2601897.D




+ Scan (10.612-10.722 min, 18 scans) F2601897.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601897.D




+ Scan (12.810-12.887 min, 12 scans) F2601897.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601897.D




+ Scan (12.986-13.113 min, 20 scans) F2601897.D




o-Xylene

+ EIC (91.1) Scan F2601897.D




+ Scan (13.494-13.566 min, 11 scans) F2601897.D





Name SPRSPO-9-S-20260303
Comment C43543
Data File F2601899.D
Acq. Date-Time 3/18/2026 7:25:47 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	563,470	
Benzene	benzene-d6 (IS)	7.938	7.945	68,519	
Toluene-d8 (IS)		10.563	10.569	584,431	
Toluene	Toluene-d8 (IS)	10.661	10.667	111,129	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	26,068	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	43,997	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	17,802	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601899.D




+ Scan (10.520-10.673 min, 26 scans) F2601899.D

**Toluene**


+ EIC (91.1) Scan F2601899.D




+ Scan (10.618-10.728 min, 19 scans) F2601899.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601899.D




+ Scan (12.808-12.902 min, 16 scans) F2601899.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601899.D




+ Scan (12.986-13.107 min, 19 scans) F2601899.D




o-Xylene

+ EIC (91.1) Scan F2601899.D




+ Scan (13.495-13.583 min, 14 scans) F2601899.D





Name SPRSPO-10-S-20260303
Comment C34132
Data File F2601900.D
Acq. Date-Time 3/18/2026 7:51:09 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	564,376	
Benzene	benzene-d6 (IS)	7.938	7.945	63,054	
Toluene-d8 (IS)		10.563	10.569	583,566	
Toluene	Toluene-d8 (IS)	10.661	10.667	95,735	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	18,017	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	36,736	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	14,153	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601900.D




+ Scan (10.514-10.636 min, 21 scans) F2601900.D

**Toluene**


+ EIC (91.1) Scan F2601900.D




+ Scan (10.610-10.734 min, 21 scans) F2601900.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601900.D




+ Scan (12.812-12.881 min, 12 scans) F2601900.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601900.D




+ Scan (12.982-13.102 min, 20 scans) F2601900.D




o-Xylene

+ EIC (91.1) Scan F2601900.D




+ Scan (13.494-13.579 min, 14 scans) F2601900.D





Name SPRSPO-11-S-20260303
Comment C39121
Data File F2601901.D
Acq. Date-Time 3/18/2026 8:16:33 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	568,617	
Benzene	benzene-d6 (IS)	7.938	7.945	67,082	
Toluene-d8 (IS)		10.563	10.569	586,404	
Toluene	Toluene-d8 (IS)	10.661	10.667	97,029	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	20,120	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	42,606	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	16,786	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601901.D




+ Scan (10.520-10.630 min, 19 scans) F2601901.D

**Toluene**


+ EIC (91.1) Scan F2601901.D




+ Scan (10.618-10.734 min, 20 scans) F2601901.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601901.D




+ Scan (12.809-12.880 min, 11 scans) F2601901.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601901.D




+ Scan (12.981-13.089 min, 17 scans) F2601901.D




o-Xylene

+ EIC (91.1) Scan F2601901.D




+ Scan (13.492-13.571 min, 13 scans) F2601901.D




Name SPRSPO-12-S-20260303
Comment C17113
Data File F2601902.D
Acq. Date-Time 3/18/2026 8:42:00 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	571,573	
Benzene	benzene-d6 (IS)	7.938	7.945	87,943	
Toluene-d8 (IS)		10.563	10.569	591,981	
Toluene	Toluene-d8 (IS)	10.661	10.667	156,065	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	31,625	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	63,807	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	25,843	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601902.D




+ Scan (10.520-10.673 min, 26 scans) F2601902.D

**Toluene**


+ EIC (91.1) Scan F2601902.D




+ Scan (10.613-10.734 min, 20 scans) F2601902.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601902.D




+ Scan (12.802-12.905 min, 17 scans) F2601902.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601902.D




+ Scan (12.986-13.093 min, 17 scans) F2601902.D




o-Xylene

+ EIC (91.1) Scan F2601902.D




+ Scan (13.493-13.606 min, 19 scans) F2601902.D





Name SPRSPO-13-S-20260303
Comment C43341
Data File F2601903.D
Acq. Date-Time 3/18/2026 9:07:24 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	568,333	
Benzene	benzene-d6 (IS)	7.938	7.945	93,089	
Toluene-d8 (IS)		10.563	10.569	589,518	
Toluene	Toluene-d8 (IS)	10.661	10.667	215,329	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	38,944	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	88,753	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	33,957	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601903.D




+ Scan (10.520-10.643 min, 21 scans) F2601903.D

**Toluene**


+ EIC (91.1) Scan F2601903.D




+ Scan (10.612-10.734 min, 21 scans) F2601903.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601903.D




+ Scan (12.802-12.881 min, 13 scans) F2601903.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601903.D




+ Scan (12.982-13.113 min, 21 scans) F2601903.D




o-Xylene

+ EIC (91.1) Scan F2601903.D




+ Scan (13.481-13.579 min, 16 scans) F2601903.D





Name SPRSPO-13-D-20260303
Comment C17200
Data File F2601904.D
Acq. Date-Time 3/18/2026 9:32:50 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	557,101	
Benzene	benzene-d6 (IS)	7.938	7.945	90,985	
Toluene-d8 (IS)		10.569	10.569	575,880	
Toluene	Toluene-d8 (IS)	10.661	10.667	173,728	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	35,560	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	77,243	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	29,604	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601904.D




+ Scan (10.520-10.636 min, 20 scans) F2601904.D

**Toluene**


+ EIC (91.1) Scan F2601904.D




+ Scan (10.618-10.759 min, 24 scans) F2601904.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601904.D




+ Scan (12.809-12.882 min, 12 scans) F2601904.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601904.D




+ Scan (12.986-13.120 min, 22 scans) F2601904.D




o-Xylene

+ EIC (91.1) Scan F2601904.D




+ Scan (13.486-13.573 min, 15 scans) F2601904.D





Name SPRSPO-13-B-20260303
Comment C73569
Data File F2601905.D
Acq. Date-Time 3/18/2026 9:59:05 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxipack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	549,330	
Benzene	benzene-d6 (IS)	7.938	7.945	3,520	
Toluene-d8 (IS)		10.563	10.569	569,910	
Toluene	Toluene-d8 (IS)	10.655	10.667	10,421	
Ethylbenzene	Toluene-d8 (IS)	12.851	12.851	487	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	652	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	241	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601905.D




+ Scan (10.514-10.630 min, 20 scans) F2601905.D

**Toluene**


+ EIC (91.1) Scan F2601905.D




+ Scan (10.620-10.693 min, 12 scans) F2601905.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601905.D




+ Scan (12.822-12.863 min, 7 scans) F2601905.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601905.D




+ Scan (12.997-13.073 min, 13 scans) F2601905.D




o-Xylene

+ EIC (91.1) Scan F2601905.D




+ Scan (13.513-13.542 min, 5 scans) F2601905.D





Name SPRSPO-14-S-20260303
Comment C36922
Data File F2601906.D
Acq. Date-Time 3/18/2026 10:24:33 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxpack X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	556,343	
Benzene	benzene-d6 (IS)	7.938	7.945	97,402	
Toluene-d8 (IS)		10.563	10.569	573,954	
Toluene	Toluene-d8 (IS)	10.655	10.667	211,147	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	44,986	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	99,817	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	39,049	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601906.D




+ Scan (10.514-10.630 min, 20 scans) F2601906.D

**Toluene**


+ EIC (91.1) Scan F2601906.D




+ Scan (10.613-10.765 min, 25 scans) F2601906.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601906.D




+ Scan (12.808-12.888 min, 14 scans) F2601906.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601906.D




+ Scan (12.986-13.126 min, 24 scans) F2601906.D




o-Xylene

+ EIC (91.1) Scan F2601906.D




+ Scan (13.487-13.611 min, 21 scans) F2601906.D





Name SPRSPO-15-S-20260303
Comment C31388
Data File F2601907.D
Acq. Date-Time 3/18/2026 10:49:59 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram





Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	562,060	
Benzene	benzene-d6 (IS)	7.938	7.945	100,992	
Toluene-d8 (IS)		10.563	10.569	586,395	
Toluene	Toluene-d8 (IS)	10.661	10.667	225,127	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	49,667	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	109,834	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	40,405	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601907.D




+ Scan (10.520-10.679 min, 27 scans) F2601907.D

**Toluene**


+ EIC (91.1) Scan F2601907.D




+ Scan (10.618-10.728 min, 19 scans) F2601907.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601907.D




+ Scan (12.809-12.893 min, 13 scans) F2601907.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601907.D




+ Scan (12.986-13.114 min, 21 scans) F2601907.D




o-Xylene

+ EIC (91.1) Scan F2601907.D




+ Scan (13.493-13.595 min, 17 scans) F2601907.D




Name SPRSPO-16-S-20260303
Comment C70605
Data File F2601908.D
Acq. Date-Time 3/18/2026 11:15:23 PM
Acq. Method File M325B-MTD
Tube Sorbent Carboxen X
Analyze Quant Version 12.1
Report Quant Version 12.1

Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	547,614	
Benzene	benzene-d6 (IS)	7.938	7.945	99,364	
Toluene-d8 (IS)		10.563	10.569	561,791	
Toluene	Toluene-d8 (IS)	10.661	10.667	211,400	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	43,806	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	116,161	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	43,225	

benzene-d6 (IS)




Benzene




Toluene-d8 (IS)


+ EIC (98.1) Scan F2601908.D




+ Scan (10.514-10.642 min, 22 scans) F2601908.D

**Toluene**


+ EIC (91.1) Scan F2601908.D




+ Scan (10.618-10.728 min, 18 scans) F2601908.D

**Ethylbenzene**


+ EIC (91.1) Scan F2601908.D




+ Scan (12.808-12.906 min, 17 scans) F2601908.D

**m-/p-Xylenes**

+ EIC (91.1) Scan F2601908.D




+ Scan (12.983-13.120 min, 23 scans) F2601908.D




o-Xylene

+ EIC (91.1) Scan F2601908.D



+ Scan (13.489-13.601 min, 18 scans) F2601908.D



Initial Calibration



Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA106-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	1	F2508171.D	5.96	52606	56.3	529201	0.939	0.039
F121725A_CC185154	Benzene	2	F2508172.D	11.93	90306	56.3	525740	0.811	-0.1
F121725A_CC185154	Benzene	3	F2508173.D	23.85	205594	56.3	535697	0.906	0.0032
F121725A_CC185154	Benzene	4	F2508174.D	47.70	403557	56.3	539152	0.884	-0.022
F121725A_CC185154	Benzene	5	F2508175.D	119.26	1061108	56.3	547207	0.916	0.014
F121725A_CC185154	Benzene	6	F2508176.D	238.51	2220768	56.3	544872	0.963	0.065
F121725A_CC185154	Benzene	7	F2508177.D	715.53	6456657	56.3	561348	0.906	0.0022
						Avg:	540460	0.904	
						%RSD:	2.2%	5.3%	
F121725A_CC185154	Toluene	1	F2508171.D	5.24	53241	66.1	606147	1.108	0.016
F121725A_CC185154	Toluene	2	F2508172.D	10.47	110436	66.1	616680	1.130	0.035
F121725A_CC185154	Toluene	3	F2508173.D	20.95	215705	66.1	622459	1.093	0.0017
F121725A_CC185154	Toluene	4	F2508174.D	41.90	427518	66.1	627442	1.074	-0.015
F121725A_CC185154	Toluene	5	F2508175.D	104.74	1078346	66.1	633720	1.073	-0.016
F121725A_CC185154	Toluene	6	F2508176.D	209.48	2208644	66.1	634907	1.097	0.0055
F121725A_CC185154	Toluene	7	F2508177.D	628.45	6371104	66.1	630656	1.062	-0.027
						Avg:	624573	1.091	
						%RSD:	1.7%	2.1%	
F121725A_CC185154	Ethylbenzene	1	F2508171.D	5.44	52701	66.1	606147	1.055	-0.083
F121725A_CC185154	Ethylbenzene	2	F2508172.D	10.89	103364	66.1	616680	1.017	-0.12
F121725A_CC185154	Ethylbenzene	3	F2508173.D	21.77	249010	66.1	622459	1.214	0.055
F121725A_CC185154	Ethylbenzene	4	F2508174.D	43.54	510214	66.1	627442	1.234	0.073
F121725A_CC185154	Ethylbenzene	5	F2508175.D	108.86	1213007	66.1	633720	1.162	0.0099
F121725A_CC185154	Ethylbenzene	6	F2508176.D	217.72	2518155	66.1	634907	1.204	0.046
F121725A_CC185154	Ethylbenzene	7	F2508177.D	653.16	7272682	66.1	630656	1.166	0.014
						Avg:	624573	1.150	
						%RSD:	1.7%	7.2%	
F121725A_CC185154	m-/p-Xylenes	1	F2508171.D	6.10	45227	66.1	606147	0.808	-0.14
F121725A_CC185154	m-/p-Xylenes	2	F2508172.D	12.20	93766	66.1	616680	0.823	-0.12
F121725A_CC185154	m-/p-Xylenes	3	F2508173.D	24.40	229774	66.1	622459	0.999	0.064
F121725A_CC185154	m-/p-Xylenes	4	F2508174.D	48.80	467094	66.1	627442	1.008	0.072
F121725A_CC185154	m-/p-Xylenes	5	F2508175.D	122.00	1082720	66.1	633720	0.925	-0.015
F121725A_CC185154	m-/p-Xylenes	6	F2508176.D	244.00	2328036	66.1	634907	0.993	0.056
F121725A_CC185154	m-/p-Xylenes	7	F2508177.D	732.01	7137741	66.1	630656	1.021	0.087
						Avg:	624573	0.940	
						%RSD:	1.7%	9.6%	
F121725A_CC185154	o-Xylene	1	F2508171.D	5.67	42268	66.1	606147	0.812	-0.14
F121725A_CC185154	o-Xylene	2	F2508172.D	11.35	85951	66.1	616680	0.812	-0.14
F121725A_CC185154	o-Xylene	3	F2508173.D	22.69	217910	66.1	622459	1.019	0.08

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GA106-1 EPA Method 325B Analysis

Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	o-Xylene	4	F2508174.D	45.38	446025	66.1	627442	1.035	0.097
F121725A_CC185154	o-Xylene	5	F2508175.D	113.46	1032192	66.1	633720	0.948	0.0051
F121725A_CC185154	o-Xylene	6	F2508176.D	226.92	2179717	66.1	634907	1.000	0.059
F121725A_CC185154	o-Xylene	7	F2508177.D	680.75	6366952	66.1	630656	0.980	0.038
						Avg:	624573	0.944	
						%RSD:	1.7%	10.0%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	ICV	F2508178.D	443.46	3919944	56.3	563465	0.884	-2.2%
F121725A_CC185154	Toluene	ICV	F2508178.D	454.10	4554523	66.1	629158	1.053	-3.5%
F121725A_CC185154	Ethylbenzene	ICV	F2508178.D	448.99	4890504	66.1	629158	1.144	-0.6%
F121725A_CC185154	m-/p-Xylenes	ICV	F2508178.D	455.97	3870637	66.1	629158	0.891	-5.1%
F121725A_CC185154	o-Xylene	ICV	F2508178.D	456.85	3921714	66.1	629158	0.901	-4.5%

M325B PDF Report ver.20260203

Sample Custody

2026 GA106

Page # 1 of # 1

Site Name:	Sprague South Portland	Client Name:	Montrose Air Quality Services, LLC	PO#:	
Site Address:	39 Main Street	Project Number:	PROJ-027968	Sample Event #	2026GA106
City:	South Portland	Project Manager:	Sabarish Selvarajan	Sorbent:	Carbopak-X
State	Maine	Email Address:	sabarishselvarajan@montrose-env.com		
Zip:	04106	Telephone #:	973-722-7895		

[illegible]

Relinquished By (printed):		Relinquished By (signature):		Relinquished Date:		Relinquished Time:	
Kosta Voukidis		KV		3/17/2026		17:00	
Received By (printed):		Received By (signature):		Receipt Date:		Receipt Time:	
Paige Grundman		<i>Paige Grundman</i>		3-18-26		9:55am	
Sample Condition Upon Receipt:		Compound List:		Custody Seal intact? Y/N:		Delivery tracking #	
Good		BTEX		Y			
Ice Temp:	Blank Temp:			Add Custody Seal # below:			
8.3	Fluke3			25E13499			
Comments:							

Comments:	Salt build up on location 5 sample holder. Construction and concrete pouring near locations 3&4. Extra samples from discretionary locations at Buckeye South Portland (C37043 & C43738) returned unused.
800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.enthalpy.com	

**This Is The Last Page
Of This Report.**

APPENDIX B

No data was invalidated in Quarter 1, 2026.

Appendix C - Corrective Action Plan

ONTERRIS AIR QUALITY SERVICES			
MAINE CH. 171 FENCELINE MONITORING CORRECTIVE ACTION PLAN			
PURPOSE	To minimize field sampling errors possible during Maine DEP Ch. 171 petroleum storage terminal fenceline sampling for BTEX using EPA Method 325A sample process.		
REASON	Field sampling errors can occur including: a lost individual or multiple samples; a sample for a duration other than provided for in the sampling method; documentation errors; and low duplicate precision.		
ACTION PLAN SPONSOR	Kevin Ruggiero, Operations Manager	DATE	January 26, 2026
STRATEGIC ACTION	MONTROSE PERSONNEL RESPONSIBLE	DATE DUE	COMMENTS
Engage new field personnel	Operations Manager	Completed 3/31/26	New field personnel that are existing, local full-time Montrose staff will be fully trained and integrated into the monitoring program.
Provide formal video and written training	Project Manager	Completed 3/31/26	Montrose has a formal training program on EPA Method 325A field sampling techniques that all personnel involved in the project will be required to take.
Provide in the field training	Project Manager	Completed 3/31/26	A Montrose project manager experienced in EPA Method 325A field sampling will provide training in the field for new field personnel. The training will include a comprehensive overview of the sampling methodology as well as monitoring site-specific training needed. The trainer confirms mastery of associated tasks.
Check-ins between the field personnel and project manager to confirm completion of tasks	Field Technician, Project Manager	Each sample day.	Field personnel will be required to check-in with the project manager each sample day to review that all scheduled activities were conducted and identify any non-conformance or corrective actions needed.
Review of sample kit before released for shipping	Field Technician	Prior to release of every sample shipment.	Field personnel required to perform a secondary review of samples prior to shipping to identify any non-conformance prior to samples being released.
Tracking of outbound sample shipments to laboratory	Project Manager	As received.	Review of automated FedEx courier tracking notifications of sample shipments from the field to the analytical laboratory for confirmation of sample shipment and receipt.
Review of sample documentation	Project Manager	Within 3 business days of receipt.	
Review of fleet tracking data	Project Manager	Weekly.	Review of vehicle monitoring device to confirm field personnel movements.
Periodic on site field assessments	Project Manager	After end of Q1, 2026.	Periodic in-person observation of field personnel by project manager.
Provide remedial training	Project Manager	As needed.	Review of field sampling activities to identify any additional training needed to remediate any non-conformance events.
Regular meetings with client to discuss recent sampling results	Operations Manager, Project Manager, Data Manager	Once per quarter, scheduled when draft report has been prepared.	Scheduled cadence of status update meetings between Montrose project personnel and client project personnel
Communication of any irregularities with client	Operations Manager, Project Manager, Data Manager	Within 3 business days of discovery.	Promptly notify client of any irregularities in sampling.