Beyer, Jim R

From: Stratton, Robert D

Sent: Tuesday, January 22, 2019 4:23 PM

To: Beyer, Jim R

Cc: Connolly, James; Overlock, Joe; Perry, John

Subject: Region E brook trout streams

Jim,

Region E Fisheries indicates, "I'm quite certain that <u>all</u> the perennial streams in Region E contain wild BKT. All those brooks in Beattie, Appleton, Johnson Mtn, and Bradstreet Twps are full of BKT. I'm not sure about the intermittent streams, but anything connected to the Moose River, Gold Bk, Barrett Bk, Cold Stream, Baker Bk, Tomhegan Stream, Bog Bk, Smart Bk, Number One Bk, Mill Bk, and Piel Bk would have potential. I really think we are safe ground by assuming all the Region E streams (all headwaters) have BKT. South of The Forks might be a different story..."

By my review of CMP's table, this adds brook trout information for 154 streams, forty-six of them are perennial streams within the "greenfield" section which would not be affected by increased buffer impact calculations. The remaining 108 streams would be affected however.

Thank you,

Bob Stratton

Environmental Program Manager Fisheries and Wildlife Program Support Section Supervisor

Maine Department of Inland Fisheries & Wildlife 284 State Street; 41 State House Station

Augusta, Maine 04333-0041

Tel: (207) 287-5659; Cell: (207) 592-5446

mefishwildlife.com

Correspondence to and from this office is considered a public record and may be subject to a request under the Maine Freedom of Access Act. Information that you wish to keep confidential should not be included in email correspondence.