

NOTICE OF INTENT TO COMPLY WITH MAINE GENERAL PERMIT FOR THE DISCHARGE OF STORMWATER FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4)

PLEASE TYPE OR PRINT IN B	LACK INK ONLY						
PERMITTEE INFORMATIO	N						
MS4 Entity	Town of Cumberland			Permittee ID	# MER041009		
Name and title of chief elected official or principal executive officer	William Shane						
Mailing Address	290 Tuttle Road						
Town/City	Cumberland	State	ME	Zip Code	04021		
Daytime Phone	207-829-5559	Email	wshane@cumberlandmaine.com				
PRIMARY CONTACT PER	SON FOR OVERALL STORMW	VATER MANAC	SEMENT PRO	GRAM (if different	than PEO/CEO)		
Name and Title	Laura Neleski						
Mailing Address	290 Tuttle Road						
Town/City	Cumberland	State	ME	Zip Code	04021		
Daytime Phone	207-829-5559	Email	Ineleski@cumberlandmaine.com				
STORMWATER MANAGE	MENT PLAN (SWMP)						
Urbanized Area (sq. mi.)	6.5						
I have attached our updated	d SWMP with ordinances, SOPs,	forms.					
Atlantic Ocean (Casco Bay,	, or waterbodies to which the reg Broad Cove), East Branch of Pisc	ataqua River, M	laxfield Brook,	Windle Brook, Mill Br	ook, and unnamed streams		
List of impaired waterbodies Broad Cove (Pa	s that receive stormwater from the art of DMR area 14	e regulated sma	all MS4 (attach	additional sheets as	s necessary):		
CERTIFICATION							
a system designed to assure person or persons who mains to the best of my knowledge.	w that this document and all attac re that qualified personnel proper nage the system, or those persor edge and belief, true, accurate, ar the possibility of fine and impriso	ns directly respond of complete. I a	onsible for gath m aware that t	pering the information	the information submitted		
Signature of Permittee	ww	76		Date	2/11/21		

This NOI registration form must be filed with the Department at the following address:

Stormwater Program Manager
Maine Department of Environmental Protection
Bureau of Water Quality
17 State House Station
Augusta ME 04333-0017
Rhonda.Poirier@maine.gov

OFFICE USE ONL	Υ			
Date Recieved	Staff	Date Accepted	Date Not Accepted	