

INVOICE Pace Analytical Services, LLC 41-1821617

Pace Analytical Services, LLC 8 Walkup Drive Westborough, MA 01581 Phone:508-898-9220

Invoice Number: 2458878866

Invoice Date: 04-OCT-24

Report Due: 27-SEP-24

Account Number: MEDEP-AUGUST Receive Date: 20-SEP-24

Invoice To:

Accounts Payable

Maine Department Of Env Protection

17 State House Station

Augusta, ME 04333

Alpha Job #: L2454290

Ouote #:

Payment Terms: Net 30 P.O. Number: REM02

Report To:

Ms. Molly King

Maine Department Of Env Protection

17 State House Station

Augusta, ME 04333

Project Number: 83336

NASB-HANGER 4 AFFF

Alpha Contact: Michael Chang Project Manager: Ms. Molly King

Matrix	Description	Unit Price	Quantity	Total Price	
WATER LINE ITEM LINE ITEM	ME PFAAs via EPA 1633 VC100070011 CTB#20240611*3672	400.00	6	2400.00	

Total Amount Due: \$ 2400.00

Page 1

Payments should be made via ACH(electronic) transfer on or before due date. If you are not enrolled in our electronic payments program please contact us at ARQuestions@Pacelabs.com or call 612-607-6400. If you do not have access to pay Pace via ACH or wire transfer you may remit payment to the address below. Please include invoice number/s on your remittance.

ΔιPhA	CHAIN OF C	0510	DY P	AGE_	_1_	_ OF	1	e e	Date	Rec'd in La	24		245		ALPHA Job #: REM02
Walkup Drive estboro, MA 01581 I)-698-9220	320 Forbes Blvd Mansfield, MA 02048 Tel: Tel: (508)-822-9300	Project:	nformation NASB-Ha	nger 4 AF	FF				Repo	No. of Lot, House, etc., in such spirits, and the such spirits and the such spirits are such spirits.	on - Data D	eliverables		100	Billing Informati
ent Informati		12 miles	REALIZANI GENERALIZATEN							PFAS Please Report Full compound list					
	epartment of Environmental Protection	EGAD Number: 83336								1633					
ntact Name:	Molly King	Project Manager: Molly King Copies to: Iver mcleod@maine.gov							Please provide EDD for PFAS						
: Augusta															
State: Maine Zip Code: 04333 ALPHA Quote #															
ne: 207-458-	8839		Turn-Around Time												
il: molly.king	@maine.gov	Standard Date Due:	⊠ Rush	only confirm	ned if pre-appro	yed) 5 - ,	day TAT								
itional Project	Information: Please send copy of EDD with									ANALYSIS					
ALPHA Lab II	AMING SHOULD BE ADDRESS WHERE	E SAMPLE IS		242					1	ethod 163					SAMPLE INFO Filtration Field Lab to do Preservation
(Lab Use Only)	Sample Point Name (Sample Address)	Sample Collection		Material .	Sample Location		Treatment Status	PID Result	II	E Q					Preservation ☐ Lab to do
11/250		Date	Time						11	PFA	\perp				Sample Comments
1290 -	01 SW-11-20240919	9/19/24	13130	SW	0	65	NT		-		+	_			2
-(12 SW-17-20240919	T	13:55	1	1	1	1			X	+	_		_	
-(3 SW-23-20240919		14:05							×	+			\vdash	
	4 SW-65-20240919		14:30							×	11			-	
	SW-66-20240919	V	14:55	4	4	1	1			X	\top			\vdash	
-0	6 FIELD BLANK	9/19/24	14:25	AQ	NA	65	NA			X					
										-	+				
I A	Peacryative		IC.	ontainer Ty	ne-										
Glass C	=HCL =HNO3 =H2504		-	eservative:					P	P					All samples submitted are subject
	-NAOH -MuOH -NuHSO4		Christian 9/19/24 16:45 1/19/24 14:00					F	Received By 9/26/24 Date/Time: 13:16				to Alpha's Terms and Conditions See reverse side.		
G G	NA2S2O3 Assorbic Acid NH4CL	PA-1	Sale	9/20		1:00			0	Dark	. 1	-0/21			C. P. LANCES PROSPERSON