



**Maine Department of Environmental Protection
Biological Monitoring Program
Aquatic Life Classification Attainment Report**

Station Information

Station Number: S-815	DEP Drainage: Maine Coastal
Waterbody: Card Brook - Station 815	HUC8: 01050002
Town: Ellsworth	HUC8 Name: Maine Coastal
Directions: 32 METERS DOWNSTREAM OF RT 230	Latitude: 44 31 51.95 N
	Longitude: 68 25 5.99 W
	Stream Order: 3

Sample Information

Log Number: 2029	Type of Sample: ROCK BAG	Date Deployed: 7/11/2011
Subsample Factor: X1	Replicates: 3	Date Retrieved: 8/10/2011

Classification Attainment

Statutory Class: B	Final Determination: C	Date: 2/5/2013
Model Result with P>.6: NA	Reason for Determination: Best Professional Judgement	
Date Last Calculated: 2/1/2013	Comments: Indeterminate Class C (.55) raised to Class C based on the structure of the community.	

Model Probabilities

<u>First Stage Model</u>				<u>C or Better Model</u>	
Class A	0.01	Class C	0.76	Class A, B, or C	0.55
Class B	0.05	NA	0.18	Non-Attainment	0.45
<u>B or Better Model</u>				<u>A Model</u>	
Class A or B			0.00	Class A	0.02
Class C or Non-Attainment			1.00	Class B or C or Non-Attainment	0.98

Model Variables

01 Total Mean Abundance	162.67	18 Relative Abundance Ephemeroptera	0.12
02 Generic Richness	26.00	19 EPT Generic Richness	10.00
03 Plecoptera Mean Abundance	0.00	21 Sum of Abundances: <i>Dicrotendipes</i> , <i>Micropsectra</i> , <i>Parachironomus</i> , <i>Helobdella</i>	0.00
04 Ephemeroptera Mean Abundance	19.67	23 Relative Generic Richness- Plecoptera	0.00
05 Shannon-Wiener Generic Diversity	2.89	25 Sum of Abundances: <i>Cheumatopsyche</i> , <i>Cricotopus</i> , <i>Tanytarsus</i> , <i>Ablabesmyia</i>	1.61
06 Hilsenhoff Biotic Index	4.03	26 Sum of Abundances: <i>Acroneuria</i> , <i>Maccaffertium</i> , <i>Stenonema</i>	0.00
07 Relative Abundance - Chironomidae	0.16	28 EP Generic Richness/14	0.14
08 Relative Generic Richness Diptera	0.19	30 Presence of Class A Indicator Taxa/7	0.14
09 <i>Hydropsyche</i> Abundance	66.40		
11 <i>Cheumatopsyche</i> Abundance	1.27		
12 EPT Generic Richness/ Diptera Generic Richness	2.00		
13 Relative Abundance - Oligochaeta	0.01		
15 Perlidae Mean Abundance (Family Functional Group)	0.00		
16 Tanypodinae Mean Abundance (Family Functional Group)	0.00		
17 Chironomini Abundance (Family Functional Group)	0.00		

Five Most Dominant Taxa		
Rank	Taxon Name	Percent
1	<i>Hydropsyche</i>	40.82
2	<i>Rheotanytarsus</i>	15.77
3	<i>Baetis</i>	11.89
4	<i>Simulium</i>	7.17
5	<i>Phylla</i>	6.76



**Maine Department of Environmental Protection
Biological Monitoring Program
Aquatic Life Classification Attainment Report**

Station Number: S-815

Town: Ellsworth

Date Deployed: 7/11/2011

Log Number: 2029

Waterbody: Card Brook - Station 815

Date Retrieved: 8/10/2011

Sample Collection and Processing Information

Sampling Organization: BIOMONITORING UNIT

Taxonomist: MICHAEL WINNELL

Waterbody Information - Deployment

Temperature: 21.8 deg C
Dissolved Oxygen: 8.1 mg/l
Specific Conductance: 241 uS/cm
Velocity: 20 cm/s
pH: 7.22
Wetted Width: 7.5 m
Bankfull Width: 9 m
Depth: 25 cm

Waterbody Information - Retrieval

Temperature: 18.7 deg C
Dissolved Oxygen: 8.4 mg/l
Specific Conductance: 284 uS/cm
Velocity: 29 cm/s
pH: 7.53
Wetted Width: 7.9 m
Bankfull Width: 9 m
Depth: 26 cm

Water Chemistry - 8/10/2011

Ammonia As Nitrogen	0.01 mg/l	Soluble Reactive Phosphorus	4 ug/l
Nitrate+nitrite As N	0.06 mg/l	Total Phosphorus	0.026 mg/l
Total Kjeldahl Nitrogen	0.7 mg/l	Total Suspended Solids	2 mg/l
Dissolved Organic Carbon	7.8 mg/l	Total Dissolved Solids	190 mg/l

Summary of Habitat Characteristics

<u>Landuse Name</u>	<u>Canopy Cover</u>	<u>Terrain</u>
Upland Hardwood	Dense	Rolling
Urban		
<u>Potential Stressor</u>	<u>Location</u>	<u>Substrate</u>
Altered Hydrology	Below Road Crossing	Boulder 65 %
Urban Runoff	Below Town	Gravel 5 %
	Below Urban NPS	Rubble/Cobble 25 %
		Sand 5 %

Landcover Summary - 2004 Data

Total Area (ac)	4539	High Int. Dev. %	5.9	Water %	0.0	Non-vegetated %	2.2
		Med Int. Dev. %	4.0	Wetland %	13.8	Tilled Agriculture %	4.7
		Low Int. Dev. %	7.4	Upland Woody %	54.8	Grassland %	3.9
		Development %	17.4	Natural %	68.7	Human Altered %	31.2
						Impervious %	9.6

Sample Comments

CANOPY COVER: APPROXIMATELY 75% SHADED. 7/11/11: SIGNIFICANT EROSION ON RIGHT BANK (LOOKING UPSTREAM).



**Maine Department of Environmental Protection
Biological Monitoring Program
Aquatic Life Taxonomic Inventory Report**

Station Number: S-815

Waterbody: Card Brook - Station 815

Town: Ellsworth

Log Number: 2029

Subsample Factor: X1

Replicates: 3

Calculated: 2/1/2013

Taxon	Maine Taxonomic Code	Count (Mean of Samplers)		Hilsenhoff Biotic Index	Functional Feeding Group	Relative Abundance	
		Actual	Adjusted			Actual	Adjusted
<i>Prostoma</i>	04010101001	3.00	3.00		--	1.8	1.8
<i>Stylodrilus</i>	08020101004		1.00		--		0.6
<i>Stylodrilus heringianus</i>	08020101004001	1.00			--	0.6	
<i>Nais</i>	08020202009		1.33		CG		0.8
<i>Nais communis</i>	08020202009005	1.33			--	0.8	
<i>Gammarus</i>	09010201003	0.33	0.33	4	--	0.2	0.2
<i>Orconectes</i>	09010301008	0.33	0.33		CG	0.2	0.2
<i>Boyeria</i>	09020301004		6.33	2	PR		3.9
<i>Boyeria vinosa</i>	09020301004012	6.33			--	3.9	
Calopterygidae	09020307	0.33	0.33		--	0.2	0.2
Baetidae	09020401	0.33	0.33		--	0.2	0.2
<i>Baetis</i>	09020401001	10.67	19.33	4	CG	6.6	11.9
<i>Baetis pluto</i>	09020401001009	8.67			--	5.3	
<i>Chimarra</i>	09020601003		1.00	2	CF		0.6
<i>Chimarra aterrima</i>	09020601003002	1.00			--	0.6	
<i>Cernotina</i>	09020603006	0.33	0.33		PR	0.2	0.2
Hydropsychidae	09020604	14.33			--	8.8	
<i>Cheumatopsyche</i>	09020604015	1.00	1.27	5	CF	0.6	0.8
<i>Hydropsyche</i>	09020604016	23.00	66.40	4	CF	14.1	40.8
<i>Hydropsyche bronta</i>	09020604016029	0.33			--	0.2	
<i>Hydropsyche sparna</i>	09020604016032	5.67			--	3.5	
<i>Hydropsyche depravata complex</i>	09020604016041	23.33			CF	14.3	
<i>Glossosoma</i>	09020606020	8.00	8.00	0	SC	4.9	4.9
<i>Limnephilus</i>	09020610055	0.33	0.33	3	SH	0.2	0.2
<i>Apatania</i>	09020610061	0.33	0.33		SC	0.2	0.2
<i>Lepidostoma</i>	09020611064	1.33	1.33	1	SH	0.8	0.8
<i>Tipula</i>	09021001002	0.67	0.67	4	SH	0.4	0.4
Chironomidae	09021011	0.33			--	0.2	
<i>Cricotopus</i>	09021011037		0.34	7	SH		0.2
<i>Cricotopus bicinctus</i>	09021011037057	0.33			--	0.2	
<i>Eukiefferiella</i>	09021011041		0.34	8	CG		0.2
<i>Eukiefferiella claripennis group</i>	09021011041075	0.33			--	0.2	
<i>Rheotanytarsus</i>	09021011072	25.33	25.66	6	CF	15.6	15.8
<i>Simulium</i>	09021012047	5.67	11.67	4	CF	3.5	7.2
<i>Simulium (Eusimulium)</i>	09021012047052	0.33			--	0.2	
<i>Simulium tuberosum</i>	09021012047067	0.67			--	0.4	
<i>Simulium venustum/verecundum complex</i>	09021012047072	5.00			CF	3.1	



Maine Department of Environmental Protection
Biological Monitoring Program
Aquatic Life Taxonomic Inventory Report

Station Number: S-815

Waterbody: Card Brook - Station 815

Town: Ellsworth

Log Number: 2029

Subsample Factor: X1

Replicates: 3

Calculated: 2/1/2013

Taxon	Maine Taxonomic Code	Count (Mean of Samplers)		Hilsenhoff Biotic Index	Functional Feeding Group	Relative Abundance	
		Actual	Adjusted			Actual	Adjusted
<i>Promoresia</i>	09021113069		0.33		--		0.2
<i>Promoresia tardella</i>	09021113069052	0.33			--	0.2	
<i>Stenelmis</i>	09021113070		0.67	5	SC		0.4
<i>Stenelmis crenata</i>	09021113070055	0.67			--	0.4	
<i>Physa</i>	10010202026	1.00	11.00		SC	0.6	6.8
<i>Physa gyrina</i>	10010202026046	10.00			--	6.1	
<i>Ferrissia</i>	10010204035		0.67		SC		0.4
<i>Ferrissia rivularis</i>	10010204035066	0.67			--	0.4	