Universal Waste Inspection Checklist Central Accumulation Facility

Chapter 8	50(3)((A)(13)
-----------	--------	---------

(c)(i)	Any disposing, diluting or treating of U/W	Y	Ν	
(d)	Household hazardous waste (UW) managed correctly	Y	N	
(f)(i)	Are waste tracked via Manifest/UBOL/Log (circle one)	Y	N	
	Universal Waste in containers:	Y	N	
(-)(-)	Evidence of breakage, leakage or spillage:	Y	N	
	Containers Closed:	Y	N	
	Containers Intact:	Ŷ	N	
	Containers Compatible:	Ŷ	N	
Waste S	Specific Requirements (C=CRT, L=Lamps, B=Ballasts, T=Thermos		D-Mercury	
	MS=Mercury Switch, MV=Motor Vehicle Mercury Switch)	uus, 111	D=wici cui y	
	ii-xxvii)			
(-)(Adequate materials to prevent breakage (All)	Y	N	
	Sealed when full & after incidental breakage (C/L)	Y	N	
	Not stacked over 5 ft (C/L)	Ŷ	N	
	Stored Inside, in a dry area (All)	Ŷ	N	
	Containers marked with UW type (All)	Ŷ	N	
	Storage area has sign (All)	Y	N	
	Storage area has sign (All)	1	μN	
(f)(ii)	Does facility have EPA ID # or State of Maine Number?	Y	Ν	
(1)(11)	Does facility have Li T ID # of State of Maine Munder.	1	1	
(f)(iii)	CAF ships to approved in State Consolidator or	Y	Ν	
	Recycling Facility			
(f)(iv)	Section 3(A)(13)(e)(x – xiv)			
(_)(_')	Weekly Inspections with log:	Y	N	
	Secure/lockable storage area:	Ŷ	N	
	Container label AST and Full date	Ŷ	N	
	Any received dates over one year:	Y	N	
	Adequate Aisle Space: (able to see labels and dates)	Y	N	
	Adequate Aise Space. (able to see labels and dates)	1	ц	
(f)(v)	Containers marked with date received at Facility?	Y	Ν	
	Does facility have an inventory system for tracking?	Y	Ν	
Record Retention				
(e)(xix)			
	Inspection logs for one year:	Y	Ν	
	Manifest/UBOL for three years:	Y	Ν	
	Certificates of Recycling for three years:	Y	Ν	
	Employee Training Records for three years [from (e)(ix)]:	Y	N	
	(Current employees and previous three years)			
(e)(xx) Submit to the Department:				
/	Manifest/UBOL within 7 days of shipment	Y	Ν	
	Quarterly UW reports per Ch.857.13(C)(2)	Y	Ν	
Boxed	item checked is a violation.		I	