## Universal Waste Inspection Checklist Generator

Chapter 850(3)(A)(13)(c)			
	Any treatment without license	Y	Ν
Chapter 850(3)(A)(13)(e)			
(vi)	Universal Waste in containers:	Y	Ν
	Evidence of breakage, leakage or spillage:	Y	N
	Containers Closed:	Y	Ν
	Containers Intact:	Y	Ν
	Containers Compatible:	Y	N
Waste Specific Requirements (C=CRT, L=Lamps, B=Ballasts, T=Thermostats, MD=Mercury Device, MS=Mercury Switch, MV=Motor Vehicle Mercury Switch ).			
(xxii-y	·		
	Adequate materials to prevent breakage (All)	Y	Ν
	Sealed when full & after incidental breakage (C/L)	Y	Ν
	Not stacked over 5 ft (C/L)	Y	Ν
	Stored Inside, in a dry area (All)	Y	Ν
	Containers marked with UW type (All)	Y	Ν
	Storage area has sign (All)	Y	Ν
(xii)	Labeled with start/full date	Y	N
(x)	Weekly Inspections with log: (SUWG exempt)	Y	Ν
. ,	LUWG equals more than 200 items or 4000(MV)		
	Number of UW items maintained:	Y	Ν
(xi)	Secure/lockable storage area:	Y	N
(xiii)	Any start dates over one year:	Y	N
()	If Yes, is container full:	Ŷ	N
	If Yes, is full date more than 90 days:	Ý	N
(xxvi)(f)			
. ,	Motor Vehicle Switches shipped at least every three years?	Y	N
(xiv)	Adequate Aisle Space: (able to see labels and dates)	Y	Ν
(xvi)	If LUWG does facility have an EPA or Maine ID #:	Y	N
Recor	rd Retention		
(xix)	Inspection logs for one year:	Y	Ν
	Manifest/UBOL for three years*:	Y	Ν
	Certificates of Recycling for three years*:	Y	Ν
(ix)	Employee Training Records for three years*:	Y	Ν
	(Current employees and previous three years)		
	*Are these items stored at consolidation facility (SUWG)? If yes, name and address of Consolidation Facility	Y	N
h ·	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

Boxed items checked is a violation.