


TEMPORARY CONSTRUCTION SIGN FOR RURAL DEVELOPMENT PROJECTS




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for CWSRF Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for CWSRF & DWSRF Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for DEP Grant Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for DWSRF Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for CDBG Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for RD and DEP Grant Co-funded Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for CDBG and DEP Grant Co-funded Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for RD and CDBG Co-funded Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for RD and CWSRF Co-funded Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for RD and DWSRF Co-funded Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for RD, DWSRF and CWSRF Co-funded Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for RD, DWSRF, and CDBG Co-funded Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for DWSRF and CDBG Co-funded Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for CWSRF and CDBG Co-funded Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for RD, CWSRF, and CDBG Co-funded Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for RD, DEP Grant, and CDBG Co-funded Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for EPA STAG Grant, and DEP Administered Projects




SKY - LIGHT BLUE, PMS 300 @ 50% SCREEN
 MOUNTAINS - DARK GREEN, PMS 354
 SHORE - LIGHT GREEN, PMS 354 @ 50% SCREEN
 WATER - DARK BLUE, PMS 300

MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for RD, EPA STAG Grant, and DEP Administered Projects




MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for EPA STAG Grant, and DECD Funded Projects




SKY - LIGHT BLUE, PMS 300 @ 50% SCREEN
 MOUNTAINS - DARK GREEN, PMS 354
 SHORE - LIGHT GREEN, PM S354 @ 50% SCREEN
 WATER - DARK BLUE, PMS 300

DARK BLUE AND GOLD

MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")
 EXTERIOR PLYWOOD (A-B GRADE)
 MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

Temporary Construction Sign for EPA STAG Grant, RD and DECD Funded Projects



MINIMUM SIGN DIMENSIONS: 1200 x 2400 x 19 MM (4' x 8' x 3/4")

EXTERIOR PLYWOOD (A-B GRADE)

MINIMUM LETTERING SIZE: 5 CM (2-INCHES)

