

**MAINE CENTER FOR DISEASE CONTROL AND  
PREVENTION  
(FORMERLY BUREAU OF HEALTH)  
DIVISION OF CHRONIC DISEASE**

**MAINE CHILD HEALTH SURVEY, 2003/2004  
KINDERGARTEN AND THIRD GRADE REPORT**



**December 2005**

## ACKNOWLEDGEMENTS

Maine Centers for Disease Control and Prevention, Division of Chronic Disease  
*Dora Anne Mills, MD MPH – Director*

Division of Chronic Disease  
*Barbara Leonard, MPH*  
Former Division Director

Division of Chronic Disease  
*Ron Bansmer, MBA*  
Acting Division Director

Maine Asthma Prevention and Control Program  
*Dwight Littlefield, RN, MBA*  
Program Director

Maine Oral Health Program  
*Judith Feinstein, MSPH*  
Program Director

Report prepared by:  
*Kathy Tippy, MPH*  
Epidemiologist

Maine CDC, Division of Chronic Disease/University of Southern Maine, Applied  
Medical Sciences

We gratefully acknowledge all of the public elementary schools, families, and students who participated in the Maine Child Health Survey, 2003/2004.

For survey logistical coordination and support: Belinda Golden, Maine Asthma Prevention and Control Program; Kristine Perkins, RDH, CAGS-PH, Maine Oral Health Program; Mary Harrington, Maine Oral Health Program; Barbara Poirier, MS, Muskie School of Public Policy, University of Southern Maine.

For survey administration and database design: Janet Sawyer, RDH, Consultant; Kristine Perkins, RDH, CAGS-PH, Maine Oral Health Program; Teresa Hubley, PhD, Muskie School of Public Policy, University of Southern Maine.

For program support: Dwight Littlefield, RN, MBA; Desi-Rae Mason, Maine Asthma Prevention and Control Program; Judith Feinstein, MSPH, Maine Oral Health Program.

For survey design: Katie Meyer, ScD, Chronic Disease Epidemiologist; Judith Graber, MS, Program Director, Environmental Health Unit; Dorean Maines, Partnership for a Tobacco Free Maine.

For analytic support: Katie Meyer, ScD, Chronic Disease Epidemiologist; Erika Lichter, ScD, Maternal Child Health Epidemiologist.

For data editing and format; Peter Van Kamecke, Intern, University of Southern Maine Graduate Studies in Math and Statistics.

## TABLE OF CONTENTS

	Page
Acknowledgements .....	i
Table of Contents .....	ii
List of Detailed Tables .....	iii
List of Detailed Figures .....	iv
List of Questions and Dental Screening Responses .....	vi
Executive Summary .....	1
Background .....	2
Methodology .....	2
Design .....	2
Exclusion Criteria .....	3
Sampling .....	3
Regional Designation by Maine County .....	3
Survey Response Rates .....	4
Calculated Variables .....	4
Data Analysis and Discussion .....	5
Appendix A: Maine Child Health Survey Consent Form, Questionnaire and Dental Screening Form .....	7
Appendix B: Kindergarten and Third Grade Data Processing Document .....	17
Appendix C: Questionnaire and Dental Screen Responses Unweighted Frequency Tables .....	22
Appendix D: Detailed Tables and Figures .....	49

## LIST OF DETAILED TABLES

	Page
1. School, student, and overall response rates according to region.....	4
2. Demographic data according to region.....	50
3. Prevalence of current asthma, lifetime asthma, and current wheeze by grade according to region .....	52
4. Prevalence of current asthma, lifetime asthma, and current wheezing by sex according to region.....	54
5. Prevalence of current asthma, lifetime asthma, and current wheeze by insurance coverage and race .....	57
6. Prevalence of children with special health care needs by grade and sex according to region.....	59
7. Prevalence of children with special health care needs by insurance coverage and race according to grade level.....	62
8. Prevalence of at-risk for overweight and overweight by sex according to region ...	64
9. Prevalence of at-risk for overweight and overweight by sex according to grade level .....	65
10. Prevalence of at-risk for overweight and overweight by insurance coverage and race.....	68
11. Prevalence of at-risk for overweight and overweight by television viewing and soda consumption.....	71
12. Prevalence of environmental tobacco smoke exposure (ETS) by sex, race, and insurance coverage according to region .....	75
13. Prevalence of environmental tobacco smoke exposure (ETS) by race, and insurance coverage according to grade .....	76
14. Prevalence of food insecurity and family hunger by sex and grade according to region .....	78
15. Prevalence of food insecurity and family hunger by insurance coverage and race .....	81

**LIST OF DETAILED FIGURES**

	Page
1. Prevalence of current asthma, lifetime asthma, and current wheezing by grade.....	51
2. Prevalence of current asthma, lifetime asthma, and current wheezing by sex .....	53
3. Prevalence of current asthma, lifetime asthma, and current wheezing by race .....	55
4. Prevalence of current asthma, lifetime asthma, and current wheezing by insurance coverage .....	56
5. Prevalence of children with special health care needs (CSHCN) by grade and sex .....	58
6. Prevalence of children with special health care needs (CSHCN) by race and grade .....	60
7. Prevalence of children with special health care needs (CSHCN) by insurance coverage .....	61
8. Prevalence of at-risk for overweight and overweight by sex .....	63
9. Prevalence of at-risk for overweight and overweight by race.....	66
10. Prevalence of at-risk for overweight and overweight by insurance coverage. ....	67
11. Prevalence of children at-risk for overweight and overweight by television viewing.....	69
12. Prevalence of children at-risk for overweight and overweight by soda consumption .....	70
13. Prevalence of environmental tobacco smoke (ETS) exposure by region and grade .....	72
14. Prevalence of environmental tobacco smoke (ETS) exposure by race according to grade level.....	73
15. Prevalence of environmental tobacco smoke (ETS) exposure by insurance coverage according to grade level .....	74
	Page
16. Prevalence of food insecurity and family hunger by region.....	77

17. Prevalence of food insecurity and family hunger by race ..... 79

18. Prevalence of food insecurity and family hunger by insurance coverage..... 80

**LIST OF QUESTIONS AND DENTAL SCREENING RESPONSES**

Child ever had wheezing or whistling in chest ..... 23

Page

Past 12 months: Child had wheezing or whistling in chest .....	23
Past 12 months: Number of wheezing attacks child had.....	23
Past 12 months: How often child’s sleep disturbed by wheezing.....	24
Past 12 months: Wheezing severe enough to limit child’s speech .....	24
Child ever had asthma.....	24
Past 12 months: Child’s chest wheezy after exercise .....	25
Past 12 months: Child’s sleep disturbed due to dry cough .....	25
Past 12 months: How often child’s activity limited due to wheezing.....	25
Past 12 months: How often visit doctor for wheezing .....	26
Past 12 months: How often visit ED due to wheezing.....	26
Past 12 months: How often admitted as in-patient due to wheezing .....	26
Ever told by doctor that child has asthma.....	27
Place child is usually taken for medical assistance for asthma .....	27
Past 12 months: Doctor has given written plan for child’s asthma .....	28
Number in household who smoke cigarettes, cigars, pipes in house .....	28
During average month: How often child smelled/breathed tobacco smoke .....	28
Past 12 months: How often child around dogs.....	29
Past 12 months: How often child around cats.....	29
Kitchen stove: Natural gas or propane .....	29
At least once a month last winter: Heat-source: Kerosene .....	30
At least once a month last winter: Heat-source: Wood stove.....	30
At least once a month last winter: Heat-source: Wood fireplace.....	30
Past 12 months: Wall to wall carpet in house .....	30

Past 12 months: Wall to wall carpet where child sleeps.....	31
Protective plastic covering on child’s bed .....	31
Child has dog allergies.....	31
Child has cat allergies.....	32
Child has dust allergies.....	32
Child has grass or pollen allergies .....	32
Past 4 weeks: Work delay missed by parent or other adult due to child’s asthma .....	33
Biological mother ever told by doctor she has asthma.....	33
Biological father ever told by doctor he has asthma .....	33
Time since child’s last dental visit .....	34
Main reason for child’s last dental visit .....	34
Past 12 months: Child needed but was unable to get dental care .....	35
Reason last time child needed but couldn’t get dental care.....	35
Child covered under dental insurance .....	36
Child ever had dental sealants .....	36
Past 4 weeks: Number of school days missed due to dental problems.....	36
How often child uses booster car seat.....	37
If rides in booster: In front seat or in back seat.....	37
	Page
If no booster: Rides in front seat or in back seat.....	37
Child currently needs/uses medication prescribed by doctor.....	38
Need for prescription due to medical, behavioral or other condition .....	38
Condition requiring prescription has lasted/expected to last $\geq 12$ months .....	38



Child needs more medical, mental health, educational services then usual .....	39
Need for more services due to medical, behavioral or other condition .....	39
Condition requiring more services has lasted/expected to last $\geq 12$ months .....	39
Child limited in ability to do things others same age do .....	40
Limitation due to medical, behavioral or other condition .....	40
Limiting condition has lasted/expected to last $\geq 12$ months .....	40
Child needs/gets physical, occupational or speech therapy .....	41
Need for special therapy due to medical, behavioral or other condition .....	41
Special need has lasted/expected to last $\geq 12$ months .....	41
Child needs/gets treatment for emotional, developmental behavioral problems .....	42
Problem has lasted/expected to last $\geq 12$ months .....	42
Past 12 months: I/other adult reduced/skipped own meal: No money .....	42
How often I/other adult reduced/skipped meal .....	43
Past 12 months: I (adult) ate less: No money .....	43
Past 12 months: At time I (adult) didn't eat: No money .....	43
Food I/we bought didn't last: No money to buy more .....	44
Past 12 months: I/we couldn't afford balanced meals .....	44
	Page
On average: Number of hours child watches TV per day .....	44
Amount of soda child drinks .....	45
Type of insurance child covered by .....	45
Past 12 months: At times child did not have health insurance/Medicaid .....	45
Child eligible for free/reduced lunches at school .....	46

Child has signs of stress, behavior changes, moodiness .....	46
Signs have lasted/expected to last $\geq$ 12 months .....	46
Willing to take/already taken child to be treated for stress .....	46
Hispanic .....	47
Dental referral.....	47
Caries experience .....	47
Rampant caries .....	47
Sealants of permanent molars .....	48
Treatment urgency .....	48
Untreated cavities .....	48
Need for sealants.....	48

## EXECUTIVE SUMMARY

The Maine Child Health Survey was initiated in 2001 in an effort to obtain credible, useful, and appropriate childhood health information. The survey (MCHS) provides an opportunity to gain critical information about the health of Maine's children at various points in their development. This information can be used to monitor the health status of Maine's children and to compare the health of Maine children with that of children in other states or regions. More importantly, this information will help us focus our efforts to improve the health of the children of Maine. Since 2001, the MCHS has been piloted, administered, and continuously improved.

The MCHS is a cross-sectional survey of kindergarten, third grade and fifth grade students attending public schools in Maine. Only questions that are validated or previously used in national surveys are used within this data collection tool. The survey is conducted during the school year and participation in the MCHS is voluntary at the school level and individual level. Its use of one tool to obtain multiple measures of health is an effort to obtain the needed information while reducing, as much as possible, any inconvenience for participating schools.

This survey was developed and administered primarily by the Maine Asthma Prevention and Control Program and the Maine Oral Health Program, both part of the Maine Center for Disease Control and Prevention (MCDC) within the Maine Department of Health and Human Services. Other participating programs included the Maine Injury Prevention Program, the Partnership for a Tobacco Free Maine, the Physical Activity and Nutrition Program, and the Children with Special Health Needs Program, all units within the MCDC. The participation of and support by the Maine Department of Education was a key factor in coordinating the survey's implementation.

This document reports data obtained from the 2003-2004 Kindergarten/Third Grade MCHS. Results are presented in the tables and figures included in Appendices C and D. The presentation of information is patterned after the Youth Risk Behavioral Survey, a national survey of middle school and high school students conducted at the state level and coordinated by CDC. The 2003-2004 MCHS was limited by a low overall response rate (the school response rate multiplied by the student response rate). As such, the results of this survey are indicative only of the children who participated in the survey and are not considered generalizable to Maine's child population. These results do provide us with useful information on current asthma, lifetime asthma, and current wheezing; demographic characteristics, percentage of children with special healthcare needs; characteristics of children related to their Body Mass Index (BMI) percentages and related risk factors; several variables describing oral health status and access to dental care; environmental tobacco smoke exposure among children; family concerns regarding food insecurity and family hunger; and how many of these variables may differ by race.

This report does not include interpretations of data or discussion of survey results. Such discussions may be developed by the participating programs, and questions regarding particular health issues should be directed to them.

## **BACKGROUND**

The Maine Child Health Survey (MCHS) provides an opportunity to gain critical information about indicators relating to the health and well-being of Maine's children. While the MCHS was initiated through The Centers for Disease Control and Prevention (CDC) cooperative agreement with the Maine Asthma Prevention and Control Program, efforts were made to collaborate with multiple partners across the state to collect representative data at the kindergarten, third and fifth grade level to measure a variety of health indicators.

The MCHS provides state and local level health data that, historically, are difficult to collect. Multiple measures of health are assessed through the use of this one tool.

The kindergarten/third grade MCHS is comprised of two components: 1) a questionnaire completed by the parent/primary caregiver 2) a dental screen, at which time height and weight measurements of the child were also obtained. A unique quality of the MCHS is the combination of formal questionnaire responses and actual physical measurements.

The first statewide MCHS of kindergartners was conducted in 2002. The results of the 2002 MCHS can be found at [www.mainepublichealth.com](http://www.mainepublichealth.com). This report is based on the second statewide MCHS of kindergartners and third graders conducted during the 2003/2004 school year.

## **METHODOLOGY**

### Design

The MCHS protocol was approved by the Institutional Review Board (IRB) for the protection of human subjects at the Maine Health and Human Services.

The MCHS is a cross-sectional survey of kindergarten and third grade students attending public schools in Maine. The MCHS was conducted during the school year. Participation in the MCHS was voluntary at the school level and individual level.

The parent or primary caregiver of the kindergarten or third grade child enrolled in public school was sent a consent form to sign and a questionnaire to complete (see appendix A). Parents were instructed to return both the signed consent form and completed questionnaire to the Maine Asthma Prevention and Control Program in a postage paid return envelope. The consent form and questionnaire were mailed twice to non-respondent parents in two-week intervals following the prior mailing. Only children whose parent or primary caregiver had either signed the consent or completed the questionnaire received the dental screen and had their height and weight measured during school. The children were also given an opportunity to decline the dental exam and/or the height and weight measurements. A trained dental hygienist conducted the dental screen and obtained the height and weight measurements.

## Exclusion Criteria

All children enrolled in kindergarten or third grade at selected school sites were invited to participate in the MCHS. Exclusion from the MCHS was indicated by a refusal of the parent or primary caregiver to return either a signed consent form or a completed questionnaire. Exclusion could also occur with a verbal or physical refusal from the child after parental permission.

## Sampling

The sampling plan for the MCHS was a stratified one-stage cluster. Stratification is based on six previously determined regions. The six regions are chosen based on multiple criteria; geographic location, population density, income, and age structure. The following table denotes the counties included in each region.

Regional designation by Maine County

<b>Region</b>	<b>County</b>
Southern	Cumberland, York
Coastal	Knox, Lincoln, Sagadahoc
East Central	Hancock, Penobscot, Waldo
West Central	Androscoggin, Kennebec
Western	Franklin, Oxford, Piscataquis, Somerset
North Eastern	Aroostook, Washington

Sample sizes per region were selected based on the ability to detect a sample mean within 3% of the true population with a 95% confidence interval using Epi-info software<sup>1</sup>. The 9.0% prevalence used in the sample size estimation is based on asthma prevalence from the previous statewide MCHS in 2002.

Within each region individual schools were chosen using PC Sample software<sup>2</sup>. Schools were chosen based on a probability proportionate to their kindergarten or third grade class size.

## Survey Response Rates

The statewide overall response rate was 17.6% and ranged from 10.0% in the Southern region to 27.1% in the West Central region. School response rates ranged from 22.0% in the Southern region to 64.3% in the Coastal region. Student response rates ranged from 40.3% in the Coastal region to 58.8% in the North Eastern region.

Table 1. School, student, and overall response rates according to region

<sup>1</sup> Centers for Disease Control and Prevention (2001). Epi info 2000 version 1.1.1. Atlanta, GA.

<sup>2</sup> Westat (1996). PCSample: description and operation. Rockville, MD.

Region	School response rate	Student response rate	Overall response rate
West Central N=517	58.6%	46.3%	27.1%
Western N=500	45.1%	41.5%	18.7%
Southern N=724	22.0%	45.4%	10.0%
East Central N=418	36.0%	48.3%	17.4%
Coastal N=340	64.3%	40.3%	25.9%
North Eastern N=334	27.4%	58.8%	16.1%
Total N=2833	38.4%	45.7%	17.6%

It is generally accepted that a 60.0% overall response rate is needed to generalize results to a population<sup>3</sup>. The response rate for the MCHS 2003/2004 is below the 60.0% level. Therefore, results of the MCHS 2003/2004 are indicative of the children surveyed and are not considered generalizable to the population.

#### Calculated Variables

Coding for calculated variables is located in appendix B. Calculated variables include; current asthma, lifetime asthma, current wheezing, children with special health care needs (CSHCN), BMI percent, environmental tobacco smoke exposure, food insecurity, family hunger, and race.

#### Data Analysis and Discussion

Readers are encouraged to review Appendix C and Appendix D for results of this survey. Individual question response frequencies are located in appendix C. Brief narrative discussion and analysis of the results, as well as detailed tables with prevalence estimates of the various health outcomes stratified by demographic variables and their accompanying 95% confidence intervals are provided in appendix D. Differences noted in graphs and tables met the criteria for statistical significance. The criteria for statistically significant differences between prevalence estimates are based on  $\chi^2$  tests with a p-value  $\leq 0.05$ .

<sup>3</sup> Centers for Disease Control and Prevention. Methodology of the Youth Risk Behavior Surveillance System. MMWR 2004;53 (no. RR-12): [Inclusive page numbers].



THIS PAGE INTENTIONALLY LEFT BLANK



## **Appendix A**

### **Maine Child Health Survey Consent Form, Questionnaire and Dental Screening Form**

**MAINE CHILD HEALTH SURVEY CONSENT FORM**

We<sup>1</sup> want to ask you some questions about your child enrolled in kindergarten or third grade. The survey is **not** a part of your child’s registration or screening. This survey is voluntary. The school did not develop the survey. The school is helping by letting us ask you these questions now.

Both you and your child are asked to participate. You will answer the questions on the survey. Then your child will get their height and weight measured and have their teeth checked.

Your permission is required for your child to take part in the survey. Signing this consent form will allow us to do the survey. Your child can refuse to be measured. Your child can also refuse to get their teeth checked. They can refuse by telling or showing us.

We will ask about your child’s health. The survey asks about your child’s breathing, dental health, and other health topics. It does not cover all health problems. Answers are confidential. Names will be recorded only so we can identify which children can get measured during school. If we are concerned about your child’s health we will tell you. The information from all surveys combined will allow us to better develop programs for your community and the state.

The survey will take about 10 minutes to finish. It will take 5 minutes to check your child’s teeth and measure their height and weight. A dental professional using a light, a disposable tongue blade, and gloves will check your child’s teeth. Information on sealants, the number of decayed, missing and filled teeth, and treatment needs will be recorded.

We will keep the surveys in a locked file cabinet. The Maternal Child Health (MCH) Epidemiologist will keep all results. We will not be able to tell who you are from any of the results.

If you have any questions about this survey please call:

Dwight Littlefield, Asthma Program Manager, Maine Bureau of Health at 207-287-7302 or  
Judith Feinstein, Oral Health Program Manager, Maine Bureau of Health at 207-3267 or  
Kathy Tippy, MCH Epidemiologist, Maine Bureau of Health at 207-287-4102.

If you have any questions regarding you or your child’s rights in participating in the child health survey, please contact Paul Kuehnert, Chairperson, Institutional Review Board (IRB), Maine Bureau of Health at 207-287-5179.

By signing this form, I understand that:

- This is voluntary
- My answers will be kept confidential
- I understand this may take about 5-10 minutes.
- I or my child can quit at any time.
- My child’s dental exam does not take the place of an exam done by a dentist. I will be given the results of my child’s dental exam upon completion.
- The questions included in the survey about my child’s breathing are not to be considered an exam. If I have any questions about my child’s breathing, it is recommended I see my child’s physician.

**I agree to let my child have his/her teeth checked, height and weight measured and I agree to answer the questions on the survey.**

\_\_\_ Yes

\_\_\_ No

**PARENT OR GUARDIAN:**

Print name \_\_\_\_\_ Sign \_\_\_\_\_ Date \_\_\_/\_\_\_/\_\_\_

**Child’s Name (Please print):**

First \_\_\_\_\_ Middle \_\_\_\_\_ Last \_\_\_\_\_

**Child’s Date of Birth:** Month \_\_\_\_\_ Day \_\_\_\_\_ Year \_\_\_\_\_

<sup>1</sup> Maine Bureau of Health (MBOH), Division of Community Health.

**MAINE CHILD HEALTH SURVEY**  
**MAINE BUREAU OF HEALTH**



*Instructions: Please complete the following questionnaire by either writing your answer on the blank lines or marking the box next to the correct answer(s)*

1. What is today's date? \_\_\_\_\_ (month, day, year)
2. What is your child's name?(Please print)  
First: \_\_\_\_\_ MI: \_\_\_\_\_ Last: \_\_\_\_\_
3. What town/city does your child live in? \_\_\_\_\_
4. What is the name of your child's school? \_\_\_\_\_

5. Has your child **ever** had wheezing or whistling in the chest at any time in the past?

Yes

No —→ If 'NO', Go to question 7.

6. **In the last 12 months**, has your child had wheezing or whistling in the chest?

Yes

No —→ If 'NO', Go to question 7.

6a. **In the last 12 months**, how many attacks of wheezing or whistling has your child had?

None

1-3

4-12

More than 12

6b. **In the last 12 months**, how often, on average, has your child's sleep been disturbed due to wheezing?

Never woken with wheezing

Less than one night per week

One or more nights per week

6c. **In the last 12 months**, has wheezing ever been severe enough to limit your child's speech to only one or two words at a time between breaths?

Yes

No

My child does not have wheezing

7. Has your child **ever** had asthma?

Yes

No

8. **In the last 12 months**, has your child's chest sounded wheezy during or after exercise?

Yes

No

9. **In the last 12 months**, has your child's sleep been disturbed due to a dry cough at night, **APART** from a cough associated with a cold or a chest infection?

Yes

No

10. **In the last 12 months**, how often has your child's activities been limited due to wheezing, dry cough, and/or breathing difficulties?

My child does not have these symptoms

Never

Less than one time per week

One or more times per week

Almost daily

11. **In the last 12 months,** how often did you take your child to the doctor due to wheezing, dry cough and/or breathing difficulties?

- 0 (No visits)       3-4 visits  
 1-2 visits       5 + visits

12. **In the last 12 months,** how many times did you take your child to an emergency room or urgent care due to wheezing, dry cough, and/or breathing difficulties?

- 0 (No visits)       3-4 visits  
 1-2 visits       5 + visits

13. **In the last 12 months,** how many times was your child admitted overnight to a hospital due to wheezing, dry cough, and/or breathing difficulties?

- 0 (No visits)       3-4 visits  
 1-2 visits       5 + visits

14. Have you **ever** been told by a doctor or nurse that your child has asthma?

- Yes  
 No

15. Where do you usually take your child for medical assistance for asthma? *Mark only ONE answer.*

- My child does not have asthma  
 Emergency Room (ER) or Urgent Care  
 Hospital Based Clinic  
 Rural Health Center  
 Private Doctor's Office  
 No usual source of care for these conditions  
 Do not know  
 Other \_\_\_\_\_

16. **In the last 12 months,** has your doctor given you a **written** plan for taking care of your child's asthma?

- Yes  
 No  
 My child does not have asthma

17. How many people living in the same household as your child smoke cigarettes, cigars, or pipes inside the house?

- 0 (None)  
 1 person  
 2 persons  
 3 or more persons

18. **During an average month,** about how often is your child near enough to smell or breathe in the smoke from other people's cigarettes/cigars/pipes?

- Nearly every day  
 2-4 times per week  
 Once a week  
 Less than once a week  
 Never

19. **During the past 12 months,** how often was your child around the following animals?

	Never	Less than once per month	1-3 times per month	About once per week	Almost every day
Dogs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cats	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

20. In the household where your child lives, is the kitchen stove fueled by either natural gas or propane?

- Yes  
 No  
 Don't know

21. In the household where your child lived last winter, were the following heating sources used at least once per month on average? *Mark ONE answer for each line.*

	Yes	No
Kerosene heater?	<input type="checkbox"/>	<input type="checkbox"/>
Wood burning stove?	<input type="checkbox"/>	<input type="checkbox"/>
Woodburning fireplace?	<input type="checkbox"/>	<input type="checkbox"/>

22. **During the past 12 months,** was there 'wall to wall' carpeting (that is carpeting that covers the entire floor) in your house?

- Yes, in most of the house       No  
 Yes, in some of the house       Don't know

23. **During the past 12 months**, was there ‘wall to wall’ carpeting in the room your child normally slept?

- Yes  
 No  
 Don't know

24. Do you have protective plastic coverings on the bed where your child normally sleeps?

- Yes  
 No  
 Don't know

25. Does your child have any of the following allergies?

	Yes	No	Don't know
Dog allergies	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cat allergies	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Dust allergies	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Grass or Pollen allergies	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Answer the next two questions only if your child has had wheezing or whistling in the chest in the last 12 months.**

26. Indicate the importance of **EACH** in triggering your child's wheezing in the last 12 months. **Mark ONE on each line.**

	Very Important	Somewhat Important	Not Important at all	Not Exposed
Pets (cats, dogs, etc.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Head colds	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exercise	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Dust, mold	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other allergens	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cigarette smoke	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

27. **During the past 4 weeks**, how many days of work have you or another adult in your household missed because of your child's wheezing and/or asthma?

- None  
 Less than 1 day  
 3-4 days  
 5 + days

**The next two questions are about the child's biological parents.**

28. Has the biological mother of the child **ever** been told by a doctor or nurse that she has asthma?

- Yes  
 No  
 Don't know

29. Has the biological father of the child **ever** been told by a doctor or nurse that he has asthma?

- Yes  
 No  
 Don't know

**The next seven questions are about your child's dental health.**

30. About how long has it been since your child last visited a dentist? Include dental hygienists as well as all types of dentists, such as orthodontists, oral surgeons, and all other dental specialists.

- 6 months or less  
 More than 6 months, but not more than 1 year  
 More than 1 year, but not more than 3 years  
 More than 3 years ago  
 My child has never been to a dentist  
 Don't know/don't remember

31. What was the main reason that your child last visited a dentist? *(Please check one)*

- Was called in by the dentist for check-up, examination or cleaning
- Went in for check-up, examination or cleaning, but was not called
- Something was wrong, bothering or hurting
- Went for treatment for something the dentist found at an earlier check-up or examination
- Other
- My child has never been to a dentist
- Don't know/don't remember

32. **During the past 12 months**, was there a time when your child needed dental care but could not get it at that time? *(Please check one)*

- Yes
- No → **Go to question 34**
- Don't know → **Go to question 34**

33. The last time your child could not get the dental care he/she needed, what was the main reason he/she couldn't get care? *(Please check one)*

- Could not afford it
- No insurance
- Dentist did not accept Medicaid/insurance
- Not serious enough
- Wait too long in clinic/office
- Difficulty in getting appointments
- Don't like/trust/believe in dentists
- No dentist available
- Didn't know where to go
- No way to get there
- Hours not convenient
- Speak a different language
- Health of another family member
- Other reason
- Don't know/don't remember

34. Do you have any kind of insurance that pays for some or all of your child's **DENTAL CARE**? Include health insurance obtained through work or purchased directly as well as government programs like MaineCare (formerly known as Medicaid, Cub-care or PrimeCare).

- Yes
- No
- Don't know

35. Has your child ever had dental sealants placed on his/her teeth at either your dental office or through a school program? Sealants are a clear or white material placed on the chewing surface of teeth to prevent cavities.

- Yes – at a dental office
- Yes – at a school program
- No
- Don't know

36. **During the past 4 weeks**, how many days of school has your child missed because of dental problems? *(Do not include routine dental/orthodontist visits)*

- None
- Less than 1 day ( part of a single school day)
- 1-2 days
- 3-4 days
- 5+ days

**The next three questions are about your child's safety.**

37. How often does your child ride in a booster car seat?

- Always
- Almost always
- Sometimes
- Rarely
- Never

38. If your child rides in a booster car seat, is he or she usually in the front or back seat of the car, truck, or van?

- Front seat
- Back seat
- My child doesn't ride in a booster care seat

39. If your child does **not** ride in a booster car seat, is he/she usually in the front or back of the car, truck, or van?

- Front seat  
 Back seat  
 My child always rides in a booster car seat

**The next questions ask about all conditions that might affect your child's overall health and well-being.**

40. Does your child currently need or use medicine prescribed by a doctor (other than vitamins)?

- Yes → **Go to question 40a**  
 No → **Go to question 41**

40a. Is this because of **ANY** medical, behavioral or other health condition?

- Yes → **Go to question 40b**  
 No → **Go to question 41**

40b. Is this a condition that has lasted or is expected to go on for **at least** twelve months?

- Yes  
 No

41. Does your child need or use more **medical care, mental health or educational services** than is usual for most children of the same age?

- Yes → **Go to question 41a**  
 No → **Go to question 42**

41a. Is this because of **ANY** medical, behavioral or other health condition?

- Yes → **Go to question 41b**  
 No → **Go to question 42**

41b. Is this a condition that has lasted or is expected to go on for **at least** twelve months?

- Yes  
 No

42. Is your child **limited or prevented** in any way in his or her ability to do the things most children of the same age can do?

- Yes → **Go to question 42a**  
 No → **Go to question 43**

42a. Is this because of **ANY** medical, behavioral or other health condition?

- Yes → **Go to question 42b**  
 No → **Go to question 43**

42b. Is this a condition that has lasted or is expected to go on for **at least** twelve months?

- Yes  
 No

43. Does your child need or get **special therapy**, such as physical, occupational or speech therapy?

- Yes → **Go to question 43a**  
 No → **Go to question 44**

43a. Is this because of **ANY** medical, behavioral or other health condition?

- Yes → **Go to question 43b**  
 No → **Go to question 44**

43b. Is this a condition that has lasted or is expected to go on for **at least** twelve months?

- Yes  
 No

44. Does your child have any kind of emotional, developmental or behavioral problem for which he or she needs or gets **treatment or counseling**?

- Yes → **Go to question 44a**  
 No → **Go to question 45**

44a. Has this problem lasted or is it expected to last for **at least** twelve months?

- Yes  
 No

**The next questions are about the food eaten in your family and whether your family has enough food to eat.**

45. **In the last 12 months**, did you (or other adults in your household) ever cut the size of your meals or skip meals because there wasn't enough money for food?

Yes

No → **Go to question 46**

Don't know/not sure → **Go to question 46**

45a. How often did this happen?

Almost every month

Some months but not every month

In only 1 or 2 months

46. **In the last 12 months**, did you ever eat less than you felt you should because there wasn't enough money to buy food?

Yes

No

Don't know/not sure

47. **In the last 12 months**, were you ever hungry but didn't eat because you couldn't afford enough food?

Yes

No

Don't know/not sure

**For the next two statements, please check the box that indicates whether the statement was often, sometimes, or never true for you (or the other members of your household) in the last 12 months.**

48. "The food that I/we bought just didn't last, and I/we didn't have enough money to get more."

Often true

Sometimes true

Never true

49. I/we couldn't afford to eat balanced meals."

**In the last 12 months, was that:**

Often true

Sometimes true

Never true

**The next two questions are about your child's physical activity and nutrition.**

50. On an average day, how many hours does your child watch TV?

My child does not watch TV on an average school day

Less than 1 hour per day

1 hour per day

2 hours per day

3 hours per day

4 hours per day

5 or more hours per day

51. How much soda does your child drink?

2 or more cans per day

1 can per day

2-6 cans per week

1 can per week

1-3 cans per month

None

52. What type of insurance is your child covered by at this time (select the best answer)?

No Insurance

Private Insurance/HMO/CHAMPUS

MaineCare (formerly known as Medicaid, Cub-care, or Primecare)

Other \_\_\_\_\_

53. **In the past 12 months**, was there a time that your child did not have any health insurance coverage, including Medicaid?

Yes → **Go to question 53a**

No → **Go to question 54**

53a. How many months out of the past 12 months? \_\_\_\_\_



54. Is your child eligible for the free or reduced lunch program at school?

- Yes  
 No  
 Don't know

55. Does your child have any signs of stress, changes in behavior, moodiness, or difficulty in getting along with other children?

- Yes  
 No

55a. Have these signs lasted or are they expected to last for at least 12 months?

- Yes  
 No

56. Would you be willing or have you already taken your child to a person who has experience in helping children deal with stress?

- Yes  
 No

57. Is your child Hispanic?

- Yes  
 No

58. What is your child's date of birth?  
(Please include month, day, and year)

\_\_\_\_\_

59. Which one or more of the following would you say is(are) your child's race(s)?  
(Mark all that apply)

- White  
 Asian  
 Native Hawaiian/Other Pacific Islander  
 Black or African American  
 American Indian/Alaskan Native  
 Other \_\_\_\_\_

60. Is your child?

- Male  
 Female

*Please send the completed questionnaire in the self-addressed envelope to:*

**Maine Asthma Program  
Division of Community Health  
Department of Human Services  
286 Water Street, Key Plaza, 4<sup>th</sup> Floor  
11 State House Station  
Augusta, Maine 04333-0011**

***Thank you for your participation!***

Name of School: \_\_\_\_\_

Child's Name:

First: \_\_\_\_\_ MI: \_\_\_\_\_ Last Name: \_\_\_\_\_

Child's Date of Birth: \_\_\_\_\_(MM/DD/YYYY)

Child verbally and/or physically agrees to be measured and have their teeth checked.

Yes

No

**Body Mass Measurements:**

Child's Height \_\_\_\_\_ inches

Child's Weight \_\_\_\_\_ lbs

**Maine Dental Screening Form**

Untreated Cavities: (UC)	0=No untreated cavities 1=Untreated cavities	Caries Experience: (CE)	0=No caries experience 1=Caries experience – primary only 2=Caries experience – permanent only 3=Caries experience – both dentitions
Rampant Caries: (RC)	0=No rampant 1=Rampant $\geq$ 7 teeth	Sealants on Permanent Molars: (Seal)	0=No sealants present 1=Sealants present
Treatment Urgency: (TU)	0=No obvious problem 1=Early dental care 2=Urgent care	Need for Dental Sealants: (Needseal)	0=No need for sealants 1=Needs dental sealants
<b>Comments:</b>			

- All boxes must contain a valid code
- Use 4-digit codes for year (i.e. 1989, 1999, 2000)
- If no permanent molars, "Sealants on Permanent Molars"=0
- If no permanent molars, "Need for Dental Sealants"=0

Referred:  Yes  No

If yes, reason for referral:  Dental (Dental)

Respiratory

## **Appendix B**

### **Maine Child Health Survey – Kindergarten and Third Grade Data Processing Document**

**Maine Child Health Survey (MCHS) - Kindergarten and Third Grade 2003/04  
Data Processing Document**

**I. Calculated Variables**

The following table shows how calculated variables are derived and the SAS coding for the individual variables.

<b>Kindergarten &amp; Third Grade Calculated Variables</b>		
<b>Var</b>	<b>Description</b>	<b>SAS Code</b>
<b>Q14</b>	<i>Have you ever been told by a doctor or nurse that your child has asthma?</i>  1. yes 2. no	<b>Current asthma 1=yes 2=no</b> CASTHMA = 2; if Q14 = 1 and (Q6 = 1 or Q8 = 1 or Q9 = 1) then CASTHMA = 1; if Q14 = .M then CASTHMA = .M;
<b>Q6</b>	<i>In the last 12 months, has your child had wheezing or whistling in the chest?</i>  1. yes 2. no	<b>Lifetime asthma 1=yes 2=no</b> IF Q14 = 1 THEN CLIFE = 1; IF Q14 = 2 THEN CLIFE = 2; IF Q14 = .M THEN CLIFE = .M;
<b>Q8</b>	<i>In the last 12 months, has your child's chest sounded wheezy during or after exercise?</i>  1. yes 2. no	<b>Current wheezing (no asthma) 1=yes 2=no</b> Cwheeze = 2; if (Q6 = 1 or (Q6 = 2 and Q8 = 1) or (Q6 = 2 and Q9 = 1) OR (Q6 EQ .L and Q9 = 1))and casthma eq 2 then Cwheeze = 1;
<b>Q9</b>	<i>In the last 12 months, has your child's sleep been disturbed due to a dry cough at night, apart, from a cough associated with a cold or chest infection?</i>  1. yes 2. no	IF Q6 EQ .L AND Q8 = 1 AND CASTHMA EQ 2 THEN CWHEEZE = 1; IF Q6 EQ .L AND Q9 = 1 AND CASTHMA EQ 2 THEN CWHEEZE = 1; IF Q6 EQ .M AND Q8 = .M AND Q9 EQ .M THEN CWHEEZE = .M;
	<i>Weight status computed from height and weight measurements. Body Mass Index % for age and sex computations used to define weight status categories.</i>	<b>Weight status</b> 1 = underweight 2 = normal weight 3 = at risk for overweight 4 = overweight  IF BMIPCT EQ .M THEN WGT = .M; IF BMIPCT LT 5.0 AND BMIPCT NE .M THEN WGT = 1; IF BMIPCT GE 5.0 AND BMIPCT LT 85.0 THEN WGT = 2; IF BMIPCT GE 85.0 AND BMIPCT LT 95.0 THEN WGT = 3; IF BMIPCT GE 95.0 THEN WGT = 4;
<b>Q17</b>	<i>How many people living in the same household as your child smoke cigarettes, cigars, or pipes inside the house?</i>  1. 0 (none) 2. 1 person 3. 2 persons 4. 3 or more persons	Environmental tobacco smoke exposure (ETS) 1= yes 2 = no  IF Q17 EQ 1 OR Q18 GE 4 THEN ETS = 2; IF Q17 GT 2 OR Q18 LE 3 THEN ETS = 1; IF Q17 EQ .M OR Q18 EQ .M THEN ETS = .M;
<b>Q18</b>	<i>During an average month, about how often is your child near enough to smell or breathe in the smoke from other people's cigarettes/cigars/pipes?</i>  1. Nearly every day 2. 2-4 times per week 3. Once a week 4. Less than once a week 5. Never	
<b>Var</b>	<b>Description</b>	<b>SAS Code</b>
<b>Q40</b>	<i>Does your child currently need or use medicine prescribed by a doctor (other than vitamins)?</i>	<b>Categorical responses used to calculate children w/special health needs (CSHCN) 1=yes 2=no</b>

<p>Q41</p> <p>1. Yes 2. No</p> <p>Does your child need or use more medical care, mental health or educational services than is usual for most children of the same age?</p> <p>1. Yes 2. No</p> <p>Q42</p> <p>Is your child limited or prevented in any way in his or her ability to do the things most children of the same age can do?</p> <p>1. Yes 2. No</p> <p>Q43</p> <p>Does your child need or get special therapy, such as physical, occupational or speech therapy?</p> <p>1. Yes 2. No</p> <p>Q44</p> <p>Does your child have any kind of emotional, developmental or behavioral problem for which he or she needs or gets treatment or counseling?</p> <p>1. Yes 2. No</p> <p>Q40a, Q41a, Q42a, Q43a, Q44a</p> <p>Is this because of any medical, behavioral, or other health condition?</p> <p>1. Yes 2. No</p> <p>Q40b, Q41b, Q42b, Q43b</p> <p>Is this a condition that has lasted or is expected to go on for at least twelve months?</p> <p>1. Yes 2. No</p>		<p>if (Q40 = 1 and Q40a = 1 and Q40b = 1) THEN PMEDS = 1;  IF (Q40 = 1 AND Q40A = .M ) THEN PMEDS = 2;  IF (Q40 = 1 AND Q40B = .M) THEN PMEDS = 2;  IF (Q40 = 1 AND Q40A = .L) THEN PMEDS = 2;  IF (Q40 = 1 AND Q40A = 2) THEN PMEDS = 2;  IF (Q40 = 1 AND Q40B = 2) THEN PMEDS = 2;  IF Q40 = 2 THEN PMEDS = 2;  IF Q40 = .M THEN PMEDS = .M;</p> <p>if (Q41 = 1 and Q41a = 1 and Q41b = 1) THEN USE = 1;  IF (Q41 = 1 AND Q41A = .M ) THEN USE = 2;  IF (Q41 = 1 AND Q41B = .M) THEN USE = 2;  IF (Q41 = 1 AND Q41A = .L) THEN USE = 2;  IF (Q41 = 1 AND Q41A = 2) THEN USE = 2;  IF (Q41 = 1 AND Q41B = 2) THEN USE = 2;  IF Q41 = 2 THEN USE = 2;  IF Q41 = .M THEN USE = .M;</p> <p>if (Q42 = 1 and Q42a = 1 and Q42b = 1) THEN LIMIT = 1;  IF (Q42 = 1 AND Q42A = .M ) THEN LIMIT = 2;  IF (Q42 = 1 AND Q42B = .M) THEN LIMIT = 2;  IF (Q42 = 1 AND Q42A = .L) THEN LIMIT = 2;  IF (Q42 = 1 AND Q42A = 2) THEN LIMIT = 2;  IF (Q42 = 1 AND Q42B = 2) THEN LIMIT = 2;  IF Q42 = 2 THEN LIMIT = 2;  IF Q42 = .M THEN LIMIT = .M;</p> <p>if (Q43 = 1 and Q43a = 1 and Q43b = 1) THEN THERAPY = 1;  IF (Q43 = 1 AND Q43A = .M ) THEN THERAPY = 2;  IF (Q43 = 1 AND Q43B = .M) THEN THERAPY = 2;  IF (Q43 = 1 AND Q43A = .L) THEN THERAPY = 2;  IF (Q43 = 1 AND Q43A = 2) THEN THERAPY = 2;  IF (Q43 = 1 AND Q43B = 2) THEN THERAPY = 2;  IF Q43 = 2 THEN THERAPY = 2;  IF Q43 = .M THEN THERAPY = .M;</p> <p>if (Q44 = 1 and Q44a = 1) THEN TREAT = 1;  IF (Q44 = 1 AND Q44A = .M ) THEN TREAT = 2;  IF (Q44 = 1 AND Q44A = .L) THEN TREAT = 2;  IF (Q44 = 1 AND Q44A = 2) THEN TREAT = 2;  IF Q44 = 2 THEN TREAT = 2;  IF Q44 = .M THEN TREAT = .M;</p> <p><b>CHILDREN WITH SPECIAL HEALTH CARE NEEDS (CSHCN) 1= YES 2= NO</b></p> <p>CSHCN = 2;  IF PMEDS = 1 OR USE = 1 OR LIMIT = 1 OR THERAPY = 1 OR TREAT = 1 THEN CSHCN = 1;  IF PMEDS = .M AND USE = .M AND LIMIT = .M AND THERAPY = .M AND TREAT = .M THEN CSHCN = .M;</p>
Var	Description	SAS Code

<p>Q45</p> <p>Q45A</p> <p>Q46</p> <p>Q47</p> <p>Q48</p> <p>Q49</p>	<p><i>In the last 12 months, did you (or other adults in your household) ever cut the size of your meals or skip meals because there wasn't enough money for food?</i></p> <ol style="list-style-type: none"> <li>1. Yes</li> <li>2. No</li> <li>3. Don't know/not sure</li> </ol> <p><i>How often did this happen?</i></p> <ol style="list-style-type: none"> <li>1. Almost every month</li> <li>2. Some months but not every month</li> <li>3. In only 1 or 2 months</li> </ol> <p><i>In the last 12 months, did you ever eat less than you felt you should because there wasn't enough money to buy food?</i></p> <ol style="list-style-type: none"> <li>1. Yes</li> <li>2. No</li> <li>3. Don't know/not sure</li> </ol> <p><i>In the last 12 months, were you ever hungry but didn't eat because you couldn't afford enough food?</i></p> <ol style="list-style-type: none"> <li>1. Yes</li> <li>2. No</li> <li>3. Don't know/not sure</li> </ol> <p><i>The food that I/we bought just didn't last, and I/we didn't have enough money to get more.</i></p> <ol style="list-style-type: none"> <li>1. Often true</li> <li>2. Sometimes true</li> <li>3. Never true</li> </ol> <p><i>I/we couldn't afford to eat balanced meals.</i></p> <ol style="list-style-type: none"> <li>1. Often true</li> <li>2. Sometimes true</li> <li>3. Never true</li> </ol>	<p><b>Calculating variables for food insecurity</b>  <b>1=yes 2=no</b>  <b>IF Q45 EQ 1 THEN SEC1 = 1;</b>  <b>IF Q45 EQ 2 THEN SEC1 = 2;</b>  <b>IF Q45 EQ 3 THEN SEC1 = 2;</b>  <b>IF Q45 EQ .M THEN SEC1 = .M;</b></p> <p><b>IF Q45a LE 2 THEN SEC2 = 1;</b>  <b>IF Q45a EQ 3 THEN SEC2 = 2;</b>  <b>IF Q45a EQ .M THEN SEC2 = .M;</b>  <b>IF Q45a EQ .L THEN SEC2 = .L;</b></p> <p><b>IF Q46 EQ 1 THEN SEC3 = 1;</b>  <b>IF Q46 EQ 2 THEN SEC3 = 2;</b>  <b>IF Q46 EQ 3 THEN SEC3 = 2;</b>  <b>IF Q46 EQ .M THEN SEC3 = .M;</b></p> <p><b>IF Q47 EQ 1 THEN SEC4 = 1;</b>  <b>IF Q47 EQ 2 THEN SEC4 = 2;</b>  <b>IF Q47 EQ 3 THEN SEC4 = 2;</b>  <b>IF Q47 EQ .M THEN SEC4 = .M;</b></p> <p><b>IF Q48 LE 2 THEN SEC5 = 1;</b>  <b>IF Q48 EQ 3 THEN SEC5 = 2;</b>  <b>IF Q48 EQ .M THEN SEC5 = .M;</b></p> <p><b>IF Q49 LE 2 THEN SEC6 = 1;</b>  <b>IF Q49 EQ 3 THEN SEC6 = 2;</b>  <b>IF Q49 EQ .M THEN SEC6 = .M;</b></p> <p>Code 2+ AFFIRMATIVE = FOOD INSECURITY  5+ AFFIRMATIVE = HUNGER;</p> <p>counter = 0;  retain counter;  if sec1 = 1 then counter = counter + 1;  if sec2 = 1 then counter = counter + 1;  if sec3 = 1 then counter = counter + 1;  if sec4 = 1 then counter = counter + 1;  if sec5 = 1 then counter = counter + 1;  if sec6 = 1 then counter = counter + 1;</p> <p><b>Food Insecurity (foodinsec) 1= yes 2=no</b>  <b>Family Hunger (hungry)1=yes 2=no</b>  if counter ge 2 then foodinsec = 1;  if counter lt 2 and counter ne . then foodinsec = 2;  if counter ge 5 then hungry = 1;  if counter lt 5 and counter ne . then hungry = 2;  if sec1 eq .m and sec2 eq .m and sec3 = .m and sec4 = .m and sec5 = .m and sec6 = .m then foodinsec = .m;  if sec1 eq .m and sec2 eq .m and sec3 = .m and sec4 = .m and sec5 = .m and sec6 = .m then hungry = .m;</p>
<p><b>Var</b></p>	<p><b>Description</b></p>	<p><b>SAS Code</b></p>

<p>Q59</p>	<p>Which one or more of the following would you say is(are) your child's race(s)? (Mark all that apply)</p> <p>White  Asian  Native Hawaiian / Other Pacific Islander  Black or African American  American Indian / Alaskan Native  Other _____</p>	<p><b>Recoding Race categories</b></p> <p>RCOUNT = sum(Q59_WH, Q59_ASIAN, Q59_PACISL, Q59_BLACK, Q59_INDIAN);</p> <p>if rcount gt 1 then race = 6;  else if rcount = 1 and q59_WH = 1 THEN RACE = 1;  ELSE IF RCOUNT = 1 AND q59_asian = 1 THEN race = 2;  ELSE IF RCOUNT = 1 AND q59_pacisl = 1 THEN race = 3;  ELSE IF RCOUNT = 1 AND q59_black = 1 THEN race = 4;  ELSE IF RCOUNT = 1 AND q59_indian = 1 THEN race = 5;  IF Q59_WH EQ .M AND Q59_ASIAN = .M AND Q59_PACISL = .M AND Q59_BLACK = .M AND Q59_INDIAN = .M THEN RACE = .M;</p> <p><b>Recoding race into 1 = white 2=minority 3=multiple race</b></p> <p>if race eq 1 then race_g = 1;  if race gt 1 and race le 5 then race_g = 2;  if race eq 6 then race_g = 3;  if race eq .m then race_g = .m;</p>
		<p><b>Other notes:</b></p> <p>.M indicates missing data  .L indicates legitimate skip</p>

## **Appendix C**

### **Questionnaire and Dental Screen Responses Unweighted Frequency Tables**



Questionnaire and Dental Screen Responses Un-weighted Frequency Tables

The Frequency Procedure

**Child ever had wheezing or whistling in chest**

<b>Q5</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	14	0.49	14	0.49
<b>Yes</b>	708	24.99	722	25.49
<b>No</b>	2111	74.51	2833	100.00

**Past 12 months: Child had wheezing or whistling in chest**

<b>Q6</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Legitimate Skip</b>	2111	74.51	2111	74.51
<b>Missing</b>	25	0.88	2136	75.40
<b>Yes</b>	405	14.30	2541	89.69
<b>No</b>	292	10.31	2833	100.00

**Past 12 months: Number of wheezing attacks child had**

<b>Q6a</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Legitimate Skip</b>	2403	84.82	2403	84.82
<b>Missing</b>	28	0.99	2431	85.81
<b>No attacks</b>	5	0.18	2436	85.99
<b>1-3 attacks</b>	271	9.57	2707	95.55
<b>4-12 attacks</b>	101	3.57	2808	99.12
<b>&gt; 12 attacks</b>	25	0.88	2833	100.00

**Past 12 months: How often child's sleep disturbed by wheezing**

<b>Q6b</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Legitimate Skip</b>	2403	84.82	2403	84.82
<b>Missing</b>	30	1.06	2433	85.88
<b>Never woken</b>	195	6.88	2628	92.76
<b>&lt; 1 night/week</b>	172	6.07	2800	98.84
<b>≥ 1 night/week</b>	33	1.16	2833	100.00

**Past 12 months: Wheezing severe enough to limit child's speech**

<b>Q6c</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Legitimate Skip</b>	2403	84.82	2403	84.82
<b>Missing</b>	29	1.02	2432	85.85
<b>Yes</b>	63	2.22	2495	88.07
<b>No</b>	334	11.79	2829	99.86
<b>Does not wheeze</b>	4	0.14	2833	100.00

**Child ever had asthma**

<b>Q7</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	29	1.02	29	1.02
<b>Yes</b>	410	14.47	439	15.50
<b>No</b>	2394	84.50	2833	100.00

**Past 12 months: Child's chest wheezy after exercise**

<b>Q8</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	23	0.81	23	0.81
<b>Yes</b>	244	8.61	267	9.42
<b>No</b>	2566	90.58	2833	100.00

**Past 12 months: Child's sleep disturbed due to dry cough**

<b>Q9</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	20	0.71	20	0.71
<b>Yes</b>	356	12.57	376	13.27
<b>No</b>	2457	86.73	2833	100.00

**Past 12 months: How often child's activity limited due to wheezing**

<b>Q10</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	182	6.42	182	6.42
<b>Does not have symptoms</b>	1202	42.43	1384	48.85
<b>Never</b>	1147	40.49	2531	89.34
<b>&lt; Once/week</b>	246	8.68	2777	98.02
<b>≥ Once/week</b>	48	1.69	2825	99.72
<b>Almost daily</b>	8	0.28	2833	100.00

**Past 12 months: How often visit doctor for wheezing**

<b>Q11</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	36	1.27	36	1.27
<b>No visits</b>	2262	79.84	2298	81.12
<b>1-2 visits</b>	398	14.05	2696	95.16
<b>3-4 visits</b>	110	3.88	2806	99.05
<b>5+ visits</b>	27	0.95	2833	100.00

**Past 12 months: How often visit ED due to wheezing**

<b>Q12</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	29	1.02	29	1.02
<b>No visits</b>	2661	93.93	2690	94.95
<b>1-2 visits</b>	129	4.55	2819	99.51
<b>3-4 visits</b>	13	0.46	2832	99.96
<b>5+ visits</b>	1	0.04	2833	100.00

**Past 12 months: How often admitted as in-patient due to wheezing**

<b>Q13</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	24	0.85	24	0.85
<b>No visits</b>	2787	98.38	2811	99.22
<b>1-2 visits</b>	22	0.78	2833	100.00

**Ever told by doctor that child has asthma**

<b>Q14</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	39	1.38	39	1.38
<b>Yes</b>	442	15.60	481	16.98
<b>No</b>	2352	83.02	2833	100.00

**Place child is usually taken for medical assistance for asthma**

<b>Q15</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	106	3.74	106	3.74
<b>Does not have asthma</b>	2218	78.29	2324	82.03
<b>ER or Urgent Care</b>	14	0.49	2338	82.53
<b>Hospital Based Clinic</b>	14	0.49	2352	83.02
<b>Rural Health Center</b>	31	1.09	2383	84.12
<b>Private Doctor's Office</b>	356	12.57	2739	96.68
<b>No usual source of care</b>	51	1.80	2790	98.48
<b>Don't know</b>	7	0.25	2797	98.73
<b>Other</b>	36	1.27	2833	100.00

**Past 12 months: Doctor has given written plan for child's asthma**

<b>Q16</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	125	4.41	125	4.41
<b>Yes</b>	206	7.27	331	11.68
<b>No</b>	473	16.70	804	28.38
<b>Does not have asthma</b>	2029	71.62	2833	100.00

**Number in household who smoke cigarettes, cigars, pipes in house**

<b>Q17</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	37	1.31	37	1.31
<b>None</b>	2305	81.36	2342	82.67
<b>1 person</b>	294	10.38	2636	93.05
<b>2 persons</b>	179	6.32	2815	99.36
<b>≥ 3 persons</b>	18	0.64	2833	100.00

**During average month: How often child smelled/breathed tobacco smoke**

<b>Q18</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	44	1.55	44	1.55
<b>Nearly every day</b>	306	10.80	350	12.35
<b>2-4 times/week</b>	220	7.77	570	20.12
<b>Once/week</b>	161	5.68	731	25.80
<b>&lt; Once/week</b>	549	19.38	1280	45.18
<b>Never</b>	1553	54.82	2833	100.00

**Past 12 months: How often child around dogs**

<b>Q19_dogs</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	241	8.51	241	8.51
<b>Never</b>	189	6.67	430	15.18
<b>&lt; Once/month</b>	376	13.27	806	28.45
<b>1-3 times/month</b>	300	10.59	1106	39.04
<b>About once/week</b>	230	8.12	1336	47.16
<b>Almost every day</b>	1497	52.84	2833	100.00

**Past 12 months: How often child around cats**

<b>Q19_cats</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	196	6.92	196	6.92
<b>Never</b>	315	11.12	511	18.04
<b>&lt; Once/month</b>	340	12.00	851	30.04
<b>1-3 times/month</b>	212	7.48	1063	37.52
<b>About once/week</b>	138	4.87	1201	42.39
<b>Almost every day</b>	1632	57.61	2833	100.00

**Kitchen stove: Natural gas or propane**

<b>Q20</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	40	1.41	40	1.41
<b>Yes</b>	673	23.76	713	25.17
<b>No</b>	2092	73.84	2805	99.01
<b>Don't know</b>	28	0.99	2833	100.00

**At least once a month last winter: Heat-source: Kerosene**

<b>Q21_kero</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	243	8.58	243	8.58
<b>Yes</b>	184	6.49	427	15.07
<b>No</b>	2406	84.93	2833	100.00

**At least once a month last winter: Heat-source: Wood stove**

<b>Q21_wood</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	119	4.20	119	4.20
<b>Yes</b>	711	25.10	830	29.30
<b>No</b>	2003	70.70	2833	100.00

**At least once a month last winter: Heat-source: Wood fireplace**

<b>Q21_firep</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	240	8.47	240	8.47
<b>Yes</b>	305	10.77	545	19.24
<b>No</b>	2288	80.76	2833	100.00

**Past 12 months: Wall to wall carpet in house**

<b>Q22</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	33	1.16	33	1.16
<b>Yes - most of house</b>	1026	36.22	1059	37.38
<b>Yes - some of house</b>	1214	42.85	2273	80.23
<b>No</b>	558	19.70	2831	99.93
<b>Don't know</b>	2	0.07	2833	100.00

**Past 12 months: Wall to wall carpet where child sleeps**



<b>Q23</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	29	1.02	29	1.02
<b>Yes</b>	1996	70.46	2025	71.48
<b>No</b>	805	28.42	2830	99.89
<b>Don't know</b>	3	0.11	2833	100.00

**Protective plastic covering on child's bed**

<b>Q24</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	29	1.02	29	1.02
<b>Yes</b>	677	23.90	706	24.92
<b>No</b>	2123	74.94	2829	99.86
<b>Don't know</b>	4	0.14	2833	100.00

**Child has dog allergies**

<b>Q25_dog</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	96	3.39	96	3.39
<b>Yes</b>	64	2.26	160	5.65
<b>No</b>	2348	82.88	2508	88.53
<b>Don't know</b>	325	11.47	2833	100.00

<b>Child has cat allergies</b>				
<b>Q25_cat</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	84	2.97	84	2.97
<b>Yes</b>	126	4.45	210	7.41
<b>No</b>	2295	81.01	2505	88.42
<b>Don't know</b>	328	11.58	2833	100.00

<b>Child has dust allergies</b>				
<b>Q25_dust</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	65	2.29	65	2.29
<b>Yes</b>	246	8.68	311	10.98
<b>No</b>	1999	70.56	2310	81.54
<b>Don't know</b>	523	18.46	2833	100.00

<b>Child has grass or pollen allergies</b>				
<b>Q25_grass</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	65	2.29	65	2.29
<b>Yes</b>	329	11.61	394	13.91
<b>No</b>	1874	66.15	2268	80.06
<b>Don't know</b>	565	19.94	2833	100.00

**Past 4 weeks: Work days missed by parent or other adult due to child's asthma**

<b>Q27</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	1945	68.66	1945	68.66
<b>None</b>	771	27.21	2716	95.87
<b>&lt; 1 day</b>	70	2.47	2786	98.34
<b>3-4 days</b>	41	1.45	2827	99.79
<b>5+ days</b>	6	0.21	2833	100.00

**Biological mother ever told by doctor she has asthma**

<b>Q28</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	37	1.31	37	1.31
<b>Yes</b>	492	17.37	529	18.67
<b>No</b>	2197	77.55	2726	96.22
<b>Don't know</b>	107	3.78	2833	100.00

**Biological father ever told by doctor he has asthma**

<b>Q29</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	40	1.41	40	1.41
<b>Yes</b>	260	9.18	300	10.59
<b>No</b>	2292	80.90	2592	91.49
<b>Don't know</b>	241	8.51	2833	100.00

<b>Time since child's last dental visit</b>				
<b>Q30</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	29	1.02	29	1.02
<b>≤ 6 months</b>	1993	70.35	2022	71.37
<b>6 months &lt; x ≤ 1 year</b>	340	12.00	2362	83.37
<b>1 year &lt; x ≤ 3 years</b>	206	7.27	2568	90.65
<b>&gt; 3 years</b>	36	1.27	2604	91.92
<b>Child never been to dentist</b>	212	7.48	2816	99.40
<b>Don't know/remember</b>	17	0.60	2833	100.00

<b>Main reason for child's last dental visit</b>				
<b>Q31</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	57	2.01	57	2.01
<b>Called in by dentist</b>	447	15.78	504	17.79
<b>Went, but was not called</b>	1790	63.18	2294	80.97
<b>Symptom visit</b>	71	2.51	2365	83.48
<b>Treatment visit</b>	189	6.67	2554	90.15
<b>Other</b>	51	1.80	2605	91.95
<b>Child never been to dentist</b>	212	7.48	2817	99.44
<b>Don't know/remember</b>	16	0.56	2833	100.00

**Past 12 months: Child needed but was unable to get dental care**

<b>Q32</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	39	1.38	39	1.38
<b>Yes</b>	357	12.60	396	13.98
<b>No</b>	2418	85.35	2814	99.33
<b>Don't know</b>	19	0.67	2833	100.00

**Reason last time child needed but could not get dental care**

<b>Q33</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Legitimate skip</b>	2418	85.35	2418	85.35
<b>Missing</b>	124	4.38	2542	89.73
<b>Could not afford it</b>	86	3.04	2628	92.76
<b>No insurance</b>	28	0.99	2656	93.75
<b>Dentist did not accept Medicaid/insurance</b>	86	3.04	2742	96.79
<b>Not serious enough</b>	3	0.11	2745	96.89
<b>Wait too long in clinic/office</b>	7	0.25	2752	97.14
<b>Difficulty getting appointment</b>	47	1.66	2799	98.80
<b>Don't like/trust/believe in dentists</b>	1	0.04	2800	98.84
<b>No dentist available</b>	29	1.02	2829	99.86
<b>Didn't know where to go</b>	4	0.14	2833	100.00

**Child covered under dental insurance**

<b>Q34</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	35	1.24	35	1.24
<b>Yes</b>	2173	76.70	2208	77.94
<b>No</b>	618	21.81	2826	99.75
<b>Don't know</b>	7	0.25	2833	100.00

**Child ever had dental sealants**

<b>Q35</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	79	2.79	79	2.79
<b>Yes - dental office</b>	885	31.24	964	34.03
<b>Yes - school program</b>	125	4.41	1089	38.44
<b>No</b>	1649	58.21	2738	96.65
<b>Don't know</b>	95	3.35	2833	100.00

**Past 4 weeks: Number of school days missed due to dental problems**

<b>Q36</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	19	0.67	19	0.67
<b>None</b>	2743	96.82	2762	97.49
<b>&lt; 1 day</b>	35	1.24	2797	98.73
<b>1-2 days</b>	31	1.09	2828	99.82
<b>3-4 days</b>	4	0.14	2832	99.96
<b>5+ days</b>	1	0.04	2833	100.00

**How often child uses booster car seat**

<b>Q37</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
Missing	27	0.95	27	0.95
Always	1436	50.69	1463	51.64
Almost always	170	6.00	1633	57.64
Sometimes	63	2.22	1696	59.87
Rarely	61	2.15	1757	62.02
Never	1076	37.98	2833	100.00

**If rides in booster: In front seat or in back seat**

<b>Q38</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
Missing	100	3.53	100	3.53
Front seat	19	0.67	119	4.20
Back seat	1712	60.43	1831	64.63
Doesn't ride in booster car seat	1002	35.37	2833	100.00

**If no booster: Rides in front seat or in back seat**

<b>Q39</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
Missing	248	8.75	248	8.75
Front seat	49	1.73	297	10.48
Back seat	1379	48.68	1676	59.16
Always rides in booster car seat	1157	40.84	2833	100.00

**Child currently needs/uses medication prescribed by doctor**

<b>Q40</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	20	0.71	20	0.71
<b>Yes</b>	529	18.67	549	19.38
<b>No</b>	2284	80.62	2833	100.00

**Need for prescription due to medical, behavioral, or other condition**

<b>Q40a</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Legitimate Skip</b>	2284	80.62	2284	80.62
<b>Missing</b>	29	1.02	2313	81.64
<b>Yes</b>	460	16.24	2773	97.88
<b>No</b>	60	2.12	2833	100.00

**Condition requiring prescription has lasted/expected to last  $\geq$  12 months**

<b>Q40b</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Legitimate Skip</b>	2344	82.74	2344	82.74
<b>Missing</b>	31	1.09	2375	83.83
<b>Yes</b>	414	14.61	2789	98.45
<b>No</b>	44	1.55	2833	100.00



**Child needs more medical, mental health, educational services than usual**

<b>Q41</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	46	1.62	46	1.62
<b>Yes</b>	363	12.81	409	14.44
<b>No</b>	2424	85.56	2833	100.00

**Need for more services due to medical, behavioral or other condition**

<b>Q41a</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Legitimate Skip</b>	2424	85.56	2424	85.56
<b>Missing</b>	50	1.76	2474	87.33
<b>Yes</b>	303	10.70	2777	98.02
<b>No</b>	56	1.98	2833	100.00

**Condition requiring more services has lasted/expected to last  $\geq$  12 months**

<b>Q41b</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Legitimate Skip</b>	2480	87.54	2480	87.54
<b>Missing</b>	53	1.87	2533	89.41
<b>Yes</b>	285	10.06	2818	99.47
<b>No</b>	15	0.53	2833	100.00

**Child limited in ability to do things others same age do**

<b>Q42</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	45	1.59	45	1.59
<b>Yes</b>	140	4.94	185	6.53
<b>No</b>	2648	93.47	2833	100.00

**Limitation due to medical, behavioral or other condition**

<b>Q42a</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Legitimate Skip</b>	2648	93.47	2648	93.47
<b>Missing</b>	46	1.62	2694	95.09
<b>Yes</b>	123	4.34	2817	99.44
<b>No</b>	16	0.56	2833	100.00

**Limiting condition has lasted/expected to last  $\geq 12$  months**

<b>Q42b</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Legitimate Skip</b>	2664	94.03	2664	94.03
<b>Missing</b>	49	1.73	2713	95.76
<b>Yes</b>	116	4.09	2829	99.86
<b>No</b>	4	0.14	2833	100.00

**Child needs/gets physical, occupational or speech therapy**

<b>Q43</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	24	0.85	24	0.85
<b>Yes</b>	361	12.74	385	13.59
<b>No</b>	2448	86.41	2833	100.00

**Need for special therapy due to medical, behavioral or other condition**

<b>Q43a</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Legitimate Skip</b>	2448	86.41	2448	86.41
<b>Missing</b>	30	1.06	2478	87.47
<b>Yes</b>	156	5.51	2634	92.98
<b>No</b>	199	7.02	2833	100.00

**Special need has lasted/expected to last  $\geq 12$  months**

<b>Q43b</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Legitimate Skip</b>	2647	93.43	2647	93.43
<b>Missing</b>	27	0.95	2674	94.39
<b>Yes</b>	149	5.26	2823	99.65
<b>No</b>	10	0.35	2833	100.00

**Child needs/gets treatment for emotional, developmental or behavioral problems**

<b>Q44</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	29	1.02	29	1.02
<b>Yes</b>	292	10.31	321	11.33
<b>No</b>	2512	88.67	2833	100.00

**Problem has lasted/expected to last  $\geq$  12 months**

<b>Q44a</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Legitimate Skip</b>	2512	88.67	2512	88.67
<b>Missing</b>	40	1.41	2552	90.08
<b>Yes</b>	257	9.07	2809	99.15
<b>No</b>	24	0.85	2833	100.00

**Past 12 months: I/other adult reduced/skipped own meal: No money**

<b>Q45</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	20	0.71	20	0.71
<b>Yes</b>	154	5.44	174	6.14
<b>No</b>	2650	93.54	2824	99.68
<b>Don't know/not sure</b>	9	0.32	2833	100.00

<b>How often I/other adult reduced/skipped meal</b>				
<b>Q45a</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Legitimate Skip</b>	2659	93.86	2659	93.86
<b>Missing</b>	29	1.02	2688	94.88
<b>Almost every month</b>	52	1.84	2740	96.72
<b>Some months but not every</b>	63	2.22	2803	98.94
<b>In only 1 or 2 months</b>	30	1.06	2833	100.00

<b>Past 12 months: I (adult) ate less: No money</b>				
<b>Q46</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	24	0.85	24	0.85
<b>Yes</b>	194	6.85	218	7.70
<b>No</b>	2600	91.78	2818	99.47
<b>Don't know/not sure</b>	15	0.53	2833	100.00

<b>Past 12 months: At times I (adult) did not eat: No money</b>				
<b>Q47</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	31	1.09	31	1.09
<b>Yes</b>	116	4.09	147	5.19
<b>No</b>	2673	94.35	2820	99.54
<b>Don't know/not sure</b>	13	0.46	2833	100.00

**Food I/we bought did not last: No money to buy more**

<b>Q48</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
Missing	28	0.99	28	0.99
Often true	53	1.87	81	2.86
Sometimes true	309	10.91	390	13.77
Never true	2443	86.23	2833	100.00

**Past 12 months: I/we could not afford balanced meals**

<b>Q49</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
Missing	25	0.88	25	0.88
Often true	53	1.87	78	2.75
Sometimes true	276	9.74	354	12.50
Never true	2479	87.50	2833	100.00

**On average: Number of hours TV child watches per day**

<b>Q50</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
Missing	61	2.15	61	2.15
Does not watch on school day	138	4.87	199	7.02
< 1 hours/day	385	13.59	584	20.61
1 hours/day	773	27.29	1357	47.90
2 hours/day	995	35.12	2352	83.02
3 hours/day	360	12.71	2712	95.73
4 hours/day	91	3.21	2803	98.94
≥ 5 hours/day	30	1.06	2833	100.00

<b>Amount of soda child drinks</b>				
<b>Q51</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	35	1.24	35	1.24
<b>≥2 cans/day</b>	12	0.42	47	1.66
<b>1 can/day</b>	97	3.42	144	5.08
<b>2-6 cans/week</b>	256	9.04	400	14.12
<b>1 can/week</b>	557	19.66	957	33.78
<b>1-3 cans/month</b>	983	34.70	1940	68.48
<b>None</b>	893	31.52	2833	100.00

<b>Type of insurance child covered by</b>				
<b>Q52</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	94	3.32	94	3.32
<b>No insurance</b>	132	4.66	226	7.98
<b>Private ins./HMO/CHAMPUS</b>	1774	62.62	2000	70.60
<b>MaineCare</b>	808	28.52	2808	99.12
<b>Other</b>	25	0.88	2833	100.00

<b>Past 12 months: At times child did not have health insurance/Medicaid</b>				
<b>Q53</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	24	0.85	24	0.85
<b>Yes</b>	261	9.21	285	10.06
<b>No</b>	2548	89.94	2833	100.00

**Child eligible for free/reduced lunches at school**

<b>Q54</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	14	0.49	14	0.49
<b>Yes</b>	911	32.16	925	32.65
<b>No</b>	1684	59.44	2609	92.09
<b>Don't know</b>	224	7.91	2833	100.00

**Child has signs of stress, behavior changes or moodiness**

<b>Q55</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	22	0.78	22	0.78
<b>Yes</b>	415	14.65	437	15.43
<b>No</b>	2396	84.57	2833	100.00

**Signs have lasted/expected to last  $\geq 12$  months**

<b>Q55a</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	1178	41.58	1178	41.58
<b>Yes</b>	263	9.28	1441	50.86
<b>No</b>	1392	49.14	2833	100.00

**Willing to take/already taken child to be treated for stress**

<b>Q56</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	307	10.84	307	10.84
<b>Yes</b>	1010	35.65	1317	46.49
<b>No</b>	1516	53.51	2833	100.00



<b>Hispanic</b>				
<b>Q57</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	36	1.27	36	1.27
<b>Yes</b>	41	1.45	77	2.72
<b>No</b>	2756	97.28	2833	100.00

<b>Dental referral</b>				
<b>Dental</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	318	11.22	318	11.22
<b>Not referred for dental</b>	2130	75.19	2448	86.41
<b>Referred for dental</b>	385	13.59	2833	100.00

<b>Caries experience</b>				
<b>Caries experience</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	318	11.22	318	11.22
<b>No caries experience</b>	1683	59.41	2001	70.63
<b>Caries experience- primary only</b>	717	25.31	2718	95.94
<b>Caries experience - permanent only</b>	35	1.24	2753	97.18
<b>Caries experience - both dentitions</b>	80	2.82	2833	100.00

<b>Rampant caries</b>				
<b>Rampant caries</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	318	11.22	318	11.22
<b>No rampant caries</b>	2501	88.28	2819	99.51
<b>Rampant &gt;= 7 teeth</b>	14	0.49	2833	100.00

**Sealants on permanent molars**

<b>Sealants on permanent molars</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	318	11.22	318	11.22
<b>No sealants present</b>	1821	64.28	2139	75.50
<b>Sealants present</b>	694	24.50	2833	100.00

<b>Treatment urgency</b>				
<b>Treatment urgency</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	318	11.22	318	11.22
<b>No obvious problem</b>	2124	74.97	2442	86.20
<b>Early dental care</b>	387	13.66	2829	99.86
<b>Urgent care</b>	4	0.14	2833	100.00

<b>Untreated cavities</b>				
<b>Untreated cavities</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	318	11.22	318	11.22
<b>No untreated cavities</b>	2110	74.48	2428	85.70
<b>Untreated cavities</b>	405	14.30	2833	100.00

<b>Need for sealants</b>				
<b>Need for sealants</b>	<b>Frequency</b>	<b>Percent</b>	<b>Cumulative Frequency</b>	<b>Cumulative Percent</b>
<b>Missing</b>	318	11.22	318	11.22
<b>No need for sealants</b>	1531	54.04	1849	65.27
<b>Needs dental sealants</b>	984	34.73	2833	100.00

## **Appendix D**


### **Detailed Tables and Figures**

Table 2. Demographic data according to region

Variable	% (N) MCHS Total	% (N) West Central	% (N) Western	% (N) Southern	% (N) East Central	% (N) Coastal	% (N) North Eastern
<b>Grade K</b>	56.4 (1599)	59.6 (308)	65.4 (327)	60.4 (437)	50.0 (209)	45.9 (156)	48.5 (162)
<b>Grade 3</b>	43.6 (1234)	40.4 (209)	34.6 (173)	39.6 (287)	50.0 (209)	54.1 (184)	51.5 (172)
<b>Sex</b>							
Boys	48.9 (1385)	51.1 (264)	49.0 (245)	49.5 (358)	49.0 (205)	42.7 (145)	50.3 (168)
Girls	51.1 (1448)	48.9 (253)	51.0 (255)	50.6 (366)	51.0 (213)	57.4 (195)	49.7 (166)
<b>Race</b>							
White	93.5 (2618)	91.8 (467)	92.3 (456)	94.8 (677)	94.0 (389)	93.5 (314)	94.9 (315)
Minority (Asian, Native Hawaiian/Pacific Islander, Black/African American, American Indian/Alaskan Native)	2.3 (65)	3.3 (17)	2.6 (13)	2.2 (16)	1.9 (8)	1.8 (6)	1.5 (5)
Multiple Race	4.1 (116)	4.9 (25)	5.1 (25)	2.9 (21)	4.8 (17)	4.8 (16)	3.6 (12)
Missing	34	8	6	10	4	4	2
<b>Hispanic</b>	1.5 (41)	2.4 (12)	1.4 (7)	1.7 (12)	1.0 (4)	0.9 (3)	0.9 (3)
Missing	36	6	10	6	6	6	2
<b>Insurance</b>							
Private/HMO	64.8 (1774)	62.1 (309)	52.2 (247)	78.3 (551)	67.3 (276)	66.1 (218)	53.4 (173)
MaineCare	29.5 (808)	32.5 (162)	39.3 (186)	17.6 (124)	27.1 (111)	29.1 (96)	39.8 (129)
None	4.8 (132)	4.8 (24)	7.6 (36)	3.7 (26)	4.4 (18)	4.6 (15)	4.0 (13)
Other	0.9 (25)	0.6 (3)	0.9 (4)	0.4 (3)	1.2 (5)	0.3 (1)	2.8 (9)
Missing	94	19	27	20	8	10	10
<b>Free/reduced lunch</b>							
Yes	32.3 (911)	38.4 (197)	44.2 (219)	15.5 (112)	30.7 (128)	31.3 (106)	44.7 (149)
No	59.7 (1684)	55.0 (282)	49.2 (244)	71.3 (514)	66.2 (276)	59.0 (200)	50.5 (168)
Don't know	8.0 (224)	6.6 (34)	6.7 (33)	13.2 (95)	3.1 (13)	9.7 (33)	4.8 (16)
Missing	14	4	4	3	1	1	1

N= number of children.

Figure 1. Prevalence of current asthma, lifetime asthma, and current wheezing by grade




- Of the children surveyed, 11 percent have current asthma, almost 16 percent indicated that they had asthma at some time in their life, and 9 percent experienced wheezing without a diagnosis of asthma in the past 12 months.
- Third graders (18.3%) were more likely to have had asthma at some time in their life than kindergartners (13.9%).
- Kindergartners (10.0%) were more likely to have experienced wheezing in the past 12 months without a diagnosis of asthma than third graders (7.6%).
- Current and lifetime asthma did not vary regionally (see table 3).
- Current wheezing varied regionally from 6.6 percent (Southern) to 12 percent (North Eastern)(see table 3).

Table 3. Prevalence of current asthma, lifetime asthma, and current wheeze by grade according to region

	Combined Grade Levels			Kindergarten			Third Grade		
	Current Asthma	Lifetime Asthma	Current Wheeze	Current Asthma	Lifetime Asthma	Current Wheeze	Current Asthma	Lifetime Asthma	Current Wheeze
	% (95% CI) N	% (95% CI) N	% (95%CI) N	% (95%CI) N	% (95%CI) N	% 95%CI N	% (95%CI) N	% (95%CI) N	% (95%CI) N
West Central	9.9 (7.6-12.8) 50	14.4 (11.6-17.7) 73	10.5 (8.1-13.5) 54	8.3 (5.7-12.0) 25	12.0 (8.7-16.2) 36	10.2 (7.2-14.1) 31	12.2 (8.4-17.4) 25	18.1 (13.4-23.9) 37	11.0 (7.4-16.0) 23
Missing	11	11	3	7	7	3	4	4	0
Western	12.8 (10.1-16.0) 63	12.9 (15.8-19.2) 78	10.1 (7.7-13.0) 50	11.7 (8.7-15.6) 38	14.5 (11.1-18.7) 47	12.0 (8.9-15.9) 39	14.7 (10.1-21.0) 25	18.2 (13.1-24.8) 31	6.4 (3.6-11.2) 11
Missing	6	6	3	3	3	1	3	3	2
Southern	9.6 (7.7-12.0) 69	14.8 (12.4-17.6) 106	6.6 (5.0-8.7) 48	9.7 (7.3-12.8) 42	14.3 (11.3-17.9) 62	8.0 (5.8-11.0) 35	9.6 (6.6-13.6) 27	15.6 (11.8-20.4) 44	4.5 (2.6-7.7) 13
Missing	8	8	1	3	3	1	5	5	0
East Central	14.4 (11.3-18.2) 59	19.3 (15.7-23.4) 79	8.1 (5.9-11.2) 34	13.0 (9.1-18.4) 27	15.9 (11.5-21.6) 33	10.1 (6.6-15.0) 21	15.8 (11.3-21.5) 32	22.7 (17.4-29.0) 46	6.2 (3.7-10.3) 13
Missing	8	8	0	2	2	0	6	6	0
Coastal	9.1 (6.5-12.7) 31	13.6 (10.3-17.6) 46	7.7 (5.3-11.0) 26	10.3 (6.4-16.2) 16	12.9 (8.5-19.1) 20	5.2 (2.6-10.0) 8	8.2 (5.0-13.1) 15	14.1 (9.8-20.0) 26	9.8 (6.3-15.0) 18
Missing	1	1	1	1	1	1	0	0	0
North Eastern	12.8 (9.6-16.8) 42	18.2 (14.5-22.8) 60	12.0 (8.9-15.9) 40	10.7 (6.8-16.5) 17	13.8 (9.3-20.1) 22	15.4 (10.6-21.9) 25	14.7 (10.1-20.9) 25	22.4 (16.7-29.3) 38	8.7 (5.3-14.0) 15
Missing	5	5	0	3	3	0	2	2	0
Total MCHS	11.2 (10.1-12.5) 314	15.8 (14.5-17.2) 442	8.9 (7.9-10.0) 252	10.4 (9.0-12.3) 165	13.9 (12.3-15.7) 220	10.0 (8.6-11.6) 159	12.3 (10.5-14.3) 149	18.3 (16.2-20.6) 222	7.6 (6.2-9.2) 93
Missing	39	39	8	19	19	6	20	20	2

N= number of children.

Figure 2. Prevalence of current asthma, lifetime asthma, and current wheezing by sex



- Of the children surveyed, boys (13.6%, 18.9%) are more likely to have current and lifetime asthma than girls (9.0%, 12.9%).
- There are no differences among boys (8.5%) and girls (9.3%) experiencing wheezing in the past 12 months without a diagnosis of asthma.
- Current asthma, lifetime asthma, and current wheezing did not differ regionally by sex (see table 4).


Table 4. Prevalence of current asthma, lifetime asthma, and current wheezing by sex according to region

	Total MCHS	West Central	West	Southern	East Central	Coastal	North Eastern
	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N
<b>Current Asthma</b>							
Boys	13.6 (11.9-15.5) 186	11.6 (8.2-16.1) 30	16.2 (12.1-21.4) 39	11.4 (8.5-15.1) 40	16.2 (11.7-21.9) 33	14.5 (9.6-21.3) 21	13.8 (9.3-19.9) 23
Girls	9.0 (7.6-10.6) 128	8.1 (5.3-12.3) 20	9.5 (6.4-13.8) 24	8.0 (5.6-11.2) 29	12.6 (8.7-17.9) 26	5.2 (2.8-9.3) 10	11.7 (7.7-17.5) 19
Missing	39	11	6	8	8	1	5
<b>Lifetime Asthma</b>							
Boys	18.9 (16.9-21.0) 258	17.0 (12.9-22.1) 44	19.5 (15.0-25.0) 47	17.1 (13.5-21.3) 60	21.6 (16.5-27.7) 44	19.3 (13.7-26.6) 28	21.0 (15.4-27.8) 35
Girls	12.9 (11.3-14.7) 184	11.7 (8.3-16.4) 29	12.3 (8.7-16.9) 31	12.6 (9.6-16.4) 46	17.0 (12.4-22.9) 35	9.3 (5.9-14.2) 18	15.4 (10.7-21.8) 25
Missing	39	11	6	8	8	1	5
<b>Current Wheezing</b>							
Boys	8.5 (7.1-10.1) 117	9.9 (6.8-14.2) 26	9.5 (6.4-14.0) 23	5.0 (3.2-7.9) 18	8.8 (5.6-13.5) 18	10.3 (6.3-16.5) 15	10.1 (6.4-15.7) 17
Girls	9.3 (8.0-11.0) 135	11.2 (7.8-15.7) 28	10.6 (7.4-15.0) 27	8.2 (5.8-11.5) 30	7.5 (4.7-11.9) 16	5.7 (3.1-10.0) 11	13.9 (9.4-20.0) 23
Missing	8	3	3	1	0	1	0

N=number of children.




Figure 3. Prevalence of current asthma, lifetime asthma, and current wheezing by race



- Of the children surveyed, the percentage who had asthma at some time in their life or currently had asthma did not differ according to race.
- Even though there are no real differences in the prevalence of asthma or current wheeze among racial categories, children reporting more than one race had the highest estimated prevalence of current asthma and lifetime asthma (17.5%, 23.7%) than children reporting white (10.9%, 15.5%) or minority race (12.3%, 18.5%).
- Almost 9 percent of white, 12 percent of minority, and 9.5 percent of children with multiple races reported wheezing symptoms with no diagnosis of asthma.
- Of the children surveyed, current wheezing did not vary by race.

Figure 4. Prevalence of current asthma, lifetime asthma, and current wheezing by insurance coverage




- Children covered by MaineCare (15.1%, 18.8%) are more likely at some time in their life or to currently have asthma than children with private/HMO insurance (9.5%, 14.7%) or even those with no insurance (5.4%, 7.7%)(see table 5).

Table 5. Prevalence of current asthma, lifetime asthma, and current wheeze by insurance coverage and race

	Current Asthma	Lifetime Asthma	Current Wheeze
	% (95% CI) N	% (95% CI) N	% (95% CI) N
<b>Insurance Coverage</b>			
Private/HMO	9.5 (8.2-10.9) 166	14.7 (13.1-16.4) 258	7.7 (6.6-9.1) 137
MaineCare	15.1 (12.8-17.7) 121	18.8 (16.3-21.7) 151	11.6 (9.6-14.0) 94
No insurance	5.4 (2.6-10.9) 7	7.7 (4.2-13.7) 10	9.0 (8.0-10.1) 244
Missing	114	114	85
<b>Race</b>			
White	10.9 (9.8-12.2) 283	15.5 (14.1-16.9) 400	8.9 (7.8-10.0) 232
Minority	12.3 (6.3-22.7) 8	18.5 (10.8- 29.8) 12	12.3 (6.3-22.8) 8
Multiple race	17.5 (11.6-25.7) 20	23.7 (16.7-32.4) 27	9.5 (5.3-16.3) 11
Missing	57	57	57

Figure 5. Prevalence of children with special health care needs (CSHCN) by grade and sex



- Of the children surveyed, 21.1 percent have a special health care need. Boys (26.8%) are more likely to have a special health care need than girls (15.6%).
- Of the children surveyed, a higher percentage of third graders (24.2%) were identified as having a special health care need than kindergartners (18.7%).
- The overall prevalence of CSHCN did not vary regionally (see table 6).


Note:  
 Combined grades: Total (N=2815); Boys (N=1376); Girls (N=1439).  
 Kindergarten: Total (N=1590); Boys (N=763); Girls (N=827).  
 Third grade: Total (N=1225); Boys (N=613); Girls (N=612).

Table 6. Prevalence of children with special health care needs by grade and sex according to region

	Total MCHS	West Central	West	Southern	East Central	Coastal	North Eastern
	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N
Combined grades	21.1 (19.6-22.6) 594	22.2 (18.8-25.9) 114	21.0 (17.7-24.8) 104	17.9 (15.3-20.9) 129	23.3 (19.5-27.7) 97	19.5 (15.7-24.1) 66	25.2 (20.8-30.2) 84
Boys	26.8 (24.5-29.2) 369	27.8 (22.7-33.4) 73	26.5 (21.3-32.4) 64	24.8 (20.6-29.5) 88	27.3 (21.6-33.9) 56	25.7 (19.2-33.5) 37	30.5 (24.0-38.0) 51
Girls	15.6 (13.9-17.6) 225	16.3 (12.3-21.4) 41	15.8 (11.8-20.8) 40	11.3 (8.4-14.9) 41	19.4 (14.6-25.4) 41	15.0 (10.6-20.6) 29	19.9 (14.4-26.7) 33
Missing	18	3	5	5	2	2	1
Grade K	18.7 (16.9-20.7) 297	20.3 (16.2-25.2) 62	19.3 (15.4-24.0) 63	15.5 (12.4-19.2) 67	23.9 (18.6-30.2) 50	14.8 (10.1-21.3) 23	19.8 (14.3-26.7) 32
Boys	24.3 (21.3-27.4) 185	27.7 (21.4-35.2) 43	22.4 (16.7-29.4) 37	22.7 (17.4-29.1) 44	29.4 (21.3-39.0) 30	23.9 (15.2-35.4) 16	18.8 (11.5-29.0) 15
Girls	13.5 (11.4-16.1) 112	12.7 (8.2-19.1) 19	16.2 (11.2-22.7) 26	9.6 (6.5-14.1) 23	18.7 (12.5-27.3) 20	8.0 (3.8-15.8) 7	20.7 (13.2-31.0) 17
Missing	9	3	1	4	0	1	0
Grade 3	24.2 (21.9-26.7) 297	24.9 (19.5-31.2) 52	24.3 (18.5-31.2) 41	21.7 (17.3-26.8) 62	22.7 (17.5-29.0) 47	23.5 (17.9-30.2) 43	30.4 (23.9-37.8) 52
Boys	30.0 (26.5-33.8) 184	27.8 (20.2-36.9) 30	35.1 (25.3-46.3) 27	27.3 (21.0-34.7) 44	25.2 (17.7-34.6) 26	27.3 (18.5-38.3) 21	41.4 (31.4-52.1) 36
Girls	18.5 (15.6-21.7) 113	21.8 (14.8-30.9) 22	15.2 (9.2-24.1) 14	14.4 (9.3-21.7) 18	20.2 (13.5-29.0) 21	20.8 (14.1-29.4) 22	19.1 (12.0-29.0) 16
Missing	9	0	4	1	2	1	1

N = number of children.


Figure 6. Prevalence of children with special health care needs (CSHCN) by race and grade



- Of the children surveyed, CSHCN differed according to race.
- Children with multiple race (33.0%) are more likely to have a special health care need than children reported as white race (20.5%).

Note:  
 Combined grades: White (N=2610); Minority (N=64); Multiple race (N=115).  
 Kindergarten: White (N=1470); Minority (N=36); Multiple race (N=70).  
 Third grade: White (N=1140); Minority (N=28); Multiple race (N=45).

Figure 7. Prevalence of children with special health care needs (CSHCN) by insurance coverage



- Of the children surveyed, CSHCN differed according to insurance coverage.
- Children covered by MaineCare (30.7%) are more likely to have a special health care need than children with Private/HMO insurance (16.9%).
- A higher percentage of third graders covered by MaineCare (36.8%) have a special health care need than children in kindergarten covered by MaineCare (26.7%).

Note:

Data not presented due to confidentiality for kindergarten & third grade with no insurance coverage.

Combined grades: Private/HMO (N=1769); MaineCare (N=805); No insurance (N=131).

Kindergarten: Private/HMO (N=984); MaineCare (N=484).

Third grade: Private/HMO (N=785); MaineCare (N=321).


Table 7. Prevalence of children with special health care needs by insurance coverage and race according to grade level

	Combined Grade Levels	Kindergarten	Third Grade
	% (95% CI) N	% (95% CI) N	% (95% CI) N
<b>Insurance Coverage</b>			
Private/HMO	16.9 (15.2-18.7) 298	15.1 (13.1-17.5) 149	19.0 (16.4-21.9) 149
MaineCare	30.7 (27.6-34.0) 247	26.7 (22.9-30.8) 129	36.8 (31.6-42.2) 118
No insurance	9.9 (5.9-16.3) 13	*	*
Missing	103	51	52
<b>Race</b>			
White	20.5 (19.0-22.0) 534	17.7 (15.8-19.7) 260	24.0 (21.6-26.6) 274
Minority	26.6 (17.3-38.5) 17	30.6 (17.9-47.0) 11	21.4 (10.0-40.1) 6
Multiple race	33.0 (25.1-42.1) 38	34.3 (24.2-46.0) 24	31.1 (19.3-46.0) 14
Missing	44	23	21

\*Indicates 5 or fewer responses, therefore, data not presented due to confidentiality.  
N= number of children.



Figure 8. Prevalence of at-risk for overweight and overweight by sex



- Of the children surveyed, 17.9% are at-risk for overweight and 17.7% are overweight. (See Table 8)
- Of the children surveyed, 36.6% of boys and 34.8% of girls have a body mass index (BMI)  $\geq$  85% for their age and sex (see table 8).
- There are no differences among children at risk for overweight or overweight according to sex.
- At-risk for overweight or overweight did not vary regionally by sex (see table 8).
- There are no differences among children at-risk for overweight or overweight by sex according to grade level.

Table 8. Prevalence of at-risk for overweight and overweight by sex according to region

	Total MCHS	West Central	West	Southern	East Central	Coastal	North Eastern
	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N
At-risk of overweight	17.9 (16.4-19.5) 440	20.0 (16.6-24.0) 89	17.7 (14.3-21.6) 75	17.7 (14.9-20.8) 114	15.1 (11.9-19.1) 56	19.5 (15.4-24.5) 57	17.5 (13.5-22.4) 49
Boys	17.6 (15.5-19.8) 211	21.8 (17.0-27.6) 51	18.7 (13.9-24.7) 38	15.4 (11.8-19.8) 49	15.7 (11.1-21.8) 28	17.6 (11.9-25.3) 22	16.0 (10.8-22.9) 23
Girls	18.3 (16.2-20.5) 229	18.0 (13.4-23.8) 38	16.7 (12.3-22.2) 37	19.9 (15.9-24.6) 65	14.6 (10.3-20.3) 28	21.0 (15.4-27.9) 35	19.1 (13.4-26.5) 26
Overweight	17.7 (16.3-19.3) 435	17.3 (14.1-21.1) 77	19.1 (15.7-23.0) 81	15.5 (12.9-18.5) 100	18.1 (14.5-22.4) 67	15.1 (11.4-19.6) 44	23.6 (18.9-28.9) 66
Boys	19.0 (16.9-21.3) 228	16.2 (12.1-21.5) 38	21.7 (16.6-27.8) 44	16.7 (13.0-21.2) 53	19.1 (14.0-25.6) 34	14.4 (9.3-21.6) 18	28.5 (21.6-36.5) 41
Girls	16.5 (14.6-18.6) 207	18.5 (13.8-24.3) 39	16.7 (12.3-22.2) 37	14.4 (11.0-18.6) 47	17.2 (12.6-23.1) 33	15.6 (10.9-21.8) 26	18.4 (12.7-25.9) 25
Missing	58	10	12	14	4	12	6


N= number of children.

Table 9. Prevalence of at-risk for overweight and overweight by sex according to grade level

	Kindergarten	Third Grade
	% (95% CI) N	% (95% CI) N
<b>At-risk of overweight</b>	17.8 (15.9-19.9) 242	18.0 (15.9-20.4) 198
Boys	17.9 (15.2-21.1) 118	17.1 (14.2-20.5) 93
Girls	17.7 (15.1-20.7) 124	18.9 (15.9-22.4) 105
<b>Overweight</b>	15.4 (13.6-17.4) 209	20.6 (18.3-23.0) 226
Boys	16.0 (13.4-19.0) 105	22.6 (19.3-26.3) 123
Girls	14.9 (12.4-17.7) 104	18.6 (15.5-22.0) 103


N=number of children.

Figure 9 Prevalence of at-risk for overweight and overweight by race



- Of all the children surveyed, at-risk for overweight and overweight did not differ by race.

Figure 10 Prevalence of at-risk for overweight and overweight by insurance coverage




- Of the children surveyed, at-risk for overweight did not differ by insurance coverage.
- Of the children surveyed, overweight differed by insurance coverage.
- Children covered by MaineCare (22.8%) or having no insurance coverage (23.9%) are more likely to be overweight than children with Private/HMO insurance coverage (15.5%).

Table 10. Prevalence of at-risk for overweight and overweight by insurance coverage and race

	At-risk of Overweight	Overweight
	% (95% CI) N	% (95% CI) N
<b>Insurance Coverage</b>		
Private/HMO	17.8 (16.0-19.7) 278	15.5 (13.8-17.3) 242
MaineCare	18.6 (15.9-21.7) 126	22.8 (19.8-26.1) 154
No insurance	15.4 (9.9-23.1) 18	23.9 (17.1-32.5) 28
<b>Race</b>		
White	17.9 (16.3-19.5) 408	17.7 (16.2-19.3) 405
Minority	20.0 (11.1-33.3) 10	14.0 (6.8-26.6) 7
Multiple race	14.9 (9.0-23.6) 14	21.3 (14.2-30.7) 20


N=number of children.

Figure 11. Prevalence of children at-risk for overweight and overweight by television (TV) viewing



- Overweight increased relative to TV viewing.
- Children viewing 3 hours or more of TV on average per day (29.7%) were more likely to be overweight than children who did not usually watch TV (7.4%).
- Of the children surveyed, at-risk of overweight did not differ according to TV viewing time.

Figure 12. Prevalence of children at-risk for overweight and overweight by soda consumption



- Of the children surveyed, at-risk of overweight did not vary according to soda consumption.
- Overweight increased relative to the amount of soda consumption.
- Children who consume soda daily are more likely to be overweight than children who consume soda on a monthly basis.
- Children consuming 2 or more cans of soda per day (80.0%) were more likely to be overweight than children who consumed 2-6 cans/week (26.8%) or less.

Note:

No data to present for at-risk of overweight by >=2 cans/day.

Table 11. Prevalence of at-risk for overweight and overweight by television viewing and soda consumption


	At-Risk of Overweight	Overweight
--	-----------------------	------------



	% (95% CI) N	% (95% CI) N
TV Viewing		
No TV Viewing	23.0 (16.3-31.2)	7.4 (3.9-13.6)
<= 2 hours/day	28 17.8 (16.1-19.6)	9 16.0 (14.4-17.7)
>= 3 hours/day	335 17.3 (13.9-21.4)	301 29.7 (25.5-34.4)
Missing	70 104	120 104
Soda consumption		
None	17.1 (14.6-20.0)	11.5 (9.4-13.9)
1-3 cans/month	130 19.0 (16.5-21.7)	87 16.8 (14.4-19.4)
1 can/week	164 15.6 (12.7-19.1)	145 21.4 (17.9-25.2)
2-6 cans/week	76 21.5 (16.6-27.3)	104 26.8 (21.4-32.9)
1 can/day	49 18.8 (11.8-28.6)	61 32.9 (23.8-43.6)
>= 2 cans/day	16 0	28 80.0 (46.0-95.0)
Missing	8 82	8 82

\*N= number of events.

Figure 13. Prevalence of environmental tobacco smoke (ETS) exposure by region and grade



- Of all the children surveyed, ETS exposure varied regionally from 17.5% (Southern) to 34.8% (Western).
- ETS exposure varied regionally among kindergartners from 16.6% (Southern) to 33.1% (Western).
- ETS exposure varied regionally among third graders from 18.9% (Southern) to 38.1% (Western).


Note:

Total: West Central (N=502); Western (N=488); Southern (N=715); East Central (N=412); Coastal (N=334); North Eastern (N=328).

Kindergarten: West Central (N=297); Western (N=320); Southern (N=433); East Central (N=206); Coastal (N=152); North Eastern (N=159).

Third grade: West Central (N=205); Western (N=168); Southern (N=282); East Central (N=206); Coastal (N=182); North Eastern (N=169).

Figure 14. Prevalence of environmental tobacco smoke (ETS) exposure by race according to grade level



- Of the children surveyed, environmental tobacco smoke exposure did not vary according race or grade level.


Note: Data not presented due to confidentiality for kindergartners & third graders who are a racial minority.

Combined grades: White (N=2577); Minority (N=63); Multiple race (N=114).

Kindergarten: White (N=1449); Minority (N=35); Multiple race (N=69).

Third grade: White (N=1122); Minority (N=28); Multiple race (N=45).

Figure 15. Prevalence of environmental tobacco smoke (ETS) exposure by insurance coverage according to grade level



- Of the children surveyed, ETS exposure varied by insurance coverage from 15.1% (Private/HMO) to 47.2% (MaineCare).
- Of the children surveyed those who are covered by MaineCare and those with no insurance coverage were more likely to be exposed to tobacco smoke than children with Private/HMO insurance coverage (see table 12).
- ETS exposure varied by insurance coverage according to grade level (see table 13).

Note:  
 Combined grades: Private/HMO (N=1751); MaineCare (N=791); No insurance (N=130).  
 Kindergarten: Private/HMO (N=974); MaineCare (N=471); No insurance (N=67).  
 Third grade: Private/HMO (N=777); MaineCare (N=320); No insurance (N=63).

Table 12. Prevalence of environmental tobacco smoke exposure (ETS) by sex, race, and insurance coverage according to region

	Total MCHS	West Central	West	Southern	East Central	Coastal	North Eastern
	%	%	%	%	%	%	%
	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)	(95% CI)
	N	N	N	N	N	N	N
Combined	25.7	29.3	34.8	17.5	23.3	21.9	31.1
Grade Levels	(24.1-27.3)	(25.6-33.3)	(30.7-39.2)	(14.9-20.4)	(19.6-27.5)	(17.9-26.5)	(26.4-36.2)
	713	147	170	125	96	73	102
Boys	25.1	30.1	32.6	15.9	22.3	21.5	32.7
	(22.9-27.5)	(24.8-35.9)	(26.9-38.9)	(12.5-20.1)	(17.1-28.6)	(15.6-29.0)	(26.0-40.3)
	340	77	77	56	45	31	54
Girls	26.2	28.5	36.9	19.0	24.3	22.1	29.5
	(24.0-28.5)	(23.2-34.3)	(31.2-43.0)	(15.3-23.3)	(19.0-30.5)	(16.8-28.5)	(23.2-36.6)
	373	70	93	69	51	42	48
Missing	54	15	2	9	6	6	6
Grade K	25.5	30.0	33.1	16.6	23.8	23.7	29.6
	(23.4-27.6)	(25.2-35.2)	(28.2-38.5)	(13.5-20.3)	(18.6-29.9)	(17.6-31.1)	(23.1-37.0)
	399	89	106	72	49	36	47
Grade 3	25.9	28.3	38.1	18.8	22.8	20.3	32.5
	(23.6-28.4)	(22.6-34.9)	(31.0-45.7)	(14.7-23.8)	(17.7-28.9)	(15.2-26.6)	(26.0-39.9)
	314	58	64	53	47	37	55


N= number of children.

Table 13. Prevalence of environmental tobacco smoke exposure (ETS) by race, and insurance coverage according to grade

	Total MCHS	Kindergarten	Third Grade
	% (95% CI) N	% (95% CI) N	% (95% CI) N
Race			
White	25.7 (24.1-27.4) 663	25.6 (23.5-27.9) 371	25.9 (23.5-28.5) 292
Minority	17.5 (10.1-28.6) 11	*	*
Multiple Race	30.7 (23.0-39.7) 35	29.0 (19.6-40.7) 20	33.3 (21.2-48.2) 15
Missing	79	46	33
Insurance Coverage			
Private/HMO	15.1 (13.5-16.8) 264	14.8 (12.7-17.1) 144	15.4 (13.1-18.2) 120
MaineCare	47.2 (43.7-50.6) 373	47.4 (42.9-51.9) 223	46.9 (41.5-52.3) 150
None	38.5 (30.5-47.1) 50	32.8 (22.7-44.9) 22	44.4 (32.7-56.8) 28
Other	*	*	*
Missing	136	73	63

\*Indicates five or fewer events, therefore, suppressed due to confidentiality.  
N=number of children.

Figure 16. Prevalence of food insecurity and family hunger by region



- Of the children surveyed, 10.6 percent come from families who are food insecure and 3.9 percent from families who are hungry.
- Food insecurity varied regionally from 7.4 percent (Southern) to 16.2 percent (West Central).
- Family hunger also varied regionally from 1.8 percent (North Eastern) to 5.9 percent (West Central).
- Food insecurity and family hunger did not vary according to sex or grade level (Table 14).


Table 14 Prevalence of food insecurity and family hunger by sex and grade according to region

	Food Insecure					Family Hunger				
	Combined Grade Levels	Boys	Girls	Grade K	Grade 3	Combined Grade Levels	Boys	Girls	Grade K	Grade 3
	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N	% (95% CI) N
West Central	16.2 (13.4-19.6) 83	16.9 (12.9-21.8) 44	15.6 (11.6-20.6) 39	17.1 (13.4-21.6) 52	15.0 (10.7-20.6) 31	5.9 (4.1-8.3) 30	5.8 (3.5-9.2) 15	6.0 (3.7-9.7) 15	5.9 (3.8-9.2) 18	5.8 (3.3-10.0) 12
Missing	6					6				
Western	12.7 (10.0-16.0) 63	11.6 (8.2-16.3) 28	13.7 (10.0-18.6) 35	12.9 (9.7-17.0) 42	12.3 (8.1-18.3) 21	4.6 (3.1-6.9) 23	4.2 (2.3-7.5) 10	5.1 (3.0-8.6) 13	*	*
Missing	4					4				
Southern	7.4 (5.7-9.5) 53	7.6 (5.3-10.8) 27	7.1 (4.9-10.2) 26	6.9 (4.9-9.7) 30	8.0 (5.4-11.8) 23	2.6 (1.7-4.1) 19	3.4 (1.9-5.8) 12	1.9 (0.9-4.0) 7	1.8 (0.9-3.6) 8	3.8 (2.1-6.8) 11
Missing	3					3				
East Central	10.8 (8.2-14.1) 45	11.2 (7.6-16.2) 23	10.3 (6.9-15.2) 22	11.5 (7.8-16.6) 24	10.1 (6.7-14.8) 21	4.6 (2.9-7.0) 19	3.9 (2.0-7.6) 8	5.2 (2.9-9.1) 11	4.3 (2.3-8.1) 9	4.8 (2.6-8.7) 10
Missing	0					0				
Coastal	8.6 (6.1-12.0) 29	7.6 (4.3-13.1) 11	9.3 (6.0-14.2) 18	9.1 (5.5-14.8) 14	8.2 (5.0-13.0) 15	3.9 (2.3-6.5) 13	*	*	4.6 (2.2-9.2) 7	3.3 (1.5-7.1) 6
Missing	2					2				
North Eastern	7.5 (5.1-10.9) 25	6.6 (3.7-11.4) 11	8.5 (5.1-13.9) 14	5.6 (2.9-10.4) 9	9.4 (5.9-14.8) 16	1.8 (0.8-3.9) 6	*	*	*	*
Missing	2					2				
Total MCHS	10.6 (9.5-11.8) 298	10.5 (9.0-12.2) 144	10.7 (9.2-12.4) 154	10.8 (9.4-12.4) 171	10.3 (8.8-12.2) 127	3.9 (3.3-4.7) 110	3.9 (3.0-5.1) 54	3.9 (3.0-5.0) 56	4.0 (3.1-5.0) 63	3.8 (2.9-5.1) 47
Missing	17			11	6	17				

\*Indicates <= 5 events, therefore, suppressed due to confidentiality.  
N= number of events.




Figure 17. Prevalence of food insecurity and family hunger by race



- Of the children surveyed, food insecurity and family hunger differed according to race.
- Children with multiple race (18.3%, 9.6%) are more likely to come from families who are food insecure and hungry than children reported as white race (10.3%, 3.7%).

Figure 18. Prevalence of food insecurity and family hunger by insurance coverage



- Of the children surveyed, food insecurity and family hunger differed according to insurance coverage.
- Children covered by MaineCare (22.6%, 9.7%) are more likely to have come from families who are food insecure and hungry than children covered by Private/HMO insurance (4.9%, 1.0%).
- Children who are not covered by any insurance (11.4%, 5.3%) are also more likely to come from families who are food insecure and hungry than those covered by Private/HMO insurance (see table 15).

Table 15. Prevalence of food insecurity and family hunger by insurance coverage and race

	Food Insecurity	Family Hunger
	% (95% CI) N	% (95% CI) N
<b>Insurance Coverage</b>		
Private/HMO	4.9 (4.0-6.0) 87	1.0 (0.6-1.6) 18
MaineCare	22.6 (19.8-25.6) 182	9.7 (7.8-11.9) 78
No insurance	11.4 (7.0-18.0) 15	5.3 (2.6-10.7) 7
Missing	96	96
<b>Race</b>		
White	10.3 (9.2-11.5) 268	3.7 (3.0-4.5) 96
Minority	*	*
Multiple race	18.3 (12.2-26.4) 21	9.6 (5.4-16.4) 11
Missing	43	43

\*Indicates 5 or fewer responses, therefore, data not presented due to confidentiality.  
N= Number of events.